

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Arkansas

All races, both sexes.....	140	80	7	1	3	2	2	1	2	1	8	1
Male.....	67	41	2	-	2	1	-	-	1	-	4	-
Female.....	73	39	5	1	1	1	2	1	1	1	4	1
White, both sexes.....	112	62	5	1	2	1	2	1	2	-	6	1
Male.....	58	33	1	-	2	1	-	-	1	-	4	-
Female.....	54	29	4	1	-	-	2	1	1	-	2	1
Black, both sexes.....	28	18	2	-	1	1	-	-	-	1	2	-
Male.....	9	8	1	-	-	-	-	-	-	-	-	-
Female.....	19	10	1	-	1	1	-	-	-	1	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,292	696	87	32	29	28	26	22	20	25	40	41
Male.....	675	346	52	14	20	20	16	13	13	16	22	24
Female.....	617	350	35	18	9	8	10	9	7	9	18	17
White, both sexes.....	1,068	573	72	22	22	22	20	20	17	21	35	30
Male.....	563	284	41	12	16	16	11	11	12	14	19	19
Female.....	505	289	31	10	6	6	9	9	5	7	16	11
Black, both sexes.....	114	60	4	8	5	3	4	-	3	3	2	10
Male.....	56	30	3	2	3	2	3	-	1	1	1	5
Female.....	58	30	1	6	2	1	1	-	2	2	1	5
American Indian 1/, both sexes.....	7	5	-	-	-	-	-	1	-	-	1	-
Male.....	5	3	-	-	-	-	-	1	-	-	1	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	103	58	11	2	2	3	2	1	-	1	2	1
Male.....	51	29	8	-	1	2	2	1	-	1	1	-
Female.....	52	29	3	2	1	1	-	-	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

New Mexico

All races, both sexes.....	84	43	4	-	2	1	3	1	2	2	1	2
Male.....	46	21	2	-	1	1	2	1	1	2	-	2
Female.....	38	22	2	-	1	-	1	-	1	-	1	-
White, both sexes.....	64	30	2	-	2	1	3	1	1	1	-	2
Male.....	36	14	1	-	1	1	2	1	1	1	-	2
Female.....	28	16	1	-	1	-	1	-	-	-	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	19	13	1	-	-	-	-	-	1	1	1	-
Male.....	9	7	-	-	-	-	-	-	-	1	-	-
Female.....	10	6	1	-	-	-	-	-	1	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	561	265	28	19	12	15	17	17	17	13	14	16
Male.....	291	134	19	10	5	10	15	8	11	6	5	10
Female.....	270	131	9	9	7	5	2	9	6	7	9	6
White, both sexes.....	396	163	18	12	11	9	14	13	11	11	13	12
Male.....	205	86	11	6	5	6	12	7	7	5	5	8
Female.....	191	77	7	6	6	3	2	6	4	6	8	4
Black, both sexes.....	134	83	9	6	1	5	3	4	3	1	-	4
Male.....	70	39	7	3	-	4	3	1	2	-	-	2
Female.....	64	44	2	3	1	1	-	3	1	1	-	2
American Indian 1/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-
Male.....	2	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	19	1	-	-	1	-	-	2	1	1	-
Male.....	14	9	1	-	-	-	-	-	1	1	-	-
Female.....	15	10	-	-	-	1	-	-	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

Arkansas

All races, both sexes.....	8	4	3	4	2	2	4	2	2	1	-	-
Male.....	5	3	2	1	2	1	1	1	-	-	-	-
Female.....	3	1	1	3	-	1	3	1	2	1	-	-
White, both sexes.....	7	4	2	3	2	2	4	2	2	1	-	-
Male.....	5	3	2	1	2	1	1	1	-	-	-	-
Female.....	2	1	-	2	-	1	3	1	2	1	-	-
Black, both sexes.....	1	-	1	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	46	35	18	27	15	34	36	24	8	3	-	-
Male.....	24	18	12	15	5	17	9	13	5	1	-	-
Female.....	22	17	6	12	10	17	27	11	3	2	-	-
White, both sexes.....	35	33	17	23	13	30	30	22	8	3	-	-
Male.....	20	18	11	13	4	15	8	13	5	1	-	-
Female.....	15	15	6	10	9	15	22	9	3	2	-	-
Black, both sexes.....	5	-	1	2	-	2	2	-	-	-	-	-
Male.....	1	-	1	2	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	-	2	2	2	4	2	-	-	-	-
Male.....	3	-	-	-	1	1	1	-	-	-	-	-
Female.....	3	2	-	2	1	1	3	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
Arkansas												
All races, both sexes.....	12	8	-	-	-	1	1	-	-	-	-	1
Male.....	6	5	-	-	-	1	-	-	-	-	-	-
Female.....	6	3	-	-	-	-	1	-	-	-	-	1
White, both sexes.....	10	6	-	-	-	1	1	-	-	-	-	1
Male.....	5	4	-	-	-	1	-	-	-	-	-	-
Female.....	5	2	-	-	-	-	1	-	-	-	-	1
Black, both sexes.....	2	2	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	134	72	20	10	7	3	1	3	-	4	3	5
Male.....	68	33	14	3	4	3	1	2	-	2	1	2
Female.....	66	39	6	7	3	-	-	1	-	2	2	3
White, both sexes.....	109	62	20	7	4	2	-	2	-	2	3	3
Male.....	57	29	14	2	3	2	-	1	-	1	1	1
Female.....	52	33	6	5	1	-	-	1	-	1	2	2
Black, both sexes.....	18	7	-	2	2	1	1	-	-	2	-	2
Male.....	8	2	-	1	1	1	1	-	-	1	-	1
Female.....	10	5	-	1	1	-	-	-	-	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	-	1	1	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	4	1	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

Arkansas

All races, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1	1	-	-	1	-	2	1	-	-	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	-	1	-	-	1	-	1	1	-	-	-	-
Male.....	-	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Congenital malformations of heart (Q20-Q24)

Arkansas

All races, both sexes.....	2	1	1	-	2	1	1	1	-	-	-	-
Male.....	1	-	1	-	2	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	1	1	1	-	-	-	-
White, both sexes.....	1	1	1	-	2	1	1	1	-	-	-	-
Male.....	1	-	1	-	2	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	1	1	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	14	7	8	8	-	13	11	5	3	2	-	-
Male.....	5	6	4	3	-	8	3	1	3	-	-	-
Female.....	9	1	4	5	-	5	8	4	-	2	-	-
White, both sexes.....	11	7	8	6	-	13	10	4	3	2	-	-
Male.....	4	6	4	3	-	8	3	1	3	-	-	-
Female.....	7	1	4	3	-	5	7	3	-	2	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	2	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	2	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other congenital malformations of circulatory system (Q25-Q28)

Arkansas

All races, both sexes.....	7	4	-	-	-	-	-	-	-	-	-	-
Male.....	3	2	-	-	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	6	3	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	124	31	5	5	3	8	3	2	-	3	6	8
Male.....	69	17	2	2	1	4	2	1	-	2	5	6
Female.....	55	14	3	3	2	4	1	1	-	1	1	2
White, both sexes.....	100	25	3	2	3	5	3	2	-	2	6	6
Male.....	58	14	1	1	1	3	2	1	-	1	5	6
Female.....	42	11	2	1	2	2	1	1	-	1	1	-
Black, both sexes.....	10	3	-	3	-	1	-	-	-	-	-	1
Male.....	4	1	-	1	-	-	-	-	-	-	-	-
Female.....	6	2	-	2	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	3	2	-	-	2	-	-	-	1	-	1
Male.....	7	2	1	-	-	1	-	-	-	1	-	-
Female.....	7	1	1	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other congenital malformations of circulatory system (Q25-Q28)												
New Mexico												
All races, both sexes.....	9	2	-	-	1	-	2	-	-	-	-	-
Male.....	5	1	-	-	-	-	2	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	7	1	-	-	1	-	2	-	-	-	-	-
Male.....	3	-	-	-	-	-	2	-	-	-	-	-
Female.....	4	1	-	-	1	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	64	18	1	4	2	2	3	-	-	1	1	4
Male.....	37	11	-	3	1	-	3	-	-	-	-	3
Female.....	27	7	1	1	1	2	-	-	-	1	1	1
White, both sexes.....	50	10	1	4	2	1	3	-	-	1	1	3
Male.....	29	7	-	3	1	-	3	-	-	-	-	2
Female.....	21	3	1	1	1	1	-	-	-	1	1	1
Black, both sexes.....	11	7	-	-	-	-	-	-	-	-	-	1
Male.....	6	3	-	-	-	-	-	-	-	-	-	1
Female.....	5	4	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other congenital malformations of circulatory system (Q25-Q28)

Arkansas

All races, both sexes.....	1	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
White, both sexes.....	1	-	-	-	-	-	-	-	1	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	4	1	4	3	6	10	8	4	1	-	-
Male.....	8	2	1	2	2	3	3	4	1	1	-	-
Female.....	1	2	-	2	1	3	7	4	3	-	-	-
White, both sexes.....	7	3	1	3	2	5	10	7	4	1	-	-
Male.....	6	2	1	1	1	3	3	4	1	1	-	-
Female.....	1	1	-	2	1	2	7	3	3	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other congenital malformations and deformations (Q10-Q18,Q35-Q89)

Arkansas

All races, both sexes.....	1	2	2	1	-	1	3	1	1	-	-	-
Male.....	-	2	1	1	-	1	1	1	-	-	-	-
Female.....	1	-	1	-	-	-	2	-	1	-	-	-
White, both sexes.....	1	2	1	1	-	1	3	1	1	-	-	-
Male.....	-	2	1	1	-	1	1	1	-	-	-	-
Female.....	1	-	-	-	-	-	2	-	1	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	8	5	3	10	9	14	12	9	1	-	-	-
Male.....	4	1	3	8	1	5	2	7	1	-	-	-
Female.....	4	4	-	2	8	9	10	2	-	-	-	-
White, both sexes.....	6	4	2	9	8	11	8	9	1	-	-	-
Male.....	4	1	2	7	1	3	1	7	1	-	-	-
Female.....	2	3	-	2	7	8	7	2	-	-	-	-
Black, both sexes.....	1	-	1	1	-	2	2	-	-	-	-	-
Male.....	-	-	1	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	1	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Down's syndrome (Q90)

New Mexico

All races, both sexes.....	8	2	-	-	-	-	1	-	1	1	-	1
Male.....	5	-	-	-	-	-	-	-	1	1	-	1
Female.....	3	2	-	-	-	-	1	-	-	-	-	-
White, both sexes.....	7	1	-	-	-	-	1	-	1	1	-	1
Male.....	5	-	-	-	-	-	-	-	1	1	-	1
Female.....	2	1	-	-	-	-	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	57	7	1	-	-	2	-	1	3	3	3	5
Male.....	25	3	-	-	-	1	-	-	1	3	2	2
Female.....	32	4	1	-	-	1	-	1	2	-	1	3
White, both sexes.....	45	5	-	-	-	1	-	1	-	2	3	3
Male.....	20	2	-	-	-	1	-	-	-	2	2	1
Female.....	25	3	-	-	-	-	-	1	-	-	1	2
Black, both sexes.....	9	2	1	-	-	1	-	-	1	-	-	2
Male.....	3	1	-	-	-	-	-	-	-	-	-	1
Female.....	6	1	1	-	-	1	-	-	1	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	2	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Arkansas

All races, both sexes.....	357	63	5	1	1	2	3	6	9	14	11	17
Male.....	164	37	3	1	-	1	3	2	6	10	6	10
Female.....	193	26	2	-	1	1	-	4	3	4	5	7
White, both sexes.....	267	37	2	1	-	1	1	5	8	10	8	14
Male.....	114	17	1	1	-	1	1	2	5	7	5	8
Female.....	153	20	1	-	-	-	-	3	3	3	3	6
Black, both sexes.....	90	26	3	-	1	1	2	1	1	4	3	3
Male.....	50	20	2	-	-	-	2	-	1	3	1	2
Female.....	40	6	1	-	1	1	-	1	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	944	282	12	5	7	13	24	28	39	45	62	75
Male.....	548	180	7	3	2	8	16	18	21	25	42	49
Female.....	396	102	5	2	5	5	8	10	18	20	20	26
White, both sexes.....	744	199	7	3	7	9	21	22	30	35	49	66
Male.....	427	126	3	3	2	5	15	14	17	19	32	43
Female.....	317	73	4	-	5	4	6	8	13	16	17	23
Black, both sexes.....	139	63	3	2	-	4	-	4	8	6	7	6
Male.....	86	40	2	-	-	3	-	2	4	4	5	4
Female.....	53	23	1	2	-	1	-	2	4	2	2	2
American Indian 1/, both sexes.....	6	1	1	-	-	-	-	-	-	-	-	-
Male.....	3	1	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	55	19	1	-	-	-	3	2	1	4	6	3
Male.....	32	13	1	-	-	-	1	2	-	2	5	2
Female.....	23	6	-	-	-	-	2	-	1	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Massachusetts

All races, both sexes.....	750	43	2	2	2	6	25	17	18	28	34	41
Male.....	326	28	1	1	-	4	20	10	10	21	28	27
Female.....	424	15	1	1	2	2	5	7	8	7	6	14
White, both sexes.....	690	34	2	2	2	6	24	11	14	24	33	39
Male.....	290	22	1	1	-	4	20	6	7	17	27	26
Female.....	400	12	1	1	2	2	4	5	7	7	6	13
Black, both sexes.....	45	7	-	-	-	-	-	4	4	3	-	2
Male.....	27	5	-	-	-	-	-	4	3	3	-	1
Female.....	18	2	-	-	-	-	-	-	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	2	-	-	-	-	1	2	-	1	1	-
Male.....	7	1	-	-	-	-	-	-	-	1	1	-
Female.....	6	1	-	-	-	-	1	2	-	-	-	-

Michigan

All races, both sexes.....	332	64	2	2	3	3	6	5	4	10	8	5
Male.....	144	42	-	2	2	3	4	3	3	2	4	4
Female.....	188	22	2	-	1	-	2	2	1	8	4	1
White, both sexes.....	264	39	1	2	-	2	2	4	3	4	7	4
Male.....	107	24	-	2	-	2	2	2	2	1	4	3
Female.....	157	15	1	-	-	-	-	2	1	3	3	1
Black, both sexes.....	61	23	1	-	3	1	3	1	1	6	1	1
Male.....	33	16	-	-	2	1	2	1	1	1	-	1
Female.....	28	7	1	-	1	-	1	-	-	5	1	-
American Indian 1/, both sexes.....	3	2	-	-	-	-	-	-	-	-	-	-
Male.....	2	2	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Nebraska

All races, both sexes.....	454	21	-	1	-	1	2	2	3	3	10	9
Male.....	231	14	-	1	-	1	1	2	1	2	4	8
Female.....	223	7	-	-	-	-	1	-	2	1	6	1
White, both sexes.....	431	18	-	1	-	1	2	2	3	2	9	9
Male.....	221	14	-	1	-	1	1	2	1	2	3	8
Female.....	210	4	-	-	-	-	1	-	2	-	6	1
Black, both sexes.....	21	3	-	-	-	-	-	-	-	1	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	11	3	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	302	21	2	-	-	1	7	4	3	8	5	11
Male.....	116	9	-	-	-	-	4	2	2	5	3	6
Female.....	186	12	2	-	-	1	3	2	1	3	2	5
White, both sexes.....	272	13	1	-	-	-	6	3	2	6	4	8
Male.....	101	3	-	-	-	-	4	2	1	3	2	5
Female.....	171	10	1	-	-	-	2	1	1	3	2	3
Black, both sexes.....	19	7	-	-	-	-	-	1	1	2	1	1
Male.....	11	5	-	-	-	-	-	-	1	2	1	-
Female.....	8	2	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	5	1	-	-	-	1	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	-	-	-	1	-	-	-	-	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	4	-	1	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Hampshire

All races, both sexes.....	42	9	-	-	-	-	1	-	-	1	-	-
Male.....	17	6	-	-	-	-	1	-	-	-	-	-
Female.....	25	3	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	40	8	-	-	-	-	-	-	-	1	-	-
Male.....	16	6	-	-	-	-	-	-	-	-	-	-
Female.....	24	2	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	882	57	7	3	3	10	29	46	39	55	91	73
Male.....	483	35	5	2	1	9	22	33	31	36	59	45
Female.....	399	22	2	1	2	1	7	13	8	19	32	28
White, both sexes.....	708	29	4	2	1	7	22	37	33	44	68	54
Male.....	375	17	3	1	-	6	18	27	28	30	46	32
Female.....	333	12	1	1	1	1	4	10	5	14	22	22
Black, both sexes.....	153	23	3	1	2	3	6	8	5	10	22	16
Male.....	93	16	2	1	1	3	3	5	3	5	12	11
Female.....	60	7	1	-	1	3	3	3	2	5	10	5
American Indian 1/, both sexes.....	3	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	4	-	-	-	-	1	1	1	1	1	3
Male.....	13	2	-	-	-	-	1	1	-	1	1	2
Female.....	5	2	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Mexico

All races, both sexes.....	132	29	1	-	-	3	4	3	3	5	8	7
Male.....	63	12	1	-	-	2	2	2	3	3	3	4
Female.....	69	17	-	-	-	1	2	1	-	2	5	3
White, both sexes.....	111	23	1	-	-	2	4	2	2	5	5	7
Male.....	48	8	1	-	-	1	2	1	2	3	-	4
Female.....	63	15	-	-	-	1	2	1	-	2	5	3
Black, both sexes.....	3	1	-	-	-	-	-	1	1	-	-	-
Male.....	3	1	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	18	5	-	-	-	1	-	-	-	-	3	-
Male.....	12	3	-	-	-	1	-	-	-	-	3	-
Female.....	6	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,684	189	24	6	11	45	80	111	112	194	297	329
Male.....	1,612	113	17	3	1	33	58	87	84	128	200	223
Female.....	1,072	76	7	3	10	12	22	24	28	66	97	106
White, both sexes.....	2,204	109	16	5	7	37	71	92	94	160	247	262
Male.....	1,332	69	11	3	1	28	51	76	71	108	169	183
Female.....	872	40	5	2	6	9	20	16	23	52	78	79
Black, both sexes.....	425	69	5	-	2	8	7	18	16	33	47	64
Male.....	250	37	4	-	2	5	5	11	12	20	28	39
Female.....	175	32	1	-	2	3	2	7	4	13	19	25
American Indian 1/, both sexes.....	10	3	-	1	-	-	1	-	1	-	1	2
Male.....	7	3	-	-	-	-	1	-	1	-	1	1
Female.....	3	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	45	8	3	-	2	-	1	1	1	1	2	1
Male.....	23	4	2	-	-	-	1	-	-	-	2	-
Female.....	22	4	1	-	2	-	-	1	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Oregon

All races, both sexes.....	425	23	1	-	1	1	3	-	3	7	14	7
Male.....	184	13	1	-	1	-	3	-	3	5	10	2
Female.....	241	10	-	-	-	1	-	-	-	2	4	5
White, both sexes.....	408	20	1	-	1	1	3	-	2	7	12	5
Male.....	176	11	1	-	1	-	3	-	2	5	10	2
Female.....	232	9	-	-	-	1	-	-	-	2	2	3
Black, both sexes.....	9	3	-	-	-	-	-	-	1	-	2	1
Male.....	5	2	-	-	-	-	-	-	1	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	-	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	1,906	105	4	2	2	7	11	13	14	32	30	61
Male.....	856	72	3	2	1	4	9	9	9	20	19	35
Female.....	1,050	33	1	-	1	3	2	4	5	12	11	26
White, both sexes.....	1,649	64	4	2	1	5	7	7	10	24	21	53
Male.....	745	41	3	2	-	3	5	5	8	16	14	34
Female.....	904	23	1	-	1	2	2	2	2	8	7	19
Black, both sexes.....	247	39	-	-	1	1	4	6	4	8	8	7
Male.....	106	29	-	-	1	1	4	4	1	4	4	1
Female.....	141	10	-	-	-	-	-	2	3	4	4	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	2	-	-	-	1	-	-	-	-	1	1
Male.....	5	2	-	-	-	-	-	-	-	-	1	-
Female.....	5	-	-	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Alaska

All races, both sexes.....	-	3	-	-	-	-	2	1	6	1	2	-
Male.....	-	1	-	-	-	-	-	1	2	-	-	-
Female.....	-	2	-	-	-	-	2	-	4	1	2	-
White, both sexes.....	-	1	-	-	-	-	1	1	4	1	1	-
Male.....	-	-	-	-	-	-	-	1	2	-	-	-
Female.....	-	1	-	-	-	-	1	-	2	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	2	-	1	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	17	17	11	16	21	41	58	68	79	32	19	22
Male.....	10	7	4	9	10	11	17	22	16	8	1	21
Female.....	7	10	7	7	11	30	41	46	63	24	18	1
White, both sexes.....	15	16	10	15	20	40	57	67	75	28	19	19
Male.....	9	6	3	9	10	11	17	22	14	8	1	18
Female.....	6	10	7	6	10	29	40	45	61	20	18	1
Black, both sexes.....	2	-	1	1	1	-	-	-	1	1	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	1	1	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	1	-	1	3	-	3
Male.....	-	1	-	-	-	-	-	-	-	-	-	3
Female.....	-	-	-	-	-	-	1	-	1	3	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Arkansas

All races, both sexes.....	13	7	14	14	24	24	42	37	23	21	6	-
Male.....	5	5	5	9	13	13	11	14	5	3	2	-
Female.....	8	2	9	5	11	11	31	23	18	18	4	-
White, both sexes.....	9	6	11	11	16	18	40	29	17	18	5	-
Male.....	2	4	4	7	8	9	11	12	5	3	1	-
Female.....	7	2	7	4	8	9	29	17	12	15	4	-
Black, both sexes.....	4	1	3	3	8	6	2	8	6	3	1	-
Male.....	3	1	1	2	5	4	-	2	-	-	1	-
Female.....	1	-	2	1	3	2	2	6	6	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	68	59	32	17	19	19	44	22	25	11	10	26
Male.....	36	32	21	9	11	13	17	4	10	-	3	21
Female.....	32	27	11	8	8	6	27	18	15	11	7	5
White, both sexes.....	55	48	26	12	16	17	39	21	22	10	8	22
Male.....	30	25	17	5	11	11	15	4	9	-	3	18
Female.....	25	23	9	7	5	6	24	17	13	10	5	4
Black, both sexes.....	10	8	3	5	1	1	3	1	1	-	1	2
Male.....	5	5	3	4	-	1	1	-	1	-	-	2
Female.....	5	3	-	1	1	-	2	1	-	-	1	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	2	-	2	1	2	-	1	1	1	2
Male.....	-	2	1	-	-	1	1	-	-	-	-	1
Female.....	1	1	1	-	2	-	1	-	1	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Florida

All races, both sexes.....	81	63	92	93	165	360	560	758	768	453	155	21
Male.....	51	42	56	50	86	160	245	275	209	94	23	14
Female.....	30	21	36	43	79	200	315	483	559	359	132	7
White, both sexes.....	64	50	72	77	143	324	509	721	744	441	148	15
Male.....	39	34	45	40	79	146	221	263	207	90	21	11
Female.....	25	16	27	37	64	178	288	458	537	351	127	4
Black, both sexes.....	17	12	20	15	19	35	46	36	24	12	6	6
Male.....	12	8	11	10	6	13	22	12	2	4	1	3
Female.....	5	4	9	5	13	22	24	24	22	8	5	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	3	1	5	1	-	-	1	-
Male.....	-	-	-	-	1	1	2	-	-	-	1	-
Female.....	-	1	-	1	2	-	3	1	-	-	-	-

Georgia

All races, both sexes.....	40	40	44	44	60	98	193	208	211	100	45	2
Male.....	22	28	30	25	28	31	59	57	47	23	7	1
Female.....	18	12	14	19	32	67	134	151	164	77	38	1
White, both sexes.....	23	28	31	28	39	69	153	172	175	79	31	-
Male.....	11	17	21	15	19	19	44	51	42	17	4	-
Female.....	12	11	10	13	20	50	109	121	133	62	27	-
Black, both sexes.....	17	11	12	15	21	29	39	33	36	19	13	2
Male.....	11	10	8	9	9	12	14	6	5	4	2	1
Female.....	6	1	4	6	12	17	25	27	31	15	11	1
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	1	-	-
Male.....	-	-	1	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	2	-	1	1	-
Male.....	-	1	-	1	-	-	1	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Nebraska

All races, both sexes.....	10	19	32	30	33	49	61	56	57	42	13	-
Male.....	7	15	24	19	21	26	30	26	18	7	4	-
Female.....	3	4	8	11	12	23	31	30	39	35	9	-
White, both sexes.....	10	16	30	28	31	45	59	54	57	41	13	-
Male.....	7	13	23	18	19	24	30	25	18	7	4	-
Female.....	3	3	7	10	12	21	29	29	39	34	9	-
Black, both sexes.....	-	3	1	2	2	4	2	1	-	1	-	-
Male.....	-	2	1	1	2	2	-	1	-	-	-	-
Female.....	-	1	-	1	-	2	2	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	1	-	-	-	-

Nevada

All races, both sexes.....	5	6	11	6	19	24	51	42	47	20	6	3
Male.....	4	1	5	4	10	8	20	19	10	2	-	2
Female.....	1	5	6	2	9	16	31	23	37	18	6	1
White, both sexes.....	5	5	11	5	16	24	51	39	45	20	6	2
Male.....	4	1	5	4	9	8	20	17	10	2	-	1
Female.....	1	4	6	1	7	16	31	22	35	18	6	1
Black, both sexes.....	-	1	-	-	2	-	-	1	1	-	-	1
Male.....	-	-	-	-	-	-	-	1	-	-	-	1
Female.....	-	1	-	-	2	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

New Hampshire

All races, both sexes.....	1	1	2	-	4	4	4	7	3	3	2	-
Male.....	1	-	2	-	1	2	1	1	1	-	1	-
Female.....	-	1	-	-	3	2	3	6	2	3	1	-
White, both sexes.....	1	1	2	-	4	4	4	7	3	3	2	-
Male.....	1	-	2	-	1	2	1	1	1	-	1	-
Female.....	-	1	-	-	3	2	3	6	2	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	61	35	24	27	32	38	50	75	71	37	18	1
Male.....	45	22	16	20	11	22	15	24	21	8	1	-
Female.....	16	13	8	7	21	16	35	51	50	29	17	1
White, both sexes.....	46	26	18	22	28	32	47	71	64	36	16	1
Male.....	35	15	11	16	9	18	14	22	18	8	1	-
Female.....	11	11	7	6	19	14	33	49	46	28	15	1
Black, both sexes.....	14	8	5	4	3	6	3	3	5	1	2	-
Male.....	9	6	4	3	1	4	1	2	1	-	-	-
Female.....	5	2	1	1	2	2	2	1	4	1	2	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	1	-	-	1	1	-	-	-
Male.....	-	1	1	1	1	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
New Mexico												
All races, both sexes.....	5	4	3	2	5	7	10	12	11	6	2	2
Male.....	3	2	1	2	4	6	4	3	5	-	-	1
Female.....	2	2	2	-	1	1	6	9	6	6	2	1
White, both sexes.....	4	4	3	1	4	6	9	10	9	6	2	2
Male.....	2	2	1	1	4	5	4	3	3	-	-	1
Female.....	2	2	2	-	-	1	5	7	6	6	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	1	1	2	2	-	-	-
Male.....	1	-	-	1	-	1	-	-	2	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	253	179	110	96	87	94	118	124	104	69	50	2
Male.....	167	118	71	56	56	42	60	40	30	14	9	2
Female.....	86	61	39	40	31	52	58	84	74	55	41	-
White, both sexes.....	206	150	90	75	69	89	103	122	94	62	42	2
Male.....	134	100	58	44	46	41	56	38	27	9	7	2
Female.....	72	50	32	31	23	48	47	84	67	53	35	-
Black, both sexes.....	41	25	19	18	16	5	12	1	8	4	7	-
Male.....	29	16	12	9	10	1	4	1	2	3	2	-
Female.....	12	9	7	9	6	4	8	-	6	1	5	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	1	3	2	-	3	1	2	3	1	-
Male.....	4	2	1	3	-	-	-	1	1	2	-	-
Female.....	2	1	-	-	2	-	3	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Ohio

All races, both sexes.....	30	34	34	42	53	76	108	129	104	61	21	-
Male.....	15	26	22	22	24	33	53	39	26	13	-	-
Female.....	15	8	12	20	29	43	55	90	78	48	21	-
White, both sexes.....	24	28	29	37	48	69	97	118	100	55	18	-
Male.....	12	20	19	21	20	32	46	34	24	12	-	-
Female.....	12	8	10	16	28	37	51	84	76	43	18	-
Black, both sexes.....	6	6	5	5	4	7	11	11	4	5	3	-
Male.....	3	6	3	1	3	1	7	5	2	1	-	-
Female.....	3	-	2	4	1	6	4	6	2	4	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Oklahoma

All races, both sexes.....	5	6	10	9	7	17	17	29	38	21	10	-
Male.....	2	5	5	4	4	6	6	10	8	5	2	-
Female.....	3	1	5	5	3	11	11	19	30	16	8	-
White, both sexes.....	4	6	5	7	5	17	16	27	35	19	10	-
Male.....	2	5	1	3	2	6	6	9	8	4	2	-
Female.....	2	1	4	4	3	11	10	18	27	15	8	-
Black, both sexes.....	-	-	2	-	-	-	1	1	1	1	-	-
Male.....	-	-	2	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	3	2	2	-	-	1	1	-	-	-
Male.....	-	-	2	1	2	-	-	-	-	-	-	-
Female.....	-	-	1	1	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Oregon

All races, both sexes.....	19	21	9	15	23	33	48	68	71	41	16	1
Male.....	13	17	7	12	10	16	14	30	16	7	3	1
Female.....	6	4	2	3	13	17	34	38	55	34	13	-
White, both sexes.....	19	18	9	15	21	32	46	68	71	41	15	1
Male.....	13	15	7	12	9	15	14	30	16	7	2	1
Female.....	6	3	2	3	12	17	32	38	55	34	13	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	-	2	-	-	-	1	-
Male.....	-	1	-	-	1	-	-	-	-	-	1	-
Female.....	-	1	-	-	-	-	2	-	-	-	-	-

Pennsylvania

All races, both sexes.....	71	68	81	96	127	174	264	322	227	120	50	25
Male.....	54	47	50	60	72	81	111	94	56	25	10	13
Female.....	17	21	31	36	55	93	153	228	171	95	40	12
White, both sexes.....	60	57	74	88	108	161	231	299	208	111	43	11
Male.....	48	43	46	55	65	79	100	88	52	24	8	6
Female.....	12	14	28	33	43	82	131	211	156	87	35	5
Black, both sexes.....	10	11	7	8	18	13	32	22	18	9	7	14
Male.....	6	4	4	5	6	2	10	6	4	1	2	7
Female.....	4	7	3	3	12	11	22	16	14	8	5	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	1	1	1	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Rhode Island

All races, both sexes.....	1	2	-	2	2	1	5	8	1	2	3	-
Male.....	1	2	-	1	-	1	2	3	-	-	-	-
Female.....	-	-	-	1	2	-	3	5	1	2	3	-
White, both sexes.....	1	2	-	2	2	1	5	8	1	2	3	-
Male.....	1	2	-	1	-	1	2	3	-	-	-	-
Female.....	-	-	-	1	2	-	3	5	1	2	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	22	16	10	13	17	32	31	69	54	32	20	-
Male.....	19	9	5	7	7	14	13	24	11	5	2	-
Female.....	3	7	5	6	10	18	18	45	43	27	18	-
White, both sexes.....	10	11	7	8	8	18	25	54	32	25	10	-
Male.....	7	4	3	4	3	7	10	19	8	4	-	-
Female.....	3	7	4	4	5	11	15	35	24	21	10	-
Black, both sexes.....	12	5	3	5	9	14	6	15	21	7	10	-
Male.....	12	5	2	3	4	7	3	5	3	1	2	-
Female.....	-	-	1	2	5	7	3	10	18	6	8	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
Texas												
All races, both sexes.....	70	78	63	45	65	85	125	165	180	99	43	6
Male.....	43	53	41	20	37	39	49	62	37	19	5	4
Female.....	27	25	22	25	28	46	76	103	143	80	38	2
White, both sexes.....	54	64	52	39	57	79	115	154	167	97	34	5
Male.....	30	43	33	16	35	36	45	59	32	19	5	4
Female.....	24	21	19	23	22	43	70	95	135	78	29	1
Black, both sexes.....	16	12	11	4	8	6	8	11	12	1	7	1
Male.....	13	9	8	3	2	3	4	3	5	-	-	-
Female.....	3	3	3	1	6	3	4	8	7	1	7	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	2	-	-	2	-	1	-	2	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	-	-	2	-	1	-	2	-
Utah												
All races, both sexes.....	12	18	16	23	41	57	94	99	116	39	12	1
Male.....	6	10	8	15	18	29	40	37	38	6	3	1
Female.....	6	8	8	8	23	28	54	62	78	33	9	-
White, both sexes.....	12	17	15	21	38	55	90	99	115	38	12	1
Male.....	6	10	8	14	16	28	39	37	37	6	3	1
Female.....	6	7	7	7	22	27	51	62	78	32	9	-
Black, both sexes.....	-	1	1	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	2	3	-	1	1	-	-
Male.....	-	-	-	-	2	1	1	-	1	-	-	-
Female.....	-	-	-	1	-	1	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
Vermont												
All races, both sexes.....	1	-	-	-	-	-	1	2	3	3	4	-
Male.....	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	1	1	3	3	3	-
White, both sexes.....	1	-	-	-	-	-	1	2	3	3	4	-
Male.....	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	1	-	-	-	-	-	1	1	3	3	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	15	23	31	30	35	53	79	111	98	66	20	-
Male.....	13	14	17	16	12	26	31	36	23	5	1	-
Female.....	2	9	14	14	23	27	48	75	75	61	19	-
White, both sexes.....	8	17	19	24	28	43	63	99	84	58	17	-
Male.....	6	11	11	14	9	20	26	32	20	4	1	-
Female.....	2	6	8	10	19	23	37	67	64	54	16	-
Black, both sexes.....	7	6	12	6	7	10	14	10	14	7	3	-
Male.....	7	3	6	2	3	6	5	3	3	1	-	-
Female.....	-	3	6	4	4	4	9	7	11	6	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	2	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Senility (R54)												
Arkansas												
All races, both sexes.....	-	-	-	-	-	-	2	2	3	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	2	3	2	-	-
White, both sexes.....	-	-	-	-	-	-	2	2	3	2	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	2	3	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	-	-	-	-	-	-	3	2	5	2	4	-
Male.....	-	-	-	-	-	-	2	-	-	-	2	-
Female.....	-	-	-	-	-	-	1	2	5	2	2	-
White, both sexes.....	-	-	-	-	-	-	3	2	3	2	4	-
Male.....	-	-	-	-	-	-	2	-	-	-	2	-
Female.....	-	-	-	-	-	-	1	2	3	2	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Florida

All races, both sexes.....	6	4	16	33	72	196	332	501	501	320	110	-
Male.....	5	3	9	21	37	92	151	166	131	64	18	-
Female.....	1	1	7	12	35	104	181	335	370	256	92	-
White, both sexes.....	5	3	13	26	66	184	303	483	488	313	107	-
Male.....	4	2	8	17	34	86	136	161	129	64	18	-
Female.....	1	1	5	9	32	98	167	322	359	249	89	-
Black, both sexes.....	1	1	3	6	6	12	26	18	13	7	3	-
Male.....	1	1	1	4	3	6	13	5	2	-	-	-
Female.....	-	-	2	2	3	6	13	13	11	7	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	3	-	-	-	-	-
Male.....	-	-	-	-	-	-	2	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Georgia

All races, both sexes.....	-	-	2	-	8	25	77	80	103	49	31	-
Male.....	-	-	2	-	3	7	23	21	21	13	5	-
Female.....	-	-	-	-	5	18	54	59	82	36	26	-
White, both sexes.....	-	-	-	-	5	16	62	66	85	37	22	-
Male.....	-	-	-	-	2	3	15	19	19	10	2	-
Female.....	-	-	-	-	3	13	47	47	66	27	20	-
Black, both sexes.....	-	-	2	-	3	9	15	13	18	10	8	-
Male.....	-	-	2	-	1	4	8	2	2	1	2	-
Female.....	-	-	-	-	2	5	7	11	16	9	6	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

New Mexico

All races, both sexes.....	-	-	-	-	-	-	3	3	3	3	1	-
Male.....	-	-	-	-	-	-	-	-	2	-	-	-
Female.....	-	-	-	-	-	-	3	3	1	3	1	-
White, both sexes.....	-	-	-	-	-	-	3	3	2	3	1	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	3	3	1	3	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	-	-	-	-	-	3	9	12	38	41	39	-
Male.....	-	-	-	-	-	1	2	3	15	10	8	-
Female.....	-	-	-	-	-	2	7	9	23	31	31	-
White, both sexes.....	-	-	-	-	-	3	8	12	32	35	31	-
Male.....	-	-	-	-	-	1	2	3	14	5	6	-
Female.....	-	-	-	-	-	2	6	9	18	30	25	-
Black, both sexes.....	-	-	-	-	-	-	-	-	5	3	7	-
Male.....	-	-	-	-	-	-	-	-	1	3	2	-
Female.....	-	-	-	-	-	-	-	-	4	-	5	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	1	3	1	-
Male.....	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Texas

All races, both sexes.....	-	-	-	-	1	7	10	14	34	31	18	-
Male.....	-	-	-	-	-	4	1	4	6	6	2	-
Female.....	-	-	-	-	1	3	9	10	28	25	16	-
White, both sexes.....	-	-	-	-	1	7	9	13	33	30	15	-
Male.....	-	-	-	-	-	4	1	4	6	6	2	-
Female.....	-	-	-	-	1	3	8	9	27	24	13	-
Black, both sexes.....	-	-	-	-	-	-	1	1	1	-	3	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	-	-	-	2	3	10	25	39	66	26	6	-
Male.....	-	-	-	2	1	4	10	14	22	3	1	-
Female.....	-	-	-	-	2	6	15	25	44	23	5	-
White, both sexes.....	-	-	-	2	3	10	24	39	66	25	6	-
Male.....	-	-	-	2	1	4	10	14	22	3	1	-
Female.....	-	-	-	-	2	6	14	25	44	22	5	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Senility (R54)

Vermont

All races, both sexes.....	-	-	-	-	-	-	-	-	2	1	4	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	2	1	3	-
White, both sexes.....	-	-	-	-	-	-	-	-	2	1	4	-
Male.....	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	2	1	3	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	-	-	-	-	-	2	9	14	25	23	10	-
Male.....	-	-	-	-	-	2	5	5	5	1	-	-
Female.....	-	-	-	-	-	-	4	9	20	22	10	-
White, both sexes.....	-	-	-	-	-	1	8	13	24	22	9	-
Male.....	-	-	-	-	-	1	5	5	5	1	-	-
Female.....	-	-	-	-	-	-	3	8	19	21	9	-
Black, both sexes.....	-	-	-	-	-	1	1	1	1	-	1	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	1	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Arkansas

All races, both sexes.....	269	63	4	1	-	2	3	5	6	11	9	13
Male.....	134	37	2	1	-	1	3	2	4	7	5	7
Female.....	135	26	2	-	-	1	-	3	2	4	4	6
White, both sexes.....	195	37	1	1	-	1	1	4	6	8	7	12
Male.....	92	17	-	1	-	1	1	2	4	5	5	7
Female.....	103	20	1	-	-	-	-	2	2	3	2	5
Black, both sexes.....	74	26	3	-	-	1	2	1	-	3	2	1
Male.....	42	20	2	-	-	-	2	-	-	2	-	-
Female.....	32	6	1	-	-	1	-	1	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	810	276	11	5	6	12	22	25	36	41	53	66
Male.....	487	175	6	3	2	7	14	16	19	22	37	43
Female.....	323	101	5	2	4	5	8	9	17	19	16	23
White, both sexes.....	630	195	7	3	6	9	19	21	28	33	40	57
Male.....	377	123	3	3	2	5	13	14	16	18	27	37
Female.....	253	72	4	-	4	4	6	7	12	15	13	20
Black, both sexes.....	129	63	3	2	-	3	-	3	7	4	7	6
Male.....	79	40	2	-	-	2	-	1	3	2	5	4
Female.....	50	23	1	2	-	1	-	2	4	2	2	2
American Indian 1/, both sexes.....	5	1	1	-	-	-	-	-	-	-	-	-
Male.....	3	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	46	17	-	-	-	-	3	1	1	4	6	3
Male.....	28	11	-	-	-	-	1	1	-	2	5	2
Female.....	18	6	-	-	-	-	2	-	1	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Ill-defined and unknown causes of mortality (R95-R99)												
Nebraska												
All races, both sexes.....	312	20	-	-	-	-	1	1	2	2	8	7
Male.....	179	14	-	-	-	-	1	1	-	1	4	7
Female.....	133	6	-	-	-	-	-	-	2	1	4	-
White, both sexes.....	291	17	-	-	-	-	1	1	2	1	7	7
Male.....	169	14	-	-	-	-	1	1	-	1	3	7
Female.....	122	3	-	-	-	-	-	-	2	-	4	-
Black, both sexes.....	20	3	-	-	-	-	-	-	-	1	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	10	3	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	64	19	1	-	-	-	4	3	1	2	3	7
Male.....	34	7	-	-	-	-	2	2	1	1	2	3
Female.....	30	12	1	-	-	-	2	1	-	1	1	4
White, both sexes.....	50	12	1	-	-	-	3	3	1	2	2	5
Male.....	26	2	-	-	-	-	2	2	1	1	1	2
Female.....	24	10	1	-	-	-	1	1	-	1	1	3
Black, both sexes.....	10	6	-	-	-	-	-	-	-	-	1	-
Male.....	6	4	-	-	-	-	-	-	-	-	1	-
Female.....	4	2	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

New Hampshire

All races, both sexes.....	17	9	-	-	-	-	1	-	-	-	-	-
Male.....	10	6	-	-	-	-	1	-	-	-	-	-
Female.....	7	3	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	15	8	-	-	-	-	-	-	-	-	-	-
Male.....	9	6	-	-	-	-	-	-	-	-	-	-
Female.....	6	2	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	590	57	7	3	2	7	27	44	36	53	89	71
Male.....	380	35	5	2	-	6	21	32	29	35	58	45
Female.....	210	22	2	1	2	1	6	12	7	18	31	26
White, both sexes.....	445	29	4	2	1	5	21	35	32	42	66	54
Male.....	286	17	3	1	-	4	18	26	27	29	45	32
Female.....	159	12	1	1	1	1	3	9	5	13	21	22
Black, both sexes.....	127	23	3	1	1	2	5	8	3	10	22	14
Male.....	81	16	2	1	-	2	2	5	2	5	12	11
Female.....	46	7	1	-	1	3	3	3	1	5	10	3
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	4	-	-	-	-	1	1	1	1	1	3
Male.....	12	2	-	-	-	-	1	1	-	1	1	2
Female.....	4	2	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

New Mexico

All races, both sexes.....	71	29	-	-	-	2	2	1	1	2	5	6
Male.....	37	12	-	-	-	2	1	1	1	1	2	4
Female.....	34	17	-	-	-	-	1	-	-	1	3	2
White, both sexes.....	55	23	-	-	-	1	2	1	1	2	3	6
Male.....	27	8	-	-	-	1	1	1	1	1	-	4
Female.....	28	15	-	-	-	-	1	-	-	1	3	2
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	5	-	-	-	1	-	-	-	-	2	-
Male.....	9	3	-	-	-	1	-	-	-	-	2	-
Female.....	6	2	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,224	186	23	6	11	43	74	103	110	188	289	321
Male.....	1,445	112	17	3	1	31	53	82	83	123	195	220
Female.....	779	74	6	3	10	12	21	21	27	65	94	101
White, both sexes.....	1,791	106	15	5	7	35	67	88	92	156	241	256
Male.....	1,188	68	11	3	1	26	48	74	70	105	166	180
Female.....	603	38	4	2	6	9	19	14	22	51	75	76
Black, both sexes.....	389	69	5	-	2	8	5	14	16	31	45	62
Male.....	232	37	4	-	-	5	3	8	12	18	26	39
Female.....	157	32	1	-	2	3	2	6	4	13	19	23
American Indian 1/, both sexes.....	10	3	-	1	-	-	1	-	1	-	1	2
Male.....	7	3	-	-	-	-	1	-	1	-	1	1
Female.....	3	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	34	8	3	-	2	-	1	1	1	1	2	1
Male.....	18	4	2	-	-	-	1	-	-	-	2	-
Female.....	16	4	1	-	2	-	-	1	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Ill-defined and unknown causes of mortality (R95-R99)

Oregon

All races, both sexes.....	315	23	1	-	-	1	3	-	3	6	11	5
Male.....	154	13	1	-	-	-	3	-	3	4	8	1
Female.....	161	10	-	-	-	1	-	-	-	2	3	4
White, both sexes.....	299	20	1	-	-	1	3	-	2	6	9	3
Male.....	147	11	1	-	-	-	3	-	2	4	8	1
Female.....	152	9	-	-	-	1	-	-	-	2	1	2
Black, both sexes.....	9	3	-	-	-	-	-	-	1	-	2	1
Male.....	5	2	-	-	-	-	-	-	1	-	-	-
Female.....	4	1	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	954	103	3	1	-	3	8	5	10	24	23	42
Male.....	525	71	2	1	-	2	6	4	7	16	18	26
Female.....	429	32	1	-	-	1	2	1	3	8	5	16
White, both sexes.....	815	62	3	1	-	1	6	3	9	19	16	36
Male.....	451	40	2	1	-	1	4	3	7	14	13	25
Female.....	364	22	1	-	-	-	2	-	2	5	3	11
Black, both sexes.....	131	39	-	-	-	1	2	2	1	5	6	5
Male.....	70	29	-	-	-	1	2	1	-	2	4	1
Female.....	61	10	-	-	-	-	-	1	1	3	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	-	-	-	1	-	-	-	-	1	1
Male.....	4	2	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Ill-defined and unknown causes of mortality (R95-R99)

Arkansas

All races, both sexes.....	11	6	10	11	13	17	30	27	10	12	5	-
Male.....	4	5	4	8	9	9	9	11	3	2	1	-
Female.....	7	1	6	3	4	8	21	16	7	10	4	-
White, both sexes.....	7	5	8	8	8	13	29	20	5	9	5	-
Male.....	1	4	3	6	5	6	9	9	3	2	1	-
Female.....	6	1	5	2	3	7	20	11	2	7	4	-
Black, both sexes.....	4	1	2	3	5	4	1	7	5	3	-	-
Male.....	3	1	1	2	4	3	-	2	-	-	-	-
Female.....	1	-	1	1	1	1	1	5	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	65	53	26	13	15	14	24	7	10	5	-	25
Male.....	35	30	18	6	7	11	9	1	6	-	-	20
Female.....	30	23	8	7	8	3	15	6	4	5	-	5
White, both sexes.....	53	44	21	9	12	12	19	7	9	5	-	21
Male.....	29	24	14	3	7	9	7	1	5	-	-	17
Female.....	24	20	7	6	5	3	12	6	4	5	-	4
Black, both sexes.....	9	7	3	4	1	1	3	-	1	-	-	2
Male.....	5	4	3	3	-	1	1	-	1	-	-	2
Female.....	4	3	-	1	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	2	1	2	-	-	-	-	2
Male.....	-	2	1	-	-	1	1	-	-	-	-	1
Female.....	1	-	-	-	2	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

Florida

All races, both sexes.....	63	48	54	41	46	82	89	82	75	37	18	21
Male.....	39	31	35	21	30	38	43	39	25	4	2	14
Female.....	24	17	19	20	16	44	46	43	50	33	16	7
White, both sexes.....	52	40	41	33	37	72	78	74	72	36	18	15
Male.....	30	26	27	16	26	34	37	35	25	3	2	11
Female.....	22	14	14	17	11	38	41	39	47	33	16	4
Black, both sexes.....	11	8	13	8	7	10	9	8	3	1	-	6
Male.....	9	5	8	5	3	4	6	4	-	1	-	3
Female.....	2	3	5	3	4	6	3	4	3	-	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	-	-	-	-

Georgia

All races, both sexes.....	23	19	16	17	17	18	24	23	30	17	3	2
Male.....	15	12	11	8	9	8	6	6	7	3	-	1
Female.....	8	7	5	9	8	10	18	17	23	14	3	1
White, both sexes.....	15	14	9	9	9	11	17	15	22	15	-	-
Male.....	9	7	6	4	7	5	4	5	7	2	-	-
Female.....	6	7	3	5	2	6	13	10	15	13	-	-
Black, both sexes.....	8	5	6	8	8	7	6	7	8	2	3	2
Male.....	6	5	4	4	2	3	1	1	-	1	-	1
Female.....	2	-	2	4	6	4	5	6	8	1	3	1
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

New Mexico

All races, both sexes.....	4	2	2	1	1	2	3	3	2	1	-	2
Male.....	3	1	1	1	-	2	2	1	1	-	-	1
Female.....	1	1	1	-	1	-	1	2	1	1	-	1
White, both sexes.....	3	2	2	-	-	1	2	1	2	1	-	2
Male.....	2	1	1	-	-	1	2	1	1	-	-	1
Female.....	1	1	1	-	-	-	-	-	1	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	1	1	2	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	241	174	97	84	72	62	60	46	22	9	1	2
Male.....	161	115	65	50	46	28	30	20	6	2	-	2
Female.....	80	59	32	34	26	34	30	26	16	7	1	-
White, both sexes.....	197	145	80	66	54	57	49	44	19	9	1	2
Male.....	129	97	54	41	36	27	26	18	4	2	-	2
Female.....	68	48	26	25	18	30	23	26	15	7	1	-
Black, both sexes.....	40	25	17	16	16	5	10	1	2	-	-	-
Male.....	29	16	11	7	10	1	4	1	1	-	-	-
Female.....	11	9	6	9	6	4	6	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	2	2	-	1	1	1	-	-	-
Male.....	3	2	-	2	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Ill-defined and unknown causes of mortality (R95-R99)

Oregon

All races, both sexes.....	15	18	9	12	21	28	42	45	45	19	7	1
Male.....	12	15	7	10	10	15	12	23	12	3	1	1
Female.....	3	3	2	2	11	13	30	22	33	16	6	-
White, both sexes.....	15	15	9	12	19	27	40	45	45	19	7	1
Male.....	12	13	7	10	9	14	12	23	12	3	1	1
Female.....	3	2	2	2	10	13	28	22	33	16	6	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	-	2	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	2	-	-	-	-	-

Pennsylvania

All races, both sexes.....	63	47	59	56	74	88	105	99	69	32	15	25
Male.....	47	34	40	40	48	44	44	35	15	9	3	13
Female.....	16	13	19	16	26	44	61	64	54	23	12	12
White, both sexes.....	53	39	56	53	68	83	97	92	65	30	12	11
Male.....	42	31	38	37	46	43	41	33	15	8	1	6
Female.....	11	8	18	16	22	40	56	59	50	22	11	5
Black, both sexes.....	9	8	3	3	6	5	7	7	3	2	3	14
Male.....	5	3	2	3	2	1	2	2	-	1	2	7
Female.....	4	5	1	-	4	4	5	5	3	1	1	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Arkansas

All races, both sexes.....	229	23	4	1	-	2	3	5	6	11	9	13
Male.....	114	17	2	1	-	1	3	2	4	7	5	7
Female.....	115	6	2	-	-	1	-	3	2	4	4	6
White, both sexes.....	174	16	1	1	-	1	1	4	6	8	7	12
Male.....	86	11	-	1	-	1	1	2	4	5	5	7
Female.....	88	5	1	-	-	-	-	2	2	3	2	5
Black, both sexes.....	55	7	3	-	-	1	2	1	-	3	2	1
Male.....	28	6	2	-	-	-	2	-	-	2	-	-
Female.....	27	1	1	-	-	1	-	1	-	1	2	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	636	102	11	5	6	12	22	25	36	41	53	66
Male.....	377	65	6	3	2	7	14	16	19	22	37	43
Female.....	259	37	5	2	4	5	8	9	17	19	16	23
White, both sexes.....	497	62	7	3	6	9	19	21	28	33	40	57
Male.....	294	40	3	3	2	5	13	14	16	18	27	37
Female.....	203	22	4	-	4	4	6	7	12	15	13	20
Black, both sexes.....	101	35	3	2	-	3	-	3	7	4	7	6
Male.....	61	22	2	-	-	2	-	1	3	2	5	4
Female.....	40	13	1	2	-	1	-	2	4	2	2	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	-	-	-
Male.....	2	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	34	5	-	-	-	-	3	1	1	4	6	3
Male.....	20	3	-	-	-	-	1	1	-	2	5	2
Female.....	14	2	-	-	-	-	2	-	1	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Nebraska

All races, both sexes.....	295	3	-	-	-	-	1	1	2	2	8	7
Male.....	168	3	-	-	-	-	1	1	-	1	4	7
Female.....	127	-	-	-	-	-	-	-	2	1	4	-
White, both sexes.....	277	3	-	-	-	-	1	1	2	1	7	7
Male.....	158	3	-	-	-	-	1	1	-	1	3	7
Female.....	119	-	-	-	-	-	-	-	2	-	4	-
Black, both sexes.....	17	-	-	-	-	-	-	-	-	1	1	-
Male.....	10	-	-	-	-	-	-	-	-	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	52	7	1	-	-	-	4	3	1	2	3	7
Male.....	30	3	-	-	-	-	2	2	1	1	2	3
Female.....	22	4	1	-	-	-	2	1	-	1	1	4
White, both sexes.....	42	4	1	-	-	-	3	3	1	2	2	5
Male.....	25	1	-	-	-	-	2	2	1	1	1	2
Female.....	17	3	1	-	-	-	1	1	-	1	1	3
Black, both sexes.....	6	2	-	-	-	-	-	-	-	-	1	-
Male.....	3	1	-	-	-	-	-	-	-	-	1	-
Female.....	3	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	2
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Hampshire

All races, both sexes.....	10	2	-	-	-	-	1	-	-	-	-	-
Male.....	6	2	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	9	2	-	-	-	-	-	-	-	-	-	-
Male.....	5	2	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	568	35	7	3	2	7	27	44	36	53	89	71
Male.....	368	23	5	2	-	6	21	32	29	35	58	45
Female.....	200	12	2	1	2	1	6	12	7	18	31	26
White, both sexes.....	434	18	4	2	1	5	21	35	32	42	66	54
Male.....	281	12	3	1	-	4	18	26	27	29	45	32
Female.....	153	6	1	1	1	1	3	9	5	13	21	22
Black, both sexes.....	117	13	3	1	1	2	5	8	3	10	22	14
Male.....	74	9	2	1	-	2	2	5	2	5	12	11
Female.....	43	4	1	-	1	-	3	3	1	5	10	3
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	3	-	-	-	-	1	1	1	1	1	3
Male.....	12	2	-	-	-	-	1	1	-	1	1	2
Female.....	3	1	-	-	-	-	-	-	1	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Mexico

All races, both sexes.....	52	10	-	-	-	2	2	1	1	2	5	6
Male.....	29	4	-	-	-	2	1	1	1	1	2	4
Female.....	23	6	-	-	-	-	1	-	-	1	3	2
White, both sexes.....	41	9	-	-	-	1	2	1	1	2	3	6
Male.....	22	3	-	-	-	1	1	1	1	1	-	4
Female.....	19	6	-	-	-	-	1	-	-	1	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	11	1	-	-	-	1	-	-	-	-	2	-
Male.....	7	1	-	-	-	1	-	-	-	-	2	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	2,207	169	23	6	11	43	74	103	110	188	289	321
Male.....	1,435	102	17	3	1	31	53	82	83	123	195	220
Female.....	772	67	6	3	10	12	21	21	27	65	94	101
White, both sexes.....	1,778	93	15	5	7	35	67	88	92	156	241	256
Male.....	1,179	59	11	3	1	26	48	74	70	105	166	180
Female.....	599	34	4	2	6	9	19	14	22	51	75	76
Black, both sexes.....	386	66	5	-	2	8	5	14	16	31	45	62
Male.....	231	36	4	-	-	5	3	8	12	18	26	39
Female.....	155	30	1	-	2	3	2	6	4	13	19	23
American Indian 1/, both sexes.....	10	3	-	1	-	-	1	-	1	-	1	2
Male.....	7	3	-	-	-	-	1	-	1	-	1	1
Female.....	3	-	-	1	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	33	7	3	-	2	-	1	1	1	1	2	1
Male.....	18	4	2	-	-	-	1	-	-	-	2	-
Female.....	15	3	1	-	2	-	-	1	1	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other ill-defined and unknown causes of mortality (R96-R99)

Oregon

All races, both sexes.....	295	3	1	-	-	1	3	-	3	6	11	5
Male.....	143	2	1	-	-	-	3	-	3	4	8	1
Female.....	152	1	-	-	-	1	-	-	-	2	3	4
White, both sexes.....	281	2	1	-	-	1	3	-	2	6	9	3
Male.....	137	1	1	-	-	-	3	-	2	4	8	1
Female.....	144	1	-	-	-	1	-	-	-	2	1	2
Black, both sexes.....	7	1	-	-	-	-	-	-	1	-	2	1
Male.....	4	1	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	2	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	873	22	3	1	-	3	8	5	10	24	23	42
Male.....	472	18	2	1	-	2	6	4	7	16	18	26
Female.....	401	4	1	-	-	1	2	1	3	8	5	16
White, both sexes.....	764	11	3	1	-	1	6	3	9	19	16	36
Male.....	421	10	2	1	-	1	4	3	7	14	13	25
Female.....	343	1	1	-	-	-	2	-	2	5	3	11
Black, both sexes.....	102	10	-	-	-	1	2	2	1	5	6	5
Male.....	48	7	-	-	-	1	2	1	-	2	4	1
Female.....	54	3	-	-	-	-	-	1	1	3	2	4
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	1	-	-	-	1	-	-	-	-	1	1
Male.....	3	1	-	-	-	-	-	-	-	-	1	-
Female.....	4	-	-	-	-	1	-	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Arkansas

All races, both sexes.....	11	6	10	11	13	17	30	27	10	12	5	-
Male.....	4	5	4	8	9	9	9	11	3	2	1	-
Female.....	7	1	6	3	4	8	21	16	7	10	4	-
White, both sexes.....	7	5	8	8	8	13	29	20	5	9	5	-
Male.....	1	4	3	6	5	6	9	9	3	2	1	-
Female.....	6	1	5	2	3	7	20	11	2	7	4	-
Black, both sexes.....	4	1	2	3	5	4	1	7	5	3	-	-
Male.....	3	1	1	2	4	3	-	2	-	-	-	-
Female.....	1	-	1	1	1	1	1	5	5	3	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	65	53	26	13	15	14	24	7	10	5	-	25
Male.....	35	30	18	6	7	11	9	1	6	-	-	20
Female.....	30	23	8	7	8	3	15	6	4	5	-	5
White, both sexes.....	53	44	21	9	12	12	19	7	9	5	-	21
Male.....	29	24	14	3	7	9	7	1	5	-	-	17
Female.....	24	20	7	6	5	3	12	6	4	5	-	4
Black, both sexes.....	9	7	3	4	1	1	3	-	1	-	-	2
Male.....	5	4	3	3	-	1	1	-	1	-	-	2
Female.....	4	3	-	1	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	2	1	2	-	-	-	-	2
Male.....	-	2	1	-	-	1	1	-	-	-	-	1
Female.....	1	-	-	-	2	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other ill-defined and unknown causes of mortality (R96-R99)

Florida

All races, both sexes.....	63	48	54	41	46	82	89	82	75	37	18	21
Male.....	39	31	35	21	30	38	43	39	25	4	2	14
Female.....	24	17	19	20	16	44	46	43	50	33	16	7
White, both sexes.....	52	40	41	33	37	72	78	74	72	36	18	15
Male.....	30	26	27	16	26	34	37	35	25	3	2	11
Female.....	22	14	14	17	11	38	41	39	47	33	16	4
Black, both sexes.....	11	8	13	8	7	10	9	8	3	1	-	6
Male.....	9	5	8	5	3	4	6	4	-	1	-	3
Female.....	2	3	5	3	4	6	3	4	3	-	-	3
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	-	2	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	-	-	-	-	-

Georgia

All races, both sexes.....	23	19	16	17	17	18	24	23	30	17	3	2
Male.....	15	12	11	8	9	8	6	6	7	3	-	1
Female.....	8	7	5	9	8	10	18	17	23	14	3	1
White, both sexes.....	15	14	9	9	9	11	17	15	22	15	-	-
Male.....	9	7	6	4	7	5	4	5	7	2	-	-
Female.....	6	7	3	5	2	6	13	10	15	13	-	-
Black, both sexes.....	8	5	6	8	8	7	6	7	8	2	3	2
Male.....	6	5	4	4	2	3	1	1	-	1	-	1
Female.....	2	-	2	4	6	4	5	6	8	1	3	1
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

New Mexico

All races, both sexes.....	4	2	2	1	1	2	3	3	2	1	-	2
Male.....	3	1	1	1	-	2	2	1	1	-	-	1
Female.....	1	1	1	-	1	-	1	2	1	1	-	1
White, both sexes.....	3	2	2	-	-	1	2	1	2	1	-	2
Male.....	2	1	1	-	-	1	2	1	1	-	-	1
Female.....	1	1	1	-	-	-	-	-	1	1	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	1	1	1	2	-	-	-	-
Male.....	1	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	1	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	241	174	97	84	72	62	60	46	22	9	1	2
Male.....	161	115	65	50	46	28	30	20	6	2	-	2
Female.....	80	59	32	34	26	34	30	26	16	7	1	-
White, both sexes.....	197	145	80	66	54	57	49	44	19	9	1	2
Male.....	129	97	54	41	36	27	26	18	4	2	-	2
Female.....	68	48	26	25	18	30	23	26	15	7	1	-
Black, both sexes.....	40	25	17	16	16	5	10	1	2	-	-	-
Male.....	29	16	11	7	10	1	4	1	1	-	-	-
Female.....	11	9	6	9	6	4	6	-	1	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	2	2	-	1	1	1	-	-	-
Male.....	3	2	-	2	-	-	-	1	1	-	-	-
Female.....	1	1	-	-	2	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other ill-defined and unknown causes of mortality (R96-R99)

Oregon

All races, both sexes.....	15	18	9	12	21	28	42	45	45	19	7	1
Male.....	12	15	7	10	10	15	12	23	12	3	1	1
Female.....	3	3	2	2	11	13	30	22	33	16	6	-
White, both sexes.....	15	15	9	12	19	27	40	45	45	19	7	1
Male.....	12	13	7	10	9	14	12	23	12	3	1	1
Female.....	3	2	2	2	10	13	28	22	33	16	6	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	-	2	-	-	-	-	-
Male.....	-	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	2	-	-	-	-	-

Pennsylvania

All races, both sexes.....	63	47	59	56	74	88	105	99	69	32	15	25
Male.....	47	34	40	40	48	44	44	35	15	9	3	13
Female.....	16	13	19	16	26	44	61	64	54	23	12	12
White, both sexes.....	53	39	56	53	68	83	97	92	65	30	12	11
Male.....	42	31	38	37	46	43	41	33	15	8	1	6
Female.....	11	8	18	16	22	40	56	59	50	22	11	5
Black, both sexes.....	9	8	3	3	6	5	7	7	3	2	3	14
Male.....	5	3	2	3	2	1	2	2	-	1	2	7
Female.....	4	5	1	-	4	4	5	5	3	1	1	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	1	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Massachusetts

All races, both sexes.....	462	-	-	1	1	-	2	3	-	4	5	5
Male.....	145	-	-	-	-	-	2	1	-	3	5	2
Female.....	317	-	-	1	1	-	-	2	-	1	-	3
White, both sexes.....	436	-	-	1	1	-	2	2	-	3	5	4
Male.....	134	-	-	-	-	-	2	-	-	2	5	2
Female.....	302	-	-	1	1	-	-	2	-	1	-	2
Black, both sexes.....	21	-	-	-	-	-	-	1	-	1	-	1
Male.....	8	-	-	-	-	-	-	1	-	1	-	-
Female.....	13	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	179	1	1	1	3	1	2	2	1	5	1	-
Male.....	61	-	-	1	2	1	1	1	1	2	-	-
Female.....	118	1	1	-	1	-	1	1	-	3	1	-
White, both sexes.....	151	1	1	1	-	-	1	1	1	3	1	-
Male.....	48	-	-	1	-	-	1	-	1	1	-	-
Female.....	103	1	1	-	-	-	-	1	-	2	1	-
Black, both sexes.....	24	-	-	-	3	1	-	1	-	2	-	-
Male.....	11	-	-	-	2	1	-	1	-	1	-	-
Female.....	13	-	-	-	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Alaska

All races, both sexes.....	-	2	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	-	3	2	4	11	14	25	34	36	20	6	-
Male.....	-	-	2	3	6	3	9	13	7	4	1	-
Female.....	-	3	-	1	5	11	16	21	29	16	5	-
White, both sexes.....	-	3	2	3	10	13	25	33	35	18	6	-
Male.....	-	-	2	3	6	3	9	13	6	4	1	-
Female.....	-	3	-	-	4	10	16	20	29	14	5	-
Black, both sexes.....	-	-	-	1	1	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.	-	-	-	-	-	1	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Arkansas

All races, both sexes.....	2	1	4	3	11	7	10	8	10	7	1	-
Male.....	1	-	1	1	4	4	2	3	2	1	1	-
Female.....	1	1	3	2	7	3	8	5	8	6	-	-
White, both sexes.....	2	1	3	3	8	5	9	7	9	7	-	-
Male.....	1	-	1	1	3	3	2	3	2	1	-	-
Female.....	1	1	2	2	5	2	7	4	7	6	-	-
Black, both sexes.....	-	-	1	-	3	2	1	1	1	-	1	-
Male.....	-	-	-	-	1	1	-	-	-	-	1	-
Female.....	-	-	1	-	2	1	1	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	3	6	6	4	4	5	17	13	10	4	6	1
Male.....	1	2	3	3	4	2	6	3	4	-	1	1
Female.....	2	4	3	1	-	3	11	10	6	4	5	-
White, both sexes.....	2	4	5	3	4	5	17	12	10	3	4	1
Male.....	1	1	3	2	4	2	6	3	4	-	1	1
Female.....	1	3	2	1	-	3	11	9	6	3	3	-
Black, both sexes.....	1	1	-	1	-	-	-	1	-	-	1	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	-	-	-	-	-	1	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	1	-	-	-	-	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Nebraska

All races, both sexes.....	1	2	4	4	7	6	12	17	14	9	3	-
Male.....	1	2	1	2	4	1	6	5	4	3	2	-
Female.....	-	-	3	2	3	5	6	12	10	6	1	-
White, both sexes.....	1	2	3	4	7	6	12	17	14	9	3	-
Male.....	1	2	1	2	4	1	6	5	4	3	2	-
Female.....	-	-	2	2	3	5	6	12	10	6	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	2	3	5	5	14	18	41	28	34	12	3	-
Male.....	1	-	1	3	8	5	15	11	9	1	-	-
Female.....	1	3	4	2	6	13	26	17	25	11	3	-
White, both sexes.....	2	3	5	4	12	18	41	25	32	12	3	-
Male.....	1	-	1	3	7	5	15	9	9	1	-	-
Female.....	1	3	4	1	5	13	26	16	23	11	3	-
Black, both sexes.....	-	-	-	-	1	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Hampshire

All races, both sexes.....	-	-	1	-	3	4	3	6	2	2	1	-
Male.....	-	-	1	-	1	2	1	1	-	-	-	-
Female.....	-	-	-	-	2	2	2	5	2	2	1	-
White, both sexes.....	-	-	1	-	3	4	3	6	2	2	1	-
Male.....	-	-	1	-	1	2	1	1	-	-	-	-
Female.....	-	-	-	-	2	2	2	5	2	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	8	5	9	8	15	22	31	58	46	29	9	-
Male.....	6	3	8	7	4	13	8	17	13	7	1	-
Female.....	2	2	1	1	11	9	23	41	33	22	8	-
White, both sexes.....	5	4	6	8	13	19	30	55	43	28	8	-
Male.....	4	3	6	7	3	11	8	16	11	7	1	-
Female.....	1	1	-	1	10	8	22	39	32	21	7	-
Black, both sexes.....	3	1	3	-	1	3	1	2	2	1	1	-
Male.....	2	-	2	-	-	2	-	1	1	-	-	-
Female.....	1	1	1	-	1	1	1	1	1	1	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

New Mexico

All races, both sexes.....	1	2	1	1	4	5	4	6	6	2	1	-
Male.....	-	1	-	1	4	4	2	2	2	-	-	-
Female.....	1	1	1	-	-	1	2	4	4	2	1	-
White, both sexes.....	1	2	1	1	4	5	4	6	5	2	1	-
Male.....	-	1	-	1	4	4	2	2	1	-	-	-
Female.....	1	1	1	-	-	1	2	4	4	2	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	12	5	13	12	15	29	49	66	44	19	10	-
Male.....	6	3	6	6	10	13	28	17	9	2	1	-
Female.....	6	2	7	6	5	16	21	49	35	17	9	-
White, both sexes.....	9	5	10	9	15	29	46	66	43	18	10	-
Male.....	5	3	4	3	10	13	28	17	9	2	1	-
Female.....	4	2	6	6	5	16	18	49	34	16	9	-
Black, both sexes.....	1	-	2	2	-	-	2	-	1	1	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	1	1	-	-	1	-	-	-	-	-
Male.....	1	-	1	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Ohio

All races, both sexes.....	10	10	9	11	26	43	58	78	64	33	7	-
Male.....	4	8	4	4	13	16	28	22	19	6	-	-
Female.....	6	2	5	7	13	27	30	56	45	27	7	-
White, both sexes.....	9	9	7	9	23	40	52	71	60	27	5	-
Male.....	4	7	3	3	10	15	24	19	17	5	-	-
Female.....	5	2	4	6	13	25	28	52	43	22	5	-
Black, both sexes.....	1	1	2	2	3	3	6	7	4	5	2	-
Male.....	-	1	1	1	3	1	4	3	2	1	-	-
Female.....	1	-	1	1	-	2	2	4	2	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Oklahoma

All races, both sexes.....	-	2	2	7	5	12	13	23	25	10	6	-
Male.....	-	1	-	4	3	5	5	9	5	4	2	-
Female.....	-	1	2	3	2	7	8	14	20	6	4	-
White, both sexes.....	-	2	2	6	3	12	13	22	23	9	6	-
Male.....	-	1	-	3	1	5	5	8	5	3	2	-
Female.....	-	1	2	3	2	7	8	14	18	6	4	-
Black, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	-	-	-	1	-	-	-
Male.....	-	-	-	1	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Oregon

All races, both sexes.....	4	3	-	3	2	4	5	9	15	5	2	-
Male.....	1	2	-	2	-	-	2	1	2	-	-	-
Female.....	3	1	-	1	2	4	3	8	13	5	2	-
White, both sexes.....	4	3	-	3	2	4	5	9	15	5	2	-
Male.....	1	2	-	2	-	-	2	1	2	-	-	-
Female.....	3	1	-	1	2	4	3	8	13	5	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	8	21	22	40	51	78	145	195	133	67	19	-
Male.....	7	13	10	20	24	34	64	54	31	11	4	-
Female.....	1	8	12	20	27	44	81	141	102	56	15	-
White, both sexes.....	7	18	18	35	38	71	121	179	120	61	15	-
Male.....	6	12	8	18	19	33	56	50	28	11	4	-
Female.....	1	6	10	17	19	38	65	129	92	50	11	-
Black, both sexes.....	1	3	4	5	12	7	24	15	13	6	4	-
Male.....	1	1	2	2	4	1	8	4	3	-	-	-
Female.....	-	2	2	3	8	6	16	11	10	6	4	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Rhode Island

All races, both sexes.....	-	1	-	1	2	1	4	7	1	1	2	-
Male.....	-	1	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	1	2	-	3	5	1	1	2	-
White, both sexes.....	-	1	-	1	2	1	4	7	1	1	2	-
Male.....	-	1	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	1	2	-	3	5	1	1	2	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	10	6	7	8	10	23	21	53	34	20	7	-
Male.....	9	4	3	3	3	7	9	14	5	3	-	-
Female.....	1	2	4	5	7	16	12	39	29	17	7	-
White, both sexes.....	5	3	4	4	6	13	17	43	20	14	4	-
Male.....	4	1	1	1	2	3	7	11	3	2	-	-
Female.....	1	2	3	3	4	10	10	32	17	12	4	-
Black, both sexes.....	5	3	3	4	4	10	4	10	13	6	3	-
Male.....	5	3	2	2	1	4	2	3	2	1	-	-
Female.....	-	-	1	2	3	6	2	7	11	5	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Texas

All races, both sexes.....	14	12	17	12	21	26	70	89	86	42	15	-
Male.....	8	5	11	6	13	10	25	28	17	9	2	-
Female.....	6	7	6	6	8	16	45	61	69	33	13	-
White, both sexes.....	10	8	14	9	19	24	65	79	78	41	12	-
Male.....	6	3	8	3	13	9	23	25	13	9	2	-
Female.....	4	5	6	6	6	15	42	54	65	32	10	-
Black, both sexes.....	4	3	3	2	2	2	4	10	7	1	3	-
Male.....	2	2	3	2	-	1	2	3	4	-	-	-
Female.....	2	1	-	-	2	1	2	7	3	1	3	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	-	1	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	1	-	1	-	-	-

Utah

All races, both sexes.....	-	1	1	4	5	14	32	24	30	7	3	-
Male.....	-	1	-	4	1	4	12	10	10	2	2	-
Female.....	-	-	1	-	4	10	20	14	20	5	1	-
White, both sexes.....	-	1	1	3	5	13	30	24	30	7	3	-
Male.....	-	1	-	3	1	4	12	10	10	2	2	-
Female.....	-	-	1	-	4	9	18	14	20	5	1	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

Vermont

All races, both sexes.....	-	-	-	-	-	-	1	2	-	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	2	-	-
White, both sexes.....	-	-	-	-	-	-	1	2	-	2	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	6	15	16	20	20	42	47	76	53	34	8	-
Male.....	5	7	8	12	6	19	15	22	12	3	1	-
Female.....	1	8	8	8	14	23	32	54	41	31	7	-
White, both sexes.....	3	10	7	18	14	34	34	66	45	29	6	-
Male.....	2	5	2	11	3	14	11	18	10	2	1	-
Female.....	1	5	5	7	11	20	23	48	35	27	5	-
Black, both sexes.....	3	5	9	2	6	8	11	8	8	5	2	-
Male.....	3	2	6	1	3	5	4	3	2	1	-	-
Female.....	-	3	3	1	3	3	7	5	6	4	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	2	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
United States												
All races, both sexes.....	170,067	1,497	2,084	1,283	2,080	10,659	14,824	12,228	11,357	12,517	15,229	15,306
Male.....	116,113	842	1,204	767	1,336	7,875	12,011	9,790	8,682	9,218	10,790	10,792
Female.....	53,954	655	880	516	744	2,784	2,813	2,438	2,675	3,299	4,439	4,514
White, both sexes.....	140,606	993	1,489	884	1,523	8,263	11,170	9,075	8,721	10,095	12,728	12,802
Male.....	94,701	574	871	522	987	5,963	8,952	7,168	6,602	7,446	9,015	9,019
Female.....	45,905	419	618	362	536	2,300	2,218	1,907	2,119	2,649	3,713	3,783
Black, both sexes.....	24,057	440	505	329	450	1,936	3,083	2,680	2,170	1,984	2,052	2,094
Male.....	17,841	230	282	200	283	1,582	2,634	2,283	1,752	1,476	1,465	1,483
Female.....	6,216	210	223	129	167	354	449	397	418	508	587	611
American Indian 1/, both sexes.....	2,236	37	49	25	54	223	268	221	214	241	211	186
Male.....	1,549	24	31	14	30	151	203	166	151	171	147	133
Female.....	687	13	18	11	24	72	65	55	63	70	64	53
Asian or Pacific Islander 2/, both sexes.....	3,168	27	41	45	53	237	303	252	252	197	238	224
Male.....	2,022	14	20	31	36	179	222	173	177	125	163	157
Female.....	1,146	13	21	14	17	58	81	79	75	72	75	67
Alabama												
All races, both sexes.....	3,428	29	49	20	44	242	337	246	234	256	286	284
Male.....	2,316	19	29	6	28	167	267	186	178	185	198	203
Female.....	1,112	10	20	14	16	75	70	60	56	71	88	81
White, both sexes.....	2,541	14	31	12	25	176	231	153	160	184	219	220
Male.....	1,690	11	22	4	16	122	183	110	113	127	156	158
Female.....	851	3	9	8	9	54	48	43	47	57	63	62
Black, both sexes.....	861	13	17	8	19	65	102	91	72	71	64	63
Male.....	612	6	7	2	12	45	81	75	65	57	41	44
Female.....	249	7	10	6	7	20	21	16	7	14	23	19
American Indian 1/, both sexes.....	6	1	-	-	-	-	-	1	-	-	-	-
Male.....	5	1	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	1	1	-	-	1	4	1	2	1	3	1
Male.....	9	1	-	-	-	-	3	-	-	1	1	1
Female.....	11	-	1	-	-	1	1	1	2	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Alaska												
All races, both sexes.....	544	11	9	4	19	54	59	45	36	57	39	66
Male.....	402	4	5	3	12	44	50	36	31	38	29	43
Female.....	142	7	4	1	7	10	9	9	5	19	10	23
White, both sexes.....	353	5	6	-	12	27	35	25	22	38	28	50
Male.....	261	1	3	-	7	22	29	22	21	26	20	32
Female.....	92	4	3	-	5	5	6	3	1	12	8	18
Black, both sexes.....	21	1	1	1	-	5	3	3	1	1	-	2
Male.....	16	1	1	1	-	5	3	1	1	1	-	-
Female.....	5	-	-	-	-	-	-	2	-	-	-	2
American Indian 1/, both sexes.....	156	5	2	3	6	21	21	16	11	18	10	12
Male.....	113	2	1	2	4	16	18	12	7	11	8	9
Female.....	43	3	1	1	2	5	3	4	4	7	2	3
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	1	1	-	1	2	-	1	2
Male.....	12	-	-	-	1	1	-	1	2	-	1	2
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	4,347	29	46	32	52	282	389	310	260	350	366	388
Male.....	3,002	22	28	21	34	204	316	254	197	263	263	285
Female.....	1,345	7	18	11	18	78	73	56	63	87	103	103
White, both sexes.....	3,810	22	40	28	41	228	333	254	216	289	324	345
Male.....	2,619	17	23	19	29	164	272	210	162	216	233	252
Female.....	1,191	5	17	9	12	64	61	44	54	73	91	93
Black, both sexes.....	142	2	1	1	4	18	16	14	10	17	11	11
Male.....	110	1	1	-	2	15	14	11	9	14	7	10
Female.....	32	1	-	1	2	3	2	3	1	3	4	1
American Indian 1/, both sexes.....	373	5	4	3	7	34	39	39	32	42	30	32
Male.....	260	4	4	2	3	23	30	31	24	31	22	23
Female.....	113	1	-	1	4	11	9	8	8	11	8	9
Asian or Pacific Islander 2/, both sexes.....	22	-	1	-	-	2	1	3	2	2	1	-
Male.....	13	-	-	-	-	2	-	2	2	2	1	-
Female.....	9	-	1	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Arkansas

All races, both sexes.....	2,127	19	32	28	29	147	194	183	142	148	197	195
Male.....	1,448	12	22	18	18	96	154	142	103	100	142	142
Female.....	679	7	10	10	11	51	40	41	39	48	55	53
White, both sexes.....	1,766	14	18	21	23	124	154	132	118	116	169	168
Male.....	1,185	9	12	14	14	79	119	101	87	76	122	120
Female.....	581	5	6	7	9	45	35	31	31	40	47	48
Black, both sexes.....	341	4	12	6	6	22	38	47	23	31	27	27
Male.....	245	2	8	3	4	16	33	38	15	23	19	22
Female.....	96	2	4	3	2	6	5	9	8	8	8	5
American Indian 1/, both sexes.....	9	1	1	-	-	-	-	3	-	-	1	-
Male.....	8	1	1	-	-	-	-	3	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	1	-	1	2	1	1	1	-	-
Male.....	10	-	1	1	-	1	2	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

California

All races, both sexes.....	17,160	108	196	109	198	1,202	1,632	1,306	1,244	1,301	1,576	1,627
Male.....	12,112	59	100	61	131	924	1,346	1,072	975	967	1,115	1,119
Female.....	5,048	49	96	48	67	278	286	234	269	334	461	508
White, both sexes.....	13,969	79	156	86	158	898	1,287	1,000	942	1,071	1,326	1,325
Male.....	9,812	43	81	46	102	670	1,059	823	734	800	946	905
Female.....	4,157	36	75	40	56	228	228	177	208	271	380	420
Black, both sexes.....	1,847	14	27	12	24	203	228	199	185	151	162	189
Male.....	1,426	8	13	10	18	182	198	173	158	114	111	132
Female.....	421	6	14	2	6	21	30	26	27	37	51	57
American Indian 1/, both sexes.....	159	7	-	-	1	11	12	17	19	17	11	18
Male.....	109	5	-	-	-	6	8	14	13	12	7	16
Female.....	50	2	-	-	1	5	4	3	6	5	4	2
Asian or Pacific Islander 2/, both sexes.....	1,185	8	13	11	15	90	105	90	98	62	77	95
Male.....	765	3	6	5	11	66	81	62	70	41	51	66
Female.....	420	5	7	6	4	24	24	28	28	21	26	29

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Colorado

All races, both sexes.....	2,970	23	26	19	28	208	212	204	214	219	283	285
Male.....	2,001	12	12	12	19	148	170	162	164	161	200	186
Female.....	969	11	14	7	9	60	42	42	50	58	83	99
White, both sexes.....	2,775	21	23	17	26	188	192	185	195	198	262	266
Male.....	1,859	11	10	10	17	133	153	144	151	145	186	171
Female.....	916	10	13	7	9	55	39	41	44	53	76	95
Black, both sexes.....	135	2	3	1	2	13	13	13	13	15	16	15
Male.....	102	1	2	1	2	9	12	12	9	12	12	12
Female.....	33	1	1	-	-	4	1	1	4	3	4	3
American Indian 1/, both sexes.....	27	-	-	-	-	4	4	3	3	5	1	2
Male.....	21	-	-	-	-	3	3	3	3	4	1	2
Female.....	6	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	1	-	3	3	3	3	1	4	2
Male.....	19	-	-	1	-	3	2	3	1	-	1	1
Female.....	14	-	-	-	-	-	1	-	2	1	3	1

Connecticut

All races, both sexes.....	1,731	10	12	11	16	78	137	112	101	138	147	150
Male.....	1,130	7	5	9	9	56	111	89	74	94	100	121
Female.....	601	3	7	2	7	22	26	23	27	44	47	29
White, both sexes.....	1,565	7	9	9	12	67	111	90	90	122	134	143
Male.....	1,009	7	4	7	6	46	90	70	66	84	89	116
Female.....	556	-	5	2	6	21	21	20	24	38	45	27
Black, both sexes.....	150	3	3	2	4	10	22	21	11	15	12	7
Male.....	110	-	1	2	3	9	19	18	8	10	10	5
Female.....	40	3	2	-	1	1	3	3	3	5	2	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	1	4	1	-	1	1	-
Male.....	9	-	-	-	-	1	2	1	-	-	1	-
Female.....	5	-	-	-	-	-	2	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Delaware

All races, both sexes.....	446	1	6	5	6	33	44	27	31	35	42	40
Male.....	296	-	2	1	3	24	35	25	21	26	29	28
Female.....	150	1	4	4	3	9	9	2	10	9	13	12
White, both sexes.....	367	-	4	5	4	25	32	21	24	26	34	32
Male.....	237	-	1	1	1	17	24	19	17	19	22	23
Female.....	130	-	3	4	3	8	8	2	7	7	12	9
Black, both sexes.....	75	1	2	-	2	8	12	6	6	9	6	7
Male.....	55	-	1	-	2	7	11	6	3	7	5	4
Female.....	20	1	1	-	-	1	1	-	3	2	1	3
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	1	-	2	1
Male.....	4	-	-	-	-	-	-	-	1	-	2	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Dist. of Columbia

All races, both sexes.....	446	2	3	4	6	44	52	39	29	31	39	45
Male.....	339	-	1	3	4	41	48	33	25	24	30	29
Female.....	107	2	2	1	2	3	4	6	4	7	9	16
White, both sexes.....	70	-	-	1	-	1	7	4	2	3	12	2
Male.....	50	-	-	1	-	1	6	3	2	3	10	1
Female.....	20	-	-	-	-	-	1	1	-	-	2	1
Black, both sexes.....	371	2	3	3	6	43	44	34	27	28	27	42
Male.....	286	-	1	2	4	40	42	30	23	21	20	27
Female.....	85	2	2	1	2	3	2	4	4	7	7	15
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	2	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Florida												
All races, both sexes.....	11,958	117	146	85	121	591	954	765	722	890	1,063	1,140
Male.....	8,212	77	89	55	88	429	760	608	544	652	723	780
Female.....	3,746	40	57	30	33	162	194	157	178	238	340	360
White, both sexes.....	10,267	69	104	62	79	464	726	596	580	760	920	1,000
Male.....	6,971	49	66	36	60	325	574	469	435	557	624	676
Female.....	3,296	20	38	26	19	139	152	127	145	203	296	324
Black, both sexes.....	1,567	47	38	23	41	115	216	161	137	119	135	128
Male.....	1,168	27	20	19	27	96	176	135	107	89	94	96
Female.....	399	20	18	4	14	19	40	26	30	30	41	32
American Indian 1/, both sexes.....	34	-	1	-	-	1	5	4	1	3	4	4
Male.....	18	-	1	-	-	1	4	2	-	1	1	2
Female.....	16	-	-	-	-	-	1	2	1	2	3	2
Asian or Pacific Islander 2/, both sexes.....	90	1	3	-	1	11	7	4	4	8	4	8
Male.....	55	1	2	-	1	7	6	2	2	5	4	6
Female.....	35	-	1	-	-	4	1	2	2	3	-	2
Georgia												
All races, both sexes.....	5,491	56	103	59	70	320	476	455	386	434	457	502
Male.....	3,674	35	61	33	46	227	392	343	286	304	301	332
Female.....	1,817	21	42	26	24	93	84	112	100	130	156	170
White, both sexes.....	4,048	30	64	32	47	228	319	286	262	304	338	384
Male.....	2,642	20	38	18	34	161	258	206	186	207	220	250
Female.....	1,406	10	26	14	13	67	61	80	76	97	118	134
Black, both sexes.....	1,371	23	36	24	21	91	151	158	117	122	116	113
Male.....	989	14	21	14	10	66	130	132	93	93	81	77
Female.....	382	9	15	10	11	25	21	26	24	29	35	36
American Indian 1/, both sexes.....	21	-	2	-	1	-	2	3	3	4	-	-
Male.....	13	-	2	-	1	-	1	-	3	4	-	-
Female.....	8	-	-	-	-	-	1	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	51	3	1	3	1	1	4	8	4	4	3	5
Male.....	30	1	-	1	1	-	3	5	4	-	-	5
Female.....	21	2	1	2	-	1	1	3	-	4	3	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Hawaii

All races, both sexes.....	590	4	10	2	7	25	37	41	32	41	60	51
Male.....	418	3	6	-	5	18	32	33	30	34	45	43
Female.....	172	1	4	2	2	7	5	8	2	7	15	8
White, both sexes.....	237	2	5	2	2	3	19	15	15	20	25	31
Male.....	169	1	2	-	1	1	17	11	15	15	18	26
Female.....	68	1	3	2	1	2	2	4	-	5	7	5
Black, both sexes.....	10	-	1	-	1	-	-	1	1	1	2	1
Male.....	9	-	1	-	1	-	-	1	1	1	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	343	2	4	-	4	22	18	25	16	20	33	19
Male.....	240	2	3	-	3	17	15	21	14	18	25	17
Female.....	103	-	1	-	1	5	3	4	2	2	8	2

Idaho

All races, both sexes.....	905	6	17	8	15	58	73	60	49	73	66	85
Male.....	631	4	12	6	11	45	64	45	37	53	52	56
Female.....	274	2	5	2	4	13	9	15	12	20	14	29
White, both sexes.....	873	5	15	8	15	56	66	59	46	70	64	83
Male.....	607	3	11	6	11	43	59	44	35	50	50	55
Female.....	266	2	4	2	4	13	7	15	11	20	14	28
Black, both sexes.....	6	1	2	-	-	-	1	-	-	-	-	-
Male.....	5	1	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	18	-	-	-	-	2	3	1	3	3	1	1
Male.....	15	-	-	-	-	2	2	1	2	3	1	1
Female.....	3	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	3	-	-	-	1	1
Male.....	4	-	-	-	-	-	2	-	-	-	1	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Illinois												
All races, both sexes.....	6,258	78	75	40	56	407	584	471	446	473	573	548
Male.....	4,325	45	46	21	31	309	485	396	346	345	423	404
Female.....	1,933	33	29	19	25	98	99	75	100	128	150	144
White, both sexes.....	4,828	47	43	21	43	287	401	333	311	335	436	407
Male.....	3,290	30	26	11	24	214	323	277	237	253	331	310
Female.....	1,538	17	17	10	19	73	78	56	74	82	105	97
Black, both sexes.....	1,372	31	31	19	13	117	176	135	134	129	132	139
Male.....	1,001	15	19	10	7	92	157	118	109	87	89	92
Female.....	371	16	12	9	6	25	19	17	25	42	43	47
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	-	-	1	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	54	-	1	-	-	3	6	3	1	8	5	1
Male.....	31	-	1	-	-	3	4	1	-	5	3	1
Female.....	23	-	-	-	-	-	2	2	1	3	2	-
Indiana												
All races, both sexes.....	3,759	58	63	26	58	236	344	260	251	247	345	319
Male.....	2,525	32	34	20	35	170	267	213	188	172	249	235
Female.....	1,234	26	29	6	23	66	77	47	63	75	96	84
White, both sexes.....	3,298	42	56	19	48	202	276	209	199	214	306	285
Male.....	2,173	25	30	14	25	140	207	168	144	146	219	211
Female.....	1,125	17	26	5	23	62	69	41	55	68	87	74
Black, both sexes.....	425	16	6	7	8	30	63	48	44	30	37	32
Male.....	326	7	3	6	8	27	56	42	38	24	28	23
Female.....	99	9	3	1	-	3	7	6	6	6	9	9
American Indian 1/, both sexes.....	3	-	1	-	-	-	-	1	-	-	-	1
Male.....	3	-	1	-	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	-	2	4	5	2	8	3	2	1
Male.....	23	-	-	-	2	3	4	2	6	2	2	-
Female.....	10	-	-	-	-	1	1	-	2	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Iowa												
All races, both sexes.....	1,572	10	14	18	25	79	119	72	83	79	93	126
Male.....	1,016	10	5	8	20	56	98	58	60	56	65	98
Female.....	556	-	9	10	5	23	21	14	23	23	28	28
White, both sexes.....	1,508	8	12	15	24	75	109	66	77	74	90	120
Male.....	971	8	5	7	19	53	89	54	58	52	64	93
Female.....	537	-	7	8	5	22	20	12	19	22	26	27
Black, both sexes.....	50	2	2	2	1	3	8	5	4	4	2	5
Male.....	34	2	-	-	1	2	7	4	1	3	1	4
Female.....	16	-	2	2	-	1	1	1	3	1	1	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	1	-	-	-
Male.....	5	-	-	-	-	-	1	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	1	1	1	1	1	1	1
Male.....	6	-	-	1	-	1	1	-	-	1	-	1
Female.....	3	-	-	-	-	-	-	1	1	-	1	-
Kansas												
All races, both sexes.....	1,712	15	24	10	30	96	147	113	96	108	155	149
Male.....	1,100	8	13	6	20	73	115	84	69	77	102	101
Female.....	612	7	11	4	10	23	32	29	27	31	53	48
White, both sexes.....	1,563	12	20	9	28	89	125	92	81	96	141	143
Male.....	993	6	13	5	19	67	96	67	60	67	91	98
Female.....	570	6	7	4	9	22	29	25	21	29	50	45
Black, both sexes.....	127	3	4	1	1	6	22	19	12	10	11	6
Male.....	94	2	-	1	1	6	19	15	7	9	8	3
Female.....	33	1	4	-	-	-	3	4	5	1	3	3
American Indian 1/, both sexes.....	13	-	-	-	1	-	-	-	2	2	3	-
Male.....	7	-	-	-	-	-	-	-	1	1	3	-
Female.....	6	-	-	-	1	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	-	2	1	-	-	-
Male.....	6	-	-	-	-	-	-	2	1	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Kentucky

All races, both sexes.....	3,144	33	38	24	37	218	273	285	232	256	289	273
Male.....	2,157	19	22	14	28	145	204	207	161	180	217	204
Female.....	987	14	16	10	9	73	69	78	71	76	72	69
White, both sexes.....	2,924	28	34	20	34	198	236	262	217	240	276	250
Male.....	1,994	16	19	14	27	130	173	187	150	167	208	188
Female.....	930	12	15	6	7	68	63	75	67	73	68	62
Black, both sexes.....	207	5	4	4	3	20	32	22	14	16	12	22
Male.....	154	3	3	-	1	15	29	19	10	13	8	15
Female.....	53	2	1	4	2	5	3	3	4	3	4	7
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	-	1	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	-	4	-	1	-	1	-
Male.....	6	-	-	-	-	-	2	-	1	-	1	-
Female.....	3	-	-	-	-	-	2	-	-	-	-	-

Louisiana

All races, both sexes.....	3,609	48	60	38	59	261	452	359	303	289	314	320
Male.....	2,571	19	33	21	39	204	376	281	235	210	226	236
Female.....	1,038	29	27	17	20	57	76	78	68	79	88	84
White, both sexes.....	2,394	20	31	17	33	160	229	196	185	200	240	235
Male.....	1,617	7	14	6	22	113	182	140	142	144	161	173
Female.....	777	13	17	11	11	47	47	56	43	56	79	62
Black, both sexes.....	1,171	28	29	20	24	96	217	160	111	82	71	82
Male.....	923	12	19	15	16	86	189	139	89	61	63	61
Female.....	248	16	10	5	8	10	28	21	22	21	8	21
American Indian 1/, both sexes.....	12	-	-	-	-	1	3	2	1	2	2	-
Male.....	11	-	-	-	-	1	3	2	-	2	2	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	-	-	1	2	4	3	1	6	5	1	3
Male.....	20	-	-	-	1	4	2	-	4	3	-	2
Female.....	12	-	-	1	1	-	1	1	2	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Maine

All races, both sexes.....	691	2	8	6	5	50	60	58	34	57	61	60
Male.....	457	2	5	5	4	35	46	39	29	45	42	41
Female.....	234	-	3	1	1	15	14	19	5	12	19	19
White, both sexes.....	677	2	6	4	5	50	57	58	33	53	61	59
Male.....	447	2	4	4	4	35	43	39	28	42	42	40
Female.....	230	-	2	-	1	15	14	19	5	11	19	19
Black, both sexes.....	9	-	2	2	-	-	2	-	1	1	-	-
Male.....	6	-	1	1	-	-	2	-	1	1	-	-
Female.....	3	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	-	-	-	3	-	1
Male.....	3	-	-	-	-	-	-	-	-	2	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	3,154	19	30	24	40	198	319	257	218	272	323	288
Male.....	2,285	8	18	16	29	154	274	226	173	216	236	205
Female.....	869	11	12	8	11	44	45	31	45	56	87	83
White, both sexes.....	1,950	10	15	6	19	102	157	124	108	173	202	173
Male.....	1,359	3	10	3	13	72	123	103	83	136	152	118
Female.....	591	7	5	3	6	30	34	21	25	37	50	55
Black, both sexes.....	1,141	9	14	17	21	93	157	126	107	97	115	112
Male.....	886	5	7	12	16	80	146	119	89	79	78	84
Female.....	255	4	7	5	5	13	11	7	18	18	37	28
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	1	1	-	2	-
Male.....	6	-	-	-	-	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	55	-	1	1	-	3	5	6	2	2	4	3
Male.....	34	-	1	1	-	2	5	4	1	1	4	3
Female.....	21	-	-	-	-	1	-	2	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Massachusetts												
All races, both sexes.....	2,598	7	17	14	25	138	228	154	163	239	260	247
Male.....	1,716	7	13	9	13	114	182	119	124	190	173	177
Female.....	882	-	4	5	12	24	46	35	39	49	87	70
White, both sexes.....	2,376	7	13	14	18	106	192	131	143	213	241	235
Male.....	1,544	7	10	9	10	85	151	99	110	172	159	167
Female.....	832	-	3	5	8	21	41	32	33	41	82	68
Black, both sexes.....	167	-	2	-	5	27	31	21	13	18	12	10
Male.....	135	-	2	-	1	24	28	19	10	13	9	8
Female.....	32	-	-	-	4	3	3	2	3	5	3	2
American Indian 1/, both sexes.....	11	-	-	-	-	1	-	-	-	3	3	1
Male.....	8	-	-	-	-	1	-	-	-	1	3	1
Female.....	3	-	-	-	-	-	-	-	-	2	-	-
Asian or Pacific Islander 2/, both sexes.....	44	-	2	-	2	4	5	2	7	5	4	1
Male.....	29	-	1	-	2	4	3	1	4	4	2	1
Female.....	15	-	1	-	-	-	2	1	3	1	2	-
Michigan												
All races, both sexes.....	5,499	80	59	45	70	341	421	380	395	417	506	511
Male.....	3,715	44	30	24	33	250	338	310	298	320	341	349
Female.....	1,784	36	29	21	37	91	83	70	97	97	165	162
White, both sexes.....	4,312	46	38	26	48	255	279	253	274	306	412	418
Male.....	2,851	24	22	16	25	184	223	204	200	229	277	286
Female.....	1,461	22	16	10	23	71	56	49	74	77	135	132
Black, both sexes.....	1,089	32	21	19	19	80	132	123	114	98	86	86
Male.....	808	19	8	8	6	63	107	103	95	82	62	61
Female.....	281	13	13	11	13	17	25	20	19	16	24	25
American Indian 1/, both sexes.....	45	-	-	-	2	2	4	1	4	9	5	3
Male.....	26	-	-	-	1	1	4	1	2	6	1	1
Female.....	19	-	-	-	1	1	-	-	2	3	4	2
Asian or Pacific Islander 2/, both sexes.....	53	2	-	-	1	4	6	3	3	4	3	4
Male.....	30	1	-	-	1	2	4	2	1	3	1	1
Female.....	23	1	-	-	-	2	2	1	2	1	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Missouri

All races, both sexes.....	3,913	53	50	30	54	270	326	266	258	269	357	325
Male.....	2,569	25	23	18	34	188	249	211	193	193	238	222
Female.....	1,344	28	27	12	20	82	77	55	65	76	119	103
White, both sexes.....	3,351	35	41	21	40	222	254	196	209	227	310	276
Male.....	2,154	17	20	12	25	149	187	150	158	162	206	188
Female.....	1,197	18	21	9	15	73	67	46	51	65	104	88
Black, both sexes.....	515	17	8	9	12	44	69	67	43	37	42	45
Male.....	388	7	3	6	8	36	60	58	32	28	28	32
Female.....	127	10	5	3	4	8	9	9	11	9	14	13
American Indian 1/, both sexes.....	19	-	1	-	-	2	2	3	2	3	1	2
Male.....	13	-	-	-	-	1	2	3	1	2	-	2
Female.....	6	-	1	-	-	1	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	28	1	-	-	2	2	1	-	4	2	4	2
Male.....	14	1	-	-	1	2	-	-	2	1	4	-
Female.....	14	-	-	-	1	-	1	-	2	1	-	2

Montana

All races, both sexes.....	776	2	7	4	13	66	62	51	41	51	76	67
Male.....	521	1	4	2	9	52	51	39	34	36	43	41
Female.....	255	1	3	2	4	14	11	12	7	15	33	26
White, both sexes.....	663	2	4	4	8	47	48	40	30	43	61	57
Male.....	434	1	3	2	4	37	40	32	25	30	31	33
Female.....	229	1	1	2	4	10	8	8	5	13	30	24
Black, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	108	-	2	-	5	18	13	10	11	8	14	10
Male.....	84	-	-	-	5	14	11	7	9	6	11	8
Female.....	24	-	2	-	-	4	2	3	2	2	3	2
Asian or Pacific Islander 2/, both sexes.....	3	-	1	-	-	-	-	1	-	-	1	-
Male.....	2	-	1	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Nebraska

All races, both sexes.....	983	8	13	14	7	71	76	39	44	50	66	69
Male.....	626	5	6	2	5	49	58	31	34	39	46	52
Female.....	357	3	7	12	2	22	18	8	10	11	20	17
White, both sexes.....	931	5	12	11	7	62	70	38	40	45	62	67
Male.....	594	4	5	2	5	41	52	31	33	35	42	52
Female.....	337	1	7	9	2	21	18	7	7	10	20	15
Black, both sexes.....	32	2	1	2	-	6	3	-	3	3	3	2
Male.....	21	1	1	-	-	6	3	-	1	3	3	-
Female.....	11	1	-	2	-	-	-	-	2	-	-	2
American Indian 1/, both sexes.....	13	1	-	-	-	1	3	1	1	2	1	-
Male.....	9	-	-	-	-	1	3	-	-	1	1	-
Female.....	4	1	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	-	2	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	-	-	-	-	-	-
Female.....	5	-	-	1	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	1,699	21	15	6	29	94	126	139	116	147	175	180
Male.....	1,194	12	9	2	17	64	102	115	86	102	125	127
Female.....	505	9	6	4	12	30	24	24	30	45	50	53
White, both sexes.....	1,492	12	12	6	25	76	99	115	101	129	150	160
Male.....	1,050	6	8	2	16	51	81	96	76	89	110	112
Female.....	442	6	4	4	9	25	18	19	25	40	40	48
Black, both sexes.....	133	7	1	-	3	12	17	22	11	14	13	12
Male.....	99	5	1	-	1	9	14	18	9	10	8	8
Female.....	34	2	-	-	2	3	3	4	2	4	5	4
American Indian 1/, both sexes.....	27	1	-	-	-	2	4	-	3	3	5	3
Male.....	17	1	-	-	-	1	2	-	-	2	3	3
Female.....	10	-	-	-	-	1	2	-	3	1	2	-
Asian or Pacific Islander 2/, both sexes.....	47	1	2	-	1	4	6	2	1	1	7	5
Male.....	28	-	-	-	-	3	5	1	1	1	4	4
Female.....	19	1	2	-	1	1	1	1	-	-	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
New Hampshire												
All races, both sexes.....	630	3	8	3	4	39	48	27	35	57	63	48
Male.....	409	-	5	2	2	26	43	25	24	45	42	35
Female.....	221	3	3	1	2	13	5	2	11	12	21	13
White, both sexes.....	625	3	7	3	4	39	48	27	35	54	63	48
Male.....	406	-	5	2	2	26	43	25	24	43	42	35
Female.....	219	3	2	1	2	13	5	2	11	11	21	13
Black, both sexes.....	3	-	1	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	3,481	15	25	17	34	214	284	279	239	252	313	294
Male.....	2,390	12	12	10	25	161	233	223	186	200	242	215
Female.....	1,091	3	13	7	9	53	51	56	53	52	71	79
White, both sexes.....	2,724	8	14	9	20	150	183	182	167	183	240	243
Male.....	1,825	6	6	5	15	105	142	135	134	155	185	184
Female.....	899	2	8	4	5	45	41	47	33	28	55	59
Black, both sexes.....	673	7	11	8	11	59	89	86	60	66	65	49
Male.....	505	6	6	5	8	52	81	78	43	45	51	29
Female.....	168	1	5	3	3	7	8	8	17	21	14	20
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	1
Male.....	3	-	-	-	-	-	1	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	81	-	-	-	3	5	11	10	12	3	8	1
Male.....	57	-	-	-	2	4	9	9	9	-	6	1
Female.....	24	-	-	-	1	1	2	1	3	3	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
New Mexico												
All races, both sexes.....	1,808	9	27	10	26	114	174	129	136	127	166	157
Male.....	1,246	2	14	7	10	93	139	100	107	94	111	105
Female.....	562	7	13	3	16	21	35	29	29	33	55	52
White, both sexes.....	1,524	7	17	7	15	93	137	98	102	102	139	142
Male.....	1,036	2	8	5	6	76	112	75	79	76	90	94
Female.....	488	5	9	2	9	17	25	23	23	26	49	48
Black, both sexes.....	31	1	1	-	-	3	2	2	9	2	2	2
Male.....	24	-	1	-	-	3	1	2	9	-	2	1
Female.....	7	1	-	-	-	-	1	-	-	2	-	1
American Indian 1/, both sexes.....	248	1	9	3	11	16	35	28	25	23	25	13
Male.....	183	-	5	2	4	12	26	23	19	18	19	10
Female.....	65	1	4	1	7	4	9	5	6	5	6	3
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	2	-	1	-	-	-	-
Male.....	3	-	-	-	-	2	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-
New York												
All races, both sexes.....	6,839	34	65	42	90	397	563	442	408	483	551	554
Male.....	4,771	25	44	26	53	303	478	366	325	380	425	407
Female.....	2,068	9	21	16	37	94	85	76	83	103	126	147
White, both sexes.....	5,307	20	43	22	60	274	368	280	280	365	425	412
Male.....	3,631	14	30	11	38	198	309	227	224	288	343	306
Female.....	1,676	6	13	11	22	76	59	53	56	77	82	106
Black, both sexes.....	1,305	13	21	16	29	108	177	147	109	101	113	127
Male.....	987	10	13	11	15	94	160	127	87	79	76	88
Female.....	318	3	8	5	14	14	17	20	22	22	37	39
American Indian 1/, both sexes.....	16	-	1	-	-	1	1	-	4	3	-	-
Male.....	14	-	1	-	-	1	1	-	4	3	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	211	1	-	4	1	14	17	15	15	14	13	15
Male.....	139	1	-	4	-	10	8	12	10	10	6	13
Female.....	72	-	-	-	1	4	9	3	5	4	7	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Ohio

All races, both sexes.....	6,375	70	71	47	75	406	506	402	387	426	541	630
Male.....	4,309	32	44	30	39	307	418	320	298	322	393	429
Female.....	2,066	38	27	17	36	99	88	82	89	104	148	201
White, both sexes.....	5,440	44	57	29	56	327	402	303	323	352	469	525
Male.....	3,632	22	39	17	27	242	328	240	250	271	339	361
Female.....	1,808	22	18	12	29	85	74	63	73	81	130	164
Black, both sexes.....	899	25	14	16	18	77	100	98	63	72	72	98
Male.....	655	10	5	11	12	64	88	80	47	49	54	65
Female.....	244	15	9	5	6	13	12	18	16	23	18	33
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	1	-	2	1	2	4	-	1	2	-	7
Male.....	20	-	-	2	-	1	2	-	1	2	-	3
Female.....	13	1	-	-	1	1	2	-	-	-	-	4

Oklahoma

All races, both sexes.....	2,767	32	45	28	26	185	251	165	194	199	272	250
Male.....	1,843	15	23	20	18	134	197	128	144	148	194	170
Female.....	924	17	22	8	8	51	54	37	50	51	78	80
White, both sexes.....	2,330	23	37	19	22	151	191	120	142	155	234	202
Male.....	1,542	11	19	13	16	112	149	91	105	112	168	140
Female.....	788	12	18	6	6	39	42	29	37	43	66	62
Black, both sexes.....	186	6	5	3	2	14	33	25	20	16	11	17
Male.....	136	2	3	3	2	9	28	21	15	14	8	13
Female.....	50	4	2	-	-	5	5	4	5	2	3	4
American Indian 1/, both sexes.....	232	3	3	5	2	19	26	17	28	25	26	29
Male.....	154	2	1	3	-	12	19	16	20	20	18	16
Female.....	78	1	2	2	2	7	7	1	8	5	8	13
Asian or Pacific Islander 2/, both sexes.....	19	-	-	1	-	1	1	3	4	3	1	2
Male.....	11	-	-	1	-	1	1	-	4	2	-	1
Female.....	8	-	-	-	-	-	-	3	-	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Oregon												
All races, both sexes.....	2,230	31	29	19	21	108	164	115	127	146	183	200
Male.....	1,428	18	18	9	14	77	127	84	96	108	119	133
Female.....	802	13	11	10	7	31	37	31	31	38	64	67
White, both sexes.....	2,109	29	27	16	17	96	151	98	115	139	176	190
Male.....	1,353	16	18	7	10	69	118	73	87	103	117	128
Female.....	756	13	9	9	7	27	33	25	28	36	59	62
Black, both sexes.....	36	-	-	-	1	5	5	6	6	3	1	2
Male.....	30	-	-	-	1	4	5	4	6	2	-	1
Female.....	6	-	-	-	-	1	-	2	-	1	1	1
American Indian 1/, both sexes.....	45	2	2	1	1	4	7	5	2	4	6	3
Male.....	22	2	-	-	1	2	3	2	1	3	2	3
Female.....	23	-	2	1	-	2	4	3	1	1	4	-
Asian or Pacific Islander 2/, both sexes.....	40	-	-	2	2	3	1	6	4	-	-	5
Male.....	23	-	-	2	2	2	1	5	2	-	-	1
Female.....	17	-	-	-	-	1	-	1	2	-	-	4
Pennsylvania												
All races, both sexes.....	7,578	51	66	31	81	430	615	527	461	527	700	711
Male.....	5,128	27	33	19	53	334	513	427	348	397	525	509
Female.....	2,450	24	33	12	28	96	102	100	113	130	175	202
White, both sexes.....	6,504	36	46	19	59	343	487	391	358	435	616	617
Male.....	4,334	19	21	13	40	261	396	314	260	324	463	447
Female.....	2,170	17	25	6	19	82	91	77	98	111	153	170
Black, both sexes.....	1,022	15	18	11	20	82	120	129	98	89	80	91
Male.....	762	8	12	5	12	71	112	110	84	70	59	60
Female.....	260	7	6	6	8	11	8	19	14	19	21	31
American Indian 1/, both sexes.....	4	-	-	-	-	1	2	-	1	-	-	-
Male.....	2	-	-	-	-	-	1	-	1	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	48	-	2	1	2	4	6	7	4	3	4	3
Male.....	30	-	-	1	1	2	4	3	3	3	3	2
Female.....	18	-	2	-	1	2	2	4	1	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Rhode Island												
All races, both sexes.....	514	2	7	-	2	29	41	26	25	38	44	50
Male.....	343	1	4	-	1	21	28	25	21	32	28	33
Female.....	171	1	3	-	1	8	13	1	4	6	16	17
White, both sexes.....	481	2	6	-	1	26	34	23	22	37	41	46
Male.....	318	1	3	-	1	18	21	22	19	32	27	31
Female.....	163	1	3	-	-	8	13	1	3	5	14	15
Black, both sexes.....	27	-	-	-	1	3	7	3	3	-	2	3
Male.....	22	-	-	-	-	3	7	3	2	-	1	1
Female.....	5	-	-	-	1	-	-	-	1	-	1	2
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	1	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	3,008	33	34	20	42	199	282	244	236	228	282	268
Male.....	2,127	15	23	12	27	146	230	196	196	161	206	188
Female.....	881	18	11	8	15	53	52	48	40	67	76	80
White, both sexes.....	2,095	20	15	10	24	137	179	147	159	160	207	202
Male.....	1,462	10	9	8	15	99	149	116	128	109	153	138
Female.....	633	10	6	2	9	38	30	31	31	51	54	64
Black, both sexes.....	897	13	19	10	17	60	100	93	76	67	75	65
Male.....	653	5	14	4	12	45	79	76	67	52	53	50
Female.....	244	8	5	6	5	15	21	17	9	15	22	15
American Indian 1/, both sexes.....	3	-	-	-	-	1	1	1	-	-	-	-
Male.....	3	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	1	1	2	3	1	1	-	1
Male.....	9	-	-	-	-	1	1	3	1	-	-	-
Female.....	4	-	-	-	1	-	1	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

South Dakota

All races, both sexes.....	568	5	13	15	11	42	49	42	28	42	38	37
Male.....	370	4	9	4	7	28	37	29	22	28	29	24
Female.....	198	1	4	11	4	14	12	13	6	14	9	13
White, both sexes.....	420	2	7	8	5	21	25	28	15	29	29	29
Male.....	275	2	5	2	4	13	21	23	12	18	23	20
Female.....	145	-	2	6	1	8	4	5	3	11	6	9
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	143	3	6	4	6	21	24	14	13	13	9	7
Male.....	93	2	4	1	3	15	16	6	10	10	6	4
Female.....	50	1	2	3	3	6	8	8	3	3	3	3
Asian or Pacific Islander 2/, both sexes.....	4	-	-	3	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	2	-	-	-	-	-	-	-	1

Tennessee

All races, both sexes.....	4,599	40	48	29	62	291	385	343	312	340	422	456
Male.....	3,129	22	34	19	35	207	301	279	232	245	301	318
Female.....	1,470	18	14	10	27	84	84	64	80	95	121	138
White, both sexes.....	3,916	29	37	23	45	239	307	258	243	295	366	389
Male.....	2,618	17	26	14	26	165	237	208	173	213	256	266
Female.....	1,298	12	11	9	19	74	70	50	70	82	110	123
Black, both sexes.....	659	10	11	5	17	52	76	78	66	44	54	66
Male.....	495	4	8	4	9	42	63	65	57	32	43	51
Female.....	164	6	3	1	8	10	13	13	9	12	11	15
American Indian 1/, both sexes.....	4	1	-	-	-	-	-	-	1	1	-	1
Male.....	3	1	-	-	-	-	-	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	1	-	-	2	7	2	-	2	-
Male.....	13	-	-	1	-	-	1	6	1	-	2	-
Female.....	7	-	-	-	-	-	1	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Texas												
All races, both sexes.....	12,467	108	224	136	189	848	1,188	1,045	936	911	1,169	1,137
Male.....	8,594	53	132	85	126	630	954	848	723	687	801	791
Female.....	3,873	55	92	51	63	218	234	197	213	224	368	346
White, both sexes.....	10,703	79	171	104	150	729	991	855	769	763	995	983
Male.....	7,357	36	102	65	101	543	795	691	592	581	683	688
Female.....	3,346	43	69	39	49	186	196	164	177	182	312	295
Black, both sexes.....	1,579	26	52	27	33	108	172	175	150	133	155	141
Male.....	1,123	15	30	18	21	78	139	145	119	96	106	96
Female.....	456	11	22	9	12	30	33	30	31	37	49	45
American Indian 1/, both sexes.....	26	-	-	2	-	3	5	1	4	2	2	4
Male.....	17	-	-	-	-	3	4	-	4	2	1	2
Female.....	9	-	-	2	-	-	1	1	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	159	3	1	3	6	8	20	14	13	13	17	9
Male.....	97	2	-	2	4	6	16	12	8	8	11	5
Female.....	62	1	1	1	2	2	4	2	5	5	6	4
Utah												
All races, both sexes.....	1,403	16	32	5	24	83	137	127	123	102	130	121
Male.....	986	10	18	2	18	62	112	97	97	73	96	90
Female.....	417	6	14	3	6	21	25	30	26	29	34	31
White, both sexes.....	1,351	15	31	5	23	80	128	119	113	100	123	120
Male.....	951	10	17	2	17	60	105	93	90	72	89	89
Female.....	400	5	14	3	6	20	23	26	23	28	34	31
Black, both sexes.....	9	1	-	-	-	-	-	1	4	-	1	-
Male.....	6	-	-	-	-	-	-	1	3	-	1	-
Female.....	3	1	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	26	-	-	-	1	2	6	5	5	2	4	-
Male.....	19	-	-	-	1	1	5	3	3	1	4	-
Female.....	7	-	-	-	-	1	1	2	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	1	-	-	1	3	2	1	-	2	1
Male.....	10	-	1	-	-	1	2	-	1	-	2	1
Female.....	7	-	-	-	-	-	1	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Vermont												
All races, both sexes.....	373	-	1	-	5	20	17	25	21	23	23	30
Male.....	249	-	1	-	3	12	10	21	15	17	18	23
Female.....	124	-	-	-	2	8	7	4	6	6	5	7
White, both sexes.....	369	-	1	-	5	19	17	25	20	22	22	30
Male.....	248	-	1	-	3	12	10	21	15	17	17	23
Female.....	121	-	-	-	2	7	7	4	5	5	5	7
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Virginia												
All races, both sexes.....	3,991	32	46	35	35	241	354	290	270	251	370	322
Male.....	2,725	22	27	21	26	179	290	225	202	179	252	242
Female.....	1,266	10	19	14	9	62	64	65	68	72	118	80
White, both sexes.....	3,044	21	20	20	22	178	232	201	199	183	289	238
Male.....	2,049	14	13	14	15	131	189	157	149	131	199	176
Female.....	995	7	7	6	7	47	43	44	50	52	90	62
Black, both sexes.....	870	11	25	15	11	60	118	81	64	62	71	74
Male.....	635	8	14	7	10	47	97	63	50	47	46	59
Female.....	235	3	11	8	1	13	21	18	14	15	25	15
American Indian 1/, both sexes.....	8	-	-	-	1	-	1	-	-	1	1	2
Male.....	6	-	-	-	-	-	1	-	-	1	-	2
Female.....	2	-	-	-	1	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	69	-	1	-	1	3	3	8	7	5	9	8
Male.....	35	-	-	-	1	1	3	5	3	-	7	5
Female.....	34	-	1	-	-	2	-	3	4	5	2	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
XX. External causes of mortality (*U01-*U03,V01-Y89)												
Washington												
All races, both sexes.....	3,556	29	36	20	27	194	273	200	193	284	335	364
Male.....	2,424	19	23	14	18	145	212	158	135	204	239	249
Female.....	1,132	10	13	6	9	49	61	42	58	80	96	115
White, both sexes.....	3,181	23	29	16	21	153	221	166	165	249	301	333
Male.....	2,166	15	19	10	14	113	171	132	115	182	212	228
Female.....	1,015	8	10	6	7	40	50	34	50	67	89	105
Black, both sexes.....	139	3	4	-	4	11	18	17	10	13	12	17
Male.....	108	3	1	-	3	10	16	16	8	10	10	11
Female.....	31	-	3	-	1	1	2	1	2	3	2	6
American Indian 1/, both sexes.....	101	2	2	1	1	15	14	10	8	12	10	9
Male.....	64	1	2	1	1	8	10	6	4	7	8	6
Female.....	37	1	-	-	-	7	4	4	4	5	2	3
Asian or Pacific Islander 2/, both sexes.....	135	1	1	3	1	15	20	7	10	10	12	5
Male.....	86	-	1	3	-	14	15	4	8	5	9	4
Female.....	49	1	-	-	1	1	5	3	2	5	3	1
West Virginia												
All races, both sexes.....	1,527	3	15	11	16	87	125	103	114	110	166	142
Male.....	1,015	1	7	6	12	61	95	73	84	80	118	101
Female.....	512	2	8	5	4	26	30	30	30	30	48	41
White, both sexes.....	1,481	3	13	11	15	83	119	101	110	104	162	138
Male.....	981	1	5	6	12	60	90	71	80	76	115	97
Female.....	500	2	8	5	3	23	29	30	30	28	47	41
Black, both sexes.....	44	-	2	-	1	3	5	2	4	6	4	4
Male.....	33	-	2	-	-	1	4	2	4	4	3	4
Female.....	11	-	-	-	1	2	1	-	-	2	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Alaska

All races, both sexes.....	39	27	19	11	9	14	13	7	6	-	-	-
Male.....	30	22	16	7	8	11	8	3	2	-	-	-
Female.....	9	5	3	4	1	3	5	4	4	-	-	-
White, both sexes.....	29	21	13	7	8	9	9	6	3	-	-	-
Male.....	24	16	10	5	7	7	5	2	2	-	-	-
Female.....	5	5	3	2	1	2	4	4	1	-	-	-
Black, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	8	2	5	4	1	5	3	1	2	-	-	-
Male.....	5	2	5	2	1	4	3	1	-	-	-	-
Female.....	3	-	-	2	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	-	-	-	-	-	1	-	-	-
Male.....	1	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Arizona

All races, both sexes.....	314	243	137	142	157	189	236	195	121	56	4	49
Male.....	215	170	90	96	96	112	131	88	47	26	1	43
Female.....	99	73	47	46	61	77	105	107	74	30	3	6
White, both sexes.....	279	221	119	127	134	181	222	188	118	54	4	43
Male.....	189	153	78	88	87	108	125	83	45	26	1	39
Female.....	90	68	41	39	47	73	97	105	73	28	3	4
Black, both sexes.....	10	8	6	2	4	1	2	2	-	1	-	1
Male.....	8	6	4	1	2	1	1	2	-	-	-	1
Female.....	2	2	2	1	2	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	23	13	11	11	19	7	9	4	3	1	-	5
Male.....	17	11	8	5	7	3	4	3	2	-	-	3
Female.....	6	2	3	6	12	4	5	1	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	2	1	1	2	-	-	3	1	-	-	-	-
Male.....	1	-	-	2	-	-	1	-	-	-	-	-
Female.....	1	1	1	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Arkansas

All races, both sexes.....	145	104	82	80	71	83	102	74	49	20	3	-
Male.....	100	66	63	56	50	54	54	28	22	6	-	-
Female.....	45	38	19	24	21	29	48	46	27	14	3	-
White, both sexes.....	115	87	70	70	64	74	93	73	43	19	1	-
Male.....	75	54	54	48	45	49	53	28	20	6	-	-
Female.....	40	33	16	22	19	25	40	45	23	13	1	-
Black, both sexes.....	29	15	10	10	7	9	8	1	6	1	2	-
Male.....	24	10	7	8	5	5	1	-	2	-	-	-
Female.....	5	5	3	2	2	4	7	1	4	1	2	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	1,423	977	713	518	571	639	724	609	333	115	15	24
Male.....	988	669	521	338	371	392	428	302	162	46	7	19
Female.....	435	308	192	180	200	247	296	307	171	69	8	5
White, both sexes.....	1,155	827	585	415	483	533	646	549	299	111	14	24
Male.....	814	557	433	278	316	342	381	268	144	44	7	19
Female.....	341	270	152	137	167	191	265	281	155	67	7	5
Black, both sexes.....	159	94	61	38	21	35	16	14	14	1	-	-
Male.....	102	71	49	25	15	20	12	6	8	1	-	-
Female.....	57	23	12	13	6	15	4	8	6	-	-	-
American Indian 1/, both sexes.....	20	6	7	8	1	1	3	-	-	-	-	-
Male.....	14	4	4	5	-	-	1	-	-	-	-	-
Female.....	6	2	3	3	1	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	89	50	60	57	66	70	59	46	20	3	1	-
Male.....	58	37	35	30	40	30	34	28	10	1	-	-
Female.....	31	13	25	27	26	40	25	18	10	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Florida

All races, both sexes.....	996	656	526	393	480	573	718	571	318	107	10	16
Male.....	723	459	357	273	333	353	410	298	146	36	4	15
Female.....	273	197	169	120	147	220	308	273	172	71	6	1
White, both sexes.....	877	591	463	352	427	528	682	554	304	103	10	16
Male.....	633	412	313	241	296	328	392	293	138	35	4	15
Female.....	244	179	150	111	131	200	290	261	166	68	6	1
Black, both sexes.....	102	59	58	37	47	39	33	16	12	4	-	-
Male.....	79	44	43	28	34	24	17	4	8	1	-	-
Female.....	23	15	15	9	13	15	16	12	4	3	-	-
American Indian 1/, both sexes.....	4	1	1	1	1	1	2	-	-	-	-	-
Male.....	3	1	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	5	4	3	5	5	1	1	2	-	-	-
Male.....	8	2	1	3	2	1	1	1	-	-	-	-
Female.....	5	3	3	-	3	4	-	-	2	-	-	-

Georgia

All races, both sexes.....	375	321	219	194	199	250	246	191	127	40	8	3
Male.....	270	231	146	130	134	133	132	79	46	10	1	2
Female.....	105	90	73	64	65	117	114	112	81	30	7	1
White, both sexes.....	265	236	168	159	166	213	220	175	111	33	8	-
Male.....	184	171	114	106	116	114	117	73	39	9	1	-
Female.....	81	65	54	53	50	99	103	102	72	24	7	-
Black, both sexes.....	105	82	48	33	31	36	25	14	15	7	-	3
Male.....	83	58	30	23	17	18	15	5	6	1	-	2
Female.....	22	24	18	10	14	18	10	9	9	6	-	1
American Indian 1/, both sexes.....	2	-	1	1	-	-	1	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	3	2	1	2	1	-	1	1	-	-	-
Male.....	2	2	2	-	1	1	-	1	1	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Hawaii

All races, both sexes.....	57	31	30	13	18	28	38	29	20	15	1	-
Male.....	40	23	24	12	11	11	17	21	7	3	-	-
Female.....	17	8	6	1	7	17	21	8	13	12	1	-
White, both sexes.....	29	11	11	4	4	10	13	7	3	6	-	-
Male.....	21	6	11	4	2	4	6	6	1	1	-	-
Female.....	8	5	-	-	2	6	7	1	2	5	-	-
Black, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	28	19	18	9	14	18	25	22	17	9	1	-
Male.....	19	16	12	8	9	7	11	15	6	2	-	-
Female.....	9	3	6	1	5	11	14	7	11	7	1	-

Idaho

All races, both sexes.....	72	49	43	34	39	41	34	40	32	11	-	-
Male.....	48	37	32	20	26	21	23	20	16	3	-	-
Female.....	24	12	11	14	13	20	11	20	16	8	-	-
White, both sexes.....	68	47	42	34	39	40	33	40	32	11	-	-
Male.....	46	35	31	20	26	21	22	20	16	3	-	-
Female.....	22	12	11	14	13	19	11	20	16	8	-	-
Black, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Iowa

All races, both sexes.....	110	72	66	50	71	109	102	120	102	39	13	-
Male.....	82	51	40	34	42	72	56	57	39	6	3	-
Female.....	28	21	26	16	29	37	46	63	63	33	10	-
White, both sexes.....	107	70	62	49	70	107	100	120	102	38	13	-
Male.....	80	49	36	33	41	70	55	57	39	6	3	-
Female.....	27	21	26	16	29	37	45	63	63	32	10	-
Black, both sexes.....	2	2	3	1	-	1	2	-	-	1	-	-
Male.....	1	2	3	1	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	121	91	54	74	65	85	98	100	56	20	5	-
Male.....	86	61	37	46	39	46	54	40	16	6	1	-
Female.....	35	30	17	28	26	39	44	60	40	14	4	-
White, both sexes.....	112	83	51	71	58	84	93	99	51	20	5	-
Male.....	83	55	34	43	34	45	49	40	14	6	1	-
Female.....	29	28	17	28	24	39	44	59	37	14	4	-
Black, both sexes.....	6	6	3	1	5	1	4	1	5	-	-	-
Male.....	3	5	3	1	4	1	4	-	2	-	-	-
Female.....	3	1	-	-	1	-	-	1	3	-	-	-
American Indian 1/, both sexes.....	2	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Kentucky

All races, both sexes.....	222	158	94	118	99	116	161	112	77	23	4	2
Male.....	165	115	67	87	57	71	98	51	35	8	-	-
Female.....	57	43	27	31	42	45	63	61	42	15	4	-
White, both sexes.....	205	152	86	111	93	111	157	111	74	23	4	2
Male.....	153	110	64	80	54	67	95	50	32	8	-	2
Female.....	52	42	22	31	39	44	62	61	42	15	4	-
Black, both sexes.....	17	4	8	6	5	5	4	1	3	-	-	-
Male.....	12	3	3	6	3	4	3	1	3	-	-	-
Female.....	5	1	5	-	2	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	236	165	111	99	92	130	113	88	50	21	1	-
Male.....	173	118	69	62	67	75	59	40	22	6	-	-
Female.....	63	47	42	37	25	55	54	48	28	15	1	-
White, both sexes.....	174	116	79	73	75	96	96	76	42	20	1	-
Male.....	118	84	45	45	54	59	51	33	19	5	-	-
Female.....	56	32	34	28	21	37	45	43	23	15	1	-
Black, both sexes.....	62	45	31	26	16	34	17	11	8	1	-	-
Male.....	55	31	23	17	13	16	8	6	3	1	-	-
Female.....	7	14	8	9	3	18	9	5	5	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	4	-	-	1	-	-	1	-	-	-	-
Male.....	-	3	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Maine

All races, both sexes.....	45	27	22	23	27	28	39	44	23	9	3	-
Male.....	28	18	16	13	21	14	19	23	9	1	2	-
Female.....	17	9	6	10	6	14	20	21	14	8	1	-
White, both sexes.....	45	26	22	23	27	28	39	44	23	9	3	-
Male.....	28	18	16	13	21	14	19	23	9	1	2	-
Female.....	17	8	6	10	6	14	20	21	14	8	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	256	141	115	107	104	118	145	99	60	14	4	3
Male.....	176	99	88	71	59	70	87	43	27	5	2	3
Female.....	80	42	27	36	45	48	58	56	33	9	2	-
White, both sexes.....	174	89	84	76	75	93	115	85	52	12	4	2
Male.....	129	63	64	50	42	57	67	40	23	4	2	2
Female.....	45	26	20	26	33	36	48	45	29	8	2	-
Black, both sexes.....	77	45	27	30	24	23	29	9	6	2	-	1
Male.....	46	34	21	20	15	11	19	-	3	1	-	1
Female.....	31	11	6	10	9	12	10	9	3	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	2	-	-	1	-	-	-	-
Male.....	-	-	1	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	7	3	1	3	2	1	4	2	-	-	-
Male.....	1	2	2	1	-	2	1	2	1	-	-	-
Female.....	4	5	1	-	3	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Massachusetts

All races, both sexes.....	160	126	102	64	73	113	168	157	102	36	5	-
Male.....	117	89	72	40	44	59	76	53	33	10	2	-
Female.....	43	37	30	24	29	54	92	104	69	26	3	-
White, both sexes.....	151	120	95	62	69	108	161	155	101	36	5	-
Male.....	110	83	67	38	42	54	73	53	33	10	2	-
Female.....	41	37	28	24	27	54	88	102	68	26	3	-
Black, both sexes.....	8	4	4	-	3	5	3	-	1	-	-	-
Male.....	6	4	2	-	2	5	2	-	-	-	-	-
Female.....	2	-	2	-	1	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	1	-	-	1	-	-	-	-	-
Male.....	-	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	2	1	1	-	3	2	-	-	-	-
Male.....	1	2	2	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	2	-	-	-	-

Michigan

All races, both sexes.....	422	248	201	173	175	235	335	241	165	65	14	-
Male.....	309	172	138	120	120	144	175	117	60	18	5	-
Female.....	113	76	63	53	55	91	160	124	105	47	9	-
White, both sexes.....	321	192	176	150	143	214	308	227	152	60	14	-
Male.....	238	135	118	101	97	131	160	108	53	15	5	-
Female.....	83	57	58	49	46	83	148	119	99	45	9	-
Black, both sexes.....	93	45	22	21	26	20	24	12	12	4	-	-
Male.....	64	32	17	18	19	12	14	8	7	3	-	-
Female.....	29	13	5	3	7	8	10	4	5	1	-	-
American Indian 1/, both sexes.....	2	3	2	2	3	-	1	1	1	-	-	-
Male.....	2	2	2	1	2	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	8	1	-	3	1	2	1	-	1	-	-
Male.....	5	3	1	-	2	1	1	1	-	-	-	-
Female.....	1	5	-	-	1	-	1	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Nebraska

All races, both sexes.....	74	41	21	30	46	57	61	84	83	25	3	1
Male.....	61	30	13	22	29	35	28	37	36	7	-	1
Female.....	13	11	8	8	17	22	33	47	47	18	3	-
White, both sexes.....	70	40	20	29	44	55	61	84	80	25	3	1
Male.....	58	29	13	22	29	34	28	37	34	7	-	1
Female.....	12	11	7	7	15	21	33	47	46	18	3	-
Black, both sexes.....	1	-	-	1	1	2	-	-	2	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	1	1	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	142	106	97	56	55	66	56	39	23	7	1	3
Male.....	98	80	66	40	37	40	32	23	11	2	1	3
Female.....	44	26	31	16	18	26	24	16	12	5	-	-
White, both sexes.....	130	98	95	51	47	63	53	37	22	7	1	3
Male.....	87	74	65	38	32	38	31	21	11	2	1	3
Female.....	43	24	30	13	15	25	22	16	11	5	-	-
Black, both sexes.....	8	2	-	-	6	2	2	1	-	-	-	-
Male.....	7	2	-	-	4	2	-	1	-	-	-	-
Female.....	1	-	-	-	2	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	2	1	-	-	-	-	-	-	-	-
Male.....	1	2	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	4	-	4	2	1	1	1	1	-	-	-
Male.....	3	2	-	1	1	-	1	1	-	-	-	-
Female.....	-	2	-	3	1	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

New Hampshire

All races, both sexes.....	42	37	29	16	22	23	43	43	30	10	-	-
Male.....	31	22	22	8	9	15	23	19	9	2	-	-
Female.....	11	15	7	8	13	8	20	24	21	8	-	-
White, both sexes.....	41	37	29	16	22	23	43	43	30	10	-	-
Male.....	30	22	22	8	9	15	23	19	9	2	-	-
Female.....	11	15	7	8	13	8	20	24	21	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	208	182	129	108	136	178	201	172	165	30	5	1
Male.....	171	128	89	75	73	98	99	76	53	8	-	1
Female.....	37	54	40	33	63	80	102	96	112	22	5	-
White, both sexes.....	160	146	101	94	114	165	189	160	161	29	5	1
Male.....	131	102	71	66	61	93	95	72	53	8	-	1
Female.....	29	44	30	28	53	72	94	88	108	21	5	-
Black, both sexes.....	43	32	23	13	18	10	8	10	4	1	-	-
Male.....	35	22	14	8	11	5	2	4	-	-	-	-
Female.....	8	10	9	5	7	5	6	6	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	4	5	1	4	3	4	2	-	-	-	-
Male.....	5	4	4	1	1	-	2	-	-	-	-	-
Female.....	-	-	1	-	3	3	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

New Mexico

All races, both sexes.....	125	98	74	68	57	66	92	82	52	15	2	2
Male.....	94	76	46	49	38	37	56	43	20	4	-	1
Female.....	31	22	28	19	19	29	36	39	32	11	2	1
White, both sexes.....	111	85	70	60	50	62	84	76	50	14	2	1
Male.....	83	64	43	45	33	35	50	38	18	4	-	-
Female.....	28	21	27	15	17	27	34	38	32	10	2	1
Black, both sexes.....	2	2	-	-	1	1	1	-	-	-	-	-
Male.....	1	2	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	11	4	7	6	3	6	6	2	1	-	1
Male.....	10	10	3	4	4	2	4	5	2	-	-	1
Female.....	2	1	1	3	2	1	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	437	373	282	261	272	374	444	401	257	91	16	2
Male.....	338	272	197	175	167	211	254	191	102	28	3	1
Female.....	99	101	85	86	105	163	190	210	155	63	13	1
White, both sexes.....	349	288	231	215	230	328	404	377	235	86	14	1
Male.....	269	211	161	147	143	186	227	178	91	28	2	-
Female.....	80	77	70	68	87	142	177	199	144	58	12	1
Black, both sexes.....	77	70	37	31	30	36	25	15	15	5	2	1
Male.....	62	50	25	21	18	18	16	8	7	-	1	1
Female.....	15	20	12	10	12	18	9	7	8	5	1	-
American Indian 1/, both sexes.....	-	-	1	2	1	-	1	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	15	13	13	11	10	14	8	7	-	-	-
Male.....	7	11	10	6	5	7	11	4	4	-	-	-
Female.....	4	4	3	7	6	3	3	4	3	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Ohio

All races, both sexes.....	470	318	239	230	225	329	388	323	209	67	16	-
Male.....	339	213	154	164	158	210	209	143	62	21	4	-
Female.....	131	105	85	66	67	119	179	180	147	46	12	-
White, both sexes.....	408	272	215	197	207	304	367	307	198	64	14	-
Male.....	291	178	134	139	145	196	194	137	58	21	3	-
Female.....	117	94	81	58	62	108	173	170	140	43	11	-
Black, both sexes.....	60	41	21	31	18	24	21	14	11	3	2	-
Male.....	47	31	18	23	13	13	15	5	4	-	1	-
Female.....	13	10	3	8	5	11	6	9	7	3	1	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	3	2	-	1	-	2	-	-	-	-
Male.....	-	3	2	2	-	1	-	1	-	-	-	-
Female.....	1	1	1	-	-	-	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	203	134	106	88	125	112	138	120	66	22	6	-
Male.....	136	91	66	59	80	61	68	53	29	7	2	-
Female.....	67	43	40	29	45	51	70	67	37	15	4	-
White, both sexes.....	176	122	97	82	112	104	134	116	63	22	6	-
Male.....	120	84	59	57	73	57	68	51	28	7	2	-
Female.....	56	38	38	25	39	47	66	65	35	15	4	-
Black, both sexes.....	13	6	3	2	3	4	-	1	2	-	-	-
Male.....	7	4	2	1	3	1	-	-	-	-	-	-
Female.....	6	2	1	1	-	3	-	1	2	-	-	-
American Indian 1/, both sexes.....	14	4	6	4	10	4	4	2	1	-	-	-
Male.....	9	2	5	1	4	3	-	2	1	-	-	-
Female.....	5	2	1	3	6	1	4	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	-	-	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Oregon

All races, both sexes.....	180	143	94	70	68	106	141	131	104	38	10	2
Male.....	118	98	62	45	37	62	83	65	39	12	3	1
Female.....	62	45	32	25	31	44	58	66	65	26	7	1
White, both sexes.....	169	137	92	67	67	101	140	129	103	38	10	2
Male.....	111	94	60	43	36	62	82	64	39	12	3	1
Female.....	58	43	32	24	31	39	58	65	64	26	7	1
Black, both sexes.....	5	1	-	-	1	-	-	-	-	-	-	-
Male.....	5	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	2	-	-	-	1	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	3	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	2	3	-	4	-	2	1	-	-	-
Male.....	1	2	2	2	-	-	-	1	-	-	-	-
Female.....	1	1	-	1	-	4	-	1	1	-	-	-

Pennsylvania

All races, both sexes.....	525	359	270	255	298	399	497	437	249	80	7	2
Male.....	371	266	186	172	182	228	235	193	90	17	2	1
Female.....	154	93	84	83	116	171	262	244	159	63	5	1
White, both sexes.....	456	307	248	226	280	372	460	423	239	78	6	2
Male.....	328	229	171	154	171	213	217	188	86	17	1	1
Female.....	128	78	77	72	109	159	243	235	153	61	5	1
Black, both sexes.....	67	50	21	29	17	26	33	14	9	2	1	-
Male.....	41	35	14	18	10	14	17	5	4	-	1	-
Female.....	26	15	7	11	7	12	16	9	5	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	-	1	1	4	-	1	-	-	-
Male.....	2	2	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	3	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

South Dakota

All races, both sexes.....	35	31	16	21	15	21	33	31	29	14	-	-
Male.....	30	22	12	13	10	11	20	15	10	6	-	-
Female.....	5	9	4	8	5	10	13	16	19	8	-	-
White, both sexes.....	27	25	13	18	14	20	33	30	28	14	-	-
Male.....	23	17	10	12	9	11	20	15	9	6	-	-
Female.....	4	8	3	6	5	9	13	15	19	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	6	3	3	1	1	-	1	1	-	-	-
Male.....	6	5	2	1	1	-	-	-	1	-	-	-
Female.....	1	1	1	2	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	334	268	189	134	168	203	236	170	121	37	7	4
Male.....	233	203	124	90	102	125	120	77	42	15	2	3
Female.....	101	65	65	44	66	78	116	93	79	22	5	1
White, both sexes.....	289	235	177	122	156	181	217	156	107	36	6	3
Male.....	196	172	117	82	96	115	109	75	37	15	1	2
Female.....	93	63	60	40	60	66	108	81	70	21	5	1
Black, both sexes.....	43	32	12	12	11	22	17	14	14	1	1	1
Male.....	36	30	7	8	6	10	11	2	5	-	1	1
Female.....	7	2	5	4	5	12	6	12	9	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	-	-	1	-	2	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Texas

All races, both sexes.....	792	604	457	397	376	535	556	428	290	110	16	15
Male.....	571	414	314	260	244	301	305	205	109	22	5	14
Female.....	221	190	143	137	132	234	251	223	181	88	11	1
White, both sexes.....	671	525	413	354	338	487	515	407	273	102	14	15
Male.....	487	356	281	237	222	277	289	195	100	19	3	14
Female.....	184	169	132	117	116	210	226	212	173	83	11	1
Black, both sexes.....	112	71	36	40	33	38	35	15	17	8	2	-
Male.....	81	53	29	22	20	18	15	8	9	3	2	-
Female.....	31	18	7	18	13	20	20	7	8	5	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	8	8	2	5	9	6	6	-	-	-	-
Male.....	2	5	4	1	2	6	1	2	-	-	-	-
Female.....	6	3	4	1	3	3	5	4	-	-	-	-

Utah

All races, both sexes.....	100	77	44	31	33	56	63	59	28	9	2	1
Male.....	71	53	33	23	22	32	29	29	14	3	1	1
Female.....	29	24	11	8	11	24	34	30	14	6	1	-
White, both sexes.....	99	74	44	31	32	53	63	58	28	9	2	1
Male.....	70	52	33	23	22	31	29	28	14	3	1	1
Female.....	29	22	11	8	10	22	34	30	14	6	1	-
Black, both sexes.....	-	1	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	2	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

XX. External causes of mortality (*U01-*U03,V01-Y89)

Vermont

All races, both sexes.....	29	20	15	18	20	33	24	22	20	7	-	-
Male.....	24	18	10	13	13	21	13	10	6	1	-	-
Female.....	5	2	5	5	7	12	11	12	14	6	-	-
White, both sexes.....	29	20	15	18	20	33	24	22	20	7	-	-
Male.....	24	18	10	13	13	21	13	10	6	1	-	-
Female.....	5	2	5	5	7	12	11	12	14	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	289	201	148	147	156	223	233	176	124	40	7	1
Male.....	202	151	110	108	101	133	113	93	37	9	2	1
Female.....	87	50	38	39	55	90	120	83	87	31	5	-
White, both sexes.....	224	155	107	121	126	189	203	156	113	39	7	1
Male.....	156	112	80	92	81	112	100	82	34	9	2	1
Female.....	68	43	27	29	45	77	103	74	79	30	5	-
Black, both sexes.....	61	44	36	22	26	33	29	15	11	1	-	-
Male.....	44	37	26	14	19	21	12	11	3	-	-	-
Female.....	17	7	10	8	7	12	17	4	8	1	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	1	5	4	4	1	1	5	-	-	-	-
Male.....	1	1	4	2	1	-	1	-	-	-	-	-
Female.....	2	-	1	2	3	1	-	5	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
United States												
All races, both sexes.....	112,012	1,052	1,641	1,126	1,540	6,825	8,624	6,771	6,261	7,319	9,152	9,426
Male.....	72,050	604	964	682	979	4,744	6,679	5,222	4,649	5,252	6,419	6,602
Female.....	39,962	448	677	444	561	2,081	1,945	1,549	1,612	2,067	2,733	2,824
White, both sexes.....	95,890	706	1,242	792	1,161	5,850	7,324	5,617	5,170	6,090	7,751	7,872
Male.....	61,267	414	734	474	749	4,045	5,725	4,343	3,837	4,403	5,462	5,542
Female.....	34,623	292	508	318	412	1,805	1,599	1,274	1,333	1,687	2,289	2,330
Black, both sexes.....	12,670	303	324	269	301	712	949	890	850	973	1,131	1,324
Male.....	8,603	163	188	168	183	520	708	689	644	679	778	908
Female.....	4,067	140	136	101	118	192	241	201	206	294	353	416
American Indian 1/, both sexes.....	1,520	23	42	22	39	122	173	127	135	149	141	130
Male.....	1,010	15	26	11	22	78	125	94	90	99	92	87
Female.....	510	8	16	11	17	44	48	33	45	50	49	43
Asian or Pacific Islander 2/, both sexes.....	1,932	20	33	43	39	141	178	137	106	107	129	100
Male.....	1,170	12	16	29	25	101	121	96	78	71	87	65
Female.....	762	8	17	14	14	40	57	41	28	36	42	35
Alabama												
All races, both sexes.....	2,403	21	45	19	36	174	227	155	150	162	190	189
Male.....	1,522	15	29	5	21	113	168	113	111	110	131	132
Female.....	881	6	16	14	15	61	59	42	39	52	59	57
White, both sexes.....	1,834	11	30	11	20	136	174	114	114	120	145	143
Male.....	1,151	9	22	3	11	93	130	82	79	79	103	100
Female.....	683	2	8	8	9	43	44	32	35	41	42	43
Black, both sexes.....	555	8	14	8	16	37	52	40	36	41	43	46
Male.....	365	4	7	2	10	20	38	31	32	30	28	32
Female.....	190	4	7	6	6	17	14	9	4	11	15	14
American Indian 1/, both sexes.....	4	1	-	-	-	-	-	-	-	-	-	-
Male.....	3	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	1	1	-	-	1	1	1	-	1	2	-
Male.....	3	1	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	1	-	-	1	1	1	-	-	2	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Alaska												
All races, both sexes.....	326	9	6	3	10	24	34	21	16	33	22	43
Male.....	240	4	4	2	8	20	29	17	15	22	16	26
Female.....	86	5	2	1	2	4	5	4	1	11	6	17
White, both sexes.....	225	4	4	-	7	16	24	13	11	25	16	33
Male.....	163	1	3	-	5	12	19	10	11	16	12	21
Female.....	62	3	1	-	2	4	5	3	-	9	4	12
Black, both sexes.....	10	1	-	-	-	2	1	1	-	1	-	2
Male.....	7	1	-	-	-	2	1	1	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	2
American Indian 1/, both sexes.....	82	4	2	3	3	5	9	6	5	7	6	7
Male.....	63	2	1	2	3	5	9	5	4	5	4	4
Female.....	19	2	1	1	-	-	-	1	1	2	2	3
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	1	-	1	-	-	-	1
Male.....	7	-	-	-	-	1	-	1	-	-	-	1
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	2,770	21	35	27	43	181	203	146	132	180	216	245
Male.....	1,774	17	21	17	26	120	153	114	98	130	149	181
Female.....	996	4	14	10	17	61	50	32	34	50	67	64
White, both sexes.....	2,412	18	30	23	34	153	174	115	107	142	186	219
Male.....	1,537	14	17	15	22	100	131	92	80	102	129	163
Female.....	875	4	13	8	12	53	43	23	27	40	57	56
Black, both sexes.....	78	-	1	1	3	10	5	7	5	6	7	6
Male.....	56	-	1	-	1	8	4	4	4	5	4	5
Female.....	22	-	-	1	2	2	1	3	1	1	3	1
American Indian 1/, both sexes.....	263	3	3	3	6	16	23	21	19	30	22	20
Male.....	172	3	3	2	3	10	18	16	13	21	15	13
Female.....	91	-	-	1	3	6	5	5	6	9	7	7
Asian or Pacific Islander 2/, both sexes.....	17	-	1	-	-	2	1	3	1	2	1	-
Male.....	9	-	-	-	-	2	-	2	1	2	1	-
Female.....	8	-	1	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Arkansas												
All races, both sexes.....	1,406	14	27	24	23	120	126	121	80	85	115	103
Male.....	907	9	19	17	16	75	99	85	54	57	81	73
Female.....	499	5	8	7	7	45	27	36	26	28	34	30
White, both sexes.....	1,185	11	15	19	20	104	104	99	68	68	99	86
Male.....	758	7	10	13	14	63	82	71	46	46	69	60
Female.....	427	4	5	6	6	41	22	28	22	22	30	26
Black, both sexes.....	206	2	10	4	3	15	20	20	12	17	15	17
Male.....	135	1	7	3	2	11	15	12	8	11	11	13
Female.....	71	1	3	1	1	4	5	8	4	6	4	4
American Indian 1/, both sexes.....	8	1	1	-	-	-	-	2	-	-	1	-
Male.....	7	1	1	-	-	-	-	2	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	1	-	1	2	-	-	-	-	-
Male.....	7	-	1	1	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	10,633	67	160	93	144	614	803	661	648	809	988	1,032
Male.....	7,060	36	86	54	88	424	617	503	507	574	680	705
Female.....	3,573	31	74	39	56	190	186	158	141	235	308	327
White, both sexes.....	8,988	52	136	75	119	504	685	553	541	700	859	864
Male.....	5,997	27	73	43	73	343	530	428	421	504	603	598
Female.....	2,991	25	63	32	46	161	155	125	120	196	256	266
Black, both sexes.....	833	7	12	8	12	55	51	54	53	64	84	112
Male.....	564	6	7	7	7	46	39	37	42	43	49	69
Female.....	269	1	5	1	5	9	12	17	11	21	35	43
American Indian 1/, both sexes.....	104	3	-	-	1	6	10	9	11	12	8	12
Male.....	70	1	-	-	-	3	7	7	9	7	5	11
Female.....	34	2	-	-	1	3	3	2	2	5	3	1
Asian or Pacific Islander 2/, both sexes.....	708	5	12	10	12	49	57	45	43	33	37	44
Male.....	429	2	6	4	8	32	41	31	35	20	23	27
Female.....	279	3	6	6	4	17	16	14	8	13	14	17

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Colorado

All races, both sexes.....	1,810	13	16	16	14	133	115	103	114	108	166	143
Male.....	1,148	7	6	10	10	87	89	84	86	80	121	88
Female.....	662	6	10	6	4	46	26	19	28	28	45	55
White, both sexes.....	1,706	12	15	14	13	125	108	95	105	101	151	133
Male.....	1,079	6	6	8	9	83	85	76	81	75	110	81
Female.....	627	6	9	6	4	42	23	19	24	26	41	52
Black, both sexes.....	72	1	1	1	1	7	2	3	6	5	14	9
Male.....	50	1	-	1	1	3	1	3	4	4	11	6
Female.....	22	-	1	-	-	4	1	-	2	1	3	3
American Indian 1/, both sexes.....	16	-	-	-	-	1	3	3	1	2	-	1
Male.....	11	-	-	-	-	1	2	3	1	1	-	1
Female.....	5	-	-	-	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	1	-	-	2	2	2	-	1	-
Male.....	8	-	-	1	-	-	1	2	-	-	-	-
Female.....	8	-	-	-	-	-	1	-	2	-	1	-

Connecticut

All races, both sexes.....	1,261	5	10	11	9	57	84	74	71	94	102	92
Male.....	795	4	4	9	7	40	69	56	50	66	71	75
Female.....	466	1	6	2	2	17	15	18	21	28	31	17
White, both sexes.....	1,177	4	8	9	6	53	79	65	65	88	97	86
Male.....	736	4	3	7	4	36	67	48	46	63	66	70
Female.....	441	-	5	2	2	17	12	17	19	25	31	16
Black, both sexes.....	75	1	2	2	3	3	3	9	6	6	5	6
Male.....	54	-	1	2	3	3	2	8	4	3	5	5
Female.....	21	1	1	-	-	-	1	1	2	3	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	2	-	-	-	-	-
Male.....	4	-	-	-	-	1	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Florida												
All races, both sexes.....	8,229	90	128	76	89	437	648	476	449	574	665	744
Male.....	5,485	65	81	50	63	304	506	375	338	412	456	520
Female.....	2,744	25	47	26	26	133	142	101	111	162	209	224
White, both sexes.....	7,212	56	96	56	57	370	545	405	384	498	583	659
Male.....	4,771	42	61	33	42	252	431	317	290	361	400	456
Female.....	2,441	14	35	23	15	118	114	88	94	137	183	203
Black, both sexes.....	930	33	28	20	31	58	95	66	63	68	75	77
Male.....	665	22	17	17	20	46	68	56	48	47	52	58
Female.....	265	11	11	3	11	12	27	10	15	21	23	19
American Indian 1/, both sexes.....	30	-	1	-	-	1	4	3	1	2	4	4
Male.....	14	-	1	-	-	1	3	1	-	-	1	2
Female.....	16	-	-	-	-	-	1	2	1	2	3	2
Asian or Pacific Islander 2/, both sexes.....	57	1	3	-	1	8	4	2	1	6	3	4
Male.....	35	1	2	-	1	5	4	1	-	4	3	4
Female.....	22	-	1	-	-	3	-	1	1	2	-	-
Georgia												
All races, both sexes.....	3,667	38	79	48	58	210	291	254	225	261	280	343
Male.....	2,308	23	43	29	35	142	231	184	164	175	187	222
Female.....	1,359	15	36	19	23	68	60	70	61	86	93	121
White, both sexes.....	2,841	19	56	26	39	163	232	186	165	192	215	263
Male.....	1,760	13	33	16	26	114	183	134	116	123	143	166
Female.....	1,081	6	23	10	13	49	49	52	49	69	72	97
Black, both sexes.....	782	16	22	19	17	46	57	60	56	65	64	79
Male.....	527	9	10	12	7	28	47	47	44	51	44	55
Female.....	255	7	12	7	10	18	10	13	12	14	20	24
American Indian 1/, both sexes.....	13	-	-	-	1	-	1	2	3	1	-	-
Male.....	8	-	-	-	1	-	1	-	3	1	-	-
Female.....	5	-	-	-	-	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	3	1	3	1	1	1	6	1	3	1	1
Male.....	13	1	-	1	1	-	-	3	1	-	-	1
Female.....	18	2	1	2	-	1	1	3	-	3	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Hawaii												
All races, both sexes.....	390	3	6	1	4	18	25	22	18	29	37	25
Male.....	268	2	4	-	2	13	23	18	16	24	29	23
Female.....	122	1	2	1	2	5	2	4	2	5	8	2
White, both sexes.....	142	1	4	1	1	3	14	7	9	15	12	13
Male.....	103	-	2	-	-	1	13	5	9	11	10	12
Female.....	39	1	2	1	1	2	1	2	-	4	2	1
Black, both sexes.....	7	-	1	-	-	-	-	1	1	1	1	1
Male.....	6	-	1	-	-	-	-	1	1	1	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	241	2	1	-	3	15	11	14	8	13	24	11
Male.....	159	2	1	-	2	12	10	12	6	12	18	11
Female.....	82	-	-	-	1	3	1	2	2	1	6	-
Idaho												
All races, both sexes.....	593	4	16	8	12	38	47	40	25	36	32	50
Male.....	390	2	12	6	9	29	41	32	18	23	24	30
Female.....	203	2	4	2	3	9	6	8	7	13	8	20
White, both sexes.....	576	4	14	8	12	37	43	40	24	35	32	48
Male.....	379	2	11	6	9	28	38	32	17	22	24	29
Female.....	197	2	3	2	3	9	5	8	7	13	8	19
Black, both sexes.....	3	-	2	-	-	-	1	-	-	-	-	-
Male.....	2	-	1	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	1	1	-	1	1	-	1
Male.....	7	-	-	-	-	1	1	-	1	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Illinois												
All races, both sexes.....	4,133	53	51	34	43	200	312	265	241	293	378	361
Male.....	2,670	31	29	17	24	142	235	211	182	212	279	263
Female.....	1,463	22	22	17	19	58	77	54	59	81	99	98
White, both sexes.....	3,378	31	34	17	32	177	266	227	190	217	294	253
Male.....	2,180	20	21	9	19	128	202	182	140	166	221	193
Female.....	1,198	11	13	8	13	49	64	45	50	51	73	60
Black, both sexes.....	721	22	17	17	11	21	41	38	51	73	81	106
Male.....	470	11	8	8	5	12	30	29	42	44	56	68
Female.....	251	11	9	9	6	9	11	9	9	29	25	38
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	-	1
Male.....	3	-	-	-	-	-	1	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	-	2	4	-	-	3	3	1
Male.....	17	-	-	-	-	2	2	-	-	2	2	1
Female.....	14	-	-	-	-	-	2	-	-	1	1	-
Indiana												
All races, both sexes.....	2,395	42	49	22	40	163	208	141	135	127	183	173
Male.....	1,526	19	26	17	25	109	154	114	96	91	128	128
Female.....	869	23	23	5	15	54	54	27	39	36	55	45
White, both sexes.....	2,200	31	45	15	33	149	197	130	118	117	165	159
Male.....	1,391	15	24	11	18	98	144	105	81	83	115	118
Female.....	809	16	21	4	15	51	53	25	37	34	50	41
Black, both sexes.....	174	11	3	7	5	11	9	8	14	8	16	14
Male.....	119	4	1	6	5	9	8	6	13	7	11	10
Female.....	55	7	2	1	-	2	1	2	1	1	5	4
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	1	-	-	-	-
Male.....	2	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	2	3	2	2	3	2	2	-
Male.....	14	-	-	-	2	2	2	2	2	1	2	-
Female.....	5	-	-	-	-	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Kentucky												
All races, both sexes.....	2,260	29	30	22	37	164	194	194	163	179	183	185
Male.....	1,474	17	19	13	28	104	143	132	107	122	133	140
Female.....	786	12	11	9	9	60	51	62	56	57	50	45
White, both sexes.....	2,133	25	28	19	34	155	176	186	156	168	178	170
Male.....	1,385	15	17	13	27	98	128	125	103	113	130	130
Female.....	748	10	11	6	7	57	48	61	53	55	48	40
Black, both sexes.....	121	4	2	3	3	9	15	7	7	11	5	15
Male.....	86	2	2	-	1	6	14	6	4	9	3	10
Female.....	35	2	-	3	2	3	1	1	3	2	2	5
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Louisiana												
All races, both sexes.....	2,300	38	50	37	50	164	225	187	163	173	207	203
Male.....	1,546	17	26	20	33	120	178	133	124	122	154	147
Female.....	754	21	24	17	17	44	47	54	39	51	53	56
White, both sexes.....	1,701	16	28	17	28	124	160	138	121	131	158	157
Male.....	1,111	7	12	6	18	86	123	95	96	92	112	114
Female.....	590	9	16	11	10	38	37	43	25	39	46	43
Black, both sexes.....	562	22	22	19	20	36	61	46	36	35	46	45
Male.....	409	10	14	14	14	30	52	36	24	25	40	33
Female.....	153	12	8	5	6	6	9	10	12	10	6	12
American Indian 1/, both sexes.....	11	-	-	-	-	1	2	2	1	2	2	-
Male.....	10	-	-	-	-	1	2	2	-	2	2	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	1	2	3	2	1	5	5	1	1
Male.....	16	-	-	-	1	3	1	-	4	3	-	-
Female.....	10	-	-	1	1	-	1	1	1	2	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Maine												
All races, both sexes.....	480	1	7	6	4	32	46	47	18	32	47	33
Male.....	293	1	4	5	3	20	34	31	17	24	32	22
Female.....	187	-	3	1	1	12	12	16	1	8	15	11
White, both sexes.....	471	1	5	4	4	32	43	47	18	31	47	33
Male.....	287	1	3	4	3	20	31	31	17	23	32	22
Female.....	184	-	2	-	1	12	12	16	1	8	15	11
Black, both sexes.....	7	-	2	2	-	-	2	-	-	-	-	-
Male.....	4	-	1	1	-	-	2	-	-	-	-	-
Female.....	3	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	1,412	10	18	21	25	98	112	81	63	66	100	87
Male.....	951	4	12	15	17	67	90	74	53	54	75	68
Female.....	461	6	6	6	8	31	22	7	10	12	25	19
White, both sexes.....	972	5	9	4	9	73	82	51	30	47	66	52
Male.....	644	1	7	2	5	50	64	46	25	39	52	40
Female.....	328	4	2	2	4	23	18	5	5	8	14	12
Black, both sexes.....	401	5	8	16	16	22	25	27	33	18	33	33
Male.....	283	3	4	12	12	15	21	26	28	14	22	26
Female.....	118	2	4	4	4	7	4	1	5	4	11	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	37	-	1	1	-	3	5	3	-	1	1	2
Male.....	22	-	1	1	-	2	5	2	-	1	1	2
Female.....	15	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Massachusetts												
All races, both sexes.....	1,366	3	15	12	14	74	93	54	53	83	81	83
Male.....	800	3	11	8	7	54	71	43	41	69	53	62
Female.....	566	-	4	4	7	20	22	11	12	14	28	21
White, both sexes.....	1,290	3	12	12	11	68	84	49	45	74	77	79
Male.....	752	3	9	8	7	50	65	39	36	62	50	59
Female.....	538	-	3	4	4	18	19	10	9	12	27	20
Black, both sexes.....	48	-	1	-	3	4	6	4	5	4	2	3
Male.....	32	-	1	-	-	2	5	4	3	3	2	2
Female.....	16	-	-	-	3	2	1	-	2	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	2	-	-	2	3	1	3	5	1	1
Male.....	15	-	1	-	-	2	1	-	2	4	-	1
Female.....	11	-	1	-	-	-	2	1	1	1	1	-
Michigan												
All races, both sexes.....	3,312	70	38	35	49	209	220	170	165	195	252	256
Male.....	2,061	38	24	19	24	144	163	128	118	143	161	178
Female.....	1,251	32	14	16	25	65	57	42	47	52	91	78
White, both sexes.....	2,775	40	29	24	35	182	182	137	135	151	214	206
Male.....	1,710	20	18	14	18	124	140	106	100	109	139	143
Female.....	1,065	20	11	10	17	58	42	31	35	42	75	63
Black, both sexes.....	485	30	9	11	12	23	32	31	28	39	33	48
Male.....	321	18	6	5	5	18	19	21	18	30	20	34
Female.....	164	12	3	6	7	5	13	10	10	9	13	14
American Indian 1/, both sexes.....	26	-	-	-	2	1	2	1	2	3	2	1
Male.....	17	-	-	-	1	1	2	1	-	2	1	1
Female.....	9	-	-	-	1	-	-	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	3	4	1	-	2	3	1
Male.....	13	-	-	-	-	1	2	-	-	2	1	-
Female.....	13	-	-	-	-	2	2	1	-	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Nebraska												
All races, both sexes.....	743	5	9	13	4	52	50	28	26	31	43	43
Male.....	443	5	4	1	2	33	35	22	20	23	31	31
Female.....	300	-	5	12	2	19	15	6	6	8	12	12
White, both sexes.....	714	4	9	10	4	50	48	28	24	29	41	41
Male.....	429	4	4	1	2	32	33	22	20	22	29	31
Female.....	285	-	5	9	2	18	15	6	4	7	12	10
Black, both sexes.....	17	1	-	2	-	1	-	-	2	1	2	2
Male.....	8	1	-	-	-	1	-	-	-	1	2	-
Female.....	9	-	-	2	-	-	-	-	2	-	-	2
American Indian 1/, both sexes.....	6	-	-	-	-	-	2	-	-	1	-	-
Male.....	5	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	1	-	1	-	-	-	-	-	-
Nevada												
All races, both sexes.....	1,021	14	11	6	22	55	73	66	69	97	118	100
Male.....	668	8	6	2	13	35	57	54	52	64	84	66
Female.....	353	6	5	4	9	20	16	12	17	33	34	34
White, both sexes.....	903	7	9	6	18	48	63	60	61	86	100	87
Male.....	597	4	6	2	12	30	51	51	47	57	74	58
Female.....	306	3	3	4	6	18	12	9	14	29	26	29
Black, both sexes.....	67	5	-	-	3	6	4	5	4	7	8	8
Male.....	42	3	-	-	1	4	2	3	4	4	4	4
Female.....	25	2	-	-	2	2	2	2	-	3	4	4
American Indian 1/, both sexes.....	22	1	-	-	-	-	3	-	3	3	5	3
Male.....	13	1	-	-	-	-	1	-	-	2	3	3
Female.....	9	-	-	-	-	-	2	-	3	1	2	-
Asian or Pacific Islander 2/, both sexes.....	29	1	2	-	1	1	3	1	1	1	5	2
Male.....	16	-	-	-	-	1	3	-	1	1	3	1
Female.....	13	1	2	-	1	-	-	1	-	-	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
New Mexico												
All races, both sexes.....	1,223	3	20	10	16	64	103	78	80	88	107	110
Male.....	797	-	11	7	3	49	79	57	58	64	71	71
Female.....	426	3	9	3	13	15	24	21	22	24	36	39
White, both sexes.....	1,029	2	13	7	9	57	78	61	59	69	90	98
Male.....	661	-	7	5	2	43	62	43	43	51	59	62
Female.....	368	2	6	2	7	14	16	18	16	18	31	36
Black, both sexes.....	15	1	-	-	-	1	-	1	1	2	2	2
Male.....	10	-	-	-	-	1	-	1	1	-	2	1
Female.....	5	1	-	-	-	-	-	-	-	2	-	1
American Indian 1/, both sexes.....	179	-	7	3	7	6	25	16	20	17	15	10
Male.....	126	-	4	2	1	5	17	13	14	13	10	8
Female.....	53	-	3	1	6	1	8	3	6	4	5	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	4,530	15	51	38	71	227	262	217	211	274	350	353
Male.....	2,957	13	37	23	45	157	213	181	166	209	268	253
Female.....	1,573	2	14	15	26	70	49	36	45	65	82	100
White, both sexes.....	3,757	8	38	20	50	190	219	166	160	222	280	262
Male.....	2,422	7	27	9	33	130	180	139	126	169	223	189
Female.....	1,335	1	11	11	17	60	39	27	34	53	57	73
Black, both sexes.....	638	6	12	14	21	29	32	42	45	43	61	87
Male.....	441	5	9	10	12	21	28	34	35	32	39	61
Female.....	197	1	3	4	9	8	4	8	10	11	22	26
American Indian 1/, both sexes.....	13	-	1	-	-	1	1	-	2	2	-	-
Male.....	11	-	1	-	-	1	1	-	2	2	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	122	1	-	4	-	7	10	9	4	7	9	4
Male.....	83	1	-	4	-	5	4	8	3	6	6	3
Female.....	39	-	-	-	-	2	6	1	1	1	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Ohio												
All races, both sexes.....	4,234	56	55	36	52	274	285	222	204	254	329	390
Male.....	2,705	25	35	23	29	200	231	162	147	189	235	267
Female.....	1,529	31	20	13	23	74	54	60	57	65	94	123
White, both sexes.....	3,751	35	45	22	41	245	261	194	182	216	295	328
Male.....	2,377	16	31	14	21	176	212	145	131	165	209	228
Female.....	1,374	19	14	8	20	69	49	49	51	51	86	100
Black, both sexes.....	463	21	10	12	10	29	22	27	22	38	34	57
Male.....	316	9	4	7	8	24	18	17	16	24	26	37
Female.....	147	12	6	5	2	5	4	10	6	14	8	20
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	2	1	-	2	-	-	-	-	5
Male.....	11	-	-	2	-	-	1	-	-	-	-	2
Female.....	7	-	-	-	1	-	1	-	-	-	-	3
Oklahoma												
All races, both sexes.....	1,947	15	37	25	20	142	162	108	120	126	174	179
Male.....	1,242	9	20	18	14	103	123	81	85	89	129	120
Female.....	705	6	17	7	6	39	39	27	35	37	45	59
White, both sexes.....	1,670	11	29	18	16	124	132	83	89	99	149	146
Male.....	1,062	6	16	13	12	94	101	63	62	69	110	101
Female.....	608	5	13	5	4	30	31	20	27	30	39	45
Black, both sexes.....	97	2	5	2	2	5	13	11	9	8	8	10
Male.....	65	1	3	2	2	2	10	7	7	6	7	7
Female.....	32	1	2	-	-	3	3	4	2	2	1	3
American Indian 1/, both sexes.....	169	2	3	4	2	12	17	12	20	17	17	22
Male.....	109	2	1	2	-	6	12	11	14	13	12	11
Female.....	60	-	2	2	2	6	5	1	6	4	5	11
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	-	1	-	2	2	2	-	1
Male.....	6	-	-	1	-	1	-	-	2	1	-	1
Female.....	5	-	-	-	-	-	-	2	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Oregon												
All races, both sexes.....	1,444	20	24	18	17	79	91	67	75	73	107	113
Male.....	862	11	15	9	11	53	66	56	53	54	68	76
Female.....	582	9	9	9	6	26	25	11	22	19	39	37
White, both sexes.....	1,367	20	22	15	14	74	83	60	67	69	100	108
Male.....	818	11	15	7	8	50	62	51	48	51	66	73
Female.....	549	9	7	8	6	24	21	9	19	18	34	35
Black, both sexes.....	13	-	-	-	1	-	2	-	3	-	1	1
Male.....	11	-	-	-	1	-	2	-	3	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	34	-	2	1	1	3	5	3	1	4	6	2
Male.....	14	-	-	-	1	1	1	1	-	3	2	2
Female.....	20	-	2	1	-	2	4	2	1	1	4	-
Asian or Pacific Islander 2/, both sexes.....	30	-	-	2	1	2	1	4	4	-	-	2
Male.....	19	-	-	2	1	2	1	4	2	-	-	1
Female.....	11	-	-	-	-	-	-	-	2	-	-	1
Pennsylvania												
All races, both sexes.....	5,200	32	46	26	54	271	379	296	265	330	448	455
Male.....	3,315	18	24	17	39	206	308	232	197	240	327	327
Female.....	1,885	14	22	9	15	65	71	64	68	90	121	128
White, both sexes.....	4,713	23	33	19	49	251	353	265	234	286	410	392
Male.....	3,002	14	16	13	36	189	286	210	173	210	304	289
Female.....	1,711	9	17	6	13	62	67	55	61	76	106	103
Black, both sexes.....	458	9	11	7	4	16	21	28	29	44	37	60
Male.....	298	4	8	4	2	15	19	21	23	30	23	36
Female.....	160	5	3	3	2	1	2	7	6	14	14	24
American Indian 1/, both sexes.....	3	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	2	-	1	3	3	3	2	-	1	3
Male.....	14	-	-	-	1	2	2	1	1	-	-	2
Female.....	12	-	2	-	-	1	1	2	1	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Rhode Island												
All races, both sexes.....	298	2	5	-	1	20	17	10	17	9	12	18
Male.....	187	1	3	-	1	13	13	10	14	7	7	13
Female.....	111	1	2	-	-	7	4	-	3	2	5	5
White, both sexes.....	281	2	4	-	1	18	15	8	15	8	11	17
Male.....	174	1	2	-	1	11	11	8	12	7	7	13
Female.....	107	1	2	-	-	7	4	-	3	1	4	4
Black, both sexes.....	12	-	-	-	-	2	2	2	2	-	-	1
Male.....	11	-	-	-	-	2	2	2	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	4	-	1	-	-	-	-	-	-	1	1	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	2,094	21	28	17	31	149	188	159	152	143	194	185
Male.....	1,435	11	18	10	21	109	149	123	122	99	142	131
Female.....	659	10	10	7	10	40	39	36	30	44	52	54
White, both sexes.....	1,476	16	13	8	17	113	133	108	113	99	139	136
Male.....	993	8	8	7	11	80	108	83	89	64	104	91
Female.....	483	8	5	1	6	33	25	25	24	35	35	45
Black, both sexes.....	607	5	15	9	13	34	52	48	38	44	55	49
Male.....	433	3	10	3	10	27	39	37	32	35	38	40
Female.....	174	2	5	6	3	7	13	11	6	9	17	9
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	1	2	3	1	-	-	-
Male.....	7	-	-	-	-	1	1	3	1	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
South Dakota												
All races, both sexes.....	416	5	12	15	9	23	34	22	12	28	24	25
Male.....	246	4	8	4	5	12	24	13	9	18	16	15
Female.....	170	1	4	11	4	11	10	9	3	10	8	10
White, both sexes.....	311	2	6	8	5	12	17	15	5	20	17	17
Male.....	186	2	4	2	4	6	14	11	4	13	12	11
Female.....	125	-	2	6	1	6	3	4	1	7	5	6
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	100	3	6	4	4	11	17	7	7	8	7	7
Male.....	58	2	4	1	1	6	10	2	5	5	4	4
Female.....	42	1	2	3	3	5	7	5	2	3	3	3
Asian or Pacific Islander 2/, both sexes.....	4	-	-	3	-	-	-	-	-	-	-	1
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	3	-	-	2	-	-	-	-	-	-	-	1
Tennessee												
All races, both sexes.....	3,156	29	41	25	56	204	248	201	188	200	269	287
Male.....	2,035	16	29	17	30	141	185	161	130	146	187	200
Female.....	1,121	13	12	8	26	63	63	40	58	54	82	87
White, both sexes.....	2,764	22	31	21	42	182	222	164	160	174	236	241
Male.....	1,763	13	21	13	23	123	169	131	107	127	161	166
Female.....	1,001	9	10	8	19	59	53	33	53	47	75	75
Black, both sexes.....	375	7	10	3	14	22	24	31	28	26	31	45
Male.....	261	3	8	3	7	18	15	25	23	19	24	33
Female.....	114	4	2	-	7	4	9	6	5	7	7	12
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	-	-	1	-	-	2	6	-	-	2	-
Male.....	10	-	-	1	-	-	1	5	-	-	2	-
Female.....	6	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Texas

All races, both sexes.....	8,323	74	182	119	142	558	775	597	528	557	714	733
Male.....	5,448	37	105	73	95	396	601	475	396	405	484	506
Female.....	2,875	37	77	46	47	162	174	122	132	152	230	227
White, both sexes.....	7,298	58	147	94	119	501	683	516	458	475	612	632
Male.....	4,785	28	83	59	81	358	540	413	345	349	418	438
Female.....	2,513	30	64	35	38	143	143	103	113	126	194	194
Black, both sexes.....	908	13	34	20	17	48	73	75	62	74	91	97
Male.....	591	7	22	12	10	31	46	57	44	51	59	65
Female.....	317	6	12	8	7	17	27	18	18	23	32	32
American Indian 1/, both sexes.....	19	-	-	2	-	3	3	1	4	-	2	3
Male.....	12	-	-	-	-	3	2	-	4	-	1	2
Female.....	7	-	-	2	-	-	1	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	98	3	1	3	6	6	16	5	4	8	9	1
Male.....	60	2	-	2	4	4	13	5	3	5	6	1
Female.....	38	1	1	1	2	2	3	-	1	3	3	-

Utah

All races, both sexes.....	697	12	28	5	14	39	70	62	39	36	47	42
Male.....	456	7	16	2	9	30	52	49	29	28	35	27
Female.....	241	5	12	3	5	9	18	13	10	8	12	15
White, both sexes.....	667	11	27	5	14	38	64	59	34	34	43	42
Male.....	438	7	15	2	9	29	48	48	26	27	31	27
Female.....	229	4	12	3	5	9	16	11	8	7	12	15
Black, both sexes.....	3	1	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	15	-	-	-	-	1	3	2	4	2	2	-
Male.....	10	-	-	-	-	1	2	1	2	1	2	-
Female.....	5	-	-	-	-	-	1	1	2	1	-	-
Asian or Pacific Islander 2/, both sexes.....	12	-	1	-	-	-	3	1	-	-	2	-
Male.....	7	-	1	-	-	-	2	-	-	-	2	-
Female.....	5	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Vermont												
All races, both sexes.....	253	-	-	-	3	15	13	14	13	15	10	17
Male.....	157	-	-	-	2	10	8	12	8	11	8	14
Female.....	96	-	-	-	1	5	5	2	5	4	2	3
White, both sexes.....	250	-	-	-	3	14	13	14	12	14	10	17
Male.....	157	-	-	-	2	10	8	12	8	11	8	14
Female.....	93	-	-	-	1	4	5	2	4	3	2	3
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Virginia												
All races, both sexes.....	2,630	26	35	32	22	154	209	180	147	143	213	204
Male.....	1,694	18	23	20	14	109	164	136	109	101	149	147
Female.....	936	8	12	12	8	45	45	44	38	42	64	57
White, both sexes.....	2,094	16	19	19	15	128	167	142	123	108	170	148
Male.....	1,331	11	12	13	9	92	135	110	90	75	122	101
Female.....	763	5	7	6	6	36	32	32	33	33	48	47
Black, both sexes.....	499	10	16	13	6	24	39	33	21	33	40	51
Male.....	345	7	11	7	5	17	26	23	16	25	25	44
Female.....	154	3	5	6	1	7	13	10	5	8	15	7
American Indian 1/, both sexes.....	4	-	-	-	1	-	1	-	-	1	-	-
Male.....	3	-	-	-	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	-	-	2	2	5	3	1	3	5
Male.....	15	-	-	-	-	-	2	3	3	-	2	2
Female.....	18	-	-	-	-	2	-	2	-	1	1	3

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Washington												
All races, both sexes.....	2,341	15	24	16	20	126	172	110	109	150	198	239
Male.....	1,531	10	19	12	17	91	132	92	78	102	136	163
Female.....	810	5	5	4	3	35	40	18	31	48	62	76
White, both sexes.....	2,120	13	20	13	16	101	150	93	96	130	179	217
Male.....	1,390	10	16	9	14	73	116	78	71	91	123	149
Female.....	730	3	4	4	2	28	34	15	25	39	56	68
Black, both sexes.....	71	-	1	-	4	3	5	7	3	8	6	11
Male.....	49	-	-	-	3	3	4	6	2	5	4	7
Female.....	22	-	1	-	1	-	1	1	1	3	2	4
American Indian 1/, both sexes.....	72	1	2	-	-	12	8	6	8	8	7	8
Male.....	46	-	2	-	-	6	7	5	4	4	5	5
Female.....	26	1	-	-	-	6	1	1	4	4	2	3
Asian or Pacific Islander 2/, both sexes.....	78	1	1	3	-	10	9	4	2	4	6	3
Male.....	46	-	1	3	-	9	5	3	1	2	4	2
Female.....	32	1	-	-	-	1	4	1	1	2	2	1
West Virginia												
All races, both sexes.....	1,110	2	11	11	14	65	83	66	83	67	113	106
Male.....	695	1	4	6	11	48	61	45	59	46	78	78
Female.....	415	1	7	5	3	17	22	21	24	21	35	28
White, both sexes.....	1,085	2	10	11	13	63	81	66	82	64	111	102
Male.....	676	1	3	6	11	48	59	45	58	43	77	74
Female.....	409	1	7	5	2	15	22	21	24	21	34	28
Black, both sexes.....	23	-	1	-	1	1	1	-	1	3	2	4
Male.....	18	-	1	-	-	-	1	-	1	3	1	4
Female.....	5	-	-	-	1	1	-	-	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Alaska

All races, both sexes.....	24	21	13	7	5	12	10	7	6	-	-	-
Male.....	18	18	11	4	5	9	7	3	2	-	-	-
Female.....	6	3	2	3	-	3	3	4	4	-	-	-
White, both sexes.....	16	15	10	5	4	7	6	6	3	-	-	-
Male.....	13	12	8	3	4	5	4	2	2	-	-	-
Female.....	3	3	2	2	-	2	2	4	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	6	2	3	2	1	5	3	1	2	-	-	-
Male.....	4	2	3	1	1	4	3	1	-	-	-	-
Female.....	2	-	-	1	-	1	-	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	-	-	-	-	-	1	-	-	-
Male.....	1	3	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Arizona

All races, both sexes.....	193	143	93	92	112	136	190	171	112	55	4	40
Male.....	137	99	62	56	56	68	96	68	44	26	1	35
Female.....	56	44	31	36	56	68	94	103	68	29	3	5
White, both sexes.....	164	125	79	81	90	129	179	164	109	53	4	34
Male.....	117	84	52	52	48	65	91	63	42	26	1	31
Female.....	47	41	27	29	42	64	88	101	67	27	3	3
Black, both sexes.....	7	6	3	2	4	1	-	2	-	1	-	1
Male.....	5	5	3	1	2	1	-	2	-	-	-	1
Female.....	2	1	-	1	2	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	21	12	10	9	18	6	8	4	3	1	-	5
Male.....	15	10	7	3	6	2	4	3	2	-	-	3
Female.....	6	2	3	6	12	4	4	1	1	1	-	2
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	3	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Arkansas												
All races, both sexes.....	77	61	47	54	49	68	88	64	38	19	3	-
Male.....	56	39	35	37	31	41	43	21	14	5	-	-
Female.....	21	22	12	17	18	27	45	43	24	14	3	-
White, both sexes.....	58	48	37	46	46	61	80	63	34	18	1	-
Male.....	40	29	27	31	30	38	42	21	14	5	-	-
Female.....	18	19	10	15	16	23	38	42	20	13	1	-
Black, both sexes.....	18	12	8	8	3	7	7	1	4	1	2	-
Male.....	15	9	6	6	1	3	1	-	-	-	-	-
Female.....	3	3	2	2	2	4	6	1	4	1	2	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	915	616	455	354	378	459	546	483	280	98	14	16
Male.....	639	408	326	215	236	266	297	220	125	34	7	13
Female.....	276	208	129	139	142	193	249	263	155	64	7	3
White, both sexes.....	742	514	374	279	319	379	486	431	253	94	13	16
Male.....	524	338	271	179	201	228	262	189	110	32	7	13
Female.....	218	176	103	100	118	151	224	242	143	62	6	3
Black, both sexes.....	109	69	41	27	13	26	11	12	12	1	-	-
Male.....	70	49	31	15	10	14	9	6	7	1	-	-
Female.....	39	20	10	12	3	12	2	6	5	-	-	-
American Indian 1/, both sexes.....	16	3	4	5	1	1	2	-	-	-	-	-
Male.....	12	2	3	2	-	-	1	-	-	-	-	-
Female.....	4	1	1	3	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	48	30	36	43	45	53	47	40	15	3	1	-
Male.....	33	19	21	19	25	24	25	25	8	1	-	-
Female.....	15	11	15	24	20	29	22	15	7	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Florida

All races, both sexes.....	625	407	338	275	334	434	562	482	281	98	10	7
Male.....	452	280	228	186	217	252	300	235	124	30	4	7
Female.....	173	127	110	89	117	182	262	247	157	68	6	-
White, both sexes.....	547	360	287	242	292	396	533	465	269	95	10	7
Male.....	396	248	192	160	188	229	286	230	117	29	4	7
Female.....	151	112	95	82	104	167	247	235	152	66	6	-
Black, both sexes.....	69	44	47	29	38	33	27	16	10	3	-	-
Male.....	52	30	35	22	27	22	14	4	7	1	-	-
Female.....	17	14	12	7	11	11	13	12	3	2	-	-
American Indian 1/, both sexes.....	3	1	1	1	1	1	2	-	-	-	-	-
Male.....	2	1	-	1	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	2	3	3	3	4	-	1	2	-	-	-
Male.....	2	1	1	3	1	1	-	1	-	-	-	-
Female.....	4	1	2	-	2	3	-	-	2	-	-	-

Georgia

All races, both sexes.....	245	200	136	127	139	198	205	166	117	38	8	1
Male.....	169	138	89	81	85	99	102	59	40	10	1	-
Female.....	76	62	47	46	54	99	103	107	77	28	7	1
White, both sexes.....	172	147	101	100	117	169	185	152	102	32	8	-
Male.....	115	102	67	63	75	81	91	55	34	9	1	-
Female.....	57	45	34	37	42	88	94	97	68	23	7	-
Black, both sexes.....	69	52	34	25	20	28	19	12	15	6	-	1
Male.....	52	36	21	17	9	17	11	3	6	1	-	-
Female.....	17	16	13	8	11	11	8	9	9	5	-	1
American Indian 1/, both sexes.....	2	-	-	1	-	-	1	1	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	1	1	2	1	-	1	-	-	-	-
Male.....	1	-	1	-	1	1	-	1	-	-	-	-
Female.....	1	1	-	1	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Hawaii

All races, both sexes.....	27	20	18	8	12	25	33	24	19	15	1	-
Male.....	21	16	15	7	7	10	13	16	6	3	-	-
Female.....	6	4	3	1	5	15	20	8	13	12	1	-
White, both sexes.....	11	6	7	1	2	9	11	6	3	6	-	-
Male.....	11	4	7	1	1	4	5	5	1	1	-	-
Female.....	-	2	-	-	1	5	6	1	2	5	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	13	11	7	10	16	22	18	16	9	1	-
Male.....	10	11	8	6	6	6	8	11	5	2	-	-
Female.....	6	2	3	1	4	10	14	7	11	7	1	-

Idaho

All races, both sexes.....	45	26	27	23	27	33	28	35	30	11	-	-
Male.....	30	20	18	13	17	14	18	16	15	3	-	-
Female.....	15	6	9	10	10	19	10	19	15	8	-	-
White, both sexes.....	42	25	27	23	27	32	27	35	30	11	-	-
Male.....	29	19	18	13	17	14	17	16	15	3	-	-
Female.....	13	6	9	10	10	18	10	19	15	8	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Iowa

All races, both sexes.....	67	49	40	33	56	94	92	112	97	39	11	-
Male.....	44	33	24	21	31	60	49	53	34	6	1	-
Female.....	23	16	16	12	25	34	43	59	63	33	10	-
White, both sexes.....	65	47	37	33	55	92	90	112	97	38	11	-
Male.....	43	31	21	21	30	58	48	53	34	6	1	-
Female.....	22	16	16	12	25	34	42	59	63	32	10	-
Black, both sexes.....	1	2	2	-	-	1	2	-	-	1	-	-
Male.....	-	2	2	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	1	-	-	-	-	-	-
Male.....	-	-	1	-	1	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	77	62	34	52	46	64	87	89	48	17	5	-
Male.....	59	41	21	31	26	30	47	36	14	4	1	-
Female.....	18	21	13	21	20	34	40	53	34	13	4	-
White, both sexes.....	72	54	33	49	41	64	83	88	45	17	5	-
Male.....	56	35	20	28	23	30	43	36	12	4	1	-
Female.....	16	19	13	21	18	34	40	52	33	13	4	-
Black, both sexes.....	5	6	1	1	3	-	3	1	3	-	-	-
Male.....	3	5	1	1	2	-	3	-	2	-	-	-
Female.....	2	1	-	-	1	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	2	-	1	-	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	-	1	-	-	-	-	-
Male.....	-	-	-	1	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Kentucky

All races, both sexes.....	149	97	62	73	74	89	144	95	71	23	3	-
Male.....	109	68	42	52	40	48	83	35	31	8	-	-
Female.....	40	29	20	21	34	41	61	60	40	15	3	-
White, both sexes.....	136	94	56	67	70	87	140	94	68	23	3	-
Male.....	100	65	40	46	38	47	80	34	28	8	-	-
Female.....	36	29	16	21	32	40	60	60	40	15	3	-
Black, both sexes.....	13	2	6	6	3	2	4	1	3	-	-	-
Male.....	9	2	2	6	2	1	3	1	3	-	-	-
Female.....	4	-	4	-	1	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Louisiana

All races, both sexes.....	153	107	78	72	63	92	90	81	45	21	1	-
Male.....	115	72	48	39	44	51	42	35	20	6	-	-
Female.....	38	35	30	33	19	41	48	46	25	15	1	-
White, both sexes.....	111	75	60	52	49	67	79	71	38	20	1	-
Male.....	76	53	34	27	34	39	36	29	17	5	-	-
Female.....	35	22	26	25	15	28	43	42	21	15	1	-
Black, both sexes.....	42	29	17	20	13	25	11	9	7	1	-	-
Male.....	39	16	13	12	10	12	6	5	3	1	-	-
Female.....	3	13	4	8	3	13	5	4	4	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	-	1	-	-	1	-	-	-	-
Male.....	-	3	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Maine

All races, both sexes.....	21	12	15	16	16	23	32	37	23	9	3	-
Male.....	12	5	10	8	11	12	14	16	9	1	2	-
Female.....	9	7	5	8	5	11	18	21	14	8	1	-
White, both sexes.....	21	11	15	16	16	23	32	37	23	9	3	-
Male.....	12	5	10	8	11	12	14	16	9	1	2	-
Female.....	9	6	5	8	5	11	18	21	14	8	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	99	76	61	68	71	83	114	86	54	14	4	1
Male.....	67	54	43	45	38	45	66	34	22	5	2	1
Female.....	32	22	18	23	33	38	48	52	32	9	2	-
White, both sexes.....	62	45	47	47	50	64	92	73	47	12	4	1
Male.....	46	36	33	30	25	34	51	32	19	4	2	1
Female.....	16	9	14	17	25	30	41	41	28	8	2	-
Black, both sexes.....	35	25	12	20	18	18	21	9	5	2	-	-
Male.....	21	17	9	14	12	10	14	-	2	1	-	-
Female.....	14	8	3	6	6	8	7	9	3	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	6	2	1	2	1	1	3	2	-	-	-
Male.....	-	1	1	1	-	1	1	1	1	-	-	-
Female.....	2	5	1	-	2	-	-	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Massachusetts

All races, both sexes.....	70	62	66	45	50	86	146	141	95	35	5	-
Male.....	48	46	43	29	26	42	61	42	30	9	2	-
Female.....	22	16	23	16	24	44	85	99	65	26	3	-
White, both sexes.....	64	61	63	44	47	82	140	140	95	35	5	-
Male.....	44	45	42	28	25	38	59	42	30	9	2	-
Female.....	20	16	21	16	22	44	81	98	65	26	3	-
Black, both sexes.....	5	-	3	-	2	4	2	-	-	-	-	-
Male.....	3	-	1	-	1	4	1	-	-	-	-	-
Female.....	2	-	2	-	1	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	3	1	-	-	-	-
Male.....	1	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	2	1	-	-	-	-

Michigan

All races, both sexes.....	236	134	121	125	126	190	289	208	148	62	14	-
Male.....	165	94	78	80	80	108	142	101	51	17	5	-
Female.....	71	40	43	45	46	82	147	107	97	45	9	-
White, both sexes.....	177	98	105	110	100	172	270	196	141	57	14	-
Male.....	124	71	65	69	62	98	132	93	46	14	5	-
Female.....	53	27	40	41	38	74	138	103	95	43	9	-
Black, both sexes.....	55	30	13	14	22	17	17	10	7	4	-	-
Male.....	37	20	10	11	16	9	9	7	5	3	-	-
Female.....	18	10	3	3	6	8	8	3	2	1	-	-
American Indian 1/, both sexes.....	2	2	2	1	3	-	1	1	-	-	-	-
Male.....	2	2	2	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	1	-	1	1	1	1	-	1	-	-
Male.....	2	1	1	-	-	1	1	1	-	-	-	-
Female.....	-	3	-	-	1	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Nebraska

All races, both sexes.....	51	33	14	21	35	48	55	79	75	25	3	-
Male.....	45	25	7	14	21	27	25	35	30	7	-	-
Female.....	6	8	7	7	14	21	30	44	45	18	3	-
White, both sexes.....	47	32	13	20	34	46	55	79	72	25	3	-
Male.....	42	24	7	14	21	26	25	35	28	7	-	-
Female.....	5	8	6	6	13	20	30	44	44	18	3	-
Black, both sexes.....	1	-	-	1	-	2	-	-	2	-	-	-
Male.....	1	-	-	-	-	1	-	-	1	-	-	-
Female.....	-	-	-	1	-	1	-	-	1	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	1	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	74	65	58	31	30	41	34	30	20	7	-	-
Male.....	48	46	33	21	20	19	15	15	8	2	-	-
Female.....	26	19	25	10	10	22	19	15	12	5	-	-
White, both sexes.....	68	59	56	28	24	38	31	28	19	7	-	-
Male.....	42	41	32	20	16	17	14	13	8	2	-	-
Female.....	26	18	24	8	8	21	17	15	11	5	-	-
Black, both sexes.....	5	1	-	-	6	2	2	1	-	-	-	-
Male.....	5	1	-	-	4	2	-	1	-	-	-	-
Female.....	-	-	-	-	2	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	2	2	-	-	-	-	-	-	-	-	-
Male.....	-	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	-	3	-	1	1	1	1	-	-	-
Male.....	1	2	-	1	-	-	1	1	-	-	-	-
Female.....	-	1	-	2	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Hampshire

All races, both sexes.....	26	19	17	11	19	16	33	37	27	9	-	-
Male.....	21	12	10	6	7	11	15	16	6	1	-	-
Female.....	5	7	7	5	12	5	18	21	21	8	-	-
White, both sexes.....	25	19	17	11	19	16	33	37	27	9	-	-
Male.....	20	12	10	6	7	11	15	16	6	1	-	-
Female.....	5	7	7	5	12	5	18	21	21	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	127	120	89	73	101	143	171	149	155	27	5	-
Male.....	102	79	61	50	51	76	78	65	50	7	-	-
Female.....	25	41	28	23	50	67	93	84	105	20	5	-
White, both sexes.....	93	93	68	63	85	132	161	139	151	26	5	-
Male.....	72	60	48	45	42	72	75	61	50	7	-	-
Female.....	21	33	20	18	43	60	86	78	101	19	5	-
Black, both sexes.....	30	24	19	10	14	8	7	8	4	1	-	-
Male.....	26	16	11	5	9	4	2	4	-	-	-	-
Female.....	4	8	8	5	5	4	5	4	4	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	2	-	2	3	3	2	-	-	-	-
Male.....	4	3	2	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	2	3	2	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

New Mexico

All races, both sexes.....	88	63	50	45	35	49	79	70	49	14	1	1
Male.....	65	46	33	33	22	27	44	36	18	3	-	-
Female.....	23	17	17	12	13	22	35	34	31	11	1	1
White, both sexes.....	77	52	46	38	29	46	72	64	47	13	1	1
Male.....	57	36	30	29	18	25	39	31	16	3	-	-
Female.....	20	16	16	9	11	21	33	33	31	10	1	1
Black, both sexes.....	2	1	-	-	1	-	1	-	-	-	-	-
Male.....	1	1	-	-	1	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	10	4	7	5	3	6	6	2	1	-	-
Male.....	7	9	3	4	3	2	4	5	2	-	-	-
Female.....	2	1	1	3	2	1	2	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	273	232	190	185	201	299	380	365	234	87	15	-
Male.....	202	168	122	121	112	159	211	175	93	27	2	-
Female.....	71	64	68	64	89	140	169	190	141	60	13	-
White, both sexes.....	211	183	153	152	172	265	347	346	217	82	14	-
Male.....	156	133	97	98	97	141	190	164	85	27	2	-
Female.....	55	50	56	54	75	124	157	182	132	55	12	-
Black, both sexes.....	55	41	26	23	23	28	20	12	12	5	1	-
Male.....	42	30	15	18	13	13	12	7	5	-	-	-
Female.....	13	11	11	5	10	15	8	5	7	5	1	-
American Indian 1/, both sexes.....	-	-	1	2	1	-	1	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	8	10	8	5	6	12	6	5	-	-	-
Male.....	4	5	9	4	1	5	9	3	3	-	-	-
Female.....	3	3	1	4	4	1	3	3	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Ohio

All races, both sexes.....	287	192	153	153	152	263	318	285	195	65	14	-
Male.....	205	128	100	109	97	158	168	119	54	21	3	-
Female.....	82	64	53	44	55	105	150	166	141	44	11	-
White, both sexes.....	247	159	137	128	138	242	302	273	185	64	12	-
Male.....	176	103	85	88	87	147	155	115	50	21	2	-
Female.....	71	56	52	40	51	95	147	158	135	43	10	-
Black, both sexes.....	40	29	14	25	14	20	16	10	10	1	2	-
Male.....	29	22	13	21	10	10	13	3	4	-	1	-
Female.....	11	7	1	4	4	10	3	7	6	1	1	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	2	-	-	1	-	2	-	-	-	-
Male.....	-	2	2	-	-	1	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Oklahoma

All races, both sexes.....	134	86	68	57	98	82	113	114	60	22	5	-
Male.....	89	59	41	38	56	39	48	48	25	7	1	-
Female.....	45	27	27	19	42	43	65	66	35	15	4	-
White, both sexes.....	113	79	63	54	87	75	109	110	57	22	5	-
Male.....	74	55	36	38	51	35	48	46	24	7	1	-
Female.....	39	24	27	16	36	40	61	64	33	15	4	-
Black, both sexes.....	11	3	-	1	1	3	-	1	2	-	-	-
Male.....	7	2	-	-	1	1	-	-	-	-	-	-
Female.....	4	1	-	1	-	2	-	1	2	-	-	-
American Indian 1/, both sexes.....	10	3	5	2	10	4	4	2	1	-	-	-
Male.....	8	2	5	-	4	3	-	2	1	-	-	-
Female.....	2	1	-	2	6	1	4	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Oregon

All races, both sexes.....	94	78	61	45	45	78	104	110	98	36	10	1
Male.....	66	46	39	25	17	42	56	47	36	12	3	1
Female.....	28	32	22	20	28	36	48	63	62	24	7	-
White, both sexes.....	87	75	59	42	44	73	103	108	97	36	10	1
Male.....	61	44	37	23	16	42	55	46	36	12	3	1
Female.....	26	31	22	19	28	31	48	62	61	24	7	-
Black, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	-
Male.....	3	1	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	2	-	-	-	1	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	1	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	2	3	-	4	-	2	1	-	-	-
Male.....	1	-	2	2	-	-	-	1	-	-	-	-
Female.....	1	-	-	1	-	4	-	1	1	-	-	-

Pennsylvania

All races, both sexes.....	319	227	167	186	236	311	439	396	232	77	7	1
Male.....	228	160	105	120	137	165	193	170	84	16	2	-
Female.....	91	67	62	66	99	146	246	226	148	61	5	1
White, both sexes.....	277	192	151	168	223	289	409	384	223	75	6	1
Male.....	201	134	95	109	129	153	179	165	80	16	1	-
Female.....	76	58	56	59	94	136	230	219	143	59	5	1
Black, both sexes.....	42	33	16	18	12	21	27	12	8	2	1	-
Male.....	27	24	10	11	7	11	13	5	4	-	1	-
Female.....	15	9	6	7	5	10	14	7	4	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	-	-	1	1	3	-	1	-	-	-
Male.....	-	2	-	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	2	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

South Dakota

All races, both sexes.....	25	23	15	17	14	18	25	28	28	14	-	-
Male.....	22	16	11	11	9	9	13	12	9	6	-	-
Female.....	3	7	4	6	5	9	12	16	19	8	-	-
White, both sexes.....	18	18	12	16	13	17	25	27	27	14	-	-
Male.....	16	11	9	11	8	9	13	12	8	6	-	-
Female.....	2	7	3	5	5	8	12	15	19	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	5	3	1	1	1	-	1	1	-	-	-
Male.....	5	5	2	-	1	-	-	-	1	-	-	-
Female.....	1	-	1	1	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	228	170	121	93	125	153	210	151	113	35	7	2
Male.....	156	129	75	58	68	85	101	63	41	14	2	1
Female.....	72	41	46	35	57	68	109	88	72	21	5	1
White, both sexes.....	197	148	114	85	115	137	192	137	102	34	6	2
Male.....	132	109	70	53	63	78	91	61	36	14	1	1
Female.....	65	39	44	32	52	59	101	76	66	20	5	1
Black, both sexes.....	29	22	7	8	9	16	16	14	11	1	1	-
Male.....	23	20	5	5	5	7	10	2	5	-	1	-
Female.....	6	2	2	3	4	9	6	12	6	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	1	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
Texas												
All races, both sexes.....	502	374	294	269	270	405	452	371	273	108	14	12
Male.....	360	253	198	163	169	205	229	163	100	21	3	11
Female.....	142	121	96	106	101	200	223	208	173	87	11	1
White, both sexes.....	416	319	260	237	243	368	423	353	257	101	14	12
Male.....	302	216	170	147	154	188	218	154	92	18	3	11
Female.....	114	103	90	90	89	180	205	199	165	83	11	1
Black, both sexes.....	80	51	26	32	23	29	27	13	16	7	-	-
Male.....	57	36	24	16	13	12	11	7	8	3	-	-
Female.....	23	15	2	16	10	17	16	6	8	4	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	8	-	4	7	2	5	-	-	-	-
Male.....	1	1	4	-	2	5	-	2	-	-	-	-
Female.....	5	3	4	-	2	2	2	3	-	-	-	-
Utah												
All races, both sexes.....	34	36	19	23	23	31	51	49	26	9	2	-
Male.....	26	25	15	17	13	16	23	20	13	3	1	-
Female.....	8	11	4	6	10	15	28	29	13	6	1	-
White, both sexes.....	33	34	19	23	22	29	51	48	26	9	2	-
Male.....	25	24	15	17	13	16	23	19	13	3	1	-
Female.....	8	10	4	6	9	13	28	29	13	6	1	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	2	-	1	-	-	-	-
Male.....	-	1	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

Vermont

All races, both sexes.....	15	10	8	12	18	26	20	19	18	7	-	-
Male.....	13	8	4	8	11	15	9	9	6	1	-	-
Female.....	2	2	4	4	7	11	11	10	12	6	-	-
White, both sexes.....	15	10	8	12	18	26	20	19	18	7	-	-
Male.....	13	8	4	8	11	15	9	9	6	1	-	-
Female.....	2	2	4	4	7	11	11	10	12	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	167	118	93	99	122	171	186	148	116	39	6	-
Male.....	120	87	69	68	69	94	82	73	31	9	2	-
Female.....	47	31	24	31	53	77	104	75	85	30	4	-
White, both sexes.....	125	89	63	83	96	141	162	130	106	38	6	-
Male.....	89	63	46	60	53	76	73	62	28	9	2	-
Female.....	36	26	17	23	43	65	89	68	78	29	4	-
Black, both sexes.....	41	29	28	15	22	29	23	15	10	1	-	-
Male.....	30	24	22	8	15	18	8	11	3	-	-	-
Female.....	11	5	6	7	7	11	15	4	7	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	4	1	1	3	-	-	-	-
Male.....	-	-	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	1	1	3	1	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
United States												
All races, both sexes.....	48,053	145	659	681	1,074	5,394	5,983	4,094	3,427	3,460	3,787	3,775
Male.....	33,311	81	359	392	647	3,577	4,536	3,117	2,524	2,539	2,758	2,717
Female.....	14,742	64	300	289	427	1,817	1,447	977	903	921	1,029	1,058
White, both sexes.....	40,279	104	499	520	857	4,647	5,001	3,284	2,738	2,818	3,147	3,139
Male.....	27,918	54	269	301	528	3,067	3,834	2,505	2,005	2,083	2,305	2,273
Female.....	12,361	50	230	219	329	1,580	1,167	779	733	735	842	866
Black, both sexes.....	5,868	32	132	126	169	546	714	618	536	492	490	516
Male.....	4,204	20	71	70	95	383	524	481	415	367	355	372
Female.....	1,664	12	61	56	74	163	190	137	121	125	135	144
American Indian 1/, both sexes.....	851	5	20	13	22	97	129	94	80	77	67	62
Male.....	569	4	12	6	10	60	88	67	57	45	48	40
Female.....	282	1	8	7	12	37	41	27	23	32	19	22
Asian or Pacific Islander 2/, both sexes.....	1,055	4	8	22	26	104	139	98	73	73	83	58
Male.....	620	3	7	15	14	67	90	64	47	44	50	32
Female.....	435	1	1	7	12	37	49	34	26	29	33	26
Alabama												
All races, both sexes.....	1,303	5	22	11	27	149	160	110	106	105	104	103
Male.....	866	3	14	3	14	94	115	77	78	71	77	68
Female.....	437	2	8	8	13	55	45	33	28	34	27	35
White, both sexes.....	972	4	14	7	16	112	119	75	81	71	82	76
Male.....	636	2	9	2	9	75	86	52	57	46	62	49
Female.....	336	2	5	5	7	37	33	23	24	25	20	27
Black, both sexes.....	324	1	8	4	11	36	40	34	25	33	21	27
Male.....	227	1	5	1	5	19	29	25	21	24	15	19
Female.....	97	-	3	3	6	17	11	9	4	9	6	8
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	1	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	1	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Alaska												
All races, both sexes.....	149	-	4	1	5	12	20	9	10	15	10	18
Male.....	122	-	3	-	4	8	19	8	10	12	9	12
Female.....	27	-	1	1	1	4	1	1	-	3	1	6
White, both sexes.....	112	-	4	-	5	8	13	4	8	12	7	15
Male.....	93	-	3	-	4	4	12	3	8	10	7	11
Female.....	19	-	1	-	1	4	1	1	-	2	-	4
Black, both sexes.....	6	-	-	-	-	2	1	-	-	1	-	1
Male.....	5	-	-	-	-	2	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	29	-	-	1	-	2	6	4	2	2	3	2
Male.....	23	-	-	-	-	2	6	4	2	1	2	1
Female.....	6	-	-	1	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	1,206	2	12	19	33	140	144	103	76	81	86	94
Male.....	805	2	8	12	18	87	110	74	54	55	56	63
Female.....	401	-	4	7	15	53	34	29	22	26	30	31
White, both sexes.....	1,003	-	11	16	29	123	122	76	55	59	71	82
Male.....	681	-	7	11	17	77	93	56	39	40	48	58
Female.....	322	-	4	5	12	46	29	20	16	19	23	24
Black, both sexes.....	35	-	-	1	2	6	4	6	4	2	5	2
Male.....	23	-	-	-	1	4	4	3	3	2	2	1
Female.....	12	-	-	1	1	2	-	3	1	-	3	1
American Indian 1/, both sexes.....	157	2	1	2	2	11	17	18	16	19	9	10
Male.....	95	2	1	1	-	6	13	13	11	12	5	4
Female.....	62	-	-	1	2	5	4	5	5	7	4	6
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	-	1	3	1	1	1	-
Male.....	6	-	-	-	-	-	-	2	1	1	1	-
Female.....	5	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Arkansas												
All races, both sexes.....	811	5	9	21	14	108	95	88	57	59	64	65
Male.....	536	3	5	14	9	67	70	58	38	40	44	42
Female.....	275	2	4	7	5	41	25	30	19	19	20	23
White, both sexes.....	671	3	5	17	14	95	77	74	48	44	53	55
Male.....	441	2	3	11	9	57	57	49	33	31	36	35
Female.....	230	1	2	6	5	38	20	25	15	13	17	20
Black, both sexes.....	129	1	3	3	-	13	16	13	9	15	10	10
Male.....	84	-	1	2	-	10	11	8	5	9	7	7
Female.....	45	1	2	1	-	3	5	5	4	6	3	3
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	1	-	-	1	-
Male.....	5	1	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	2	-	-	-	-	-
Male.....	6	-	1	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,801	17	70	66	110	515	587	436	363	375	394	366
Male.....	3,328	7	43	41	64	345	437	326	283	271	277	260
Female.....	1,473	10	27	25	46	170	150	110	80	104	117	106
White, both sexes.....	3,991	15	60	55	95	430	493	353	297	322	343	300
Male.....	2,807	6	36	35	57	285	371	268	231	237	250	216
Female.....	1,184	9	24	20	38	145	122	85	66	85	93	84
Black, both sexes.....	366	1	7	6	8	38	39	43	39	28	26	37
Male.....	263	1	5	5	4	32	29	30	32	21	14	27
Female.....	103	-	2	1	4	6	10	13	7	7	12	10
American Indian 1/, both sexes.....	45	-	-	-	-	6	8	7	1	1	2	6
Male.....	29	-	-	-	-	3	5	5	1	-	1	6
Female.....	16	-	-	-	-	3	3	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	399	1	3	5	7	41	47	33	26	24	23	23
Male.....	229	-	2	1	3	25	32	23	19	13	12	11
Female.....	170	1	1	4	4	16	15	10	7	11	11	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Colorado

All races, both sexes.....	763	2	11	11	10	110	80	68	60	48	63	56
Male.....	519	1	3	6	7	68	61	55	46	34	49	31
Female.....	244	1	8	5	3	42	19	13	14	14	14	25
White, both sexes.....	730	2	10	10	10	104	77	64	57	44	61	54
Male.....	498	1	3	5	7	66	59	51	45	31	48	29
Female.....	232	1	7	5	3	38	18	13	12	13	13	25
Black, both sexes.....	17	-	1	-	-	5	-	1	1	3	1	2
Male.....	11	-	-	-	-	1	-	1	1	3	1	2
Female.....	6	-	1	-	-	4	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	1	2	2	-	1	-	-
Male.....	6	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	-	1	1	2	-	1	-
Male.....	4	-	-	1	-	-	-	1	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	2	-	1	-

Connecticut

All races, both sexes.....	360	-	3	5	7	39	48	30	26	29	24	32
Male.....	255	-	1	3	5	27	38	22	17	20	19	25
Female.....	105	-	2	2	2	12	10	8	9	9	5	7
White, both sexes.....	329	-	3	5	6	37	45	22	25	28	24	31
Male.....	230	-	1	3	4	25	37	15	16	19	19	25
Female.....	99	-	2	2	2	12	8	7	9	9	5	6
Black, both sexes.....	24	-	-	-	1	1	1	8	1	1	-	1
Male.....	20	-	-	-	1	1	1	7	1	1	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	2	-	-	-	-	-
Male.....	4	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Florida

All races, both sexes.....	3,538	12	37	50	64	336	422	263	228	272	278	301
Male.....	2,527	7	21	30	44	227	325	209	171	201	208	228
Female.....	1,011	5	16	20	20	109	97	54	57	71	70	73
White, both sexes.....	2,972	6	27	42	44	284	338	208	185	230	225	259
Male.....	2,121	4	15	24	29	187	265	165	139	171	171	197
Female.....	851	2	12	18	15	97	73	43	46	59	54	62
Black, both sexes.....	518	5	10	8	20	43	78	51	42	37	48	36
Male.....	376	2	6	6	15	34	54	43	32	26	33	27
Female.....	142	3	4	2	5	9	24	8	10	11	15	9
American Indian 1/, both sexes.....	12	-	-	-	-	1	2	2	-	-	2	2
Male.....	6	-	-	-	-	1	2	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	2	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	36	1	-	-	-	8	4	2	1	5	3	4
Male.....	24	1	-	-	-	5	4	1	-	4	3	4
Female.....	12	-	-	-	-	3	-	1	1	1	-	-

Georgia

All races, both sexes.....	1,770	9	31	26	41	168	216	158	133	139	144	155
Male.....	1,195	5	17	13	21	103	173	118	94	97	93	109
Female.....	575	4	14	13	20	65	43	40	39	42	51	46
White, both sexes.....	1,321	3	26	18	27	126	171	114	91	94	108	112
Male.....	882	-	15	10	15	79	134	86	60	63	68	80
Female.....	439	3	11	8	12	47	37	28	31	31	40	32
Black, both sexes.....	421	5	5	7	12	41	44	38	39	42	35	43
Male.....	297	4	2	2	4	24	39	30	31	33	25	29
Female.....	124	1	3	5	8	17	5	8	8	9	10	14
American Indian 1/, both sexes.....	7	-	-	-	1	-	-	1	3	1	-	-
Male.....	6	-	-	-	1	-	-	-	3	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	1	-	1	1	1	1	5	-	2	1	-
Male.....	10	1	-	1	1	-	-	2	-	-	-	-
Female.....	11	-	-	-	-	1	1	3	-	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Hawaii												
All races, both sexes.....	151	1	2	-	2	16	17	15	15	12	17	6
Male.....	110	1	1	-	2	11	15	11	13	10	12	5
Female.....	41	-	1	-	-	5	2	4	2	2	5	1
White, both sexes.....	52	-	2	-	-	3	11	5	7	5	2	1
Male.....	40	-	1	-	-	1	10	3	7	4	2	-
Female.....	12	-	1	-	-	2	1	2	-	1	-	1
Black, both sexes.....	4	-	-	-	-	-	-	1	1	-	1	-
Male.....	4	-	-	-	-	-	-	1	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	95	1	-	-	2	13	6	9	7	7	14	5
Male.....	66	1	-	-	2	10	5	7	5	6	9	5
Female.....	29	-	-	-	-	3	1	2	2	1	5	-
Idaho												
All races, both sexes.....	278	2	4	6	7	28	32	23	19	19	12	26
Male.....	203	1	2	4	5	19	27	19	13	13	9	17
Female.....	75	1	2	2	2	9	5	4	6	6	3	9
White, both sexes.....	266	2	3	6	7	27	28	23	18	19	12	24
Male.....	195	1	2	4	5	18	24	19	12	13	9	16
Female.....	71	1	1	2	2	9	4	4	6	6	3	8
Black, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	1	1	-	1	-	-	1
Male.....	5	-	-	-	-	1	1	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Illinois												
All races, both sexes.....	1,615	5	19	14	34	151	209	138	129	119	140	130
Male.....	1,120	4	8	8	19	100	154	106	93	94	105	98
Female.....	495	1	11	6	15	51	55	32	36	25	35	32
White, both sexes.....	1,335	3	14	7	28	133	172	115	103	95	114	105
Male.....	929	2	6	3	16	89	127	88	70	77	89	81
Female.....	406	1	8	4	12	44	45	27	33	18	25	24
Black, both sexes.....	259	2	5	7	6	16	33	23	26	21	23	24
Male.....	177	2	2	5	3	9	24	18	23	15	14	16
Female.....	82	-	3	2	3	7	9	5	3	6	9	8
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	2	3	-	-	3	3	1
Male.....	12	-	-	-	-	2	2	-	-	2	2	1
Female.....	7	-	-	-	-	-	1	-	-	1	1	-
Indiana												
All races, both sexes.....	1,049	3	18	12	28	132	145	83	74	65	83	78
Male.....	736	3	8	10	16	82	104	65	53	50	62	64
Female.....	313	-	10	2	12	50	41	18	21	15	21	14
White, both sexes.....	962	2	17	6	23	123	137	76	62	57	73	74
Male.....	667	2	7	5	11	76	97	60	43	43	54	60
Female.....	295	-	10	1	12	47	40	16	19	14	19	14
Black, both sexes.....	73	1	-	6	3	7	7	7	10	6	8	4
Male.....	59	1	-	5	3	5	6	5	9	6	6	4
Female.....	14	-	-	1	-	2	1	2	1	-	2	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	2	2	1	-	2	2	2	-
Male.....	9	-	-	-	2	1	1	-	1	1	2	-
Female.....	4	-	-	-	-	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Kentucky												
All races, both sexes.....	1,026	3	11	15	25	129	131	118	85	96	59	87
Male.....	706	2	6	8	19	77	91	82	57	65	47	64
Female.....	320	1	5	7	6	52	40	36	28	31	12	23
White, both sexes.....	962	3	10	12	23	123	120	112	81	89	55	78
Male.....	663	2	5	8	19	74	83	77	55	59	45	58
Female.....	299	1	5	4	4	49	37	35	26	30	10	20
Black, both sexes.....	60	-	1	3	2	6	8	5	4	7	4	9
Male.....	41	-	1	-	-	3	7	4	2	6	2	6
Female.....	19	-	-	3	2	3	1	1	2	1	2	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Louisiana												
All races, both sexes.....	1,112	4	20	22	26	122	144	111	84	95	95	104
Male.....	769	1	7	10	14	83	114	78	61	67	76	76
Female.....	343	3	13	12	12	39	30	33	23	28	19	28
White, both sexes.....	775	1	12	12	17	92	95	77	56	63	64	77
Male.....	525	-	3	5	9	59	74	53	45	45	49	56
Female.....	250	1	9	7	8	33	21	24	11	18	15	21
Black, both sexes.....	313	3	8	9	7	26	46	32	24	28	30	26
Male.....	228	1	4	5	4	20	38	23	14	19	27	20
Female.....	85	2	4	4	3	6	8	9	10	9	3	6
American Indian 1/, both sexes.....	7	-	-	-	-	1	2	2	1	-	-	-
Male.....	6	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	-	-	1	2	3	1	-	3	4	1	1
Male.....	10	-	-	-	1	3	-	-	2	3	-	-
Female.....	7	-	-	1	1	-	1	-	1	1	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Maine												
All races, both sexes.....	187	1	3	4	2	22	27	22	7	9	20	15
Male.....	118	1	-	3	2	14	21	13	6	7	13	11
Female.....	69	-	3	1	-	8	6	9	1	2	7	4
White, both sexes.....	182	1	2	2	2	22	25	22	7	9	20	15
Male.....	115	1	-	2	2	14	19	13	6	7	13	11
Female.....	67	-	2	-	-	8	6	9	1	2	7	4
Black, both sexes.....	5	-	1	2	-	-	2	-	-	-	-	-
Male.....	3	-	-	1	-	-	2	-	-	-	-	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	747	-	9	13	19	89	103	69	47	43	57	51
Male.....	546	-	5	9	13	59	81	62	38	34	44	36
Female.....	201	-	4	4	6	30	22	7	9	9	13	15
White, both sexes.....	507	-	4	4	9	69	75	44	21	34	37	28
Male.....	370	-	3	2	5	46	57	39	16	27	30	19
Female.....	137	-	1	2	4	23	18	5	5	7	7	9
Black, both sexes.....	217	-	4	8	10	18	24	23	26	8	20	21
Male.....	162	-	1	6	8	12	20	22	22	6	14	15
Female.....	55	-	3	2	2	6	4	1	4	2	6	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	22	-	1	1	-	2	4	2	-	1	-	2
Male.....	13	-	1	1	-	1	4	1	-	1	-	2
Female.....	9	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Massachusetts												
All races, both sexes.....	558	-	3	9	11	62	72	37	39	53	38	39
Male.....	384	-	2	6	6	45	57	29	32	42	25	28
Female.....	174	-	1	3	5	17	15	8	7	11	13	11
White, both sexes.....	515	-	2	9	9	57	65	33	33	49	37	37
Male.....	357	-	1	6	6	42	53	26	28	40	24	27
Female.....	158	-	1	3	3	15	12	7	5	9	13	10
Black, both sexes.....	27	-	1	-	2	4	4	3	4	1	-	2
Male.....	17	-	1	-	-	2	3	3	3	-	-	1
Female.....	10	-	-	-	2	2	1	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	15	-	-	-	-	1	3	1	2	3	-	-
Male.....	9	-	-	-	-	1	1	-	1	2	-	-
Female.....	6	-	-	-	-	-	2	1	1	1	-	-
Michigan												
All races, both sexes.....	1,376	5	15	25	31	170	158	105	86	97	105	97
Male.....	919	4	8	12	15	107	118	79	58	75	70	70
Female.....	457	1	7	13	16	63	40	26	28	22	35	27
White, both sexes.....	1,145	4	10	18	21	153	126	83	67	73	90	78
Male.....	756	3	5	9	12	96	99	64	45	52	58	54
Female.....	389	1	5	9	9	57	27	19	22	21	32	24
Black, both sexes.....	193	1	5	7	8	13	26	20	18	21	12	17
Male.....	137	1	3	3	2	9	15	14	13	20	10	15
Female.....	56	-	2	4	6	4	11	6	5	1	2	2
American Indian 1/, both sexes.....	18	-	-	-	2	1	2	1	1	1	1	1
Male.....	15	-	-	-	1	1	2	1	-	1	1	1
Female.....	3	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	-	-	-	-	3	4	1	-	2	2	1
Male.....	11	-	-	-	-	1	2	-	-	2	1	-
Female.....	9	-	-	-	-	2	2	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Nebraska												
All races, both sexes.....	302	-	4	5	3	43	41	19	10	16	26	21
Male.....	194	-	2	1	1	26	26	13	9	11	19	12
Female.....	108	-	2	4	2	17	15	6	1	5	7	9
White, both sexes.....	288	-	4	5	3	42	39	19	9	14	25	19
Male.....	187	-	2	1	1	26	24	13	9	10	18	12
Female.....	101	-	2	4	2	16	15	6	-	4	7	7
Black, both sexes.....	5	-	-	-	-	-	-	-	1	1	1	2
Male.....	2	-	-	-	-	-	-	-	-	1	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	2
American Indian 1/, both sexes.....	6	-	-	-	-	-	2	-	-	1	-	-
Male.....	5	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-
Nevada												
All races, both sexes.....	449	3	5	4	15	38	41	35	29	40	43	33
Male.....	313	1	2	1	11	20	32	31	21	31	32	23
Female.....	136	2	3	3	4	18	9	4	8	9	11	10
White, both sexes.....	398	3	5	4	12	33	34	34	24	33	36	29
Male.....	284	1	2	1	10	17	28	31	18	27	28	21
Female.....	114	2	3	3	2	16	6	3	6	6	8	8
Black, both sexes.....	29	-	-	-	2	5	2	-	3	6	3	2
Male.....	21	-	-	-	1	3	1	-	3	4	2	1
Female.....	8	-	-	-	1	2	1	-	-	2	1	1
American Indian 1/, both sexes.....	8	-	-	-	-	-	2	-	2	1	2	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	-	-	-	-	2	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	1	-	3	1	-	-	2	1
Male.....	6	-	-	-	-	-	3	-	-	-	1	-
Female.....	8	-	-	-	1	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
New Hampshire												
All races, both sexes.....	173	-	1	2	4	26	25	10	7	16	16	9
Male.....	123	-	1	1	2	16	22	10	4	13	13	7
Female.....	50	-	-	1	2	10	3	-	3	3	3	2
White, both sexes.....	173	-	1	2	4	26	25	10	7	16	16	9
Male.....	123	-	1	1	2	16	22	10	4	13	13	7
Female.....	50	-	-	1	2	10	3	-	3	3	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	834	-	5	5	19	81	87	74	71	61	67	57
Male.....	576	-	2	2	11	53	69	56	55	53	49	43
Female.....	258	-	3	3	8	28	18	18	16	8	18	14
White, both sexes.....	678	-	4	3	13	67	73	59	52	46	48	47
Male.....	471	-	2	1	8	45	58	43	41	42	35	38
Female.....	207	-	2	2	5	22	15	16	11	4	13	9
Black, both sexes.....	130	-	1	2	4	12	11	12	16	14	16	9
Male.....	88	-	-	1	2	7	9	10	12	11	12	4
Female.....	42	-	1	1	2	5	2	2	4	3	4	5
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	25	-	-	-	2	2	3	3	3	1	3	-
Male.....	16	-	-	-	1	1	2	3	2	-	2	-
Female.....	9	-	-	-	1	1	1	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
New Mexico												
All races, both sexes.....	514	2	8	9	12	55	73	45	44	38	40	34
Male.....	361	-	4	6	3	41	55	35	31	29	31	23
Female.....	153	2	4	3	9	14	18	10	13	9	9	11
White, both sexes.....	401	2	6	6	7	49	51	32	32	27	29	28
Male.....	282	-	3	4	2	36	41	25	23	21	22	19
Female.....	119	2	3	2	5	13	10	7	9	6	7	9
Black, both sexes.....	3	-	-	-	-	1	-	1	-	-	1	-
Male.....	3	-	-	-	-	1	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	110	-	2	3	5	5	22	12	12	11	10	6
Male.....	76	-	1	2	1	4	14	9	8	8	8	4
Female.....	34	-	1	1	4	1	8	3	4	3	2	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,745	3	20	22	49	181	187	138	115	107	131	123
Male.....	1,214	3	15	13	33	123	153	115	88	84	101	91
Female.....	531	-	5	9	16	58	34	23	27	23	30	32
White, both sexes.....	1,445	2	17	13	36	149	154	100	90	91	106	103
Male.....	995	2	13	6	26	100	127	83	67	71	83	75
Female.....	450	-	4	7	10	49	27	17	23	20	23	28
Black, both sexes.....	228	1	3	6	13	27	24	32	22	11	18	18
Male.....	175	1	2	4	7	19	22	27	18	9	14	15
Female.....	53	-	1	2	6	8	2	5	4	2	4	3
American Indian 1/, both sexes.....	8	-	-	-	-	1	-	-	2	2	-	-
Male.....	7	-	-	-	-	1	-	-	2	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	64	-	-	3	-	4	9	6	1	3	7	2
Male.....	37	-	-	3	-	3	4	5	1	2	4	1
Female.....	27	-	-	-	-	1	5	1	-	1	3	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Ohio												
All races, both sexes.....	1,474	4	15	14	37	213	182	116	87	112	95	139
Male.....	1,041	2	6	11	18	151	147	82	61	90	75	103
Female.....	433	2	9	3	19	62	35	34	26	22	20	36
White, both sexes.....	1,320	2	13	13	30	191	167	96	76	100	91	120
Male.....	928	-	5	10	14	133	135	70	53	81	71	90
Female.....	392	2	8	3	16	58	32	26	23	19	20	30
Black, both sexes.....	141	2	2	1	6	22	13	19	11	12	4	14
Male.....	107	2	1	1	4	18	11	12	8	9	4	11
Female.....	34	-	1	-	2	4	2	7	3	3	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	1	-	2	-	-	-	-	5
Male.....	5	-	-	-	-	-	1	-	-	-	-	2
Female.....	6	-	-	-	1	-	1	-	-	-	-	3
Oklahoma												
All races, both sexes.....	803	3	15	13	14	105	98	66	59	41	68	58
Male.....	545	2	8	10	8	74	72	46	38	29	57	38
Female.....	258	1	7	3	6	31	26	20	21	12	11	20
White, both sexes.....	661	2	10	9	10	92	80	46	41	28	57	47
Male.....	452	1	5	7	6	69	60	33	23	22	46	32
Female.....	209	1	5	2	4	23	20	13	18	6	11	15
Black, both sexes.....	47	-	3	1	2	4	8	10	4	3	3	2
Male.....	31	-	2	1	2	1	6	6	4	1	3	2
Female.....	16	-	1	-	-	3	2	4	-	2	-	-
American Indian 1/, both sexes.....	90	1	2	3	2	9	10	8	13	9	8	9
Male.....	60	1	1	2	-	4	6	7	10	5	8	4
Female.....	30	-	1	1	2	5	4	1	3	4	-	5
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	-	2	1	1	-	-
Male.....	2	-	-	-	-	-	-	-	1	1	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Oregon

All races, both sexes.....	548	2	11	13	10	56	71	40	38	31	41	43
Male.....	369	1	6	6	7	34	52	34	28	22	27	30
Female.....	179	1	5	7	3	22	19	6	10	9	14	13
White, both sexes.....	509	2	9	12	9	54	66	34	31	28	39	40
Male.....	346	1	6	5	6	34	50	30	23	20	26	27
Female.....	163	1	3	7	3	20	16	4	8	8	13	13
Black, both sexes.....	5	-	-	-	1	-	1	-	3	-	-	-
Male.....	5	-	-	-	1	-	1	-	3	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	-	2	-	-	2	4	3	-	3	2	2
Male.....	9	-	-	-	-	-	1	1	-	2	1	2
Female.....	12	-	2	-	-	2	3	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	-	-	-	3	4	-	-	1
Male.....	9	-	-	1	-	-	-	3	2	-	-	1
Female.....	4	-	-	-	-	-	-	-	2	-	-	-

Pennsylvania

All races, both sexes.....	1,661	3	19	13	28	193	190	131	99	97	126	123
Male.....	1,135	1	8	7	19	133	149	102	74	75	95	87
Female.....	526	2	11	6	9	60	41	29	25	22	31	36
White, both sexes.....	1,532	3	13	8	27	180	170	113	89	91	122	114
Male.....	1,047	1	4	5	19	123	132	89	67	70	93	81
Female.....	485	2	9	3	8	57	38	24	22	21	29	33
Black, both sexes.....	115	-	6	5	1	10	16	16	9	6	3	9
Male.....	82	-	4	2	-	9	14	13	7	5	2	6
Female.....	33	-	2	3	1	1	2	3	2	1	1	3
American Indian 1/, both sexes.....	3	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	-	-	2	2	2	1	-	1	-
Male.....	5	-	-	-	-	1	2	-	-	-	-	-
Female.....	6	-	-	-	-	1	-	2	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Rhode Island

All races, both sexes.....	103	-	-	-	-	18	12	8	9	7	5	11
Male.....	75	-	-	-	-	11	9	8	7	5	4	7
Female.....	28	-	-	-	-	7	3	-	2	2	1	4
White, both sexes.....	93	-	-	-	-	16	11	6	7	6	5	10
Male.....	67	-	-	-	-	9	8	6	5	5	4	7
Female.....	26	-	-	-	-	7	3	-	2	1	1	3
Black, both sexes.....	9	-	-	-	-	2	1	2	2	-	-	1
Male.....	8	-	-	-	-	2	1	2	2	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	1,078	1	11	6	19	113	144	108	101	80	106	83
Male.....	801	1	7	1	11	77	112	84	84	61	84	64
Female.....	277	-	4	5	8	36	32	24	17	19	22	19
White, both sexes.....	719	1	6	2	11	85	101	74	70	48	73	52
Male.....	535	1	3	1	6	56	81	57	58	34	60	39
Female.....	184	-	3	1	5	29	20	17	12	14	13	13
Black, both sexes.....	352	-	5	4	7	27	41	32	30	32	33	31
Male.....	261	-	4	-	5	20	30	25	25	27	24	25
Female.....	91	-	1	4	2	7	11	7	5	5	9	6
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	1	2	1	-	-	-
Male.....	3	-	-	-	-	-	-	2	1	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
South Dakota												
All races, both sexes.....	200	1	4	7	6	20	26	15	8	21	10	13
Male.....	128	-	3	1	2	11	16	7	7	15	8	9
Female.....	72	1	1	6	4	9	10	8	1	6	2	4
White, both sexes.....	131	-	1	5	2	10	11	10	3	15	9	8
Male.....	89	-	-	1	1	5	8	6	3	11	8	6
Female.....	42	-	1	4	1	5	3	4	-	4	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	68	1	3	2	4	10	15	5	5	6	1	4
Male.....	39	-	3	-	1	6	8	1	4	4	-	3
Female.....	29	1	-	2	3	4	7	4	1	2	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
Tennessee												
All races, both sexes.....	1,458	4	12	7	39	168	171	125	110	104	113	131
Male.....	1,027	3	7	4	21	114	131	104	70	81	87	94
Female.....	431	1	5	3	18	54	40	21	40	23	26	37
White, both sexes.....	1,270	4	9	4	36	148	154	96	90	91	96	109
Male.....	889	3	5	1	20	97	122	80	54	71	73	79
Female.....	381	1	4	3	16	51	32	16	36	20	23	30
Black, both sexes.....	177	-	3	2	3	20	15	23	20	13	16	22
Male.....	130	-	2	2	1	17	8	19	16	10	13	15
Female.....	47	-	1	-	2	3	7	4	4	3	3	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	-	-	2	6	-	-	1	-
Male.....	8	-	-	1	-	-	1	5	-	-	1	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Transport accidents (V01-V99,Y85)

Texas

All races, both sexes.....	4,083	19	105	82	106	429	559	363	309	302	344	319
Male.....	2,863	10	58	48	69	299	420	279	233	213	240	220
Female.....	1,220	9	47	34	37	130	139	84	76	89	104	99
White, both sexes.....	3,575	16	84	67	91	389	497	314	261	256	302	273
Male.....	2,518	8	46	41	60	273	379	242	197	183	210	191
Female.....	1,057	8	38	26	31	116	118	72	64	73	92	82
Black, both sexes.....	436	3	21	12	11	35	48	46	41	39	34	44
Male.....	298	2	12	6	6	22	30	35	30	26	25	27
Female.....	138	1	9	6	5	13	18	11	11	13	9	17
American Indian 1/, both sexes.....	12	-	-	1	-	1	2	1	4	-	1	1
Male.....	8	-	-	-	-	1	1	-	4	-	1	1
Female.....	4	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	2	4	4	12	2	3	7	7	1
Male.....	39	-	-	1	3	3	10	2	2	4	4	1
Female.....	21	-	-	1	1	1	2	-	1	3	3	-

Utah

All races, both sexes.....	342	4	12	4	11	28	46	44	24	19	25	17
Male.....	223	3	6	1	7	20	31	32	17	13	16	10
Female.....	119	1	6	3	4	8	15	12	7	6	9	7
White, both sexes.....	325	4	11	4	11	28	40	41	21	19	23	17
Male.....	214	3	5	1	7	20	27	31	16	13	14	10
Female.....	111	1	6	3	4	8	13	10	5	6	9	7
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	3	2	2	-	1	-
Male.....	4	-	-	-	-	-	2	1	-	-	1	-
Female.....	4	-	-	-	-	-	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	1	-	-	-	3	1	-	-	1	-
Male.....	4	-	1	-	-	-	2	-	-	-	1	-
Female.....	4	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Vermont												
All races, both sexes.....	92	-	-	-	2	11	11	7	8	7	5	8
Male.....	61	-	-	-	2	7	6	6	4	5	3	8
Female.....	31	-	-	-	-	4	5	1	4	2	2	-
White, both sexes.....	90	-	-	-	2	11	11	7	7	6	5	8
Male.....	61	-	-	-	2	7	6	6	4	5	3	8
Female.....	29	-	-	-	-	4	5	1	3	1	2	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Virginia												
All races, both sexes.....	1,051	1	8	14	15	126	133	104	79	50	94	76
Male.....	739	-	7	9	9	87	104	78	59	32	69	53
Female.....	312	1	1	5	6	39	29	26	20	18	25	23
White, both sexes.....	820	1	4	12	12	104	106	80	65	33	70	54
Male.....	572	-	3	8	6	71	84	60	48	21	53	36
Female.....	248	1	1	4	6	33	22	20	17	12	17	18
Black, both sexes.....	207	-	4	2	3	20	24	21	12	16	21	18
Male.....	154	-	4	1	3	16	17	16	9	11	14	15
Female.....	53	-	-	1	-	4	7	5	3	5	7	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	-	-	-	-	2	2	3	2	1	3	4
Male.....	12	-	-	-	-	-	2	2	2	-	2	2
Female.....	11	-	-	-	-	2	-	1	-	1	1	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Transport accidents (V01-V99,Y85)												
Washington												
All races, both sexes.....	759	1	8	9	11	86	116	52	53	47	60	60
Male.....	553	-	6	5	9	61	89	45	42	34	43	43
Female.....	206	1	2	4	2	25	27	7	11	13	17	17
White, both sexes.....	675	1	5	8	10	70	104	41	44	40	54	54
Male.....	495	-	4	4	8	50	81	35	36	31	39	38
Female.....	180	1	1	4	2	20	23	6	8	9	15	16
Black, both sexes.....	20	-	1	-	1	-	3	4	3	2	2	2
Male.....	16	-	-	-	1	-	2	4	2	1	2	2
Female.....	4	-	1	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	33	-	1	-	-	9	5	3	4	4	3	1
Male.....	23	-	1	-	-	5	4	3	3	2	2	1
Female.....	10	-	-	-	-	4	1	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	31	-	1	1	-	7	4	4	2	1	1	3
Male.....	19	-	1	1	-	6	2	3	1	-	-	2
Female.....	12	-	-	-	-	1	2	1	1	1	1	1
West Virginia												
All races, both sexes.....	435	-	5	7	10	49	52	32	33	30	35	38
Male.....	281	-	2	4	7	35	37	22	20	21	26	27
Female.....	154	-	3	3	3	14	15	10	13	9	9	11
White, both sexes.....	424	-	4	7	9	48	50	32	32	30	35	36
Male.....	273	-	1	4	7	35	35	22	19	21	26	25
Female.....	151	-	3	3	2	13	15	10	13	9	9	11
Black, both sexes.....	9	-	1	-	1	-	1	-	1	-	-	2
Male.....	7	-	1	-	-	-	1	-	1	-	-	2
Female.....	2	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Alaska

All races, both sexes.....	16	8	8	3	2	4	3	1	-	-	-	-
Male.....	12	7	7	2	2	3	3	1	-	-	-	-
Female.....	4	1	1	1	-	1	-	-	-	-	-	-
White, both sexes.....	11	7	6	3	2	4	2	1	-	-	-	-
Male.....	10	6	5	2	2	3	2	1	-	-	-	-
Female.....	1	1	1	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	4	-	2	-	-	-	1	-	-	-	-	-
Male.....	2	-	2	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	81	74	44	46	44	50	36	18	11	1	-	11
Male.....	58	56	30	29	19	24	21	10	8	1	-	10
Female.....	23	18	14	17	25	26	15	8	3	-	-	1
White, both sexes.....	65	67	40	39	36	44	31	17	10	1	-	9
Male.....	48	50	27	26	16	22	19	10	7	1	-	9
Female.....	17	17	13	13	20	22	12	7	3	-	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	14	6	3	6	8	6	3	1	1	-	-	2
Male.....	9	5	3	2	3	2	1	-	1	-	-	1
Female.....	5	1	-	4	5	4	2	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Arkansas

All races, both sexes.....	41	45	23	29	17	28	24	12	2	5	-	-
Male.....	30	28	15	22	11	17	14	7	1	1	-	-
Female.....	11	17	8	7	6	11	10	5	1	4	-	-
White, both sexes.....	30	33	19	23	16	24	22	12	2	5	-	-
Male.....	21	19	12	17	11	15	14	7	1	1	-	-
Female.....	9	14	7	6	5	9	8	5	1	4	-	-
Black, both sexes.....	10	11	2	6	1	4	2	-	-	-	-	-
Male.....	8	8	1	5	-	2	-	-	-	-	-	-
Female.....	2	3	1	1	1	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	339	220	225	158	137	148	149	90	25	7	-	4
Male.....	231	155	165	88	90	89	93	43	13	5	-	2
Female.....	108	65	60	70	47	59	56	47	12	2	-	2
White, both sexes.....	267	183	184	120	111	119	133	77	23	7	-	4
Male.....	184	128	140	71	76	77	84	36	12	5	-	2
Female.....	83	55	44	49	35	42	49	41	11	2	-	2
Black, both sexes.....	37	18	16	8	3	5	2	4	1	-	-	-
Male.....	25	14	12	4	1	3	2	2	-	-	-	-
Female.....	12	4	4	4	2	2	-	2	1	-	-	-
American Indian 1/, both sexes.....	4	-	3	4	1	1	1	-	-	-	-	-
Male.....	4	-	2	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	2	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	19	22	26	22	23	13	9	1	-	-	-
Male.....	18	13	11	11	13	9	7	5	1	-	-	-
Female.....	13	6	11	15	9	14	6	4	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Maine

All races, both sexes.....	5	6	9	5	6	9	9	3	3	-	-	-
Male.....	2	1	4	2	4	6	5	-	3	-	-	-
Female.....	3	5	5	3	2	3	4	3	-	-	-	-
White, both sexes.....	5	6	9	5	6	9	9	3	3	-	-	-
Male.....	2	1	4	2	4	6	5	-	3	-	-	-
Female.....	3	5	5	3	2	3	4	3	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	53	40	30	23	27	32	22	12	6	-	1	1
Male.....	35	30	24	14	15	21	15	7	3	-	-	1
Female.....	18	10	6	9	12	11	7	5	3	-	1	-
White, both sexes.....	35	22	24	16	22	27	17	11	6	-	1	1
Male.....	26	20	18	9	13	17	12	7	3	-	-	1
Female.....	9	2	6	7	9	10	5	4	3	-	1	-
Black, both sexes.....	16	13	5	7	3	5	5	1	-	-	-	-
Male.....	9	9	5	5	1	4	3	-	-	-	-	-
Female.....	7	4	-	2	2	1	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	5	1	-	1	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	2	4	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Massachusetts

All races, both sexes.....	33	25	33	15	13	20	30	16	8	2	-	-
Male.....	27	20	21	9	7	9	12	4	2	1	-	-
Female.....	6	5	12	6	6	11	18	12	6	1	-	-
White, both sexes.....	31	24	32	14	10	18	29	16	8	2	-	-
Male.....	25	19	21	8	6	7	11	4	2	1	-	-
Female.....	6	5	11	6	4	11	18	12	6	1	-	-
Black, both sexes.....	1	-	1	-	2	2	-	-	-	-	-	-
Male.....	1	-	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	1	-	-	-	-	-
Male.....	1	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	93	66	69	49	53	43	58	34	15	2	-	-
Male.....	71	44	43	35	36	20	34	16	4	-	-	-
Female.....	22	22	26	14	17	23	24	18	11	2	-	-
White, both sexes.....	75	54	63	43	44	40	54	33	14	2	-	-
Male.....	56	37	38	31	29	19	30	16	3	-	-	-
Female.....	19	17	25	12	15	21	24	17	11	2	-	-
Black, both sexes.....	15	8	4	5	6	2	3	1	1	-	-	-
Male.....	12	4	3	4	5	-	3	-	1	-	-	-
Female.....	3	4	1	1	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	1	2	-	-	-	-	-	-	-
Male.....	2	2	1	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	1	1	1	-	-	-	-	-
Male.....	1	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Nebraska

All races, both sexes.....	29	16	10	9	12	11	11	12	4	-	-	-
Male.....	24	12	5	7	5	5	5	8	3	-	-	-
Female.....	5	4	5	2	7	6	6	4	1	-	-	-
White, both sexes.....	26	15	9	9	12	11	11	12	4	-	-	-
Male.....	22	11	5	7	5	5	5	8	3	-	-	-
Female.....	4	4	4	2	7	6	6	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	25	32	35	22	9	23	11	5	1	-	-	-
Male.....	19	24	20	16	8	10	7	3	1	-	-	-
Female.....	6	8	15	6	1	13	4	2	-	-	-	-
White, both sexes.....	23	29	35	20	7	20	11	5	1	-	-	-
Male.....	17	22	20	16	6	8	7	3	1	-	-	-
Female.....	6	7	15	4	1	12	4	2	-	-	-	-
Black, both sexes.....	2	-	-	-	2	2	-	-	-	-	-	-
Male.....	2	-	-	-	2	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	2	-	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	2	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

New Hampshire

All races, both sexes.....	14	8	4	3	10	5	7	6	-	-	-	-
Male.....	11	7	2	2	2	3	3	4	-	-	-	-
Female.....	3	1	2	1	8	2	4	2	-	-	-	-
White, both sexes.....	14	8	4	3	10	5	7	6	-	-	-	-
Male.....	11	7	2	2	2	3	3	4	-	-	-	-
Female.....	3	1	2	1	8	2	4	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	48	43	41	25	36	33	37	25	18	1	-	-
Male.....	38	29	26	16	19	17	19	11	7	1	-	-
Female.....	10	14	15	9	17	16	18	14	11	-	-	-
White, both sexes.....	37	36	33	21	32	28	36	24	18	1	-	-
Male.....	28	26	21	13	16	16	19	11	7	1	-	-
Female.....	9	10	12	8	16	12	17	13	11	-	-	-
Black, both sexes.....	9	5	7	4	3	3	1	1	-	-	-	-
Male.....	8	1	4	3	3	1	-	-	-	-	-	-
Female.....	1	4	3	1	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	-	1	2	-	-	-	-	-	-
Male.....	2	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

New Mexico

All races, both sexes.....	35	29	20	26	9	14	10	7	3	-	-	1
Male.....	27	22	10	20	4	8	7	3	2	-	-	-
Female.....	8	7	10	6	5	6	3	4	1	-	-	1
White, both sexes.....	30	23	20	22	7	12	7	7	3	-	-	1
Male.....	23	16	10	17	3	7	5	3	2	-	-	-
Female.....	7	7	10	5	4	5	2	4	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	5	6	-	4	2	2	3	-	-	-	-	-
Male.....	4	6	-	3	1	1	2	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	99	100	75	69	79	98	90	40	18	1	-	-
Male.....	72	65	49	45	37	51	46	19	10	1	-	-
Female.....	27	35	26	24	42	47	44	21	8	-	-	-
White, both sexes.....	80	87	63	58	68	88	85	38	16	1	-	-
Male.....	61	58	39	37	31	46	43	18	8	1	-	-
Female.....	19	29	24	21	37	42	42	20	8	-	-	-
Black, both sexes.....	12	8	7	6	5	9	3	1	2	-	-	-
Male.....	7	5	5	6	4	5	2	1	2	-	-	-
Female.....	5	3	2	-	1	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	5	5	3	5	1	2	1	-	-	-	-
Male.....	4	2	5	1	1	-	1	-	-	-	-	-
Female.....	3	3	-	2	4	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Oregon

All races, both sexes.....	40	35	27	22	19	19	14	9	4	3	-	-
Male.....	29	22	19	14	9	12	9	4	1	3	-	-
Female.....	11	13	8	8	10	7	5	5	3	-	-	-
White, both sexes.....	39	34	27	20	19	18	13	8	4	3	-	-
Male.....	28	22	19	13	9	12	8	3	1	3	-	-
Female.....	11	12	8	7	10	6	5	5	3	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	2	-	1	-	1	-	-	-	-
Male.....	-	-	-	1	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	102	97	72	69	72	79	78	50	16	3	-	1
Male.....	79	66	50	38	43	42	34	26	7	-	-	-
Female.....	23	31	22	31	29	37	44	24	9	3	-	1
White, both sexes.....	97	86	67	68	69	77	73	50	12	2	-	1
Male.....	76	59	46	38	41	41	31	26	5	-	-	-
Female.....	21	27	21	30	28	36	42	24	7	2	-	1
Black, both sexes.....	5	10	5	1	3	2	4	-	3	1	-	-
Male.....	3	6	4	-	2	1	2	-	2	-	-	-
Female.....	2	4	1	1	1	1	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Transport accidents (V01-V99,Y85)

Texas

All races, both sexes.....	241	204	151	125	111	127	89	59	30	5	-	4
Male.....	175	146	112	84	67	74	59	38	15	1	-	3
Female.....	66	58	39	41	44	53	30	21	15	4	-	1
White, both sexes.....	206	177	136	117	104	111	83	55	28	4	-	4
Male.....	153	124	99	78	62	65	55	34	14	1	-	3
Female.....	53	53	37	39	42	46	28	21	14	3	-	1
Black, both sexes.....	30	25	9	8	6	12	6	3	2	1	-	-
Male.....	21	22	9	6	4	7	4	3	1	-	-	-
Female.....	9	3	-	2	2	5	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	6	-	1	3	-	1	-	-	-	-
Male.....	1	-	4	-	1	2	-	1	-	-	-	-
Female.....	4	2	2	-	-	1	-	-	-	-	-	-

Utah

All races, both sexes.....	21	23	10	11	8	12	10	9	3	1	-	-
Male.....	17	15	7	7	6	6	3	4	1	1	-	-
Female.....	4	8	3	4	2	6	7	5	2	-	-	-
White, both sexes.....	21	23	10	11	7	11	10	9	3	1	-	-
Male.....	17	15	7	7	6	6	3	4	1	1	-	-
Female.....	4	8	3	4	1	5	7	5	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Transport accidents (V01-V99,Y85)

Vermont

All races, both sexes.....	6	6	4	5	5	5	-	-	2	-	-	-
Male.....	5	4	2	4	3	1	-	-	1	-	-	-
Female.....	1	2	2	1	2	4	-	-	1	-	-	-
White, both sexes.....	6	6	4	5	5	5	-	-	2	-	-	-
Male.....	5	4	2	4	3	1	-	-	1	-	-	-
Female.....	1	2	2	1	2	4	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	67	52	37	47	43	46	33	22	4	-	-	-
Male.....	51	36	28	33	26	22	20	14	2	-	-	-
Female.....	16	16	9	14	17	24	13	8	2	-	-	-
White, both sexes.....	52	37	26	41	36	38	28	17	4	-	-	-
Male.....	41	25	20	30	20	17	17	10	2	-	-	-
Female.....	11	12	6	11	16	21	11	7	2	-	-	-
Black, both sexes.....	15	15	9	5	6	7	4	5	-	-	-	-
Male.....	10	11	7	3	6	5	2	4	-	-	-	-
Female.....	5	4	2	2	-	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Railway accidents (V05,V15,V80.6,V81.2-V81.9)

Arkansas

All races, both sexes.....	4	-	-	-	-	1	-	-	-	1	-	1
Male.....	4	-	-	-	-	1	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	2	-	-	-	-	1	-	-	-	1	-	-
Male.....	2	-	-	-	-	1	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	67	-	-	-	1	8	3	6	6	9	8	5
Male.....	52	-	-	-	1	7	3	3	4	6	7	3
Female.....	15	-	-	-	-	1	-	3	2	3	1	2
White, both sexes.....	55	-	-	-	1	5	2	5	6	9	8	4
Male.....	44	-	-	-	1	4	2	3	4	6	7	3
Female.....	11	-	-	-	-	1	-	2	2	3	1	1
Black, both sexes.....	11	-	-	-	-	3	1	-	-	-	-	1
Male.....	8	-	-	-	-	3	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
United States												
All races, both sexes.....	44,933	143	635	640	1,013	5,224	5,763	3,849	3,187	3,190	3,473	3,422
Male.....	30,837	80	344	369	606	3,453	4,361	2,924	2,321	2,318	2,508	2,431
Female.....	14,096	63	291	271	407	1,771	1,402	925	866	872	965	991
White, both sexes.....	37,618	103	480	487	805	4,508	4,817	3,083	2,534	2,585	2,881	2,843
Male.....	25,816	54	258	283	492	2,969	3,693	2,349	1,835	1,894	2,095	2,029
Female.....	11,802	49	222	204	313	1,539	1,124	734	699	691	786	814
Black, both sexes.....	5,513	31	128	121	161	520	685	585	510	464	454	468
Male.....	3,910	19	68	67	91	361	497	451	392	343	324	336
Female.....	1,603	12	60	54	70	159	188	134	118	121	130	132
American Indian 1/, both sexes.....	802	5	19	12	22	94	125	89	74	75	63	58
Male.....	529	4	11	5	10	58	84	63	51	44	44	37
Female.....	273	1	8	7	12	36	41	26	23	31	19	21
Asian or Pacific Islander 2/, both sexes.....	1,000	4	8	20	25	102	136	92	69	66	75	53
Male.....	582	3	7	14	13	65	87	61	43	37	45	29
Female.....	418	1	1	6	12	37	49	31	26	29	30	24
Alabama												
All races, both sexes.....	1,259	5	22	11	25	149	157	106	104	99	99	99
Male.....	833	3	14	3	12	94	113	73	77	69	73	65
Female.....	426	2	8	8	13	55	44	33	27	30	26	34
White, both sexes.....	938	4	14	7	14	112	117	74	79	66	77	73
Male.....	611	2	9	2	7	75	85	51	56	44	58	46
Female.....	327	2	5	5	7	37	32	23	23	22	19	27
Black, both sexes.....	314	1	8	4	11	36	39	31	25	32	21	26
Male.....	219	1	5	1	5	19	28	22	21	24	15	19
Female.....	95	-	3	3	6	17	11	9	4	8	6	7
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	1	1	-	1	1	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	1	1	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Alaska												
All races, both sexes.....	119	-	3	1	4	12	17	6	6	13	5	16
Male.....	98	-	3	-	3	8	16	6	6	10	4	11
Female.....	21	-	-	1	1	4	1	-	-	3	1	5
White, both sexes.....	86	-	3	-	4	8	11	2	4	10	3	13
Male.....	72	-	3	-	3	4	10	2	4	8	3	10
Female.....	14	-	-	-	1	4	1	-	-	2	-	3
Black, both sexes.....	6	-	-	-	-	2	1	-	-	1	-	1
Male.....	5	-	-	-	-	2	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	25	-	-	1	-	2	5	3	2	2	2	2
Male.....	20	-	-	-	-	2	5	3	2	1	1	1
Female.....	5	-	-	1	-	-	-	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	1,125	2	11	18	33	137	137	95	74	78	78	85
Male.....	740	2	7	11	18	84	104	68	52	52	51	57
Female.....	385	-	4	7	15	53	33	27	22	26	27	28
White, both sexes.....	934	-	10	16	29	120	115	71	54	56	64	75
Male.....	624	-	6	11	17	74	87	52	38	37	44	53
Female.....	310	-	4	5	12	46	28	19	16	19	20	22
Black, both sexes.....	34	-	-	1	2	6	4	6	4	2	5	2
Male.....	22	-	-	-	1	4	4	3	3	2	2	1
Female.....	12	-	-	1	1	2	-	3	1	-	3	1
American Indian 1/, both sexes.....	147	2	1	1	2	11	17	16	15	19	8	8
Male.....	89	2	1	-	-	6	13	12	10	12	4	3
Female.....	58	-	-	1	2	5	4	4	5	7	4	5
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	-	1	2	1	1	1	-
Male.....	5	-	-	-	-	-	-	1	1	1	1	-
Female.....	5	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Arkansas												
All races, both sexes.....	779	5	9	19	14	107	90	85	55	56	62	62
Male.....	510	3	5	13	9	66	67	55	36	38	42	40
Female.....	269	2	4	6	5	41	23	30	19	18	20	22
White, both sexes.....	645	3	5	15	14	94	72	71	46	41	52	54
Male.....	420	2	3	10	9	56	54	46	31	29	35	34
Female.....	225	1	2	5	5	38	18	25	15	12	17	20
Black, both sexes.....	123	1	3	3	-	13	16	13	9	15	9	8
Male.....	79	-	1	2	-	10	11	8	5	9	6	6
Female.....	44	1	2	1	-	3	5	5	4	6	3	2
American Indian 1/, both sexes.....	5	1	-	-	-	-	-	1	-	-	1	-
Male.....	5	1	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	1	1	-	-	2	-	-	-	-	-
Male.....	6	-	1	1	-	-	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	4,417	17	68	63	102	494	561	401	335	340	356	330
Male.....	3,037	7	42	39	57	330	416	303	263	244	248	230
Female.....	1,380	10	26	24	45	164	145	98	72	96	108	100
White, both sexes.....	3,660	15	59	53	90	414	470	324	272	289	309	268
Male.....	2,556	6	36	33	52	275	353	249	214	212	224	189
Female.....	1,104	9	23	20	38	139	117	75	58	77	85	79
Black, both sexes.....	335	1	6	6	6	34	37	41	39	27	24	34
Male.....	240	1	4	5	3	28	27	29	32	20	13	25
Female.....	95	-	2	1	3	6	10	12	7	7	11	9
American Indian 1/, both sexes.....	42	-	-	-	-	6	7	6	1	1	2	6
Male.....	26	-	-	-	-	3	4	4	1	-	1	6
Female.....	16	-	-	-	-	3	3	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	380	1	3	4	6	40	47	30	23	23	21	22
Male.....	215	-	2	1	2	24	32	21	16	12	10	10
Female.....	165	1	1	3	4	16	15	9	7	11	11	12

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Colorado												
All races, both sexes.....	700	2	11	10	10	107	77	63	55	41	58	51
Male.....	466	1	3	5	7	65	59	51	42	29	44	26
Female.....	234	1	8	5	3	42	18	12	13	12	14	25
White, both sexes.....	667	2	10	9	10	101	74	59	52	37	56	49
Male.....	445	1	3	4	7	63	57	47	41	26	43	24
Female.....	222	1	7	5	3	38	17	12	11	11	13	25
Black, both sexes.....	17	-	1	-	-	5	-	1	1	3	1	2
Male.....	11	-	-	-	-	1	-	1	1	3	1	2
Female.....	6	-	1	-	-	4	-	-	-	-	-	-
American Indian 1/, both sexes.....	7	-	-	-	-	1	2	2	-	1	-	-
Male.....	6	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	1	-	-	1	1	2	-	1	-
Male.....	4	-	-	1	-	-	-	1	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	2	-	1	-
Connecticut												
All races, both sexes.....	336	-	3	5	6	39	47	29	25	29	20	26
Male.....	234	-	1	3	4	27	37	22	16	20	16	20
Female.....	102	-	2	2	2	12	10	7	9	9	4	6
White, both sexes.....	307	-	3	5	5	37	44	22	24	28	20	25
Male.....	210	-	1	3	3	25	36	15	15	19	16	20
Female.....	97	-	2	2	2	12	8	7	9	9	4	5
Black, both sexes.....	23	-	-	-	1	1	1	7	1	1	-	1
Male.....	20	-	-	-	1	1	1	7	1	1	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	2	-	-	-	-	-
Male.....	4	-	-	-	-	1	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	2	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Florida												
All races, both sexes.....	3,294	12	36	49	60	329	403	250	211	247	254	267
Male.....	2,328	7	20	30	42	222	312	196	156	179	188	200
Female.....	966	5	16	19	18	107	91	54	55	68	66	67
White, both sexes.....	2,760	6	26	41	41	279	324	199	169	208	205	227
Male.....	1,951	4	14	24	27	184	256	156	125	152	155	171
Female.....	809	2	12	17	14	95	68	43	44	56	50	56
Black, both sexes.....	489	5	10	8	19	41	73	47	41	34	46	34
Male.....	350	2	6	6	15	32	50	39	31	23	31	25
Female.....	139	3	4	2	4	9	23	8	10	11	15	9
American Indian 1/, both sexes.....	11	-	-	-	-	1	2	2	-	-	2	2
Male.....	5	-	-	-	-	1	2	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	2	-	-	1	2
Asian or Pacific Islander 2/, both sexes.....	34	1	-	-	-	8	4	2	1	5	1	4
Male.....	22	1	-	-	-	5	4	1	-	4	1	4
Female.....	12	-	-	-	-	3	-	1	1	1	-	-
Georgia												
All races, both sexes.....	1,497	8	28	20	36	142	188	125	108	117	120	128
Male.....	990	4	15	11	18	83	152	91	73	81	76	86
Female.....	507	4	13	9	18	59	36	34	35	36	44	42
White, both sexes.....	1,116	3	23	13	24	104	151	87	72	78	92	94
Male.....	735	-	13	9	13	62	121	65	45	52	58	63
Female.....	381	3	10	4	11	42	30	22	27	26	34	31
Black, both sexes.....	356	4	5	7	10	37	36	32	34	36	27	34
Male.....	242	3	2	2	3	21	31	24	26	28	18	23
Female.....	114	1	3	5	7	16	5	8	8	8	9	11
American Indian 1/, both sexes.....	6	-	-	-	1	-	-	1	2	1	-	-
Male.....	5	-	-	-	1	-	-	-	2	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	1	-	-	1	1	1	5	-	2	1	-
Male.....	8	1	-	-	1	-	-	2	-	-	-	-
Female.....	11	-	-	-	-	1	1	3	-	2	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Hawaii												
All races, both sexes.....	142	1	1	-	2	16	16	15	15	9	17	5
Male.....	101	1	-	-	2	11	14	11	13	7	12	4
Female.....	41	-	1	-	-	5	2	4	2	2	5	1
White, both sexes.....	47	-	1	-	-	3	11	5	7	4	2	1
Male.....	35	-	-	-	-	1	10	3	7	3	2	-
Female.....	12	-	1	-	-	2	1	2	-	1	-	1
Black, both sexes.....	4	-	-	-	-	-	-	1	1	-	1	-
Male.....	4	-	-	-	-	-	-	1	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	91	1	-	-	2	13	5	9	7	5	14	4
Male.....	62	1	-	-	2	10	4	7	5	4	9	4
Female.....	29	-	-	-	-	3	1	2	2	1	5	-
Idaho												
All races, both sexes.....	249	2	4	6	6	28	29	20	16	18	11	25
Male.....	179	1	2	4	5	19	25	17	10	12	8	17
Female.....	70	1	2	2	1	9	4	3	6	6	3	8
White, both sexes.....	237	2	3	6	6	27	25	20	15	18	11	23
Male.....	171	1	2	4	5	18	22	17	9	12	8	16
Female.....	66	1	1	2	1	9	3	3	6	6	3	7
Black, both sexes.....	2	-	1	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	-	-	-	1	1	-	1	-	-	1
Male.....	5	-	-	-	-	1	1	-	1	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	2	-	-	-	-	1
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Illinois												
All races, both sexes.....	1,513	5	19	13	29	147	201	130	123	112	127	119
Male.....	1,044	4	8	8	17	97	147	100	88	88	93	90
Female.....	469	1	11	5	12	50	54	30	35	24	34	29
White, both sexes.....	1,248	3	14	6	23	131	165	108	97	89	101	97
Male.....	863	2	6	3	14	87	121	83	65	72	77	76
Female.....	385	1	8	3	9	44	44	25	32	17	24	21
Black, both sexes.....	245	2	5	7	6	14	32	22	26	20	23	21
Male.....	167	2	2	5	3	8	23	17	23	14	14	13
Female.....	78	-	3	2	3	6	9	5	3	6	9	8
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	2	3	-	-	3	3	1
Male.....	12	-	-	-	-	2	2	-	-	2	2	1
Female.....	6	-	-	-	-	-	1	-	-	1	1	-
Indiana												
All races, both sexes.....	1,006	3	17	12	26	130	142	81	71	60	76	73
Male.....	700	3	7	10	15	82	101	63	50	46	55	60
Female.....	306	-	10	2	11	48	41	18	21	14	21	13
White, both sexes.....	923	2	17	6	21	121	134	75	59	52	68	69
Male.....	635	2	7	5	10	76	94	59	40	39	49	56
Female.....	288	-	10	1	11	45	40	16	19	13	19	13
Black, both sexes.....	70	1	-	6	3	7	7	6	10	6	6	4
Male.....	56	1	-	5	3	5	6	4	9	6	4	4
Female.....	14	-	-	1	-	2	1	2	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	2	2	1	-	2	2	2	-
Male.....	9	-	-	-	2	1	1	-	1	1	2	-
Female.....	4	-	-	-	-	1	-	-	1	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Kentucky

All races, both sexes.....	992	3	11	12	24	126	127	115	85	94	57	85
Male.....	673	2	6	5	18	74	88	79	57	63	45	62
Female.....	319	1	5	7	6	52	39	36	28	31	12	23
White, both sexes.....	932	3	10	9	22	121	116	110	81	88	53	76
Male.....	634	2	5	5	18	72	80	75	55	58	43	56
Female.....	298	1	5	4	4	49	36	35	26	30	10	20
Black, both sexes.....	56	-	1	3	2	5	8	4	4	6	4	9
Male.....	37	-	1	-	2	2	7	3	2	5	2	6
Female.....	19	-	-	3	2	3	1	1	2	1	2	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	2	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	1,022	4	18	20	26	120	137	101	75	83	83	90
Male.....	696	1	6	8	14	81	108	72	53	57	66	65
Female.....	326	3	12	12	12	39	29	29	22	26	17	25
White, both sexes.....	711	1	11	10	17	91	89	70	50	54	54	67
Male.....	473	-	3	3	9	58	69	49	40	37	41	47
Female.....	238	1	8	7	8	33	20	21	10	17	13	20
Black, both sexes.....	291	3	7	9	7	25	45	29	22	26	28	23
Male.....	210	1	3	5	4	19	37	21	12	18	25	18
Female.....	81	2	4	4	3	6	8	8	10	8	3	5
American Indian 1/, both sexes.....	6	-	-	-	-	1	2	2	1	-	-	-
Male.....	5	-	-	-	-	1	2	2	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	1	2	3	1	-	2	3	1	-
Male.....	8	-	-	-	1	3	-	-	1	2	-	-
Female.....	6	-	-	1	1	-	1	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Maine												
All races, both sexes.....	180	1	3	4	2	22	26	22	6	9	18	13
Male.....	113	1	-	3	2	14	20	13	5	7	11	10
Female.....	67	-	3	1	-	8	6	9	1	2	7	3
White, both sexes.....	176	1	2	2	2	22	25	22	6	9	18	13
Male.....	111	1	-	2	2	14	19	13	5	7	11	10
Female.....	65	-	2	-	-	8	6	9	1	2	7	3
Black, both sexes.....	4	-	1	2	-	-	1	-	-	-	-	-
Male.....	2	-	-	1	-	-	1	-	-	-	-	-
Female.....	2	-	1	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	671	-	8	10	18	80	95	64	41	35	51	46
Male.....	488	-	5	8	12	53	73	58	33	27	40	31
Female.....	183	-	3	2	6	27	22	6	8	8	11	15
White, both sexes.....	455	-	4	3	8	61	69	40	18	28	33	26
Male.....	330	-	3	2	4	41	51	36	13	21	28	17
Female.....	125	-	1	1	4	20	18	4	5	7	5	9
Black, both sexes.....	194	-	3	6	10	17	22	22	23	6	18	18
Male.....	144	-	1	5	8	11	18	21	20	5	12	12
Female.....	50	-	2	1	2	6	4	1	3	1	6	6
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	1	1	-	2	4	2	-	1	-	2
Male.....	13	-	1	1	-	1	4	1	-	1	-	2
Female.....	8	-	-	-	-	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Massachusetts												
All races, both sexes.....	532	-	3	8	10	61	72	32	37	49	37	35
Male.....	364	-	2	5	5	45	57	27	31	38	24	25
Female.....	168	-	1	3	5	16	15	5	6	11	13	10
White, both sexes.....	491	-	2	8	8	56	65	28	31	46	36	33
Male.....	339	-	1	5	5	42	53	24	27	37	23	24
Female.....	152	-	1	3	3	14	12	4	4	9	13	9
Black, both sexes.....	26	-	1	-	2	4	4	3	4	1	-	2
Male.....	16	-	1	-	-	2	3	3	3	-	-	1
Female.....	10	-	-	-	2	2	1	-	1	1	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	1	3	1	2	2	-	-
Male.....	8	-	-	-	-	1	1	-	1	1	-	-
Female.....	6	-	-	-	-	-	2	1	1	1	-	-
Michigan												
All races, both sexes.....	1,307	5	15	24	30	165	152	99	80	92	101	91
Male.....	871	4	8	12	15	104	113	74	52	73	67	65
Female.....	436	1	7	12	15	61	39	25	28	19	34	26
White, both sexes.....	1,086	4	10	17	21	148	121	78	62	68	87	73
Male.....	716	3	5	9	12	93	95	60	40	50	56	50
Female.....	370	1	5	8	9	55	26	18	22	18	31	23
Black, both sexes.....	186	1	5	7	7	13	26	19	17	21	12	16
Male.....	132	1	3	3	2	9	15	13	12	20	10	14
Female.....	54	-	2	4	5	4	11	6	5	1	2	2
American Indian 1/, both sexes.....	16	-	-	-	2	1	2	1	1	1	-	1
Male.....	13	-	-	-	1	1	2	1	1	1	-	1
Female.....	3	-	-	-	1	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	3	3	1	-	2	2	1
Male.....	10	-	-	-	-	1	1	-	-	2	1	-
Female.....	9	-	-	-	-	2	2	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	282	-	4	5	3	42	41	16	9	15	22	18
Male.....	177	-	2	1	1	26	26	11	8	10	15	10
Female.....	105	-	2	4	2	16	15	5	1	5	7	8
White, both sexes.....	268	-	4	5	3	41	39	16	8	13	21	16
Male.....	170	-	2	1	1	26	24	11	8	9	14	10
Female.....	98	-	2	4	2	15	15	5	-	4	7	6
Black, both sexes.....	5	-	-	-	-	-	-	-	1	1	1	2
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	2
American Indian 1/, both sexes.....	6	-	-	-	-	-	2	-	-	1	-	-
Male.....	5	-	-	-	-	-	2	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	-	-	-

Nevada

All races, both sexes.....	422	2	4	3	15	38	40	33	28	37	38	31
Male.....	293	1	1	1	11	20	32	29	20	30	29	21
Female.....	129	1	3	2	4	18	8	4	8	7	9	10
White, both sexes.....	372	2	4	3	12	33	33	32	23	30	32	27
Male.....	265	1	1	1	10	17	28	29	17	26	26	19
Female.....	107	1	3	2	2	16	5	3	6	4	6	8
Black, both sexes.....	28	-	-	-	2	5	2	-	3	6	2	2
Male.....	20	-	-	-	1	3	1	-	3	4	1	1
Female.....	8	-	-	-	1	2	1	-	-	2	1	1
American Indian 1/, both sexes.....	8	-	-	-	-	-	2	-	2	1	2	1
Male.....	2	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	-	-	-	-	2	-	2	1	1	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	1	-	3	1	-	-	2	1
Male.....	6	-	-	-	-	-	3	-	-	-	1	-
Female.....	8	-	-	-	1	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
New Hampshire												
All races, both sexes.....	165	-	1	1	4	25	25	10	6	14	13	9
Male.....	117	-	1	1	2	15	22	10	4	11	10	7
Female.....	48	-	-	-	2	10	3	-	2	3	3	2
White, both sexes.....	165	-	1	1	4	25	25	10	6	14	13	9
Male.....	117	-	1	1	2	15	22	10	4	11	10	7
Female.....	48	-	-	-	2	10	3	-	2	3	3	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	771	-	5	5	18	74	85	70	66	55	60	54
Male.....	529	-	2	2	10	48	67	53	50	48	43	41
Female.....	242	-	3	3	8	26	18	17	16	7	17	13
White, both sexes.....	624	-	4	3	12	61	71	55	48	40	42	45
Male.....	429	-	2	1	7	41	56	40	37	37	30	36
Female.....	195	-	2	2	5	20	15	15	11	3	12	9
Black, both sexes.....	122	-	1	2	4	11	11	12	15	14	15	8
Male.....	84	-	-	1	2	6	9	10	11	11	11	4
Female.....	38	-	1	1	2	5	2	2	4	3	4	4
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	-	2	2	3	3	3	1	3	-
Male.....	15	-	-	-	1	1	2	3	2	-	2	-
Female.....	9	-	-	-	1	1	1	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
New Mexico												
All races, both sexes.....	480	2	8	9	12	54	72	43	41	34	37	29
Male.....	334	-	4	6	3	40	54	33	29	28	28	19
Female.....	146	2	4	3	9	14	18	10	12	6	9	10
White, both sexes.....	372	2	6	6	7	48	50	30	29	24	28	23
Male.....	259	-	3	4	2	35	40	23	21	20	21	15
Female.....	113	2	3	2	5	13	10	7	8	4	7	8
Black, both sexes.....	2	-	-	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	106	-	2	3	5	5	22	12	12	10	9	6
Male.....	73	-	1	2	1	4	14	9	8	8	7	4
Female.....	33	-	1	1	4	1	8	3	4	2	2	2
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	1,586	3	18	21	46	172	181	127	109	94	117	103
Male.....	1,092	3	15	12	30	117	147	106	82	74	91	75
Female.....	494	-	3	9	16	55	34	21	27	20	26	28
White, both sexes.....	1,311	2	15	13	33	141	150	91	85	79	95	86
Male.....	894	2	13	6	23	95	123	75	62	62	74	62
Female.....	417	-	2	7	10	46	27	16	23	17	21	24
Black, both sexes.....	209	1	3	5	13	26	22	31	22	10	16	15
Male.....	158	1	2	3	7	18	20	26	18	8	13	12
Female.....	51	-	1	2	6	8	2	5	4	2	3	3
American Indian 1/, both sexes.....	6	-	-	-	-	1	-	-	1	2	-	-
Male.....	5	-	-	-	-	1	-	-	1	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	3	-	4	9	5	1	3	6	2
Male.....	35	-	-	3	-	3	4	5	1	2	4	1
Female.....	25	-	-	-	-	1	5	-	-	1	2	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Ohio												
All races, both sexes.....	1,383	4	15	13	34	206	177	105	82	102	88	126
Male.....	972	2	6	10	18	146	143	73	57	81	70	95
Female.....	411	2	9	3	16	60	34	32	25	21	18	31
White, both sexes.....	1,236	2	13	12	27	185	162	86	71	91	84	109
Male.....	864	-	5	9	14	129	131	62	49	73	66	83
Female.....	372	2	8	3	13	56	31	24	22	18	18	26
Black, both sexes.....	135	2	2	1	6	21	13	18	11	11	4	13
Male.....	102	2	1	1	4	17	11	11	8	8	4	10
Female.....	33	-	1	-	2	4	2	7	3	3	-	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	1	-	2	-	-	-	-	4
Male.....	5	-	-	-	-	-	1	-	-	-	-	2
Female.....	5	-	-	-	1	-	1	-	-	-	-	2
Oklahoma												
All races, both sexes.....	765	3	14	12	14	103	97	66	57	37	66	53
Male.....	515	2	7	9	8	72	71	46	36	25	56	33
Female.....	250	1	7	3	6	31	26	20	21	12	10	20
White, both sexes.....	628	2	9	8	10	90	79	46	41	27	55	42
Male.....	427	1	4	6	6	67	59	33	23	21	45	27
Female.....	201	1	5	2	4	23	20	13	18	6	10	15
Black, both sexes.....	46	-	3	1	2	4	8	10	4	2	3	2
Male.....	30	-	2	1	2	1	6	6	4	-	3	2
Female.....	16	-	1	-	-	3	2	4	-	2	-	-
American Indian 1/, both sexes.....	87	1	2	3	2	9	10	8	11	8	8	9
Male.....	57	1	1	2	-	4	6	7	8	4	8	4
Female.....	30	-	1	1	2	5	4	1	3	4	-	5
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	2	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Oregon												
All races, both sexes.....	501	2	10	13	10	52	65	35	37	29	38	38
Male.....	334	1	5	6	7	31	48	31	27	21	25	26
Female.....	167	1	5	7	3	21	17	4	10	8	13	12
White, both sexes.....	464	2	8	12	9	50	60	29	31	26	36	35
Male.....	313	1	5	5	6	31	46	27	23	19	24	23
Female.....	151	1	3	7	3	19	14	2	8	7	12	12
Black, both sexes.....	4	-	-	-	1	-	1	-	2	-	-	-
Male.....	4	-	-	-	1	-	1	-	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	21	-	2	-	-	2	4	3	-	3	2	2
Male.....	9	-	-	-	-	-	1	1	-	2	1	2
Female.....	12	-	2	-	-	2	3	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	12	-	-	1	-	-	-	3	4	-	-	1
Male.....	8	-	-	1	-	-	-	3	2	-	-	1
Female.....	4	-	-	-	-	-	-	-	2	-	-	-
Pennsylvania												
All races, both sexes.....	1,595	3	19	11	26	188	186	129	94	95	120	117
Male.....	1,085	1	8	6	18	128	146	101	70	73	90	83
Female.....	510	2	11	5	8	60	40	28	24	22	30	34
White, both sexes.....	1,472	3	13	6	25	177	166	112	84	89	116	108
Male.....	1,002	1	4	4	18	120	129	88	63	68	88	77
Female.....	470	2	9	2	7	57	37	24	21	21	28	31
Black, both sexes.....	110	-	6	5	1	8	16	16	9	6	3	9
Male.....	77	-	4	2	-	7	14	13	7	5	2	6
Female.....	33	-	2	3	1	1	2	3	2	1	1	3
American Indian 1/, both sexes.....	3	-	-	-	-	1	2	-	-	-	-	-
Male.....	1	-	-	-	-	1	1	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	-	-	-	-	2	2	1	1	-	1	-
Male.....	5	-	-	-	-	1	2	-	-	-	-	-
Female.....	5	-	-	-	-	1	-	1	1	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Rhode Island												
All races, both sexes.....	99	-	-	-	-	18	12	8	8	7	4	9
Male.....	73	-	-	-	-	11	9	8	6	5	3	7
Female.....	26	-	-	-	-	7	3	-	2	2	1	2
White, both sexes.....	90	-	-	-	-	16	11	6	6	6	4	9
Male.....	65	-	-	-	-	9	8	6	4	5	3	7
Female.....	25	-	-	-	-	7	3	-	2	1	1	2
Black, both sexes.....	8	-	-	-	-	2	1	2	2	-	-	-
Male.....	8	-	-	-	-	2	1	2	2	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	1,034	1	11	5	18	112	138	104	93	76	101	79
Male.....	763	1	7	1	10	77	107	80	79	57	79	60
Female.....	271	-	4	4	8	35	31	24	14	19	22	19
White, both sexes.....	689	1	6	2	10	85	96	70	64	46	69	51
Male.....	507	1	3	1	5	56	76	53	54	32	56	38
Female.....	182	-	3	1	5	29	20	17	10	14	13	13
Black, both sexes.....	338	-	5	3	7	26	40	32	28	30	32	28
Male.....	251	-	4	-	5	20	30	25	24	25	23	22
Female.....	87	-	1	3	2	6	10	7	4	5	9	6
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	1	-	1	2	1	-	-	-
Male.....	3	-	-	-	-	-	-	2	1	-	-	-
Female.....	2	-	-	-	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

South Dakota

All races, both sexes.....	189	1	4	7	6	19	25	15	8	20	10	13
Male.....	121	-	3	1	2	11	16	7	7	14	8	9
Female.....	68	1	1	6	4	8	9	8	1	6	2	4
White, both sexes.....	123	-	1	5	2	10	10	10	3	14	9	8
Male.....	82	-	-	1	1	5	8	6	3	10	8	6
Female.....	41	-	1	4	1	5	2	4	-	4	1	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	65	1	3	2	4	9	15	5	5	6	1	4
Male.....	39	-	3	-	1	6	8	1	4	4	-	3
Female.....	26	1	-	2	3	3	7	4	1	2	1	1
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1

Tennessee

All races, both sexes.....	1,386	4	12	6	37	165	168	119	104	95	108	123
Male.....	966	3	7	3	20	112	129	98	64	72	83	87
Female.....	420	1	5	3	17	53	39	21	40	23	25	36
White, both sexes.....	1,207	4	9	4	34	146	151	90	88	83	91	101
Male.....	837	3	5	1	19	96	120	74	52	63	69	72
Female.....	370	1	4	3	15	50	31	16	36	20	22	29
Black, both sexes.....	168	-	3	1	3	19	15	23	16	12	16	22
Male.....	121	-	2	1	1	16	8	19	12	9	13	15
Female.....	47	-	1	-	2	3	7	4	4	3	3	7
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	-	1	-	-	2	6	-	-	1	-
Male.....	8	-	-	1	-	-	1	5	-	-	1	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Texas												
All races, both sexes.....	3,864	19	102	82	102	418	547	345	291	290	317	288
Male.....	2,679	10	55	48	67	291	410	262	215	202	219	196
Female.....	1,185	9	47	34	35	127	137	83	76	88	98	92
White, both sexes.....	3,376	16	82	67	87	380	485	300	243	245	280	246
Male.....	2,349	8	44	41	58	266	369	229	179	173	193	169
Female.....	1,027	8	38	26	29	114	116	71	64	72	87	77
Black, both sexes.....	419	3	20	12	11	33	48	42	41	39	30	40
Male.....	285	2	11	6	6	21	30	31	30	26	22	25
Female.....	134	1	9	6	5	12	18	11	11	13	8	15
American Indian 1/, both sexes.....	12	-	-	1	-	1	2	1	4	-	1	1
Male.....	8	-	-	-	-	1	1	-	4	-	1	1
Female.....	4	-	-	1	-	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	57	-	-	2	4	4	12	2	3	6	6	1
Male.....	37	-	-	1	3	3	10	2	2	3	3	1
Female.....	20	-	-	1	1	1	2	-	1	3	3	-
Utah												
All races, both sexes.....	321	4	11	4	11	27	44	42	24	16	25	15
Male.....	206	3	5	1	7	19	29	30	17	11	16	9
Female.....	115	1	6	3	4	8	15	12	7	5	9	6
White, both sexes.....	305	4	10	4	11	27	38	39	21	16	23	15
Male.....	197	3	4	1	7	19	25	29	16	11	14	9
Female.....	108	1	6	3	4	8	13	10	5	5	9	6
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	-	3	2	2	-	1	-
Male.....	4	-	-	-	-	-	2	1	-	-	1	-
Female.....	4	-	-	-	-	-	1	1	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	1	-	-	-	3	1	-	-	1	-
Male.....	4	-	1	-	-	-	2	-	-	-	1	-
Female.....	3	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Vermont												
All races, both sexes.....	83	-	-	-	2	11	11	7	6	5	3	7
Male.....	55	-	-	-	2	7	6	6	3	4	2	7
Female.....	28	-	-	-	-	4	5	1	3	1	1	-
White, both sexes.....	81	-	-	-	2	11	11	7	5	4	3	7
Male.....	55	-	-	-	2	7	6	6	3	4	2	7
Female.....	26	-	-	-	-	4	5	1	2	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Virginia												
All races, both sexes.....	1,016	1	8	14	15	122	130	102	76	49	92	71
Male.....	710	-	7	9	9	85	101	77	56	31	68	49
Female.....	306	1	1	5	6	37	29	25	20	18	24	22
White, both sexes.....	793	1	4	12	12	101	105	78	62	32	69	50
Male.....	550	-	3	8	6	70	83	59	45	20	52	33
Female.....	243	1	1	4	6	31	22	19	17	12	17	17
Black, both sexes.....	201	-	4	2	3	19	23	21	12	16	21	17
Male.....	148	-	4	1	3	15	16	16	9	11	14	14
Female.....	53	-	-	1	-	4	7	5	3	5	7	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	-	-	-	-	2	1	3	2	1	2	4
Male.....	11	-	-	-	-	-	1	2	2	-	2	2
Female.....	10	-	-	-	-	2	-	1	-	1	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Washington												
All races, both sexes.....	669	1	8	9	9	81	108	50	42	40	50	50
Male.....	472	-	6	5	8	57	82	43	31	27	36	33
Female.....	197	1	2	4	1	24	26	7	11	13	14	17
White, both sexes.....	592	1	5	8	9	66	98	39	33	33	45	45
Male.....	420	-	4	4	8	47	76	33	25	24	32	29
Female.....	172	1	1	4	1	19	22	6	8	9	13	16
Black, both sexes.....	19	-	1	-	-	-	3	4	3	2	2	2
Male.....	15	-	-	-	-	-	2	4	2	1	2	2
Female.....	4	-	1	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	31	-	1	-	-	9	3	3	4	4	3	1
Male.....	21	-	1	-	-	5	2	3	3	2	2	1
Female.....	10	-	-	-	-	4	1	-	1	2	1	-
Asian or Pacific Islander 2/, both sexes.....	27	-	1	1	-	6	4	4	2	1	-	2
Male.....	16	-	1	1	-	5	2	3	1	-	-	1
Female.....	11	-	-	-	-	1	2	1	1	1	-	1
West Virginia												
All races, both sexes.....	414	-	5	6	9	49	52	31	31	30	29	36
Male.....	265	-	2	4	6	35	37	22	18	21	21	25
Female.....	149	-	3	2	3	14	15	9	13	9	8	11
White, both sexes.....	404	-	4	6	8	48	50	31	30	30	29	35
Male.....	258	-	1	4	6	35	35	22	17	21	21	24
Female.....	146	-	3	2	2	13	15	9	13	9	8	11
Black, both sexes.....	8	-	1	-	1	-	1	-	1	-	1	1
Male.....	6	-	1	-	-	-	1	-	1	-	-	1
Female.....	2	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	14	6	4	2	2	4	3	1	-	-	-	-
Male.....	11	6	4	1	2	3	3	1	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	10	5	2	2	2	4	2	1	-	-	-	-
Male.....	9	5	2	1	2	3	2	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	2	-	-	-	1	-	-	-	-	-
Male.....	2	-	2	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	70	67	34	41	40	48	36	18	11	1	-	11
Male.....	49	49	21	27	16	22	21	10	8	1	-	10
Female.....	21	18	13	14	24	26	15	8	3	-	-	1
White, both sexes.....	56	61	30	35	32	42	31	17	10	1	-	9
Male.....	40	44	18	24	13	20	19	10	7	1	-	9
Female.....	16	17	12	11	19	22	12	7	3	-	-	-
Black, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	12	6	3	5	8	6	3	1	1	-	-	2
Male.....	8	5	3	2	3	2	1	-	1	-	-	1
Female.....	4	1	-	3	5	4	2	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Arkansas												
All races, both sexes.....	40	40	22	28	15	28	23	12	2	5	-	-
Male.....	29	24	14	21	9	17	13	7	1	1	-	-
Female.....	11	16	8	7	6	11	10	5	1	4	-	-
White, both sexes.....	29	29	19	23	14	24	21	12	2	5	-	-
Male.....	20	16	12	17	9	15	13	7	1	1	-	-
Female.....	9	13	7	6	5	9	8	5	1	4	-	-
Black, both sexes.....	10	10	1	5	1	4	2	-	-	-	-	-
Male.....	8	7	-	4	-	2	-	-	-	-	-	-
Female.....	2	3	1	1	1	2	2	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	305	202	183	145	125	138	134	85	24	6	-	3
Male.....	204	142	131	78	80	81	83	41	13	4	-	1
Female.....	101	60	52	67	45	57	51	44	11	2	-	2
White, both sexes.....	239	166	150	108	100	110	119	74	22	6	-	3
Male.....	162	115	113	61	67	69	74	35	12	4	-	1
Female.....	77	51	37	47	33	41	45	39	10	2	-	2
Black, both sexes.....	33	17	9	7	3	4	2	4	1	-	-	-
Male.....	21	14	6	4	1	3	2	2	-	-	-	-
Female.....	12	3	3	3	2	1	-	2	1	-	-	-
American Indian 1/, both sexes.....	4	-	2	4	1	1	1	-	-	-	-	-
Male.....	4	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	2	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	19	22	26	21	23	12	7	1	-	-	-
Male.....	17	13	11	11	12	9	7	4	1	-	-	-
Female.....	12	6	11	15	9	14	5	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Massachusetts												
All races, both sexes.....	30	24	32	14	13	19	30	16	8	2	-	-
Male.....	24	19	20	8	7	8	12	4	2	1	-	-
Female.....	6	5	12	6	6	11	18	12	6	1	-	-
White, both sexes.....	28	23	31	13	10	18	29	16	8	2	-	-
Male.....	22	18	20	7	6	7	11	4	2	1	-	-
Female.....	6	5	11	6	4	11	18	12	6	1	-	-
Black, both sexes.....	1	-	1	-	2	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	1	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	1	1	-	1	-	-	-	-	-
Male.....	1	1	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	87	60	62	48	50	43	54	33	14	2	-	-
Male.....	66	39	39	35	33	20	32	16	4	-	-	-
Female.....	21	21	23	13	17	23	22	17	10	2	-	-
White, both sexes.....	69	49	56	43	42	40	51	32	13	2	-	-
Male.....	51	33	34	31	27	19	29	16	3	-	-	-
Female.....	18	16	22	12	15	21	22	16	10	2	-	-
Black, both sexes.....	15	7	4	4	6	2	2	1	1	-	-	-
Male.....	12	3	3	4	5	-	2	-	1	-	-	-
Female.....	3	4	1	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	2	2	1	1	1	-	-	-	-	-	-	-
Male.....	2	2	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	1	1	1	-	-	-	-	-
Male.....	1	1	1	-	-	1	1	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Nebraska												
All races, both sexes.....	26	14	10	8	12	11	11	12	3	-	-	-
Male.....	21	10	5	6	5	5	5	8	2	-	-	-
Female.....	5	4	5	2	7	6	6	4	1	-	-	-
White, both sexes.....	23	13	9	8	12	11	11	12	3	-	-	-
Male.....	19	9	5	6	5	5	5	8	2	-	-	-
Female.....	4	4	4	2	7	6	6	4	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	-	-	-	-	-	-	-	-	-	-
Male.....	2	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-	-
Nevada												
All races, both sexes.....	24	29	33	20	8	23	11	4	1	-	-	-
Male.....	18	21	18	14	7	10	7	2	1	-	-	-
Female.....	6	8	15	6	1	13	4	2	-	-	-	-
White, both sexes.....	22	26	33	18	6	20	11	4	1	-	-	-
Male.....	16	19	18	14	5	8	7	2	1	-	-	-
Female.....	6	7	15	4	1	12	4	2	-	-	-	-
Black, both sexes.....	2	-	-	-	2	2	-	-	-	-	-	-
Male.....	2	-	-	-	2	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	3	-	2	-	1	-	-	-	-	-	-
Male.....	-	2	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	2	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
New Hampshire												
All races, both sexes.....	14	8	4	3	10	5	7	6	-	-	-	-
Male.....	11	7	2	2	2	3	3	4	-	-	-	-
Female.....	3	1	2	1	8	2	4	2	-	-	-	-
White, both sexes.....	14	8	4	3	10	5	7	6	-	-	-	-
Male.....	11	7	2	2	2	3	3	4	-	-	-	-
Female.....	3	1	2	1	8	2	4	2	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	43	38	37	25	32	31	35	20	17	1	-	-
Male.....	34	27	23	16	17	15	17	9	6	1	-	-
Female.....	9	11	14	9	15	16	18	11	11	-	-	-
White, both sexes.....	34	32	30	21	29	26	34	19	17	1	-	-
Male.....	25	24	18	13	15	14	17	9	6	1	-	-
Female.....	9	8	12	8	14	12	17	10	11	-	-	-
Black, both sexes.....	8	4	6	4	2	3	1	1	-	-	-	-
Male.....	8	1	4	3	2	1	-	-	-	-	-	-
Female.....	-	3	2	1	-	2	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	1	2	-	-	-	-	-	-
Male.....	1	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	30	25	19	23	9	12	10	7	3	-	-	1
Male.....	23	18	9	17	4	7	7	3	2	-	-	-
Female.....	7	7	10	6	5	5	3	4	1	-	-	1
White, both sexes.....	27	19	19	19	7	10	7	7	3	-	-	1
Male.....	21	12	9	14	3	6	5	3	2	-	-	-
Female.....	6	7	10	5	4	4	2	4	1	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	6	-	4	2	2	3	-	-	-	-	-
Male.....	2	6	-	3	1	1	2	-	-	-	-	-
Female.....	1	-	-	1	1	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	79	83	66	61	72	93	85	37	18	1	-	-
Male.....	57	51	42	39	33	47	42	18	10	1	-	-
Female.....	22	32	24	22	39	46	43	19	8	-	-	-
White, both sexes.....	63	74	55	51	62	84	80	35	16	1	-	-
Male.....	48	48	33	32	28	43	39	17	8	1	-	-
Female.....	15	26	22	19	34	41	41	18	8	-	-	-
Black, both sexes.....	10	4	7	6	4	8	3	1	2	-	-	-
Male.....	6	1	5	6	3	4	2	1	2	-	-	-
Female.....	4	3	2	-	1	4	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	5	4	3	5	1	2	1	-	-	-	-
Male.....	3	2	4	1	1	-	1	-	-	-	-	-
Female.....	3	3	-	2	4	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Oregon												
All races, both sexes.....	36	33	21	18	16	19	14	9	3	3	-	-
Male.....	25	20	15	10	7	12	9	4	1	3	-	-
Female.....	11	13	6	8	9	7	5	5	2	-	-	-
White, both sexes.....	35	32	21	17	16	18	13	8	3	3	-	-
Male.....	24	20	15	10	7	12	8	3	1	3	-	-
Female.....	11	12	6	7	9	6	5	5	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	95	89	68	65	70	78	75	47	16	3	-	1
Male.....	73	58	47	36	43	41	31	25	7	-	-	-
Female.....	22	31	21	29	27	37	44	22	9	3	-	1
White, both sexes.....	90	80	64	64	67	76	70	47	12	2	-	1
Male.....	70	53	44	36	41	40	28	25	5	-	-	-
Female.....	20	27	20	28	26	36	42	22	7	2	-	1
Black, both sexes.....	5	8	4	1	3	2	4	-	3	1	-	-
Male.....	3	4	3	-	2	1	2	-	2	-	-	-
Female.....	2	4	1	1	1	1	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	1	-	1	-	-	-
Male.....	-	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Texas												
All races, both sexes.....	210	195	138	115	103	121	85	57	30	5	-	4
Male.....	150	138	100	76	59	69	56	37	15	1	-	3
Female.....	60	57	38	39	44	52	29	20	15	4	-	1
White, both sexes.....	176	168	124	107	97	105	79	53	28	4	-	4
Male.....	129	116	87	70	55	60	52	33	14	1	-	3
Female.....	47	52	37	37	42	45	27	20	14	3	-	1
Black, both sexes.....	29	25	9	8	5	12	6	3	2	1	-	-
Male.....	20	22	9	6	3	7	4	3	1	-	-	-
Female.....	9	3	-	2	2	5	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	5	-	1	3	-	1	-	-	-	-
Male.....	1	-	4	-	1	2	-	1	-	-	-	-
Female.....	4	2	1	-	-	1	-	-	-	-	-	-
Utah												
All races, both sexes.....	19	21	9	9	5	12	10	9	3	1	-	-
Male.....	16	13	6	5	4	6	3	4	1	1	-	-
Female.....	3	8	3	4	1	6	7	5	2	-	-	-
White, both sexes.....	19	21	9	9	5	11	10	9	3	1	-	-
Male.....	16	13	6	5	4	6	3	4	1	1	-	-
Female.....	3	8	3	4	1	5	7	5	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
Vermont												
All races, both sexes.....	5	6	4	5	4	5	-	-	2	-	-	-
Male.....	4	4	2	4	2	1	-	-	1	-	-	-
Female.....	1	2	2	1	2	4	-	-	1	-	-	-
White, both sexes.....	5	6	4	5	4	5	-	-	2	-	-	-
Male.....	4	4	2	4	2	1	-	-	1	-	-	-
Female.....	1	2	2	1	2	4	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	60	50	36	45	41	46	32	22	4	-	-	-
Male.....	44	34	27	31	25	22	19	14	2	-	-	-
Female.....	16	16	9	14	16	24	13	8	2	-	-	-
White, both sexes.....	47	35	26	39	34	38	27	17	4	-	-	-
Male.....	36	23	20	28	19	17	16	10	2	-	-	-
Female.....	11	12	6	11	15	21	11	7	2	-	-	-
Black, both sexes.....	13	15	8	5	6	7	4	5	-	-	-	-
Male.....	8	11	6	3	6	5	2	4	-	-	-	-
Female.....	5	4	2	2	-	2	2	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	1	1	1	1	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	1	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Arkansas

All races, both sexes.....	22	-	-	1	1	2	-	-	1	1	3	-
Male.....	16	-	-	-	1	2	-	-	1	1	1	-
Female.....	6	-	-	1	-	-	-	-	-	-	2	-
White, both sexes.....	18	-	-	1	1	2	-	-	-	1	3	-
Male.....	12	-	-	-	1	2	-	-	-	1	1	-
Female.....	6	-	-	1	-	-	-	-	-	-	2	-
Black, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	508	2	28	13	18	21	27	22	36	33	37	39
Male.....	342	1	19	10	9	17	22	18	26	20	26	25
Female.....	166	1	9	3	9	4	5	4	10	13	11	14
White, both sexes.....	405	2	27	10	14	19	20	17	31	28	34	30
Male.....	280	1	19	8	7	15	16	14	23	17	26	21
Female.....	125	1	8	2	7	4	4	3	8	11	8	9
Black, both sexes.....	38	-	1	2	1	2	4	1	2	3	1	5
Male.....	29	-	-	2	1	2	4	1	2	2	-	2
Female.....	9	-	1	-	-	-	-	-	-	1	1	3
American Indian 1/, both sexes.....	5	-	-	-	-	-	1	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	60	-	-	1	3	-	2	4	3	2	2	3
Male.....	29	-	-	-	1	-	2	3	1	1	-	1
Female.....	31	-	-	1	2	-	-	1	2	1	2	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Pedestrian involved in collision with motor vehicle (V02-V04)												
Massachusetts												
All races, both sexes.....	30	-	-	-	1	1	-	3	3	1	-	1
Male.....	12	-	-	-	-	1	-	2	1	1	-	-
Female.....	18	-	-	-	1	-	-	1	2	-	-	1
White, both sexes.....	25	-	-	-	1	1	-	2	1	1	-	1
Male.....	9	-	-	-	-	1	-	2	-	1	-	-
Female.....	16	-	-	-	1	-	-	-	1	-	-	1
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-
Michigan												
All races, both sexes.....	67	1	1	2	1	2	10	7	2	3	4	7
Male.....	45	1	1	2	-	1	6	7	2	2	3	5
Female.....	22	-	-	-	1	1	4	-	-	1	1	2
White, both sexes.....	52	1	1	1	-	2	4	5	2	3	3	6
Male.....	34	1	1	1	-	1	3	5	2	2	2	4
Female.....	18	-	-	-	-	1	1	-	-	1	1	2
Black, both sexes.....	12	-	-	1	1	-	5	1	-	-	1	1
Male.....	9	-	-	1	-	-	3	1	-	-	1	1
Female.....	3	-	-	-	1	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pedestrian involved in collision with motor vehicle (V02-V04)

New Mexico

All races, both sexes.....	49	-	2	1	-	2	2	7	2	4	7	4
Male.....	37	-	2	1	-	1	2	6	-	4	5	3
Female.....	12	-	-	-	-	1	-	1	2	-	2	1
White, both sexes.....	29	-	1	1	-	1	1	5	1	2	3	1
Male.....	22	-	1	1	-	1	1	4	-	2	2	1
Female.....	7	-	-	-	-	-	-	1	1	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	20	-	1	-	-	1	1	2	1	2	4	3
Male.....	15	-	1	-	-	-	1	2	-	2	3	2
Female.....	5	-	-	-	-	1	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	186	-	5	2	7	5	12	4	8	10	11	19
Male.....	117	-	4	1	6	4	9	2	5	8	10	10
Female.....	69	-	1	1	1	1	3	2	3	2	1	9
White, both sexes.....	159	-	5	2	7	4	9	3	7	7	11	17
Male.....	101	-	4	1	6	3	7	2	4	6	10	9
Female.....	58	-	1	1	1	1	2	1	3	1	1	8
Black, both sexes.....	17	-	-	-	-	1	2	1	1	2	-	2
Male.....	11	-	-	-	-	1	2	-	1	1	-	1
Female.....	6	-	-	-	-	-	-	1	-	1	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	-	-
Male.....	2	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Arkansas

All races, both sexes.....	2	4	-	3	1	1	2	-	-	-	-	-
Male.....	1	4	-	2	-	1	2	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	1	3	-	2	1	1	2	-	-	-	-	-
Male.....	-	3	-	1	-	1	2	-	-	-	-	-
Female.....	1	-	-	1	1	-	-	-	-	-	-	-
Black, both sexes.....	1	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	47	38	34	21	19	25	25	18	1	2	-	2
Male.....	33	25	20	10	10	16	21	11	1	1	-	1
Female.....	14	13	14	11	9	9	4	7	-	1	-	1
White, both sexes.....	37	33	21	13	16	15	20	13	1	2	-	2
Male.....	25	20	15	5	10	11	17	7	1	1	-	1
Female.....	12	13	6	8	6	4	3	6	-	1	-	1
Black, both sexes.....	6	4	1	1	1	1	1	1	-	-	-	-
Male.....	5	4	-	1	-	1	1	1	-	-	-	-
Female.....	1	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	2	-	-	-	-	-	-	-	-
Male.....	-	-	1	2	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	11	5	2	9	4	4	-	-	-	-
Male.....	3	1	4	2	-	4	3	3	-	-	-	-
Female.....	1	-	7	3	2	5	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Nebraska

All races, both sexes.....	2	-	1	-	-	1	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	1	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	3	1	6	4	-	5	1	-	-	-	-	-
Male.....	2	-	3	2	-	4	1	-	-	-	-	-
Female.....	1	1	3	2	-	1	-	-	-	-	-	-
White, both sexes.....	2	1	6	3	-	4	1	-	-	-	-	-
Male.....	1	-	3	2	-	4	1	-	-	-	-	-
Female.....	1	1	3	1	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
New Mexico												
All races, both sexes.....	6	3	4	3	-	-	1	-	-	-	-	1
Male.....	5	3	2	2	-	-	1	-	-	-	-	-
Female.....	1	-	2	1	-	-	-	-	-	-	-	1
White, both sexes.....	5	1	4	1	-	-	1	-	-	-	-	1
Male.....	4	1	2	1	-	-	1	-	-	-	-	-
Female.....	1	-	2	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	-	2	-	-	-	-	-	-	-	-
Male.....	1	2	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	8	11	13	7	20	18	15	7	3	1	-	-
Male.....	7	5	9	4	10	8	8	4	2	1	-	-
Female.....	1	6	4	3	10	10	7	3	1	-	-	-
White, both sexes.....	6	10	11	5	16	14	15	6	3	1	-	-
Male.....	6	5	8	2	7	6	8	4	2	1	-	-
Female.....	-	5	3	3	9	8	7	2	1	-	-	-
Black, both sexes.....	2	-	1	1	1	3	-	-	-	-	-	-
Male.....	1	-	-	1	1	2	-	-	-	-	-	-
Female.....	1	-	1	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	1	2	1	-	1	-	-	-	-
Male.....	-	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Pedestrian involved in collision with motor vehicle (V02-V04)

Vermont

All races, both sexes.....	1	1	1	-	-	1	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
White, both sexes.....	1	1	1	-	-	1	-	-	-	-	-	-
Male.....	1	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	4	6	5	3	3	4	5	7	-	-	-	-
Male.....	4	4	5	2	2	1	2	5	-	-	-	-
Female.....	-	2	-	1	1	3	3	2	-	-	-	-
White, both sexes.....	3	5	2	2	2	2	4	5	-	-	-	-
Male.....	3	3	2	2	2	-	1	3	-	-	-	-
Female.....	-	2	-	-	-	2	3	2	-	-	-	-
Black, both sexes.....	1	1	3	-	-	1	-	2	-	-	-	-
Male.....	1	1	3	-	-	1	-	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)

Arkansas

All races, both sexes.....	5	-	-	2	-	-	1	-	-	1	1	-
Male.....	4	-	-	2	-	-	1	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
White, both sexes.....	4	-	-	2	-	-	1	-	-	1	-	-
Male.....	3	-	-	2	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	96	-	1	4	6	10	7	5	5	9	10	9
Male.....	88	-	1	4	5	8	6	5	4	8	10	9
Female.....	8	-	-	-	1	2	1	-	1	1	-	-
White, both sexes.....	86	-	1	2	6	8	7	4	4	9	10	8
Male.....	80	-	1	2	5	7	6	4	4	8	10	8
Female.....	6	-	-	-	1	1	1	-	-	1	-	-
Black, both sexes.....	5	-	-	2	-	-	-	1	-	-	-	1
Male.....	5	-	-	2	-	-	-	1	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	-	1	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)

Rhode Island

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

South Carolina

All races, both sexes.....	20	-	-	1	1	-	2	2	1	3	6	1
Male.....	18	-	-	-	-	-	2	2	1	3	6	1
Female.....	2	-	-	1	1	-	-	-	-	-	-	-
White, both sexes.....	13	-	-	-	-	-	2	2	1	-	5	-
Male.....	13	-	-	-	-	-	2	2	1	-	5	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	6	-	-	1	-	-	-	-	-	3	1	1
Male.....	5	-	-	-	-	-	-	-	-	3	1	1
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)

Arkansas

All races, both sexes.....	50	-	-	1	-	3	4	7	7	5	6	8
Male.....	39	-	-	1	-	3	2	6	5	5	5	5
Female.....	11	-	-	-	-	-	2	1	2	-	1	3
White, both sexes.....	45	-	-	-	-	3	3	6	7	4	6	8
Male.....	34	-	-	-	-	3	1	5	5	4	5	5
Female.....	11	-	-	-	-	-	2	1	2	-	1	3
Black, both sexes.....	5	-	-	1	-	-	1	1	-	1	-	-
Male.....	5	-	-	1	-	-	1	1	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	450	-	-	3	3	33	74	44	48	45	59	43
Male.....	406	-	-	2	3	32	71	40	47	40	51	37
Female.....	44	-	-	1	-	1	3	4	1	5	8	6
White, both sexes.....	387	-	-	2	3	26	66	37	35	40	54	39
Male.....	350	-	-	1	3	26	63	34	34	37	46	33
Female.....	37	-	-	1	-	-	3	3	1	3	8	6
Black, both sexes.....	33	-	-	-	-	4	3	3	8	3	3	3
Male.....	32	-	-	-	-	4	3	3	8	2	3	3
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	1	-	-	-	-	-	1
Male.....	3	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	1	-	2	5	4	5	2	2	-
Male.....	21	-	-	1	-	1	5	3	5	1	2	-
Female.....	6	-	-	-	-	1	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Arkansas

All races, both sexes.....	60	1	-	3	-	10	8	9	4	5	3	1
Male.....	35	-	-	2	-	6	6	3	2	4	2	-
Female.....	25	1	-	1	-	4	2	6	2	1	1	1
White, both sexes.....	51	1	-	3	-	10	6	8	3	3	3	1
Male.....	29	-	-	2	-	6	6	2	1	2	2	-
Female.....	22	1	-	1	-	4	-	6	2	1	1	1
Black, both sexes.....	8	-	-	-	-	-	2	1	1	2	-	-
Male.....	5	-	-	-	-	-	-	1	1	2	-	-
Female.....	3	-	-	-	-	-	2	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	360	1	4	1	6	58	67	45	33	30	18	15
Male.....	270	-	1	-	2	41	52	38	28	26	15	13
Female.....	90	1	3	1	4	17	15	7	5	4	3	2
White, both sexes.....	277	1	3	1	5	47	49	40	19	23	15	9
Male.....	215	-	-	-	2	34	40	35	15	22	13	8
Female.....	62	1	3	1	3	13	9	5	4	1	2	1
Black, both sexes.....	48	-	1	-	1	7	6	4	8	5	2	4
Male.....	35	-	1	-	-	6	4	2	8	4	1	4
Female.....	13	-	-	-	1	1	2	2	-	1	1	-
American Indian 1/, both sexes.....	4	-	-	-	-	-	1	1	1	-	-	-
Male.....	2	-	-	-	-	-	-	1	1	-	-	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	31	-	-	-	-	4	11	-	5	2	1	2
Male.....	18	-	-	-	-	1	8	-	4	-	1	1
Female.....	13	-	-	-	-	3	3	-	1	2	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Hawaii

All races, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1
Male.....	4	-	-	-	-	-	-	-	-	1	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Idaho

All races, both sexes.....	23	-	-	-	1	4	3	3	1	1	1	1
Male.....	19	-	-	-	1	4	2	3	-	1	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	1	1
White, both sexes.....	21	-	-	-	1	4	2	3	1	1	1	1
Male.....	18	-	-	-	1	4	2	3	-	1	-	-
Female.....	3	-	-	-	-	-	-	-	1	-	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Illinois

All races, both sexes.....	187	-	2	1	1	28	43	24	13	10	14	9
Male.....	137	-	1	-	-	20	33	17	12	9	13	5
Female.....	50	-	1	1	1	8	10	7	1	1	1	4
White, both sexes.....	137	-	1	-	-	23	34	20	10	7	8	5
Male.....	105	-	1	-	-	18	27	15	9	7	8	3
Female.....	32	-	-	-	-	5	7	5	1	-	-	2
Black, both sexes.....	48	-	1	1	1	4	9	4	3	3	5	4
Male.....	31	-	-	-	-	1	6	2	3	2	5	2
Female.....	17	-	1	1	1	3	3	2	-	1	-	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	-	-	-	-	1	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-

Indiana

All races, both sexes.....	61	-	-	1	1	16	13	5	2	2	2	4
Male.....	41	-	-	1	1	10	9	3	2	1	1	4
Female.....	20	-	-	-	-	6	4	2	-	1	1	-
White, both sexes.....	56	-	-	-	1	13	13	5	2	1	2	4
Male.....	37	-	-	-	1	8	9	3	2	-	1	4
Female.....	19	-	-	-	-	5	4	2	-	1	1	-
Black, both sexes.....	4	-	-	1	-	2	-	-	-	1	-	-
Male.....	4	-	-	1	-	2	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

New Mexico

All races, both sexes.....	28	-	1	-	-	6	6	1	2	1	4	2
Male.....	22	-	-	-	-	5	4	1	2	1	3	2
Female.....	6	-	1	-	-	1	2	-	-	-	1	-
White, both sexes.....	25	-	1	-	-	6	5	1	2	1	3	2
Male.....	20	-	-	-	-	5	4	1	2	1	2	2
Female.....	5	-	1	-	-	1	1	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	146	-	-	-	1	36	26	14	6	15	11	6
Male.....	106	-	-	-	1	24	19	14	3	12	8	4
Female.....	40	-	-	-	-	12	7	-	3	3	3	2
White, both sexes.....	116	-	-	-	-	28	22	10	4	13	8	4
Male.....	87	-	-	-	-	18	17	10	2	11	6	3
Female.....	29	-	-	-	-	10	5	-	2	2	2	1
Black, both sexes.....	22	-	-	-	1	6	3	4	2	1	-	2
Male.....	14	-	-	-	1	4	2	4	1	-	-	1
Female.....	8	-	-	-	-	2	1	-	1	1	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	2	1	-	-	1	3	-
Male.....	5	-	-	-	-	2	-	-	-	1	2	-
Female.....	3	-	-	-	-	-	1	-	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57, V60-V61,V66-V67,V70-V71,V76-V77)

Texas

All races, both sexes.....	614	1	5	4	7	102	142	58	52	45	42	38
Male.....	454	-	1	3	4	79	115	44	41	33	27	30
Female.....	160	1	4	1	3	23	27	14	11	12	15	8
White, both sexes.....	556	1	5	4	7	98	126	52	44	41	39	34
Male.....	410	-	1	3	4	76	103	40	34	31	25	26
Female.....	146	1	4	1	3	22	23	12	10	10	14	8
Black, both sexes.....	50	-	-	-	-	3	12	6	6	4	3	3
Male.....	36	-	-	-	-	2	8	4	5	2	2	3
Female.....	14	-	-	-	-	1	4	2	1	2	1	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	1	4	-	1	-	-	-
Male.....	6	-	-	-	-	1	4	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	13	-	-	-	-	3	-	2	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	10	-	-	-	-	3	-	2	1	-	-	-
White, both sexes.....	10	-	-	-	-	3	-	-	-	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	1
Female.....	7	-	-	-	-	3	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	1	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Arkansas

All races, both sexes.....	202	1	3	7	1	34	26	14	9	16	13	18
Male.....	118	1	3	4	-	18	16	10	5	11	6	11
Female.....	84	-	-	3	1	16	10	4	4	5	7	7
White, both sexes.....	162	-	2	6	1	31	22	9	7	13	8	16
Male.....	95	-	2	4	-	16	13	7	5	9	4	10
Female.....	67	-	-	2	1	15	9	2	2	4	4	6
Black, both sexes.....	37	-	1	1	-	3	3	5	2	3	5	2
Male.....	20	-	1	-	-	2	2	3	-	2	2	1
Female.....	17	-	-	1	-	1	1	2	2	1	3	1
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	833	4	8	14	18	90	98	76	63	62	58	61
Male.....	500	2	4	7	8	52	65	50	51	38	32	33
Female.....	333	2	4	7	10	38	33	26	12	24	26	28
White, both sexes.....	686	4	8	13	15	79	80	56	49	52	45	53
Male.....	418	2	4	7	6	45	55	39	39	32	31	28
Female.....	268	2	4	6	9	34	25	17	10	20	14	25
Black, both sexes.....	62	-	-	1	2	4	6	11	9	5	6	5
Male.....	35	-	-	-	1	4	3	7	9	2	1	2
Female.....	27	-	-	1	1	-	3	4	-	3	5	3
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	-	-	-	1	-
Male.....	2	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	82	-	-	-	1	7	11	9	5	5	6	3
Male.....	45	-	-	-	1	3	6	4	3	4	-	3
Female.....	37	-	-	-	-	4	5	5	2	1	6	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
Florida												
All races, both sexes.....	1,012	5	6	21	16	104	116	58	53	54	51	57
Male.....	614	4	3	10	8	62	87	37	35	36	28	36
Female.....	398	1	3	11	8	42	29	21	18	18	23	21
White, both sexes.....	872	3	3	17	12	91	96	46	39	49	40	49
Male.....	530	3	2	7	7	53	73	29	25	32	23	30
Female.....	342	-	1	10	5	38	23	17	14	17	17	19
Black, both sexes.....	130	2	3	4	4	12	20	11	14	4	11	5
Male.....	80	1	1	3	1	9	14	8	10	3	5	4
Female.....	50	1	2	1	3	3	6	3	4	1	6	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	1	-	-	-	1
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	1	-	-	-	1	-	2
Male.....	4	-	-	-	-	-	-	-	-	1	-	2
Female.....	3	-	-	-	-	1	-	-	-	-	-	-
Georgia												
All races, both sexes.....	267	-	3	4	8	32	36	20	19	15	15	25
Male.....	162	-	2	2	3	18	25	13	15	10	6	16
Female.....	105	-	1	2	5	14	11	7	4	5	9	9
White, both sexes.....	196	-	3	3	6	26	29	14	14	6	13	15
Male.....	121	-	2	2	3	16	20	10	10	4	4	10
Female.....	75	-	1	1	3	10	9	4	4	2	9	5
Black, both sexes.....	65	-	-	1	2	6	7	5	4	7	2	10
Male.....	38	-	-	-	-	2	5	3	4	5	2	6
Female.....	27	-	-	1	2	4	2	2	-	2	-	4
American Indian 1/, both sexes.....	3	-	-	-	-	-	-	-	1	1	-	-
Male.....	3	-	-	-	-	-	-	-	1	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Illinois

All races, both sexes.....	440	4	5	1	6	49	60	27	40	28	28	31
Male.....	275	3	3	-	4	32	42	20	26	21	18	21
Female.....	165	1	2	1	2	17	18	7	14	7	10	10
White, both sexes.....	363	3	5	1	4	41	47	21	30	22	22	26
Male.....	226	2	3	-	3	27	33	16	17	18	14	18
Female.....	137	1	2	1	1	14	14	5	13	4	8	8
Black, both sexes.....	70	1	-	-	2	8	12	6	10	5	4	5
Male.....	45	1	-	-	1	5	8	4	9	3	2	3
Female.....	25	-	-	-	1	3	4	2	1	2	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	-	-	1	2	-
Male.....	4	-	-	-	-	-	1	-	-	-	2	-
Female.....	3	-	-	-	-	-	-	-	-	1	-	-

Indiana

All races, both sexes.....	233	1	5	4	8	34	28	12	16	13	15	13
Male.....	147	1	2	4	2	18	19	8	9	8	11	10
Female.....	86	-	3	-	6	16	9	4	7	5	4	3
White, both sexes.....	217	1	5	2	8	32	24	12	15	11	15	12
Male.....	136	1	2	2	2	17	16	8	8	7	11	9
Female.....	81	-	3	-	6	15	8	4	7	4	4	3
Black, both sexes.....	14	-	-	2	-	2	4	-	1	-	-	1
Male.....	10	-	-	2	-	1	3	-	1	-	-	1
Female.....	4	-	-	-	-	1	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	2	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
Maine												
All races, both sexes.....	52	1	2	-	-	5	6	4	1	4	5	4
Male.....	26	1	-	-	-	2	5	2	1	4	1	2
Female.....	26	-	2	-	-	3	1	2	-	-	4	2
White, both sexes.....	51	1	2	-	-	5	5	4	1	4	5	4
Male.....	25	1	-	-	-	2	4	2	1	4	1	2
Female.....	26	-	2	-	-	3	1	2	-	-	4	2
Black, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	170	-	3	1	3	22	21	18	18	9	6	6
Male.....	111	-	2	1	2	15	15	15	13	7	4	3
Female.....	59	-	1	-	1	7	6	3	5	2	2	3
White, both sexes.....	130	-	2	-	2	18	18	12	9	7	4	4
Male.....	80	-	1	-	1	12	12	10	6	5	3	1
Female.....	50	-	1	-	1	6	6	2	3	2	1	3
Black, both sexes.....	36	-	1	-	1	4	2	5	9	1	2	2
Male.....	28	-	1	-	1	3	2	5	7	1	1	2
Female.....	8	-	-	-	-	1	-	-	2	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	1	-	-	1	1	-	1	-	-
Male.....	3	-	-	1	-	-	1	-	-	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Massachusetts

All races, both sexes.....	41	-	-	-	-	7	4	-	-	1	3	3
Male.....	23	-	-	-	-	5	3	-	-	1	3	1
Female.....	18	-	-	-	-	2	1	-	-	-	-	2
White, both sexes.....	41	-	-	-	-	7	4	-	-	1	3	3
Male.....	23	-	-	-	-	5	3	-	-	1	3	1
Female.....	18	-	-	-	-	2	1	-	-	-	-	2
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Michigan

All races, both sexes.....	253	1	2	6	8	42	25	15	7	9	20	15
Male.....	138	1	-	2	3	26	15	6	4	5	12	9
Female.....	115	-	2	4	5	16	10	9	3	4	8	6
White, both sexes.....	228	1	2	4	4	38	23	14	7	9	17	12
Male.....	122	1	-	2	2	23	14	5	4	5	10	6
Female.....	106	-	2	2	2	15	9	9	3	4	7	6
Black, both sexes.....	17	-	-	2	2	2	2	1	-	-	2	2
Male.....	10	-	-	-	-	2	1	1	-	-	1	2
Female.....	7	-	-	2	2	-	1	-	-	-	1	-
American Indian 1/, both sexes.....	3	-	-	-	2	-	-	-	-	-	-	1
Male.....	2	-	-	-	1	-	-	-	-	-	-	1
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	2	-	-	-	-	1	-
Male.....	4	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

New Hampshire

All races, both sexes.....	32	-	-	-	2	4	3	3	-	-	4	2
Male.....	20	-	-	-	-	3	3	3	-	-	2	1
Female.....	12	-	-	-	2	1	-	-	-	-	2	1
White, both sexes.....	32	-	-	-	2	4	3	3	-	-	4	2
Male.....	20	-	-	-	-	3	3	3	-	-	2	1
Female.....	12	-	-	-	2	1	-	-	-	-	2	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	107	-	-	-	3	11	8	7	9	7	8	9
Male.....	61	-	-	-	1	6	6	4	4	6	5	4
Female.....	46	-	-	-	2	5	2	3	5	1	3	5
White, both sexes.....	85	-	-	-	2	7	8	5	6	5	5	7
Male.....	49	-	-	-	-	5	6	3	2	4	3	3
Female.....	36	-	-	-	2	2	2	2	4	1	2	4
Black, both sexes.....	19	-	-	-	-	3	-	2	2	2	3	2
Male.....	11	-	-	-	-	1	-	1	2	2	2	1
Female.....	8	-	-	-	-	2	-	1	-	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	1	-	-	1	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

South Dakota

All races, both sexes.....	59	-	-	1	1	8	8	3	3	7	2	5
Male.....	39	-	-	-	-	3	4	3	3	4	2	3
Female.....	20	-	-	1	1	5	4	-	-	3	-	2
White, both sexes.....	36	-	-	1	1	3	3	2	-	5	2	3
Male.....	22	-	-	-	-	-	2	2	-	2	2	2
Female.....	14	-	-	1	1	3	1	-	-	3	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	23	-	-	-	-	5	5	1	3	2	-	2
Male.....	17	-	-	-	-	3	2	1	3	2	-	1
Female.....	6	-	-	-	-	2	3	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Tennessee

All races, both sexes.....	349	1	3	-	5	46	38	23	22	21	18	31
Male.....	221	1	2	-	3	24	28	17	12	20	13	19
Female.....	128	-	1	-	2	22	10	6	10	1	5	12
White, both sexes.....	308	1	2	-	4	40	34	19	19	18	16	27
Male.....	197	1	2	-	3	20	27	15	10	17	12	16
Female.....	111	-	-	-	1	20	7	4	9	1	4	11
Black, both sexes.....	39	-	1	-	1	6	4	2	3	3	2	4
Male.....	23	-	-	-	-	4	1	1	2	3	1	3
Female.....	16	-	1	-	1	2	3	1	1	-	1	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	2	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Washington												
All races, both sexes.....	197	-	1	2	4	26	32	9	11	8	8	17
Male.....	116	-	1	-	4	20	23	7	8	3	4	8
Female.....	81	-	-	2	-	6	9	2	3	5	4	9
White, both sexes.....	170	-	1	2	4	17	28	6	9	6	8	14
Male.....	98	-	1	-	4	12	21	4	7	3	4	5
Female.....	72	-	-	2	-	5	7	2	2	3	4	9
Black, both sexes.....	5	-	-	-	-	-	1	2	1	-	-	1
Male.....	3	-	-	-	-	-	-	2	-	-	-	1
Female.....	2	-	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	8	-	-	-	-	4	1	-	-	1	-	1
Male.....	5	-	-	-	-	3	1	-	-	-	-	1
Female.....	3	-	-	-	-	1	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	14	-	-	-	-	5	2	1	1	1	-	1
Male.....	10	-	-	-	-	5	1	1	1	-	-	1
Female.....	4	-	-	-	-	-	1	-	-	1	-	-
West Virginia												
All races, both sexes.....	68	-	1	2	-	10	5	9	6	2	3	8
Male.....	29	-	-	1	-	5	3	6	3	2	3	2
Female.....	39	-	1	1	-	5	2	3	3	-	-	6
White, both sexes.....	65	-	1	2	-	9	5	9	5	2	3	7
Male.....	27	-	-	1	-	5	3	6	2	2	3	1
Female.....	38	-	1	1	-	4	2	3	3	-	-	6
Black, both sexes.....	2	-	-	-	-	-	-	-	1	-	-	1
Male.....	2	-	-	-	-	-	-	-	1	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)

Arkansas

All races, both sexes.....	11	9	4	8	6	8	7	4	1	2	-	-
Male.....	8	2	2	6	3	4	5	2	-	1	-	-
Female.....	3	7	2	2	3	4	2	2	1	1	-	-
White, both sexes.....	6	6	3	5	6	7	7	4	1	2	-	-
Male.....	5	1	1	4	3	3	5	2	-	1	-	-
Female.....	1	5	2	1	3	4	2	2	1	1	-	-
Black, both sexes.....	5	3	-	3	-	1	-	-	-	-	-	-
Male.....	3	1	-	2	-	1	-	-	-	-	-	-
Female.....	2	2	-	1	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	49	35	31	37	26	36	35	23	7	2	-	-
Male.....	28	21	21	15	15	21	19	11	5	2	-	-
Female.....	21	14	10	22	11	15	16	12	2	-	-	-
White, both sexes.....	35	25	27	31	22	30	34	20	6	2	-	-
Male.....	20	14	18	14	12	16	19	11	4	2	-	-
Female.....	15	11	9	17	10	14	15	9	2	-	-	-
Black, both sexes.....	3	5	-	2	-	1	-	2	-	-	-	-
Male.....	2	3	-	-	-	1	-	-	-	-	-	-
Female.....	1	2	-	2	-	-	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	5	4	4	4	5	1	1	1	-	-	-
Male.....	5	4	3	1	3	4	-	-	1	-	-	-
Female.....	5	1	1	3	1	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
Arkansas												
All races, both sexes.....	61	1	1	2	-	4	5	9	7	5	7	5
Male.....	44	-	1	2	-	3	4	6	6	4	6	3
Female.....	17	1	-	-	-	1	1	3	1	1	1	2
White, both sexes.....	45	-	-	1	-	1	5	7	6	1	7	5
Male.....	34	-	-	1	-	1	4	5	6	1	6	3
Female.....	11	-	-	-	-	-	1	2	-	-	1	2
Black, both sexes.....	13	1	-	-	-	3	-	2	1	4	-	-
Male.....	7	-	-	-	-	2	-	1	-	3	-	-
Female.....	6	1	-	-	-	1	-	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	1	1	-	-	-	-	-	-	-	-
Male.....	3	-	1	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	377	4	2	8	7	44	62	49	21	30	33	25
Male.....	255	4	2	5	3	26	42	36	16	25	23	15
Female.....	122	-	-	3	4	18	20	13	5	5	10	10
White, both sexes.....	316	3	2	7	6	41	48	42	18	25	26	20
Male.....	216	3	2	5	3	23	31	31	15	22	17	12
Female.....	100	-	-	2	3	18	17	11	3	3	9	8
Black, both sexes.....	26	1	-	-	1	1	6	4	2	2	4	-
Male.....	17	1	-	-	-	1	5	2	1	2	3	-
Female.....	9	-	-	-	1	-	1	2	1	-	1	-
American Indian 1/, both sexes.....	6	-	-	-	-	1	1	-	-	-	-	1
Male.....	5	-	-	-	-	1	1	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	29	-	-	1	-	1	7	3	1	3	3	4
Male.....	17	-	-	-	-	1	5	3	-	1	3	2
Female.....	12	-	-	1	-	-	2	-	1	2	-	2

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Colorado

All races, both sexes.....	63	-	-	2	1	14	6	7	5	8	4	4
Male.....	40	-	-	2	-	8	5	6	3	4	3	1
Female.....	23	-	-	-	1	6	1	1	2	4	1	3
White, both sexes.....	55	-	-	1	1	12	6	6	3	7	4	4
Male.....	34	-	-	1	-	7	5	5	2	3	3	1
Female.....	21	-	-	-	1	5	1	1	1	4	1	3
Black, both sexes.....	4	-	-	-	-	2	-	-	1	1	-	-
Male.....	3	-	-	-	-	1	-	-	1	1	-	-
Female.....	1	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	1	-	-	-	-	1	-	-	-
Male.....	1	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Connecticut

All races, both sexes.....	14	-	1	2	-	2	2	1	2	2	1	-
Male.....	9	-	-	2	-	2	-	1	2	2	-	-
Female.....	5	-	1	-	-	-	2	-	-	-	1	-
White, both sexes.....	11	-	1	2	-	1	1	1	2	1	1	-
Male.....	7	-	-	2	-	1	-	1	2	1	-	-
Female.....	4	-	1	-	-	-	1	-	-	-	1	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Florida

All races, both sexes.....	275	3	4	6	3	42	41	22	19	20	37	22
Male.....	186	1	2	4	2	28	27	20	11	15	27	14
Female.....	89	2	2	2	1	14	14	2	8	5	10	8
White, both sexes.....	218	-	3	5	3	38	30	17	14	19	26	16
Male.....	148	-	1	3	2	24	23	16	8	14	19	10
Female.....	70	-	2	2	1	14	7	1	6	5	7	6
Black, both sexes.....	51	3	1	1	-	4	10	4	5	-	9	6
Male.....	35	1	1	1	-	4	3	4	3	-	7	4
Female.....	16	2	-	-	-	-	7	-	2	-	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	-	1	1	-	1	1	-
Male.....	3	-	-	-	-	-	1	-	-	1	1	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-

Georgia

All races, both sexes.....	74	-	1	-	3	6	11	5	4	7	9	6
Male.....	49	-	1	-	2	5	8	3	1	6	3	4
Female.....	25	-	-	-	1	1	3	2	3	1	6	2
White, both sexes.....	51	-	1	-	1	4	9	3	2	5	6	4
Male.....	33	-	1	-	1	3	7	2	-	4	2	2
Female.....	18	-	-	-	-	1	2	1	2	1	4	2
Black, both sexes.....	20	-	-	-	1	2	1	2	2	2	3	2
Male.....	14	-	-	-	-	2	1	1	1	2	1	2
Female.....	6	-	-	-	1	-	-	1	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
---	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Massachusetts

All races, both sexes.....	18	-	-	-	-	2	4	-	2	2	-	1
Male.....	13	-	-	-	-	1	2	-	2	2	-	1
Female.....	5	-	-	-	-	1	2	-	-	-	-	-
White, both sexes.....	17	-	-	-	-	2	3	-	2	2	-	1
Male.....	13	-	-	-	-	1	2	-	2	2	-	1
Female.....	4	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Michigan

All races, both sexes.....	107	-	1	-	4	19	19	11	6	8	10	8
Male.....	73	-	1	-	2	11	16	10	4	7	6	5
Female.....	34	-	-	-	2	8	3	1	2	1	4	3
White, both sexes.....	94	-	1	-	4	16	16	10	5	5	10	6
Male.....	63	-	1	-	2	9	14	9	3	4	6	4
Female.....	31	-	-	-	2	7	2	1	2	1	4	2
Black, both sexes.....	8	-	-	-	-	2	1	1	1	1	-	2
Male.....	7	-	-	-	-	2	1	1	1	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	2	-	-	1	-	-
Male.....	2	-	-	-	-	-	1	-	-	1	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
Vermont												
All races, both sexes.....	10	-	-	-	-	-	3	-	1	2	-	1
Male.....	8	-	-	-	-	-	1	-	1	2	-	1
Female.....	2	-	-	-	-	-	2	-	-	-	-	-
White, both sexes.....	10	-	-	-	-	-	3	-	1	2	-	1
Male.....	8	-	-	-	-	-	1	-	1	2	-	1
Female.....	2	-	-	-	-	-	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	64	-	2	1	-	10	9	5	4	7	2	8
Male.....	52	-	2	-	-	8	8	4	4	6	1	6
Female.....	12	-	-	1	-	2	1	1	-	1	1	2
White, both sexes.....	51	-	1	1	-	9	9	3	3	6	2	5
Male.....	40	-	1	-	-	7	8	3	3	5	1	3
Female.....	11	-	-	1	-	2	1	-	-	1	1	2
Black, both sexes.....	12	-	1	-	-	1	-	1	1	1	-	3
Male.....	12	-	1	-	-	1	-	1	1	1	-	3
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)

Arkansas

All races, both sexes.....	4	3	2	1	1	2	1	-	-	1	-	-
Male.....	2	2	1	1	1	2	-	-	-	-	-	-
Female.....	2	1	1	-	-	-	1	-	-	1	-	-
White, both sexes.....	2	3	1	1	1	2	1	-	-	1	-	-
Male.....	-	2	1	1	1	2	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	1	-	-	1	-	-
Black, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	26	19	12	11	6	8	5	1	2	1	-	1
Male.....	18	14	9	7	3	3	2	1	-	1	-	-
Female.....	8	5	3	4	3	5	3	-	2	-	-	1
White, both sexes.....	21	16	11	10	4	7	4	1	2	1	-	1
Male.....	15	12	8	7	3	3	2	1	-	1	-	-
Female.....	6	4	3	3	1	4	2	-	2	-	-	1
Black, both sexes.....	3	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	1	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	1	1	1	-	1	-	-	-	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	1	1	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
United States												
All races, both sexes.....	16,101	50	248	188	304	1,919	2,009	1,409	1,121	1,063	1,181	1,196
Male.....	10,513	25	134	96	153	1,230	1,467	1,022	752	709	824	820
Female.....	5,588	25	114	92	151	689	542	387	369	354	357	376
White, both sexes.....	13,306	34	182	137	215	1,619	1,669	1,113	911	841	959	972
Male.....	8,661	13	93	71	104	1,039	1,229	806	610	557	674	669
Female.....	4,645	21	89	66	111	580	440	307	301	284	285	303
Black, both sexes.....	2,088	11	55	40	72	222	254	211	159	170	169	183
Male.....	1,436	8	31	20	42	144	189	156	109	123	117	130
Female.....	652	3	24	20	30	78	65	55	50	47	52	53
American Indian 1/, both sexes.....	307	2	5	5	5	32	45	43	30	27	24	19
Male.....	199	2	5	2	2	19	29	33	20	15	18	10
Female.....	108	-	-	3	3	13	16	10	10	12	6	9
Asian or Pacific Islander 2/, both sexes.....	400	3	6	6	12	46	41	42	21	25	29	22
Male.....	217	2	5	3	5	28	20	27	13	14	15	11
Female.....	183	1	1	3	7	18	21	15	8	11	14	11
Alabama												
All races, both sexes.....	774	3	16	8	12	90	105	64	55	61	62	61
Male.....	484	1	11	2	7	58	73	39	39	40	41	38
Female.....	290	2	5	6	5	32	32	25	16	21	21	23
White, both sexes.....	589	3	11	5	7	67	77	48	42	40	48	43
Male.....	363	1	8	1	3	47	54	29	28	24	32	26
Female.....	226	2	3	4	4	20	23	19	14	16	16	17
Black, both sexes.....	181	-	5	3	5	22	27	15	13	20	14	18
Male.....	120	-	3	1	4	11	19	10	11	15	9	12
Female.....	61	-	2	2	1	11	8	5	2	5	5	6
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	1	1	1	-	1	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-
Female.....	3	-	-	-	-	1	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Alaska												
All races, both sexes.....	77	-	3	-	2	12	7	4	5	7	3	10
Male.....	59	-	3	-	1	8	6	4	5	4	3	6
Female.....	18	-	-	-	1	4	1	-	-	3	-	4
White, both sexes.....	59	-	3	-	2	8	6	2	3	5	3	8
Male.....	45	-	3	-	1	4	5	2	3	3	3	5
Female.....	14	-	-	-	1	4	1	-	-	2	-	3
Black, both sexes.....	5	-	-	-	-	2	1	-	-	-	-	1
Male.....	4	-	-	-	-	2	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	12	-	-	-	-	2	-	2	2	2	-	1
Male.....	10	-	-	-	-	2	-	2	2	1	-	1
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	794	2	9	9	19	96	111	73	47	50	54	56
Male.....	505	2	7	5	8	59	81	52	30	32	34	39
Female.....	289	-	2	4	11	37	30	21	17	18	20	17
White, both sexes.....	647	-	8	8	16	82	93	50	35	34	42	50
Male.....	413	-	6	5	7	49	68	36	22	22	27	37
Female.....	234	-	2	3	9	33	25	14	13	12	15	13
Black, both sexes.....	24	-	-	-	2	5	1	6	2	2	4	1
Male.....	16	-	-	-	1	4	1	3	2	2	2	-
Female.....	8	-	-	-	1	1	-	3	-	-	2	1
American Indian 1/, both sexes.....	115	2	1	1	1	9	16	15	10	14	7	5
Male.....	73	2	1	-	-	6	12	12	6	8	4	2
Female.....	42	-	-	1	1	3	4	3	4	6	3	3
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	1	2	-	-	1	-
Male.....	3	-	-	-	-	-	-	1	-	-	1	-
Female.....	5	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Arkansas												
All races, both sexes.....	349	2	5	3	7	52	42	45	25	23	27	27
Male.....	228	2	1	2	4	33	34	29	16	13	19	19
Female.....	121	-	4	1	3	19	8	16	9	10	8	8
White, both sexes.....	295	2	3	2	7	45	33	40	21	18	23	23
Male.....	192	2	1	1	4	27	27	26	13	12	15	16
Female.....	103	-	2	1	3	18	6	14	8	6	8	7
Black, both sexes.....	51	-	2	1	-	7	8	4	4	5	3	4
Male.....	33	-	-	1	-	6	6	2	3	1	3	3
Female.....	18	-	2	-	-	1	2	2	1	4	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,703	6	24	20	37	230	212	154	121	122	136	130
Male.....	1,097	-	15	11	22	147	144	113	83	80	87	90
Female.....	606	6	9	9	15	83	68	41	38	42	49	40
White, both sexes.....	1,425	5	17	18	34	188	188	123	108	105	120	102
Male.....	930	-	10	10	21	120	130	90	76	69	77	72
Female.....	495	5	7	8	13	68	58	33	32	36	43	30
Black, both sexes.....	118	-	4	1	1	15	12	16	10	7	8	15
Male.....	82	-	3	1	1	10	8	12	4	6	5	12
Female.....	36	-	1	-	-	5	4	4	6	1	3	3
American Indian 1/, both sexes.....	18	-	-	-	-	2	2	5	-	1	1	3
Male.....	8	-	-	-	-	-	1	3	-	-	1	3
Female.....	10	-	-	-	-	2	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	142	1	3	1	2	25	10	10	3	9	7	10
Male.....	77	-	2	-	-	17	5	8	3	5	4	3
Female.....	65	1	1	1	2	8	5	2	-	4	3	7

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Colorado

All races, both sexes.....	355	2	8	6	1	54	43	33	30	16	25	31
Male.....	219	1	3	2	1	27	31	23	21	13	16	16
Female.....	136	1	5	4	-	27	12	10	9	3	9	15
White, both sexes.....	338	2	7	6	1	51	41	31	29	15	23	29
Male.....	210	1	3	2	1	27	30	21	21	12	15	14
Female.....	128	1	4	4	-	24	11	10	8	3	8	15
Black, both sexes.....	9	-	1	-	-	3	-	-	-	1	1	2
Male.....	5	-	-	-	-	-	-	-	-	1	1	2
Female.....	4	-	1	-	-	3	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	2	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	-	-	-	-	-	1	1	1	-	1	-
Male.....	2	-	-	-	-	-	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	1	-	1	-	1	-

Connecticut

All races, both sexes.....	198	-	-	-	3	26	28	17	13	11	9	16
Male.....	130	-	-	-	2	18	24	11	7	5	7	11
Female.....	68	-	-	-	1	8	4	6	6	6	2	5
White, both sexes.....	180	-	-	-	2	25	26	13	13	11	9	15
Male.....	116	-	-	-	1	17	23	7	7	5	7	11
Female.....	64	-	-	-	1	8	3	6	6	6	2	4
Black, both sexes.....	14	-	-	-	1	1	1	4	-	-	-	1
Male.....	11	-	-	-	1	1	1	4	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	1	-	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Florida												
All races, both sexes.....	431	3	7	2	10	27	42	35	27	28	27	29
Male.....	273	2	5	1	6	14	28	29	15	14	22	19
Female.....	158	1	2	1	4	13	14	6	12	14	5	10
White, both sexes.....	350	2	7	1	9	19	34	24	22	17	24	24
Male.....	225	1	5	-	5	11	22	20	13	9	20	17
Female.....	125	1	2	1	4	8	12	4	9	8	4	7
Black, both sexes.....	75	-	-	1	1	7	7	10	5	10	3	5
Male.....	45	-	-	1	1	3	5	8	2	5	2	2
Female.....	30	-	-	-	-	4	2	2	3	5	1	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	1	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	1	-	-	-	1	-	1	-	1	-	-
Male.....	2	1	-	-	-	-	-	1	-	-	-	-
Female.....	3	-	-	-	-	1	-	-	-	1	-	-
Georgia												
All races, both sexes.....	846	8	19	12	12	80	111	70	57	62	71	65
Male.....	529	4	9	7	5	43	91	48	36	36	50	37
Female.....	317	4	10	5	7	37	20	22	21	26	21	28
White, both sexes.....	635	3	15	9	6	55	88	51	41	46	53	47
Male.....	397	-	8	7	3	29	71	37	25	27	38	26
Female.....	238	3	7	2	3	26	17	14	16	19	15	21
Black, both sexes.....	197	4	4	3	5	24	23	15	16	15	17	18
Male.....	126	3	1	-	1	14	20	10	11	9	12	11
Female.....	71	1	3	3	4	10	3	5	5	6	5	7
American Indian 1/, both sexes.....	2	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	1	-	-	-	1	-	3	-	1	1	-
Male.....	5	1	-	-	-	-	-	1	-	-	-	-
Female.....	7	-	-	-	-	1	-	2	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Illinois												
All races, both sexes.....	417	-	5	3	6	45	54	34	35	30	33	34
Male.....	273	-	-	3	3	27	35	24	23	22	23	25
Female.....	144	-	5	-	3	18	19	10	12	8	10	9
White, both sexes.....	382	-	4	3	5	44	49	33	30	27	31	28
Male.....	246	-	-	3	2	26	31	23	18	20	23	21
Female.....	136	-	4	-	3	18	18	10	12	7	8	7
Black, both sexes.....	30	-	1	-	1	1	5	1	5	2	2	5
Male.....	23	-	-	-	1	1	4	1	5	1	-	3
Female.....	7	-	1	-	-	-	1	-	-	1	2	2
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	-	-	1	-	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Indiana												
All races, both sexes.....	444	2	6	3	7	55	72	44	35	21	32	28
Male.....	295	2	2	2	6	36	48	35	23	15	21	21
Female.....	149	-	4	1	1	19	24	9	12	6	11	7
White, both sexes.....	416	1	6	3	3	53	70	42	31	18	29	26
Male.....	275	1	2	2	2	34	46	34	21	12	20	19
Female.....	141	-	4	1	1	19	24	8	10	6	9	7
Black, both sexes.....	23	1	-	-	2	1	1	2	3	3	3	2
Male.....	16	1	-	-	2	1	1	1	2	3	1	2
Female.....	7	-	-	-	-	-	-	1	1	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	2	1	1	-	1	-	-	-
Male.....	4	-	-	-	2	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Kentucky

All races, both sexes.....	555	-	8	6	8	66	76	65	57	52	29	44
Male.....	366	-	5	2	4	39	50	47	39	33	23	33
Female.....	189	-	3	4	4	27	26	18	18	19	6	11
White, both sexes.....	519	-	7	4	6	62	69	64	55	48	28	38
Male.....	345	-	4	2	4	37	46	46	38	30	23	29
Female.....	174	-	3	2	2	25	23	18	17	18	5	9
Black, both sexes.....	33	-	1	2	2	4	5	-	2	4	1	6
Male.....	20	-	1	-	-	2	4	-	1	3	-	4
Female.....	13	-	-	2	2	2	1	-	1	1	1	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Louisiana

All races, both sexes.....	720	4	13	15	16	85	89	72	49	62	60	59
Male.....	471	1	4	5	7	56	66	52	35	43	47	42
Female.....	249	3	9	10	9	29	23	20	14	19	13	17
White, both sexes.....	506	1	9	8	10	67	60	52	32	40	39	42
Male.....	319	-	2	2	4	42	43	35	26	27	30	29
Female.....	187	1	7	6	6	25	17	17	6	13	9	13
Black, both sexes.....	197	3	4	6	4	15	27	18	15	19	20	17
Male.....	141	1	2	3	2	11	22	15	8	14	17	13
Female.....	56	2	2	3	2	4	5	3	7	5	3	4
American Indian 1/, both sexes.....	4	-	-	-	-	1	1	2	-	-	-	-
Male.....	4	-	-	-	-	1	1	2	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	13	-	-	1	2	2	1	-	2	3	1	-
Male.....	7	-	-	-	1	2	-	-	1	2	-	-
Female.....	6	-	-	1	1	-	1	-	1	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Maine												
All races, both sexes.....	17	-	-	-	-	1	-	1	1	1	2	2
Male.....	6	-	-	-	-	-	-	-	-	-	1	2
Female.....	11	-	-	-	-	1	-	1	1	1	1	-
White, both sexes.....	17	-	-	-	-	1	-	1	1	1	2	2
Male.....	6	-	-	-	-	-	-	-	-	-	1	2
Female.....	11	-	-	-	-	1	-	1	1	1	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	282	-	3	5	7	43	44	19	7	10	20	21
Male.....	195	-	1	3	6	25	33	18	5	5	14	13
Female.....	87	-	2	2	1	18	11	1	2	5	6	8
White, both sexes.....	183	-	-	2	1	31	33	12	5	7	11	14
Male.....	131	-	-	1	1	19	24	12	3	3	9	9
Female.....	52	-	-	1	-	12	9	-	2	4	2	5
Black, both sexes.....	87	-	2	3	6	11	11	6	2	3	9	5
Male.....	57	-	-	2	5	6	9	5	2	2	5	2
Female.....	30	-	2	1	1	5	2	1	-	1	4	3
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	-	1	-	-	1	-	1	-	-	-	2
Male.....	6	-	1	-	-	-	-	1	-	-	-	2
Female.....	5	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Massachusetts												
All races, both sexes.....	308	-	2	7	7	40	43	13	16	31	22	15
Male.....	201	-	1	4	3	31	33	11	13	21	12	9
Female.....	107	-	1	3	4	9	10	2	3	10	10	6
White, both sexes.....	282	-	2	7	5	36	39	12	14	28	21	14
Male.....	185	-	1	4	3	28	30	10	12	20	11	8
Female.....	97	-	1	3	2	8	9	2	2	8	10	6
Black, both sexes.....	17	-	-	-	2	3	4	1	1	1	-	1
Male.....	9	-	-	-	-	2	3	1	-	-	-	1
Female.....	8	-	-	-	2	1	1	-	1	1	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	1	-	-	1	2	-	-
Male.....	6	-	-	-	-	1	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-
Michigan												
All races, both sexes.....	566	3	10	7	12	72	56	39	40	42	38	36
Male.....	355	2	6	1	5	47	40	26	22	33	22	26
Female.....	211	1	4	6	7	25	16	13	18	9	16	10
White, both sexes.....	432	2	5	4	8	62	40	26	28	27	31	26
Male.....	266	1	3	-	3	41	31	20	15	18	17	18
Female.....	166	1	2	4	5	21	9	6	13	9	14	8
Black, both sexes.....	119	1	5	3	4	9	15	12	12	14	6	9
Male.....	80	1	3	1	2	5	8	6	7	14	5	8
Female.....	39	-	2	2	2	4	7	6	5	-	1	1
American Indian 1/, both sexes.....	7	-	-	-	-	1	1	-	-	-	-	-
Male.....	6	-	-	-	-	1	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	-	-	1	-	1	1	1
Male.....	3	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	1	-	-	1	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Nebraska

All races, both sexes.....	27	-	-	-	-	8	3	1	2	1	1	1
Male.....	15	-	-	-	-	4	1	1	2	-	-	1
Female.....	12	-	-	-	-	4	2	-	-	1	1	-
White, both sexes.....	26	-	-	-	-	8	3	1	2	-	1	1
Male.....	15	-	-	-	-	4	1	1	2	-	-	1
Female.....	11	-	-	-	-	4	2	-	-	-	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Nevada

All races, both sexes.....	180	1	2	2	3	12	21	14	12	11	22	15
Male.....	122	-	1	-	1	6	16	12	8	9	17	11
Female.....	58	1	1	2	2	6	5	2	4	2	5	4
White, both sexes.....	159	1	2	2	2	9	17	13	12	10	18	13
Male.....	113	-	1	-	1	5	15	12	8	8	16	10
Female.....	46	1	1	2	1	4	2	1	4	2	2	3
Black, both sexes.....	11	-	-	-	-	3	1	-	-	1	1	2
Male.....	6	-	-	-	-	1	-	-	-	1	-	1
Female.....	5	-	-	-	-	2	1	-	-	-	1	1
American Indian 1/, both sexes.....	3	-	-	-	-	-	2	-	-	-	1	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	2	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	1	-	1	1	-	-	2	-
Male.....	3	-	-	-	-	-	1	-	-	-	1	-
Female.....	4	-	-	-	1	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
New Hampshire												
All races, both sexes.....	63	-	-	-	-	11	6	3	3	4	5	3
Male.....	42	-	-	-	-	8	4	3	2	3	4	2
Female.....	21	-	-	-	-	3	2	-	1	1	1	1
White, both sexes.....	63	-	-	-	-	11	6	3	3	4	5	3
Male.....	42	-	-	-	-	8	4	3	2	3	4	2
Female.....	21	-	-	-	-	3	2	-	1	1	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	401	-	4	3	7	43	47	39	35	23	25	28
Male.....	271	-	2	2	4	29	37	28	28	18	16	21
Female.....	130	-	2	1	3	14	10	11	7	5	9	7
White, both sexes.....	338	-	4	2	4	37	39	32	28	18	18	26
Male.....	230	-	2	1	3	25	32	21	23	16	12	21
Female.....	108	-	2	1	1	12	7	11	5	2	6	5
Black, both sexes.....	45	-	-	1	2	5	6	4	6	4	5	2
Male.....	30	-	-	1	1	3	4	4	4	2	3	-
Female.....	15	-	-	-	1	2	2	-	2	2	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	1	1	2	3	1	1	2	-
Male.....	11	-	-	-	-	1	1	3	1	-	1	-
Female.....	7	-	-	-	1	-	1	-	-	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
New Mexico												
All races, both sexes.....	58	-	1	-	2	7	8	4	7	7	2	5
Male.....	44	-	1	-	-	7	5	2	7	5	1	4
Female.....	14	-	-	-	2	-	3	2	-	2	1	1
White, both sexes.....	39	-	1	-	1	4	4	2	2	6	2	5
Male.....	29	-	1	-	-	4	2	1	2	4	1	4
Female.....	10	-	-	-	1	-	2	1	-	2	1	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	19	-	-	-	1	3	4	2	5	1	-	-
Male.....	15	-	-	-	-	3	3	1	5	1	-	-
Female.....	4	-	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	620	-	9	10	21	69	61	61	36	27	36	32
Male.....	414	-	8	6	11	42	47	54	26	19	27	26
Female.....	206	-	1	4	10	27	14	7	10	8	9	6
White, both sexes.....	492	-	6	5	14	59	49	41	27	22	27	27
Male.....	319	-	6	2	7	35	38	36	19	15	20	21
Female.....	173	-	-	3	7	24	11	5	8	7	7	6
Black, both sexes.....	95	-	3	3	7	8	7	16	8	3	8	5
Male.....	75	-	2	2	4	6	7	14	6	3	6	5
Female.....	20	-	1	1	3	2	-	2	2	-	2	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	2	-	2	5	4	1	2	1	-
Male.....	20	-	-	2	-	1	2	4	1	1	1	-
Female.....	13	-	-	-	-	1	3	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Ohio												
All races, both sexes.....	761	3	11	5	17	113	111	61	45	56	36	66
Male.....	505	1	4	3	6	81	89	35	30	40	26	47
Female.....	256	2	7	2	11	32	22	26	15	16	10	19
White, both sexes.....	677	2	10	4	10	101	100	49	42	50	33	57
Male.....	450	-	4	2	2	72	81	30	28	37	23	41
Female.....	227	2	6	2	8	29	19	19	14	13	10	16
Black, both sexes.....	73	1	1	1	6	12	9	11	3	6	3	6
Male.....	49	1	-	1	4	9	7	5	2	3	3	4
Female.....	24	-	1	-	2	3	2	6	1	3	-	2
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	1	-	2	-	-	-	-	3
Male.....	5	-	-	-	-	-	1	-	-	-	-	2
Female.....	4	-	-	-	1	-	1	-	-	-	-	1
Oklahoma												
All races, both sexes.....	541	-	10	8	7	77	68	54	37	24	41	40
Male.....	347	-	5	5	4	52	51	40	20	16	33	24
Female.....	194	-	5	3	3	25	17	14	17	8	8	16
White, both sexes.....	440	-	6	5	5	67	55	37	26	18	34	30
Male.....	281	-	2	3	2	49	41	27	12	13	26	19
Female.....	159	-	4	2	3	18	14	10	14	5	8	11
Black, both sexes.....	33	-	3	-	2	3	5	7	1	1	3	2
Male.....	23	-	2	-	2	1	4	6	1	-	3	2
Female.....	10	-	1	-	-	2	1	1	-	1	-	-
American Indian 1/, both sexes.....	64	-	1	3	-	7	8	8	9	5	4	8
Male.....	42	-	1	2	-	2	6	7	6	3	4	3
Female.....	22	-	-	1	-	5	2	1	3	2	-	5
Asian or Pacific Islander 2/, both sexes.....	4	-	-	-	-	-	-	2	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	88	-	-	4	2	11	9	7	5	3	9	5
Male.....	57	-	-	2	1	8	6	6	4	2	7	3
Female.....	31	-	-	2	1	3	3	1	1	1	2	2
White, both sexes.....	83	-	-	4	1	11	8	6	5	2	8	5
Male.....	52	-	-	2	-	8	5	5	4	1	6	3
Female.....	31	-	-	2	1	3	3	1	1	1	2	2
Black, both sexes.....	2	-	-	-	1	-	1	-	-	-	-	-
Male.....	2	-	-	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	1	1	-
Male.....	2	-	-	-	-	-	-	-	-	1	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	995	3	9	8	12	122	116	78	57	48	62	65
Male.....	646	1	3	5	6	78	87	57	37	32	46	44
Female.....	349	2	6	3	6	44	29	21	20	16	16	21
White, both sexes.....	922	3	5	6	11	115	101	67	52	46	60	62
Male.....	598	1	-	4	6	74	75	49	34	30	44	42
Female.....	324	2	5	2	5	41	26	18	18	16	16	20
Black, both sexes.....	63	-	4	2	1	4	12	10	4	2	2	3
Male.....	44	-	3	1	-	3	10	8	3	2	2	2
Female.....	19	-	1	1	1	1	2	2	1	-	-	1
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	-	-	-	-	2	2	1	1	-	-	-
Male.....	4	-	-	-	-	1	2	-	-	-	-	-
Female.....	4	-	-	-	-	1	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Rhode Island												
All races, both sexes.....	16	-	-	-	-	3	1	1	4	-	-	3
Male.....	9	-	-	-	-	1	-	1	2	-	-	2
Female.....	7	-	-	-	-	2	1	-	2	-	-	1
White, both sexes.....	16	-	-	-	-	3	1	1	4	-	-	3
Male.....	9	-	-	-	-	1	-	1	2	-	-	2
Female.....	7	-	-	-	-	2	1	-	2	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
South Carolina												
All races, both sexes.....	543	-	9	2	7	63	69	54	51	39	46	45
Male.....	387	-	6	-	1	44	50	42	41	27	34	33
Female.....	156	-	3	2	6	19	19	12	10	12	12	12
White, both sexes.....	355	-	5	1	4	46	49	38	36	23	30	27
Male.....	246	-	3	-	-	30	35	29	28	13	23	18
Female.....	109	-	2	1	4	16	14	9	8	10	7	9
Black, both sexes.....	184	-	4	1	3	16	18	15	15	16	16	18
Male.....	138	-	3	-	1	13	14	12	13	14	11	15
Female.....	46	-	1	1	2	3	4	3	2	2	5	3
American Indian 1/, both sexes.....	2	-	-	-	-	1	1	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	1	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
South Dakota												
All races, both sexes.....	11	-	1	-	1	-	1	1	-	1	-	1
Male.....	6	-	1	-	-	-	-	-	-	1	-	1
Female.....	5	-	-	-	1	-	1	1	-	-	-	-
White, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	1
Male.....	4	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	6	-	1	-	1	-	1	1	-	1	-	-
Male.....	2	-	1	-	-	-	-	-	-	1	-	-
Female.....	4	-	-	-	1	-	1	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	394	3	5	4	7	30	44	38	25	23	26	39
Male.....	252	2	3	3	2	19	34	27	12	12	18	30
Female.....	142	1	2	1	5	11	10	11	13	11	8	9
White, both sexes.....	337	3	3	2	5	27	41	29	19	19	19	30
Male.....	210	2	1	1	1	16	33	20	7	10	13	23
Female.....	127	1	2	1	4	11	8	9	12	9	6	7
Black, both sexes.....	52	-	2	1	2	3	2	8	6	4	6	9
Male.....	39	-	2	1	1	3	1	6	5	2	4	7
Female.....	13	-	-	-	1	-	1	2	1	2	2	2
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	1	-	-	1	1	-	-	1	-
Male.....	3	-	-	1	-	-	-	1	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Texas

All races, both sexes.....	521	3	20	11	10	47	57	39	35	43	50	42
Male.....	366	3	11	7	6	36	46	31	24	31	35	26
Female.....	155	-	9	4	4	11	11	8	11	12	15	16
White, both sexes.....	444	2	16	7	6	41	48	33	29	36	43	37
Male.....	315	2	8	5	4	32	42	26	21	25	32	22
Female.....	129	-	8	2	2	9	6	7	8	11	11	15
Black, both sexes.....	67	1	4	2	3	5	6	6	6	7	5	5
Male.....	45	1	3	2	1	3	2	5	3	6	2	4
Female.....	22	-	1	-	2	2	4	1	3	1	3	1
American Indian 1/, both sexes.....	3	-	-	1	-	1	-	-	-	-	1	-
Male.....	2	-	-	-	-	1	-	-	-	-	1	-
Female.....	1	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	1	1	-	3	-	-	-	1	-
Male.....	4	-	-	-	1	-	2	-	-	-	-	-
Female.....	3	-	-	1	-	-	1	-	-	-	1	-

Utah

All races, both sexes.....	151	1	3	2	2	12	26	17	12	7	11	6
Male.....	95	1	2	-	1	8	16	11	10	3	8	2
Female.....	56	-	1	2	1	4	10	6	2	4	3	4
White, both sexes.....	143	1	2	2	2	12	23	16	11	7	10	6
Male.....	91	1	1	-	1	8	15	10	10	3	7	2
Female.....	52	-	1	2	1	4	8	6	1	4	3	4
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	3	-	-	-	-	-	1	1	1	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	2	-	-	-	-	-	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	-	-	-	2	-	-	-	1	-
Male.....	3	-	1	-	-	-	1	-	-	-	1	-
Female.....	2	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Vermont												
All races, both sexes.....	20	-	-	-	1	2	3	3	1	1	-	2
Male.....	14	-	-	-	1	-	3	3	1	1	-	2
Female.....	6	-	-	-	-	2	-	-	-	-	-	-
White, both sexes.....	20	-	-	-	1	2	3	3	1	1	-	2
Male.....	14	-	-	-	1	-	3	3	1	1	-	2
Female.....	6	-	-	-	-	2	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Virginia												
All races, both sexes.....	537	-	5	6	9	72	71	52	50	26	44	33
Male.....	361	-	4	4	4	47	53	38	36	12	31	21
Female.....	176	-	1	2	5	25	18	14	14	14	13	12
White, both sexes.....	424	-	3	5	7	62	55	44	40	17	32	24
Male.....	283	-	2	3	2	41	40	33	29	8	24	14
Female.....	141	-	1	2	5	21	15	11	11	9	8	10
Black, both sexes.....	104	-	2	1	2	8	16	8	8	8	11	6
Male.....	73	-	2	1	2	6	13	5	5	4	6	5
Female.....	31	-	-	-	-	2	3	3	3	4	5	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	-	-	-	-	2	-	-	2	1	1	3
Male.....	5	-	-	-	-	-	-	-	2	-	1	2
Female.....	4	-	-	-	-	2	-	-	-	1	-	1

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Alaska

All races, both sexes.....	8	3	3	1	2	4	2	1	-	-	-	-
Male.....	5	3	3	-	2	3	2	1	-	-	-	-
Female.....	3	-	-	1	-	1	-	-	-	-	-	-
White, both sexes.....	5	2	2	1	2	4	2	1	-	-	-	-
Male.....	4	2	2	-	2	3	2	1	-	-	-	-
Female.....	1	-	-	1	-	1	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	51	46	22	22	28	32	30	15	10	1	-	11
Male.....	37	30	12	13	11	12	16	7	7	1	-	10
Female.....	14	16	10	9	17	20	14	8	3	-	-	1
White, both sexes.....	40	40	19	18	23	30	26	14	9	1	-	9
Male.....	29	25	10	11	9	12	15	7	6	1	-	9
Female.....	11	15	9	7	14	18	11	7	3	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	9	6	2	4	5	2	2	1	1	-	-	2
Male.....	7	5	2	2	2	-	-	-	1	-	-	1
Female.....	2	1	-	2	3	2	2	1	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	1	-	1	-	-	-	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Arkansas

All races, both sexes.....	13	17	10	12	4	13	12	8	-	2	-	-
Male.....	11	10	7	8	3	6	6	5	-	-	-	-
Female.....	2	7	3	4	1	7	6	3	-	2	-	-
White, both sexes.....	11	12	10	11	3	10	11	8	-	2	-	-
Male.....	9	6	7	7	3	5	6	5	-	-	-	-
Female.....	2	6	3	4	-	5	5	3	-	2	-	-
Black, both sexes.....	2	5	-	1	1	3	1	-	-	-	-	-
Male.....	2	4	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	102	66	68	57	52	56	59	38	13	-	-	-
Male.....	63	43	48	31	32	31	36	15	6	-	-	-
Female.....	39	23	20	26	20	25	23	23	7	-	-	-
White, both sexes.....	80	53	60	38	42	46	51	35	12	-	-	-
Male.....	48	34	44	22	28	29	31	13	6	-	-	-
Female.....	32	19	16	16	14	17	20	22	6	-	-	-
Black, both sexes.....	12	5	5	2	1	1	1	1	1	-	-	-
Male.....	8	4	3	1	1	1	1	1	-	-	-	-
Female.....	4	1	2	1	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	2	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	2	1	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	8	3	15	8	9	6	2	-	-	-	-
Male.....	7	5	1	8	3	1	4	1	-	-	-	-
Female.....	3	3	2	7	5	8	2	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Massachusetts												
All races, both sexes.....	18	12	20	7	9	12	19	9	4	2	-	-
Male.....	14	11	14	4	5	3	7	2	2	1	-	-
Female.....	4	1	6	3	4	9	12	7	2	1	-	-
White, both sexes.....	16	11	19	7	6	12	18	9	4	2	-	-
Male.....	12	10	14	4	4	3	6	2	2	1	-	-
Female.....	4	1	5	3	2	9	12	7	2	1	-	-
Black, both sexes.....	1	-	1	-	2	-	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	1	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	-	1	-	-	-	-	-
Male.....	1	1	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Michigan												
All races, both sexes.....	40	19	31	24	27	24	24	19	3	-	-	-
Male.....	27	11	19	16	15	10	16	10	1	-	-	-
Female.....	13	8	12	8	12	14	8	9	2	-	-	-
White, both sexes.....	26	13	27	19	22	21	24	18	3	-	-	-
Male.....	16	8	15	12	12	9	16	10	1	-	-	-
Female.....	10	5	12	7	10	12	8	8	2	-	-	-
Black, both sexes.....	12	4	3	4	3	2	-	1	-	-	-	-
Male.....	9	2	3	4	2	-	-	-	-	-	-	-
Female.....	3	2	-	-	1	2	-	1	-	-	-	-
American Indian 1/, both sexes.....	1	1	1	1	1	-	-	-	-	-	-	-
Male.....	1	1	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	1	1	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Hampshire

All races, both sexes.....	6	4	1	2	8	2	4	1	-	-	-	-
Male.....	5	3	1	1	2	1	2	1	-	-	-	-
Female.....	1	1	-	1	6	1	2	-	-	-	-	-
White, both sexes.....	6	4	1	2	8	2	4	1	-	-	-	-
Male.....	5	3	1	1	2	1	2	1	-	-	-	-
Female.....	1	1	-	1	6	1	2	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	22	21	23	13	18	13	18	12	6	1	-	-
Male.....	17	15	13	8	10	7	8	4	3	1	-	-
Female.....	5	6	10	5	8	6	10	8	3	-	-	-
White, both sexes.....	17	18	20	12	16	11	17	12	6	1	-	-
Male.....	12	12	11	7	9	7	8	4	3	1	-	-
Female.....	5	6	9	5	7	4	9	8	3	-	-	-
Black, both sexes.....	4	1	2	1	1	-	1	-	-	-	-	-
Male.....	4	1	1	1	1	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	2	1	-	1	2	-	-	-	-	-	-
Male.....	1	2	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	2	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

New Mexico

All races, both sexes.....	2	2	2	2	3	2	1	1	-	-	-	-
Male.....	2	2	1	1	2	2	1	1	-	-	-	-
Female.....	-	-	1	1	1	-	-	-	-	-	-	-
White, both sexes.....	1	1	2	2	2	2	1	1	-	-	-	-
Male.....	1	1	1	1	2	2	1	1	-	-	-	-
Female.....	-	-	1	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	1	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	39	35	29	26	31	36	36	19	7	-	-	-
Male.....	26	19	19	18	15	19	19	9	4	-	-	-
Female.....	13	16	10	8	16	17	17	10	3	-	-	-
White, both sexes.....	28	29	22	21	26	32	33	19	5	-	-	-
Male.....	19	16	13	14	13	17	17	9	2	-	-	-
Female.....	9	13	9	7	13	15	16	10	3	-	-	-
Black, both sexes.....	7	3	4	4	2	4	1	-	2	-	-	-
Male.....	5	1	3	4	2	2	1	-	2	-	-	-
Female.....	2	2	1	-	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	3	1	3	-	2	-	-	-	-	-
Male.....	2	2	3	-	-	-	1	-	-	-	-	-
Female.....	2	1	-	1	3	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)

Oregon

All races, both sexes.....	5	6	3	3	3	6	2	2	2	1	-	-
Male.....	1	2	3	1	1	5	2	1	1	1	-	-
Female.....	4	4	-	2	2	1	-	1	1	-	-	-
White, both sexes.....	5	6	3	3	3	6	2	2	2	1	-	-
Male.....	1	2	3	1	1	5	2	1	1	1	-	-
Female.....	4	4	-	2	2	1	-	1	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Pennsylvania

All races, both sexes.....	65	54	44	40	51	56	55	35	12	2	-	1
Male.....	53	35	30	24	33	29	23	18	5	-	-	-
Female.....	12	19	14	16	18	27	32	17	7	2	-	1
White, both sexes.....	63	49	41	40	49	55	51	35	9	1	-	1
Male.....	52	31	28	24	32	29	21	18	4	-	-	-
Female.....	11	18	13	16	17	26	30	17	5	1	-	1
Black, both sexes.....	2	4	3	-	2	1	4	-	2	1	-	-
Male.....	1	3	2	-	1	-	2	-	1	-	-	-
Female.....	1	1	1	-	1	1	2	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	-	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
Texas												
All races, both sexes.....	21	31	17	19	14	27	14	12	5	2	-	2
Male.....	16	23	13	15	8	14	7	9	3	1	-	1
Female.....	5	8	4	4	6	13	7	3	2	1	-	1
White, both sexes.....	16	28	16	15	12	25	13	12	5	2	-	2
Male.....	13	20	12	12	6	12	7	9	3	1	-	1
Female.....	3	8	4	3	6	13	6	3	2	1	-	1
Black, both sexes.....	5	3	1	4	2	1	1	-	-	-	-	-
Male.....	3	3	1	3	2	1	-	-	-	-	-	-
Female.....	2	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Utah												
All races, both sexes.....	7	9	6	5	4	8	5	4	3	1	-	-
Male.....	6	6	4	2	4	4	3	2	1	1	-	-
Female.....	1	3	2	3	-	4	2	2	2	-	-	-
White, both sexes.....	7	9	6	5	4	7	5	4	3	1	-	-
Male.....	6	6	4	2	4	4	3	2	1	1	-	-
Female.....	1	3	2	3	-	3	2	2	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
New Mexico												
All races, both sexes.....	7	-	-	-	-	-	-	-	1	-	1	-
Male.....	7	-	-	-	-	-	-	-	1	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	-	-	-	-	-	1	-	-	-
Male.....	4	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New York												
All races, both sexes.....	79	-	2	1	3	5	3	5	1	4	10	7
Male.....	54	-	-	1	3	4	3	3	1	4	7	6
Female.....	25	-	2	-	-	1	-	2	-	-	3	1
White, both sexes.....	71	-	2	-	3	5	2	4	1	4	9	7
Male.....	49	-	-	-	3	4	2	3	1	4	7	6
Female.....	22	-	2	-	-	1	-	1	-	-	2	1
Black, both sexes.....	5	-	-	1	-	-	1	-	-	-	-	-
Male.....	4	-	-	1	-	-	1	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	-	-	-	1	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	1	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
Oregon												
All races, both sexes.....	7	-	1	-	-	1	-	-	-	-	1	1
Male.....	5	-	1	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
White, both sexes.....	7	-	1	-	-	1	-	-	-	-	1	1
Male.....	5	-	1	-	-	1	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	1
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania												
All races, both sexes.....	15	-	-	1	1	1	1	1	1	-	-	1
Male.....	10	-	-	-	1	1	1	-	1	-	-	-
Female.....	5	-	-	1	-	-	-	1	-	-	-	1
White, both sexes.....	13	-	-	1	1	1	1	-	1	-	-	1
Male.....	9	-	-	-	1	1	1	-	1	-	-	-
Female.....	4	-	-	1	-	-	-	-	-	-	-	1
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Arkansas

All races, both sexes.....	-	4	-	-	-	-	1	-	-	-	-	-
Male.....	-	3	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	3	-	-	-	-	1	-	-	-	-	-
Male.....	-	2	-	-	-	-	1	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	9	7	7	4	2	1	6	2	1	1	-	1
Male.....	8	5	6	3	2	1	4	-	-	1	-	1
Female.....	1	2	1	1	-	-	2	2	1	-	-	-
White, both sexes.....	7	6	6	4	1	1	6	1	1	1	-	1
Male.....	6	5	5	3	1	1	4	-	-	1	-	1
Female.....	1	1	1	1	-	-	2	1	1	-	-	-
Black, both sexes.....	1	1	1	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Maine

All races, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Maryland

All races, both sexes.....	2	2	1	2	1	4	-	-	-	-	-	-
Male.....	2	1	-	2	-	2	-	-	-	-	-	-
Female.....	-	1	1	-	1	2	-	-	-	-	-	-
White, both sexes.....	1	2	1	2	-	2	-	-	-	-	-	-
Male.....	1	1	-	2	-	1	-	-	-	-	-	-
Female.....	-	1	1	-	-	1	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	2	-	-	-	-	-	-
Male.....	1	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9,V87.9,V88.9,V89.1,V89.3,V89.9)

Texas

All races, both sexes.....	2	1	1	2	-	-	1	-	-	-	-	-
Male.....	2	1	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
White, both sexes.....	2	1	1	2	-	-	1	-	-	-	-	-
Male.....	2	1	1	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Utah

All races, both sexes.....	1	-	-	1	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	1	-	-	-	-	-	-	-
White, both sexes.....	1	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified transport accidents and their sequelae (V98-V99,Y85)

Arkansas

All races, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	6	8	12	5	2	5	8	2	-	-	-	-
Male.....	4	6	11	4	-	3	5	2	-	-	-	-
Female.....	2	2	1	1	2	2	3	-	-	-	-	-
White, both sexes.....	4	8	11	5	2	4	7	1	-	-	-	-
Male.....	2	6	10	4	-	3	5	1	-	-	-	-
Female.....	2	2	1	1	2	1	2	-	-	-	-	-
Black, both sexes.....	2	-	1	-	-	1	-	-	-	-	-	-
Male.....	2	-	1	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Falls (W00-W19)												
Arkansas												
All races, both sexes.....	154	-	1	-	-	-	2	3	-	2	5	4
Male.....	72	-	-	-	-	-	2	3	-	1	4	4
Female.....	82	-	1	-	-	-	-	-	-	1	1	-
White, both sexes.....	142	-	1	-	-	-	2	2	-	1	4	4
Male.....	67	-	-	-	-	-	2	2	-	-	3	4
Female.....	75	-	1	-	-	-	-	-	-	1	1	-
Black, both sexes.....	11	-	-	-	-	-	-	-	-	1	1	-
Male.....	4	-	-	-	-	-	-	-	-	1	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	1,636	2	6	1	3	11	13	20	23	32	43	50
Male.....	944	1	2	-	3	9	13	17	20	25	38	42
Female.....	692	1	4	1	-	2	-	3	3	7	5	8
White, both sexes.....	1,427	2	4	1	1	9	12	17	21	27	38	41
Male.....	813	1	1	-	1	8	12	15	19	22	34	34
Female.....	614	1	3	1	-	1	-	2	2	5	4	7
Black, both sexes.....	69	-	-	-	-	2	1	1	1	1	2	3
Male.....	49	-	-	-	-	1	1	1	1	1	2	2
Female.....	20	-	-	-	-	1	-	-	-	-	-	1
American Indian 1/, both sexes.....	5	-	-	-	-	-	-	-	1	1	1	2
Male.....	2	-	-	-	-	-	-	-	-	-	-	2
Female.....	3	-	-	-	-	-	-	-	1	1	1	-
Asian or Pacific Islander 2/, both sexes.....	135	-	2	-	2	-	-	2	-	3	2	4
Male.....	80	-	1	-	2	-	-	1	-	2	2	4
Female.....	55	-	1	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Falls (W00-W19)												
New Hampshire												
All races, both sexes.....	87	-	-	-	-	-	1	-	-	-	-	1
Male.....	42	-	-	-	-	-	1	-	-	-	-	1
Female.....	45	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	87	-	-	-	-	-	1	-	-	-	-	1
Male.....	42	-	-	-	-	-	1	-	-	-	-	1
Female.....	45	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	357	-	1	-	-	-	5	4	-	9	3	18
Male.....	218	-	-	-	-	-	5	3	-	8	3	16
Female.....	139	-	1	-	-	-	-	1	-	1	-	2
White, both sexes.....	325	-	1	-	-	-	4	3	-	9	3	16
Male.....	202	-	-	-	-	-	4	3	-	8	3	15
Female.....	123	-	1	-	-	-	-	-	-	1	-	1
Black, both sexes.....	25	-	-	-	-	-	1	-	-	-	-	2
Male.....	13	-	-	-	-	-	1	-	-	-	-	1
Female.....	12	-	-	-	-	-	-	-	-	-	-	1
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	-	1	-	-	-	-
Male.....	3	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Alaska

All races, both sexes.....	-	2	1	-	1	3	2	1	-	-	-	-
Male.....	-	2	1	-	1	2	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	-	2	1	-	1	2	2	-	-	-	-	-
Male.....	-	2	1	-	1	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Arizona

All races, both sexes.....	12	13	10	20	36	53	117	120	77	36	4	1
Male.....	11	7	5	14	18	24	53	44	24	18	1	-
Female.....	1	6	5	6	18	29	64	76	53	18	3	1
White, both sexes.....	9	12	6	19	29	53	113	116	76	34	4	1
Male.....	8	6	4	14	15	24	51	40	24	18	1	-
Female.....	1	6	2	5	14	29	62	76	52	16	3	1
Black, both sexes.....	1	-	-	1	3	-	-	2	-	1	-	-
Male.....	1	-	-	-	2	-	-	2	-	-	-	-
Female.....	-	-	-	1	1	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	2	1	4	-	4	-	3	2	1	1	-	-
Male.....	2	1	1	-	1	-	2	2	-	-	-	-
Female.....	-	-	3	-	3	-	1	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
Arkansas												
All races, both sexes.....	6	3	4	4	12	15	29	40	17	7	-	-
Male.....	2	2	3	3	7	8	13	13	4	3	-	-
Female.....	4	1	1	1	5	7	16	27	13	4	-	-
White, both sexes.....	6	2	2	4	12	14	27	39	16	6	-	-
Male.....	2	1	2	3	7	8	13	13	4	3	-	-
Female.....	4	1	-	1	5	6	14	26	12	3	-	-
Black, both sexes.....	-	1	2	-	-	1	2	1	1	1	-	-
Male.....	-	1	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	69	59	75	95	134	197	278	271	181	64	8	1
Male.....	57	42	55	63	78	111	139	123	82	18	5	1
Female.....	12	17	20	32	56	86	139	148	99	46	3	-
White, both sexes.....	54	50	67	80	114	168	246	243	163	61	7	1
Male.....	45	38	50	56	63	97	119	106	70	16	5	1
Female.....	9	12	17	24	51	71	127	137	93	45	2	-
Black, both sexes.....	9	5	3	5	7	11	6	4	7	1	-	-
Male.....	7	1	3	2	7	7	4	2	6	1	-	-
Female.....	2	4	-	3	-	4	2	2	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	4	5	10	13	18	26	24	11	2	1	-
Male.....	5	3	2	5	8	7	16	15	6	1	-	-
Female.....	1	1	3	5	5	11	10	9	5	1	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
Hawaii												
All races, both sexes.....	-	1	3	1	5	9	15	10	6	10	-	-
Male.....	-	-	3	1	3	4	4	7	3	2	-	-
Female.....	-	1	-	-	2	5	11	3	3	8	-	-
White, both sexes.....	-	-	1	-	1	1	4	4	1	3	-	-
Male.....	-	-	1	-	-	1	1	3	1	-	-	-
Female.....	-	-	-	-	1	-	3	1	-	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	4	8	11	6	5	7	-	-
Male.....	-	-	2	1	3	3	3	4	2	2	-	-
Female.....	-	1	-	-	1	5	8	2	3	5	-	-
Idaho												
All races, both sexes.....	5	2	5	6	4	13	14	23	26	8	-	-
Male.....	3	2	3	3	1	6	6	8	14	2	-	-
Female.....	2	-	2	3	3	7	8	15	12	6	-	-
White, both sexes.....	5	2	5	6	4	12	14	23	26	8	-	-
Male.....	3	2	3	3	1	6	6	8	14	2	-	-
Female.....	2	-	2	3	3	6	8	15	12	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

Iowa

All races, both sexes.....	13	8	14	14	21	36	47	61	60	25	7	-
Male.....	8	6	8	8	17	22	28	28	20	3	1	-
Female.....	5	2	6	6	4	14	19	33	40	22	6	-
White, both sexes.....	13	8	12	14	20	36	47	61	60	25	7	-
Male.....	8	6	6	8	16	22	28	28	20	3	1	-
Female.....	5	2	6	6	4	14	19	33	40	22	6	-
Black, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	1	-	-	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	5	5	10	16	16	19	42	49	20	14	2	-
Male.....	4	4	6	9	10	9	19	18	5	2	-	-
Female.....	1	1	4	7	6	10	23	31	15	12	2	-
White, both sexes.....	5	4	9	13	15	19	41	49	18	14	2	-
Male.....	4	3	5	6	10	9	18	18	4	2	-	-
Female.....	1	1	4	7	5	10	23	31	14	12	2	-
Black, both sexes.....	-	1	1	1	-	-	-	-	2	-	-	-
Male.....	-	1	1	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	1	-	1	-	-	-	-	-
Male.....	-	-	-	1	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
Maine												
All races, both sexes.....	2	1	4	1	4	5	8	12	9	3	-	-
Male.....	2	1	4	1	3	4	3	5	2	-	-	-
Female.....	-	-	-	-	1	1	5	7	7	3	-	-
White, both sexes.....	2	1	4	1	4	5	8	12	9	3	-	-
Male.....	2	1	4	1	3	4	3	5	2	-	-	-
Female.....	-	-	-	-	1	1	5	7	7	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	14	17	17	18	30	28	60	54	36	11	3	-
Male.....	13	14	12	12	15	14	35	24	14	3	2	-
Female.....	1	3	5	6	15	14	25	30	22	8	1	-
White, both sexes.....	8	11	13	13	21	22	49	49	31	9	3	-
Male.....	7	10	10	9	9	13	26	22	11	2	2	-
Female.....	1	1	3	4	12	9	23	27	20	7	1	-
Black, both sexes.....	6	6	3	5	9	6	10	3	3	2	-	-
Male.....	6	4	2	3	6	1	8	-	2	1	-	-
Female.....	-	2	1	2	3	5	2	3	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	1	1	2	-	-	-
Male.....	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Massachusetts

All races, both sexes.....	10	16	15	16	18	33	47	55	26	9	-	-
Male.....	6	12	10	11	12	15	21	18	9	1	-	-
Female.....	4	4	5	5	6	18	26	37	17	8	-	-
White, both sexes.....	9	16	15	16	18	33	46	54	26	9	-	-
Male.....	6	12	10	11	12	15	21	18	9	1	-	-
Female.....	3	4	5	5	6	18	25	36	17	8	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Michigan

All races, both sexes.....	29	22	18	32	42	92	133	100	74	29	7	-
Male.....	21	19	11	17	27	63	68	48	25	7	3	-
Female.....	8	3	7	15	15	29	65	52	49	22	4	-
White, both sexes.....	21	15	13	27	36	87	128	96	71	26	7	-
Male.....	15	13	8	14	23	60	65	44	23	5	3	-
Female.....	6	2	5	13	13	27	63	52	48	21	4	-
Black, both sexes.....	8	6	4	5	6	5	5	3	3	2	-	-
Male.....	6	6	2	3	4	3	3	3	2	2	-	-
Female.....	2	-	2	2	2	2	2	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	1	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
New Hampshire												
All races, both sexes.....	1	2	8	5	9	7	16	14	17	6	-	-
Male.....	1	2	4	2	5	6	8	5	6	1	-	-
Female.....	-	-	4	3	4	1	8	9	11	5	-	-
White, both sexes.....	1	2	8	5	9	7	16	14	17	6	-	-
Male.....	1	2	4	2	5	6	8	5	6	1	-	-
Female.....	-	-	4	3	4	1	8	9	11	5	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	19	16	19	25	30	49	59	51	42	6	1	-
Male.....	14	14	15	18	17	34	26	29	15	1	-	-
Female.....	5	2	4	7	13	15	33	22	27	5	1	-
White, both sexes.....	15	12	14	22	27	48	56	48	41	5	1	-
Male.....	11	10	12	18	15	34	25	28	15	1	-	-
Female.....	4	2	2	4	12	14	31	20	26	4	1	-
Black, both sexes.....	4	3	4	3	2	-	2	2	1	1	-	-
Male.....	3	3	2	-	2	-	-	1	-	-	-	-
Female.....	1	-	2	3	-	-	2	1	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	1	1	1	1	-	-	-	-
Male.....	-	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Falls (W00-W19)

New Mexico

All races, both sexes.....	7	5	15	9	11	27	61	47	36	11	1	-
Male.....	6	5	12	5	9	15	32	25	12	3	-	-
Female.....	1	-	3	4	2	12	29	22	24	8	1	-
White, both sexes.....	6	3	12	8	10	26	58	43	36	10	1	-
Male.....	5	3	10	5	8	14	30	21	12	3	-	-
Female.....	1	-	2	3	2	12	28	22	24	7	1	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	2	3	1	1	1	2	4	-	1	-	-
Male.....	1	2	2	-	1	1	1	4	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	28	31	40	59	68	100	179	204	129	46	9	-
Male.....	25	23	26	34	45	55	93	97	54	15	1	-
Female.....	3	8	14	25	23	45	86	107	75	31	8	-
White, both sexes.....	22	26	33	49	59	91	163	192	120	43	9	-
Male.....	19	19	20	29	42	50	83	90	49	15	1	-
Female.....	3	7	13	20	17	41	80	102	71	28	8	-
Black, both sexes.....	6	4	4	7	9	6	7	7	6	3	-	-
Male.....	6	3	3	3	3	2	3	4	3	-	-	-
Female.....	-	1	1	4	6	4	4	3	3	3	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	3	-	3	9	4	3	-	-	-
Male.....	-	1	2	2	-	3	7	2	2	-	-	-
Female.....	-	-	-	1	-	-	2	2	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Falls (W00-W19)												
South Dakota												
All races, both sexes.....	5	4	2	-	6	8	17	24	23	12	-	-
Male.....	3	3	2	-	4	4	8	10	8	5	-	-
Female.....	2	1	-	-	2	4	9	14	15	7	-	-
White, both sexes.....	5	3	2	-	6	8	17	23	22	12	-	-
Male.....	3	2	2	-	4	4	8	10	7	5	-	-
Female.....	2	1	-	-	2	4	9	13	15	7	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	1	1	-	-	-
Male.....	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	14	19	5	18	31	49	77	51	53	17	3	-
Male.....	11	16	3	13	15	29	38	18	16	6	1	-
Female.....	3	3	2	5	16	20	39	33	37	11	2	-
White, both sexes.....	13	15	5	16	30	45	76	50	50	16	3	-
Male.....	10	12	3	11	14	27	38	18	13	6	1	-
Female.....	3	3	2	5	16	18	38	32	37	10	2	-
Black, both sexes.....	1	4	-	2	1	4	-	1	3	1	-	-
Male.....	1	4	-	2	1	2	-	-	3	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Texas

All races, both sexes.....	29	34	38	59	65	153	193	171	110	44	8	-
Male.....	22	20	24	32	42	67	83	70	41	8	1	-
Female.....	7	14	14	27	23	86	110	101	69	36	7	-
White, both sexes.....	27	28	32	51	58	144	185	162	105	43	8	-
Male.....	20	17	19	30	38	63	82	68	38	7	1	-
Female.....	7	11	13	21	20	81	103	94	67	36	7	-
Black, both sexes.....	2	5	6	8	5	6	7	6	5	1	-	-
Male.....	2	2	5	2	3	2	1	2	3	1	-	-
Female.....	-	3	1	6	2	4	6	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	2	3	1	3	-	-	-	-
Male.....	-	1	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	1	3	-	-	-	-

Utah

All races, both sexes.....	3	4	4	6	11	15	22	18	6	1	1	-
Male.....	3	3	4	6	6	8	11	9	2	-	1	-
Female.....	-	1	-	-	5	7	11	9	4	1	-	-
White, both sexes.....	2	4	4	6	11	14	22	18	6	1	1	-
Male.....	2	3	4	6	6	8	11	9	2	-	1	-
Female.....	-	1	-	-	5	6	11	9	4	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Falls (W00-W19)

Vermont

All races, both sexes.....	2	1	-	5	9	14	18	17	15	7	-	-
Male.....	1	1	-	2	7	9	9	8	5	1	-	-
Female.....	1	-	-	3	2	5	9	9	10	6	-	-
White, both sexes.....	2	1	-	5	9	14	18	17	15	7	-	-
Male.....	1	1	-	2	7	9	9	8	5	1	-	-
Female.....	1	-	-	3	2	5	9	9	10	6	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	19	14	15	21	34	47	71	62	41	16	2	-
Male.....	15	10	11	14	19	24	30	30	11	1	-	-
Female.....	4	4	4	7	15	23	41	32	30	15	2	-
White, both sexes.....	16	12	10	20	30	41	65	57	40	16	2	-
Male.....	13	8	6	14	17	20	28	29	11	1	-	-
Female.....	3	4	4	6	13	21	37	28	29	15	2	-
Black, both sexes.....	3	2	5	1	4	6	6	2	1	-	-	-
Male.....	2	2	5	-	2	4	2	1	-	-	-	-
Female.....	1	-	-	1	2	2	4	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	3	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	3	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Fall on same level (W00-W09,W18)												
Arkansas												
All races, both sexes.....	42	-	1	-	-	-	-	1	-	1	-	1
Male.....	18	-	-	-	-	-	-	1	-	-	-	1
Female.....	24	-	1	-	-	-	-	-	-	1	-	-
White, both sexes.....	36	-	1	-	-	-	-	-	-	1	-	1
Male.....	16	-	-	-	-	-	-	-	-	-	-	1
Female.....	20	-	1	-	-	-	-	-	-	1	-	-
Black, both sexes.....	5	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	768	2	3	1	1	2	4	7	10	6	11	20
Male.....	405	1	1	-	1	1	4	6	8	2	10	16
Female.....	363	1	2	1	-	1	-	1	2	4	1	4
White, both sexes.....	685	2	3	1	1	1	4	5	9	4	10	19
Male.....	351	1	1	-	1	1	4	5	8	2	9	15
Female.....	334	1	2	1	-	-	-	-	1	2	1	4
Black, both sexes.....	34	-	-	-	-	1	-	-	-	-	1	1
Male.....	24	-	-	-	-	-	-	-	-	-	1	1
Female.....	10	-	-	-	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	-	-	-	-	-	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	47	-	-	-	-	-	-	2	-	1	-	-
Male.....	30	-	-	-	-	-	-	1	-	-	-	-
Female.....	17	-	-	-	-	-	-	1	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years
Fall on same level (W00-W09,W18)												
New Hampshire												
All races, both sexes.....	46	-	-	-	-	-	1	-	-	-	-	-
Male.....	21	-	-	-	-	-	1	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	46	-	-	-	-	-	1	-	-	-	-	-
Male.....	21	-	-	-	-	-	1	-	-	-	-	-
Female.....	25	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	78	-	-	-	-	-	-	1	-	1	1	4
Male.....	45	-	-	-	-	-	-	-	-	1	1	4
Female.....	33	-	-	-	-	-	-	1	-	-	-	-
White, both sexes.....	72	-	-	-	-	-	-	-	-	1	1	3
Male.....	43	-	-	-	-	-	-	-	-	1	1	3
Female.....	29	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	4	-	-	-	-	-	-	-	-	-	-	1
Male.....	1	-	-	-	-	-	-	-	-	-	-	1
Female.....	3	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	1	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall on same level (W00-W09,W18)

Arkansas

All races, both sexes.....	2	-	2	1	8	1	10	8	5	1	-	-
Male.....	1	-	1	1	4	-	4	1	3	1	-	-
Female.....	1	-	1	-	4	1	6	7	2	-	-	-
White, both sexes.....	2	-	-	1	8	-	9	7	5	1	-	-
Male.....	1	-	-	1	4	-	4	1	3	1	-	-
Female.....	1	-	-	-	4	-	5	6	2	-	-	-
Black, both sexes.....	-	-	2	-	-	1	1	1	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	1	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	27	21	29	41	62	105	145	143	95	29	4	-
Male.....	20	14	19	25	33	62	71	57	45	7	2	-
Female.....	7	7	10	16	29	43	74	86	50	22	2	-
White, both sexes.....	22	18	24	35	52	89	134	132	89	28	3	-
Male.....	16	13	16	22	25	54	61	50	39	6	2	-
Female.....	6	5	8	13	27	35	73	82	50	22	1	-
Black, both sexes.....	4	3	2	3	4	7	1	2	4	1	-	-
Male.....	4	1	2	2	4	3	1	-	4	1	-	-
Female.....	-	2	-	1	-	4	-	2	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	3	3	6	9	10	9	2	-	1	-
Male.....	-	-	1	1	4	5	9	7	2	-	-	-
Female.....	1	-	2	2	2	4	1	2	-	-	1	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall on same level (W00-W09,W18)

Iowa

All races, both sexes.....	1	1	4	3	4	10	17	15	15	8	2	-
Male.....	-	1	3	2	3	7	12	10	4	-	1	-
Female.....	1	-	1	1	1	3	5	5	11	8	1	-
White, both sexes.....	1	1	3	3	4	10	17	15	15	8	2	-
Male.....	-	1	2	2	3	7	12	10	4	-	1	-
Female.....	1	-	1	1	1	3	5	5	11	8	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Kansas

All races, both sexes.....	2	1	2	5	7	6	15	19	5	3	-	-
Male.....	1	1	1	4	4	3	9	8	1	-	-	-
Female.....	1	-	1	1	3	3	6	11	4	3	-	-
White, both sexes.....	2	1	2	4	6	6	14	19	4	3	-	-
Male.....	1	1	1	3	4	3	8	8	-	-	-	-
Female.....	1	-	1	1	2	3	6	11	4	3	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	1	-	-	-
Male.....	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	1	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall on same level (W00-W09,W18)

New Mexico

All races, both sexes.....	4	2	11	6	6	23	52	46	34	11	1	-
Male.....	3	2	8	3	4	12	24	24	11	3	-	-
Female.....	1	-	3	3	2	11	28	22	23	8	1	-
White, both sexes.....	4	2	9	5	6	22	51	42	34	10	1	-
Male.....	3	2	7	3	4	11	24	20	11	3	-	-
Female.....	1	-	2	2	2	11	27	22	23	7	1	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	2	1	-	1	1	4	-	1	-	-
Male.....	-	-	1	-	-	1	-	4	-	-	-	-
Female.....	-	-	1	1	-	-	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	4	6	9	15	16	25	54	59	41	13	1	-
Male.....	4	3	2	10	8	12	26	22	17	4	-	-
Female.....	-	3	7	5	8	13	28	37	24	9	1	-
White, both sexes.....	2	4	9	12	13	22	51	56	41	12	1	-
Male.....	2	2	2	8	8	10	24	21	17	4	-	-
Female.....	-	2	7	4	5	12	27	35	24	8	1	-
Black, both sexes.....	2	1	-	2	3	2	-	2	-	1	-	-
Male.....	2	-	-	1	-	1	-	1	-	-	-	-
Female.....	-	1	-	1	3	1	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	-	1	3	1	-	-	-	-
Male.....	-	1	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall on same level (W00-W09,W18)

Vermont

All races, both sexes.....	-	1	-	2	5	8	10	11	12	5	-	-
Male.....	-	1	-	-	4	5	5	6	3	1	-	-
Female.....	-	-	-	2	1	3	5	5	9	4	-	-
White, both sexes.....	-	1	-	2	5	8	10	11	12	5	-	-
Male.....	-	1	-	-	4	5	5	6	3	1	-	-
Female.....	-	-	-	2	1	3	5	5	9	4	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	5	7	4	9	18	19	25	29	18	8	2	-
Male.....	5	5	2	6	8	9	8	11	4	1	-	-
Female.....	-	2	2	3	10	10	17	18	14	7	2	-
White, both sexes.....	4	6	3	8	15	14	20	26	18	8	2	-
Male.....	4	4	1	6	7	5	6	11	4	1	-	-
Female.....	-	2	2	2	8	9	14	15	14	7	2	-
Black, both sexes.....	1	1	1	1	3	5	5	1	-	-	-	-
Male.....	1	1	1	-	1	4	2	-	-	-	-	-
Female.....	-	-	-	1	2	1	3	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	2	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	2	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Fall from one level to another (W10-W17)

Arkansas

All races, both sexes.....	2	2	-	1	1	3	1	3	1	-	-	-
Male.....	1	2	-	1	1	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	2	1	2	1	-	-	-
White, both sexes.....	2	1	-	1	1	3	1	3	1	-	-	-
Male.....	1	1	-	1	1	1	-	1	-	-	-	-
Female.....	1	-	-	-	-	2	1	2	1	-	-	-
Black, both sexes.....	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

California

All races, both sexes.....	18	19	23	25	14	16	33	24	17	2	2	1
Male.....	17	15	22	17	11	5	18	14	8	1	1	1
Female.....	1	4	1	8	3	11	15	10	9	1	1	-
White, both sexes.....	14	16	22	20	13	12	27	19	13	2	2	1
Male.....	14	13	21	16	10	4	15	13	6	1	1	1
Female.....	-	3	1	4	3	8	12	6	7	1	1	-
Black, both sexes.....	2	1	-	2	-	-	2	-	1	-	-	-
Male.....	1	-	-	-	-	-	1	-	1	-	-	-
Female.....	1	1	-	2	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	2	1	3	1	4	4	5	3	-	-	-
Male.....	2	2	1	1	1	1	2	1	1	-	-	-
Female.....	-	-	-	2	-	3	2	4	2	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall from one level to another (W10-W17)

New Hampshire

All races, both sexes.....	-	1	4	1	4	-	2	1	1	-	-	-
Male.....	-	1	1	-	3	-	1	1	-	-	-	-
Female.....	-	-	3	1	1	-	1	-	1	-	-	-
White, both sexes.....	-	1	4	1	4	-	2	1	1	-	-	-
Male.....	-	1	1	-	3	-	1	1	-	-	-	-
Female.....	-	-	3	1	1	-	1	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New Jersey

All races, both sexes.....	10	7	8	8	14	21	14	8	8	3	-	-
Male.....	8	6	7	7	8	13	7	5	3	-	-	-
Female.....	2	1	1	1	6	8	7	3	5	3	-	-
White, both sexes.....	6	5	5	8	12	20	13	8	8	3	-	-
Male.....	5	4	5	7	7	13	7	5	3	-	-	-
Female.....	1	1	-	1	5	7	6	3	5	3	-	-
Black, both sexes.....	4	1	3	-	1	-	1	-	-	-	-	-
Male.....	3	1	2	-	1	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Fall from one level to another (W10-W17)

New Mexico

All races, both sexes.....	1	2	4	2	3	3	5	-	1	-	-	-
Male.....	1	2	4	1	3	3	5	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
White, both sexes.....	1	1	3	2	2	3	3	-	1	-	-	-
Male.....	1	1	3	1	2	3	3	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	1	-	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	1	1	-	1	-	1	-	-	-	-	-
Male.....	-	1	1	-	1	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	15	13	19	20	18	25	29	25	16	5	2	-
Male.....	13	12	14	13	15	16	15	14	8	2	-	-
Female.....	2	1	5	7	3	9	14	11	8	3	2	-
White, both sexes.....	13	11	16	18	17	23	26	25	15	5	2	-
Male.....	11	10	11	13	14	16	13	14	7	2	-	-
Female.....	2	1	5	5	3	7	13	11	8	3	2	-
Black, both sexes.....	2	2	1	1	1	2	1	-	1	-	-	-
Male.....	2	2	1	-	1	-	1	-	1	-	-	-
Female.....	-	-	-	1	-	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	-	2	-	-	-	-	-
Male.....	-	-	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	1	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
Alaska												
All races, both sexes.....	-	-	-	-	-	2	2	1	-	-	-	-
Male.....	-	-	-	-	-	1	1	1	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	1	2	-	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	1	-	1	-	-	-	-
Male.....	-	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Arizona												
All races, both sexes.....	4	9	8	18	22	34	81	90	63	25	4	1
Male.....	3	4	4	12	8	17	36	32	20	12	1	-
Female.....	1	5	4	6	14	17	45	58	43	13	3	1
White, both sexes.....	4	9	5	17	18	34	78	86	63	24	4	1
Male.....	3	4	3	12	6	17	35	28	20	12	1	-
Female.....	1	5	2	5	12	17	43	58	43	12	3	1
Black, both sexes.....	-	-	-	1	2	-	-	2	-	1	-	-
Male.....	-	-	-	-	2	-	-	2	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	1	-	-
American Indian 1/, both sexes.....	-	-	3	-	2	-	2	2	-	-	-	-
Male.....	-	-	1	-	-	-	1	2	-	-	-	-
Female.....	-	-	2	-	2	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
Arkansas												
All races, both sexes.....	2	1	2	2	3	11	18	29	11	6	-	-
Male.....	-	-	2	1	2	7	9	11	1	2	-	-
Female.....	2	1	-	1	1	4	9	18	10	4	-	-
White, both sexes.....	2	1	2	2	3	11	17	29	10	5	-	-
Male.....	-	-	2	1	2	7	9	11	1	2	-	-
Female.....	2	1	-	1	1	4	8	18	9	3	-	-
Black, both sexes.....	-	-	-	-	-	-	1	-	1	1	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	1	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
California												
All races, both sexes.....	24	19	23	29	58	76	100	104	69	33	2	-
Male.....	20	13	14	21	34	44	50	52	29	10	2	-
Female.....	4	6	9	8	24	32	50	52	40	23	-	-
White, both sexes.....	18	16	21	25	49	67	85	92	61	31	2	-
Male.....	15	12	13	18	28	39	43	43	25	9	2	-
Female.....	3	4	8	7	21	28	42	49	36	22	-	-
Black, both sexes.....	3	1	1	-	3	4	3	2	2	-	-	-
Male.....	2	-	1	-	3	4	2	2	1	-	-	-
Female.....	1	1	-	-	-	-	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	2	1	4	6	5	12	10	6	2	-	-
Male.....	3	1	-	3	3	1	5	7	3	1	-	-
Female.....	-	1	1	1	3	4	7	3	3	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
Hawaii												
All races, both sexes.....	-	-	-	-	2	5	5	5	4	6	-	-
Male.....	-	-	-	-	2	2	1	3	2	1	-	-
Female.....	-	-	-	-	-	3	4	2	2	5	-	-
White, both sexes.....	-	-	-	-	-	-	2	2	1	1	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	-	-	-	-	2	1	-	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	2	5	3	3	3	5	-	-
Male.....	-	-	-	-	2	2	1	2	1	1	-	-
Female.....	-	-	-	-	-	3	2	1	2	4	-	-
Idaho												
All races, both sexes.....	1	-	3	1	3	6	5	7	6	3	-	-
Male.....	-	-	2	1	1	4	3	2	4	-	-	-
Female.....	1	-	1	-	2	2	2	5	2	3	-	-
White, both sexes.....	1	-	3	1	3	5	5	7	6	3	-	-
Male.....	-	-	2	1	1	4	3	2	4	-	-	-
Female.....	1	-	1	-	2	1	2	5	2	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
Maine												
All races, both sexes.....	-	1	1	1	-	3	5	3	5	3	-	-
Male.....	-	1	1	1	-	3	2	1	1	-	-	-
Female.....	-	-	-	-	-	-	3	2	4	3	-	-
White, both sexes.....	-	1	1	1	-	3	5	3	5	3	-	-
Male.....	-	1	1	1	-	3	2	1	1	-	-	-
Female.....	-	-	-	-	-	-	3	2	4	3	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland												
All races, both sexes.....	5	11	5	10	15	17	35	37	18	8	1	-
Male.....	4	8	3	7	9	8	20	17	7	2	-	-
Female.....	1	3	2	3	6	9	15	20	11	6	1	-
White, both sexes.....	2	8	3	6	11	13	29	34	16	6	1	-
Male.....	1	7	2	4	6	7	14	15	6	1	-	-
Female.....	1	1	1	2	5	6	15	19	10	5	1	-
Black, both sexes.....	3	3	1	4	4	4	6	1	-	2	-	-
Male.....	3	1	1	3	3	1	6	-	-	1	-	-
Female.....	-	2	-	1	1	3	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	-	-	-	-	1	2	-	-	-
Male.....	-	-	-	-	-	-	-	1	1	-	-	-
Female.....	-	-	1	-	-	-	-	-	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
Massachusetts												
All races, both sexes.....	5	8	1	8	7	12	23	34	15	4	-	-
Male.....	3	5	1	7	4	4	13	12	2	1	-	-
Female.....	2	3	-	1	3	8	10	22	13	3	-	-
White, both sexes.....	4	8	1	8	7	12	22	33	15	4	-	-
Male.....	3	5	1	7	4	4	13	12	2	1	-	-
Female.....	1	3	-	1	3	8	9	21	13	3	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	1	-	-	-	-
Michigan												
All races, both sexes.....	18	7	10	19	21	52	91	65	44	20	4	-
Male.....	11	7	5	9	12	34	50	31	18	4	2	-
Female.....	7	-	5	10	9	18	41	34	26	16	2	-
White, both sexes.....	14	5	6	14	17	49	87	62	42	17	4	-
Male.....	8	5	3	6	9	33	47	28	16	2	2	-
Female.....	6	-	3	8	8	16	40	34	26	15	2	-
Black, both sexes.....	4	2	4	5	4	3	4	2	2	2	-	-
Male.....	3	2	2	3	3	1	3	2	2	2	-	-
Female.....	1	-	2	2	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	1	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	1	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
New Hampshire												
All races, both sexes.....	-	1	-	1	1	4	6	6	5	2	-	-
Male.....	-	1	-	1	-	4	3	1	2	1	-	-
Female.....	-	-	-	-	1	-	3	5	3	1	-	-
White, both sexes.....	-	1	-	1	1	4	6	6	5	2	-	-
Male.....	-	1	-	1	-	4	3	1	2	1	-	-
Female.....	-	-	-	-	1	-	3	5	3	1	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey												
All races, both sexes.....	5	6	5	12	11	20	31	28	25	1	1	-
Male.....	3	6	4	7	7	15	11	16	10	1	-	-
Female.....	2	-	1	5	4	5	20	12	15	-	1	-
White, both sexes.....	5	4	5	9	10	20	30	25	24	1	1	-
Male.....	3	4	4	7	6	15	10	15	10	1	-	-
Female.....	2	-	1	2	4	5	20	10	14	-	1	-
Black, both sexes.....	-	2	-	3	1	-	-	2	1	-	-	-
Male.....	-	2	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	3	-	-	-	1	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

New Mexico

All races, both sexes.....	2	1	-	1	2	1	4	1	1	-	-	-
Male.....	2	1	-	1	2	-	3	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
White, both sexes.....	1	-	-	1	2	1	4	1	1	-	-	-
Male.....	1	-	-	1	2	-	3	1	1	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

New York

All races, both sexes.....	9	12	12	24	34	50	96	120	72	28	6	-
Male.....	8	8	10	11	22	27	52	61	29	9	1	-
Female.....	1	4	2	13	12	23	44	59	43	19	5	-
White, both sexes.....	7	11	8	19	29	46	86	111	64	26	6	-
Male.....	6	7	7	8	20	24	46	55	25	9	1	-
Female.....	1	4	1	11	9	22	40	56	39	17	5	-
Black, both sexes.....	2	1	3	4	5	2	6	5	5	2	-	-
Male.....	2	1	2	2	2	1	2	3	2	-	-	-
Female.....	-	-	1	2	3	1	4	2	3	2	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	1	1	-	2	4	3	3	-	-	-
Male.....	-	-	1	1	-	2	4	2	2	-	-	-
Female.....	-	-	-	-	-	-	-	1	1	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Unspecified fall (W19)												
South Dakota												
All races, both sexes.....	1	-	1	-	-	6	3	10	9	4	-	-
Male.....	1	-	1	-	-	4	1	3	4	2	-	-
Female.....	-	-	-	-	-	2	2	7	5	2	-	-
White, both sexes.....	1	-	1	-	-	6	3	9	9	4	-	-
Male.....	1	-	1	-	-	4	1	3	4	2	-	-
Female.....	-	-	-	-	-	2	2	6	5	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee												
All races, both sexes.....	11	12	4	11	26	31	60	38	44	12	2	-
Male.....	8	11	2	6	13	17	28	15	10	5	1	-
Female.....	3	1	2	5	13	14	32	23	34	7	1	-
White, both sexes.....	10	9	4	9	25	29	59	37	41	11	2	-
Male.....	7	8	2	4	12	17	28	15	7	5	1	-
Female.....	3	1	2	5	13	12	31	22	34	6	1	-
Black, both sexes.....	1	3	-	2	1	2	-	1	3	1	-	-
Male.....	1	3	-	2	1	-	-	-	3	-	-	-
Female.....	-	-	-	-	-	2	-	1	-	1	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Unspecified fall (W19)

Texas

All races, both sexes.....	13	23	20	38	42	96	138	111	85	36	6	-
Male.....	11	11	11	20	25	42	58	41	29	6	-	-
Female.....	2	12	9	18	17	54	80	70	56	30	6	-
White, both sexes.....	12	18	18	33	39	89	133	106	82	36	6	-
Male.....	10	9	10	18	23	39	58	40	27	6	-	-
Female.....	2	9	8	15	16	50	75	66	55	30	6	-
Black, both sexes.....	1	4	2	5	2	4	4	4	3	-	-	-
Male.....	1	1	1	2	1	1	-	1	2	-	-	-
Female.....	-	3	1	3	1	3	4	3	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	-	1	3	1	1	-	-	-	-
Male.....	-	1	-	-	1	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	1	-	-	-	-

Utah

All races, both sexes.....	-	-	-	2	2	5	8	7	3	-	-	-
Male.....	-	-	-	2	-	2	4	4	1	-	-	-
Female.....	-	-	-	-	2	3	4	3	2	-	-	-
White, both sexes.....	-	-	-	2	2	4	8	7	3	-	-	-
Male.....	-	-	-	2	-	2	4	4	1	-	-	-
Female.....	-	-	-	-	2	2	4	3	2	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-

Worktable III. Deaths from 358 selected causes, by 5-year age groups, race, and sex: United States and each State, 2004

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Michigan, Minnesota, Montana, New Hampshire, New Jersey, New York, Oklahoma, South Dakota, Washington, Wisconsin, and Wyoming reported multiple-race data in 2004. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2004"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), area, race, and sex

	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Unspecified fall (W19)

Vermont

All races, both sexes.....	1	-	-	1	3	4	6	5	2	2	-	-
Male.....	-	-	-	-	2	2	3	1	2	-	-	-
Female.....	1	-	-	1	1	2	3	4	-	2	-	-
White, both sexes.....	1	-	-	1	3	4	6	5	2	2	-	-
Male.....	-	-	-	-	2	2	3	1	2	-	-	-
Female.....	1	-	-	1	1	2	3	4	-	2	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-

Virginia

All races, both sexes.....	7	2	5	5	10	14	33	25	18	8	-	-
Male.....	4	1	3	4	5	5	18	14	5	-	-	-
Female.....	3	1	2	1	5	9	15	11	13	8	-	-
White, both sexes.....	5	1	3	5	9	13	32	23	17	8	-	-
Male.....	3	-	1	4	4	5	18	13	5	-	-	-
Female.....	2	1	2	1	5	8	14	10	12	8	-	-
Black, both sexes.....	2	1	2	-	1	1	1	1	1	-	-	-
Male.....	1	1	2	-	1	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	1	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	1	-	-	-	-

