

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Meningococcal infection (A39)

	ALL RACES	WHITE	ALL OTHER	BLACK
	MALE	FEMALE	MALE	FEMALE
All ages-----	211	106	105	161
Under 1 year-----	22	14	8	19
1-4 years-----	19	12	7	14
5-9 years-----	12	5	7	5
10-14 years-----	6	2	4	5
15-19 years-----	34	24	10	29
20-24 years-----	22	11	11	16
25-29 years-----	9	3	6	7
30-34 years-----	6	3	3	3
35-39 years-----	7	6	1	3
40-44 years-----	6	3	3	4
45-49 years-----	13	5	8	7
50-54 years-----	16	6	10	12
55-59 years-----	6	1	5	5
60-64 years-----	3	1	2	3
65-69 years-----	3	-	3	2
70-74 years-----	5	2	3	5
75-79 years-----	7	4	3	7
80-84 years-----	8	3	5	8
85-89 years-----	2	-	2	2
90-94 years-----	4	-	4	4
95-99 years-----	1	1	-	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Meningococcal meningitis (A39.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	MALE	FEMALE	MALE	FEMALE
All ages-----	71	37	34	53
Under 1 year-----	3	2	1	3
1-4 years-----	1	1	-	1
5-9 years-----	1	1	-	-
10-14 years-----	1	-	1	-
15-19 years-----	13	11	2	10
20-24 years-----	13	7	6	10
25-29 years-----	5	1	4	3
30-34 years-----	1	1	-	-
35-39 years-----	3	2	1	2
40-44 years-----	4	2	2	3
45-49 years-----	5	1	4	2
50-54 years-----	8	3	5	6
55-59 years-----	3	1	2	2
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	4	2	2	4
75-79 years-----	3	1	2	3
80-84 years-----	1	1	-	1
85-89 years-----	1	-	1	-
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Waterhouse-Friderichsen syndrome (A39.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	39	21	18	28	14	14	11	7	4	8	5	3			
Under 1 year-----	9	6	3	8	5	3	1	1	-	1	1	-			
1-4 years-----	6	3	3	4	2	2	2	1	1	2	1	1			
5-9 years-----	4	1	3	1	-	1	3	1	2	3	1	2			
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
15-19 years-----	4	2	2	3	2	1	1	-	1	-	-	-			
20-24 years-----	2	1	1	1	-	1	1	1	-	-	-	-			
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	3	1	2	2	-	2	1	1	-	-	-	-			
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Acute meningococemia (A39.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	7	-	7	6	-	6	1	-	1	1	-	-			1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
5-9 years-----	1	-	1	-	-	-	1	-	1	1	-	-			1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-			-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Late congenital syphilis, unspecified (A50.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - -	WHITE - - - - -	ALL OTHER - - - - -	BLACK - - - - -
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	1	1	-	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Congenital syphilis, unspecified (A50.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - -	WHITE - - - - -	ALL OTHER - - - - -	BLACK - - - - -
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Viral meningitis (A87)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	39	18	21	29	12	17	10	6	4	8	5	3			
Under 1 year-----	3	2	1	3	2	1	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	-			1
25-29 years-----	3	2	1	2	1	1	1	1	-	-	-	-			-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
40-44 years-----	2	2	-	-	-	-	2	2	-	2	2	-			-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
50-54 years-----	3	-	3	1	-	1	2	-	2	1	-	1			1
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
60-64 years-----	3	1	2	1	-	1	2	1	1	2	1	1			1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
75-79 years-----	6	3	3	5	2	3	1	1	-	1	1	-			-
80-84 years-----	5	1	4	4	-	4	1	1	-	1	1	-			-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-			-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-			-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Enteroviral meningitis (A87.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	3	2	1	2	1	1	1	1	-	1	1	-			
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-			-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other viral infections characterized by skin and mucous membrane lesions, not elsewhere classified (B08)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other specified viral infections characterized by skin and mucous membrane lesions (B08.8)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

	ALL RACES			WHITE			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Acute hepatitis C (B17.1)												
All ages-----	3,702	2,333	1,369	2,999	1,902	1,097	703	431	272	563	359	204
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	3	1	2	1	-	1	2	1	1	2	1	1
25-29 years-----	10	4	6	7	3	4	3	1	2	3	1	2
30-34 years-----	27	15	12	19	10	9	8	5	3	6	3	3
35-39 years-----	147	105	42	121	86	35	26	19	7	22	16	6
40-44 years-----	409	282	127	332	230	102	77	52	25	63	41	22
45-49 years-----	803	619	184	650	506	144	153	113	40	137	102	35
50-54 years-----	627	461	166	477	353	124	150	108	42	127	94	33
55-59 years-----	333	220	113	259	175	84	74	45	29	58	39	19
60-64 years-----	270	146	124	215	122	93	55	24	31	36	16	20
65-69 years-----	270	126	144	218	103	115	52	23	29	33	16	17
70-74 years-----	281	116	165	239	100	139	42	16	26	30	13	17
75-79 years-----	256	121	135	226	108	118	30	13	17	22	9	13
80-84 years-----	168	72	96	147	66	81	21	6	15	17	5	12
85-89 years-----	73	36	37	65	32	33	8	4	4	6	3	3
90-94 years-----	19	5	14	18	5	13	1	-	1	1	-	1
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Acute hepatitis E (B17.2)

All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Unspecified viral hepatitis without coma (B19.9)

All ages-----	110	64	46	88	49	39	22	15	7	15	9	6
Under 1 year-----	4	1	3	2	1	1	2	-	2	2	-	2
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	1	1	2	1	1	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	2	-	2	2	-	2	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	8	6	2	5	3	2	3	3	-	2	2	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	18	11	7	14	9	5	4	2	2	3	2	1
50-54 years-----	8	6	2	1	1	-	7	5	2	5	3	2
55-59 years-----	7	5	2	7	5	2	-	-	-	-	-	-
60-64 years-----	7	4	3	6	3	3	1	1	-	-	-	-
65-69 years-----	8	3	5	7	2	5	1	1	-	1	1	-
70-74 years-----	5	4	1	4	3	1	1	1	-	-	-	-
75-79 years-----	16	8	8	13	6	7	3	2	1	2	1	1
80-84 years-----	5	2	3	5	2	3	-	-	-	-	-	-
85-89 years-----	9	4	5	9	4	5	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases (B20)

All ages-----	5,722	4,256	1,466	2,628	2,135	493	3,094	2,121	973	3,034	2,074	960
Under 1 year-----	4	3	1	-	-	-	4	3	1	4	3	1
1-4 years-----	7	2	5	-	-	-	7	2	5	7	2	5
5-9 years-----	8	2	6	4	1	3	4	1	3	4	1	3
10-14 years-----	6	2	4	1	-	1	5	2	3	5	2	3
15-19 years-----	15	8	7	6	4	2	9	4	5	9	4	5
20-24 years-----	70	37	33	24	17	7	46	20	26	46	20	26
25-29 years-----	274	165	109	109	73	36	165	92	73	164	91	73
30-34 years-----	700	488	212	300	239	61	400	249	151	392	244	148
35-39 years-----	1,179	878	301	573	462	111	606	416	190	595	409	186
40-44 years-----	1,208	881	327	563	453	110	645	428	217	629	414	215
45-49 years-----	1,038	812	226	477	402	75	561	410	151	555	405	150
50-54 years-----	607	501	106	289	253	36	318	248	70	309	241	68
55-59 years-----	273	212	61	135	109	26	138	103	35	133	99	34
60-64 years-----	155	124	31	72	58	14	83	66	17	81	64	17
65-69 years-----	90	75	15	43	38	5	47	37	10	46	36	10
70-74 years-----	51	42	9	17	14	3	34	28	6	33	27	6
75-79 years-----	26	18	8	11	9	2	15	9	6	15	9	6
80-84 years-----	7	5	2	2	2	-	5	3	2	5	3	2
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Coccidioidomycosis (B38)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	67	50	17	53	39	14	14	11	3	8	7	1			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1			
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
35-39 years-----	4	4	-	2	2	-	2	-	-	2	2	-			
40-44 years-----	3	2	1	2	1	1	1	1	-	1	1	-			
45-49 years-----	3	3	-	2	2	-	1	1	-	1	1	-			
50-54 years-----	5	3	2	4	2	2	1	1	-	1	1	-			
55-59 years-----	6	4	2	3	2	1	3	2	1	2	2	-			
60-64 years-----	8	5	3	5	3	2	3	2	1	-	-	-			
65-69 years-----	7	5	2	7	5	2	-	-	-	-	-	-			
70-74 years-----	9	9	-	8	8	-	1	1	-	-	-	-			
75-79 years-----	6	4	2	6	4	2	-	-	-	-	-	-			
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-			
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
90-94 years-----	3	1	2	2	-	2	1	1	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Acute pulmonary coccidioidomycosis (B38.0)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Blastomycosis (B40)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	32	26	6	23	20	3	9	6	3	8	5	3			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
35-39 years-----	2	1	1	1	1	-	1	-	1	-	1	-			1
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
45-49 years-----	6	3	3	4	2	2	2	1	1	2	1	1			1
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-			-
55-59 years-----	4	4	-	3	3	-	1	1	-	1	1	-			-
60-64 years-----	4	3	1	2	2	-	2	1	1	2	1	1			1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
70-74 years-----	5	5	-	4	4	-	1	1	-	1	1	-			-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-			-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-			-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Pulmonary blastomycosis, unspecified (B40.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	5	4	1	2	2	-	3	2	1	3	2	1			1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-			-
60-64 years-----	1	-	1	-	-	-	1	-	1	-	1	-			1
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
70-74 years-----	2	2	-	1	1	-	1	1	-	1	1	-			-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Aspergillosis (B44)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	261	146	115	221
Under 1 year-----	1	1	-	1
1-4 years-----	1	1	-	1
5-9 years-----	4	4	-	3
10-14 years-----	3	-	3	1
15-19 years-----	1	-	1	1
20-24 years-----	2	2	-	2
25-29 years-----	2	2	-	1
30-34 years-----	4	1	3	2
35-39 years-----	5	2	3	5
40-44 years-----	16	10	6	11
45-49 years-----	12	6	6	12
50-54 years-----	28	19	9	21
55-59 years-----	17	5	12	13
60-64 years-----	32	18	14	27
65-69 years-----	27	18	9	25
70-74 years-----	41	25	16	35
75-79 years-----	38	22	16	33
80-84 years-----	18	6	12	18
85-89 years-----	6	2	4	6
90-94 years-----	3	2	1	3
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Invasive pulmonary aspergillosis (B44.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	7	4	3	7
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	1	-	1
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	2	1	1	2
60-64 years-----	-	-	-	-
65-69 years-----	2	1	1	2
70-74 years-----	2	1	1	2
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Cryptococcosis (B45)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	111	79	32	76	58	18	35	21	14	29	19	10			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-			
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	1			
30-34 years-----	4	3	1	-	-	-	4	3	1	4	3	1			
35-39 years-----	11	10	1	8	7	1	3	3	-	2	2	-			
40-44 years-----	9	8	1	3	3	-	6	5	1	5	4	1			
45-49 years-----	10	8	2	8	6	2	2	2	-	2	2	-			
50-54 years-----	9	7	2	6	6	-	3	1	2	3	1	2			
55-59 years-----	10	8	2	9	8	1	1	-	1	-	-	-			
60-64 years-----	7	4	3	5	3	2	2	1	1	1	1	-			
65-69 years-----	7	5	2	4	3	1	3	2	1	3	2	1			
70-74 years-----	13	9	4	11	9	2	2	-	2	2	-	2			
75-79 years-----	15	7	8	12	6	6	3	1	2	2	1	1			
80-84 years-----	5	5	-	3	3	-	2	2	-	2	2	-			
85-89 years-----	8	3	5	6	3	3	2	-	2	2	-	2			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Pulmonary cryptococcosis (B45.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	9	7	2	7	5	2	2	2	-	2	2	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Echinococcosis (B67)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Echinococcosis, other and unspecified (B67.9)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other filariases (B74.8)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Ascariasis (B77)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Gum, unspecified (C03.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	44	22	22	35	18	17	9	4	5	7	3	4			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	2	-	2	1	-	1	1	-	1	1	-	-		1	
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-		-	
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	
45-49 years-----	1	-	1	-	-	-	1	-	1	1	-	-		1	
50-54 years-----	3	3	-	2	2	-	1	1	-	1	1	-		-	
55-59 years-----	2	2	-	2	2	-	-	-	-	-	-	-		-	
60-64 years-----	5	2	3	4	2	2	1	-	1	1	-	-		1	
65-69 years-----	6	2	4	5	1	4	1	1	-	-	-	-		-	
70-74 years-----	8	6	2	6	5	1	2	1	1	1	1	-		-	
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-		-	
80-84 years-----	5	1	4	4	1	3	1	-	1	1	-	-		1	
85-89 years-----	5	2	3	4	1	3	1	1	-	1	1	-		-	
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-	
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-	

Malignant neoplasm of floor of mouth (C04)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	153	98	55	125	78	47	28	20	8	25	17	8			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	
40-44 years-----	6	5	1	6	5	1	-	-	-	-	-	-		-	
45-49 years-----	11	10	1	4	4	-	7	6	1	6	5	1		1	
50-54 years-----	15	11	4	11	8	3	4	3	1	4	3	1		1	
55-59 years-----	18	15	3	12	11	1	6	4	2	6	4	2		2	
60-64 years-----	18	11	7	18	11	7	-	-	-	-	-	-		-	
65-69 years-----	24	17	7	23	16	7	1	1	-	-	-	-		-	
70-74 years-----	19	8	11	15	6	9	4	2	2	4	2	2		2	
75-79 years-----	17	7	10	14	5	9	3	2	1	3	2	1		1	
80-84 years-----	11	7	4	9	5	4	2	2	-	1	1	-		-	
85-89 years-----	9	3	6	8	3	5	1	-	1	1	-	-		-	
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-		-	
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-		-	
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-	
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-	

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other sarcomas of liver (C22.4)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other specified carcinomas of liver (C22.7)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Biliary tract, unspecified (C24.9)

CAUSE OF DEATH	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	685	300	385	617	272	345	68	28	40	48	19	29
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	-	-	-	1	-	1	-	-	-
35-39 years-----	5	4	1	4	3	1	1	1	-	-	-	-
40-44 years-----	5	3	2	4	2	2	1	1	-	1	1	-
45-49 years-----	13	7	6	11	5	6	2	2	-	2	2	-
50-54 years-----	20	7	13	17	6	11	3	1	2	3	1	2
55-59 years-----	30	13	17	25	11	14	5	2	3	3	1	2
60-64 years-----	46	23	23	37	19	18	9	4	5	7	2	5
65-69 years-----	68	39	29	60	37	23	8	2	6	7	2	5
70-74 years-----	99	46	53	90	44	46	9	2	7	5	2	3
75-79 years-----	138	67	71	128	60	68	10	7	3	6	4	2
80-84 years-----	116	48	68	108	46	62	8	2	6	5	1	4
85-89 years-----	96	29	67	88	27	61	8	2	6	6	1	5
90-94 years-----	33	10	23	31	9	22	2	1	1	2	1	1
95-99 years-----	12	3	9	11	2	9	1	1	-	1	1	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of pancreas (C25)

CAUSE OF DEATH	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	29,332	14,238	15,094	25,301	12,392	12,909	4,031	1,846	2,185	3,419	1,561	1,858
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	4	2	2	3	2	1	1	-	1	1	-	1
25-29 years-----	17	11	6	15	9	6	2	2	-	1	1	-
30-34 years-----	38	22	16	30	18	12	8	4	4	8	4	4
35-39 years-----	140	87	53	110	69	41	30	18	12	24	15	9
40-44 years-----	408	237	171	319	189	130	89	48	41	73	39	34
45-49 years-----	834	531	303	679	437	242	155	94	61	136	80	56
50-54 years-----	1,528	955	573	1,248	787	461	280	168	112	246	151	95
55-59 years-----	2,030	1,206	824	1,675	1,003	672	355	203	152	307	178	129
60-64 years-----	2,678	1,543	1,135	2,250	1,314	936	428	229	199	365	195	170
65-69 years-----	3,546	1,965	1,581	2,999	1,709	1,290	547	256	291	455	214	241
70-74 years-----	4,557	2,224	2,333	3,945	1,949	1,996	612	275	337	523	236	287
75-79 years-----	5,223	2,447	2,776	4,603	2,197	2,406	620	250	370	528	215	313
80-84 years-----	4,236	1,742	2,494	3,786	1,570	2,216	450	172	278	369	138	231
85-89 years-----	2,571	891	1,680	2,297	812	1,485	274	79	195	228	60	168
90-94 years-----	1,196	310	886	1,059	272	787	137	38	99	118	27	91
95-99 years-----	286	59	227	250	49	201	36	10	26	32	8	24
100 yrs & over---	34	2	32	27	2	25	7	-	7	5	-	5
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Nasal cavity (C30.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	41	21	20	36
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	1	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	-	1	1
40-44 years-----	1	-	1	1
45-49 years-----	5	3	2	4
50-54 years-----	1	1	-	1
55-59 years-----	5	2	3	4
60-64 years-----	5	3	2	5
65-69 years-----	5	3	2	5
70-74 years-----	4	1	3	3
75-79 years-----	6	3	3	6
80-84 years-----	2	2	-	2
85-89 years-----	2	1	1	2
90-94 years-----	3	1	2	3
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Middle ear (C30.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	8	2	6	7
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	1	1	-	1
50-54 years-----	-	-	-	-
55-59 years-----	2	-	2	2
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	1	-	1	1
75-79 years-----	1	-	1	1
80-84 years-----	-	-	-	-
85-89 years-----	2	-	2	2
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Ethmoidal sinus (C31.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	22	15	7	18
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	3	3	-	2
45-49 years-----	2	1	1	1
50-54 years-----	3	3	-	3
55-59 years-----	1	1	-	1
60-64 years-----	1	1	-	1
65-69 years-----	3	1	2	2
70-74 years-----	3	3	-	3
75-79 years-----	2	1	1	2
80-84 years-----	2	-	2	1
85-89 years-----	1	-	1	1
90-94 years-----	1	1	-	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Frontal sinus (C31.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	3	1	2	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	1	-	1	1
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Malignant neoplasm of trachea (C33)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	90	54	36	76	44	32	14	10	4	12	9	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	5	3	2	4	3	1	1	-	1	1	-	1
50-54 years-----	6	4	2	4	3	1	2	1	1	2	1	1
55-59 years-----	6	4	2	5	3	2	1	1	-	1	1	-
60-64 years-----	5	3	2	5	3	2	-	-	-	-	-	-
65-69 years-----	14	11	3	13	10	3	1	1	-	1	1	-
70-74 years-----	17	9	8	16	8	8	1	1	-	-	-	-
75-79 years-----	14	6	8	12	5	7	2	1	1	2	1	1
80-84 years-----	13	7	6	9	4	5	4	3	1	3	3	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of bronchus and lung (C34)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	155,431	90,415	65,016	136,836	78,703	58,133	18,595	11,712	6,883	16,054	10,144	5,910
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years-----	19	11	8	13	9	4	6	2	4	3	-	3
25-29 years-----	36	27	9	26	19	7	10	8	2	8	6	2
30-34 years-----	160	74	86	128	62	66	32	12	20	24	9	15
35-39 years-----	663	369	294	499	277	222	164	92	72	141	79	62
40-44 years-----	2,089	1,169	920	1,591	856	735	498	313	185	442	282	160
45-49 years-----	4,215	2,537	1,678	3,261	1,950	1,311	954	587	367	836	520	316
50-54 years-----	7,689	4,579	3,110	6,268	3,638	2,630	1,421	941	480	1,293	863	430
55-59 years-----	12,447	7,542	4,905	10,557	6,271	4,286	1,890	1,271	619	1,659	1,124	535
60-64 years-----	17,263	10,388	6,875	14,920	8,902	6,018	2,343	1,486	857	2,066	1,312	754
65-69 years-----	23,424	14,178	9,246	20,519	12,303	8,216	2,905	1,875	1,030	2,533	1,660	873
70-74 years-----	28,803	17,184	11,619	25,660	15,213	10,447	3,143	1,971	1,172	2,692	1,680	1,012
75-79 years-----	27,291	15,720	11,571	24,660	14,054	10,606	2,631	1,666	965	2,220	1,389	831
80-84 years-----	18,518	10,233	8,285	17,045	9,352	7,693	1,473	881	592	1,213	729	484
85-89 years-----	9,298	4,839	4,459	8,504	4,397	4,107	794	442	352	651	355	296
90-94 years-----	2,902	1,335	1,567	2,649	1,206	1,443	253	129	124	208	105	103
95-99 years-----	541	203	338	479	177	302	62	26	36	52	22	30
100 yrs & over---	60	16	44	49	11	38	11	5	6	9	5	4
Not stated-----	5	5	-	3	3	-	2	2	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Overlapping lesion of bronchus and lung (C34.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	5	1	6	5	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Bronchus or lung, unspecified (C34.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	154,157	89,647	64,510	135,678	78,004	57,674	18,479	11,643	6,836	15,964	10,092	5,872
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	2	1	1	2	1	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	3	3	-	1	1	-	2	2	-	2	2	-
20-24 years-----	19	11	8	13	9	4	6	2	4	3	-	3
25-29 years-----	35	26	9	26	19	7	9	7	2	7	5	2
30-34 years-----	160	74	86	128	62	66	32	12	20	24	9	15
35-39 years-----	656	366	290	494	274	220	162	92	70	139	79	60
40-44 years-----	2,073	1,159	914	1,576	847	729	497	312	185	441	281	160
45-49 years-----	4,181	2,516	1,665	3,232	1,932	1,300	949	584	365	832	518	314
50-54 years-----	7,644	4,551	3,093	6,227	3,612	2,615	1,417	939	478	1,290	861	429
55-59 years-----	12,361	7,484	4,877	10,478	6,217	4,261	1,883	1,267	616	1,654	1,121	533
60-64 years-----	17,139	10,303	6,836	14,809	8,826	5,983	2,330	1,477	853	2,055	1,304	751
65-69 years-----	23,201	14,042	9,159	20,316	12,177	8,139	2,885	1,865	1,020	2,517	1,653	864
70-74 years-----	28,559	17,040	11,519	25,441	15,085	10,356	3,118	1,955	1,163	2,671	1,667	1,004
75-79 years-----	27,058	15,580	11,478	24,454	13,933	10,521	2,604	1,647	957	2,201	1,376	825
80-84 years-----	18,357	10,143	8,214	16,891	9,265	7,626	1,466	878	588	1,208	727	481
85-89 years-----	9,221	4,798	4,423	8,430	4,356	4,074	791	442	349	649	355	294
90-94 years-----	2,883	1,326	1,557	2,631	1,198	1,433	252	128	124	208	105	103
95-99 years-----	537	201	336	475	175	300	62	26	36	52	22	30
100 yrs & over---	60	16	44	49	11	38	11	5	6	9	5	4
Not stated-----	5	5	-	3	3	-	2	2	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Heart (C38.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	88	36	52	71
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	2	2	-	1
20-24 years-----	3	2	1	3
25-29 years-----	2	2	-	2
30-34 years-----	-	-	-	-
35-39 years-----	2	-	2	2
40-44 years-----	6	4	2	1
45-49 years-----	6	3	3	4
50-54 years-----	4	2	2	2
55-59 years-----	7	1	6	6
60-64 years-----	10	5	5	8
65-69 years-----	13	4	9	12
70-74 years-----	5	3	2	5
75-79 years-----	7	1	6	4
80-84 years-----	14	7	7	14
85-89 years-----	3	-	3	3
90-94 years-----	2	-	2	2
95-99 years-----	2	-	2	2
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Anterior mediastinum (C38.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	1	-	1	1
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Malignant neoplasm of vulva (C51)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	752	...	752	705	...	705	47	...	47	43	...	43
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	3	...	3	3	...	3	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	10	...	10	7	...	7	3	...	3	3	...	3
40-44 years-----	14	...	14	11	...	11	3	...	3	3	...	3
45-49 years-----	12	...	12	10	...	10	2	...	2	2	...	2
50-54 years-----	25	...	25	24	...	24	1	...	1	1	...	1
55-59 years-----	28	...	28	22	...	22	6	...	6	6	...	6
60-64 years-----	34	...	34	33	...	33	1	...	1	1	...	1
65-69 years-----	52	...	52	48	...	48	4	...	4	4	...	4
70-74 years-----	88	...	88	84	...	84	4	...	4	4	...	4
75-79 years-----	120	...	120	109	...	109	11	...	11	8	...	8
80-84 years-----	132	...	132	128	...	128	4	...	4	4	...	4
85-89 years-----	125	...	125	121	...	121	4	...	4	3	...	3
90-94 years-----	77	...	77	73	...	73	4	...	4	4	...	4
95-99 years-----	26	...	26	26	...	26	-	...	-	-	...	-
100 yrs & over---	3	...	3	3	...	3	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Labium majus (C51.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	11	...	11	8	...	8	3	...	3	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years-----	2	...	2	1	...	1	1	...	1	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Clitoris (C51.2)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Vulva, unspecified (C51.9)

All ages-----	740	...	740	696	...	696	44	...	44	41	...	41
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	9	...	9	6	...	6	3	...	3	3	...	3
40-44 years-----	14	...	14	11	...	11	3	...	3	3	...	3
45-49 years-----	12	...	12	10	...	10	2	...	2	2	...	2
50-54 years-----	23	...	23	22	...	22	1	...	1	1	...	1
55-59 years-----	28	...	28	22	...	22	6	...	6	6	...	6
60-64 years-----	34	...	34	33	...	33	1	...	1	1	...	1
65-69 years-----	51	...	51	47	...	47	4	...	4	4	...	4
70-74 years-----	88	...	88	84	...	84	4	...	4	4	...	4
75-79 years-----	119	...	119	109	...	109	10	...	10	8	...	8
80-84 years-----	131	...	131	128	...	128	3	...	3	3	...	3
85-89 years-----	122	...	122	118	...	118	4	...	4	3	...	3
90-94 years-----	75	...	75	72	...	72	3	...	3	3	...	3
95-99 years-----	26	...	26	26	...	26	-	...	-	-	...	-
100 yrs & over---	3	...	3	3	...	3	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Malignant neoplasm of vagina (C52)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	405	...	405	342	...	342	63	...	63	56	...	56
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	6	...	6	5	...	5	1	...	1	1	...	1
40-44 years-----	9	...	9	4	...	4	5	...	5	5	...	5
45-49 years-----	16	...	16	14	...	14	2	...	2	2	...	2
50-54 years-----	25	...	25	19	...	19	6	...	6	4	...	4
55-59 years-----	16	...	16	14	...	14	2	...	2	1	...	1
60-64 years-----	28	...	28	23	...	23	5	...	5	5	...	5
65-69 years-----	47	...	47	42	...	42	5	...	5	5	...	5
70-74 years-----	49	...	49	42	...	42	7	...	7	5	...	5
75-79 years-----	67	...	67	60	...	60	7	...	7	6	...	6
80-84 years-----	46	...	46	39	...	39	7	...	7	6	...	6
85-89 years-----	51	...	51	43	...	43	8	...	8	8	...	8
90-94 years-----	26	...	26	22	...	22	4	...	4	4	...	4
95-99 years-----	15	...	15	11	...	11	4	...	4	4	...	4
100 yrs & over---	4	...	4	4	...	4	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of cervix uteri (C53)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4,200	...	4,200	3,158	...	3,158	1,042	...	1,042	869	...	869
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	1	...	1	1	...	1
15-19 years-----	3	...	3	3	...	3	-	...	-	-	...	-
20-24 years-----	14	...	14	10	...	10	4	...	4	4	...	4
25-29 years-----	77	...	77	63	...	63	14	...	14	12	...	12
30-34 years-----	153	...	153	111	...	111	42	...	42	39	...	39
35-39 years-----	294	...	294	223	...	223	71	...	71	62	...	62
40-44 years-----	400	...	400	288	...	288	112	...	112	88	...	88
45-49 years-----	448	...	448	334	...	334	114	...	114	88	...	88
50-54 years-----	467	...	467	352	...	352	115	...	115	92	...	92
55-59 years-----	416	...	416	314	...	314	102	...	102	83	...	83
60-64 years-----	332	...	332	243	...	243	89	...	89	70	...	70
65-69 years-----	342	...	342	243	...	243	99	...	99	85	...	85
70-74 years-----	344	...	344	255	...	255	89	...	89	73	...	73
75-79 years-----	320	...	320	253	...	253	67	...	67	61	...	61
80-84 years-----	279	...	279	225	...	225	54	...	54	48	...	48
85-89 years-----	180	...	180	147	...	147	33	...	33	30	...	30
90-94 years-----	92	...	92	67	...	67	25	...	25	22	...	22
95-99 years-----	35	...	35	25	...	25	10	...	10	10	...	10
100 yrs & over---	3	...	3	2	...	2	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Endocervix (C53.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	32	...	32	25	...	25	7	...	7	7	...	7
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	5	...	5	5	...	5	-	...	-	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	3	...	3	2	...	2	1	...	1	1	...	1
60-64 years-----	2	...	2	2	...	2	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years-----	5	...	5	4	...	4	1	...	1	1	...	1
75-79 years-----	5	...	5	2	...	2	3	...	3	3	...	3
80-84 years-----	3	...	3	3	...	3	-	...	-	-	...	-
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Overlapping lesion of cervix uteri (C53.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - - - - WHITE - - - - - TOTAL - - - - - ALL OTHER - - - - - BLACK - - - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Cervix uteri, unspecified (C53.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	TOTAL BOTH SEXES	TOTAL MALE	TOTAL FEMALE	ALL OTHER BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	4,167	...	4,167	3,132	...	3,132	1,035	...	1,035	862	...	862
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years-----	1	...	1	-	...	-	1	...	1	1	...	1	1
15-19 years-----	3	...	3	3	...	3	-	...	-	-	...	-	-
20-24 years-----	14	...	14	10	...	10	4	...	4	4	...	4	4
25-29 years-----	77	...	77	63	...	63	14	...	14	12	...	12	12
30-34 years-----	153	...	153	111	...	111	42	...	42	39	...	39	39
35-39 years-----	293	...	293	222	...	222	71	...	71	62	...	62	62
40-44 years-----	400	...	400	288	...	288	112	...	112	88	...	88	88
45-49 years-----	443	...	443	329	...	329	114	...	114	88	...	88	88
50-54 years-----	465	...	465	350	...	350	115	...	115	92	...	92	92
55-59 years-----	413	...	413	312	...	312	101	...	101	82	...	82	82
60-64 years-----	330	...	330	241	...	241	89	...	89	70	...	70	70
65-69 years-----	340	...	340	242	...	242	98	...	98	84	...	84	84
70-74 years-----	339	...	339	251	...	251	88	...	88	72	...	72	72
75-79 years-----	315	...	315	251	...	251	64	...	64	58	...	58	58
80-84 years-----	276	...	276	222	...	222	54	...	54	48	...	48	48
85-89 years-----	176	...	176	143	...	143	33	...	33	30	...	30	30
90-94 years-----	91	...	91	67	...	67	24	...	24	21	...	21	21
95-99 years-----	35	...	35	25	...	25	10	...	10	10	...	10	10
100 yrs & over---	3	...	3	2	...	2	1	...	1	1	...	1	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-

Malignant neoplasm of corpus uteri (C54)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	TOTAL BOTH SEXES	TOTAL MALE	TOTAL FEMALE	ALL OTHER BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	3,140	...	3,140	2,604	...	2,604	536	...	536	468	...	468
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1	1
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-
30-34 years-----	7	...	7	6	...	6	1	...	1	-	...	-	-
35-39 years-----	16	...	16	14	...	14	2	...	2	1	...	1	1
40-44 years-----	41	...	41	35	...	35	6	...	6	2	...	2	2
45-49 years-----	87	...	87	74	...	74	13	...	13	11	...	11	11
50-54 years-----	133	...	133	108	...	108	25	...	25	18	...	18	18
55-59 years-----	222	...	222	191	...	191	31	...	31	24	...	24	24
60-64 years-----	322	...	322	244	...	244	78	...	78	69	...	69	69
65-69 years-----	418	...	418	327	...	327	91	...	91	80	...	80	80
70-74 years-----	490	...	490	384	...	384	106	...	106	101	...	101	101
75-79 years-----	531	...	531	442	...	442	89	...	89	77	...	77	77
80-84 years-----	434	...	434	382	...	382	52	...	52	48	...	48	48
85-89 years-----	252	...	252	232	...	232	20	...	20	17	...	17	17
90-94 years-----	142	...	142	124	...	124	18	...	18	16	...	16	16
95-99 years-----	35	...	35	34	...	34	1	...	1	1	...	1	1
100 yrs & over---	7	...	7	6	...	6	1	...	1	1	...	1	1
Not stated-----	1	...	1	-	...	-	1	...	1	1	...	1	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Isthmus uteri (C54.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Endometrium (C54.1)

All ages-----	3,110	...	3,110	2,578	...	2,578	532	...	532	464	...	464
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	7	...	7	6	...	6	1	...	1	-	...	-
35-39 years-----	16	...	16	14	...	14	2	...	2	1	...	1
40-44 years-----	41	...	41	35	...	35	6	...	6	2	...	2
45-49 years-----	85	...	85	72	...	72	13	...	13	11	...	11
50-54 years-----	133	...	133	108	...	108	25	...	25	18	...	18
55-59 years-----	221	...	221	190	...	190	31	...	31	24	...	24
60-64 years-----	317	...	317	240	...	240	77	...	77	68	...	68
65-69 years-----	412	...	412	323	...	323	89	...	89	78	...	78
70-74 years-----	486	...	486	380	...	380	106	...	106	101	...	101
75-79 years-----	522	...	522	434	...	434	88	...	88	76	...	76
80-84 years-----	432	...	432	380	...	380	52	...	52	48	...	48
85-89 years-----	251	...	251	231	...	231	20	...	20	17	...	17
90-94 years-----	142	...	142	124	...	124	18	...	18	16	...	16
95-99 years-----	35	...	35	34	...	34	1	...	1	1	...	1
100 yrs & over---	7	...	7	6	...	6	1	...	1	1	...	1
Not stated-----	1	...	1	-	...	-	1	...	1	1	...	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Corpus uteri, unspecified (C54.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	29	...	29	25	...	25	4	...	4	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	5	...	5	4	...	4	1	...	1	1	...	1
65-69 years-----	6	...	6	4	...	4	2	...	2	2	...	2
70-74 years-----	4	...	4	4	...	4	-	...	-	-	...	-
75-79 years-----	9	...	9	8	...	8	1	...	1	1	...	1
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of uterus, part unspecified (C55)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3,446	...	3,446	2,793	...	2,793	653	...	653	593	...	593
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	18	...	18	12	...	12	6	...	6	6	...	6
35-39 years-----	25	...	25	19	...	19	6	...	6	5	...	5
40-44 years-----	56	...	56	38	...	38	18	...	18	14	...	14
45-49 years-----	103	...	103	84	...	84	19	...	19	13	...	13
50-54 years-----	184	...	184	154	...	154	30	...	30	26	...	26
55-59 years-----	256	...	256	203	...	203	53	...	53	47	...	47
60-64 years-----	322	...	322	252	...	252	70	...	70	62	...	62
65-69 years-----	382	...	382	275	...	275	107	...	107	97	...	97
70-74 years-----	491	...	491	387	...	387	104	...	104	97	...	97
75-79 years-----	508	...	508	424	...	424	84	...	84	79	...	79
80-84 years-----	485	...	485	403	...	403	82	...	82	76	...	76
85-89 years-----	365	...	365	325	...	325	40	...	40	39	...	39
90-94 years-----	191	...	191	170	...	170	21	...	21	20	...	20
95-99 years-----	49	...	49	40	...	40	9	...	9	9	...	9
100 yrs & over---	8	...	8	5	...	5	3	...	3	3	...	3
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Malignant neoplasm of ovary (C56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	14,060	...	14,060	12,731	...	12,731	1,329	...	1,329	1,073	...	1,073
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	2	...	2	1	...	1	1	...	1	1	...	1
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	7	...	7	5	...	5	2	...	2	-	...	-
20-24 years-----	16	...	16	12	...	12	4	...	4	2	...	2
25-29 years-----	36	...	36	32	...	32	4	...	4	4	...	4
30-34 years-----	65	...	65	52	...	52	13	...	13	8	...	8
35-39 years-----	145	...	145	120	...	120	25	...	25	17	...	17
40-44 years-----	327	...	327	277	...	277	50	...	50	43	...	43
45-49 years-----	617	...	617	541	...	541	76	...	76	51	...	51
50-54 years-----	966	...	966	838	...	838	128	...	128	89	...	89
55-59 years-----	1,123	...	1,123	1,008	...	1,008	115	...	115	86	...	86
60-64 years-----	1,321	...	1,321	1,179	...	1,179	142	...	142	119	...	119
65-69 years-----	1,669	...	1,669	1,489	...	1,489	180	...	180	152	...	152
70-74 years-----	1,932	...	1,932	1,752	...	1,752	180	...	180	147	...	147
75-79 years-----	2,295	...	2,295	2,130	...	2,130	165	...	165	147	...	147
80-84 years-----	1,803	...	1,803	1,684	...	1,684	119	...	119	97	...	97
85-89 years-----	1,176	...	1,176	1,099	...	1,099	77	...	77	66	...	66
90-94 years-----	453	...	453	418	...	418	35	...	35	31	...	31
95-99 years-----	98	...	98	86	...	86	12	...	12	12	...	12
100 yrs & over---	9	...	9	8	...	8	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of other and unspecified female genital organs (C57)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	393	...	393	342	...	342	51	...	51	44	...	44
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	3	...	3	2	...	2	1	...	1	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	5	...	5	4	...	4	1	...	1	1	...	1
45-49 years-----	14	...	14	9	...	9	5	...	5	5	...	5
50-54 years-----	22	...	22	19	...	19	3	...	3	2	...	2
55-59 years-----	32	...	32	28	...	28	4	...	4	3	...	3
60-64 years-----	43	...	43	37	...	37	6	...	6	5	...	5
65-69 years-----	43	...	43	41	...	41	2	...	2	2	...	2
70-74 years-----	54	...	54	47	...	47	7	...	7	7	...	7
75-79 years-----	55	...	55	43	...	43	12	...	12	10	...	10
80-84 years-----	54	...	54	51	...	51	3	...	3	3	...	3
85-89 years-----	37	...	37	32	...	32	5	...	5	5	...	5
90-94 years-----	21	...	21	19	...	19	2	...	2	1	...	1
95-99 years-----	7	...	7	7	...	7	-	...	-	-	...	-
100 yrs & over---	2	...	2	2	...	2	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Fallopian tube (C57.0)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	162	...	162	149	...	149	13	...	13	10	...	10
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	3	...	3	2	...	2	1	...	1	1	...	1
50-54 years-----	12	...	12	10	...	10	2	...	2	1	...	1
55-59 years-----	12	...	12	11	...	11	1	...	1	-	...	-
60-64 years-----	17	...	17	14	...	14	3	...	3	3	...	3
65-69 years-----	28	...	28	27	...	27	1	...	1	1	...	1
70-74 years-----	33	...	33	31	...	31	2	...	2	2	...	2
75-79 years-----	23	...	23	20	...	20	3	...	3	2	...	2
80-84 years-----	21	...	21	21	...	21	-	...	-	-	...	-
85-89 years-----	9	...	9	9	...	9	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Broad ligament (C57.1)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Uterine adnexa, unspecified (C57.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other specified female genital organs (C57.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	16	...	16	15	...	15	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	4	...	4	3	...	3	1	...	1	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Overlapping lesion of female genital organs (C57.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	1	...	1	1	...	1
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female genital organ, unspecified (C57.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	209	...	209	174	...	174	35	...	35	31	...	31
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years-----	10	...	10	6	...	6	4	...	4	4	...	4
50-54 years-----	9	...	9	8	...	8	1	...	1	1	...	1
55-59 years-----	18	...	18	15	...	15	3	...	3	3	...	3
60-64 years-----	23	...	23	20	...	20	3	...	3	2	...	2
65-69 years-----	13	...	13	12	...	12	1	...	1	1	...	1
70-74 years-----	14	...	14	11	...	11	3	...	3	3	...	3
75-79 years-----	31	...	31	23	...	23	8	...	8	7	...	7
80-84 years-----	32	...	32	29	...	29	3	...	3	3	...	3
85-89 years-----	25	...	25	20	...	20	5	...	5	5	...	5
90-94 years-----	20	...	20	18	...	18	2	...	2	1	...	1
95-99 years-----	7	...	7	7	...	7	-	...	-	-	...	-
100 yrs & over---	2	...	2	2	...	2	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Malignant neoplasm of placenta (C58)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	16	...	16	9	...	9	7	...	7	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	4	...	4	2	...	2	2	...	2	2	...	2
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	3	...	3	2	...	2	1	...	1	1	...	1
50-54 years-----	2	...	2	1	...	1	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Malignant neoplasm of penis (C60)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	217	217	...	194	194	...	23	23	...	19	19	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	1	1	...	1	1	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...
35-39 years-----	8	8	...	5	5	...	3	3	...	3	3	...
40-44 years-----	6	6	...	4	4	...	2	2	...	2	2	...
45-49 years-----	8	8	...	8	8	...	-	-	...	-	-	...
50-54 years-----	12	12	...	11	11	...	1	1	...	1	1	...
55-59 years-----	18	18	...	18	18	...	-	-	...	-	-	...
60-64 years-----	24	24	...	22	22	...	2	2	...	1	1	...
65-69 years-----	29	29	...	27	27	...	2	2	...	2	2	...
70-74 years-----	21	21	...	20	20	...	1	1	...	-	-	...
75-79 years-----	25	25	...	21	21	...	4	4	...	2	2	...
80-84 years-----	38	38	...	34	34	...	4	4	...	4	4	...
85-89 years-----	16	16	...	15	15	...	1	1	...	1	1	...
90-94 years-----	8	8	...	6	6	...	2	2	...	2	2	...
95-99 years-----	2	2	...	1	1	...	1	1	...	1	1	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Penis, unspecified (C60.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	217	217	...	194	194	...	23	23	...	19	19	...	
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years-----	1	1	...	1	1	...	-	-	...	-	-	...	
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...	
35-39 years-----	8	8	...	5	5	...	3	3	...	3	3	...	
40-44 years-----	6	6	...	4	4	...	2	2	...	2	2	...	
45-49 years-----	8	8	...	8	8	...	-	-	...	-	-	...	
50-54 years-----	12	12	...	11	11	...	1	1	...	1	1	...	
55-59 years-----	18	18	...	18	18	...	-	-	...	-	-	...	
60-64 years-----	24	24	...	22	22	...	2	2	...	1	1	...	
65-69 years-----	29	29	...	27	27	...	2	2	...	2	2	...	
70-74 years-----	21	21	...	20	20	...	1	1	...	-	-	...	
75-79 years-----	25	25	...	21	21	...	4	4	...	2	2	...	
80-84 years-----	38	38	...	34	34	...	4	4	...	4	4	...	
85-89 years-----	16	16	...	15	15	...	1	1	...	1	1	...	
90-94 years-----	8	8	...	6	6	...	2	2	...	2	2	...	
95-99 years-----	2	2	...	1	1	...	1	1	...	1	1	...	
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	

Malignant neoplasm of prostate (C61)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	31,078	31,078	...	25,340	25,340	...	5,738	5,738	...	5,346	5,346	...	
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
25-29 years-----	1	1	...	1	1	...	-	-	...	-	-	...	
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	
35-39 years-----	6	6	...	4	4	...	2	2	...	2	2	...	
40-44 years-----	19	19	...	12	12	...	7	7	...	7	7	...	
45-49 years-----	108	108	...	70	70	...	38	38	...	35	35	...	
50-54 years-----	263	263	...	192	192	...	71	71	...	67	67	...	
55-59 years-----	623	623	...	444	444	...	179	179	...	174	174	...	
60-64 years-----	1,306	1,306	...	960	960	...	346	346	...	323	323	...	
65-69 years-----	2,466	2,466	...	1,851	1,851	...	615	615	...	586	586	...	
70-74 years-----	4,342	4,342	...	3,380	3,380	...	962	962	...	905	905	...	
75-79 years-----	6,314	6,314	...	5,167	5,167	...	1,147	1,147	...	1,070	1,070	...	
80-84 years-----	6,757	6,757	...	5,637	5,637	...	1,120	1,120	...	1,037	1,037	...	
85-89 years-----	5,532	5,532	...	4,785	4,785	...	747	747	...	678	678	...	
90-94 years-----	2,638	2,638	...	2,257	2,257	...	381	381	...	348	348	...	
95-99 years-----	628	628	...	524	524	...	104	104	...	96	96	...	
100 yrs & over---	75	75	...	56	56	...	19	19	...	18	18	...	
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Malignant neoplasm of testis (C62)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	338	338	...	306	306	...	32	32	...	25	25	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	1	1	...	1	1	...	-	-	...	-	-	...
15-19 years-----	9	9	...	7	7	...	2	2	...	1	1	...
20-24 years-----	33	33	...	30	30	...	3	3	...	3	3	...
25-29 years-----	41	41	...	38	38	...	3	3	...	2	2	...
30-34 years-----	45	45	...	40	40	...	5	5	...	3	3	...
35-39 years-----	54	54	...	51	51	...	3	3	...	3	3	...
40-44 years-----	49	49	...	44	44	...	5	5	...	4	4	...
45-49 years-----	30	30	...	25	25	...	5	5	...	4	4	...
50-54 years-----	20	20	...	18	18	...	2	2	...	2	2	...
55-59 years-----	9	9	...	9	9	...	-	-	...	-	-	...
60-64 years-----	12	12	...	12	12	...	-	-	...	-	-	...
65-69 years-----	7	7	...	5	5	...	2	2	...	1	1	...
70-74 years-----	8	8	...	8	8	...	-	-	...	-	-	...
75-79 years-----	7	7	...	5	5	...	2	2	...	2	2	...
80-84 years-----	6	6	...	6	6	...	-	-	...	-	-	...
85-89 years-----	6	6	...	6	6	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Testis, unspecified (C62.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	338	338	...	306	306	...	32	32	...	25	25	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	1	1	...	1	1	...	-	-	...	-	-	...
15-19 years-----	9	9	...	7	7	...	2	2	...	1	1	...
20-24 years-----	33	33	...	30	30	...	3	3	...	3	3	...
25-29 years-----	41	41	...	38	38	...	3	3	...	2	2	...
30-34 years-----	45	45	...	40	40	...	5	5	...	3	3	...
35-39 years-----	54	54	...	51	51	...	3	3	...	3	3	...
40-44 years-----	49	49	...	44	44	...	5	5	...	4	4	...
45-49 years-----	30	30	...	25	25	...	5	5	...	4	4	...
50-54 years-----	20	20	...	18	18	...	2	2	...	2	2	...
55-59 years-----	9	9	...	9	9	...	-	-	...	-	-	...
60-64 years-----	12	12	...	12	12	...	-	-	...	-	-	...
65-69 years-----	7	7	...	5	5	...	2	2	...	1	1	...
70-74 years-----	8	8	...	8	8	...	-	-	...	-	-	...
75-79 years-----	7	7	...	5	5	...	2	2	...	2	2	...
80-84 years-----	6	6	...	6	6	...	-	-	...	-	-	...
85-89 years-----	6	6	...	6	6	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Malignant neoplasm of other and unspecified male genital organs (C63)

All ages-----	42	42	...	37	37	...	5	5	...	5	5	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	1	1	...	1	1	...	-	-	...	-	-	...
25-29 years-----	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	2	2	...	1	1	...	1	1	...	1	1	...
50-54 years-----	4	4	...	4	4	...	-	-	...	-	-	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	3	3	...	2	2	...	1	1	...	1	1	...
65-69 years-----	3	3	...	3	3	...	-	-	...	-	-	...
70-74 years-----	5	5	...	5	5	...	-	-	...	-	-	...
75-79 years-----	8	8	...	6	6	...	2	2	...	2	2	...
80-84 years-----	11	11	...	10	10	...	1	1	...	1	1	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	2	2	...	2	2	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Epididymis (C63.0)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Spermatic cord (C63.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	9	9	...	9	9	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	1	1	...	1	1	...	-	-	...	-	-	...
25-29 years-----	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Scrotum (C63.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8	8	...	6	6	...	2	2	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	1	1	...	-	-	...	1	1	...	1	1	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	2	2	...	1	1	...	1	1	...	1	1	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified male genital organs (C63.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Male genital organ, unspecified (C63.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	22	22	...	19	19	...	3	3	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	1	1	...	1	1	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	3	3	...	3	3	...	-	-	...	-	-	...
75-79 years-----	6	6	...	4	4	...	2	2	...	2	2	...
80-84 years-----	8	8	...	8	8	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Lateral wall of bladder (C67.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Bladder neck (C67.5)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Spinal cord (C72.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	47	21	26	41	19	22	6	2	4	5	2	3			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-	1	-	
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-	-	-	
40-44 years-----	1	-	1	-	-	-	1	-	1	1	-	-	-	-	1
45-49 years-----	7	5	2	7	5	2	-	-	-	-	-	-	-	-	
50-54 years-----	5	2	3	4	2	2	1	-	1	1	-	-	-	-	1
55-59 years-----	4	2	2	4	2	2	-	-	-	-	-	-	-	-	
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-	-	-	
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-	-	-	
70-74 years-----	7	3	4	7	3	4	-	-	-	-	-	-	-	-	
75-79 years-----	4	2	2	3	1	2	1	1	-	1	1	-	1	-	
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-	-	-	
85-89 years-----	6	-	6	5	-	5	1	-	1	-	-	-	-	-	
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	-	-	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Optic nerve (C72.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	8	4	4	7	4	3	1	-	1	1	-	-		-	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	-		-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Adrenal gland, unspecified (C74.9)

All ages-----	424	207	217	359	183	176	65	24	41	54	19	35
Under 1 year-----	9	6	3	7	5	2	2	1	1	1	-	1
1-4 years-----	70	39	31	53	32	21	17	7	10	13	6	7
5-9 years-----	62	35	27	55	31	24	7	4	3	7	4	3
10-14 years-----	20	12	8	13	8	5	7	4	3	6	4	2
15-19 years-----	8	5	3	6	4	2	2	1	1	2	1	1
20-24 years-----	4	2	2	4	2	2	-	-	-	-	-	-
25-29 years-----	4	-	4	4	-	4	-	-	-	-	-	-
30-34 years-----	8	5	3	7	5	2	1	-	1	1	-	1
35-39 years-----	6	2	4	5	2	3	1	-	1	1	-	1
40-44 years-----	16	6	10	13	6	7	3	-	3	3	-	3
45-49 years-----	19	9	10	16	8	8	3	1	2	2	-	2
50-54 years-----	12	4	8	7	4	3	5	-	5	5	-	5
55-59 years-----	18	9	9	17	9	8	1	-	1	1	-	1
60-64 years-----	24	13	11	19	11	8	5	2	3	3	1	2
65-69 years-----	40	20	20	37	19	18	3	1	2	2	-	2
70-74 years-----	29	16	13	25	14	11	4	2	2	3	2	1
75-79 years-----	36	11	25	34	11	23	-	-	2	2	-	2
80-84 years-----	19	7	12	18	6	12	1	1	-	1	1	-
85-89 years-----	15	6	9	14	6	8	1	-	1	1	-	1
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm of other endocrine glands and related structures (C75)

All ages-----	217	117	100	187	101	86	30	16	14	27	15	12
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	6	3	3	4	3	1	2	-	2	2	-	2
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	8	5	3	6	3	3	2	2	-	2	2	-
25-29 years-----	4	2	2	3	2	1	1	-	1	1	-	1
30-34 years-----	4	3	1	4	3	1	-	-	-	-	-	-
35-39 years-----	8	4	4	5	3	2	3	1	2	3	1	2
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	17	11	6	15	9	6	2	2	-	2	2	-
50-54 years-----	11	4	7	10	4	6	1	-	1	-	-	-
55-59 years-----	18	8	10	15	6	9	3	2	1	3	2	1
60-64 years-----	21	14	7	17	10	7	4	4	-	3	3	-
65-69 years-----	20	12	8	17	11	6	3	1	2	3	1	2
70-74 years-----	28	19	9	23	15	8	5	4	1	4	4	-
75-79 years-----	27	14	13	26	14	12	1	-	1	1	-	1
80-84 years-----	21	11	10	21	11	10	-	-	-	-	-	-
85-89 years-----	12	1	11	9	1	8	3	-	3	3	-	3
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	1	1	-	1	1	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

AND AGE ALL RACES WHITE ALL OTHER BLACK

Parathyroid gland (C75.0)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	14	7	7	11	6	5	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	3	1	2	2	1	1	1	-	1	1	-	1
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	3	1	2	2	1	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pituitary gland (C75.1)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	19	8	11	17	8	9	2	-	2	2	-	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	1	-	1	-	1	-	1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	4	-	4	4	-	4	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	-	2	1	-	1	1	-	1	1	-	1
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Secondary malignant neoplasm of other specified sites (C79.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - MALE	BLACK - FEMALE
All ages-----	1,072	572	500	928	497	431	144	75	69	128	65	63		
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-	-
30-34 years-----	5	3	2	3	2	1	2	1	1	1	-	-	1	1
35-39 years-----	2	-	2	1	-	1	-	-	1	-	-	-	-	-
40-44 years-----	18	8	10	13	5	8	5	3	2	5	3	2	3	2
45-49 years-----	40	24	16	29	17	12	11	7	4	9	5	4	5	4
50-54 years-----	76	52	24	59	42	17	17	10	7	17	10	7	10	7
55-59 years-----	90	63	27	74	51	23	16	12	4	14	11	3	11	3
60-64 years-----	108	71	37	88	59	29	20	12	8	19	12	7	12	7
65-69 years-----	128	79	49	116	74	42	12	5	7	11	4	7	4	7
70-74 years-----	136	74	62	116	64	52	20	10	10	19	9	10	9	10
75-79 years-----	143	67	76	132	64	68	11	3	8	8	2	6	8	6
80-84 years-----	143	71	72	129	64	65	14	7	7	11	5	6	5	6
85-89 years-----	103	39	64	95	36	59	8	3	5	8	3	5	3	5
90-94 years-----	58	17	41	53	15	38	5	2	3	4	1	3	1	3
95-99 years-----	17	2	15	16	2	14	1	-	1	1	-	1	-	1
100 yrs & over---	2	-	2	1	-	1	1	-	1	1	-	1	-	1
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Malignant neoplasm without specification of site (C80)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - MALE	BLACK - FEMALE
All ages-----	26,947	13,235	13,712	23,418	11,462	11,956	3,529	1,773	1,756	2,972	1,499	1,473		
Under 1 year-----	5	1	4	4	1	3	1	-	1	1	-	1	-	1
1-4 years-----	8	5	3	7	5	2	1	-	1	1	-	1	-	1
5-9 years-----	6	5	1	5	4	1	1	1	-	1	1	-	1	-
10-14 years-----	10	5	5	4	3	1	6	2	4	4	2	2	4	2
15-19 years-----	20	10	10	16	7	9	4	3	1	3	2	1	2	1
20-24 years-----	29	16	13	24	12	12	5	4	1	3	3	-	3	-
25-29 years-----	62	35	27	50	28	22	12	7	5	10	6	4	6	4
30-34 years-----	104	49	55	82	40	42	22	9	13	16	8	8	16	8
35-39 years-----	274	130	144	208	103	105	66	27	39	61	25	36	25	36
40-44 years-----	514	255	259	392	187	205	122	68	54	105	60	45	60	45
45-49 years-----	883	480	403	679	371	308	204	109	95	179	98	81	98	81
50-54 years-----	1,386	782	604	1,109	624	485	277	158	119	230	137	93	137	93
55-59 years-----	1,811	981	830	1,518	822	696	293	159	134	249	132	117	132	117
60-64 years-----	2,396	1,340	1,056	2,011	1,105	906	385	235	150	327	201	126	201	126
65-69 years-----	3,047	1,658	1,389	2,634	1,448	1,186	413	210	203	346	179	167	179	167
70-74 years-----	3,961	2,115	1,846	3,456	1,869	1,587	505	246	259	419	201	218	201	218
75-79 years-----	4,443	2,207	2,236	3,948	1,949	1,999	495	258	237	416	218	198	218	198
80-84 years-----	3,854	1,722	2,132	3,514	1,588	1,926	340	134	206	289	113	176	113	176
85-89 years-----	2,600	965	1,635	2,374	869	1,505	226	96	130	187	77	110	77	110
90-94 years-----	1,153	375	778	1,059	343	716	94	32	62	74	23	51	23	51
95-99 years-----	337	90	247	290	77	213	47	13	34	43	11	32	11	32
100 yrs & over---	42	7	35	33	6	27	9	1	8	7	1	6	1	6
Not stated-----	2	2	-	1	1	-	1	1	-	1	1	-	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hairy-cell leukemia (C91.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	123	86	37	117
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	2	1	1	2
45-49 years-----	5	5	-	4
50-54 years-----	5	4	1	5
55-59 years-----	4	4	-	4
60-64 years-----	9	8	1	9
65-69 years-----	6	6	-	6
70-74 years-----	13	12	1	12
75-79 years-----	24	19	5	23
80-84 years-----	18	12	6	17
85-89 years-----	21	9	12	20
90-94 years-----	13	5	8	13
95-99 years-----	2	-	2	2
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Adult T-cell leukemia (C91.5)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	38	22	16	27
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	1	-	1	1
10-14 years-----	2	1	1	2
15-19 years-----	3	3	-	3
20-24 years-----	-	-	-	-
25-29 years-----	1	1	-	1
30-34 years-----	1	-	1	-
35-39 years-----	1	1	-	1
40-44 years-----	-	-	-	-
45-49 years-----	5	4	1	3
50-54 years-----	2	2	-	1
55-59 years-----	1	-	1	-
60-64 years-----	7	4	3	5
65-69 years-----	4	2	2	3
70-74 years-----	4	2	2	3
75-79 years-----	1	-	1	1
80-84 years-----	3	1	2	1
85-89 years-----	1	1	-	1
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Carcinoma in situ of breast, unspecified (D05.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Carcinoma in situ of cervix uteri (D06)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Cecum (D12.0)

Table with 15 columns: Cause of Death, All Races, White, Total, All Other, Black. Rows include age groups from 'All ages' to 'Not stated'.

Sigmoid colon (D12.5)

Table with 15 columns: Cause of Death, All Races, White, Total, All Other, Black. Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Mediastinum (D15.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	2	-	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	-	-	-	-
75-79 years-----	1	1	-	1
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Benign neoplasm of bone and articular cartilage (D16)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	8	3	5	5
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	1	-	1	-
30-34 years-----	1	-	1	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	1	-	1	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	-
75-79 years-----	-	-	-	-
80-84 years-----	1	1	-	1
85-89 years-----	2	1	1	2
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Benign neoplasm of breast (D24)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Leiomyoma of uterus (D25)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	32	...	32	12	...	12	20	...	20	19	...	19
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	3	...	3	-	...	-	3	...	3	3	...	3
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	4	...	4	1	...	1	3	...	3	3	...	3
40-44 years-----	10	...	10	3	...	3	7	...	7	7	...	7
45-49 years-----	6	...	6	2	...	2	4	...	4	4	...	4
50-54 years-----	6	...	6	4	...	4	2	...	2	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Leiomyoma of uterus, unspecified (D25.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	32	...	32	12	...	12	20	...	20	19	...	19
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	3	...	3	-	...	-	3	...	3	3	...	3
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	4	...	4	1	...	1	3	...	3	3	...	3
40-44 years-----	10	...	10	3	...	3	7	...	7	7	...	7
45-49 years-----	6	...	6	2	...	2	4	...	4	4	...	4
50-54 years-----	6	...	6	4	...	4	2	...	2	1	...	1
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other benign neoplasms of uterus (D26)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	-	...	-	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Corpus uteri (D26.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Uterus, unspecified (D26.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Benign neoplasm of ovary (D27)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	19	...	19	13	...	13	6	...	6	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	2	...	2	2	...	2	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	5	...	5	4	...	4	1	...	1	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	2	...	2	1	...	1	1	...	1	1	...	1
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	3	...	3	2	...	2	1	...	1	1	...	1
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Benign neoplasm of other and unspecified female genital organs (D28)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified female genital organs (D28.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Benign neoplasm of male genital organs (D29)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...	1	1	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pituitary gland (D35.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	90	53	37	63
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	1	-	1	1
25-29 years-----	1	1	-	1
30-34 years-----	1	1	-	1
35-39 years-----	3	3	-	3
40-44 years-----	5	1	4	4
45-49 years-----	3	2	1	1
50-54 years-----	6	6	-	5
55-59 years-----	5	3	2	4
60-64 years-----	6	3	3	4
65-69 years-----	8	5	3	4
70-74 years-----	12	6	6	9
75-79 years-----	15	11	4	10
80-84 years-----	15	6	9	13
85-89 years-----	6	4	2	4
90-94 years-----	2	1	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	1	-	1	1
Not stated-----	-	-	-	-

Benign neoplasm of other and unspecified sites (D36)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	45	24	21	38
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	-	1	1
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	1	1	-	1
35-39 years-----	1	-	1	1
40-44 years-----	2	-	2	1
45-49 years-----	2	2	-	2
50-54 years-----	3	2	1	2
55-59 years-----	3	3	-	3
60-64 years-----	2	1	1	1
65-69 years-----	5	3	2	3
70-74 years-----	5	2	3	3
75-79 years-----	6	3	3	6
80-84 years-----	6	3	3	3
85-89 years-----	3	1	2	3
90-94 years-----	4	2	2	3
95-99 years-----	1	1	-	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Lip, oral cavity, and pharynx (D37.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	45	26	19	39
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	2	2	-	2
45-49 years-----	-	-	-	-
50-54 years-----	3	2	1	1
55-59 years-----	2	1	1	1
60-64 years-----	3	3	-	3
65-69 years-----	6	5	1	6
70-74 years-----	8	4	4	6
75-79 years-----	6	3	3	5
80-84 years-----	5	1	4	5
85-89 years-----	2	2	-	2
90-94 years-----	5	1	4	5
95-99 years-----	2	1	1	2
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Stomach (D37.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	46	24	22	31
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	-	-	-	-
45-49 years-----	2	1	1	2
50-54 years-----	2	2	-	1
55-59 years-----	1	1	-	1
60-64 years-----	1	-	1	1
65-69 years-----	5	4	1	3
70-74 years-----	9	5	4	5
75-79 years-----	4	1	3	2
80-84 years-----	5	2	3	1
85-89 years-----	8	3	5	8
90-94 years-----	5	2	3	4
95-99 years-----	3	2	1	2
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Digestive organ, unspecified (D37.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	39	19	20	28	13	15	11	6	5	7	5	2			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
45-49 years-----	3	2	1	2	1	1	1	1	-	1	1	-			
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
60-64 years-----	2	-	2	-	-	-	2	-	2	-	-	-			
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
70-74 years-----	5	1	4	3	-	3	2	1	1	1	1	-			1
75-79 years-----	4	2	2	2	1	1	2	1	1	1	1	-		1	-
80-84 years-----	6	1	5	4	-	4	2	1	1	2	1	-		1	1
85-89 years-----	5	3	2	3	1	2	2	2	-	2	2	-		2	-
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-		-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-

Neoplasm of uncertain or unknown behavior of middle ear and respiratory and intrathoracic organs (D38)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	637	313	324	573	271	302	64	42	22	53	36	17			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
40-44 years-----	4	2	2	3	2	1	1	-	1	1	-	1			1
45-49 years-----	5	4	1	3	2	1	2	2	-	2	2	-			
50-54 years-----	15	9	6	12	7	5	3	2	1	3	2	1			1
55-59 years-----	22	14	8	19	11	8	3	3	-	3	3	-			
60-64 years-----	36	16	20	28	9	19	8	7	1	7	7	-			
65-69 years-----	55	29	26	47	24	23	8	5	3	6	4	2			2
70-74 years-----	68	30	38	59	25	34	9	5	4	8	4	4			4
75-79 years-----	115	61	54	104	52	52	11	9	2	11	9	2			2
80-84 years-----	120	60	60	116	58	58	4	2	2	2	-	2			2
85-89 years-----	104	49	55	97	46	51	7	3	4	3	1	2			2
90-94 years-----	59	24	35	53	21	32	6	3	3	5	3	2			2
95-99 years-----	23	7	16	22	7	15	1	-	1	1	-	1			1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Neoplasm of uncertain or unknown behavior of female genital organs (D39)

All ages-----	69	...	69	57	...	57	12	...	12	12	...	12
Under 1 year-----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	2	...	2	1	...	1	1	...	1	1	...	1
55-59 years-----	4	...	4	4	...	4	-	...	-	-	...	-
60-64 years-----	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years-----	5	...	5	5	...	5	-	...	-	-	...	-
70-74 years-----	7	...	7	5	...	5	2	...	2	2	...	2
75-79 years-----	6	...	6	5	...	5	1	...	1	1	...	1
80-84 years-----	14	...	14	10	...	10	4	...	4	4	...	4
85-89 years-----	12	...	12	10	...	10	2	...	2	2	...	2
90-94 years-----	5	...	5	5	...	5	-	...	-	-	...	-
95-99 years-----	2	...	2	1	...	1	1	...	1	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Uterus (D39.0)

All ages-----	19	...	19	12	...	12	7	...	7	7	...	7
Under 1 year-----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	1	...	1	-	...	-	1	...	1	1	...	1
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	1	...	1	1	...	1
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	5	...	5	2	...	2	3	...	3	3	...	3
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1	1	...	1
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Ovary (D39.1)

All ages-----	42	...	42	37	...	37	5	...	5	5	...	5
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	4	...	4	4	...	4	-	...	-	-	...	-
70-74 years-----	5	...	5	4	...	4	1	...	1	1	...	1
75-79 years-----	4	...	4	3	...	3	1	...	1	1	...	1
80-84 years-----	7	...	7	6	...	6	1	...	1	1	...	1
85-89 years-----	10	...	10	8	...	8	2	...	2	2	...	2
90-94 years-----	5	...	5	5	...	5	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Placenta (D39.2)

All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other female genital organs (D39.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female genital organ, unspecified (D39.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Neoplasm of uncertain or unknown behavior of male genital organs (D40)

All ages-----	22	22	...	18	18	...	4	4	...	4	4	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	1	1	...	1	1	...	-	-	...	-	-	...
30-34 years-----	1	1	...	-	-	...	1	1	...	1	1	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years-----	2	2	...	2	2	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	3	3	...	2	2	...	1	1	...	1	1	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	5	5	...	4	4	...	1	1	...	1	1	...
85-89 years-----	4	4	...	3	3	...	1	1	...	1	1	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Prostate (D40.0)

All ages-----	17	17	...	14	14	...	3	3	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	3	3	...	2	2	...	1	1	...	1	1	...
75-79 years-----	2	2	...	2	2	...	-	-	...	-	-	...
80-84 years-----	5	5	...	4	4	...	1	1	...	1	1	...
85-89 years-----	4	4	...	3	3	...	1	1	...	1	1	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Testis (D40.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	2	2	...	1	1	...	1	1	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	-	-	...	1	1	...	1	1	...	1	1	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Other male genital organs (D40.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	3	3	...	3	3	...	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Brain, infratentorial (D43.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	100	54	46	83
Under 1 year-----	1	1	-	1
1-4 years-----	1	1	-	1
5-9 years-----	8	2	6	7
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	4	1	3	1
30-34 years-----	1	1	-	1
35-39 years-----	3	3	-	3
40-44 years-----	7	5	2	5
45-49 years-----	2	2	-	2
50-54 years-----	9	6	3	7
55-59 years-----	6	4	2	5
60-64 years-----	5	2	3	4
65-69 years-----	7	6	1	6
70-74 years-----	8	5	3	5
75-79 years-----	11	6	5	10
80-84 years-----	11	5	6	9
85-89 years-----	9	1	8	9
90-94 years-----	6	2	4	6
95-99 years-----	1	1	-	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Brain, unspecified (D43.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2,639	1,210	1,429	2,348
Under 1 year-----	14	8	6	13
1-4 years-----	38	21	17	33
5-9 years-----	34	20	14	27
10-14 years-----	22	9	13	16
15-19 years-----	18	10	8	12
20-24 years-----	23	16	7	20
25-29 years-----	23	11	12	17
30-34 years-----	40	20	20	36
35-39 years-----	68	42	26	60
40-44 years-----	76	46	30	66
45-49 years-----	98	49	49	84
50-54 years-----	147	90	57	126
55-59 years-----	159	73	86	143
60-64 years-----	188	98	90	166
65-69 years-----	223	117	106	201
70-74 years-----	297	142	155	266
75-79 years-----	339	153	186	306
80-84 years-----	357	155	202	332
85-89 years-----	295	99	196	267
90-94 years-----	141	26	115	127
95-99 years-----	34	3	31	27
100 yrs & over---	4	1	3	3
Not stated-----	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Pineal gland (D44.5)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	10	8	2	7
Under 1 year-----	-	-	-	-
1-4 years-----	1	1	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	2	2	-	1
25-29 years-----	-	-	-	-
30-34 years-----	1	1	-	1
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	2	1	1	2
60-64 years-----	1	1	-	1
65-69 years-----	2	1	1	1
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	1	1	-	1
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Carotid body (D44.6)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	1	-	1	1
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Sickle-cell anemia without crisis (D57.1)

	ALL RACES	MALE	FEMALE	BOTH SEXES	WHITE	MALE	FEMALE	BOTH SEXES	TOTAL	MALE	FEMALE	BOTH SEXES	ALL OTHER	MALE	FEMALE
All ages-----	390	171	219	15	8	7	375	163	212	375	163	212			
Under 1 year-----	3	3	-	1	1	-	2	2	-	2	2	-			
1-4 years-----	13	5	8	1	-	1	12	5	7	12	5	7			
5-9 years-----	11	8	3	1	1	-	10	7	3	10	7	3			
10-14 years-----	14	6	8	-	-	-	14	6	8	14	6	8			
15-19 years-----	10	3	7	-	-	-	10	3	7	10	3	7			
20-24 years-----	30	13	17	-	-	-	30	13	17	30	13	17			
25-29 years-----	43	22	21	5	4	1	38	18	20	38	18	20			
30-34 years-----	51	19	32	1	-	1	50	19	31	50	19	31			
35-39 years-----	46	21	25	2	1	1	44	20	24	44	20	24			
40-44 years-----	52	22	30	-	-	-	52	22	30	52	22	30			
45-49 years-----	38	19	19	1	-	1	37	19	18	37	19	18			
50-54 years-----	38	19	19	2	-	2	36	19	17	36	19	17			
55-59 years-----	14	5	9	-	-	-	14	5	9	14	5	9			
60-64 years-----	14	3	11	-	-	-	14	3	11	14	3	11			
65-69 years-----	8	2	6	-	-	-	8	2	6	8	2	6			
70-74 years-----	2	-	2	-	-	-	2	-	2	2	-	2			
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
80-84 years-----	2	-	2	-	-	-	2	-	2	2	-	2			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Double heterozygous sickling disorders (D57.2)

	ALL RACES	MALE	FEMALE	BOTH SEXES	WHITE	MALE	FEMALE	BOTH SEXES	TOTAL	MALE	FEMALE	BOTH SEXES	ALL OTHER	MALE	FEMALE
All ages-----	3	3	-	-	-	-	3	3	-	3	3	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
55-59 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hemolytic-uremic syndrome (D59.3)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	35	12	23	31
Under 1 year-----	2	-	2	2
1-4 years-----	9	5	4	9
5-9 years-----	1	-	1	1
10-14 years-----	2	-	2	2
15-19 years-----	1	-	1	1
20-24 years-----	1	-	1	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	1	-	1
45-49 years-----	1	-	1	1
50-54 years-----	2	1	1	2
55-59 years-----	2	1	1	2
60-64 years-----	1	-	1	-
65-69 years-----	3	1	2	3
70-74 years-----	3	-	3	2
75-79 years-----	2	1	1	1
80-84 years-----	2	1	1	2
85-89 years-----	-	-	-	-
90-94 years-----	2	1	1	2
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Other nonautoimmune hemolytic anemias (D59.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	6	-	6	3
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	-	1	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	1	-	1	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	3	-	3	2
75-79 years-----	1	-	1	1
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Infarction of spleen (D73.5)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	36	21	15	29
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	1	1	-	1
25-29 years-----	-	-	-	-
30-34 years-----	2	2	-	-
35-39 years-----	1	-	1	-
40-44 years-----	5	3	2	5
45-49 years-----	-	-	-	-
50-54 years-----	3	1	2	1
55-59 years-----	1	-	1	-
60-64 years-----	1	1	-	1
65-69 years-----	3	3	-	3
70-74 years-----	2	1	1	1
75-79 years-----	3	1	2	3
80-84 years-----	7	5	2	5
85-89 years-----	5	2	3	5
90-94 years-----	2	1	1	2
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Other diseases of spleen (D73.8)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	5	2	3	5
Under 1 year-----	1	-	1	1
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	2	1	1	2
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	1	-	1	-
85-89 years-----	-	-	-	-
90-94 years-----	1	1	-	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hypothyroidism, unspecified (E03.9)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1,381	270	1,111	1,254
Under 1 year-----	1	-	1	1
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	1	1	-	1
15-19 years-----	-	-	-	-
20-24 years-----	1	-	1	1
25-29 years-----	1	-	1	-
30-34 years-----	5	3	2	3
35-39 years-----	6	1	5	3
40-44 years-----	6	1	5	5
45-49 years-----	10	2	8	7
50-54 years-----	18	4	14	16
55-59 years-----	23	10	13	20
60-64 years-----	35	11	24	33
65-69 years-----	31	9	22	22
70-74 years-----	86	31	55	73
75-79 years-----	149	33	116	133
80-84 years-----	236	40	196	214
85-89 years-----	287	54	233	268
90-94 years-----	294	51	243	277
95-99 years-----	147	15	132	139
100 yrs & over---	44	4	40	38
Not stated-----	-	-	-	-

Other nontoxic goiter (E04)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	59	18	41	42
Under 1 year-----	1	1	-	1
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	2	1	1	1
30-34 years-----	1	1	-	1
35-39 years-----	1	1	-	-
40-44 years-----	2	1	1	2
45-49 years-----	-	-	-	-
50-54 years-----	2	1	1	1
55-59 years-----	2	1	1	2
60-64 years-----	3	1	2	2
65-69 years-----	-	-	-	-
70-74 years-----	3	1	2	-
75-79 years-----	9	3	6	6
80-84 years-----	12	2	10	9
85-89 years-----	11	3	8	10
90-94 years-----	5	1	4	4
95-99 years-----	4	-	4	3
100 yrs & over---	1	-	1	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - -
MALE FEMALE BOTH SEXES
WHITE - - - - -
MALE FEMALE BOTH SEXES
TOTAL - - - - -
ALL OTHER - - - - -
BLACK - - - - -
MALE FEMALE

Nontoxic single thyroid nodule (E04.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	-
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Nontoxic multinodular goiter (E04.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	14	5	9	10
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	2	1	1	1
55-59 years-----	-	-	-	-
60-64 years-----	1	1	-	1
65-69 years-----	-	-	-	-
70-74 years-----	1	1	-	1
75-79 years-----	1	-	1	1
80-84 years-----	4	-	4	4
85-89 years-----	3	2	1	3
90-94 years-----	1	-	1	1
95-99 years-----	1	-	1	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Thyrotoxicosis with diffuse goiter (E05.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	46	19	27	28	9	19	18	10	8	17	9	8			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	7	3	4	1	-	1	6	3	3	6	3	3			
30-34 years-----	3	3	-	1	1	-	2	2	-	2	2	-			
35-39 years-----	7	5	2	3	2	1	4	3	1	3	2	1			
40-44 years-----	3	-	3	1	-	1	2	-	2	2	-	2			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-			
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
65-69 years-----	3	1	2	1	-	1	2	1	1	2	1	1			
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	1			
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
80-84 years-----	4	1	3	4	1	3	-	-	-	-	-	-			
85-89 years-----	4	-	4	4	-	4	-	-	-	-	-	-			
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Thyrotoxicosis with toxic multinodular goiter (E05.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	6	1	5	6	1	5	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-			
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Hypopituitarism (E23.0)

	ALL RACES	MALE	FEMALE	BOTH SEXES	WHITE	MALE	FEMALE	BOTH SEXES	TOTAL	MALE	FEMALE	BOTH SEXES	ALL OTHER	BLACK	MALE	FEMALE
All ages-----	81	39	42	67	29	38	14	10	4	14	10	4				
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-				
1-4 years-----	4	3	1	4	3	1	-	-	-	-	-	-				
5-9 years-----	2	-	2	1	-	1	1	1	1	1	1	-				1
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-				-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-				-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-				-
25-29 years-----	2	1	1	1	1	-	1	-	1	1	1	-				1
30-34 years-----	2	1	1	2	1	1	-	-	-	-	-	-				-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-				-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-				-
45-49 years-----	2	1	1	2	1	1	-	-	-	-	-	-				-
50-54 years-----	7	2	5	5	1	4	2	1	1	2	1	2		1		1
55-59 years-----	5	3	2	5	3	2	-	-	-	-	-	-				-
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-				-
65-69 years-----	10	6	4	6	3	3	4	3	1	4	3	1		3		1
70-74 years-----	9	3	6	8	2	6	1	1	-	1	1	-		1		-
75-79 years-----	12	6	6	10	4	6	2	2	-	2	2	-		2		-
80-84 years-----	9	4	5	7	2	5	2	2	-	2	2	-		2		-
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-		-		-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-		-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-		-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-		-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-		-

Diabetes insipidus (E23.2)

	ALL RACES	MALE	FEMALE	BOTH SEXES	WHITE	MALE	FEMALE	BOTH SEXES	TOTAL	MALE	FEMALE	BOTH SEXES	ALL OTHER	BLACK	MALE	FEMALE
All ages-----	48	18	30	37	14	23	11	4	7	10	4	6				
Under 1 year-----	4	2	2	2	2	-	2	-	2	2	-	2				2
1-4 years-----	4	1	3	2	-	2	2	1	1	1	1	-				-
5-9 years-----	2	1	1	1	1	-	1	-	1	1	-	1				1
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1				1
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-				-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-				-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-				-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-				-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-				-
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-		1		-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-		1		-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-		-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-		-
60-64 years-----	3	1	2	2	1	1	1	1	1	1	1	-		1		1
65-69 years-----	6	3	3	5	2	3	1	1	-	1	1	-		1		-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-		-		-
75-79 years-----	4	1	3	4	1	3	-	-	-	-	-	-		-		-
80-84 years-----	5	-	5	5	-	5	-	-	-	-	-	-		-		-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-		-		-
90-94 years-----	3	1	2	2	1	1	1	-	1	1	-	1		-		1
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-		-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-		-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-		-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Ovarian dysfunction (E28)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-	-	-	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Polycystic ovarian syndrome (E28.2)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Ascorbic acid deficiency (E54)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Vitamin D deficiency (E55)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Copper deficiency (E61.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	-	1	-	-	-
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-
50-54 years-----	1	-	1	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

Iron deficiency (E61.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	1	3	3	1	2
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	3	1	2	3	1	2
95-99 years-----	1	-	1	-	-	1
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Disorders of urea cycle metabolism (E72.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	41	20	21	35	17	18	6	3	3	5	2	3			
Under 1 year-----	15	12	3	14	11	3	1	1	-	1	1	-			
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1			1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
10-14 years-----	2	1	1	1	1	-	1	-	1	1	-	-			1
15-19 years-----	2	-	2	2	-	2	-	-	-	-	-	-			-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
25-29 years-----	1	1	-	-	-	-	1	1	-	-	-	-			-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
35-39 years-----	1	-	1	-	-	-	1	-	1	1	-	-			1
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-			-
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-			-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-			-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-			-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-			-
85-89 years-----	3	2	1	2	1	1	1	1	-	1	1	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Disorders of lysine and hydroxylysine metabolism (E72.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	2	1	2	1	1	1	1	-	-	-	-			-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
5-9 years-----	2	1	1	1	-	1	1	1	-	-	-	-			-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other mucopolysaccharidoses (E76.2)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Mucopolysaccharidosis, unspecified (E76.3)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other disorders of glucosaminoglycan metabolism (E76.8)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Disorders of glycoprotein metabolism (E77)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other disorders of glycoprotein metabolism (E77.8)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Disorder of glycoprotein metabolism, unspecified (E77.9)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pure hyperglyceridemia (E78.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	44	30	14	34
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	2	1	1	1
20-24 years-----	2	2	-	1
25-29 years-----	4	4	-	3
30-34 years-----	4	4	-	3
35-39 years-----	6	4	2	6
40-44 years-----	9	7	2	8
45-49 years-----	3	1	2	1
50-54 years-----	2	1	1	2
55-59 years-----	1	-	1	-
60-64 years-----	2	1	1	2
65-69 years-----	2	1	1	1
70-74 years-----	2	1	1	1
75-79 years-----	2	1	1	2
80-84 years-----	1	1	-	1
85-89 years-----	2	1	1	2
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Mixed hyperlipidemia (E78.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	14	8	6	12
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	2	2	-	2
50-54 years-----	-	-	-	-
55-59 years-----	4	2	2	4
60-64 years-----	2	2	-	2
65-69 years-----	1	1	-	-
70-74 years-----	1	-	1	-
75-79 years-----	2	1	1	2
80-84 years-----	1	-	1	-
85-89 years-----	1	-	1	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Organic personality disorder (F07.0)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Postencephalitic syndrome (F07.1)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Mental and behavioral disorders due to use of alcohol (F10)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6,262	4,977	1,285	4,986	3,959	1,027	1,276	1,018	258	1,071	858	213
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	2	2	-	2	2	-	-	-	-	-	-	-
15-19 years-----	19	16	3	17	14	3	2	2	-	2	2	-
20-24 years-----	38	31	7	30	24	6	8	7	1	6	5	1
25-29 years-----	85	72	13	69	58	11	16	14	2	13	12	1
30-34 years-----	203	158	45	155	118	37	48	40	8	34	26	8
35-39 years-----	500	402	98	413	339	74	87	63	24	53	36	17
40-44 years-----	814	632	182	642	506	136	172	126	46	131	96	35
45-49 years-----	1,026	820	206	791	640	151	235	180	55	207	159	48
50-54 years-----	906	739	167	722	589	133	184	150	34	163	135	28
55-59 years-----	747	601	146	583	468	115	164	133	31	139	115	24
60-64 years-----	569	469	100	433	354	79	136	115	21	122	103	19
65-69 years-----	480	389	91	376	300	76	104	89	15	92	78	14
70-74 years-----	362	282	80	305	235	70	57	47	10	51	43	8
75-79 years-----	250	185	65	214	153	61	36	32	4	34	31	3
80-84 years-----	144	108	36	130	96	34	14	12	2	12	10	2
85-89 years-----	68	42	26	61	38	23	7	4	3	6	3	3
90-94 years-----	33	19	14	29	16	13	4	3	1	4	3	1
95-99 years-----	4	2	2	4	2	2	-	-	-	-	-	-
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	6	6	-	5	5	-	1	1	-	1	1	-

Acute intoxication (F10.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	630	496	134	523	409	114	107	87	20	85	70	15
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	1	-	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	15	12	3	13	10	3	2	2	-	2	2	-
20-24 years-----	27	22	5	19	15	4	8	7	1	6	5	1
25-29 years-----	34	29	5	28	23	5	6	6	-	6	6	-
30-34 years-----	51	42	9	44	35	9	7	7	-	5	5	-
35-39 years-----	88	77	11	78	69	9	10	8	2	4	3	1
40-44 years-----	116	86	30	94	70	24	22	16	6	16	11	5
45-49 years-----	117	90	27	99	76	23	18	14	4	17	14	3
50-54 years-----	82	66	16	62	49	13	20	17	3	17	14	3
55-59 years-----	35	25	10	31	23	8	4	2	2	2	2	-
60-64 years-----	19	17	2	16	15	1	3	2	1	3	2	1
65-69 years-----	14	11	3	12	9	3	2	2	-	2	2	-
70-74 years-----	13	5	8	13	5	8	-	-	-	-	-	-
75-79 years-----	10	7	3	6	3	3	4	4	-	4	4	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Harmful use (F10.1)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1,582	1,272	310	1,233	991	242	349	281	68	301	240	61
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	2	2	-	2	2	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	17	14	3	12	10	2	5	4	1	5	4	1
30-34 years-----	36	29	7	25	18	7	11	11	-	7	7	-
35-39 years-----	126	101	25	108	88	20	18	13	5	15	10	5
40-44 years-----	236	193	43	191	156	35	45	37	8	34	28	6
45-49 years-----	286	231	55	211	177	34	75	54	21	67	48	19
50-54 years-----	212	177	35	168	145	23	44	32	12	39	29	10
55-59 years-----	194	160	34	143	118	25	51	42	9	45	36	9
60-64 years-----	148	116	32	108	82	26	40	34	6	36	31	5
65-69 years-----	136	109	27	104	79	25	32	30	2	26	24	2
70-74 years-----	72	56	16	61	47	14	11	9	2	10	8	2
75-79 years-----	54	40	14	48	34	14	6	6	-	6	6	-
80-84 years-----	39	27	12	33	22	11	6	5	1	6	5	1
85-89 years-----	14	10	4	11	8	3	3	2	1	3	2	1
90-94 years-----	7	4	3	5	2	3	2	2	-	2	2	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Dependence syndrome (F10.2)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	3,361	2,673	688	2,662	2,126	536	699	547	152	581	458	123
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	8	6	2	8	6	2	-	-	-	-	-	-
25-29 years-----	28	23	5	25	21	4	3	2	1	2	2	-
30-34 years-----	100	73	27	74	54	20	26	19	7	18	11	7
35-39 years-----	249	194	55	198	158	40	51	36	15	28	18	10
40-44 years-----	411	314	97	319	251	68	92	63	29	70	49	21
45-49 years-----	543	434	109	426	345	81	117	89	28	102	77	25
50-54 years-----	541	441	100	441	358	83	100	83	17	88	75	13
55-59 years-----	452	364	88	354	284	70	98	80	18	84	70	14
60-64 years-----	344	288	56	260	216	44	84	72	12	74	63	11
65-69 years-----	273	225	48	209	173	36	64	52	12	59	48	11
70-74 years-----	203	160	43	167	130	37	36	30	6	32	27	5
75-79 years-----	110	83	27	93	69	24	17	14	3	15	13	2
80-84 years-----	50	38	12	45	34	11	5	4	1	4	3	1
85-89 years-----	29	19	10	25	17	8	4	2	2	3	1	2
90-94 years-----	10	5	5	9	5	4	1	-	1	1	-	1
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	4	4	-	3	3	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Dependence syndrome (F11.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	58	47	11	48	39	9	10	8	2	8	7	1			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
20-24 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years-----	8	6	2	8	6	2	-	-	-	-	-	-			
35-39 years-----	10	9	1	8	7	1	2	2	-	1	1	-			
40-44 years-----	7	5	2	6	4	2	1	1	-	1	1	-			
45-49 years-----	11	10	1	8	7	1	3	3	-	3	3	-			
50-54 years-----	12	10	2	10	9	1	2	1	1	1	1	-			
55-59 years-----	3	2	1	2	2	-	1	-	1	1	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	1	1	-	-	-	-	1	1	-	-	1	-			
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Unspecified mental and behavioral disorder (F11.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	29	20	9	25	17	8	4	3	1	3	3	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
35-39 years-----	5	4	1	5	4	1	-	-	-	-	-	-			
40-44 years-----	8	6	2	7	6	1	1	1	1	2	-	-			
45-49 years-----	8	6	2	5	3	2	3	3	-	3	3	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Dependence syndrome (F13.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-	-

Mental and behavioral disorders due to use of cocaine (F14)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	364	249	115	142	111	31	222	138	84	217	135	82	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	-	-	-	1	1	-	1	1	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-	-
20-24 years-----	12	9	3	9	7	2	3	2	1	3	2	1	-
25-29 years-----	18	14	4	11	8	3	7	6	1	6	5	1	-
30-34 years-----	48	37	11	16	15	1	32	22	10	31	21	10	-
35-39 years-----	73	47	26	29	20	9	44	27	17	42	26	16	-
40-44 years-----	78	45	33	31	25	6	47	20	27	46	20	26	-
45-49 years-----	61	40	21	22	17	5	39	23	16	39	23	16	-
50-54 years-----	39	28	11	11	8	3	28	20	8	28	20	8	-
55-59 years-----	18	15	3	6	6	-	12	9	3	12	9	3	-
60-64 years-----	5	4	1	2	2	-	3	2	1	3	2	1	-
65-69 years-----	4	4	-	-	-	-	4	4	-	4	4	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Acute intoxication (F14.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	11	10	1	5	5	-	6	5	1	5	4	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	1	1	-	1	1	-	-	-	-
30-34 years-----	1	1	-	-	-	-	1	1	-	1	1	-
35-39 years-----	4	3	1	2	2	-	2	1	1	2	1	1
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Harmful use (F14.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	257	169	88	99	74	25	158	95	63	155	94	61
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years-----	10	8	2	7	6	1	3	2	1	3	2	1
25-29 years-----	13	11	2	8	7	1	5	4	1	5	4	1
30-34 years-----	30	20	10	9	8	1	21	12	9	21	12	9
35-39 years-----	51	31	20	22	13	9	29	18	11	27	17	10
40-44 years-----	58	32	26	21	16	5	37	16	21	36	16	20
45-49 years-----	42	28	14	14	11	3	28	17	11	28	17	11
50-54 years-----	27	18	9	7	4	3	20	14	6	20	14	6
55-59 years-----	12	9	3	4	4	-	8	5	3	8	5	3
60-64 years-----	4	4	-	2	2	-	2	2	-	2	2	-
65-69 years-----	3	3	-	-	-	-	3	3	-	3	3	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Mental and behavioral disorders due to use of volatile solvents (F18)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Acute intoxication (F18.0)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Harmful use (F19.1)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	882	626	256	641	451	190	241	175	66	236	173	63
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	12	6	6	11	6	5	1	-	1	1	-	1
20-24 years-----	45	39	6	34	28	6	11	11	-	11	11	-
25-29 years-----	65	45	20	56	39	17	9	6	3	8	6	2
30-34 years-----	91	58	33	84	55	29	7	3	4	7	3	4
35-39 years-----	140	103	37	110	78	32	30	25	5	29	24	5
40-44 years-----	201	132	69	146	95	51	55	37	18	54	36	18
45-49 years-----	160	120	40	95	72	23	65	48	17	65	48	17
50-54 years-----	104	82	22	66	52	14	38	30	8	37	30	7
55-59 years-----	36	26	10	21	15	6	15	11	4	14	11	3
60-64 years-----	14	9	5	10	7	3	4	2	2	4	2	2
65-69 years-----	4	2	2	3	2	1	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	-	-	-	2	-	2	2	-	2
80-84 years-----	3	1	2	2	1	1	1	-	1	1	-	1
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	1	-	1	1	-	-	1	1	-
95-99 years-----	1	1	-	-	-	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Dependence syndrome (F19.2)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	278	209	69	240	181	59	38	28	10	36	26	10
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	5	5	-	4	4	-	1	1	-	1	1	-
20-24 years-----	19	13	6	18	12	6	1	1	-	1	1	-
25-29 years-----	22	13	9	20	12	8	2	1	1	2	1	1
30-34 years-----	31	23	8	29	23	6	2	-	2	2	-	2
35-39 years-----	47	39	8	42	35	7	5	4	1	5	4	1
40-44 years-----	48	35	13	41	30	11	7	5	2	5	3	2
45-49 years-----	52	39	13	42	29	13	10	10	-	10	10	-
50-54 years-----	30	27	3	24	21	3	6	6	-	6	6	-
55-59 years-----	11	7	4	10	7	3	1	-	1	1	-	1
60-64 years-----	6	5	1	5	5	-	1	-	1	1	-	1
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	1
85-89 years-----	1	-	1	-	-	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Schizophrenia (F20)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	411	160	251	368
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	-	1	-
20-24 years-----	1	1	-	1
25-29 years-----	1	1	-	-
30-34 years-----	4	3	1	3
35-39 years-----	4	3	1	1
40-44 years-----	15	10	5	13
45-49 years-----	14	9	5	12
50-54 years-----	15	8	7	14
55-59 years-----	15	12	3	14
60-64 years-----	19	10	9	15
65-69 years-----	26	13	13	24
70-74 years-----	54	24	30	49
75-79 years-----	57	21	36	51
80-84 years-----	72	25	47	68
85-89 years-----	56	13	43	53
90-94 years-----	36	4	32	31
95-99 years-----	18	3	15	16
100 yrs & over---	3	-	3	3
Not stated-----	-	-	-	-

Paranoid schizophrenia (F20.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	31	13	18	25
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	2	1	1	-
40-44 years-----	4	3	1	3
45-49 years-----	1	-	1	-
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	1	1	-	1
65-69 years-----	1	1	-	-
70-74 years-----	3	3	-	3
75-79 years-----	4	-	4	4
80-84 years-----	8	2	6	7
85-89 years-----	3	1	2	3
90-94 years-----	2	-	2	1
95-99 years-----	1	-	1	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Somatoform disorders (F45)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Somatization disorder (F45.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Severe mental retardation (F72)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	61	38	23	51	33	18	10	5	5	8	4	4			
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-			
1-4 years-----	2	1	1	-	-	-	2	1	1	2	1	1			
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-			
10-14 years-----	4	3	1	4	3	1	-	-	-	-	-	-			
15-19 years-----	3	3	-	2	2	-	1	1	-	1	1	-			
20-24 years-----	4	3	1	3	2	1	1	1	-	-	-	-			
25-29 years-----	4	3	1	4	3	1	-	-	-	-	-	-			
30-34 years-----	5	3	2	5	3	2	-	-	-	-	-	-			
35-39 years-----	5	4	1	5	4	1	-	-	-	-	-	-			
40-44 years-----	4	4	-	4	4	-	-	-	-	-	-	-			
45-49 years-----	8	2	6	6	2	4	2	-	2	1	-	1			
50-54 years-----	4	2	2	4	2	2	-	-	-	-	-	-			
55-59 years-----	4	2	2	3	2	1	1	-	1	1	-	1			1
60-64 years-----	2	1	1	2	1	1	-	-	-	-	-	-			-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-			-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-			-
75-79 years-----	4	1	3	3	1	2	1	-	1	1	-	1			1
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Profound mental retardation (F73)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	42	21	21	38	20	18	4	1	3	4	1	3			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-			-
20-24 years-----	3	1	2	2	1	1	1	-	1	1	-	1			1
25-29 years-----	4	2	2	3	2	1	1	-	1	1	-	1			1
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
35-39 years-----	5	2	3	5	2	3	-	-	-	-	-	-			-
40-44 years-----	3	1	2	3	1	2	-	-	-	-	-	-			-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-			-
55-59 years-----	6	3	3	5	3	2	1	-	1	1	-	1			1
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-			-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-			-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-			-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-			-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Spinal muscular atrophy, unspecified (G12.9)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	109	54	55	92	43	49	17	11	6	10	7	3
Under 1 year-----	62	37	25	49	27	22	13	10	3	7	6	1
1-4 years-----	18	4	14	15	4	11	3	-	3	2	-	2
5-9 years-----	2	1	1	1	-	1	1	1	-	1	1	-
10-14 years-----	3	-	3	3	-	3	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	4	3	1	4	3	1	-	-	-	-	-	-
25-29 years-----	1	-	1	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	-	2	2	-	2	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	3	1	2	3	1	2	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Parkinson's disease (G20)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	15,591	8,751	6,840	14,853	8,316	6,537	738	435	303	532	306	226
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	-	-	-	1	-	1	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	-	-	1
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	2	1	1	-	-	-	2	1	1	2	1	1
45-49 years-----	14	8	6	10	6	4	4	2	2	2	1	1
50-54 years-----	32	18	14	28	15	13	4	3	1	4	3	1
55-59 years-----	80	54	26	73	48	25	7	6	1	5	4	1
60-64 years-----	184	115	69	172	109	63	12	6	6	9	5	4
65-69 years-----	623	396	227	582	370	212	41	26	15	28	19	9
70-74 years-----	1,478	937	541	1,394	888	506	84	49	35	65	40	25
75-79 years-----	3,310	2,044	1,266	3,151	1,935	1,216	159	109	50	118	80	38
80-84 years-----	4,300	2,461	1,839	4,113	2,347	1,766	187	114	73	133	78	55
85-89 years-----	3,550	1,869	1,681	3,401	1,794	1,607	149	75	74	102	44	58
90-94 years-----	1,618	723	895	1,551	686	865	67	37	30	47	24	23
95-99 years-----	367	114	253	348	108	240	19	6	13	15	6	9
100 yrs & over---	27	8	19	26	7	19	1	1	-	1	1	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Dystonia (G24)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	52	15	37	48	14	34	4	1	3	3	1	2			
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
65-69 years-----	10	2	8	8	2	6	2	-	2	1	-	1			
70-74 years-----	5	2	3	5	2	3	-	-	-	-	-	-			
75-79 years-----	13	1	12	13	1	12	-	-	-	-	-	-			
80-84 years-----	6	3	3	6	3	3	-	-	-	-	-	-			
85-89 years-----	6	-	6	6	-	6	-	-	-	-	-	-			
90-94 years-----	4	2	2	3	2	1	1	-	1	1	-	-			
95-99 years-----	3	2	1	3	2	1	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Idiopathic familial dystonia (G24.1)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	5	2	3	5	2	3	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-			
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Extrapyramidal and movement disorder, unspecified (G25.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	15	5	10	15	5	10	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	4	1	3	4	1	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alzheimer's disease (G30)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	49,558	14,438	35,120	46,460	13,524	32,936	3,098	914	2,184	2,728	776	1,952
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	-	1	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	17	10	7	14	8	6	3	2	1	1	1	-
50-54 years-----	47	24	23	41	21	20	6	3	3	4	2	2
55-59 years-----	142	60	82	132	55	77	10	5	5	7	5	2
60-64 years-----	349	150	199	318	138	180	31	12	19	23	11	12
65-69 years-----	868	420	448	796	389	407	72	31	41	67	30	37
70-74 years-----	2,563	1,134	1,429	2,343	1,043	1,300	220	91	129	194	83	111
75-79 years-----	6,319	2,433	3,886	5,864	2,271	3,593	455	162	293	400	137	263
80-84 years-----	10,934	3,795	7,139	10,260	3,583	6,677	674	212	462	608	185	423
85-89 years-----	13,337	3,687	9,650	12,562	3,466	9,096	775	221	554	682	181	501
90-94 years-----	10,257	2,101	8,156	9,723	1,974	7,749	534	127	407	464	99	365
95-99 years-----	4,014	564	3,450	3,765	525	3,240	249	39	210	219	36	183
100 yrs & over---	701	54	647	633	45	588	68	9	59	58	6	52
Not stated-----	2	1	1	1	1	-	1	-	1	1	-	1

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other Alzheimer's disease (G30.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	14	4	10	14	4	10	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	3	1	2	3	1	2	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	2	-	2	2	-	2	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alzheimer's disease, unspecified (G30.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	47,614	13,934	33,680	44,637	13,052	31,585	2,977	882	2,095	2,619	747	1,872
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-
40-44 years-----	4	3	1	4	3	1	-	-	-	-	-	-
45-49 years-----	17	10	7	14	8	6	3	2	1	1	1	-
50-54 years-----	45	23	22	39	20	19	6	3	3	4	2	2
55-59 years-----	135	55	80	126	50	76	9	5	4	6	5	1
60-64 years-----	342	149	193	311	137	174	31	12	19	23	11	12
65-69 years-----	847	412	435	776	381	395	71	31	40	66	30	36
70-74 years-----	2,493	1,097	1,396	2,280	1,008	1,272	213	89	124	189	81	108
75-79 years-----	6,104	2,357	3,747	5,663	2,200	3,463	441	157	284	389	132	257
80-84 years-----	10,535	3,657	6,878	9,889	3,454	6,435	646	203	443	580	176	404
85-89 years-----	12,830	3,566	9,264	12,087	3,352	8,735	743	214	529	652	175	477
90-94 years-----	9,783	2,018	7,765	9,274	1,897	7,377	509	121	388	443	95	348
95-99 years-----	3,807	532	3,275	3,568	495	3,073	239	37	202	209	34	175
100 yrs & over---	666	52	614	601	44	557	65	8	57	56	5	51
Not stated-----	2	1	1	1	1	-	1	-	1	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Transient cerebral ischemic attacks and related syndromes (G45)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Vertebro-basilar artery syndrome (G45.0)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Myasthenia gravis (G70.0)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other specified myoneural disorders (G70.8)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Muscular dystrophy (G71.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	643	445	198	589
Under 1 year-----	3	2	1	2
1-4 years-----	2	2	-	2
5-9 years-----	1	1	-	1
10-14 years-----	17	15	2	13
15-19 years-----	77	76	1	67
20-24 years-----	58	56	2	50
25-29 years-----	46	44	2	41
30-34 years-----	40	34	6	38
35-39 years-----	20	14	6	18
40-44 years-----	32	21	11	27
45-49 years-----	43	25	18	40
50-54 years-----	47	23	24	44
55-59 years-----	45	23	22	43
60-64 years-----	38	21	17	37
65-69 years-----	35	19	16	33
70-74 years-----	34	18	16	32
75-79 years-----	49	23	26	46
80-84 years-----	28	14	14	28
85-89 years-----	19	9	10	18
90-94 years-----	9	5	4	9
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Myotonic disorders (G71.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	184	103	81	176
Under 1 year-----	9	6	3	7
1-4 years-----	1	1	-	1
5-9 years-----	3	3	-	3
10-14 years-----	1	-	1	1
15-19 years-----	-	-	-	-
20-24 years-----	4	2	2	4
25-29 years-----	-	-	-	-
30-34 years-----	2	1	1	2
35-39 years-----	7	3	4	5
40-44 years-----	13	9	4	13
45-49 years-----	41	26	15	39
50-54 years-----	35	19	16	35
55-59 years-----	24	8	16	24
60-64 years-----	21	10	11	20
65-69 years-----	11	8	3	11
70-74 years-----	3	1	2	3
75-79 years-----	5	2	3	5
80-84 years-----	3	3	-	2
85-89 years-----	1	1	-	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other infantile cerebral palsy (G80.8)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Infantile cerebral palsy, unspecified (G80.9)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Hemiplegia (G81)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Hemiplegia, unspecified (G81.9)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Paraplegia and tetraplegia (G82)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 95-99 years, plus 100 yrs & over and Not stated.

Spastic paraplegia (G82.1)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 95-99 years, plus 100 yrs & over and Not stated.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Paraplegia, unspecified (G82.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	254	168	86	215
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	-	1	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	5	5	-	4
35-39 years-----	4	2	2	3
40-44 years-----	15	10	5	11
45-49 years-----	21	17	4	15
50-54 years-----	20	18	2	16
55-59 years-----	15	11	4	14
60-64 years-----	17	12	5	15
65-69 years-----	22	18	4	18
70-74 years-----	33	21	12	25
75-79 years-----	27	17	10	24
80-84 years-----	41	20	21	40
85-89 years-----	20	10	10	18
90-94 years-----	10	5	5	10
95-99 years-----	3	2	1	2
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Spastic tetraplegia (G82.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	36	15	21	28
Under 1 year-----	-	-	-	-
1-4 years-----	1	1	-	-
5-9 years-----	1	-	1	-
10-14 years-----	1	-	1	-
15-19 years-----	5	1	4	1
20-24 years-----	4	2	2	4
25-29 years-----	2	1	1	2
30-34 years-----	-	-	-	-
35-39 years-----	3	1	2	2
40-44 years-----	2	1	1	2
45-49 years-----	3	2	1	3
50-54 years-----	2	2	-	2
55-59 years-----	1	1	-	1
60-64 years-----	1	-	1	-
65-69 years-----	1	-	1	-
70-74 years-----	2	1	1	1
75-79 years-----	3	1	2	3
80-84 years-----	2	1	1	1
85-89 years-----	2	-	2	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Disorders of autonomic nervous system (G90)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Idiopathic peripheral autonomic neuropathy (G90.0)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Familial dysautonomia [Riley-Day] (G90.1)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Multisystem degeneration (G90.3)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Posttraumatic hydrocephalus, unspecified (G91.3)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other hydrocephalus (G91.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Postviral fatigue syndrome (G93.3)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Encephalopathy, unspecified (G93.4)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Compression of brain (G93.5)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Cerebral edema (G93.6)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Disorder of brain, unspecified (G93.9)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other diseases of spinal cord (G95)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Disease of spinal cord, unspecified (G95.9)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female), All Other (Both Sexes, Male, Female), Black (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other disorders of central nervous system (G96)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female), All Other (Both Sexes, Male, Female), Black (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Cerebrospinal fluid leak (G96.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Disorders of meninges, not elsewhere classified (G96.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Other specified disorders of central nervous system (G96.8)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Disorder of central nervous system, unspecified (G96.9)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other disorders of nervous system, not elsewhere classified (G98)

Table with 14 columns (Age, All Races Male, All Races Female, All Races Both Sexes, White Male, White Female, White Both Sexes, Total Male, Total Female, Total Both Sexes, All Other Male, All Other Female, All Other Both Sexes, Black Male, Black Female) and 22 rows of age groups.

Disorders of lacrimal system (H04)

Table with 14 columns (Age, All Races Male, All Races Female, All Races Both Sexes, White Male, White Female, White Both Sexes, Total Male, Total Female, Total Both Sexes, All Other Male, All Other Female, All Other Both Sexes, Black Male, Black Female) and 16 rows of age groups.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Disorders of orbit (H05)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Acute inflammation of orbit (H05.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Exophthalmic conditions (H05.2)

Table with 15 columns: Cause of Death, All Races, White, Total, All Other, Black. Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'. Data values are 1 or -.

Disorder of orbit, unspecified (H05.9)

Table with 15 columns: Cause of Death, All Races, White, Total, All Other, Black. Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'. Data values are 1 or -.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Conjunctivitis (H10)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Conjunctivitis, unspecified (H10.9)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Keratitis (H16)

Table with 15 columns for age groups and race/sex breakdowns. Rows include 'All ages', 'Under 1 year', and various 5-year age intervals up to '100 yrs & over'.

Other superficial keratitis without conjunctivitis (H16.1)

Table with 15 columns for age groups and race/sex breakdowns. Rows include 'All ages', 'Under 1 year', and various 5-year age intervals up to '100 yrs & over'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), ALL RACES - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - - AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female), Black (Both Sexes, Male, Female). Rows include 'Corneal neovascularization (H16.4)' with sub-rows for ages from 'All ages' to '100 yrs & over', and 'Not stated'.

Other cataract (H26)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female), Black (Both Sexes, Male, Female). Rows include 'Other cataract (H26)' with sub-rows for ages from 'All ages' to '100 yrs & over', and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Degeneration of macula and posterior pole (H35.3)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Glaucoma (H40)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Purulent endophthalmitis (H44.0)

Table with columns for age groups (All ages, Under 1 year, 1-4 years, etc.) and rows for race and sex (Male, Female, Both Sexes) for Purulent endophthalmitis (H44.0).

Optic neuritis (H46)

Table with columns for age groups (All ages, Under 1 year, 1-4 years, etc.) and rows for race and sex (Male, Female, Both Sexes) for Optic neuritis (H46).

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

ALL OTHER ALL OTHER BLACK

Paralytic strabismus (H49)

Table with columns for Cause of Death, Race, Sex, and Age Group. Rows include: All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Sixth [abducent] nerve palsy (H49.2)

Table with columns for Cause of Death, Race, Sex, and Age Group. Rows include: All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Visual disturbances (H53)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Subjective visual disturbances (H53.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Blindness and low vision (H54)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Blindness, both eyes (H54.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other disorders of eye and adnexa (H57)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Disorder of eye and adnexa, unspecified (H57.9)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Perichondritis of external ear (H61.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Suppurative and unspecified otitis media (H66)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Rheumatic tricuspid valve diseases (I07)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Tricuspid insufficiency (I07.1)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Acute myocardial infarction, unspecified (I21.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	192,539	100,136	92,403	170,259	89,231	81,028	22,280	10,905	11,375	19,082	9,031	10,051			
Under 1 year-----	20	10	10	16	9	7	4	1	3	2	1	1			
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
5-9 years-----	5	3	2	3	1	2	2	2	-	2	2	-			
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years-----	14	8	6	11	6	5	3	2	1	2	1	1			
20-24 years-----	38	22	16	28	18	10	10	4	6	9	4	5			
25-29 years-----	107	74	33	70	49	21	37	25	12	32	21	11			
30-34 years-----	266	193	73	201	155	46	65	38	27	61	34	27			
35-39 years-----	901	655	246	741	554	187	160	101	59	146	90	56			
40-44 years-----	2,224	1,726	498	1,749	1,410	339	475	316	159	422	271	151			
45-49 years-----	4,221	3,313	908	3,434	2,791	643	787	522	265	698	449	249			
50-54 years-----	6,639	4,942	1,697	5,452	4,203	1,249	1,187	739	448	1,037	626	411			
55-59 years-----	9,018	6,481	2,537	7,564	5,551	2,013	1,454	930	524	1,275	796	479			
60-64 years-----	11,967	8,136	3,831	10,072	7,018	3,054	1,895	1,118	777	1,655	948	707			
65-69 years-----	15,877	10,165	5,712	13,561	8,911	4,650	2,316	1,254	1,062	1,977	1,038	939			
70-74 years-----	22,527	13,625	8,902	19,678	12,151	7,527	2,849	1,474	1,375	2,463	1,253	1,210			
75-79 years-----	30,006	16,269	13,737	26,682	14,712	11,970	3,324	1,557	1,767	2,759	1,254	1,505			
80-84 years-----	32,081	15,306	16,775	29,167	14,064	15,103	2,914	1,242	1,672	2,471	1,016	1,455			
85-89 years-----	29,859	11,741	18,118	27,324	10,818	16,506	2,535	923	1,612	2,148	726	1,422			
90-94 years-----	18,655	5,687	12,968	17,226	5,234	11,992	1,429	453	976	1,205	346	859			
95-99 years-----	6,739	1,535	5,204	6,099	1,360	4,739	640	175	465	539	127	412			
100 yrs & over---	1,365	238	1,127	1,172	210	962	193	28	165	178	27	151			
Not stated-----	8	5	3	7	4	3	1	1	-	1	1	-			

Subsequent myocardial infarction (I22)

All ages-----	3	-	3	3	-	3	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Chronic ischemic heart disease (I25)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	318,542	158,389	160,153	281,616	139,998	141,618	36,926	18,391	18,535	31,659	15,310	16,349
Under 1 year-----	9	6	3	6	4	2	3	2	1	2	1	1
1-4 years-----	7	4	3	7	4	3	-	-	-	-	-	-
5-9 years-----	3	2	1	3	2	1	-	-	-	-	-	-
10-14 years-----	7	3	4	6	3	3	1	-	1	-	-	-
15-19 years-----	15	10	5	13	9	4	2	1	1	2	1	1
20-24 years-----	47	34	13	33	23	10	14	11	3	10	7	3
25-29 years-----	124	103	21	85	71	14	39	32	7	34	27	7
30-34 years-----	419	319	100	306	244	62	113	75	38	100	65	35
35-39 years-----	1,296	982	314	975	759	216	321	223	98	279	186	93
40-44 years-----	2,996	2,345	651	2,309	1,878	431	687	467	220	603	399	204
45-49 years-----	5,314	4,205	1,109	4,058	3,335	723	1,256	870	386	1,123	759	364
50-54 years-----	8,412	6,458	1,954	6,658	5,243	1,415	1,754	1,215	539	1,546	1,044	502
55-59 years-----	11,465	8,496	2,969	9,130	6,900	2,230	2,335	1,596	739	2,054	1,393	661
60-64 years-----	14,740	10,306	4,434	11,767	8,456	3,311	2,973	1,850	1,123	2,590	1,579	1,011
65-69 years-----	21,045	13,844	7,201	17,477	11,804	5,673	3,568	2,040	1,528	3,091	1,722	1,369
70-74 years-----	32,680	20,465	12,215	28,101	17,963	10,138	4,579	2,502	2,077	3,981	2,126	1,855
75-79 years-----	46,018	25,904	20,114	40,710	23,244	17,466	5,308	2,660	2,648	4,473	2,166	2,307
80-84 years-----	54,445	26,728	27,717	49,507	24,598	24,909	4,938	2,130	2,808	4,147	1,713	2,434
85-89 years-----	56,443	22,081	34,362	52,051	20,564	31,487	4,392	1,517	2,875	3,695	1,200	2,495
90-94 years-----	41,181	11,821	29,360	38,307	11,027	27,280	2,874	794	2,080	2,408	602	1,806
95-99 years-----	17,562	3,642	13,920	16,243	3,330	12,913	1,319	312	1,007	1,125	239	886
100 yrs & over---	4,275	603	3,672	3,835	514	3,321	440	89	351	386	76	310
Not stated-----	39	28	11	29	23	6	10	5	5	10	5	5

Atherosclerotic cardiovascular disease, so described (I25.0)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	69,554	35,896	33,658	57,794	29,467	28,327	11,760	6,429	5,331	10,418	5,615	4,803
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	15	12	3	13	10	3	2	2	-	1	1	-
25-29 years-----	33	26	7	19	14	5	14	12	2	12	10	2
30-34 years-----	111	89	22	83	69	14	28	20	8	24	16	8
35-39 years-----	391	312	79	291	237	54	100	75	25	87	65	22
40-44 years-----	985	787	198	743	615	128	242	172	70	208	145	63
45-49 years-----	1,894	1,533	361	1,393	1,164	229	501	369	132	459	332	127
50-54 years-----	3,086	2,444	642	2,339	1,903	436	747	541	206	681	489	192
55-59 years-----	3,841	2,978	863	2,858	2,252	606	983	726	257	882	646	236
60-64 years-----	4,401	3,147	1,254	3,255	2,408	847	1,146	739	407	1,029	662	367
65-69 years-----	5,309	3,557	1,752	4,093	2,811	1,282	1,216	746	470	1,083	648	435
70-74 years-----	7,258	4,512	2,746	5,765	3,636	2,129	1,493	876	617	1,325	769	556
75-79 years-----	9,271	5,086	4,185	7,717	4,249	3,468	1,554	837	717	1,349	716	633
80-84 years-----	10,274	4,639	5,635	8,892	4,037	4,855	1,382	602	780	1,204	505	699
85-89 years-----	10,397	3,740	6,657	9,245	3,348	5,897	1,152	392	760	1,010	340	670
90-94 years-----	7,953	2,205	5,748	7,202	1,997	5,205	751	208	543	663	175	488
95-99 years-----	3,429	691	2,738	3,112	611	2,501	317	80	237	280	67	213
100 yrs & over---	885	122	763	760	93	667	125	29	96	114	26	88
Not stated-----	19	15	4	13	12	1	6	3	3	6	3	3

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Aneurysm of heart (I25.3)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	92	48	44	80
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	2	2	-	2
40-44 years-----	3	2	1	2
45-49 years-----	1	-	1	1
50-54 years-----	5	3	2	4
55-59 years-----	6	2	4	5
60-64 years-----	6	3	3	5
65-69 years-----	9	5	4	7
70-74 years-----	12	8	4	11
75-79 years-----	16	11	5	14
80-84 years-----	18	8	10	17
85-89 years-----	10	4	6	8
90-94 years-----	3	-	3	3
95-99 years-----	1	-	1	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Coronary artery aneurysm (I25.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	14	4	10	11
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	1	1	-	-
25-29 years-----	-	-	-	-
30-34 years-----	2	1	1	1
35-39 years-----	-	-	-	-
40-44 years-----	1	-	1	1
45-49 years-----	1	-	1	-
50-54 years-----	1	-	1	1
55-59 years-----	2	1	1	2
60-64 years-----	-	-	-	-
65-69 years-----	2	-	2	2
70-74 years-----	2	-	2	2
75-79 years-----	-	-	-	-
80-84 years-----	1	1	-	1
85-89 years-----	-	-	-	-
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pulmonary embolism with mention of acute cor pulmonale (I26.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	29	18	11	28	17	11	1	1	-	1	1	-	1	1	-
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
40-44 years-----	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
45-49 years-----	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
50-54 years-----	2	1	1	2	1	1	-	-	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-	-	-	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years-----	5	2	3	5	2	3	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary embolism without mention of acute cor pulmonale (I26.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8,408	3,521	4,887	6,914	2,915	3,999	1,494	606	888	1,413	578	835			
Under 1 year-----	3	1	2	2	1	1	1	-	1	1	-	1			1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
5-9 years-----	5	4	1	4	3	1	1	1	-	1	1	-			-
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-			-
15-19 years-----	25	8	17	16	6	10	9	2	7	9	2	7			7
20-24 years-----	59	19	40	34	13	21	25	6	19	24	6	18			18
25-29 years-----	78	32	46	52	26	26	26	6	20	24	4	20			20
30-34 years-----	138	64	74	94	44	50	44	20	24	43	20	23			23
35-39 years-----	214	95	119	142	66	76	72	29	43	68	28	40			40
40-44 years-----	306	125	181	209	83	126	97	42	55	92	39	53			53
45-49 years-----	384	192	192	279	147	132	105	45	60	102	43	59			59
50-54 years-----	493	258	235	369	194	175	124	64	60	115	60	55			55
55-59 years-----	467	225	242	375	179	196	92	46	46	81	45	36			36
60-64 years-----	624	308	316	500	250	250	124	58	66	121	58	63			63
65-69 years-----	750	352	398	612	300	312	138	52	86	133	49	84			84
70-74 years-----	959	436	523	813	383	430	146	53	93	139	51	88			88
75-79 years-----	1,161	529	632	990	460	530	171	69	102	162	64	98			98
80-84 years-----	1,111	411	700	984	361	623	127	50	77	117	46	71			71
85-89 years-----	961	306	655	849	264	585	112	42	70	105	41	64			64
90-94 years-----	473	123	350	426	111	315	47	12	35	44	12	32			32
95-99 years-----	164	27	137	141	21	120	23	6	17	22	6	16			16
100 yrs & over---	29	3	26	19	-	19	10	3	7	10	3	7			7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - WHITE - - - ALL OTHER - - - BLACK - - -

Aortic valve disorder, unspecified (I35.9)

Table with columns for age groups, both sexes, male, female, and race (White, All Other, Black). Rows include 'All ages' and age groups from 'Under 1 year' to '100 yrs & over'.

Nonrheumatic tricuspid valve disorders (I36)

Table with columns for age groups, both sexes, male, female, and race (White, All Other, Black). Rows include 'All ages' and age groups from 'Under 1 year' to '100 yrs & over'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Nonrheumatic tricuspid (valve) insufficiency (I36.1)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Nonrheumatic tricuspid valve disorder, unspecified (I36.9)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Pulmonary valve disorder, unspecified (I37.9)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Endocarditis, valve unspecified (I38)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	4,477	1,702	2,775	3,950	1,470	2,480	527	232	295	463	205	258
Under 1 year-----	2	-	2	2	-	2	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	2	2	-	1	1	-	1	1	-	1	1	-
15-19 years-----	1	1	-	-	-	-	1	1	-	1	1	-
20-24 years-----	10	7	3	5	2	3	5	5	-	4	4	-
25-29 years-----	12	6	6	6	2	4	6	4	2	6	4	2
30-34 years-----	27	12	15	17	8	9	10	4	6	10	4	6
35-39 years-----	58	35	23	39	24	15	19	11	8	17	10	7
40-44 years-----	72	44	28	45	33	12	27	11	16	27	11	16
45-49 years-----	123	71	52	84	49	35	39	22	17	36	21	15
50-54 years-----	132	69	63	90	47	43	42	22	20	39	21	18
55-59 years-----	145	80	65	98	57	41	47	23	24	39	19	20
60-64 years-----	198	101	97	158	80	78	40	21	19	38	19	19
65-69 years-----	276	112	164	237	98	139	39	14	25	34	13	21
70-74 years-----	441	191	250	381	167	214	60	24	36	54	21	33
75-79 years-----	617	244	373	544	214	330	73	30	43	61	27	34
80-84 years-----	768	298	470	722	282	440	46	16	30	37	11	26
85-89 years-----	768	235	533	728	220	508	40	15	25	34	13	21
90-94 years-----	585	143	442	561	138	423	24	5	19	18	3	15
95-99 years-----	196	40	156	190	39	151	6	1	5	6	1	5
100 yrs & over---	41	8	33	39	6	33	2	2	-	1	1	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Acute myocarditis (I40)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	258	130	128	172	83	89	86	47	39	61	32	29			
Under 1 year-----	11	4	7	4	1	3	7	3	4	6	3	3			
1-4 years-----	21	10	11	12	8	4	9	2	7	8	2	6			
5-9 years-----	8	3	5	7	3	4	1	-	1	1	-	1			
10-14 years-----	10	4	6	2	1	1	8	3	5	6	2	4			
15-19 years-----	11	6	5	10	5	5	1	1	-	-	-	-			
20-24 years-----	14	8	6	8	4	4	6	4	2	3	1	2			
25-29 years-----	21	11	10	15	7	8	6	4	2	4	3	1			
30-34 years-----	21	10	11	11	6	5	10	4	6	9	4	5			
35-39 years-----	27	18	9	15	9	6	12	9	3	8	6	2			
40-44 years-----	18	10	8	14	6	8	4	4	-	4	4	-			
45-49 years-----	19	10	9	9	4	5	10	6	4	6	3	3			
50-54 years-----	13	7	6	11	5	6	2	2	-	2	2	-			
55-59 years-----	14	10	4	12	9	3	2	1	1	1	-	1			
60-64 years-----	10	3	7	7	2	5	3	1	2	2	1	1			
65-69 years-----	8	5	3	7	4	3	1	1	-	1	1	-			
70-74 years-----	8	3	5	5	1	4	3	2	1	-	-	-			
75-79 years-----	12	6	6	11	6	5	1	-	11	-	-	-			
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-			
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-			
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Infective myocarditis (I40.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	175	91	84	118	56	62	57	35	22	42	26	16			
Under 1 year-----	8	3	5	3	1	2	5	2	3	4	2	2			
1-4 years-----	14	8	6	9	6	3	5	2	3	5	2	3			
5-9 years-----	4	2	2	4	2	2	-	-	-	-	-	-			
10-14 years-----	10	4	6	2	1	1	8	3	5	6	2	4			
15-19 years-----	8	5	3	7	4	3	1	1	-	-	-	-			
20-24 years-----	9	5	4	6	3	3	3	2	1	2	1	1			
25-29 years-----	13	8	5	9	4	5	4	4	-	3	3	-			
30-34 years-----	14	7	7	8	4	4	6	3	3	5	3	2			
35-39 years-----	15	12	3	9	6	3	6	6	-	4	4	-			
40-44 years-----	10	4	6	7	1	6	3	3	-	3	3	-			
45-49 years-----	9	5	4	4	2	2	5	3	2	4	2	2			
50-54 years-----	11	6	5	9	4	5	2	2	-	2	2	-			
55-59 years-----	8	6	2	7	6	1	1	-	1	1	-	1			
60-64 years-----	8	2	6	5	1	4	3	1	2	2	1	1			
65-69 years-----	7	4	3	6	3	3	1	1	-	1	1	-			
70-74 years-----	6	3	3	3	1	2	3	2	1	-	-	-			
75-79 years-----	9	5	4	8	5	3	1	-	1	-	-	-			
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-			
85-89 years-----	5	1	4	5	1	4	-	-	-	-	-	-			
90-94 years-----	4	-	4	4	-	4	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Conduction disorder, unspecified (I45.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	125	48	77	109	43	66	16	5	11	15	5	10
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	1	2	2	1	1	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	2	1	1	1	1	-	1	-	1	1	-	1
40-44 years-----	3	2	1	3	2	1	-	-	-	-	-	-
45-49 years-----	4	1	3	2	-	2	2	1	1	2	1	1
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	5	4	1	4	3	1	1	1	-	1	1	-
60-64 years-----	4	3	1	3	2	1	1	1	-	1	1	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	10	6	4	9	6	3	1	-	1	1	-	1
75-79 years-----	14	3	11	12	2	10	2	1	1	2	1	1
80-84 years-----	15	4	11	13	4	9	2	-	2	1	-	1
85-89 years-----	28	11	17	28	11	17	-	-	-	-	-	-
90-94 years-----	16	6	10	13	6	7	3	-	3	3	-	3
95-99 years-----	12	2	10	11	2	9	1	-	1	1	-	1
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiac arrest (I46)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	17,912	8,450	9,462	14,932	7,030	7,902	2,980	1,420	1,560	2,603	1,225	1,378
Under 1 year-----	29	14	15	22	10	12	7	4	3	7	4	3
1-4 years-----	15	8	7	11	6	5	4	2	2	4	2	2
5-9 years-----	5	5	-	2	2	-	3	3	-	2	2	-
10-14 years-----	11	8	3	8	6	2	3	2	1	2	2	-
15-19 years-----	19	11	8	11	6	5	8	5	3	8	5	3
20-24 years-----	24	15	9	19	12	7	5	3	2	3	1	2
25-29 years-----	39	26	13	26	19	7	13	7	6	12	7	5
30-34 years-----	63	43	20	42	32	10	21	11	10	20	10	10
35-39 years-----	135	89	46	90	60	30	45	29	16	43	27	16
40-44 years-----	282	181	101	198	138	60	84	43	41	78	38	40
45-49 years-----	430	317	113	300	229	71	130	88	42	124	85	39
50-54 years-----	640	456	184	482	350	132	158	106	52	146	97	49
55-59 years-----	852	578	274	686	472	214	166	106	60	146	92	54
60-64 years-----	1,010	666	344	773	529	244	237	137	100	214	122	92
65-69 years-----	1,370	871	499	1,110	718	392	260	153	107	227	134	93
70-74 years-----	1,907	1,081	826	1,576	905	671	331	176	155	288	147	141
75-79 years-----	2,396	1,240	1,156	2,036	1,078	958	360	162	198	321	141	180
80-84 years-----	2,756	1,146	1,610	2,404	1,014	1,390	352	132	220	304	113	191
85-89 years-----	2,720	931	1,789	2,360	798	1,562	360	133	227	304	108	196
90-94 years-----	2,086	551	1,535	1,819	469	1,350	267	82	185	219	63	156
95-99 years-----	892	173	719	764	146	618	128	27	101	100	18	82
100 yrs & over---	230	39	191	192	30	162	38	9	29	31	7	24
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Ventricular premature depolarization (I49.3)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 95-99 years, plus 100 yrs & over and Not stated.

Other and unspecified premature depolarization (I49.4)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 95-99 years, plus 100 yrs & over and Not stated.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Sick sinus syndrome (I49.5)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	430	142	288	383
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	1	-	1	-
30-34 years-----	2	1	1	1
35-39 years-----	-	-	-	-
40-44 years-----	2	1	1	1
45-49 years-----	3	1	2	1
50-54 years-----	5	2	3	4
55-59 years-----	3	1	2	3
60-64 years-----	3	1	2	2
65-69 years-----	20	14	6	17
70-74 years-----	17	10	7	15
75-79 years-----	56	16	40	48
80-84 years-----	64	20	44	58
85-89 years-----	103	36	67	91
90-94 years-----	100	29	71	95
95-99 years-----	40	7	33	37
100 yrs & over---	11	3	8	10
Not stated-----	-	-	-	-

Other specified cardiac arrhythmias (I49.8)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	40	26	14	36
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	3	3	-	3
50-54 years-----	2	1	1	2
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	2	2	-	1
70-74 years-----	5	2	3	4
75-79 years-----	5	3	2	5
80-84 years-----	6	3	3	6
85-89 years-----	9	7	2	8
90-94 years-----	5	4	1	4
95-99 years-----	3	1	2	3
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), AND AGE

AND AGE	ALL RACES			WHITE			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Cardiac arrhythmia, unspecified (I49.9)												
All ages-----	8,512	3,899	4,613	7,303	3,343	3,960	1,209	556	653	1,104	499	605
Under 1 year-----	5	3	2	4	2	2	1	1	-	1	1	-
1-4 years-----	11	8	3	8	7	1	3	1	2	3	1	2
5-9 years-----	3	2	1	2	2	-	1	-	1	1	-	1
10-14 years-----	21	10	11	13	7	6	8	3	5	5	1	4
15-19 years-----	51	33	18	38	27	11	13	6	7	10	3	7
20-24 years-----	63	37	26	46	30	16	17	7	10	17	7	10
25-29 years-----	60	40	20	41	28	13	19	12	7	16	11	5
30-34 years-----	80	44	36	59	35	24	21	9	12	20	9	11
35-39 years-----	124	81	43	93	60	33	31	21	10	26	19	7
40-44 years-----	212	124	88	163	97	66	49	27	22	42	23	19
45-49 years-----	233	136	97	184	113	71	49	23	26	46	21	25
50-54 years-----	274	174	100	222	137	85	52	37	15	46	34	12
55-59 years-----	353	212	141	268	158	110	85	54	31	80	50	30
60-64 years-----	453	280	173	362	222	140	91	58	33	87	55	32
65-69 years-----	580	326	254	466	262	204	114	64	50	106	60	46
70-74 years-----	827	482	345	703	419	284	124	63	61	113	53	60
75-79 years-----	1,145	551	594	986	480	506	159	71	88	147	64	83
80-84 years-----	1,264	516	748	1,149	484	665	115	32	83	103	29	74
85-89 years-----	1,282	468	814	1,159	431	728	123	37	86	106	29	77
90-94 years-----	952	257	695	870	236	634	82	21	61	77	20	57
95-99 years-----	389	90	299	352	83	269	37	7	30	37	7	30
100 yrs & over---	130	25	105	115	23	92	15	2	13	15	2	13
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-
Heart failure (I50)												
All ages-----	55,704	21,175	34,529	50,142	18,949	31,193	5,562	2,226	3,336	4,965	1,951	3,014
Under 1 year-----	31	22	9	19	14	5	12	8	4	12	8	4
1-4 years-----	9	7	2	5	5	-	4	2	2	4	2	2
5-9 years-----	10	4	6	7	3	4	3	1	2	2	1	1
10-14 years-----	11	5	6	9	4	5	2	1	1	2	1	1
15-19 years-----	21	11	10	12	5	7	9	6	3	8	5	3
20-24 years-----	13	9	4	5	5	-	8	4	4	5	3	2
25-29 years-----	27	15	12	15	9	6	12	6	6	12	6	6
30-34 years-----	36	21	15	23	13	10	13	8	5	12	7	5
35-39 years-----	77	40	37	44	25	19	33	15	18	32	14	18
40-44 years-----	185	119	66	120	84	36	65	35	30	62	33	29
45-49 years-----	283	191	92	180	127	53	103	64	39	98	60	38
50-54 years-----	528	305	223	378	224	154	150	81	69	143	78	65
55-59 years-----	828	479	349	627	383	244	201	96	105	189	90	99
60-64 years-----	1,383	785	598	1,088	624	464	295	161	134	266	143	123
65-69 years-----	2,284	1,243	1,041	1,870	1,049	821	414	194	220	373	175	198
70-74 years-----	4,119	2,171	1,948	3,514	1,892	1,622	605	279	326	544	248	296
75-79 years-----	6,936	3,286	3,650	6,178	2,959	3,219	758	327	431	674	285	389
80-84 years-----	9,884	4,212	5,672	9,038	3,872	5,166	846	340	506	742	288	454
85-89 years-----	12,315	4,256	8,059	11,433	3,961	7,472	882	295	587	783	255	528
90-94 years-----	10,543	2,819	7,724	9,847	2,618	7,229	696	201	495	608	167	441
95-99 years-----	4,969	982	3,987	4,628	905	3,723	341	77	264	292	60	232
100 yrs & over---	1,208	191	1,017	1,098	166	932	110	25	85	102	22	80
Not stated-----	4	2	2	4	2	2	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Congestive heart failure (I50.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Left ventricular failure (I50.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

	ALL RACES			WHITE			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Heart failure, unspecified (I50.9)												
All ages-----	3,995	1,727	2,268	3,411	1,453	1,958	584	274	310	524	243	281
Under 1 year-----	21	15	6	13	10	3	8	5	3	8	5	3
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	6	2	4	5	2	3	1	-	1	1	-	1
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	7	5	2	3	1	2	4	4	-	3	3	-
20-24 years-----	5	4	1	1	1	-	4	3	1	4	3	1
25-29 years-----	7	5	2	4	3	1	3	2	1	3	2	1
30-34 years-----	8	5	3	4	3	1	4	2	2	3	1	2
35-39 years-----	20	14	6	12	9	3	8	5	3	8	5	3
40-44 years-----	34	27	7	22	21	1	12	6	6	12	6	6
45-49 years-----	52	36	16	38	28	10	14	8	6	14	8	6
50-54 years-----	83	53	30	66	43	23	17	10	7	16	9	7
55-59 years-----	103	59	44	75	41	34	28	18	10	28	18	10
60-64 years-----	179	117	62	139	96	43	40	21	19	33	17	16
65-69 years-----	281	155	126	233	123	110	48	32	16	43	28	15
70-74 years-----	397	228	169	320	189	131	77	39	38	69	34	35
75-79 years-----	523	257	266	453	222	231	70	35	35	63	30	33
80-84 years-----	616	270	346	540	238	302	76	32	44	64	28	36
85-89 years-----	713	249	464	635	222	413	78	27	51	72	25	47
90-94 years-----	575	153	422	525	137	388	50	16	34	43	13	30
95-99 years-----	267	58	209	239	52	187	28	6	22	23	5	18
100 yrs & over---	89	10	79	76	8	68	13	2	11	13	2	11
Not stated-----	2	1	1	2	1	1	-	-	-	-	-	-

Complications and ill-defined descriptions of heart disease (I51)

All ages-----	9,458	4,685	4,773	7,915	3,871	4,044	1,543	814	729	1,408	736	672
Under 1 year-----	53	27	26	35	18	17	18	9	9	15	7	8
1-4 years-----	28	17	11	17	12	5	11	5	6	10	5	5
5-9 years-----	20	13	7	11	8	3	9	5	4	8	4	4
10-14 years-----	19	10	9	9	5	4	10	5	5	8	4	4
15-19 years-----	63	46	17	40	29	11	23	17	6	22	16	6
20-24 years-----	78	57	21	48	34	14	30	23	7	27	20	7
25-29 years-----	98	65	33	61	40	21	37	25	12	33	22	11
30-34 years-----	147	109	38	113	89	24	34	20	14	31	18	13
35-39 years-----	195	130	65	136	98	38	59	32	27	56	31	25
40-44 years-----	312	218	94	222	162	60	90	56	34	83	50	33
45-49 years-----	372	255	117	281	199	82	91	56	35	83	51	32
50-54 years-----	369	254	115	263	184	79	106	70	36	96	67	29
55-59 years-----	465	315	150	361	245	116	104	70	34	94	62	32
60-64 years-----	515	345	170	418	288	130	97	57	40	92	54	38
65-69 years-----	629	366	263	519	306	213	110	60	50	101	55	46
70-74 years-----	799	455	344	650	374	276	149	81	68	141	76	65
75-79 years-----	1,095	532	563	951	465	486	144	67	77	128	58	70
80-84 years-----	1,360	591	769	1,200	517	683	160	74	86	140	64	76
85-89 years-----	1,318	484	834	1,211	448	763	107	36	71	101	32	69
90-94 years-----	947	287	660	858	259	599	89	28	61	80	23	57
95-99 years-----	460	89	371	409	75	334	51	14	37	46	13	33
100 yrs & over---	115	19	96	101	15	86	14	4	10	13	4	9
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Cardiovascular disease, unspecified (I51.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3,846	1,704	2,142	3,273	1,430	1,843	573	274	299	527	253	274
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	2	1	1	1	-	2	1	1	1	1	-
30-34 years-----	10	7	3	7	5	2	3	2	1	3	2	1
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-
40-44 years-----	43	32	11	27	23	4	16	9	7	15	8	7
45-49 years-----	43	30	13	34	24	10	9	6	3	8	6	2
50-54 years-----	107	75	32	83	59	24	24	16	8	23	16	7
55-59 years-----	147	104	43	109	81	28	38	23	15	36	22	14
60-64 years-----	210	144	66	164	114	50	46	30	16	45	30	15
65-69 years-----	276	151	125	217	123	94	59	28	31	56	27	29
70-74 years-----	361	205	156	282	161	121	79	44	35	75	42	33
75-79 years-----	515	239	276	443	207	236	72	32	40	61	26	35
80-84 years-----	690	296	394	609	259	350	81	37	44	71	33	38
85-89 years-----	635	220	415	583	201	382	52	19	33	50	17	33
90-94 years-----	495	140	355	447	125	322	48	15	33	41	11	30
95-99 years-----	240	43	197	208	36	172	32	7	25	30	7	23
100 yrs & over---	65	11	54	54	7	47	11	4	7	11	4	7
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cardiomegaly (I51.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1,384	897	487	1,023	661	362	361	236	125	332	217	115
Under 1 year-----	7	3	4	3	2	1	4	1	3	2	-	2
1-4 years-----	3	3	-	2	2	-	1	1	-	1	1	-
5-9 years-----	2	2	-	1	1	-	1	1	-	-	-	-
10-14 years-----	2	-	2	1	-	1	-	-	1	1	-	1
15-19 years-----	29	25	4	16	15	1	13	10	3	12	9	3
20-24 years-----	44	39	5	23	20	3	21	19	2	18	16	2
25-29 years-----	53	39	14	31	21	10	22	18	4	20	16	4
30-34 years-----	76	66	10	59	54	5	17	12	5	15	11	4
35-39 years-----	109	80	29	72	59	13	37	21	16	36	20	16
40-44 years-----	154	117	37	112	87	25	42	30	12	40	29	11
45-49 years-----	193	142	51	143	109	34	50	33	17	46	30	16
50-54 years-----	134	97	37	88	66	22	46	31	15	43	31	12
55-59 years-----	103	75	28	70	51	19	33	24	9	27	19	8
60-64 years-----	58	39	19	46	30	16	12	9	3	12	9	3
65-69 years-----	47	27	20	35	21	14	12	6	6	11	6	5
70-74 years-----	59	34	25	46	28	18	13	6	7	13	6	7
75-79 years-----	78	34	44	68	30	38	10	4	6	10	4	6
80-84 years-----	74	31	43	65	27	38	9	4	5	9	4	5
85-89 years-----	69	22	47	58	18	40	11	4	7	10	4	6
90-94 years-----	49	14	35	43	12	31	6	2	4	6	2	4
95-99 years-----	31	5	26	31	5	26	-	-	-	-	-	-
100 yrs & over---	9	2	7	9	2	7	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Subarachnoid hemorrhage from middle cerebral artery (I60.1)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Subarachnoid hemorrhage from anterior communicating artery (I60.2)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

AND AGE	ALL RACES			WHITE			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Other subarachnoid hemorrhage (I60.8)												
All ages-----	21	5	16	16	4	12	5	1	4	5	1	4
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	3	-	3	2	-	2	1	-	1	1	-	1
50-54 years-----	2	1	1	1	-	1	1	1	-	1	1	-
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	1	-	1	-	-	-	1	-	1	1	-	1
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-
85-89 years-----	3	-	3	3	-	3	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	1	-	1	-	-	-	1	-	1	1	-	1
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Subarachnoid hemorrhage, unspecified (I60.9)

All ages-----	5,814	1,918	3,896	4,704	1,585	3,119	1,110	333	777	842	248	594
Under 1 year-----	1	-	1	1	-	1	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	6	3	3	5	3	2	1	-	1	-	-	-
10-14 years-----	14	5	9	9	3	6	5	2	3	4	2	2
15-19 years-----	11	5	6	7	4	3	4	1	3	3	-	3
20-24 years-----	50	24	26	37	19	18	13	5	8	12	5	7
25-29 years-----	63	33	30	54	30	24	9	3	6	8	2	6
30-34 years-----	127	60	67	97	49	48	30	11	19	27	9	18
35-39 years-----	247	83	164	171	60	111	76	23	53	66	20	46
40-44 years-----	437	161	276	308	121	187	129	40	89	104	34	70
45-49 years-----	554	209	345	402	161	241	152	48	104	118	37	81
50-54 years-----	566	204	362	447	162	285	119	42	77	95	31	64
55-59 years-----	553	183	370	461	154	307	92	29	63	74	22	52
60-64 years-----	496	163	333	405	129	276	91	34	57	62	20	42
65-69 years-----	467	144	323	373	117	256	94	27	67	62	18	44
70-74 years-----	524	183	341	440	152	288	84	31	53	58	23	35
75-79 years-----	605	181	424	527	162	365	78	19	59	60	17	43
80-84 years-----	510	138	372	453	127	326	57	11	46	35	6	29
85-89 years-----	361	85	276	315	82	233	46	3	43	34	1	33
90-94 years-----	169	40	129	152	37	115	17	3	14	9	1	8
95-99 years-----	43	11	32	34	10	24	9	1	8	7	-	7
100 yrs & over---	9	2	7	5	2	3	4	-	4	4	-	4
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries (I63.5)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Cerebral infarction due to cerebral venous thrombosis, nonpyogenic (I63.6)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - WHITE - - - ALL OTHER - - - BLACK - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other cerebral infarction (I63.8)

All ages-----	65	36	29	57	31	26	8	5	3	8	5	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	2	1	2	1	1	1	1	-	1	1	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	5	4	1	4	3	1	1	1	-	1	1	-
65-69 years-----	2	1	1	1	1	-	1	-	1	1	-	1
70-74 years-----	9	7	2	7	5	2	2	2	-	2	2	-
75-79 years-----	14	11	3	14	11	3	-	-	-	-	-	-
80-84 years-----	9	4	5	8	4	4	1	-	1	1	-	1
85-89 years-----	9	2	7	8	2	6	1	-	1	1	-	1
90-94 years-----	7	3	4	7	3	4	-	-	-	-	-	-
95-99 years-----	5	-	5	5	-	5	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cerebral infarction, unspecified (I63.9)

All ages-----	9,427	3,643	5,784	8,176	3,097	5,079	1,251	546	705	1,049	443	606
Under 1 year-----	16	10	6	12	7	5	4	3	1	4	3	1
1-4 years-----	4	-	4	2	-	2	2	-	2	2	-	2
5-9 years-----	3	-	3	2	-	2	1	-	1	1	-	1
10-14 years-----	7	1	6	4	1	3	3	-	3	3	-	3
15-19 years-----	5	1	4	5	1	4	-	-	-	-	-	-
20-24 years-----	6	3	3	3	1	2	3	2	1	3	2	1
25-29 years-----	4	2	2	3	2	1	1	-	1	-	-	-
30-34 years-----	15	4	11	6	1	5	9	3	6	7	3	4
35-39 years-----	35	20	15	25	14	11	10	6	4	8	5	3
40-44 years-----	61	37	24	32	22	10	29	15	14	24	11	13
45-49 years-----	87	54	33	63	41	22	24	13	11	22	12	10
50-54 years-----	124	63	61	81	37	44	43	26	17	40	25	15
55-59 years-----	171	97	74	111	66	45	60	31	29	52	28	24
60-64 years-----	266	157	109	196	114	82	70	43	27	61	37	24
65-69 years-----	398	213	185	321	163	158	77	50	27	67	44	23
70-74 years-----	760	394	366	628	332	296	132	62	70	108	49	59
75-79 years-----	1,369	639	730	1,189	552	637	180	87	93	143	65	78
80-84 years-----	1,898	803	1,095	1,693	716	977	205	87	118	178	75	103
85-89 years-----	2,078	680	1,398	1,871	615	1,256	207	65	142	166	47	119
90-94 years-----	1,460	351	1,109	1,334	312	1,022	126	39	87	101	26	75
95-99 years-----	553	102	451	500	88	412	53	14	39	48	11	37
100 yrs & over---	106	12	94	95	12	83	11	-	11	10	-	10
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Diseases of capillaries (I78)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	55	20	35	50
Under 1 year-----	6	1	5	4
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	2	1	1	1
35-39 years-----	1	-	1	1
40-44 years-----	2	-	2	2
45-49 years-----	2	1	1	2
50-54 years-----	-	-	-	-
55-59 years-----	3	2	1	3
60-64 years-----	1	-	1	1
65-69 years-----	9	4	5	8
70-74 years-----	5	-	5	5
75-79 years-----	6	4	2	5
80-84 years-----	11	5	6	11
85-89 years-----	5	1	4	5
90-94 years-----	2	1	1	2
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Hereditary hemorrhagic telangiectasia (I78.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	28	11	17	26
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	1	1	-	1
35-39 years-----	-	-	-	-
40-44 years-----	1	-	1	1
45-49 years-----	1	-	1	1
50-54 years-----	-	-	-	-
55-59 years-----	2	1	1	2
60-64 years-----	1	-	1	1
65-69 years-----	6	3	3	5
70-74 years-----	4	-	4	4
75-79 years-----	3	2	1	2
80-84 years-----	7	4	3	7
85-89 years-----	2	-	2	2
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Nevus, nonneoplastic (I78.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	13	5	8	13
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	2	1	1	2
70-74 years-----	-	-	-	-
75-79 years-----	3	2	1	3
80-84 years-----	3	-	3	3
85-89 years-----	3	1	2	3
90-94 years-----	2	1	1	2
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Other diseases of capillaries (I78.8)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	10	4	6	9
Under 1 year-----	4	1	3	3
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	-	1	1
45-49 years-----	1	1	-	1
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	1	-	1	1
70-74 years-----	1	-	1	1
75-79 years-----	-	-	-	-
80-84 years-----	1	1	-	1
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Budd-Chiari syndrome (I82.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	43	12	31	37
Under 1 year-----	1	1	-	1
1-4 years-----	1	1	-	1
5-9 years-----	1	1	-	1
10-14 years-----	1	-	1	1
15-19 years-----	1	-	1	-
20-24 years-----	3	1	2	2
25-29 years-----	1	-	1	1
30-34 years-----	1	-	1	1
35-39 years-----	1	-	1	1
40-44 years-----	3	-	3	2
45-49 years-----	5	1	4	5
50-54 years-----	5	1	4	4
55-59 years-----	2	-	2	2
60-64 years-----	5	2	3	5
65-69 years-----	5	1	4	3
70-74 years-----	3	2	1	3
75-79 years-----	2	1	1	2
80-84 years-----	1	-	1	1
85-89 years-----	1	-	1	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Thrombophlebitis migrans (I82.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	1	1	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	1	1	-	1
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Embolism and thrombosis of vena cava (I82.2)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Embolism and thrombosis of renal vein (I82.3)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Internal hemorrhoids with other complications (I84.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

Internal hemorrhoids without complication (I84.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	1	2	1	-	1
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	1	1	-	-	1	1
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Compression of vein (I87.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	35	14	21	33
Under 1 year-----	2	1	1	2
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	2	-	2	2
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	5	2	3	5
50-54 years-----	-	-	-	-
55-59 years-----	2	1	1	2
60-64 years-----	5	3	2	4
65-69 years-----	5	2	3	4
70-74 years-----	3	1	2	3
75-79 years-----	3	2	1	3
80-84 years-----	3	-	3	3
85-89 years-----	1	1	-	1
90-94 years-----	2	-	2	2
95-99 years-----	2	1	1	2
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Venous insufficiency (chronic) (peripheral) (I87.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	51	23	28	46
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	2	2	-	1
50-54 years-----	1	1	-	1
55-59 years-----	4	3	1	3
60-64 years-----	6	6	-	6
65-69 years-----	5	1	4	4
70-74 years-----	4	3	1	4
75-79 years-----	3	2	1	3
80-84 years-----	5	2	3	5
85-89 years-----	12	3	9	11
90-94 years-----	4	-	4	3
95-99 years-----	4	-	4	-
100 yrs & over---	1	-	1	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Orthostatic hypotension (I95.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Hypotension due to drugs (I95.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Influenza, virus not identified (J11)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Influenza with pneumonia, virus not identified (J11.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Chlamydial pneumonia (J16.0)

	ALL RACES	WHITE	TOTAL	ALL OTHER	BLACK
	MALE	FEMALE	MALE	FEMALE	MALE
All ages-----	1	1	1	1	-
Under 1 year-----	-	-	-	-	-
1-4 years-----	-	-	-	-	-
5-9 years-----	-	-	-	-	-
10-14 years-----	-	-	-	-	-
15-19 years-----	-	-	-	-	-
20-24 years-----	-	-	-	-	-
25-29 years-----	-	-	-	-	-
30-34 years-----	-	-	-	-	-
35-39 years-----	-	-	-	-	-
40-44 years-----	-	-	-	-	-
45-49 years-----	-	-	-	-	-
50-54 years-----	-	-	-	-	-
55-59 years-----	-	-	-	-	-
60-64 years-----	-	-	-	-	-
65-69 years-----	-	-	-	-	-
70-74 years-----	-	-	-	-	-
75-79 years-----	-	-	-	-	-
80-84 years-----	1	1	1	1	-
85-89 years-----	-	-	-	-	-
90-94 years-----	-	-	-	-	-
95-99 years-----	-	-	-	-	-
100 yrs & over---	-	-	-	-	-
Not stated-----	-	-	-	-	-

Pneumonia due to other specified infectious organisms (J16.8)

	ALL RACES	WHITE	TOTAL	ALL OTHER	BLACK
	MALE	FEMALE	MALE	FEMALE	MALE
All ages-----	7	3	4	5	2
Under 1 year-----	-	-	-	-	-
1-4 years-----	-	-	-	-	-
5-9 years-----	-	-	-	-	-
10-14 years-----	-	-	-	-	-
15-19 years-----	-	-	-	-	-
20-24 years-----	-	-	-	-	-
25-29 years-----	-	-	-	-	-
30-34 years-----	-	-	-	-	-
35-39 years-----	-	-	-	-	-
40-44 years-----	-	-	-	-	-
45-49 years-----	-	-	-	-	-
50-54 years-----	-	-	-	-	-
55-59 years-----	1	-	1	1	1
60-64 years-----	-	-	-	-	-
65-69 years-----	1	-	1	-	1
70-74 years-----	-	-	-	-	-
75-79 years-----	1	1	-	-	1
80-84 years-----	-	-	-	-	-
85-89 years-----	4	2	2	4	2
90-94 years-----	-	-	-	-	-
95-99 years-----	-	-	-	-	-
100 yrs & over---	-	-	-	-	-
Not stated-----	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Lobar pneumonia, unspecified (J18.1)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Hypostatic pneumonia, unspecified (J18.2)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - - TOTAL - - - - -

Other pneumonia, organism unspecified (J18.8)

Table with 13 columns: Age Group, Both Sexes, Male, Female, Both Sexes, Male, Female, Both Sexes, Male, Female, Both Sexes, Male, Female. Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Pneumonia, unspecified (J18.9)

Table with 13 columns: Age Group, Both Sexes, Male, Female, Both Sexes, Male, Female, Both Sexes, Male, Female, Both Sexes, Male, Female. Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Allergic rhinitis, unspecified (J30.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	-
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	1	-	1	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Chronic rhinitis, nasopharyngitis, and pharyngitis (J31)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hypertrophy of tonsils (J35.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	1	1	-	1
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Peritonsillar abscess (J36)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	2	-	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	-	-	-	-
45-49 years-----	1	1	-	1
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Graphite fibrosis (of lung) (J63.3)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Pneumoconiosis due to other specified inorganic dusts (J63.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Adult respiratory distress syndrome (J80)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2,185	1,043	1,142	1,849	876	973	336	167	169	285	136	149
Under 1 year-----	5	2	3	4	2	2	1	-	1	1	-	1
1-4 years-----	7	2	5	6	2	4	1	-	1	1	-	1
5-9 years-----	7	4	3	3	2	1	4	2	2	3	2	1
10-14 years-----	4	3	1	4	3	1	-	-	-	-	-	-
15-19 years-----	23	9	14	14	5	9	9	4	5	9	4	5
20-24 years-----	10	6	4	6	5	1	4	1	3	4	1	3
25-29 years-----	21	7	14	14	5	9	7	2	5	7	2	5
30-34 years-----	35	14	21	21	9	12	14	5	9	11	4	7
35-39 years-----	61	31	30	36	18	18	25	13	12	22	12	10
40-44 years-----	75	38	37	55	28	27	20	10	10	18	8	10
45-49 years-----	102	50	52	79	36	43	23	14	9	23	14	9
50-54 years-----	126	64	62	94	47	47	32	17	15	30	16	14
55-59 years-----	147	70	77	122	59	63	25	11	14	21	9	12
60-64 years-----	160	80	80	131	66	65	29	14	15	24	12	12
65-69 years-----	208	106	102	172	88	84	36	18	18	31	15	16
70-74 years-----	304	133	171	270	116	154	34	17	17	27	12	15
75-79 years-----	360	191	169	326	175	151	34	16	18	28	13	15
80-84 years-----	301	139	162	282	129	153	19	10	9	12	5	7
85-89 years-----	165	73	92	154	64	90	11	9	2	7	5	2
90-94 years-----	55	19	36	47	15	32	8	4	4	6	2	4
95-99 years-----	7	2	5	7	2	5	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pulmonary edema (J81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	711	310	401	613	265	348	98	45	53	92	41	51
Under 1 year-----	4	3	1	3	3	-	1	-	1	1	-	1
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	4	1	3	4	1	3	-	-	-	-	-	-
15-19 years-----	5	3	2	4	2	2	1	1	-	1	1	-
20-24 years-----	5	4	1	3	2	1	2	2	-	1	1	-
25-29 years-----	7	3	4	4	2	2	3	1	2	2	1	1
30-34 years-----	10	5	5	8	4	4	2	1	1	2	1	1
35-39 years-----	12	9	3	8	6	2	4	3	1	4	3	1
40-44 years-----	16	10	6	12	7	5	4	3	1	4	3	1
45-49 years-----	17	7	10	12	5	7	5	2	3	5	2	3
50-54 years-----	28	14	14	18	8	10	10	6	4	10	6	4
55-59 years-----	31	18	13	22	15	7	9	3	6	9	3	6
60-64 years-----	28	13	15	18	8	10	10	5	5	10	5	5
65-69 years-----	35	19	16	32	19	13	3	-	3	3	-	3
70-74 years-----	62	35	27	51	30	21	11	5	6	11	5	6
75-79 years-----	84	42	42	79	40	39	5	2	3	4	1	3
80-84 years-----	122	55	67	107	48	59	15	7	8	14	6	8
85-89 years-----	97	39	58	90	36	54	7	3	4	6	2	4
90-94 years-----	96	18	78	93	18	75	3	-	3	2	-	2
95-99 years-----	38	8	30	35	7	28	3	1	2	3	1	2
100 yrs & over---	8	2	6	8	2	6	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pulmonary eosinophilia, not elsewhere classified (J82)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	222	109	113	188	91	97	34	18	16	25	9	16
Under 1 year-----	2	2	-	2	2	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	2	2	-	2	2	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	4	3	1	3	2	1	1	1	-	1	1	-
40-44 years-----	6	6	-	4	4	-	2	2	-	2	2	-
45-49 years-----	4	4	-	4	4	-	-	-	-	-	-	-
50-54 years-----	4	3	1	3	3	-	1	-	1	1	-	1
55-59 years-----	11	6	5	11	6	5	-	-	-	-	-	-
60-64 years-----	10	3	7	6	2	4	4	1	3	3	-	3
65-69 years-----	14	6	8	13	5	8	1	1	-	1	1	-
70-74 years-----	25	12	13	22	10	12	3	2	1	2	1	1
75-79 years-----	35	18	17	31	14	17	4	4	-	2	2	-
80-84 years-----	43	19	24	35	16	19	8	3	5	6	1	5
85-89 years-----	35	15	20	28	12	16	7	3	4	5	1	4
90-94 years-----	19	6	13	16	5	11	3	1	2	2	-	2
95-99 years-----	3	1	2	3	1	2	-	-	-	-	-	-
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other interstitial pulmonary diseases (J84)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	12,374	6,420	5,954	11,287	5,915	5,372	1,087	505	582	808	356	452
Under 1 year-----	80	47	33	52	32	20	28	15	13	28	15	13
1-4 years-----	17	9	8	15	8	7	2	1	1	2	1	1
5-9 years-----	6	3	3	4	2	2	2	1	1	2	1	1
10-14 years-----	10	2	8	8	2	6	2	-	2	2	-	2
15-19 years-----	4	2	2	3	1	2	1	1	-	-	-	-
20-24 years-----	16	11	5	10	7	3	6	4	2	6	4	2
25-29 years-----	19	7	12	13	5	8	6	2	4	4	2	2
30-34 years-----	37	21	16	27	17	10	10	4	6	8	3	5
35-39 years-----	72	35	37	48	26	22	24	9	15	20	7	13
40-44 years-----	109	50	59	78	39	39	31	11	20	27	9	18
45-49 years-----	201	108	93	138	79	59	63	29	34	57	27	30
50-54 years-----	335	174	161	269	143	126	66	31	35	56	24	32
55-59 years-----	494	292	202	421	256	165	73	36	37	60	28	32
60-64 years-----	699	403	296	605	362	243	94	41	53	66	25	41
65-69 years-----	1,175	659	516	1,047	599	448	128	60	68	104	47	57
70-74 years-----	1,761	1,024	737	1,631	958	673	130	66	64	87	37	50
75-79 years-----	2,501	1,368	1,133	2,327	1,288	1,039	174	80	94	117	55	62
80-84 years-----	2,273	1,133	1,140	2,147	1,075	1,072	126	58	68	86	36	50
85-89 years-----	1,616	728	888	1,556	703	853	60	25	35	33	12	21
90-94 years-----	728	287	441	687	267	420	41	20	21	29	15	14
95-99 years-----	192	48	144	176	39	137	16	9	7	11	7	4
100 yrs & over---	28	8	20	25	7	18	3	1	2	2	-	2
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Alveolar and parietoalveolar conditions (J84.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	147	77	70	120	65	55	27	12	15	24	11	13
Under 1 year-----	7	5	2	3	2	1	4	3	1	4	3	1
1-4 years-----	2	2	-	1	1	-	1	1	-	1	1	-
5-9 years-----	2	2	-	1	1	-	1	1	-	1	1	-
10-14 years-----	1	-	1	-	-	-	1	-	1	1	-	1
15-19 years-----	2	1	1	2	1	1	-	-	-	-	-	-
20-24 years-----	5	2	3	3	1	2	2	1	1	2	1	1
25-29 years-----	3	2	1	3	2	1	-	-	-	-	-	-
30-34 years-----	3	2	1	2	2	-	1	-	1	1	-	1
35-39 years-----	5	2	3	4	2	2	1	-	1	1	-	1
40-44 years-----	14	8	6	11	7	4	3	1	2	3	1	2
45-49 years-----	10	7	3	8	6	2	2	1	1	1	1	-
50-54 years-----	10	6	4	9	5	4	1	1	-	1	1	-
55-59 years-----	15	9	6	11	8	3	4	1	3	4	1	3
60-64 years-----	13	5	8	13	5	8	-	-	-	-	-	-
65-69 years-----	15	6	9	13	5	8	2	1	1	1	-	1
70-74 years-----	13	9	4	13	9	4	-	-	-	-	-	-
75-79 years-----	17	8	9	14	7	7	3	1	2	2	1	1
80-84 years-----	7	-	7	6	-	6	1	-	1	1	-	1
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other interstitial pulmonary diseases with fibrosis (J84.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	9,807	5,140	4,667	9,003	4,755	4,248	804	385	419	572	259	313
Under 1 year-----	4	2	2	1	1	-	3	1	2	3	1	2
1-4 years-----	2	-	2	1	-	1	1	-	1	1	-	1
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1
10-14 years-----	5	2	3	5	2	3	-	-	-	-	-	-
15-19 years-----	2	1	1	1	-	1	1	1	-	-	-	-
20-24 years-----	6	5	1	4	3	1	2	2	-	2	2	-
25-29 years-----	10	2	8	7	1	6	3	1	2	2	1	1
30-34 years-----	18	9	9	14	8	6	4	1	3	3	-	3
35-39 years-----	41	22	19	28	17	11	13	5	8	11	4	7
40-44 years-----	69	30	39	46	21	25	23	9	14	19	7	12
45-49 years-----	143	78	65	99	58	41	44	20	24	39	18	21
50-54 years-----	246	131	115	198	106	92	48	25	23	39	19	20
55-59 years-----	376	230	146	326	204	122	50	26	24	40	19	21
60-64 years-----	538	316	222	466	285	181	72	31	41	50	19	31
65-69 years-----	929	534	395	835	488	347	94	46	48	74	35	39
70-74 years-----	1,415	836	579	1,311	781	530	104	55	49	68	30	38
75-79 years-----	1,978	1,087	891	1,848	1,024	824	130	63	67	83	43	40
80-84 years-----	1,890	948	942	1,780	894	886	110	54	56	74	33	41
85-89 years-----	1,332	616	716	1,280	595	685	52	21	31	29	11	18
90-94 years-----	615	249	366	581	233	348	34	16	18	22	11	11
95-99 years-----	158	33	125	147	27	120	11	6	5	9	5	4
100 yrs & over---	27	8	19	24	7	17	3	1	2	2	-	2
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Chylous effusion (J94.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	-	2	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	1	-	1	1
80-84 years-----	-	-	-	-
85-89 years-----	1	-	1	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Fibrothorax (J94.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	13	8	5	11
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	1	-	1	1
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	1	-	1
45-49 years-----	-	-	-	-
50-54 years-----	2	1	1	-
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	3	2	1	3
80-84 years-----	2	2	-	2
85-89 years-----	2	1	1	2
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pleural condition, unspecified (J94.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-
80-84 years-----	2	2	-	1	1	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Respiratory failure, not elsewhere classified (J96)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3,252	1,317	1,935	2,818	1,113	1,705	434	204	230	399	189	210
Under 1 year-----	10	5	5	8	4	4	2	1	1	2	1	1
1-4 years-----	4	1	3	2	1	1	2	-	2	2	-	2
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-
10-14 years-----	3	3	-	3	3	-	-	-	-	-	-	-
15-19 years-----	3	-	3	2	-	2	1	-	1	1	-	1
20-24 years-----	5	3	2	4	2	2	1	1	-	1	1	-
25-29 years-----	6	3	3	5	3	2	1	-	1	-	-	-
30-34 years-----	12	4	8	8	1	7	4	3	1	4	3	1
35-39 years-----	11	4	7	6	-	6	5	4	1	5	4	1
40-44 years-----	40	20	20	32	14	18	8	6	2	8	6	2
45-49 years-----	43	23	20	28	13	15	15	10	5	15	10	5
50-54 years-----	77	40	37	58	28	30	19	12	7	17	10	7
55-59 years-----	92	44	48	64	26	38	28	18	10	26	16	10
60-64 years-----	132	69	63	107	51	56	25	18	7	24	17	7
65-69 years-----	223	104	119	180	84	96	43	20	23	41	20	21
70-74 years-----	324	164	160	277	136	141	47	28	19	44	25	19
75-79 years-----	526	240	286	468	208	260	58	32	26	54	29	25
80-84 years-----	593	259	334	530	238	292	63	21	42	59	20	39
85-89 years-----	557	188	369	506	173	333	51	15	36	45	13	32
90-94 years-----	372	100	272	337	90	247	35	10	25	30	9	21
95-99 years-----	176	36	140	155	32	123	21	4	17	16	4	12
100 yrs & over---	41	7	34	37	6	31	4	1	3	4	1	3
Not stated-----	1	-	1	-	-	-	1	-	1	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Other disorders of the teeth and supporting structures (K08)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other specified disorders of teeth and supporting structures (K08.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Acute appendicitis (K35)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	371	206	165	295
Under 1 year-----	1	1	-	1
1-4 years-----	2	1	1	2
5-9 years-----	4	1	3	3
10-14 years-----	10	3	7	9
15-19 years-----	5	2	3	5
20-24 years-----	6	5	1	3
25-29 years-----	2	2	-	-
30-34 years-----	7	6	1	3
35-39 years-----	9	4	5	5
40-44 years-----	13	9	4	10
45-49 years-----	16	11	5	10
50-54 years-----	23	16	7	17
55-59 years-----	25	17	8	19
60-64 years-----	30	22	8	27
65-69 years-----	22	14	8	17
70-74 years-----	37	21	16	26
75-79 years-----	50	27	23	40
80-84 years-----	55	26	29	47
85-89 years-----	30	11	19	29
90-94 years-----	21	7	14	19
95-99 years-----	2	-	2	2
100 yrs & over---	1	-	1	1
Not stated-----	-	-	-	-

Acute appendicitis with generalized peritonitis (K35.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	315	176	139	246
Under 1 year-----	1	1	-	1
1-4 years-----	2	1	1	2
5-9 years-----	3	1	2	2
10-14 years-----	8	3	5	7
15-19 years-----	4	2	2	4
20-24 years-----	5	4	1	2
25-29 years-----	1	1	-	-
30-34 years-----	5	4	1	1
35-39 years-----	7	4	3	3
40-44 years-----	8	5	3	7
45-49 years-----	14	10	4	8
50-54 years-----	16	11	5	10
55-59 years-----	21	13	8	16
60-64 years-----	27	19	8	24
65-69 years-----	21	13	8	16
70-74 years-----	36	20	16	26
75-79 years-----	42	25	17	34
80-84 years-----	49	23	26	41
85-89 years-----	26	10	16	25
90-94 years-----	18	6	12	16
95-99 years-----	1	-	1	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Inguinal hernia (K40)

Table with 14 columns: Cause of death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Bilateral inguinal hernia, with gangrene (K40.1)

Table with 14 columns: Cause of death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Femoral hernia (K41)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Unilateral or unspecified femoral hernia, with obstruction, without gangrene (K41.3)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Diaphragmatic hernia with gangrene (K44.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Diaphragmatic hernia without obstruction or gangrene (K44.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Intestinal adhesions [bands] with obstruction (K56.5)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other and unspecified intestinal obstruction (K56.6)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Diverticular disease of large intestine with perforation and abscess (K57.2)

Table with 13 columns: Cause of Death, All Races, White, Total, All Other, Black. Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Diverticular disease of large intestine without perforation or abscess (K57.3)

Table with 13 columns: Cause of Death, All Races, White, Total, All Other, Black. Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Neurogenic bowel, not elsewhere classified (K59.2)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Megacolon, not elsewhere classified (K59.3)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Anal fistula (K60.3)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Rectal fistula (K60.4)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other diseases of anus and rectum (K62)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Rectal polyp (K62.1)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Anal prolapse (K62.2)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Rectal prolapse (K62.3)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Ulcer of intestine (K63.3)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	33	17	16	28
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	2	2	-	1
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	2	1	1	1
50-54 years-----	3	-	3	3
55-59 years-----	2	1	1	2
60-64 years-----	3	2	1	1
65-69 years-----	4	2	2	3
70-74 years-----	-	-	-	-
75-79 years-----	4	3	1	4
80-84 years-----	8	4	4	8
85-89 years-----	4	2	2	4
90-94 years-----	-	-	-	-
95-99 years-----	1	-	1	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Enteroptosis (K63.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	1	1	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	1	-	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	1	-	1	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hemoperitoneum (K66.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	123	55	68	102
Under 1 year-----	4	2	2	3
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	1	-	1
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	5	3	2	3
35-39 years-----	2	1	1	2
40-44 years-----	7	3	4	5
45-49 years-----	7	4	3	4
50-54 years-----	7	4	3	6
55-59 years-----	7	3	4	5
60-64 years-----	8	5	3	6
65-69 years-----	6	4	2	3
70-74 years-----	15	5	10	13
75-79 years-----	16	6	10	15
80-84 years-----	20	5	15	18
85-89 years-----	13	7	6	13
90-94 years-----	5	2	3	5
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Other specified disorders of peritoneum (K66.8)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	47	23	24	37
Under 1 year-----	4	1	3	2
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	1	-	1	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	2	1	1	2
45-49 years-----	2	-	2	2
50-54 years-----	2	-	2	2
55-59 years-----	2	1	1	-
60-64 years-----	-	-	-	-
65-69 years-----	2	2	-	1
70-74 years-----	5	2	3	5
75-79 years-----	9	8	1	8
80-84 years-----	5	3	2	4
85-89 years-----	3	1	2	3
90-94 years-----	8	3	5	7
95-99 years-----	1	-	1	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Disorder of peritoneum, unspecified (K66.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	18	8	10	16	7	9	2	1	1	2	1	1
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-
70-74 years-----	4	1	3	3	1	2	1	-	1	1	-	1
75-79 years-----	3	2	1	3	2	1	-	-	-	-	-	-
80-84 years-----	3	1	2	3	1	2	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alcoholic liver disease (K70)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	12,109	8,985	3,124	10,272	7,770	2,502	1,837	1,215	622	1,380	918	462
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	8	5	3	6	4	2	2	1	1	-	-	-
25-29 years-----	56	45	11	42	36	6	14	9	5	7	5	2
30-34 years-----	223	157	66	176	132	44	47	25	22	27	12	15
35-39 years-----	741	486	255	596	397	199	145	89	56	94	61	33
40-44 years-----	1,485	1,047	438	1,214	867	347	271	180	91	193	126	67
45-49 years-----	2,000	1,510	490	1,670	1,301	369	330	209	121	259	164	95
50-54 years-----	1,888	1,458	430	1,576	1,237	339	312	221	91	249	177	72
55-59 years-----	1,575	1,172	403	1,329	1,013	316	246	159	87	187	124	63
60-64 years-----	1,394	1,044	350	1,204	917	287	190	127	63	138	87	51
65-69 years-----	1,085	821	264	961	735	226	124	86	38	107	74	33
70-74 years-----	806	612	194	728	553	175	78	59	19	63	50	13
75-79 years-----	533	419	114	487	387	100	46	32	14	35	24	11
80-84 years-----	218	142	76	194	130	64	24	12	12	15	9	6
85-89 years-----	76	52	24	70	48	22	6	4	2	4	3	1
90-94 years-----	17	12	5	16	11	5	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	1	1	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Alcoholic fatty liver (K70.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	WHITE - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	232	160	72	187	127	60	45	33	12	37	29	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	3	2	1	2	1	1	1	1	-	-	-	-
25-29 years-----	11	7	4	8	5	3	3	2	1	1	1	-
30-34 years-----	12	8	4	10	7	3	2	1	1	1	1	-
35-39 years-----	34	28	6	26	23	3	8	5	3	8	5	3
40-44 years-----	55	32	23	44	26	18	11	6	5	9	5	4
45-49 years-----	41	30	11	31	22	9	10	8	2	9	8	1
50-54 years-----	34	27	7	31	24	7	3	3	-	3	3	-
55-59 years-----	21	15	6	17	11	6	4	4	-	3	3	-
60-64 years-----	8	5	3	8	5	3	-	-	-	-	-	-
65-69 years-----	7	3	4	5	1	4	2	2	-	2	2	-
70-74 years-----	2	1	1	2	1	1	-	-	-	-	-	-
75-79 years-----	3	2	1	2	1	1	1	1	-	1	1	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alcoholic hepatitis (K70.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	WHITE - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	859	615	244	749	544	205	110	71	39	83	53	30
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-
25-29 years-----	9	8	1	7	7	2	1	1	1	1	1	-
30-34 years-----	22	19	3	17	15	2	5	4	1	4	3	1
35-39 years-----	70	46	24	57	39	18	13	7	6	6	3	3
40-44 years-----	132	83	49	116	72	44	16	11	5	13	9	4
45-49 years-----	165	124	41	143	109	34	22	15	7	17	11	6
50-54 years-----	139	103	36	121	94	27	18	9	9	14	7	7
55-59 years-----	105	72	33	95	67	28	10	5	5	9	4	5
60-64 years-----	85	63	22	74	54	20	11	9	2	8	6	2
65-69 years-----	62	42	20	56	39	17	6	3	3	5	3	2
70-74 years-----	35	29	6	31	25	6	4	4	-	3	3	-
75-79 years-----	27	21	6	25	19	6	2	2	-	2	2	-
80-84 years-----	6	4	2	6	4	2	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Alcoholic hepatic failure (K70.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1,628	1,187	441	1,379	1,028	351	249	159	90	185	119	66
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	10	8	2	6	6	-	4	2	2	2	-	2
30-34 years-----	35	21	14	24	17	7	11	4	7	7	3	4
35-39 years-----	125	76	49	99	62	37	26	14	12	20	12	8
40-44 years-----	216	146	70	174	121	53	42	25	17	29	18	11
45-49 years-----	266	204	62	230	182	48	36	22	14	27	17	10
50-54 years-----	255	199	56	217	172	45	38	27	11	28	19	9
55-59 years-----	209	146	63	175	123	52	34	23	11	22	15	7
60-64 years-----	177	132	45	156	120	36	21	12	9	17	9	8
65-69 years-----	140	111	29	121	96	25	19	15	4	17	13	4
70-74 years-----	98	77	21	88	68	20	10	9	1	9	8	1
75-79 years-----	64	48	16	58	44	14	6	4	2	5	3	2
80-84 years-----	19	10	9	18	9	9	1	1	-	1	1	-
85-89 years-----	10	6	4	9	5	4	1	1	-	1	1	-
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Alcoholic liver disease, unspecified (K70.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1,927	1,427	500	1,592	1,207	385	335	220	115	229	157	72
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	12	10	2	11	9	2	1	1	-	1	1	-
30-34 years-----	38	27	11	31	24	7	7	3	4	3	-	3
35-39 years-----	134	83	51	104	67	37	30	16	14	10	8	2
40-44 years-----	246	179	67	199	146	53	47	33	14	28	18	10
45-49 years-----	326	246	80	271	209	62	55	37	18	44	31	13
50-54 years-----	315	243	72	255	196	59	60	47	13	47	38	9
55-59 years-----	253	171	82	208	147	61	45	24	21	32	19	13
60-64 years-----	226	163	63	189	142	47	37	21	16	27	14	13
65-69 years-----	163	127	36	135	109	26	28	18	10	20	13	7
70-74 years-----	117	97	20	102	84	18	15	13	2	12	11	1
75-79 years-----	67	55	12	59	50	9	8	5	3	5	4	1
80-84 years-----	18	16	2	16	14	2	2	2	-	-	-	-
85-89 years-----	9	7	2	9	7	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Toxic liver disease (K71)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	30	16	14	26
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	1	1	-	1
25-29 years-----	1	-	1	-
30-34 years-----	1	-	1	1
35-39 years-----	3	3	-	3
40-44 years-----	4	4	-	4
45-49 years-----	-	-	-	-
50-54 years-----	2	1	1	1
55-59 years-----	2	1	1	2
60-64 years-----	2	-	2	2
65-69 years-----	4	4	-	3
70-74 years-----	1	1	-	1
75-79 years-----	4	-	4	4
80-84 years-----	4	1	3	3
85-89 years-----	-	-	-	-
90-94 years-----	1	-	1	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Toxic liver disease with hepatic necrosis (K71.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	-	2	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	2	-	2	2
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - WHITE - - - ALL OTHER - - - BLACK - - -

Toxic liver disease, unspecified (K71.9)

Table with columns for age groups and race/sex categories. Data rows include: All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Hepatic failure, not elsewhere classified (K72)

Table with columns for age groups and race/sex categories. Data rows include: All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Hepatic failure, unspecified (K72.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Chronic hepatitis, not elsewhere classified (K73)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

	ALL RACES			WHITE			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Chronic hepatitis, unspecified (K73.9)												
All ages-----	116	54	62	95	45	50	21	9	12	14	6	8
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	3	1	2	3	1	2	-	-	-	-	-	-
40-44 years-----	8	6	2	6	5	1	2	1	1	1	1	-
45-49 years-----	10	9	1	7	7	-	3	2	1	2	1	1
50-54 years-----	8	6	2	6	4	2	2	2	-	2	2	-
55-59 years-----	12	7	5	10	6	4	2	1	1	1	1	-
60-64 years-----	5	1	4	5	1	4	-	-	-	-	-	-
65-69 years-----	13	9	4	9	6	3	4	3	1	2	1	1
70-74 years-----	13	4	9	10	4	6	3	-	3	3	-	3
75-79 years-----	16	3	13	13	3	10	3	-	3	1	-	1
80-84 years-----	11	3	8	11	3	8	-	-	-	-	-	-
85-89 years-----	11	3	8	9	3	6	2	-	2	2	-	2
90-94 years-----	3	1	2	3	1	2	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Fibrosis and cirrhosis of liver (K74)

All ages-----	14,003	8,124	5,879	12,336	7,144	5,192	1,667	980	687	1,309	799	510
Under 1 year-----	3	3	-	-	-	-	3	3	-	2	2	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	3	3	2	1	1	4	2	2	3	1	2
20-24 years-----	18	9	9	12	5	7	6	4	2	6	4	2
25-29 years-----	24	14	10	12	7	5	12	7	5	9	6	3
30-34 years-----	98	60	38	74	46	28	24	14	10	8	3	5
35-39 years-----	333	226	107	269	188	81	64	38	26	49	30	19
40-44 years-----	780	541	239	642	459	183	138	82	56	109	63	46
45-49 years-----	1,352	994	358	1,132	850	282	220	144	76	189	124	65
50-54 years-----	1,360	989	371	1,098	798	300	262	191	71	229	170	59
55-59 years-----	1,336	885	451	1,137	754	383	199	131	68	159	109	50
60-64 years-----	1,397	891	506	1,213	779	434	184	112	72	144	93	51
65-69 years-----	1,598	896	702	1,419	809	610	179	87	92	134	71	63
70-74 years-----	1,872	969	903	1,714	894	820	158	75	83	119	62	57
75-79 years-----	1,770	811	959	1,675	765	910	95	46	49	67	34	33
80-84 years-----	1,205	484	721	1,138	462	676	67	22	45	45	14	31
85-89 years-----	640	267	373	603	251	352	37	16	21	24	9	15
90-94 years-----	178	69	109	164	63	101	14	6	8	12	4	8
95-99 years-----	27	11	16	26	11	15	1	-	1	1	-	1
100 yrs & over---	4	1	3	4	1	3	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Hepatic fibrosis (K74.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from Under 1 year to 100 yrs & over, and Not stated.

Hepatic sclerosis (K74.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from Under 1 year to 100 yrs & over, and Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Biliary cirrhosis, unspecified (K74.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	95	17	78	83	16	67	12	1	11	10	1	9
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	-	1	-	-	-	1	-	1	1	-	1
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	-	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	5	1	4	4	1	3	1	-	1	1	-	1
55-59 years-----	3	-	3	3	-	3	-	-	-	-	-	-
60-64 years-----	9	1	8	8	1	7	1	-	1	1	-	1
65-69 years-----	10	3	7	7	3	4	3	-	3	3	-	3
70-74 years-----	18	2	16	14	2	12	4	-	4	2	-	2
75-79 years-----	20	2	18	19	2	17	1	-	1	1	-	1
80-84 years-----	15	2	13	15	2	13	-	-	-	-	-	-
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified cirrhosis of liver (K74.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	13,457	8,035	5,422	11,831	7,058	4,773	1,626	977	649	1,280	797	483
Under 1 year-----	3	3	-	-	-	-	3	3	-	2	2	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	3	3	2	1	1	4	2	2	3	1	2
20-24 years-----	17	8	9	11	4	7	6	4	2	6	4	2
25-29 years-----	23	14	9	12	7	5	11	7	4	8	6	2
30-34 years-----	96	60	36	73	46	27	23	14	9	7	3	4
35-39 years-----	325	225	100	262	188	74	63	37	26	48	29	19
40-44 years-----	771	539	232	633	457	176	138	82	56	109	63	46
45-49 years-----	1,333	987	346	1,117	844	273	216	143	73	186	123	63
50-54 years-----	1,325	988	337	1,069	797	272	256	191	65	223	170	53
55-59 years-----	1,314	881	433	1,117	751	366	197	130	67	159	109	50
60-64 years-----	1,356	886	470	1,179	774	405	177	112	65	137	93	44
65-69 years-----	1,534	880	654	1,362	793	569	172	87	85	129	71	58
70-74 years-----	1,766	954	812	1,616	879	737	150	75	75	115	62	53
75-79 years-----	1,652	793	859	1,560	747	813	92	46	46	66	34	32
80-84 years-----	1,124	471	653	1,057	449	608	67	22	45	45	14	31
85-89 years-----	609	263	346	573	247	326	36	16	20	24	9	15
90-94 years-----	172	68	104	158	62	96	14	6	8	12	4	8
95-99 years-----	26	10	16	25	10	15	1	-	1	1	-	1
100 yrs & over---	3	1	2	3	1	2	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Cutaneous abscess, furuncle, and carbuncle of trunk (L02.2)

Table with 13 columns: Cause of death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Cutaneous abscess, furuncle, and carbuncle of buttock (L02.3)

Table with 13 columns: Cause of death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Cutaneous abscess, furuncle, and carbuncle, unspecified (L02.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	45	21	24	38	19	19	7	2	5	6	2	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	2	-	2	-	-	2	-	2	2	-	-	2
40-44 years-----	2	-	2	1	-	1	1	-	1	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	4	3	1	4	3	1	-	-	-	-	-	-
55-59 years-----	7	5	2	6	5	1	1	-	1	1	-	1
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	4	1	3	3	-	3	1	1	-	1	1	-
70-74 years-----	4	2	2	3	1	2	1	1	-	1	1	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	11	4	7	10	4	6	1	-	1	1	-	1
85-89 years-----	7	3	4	7	3	4	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cellulitis (L03)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	799	334	465	701	291	410	98	43	55	81	32	49
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years-----	5	4	1	4	4	-	1	-	1	1	-	1
35-39 years-----	9	5	4	8	5	3	1	-	1	1	-	1
40-44 years-----	13	7	6	10	4	6	3	3	-	3	3	-
45-49 years-----	21	14	7	18	12	6	3	2	1	3	2	1
50-54 years-----	19	11	8	15	9	6	4	2	2	3	1	2
55-59 years-----	34	25	9	29	21	8	5	4	1	4	3	1
60-64 years-----	45	27	18	37	25	12	8	2	6	6	1	5
65-69 years-----	48	23	25	40	17	23	8	6	2	8	6	2
70-74 years-----	92	45	47	83	42	41	9	3	6	6	2	4
75-79 years-----	112	46	66	97	41	56	15	5	10	12	3	9
80-84 years-----	109	49	60	99	45	54	10	4	6	8	3	5
85-89 years-----	130	47	83	117	43	74	13	4	9	11	2	9
90-94 years-----	106	22	84	97	17	80	9	5	4	7	3	4
95-99 years-----	42	6	36	36	5	31	6	1	5	5	1	4
100 yrs & over---	10	1	9	9	1	8	1	-	1	1	-	1
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Cellulitis of other sites (L03.8)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	6	4	2	6	4	2	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	2	-	2	2	-	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Cellulitis, unspecified (L03.9)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	400	171	229	349	150	199	51	21	30	43	15	28
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	3	1	2	2	-	2	1	1	-	1	1	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	5	3	2	4	3	1	1	-	1	1	-	1
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-
45-49 years-----	10	6	4	9	5	4	1	1	-	1	1	-
50-54 years-----	10	7	3	8	5	3	2	2	-	1	1	-
55-59 years-----	17	12	5	13	9	4	4	3	1	4	3	1
60-64 years-----	24	16	8	21	15	6	3	1	2	2	-	2
65-69 years-----	23	12	11	19	10	9	4	2	2	4	2	2
70-74 years-----	47	18	29	43	17	26	4	1	3	3	1	2
75-79 years-----	60	23	37	51	20	31	9	3	6	6	1	5
80-84 years-----	59	29	30	55	29	26	4	-	4	4	-	4
85-89 years-----	62	25	37	55	23	32	7	2	5	6	1	5
90-94 years-----	49	10	39	43	8	35	6	2	4	5	1	4
95-99 years-----	21	3	18	18	2	16	3	1	2	3	1	2
100 yrs & over---	3	-	3	3	-	3	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Nail disorders (L60)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	5	2	3	4
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	-	1	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	2	1	1	2
80-84 years-----	1	-	1	1
85-89 years-----	1	1	-	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Ingrowing nail (L60.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	-
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	-	1	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Granulomatous disorder of skin and subcutaneous tissue, unspecified (L92.9)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from Under 1 year to 100 yrs & over, and Not stated.

Lupus erythematosus (L93)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from Under 1 year to 100 yrs & over, and Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Discoid lupus erythematosus (L93.0)

Table with 14 columns (Age, All Races, White, Total, All Other, Black) and 20 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated)

Other local lupus erythematosus (L93.2)

Table with 14 columns (Age, All Races, White, Total, All Other, Black) and 20 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Sclerodactyly (L94.3)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other specified localized connective tissue disorders (L94.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Localized connective tissue disorder, unspecified (L94.9)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Vasculitis limited to the skin, not elsewhere classified (L95)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other vasculitis limited to skin (L95.8)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Ulcer of lower limb, not elsewhere classified (L97)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Mucinosis of skin (L98.5)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	1	1	-	1
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Other specified disorders of skin and subcutaneous tissue (L98.8)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	11	3	8	8
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	-	-	-	-
45-49 years-----	1	-	1	1
50-54 years-----	-	-	-	-
55-59 years-----	1	-	1	1
60-64 years-----	2	-	2	1
65-69 years-----	1	-	1	1
70-74 years-----	-	-	-	-
75-79 years-----	4	2	2	3
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Staphylococcal arthritis and polyarthritis (M00.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other streptococcal arthritis and polyarthritis (M00.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Other rheumatoid arthritis (M06)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Adult-onset Still's disease (M06.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Gout (M10)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Idiopathic gout (M10.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Gonarthrosis, unspecified (M17.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Arthrosis of first carpometacarpal joint (M18)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Arthrosis, unspecified (M19.9)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	861	221	640	792
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	1	1	-	1
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	5	3	2	5
55-59 years-----	10	4	6	8
60-64 years-----	14	5	9	11
65-69 years-----	21	6	15	19
70-74 years-----	41	14	27	33
75-79 years-----	84	37	47	76
80-84 years-----	139	47	92	128
85-89 years-----	169	41	128	159
90-94 years-----	228	36	192	209
95-99 years-----	108	23	85	103
100 yrs & over---	40	3	37	40
Not stated-----	-	-	-	-

Other acquired deformities of limbs (M21)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	-
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	1	1	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Polyarteritis nodosa (M30.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Polyarteritis with lung involvement [Churg-Strauss] (M30.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Mucocutaneous lymph node syndrome [Kawasaki] (M30.3)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other necrotizing vasculopathies (M31)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Lethal midline granuloma (M31.2)

Table with columns for cause of death, age groups, and race/sex breakdown. Data for Lethal midline granuloma (M31.2) shows 1 death in the 50-54 age group for both sexes, with 1 male and 1 female.

Wegener's granulomatosis (M31.3)

Table with columns for cause of death, age groups, and race/sex breakdown. Data for Wegener's granulomatosis (M31.3) shows 351 deaths in the 50-54 age group for both sexes, with 171 males and 180 females.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other specified necrotizing vasculopathies (M31.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Necrotizing vasculopathy, unspecified (M31.9)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Systemic lupus erythematosus with organ or system involvement (M32.1)

Table with 13 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Systemic lupus erythematosus, unspecified (M32.9)

Table with 13 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Trochanteric bursitis (M70.6)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	1	1	-	1
Not stated-----	-	-	-	-

Other bursopathies (M71)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	5	2	3	5
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	1	-	1	1
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	1	1	-	1
85-89 years-----	-	-	-	-
90-94 years-----	2	-	2	2
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Abscess of bursa (M71.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other bursitis, not elsewhere classified (M71.5)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other soft tissue disorders, not elsewhere classified (M79)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	43	14	29	31
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	2	1	1	2
35-39 years-----	1	-	1	-
40-44 years-----	2	1	1	2
45-49 years-----	1	1	-	-
50-54 years-----	5	1	4	5
55-59 years-----	9	3	6	5
60-64 years-----	4	2	2	4
65-69 years-----	3	-	3	2
70-74 years-----	3	-	3	1
75-79 years-----	4	2	2	3
80-84 years-----	3	1	2	2
85-89 years-----	3	1	2	3
90-94 years-----	1	1	-	1
95-99 years-----	2	-	2	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Rheumatism, unspecified (M79.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	3	1	2	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	-	1	1
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Osteoporosis without pathological fracture (M81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	981	79	902	952	76	876	29	3	26	10	2	8
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	-	1	1	-	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	5	-	5	4	-	4	1	-	1	1	-	1
65-69 years-----	14	1	13	14	1	13	-	-	-	-	-	-
70-74 years-----	26	5	21	25	5	20	1	-	1	-	-	-
75-79 years-----	84	13	71	83	12	71	1	1	-	1	1	-
80-84 years-----	158	11	147	152	11	141	6	-	6	1	-	1
85-89 years-----	268	22	246	264	21	243	4	1	3	1	1	-
90-94 years-----	260	16	244	255	15	240	5	1	4	1	-	1
95-99 years-----	127	6	121	121	6	115	6	-	6	2	-	2
100 yrs & over---	33	1	32	28	1	27	5	-	5	3	-	3
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Postmenopausal osteoporosis (M81.0)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other osteoporosis (M81.8)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Osteoporosis, unspecified (M81.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Adult osteomalacia, unspecified (M83.9)

Table with 14 columns (Age Group, All Races, White, Total, All Other) and 16 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated).

Disorders of continuity of bone (M84)

Table with 14 columns (Age Group, All Races, White, Total, All Other) and 16 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated).

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Juvenile osteochondrosis of patella (M92.4)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Juvenile osteochondrosis of metatarsus (M92.7)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Diffuse membranous glomerulonephritis (N05.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	34	20	14	32
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	1	1	-	1
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	1	-	1	1
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	1	-	1	1
60-64 years-----	1	1	-	1
65-69 years-----	5	4	1	5
70-74 years-----	3	2	1	3
75-79 years-----	8	5	3	8
80-84 years-----	7	3	4	7
85-89 years-----	6	3	3	5
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Diffuse mesangiocapillary glomerulonephritis (N05.5)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	20	10	10	18
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	1	-	1	1
15-19 years-----	-	-	-	-
20-24 years-----	2	-	2	2
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	-	1	1
40-44 years-----	2	-	2	1
45-49 years-----	1	1	-	1
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	1	-	1	1
65-69 years-----	2	1	1	2
70-74 years-----	2	2	-	2
75-79 years-----	5	5	-	5
80-84 years-----	2	-	2	2
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Vesicoureteral-reflux-associated uropathy (N13.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	1	2	3	1	2
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1
45-49 years-----	1	-	1	1	-	1
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-
75-79 years-----	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

Other obstructive and reflux uropathy (N13.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	14	10	4	12	8	4
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	1	1	-	-	1	1
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	3	2	1	2	1	1
80-84 years-----	2	2	-	2	-	2
85-89 years-----	4	3	1	4	3	1
90-94 years-----	1	1	-	1	1	-
95-99 years-----	2	1	1	2	1	1
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Nephropathy induced by unspecified drug, medicament, or biological substance (N14.2)

Table with 14 columns: Age group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include 'All ages' and 5-year age groups from 'Under 1 year' to '100 yrs & over'.

Nephropathy induced by heavy metals (N14.3)

Table with 14 columns: Age group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include 'All ages' and 5-year age groups from 'Under 1 year' to '100 yrs & over'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Acute renal failure (N17)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Acute renal failure with tubular necrosis (N17.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), - - - ALL RACES - - - WHITE - - - TOTAL - - - ALL OTHER - - - BLACK - - - AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other chronic renal failure (N18.8)
All ages----- 272 131 141 208 108 100 64 23 41 60 21 39
Under 1 year----- - - - - - - - - - - - - - -
1-4 years----- - - - - - - - - - - - - - -
5-9 years----- - - - - - - - - - - - - - -
10-14 years----- - - - - - - - - - - - - - -
15-19 years----- - - - - - - - - - - - - - -
20-24 years----- - - - - - - - - - - - - - -
25-29 years----- - - - - - - - - - - - - - -
30-34 years----- 1 - 1 - - - 1 - 1 1 - 1 - 1
35-39 years----- 1 1 - - - 1 1 - 1 1 1 - 1
40-44 years----- 4 1 3 3 1 2 1 - 1 1 - 1
45-49 years----- 4 2 2 3 2 1 1 - 1 1 - 1
50-54 years----- 10 6 4 3 2 1 7 4 3 6 3 3
55-59 years----- 4 1 3 2 - 2 1 2 1 2 1 1
60-64 years----- 11 8 3 9 8 1 2 - 2 2 - 2
65-69 years----- 14 10 4 8 6 2 6 4 2 6 4 2
70-74 years----- 29 16 13 24 13 11 5 3 2 4 3 1
75-79 years----- 38 24 14 27 19 8 11 5 6 10 5 5
80-84 years----- 51 23 28 44 23 21 7 - 7 7 - 7
85-89 years----- 66 30 36 54 28 26 12 2 10 11 1 10
90-94 years----- 28 5 23 23 4 19 5 1 4 5 1 4
95-99 years----- 11 4 7 8 2 6 3 2 1 3 2 1
100 yrs & over--- - - - - - - - - - - - - -
Not stated----- - - - - - - - - - - - - - -

Chronic renal failure, unspecified (N18.9)
All ages----- 7,035 3,394 3,641 5,603 2,764 2,839 1,432 630 802 1,254 549 705
Under 1 year----- 4 3 1 2 1 1 2 2 - 2 2 -
1-4 years----- 4 3 1 3 2 1 1 1 - 1 1 -
5-9 years----- 3 3 - 3 3 - - - - - - -
10-14 years----- - - - - - - - - - - - -
15-19 years----- 2 2 - 1 1 - 1 1 - 1 1 -
20-24 years----- 10 6 4 7 5 2 3 1 2 2 1 1
25-29 years----- 15 9 6 7 4 3 8 5 3 7 4 3
30-34 years----- 28 12 16 15 7 8 13 5 8 13 5 8
35-39 years----- 57 29 28 29 13 16 28 16 12 26 16 10
40-44 years----- 76 49 27 45 28 17 31 21 10 27 21 6
45-49 years----- 118 73 45 58 38 20 60 35 25 56 34 22
50-54 years----- 130 70 60 86 42 44 44 28 16 41 25 16
55-59 years----- 242 138 104 150 89 61 92 49 43 87 44 43
60-64 years----- 327 151 176 210 98 112 117 53 64 104 47 57
65-69 years----- 514 255 259 363 195 168 151 60 91 136 55 81
70-74 years----- 754 395 359 568 320 248 186 75 111 157 64 93
75-79 years----- 1,099 557 542 918 481 437 181 76 105 157 64 93
80-84 years----- 1,259 615 644 1,049 519 530 210 96 114 176 79 97
85-89 years----- 1,257 592 665 1,099 540 559 158 52 106 135 42 93
90-94 years----- 783 319 464 694 286 408 89 33 56 75 26 49
95-99 years----- 281 91 190 243 73 170 38 18 20 36 17 19
100 yrs & over--- 70 20 50 51 17 34 19 3 16 15 1 14
Not stated----- 2 2 - 2 2 - - - - - - -

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Calculus of lower urinary tract (N21)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Calculus in bladder (N21.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Calculus in urethra (N21.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Unspecified renal colic (N23)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Disorders resulting from impaired renal tubular function (N25)

Table with 14 columns: Cause of Death (Age Group), All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include 'All ages', 'Under 1 year', '1-4 years', '5-9 years', '10-14 years', '15-19 years', '20-24 years', '25-29 years', '30-34 years', '35-39 years', '40-44 years', '45-49 years', '50-54 years', '55-59 years', '60-64 years', '65-69 years', '70-74 years', '75-79 years', '80-84 years', '85-89 years', '90-94 years', '95-99 years', '100 yrs & over', and 'Not stated'.

Renal osteodystrophy (N25.0)

Table with 14 columns: Cause of Death (Age Group), All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include 'All ages', 'Under 1 year', '1-4 years', '5-9 years', '10-14 years', '15-19 years', '20-24 years', '25-29 years', '30-34 years', '35-39 years', '40-44 years', '45-49 years', '50-54 years', '55-59 years', '60-64 years', '65-69 years', '70-74 years', '75-79 years', '80-84 years', '85-89 years', '90-94 years', '95-99 years', '100 yrs & over', and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified contracted kidney (N26)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Small kidney of unknown cause (N27)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES

WHITE - - - - - ALL OTHER - - - - -
MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE
TOTAL - - - - - BLACK - - - - -

Hyperplasia of prostate (N40)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	433	433	...	389	389	...	44	44	...	37	37	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	-	-	...	1	1	...	1	1	...
45-49 years-----	1	1	...	1	1	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	4	4	...	2	2	...	2	2	...	2	2	...
60-64 years-----	7	7	...	5	5	...	2	2	...	2	2	...
65-69 years-----	10	10	...	10	10	...	-	-	...	-	-	...
70-74 years-----	28	28	...	25	25	...	3	3	...	2	2	...
75-79 years-----	64	64	...	57	57	...	7	7	...	7	7	...
80-84 years-----	95	95	...	88	88	...	7	7	...	7	7	...
85-89 years-----	106	106	...	96	96	...	10	10	...	7	7	...
90-94 years-----	83	83	...	74	74	...	9	9	...	7	7	...
95-99 years-----	29	29	...	27	27	...	2	2	...	1	1	...
100 yrs & over---	4	4	...	4	4	...	-	-	...	-	-	...
Not stated-----	1	1	...	-	-	...	1	1	...	1	1	...

Inflammatory diseases of prostate (N41)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	29	29	...	24	24	...	5	5	...	3	3	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	2	2	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	1	1	...	1	1	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	3	3	...	3	3	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years-----	3	3	...	1	1	...	2	2	...	-	-	...
80-84 years-----	4	4	...	3	3	...	1	1	...	1	1	...
85-89 years-----	8	8	...	8	8	...	-	-	...	-	-	...
90-94 years-----	3	3	...	3	3	...	-	-	...	-	-	...
95-99 years-----	2	2	...	1	1	...	1	1	...	1	1	...
100 yrs & over---	1	1	...	1	1	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Acute prostatitis (N41.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	4	4	...	3	3	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
75-79 years-----	1	1	...	-	-	...	1	1	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Chronic prostatitis (N41.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	7	7	...	6	6	...	1	1	...	1	1	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	1	1	...	-	-	...	1	1	...	1	1	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
85-89 years-----	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
90-94 years-----	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Abscess of prostate (N41.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	2	2	...	2	2	...	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

Prostatocystitis (N41.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Inflammatory disease of prostate, unspecified (N41.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	15	15	...	12	12	...	3	3	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	2	2	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	2	2	...	1	1	...	1	1	...	-	-	...
80-84 years-----	3	3	...	2	2	...	1	1	...	1	1	...
85-89 years-----	5	5	...	5	5	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	2	2	...	1	1	...	1	1	...	1	1	...
100 yrs & over---	1	1	...	1	1	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Other disorders of prostate (N42)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	43	43	...	34	34	...	9	9	...	8	8	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	3	3	...	3	3	...	-	-	...	-	-	...
60-64 years-----	4	4	...	3	3	...	1	1	...	1	1	...
65-69 years-----	7	7	...	5	5	...	2	2	...	2	2	...
70-74 years-----	5	5	...	4	4	...	1	1	...	1	1	...
75-79 years-----	7	7	...	4	4	...	3	3	...	3	3	...
80-84 years-----	9	9	...	9	9	...	-	-	...	-	-	...
85-89 years-----	5	5	...	3	3	...	2	2	...	1	1	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Calculus of prostate (N42.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	1	1	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Congestion and hemorrhage of prostate (N42.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	4	...	4	4	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	2	2	...	2	2	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Disorder of prostate, unspecified (N42.9)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	38	38	...	29	29	...	9	9	...	8	8	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	3	3	...	3	3	...	-	-	...	-	-	...
60-64 years-----	4	4	...	3	3	...	1	1	...	1	1	...
65-69 years-----	5	5	...	3	3	...	2	2	...	2	2	...
70-74 years-----	5	5	...	4	4	...	1	1	...	1	1	...
75-79 years-----	7	7	...	4	4	...	3	3	...	3	3	...
80-84 years-----	8	8	...	8	8	...	-	-	...	-	-	...
85-89 years-----	5	5	...	3	3	...	2	2	...	1	1	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	1	1	...	1	1	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Hydrocele and spermatocele (N43)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...	1	1	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Hydrocele, unspecified (N43.3)

All ages-----	1	1	...	-	-	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	-	-	...	1	1	...	1	1	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Orchitis and epididymitis (N45)

All ages-----	10	10	...	9	9	...	1	1	...	1	1	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	2	2	...	1	1	...	1	1	...	1	1	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	3	3	...	3	3	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Orchitis, epididymitis, and epididymo-orchitis with abscess (N45.0)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Orchitis, epididymitis, and epididymo-orchitis without abscess (N45.9)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Other disorders of penis (N48)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	ALL OTHER MALE	FEMALE	BLACK MALE	FEMALE
All ages-----	7	7	...	3	3	...	4	4	...	4	4	...		
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years-----	1	1	...	-	-	...	1	1	...	1	1	...	1	1
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years-----	1	1	...	-	-	...	1	1	...	1	1	...	1	1
60-64 years-----	2	2	...	1	1	...	1	1	...	1	1	...	1	1
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years-----	2	2	...	1	1	...	1	1	...	1	1	...	1	1
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-

Other inflammatory disorders of penis (N48.2)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	ALL OTHER MALE	FEMALE	BLACK MALE	FEMALE
All ages-----	6	6	...	3	3	...	3	3	...	3	3	...		
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
35-39 years-----	1	1	...	-	-	...	1	1	...	1	1	...	1	1
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
60-64 years-----	2	2	...	1	1	...	1	1	...	1	1	...	1	1
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...	-	-
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
75-79 years-----	2	2	...	1	1	...	1	1	...	1	1	...	1	1
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...	-	-
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Disorder of penis, unspecified (N48.9)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Inflammatory disorders of male genital organs, not elsewhere classified (N49)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Inflammatory disorders of spermatic cord, tunica vaginalis, and vas deferens (N49.1)

All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	1	1	...	1	1	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Inflammatory disorders of scrotum (N49.2)

All ages-----	27	27	...	18	18	...	9	9	...	9	9	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	1	1	...	-	-	...	1	1	...	1	1	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	1	1	...	1	1	...	1	1	...
55-59 years-----	2	2	...	1	1	...	1	1	...	1	1	...
60-64 years-----	4	4	...	3	3	...	1	1	...	1	1	...
65-69 years-----	2	2	...	-	-	...	2	2	...	2	2	...
70-74 years-----	5	5	...	3	3	...	2	2	...	2	2	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	4	4	...	4	4	...	-	-	...	-	-	...
85-89 years-----	6	6	...	5	5	...	1	1	...	1	1	...
90-94 years-----	1	1	...	1	1	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), - - - ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - - AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Inflammatory disorders of other specified male genital organs (N49.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	ALL OTHER BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	8	8	...	5	5	...	3	3	...	2	2	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	2	2	...	-	-	...	2	2	...	2	2	...
55-59 years-----	1	1	...	1	1	...	-	-	...	-	-	...
60-64 years-----	1	1	...	1	1	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	3	3	...	3	3	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	-	-	...	1	1	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Other disorders of male genital organs (N50)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	ALL OTHER BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	2	2	...	2	2	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified disorders of male genital organs (N50.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Disorder of male genital organs, unspecified (N50.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	1	1	...	1	1	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Salpingitis and oophoritis (N70)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	WHITE - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	14	...	14	9	...	9	5	...	5	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	1	...	1	1	...	1
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	3	...	3	3	...	3	-	...	-	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Acute salpingitis and oophoritis (N70.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	WHITE - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Chronic salpingitis and oophoritis (N70.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Salpingitis and oophoritis, unspecified (N70.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	12	...	12	7	...	7	5	...	5	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	1	...	1	-	...	-	1	...	1	1	...	1
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	2	...	2	2	...	2	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Inflammatory disease of uterus, except cervix (N71)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	17	...	17	14	...	14	3	...	3	3	...	3
Under 1 year-----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Acute inflammatory disease of uterus (N71.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Inflammatory disease of uterus, unspecified (N71.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	16	...	16	13	...	13	3	...	3	3	...	3
Under 1 year-----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Inflammatory disease of cervix uteri (N72)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other female pelvic inflammatory diseases (N73)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	77	...	77	61	...	61	16	...	16	14	...	14
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	5	...	5	3	...	3	2	...	2	1	...	1
40-44 years-----	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	3	...	3	1	...	1	2	...	2	2	...	2
60-64 years-----	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years-----	8	...	8	8	...	8	-	...	-	-	...	-
70-74 years-----	8	...	8	6	...	6	2	...	2	2	...	2
75-79 years-----	12	...	12	10	...	10	2	...	2	2	...	2
80-84 years-----	10	...	10	9	...	9	1	...	1	1	...	1
85-89 years-----	9	...	9	7	...	7	2	...	2	2	...	2
90-94 years-----	11	...	11	11	...	11	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Unspecified parametritis and pelvic cellulitis (N73.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Female pelvic peritonitis, unspecified (N73.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female pelvic peritoneal adhesions (N73.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified female pelvic inflammatory diseases (N73.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Female pelvic inflammatory disease, unspecified (N73.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	71	...	71	56	...	56	15	...	15	13	...	13
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	4	...	4	2	...	2	2	...	2	1	...	1
40-44 years-----	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years-----	2	...	2	1	...	1	1	...	1	1	...	1
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	3	...	3	1	...	1	2	...	2	2	...	2
60-64 years-----	3	...	3	3	...	3	-	...	-	-	...	-
65-69 years-----	8	...	8	8	...	8	-	...	-	-	...	-
70-74 years-----	7	...	7	5	...	5	2	...	2	2	...	2
75-79 years-----	12	...	12	10	...	10	2	...	2	2	...	2
80-84 years-----	9	...	9	8	...	8	1	...	1	1	...	1
85-89 years-----	9	...	9	7	...	7	2	...	2	2	...	2
90-94 years-----	9	...	9	9	...	9	-	...	-	-	...	-
95-99 years-----	1	...	1	-	...	-	1	...	1	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other inflammation of vagina and vulva (N76)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	10	...	10	8	...	8	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Acute vaginitis (N76.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	5	...	5	4	...	4	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Abscess of vulva (N76.4)

All ages-----	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Ulceration of vulva (N76.6)

All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	-	...	-	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Endometriosis (N80)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8	...	8	5	...	5	3	...	3	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Endometriosis of uterus (N80.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	-	...	-	1	...	1	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Endometriosis of pelvic peritoneum (N80.3)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Endometriosis, unspecified (N80.9)

All ages-----	5	...	5	3	...	3	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Female genital prolapse (N81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	23	...	23	21	...	21	2	...	2	1	...	1			
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-			
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years-----	1	...	1	-	...	-	1	...	1	-	...	-			
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
75-79 years-----	5	...	5	5	...	5	-	...	-	-	...	-			
80-84 years-----	4	...	4	3	...	3	1	...	1	1	...	1	1	...	1
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-			
90-94 years-----	6	...	6	6	...	6	-	...	-	-	...	-			
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-			
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-			

Cystocele (N81.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	12	...	12	11	...	11	1	...	1	-	...	-			
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-			
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-			
65-69 years-----	1	...	1	-	...	-	1	...	1	-	...	-			
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-			
90-94 years-----	3	...	3	3	...	3	-	...	-	-	...	-			
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-			
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-			
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Complete uterovaginal prolapse (N81.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Uterovaginal prolapse, unspecified (N81.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	...	6	6	...	6	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	3	...	3	3	...	3	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Rectocele (N81.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other female genital prolapse (N81.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Fistulae involving female genital tract (N82)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	65	...	65	61	...	61	4	...	4	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	3	...	3	3	...	3	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	4	...	4	4	...	4	-	...	-	-	...	-
75-79 years-----	7	...	7	7	...	7	-	...	-	-	...	-
80-84 years-----	17	...	17	16	...	16	1	...	1	1	...	1
85-89 years-----	19	...	19	18	...	18	1	...	1	1	...	1
90-94 years-----	6	...	6	4	...	4	2	...	2	2	...	2
95-99 years-----	3	...	3	3	...	3	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Vesicovaginal fistula (N82.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	1	...	1	-	...	-	1	...	1	1	...	1
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Fistula of vagina to large intestine (N82.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	49	...	49	46	...	46	3	...	3	3	...	3
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	2	...	2	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	6	...	6	6	...	6	-	...	-	-	...	-
80-84 years-----	13	...	13	12	...	12	1	...	1	1	...	1
85-89 years-----	15	...	15	15	...	15	-	...	-	-	...	-
90-94 years-----	4	...	4	2	...	2	2	...	2	2	...	2
95-99 years-----	3	...	3	3	...	3	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other female intestinal-genital tract fistulae (N82.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	9	...	9	9	...	9	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	2	...	2	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Female genital tract fistula, unspecified (N82.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	52	...	52	44	...	44	8	...	8	7	...	7
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	4	...	4	2	...	2	2	...	2	1	...	1
40-44 years-----	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years-----	3	...	3	2	...	2	1	...	1	1	...	1
50-54 years-----	3	...	3	3	...	3	-	...	-	-	...	-
55-59 years-----	3	...	3	3	...	3	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	6	...	6	5	...	5	1	...	1	1	...	1
75-79 years-----	6	...	6	6	...	6	-	...	-	-	...	-
80-84 years-----	6	...	6	5	...	5	1	...	1	1	...	1
85-89 years-----	6	...	6	6	...	6	-	...	-	-	...	-
90-94 years-----	4	...	4	4	...	4	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Corpus luteum cyst (N83.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other and unspecified ovarian cysts (N83.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	18	...	18	15	...	15	3	...	3	3	...	3
Under 1 year-----	1	...	1	-	...	-	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	3	...	3	3	...	3	-	...	-	-	...	-
45-49 years-----	2	...	2	2	...	2	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	2	...	2	2	...	2	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	2	...	2	1	...	1	1	...	1	1	...	1
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Torsion of ovary, ovarian pedicle, and fallopian tube (N83.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	...	4	4	...	4	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of ovary, fallopian tube, and broad ligament (N83.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Noninflammatory disorder of ovary, fallopian tube, and broad ligament, unspecified (N83.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	26	...	26	24	...	24	2	...	2	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	3	...	3	3	...	3	-	...	-	-	...	-
55-59 years-----	1	...	1	1	...	1	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	3	...	3	3	...	3	-	...	-	-	...	-
75-79 years-----	5	...	5	5	...	5	-	...	-	-	...	-
80-84 years-----	3	...	3	2	...	2	1	...	1	1	...	1
85-89 years-----	5	...	5	5	...	5	-	...	-	-	...	-
90-94 years-----	3	...	3	3	...	3	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of uterus, except cervix (N85)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	7	...	7	5	...	5	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	2	...	2	1	...	1	1	...	1	1	...	1
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hematometra (N85.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	-	...	-	...	-	-	...	-	-	...	-	-
Under 1 year-----	-	...	-	...	-	-	...	-	-	...	-	-
1-4 years-----	-	...	-	...	-	-	...	-	-	...	-	-
5-9 years-----	-	...	-	...	-	-	...	-	-	...	-	-
10-14 years-----	-	...	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	...	-	...	-	-	...	-	-	...	-	-
25-29 years-----	-	...	-	...	-	-	...	-	-	...	-	-
30-34 years-----	-	...	-	...	-	-	...	-	-	...	-	-
35-39 years-----	-	...	-	...	-	-	...	-	-	...	-	-
40-44 years-----	-	...	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	...	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	...	-	...	-	-	...	-	-	...	-	-
55-59 years-----	-	...	-	...	-	-	...	-	-	...	-	-
60-64 years-----	-	...	-	...	-	-	...	-	-	...	-	-
65-69 years-----	-	...	-	...	-	-	...	-	-	...	-	-
70-74 years-----	-	...	-	...	-	-	...	-	-	...	-	-
75-79 years-----	-	...	-	...	-	-	...	-	-	...	-	-
80-84 years-----	-	...	-	...	-	-	...	-	-	...	-	-
85-89 years-----	-	...	-	...	-	-	...	-	-	...	-	-
90-94 years-----	-	...	-	...	-	-	...	-	-	...	-	-
95-99 years-----	-	...	-	...	-	-	...	-	-	...	-	-
100 yrs & over---	-	...	-	...	-	-	...	-	-	...	-	-
Not stated-----	-	...	-	...	-	-	...	-	-	...	-	-

Other specified noninflammatory disorders of uterus (N85.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	...	-	-	1	...	1	1	...	1
Under 1 year-----	-	...	-	...	-	-	...	-	-	...	-	-
1-4 years-----	-	...	-	...	-	-	...	-	-	...	-	-
5-9 years-----	-	...	-	...	-	-	...	-	-	...	-	-
10-14 years-----	-	...	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	...	-	...	-	-	...	-	-	...	-	-
25-29 years-----	-	...	-	...	-	-	...	-	-	...	-	-
30-34 years-----	-	...	-	...	-	-	...	-	-	...	-	-
35-39 years-----	-	...	-	...	-	-	...	-	-	...	-	-
40-44 years-----	-	...	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	...	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	...	-	...	-	-	...	-	-	...	-	-
55-59 years-----	-	...	-	...	-	-	...	-	-	...	-	-
60-64 years-----	-	...	-	...	-	-	...	-	-	...	-	-
65-69 years-----	1	...	1	...	-	-	1	...	1	1	...	1
70-74 years-----	-	...	-	...	-	-	...	-	-	...	-	-
75-79 years-----	-	...	-	...	-	-	...	-	-	...	-	-
80-84 years-----	-	...	-	...	-	-	...	-	-	...	-	-
85-89 years-----	-	...	-	...	-	-	...	-	-	...	-	-
90-94 years-----	-	...	-	...	-	-	...	-	-	...	-	-
95-99 years-----	-	...	-	...	-	-	...	-	-	...	-	-
100 yrs & over---	-	...	-	...	-	-	...	-	-	...	-	-
Not stated-----	-	...	-	...	-	-	...	-	-	...	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Noninflammatory disorder of uterus, unspecified (N85.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	...	6	5	...	5	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of cervix uteri (N88)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	13	...	13	10	...	10	3	...	3	2	...	2
Under 1 year-----	3	...	3	2	...	2	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	4	...	4	3	...	3	1	...	1	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	2	...	2	2	...	2	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Stricture and stenosis of cervix uteri (N88.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	...	6	5	...	5	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	-	...	-	1	...	1	1	...	1
80-84 years-----	2	...	2	2	...	2	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Incompetence of cervix uteri (N88.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year-----	3	...	3	2	...	2	1	...	1	1	...	1
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified noninflammatory disorders of cervix uteri (N88.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	...	4	3	...	3	1	...	1	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	2	...	2	1	...	1	1	...	1	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other noninflammatory disorders of vagina (N89)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Noninflammatory disorder of vagina, unspecified (N89.9)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Absent, scanty, and rare menstruation (N91)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Amenorrhea, unspecified (N91.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Excessive, frequent, and irregular menstruation (N92)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Excessive and frequent menstruation with regular cycle (N92.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Excessive and frequent menstruation with irregular cycle (N92.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other abnormal uterine and vaginal bleeding (N93)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	26	...	26	24	...	24	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	3	...	3	3	...	3	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	3	...	3	3	...	3	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	4	...	4	3	...	3	1	...	1	1	...	1
85-89 years-----	6	...	6	6	...	6	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other specified abnormal uterine and vaginal bleeding (N93.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Abnormal uterine and vaginal bleeding, unspecified (N93.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	24	...	24	22	...	22	2	...	2	2	...	2
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	3	...	3	3	...	3	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	3	...	3	3	...	3	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	2	...	2	2	...	2	-	...	-	-	...	-
80-84 years-----	4	...	4	3	...	3	1	...	1	1	...	1
85-89 years-----	5	...	5	5	...	5	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	1	...	1	1	...	1	-	...	-	-	...	-
100 yrs & over---	1	...	1	1	...	1	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Pain and other conditions associated with female genital organs and menstrual cycle (N94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	11	...	11	7	...	7	4	...	4	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	4	...	4	3	...	3	1	...	1	1	...	1
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified conditions associated with female genital organs and menstrual cycle (N94.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	10	...	10	6	...	6	4	...	4	4	...	4
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	3	...	3	2	...	2	1	...	1	1	...	1
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	1	...	1	-	...	-	1	...	1	1	...	1
85-89 years-----	1	...	1	1	...	1	-	...	-	-	...	-
90-94 years-----	1	...	1	-	...	-	1	...	1	1	...	1
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	1	...	1	-	...	-	1	...	1	1	...	1
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Unspecified condition associated with female genital organs and menstrual cycle (N94.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Menopausal and other perimenopausal disorders (N95)

All ages-----	10	...	10	10	...	10	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	3	...	3	3	...	3	-	...	-	-	...	-
90-94 years-----	3	...	3	3	...	3	-	...	-	-	...	-
95-99 years-----	2	...	2	2	...	2	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Postmenopausal bleeding (N95.0)

All ages-----	5	...	5	5	...	5	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	2	...	2	2	...	2	-	...	-	-	...	-
90-94 years-----	1	...	1	1	...	1	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Menopausal and female climacteric states (N95.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Postmenopausal atrophic vaginitis (N95.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Ectopic pregnancy (000)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	25	...	25	13	...	13	12	...	12	12	...	12	...	12	...
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	4	...	4	1	...	1	3	...	3	3	...	3	...	3	...
25-29 years-----	8	...	8	5	...	5	3	...	3	3	...	3	...	3	...
30-34 years-----	4	...	4	1	...	1	3	...	3	3	...	3	...	3	...
35-39 years-----	6	...	6	4	...	4	2	...	2	2	...	2	...	2	...
40-44 years-----	3	...	3	2	...	2	1	...	1	1	...	1	...	1	...
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

Tubal pregnancy (000.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	9	...	9	3	...	3	6	...	6	6	...	6	...	6	...
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	-	...	-	2	...	2	2	...	2	...	2	...
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1	...	1	...
30-34 years-----	3	...	3	-	...	-	3	...	3	3	...	3	...	3	...
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other ectopic pregnancy (000.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Ectopic pregnancy, unspecified (000.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	15	...	15	10	...	10	5	...	5	5	...	5
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	6	...	6	4	...	4	2	...	2	2	...	2
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	4	...	4	3	...	3	1	...	1	1	...	1
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Spontaneous abortion (003)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Incomplete, complicated by delayed or excessive hemorrhage (003.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Complete or unspecified, with other and unspecified complications (003.8)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Complete or unspecified, without complication (003.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Medical abortion (004)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Complete or unspecified, complicated by embolism (004.7)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Complete or unspecified, with other and unspecified complications (004.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Unspecified abortion (006)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	...	4	-	...	-	4	...	4	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Incomplete, complicated by genital tract and pelvic infection (006.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Complete or unspecified, with other and unspecified complications (006.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Complete or unspecified, without complication (006.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Failed attempted abortion (007)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Failed medical abortion, without complication (007.4)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Preexisting hypertension complicating pregnancy, childbirth, and the puerperium (010)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Preexisting hypertensive heart disease complicating pregnancy, childbirth, and the puerperium (010.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	3	...	3	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Preexisting hypertensive disorder with superimposed proteinuria (011)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Gestational [pregnancy-induced] edema and proteinuria without hypertension (012)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Gestational edema (012.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Gestational [pregnancy-induced] hypertension without significant proteinuria (013)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Gestational [pregnancy-induced] hypertension with significant proteinuria (014)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	40	...	40	28	...	28	12	...	12	12	...	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years-----	6	...	6	4	...	4	2	...	2	2	...	2
25-29 years-----	11	...	11	8	...	8	3	...	3	3	...	3
30-34 years-----	12	...	12	8	...	8	4	...	4	4	...	4
35-39 years-----	7	...	7	7	...	7	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Moderate preeclampsia (014.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Severe preeclampsia (014.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	16	...	16	12	...	12	4	...	4	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	5	...	5	5	...	5	-	...	-	-	...	-
30-34 years-----	6	...	6	4	...	4	2	...	2	2	...	2
35-39 years-----	3	...	3	3	...	3	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Preeclampsia, unspecified (014.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	23	...	23	15	...	15	8	...	8	8	...	8
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	1	...	1	1	...	1	1	...	1
20-24 years-----	5	...	5	4	...	4	1	...	1	1	...	1
25-29 years-----	5	...	5	2	...	2	3	...	3	3	...	3
30-34 years-----	6	...	6	4	...	4	2	...	2	2	...	2
35-39 years-----	4	...	4	4	...	4	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Eclampsia (015)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	17	...	17	8	...	8	9	...	9	9	...	9
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	3	...	3	1	...	1	2	...	2	2	...	2
25-29 years-----	4	...	4	2	...	2	2	...	2	2	...	2
30-34 years-----	6	...	6	3	...	3	3	...	3	3	...	3
35-39 years-----	2	...	2	-	...	-	2	...	2	2	...	2
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Eclampsia in pregnancy (015.0)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	4	...	4	1	...	1	3	...	3	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Eclampsia in the puerperium (015.2)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Eclampsia, unspecified as to time period (015.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	11	...	11	5	...	5	6	...	6	6	...	6	...	6	
Under 1 year-----	
1-4 years-----	
5-9 years-----	
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1	1	...	
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1	1	...	
30-34 years-----	5	...	5	2	...	2	3	...	3	3	...	3	3	...	
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1	1	...	
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
50-54 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	-	
55-59 years-----	
60-64 years-----	
65-69 years-----	
70-74 years-----	
75-79 years-----	
80-84 years-----	
85-89 years-----	
90-94 years-----	
95-99 years-----	
100 yrs & over---	
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	

Unspecified maternal hypertension (016)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	12	...	12	8	...	8	4	...	4	3	...	3	...	3	
Under 1 year-----	
1-4 years-----	
5-9 years-----	
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-	-	-	
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1	1	...	
25-29 years-----	3	...	3	2	...	2	1	...	1	1	...	1	1	...	
30-34 years-----	3	...	3	2	...	2	1	...	1	1	...	1	1	...	
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1	1	...	
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	
55-59 years-----	
60-64 years-----	
65-69 years-----	
70-74 years-----	
75-79 years-----	
80-84 years-----	
85-89 years-----	
90-94 years-----	
95-99 years-----	
100 yrs & over---	
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	-	-	

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Excessive vomiting in pregnancy (021)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Mild hyperemesis gravidarum (021.0)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Venous complications in pregnancy (022)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	12	...	12	5	...	5	7	...	7	5	...	5
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	1	...	1	1	...	1	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	3	...	3	1	...	1	2	...	2	2	...	2
35-39 years-----	3	...	3	1	...	1	2	...	2	1	...	1
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Superficial thrombophlebitis in pregnancy (022.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Deep phlebothrombosis in pregnancy (022.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Cerebral venous thrombosis in pregnancy (022.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Venous complication in pregnancy, unspecified (022.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	...	6	2	...	2	4	...	4	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	-	...	-	2	...	2	2	...	2
35-39 years-----	1	...	1	-	...	-	1	...	1	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Infections of genitourinary tract in pregnancy (023)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unspecified infection of urinary tract in pregnancy (023.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Infections of the genital tract in pregnancy (023.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Diabetes mellitus in pregnancy (024)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	5	...	5	3	...	3	2	...	2	2	...	2	
Under 1 year-----	
1-4 years-----	
5-9 years-----	
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-	
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1	
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1	
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-	
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years-----	
60-64 years-----	
65-69 years-----	
70-74 years-----	
75-79 years-----	
80-84 years-----	
85-89 years-----	
90-94 years-----	
95-99 years-----	
100 yrs & over---	
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	

Diabetes mellitus arising in pregnancy (024.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1	
Under 1 year-----	
1-4 years-----	
5-9 years-----	
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1	
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-	
55-59 years-----	
60-64 years-----	
65-69 years-----	
70-74 years-----	
75-79 years-----	
80-84 years-----	
85-89 years-----	
90-94 years-----	
95-99 years-----	
100 yrs & over---	
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-	

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Diabetes mellitus in pregnancy, unspecified (024.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Maternal care for other conditions predominantly related to pregnancy (026)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	17	...	17	11	...	11	6	...	6	6	...	6
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	5	...	5	4	...	4	1	...	1	1	...	1
25-29 years-----	4	...	4	1	...	1	3	...	3	3	...	3
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	4	...	4	4	...	4	-	...	-	-	...	-
40-44 years-----	2	...	2	2	...	2	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Liver disorders in pregnancy, childbirth, and the puerperium (026.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - - BOTH SEXES	ALL RACES - - - - - MALE	ALL RACES - - - - - FEMALE	WHITE - - - - - BOTH SEXES	WHITE - - - - - MALE	WHITE - - - - - FEMALE	ALL OTHER - - - - - BOTH SEXES	ALL OTHER - - - - - MALE	ALL OTHER - - - - - FEMALE	BLACK - - - - - BOTH SEXES	BLACK - - - - - MALE	BLACK - - - - - FEMALE
All ages-----	7	...	7	3	...	3	4	...	4	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	3	...	3	1	...	1	2	...	2	2	...	2
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other specified pregnancy-related conditions (026.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - - BOTH SEXES	ALL RACES - - - - - MALE	ALL RACES - - - - - FEMALE	WHITE - - - - - BOTH SEXES	WHITE - - - - - MALE	WHITE - - - - - FEMALE	ALL OTHER - - - - - BOTH SEXES	ALL OTHER - - - - - MALE	ALL OTHER - - - - - FEMALE	BLACK - - - - - BOTH SEXES	BLACK - - - - - MALE	BLACK - - - - - FEMALE
All ages-----	10	...	10	8	...	8	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	4	...	4	3	...	3	1	...	1	1	...	1
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	4	...	4	4	...	4	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

ALL OTHER TOTAL BLACK

Complications of anesthesia during pregnancy (029)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Cardiac complications of anesthesia during pregnancy (029.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Multiple gestation (030)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Twin pregnancy (030.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Maternal care for other known or suspected fetal problems (036)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	2	...	2	1	...	1	1	...	1	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-

Maternal care for intrauterine death (036.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	1	...	1	-	...	-	1	...	1	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Maternal care for poor fetal growth (036.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other disorders of amniotic fluid and membranes (041)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	2	...	2	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Infection of amniotic sac and membranes (041.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Disorder of amniotic fluid and membranes, unspecified (041.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Premature rupture of membranes (042)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Premature rupture of membranes, unspecified (042.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Placenta previa (044)

Table with 15 columns (Age, All Races, White, Total, All Other, Black) and 20 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated)

Placenta previa with hemorrhage (044.1)

Table with 15 columns (Age, All Races, White, Total, All Other, Black) and 20 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated)

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Premature separation of placenta [abruptio placentae] (045)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	...	6	4	...	4	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other premature separation of placenta (045.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Premature separation of placenta, unspecified (045.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	5	...	5	3	...	3	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	2	...	2	1	...	1	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Antepartum hemorrhage, not elsewhere classified (046)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8	...	8	6	...	6	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Antepartum hemorrhage with coagulation defect (046.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other antepartum hemorrhage (046.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Antepartum hemorrhage, unspecified (046.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	...	6	5	...	5	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	3	...	3	2	...	2	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Preterm delivery (060)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Labor and delivery complicated by intrapartum hemorrhage, not elsewhere classified (067)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Intrapartum hemorrhage with coagulation defect (067.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Intrapartum hemorrhage, unspecified (067.9)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other obstetric trauma (071)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Rupture of uterus before onset of labor (071.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Rupture of uterus during labor (071.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Obstetric laceration of cervix (071.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - - BOTH SEXES	MALE	FEMALE	WHITE - - - - - BOTH SEXES	MALE	FEMALE	ALL OTHER - - - - - BOTH SEXES	MALE	FEMALE	BLACK - - - - - BOTH SEXES	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	-	...	-	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Obstetric high vaginal laceration alone (071.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - - BOTH SEXES	MALE	FEMALE	WHITE - - - - - BOTH SEXES	MALE	FEMALE	ALL OTHER - - - - - BOTH SEXES	MALE	FEMALE	BLACK - - - - - BOTH SEXES	MALE	FEMALE
All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	-	...	-	1	...	1	1	...	1
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other obstetric injury to pelvic organs (071.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	1	...	1	1	...	1	-	...	-	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-

Postpartum hemorrhage (072)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	11	...	11	7	...	7	4	...	4	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-
25-29 years-----	4	...	4	2	...	2	2	...	2	1
30-34 years-----	5	...	5	4	...	4	1	...	1	1
35-39 years-----	1	...	1	1	...	1	-	...	-	-
40-44 years-----	1	...	1	-	...	-	1	...	1	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Third-stage hemorrhage (072.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	4	...	4	3	...	3	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other immediate postpartum hemorrhage (072.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE
All ages-----	4	...	4	2	...	2	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	3	...	3	2	...	2	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Postpartum coagulation defects (072.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	2	...	2	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Complications of anesthesia during labor and delivery (074)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	2	...	2	1	...	1	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Cardiac complications of anesthesia during labor and delivery (074.2)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Central nervous system complications of anesthesia during labor and delivery (074.3)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other complications of labor and delivery, not elsewhere classified (075)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES		
All ages-----	39	...	39	25	...	25	14	...	14	12	...	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	1	...	1	1	...	1	-	...	-	-	...	-
20-24 years-----	11	...	11	6	...	6	5	...	5	5	...	5
25-29 years-----	6	...	6	5	...	5	1	...	1	1	...	1
30-34 years-----	9	...	9	7	...	7	2	...	2	1	...	1
35-39 years-----	9	...	9	5	...	5	4	...	4	3	...	3
40-44 years-----	3	...	3	1	...	1	2	...	2	2	...	2
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Shock during or following labor and delivery (075.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES		
All ages-----	11	...	11	6	...	6	5	...	5	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	4	...	4	1	...	1	3	...	3	3	...	3
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	-	...	-
35-39 years-----	4	...	4	3	...	3	1	...	1	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Other complications of obstetric surgery and procedures (075.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	11	...	11	8	...	8	3	...	3	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	2	...	2	2	...	2	-	...	-	-	...	-
30-34 years-----	5	...	5	4	...	4	1	...	1	1	...	1
35-39 years-----	3	...	3	1	...	1	2	...	2	1	...	1
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other specified complications of labor and delivery (075.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	3	...	3	1	...	1	2	...	2	2	...	2
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	2	...	2	1	...	1	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Complication of labor and delivery, unspecified (075.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Puerperal sepsis (085)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Venous complications in the puerperium (087)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Venous complication in the puerperium, unspecified (087.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Obstetric embolism (088)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER TOTAL MALE	ALL OTHER TOTAL FEMALE	ALL OTHER TOTAL BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	58	...	58	38	...	38	20	...	20	15	...	15
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	1	...	1	1	...	1	-	...	-
20-24 years-----	13	...	13	8	...	8	5	...	5	5	...	5
25-29 years-----	8	...	8	5	...	5	3	...	3	2	...	2
30-34 years-----	20	...	20	13	...	13	7	...	7	5	...	5
35-39 years-----	10	...	10	6	...	6	4	...	4	3	...	3
40-44 years-----	4	...	4	4	...	4	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Amniotic fluid embolism (088.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER TOTAL MALE	ALL OTHER TOTAL FEMALE	ALL OTHER TOTAL BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	47	...	47	31	...	31	16	...	16	12	...	12
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	2	...	2	1	...	1	1	...	1	-	...	-
20-24 years-----	12	...	12	8	...	8	4	...	4	4	...	4
25-29 years-----	7	...	7	4	...	4	3	...	3	2	...	2
30-34 years-----	13	...	13	9	...	9	4	...	4	3	...	3
35-39 years-----	8	...	8	4	...	4	4	...	4	3	...	3
40-44 years-----	4	...	4	4	...	4	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Obstetric blood-clot embolism (088.2)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	10	...	10	7	...	7	3	...	3	3	...	3
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	6	...	6	4	...	4	2	...	2	2	...	2
35-39 years-----	2	...	2	2	...	2	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Obstetric pyemic and septic embolism (088.3)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	-	...	-	1	...	1	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Complications of anesthesia during the puerperium (089)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Cardiac complications of anesthesia during the puerperium (089.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Complications of the puerperium, not elsewhere classified (090)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Cardiomyopathy in the puerperium (090.3)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Obstetric death of unspecified cause (095)

All ages-----	4	...	4	3	...	3	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	1	...	1	-	...	-	1	...	1	1	...	1
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery (096)

All ages-----	2	...	2	1	...	1	1	...	1	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	-	...	-	1	...	1	1	...	1
25-29 years-----	1	...	1	1	...	1	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),
AND AGE

ALL RACES - - - WHITE - - - ALL OTHER - - - BLACK - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Death from sequelae of direct obstetric causes (097)

All ages-----	6	...	6	2	...	2	4	...	4	4	...	4
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	1	...	1	1	...	1	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	1	...	1	1	...	1	1	...	1
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	2	...	2	-	...	-	2	...	2	2	...	2
45-49 years-----	1	...	1	-	...	-	1	...	1	1	...	1
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (098)

All ages-----	3	...	3	1	...	1	2	...	2	1	...	1
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	2	...	2	1	...	1	1	...	1	1	...	1
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	1	...	1	-	...	-	1	...	1	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other viral diseases complicating pregnancy, childbirth, and the puerperium (098.5)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other maternal infectious and parasitic diseases complicating pregnancy, childbirth, and the puerperium (098.8)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium (099)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	52	...	52	33	...	33	19	...	19	17	...	17
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	4	...	4	3	...	3	1	...	1	-	...	-
20-24 years-----	9	...	9	7	...	7	2	...	2	2	...	2
25-29 years-----	13	...	13	9	...	9	4	...	4	4	...	4
30-34 years-----	11	...	11	6	...	6	5	...	5	5	...	5
35-39 years-----	12	...	12	6	...	6	6	...	6	5	...	5
40-44 years-----	3	...	3	2	...	2	1	...	1	1	...	1
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, childbirth, and the puerperium (099.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----
1-4 years-----
5-9 years-----
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	1	...	1	1	...	1	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----
60-64 years-----
65-69 years-----
70-74 years-----
75-79 years-----
80-84 years-----
85-89 years-----
90-94 years-----
95-99 years-----
100 yrs & over---
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Mental disorders and diseases of the nervous system complicating pregnancy, childbirth, and the puerperium (099.3)

Table with 13 columns: Cause of Death, All Races, White, All Other, Black, and Female. Rows include age groups from 'All ages' to 'Not stated'.

Diseases of the circulatory system complicating pregnancy, childbirth, and the puerperium (099.4)

Table with 13 columns: Cause of Death, All Races, White, All Other, Black, and Female. Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Diseases of the respiratory system complicating pregnancy, childbirth, and the puerperium (099.5)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other specified diseases and conditions complicating pregnancy, childbirth, and the puerperium (099.8)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

ALL RACES - - - WHITE - - - ALL OTHER - - - BLACK - - -
 AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Newborn affected by other maternal complications of pregnancy (P01.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),	ALL RACES	WHITE	ALL OTHER	BLACK
AND AGE	BOTH SEXES	MALE	FEMALE	FEMALE
All ages-----	54	33	21	24
Under 1 year-----	54	33	21	24
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Newborn affected by maternal complication of pregnancy, unspecified (P01.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),	ALL RACES	WHITE	ALL OTHER	BLACK
AND AGE	BOTH SEXES	MALE	FEMALE	FEMALE
All ages-----	1	-	1	-
Under 1 year-----	1	-	1	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Newborn affected by other forms of placental separation and hemorrhage (P02.1)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include 'All ages' and age groups from 'Under 1 year' to '100 yrs & over'.

Newborn affected by other and unspecified morphological and functional abnormalities of placenta (P02.2)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include 'All ages' and age groups from 'Under 1 year' to '100 yrs & over'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Newborn affected by placental transfusion syndromes (P02.3)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include 'All ages' and 'Under 1 year' with counts for each category.

Newborn affected by prolapsed cord (P02.4)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include 'All ages' and 'Under 1 year' with counts for each category.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Newborn affected by noxious influences transmitted via placenta or breast milk (P04)

Table with 13 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 95-99 years, plus 100 yrs & over and Not stated.

Newborn affected by maternal use of tobacco (P04.2)

Table with 13 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 95-99 years, plus 100 yrs & over and Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Newborn affected by maternal use of drugs of addiction (P04.4)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Newborn affected by other maternal noxious influences (P04.8)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), - - - ALL RACES - - - - - WHITE - - - - - TOTAL - - - - - ALL OTHER - - - - - BLACK - - - - - AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Slow fetal growth, unspecified (P05.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	TOTAL BOTH SEXES	TOTAL MALE	TOTAL FEMALE	ALL OTHER BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	68	33	35	47	22	25	21	11	10	15	8	7			
Under 1 year-----	68	33	35	47	22	25	21	11	10	15	8	7			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Disorders related to short gestation and low birthweight, not elsewhere classified (P07)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	TOTAL BOTH SEXES	TOTAL MALE	TOTAL FEMALE	ALL OTHER BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	4,404	2,397	2,007	2,385	1,283	1,102	2,019	1,114	905	1,873	1,032	841			
Under 1 year-----	4,397	2,391	2,006	2,382	1,280	1,102	2,015	1,111	904	1,870	1,030	840			
1-4 years-----	5	4	1	2	2	-	3	2	1	2	1	1			
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Congenital viral diseases (P35)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	67	46	21	46	32	14	21	14	7	17	12	5			
Under 1 year-----	53	38	15	36	25	11	17	13	4	15	11	4			
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
5-9 years-----	4	3	1	3	3	-	1	-	1	-	-	-			
10-14 years-----	2	1	1	1	1	-	1	-	1	-	-	1			
15-19 years-----	4	3	1	3	3	-	1	-	1	-	-	-			
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
25-29 years-----	2	1	1	1	-	1	1	1	-	1	1	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Congenital rubella syndrome (P35.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	4	3	1	3	2	1	1	1	-	1	1	-			
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	2	1	1	1	-	1	1	1	-	1	1	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Transient neonatal neutropenia (P61.5)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include 'All ages' and 'Under 1 year' with sub-rows for 5-year age groups from 1-4 to 95-99 years, plus '100 yrs & over' and 'Not stated'.

Transitory disorders of carbohydrate metabolism specific to newborn (P70)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include 'All ages' and 'Under 1 year' with sub-rows for 5-year age groups from 1-4 to 95-99 years, plus '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Microcephaly (Q02)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	88	49	39	67	39	28	21	10	11	18	8	10			
Under 1 year-----	19	10	9	16	9	7	3	1	2	3	1	2			
1-4 years-----	16	8	8	13	7	6	3	1	2	3	1	2			
5-9 years-----	13	9	4	8	6	2	5	3	2	3	2	1			
10-14 years-----	9	3	6	6	2	4	3	1	2	2	-	2			
15-19 years-----	6	4	2	4	2	2	2	2	-	2	2	-			
20-24 years-----	8	6	2	6	5	1	2	1	1	2	1	1			
25-29 years-----	6	3	3	5	3	2	1	-	1	1	-	1			
30-34 years-----	3	2	1	2	1	1	1	1	-	1	1	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
45-49 years-----	2	-	2	1	-	1	1	-	1	1	-	1			
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-			
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Congenital hydrocephalus (Q03)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	193	113	80	143	88	55	50	25	25	44	24	20			
Under 1 year-----	95	55	40	73	43	30	22	12	10	19	11	8			
1-4 years-----	23	12	11	17	10	7	6	2	4	5	2	3			
5-9 years-----	11	3	8	6	2	4	5	1	4	5	1	4			
10-14 years-----	13	8	5	9	7	2	4	1	3	3	1	2			
15-19 years-----	7	4	3	4	3	1	3	1	2	3	1	2			
20-24 years-----	4	2	2	2	-	2	2	2	-	2	2	-			
25-29 years-----	4	4	-	3	3	-	1	1	-	1	1	-			
30-34 years-----	4	2	2	3	2	1	1	-	1	1	-	1			
35-39 years-----	4	2	2	3	1	2	1	1	-	1	1	-			
40-44 years-----	8	5	3	7	4	3	1	1	-	1	1	-			
45-49 years-----	4	4	-	3	3	-	1	1	-	1	1	-			
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years-----	4	3	1	3	2	1	1	-	-	1	1	-			
65-69 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
70-74 years-----	3	1	2	2	1	1	1	-	1	-	-	1			
75-79 years-----	2	2	-	1	1	-	1	1	-	1	1	-			
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Thoracic spina bifida with hydrocephalus (Q05.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	1	1	-	1
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Unspecified spina bifida with hydrocephalus (Q05.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	32	18	14	25
Under 1 year-----	9	6	3	7
1-4 years-----	-	-	-	-
5-9 years-----	1	-	1	-
10-14 years-----	4	4	-	3
15-19 years-----	5	1	4	4
20-24 years-----	4	2	2	3
25-29 years-----	5	3	2	5
30-34 years-----	1	-	1	-
35-39 years-----	-	-	-	-
40-44 years-----	1	-	1	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	2	2	-	2
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Discordant atrioventricular connection (Q20.5)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Isomerism of atrial appendages (Q20.6)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Atrial septal defect (Q21.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	281	113	168	239
Under 1 year-----	15	5	10	8
1-4 years-----	4	2	2	2
5-9 years-----	1	-	1	1
10-14 years-----	3	2	1	2
15-19 years-----	2	1	1	2
20-24 years-----	-	-	-	-
25-29 years-----	4	1	3	2
30-34 years-----	7	4	3	5
35-39 years-----	7	3	4	6
40-44 years-----	5	3	2	5
45-49 years-----	7	4	3	4
50-54 years-----	9	5	4	7
55-59 years-----	9	5	4	5
60-64 years-----	20	9	11	17
65-69 years-----	18	9	9	12
70-74 years-----	15	6	9	13
75-79 years-----	38	16	22	37
80-84 years-----	50	18	32	47
85-89 years-----	34	11	23	33
90-94 years-----	24	7	17	24
95-99 years-----	7	1	6	5
100 yrs & over---	2	1	1	2
Not stated-----	-	-	-	-

Atrioventricular septal defect (Q21.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	68	32	36	53
Under 1 year-----	42	17	25	32
1-4 years-----	6	5	1	4
5-9 years-----	1	-	1	1
10-14 years-----	-	-	-	-
15-19 years-----	1	1	-	1
20-24 years-----	4	1	3	2
25-29 years-----	2	1	1	2
30-34 years-----	4	2	2	4
35-39 years-----	4	3	1	3
40-44 years-----	-	-	-	-
45-49 years-----	2	1	1	2
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - TOTAL - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hypoplastic right heart syndrome (Q22.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8	5	3	3	1	2	5	4	1	4	3	1			
Under 1 year-----	7	4	3	3	1	2	4	3	1	4	3	1			
1-4 years-----	1	1	-	-	-	-	1	1	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Other congenital malformations of tricuspid valve (Q22.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	6	4	2	4	2	2	2	2	-	2	2	-			
Under 1 year-----	6	4	2	4	2	2	2	2	-	2	2	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Dextrocardia (Q24.0)

	ALL RACES	MALE	FEMALE	BOTH SEXES	WHITE	MALE	FEMALE	BOTH SEXES	TOTAL	MALE	FEMALE	BOTH SEXES	ALL OTHER	MALE	FEMALE
All ages-----	8	5	3	6	4	2	2	1	1	2	1	1			
Under 1 year-----	4	2	2	2	1	1	2	1	1	2	1	1			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Cor triatriatum (Q24.2)

	ALL RACES	MALE	FEMALE	BOTH SEXES	WHITE	MALE	FEMALE	BOTH SEXES	TOTAL	MALE	FEMALE	BOTH SEXES	ALL OTHER	MALE	FEMALE
All ages-----	3	-	3	2	-	2	1	-	1	1	-	1			
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1			
1-4 years-----	2	-	2	2	-	2	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Congenital malformations of larynx (Q31)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	7	3	4	5
Under 1 year-----	4	3	1	2
1-4 years-----	2	-	2	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	1	-	1	1
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Web of larynx (Q31.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	-
Under 1 year-----	1	1	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Congenital malformation of digestive system, unspecified (Q45.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	2	-	2	2	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations of uterus and cervix (Q51)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Bicornate uterus (Q51.3)

All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	1	...	1	1	...	1	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other congenital malformations of female genitalia (Q52)

All ages-----	2	...	2	2	...	2	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	1	...	1	1	...	1	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	1	...	1	1	...	1	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other congenital malformations of vagina (Q52.4)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Congenital malformation of female genitalia, unspecified (Q52.9)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Hypospadias (Q54)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Hypospadias, unspecified (Q54.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	1	1	...	1	1	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other congenital malformations of male genital organs (Q55)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Other congenital malformations of vas deferens, epididymis, seminal vesicles, and prostate (Q55.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	1	1	...	1	1	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Indeterminate sex and pseudohermaphroditism (Q56)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	1	1	2	1	1
Under 1 year-----	1	1	-	1	1	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

Female pseudohermaphroditism, not elsewhere classified (Q56.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	-	1	1	-	1
Under 1 year-----	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-
20-24 years-----	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Congenital absence of both lower leg and foot (Q72.2)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Reduction defects of unspecified limb (Q73)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Epidermolysis bullosa (Q81)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	18	8	10	16
Under 1 year-----	12	4	8	11
1-4 years-----	-	-	-	-
5-9 years-----	1	-	1	1
10-14 years-----	2	2	-	1
15-19 years-----	-	-	-	-
20-24 years-----	1	-	1	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	1	1	-	1
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Epidermolysis bullosa letalis (Q81.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	-	1	1
Under 1 year-----	1	-	1	1
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified congenital malformation syndromes affecting multiple systems (Q87)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	234	129	105	206	114	92	28	15	13	23	12	11			
Under 1 year-----	61	31	30	50	24	26	11	7	4	7	4	3			
1-4 years-----	27	16	11	21	13	8	6	3	3	5	3	2			
5-9 years-----	5	3	2	5	3	2	-	-	-	-	-	-			
10-14 years-----	12	6	6	10	5	5	2	1	1	2	1	1			
15-19 years-----	12	7	5	12	7	5	-	-	-	-	-	-			
20-24 years-----	16	12	4	14	10	4	2	2	-	2	2	-			
25-29 years-----	12	8	4	11	8	3	1	-	1	1	-	1			
30-34 years-----	12	10	2	11	9	2	1	1	-	1	1	-			
35-39 years-----	14	6	8	12	6	6	2	-	2	2	-	2			
40-44 years-----	19	9	10	18	8	10	1	1	-	1	1	-			
45-49 years-----	8	5	3	8	5	3	-	-	-	-	-	-			
50-54 years-----	8	4	4	8	4	4	-	-	-	-	-	-			
55-59 years-----	8	4	4	7	4	3	1	-	1	1	-	1			
60-64 years-----	5	1	4	5	1	4	-	-	-	-	-	-			
65-69 years-----	5	3	2	5	3	2	-	-	-	-	-	-			
70-74 years-----	5	2	3	4	2	2	1	-	1	1	-	1			
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
80-84 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Congenital malformation syndromes predominantly affecting facial appearance (Q87.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	30	16	14	24	12	12	6	4	2	5	3	2			
Under 1 year-----	15	8	7	11	5	6	4	3	1	3	2	1			
1-4 years-----	9	3	6	7	2	5	2	1	1	2	1	1			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Marfan's syndrome (Q87.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	95	51	44	85
Under 1 year-----	4	1	3	3
1-4 years-----	1	-	1	-
5-9 years-----	-	-	-	-
10-14 years-----	3	1	2	2
15-19 years-----	8	5	3	8
20-24 years-----	9	7	2	8
25-29 years-----	5	4	1	4
30-34 years-----	7	6	1	6
35-39 years-----	11	4	7	9
40-44 years-----	17	8	9	16
45-49 years-----	5	3	2	5
50-54 years-----	4	4	-	4
55-59 years-----	5	2	3	4
60-64 years-----	5	1	4	5
65-69 years-----	4	2	2	4
70-74 years-----	4	1	3	3
75-79 years-----	1	-	1	1
80-84 years-----	1	1	-	1
85-89 years-----	1	1	-	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Other specified congenital malformation syndromes, not elsewhere classified (Q87.8)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	41	24	17	37
Under 1 year-----	20	9	11	16
1-4 years-----	6	5	1	6
5-9 years-----	-	-	-	-
10-14 years-----	1	-	1	1
15-19 years-----	-	-	-	-
20-24 years-----	3	3	-	3
25-29 years-----	1	1	-	1
30-34 years-----	1	-	1	1
35-39 years-----	1	1	-	1
40-44 years-----	1	1	-	1
45-49 years-----	1	1	-	1
50-54 years-----	2	-	2	2
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	1	1	-	1
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	1	-	1	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Down's syndrome, unspecified (Q90.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	713	350	363	631	316	315	82	34	48	74	28	46
Under 1 year-----	93	54	39	72	46	26	21	8	13	19	7	12
1-4 years-----	19	12	7	13	8	5	6	4	2	6	4	2
5-9 years-----	7	6	1	6	5	1	1	1	-	1	1	-
10-14 years-----	4	1	3	2	1	1	2	-	2	1	-	1
15-19 years-----	14	9	5	11	8	3	3	1	2	3	1	2
20-24 years-----	8	3	5	6	3	3	2	-	2	2	-	2
25-29 years-----	23	9	14	17	6	11	6	3	3	6	3	3
30-34 years-----	32	16	16	29	15	14	3	1	2	3	1	2
35-39 years-----	32	17	15	26	16	10	6	1	5	6	1	5
40-44 years-----	34	17	17	30	16	14	4	1	3	4	1	3
45-49 years-----	56	23	33	52	20	32	4	3	1	2	1	1
50-54 years-----	119	65	54	114	63	51	5	2	3	4	1	3
55-59 years-----	103	52	51	94	49	45	9	3	6	9	3	6
60-64 years-----	89	38	51	82	35	47	7	3	4	6	2	4
65-69 years-----	57	22	35	54	19	35	3	3	-	2	2	-
70-74 years-----	14	5	9	14	5	9	-	-	-	-	-	-
75-79 years-----	6	1	5	6	1	5	-	-	-	-	-	-
80-84 years-----	2	-	2	2	-	2	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Edwards' syndrome and Patau's syndrome (Q91)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	801	354	447	609	268	341	192	86	106	157	74	83
Under 1 year-----	768	343	425	586	261	325	182	82	100	147	70	77
1-4 years-----	20	8	12	12	4	8	8	4	4	8	4	4
5-9 years-----	4	-	4	3	-	3	1	-	1	1	-	1
10-14 years-----	3	1	2	3	1	2	-	-	-	-	-	-
15-19 years-----	3	1	2	3	1	2	-	-	-	-	-	-
20-24 years-----	2	1	1	1	1	-	1	-	1	1	-	1
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Turner's syndrome (Q96)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8	...	8	7	...	7	1	...	1	-	...	-
Under 1 year-----	2	...	2	1	...	1	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other variants of Turner's syndrome (Q96.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	-	...	-	1	...	1	-	...	-
Under 1 year-----	1	...	1	-	...	-	1	...	1	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Turner's syndrome, unspecified (Q96.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	7	...	7	7	...	7	-	...	-	-	...	-
Under 1 year-----	1	...	1	1	...	1	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	2	...	2	2	...	2	-	...	-	-	...	-
35-39 years-----	1	...	1	1	...	1	-	...	-	-	...	-
40-44 years-----	1	...	1	1	...	1	-	...	-	-	...	-
45-49 years-----	1	...	1	1	...	1	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	1	...	1	1	...	1	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	-	...	-	-	...	-	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

Other sex chromosome abnormalities, female phenotype, not elsewhere classified (Q97)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	...	1	1	...	1	-	...	-	-	...	-
Under 1 year-----	-	...	-	-	...	-	-	...	-	-	...	-
1-4 years-----	-	...	-	-	...	-	-	...	-	-	...	-
5-9 years-----	-	...	-	-	...	-	-	...	-	-	...	-
10-14 years-----	-	...	-	-	...	-	-	...	-	-	...	-
15-19 years-----	-	...	-	-	...	-	-	...	-	-	...	-
20-24 years-----	-	...	-	-	...	-	-	...	-	-	...	-
25-29 years-----	-	...	-	-	...	-	-	...	-	-	...	-
30-34 years-----	-	...	-	-	...	-	-	...	-	-	...	-
35-39 years-----	-	...	-	-	...	-	-	...	-	-	...	-
40-44 years-----	-	...	-	-	...	-	-	...	-	-	...	-
45-49 years-----	-	...	-	-	...	-	-	...	-	-	...	-
50-54 years-----	-	...	-	-	...	-	-	...	-	-	...	-
55-59 years-----	-	...	-	-	...	-	-	...	-	-	...	-
60-64 years-----	-	...	-	-	...	-	-	...	-	-	...	-
65-69 years-----	-	...	-	-	...	-	-	...	-	-	...	-
70-74 years-----	-	...	-	-	...	-	-	...	-	-	...	-
75-79 years-----	-	...	-	-	...	-	-	...	-	-	...	-
80-84 years-----	1	...	1	1	...	1	-	...	-	-	...	-
85-89 years-----	-	...	-	-	...	-	-	...	-	-	...	-
90-94 years-----	-	...	-	-	...	-	-	...	-	-	...	-
95-99 years-----	-	...	-	-	...	-	-	...	-	-	...	-
100 yrs & over---	-	...	-	-	...	-	-	...	-	-	...	-
Not stated-----	-	...	-	-	...	-	-	...	-	-	...	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Female with more than three X chromosomes (Q97.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Klinefelter's syndrome, male with 46, XX karyotype (Q98.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	...	1	1	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	-	-	...	-	-	...	-	-	...	-	-	...
40-44 years-----	1	1	...	1	1	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	-	-	...	-	-	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

Klinefelter's syndrome, unspecified (Q98.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	2	...	2	2	...	-	-	...	-	-	...
Under 1 year-----	-	-	...	-	-	...	-	-	...	-	-	...
1-4 years-----	-	-	...	-	-	...	-	-	...	-	-	...
5-9 years-----	-	-	...	-	-	...	-	-	...	-	-	...
10-14 years-----	-	-	...	-	-	...	-	-	...	-	-	...
15-19 years-----	-	-	...	-	-	...	-	-	...	-	-	...
20-24 years-----	-	-	...	-	-	...	-	-	...	-	-	...
25-29 years-----	-	-	...	-	-	...	-	-	...	-	-	...
30-34 years-----	-	-	...	-	-	...	-	-	...	-	-	...
35-39 years-----	1	1	...	1	1	...	-	-	...	-	-	...
40-44 years-----	-	-	...	-	-	...	-	-	...	-	-	...
45-49 years-----	-	-	...	-	-	...	-	-	...	-	-	...
50-54 years-----	-	-	...	-	-	...	-	-	...	-	-	...
55-59 years-----	-	-	...	-	-	...	-	-	...	-	-	...
60-64 years-----	-	-	...	-	-	...	-	-	...	-	-	...
65-69 years-----	1	1	...	1	1	...	-	-	...	-	-	...
70-74 years-----	-	-	...	-	-	...	-	-	...	-	-	...
75-79 years-----	-	-	...	-	-	...	-	-	...	-	-	...
80-84 years-----	-	-	...	-	-	...	-	-	...	-	-	...
85-89 years-----	-	-	...	-	-	...	-	-	...	-	-	...
90-94 years-----	-	-	...	-	-	...	-	-	...	-	-	...
95-99 years-----	-	-	...	-	-	...	-	-	...	-	-	...
100 yrs & over---	-	-	...	-	-	...	-	-	...	-	-	...
Not stated-----	-	-	...	-	-	...	-	-	...	-	-	...

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Dyspnea (R06.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	76	36	40	62	27	35	14	9	5	11	6	5			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
45-49 years-----	3	2	1	2	1	1	1	1	-	-	-	-			
50-54 years-----	2	2	-	1	1	-	1	1	-	1	1	-			
55-59 years-----	5	3	2	4	2	2	1	1	-	1	1	-			
60-64 years-----	7	4	3	5	3	2	2	1	1	2	1	1			
65-69 years-----	7	5	2	4	3	1	3	2	1	3	2	1			
70-74 years-----	9	5	4	6	3	3	3	2	1	2	1	1			
75-79 years-----	7	4	3	7	4	3	3	-	-	-	-	-			
80-84 years-----	13	7	6	11	6	5	2	1	1	1	-	-			1
85-89 years-----	8	2	6	8	2	6	-	-	-	-	-	-			-
90-94 years-----	6	1	5	5	1	4	1	-	1	1	-	-			1
95-99 years-----	4	1	3	4	1	3	-	-	-	-	-	-			-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Hyperventilation (R06.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	11	1	10	9	-	9	2	1	1	2	1	1			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	3	-	3	3	-	3	-	-	-	-	-	-			
70-74 years-----	2	-	2	1	-	1	1	-	1	1	-	-			1
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-			-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-			-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Chest pain, unspecified (R07.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	7	4	3	6	3	3	1	1	-	1	1	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	-	-	1	1	-	1	-	1	1	-	-
80-84 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Other symptoms and signs involving the circulatory and respiratory systems (R09)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	2,407	988	1,419	2,052	840	1,212	355	148	207	324	133	191	133	191	
Under 1 year-----	22	14	8	18	12	6	4	2	2	4	2	2	2	2	
1-4 years-----	10	3	7	5	2	3	5	1	4	5	1	4	1	4	
5-9 years-----	2	-	2	1	-	1	1	-	1	1	-	1	-	1	
10-14 years-----	3	2	1	3	2	1	-	-	-	-	-	-	-	-	
15-19 years-----	10	5	5	7	3	4	3	2	1	3	2	1	2	1	
20-24 years-----	4	4	-	3	3	-	1	1	-	1	1	-	1	-	
25-29 years-----	6	5	1	3	3	-	3	2	1	3	2	1	2	1	
30-34 years-----	5	2	3	4	2	2	1	-	1	1	-	1	-	1	
35-39 years-----	18	12	6	13	11	2	5	1	4	4	1	3	1	3	
40-44 years-----	30	15	15	18	11	7	12	4	8	11	3	8	3	8	
45-49 years-----	46	24	22	32	17	15	14	7	7	13	6	7	6	7	
50-54 years-----	66	39	27	49	30	19	17	9	8	15	7	8	7	8	
55-59 years-----	66	39	27	50	26	24	16	13	3	15	13	2	13	2	
60-64 years-----	97	52	45	75	41	34	22	11	11	21	10	11	10	11	
65-69 years-----	136	77	59	109	62	47	27	15	12	26	15	11	15	11	
70-74 years-----	228	130	98	189	110	79	39	20	19	37	18	19	18	19	
75-79 years-----	278	136	142	245	123	122	33	13	20	32	13	19	13	19	
80-84 years-----	377	163	214	329	144	185	48	19	29	42	15	27	15	27	
85-89 years-----	480	163	317	429	148	281	51	15	36	47	13	34	13	34	
90-94 years-----	342	76	266	306	68	238	36	8	28	29	7	22	7	22	
95-99 years-----	141	16	125	131	13	118	10	3	7	7	2	5	2	5	
100 yrs & over---	39	10	29	33	9	24	6	1	5	6	1	5	1	5	
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-	1	-	

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Dysphagia (R13)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	49	18	31	49
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	2	-	2	2
75-79 years-----	9	5	4	9
80-84 years-----	9	1	8	9
85-89 years-----	9	2	7	9
90-94 years-----	8	6	2	8
95-99 years-----	10	2	8	10
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Flatulence and related conditions (R14)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	5	2	3	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	1	-	1
75-79 years-----	-	-	-	-
80-84 years-----	1	-	1	1
85-89 years-----	1	-	1	1
90-94 years-----	-	-	-	-
95-99 years-----	1	-	1	1
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other lack of coordination (R27)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other and unspecified lack of coordination (R27.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Cardiogenic shock (R57.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	482	238	244	398
Under 1 year-----	-	-	-	-
1-4 years-----	1	1	-	1
5-9 years-----	1	1	-	1
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	1	1	-	1
25-29 years-----	1	1	-	1
30-34 years-----	3	1	2	2
35-39 years-----	1	1	-	1
40-44 years-----	8	4	4	5
45-49 years-----	9	5	4	7
50-54 years-----	16	9	7	9
55-59 years-----	20	13	7	15
60-64 years-----	30	20	10	22
65-69 years-----	54	34	20	41
70-74 years-----	57	28	29	47
75-79 years-----	80	46	34	68
80-84 years-----	75	36	39	66
85-89 years-----	70	26	44	63
90-94 years-----	36	9	27	32
95-99 years-----	16	2	14	15
100 yrs & over---	3	-	3	2
Not stated-----	-	-	-	-

Hypovolemic shock (R57.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	17	9	8	11
Under 1 year-----	1	1	-	1
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	1	1	-	1
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	1	-	1
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	1	-	1	-
65-69 years-----	1	-	1	-
70-74 years-----	-	-	-	-
75-79 years-----	2	1	1	1
80-84 years-----	4	1	3	3
85-89 years-----	5	3	2	5
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Anorexia (R63.0)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	76	13	63	69	12	57	7	1	6	6	1	5			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
45-49 years-----	2	-	2	2	-	2	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	3	-	3	3	-	3	-	-	-	-	-	-			
80-84 years-----	11	2	9	9	2	7	2	-	2	2	-	2			2
85-89 years-----	23	5	18	23	5	18	-	-	-	-	-	-			-
90-94 years-----	16	2	14	13	2	11	3	-	3	2	-	2			2
95-99 years-----	17	3	14	15	2	13	2	1	1	2	1	1			1
100 yrs & over---	2	-	2	2	-	2	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Polydipsia (R63.1)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unattended death (R98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	32	24	8	28	22	6	4	2	2	4	2	2
Under 1 year-----	5	2	3	1	-	1	4	2	2	4	2	2
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	3	3	-	3	3	-	-	-	-	-	-	-
45-49 years-----	6	6	-	6	6	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	3	-	3	3	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	2	-	2	2	-	2	-	-	-	-	-	-
70-74 years-----	2	2	-	2	2	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other ill-defined and unspecified causes of mortality (R99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	17,739	10,014	7,725	14,653	8,207	6,446	3,086	1,807	1,279	2,733	1,594	1,139
Under 1 year-----	1,044	612	432	638	372	266	406	240	166	363	217	146
1-4 years-----	169	99	70	119	74	45	50	25	25	42	23	19
5-9 years-----	59	35	24	39	26	13	20	9	11	13	7	6
10-14 years-----	69	39	30	43	22	21	26	17	9	22	16	6
15-19 years-----	257	163	94	197	131	66	60	32	28	52	27	25
20-24 years-----	445	313	132	341	250	91	104	63	41	91	56	35
25-29 years-----	526	364	162	401	284	117	125	80	45	102	66	36
30-34 years-----	749	526	223	604	432	172	145	94	51	125	81	44
35-39 years-----	1,097	730	367	898	617	281	199	113	86	170	89	81
40-44 years-----	1,446	970	476	1,168	804	364	278	166	112	256	148	108
45-49 years-----	1,480	1,005	475	1,190	822	368	290	183	107	258	160	98
50-54 years-----	1,184	816	368	926	643	283	258	173	85	234	160	74
55-59 years-----	917	597	320	739	481	258	178	116	62	155	103	52
60-64 years-----	795	515	280	647	421	226	148	94	54	135	86	49
65-69 years-----	928	594	334	752	476	276	176	118	58	156	104	52
70-74 years-----	1,017	543	474	895	472	423	122	71	51	109	63	46
75-79 years-----	1,146	590	556	1,017	521	496	129	69	60	114	62	52
80-84 years-----	1,282	555	727	1,170	507	663	112	48	64	104	46	58
85-89 years-----	1,278	453	825	1,183	413	770	95	40	55	81	32	49
90-94 years-----	1,002	278	724	926	257	669	76	21	55	72	19	53
95-99 years-----	566	107	459	525	99	426	41	8	33	36	6	30
100 yrs & over---	169	21	148	152	17	135	17	4	13	16	3	13
Not stated-----	114	89	25	83	66	17	31	23	8	27	20	7

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Pedestrian injured in collision with pedal cycle (V01)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Traffic accident (V01.1)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pedestrian injured in collision with car, pickup truck, or van (V03)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3,101	2,111	990	2,391	1,600	791	710	511	199	543	394	149			
Under 1 year-----	9	4	5	7	3	4	2	1	1	2	1	1			
1-4 years-----	166	103	63	113	70	43	53	33	20	44	27	17			
5-9 years-----	124	77	47	81	52	29	43	25	18	39	23	16			
10-14 years-----	111	73	38	88	56	32	23	17	6	22	17	5			
15-19 years-----	149	97	52	118	73	45	31	24	7	22	17	5			
20-24 years-----	166	132	34	142	110	32	24	22	2	17	16	1			
25-29 years-----	158	129	29	112	90	22	46	39	7	30	24	6			
30-34 years-----	179	138	41	136	108	28	43	30	13	28	19	9			
35-39 years-----	244	176	68	177	125	52	67	51	16	56	43	13			
40-44 years-----	277	202	75	193	142	51	84	60	24	69	47	22			
45-49 years-----	250	193	57	182	142	40	68	51	17	60	45	15			
50-54 years-----	202	138	64	156	110	46	46	28	18	36	23	13			
55-59 years-----	183	133	50	141	100	41	42	33	9	37	29	8			
60-64 years-----	141	95	46	114	77	37	27	18	9	20	13	7			
65-69 years-----	128	83	45	103	63	40	25	20	5	14	12	2			
70-74 years-----	143	83	60	121	70	51	22	13	9	14	11	3			
75-79 years-----	168	91	77	145	75	70	23	16	7	15	11	4			
80-84 years-----	154	78	76	135	64	71	19	14	5	7	6	1			
85-89 years-----	103	55	48	88	44	44	15	11	4	8	7	1			
90-94 years-----	36	22	14	30	18	12	6	4	2	2	2	-			
95-99 years-----	5	4	1	4	3	1	1	1	-	1	1	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	5	5	-	5	5	-	-	-	-	-	-	-			

Nontraffic accident (V03.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	176	113	63	147	94	53	29	19	10	19	12	7			
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-			
1-4 years-----	49	28	21	37	22	15	12	6	6	9	5	4			
5-9 years-----	5	2	3	4	2	2	1	-	1	1	-	1			
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
15-19 years-----	11	7	4	10	6	4	1	1	-	1	1	-			
20-24 years-----	5	4	1	3	2	1	2	2	-	1	1	-			
25-29 years-----	2	2	-	-	-	-	2	2	-	-	-	-			
30-34 years-----	8	6	2	6	5	1	2	1	1	1	-	1			
35-39 years-----	6	6	-	6	6	-	-	-	-	-	-	-			
40-44 years-----	10	6	4	9	6	3	1	-	1	-	-	-			
45-49 years-----	7	7	-	6	6	-	1	1	-	1	1	-			
50-54 years-----	5	3	2	5	3	2	-	-	-	-	-	-			
55-59 years-----	7	6	1	6	5	1	1	1	-	1	1	-			
60-64 years-----	4	4	-	4	4	-	-	-	-	-	-	-			
65-69 years-----	9	6	3	8	5	3	1	1	-	1	1	-			
70-74 years-----	6	4	2	5	4	1	1	-	1	1	-	1			
75-79 years-----	17	9	8	15	7	8	2	2	-	-	-	-			
80-84 years-----	13	6	7	11	4	7	2	2	-	2	2	-			
85-89 years-----	5	2	3	5	2	3	-	-	-	-	-	-			
90-94 years-----	4	3	1	4	3	1	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Traffic accident (V04.1)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	262	174	88	196	128	68	66	46	20	48	38	10			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	8	5	3	6	4	2	2	1	1	2	1	1			
5-9 years-----	17	8	9	13	5	8	4	3	1	3	3	-			
10-14 years-----	2	-	2	1	-	1	1	-	1	1	-	1			
15-19 years-----	11	8	3	10	7	3	1	1	-	1	1	-			
20-24 years-----	16	11	5	13	9	4	3	2	1	3	2	1			
25-29 years-----	24	16	8	20	13	7	4	3	1	3	2	1			
30-34 years-----	16	11	5	13	8	5	3	3	-	2	2	-			
35-39 years-----	21	12	9	14	9	5	7	3	4	5	3	2			
40-44 years-----	30	22	8	19	15	4	11	7	4	9	6	3			
45-49 years-----	19	16	3	16	13	3	3	3	-	2	2	-			
50-54 years-----	19	14	5	13	9	4	6	5	1	4	4	-			
55-59 years-----	15	11	4	11	8	3	4	3	1	3	3	-			
60-64 years-----	15	10	5	12	8	4	3	2	1	1	1	-			
65-69 years-----	12	9	3	7	5	2	5	4	1	5	4	1			
70-74 years-----	8	3	5	6	1	5	2	2	-	1	1	-			
75-79 years-----	13	9	4	8	6	2	5	3	2	2	2	-			
80-84 years-----	7	4	3	7	4	3	-	-	-	-	-	-			
85-89 years-----	5	4	1	3	3	-	2	1	1	1	1	-			
90-94 years-----	3	-	3	3	-	3	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-			

Unspecified whether traffic or nontraffic accident (V04.9)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	4	2	2	3	2	1	1	-	1	1	-	1			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	1	-	1	-	-	-	1	-	1	1	-	1			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Pedestrian injured in collision with railway train or railway vehicle (V05)

All ages-----	449	386	63	352	303	49	97	83	14	83	73	10
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	5	4	1	2	1	1	3	3	-	2	2	-
5-9 years-----	2	2	-	2	2	-	-	-	-	-	-	-
10-14 years-----	14	10	4	9	6	3	5	4	1	3	3	-
15-19 years-----	45	40	5	38	34	4	7	6	1	6	5	1
20-24 years-----	42	35	7	32	26	6	10	9	1	10	9	1
25-29 years-----	37	34	3	33	30	3	4	4	-	4	4	-
30-34 years-----	38	31	7	27	22	5	11	9	2	10	8	2
35-39 years-----	63	53	10	52	45	7	11	8	3	9	7	2
40-44 years-----	64	59	5	48	44	4	16	15	1	13	13	-
45-49 years-----	43	37	6	33	29	4	10	8	2	9	8	1
50-54 years-----	31	26	5	21	18	3	10	8	2	8	6	2
55-59 years-----	16	15	1	11	10	1	5	5	-	4	4	-
60-64 years-----	14	12	2	13	11	2	1	1	-	1	1	-
65-69 years-----	7	6	1	5	4	1	2	2	-	2	2	-
70-74 years-----	7	6	1	7	6	1	-	-	-	-	-	-
75-79 years-----	4	3	1	4	3	1	-	-	-	-	-	-
80-84 years-----	5	4	1	4	3	1	1	1	-	1	1	-
85-89 years-----	4	2	2	3	2	1	1	-	1	1	-	1
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	5	5	-	5	5	-	-	-	-	-	-	-

Nontraffic accident (V05.0)

All ages-----	181	155	26	140	121	19	41	34	7	34	30	4
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	2	2	-	-	-	-	2	2	-	2	2	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	8	5	3	4	2	2	4	3	1	2	2	-
15-19 years-----	14	11	3	13	10	3	1	1	-	1	1	-
20-24 years-----	20	17	3	17	14	3	3	3	-	3	3	-
25-29 years-----	17	16	1	15	14	1	2	2	-	2	2	-
30-34 years-----	12	9	3	7	5	2	5	4	1	5	4	1
35-39 years-----	25	23	2	21	20	1	4	3	1	4	3	1
40-44 years-----	25	23	2	18	17	1	7	6	1	6	6	-
45-49 years-----	18	16	2	15	14	1	3	2	1	2	2	-
50-54 years-----	18	16	2	12	11	1	6	5	1	4	3	1
55-59 years-----	5	5	-	2	2	-	3	3	-	2	2	-
60-64 years-----	4	3	1	4	3	1	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	1	-	1	1	-	1	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	2	1	1	1	1	-	1	-	1	1	-	1
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	3	-	3	3	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Traffic accident (V05.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	55	44	11	44	35	9	11	9	2	11	9	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	-	1	1	-	1	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	5	4	1	3	3	-	2	1	1	2	1	1
25-29 years-----	2	2	-	2	2	-	-	-	-	-	-	-
30-34 years-----	7	7	-	5	5	-	2	2	-	2	2	-
35-39 years-----	8	5	3	7	4	3	1	1	-	1	1	-
40-44 years-----	9	9	-	6	6	-	3	3	-	3	3	-
45-49 years-----	8	7	1	7	6	1	1	1	-	1	1	-
50-54 years-----	4	1	3	3	1	2	1	-	1	1	-	1
55-59 years-----	1	-	1	1	-	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	3	2	1	3	2	1	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified whether traffic or nontraffic accident (V05.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	213	187	26	168	147	21	45	40	5	38	34	4
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	2	1	2	1	1	1	1	-	-	-	-
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-
10-14 years-----	5	5	-	4	4	-	1	1	-	1	1	-
15-19 years-----	27	25	2	21	20	1	6	5	1	5	4	1
20-24 years-----	17	14	3	12	9	3	5	5	-	5	5	-
25-29 years-----	18	16	2	16	14	2	2	2	-	2	2	-
30-34 years-----	19	15	4	15	12	3	4	3	1	3	2	1
35-39 years-----	30	25	5	24	21	3	6	4	2	4	3	1
40-44 years-----	30	27	3	24	21	3	6	6	-	4	4	-
45-49 years-----	17	14	3	11	9	2	6	5	1	6	5	1
50-54 years-----	9	9	-	6	6	-	3	3	-	3	3	-
55-59 years-----	10	10	-	8	8	-	2	2	-	2	2	-
60-64 years-----	10	9	1	9	8	1	1	1	-	1	1	-
65-69 years-----	4	4	-	2	2	-	2	2	-	2	2	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	3	2	1	3	2	1	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	1	1	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	2	2	-	2	2	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unspecified whether traffic or nontraffic accident (V06.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - - BOTH SEXES	ALL RACES - - - - - MALE	ALL RACES - - - - - FEMALE	WHITE - - - - - BOTH SEXES	WHITE - - - - - MALE	WHITE - - - - - FEMALE	ALL OTHER - - - - - BOTH SEXES	ALL OTHER - - - - - MALE	ALL OTHER - - - - - FEMALE	BLACK - - - - - BOTH SEXES	BLACK - - - - - MALE	BLACK - - - - - FEMALE
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedestrian injured in other and unspecified transport accidents (V09)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - - - - - BOTH SEXES	ALL RACES - - - - - MALE	ALL RACES - - - - - FEMALE	WHITE - - - - - BOTH SEXES	WHITE - - - - - MALE	WHITE - - - - - FEMALE	ALL OTHER - - - - - BOTH SEXES	ALL OTHER - - - - - MALE	ALL OTHER - - - - - FEMALE	BLACK - - - - - BOTH SEXES	BLACK - - - - - MALE	BLACK - - - - - FEMALE
All ages-----	1,975	1,376	599	1,471	1,038	433	504	338	166	382	260	122
Under 1 year-----	6	3	3	5	3	2	1	-	1	1	-	1
1-4 years-----	85	52	33	63	38	25	22	14	8	19	12	7
5-9 years-----	71	38	33	52	30	22	19	8	11	14	5	9
10-14 years-----	71	43	28	53	33	20	18	10	8	16	9	7
15-19 years-----	124	89	35	98	68	30	26	21	5	22	17	5
20-24 years-----	105	80	25	80	68	12	25	12	13	23	11	12
25-29 years-----	136	109	27	99	79	20	37	30	7	25	19	6
30-34 years-----	125	96	29	87	68	19	38	28	10	31	22	9
35-39 years-----	170	127	43	120	91	29	50	36	14	41	29	12
40-44 years-----	188	142	46	136	105	31	52	37	15	44	33	11
45-49 years-----	155	114	41	109	87	22	46	27	19	37	23	14
50-54 years-----	141	109	32	105	76	29	36	33	3	28	26	2
55-59 years-----	90	63	27	65	46	19	25	17	8	20	15	5
60-64 years-----	70	52	18	54	42	12	16	10	6	10	7	3
65-69 years-----	92	63	29	75	50	25	17	13	4	11	9	2
70-74 years-----	96	62	34	72	44	28	24	18	6	15	11	4
75-79 years-----	102	57	45	79	45	34	23	12	11	9	5	4
80-84 years-----	88	47	41	72	38	34	16	9	7	8	5	3
85-89 years-----	41	19	22	31	18	13	10	1	9	6	-	6
90-94 years-----	14	6	8	12	5	7	2	1	1	1	1	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	4	-	3	3	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unspecified pedal cyclist injured in traffic accident (V10.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	1	1	-	1	1	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Pedal cyclist injured in collision with other pedal cycle (V11)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	5	5	-	5	5	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Driver injured in traffic accident (V11.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	4	-	4	4	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in traffic accident (V11.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1	1	-	1	1	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Passenger injured in traffic accident (V13.5)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	4	-	2	2	-	2	2	-	2	2	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	1	1	-	-	-	-	1	1	-	1	1	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	1	1	-	-	-	-	1	1	-	1	1	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified pedal cyclist injured in traffic accident (V13.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	195	171	24	159	139	20	36	32	4	29	26	3
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-
5-9 years-----	19	16	3	16	14	2	3	2	1	2	2	-
10-14 years-----	33	29	4	28	25	3	5	4	1	5	4	1
15-19 years-----	15	14	1	15	14	1	-	-	-	-	-	-
20-24 years-----	9	7	2	7	5	2	2	2	-	1	1	-
25-29 years-----	7	6	1	5	4	1	2	2	-	2	2	-
30-34 years-----	9	5	4	6	4	2	3	1	2	3	1	2
35-39 years-----	13	11	2	11	9	2	2	2	-	1	1	-
40-44 years-----	15	14	1	10	9	1	5	5	-	5	5	-
45-49 years-----	16	15	1	13	12	1	3	3	-	2	2	-
50-54 years-----	15	14	1	11	10	1	4	4	-	4	4	-
55-59 years-----	11	9	2	10	8	2	1	1	-	1	1	-
60-64 years-----	8	7	1	6	5	1	2	2	-	2	2	-
65-69 years-----	6	6	-	4	4	-	2	2	-	1	1	-
70-74 years-----	5	5	-	5	5	-	-	-	-	-	-	-
75-79 years-----	5	5	-	4	4	-	1	1	-	-	-	-
80-84 years-----	6	5	1	5	4	1	1	1	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified pedal cyclist injured in collision with other and unspecified motor vehicles in nontraffic accident (V19.2)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Pedal cyclist [any] injured in an unspecified nontraffic accident (V19.3)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Passenger injured in traffic accident (V24.5)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Unspecified motorcycle rider injured in traffic accident (V24.9)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Motorcycle rider injured in collision with railway train or railway vehicle (V25)

Table with 13 columns: Age Group, All Races (Male, Female, Both), White (Male, Female, Both), All Other (Male, Female, Both). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, and Not stated.

Driver injured in traffic accident (V25.4)

Table with 13 columns: Age Group, All Races (Male, Female, Both), White (Male, Female, Both), All Other (Male, Female, Both). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, and Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified motorcycle rider injured in nontraffic accident (V27.2)

Table with 13 columns: Age Group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Driver injured in traffic accident (V27.4)

Table with 13 columns: Age Group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified motorcycle rider injured in nontraffic accident (V28.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	3	3	-	3	3	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-

Driver injured in traffic accident (V28.4)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	ALL OTHER BLACK MALE	ALL OTHER BLACK FEMALE	ALL OTHER BLACK BOTH SEXES
All ages-----	314	300	14	284	273	11	30	27	3	25
Under 1 year-----	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-
15-19 years-----	13	13	-	13	13	-	-	-	-	-
20-24 years-----	37	37	-	31	31	-	6	6	-	6
25-29 years-----	32	31	1	23	22	1	9	9	-	8
30-34 years-----	33	32	1	27	26	1	6	6	-	6
35-39 years-----	36	36	-	34	34	-	2	2	-	2
40-44 years-----	45	41	4	43	40	3	2	1	1	-
45-49 years-----	40	38	2	39	37	2	1	1	-	1
50-54 years-----	35	31	4	33	30	3	2	1	1	-
55-59 years-----	14	13	1	14	13	1	-	-	-	-
60-64 years-----	11	11	-	11	11	-	-	-	-	-
65-69 years-----	10	10	-	10	10	-	-	-	-	-
70-74 years-----	6	5	1	4	4	-	2	1	1	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Motorcycle rider injured in other and unspecified transport accidents (V29)

Table with 13 columns: Cause of death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Driver injured in collision with other and unspecified motor vehicles in nontraffic accident (V29.0)

Table with 13 columns: Cause of death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Occupant of three-wheeled motor vehicle injured in collision with pedal cycle (V31)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Unspecified occupant of three-wheeled motor vehicle injured in traffic accident (V31.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Occupant of three-wheeled motor vehicle injured in collision with car, pickup truck, or van (V33)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Driver injured in traffic accident (V33.5)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Passenger injured in traffic accident (V33.6)

Table with 15 columns (Age, All Races, White, Total, All Other, Black) and 20 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated)

Occupant of three-wheeled motor vehicle injured in collision with heavy transport vehicle or bus (V34)

Table with 15 columns (Age, All Races, White, Total, All Other, Black) and 20 rows (All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Driver injured in nontraffic accident (V34.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Driver injured in traffic accident (V34.5)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified occupant of three-wheeled motor vehicle injured in traffic accident (V34.9)

Table with 14 columns: Age Group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Occupant of three-wheeled motor vehicle injured in collision with fixed or stationary object (V37)

Table with 14 columns: Age Group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Passenger injured in nontraffic accident (V37.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Driver injured in traffic accident (V37.5)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Driver injured in nontraffic accident (V38.0)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Passenger injured in nontraffic accident (V38.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified occupant of three-wheeled motor vehicle injured in nontraffic accident (V38.3)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Unspecified occupant of three-wheeled motor vehicle injured in traffic accident (V38.9)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Passenger injured in nontraffic accident (V40.1)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Person on outside of vehicle injured in nontraffic accident (V40.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Unspecified car occupant injured in traffic accident (V41.9)

Table with 14 columns: Age Group, All Races Male, All Races Female, All Races Both Sexes, White Male, White Female, White Both Sexes, Total Male, Total Female, Total Both Sexes, All Other Male, All Other Female, All Other Both Sexes. Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, and Not stated.

Car occupant injured in collision with two- or three-wheeled motor vehicle (V42)

Table with 14 columns: Age Group, All Races Male, All Races Female, All Races Both Sexes, White Male, White Female, White Both Sexes, Total Male, Total Female, Total Both Sexes, All Other Male, All Other Female, All Other Both Sexes. Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, and Not stated.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES
MALE FEMALE BOTH SEXES
WHITE MALE FEMALE BOTH SEXES
TOTAL MALE FEMALE BOTH SEXES
ALL OTHER MALE FEMALE
BLACK MALE FEMALE

Unspecified car occupant injured in traffic accident (V42.9)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	4	4	-	3	3	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	1	1	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Car occupant injured in collision with car, pickup truck, or van (V43)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	5,181	2,805	2,376	4,380	2,337	2,043	801	468	333	587	348	239
Under 1 year-----	34	17	17	29	15	14	5	2	3	4	2	2
1-4 years-----	68	33	35	45	21	24	23	12	11	19	10	9
5-9 years-----	89	52	37	66	39	27	23	13	10	16	8	8
10-14 years-----	86	48	38	66	34	32	20	14	6	15	10	5
15-19 years-----	620	335	285	540	296	244	80	39	41	54	25	29
20-24 years-----	505	320	185	417	259	158	88	61	27	64	42	22
25-29 years-----	350	206	144	272	162	110	78	44	34	60	37	23
30-34 years-----	305	181	124	242	137	105	63	44	19	49	36	13
35-39 years-----	330	195	135	263	154	109	67	41	26	45	26	19
40-44 years-----	274	144	130	218	111	107	56	33	23	44	29	15
45-49 years-----	318	183	135	253	143	110	65	40	25	46	30	16
50-54 years-----	266	141	125	214	113	101	52	28	24	44	22	22
55-59 years-----	234	119	115	201	97	104	33	22	11	23	17	6
60-64 years-----	229	109	120	189	83	106	40	26	14	27	18	9
65-69 years-----	196	85	111	177	80	97	19	5	14	11	4	7
70-74 years-----	308	154	154	282	144	138	26	10	16	21	7	14
75-79 years-----	356	168	188	329	151	178	27	17	10	18	12	6
80-84 years-----	322	166	156	301	154	147	21	12	9	16	8	8
85-89 years-----	206	99	107	196	96	100	10	3	7	8	3	5
90-94 years-----	71	43	28	68	41	27	3	2	1	3	2	1
95-99 years-----	13	6	7	11	6	5	2	-	2	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Person injured while boarding or alighting (V43.4)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Driver injured in traffic accident (V43.5)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

	ALL RACES			WHITE			ALL OTHER			BLACK		
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
Driver injured in traffic accident (V48.5)												
All ages-----	1,430	1,000	430	1,176	823	353	254	177	77	184	134	50
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	7	3	4	5	2	3	2	1	1	2	1	1
15-19 years-----	222	141	81	187	122	65	35	19	16	23	12	11
20-24 years-----	242	181	61	199	151	48	43	30	13	33	23	10
25-29 years-----	191	143	48	154	112	42	37	31	6	25	22	3
30-34 years-----	133	95	38	106	80	26	27	15	12	17	12	5
35-39 years-----	146	98	48	120	79	41	26	19	7	20	17	3
40-44 years-----	123	84	39	96	67	29	27	17	10	23	14	9
45-49 years-----	97	68	29	80	55	25	17	13	4	11	8	3
50-54 years-----	66	46	20	53	36	17	13	10	3	10	8	2
55-59 years-----	46	32	14	34	22	12	12	10	2	9	8	1
60-64 years-----	47	33	14	43	31	12	4	2	2	3	1	2
65-69 years-----	25	18	7	24	17	7	1	1	-	1	1	-
70-74 years-----	27	21	6	25	19	6	2	2	-	1	1	-
75-79 years-----	28	18	10	23	14	9	5	4	1	3	3	-
80-84 years-----	13	7	6	12	6	6	1	1	-	1	1	-
85-89 years-----	11	7	4	9	5	4	2	2	-	2	2	-
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	2	2	-	2	2	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

Passenger injured in traffic accident (V48.6)

All ages-----	725	445	280	567	354	213	158	91	67	97	55	42
Under 1 year-----	15	10	5	10	7	3	5	3	2	2	1	1
1-4 years-----	18	6	12	14	6	8	4	-	4	4	-	4
5-9 years-----	31	14	17	24	12	12	7	2	5	5	2	3
10-14 years-----	57	34	23	41	26	15	16	8	8	12	6	6
15-19 years-----	157	103	54	133	85	48	24	18	6	12	10	2
20-24 years-----	139	97	42	103	75	28	36	22	14	24	14	10
25-29 years-----	71	52	19	56	40	16	15	12	3	9	7	2
30-34 years-----	43	28	15	34	22	12	9	6	3	5	3	2
35-39 years-----	37	22	15	25	17	8	12	5	7	5	3	2
40-44 years-----	29	17	12	24	14	10	5	3	2	3	2	1
45-49 years-----	34	22	12	26	17	9	8	5	3	4	2	2
50-54 years-----	18	11	7	13	7	6	5	4	1	4	3	1
55-59 years-----	17	8	9	14	7	7	3	1	2	3	1	2
60-64 years-----	10	2	8	8	1	7	2	1	1	1	1	-
65-69 years-----	13	2	11	11	2	9	2	-	2	1	-	1
70-74 years-----	6	1	5	5	1	4	1	-	1	1	-	1
75-79 years-----	10	6	4	8	6	2	2	-	2	1	-	1
80-84 years-----	10	4	6	10	4	6	-	-	-	-	-	-
85-89 years-----	6	3	3	4	2	2	2	1	1	1	-	1
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Occupant of pickup truck or van injured in collision with pedestrian or animal (V50)

Table with 14 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

Unspecified occupant of pickup truck or van injured in nontraffic accident (V50.3)

Table with 14 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified occupant of pickup truck or van injured in nontraffic accident (V57.3)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Person injured while boarding or alighting (V57.4)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unspecified occupant of pickup truck or van injured in traffic accident (V57.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	61	49	12	54	43	11	7	6	1	7	6	1
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	7	6	1	7	6	1	-	-	-	-	-	-
20-24 years-----	5	5	-	5	5	-	-	-	-	-	-	-
25-29 years-----	7	6	1	6	5	1	1	1	-	1	1	-
30-34 years-----	5	4	1	4	4	-	1	-	1	1	-	1
35-39 years-----	9	8	1	8	7	1	1	1	-	1	1	-
40-44 years-----	5	3	2	5	3	2	-	-	-	-	-	-
45-49 years-----	8	6	2	7	5	2	1	1	-	1	1	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	3	2	1	3	2	1	-	-	-	-	-	-
65-69 years-----	3	2	1	3	2	1	-	-	-	-	-	-
70-74 years-----	2	2	-	-	-	-	2	2	-	2	2	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	-	-	-	1	1	-	1	1	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of pickup truck or van injured in noncollision transport accident (V58)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	997	798	199	882	717	165	115	81	34	60	46	14
Under 1 year-----	5	4	1	3	3	-	2	1	1	2	1	1
1-4 years-----	7	2	5	4	1	3	3	1	2	2	1	1
5-9 years-----	16	7	9	12	4	8	4	3	1	2	2	-
10-14 years-----	25	18	7	18	12	6	7	6	1	5	4	1
15-19 years-----	136	111	25	126	102	24	10	9	1	3	3	-
20-24 years-----	131	107	24	122	101	21	9	6	3	6	4	2
25-29 years-----	113	100	13	101	90	11	12	10	2	3	3	-
30-34 years-----	90	71	19	79	64	15	11	7	4	5	4	1
35-39 years-----	105	74	31	95	69	26	10	5	5	4	4	-
40-44 years-----	92	75	17	80	67	13	12	8	4	5	3	2
45-49 years-----	74	67	7	67	60	7	7	7	-	4	4	-
50-54 years-----	70	58	12	61	50	11	9	8	1	5	4	1
55-59 years-----	26	19	7	20	15	5	6	4	2	6	4	2
60-64 years-----	24	22	2	21	20	1	3	2	1	3	2	1
65-69 years-----	19	13	6	18	13	5	1	-	1	1	-	1
70-74 years-----	24	20	4	18	17	1	6	3	3	3	2	1
75-79 years-----	16	13	3	16	13	3	-	-	-	-	-	-
80-84 years-----	13	9	4	11	8	3	2	1	1	1	1	-
85-89 years-----	6	5	1	5	5	-	1	-	1	-	-	-
90-94 years-----	4	2	2	4	2	2	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Occupant [any] of pickup truck or van injured in unspecified traffic accident (V59.9)

Table with 13 columns: Age Group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Occupant of heavy transport vehicle injured in collision with pedestrian or animal (V60)

Table with 13 columns: Age Group, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Bus occupant [any] injured in other specified transport accidents (V79.8)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Bus occupant [any] injured in unspecified traffic accident (V79.9)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Occupant of railway train or railway vehicle injured in transport accident (V81)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	30	28	2	23	22	1	7	6	1	6	5	1			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	4	4	-	4	4	-	-	-	-	-	-	-			
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
35-39 years-----	7	7	-	5	5	-	2	2	-	2	2	-			
40-44 years-----	3	3	-	2	2	-	1	1	-	1	1	-			
45-49 years-----	4	4	-	2	2	-	2	2	-	2	2	-			
50-54 years-----	3	2	1	2	1	1	1	1	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
80-84 years-----	1	-	1	-	-	-	1	-	1	1	-	-			1
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-			

Occupant of railway train or railway vehicle injured in collision with motor vehicle in traffic accident (V81.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	1	-	1	1	-	1	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Occupant of railway train or railway vehicle injured by fall from railway train or railway vehicle (V81.6)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	12	12	-	8	8	-	4	4	-	3	3	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	2	2	-	2	2	-	-	-	-	-	-	-
35-39 years-----	4	4	-	3	3	-	1	1	-	1	1	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	2	-	1	1	-	1	1	-	1	1	-
50-54 years-----	1	1	-	-	-	-	1	1	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Occupant of railway train or railway vehicle injured in other specified railway accidents (V81.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	2	2	-	2	2	-	-	-	-	-	-	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Driver of special industrial vehicle injured in traffic accident (V83.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Passenger of special industrial vehicle injured in traffic accident (V83.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unspecified occupant of all-terrain or other off-road motor vehicle injured in nontraffic accident (V86.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	256	219	37	239	204	35	17	15	2	7	5	2
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	3	3	-	3	3	-	-	-	-	-	-	-
5-9 years-----	15	11	4	14	10	4	1	1	-	1	1	-
10-14 years-----	31	19	12	26	16	10	5	3	2	2	-	2
15-19 years-----	39	34	5	35	30	5	4	4	-	1	1	-
20-24 years-----	34	29	5	33	28	5	1	1	-	-	-	-
25-29 years-----	23	23	-	20	20	-	3	3	-	2	2	-
30-34 years-----	17	17	-	17	17	-	-	-	-	-	-	-
35-39 years-----	18	17	1	18	17	1	-	-	-	-	-	-
40-44 years-----	18	16	2	18	16	2	-	-	-	-	-	-
45-49 years-----	13	10	3	13	10	3	-	-	-	-	-	-
50-54 years-----	8	6	2	8	6	2	-	-	-	-	-	-
55-59 years-----	10	9	1	10	9	1	-	-	-	-	-	-
60-64 years-----	9	9	-	7	7	-	2	2	-	1	1	-
65-69 years-----	7	7	-	7	7	-	-	-	-	-	-	-
70-74 years-----	3	1	2	3	1	2	-	-	-	-	-	-
75-79 years-----	5	5	-	4	4	-	1	1	-	-	-	-
80-84 years-----	2	2	-	2	2	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Traffic accident of specified type but victim's mode of transport unknown (V87)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	5,094	3,185	1,909	4,326	2,709	1,617	768	476	292	604	393	211
Under 1 year-----	24	13	11	14	8	6	10	5	5	9	5	4
1-4 years-----	64	34	30	48	27	21	16	7	9	11	4	7
5-9 years-----	88	46	42	70	36	34	18	10	8	15	8	7
10-14 years-----	106	65	41	87	53	34	19	12	7	14	10	4
15-19 years-----	586	381	205	521	335	186	65	46	19	53	38	15
20-24 years-----	603	408	195	492	339	153	111	69	42	90	55	35
25-29 years-----	379	259	120	296	205	91	83	54	29	60	40	20
30-34 years-----	364	235	129	285	184	101	79	51	28	62	43	19
35-39 years-----	381	252	129	321	211	110	60	41	19	50	36	14
40-44 years-----	379	261	118	317	219	98	62	42	20	52	39	13
45-49 years-----	303	202	101	235	154	81	68	48	20	59	42	17
50-54 years-----	303	182	121	258	159	99	45	23	22	34	18	16
55-59 years-----	238	147	91	206	130	76	32	17	15	19	12	7
60-64 years-----	210	116	94	190	106	84	20	10	10	17	8	9
65-69 years-----	220	122	98	192	107	85	28	15	13	20	13	7
70-74 years-----	225	119	106	200	107	93	25	12	13	20	10	10
75-79 years-----	248	137	111	233	131	102	15	6	9	9	6	3
80-84 years-----	190	101	89	187	98	89	3	3	-	2	2	-
85-89 years-----	145	83	62	139	81	58	6	2	4	5	1	4
90-94 years-----	30	18	12	27	15	12	3	3	-	3	3	-
95-99 years-----	7	3	4	7	3	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Person injured in collision between car and two- or three-wheeled motor vehicle (traffic) (V87.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	55	49	6	42	37	5	13	12	1	11	10	1			
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	5	4	1	5	4	1	-	-	-	-	-	-			
20-24 years-----	15	14	1	10	9	1	5	5	-	4	4	-			
25-29 years-----	5	5	-	2	2	-	3	3	-	2	2	-			
30-34 years-----	4	3	1	2	1	1	2	2	-	2	2	-			
35-39 years-----	5	5	-	5	5	-	-	-	-	-	-	-			
40-44 years-----	4	4	-	3	3	-	1	1	-	1	1	-			
45-49 years-----	4	3	1	4	3	1	-	-	-	-	-	-			
50-54 years-----	5	4	1	4	3	1	1	1	-	1	1	-			
55-59 years-----	4	4	-	4	4	-	-	-	-	-	-	-			
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
65-69 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Person injured in collision between other motor vehicle and two- or three-wheeled motor vehicle (traffic) (V87.1)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	20	17	3	19	16	3	1	1	-	1	1	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
35-39 years-----	4	4	-	4	4	-	-	-	-	-	-	-			
40-44 years-----	4	3	1	3	2	1	1	1	-	1	1	-			
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
50-54 years-----	3	2	1	3	2	1	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Person injured in collision between other specified motor vehicles (traffic) (V87.7)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	4,290	2,599	1,691	3,642	2,219	1,423	648	380	268	501	309	192
Under 1 year-----	19	10	9	13	7	6	6	3	3	6	3	3
1-4 years-----	58	29	29	43	23	20	15	6	9	10	3	7
5-9 years-----	79	41	38	63	32	31	16	9	7	13	7	6
10-14 years-----	93	58	35	75	47	28	18	11	7	13	9	4
15-19 years-----	462	289	173	406	249	157	56	40	16	49	35	14
20-24 years-----	480	312	168	387	260	127	93	52	41	74	40	34
25-29 years-----	305	201	104	238	160	78	67	41	26	47	30	17
30-34 years-----	298	193	105	233	152	81	65	41	24	51	35	16
35-39 years-----	307	195	112	263	167	96	44	28	16	36	25	11
40-44 years-----	312	210	102	262	178	84	50	32	18	40	29	11
45-49 years-----	241	151	90	188	117	71	53	34	19	45	28	17
50-54 years-----	268	155	113	227	135	92	41	20	21	30	15	15
55-59 years-----	213	130	83	183	114	69	30	16	14	17	11	6
60-64 years-----	182	100	82	163	91	72	19	9	10	16	7	9
65-69 years-----	194	103	91	168	89	79	26	14	12	18	12	6
70-74 years-----	206	109	97	182	97	85	24	12	12	19	10	9
75-79 years-----	233	127	106	219	122	97	14	5	9	8	5	3
80-84 years-----	172	90	82	170	88	82	2	2	-	1	1	-
85-89 years-----	135	79	56	129	77	52	6	2	4	5	1	4
90-94 years-----	27	15	12	24	12	12	3	3	-	3	3	-
95-99 years-----	6	2	4	6	2	4	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Person injured in other specified noncollision transport accidents involving motor vehicle (traffic) (V87.8)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE
All ages-----	466	354	112	392	291	101	74	63	11	64	55	9
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	3	2	1	2	1	1	1	1	-	1	1	-
5-9 years-----	5	4	1	4	3	1	1	1	-	1	1	-
10-14 years-----	5	3	2	5	3	2	-	-	-	-	-	-
15-19 years-----	86	63	23	78	57	21	8	6	2	4	3	1
20-24 years-----	77	65	12	69	58	11	8	7	1	8	7	1
25-29 years-----	45	34	11	36	26	10	9	8	1	8	7	1
30-34 years-----	47	30	17	39	24	15	8	6	2	5	4	1
35-39 years-----	47	36	11	37	27	10	10	9	1	8	7	1
40-44 years-----	36	31	5	29	25	4	7	6	1	7	6	1
45-49 years-----	38	32	6	26	20	6	12	12	-	12	12	-
50-54 years-----	18	13	5	15	11	4	3	2	1	3	2	1
55-59 years-----	15	10	5	13	9	4	2	1	1	2	1	1
60-64 years-----	12	7	5	11	6	5	1	1	-	1	1	-
65-69 years-----	8	6	2	8	6	2	-	-	-	-	-	-
70-74 years-----	6	4	2	5	4	1	1	-	1	1	-	1
75-79 years-----	7	6	1	6	5	1	1	1	-	1	1	-
80-84 years-----	3	2	1	2	1	1	1	1	-	1	1	-
85-89 years-----	3	1	2	3	1	2	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL ALL OTHER BLACK MALE FEMALE

Person injured in collision between car and pickup truck or van, nontraffic (V88.2)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total, All Other, Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Person injured in collision between car and heavy transport vehicle, nontraffic (V88.4)

Table with 13 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total, All Other, Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Person injured in other specified (collision) (noncollision) transport accidents involving nonmotor vehicle, nontraffic (V88.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	3	-	2	2	-	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	1	-	-	-	-	1	1	-	1	1	-
45-49 years-----	2	2	-	2	2	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Motor- or nonmotor-vehicle accident, type of vehicle unspecified (V89)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	10,679	7,068	3,611	8,984	5,933	3,051	1,695	1,135	560	1,281	888	393
Under 1 year-----	41	23	18	26	14	12	15	9	6	12	8	4
1-4 years-----	124	68	56	97	54	43	27	14	13	22	12	10
5-9 years-----	125	60	65	95	43	52	30	17	13	24	13	11
10-14 years-----	169	88	81	143	74	69	26	14	12	15	8	7
15-19 years-----	1,518	1,002	516	1,313	866	447	205	136	69	147	97	50
20-24 years-----	1,515	1,113	402	1,247	927	320	268	186	82	197	148	49
25-29 years-----	924	676	248	727	533	194	197	143	54	156	113	43
30-34 years-----	790	569	221	643	477	166	147	92	55	121	75	46
35-39 years-----	829	576	253	694	482	212	135	94	41	99	72	27
40-44 years-----	789	550	239	659	453	206	130	97	33	103	78	25
45-49 years-----	687	448	239	565	373	192	122	75	47	94	60	34
50-54 years-----	582	386	196	479	320	159	103	66	37	75	52	23
55-59 years-----	448	290	158	382	239	143	66	51	15	47	38	9
60-64 years-----	371	239	132	321	203	118	50	36	14	33	25	8
65-69 years-----	313	186	127	259	150	109	54	36	18	41	28	13
70-74 years-----	351	195	156	307	169	138	44	26	18	33	24	9
75-79 years-----	435	236	199	400	217	183	35	19	16	27	15	12
80-84 years-----	321	172	149	299	159	140	22	13	9	21	13	8
85-89 years-----	254	139	115	243	133	110	11	6	5	9	6	3
90-94 years-----	71	36	35	65	33	32	6	3	3	4	2	2
95-99 years-----	12	7	5	11	6	5	1	1	-	1	1	-
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-
Not stated-----	8	8	-	7	7	-	1	1	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Person injured in unspecified motor-vehicle accident, traffic (V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	10,372	6,845	3,527	8,719	5,740	2,979	1,653	1,105	548	1,257	867	390			
Under 1 year-----	40	22	18	25	13	12	15	9	6	12	8	4			
1-4 years-----	123	68	55	96	54	42	27	14	13	22	12	10			
5-9 years-----	121	59	62	91	42	49	30	17	13	24	13	11			
10-14 years-----	163	84	79	137	70	67	26	14	12	15	8	7			
15-19 years-----	1,481	975	506	1,282	843	439	199	132	67	144	95	49			
20-24 years-----	1,475	1,079	396	1,213	897	316	262	182	80	194	145	49			
25-29 years-----	907	662	245	713	521	192	194	141	53	154	111	43			
30-34 years-----	759	544	215	616	456	160	143	88	55	119	73	46			
35-39 years-----	802	552	250	671	461	210	131	91	40	96	69	27			
40-44 years-----	763	531	232	635	436	199	128	95	33	102	77	25			
45-49 years-----	667	436	231	550	364	186	117	72	45	91	58	33			
50-54 years-----	561	374	187	463	310	153	98	64	34	73	51	22			
55-59 years-----	438	282	156	374	233	141	64	49	15	45	36	9			
60-64 years-----	358	229	129	311	195	116	47	34	13	31	23	8			
65-69 years-----	304	178	126	252	144	108	52	34	18	40	27	13			
70-74 years-----	345	191	154	301	165	136	44	26	18	33	24	9			
75-79 years-----	424	230	194	389	211	178	35	19	16	27	15	12			
80-84 years-----	305	164	141	283	151	132	22	13	9	21	13	8			
85-89 years-----	247	134	113	236	128	108	11	6	5	9	6	3			
90-94 years-----	67	35	32	61	32	29	6	3	3	4	2	2			
95-99 years-----	12	7	5	11	6	5	1	1	-	1	1	-			
100 yrs & over---	2	1	1	2	1	1	-	-	-	-	-	-			
Not stated-----	8	8	-	7	7	-	1	1	-	-	-	-			

Person injured in unspecified nonmotor-vehicle accident, traffic (V89.3)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	3	2	1	3	2	1	-	-	-	-	-	-			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Accident to watercraft causing other injury (V91)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Passenger ship (V91.1)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - TOTAL - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other powered watercraft (V91.3)

	ALL RACES	WHITE	TOTAL	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE
All ages-----	22	17	5	21	16
Under 1 year-----	-	-	-	-	-
1-4 years-----	-	-	-	-	-
5-9 years-----	-	-	-	-	-
10-14 years-----	1	1	-	1	1
15-19 years-----	5	3	2	5	3
20-24 years-----	-	-	-	-	-
25-29 years-----	2	2	-	2	2
30-34 years-----	3	1	2	3	1
35-39 years-----	3	3	-	3	3
40-44 years-----	4	3	1	4	3
45-49 years-----	2	2	-	1	1
50-54 years-----	-	-	-	-	-
55-59 years-----	2	2	-	2	2
60-64 years-----	-	-	-	-	-
65-69 years-----	-	-	-	-	-
70-74 years-----	-	-	-	-	-
75-79 years-----	-	-	-	-	-
80-84 years-----	-	-	-	-	-
85-89 years-----	-	-	-	-	-
90-94 years-----	-	-	-	-	-
95-99 years-----	-	-	-	-	-
100 yrs & over---	-	-	-	-	-
Not stated-----	-	-	-	-	-

Sailboat (V91.4)

	ALL RACES	WHITE	TOTAL	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE
All ages-----	1	1	-	1	1
Under 1 year-----	-	-	-	-	-
1-4 years-----	-	-	-	-	-
5-9 years-----	-	-	-	-	-
10-14 years-----	-	-	-	-	-
15-19 years-----	-	-	-	-	-
20-24 years-----	-	-	-	-	-
25-29 years-----	-	-	-	-	-
30-34 years-----	-	-	-	-	-
35-39 years-----	-	-	-	-	-
40-44 years-----	-	-	-	-	-
45-49 years-----	-	-	-	-	-
50-54 years-----	1	1	-	1	1
55-59 years-----	-	-	-	-	-
60-64 years-----	-	-	-	-	-
65-69 years-----	-	-	-	-	-
70-74 years-----	-	-	-	-	-
75-79 years-----	-	-	-	-	-
80-84 years-----	-	-	-	-	-
85-89 years-----	-	-	-	-	-
90-94 years-----	-	-	-	-	-
95-99 years-----	-	-	-	-	-
100 yrs & over---	-	-	-	-	-
Not stated-----	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Water-skis (V91.7)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Unspecified watercraft (V91.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Water-transport-related drowning and submersion without accident to watercraft (V92)

Table with 14 columns: Cause of death, All Races (Male, Female, Both), White (Male, Female, Both), Total (Male, Female, Both), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Merchant ship (V92.0)

Table with 14 columns: Cause of death, All Races (Male, Female, Both), White (Male, Female, Both), Total (Male, Female, Both), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Passenger ship (V92.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Fishing boat (V92.2)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Canoe or kayak (V92.5)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 100 yrs & over, plus Not stated.

Inflatable craft (nonpowered) (V92.6)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include All ages, Under 1 year, and 5-year age groups from 1-4 to 100 yrs & over, plus Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Accident onboard watercraft without accident to watercraft, not causing drowning and submersion (V93)

Table with 13 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, and Not stated.

Merchant ship (V93.0)

Table with 13 columns: Age Group, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, and Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Fishing boat (V93.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other unpowered watercraft (V93.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Water-skis (V94.7)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other unpowered watercraft (V94.8)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Unspecified watercraft (V94.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Accident to powered aircraft causing injury to occupant (V95)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Helicopter accident injuring occupant (V95.0)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Ultralight, microlight, or powered-glider accident injuring occupant (V95.1)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Fall involving bed (W06)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	450	182	268	414
Under 1 year-----	3	1	2	2
1-4 years-----	1	-	1	-
5-9 years-----	1	1	-	1
10-14 years-----	-	-	-	-
15-19 years-----	1	1	-	1
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	2	2	-	2
35-39 years-----	1	1	-	1
40-44 years-----	3	2	1	1
45-49 years-----	1	-	1	-
50-54 years-----	7	5	2	5
55-59 years-----	8	4	4	6
60-64 years-----	9	5	4	9
65-69 years-----	15	11	4	12
70-74 years-----	26	13	13	25
75-79 years-----	40	19	21	39
80-84 years-----	89	44	45	83
85-89 years-----	93	31	62	89
90-94 years-----	104	33	71	95
95-99 years-----	37	7	30	34
100 yrs & over---	9	2	7	8
Not stated-----	-	-	-	-

Fall involving chair (W07)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	162	64	98	153
Under 1 year-----	-	-	-	-
1-4 years-----	1	-	1	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	1	1	-	1
30-34 years-----	1	-	1	-
35-39 years-----	-	-	-	-
40-44 years-----	1	1	-	1
45-49 years-----	2	2	-	2
50-54 years-----	6	3	3	3
55-59 years-----	6	3	3	5
60-64 years-----	3	1	2	2
65-69 years-----	6	3	3	5
70-74 years-----	8	4	4	8
75-79 years-----	20	5	15	20
80-84 years-----	27	10	17	27
85-89 years-----	38	15	23	36
90-94 years-----	29	11	18	29
95-99 years-----	12	4	8	12
100 yrs & over---	1	1	-	1
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
 BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Unspecified fall (W19)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	7,146	3,423	3,723	6,576	3,094	3,482	570	329	241	423	251	172
Under 1 year-----	1	1	-	1	1	-	-	-	-	-	-	-
1-4 years-----	6	5	1	5	4	1	1	1	-	1	1	-
5-9 years-----	4	4	-	2	2	-	2	2	-	2	2	-
10-14 years-----	3	2	1	1	1	-	2	1	1	2	1	1
15-19 years-----	17	15	2	12	12	-	5	3	2	4	2	2
20-24 years-----	18	16	2	15	13	2	3	3	-	3	3	-
25-29 years-----	30	26	4	26	23	3	4	3	1	2	1	1
30-34 years-----	27	24	3	20	17	3	7	7	-	6	6	-
35-39 years-----	76	59	17	59	47	12	17	12	5	15	10	5
40-44 years-----	119	87	32	90	66	24	29	21	8	25	19	6
45-49 years-----	156	121	35	129	104	25	27	17	10	21	14	7
50-54 years-----	191	137	54	156	109	47	35	28	7	28	23	5
55-59 years-----	194	136	58	159	109	50	35	27	8	28	22	6
60-64 years-----	237	168	69	196	139	57	41	29	12	31	25	6
65-69 years-----	288	176	112	249	152	97	39	24	15	34	20	14
70-74 years-----	562	291	271	501	264	237	61	27	34	47	22	25
75-79 years-----	926	483	443	857	445	412	69	38	31	45	25	20
80-84 years-----	1,292	575	717	1,223	544	679	69	31	38	47	22	25
85-89 years-----	1,454	594	860	1,399	570	829	55	24	31	32	11	21
90-94 years-----	1,074	370	704	1,031	352	679	43	18	25	31	14	17
95-99 years-----	391	114	277	371	103	268	20	11	9	14	7	7
100 yrs & over---	80	19	61	74	17	57	6	2	4	5	1	4
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Struck by thrown, projected, or falling object (W20)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	ALL RACES - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	712	654	58	612	559	53	100	95	5	89	84	5
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	22	13	9	18	11	7	4	2	2	3	1	2
5-9 years-----	12	6	6	11	6	5	1	-	1	1	-	1
10-14 years-----	11	8	3	10	7	3	1	1	-	1	1	-
15-19 years-----	21	20	1	20	19	1	1	1	-	-	-	-
20-24 years-----	44	41	3	40	38	2	4	3	1	4	3	1
25-29 years-----	50	50	-	43	43	-	7	7	-	5	5	-
30-34 years-----	44	40	4	38	34	4	6	6	-	5	5	-
35-39 years-----	58	54	4	51	47	4	7	7	-	7	7	-
40-44 years-----	77	74	3	63	60	3	14	14	-	13	13	-
45-49 years-----	82	79	3	65	62	3	17	17	-	14	14	-
50-54 years-----	67	66	1	55	54	1	12	12	-	12	12	-
55-59 years-----	63	62	1	55	54	1	8	8	-	8	8	-
60-64 years-----	52	50	2	43	41	2	9	9	-	7	7	-
65-69 years-----	32	28	4	30	26	4	2	2	-	2	2	-
70-74 years-----	33	29	4	28	25	3	5	4	1	5	4	1
75-79 years-----	23	18	5	23	18	5	-	-	-	-	-	-
80-84 years-----	11	10	1	11	10	1	-	-	-	-	-	-
85-89 years-----	6	3	3	6	3	3	-	-	-	-	-	-
90-94 years-----	2	1	1	2	1	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	1	1	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Bitten or struck by dog (W54)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	26	16	10	22
Under 1 year-----	1	-	1	1
1-4 years-----	6	4	2	3
5-9 years-----	6	6	-	5
10-14 years-----	1	1	-	1
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	3	1	2	3
45-49 years-----	1	-	1	1
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	1	-	1	-
75-79 years-----	-	-	-	-
80-84 years-----	3	-	3	3
85-89 years-----	-	-	-	-
90-94 years-----	2	2	-	2
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Bitten or struck by other mammals (W55)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	65	50	15	62
Under 1 year-----	-	-	-	-
1-4 years-----	4	-	4	2
5-9 years-----	-	-	-	-
10-14 years-----	1	-	1	1
15-19 years-----	3	3	-	3
20-24 years-----	3	3	-	3
25-29 years-----	2	2	-	2
30-34 years-----	-	-	-	-
35-39 years-----	3	3	-	3
40-44 years-----	5	5	-	4
45-49 years-----	4	2	2	4
50-54 years-----	8	6	2	8
55-59 years-----	8	5	3	8
60-64 years-----	4	4	-	4
65-69 years-----	3	3	-	3
70-74 years-----	6	5	1	6
75-79 years-----	4	3	1	4
80-84 years-----	6	5	1	5
85-89 years-----	1	1	-	1
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Contact with marine animal (W56)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Bitten or stung by nonvenomous insect and other nonvenomous arthropods (W57)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Drowning and submersion following fall into swimming pool (W68)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	102	62	40	86	55	31	16	7	9	12	6	6
Under 1 year-----	2	2	-	1	1	-	1	1	-	1	1	-
1-4 years-----	63	38	25	53	35	18	10	3	7	7	2	5
5-9 years-----	5	3	2	2	1	1	3	2	1	3	2	1
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	4	2	2	3	1	2	1	1	-	1	1	-
30-34 years-----	3	2	1	3	2	1	-	-	-	-	-	-
35-39 years-----	1	1	-	1	1	-	-	-	-	-	-	-
40-44 years-----	3	1	2	2	1	1	1	-	1	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	3	2	1	3	2	1	-	-	-	-	-	-
60-64 years-----	2	2	-	2	2	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-
75-79 years-----	2	-	2	2	-	2	-	-	-	-	-	-
80-84 years-----	4	2	2	4	2	2	-	-	-	-	-	-
85-89 years-----	2	1	1	2	1	1	-	-	-	-	-	-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Drowning and submersion while in natural water (W69)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	900	800	100	662	586	76	238	214	24	155	141	14
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	39	28	11	33	24	9	6	4	2	4	3	1
5-9 years-----	45	32	13	29	18	11	16	14	2	14	12	2
10-14 years-----	49	33	16	23	14	9	26	19	7	19	14	5
15-19 years-----	155	147	8	107	101	6	48	46	2	31	29	2
20-24 years-----	110	107	3	79	76	3	31	31	-	19	19	-
25-29 years-----	81	76	5	61	57	4	20	19	1	11	11	-
30-34 years-----	72	65	7	51	47	4	21	18	3	9	9	-
35-39 years-----	65	61	4	50	47	3	15	14	1	13	12	1
40-44 years-----	61	57	4	49	45	4	12	12	-	10	10	-
45-49 years-----	50	45	5	39	35	4	11	10	1	7	7	-
50-54 years-----	44	39	5	31	28	3	13	11	2	6	4	2
55-59 years-----	35	31	4	31	27	4	4	4	-	2	2	-
60-64 years-----	24	19	5	21	18	3	3	1	2	1	1	-
65-69 years-----	22	20	2	19	17	2	3	3	-	2	2	-
70-74 years-----	18	16	2	13	11	2	5	5	-	4	4	-
75-79 years-----	8	3	5	6	2	4	2	1	1	1	-	1
80-84 years-----	8	7	1	8	7	1	-	-	-	-	-	-
85-89 years-----	3	3	-	3	3	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	4	4	-	2	2	-	2	2	-	2	2	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	7	7	-	7	7	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Exposure to sunlight (X32)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	1	1	-	1
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Victim of lightning (X33)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	50	41	9	44
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	2	1	1	2
10-14 years-----	5	4	1	5
15-19 years-----	4	3	1	3
20-24 years-----	4	3	1	3
25-29 years-----	10	10	-	10
30-34 years-----	3	3	-	3
35-39 years-----	1	1	-	1
40-44 years-----	6	2	4	5
45-49 years-----	4	3	1	4
50-54 years-----	3	3	-	1
55-59 years-----	4	4	-	3
60-64 years-----	2	2	-	2
65-69 years-----	2	2	-	2
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Victim of flood (X38)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	5	4	1	5
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	1	1	-	1
25-29 years-----	1	-	1	1
30-34 years-----	1	1	-	1
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Exposure to other and unspecified forces of nature (X39)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	40	27	13	27
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	1	1	-	1
20-24 years-----	-	-	-	-
25-29 years-----	2	2	-	2
30-34 years-----	1	1	-	1
35-39 years-----	2	2	-	2
40-44 years-----	4	3	1	3
45-49 years-----	7	4	3	5
50-54 years-----	3	2	1	1
55-59 years-----	5	5	-	2
60-64 years-----	-	-	-	-
65-69 years-----	1	1	-	1
70-74 years-----	3	1	2	1
75-79 years-----	2	1	1	1
80-84 years-----	3	1	2	3
85-89 years-----	2	-	2	2
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	3	3	-	3

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Intentional self-poisoning (suicide) by and exposure to pesticides (X68)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	19	12	7	12	8	4	7	4	3	4	3	1			
Under 1 year-----			
1-4 years-----			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
25-29 years-----	3	1	2	2	1	1	1	-	1	-	-	-			
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
35-39 years-----	3	3	-	2	2	-	1	1	-	1	1	-			
40-44 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
45-49 years-----	3	1	2	1	-	1	2	1	1	1	1	1			
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
55-59 years-----	3	1	2	3	1	2	-	-	-	-	-	-			
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	1	-	1	-	-	-	1	-	1	1	-	-			1
80-84 years-----	1	1	-	-	-	-	1	1	-	-	-	-			-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances (X69)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	73	56	17	62	47	15	11	9	2	6	5	1			
Under 1 year-----			
1-4 years-----			
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
20-24 years-----	2	2	-	1	1	-	1	1	-	-	-	-			
25-29 years-----	5	5	-	4	4	-	1	1	-	-	-	-			
30-34 years-----	6	6	-	5	5	-	1	1	-	1	1	-			
35-39 years-----	14	9	5	13	8	5	1	1	-	1	1	-			
40-44 years-----	10	8	2	10	8	2	-	-	-	-	-	-			
45-49 years-----	7	6	1	4	3	1	3	3	-	2	2	-			
50-54 years-----	6	4	2	6	4	2	-	-	-	-	-	-			
55-59 years-----	3	2	1	2	1	1	1	1	-	1	1	-			
60-64 years-----	5	4	1	4	3	1	1	1	-	-	-	-			
65-69 years-----	3	2	1	2	2	-	1	-	1	1	-	-			1
70-74 years-----	3	2	1	2	2	-	1	-	1	-	-	-			-
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-			-
80-84 years-----	3	-	3	3	-	3	-	-	-	-	-	-			-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-			-
90-94 years-----	2	2	-	2	2	-	-	-	-	-	-	-			-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Intentional self harm (suicide) by smoke, fire, and flames (X76)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	162	121	41	125	93	32	37	28	9	30	23	7
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	7	6	1	7	6	1	-	-	-	-	-	-
20-24 years-----	10	7	3	5	3	2	5	4	1	5	4	1
25-29 years-----	22	21	1	16	16	-	6	5	1	5	4	1
30-34 years-----	15	11	4	8	7	1	7	4	3	6	3	3
35-39 years-----	22	17	5	19	14	5	3	3	-	2	2	-
40-44 years-----	16	13	3	11	10	1	5	3	2	3	2	1
45-49 years-----	21	10	11	16	5	11	5	5	-	4	4	-
50-54 years-----	13	8	5	10	6	4	3	2	1	2	2	-
55-59 years-----	11	8	3	10	7	3	1	1	-	1	1	-
60-64 years-----	7	3	4	6	3	3	1	-	1	1	-	1
65-69 years-----	6	6	-	6	6	-	-	-	-	-	-	-
70-74 years-----	4	4	-	3	3	-	1	1	-	1	1	-
75-79 years-----	3	3	-	3	3	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	3	2	1	3	2	1	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Intentional self harm (suicide) by sharp object (X78)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	383	304	79	337	273	64	46	31	15	21	17	4
Under 1 year-----
1-4 years-----
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	6	6	-	6	6	-	-	-	-	-	-	-
20-24 years-----	11	11	-	8	8	-	3	3	-	3	3	-
25-29 years-----	13	6	7	12	5	7	1	1	-	1	1	-
30-34 years-----	28	25	3	26	23	3	2	2	-	-	-	-
35-39 years-----	54	46	8	47	41	6	7	5	2	4	3	1
40-44 years-----	61	54	7	53	47	6	8	7	1	6	5	1
45-49 years-----	47	40	7	43	37	6	4	3	1	3	3	-
50-54 years-----	44	27	17	38	22	16	6	5	1	2	1	1
55-59 years-----	31	26	5	28	26	2	3	-	3	1	-	1
60-64 years-----	20	15	5	19	15	4	1	-	1	-	-	-
65-69 years-----	10	5	5	10	5	5	-	-	-	-	-	-
70-74 years-----	13	10	3	12	10	2	1	-	1	-	-	-
75-79 years-----	13	9	4	10	7	3	3	2	1	-	-	-
80-84 years-----	18	16	2	14	13	1	4	3	1	1	1	-
85-89 years-----	9	6	3	7	6	1	2	-	2	-	-	-
90-94 years-----	3	1	2	2	1	1	1	-	1	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Assault (homicide) by unspecified chemical or noxious substance (X90)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	4	1	3	3	1	2	1	-	1	1	-	1	-	-	1
Under 1 year-----	1	-	1	-	-	-	1	-	1	1	-	1	-	-	1
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by hanging, strangulation, and suffocation (X91)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	TOTAL - BOTH SEXES	TOTAL - MALE	TOTAL - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	658	224	434	431	163	268	227	61	166	204	49	155	-	-	-
Under 1 year-----	26	15	11	19	11	8	7	4	3	6	3	3	-	-	-
1-4 years-----	26	10	16	22	10	12	4	-	4	4	-	4	-	-	-
5-9 years-----	13	6	7	11	5	6	2	1	1	2	1	1	-	-	-
10-14 years-----	19	7	12	14	5	9	5	2	3	5	2	3	-	-	-
15-19 years-----	41	8	33	25	7	18	16	1	15	15	1	14	-	-	-
20-24 years-----	78	18	60	48	9	39	30	9	21	27	7	20	-	-	-
25-29 years-----	64	12	52	40	9	31	24	3	21	23	3	20	-	-	-
30-34 years-----	72	29	43	40	19	21	32	10	22	28	7	21	-	-	-
35-39 years-----	69	19	50	44	15	29	25	4	21	23	4	19	-	-	-
40-44 years-----	68	29	39	36	18	18	32	11	21	30	10	20	-	-	-
45-49 years-----	50	19	31	37	14	23	13	5	8	9	2	7	-	-	-
50-54 years-----	25	8	17	20	7	13	5	1	4	3	-	3	-	-	-
55-59 years-----	23	14	9	15	9	6	8	5	3	7	4	3	-	-	-
60-64 years-----	15	6	9	12	6	6	3	-	3	2	-	2	-	-	-
65-69 years-----	19	7	12	12	4	8	7	3	4	7	3	4	-	-	-
70-74 years-----	13	6	7	8	4	4	5	2	3	5	2	3	-	-	-
75-79 years-----	15	5	10	13	5	8	2	-	2	1	-	1	-	-	-
80-84 years-----	9	3	6	6	3	3	3	-	3	3	-	3	-	-	-
85-89 years-----	6	2	4	5	2	3	1	-	1	1	-	1	-	-	-
90-94 years-----	4	-	4	3	-	3	1	-	1	1	-	1	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	3	1	2	1	1	-	2	-	2	2	-	2	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - -
TOTAL - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Assault (homicide) by rifle, shotgun, and larger firearm discharge (X94)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	ALL OTHER TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	694	527	167	424	302	122	270	225	45	247	206	41
Under 1 year-----	4	3	1	2	1	1	2	2	-	2	2	-
1-4 years-----	2	1	1	1	-	1	1	1	-	-	-	-
5-9 years-----	7	5	2	7	5	2	-	-	-	-	-	-
10-14 years-----	11	10	1	7	7	-	4	3	1	4	3	1
15-19 years-----	73	65	8	37	31	6	36	34	2	35	33	2
20-24 years-----	105	85	20	48	34	14	57	51	6	56	50	6
25-29 years-----	87	68	19	37	24	13	50	44	6	45	39	6
30-34 years-----	84	61	23	48	34	14	36	27	9	35	26	9
35-39 years-----	81	62	19	62	48	14	19	14	5	14	10	4
40-44 years-----	72	56	16	47	41	6	25	15	10	21	13	8
45-49 years-----	59	44	15	42	30	12	17	14	3	16	13	3
50-54 years-----	36	30	6	28	23	5	8	7	1	7	6	1
55-59 years-----	27	18	9	19	11	8	8	7	1	5	5	-
60-64 years-----	9	6	3	6	3	3	3	3	-	3	3	-
65-69 years-----	8	2	6	8	2	6	-	-	-	-	-	-
70-74 years-----	13	6	7	11	4	7	2	2	-	2	2	-
75-79 years-----	11	3	8	10	3	7	1	-	1	1	-	1
80-84 years-----	3	1	2	2	-	2	1	1	-	1	1	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by other and unspecified firearm discharge (X95)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	WHITE BOTH SEXES	WHITE MALE	WHITE FEMALE	ALL OTHER TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	BLACK BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	9,039	7,644	1,395	3,834	3,008	826	5,205	4,636	569	4,962	4,443	519
Under 1 year-----	7	5	2	3	1	2	4	4	-	4	4	-
1-4 years-----	23	15	8	14	8	6	9	7	2	7	5	2
5-9 years-----	33	18	15	23	12	11	10	6	4	10	6	4
10-14 years-----	108	88	20	57	45	12	51	43	8	47	39	8
15-19 years-----	1,314	1,176	138	493	427	66	821	749	72	782	715	67
20-24 years-----	2,093	1,897	196	684	592	92	1,409	1,305	104	1,367	1,270	97
25-29 years-----	1,532	1,362	170	541	455	86	991	907	84	953	879	74
30-34 years-----	1,082	920	162	442	356	86	640	564	76	621	547	74
35-39 years-----	877	700	177	405	297	108	472	403	69	449	390	59
40-44 years-----	684	533	151	362	269	93	322	264	58	300	246	54
45-49 years-----	464	358	106	261	195	66	203	163	40	184	149	35
50-54 years-----	303	227	76	178	120	58	125	107	18	112	97	15
55-59 years-----	175	132	43	119	90	29	56	42	14	47	34	13
60-64 years-----	116	84	32	84	55	29	32	29	3	24	21	3
65-69 years-----	77	49	28	52	31	21	25	18	7	21	17	4
70-74 years-----	61	37	24	46	25	21	15	12	3	15	12	3
75-79 years-----	36	19	17	30	16	14	6	3	3	6	3	3
80-84 years-----	19	10	9	11	3	8	8	7	1	8	7	1
85-89 years-----	20	4	16	16	3	13	4	1	3	4	1	3
90-94 years-----	3	2	1	3	2	1	-	-	-	-	-	-
95-99 years-----	1	1	-	1	1	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	11	7	4	9	5	4	2	2	-	1	1	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Assault (homicide) by steam, hot vapors, and hot objects (X98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	7	6	1	3	3	-	4	3	1	4	3	1
Under 1 year-----	1	1	-	-	-	-	1	1	-	1	1	-
1-4 years-----	3	2	1	1	1	-	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	1	1	-	1	1	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-
70-74 years-----	1	1	-	1	1	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Assault (homicide) by sharp object (X99)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	1,805	1,283	522	1,024	731	293	781	552	229	693	488	205
Under 1 year-----	7	3	4	5	2	3	2	1	1	2	1	1
1-4 years-----	12	8	4	6	5	1	6	3	3	6	3	3
5-9 years-----	13	7	6	11	6	5	2	1	1	2	1	1
10-14 years-----	20	8	12	14	5	9	6	3	3	6	3	3
15-19 years-----	156	116	40	95	73	22	61	43	18	49	32	17
20-24 years-----	253	208	45	138	115	23	115	93	22	99	78	21
25-29 years-----	205	155	50	118	91	27	87	64	23	78	58	20
30-34 years-----	215	153	62	125	87	38	90	66	24	73	57	16
35-39 years-----	242	157	85	134	89	45	108	68	40	100	64	36
40-44 years-----	224	151	73	107	76	31	117	75	42	107	67	40
45-49 years-----	134	96	38	64	43	21	70	53	17	67	51	16
50-54 years-----	86	54	32	54	31	23	32	23	9	29	21	8
55-59 years-----	62	52	10	37	33	4	25	19	6	24	18	6
60-64 years-----	39	25	14	24	16	8	15	9	6	14	9	5
65-69 years-----	35	22	13	19	11	8	16	11	5	16	11	5
70-74 years-----	27	22	5	17	15	2	10	7	3	8	5	3
75-79 years-----	33	20	13	23	13	10	10	7	3	7	5	2
80-84 years-----	26	16	10	19	12	7	7	4	3	4	2	2
85-89 years-----	7	2	5	7	2	5	-	-	-	-	-	-
90-94 years-----	3	3	-	2	2	-	1	1	-	1	1	-
95-99 years-----	2	2	-	1	1	-	1	1	-	1	1	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	4	3	1	4	3	1	-	-	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Assault (homicide) by blunt object (Y00)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	210	142	68	128	87	41	82	55	27	70	47	23			
Under 1 year-----	5	2	3	2	2	-	3	-	3	2	-	2			
1-4 years-----	9	4	5	6	2	4	3	2	1	3	2	1			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	2	1	1	2	1	1	-	-	-	-	-	-			
15-19 years-----	11	9	2	7	6	1	4	3	1	4	3	1			
20-24 years-----	13	11	2	11	9	2	2	2	-	2	2	-			
25-29 years-----	11	6	5	4	2	2	7	4	3	6	3	3			
30-34 years-----	19	12	7	9	7	2	10	5	5	10	5	5			
35-39 years-----	17	10	7	11	5	6	6	5	1	6	5	1			
40-44 years-----	33	24	9	20	13	7	13	11	2	10	8	2			
45-49 years-----	26	20	6	17	13	4	9	7	2	6	4	2			
50-54 years-----	20	14	6	13	11	2	7	3	4	6	3	3			
55-59 years-----	10	8	2	5	4	1	5	4	1	4	4	-			
60-64 years-----	9	6	3	4	3	1	5	3	2	4	2	2			
65-69 years-----	10	8	2	4	3	1	6	5	1	5	5	-			
70-74 years-----	8	3	5	7	2	5	1	1	-	1	1	-			
75-79 years-----	2	2	-	2	2	-	-	-	-	-	-	-			
80-84 years-----	3	-	3	2	-	2	1	-	1	1	-	1			
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

Assault (homicide) by pushing from high place (Y01)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	18	11	7	11	7	4	7	4	3	7	4	3			
Under 1 year-----	2	1	1	-	-	-	2	1	1	2	1	1			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	2	-	2	-	-	-	2	-	2	2	-	2			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
25-29 years-----	3	3	-	3	3	-	-	-	-	-	-	-			
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
35-39 years-----	6	4	2	4	2	2	2	2	-	2	2	-			
40-44 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-			
50-54 years-----	1	1	-	-	-	-	1	1	-	1	1	-			
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-			
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-			

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Assault (homicide) by bodily force (Y04)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	139	124	15	85
Under 1 year-----	1	1	-	-
1-4 years-----	3	2	1	2
5-9 years-----	1	1	-	1
10-14 years-----	-	-	-	-
15-19 years-----	8	7	1	3
20-24 years-----	13	12	1	6
25-29 years-----	16	16	-	9
30-34 years-----	18	17	1	12
35-39 years-----	16	14	2	8
40-44 years-----	22	21	1	14
45-49 years-----	15	15	-	11
50-54 years-----	9	9	-	5
55-59 years-----	7	6	1	6
60-64 years-----	2	1	1	2
65-69 years-----	1	1	-	-
70-74 years-----	3	-	3	2
75-79 years-----	1	1	-	1
80-84 years-----	1	-	1	1
85-89 years-----	1	-	1	1
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Sexual assault (homicide) by bodily force (Y05)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	3	-	3	1
Under 1 year-----	-	-	-	-
1-4 years-----	1	-	1	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	1	-	1	1
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	1	-	1	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

By other specified persons (Y06.8)

All ages-----	5	2	3	4	1	3	1	1	-	1	1	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	1	-	1	1	-	1	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	-	1	1	-	1	-	-	-	-	-	-
50-54 years-----	-	-	-	-	-	-	-	-	-	-	-	-
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	1	-	1	1	-	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-
90-94 years-----	1	1	-	-	-	-	1	1	-	1	1	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

By unspecified person (Y06.9)

All ages-----	31	14	17	16	8	8	15	6	9	13	5	8
Under 1 year-----	17	6	11	6	3	3	11	3	8	10	3	7
1-4 years-----	4	3	1	3	2	1	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	1	1	-	1	1	-	-	-	-	-	-	-
20-24 years-----	2	1	1	1	-	1	1	1	-	1	1	-
25-29 years-----	-	-	-	-	-	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years-----	1	1	-	-	-	-	1	1	-	-	-	-
50-54 years-----	1	-	1	-	-	-	1	-	1	1	-	1
55-59 years-----	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years-----	1	-	1	1	-	1	-	-	-	-	-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	2	-	2	2	-	2	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992), - - - ALL RACES - - -

- - - - - ALL OTHER - - - - -

AND AGE BOTH SEXES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Assault (homicide) by other specified means (Y08)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	789	538	251	470	319	151	319	219	100	291	198	93
Under 1 year-----	20	11	9	12	7	5	8	4	4	8	4	4
1-4 years-----	46	24	22	20	11	9	26	13	13	24	12	12
5-9 years-----	11	7	4	7	5	2	4	2	2	4	2	2
10-14 years-----	15	6	9	12	5	7	3	1	2	3	1	2
15-19 years-----	40	23	17	23	13	10	17	10	7	16	9	7
20-24 years-----	70	52	18	42	33	9	28	19	9	28	19	9
25-29 years-----	48	33	15	27	19	8	21	14	7	20	13	7
30-34 years-----	76	50	26	42	25	17	34	25	9	27	21	6
35-39 years-----	100	66	34	61	42	19	39	24	15	32	19	13
40-44 years-----	100	80	20	59	50	9	41	30	11	37	26	11
45-49 years-----	76	56	20	39	25	14	37	31	6	34	29	5
50-54 years-----	47	38	9	29	23	6	18	15	3	18	15	3
55-59 years-----	30	23	7	21	15	6	9	8	1	9	8	1
60-64 years-----	24	21	3	15	13	2	9	8	1	9	8	1
65-69 years-----	15	12	3	12	9	3	3	3	-	3	3	-
70-74 years-----	21	12	9	15	8	7	6	4	2	5	3	2
75-79 years-----	21	11	10	15	10	5	6	1	5	6	1	5
80-84 years-----	20	11	9	11	4	7	9	7	2	7	5	2
85-89 years-----	4	2	2	4	2	2	-	-	-	-	-	-
90-94 years-----	2	-	2	1	-	1	1	-	1	1	-	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	1	-	1	-	-	-	-	-	-
Not stated-----	1	-	1	1	-	1	-	-	-	-	-	-

Assault (homicide) by unspecified means (Y09)

AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	WHITE MALE	FEMALE	BOTH SEXES	TOTAL MALE	FEMALE	BOTH SEXES	BLACK MALE	FEMALE
All ages-----	1,463	970	493	846	538	308	617	432	185	544	385	159
Under 1 year-----	125	70	55	65	39	26	60	31	29	54	28	26
1-4 years-----	126	73	53	62	37	25	64	36	28	58	31	27
5-9 years-----	15	8	7	9	5	4	6	3	3	6	3	3
10-14 years-----	18	8	10	15	8	7	3	-	3	3	-	3
15-19 years-----	69	48	21	26	15	11	43	33	10	42	32	10
20-24 years-----	125	91	34	64	40	24	61	51	10	58	49	9
25-29 years-----	116	78	38	59	35	24	57	43	14	52	39	13
30-34 years-----	105	69	36	61	41	20	44	28	16	39	24	15
35-39 years-----	141	77	64	78	42	36	63	35	28	55	34	21
40-44 years-----	137	100	37	81	59	22	56	41	15	44	32	12
45-49 years-----	128	94	34	80	57	23	48	37	11	39	31	8
50-54 years-----	91	73	18	57	40	17	34	33	1	28	28	-
55-59 years-----	58	39	19	39	25	14	19	14	5	15	13	2
60-64 years-----	45	38	7	30	24	6	15	14	1	14	13	1
65-69 years-----	34	25	9	21	15	6	13	10	3	10	8	2
70-74 years-----	40	32	8	29	23	6	11	9	2	9	7	2
75-79 years-----	26	13	13	20	8	12	6	5	1	6	5	1
80-84 years-----	32	19	13	23	13	10	9	6	3	8	6	2
85-89 years-----	16	9	7	12	6	6	4	3	1	3	2	1
90-94 years-----	6	3	3	6	3	3	-	-	-	-	-	-
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	9	3	6	8	3	5	1	-	1	1	-	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics, undetermined intent (Y10)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	43	24	19	34	18	16	9	6	3	8	5	3			
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-			
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
5-9 years-----	1	1	-	1	1	-	-	-	-	-	-	-			
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-			
20-24 years-----	2	2	-	1	1	-	1	1	-	1	1	-			
25-29 years-----	6	3	3	5	2	3	1	1	-	1	1	-			
30-34 years-----	2	1	1	1	-	1	1	1	-	-	-	-			
35-39 years-----	11	7	4	10	6	4	1	1	-	1	1	-			
40-44 years-----	4	2	2	3	2	1	1	-	1	1	-	1		1	
45-49 years-----	5	3	2	3	2	1	2	1	1	2	1	2		1	1
50-54 years-----	4	3	1	3	3	-	1	-	1	1	-	1		-	1
55-59 years-----	4	1	3	4	1	3	-	-	-	-	-	-		-	-
60-64 years-----	2	-	2	2	-	2	-	-	-	-	-	-		-	-
65-69 years-----	1	1	-	-	-	-	1	1	-	1	1	-		1	-
70-74 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-

Poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified, undetermined intent (Y11)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES BOTH SEXES	ALL RACES MALE	ALL RACES FEMALE	ALL RACES BOTH SEXES	WHITE MALE	WHITE FEMALE	WHITE BOTH SEXES	TOTAL MALE	TOTAL FEMALE	TOTAL BOTH SEXES	ALL OTHER MALE	ALL OTHER FEMALE	ALL OTHER BOTH SEXES	BLACK MALE	BLACK FEMALE
All ages-----	219	130	89	198	118	80	21	12	9	15	7	8			
Under 1 year-----	2	-	2	1	-	1	1	-	1	1	-	-		-	1
1-4 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
5-9 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	-	-	-		-	-
15-19 years-----	4	1	3	3	-	3	1	1	-	1	1	-		1	-
20-24 years-----	18	11	7	17	10	7	1	1	-	-	-	-		-	-
25-29 years-----	14	10	4	14	10	4	-	-	-	-	-	-		-	-
30-34 years-----	15	11	4	14	10	4	1	1	-	-	-	-		-	-
35-39 years-----	30	19	11	24	15	9	6	4	2	5	3	2		3	2
40-44 years-----	45	28	17	41	27	14	4	1	3	3	1	2		2	2
45-49 years-----	46	25	21	40	22	18	6	3	3	5	2	3		2	3
50-54 years-----	19	10	9	19	10	9	-	-	-	-	-	-		-	-
55-59 years-----	12	8	4	12	8	4	-	-	-	-	-	-		-	-
60-64 years-----	7	3	4	7	3	4	-	-	-	-	-	-		-	-
65-69 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
75-79 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-		-	-
85-89 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
90-94 years-----	1	-	1	1	-	1	-	-	-	-	-	-		-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-		-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-		-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BOTH SEXES BLACK MALE FEMALE

Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent (Y14)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female), Black (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Poisoning by and exposure to alcohol, undetermined intent (Y15)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female), Black (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Poisoning by and exposure to other and unspecified chemicals and noxious substances, undetermined intent (Y19)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Hanging, strangulation, and suffocation, undetermined intent (Y20)

Table with 13 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Rifle, shotgun, and larger firearm discharge, undetermined intent (Y23)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	24	21	3	19	16	3	5	5	-	5	5	-
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	-	-	-	1	1	-	1	1	-
15-19 years-----	2	2	-	1	1	-	1	1	-	1	1	-
20-24 years-----	1	1	-	1	1	-	-	-	-	-	-	-
25-29 years-----	3	2	1	2	1	1	1	1	-	1	1	-
30-34 years-----	1	1	-	1	1	-	-	-	-	-	-	-
35-39 years-----	3	2	1	3	2	1	-	-	-	-	-	-
40-44 years-----	5	5	-	4	4	-	1	1	-	1	1	-
45-49 years-----	1	1	-	1	1	-	-	-	-	-	-	-
50-54 years-----	2	2	-	2	2	-	-	-	-	-	-	-
55-59 years-----	2	2	-	1	1	-	1	1	-	1	1	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	2	1	1	2	1	1	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	1	1	-	1	1	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Other and unspecified firearm discharge, undetermined intent (Y24)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	166	134	32	120	98	22	46	36	10	38	31	7
Under 1 year-----	-	-	-	-	-	-	-	-	-	-	-	-
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	6	5	1	4	4	-	2	1	1	2	1	1
15-19 years-----	20	19	1	16	15	1	4	4	-	4	4	-
20-24 years-----	34	26	8	23	18	5	11	8	3	9	8	1
25-29 years-----	22	18	4	14	11	3	8	7	1	7	6	1
30-34 years-----	16	13	3	8	7	1	8	6	2	6	4	2
35-39 years-----	11	7	4	7	4	3	4	3	1	3	3	-
40-44 years-----	14	12	2	12	12	-	2	-	2	2	-	2
45-49 years-----	6	4	2	5	3	2	1	1	-	1	1	-
50-54 years-----	9	8	1	7	6	1	2	2	-	1	1	-
55-59 years-----	10	8	2	7	5	2	3	3	-	2	2	-
60-64 years-----	3	1	2	3	1	2	-	-	-	-	-	-
65-69 years-----	5	4	1	4	3	1	1	-	-	1	1	-
70-74 years-----	3	3	-	3	3	-	-	-	-	-	-	-
75-79 years-----	5	4	1	5	4	1	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	1	1	-	1	1	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Other specified events, undetermined intent (Y33)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	131	93	38	110	77	33	21	16	5	17	12	5
Under 1 year-----	2	1	1	2	1	1	-	-	-	-	-	-
1-4 years-----	4	4	-	3	3	-	1	1	-	1	1	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	4	4	-	4	4	-	-	-	-	-	-	-
20-24 years-----	8	7	1	6	6	-	2	1	1	2	1	1
25-29 years-----	8	4	4	7	3	4	1	1	-	1	1	-
30-34 years-----	16	11	5	14	9	5	2	2	-	2	2	-
35-39 years-----	5	2	3	4	1	3	1	1	-	1	1	-
40-44 years-----	11	8	3	11	8	3	-	-	-	-	-	-
45-49 years-----	10	7	3	7	5	2	3	2	1	1	-	1
50-54 years-----	7	6	1	7	6	1	-	-	-	-	-	-
55-59 years-----	6	6	-	4	4	-	2	2	-	2	2	-
60-64 years-----	8	6	2	6	5	1	2	1	1	2	1	1
65-69 years-----	8	5	3	8	5	3	-	-	-	-	-	-
70-74 years-----	5	5	-	4	4	-	1	1	-	-	-	-
75-79 years-----	6	4	2	5	4	1	1	-	1	1	-	1
80-84 years-----	10	6	4	9	5	4	1	1	-	1	1	-
85-89 years-----	6	4	2	4	2	2	2	2	-	1	1	-
90-94 years-----	5	2	3	3	1	2	2	1	1	2	1	1
95-99 years-----	1	-	1	1	-	1	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

Unspecified event, undetermined intent (Y34)

	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE	BOTH SEXES	MALE	FEMALE
All ages-----	294	197	97	209	136	73	85	61	24	68	50	18
Under 1 year-----	11	5	6	6	5	1	5	-	5	4	-	4
1-4 years-----	10	3	7	8	2	6	2	1	1	2	1	1
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	1	1	-	1	1	-	-	-	-	-	-	-
15-19 years-----	3	2	1	1	-	1	2	2	-	2	2	-
20-24 years-----	8	6	2	3	2	1	5	4	1	4	3	1
25-29 years-----	14	11	3	10	8	2	4	3	1	3	3	-
30-34 years-----	18	11	7	14	8	6	4	3	1	3	2	1
35-39 years-----	37	28	9	26	19	7	11	9	2	8	7	1
40-44 years-----	37	26	11	27	20	7	10	6	4	7	3	4
45-49 years-----	41	35	6	29	23	6	12	12	-	11	11	-
50-54 years-----	29	20	9	20	12	8	9	8	1	8	7	1
55-59 years-----	22	16	6	17	12	5	5	4	1	3	2	1
60-64 years-----	8	6	2	4	4	-	4	2	2	3	2	1
65-69 years-----	5	4	1	4	3	1	1	1	-	1	1	-
70-74 years-----	14	7	7	11	5	6	3	2	1	2	2	-
75-79 years-----	8	7	1	6	5	1	2	2	-	2	2	-
80-84 years-----	9	4	5	8	3	5	1	1	-	1	1	-
85-89 years-----	7	3	4	5	2	3	2	1	1	2	1	1
90-94 years-----	8	-	8	6	-	6	2	-	2	1	-	1
95-99 years-----	2	1	1	2	1	1	-	-	-	-	-	-
100 yrs & over---	1	-	1	-	-	-	1	-	1	1	-	1
Not stated-----	1	1	-	1	1	-	-	-	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES
MALE FEMALE BOTH SEXES
WHITE MALE FEMALE BOTH SEXES
TOTAL MALE FEMALE BOTH SEXES
ALL OTHER
BLACK MALE FEMALE

Primarily systemic agents (Y43)

	ALL RACES	WHITE	ALL OTHER	BLACK
	MALE	FEMALE	MALE	FEMALE
All ages-----	13	5	8	11
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	1	1	-	1
40-44 years-----	-	-	-	-
45-49 years-----	1	-	1	1
50-54 years-----	2	1	1	1
55-59 years-----	2	1	1	2
60-64 years-----	-	-	-	-
65-69 years-----	1	-	1	1
70-74 years-----	3	1	2	3
75-79 years-----	2	1	1	2
80-84 years-----	1	-	1	1
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Antiallergic and antiemetic drugs (Y43.0)

	ALL RACES	WHITE	ALL OTHER	BLACK
	MALE	FEMALE	MALE	FEMALE
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Immunosuppressive agents (Y43.4)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from Under 1 year to 100 yrs & over, and Not stated.

Agents primarily affecting blood constituents (Y44)

Table with 14 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from Under 1 year to 100 yrs & over, and Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Anticoagulants (Y44.2)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Anticoagulant antagonists, vitamin K, and other coagulants (Y44.3)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Opioids and related analgesics (Y45.0)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

Other nonsteroidal anti-inflammatory drugs [NSAID] (Y45.3)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Hydantoin derivatives (Y46.2)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Valproic acid (Y46.5)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Benzodiazepines (Y47.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	1	1	-	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Sedative, hypnotic, and antianxiety drug, unspecified (Y47.9)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	-	2	1
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	1	-	1	1
50-54 years-----	-	-	-	-
55-59 years-----	1	-	1	1
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Other antidysrhythmic drugs, not elsewhere classified (Y52.2)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Other antihypertensive drugs, not elsewhere classified (Y52.5)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE BLACK MALE FEMALE

Other drugs and medicaments (Y57.8)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Drug or medicament, unspecified (Y57.9)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female, Both Sexes), Black (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES
MALE FEMALE BOTH SEXES
WHITE
MALE FEMALE BOTH SEXES
TOTAL
MALE FEMALE BOTH SEXES
ALL OTHER
BLACK
MALE FEMALE

During infusion or transfusion (Y60.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	1	1	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	1	-	1	1
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	1	1	-	1
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

During kidney dialysis or other perfusion (Y60.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	6	1	5	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	2	-	2	-
50-54 years-----	1	1	-	1
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	-
75-79 years-----	-	-	-	-
80-84 years-----	-	-	-	-
85-89 years-----	1	-	1	-
90-94 years-----	1	-	1	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992),

ALL RACES - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

During endoscopic examination (Y60.4)

Table with 13 columns: Cause of Death (Age Group), All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female), Black (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

During heart catheterization (Y60.5)

Table with 13 columns: Cause of Death (Age Group), All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female), Black (Both Sexes, Male, Female). Rows include All ages, Under 1 year, 1-4 years, 5-9 years, 10-14 years, 15-19 years, 20-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, 50-54 years, 55-59 years, 60-64 years, 65-69 years, 70-74 years, 75-79 years, 80-84 years, 85-89 years, 90-94 years, 95-99 years, 100 yrs & over, Not stated.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

During aspiration, puncture, and other catheterization (Y60.6)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

During administration of enema (Y60.7)

Table with 14 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to '100 yrs & over' and 'Not stated'.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),

ALL RACES - - - - - ALL OTHER - - - - -
WHITE - - - - - TOTAL - - - - - BLACK - - - - -
AND AGE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

During other surgical and medical care (Y60.8)

CAUSE OF DEATH	ALL RACES	WHITE	ALL OTHER	BLACK
AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES MALE FEMALE
All ages-----	28	12	16	24 11 13 4 1 3 4 1 3
Under 1 year-----	-	-	-	- - - - -
1-4 years-----	-	-	-	- - - - -
5-9 years-----	-	-	-	- - - - -
10-14 years-----	-	-	-	- - - - -
15-19 years-----	-	-	-	- - - - -
20-24 years-----	-	-	-	- - - - -
25-29 years-----	1	-	1	- - 1 - 1 - 1
30-34 years-----	1	1	-	1 - - - -
35-39 years-----	-	-	-	- - - - -
40-44 years-----	1	1	-	1 - - - -
45-49 years-----	1	-	1	- 1 - - -
50-54 years-----	1	-	1	- 1 - - -
55-59 years-----	2	1	1	- 1 - 1 - -
60-64 years-----	1	-	1	- - 1 - 1 - 1
65-69 years-----	5	2	3	4 1 3 1 1 - 1 1
70-74 years-----	3	1	2	3 1 2 - - - -
75-79 years-----	5	4	1	5 4 1 - - - -
80-84 years-----	1	1	-	1 1 - - - -
85-89 years-----	3	1	2	3 1 2 - - - -
90-94 years-----	3	-	3	- 2 1 - 1 - 1
95-99 years-----	-	-	-	- - - - -
100 yrs & over---	-	-	-	- - - - -
Not stated-----	-	-	-	- - - - -

During unspecified surgical and medical care (Y60.9)

CAUSE OF DEATH	ALL RACES	WHITE	ALL OTHER	BLACK
AND AGE	BOTH SEXES	MALE	FEMALE	BOTH SEXES MALE FEMALE
All ages-----	18	6	12	17 5 12 1 1 - 1 1 -
Under 1 year-----	1	1	-	1 - - - -
1-4 years-----	-	-	-	- - - - -
5-9 years-----	-	-	-	- - - - -
10-14 years-----	-	-	-	- - - - -
15-19 years-----	-	-	-	- - - - -
20-24 years-----	-	-	-	- - - - -
25-29 years-----	-	-	-	- - - - -
30-34 years-----	-	-	-	- - - - -
35-39 years-----	-	-	-	- - - - -
40-44 years-----	2	1	1	2 1 1 - - - -
45-49 years-----	1	-	1	- 1 - - -
50-54 years-----	2	-	2	- 2 - - -
55-59 years-----	1	1	-	1 1 - - -
60-64 years-----	1	-	1	- 1 - - -
65-69 years-----	3	2	1	2 1 1 1 - 1 1
70-74 years-----	1	-	1	- 1 - - -
75-79 years-----	1	1	-	1 1 - - -
80-84 years-----	2	-	2	- 2 - - -
85-89 years-----	3	-	3	- 3 - - -
90-94 years-----	-	-	-	- - - - -
95-99 years-----	-	-	-	- - - - -
100 yrs & over---	-	-	-	- - - - -
Not stated-----	-	-	-	- - - - -

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

During unspecified surgical and medical care (Y61.9)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Failure of sterile precautions during surgical and medical care (Y62)

Table with 15 columns: Cause of Death, All Races (Male, Female, Both Sexes), White (Male, Female, Both Sexes), Total (Male, Female, Both Sexes), All Other (Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

During endoscopic examination (Y62.4)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

Failure in dosage during surgical and medical care (Y63)

Table with 15 columns: Cause of Death, All Races (Both Sexes, Male, Female), White (Both Sexes, Male, Female), Total (Both Sexes, Male, Female), All Other (Both Sexes, Male, Female). Rows include age groups from 'All ages' to 'Not stated'.

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES ALL OTHER BLACK MALE FEMALE

Failure in dosage during unspecified surgical and medical care (Y63.9)

Table with columns for age groups (All ages, Under 1 year, 1-4 years, etc.) and race/sex breakdowns. Row 1: All ages, 1, -, 1, 1, -, 1, -, -, -, -, -, -.

Contaminated medical or biological substances (Y64)

Table with columns for age groups (All ages, Under 1 year, 1-4 years, etc.) and race/sex breakdowns. Row 1: All ages, 1, -, 1, -, -, 1, -, 1, 1, -, 1.

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Aspiration of fluid (Y84.4)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	2	1	1	2
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	-	-	-	-
35-39 years-----	-	-	-	-
40-44 years-----	-	-	-	-
45-49 years-----	-	-	-	-
50-54 years-----	-	-	-	-
55-59 years-----	-	-	-	-
60-64 years-----	-	-	-	-
65-69 years-----	-	-	-	-
70-74 years-----	1	-	1	1
75-79 years-----	1	1	-	1
80-84 years-----	-	-	-	-
85-89 years-----	-	-	-	-
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Urinary catheterization (Y84.6)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	78	41	37	60
Under 1 year-----	-	-	-	-
1-4 years-----	-	-	-	-
5-9 years-----	-	-	-	-
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	-	-	-	-
25-29 years-----	-	-	-	-
30-34 years-----	1	-	1	1
35-39 years-----	1	-	1	1
40-44 years-----	1	1	-	1
45-49 years-----	8	5	3	3
50-54 years-----	4	4	-	3
55-59 years-----	2	-	2	1
60-64 years-----	9	6	3	8
65-69 years-----	5	2	3	5
70-74 years-----	13	8	5	8
75-79 years-----	4	2	2	4
80-84 years-----	8	4	4	8
85-89 years-----	13	6	7	11
90-94 years-----	6	2	4	4
95-99 years-----	2	1	1	1
100 yrs & over---	1	-	1	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE

ALL RACES MALE FEMALE BOTH SEXES WHITE MALE FEMALE BOTH SEXES TOTAL MALE FEMALE BOTH SEXES ALL OTHER MALE FEMALE

Sequelae of assault (Y87.1)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	175	142	33	88
Under 1 year-----
1-4 years-----	2	2	-	2
5-9 years-----	8	4	4	5
10-14 years-----	3	2	1	2
15-19 years-----	5	4	1	2
20-24 years-----	11	8	3	2
25-29 years-----	14	13	1	5
30-34 years-----	21	21	-	7
35-39 years-----	24	20	4	11
40-44 years-----	18	13	5	10
45-49 years-----	17	14	3	9
50-54 years-----	16	13	3	9
55-59 years-----	13	11	2	8
60-64 years-----	5	4	1	1
65-69 years-----	8	6	2	7
70-74 years-----	2	2	-	-
75-79 years-----	3	3	-	3
80-84 years-----	3	1	2	3
85-89 years-----	2	1	1	2
90-94 years-----	-	-	-	-
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

Sequelae of events of undetermined intent (Y87.2)

	ALL RACES	WHITE	ALL OTHER	BLACK
	BOTH SEXES	MALE	FEMALE	BOTH SEXES
All ages-----	25	19	6	18
Under 1 year-----
1-4 years-----	-	-	-	-
5-9 years-----	1	-	1	1
10-14 years-----	-	-	-	-
15-19 years-----	-	-	-	-
20-24 years-----	3	3	-	1
25-29 years-----	1	-	1	-
30-34 years-----	2	2	-	2
35-39 years-----	2	2	-	2
40-44 years-----	1	1	-	1
45-49 years-----	4	4	-	4
50-54 years-----	3	2	1	1
55-59 years-----	2	1	1	1
60-64 years-----	2	2	-	1
65-69 years-----	-	-	-	-
70-74 years-----	-	-	-	-
75-79 years-----	2	1	1	2
80-84 years-----	1	1	-	1
85-89 years-----	-	-	-	-
90-94 years-----	1	-	1	1
95-99 years-----	-	-	-	-
100 yrs & over---	-	-	-	-
Not stated-----	-	-	-	-

CAUSE OF DEATH (BASED
ON THE TENTH REVISION,
INTERNATIONAL CLASSIFICATION
OF DISEASES, 1992),
AND AGE

ALL RACES - - - - - WHITE - - - - - ALL OTHER - - - - - BLACK - - - - -
BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE BOTH SEXES MALE FEMALE

Sequelae of unspecified external cause (Y89.9)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), AND AGE	ALL RACES - BOTH SEXES	ALL RACES - MALE	ALL RACES - FEMALE	WHITE - BOTH SEXES	WHITE - MALE	WHITE - FEMALE	ALL OTHER - BOTH SEXES	ALL OTHER - MALE	ALL OTHER - FEMALE	BLACK - BOTH SEXES	BLACK - MALE	BLACK - FEMALE
All ages-----	8	4	4	6	3	3	2	1	1	-	-	-
Under 1 year-----
1-4 years-----	-	-	-	-	-	-	-	-	-	-	-	-
5-9 years-----	-	-	-	-	-	-	-	-	-	-	-	-
10-14 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years-----	-	-	-	-	-	-	-	-	-	-	-	-
20-24 years-----	-	-	-	-	-	-	-	-	-	-	-	-
25-29 years-----	1	1	-	1	1	-	-	-	-	-	-	-
30-34 years-----	-	-	-	-	-	-	-	-	-	-	-	-
35-39 years-----	-	-	-	-	-	-	-	-	-	-	-	-
40-44 years-----	1	-	1	-	-	-	1	-	1	-	-	-
45-49 years-----	-	-	-	-	-	-	-	-	-	-	-	-
50-54 years-----	3	1	2	2	-	2	1	1	-	-	-	-
55-59 years-----	2	1	1	2	1	1	-	-	-	-	-	-
60-64 years-----	-	-	-	-	-	-	-	-	-	-	-	-
65-69 years-----	1	1	-	1	1	-	-	-	-	-	-	-
70-74 years-----	-	-	-	-	-	-	-	-	-	-	-	-
75-79 years-----	-	-	-	-	-	-	-	-	-	-	-	-
80-84 years-----	-	-	-	-	-	-	-	-	-	-	-	-
85-89 years-----	-	-	-	-	-	-	-	-	-	-	-	-
90-94 years-----	-	-	-	-	-	-	-	-	-	-	-	-
95-99 years-----	-	-	-	-	-	-	-	-	-	-	-	-
100 yrs & over---	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	-	-	-	-	-	-	-	-	-	-	-	-

- QUANTITY ZERO.
... CATEGORY NOT APPLICABLE.

NOTE: COMPLETE CONFIRMATION OF DEATHS FROM SELECTED CAUSES OF DEATH, CONSIDERED TO BE OF PUBLIC HEALTH CONCERN, WERE NOT PROVIDED BY THE DISTRICT OF COLUMBIA AND THE FOLLOWING STATES--ALABAMA, CALIFORNIA, FLORIDA, ILLINOIS, IOWA, KENTUCKY, MAINE, MASSACHUSETTS, NEW YORK, NORTH CAROLINA, OHIO, OKLAHOMA, PENNSYLVANIA, AND WEST VIRGINIA.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.