LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

ALL RACES, ALL BIRTHWEIGHTS ALL CAUSES	18,733 461.5	14,893		
		14,893		
		366.9	3,841 94.6	9,227 227.3
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER 5,756 RATE 141.8	4,170	3,185	985	1,587
	102.7	78.5	24.3	39.1
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER 4,401 RATE 108.4	4,323	4,198	126	77
	106.5	103.4	3.1	1.9
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER 2,522 RATE 62.1	198	29	169	2,324
	4.9	.7	4.2	57.3
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER 1,391 RATE 34.3	1,379 34.0	1,363 33.6	16 *	11
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER 1,042	1,027	990	37	14
RATE 25.7	25.3	24.4	.9	
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER 1,007 RATE 24.8	936	742	194	71
	23.1	18.3	4.8	1.7
ACCIDENTS (UNINTENTIONAL INJURIES) (VO1-X59)NUMBER 876 RATE 21.6	92	28	63	784
	2.3	.7	1.6	19.3
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER 774 RATE 19.1	741	336	405	32
	18.3	8.3	10.0	.8
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER 658 RATE 16.2	251	140	111	407
	6.2	3.4	2.7	10.0
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER 625	583	422	161	42
RATE 15.4	14.4	10.4	4.0	1.0
ALL OTHER CAUSES	5,032	3,459	1,573	3,878
	124.0	85.2	38.8	95.5

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER I	LIVE BIRTHS 	INFANT DEATHS	I I TOTAL I NEONATAL I	I EARLY NEONATAL 	I LATE NEONATAL 	 POST NEONATAL
ALL RACES, LESS THAN 2,500 GRAMS						
ALL CAUSES	308,074	18,299 5,939.7	14,929 4,845.8	12,536 4,069.2	2,393 776.7	3,370 1,093.8
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		3,300 1,071.2	2,595 842.2	2,190 711.0	404 131.2	705 229.0
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		4,191 1,360.4	4,115 1,335.7	3,991 1,295.5	124 40.1	76 24.7
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		521 169.1	44 14.4	7 *	37 12.1	477 154.7
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE		1,306 423.9	1,296 420.6	1,281 415.8	15 *	10
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		904 293.6	894 290.3	871 282.8	23 7.5	10
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		974 316.0	913 296.4	723 234.6	190 61.7	60 19.6
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		123 40.1	15 *	8 *	7 *	108 35.1
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		653 211.9	627 203.4	278 90.3	349 113.1	26 8.5
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		287 93.2	117 37.9	73 23.8	43 14.0	170 55.3
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		291 94.4	281 91.1	223 72.5	57 18.6	10
ALL OTHER CAUSES		5,748 1,865.9	4,032 1,308.9	2,889 937.9	1,143 371.0	1,716 557.0

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL 	
ALL RACES, 2,500 GRAMS OR MORE							
ALL CAUSESNUMBER RATE	3,748,046	9,259 247.0	3,427 91.4	1,986 53.0	1,441 38.5	5,832 155.6	
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		2,425 64.7	1,549 41.3	970 25.9	580 15.5	876 23.4	
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		34 .9	33 .9	32 .9	1 *	1 *	
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		1,998 53.3	153 4.1	21 .6	132 3.5	1,845 49.2	
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE			26 .7	25 .7	24 .6	1 *	1 *
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		99 2.6	94 2.5	80 2.1	14	4 *	
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE			26 .7		12	4 *	10 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		749 20.0	76 2.0	19 *	56 1.5	674 18.0	
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		116 3.1	110 2.9	55 1.5	55 1.5	6 *	
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		368 9.8	132 3.5	64 1.7	68 1.8	237 6.3	
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		326 8.7	294 7.8	192 5.1	102 2.7	32 .9	
ALL OTHER CAUSES		3,090 82.5	945 25.2	515 13.7	429 11.5	2,146 57.2	

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS 	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL
ALL RACES, NOT STATED BIRTHWEIGHT						
ALL CAUSESNUMBER	2,762	403 14,596.8	378 13,679.3	371 13,423.5	7 *	25 917.4
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		31 1,114.4	26 930.8	25 894.6	1	5 *
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)NUMBER RATE		175 6,343.4	175 6,343.4	174 6,306.9	1	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		3 *	1 *	1 *	-	2
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		59 2,137.1	59 2,137.1	59 2,137.1	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		39 1,396.6	39 1,396.6	39 1,396.6	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		7 *	7 *	7 *	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		3 *	1 *	1	-	2 *
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		5 *	5 *	3 *	2	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		2 *	2	2	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		8 *	8 *	6 *	2	-
ALL OTHER CAUSES		71 2,574.0	55 1,986.8	54 1,950.6	1	16 *

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	I LIVE BIRTHS I	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL 	
WHITE, ALL BIRTHWEIGHTS							
ALL CAUSESNUMBER RATE	3,194,049	18,246 571.3	12,179 381.3	9,614 301.0	2,565 80.3	6,067 189.9	
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		4,425 138.5	3,277 102.6	2,510 78.6	767 24.0	1,148 35.9	
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		2,386 74.7	2,340 73.2	2,261 70.8	78 2.4	46 1.4	
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		1,653 51.8	126 3.9	17 *	109 3.4	1,527 47.8	
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE			834 26.1	828 25.9	820 25.7	8	6 *
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		712 22.3	705 22.1	680 21.3	25 .8	7 *	
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER	RATE 19.6			578 18.1	456 14.3	122 3.8	48 1.5
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		56 1.7	18 *	37 1.2	521 16.3		
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		469 14.7	453 14.2	214 6.7	238 7.5	16 *	
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		446 14.0	173 5.4	97 3.0	76 2.4	274 8.6	
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		436 13.7	408 12.8	297 9.3	111 3.5	28 .9	
ALL OTHER CAUSES		5,683 177.9	3,238 101.4	2,243 70.2	995 31.1	2,446 76.6	

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER I	LIVE BIRTHS I	INFANT DEATHS	I I TOTAL I NEONATAL I	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL 	
WHITE, LESS THAN 2,500 GRAMS							
ALL CAUSESNUMBER	209,477	11,326 5,406.9	9,348 4,462.4	7,862 3,753.0	1,486 709.4	1,979 944.5	
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		2,512 1,199.2	2,028 968.3	1,728 824.8	301 143.5	484 230.8	
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)NUMBER RATE		2,268 1,082.9	2,223 1,061.4	2,147 1,025.1	76 36.3	45 21.4	
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER			299 142.8	28 13.5	4 *	24 11.6	271 129.3
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		786 375.2	780 372.3	773 368.9	7 *	6	
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		610 291.0	606 289.5	592 282.8	14 *	3 *	
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER			606 289.1	564 269.4	445 212.2	120 57.2	41 19.7
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		66 31.5	8	4 *	4 *	58 27.6	
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		376 179.6	365 174.3	168 80.4	197 93.9	11	
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		179 85.4	79 37.7	50 23.8	29 13.9	100 47.7	
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		178 84.8	172 81.9	139 66.5	32 15.4	6	
ALL OTHER CAUSES		3,447 1,645.5	2,493 1,190.1	1,811 864.6	682 325.6	954 455.4	

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER I	LIVE BIRTHS	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL
WHITE, 2,500 GRAMS OR MORE						
ALL CAUSES	2,982,366	6,672 223.7	2,602 87.3	1,529 51.3	1,073 36.0	4,069 136.4
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		1,889 63.3	1,229 41.2	763 25.6	466 15.6	660 22.1
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		24 .8	23 .8	22 .7	1 *	1 *
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER RATE		1,351 45.3	97 3.2	12	85 2.8	1,255 42.1
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		12 *	12	11 *	1	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		77 2.6	73 2.5	62 2.1	11	4 *
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE		16 *	9	7 *	2	7 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		508 17.0	47 1.6	13	33 1.1	462 15.5
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		89 3.0	84 2.8	45 1.5	39 1.3	5 *
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		267 8.9	93 3.1	46 1.5	47 1.6	174 5.8
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		252 8.5	230 7.7	153 5.1	77 2.6	22 .7
ALL OTHER CAUSES		2,185 73.3	705 23.6	394 13.2	312 10.4	1,479 49.6

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER 	LIVE BIRTHS	INFANT DEATHS	I I TOTAL I NEONATAL I	I EARLY NEONATAL 	I I LATE I NEONATAL I	 POST NEONATAL
WHITE, NOT STATED BIRTHWEIGHT						
ALL CAUSES	2,206	248 11,256.0	229 10,384.9	223 10,109.8	6 *	19 *
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		24 1,072.3	20 889.1	20 889.1	-	4 *
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		93 4,205.2	93 4,205.2	92 4,159.6	1	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		3 *	1	1 *	-	2
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE		36 1,609.6	36 1,609.6	36 1,609.6	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		25 1,147.0	25 1,147.0	25 1,147.0	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		4 *	4 *	4 *	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		2	1	1 *	-	1
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		3 *	3 *	1 *	2 *	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		1	1	1	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		6 *	6 *	4	2	-
ALL OTHER CAUSES		52 2,345.4	40 1,795.1	39 1,749.7	1	12

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL 	
BLACK, ALL BIRTHWEIGHTS							
ALL CAUSESNUMBER	622,621	8,391 1,347.7	5,684 912.9	4,582 735.9	1,102 176.9	2,707 434.8	
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		1,040 167.0	685 110.0	513 82.4	172 27.6	355 57.0	
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		1,828 293.6	1,799 288.9	1,757 282.1	42 6.8	29 4.7	
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER RATE		760 122.1	67 10.8	10	57 9.2	693 111.3	
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		501 80.5	496 79.6	489 78.5	7 *	5 *	
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		284 45.6	278 44.6	267 42.8	11	6	
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER	RATE 55.0 52 UNINTENTIONAL INJURIES) (V01-X59)NUMBER 254 RATE 40.8 5 EEPSIS OF NEWBORN (P36)NUMBER 271 22			324 52.1	260 41.7	64 10.3	18
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		32 5.2	10	22 3.6	222 35.6		
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER			256 41.2	108 17.3	149 23.9	15 *	
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		166 26.7	57 9.1	25 4.1	31 5.0	110 17.6	
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		149 24.0	137 22.1	97 15.6	40 6.5	12	
ALL OTHER CAUSES		2,794 448.8	1,552 249.2	1,046 168.1	505 81.1	1,242 199.5	

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS I	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL
BLACK, LESS THAN 2,500 GRAMS						
ALL CAUSESNUMBER	81,116	6,145 7,576.0	4,898 6,037.7	4,099 5,053.0	799 984.7	1,248 1,538.3
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		615 758.2	430 529.7	347 428.0	82 101.7	185 228.5
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		1,750 2,157.4	1,721 2,121.5	1,679 2,069.3	42 52.2	29 35.9
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		203 249.7	16 *	3 *	13	186 229.8
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE		468 577.3	464 572.3	457 563.6	7 *	4 *
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		256 316.0	250 308.6	242 298.7	8	6
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		331 408.5	316 389.9	253 311.7	63 78.2	15 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		53 65.9	7 *	4 *	3 *	46 57.2
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		249 307.3	235 289.9	99 121.5	137 168.4	14
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		88 108.2	27 33.7	13	14	60 74.5
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		87 107.1	84 103.4	64 78.6	20 24.8	3 *
ALL OTHER CAUSES		2,045 2,520.6	1,347 1,660.2	938 1,156.5	409 503.7	698 860.4

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	 LIVE BIRTHS	INFANT DEATHS	I TOTAL I NEONATAL I	 EARLY NEONATAL 	I LATE I NEONATAL I	 POST NEONATAL
BLACK, 2,500 GRAMS OR MORE						
ALL CAUSES	541,244	2,116 391.0	661 122.1	358 66.2	303 55.9	1,455 268.9
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		423 78.1	253 46.8	164 30.3	90 16.5	169 31.3
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)NUMBER RATE		9	9	9	-	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		558 103.1	51 9.5	7 *	44 8.2	507 93.6
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE			11 *	10	10	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		17 *	17 *	14 *	3 *	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE		8 *	5 *	4 *	1 *	3 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		201 37.1	25 4.6	6	19 *	175 32.4
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		20 3.7	19	7 *	12	1 *
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		78 14.3	28 5.2	11	17 *	49 9.1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		61 11.2	51 9.5	31 5.8	20 3.7	9
ALL OTHER CAUSES		731 135.1	191 35.3	94 17.4	97 17.9	540 99.8

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER I	 LIVE BIRTHS	INFANT DEATHS	I I TOTAL I NEONATAL I	 EARLY NEONATAL 	I LATE NEONATAL 	 POST NEONATAL
BLACK, NOT STATED BIRTHWEIGHT						
ALL CAUSES	261	129 49,502.2	125 47,938.9	125 47,938.9	-	4 *
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		2 *	2	2 *	-	-
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		69 26,453.0	69 26,453.0	69 26,453.0	-	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		21 8,230.4	21 8,230.4	21 8,230.4	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		10	10	10	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE		3 *	3 *	3 *	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (VO1-X59)NUMBER RATE		-	-	-	-	-
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		2 *	2	2	-	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		1	1	1	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		2 *	2 *	2	-	-
ALL OTHER CAUSES		18 *	14	14 *	- -	4 *

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS 	INFANT DEATHS	I I TOTAL I NEONATAL I	I EARLY NEONATAL 	I LATE NEONATAL 	 POST NEONATAL
AMERICAN INDIAN 1/,						
ALL BIRTHWEIGHTS						
ALL CAUSES	41,668	346 831.2	183 438.7	143 343.7	40 95.0	164 392.4
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER RATE		61 145.8	42 101.0	31 74.3	11	19
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		46 110.6	44 105.4	41 97.7	3 *	2 *
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER RATE		50 119.4	2 *	-	2 *	48 114.6
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE		6 *	6	6 *	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		12	12	12	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE		6 *	5 *	4 *	1 *	1 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		24 58.6	-	-	-	24 58.6
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		10	10	4 *	6	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		7 *	4 *	3 *	1 *	3 *
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		8 *	7 *	6 *	1	1 *
ALL OTHER CAUSES		116 277.2	50 120.3	36 86.2	14	65 157.0

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	 LIVE BIRTHS 	INFANT DEATHS	I TOTAL NEONATAL 	 EARLY NEONATAL 	I I LATE I NEONATAL I	 POST NEONATAL
AMERICAN INDIAN 1/,						
LESS THAN 2,500 GRAMS						
ALL CAUSES	2,825	176 6,238.5	140 4,953.8	118 4,159.4	22 794.3	36 1,284.8
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		28 993.9	23 806.5	19 *	4 *	5 *
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		43 1,518.6	41 1,441.9	38 1,329.5	3 *	2 *
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		7 *	-	-	-	7 *
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER		6	6 *	6	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		11 *	11 *	11	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		6 *	5 *	4 *	1 *	1 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		3 *	-	-		3 *
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		9	9 *	4 *	5 *	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		1 *	1	1 *	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		5 *	5 *	4 *	1 *	-
ALL OTHER CAUSES		56 1,997.4	39 1,376.2	31 1,090.6	8	18

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS	INFANT DEATHS	I TOTAL I NEONATAL I	 EARLY NEONATAL 	I LATE NEONATAL 	 POST NEONATAL
AMERICAN INDIAN 1/,						
2,500 GRAMS OR MORE						
ALL CAUSES	38,813	166 427.5	40 102.3	23 58.1	17 *	126 325.2
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER RATE		33 84.2	19	12	7 *	13
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER RATE		43 109.7	2	-	2	41 104.5
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE		-	-	-	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		1 *	1	1 *	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		20 52.5	-	-	-	20 52.5
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		1 *	1	-	1	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		6 *	3 *	2 *	1	3 *
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		3 *	2	2	-	1 *
ALL OTHER CAUSES		59 152.2	11	5 *	6 *	48 123.3

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER I	LIVE BIRTHS	INFANT DEATHS	I TOTAL NEONATAL 	I EARLY NEONATAL 	I LATE I NEONATAL I	I POST NEONATAL
AMERICAN INDIAN 1/,						
NOT STATED BIRTHWEIGHT						
ALL CAUSES	30	4 *	3 *	3 *	-	1 *
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		-	-	-	-	-
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER RATE		3 *	3 *	3	-	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (PO1)NUMBER RATE		-	-	-	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		-	-	-	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		1 *	-	-	-	1 *
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		-	-	-	-	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		-		-	-	-
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		-	-	-	-	-
ALL OTHER CAUSESNUMBER		-	-	-	-	-

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER		INFANT DEATHS	I I TOTAL I NEONATAL I	 EARLY NEONATAL 	I LATE I NEONATAL I	 POST NEONATAL
ASIAN OR PACIFIC ISLANDER, ALL BIRTHWEIGHTS						
ALL CAUSES	200,544	977 487.3	688 343.1	553 275.9	135 67.1	289 144.2
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		231 115.4	166 82.6	131 65.1	35 17.5	66 32.8
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)NUMBER RATE SUDDEN INFANT DEATH SYNDROME (R95)NUMBER RATE		141 70.4	141 70.4	139 69.3	2	-
		59 29.3	3 *	2	1	56 27.8
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		50 24.8	50 24.8	49 24.3	1	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		34 16.7	33 16.2	32 15.7	1	1 *
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE		32 16.2	29 14.7	22 11.2	7 *	3 *
ACCIDENTS (UNINTENTIONAL INJURIES) (VO1-X59)NUMBER RATE		21 10.6	4 *	-	4 *	17 *
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		23 11.6	22 11.1	10	12	1 *
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		38 18.7	17 *	14	3 *	20 10.1
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		32 15.7	31 15.2	21 10.7	9	1 *
ALL OTHER CAUSESNUMBER		317 157.9	192 95.9	133 66.3	59 29.6	124 62.0

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	LIVE BIRTHS 	INFANT DEATHS	I I TOTAL I NEONATAL I	I EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL
ASIAN OR PACIFIC ISLANDER, LESS THAN 2,500 GRAMS						
ALL CAUSES	14,656	651 4,440.7	544 3,709.6	458 3,126.4	85 583.2	107 731.1
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		145 990.0	114 776.3	97 659.8	17 *	31 213.7
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)NUMBER RATE		130 885.9	130 885.9	128 872.0	2	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		12 *	-	-	-	12
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE		46 311.2	46 311.2	45 304.4	1 *	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		27 187.3	26 180.5	25 173.7	1 *	1 *
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		30 207.6	27 187.0	21 145.9	6 *	3 *
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		1	-	-	-	1 *
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		18 *	17 *	7 *	10	1 *
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		19 *	9	9	-	10
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		21 145.7	20 138.6	16 *	4 *	1 *
ALL OTHER CAUSES		200 1,366.0	154 1,048.8	109 747.1	44 301.6	47 317.3

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER 	LIVE BIRTHS 	INFANT DEATHS	I TOTAL I NEONATAL I	EARLY NEONATAL 	I LATE NEONATAL 	I POST NEONATAL
ASIAN OR PACIFIC ISLANDER, 2,500 GRAMS OR MORE						
ALL CAUSESNUMBER	185,623	305 164.3	124 66.7	76 40.8	48 25.9	181 97.5
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		81 43.7	48 25.8	31 16.6	17 *	33 18.0
HORT GESTATION AND LOW BIRTHWEIGHT NEC (P07)NUMBER RATE JDDEN INFANT DEATH SYNDROME (R95)NUMBER RATE		1 *	1 *	1 *	-	-
		47 25.1 2 *	3 *		1	44 23.5
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER RATE					2	2
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		3 *	3 *	3 *	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER		2 *	2 *	1 *	1 *	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		20 10.9	4 *	-	4 *	16
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		5 *	5 *	3 *	2 *	-
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE		18 *	8	5 *	3 *	10
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE		10	10	5 *	5 *	-
ALL OTHER CAUSES		115 62.2	38 20.2	22 12.1	15 *	78 42.0

LIVE BIRTHS BY BIRTHWEIGHT AND RACE OF MOTHER AND INFANT DEATHS AND INFANT MORTALITY RATES BY AGE AT DEATH, BIRTHWEIGHT, AND RACE OF MOTHER FOR 10 MAJOR CAUSES OF INFANT DEATH: UNITED STATES, 2000 PERIOD DATA

(INFANT DEATHS WEIGHTED)

(INFANT DEATHS ARE UNDER 1 YEAR. NEONATAL DEATHS ARE UNDER 28 DAYS; EARLY NEONATAL, 0-6 DAYS; LATE NEONATAL, 7-27 DAYS; AND POSTNEONATAL, 28 DAYS THROUGH 11 MONTHS)

CAUSE OF DEATH, BIRTHWEIGHT, AND RACE OF MOTHER	 LIVE BIRTHS 	INFANT DEATHS	I I TOTAL I NEONATAL I	 EARLY NEONATAL 	LATE LATE NEONATAL	POST NEONATAL
ASIAN OR PACIFIC ISLANDER, NOT STATED BIRTHWEIGHT						
ALL CAUSES	265	21 8,102.5	20 7,714.0	19 *	1 *	1 *
CONGENITAL MALFORMATIONS (Q00-Q99)NUMBER		5 *	4 *	3 *	1 *	1 *
SHORT GESTATION AND LOW BIRTHWEIGHT NEC (PO7)NUMBER		10 *	10	10	-	-
SUDDEN INFANT DEATH SYNDROME (R95)NUMBER		-	-	-	-	-
MATERNAL COMPLICATIONS OF PREGNANCY (P01)NUMBER		2 *	2	2	-	-
COMPLICATIONS OF PLACENTA, CORD, MEMBRANES (PO2).NUMBER RATE		3 *	3 *	3 *	-	-
RESPIRATORY DISTRESS OF NEWBORN (P22)NUMBER RATE		-	-	-	-	-
ACCIDENTS (UNINTENTIONAL INJURIES) (V01-X59)NUMBER RATE		-	-	-	-	-
BACTERIAL SEPSIS OF NEWBORN (P36)NUMBER		-	-	-	-	
DISEASES OF THE CIRCULATORY SYSTEM (100-199)NUMBER RATE			-	-		
INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA (P20-P21)NUMBER RATE			-	-		
ALL OTHER CAUSES		1 *	1 *	1 *	-	-

^{*} FIGURE DOES NOT MEET STANDARD OF RELIABILITY OR PRECISION; BASED ON FEWER THAN 20 DEATHS IN THE NUMERATOR. 1/ INCLUDES ALEUTS AND ESKIMOS.