

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United States, 2001 period data

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

| Birthweight and race of mother | Live Births | Infant | Total Neonatal | Early Neonatal | Late Neonatal | Post-Neonatal |
|--------------------------------|-------------|--------|----------------|----------------|---------------|---------------|
| All races | | | | | | |
| Total (all birthweights) | 4,026,036 | 27,523 | 18,275 | 14,622 | 3,653 | 9,248 |
| Rate | | 6.8 | 4.5 | 3.6 | 0.9 | 2.3 |
| Less than 2,500 grams | 309,760 | 18,151 | 14,752 | 12,413 | 2,339 | 3,399 |
| Rate | | 58.6 | 47.6 | 40.1 | 7.6 | 11.0 |
| Less than 500 grams | 6,450 | 5,515 | 5,406 | 5,231 | 175 | 110 |
| Rate | | 855.1 | 838.1 | 810.9 | 27.2 | 17.0 |
| 500-749 grams | 11,081 | 5,283 | 4,555 | 3,736 | 818 | 729 |
| Rate | | 476.8 | 411.0 | 337.2 | 73.8 | 65.8 |
| 750-999 grams | 11,847 | 1,826 | 1,373 | 950 | 422 | 454 |
| Rate | | 154.2 | 115.9 | 80.2 | 35.6 | 38.3 |
| 1,000-1,249 grams | 13,572 | 1,001 | 679 | 489 | 190 | 322 |
| Rate | | 73.8 | 50.0 | 36.0 | 14.0 | 23.7 |
| 1,250-1,499 grams | 15,752 | 719 | 535 | 406 | 130 | 183 |
| Rate | | 45.6 | 34.0 | 25.8 | 8.2 | 11.6 |
| 1,500-1,999 grams | 60,858 | 1,658 | 1,058 | 817 | 242 | 600 |
| Rate | | 27.2 | 17.4 | 13.4 | 4.0 | 9.9 |
| 2,000-2,499 grams | 190,200 | 2,148 | 1,146 | 784 | 362 | 1,002 |
| Rate | | 11.3 | 6.0 | 4.1 | 1.9 | 5.3 |
| 2,500-2,999 grams | 680,813 | 3,042 | 1,184 | 725 | 459 | 1,858 |
| Rate | | 4.5 | 1.7 | 1.1 | 0.7 | 2.7 |
| 3,000-3,499 grams | 1,515,531 | 3,434 | 1,167 | 651 | 516 | 2,267 |
| Rate | | 2.3 | 0.8 | 0.4 | 0.3 | 1.5 |
| 3,500-3,999 grams | 1,139,550 | 1,902 | 576 | 331 | 246 | 1,326 |
| Rate | | 1.7 | 0.5 | 0.3 | 0.2 | 1.2 |
| 4,000-4,499 grams | 322,426 | 474 | 160 | 94 | 65 | 314 |
| Rate | | 1.5 | 0.5 | 0.3 | 0.2 | 1.0 |
| 4,500-4,999 grams | 51,145 | 102 | 55 | 49 | 6 | 47 |
| Rate | | 2.0 | 1.1 | 1.0 | * | 0.9 |
| 5,000 grams or more | 5,500 | 35 | 22 | 13 | 9 | 13 |
| Rate | | 6.4 | 4.0 | * | * | * |
| Not stated | 1,311 | 383 | 359 | 347 | 12 | 24 |
| Rate | | 292.2 | 273.8 | 264.5 | * | 18.4 |

See footnotes at end of table.

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United States, 2001 period data - Con.

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

| Birthweight and race of mother | Live Births | Infant | Total Neonatal | Early Neonatal | Late Neonatal | Post-Neonatal |
|--------------------------------|-------------|--------|----------------|----------------|---------------|---------------|
| White | | | | | | |
| Total (all birthweights) | 3,177,698 | 18,087 | 12,078 | 9,571 | 2,506 | 6,009 |
| Rate | | 5.7 | 3.8 | 3.0 | 0.8 | 1.9 |
| Less than 2,500 grams | 212,870 | 11,380 | 9,419 | 7,907 | 1,512 | 1,961 |
| Rate | | 53.5 | 44.2 | 37.1 | 7.1 | 9.2 |
| Less than 500 grams | 3,724 | 3,201 | 3,145 | 3,050 | 96 | 55 |
| Rate | | 859.5 | 844.7 | 819.0 | 25.7 | 14.9 |
| 500-749 grams | 6,376 | 3,144 | 2,785 | 2,312 | 473 | 358 |
| Rate | | 493.1 | 436.8 | 362.6 | 74.2 | 56.2 |
| 750-999 grams | 7,564 | 1,175 | 946 | 661 | 285 | 228 |
| Rate | | 155.3 | 125.1 | 87.4 | 37.7 | 30.2 |
| 1,000-1,249 grams | 9,006 | 685 | 501 | 371 | 130 | 183 |
| Rate | | 76.0 | 55.7 | 41.2 | 14.4 | 20.3 |
| 1,250-1,499 grams | 10,697 | 501 | 390 | 304 | 86 | 111 |
| Rate | | 46.8 | 36.4 | 28.5 | 8.0 | 10.4 |
| 1,500-1,999 grams | 42,200 | 1,169 | 782 | 608 | 174 | 386 |
| Rate | | 27.7 | 18.5 | 14.4 | 4.1 | 9.2 |
| 2,000-2,499 grams | 133,303 | 1,506 | 868 | 600 | 268 | 639 |
| Rate | | 11.3 | 6.5 | 4.5 | 2.0 | 4.8 |
| 2,500-2,999 grams | 487,930 | 2,106 | 902 | 563 | 339 | 1,204 |
| Rate | | 4.3 | 1.8 | 1.2 | 0.7 | 2.5 |
| 3,000-3,499 grams | 1,185,191 | 2,464 | 899 | 513 | 386 | 1,565 |
| Rate | | 2.1 | 0.8 | 0.4 | 0.3 | 1.3 |
| 3,500-3,999 grams | 958,843 | 1,410 | 443 | 250 | 192 | 968 |
| Rate | | 1.5 | 0.5 | 0.3 | 0.2 | 1.0 |
| 4,000-4,499 grams | 282,098 | 383 | 137 | 81 | 56 | 246 |
| Rate | | 1.4 | 0.5 | 0.3 | 0.2 | 0.9 |
| 4,500-4,999 grams | 45,093 | 71 | 37 | 34 | 3 | 34 |
| Rate | | 1.6 | 0.8 | 0.7 | * | 0.8 |
| 5,000 grams or more | 4,676 | 26 | 16 | 9 | 7 | 10 |
| Rate | | 5.6 | * | * | * | * |
| Not stated | 997 | 247 | 226 | 215 | 10 | 21 |
| Rate | | 247.4 | 226.2 | 216.0 | * | 21.2 |

See footnotes at end of table.

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United States, 2001 period data - Con.

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

| Birthweight and race of mother | Live Births | Infant | Total Neonatal | Early Neonatal | Late Neonatal | Post-Neonatal |
|--------------------------------|-------------|--------|----------------|----------------|---------------|---------------|
| Black | | | | | | |
| Total (all birthweights) | 606,183 | 8,084 | 5,396 | 4,425 | 971 | 2,688 |
| Rate | | 13.3 | 8.9 | 7.3 | 1.6 | 4.4 |
| Less than 2,500 grams | 78,760 | 5,960 | 4,708 | 3,992 | 716 | 1,252 |
| Rate | | 75.7 | 59.8 | 50.7 | 9.1 | 15.9 |
| Less than 500 grams | 2,491 | 2,111 | 2,062 | 1,989 | 73 | 49 |
| Rate | | 847.5 | 827.7 | 798.6 | 29.1 | 19.8 |
| 500-749 grams | 4,262 | 1,933 | 1,594 | 1,285 | 309 | 339 |
| Rate | | 453.5 | 374.0 | 301.5 | 72.4 | 79.5 |
| 750-999 grams | 3,733 | 561 | 358 | 239 | 119 | 203 |
| Rate | | 150.4 | 95.9 | 64.1 | 31.8 | 54.4 |
| 1,000-1,249 grams | 3,968 | 271 | 151 | 100 | 51 | 120 |
| Rate | | 68.3 | 38.1 | 25.2 | 12.9 | 30.1 |
| 1,250-1,499 grams | 4,272 | 181 | 116 | 80 | 36 | 64 |
| Rate | | 42.3 | 27.2 | 18.7 | 8.5 | 15.1 |
| 1,500-1,999 grams | 15,414 | 398 | 217 | 164 | 53 | 181 |
| Rate | | 25.8 | 14.1 | 10.6 | 3.5 | 11.7 |
| 2,000-2,499 grams | 44,620 | 505 | 209 | 134 | 76 | 296 |
| Rate | | 11.3 | 4.7 | 3.0 | 1.7 | 6.6 |
| 2,500-2,999 grams | 142,307 | 768 | 221 | 128 | 93 | 547 |
| Rate | | 5.4 | 1.6 | 0.9 | 0.7 | 3.8 |
| 3,000-3,499 grams | 231,071 | 764 | 210 | 105 | 106 | 553 |
| Rate | | 3.3 | 0.9 | 0.5 | 0.5 | 2.4 |
| 3,500-3,999 grams | 122,568 | 375 | 106 | 64 | 42 | 269 |
| Rate | | 3.1 | 0.9 | 0.5 | 0.3 | 2.2 |
| 4,000-4,499 grams | 26,699 | 73 | 18 | 10 | 8 | 55 |
| Rate | | 2.8 | * | * | * | 2.1 |
| 4,500-4,999 grams | 3,996 | 21 | 13 | 10 | 3 | 8 |
| Rate | | 5.3 | * | * | * | * |
| 5,000 grams or more | 544 | 7 | 5 | 3 | 2 | 2 |
| Rate | | * | * | * | * | * |
| Not stated | 238 | 115 | 114 | 113 | 1 | 1 |
| Rate | | 484.1 | 479.9 | 475.7 | * | * |

See footnotes at end of table.

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United States, 2001 period data - Con.

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

| Birthweight and race of mother | Live Births | Infant | Total Neonatal | Early Neonatal | Late Neonatal | Post-Neonatal |
|--------------------------------|-------------|--------|----------------|----------------|---------------|---------------|
| American Indian ¹ | | | | | | |
| Total (all birthweights) | 41,872 | 404 | 176 | 129 | 47 | 228 |
| Rate | | 9.7 | 4.2 | 3.1 | 1.1 | 5.4 |
| Less than 2,500 grams | 3,072 | 189 | 128 | 101 | 27 | 61 |
| Rate | | 61.6 | 41.6 | 32.7 | 8.8 | 20.0 |
| Less than 500 grams | 54 | 42 | 42 | 39 | 3 | - |
| Rate | | 769.3 | 769.3 | 713.3 | * | - |
| 500-749 grams | 84 | 38 | 30 | 19 | 10 | 8 |
| Rate | | 447.3 | 351.4 | * | * | * |
| 750-999 grams | 125 | 20 | 15 | 12 | 3 | 5 |
| Rate | | 162.4 | * | * | * | * |
| 1,000-1,249 grams | 133 | 14 | 9 | 5 | 4 | 5 |
| Rate | | * | * | * | * | * |
| 1,250-1,499 grams | 138 | 7 | 6 | 5 | 1 | 1 |
| Rate | | * | * | * | * | * |
| 1,500-1,999 grams | 627 | 19 | 13 | 11 | 2 | 6 |
| Rate | | * | * | * | * | * |
| 2,000-2,499 grams | 1,911 | 49 | 13 | 9 | 4 | 36 |
| Rate | | 25.9 | * | * | * | 19.0 |
| 2,500-2,999 grams | 6,473 | 52 | 10 | 6 | 4 | 41 |
| Rate | | 8.0 | * | * | * | 6.4 |
| 3,000-3,499 grams | 15,091 | 82 | 15 | 5 | 10 | 67 |
| Rate | | 5.4 | * | * | * | 4.4 |
| 3,500-3,999 grams | 12,348 | 60 | 11 | 7 | 4 | 49 |
| Rate | | 4.9 | * | * | * | 4.0 |
| 4,000-4,499 grams | 3,995 | 7 | 2 | 1 | 1 | 5 |
| Rate | | * | * | * | * | * |
| 4,500-4,999 grams | 761 | 5 | 2 | 2 | - | 3 |
| Rate | | * | * | * | - | * |
| 5,000 grams or more | 105 | 2 | 1 | 1 | - | 1 |
| Rate | | * | * | * | - | * |
| Not stated | 27 | 7 | 7 | 6 | 1 | - |
| Rate | | * | * | * | * | - |

See footnotes at end of table.

Documentation Table 4

Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and age at death: United States, 2001 period data - Con.

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 1000 live births]

| Birthweight and race of mother | Live Births | Infant | Total Neonatal | Early Neonatal | Late Neonatal | Post-Neonatal |
|--------------------------------|-------------|--------|----------------|----------------|---------------|---------------|
| Asian or Pacific Islander | | | | | | |
| Total (all birthweights) | 200,283 | 947 | 624 | 496 | 128 | 323 |
| Rate | | 4.7 | 3.1 | 2.5 | 0.6 | 1.6 |
| Less than 2,500 grams | 15,058 | 622 | 498 | 414 | 84 | 124 |
| Rate | | 41.3 | 33.0 | 27.5 | 5.6 | 8.2 |
| Less than 500 grams | 181 | 162 | 157 | 153 | 4 | 5 |
| Rate | | 895.2 | 867.4 | 845.1 | * | * |
| 500-749 grams | 359 | 169 | 146 | 120 | 26 | 23 |
| Rate | | 470.8 | 406.2 | 333.3 | 72.9 | 64.6 |
| 750-999 grams | 425 | 70 | 53 | 38 | 15 | 17 |
| Rate | | 164.6 | 124.3 | 88.5 | * | * |
| 1,000-1,249 grams | 465 | 31 | 17 | 12 | 5 | 14 |
| Rate | | 67.5 | * | * | * | * |
| 1,250-1,499 grams | 645 | 30 | 23 | 16 | 7 | 7 |
| Rate | | 47.0 | 36.0 | * | * | * |
| 1,500-1,999 grams | 2,617 | 72 | 46 | 34 | 12 | 26 |
| Rate | | 27.4 | 17.4 | 12.8 | * | 10.0 |
| 2,000-2,499 grams | 10,366 | 87 | 56 | 42 | 14 | 31 |
| Rate | | 8.4 | 5.4 | 4.0 | * | 3.0 |
| 2,500-2,999 grams | 44,103 | 115 | 51 | 27 | 23 | 65 |
| Rate | | 2.6 | 1.1 | 0.6 | 0.5 | 1.5 |
| 3,000-3,499 grams | 84,178 | 124 | 43 | 29 | 14 | 82 |
| Rate | | 1.5 | 0.5 | 0.3 | * | 1.0 |
| 3,500-3,999 grams | 45,791 | 57 | 16 | 9 | 7 | 40 |
| Rate | | 1.2 | * | * | * | 0.9 |
| 4,000-4,499 grams | 9,634 | 10 | 2 | 2 | - | 8 |
| Rate | | * | * | * | - | * |
| 4,500-4,999 grams | 1,295 | 5 | 3 | 3 | - | 2 |
| Rate | | * | * | * | - | * |
| 5,000 grams or more | 175 | - | - | - | - | - |
| Rate | | - | - | - | - | - |
| Not stated | 49 | 14 | 12 | 12 | - | 2 |
| Rate | | * | * | * | - | * |

* Figure does not meet standard of reliability or precision; based on fewer than 20 deaths in the numerator

- Quantity zero.

¹ Includes Aleuts and Eskimos.