PROGRAM REQUIREMENT	YES	NO	SUPPORTING PAGES/REVIEW COMMENTS
I. Submitting And Identifying The NEM:			
A. Submission is properly identified:			
1. 14 C.F.R. Part 150 NEM?			
2. NEM and NCP together?			
3. Revision to NEMs FAA previously determined to be in compliance			
with Part 150?			
B. Airport and Airport Operator's name are identified?			
C. NCP is transmitted by airport operator's dated cover letter, describing			
it as a Part 150 submittal and requesting appropriate FAA determination?			
II. Consultation: [150.21(b), A150.105(a)]			
A. Is there a narrative description of the consultation accomplished,			
including opportunities for public review and comment during map			
development?			
B. Identification of consulted parties:			
1. Are the consulted parties identified?			
2. Do they include all those required by 150.21(b) and A150.105(a)?			
3. Agencies in 2., above, correspond to those indicated on the NEM?			
C. Does the documentation include the airport operator's certification,			
and evidence to support it, that interested persons have been afforded			
adequate opportunity to submit their views, data, and comments during map			
development and in accordance with 150.21(b)?			
D. Does the document indicate whether written comments were			
received during consultation and, if there were comments, that they are on			
file with the FAA regional airports division manager?			
III. General Requirements: [150.21]			
A. Are there two maps, each clearly labeled on the face with year			
(existing condition year and one that is at least 5 years into the future)?			
B. Map currency:			
1. Does the year on the face of the existing condition map graphic			
match the year on the airport operator's NEM submittal letter?			
2. Is the forecast year map based on reasonable forecasts and			
other planning assumptions and is it for at least the fifth calendar year after			
the year of submission? 3. If the answer to 1 and 2 above is no, the airport operator must			
verify in writing that data in the documentation are representative of existing			
condition and at least 5 years' forecast conditions as of the date of			
submission?			

PROGRAM REQUIREMENT	YES	NO	SUPPORTING PAGES/REVIEW COMMENTS
III. General Requirements: [150.21] [continued]			
C. If the NEM and NCP are submitted together:			
1. Has the airport operator indicated whether the forecast year map is			
based on either forecast conditions without the program or forecast			
conditions if the program is implemented?			
2. If the forecast year map is based on program implementation:			
a. Are the specific program measures that are reflected on the map			
identified?			
 b. Does the documentation specifically describe how these 			
measures affect land use compatibilities depicted on the map?			
3. If the forecast year NEM does not model program implementation,			
the airport operator must either submit a revised forecast NEM showing			
program implementation conditions [B150.3(b), 150.35(f)] or the sponsor			
must demonstrate the adopted forecast year NEM with approved NCP			
measures would not change by plus/minus 1.5 DNL? (150.21(d))			
IV. Map Scale, Graphics, And Data Requirements: [A150.101, A150.103, A150.105, 150.21(a)]			
A. Are the maps of sufficient scale to be clear and readable (they must			
not be less than 1" to 2,000'), and is the scale indicated on the maps?			
(Note (1) if the submittal uses separate graphics to depict flight tracks			
and/or noise monitoring sites, these must be of the same scale, because			
they are part of the documentation required for NEMs.)			
(Note (2) supplemental graphics that are not required by the regulation			
do not need to be at the 1" to 2,000' scale)			
B. Is the quality of the graphics such that required information is clear			
and readable? (Refer to C. through G., below, for specific graphic depictions			
that must be clear and readable)			

IV. Map Scale, Graphics, And Data Requirements: [A150.101, A150.103, A150.105, 150.21(a)] [continued] C. Depiction of the airport and its environs: 1. Is the following graphically depicted to scale on both the existing condition and forecast year maps? a. Airport boundaries b. Rumway configurations with nurway end numbers 2. Does the depiction of the off-airport data include? a. A land use base map depicting streets and other identifiable geographic features b. The area within the DNL '65 dB (or beyond, at local discretion) c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB? 2. Has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition ear NEM, and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM, and fore the system of the same land use base map and scale as the existing condition and forecast year NEM, and fore the system of the same land use base map and scale as the official NEMs) G. Noncompatible land use within at least the DNL 65 dB noise contours, this shorts must use the same pand scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. F. Locations of any noise monitoring site (these may be on supplem	PROGRAM REQUIREMENT	YES	NO	SUPPORTING PAGES/REVIEW COMMENTS
C. Depiction of the airport and its environs:	IV. Map Scale, Graphics, And Data Requirements: [A150.101, A150.103,			
1. Is the following graphically depicted to scale on both the existing condition and forecast year maps? a. Alrop th boundaries b. Rurway configurations with runway end numbers 2. Does the depiction of the off-airport data include? a. A land use base map depicting streets and other identifiable geographic features b. The area within the DNL ¹ 65 dB (or beyond, at local discretion) c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion) D. 1. Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMS? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. F. light tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM, which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land uses identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings	A150.105, 150.21(a)] [continued]			
condition and forecast/year/maps?	C. Depiction of the airport and its environs:			
a. Airport boundaries	1. Is the following graphically depicted to scale on both the existing			
b. Runway configurations with runway end numbers 2. Does the depiction of the off-airport data include? a. A land use base map depicting streets and other identifiable geographic features b. The area within the DNL ¹ 65 dB (or beyond, at local discretion) c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion) D. 1. Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? G. Noncompatible land use identification: 1. Are noncompatible land use identification: 1. Are noncompatible land use within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings readily identifiable and explained	condition and forecast year maps?			
2. Does the depiction of the off-airport data include? a. A land use base map depicting streets and other identifiable geographic features b. The area within the DNL' 65 dB (or beyond, at local discretion) c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion) D. 1. Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year XEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year XEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying marrative text). 3. Are the				
a. A land use base map depicting streets and other identifiable geographic features b. The area within the DNL' 65 dB (or beyond, at local discretion) c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion) D. 1. Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the edificial NEMs) G. Noncompatible land use identification: 1. Are noncompatible land use within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying marrative text). 3. Are the noncompatible uses and noise sensitive public buildings readily identif	b. Runway configurations with runway end numbers			
geographic features	2. Does the depiction of the off-airport data include?			
b. The area within the DNL ¹ 65 dB (or beyond, at local discretion) c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion) D. 1.Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMS? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and exes, which would normally be	a. A land use base map depicting streets and other identifiable			
c. Clear delineation of geographic boundaries and the names of all jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion)				
jurisdictions with planning and land use control authority within the DNL 65 dB (or beyond, at local discretion) D. 1. Continuous contours for at least the DNL 65, 70, and 75 dB? . 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMS? . 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? . E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? . F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMS) . G. Noncompatible land use identification: . . 1. Are noncompatible land use identification: . . 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) . 3. Are the noncompatible land uses sensitive public buildings reality identifiable and uses, which would normally be .				
dB (or beyond, at local discretion) D. 1.Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMs? Sased on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? G. Noncompatible land use identification: 1 1. Are noncompatible land uses within at least the DNL 65 dB 1 noise contour depicted on the map graphics? 2 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
D. 1.Continuous contours for at least the DNL 65, 70, and 75 dB? 2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and uses, which would normally be				
2. Has the local land use jurisdiction(s) adopted a lower local standard and if so, has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the editification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend?				
standard and if so, has the sponsor depicted this on the NEMs? 3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. A re the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be	, ,			
3. Based on current airport and operational data for the existing condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identification on the map legend? 4. Are compatible land uses, which would normally be				
condition year NEM, and forecast data representative of the selected year for the forecast NEM? E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be	standard and if so, has the sponsor depicted this on the NEMs?			
the forecast NEM?				
E. Flight tracks for the existing condition and forecast year timeframes (these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMS) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (<i>Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.</i>) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
(these may be on supplemental graphics which must use the same land use base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (<i>Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.</i>) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be 				
base map and scale as the existing condition and forecast year NEM), which are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (<i>Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.</i>) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
are numbered to correspond to accompanying narrative? F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (<i>Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.</i>) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
F. Locations of any noise monitoring sites (these may be on supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (<i>Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.</i>) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be 				
supplemental graphics which must use the same land use base map and scale as the official NEMs) G. Noncompatible land use identification: Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? Are compatible land uses, which would normally be 				
scale as the official NEMs) G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (<i>Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.</i>) should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be	F. Locations of any noise monitoring sites (these may be on			
G. Noncompatible land use identification: 1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be 4.				
1. Are noncompatible land uses within at least the DNL 65 dB noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be			1	
noise contour depicted on the map graphics? 2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be			1	
2. Are noise sensitive public buildings and historic properties identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
identified? (Note: If none are within the depicted NEM noise contours, this should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be 4. Are compatible land uses, which would normally be				
should be stated in the accompanying narrative text.) 3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
3. Are the noncompatible uses and noise sensitive public buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
buildings readily identifiable and explained on the map legend? 4. Are compatible land uses, which would normally be				
4. Are compatible land uses, which would normally be				
	considered noncompatible, explained in the accompanying narrative?			

¹ [CNEL for California airports] Issued In Washington, DC -- APP-600, March 1989 Revised June 2005 to reflect legislative changes. Reviewed for currency 12/2007.

PROGRAM REQUIREMENT	YES	NO	SUPPORTING PAGES/REVIEW COMMENTS
V. Narrative Support Of Map Data: [150.21(a), A150.1, A150.101,			
A150.103]			
A. 1. Are the technical data and data sources on which the NEMs are			
based adequately described in the narrative?			
Are the underlying technical data and planning assumptions			
reasonable?			
B. Calculation of Noise Contours:			
1. Is the methodology indicated?			
a. Is it FAA approved?			
b. Was the same model used for both maps? (Note: The same			
model also must be used for NCP submittals associated with NEM			
determinations already issued by FAA where the NCP is submitted later,			
unless the airport sponsor submits a combined NEM/NCP submittal as a			
replacement, in which case the model used must be the most recent version			
at the time the update was started.)			
c. Has AEE approval been obtained for use of a model other than			
those that have previous blanket FAA approval?			
2. Correct use of noise models:			
a. Does the documentation indicate, or is there evidence, the airport			
operator (or its consultant) has adjusted or calibrated FAA-approved noise			
models or substituted one aircraft type for another that was not included on			
the FAA's pre-approved list of aircraft substitutions?			
b. If so, does this have written approval from AEE, and is that			
written approval included in the submitted document?			
3. If noise monitoring was used, does the narrative indicate that Part			
150 guidelines were followed?			
4. For noise contours below DNL 65 dB, does the supporting			
documentation include an explanation of local reasons? (Note: A narrative			
explanation, including evidence the local jurisdiction(s) have adopted a noise			
level less than DNL 65 dB as sensitive for the local community(ies), and			
including a table or other depiction of the differences from the Federal table,			
is highly desirable but not specifically required by the rule. However, if the			
airport sponsor submits NCP measures within the locally significant noise			
contour, an explanation must be included if it wants the FAA to consider the			
measure(s) for approval for purposes of eligibility for Federal aid.)			

PROGRAM REQUIREMENT	YES	NO	SUPPORTING PAGES/REVIEW COMMENTS
V. Narrative Support Of Map Data: [150.21(a), A150.1, A150.101,			
A150.103] [continued]			
C. Noncompatible Land Use Information:			
1. Does the narrative (or map graphics) give estimates of the number			
of people residing in each of the contours (DNL 65, 70 and 75, at a minimum)			
for both the existing condition and forecast year maps?			
2. Does the documentation indicate whether the airport operator used			
Table 1 of Part 150?			
a. If a local variation to table 1 was used:			
(1) Does the narrative clearly indicate which adjustments were			
made and the local reasons for doing so?			
(2) Does the narrative include the airport operator's complete			
substitution for table 1?			
Does the narrative include information on self- generated or			
ambient noise where compatible or noncompatible land use identifications			
consider non-airport and non-aircraft noise sources?			
4. Where normally noncompatible land uses are not depicted as such			
on the NEMs, does the narrative satisfactorily explain why, with reference to			
the specific geographic areas?			
5. Does the narrative describe how forecast aircraft operations,			
forecast airport layout changes, and forecast land use changes will affect			
land use compatibility in the future?			
VI. Map Certifications: [150.21(b), 150.21(e)]			
A. Has the operator certified in writing that interested persons have been			
afforded adequate opportunity to submit views, data, and comments			
concerning the correctness and adequacy of the draft maps and forecasts?			
B. Has the operator certified in writing that each map and description of			
consultation and opportunity for public comment are true and complete			
under penalty of 18 U.S.C. § 1001?			