

**Unspecified and other pneumoconioses: Number of deaths by sex, race, and age, and median age at death, U.S. residents age 15 and over, 1995–2004**

Year	No. of Deaths	Underlying Cause (%)	Sex		Race			Age Group (yrs)								Median Age (yrs)
			Male	Female	White	Black	Other	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
1995	353	30.6	344	9	339	13	1	-	-	-	10	27	86	158	72	78
1996	349	34.1	338	11	326	18	5	-	-	3	6	28	81	147	84	78
1997	287	32.1	277	10	270	16	1	-	-	1	3	18	57	130	78	80
1998	329	37.4	317	12	311	15	3	-	1	1	6	24	70	151	76	79
1999	318	36.2	311	7	300	16	2	-	-	2	4	19	70	138	85	79
2000	297	39.4	290	7	277	19	1	-	-	4	2	12	58	114	107	82
2001	267	38.2	256	11	250	17	-	-	-	1	9	6	58	101	92	81
2002	255	44.3	241	14	235	19	1	-	-	-	3	17	52	105	78	80
2003	233	40.3	225	8	226	4	3	-	-	2	4	18	38	100	71	80
2004	212	46.2	208	4	201	11	-	-	-	1	4	11	51	82	63	79
<b>TOTAL</b>	<b>2,900</b>	<b>37.3</b>	<b>2,807</b>	<b>93</b>	<b>2,735</b>	<b>148</b>	<b>17</b>	<b>-</b>	<b>1</b>	<b>15</b>	<b>51</b>	<b>180</b>	<b>621</b>	<b>1,226</b>	<b>806</b>	<b>79</b>

- indicates no deaths listed.  
 NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.  
 SOURCE: National Center for Health Statistics multiple cause-of-death data.