

Lower Manhattan Ambient Air Sampling Locations

During the first few weeks after September 11, 2001



RESIDENTIAL BUILDINGS SAMPLED, NEW YORK

November 4 - December 11, 2001



Residential Environmental Sampling - Lower Manhattan Airborne Total Fibers (PCM) November 4 - December 11, 2001



Sample Site:

- Common Area
- △ Outdoor
- ① Residence 1
- ② Residence 2

Airborne Fiber Levels:

- Not Analysed or Not Sampled
- <0.001 f/cc
- 0.001-0.003 f/cc
- >0.003 f/cc

Notes:

- Locations are within one block of actual sample location.
- The ranges are for mapping purposes only and are not based on health or regulatory guidelines.
- Airborne fibers measured by PCM.
- Bldg 19 Common Area samples could not be analyzed for Fibers due to interference from construction materials.

**Residential Environmental Sampling - Lower Manhattan
Asbestos in Dust (PLM)
November 4 - December 11, 2001**



Sample Site:

- Common Area
- △ Outdoor
- ① Residence 1
- ② Residence 2

Asbestos Levels (PLM):

- Not Analysed or Not Sampled
- Not Detected
- <1%
- 1% or greater

Notes:

- Locations are within one block of actual sample location.
- The ranges are for mapping purposes only and are not based on health or regulatory guidelines.
- Asbestos in dust measured by PLM.

**Residential Environmental Sampling - Lower Manhattan
Asbestos in Dust (TEM)
November 4 - December 11, 2001**



Sample Site:

- Common Area
- △ Outdoor
- ① Residence 1
- ② Residence 2

Asbestos Levels (TEM):

- Not Analysed or Not Sampled
- Not Detected
- <1%
- 1% or greater

Notes:

- Locations are within one block of actual sample location.
- The ranges are for mapping purposes only and are not based on health or regulatory guidelines.
- Asbestos in dust measured by TEM.