

VITAL STATISTICS OF THE UNITED STATES

1992

VOLUME II – MORTALITY

PART B

**U.S. DEPARTMENT OF
HEALTH AND HUMAN SERVICES**

**PUBLIC HEALTH SERVICE
CENTERS FOR DISEASE CONTROL AND PREVENTION
NATIONAL CENTER FOR HEALTH STATISTICS**

Hyattsville, Maryland: 1996

NATIONAL CENTER FOR HEALTH STATISTICS

EDWARD J. SONDIK, Ph.D., *Director*

JACK R. ANDERSON, *Deputy Director*

JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis, Epidemiology, and Health Promotion*

GAIL F. FISHER, Ph.D., *Associate Director for Planning and Extramural Programs*

JACK R. ANDERSON, *Acting Associate Director for International Statistics*

STEPHEN E. NIEBERDING, *Associate Director for Management*

CHARLES J. ROTHWELL, *Associate Director for Data Processing and Services*

KENNETH W. HARRIS, *Acting Associate Director for Research and Methodology*

DIVISION OF VITAL STATISTICS

MARY ANNE FREEDMAN, *Director*

JAMES A. WEED, Ph.D., *Deputy Director*

ROBERT BILGRAD, *Special Assistant to the Director*

ROBERT J. ARMSTRONG, *Actuarial Adviser*

HARRY M. ROSENBERG, Ph.D., *Chief, Mortality Statistics Branch*

ROBERT L. HEUSER, *Chief, Natality, Marriage, and Divorce Statistics Branch*

GEORGE A. GAY, *Chief, Registration Methods Branch*

WILLIAM D. MOSHER, Ph.D., *Chief, Family Growth Survey Branch*

JAMES A. WEED, Ph.D., *Acting Chief, Followback Survey Branch*

RONALD CHAMBLEE, *Chief, Technical Services Branch*

ROBERT J. ARMSTRONG, *Acting Chief, Statistical Resources Branch*

NICHOLAS F. PACE, *Acting Chief, Systems and Programming Branch*

Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested citation

National Center for Health Statistics. Vital statistics of the United States, 1992, vol II, mortality, part B. Washington: Public Health Service. 1996.

DHHS Publication No. (PHS) 96-1102

For sale by the U.S. Government Printing Office
Superintendent of Documents, Mail Stop: SSOP, Washington, D.C. 20402-9328
ISBN 0-16-038126-6

ACKNOWLEDGMENTS

This publication and the vital statistics computer file on which it is based were prepared by staff from the Division of Vital Statistics, Division of Data Processing, Division of Data Services, and the Office of Research and Methodology.

The Division of Vital Statistics, Mary Anne Freedman, Director, and James A. Weed, Deputy Director, managed the Vital Statistics Cooperative Program, through which the vital registration offices of all States, the District of Columbia, New York City, Puerto Rico, Virgin Islands, and Guam provided the data to the National Center for Health Statistics. This Division also processed computer edits, designed and programmed the tabulations, reviewed the data, and prepared documentation for this publication. The following branch chiefs provided overall direction: Ronald F. Chamblee, Joseph D. Farrell, George A. Gay, Harry M. Rosenberg, and Robert J. Armstrong. Important contributors were Evangeline D. Adams, Joyce A. Arbertha, Judy M. Barnes, Leola Drake, Thomas D. Dunn, Linda L. Elias, Paula Gardner, Donna E. Glenn, Donna L. Hoyert, Millie B. Johnson, Virginia J. Justice, Kenneth D. Kochanek, Julia L. Kowaleski, Hsiang-Ching Kung, Wilma C. Latta, Marian F. MacDorman, Jeffrey D. Maurer, Mary J. Oakley, Charles E. Royer, Jordan S. Sacks, Ann F. Scarlett, Manju Sharma, Gopal K. Singh, George C. Tolson, Irene H. Towns, and Lacola Washington.

The Division of Data Processing, Howard Paris, Deputy Director, was responsible for receipt and processing of the basic data file. The following management staff provided overall direction: Brenda L. Brown, Mary V. Burt, Carl G. Hicks, June S. Pearce, Portia D. Prevo, Linda B. Torian, and Shirley C. Turbiville. Important contributors were Tyinga L. Ambrose, Rosalyn R. Anderson, Susan T. Autry, Joyce L. Bius, Trina L. Bryant, Frances E. Carter, Shirley Carter, Shirley Croy, Linda P. Currin, Jacqueline Davis, Connie M. Gentry, Lillian M. Guettler, Lila W. Hales, Linda O. Harper, Audrey S. Johnson, Katheryn G. Lyndon, Carolyn H. Lyons, Janet L. McBride, Susan L. McBroom, Mary Susan McKelvey, Roy H. Peedin, Mae G. Penny, Rodney Pierson, Tanya W. Pitts, Lois L. Poole, Julia E. Raynor, Gwendolyn E. Robbins, Helen H. Rogerson, Claire Searl, Eldora Smith, Elizabeth A. Smith, Pamela A. Stephenson, Betty J. Stewart, Leslie J. Stewart, Betsy B. Thompson, Elizabeth A. Walston, Carolyn R. Watkins, Teresa M. Watkins, Faye L. Webster, James G. Williams, Patricia W. Dunham, and Karen M. Wooten.

The Division of Data Services, Phillip R. Beattie, Director, and Margot A. Palmer, Deputy Director, was responsible for publications management, production, editorial review, and printing. The following branch and section chief provided overall direction: Richard L. Welch and Rolfe W. Larson. Important contributors were Joan Burton, Patricia Keaton-Williams, Zung Le, Demarius V. Miller, and Patricia Wilson.

The Office of Research and Methodology was responsible for the application of mathematical statistics methods to the development and implementation of quality assurance procedures. Important contributions in this area were made by Kenneth W. Harris, Special Assistant for Data Policy and Coordination.

The National Center for Health Statistics acknowledges the essential role of the vital registration offices of all States and territories in maintaining the system through which vital statistics data are obtained and for their cooperation in providing the information on which this publication is based.

For a list of reports published by the National Center for Health Statistics contact:

Data Dissemination Branch
National Center for Health Statistics
Centers for Disease Control and Prevention
Public Health Service
6525 Belcrest Road, Room 1064
Hyattsville, MD 20782
(301) 436-8500
Internet: <http://www.cdc.gov/nchswww/nchshome.htm>

VITAL STATISTICS OF THE UNITED STATES, 1992

VOLUME II—MORTALITY

A brief summary of the contents for sections 8 and 9 is listed below for the convenience of the reader. A complete contents page is at the beginning of each section and is identified by a narrow black edge, which can be located easily by fanning the pages. Each section is paged independently, beginning with page 1. Sections 1 through 7, which show data on General Mortality, Infant Mortality, Fetal Mortality, Perinatal Mortality, Accident Mortality, Life Tables, and the Technical Appendix, are in Part A of Volume II of *Vital Statistics of the United States, 1992*. Section 7, the Technical Appendix, discusses the factors affecting the collection, classification, and interpretation of the mortality statistics.

PART B

Section 8. Geographic Detail for Mortality

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State and county, specified urban places, metropolitan and nonmetropolitan counties, population-size groups, and metropolitan areas.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Trend of the crude death rate. Frequency tabulations for most of the characteristics shown in other sections of Volume II.

Guide to tables in Section 8

[All data are for deaths occurring in the United States during 1992. Data for geographic areas within the United States are by place of residence unless otherwise noted. Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths to nonresidents]

	TABLE: 8								
	-1	-2	-3	-4	-5	-6	-7	-8	-9
	PAGE:								
	1	87	100	126	176	202	491	496	539
Geographic area:									
Counties	1								9
Metropolitan and nonmetropolitan counties		2	3						9
Population-size groups		2							9
Specified urban places	1								9
Metropolitan areas				4				8	
States	1	2	3			6	27		9
United States	1	2	3		5		7		9
Type of entry:									
Fetal-death rates (per 1,000 live births)		2							
Infant mortality rates (per 1,000 live births)		2							
Neonatal mortality rates (per 1,000 live births)		2							
Number of deaths	1	2	3	4	5	6	7	8	9
Number of fetal deaths	1	2							
Number of infant deaths	1	2	3	4	5	6			
Number of neonatal deaths	1	2							
Characteristics:									
Age:									
5-year age groups					5				
10-year age groups			3	4		6			
Cause of death:									
34 selected causes									9
72 selected causes					5	6	7	8	
Race	1	2	3	4	5	6			
Sex			3	4	5	6			

¹Deaths by place of occurrence and place of residence.
²Deaths by place of occurrence.

Guide to tables in Section 9

[All data are for deaths occurring in Puerto Rico, Virgin Islands, and Guam. Data are by place of residence unless otherwise noted]

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14
PAGE:	1	2	3	4	8	15	22	23	24	25	26	27	29	31
Geographic area:														
Guam.....	1	2	3			6	7	8		¹ 10	11	12	13	
Puerto Rico.....	1	2		4			7	8	¹ 9		11	12	13	14
Municipios.....									¹ 9					
Virgin Islands.....	1	2	3		5		7	8		¹ 10	11	12	13	14
Islands.....										¹ 10				
Specified urban place.....										¹ 10				
Years:														
1940-92.....	1													
1992 only.....		2	3	4	5	6	7	8	9	10	11	12	13	14
Type of entry:														
Death rates.....	1													
Number of deaths.....	1	2	3	4	5	6	7	8	9	10				
Number of fetal deaths.....									9	10				
Number of infant deaths.....			3	4	5	6			9	10	11	12	13	14
Number of neonatal deaths.....									9	10	11	12	13	
Number of postneonatal deaths.....													13	
Characteristics:														
Age:														
10-year age groups.....			3	4	5	6								14
Detailed age groups (under 1 day-11 months).....												12		
Cause of death:														
61 selected causes of infant mortality.....													13	
72 selected causes.....				4	5	6								
HIV infection.....														14
Motor vehicle accidents.....							7							
Nontransport accidents.....								8						
Person injured.....							7							
Month.....		2									11			
Place of accident.....								8						
Race ²		2	3		5	6	7	8		10	11	12	13	
Sex.....		2	3	4	5	6	7	8				12		14

¹Deaths by place of occurrence and place of residence.

²Puerto Rico does not report race.

Symbols Used in Tables

Data not available.....	---
Category not applicable.....	...
Quantity zero.....	-
Quantity more than zero but less than 0.05.....	0.0
Figure does not meet standards of reliability or precision.....	*

Section 8. Geographic Detail for Mortality

Table	Page
8-1. Total, infant, and neonatal deaths, and fetal deaths, by race: United States, each State and county, and specified urban places of 10,000 or more, 1992	1
8-2. Total deaths, infant and neonatal deaths and rates, fetal deaths and rates, by race, for population-size groups in metropolitan and nonmetropolitan counties: United States and each State, 1992	87
8-3. Deaths by 10-year age groups, race, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1992	100
8-4. Deaths by 10-year age groups, race, and sex, for metropolitan areas of the United States: 1992	126
8-5. Deaths from 72 selected causes, by 5-year age groups, race, and sex: United States, 1992	176
8-6. Deaths from 72 selected causes, by 10-year age groups, race, and sex: each State, 1992	202
8-7. Deaths from 72 selected causes, by State of occurrence: United States and each State, 1992	491
8-8. Deaths from 72 selected causes for metropolitan areas of the United States: 1992	496
8-9. Deaths from 34 selected causes: United States, each State and county, population-size groups, metropolitan and nonmetropolitan counties, and specified urban places, 1992	539

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 1

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992

(Page 1 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
United States	2,179,187	2,175,613	34,628	21,849	30,256	Alabama-Con.					
White	1,876,815	1,873,781	22,164	13,915	20,131	Cleburne	42	123	-	-	-
All other	302,372	301,832	12,464	7,934	10,125	Coffee	296	394	6	5	5
Black	269,380	269,219	11,348	7,296	9,055	White	239	316	5	4	3
Alabama	39,068	39,352	655	432	629	All other	57	78	1	1	2
White	28,623	28,812	306	203	293	Black	56	76	1	1	2
All other	10,445	10,540	349	229	336	Enterprise, part	---	174	4	4	2
Black	10,381	10,479	349	229	334	White	---	132	4	4	1
Autauga	206	310	2	2	2	All other	---	42	-	-	1
White	143	221	-	-	2	Black	---	41	-	-	1
All other	63	89	2	2	2	Enterprise, total	---	174	4	4	2
Black	63	89	2	2	2	White	---	132	4	4	1
Prattville, part	---	192	-	-	2	All other	---	42	-	-	1
White	---	139	-	-	2	Black	---	41	-	-	1
All other	---	53	-	-	2	Balance of county	---	220	2	1	3
Black	---	53	-	-	2	White	---	184	1	-	2
Prattville, total	---	194	-	-	2	All other	---	36	1	1	1
White	---	141	-	-	2	Black	---	35	1	1	1
All other	---	53	-	-	2	Balance of county	---	220	2	1	3
Black	---	53	-	-	2	White	---	184	1	-	2
Balance of county	---	118	2	2	2	All other	---	36	1	1	1
White	---	82	-	-	2	Black	---	41	-	-	1
All other	---	36	2	2	2	Balance of county	---	220	2	1	3
Black	---	36	2	2	2	White	---	184	1	-	2
Baldwin	913	977	18	11	12	All other	---	36	1	1	1
White	788	854	9	6	9	Black	---	41	-	-	1
All other	125	123	9	5	3	Balance of county	---	220	2	1	3
Black	125	121	9	5	3	White	---	184	1	-	2
Barbour	205	277	4	2	4	All other	---	36	1	1	1
White	117	166	2	1	1	Black	---	41	-	-	1
All other	88	111	2	1	3	Balance of county	---	220	2	1	3
Black	88	111	2	1	3	White	---	184	1	-	2
Eufaula	---	144	4	2	3	All other	---	36	1	1	1
White	---	88	2	1	1	Black	---	41	-	-	1
All other	---	56	2	1	2	Balance of county	---	220	2	1	3
Black	---	56	2	1	2	White	---	184	1	-	2
Balance of county	---	133	-	-	1	All other	---	36	1	1	1
White	---	78	-	-	1	Black	---	41	-	-	1
All other	---	55	-	-	1	Balance of county	---	220	2	1	3
Black	---	55	-	-	1	White	---	184	1	-	2
Bibb	107	171	6	3	1	All other	---	36	1	1	1
White	89	132	4	1	1	Black	---	41	-	-	1
All other	18	39	2	2	2	Balance of county	---	220	2	1	3
Black	18	39	2	2	2	White	---	184	1	-	2
Blount	258	385	3	2	9	All other	---	36	1	1	1
Bullock	81	152	2	2	8	Black	---	41	-	-	1
White	23	45	-	-	1	Balance of county	---	220	2	1	3
All other	58	107	2	2	7	White	---	184	1	-	2
Black	58	107	2	2	7	All other	---	36	1	1	1
Butler	238	266	5	3	1	Black	---	41	-	-	1
White	160	172	1	1	1	Balance of county	---	220	2	1	3
All other	78	94	4	2	1	White	---	184	1	-	2
Black	78	94	4	2	1	All other	---	36	1	1	1
Calhoun	1,086	1,120	18	11	20	Black	---	41	-	-	1
White	883	905	10	5	16	Balance of county	---	220	2	1	3
All other	203	215	8	6	4	White	---	184	1	-	2
Black	202	214	8	6	4	All other	---	36	1	1	1
Anniston	---	403	9	5	7	Black	---	41	-	-	1
White	---	250	3	1	6	Balance of county	---	220	2	1	3
All other	---	153	6	4	1	White	---	184	1	-	2
Black	---	153	6	4	1	All other	---	36	1	1	1
Balance of county	---	717	9	6	13	Black	---	41	-	-	1
White	---	655	7	4	10	Balance of county	---	220	2	1	3
All other	---	62	2	2	3	White	---	184	1	-	2
Black	---	61	2	2	3	All other	---	36	1	1	1
Chambers	326	455	8	7	9	Black	---	41	-	-	1
White	215	319	5	4	3	Balance of county	---	220	2	1	3
All other	111	136	3	3	6	White	---	184	1	-	2
Black	111	136	3	3	6	All other	---	36	1	1	1
Cherokee	163	226	2	1	-	Black	---	41	-	-	1
Chilton	189	325	4	1	-	Balance of county	---	220	2	1	3
White	169	298	3	1	-	White	---	184	1	-	2
All other	20	27	1	-	-	All other	---	36	1	1	1
Black	19	27	1	-	-	Black	---	41	-	-	1
Choctaw	87	165	6	4	4	Balance of county	---	220	2	1	3
White	44	91	2	2	3	White	---	184	1	-	2
All other	43	74	4	2	3	All other	---	36	1	1	1
Black	43	74	4	2	3	Black	---	41	-	-	1
Clarke	207	275	5	5	5	Balance of county	---	220	2	1	3
White	115	157	-	-	1	White	---	184	1	-	2
All other	92	118	5	5	4	All other	---	36	1	1	1
Black	92	117	5	5	4	Black	---	41	-	-	1
Clay	125	161	2	2	-	Balance of county	---	220	2	1	3
White	114	148	1	1	-	White	---	184	1	-	2
All other	11	13	1	1	-	All other	---	36	1	1	1
Black	11	13	1	1	-	Black	---	41	-	-	1
						Balance of county	---	220	2	1	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 2

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 2 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Alabama-Con.					Alabama-Con.						
Elmore	373	464	10	7	10	Balance of county	---	2,071	21	12	27
White	253	352	2	1	2	White	---	1,802	19	12	19
All other	120	112	8	6	8	All other	---	269	2	-	8
Black	120	112	8	6	8	Black	---	269	2	-	8
Prattville, part	---	2	-	-	-	Lamar	107	183	-	-	-
White	---	2	-	-	-	White	98	169	-	-	-
All other	---	-	-	-	-	All other	9	14	-	-	-
Black	---	-	-	-	-	Black	9	14	-	-	-
Balance of county	---	462	10	7	10	Lauderdale	796	773	8	5	13
White	---	350	2	1	2	White	716	697	5	3	11
All other	---	112	8	6	8	All other	80	76	3	2	2
Black	---	112	8	6	8	Black	80	76	3	2	2
Escambia	338	401	8	5	4	Florence	---	402	4	2	8
White	241	282	5	3	2	White	---	331	2	1	6
All other	97	119	3	2	2	All other	---	71	2	1	2
Black	92	113	3	2	2	Black	---	71	2	1	2
Etowah	1,141	1,112	16	13	11	Balance of county	---	371	4	3	5
White	957	942	8	6	8	Lawrence	198	298	5	2	3
All other	174	170	8	7	3	White	173	249	3	2	3
Black	174	169	8	7	3	All other	25	49	2	-	-
Gadsden	---	643	11	9	5	Black	25	49	2	-	-
White	---	505	5	4	4	Lee	678	575	21	18	12
All other	---	138	6	5	1	White	405	371	9	8	3
Black	---	138	6	5	1	All other	273	204	12	10	9
Balance of county	---	469	5	4	6	Black	272	203	12	10	9
Fayette	131	203	4	1	2	Auburn	---	144	3	3	5
White	113	170	2	1	2	White	---	94	2	2	-
All other	18	33	2	1	-	All other	---	50	1	1	5
Black	18	33	2	1	-	Black	---	49	1	1	5
Franklin	238	298	3	3	6	Opelika	---	219	9	6	4
Geneva	165	296	6	3	4	White	---	126	2	1	2
White	148	265	1	3	4	All other	---	93	7	5	2
All other	17	31	5	3	-	Black	---	93	7	5	2
Black	17	31	5	3	-	Phenix City, part	---	2	-	-	-
Greene	70	113	3	1	1	Balance of county	---	210	9	9	3
White	23	36	-	-	-	White	---	149	5	5	1
All other	47	77	3	1	1	All other	---	61	4	4	2
Black	47	77	3	1	1	Black	---	61	4	4	2
Hale	132	206	5	1	3	Limestone	353	460	8	3	11
White	49	79	1	-	-	White	299	390	6	2	10
All other	83	127	4	1	3	All other	54	70	2	1	1
Black	83	127	4	1	3	Black	53	70	2	1	1
Henry	77	174	1	1	2	Athens	---	187	4	2	1
White	54	121	-	-	-	White	---	144	3	1	-
All other	23	53	1	1	-	All other	---	43	1	1	1
Black	23	53	1	1	-	Black	---	43	1	1	1
Houston	1,255	726	5	2	17	Balance of county	---	273	4	1	10
White	955	547	4	1	5	White	---	246	3	1	10
All other	290	179	1	1	12	All other	---	27	1	-	-
Black	288	177	1	1	12	Black	---	27	1	-	-
Dothan, part	---	482	4	2	15	Lowndes	48	128	2	1	7
White	---	344	3	1	3	White	11	35	-	-	-
All other	---	138	1	1	12	All other	37	93	2	1	7
Black	---	138	1	1	12	Black	36	93	2	1	7
Dothan, total	---	482	4	2	15	Macon	362	302	8	4	6
White	---	344	3	1	3	White	132	48	1	1	-
All other	---	138	1	1	12	All other	230	254	7	3	6
Black	---	138	1	1	12	Black	230	254	7	3	6
Balance of county	---	244	1	-	2	Tuskegee	---	146	5	3	5
White	---	203	1	-	2	White	---	10	-	-	-
All other	---	41	-	-	-	All other	---	136	5	3	5
Black	---	41	-	-	-	Black	---	136	5	3	5
Jackson	326	470	4	2	7	Balance of county	---	156	3	1	1
Scottsboro	---	140	3	2	3	White	---	38	1	1	-
Balance of county	---	330	1	-	4	All other	---	118	2	-	1
Jefferson	8,929	6,900	107	65	108	Black	---	118	2	-	1
White	5,920	4,200	30	17	40	Madison	2,071	1,669	29	20	34
All other	3,009	2,700	77	48	68	White	1,736	1,354	18	14	18
Black	2,999	2,696	77	48	67	All other	335	315	11	6	16
Bessemer	---	492	10	6	7	Black	324	303	11	6	16
White	---	217	2	-	-	Huntsville	---	1,220	21	13	26
All other	---	275	8	6	7	White	---	990	12	9	10
Black	---	275	8	6	7	All other	---	230	9	4	16
Birmingham	---	3,329	69	43	65	Black	---	221	9	4	16
White	---	1,344	6	2	15	Balance of county	---	449	8	7	8
All other	---	1,985	63	41	50	White	---	364	6	5	8
Black	---	1,983	63	41	49	All other	---	85	2	2	-
Fairfield	---	175	2	1	-	Black	---	85	2	2	-
White	---	54	-	-	-	Marengo	202	256	7	5	3
All other	---	121	2	1	-	White	98	134	3	3	1
Black	---	121	2	1	-	All other	104	122	4	2	2
Hoover, part	---	173	2	-	3	Black	104	122	4	2	2
Hoover, total	---	184	1	1	1	Marion	256	323	3	2	3
Hueytown	---	197	1	1	2	Marshall	672	790	9	7	5
Mountain Brook	---	158	2	2	2	Albertville	---	200	5	4	1
Vestavia Hills	---	147	-	-	1	Balance of county	---	590	4	3	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 3

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 3 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Alabama-Con.					Alabama-Con.						
Mobile	3,650	3,348	81	61	52	Hoover, part	---	13	-	-	1
White	2,401	2,186	29	23	18	Balance of county	---	641	13	11	16
All other	1,249	1,162	52	38	34	White	---	585	12	11	12
Black	1,235	1,150	52	38	34	All other	---	56	1	-	4
Mobile	---	1,978	41	31	35	Black	---	56	1	-	4
White	---	1,212	9	8	6	Sumter	92	170	5	1	4
All other	---	766	32	23	29	White	---	61	-	-	-
Black	---	765	32	23	29	All other	---	59	5	1	4
Prichard	---	390	20	15	5	Black	---	59	5	1	4
White	---	105	5	4	1	Talladega	592	737	17	9	15
All other	---	285	15	11	4	White	---	414	525	9	6
Black	---	285	15	11	4	All other	---	178	212	8	3
Balance of county	---	980	20	15	12	Black	---	178	212	8	3
White	---	869	15	11	11	Sylacauga	---	179	4	2	1
All other	---	111	5	4	1	White	---	141	-	-	1
Black	---	100	5	4	1	All other	---	38	4	2	-
Monroe	173	221	6	5	7	Black	---	38	4	2	-
White	122	149	4	3	3	Talladega	---	200	5	2	5
All other	51	72	2	2	4	White	---	120	3	2	2
Black	50	70	2	2	4	All other	---	80	2	-	3
Montgomery	2,447	1,850	52	34	40	Black	---	80	2	-	3
White	1,470	1,081	20	12	7	Balance of county	---	358	8	5	9
All other	977	769	32	22	33	White	---	264	6	4	4
Black	973	766	32	22	33	All other	---	94	2	1	5
Montgomery	---	1,712	49	34	37	Black	---	94	2	1	5
White	---	998	18	12	7	Tallapoosa	397	470	4	2	10
All other	---	714	31	22	30	White	---	309	356	4	2
Black	---	711	31	22	30	All other	---	88	114	-	6
Balance of county	---	138	3	-	3	Black	---	87	114	-	5
White	---	83	2	-	-	Alexander City	---	179	1	-	3
All other	---	55	1	-	3	White	---	132	1	-	1
Black	---	55	1	-	3	All other	---	47	-	-	2
Morgan	782	885	9	5	18	Black	---	47	-	-	1
White	684	786	8	5	10	Balance of county	---	291	3	2	7
All other	98	99	1	-	8	White	---	224	3	2	3
Black	98	99	1	-	8	All other	---	67	-	-	4
Decatur	---	452	4	1	14	Black	---	67	-	-	4
White	---	376	3	1	6	Tuscaloosa	1,664	1,271	15	10	18
All other	---	76	1	-	8	White	---	898	8	6	9
Black	---	76	1	-	8	All other	---	537	373	7	4
Balance of county	---	433	5	4	4	Black	---	369	7	4	9
Perry	63	136	3	1	3	Northport	---	533	369	7	4
White	28	54	1	1	1	White	---	218	3	2	2
All other	35	82	2	-	3	All other	---	178	3	2	1
Black	35	82	2	-	3	Black	---	40	-	-	1
Pickens	165	232	3	3	6	Tuscaloosa	---	40	-	-	1
White	106	144	2	2	1	White	---	726	9	6	14
All other	59	88	1	1	5	All other	---	454	2	2	6
Black	59	88	1	1	5	Black	---	272	7	4	8
Pike	212	297	7	7	6	Balance of county	---	269	7	4	8
White	129	185	2	2	1	White	---	327	3	2	2
All other	83	112	5	5	5	All other	---	61	-	-	-
Black	83	112	5	5	5	Black	---	60	-	-	-
Troy	---	142	3	3	4	Walker	594	760	8	4	5
White	---	89	1	1	1	White	---	169	-	-	1
All other	---	53	2	2	3	All other	---	149	-	-	1
Black	---	53	2	2	3	Black	---	20	-	-	-
Balance of county	---	155	4	4	2	Balance of county	---	20	-	-	-
White	---	96	1	1	2	White	---	591	8	4	4
All other	---	59	3	3	2	All other	---	169	6	6	5
Black	---	59	3	3	2	Black	---	72	124	-	2
Randolph	183	248	4	2	3	Washington	92	124	45	6	3
White	142	198	3	2	3	White	---	20	45	6	6
All other	41	50	1	-	3	All other	---	20	45	6	6
Black	41	50	1	-	3	Wilcox	91	147	1	1	2
Russell	392	489	11	6	8	White	---	24	43	-	-
White	262	294	3	2	3	All other	---	67	104	1	2
All other	130	195	8	4	5	Black	---	67	104	1	2
Black	130	195	8	4	5	Winston	153	237	3	3	2
Phenix City, part	---	341	11	6	5	Alaska ¹	2,308	2,303	101	47	57
White	---	222	3	2	2	White	---	1,589	58	26	40
All other	---	119	8	4	3	All other	---	719	43	21	17
Black	---	119	8	4	3	Black	---	66	62	7	3
Phenix City, total	---	343	11	6	5	Aleutian Islands	27	17	1	1	2
White	---	224	3	2	2	White	---	13	2	1	2
All other	---	119	8	4	3	All other	---	14	15	-	-
Black	---	119	8	4	3	Black	---	-	-	-	-
Balance of county	---	148	-	-	1	Anchorage, coext. with Anchorage city	1,011	889	44	17	27
White	---	72	-	-	2	White	---	750	690	30	12
All other	---	76	-	-	5	All other	---	261	199	14	5
Black	---	76	-	-	5	Black	---	48	45	5	2
St. Clair	281	451	7	5	5	Bethel	67	75	5	3	3
White	247	406	5	3	5	White	---	3	4	-	-
All other	34	45	2	2	-	All other	---	64	71	5	3
Black	34	44	2	2	-	Black	---	-	-	-	-
Shelby	507	654	13	11	17						
White	457	598	12	11	13						
All other	50	56	1	-	4						
Black	49	56	1	-	4						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 4

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 4 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Alaska-Con.						Arizona	31,828	31,055	577	331	433
Bristol Bay borough	4	4	-	-		White	29,672	28,801	485	270	358
White	3	1	-	-		All other	2,156	2,254	112	61	75
All other	1	3	-	-		Black	831	808	41	21	24
Black	-	-	-	-		Apache	277	407	19	11	12
Dillingham	40	36	1	-		White	76	89	1	1	1
White	12	6	1	-		All other	201	318	18	10	11
All other	28	30	-	-		Black	-	-	-	-	-
Black	1	1	-	-		Cochise	606	814	10	4	17
Fairbanks North Star borough	262	255	11	5		Douglas	-	140	1	-	-
White	193	198	7	4		White	-	135	1	-	-
All other	69	57	4	1		All other	-	5	-	-	-
Black	14	14	1	1		Black	-	4	-	-	-
Fairbanks	-	210	8	4		Sierra Vista	-	186	4	2	7
White	-	162	4	3		White	-	176	4	2	5
All other	-	48	4	1		All other	-	10	-	2	2
Black	-	13	1	1		Black	-	6	-	1	1
Balance of area	-	45	3	1		Balance of county	-	488	5	2	10
White	-	36	3	1		White	-	480	5	2	9
All other	-	9	-	-		All other	-	8	-	1	1
Black	-	1	-	-		Black	-	6	-	1	1
Haines borough	10	12	-	-		Coconino	516	443	14	9	14
White	8	10	-	-		White	364	297	9	5	6
All other	2	2	-	-		All other	152	146	5	4	8
Black	-	-	-	-		Black	20	13	-	-	-
Juneau, coext. with Juneau city	119	128	1	1		Flagstaff	-	177	11	7	5
White	98	107	1	1		White	-	151	8	5	5
All other	21	21	-	-		All other	-	26	3	2	-
Black	1	1	-	-		Black	-	9	-	-	-
Kenai Peninsula borough	136	168	5	3		Balance of county	-	266	3	2	9
Ketchikan Gateway borough	65	67	1	1		White	-	146	1	2	1
White	47	53	-	-		All other	-	120	2	2	8
All other	18	14	1	1		Black	-	4	-	-	-
Black	-	-	-	-		Gila	388	494	7	3	3
Kobuk	42	47	5	3		White	358	447	4	2	3
White	3	4	-	-		All other	30	47	3	2	3
All other	39	43	5	3		Black	-	-	-	-	-
Black	-	-	-	-		Graham	197	237	4	4	-
Kodiak Island borough	44	53	1	1		White	192	224	4	4	-
White	29	36	1	1		All other	5	13	-	-	-
All other	15	17	-	-		Black	2	2	-	-	-
Black	-	-	-	-		Greenlee	28	48	-	-	1
Matanuska-Susitna borough	137	174	9	3		Maricopa	18,596	17,194	349	203	252
Nome	51	53	4	1		White	17,551	16,346	301	181	230
White	6	6	1	-		All other	1,045	848	48	22	22
All other	45	47	3	1		Black	548	538	37	17	14
Black	-	-	-	-		Chandler	-	388	14	8	18
North Slope borough	25	28	1	1		White	-	368	11	6	17
White	4	3	-	-		All other	-	20	3	2	1
All other	21	25	1	1		Black	-	9	2	2	1
Black	-	-	-	-		Glendale	-	1,066	26	19	20
Prince of Wales-Outer Ketchikan	24	35	1	1		White	-	1,033	25	19	19
White	15	17	-	-		All other	-	33	1	-	1
All other	9	18	1	1		Black	-	24	-	-	1
Black	-	-	-	-		Mesa	-	2,256	43	25	30
Sitka borough	46	48	2	2		White	-	2,200	42	25	30
White	25	31	1	1		All other	-	56	1	-	-
All other	21	17	1	1		Black	-	29	-	-	-
Black	-	-	-	-		Paradise Valley	-	65	-	-	1
Skagway-Yakutat-Angoon	32	18	1	-		Peoria	-	564	8	5	2
White	29	11	-	-		White	-	550	7	4	2
All other	3	7	1	-		All other	-	14	1	1	-
Black	-	-	-	-		Black	-	6	1	1	-
Southeast Fairbanks	30	29	2	1		Phoenix	-	7,342	191	106	198
White	24	22	1	1		White	-	6,785	157	92	122
All other	6	7	1	1		All other	-	557	34	14	16
Black	-	-	-	-		Black	-	421	29	12	12
Valdez-Cordova	43	38	-	-		Scottsdale	-	1,338	17	12	11
White	34	30	-	-		Tempe	-	698	17	10	13
All other	9	8	-	-		Balance of county	-	3,477	33	18	19
Black	1	-	-	-		White	-	3,375	28	14	17
Wade Hampton	19	34	6	3		All other	-	102	5	4	2
White	-	-	-	-		Black	-	22	2	1	-
All other	19	34	6	3		Mohave	1,192	1,298	17	8	10
Black	-	-	-	-		Lake Havasu City	-	304	5	3	2
Wrangell-Petersburg	34	43	-	-		Balance of county	-	994	12	5	8
White	27	30	-	-		Navajo	413	559	23	13	12
All other	7	13	-	-		White	266	301	5	1	4
Black	-	-	-	-		All other	147	258	18	12	8
Yukon-Koyukuk	40	52	-	-		Black	9	12	-	-	-
White	19	17	-	-		Pima	6,606	5,983	89	54	58
All other	21	35	-	-		White	6,228	5,626	78	45	44
Black	-	-	-	-		All other	378	357	11	9	14
Tucson	-	-	-	-		Black	176	166	4	4	8
White	-	-	-	-		White	-	3,983	69	42	44
All other	-	-	-	-		All other	-	3,785	61	34	35
Black	-	-	-	-		Black	-	198	8	8	9
						Black	-	141	4	4	7

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 5

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 5 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Arizona-Con.					Arkansas-Con.						
Balance of county	---	2,000	20	12	14	Balance of county	---	150	2	-	1
White	---	1,841	17	11	9	White	---	115	1	-	1
All other	---	159	3	1	5	All other	---	35	1	-	-
Black	---	25	-	-	1	Black	---	35	1	-	-
Pinal	655	1,068	17	5	19	Clay	134	266	-	-	2
White	578	933	10	4	15	Cleburne	178	248	-	-	2
All other	77	135	7	1	4	Cleveland	44	92	1	-	-
Black	18	25	-	-	-	White	36	76	1	-	-
Casa Grande	---	162	1	1	6	All other	8	16	-	-	-
White	---	146	1	1	5	Black	8	16	-	-	-
All other	---	16	-	-	1	Columbia	253	280	5	4	4
Black	---	7	-	-	-	White	171	184	3	3	2
Balance of county	---	906	16	4	13	All other	82	96	2	1	2
White	---	787	9	3	10	Black	82	96	2	1	2
All other	---	119	7	1	3	Magnolia	---	137	2	1	4
Black	---	18	-	-	-	White	---	90	1	1	2
Santa Cruz	110	169	3	2	4	All other	---	47	1	-	2
Nogales	---	106	2	2	3	Black	---	47	1	-	2
White	---	105	2	2	3	Balance of county	---	143	3	3	-
All other	---	1	-	-	-	White	---	94	2	2	-
Black	---	1	-	-	-	All other	---	49	1	1	-
Balance of county	---	63	1	-	1	Black	---	49	1	1	-
White	---	63	1	-	1	Conway	177	211	1	-	1
All other	---	-	-	-	-	White	---	154	1	-	1
Black	---	-	-	-	-	All other	---	23	-	-	-
Yavapai	1,282	1,420	9	3	16	Black	---	23	-	-	-
Prescott	---	381	2	2	3	Craighead	1,056	633	11	6	7
Balance of county	---	1,039	7	1	13	Jonesboro	---	378	8	5	5
Yuma	962	921	16	12	15	Balance of county	---	255	3	1	2
White	---	474	10	8	9	Crawford	327	376	5	3	6
All other	---	456	10	8	9	Van Buren	---	154	1	1	5
Black	---	18	-	-	-	Balance of county	---	222	4	2	1
Balance of county	---	447	6	4	6	Crittenden	402	471	16	11	12
White	---	412	5	4	6	White	208	243	4	3	3
All other	---	35	1	-	-	All other	194	228	12	8	9
Black	---	6	-	-	-	Black	194	228	12	8	9
Arkansas	24,896	24,956	360	207	286	West Memphis	---	278	8	5	5
White	20,948	20,897	227	130	164	White	---	146	1	-	1
All other	3,948	4,059	133	77	122	All other	---	132	7	5	4
Black	3,860	4,018	132	76	120	Black	---	132	7	5	4
Arkansas	286	311	1	1	6	Balance of county	---	193	8	6	7
White	211	246	-	-	4	White	---	97	3	3	2
All other	75	65	1	1	2	All other	---	96	5	3	5
Black	75	65	1	1	4	Black	---	96	5	3	5
Stuttgart	---	142	1	1	4	Cross	173	206	5	2	1
White	---	104	-	-	2	White	---	125	155	4	2
All other	---	38	1	1	2	All other	---	48	51	1	-
Black	---	38	1	1	2	Black	---	48	51	1	-
Balance of county	---	169	-	-	2	Dallas	99	131	-	-	1
White	---	142	-	-	2	White	64	84	-	-	-
All other	---	27	-	-	2	All other	35	47	-	-	1
Black	---	27	-	-	2	Black	35	47	-	-	1
Ashley	162	244	3	2	2	Desha	185	205	3	2	3
White	113	168	3	2	2	White	95	105	2	1	1
All other	49	76	-	-	2	All other	90	100	1	1	2
Black	49	76	-	-	2	Black	90	100	1	1	2
Baxter	557	490	3	2	2	Drew	125	157	3	1	4
Benton	899	966	11	8	6	White	93	107	1	1	-
Rogers	---	272	1	1	1	All other	32	50	2	-	4
Springdale, part	---	5	-	-	-	Black	32	50	2	-	4
Balance of county	---	689	10	7	5	Faulkner	374	445	3	1	5
Boone	320	297	1	1	-	Conway	---	224	2	-	3
Bradley	168	198	5	3	2	Balance of county	---	221	1	1	2
White	115	131	1	1	1	Franklin	123	200	3	2	1
All other	53	67	4	2	1	Fulton	89	103	1	1	1
Black	53	67	4	2	1	Garland	1,118	1,026	6	5	3
Calhoun	39	71	-	-	-	Hot Springs	---	701	5	4	1
White	31	60	-	-	-	White	---	635	3	2	1
All other	8	11	-	-	-	All other	---	66	2	2	-
Black	8	11	-	-	-	Black	---	65	1	1	-
Carroll	198	221	3	2	-	Balance of county	---	325	1	1	2
Chicot	156	185	4	1	7	Grant	67	143	4	3	1
White	62	78	1	-	-	Greene	355	360	8	5	6
All other	94	107	3	1	7	Paragould	---	247	6	4	5
Black	94	107	3	1	7	Balance of county	---	113	2	1	1
Clark	207	255	2	-	3	Hempstead	197	240	1	-	2
White	166	198	1	-	1	White	136	172	-	-	2
All other	41	57	1	-	2	All other	61	68	1	-	-
Black	41	57	1	-	2	Black	61	68	1	-	-
Arkadelphia	---	105	-	-	2	Hope	---	136	1	-	2
White	---	83	-	-	-	White	---	96	-	-	2
All other	---	22	-	-	2	All other	---	40	1	-	-
Black	---	22	-	-	2	Black	---	40	1	-	-
						Balance of county	---	104	-	-	-
						White	---	76	-	-	-
						All other	---	28	-	-	-
						Black	---	28	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 6

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 6 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal		
Arkansas-Con.					Arkansas-Con.							
Hot Spring	188	278	4	2	4	Nevada	85	122	3	-	1	
White	166	249	4	2	3	White	63	93	3	-	1	
All other	22	29	-	-	1	All other	22	29	-	-	-	
Black	22	29	-	-	1	Black	22	29	-	-	-	
Malvern	---	139	2	1	3	Newton	---	82	3	2	2	
White	---	115	2	1	2	White	327	400	8	2	3	
All other	---	24	-	-	1	All other	196	238	4	4	3	
Black	---	24	-	-	1	Black	131	162	4	-	1	
Balance of county	---	139	2	1	1	Camden	---	162	4	-	1	
Howard	166	193	4	1	1	White	---	217	5	1	2	
White	137	164	1	1	1	All other	---	129	2	1	1	
All other	29	29	3	-	-	Black	---	88	3	-	-	
Black	29	29	3	-	-	Balance of county	---	88	3	-	-	
Independence	347	301	2	1	3	White	---	183	3	2	-	
Izard	136	196	1	1	1	All other	---	109	2	2	-	
Jackson	217	267	2	-	1	Black	---	74	1	-	-	
White	181	225	2	-	-	Perry	---	74	1	-	-	
All other	36	42	-	-	1	Philips	---	31	84	1	1	
Black	36	42	-	-	1	White	308	386	5	4	11	
Jefferson	970	916	15	8	14	All other	141	175	-	-	-	
White	565	530	5	1	4	Black	167	211	5	4	11	
All other	405	386	10	7	10	West Helena	167	211	5	4	11	
Black	404	386	10	7	10	White	---	116	1	1	2	
Pine Bluff	---	733	11	6	8	All other	---	60	-	-	-	
White	---	404	4	1	1	Black	---	58	1	1	2	
All other	---	329	7	5	7	Balance of county	---	58	1	1	2	
Black	---	329	7	5	7	White	---	270	4	3	9	
Balance of county	---	183	4	2	6	All other	---	115	-	-	-	
White	---	126	1	-	3	Black	---	155	4	3	9	
All other	---	57	3	2	3	Pike	---	155	4	3	9	
Black	---	57	3	2	3	Poinsett	---	80	125	2	1	3
Johnson	165	194	3	2	1	Polk	---	109	275	9	5	2
Lafayette	35	105	1	1	1	Pope	---	141	206	4	2	3
White	19	63	1	1	1	Russellville	---	401	421	5	-	5
All other	16	42	1	1	-	Balance of county	---	211	1	-	2	
Black	16	42	1	1	-	White	---	44	99	1	1	
Lawrence	154	229	1	-	-	All other	---	38	84	-	2	
Lee	70	149	6	3	1	Black	---	6	15	1	-	
White	25	58	2	1	-	Pulaski	---	5	15	1	-	
All other	45	91	4	2	1	White	4,820	3,072	73	47	55	
Black	44	91	4	2	1	All other	3,754	2,295	33	20	22	
Lincoln	66	128	-	-	-	Black	1,066	777	40	27	33	
White	44	80	-	-	-	Jacksonville	1,053	771	40	27	33	
All other	22	48	-	-	-	White	---	197	4	1	1	
Black	22	48	-	-	-	All other	---	182	3	1	1	
Little River	107	145	1	-	3	Black	---	15	1	-	-	
White	85	116	1	-	2	Little Rock	---	14	1	-	-	
All other	22	29	-	-	1	White	---	1,729	40	28	31	
Black	22	29	-	-	1	All other	---	1,206	12	7	12	
Logan	188	263	4	3	4	Black	---	523	28	21	19	
Lonoke	133	308	1	1	4	North Little Rock	---	521	28	21	19	
White	119	279	1	1	2	White	---	766	19	9	15	
All other	14	29	-	-	2	All other	---	598	10	5	3	
Black	14	28	-	-	2	Black	---	168	9	4	12	
Madison	72	119	3	-	-	Sherwood	---	168	9	4	12	
Marion	59	147	2	2	2	Balance of county	---	93	3	3	2	
Miller	675	424	7	7	5	White	---	287	7	6	6	
White	537	325	4	4	1	All other	---	219	6	5	4	
All other	138	99	3	3	4	Black	---	68	1	1	2	
Black	136	99	3	3	4	Randolph	---	66	1	1	2	
Texarkana	---	302	6	6	3	St. Francis	---	128	188	-	-	1
White	---	224	4	4	-	White	---	292	337	8	4	2
All other	---	78	2	2	3	All other	---	143	176	1	-	1
Black	---	78	2	2	3	Black	---	149	161	7	4	1
Balance of county	---	122	1	1	2	Forrest City	---	148	159	7	4	1
White	---	101	-	-	1	White	---	168	3	1	1	
All other	---	21	1	1	1	All other	---	73	-	-	-	
Black	---	21	1	1	1	Black	---	95	3	1	1	
Mississippi	431	584	19	11	6	Balance of county	---	99	3	1	1	
White	309	426	11	8	3	White	---	169	5	3	1	
All other	122	158	8	3	3	All other	---	103	1	-	-	
Black	122	158	8	3	2	Black	---	66	4	3	-	
Blytheville	---	268	10	5	1	Saline	---	66	4	3	-	
White	---	174	4	3	1	Benton	---	407	510	5	1	4
All other	---	94	6	2	1	Balance of county	---	228	228	2	-	3
Black	---	94	6	2	1	Scott	---	282	3	1	1	
Balance of county	---	316	9	6	5	Searcy	---	83	117	-	-	2
White	---	252	7	5	3	Sebastian	---	47	99	-	-	-
All other	---	64	2	1	2	Fort Smith	---	1,605	1,008	6	2	13
Black	---	64	2	1	2	White	---	754	5	1	11	
Monroe	69	153	3	3	2	All other	---	254	1	1	2	
White	44	91	-	-	2	Balance of county	---	133	150	4	3	1
All other	25	62	3	3	2	Sevier	---	146	235	2	2	1
Black	25	62	3	3	2	Sharp	---	102	140	1	1	-
Montgomery	30	85	-	-	-	Stone	---	102	140	1	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 7

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 7 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Arkansas-Con.					California-Con.						
Union	586	586	7	4	10	Calaveras	246	364	3	2	2
White	381	384	2	-	7	Colusa	118	138	1	1	6
All other	205	202	5	4	3	Contra Costa	5,344	5,591	85	49	56
Black	205	202	5	4	3	White	4,596	4,781	54	32	31
El Dorado	-	354	7	4	5	All other	748	810	31	17	25
White	-	229	2	-	3	Black	530	563	23	16	20
All other	-	125	5	4	2	Antioch	-	386	7	6	4
Black	-	125	5	4	2	White	-	373	7	6	2
Balance of county	-	232	-	-	5	All other	-	13	-	-	2
White	-	155	-	-	4	Black	-	7	-	-	2
All other	-	77	-	-	1	Concord	-	739	14	10	6
Black	-	77	-	-	1	El Cerrito	-	212	-	-	-
Van Buren	126	184	2	2	2	White	-	165	-	-	-
Washington	1,249	961	13	6	13	All other	-	47	-	-	-
Fayetteville	-	327	8	4	4	Black	-	17	-	-	-
Springdale, part	-	292	1	-	4	Lafayette	-	164	-	-	-
Springdale, total	-	297	1	-	4	Martinez	-	253	5	1	3
Balance of county	-	342	4	2	5	Moraga Town	-	104	1	1	1
White	648	601	5	3	7	Pinole	-	114	1	1	2
Searcy	-	178	2	1	2	White	-	96	1	1	1
Balance of county	-	423	3	2	5	All other	-	18	-	-	1
Woodruff	51	135	-	-	-	Black	-	8	-	-	1
White	34	97	-	-	-	Pittsburg	-	380	8	2	9
All other	17	38	-	-	-	White	-	274	6	1	3
Black	17	38	-	-	-	All other	-	106	2	1	6
Yell	169	218	4	1	3	Black	-	86	1	1	4
California	216,378	215,847	4,201	2,564	3,751	Pleasant Hill	-	206	3	3	-
White	187,435	186,927	3,119	1,898	2,915	Richmond	-	824	22	13	13
All other	28,943	28,920	1,082	666	836	White	-	429	3	2	4
Black	17,827	17,834	782	495	528	All other	-	395	19	11	9
Alameda	9,769	9,587	166	92	153	Black	-	362	16	11	8
White	6,877	6,699	84	48	71	San Pablo	-	297	8	5	2
All other	2,892	2,888	82	44	82	White	-	234	5	3	1
Black	2,162	2,164	61	32	62	All other	-	63	3	2	1
Alameda	-	551	-	-	4	Black	-	39	3	2	1
White	-	486	-	-	2	Walnut Creek	-	852	4	1	4
All other	-	65	-	-	2	Balance of county	-	1,060	12	6	13
Black	-	22	-	-	1	White	-	968	10	5	8
Albany	-	104	2	1	-	All other	-	92	2	1	5
White	-	91	2	1	-	Black	-	27	1	1	3
All other	-	13	-	-	-	Del Norte	-	239	2	1	1
Black	-	7	-	-	-	El Dorado	-	733	866	14	10
Berkeley	-	732	9	6	4	South Lake Tahoe	-	124	6	3	3
White	-	433	2	1	2	Balance of county	-	742	8	7	5
All other	-	289	7	5	2	Fresno	-	5,384	5,076	155	95
Black	-	247	7	5	2	White	-	4,457	4,057	61	81
Fremont	-	805	12	10	14	All other	-	641	619	50	34
White	-	697	6	6	11	Black	-	353	334	37	26
All other	-	108	6	4	3	Clovis	-	371	8	6	5
Black	-	20	1	-	1	White	-	350	6	5	4
Hayward	-	1,116	23	12	16	All other	-	21	2	1	1
White	-	978	18	8	12	Black	-	4	1	-	-
All other	-	138	5	4	4	Fresno	-	3,409	113	71	76
Black	-	65	4	3	1	White	-	2,889	66	38	48
Livermore	-	306	8	7	5	All other	-	520	47	33	28
Newark	-	157	6	2	2	Black	-	317	35	25	14
White	-	134	6	2	2	Reedley	-	175	3	3	1
All other	-	23	-	-	-	White	-	161	3	3	1
Black	-	3	-	-	-	All other	-	14	-	-	-
Oakland	-	3,595	69	36	80	Black	-	-	-	-	-
White	-	1,588	16	10	19	Sanger	-	179	5	1	5
All other	-	2,007	53	26	61	White	-	171	5	1	4
Black	-	1,727	44	22	55	All other	-	8	-	-	-
Piedmont	-	96	1	1	-	Black	-	1	-	-	-
Pleasanton	-	248	7	6	4	Selma	-	181	3	2	2
San Leandro	-	830	5	1	9	White	-	170	3	2	2
White	-	763	4	1	7	All other	-	11	-	-	-
All other	-	67	1	-	2	Black	-	1	-	-	-
Black	-	30	1	-	-	Balance of county	-	761	23	12	22
Union City	-	308	7	5	10	White	-	716	22	12	22
White	-	230	5	4	4	All other	-	45	1	-	-
All other	-	78	2	1	6	Black	-	11	1	-	-
Black	-	20	1	-	1	Glenn	-	122	251	4	2
Balance of county	-	739	17	5	5	Humboldt	-	1,101	1,129	11	5
White	-	682	12	3	3	Arcata	-	124	2	2	-
All other	-	57	5	2	2	Eureka	-	508	2	1	2
Black	-	18	2	1	1	Balance of county	-	497	7	2	5
Alpine	12	3	-	-	-	Imperial	-	713	836	15	12
White	11	2	-	-	-	Brawley	-	124	5	4	1
All other	1	1	-	-	-	White	-	116	5	4	1
Black	-	-	-	-	-	All other	-	8	-	-	-
Amador	288	335	3	1	5	Black	-	3	-	-	-
Butte	2,203	2,038	19	9	19	Callexico	-	127	-	-	3
Chico	-	568	4	3	7	White	-	124	-	-	3
Paradise	-	472	2	1	-	All other	-	3	-	-	-
Balance of county	-	998	13	5	12	Black	-	-	-	-	-
						El Centro	-	257	6	4	9
						White	-	230	6	4	9
						All other	-	27	-	-	-
						Black	-	17	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 8

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 8 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.						California-Con.					
Balance of county	---	328	4	4	5	Compton	---	797	33	16	25
White	---	298	4	4	5	White	---	192	18	11	12
All other	---	30	-	-	-	All other	---	605	15	5	13
Black	---	8	-	-	-	Black	---	588	15	5	13
Inyo	198	198	5	3	-	Covina	---	458	9	6	12
Kern	3,903	4,097	116	79	85	Cudahy	---	89	6	4	13
White	---	3,758	94	63	77	White	---	84	5	4	13
All other	---	343	22	16	8	All other	---	5	1	-	-
Black	---	251	20	16	6	Black	---	1	-	-	-
Bakersfield	---	2,413	66	47	51	Culver City	---	338	4	4	3
White	---	2,175	51	35	45	White	---	285	2	2	1
All other	---	238	15	12	6	All other	---	53	2	2	2
Black	---	198	14	12	5	Black	---	24	-	-	1
Delano	---	176	4	4	8	Downey	---	756	10	7	7
White	---	126	3	3	7	White	---	717	10	7	6
All other	---	50	1	1	1	All other	---	39	-	-	1
Black	---	12	1	1	-	Black	---	10	-	-	-
Ridgecrest	---	208	10	6	4	Duarte	---	212	4	2	5
Balance of county	---	1,300	36	22	22	White	---	185	3	2	4
White	---	1,261	32	20	21	All other	---	27	1	-	1
All other	---	39	4	2	1	Black	---	16	1	-	1
Black	---	32	3	2	1	El Monte	---	585	28	17	25
Kings	562	612	18	16	16	White	---	538	26	16	22
Hanford	---	351	9	8	10	All other	---	47	2	1	3
White	---	329	6	5	8	Black	---	4	-	-	1
All other	---	22	3	3	2	El Segundo	---	93	2	2	1
Black	---	17	3	3	2	Gardena	---	601	9	2	15
Balance of county	---	261	9	8	6	White	---	350	3	1	5
White	---	236	6	5	6	All other	---	251	6	1	10
All other	---	25	3	3	-	Black	---	100	5	1	7
Black	---	18	2	2	-	Glendale	---	1,305	20	15	12
Lake	613	737	6	2	7	White	---	1,221	15	12	9
Lassen	161	207	4	2	5	All other	---	84	5	3	3
Los Angeles	62,956	61,980	1,426	887	1,255	Black	---	8	1	1	1
White	---	49,556	1,029	648	935	Glendora	---	370	8	5	2
All other	---	12,420	397	239	320	Hawaiian Gardens	---	71	7	4	1
Black	---	8,875	321	192	248	White	---	66	6	4	1
Alhambra	---	659	3	1	4	All other	---	5	1	-	-
White	---	528	2	-	3	Black	---	2	-	-	-
All other	---	131	1	1	1	Hawthorne	---	464	17	12	18
Black	---	4	-	-	-	White	---	340	4	3	9
Arcadia	---	471	3	3	4	All other	---	124	13	9	9
Artesia	---	101	2	1	1	Black	---	90	12	8	8
White	---	96	2	1	1	Hermosa Beach	---	71	-	-	-
All other	---	5	-	-	-	Huntington Park	---	286	22	14	11
Black	---	-	-	-	-	White	---	274	22	14	11
Azusa	---	254	4	2	9	All other	---	12	-	-	-
White	---	239	3	2	8	Black	---	4	-	-	-
All other	---	15	1	-	1	Inglewood	---	763	27	16	26
Black	---	6	-	-	-	White	---	362	12	7	15
Baldwin Park	---	304	14	9	10	All other	---	401	15	9	11
White	---	268	14	9	9	Black	---	383	15	9	11
All other	---	36	-	-	1	La Canada Flintridge	---	141	1	1	1
Black	---	7	-	-	1	Lakewood	---	562	5	2	10
Bell	---	150	5	4	9	White	---	526	4	2	6
White	---	146	4	3	9	All other	---	36	1	-	4
All other	---	4	1	1	-	Black	---	14	1	-	-
Black	---	2	1	1	-	La Mirada	---	310	4	3	5
Bellflower	---	515	10	5	2	White	---	290	3	3	4
White	---	481	8	4	2	All other	---	20	1	-	1
All other	---	34	2	1	-	Black	---	5	1	-	-
Black	---	15	1	1	-	Lancaster	---	803	21	10	18
Bell Gardens	---	136	6	5	8	La Puente	---	465	20	14	20
White	---	130	6	5	8	White	---	424	19	13	18
All other	---	6	-	-	-	All other	---	41	1	1	2
Black	---	2	-	-	-	Black	---	17	1	1	-
Beverly Hills	---	371	1	-	3	La Verne	---	259	1	1	3
Burbank	---	876	15	10	7	White	---	247	1	1	3
White	---	853	15	10	6	All other	---	12	-	-	-
All other	---	23	-	-	1	Black	---	4	-	-	-
Black	---	3	-	-	-	Lawndale	---	153	7	4	5
Carson	---	553	16	13	12	White	---	137	5	2	3
White	---	297	7	6	3	All other	---	16	2	2	2
All other	---	256	9	7	9	Black	---	7	1	1	2
Black	---	146	8	6	6	Lomita	---	174	2	2	1
Cerritos	---	193	5	3	3	White	---	166	2	2	1
White	---	105	2	1	1	All other	---	8	-	-	-
All other	---	88	3	2	2	Black	---	4	-	-	-
Black	---	13	1	1	2	Long Beach	---	3,739	53	37	63
Claremont	---	228	2	2	4	White	---	3,196	29	19	36
White	---	213	2	2	4	All other	---	543	24	18	27
All other	---	15	-	-	2	Black	---	358	18	13	22
Black	---	10	-	-	2	Los Angeles	---	27,146	681	426	585
Commerce	---	60	1	1	2	White	---	19,714	469	297	435
White	---	60	1	1	2	All other	---	7,432	212	129	150
All other	---	-	-	-	-	Black	---	6,054	188	116	131
Black	---	-	-	-	-	Lynwood	---	326	29	20	18
						White	---	240	26	18	11
						All other	---	86	3	2	7
						Black	---	85	3	2	7
						Manhattan Beach	---	150	2	1	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 9

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 9 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.					California-Con.						
Maywood	---	111	8	6	3	Torrance	---	1,104	18	13	12
White	---	109	8	6	3	White	---	1,001	15	11	9
All other	---	2	-	-	-	All other	---	103	3	2	3
Black	---	1	-	-	-	Black	---	16	1	1	1
Monrovia	---	392	3	2	3	West Covina	---	608	18	12	12
White	---	293	3	2	3	White	---	509	11	7	11
All other	---	39	-	-	-	All other	---	99	7	5	1
Black	---	31	-	-	-	Black	---	38	2	1	1
Montebello	---	461	5	3	6	Whittier	---	1,205	26	17	16
White	---	412	5	3	6	White	---	1,167	25	16	15
All other	---	49	-	-	-	All other	---	38	1	1	1
Black	---	3	-	-	-	Black	---	3	-	-	1
Monterey Park	---	377	3	3	1	Balance of county	---	3,309	63	40	67
White	---	226	1	1	1	White	---	2,880	50	34	55
All other	---	151	2	2	-	All other	---	429	13	6	12
Black	---	2	1	1	-	Black	---	210	6	3	5
Norwalk	---	649	14	5	13	Madera	541	730	12	7	17
White	---	582	9	3	10	White	---	419	11	7	13
All other	---	67	5	2	3	All other	---	392	11	7	11
Black	---	17	3	1	-	Black	---	27	-	-	2
Palmdale	---	462	17	6	9	All other	---	25	-	-	1
White	---	411	14	5	5	Balance of county	---	311	1	-	4
All other	---	51	3	1	4	White	---	301	1	-	4
Black	---	38	3	1	3	All other	---	10	-	-	-
Palos Verdes Estates	---	102	1	1	1	Black	---	5	-	-	-
Paramount	---	261	15	9	12	Marin	1,715	1,692	9	5	10
White	---	228	13	8	8	White	---	1,628	9	5	9
All other	---	33	2	1	4	All other	---	87	-	-	1
Black	---	26	2	1	4	Black	---	35	-	-	1
Pasadena	---	1,309	27	16	23	Larkspur	---	48	-	-	-
White	---	1,036	16	7	18	White	---	201	2	2	1
All other	---	273	11	9	5	All other	---	327	4	1	3
Black	---	230	10	8	5	Black	---	112	1	1	1
Pico Rivera	---	371	5	3	5	Novato	---	548	2	1	2
White	---	362	4	3	4	White	---	456	-	-	3
All other	---	9	1	1	1	All other	---	77	139	-	1
Black	---	1	1	1	1	Black	---	699	733	7	6
Pomona	---	800	33	16	16	Mendocino	---	273	3	-	3
White	---	658	26	13	14	White	---	460	4	-	3
All other	---	142	7	3	2	All other	---	954	1,102	31	22
Black	---	110	6	3	2	Black	---	858	990	23	16
Rancho Palos Verdes	---	273	2	2	2	Merced	954	1,102	31	22	35
White	---	253	2	2	2	White	---	858	990	23	16
All other	---	20	-	-	-	All other	---	96	112	8	6
Black	---	3	-	-	-	Black	---	54	58	1	3
Redondo Beach	---	363	5	2	8	Atwater	---	114	4	4	3
White	---	348	5	2	7	White	---	103	3	3	1
All other	---	15	-	-	1	All other	---	11	1	1	2
Black	---	6	-	-	-	Black	---	6	1	1	1
Rosemead	---	372	4	2	5	Los Banos	---	133	3	3	4
White	---	292	3	1	5	White	---	129	3	3	3
All other	---	80	1	1	-	All other	---	4	-	-	1
Black	---	1	-	-	-	Black	---	4	-	-	1
San Dimas	---	244	2	1	1	Merced	---	461	14	8	12
White	---	230	2	1	1	White	---	392	7	3	9
All other	---	14	-	-	-	All other	---	69	7	5	3
Black	---	7	-	-	-	Black	---	31	-	-	-
San Fernando	---	187	8	5	7	Balance of county	---	394	10	7	16
White	---	170	8	5	7	White	---	366	10	7	15
All other	---	17	-	-	-	All other	---	28	-	-	1
Black	---	13	-	-	-	Black	---	17	-	-	-
San Gabriel	---	480	5	2	8	Modoc	---	88	102	-	-
White	---	421	4	2	4	Mono	---	39	45	-	1
All other	---	59	1	1	4	Monterey	2,106	2,157	50	34	52
Black	---	3	-	-	-	White	---	1,890	1,917	43	29
San Marino	---	109	-	-	3	All other	---	216	240	7	5
Santa Fe Springs	---	102	2	2	2	Black	---	73	86	7	5
White	---	99	2	2	2	Marina	---	90	1	-	2
All other	---	3	-	-	-	White	---	56	1	-	-
Black	---	3	-	-	-	All other	---	34	-	-	2
Santa Monica	---	951	5	2	9	Black	---	7	-	-	2
White	---	895	5	2	8	Monterey	---	236	3	2	4
All other	---	56	-	-	1	White	---	219	3	2	4
Black	---	37	-	-	-	All other	---	17	-	-	-
Sierra Madre	---	77	1	1	1	Black	---	3	-	-	-
South El Monte	---	82	-	-	8	Pacific Grove	---	188	3	2	4
White	---	78	-	-	8	Salinas	---	817	22	12	23
All other	---	4	-	-	-	White	---	738	20	11	22
Black	---	-	-	-	-	All other	---	79	2	1	1
South Gate	---	461	15	9	13	Black	---	19	2	1	-
White	---	451	15	9	12	Seaside	---	183	10	9	8
All other	---	10	-	-	1	White	---	111	6	5	4
Black	---	7	-	-	1	All other	---	72	4	4	4
South Pasadena	---	156	-	-	-	Black	---	52	4	4	3
White	---	142	-	-	-	Balance of county	---	643	11	9	11
All other	---	14	-	-	-	White	---	614	10	9	11
Black	---	4	-	-	-	All other	---	29	1	-	-
Temple City	---	304	2	1	3	Black	---	2	1	-	-
White	---	286	1	1	2	Napa	1,125	1,166	4	3	8
All other	---	18	1	1	1						
Black	---	1	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 10

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 10 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.						California-Con.					
Napa	---	751	4	3	7	Balance of county	---	2,239	29	18	38
Balance of county	---	415	---	---	1	White	---	2,178	25	15	35
White	---	398	---	---	1	All other	---	61	4	3	3
All other	---	17	---	---	---	Black	---	7	---	---	---
Black	---	8	---	---	---	Placer	1,386	1,355	11	7	14
Nevada	677	733	6	3	6	Roseville	---	418	3	2	7
Orange	14,875	14,827	282	173	327	Balance of county	---	937	8	5	7
White	13,986	13,991	251	151	289	Plumas	---	148	189	4	2
All other	---	836	31	22	38	Riverside	---	9,364	10,041	214	125
Black	---	153	10	7	7	White	---	8,816	9,433	186	111
Anaheim	---	1,804	40	26	45	All other	---	548	608	28	14
White	---	1,707	34	22	40	Black	---	400	439	20	10
All other	---	97	6	4	5	Banning	---	337	4	3	3
Black	---	27	3	1	2	White	---	305	3	2	2
Brea	---	197	---	---	1	All other	---	32	1	1	1
Buena Park	---	430	5	3	17	Black	---	22	1	1	1
White	---	396	4	3	15	Corona	---	485	23	12	20
All other	---	34	1	---	2	White	---	463	22	11	16
Black	---	1	---	---	---	All other	---	22	1	1	4
Costa Mesa	---	561	14	9	16	Black	---	9	1	1	2
White	---	534	13	9	15	Hemet	---	1,496	17	14	4
All other	---	27	1	---	1	Indio	---	228	10	5	3
Black	---	5	---	---	---	White	---	218	10	5	3
Cypress	---	224	4	2	5	All other	---	10	---	---	---
White	---	210	3	1	4	Black	---	6	---	---	---
All other	---	14	1	1	1	Norco	---	115	---	---	5
Black	---	2	---	---	---	White	---	112	---	---	5
Fountain Valley	---	311	1	---	7	All other	---	3	---	---	---
White	---	275	1	---	7	Black	---	2	---	---	---
All other	---	36	---	---	---	Palm Desert	---	375	2	2	1
Black	---	2	---	---	---	Palm Springs	---	648	5	3	3
Fullerton	---	749	16	14	7	White	---	618	5	3	3
White	---	714	14	12	6	All other	---	30	---	---	---
All other	---	35	2	2	1	Black	---	20	---	---	---
Black	---	8	1	1	23	Riverside	---	1,978	48	28	52
Garden Grove	---	1,007	24	16	14	White	---	1,791	40	24	44
White	---	895	20	13	14	All other	---	187	8	4	8
All other	---	112	4	3	9	Black	---	137	3	1	6
Black	---	13	---	---	---	Balance of county	---	4,379	105	58	70
Huntington Beach	---	1,001	9	4	15	White	---	4,069	88	50	57
White	---	947	9	4	14	All other	---	310	17	8	13
All other	---	54	---	---	1	Black	---	236	14	7	10
Black	---	5	---	---	---	Sacramento	8,172	7,632	138	79	122
Irvine	---	393	12	7	12	White	---	7,035	86	44	93
White	---	365	10	6	11	All other	---	1,137	52	35	29
All other	---	28	2	1	1	Black	---	694	685	40	29
Black	---	5	2	1	---	Folsom	---	156	3	3	2
Laguna Beach	---	225	---	---	---	White	---	149	2	2	2
La Habra	---	380	12	7	6	All other	---	7	1	1	---
White	---	373	12	7	6	Black	---	1	---	---	---
All other	---	2	---	---	---	Sacramento	---	4,972	86	49	76
Black	---	2	---	---	---	White	---	4,030	46	23	50
La Palma	---	65	---	---	3	All other	---	942	40	26	26
White	---	49	---	---	3	Black	---	598	31	23	15
All other	---	16	---	---	---	Balance of county	---	2,504	49	27	44
Black	---	2	---	---	---	White	---	2,347	38	19	41
Los Alamitos	---	155	---	---	3	All other	---	157	11	8	3
White	---	152	---	---	3	Black	---	86	9	6	1
All other	---	3	---	---	---	San Benito	180	252	7	6	3
Black	---	3	---	---	---	Hollister	---	202	6	5	3
Newport Beach	---	546	2	---	8	White	---	198	6	5	3
Orange	---	678	11	3	17	All other	---	4	---	---	---
White	---	653	10	2	15	Black	---	2	---	---	---
All other	---	25	1	1	2	Balance of county	---	50	1	1	---
Black	---	5	1	1	---	White	---	48	1	1	---
Placentia	---	226	2	2	4	All other	---	2	---	---	---
White	---	215	2	2	4	Black	---	---	---	---	---
All other	---	11	---	---	---	San Bernardino	10,432	9,984	286	174	205
Black	---	5	---	---	---	White	---	9,094	214	126	173
San Clemente	---	280	6	3	2	All other	---	890	72	48	32
San Juan Capistrano	---	220	6	4	3	Black	---	721	684	57	39
Santa Ana	---	1,468	64	37	64	Barstow	---	203	6	1	5
White	---	1,337	60	34	60	White	---	183	5	1	5
All other	---	131	4	3	4	All other	---	20	1	---	---
Black	---	45	2	2	2	Black	---	16	1	---	---
Seal Beach	---	513	2	2	2	Chino	---	432	17	11	6
Stanton	---	177	3	2	9	White	---	381	13	9	5
White	---	162	3	2	8	All other	---	51	4	2	1
All other	---	15	---	---	1	Black	---	26	2	2	---
Black	---	3	---	---	---	Colton	---	269	13	10	4
Tustin	---	293	8	6	9	White	---	253	11	8	4
White	---	274	6	4	7	All other	---	16	2	2	---
All other	---	19	2	2	2	Black	---	13	2	2	---
Black	---	4	1	1	---	Fontana	---	660	29	18	22
Westminster	---	489	12	8	10	White	---	584	26	16	17
White	---	418	9	6	7	All other	---	76	3	2	5
All other	---	71	3	2	3	Black	---	62	3	2	3
Black	---	4	---	---	1						
Yorba Linda	---	196	---	---	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 11

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 11 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.					California-Con.						
Loma Linda	---	169	2	---	2	San Francisco, coext. with	---	---	---	---	---
White	---	144	1	---	2	San Francisco city	8,354	8,174	69	41	71
All other	---	25	1	---	---	White	5,897	5,723	26	12	41
Black	---	10	1	---	---	All other	2,457	2,451	43	29	30
Montclair	---	185	1	---	6	Black	1,115	1,103	30	20	17
White	---	170	1	---	6	San Joaquin	3,799	3,824	82	52	71
All other	---	15	---	---	---	White	3,270	3,286	56	37	48
Black	---	9	---	---	---	All other	529	538	26	15	23
Ontario	---	766	30	13	25	Black	241	250	14	8	15
White	---	702	23	10	24	Lodi	---	577	5	3	8
All other	---	64	7	3	1	Manteca	---	337	8	7	6
Black	---	49	6	3	1	White	---	328	7	7	5
Rancho Cucamonga	---	243	16	12	4	All other	---	9	1	---	1
White	---	217	12	8	4	Black	---	3	---	---	---
All other	---	26	4	4	---	Stockton	---	2,234	53	31	46
Black	---	11	2	2	---	White	---	1,764	28	16	26
Redlands	---	512	6	3	6	All other	---	470	25	15	20
White	---	491	6	3	5	Black	---	229	13	8	12
All other	---	21	---	---	---	Tracy	---	272	10	7	4
Black	---	14	---	---	---	White	---	256	10	7	4
Rialto	---	506	13	11	10	All other	---	16	---	---	---
White	---	395	9	7	7	Black	---	13	---	---	---
All other	---	111	4	4	3	Balance of county	---	404	6	4	7
Black	---	103	4	4	2	White	---	380	6	4	7
San Bernardino	---	1,570	59	32	51	All other	---	24	---	---	---
White	---	1,290	33	17	35	Black	---	1	---	---	---
All other	---	280	26	15	16	San Luis Obispo	1,683	1,746	18	8	16
Black	---	238	20	11	16	Arroyo Grande	---	221	---	---	1
Upland	---	382	5	4	5	Atascadero	---	195	2	2	4
White	---	361	4	3	5	San Luis Obispo	---	345	4	1	2
All other	---	21	1	1	---	Balance of county	---	985	12	5	9
Black	---	11	1	1	---	White	---	962	12	5	9
Victorville	---	456	16	13	10	All other	---	23	---	---	---
White	---	416	11	8	8	Black	---	11	---	---	---
All other	---	40	5	5	2	San Mateo	4,867	4,843	55	32	53
Black	---	36	5	5	2	White	4,199	4,163	38	23	35
Balance of county	---	3,631	73	46	49	All other	---	680	17	9	18
White	---	3,507	59	36	46	Black	---	287	12	8	8
All other	---	124	14	10	3	Belmont	---	167	1	---	---
Black	---	86	10	7	1	Burlingame	---	314	1	1	---
San Diego	18,137	17,639	304	190	298	Daly City	---	649	9	4	13
White	16,581	16,103	211	131	234	White	---	449	4	1	7
All other	1,536	1,536	93	59	64	All other	---	200	5	3	6
Black	849	841	69	47	31	Black	---	51	3	2	1
Carlsbad	---	439	1	---	6	Foster City	---	135	---	---	---
White	---	434	---	---	5	White	---	112	---	---	---
All other	---	5	1	---	1	All other	---	23	---	---	---
Black	---	1	---	---	1	Black	---	3	---	---	---
Chula Vista	---	1,012	13	9	14	Hillsborough	---	64	---	---	---
White	---	952	11	8	10	White	---	58	---	---	---
All other	---	60	2	1	4	All other	---	6	---	---	---
Black	---	20	2	1	1	Black	---	---	---	---	---
Coronado	---	187	1	---	---	Menlo Park	---	343	3	---	4
El Cajon	---	1,170	19	8	12	White	---	301	2	---	2
Escondido	---	1,114	23	12	18	All other	---	42	1	---	2
White	---	1,092	18	9	16	Black	---	38	1	---	2
All other	---	22	5	3	2	Millbrae	---	212	---	---	---
Black	---	6	1	1	---	White	---	202	---	---	---
Imperial Beach	---	124	6	4	4	All other	---	10	---	---	---
White	---	113	4	3	2	Black	---	---	---	---	---
All other	---	11	2	1	2	Pacificia	---	209	3	2	1
Black	---	1	1	---	---	White	---	189	3	2	1
La Mesa	---	636	3	1	6	All other	---	20	---	---	---
Lemon Grove	---	219	6	5	5	Black	---	11	---	---	---
White	---	207	5	4	5	Redwood City	---	603	7	3	9
All other	---	12	1	1	---	White	---	570	6	3	8
Black	---	7	1	1	---	All other	---	33	1	---	1
National City	---	368	9	8	9	Black	---	20	1	---	1
White	---	310	8	8	7	San Bruno	---	244	4	1	2
All other	---	58	1	---	2	White	---	216	3	1	2
Black	---	15	---	---	1	All other	---	28	1	---	2
Oceanside	---	976	27	21	17	Black	---	4	---	---	---
White	---	902	19	14	12	San Carlos	---	209	1	1	---
All other	---	74	8	7	5	San Mateo	---	768	9	6	2
Black	---	38	6	6	2	White	---	689	6	5	1
San Diego	---	7,591	143	91	139	All other	---	79	3	1	1
White	---	6,496	76	49	101	Black	---	25	2	1	---
All other	---	1,095	67	42	38	South San Francisco	---	417	6	4	10
Black	---	682	54	35	21	White	---	346	4	3	9
San Marcos	---	405	3	1	8	All other	---	71	2	1	1
Vista	---	600	11	7	18	Black	---	11	1	1	---
White	---	585	10	6	16	Balance of county	---	509	11	10	12
All other	---	15	1	1	2	White	---	367	7	6	7
Black	---	5	1	1	1	All other	---	142	4	4	5
Balance of county	---	2,798	39	23	42	Black	---	122	4	4	4
White	---	2,673	36	21	38	Santa Barbara	2,697	2,663	33	22	34
All other	---	125	3	2	4	White	2,587	2,560	28	19	32
Black	---	34	1	1	2	All other	110	103	5	3	2
						Black	51	45	3	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 12

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 12 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
California-Con.					California-Con.							
Carpinteria	---	109	2	1	2	Benicia	---	129	--	--	3	
White	---	108	2	1	2	White	---	112	--	--	2	
All other	---	1	--	--	--	All other	---	17	--	--	1	
Black	---	--	--	--	--	Black	---	10	--	--	--	
Lompoc	---	300	4	2	5	Fairfield	---	403	7	5	9	
White	---	280	2	1	3	White	---	329	4	2	6	
All other	---	20	2	1	2	All other	---	74	3	3	3	
Black	---	14	1	--	1	Black	---	38	2	2	2	
Santa Barbara	---	1,213	12	10	15	Suisun City	---	103	2	1	2	
White	---	1,186	12	10	15	White	---	75	2	1	2	
All other	---	27	--	--	--	All other	---	28	--	--	--	
Black	---	18	--	--	--	Black	---	15	--	--	--	
Santa Maria	---	685	12	7	9	Vacaville	---	434	12	6	9	
White	---	645	9	5	9	White	---	404	11	5	8	
All other	---	40	3	2	--	All other	---	30	1	1	1	
Black	---	12	2	1	--	Black	---	22	1	1	1	
Balance of county	---	356	3	2	3	Vallejo	---	953	25	16	16	
White	---	341	3	2	3	White	---	631	8	5	5	
All other	---	15	--	--	--	All other	---	322	17	11	11	
Black	---	1	--	--	--	Black	---	225	15	11	6	
Santa Clara	8,829	8,244	165	98	147	Balance of county	---	137	2	1	1	
White	7,748	7,285	121	73	99	White	---	128	2	1	1	
All other	1,081	959	44	25	48	All other	---	9	--	--	--	
Black	292	202	16	11	13	Black	---	6	--	--	--	
Campbell	---	284	4	3	5	Sonoma	3,390	3,385	36	25	35	
White	---	270	4	3	5	White	3,289	3,298	33	22	33	
All other	---	14	--	--	--	All other	---	91	3	3	2	
Black	---	2	--	--	--	Black	---	87	1	1	1	
Cupertino	---	269	2	--	3	Petaluma	---	437	4	2	4	
White	---	234	1	--	2	Rohnert Park	---	227	2	2	6	
All other	---	35	1	--	1	Santa Rosa	---	1,501	16	11	16	
Black	---	2	--	--	1	Balance of county	---	1,220	14	10	9	
Gilroy	---	223	4	3	2	White	---	1,194	14	10	9	
White	---	210	4	3	2	All other	---	26	--	--	--	
All other	---	13	--	--	--	Black	---	9	--	--	--	
Black	---	1	--	--	--	Stanislaus	3,149	2,931	70	35	51	
Los Altos	---	239	--	--	1	White	3,038	2,826	61	28	40	
Los Gatos	---	276	6	3	--	All other	---	111	105	9	7	
Milpitas	---	180	8	3	5	Black	---	37	46	3	2	
White	---	129	5	2	4	Ceres	---	202	8	6	5	
All other	---	51	3	1	1	White	---	191	7	5	5	
Black	---	9	--	--	--	All other	---	11	1	1	--	
Morgan Hill	---	168	1	1	1	Black	---	2	--	--	--	
White	---	159	1	1	1	Modesto	---	1,620	45	23	28	
All other	---	9	--	--	--	White	---	1,537	37	17	19	
Black	---	1	--	--	--	All other	---	83	8	6	9	
Mountain View	---	404	6	3	12	Black	---	40	3	2	2	
White	---	370	5	2	8	Turlock	---	455	8	3	6	
All other	---	34	1	1	4	White	---	448	8	3	5	
Black	---	7	--	--	3	All other	---	7	--	--	1	
Palo Alto	---	456	2	1	4	Black	---	2	--	--	--	
White	---	416	2	1	1	Balance of county	---	654	9	3	12	
All other	---	40	--	--	3	White	---	650	9	3	11	
Black	---	19	--	--	2	All other	---	4	--	--	1	
San Jose	---	4,156	108	64	90	Black	---	2	--	--	--	
White	---	3,543	75	44	65	Sutter	---	402	556	6	1	7
All other	---	613	33	20	25	Yuba City	---	446	4	--	6	
Black	---	137	12	9	6	White	---	412	3	--	6	
Santa Clara	---	530	12	6	8	All other	---	34	1	--	--	
White	---	479	8	5	4	Black	---	7	1	--	--	
All other	---	51	4	1	4	Balance of county	---	110	2	1	1	
Black	---	13	3	1	--	White	---	106	2	1	1	
Saratoga	---	215	--	--	5	All other	---	4	--	--	--	
Sunnyvale	---	731	9	9	8	Black	---	--	--	--	--	
White	---	660	7	7	--	Tehama	---	441	562	4	--	3
All other	---	71	2	2	8	Trinity	---	97	152	4	--	1
Black	---	8	1	1	1	Tulare	---	2,279	2,481	46	25	62
Balance of county	---	113	3	2	3	White	---	2,159	2,343	39	21	59
White	---	106	3	2	3	All other	---	120	138	7	4	3
All other	---	7	--	--	--	Black	---	46	54	2	--	2
Black	---	1	--	--	--	Porterville	---	464	4	3	8	
Santa Cruz	1,572	1,634	17	10	25	White	---	448	3	3	8	
White	---	676	--	--	10	All other	---	16	1	--	--	
All other	---	384	10	7	8	Black	---	3	--	--	--	
Black	---	357	10	7	8	Tulare	---	370	9	6	8	
Balance of county	---	27	--	--	--	White	---	342	7	5	8	
White	---	3	--	--	--	All other	---	28	2	1	--	
All other	---	574	7	3	7	Black	---	25	1	--	--	
Black	---	566	5	3	6	Visalia	---	692	11	6	11	
Shasta	---	1,592	1	--	--	White	---	657	8	4	9	
White	---	1,459	23	17	9	All other	---	35	3	2	2	
All other	---	860	11	8	7	Black	---	8	1	--	1	
Black	---	599	12	9	2	Balance of county	---	955	22	10	35	
Sierra	---	20	34	--	--	White	---	896	21	9	34	
White	---	399	475	2	2	All other	---	59	1	1	1	
All other	---	2,143	2,159	48	40	Black	---	18	--	--	1	
Black	---	1,700	1,679	27	24	Tuolumne	---	354	423	4	1	6
Black	---	443	480	21	15							
Black	---	292	316	18	9							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 13

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 13 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
California-Con.					Colorado-Con.						
Ventura	3,618	3,900	73	50	69	Aurora, part	---	934	27	14	31
White	3,441	3,718	66	46	67	White	---	844	15	8	26
All other	177	182	7	4	2	All other	---	90	12	6	5
Black	65	65	5	3	—	Black	---	64	11	5	4
Camarillo	---	502	9	6	3	Aurora, total	---	1,091	34	18	35
White	---	483	8	6	3	White	---	978	20	12	27
All other	---	19	1	—	—	All other	---	113	14	6	8
Black	---	4	—	—	—	Black	---	85	13	5	7
Oxnard	---	827	30	21	29	Englewood	---	380	6	5	7
White	---	735	24	17	27	Littleton, part	---	365	8	3	8
All other	---	92	6	4	2	Littleton, total	---	370	8	3	8
Black	---	42	5	3	—	Balance of county	---	231	7	4	—
Port Hueneme	---	133	4	2	—	Archuleta	---	23	34	—	1
White	---	121	4	2	—	Baca	---	46	53	—	2
All other	---	12	—	—	—	Bent	---	57	46	—	—
Black	---	5	—	—	—	Boulder	---	1,052	1,103	17	10
San Buenaventura (Ventura)	---	777	4	3	11	Boulder	---	443	3	2	3
White	---	761	4	3	11	Broomfield, part	---	61	2	2	1
All other	---	16	—	—	—	Broomfield, total	---	90	2	2	1
Black	---	7	—	—	—	Longmont	---	348	4	1	3
Santa Paula	---	221	2	—	2	Balance of county	---	251	8	5	8
White	---	219	2	—	2	Chaffee	---	141	139	1	—
All other	---	2	—	—	—	Cheyenne	---	28	27	—	2
Black	---	—	—	—	—	Clear Creek	---	21	31	—	1
Simi Valley	---	447	11	9	7	Conejos	---	49	66	1	2
Thousand Oaks	---	533	5	4	6	Costilla	---	11	33	—	—
Balance of county	---	460	8	5	11	Crowley	---	21	40	—	—
White	---	450	8	5	11	Custer	---	8	18	—	—
All other	---	10	—	—	—	Delta	---	242	273	3	3
Black	---	2	—	—	—	Denver, coext. with Denver city	---	5,836	4,661	90	48
Yolo	---	779	938	21	12	White	---	5,222	4,078	67	35
Davis	---	197	5	2	3	All other	---	614	583	23	13
White	---	187	4	2	3	Black	---	517	523	18	10
All other	---	10	1	—	—	Dolores	---	3	11	—	—
Black	---	3	—	—	—	Douglas	---	98	200	6	3
Woodland	---	332	10	6	12	Littleton, part	---	5	—	—	6
White	---	325	9	5	12	Balance of county	---	195	6	3	6
All other	---	7	1	1	—	Eagle	---	43	49	1	5
Black	---	5	—	—	—	Elbert	---	20	40	1	—
Balance of county	---	409	6	4	3	El Paso	---	2,291	2,210	69	37
White	---	389	4	2	3	White	---	2,162	2,075	56	28
All other	---	20	2	2	—	All other	---	129	135	13	9
Black	---	10	1	1	—	Black	---	110	114	13	9
Yuba	---	534	476	7	9	Colorado Springs	---	1,834	57	30	48
Colorado	---	22,888	22,440	413	230	White	---	1,720	46	22	43
White	---	21,841	21,421	356	197	All other	---	114	11	8	5
All other	---	1,047	1,019	57	36	Black	---	96	11	8	5
Black	---	800	787	44	30	Balance of county	---	376	12	7	9
Adams	---	1,368	1,592	43	27	White	---	355	10	6	9
White	---	1,314	1,534	41	22	All other	---	21	2	1	—
All other	---	54	58	2	5	Black	---	18	2	1	—
Black	---	35	37	2	5	Fremont	---	395	420	4	2
Arvada, part	---	14	1	1	—	Canon City	---	---	251	—	1
White	---	13	1	1	—	Balance of county	---	---	169	4	2
All other	---	1	—	—	—	Garfield	---	192	185	1	6
Black	---	—	—	—	—	Gilpin	---	9	20	—	1
Aurora, part	---	157	7	4	4	Grand	---	21	31	1	1
White	---	134	5	4	1	Gunnison	---	61	64	—	—
All other	---	23	2	—	3	Hinsdale	---	2	1	—	—
Black	---	21	2	—	3	Huerfano	---	61	68	—	3
Brighton, part	---	143	1	1	—	Jackson	---	4	11	—	—
White	---	142	1	1	—	Jefferson	---	2,325	2,477	40	26
All other	---	1	—	—	—	Arvada, part	---	514	5	3	9
Black	---	—	—	—	—	Arvada, total	---	528	6	4	9
Brighton, total	---	146	1	1	—	Broomfield, part	---	14	—	—	—
White	---	145	1	1	—	Golden	---	135	4	4	1
All other	---	1	—	—	—	Lakewood	---	934	8	4	12
Black	---	—	—	—	—	Westminster, part	---	57	6	4	3
Broomfield, part	---	15	—	—	—	Wheat Ridge	---	317	4	2	3
Commerce City	---	168	3	2	4	Balance of county	---	506	13	9	9
White	---	160	3	2	4	Kiowa	---	11	17	—	1
All other	---	8	—	—	—	Kit Carson	---	35	61	—	—
Black	---	6	—	—	—	Lake	---	22	29	1	1
Northglenn	---	186	6	3	2	La Plata	---	212	200	3	2
Thornton	---	283	12	3	5	Durango	---	---	92	1	1
Westminster, part	---	239	6	4	—	White	---	---	91	1	1
Westminster, total	---	296	12	8	3	All other	---	---	1	—	—
Balance of county	---	387	7	2	12	Black	---	---	---	—	—
White	---	382	7	2	10	Balance of county	---	---	108	2	1
All other	---	5	—	—	2	White	---	---	103	2	1
Black	---	1	—	—	2	All other	---	---	5	—	—
Alamosa	---	145	94	2	3	Black	---	---	---	—	—
Arapahoe	---	1,954	1,910	48	46	Balance of county	---	---	---	---	---
White	---	1,855	1,809	36	39	Larimer	---	1,100	1,101	24	11
All other	---	99	101	12	7	Fort Collins	---	---	499	16	8
Black	---	75	70	11	4	Loveland	---	---	332	5	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 14

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 14 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Colorado-Con.					Connecticut-Con.							
Balance of county	---	270	3	2	10	Balance of county	---	979	9	5	13	
Las Animas	124	143	-	-	1	White	---	962	9	5	12	
Lincoln	67	68	-	-	1	All other	---	17	-	-	1	
Logan	172	178	4	4	1	Black	---	12	-	-	1	
Sterling	---	138	2	2	1	Hartford	7,716	7,476	86	74	90	
Balance of county	---	40	2	2	1	White	7,050	6,823	54	41	71	
Mesa	978	869	13	6	7	All other	666	653	42	33	19	
Grand Junction	---	447	5	1	2	Black	644	631	40	31	18	
Balance of county	---	422	8	5	5	Bristol	---	515	2	1	4	
Mineral	3	1	-	-	-	East Hartford town#	---	493	4	4	3	
Moffat	74	70	1	1	1	Enfield town#	---	340	1	-	2	
Montezuma	145	157	5	3	1	Hartford	---	1,255	44	34	24	
White	131	144	4	2	1	White	---	794	15	11	12	
All other	14	13	1	1	-	All other	---	461	29	23	12	
Black	-	-	-	-	-	Black	---	455	28	22	11	
Montrose	235	242	-	-	5	Manchester town#	---	482	4	4	6	
Morgan	239	240	2	1	7	New Britain	---	773	9	7	13	
Otero	248	249	1	1	1	White	---	730	6	6	11	
Ouray	14	20	-	-	1	All other	---	43	3	1	2	
Park	21	33	1	1	2	Black	---	41	3	1	2	
Phillips	40	56	-	-	1	Newington town#	---	255	-	-	2	
Pitkin	31	22	1	-	1	Plainville town#	---	152	-	-	1	
Prowers	88	105	-	-	6	Rocky Hill town#	---	146	-	-	2	
Pueblo	1,266	1,207	11	7	12	Southington town#	---	281	2	-	4	
White	---	1,098	11	7	10	West Hartford town#	---	723	3	3	3	
All other	---	1,081	11	7	9	Wethersfield town#	---	305	2	1	2	
Black	---	17	-	-	1	Windsor town#	---	228	2	2	2	
Balance of county	---	109	-	-	2	White	---	198	2	1	-	
White	---	108	-	-	2	All other	---	30	-	-	2	
All other	---	1	-	-	-	Black	---	28	-	-	2	
Black	---	-	-	-	-	Windsor Locks town#	---	109	1	1	1	
Rio Blanco	32	42	-	-	-	Balance of county	---	1,439	20	16	21	
Rio Grande	75	119	1	-	1	White	---	1,385	15	12	21	
Routt	69	67	1	1	2	All other	---	54	5	5	-	
Saguache	12	32	1	-	1	Black	---	49	-	-	-	
San Juan	5	3	-	-	1	Litchfield	---	1,360	1,513	12	10	13
San Miguel	15	14	-	-	-	Torrington	---	398	1	1	4	
Sedgwick	25	36	-	-	-	Balance of county	---	1,115	11	9	9	
Summit	25	31	3	1	1	Middlesex	---	1,188	14	9	9	
Teller	36	60	1	1	1	Middletown	---	344	8	4	6	
Washington	28	56	-	-	1	White	---	316	4	2	4	
Weld	842	919	10	8	19	All other	---	28	4	2	2	
Brighton, part	---	3	-	-	-	Black	---	26	4	2	1	
Greeley	---	484	5	4	10	Balance of county	---	844	6	5	5	
White	---	482	5	4	10	New Haven	8,304	7,533	98	69	76	
All other	---	2	-	-	-	White	7,591	6,847	61	41	60	
Black	---	2	-	-	-	All other	713	686	37	28	16	
Balance of county	---	432	5	4	9	Black	698	672	36	27	16	
White	---	428	5	4	9	Ansonia	---	169	2	2	2	
All other	---	4	-	-	-	Branford town#	---	215	1	-	2	
Black	---	-	-	-	-	Derby	---	143	3	3	5	
Yuma	72	86	1	1	1	East Haven town#	---	244	-	-	2	
Connecticut	28,396	28,254	361	260	322	Hamden town#	---	570	5	4	6	
White	26,311	26,173	251	179	240	Meriden	---	553	7	5	3	
All other	2,085	2,081	110	81	82	Milford	---	421	5	4	5	
Black	2,002	2,003	106	78	76	Naugatuck	---	210	2	-	2	
Fairfield	6,725	7,008	92	61	103	New Haven	---	1,301	32	25	13	
White	6,154	6,404	68	46	62	White	---	899	11	8	4	
All other	571	604	24	15	41	All other	---	402	21	17	9	
Black	540	577	23	15	38	Black	---	399	20	16	9	
Bridgeport	---	1,467	35	22	38	North Haven town#	---	212	1	1	-	
White	---	1,176	19	13	15	Orange town#	---	106	-	-	-	
All other	---	291	16	9	23	Wallingford town#	---	404	-	-	3	
Black	---	286	16	9	22	Waterbury	---	1,224	21	11	14	
Danbury	---	474	8	8	8	White	---	1,097	13	7	12	
Darien town#	---	126	-	-	2	All other	---	127	8	4	2	
Fairfield town#	---	591	7	5	1	Black	---	126	8	4	2	
Greenwich town#	---	488	3	3	6	West Haven	---	517	9	8	8	
Norwalk	---	659	9	5	6	White	---	467	3	6	7	
White	---	572	6	3	2	All other	---	50	6	6	1	
All other	---	87	3	2	4	Black	---	49	6	6	1	
Black	---	83	2	2	3	Balance of county	---	1,244	10	6	11	
Shelton	---	309	-	-	3	New London	1,794	1,940	30	21	19	
Stamford	---	889	12	7	19	White	1,721	1,865	28	19	17	
White	---	762	8	4	8	All other	73	75	2	2	2	
All other	---	127	4	3	11	Black	66	69	2	2	4	
Black	---	121	4	3	11	Groton	---	274	11	5	1	
Stratford town#	---	568	6	3	4	New London	---	269	2	2	1	
Trumbull town#	---	293	2	2	3	White	---	235	-	-	-	
Westport town#	---	165	1	1	-	All other	---	34	2	2	1	
						Black	---	34	2	2	1	
						Norwich	---	362	3	3	2	
						Balance of county	---	1,035	14	11	12	
						Tolland	599	732	12	11	6	
						Vernon town#	---	212	1	1	2	
						Balance of county	---	520	11	10	4	
						White	---	514	11	10	4	
						All other	---	6	-	-	-	
						Black	---	3	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 15

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 15 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Connecticut-Con.					Florida-Con.						
Windham	803	864	7	5	4	Melbourne	---	700	10	6	8
Williamantic 4	---	1	---	---	---	White	---	665	8	4	7
Balance of county	---	863	7	5	4	All other	---	35	2	2	1
Delaware	6,060	5,941	92	63	62	Black	---	33	2	2	1
White	5,038	4,958	46	35	41	Palm Bay	---	425	5	4	11
All other	1,022	983	46	28	21	Rockledge	---	179	2	2	1
Black	993	954	46	28	19	White	---	164	2	2	---
Kent	822	931	18	10	15	All other	---	15	---	---	1
White	658	768	12	9	9	Black	---	15	---	---	1
All other	164	163	6	1	6	Titusville	---	413	2	2	5
Black	161	157	6	1	4	White	---	383	2	2	2
Dover	---	239	8	3	4	All other	---	30	---	---	3
White	---	182	5	3	3	Black	---	29	---	---	3
All other	---	57	3	---	1	Balance of county	---	1,823	15	11	20
Black	---	54	3	---	1	White	---	1,756	11	8	16
Balance of county	---	692	10	7	11	All other	---	67	4	3	4
White	---	586	7	6	6	Black	---	65	4	3	4
All other	---	106	3	1	5	Broward	14,616	15,235	167	123	124
Black	---	103	3	1	3	White	13,211	13,796	73	50	64
New Castle	3,832	3,633	65	46	41	All other	1,405	1,439	94	73	60
White	3,173	3,007	31	23	28	Black	1,373	1,408	93	72	60
All other	659	626	34	23	13	Cooper City	---	94	---	---	2
Black	643	613	34	23	13	Coral Springs	---	384	5	3	3
Newark	---	132	2	1	2	Dania	---	210	1	1	5
Wilmington	---	948	27	16	16	White	---	151	1	1	2
White	---	526	8	5	6	All other	---	59	---	---	3
All other	---	422	19	11	10	Black	---	59	---	---	3
Black	---	421	19	11	10	Davie	---	294	4	4	4
Balance of county	---	2,553	36	29	23	Deerfield Beach	---	843	4	4	8
White	---	2,367	21	17	20	White	---	753	---	---	4
All other	---	186	15	12	3	All other	---	90	4	4	4
Black	---	175	15	12	3	Black	---	90	4	4	4
Sussex	1,406	1,377	9	7	6	Fort Lauderdale	2,550	45	32	16	
White	1,207	1,183	3	3	4	White	2,122	13	8	6	
All other	199	194	6	4	2	All other	428	32	24	10	
Black	189	184	6	4	2	Black	424	32	24	10	
District of Columbia	8,755	7,110	215	141	143	Hallandale, part	---	755	5	4	2
White	2,694	1,573	21	16	12	White	---	687	3	2	1
All other	6,061	5,537	194	125	131	All other	---	68	2	2	1
Black	6,016	5,505	194	125	131	Black	---	67	2	2	1
Florida	140,687	139,723	1,691	1,125	1,486	Hallandale, total	---	758	5	4	2
White	125,339	124,522	999	675	917	White	---	689	3	2	1
All other	15,348	15,201	692	450	569	All other	---	69	2	2	1
Black	14,969	14,838	681	440	552	Black	---	68	2	2	1
Alachua	2,322	1,238	29	20	25	Hollywood	1,840	16	12	13	
White	1,882	955	11	9	12	Lauderdale Lakes	---	452	4	4	2
All other	440	283	18	11	13	White	---	403	---	---	2
Black	430	278	18	11	13	All other	---	49	4	4	2
Gainesville	---	593	14	11	12	Black	---	49	4	4	2
White	---	430	4	4	5	Lauderhill	---	528	10	7	5
All other	---	163	10	7	7	White	---	466	1	1	1
Black	---	160	10	7	7	All other	---	62	9	6	4
Balance of county	---	645	15	9	13	Black	---	59	9	6	4
White	---	525	7	5	7	Lighthouse Point	---	134	---	---	---
All other	---	120	8	4	6	Margate	---	602	1	1	3
Black	---	118	8	4	6	Miramar	---	281	6	5	7
Baker	83	131	2	1	1	North Lauderdale	---	132	3	2	2
White	69	110	1	---	---	Oakland Park	---	180	2	2	2
All other	14	21	1	---	---	Pembroke Pines	---	699	6	3	9
Black	14	21	1	---	---	Plantation	---	621	3	3	5
Bay	1,247	1,097	26	19	19	Pompano Beach	---	1,316	22	18	16
White	1,093	958	11	10	11	White	---	1,116	6	5	7
All other	154	139	15	9	8	All other	---	200	16	13	9
Black	150	135	15	9	7	Black	---	199	16	13	9
Panama City	---	506	16	10	11	Sunrise	---	777	7	2	4
White	---	398	3	3	7	Tamarac	---	870	3	1	2
All other	---	108	13	7	4	Wilton Manors	---	149	1	---	---
Black	---	107	13	7	4	Balance of county	---	1,524	19	15	14
Balance of county	---	591	10	9	8	White	---	1,254	10	9	9
Bradford	208	241	1	---	2	All other	---	270	9	6	5
White	182	208	1	---	2	Black	---	269	9	6	5
All other	26	33	---	---	---	Calhoun	105	136	1	---	1
Black	26	33	---	---	---	White	89	119	---	---	---
Brevard	3,725	3,935	38	28	49	All other	16	17	1	---	---
White	3,521	3,717	30	21	39	Black	16	17	1	---	---
All other	204	218	8	7	10	Charlotte	1,611	1,644	13	9	6
Black	198	212	8	7	10	Citrus	1,362	1,413	5	3	1
Cocoa	---	220	3	2	4	Clay	808	743	15	7	11
White	---	177	2	1	4	Collier	1,629	1,611	23	16	16
All other	---	43	1	1	---	White	---	459	3	2	1
Black	---	43	1	1	---	All other	---	1,152	20	14	15
Cocoa Beach	---	175	1	1	---	Black	---	1,099	13	9	12
						All other	---	53	7	5	3
						Black	---	48	7	5	2
						Columbia	584	427	9	7	2
						White	465	330	4	2	1
						All other	119	97	5	5	1
						Black	119	95	5	5	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 16

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 16 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Florida-Con.					Florida-Con.						
Dade	19,491	18,424	245	165	293	Hamilton	82	104	--	--	2
White	16,167	15,201	118	89	160	White	60	74	--	--	1
All other	3,324	3,223	127	76	133	All other	22	30	--	--	1
Black	3,251	3,155	125	75	132	Black	22	30	--	--	1
Coral Gables	--	352	3	2	3	Hardee	100	183	1	1	9
Hallandale, part	--	3	--	--	--	Hendry	176	240	7	5	5
Hialeah	--	1,587	9	7	13	White	141	192	6	5	3
White	--	1,559	9	7	11	All other	35	48	1	--	2
All other	--	28	--	--	2	Black	33	47	1	--	2
Black	--	22	--	--	2	Hernando	1,411	1,567	8	7	5
Homestead	--	278	13	9	7	Highlands	1,053	1,085	13	10	8
White	--	225	7	5	5	White	998	1,025	4	2	5
All other	--	53	6	4	2	All other	55	60	9	8	3
Black	--	52	6	4	2	Black	53	58	9	8	3
Miami	--	4,970	72	49	113	Hillsborough	8,164	7,889	153	98	104
White	--	3,764	26	20	51	White	7,171	6,432	94	65	59
All other	--	1,206	46	29	62	All other	993	957	59	33	45
Black	--	52	6	4	2	Black	954	922	56	30	42
Miami Beach	--	1,573	8	5	9	Plant City	--	270	6	2	6
Miami Springs	--	170	--	--	3	White	--	218	3	1	2
North Miami	--	702	10	7	11	All other	--	52	3	1	4
North Miami Beach	--	1,012	7	5	5	Black	--	51	--	--	4
Opa-locka	--	129	2	2	6	Tampa	--	3,336	71	45	44
White	--	59	--	--	1	White	--	2,612	34	25	20
All other	--	70	2	2	5	All other	--	724	37	20	24
Black	--	68	2	2	5	Black	--	707	36	19	24
South Miami	--	65	1	--	1	Temple Terrace	--	72	--	--	1
White	--	38	--	--	--	Balance of county	--	3,711	76	51	53
All other	--	27	1	--	1	White	--	3,531	57	39	37
Black	--	27	1	--	1	All other	--	180	19	12	16
Balance of county	--	7,583	120	79	122	Black	--	163	18	11	14
White	--	5,907	58	44	72	Holmes	112	186	--	--	4
All other	--	1,676	62	35	50	Indian River	1,151	1,114	10	9	5
Black	--	1,637	61	35	50	White	--	1,039	5	4	5
De Soto	205	261	4	3	7	All other	--	71	5	5	--
White	--	172	2	1	5	Black	--	70	5	5	--
All other	--	33	2	2	2	Vero Beach	--	312	1	--	1
Black	--	33	2	2	2	Balance of county	--	802	9	9	4
Dixie	47	113	3	2	2	White	--	730	4	4	4
White	--	45	110	3	2	All other	--	72	5	5	--
All other	--	2	3	--	--	Black	--	71	5	5	--
Black	--	2	3	--	--	Jackson	378	449	4	2	8
Duval	6,016	5,682	108	66	100	White	--	294	2	2	2
White	--	4,149	54	31	48	All other	--	84	111	--	6
All other	--	1,564	54	35	52	Black	--	84	111	--	6
Black	--	1,544	54	35	51	Jefferson	62	119	5	2	4
Jacksonville	--	5,322	102	66	92	White	--	69	2	1	1
White	--	3,818	48	31	42	All other	--	26	50	3	3
All other	--	1,504	54	35	50	Black	--	26	50	3	3
Black	--	1,490	54	35	49	Lafayette	12	44	1	--	--
Jacksonville Beach	--	160	--	--	3	Lake	1,978	2,059	13	10	14
Balance of county	--	200	6	--	4	White	--	1,820	1,914	11	9
White	--	183	6	--	4	All other	--	158	145	2	1
All other	--	17	--	--	1	Black	--	155	142	2	1
Black	--	14	--	--	1	Leesburg	--	264	1	1	3
Escambia	2,723	2,361	53	38	29	White	--	216	1	1	3
White	--	1,834	29	21	11	All other	--	48	--	--	--
All other	--	527	24	17	18	Black	--	48	--	--	--
Black	--	547	24	17	18	Balance of county	--	1,795	12	9	11
Pensacola	--	772	14	9	12	White	--	1,698	10	8	7
White	--	526	5	4	2	All other	--	97	2	1	4
All other	--	246	9	5	10	Black	--	94	2	1	4
Black	--	246	9	5	10	Lee	3,996	3,984	35	21	31
Balance of county	--	1,589	39	29	17	White	--	3,777	26	14	25
White	--	1,308	24	17	9	All other	--	204	9	7	6
All other	--	281	15	12	8	Black	--	197	9	7	6
Black	--	268	15	12	8	Cape Coral	--	755	3	2	10
Flagler	292	371	--	--	2	Fort Myers	--	641	12	7	8
White	--	266	343	--	1	White	--	508	5	1	3
All other	--	26	28	--	1	All other	--	133	7	6	5
Black	--	26	28	--	1	Black	--	131	7	6	5
Franklin	64	94	1	1	1	Balance of county	--	2,588	20	12	13
White	--	54	84	1	1	Leon	1,702	1,203	29	23	23
All other	--	10	10	--	--	White	--	1,219	885	17	13
Black	--	10	10	--	--	All other	--	483	318	12	10
Gadsden	253	428	11	6	15	Black	--	478	314	12	10
White	--	127	216	2	4	Tallahassee	--	880	21	16	16
All other	--	126	212	9	11	White	--	626	9	6	10
Black	--	126	211	9	11	All other	--	254	12	10	6
Gilchrist	80	118	--	--	--	Black	--	251	12	10	6
Glades	30	74	1	--	1	Balance of county	--	323	8	7	7
White	--	27	68	--	1	White	--	259	8	7	6
All other	--	3	6	1	--	All other	--	64	--	--	1
Black	--	2	5	1	--	Black	--	63	--	--	1
Gulf	94	125	--	--	3	Levy	253	345	2	1	--
White	--	79	100	--	2	White	--	220	302	1	--
All other	--	21	25	--	1	All other	--	33	43	1	--
Black	--	21	25	--	1	Black	--	31	41	1	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 17

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 17 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Florida-Con.					Florida-Con.						
Liberty	12	40	1	1	-	Delray Beach	---	957	6	3	10
White	10	34	1	1	-	White	---	823	1	1	3
All other	2	6	-	-	-	All other	---	134	5	2	7
Black	2	6	-	-	-	Black	---	134	5	2	7
Madison	102	184	3	2	2	Lake Worth	---	606	4	3	6
White	56	99	-	2	1	North Palm Beach	---	167	-	-	-
All other	46	85	3	2	1	Palm Beach Gardens	---	294	6	4	5
Black	46	85	3	2	1	Riviera Beach	---	303	12	6	9
Manatee	2,788	2,901	22	14	29	White	---	102	2	-	1
White	2,653	2,757	17	12	20	All other	---	201	10	6	8
All other	135	144	5	2	9	Black	---	201	10	6	8
Black	131	140	4	1	7	West Palm Beach	---	1,218	22	14	14
Bradenton	---	848	6	2	8	White	---	981	15	11	5
White	---	780	3	2	5	All other	---	237	7	3	9
All other	---	68	3	-	3	Black	---	236	7	3	9
Black	---	67	3	-	3	Balance of county	---	5,322	44	33	37
Balance of county	---	2,053	16	12	21	White	---	5,152	31	25	31
Marion	2,244	2,355	15	8	16	All other	---	170	13	8	6
White	2,029	2,119	9	4	14	Black	---	164	13	8	6
All other	215	236	6	4	2	Pasco	3,974	4,554	23	14	18
Black	212	233	5	3	2	New Port Richey	---	525	2	1	1
Ocala	---	633	4	4	5	Balance of county	---	4,029	21	13	17
White	---	519	-	-	5	Pinellas	12,793	12,214	87	64	68
All other	---	114	4	4	-	White	12,131	11,589	63	47	52
Black	---	112	3	3	-	All other	---	662	24	17	16
Balance of county	---	1,722	11	4	11	Black	---	636	24	17	16
White	---	1,600	9	4	9	Clearwater	---	1,633	7	5	14
All other	---	122	2	-	2	Dunedin	---	540	1	1	2
Black	---	121	2	-	2	Gulfport	---	269	3	2	-
Martin	1,221	1,286	10	6	8	Largo	---	1,075	10	7	5
Monroe	651	700	5	4	4	Pinellas Park	---	558	5	3	2
White	---	241	3	2	1	St. Petersburg	---	3,814	38	27	26
All other	---	209	3	2	1	White	---	3,343	23	15	13
Black	---	32	-	-	-	All other	---	471	15	12	13
Balance of county	---	459	2	2	3	Black	---	458	15	12	13
Nassau	234	348	8	6	4	Tarpon Springs	---	236	1	1	-
White	206	311	6	5	4	White	---	215	-	-	-
All other	28	37	2	1	-	All other	---	21	1	1	-
Black	28	37	2	1	-	Black	---	21	1	1	-
Okaloosa	1,034	1,017	25	21	14	Balance of county	---	4,089	22	18	19
White	948	945	16	13	10	Polk	4,218	4,304	62	42	42
All other	86	72	9	8	4	White	3,722	3,769	35	27	32
Black	78	59	8	7	4	All other	---	535	27	15	10
Fort Walton Beach	---	241	4	3	3	Black	---	489	27	15	9
White	---	215	2	1	3	Bartow	---	175	5	4	1
All other	---	26	2	2	-	White	---	111	1	1	1
Black	---	23	2	2	-	All other	---	64	4	3	-
Balance of county	---	776	21	18	11	Black	---	64	4	3	-
White	---	730	14	12	7	Haines City	---	148	-	-	3
All other	---	46	7	6	4	White	---	103	-	-	2
Black	---	36	6	5	4	All other	---	45	-	-	1
Okeechobee	275	301	2	1	9	Black	---	45	-	-	1
Orange	5,881	5,119	97	56	84	Lakeland	---	996	15	12	11
White	5,082	4,368	55	27	54	White	---	829	6	5	8
All other	799	751	42	29	30	All other	---	167	9	7	3
Black	---	719	41	28	29	Black	---	165	9	7	3
Orlando	---	1,825	36	24	36	Winter Haven	---	432	9	5	7
White	---	1,424	15	10	17	White	---	364	3	3	3
All other	---	401	21	14	19	All other	---	68	6	2	4
Black	---	391	21	14	19	Black	---	68	6	2	4
Winter Park	---	396	4	3	9	Balance of county	---	2,553	33	21	20
White	---	354	2	1	8	White	---	2,362	25	18	18
All other	---	42	2	2	1	All other	---	191	8	3	2
Black	---	42	2	2	1	Black	---	187	8	3	1
Balance of county	---	2,898	57	29	39	Putnam	646	860	15	9	9
White	---	2,590	38	16	29	White	---	526	9	6	3
All other	---	308	19	13	10	All other	---	120	6	3	6
Black	---	286	18	12	9	Black	---	120	6	3	6
Osceola	1,021	943	11	3	13	Palatka	---	170	5	4	5
Kissimmee	---	250	6	2	7	White	---	113	1	1	1
White	---	227	5	1	4	All other	---	57	4	3	4
All other	---	23	1	1	3	Black	---	57	4	3	4
Black	---	21	1	1	3	Balance of county	---	690	10	5	4
Balance of county	---	693	5	1	6	White	---	594	8	5	2
Palm Beach	10,744	10,869	113	78	100	All other	---	96	2	2	2
White	9,772	9,906	69	53	57	Black	---	96	2	2	2
All other	972	963	44	25	43	St. Johns	783	847	9	4	4
Black	958	951	43	24	41	White	---	762	6	3	1
Belle Glade	---	165	3	3	4	All other	---	85	3	1	3
White	---	51	-	-	-	Black	---	84	3	1	3
All other	---	114	3	3	4	St. Augustine	---	194	3	1	-
Black	---	114	3	3	4	White	---	154	1	-	-
Boca Raton	---	1,059	6	5	8	All other	---	40	2	1	-
Boynton Beach	---	778	10	7	7	Black	---	40	2	1	-
White	---	721	7	6	1	Balance of county	---	653	6	3	4
All other	---	57	3	1	6	White	---	608	5	3	3
Black	---	56	3	1	6	All other	---	45	1	1	1
						Black	---	44	1	-	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 18

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 18 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Florida-Con.						Georgia	53,552	52,992	1,146	745	1,313
St. Lucie	1,478	1,659	25	16	16	White	38,273	37,872	491	297	557
White	1,263	1,412	11	7	13	All other	15,279	15,120	655	448	756
All other	215	247	14	9	3	Black	15,103	14,945	644	440	736
Black	212	244	14	9	3	Appling	79	128	4	4	4
Fort Pierce	581	13	2	2	8	White	62	103	1	1	1
White	385	2	2	2	5	All other	17	25	3	3	3
All other	196	11	6	3	3	Black	17	25	3	3	3
Black	195	11	6	3	3	Atkinson	17	69	3	3	3
Port St. Lucie	475	6	4	3	6	White	16	53	3	3	3
Balance of county	603	6	4	2	2	All other	1	16	1	1	1
White	566	5	3	2	4	Black	1	16	1	1	1
All other	37	1	1	1	1	Bacon	81	99	1	1	1
Black	36	1	1	1	1	White	70	81	1	1	1
Santa Rosa	402	543	12	6	3	All other	11	12	1	1	1
Sarasota	4,304	4,205	22	12	19	Black	11	12	1	1	1
White	4,173	4,075	16	9	15	Baker	6	36	1	1	1
All other	131	130	6	3	4	White	2	19	1	1	1
Black	129	127	6	3	4	All other	4	17	1	1	1
Black	129	127	6	3	4	Black	4	17	1	1	1
Sarasota	906	8	3	8	8	Baldwin	344	295	8	4	9
White	811	5	1	4	3	White	230	183	6	4	1
All other	95	3	2	4	4	All other	114	102	6	4	8
Black	95	3	2	4	4	Black	114	102	6	4	8
Venice	491	1	1	1	1	Milledgeville	146	6	6	3	5
Balance of county	2,808	14	9	11	11	White	82	1	1	1	1
Seminole	1,860	1,971	38	25	37	All other	64	5	3	5	5
White	1,685	1,761	27	18	21	Black	64	5	3	5	5
All other	175	210	11	7	16	Balance of county	149	2	2	4	4
Black	167	199	11	7	15	White	111	1	1	1	1
Altamonte Springs	278	7	6	2	2	All other	38	1	1	1	1
Casselberry	174	5	3	3	3	Black	38	1	1	1	1
Longwood	175	1	1	1	1	Banks	4	65	1	1	1
Sanford	346	5	1	10	2	Barrow	198	274	5	3	5
White	244	1	1	3	3	White	184	245	3	3	3
All other	102	4	1	7	7	All other	14	29	2	2	2
Black	101	4	1	3	3	Black	14	29	2	2	2
Winter Springs	123	4	3	15	15	Bartow	380	434	7	6	12
Balance of county	875	16	11	2	2	White	337	385	5	5	9
Sumter	187	368	1	1	1	All other	43	49	1	1	3
White	176	390	1	1	1	Black	41	47	2	1	3
All other	11	38	1	1	1	Ben Hill	159	187	2	2	3
Black	10	36	1	1	1	White	104	131	2	2	2
Suwannee	253	343	3	1	5	All other	55	56	2	2	2
White	223	301	3	1	3	Black	55	56	2	2	2
All other	30	42	1	1	2	Fitzgerald, part	124	1	1	1	1
Black	30	42	1	1	2	White	73	1	1	1	1
Taylor	120	200	3	3	4	All other	51	1	1	1	1
White	90	161	2	2	4	Black	51	1	1	1	1
All other	30	39	1	1	4	Fitzgerald, total	124	1	1	1	1
Black	29	38	1	1	2	White	73	1	1	1	1
Union	71	104	4	3	2	All other	51	1	1	1	1
White	37	76	3	2	1	Black	51	1	1	1	1
All other	34	28	1	1	1	Balance of county	63	1	1	1	1
Black	34	28	1	1	1	White	58	1	1	1	1
Volusia	4,719	4,854	33	20	38	All other	5	1	1	1	1
White	4,382	4,533	27	18	27	Black	5	1	1	1	1
All other	337	321	6	2	11	Berrien	82	141	1	1	1
Black	335	318	6	2	11	White	78	131	1	1	1
Daytona Beach	916	5	2	8	8	All other	4	10	1	1	1
White	742	3	2	1	7	Black	4	10	1	1	1
All other	174	2	1	7	7	Bibb	2,143	1,607	48	31	34
Black	174	2	1	7	7	White	1,233	893	13	7	3
De Land	341	2	1	5	3	All other	910	714	35	24	31
White	302	2	1	2	2	Black	907	713	34	24	31
All other	39	2	1	2	2	Macon, part	1,313	39	27	32	32
Black	39	2	1	2	2	White	661	8	7	1	1
New Smyrna Beach	335	1	1	1	1	All other	652	31	20	31	31
White	310	1	1	1	1	Black	651	30	20	31	31
All other	25	1	1	1	1	Macon, total	1,316	39	27	32	32
Black	25	1	1	1	1	White	663	8	7	1	1
Ormond Beach	587	1	1	3	3	All other	653	31	20	31	31
Port Orange	366	2	1	5	5	Black	652	30	20	31	31
South Daytona	141	1	1	5	5	Balance of county	294	9	4	2	2
Balance of county	2,168	22	14	11	11	White	232	5	4	2	2
Wakulla	64	120	2	1	1	All other	62	4	4	4	4
White	54	105	2	1	1	Black	62	4	4	4	4
All other	10	15	1	1	1	Bleckley	57	96	1	1	1
Black	10	15	1	1	1	White	43	76	1	1	1
Walton	222	336	3	2	2	All other	14	20	1	1	1
White	209	309	1	1	2	Black	19	19	1	1	1
All other	13	27	2	2	2	Brantley	28	84	1	1	1
Black	12	26	2	2	2	Brooks	146	195	2	1	1
Washington	161	205	2	2	2	White	118	124	1	1	1
White	142	179	1	1	2	All other	28	71	2	1	1
All other	19	26	1	1	1	Black	28	71	2	1	1
Black	19	26	1	1	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 19

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 19 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Bryan	20	99	4	2	1	Clayton	946	1,015	32	19	36
White	14	75	3	—	—	White	796	854	14	5	14
All other	6	24	1	—	1	All other	150	161	18	14	22
Black	6	24	1	—	1	Black	141	151	18	14	22
Bulloch	328	357	11	10	9	College Park, part	—	40	5	3	3
White	220	245	5	4	6	White	—	13	2	—	—
All other	108	112	6	6	3	All other	—	27	3	3	3
Black	107	111	6	6	3	Black	—	26	3	3	3
Statesboro	—	161	2	2	3	Forest Park	—	151	4	2	6
White	—	105	—	—	2	Balance of county	—	824	23	14	27
All other	—	56	2	2	1	Clinch	58	58	—	—	—
Black	—	55	2	2	1	White	39	45	—	—	—
Balance of county	—	196	9	8	6	All other	19	13	—	—	—
White	—	140	5	4	4	Black	19	13	—	—	—
All other	—	56	4	4	2	Cobb	2,135	2,280	46	33	68
Black	—	56	4	4	2	White	1,977	2,081	26	18	42
Burke	121	201	2	1	4	All other	158	199	20	15	26
White	51	90	1	1	1	Black	148	183	19	14	25
All other	70	111	1	—	3	Marietta	—	472	15	12	24
Black	70	111	1	—	3	White	—	388	6	5	16
Butts	102	151	3	2	1	All other	—	84	9	7	8
White	69	94	—	—	1	Black	—	79	9	7	8
All other	33	57	3	2	—	Smyrna	—	227	7	3	8
Black	33	57	3	2	—	Balance of county	—	1,581	24	18	36
Calhoun	57	78	—	—	3	Coffee	268	306	4	3	9
White	27	36	—	—	—	White	207	228	4	3	5
All other	30	42	—	—	3	All other	61	78	—	—	4
Black	30	42	—	—	3	Black	60	78	—	—	4
Camden	94	154	5	2	2	Douglas	—	141	—	—	4
White	69	108	3	1	—	White	—	96	—	—	1
All other	25	46	2	1	2	All other	—	45	—	—	3
Black	25	46	2	1	2	Black	—	45	—	—	3
Candler	156	89	—	—	2	Balance of county	—	165	4	3	5
White	99	61	—	—	—	White	—	132	4	3	4
All other	57	28	—	—	2	All other	—	33	—	—	1
Black	57	28	—	—	2	Black	—	33	—	—	1
Carroll	524	544	5	3	19	Colquitt	375	442	7	5	5
White	450	462	4	3	14	White	299	360	5	5	5
All other	74	82	1	—	5	All other	76	82	2	2	2
Black	74	82	1	—	5	Black	75	81	2	2	2
Carrollton	—	140	1	—	6	Moultrie	—	225	3	3	2
White	—	115	1	—	1	White	—	159	1	1	2
All other	—	25	—	—	5	All other	—	66	2	2	2
Black	—	25	—	—	5	Black	—	66	2	2	2
Balance of county	—	404	4	3	13	Balance of county	—	217	4	3	3
White	—	347	3	3	13	White	—	201	4	3	3
All other	—	57	1	—	—	All other	—	16	—	—	—
Black	—	57	1	—	—	Black	—	15	—	—	—
Catoosa	583	342	4	1	5	Columbia	106	363	7	4	12
Charlton	62	77	1	—	—	White	91	302	7	4	9
White	43	54	1	—	—	All other	15	61	—	—	3
All other	19	23	—	—	—	Black	15	58	—	—	3
Black	18	22	—	—	—	Cook	109	134	3	2	3
Chatham	2,507	2,032	67	45	44	White	81	104	2	2	2
White	1,594	1,241	20	11	14	All other	28	30	1	1	1
All other	913	791	47	34	30	Black	28	30	1	1	1
Black	908	787	46	33	29	Coweta	457	440	8	5	19
Savannah	—	1,635	53	35	37	White	355	329	4	3	11
White	—	881	12	7	10	All other	102	111	4	4	8
All other	—	754	41	28	27	Black	102	111	4	4	8
Black	—	752	40	27	26	Newnan	—	186	3	1	9
Balance of county	—	397	14	10	7	White	—	124	1	1	4
White	—	360	8	4	4	All other	—	62	2	2	5
All other	—	37	6	6	3	Black	—	62	2	2	5
Black	—	35	6	6	3	Balance of county	—	254	5	4	10
Chattahoochee	73	28	7	7	2	White	—	205	3	3	7
White	43	15	2	2	1	All other	—	49	2	2	3
All other	30	13	5	5	1	Black	—	49	2	2	3
Black	29	12	5	5	1	Crawford	48	83	3	1	2
Chattooga	137	262	4	1	3	White	23	53	1	—	—
Cherokee	290	473	13	10	9	All other	25	30	2	1	2
Clarke	1,015	539	16	8	15	Black	25	30	2	1	2
White	760	346	4	1	6	Crisp	216	223	6	5	6
All other	255	193	12	7	9	White	138	133	2	2	1
Black	253	191	11	7	9	All other	78	90	4	3	5
Athens	—	335	14	8	9	Black	78	90	4	3	5
White	—	179	3	1	4	Cordele	—	150	4	3	5
All other	—	156	11	7	5	White	—	65	1	1	1
Black	—	156	11	7	5	All other	—	85	3	2	4
Balance of county	—	204	2	—	6	Black	—	85	3	2	4
White	—	167	1	—	2	Balance of county	—	73	2	2	1
All other	—	37	1	—	4	White	—	68	1	1	—
Black	—	35	—	—	4	All other	—	5	1	1	1
Clay	24	38	1	1	1	Black	—	5	1	1	1
White	9	14	1	1	1	Dade	56	118	—	—	1
All other	15	24	—	—	—	Dawson	22	69	1	1	3
Black	15	24	—	—	—						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 20

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 20 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Georgia-Con.					Georgia-Con.						
Decatur	216	280	11	6	7	Franklin	209	217	4	3	5
White	143	180	2	1	2	White	191	198	2	1	2
All other	73	100	9	5	5	All other	18	19	2	2	3
Black	73	100	9	5	5	Black	18	19	2	2	3
Bainbridge	---	145	6	2	5	Fulton	8,709	5,981	128	82	202
White	---	85	1	1	1	White	4,698	2,884	19	12	36
All other	---	60	5	2	4	All other	4,011	3,097	109	70	166
Black	---	60	5	2	4	Black	3,972	3,080	107	68	164
Balance of county	---	135	5	4	2	Atlanta, part	---	4,211	91	58	147
White	---	95	1	1	1	White	---	1,504	6	5	16
All other	---	40	4	3	1	All other	---	2,707	85	53	131
Black	---	40	4	3	1	Black	---	2,703	85	53	129
De Kalb	3,438	3,702	113	75	126	Atlanta, total	---	4,799	118	76	174
White	2,611	2,978	22	15	30	White	---	1,680	9	7	18
All other	827	1,324	91	60	96	All other	---	3,119	109	69	156
Black	780	1,281	86	56	90	Black	---	3,114	109	69	154
Atlanta, part	---	588	27	18	27	College Park, part	---	187	8	7	12
White	---	176	3	2	2	White	---	61	-	-	1
All other	---	412	24	16	25	All other	---	126	8	7	11
Black	---	411	24	16	25	Black	---	123	7	6	11
Decatur	---	632	25	17	24	College Park, total	---	227	13	10	15
White	---	185	2	2	2	White	---	74	2	-	1
All other	---	447	23	15	24	All other	---	153	11	10	14
Black	---	442	23	15	23	Black	---	149	10	9	14
Balance of county	---	2,482	61	40	75	East Point	---	293	7	4	13
White	---	2,017	17	11	28	White	---	171	1	-	1
All other	---	465	44	29	47	All other	---	122	6	4	12
Black	---	428	39	25	42	Black	---	121	6	4	12
Dodge	185	212	8	6	-	Roswell	---	224	4	3	2
White	141	172	6	5	-	Balance of county	---	1,066	18	10	28
All other	44	40	2	1	-	White	---	935	11	6	17
Black	44	40	2	1	-	All other	---	131	7	4	11
Dooly	103	111	3	2	3	Black	---	124	7	4	11
White	52	64	-	-	-	Gilmer	106	151	1	-	3
All other	51	47	3	2	3	Glascock	11	32	-	-	-
Black	51	47	3	2	3	White	10	28	-	-	-
Dougherty	1,229	813	20	11	19	All other	1	4	-	-	-
White	699	449	3	2	4	Black	1	4	-	-	-
All other	530	364	17	9	15	Glynn	683	589	11	7	4
Black	528	362	17	9	15	White	500	434	10	6	-
Albany	---	706	20	11	17	All other	183	149	1	1	4
White	---	361	3	2	2	Black	182	147	1	1	4
All other	---	345	17	9	15	Brunswick	---	219	4	2	4
Black	---	344	17	9	15	White	---	115	3	1	-
Balance of county	---	107	-	-	2	All other	---	104	1	1	4
White	---	88	-	-	2	Black	---	103	1	1	4
All other	---	19	-	-	-	Balance of county	---	364	7	5	-
Black	---	18	-	-	-	White	---	319	7	5	-
Douglas	395	431	7	3	11	All other	---	45	-	-	-
Early	78	125	3	1	2	Black	---	44	-	-	-
White	49	70	1	-	-	Gordon	233	318	4	2	5
All other	29	55	2	1	2	Grady	156	221	2	2	1
Black	29	55	2	1	2	White	101	147	2	2	1
Echols	9	25	1	1	-	All other	55	74	-	-	-
White	8	23	1	1	-	Black	55	74	-	-	-
All other	1	2	-	-	-	Greene	104	138	3	3	2
Black	1	2	-	-	-	White	61	73	-	-	1
Effingham	66	134	4	3	5	All other	43	65	3	3	1
White	56	110	3	2	2	Black	43	65	3	3	1
All other	10	24	1	1	3	Gwinnett	1,277	1,530	33	23	47
Black	10	24	1	1	3	Habersham	196	221	3	1	2
Elbert	156	206	8	7	6	Hall	926	811	20	14	16
White	116	157	5	4	5	Gainesville	---	210	4	4	5
All other	40	49	3	3	1	White	---	171	1	1	3
Black	40	49	3	3	1	All other	---	39	3	3	2
Emanuel	155	215	1	1	6	Black	---	39	3	3	2
White	105	152	1	1	3	Balance of county	---	601	16	10	11
All other	50	63	-	-	3	Hancock	75	97	1	1	5
Black	50	63	-	-	3	White	18	22	-	-	-
Evans	69	87	-	-	1	All other	57	75	1	1	5
White	42	61	-	-	1	Black	57	75	1	1	5
All other	27	26	-	-	-	Haralson	173	213	3	3	3
Black	27	26	-	-	1	Harris	56	174	2	1	2
Fannin	121	156	3	1	1	White	39	118	2	1	2
Fayette	90	319	3	3	8	All other	17	56	-	-	-
Floyd	1,222	873	19	16	16	Black	17	56	-	-	-
White	1,077	766	9	8	10	Hart	167	214	4	3	1
All other	145	107	10	8	6	White	142	180	3	2	-
Black	145	107	10	8	6	All other	25	34	1	1	1
Rome	---	462	9	8	12	Black	25	34	1	1	1
White	---	372	2	2	6	Heard	39	84	1	1	1
All other	---	90	7	6	6	White	30	71	1	1	-
Black	---	90	7	6	6	All other	9	13	-	-	1
Balance of county	---	411	10	8	4	Black	9	13	-	-	1
Forsyth	160	293	1	1	3	Henry	345	416	6	4	7
						White	289	345	3	2	3
						All other	62	71	3	2	4
						Black	59	70	3	2	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 21

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 21 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Houston	520	584	19	13	17	Balance of county	---	132	8	3	3
White	424	468	10	7	10	White	---	57	2	1	1
All other	96	116	9	6	7	All other	---	75	6	2	2
Black	96	113	9	6	7	Black	---	75	6	2	2
Warner Robins	---	325	11	8	9	Lincoln	20	76	2	2	---
White	---	274	3	2	5	White	12	51	1	1	---
All other	---	51	8	6	4	All other	8	25	1	1	---
Black	---	48	8	6	4	Black	8	25	1	1	---
Balance of county	---	259	8	5	8	Long	14	39	---	---	1
White	---	194	7	5	5	White	8	24	---	---	1
All other	---	65	1	---	3	All other	6	15	---	---	---
Black	---	65	1	---	3	Black	6	15	---	---	---
Irwin	73	100	4	2	---	Lowndes	760	640	17	11	18
White	51	70	2	---	---	White	503	423	6	3	5
All other	22	30	2	2	---	All other	257	217	11	8	13
Black	22	30	2	2	---	Black	255	215	11	8	13
Fitzgerald, part	---	---	---	---	---	White	---	401	10	8	15
Balance of county	---	100	4	2	---	All other	---	240	4	3	4
White	---	70	2	---	---	All other	---	161	6	5	11
All other	---	30	2	2	---	Black	---	161	6	5	11
Black	---	30	2	2	---	Balance of county	---	239	7	3	3
Jackson	212	276	4	3	8	White	---	183	2	---	1
White	193	253	4	3	8	All other	---	56	5	3	2
All other	19	23	---	---	---	Black	---	54	5	3	2
Black	19	23	---	---	---	Lumpkin	101	96	1	---	1
Jasper	51	73	1	---	1	McDuffie	218	198	1	---	2
White	31	43	1	---	1	White	135	121	1	---	---
All other	20	30	---	---	---	All other	83	77	---	---	2
Black	20	30	---	---	---	Black	83	77	---	---	2
Jeff Davis	112	125	2	---	---	McIntosh	13	88	5	3	1
White	89	104	---	---	---	White	7	45	1	1	1
All other	23	21	2	---	---	All other	6	43	4	2	1
Black	23	21	2	---	---	Black	6	43	4	2	1
Jefferson	127	178	5	3	2	Macon	179	155	---	---	2
White	63	96	1	---	1	White	84	75	---	---	2
All other	64	82	4	3	1	All other	95	80	---	---	---
Black	64	82	4	3	1	Black	94	80	---	---	---
Jenkins	65	106	1	1	5	Madison	32	159	6	3	7
White	36	64	---	---	---	White	28	144	3	1	4
All other	29	42	1	1	5	All other	4	15	3	2	3
Black	29	42	1	1	5	Black	4	15	3	2	3
Johnson	29	92	4	1	4	Marion	32	58	---	---	3
White	13	59	1	---	1	White	23	38	---	---	1
All other	16	33	3	1	3	All other	9	20	---	---	2
Black	16	33	3	1	3	Black	9	20	---	---	2
Jones	77	148	1	1	1	Meriwether	161	257	5	1	8
White	62	102	1	1	---	White	105	159	2	1	1
All other	15	46	---	---	1	All other	56	98	3	---	7
Black	15	46	---	---	1	Black	56	98	3	---	7
Macon, part	---	3	---	---	---	Miller	83	87	2	2	1
White	---	2	---	---	---	White	60	63	---	---	1
All other	---	1	---	---	---	All other	23	24	2	2	---
Black	---	1	---	---	---	Black	23	24	2	2	---
Balance of county	---	145	1	1	1	Mitchell	104	207	2	2	5
White	---	100	1	1	---	White	69	126	---	---	---
All other	---	45	---	---	1	All other	35	81	2	2	5
Black	---	45	---	---	1	Black	35	81	2	2	5
Lamar	48	121	3	2	1	Monroe	149	155	4	1	1
White	34	83	3	2	---	White	110	105	3	---	---
All other	14	38	---	---	1	All other	39	50	1	1	1
Black	14	38	---	---	1	Black	39	50	1	1	1
Lanier	39	65	---	---	---	Montgomery	6	69	1	---	2
White	30	48	---	---	---	White	5	48	1	---	1
All other	9	17	---	---	---	All other	1	21	---	---	1
Black	9	17	---	---	---	Black	1	21	---	---	1
Laurens	663	434	6	3	9	Vidalia, part	---	---	---	---	---
White	479	312	5	3	3	Balance of county	---	69	1	---	2
All other	184	122	1	---	6	White	---	48	1	---	1
Black	184	122	1	---	6	All other	---	21	---	---	1
Dublin	---	214	3	1	3	Black	---	21	---	---	1
White	---	131	2	1	---	Morgan	51	112	---	---	---
All other	---	83	1	---	3	White	27	60	---	---	---
Black	---	83	1	---	3	All other	24	52	---	---	---
Balance of county	---	220	3	2	6	Black	24	51	---	---	---
White	---	181	3	2	3	Murray	121	180	3	1	4
All other	---	39	---	---	3	Muscogee	1,928	1,642	44	34	61
Black	---	39	---	---	3	White	1,202	1,025	14	6	19
Lee	7	69	1	1	---	All other	726	617	30	28	42
White	6	52	1	1	---	Black	716	610	30	28	42
All other	1	17	---	---	---	Columbus	---	1,599	41	32	57
Black	1	17	---	---	---	White	---	989	13	6	18
Liberty	147	191	19	7	12	All other	---	610	28	26	39
White	76	93	8	3	4	Black	---	603	28	26	39
All other	71	98	11	4	8	Balance of county	---	43	3	2	4
Black	71	98	11	4	7	White	257	351	5	5	10
Hinesville	---	59	11	4	9	All other	206	280	3	3	9
White	---	36	6	2	3	Black	51	71	2	2	1
All other	---	23	5	2	6	Black	51	71	2	2	1
Black	---	23	5	2	5						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 22

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 22 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Georgia-Con.						
Covington	---	141	2	2	4	Stephens	239	273	4	4	2
White	---	99	1	1	4	White	212	243	4	4	2
All other	---	42	1	1	---	All other	27	30	---	---	---
Black	---	42	1	1	---	Black	27	30	---	---	---
Balance of county	---	210	3	3	6	Stewart	57	53	---	---	1
White	---	181	2	2	5	White	25	23	---	---	---
All other	---	29	1	1	1	All other	32	30	---	---	1
Black	---	29	1	1	1	Black	32	30	---	---	1
Oconee	16	122	2	1	---	Sumter	329	321	3	3	7
White	14	108	2	1	---	White	214	197	1	1	1
All other	2	14	---	---	---	All other	115	124	2	2	6
Black	1	13	---	---	---	Black	115	124	2	2	6
Oglethorpe	24	79	1	---	---	Americus	---	209	2	2	5
White	22	61	1	---	---	White	---	131	1	1	1
All other	2	18	---	---	---	All other	---	78	1	1	4
Black	2	18	---	---	---	Black	---	78	1	1	4
Paulding	141	260	9	5	12	Balance of county	---	112	1	1	2
Peach	138	203	3	3	10	White	---	66	---	---	---
White	64	106	3	3	5	All other	---	46	1	1	2
All other	74	97	---	---	5	Black	---	46	1	1	2
Black	73	95	---	---	5	Talbot	27	70	1	1	2
Pickens	104	138	1	1	2	White	13	33	---	---	2
Pierce	59	140	3	2	3	All other	14	37	1	1	---
White	49	118	1	1	2	Black	14	36	1	1	---
All other	10	22	2	1	1	Taliaferro	---	33	---	---	---
Black	10	22	2	1	1	White	---	18	---	---	---
Pike	31	90	1	1	1	All other	---	15	---	---	---
White	26	70	1	1	1	Black	---	15	---	---	---
All other	5	20	---	---	---	Tattnall	106	184	2	---	3
Black	5	20	---	---	---	White	78	143	2	---	3
Polk	231	387	5	4	12	All other	28	41	---	---	---
White	200	329	3	3	5	Black	28	41	---	---	---
All other	31	58	2	1	7	Taylor	34	98	2	2	---
Black	31	58	2	1	6	White	19	53	---	---	---
Pulaski	120	97	---	---	---	All other	15	45	2	2	---
White	80	55	---	---	---	Black	15	45	2	2	---
All other	40	42	---	---	---	Telfair	121	164	4	3	4
Black	40	42	---	---	---	White	88	112	1	1	1
Putnam	122	152	---	---	---	All other	33	52	3	2	3
White	84	112	---	---	---	Black	33	52	3	2	3
All other	38	40	---	---	---	Terrell	55	142	3	3	2
Black	38	40	---	---	---	White	30	68	---	---	---
Quitman	6	29	1	1	1	All other	25	76	3	3	2
White	4	20	---	---	1	Black	25	76	3	3	2
All other	2	9	1	1	---	Thomas	535	388	8	4	11
Black	2	9	1	1	2	White	332	245	3	2	3
Rabun	121	133	1	---	5	All other	203	143	5	2	8
Randolph	76	91	1	1	5	Black	202	142	5	2	8
White	36	38	---	---	---	Thomasville	---	215	5	2	4
All other	40	53	1	1	5	White	---	113	---	---	---
Black	40	53	1	1	5	All other	---	102	5	2	4
Richmond	3,235	1,837	50	34	56	Black	---	102	5	2	4
White	2,072	1,074	13	7	23	Balance of county	---	173	3	2	7
All other	1,163	763	37	27	33	White	---	132	3	2	3
Black	1,157	759	37	27	32	All other	---	41	---	---	4
Augusta	---	796	24	16	21	Black	---	40	---	---	4
White	---	409	6	3	6	Tift	420	345	10	7	1
All other	---	387	18	13	15	White	312	247	7	4	---
Black	---	385	18	13	14	All other	108	98	3	3	1
Balance of county	---	1,041	26	18	35	Black	107	96	3	3	1
White	---	665	7	4	17	Tifton	---	182	6	6	1
All other	---	376	19	14	18	White	---	142	3	3	---
Black	---	374	19	14	18	All other	---	40	3	3	1
Rockdale	429	371	6	3	10	Black	---	38	3	3	1
Schley	15	43	---	---	---	Balance of county	---	163	4	1	---
White	11	29	---	---	---	White	---	105	4	1	---
All other	4	14	---	---	---	All other	---	58	---	---	---
Black	4	14	---	---	---	Black	---	58	---	---	---
Screven	100	163	3	1	4	Toombs	300	250	1	1	3
White	52	93	1	1	1	White	232	187	1	1	2
All other	48	70	2	---	3	All other	68	63	---	---	1
Black	48	70	2	---	3	Black	68	63	---	---	1
Seminole	94	124	1	1	1	Vidalia, part	---	121	1	1	---
White	66	95	---	---	---	White	---	75	1	1	---
All other	28	29	1	1	1	All other	---	46	---	---	---
Black	28	29	1	1	1	Black	---	46	---	---	---
Spalding	510	527	10	5	16	Vidalia, total	---	121	1	1	---
White	392	395	1	---	8	White	---	75	1	1	---
All other	118	132	9	5	8	All other	---	46	---	---	---
Black	118	132	9	5	8	Black	---	46	---	---	---
Griffin	---	274	9	5	10	Balance of county	---	129	---	---	3
White	---	178	---	---	3	White	---	112	---	---	1
All other	---	96	9	5	7	All other	---	17	---	---	1
Black	---	96	9	5	7	Black	---	17	---	---	1
Balance of county	---	253	1	---	6	Towns	78	74	1	1	---
White	---	217	1	---	5	Treutlen	18	67	---	---	---
All other	---	36	---	---	1	White	12	53	---	---	---
Black	---	36	---	---	1	All other	6	14	---	---	---
						Black	6	14	---	---	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 23

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 23 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Georgia-Con.					Hawaii-Con.						
Troup	690	606	12	11	7	Hawaii	867	930	15	11	13
White	506	424	4	3	4	White	342	360	3	3	2
All other	184	182	8	8	3	All other	525	570	12	8	11
Black	184	182	8	8	3	Black	6	6	-	-	-
La Grange	---	337	6	6	5	Hilo#	---	344	5	3	4
White	---	224	1	1	2	White	---	112	-	-	-
All other	---	113	5	5	3	All other	---	232	5	3	4
Black	---	113	5	5	3	Black	---	2	-	-	-
Balance of county	---	269	6	5	2	Balance of county	---	586	10	8	9
White	---	200	3	2	2	White	---	248	3	3	2
All other	---	69	3	3	-	All other	---	338	7	5	7
Black	---	69	3	3	-	Black	---	4	-	-	-
Turner	31	95	4	2	-	Honolulu	5,338	5,003	90	52	89
White	20	61	-	-	-	White	1,489	1,384	13	6	32
All other	11	34	4	2	-	All other	3,849	3,619	77	46	57
Black	11	34	4	2	-	Black	57	46	6	4	6
Twiggs	47	95	1	-	1	Aiea#	---	189	4	3	4
White	29	53	1	-	-	White	---	38	-	-	3
All other	18	42	-	-	1	All other	---	151	4	3	1
Black	18	42	-	-	1	Black	---	3	1	1	-
Union	106	118	-	-	-	Ewa Beach#	---	131	4	1	10
Upson	322	288	5	5	5	White	---	28	2	-	4
White	225	214	3	3	1	All other	---	103	2	1	6
All other	97	74	2	2	4	Black	---	1	-	-	-
Black	97	74	2	2	4	Honolulu#	---	2,841	40	23	36
Walker	137	550	6	2	13	White	---	783	5	1	11
Walton	231	353	8	2	8	All other	---	2,058	35	22	25
White	176	283	7	2	6	Black	---	20	3	2	2
All other	55	70	1	1	2	Kailua#	---	262	2	2	2
Black	54	70	1	1	2	White	---	150	1	1	2
Ware	415	390	5	3	14	All other	---	112	1	1	-
White	306	273	1	1	3	Black	---	3	-	-	-
All other	109	117	4	2	11	Kaneohe#	---	338	3	2	5
Black	109	117	4	2	10	White	---	112	1	1	3
Waycross	---	258	5	3	11	All other	---	226	2	1	2
White	---	147	1	1	1	Black	---	-	-	-	-
All other	---	111	4	2	10	Mililani Town#	---	88	4	1	4
Black	---	111	4	2	9	White	---	25	1	-	1
Balance of county	---	132	-	-	3	All other	---	63	3	1	3
Warren	5	64	-	-	-	Black	---	2	-	-	2
White	3	36	-	-	-	Mokapu#	---	1	-	-	1
All other	2	28	-	-	-	White	---	-	-	-	-
Black	2	28	-	-	-	All other	---	1	-	-	-
Washington	167	198	3	2	5	Black	---	-	-	-	-
White	94	105	-	-	1	Pearl City#	---	211	3	2	3
All other	73	93	3	2	4	White	---	31	-	-	3
Black	73	93	3	2	4	All other	---	180	3	2	1
Wayne	233	232	5	3	5	Black	---	3	-	-	-
White	177	183	3	2	2	Schofield Barracks#	---	6	2	1	2
All other	56	49	2	1	3	White	---	1	-	-	-
Black	55	48	2	1	3	All other	---	5	2	1	2
Webster	2	16	-	-	-	Black	---	2	2	1	1
White	1	7	-	-	-	Wahiawa#	---	128	3	3	4
All other	1	9	-	-	-	White	---	25	1	1	2
Black	1	9	-	-	-	All other	---	103	2	2	2
Wheeler	65	65	2	-	-	Black	---	3	-	-	-
White	42	47	-	-	-	Waipahu#	---	215	11	4	3
All other	23	18	2	-	-	White	---	26	-	-	-
Black	23	18	2	-	-	All other	---	189	11	4	3
White	48	188	3	1	-	Black	---	2	-	-	1
Whitfield	694	639	13	6	7	Balance of county	---	593	14	10	15
Dalton	---	269	5	3	1	White	---	165	2	2	3
White	---	249	5	3	1	All other	---	428	12	8	12
All other	---	20	-	-	-	Black	---	7	-	-	-
Black	---	20	-	-	-	Kalawao	---	1	2	-	-
Balance of county	---	370	8	3	6	White	---	1	-	-	-
Wilcox	35	91	1	1	2	All other	---	2	-	-	-
White	22	63	1	1	1	Black	---	-	-	-	-
All other	13	28	-	-	1	Kauai	352	374	5	3	11
Black	13	28	-	-	1	White	122	116	-	-	6
Wilkes	150	134	-	-	-	All other	230	258	5	3	5
White	66	58	-	-	-	Black	1	-	-	-	-
All other	84	76	-	-	-	Maui	618	659	16	11	14
Black	84	76	-	-	-	White	224	208	2	1	5
Wilkinson	51	111	-	-	2	All other	394	451	14	10	9
White	27	63	-	-	2	Black	3	2	-	-	-
All other	24	48	-	-	-	Kahului#	---	144	4	2	2
Black	24	48	-	-	-	White	---	25	-	-	1
Worth	63	148	1	-	4	All other	---	119	4	2	1
White	42	103	1	-	4	Black	---	-	-	-	-
All other	21	45	-	-	4	Waituku#	---	110	2	1	2
Black	21	45	-	-	4	White	---	28	-	-	-
Hawaii	7,176	6,968	126	77	127	All other	---	82	2	1	2
White	2,177	2,068	18	10	45	Black	---	-	-	-	-
All other	4,999	4,900	108	67	82	Balance of county	---	405	10	8	10
Black	67	54	6	4	6	White	---	155	2	1	4
						All other	---	250	8	7	6
						Black	---	2	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 24

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 24 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Idaho	7,669	7,877	152	91	91	Illinois-Con.					
White	7,558	7,764	148	90	89	Adams	806	719	4	3	8
All other	111	113	4	1	2	Quincy		541			7
Black	22	22	3	1		Balance of county		178	4	3	1
Ada	1,671	1,423	34	19	16	Alexander	62	143	5	3	2
Boise City		1,093	24	12	14	White	39	96	1	1	2
Balance of county		330	10	7	2	All other	23	47	4	2	2
Adams	16	23			1	Black	23	47	4	2	2
Bannock	487	480	4	4	10	Bond	139	192	3	3	3
Pocatello		371	3	3	8	Boone	201	215	5	2	5
Balance of county		109	1	1	2	Belvidere		137	2	1	1
Bear Lake	38	44				Balance of county		78	3	1	4
Benewah	58	76			2	Brown	16	67	1		
Bingham	152	235	7	6	5	Bureau	467	404	4	2	1
Blackfoot		90	4	4	1	Calhoun	32	64			1
Balance of county		145	3	2	4	Carroll	119	216	2		1
White		133	3	2	4	Cass	86	170	1	1	2
All other		12				Champaign	1,386	1,021	21	16	19
Black						White	901	901	11	8	13
Blaine	53	65	1			All other	129	120	10	8	6
Boise	27	24				Black	119	112	7	5	4
Bonner	183	230	3	1		Champaign		370	7	3	10
Bonneville	554	427	13	11	8	White		297	3	1	6
Idaho Falls		323	11	9	7	All other		73	4	2	4
Balance of county		104	2	2	1	Black		71	3	1	3
Boundary	71	77				Rantoul		58	4	3	3
Butte	30	26				White		53	2	1	2
Camas	3	6				All other		5	2	2	1
Canyon	748	813	19	10	10	Black		4	2	2	1
Caldwell		191	5	3	5	Urbana		266	4	4	3
White		187	5	3	5	White		231	3	3	2
All other		4				All other		35	1	1	1
Black		2				Black		32			
Nampa		337	10	5	1	Balance of county		327	6	6	3
Balance of county		285	4	2	4	Christian	337	414	2	2	3
Caribou	44	53	2	1		Taylorville		170	1	1	
Cassia	149	146	4	3	1	Balance of county		244	1	1	3
Clark	5	9				Clark	96	197	2	2	2
Clearwater	67	74	2			Clay	144	179	1	1	
Custer	17	27				Clinton	188	287	5	3	1
Elmore	97	106	1		3	Centralia, part		31	1		
Franklin	56	63	1		1	Balance of county		256	4	3	1
Fremont	54	74	5	3	3	Coles	589	535	12	7	10
Gem	110	138	3	3	1	Charleston		169	3	2	3
Gooding	73	121	1		1	Mattoon		267	6	3	5
Idaho	107	122	2	2		Balance of county		99	3	2	2
Jefferson	38	89	4	2	1	Cook	47,249	47,414	1,141	745	899
Jerome	93	122	3	1	1	White	33,410	33,529	453	321	388
Kootenai	641	600	9	6	9	All other	13,839	13,885	688	424	501
Coeur d'Alene		297	4	4	5	Black	13,323	13,371	675	415	477
Balance of county		303	5	2	4	Alsip		104	4	4	2
Latah	202	218	5	4	3	Arlington Heights, part		593	2	2	5
Moscow		113	2	2	3	Arlington Heights, total		593	2	2	5
Balance of county		105	3	2		Bartlett, part		63			1
Lemhi	75	84				Bellwood		137	4	3	2
Lewis	13	42	1	1		White		68	1		1
Lincoln	22	41	1			All other		69	3	3	1
Madison	97	98	3	1		Black		69	3	3	1
Rexburg		52	1	1		Bensenville, part		7	1	1	
Balance of county		46	2			Berwyn		571	5	4	6
Minidoka	101	152	1	1	1	Blue Island		240	6	3	2
Nez Perce	375	327	4		3	White		215	4	2	2
Lewiston		267	3		3	All other		25	2	1	
Balance of county		40	1			Black		25	2	1	
White		31				Bridgeview		187	1		1
All other		9				Brookfield		203	1	1	
Black						Buffalo Grove, part		79			
Oneida	32	42				Buffalo Grove, total		123	2	2	2
Owyhee	48	79	1	1	1	Burbank		274	4	2	1
Payette	110	179	2	1	4	Calumet City		411	13	7	5
Power	54	51	2	1		Chicago, part		27,465	793	499	636
Shoshone	129	185	2	2	2	White		15,328	227	159	203
Teton	20	22				All other		12,137	566	340	433
Twin Falls	602	521	9	6	4	Black		11,780	559	336	421
Twin Falls		311	5	4	3	Chicago, total		27,465	793	499	636
Balance of county		210	4	2	1	White		15,328	227	159	203
Valley	47	36	2			All other		12,137	566	340	433
Washington	100	107	1	1		Black		11,780	559	336	421
Illinois	99,332	102,118	1,927	1,242	1,473	Chicago Heights		329	8	4	4
White	82,768	85,307	1,052	703	875	White		238	1	1	1
All other	16,564	16,811	875	539	598	All other		91	7	3	3
Black	15,890	16,133	849	519	565	Black		91	7	3	3
						Chicago Ridge		135	3	2	3
						Cicero		613	11	6	12
						Country Club Hills		64	1	1	
						White		34			
						All other		30	1	1	
						Black		30	1	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 25

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 25 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Illinois-Con.						Illinois-Con.					
Crestwood	---	143	4	3	1	Rolling Meadows	---	127	1	1	4
Deerfield, part	---	6	---	---	---	Roselle, part	---	16	---	---	---
Des Plaines	---	746	9	6	13	Sauk Village	---	41	---	---	---
Dolton	---	228	3	3	2	Schaumburg, part	---	408	7	5	6
Elgin, part	---	68	2	---	2	Schaumburg, total	---	410	7	5	6
White	---	61	---	---	---	Schiller Park	---	69	2	1	2
All other	---	7	2	---	2	Skokie	---	631	10	7	9
Black	---	6	2	---	---	South Holland	---	270	---	---	4
Elk Grove Village, part	---	189	5	3	3	Streamwood	---	114	7	5	4
Elk Grove Village, total	---	189	5	3	3	Summit	---	89	2	2	2
Elmwood Park	---	335	1	1	1	White	---	70	2	2	2
Evanston	---	572	11	9	9	All other	---	19	---	---	1
White	---	438	5	4	4	Black	---	19	---	---	1
All other	---	134	6	5	5	Tinley Park, part	---	263	7	7	2
Black	---	131	5	4	5	Tinley Park, total	---	264	7	7	2
Evergreen Park	---	257	2	2	---	Westchester	---	220	4	3	---
Forest Park	---	155	1	1	3	Western Springs	---	72	---	---	---
White	---	145	---	---	1	Wheeling, part	---	187	5	2	6
All other	---	10	1	1	2	Wheeling, total	---	187	5	2	6
Black	---	9	1	1	2	Wilmette	---	238	2	2	9
Franklin Park	---	170	1	---	1	Winnetka	---	79	---	---	1
Glenview	---	368	10	9	---	Worth	---	100	4	4	1
Glenwood	---	89	---	---	---	Balance of county	---	2,513	62	47	35
White	---	66	---	---	---	White	---	2,170	33	25	20
All other	---	23	---	---	---	All other	---	343	29	22	15
Black	---	23	---	---	---	Black	---	330	28	21	14
Hanover Park, part	---	83	4	4	---	Crawford	---	215	260	---	2
Hanover Park, total	---	116	5	4	2	Cumberland	---	48	104	2	2
Harvey	---	315	20	10	10	De Kalb	---	495	524	7	6
White	---	91	1	1	4	De Kalb	---	163	4	3	3
All other	---	224	19	9	6	Balance of county	---	361	3	1	3
Black	---	221	19	9	6	De Witt	---	131	195	3	1
Hazel Crest	---	132	5	1	3	Douglas	---	89	186	2	6
White	---	107	2	---	---	Du Page	---	4,473	4,562	88	63
All other	---	25	3	1	3	White	---	4,371	4,469	80	57
Black	---	25	3	1	3	All other	---	102	93	8	7
Hickory Hills	---	90	2	1	1	Black	---	40	3	2	4
Hinsdale, part	---	12	---	---	---	Addison	---	161	7	5	2
Hoffman Estates	---	188	9	7	3	Aurora, part	---	14	2	1	1
Homewood	---	197	3	3	1	Bartlett, part	---	37	2	1	6
Justice	---	95	4	4	1	Bartlett, total	---	100	2	1	7
White	---	85	1	1	1	Batavia, part	---	---	---	---	---
All other	---	10	3	3	---	Bensenville, part	---	132	---	---	---
Black	---	10	3	3	---	Bensenville, total	---	139	1	1	---
La Grange	---	149	3	2	5	Bloomington	---	142	4	3	2
La Grange Park	---	174	2	2	---	Bolingbrook, part	---	10	1	1	---
Lansing	---	239	1	---	2	White	---	9	1	1	---
Lincolnwood	---	111	---	---	---	All other	---	1	---	---	---
Markham	---	113	3	2	4	Black	---	1	---	---	---
White	---	36	---	---	---	Carol Stream	---	108	7	5	9
All other	---	77	3	2	4	Chicago, part	---	---	---	---	---
Black	---	77	3	2	4	White	---	---	---	---	---
Matteson	---	88	2	1	1	All other	---	---	---	---	---
White	---	71	1	1	1	Black	---	---	---	---	---
All other	---	17	1	---	---	Darien	---	97	1	---	1
Black	---	16	1	---	---	Downers Grove	---	380	3	2	5
Maywood	---	209	14	10	6	Elk Grove Village, part	---	---	---	---	---
White	---	54	3	3	2	Elmhurst	---	404	2	---	4
All other	---	155	11	7	4	Glendale Heights	---	109	7	5	4
Black	---	155	11	7	4	White	---	100	7	5	3
Melrose Park	---	217	---	---	5	All other	---	9	---	---	1
Midlothian	---	107	2	1	---	Black	---	4	---	---	---
Morton Grove	---	234	1	---	2	Glen Ellyn	---	139	2	1	3
Mount Prospect	---	354	6	6	4	Hanover Park, part	---	33	1	---	2
Niles	---	406	1	---	1	Hinsdale, part	---	119	1	1	2
Norridge	---	219	---	---	3	Hinsdale, total	---	131	1	1	2
Northbrook	---	320	3	1	2	Lisle	---	133	2	2	1
Northlake	---	174	---	---	2	Lombard	---	319	3	2	7
Oak Forest	---	145	---	---	1	Naperville, part	---	397	10	9	8
Oak Lawn	---	663	3	1	1	Naperville, total	---	408	11	10	8
Oak Park	---	370	4	3	4	Roselle, part	---	81	2	1	1
White	---	338	2	1	2	Roselle, total	---	97	2	1	1
All other	---	32	2	2	2	St. Charles, part	---	---	---	---	---
Black	---	31	2	2	2	Schaumburg, part	---	2	---	---	---
Orland Park	---	248	9	6	5	Villa Park	---	150	3	3	---
Palatine	---	282	3	3	7	West Chicago	---	73	3	2	2
Palos Heights	---	169	---	---	---	White	---	72	3	2	2
Palos Hills	---	168	3	3	2	All other	---	1	---	---	---
Park Forest, part	---	156	4	2	3	Black	---	1	---	---	---
White	---	134	1	---	2	Westmont	---	171	5	4	1
All other	---	22	3	2	1	Wheaton	---	318	4	3	3
Black	---	21	3	2	1	Wood Dale	---	81	---	---	---
Park Forest, total	---	169	4	2	5	Woodridge	---	88	3	2	1
White	---	144	1	---	4	Balance of county	---	864	13	10	8
All other	---	25	3	2	1	Edgar	---	186	257	1	6
Black	---	24	3	2	1	Edwards	---	35	92	2	---
Park Ridge	---	350	3	3	5	Effingham	---	373	313	7	1
Prospect Heights	---	85	1	1	2	Effingham	---	163	3	2	---
Riverdale	---	114	6	6	2	Balance of county	---	150	4	2	1
River Forest	---	97	---	---	1						
River Grove	---	103	1	---	2						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 26

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 26 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Illinois-Con.					Illinois-Con.							
Fayette	182	243	2	1	1	Lake Forest	---	121	-	-	1	
Ford	161	174	-	-	-	Libertyville	---	213	3	1	1	
Franklin	397	581	7	4	7	Mundelein	---	88	1	-	6	
Fulton	345	434	2	1	3	North Chicago	---	116	3	2	3	
Canton	---	182	-	-	1	White	---	61	-	-	-	
Balance of county	---	252	2	1	2	All other	---	55	3	2	3	
Gallatin	39	93	-	-	-	Black	---	55	3	2	3	
Greene	111	196	1	1	1	Round Lake Beach	---	82	6	3	1	
Grundy	251	265	3	1	1	Waukegan	---	529	17	7	12	
Hamilton	76	104	-	-	1	White	---	426	7	2	11	
Hancock	172	243	4	2	1	All other	---	103	10	5	1	
Hardin	68	69	-	-	-	Black	---	102	9	5	1	
Henderson	48	98	1	-	1	Wheeling, part	---	-	-	-	-	
Henry	414	536	5	4	3	Zion	---	155	4	2	1	
Kewanee	---	195	2	2	1	White	---	129	2	1	1	
Balance of county	---	341	3	2	2	All other	---	26	2	1	-	
Iroquois	264	369	3	3	2	Black	---	25	2	1	-	
Jackson	504	453	8	4	4	Balance of county	---	1,431	29	20	18	
White	451	401	6	4	3	La Salle	1,030	1,190	9	5	5	
All other	53	52	2	-	1	La Salle	---	155	1	-	-	
Black	48	46	2	-	1	Ottawa	---	213	1	1	1	
Carbondale	---	153	4	1	-	Peru	---	119	-	-	1	
White	---	114	2	1	-	Streator, part	---	195	2	1	1	
All other	---	39	2	-	-	Streator, total	---	197	2	1	1	
Black	---	34	2	-	-	Balance of county	---	508	5	3	2	
Balance of county	---	300	4	3	4	Lawrence	---	215	250	-	-	2
Jasper	61	121	2	2	2	Lee	---	285	314	4	3	2
Jefferson	368	360	4	4	5	Dixon	---	165	1	-	-	2
Mount Vernon	---	232	3	3	4	Balance of county	---	149	3	3	-	-
Balance of county	---	128	1	1	1	Livingston	337	405	3	1	1	1
Jersey	168	184	1	-	-	Pontiac	---	115	2	1	1	1
Jo Daviess	107	221	-	-	-	White	---	113	2	1	1	
Johnson	35	111	-	-	-	All other	---	2	-	-	-	-
Kane	2,417	2,252	55	33	42	Black	---	2	-	-	-	-
White	2,313	2,141	43	26	33	Streator, part	---	2	-	-	-	-
All other	104	111	12	7	9	Balance of county	---	288	1	-	-	-
Black	91	104	11	6	9	Logan	268	328	2	2	4	4
Aurora, part	---	687	19	10	20	Lincoln	---	188	1	1	4	4
White	---	625	14	8	16	Balance of county	---	140	1	1	2	3
All other	---	62	5	2	4	McDonough	312	319	3	2	3	3
Black	---	59	5	2	4	Macomb	---	172	2	2	-	-
Aurora, total	---	701	21	11	21	Balance of county	---	147	1	-	-	3
White	---	638	15	9	17	McHenry	1,027	1,237	26	17	15	15
All other	---	63	6	2	4	Crystal Lake	---	163	1	-	-	3
Black	---	60	6	2	4	McHenry	---	200	-	-	-	3
Batavia, part	---	151	1	1	-	Woodstock	---	162	7	6	1	1
Batavia, total	---	151	1	1	-	Balance of county	---	712	18	11	8	8
Carpentersville	---	119	4	3	3	McLean	933	919	10	4	12	12
Elgin, part	---	528	18	14	10	Bloomington	---	436	2	1	9	9
White	---	497	14	11	6	Normal	---	183	3	-	1	1
All other	---	31	4	3	4	Balance of county	---	300	5	3	2	2
Black	---	30	4	3	4	Macon	1,198	1,130	13	10	7	7
Elgin, total	---	596	20	14	12	White	---	1,100	7	6	5	5
White	---	558	14	11	8	All other	---	98	6	4	2	2
All other	---	38	6	3	4	Black	---	97	108	6	4	2
Black	---	36	6	3	4	Decatur	---	948	13	10	6	6
St. Charles, part	---	145	2	-	-	White	---	840	7	6	4	4
St. Charles, total	---	145	2	-	-	All other	---	108	6	4	2	2
Balance of county	---	622	11	5	9	Black	---	108	6	4	2	2
Kankakee	1,021	1,019	20	11	9	Balance of county	---	182	-	-	-	1
White	895	881	13	8	6	Macoupin	---	341	546	2	2	4
All other	126	138	7	3	3	Madison	---	2,133	2,389	26	17	14
Black	125	136	7	3	3	White	---	1,966	2,213	15	12	11
Bourbonnais	---	121	4	3	2	All other	---	167	176	11	5	3
Bradley	---	107	-	-	-	Black	---	173	11	5	2	2
Kankakee	---	377	9	5	5	Alton	---	402	6	5	1	1
White	---	301	3	2	3	White	---	323	1	1	-	-
All other	---	76	6	3	2	All other	---	79	5	4	1	1
Black	---	75	6	3	2	Black	---	79	5	4	1	1
Balance of county	---	414	7	3	2	Collinsville, part	---	232	2	2	2	2
White	---	358	6	3	1	Collinsville, total	---	245	2	2	2	2
All other	---	56	1	-	1	Edwardsville	---	206	3	2	2	2
Black	---	55	1	-	1	Granite City	---	374	3	2	2	2
Kendall	126	237	1	1	3	Wood River	---	139	1	1	2	2
Knox	687	647	7	3	5	Balance of county	---	1,036	11	5	5	5
Galesburg	---	428	3	-	4	Marion	551	528	5	4	4	4
Balance of county	---	219	4	3	1	Centralia, part	---	203	1	1	2	2
Lake	3,190	3,068	67	38	50	White	---	188	1	1	1	1
White	2,961	2,843	49	27	46	All other	---	15	-	-	-	1
All other	229	225	18	11	4	Black	---	14	-	-	-	1
Black	205	202	16	10	4	Centralia, total	---	234	2	1	2	2
Arlington Heights, part	---	-	-	-	-	White	---	218	1	1	1	1
Buffalo Grove, part	---	44	2	2	2	All other	---	16	1	-	-	1
Deerfield, part	---	118	1	-	4	Black	---	15	1	-	-	1
Deerfield, total	---	124	1	-	4	Balance of county	---	323	4	3	2	2
Highland Park	---	171	1	1	1	Marshall	---	73	126	2	2	3
						Mason	---	104	173	1	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 27

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 27 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal		
Illinois-Con.					Illinois-Con.							
Massac	168	188	-	-	1	East Peoria	---	218	2	1	3	
Menard	68	111	1	1	-	Morton	---	149	2	2	2	
Mercer	118	179	-	-	1	Pekin, part	---	305	4	4	2	
Monroe	120	198	-	-	1	Pekin, total	---	306	4	2	2	
Montgomery	372	359	2	2	2	Washington	---	114	1	1	1	
Morgan	437	399	1	-	2	Balance of county	---	259	4	4	1	
Jacksonville	---	290	1	-	1	Union	169	209	2	5	1	
Balance of county	---	109	-	-	1	Vermilion	1,129	1,001	2	3	11	
Moultrie	113	185	-	-	1	Darville	---	517	5	3	5	
Ogle	260	400	2	2	1	White	---	455	2	3	3	
Peoria	2,522	1,763	25	19	21	All other	---	62	3	3	2	
White	2,335	1,579	15	13	12	Black	---	62	3	3	2	
All other	187	184	10	6	9	Balance of county	---	484	3	2	6	
Black	184	182	10	6	9	Wabash	128	157	2	1	-	
Pekin, part	---	1	-	-	9	Warren	189	240	4	1	-	
Peoria	---	1,139	21	15	15	Monmouth	---	147	3	-	-	
White	---	961	11	9	6	Balance of county	---	93	1	-	-	
All other	---	178	10	6	9	Washington	113	156	1	1	-	
Black	---	176	10	6	9	Wayne	---	119	165	-	-	2
Balance of county	---	623	4	4	2	White	---	168	240	5	1	3
Perry	215	265	4	1	2	Whiteside	515	573	5	3	3	
Platt	104	159	1	1	1	Rock Falls	---	119	-	-	-	1
Pike	192	254	7	3	5	Sterling	---	181	4	-	-	2
Pope	14	39	-	-	1	Balance of county	---	273	4	3	4	
Pulaski	30	101	2	2	1	Will	2,000	2,403	45	38	27	
White	18	69	1	1	1	White	1,832	2,203	30	28	21	
All other	12	32	1	1	1	All other	168	200	15	10	6	
Black	12	32	1	1	1	Black	162	192	15	10	5	
Putnam	8	61	-	-	1	Bolingbrook, part	---	153	5	4	4	
Randolph	382	361	4	1	2	White	---	137	4	4	3	
Richland	227	201	2	2	2	All other	---	16	1	-	1	
Rock Island	1,489	1,466	22	16	18	Black	---	12	1	-	4	
White	1,423	1,391	18	12	15	Bolingbrook, total	---	163	6	5	3	
All other	66	75	4	4	3	White	---	146	5	5	3	
Black	62	72	3	3	3	All other	---	17	1	-	1	
East Moline	---	230	11	9	2	Black	---	13	-	-	1	
White	---	212	8	6	2	Joliet	---	891	20	17	9	
All other	---	18	3	3	2	White	---	768	11	10	4	
Black	---	16	2	2	2	All other	---	123	9	7	5	
Moline	---	418	4	3	4	Black	---	122	9	7	4	
Rock Island	---	469	3	1	7	Naperville, part	---	11	1	-	-	
White	---	419	2	1	4	Park Forest, part	---	13	-	-	2	
All other	---	50	1	1	3	White	---	10	-	-	2	
Black	---	49	1	1	3	All other	---	3	-	-	-	
Balance of county	---	349	4	3	5	Black	---	3	-	-	-	
St. Clair	2,454	2,572	59	34	38	Romeoville	---	57	1	-	-	
White	1,869	1,857	19	11	15	Tinley Park, part	---	1	-	-	-	
All other	585	715	40	23	23	Balance of county	---	1,277	18	16	12	
Black	583	713	40	23	23	White	---	1,220	13	13	12	
Belleville	---	588	5	3	6	All other	---	57	5	3	-	
Cahokia	---	191	5	2	5	Black	---	54	5	3	-	
Collinsville, part	---	13	-	-	6	Williamson	765	675	9	4	7	
East St. Louis	---	512	27	14	14	Herrin	---	172	2	1	1	
White	---	24	-	-	-	Marion	---	205	3	3	2	
All other	---	488	27	14	14	Balance of county	---	298	4	-	4	
Black	---	488	27	14	14	Winnebago	2,389	2,078	34	21	28	
Fairview Heights	---	103	-	-	-	White	2,226	1,922	13	12	22	
O'Fallon	---	110	2	1	-	All other	---	163	21	9	6	
Balance of county	---	1,055	20	14	13	Black	---	153	13	9	5	
White	---	872	10	7	8	Loves Park	---	101	-	-	1	
All other	---	183	10	7	5	Rockford	---	1,484	26	16	19	
Black	---	182	10	7	5	White	---	1,351	14	8	13	
Saline	425	407	3	2	2	All other	---	133	12	8	6	
Harrisburg	---	156	3	2	3	Black	---	127	12	8	5	
Balance of county	---	251	-	-	2	Balance of county	---	493	8	5	8	
Sangamon	2,276	1,826	28	15	17	Woodford	172	267	4	3	1	
White	2,147	1,511	19	9	12	Indiana	50,606	49,964	792	502	617	
All other	129	115	9	6	5	White	46,407	45,827	594	369	482	
Black	119	105	9	6	5	All other	4,199	4,137	198	133	135	
Springfield	---	1,153	20	9	13	Black	4,099	4,043	191	128	131	
White	---	1,044	12	4	8	Adams	185	240	5	3	5	
All other	---	109	8	5	5	Allen	3,118	2,463	50	23	42	
Black	---	103	8	5	5	All other	2,902	2,246	31	14	28	
Balance of county	---	479	8	6	4	Black	---	216	19	9	14	
Schuyler	119	77	-	-	-	Fort Wayne	---	210	19	9	14	
Scott	29	65	-	-	1	White	---	1,839	39	18	36	
Shelby	149	234	3	1	1	All other	---	1,626	20	9	22	
Stark	45	85	3	2	2	Black	---	213	19	9	14	
Stephenson	485	494	10	4	2	Balance of county	---	209	19	9	14	
Freeport	---	327	5	2	1	Bartholomew	---	556	543	6	5	
White	---	301	4	2	1	Columbus	---	357	5	4	5	
All other	---	26	1	1	-	Balance of county	---	186	1	1	4	
Black	---	24	1	1	-							
Balance of county	---	167	5	2	1							
Tazewell	674	1,045	13	10	7							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 28

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 28 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Indiana-Con.					Indiana-Con.						
Benton	41	103	-	-	-	Madison	---	178	1	-	3
Blackford	104	149	4	4	2	Balance of county	---	134	2	2	2
Boone	255	363	3	1	-	Jennings	125	192	1	1	6
Lebanon	---	139	2	-	-	Johnson	579	769	11	9	5
Balance of county	---	224	1	1	-	Franklin	---	241	2	-	1
Brown	69	118	1	-	-	Greenwood	---	315	6	6	2
Carroll	99	163	1	-	2	Balance of county	---	213	3	3	2
Cass	324	408	6	2	2	Knox	525	449	3	3	3
Logansport	---	239	5	2	2	Vincennes	---	263	2	2	1
Balance of county	---	169	1	-	-	Balance of county	---	186	1	1	2
Clark	810	866	7	5	13	Kosciusko	383	500	16	11	8
Clarksville	---	279	1	1	1	Warsaw	---	136	5	3	2
Jeffersonville	---	288	3	2	8	Balance of county	---	364	11	8	6
White	---	243	2	4	4	Lagrange	185	204	4	4	2
All other	---	45	1	2	4	Lake	5,128	4,603	79	49	72
Black	---	45	2	2	4	White	3,878	3,359	40	26	34
Balance of county	---	299	3	2	4	All other	1,250	1,244	39	23	38
Clay	202	282	4	3	3	Black	1,242	1,237	39	23	38
Clinton	233	326	3	2	-	Crown Point	---	264	6	4	1
Frankfort	---	179	3	2	-	East Chicago	---	350	5	2	10
Balance of county	---	147	-	-	-	White	---	218	4	2	5
Crawford	43	110	-	-	1	All other	---	132	1	-	5
Davies	311	309	9	4	2	Black	---	131	1	-	5
Washington	---	180	6	3	1	Gary	---	1,299	36	20	33
Balance of county	---	129	1	1	1	White	---	280	3	2	5
Dearborn	302	340	3	3	4	All other	---	1,019	33	18	28
Decatur	156	191	3	3	5	Black	---	1,018	33	18	28
De Kalb	255	293	6	3	3	Griffith	---	134	1	-	2
Delaware	1,168	1,054	11	6	10	Hammond	---	872	13	10	9
Muncie	---	751	9	5	7	White	---	823	9	6	6
White	---	684	6	4	5	All other	---	49	4	4	3
All other	---	67	3	1	2	Black	---	48	4	4	3
Black	---	66	3	1	2	Highland	---	178	1	-	2
Balance of county	---	303	2	1	3	Hobart	---	213	3	3	2
Dubois	422	313	7	3	4	Lake Station	---	112	2	1	3
Elkhart	1,219	1,208	26	18	24	Merrillville	---	325	4	4	4
Elkhart	---	471	13	8	8	Munster	---	223	1	-	2
White	---	417	7	4	4	Schererville	---	90	2	1	1
All other	---	54	6	4	4	Balance of county	---	543	5	4	3
Black	---	53	6	4	4	La Porte	918	974	15	7	14
Goshen	---	243	5	3	3	La Porte	---	244	2	4	1
Balance of county	---	494	8	7	13	Michigan City	---	386	6	4	11
Fayette	215	246	2	-	-	White	---	327	1	1	8
Connersville	---	188	2	-	-	All other	---	59	5	3	3
Balance of county	---	58	1	-	-	Black	---	59	5	3	3
Floyd	641	610	6	4	4	Balance of county	---	344	7	3	2
New Albany	---	472	3	2	2	Lawrence	457	459	3	2	4
Balance of county	---	138	3	2	2	Bedford	---	201	-	-	2
Fountain	90	195	-	-	2	Balance of county	---	258	3	2	2
Franklin	59	130	-	-	1	Madison	1,179	1,288	15	9	9
Fulton	166	209	2	1	1	White	1,123	1,222	14	9	8
Gibson	271	362	2	1	6	All other	---	66	1	-	1
Grant	654	736	10	6	12	Black	---	66	1	-	1
Marion	---	473	7	4	7	Anderson	---	751	8	5	5
White	---	425	6	3	5	White	---	691	7	5	4
All other	---	48	1	1	2	All other	---	60	1	-	1
Black	---	47	1	1	2	Black	---	60	1	-	1
Balance of county	---	263	3	2	5	Elwood, part	---	124	1	-	2
Greene	260	353	2	1	4	Elwood, total	---	124	1	-	2
Hamilton	600	658	13	7	14	Balance of county	---	413	6	4	2
Carmel	---	186	4	3	2	Marion	9,119	7,104	177	123	107
Noblesville	---	191	2	1	4	White	7,440	5,484	95	64	62
Balance of county	---	281	7	4	8	All other	1,679	1,620	82	59	45
Hancock	338	400	3	2	6	Black	1,648	1,597	82	59	44
Greenfield	---	196	1	2	2	Beech Grove	---	132	-	-	1
Balance of county	---	204	2	2	4	Indianapolis	---	6,754	174	120	101
Harrison	176	215	1	1	3	White	---	5,140	92	61	57
Hendricks	474	515	3	3	5	All other	---	1,614	82	59	44
Henry	365	465	5	2	4	Black	---	1,591	82	59	43
New Castle	---	256	3	2	1	Lawrence	---	13	-	-	1
Balance of county	---	209	2	2	5	White	---	13	-	-	1
Howard	732	719	11	9	14	All other	---	-	-	-	-
Kokomo	---	553	9	5	8	Black	---	-	-	-	-
Balance of county	---	166	2	2	6	Speedway	---	116	-	-	-
Huntington	275	341	3	2	5	Balance of county	---	89	3	3	4
Huntington	---	167	1	2	1	Marshall	363	388	2	1	6
Balance of county	---	174	2	2	4	Martin	---	38	107	-	5
Jackson	346	388	5	3	2	Miami	---	195	281	5	3
Seymour	---	197	4	3	2	Peru	---	150	2	2	1
Balance of county	---	191	1	2	2	Balance of county	---	131	3	1	2
Jasper	166	214	3	3	2	Monroe	700	589	14	10	10
Jay	130	198	6	3	2	Bloomington	---	366	6	4	6
Jefferson	405	312	3	2	5	Balance of county	---	223	8	6	4
						Montgomery	335	373	2	2	3
						Crawfordsville	---	224	1	1	1
						Balance of county	---	149	1	1	2
						Morgan	311	461	13	11	9

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 29

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 29 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Indiana-Con.					Iowa-Con.						
Martinsville	---	193	3	3	4	Appanoose	140	173	-	-	1
Balance of county	---	268	10	8	5	Audubon	70	117	1	1	-
Newton	54	115	3	2	2	Benton	133	207	4	1	2
Noble	231	333	14	10	3	Black Hawk	1,327	1,131	14	8	8
Ohio	30	47	-	-	1	Cedar Falls	---	270	2	1	-
Orange	137	173	1	-	3	Waterloo	---	720	11	6	5
Owen	67	158	2	1	3	White	---	661	7	5	5
Parke	57	186	4	3	2	All other	---	59	4	1	2
Perry	156	207	3	1	1	Black	---	58	4	1	1
Pike	61	127	3	-	-	Balance of county	---	141	1	1	1
Porter	895	880	9	4	6	Boone	217	285	4	2	1
Portage	---	247	1	1	1	Boone	---	159	4	2	1
Valparaiso	---	259	2	2	1	Balance of county	---	106	-	-	-
Balance of county	---	374	6	1	5	Bremer	172	216	1	1	5
Posey	100	219	4	4	1	Buchanan	117	203	2	2	6
Pulaski	122	148	1	-	2	Buena Vista	169	197	-	-	2
Putnam	217	255	-	-	1	Butler	96	202	1	1	3
Randolph	182	253	1	1	2	Calhoun	181	185	-	-	-
Ripley	176	230	2	2	1	Carroll	217	233	-	-	1
Rush	116	171	2	1	2	Cass	175	184	1	1	2
St. Joseph	2,423	2,256	47	26	26	Cedar	76	156	-	-	2
White	2,187	2,037	28	12	13	Cerro Gordo	687	492	7	4	2
All other	236	219	19	14	13	Mason City	---	340	5	3	-
Black	227	211	17	13	12	Balance of county	---	152	2	1	2
Mishawaka	---	396	6	3	5	Cherokee	137	163	1	1	3
South Bend	---	1,167	30	19	18	Chickasaw	91	123	1	-	4
White	---	961	12	6	7	Clarke	74	103	-	-	1
All other	---	206	18	13	11	Clay	167	172	2	2	2
Black	---	200	16	12	11	Spencer	---	113	1	1	2
Balance of county	---	693	11	4	3	Balance of county	---	59	1	1	-
Scott	167	222	4	1	4	Clayton	161	222	2	2	2
Shelby	251	330	1	1	1	Clinton	454	519	3	1	6
Shelbyville	---	185	-	-	-	Clinton	---	320	1	-	3
Balance of county	---	145	1	1	1	Balance of county	---	199	2	1	3
Spencer	79	193	1	1	3	Crawford	119	172	-	-	-
Starke	175	247	3	2	-	Dallas	150	275	2	2	1
Steuben	182	282	6	4	4	Davis	93	87	-	-	1
Sullivan	199	252	1	1	4	Decatur	103	127	2	1	-
Switzerland	30	69	4	3	4	Delaware	159	181	-	-	-
Tippecanoe	1,260	942	13	11	12	Des Moines	449	398	6	4	4
Lafayette	---	459	6	5	6	Burlington	---	276	4	2	3
West Lafayette	---	159	2	2	4	Balance of county	---	120	2	2	-
Balance of county	---	324	5	4	6	Dickinson	136	149	4	4	-
Tipton	133	149	1	1	1	Dubuque	961	610	6	5	3
Elwood, part	---	---	-	-	-	Dubuque	---	644	4	3	3
Balance of county	---	149	1	1	1	Balance of county	---	166	2	2	-
Union	30	50	-	-	-	Emmet	131	148	1	-	-
Vanderburgh	2,466	1,838	22	14	16	Fayette	178	242	2	1	-
White	2,329	1,702	14	8	13	Floyd	190	217	3	2	2
All other	137	136	8	6	3	Franklin	108	117	1	1	1
Black	129	129	7	5	3	Fremont	96	127	2	1	-
Evansville	---	1,688	19	11	16	Greene	121	141	-	-	1
White	---	1,556	13	7	13	Grundy	---	89	1	-	-
All other	---	132	6	4	3	Guthrie	62	90	-	-	1
Black	---	125	5	3	3	Hamilton	90	136	-	-	-
Balance of county	---	150	3	2	1	Hancock	141	182	3	1	6
Vermillion	247	198	3	3	-	Hardin	88	132	1	-	-
Vigo	1,331	1,145	12	9	8	Harrison	215	267	-	-	1
Terre Haute	---	807	8	6	5	Henry	150	200	-	-	2
Balance of county	---	338	4	3	3	Howard	171	200	-	-	1
Wabash	301	359	3	2	1	Humboldt	100	121	-	-	1
Wabash	---	136	2	2	1	Ida	---	96	1	-	-
Balance of county	---	223	1	1	4	Iowa	103	104	1	-	-
Warren	62	75	1	1	-	Iowa City	97	165	-	-	5
Warrick	257	395	2	2	4	Jackson	156	202	3	1	2
Washington	184	223	-	-	1	Jasper	233	356	3	-	3
Wayne	799	748	12	10	5	Newton	---	183	2	-	1
Richmond	---	511	5	3	3	Balance of county	---	173	1	-	2
Balance of county	---	237	7	7	2	Jefferson	141	160	3	1	-
Wells	271	249	7	3	3	Johnson	1,359	435	11	9	10
White	153	235	2	2	1	Iowa City	---	248	4	3	4
Whitley	230	258	1	-	1	Balance of county	---	187	7	6	6
Iowa	26,178	26,593	309	181	255	Jones	100	167	-	-	-
White	25,753	26,201	280	166	234	Keokuk	72	124	1	-	1
All other	425	392	29	15	21	Kossuth	140	196	2	2	1
Black	335	320	23	12	17	Lee	445	444	3	-	3
Adair	75	107	1	1	-	Fort Madison	---	133	-	-	-
Adams	64	56	1	1	-	Keokuk	---	174	2	-	2
Allamakee	151	178	-	-	-	Balance of county	---	137	1	-	1
						Linn	1,387	1,234	20	10	17

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 30

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 30 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Iowa-Con.					Kansas-Con.						
Cedar Rapids	---	876	14	7	14	Allen	158	176	1	1	-
Marion	---	146	4	2	2	Anderson	84	117	1	-	-
Balance of county	---	212	2	1	1	Atchison	187	211	-	-	3
Louisa	52	119	1	1	-	White	---	155	-	-	2
Lucas	80	122	1	1	1	All other	---	137	-	-	2
Lyon	67	116	3	1	-	Black	---	18	-	-	-
Madison	114	165	-	-	2	Balance of county	---	17	-	-	-
Mahaska	193	220	2	1	1	Barber	51	66	-	-	1
Oskaloosa	---	140	1	1	1	Barton	265	276	6	4	1
Balance of county	---	80	-	-	-	Great Bend	---	151	3	3	1
Marion	315	326	5	2	1	Balance of county	---	125	3	1	-
Marshall	418	456	-	-	4	Bourbon	238	220	4	1	1
Marshalltown	---	339	-	-	2	Brown	112	132	1	1	-
Balance of county	---	117	-	-	2	Butler	336	423	6	5	6
Mills	35	110	-	-	1	El Dorado	---	135	-	-	3
Mitchell	136	153	4	1	-	Balance of county	---	288	6	5	3
Monona	144	162	-	-	1	Chase	25	45	-	-	-
Monroe	88	118	-	-	1	Chautauqua	46	57	1	-	-
Montgomery	138	156	1	1	-	Cherokee	134	290	2	2	1
Muscatine	303	376	10	7	8	Cheyenne	37	49	-	-	-
Muscatine	---	235	4	3	5	Clark	37	38	-	-	-
Balance of county	---	141	6	4	3	Clay	120	121	-	-	-
O'Brien	151	192	2	2	2	Cloud	160	184	2	-	-
Osceola	71	77	-	-	-	Coffey	72	105	-	-	-
Page	169	225	2	2	2	Comanche	27	37	-	-	1
Palo Alto	100	123	1	1	1	Cowley	359	412	6	3	3
Plymouth	193	244	4	3	4	Arkansas City	---	181	6	3	2
Pocahontas	104	127	-	-	-	Winfield	---	143	-	-	1
Polk	3,493	2,467	52	31	41	Balance of county	---	88	-	-	-
White	3,352	2,344	40	24	31	Crawford	416	442	3	3	3
All other	---	123	12	7	10	Pittsburg	---	208	2	2	3
Black	113	110	10	6	9	Balance of county	---	234	1	1	-
Ankeny	---	81	2	1	-	Decatur	69	64	-	-	-
Des Moines	---	1,780	40	23	25	Dickinson	221	253	3	1	-
White	---	1,666	31	18	19	Doniphan	40	118	-	-	-
All other	---	114	9	5	6	Douglas	405	429	10	6	7
Black	---	103	7	4	6	Lawrence	---	314	8	5	5
Urbandale	---	99	1	1	2	White	---	293	5	3	4
West Des Moines	---	197	2	2	5	All other	---	21	3	2	1
Balance of county	---	310	7	4	9	Black	---	15	2	1	2
Pottawattamie	681	731	13	8	12	Balance of county	---	115	2	1	-
Council Bluffs	---	534	10	7	8	Edwards	45	59	-	-	-
Balance of county	---	197	3	1	4	Elk	20	48	-	-	-
Poweshiek	178	204	-	-	2	Ellis	235	193	3	3	-
Ringgold	74	77	-	-	-	Hays	---	125	3	-	-
Sac	105	155	1	1	2	Balance of county	---	68	-	-	-
Scott	1,317	1,221	23	14	13	Ellsworth	76	93	-	-	-
Bettendorf	---	179	1	1	3	Finney	169	167	3	3	4
Davenport	---	886	15	9	9	Garden City	---	149	1	1	3
Balance of county	---	156	7	4	1	White	---	147	1	1	3
Shelby	120	146	2	2	-	All other	---	2	-	-	-
Sioux	168	218	4	2	1	Black	---	1	-	-	-
Story	450	413	5	3	6	Balance of county	---	18	2	2	1
Ames	---	172	2	1	4	Ford	235	237	4	4	6
Balance of county	---	241	3	2	2	Dodge City	---	167	4	2	6
Tama	76	170	2	1	1	Balance of county	---	70	-	-	-
Taylor	43	94	-	-	2	Franklin	160	225	4	2	1
Union	133	160	1	1	1	Ottawa	---	129	2	1	1
Van Buren	68	97	1	1	-	Balance of county	---	96	2	1	-
Wapello	398	418	5	4	2	Geary	174	205	12	8	7
Ottumwa	---	331	4	3	2	White	---	142	6	3	4
Balance of county	---	87	1	1	2	All other	---	32	6	5	3
Warren	123	232	4	1	2	Black	---	31	4	4	3
Indianola	---	98	1	1	2	Balance of county	---	155	8	4	6
Balance of county	---	134	3	1	1	White	---	124	5	2	3
Washington	153	205	4	3	1	All other	---	31	3	2	3
Wayne	85	112	-	-	-	Black	---	28	2	1	3
Webster	457	481	5	5	3	Balance of county	---	50	4	4	1
Fort Dodge	---	364	5	5	1	White	---	38	1	1	1
Balance of county	---	117	-	-	2	All other	---	12	3	3	-
Black	---	117	-	-	1	Black	---	12	3	3	-
Winneshiek	114	158	1	-	1	Gove	25	29	-	-	-
Winneshiek	120	161	3	1	1	Graham	30	36	-	-	-
Woodbury	1,267	975	19	9	13	Grant	40	46	-	-	2
Sioux City	---	813	18	8	9	Gray	20	40	1	-	1
Balance of county	---	162	1	1	4	Greeley	10	10	-	-	1
Worth	50	95	1	1	-	Greenwood	78	94	-	-	1
Wright	133	173	2	-	1	Hamilton	32	33	-	-	-
Kansas	21,464	22,185	332	200	215	Harper	91	92	-	-	-
White	20,178	20,888	252	153	180	Harvey	382	310	5	3	-
All other	1,286	1,297	80	47	35	Newton	---	187	2	-	-
Black	1,126	1,132	72	43	29	Balance of county	---	123	3	3	-
						Haskell	22	26	1	1	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 31

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 31 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Kansas-Con.					Kansas-Con.						
Hodgeman	15	18	1	-	-	Manhattan, part	---	197	5	4	2
Jackson	77	116	3	1	2	Manhattan, total	---	197	5	4	2
Jefferson	90	154	2	2	1	Balance of county	---	53	-	-	-
Jewell	29	62	-	-	-	White	---	50	-	-	-
Johnson	1,912	2,038	39	25	18	All other	---	3	-	-	-
Leawood	---	114	2	1	-	Black	---	1	-	-	-
Lenexa	---	165	3	2	4	Rooks	---	56	73	-	-
Merriam	---	71	1	-	1	Rush	---	35	56	-	1
Olathe	---	292	7	4	2	Russell	---	62	108	-	1
Overland Park	---	697	17	14	5	Saline	---	511	421	10	6
Prairie Village	---	188	1	-	1	Salina	---	368	8	4	7
Shawnee	---	187	3	2	1	Balance of county	---	53	2	2	1
Balance of county	---	324	5	2	4	Scott	---	42	48	2	2
Kearny	27	31	2	1	-	Sedgwick	---	3,999	3,179	76	49
Kingman	92	110	2	2	1	White	---	3,568	2,859	52	33
Kiowa	41	46	1	1	-	All other	---	331	320	24	16
Labette	268	310	1	-	1	Black	---	287	279	23	16
Parsons	---	183	-	-	-	Wichita	---	2,782	2,464	70	44
White	---	172	-	-	-	White	---	2,464	46	28	27
All other	---	11	-	-	-	All other	---	318	24	16	14
Black	---	11	-	-	-	Black	---	278	23	16	12
Balance of county	---	127	1	-	1	Balance of county	---	397	6	5	2
Lane	19	27	-	-	1	Seward	---	140	121	4	1
Leavenworth	403	433	8	4	4	Liberal	---	111	4	1	6
White	363	396	6	4	3	White	---	105	3	1	6
All other	40	37	2	-	1	All other	---	6	1	-	-
Black	39	33	2	-	1	Black	---	6	1	-	-
Leavenworth	---	264	5	2	1	Balance of county	---	10	-	-	-
White	---	231	3	2	1	Shawnee	---	1,769	1,420	13	7
All other	---	33	2	-	-	White	---	1,597	1,268	3	1
Black	---	30	2	-	-	All other	---	172	152	10	6
Balance of county	---	169	3	2	3	Black	---	146	136	9	6
Lincoln	66	82	-	-	-	Topeka	---	1,245	1,095	13	7
Linn	51	120	2	1	-	White	---	1,095	3	1	14
Logan	27	31	-	-	1	All other	---	150	10	6	4
Lyon	272	268	1	-	-	Black	---	135	9	6	4
Emporia	---	208	-	-	-	Balance of county	---	175	-	-	2
Balance of county	---	60	1	-	-	Sheridan	---	15	18	1	-
McPherson	266	306	5	4	2	Sherman	---	78	88	-	-
McPherson	---	128	2	1	-	Smith	---	61	79	1	-
Balance of county	---	178	3	3	2	Stafford	---	69	75	-	-
Marion	151	181	2	1	-	Stanton	---	13	14	-	-
Marshall	131	151	-	-	-	Stevens	---	24	34	-	3
Meade	48	60	-	-	1	Sumner	---	250	325	2	2
Miami	184	222	2	2	2	Thomas	---	71	74	-	2
Mitchell	97	86	-	-	-	Trego	---	54	52	1	-
Montgomery	438	487	6	4	2	Wabaunsee	---	31	58	1	1
Coffeyville	---	194	1	-	-	Wallace	---	10	17	-	1
White	---	170	1	-	-	Washington	---	77	109	1	1
All other	---	24	-	-	-	Wichita	---	25	31	-	-
Black	---	15	-	-	-	Wilson	---	112	132	3	2
Independence	---	138	2	1	-	Woodson	---	39	72	-	1
White	---	131	1	1	-	Wyandotte	---	1,731	1,570	39	20
All other	---	7	1	-	-	White	---	1,304	1,161	20	11
Black	---	7	1	-	-	All other	---	427	409	19	9
Balance of county	---	155	3	3	2	Black	---	419	406	18	9
Morris	49	69	-	-	1	Kansas City	---	1,460	36	19	14
Morton	30	22	-	-	-	White	---	1,059	17	10	7
Nemaha	134	144	-	-	4	All other	---	401	19	9	7
Neosho	216	237	1	1	2	Black	---	398	18	9	7
Chanute	---	151	1	1	1	Balance of county	---	110	3	1	-
Balance of county	---	86	-	-	1	Kentucky	---	34,501	35,033	447	246
Ness	48	53	1	1	-	White	---	32,034	32,490	381	206
Norton	77	89	1	-	2	All other	---	2,467	2,543	66	40
Osage	95	162	1	1	-	Black	---	2,422	2,497	66	40
Osborne	43	55	-	-	-	Adair	---	121	172	2	-
Ottawa	60	70	-	-	-	Allen	---	121	191	1	-
Pawnee	69	83	1	-	-	Anderson	---	45	135	-	-
Phillips	72	96	-	-	1	Ballard	---	31	111	1	1
Pottawatomie	130	140	-	-	-	Barren	---	496	392	-	3
Manhattan, part	---	-	-	-	-	Glasgow	---	227	-	-	2
Balance of county	---	140	-	-	-	Balance of county	---	165	-	-	1
Pratt	107	102	2	1	1	Bath	---	38	105	1	-
Rawlins	29	40	-	-	-	Bell	---	348	350	2	1
Reno	536	592	6	3	3	Middlesborough	---	149	1	1	-
Hutchinson	---	405	4	2	3	Balance of county	---	201	1	-	1
Balance of county	---	187	2	1	-	Boone	---	376	399	2	1
Republic	122	124	-	-	3	Florence	---	230	1	1	5
Rice	105	136	4	4	1	Balance of county	---	169	1	-	4
Riley	227	250	5	4	2	Bourbon	---	136	198	2	2
White	214	233	4	3	2	White	---	109	165	2	2
All other	13	17	1	1	-	All other	---	27	33	-	-
Black	9	12	1	1	-	Black	---	27	33	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 32

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 32 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Kentucky-Con.					Kentucky-Con.							
Boyd	612	542	7	3	5	Hardin	652	560	10	3	12	
Ashland	---	328	3	1	1	White	605	511	7	2	11	
Balance of county	---	214	4	2	4	All other	47	49	3	1	1	
Boyle	325	262	1	—	2	Black	39	40	3	1	1	
Danville	---	153	1	—	—	Elizabethtown	---	177	—	—	5	
White	---	124	1	—	—	Radcliff	---	112	5	—	1	
All other	---	29	—	—	—	White	---	92	3	—	1	
Black	---	29	—	—	—	All other	---	20	2	—	—	
Balance of county	---	109	—	—	2	Black	---	16	2	—	—	
Bracken	38	103	—	—	—	Balance of county	---	271	5	3	6	
Breathitt	161	161	5	2	1	White	---	257	4	2	5	
Breckinridge	121	165	1	1	2	All other	---	14	1	1	1	
Bullitt	95	275	6	2	5	Black	---	11	1	1	1	
Butler	44	139	—	—	1	Harlan	276	376	5	—	3	
Caldwell	115	150	3	2	—	Harrison	203	195	2	2	1	
Calloway	285	287	2	—	1	Hart	77	141	—	—	1	
Murray	---	124	1	—	—	Hart	---	408	2	—	4	
Balance of county	---	163	1	—	1	Henderson	---	306	1	—	2	
Campbell	675	780	9	7	6	White	---	280	1	—	1	
Fort Thomas	---	157	2	—	—	All other	---	28	—	—	1	
Newport	---	210	3	1	4	Black	---	24	—	—	1	
Balance of county	---	413	4	4	2	Balance of county	---	102	1	—	2	
Carlisle	16	64	—	—	1	Henry	37	122	1	—	1	
Carroll	135	116	—	—	1	Hickman	44	76	—	—	—	
Carter	103	251	3	2	4	White	---	69	—	—	—	
Casey	44	143	3	2	1	All other	---	4	7	—	—	
Christian	513	527	7	5	11	Black	---	4	7	—	—	
White	410	413	6	4	4	Hopkins	707	504	6	4	4	
All other	103	114	1	1	7	Madisonville	---	229	5	3	3	
Black	103	113	1	1	7	White	---	205	4	3	1	
Hopkinsville	---	340	3	2	6	All other	---	24	1	—	2	
White	---	251	2	1	3	Black	---	24	1	—	2	
All other	---	89	1	1	3	Balance of county	---	275	1	1	1	
Black	---	89	1	1	3	Jackson	39	116	1	1	4	
Balance of county	---	187	4	3	5	Jefferson	7,585	6,557	106	58	67	
White	---	162	4	3	1	White	---	6,501	5,473	71	38	40
All other	---	25	—	—	4	All other	---	1,084	1,084	35	20	27
Black	---	24	—	—	4	Black	---	1,068	1,070	35	20	27
Clark	234	307	3	—	2	Jeffersontown	---	66	—	—	—	
Winchester	---	198	2	—	1	Louisville	---	4,524	79	39	45	
White	---	166	2	—	1	White	---	3,528	46	20	21	
All other	---	32	—	—	—	All other	---	996	33	19	24	
Black	---	32	—	—	—	Black	---	988	33	19	24	
Balance of county	---	109	1	—	1	St. Matthews	---	35	—	—	—	
Clay	168	204	10	5	6	Shively	---	10	—	—	—	
Clinton	85	109	—	—	1	Balance of county	---	1,922	27	19	22	
Crittenden	114	120	—	—	—	White	---	1,838	25	18	19	
Cumberland	74	82	1	—	—	All other	---	84	2	1	3	
Daviess	978	830	12	4	10	Black	---	78	2	1	3	
Owensboro	---	619	8	3	7	Jessamine	119	229	6	3	4	
Balance of county	---	211	4	1	3	Nicholasville	---	122	1	1	2	
Edmonson	27	83	2	1	1	Balance of county	---	107	5	2	2	
Elliott	29	68	1	1	1	Johnston	193	245	4	4	1	
Estill	82	131	2	—	2	Kenton	1,286	1,234	15	10	23	
Fayette, coext. with Lexington-Fayette	3,474	1,746	39	24	24	Covington	---	573	7	3	10	
White	3,098	1,451	22	11	14	Erlanger	---	87	2	2	—	
All other	376	295	17	13	10	Balance of county	---	574	6	5	13	
Black	370	288	17	13	9	Knott	---	52	142	6	4	1
Fleming	128	157	1	—	1	Knox	199	294	2	2	3	
Floyd	430	442	3	1	4	Larue	---	51	131	—	—	1
Franklin	367	412	5	4	7	Laurel	---	275	365	5	5	5
Frankfort	---	310	4	3	3	Lawrence	---	185	145	3	1	—
White	---	288	4	3	2	Lee	---	39	86	—	—	—
All other	---	22	—	—	1	Leslie	---	82	113	2	2	1
Black	---	22	—	—	1	Letcher	---	218	254	3	1	3
Balance of county	---	102	1	1	4	Lewis	---	66	140	3	3	1
Fulton	107	120	—	—	2	Lincoln	---	143	203	6	3	1
White	93	101	—	—	1	Livingston	---	66	117	1	1	—
All other	14	19	—	—	1	Logan	---	169	255	4	3	2
Black	14	19	—	—	1	Lyon	---	34	65	—	—	—
Gallatin	14	52	2	—	1	McCracken	1,129	663	3	3	5	
Garrard	84	117	2	1	—	White	---	1,049	592	1	1	3
Grant	77	130	—	—	1	All other	---	80	71	2	2	2
Graves	272	357	1	1	5	Black	---	78	70	2	2	2
Mayfield	---	153	—	—	1	Paducah	---	438	2	2	4	
White	---	142	—	—	—	White	---	368	—	—	2	
All other	---	11	—	—	1	All other	---	70	2	2	2	
Black	---	11	—	—	1	Black	---	70	2	2	2	
Balance of county	---	204	1	1	4	Balance of county	---	225	1	1	1	
Grayson	182	217	2	1	3	McCreary	---	56	160	3	2	—
Green	72	107	2	2	2	McLean	---	72	118	—	—	—
Greenup	400	337	—	—	7	Madison	---	427	462	6	5	6
Hancock	18	54	—	—	—	Richmond	---	197	2	2	4	
						White	---	180	2	2	3	
						All other	---	17	—	—	1	
						Black	---	17	—	—	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 33

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 33 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1999, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Kentucky-Con.					Louisiana-Con.						
Balance of county	---	265	4	3	2	Acadia	363	507	6	6	11
Magoffin	40	123	-	-	1	White	291	408	3	3	4
Marion	177	177	1	1	1	All other	72	99	3	3	7
Marshall	221	330	1	-	1	Black	72	99	3	3	3
Martin	39	113	-	-	-	Crowley	---	169	3	3	3
Mason	261	209	3	3	2	White	---	122	-	-	-
Meade	53	129	1	-	1	All other	---	47	3	3	3
Menifee	15	56	3	1	1	Black	---	47	3	3	3
Mercer	161	206	3	1	1	Eunice, part	---	1	-	-	8
Metcalfe	29	94	-	-	1	Balance of parish	---	337	3	3	8
Monroe	93	131	-	-	3	White	---	285	3	3	4
Montgomery	177	196	5	3	1	All other	---	52	-	-	4
Morgan	82	107	1	1	1	Black	---	52	-	-	4
Muhlenberg	263	361	5	1	5	Allen	---	52	2	2	8
Nelson	172	215	2	1	1	White	172	221	1	1	5
Nicholas	63	81	-	-	-	All other	139	169	1	1	3
Ohio	149	222	4	1	2	Black	33	52	1	1	5
Oldham	185	190	2	1	4	Ascension	33	49	-	-	9
Owen	70	101	-	-	1	White	337	408	7	2	9
Owsley	23	61	-	-	-	All other	242	287	2	1	4
Pendleton	31	100	2	1	-	Black	95	121	5	5	5
Perry	391	297	2	1	3	Assumption	93	121	1	1	5
Pike	635	683	13	7	10	White	100	201	5	2	3
Powell	57	115	1	1	1	All other	74	135	4	2	1
Pulaski	567	509	7	1	6	Black	26	66	1	-	2
Somerset	---	170	2	-	2	Avoyelles	26	66	1	-	6
Balance of county	---	339	5	1	4	White	303	438	5	3	2
Robertson	6	24	-	-	1	All other	221	335	4	4	4
Rockcastle	113	147	-	-	1	Black	82	103	4	3	4
Rowan	296	154	3	2	3	Beauregard	81	102	4	-	-
Russell	130	175	-	-	2	White	216	270	6	5	5
Scott	145	204	5	4	2	All other	178	220	4	3	5
Georgetown	---	125	5	4	2	Black	38	50	2	2	-
White	---	114	4	3	2	De Ridder, part	38	50	2	2	-
All other	---	11	1	1	-	White	---	108	3	3	3
Black	---	11	1	1	-	All other	---	64	1	1	-
Balance of county	---	79	-	-	-	Black	---	44	2	2	-
Shelby	259	250	3	2	5	De Ridder, total	---	44	2	2	-
White	246	235	3	2	5	White	---	108	3	3	-
All other	13	15	-	-	-	All other	---	64	1	1	-
Black	13	15	-	-	-	Black	---	44	2	2	-
Simpson	109	168	4	1	4	Balance of parish	---	162	3	2	5
White	92	146	2	1	3	Bienville	95	210	1	2	2
All other	17	22	2	-	1	White	55	110	-	-	-
Black	17	22	2	-	1	All other	40	100	1	-	2
Spencer	17	59	1	1	2	Black	40	100	1	-	2
Taylor	214	229	-	-	1	Bossier	458	594	12	6	10
Todd	21	107	2	1	1	White	363	473	9	5	7
White	18	96	2	1	1	All other	95	121	3	1	3
All other	3	11	-	-	-	Black	94	120	3	1	3
Black	3	11	-	-	-	Bossier City	---	373	8	5	7
Trigg	93	143	-	-	1	White	---	326	6	4	5
White	83	129	-	-	1	All other	---	47	2	1	2
All other	10	14	-	-	-	Black	---	46	2	1	2
Black	10	14	-	-	-	Shreveport, part	---	1	1	-	-
Trimble	18	62	-	-	1	Balance of parish	---	220	3	1	3
Union	99	152	1	-	2	White	---	146	2	1	2
White	90	139	1	-	1	All other	---	74	1	-	1
All other	9	13	-	-	1	Black	---	74	1	-	1
Black	9	13	-	-	1	Caddo	3,548	2,514	37	24	33
Warren	979	664	3	1	11	White	2,264	1,557	12	7	6
Bowling Green	---	454	2	1	7	All other	1,284	957	25	17	27
White	---	397	2	1	5	Black	1,283	957	25	17	27
All other	---	57	-	-	2	Shreveport, part	---	2,175	29	21	31
Black	---	56	-	-	2	White	---	1,304	8	5	4
Balance of county	---	210	1	-	4	All other	---	871	21	16	27
Washington	41	107	1	-	-	Black	---	871	21	16	27
White	38	100	1	-	-	Shreveport, total	---	2,176	30	21	31
All other	3	7	-	-	-	White	---	1,305	9	5	4
Black	3	7	-	-	-	All other	---	871	21	16	27
Wayne	97	161	5	3	3	Black	---	871	21	16	27
White	58	181	2	2	3	Balance of parish	---	339	8	3	2
Whitley	361	343	4	3	3	White	---	253	4	2	2
Wolfe	41	74	2	1	1	All other	---	86	4	1	-
Woodford	139	148	4	3	1	Black	---	86	4	1	-
Louisiana *	37,968	37,642	668	402	548	Calcasieu	1,567	1,449	21	7	23
White	25,841	25,565	275	166	250	White	1,205	1,087	14	3	12
All other	12,127	12,077	393	236	298	All other	---	362	7	4	11
Black	12,016	11,976	389	234	295	Black	---	360	7	4	11
						Lake Charles	---	767	10	4	12
						White	---	462	5	2	3
						All other	---	305	5	2	9
						Black	---	303	5	2	9
						Sulphur	---	198	3	-	2
						Balance of parish	---	484	8	3	9
						White	---	435	6	1	8
						All other	---	49	2	2	1
						Black	---	49	2	2	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 34

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 34 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Louisiana-Con.					Louisiana-Con.							
Caldwell	99	142	1	1	2	Kenner	---	482	16	12	9	
White	84	120	1	1	1	White	---	387	10	9	7	
All other	15	22	-	-	1	All other	---	95	6	3	2	
Black	15	22	-	-	1	Black	---	93	6	3	2	
Cameron	35	61	2	2	-	Westwego	---	132	1	-	1	
Catahoula	36	119	-	-	-	White	---	107	1	-	-	
White	24	84	-	-	-	All other	---	25	-	-	1	
All other	12	35	-	-	-	Black	---	25	-	-	1	
Black	12	34	-	-	-	Balance of parish	---	2,612	38	20	47	
Claiborne	162	207	-	-	5	White	---	2,202	20	11	29	
White	96	117	-	-	2	All other	---	410	18	9	18	
All other	66	90	-	-	3	Black	---	392	18	9	18	
Black	66	90	-	-	3	Jefferson Davis	231	287	4	3	3	
Concordia	188	232	4	2	3	White	197	236	2	1	1	
White	104	134	2	1	2	All other	34	51	2	2	2	
All other	84	98	2	1	1	Black	33	51	2	2	2	
Black	84	98	2	1	1	Jennings	---	129	2	1	2	
De Soto	186	277	3	1	2	White	---	100	1	-	1	
White	108	155	2	1	1	All other	---	29	1	1	1	
All other	78	122	1	-	1	Black	---	29	1	1	1	
Black	78	122	1	-	1	Balance of parish	---	158	2	2	1	
East Baton Rouge	3,704	2,734	60	46	54	White	---	136	1	1	-	
White	2,394	1,713	14	8	13	All other	---	22	1	1	1	
All other	1,310	1,021	46	38	41	Black	---	22	1	1	1	
Black	1,301	1,015	45	37	41	Lafayette	1,639	1,110	20	12	19	
Baker	---	98	3	1	1	White	1,190	819	7	5	13	
White	---	81	3	1	1	All other	449	291	13	7	6	
All other	---	17	-	-	-	Black	447	290	13	7	6	
Black	---	17	-	-	-	Lafayette	---	815	13	9	12	
Baton Rouge	---	2,239	51	40	48	White	---	577	5	3	8	
White	---	1,300	8	5	9	All other	---	238	8	6	4	
All other	---	939	43	35	39	Black	---	237	8	6	4	
Black	---	933	42	34	39	Balance of parish	---	295	7	3	7	
Balance of parish	---	397	6	5	5	White	---	242	2	2	5	
White	---	332	3	2	3	All other	---	53	5	1	2	
All other	---	65	3	3	2	Black	---	53	5	1	2	
Black	---	65	3	3	2	Lafourche	556	619	10	5	11	
East Carroll	96	133	4	3	1	White	463	532	2	2	7	
White	27	45	-	-	1	All other	93	87	8	3	4	
All other	69	88	4	3	-	Black	91	84	8	3	4	
Black	69	88	4	3	-	Thibodaux	---	173	5	1	1	
East Feliciana	83	205	5	3	5	White	---	123	-	-	-	
White	55	121	1	1	2	All other	---	50	5	1	1	
All other	28	84	4	2	3	Black	---	50	5	1	1	
Black	27	83	4	2	3	Balance of parish	---	446	5	4	10	
Evangeline	364	364	4	3	5	La Salle	137	175	3	1	1	
White	272	282	1	1	3	White	127	164	3	1	1	
All other	92	82	3	2	2	All other	10	11	-	-	-	
Black	90	82	3	2	2	Black	---	11	-	-	-	
Franklin	203	245	10	8	2	Lincoln	399	357	4	3	6	
White	141	167	3	2	-	White	250	218	2	2	3	
All other	62	78	7	6	2	All other	149	139	2	1	3	
Black	62	78	7	6	2	Black	149	139	2	1	3	
Grant	56	173	2	1	-	Ruston	---	170	-	-	3	
White	46	144	2	1	-	White	---	107	-	-	2	
All other	10	29	-	-	-	All other	---	63	-	-	1	
Black	10	28	-	-	-	Black	---	63	-	-	1	
Iberia	506	562	13	7	6	Balance of parish	---	187	4	3	3	
White	328	368	5	3	2	White	---	111	2	2	1	
All other	178	194	8	4	4	All other	---	76	2	1	2	
Black	176	192	8	4	4	Black	---	76	2	1	2	
New Iberia	---	302	8	5	3	Livingston	181	486	13	7	13	
White	---	207	2	1	1	Madison	116	135	2	1	4	
All other	---	95	6	4	2	White	---	44	55	-	-	
Black	---	93	6	4	2	All other	---	72	80	2	1	4
Balance of parish	---	260	5	2	3	Black	---	72	80	2	1	4
White	---	161	3	2	1	Tallulah	---	99	2	1	3	
All other	---	99	2	-	2	White	---	32	-	-	-	
Black	---	99	2	-	2	All other	---	67	2	1	3	
Iberville	200	285	3	3	-	Black	---	67	2	1	3	
White	117	157	2	1	-	Balance of parish	---	36	-	-	1	
All other	83	128	1	1	-	White	---	23	-	-	-	
Black	83	128	1	1	-	All other	---	13	-	-	1	
Jackson	121	207	2	1	2	Black	---	13	-	-	1	
White	78	139	1	1	1	Morehouse	285	345	6	3	6	
All other	43	68	1	-	1	White	175	205	1	-	-	
Black	43	68	1	-	1	All other	110	140	5	3	6	
Jefferson	3,839	3,627	64	39	61	Black	110	140	5	3	6	
White	3,116	3,015	35	23	38	Bastrop	---	203	5	2	2	
All other	723	612	29	16	23	White	---	108	1	-	-	
Black	701	588	29	16	23	All other	---	95	4	2	2	
Gretna	---	324	8	6	4	Black	---	95	4	2	2	
White	---	242	3	2	2	Balance of parish	---	142	1	1	4	
All other	---	82	5	4	2	White	---	97	-	-	-	
Black	---	78	5	4	2	All other	---	45	1	1	4	
Harahan	---	77	1	1	-	Black	---	45	1	1	4	
						Natchitoches	227	345	5	4	1	
						White	149	218	2	1	1	
						All other	78	127	3	3	-	
						Black	78	127	3	3	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 35

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 35 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Louisiana-Con.					Louisiana-Con.						
Natchitoches	---	153	3	3	---	Eunice, part	---	130	3	2	---
White	---	84	---	---	---	White	---	96	---	---	---
All other	---	69	3	3	---	All other	---	34	3	2	---
Black	---	69	3	3	---	Black	---	33	3	2	---
Balance of parish	---	192	2	1	1	Eunice, total	---	131	3	2	---
White	---	134	2	1	1	White	---	97	---	---	---
All other	---	58	---	---	---	All other	---	34	3	2	---
Black	---	58	---	---	---	Black	---	33	3	2	---
Orleans, coext. with New Orleans city	6,102	5,523	100	54	57	Opelousas	---	269	6	2	2
White	2,915	2,436	14	11	11	White	---	132	---	---	---
All other	3,187	3,087	86	43	46	All other	---	137	6	2	2
Black	3,164	3,066	85	43	44	Black	---	137	6	2	2
Ouachita	1,613	1,272	22	11	10	Balance of parish	---	364	3	2	2
White	1,070	855	12	6	5	White	---	254	1	---	1
All other	543	417	10	5	5	All other	---	110	2	2	1
Black	543	417	10	5	5	Black	---	110	2	2	1
Monroe	---	654	13	7	6	St. Martin	175	323	5	5	2
White	---	332	3	2	1	White	137	223	2	2	2
All other	---	322	10	5	5	All other	38	100	3	3	2
Black	---	322	10	5	5	Black	38	100	3	3	2
West Monroe	---	216	2	2	1	St. Mary	410	486	9	5	4
White	---	178	2	2	1	White	287	334	3	1	3
All other	---	38	---	---	---	All other	123	152	6	4	1
Black	---	38	---	---	---	Black	122	148	6	4	1
Balance of parish	---	402	7	2	3	Morgan City	---	147	3	1	2
White	---	345	7	2	3	White	---	127	2	---	---
All other	---	57	---	---	---	All other	---	20	1	1	1
Black	---	57	---	---	---	Black	---	20	1	1	1
Plaquemines	84	188	2	1	4	Balance of parish	---	339	6	4	2
White	60	148	1	---	1	White	---	207	1	1	1
All other	24	40	1	1	3	All other	---	132	5	3	1
Black	19	39	1	1	2	Black	---	128	5	3	1
Pointe Coupee	133	210	2	1	2	St. Tammany	1,109	1,069	24	14	21
White	75	121	1	1	2	White	949	917	18	11	16
All other	58	89	1	---	---	All other	160	152	6	3	5
Black	58	89	1	---	---	Black	158	152	6	3	5
Rapides	1,754	1,253	25	17	16	Slidell	---	315	5	3	11
White	1,309	905	15	9	9	Balance of parish	---	754	19	11	10
All other	445	348	10	8	7	White	---	651	15	9	8
Black	442	346	10	8	7	All other	---	103	4	2	2
Alexandria	---	612	12	11	7	Black	---	103	4	2	2
White	---	358	6	5	1	Tangipahoa	859	907	14	9	20
All other	---	254	6	6	6	White	592	625	8	5	9
Black	---	253	6	6	6	All other	267	282	6	4	11
Pineville	---	195	3	2	2	Black	266	282	6	4	11
White	---	159	1	1	2	Hammond	---	237	3	2	4
All other	---	36	2	1	---	White	---	148	2	1	1
Black	---	35	2	1	---	All other	---	89	1	1	3
Balance of parish	---	446	10	4	7	Black	---	89	1	1	3
White	---	388	8	3	6	Balance of parish	---	670	11	7	16
All other	---	58	2	1	1	White	---	477	6	4	8
Black	---	58	2	1	1	All other	---	193	5	3	8
Red River	90	102	2	1	---	Black	---	193	5	3	8
White	60	66	---	---	---	Tensas	38	102	2	1	---
All other	30	36	2	1	---	White	18	47	1	1	---
Black	30	36	2	1	---	All other	20	55	1	---	---
Richland	217	236	6	4	6	Black	20	55	1	---	---
White	145	153	2	2	3	Terrebonne	834	688	19	10	16
All other	72	83	4	2	3	White	651	531	9	5	6
Black	72	83	4	2	3	All other	183	157	10	5	10
Sabine	175	247	2	1	4	Black	162	138	10	5	10
White	144	210	1	1	3	Houma	---	310	9	6	9
All other	31	37	1	---	4	White	---	228	4	3	3
Black	31	37	1	---	4	All other	---	82	5	3	6
St. Bernard	530	651	8	6	5	Black	---	77	5	3	6
St. Charles	212	253	3	1	4	Balance of parish	---	378	10	4	7
White	140	177	2	1	3	White	---	303	5	2	4
All other	72	76	1	---	1	All other	---	75	5	2	3
Black	72	76	1	---	1	Black	---	61	5	2	4
St. Helena	57	93	1	---	---	Union	163	244	4	3	3
White	31	47	---	---	---	White	107	162	1	---	---
All other	26	46	1	---	---	All other	56	82	3	3	1
Black	26	46	1	---	---	Black	56	81	3	3	1
St. James	95	156	5	3	1	Vermilion	381	480	5	2	8
White	62	90	2	1	1	White	345	430	1	---	5
All other	33	66	3	2	1	All other	36	50	4	2	3
Black	33	66	3	2	1	Black	35	50	4	2	3
St. John the Baptist	212	262	6	3	6	Abbeville	---	136	4	---	---
White	136	156	1	2	4	White	---	101	---	---	---
All other	76	106	5	2	2	All other	---	35	4	2	2
Black	74	105	5	2	2	Black	---	35	4	2	2
St. Landry	619	763	12	6	4	Balance of parish	---	344	1	---	6
White	402	482	1	1	3	Vernon	225	351	25	18	13
All other	217	281	11	6	1	White	194	303	16	12	7
Black	217	280	11	6	3	All other	31	48	9	6	6
						Black	30	45	8	6	6
						De Ridder, part	---	---	---	---	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 36

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 36 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Louisiana-Con.					Maine-Con.						
Balance of parish	---	351	25	18	13	Balance of county	---	948	8	6	8
White	---	303	16	12	7						
All other	---	48	9	6	6						
Black	---	45	8	6	6	Maryland	38,303	38,891	761	521	711
Washington	429	531	10	5	11	White	28,623	28,798	332	232	320
White	300	372	4	1	6	All other	9,880	10,093	429	289	391
All other	129	159	6	4	5	Black	9,343	9,753	419	282	375
Black	128	158	6	4	5						
Bogalusa	---	248	6	3	4	Allegany	1,116	934	6	3	6
White	---	175	4	1	3	Cumberland	---	393	6	3	2
All other	---	73	2	2	1	Balance of county	---	541	---	---	4
Black	---	73	2	2	1	Anne Arundel	2,332	2,822	54	39	48
Balance of parish	---	283	4	2	7	White	2,021	2,442	38	28	28
White	---	197	---	---	3	All other	---	311	380	16	20
All other	---	86	4	2	4	Black	---	294	356	15	17
Black	---	85	4	2	4	Annapolis	---	364	5	3	9
Webster	346	470	5	2	2	White	---	238	4	3	1
White	220	308	---	---	1	All other	---	126	1	---	8
All other	126	162	5	2	1	Black	---	123	1	---	7
Black	126	162	5	2	1	Balance of county	---	2,458	49	36	39
Minden	---	174	3	1	---	White	---	2,204	34	25	27
White	---	99	---	---	---	All other	---	254	15	11	12
All other	---	75	3	1	---	Black	---	233	14	10	10
Black	---	75	3	1	---	Baltimore	5,460	6,434	85	57	73
Balance of parish	---	296	2	1	2	White	4,932	5,848	51	31	51
White	---	209	---	---	1	All other	---	528	586	34	22
All other	---	87	2	1	1	Black	---	510	554	33	26
Black	---	87	2	1	1	Baltimore city	11,428	9,379	194	122	177
West Baton Rouge	50	171	1	1	2	White	6,066	4,219	47	33	34
White	30	101	---	---	1	All other	5,362	5,160	147	89	143
All other	20	70	1	1	1	Black	5,295	5,136	146	88	143
Black	20	70	1	1	1	Calvert	308	345	7	3	10
West Carroll	67	130	---	---	1	White	249	278	6	3	8
White	61	112	---	---	1	All other	---	59	67	1	2
All other	6	18	---	---	---	Black	---	59	66	1	2
Black	6	18	---	---	---	Caroline	144	308	4	4	4
West Feliciana	57	82	3	2	---	White	121	251	2	2	3
White	34	44	1	---	---	All other	---	23	57	2	1
All other	23	38	2	2	---	Black	---	23	57	2	1
Black	23	38	2	2	---						
Winn	124	155	---	---	4	Carroll	755	932	9	8	14
White	92	113	---	---	1	Cecil	577	576	12	10	7
All other	32	42	---	---	3	Charles	426	566	14	10	11
Black	32	42	---	---	3	White	321	427	6	5	5
						All other	105	139	8	5	6
						Black	103	135	8	5	6
Maine	11,105	11,158	90	57	87	Dorchester	346	397	1	---	1
White	11,048	11,104	87	55	81	White	244	285	1	---	1
All other	57	54	3	2	6	All other	102	112	---	---	---
Black	21	18	1	---	3	Black	101	112	---	---	---
Androscoggin	1,036	990	11	7	10	Cambridge	---	167	1	---	---
Auburn	---	261	8	5	3	White	---	99	1	---	---
Lewiston	---	448	1	1	2	All other	---	68	---	---	---
Balance of county	---	281	2	1	5	Black	---	68	---	---	---
Aroostook	724	765	3	1	8	Balance of county	---	230	---	---	1
Presque Isle	---	113	---	---	1	White	---	186	---	---	1
Balance of county	---	652	3	1	7	All other	---	44	---	---	---
Cumberland	2,584	2,157	17	11	11	Black	---	44	---	---	---
Portland	---	720	2	---	2	Frederick	893	993	17	11	14
South Portland	---	228	---	---	1	Frederick	---	395	8	6	7
Westbrook	---	150	4	3	2	White	---	362	6	5	4
Balance of county	---	1,059	11	8	6	All other	---	33	2	1	3
Franklin	201	224	3	3	2	Black	---	32	2	1	3
Hancock	441	521	3	1	7	Balance of county	---	598	9	5	7
Kennebec	1,301	1,097	2	2	6	White	---	579	8	5	7
Augusta	---	260	---	---	1	All other	---	19	1	---	---
Waterville	---	219	---	---	1	Black	---	16	1	---	---
Balance of county	---	618	2	2	4						
Knox	411	402	4	3	---	Garrett	244	250	5	3	2
Lincoln	237	311	2	2	4	Harford	1,078	1,145	13	6	20
Oxford	382	495	6	4	4	White	---	984	11	5	16
Penobscot	1,387	1,210	11	8	9	All other	---	94	103	2	4
Bangor	---	347	5	5	1	Black	---	90	96	2	4
Balance of county	---	863	6	3	8	Aberdeen	---	79	3	1	2
Piscataquis	233	230	1	1	3	White	---	58	1	---	---
Sagadahoc	169	252	2	1	4	All other	---	21	2	1	2
Bath	---	95	---	---	1	Black	---	19	2	1	2
Balance of county	---	157	2	1	3	Balance of county	---	1,066	10	5	18
Somerset	397	458	4	1	5	White	---	984	10	5	16
Waldo	213	309	2	1	1	All other	---	82	---	---	2
Washington	329	424	8	4	4	Black	---	77	---	---	2
York	1,060	1,313	11	8	9	Howard	656	855	4	1	26
Biddeford	---	243	3	2	1	White	567	743	2	---	20
Saco	---	122	---	---	---	All other	89	112	2	1	6
						Black	78	96	2	1	6
						Kent	203	202	1	---	1
						White	162	152	---	---	---
						All other	41	50	1	---	1
						Black	41	50	1	---	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 37

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 37 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Maryland-Con.					Maryland-Con.						
Montgomery	4,908	4,593	89	67	101	Balance of county	---	463	9	5	4
White	4,101	3,973	52	39	62	White	---	338	3	2	3
All other	807	620	37	28	39	All other	---	125	6	3	1
Black	662	480	31	24	32	Black	---	123	6	3	1
Gaithersburg	---	277	16	12	16	Worcester	221	435	3	2	3
White	---	224	10	7	11	White	184	336	3	2	2
All other	---	53	6	5	5	All other	37	99	-	-	1
Black	---	36	6	5	3	Black	37	99	-	-	1
Rockville	---	626	6	4	14	Massachusetts	54,646	53,878	569	416	485
White	---	574	3	2	9	White	52,270	51,547	435	322	377
All other	---	52	3	2	5	All other	2,376	2,331	134	94	108
Black	---	33	2	2	5	Black	2,042	2,013	116	82	101
Takoma Park, part	---	94	-	-	1	Barnstable	2,226	2,348	13	7	8
White	---	66	-	-	1	Barnstable town#	---	434	4	2	-
All other	---	28	-	-	1	Balance of county	---	1,914	9	5	8
Black	---	25	-	-	1	White	---	1,874	8	4	8
Takoma Park, total	---	116	-	-	1	All other	---	40	1	1	-
White	---	82	-	-	1	Black	---	27	-	-	-
All other	---	34	-	-	1	Berkshire	1,584	1,438	7	5	6
Black	---	31	-	-	1	North Adams	---	182	-	-	2
Balance of county	---	3,596	67	51	70	Pittsfield	---	509	2	-	1
White	---	3,109	39	30	42	Balance of county	---	747	5	5	3
All other	---	487	28	21	28	Bristol	4,405	4,778	58	43	36
Black	---	386	23	17	23	White	---	4,652	53	39	33
Prince George's	3,597	4,441	193	139	146	All other	---	117	5	4	3
White	2,204	2,482	38	28	24	Black	---	111	2	2	3
All other	1,393	1,959	155	111	122	Attleboro	---	339	3	2	2
Black	1,339	1,886	154	110	118	Fairhaven town#	---	193	1	1	2
Bowie	---	220	5	4	1	Fall River	---	1,068	16	11	9
College Park	---	126	1	1	1	New Bedford	---	1,169	14	12	12
White	---	110	1	1	1	White	---	1,088	13	11	10
All other	---	16	-	-	-	All other	---	81	1	1	2
Black	---	12	-	-	-	Black	---	75	1	1	2
Greenbelt	---	80	2	2	4	North Attleborough town#	---	190	2	1	1
White	---	65	-	-	3	Somerset town#	---	172	2	2	1
All other	---	15	2	2	3	Taunton	---	484	6	5	3
Black	---	12	2	2	3	Balance of county	---	1,163	12	9	6
Hyattsville	---	427	15	12	12	Dukes	98	111	-	-	2
White	---	275	6	5	11	Essex	5,801	6,097	75	56	43
All other	---	152	9	7	11	White	---	5,734	67	50	42
Black	---	145	9	7	11	All other	---	67	8	6	1
Laurel	---	115	7	4	10	Black	---	52	64	7	5
White	---	81	2	2	4	Amesbury town#	---	131	3	3	-
All other	---	34	5	2	6	Andover town#	---	206	1	-	1
Black	---	32	5	2	6	Beverly	---	403	6	5	2
New Carrollton	---	68	3	1	1	Danvers town#	---	258	-	-	1
White	---	43	-	-	-	Gloucester	---	234	1	1	-
All other	---	25	3	1	1	Haverhill	---	536	10	8	6
Black	---	25	3	1	1	Lawrence	---	577	10	8	6
Takoma Park, part	---	22	-	-	-	White	---	564	9	7	6
White	---	16	-	-	-	All other	---	13	1	1	-
All other	---	6	-	-	-	Black	---	10	-	-	-
Black	---	6	-	-	-	Lynn	---	847	16	12	8
Balance of county	---	3,383	160	115	117	Lynnfield town#	---	77	2	2	-
White	---	1,694	26	18	16	Marblehead town#	---	172	1	1	-
All other	---	1,689	134	97	101	Methuen town#	---	400	4	4	1
Black	---	1,636	134	97	97	Newburyport	---	167	-	-	1
Queen Anne's	145	285	3	1	3	Peabody	---	381	3	2	2
White	117	226	3	1	2	Salem	---	403	7	5	6
All other	28	59	-	-	1	Saugus town#	---	248	2	1	-
Black	28	58	-	-	1	Swampscott town#	---	153	2	1	-
St. Mary's	383	490	12	10	16	Balance of county	---	904	7	3	9
White	328	410	11	10	8	Franklin	623	706	7	6	6
All other	55	80	1	-	8	Hampden	4,757	4,535	51	37	28
Black	52	76	1	-	7	White	---	4,276	40	28	19
Somerset	170	265	2	2	3	All other	---	258	11	9	9
White	123	181	1	1	2	Black	---	247	251	10	8
All other	47	84	1	1	1	Agawam town#	---	248	2	1	2
Black	47	84	1	1	1	Chicopee	---	572	3	2	-
Talbot	563	373	8	6	2	Holyoke	---	591	6	4	5
White	433	292	3	2	-	White	---	582	6	4	5
All other	130	81	5	4	2	All other	---	9	-	-	-
Black	130	80	5	4	2	Black	---	9	-	-	-
Washington	1,140	1,119	9	7	15	Longmeadow town#	---	143	-	-	-
Hagerstown	---	511	7	5	10	Springfield	---	1,571	30	22	17
Balance of county	---	608	2	2	5	White	---	1,336	20	14	8
White	---	604	2	2	4	All other	---	235	10	8	9
All other	---	4	-	-	1	Black	---	229	10	8	8
Black	---	4	-	-	1	Westfield	---	329	1	1	1
Wicomico	1,210	752	16	10	8	West Springfield town#	---	300	5	4	-
White	919	561	4	3	4	Balance of county	---	781	4	3	4
All other	291	191	12	7	4	Hampshire	995	1,138	6	5	13
Black	287	187	12	7	4	Amherst town#	---	114	1	1	-
Salisbury	---	289	7	5	4	Easthampton town#	---	155	-	-	1
White	---	223	1	1	1	Northampton	---	293	2	1	-
All other	---	66	6	4	3	Balance of county	---	576	3	3	12
Black	---	64	6	4	3						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 38

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 38 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Massachusetts-Con.					Massachusetts-Con.						
Middlesex	10,520	11,175	113	87	107	Gardner	---	240	3	2	3
White	10,270	10,866	98	74	89	Leominster	---	334	7	5	6
All other	250	309	15	13	18	Milford town#	---	196	3	2	---
Black	183	230	10	8	15	Shrewsbury town#	---	244	2	2	1
Arlington town#	---	457	2	1	2	Webster town#	---	182	---	---	---
Belmont town#	---	239	---	---	2	Worcester	---	1,887	20	12	22
Billerica town#	---	232	2	2	2	Balance of county	---	2,760	28	23	28
Burlington town#	---	134	---	---	---						
Cambridge	---	686	11	9	10						
White	---	581	8	6	5	Michigan	77,895	79,079	1,463	961	739
All other	---	105	3	3	5	White	65,415	66,554	783	497	559
Black	---	101	2	2	5	All other	12,480	12,525	680	464	180
Chelmsford town#	---	204	1	1	1	Black	11,853	11,902	657	451	165
Dracut town#	---	174	4	3	2	Alcona	---	66	160	---	2
Everett	---	396	3	3	3	Alger	---	114	118	---	---
Framingham town#	---	479	5	4	1	Allegan	---	444	669	7	3
Hudson town#	---	115	3	1	1	Holland, part	---	69	---	---	---
Lexington town#	---	208	---	---	1	Balance of county	---	600	7	3	5
Lowell	---	931	17	12	9	Alpena	---	341	297	1	---
Malden	---	541	4	3	9	Alpena	---	157	---	---	---
Marlborough	---	243	2	2	1	Balance of county	---	140	1	---	---
Medford	---	577	10	9	8	Antrim	---	118	222	3	---
Melrose	---	272	1	1	2	Arenac	---	158	177	---	1
Natick town#	---	253	2	1	2	Baraga	---	88	95	1	---
Newton	---	674	2	1	5	Bary	---	297	384	6	1
Reading town#	---	187	1	1	---	Bay	---	926	1,017	18	11
Somerville	---	652	9	9	8	Bangor twp#	---	125	4	3	1
Stoneham town#	---	198	2	2	---	Bay City	---	428	8	3	4
Tewksbury town#	---	197	2	1	2	Midland, part	---	1	---	---	---
Wakefield town#	---	222	2	1	1	Balance of county	---	463	6	5	3
Waltham	---	496	3	2	1	Benzie	---	75	116	2	---
Watertown town#	---	326	3	3	4	Berrien	1,342	1,455	27	12	16
Wilmington town#	---	102	1	1	1	White	1,111	1,225	11	5	8
Winchester town#	---	188	1	1	1	All other	231	230	16	7	8
Woburn	---	318	2	1	1	Black	220	222	16	7	6
Balance of county	---	1,474	18	12	27	Benton Harbor	---	130	10	4	3
White	---	1,455	14	10	23	White	---	28	---	---	---
All other	---	19	4	2	4	All other	---	102	10	4	3
Black	---	12	4	2	2	Black	---	100	10	4	3
Nantucket	63	66	---	---	---	Niles	---	170	5	4	3
Norfolk	4,801	5,471	28	22	39	White	---	148	4	3	2
White	4,735	5,371	27	21	34	All other	---	22	1	1	1
All other	66	100	1	1	5	Black	---	20	1	1	1
Black	51	59	1	1	2	Balance of county	---	1,155	12	4	10
Braintree town#	---	404	---	---	---	White	---	1,049	7	2	6
Brookline town#	---	496	2	1	---	All other	---	106	5	2	4
Dedham town#	---	208	1	---	1	Black	---	102	5	2	2
Holbrook town#	---	85	---	---	---	Branch	---	340	387	5	4
Milton town#	---	260	---	---	1	Calhoun	---	1,421	1,373	19	7
Needham town#	---	248	1	1	1	White	---	1,289	1,240	14	4
Norwood town#	---	323	3	2	4	All other	---	132	133	5	3
Quincy	---	948	7	6	5	Black	---	126	126	5	3
Randolph town#	---	299	1	1	4	Albion	---	82	---	---	---
Stoughton town#	---	219	1	1	1	White	---	62	---	---	---
Wellesley town#	---	172	---	---	---	All other	---	20	---	---	---
Westwood town#	---	111	1	1	4	Black	---	19	---	---	---
Weymouth town#	---	514	1	1	3	Battle Creek	---	608	10	5	6
Balance of county	---	1,184	10	8	14	White	---	512	5	2	4
White	---	1,171	10	8	14	All other	---	96	5	3	2
All other	---	13	---	---	---	Black	---	93	5	3	2
Black	---	8	---	---	---	Balance of county	---	683	9	2	5
Plymouth	2,918	3,521	36	25	32	Cass	---	296	461	7	1
White	2,816	3,390	27	19	26	Charlevoix	---	156	212	2	4
All other	102	131	9	6	6	Cheboygan	---	222	244	3	1
Black	92	123	9	6	1	Chippewa	---	235	284	2	---
Abington town#	---	112	---	---	---	Sault Ste. Marie	---	169	2	---	---
Brockton	---	795	16	11	9	Balance of county	---	115	---	---	1
Plymouth town#	---	367	7	7	2	White	---	101	---	---	1
Rockland town#	---	131	1	1	2	All other	---	14	---	---	---
Scituate town#	---	159	1	1	3	Black	---	1	---	---	---
Whitman town#	---	107	---	---	---	Clare	---	248	318	2	1
Balance of county	---	1,850	11	6	15	Clinton	---	220	373	6	5
Suffolk	9,340	6,091	104	73	99	Lansing, part	---	2	---	---	---
White	8,021	4,948	33	26	39	Balance of county	---	371	6	5	5
All other	1,319	1,143	71	47	60	White	---	369	5	4	5
Black	1,152	1,033	66	46	59	All other	---	2	1	1	---
Boston	---	5,149	97	69	89	Black	---	1	1	1	---
White	---	4,020	27	22	31	Crawford	---	195	135	2	1
All other	---	1,129	70	47	58	Delta	---	286	369	4	3
Black	---	1,025	66	46	57	Escanaba	---	184	---	---	5
Chelsea	---	271	3	2	4	Balance of county	---	---	185	4	3
Flevere	---	462	4	2	4	Dickinson	---	431	307	2	2
Wintthrop town#	---	209	---	---	---	Eaton	---	399	620	4	1
Worcester	6,515	6,403	71	50	66						
White	6,423	6,321	60	45	61						
All other	92	82	11	5	5						
Black	75	66	9	4	3						
Clinton town#	---	148	1	1	1						
Fitchburg	---	412	7	3	6						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 39

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 39 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Michigan-Con.					Michigan-Con.						
Lansing, part	---	19	1	-	-	Grandville	---	72	2	-	2
White	---	11	-	-	-	Kentwood	---	159	4	1	4
All other	---	8	1	-	-	Walker	---	81	-	-	-
Black	---	7	1	-	-	Wyoming	---	356	11	7	2
Balance of county	---	601	3	1	7	Balance of county	---	1,013	17	11	5
Emmet	513	256	6	5	6	Keweenaw	4	30	-	-	1
Genesee	3,765	3,652	73	47	28	Lake	53	131	2	2	1
White	3,112	2,953	35	26	18	White	44	107	2	2	-
All other	659	689	38	21	10	All other	9	24	-	-	1
Black	624	683	37	21	10	Black	9	21	-	-	-
Burton	---	236	2	2	3	Lapeer	406	505	11	6	6
Flint	---	1,486	50	30	12	Leelanau	85	132	2	1	2
White	---	891	14	10	3	Lenawee	667	781	6	5	7
All other	---	595	36	20	9	Adrian	---	235	1	1	2
Black	---	584	35	20	9	Balance of county	---	546	5	4	5
Flint twp#	---	286	3	1	1	Livingston	515	729	7	4	7
Genesee twp#	---	162	4	-	-	Luce	78	73	2	2	-
Mount Morris twp#	---	157	3	2	2	Mackinac	120	54	-	-	1
White	---	127	2	2	2	Macomb	4,568	5,879	53	39	41
All other	---	30	1	-	-	White	4,446	5,763	50	36	39
Black	---	28	1	-	-	All other	122	116	3	3	2
Balance of county	---	1,325	11	8	10	Black	95	74	3	3	-
White	---	1,287	11	8	9	Clinton twp#	---	557	6	3	1
All other	---	38	-	-	1	East Detroit	---	390	1	1	2
Black	---	29	-	-	1	Fraser	---	141	2	2	3
Gladwin	176	267	2	-	2	Harrison twp#	---	125	2	2	-
Gogetic	221	283	-	-	3	Mount Clemens	---	316	5	4	5
Grand Traverse	820	503	10	7	4	White	---	279	3	2	4
Traverse City	---	154	4	4	4	All other	---	37	2	2	1
Balance of county	---	349	6	3	3	Black	---	37	2	2	-
Gratiot	416	398	4	2	1	Roseville	---	452	3	2	1
Hillsdale	247	389	3	2	4	St. Clair Shores	---	792	1	1	4
Houghton	351	408	-	-	2	Shelby twp#	---	264	5	4	1
Huron	344	418	5	4	6	Sterling Heights	---	723	5	3	2
Ingham	2,297	1,844	30	13	15	Warren	---	1,373	13	10	6
White	2,135	1,689	18	6	11	Balance of county	---	746	10	7	16
All other	162	155	12	7	4	Manistee	261	279	5	4	2
Black	142	140	11	6	3	Marquette	679	529	12	11	4
East Lansing	---	160	3	2	2	White	---	193	4	4	1
Lansing, part	---	965	18	7	8	Balance of county	---	336	8	7	3
White	---	826	9	2	5	Mason	---	218	252	1	1
All other	---	139	9	5	3	Mecosta	---	220	270	4	2
Black	---	130	9	5	3	Big Rapids	---	65	2	2	-
Lansing, total	---	986	19	7	8	Balance of county	---	205	2	-	4
White	---	839	9	2	5	Menominee	---	126	254	2	1
All other	---	147	10	5	3	Menominee	---	100	1	1	2
Black	---	137	10	5	3	Balance of county	---	154	1	-	2
Meridian twp#	---	207	2	1	1	Midland	580	472	7	6	7
Balance of county	---	512	7	3	4	Midland, part	---	274	5	4	4
Ionia	246	391	7	6	3	Midland, total	---	275	5	4	4
Iosco	310	306	-	-	1	Balance of county	---	198	2	2	3
Iron	177	224	1	-	-	Missaukee	44	121	2	1	-
Isabella	330	345	8	4	4	Monroe	649	972	10	7	9
Mount Pleasant	---	129	1	-	-	Monroe	---	253	4	2	3
Balance of county	---	216	7	4	4	Balance of county	---	719	6	5	6
Jackson	1,255	1,291	20	11	31	Montcalm	379	445	5	2	1
White	1,156	1,198	17	10	24	Montmorency	73	122	-	-	1
All other	99	93	3	1	7	Muskegon	1,417	1,435	23	14	10
Black	93	87	3	1	6	White	1,242	1,247	12	6	9
Jackson	---	394	7	4	21	All other	175	188	11	8	1
White	---	331	4	3	14	Black	163	179	11	8	-
All other	---	63	3	1	7	Muskegon	---	436	11	7	4
Black	---	62	3	1	6	White	---	367	5	3	3
Balance of county	---	897	13	7	10	All other	---	69	6	4	1
Kalamazoo	2,074	1,673	33	21	22	Black	---	64	6	4	-
White	1,918	1,547	18	14	20	Muskegon Heights	---	146	4	3	1
All other	156	126	15	7	2	White	---	45	-	-	1
Black	141	116	15	7	2	All other	---	101	4	3	-
Kalamazoo	---	686	20	12	12	Black	---	101	4	3	-
White	---	578	7	6	11	Norton Shores	---	197	2	-	-
All other	---	108	13	6	1	Balance of county	---	656	6	4	5
Black	---	101	13	6	1	Newaygo	285	349	7	5	4
Kalamazoo twp#	---	169	4	3	4	Oakland	8,703	7,962	132	92	83
Portage	---	237	5	3	4	White	7,824	7,344	93	68	69
Balance of county	---	581	4	3	6	All other	879	618	39	24	14
Kalkaska	84	104	1	-	-	Black	793	529	33	18	11
Kent	4,142	3,504	75	45	30	Avon twp#	---	-	-	-	-
White	3,850	3,225	54	30	25	Berkley	---	128	1	1	1
All other	292	279	21	15	5	Beverly Hills	---	67	1	1	-
Black	266	256	19	14	5	Birmingham	---	167	2	2	1
East Grand Rapids	---	51	-	-	-	Bloomfield twp#	---	240	4	3	1
Grand Rapids	---	1,772	41	26	17	Clawson	---	113	1	1	2
White	---	1,525	22	12	14	Farmington	---	144	1	1	-
All other	---	247	19	14	3	Farmington Hills	---	495	1	1	5
Black	---	236	18	14	3	Ferdale	---	290	3	-	3
						Hazel Park	---	190	3	1	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 40

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 40 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Michigan-Con.					Michigan-Con.						
Madison Heights	---	269	3	3	1	Dearborn Heights	---	572	7	5	3
Novi	---	182	5	3	2	Detroit	---	11,280	461	334	97
Oak Park	---	243	5	4	1	White	---	3,296	43	27	16
White	---	191	2	2	1	All other	---	7,984	418	307	81
All other	---	52	3	2	1	Black	---	7,932	414	305	79
Black	---	48	2	1	1	Ecorse	---	146	---	---	---
Pontiac	---	639	31	19	11	White	---	80	---	---	---
White	---	384	10	6	5	All other	---	66	---	---	---
All other	---	255	21	13	6	Black	---	65	---	---	---
Black	---	249	19	11	6	Garden City	---	239	3	3	3
Royal Oak	---	526	4	4	5	Grosse Pointe Farms	---	88	1	---	---
Southfield	---	781	9	6	6	Grosse Pointe Park	---	95	---	---	---
White	---	653	3	2	3	Grosse Pointe Woods	---	151	---	---	1
All other	---	128	6	4	3	Hamtramck	---	271	7	6	2
Black	---	117	6	4	3	White	---	236	5	4	1
Troy	---	394	4	2	7	All other	---	35	2	2	1
West Bloomfield twp#	---	309	6	5	1	Black	---	35	2	2	1
Balance of county	---	2,785	48	38	34	Harper Woods	---	195	---	---	1
White	---	2,728	45	36	32	Highland Park	---	274	8	5	1
All other	---	57	3	2	2	White	---	38	---	---	1
Black	---	36	3	2	4	All other	---	236	8	5	1
Oceana	133	227	3	2	4	Black	---	236	8	5	1
Ogemaw	317	260	3	2	4	Inkster	---	347	12	11	1
Ontonagon	84	124	2	1	1	White	---	124	1	1	1
Osceola	168	205	4	2	1	All other	---	223	11	10	1
Oscoda	44	99	---	---	---	Black	---	220	11	10	1
Otsego	169	148	---	---	3	Lincoln Park	---	407	9	8	3
Ottawa	1,069	1,156	17	6	19	Livonia	---	922	7	4	5
Georgetown twp#	---	151	2	1	1	Melvindale	---	121	2	2	1
Grand Haven	---	168	1	---	4	Plymouth twp#	---	128	2	1	1
Holland, part	---	228	4	1	3	Redford twp#	---	530	6	4	2
Holland, total	---	297	4	1	3	River Rouge	---	126	1	---	1
Balance of county	---	609	10	4	11	White	---	71	1	---	2
Presque Isle	76	165	2	2	3	All other	---	55	---	---	2
Roscommon	91	280	1	1	1	Black	---	55	---	---	2
Saginaw	2,030	1,783	52	36	16	Riverview	---	119	4	2	2
White	---	1,470	22	17	8	Romulus	---	204	4	2	2
All other	---	293	30	19	8	White	---	163	4	2	1
Black	---	284	308	30	8	All other	---	41	---	---	1
Saginaw	---	701	36	23	11	Black	---	39	---	---	1
White	---	452	27	17	7	Southgate	---	280	2	2	1
All other	---	249	27	17	7	Taylor	---	510	11	4	7
Black	---	247	27	17	7	Trenton	---	200	1	1	1
Saginaw twp#	---	336	5	4	1	Wayne	---	208	2	1	1
Balance of county	---	744	11	9	4	Westland	---	730	8	7	6
White	---	687	8	7	3	Woodhaven	---	49	1	1	1
All other	---	57	3	2	1	Wyandotte	---	337	1	---	6
Black	---	54	3	2	1	Balance of county	---	905	14	11	29
St. Clair	1,256	1,279	16	12	9	Wextord	322	242	3	1	1
Port Huron	---	374	8	6	2	Cadillac	---	105	1	---	1
Balance of county	---	905	8	6	7	Balance of county	---	137	2	1	1
St. Joseph	482	560	11	5	7	Minnesota	35,189	35,037	463	293	407
Sanilac	288	450	9	7	---	White	34,207	34,080	369	236	351
Schoolcraft	81	96	---	---	---	All other	982	957	94	57	56
Shiawassee	428	559	4	2	9	Black	506	494	51	37	31
Owosso	---	171	1	1	3	Aitkin	133	191	---	---	2
Balance of county	---	368	3	1	6	Anoka	982	1,029	27	15	18
Tuscola	297	448	3	2	4	Anoka	---	146	3	2	2
Van Buren	460	631	11	5	2	Blaine, part	---	104	6	5	3
Washtenaw	3,113	1,599	39	28	23	Blaine, total	---	104	6	5	3
White	---	1,383	24	17	11	Columbia Heights	---	173	6	2	3
All other	---	361	15	11	12	Coon Rapids	---	200	3	2	1
Black	---	327	197	10	12	Fridley	---	149	2	2	1
Ann Arbor	---	509	7	7	8	Ramsey	---	24	1	1	1
White	---	439	6	6	5	Balance of county	---	233	9	3	8
All other	---	70	1	1	3	Becker	241	276	---	---	8
Black	---	59	1	1	3	Beltrami	311	283	11	5	5
Ypsilanti	---	191	19	14	10	White	269	240	4	4	2
White	---	109	6	4	2	All other	42	53	7	1	3
All other	---	82	13	10	8	Black	---	---	---	---	---
Black	---	79	13	10	8	Bemidji	---	140	2	1	2
Ypsilanti twp#	---	236	3	2	---	Balance of county	---	153	9	4	3
White	---	206	3	2	---	White	---	107	3	3	1
All other	---	30	---	---	---	All other	---	46	6	1	2
Black	---	29	---	---	---	Black	---	---	---	---	---
Balance of county	---	663	10	5	5	Benton	176	225	---	---	---
White	---	629	9	5	4	St. Cloud, part	---	37	---	---	---
All other	---	34	1	---	1	Balance of county	---	188	---	---	---
Black	---	30	1	---	1	Big Stone	89	100	---	---	---
Wayne	20,737	20,897	589	422	188	Blue Earth	387	373	2	2	11
White	---	12,082	135	88	89	Mankato, part	---	202	2	2	6
All other	---	8,452	454	334	99	Mankato, total	---	204	2	2	6
Black	---	8,321	448	331	96	Balance of county	---	171	---	---	5
Allen Park	---	361	2	---	4	Brown	242	246	2	1	2
Canton twp#	---	208	5	4	2	New Ulm	---	119	1	1	1
Dearborn	---	894	12	8	6	Balance of county	---	127	1	---	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 41

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 41 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Minnesota-Con.					Minnesota-Con.						
Carlton	261	274	4	1	4	Mahnomen	44	60	2	1	-
Cloquet	-	120	3	-	3	White	33	44	1	1	-
Balance of county	-	154	1	1	1	All other	11	16	1	-	-
Carver	265	247	7	5	3	Black	-	-	-	-	-
Cass	152	264	1	1	2	Marshall	63	125	-	-	1
Chippewa	146	177	3	2	1	Martin	241	262	-	-	1
Chisago	232	255	5	2	2	Fairmont	-	138	-	-	1
Clay	203	390	9	7	7	Balance of county	-	124	-	-	-
Moorhead	-	227	8	6	6	Meekeer	217	228	1	-	-
Balance of county	-	163	1	1	1	Millie Lacs	182	182	1	-	1
Clearwater	74	97	1	-	1	Morrison	253	272	2	1	3
Cook	31	35	1	1	-	Mower	332	410	5	3	1
Cottonwood	114	152	-	-	3	Austin	-	287	2	-	1
Crow Wing	472	505	8	5	2	Balance of county	-	123	3	3	-
Brainerd	-	209	5	4	1	Murray	63	89	-	-	-
Balance of county	-	296	3	1	1	Nicollet	136	178	4	3	3
Dakota	879	1,219	24	18	36	Mankato, part	-	2	-	-	-
Apple Valley	-	112	4	4	5	Balance of county	-	176	4	3	3
Burnsville	-	132	4	3	7	Nobles	164	202	4	3	3
Eagan	-	103	10	8	7	Worthington	-	113	3	2	2
Hastings, part	-	112	-	-	3	Balance of county	-	89	1	1	1
Hastings, total	-	112	-	-	3	Norman	77	108	-	-	-
Inver Grove Heights	-	126	-	-	-	Olmsted	1,484	691	17	8	8
Lakeville	-	36	1	-	7	Rochester	-	563	10	3	7
Northfield, part	-	1	-	-	-	Balance of county	-	128	7	5	1
South St. Paul	-	165	2	1	1	Otter Tail	463	567	8	3	6
West St. Paul	-	251	1	1	1	Fergus Falls	-	180	3	2	3
Balance of county	-	181	2	1	9	Balance of county	-	387	5	1	3
Dodge	70	117	-	-	1	Pennington	181	160	2	1	1
Douglas	331	314	1	-	3	Pine	114	207	1	1	1
Fairbault	176	210	1	1	1	Pipestone	99	119	1	-	-
Fillmore	198	269	2	-	2	Polk	361	409	4	2	4
Freeborn	309	322	3	3	3	Pope	130	121	-	-	-
Albert Lea	-	239	3	3	1	Ramsey	4,352	3,848	64	43	51
Balance of county	-	83	-	-	2	White	4,135	3,636	41	29	42
Goodhue	439	487	4	3	2	All other	217	212	23	14	9
Red Wing	-	187	-	-	1	Black	142	141	13	9	3
Balance of county	-	300	4	3	1	Blaine, part	-	-	-	-	-
Grant	74	95	1	-	2	Maplewood	-	261	6	4	3
Hennepin	9,067	7,860	116	79	103	Mounds View	-	42	1	-	1
White	8,556	7,390	68	44	64	New Brighton	-	146	2	1	1
All other	511	470	48	35	39	North St. Paul	-	72	2	2	1
Black	325	317	36	28	28	Roseville	-	325	2	1	1
Bloomington	-	626	5	5	5	St. Paul	-	2,442	42	29	37
Brooklyn Center	-	197	2	1	6	White	-	2,245	21	17	29
Brooklyn Park	-	166	8	4	9	All other	-	197	21	12	8
Crystal	-	172	2	2	5	Black	-	134	11	7	3
Eden Prairie	-	98	2	2	2	Shoreview	-	91	6	5	2
Edina	-	438	-	-	3	White Bear Lake, part	-	193	1	-	2
Golden Valley	-	191	2	2	-	White Bear Lake, total	-	221	3	1	2
Hopkins	-	190	2	2	1	Balance of county	-	276	2	1	3
Maple Grove	-	93	1	1	5	Red Lake	38	70	1	-	1
Minneapolis	-	3,585	76	48	48	Redwood	174	198	1	1	1
White	-	3,187	34	17	17	Renville	156	219	1	-	-
All other	-	398	42	31	31	Rice	340	356	4	1	3
Black	-	284	32	25	21	Fairbault	-	187	2	-	1
Minnnetonka	-	248	1	1	2	Northfield, part	-	99	2	1	2
New Hope	-	303	1	-	1	Northfield, total	-	100	2	1	2
Plymouth	-	154	3	2	3	Balance of county	-	70	-	-	-
Richfield	-	279	1	-	1	Rock	99	106	1	1	-
Robbinsdale	-	160	1	1	1	Roseau	125	151	3	1	2
St. Louis Park	-	470	2	2	1	St. Louis	2,409	2,120	15	7	10
Balance of county	-	490	7	6	10	Duluth	-	1,031	6	1	9
Houston	117	177	2	1	2	Hibbing	-	202	2	1	-
Hubbard	158	160	3	1	-	Virginia	-	162	3	3	-
Isanti	212	208	1	1	5	Balance of county	-	725	4	2	1
Itasca	385	432	3	2	4	Scott	336	325	7	6	4
Jackson	99	123	-	-	-	Sherburne	185	293	10	5	5
Kanabec	97	115	2	2	1	St. Cloud, part	-	89	-	-	-
Kandiyohi	386	349	1	1	2	Balance of county	-	204	10	5	5
Willmar	-	183	1	1	2	Sibley	85	123	1	1	-
Balance of county	-	166	-	-	-	Stearns	975	706	9	9	10
Kittson	85	79	-	-	-	St. Cloud, part	-	192	1	1	4
Koochiching	144	184	2	1	-	St. Cloud, total	-	318	1	1	4
Lac qui Parle	99	115	-	-	1	Balance of county	-	514	8	8	6
Lake	77	105	1	-	-	Steele	196	227	5	5	2
Lake of the Woods	44	42	-	-	1	Owatonna	-	168	4	4	1
Le Sueur	123	202	-	-	4	Balance of county	-	59	1	1	1
Lincoln	90	104	-	-	-	Stevens	81	89	-	-	-
Lyon	185	221	4	4	2	Swift	116	157	2	1	-
Marshall	-	82	4	4	-	Todd	128	254	3	2	2
Balance of county	-	139	-	-	2	Traverse	53	57	-	-	-
McLeod	298	308	1	1	4	Wabasha	185	202	1	1	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 42

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 42 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Minnesota-Con.					Mississippi-Con.						
Wadena	226	167	5	2	1	Claiborne	71	119	4	2	6
Waseca	135	161	—	—	1	White	19	33	—	—	—
Washington	451	653	15	11	19	All other	52	86	4	2	6
Cottage Grove	41	—	2	2	2	Black	52	86	4	2	6
Hastings, part	—	—	—	—	—	Clarke	115	179	2	—	1
Oakdale	—	56	3	1	2	White	75	121	2	—	1
Stillwater	—	164	—	—	2	All other	40	58	—	—	—
White Bear Lake, part	—	28	2	1	—	Black	40	58	—	—	—
Woodbury	—	77	5	5	2	Clay	169	223	8	4	8
Balance of county	—	287	3	2	11	White	87	108	2	1	2
Watonwan	120	146	1	—	2	All other	82	115	6	3	6
Wilkin	114	60	—	—	—	Black	82	115	6	3	6
Winona	375	404	2	—	2	Coahoma	344	347	12	10	8
Winona	—	282	1	—	—	White	121	129	3	1	—
Balance of county	—	122	1	—	2	All other	223	218	9	9	8
Wright	353	476	6	4	4	Black	223	218	9	9	8
Yellow Medicine	125	193	1	1	—	Clarksdale	—	268	10	9	5
						White	—	108	2	1	—
						All other	—	160	8	8	5
						Black	—	160	8	8	5
						Balance of county	—	79	2	1	3
						White	—	21	1	—	—
						All other	—	58	1	1	3
						Black	—	58	1	1	3
Mississippi	24,419	25,259	509	320	499	Copiah	190	272	4	3	9
White	15,880	16,489	173	98	147	White	96	139	2	1	2
All other	8,539	8,770	336	222	352	All other	94	133	2	2	7
Black	8,470	8,702	330	220	348	Black	94	133	2	2	7
Adams	515	424	7	6	6	Covington	119	170	9	5	5
White	275	213	1	—	1	White	93	124	2	1	1
All other	240	211	6	6	5	All other	26	46	7	4	4
Black	240	211	6	6	5	Black	26	46	7	4	4
Natchez	—	280	5	4	4	De Soto	348	486	11	7	8
White	—	141	1	—	1	White	280	413	8	6	7
All other	—	139	4	4	3	All other	68	73	3	1	1
Black	—	139	4	4	3	Black	68	72	3	1	1
Balance of county	—	144	2	2	2	Forrest	977	694	12	10	7
White	—	72	—	—	—	White	687	482	1	—	3
All other	—	72	2	2	2	All other	290	212	11	10	4
Black	—	72	2	2	2	Black	290	212	11	10	4
Alcorn	326	338	1	—	6	Hattiesburg, part	—	486	10	9	6
White	293	304	1	—	4	White	—	304	—	—	2
All other	33	34	—	—	2	All other	—	192	10	9	4
Black	33	34	—	—	2	Black	—	192	10	9	4
Corinth	—	171	—	—	1	Hattiesburg, total	—	503	10	9	6
White	—	146	—	—	1	White	—	311	—	—	2
All other	—	25	—	—	—	All other	—	192	10	9	4
Black	—	25	—	—	—	Black	—	192	10	9	4
Balance of county	—	167	1	—	5	Balance of county	—	198	2	1	1
Amite	41	120	—	—	—	White	—	178	1	—	1
White	20	69	—	—	—	All other	—	20	1	1	—
All other	21	51	—	—	—	Black	—	20	1	1	—
Black	21	51	—	—	—	Franklin	73	116	1	1	1
Attala	187	246	3	3	4	White	52	82	—	—	—
White	128	164	—	—	1	All other	21	34	1	1	1
All other	59	82	3	3	3	Black	21	34	1	1	1
Black	59	82	3	3	3	George	112	147	—	—	3
Benton	27	70	1	—	1	Greene	43	96	3	1	1
White	19	51	1	—	1	White	34	73	1	—	—
All other	8	19	—	—	—	All other	9	23	2	1	—
Black	8	19	—	—	—	Black	9	23	2	1	—
Bolivar	413	466	12	5	23	Grenada	229	251	4	3	2
White	198	157	—	—	1	White	153	166	—	—	—
All other	275	309	12	5	22	All other	76	85	4	3	2
Black	274	309	12	5	22	Black	76	85	4	3	2
Cleveland	—	157	3	2	7	Grenada	—	173	4	3	2
White	—	80	—	—	1	White	—	110	—	—	—
All other	—	77	3	2	6	All other	—	63	4	3	2
Black	—	77	3	2	6	Black	—	63	4	3	2
Balance of county	—	309	9	3	16	Balance of county	—	78	—	—	—
White	—	77	—	—	—	White	—	56	—	—	—
All other	—	232	9	3	16	All other	—	22	—	—	—
Black	—	232	9	3	16	Black	—	22	—	—	—
Calhoun	95	170	2	2	—	Hancock	189	291	3	2	5
White	75	134	—	—	—	White	160	252	3	2	5
All other	20	36	2	2	—	All other	29	39	—	—	—
Black	20	36	2	2	—	Black	28	38	—	—	—
Carroll	23	70	3	3	—	Harrison	1,746	1,474	29	16	31
White	15	48	1	1	—	White	1,432	1,201	17	9	15
All other	8	22	2	2	—	All other	314	273	12	7	16
Black	8	22	2	2	—	Black	304	265	10	5	15
Chickasaw	133	194	4	3	3	Biloxi	—	438	12	9	11
White	89	121	3	2	2	White	—	361	6	5	8
All other	44	73	1	1	1	All other	—	77	6	4	3
Black	44	73	1	1	1	Black	—	71	4	2	2
Choctaw	68	87	1	1	2	Gulfpport	—	478	9	5	13
White	47	63	—	—	1	White	—	371	5	3	4
All other	21	24	—	—	1	All other	—	107	4	2	9
Black	21	24	—	—	1	Black	—	107	4	2	9

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 43

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 43 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Mississippi-Con.					Mississippi-Con.						
Balance of county	---	558	8	2	7	Balance of county	---	205	6	2	1
White	---	469	6	1	3	White	---	181	5	1	1
All other	---	89	2	1	4	All other	---	24	1	1	1
Black	---	87	1	1	4	Black	---	23	1	1	1
Hinds	3,991	2,222	46	33	62	Lauderdale	1,125	775	16	6	1
White	2,246	1,191	4	3	9	White	772	524	4	1	2
All other	1,745	1,031	42	30	53	All other	353	251	12	7	6
Black	1,740	1,029	42	30	53	Black	341	250	12	7	6
Clinton	---	152	1	1	3	Meridian	---	516	9	5	6
Jackson, part	---	1,844	41	30	50	White	---	318	9	5	6
White	---	983	4	3	6	All other	---	198	9	5	6
All other	---	861	37	27	44	Black	---	198	9	5	6
Black	---	859	37	27	44	Balance of county	---	259	7	4	2
Jackson, total	---	1,845	41	30	50	White	---	53	3	2	2
White	---	984	4	3	6	All other	---	52	3	2	2
All other	---	861	37	27	44	Black	---	52	3	2	2
Black	---	859	37	27	44	Lawrence	---	95	13	1	1
Balance of county	---	226	4	2	9	White	---	62	9	1	1
White	---	95	4	2	2	All other	---	33	4	1	1
All other	---	131	4	2	7	Black	---	33	4	1	1
Black	---	131	4	2	7	Leake	---	178	254	4	3
Holmes	204	272	7	5	15	White	---	129	174	2	2
White	---	82	7	5	15	All other	---	49	80	2	1
All other	---	142	7	5	15	Black	---	45	76	1	3
Black	---	142	7	5	15	Lee	1,274	619	12	9	13
Humphreys	74	103	5	1	4	White	---	998	494	7	4
White	---	24	4	1	4	All other	---	276	125	5	5
All other	---	50	63	4	4	Black	---	275	124	5	4
Black	---	50	63	4	4	Tupelo	---	297	7	4	6
Issaquena	7	18	1	1	1	White	---	242	5	2	3
White	---	3	6	1	1	All other	---	55	2	2	3
All other	---	4	1	1	1	Black	---	55	2	2	3
Black	---	4	1	1	1	Balance of county	---	322	5	2	7
Itawamba	117	230	3	2	13	White	---	252	2	2	6
Jackson	739	869	28	18	9	All other	---	70	3	3	1
White	---	587	703	15	12	Black	---	69	3	3	3
All other	---	152	166	13	4	Leflore	---	426	412	12	9
Black	---	150	162	12	4	White	---	180	190	2	1
Moss Point	---	177	10	7	1	All other	---	246	222	10	8
White	---	83	2	2	1	Black	---	246	222	10	8
All other	---	94	8	5	1	Greenwood	---	252	8	5	9
Black	---	94	8	5	1	White	---	125	1	5	9
Ocean Springs	---	135	7	5	4	All other	---	127	7	5	9
Pascagoula	---	221	7	5	4	Black	---	127	7	5	9
White	---	183	5	5	2	Balance of county	---	160	4	4	7
All other	---	38	2	2	2	White	---	65	1	1	7
Black	---	36	2	2	2	All other	---	95	3	3	7
Balance of county	---	336	11	6	5	Black	---	95	3	3	7
Jasper	104	200	5	2	5	Lincoln	---	312	338	5	4
White	---	61	11	1	1	White	---	230	250	4	3
All other	---	43	89	1	4	All other	---	82	88	1	4
Black	---	43	89	1	4	Black	---	82	88	1	4
Jefferson	48	82	3	2	1	Brookhaven	---	180	3	3	2
White	---	6	19	1	1	White	---	117	2	2	2
All other	---	42	64	3	2	All other	---	63	1	1	2
Black	---	42	64	3	2	Black	---	63	1	1	2
Jefferson Davis	90	147	3	1	8	Balance of county	---	158	2	1	2
White	---	40	63	1	3	White	---	133	2	1	2
All other	---	50	84	2	1	All other	---	25	1	2	2
Black	---	50	84	2	1	Black	---	25	1	2	2
Jones	625	694	8	4	16	Lowndes	---	477	467	14	9
White	---	484	535	2	7	White	---	273	280	4	3
All other	---	161	159	6	9	All other	---	204	187	10	6
Black	---	160	158	6	9	Black	---	204	187	10	6
Laurel	---	317	4	2	10	Columbus	---	282	9	5	7
White	---	211	1	1	2	White	---	159	4	3	7
All other	---	106	4	2	8	All other	---	123	5	2	7
Black	---	106	4	2	8	Black	---	123	5	2	7
Balance of county	---	377	4	2	6	Balance of county	---	185	5	4	2
White	---	324	2	1	5	White	---	121	5	4	1
All other	---	53	2	1	1	All other	---	64	5	4	1
Black	---	52	2	1	1	Black	---	64	5	4	1
Kemper	73	127	1	1	2	Madison	---	211	451	9	7
White	---	43	75	1	2	White	---	94	223	2	2
All other	---	30	52	1	1	All other	---	117	228	7	5
Black	---	28	49	1	1	Black	---	117	228	7	5
Lafayette	332	235	3	3	5	Canton	---	161	4	4	7
White	---	251	167	1	2	White	---	58	4	4	7
All other	---	81	68	3	3	All other	---	103	4	4	7
Black	---	80	67	3	3	Black	---	103	4	4	7
Lamar	329	212	6	2	1	Balance of county	---	290	5	3	3
White	---	271	188	5	1	White	---	165	2	2	1
All other	---	58	24	1	1	All other	---	125	3	1	2
Black	---	57	23	1	1	Black	---	125	3	1	2
Hattiesburg, part	---	7	1	1	1	Marion	---	179	263	7	3
	---	7	1	1	1	White	---	127	180	2	1
	---	7	1	1	1	All other	---	52	83	5	2
	---	7	1	1	1	Black	---	52	83	5	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 44

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 44 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Mississippi-Con.					Mississippi-Con.						
Marshall	153	293	9	8	4	Balance of county	---	530	6	3	8
White	82	159	3	3	1	White	---	403	3	2	4
All other	71	134	6	5	3	All other	---	127	3	1	4
Black	70	134	6	5	3	Black	---	126	3	1	4
Monroe	324	430	10	7	7	Scott	195	285	6	2	3
White	235	302	4	3	2	White	137	184	1	1	1
All other	89	128	6	4	5	All other	58	101	5	1	2
Black	89	128	6	4	5	Black	56	100	5	1	2
Montgomery	131	161	7	6	2	Sharkey	48	74	---	---	1
White	81	97	3	3	---	White	19	29	---	---	---
All other	50	64	4	3	2	All other	29	45	---	---	1
Black	50	64	4	3	2	Black	28	44	---	---	1
Neshoba	154	307	8	8	4	Simpson	211	274	5	4	3
White	103	224	1	1	---	White	158	192	1	---	2
All other	51	83	7	7	4	All other	53	82	4	4	1
Black	37	60	7	7	1	Black	53	82	4	4	1
Newton	173	202	4	1	3	Smith	42	156	2	1	2
White	121	148	1	---	1	White	34	130	2	---	1
All other	52	54	3	1	2	All other	8	26	---	---	1
Black	47	46	1	1	2	Black	8	26	---	---	1
Noxubee	110	148	3	1	3	Stone	59	107	3	2	2
White	43	55	1	---	---	White	49	86	1	---	1
All other	67	93	2	1	3	All other	10	21	2	2	1
Black	67	93	2	1	3	Black	10	21	2	2	1
Oktober	213	244	5	3	4	Sunflower	277	361	8	4	7
White	119	130	1	---	2	White	112	147	1	1	1
All other	94	114	4	3	2	All other	165	214	7	3	6
Black	94	113	4	3	2	Black	165	214	7	3	6
Starkville	---	119	2	1	4	Tallahatchie	82	158	1	1	4
White	---	69	---	---	2	White	43	83	---	---	---
All other	---	50	2	1	2	All other	39	75	1	1	4
Black	---	49	2	1	2	Black	39	75	1	1	4
Balance of county	---	125	3	2	---	Tate	122	209	4	3	1
White	---	61	1	---	---	White	69	139	1	1	1
All other	---	64	2	2	---	All other	53	70	3	2	---
Black	---	64	2	2	---	Black	53	70	3	2	---
Panola	185	313	4	1	7	Tippah	178	250	2	2	3
White	110	189	1	1	2	White	159	219	2	2	2
All other	75	124	3	---	5	All other	19	31	---	---	1
Black	75	124	3	---	5	Black	19	31	---	---	1
Pearl River	274	382	3	2	6	Tishomingo	115	203	2	1	4
White	234	319	2	2	3	Tunica	34	93	7	3	1
All other	40	63	1	---	3	White	11	26	---	---	1
Black	40	63	1	---	3	All other	23	67	7	3	---
Picayune	---	128	1	1	3	Black	23	67	7	3	---
White	---	86	1	---	---	Union	228	256	10	4	2
All other	---	42	---	---	3	White	200	228	9	1	2
Black	---	42	---	---	3	All other	28	28	1	1	---
Balance of county	---	254	2	1	3	Black	28	28	1	1	---
Perry	62	97	4	4	1	Walthall	109	159	2	1	4
White	45	69	2	2	1	White	71	102	---	---	1
All other	17	28	2	---	---	All other	38	57	2	1	3
Black	17	28	2	---	---	Black	38	57	2	1	3
Pike	416	451	5	2	8	Warren	517	496	17	10	7
White	257	265	2	1	1	White	293	288	5	1	3
All other	159	186	3	2	7	All other	224	208	12	9	4
Black	159	186	3	2	7	Black	224	208	12	9	4
McComb	---	211	4	1	3	Vicksburg	---	336	14	10	6
White	---	133	2	---	1	White	---	169	2	1	2
All other	---	78	2	1	2	All other	---	167	12	9	4
Black	---	78	2	1	2	Black	---	167	12	9	4
Balance of county	---	240	1	1	5	Balance of county	---	160	3	---	1
White	---	132	---	---	---	White	---	119	3	---	1
All other	---	108	1	1	5	All other	---	41	---	---	---
Black	---	108	1	1	5	Black	---	41	---	---	---
Pontotoc	117	224	4	4	1	Washington	765	718	11	8	16
White	103	200	3	3	---	White	310	313	2	1	1
All other	14	24	1	1	1	All other	455	405	9	7	15
Black	14	24	1	1	1	Black	452	402	9	7	15
Prentiss	174	220	2	1	4	Greenville	---	516	8	5	12
White	160	196	2	1	3	White	---	228	1	---	1
All other	14	24	---	---	1	All other	---	288	7	5	11
Black	14	24	---	---	1	Black	---	285	7	5	11
Quitman	78	120	1	---	2	Balance of county	---	202	3	3	4
White	29	51	---	---	---	White	---	85	1	1	4
All other	49	69	1	---	2	All other	---	117	2	2	4
Black	49	69	1	---	2	Black	---	117	2	2	4
Rankin	522	660	9	5	11	Wayne	145	161	2	2	4
White	406	526	6	4	5	White	86	100	---	---	2
All other	116	134	3	1	6	All other	59	61	2	2	2
Black	115	133	3	1	6	Black	59	61	2	2	2
Jackson, part	---	1	---	---	---	Webster	98	119	2	---	1
Pearl	---	129	3	2	3	White	78	100	2	---	1
White	---	122	3	2	1	All other	20	19	---	---	---
All other	---	7	---	---	2	Black	20	19	---	---	---
Black	---	7	---	---	2	Wilkinson	106	108	---	---	1
						White	47	39	---	---	---
						All other	59	69	---	---	1
						Black	59	69	---	---	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 45

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 45 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Mississippi-Con.					Missouri-Con.						
Winston	150	212	4	2	3	Jefferson City, part	---	409	9	7	3
White	105	149	1	1	2	White	---	377	5	3	3
All other	45	63	3	1	1	All other	---	32	4	4	---
Black	44	61	3	1	1	Black	---	32	4	7	3
Yalobusha	68	141	2	---	2	Jefferson City, total	---	411	9	7	3
White	46	95	2	---	---	White	---	379	5	3	3
All other	22	46	---	---	2	All other	---	32	4	4	---
Black	22	46	---	---	2	Black	---	32	4	4	---
Yazoo	221	296	6	4	13	Balance of county	---	112	4	3	1
White	93	132	---	---	---	Cooper	123	155	---	---	---
All other	128	164	6	4	13	Crawford	157	224	3	3	1
Black	128	164	6	4	13	Dade	67	122	2	2	---
Yazoo City	---	191	6	4	9	Dallas	72	147	3	2	---
White	---	71	---	---	---	Daviess	---	41	95	1	1
All other	---	120	6	4	9	De Kalb	---	38	89	---	---
Black	---	120	6	4	9	Dent	---	124	185	1	1
Balance of county	---	105	---	---	4	Douglas	---	52	125	---	---
White	---	61	---	---	4	Dunklin	---	308	439	6	3
All other	---	44	---	---	4	Kennett	---	144	242	2	2
Black	---	44	---	---	4	Balance of county	---	295	3	2	4
Missouri	52,513	50,988	649	398	483	Franklin	592	699	4	3	5
White	46,729	45,407	429	258	333	Gasconade	124	184	2	1	---
All other	5,784	5,581	220	140	150	Gentry	99	104	---	---	1
Black	5,622	5,438	212	137	145	Greene	3,155	1,980	25	18	13
Adair	336	215	4	1	---	Springfield	---	1,602	20	15	2
Kirkville	---	156	3	---	---	Balance of county	---	378	5	3	---
Balance of county	---	59	1	1	---	Grundy	141	148	1	---	---
Andrew	77	160	4	3	1	Hamison	99	151	---	---	1
Atchison	102	103	---	---	1	Henry	270	276	2	2	3
Audrain	300	266	1	---	4	Hickory	72	158	---	---	---
Mexico	---	169	1	---	2	Holt	34	93	1	---	1
Balance of county	---	97	---	---	2	Howard	89	130	1	---	2
Barry	257	357	2	2	3	Howell	528	420	7	5	9
Barton	114	144	2	1	2	Iron	139	159	---	---	3
Bates	176	223	1	1	2	Jackson	7,182	6,104	111	63	70
Benton	128	216	2	1	1	White	5,862	4,790	58	30	36
Bollinger	58	127	2	1	1	All other	1,320	1,314	53	33	34
Boone	1,658	716	17	6	10	Black	1,284	1,276	50	32	32
Columbia	---	492	15	6	9	Blue Springs	---	218	6	4	1
White	---	433	10	3	5	Grandview	---	151	4	1	4
All other	---	59	5	3	4	Independence, part	---	1,034	14	8	10
Black	---	57	4	2	4	Independence, total	---	1,034	14	8	10
Balance of county	---	224	2	---	1	Kansas City, part	---	3,831	78	44	50
Buchanan	1,079	917	6	3	8	All other	---	2,561	28	13	17
St. Joseph	---	824	5	2	7	Black	---	1,270	50	31	33
Balance of county	---	93	1	1	1	White	---	1,244	48	30	32
Butler	757	457	10	4	3	Kansas City, total	---	4,438	88	49	57
Poplar Bluff	---	245	8	3	3	White	---	3,160	37	17	24
Balance of county	---	212	2	1	---	All other	---	1,278	51	32	33
Caldwell	37	103	---	---	---	Black	---	1,250	49	31	32
Callaway	170	268	4	3	3	Lee's Summit, part	---	368	3	2	1
Fulton	---	149	---	---	1	Lee's Summit, total	---	369	3	2	1
White	---	137	---	---	---	Raytown	---	317	2	2	---
All other	---	12	---	---	---	Balance of county	---	185	4	2	4
Black	---	2	---	---	---	Jasper	1,068	993	7	5	3
Jefferson City, part	---	117	4	3	2	Carthage	---	160	2	---	---
Balance of county	---	329	4	2	4	Joplin, part	---	464	2	2	1
Camden	302	329	4	2	4	Joplin, total	---	557	4	4	2
Cape Girardeau	1,143	596	6	3	3	Balance of county	---	369	3	3	2
Cape Girardeau	---	378	4	2	2	Jefferson	762	1,220	18	12	17
Balance of county	---	218	2	1	1	Arnold	---	115	1	---	2
Carroll	98	154	2	2	2	Balance of county	---	1,105	17	12	15
Carter	208	60	---	---	---	Johnson	223	254	5	3	3
Cass	409	529	7	4	3	Warrensburg	---	113	2	2	1
Belton	---	132	3	2	1	Balance of county	---	141	3	1	2
Lee's Summit, part	---	1	---	---	---	Knox	15	59	---	---	---
Balance of county	---	396	4	2	2	Laclede	226	285	1	---	2
Cedar	105	168	1	1	---	Lafayette	256	382	6	3	4
Chariton	76	136	---	---	1	Lawrence	319	363	1	1	2
Christian	133	240	6	3	2	Lewis	77	112	---	---	2
Clark	39	89	---	---	2	Lincoln	185	220	4	3	1
Clay	1,377	1,129	8	4	11	Linn	149	194	2	2	1
Excelsior Springs, part	---	124	1	---	---	Livingston	183	199	---	---	1
Excelsior Springs, total	---	126	1	---	---	McDonald	83	193	---	---	---
Gladstone	---	185	2	1	4	Macon	134	205	5	3	3
Independence, part	---	---	---	---	---	Madison	98	134	---	---	---
Kansas City, part	---	416	3	2	6	Marion	38	91	---	---	1
Liberty	---	176	1	1	---	Marion	380	372	4	2	1
Balance of county	---	228	1	---	1	Hannibal, part	---	275	4	2	1
Clinton	171	195	4	3	1	Hannibal, total	---	275	4	2	1
Cole	779	521	13	10	4	Balance of county	---	97	---	---	---
						Mercer	27	54	---	---	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 46

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 46 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Missouri-Con.					Missouri-Con.						
Miller	83	221	-	-	4	Hazelwood	90	1	-	-	
Mississippi	87	199	1	1	5	Jennings	150	3	2	4	
White	68	155	-	-	5	White	109	-	-	2	
All other	19	44	1	1	-	All other	41	3	2	2	
Black	19	44	1	1	-	Black	41	3	2	2	
Moniteau	56	116	-	-	2	Kirkwood	281	2	1	1	
Monroe	46	106	1	-	1	Maplewood	93	3	2	-	
Montgomery	104	159	2	1	-	Overland	185	5	2	-	
						Richmond Heights	94	2	2	-	
Morgan	136	224	-	-	3	White	75	2	2	-	
New Madrid	103	268	-	-	4	All other	19	-	-	-	
White	89	239	-	-	2	Black	19	-	-	-	
All other	14	29	-	-	2	St. Ann	148	2	1	1	
Black	14	29	-	-	2	University City	378	11	9	4	
Sikeston, part	---	4	-	-	4	White	224	4	3	-	
Balance of county	---	264	-	-	4	All other	154	7	6	4	
White	---	235	-	-	2	Black	151	7	6	4	
All other	---	29	-	-	2	Webster Groves	215	2	1	1	
Black	---	29	-	-	2	Balance of county	5,574	70	48	59	
Newton	713	465	6	3	3	White	4,903	35	26	28	
Joplin, part	---	93	2	2	1	All other	671	35	22	31	
Balance of county	---	372	4	1	2	Black	647	34	21	30	
Nodaway	160	185	3	2	2	St. Louis city	6,684	5,346	101	61	
Oregon	62	138	-	-	-	White	4,099	2,999	15	10	
						All other	2,585	2,348	86	51	
Osage	46	111	-	-	-	Black	2,567	2,338	84	49	
Ozark	48	110	1	1	2	Saline	215	277	1	2	
Pemiscot	201	297	5	3	3	Marshall	109	-	-	1	
White	149	218	-	-	1	Balance of county	168	1	1	1	
All other	52	79	5	3	2	White	164	1	1	1	
Black	52	79	5	3	2	All other	4	-	-	-	
Perry	141	182	1	1	1	Black	4	-	-	-	
Pettis	404	391	3	3	2	Schuyler	20	72	-	-	
Sedalia	---	272	3	3	1	Scotland	52	64	1	3	
Balance of county	---	119	-	-	1	Scott	479	397	4	3	
Phelps	497	375	2	2	2	Sikeston, part	---	218	2	1	
Rolla	---	146	1	1	2	White	188	2	1	1	
Balance of county	---	229	1	1	-	All other	30	-	-	-	
Pike	166	188	-	-	-	Black	28	-	-	-	
Platte	325	412	9	4	3	Sikeston, total	222	2	1	1	
Kansas City, part	---	191	7	3	1	White	192	2	1	1	
Balance of county	---	221	2	1	2	All other	30	-	-	-	
Polk	257	257	2	1	1	Black	28	-	-	-	
Pulaski	135	220	9	5	6	Balance of county	179	2	2	2	
White	128	210	6	3	5	White	176	2	2	2	
All other	7	10	3	2	1	All other	3	-	-	-	
Black	3	6	2	2	1	Black	3	-	-	-	
Putnam	63	79	-	-	-	Shannon	43	81	2	2	
Ralls	47	89	-	-	-	Shelby	77	108	-	-	
Hannibal, part	---	89	-	-	-	Stoddard	238	355	1	3	
Balance of county	---	89	-	-	-	Stone	133	241	2	1	
Randolph	266	293	3	2	-	Sullivan	63	101	-	-	
Moberly	---	188	1	-	-	Taney	297	314	7	6	
Balance of county	---	110	2	2	-	Texas	206	275	1	4	
Ray	123	187	2	1	4	Vernon	187	216	3	1	
Excelsior Springs, part	---	2	-	-	-	Warren	61	168	3	2	
Balance of county	---	185	2	1	4	Washington	136	197	2	1	
Reynolds	33	69	-	-	-	Wayne	79	164	-	-	
Ripley	80	178	2	2	3	Webster	99	215	-	3	
St. Charles	1,055	1,121	17	10	17	Worth	27	49	1	-	
St. Charles	---	468	5	4	6	Wright	88	193	-	1	
St. Peters	---	152	4	2	2	Montana	7,067	7,068	86	34	
Balance of county	---	501	8	4	9	White	6,737	6,735	67	29	
St. Clair	125	113	-	-	1	All other	330	333	19	5	
Ste. Genevieve	112	136	-	-	-	Black	16	13	2	1	
St. Francois	508	570	7	3	6	Beaverhead	68	72	-	2	
St. Louis	9,511	8,754	113	78	92	Big Horn	70	89	-	1	
White	8,522	7,683	61	44	43	White	43	50	-	-	
All other	989	1,071	52	34	49	All other	27	39	-	1	
Black	852	1,029	51	34	49	Black	---	---	-	-	
Ballwin	---	84	-	-	2	Blaine	44	67	-	-	
Bellefontaine Neighbors	---	156	-	-	1	White	36	51	-	-	
Berkeley	---	110	4	3	6	All other	8	16	-	-	
White	---	56	4	3	6	Black	1	---	-	-	
All other	---	54	4	3	6	Broadwater	27	34	-	-	
Black	---	54	4	3	6	Carbon	60	86	2	1	
Bridgeton	---	157	1	-	2	Carter	15	21	-	-	
Clayton	---	99	-	-	-	Cascade	730	627	6	10	
Crestwood	---	101	-	-	1	Great Falls	---	539	6	8	
Creve Coeur	---	122	1	1	5	Balance of county	---	88	-	2	
Ferguson	---	218	4	4	3	Chouteau	40	49	-	-	
White	---	183	4	4	2	Custer	170	132	1	-	
All other	---	35	-	-	2	Daniels	24	31	-	1	
Black	---	34	-	-	5						
Florissant	---	499	2	2	5						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 47

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 47 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Montana-Con.						Nebraska	14,914	14,644	172	91	158
Dawson	81	85	1	-	1	White	14,389	14,114	143	79	134
Deer Lodge, coext. with Anaconda-Deer Lodge	109	139	3	1	-	All other	525	530	29	12	24
						Black	428	421	26	12	16
Fallon	23	32	-	-	-	Adams	357	338	3	2	1
Fergus	163	172	2	-	2	Hastings	274	274	3	2	1
Flathead	561	550	3	-	7	Balance of county	64	64	-	-	-
Kalispell	-	166	1	-	-	Antelope	82	101	-	-	-
Balance of county	-	384	2	-	7	Arthur	1	4	-	-	-
Gallatin	262	268	2	-	6	Banner	-	3	-	-	-
Bozeman	-	136	-	-	2	Blaine	3	4	-	-	-
Balance of county	-	132	2	-	4	Boone	76	71	-	-	2
Garfield	6	12	-	-	-	Box Butte	110	130	4	2	2
Glacier	86	103	1	1	2	Boyd	27	40	1	1	-
White	41	49	1	1	2	Brown	34	43	-	-	-
All other	45	54	-	-	-	Buffalo	403	290	2	2	2
Black	-	-	-	-	-	Kearney	-	177	1	1	2
Golden Valley	1	4	-	-	-	Balance of county	-	113	1	1	-
Granite	20	32	3	3	1	Burt	91	121	2	-	3
Hill	162	151	4	1	4	Butler	107	124	-	-	1
White	136	132	1	-	1	Cass	91	189	1	1	1
All other	26	19	3	1	3	Cedar	74	116	1	1	1
Black	2	1	-	-	-	Chase	57	52	-	-	-
Havre	-	119	2	-	-	Cherry	62	75	-	-	-
Balance of county	-	32	2	1	4	Cheyenne	83	100	-	-	3
White	-	24	-	-	1	Clay	41	81	2	1	1
All other	-	8	2	1	3	Colfax	87	99	1	-	1
Black	-	-	-	-	-	Cuming	101	136	2	1	-
Jefferson	47	65	-	-	-	Custer	158	184	3	2	-
Judith Basin	8	16	-	-	-	Dakota	104	158	3	-	3
Lake	155	197	2	1	3	Dawes	89	87	3	2	1
White	135	160	1	1	1	Dawson	221	220	3	1	6
All other	20	37	1	-	2	Deuel	11	18	-	-	-
Black	-	-	-	-	-	Dixon	42	83	-	-	1
Lewis and Clark	395	375	3	2	5	Dodge	363	363	3	2	3
Helena	-	239	3	2	3	Fremont	-	252	3	2	3
Balance of county	-	136	-	-	2	Balance of county	-	111	-	-	-
Liberty	13	15	-	-	-	Douglas	4,481	3,459	59	29	55
Lincoln	123	165	1	1	-	White	4,078	3,065	35	17	39
McCone	16	24	-	-	-	All other	403	394	24	12	16
Madison	65	80	-	-	-	Black	379	374	24	12	15
Meagher	17	23	-	-	-	Omaha	-	3,163	56	26	50
Mineral	29	32	1	-	-	White	-	2,775	32	14	35
Missoula	704	552	14	7	8	All other	-	388	24	12	15
Missoula	-	409	9	4	5	Black	-	369	24	12	14
Balance of county	-	143	5	3	3	Balance of county	-	296	3	3	5
Musselshell	30	43	-	-	-	Dundy	22	25	-	-	-
Park	154	169	3	-	2	Fillmore	83	102	-	-	2
Petroleum	3	7	-	-	-	Franklin	54	73	-	-	-
Phillips	44	54	-	-	2	Frontier	16	24	-	-	-
Pondera	53	62	1	1	1	Furnas	63	90	-	-	1
Powder River	7	12	-	-	-	Gage	250	273	2	2	2
Powell	53	61	-	-	-	Beatrice	-	175	2	2	1
Prairie	8	25	2	2	-	Balance of county	-	98	-	-	1
Ravalli	203	251	-	-	1	Garden	36	35	-	-	-
Richland	93	99	4	1	4	Garfield	21	32	-	-	1
Roosevelt	95	107	2	-	4	Gosper	20	32	-	-	-
White	54	57	-	-	1	Grant	1	5	-	-	-
All other	41	50	2	-	3	Greeley	23	44	-	-	-
Black	1	-	-	-	-	Hall	554	454	6	5	3
Rosebud	55	73	6	3	1	Grand Island	-	390	5	4	3
White	40	44	1	1	1	Balance of county	-	64	1	1	-
All other	15	29	5	2	-	Hamilton	82	91	1	1	1
Black	1	1	1	-	-	Harlan	51	55	-	-	-
Sanders	61	76	1	-	-	Hayes	1	6	-	-	-
Sheridan	53	58	-	-	-	Hitchcock	11	42	-	-	-
Silver Bow	404	391	3	2	4	Holt	104	143	-	-	2
Butte-Silver Bow	-	378	2	1	4	Hooker	11	14	-	-	-
Balance of county	-	13	1	1	-	Howard	55	69	-	-	1
Stillwater	61	75	-	-	-	Jefferson	105	137	3	1	1
Sweet Grass	27	42	-	-	1	Johnson	73	85	-	-	-
Teton	37	68	-	-	-	Kearney	60	74	3	3	1
Toole	58	62	-	-	2	Keith	90	104	-	-	-
Treasure	5	7	-	-	-	Keya Paha	2	11	-	-	-
Valley	69	81	1	-	-	Kimball	37	47	1	-	-
Wheatland	26	31	-	-	-	Knox	98	143	-	-	-
Wibaux	17	15	1	1	-						
Yellowstone	1,156	899	13	5	10						
Billings	-	725	8	2	8						
Balance of county	-	174	5	3	2						
Yellowstone National Park	1	-	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 48

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 48 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Nebraska-Con.					Nevada-Con.						
Lancaster	1,803	1,499	24	10	18	Douglas	133	223	-	-	5
Lincoln	---	1,398	24	10	17	Elko	185	187	9	4	2
Balance of county	---	101	-	-	1	Esmeralda	8	13	-	-	2
Lincoln	344	354	1	-	5	Eureka	13	11	1	-	-
North Platte	---	270	1	-	3	Humboldt	66	79	3	2	2
Balance of county	---	84	-	-	2	Lander	19	29	1	-	-
Logan	2	10	-	-	-	Lincoln	39	50	1	-	-
Loup	1	5	-	-	-	Lyon	103	212	4	2	2
McPherson	1	5	-	-	-	Mineral	42	56	-	-	3
Madison	377	324	5	2	5	White	34	45	-	-	2
Norfolk	---	209	5	2	3	All other	8	11	-	-	1
Balance of county	---	115	-	-	2	Black	4	4	-	-	-
Merrick	59	75	-	-	-	Nye	111	171	2	2	1
Morrill	47	65	-	-	-	Pershing	28	38	3	2	-
Nance	34	49	-	-	-	Storey	5	10	-	-	-
Nemaha	70	78	2	1	2	Washoe	2,501	1,998	22	7	24
Nuckolls	61	77	-	-	2	White	2,397	1,914	17	5	22
Otoe	174	188	2	1	2	All other	104	84	5	2	2
Pawnee	28	37	-	-	2	Black	53	49	4	1	2
Perkins	54	45	-	-	-	Reno	---	1,372	16	6	21
Phelps	118	124	-	-	-	Sparks	---	401	3	1	2
Pierce	79	94	-	-	1	Balance of county	---	225	3	-	1
Platte	171	217	2	1	1	White	---	217	3	-	1
Columbus	---	172	2	1	1	All other	---	8	-	-	-
Balance of county	---	45	-	-	1	Black	---	2	-	-	-
Polk	55	76	-	-	-	White Pine	87	79	2	2	-
Red Willow	112	119	-	-	1	New Hampshire	8,464	8,545	94	54	73
Richardson	129	144	-	-	1	White	8,422	8,507	91	52	71
Rock	11	15	-	-	-	All other	42	38	3	2	2
Saline	178	168	1	-	-	Black	23	21	3	2	2
Sarpy	300	369	10	7	12	Belknap	446	484	1	1	5
Bellevue	---	147	5	2	1	Laconia	---	183	-	-	4
Balance of county	---	222	5	5	11	Balance of county	---	301	1	1	1
Saunders	93	191	3	3	2	Carroll	302	348	5	4	2
Scotts Bluff	477	404	5	2	2	Cheshire	507	599	2	1	3
Scottsbluff	---	186	3	2	-	Keene	---	207	1	-	2
Balance of county	---	218	2	-	2	Balance of county	---	392	1	1	1
Seward	134	135	1	-	1	Coos	333	373	3	2	2
Sheridan	64	74	1	1	1	Berlin	---	120	3	2	-
Sherman	20	33	-	-	-	Balance of county	---	253	-	-	2
Sioux	4	10	-	-	-	Grafton	1,051	635	11	8	8
Stanton	22	49	-	-	-	Lebanon	---	107	1	1	1
Thayer	86	99	-	-	-	Balance of county	---	528	10	7	7
Thomas	2	7	-	-	-	Hillsborough	2,539	2,425	32	15	32
Thurston	70	89	1	-	1	Manchester	---	908	8	5	11
White	52	54	-	-	-	Nashua	---	571	6	6	6
All other	18	35	1	-	-	Balance of county	---	946	18	8	15
Black	-	-	-	-	1	Merimack	1,004	967	9	5	2
Valley	72	81	-	-	-	Concord	---	367	2	2	-
Washington	131	142	1	1	-	Balance of county	---	600	7	3	2
Wayne	74	70	3	2	1	Rockingham	1,272	1,608	25	15	12
Webster	61	80	-	-	-	Portsmouth	---	233	4	3	1
Wheeler	2	8	-	-	-	Balance of county	---	1,375	21	12	11
York	115	136	1	1	-	Strafford	723	716	5	3	5
						Dover	---	219	-	-	2
						Rochester	---	212	1	-	2
						Somersworth	---	96	3	2	1
						Balance of county	---	189	1	1	-
Nevada	10,971	10,277	151	65	139	Sullivan	287	390	1	-	2
White	10,117	9,474	111	53	107	Claremont	---	179	-	-	2
All other	854	803	40	12	32	Balance of county	---	211	1	-	-
Black	616	581	36	11	26	New Jersey	69,181	70,868	1,002	679	890
Carson City city	466	439	2	-	1	White	59,513	61,004	535	382	549
Churchill	159	159	6	3	2	All other	9,668	9,864	467	297	341
Clark	7,006	6,523	95	43	95	Black	9,149	9,346	438	280	307
White	6,330	5,894	64	33	68	Atlantic	2,632	2,412	34	21	28
All other	676	629	31	10	27	White	2,151	1,936	15	10	16
Black	548	519	31	10	24	All other	481	476	19	11	12
Henderson	---	550	3	2	7	Black	463	461	18	11	11
Las Vegas	---	2,910	52	22	32	Atlantic City	---	678	15	8	5
White	---	2,573	30	17	23	White	---	367	5	4	-
All other	---	337	22	5	9	All other	---	311	10	4	5
Black	---	287	22	5	7	Black	---	300	10	4	5
North Las Vegas	---	384	6	1	2	Hammonton	---	142	-	-	-
White	---	253	4	1	5	Pleasantville	---	200	3	3	1
All other	---	131	4	1	5	White	---	128	-	-	-
Black	---	126	4	1	5	All other	---	72	3	3	1
Balance of county	---	2,679	30	17	49	Black	---	71	3	3	1
White	---	2,538	25	13	36	Somers Point	---	138	1	-	-
All other	---	141	5	4	13	Ventnor City	---	154	-	-	-
Black	---	91	5	4	10						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 49

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 49 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New Jersey-Con.					New Jersey-Con.						
Balance of county	---	1,100	15	10	21	Camden	---	830	56	39	27
Bergen	6,515	7,540	67	48	80	White	---	355	19	11	7
White	6,185	7,154	52	37	59	All other	---	475	37	28	20
All other	330	386	15	11	21	Black	---	473	37	28	20
Black	274	320	9	6	9	Cherry Hill twp#	---	641	3	2	---
Bergenfield	---	229	2	1	3	Collingswood	---	158	---	---	2
Cliffside Park	---	211	---	---	---	Gloucester twp#	---	293	2	2	1
Dumont	---	193	4	4	1	Gloucester City	---	127	1	1	1
Elmwood Park	---	173	3	2	4	Haddon twp#	---	179	2	1	1
Englewood	---	259	4	3	6	Haddonfield	---	90	1	1	1
White	---	161	4	3	5	Lindenwald	---	134	5	5	2
All other	---	98	---	---	1	White	---	113	5	5	2
Black	---	97	---	---	1	All other	---	21	---	---	---
Fair Lawn	---	288	2	2	4	Black	---	18	---	---	---
Fairview	---	103	1	1	1	Pennsauken twp#	---	370	9	7	---
Fort Lee	---	286	1	1	1	Voorhees twp#	---	163	3	2	---
White	---	277	1	1	1	White	---	159	2	1	1
All other	---	9	---	---	---	All other	---	4	1	1	---
Black	---	2	---	---	---	Black	---	4	1	1	---
Garfield	---	308	5	2	3	Balance of county	---	1,381	17	10	22
Glen Rock	---	73	1	1	2	White	---	1,239	14	9	14
Hackensack	---	321	6	5	7	All other	---	142	3	1	8
White	---	249	2	2	4	Black	---	135	3	1	7
All other	---	72	4	3	3	Cape May	1,038	1,285	7	3	9
Black	---	71	4	3	3	Ocean City	---	209	---	---	1
Hasbrouck Heights	---	120	---	---	---	Balance of county	---	1,076	7	3	8
Hillsdale	---	86	---	---	---	Cumberland	1,400	1,372	21	16	19
Lodi	---	237	2	2	4	White	1,194	1,158	11	8	12
Lyndhurst twp#	---	205	4	2	1	All other	206	214	10	8	7
New Milford	---	155	2	2	1	Black	187	195	9	7	6
North Arlington	---	207	2	1	1	Bridgeton	---	277	4	2	6
Oakland	---	79	3	---	---	White	---	185	1	---	2
Palisades Park	---	132	2	1	4	All other	---	92	3	2	4
Paramus	---	254	---	---	---	Black	---	84	2	1	3
Ramsey	---	64	---	---	---	Millville	---	286	4	3	5
Ridgefield	---	128	1	1	---	Vineland	---	550	10	9	6
Ridgefield Park	---	60	---	---	---	White	---	503	4	4	3
Ridgewood	---	185	1	1	---	All other	---	47	6	5	3
River Edge	---	105	1	1	1	Black	---	47	6	5	3
Rutherford	---	165	---	---	---	Balance of county	---	259	3	2	2
Saddle Brook twp#	---	144	1	1	1	White	---	205	2	1	2
Teaneck twp#	---	342	2	1	1	All other	---	54	1	1	---
White	---	246	1	1	1	Black	---	46	1	1	---
All other	---	96	1	1	1	Essex	8,851	7,836	166	104	185
Black	---	90	1	1	1	White	5,391	4,507	33	23	67
Tenafly	---	85	---	---	---	All other	3,460	3,329	133	81	118
Waldwick	---	71	---	---	---	Black	3,388	3,276	131	81	116
Wallington	---	107	1	1	2	Belleville	---	353	6	4	4
Westwood	---	107	---	---	---	Bloomfield	---	489	2	1	9
Wyckoff twp#	---	126	---	---	---	Cedar Grove twp#	---	144	---	---	---
Balance of county	---	1,932	16	10	32	East Orange	---	805	26	18	20
White	---	1,902	12	8	22	White	---	141	---	---	1
All other	---	30	4	2	10	All other	---	664	26	18	19
Black	---	12	1	1	5	Black	---	662	26	18	19
Burlington	2,747	2,957	43	28	33	Irvington	---	522	17	10	18
White	2,491	2,644	31	22	20	White	---	265	4	4	4
All other	256	313	12	6	13	All other	---	257	13	6	14
Black	243	293	12	6	10	Black	---	254	13	6	14
Burlington	---	112	---	---	1	Livingston twp#	---	182	3	3	---
White	---	95	---	---	---	Maplewood twp#	---	201	---	---	---
All other	---	17	---	---	---	Millburn twp#	---	136	1	---	---
Black	---	17	---	---	---	Montclair	---	366	5	5	2
Cinnaminson twp#	---	125	---	---	---	White	---	240	1	4	1
Delran twp#	---	89	---	---	---	All other	---	126	4	4	1
Maple Shade twp#	---	198	1	---	---	Black	---	125	4	4	1
Moorestown twp#	---	147	---	---	---	Newark	2,910	91	55	101	
Mount Holly twp#	---	152	3	2	1	White	---	960	15	10	39
White	---	135	2	2	1	All other	---	1,950	76	45	62
All other	---	17	1	---	---	Black	---	1,937	76	45	62
Black	---	16	1	---	---	Nutley	---	275	1	---	3
Pemberton twp#	---	188	8	7	1	Orange	---	347	9	6	10
White	---	148	6	5	1	White	---	199	---	---	---
All other	---	37	2	2	---	All other	---	208	9	6	10
Black	---	33	7	3	---	Black	---	206	9	6	10
Willingboro twp#	---	240	7	3	---	South Orange Village twp#	---	122	---	---	---
White	---	124	3	1	---	White	---	102	---	---	---
All other	---	116	4	2	---	All other	---	20	---	---	---
Black	---	112	4	2	---	Black	---	132	1	---	---
Balance of county	---	1,708	24	16	30	Verona	---	114	1	1	1
White	---	1,606	19	14	12	West Caldwell	---	441	---	---	2
All other	---	102	5	2	10	West Orange	---	207	3	1	15
Black	---	94	5	2	10	Balance of county	---	1,614	1,855	27	18
Camden	4,618	4,489	100	70	56	White	1,453	1,850	18	14	
White	3,924	3,757	54	37	28	All other	161	205	9	4	
All other	794	732	46	33	28	Black	158	199	9	4	
Black	761	707	44	32	27						
Bellmawr	---	123	1	---	---						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 50

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 50 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
New Jersey-Con.					New Jersey-Con.							
Deptford twp#	---	181	---	---	1	Perth Amboy	---	398	14	9	8	
White	---	167	---	---	---	White	---	365	12	8	7	
All other	---	14	---	---	1	All other	---	33	2	1	1	
Black	---	14	---	---	1	Black	---	33	2	1	1	
Glassboro	---	121	1	---	5	Piscataway twp#	---	253	4	2	---	
White	---	95	---	---	3	White	---	211	3	1	---	
All other	---	26	1	---	2	All other	---	42	1	1	---	
Black	---	26	1	---	2	Black	---	32	1	1	---	
Washington twp#	---	122	3	3	---	Sayreville	---	271	1	1	1	
West Deptford twp#	---	108	3	2	---	South Plainfield	---	170	1	1	2	
Woodbury	---	160	4	3	3	South River	---	163	1	1	1	
White	---	134	2	2	2	Woodbridge twp#	---	753	5	4	4	
All other	---	26	2	1	1	Balance of county	---	910	10	9	35	
Black	---	25	2	1	1	White	---	871	5	4	26	
Balance of county	---	1,163	16	10	19	All other	---	39	5	5	9	
White	---	1,035	12	8	17	Black	---	29	3	3	5	
All other	---	128	4	2	2	Monmouth	4,853	5,011	60	36	54	
Black	---	124	4	2	2	White	---	4,525	35	24	39	
Hudson	4,788	5,366	86	53	70	All other	---	445	25	12	15	
White	---	4,559	43	29	42	Black	---	418	22	12	15	
All other	---	807	43	24	28	Aberdeen twp#	---	101	2	1	---	
Black	---	717	43	24	24	White	---	87	1	---	---	
Bayonne	658	745	41	22	5	All other	---	14	1	1	---	
Harrison	---	771	2	2	1	Black	---	13	1	1	---	
Hoboken	---	113	---	---	---	Asbury Park	---	254	5	2	---	
White	---	304	1	1	---	White	---	142	---	---	---	
All other	---	293	1	---	---	All other	---	112	5	2	---	
Black	---	11	---	---	---	Black	---	112	5	2	---	
Jersey City	---	10	---	---	---	Eatontown	---	116	2	2	4	
White	---	2,819	54	30	38	White	---	111	2	2	2	
All other	---	1,597	16	11	14	All other	---	111	2	2	2	
Black	---	722	38	19	24	Black	---	5	---	---	---	
Kearny	---	679	37	18	21	Freehold	---	91	---	---	5	
North Bergen twp#	---	305	2	1	3	White	---	81	---	---	2	
North Bergen twp#	---	504	6	6	2	All other	---	10	---	---	3	
Secaucus	---	146	---	---	---	Black	---	9	---	---	3	
Union City	---	411	15	8	7	Hazlet twp#	---	202	---	---	---	
White	---	394	13	6	7	Howell twp#	---	230	5	4	1	
All other	---	17	2	2	1	Keansburg	---	134	8	5	1	
Black	---	12	1	1	---	Long Branch	---	363	3	2	3	
Weehawken twp#	---	94	1	1	---	White	---	301	5	3	3	
West New York	---	291	5	4	7	All other	---	62	5	3	3	
White	---	286	4	3	6	Black	---	58	5	3	1	
All other	---	5	1	1	1	Middletown twp#	---	490	2	2	3	
Black	---	3	1	1	1	Neptune twp#	---	358	5	3	5	
Balance of county	---	108	---	---	7	White	---	268	1	1	2	
Hunterdon	559	677	5	5	6	All other	---	90	4	2	3	
Mercer	---	3,143	2,856	47	33	Black	---	90	4	2	3	
White	---	2,546	2,287	12	9	Ocean twp#	---	157	1	1	1	
All other	---	597	569	35	24	Red Bank	---	189	1	1	1	
Black	---	573	545	32	22	White	---	148	---	---	---	
East Windsor twp#	---	---	3	2	---	All other	---	41	1	1	1	
Ewing twp#	---	---	300	4	---	Black	---	41	1	1	1	
White	---	---	266	1	---	Balance of county	---	2,326	27	15	33	
All other	---	---	34	3	---	White	---	2,209	18	12	30	
Black	---	---	33	3	---	All other	---	117	9	3	3	
Hamilton twp#	---	748	8	5	2	Black	---	102	6	3	3	
Princeton	---	103	1	---	3	Morris	3,315	2,953	38	29	30	
White	---	92	---	---	2	White	---	2,847	24	19	28	
All other	---	11	1	---	1	All other	---	117	14	10	2	
Black	---	10	---	---	1	Black	---	88	10	7	2	
Trenton	---	1,037	23	17	16	Denville twp#	---	113	---	---	---	
White	---	622	4	4	4	Dover	---	119	4	4	2	
All other	---	415	19	13	12	Hanover twp#	---	84	---	---	---	
Black	---	412	19	13	12	Madison	---	119	1	1	3	
Balance of county	---	557	8	6	4	Morris twp#	---	119	---	---	---	
White	---	495	5	3	3	Morristown	---	207	2	1	3	
All other	---	62	3	3	1	White	---	171	---	---	---	
Black	---	52	2	2	---	All other	---	36	2	1	---	
Middlesex	4,734	5,246	80	63	62	Black	---	35	2	1	---	
White	---	4,307	4,836	53	40	Parsippany-Troy Hills twp#	---	273	5	4	---	
All other	---	427	410	27	23	Pequanock twp#	---	104	1	---	---	
Black	---	363	330	23	20	Balance of county	---	1,815	25	19	20	
Carteret	---	209	5	4	1	White	---	1,780	17	13	18	
East Brunswick twp#	---	259	4	4	---	All other	---	35	8	6	2	
Edison twp#	---	637	7	6	---	Black	---	20	5	4	2	
Highland Park	---	92	3	3	1	Ocean	5,381	5,823	34	26	41	
White	---	82	1	1	1	White	---	5,275	5,720	28	22	36
All other	---	10	2	2	1	All other	---	106	103	6	4	5
Black	---	9	2	2	1	Black	---	99	6	4	4	
Metuchen	---	125	1	---	1	Brick twp#	---	708	8	6	---	
Middlesex	---	106	1	1	1	Dover twp#	---	1,003	2	2	4	
New Brunswick	---	315	14	12	7	Jackson twp#	---	261	2	2	1	
White	---	206	5	5	5	Lakewood twp#	---	715	6	5	4	
All other	---	109	9	7	2	White	---	656	3	2	3	
Black	---	108	9	7	2	All other	---	59	3	3	1	
North Brunswick twp#	---	190	3	3	---	Black	---	59	3	3	1	
Old Bridge twp#	---	395	6	3	1	Manchester twp#	---	833	1	---	---	
						Point Pleasant	---	287	3	3	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 51

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 51 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New Jersey-Con.					New Jersey-Con.						
Balance of county	---	2,016	12	8	29	Springfield twp#	---	162	1	-	-
White	---	1,997	10	7	27	Summit	---	160	7	5	2
All other	---	19	2	1	2	Union twp#	---	659	3	2	1
Black	---	18	2	1	1	Westfield	---	222	-	-	-
Passaic	4,243	4,157	68	44	55	Balance of county	---	249	2	2	22
White	---	3,658	44	32	38	White	---	237	2	2	13
All other	---	582	24	12	17	All other	---	11	-	-	9
Black	---	553	24	12	15	Black	---	11	-	-	8
Clifton	---	859	3	3	6	Warren	797	840	7	4	8
Hawthorne	---	158	-	-	-	Phillipsburg	---	224	5	1	6
Little Falls twp#	---	98	-	-	-	Balance of county	---	616	5	3	2
Passaic	---	468	13	7	10						
White	---	365	8	4	8	New Mexico *	11,185	11,176	211	109	110
All other	---	103	5	3	2	White	10,074	10,190	157	87	93
Black	---	97	5	3	2	All other	1,111	986	54	22	17
Paterson	---	1,211	35	21	22	Black	203	201	15	5	-
White	---	781	17	13	10	Bernalillo	4,391	3,360	62	31	24
All other	---	430	18	8	12	White	4,053	3,211	54	29	21
Black	---	426	18	8	11	All other	338	149	8	2	3
Pompton Lakes	---	90	-	-	-	Black	91	71	7	1	23
Ringwood	---	68	1	1	3	Albuquerque	---	3,193	55	28	20
Totowa	---	153	-	-	-	White	---	3,059	47	26	20
Wanaque	---	111	2	2	1	All other	---	134	8	2	3
Wayne twp#	---	418	3	2	2	Black	---	70	7	1	1
West Paterson	---	88	3	2	2	Balance of county	---	167	7	3	3
Balance of county	---	435	4	2	11	White	---	152	7	3	3
Salem	662	677	15	10	7	All other	---	15	-	-	-
White	---	572	8	5	4	Black	---	1	-	-	-
All other	---	90	7	5	3	Catron	12	19	1	1	-
Black	---	88	7	5	3	Chaves	565	576	7	4	9
Somerset	1,539	1,708	16	15	17	Roswell	---	496	6	4	6
White	---	1,459	9	8	14	White	---	478	4	4	6
All other	---	109	7	7	3	All other	---	18	2	-	-
Black	---	62	7	7	3	Black	---	18	2	-	-
Bridgewater twp#	---	228	1	1	-	Balance of county	---	18	1	-	3
Franklin twp#	---	209	5	5	-	Cibola	113	142	3	1	1
White	---	180	2	2	-	White	---	69	83	1	1
All other	---	29	3	3	-	All other	---	44	59	2	-
Black	---	26	3	3	-	Black	---	44	59	2	-
Manville	---	96	-	-	1	Colfax	117	125	4	2	1
North Plainfield	---	151	3	3	2	Curry	297	321	8	4	2
Somerville	---	227	1	1	2	Clovis	---	277	7	4	2
White	---	184	-	-	2	White	---	250	7	3	2
All other	---	43	1	1	-	All other	---	27	1	1	1
Black	---	37	1	1	-	Black	---	27	1	1	1
Balance of county	---	797	6	5	12	Balance of county	---	44	-	-	-
White	---	773	4	3	9	White	---	43	-	-	-
All other	---	24	2	2	3	All other	---	1	-	-	-
Black	---	19	2	2	3	Black	---	1	-	-	-
Sussex	859	951	15	11	16	De Baca	32	32	-	-	-
Hopatcong	---	75	3	2	1	Dona Ana	797	853	18	10	17
Balance of county	---	876	12	9	15	Las Cruces	---	558	12	6	10
Union	4,893	4,857	66	42	61	White	---	549	9	4	10
White	---	4,163	33	21	30	All other	---	9	3	2	-
All other	---	846	33	21	31	Black	---	9	3	2	-
Black	---	695	32	21	29	Balance of county	---	295	6	4	7
Berkeley Heights twp#	---	107	1	-	-	White	---	292	6	4	7
Clark twp#	---	156	3	2	-	All other	---	3	-	-	-
Cranford twp#	---	187	-	-	1	Black	---	2	-	-	-
Elizabeth	---	1,049	25	17	10	Eddy	425	481	8	4	5
White	---	835	15	9	6	Artesia	---	108	3	2	2
All other	---	214	10	8	4	White	---	107	3	2	1
Black	---	207	10	8	3	All other	---	1	-	-	1
Hillside twp#	---	183	4	3	-	Black	---	1	-	-	-
White	---	125	1	-	-	Carlsbad	---	313	5	2	2
All other	---	58	3	3	-	White	---	303	5	2	2
Black	---	57	3	3	-	All other	---	10	-	-	-
Linden	---	458	2	2	2	Black	---	9	-	-	-
White	---	405	1	1	2	Balance of county	---	60	-	-	1
All other	---	53	1	1	-	White	---	59	-	-	1
Black	---	53	1	1	-	All other	---	1	-	-	-
New Providence	---	96	-	-	-	Black	---	1	-	-	-
Plainfield	---	451	12	6	14	Grant	262	278	5	3	4
White	---	174	-	-	2	Guadalupe	---	36	45	1	1
All other	---	277	12	6	12	Harding	---	1	6	-	-
Black	---	275	12	6	12	Hidalgo	---	39	2	2	2
Rahway	---	264	1	1	2	Lea	347	463	7	2	1
White	---	226	1	1	2	White	---	259	3	1	-
All other	---	38	-	-	4	All other	---	236	3	1	-
Black	---	38	-	-	4	Black	---	23	-	-	-
Roselle	---	198	2	-	1	Balance of county	---	204	4	1	1
White	---	145	2	-	1	White	---	198	4	1	1
All other	---	53	2	-	1	All other	---	6	-	-	-
Black	---	51	1	-	1	Black	---	5	-	-	-
Roselle Park	---	112	1	1	2						
Scotch Plains twp#	---	144	2	1	-						
White	---	130	2	1	-						
All other	---	14	-	-	-						
Black	---	13	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 52

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 52 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
New Mexico-Con.					New York-Con.							
Lincoln	125	118	1	-	-	Albany	3,608	2,961	33	25	27	
Los Alamos	70	71	-	-	2	White	3,400	2,789	23	20	23	
Luna	168	213	2	1	1	All other	208	172	10	5	4	
McKinley	381	407	25	10	7	Black	195	166	10	5	3	
White	97	107	2	1	7	Albany	---	1,238	19	14	13	
All other	284	300	23	9	7	White	---	1,085	9	9	10	
Black	2	1	-	-	7	All other	---	153	10	5	3	
Gallup	---	110	3	2	-	Black	---	150	10	5	3	
White	---	85	1	-	-	Cohoes	---	221	3	2	-	
All other	---	25	2	2	-	Watervliet	---	148	1	-	1	
Black	---	---	-	-	-	Balance of county	---	1,354	10	9	13	
Balance of county	---	297	22	8	7	Allegany	---	440	5	2	7	
White	---	22	1	1	7	Broome	2,170	2,018	23	17	9	
All other	---	275	21	7	7	Binghamton	---	674	8	6	3	
Black	---	1	-	-	-	Endicott	---	175	1	1	-	
Mora	16	41	-	-	-	Johnson City	---	228	3	3	2	
Otero	301	345	8	6	1	Vestal town#	---	214	1	1	1	
White	279	315	6	4	1	Balance of county	---	727	10	6	3	
All other	22	30	2	2	-	Cattaraugus	714	803	13	9	11	
Black	8	11	1	1	-	Olean	---	191	3	2	4	
Alamogordo	---	214	4	4	-	Balance of county	---	612	10	7	7	
White	---	203	2	2	-	Cayuga	722	794	9	6	5	
All other	---	11	2	2	-	Auburn	---	421	5	2	-	
Black	---	9	1	1	-	Balance of county	---	373	4	4	5	
Balance of county	---	131	4	2	1	Chautauqua	1,389	1,445	13	8	12	
White	---	112	4	2	1	Dunkirk	---	146	1	1	2	
All other	---	19	-	-	-	Fredonia	---	57	1	1	-	
Black	---	2	-	-	-	Jamestown	---	382	4	2	4	
Quay	91	121	2	-	1	Balance of county	---	860	7	4	6	
Rio Arriba	199	247	5	2	8	Chemung	993	978	15	5	9	
White	184	220	4	2	8	Elmira	---	364	8	3	5	
All other	15	27	1	-	-	White	---	341	5	2	5	
Black	---	---	-	-	-	All other	---	23	3	1	-	
Roosevelt	95	129	2	1	3	Black	---	22	3	1	-	
Sandoval	160	364	8	4	2	Balance of county	---	614	7	2	4	
White	133	286	5	3	1	Chenango	398	519	4	2	4	
All other	27	78	3	1	1	Clinton	679	605	6	6	7	
Black	3	7	-	-	-	Plattsburgh	---	221	3	3	3	
San Juan	556	547	12	6	7	Balance of county	---	384	3	3	4	
White	353	376	6	3	4	Columbia	581	672	2	2	8	
All other	203	171	6	3	3	Cortland	407	392	3	2	7	
Black	1	---	-	-	-	Cortland	---	187	2	1	4	
Farmington	---	202	4	2	3	Balance of county	---	205	1	1	3	
White	---	190	3	1	3	Delaware	459	508	6	4	4	
All other	---	12	1	1	-	Dutchess	2,064	2,180	28	13	29	
Black	---	---	-	-	-	White	---	1,923	16	10	24	
Balance of county	---	345	8	4	4	All other	---	141	12	3	5	
White	---	186	3	2	1	Black	---	152	10	2	4	
All other	---	159	5	2	3	Beacon	---	139	1	-	3	
Black	---	---	-	-	-	White	---	127	-	-	2	
San Miguel	207	217	2	-	2	All other	---	12	1	-	1	
Las Vegas	---	155	1	-	1	Black	---	12	1	-	1	
White	---	155	1	-	1	Poughkeepsie	---	385	11	4	8	
All other	---	---	-	-	-	White	---	301	2	2	4	
Black	---	---	-	-	-	All other	---	84	9	2	4	
Balance of county	---	62	1	-	1	Black	---	83	8	2	3	
White	---	62	1	-	1	Balance of county	---	1,656	16	9	18	
All other	---	---	-	-	-	White	---	1,592	14	8	18	
Black	---	---	-	-	-	All other	---	64	2	1	-	
Santa Fe	720	662	8	5	2	Black	---	57	1	-	-	
Santa Fe	---	511	5	2	1	Erie	10,533	10,138	127	79	102	
White	---	493	5	2	1	White	---	9,370	9,014	69	48	73
All other	---	18	-	-	-	All other	---	1,163	1,124	58	31	29
Black	---	9	-	-	-	Black	---	1,113	1,076	55	29	27
Balance of county	---	151	3	3	1	Buffalo	---	3,927	90	53	48	
White	---	141	3	3	1	White	---	2,894	36	25	20	
All other	---	10	-	-	-	All other	---	1,033	54	28	28	
Black	---	---	-	-	-	Black	---	1,017	54	28	26	
Sierra	206	204	-	-	-	Depew	---	189	1	-	2	
Socorro	102	120	2	2	3	Hamburg	---	71	-	-	2	
White	92	109	1	1	3	Kenmore	---	179	-	-	3	
All other	10	11	1	1	-	Lackawanna	---	231	3	2	2	
Black	1	1	-	-	-	White	---	218	2	1	2	
Taos	124	174	3	3	1	All other	---	13	1	1	-	
Torrance	47	86	-	-	-	Black	---	13	1	1	-	
Union	52	60	-	-	1	Lancaster	---	107	1	-	3	
Valencia	148	310	5	4	2	Tonawanda	---	180	2	1	1	
White	143	299	5	4	1	West Seneca town#	---	441	4	3	4	
All other	5	11	-	-	-	Balance of county	---	4,813	26	19	37	
Black	1	---	-	-	-	White	---	4,743	23	17	37	
New Mexico	---	---	-	-	-	All other	---	70	3	2	-	
White	165,178	166,333	2,532	1,691	3,255	Black	---	40	-	-	-	
All other	138,905	139,984	1,510	1,044	1,811	Essex	256	366	4	2	2	
Black	26,273	26,349	1,022	647	1,444	Franklin	437	444	4	2	5	
New York	24,367	24,435	961	605	1,353	Fulton	489	613	4	2	7	
White	---	---	-	-	-	Gloversville	---	237	-	-	1	
All other	---	---	-	-	-	Balance of county	---	376	4	2	6	
Black	---	---	-	-	-							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 53

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 53 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New York-Con.					New York-Con.						
Genesee	497	545	9	9	7	Queens borough, Queens county	---	18,161	283	200	403
Batavia	---	199	1	1	4	White	---	14,232	134	94	197
Balance of county	---	346	8	8	3	All other	---	3,929	149	106	206
Greene	284	506	5	3	5	Black	---	3,376	127	93	168
Hamilton	15	56	---	---	---	Staten Island borough,	---	---	---	---	---
						Richmond county	---	3,425	43	29	85
Herkimer	557	683	7	6	4	White	---	3,119	28	21	62
Jefferson	872	846	16	12	11	All other	---	306	15	8	23
Watertown	---	349	3	3	1	Black	---	263	14	7	19
Balance of county	---	497	13	9	10	Niagara	2,065	2,240	19	11	25
Lewis	187	238	4	3	12	White	1,963	2,122	13	8	18
Livingston	375	491	6	4	7	All other	102	118	6	3	7
Madison	472	557	8	8	6	Black	85	102	6	3	6
Oneida	---	112	1	1	1	Lockport	---	303	1	1	11
Balance of county	---	445	7	7	5	Niagara Falls	---	773	11	6	11
Monroe	---	5,871	102	67	91	White	---	676	5	3	5
White	5,782	5,314	57	37	56	All other	---	97	6	3	6
All other	553	557	45	30	35	Black	---	91	6	3	6
Black	510	519	44	29	33	North Tonawanda	---	305	2	1	3
Brighton town#	---	351	3	1	2	Balance of county	---	859	5	3	6
Gates town#	---	259	1	1	1	White	---	848	5	3	5
Greece town#	---	659	9	7	4	All other	---	11	---	---	1
Henrietta town#	---	151	2	2	2	Black	---	3	---	---	---
Irondequoit town#	---	520	2	1	2	Oneida	2,495	2,489	25	12	37
Penfield town#	---	253	2	2	2	Rome	---	430	6	3	10
Rochester	---	2,437	67	47	65	Utica	---	940	9	4	14
White	---	1,920	24	19	34	Balance of county	---	1,119	10	5	13
All other	---	517	43	28	31	White	---	1,113	10	5	13
Black	---	497	43	28	30	All other	---	6	---	---	---
Balance of county	---	1,241	14	7	14	Black	---	4	---	---	---
White	---	1,228	14	7	11	Onondaga	4,576	3,949	61	36	43
All other	---	13	---	---	---	White	4,309	3,698	36	23	33
Black	---	10	---	---	---	All other	267	251	25	13	10
Montgomery	625	659	5	3	3	Black	249	231	24	12	9
Amsterdam	---	301	1	1	1	Syracuse	---	1,796	36	20	25
Balance of county	---	358	2	2	2	White	---	1,513	13	9	17
Nassau	11,905	11,397	123	91	131	All other	---	223	23	11	8
White	10,307	10,462	73	58	84	Black	---	213	22	10	7
All other	898	935	45	33	37	Balance of county	---	2,213	25	16	18
Black	907	855	42	30	33	White	---	2,185	23	14	16
East Rockaway	---	93	---	---	---	All other	---	28	2	2	2
Floral Park	---	143	1	1	1	Black	---	18	2	2	2
Freeport	---	344	5	2	5	Ontario	1,062	871	13	8	6
White	---	268	2	2	2	Canandaigua	---	144	1	1	1
All other	---	76	---	---	---	Geneva, part	---	173	4	2	1
Black	---	75	---	---	---	Geneva, total	---	173	4	2	1
Garden City	---	186	---	---	---	Balance of county	---	554	8	5	4
Glen Cove	---	289	5	4	2	White	---	549	8	5	4
White	---	260	3	3	1	All other	---	5	---	---	---
All other	---	29	1	1	1	Black	---	5	---	---	---
Black	---	23	---	---	---	Orange	2,345	2,370	42	35	43
Hempstead	---	402	15	11	10	White	2,216	2,237	36	30	31
White	---	205	3	2	2	All other	129	133	6	5	12
All other	---	197	12	9	8	Black	127	130	5	4	12
Black	---	192	12	9	8	Middletown	---	257	4	4	4
Long Beach	---	482	3	3	5	White	---	240	3	3	3
White	---	455	1	1	3	All other	---	17	1	1	1
All other	---	27	2	2	2	Black	---	16	1	1	1
Black	---	23	1	1	3	Newburgh	---	256	7	5	10
Lynbrook	---	185	1	1	3	White	---	188	4	3	1
Massapequa Park	---	175	1	1	1	All other	---	68	3	2	9
Mineola	---	155	2	1	1	Black	---	68	3	2	9
Rockville Centre	---	235	3	2	1	Balance of county	---	1,857	31	26	29
Valley Stream	---	342	1	1	6	White	---	1,809	29	24	27
Westbury	---	175	6	4	7	All other	---	48	2	2	2
White	---	124	4	3	4	Black	---	46	1	1	2
All other	---	51	2	1	3	Orleans	275	371	7	5	8
Black	---	50	2	1	3	Oswego	750	1,003	15	10	16
Balance of county	---	8,191	78	60	87	Fulton	---	160	2	2	3
White	---	7,673	56	43	67	Oswego	---	234	3	1	1
All other	---	518	22	17	20	Balance of county	---	609	10	7	12
Black	---	461	20	15	16	White	---	607	10	7	12
New York city	71,021	71,023	1,329	897	2,097	All other	---	2	---	---	---
White	50,689	50,678	634	446	912	Black	---	2	---	---	---
All other	20,332	20,345	695	451	1,185	Otsego	750	619	7	4	7
Black	18,976	18,975	654	422	1,113	Oneonta	---	127	1	1	1
Bronx borough, Bronx county	---	12,578	294	190	458	Balance of county	---	492	6	3	6
White	---	8,798	166	114	202	White	---	492	6	3	6
All other	---	3,877	128	76	256	All other	---	---	---	---	---
Black	---	3,797	127	75	249	Black	---	---	---	---	---
Brooklyn borough, Kings county	---	21,642	520	358	863	Putnam	433	574	6	3	12
White	---	14,313	211	151	295	Carmel town#	---	185	1	1	7
All other	---	7,329	309	205	568	Balance of county	---	389	5	3	5
Black	---	7,002	299	197	549	White	---	387	5	3	5
Manhattan borough, New York county	---	15,120	189	122	288	All other	---	2	---	---	---
White	---	10,216	95	66	156	Black	---	2	---	---	---
All other	---	4,904	94	56	132	Rensselaer	1,359	1,422	22	14	16
Black	---	4,437	87	50	128	Troy	---	595	14	9	8

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 54

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 54 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
New York-Con.					New York-Con.						
Balance of county	---	827	8	5	8	Ossining	---	188	4	2	2
White	---	820	6	5	7	White	---	165	3	2	1
All other	---	7	2	—	1	All other	---	23	1	—	1
Black	---	4	—	—	—	Black	---	23	1	—	1
Rockland	2,021	2,019	40	27	29	Peekskill	---	205	3	2	3
White	---	1,844	29	21	19	White	---	169	2	3	3
All other	---	175	11	6	10	All other	---	36	1	1	—
Black	---	146	163	10	10	Black	---	36	1	1	—
Spring Valley	---	148	7	3	8	Port Chester	---	248	5	3	4
White	---	92	2	—	1	White	---	222	4	2	3
All other	---	56	5	3	7	All other	---	26	1	1	1
Black	---	54	5	3	7	Black	---	24	1	1	1
Suffern	---	80	—	—	—	Rye	---	114	—	—	1
Balance of county	---	1,791	33	24	21	Scarsdale	---	128	—	—	2
White	---	1,674	27	21	18	Tarrytown	---	127	—	—	—
All other	---	117	6	3	3	White	---	112	—	—	—
Black	---	108	5	3	3	All other	---	15	—	—	—
St. Lawrence	951	1,061	16	12	16	Black	---	13	—	—	—
Massena	---	120	1	—	2	White Plains	---	491	5	4	11
Ogdensburg	---	151	3	1	1	White	---	391	3	2	9
Potsdam	---	76	2	2	1	All other	---	100	2	2	2
Balance of county	---	714	10	9	12	Black	---	100	2	2	2
Saratoga	776	1,283	17	13	18	Yonkers	---	1,773	21	15	24
Saratoga Springs	---	252	1	1	1	White	---	1,591	12	9	11
Balance of county	---	1,031	16	12	18	All other	---	182	9	6	13
Schenectady	1,696	1,555	24	18	28	Black	---	172	9	6	11
Niskayuna town#	---	143	1	1	1	Yorktown town#	---	262	2	2	2
Rotterdam town#	---	281	3	2	4	Balance of county	---	2,417	20	10	27
Schenectady	---	808	14	11	18	White	---	2,252	19	10	20
Balance of county	---	343	6	4	3	All other	---	165	1	—	7
Schoharie	224	306	3	1	3	Black	---	140	1	—	7
Schuyler	142	165	1	1	2	Wyoming	---	296	362	6	3
Seneca	---	142	356	2	2	Yates	---	166	223	3	1
Geneva, part	---	---	---	---	---	North Carolina	---	60,070	59,611	1,038	712
Balance of county	---	356	2	2	4	White	---	45,432	44,977	514	350
White	---	354	2	2	4	All other	---	14,638	14,634	524	362
All other	---	2	—	—	—	Black	---	14,072	14,070	499	341
Black	---	---	---	---	---	Alamance	---	946	1,102	16	12
Steuben	852	919	15	7	9	White	---	753	849	9	5
Corning	---	146	4	3	2	All other	---	193	253	7	7
Hornell	---	117	5	2	6	Black	---	191	251	7	7
Balance of county	---	656	6	2	6	Burlington	---	496	7	6	10
Suffolk	10,577	10,683	136	91	129	White	---	375	4	3	4
White	---	9,979	95	65	93	All other	---	121	3	3	6
All other	---	598	41	26	36	Black	---	120	3	3	6
Black	---	500	41	24	36	Balance of county	---	606	9	6	11
Babylon	---	204	1	1	3	White	---	474	5	2	8
Lindenhurst	---	150	3	2	3	All other	---	132	4	4	3
Patchogue	---	109	—	—	—	Black	---	131	4	4	3
Balance of county	---	10,220	132	88	123	Alexander	---	142	209	2	2
White	---	9,547	91	62	87	Alleghany	---	102	102	—	—
All other	---	673	41	26	36	Anson	---	198	291	8	5
Black	---	633	37	24	36	White	---	122	161	2	1
Sullivan	621	763	7	4	9	All other	---	76	130	6	4
Tioga	223	429	4	4	5	Black	---	76	130	6	4
Tompkins	---	563	4	2	9	Ashe	---	185	219	2	2
Ithaca	---	180	1	1	1	Avery	---	148	135	1	1
White	---	166	1	1	—	Beaufort	---	505	543	3	2
All other	---	14	—	—	1	White	---	347	373	1	1
Black	---	12	—	—	—	All other	---	158	170	2	1
Balance of county	---	383	3	1	8	Black	---	158	170	2	1
Ulster	1,182	1,481	16	9	21	Bertie	---	169	236	4	4
Kingston	---	325	3	1	5	White	---	69	108	—	—
Balance of county	---	1,156	13	8	16	All other	---	100	128	4	4
Warren	807	492	7	3	6	Black	---	98	128	4	4
Glens Falls	---	150	2	—	1	Bladen	---	216	303	7	4
Balance of county	---	342	—	—	5	White	---	131	183	4	2
Washington	304	566	8	4	3	All other	---	85	120	3	2
Wayne	534	720	10	9	3	Black	---	82	117	3	3
Newark	---	114	—	—	3	Brunswick	---	383	532	3	1
Balance of county	---	606	10	9	6	White	---	326	436	2	1
Westchester	8,176	7,731	85	53	105	All other	---	57	96	1	—
White	---	7,167	53	32	71	Black	---	57	96	1	—
All other	---	1,009	32	21	34	Buncombe	---	2,478	1,913	12	10
Black	---	947	32	21	32	White	---	2,246	1,717	8	8
Dobbs Ferry	---	89	—	—	1	All other	---	196	4	2	6
Harrison	---	150	—	—	2	Black	---	191	4	2	6
Mamaroneck	---	139	—	—	9	Asheville	---	960	7	5	8
Mount Vernon	---	678	13	9	9	White	---	784	3	3	3
White	---	371	1	—	6	All other	---	176	4	2	5
All other	---	307	12	9	3	Black	---	174	4	2	5
Black	---	301	12	9	3	Balance of county	---	953	5	5	8
New Rochelle	---	728	12	7	15	White	---	596	683	7	4
White	---	583	7	3	9	All other	---	---	---	---	---
All other	---	145	5	2	6	Black	---	---	---	---	---
Black	---	141	5	2	6	Hickory, part	---	---	---	---	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 55

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992-Con.

(Page 55 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
North Carolina-Con.					North Carolina-Con.						
Morganton	---	184	2	1	--	New Bern	---	235	12	9	4
White	---	156	2	1	--	White	---	140	1	1	2
All other	---	28	--	--	--	All other	---	95	11	8	2
Black	---	28	--	--	--	Black	---	94	11	8	2
Balance of county	---	496	5	3	3	Balance of county	---	333	7	4	3
Cabarrus	874	873	13	9	10	White	---	255	5	2	1
White	---	765	10	7	8	All other	---	78	2	2	2
All other	---	99	3	2	2	Black	---	77	2	2	2
Black	---	105	3	2	2	Cumberland	1,869	1,628	71	47	50
Concord	---	351	8	6	6	White	---	1,112	1,007	26	16
White	---	284	6	5	4	All other	---	757	621	45	31
All other	---	67	2	1	2	Black	---	693	584	41	27
Black	---	65	2	1	2	Fayetteville	---	771	30	22	26
Balance of county	---	522	5	3	4	White	---	428	7	4	9
White	---	481	4	2	4	All other	---	343	23	18	17
All other	---	41	1	1	--	Black	---	324	23	18	16
Black	---	40	1	1	--	Balance of county	---	857	41	25	24
Caldwell	469	592	8	7	8	White	---	579	19	12	14
White	---	173	1	1	--	All other	---	278	22	13	10
All other	---	145	--	--	--	Black	---	260	18	9	10
Black	---	28	1	1	--	Currituck	52	133	4	3	--
Balance of county	---	419	7	6	8	White	---	45	105	4	3
Camden	14	59	--	--	--	All other	---	7	28	--	--
White	---	41	--	--	--	Black	---	6	27	--	--
All other	---	18	--	--	--	Dare	102	182	3	2	2
Black	---	4	--	--	--	Davidson	796	1,105	14	10	18
Elizabeth City, part	---	---	--	--	--	White	---	696	6	6	12
Balance of county	---	59	--	--	--	All other	---	100	129	6	4
White	---	41	--	--	--	Black	---	99	127	6	4
All other	---	18	--	--	--	High Point, part	---	---	---	---	---
Black	---	18	--	--	--	Lexington	---	247	5	3	4
Black	---	18	--	--	--	White	---	180	1	1	2
Carteret	472	534	7	4	3	All other	---	67	4	2	2
White	---	480	6	3	2	Black	---	67	4	2	2
All other	---	48	1	1	1	Thomasville	---	210	2	2	8
Black	---	47	1	1	1	White	---	161	2	2	5
Caswell	95	223	2	1	2	All other	---	49	--	--	3
White	---	68	1	1	1	Black	---	48	--	--	3
All other	---	27	1	--	1	Balance of county	---	648	7	5	6
Black	---	27	1	--	1	Davie	141	224	5	3	3
Catawba	1,123	1,036	15	11	13	White	---	128	203	5	3
White	---	929	10	8	8	All other	---	13	21	--	--
All other	---	119	5	3	5	Black	---	13	21	--	--
Black	---	117	5	3	5	Duplin	283	448	13	11	8
Hickory, part	---	422	9	8	5	White	---	177	300	8	6
White	---	357	5	5	2	All other	---	106	148	5	5
All other	---	65	4	3	3	Black	---	106	148	5	5
Black	---	65	4	3	3	Durham	2,929	1,579	28	15	41
Hickory, total	---	425	9	8	5	White	---	1,938	948	7	6
White	---	360	5	5	2	All other	---	991	631	21	9
All other	---	65	4	3	3	Black	---	959	626	20	9
Black	---	65	4	3	3	Chapel Hill, part	---	3	--	--	--
Balance of county	---	614	6	3	8	White	---	3	--	--	--
Chatham	247	357	1	--	6	All other	---	3	--	--	--
White	---	184	1	--	2	Black	---	---	--	--	--
All other	---	63	108	--	4	Durham	---	1,306	22	10	30
Black	---	63	107	--	4	White	---	709	3	2	5
Cherokee	218	235	2	2	2	All other	---	597	19	8	25
Chowan	202	171	3	1	1	Black	---	592	18	8	24
White	---	134	2	1	--	Balance of county	---	270	6	5	11
All other	---	68	1	1	1	White	---	236	4	4	7
Black	---	68	50	1	1	All other	---	34	2	1	4
Clay	23	72	--	--	--	Black	---	34	2	1	4
Cleveland	829	842	15	10	9	Edgecombe	386	603	12	8	10
White	---	669	9	5	3	White	---	211	282	2	1
All other	---	166	6	5	6	All other	---	175	321	10	7
Black	---	166	6	5	6	Black	---	175	319	10	7
Shelby	---	216	4	3	5	Rocky Mount, part	---	201	6	5	7
White	---	139	4	3	1	White	---	51	--	--	1
All other	---	77	4	3	4	All other	---	150	6	5	6
Black	---	77	4	3	4	Black	---	150	6	5	6
Balance of county	---	626	11	7	4	Balance of county	---	402	6	3	3
White	---	530	9	5	2	White	---	231	2	1	1
All other	---	96	2	2	2	All other	---	171	4	2	2
Black	---	96	2	2	2	Black	---	169	4	2	2
Columbus	410	540	5	3	3	Forsyth	3,803	2,502	45	35	35
White	---	282	3	1	1	White	---	1,840	18	13	16
All other	---	128	2	2	2	All other	---	828	662	27	22
Black	---	117	167	2	1	Black	---	662	27	22	19
Craven	682	608	24	17	12	Winston-Salem	---	1,687	34	29	27
White	---	499	11	7	7	White	---	1,058	7	7	9
All other	---	183	17	10	5	All other	---	629	27	22	18
Black	---	180	13	10	5	Black	---	629	27	22	18
Havelock	---	40	5	4	4	Balance of county	---	815	11	6	8
White	---	37	5	4	4	Franklin	286	371	10	4	5
All other	---	3	--	--	1	White	---	171	231	6	4
Black	---	3	--	--	1	All other	---	115	140	4	2
						Black	---	115	140	4	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 58

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 58 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
North Carolina-Con.					North Dakota-Con.						
Union	514	618	12	4	10	Billings	3	4	-	-	-
White	412	503	6	1	6	Bottineau	71	94	1	-	-
All other	102	115	6	3	4	Bowman	34	33	-	-	-
Black	100	114	6	3	4	Burke	7	35	-	-	-
Monroe	-	194	5	3	6	Burlingame	719	430	7	5	5
White	-	128	-	-	2	Bismarck	-	386	6	4	5
All other	-	66	5	3	4	Balance of county	-	44	1	1	-
Black	-	65	5	3	4	Cass	1,382	680	5	3	11
Balance of county	-	424	7	1	4	Fargo	-	520	4	3	6
White	-	375	6	1	4	West Fargo	-	43	1	-	3
All other	-	49	1	-	-	Balance of county	-	117	-	-	2
Black	-	49	1	-	-	Cavalier	58	69	2	1	1
Vance	383	412	3	1	8	Dickey	89	81	-	-	2
White	219	250	1	1	3	Divide	35	38	1	1	2
All other	164	162	2	-	5	Dunn	18	33	-	-	-
Black	164	162	2	-	5	Eddy	23	47	-	-	1
Henderson	-	198	2	-	6	Emmons	51	57	-	-	-
White	-	119	-	-	2	Foster	75	60	-	-	-
All other	-	79	2	-	4	Golden Valley	6	19	-	-	1
Black	-	79	2	-	4	Grand Forks	597	421	8	5	9
Balance of county	-	214	1	1	2	Grand Forks	-	328	5	2	7
White	-	131	1	1	1	Balance of county	-	93	3	3	2
All other	-	83	-	-	1	Grant	35	48	-	-	-
Black	-	83	-	-	1	Griggs	25	41	-	-	-
Wake	2,951	2,546	63	49	58	Hettinger	9	33	-	-	-
White	2,207	1,886	30	24	27	Kidder	11	39	-	-	2
All other	744	660	33	25	31	La Moure	25	66	1	1	-
Black	727	642	31	23	28	Logan	15	34	-	-	-
Cary	-	177	3	3	7	McHenry	32	72	2	1	-
Gamer	-	103	2	2	5	McIntosh	82	77	-	-	-
Raleigh	-	1,435	37	29	28	McKenzie	39	60	1	-	-
White	-	993	11	9	9	White	37	55	1	-	-
All other	-	442	26	20	19	All other	2	5	-	-	-
Black	-	430	25	19	19	Black	-	-	-	-	-
Balance of county	-	831	21	15	18	McLean	81	125	1	1	1
White	-	636	15	11	9	Mercer	46	70	1	1	2
All other	-	195	6	4	9	Morton	151	193	2	1	2
Black	-	192	6	4	8	Mandan	-	108	2	1	2
Warren	103	250	4	3	5	Balance of county	-	85	-	-	-
White	42	103	1	1	5	Mountrail	62	83	1	1	-
All other	61	147	3	2	-	White	54	71	1	1	-
Black	60	143	3	2	-	All other	8	12	-	-	-
Washington	109	130	4	1	6	Black	-	-	-	-	-
White	61	74	2	1	2	Nelson	50	74	1	1	-
All other	48	56	2	-	4	Oliver	5	12	-	-	-
Black	48	56	2	-	4	Pembina	77	110	-	-	-
Watauga	257	220	1	1	5	Pierce	114	72	-	-	-
Boone	-	50	-	-	1	Ramsey	134	126	1	1	1
Balance of county	-	170	1	1	4	Ransom	62	82	-	-	-
Wayne	903	913	14	10	14	Renville	22	29	-	-	-
White	580	587	10	7	5	Richland	84	186	1	1	2
All other	323	326	4	3	9	Rolette	85	122	3	3	4
Black	321	325	4	3	9	White	38	59	2	2	-
Goldsboro	-	410	8	6	5	All other	47	63	1	1	4
White	-	214	4	3	3	Black	-	-	-	-	-
All other	-	196	4	3	2	Sargent	18	47	-	-	-
Black	-	195	4	3	2	Sheridan	2	16	-	-	-
Balance of county	-	503	6	4	9	Sioux	21	31	6	3	-
White	-	373	6	4	2	White	2	9	1	1	-
All other	-	130	-	-	7	All other	19	22	5	2	-
Black	-	130	-	-	7	Black	-	-	-	-	-
Wilkes	407	545	4	3	3	Slope	-	2	-	-	-
Wilson	793	702	8	4	16	Stark	184	176	2	1	-
White	486	403	2	-	4	Dickinson	-	133	2	1	-
All other	307	299	6	4	12	Balance of county	-	43	-	-	-
Black	304	298	6	4	12	Steele	2	35	-	-	-
Wilson	-	479	4	3	10	Stutsman	208	226	1	1	-
White	-	246	-	-	-	Jamestown	-	175	1	1	-
All other	-	233	4	3	10	Balance of county	-	51	-	-	-
Black	-	232	4	3	10	Towner	57	53	-	-	-
Balance of county	-	223	4	1	6	Trail	109	113	1	1	-
White	-	157	2	-	4	Walsh	134	180	3	3	1
All other	-	66	2	1	2	Ward	516	402	12	5	6
Black	-	66	2	1	2	Minot	-	323	7	1	5
Yadkin	184	318	1	-	1	Balance of county	-	79	5	4	1
Yancey	90	184	4	4	2	Wells	69	77	-	-	-
North Dakota	6,180	5,697	69	44	56	Williams	206	198	2	1	3
White	5,948	5,514	58	40	46	Williston	-	131	1	-	1
All other	232	183	11	4	10	Balance of county	-	67	1	1	2
Black	4	3	-	-	1						
Adams	86	49	1	1	-						
Barnes	136	154	1	1	-						
Benson	18	83	1	-	-						
White	11	62	-	-	-						
All other	7	21	1	-	-						
Black	-	-	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 59

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 59 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Ohio	98,751	99,120	1,530	956	1,146	Ohio-Con.					
White	87,951	88,300	1,056	665	827	Cleveland Heights		458	18	17	2
All other	10,800	10,820	474	291	319	White		310	6	6	-
Black	10,586	10,614	467	286	306	All other		148	12	11	2
Adams	192	265	2	2	6	Black		147	12	11	2
Allen	1,219	1,009	20	13	13	East Cleveland		341	13	8	9
White	1,139	922	11	8	10	White		52	-	-	-
All other	80	87	9	5	3	All other		289	13	8	9
Black	76	84	9	5	3	Black		289	13	8	9
Lima		517	13	9	10	Euclid		693	5	4	5
White		436	4	4	8	Fairview Park		200	2	2	3
All other		81	9	5	2	Garfield Heights		375	5	3	4
Black		78	9	5	2	White		342	1	1	2
Balance of county		492	7	4	3	All other		33	4	2	2
Ashland	380	423	7	4	2	Black		33	4	2	2
Ashland		227	2	-	1	Lakewood		535	7	6	6
Balance of county		196	5	4	1	Lyndhurst		187	-	-	-
Ashtabula	907	983	9	7	6	Maple Heights		314	5	5	-
Ashtabula		233	1	-	1	Mayfield Heights		267	1	1	-
Conneaut		124	1	1	1	Middleburg Heights		119	-	-	1
Balance of county		626	7	6	5	North Olmsted		283	2	2	5
Athens	373	452	5	4	3	North Royalton		177	2	2	2
Athens		91	2	2	2	Parma		961	9	6	9
White		90	1	1	-	Parma Heights		273	2	2	4
All other		1	1	1	-	Richmond Heights		67	1	1	2
Black		-	-	-	-	Rocky River		259	-	-	-
Balance of county		361	3	2	3	Seven Hills		114	1	-	2
Auglaize	348	403	5	3	4	Shaker Heights		249	4	2	3
Belmont	728	873	9	4	7	White		168	-	-	3
Brown	278	335	5	1	5	All other		81	4	2	-
Butler	2,250	2,157	34	17	23	Black		80	4	2	-
White	2,106	2,036	31	17	21	Solon		96	2	2	2
All other	144	121	3	-	2	South Euclid		228	1	1	1
Black	140	117	2	-	2	Strongsville		224	2	1	6
Fairfield		222	9	5	1	University Heights		89	1	1	1
Hamilton		643	8	7	8	White		97	1	1	1
Middletown		481	7	2	4	All other		12	-	-	-
White		422	5	2	2	Black		10	-	-	-
All other		59	2	-	2	Warrensville Heights		138	4	1	1
Black		59	2	-	2	White		44	-	-	-
Oxford		57	-	-	1	All other		94	4	1	1
Balance of county		754	10	3	9	Black		94	4	1	1
Carroll	107	231	3	2	2	Westlake		269	1	-	2
Champaign	274	331	6	4	2	Balance of county		976	5	4	7
Urbana		156	1	1	1	Darke		405	534	6	1
Balance of county		175	5	3	1	Greenville		215	1	-	1
Clark	1,441	1,474	23	13	19	Balance of county		319	5	1	4
White	1,295	1,318	19	11	16	Defiance		284	303	2	2
All other	146	156	4	2	3	Defiance		145	-	-	1
Black	144	155	4	2	3	Balance of county		158	2	2	1
Springfield		909	15	8	13	Delaware		409	426	8	7
White		765	12	7	11	Delaware		193	4	4	-
All other		144	3	1	2	Westerville, part		21	-	-	-
Black		144	3	1	2	Balance of county		212	4	3	6
Balance of county		565	8	5	6	Erie		745	713	5	2
Clermont	646	1,091	17	8	11	Sandusky		327	2	1	5
Clinton	264	322	5	3	4	White		287	2	1	5
Wilmington		115	1	-	1	All other		40	-	-	-
Balance of county		207	4	3	3	Black		40	-	-	-
Columbiana	969	1,088	12	9	9	Vermilion, part		40	-	-	-
East Liverpool		239	3	2	2	Vermilion, total		67	1	1	2
Salem		171	4	4	1	Balance of county		346	3	1	6
Balance of county		678	5	3	6	Fairfield		683	812	9	5
Coshocton	303	365	-	-	6	Columbus, part		-	-	-	-
Coshocton		185	-	-	1	Lancaster		359	6	3	3
Balance of county		180	-	-	5	Reynoldsburg, part		1	-	-	-
Crawford	384	457	5	3	3	Balance of county		452	3	2	6
Bucyrus		146	1	1	1	Fayette		280	327	4	1
Gallon		138	1	-	3	Washington		193	1	-	1
Balance of county		173	3	2	3	Balance of county		134	3	1	-
Cuyahoga	16,215	14,931	286	200	204	Franklin		8,737	7,303	159	102
White	12,586	11,376	113	83	96	White		7,443	6,027	102	66
All other	3,629	3,555	173	117	108	All other		1,294	1,276	57	36
Black	3,580	3,517	173	117	106	Black		1,258	1,242	57	36
Bay Village		125	-	-	1	Bexley		45	1	1	-
Bedford		185	2	2	1	Columbus, part		4,880	110	70	83
Bedford Heights		91	2	2	1	White		3,690	56	37	37
White		69	1	1	1	All other		1,190	54	33	46
All other		22	1	1	1	Black		1,170	54	33	44
Black		22	1	1	1	Columbus, total		4,880	110	70	83
Berea		174	4	4	1	White		3,690	56	37	37
Brecksville		100	1	-	-	All other		1,190	54	33	46
Broadview Heights		116	1	1	1	Black		1,170	54	33	44
Brooklyn		167	-	-	1	Gahanna		41	2	2	2
Brook Park		179	1	1	2	Grove City		36	1	1	2
Cleveland		5,892	182	119	120	Reynoldsburg, part		50	-	-	3
White		3,250	58	37	34	Reynoldsburg, total		55	-	-	3
All other		2,642	124	82	86	Upper Arlington		320	2	1	-
Black		2,623	124	82	85	Westerville, part		239	5	4	-
						Westerville, total		260	5	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 60

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 60 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Ohio-Con.					Ohio-Con.						
Whitehall	---	161	7	5	---	Licking	997	1,138	17	12	12
Worthington	---	44	1	1	---	Newark	---	533	9	8	4
Balance of county	---	1,487	30	17	17	Reynoldsburg, part	---	4	---	---	---
Fulton	231	307	3	2	3	Balance of county	---	601	8	4	8
Gallia	447	317	4	1	3	Logan	315	401	7	4	6
Geauga	406	486	9	6	4	Bellefontaine	---	116	3	1	4
Greene	838	979	21	14	15	Balance of county	---	285	4	3	2
White	778	922	19	13	12	Lorain	1,948	2,169	43	30	48
All other	60	57	2	1	3	White	1,791	1,991	32	23	37
Black	54	52	2	1	3	All other	178	117	7	7	11
Beavercreek	---	211	5	5	1	Black	154	173	11	7	10
Dayton, part	---	---	---	---	---	Amherst	---	90	2	1	2
Fairborn	---	216	3	2	4	Avon Lake	---	107	3	2	---
Xenia	---	247	7	4	5	Elyria	---	473	11	9	10
White	---	219	6	4	4	White	---	410	8	6	6
All other	---	28	1	1	1	All other	---	63	3	3	4
Black	---	26	1	1	1	Black	---	62	3	3	4
Balance of county	---	305	6	3	5	Lorain	---	699	17	11	17
White	---	284	6	3	3	White	---	615	10	7	11
All other	---	21	---	---	2	All other	---	84	7	4	6
Black	---	20	---	---	2	Black	---	83	7	4	6
Guernsey	395	419	3	1	5	North Ridgeville	---	118	3	3	4
Cambridge	---	152	1	1	1	Sheffield Lake	---	65	1	---	2
Balance of county	---	267	2	---	4	Vermilion, part	---	27	1	1	2
Hamilton	9,457	8,254	143	87	88	Balance of county	---	590	5	3	11
White	7,789	6,570	64	45	49	Lucas	5,314	4,461	76	46	59
All other	1,668	1,684	79	42	39	White	4,679	3,823	48	25	37
Black	1,647	1,665	79	42	38	All other	635	638	28	21	22
Cincinnati	---	4,014	92	54	49	Black	617	627	28	21	22
White	---	2,628	25	17	20	Maumee	---	139	1	---	---
All other	---	1,386	67	37	29	Oregon	---	207	---	---	---
Black	---	1,376	67	37	28	Sylvania	---	150	1	1	1
Forest Park	---	112	4	2	2	Toledo	---	3,537	68	43	53
White	---	77	1	1	1	White	---	2,921	40	22	31
All other	---	35	3	1	1	All other	---	616	28	21	22
Black	---	34	3	1	1	Black	---	607	28	21	22
Montgomery	---	82	3	---	---	Balance of county	---	428	6	2	5
North College Hill	---	136	---	---	2	Madison	237	311	6	4	5
Norwood	---	240	4	3	4	Mahoning	2,949	3,018	42	32	22
Reading	---	119	2	1	1	White	2,593	2,600	28	21	12
Sharonville	---	121	---	---	1	All other	356	418	14	11	10
Springdale	---	81	---	---	1	Black	355	417	14	11	10
Balance of county	---	3,349	41	27	28	Alliance, part	---	---	---	---	---
White	---	3,109	32	23	19	Campbell	---	99	---	---	---
All other	---	240	9	4	9	White	---	92	---	---	---
Black	---	234	9	4	9	All other	---	7	---	---	---
Hancock	669	581	8	3	6	Black	---	7	---	---	---
Findlay	---	347	6	3	3	Struthers	---	151	2	2	---
Fostoria, part	---	40	1	---	---	Youngstown, part	---	1,273	29	24	15
Balance of county	---	194	1	---	3	White	---	885	16	13	6
Hardin	254	320	4	2	3	All other	---	388	13	11	9
Harrison	164	206	1	1	1	Black	---	387	13	11	9
Henry	190	236	2	1	5	Youngstown, total	---	1,334	29	24	15
Highland	255	356	2	1	5	White	---	944	16	13	6
Hocking	231	267	6	4	1	All other	---	390	13	11	9
Holmes	288	251	8	5	1	Black	---	389	13	11	9
Huron	407	456	5	3	8	Balance of county	---	1,495	11	6	7
Norwalk	---	139	1	1	1	Marion	614	624	6	3	7
Balance of county	---	317	4	2	5	Marion	---	387	5	2	6
Jackson	187	322	2	1	3	Balance of county	---	237	---	---	1
Jefferson	800	931	8	6	5	Medina	792	846	13	11	8
Stuebenville	---	325	3	---	---	Brunswick	---	163	6	6	1
White	---	282	2	2	---	Medina	---	163	5	3	2
All other	---	43	1	1	---	Wadsworth	---	162	---	---	---
Black	---	43	1	1	---	Balance of county	---	358	2	2	5
Balance of county	---	606	5	3	5	Meigs	164	250	5	3	2
Knox	420	471	11	5	9	Mercer	273	339	3	2	7
Mount Vernon	---	201	4	1	4	Miami	740	808	5	3	9
Balance of county	---	270	7	4	5	Piqua	---	206	1	---	4
Lake	1,486	1,702	20	15	13	Troy	---	184	---	---	---
Eastlake	---	159	---	---	3	Balance of county	---	418	4	3	5
Mentor	---	305	3	3	3	Monroe	67	168	3	2	---
Painesville	---	185	3	1	2	Montgomery	5,953	5,060	76	38	66
White	---	158	2	1	1	White	5,015	4,137	42	22	39
All other	---	27	1	---	---	All other	938	923	34	16	27
Black	---	27	1	---	---	Black	924	907	33	16	25
Wickliffe	---	156	2	2	1	Centerville	---	179	---	---	---
Willoughby	---	221	3	3	2	Dayton, part	---	1,947	46	24	38
Willowick	---	144	---	---	---	White	---	1,223	19	10	15
Balance of county	---	533	9	6	3	All other	---	724	27	14	23
Lawrence	355	666	9	6	2	Black	---	719	27	14	23
Ironton	---	187	3	2	1	Dayton, total	---	1,947	46	24	38
Balance of county	---	479	6	4	1	White	---	1,223	19	10	15
						All other	---	724	27	14	23
						Black	---	719	27	14	23
						Englewood	---	87	---	---	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 61

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 61 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Ohio-Con.						Ohio-Con.					
Huber Heights	196	2	-	-	6	Summit	5,105	5,119	62	34	58
Kettering	521	6	4	2	2	White	4,572	4,555	43	25	41
Miamisburg	143	2	1	2	2	All other	533	564	19	9	17
Vandalia	116	1	-	-	3	Black	526	554	19	9	17
West Carrollton	110	-	-	-	1	Akron	2,375	2,375	39	16	38
Balance of county	1,761	19	9	14	13	White	1,861	1,861	21	8	22
White	1,578	13	7	13	13	All other	514	514	18	8	16
All other	183	6	2	1	1	Black	510	510	18	8	16
Black	178	6	2	1	1	Barberton	339	339	3	2	3
Morgan	95	160	3	2	3	Cuyahoga Falls	430	430	3	3	2
Morrow	146	195	3	1	1	Norton	121	121	-	-	1
Muskingum	1,029	831	11	6	12	Stow	228	228	3	3	5
Zanesville	374	7	3	2	2	Tallmadge	162	162	-	-	-
White	343	6	3	2	2	Balance of county	1,464	1,464	14	10	9
All other	31	1	-	-	-	Trumbull	2,139	2,230	33	23	22
Black	30	1	-	-	-	White	1,944	2,083	24	19	17
Balance of county	457	4	3	10	10	All other	195	147	9	4	5
Noble	40	93	-	-	-	Black	193	145	9	4	5
Ottawa	279	382	1	1	3	Girard	109	109	-	-	-
Paulding	98	171	2	1	1	Niles	261	261	2	1	1
Perry	137	304	4	2	4	Warren	675	675	16	11	8
Pickaway	337	396	2	2	4	White	566	566	8	7	4
Circleville	183	1	1	4	4	All other	109	8	4	4	4
Balance of county	213	1	1	4	4	Black	108	8	4	4	4
Pike	178	254	5	1	5	Youngstown, part	61	61	-	-	-
Portage	791	944	17	10	11	White	59	59	-	-	-
Kent	164	4	3	-	-	All other	2	2	-	-	-
Ravenna	139	4	2	-	-	Black	2	2	-	-	-
Balance of county	641	9	5	11	11	Balance of county	1,124	15	11	13	13
Preble	120	289	8	6	2	Tuscarawas	745	884	8	6	8
Putnam	180	269	2	2	4	Dover	161	161	3	2	1
Richland	1,115	1,168	17	6	15	New Philadelphia	186	186	3	3	3
Mansfield	648	9	3	9	9	Balance of county	537	537	2	1	4
White	572	6	3	6	6	Union	202	242	2	2	1
All other	76	3	-	3	3	Van Wert	230	270	3	1	2
Black	76	3	-	3	3	Van Wert	121	121	-	-	-
Balance of county	520	8	3	6	6	Balance of county	149	3	1	2	2
Ross	669	615	11	8	8	Vinton	45	107	4	3	1
Chillicothe	290	3	2	2	2	Warren	431	868	13	8	8
Balance of county	325	8	6	6	6	Franklin	126	126	3	2	1
Sandusky	498	552	5	2	3	Balance of county	742	742	10	6	7
Fremont	187	-	-	1	1	Washington	572	609	9	3	8
White	177	-	-	1	1	Marietta	208	5	1	1	1
All other	10	-	-	-	-	Balance of county	401	4	2	7	7
Black	10	-	-	-	-	Wayne	673	801	8	6	4
Balance of county	365	5	2	2	2	Wooster	219	3	2	1	1
Scioto	862	894	7	7	7	Balance of county	582	5	4	3	3
Portsmouth	385	4	1	2	2	Williams	315	360	7	3	1
Balance of county	509	3	2	5	5	Wood	494	779	12	9	10
Seneca	391	600	8	6	5	Bowling Green	142	3	3	-	-
Fostoria, part	166	1	1	2	2	Fostoria, part	11	1	-	-	-
White	161	1	1	2	2	Perrysburg	116	-	-	-	3
All other	5	-	-	-	-	Balance of county	510	8	6	7	7
Black	5	-	-	-	-	Wyandot	171	211	2	2	1
Fostoria, total	217	3	1	2	2	Oklahoma	29,523	30,510	417	242	379
White	211	3	1	2	2	White	26,393	27,274	293	169	286
All other	6	-	-	-	-	All other	3,130	3,236	124	73	93
Black	6	-	-	-	-	Black	1,948	1,983	87	52	55
Tiffin	197	6	5	2	2	Adair	116	209	6	3	4
Balance of county	237	1	-	-	-	White	85	154	1	1	1
Shelby	235	299	5	3	4	All other	31	55	5	2	3
Sidney	132	2	1	1	1	Black	1	2	-	-	-
Balance of county	167	3	2	3	3	Alfalfa	45	84	-	-	1
Stark	3,785	3,496	39	23	24	Atoka	103	128	1	1	1
White	3,558	3,266	29	18	19	White	89	111	1	1	-
All other	227	10	5	5	5	All other	14	17	-	-	1
Black	224	227	10	5	5	Black	5	7	-	-	-
Alliance, part	273	4	2	4	4	Beaver	36	62	-	-	2
White	240	2	1	3	3	Beckham	237	254	2	1	1
All other	33	2	1	1	1	Blaine	124	144	3	3	-
Black	33	2	1	1	1	White	117	129	2	2	-
Alliance, total	273	4	2	4	4	All other	7	15	1	1	-
White	240	2	1	3	3	Black	5	7	-	-	-
All other	33	2	1	1	1	Bryan	257	348	1	-	4
Black	33	2	1	1	1	Durant	177	177	-	-	1
Canton	1,030	18	12	13	13	White	170	170	-	-	-
White	892	11	8	9	9	All other	7	7	-	-	1
All other	138	7	4	4	4	Black	1	1	-	-	-
Black	136	7	4	4	4	Balance of county	171	1	1	1	3
Massillon	346	3	-	1	1	Caddo	237	363	6	4	5
White	314	2	-	1	1	White	190	291	5	4	5
All other	32	1	-	-	-	All other	47	72	1	-	-
Black	32	1	-	-	-	Black	7	9	-	-	-
North Canton	140	-	-	1	1	Canadian	272	490	10	6	13
Balance of county	1,707	14	9	5	5						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 62

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 62 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Oklahoma-Con.					Oklahoma-Con.						
El Reno	---	183	3	1	3	Jackson	237	225	4	2	1
White	---	165	3	1	1	White	223	209	3	1	1
All other	---	18	-	-	2	All other	14	16	1	1	1
Black	---	11	-	-	-	Black	10	13	1	1	1
Oklahoma City, part	---	10	-	-	-	Altus	---	167	4	2	1
Yukon	---	190	6	5	8	White	---	152	3	1	-
Balance of county	---	107	1	-	2	All other	---	15	1	1	1
Carter	499	515	8	6	5	Black	---	13	1	1	1
White	450	458	6	5	4	Balance of county	---	58	-	-	-
All other	49	57	2	1	1	Jefferson	90	114	2	-	1
Black	26	33	2	1	1	Johnston	96	121	-	-	3
Ardmore	---	334	3	2	5	White	85	108	-	-	3
White	---	291	2	1	4	All other	11	13	-	-	-
All other	---	43	1	1	1	Black	4	4	-	-	-
Black	---	25	1	1	1	Kay	538	578	6	3	9
Balance of county	---	181	5	4	-	Ponca City	---	307	4	1	6
White	---	167	4	4	-	Balance of county	---	271	2	2	3
All other	---	14	1	-	-	Kingfisher	95	140	-	-	-
Black	---	8	1	-	-	Kiowa	140	186	2	-	1
Cherokee	303	307	3	1	5	Latimer	114	134	4	3	-
White	228	238	-	-	2	White	99	123	3	2	-
All other	75	69	3	1	3	All other	15	11	1	1	-
Black	2	3	-	-	-	Black	-	-	-	-	-
Choctaw	125	208	3	3	2	Le Flore	334	522	3	-	3
White	101	174	2	2	2	White	324	498	3	-	3
All other	24	34	1	1	-	All other	10	24	-	-	-
Black	17	26	1	1	-	Black	5	10	-	-	-
Cimarron	36	46	-	-	1	Lincoln	178	286	3	2	2
Cleveland	879	911	20	8	14	Logan	223	289	4	3	3
Moore	---	214	4	3	4	White	206	257	4	3	2
Norman	---	515	14	5	5	All other	17	32	-	-	1
Oklahoma City, part	---	49	-	-	1	Black	17	32	-	-	-
Balance of county	---	133	2	-	4	Guthrie	---	182	1	1	1
Coal	44	68	-	-	1	White	---	157	1	1	1
White	41	61	-	-	1	All other	---	25	-	-	-
All other	3	7	-	-	-	Black	---	25	-	-	-
Black	1	2	-	-	-	Balance of county	---	107	3	2	2
Comanche	885	783	25	17	17	White	---	100	3	2	1
White	760	653	11	8	10	All other	---	7	-	-	1
All other	125	130	14	9	7	Black	---	7	-	-	-
Black	85	94	13	9	7	Love	76	87	-	-	1
Lawton	---	603	20	13	15	McClain	150	200	4	1	2
White	---	492	6	4	8	Oklahoma City, part	---	---	---	---	---
All other	---	111	14	9	7	Balance of county	---	200	4	1	2
Black	---	90	13	9	7	McCurtain	274	371	6	4	3
Balance of county	---	180	5	4	2	White	208	290	3	3	2
White	---	161	5	4	2	All other	66	81	3	1	1
All other	---	19	-	-	-	Black	34	44	2	-	-
Black	---	4	-	-	-	McIntosh	165	233	1	-	1
Cotton	41	93	-	-	1	White	147	204	1	-	-
Craig	138	185	2	-	-	All other	18	29	-	-	1
White	125	162	2	-	-	Black	9	13	-	-	-
All other	13	23	-	-	-	Major	83	107	-	-	-
Black	2	5	-	-	-	Marshall	113	161	2	1	2
Creek	407	593	9	5	6	Mayer	260	392	5	2	6
Sapulpa	---	240	4	2	3	White	239	360	5	2	5
White	---	214	1	-	3	All other	21	32	-	-	1
All other	---	26	3	2	-	Black	1	1	-	-	-
Black	---	11	-	-	-	Murray	122	168	1	1	1
Balance of county	---	353	5	3	3	Muskogee	1,010	841	10	7	5
Custer	255	271	4	2	5	White	828	666	7	4	2
Delaware	307	370	5	2	4	All other	182	175	3	3	3
White	278	318	4	1	1	Black	147	138	3	3	3
All other	29	52	1	1	3	Muskogee	---	595	8	6	5
Black	---	-	-	-	-	White	---	461	5	3	2
Dewey	69	83	-	-	-	All other	---	134	3	3	3
Ellis	69	61	1	-	1	Black	---	113	3	3	3
Garfield	683	579	5	2	5	Balance of county	---	246	2	1	-
Enid	---	477	4	2	5	White	---	205	2	1	-
Balance of county	---	102	1	-	-	All other	---	41	-	-	-
Garvin	226	330	-	-	6	Black	---	25	-	-	-
Grady	361	393	5	2	2	Noble	88	123	1	-	-
Chickasha	---	225	5	2	-	Nowata	82	131	-	-	1
White	---	200	3	1	-	White	75	115	-	-	1
All other	---	25	2	1	-	All other	7	16	-	-	-
Black	---	23	2	1	-	Black	4	8	-	-	-
Balance of county	---	168	-	-	2	Okfuskee	83	152	1	1	2
Grant	39	83	1	1	-	White	65	113	-	-	2
Greer	83	110	-	-	-	All other	18	39	1	1	-
Harmon	39	54	1	-	-	Black	8	20	-	-	-
Harper	41	62	2	1	1	Oklahoma	7,173	5,549	107	70	85
Haskell	109	173	1	-	2	White	6,249	4,780	69	44	60
Hughes	162	198	1	-	1	All other	924	769	38	26	25
White	133	164	1	-	1	Black	735	656	33	22	20
All other	29	34	-	-	-	Bethany	---	209	-	-	-
Black	12	10	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 63

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 63 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Oklahoma-Con.					Oklahoma-Con.						
Del City	---	217	1	---	1	Oklahoma City, part	---	1	---	---	---
White	---	211	1	---	1	White	---	1	---	---	---
All other	---	6	---	---	---	All other	---	---	---	---	---
Black	---	4	---	---	---	Black	---	---	---	---	---
Edmond	---	327	5	3	4	Shawnee	---	391	7	2	4
Midwest City	---	402	11	5	10	White	---	362	5	2	3
White	---	363	6	4	7	All other	---	29	2	---	1
All other	---	39	5	1	3	Black	---	7	1	---	---
Black	---	29	5	1	3	Balance of county	---	235	---	---	---
Oklahoma City, part	---	4,008	83	56	60	Pushmataha	---	131	---	---	---
White	---	3,358	53	34	40	White	---	121	---	---	---
All other	---	650	30	22	20	All other	---	10	---	---	---
Black	---	559	25	19	16	Black	---	12	---	---	---
Oklahoma City, total	---	4,068	83	56	61	Roger Mills	---	23	43	---	---
White	---	3,415	53	34	41	Rogers	---	413	409	3	2
All other	---	653	30	22	20	White	---	351	374	2	1
Black	---	559	25	18	16	All other	---	62	35	1	1
The Village	---	32	7	6	10	Black	---	9	7	---	---
Balance of county	---	254	4	3	8	Claremore	---	---	176	---	---
White	---	293	4	3	2	White	---	---	152	---	---
All other	---	61	3	3	2	All other	---	---	24	---	---
Black	---	55	3	3	1	Black	---	---	7	---	---
Okmulgee	---	356	465	3	1	Balance of county	---	---	233	3	2
White	---	282	378	2	7	Seminole	---	198	340	4	2
All other	---	74	87	1	1	White	---	168	265	1	1
Black	---	56	67	1	1	All other	---	30	75	3	1
Okmulgee	---	207	2	1	2	Black	---	16	36	2	---
White	---	152	1	---	2	Sequoyah	---	212	387	5	3
All other	---	55	1	1	---	White	---	192	348	4	3
Black	---	48	1	1	---	All other	---	20	39	1	---
Balance of county	---	258	1	---	6	Black	---	3	5	---	---
White	---	226	1	---	5	Stephens	---	368	435	2	2
All other	---	32	---	---	1	Duncan	---	---	244	1	1
Black	---	19	---	---	---	Balance of county	---	---	191	1	1
Osage	---	187	311	4	11	Texas	---	81	137	4	3
White	---	163	275	1	10	Tillman	---	97	148	---	---
All other	---	24	36	3	1	White	---	91	133	---	---
Black	---	7	5	1	---	All other	---	6	15	---	---
Bartlesville, part	---	---	---	---	---	Black	---	5	12	---	---
Sand Springs, part	---	---	---	---	---	Tulsa	---	5,204	4,301	72	46
Tulsa, part	---	---	---	---	---	White	---	4,571	3,745	46	30
White	---	---	---	---	---	All other	---	633	556	26	16
All other	---	---	---	---	---	Black	---	483	463	21	13
Black	---	---	---	---	---	Broken Arrow, part	---	---	267	2	1
Balance of county	---	304	3	1	11	Broken Arrow, total	---	---	295	2	1
White	---	269	1	1	10	Sand Springs, part	---	---	143	---	---
All other	---	35	2	---	1	Sand Springs, total	---	---	144	---	---
Black	---	4	---	---	1	Tulsa, part	---	3,384	60	37	61
Ottawa	---	317	417	1	4	White	---	2,868	35	22	39
White	---	293	380	---	---	All other	---	516	25	15	22
All other	---	24	37	1	4	Black	---	450	21	13	16
Black	---	---	---	---	---	Tulsa, total	---	3,390	61	37	61
Miami	---	200	---	---	4	White	---	2,873	35	22	39
White	---	187	---	---	---	All other	---	517	26	15	22
All other	---	13	---	---	2	Black	---	451	22	13	16
Black	---	---	---	---	---	Balance of county	---	507	10	8	5
Balance of county	---	217	1	1	---	White	---	483	9	7	5
White	---	193	---	---	---	All other	---	24	1	1	---
All other	---	24	1	1	---	Black	---	6	---	---	---
Black	---	---	---	---	---	Wagoner	---	176	308	2	---
Pawnee	---	125	169	5	4	White	---	157	278	1	---
Payne	---	379	406	3	4	All other	---	19	30	1	---
Stillwater	---	---	---	---	---	Black	---	16	25	1	---
Balance of county	---	245	2	1	---	Broken Arrow, part	---	---	28	---	---
Pittsburg	---	456	481	6	3	Balance of county	---	---	280	2	---
White	---	415	439	6	3	White	---	---	251	1	---
All other	---	41	42	---	---	All other	---	---	29	1	---
Black	---	16	20	---	---	Black	---	---	25	1	---
McAlester	---	239	239	2	1	Washington	---	538	477	2	2
White	---	216	2	---	1	Bartlesville, part	---	---	356	1	1
All other	---	23	---	---	---	Bartlesville, total	---	---	356	1	1
Black	---	13	---	---	---	Balance of county	---	---	121	1	1
Balance of county	---	242	4	2	2	White	---	---	115	1	1
White	---	223	4	2	2	All other	---	---	6	---	---
All other	---	19	---	---	---	Black	---	---	2	---	---
Black	---	7	---	---	---	Washita	---	83	135	1	1
Pontotoc	---	427	385	1	3	Woods	---	96	115	1	---
White	---	385	364	1	3	Woodward	---	162	185	---	---
All other	---	42	21	---	---	Woodward	---	---	129	---	---
Black	---	10	6	---	---	Balance of county	---	---	56	---	---
Ada	---	---	217	---	1	Oregon	---	26,034	25,760	298	159
White	---	---	204	---	1	White	---	25,282	25,024	266	142
All other	---	---	13	---	---	All other	---	752	736	32	17
Black	---	---	4	---	---	Black	---	355	350	22	10
Balance of county	---	168	1	1	2						
Pottawatomie	---	543	627	7	7						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 64

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 64 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Oregon-Con.					Oregon-Con.						
Baker	166	181	3	1	2	Polk	297	445	6	4	3
Benton	458	434	3	2	1	Salem, part	141	141	2	1	1
Albany, part	16	16	-	-	-	Balance of county	304	304	4	3	2
White	-	-	-	-	-	Sherman	11	18	-	-	-
All other	-	-	-	-	-	Tillamook	209	241	5	3	2
Black	-	-	-	-	-	Umatilla	437	534	7	3	4
Corvallis	292	292	-	-	-	Pendleton	157	157	1	1	1
Balance of county	126	3	2	1	1	Balance of county	377	377	6	2	3
Clackamas	2,053	2,182	30	15	21	Union	188	197	1	1	3
Lake Oswego, part	223	3	2	1	1	La Grande	112	112	1	1	1
Lake Oswego, total	228	3	2	1	1	Balance of county	85	85	-	-	2
Milwaukie, part	429	3	2	3	3	Wallowa	65	77	-	-	1
Milwaukie, total	429	3	2	3	3	Wasco	260	240	3	1	-
Oregon City	195	3	2	3	3	City of the Dalles	153	2	1	-	-
Portland, part	10	-	-	-	-	Balance of county	87	87	1	-	-
West Linn	89	2	-	3	3	Washington	2,038	2,068	25	14	25
Balance of county	1,236	19	9	11	11	Beaverton	469	469	6	3	3
Clatsop	294	361	4	3	1	Forest Grove	160	160	-	-	2
Columbia	154	303	2	1	2	Hillsboro	270	3	2	3	
Coos	696	714	3	1	7	Lake Oswego, part	-	-	-	-	-
Coos Bay	205	1	-	-	2	Portland, part	8	-	-	-	2
Balance of county	509	1	-	-	5	Tigard	250	2	1	5	
Crook	116	142	2	1	1	Balance of county	911	14	8	10	
Curry	170	254	1	-	2	Wheeler	9	17	-	-	
Deschutes	654	607	5	3	2	Yamhill	449	512	10	4	2
Bend	199	2	2	1	1	McMinnville	176	1	-	-	1
Balance of county	414	3	1	1	1	Newberg	112	3	2	1	
Douglas	998	1,002	12	7	4	Balance of county	224	6	2	-	
Roseburg	251	4	2	1	1	Pennsylvania	124,520	123,520	1,478	984	1,490
Balance of county	751	8	5	3	3	White	112,243	111,372	943	638	1,100
Gilliam	4	11	-	-	-	All other	12,277	12,148	535	346	390
Grant	64	70	-	-	-	Black	11,797	519	338	338	370
Harney	66	66	3	-	-	Adams	559	674	5	3	8
Hood River	134	135	1	-	-	Allegheny	17,578	15,080	171	116	154
Jackson	1,518	1,444	12	5	20	White	15,869	13,446	83	57	92
Ashland	130	1	1	2	10	All other	1,709	1,634	88	59	62
Medford	556	6	3	1	8	Black	1,676	1,609	86	58	61
Balance of county	758	5	3	1	8	Baldwin	232	2	2	2	2
Jefferson	77	96	2	1	2	Bellevue	120	1	1	1	5
White	66	80	-	-	2	Bethel Park	292	1	1	1	2
All other	11	16	2	1	-	Brentwood	120	1	1	1	1
Black	-	-	-	-	-	Carnegie	146	1	1	1	2
Josephine	768	806	5	3	10	Castle Shannon	102	183	4	4	1
Grants Pass	311	311	5	3	3	Clairton	183	146	1	1	1
Balance of county	495	1	-	-	7	White	146	1	1	1	1
Klamath	567	552	7	4	5	All other	37	3	3	3	-
Klamath Falls	199	4	2	2	2	Black	37	3	3	3	-
Balance of county	353	3	2	3	3	Dormont	89	1	1	1	2
Lake	76	90	1	-	1	Duquesne	135	104	-	-	1
Lane	2,459	2,382	23	15	27	White	104	31	-	-	1
Eugene	1,008	6	4	13	6	All other	31	30	-	-	1
Springfield	384	9	5	6	6	Black	30	169	2	2	2
Balance of county	990	8	6	8	8	Elizabeth twp#	169	169	2	2	1
Lincoln	407	449	2	2	2	Harrison twp#	166	236	2	1	1
Linn	786	902	9	4	5	McCandless twp#	236	469	2	2	3
Albany, part	289	5	2	2	2	McKeesport	469	415	1	1	2
Albany, total	305	5	2	2	2	White	415	54	1	1	2
Lebanon	163	2	2	1	1	All other	54	54	1	1	2
Balance of county	450	2	2	2	3	Black	54	255	3	2	3
Malheur	299	280	4	2	3	Monroeville	255	348	1	1	4
Marion	2,160	2,161	33	18	18	Mount Lebanon twp#	348	182	-	-	2
Salem, part	1,054	14	7	10	11	Munhall	182	146	7	5	3
Salem, total	1,195	16	8	11	11	North Versailles twp#	146	523	3	1	3
Woodburn	211	1	1	1	1	Penn Hills twp#	523	482	4	4	-
White	211	1	1	1	1	White	482	41	4	4	-
All other	-	-	-	-	-	All other	41	39	4	4	-
Black	-	-	-	-	-	Black	39	4,604	81	56	75
Balance of county	896	18	10	7	-	White	3,491	1,113	61	41	44
Morrow	39	49	-	-	-	All other	1,100	59	40	43	
Multnomah	6,888	5,738	73	40	61	Plum	151	5	2	2	
White	6,434	5,276	48	26	47	Ross twp#	373	4	1	1	
All other	454	462	25	14	14	Scott twp#	194	-	-	1	
Black	293	298	20	10	8	Shaler twp#	239	-	-	4	
Gresham	523	7	4	8	8	South Park twp#	89	1	1	1	
Lake Oswego, part	5	-	-	-	-	Swissvate	140	2	1	1	
Lake Oswego, total	-	-	-	-	-	Upper St. Clair twp#	106	-	-	1	
Milwaukie, part	-	-	-	-	-	West Mifflin	292	3	2	3	
Portland, part	-	4,714	58	33	46	Whitehall	180	-	-	1	
White	-	4,275	35	20	34	Wilkinsburg	275	7	4	5	
All other	-	439	23	13	12	White	164	1	1	1	
Black	-	290	20	10	6	All other	111	6	4	4	
Portland, total	-	4,732	58	33	48	Black	110	6	4	4	
White	-	4,292	35	20	36						
All other	-	440	23	13	12						
Black	-	291	20	10	6						
Balance of county	-	496	8	3	7						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 65

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 65 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Pennsylvania-Con.					Pennsylvania-Con.						
Balance of county	---	4,524	39	26	25	Cumberland	1,781	1,754	13	9	14
White	---	4,356	29	20	21	Carlisle	---	259	2	1	1
All other	---	168	10	6	4	East Pennsboro twp#	---	176	3	2	2
Black	---	164	10	6	4	Lower Allon twp#	---	131	---	---	2
Armstrong	668	878	10	8	8	Balance of county	---	1,188	8	6	6
Beaver	1,681	2,062	30	19	22	Dauphin	3,057	2,971	41	30	39
White	1,584	1,955	24	14	17	White	2,734	2,065	23	18	21
All other	---	97	6	5	5	All other	---	323	32	18	18
Black	96	106	6	5	5	Black	---	313	324	17	12
All other	---	216	5	4	6	Harrisburg	---	683	24	17	20
Aliquippa	---	159	1	1	4	White	---	410	6	5	5
White	---	57	4	3	2	All other	---	273	18	12	15
All other	---	57	4	3	2	Black	---	270	17	12	15
Black	---	188	1	1	2	Lower Paxton twp#	---	348	3	2	1
Beaver Falls	---	171	1	1	1	Middletown	---	125	2	1	5
White	---	17	---	---	1	Susquehanna twp#	---	150	3	2	3
All other	---	16	---	---	1	White	---	147	3	2	2
Black	---	1,658	24	14	14	All other	---	3	---	---	1
Balance of county	---	483	2	2	8	Black	---	3	---	---	1
Bedford	338	---	---	---	---	Swatara twp#	---	218	4	4	1
Berks	3,209	3,417	41	27	28	Balance of county	---	873	5	4	9
Muhlenberg twp#	---	179	---	---	---	Delaware	5,507	5,741	70	52	58
Reading	---	843	17	10	8	White	---	4,807	5,104	44	29
White	---	784	12	7	7	All other	---	700	637	26	23
All other	---	59	5	3	1	Black	---	676	612	25	23
Black	---	57	5	3	1	Aston twp#	---	149	1	1	4
Balance of county	---	2,395	24	17	20	Chester	---	596	17	14	11
Blair	1,756	1,491	11	7	20	White	---	249	2	1	3
Allona	---	667	6	3	12	All other	---	347	15	13	8
Balance of county	---	824	5	4	8	Black	---	346	15	13	8
Bradford	973	655	5	2	6	Darby	---	171	2	1	2
Bucks	4,179	4,241	39	30	52	White	---	135	1	---	1
White	4,068	4,127	36	28	47	All other	---	36	1	1	1
All other	---	114	3	2	5	Black	---	34	1	1	1
Black	88	92	2	1	4	Darby twp#	---	73	1	1	---
Bensalem twp#	---	399	4	---	3	White	---	38	---	---	---
Bristol	---	102	---	---	2	All other	---	35	1	1	---
Bristol twp#	---	435	5	5	13	Black	---	35	1	1	---
Falls twp#	---	300	6	5	---	Haverford twp#	---	468	1	---	---
Lower Southampton twp#	---	148	1	1	1	Lansdowne	---	135	---	---	1
Middletown twp#	---	298	3	2	---	Marple twp#	---	263	2	2	4
Northampton twp#	---	226	6	4	2	Middletown twp#	---	244	2	2	---
Upper Southampton twp#	---	140	---	---	---	Nether Providence twp#	---	124	2	1	1
Warminster twp#	---	275	2	2	---	Newtown twp#	---	156	---	---	1
Balance of county	---	1,918	12	11	31	Radnor twp#	---	221	2	2	---
White	---	1,879	12	11	29	Ridley twp#	---	251	6	4	3
All other	---	39	---	---	2	Springfield twp#	---	285	---	---	1
Black	---	32	---	---	2	Upper Chichester twp#	---	121	2	1	2
Butler	1,249	1,447	13	7	21	Upper Darby twp#	---	758	11	9	6
Butler	---	243	1	1	6	Yeadon	---	129	3	3	---
Balance of county	---	1,204	12	6	15	White	---	83	---	---	---
Cambria	1,837	1,880	16	13	18	All other	---	46	3	3	---
Johnstown	---	476	6	6	4	Black	---	46	3	3	---
Balance of county	---	1,404	10	7	14	Balance of county	---	1,597	18	11	22
Cameron	16	64	1	1	3	White	---	1,510	17	10	19
Carbon	574	744	3	3	5	All other	---	87	1	1	3
Centre	705	750	8	4	13	Black	---	81	1	1	3
State College	---	140	---	---	---	Elk	---	338	384	2	4
Balance of county	---	610	8	4	13	Erie	2,882	2,552	38	26	37
Chester	2,667	2,732	32	20	42	White	2,774	2,448	26	16	33
White	2,442	2,501	26	16	36	All other	---	108	104	12	10
All other	225	231	6	4	6	Black	---	105	102	12	10
Black	220	227	6	4	6	Erie	---	1,220	27	21	24
All other	---	185	5	4	2	White	---	1,127	15	11	20
Coatesville	---	109	3	2	1	All other	---	93	12	10	4
White	---	76	2	2	1	Black	---	92	12	10	4
All other	---	74	2	2	1	Millcreek twp#	---	379	3	2	---
Black	---	161	2	2	1	Balance of county	---	953	8	3	13
Phoenixville	---	159	1	1	2	Fayette	1,402	1,736	18	11	21
Tredyffrin twp#	---	195	3	1	1	Connellsville	---	138	5	2	3
West Chester	---	150	2	1	---	Uniontown	---	267	3	1	2
White	---	45	1	---	1	Balance of county	---	1,331	10	8	16
All other	---	45	1	---	1	Forest	---	51	79	---	---
Black	---	102	1	---	2	Franklin	1,124	1,170	12	9	5
West Goshen twp#	---	1,930	20	12	34	Chambersburg	---	262	1	1	1
Balance of county	---	1,841	17	10	32	Balance of county	---	908	11	8	4
White	---	89	3	2	2	Fulton	---	91	110	---	3
All other	---	87	3	2	2	Greene	---	376	519	3	1
Black	---	87	3	2	2	Huntingdon	---	348	427	4	1
Clarion	326	405	4	2	4	Indiana	---	616	799	8	5
Clearfield	822	836	7	3	8	Indiana	---	90	---	---	---
Clinton	363	418	3	2	5	Balance of county	---	709	8	5	9
Columbia	631	670	3	3	8	Jefferson	---	431	505	2	1
Berwick	---	152	1	1	2	Juniata	---	110	236	5	3
Bloomsburg	---	147	---	---	3	Lackawanna	2,982	2,776	24	14	20
Balance of county	---	371	2	2	3	Carbondale	---	161	1	1	---
Crawford	779	862	7	2	16	Dunmore	---	199	---	---	3
Meadville	---	206	2	---	1	Scranton	---	1,222	12	4	6
Balance of county	---	656	5	2	15						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 66

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992--Con.

(Page 66 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence		
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal			
Pennsylvania-Con.					Pennsylvania-Con.								
Balance of county	---	1,194	11	9	11	Balance of county	---	934	4	3	11		
Lancaster	3,530	3,544	48	27	60	Perry	170	345	1	-	-		
Columbia	---	141	1	1	2	Philadelphia, coext. with	---	---	---	---	---		
Ephrata	---	97	2	-	3	Philadelphia city	19,670	19,127	414	272	313		
Lancaster	---	559	11	5	13	White	12,213	11,448	105	79	104		
White	---	507	7	3	8	All other	7,457	7,679	309	193	209		
All other	---	52	4	2	5	Black	7,287	7,528	302	189	204		
Black	---	50	4	2	5	Pike	---	109	289	1	1	5	
Lancaster twp#	---	204	1	-	2	Potter	---	221	191	4	2	2	
Manheim twp#	---	374	-	-	5	Schuylkill	---	1,855	2,058	8	5	20	
Balance of county	---	2,169	33	21	35	Pottsville	---	---	262	1	1	2	
Lawrence	1,079	1,153	13	6	11	Balance of county	---	---	1,793	7	4	18	
New Castle	---	452	4	2	3	Snyder	---	123	289	2	2	5	
Balance of county	---	701	9	4	8	Somerset	---	703	819	5	3	12	
Lebanon	1,109	1,075	8	4	12	Sullivan	---	81	96	1	-	2	
Lebanon	---	267	4	2	4	Susquehanna	---	298	457	1	-	3	
Balance of county	---	808	4	2	8	Tioga	---	321	398	4	3	6	
Lehigh	4,031	2,846	27	22	37	Union	---	416	299	4	3	3	
Allentown	---	1,181	16	13	23	Venango	---	678	675	6	4	4	
Bethlehem, part	---	296	-	-	1	Oil City	---	---	179	-	-	1	
Emmaus	---	119	2	2	-	Balance of county	---	---	496	6	4	3	
Salisbury twp#	---	104	-	-	-	Warren	---	432	511	8	6	8	
Whitehall twp#	---	202	4	3	1	Warren	---	---	145	3	1	-	
Balance of county	---	944	5	4	12	Balance of county	---	---	366	5	5	8	
Luzerne	4,175	4,152	30	14	27	Washington	---	2,126	2,284	13	10	24	
Hazleton	---	367	3	1	4	Canonsburg	---	---	118	-	-	2	
Kingston	---	248	-	-	1	Washington	---	---	274	2	1	1	
Nanticoke	---	180	-	-	2	White	---	---	245	1	1	1	
Wilkes-Barre	---	707	10	5	4	All other	---	---	29	1	-	-	
Balance of county	---	2,650	17	8	16	Black	---	---	29	1	-	-	
Lycoming	1,312	1,212	10	8	18	Balance of county	---	---	1,892	11	9	21	
Williamsport	---	365	4	4	8	Wayne	---	419	485	3	3	9	
Balance of county	---	847	6	4	10	Westmoreland	---	3,387	3,993	29	23	31	
McKean	482	558	2	-	6	Greensburg	---	---	257	1	1	3	
Bradford	---	171	2	-	2	Hempfield twp#	---	---	429	1	-	2	
Balance of county	---	387	-	-	4	Jeannette	---	---	123	2	1	-	
Mercer	1,393	1,358	10	8	12	Latrobe	---	---	152	2	2	1	
Sharon	---	212	1	1	2	Lower Burrell	---	---	136	-	-	-	
Balance of county	---	1,146	9	7	10	Monessen	---	---	148	1	-	-	
Mifflin	560	487	6	3	8	White	---	---	131	1	-	-	
Monroe	785	869	7	5	16	All other	---	---	17	-	-	-	
Montgomery	6,897	6,121	76	52	68	Black	---	---	17	-	-	-	
White	6,348	5,794	62	44	55	Municipality of Murrysville	---	---	134	-	-	-	
All other	549	327	14	8	13	New Kensington	---	---	236	-	-	5	
Black	520	296	12	7	9	North Huntingdon twp#	---	---	272	4	3	1	
Abington twp#	---	614	9	8	9	Balance of county	---	---	2,106	18	16	19	
Chester twp#	---	351	-	-	3	Wyoming	---	212	251	3	2	3	
East Norriton twp#	---	117	-	-	-	York	---	2,740	2,829	42	30	42	
Hatfield twp#	---	70	-	-	1	White	---	---	2,723	32	23	36	
Lansdale	---	245	1	1	3	All other	---	---	90	10	7	8	
Lower Merion twp#	---	578	3	3	4	Black	---	---	87	10	7	6	
Lower Moreland twp#	---	109	-	-	2	Hanover	---	---	181	4	3	2	
Lower Providence twp#	---	88	3	3	-	Springettsbury twp#	---	---	329	1	1	1	
Norristown	---	367	11	5	6	Spring Garden twp#	---	---	166	-	-	-	
White	---	277	4	1	1	York	---	---	451	16	13	14	
All other	---	90	7	4	5	White	---	---	368	7	6	9	
Black	---	86	7	4	5	All other	---	---	83	9	7	5	
Plymouth twp#	---	139	-	-	-	Black	---	---	81	9	7	5	
Pottstown	---	259	6	3	2	Balance of county	---	---	1,702	21	13	25	
White	---	235	5	3	1	Rhode Island	---	9,594	9,469	107	78	81	
All other	---	24	1	-	1	White	---	---	9,275	9,146	88	61	70
Black	---	23	1	-	-	All other	---	---	319	323	19	11	
Springfield twp#	---	300	1	1	1	Black	---	---	258	262	15	10	
Towamencin twp#	---	75	-	-	-	Bristol	---	244	446	3	3	3	
Upper Dublin twp#	---	128	4	2	-	Barrington town#	---	---	115	1	1	-	
Upper Merion twp#	---	179	4	1	2	Bristol town#	---	---	202	1	1	2	
Upper Moreland twp#	---	225	3	2	2	Warren town#	---	---	126	1	1	1	
West Norriton twp#	---	97	2	2	2	Balance of county	---	---	3	-	-	-	
Whitemarsh twp#	---	144	2	1	3	Kent	---	1,373	1,516	14	10	13	
Balance of county	---	2,036	27	20	28	Coventry town#	---	---	251	3	3	-	
White	---	1,979	25	19	27	Warwick	---	---	877	4	9	7	
All other	---	57	2	1	1	West Warwick town#	---	---	278	5	5	5	
Black	---	47	1	1	-	Balance of county	---	---	110	9	2	1	
Montour	920	217	1	1	2	Newport	---	559	705	9	6	6	
Northampton	1,439	2,317	30	22	26	Middletown town#	---	---	176	2	2	2	
Bethlehem, part	---	491	7	4	8	Newport	---	---	232	2	1	3	
Bethlehem, total	---	787	7	4	9	White	---	---	213	2	2	3	
Easton	---	266	6	5	10	All other	---	---	19	-	-	-	
White	---	246	5	5	9	Black	---	---	18	-	-	-	
All other	---	20	1	-	1	Balance of county	---	---	297	5	3	-	
Black	---	19	1	-	1								
Palmer twp#	---	154	1	-	-								
Balance of county	---	1,406	16	13	8								
Northumberland	841	1,241	10	7	16								
Shamokin	---	147	3	2	4								
Sunbury	---	160	3	2	1								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 67

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 67 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Rhode Island-Con.					South Carolina-Con.						
Providence	6,582	5,961	68	49	57	Calhoun	66	135	-	-	5
White	6,312	5,695	51	34	46	White	31	69	-	-	-
All other	270	266	17	15	11	All other	35	66	-	-	5
Black	228	227	14	13	10	Black	35	66	-	-	5
Central Falls	---	180	3	2	2	Charleston	3,584	2,291	66	43	51
Cranston	---	736	5	3	4	White	2,219	1,367	21	12	20
Cumberland town#	---	255	4	2	1	All other	1,365	924	45	31	31
East Providence	---	582	8	5	1	Black	1,359	920	45	31	31
Johnston town#	---	294	1	1	1	Charleston	---	854	12	7	18
North Providence town#	---	356	2	2	1	White	---	475	3	1	3
Pawtucket	---	742	9	7	9	All other	---	379	9	6	15
Providence	---	1,552	28	24	24	Black	---	379	9	6	15
White	---	1,365	16	13	18	Mount Pleasant	---	249	6	5	7
All other	---	187	12	11	6	North Charleston, part	---	374	32	22	11
Black	---	170	12	11	5	White	---	247	10	6	5
Woonsocket	---	505	2	1	3	All other	---	127	22	16	6
Balance of county	---	759	6	2	1	Black	---	124	22	16	6
Washington	836	841	13	10	11	North Charleston, total	---	374	32	22	11
						White	---	247	10	6	5
						All other	---	127	22	16	6
						Black	---	124	22	16	6
South Carolina	29,786	30,638	586	386	583	Balance of county	---	814	16	9	15
White	20,387	21,002	241	160	252	White	---	433	4	2	7
All other	9,399	9,636	345	226	331	All other	---	381	12	7	8
Black	9,342	9,581	345	226	330	Black	---	381	12	7	8
Abbeville	178	241	4	1	5	Cherokee	330	461	7	4	2
White	125	165	3	1	1	White	276	395	1	3	2
All other	53	76	1	1	4	All other	54	76	5	3	1
Black	52	75	1	1	4	Black	53	75	5	3	1
Alken	801	1,113	23	18	23	Gaffney	---	229	4	2	2
White	567	844	11	9	9	White	---	184	1	1	2
All other	234	269	12	9	14	All other	---	45	3	1	1
Black	233	269	12	9	9	Black	---	45	3	1	1
Alken	---	293	7	6	5	Balance of county	---	232	3	2	1
White	---	201	2	1	2	White	---	201	1	2	1
All other	---	92	5	5	3	All other	---	31	2	2	1
Black	---	92	5	5	7	Black	---	30	2	2	2
North Augusta	---	186	---	---	6	Chester	242	335	6	5	6
White	---	148	---	---	7	White	147	214	3	2	1
All other	---	38	---	---	1	All other	95	121	3	3	5
Black	---	38	---	---	1	Black	95	121	3	3	5
Balance of county	---	634	16	12	11	Chesterfield	260	405	7	5	7
White	---	495	9	8	6	White	176	280	7	5	2
All other	---	139	7	4	5	All other	84	125	7	5	5
Black	---	139	7	4	5	Black	84	125	7	5	5
Attendale	89	113	2	1	1	Clarendon	223	313	7	4	7
White	28	33	---	---	---	White	75	113	---	---	5
All other	61	80	2	1	1	All other	148	200	7	4	2
Black	61	80	2	1	1	Black	147	200	7	4	2
Anderson	1,334	1,408	26	17	16	Colleton	257	337	6	3	6
White	1,082	1,157	14	10	11	White	141	197	2	2	3
All other	252	251	12	7	5	All other	116	140	4	1	3
Black	251	250	12	7	5	Black	116	140	4	1	3
Anderson	---	474	6	4	6	Darlington	499	680	15	8	18
White	---	351	2	2	5	White	312	419	6	3	6
All other	---	123	4	2	1	All other	187	261	9	5	12
Black	---	122	4	2	1	Black	187	261	9	5	12
Balance of county	---	934	20	13	10	Dillon	254	311	3	3	15
White	---	806	12	8	6	White	149	191	1	1	3
All other	---	128	8	5	4	All other	105	120	2	2	12
Black	---	128	8	5	4	Black	97	113	2	2	12
Bamberg	117	184	5	5	10	Dorchester	239	537	17	15	6
White	45	80	---	---	---	White	182	386	13	11	1
All other	72	104	5	5	9	All other	57	151	4	4	5
Black	72	104	5	5	9	Black	57	150	4	4	5
Barnwell	129	223	4	3	6	Edgefield	106	165	1	1	---
White	72	129	1	1	6	White	62	98	---	---	---
All other	57	94	3	2	6	All other	44	67	1	1	---
Black	57	94	3	2	6	Black	44	67	1	1	---
Beaufort	590	666	14	10	11	Fairfield	159	276	4	2	1
White	386	443	5	3	4	White	82	134	---	---	---
All other	204	223	9	7	7	All other	77	142	4	2	1
Black	203	222	9	7	7	Black	76	141	4	2	1
Berkeley	283	705	21	15	17	Florence	1,578	1,092	20	16	18
White	195	489	9	5	8	White	921	673	5	4	7
All other	88	216	12	10	9	All other	657	419	15	12	11
Black	88	214	12	10	9	Black	653	416	15	12	11
Goose Creek	---	101	2	2	4	All other	---	352	6	5	5
White	---	94	---	---	2	White	---	183	1	1	3
All other	---	7	2	2	2	All other	---	169	5	4	2
Black	---	7	2	2	2	Black	---	168	5	4	2
Hanahan	---	93	5	5	1	Balance of county	---	740	14	11	13
North Charleston, part	---	---	---	---	---	White	---	490	4	3	4
Balance of county	---	511	14	8	12	All other	---	250	10	8	9
White	---	312	6	2	6	Black	---	248	10	8	9
All other	---	199	8	6	6						
Black	---	197	8	6	6						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 68

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 68 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
South Carolina-Con.					South Carolina-Con.						
Georgetown	414	475	14	10	7	Lee	120	189	6	2	2
White	245	282	4	3	1	White	44	83	1	1	1
All other	169	193	10	7	6	All other	76	106	6	2	1
Black	168	193	10	7	6	Black	76	106	6	2	1
Georgetown	---	154	5	4	2	Lexington	1,018	1,160	21	12	27
White	---	93	1	1	1	White	872	1,013	14	9	18
All other	---	61	4	3	2	All other	146	147	7	3	9
Black	---	61	4	3	2	Black	146	146	7	3	9
Balance of county	---	321	9	6	5	Cayce	---	73	4	2	1
White	---	189	3	2	2	White	---	63	2	1	1
All other	---	132	6	4	4	All other	---	10	1	1	1
Black	---	132	6	4	4	Black	---	10	1	1	1
Greenville	2,880	2,523	51	37	53	West Columbia	---	158	6	3	3
White	2,336	2,017	32	25	39	White	---	137	3	3	3
All other	544	506	19	12	14	All other	---	21	3	1	1
Black	543	504	19	12	14	Black	---	21	3	1	1
Greenville	---	705	12	7	12	Balance of county	---	929	11	5	23
White	---	376	2	2	4	White	---	813	9	5	14
All other	---	329	10	5	8	All other	---	116	2	1	9
Black	---	329	10	5	8	Black	---	115	2	1	9
Greer, part	---	121	---	---	2	McCormick	37	79	1	1	1
White	---	113	---	---	2	White	22	39	---	---	---
All other	---	8	---	---	2	All other	15	40	1	1	1
Black	---	8	---	---	2	Black	15	40	1	1	1
Greer, total	---	161	2	---	4	Marion	333	356	4	2	13
White	---	136	1	---	2	White	179	170	---	---	1
All other	---	25	1	---	2	All other	154	186	4	2	12
Black	---	25	1	---	2	Black	152	184	4	2	12
Balance of county	---	1,697	39	30	37	Marlboro	259	336	4	2	7
White	---	1,528	30	23	33	White	135	173	2	1	2
All other	---	169	9	7	4	All other	124	163	2	1	5
Black	---	167	9	7	4	Black	118	156	2	1	5
Greenwood	710	591	7	3	10	Newberry	277	384	6	4	8
White	475	417	3	1	5	White	196	276	2	1	3
All other	235	174	4	2	5	All other	81	108	4	3	5
Black	234	173	4	2	5	Black	81	108	4	3	5
Greenwood	---	313	4	2	7	Oconee	487	564	4	1	4
White	---	215	2	1	3	White	436	512	2	1	3
All other	---	98	2	1	4	All other	51	52	2	---	1
Black	---	97	2	1	4	Black	50	52	2	---	1
Balance of county	---	278	3	1	3	Orangeburg	811	905	20	13	21
White	---	202	1	---	2	White	377	425	3	2	1
All other	---	76	2	1	1	All other	434	480	17	11	20
Black	---	76	2	1	1	Black	430	477	17	11	20
Hampton	81	149	3	1	7	Orangeburg	---	201	2	1	7
White	39	64	1	---	1	White	---	126	2	1	1
All other	42	85	2	1	6	All other	---	75	2	1	6
Black	42	85	2	1	6	Black	---	73	2	1	6
Horry	1,270	1,288	13	5	18	Balance of county	---	704	18	12	14
White	1,076	1,101	7	2	11	White	---	299	3	2	---
All other	194	187	6	3	7	All other	---	405	15	10	14
Black	192	187	6	3	7	Black	---	404	15	10	14
Conway	---	158	---	---	1	Pickens	546	720	8	6	11
White	---	113	---	---	1	White	---	192	4	3	2
All other	---	45	---	---	---	All other	---	167	3	2	2
Black	---	45	---	---	---	Black	---	25	1	1	---
Myrtle Beach	---	214	2	1	1	Balance of county	---	25	1	1	---
White	---	195	---	---	---	White	---	528	4	3	9
All other	---	19	2	1	1	All other	---	226	42	24	49
Black	---	19	2	1	1	Black	---	1,294	10	9	14
Balance of county	---	916	11	4	16	Richland	3,440	2,262	42	24	49
White	---	793	7	4	10	White	2,094	1,346	32	15	35
All other	---	123	4	2	6	All other	---	968	32	15	35
Black	---	123	4	2	6	Black	---	961	32	15	35
Jasper	90	136	2	2	5	Columbia	1,338	1,119	22	13	28
White	44	53	1	1	5	White	---	609	3	3	10
All other	46	83	1	1	5	All other	---	510	19	10	19
Black	46	83	1	1	5	Black	---	508	19	10	19
Kershaw	314	404	6	6	8	Balance of county	---	1,143	20	11	20
White	196	259	2	2	4	White	---	685	7	6	4
All other	118	145	4	4	4	All other	---	458	13	6	16
Black	118	145	4	4	4	Black	---	453	13	6	16
Lancaster	437	534	11	8	7	Saluda	102	195	1	1	5
White	324	395	7	5	3	White	77	138	---	---	2
All other	113	139	4	3	4	All other	25	57	1	1	3
Black	113	139	4	3	4	Black	25	57	1	1	3
Laurens	453	623	11	8	18	Spartanburg	2,185	2,139	31	17	27
White	335	443	7	4	11	White	1,712	1,672	16	8	13
All other	118	180	4	4	7	All other	467	467	15	9	14
Black	118	180	4	4	7	Black	471	465	15	9	13
Laurens	---	175	3	3	2	Greer, part	---	40	2	---	---
White	---	120	2	2	1	White	---	23	1	---	---
All other	---	55	1	1	1	All other	---	17	1	---	---
Black	---	55	1	1	1	Black	---	17	1	---	---
Balance of county	---	448	8	5	16	Spartanburg	---	599	7	4	5
White	---	323	5	2	10	White	---	384	1	---	---
All other	---	125	3	3	6	All other	---	215	6	4	5
Black	---	125	3	3	6	Black	---	215	6	4	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 69

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 69 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
South Carolina-Con.					South Dakota-Con.						
Balance of county	---	1,500	22	13	22	Corson	15	47	2	1	-
White	---	1,265	14	8	13	White	3	15	-	-	-
All other	---	235	8	5	9	All other	12	32	2	1	-
Black	---	233	8	5	8	Black	-	-	-	-	-
Sumter	688	786	22	13	16	Custer	54	77	1	1	-
White	350	403	6	4	8	Davison	210	185	1	-	3
All other	338	383	16	9	8	Mitchell	---	161	1	-	3
Black	338	380	16	9	8	Balance of county	---	24	-	-	-
Sumter	---	389	7	5	4	Day	92	109	-	-	-
White	---	182	4	2	2	Deuel	41	52	1	-	-
All other	---	207	3	3	2	Dewey	21	47	3	3	3
Black	---	205	3	3	2	White	3	12	-	-	-
Balance of county	---	397	15	8	12	All other	18	35	3	3	3
White	---	221	2	2	6	Black	-	-	-	-	-
All other	---	176	13	6	6	Douglas	24	41	1	1	-
Black	---	175	13	6	6	Edmunds	46	59	1	1	-
Union	298	364	6	5	3	Fall River	138	115	2	2	1
White	225	271	2	2	1	Faulk	21	31	-	-	-
All other	73	93	4	3	2	Grant	77	91	-	-	1
Black	72	92	4	3	2	Gregory	72	72	1	1	-
Union	---	154	-	-	1	Haakon	19	17	-	-	-
White	---	109	-	-	1	Hamlin	57	74	-	-	-
All other	---	45	-	-	1	Hand	55	63	1	1	1
Black	---	45	-	-	1	Hanson	4	21	1	-	-
Balance of county	---	210	6	5	2	Harding	---	5	15	-	-
White	---	162	2	2	1	Hughes	140	94	7	4	3
All other	---	48	4	3	1	Pierre	---	84	7	4	3
Black	---	47	4	3	1	Balance of county	---	10	-	-	-
Williamsburg	196	364	13	10	4	Hutchinson	104	113	1	1	1
White	53	113	1	-	-	Hyde	12	22	-	-	1
All other	143	251	12	10	4	Jackson	14	32	1	1	1
Black	143	251	12	10	4	White	11	20	1	1	-
York	1,022	1,121	21	14	21	All other	3	12	-	-	1
White	780	875	16	11	13	Black	-	-	-	-	-
All other	242	246	5	3	8	Jerauld	25	34	-	-	1
Black	239	243	5	3	8	Jones	5	17	-	-	-
Rock Hill	---	450	6	3	8	Kingsbury	80	97	-	-	1
White	---	303	3	2	4	Lake	95	107	-	-	1
All other	---	147	3	1	4	Lawrence	154	184	1	1	-
Black	---	146	3	1	4	Lincoln	108	142	-	-	1
Balance of county	---	671	15	11	13	Sioux Falls, part	---	1	-	-	-
White	---	572	13	9	9	Balance of county	---	141	-	-	1
All other	---	99	2	2	4	Lyman	9	39	-	-	1
Black	---	97	2	2	4	White	9	33	-	-	-
South Dakota *	6,841	6,697	102	56	65	All other	---	6	-	-	1
White	6,413	6,228	70	44	48	Black	---	-	-	-	-
All other	428	469	32	12	17	McCook	60	80	-	-	-
Black	5	4	-	-	-	McPherson	20	42	-	-	-
Aurora	28	39	-	-	-	Marshall	47	67	1	-	-
Beadle	193	194	2	-	3	Meade	215	161	3	2	3
Huron	---	148	2	-	3	Mellette	20	37	2	-	-
Balance of county	---	46	-	-	-	White	8	16	-	-	-
Bennett	28	23	-	-	-	All other	12	21	2	-	-
White	5	9	-	-	-	Black	---	-	-	-	-
All other	23	14	-	-	-	Miner	32	50	-	-	-
Black	---	---	-	-	-	Minnehaha	1,613	939	16	10	9
Bon Homme	64	82	-	-	-	Sioux Falls, part	---	763	12	8	8
Brookings	160	165	1	1	1	Sioux Falls, total	---	764	12	8	8
Brookings	---	111	-	-	-	Balance of county	---	176	4	2	1
Balance of county	---	54	1	1	1	Moody	37	60	1	1	-
Brown	404	355	5	1	3	Pennington	769	622	12	6	4
Aberdeen	---	265	3	-	3	Rapid City	---	495	10	5	2
Balance of county	---	90	2	1	-	Balance of county	---	127	2	1	2
Brule	49	39	-	-	-	Perkins	21	45	-	-	-
Buffalo	3	18	1	-	1	Potter	39	47	-	-	-
White	1	1	-	-	1	Roberts	107	125	3	-	1
All other	2	17	1	-	-	White	88	104	1	-	1
Black	---	---	-	-	-	All other	19	21	2	-	-
Butte	54	72	-	-	1	Black	---	-	-	-	-
Campbell	---	14	-	-	-	Sanborn	9	26	-	-	-
Charles Mix	70	96	1	1	1	Shannon	43	102	8	3	6
White	60	78	-	-	-	White	3	5	-	-	-
All other	10	18	1	1	1	All other	40	97	8	3	6
Black	---	---	-	-	-	Black	---	-	-	-	-
Clark	21	51	1	1	1	Spink	75	112	-	-	1
Clay	76	88	-	-	-	Stanley	8	23	1	-	-
Vermillion	---	39	-	-	-	Sully	1	12	-	-	-
Balance of county	---	49	-	-	-	Todd	51	81	4	1	3
Codington	257	239	5	4	1	White	5	15	-	-	-
Watertown	---	207	5	4	1	All other	46	66	4	1	3
Balance of county	---	32	-	-	-	Black	---	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 70

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 70 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
South Dakota-Con.					Tennessee-Con.						
Tripp	69	75	2	1	2	Dyersburg	---	201	1	1	2
Turner	89	127	---	---	1	White	---	162	1	1	1
Union	56	93	1	---	1	All other	---	39	---	---	1
Walworth	100	100	3	2	1	Black	---	39	---	---	1
Yankton	251	190	3	3	2	Balance of county	---	163	2	2	2
Yankton	---	152	3	3	2	Fayette	168	231	6	4	2
Balance of county	---	38	---	---	2	White	107	132	2	1	2
Ziebach	5	9	1	1	---	All other	61	93	4	3	2
White	1	2	---	---	---	Black	61	99	4	3	2
All other	4	7	1	1	---	Fentress	112	144	2	---	1
Black	---	---	---	---	---	Franklin	---	335	333	2	---
Tennessee *	49,677	46,576	695	420	411	Tullahoma, part	---	9	---	---	---
White	41,372	38,779	386	212	264	Balance of county	---	324	2	---	---
All other	8,305	7,797	309	208	147	Gibson	---	435	594	6	5
Black	8,220	7,722	305	204	147	White	---	366	501	3	3
Anderson	796	664	10	4	4	All other	---	69	93	3	2
Oak Ridge, part	---	247	3	---	---	Black	---	69	93	3	2
Oak Ridge, total	---	259	3	---	---	Humboldt	---	136	2	2	4
Balance of county	---	417	7	4	4	White	---	98	---	---	1
Bedford	251	343	8	4	3	All other	---	38	2	2	3
White	221	296	7	3	2	Black	---	38	2	2	3
All other	30	47	1	1	1	Balance of county	---	458	4	3	6
Black	30	47	1	1	1	White	---	403	3	3	4
Shelbyville	---	216	4	1	2	All other	---	55	1	---	2
White	---	180	3	---	---	Black	---	55	1	---	2
All other	---	36	1	1	1	Giles	233	318	3	1	---
Black	---	36	1	1	1	White	---	197	271	1	1
Balance of county	---	127	4	3	1	All other	---	36	47	2	---
Benton	135	186	5	3	---	Black	---	36	47	2	---
Bledsoe	60	96	1	---	2	Grainger	---	49	161	1	1
Blount	724	802	4	3	6	Greene	602	634	6	4	5
Maryville	---	261	2	1	2	Greeneville	---	210	1	1	---
Balance of county	---	541	2	2	4	Balance of county	---	424	5	3	5
Bradley	610	608	2	2	7	Grundy	---	44	154	2	1
Cleveland	---	396	2	2	5	Hamblen	---	454	535	9	5
Balance of county	---	212	---	---	2	Morristown	---	305	5	3	---
Campbell	383	401	4	4	---	Balance of county	---	230	4	2	---
Cannon	76	109	1	---	---	Hamilton	3,340	2,790	34	20	26
Carroll	286	361	5	3	6	White	---	2,740	18	8	10
White	260	322	3	2	5	All other	---	600	612	16	12
All other	26	39	2	1	1	Black	---	61	16	12	16
Black	26	37	1	---	---	Chattanooga	---	599	611	16	12
Carter	374	546	5	3	3	White	---	1,857	23	17	20
Elizabethton	---	169	1	---	---	All other	---	1,265	8	5	5
Johnson City, part	---	11	---	---	---	Black	---	532	15	12	15
Balance of county	---	366	4	3	2	East Ridge	---	52	15	12	15
Cheatham	109	189	1	---	2	Red Bank	---	99	2	---	1
Chester	46	112	1	---	---	Balance of county	---	639	7	2	5
White	44	105	1	---	---	Hancock	---	38	67	---	---
All other	2	7	---	---	---	Hardeman	---	149	236	8	7
Black	2	7	---	---	---	White	---	90	152	1	1
Claiborne	233	264	2	---	2	All other	---	59	84	2	6
Clay	74	102	---	---	---	Black	---	59	84	6	6
Cocke	251	317	2	1	1	Hardin	---	210	275	2	2
Coffee	394	407	5	3	1	Hawkins	---	223	477	5	3
Tullahoma, part	---	175	1	---	1	Kingsport, part	---	21	---	---	---
Tullahoma, total	---	184	1	---	1	White	---	20	---	---	1
Balance of county	---	232	4	3	---	All other	---	1	---	---	---
Crockett	73	175	1	1	5	Black	---	1	---	---	---
White	70	160	1	1	3	Balance of county	---	456	5	3	3
All other	3	15	---	---	2	Haywood	---	131	230	2	---
Black	3	15	---	---	2	White	---	68	128	1	---
Cumberland	361	358	5	4	2	All other	---	63	102	1	---
Davidson	6,613	4,647	86	56	48	Black	---	63	102	1	---
White	5,258	3,463	38	25	25	Henderson	---	158	239	3	2
All other	1,355	1,184	48	31	23	Henry	---	358	393	---	---
Black	1,334	1,168	48	31	23	White	---	325	354	---	---
Nashville-Davidson	---	4,537	85	55	40	All other	---	33	39	---	---
White	---	3,360	37	24	19	Black	---	30	37	---	---
All other	---	1,177	48	31	21	Paris	---	185	---	---	---
Black	---	1,161	48	31	21	White	---	154	---	---	---
Balance of county	---	110	1	1	8	All other	---	31	---	---	---
Decatur	112	144	3	1	---	Black	---	30	---	---	---
De Kalb	136	166	1	1	1	Balance of county	---	208	---	---	---
Dickson	369	363	3	1	1	Hickman	---	139	185	---	---
Dyer	339	364	3	3	4	Houston	---	91	86	---	---
White	285	315	3	3	3	Humphreys	---	115	175	---	---
All other	54	49	---	---	1	Jackson	---	72	118	---	---
Black	54	49	---	---	1	Jefferson	---	276	325	1	---
						Johnson	---	53	134	1	---
						Knox	---	4,266	3,065	31	19
						White	---	3,929	2,758	24	14
						All other	---	337	307	7	5
						Black	---	329	300	7	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 71

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 71 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Tennessee-Con.					Tennessee-Con.						
Knoxville	---	2,045	18	10	13	Cookeville	---	225	5	4	1
White	---	1,753	11	5	10	Balance of county	---	299	3	1	3
All other	---	292	7	5	3	Rhea	155	249	2	1	1
Black	---	288	7	5	3	Roane	432	507	4	2	2
Balance of county	---	1,020	13	9	10	Oak Ridge, part	---	12	-	-	-
Lake	21	78	1	-	-	Balance of county	---	495	4	2	2
White	17	65	1	-	-	Robertson	336	409	2	1	6
All other	4	13	-	-	-	White	293	353	2	1	5
Black	4	13	-	-	-	All other	---	43	56	-	1
Lauderdale	200	297	4	3	2	Black	---	42	55	-	1
White	146	209	1	1	1	Springfield	---	181	1	1	3
All other	54	88	3	2	1	White	---	133	1	1	2
Black	4	87	3	2	1	All other	---	48	-	-	1
Lawrence	304	397	6	3	2	Black	---	47	-	-	1
Lawrenceburg	---	155	3	1	2	Balance of county	---	228	1	-	3
Balance of county	---	242	3	2	1	Rutherford	952	806	16	9	8
Lewis	51	81	-	-	4	White	819	699	15	8	8
Lincoln	252	322	6	5	2	All other	---	133	107	1	1
White	226	289	5	4	2	Black	---	127	103	1	1
All other	26	33	1	1	-	Murfreesboro	---	410	4	3	5
Black	26	33	1	1	-	White	---	344	4	3	5
Loudon	213	320	4	2	1	All other	---	66	-	-	-
McMinn	393	406	1	1	5	Black	---	62	-	-	-
Athens	---	139	1	1	2	Balance of county	---	396	12	6	3
Balance of county	---	267	-	-	3	Scott	156	166	2	-	1
McNairy	182	282	-	-	-	Sequatchie	59	92	-	-	2
Macon	103	165	-	-	2	Sevier	347	456	3	1	4
Madison	1,557	824	11	8	13	Shelby	9,429	7,279	223	136	83
White	1,209	577	2	1	5	White	5,448	3,879	47	21	21
All other	348	247	9	7	8	All other	3,981	3,400	176	115	62
Black	347	247	9	7	8	Black	3,962	3,387	175	114	62
Jackson	---	627	9	6	11	Bartlett	---	107	3	1	-
White	---	431	1	-	3	Germantown	---	128	2	1	-
All other	---	196	8	6	8	Memphis	---	6,528	204	127	77
Black	---	196	8	6	8	White	---	3,252	35	15	15
Balance of county	---	197	2	2	2	All other	---	3,276	169	112	62
White	---	146	1	1	2	Black	---	3,264	168	111	62
All other	---	51	1	1	-	Millington	---	102	7	3	-
Black	---	51	1	1	-	White	---	86	5	2	-
Marion	176	228	3	2	2	All other	---	16	2	1	-
Marshall	174	239	1	1	3	Black	---	15	2	1	-
White	159	221	1	1	2	Balance of county	---	414	7	4	6
All other	15	18	-	-	1	White	---	319	4	3	6
Black	14	17	-	-	1	All other	---	95	3	1	-
Maury	577	540	5	1	7	Black	---	95	3	1	-
White	487	431	5	1	5	Smith	118	154	-	-	-
All other	90	109	-	-	2	Stewart	39	104	1	-	1
Black	90	109	-	-	2	Sullivan	2,172	1,368	18	13	5
Columbia	---	300	2	1	4	Bristol	---	298	3	2	-
White	---	224	2	1	2	Kingsport, part	---	517	4	1	2
All other	---	76	-	-	2	Kingsport, total	---	538	4	1	2
Black	---	76	-	-	2	Balance of county	---	553	11	10	9
Balance of county	---	240	3	-	2	Sumner	662	779	15	9	4
White	---	207	3	-	3	Gallatin	---	204	5	2	1
All other	---	33	-	-	-	White	---	162	2	2	1
Black	---	33	-	-	-	All other	---	42	3	-	-
Meigs	40	91	-	-	1	Black	---	42	3	-	-
Monroe	237	321	2	1	1	Hendersonville	---	247	4	3	3
Montgomery	622	624	21	15	8	Balance of county	---	328	6	4	5
White	499	484	17	13	6	Tipton	214	345	9	5	4
All other	123	140	4	2	2	White	148	254	3	1	1
Black	119	135	4	2	2	All other	66	91	6	4	3
Clarksville	---	453	21	15	7	Black	66	91	6	4	3
White	---	325	17	13	6	Trousdale	65	68	-	-	-
All other	---	128	4	2	1	White	57	58	-	-	-
Black	---	123	4	2	1	All other	8	10	-	-	-
Balance of county	---	171	-	-	1	Black	8	10	-	-	-
White	---	159	-	-	-	Unicoi	131	198	4	1	2
All other	---	12	-	-	1	Union	46	120	-	-	3
Black	---	12	-	-	1	Van Buren	7	39	-	-	-
Moore	19	46	2	2	2	Warren	322	350	3	1	1
Morgan	54	164	4	3	2	McMinnville	---	163	1	1	1
Oblon	348	383	3	2	4	Balance of county	---	187	2	-	1
Union City	---	145	2	2	2	Washington	1,373	870	6	3	8
White	---	125	-	-	1	Johnson City, part	---	528	3	2	7
All other	---	20	2	2	1	Johnson City, total	---	539	3	2	7
Black	---	20	2	2	1	Balance of county	---	342	3	1	1
Balance of county	---	238	1	-	2	Wayne	94	130	2	1	2
Overton	189	183	1	-	-	Weakley	290	354	3	3	1
Perry	64	97	-	-	1	White	181	248	3	2	1
Pickett	3	41	1	-	-						
Polk	103	157	1	-	1						
Putnam	468	524	8	5	4						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 72

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 72 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Tennessee-Con.					Texas-Con.						
Williamson	407	475	4	3	3	Killeen	---	307	24	14	16
Franklin	---	217	2	1	---	White	---	225	10	7	5
White	---	182	2	1	---	All other	---	82	14	7	11
All other	---	35	---	---	---	Black	---	69	14	7	10
Black	---	35	---	---	---	Temple	---	588	7	4	6
Balance of county	---	258	2	2	3	White	---	512	3	2	5
Wilson	484	577	8	4	3	All other	---	76	4	2	1
Lebanon	---	248	4	3	1	Black	---	75	4	2	1
White	---	201	1	---	1	Balance of county	---	366	15	11	10
All other	---	47	3	3	---	White	---	336	12	9	7
Black	---	47	3	3	---	All other	---	30	3	2	3
Balance of county	---	329	4	1	2	Black	---	28	3	2	3
Texas	130,486	129,108	2,487	1,512	2,004	Bexar	10,148	8,820	166	105	126
White	112,531	111,273	1,850	1,132	1,537	White	9,310	8,047	149	96	106
All other	17,955	17,835	637	380	467	All other	838	773	17	9	20
Black	17,207	17,131	612	366	412	Black	784	726	16	9	18
Anderson	437	435	3	1	3	San Antonio	---	7,770	140	85	114
White	339	357	2	1	1	White	---	7,051	125	77	98
All other	98	78	1	1	2	All other	---	719	15	8	16
Black	98	78	1	1	2	Black	---	686	15	8	14
Palestine	---	217	---	---	1	Universal City	---	73	2	2	1
White	---	172	---	---	1	White	---	70	2	2	---
All other	---	45	---	---	---	All other	---	3	---	---	1
Black	---	45	---	---	---	Black	---	1	---	---	1
Balance of county	---	218	3	1	2	Balance of county	---	977	24	18	11
White	---	185	2	---	---	White	---	926	22	17	8
All other	---	33	1	1	2	All other	---	51	2	1	3
Black	---	33	1	1	2	Black	---	39	1	1	3
Andrews	97	110	1	---	1	Blanco	---	50	66	1	---
Andrews	---	94	1	---	1	Borden	---	2	5	---	---
White	---	89	1	---	1	Bosque	---	205	234	1	1
All other	---	5	---	---	---	Bowie	---	891	897	12	7
Black	---	4	---	---	---	White	---	678	693	4	3
Balance of county	---	16	---	---	---	All other	---	213	204	8	4
Angelina	794	688	13	7	6	Black	---	211	202	8	4
White	678	591	9	6	6	Texarkana *	---	491	9	5	6
All other	116	97	4	1	---	White	---	360	3	2	1
Black	114	96	3	1	---	All other	---	131	6	3	5
Lufkin	---	361	5	1	5	Black	---	130	6	3	5
White	---	288	2	1	5	Balance of county	---	406	3	2	1
All other	---	73	3	---	---	White	---	333	1	1	1
Black	---	72	2	---	---	All other	---	73	2	1	---
Balance of county	---	327	8	6	1	Black	---	72	2	1	---
White	---	303	7	5	1	Brazoria	858	1,227	22	12	32
All other	---	24	1	1	---	White	---	772	1,137	21	12
Black	---	24	1	1	---	All other	---	86	90	1	---
Aransas	92	189	1	1	2	Black	---	85	90	1	---
Archer	31	78	---	---	1	Alvin	---	179	3	---	4
Wichita Falls, part	---	---	---	---	---	Angleton	---	135	4	4	6
Balance of county	---	78	---	---	1	White	---	125	4	4	4
White	---	77	---	---	1	All other	---	10	---	---	2
All other	---	1	---	---	---	Black	---	10	---	---	2
Black	---	1	---	---	---	Freeport	---	99	3	3	4
Armstrong	19	20	---	---	---	White	---	82	3	3	4
Atascosa	185	248	3	1	2	All other	---	17	---	---	---
Austin	189	232	3	3	6	Black	---	17	---	---	---
White	152	200	3	3	2	Lake Jackson	---	114	3	1	1
All other	37	32	---	---	4	Pearland, part	---	139	2	1	1
Black	37	32	---	---	4	Pearland, total	---	154	2	1	1
Bailey	40	54	1	1	---	Balance of county	---	561	7	3	16
Bandera	45	123	---	---	1	White	---	507	6	3	13
Bastrop	226	375	6	4	9	All other	---	54	1	---	3
White	180	301	5	3	9	Black	---	54	1	---	3
All other	46	74	1	1	---	Brazos	734	586	7	2	19
Black	46	74	1	1	---	White	---	588	473	6	11
Baylor	90	101	2	1	---	All other	---	146	113	1	8
Bee	195	217	5	3	1	Black	---	145	112	1	7
Beeville	---	135	4	3	---	Bryan	---	400	5	1	14
White	---	128	4	3	---	White	---	306	4	1	8
All other	---	7	---	---	---	All other	---	94	1	---	6
Black	---	7	---	---	---	Black	---	94	1	---	6
Balance of county	---	82	1	---	1	College Station	---	110	1	1	4
White	---	80	1	---	1	Balance of county	---	76	1	---	1
All other	---	2	---	---	---	White	---	75	1	---	1
Black	---	2	---	---	---	All other	---	1	---	---	---
Bell	1,893	1,402	47	30	34	Black	---	1	---	---	---
White	1,651	1,206	26	19	19	Brewster	---	73	70	---	2
All other	242	196	21	11	15	Briscoe	---	5	26	---	---
Black	226	180	21	11	14	Brooks	---	71	82	---	---
Belton	---	141	1	1	2	Brown	---	481	447	4	3
White	---	133	1	1	2	Brownwood	---	280	2	1	2
All other	---	8	---	---	---	White	---	270	2	1	2
Black	---	8	---	---	---	All other	---	10	---	---	---
	---	8	---	---	---	Black	---	9	---	---	---
	---	8	---	---	---	Balance of county	---	167	2	2	---

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 73

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 73 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Texas-Con.					Texas-Con.						
Burleson	109	175	3	1	1	Comal	441	506	3	-	8
White	83	133	2	-	1	New Braunfels, part	308	308	2	-	6
All other	26	42	1	1	-	White	307	307	2	-	5
Black	26	42	1	1	-	All other	1	1	-	-	1
Burnet	198	274	3	2	2	Black	1	1	-	-	1
Caldwell	180	267	1	1	1	New Braunfels, total	311	311	2	-	6
White	154	223	-	-	1	White	310	310	2	-	5
All other	26	44	1	1	-	All other	1	1	-	-	1
Black	26	44	1	1	-	Black	1	1	-	-	1
Calhoun	140	172	3	3	-	Balance of county	198	198	1	-	2
Port Lavaca	-	103	-	-	-	Comanche	174	196	2	2	-
White	-	97	-	-	-	Concho	39	42	-	-	-
All other	-	6	-	-	-	Cooke	231	280	5	3	2
Black	-	6	-	-	-	Gainesville	174	174	3	1	1
Balance of county	-	69	3	3	-	White	166	166	2	-	1
Callahan	60	143	-	-	-	All other	8	8	1	1	-
						Black	8	8	1	1	-
Cameron	1,842	1,703	42	26	36	Balance of county	106	106	2	2	1
Brownsville	-	700	24	15	22	Coryell	150	263	3	2	8
White	-	699	24	15	22	White	146	248	1	1	6
All other	-	1	-	-	-	All other	4	15	2	1	2
Black	-	-	-	-	-	Black	2	12	2	1	2
Harlingen	-	423	6	4	4	Copperas Cove	78	78	2	1	6
White	-	420	6	4	4	White	66	66	-	-	4
All other	-	3	-	-	-	All other	12	12	2	1	2
Black	-	3	-	-	-	Black	10	10	2	1	2
San Benito	-	160	1	1	3	Balance of county	185	185	1	1	2
White	-	160	1	1	3	White	182	182	1	1	2
All other	-	-	-	-	-	All other	3	3	-	-	-
Black	-	-	-	-	-	Black	2	2	-	-	-
Balance of county	-	420	11	6	7	Cottle	13	30	1	1	-
White	-	419	11	6	7	Crane	20	31	1	-	-
All other	-	1	-	-	-	Crockett	37	31	-	-	-
Black	-	-	-	-	-	Crosby	61	71	-	-	-
Camp	123	138	2	2	4	Culberson	21	27	-	-	1
White	97	102	2	2	3						
All other	26	36	2	2	1	Dallam	16	65	1	-	1
Black	26	36	2	2	3	Dallas	13,807	12,815	297	192	238
Carson	25	67	2	2	-	White	10,815	9,950	186	125	145
Cass	292	385	4	3	-	All other	2,992	2,865	111	67	93
White	229	312	2	1	-	Black	2,875	2,751	107	65	84
All other	63	73	2	2	-	Balch Springs	-	96	1	-	2
Black	63	73	2	2	-	Carrollton, part	-	191	11	7	3
Castro	46	76	4	3	-	Carrollton, total	-	293	18	11	7
						Dallas, part	-	8,426	183	119	135
Chambers	130	159	3	2	2	White	-	5,881	96	64	68
White	105	131	2	2	2	All other	-	2,545	87	55	67
All other	25	28	1	-	-	Black	-	2,485	84	54	60
Black	25	28	1	-	-	Dallas, total	-	8,460	183	119	137
Baytown, part	-	7	-	-	-	White	-	5,914	96	64	69
Balance of county	-	152	3	2	2	All other	-	2,546	87	55	68
White	-	124	2	2	2	Black	-	2,485	84	54	60
All other	-	28	1	-	-	De Soto	-	192	5	1	3
Black	-	28	1	-	-	Duncanville	-	162	3	1	3
Cherokee	406	478	4	3	3	Farmers Branch	-	140	2	1	1
White	343	405	2	2	3	Garland, part	-	888	24	17	19
All other	63	73	2	1	-	White	-	815	21	16	12
Black	63	73	2	1	-	All other	-	73	3	1	7
Jacksonville	-	193	-	-	-	Black	-	57	3	1	7
White	-	161	-	-	-	Garland, total	-	890	24	17	19
All other	-	32	-	-	-	White	-	817	21	16	12
Black	-	32	-	-	-	All other	-	73	3	1	7
Balance of county	-	285	4	3	3	Black	-	57	3	1	7
White	-	244	2	2	3	Grand Prairie, part	-	456	10	7	13
All other	-	41	2	1	-	White	-	401	9	6	9
Black	-	41	2	1	-	All other	-	55	1	1	4
Childress	101	99	1	1	1	Black	-	49	1	1	4
Clay	80	107	1	1	1	Grand Prairie, total	-	501	11	8	13
Cochran	4	35	-	-	-	White	-	437	10	7	9
						All other	-	64	1	1	4
Coke	26	51	-	-	-	Black	-	58	1	1	4
Coleman	117	179	2	-	-	Grapevine, part	-	-	-	-	-
Collin	1,083	1,145	29	22	28	Irving	-	704	21	12	18
Carrollton, part	-	-	-	-	-	Lancaster	-	183	5	5	3
Dallas, part	-	27	-	-	2	White	-	153	2	2	2
Garland, part	-	2	-	-	-	All other	-	30	3	3	1
McKinney	-	206	3	3	2	Black	-	30	3	3	1
White	-	187	2	2	2	Mesquite	-	502	14	9	15
All other	-	19	1	1	-	Richardson, part	-	344	3	3	3
Black	-	19	1	1	-	Richardson, total	-	363	3	3	3
Plano, part	-	443	16	15	10	University Park	-	67	-	-	1
Plano, total	-	443	16	15	10	Balance of county	-	464	15	10	19
Richardson, part	-	19	-	-	-	White	-	417	14	10	15
Balance of county	-	448	10	4	14	All other	-	47	1	-	4
Collingsworth	45	63	1	1	-	Black	-	42	1	-	3
Colorado	214	226	1	-	3	Dawson	62	138	-	-	4
White	183	179	1	-	1						
All other	31	47	-	-	2						
Black	31	47	-	-	2						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 74

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 74 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more.]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Lamesa	---	118	--	--	1	Floyd	66	81	1	--	1
White	---	115	--	--	1	Foard	10	31	--	--	1
All other	---	3	--	--	--	Fort Bend	714	969	32	21	30
Black	---	3	--	--	--	White	603	787	23	16	24
Balance of county	---	20	--	--	3	All other	111	182	9	5	6
White	---	19	--	--	3	Black	105	162	9	5	4
All other	---	1	--	--	--	Houston, part	---	22	2	--	2
Black	---	1	--	--	--	White	---	13	2	--	1
Deaf Smith	83	128	3	2	5	All other	---	9	--	--	1
Hereford	---	115	3	2	5	Black	---	7	--	--	1
White	---	114	3	2	5	Missouri City, part	---	160	4	4	4
All other	---	1	--	--	--	White	---	105	1	1	2
Black	---	1	--	--	--	All other	---	55	3	3	2
Balance of county	---	13	--	--	--	Black	---	51	3	3	2
White	---	13	--	--	--	Missouri City, total	---	180	4	4	5
All other	---	--	--	--	--	White	---	112	1	1	3
Black	---	--	--	--	--	All other	---	68	3	3	2
Delta	26	82	1	1	--	Black	---	63	3	3	2
Denton	1,141	1,189	32	20	19	Rosenberg	---	156	8	5	3
Carrollton, part	---	102	7	4	4	White	---	139	7	5	3
Dallas, part	---	7	--	--	--	All other	---	17	1	--	--
Denton	---	438	6	3	2	Black	---	17	1	--	--
White	---	404	6	3	1	Balance of county	---	631	18	12	21
All other	---	34	--	--	1	White	---	530	13	10	18
Black	---	30	--	--	1	All other	---	101	5	2	3
Lewisville	---	194	12	8	6	Black	---	87	5	2	1
Plano, part	---	--	--	--	--	Franklin	100	111	--	--	--
The Colony	---	49	1	1	--	Freestone	---	161	223	1	--
Balance of county	---	399	6	4	7	White	---	128	174	1	1
De Witt	169	230	1	1	3	All other	---	33	49	--	--
White	---	150	1	1	3	Black	---	32	49	--	--
All other	---	19	25	--	--	Frio	---	80	97	4	1
Black	---	19	25	--	--	Gaines	---	49	72	--	--
Dickens	---	38	--	--	--	Galveston	1,963	1,883	46	30	26
Dimmit	76	75	1	1	1	White	---	1,486	1,490	33	17
Dorley	20	64	--	--	--	All other	---	477	393	13	9
White	---	635	17	10	11	Black	---	468	385	12	8
All other	---	67	3	1	--	Friendswood, part	---	104	1	1	--
Black	---	65	3	1	--	Friendswood, total	---	135	6	5	2
Balance of county	---	162	1	--	--	Galveston	---	670	13	5	11
Edwards	10	30	--	--	1	White	---	477	9	1	7
Ellis	577	693	12	6	5	All other	---	193	4	4	4
White	---	498	10	5	3	Black	---	192	4	4	4
All other	---	79	2	1	2	La Marque	---	122	3	3	1
Black	---	104	2	1	2	White	---	89	1	1	--
Ennis	---	158	3	1	1	All other	---	33	2	2	1
White	---	125	2	1	1	Black	---	33	2	2	--
All other	---	33	1	--	--	League City	---	133	7	5	--
Black	---	33	1	--	--	Texas City	---	370	4	2	4
Grand Prairie, part	---	--	--	--	--	White	---	265	3	1	2
Waxahachie	---	222	5	1	1	All other	---	105	1	1	2
White	---	179	4	--	--	Black	---	102	1	1	2
All other	---	43	1	1	--	Balance of county	---	484	18	14	10
Black	---	42	1	1	--	White	---	427	13	9	8
Balance of county	---	313	4	4	3	All other	---	57	5	5	2
White	---	284	4	4	2	Black	---	56	5	5	2
All other	---	29	--	--	--	Garza	43	61	--	--	--
Black	---	29	--	--	2	Gillespie	---	250	253	1	1
El Paso	3,641	3,424	111	71	78	Glasscock	---	7	6	--	--
White	3,511	3,302	91	56	75	Goliad	---	44	62	1	--
All other	130	122	20	15	3	Gonzales	---	138	206	5	2
Black	113	111	19	14	3	White	---	123	178	4	2
El Paso	---	3,244	99	66	71	All other	---	15	28	1	--
White	---	3,127	82	52	69	Black	---	15	28	1	--
All other	---	117	17	14	2	Gray	---	240	270	5	1
Black	---	106	16	13	2	Pampa	---	230	4	1	2
Balance of county	---	180	12	5	7	Balance of county	---	40	1	--	1
White	---	175	9	4	6	Grayson	1,259	1,113	13	8	6
All other	---	5	3	1	1	Denison	---	307	3	1	--
Black	---	5	3	1	1	White	---	285	3	1	--
Erath	248	268	4	2	2	All other	---	22	--	--	--
Stephenville	---	141	2	1	2	Black	---	22	--	--	--
Balance of county	---	127	2	1	--	Sherman	---	379	5	3	2
Falls	224	235	1	--	--	White	---	337	4	2	2
White	---	161	175	--	--	All other	---	42	1	1	--
All other	---	63	60	1	--	Black	---	41	1	1	--
Black	---	62	59	1	--	Balance of county	---	427	5	4	4
Fannin	311	356	2	--	--	Gregg	1,226	1,027	19	12	11
Fayette	210	298	3	1	1	White	---	995	835	14	7
Fisher	46	57	1	--	--	All other	---	231	192	5	5
White	---	114	2	2	--	Black	---	231	192	5	5
All other	---	100	1	1	--	Kilgore, part	---	114	2	2	--
Black	---	14	1	1	--	White	---	100	1	1	--
Black	---	14	1	1	--	All other	---	14	1	1	--
Black	---	14	1	1	--	Black	---	14	1	1	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 75

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 75 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Kilgore, total	---	138	2	2	---	Balance of county	---	2,747	70	44	71
White	---	123	1	1	---	White	---	2,558	67	42	63
All other	---	15	1	1	---	All other	---	139	3	2	8
Black	---	15	1	1	---	Black	---	153	2	1	6
Longview, part	---	687	14	9	10	Harrison	---	309	555	4	7
White	---	553	10	5	7	White	---	251	363	2	4
All other	---	134	4	4	3	All other	---	148	192	2	3
Black	---	134	4	4	3	Black	---	148	192	2	3
Longview, total	---	697	14	9	10	Longview, part	---	10	10	3	3
White	---	563	10	5	7	Marshall	---	298	185	1	1
All other	---	134	4	4	3	White	---	185	113	2	2
Black	---	134	4	4	3	All other	---	113	113	2	2
Balance of county	---	226	3	1	1	Black	---	113	247	1	1
White	---	182	3	1	1	Balance of county	---	168	79	1	1
All other	---	44	-	-	-	White	---	79	29	-	-
Black	---	44	-	-	-	All other	---	79	95	-	-
Grimes	---	135	1	1	2	Black	---	50	61	-	-
White	---	88	1	1	1	Hartley	---	50	372	4	4
All other	---	47	-	-	1	Haskell	---	61	372	4	4
Black	---	47	-	-	1	Hays	---	330	163	1	1
Guadalupe	---	375	11	7	8	San Marcos	---	153	153	-	-
New Braunfels, part	---	3	-	-	4	White	---	153	10	1	1
Seguin	---	215	7	6	4	All other	---	10	10	1	1
White	---	185	7	6	4	Black	---	10	209	3	3
All other	---	30	-	-	-	Balance of county	---	209	203	2	2
Black	---	30	-	-	-	White	---	203	6	1	1
Balance of county	---	279	4	1	4	All other	---	6	6	-	-
Hale	---	246	8	2	4	Black	---	6	6	1	1
Plainview	---	209	6	2	3	Hemphill	---	37	45	-	-
White	---	199	6	2	2	Henderson	---	536	630	5	2
All other	---	10	-	-	1	White	---	497	638	4	1
Black	---	10	-	-	1	All other	---	39	52	1	1
Balance of county	---	108	2	-	1	Black	---	39	52	1	1
White	---	103	2	-	1	Athens	---	156	138	1	2
All other	---	5	-	-	-	White	---	138	18	-	2
Black	---	4	-	-	-	All other	---	18	18	-	2
Hall	---	65	-	-	-	Black	---	18	534	4	2
Hamilton	---	126	1	1	-	Balance of county	---	534	207	8	27
Hansford	---	40	-	-	-	Hidalgo	---	2,227	2,197	62	48
Hardeman	---	59	-	-	2	Edinburg	---	207	207	8	6
Hardin	---	218	7	5	3	White	---	207	207	8	6
White	---	194	5	4	3	All other	---	-	-	-	-
All other	---	24	2	1	-	Black	---	-	-	-	-
Black	---	24	2	1	-	McAllen	---	489	487	14	7
Harris	---	20,466	488	282	400	White	---	487	2	-	8
White	---	15,369	303	184	274	All other	---	2	-	-	-
All other	---	4,752	185	98	126	Black	---	2	-	-	1
Black	---	4,789	173	90	108	Mercedes	---	98	98	2	1
Baytown, part	---	471	15	8	6	White	---	98	2	-	1
White	---	430	12	7	4	All other	---	-	-	-	-
All other	---	41	3	1	2	Black	---	-	-	-	-
Black	---	40	3	1	2	Mission	---	237	6	2	3
Baytown, total	---	478	15	8	6	Pharr	---	188	7	3	7
White	---	437	12	7	4	White	---	188	7	3	7
All other	---	41	3	1	2	All other	---	-	-	-	-
Black	---	40	3	1	2	Black	---	-	-	-	-
Bellaire	---	113	-	-	2	Weslaco	---	237	3	2	2
Deer Park	---	11	5	3	3	White	---	237	3	2	2
Friendswood, part	---	31	5	4	2	All other	---	-	-	-	-
Houston, part	---	13,298	367	208	301	Black	---	-	-	-	-
White	---	8,816	190	115	186	Balance of county	---	741	22	11	21
All other	---	4,482	177	93	115	White	---	741	22	11	21
Black	---	4,246	167	87	99	All other	---	-	-	-	-
Houston, total	---	13,321	369	208	303	Black	---	-	-	-	-
White	---	8,830	192	115	187	Hill	---	292	376	2	1
All other	---	4,491	177	93	116	White	---	264	338	1	1
Black	---	4,253	167	87	100	All other	---	38	38	1	1
La Porte	---	147	3	2	3	Black	---	27	38	1	1
White	---	130	2	1	2	Hockley	---	129	180	5	1
All other	---	17	1	1	1	Levelland	---	124	124	3	1
Black	---	15	1	1	1	White	---	118	3	1	1
Missouri City, part	---	20	-	-	1	All other	---	6	-	-	-
White	---	7	-	-	1	Black	---	6	-	-	-
All other	---	13	-	-	-	Balance of county	---	56	2	-	2
Black	---	12	-	-	-	White	---	54	1	-	2
Pasadena	---	719	17	10	10	All other	---	2	1	-	-
White	---	711	16	9	10	Black	---	1	1	-	-
All other	---	8	1	1	-	Hood	---	247	310	4	4
Black	---	5	-	-	-	Hopkins	---	260	297	1	-
Pearland, part	---	15	-	-	-	White	---	234	272	1	-
South Houston	---	95	6	3	-	All other	---	26	25	-	-
White	---	95	6	3	-	Black	---	23	25	-	-
All other	---	-	-	-	-	Sulphur Springs	---	174	156	-	-
Black	---	-	-	-	-	White	---	156	18	-	-
West University Place	---	2	-	-	1	All other	---	18	18	-	-
	---	---	---	---	---	Black	---	18	1	-	-
	---	---	---	---	---	Balance of county	---	123	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 76

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 76 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Texas-Con.					Texas-Con.						
Houston	234	292	-	-	2	Balance of county	---	349	5	4	4
White	176	212	-	-	2	White	---	326	4	3	4
All other	58	80	-	-	-	All other	---	23	1	1	-
Black	58	79	-	-	-	Black	---	22	1	1	-
Howard	364	356	6	3	8	Kendall	74	157	-	-	-
Big Spring	---	271	5	3	8	Kenedy	3	3	-	-	-
White	---	257	5	3	6	Kent	6	13	-	-	-
All other	---	14	-	-	2	Kerr	654	524	5	4	5
Black	---	14	-	-	1	Kerrville	---	341	4	4	3
Balance of county	---	85	1	-	-	White	---	326	3	3	3
White	---	85	1	-	-	All other	---	15	1	1	-
All other	---	-	-	-	-	Black	---	15	1	1	-
Black	---	-	-	-	-	Balance of county	---	183	1	-	2
Hudspeth	11	13	-	-	-	Kimble	54	60	-	-	-
Hunt	524	609	4	1	5	King	-	2	1	1	-
White	471	557	3	1	4	Kinney	8	23	-	-	1
All other	53	52	1	-	1	Kleberg	167	191	3	3	2
Black	52	51	1	-	1	Corpus Christi, part	---	169	3	3	2
Greenville	---	242	2	-	5	Kingsville	---	162	2	2	2
White	---	201	1	-	4	White	---	7	1	1	-
All other	---	41	1	-	1	All other	---	7	1	1	-
Black	---	40	1	-	1	Black	---	7	1	1	-
Balance of county	---	367	2	1	-	Balance of county	---	22	-	-	-
Hutchinson	138	243	2	2	2	White	---	22	-	-	-
Borger	---	176	2	2	2	All other	---	-	-	-	-
Balance of county	---	67	-	-	-	Black	---	-	-	-	-
Irion	7	14	-	-	-	Knox	38	71	-	-	1
Jack	65	98	-	-	-	Lamar	694	544	8	2	8
Jackson	87	131	1	1	1	White	613	472	3	2	5
White	74	112	1	1	1	All other	81	72	5	-	3
All other	13	19	-	-	-	Black	75	67	5	-	3
Black	13	19	-	-	-	Paris	---	381	7	1	5
Jasper	267	370	3	2	3	White	---	317	2	1	2
White	214	303	1	1	1	All other	---	64	5	-	3
All other	53	67	2	1	2	Black	---	61	5	-	3
Black	53	67	2	1	2	Balance of county	---	163	1	1	3
Jeff Davis	9	15	-	-	-	Lamb	73	147	2	2	5
Jefferson	2,945	2,408	42	26	37	Lampasas	100	148	1	1	-
White	2,203	1,687	15	7	21	La Salle	23	65	1	-	2
All other	742	721	27	19	16	Lavaca	218	268	-	-	-
Black	729	708	27	19	14	Lee	94	146	-	-	-
Beaumont	---	1,163	23	16	19	White	85	130	-	-	-
White	---	723	6	3	10	All other	9	16	-	-	-
All other	---	440	17	13	9	Black	9	16	-	-	-
Black	---	438	17	13	8	Leon	66	169	1	-	3
Balance of county	---	163	1	-	2	White	53	140	1	-	2
Groves	---	137	2	1	1	All other	13	29	-	-	1
Nederland	---	698	14	9	12	Black	13	29	-	-	1
Port Arthur	---	433	4	3	5	Liberty	377	485	7	7	9
White	---	265	10	6	7	White	321	407	5	5	7
All other	---	255	10	6	6	All other	56	78	2	2	2
Black	---	105	2	-	-	Black	55	76	2	2	2
Port Neches	---	142	-	-	3	Limestone	300	339	3	2	2
Balance of county	---	134	-	-	3	White	252	282	3	2	1
White	---	8	-	-	-	All other	48	57	-	-	1
All other	---	7	-	-	-	Black	48	57	-	-	1
Black	---	42	1	-	-	Lipscomb	13	30	-	-	-
Jim Hogg	9	42	1	-	-	Live Oak	52	103	-	-	1
Jim Wells	279	280	2	1	4	Llano	167	218	1	-	-
Alice	---	187	1	1	4	Loving	1	3	-	-	-
White	---	184	1	1	4	Lubbock	2,398	1,590	27	16	32
All other	---	3	-	-	-	White	2,232	1,459	22	13	29
Black	---	3	-	-	-	All other	166	131	5	3	3
Balance of county	---	93	1	-	-	Black	162	129	5	3	3
White	---	91	1	-	-	Lubbock	---	1,369	25	15	29
All other	---	2	-	-	-	White	---	1,249	20	12	26
Black	---	2	-	-	-	All other	---	120	5	3	3
Johnson	531	754	14	11	14	Black	---	118	5	3	3
Burleson, part	---	124	2	1	1	Balance of county	---	221	2	1	3
Burleson, total	---	161	3	2	2	White	---	210	2	1	3
Cleburne	---	271	9	8	7	All other	---	11	-	-	-
Balance of county	---	359	3	2	6	Black	---	11	-	-	-
Jones	141	214	1	1	-	Lynn	51	79	2	1	1
Abilene, part	---	3	-	-	-	McCulloch	87	130	-	-	1
Balance of county	---	211	1	1	-	McLennan	1,961	1,862	21	11	17
White	---	203	1	1	-	White	1,618	1,532	14	6	12
All other	---	8	-	-	-	All other	343	330	7	5	5
Black	---	8	-	-	-	Black	343	330	7	5	5
Karnes	98	134	1	-	-	Balance of county	---	1,291	18	11	13
Kaufman	517	509	8	6	6	White	---	1,002	11	6	9
White	461	434	4	3	5	All other	---	289	7	5	4
All other	56	75	4	3	1	Black	---	289	7	5	4
Black	55	74	4	3	1	Balance of county	---	571	3	-	4
Dallas, part	---	-	-	-	-	White	---	530	3	-	3
Terrell	---	160	3	2	2	All other	---	41	-	-	1
White	---	108	-	-	1	Black	---	41	-	-	1
All other	---	52	3	2	1						
Black	---	52	3	2	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 77

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 77 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
McMullen	4	4	-	-	-	Newton	60	132	-	-	-
Madison	142	135	1	1	-	White	50	110	-	-	-
White	119	108	1	1	-	All other	10	22	-	-	-
All other	23	27	-	-	-	Black	10	22	-	-	-
Black	23	27	-	-	-	Nolan	146	186	-	-	1
Marion	58	130	-	-	2	Sweetwater	-	141	-	-	1
White	34	79	-	-	1	White	-	138	-	-	1
All other	24	51	-	-	1	All other	-	3	-	-	-
Black	24	51	-	-	1	Black	-	3	-	-	-
Martin	29	45	-	-	1	Balance of county	-	45	-	-	-
Mason	29	51	-	-	-	White	-	45	-	-	-
						All other	-	-	-	-	-
						Black	-	-	-	-	-
Matagorda	249	318	10	7	9	Nueces	2,513	2,083	36	23	23
White	187	227	6	5	6	White	2,383	1,966	34	23	22
All other	62	91	4	2	3	All other	130	117	2	-	1
Black	61	90	4	2	3	Black	126	114	2	-	1
Bay City	-	163	9	7	4	Corpus Christi, part	-	1,837	33	21	19
White	-	103	5	5	3	White	-	1,725	31	21	18
All other	-	60	4	2	1	All other	-	112	2	-	1
Black	-	60	4	2	1	Black	-	109	2	-	1
Balance of county	-	155	1	-	5	Corpus Christi, total	-	1,837	33	21	19
White	-	124	1	-	3	White	-	1,725	31	21	18
All other	-	31	-	-	2	All other	-	112	2	-	1
Black	-	30	-	-	2	Black	-	109	2	-	1
Maverick	145	225	2	1	8	Portland, part	-	1	-	-	-
Eagle Pass	-	189	1	1	6	Robstown	-	104	2	1	2
White	-	187	1	1	6	White	-	99	2	1	2
All other	-	2	-	-	-	All other	-	5	-	-	-
Black	-	-	-	-	-	Black	-	5	-	-	-
Balance of county	-	36	1	-	2	Balance of county	-	141	1	1	2
White	-	35	1	-	2	White	-	141	1	1	2
All other	-	1	-	-	-	All other	-	-	-	-	-
Black	-	-	-	-	-	Black	-	-	-	-	-
Medina	161	245	6	2	3	Ochiltree	71	82	3	1	-
Menard	12	31	-	-	-	Oldham	8	14	1	1	-
Midland	743	678	26	15	14	Orange	414	736	9	7	7
Midland	-	604	24	14	10	Orange	-	250	3	2	3
White	-	530	16	10	8	White	-	176	1	1	1
All other	-	74	8	4	2	All other	-	74	2	1	2
Black	-	71	8	4	2	Black	-	74	2	1	2
Balance of county	-	74	2	1	4	Vidor	-	148	3	3	1
White	-	74	2	1	4	Balance of county	-	338	3	2	3
Black	-	-	-	-	-	Palo Pinto	284	326	4	3	1
Milam	219	275	1	-	3	Mineral Wells, part	-	209	3	3	1
White	190	236	1	-	1	White	-	198	3	3	1
All other	29	39	-	-	2	All other	-	11	-	-	-
Black	29	39	-	-	2	Black	-	11	-	-	-
Mills	26	60	1	1	1	Mineral Wells, total	-	210	3	3	1
Mitchell	96	114	-	-	1	White	-	199	3	3	1
Montague	249	276	4	2	3	All other	-	11	-	-	-
Montgomery	1,051	1,301	37	22	13	Black	-	11	-	-	-
Conroe	-	289	7	5	-	Balance of county	-	117	1	-	-
White	-	252	6	5	-	Panola	175	244	4	2	-
All other	-	37	1	-	-	White	-	136	192	4	2
Black	-	37	1	-	-	All other	-	39	52	-	-
Houston, part	-	37	1	-	-	Black	-	39	52	-	-
Balance of county	-	1	-	-	-	Parker	367	479	7	5	10
White	-	1,011	30	17	13	Mineral Wells, part	-	1	-	-	-
Black	-	-	-	-	-	White	-	1	-	-	-
Moore	91	106	1	-	3	All other	-	-	-	-	-
Dumas	-	83	-	-	2	Black	-	-	-	-	-
Balance of county	-	23	1	-	1	Weatherford	-	199	2	1	1
White	-	174	2	2	-	Balance of county	-	279	5	4	9
All other	-	65	2	-	-	Parker	67	86	1	1	2
Black	-	14	2	2	-	Mineral Wells, part	-	-	-	-	-
Motley	2	20	-	-	-	White	-	-	-	-	-
Nacogdoches	558	469	5	1	5	All other	-	-	-	-	-
White	438	368	1	-	3	Black	-	-	-	-	-
All other	120	101	4	1	2	Weatherford	-	199	2	1	1
Black	120	101	4	1	2	Balance of county	-	279	5	4	9
Nacogdoches	-	261	4	1	4	Parker	67	86	1	1	2
White	-	182	1	-	2	Pecos	96	105	-	-	2
All other	-	79	3	1	2	Polk	225	417	7	5	3
Black	-	79	3	1	2	White	202	355	4	3	3
Balance of county	-	208	1	-	1	All other	23	62	3	2	-
White	-	186	-	-	1	Black	22	57	3	2	-
All other	-	22	1	-	-	Potter	1,940	1,103	29	20	13
Black	-	22	1	-	-	White	1,829	1,006	21	14	8
Navarro	432	493	5	3	3	All other	111	97	8	6	5
White	350	402	4	2	3	Black	106	93	8	6	4
All other	82	91	1	1	-	Amarillo, part	-	1,065	29	20	12
Black	82	91	1	1	-	White	-	968	21	14	7
Corsicana	-	301	5	3	1	All other	-	97	8	6	5
White	-	239	4	2	1	Black	-	93	8	6	4
All other	-	62	1	1	-	Amarillo, total	-	1,453	34	25	21
Black	-	62	1	1	-	White	-	1,353	26	19	16
Balance of county	-	192	-	-	2	All other	-	100	8	6	5
White	-	163	-	-	2	Black	-	93	8	6	4
All other	-	29	-	-	-	Balance of county	-	38	-	-	1
Black	-	29	-	-	-	Presidio	21	47	1	1	1
						Rains	24	73	-	-	1
						Randall	186	523	7	6	12

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 78

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992-Con.

(Page 78 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Texas-Con.					Texas-Con.						
Amarillo, part	---	388	5	5	9	Tyler	---	791	17	14	3
Canyon	---	83	2	1	2	White	---	601	4	4	3
Balance of county	---	52	1	1	1	All other	---	190	13	10	1
Reagan	24	32	1	1	1	Black	---	190	13	10	1
Real	30	36	1	1	1	Balance of county	---	632	7	5	7
Red River	167	235	2	1	3	White	---	537	7	5	6
White	142	194	1	1	3	All other	---	95	1	1	1
All other	25	41	1	1	1	Black	---	94	1	1	1
Black	25	41	1	1	1	Somervell	94	42	1	1	1
Reeves	86	118	4	3	1	Starr	134	215	2	2	1
Pecos	---	103	4	3	1	Stephens	99	129	2	1	1
White	---	96	4	3	1	Sterling	---	17	1	1	1
All other	---	7	1	1	1	Stonewall	---	24	29	1	1
Black	---	7	1	1	1	Sutton	---	26	40	1	1
Balance of county	---	15	1	1	1	Swisher	---	48	84	1	1
White	---	15	1	1	1	Tarrant	---	8,603	7,921	173	111
All other	---	15	1	1	1	White	---	7,409	6,771	124	83
Black	---	15	1	1	1	All other	---	1,150	49	28	41
Refugio	55	91	1	1	1	Black	---	1,194	1,099	47	28
Roberts	---	9	1	1	1	Arlington	---	1,140	42	29	31
Robertson	120	216	3	2	2	White	---	1,064	36	26	26
White	---	89	2	2	2	All other	---	76	6	3	3
All other	---	31	1	1	1	Black	---	65	6	3	3
Black	---	31	1	1	1	Bedford	---	167	4	3	3
Rockwall	194	172	9	7	1	Benbrook	---	109	1	1	1
Dallas, part	---	1	1	1	1	Burleson, part	---	37	1	1	1
Garland, part	---	1	1	1	1	Eules	---	150	2	1	1
Balance of county	---	172	9	7	1	Forest Hill	---	82	1	1	1
White	---	166	9	7	1	White	---	51	1	1	1
All other	---	6	1	1	1	All other	---	31	1	1	1
Black	---	6	1	1	1	Black	---	31	1	1	1
Runnels	119	171	2	1	1	Fort Worth	---	4,114	81	49	77
Rusk	339	490	1	1	2	White	---	3,152	45	26	43
White	---	273	1	1	2	All other	---	952	36	23	34
All other	---	66	1	1	2	Black	---	842	36	23	33
Black	---	66	1	1	2	Grand Prairie, part	---	45	1	1	1
Henderson	---	165	1	1	1	White	---	36	1	1	1
White	---	135	1	1	1	All other	---	9	1	1	1
All other	---	30	1	1	1	Black	---	9	1	1	1
Black	---	30	1	1	1	Grapevine, part	---	121	3	1	4
Kitgore, part	---	24	1	1	1	Grapevine, total	---	121	3	1	4
Balance of county	---	301	1	1	1	Haltom City	---	246	6	2	5
White	---	233	1	1	1	Hurst	---	205	1	1	1
All other	---	68	1	1	1	North Richland Hills	---	223	2	1	4
Black	---	67	1	1	1	Watauga	---	49	4	2	1
Sabine	87	131	1	1	2	White Settlement	---	140	1	1	1
White	---	115	1	1	2	Balance of county	---	1,093	18	13	17
All other	---	11	1	1	2	Taylor	1,358	1,030	13	9	12
Black	---	11	1	1	2	Abilene, part	---	894	12	9	11
San Augustine	80	114	1	1	2	White	---	834	10	7	11
White	---	66	1	1	2	All other	---	60	2	2	2
All other	---	14	1	1	2	Black	---	57	2	2	2
Black	---	14	1	1	2	Abilene, total	---	897	12	9	11
San Jacinto	63	161	4	2	2	White	---	837	10	7	11
White	---	54	3	2	1	All other	---	60	2	2	2
All other	---	9	1	1	1	Black	---	57	2	2	2
Black	---	9	1	1	1	Balance of county	---	136	1	1	1
San Patricio	326	500	8	1	7	Terrell	---	15	1	1	1
Corpus Christi, part	---	1	1	1	1	Terry	92	111	1	1	1
Portland, part	---	48	1	1	1	Brownfield	---	95	1	1	1
Portland, total	---	49	1	1	1	White	---	91	1	1	1
Balance of county	---	452	7	1	6	All other	---	4	1	1	1
White	---	441	6	1	6	Black	---	4	1	1	1
All other	---	11	1	1	1	Balance of county	---	16	1	1	1
Black	---	11	1	1	1	White	---	16	1	1	1
San Saba	27	77	1	1	1	All other	---	1	1	1	1
Schleicher	13	15	1	1	1	Black	---	1	1	1	1
Scurry	117	167	5	3	1	Throckmorton	---	20	1	1	1
Snyder	---	133	5	3	1	Titus	12	280	5	5	3
White	---	125	5	3	1	White	---	230	5	5	2
All other	---	8	1	1	1	All other	---	50	23	1	1
Black	---	8	1	1	1	Black	---	50	23	1	1
Balance of county	---	34	1	1	1	Mount Pleasant	---	156	2	2	3
White	---	33	1	1	1	White	---	139	2	2	2
All other	---	1	1	1	1	All other	---	17	1	1	1
Black	---	1	1	1	1	Black	---	17	1	1	1
Shackelford	39	55	1	1	1	Balance of county	---	88	3	3	3
Shelby	240	344	2	1	1	Tom Green	984	849	13	7	6
White	---	189	2	1	1	San Angelo	---	770	12	7	4
All other	---	51	1	1	1	White	---	735	11	6	2
Black	---	51	1	1	1	All other	---	35	1	1	2
Sherman	9	19	1	1	1	Black	---	35	1	1	2
Smith	2,000	1,423	24	19	10	Balance of county	---	79	1	1	1
White	---	1,653	11	9	9	Travis	3,736	3,217	66	36	65
All other	---	337	13	10	1	White	---	3,211	49	26	52
Black	---	336	13	10	1	All other	---	525	17	10	13
						Black	---	494	446	16	10

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 79

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 79 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal		
Texas-Con.					Texas-Con.							
Austin, part	---	2,746	56	29	60	Wharton	383	398	2	2	3	
White	---	2,289	41	20	48	White	308	318	2	2	1	
All other	---	457	15	9	12	All other	75	80	---	---	2	
Black	---	427	15	9	11	Black	75	80	---	---	2	
Austin, total	---	2,754	56	29	61	El Campo	---	114	1	1	1	
White	---	2,296	41	20	49	White	---	99	1	1	---	
All other	---	458	15	9	12	All other	---	15	---	---	1	
Black	---	428	15	9	11	Black	---	15	---	---	2	
Round Rock, part	---	4	---	---	---	Balance of county	---	284	1	1	1	
Balance of county	---	467	10	7	5	White	---	219	1	1	1	
White	---	445	8	6	4	All other	---	65	---	---	1	
All other	---	22	2	1	1	Black	---	85	---	---	1	
Black	---	19	1	1	1	Wheeler	---	78	85	---	---	
Trinity	89	160	2	2	---	Wichita	1,375	1,183	19	8	19	
White	73	140	1	1	---	White	1,256	1,076	15	7	14	
All other	16	20	1	1	---	All other	119	107	4	1	5	
Black	16	20	1	1	---	Black	116	105	4	1	4	
Tyler	183	255	3	2	---	Burkburnett	---	106	3	2	---	
White	169	238	2	2	---	Wichita Falls, part	---	918	14	5	18	
All other	14	17	1	---	---	White	---	813	10	4	13	
Black	14	17	1	---	---	All other	---	105	4	1	5	
Upshur	213	328	7	3	5	Black	---	103	4	1	4	
White	175	270	5	2	5	Wichita Falls, total	---	918	14	5	18	
All other	38	58	2	1	---	White	---	813	10	4	13	
Black	38	58	2	1	---	All other	---	105	4	1	5	
Upton	21	32	---	---	1	Black	---	103	4	1	4	
Uvalde	178	221	4	1	1	Balance of county	---	159	2	1	1	
White	---	141	3	1	1	Wilbarger	---	164	190	1	1	
All other	---	141	3	1	1	Vernon	---	160	1	1	---	
Black	---	---	---	---	---	White	---	145	---	---	---	
Balance of county	---	80	1	---	---	All other	---	15	1	1	---	
White	---	80	1	---	---	Black	---	15	1	1	---	
All other	---	---	---	---	---	Balance of county	---	30	---	---	---	
Black	---	---	---	---	---	Willacy	63	130	2	2	4	
Val Verde	233	261	7	2	2	Williamson	---	637	788	11	6	15
Del Rio	---	235	7	2	1	Austin, part	---	8	---	---	1	
White	---	229	7	2	1	Round Rock, part	---	156	2	---	5	
All other	---	6	---	---	---	White	---	147	2	---	4	
Black	---	3	---	---	---	All other	---	9	---	---	1	
Balance of county	---	26	---	---	1	Black	---	8	---	---	1	
White	---	25	---	---	1	Round Rock, total	---	160	2	---	5	
All other	---	1	---	---	---	White	---	151	2	---	4	
Black	---	1	---	---	---	All other	---	9	---	---	1	
Van Zandt	231	442	3	2	5	Black	---	8	---	---	1	
Victoria	810	579	7	2	9	Taylor	---	141	---	---	3	
White	---	461	6	1	8	White	---	113	---	---	2	
All other	---	418	5	1	6	All other	---	28	---	---	1	
Black	---	43	1	---	2	Black	---	28	---	---	1	
Balance of county	---	118	1	1	1	Balance of county	---	483	9	6	6	
White	---	112	1	1	1	White	---	453	7	5	5	
All other	---	6	---	---	---	All other	---	30	2	1	1	
Black	---	6	---	---	---	Black	---	29	2	1	1	
Walker	345	325	6	5	3	Wilson	---	141	209	1	1	2
White	266	245	2	1	2	Winkler	---	54	82	1	1	1
All other	79	80	4	4	1	Wise	---	231	296	1	1	2
Black	79	80	4	4	1	Wood	---	323	420	2	2	3
Huntsville	---	157	4	3	3	White	---	297	387	2	2	2
White	---	115	1	---	2	All other	---	26	33	---	---	1
All other	---	42	3	3	1	Black	---	21	33	---	---	1
Black	---	42	3	3	1	Yoakum	---	31	45	1	1	1
Balance of county	---	169	2	2	---	Young	---	216	239	1	1	3
White	---	130	1	1	---	Zapata	---	35	68	2	1	1
All other	---	38	1	1	---	Zavala	---	25	81	---	---	2
Black	---	38	1	1	---							
Waller	83	194	3	3	2	Utah	10,114	9,772	220	132	249	
White	62	136	1	1	1	White	9,854	9,554	213	129	236	
All other	21	58	2	2	1	All other	260	218	7	3	13	
Black	21	58	2	2	1	Black	59	52	2	1	4	
Ward	67	97	1	1	2	Beaver	---	54	53	---	---	
Washington	291	311	4	2	2	Box Elder	---	193	223	3	2	8
White	230	237	1	---	2	Brigham City	---	108	2	1	4	
All other	61	74	3	2	---	White	---	105	2	1	3	
Black	61	74	3	2	---	All other	---	3	---	---	1	
Brenham	---	167	2	---	1	Black	---	---	---	---	---	
White	---	133	1	---	1	Balance of county	---	115	1	1	4	
All other	---	34	1	---	---	Cache	---	336	347	4	2	11
Black	---	34	1	---	---	Logan	---	185	1	---	10	
Balance of county	---	144	2	2	1	Balance of county	---	162	3	2	1	
White	---	104	---	---	1	Carbon	---	194	191	1	1	
All other	---	40	2	2	---	Daggett	---	4	3	---	---	
Black	---	40	2	2	---	Davis	---	643	762	23	12	18
Webb	807	759	29	21	19	Bountiful	---	203	2	2	1	
Laredo	---	731	28	20	16	Clearfield	---	71	2	1	1	
Balance of county	---	28	1	1	3	White	---	68	2	1	1	
						All other	---	3	---	---	---	
						Black	---	1	---	---	---	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 81

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 81 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Virginia-Con.					Virginia-Con.						
Chesapeake city	815	1,100	26	19	22	Gloucester	300	273	2	2	4
White	596	767	11	6	8	White	241	218	2	2	3
All other	219	333	15	13	14	All other	59	55	-	-	1
Black	212	323	15	13	14	Black	59	55	-	-	1
Chesterfield	731	1,014	36	25	19	Goochland	61	136	3	1	-
White	630	902	26	17	14	White	43	91	1	1	-
All other	101	112	10	8	5	All other	18	45	2	-	-
Black	95	104	10	8	5	Black	18	45	2	-	-
Clarke	84	134	2	2	1	Grayson	57	190	-	-	1
White	77	121	2	2	1	Greene	31	80	2	-	1
All other	7	13	-	-	-	Greensville	41	101	3	1	1
Black	6	12	-	-	-	White	21	44	-	-	-
Clifton Forge city *	65	98	-	-	-	All other	20	57	3	1	1
White	58	87	-	-	-	Black	20	57	3	1	1
All other	7	11	-	-	-	Halifax	116	372	3	3	8
Black	7	11	-	-	-	White	71	226	1	1	1
Colonial Heights city	86	187	2	1	1	All other	45	146	2	2	7
Covington city *	25	118	1	-	-	Black	45	146	2	2	7
White	22	99	-	-	-	Hampton city	1,070	942	30	23	32
All other	3	19	-	-	-	White	553	559	7	5	9
Black	3	19	-	-	-	All other	517	383	23	18	23
Craig	9	42	-	-	-	Black	509	376	23	18	23
Culpeper	248	287	5	2	4	Hanover	169	462	3	3	6
White	206	231	3	1	3	White	148	394	2	2	6
All other	42	56	2	1	1	All other	21	68	1	1	-
Black	41	55	2	1	1	Black	21	68	1	1	-
Cumberland	20	75	2	1	-	Harrisonburg city	648	213	4	4	-
White	10	47	2	1	-	Henrico	2,154	2,013	27	16	29
All other	10	28	-	-	-	White	1,764	1,680	11	5	13
Black	10	28	-	-	-	All other	390	333	16	11	16
Danville city	1,068	771	12	6	8	Black	387	325	14	9	15
White	767	580	5	4	2	Henry	162	489	12	11	7
All other	301	191	7	2	6	White	131	402	6	6	6
Black	301	191	7	2	6	All other	31	87	6	5	1
Dickenson	112	174	1	-	3	Black	30	87	6	5	1
Dinwiddie	68	182	4	3	3	Highland	14	31	1	-	-
White	43	111	1	1	1	Hopewell city	333	257	1	-	3
All other	25	71	3	3	2	White	258	205	1	-	1
Black	25	71	3	3	2	All other	75	52	-	-	2
Emporia city *	224	86	-	-	1	Black	75	52	-	-	2
White	83	49	-	-	-	Isle of Wight	67	201	1	1	2
All other	141	37	-	-	1	White	44	125	-	-	2
Black	141	37	-	-	1	All other	23	76	1	1	-
Essex	176	108	-	-	1	Black	23	76	1	1	-
White	110	77	-	-	-	James City	103	244	1	-	-
All other	66	31	-	-	1	White	74	180	-	-	-
Black	66	31	-	-	1	All other	29	64	1	-	-
Fairfax	2,900	3,289	65	42	61	Black	29	64	1	-	-
White	2,573	2,958	49	31	43	King and Queen	15	63	-	-	1
All other	327	331	16	11	18	White	5	30	-	-	-
Black	203	188	12	10	13	All other	10	33	-	-	1
Herndon	-	53	-	-	1	Black	10	32	-	-	1
White	-	44	-	-	-	King George	47	102	1	1	-
All other	-	9	-	-	1	White	36	74	-	-	-
Black	-	3	-	-	-	All other	11	28	1	1	-
Vienna	-	94	1	1	-	Black	11	28	1	1	-
Balance of county	-	3,142	64	41	60	King William	42	84	-	-	1
White	-	2,828	48	30	43	White	29	49	-	-	1
All other	-	314	16	11	17	All other	13	35	-	-	-
Black	-	179	12	10	13	Black	13	35	-	-	-
Fairfax city	162	190	8	5	5	Lancaster	250	190	2	1	-
Falls Church city *	10	92	2	2	2	White	210	148	1	-	-
Fauquier	363	355	2	2	8	All other	40	42	1	1	-
White	308	291	2	2	5	Black	40	42	1	1	-
All other	55	64	-	-	3	Lee	202	287	2	2	1
Black	53	64	-	-	3	Lexington city *	184	88	-	-	-
Floyd	28	109	4	3	-	White	170	70	-	-	-
Fluvanna	57	89	1	-	1	All other	14	18	-	-	-
White	47	68	1	-	-	Black	14	18	-	-	-
All other	10	21	-	-	1	Loudoun	376	448	16	11	7
Black	10	21	-	-	1	Louisa	100	196	-	-	1
Franklin	283	368	6	4	3	White	72	136	-	-	-
White	240	327	6	4	3	All other	28	60	-	-	1
All other	43	41	-	-	-	Black	28	60	-	-	1
Black	43	41	-	-	-	Lunenburg	26	127	2	2	-
Franklin city *	200	133	2	-	-	White	15	86	1	1	-
White	101	54	-	-	-	All other	11	41	1	1	-
All other	99	79	2	-	-	Black	11	40	1	1	-
Black	98	78	2	-	-	Lynchburg city	1,393	816	13	6	11
Frederick	113	337	3	2	1	White	1,098	633	5	1	4
Fredericksburg city	629	184	9	7	7	All other	295	183	8	5	7
White	514	137	6	5	6	Black	295	183	8	5	7
All other	115	47	3	2	1	Madison	90	131	-	-	-
Black	115	46	3	2	1	White	72	103	-	-	-
Galax city *	301	96	-	-	-	All other	18	28	-	-	-
Giles	139	168	1	1	-	Black	18	28	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 82

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992-Con.

(Page 82 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Table with columns: Area and race, Total deaths by county of occurrence, Deaths by place of residence (Total deaths, Infant, Neonatal), Fetal deaths by place of residence, Area and race, Total deaths by county of occurrence, Deaths by place of residence (Total deaths, Infant, Neonatal), Fetal deaths by place of residence. The table lists data for Virginia-Con. across various counties and cities, including Manassas, Mathews, Mecklenburg, Middlesex, Montgomery, Nelson, New Kent, Newport News, Norfolk, Northampton, Northumberland, Norton, Nottoway, Orange, Page, Patrick, Petersburg, Pittsylvania, Poquoson, Portsmouth, Powhatan, Prince Edward, Prince George, Prince William, Pulaski, Radford, Rappahannock, Richmond, Rockbridge, Rockingham, Russell, Salem, Scott, Shenandoah, Smyth, Southampton, South Boston, Spotsylvania, Stafford, Staunton, Suffolk, Surry, Sussex, Tazewell, Virginia Beach, Warren, Front Royal, Washington, Waynesboro, and Westmoreland.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 83

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 83 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Virginia-Con.					Washington-Con.						
Williamsburg city *	312	137	1	-	6	Bremerton	---	383	6	3	8
White	237	107	-	-	3	White	---	366	6	3	7
All other	75	30	1	-	3	All other	---	17	-	-	1
Black	75	30	1	-	3	Black	---	7	-	-	1
Winchester city	714	234	6	4	1	Balance of county	---	976	19	10	13
Wise	228	388	7	4	6	Kittitas	204	217	2	1	1
Wythe	249	284	4	2	3	Ellensburg	---	80	-	-	-
York	75	239	2	2	7	Balance of county	---	137	2	1	1
White	60	182	1	1	2	Klickitat	138	177	4	1	3
All other	15	57	1	1	5	Lewis	545	628	10	6	6
Black	14	54	1	1	5	Centralia	---	182	2	2	1
Washington	38,042	38,162	538	292	466	Balance of county	---	446	8	4	5
White	35,921	36,057	448	243	382	Lincoln	---	84	109	-	-
All other	2,121	2,105	90	49	84	Mason	---	294	408	3	5
Black	896	897	50	36	46	Okanogan	---	293	329	5	4
Adams	91	100	3	3	4	White	---	268	297	3	3
Asotin	156	196	-	-	2	All other	---	25	32	2	1
Benton	688	761	10	6	10	Black	---	1	1	-	-
Kennewick	---	333	7	4	5	Pacific	188	229	3	1	1
Richland	---	203	1	1	-	Pend Oreille	---	72	91	-	-
Balance of county	---	225	2	1	5	Pierce	4,446	4,435	80	43	67
Chelan	659	539	6	3	6	White	4,086	4,071	52	28	45
Wenatchee	---	269	3	1	1	All other	---	360	364	28	15
Balance of county	---	270	3	2	5	Black	---	213	211	20	12
Clallam	649	720	9	4	4	Puyallup	---	269	1	-	3
Port Angeles	---	235	3	1	4	Tacoma	---	1,812	29	17	32
Balance of county	---	485	6	3	-	White	---	1,612	15	8	17
Clark	1,563	1,820	32	18	21	All other	---	200	14	9	15
Vancouver	---	654	9	6	14	Black	---	129	8	6	9
Balance of county	---	1,166	23	12	7	Balance of county	---	2,354	50	26	32
Columbia	39	52	-	-	-	White	---	2,194	36	20	25
Cowlitz	774	760	12	6	6	All other	---	160	14	6	7
Kelso	---	120	2	1	-	Black	---	82	12	6	5
Longview	---	352	5	4	2	San Juan	79	97	2	1	2
Balance of county	---	288	5	1	4	Skagit	824	792	8	3	7
Douglas	84	185	2	1	5	Mount Vernon	---	187	-	-	4
Ferry	27	41	1	1	1	Balance of county	---	605	8	3	3
White	25	34	1	1	-	Skamania	35	58	-	-	-
All other	2	7	-	-	1	Snohomish	2,689	2,961	39	20	29
Black	-	-	-	-	-	White	2,628	2,881	37	20	27
Franklin	250	238	10	7	5	All other	---	61	2	-	2
Pasco	---	165	7	4	3	Black	---	17	2	-	-
White	---	146	5	3	3	Edmonds	---	274	3	3	2
All other	---	19	2	1	-	Everett	---	714	11	9	1
Black	---	18	2	1	-	Lynnwood	---	237	2	-	4
Balance of county	---	73	3	3	2	Mountlake Terrace	---	77	-	-	-
Garfield	24	31	-	-	-	Balance of county	---	1,659	23	8	22
Grant	338	426	8	3	9	Spokane	3,689	3,236	37	24	40
Moses Lake	---	110	1	-	1	White	3,590	3,162	35	24	38
White	---	100	1	-	1	All other	---	99	74	2	2
All other	---	10	-	-	-	Black	---	30	25	-	2
Black	---	8	-	-	-	Spokane	---	1,951	26	15	27
Balance of county	---	316	7	3	8	Balance of county	---	1,285	11	9	13
Grays Harbor	588	689	3	-	4	Stevens	---	279	5	1	5
Aberdeen	---	204	1	-	-	Thurston	1,331	1,221	9	3	17
Balance of county	---	485	2	-	4	Lacey	---	191	-	-	1
Island	319	411	9	3	8	Olympia	---	409	3	1	8
Oak Harbor	---	83	3	1	2	Balance of county	---	621	6	2	8
White	---	80	3	1	2	Wahkiakum	27	34	-	-	1
All other	---	3	-	-	-	Walla Walla	596	522	3	2	6
Black	---	1	-	-	-	Walla Walla	---	335	1	-	4
Balance of county	---	328	6	2	6	Balance of county	---	187	2	2	2
Jefferson	154	203	4	2	-	Whatcom	998	1,020	11	5	13
King	11,881	10,937	139	77	128	Bellingham	---	511	4	3	7
White	10,711	9,826	109	58	88	Balance of county	---	509	7	2	6
All other	1,170	1,111	30	19	40	Whitman	158	205	2	2	2
Black	538	525	18	15	24	Pullman	---	50	2	2	2
Auburn	---	493	8	4	6	Balance of county	---	155	-	-	-
Bellevue	---	575	12	5	9	Yakima	1,605	1,646	42	26	25
Kent	---	256	7	4	9	White	---	736	22	16	8
Kirkland	---	292	1	1	2	All other	---	708	19	13	7
Mercer Island	---	462	9	6	-	Black	---	28	3	3	1
Redmond	---	171	3	1	3	Balance of county	---	15	2	2	-
Renton	---	383	9	4	5	White	---	910	20	10	17
Seattle	---	5,351	45	29	50	All other	---	833	14	8	15
White	---	4,517	29	19	28	Black	---	77	6	2	2
All other	---	834	16	10	22	Balance of county	---	3	1	1	-
Black	---	444	11	8	11	West Virginia	19,777	19,720	203	124	162
Balance of county	---	2,954	45	23	44	White	19,006	18,972	190	118	158
White	---	2,821	40	20	31	All other	---	771	13	6	4
All other	---	133	5	3	13	Black	---	748	12	5	3
Black	---	33	2	2	11	Barbour	93	203	3	1	3
Kitsap	1,260	1,359	25	13	21	Berkeley	754	587	8	4	9

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 84

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 84 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
West Virginia-Con.					West Virginia-Con.						
Martinsburg	---	250	3	2	3	Balance of county	---	534	8	6	6
Balance of county	---	337	5	2	6	Randolph	368	312	2	2	3
Boone	153	256	1	1	4	Ritchie	63	136	-	-	-
Braxton	110	172	3	2	1	Roane	133	165	-	-	1
Brooke	401	273	1	1	-	Summers	139	174	1	1	4
Weirton, part	---	45	1	1	-	Taylor	157	180	2	1	2
Balance of county	---	228	-	-	-	Tucker	46	91	1	1	-
Cabell	1,741	1,159	15	9	7	Tyler	75	102	-	-	2
Huntington, part	---	745	12	6	4	Upshur	179	214	5	1	1
Huntington, total	---	823	13	7	4	Wayne	330	457	4	3	3
Balance of county	---	414	3	3	3	Huntington, part	---	78	1	1	-
Calhoun	47	91	-	-	1	Balance of county	---	379	3	2	3
Clay	41	110	-	-	3	Webster	65	118	3	2	-
Doddridge	27	70	-	-	-	Wetzel	186	205	1	1	3
Fayette	458	623	7	2	2	Wirt	12	43	1	1	-
Gilmer	36	76	-	-	-	Wood	1,071	867	13	7	8
Grant	129	88	1	-	1	Parkersburg	---	521	9	4	3
Greenbrier	428	446	4	2	3	Vienna	---	119	2	1	2
Hampshire	77	158	1	-	1	Balance of county	---	227	2	2	3
Hancock	104	395	2	2	2	Wyoming	63	253	3	2	3
Weirton, part	---	226	1	1	2	Wisconsin	42,306	42,242	508	304	463
Weirton, total	---	271	2	2	2	White	40,585	40,518	389	237	364
Balance of county	---	169	1	1	-	All other	1,721	1,724	119	67	99
Hardy	41	120	1	1	-	Black	1,392	1,389	99	54	80
Harrison	1,122	962	13	9	5	Adams	121	162	3	3	2
Clarksburg	---	331	3	1	1	Ashland	275	227	1	1	3
Balance of county	---	631	10	8	4	Barron	426	421	2	-	-
Jackson	240	261	1	1	1	Bayfield	74	161	2	2	-
Jefferson	226	309	5	2	1	Brown	1,623	1,371	21	11	20
Kanawha	2,770	2,273	19	14	19	Allouez town#	---	58	1	-	1
White	2,615	2,126	18	14	17	Ashwaubenon	---	116	1	-	-
All other	155	147	1	-	2	De Pere	---	125	2	2	1
Black	153	145	1	-	1	Green Bay	---	861	16	9	9
Charleston	---	778	5	4	7	Balance of county	---	211	1	-	9
White	---	680	5	4	6	Buffalo	84	150	2	2	2
All other	---	98	-	-	1	Burnett	95	157	1	-	-
Black	---	97	-	-	1	Calumet	149	207	3	3	3
St. Albans	---	160	-	-	1	Appleton, part	---	22	-	-	3
South Charleston	---	157	2	1	2	Balance of county	---	185	3	3	-
Balance of county	---	1,178	12	9	9	Chippewa	468	506	1	1	6
Lewis	198	229	3	3	2	Chippewa Falls	---	151	1	1	1
Lincoln	73	240	5	2	5	Eau Claire, part	---	11	-	-	-
Logan	485	492	3	2	7	Balance of county	---	344	-	-	5
McDowell	255	415	4	1	4	Clark	186	316	4	3	2
White	205	327	1	1	4	Columbia	436	475	5	5	3
All other	50	88	3	-	-	Crawford	139	151	1	1	2
Black	50	88	3	-	-	Dane	2,794	2,177	38	20	27
Marion	575	706	6	2	8	White	2,129	30	14	14	24
Fairmont	---	339	-	-	3	All other	69	48	8	6	3
Balance of county	---	367	6	2	5	Black	49	34	8	6	3
Marshall	354	393	2	1	1	Madison	---	1,164	24	14	12
Moundsville	---	191	-	-	-	Middleton	---	82	1	1	-
Wheeling, part	---	2	-	-	1	Sun Prairie	---	94	3	2	4
Balance of county	---	200	2	1	1	Balance of county	---	837	10	3	11
Mason	241	295	3	1	5	Dodge	782	797	9	7	4
Mercer	953	764	6	5	6	Beaver Dam	---	222	1	1	1
Bluefield	---	207	-	-	2	Watertown, part	---	86	-	-	-
White	---	162	-	-	2	Balance of county	---	489	8	6	3
All other	---	45	-	-	-	Door	248	273	1	1	2
Black	---	45	-	-	-	Douglas	335	462	2	2	4
Balance of county	---	557	6	5	4	Superior	---	333	-	-	3
Mineral	132	278	2	1	2	Balance of county	---	129	2	2	1
Mingo	172	316	6	1	6	Dunn	207	243	2	-	3
Monongalia	1,215	581	11	8	4	Menomonie	---	115	1	-	1
Morgantown	---	273	5	4	1	Balance of county	---	128	1	-	2
Balance of county	---	308	6	4	3	Eau Claire	780	634	10	5	4
Monroe	50	150	1	1	-	Eau Claire, part	---	419	7	5	4
Morgan	103	142	2	1	-	Eau Claire, total	---	430	7	5	4
Nicholas	248	301	-	-	2	Balance of county	---	215	3	-	-
Ohio	1,005	666	2	2	1	Florence	42	47	3	2	-
Wheeling, part	---	537	2	2	1	Fond du Lac	777	802	8	6	5
Wheeling, total	---	539	2	2	1	Fond du Lac	---	440	6	5	2
Balance of county	---	129	-	-	-	Balance of county	---	362	2	1	3
Pendleton	36	92	1	1	-	Forest	57	106	2	-	1
Pleasants	29	70	-	-	2	Grant	406	486	5	3	7
Pocahontas	82	121	2	1	1	Green	317	299	3	1	6
Preston	180	306	12	9	3	Monroe	---	116	3	1	-
Putnam	280	339	2	2	2	Balance of county	---	183	-	-	6
Raleigh	1,226	875	9	7	10	Green Lake	227	218	1	1	2
Beckley	---	341	1	1	4	Iowa	164	177	2	1	1
White	---	268	-	-	3	Iron	51	84	2	2	-
All other	---	73	1	1	1						
Black	---	73	1	1	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 85

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 85 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Wisconsin-Con.					Wisconsin-Con.						
Jackson	157	193	1	-	1	Richland	153	201	1	-	1
Jefferson	381	527	5	3	3	Rock	1,220	1,223	14	8	9
Watertown, part	-	111	2	1	-	Beloit	-	342	5	4	4
Watertown, total	-	197	2	1	-	White	-	312	2	2	3
Whitewater, part	-	3	-	-	-	All other	-	30	3	2	1
Balance of county	-	413	3	2	3	Black	-	30	3	2	1
Juneau	173	233	1	-	3	Janesville	-	412	6	3	3
Kenosha	960	1,113	16	9	5	Balance of county	-	469	3	1	2
Kenosha	-	805	13	7	5	Rusk	151	169	1	-	3
Balance of county	-	308	3	2	-	St. Croix	-	342	5	4	4
Kewaunee	125	185	3	1	2	Sauk	-	455	11	7	4
La Crosse	1,135	770	6	5	5	Sawyer	-	133	170	-	1
La Crosse	-	491	5	4	4	White	-	119	151	-	-
Balance of county	-	279	1	1	1	All other	-	14	19	-	1
Lafayette	89	137	2	1	2	Black	-	-	-	-	-
Langlade	193	221	1	-	1	Shawano	-	348	413	6	4
Lincoln	261	301	-	-	-	Sheboygan	-	965	1,009	7	3
Manitowoc	722	795	9	4	5	Sheboygan	-	591	5	1	6
Manitowoc	-	483	3	2	1	Balance of county	-	418	2	2	3
Two Rivers	-	101	2	1	2	Taylor	125	150	5	3	-
Balance of county	-	211	4	1	2	Trempealeau	220	277	2	1	4
Marathon	837	843	11	5	5	Vernon	260	274	2	1	3
Marshfield, part	-	6	-	-	-	Vilas	177	253	1	1	1
Wausau	-	410	6	3	4	Walworth	600	698	8	6	4
Balance of county	-	427	5	2	1	Whitewater, part	-	71	1	1	-
Marinette	500	471	3	1	4	Whitewater, total	-	74	1	1	-
Marinette	-	152	-	-	2	Balance of county	-	627	7	5	4
Balance of county	-	319	3	1	2	Washington	151	167	1	-	3
Marquette	62	142	1	-	2	Washington	558	624	8	4	5
Menominee	14	45	-	-	2	Germantown	-	57	-	-	-
White	3	10	-	-	-	Milwaukee, part	-	-	-	-	-
All other	11	35	-	-	2	West Bend	-	183	2	2	2
Black	-	-	-	-	-	Balance of county	-	384	6	2	3
Milwaukee	9,809	8,930	153	96	150	Waukesha	1,819	1,980	18	13	16
White	8,586	7,718	73	50	73	Brookfield	-	273	1	1	2
All other	1,223	1,212	80	46	77	Menomonee Falls	-	220	3	1	3
Black	1,155	1,149	76	42	73	Muskego	-	105	-	-	-
Brown Deer	-	88	-	-	-	New Berlin	-	184	1	1	3
Cudahy	-	147	2	-	1	Waukesha	-	406	6	6	4
Franklin	-	89	1	1	1	Balance of county	-	792	7	4	4
Glendale	-	304	1	1	-	Waupaca	511	633	3	1	4
Greendale	-	105	-	-	-	Waushara	134	227	-	-	2
Greenfield	-	367	2	-	3	Winnebago	1,194	1,153	12	7	17
Milwaukee, part	-	5,662	132	82	132	Appleton, part	-	2	-	-	2
White	-	4,485	53	37	55	Menasha	-	106	3	-	4
All other	-	1,177	79	45	77	Neeah	-	171	3	3	5
Black	-	1,120	76	42	73	Oshkosh	-	483	3	2	6
Milwaukee, total	-	5,662	132	82	132	Balance of county	-	391	4	-	-
White	-	4,485	53	37	55	Wood	1,068	633	7	4	6
All other	-	1,177	79	45	77	Marshfield, part	-	175	3	1	1
Black	-	1,120	76	42	73	Marshfield, total	-	181	3	1	2
Oak Creek	-	121	3	2	-	Wisconsin Rapids	-	228	3	2	2
St. Francis	-	63	-	-	1	Balance of county	-	230	1	1	3
Shorewood	-	116	1	1	-	Wyoming	3,136	3,298	60	27	44
South Milwaukee	-	213	-	-	1	White	3,044	3,202	57	24	41
Wauwatosa	-	606	6	5	3	All other	-	92	3	3	3
West Allis	-	702	4	3	4	Black	-	23	-	-	-
Whitefish Bay	-	95	-	-	1	Albany	151	144	3	2	2
Balance of county	-	252	1	1	2	Laramie	-	125	2	1	2
Monroe	332	350	5	3	-	Balance of county	-	19	1	1	1
Oconto	243	319	2	1	4	Big Horn	86	127	2	1	1
Onelda	520	378	1	-	1	Campbell	103	115	5	2	3
Outagamie	1,157	994	11	7	16	Gillette	-	88	4	2	2
Appleton, part	-	457	6	4	9	Balance of county	-	27	1	-	1
Appleton, total	-	481	6	4	14	Carbon	115	131	1	-	-
Kaukauna	-	119	1	1	1	Rawlins	-	71	-	-	-
Balance of county	-	418	4	2	6	White	-	70	-	-	-
Ozaukee	349	445	3	2	7	All other	-	1	-	-	-
Mequon	-	146	1	1	2	Black	-	1	-	-	-
Balance of county	-	299	2	1	5	Balance of county	-	60	1	-	-
Pepin	67	79	-	-	-	Converse	68	78	1	-	-
Pierce	109	209	2	1	5	Crook	-	37	-	-	-
Polk	336	377	6	4	2	Fremont	226	272	4	4	2
Portage	353	392	2	1	9	White	179	214	1	1	1
Stevens Point	-	160	1	-	5	All other	47	58	3	3	2
Balance of county	-	232	1	1	4	Black	-	-	-	-	-
Price	185	211	1	1	2	Goshen	80	109	2	1	1
Racine	1,390	1,422	18	9	20	Hot Springs	60	69	-	-	1
White	1,282	1,307	12	8	17	Johnson	56	69	-	-	-
All other	108	115	6	1	3	Laramie	593	564	8	3	13
Black	104	112	6	1	3	Cheyenne	-	470	5	2	11
Racine	-	784	11	4	14						
White	-	678	5	3	11						
All other	-	108	6	1	3						
Black	-	105	6	1	3						
Balance of county	-	638	7	5	6						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 86

Table 8-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Race: United States, Each State and County, and Specified Urban Places of 10,000 or More, 1992—Con.

(Page 86 of 86)

[Data by place of residence exclude deaths occurring to nonresidents; however, data by place of occurrence include deaths of nonresidents. Fetal deaths include only those for which the stated or presumed period of gestation was 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Urban places are those with populations of 10,000 or more in 1980 and are incorporated unless otherwise noted. Figures by race are shown for those counties and urban places in which the 1980 population for the "All other" group formed 10 percent of the total population of the area or numbered 10,000 or more]

Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area and race	Total deaths by county of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neo-natal				Total deaths	Infant	Neo-natal	
Wyoming-Con.					Wyoming-Con.						
Balance of county	---	94	3	1	2	Balance of county	---	64	1	1	-
Lincoln	48	71	-	-	1	Sublette	39	48	1	-	1
Natrona	443	419	12	4	10	Sweetwater	203	217	6	2	3
Casper	---	348	9	3	9	Green River	---	63	1	1	-
Balance of county	---	71	3	1	1	Rock Springs	---	114	3	1	3
Niobrara	24	34	1	-	-	Balance of county	---	40	2	-	-
Park	182	166	2	1	1	Teton	79	49	-	-	2
Platte	74	86	1	1	1	Uinta	105	102	5	3	1
Sheridan	261	252	5	3	-	Washakie	71	88	1	-	1
Sheridan	---	188	4	2	-	Weston	44	51	-	-	-

¹ Areas shown are census areas, the nearest equivalent of counties.
² Includes data for La Paz which became a new county on January 1, 1983.
³ Includes data for Texarkana, Ark., only.
⁴ Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
⁵ Areas shown are parishes, the equivalent of counties.
⁶ Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.
⁷ Includes data for Bristol, Tenn., only.
⁸ Includes data for Texarkana, Tex., only.
⁹ Independent city having population of less than 10,000 according to the 1980 census.
¹⁰ Includes data for Bristol, Va., only.
¹¹ Includes data for Bluefield, W. Va., only.
[#] Classified as urban under special rule; see Technical Appendix.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 87

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992

(Page 1 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Number	Rate	Number	Rate	Number		Rate	Total deaths	Number	Rate	Number	Rate		
United States	2,175,613	34,628	8.5	21,849	5.4	30,256	7.4	Alaska	2,303	101	8.6	47	4.0	57	4.8
White	1,873,781	22,164	6.9	13,915	4.3	20,131	6.2	White	1,594	58	7.3	26	3.3	40	5.0
All other	301,832	12,464	14.4	7,934	9.2	10,125	11.6	All other	709	43	11.3	21	5.5	17	*
Black	269,219	11,348	16.8	7,296	10.8	9,055	13.3	Black	62	7	*	3	*	3	*
Urban places	1,219,297	22,133	9.0	14,067	5.7	18,754	7.6	Urban places	1,227	53	8.0	22	3.3	33	5.0
White	994,318	12,500	7.0	7,918	4.4	11,146	6.2	White	959	35	7.0	16	*	24	4.8
All other	224,979	9,633	14.6	6,149	9.3	7,608	11.4	All other	268	18	*	6	*	9	*
Black	202,960	8,932	17.0	5,729	10.9	6,890	13.0	Black	59	7	*	3	*	3	*
Balance of area	956,316	12,495	7.7	7,782	4.8	11,502	7.1	Balance of area	1,076	48	9.4	25	4.9	24	4.7
White	879,463	9,664	6.8	5,997	4.3	8,985	6.3	White	635	23	7.8	10	*	16	*
All other	76,853	2,831	13.9	1,785	8.8	2,517	12.2	All other	441	25	11.7	15	*	8	*
Black	66,259	2,416	16.2	1,567	10.5	2,165	14.3	Black	3	-	*	-	*	-	*
Metropolitan counties	1,614,156	27,701	8.5	17,711	5.4	24,085	7.3	Metropolitan census areas ¹	889	44	8.9	17	*	27	5.4
White	1,369,172	17,048	6.7	10,899	4.3	15,573	6.1	White	690	30	8.1	12	*	19	*
All other	244,984	10,653	14.5	6,812	9.3	8,512	11.4	All other	199	14	*	5	*	8	*
Black	219,961	9,854	17.1	6,331	11.0	7,669	13.1	Black	45	6	*	2	*	3	*
Urban places	1,104,940	20,547	9.0	13,113	5.8	17,425	7.6	Urban places	889	44	8.9	17	*	27	5.4
White	893,607	11,415	6.9	7,285	4.4	10,237	6.2	White	690	30	8.1	12	*	19	*
All other	211,333	9,132	14.6	5,828	9.3	7,188	11.4	All other	199	14	*	5	*	8	*
Black	190,467	8,482	17.1	5,432	10.9	6,502	12.9	Black	45	6	*	2	*	3	*
Balance of area	509,216	7,154	7.3	4,598	4.7	6,660	6.7	Balance of area
White	475,565	5,633	6.4	3,614	4.1	5,336	6.1	White
All other	33,651	1,521	13.9	984	9.0	1,324	12.0	All other
Black	29,494	1,372	17.0	899	11.1	1,167	14.3	Black
Nonmetropolitan counties	561,457	6,927	8.6	4,138	5.2	6,171	7.6	Nonmetropolitan census areas ¹	1,414	57	8.4	30	4.4	30	4.4
White	504,609	5,116	7.6	3,016	4.5	4,558	6.7	White	904	28	6.6	14	*	21	5.0
All other	56,848	1,811	14.1	1,122	8.7	1,613	12.4	All other	510	29	11.3	16	*	9	*
Black	49,258	1,494	15.5	965	10.0	1,386	14.1	Black	17	1	*	1	*	*	*
Urban places	114,357	1,586	9.1	954	5.5	1,329	7.6	Urban places	338	9	*	5	*	6	*
White	100,711	1,085	7.8	633	4.5	909	6.5	White	269	5	*	4	*	5	*
All other	13,646	501	14.7	321	9.4	420	12.1	All other	69	4	*	1	*	1	*
Black	12,493	450	16.1	297	10.6	388	13.7	Black	14	1	*	1	*	*	*
Balance of area	447,100	5,341	8.5	3,184	5.1	4,842	7.8	Balance of area	1,076	48	9.4	25	4.9	24	4.7
White	403,898	4,031	7.5	2,383	4.5	3,649	6.6	White	635	23	7.8	10	*	16	*
All other	43,202	1,310	13.9	801	8.5	1,193	12.5	All other	441	25	11.7	15	*	8	*
Black	36,765	1,044	15.2	668	9.7	998	14.3	Black	3	-	*	-	*	-	*
Alabama	39,352	655	10.5	432	6.9	629	10.0	Arizona	31,055	577	8.4	331	4.8	433	6.3
White	28,812	306	7.6	203	5.1	293	7.2	White	28,801	465	7.8	270	4.5	358	6.0
All other	10,540	349	15.8	229	10.4	336	15.0	All other	2,254	112	11.9	61	6.5	75	7.9
Black	10,479	349	16.2	229	10.6	334	15.3	Black	808	41	16.7	21	8.6	24	9.7
Urban places	17,345	333	12.0	220	7.9	313	11.1	Urban places	19,630	421	8.4	252	5.0	312	6.2
White	10,901	110	8.0	73	5.3	102	7.4	White	18,601	367	8.0	224	4.9	279	6.0
All other	6,444	223	15.8	147	10.4	211	14.7	All other	1,029	54	12.3	28	6.4	33	7.5
Black	6,420	223	16.2	147	10.7	209	15.0	Black	705	39	17.7	20	9.1	22	9.9
Balance of area	22,007	322	9.4	212	6.2	316	9.1	Balance of area	11,425	156	8.4	79	4.3	121	6.5
White	17,911	196	7.4	130	4.9	191	7.2	White	10,200	98	7.3	46	3.4	79	5.8
All other	4,096	126	15.8	82	10.3	125	15.4	All other	1,225	58	11.6	33	6.6	42	8.3
Black	4,059	126	16.2	82	10.6	125	15.8	Black	103	2	*	1	*	2	*
Metropolitan counties	25,355	426	10.0	284	6.7	412	9.6	Metropolitan counties	24,098	454	8.3	269	4.9	325	5.9
White	18,421	189	6.9	126	4.6	197	7.1	White	22,840	394	7.9	238	4.8	289	5.8
All other	6,934	237	15.7	158	10.4	215	14.0	All other	1,258	60	12.2	31	6.3	36	7.3
Black	6,889	237	16.1	158	10.8	214	14.4	Black	727	41	18.7	21	9.6	22	9.9
Urban places	14,454	277	11.7	183	7.8	261	10.9	Urban places	18,174	395	8.4	235	5.0	286	6.1
White	8,892	82	7.2	54	4.8	84	7.4	White	17,212	344	8.0	209	4.9	257	6.0
All other	5,562	195	15.9	129	10.5	177	14.2	All other	962	51	12.7	26	6.5	29	7.1
Black	5,540	195	16.2	129	10.7	176	14.4	Black	674	39	18.6	20	9.6	21	9.9
Balance of area	10,901	149	7.8	101	5.3	151	7.9	Balance of area	5,924	59	7.6	34	4.4	39	5.0
White	9,529	107	6.6	72	4.4	113	6.9	White	5,628	50	7.3	29	4.2	32	4.6
All other	1,372	42	14.8	29	10.2	38	13.2	All other	296	9	*	5	*	7	*
Black	1,349	42	15.6	29	10.8	38	13.9	Black	53	2	*	1	*	1	*
Nonmetropolitan counties	13,997	229	11.7	148	7.5	217	10.9	Nonmetropolitan counties	6,957	123	8.7	62	4.4	108	7.6
White	10,391	117	9.2	77	6.1	96	7.5	White	5,961	71	7.3	32	3.3	69	7.1
All other	3,606	112	16.1	71	10.2	121	17.1	All other	996	52	11.6	30	6.7	39	8.6
Black	3,590	112	16.4	71	10.4	120	17.3	Black	81	-	*	-	*	2	*
Urban places	2,891	56	13.2	37	8.7	52	12.1	Urban places	1,456	26	7.7	17	*	26	7.6
White	2,009	28	11.5	19	*	18	*	White	1,389	23	7.6	15	*	22	7.2
All other	882	28	15.4	18	*	34	18.3	All other	67	3	*	2	*	4	*
Black	880	28	16.0	18	*	33	18.5	Black	31	-	*	-	*	1	*
Balance of area	11,106	173	11.2	111	7.2	165	10.6	Balance of area	5,501	97	9.0	45	4.2	82	7.5
White	8,382	89	8.7	58	5.7	78	7.6	White	4,572	48	7.2	17	*	47	7.0
All other	2,724	84	16.4	53	10.3	87	16.7	All other	929	49	11.8	28	6.7	35	8.4
Black	2,710	84	16.5	53	10.4	87	16.8	Black	50	-	*	-	*	1	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 88

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 2 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Arkansas	24,956	360	10.3	207	5.9	286	8.1	Colorado	22,440	413	7.6	230	4.2	371	6.8
White	20,897	227	8.6	130	4.9	164	6.2	White	21,421	356	7.2	197	4.0	335	6.7
All other	4,059	133	15.6	77	9.0	122	14.1	All other	1,019	57	11.7	33	6.7	36	7.3
Black	4,018	132	16.2	76	9.3	120	14.5	Black	787	44	14.6	24	8.0	30	9.9
Urban places	9,851	165	10.6	94	6.1	137	8.8	Urban places	15,551	305	8.4	164	4.5	233	6.4
White	7,754	82	7.9	45	4.3	67	6.4	White	14,621	255	7.9	135	4.2	201	6.2
All other	2,097	83	16.1	49	9.5	70	13.4	All other	930	50	11.9	29	6.9	32	7.6
Black	2,080	82	16.7	48	9.8	69	13.9	Black	755	42	15.1	23	8.3	27	9.6
Balance of area	15,105	195	10.1	113	5.8	149	7.7	Balance of area	6,889	108	5.9	66	3.6	138	7.5
White	13,143	145	9.1	85	5.3	97	6.1	White	6,800	101	5.8	62	3.5	134	7.6
All other	1,962	50	14.8	28	8.3	52	15.1	All other	89	7	*	4	*	4	*
Black	1,938	50	15.4	28	8.6	51	15.5	Black	32	2	*	1	*	3	*
Metropolitan counties	8,491	144	9.6	87	5.8	131	8.6	Metropolitan counties	17,380	358	7.8	196	4.3	293	6.3
White	6,836	76	7.0	42	3.9	65	6.0	White	16,407	304	7.4	164	4.0	257	6.2
All other	1,655	68	16.0	45	10.6	66	15.3	All other	973	54	11.6	32	6.9	36	7.7
Black	1,634	68	17.0	45	11.2	65	16.0	Black	780	44	14.7	24	8.0	30	9.9
Urban places	6,077	110	10.4	64	6.0	95	8.9	Urban places	14,623	297	8.4	160	4.5	228	6.4
White	4,719	52	7.4	26	3.7	42	6.0	White	13,699	247	8.0	131	4.2	196	6.3
All other	1,358	58	16.0	38	10.5	53	14.4	All other	924	50	12.0	29	7.0	32	7.6
Black	1,346	58	16.9	38	11.1	52	15.0	Black	754	42	15.2	23	8.3	27	9.7
Balance of area	2,414	34	7.7	23	5.2	36	8.1	Balance of area	2,757	61	5.7	36	3.4	65	6.0
White	2,117	24	6.3	16	*	23	6.0	White	2,708	57	5.6	33	3.2	61	5.9
All other	297	10	*	7	*	13	*	All other	49	4	*	3	*	4	*
Black	288	10	*	7	*	13	*	Black	26	2	*	1	*	3	*
Nonmetropolitan counties	16,465	216	10.9	120	6.1	155	7.8	Nonmetropolitan counties	5,060	55	6.4	34	3.9	78	9.0
White	14,061	151	9.7	88	5.7	99	6.3	White	5,014	52	6.2	33	3.9	78	9.2
All other	2,404	65	15.2	32	7.5	56	12.9	All other	46	3	*	1	*	-	*
Black	2,384	64	15.4	31	7.5	55	13.1	Black	7	*	*	-	*	-	*
Urban places	3,774	55	11.3	30	6.1	42	8.5	Urban places	928	8	*	4	*	5	*
White	3,035	30	8.9	19	*	25	7.4	White	922	8	*	4	*	5	*
All other	739	25	16.4	11	*	17	*	All other	6	*	*	-	*	-	*
Black	734	24	16.2	10	*	17	*	Black	1	*	*	-	*	-	*
Balance of area	12,691	161	10.8	90	6.0	113	7.5	Balance of area	4,132	47	6.2	30	4.0	73	9.6
White	11,026	121	10.0	69	5.7	74	6.1	White	4,092	44	6.0	29	4.0	73	9.9
All other	1,665	40	14.4	21	7.6	39	13.9	All other	40	3	*	1	*	-	*
Black	1,650	40	15.0	21	7.9	38	14.1	Black	6	-	*	-	*	-	*
California	215,847	4,201	7.0	2,564	4.3	3,751	6.2	Connecticut	28,254	361	7.6	260	5.5	322	6.7
White	186,927	3,119	6.3	1,898	3.9	2,915	5.9	White	26,173	251	6.2	179	4.4	240	5.9
All other	28,920	1,082	9.9	666	6.1	836	7.6	All other	2,081	110	15.1	81	11.1	82	11.1
Black	17,834	782	16.8	495	10.6	528	11.2	Black	2,003	106	17.2	78	12.7	76	12.2
Urban places	173,362	3,503	7.0	2,162	4.3	3,129	6.2	Urban places	20,215	273	8.1	193	5.7	243	7.2
White	146,682	2,519	6.2	1,551	3.8	2,355	5.8	White	18,269	168	6.3	116	4.3	164	6.1
All other	26,680	984	9.9	611	6.2	774	7.7	All other	1,946	105	15.5	77	11.3	79	11.5
Black	16,744	723	16.8	459	10.7	498	11.4	Black	1,891	101	17.2	74	12.6	73	12.3
Balance of area	42,485	698	7.1	402	4.1	622	6.3	Balance of area	8,039	88	6.3	67	4.8	79	5.6
White	40,245	600	6.8	347	3.9	560	6.3	White	7,904	83	6.2	63	4.7	76	5.6
All other	2,240	98	9.8	55	5.5	62	6.1	All other	135	5	*	4	*	3	*
Black	1,090	59	17.3	36	10.5	30	8.7	Black	112	5	*	4	*	3	*
Metropolitan counties	204,497	4,061	7.0	2,486	4.3	3,620	6.2	Metropolitan counties	25,877	342	7.8	245	5.6	305	6.9
White	175,977	2,994	6.3	1,829	3.9	2,791	5.9	White	23,815	232	6.3	164	4.5	224	6.1
All other	28,520	1,067	9.9	657	6.1	829	7.6	All other	2,062	110	15.3	81	11.2	81	11.1
Black	17,669	776	16.8	489	10.6	525	11.2	Black	1,987	106	17.4	78	12.8	75	12.1
Urban places	170,216	3,453	7.0	2,128	4.3	3,078	6.2	Urban places	19,816	272	8.2	192	5.8	239	7.2
White	143,674	2,473	6.2	1,520	3.8	2,308	5.8	White	17,870	167	6.3	115	4.4	161	6.1
All other	26,542	980	9.9	608	6.2	770	7.7	All other	1,946	105	15.5	77	11.4	78	11.4
Black	16,662	720	16.8	456	10.6	495	11.4	Black	1,891	101	17.3	74	12.6	72	12.1
Balance of area	34,281	608	7.1	358	4.2	542	6.3	Balance of area	6,061	70	6.5	53	4.9	66	6.1
White	32,303	521	6.8	309	4.0	483	6.2	White	5,945	65	6.3	49	4.7	63	6.1
All other	1,978	87	9.5	49	5.3	59	6.4	All other	116	5	*	4	*	3	*
Black	1,007	56	17.0	33	10.0	30	9.0	Black	96	5	*	4	*	3	*
Nonmetropolitan counties	11,350	140	6.9	78	3.8	131	6.4	Nonmetropolitan counties	2,377	19	*	15	*	17	*
White	10,950	125	6.6	69	3.6	124	6.5	White	2,358	19	*	15	*	16	*
All other	400	15	*	9	*	7	*	All other	19	*	*	*	*	1	*
Black	165	6	*	6	*	3	*	Black	16	*	*	*	*	1	*
Urban places	3,146	50	6.4	34	4.4	51	6.5	Urban places	399	1	*	1	*	4	*
White	3,008	46	6.2	31	4.2	47	6.3	White	399	1	*	1	*	3	*
All other	138	4	*	3	*	4	*	All other	-	-	*	-	*	1	*
Black	82	3	*	3	*	3	*	Black	-	-	*	-	*	1	*
Balance of area	8,204	90	7.2	44	3.5	80	6.3	Balance of area	1,978	18	*	14	*	13	*
White	7,942	79	6.8	38	3.3	77	6.6	White	1,959	18	*	14	*	13	*
All other	262	11	*	6	*	3	*	All other	19	-	*	-	*	-	*
Black	83	3	*	3	*	-	*	Black	16	-	*	-	*	-	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 89

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 3 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Delaware	5,941	92	8.6	63	5.9	62	5.8	Florida	139,723	1,691	8.8	1,125	5.9	1,486	7.7
White	4,958	46	5.8	35	4.4	41	5.2	White	124,522	999	7.0	675	4.7	917	6.4
All other	983	46	16.7	28	10.2	21	7.6	All other	15,201	692	14.3	450	9.3	569	11.7
Black	954	46	18.0	28	11.0	19	*	Black	14,838	681	15.1	440	9.8	552	12.1
Urban places	1,319	37	13.8	20	7.5	22	8.2	Urban places	67,987	856	7.8	575	5.3	810	7.4
White	822	15	*	9	*	11	*	White	58,622	420	5.7	286	3.9	435	5.9
All other	497	22	18.4	11	*	11	*	All other	9,365	436	12.1	289	8.0	375	10.3
Black	492	22	19.3	11	*	11	*	Black	9,204	430	12.6	283	8.3	369	10.7
Balance of area	4,622	55	6.9	43	5.4	40	5.0	Balance of area	71,736	835	10.1	550	6.7	676	8.1
White	4,136	31	4.8	26	4.0	30	4.7	White	65,900	579	8.2	389	5.5	482	6.8
All other	486	24	15.4	17	*	10	*	All other	5,836	256	20.8	161	13.1	194	15.5
Black	462	24	17.0	17	*	8	*	Black	5,634	251	22.9	157	14.3	183	16.4
Metropolitan counties	3,633	65	9.2	46	6.5	41	5.8	Metropolitan counties	125,127	1,553	8.8	1,032	5.9	1,359	7.7
White	3,007	31	5.9	23	4.4	28	5.3	White	111,324	909	6.9	616	4.7	832	6.3
All other	626	34	19.0	23	12.8	13	*	All other	13,803	644	14.3	416	9.2	527	11.5
Black	613	34	20.5	23	13.9	13	*	Black	13,464	633	15.1	406	9.7	510	12.0
Urban places	1,080	29	15.1	17	*	18	*	Urban places	67,000	846	7.8	568	5.3	800	7.4
White	640	10	*	6	*	8	*	White	57,775	414	5.7	282	3.9	429	5.9
All other	440	19	*	11	*	10	*	All other	9,225	432	12.2	286	8.0	371	10.3
Black	438	19	*	11	*	10	*	Black	9,065	426	12.7	280	8.3	365	10.8
Balance of area	2,553	36	7.0	29	5.7	23	4.5	Balance of area	58,127	707	10.4	464	6.8	559	8.1
White	2,367	21	4.9	17	*	20	4.7	White	53,549	495	8.5	334	5.7	403	6.8
All other	186	15	*	12	*	3	*	All other	4,578	212	22.0	130	13.5	156	15.9
Black	175	15	*	12	*	3	*	Black	4,399	207	24.5	126	14.9	145	16.9
Nonmetropolitan counties	2,308	27	7.5	17	*	21	5.8	Nonmetropolitan counties	14,596	138	8.8	93	5.9	127	8.0
White	1,951	15	*	12	*	13	*	White	13,198	90	7.1	59	4.7	85	6.7
All other	357	12	*	5	*	8	*	All other	1,398	48	15.6	34	11.0	42	13.4
Black	341	12	*	5	*	6	*	Black	1,374	48	16.3	34	11.6	42	14.1
Urban places	239	8	*	3	*	4	*	Urban places	987	10	*	7	*	10	*
White	182	5	*	3	*	3	*	White	847	6	*	4	*	6	*
All other	57	3	*	-	*	1	*	All other	140	4	*	3	*	4	*
Black	54	3	*	-	*	1	*	Black	139	4	*	3	*	4	*
Balance of area	2,069	19	*	14	*	17	*	Balance of area	13,609	128	8.9	86	6.0	117	8.1
White	1,769	10	*	9	*	10	*	White	12,351	84	7.2	55	4.7	79	6.7
All other	300	9	*	5	*	7	*	All other	1,258	44	16.6	31	11.7	38	14.1
Black	287	9	*	5	*	5	*	Black	1,235	44	17.4	31	12.3	38	14.8
District of Columbia	7,110	215	19.6	141	12.9	143	12.9	Georgia	52,992	1,146	10.3	745	6.7	1,313	11.7
White	1,573	21	13.1	16	*	12	*	White	37,872	491	7.1	297	4.3	557	8.0
All other	5,537	194	20.7	125	13.4	131	13.8	All other	15,120	655	15.5	448	10.6	756	17.6
Black	5,505	194	22.0	125	14.2	131	14.7	Black	14,945	644	15.9	440	10.9	736	17.9
Urban places	7,110	215	19.6	141	12.9	143	12.9	Urban places	18,726	503	13.2	335	8.8	578	15.0
White	1,573	21	13.1	16	*	12	*	White	10,115	109	7.5	66	4.5	126	8.6
All other	5,537	194	20.7	125	13.4	131	13.8	All other	8,611	394	16.8	269	11.5	452	18.9
Black	5,505	194	22.0	125	14.2	131	14.7	Black	8,566	390	17.1	266	11.6	445	19.1
Balance of area	Balance of area	34,266	643	8.8	410	5.6	735	10.0
White	White	27,757	382	7.0	231	4.3	431	7.9
All other	All other	6,509	261	13.9	179	9.5	304	15.9
Black	Black	6,379	254	14.5	174	9.9	291	16.3
Metropolitan counties	7,110	215	19.6	141	12.9	143	12.9	Metropolitan counties	30,931	746	10.1	489	6.6	910	12.2
White	1,573	21	13.1	16	*	12	*	White	21,384	270	6.1	162	3.7	368	8.3
All other	5,537	194	20.7	125	13.4	131	13.8	All other	9,547	476	16.0	327	11.0	542	17.9
Black	5,505	194	22.0	125	14.2	131	14.7	Black	9,392	465	16.6	319	11.4	525	18.4
Urban places	7,110	215	19.6	141	12.9	143	12.9	Urban places	14,338	409	13.5	272	9.0	471	15.3
White	1,573	21	13.1	16	*	12	*	White	7,189	74	6.9	45	4.2	97	9.0
All other	5,537	194	20.7	125	13.4	131	13.8	All other	7,149	335	17.1	227	11.6	374	18.7
Black	5,505	194	22.0	125	14.2	131	14.7	Black	7,108	331	17.4	224	11.8	369	19.0
Balance of area	Balance of area	16,593	337	7.7	217	5.0	439	10.0
White	White	14,195	196	5.9	117	3.5	271	8.0
All other	All other	2,398	141	13.9	100	9.9	168	16.3
Black	Black	2,284	134	14.9	95	10.6	156	17.0
Nonmetropolitan counties	Nonmetropolitan counties	22,061	400	10.7	256	6.9	403	10.7
White	White	16,488	221	8.9	135	5.5	189	7.6
All other	All other	5,573	179	14.2	121	9.6	214	16.7
Black	Black	5,553	179	14.5	121	9.8	211	16.8
Urban places	Urban places	4,388	94	12.2	63	8.2	107	13.7
White	White	2,926	35	9.1	21	5.5	29	7.5
All other	All other	1,462	59	15.2	42	10.8	78	19.7
Black	Black	1,458	59	15.6	42	11.1	76	19.6
Balance of area	Balance of area	17,673	306	10.4	193	6.5	296	9.9
White	White	13,562	186	8.9	114	5.5	160	7.6
All other	All other	4,111	120	13.8	79	9.1	136	15.4
Black	Black	4,095	120	14.0	79	9.2	135	15.5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 90

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 4 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Infant		Neonatal		Number		Rate	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Hawaii	6,968	126	6.3	77	3.9	127	6.4								
White	2,068	18	*	10	*	45	7.8								
All other	4,900	108	7.6	67	4.7	82	5.8								
Black	54	6	*	4	*	6	*								
Urban places	5,008	87	6.4	48	3.5	82	6.0								
White	1,384	11	*	4	*	30	8.0								
All other	3,624	76	7.7	44	4.5	52	5.2								
Black	41	6	*	4	*	6	*								
Balance of area	1,960	39	6.2	29	4.6	45	7.1								
White	684	7	*	6	*	15	*								
All other	1,276	32	7.5	23	5.4	30	7.0								
Black	13	-	*	-	*	-	*								
Illinois								102,118	1,927	10.1	1,242	6.5	1,473	7.6	
White								85,307	1,052	7.4	703	4.9	875	6.1	
All other								16,811	875	18.0	539	11.1	598	12.2	
Black								16,133	849	19.8	519	12.1	565	13.0	
Urban places								71,506	1,531	10.6	981	6.8	1,200	8.2	
White								55,697	726	7.4	490	5.0	630	6.3	
All other								15,809	805	17.7	491	10.8	570	12.3	
Black								15,188	783	19.3	475	11.7	539	13.1	
Balance of area								30,612	396	8.4	261	5.5	273	5.8	
White								29,610	326	7.4	213	4.8	245	5.5	
All other								1,002	70	23.7	48	16.3	28	9.4	
Black								945	66	28.5	44	19.0	26	11.1	
Metropolitan counties	5,003	90	6.1	52	3.5	89	6.0	80,264	1,718	10.3	1,122	6.7	1,300	7.7	
White	1,384	13	*	6	*	32	7.5	63,921	865	7.2	595	5.0	713	5.9	
All other	3,619	77	7.2	46	4.3	57	5.3	16,343	853	18.0	527	11.1	587	12.2	
Black	46	6	*	4	*	6	*	15,691	828	19.7	508	12.1	555	13.0	
Urban places	4,410	76	6.2	42	3.4	74	6.0	65,397	1,470	10.7	948	6.9	1,148	8.3	
White	1,219	11	*	4	*	29	8.1	49,852	677	7.3	464	5.0	584	6.3	
All other	3,191	65	7.4	38	4.3	45	5.1	15,545	793	17.7	484	10.8	564	12.4	
Black	39	6	*	4	*	6	*	14,937	772	19.3	469	11.7	534	13.2	
Balance of area	593	14	*	10	*	15	*	14,867	248	8.4	174	5.9	152	5.1	
White	165	2	*	2	*	3	*	14,069	188	6.9	131	4.8	129	4.7	
All other	428	12	*	8	*	12	*	798	60	23.2	43	16.6	23	8.8	
Black	7	-	*	-	*	-	*	754	56	27.6	39	19.2	21	10.2	
Nonmetropolitan counties	1,965	36	7.2	25	5.0	38	7.5	21,854	209	8.5	120	4.9	173	7.0	
White	684	5	*	4	*	13	*	21,386	187	8.0	108	4.6	162	6.9	
All other	1,281	31	8.9	21	6.0	25	7.1	468	22	19.6	12	*	11	*	
Black	8	-	*	-	*	-	*	442	21	22.6	11	*	10	*	
Urban places	598	11	*	6	*	8	*	6,109	61	8.6	33	4.6	52	7.3	
White	165	-	*	-	*	1	*	5,845	49	7.7	26	4.1	46	7.2	
All other	433	11	*	6	*	7	*	264	12	*	7	*	6	*	
Black	2	-	*	-	*	-	*	251	11	*	6	*	5	*	
Balance of area	1,367	25	6.6	19	5.2	30	7.9	15,745	148	8.5	87	5.0	121	6.9	
White	519	5	*	4	*	12	*	15,541	138	8.1	82	4.8	116	6.7	
All other	848	20	8.3	15	4.8	18	5.8	204	10	*	5	*	5	*	
Black	6	-	*	-	*	-	*	191	10	*	5	*	5	*	
Idaho	7,877	152	8.8	91	5.2	91	5.2								
White	7,764	148	8.8	90	5.3	89	5.3								
All other	113	4	*	1	*	2	*								
Black	22	3	*	1	*	-	*								
Urban places	3,465	72	9.2	47	6.0	50	6.3								
White	3,418	69	9.1	46	6.1	49	6.4								
All other	47	3	*	1	*	1	*								
Black	19	3	*	1	*	-	*								
Balance of area	4,412	80	8.4	44	4.6	41	4.3								
White	4,346	79	8.6	44	4.8	40	4.3								
All other	66	1	*	-	*	1	*								
Black	3	-	*	-	*	-	*								
Indiana								49,964	792	9.4	502	6.0	617	7.3	
White								45,827	594	8.0	369	5.0	482	6.5	
All other								4,137	198	19.4	133	13.0	135	13.0	
Black								4,043	191	20.3	128	13.6	131	13.7	
Urban places								28,705	501	10.6	314	6.6	370	7.7	
White								24,723	312	8.3	189	5.0	238	6.3	
All other								3,982	189	19.2	125	12.7	132	13.3	
Black								3,910	184	19.9	121	13.1	129	13.8	
Balance of area								21,259	291	7.9	188	5.1	247	6.7	
White								21,104	282	7.8	180	5.0	244	6.7	
All other								155	9	*	8	*	3	*	
Black								133	7	*	7	*	2	*	
Metropolitan counties	1,423	34	9.6	19	5.3	16	5.3	33,132	570	9.6	367	6.2	433	7.3	
White	1,404	32	9.3	19	5.3	15	5.3	29,255	381	7.7	241	4.9	305	6.1	
All other	19	2	*	-	*	1	*	3,877	189	19.6	126	13.0	128	13.1	
Black	7	2	*	-	*	-	*	3,804	183	20.4	122	13.6	125	13.7	
Urban places	1,093	24	9.3	12	5.3	14	5.3	24,040	439	10.6	279	6.7	324	7.7	
White	1,077	22	8.8	12	5.3	13	5.3	20,246	257	8.0	159	5.0	198	6.1	
All other	16	2	*	-	*	1	*	3,794	182	19.4	120	12.8	126	13.2	
Black	7	2	*	-	*	-	*	3,732	177	20.0	116	13.1	123	13.7	
Balance of area	330	10	9.6	7	5.3	2	5.3	9,092	131	7.4	88	5.0	109	6.1	
White	327	10	9.6	7	5.3	2	5.3	9,009	124	7.1	82	4.7	107	6.1	
All other	3	-	*	-	*	-	*	83	7	*	6	*	2	*	
Black	-	-	*	-	*	-	*	72	6	*	6	*	2	*	
Nonmetropolitan counties	6,454	118	8.5	72	5.2	75	5.4	16,832	222	8.9	135	5.4	184	7.3	
White	6,360	116	8.7	71	5.3	74	5.5	16,572	213	8.8	128	5.3	177	7.2	
All other	94	2	*	1	*	1	*	260	9	*	7	*	7	*	
Black	15	1	*	1	*	-	*	239	8	*	6	*	6	*	
Urban places	2,372	48	9.2	35	6.7	36	6.8	4,665	62	10.5	35	5.9	46	7.7	
White	2,341	47	9.2	34	6.7	36	7.0	4,477	55	10.0	30	5.5	40	7.2	
All other	31	1	*	1	*	-	*	188	7	*	5	*	6	*	
Black	12	1	*	1	*	-	*	178	7	*	5	*	6	*	
Balance of area	4,082	70	8.1	37	4.3	39	4.5	12,167	160	8.4	100	5.3	138	7.2	
White	4,019	69	8.3	37	4.5	38	4.6	12,095	158	8.4	98	5.2	137	7.2	
All other	63	1	*	-	*	1	*	72	2	*	2	*	1	*	
Black	3	-	*	-	*	-	*	61	1	*	1	*	-	*	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 91

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 5 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Infant		Neonatal		Number		Rate	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate				
Iowa	26,593	309	8.0	181	4.7	255	6.6	Kentucky	35,033	447	8.3	246	4.6	390	7.2
White	26,201	280	7.7	166	4.5	234	6.4	White	32,490	381	7.9	206	4.3	323	6.7
All other	392	29	15.2	15	*	21	10.9	All other	2,543	66	11.8	40	7.1	67	11.8
Black	320	23	19.4	12	*	17	*	Black	2,497	66	12.7	40	7.7	66	12.6
Urban places	10,852	164	8.8	95	5.1	117	6.2	Urban places	12,569	181	9.6	95	5.1	141	7.4
White	10,503	138	8.1	82	4.8	98	5.7	White	10,721	123	8.4	59	4.0	89	6.0
All other	349	26	15.7	13	*	19	*	All other	1,848	58	14.1	36	8.7	52	12.5
Black	297	20	17.7	10	*	15	*	Black	1,819	58	15.0	36	9.3	51	13.0
Balance of area	15,741	145	7.3	86	4.3	138	6.9	Balance of area	22,464	266	7.6	151	4.3	249	7.1
White	15,698	142	7.3	84	4.3	136	6.9	White	21,769	258	7.7	147	4.4	234	6.9
All other	43	3	*	2	*	2	*	All other	695	8	*	4	*	15	*
Black	23	3	*	2	*	2	*	Black	678	8	*	4	*	15	*
Metropolitan counties	9,727	165	8.7	98	5.2	125	6.5	Metropolitan counties	15,412	233	8.8	131	5.0	194	7.3
White	9,407	138	7.9	83	4.7	106	6.0	White	13,667	178	8.0	96	4.3	143	6.4
All other	320	27	18.0	15	*	19	*	All other	1,745	55	13.1	35	8.3	51	12.0
Black	277	23	22.3	12	*	16	*	Black	1,719	55	14.0	35	8.9	50	12.6
Urban places	7,571	129	8.9	74	5.1	91	6.2	Urban places	9,676	156	10.3	83	5.5	109	7.1
White	7,262	105	8.0	61	4.7	74	5.6	White	8,128	103	8.8	49	4.2	66	5.6
All other	309	24	16.7	13	*	17	*	All other	1,548	53	15.2	34	9.8	43	12.2
Black	269	20	19.8	10	*	14	*	Black	1,529	53	16.0	34	10.3	42	12.5
Balance of area	2,156	36	8.1	24	5.4	34	7.6	Balance of area	5,736	77	6.9	48	4.3	85	7.5
White	2,145	33	7.5	22	5.0	32	7.3	White	5,539	75	7.1	47	4.5	77	7.3
All other	11	3	*	2	*	2	*	All other	197	2	*	1	*	8	*
Black	8	3	*	2	*	2	*	Black	190	2	*	1	*	8	*
Nonmetropolitan counties	16,866	144	7.4	83	4.3	130	6.6	Nonmetropolitan counties	19,621	214	7.8	115	4.2	196	7.1
White	16,794	142	7.4	83	4.4	128	6.7	White	18,823	203	7.8	110	4.2	180	6.9
All other	72	2	*	-	*	2	*	All other	798	11	*	5	*	16	*
Black	43	-	*	-	*	1	*	Black	778	11	*	5	*	16	*
Urban places	3,281	35	8.5	21	5.1	26	6.3	Urban places	2,893	25	6.8	12	*	32	8.7
White	3,241	33	8.5	21	5.4	24	6.2	White	2,593	20	6.6	10	*	23	7.5
All other	40	2	*	-	*	2	*	All other	300	5	*	2	*	9	*
Black	28	-	*	-	*	1	*	Black	290	5	*	2	*	9	*
Balance of area	13,585	109	7.1	62	4.0	104	6.7	Balance of area	16,728	189	7.9	103	4.3	164	6.8
White	13,553	109	7.2	62	4.1	104	6.8	White	16,230	183	7.9	100	4.3	157	6.8
All other	32	-	*	-	*	-	*	All other	498	6	*	3	*	7	*
Black	15	-	*	-	*	-	*	Black	488	6	*	3	*	7	*
Kansas	22,185	332	8.7	200	5.3	215	5.6	Louisiana	37,642	668	9.4	402	5.7	548	7.7
White	20,888	252	7.5	153	4.5	180	5.3	White	25,565	275	6.9	166	4.2	250	6.2
All other	1,297	80	18.4	47	10.8	35	8.0	All other	12,077	393	12.7	236	7.6	298	9.5
Black	1,132	72	21.7	43	13.0	29	8.7	Black	11,976	389	13.0	234	7.8	295	9.8
Urban places	11,747	224	9.1	130	5.3	139	5.6	Urban places	18,354	347	10.3	216	6.4	251	7.4
White	10,597	152	7.3	90	4.3	107	5.1	White	10,837	100	7.2	62	4.4	77	5.5
All other	1,150	72	18.5	40	10.3	32	8.1	All other	7,517	247	12.6	154	7.8	174	8.8
Black	1,041	66	21.7	38	12.5	28	9.1	Black	7,470	245	12.9	153	8.0	172	8.9
Balance of area	10,438	108	8.0	70	5.2	76	5.6	Balance of area	19,288	321	8.7	186	5.0	297	8.0
White	10,291	100	7.7	63	4.9	73	5.6	White	14,728	175	6.8	104	4.0	173	6.7
All other	147	8	*	7	*	3	*	All other	4,560	146	13.0	82	7.3	124	10.9
Black	91	6	*	5	*	1	*	Black	4,506	144	13.4	81	7.5	123	11.3
Metropolitan counties	10,024	198	9.1	121	5.6	114	5.2	Metropolitan parishes ¹	25,006	457	9.2	270	5.5	372	7.5
White	9,025	134	7.2	85	4.6	85	4.6	White	16,837	187	6.8	111	4.0	172	6.2
All other	999	64	19.8	36	11.1	29	8.9	All other	8,169	270	12.3	159	7.2	200	9.0
Black	911	60	23.0	35	13.4	24	9.1	Black	8,088	268	12.7	158	7.5	198	9.3
Urban places	8,101	168	9.4	100	5.6	96	5.4	Urban places	15,679	293	10.1	185	6.3	221	7.5
White	7,139	107	7.3	66	4.5	68	4.6	White	9,134	87	7.3	58	4.9	67	5.6
All other	962	61	19.5	34	10.9	28	8.9	All other	6,545	206	12.0	127	7.4	154	8.9
Black	887	57	22.5	33	13.0	24	9.4	Black	6,501	204	12.2	126	7.6	152	9.0
Balance of area	1,923	30	7.5	21	5.3	18	*	Balance of area	9,327	164	8.1	85	4.2	151	7.4
White	1,886	27	7.0	19	*	17	*	White	7,703	100	6.5	53	3.4	105	6.7
All other	37	3	*	2	*	1	*	All other	1,624	64	13.4	32	6.7	46	9.5
Black	24	3	*	2	*	-	*	Black	1,587	64	14.4	32	7.2	46	10.3
Nonmetropolitan counties	12,161	134	8.3	79	4.9	101	6.2	Nonmetropolitan parishes ¹	12,636	211	9.9	132	6.2	176	8.2
White	11,863	118	7.8	68	4.5	95	6.2	White	8,728	88	7.1	55	4.5	78	6.3
All other	298	16	*	11	*	6	*	All other	3,908	123	13.8	77	8.6	98	10.8
Black	221	12	*	8	*	5	*	Black	3,888	121	13.8	76	8.7	97	11.0
Urban places	3,646	56	8.2	30	4.4	43	6.3	Urban places	2,675	54	12.0	31	6.9	30	6.6
White	3,458	45	7.5	24	4.0	39	6.4	White	1,703	13	*	4	*	10	*
All other	188	11	*	6	*	4	*	All other	972	41	16.7	27	11.0	20	8.1
Black	154	9	*	5	*	4	*	Black	969	41	17.0	27	11.2	20	8.2
Balance of area	8,515	78	8.3	49	5.2	58	6.1	Balance of area	9,961	157	9.4	101	6.0	146	8.6
White	8,405	73	8.0	44	4.8	56	6.1	White	7,025	75	7.3	51	5.0	68	6.6
All other	110	5	*	5	*	2	*	All other	2,936	82	12.6	50	7.7	78	11.9
Black	67	3	*	3	*	1	*	Black	2,919	80	12.6	49	7.7	77	12.0

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 92

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 6 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths						Fetal deaths		Area and race	Deaths						Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate	Total deaths		Infant		Neonatal		Number	Rate		
		Number	Rate	Number	Rate					Number	Rate	Number	Rate				
Maine	11,158	90	5.6	57	3.5	87	5.4	Massachusetts	53,878	569	6.5	416	4.8	485	5.5		
White	11,104	87	5.5	55	3.5	81	5.1	White	51,547	435	5.8	322	4.3	377	5.0		
All other	54	3	*	2	*	6	*	All other	2,331	134	11.1	94	7.8	108	8.9		
Black	18	1	*	-	*	3	*	Black	2,013	116	13.4	82	9.5	101	11.5		
Urban places	3,206	23	5.7	16	*	16	*	Urban places	39,642	455	7.2	333	5.3	351	5.5		
White	3,187	22	5.6	16	*	16	*	White	37,499	327	6.3	243	4.7	250	4.8		
All other	19	1	*	-	*	-	*	All other	2,143	128	11.2	90	7.9	101	8.8		
Black	7	1	*	-	*	-	*	Black	1,864	112	13.5	80	9.6	96	11.4		
Balance of area	7,952	67	5.6	41	3.4	71	5.9	Balance of area	14,236	114	4.8	83	3.5	134	5.6		
White	7,917	65	5.5	39	3.3	65	5.5	White	14,048	108	4.7	79	3.4	127	5.4		
All other	35	2	*	2	*	6	*	All other	188	6	*	4	*	7	*		
Black	11	-	*	-	*	3	*	Black	149	4	*	2	*	5	*		
Metropolitan counties	4,357	39	6.1	26	4.1	30	4.7	Metropolitan counties	50,647	549	6.5	403	4.8	469	5.6		
White	4,335	38	6.1	26	4.1	28	4.4	White	48,395	417	5.8	311	4.3	362	5.0		
All other	22	1	*	-	*	2	*	All other	2,252	132	11.1	92	7.7	107	8.9		
Black	9	1	*	-	*	2	*	Black	1,956	115	13.5	81	9.5	100	11.6		
Urban places	2,154	20	7.4	14	*	11	*	Urban places	39,208	451	7.2	331	5.3	351	5.6		
White	2,138	19	*	14	*	11	*	White	37,084	324	6.3	242	4.7	250	4.8		
All other	16	1	*	-	*	-	*	All other	2,124	127	11.2	89	7.8	101	8.8		
Black	7	1	*	-	*	-	*	Black	1,851	111	13.4	79	9.5	96	11.5		
Balance of area	2,203	19	*	12	*	19	*	Balance of area	11,439	98	4.6	72	3.4	118	5.6		
White	2,187	19	*	12	*	17	*	White	11,311	93	4.5	69	3.4	112	5.4		
All other	6	-	*	-	*	2	*	All other	128	5	*	3	*	6	*		
Black	2	-	*	-	*	2	*	Black	105	4	*	2	*	4	*		
Nonmetropolitan counties	6,801	51	5.3	31	3.2	57	5.9	Nonmetropolitan counties	3,231	20	6.0	13	*	16	*		
White	6,769	49	5.2	29	3.1	53	5.6	White	3,152	18	*	11	*	15	*		
All other	32	2	*	2	*	4	*	All other	79	2	*	2	*	1	*		
Black	9	1	*	-	*	1	*	Black	57	1	*	1	*	1	*		
Urban places	1,052	3	*	2	*	5	*	Urban places	434	4	*	2	*	-	*		
White	1,049	3	*	2	*	5	*	White	415	3	*	1	*	-	*		
All other	3	-	*	-	*	-	*	All other	19	1	*	1	*	-	*		
Black	-	-	*	-	*	-	*	Black	13	1	*	1	*	-	*		
Balance of area	5,749	48	5.8	29	3.5	52	6.2	Balance of area	2,797	16	*	11	*	16	*		
White	5,720	46	5.6	27	3.3	48	5.8	White	2,737	15	*	10	*	15	*		
All other	29	2	*	2	*	4	*	All other	60	1	*	1	*	1	*		
Black	9	-	*	-	*	1	*	Black	44	-	*	-	*	1	*		
Maryland	38,891	761	9.8	521	6.7	711	9.1	Michigan	79,079	1,463	10.2	961	6.7	739	5.1		
White	28,798	332	6.7	232	4.7	320	6.4	White	66,554	783	7.0	497	4.4	559	5.0		
All other	10,093	429	15.2	289	10.2	391	13.7	All other	12,525	680	21.3	464	14.5	180	5.6		
Black	9,753	419	16.5	282	11.1	375	14.5	Black	11,902	657	22.1	451	15.2	165	5.5		
Urban places	13,622	286	13.2	185	8.6	271	12.4	Urban places	45,436	1,047	12.1	708	8.2	403	4.6		
White	7,725	97	10.2	68	7.1	77	8.0	White	33,790	394	7.0	256	4.5	246	4.3		
All other	5,907	189	15.6	117	9.7	194	15.8	All other	11,646	653	21.8	452	15.1	157	5.2		
Black	5,166	186	16.3	115	10.1	191	16.4	Black	11,296	635	22.3	440	15.4	149	5.2		
Balance of area	25,259	475	8.4	336	6.0	440	7.8	Balance of area	33,643	416	7.2	253	4.4	336	5.8		
White	21,073	235	5.9	164	4.1	243	6.0	White	32,764	389	7.0	241	4.3	313	5.6		
All other	4,186	240	14.9	172	10.7	197	12.1	All other	879	27	13.8	12	*	23	11.6		
Black	3,937	233	16.7	167	11.9	184	13.0	Black	606	22	18.2	11	*	16	*		
Metropolitan counties	35,419	709	9.8	484	6.7	671	9.2	Metropolitan counties	61,470	1,261	10.6	845	7.1	591	4.9		
White	26,082	302	6.6	209	4.6	298	6.5	White	49,353	589	6.7	381	4.3	414	4.7		
All other	9,337	407	15.2	275	10.2	373	13.7	All other	12,117	672	21.6	464	14.9	177	5.7		
Black	9,006	397	16.5	268	11.1	358	14.6	Black	11,698	654	22.2	451	15.3	164	5.5		
Urban places	13,176	278	13.3	180	8.6	267	12.6	Urban places	43,705	1,030	12.2	695	8.3	393	4.7		
White	7,403	95	10.3	67	7.3	76	8.2	White	32,102	378	7.0	243	4.5	236	4.3		
All other	5,773	183	15.6	113	9.6	191	16.0	All other	11,603	652	21.9	452	15.1	157	5.2		
Black	5,684	180	16.2	111	10.0	188	16.7	Black	11,290	635	22.3	440	15.4	149	5.2		
Balance of area	22,243	431	8.3	304	5.9	404	7.7	Balance of area	17,765	231	6.6	150	4.3	198	5.7		
White	18,679	207	5.7	142	3.9	222	6.0	White	17,251	211	6.3	138	4.1	178	5.3		
All other	3,564	224	14.8	162	10.7	182	11.9	All other	514	20	16.4	12	*	20	16.1		
Black	3,322	217	16.6	157	12.0	170	12.9	Black	408	19	*	11	*	15	*		
Nonmetropolitan counties	3,472	52	10.0	37	7.1	40	7.7	Nonmetropolitan counties	17,609	202	8.0	116	4.6	148	5.9		
White	2,716	30	7.8	23	6.0	22	5.7	White	17,201	194	8.0	116	4.8	145	5.9		
All other	756	22	16.4	14	*	18	*	All other	408	8	*	-	*	3	*		
Black	747	22	16.9	14	*	17	*	Black	204	3	*	-	*	1	*		
Urban places	456	8	*	5	*	4	*	Urban places	1,731	17	*	13	*	10	*		
White	322	2	*	1	*	1	*	White	1,688	16	*	13	*	10	*		
All other	134	6	*	4	*	3	*	All other	43	1	*	-	*	-	*		
Black	132	6	*	4	*	3	*	Black	6	-	*	-	*	-	*		
Balance of area	3,016	44	9.8	32	7.1	36	8.0	Balance of area	15,878	185	8.1	103	4.5	138	6.0		
White	2,394	28	8.0	22	6.3	21	6.0	White	15,513	178	8.0	103	4.7	135	6.1		
All other	622	16	*	10	*	15	*	All other	365	7	*	-	*	3	*		
Black	615	16	*	10	*	14	*	Black	198	3	*	-	*	1	*		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 93

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 7 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Infant		Neonatal		Number		Rate	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate				
Minnesota	35,037	463	7.1	293	4.5	407	6.2	Missouri	50,988	649	8.5	398	5.2	483	6.3
White	34,080	369	6.2	236	4.0	351	5.9	White	45,407	429	6.9	258	4.2	333	5.4
All other	957	94	14.6	57	8.9	56	8.6	All other	5,581	220	15.3	140	9.7	150	10.3
Black	494	51	17.5	37	12.7	31	10.5	Black	5,438	212	15.9	137	10.3	145	10.8
Urban places	18,582	291	7.6	193	5.0	240	6.2	Urban places	23,019	365	10.1	217	6.0	229	6.3
White	17,806	208	6.4	139	4.3	190	5.8	White	18,561	190	7.7	105	4.2	117	4.7
All other	776	83	14.8	54	9.6	50	8.8	All other	4,458	175	15.7	112	10.0	112	9.9
Black	482	51	17.9	37	13.0	31	10.7	Black	4,372	169	16.1	109	10.4	107	10.1
Balance of area	16,455	172	6.3	100	3.7	167	6.1	Balance of area	27,969	284	7.0	181	4.5	254	6.3
White	16,274	161	6.1	97	3.6	161	6.0	White	26,846	239	6.4	153	4.1	216	5.8
All other	181	11	*	3	*	6	*	All other	1,123	45	14.0	28	8.7	38	11.6
Black	12	-	-	-	-	-	-	Black	1,066	43	15.4	28	10.0	38	13.4
Metropolitan counties	20,545	332	7.0	220	4.6	285	6.0	Metropolitan counties	31,194	463	8.7	281	5.3	325	6.1
White	19,760	252	6.0	165	3.9	235	5.6	White	26,170	263	6.6	156	3.9	185	4.6
All other	785	80	14.1	55	9.7	50	8.7	All other	5,024	200	15.3	125	9.5	140	10.6
Black	489	50	17.4	37	12.9	31	10.7	Black	4,907	193	15.8	122	10.0	135	10.9
Urban places	15,645	253	7.3	168	4.9	212	6.1	Urban places	20,042	324	10.0	194	6.0	210	6.4
White	14,893	174	6.0	114	3.9	163	5.6	White	15,781	159	7.3	91	4.2	101	4.6
All other	752	79	14.5	54	9.9	49	8.9	All other	4,261	165	15.4	103	9.6	109	10.1
Black	479	50	17.7	37	13.1	31	10.8	Black	4,178	159	15.7	100	9.9	104	10.2
Balance of area	4,900	79	6.0	52	4.0	73	5.6	Balance of area	11,152	139	6.8	87	4.2	115	5.6
White	4,867	78	6.1	51	4.0	72	5.6	White	10,389	104	5.7	65	3.6	84	4.6
All other	33	1	*	1	*	1	*	All other	763	35	14.6	22	9.2	31	12.8
Black	10	-	-	-	-	-	-	Black	729	34	16.2	22	10.5	31	14.5
Nonmetropolitan counties	14,492	131	7.2	73	4.0	122	6.7	Nonmetropolitan counties	19,794	186	8.0	117	5.0	158	6.7
White	14,320	117	6.7	71	4.1	116	6.6	White	19,237	166	7.5	102	4.6	148	6.7
All other	172	14	*	2	*	6	*	All other	557	20	15.5	15	*	10	*
Black	5	1	*	-	-	-	-	Black	531	19	15	*	10	*	
Urban places	2,937	38	10.0	25	6.6	28	7.3	Urban places	2,977	41	11.7	23	6.5	19	*
White	2,913	34	9.4	25	6.9	27	7.4	White	2,780	31	10.2	14	*	16	*
All other	24	4	*	-	-	1	*	All other	197	10	*	9	*	3	*
Black	3	1	*	-	-	-	-	Black	194	10	*	9	*	3	*
Balance of area	11,555	93	6.5	48	3.4	94	6.5	Balance of area	16,817	145	7.3	94	4.7	139	7.0
White	11,407	83	6.0	46	3.3	89	6.4	White	16,457	135	7.1	88	4.6	132	6.9
All other	148	10	*	2	*	5	*	All other	360	10	*	6	*	7	*
Black	2	-	-	-	-	-	-	Black	337	9	*	6	*	7	*
Mississippi	25,259	509	11.9	320	7.5	499	11.6	Montana	7,068	86	7.5	34	3.0	85	7.4
White	16,489	173	8.0	98	4.5	147	6.7	White	6,735	67	6.7	29	2.9	73	7.3
All other	8,770	336	16.0	222	10.6	352	16.5	All other	333	19	*	5	*	12	*
Black	8,702	330	16.1	220	10.7	348	16.7	Black	13	2	*	*	*	1	*
Urban places	8,633	194	13.4	136	9.4	197	13.4	Urban places	2,850	34	7.6	11	*	30	6.6
White	5,220	46	8.0	30	5.2	41	7.1	White	2,796	26	6.3	9	*	29	7.0
All other	3,413	148	16.9	106	12.1	156	17.5	All other	54	8	*	2	*	1	*
Black	3,399	146	17.0	104	12.1	155	17.8	Black	10	1	*	*	*	1	*
Balance of area	16,626	315	11.2	184	6.5	302	10.6	Balance of area	4,218	52	7.4	23	3.3	55	7.8
White	11,269	127	7.9	68	4.3	106	6.6	White	3,939	41	7.0	20	3.4	44	7.5
All other	5,357	188	15.4	116	9.5	196	15.8	All other	279	11	*	3	*	11	*
Black	5,303	184	15.4	116	9.7	193	15.9	Black	3	1	*	*	*	-	*
Metropolitan counties	6,453	135	10.3	88	6.7	140	10.6	Metropolitan counties	1,526	19	*	6	*	20	6.5
White	4,509	55	7.2	38	5.0	51	6.7	White	1,496	14	*	6	*	18	*
All other	1,944	80	14.5	50	9.1	89	15.9	All other	30	5	*	*	*	2	*
Black	1,927	77	14.5	48	9.0	88	16.3	Black	5	1	*	*	*	1	*
Urban places	3,736	87	11.8	63	8.5	95	12.7	Urban places	1,264	14	*	3	*	16	*
White	2,396	25	7.6	20	6.1	25	7.5	White	1,238	9	*	*	*	15	*
All other	1,340	62	15.1	43	10.5	70	16.8	All other	26	5	*	*	*	1	*
Black	1,330	60	15.2	41	10.4	69	17.1	Black	5	1	*	*	*	1	*
Balance of area	2,717	48	8.4	25	4.4	45	7.8	Balance of area	262	5	*	3	*	4	*
White	2,113	30	7.0	18	*	26	6.0	White	258	5	*	3	*	3	*
All other	604	18	*	7	*	19	*	All other	4	*	*	*	*	1	*
Black	597	17	*	7	*	19	*	Black	-	-	*	*	*	-	*
Nonmetropolitan counties	18,806	374	12.6	232	7.8	359	12.0	Nonmetropolitan counties	5,542	67	8.0	28	3.3	65	7.7
White	11,980	118	8.4	60	4.3	96	6.8	White	5,239	53	7.4	23	3.2	55	7.6
All other	6,826	256	16.5	172	11.1	263	16.7	All other	303	14	*	5	*	10	*
Black	6,775	253	16.6	172	11.3	260	16.8	Black	8	1	*	*	*	-	*
Urban places	4,897	107	15.1	73	10.3	102	14.2	Urban places	1,586	20	9.1	8	*	14	*
White	2,824	21	8.6	10	*	16	*	White	1,558	17	*	6	*	14	*
All other	2,073	86	18.5	63	13.5	86	18.2	All other	28	3	*	2	*	-	*
Black	2,069	86	18.7	63	13.7	86	18.3	Black	5	4	*	*	*	-	*
Balance of area	13,909	267	11.9	159	7.1	257	11.3	Balance of area	3,956	47	7.5	20	3.2	51	8.1
White	9,156	97	8.3	50	4.3	80	6.8	White	3,681	36	7.0	17	*	41	7.9
All other	4,753	170	15.7	109	10.1	177	16.1	All other	275	11	*	3	*	10	*
Black	4,706	167	15.7	109	10.3	174	16.1	Black	3	1	*	*	*	-	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 95

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 9 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths					Fetal deaths		Area and race	Deaths					Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate		Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
New Mexico	11,176	211	7.6	109	3.9	110	3.9	North Carolina	59,611	1,038	10.0	712	6.8	917	8.7
White	10,190	157	6.8	87	3.8	93	4.0	White	44,977	514	7.3	350	4.9	466	6.5
All other	986	54	11.3	22	4.6	17	*	All other	14,634	524	15.8	362	10.9	451	13.4
Black	201	15	*	5	*	*	*	Black	14,070	499	16.5	341	11.2	427	13.9
Urban places	6,396	109	7.2	57	3.7	50	3.3	Urban places	21,758	441	11.1	314	7.9	391	9.7
White	6,108	90	6.6	47	3.4	46	3.4	White	14,657	148	6.7	112	5.1	144	6.5
All other	288	19	*	10	*	4	*	All other	7,101	293	16.4	202	11.3	247	13.7
Black	179	14	*	5	*	*	*	Black	6,979	285	17.0	196	11.7	241	14.2
Balance of area	4,780	102	8.0	52	4.1	60	4.7	Balance of area	37,853	597	9.3	398	6.2	526	8.1
White	4,082	67	7.1	40	4.2	47	4.9	White	30,320	366	7.5	238	4.9	322	6.6
All other	698	35	10.9	12	*	13	*	All other	7,533	231	15.0	160	10.4	204	13.1
Black	28	1	*	*	*	*	*	Black	7,091	214	15.7	145	10.7	186	13.5
Metropolitan counties	4,946	88	6.7	46	3.5	45	3.4	Metropolitan counties	30,515	569	9.3	386	6.3	493	8.0
White	4,755	77	6.3	42	3.5	42	3.5	White	23,638	283	6.6	189	4.4	248	5.7
All other	191	11	*	4	*	3	*	All other	6,877	286	15.8	197	10.9	245	13.3
Black	92	10	*	3	*	*	*	Black	6,747	273	16.3	186	11.1	237	13.9
Urban places	4,262	72	7.0	36	3.5	34	3.3	Urban places	16,812	337	10.6	240	7.6	308	9.6
White	4,101	61	6.4	32	3.4	31	3.2	White	11,578	118	6.6	88	4.9	114	6.3
All other	161	11	*	4	*	3	*	All other	5,234	219	16.0	152	11.1	194	13.9
Black	88	10	*	3	*	*	*	Black	5,152	212	16.5	147	11.5	188	14.5
Balance of area	684	16	*	10	*	11	*	Balance of area	13,703	232	7.9	146	5.0	185	6.3
White	654	16	*	10	*	11	*	White	12,060	165	6.6	101	4.0	134	5.3
All other	30	*	*	*	*	*	*	All other	1,643	67	15.2	45	10.2	51	11.4
Black	4	*	*	*	*	*	*	Black	1,595	61	15.4	39	9.9	49	12.2
Nonmetropolitan counties	6,230	123	8.3	63	4.2	65	4.4	Nonmetropolitan counties	29,096	469	10.9	326	7.6	424	9.8
White	5,435	80	7.3	45	4.1	51	4.6	White	21,339	231	8.3	161	5.8	218	7.8
All other	795	43	11.3	18	*	14	*	All other	7,757	238	15.8	165	11.0	206	13.5
Black	109	5	*	2	*	*	*	Black	7,323	226	16.7	155	11.4	190	13.8
Urban places	2,134	37	7.6	21	4.3	16	*	Urban places	4,946	104	12.9	74	9.2	83	10.2
White	2,007	29	7.0	15	*	15	*	White	3,079	30	7.6	24	6.1	30	7.5
All other	127	8	*	6	*	1	*	All other	1,867	74	18.0	50	12.2	53	12.8
Black	85	4	*	2	*	*	*	Black	1,827	73	18.6	49	12.5	53	13.3
Balance of area	4,096	86	8.6	42	4.2	49	4.9	Balance of area	24,150	365	10.5	252	7.2	341	9.7
White	3,428	51	7.4	30	4.4	36	5.2	White	18,260	201	8.4	137	5.7	188	7.8
All other	668	35	11.5	12	*	13	*	All other	5,890	164	15.0	115	10.5	153	13.8
Black	24	1	*	*	*	*	*	Black	5,496	153	15.9	106	11.0	137	14.0
New York	166,333	2,532	8.8	1,691	5.9	3,255	11.2	North Dakota	5,697	69	7.8	44	5.0	56	6.3
White	139,984	1,510	7.1	1,044	4.9	1,811	8.4	White	5,514	58	7.4	40	5.1	46	5.8
All other	26,349	1,022	13.6	647	8.6	1,444	18.8	All other	183	11	*	4	*	10	*
Black	24,435	961	15.8	605	9.9	1,353	21.7	Black	3	*	*	*	*	1	*
Urban places	106,239	1,864	9.9	1,234	6.5	2,580	13.5	Urban places	2,147	29	7.0	13	*	29	7.0
White	81,970	933	7.8	647	5.4	1,225	10.1	White	2,114	26	6.7	13	*	26	6.6
All other	24,269	931	13.6	587	8.6	1,355	19.4	All other	33	3	*	*	*	3	*
Black	22,636	885	15.7	554	9.8	1,273	22.1	Black	3	*	*	*	*	*	*
Balance of area	60,094	668	6.7	457	4.6	675	6.8	Balance of area	3,550	40	8.6	31	6.6	27	5.7
White	58,014	577	6.2	397	4.3	586	6.3	White	3,400	32	8.1	27	6.9	20	5.0
All other	2,080	91	13.6	60	9.0	89	13.2	All other	150	8	*	4	*	7	*
Black	1,799	76	16.8	51	11.2	80	17.3	Black	-	*	*	*	*	1	*
Metropolitan counties	151,674	2,363	8.9	1,582	6.0	3,068	11.4	Metropolitan counties	1,724	22	5.6	14	*	27	6.8
White	125,621	1,349	7.0	941	4.9	1,637	8.5	White	1,697	20	5.4	14	*	24	6.5
All other	26,053	1,014	13.6	641	8.6	1,431	18.9	All other	27	2	*	18	*	3	*
Black	24,206	953	15.8	599	9.9	1,344	21.8	Black	1	*	*	*	*	1	*
Urban places	103,192	1,827	9.9	1,211	6.6	2,549	13.6	Urban places	1,385	18	*	10	*	23	7.4
White	78,990	897	7.7	625	5.4	1,199	10.2	White	1,360	16	*	10	*	21	7.3
All other	24,202	930	13.6	586	8.6	1,350	19.4	All other	25	2	*	*	*	2	*
Black	22,576	884	15.7	553	9.8	1,269	22.1	Black	1	*	*	*	*	*	*
Balance of area	48,482	536	6.6	371	4.6	519	6.3	Balance of area	339	4	*	4	*	4	*
White	46,631	452	6.0	316	4.2	438	5.8	White	337	4	*	4	*	3	*
All other	1,851	84	14.0	55	9.2	81	13.3	All other	2	*	*	*	*	1	*
Black	1,630	69	16.7	46	11.1	75	17.9	Black	-	*	*	*	*	1	*
Nonmetropolitan counties	14,659	169	7.7	109	4.9	187	8.4	Nonmetropolitan counties	3,973	47	9.6	30	6.2	29	5.9
White	14,363	161	7.6	103	4.9	174	8.2	White	3,817	38	9.2	26	6.3	22	5.3
All other	296	8	*	6	*	13	*	All other	156	9	*	4	*	7	*
Black	229	8	*	6	*	9	*	Black	2	*	*	*	*	*	*
Urban places	3,047	37	9.0	23	5.6	31	7.5	Urban places	762	11	*	3	*	6	*
White	2,980	36	9.5	22	5.8	26	6.8	White	754	10	*	3	*	5	*
All other	67	1	*	1	*	5	*	All other	8	1	*	*	*	1	*
Black	60	1	*	1	*	4	*	Black	2	*	*	*	*	*	*
Balance of area	11,612	132	7.3	86	4.8	156	8.6	Balance of area	3,211	36	9.5	27	7.1	23	6.0
White	11,383	125	7.2	81	4.7	148	8.5	White	3,063	28	9.0	23	7.4	17	*
All other	229	7	*	5	*	8	*	All other	148	8	*	4	*	6	*
Black	169	7	*	5	*	5	*	Black	-	*	*	*	*	-	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 96

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 10 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths						Fetal deaths		Area and race	Deaths						Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate	Total deaths		Infant		Neonatal		Number	Rate		
		Number	Rate	Number	Rate					Number	Rate	Number	Rate				
Ohio	99,120	1,530	9.4	956	5.9	1,146	7.0	Oregon	25,760	298	7.1	159	3.8	244	5.8		
White	88,300	1,056	7.9	665	4.9	827	6.1	White	25,024	266	6.8	142	3.6	222	5.7		
All other	10,820	474	17.0	291	10.4	319	11.3	All other	736	32	10.8	17	*	22	7.4		
Black	10,614	467	18.0	286	11.0	306	11.6	Black	350	22	23.0	10	*	9	*		
Urban places	57,115	1,018	10.9	653	7.0	727	7.7	Urban places	13,458	157	6.9	89	3.9	138	6.0		
White	47,337	569	8.4	374	5.5	436	6.4	White	12,901	133	6.5	75	3.7	116	5.8		
All other	9,778	449	17.7	279	11.0	291	11.3	All other	557	24	10.9	14	*	22	9.9		
Black	9,627	442	18.4	274	11.4	284	11.7	Black	326	20	22.9	10	*	9	*		
Balance of area	42,005	512	7.4	303	4.4	419	6.0	Balance of area	12,302	141	7.3	70	3.6	106	5.5		
White	40,963	487	7.3	291	4.4	391	5.8	White	12,123	133	7.2	67	3.6	106	5.7		
All other	1,042	25	10.1	12	*	28	11.2	All other	179	8	*	3	*	*	*		
Black	987	25	13.1	12	*	22	11.4	Black	24	2	*	-	*	-	*		
Metropolitan counties	77,697	1,270	9.8	806	6.2	930	7.1	Metropolitan counties	16,932	212	7.1	115	3.8	177	5.9		
White	67,269	801	7.8	517	5.0	617	6.0	White	16,323	184	6.7	100	3.6	156	5.7		
All other	10,428	469	17.3	289	10.7	313	11.4	All other	609	28	11.4	15	*	21	9.5		
Black	10,246	463	18.3	285	11.3	303	11.8	Black	337	21	22.9	10	*	9	*		
Urban places	50,570	944	11.2	612	7.2	673	7.9	Urban places	11,117	130	6.8	73	3.8	124	6.4		
White	41,034	499	8.4	335	5.6	382	6.4	White	10,582	106	6.2	59	3.4	103	6.0		
All other	9,536	445	17.9	277	11.1	291	11.6	All other	535	24	11.9	14	*	21	10.3		
Black	9,398	439	18.6	273	11.6	284	11.9	Black	322	20	23.3	10	*	9	*		
Balance of area	27,127	326	7.2	194	4.3	257	5.6	Balance of area	5,815	82	7.7	42	3.9	53	4.9		
White	26,235	302	7.0	182	4.2	235	5.4	White	5,741	78	7.6	41	4.0	53	5.1		
All other	892	24	10.9	12	*	22	9.9	All other	74	4	*	1	*	-	*		
Black	848	24	13.9	12	*	19	*	Black	15	1	*	-	*	-	*		
Nonmetropolitan counties	21,423	260	8.0	150	4.6	216	6.6	Nonmetropolitan counties	8,828	86	7.1	44	3.6	67	5.5		
White	21,031	255	8.0	148	4.7	210	6.6	White	8,701	82	7.1	42	3.6	66	5.6		
All other	392	5	*	2	*	6	*	All other	127	4	*	2	*	1	*		
Black	368	4	*	1	*	3	*	Black	13	1	*	-	*	*	*		
Urban places	6,545	74	8.4	41	4.7	54	6.1	Urban places	2,341	27	7.8	16	*	14	*		
White	6,303	70	8.5	39	4.8	54	6.5	White	2,319	27	8.2	16	*	13	*		
All other	242	4	*	2	*	-	*	All other	22	-	*	-	*	-	*		
Black	229	3	*	1	*	-	*	Black	4	-	*	-	*	-	*		
Balance of area	14,878	186	7.8	109	4.6	162	6.8	Balance of area	6,487	59	6.8	28	3.2	53	6.1		
White	14,728	185	7.9	109	4.6	156	6.6	White	6,382	55	6.6	28	3.1	53	6.3		
All other	150	1	*	-	*	6	*	All other	105	4	*	2	*	-	*		
Black	139	1	*	-	*	3	*	Black	9	1	*	-	*	-	*		
Oklahoma	30,510	417	8.8	242	5.1	379	7.9	Pennsylvania	123,520	1,478	9.0	984	6.0	1,490	9.0		
White	27,274	293	7.9	169	4.5	286	7.6	White	111,372	943	6.9	638	4.7	1,100	8.0		
All other	3,236	124	12.1	73	7.1	93	9.0	All other	12,148	535	18.7	346	12.1	390	13.4		
Black	1,983	87	16.8	52	10.1	55	10.5	Black	11,797	519	20.4	338	13.3	370	14.4		
Urban places	15,813	258	9.1	153	5.4	229	8.0	Urban places	61,978	941	11.4	628	7.6	803	9.6		
White	13,910	168	7.8	97	4.5	157	7.2	White	50,742	444	7.8	304	5.4	450	7.9		
All other	1,903	90	13.5	56	8.4	72	10.7	All other	11,236	497	19.0	324	12.4	353	13.3		
Black	1,504	75	16.8	48	10.8	53	11.8	Black	10,969	483	20.4	316	13.3	339	14.1		
Balance of area	14,697	159	8.3	89	4.6	150	7.7	Balance of area	61,542	537	6.6	356	4.4	687	8.3		
White	13,364	125	8.0	72	4.6	129	8.2	White	60,630	499	6.3	334	4.2	650	8.1		
All other	1,333	34	9.5	17	*	21	5.8	All other	912	38	15.7	22	9.1	37	15.1		
Black	479	12	*	4	*	2	*	Black	828	36	21.4	22	13.0	31	18.1		
Metropolitan counties	15,737	277	9.3	166	5.6	242	8.0	Metropolitan counties	103,839	1,316	9.3	889	6.3	1,260	8.8		
White	13,933	186	8.0	112	4.8	177	7.6	White	91,842	788	6.9	545	4.8	874	7.6		
All other	1,804	91	13.6	54	8.1	65	9.6	All other	11,997	528	18.7	344	12.2	386	13.5		
Black	1,369	72	17.0	44	10.4	47	11.0	Black	11,664	513	20.4	336	13.4	367	14.4		
Urban places	12,255	226	9.5	136	5.7	193	8.1	Urban places	59,661	921	11.4	618	7.7	782	9.6		
White	10,736	145	8.1	87	4.8	132	7.3	White	48,470	425	7.8	294	5.4	429	7.8		
All other	1,519	81	14.2	49	8.6	61	10.6	All other	11,191	496	19.0	324	12.4	353	13.4		
Black	1,237	67	16.9	41	10.3	45	11.2	Black	10,924	482	20.4	316	13.4	339	14.2		
Balance of area	3,482	51	8.2	30	4.8	49	7.8	Balance of area	44,178	395	6.4	271	4.4	478	7.7		
White	3,197	41	7.8	25	4.8	45	8.5	White	43,372	363	6.1	251	4.2	445	7.5		
All other	285	10	*	5	*	4	*	All other	806	32	14.6	20	9.1	33	14.9		
Black	132	5	*	3	*	2	*	Black	740	31	19.8	20	12.8	28	17.6		
Nonmetropolitan counties	14,773	140	7.9	76	4.3	137	7.7	Nonmetropolitan counties	19,681	162	7.1	95	4.2	230	10.0		
White	13,341	107	7.6	57	4.1	109	7.7	White	19,530	155	6.9	93	4.2	226	10.0		
All other	1,432	33	9.2	19	*	28	7.8	All other	151	7	*	2	*	4	*		
Black	614	15	*	8	*	8	*	Black	133	6	*	2	*	3	*		
Urban places	3,558	32	6.9	17	*	36	7.7	Urban places	2,317	20	8.9	10	*	21	9.3		
White	3,174	23	6.3	10	*	25	6.7	White	2,272	19	*	10	*	21	10.0		
All other	384	9	*	7	*	11	*	All other	45	1	*	-	*	-	*		
Black	267	8	*	7	*	8	*	Black	45	1	*	-	*	-	*		
Balance of area	11,215	108	8.3	59	4.5	101	7.7	Balance of area	17,364	142	6.9	85	4.2	209	10.1		
White	10,167	84	8.1	47	4.5	84	8.0	White	17,258	136	6.7	83	4.1	205	10.0		
All other	1,048	24	9.2	12	*	17	*	All other	106	6	*	2	*	4	*		
Black	347	7	*	1	*	-	*	Black	88	5	*	2	*	3	*		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 97

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 11 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Infant		Neonatal		Number		Rate	Total deaths	Infant		Neonatal		Number	Rate
		Number	Rate	Number	Rate					Number	Rate	Number	Rate		
Rhode Island	9,469	107	7.4	78	5.4	81	5.6	South Dakota *	6,697	102	9.3	56	5.1	65	5.9
White	9,146	88	6.9	61	4.8	70	5.5	White	6,228	70	7.7	44	4.8	48	5.2
All other	323	19	*	17	*	11	*	All other	469	32	16.8	12	*	17	*
Black	262	15	*	14	*	10	*	Black	4	-	-	-	-	-	-
Urban places	7,459	81	7.1	61	5.3	66	5.7	Urban places	2,426	43	9.6	24	5.4	23	5.1
White	7,163	62	6.4	44	4.5	56	5.7	White	2,361	36	8.9	22	5.5	21	5.2
All other	296	19	*	17	*	10	*	All other	65	7	*	2	*	2	*
Black	250	15	*	14	*	9	*	Black	2	-	-	-	-	-	-
Balance of area	2,010	26	8.5	17	*	15	*	Balance of area	4,271	59	9.0	32	4.9	42	6.4
White	1,983	26	8.7	17	*	14	*	White	3,867	34	6.7	22	4.3	27	5.3
All other	27	-	-	-	-	1	*	All other	404	25	17.2	10	*	15	*
Black	12	-	-	-	-	1	*	Black	2	-	-	-	-	-	-
Metropolitan counties	8,764	98	7.4	72	5.4	76	5.7	Metropolitan counties	1,561	28	7.9	16	*	13	*
White	8,467	79	6.8	55	4.7	65	5.6	White	1,512	26	8.2	15	*	12	*
All other	297	19	*	17	*	11	*	All other	49	2	*	1	*	1	*
Black	239	15	*	14	*	10	*	Black	2	-	-	-	-	-	-
Urban places	7,051	77	7.2	58	5.4	61	5.7	Urban places	1,258	22	8.0	13	*	10	*
White	6,778	58	6.4	41	4.5	51	5.6	White	1,214	20	8.3	12	*	9	*
All other	273	19	*	17	*	10	*	All other	44	2	*	1	*	1	*
Black	230	15	*	14	*	9	*	Black	1	-	-	-	-	-	-
Balance of area	1,713	21	8.1	14	*	15	*	Balance of area	303	6	*	3	*	3	*
White	1,689	21	8.3	14	*	14	*	White	298	6	*	3	*	3	*
All other	24	-	-	-	-	1	*	All other	5	-	-	-	-	-	-
Black	9	-	-	-	-	1	*	Black	1	-	-	-	-	-	-
Nonmetropolitan counties	705	9	*	6	*	5	*	Nonmetropolitan counties	5,136	74	9.9	40	5.4	52	6.9
White	679	9	*	6	*	5	*	White	4,716	44	7.4	29	4.9	36	6.0
All other	26	-	-	-	-	-	-	All other	420	30	19.7	11	*	16	*
Black	23	-	-	-	-	-	-	Black	2	-	-	-	-	-	-
Urban places	408	4	*	3	*	5	*	Urban places	1,168	21	12.2	11	*	13	*
White	385	4	*	3	*	5	*	White	1,147	16	*	10	*	12	*
All other	23	-	-	-	-	-	-	All other	21	5	*	1	*	1	*
Black	20	-	-	-	-	-	-	Black	1	-	-	-	-	-	-
Balance of area	297	5	*	3	*	-	-	Balance of area	3,968	53	9.2	29	5.1	39	6.8
White	294	5	*	3	*	-	-	White	3,569	28	6.5	19	*	24	5.5
All other	3	-	-	-	-	-	-	All other	399	25	17.8	10	*	15	*
Black	3	-	-	-	-	-	-	Black	1	-	-	-	-	-	-
South Carolina	30,638	586	10.4	386	6.9	583	10.3	Tennessee *	46,576	695	9.4	420	5.7	411	5.6
White	21,002	241	7.1	160	4.7	252	7.4	White	38,779	386	7.0	212	3.8	264	4.8
All other	9,636	345	15.5	226	10.2	331	14.7	All other	7,797	309	16.9	208	11.3	147	8.0
Black	9,581	345	16.0	226	10.5	330	15.0	Black	7,722	305	17.4	204	11.7	147	8.3
Urban places	8,420	166	10.7	111	7.2	155	9.9	Urban places	23,209	442	11.6	275	7.2	220	5.8
White	5,506	53	6.7	37	4.7	67	8.4	White	16,838	173	7.8	95	4.3	97	4.3
All other	2,914	113	14.9	74	9.8	88	11.5	All other	6,371	269	17.1	180	11.5	123	7.8
Black	2,900	113	15.4	74	10.1	88	11.8	Black	6,324	268	17.7	179	11.9	123	8.1
Balance of area	22,218	420	10.3	275	6.8	428	10.4	Balance of area	23,367	253	7.1	145	4.1	191	5.3
White	15,496	188	7.2	123	4.7	185	7.1	White	21,941	213	6.5	117	3.5	167	5.0
All other	6,722	232	15.8	152	10.4	243	16.3	All other	1,426	40	15.2	28	10.6	24	9.0
Black	6,681	232	16.3	152	10.7	242	16.7	Black	1,398	37	15.3	25	10.4	24	9.9
Metropolitan counties	17,071	347	10.2	234	6.9	319	9.3	Metropolitan counties	29,479	524	10.0	320	6.1	282	5.3
White	12,435	168	7.5	118	5.2	166	7.3	White	22,960	244	6.7	134	3.7	161	4.4
All other	4,636	179	15.5	116	10.0	153	13.0	All other	6,519	280	17.2	186	11.4	121	7.4
Black	4,609	179	16.1	116	10.4	152	13.5	Black	6,461	278	17.9	184	11.8	121	7.7
Urban places	6,433	139	10.8	93	7.2	128	9.8	Urban places	20,237	412	11.9	255	7.4	194	5.6
White	4,169	43	6.4	30	4.5	57	8.4	White	14,196	149	7.7	81	4.2	80	4.1
All other	2,264	96	15.6	63	10.2	71	11.4	All other	6,041	263	17.4	174	11.5	114	7.5
Black	2,255	96	16.1	63	10.6	71	11.8	Black	5,996	262	18.0	173	11.9	114	7.8
Balance of area	10,638	208	9.8	141	6.6	191	8.9	Balance of area	9,242	112	6.2	65	3.6	88	4.9
White	8,266	125	7.9	88	5.6	109	6.9	White	8,764	95	5.6	53	3.1	81	4.8
All other	2,372	83	15.3	53	9.8	82	14.9	All other	478	17	*	12	*	7	*
Black	2,354	83	16.0	53	10.2	81	15.4	Black	465	16	*	11	*	7	*
Nonmetropolitan counties	13,567	239	10.8	152	6.9	264	11.8	Nonmetropolitan counties	17,097	171	8.1	100	4.7	129	6.1
White	8,567	73	6.4	42	3.7	86	7.5	White	15,819	142	7.4	78	4.1	103	5.4
All other	5,000	166	15.6	110	10.3	178	16.5	All other	1,278	29	14.0	22	10.6	26	12.4
Black	4,972	166	15.9	110	10.5	178	16.7	Black	1,261	27	13.8	20	10.2	26	13.1
Urban places	1,987	27	10.4	18	*	27	10.2	Urban places	2,972	30	8.6	20	5.7	26	7.4
White	1,337	10	*	7	*	10	*	White	2,642	24	8.2	14	*	17	*
All other	650	17	*	11	*	17	*	All other	330	6	*	6	*	9	*
Black	645	17	*	11	*	17	*	Black	328	6	*	6	*	9	*
Balance of area	11,580	212	10.9	134	6.9	237	12.0	Balance of area	14,125	141	8.0	80	4.5	103	5.8
White	7,230	63	6.1	35	3.4	76	7.4	White	13,177	118	7.3	64	4.0	86	5.3
All other	4,350	149	16.1	99	10.7	161	17.1	All other	948	23	15.4	16	*	17	*
Black	4,327	149	16.4	99	10.9	161	17.4	Black	933	21	14.8	14	*	17	*

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 98

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 12 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix]

Area and race	Deaths				Fetal deaths		Area and race	Deaths				Fetal deaths			
	Total deaths	Number	Rate	Number	Rate	Number		Rate	Total deaths	Number	Rate	Number	Rate		
Texas	129,108	2,487	7.8	1,512	4.7	2,004	6.2	Vermont	4,796	56	7.2	31	4.0	50	6.4
White	111,273	1,850	6.8	1,132	4.2	1,537	5.7	White	4,782	56	7.3	31	4.1	50	6.5
All other	17,835	637	12.6	380	7.5	467	9.1	All other	14	-	-	-	-	-	-
Black	17,131	612	14.2	366	8.5	412	9.5	Black	2	-	-	-	-	-	-
Urban places	89,421	1,853	8.0	1,122	4.9	1,449	6.3	Urban places	673	5	4	4	5	5	5
White	69,270	1,297	6.9	794	4.2	1,055	5.6	White	670	5	4	4	5	5	5
All other	14,151	556	13.1	328	7.7	394	9.2	All other	3	-	-	-	-	-	-
Black	13,571	534	14.7	315	8.7	349	9.5	Black	-	-	-	-	-	-	-
Balance of area	45,687	634	7.0	390	4.3	555	6.1	Balance of area	4,123	51	7.4	27	3.9	45	6.5
White	42,003	553	6.7	338	4.1	482	5.8	White	4,112	51	7.5	27	4.0	45	6.6
All other	3,684	81	10.1	52	6.5	73	9.0	All other	11	-	-	-	-	-	-
Black	3,560	78	11.6	51	7.6	63	9.3	Black	2	-	-	-	-	-	-
Metropolitan counties	95,424	2,135	7.8	1,310	4.8	1,715	6.2	Metropolitan counties	882	10	8	8	15	15	15
White	80,735	1,563	6.8	967	4.2	1,297	5.7	White	875	10	8	8	15	15	15
All other	14,689	572	12.5	343	7.5	418	9.1	All other	7	-	-	-	-	-	-
Black	14,026	548	14.3	329	8.6	368	9.5	Black	-	-	-	-	-	-	-
Urban places	75,823	1,743	8.0	1,063	4.9	1,361	6.2	Urban places	429	3	3	3	4	4	4
White	62,469	1,212	6.9	746	4.2	983	5.5	White	426	3	3	3	4	4	4
All other	13,354	531	13.0	317	7.8	378	9.2	All other	3	-	-	-	-	-	-
Black	12,786	510	14.7	304	8.8	334	9.5	Black	-	-	-	-	-	-	-
Balance of area	19,601	392	6.9	247	4.3	354	6.2	Balance of area	453	7	5	5	11	11	11
White	18,266	351	6.7	221	4.2	314	6.0	White	449	7	5	5	11	11	11
All other	1,335	41	8.6	26	5.4	40	8.3	All other	4	-	-	-	-	-	-
Black	1,240	38	10.4	25	6.9	34	9.2	Black	-	-	-	-	-	-	-
Nonmetropolitan counties	33,684	352	7.5	202	4.3	289	6.1	Nonmetropolitan counties	3,914	46	8.0	23	4.0	35	6.1
White	30,538	287	6.8	165	3.9	240	5.7	White	3,907	46	8.1	23	4.1	35	6.1
All other	3,146	65	13.0	37	7.4	49	9.7	All other	7	-	-	-	-	-	-
Black	3,105	64	13.8	37	8.0	44	9.4	Black	2	-	-	-	-	-	-
Urban places	7,598	110	8.3	59	4.5	88	6.6	Urban places	244	2	1	1	1	1	1
White	6,801	85	7.4	48	4.2	72	6.2	White	244	2	1	1	1	1	1
All other	797	25	14.5	11	16	16	16	All other	-	-	-	-	-	-	-
Black	785	24	15.1	11	15	15	15	Black	-	-	-	-	-	-	-
Balance of area	26,086	242	7.2	143	4.2	201	5.9	Balance of area	3,670	44	8.1	22	4.0	34	6.2
White	23,737	202	6.6	117	3.8	168	5.5	White	3,663	44	8.1	22	4.1	34	6.3
All other	2,349	40	12.3	26	8.0	33	10.0	All other	7	-	-	-	-	-	-
Black	2,320	40	13.1	26	8.5	29	9.4	Black	2	-	-	-	-	-	-
Utah	9,772	220	5.9	132	3.5	249	6.6	Virginia	49,363	919	9.5	615	6.3	756	7.7
White	9,554	213	6.0	129	3.7	236	6.6	White	38,160	485	6.9	307	4.4	426	6.0
All other	218	7	8.1	3	13	13	13	All other	11,203	434	16.0	308	11.4	330	12.0
Black	52	2	11.3	1	4	4	4	Black	10,865	422	17.7	299	12.5	320	13.2
Urban places	5,051	111	5.5	62	3.1	149	7.3	Urban places	20,835	517	12.0	355	8.2	399	9.2
White	4,947	106	5.5	60	3.1	142	7.3	White	14,261	215	8.1	139	5.3	186	7.0
All other	104	5	10.3	2	7	7	7	All other	6,574	302	18.0	216	12.9	213	12.5
Black	37	1	10.3	1	2	2	2	Black	6,431	297	19.2	211	13.6	209	13.3
Balance of area	4,721	109	6.4	70	4.1	100	5.9	Balance of area	28,528	402	7.4	260	4.8	357	6.6
White	4,607	107	6.7	69	4.3	94	5.8	White	23,899	270	6.2	168	3.8	240	5.5
All other	114	2	10.3	1	6	6	6	All other	4,629	132	12.8	92	8.9	117	11.2
Black	15	1	10.3	1	2	2	2	Black	4,434	125	14.9	88	10.5	111	13.0
Metropolitan counties	7,162	184	6.2	112	3.8	181	6.1	Metropolitan counties	32,068	727	9.7	496	6.6	582	7.7
White	7,020	177	6.3	109	3.9	172	6.1	White	23,905	356	6.8	228	4.4	308	5.9
All other	142	7	10.3	3	9	9	9	All other	8,163	371	16.2	268	11.7	274	11.8
Black	48	2	10.3	1	4	4	4	Black	7,839	359	18.1	259	13.1	264	13.1
Urban places	4,339	103	5.8	60	3.4	123	6.9	Urban places	18,839	491	12.2	338	8.4	364	9.0
White	4,242	98	5.8	58	3.4	118	6.9	White	12,546	198	8.3	128	5.3	159	6.6
All other	97	5	10.3	2	5	5	5	All other	6,293	293	18.0	210	12.9	205	12.5
Black	35	1	10.3	1	2	2	2	Black	6,151	288	19.2	205	13.7	201	13.2
Balance of area	2,823	81	6.9	52	4.4	58	4.9	Balance of area	13,229	236	6.8	158	4.5	218	6.2
White	2,778	79	7.0	51	4.5	54	4.8	White	11,359	158	5.6	100	3.6	149	5.3
All other	45	2	10.3	1	4	4	4	All other	1,870	78	11.8	58	8.8	69	10.3
Black	13	1	10.3	1	2	2	2	Black	1,688	71	14.7	54	11.2	63	12.9
Nonmetropolitan counties	2,610	36	4.7	20	2.6	68	8.8	Nonmetropolitan counties	17,295	192	8.6	119	5.3	174	7.8
White	2,534	36	5.0	20	2.8	64	8.9	White	14,255	129	7.1	79	4.4	118	6.5
All other	76	-	-	-	4	4	4	All other	3,040	63	15.1	40	9.6	56	13.2
Black	4	-	-	-	-	-	-	Black	3,026	63	15.7	40	10.0	56	13.8
Urban places	712	8	5.8	2	26	10.4	10.4	Urban places	1,996	26	8.7	17	6	35	11.6
White	705	8	5.8	2	24	10.1	10.1	White	1,715	17	11	11	27	10.9	
All other	7	-	-	-	2	2	2	All other	281	9	6	6	8	8	
Black	2	-	-	-	-	-	-	Black	280	9	6	6	8	8	
Balance of area	1,898	28	5.4	18	42	8.0	8.0	Balance of area	15,299	166	8.6	102	5.3	139	7.2
White	1,829	28	5.8	18	40	8.3	8.3	White	12,540	112	7.2	68	4.4	91	5.8
All other	69	-	-	-	2	2	2	All other	2,759	54	14.7	34	9.3	48	12.9
Black	2	-	-	-	-	-	-	Black	2,746	54	15.1	34	9.5	48	13.2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 99

Table 8-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Rates, by Race, for Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 13 of 13)

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in specified group; fetal death rates per 1,000 live births and fetal deaths in specified group. Beginning in 1989, race for fetal deaths and live births is tabulated according to race of mother; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more in 1980; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 in 1980. For definition of areas see Technical Appendix.]

Area and race	Deaths						Fetal deaths		Area and race	Deaths						Fetal deaths	
	Total deaths	Infant		Neonatal		Number	Rate	Total deaths		Infant		Neonatal		Number	Rate		
		Number	Rate	Number	Rate					Number	Rate	Number	Rate				
Washington	38,162	538	6.8	292	3.7	466	5.8	Wisconsin	42,242	508	7.2	304	4.3	463	6.5		
White	36,057	448	6.4	243	3.5	382	5.4	White	40,518	389	6.4	237	3.9	364	6.0		
All other	2,105	90	9.6	49	5.2	84	8.9	All other	1,724	119	11.9	67	6.7	99	9.8		
Black	897	50	15.9	36	11.4	46	14.4	Black	1,389	99	13.5	54	7.4	80	10.8		
Urban places	19,109	248	7.0	148	4.2	228	6.4	Urban places	21,330	314	8.1	192	5.0	286	7.3		
White	17,679	197	6.6	114	3.8	174	5.8	White	19,829	203	6.9	129	4.4	195	6.6		
All other	1,430	51	9.4	34	6.3	54	9.9	All other	1,501	111	12.1	63	6.9	91	9.8		
Black	731	34	17.3	27	13.7	28	14.0	Black	1,351	97	13.5	53	7.4	80	11.0		
Balance of area	19,053	290	6.6	144	3.3	238	5.4	Balance of area	20,912	194	6.1	112	3.5	177	5.5		
White	18,378	251	6.2	129	3.2	208	5.1	White	20,689	186	6.0	108	3.5	169	5.4		
All other	675	39	9.8	15	*	30	7.5	All other	223	8	*	4	*	8	*		
Black	166	16	*	9	*	18	*	Black	38	2	*	1	*	*	*		
Metropolitan counties	29,634	434	6.6	242	3.7	376	5.7	Metropolitan counties	26,209	357	7.1	214	4.3	332	6.6		
White	27,732	355	6.2	197	3.4	296	5.1	White	24,648	248	6.1	154	3.8	241	5.9		
All other	1,902	79	9.2	45	5.2	80	9.2	All other	1,561	109	11.8	60	6.5	91	9.8		
Black	863	49	16.0	35	11.4	46	14.8	Black	1,381	98	13.5	53	7.3	80	10.9		
Urban places	16,902	225	7.2	136	4.3	207	6.6	Urban places	18,867	288	8.1	177	5.0	269	7.5		
White	15,514	175	6.7	103	3.9	154	5.9	White	17,376	180	6.7	117	4.4	179	6.7		
All other	1,388	50	9.7	33	6.4	53	10.2	All other	1,491	108	12.0	60	6.7	90	9.9		
Black	712	33	17.1	26	13.5	28	14.3	Black	1,350	97	13.5	53	7.4	80	11.0		
Balance of area	12,732	209	6.0	106	3.1	169	4.8	Balance of area	7,342	69	4.8	37	2.6	63	4.3		
White	12,218	180	5.8	94	3.0	142	4.5	White	7,272	68	4.8	37	2.6	62	4.3		
All other	514	29	8.4	12	*	27	7.8	All other	70	1	*	*	*	1	*		
Black	151	16	*	9	*	18	*	Black	31	1	*	*	*	*	*		
Nonmetropolitan counties	8,528	104	7.8	50	3.7	90	6.7	Nonmetropolitan counties	16,033	151	7.4	90	4.4	131	6.3		
White	8,325	93	7.4	46	3.6	86	6.8	White	15,870	141	7.1	83	4.2	123	6.2		
All other	203	11	*	4	*	4	*	All other	163	10	*	7	*	8	*		
Black	34	1	*	1	*	*	*	Black	8	1	*	1	*	*	*		
Urban places	2,207	23	5.9	12	*	21	5.3	Urban places	2,463	26	8.7	15	*	17	*		
White	2,165	22	6.0	11	*	20	5.5	White	2,453	23	8.2	12	*	16	*		
All other	42	1	*	1	*	1	*	All other	10	3	*	3	*	1	*		
Black	19	1	*	1	*	*	*	Black	1	*	*	*	*	*	*		
Balance of area	6,321	81	8.5	38	4.0	69	7.2	Balance of area	13,570	125	7.1	75	4.3	114	6.5		
White	6,160	71	7.9	35	3.9	66	7.3	White	13,417	118	7.0	71	4.2	107	6.3		
All other	161	10	*	3	*	3	*	All other	153	7	*	4	*	7	*		
Black	15	-	*	-	*	-	*	Black	7	1	*	1	*	-	*		
West Virginia	19,720	203	9.2	124	5.6	162	7.3	Wyoming	3,298	60	8.9	27	4.0	44	6.5		
White	18,972	190	8.9	118	5.6	158	7.4	White	3,202	57	9.0	24	3.8	41	6.4		
All other	748	13	*	6	*	4	*	All other	96	3	*	3	*	3	*		
Black	727	12	*	5	*	3	*	Black	22	*	*	*	*	*	*		
Urban places	5,300	47	9.1	29	5.6	36	7.0	Urban places	1,467	28	8.4	12	*	27	8.0		
White	4,939	40	8.7	24	5.2	34	7.4	White	1,432	28	8.8	12	*	26	8.1		
All other	361	7	*	5	*	1	*	All other	35	-	*	-	*	1	*		
Black	353	6	*	4	*	1	*	Black	22	-	*	-	*	*	*		
Balance of area	14,420	156	9.2	95	5.6	126	7.3	Balance of area	1,831	32	9.5	15	*	17	*		
White	14,033	150	9.0	94	5.6	124	7.4	White	1,770	29	9.2	12	*	15	*		
All other	387	6	*	1	*	2	*	All other	61	3	*	3	*	2	*		
Black	374	6	*	1	*	2	*	Black	-	-	*	-	*	-	*		
Metropolitan counties	7,100	62	7.8	42	5.3	43	5.4	Metropolitan counties	983	20	8.9	7	*	23	10.1		
White	6,859	57	7.5	40	5.3	41	5.4	White	959	20	9.4	7	*	22	10.2		
All other	241	5	*	2	*	2	*	All other	24	-	*	-	*	1	*		
Black	233	5	*	2	*	1	*	Black	16	-	*	-	*	-	*		
Urban places	3,559	35	10.3	21	6.2	22	6.4	Urban places	818	14	*	5	*	20	10.6		
White	3,372	31	10.1	19	*	21	6.8	White	795	14	*	5	*	19	*		
All other	187	4	*	2	*	1	*	All other	23	-	*	-	*	1	*		
Black	183	4	*	2	*	1	*	Black	16	-	*	-	*	-	*		
Balance of area	3,541	27	5.9	21	4.6	21	4.6	Balance of area	165	6	*	2	*	3	*		
White	3,487	26	5.8	21	4.7	20	4.4	White	164	6	*	2	*	3	*		
All other	54	1	*	-	*	1	*	All other	1	-	*	-	*	*	*		
Black	50	1	*	-	*	1	*	Black	-	-	*	-	*	-	*		
Nonmetropolitan counties	12,620	141	9.9	82	5.8	119	8.3	Nonmetropolitan counties	2,315	40	8.9	20	4.5	21	4.7		
White	12,113	133	9.7	78	5.7	117	8.5	White	2,243	37	8.8	17	*	19	*		
All other	507	8	*	4	*	2	*	All other	72	3	*	3	*	2	*		
Black	494	7	*	3	*	2	*	Black	6	-	*	-	*	*	*		
Urban places	1,741	12	*	8	*	14	*	Urban places	649	14	*	7	*	7	*		
White	1,567	9	*	5	*	13	*	White	637	14	*	7	*	7	*		
All other	174	3	*	3	*	1	*	All other	12	-	*	-	*	-	*		
Black	170	2	*	2	*	1	*	Black	6	-	*	-	*	-	*		
Balance of area	10,879	129	10.4	74	5.9	105	8.4	Balance of area	1,666	26	8.7	13	*	14	*		
White	10,546	124	10.2	73	6.0	104	8.5	White	1,606	23	8.3	10	*	12	*		
All other	333	5	*	1	*	1	*	All other	60	3	*	3	*	2	*		
Black	324	5	*	1	*	1	*	Black	-	-	*	-	*	-	*		

¹ County equivalents.

² Minimum reporting requirements for fetal deaths are assumed to exceed 20 weeks gestation; see Technical Appendix.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 100

**Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties:
United States and Each State, 1992**

(Page 1 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
United States	2,175,613	34,628	6,764	8,183	34,548	58,481	91,290	125,030	240,991	477,916	609,852	487,446	474
Male	1,122,336	19,545	3,809	5,080	26,207	42,895	62,995	79,271	146,880	274,165	299,897	161,236	358
Female	1,053,277	15,083	2,955	3,113	8,341	15,586	28,295	45,759	94,111	203,751	309,955	326,210	118
White	1,873,781	22,164	4,685	5,989	24,341	41,501	66,013	97,140	197,863	414,905	549,745	448,984	351
Male	956,957	12,625	2,690	3,698	18,136	31,035	46,416	62,024	122,036	239,700	270,906	147,419	272
Female	916,824	9,539	1,995	2,291	6,205	10,466	15,597	35,116	75,927	175,205	278,839	301,565	79
All other	301,832	12,464	2,079	2,204	10,207	16,980	25,277	27,890	43,028	63,011	60,107	38,462	123
Male	165,379	6,920	1,119	1,382	8,071	11,860	16,579	17,247	24,844	34,465	28,991	13,817	84
Female	136,453	5,544	960	822	2,136	5,120	8,698	10,643	18,184	28,546	31,116	24,645	39
Black	269,219	11,348	1,799	1,876	8,982	15,395	23,178	25,005	38,396	56,135	53,135	33,856	114
Male	146,630	6,298	965	1,162	7,169	10,778	15,257	15,514	22,204	30,526	25,035	11,646	76
Female	122,589	5,050	834	714	1,813	4,617	7,921	9,491	16,192	25,609	28,100	22,210	38
Metropolitan counties	1,614,156	27,701	5,171	5,871	26,155	47,400	73,842	96,516	180,323	354,088	443,478	353,207	404
Male	827,995	15,589	2,879	3,634	19,964	34,915	51,326	61,183	109,252	200,722	214,095	114,157	299
Female	786,161	12,132	2,292	2,237	6,191	12,485	22,516	35,333	71,071	153,366	229,383	239,050	105
White	1,369,172	17,048	3,498	4,112	17,618	32,823	52,057	73,120	144,860	303,138	396,686	323,938	294
Male	693,480	9,675	1,984	2,534	13,154	24,703	37,005	46,726	88,832	172,958	191,804	103,880	225
Female	675,692	7,373	1,514	1,578	4,464	8,120	15,052	26,394	58,028	130,180	204,882	220,058	69
All other	244,984	10,653	1,673	1,759	8,537	14,577	21,785	23,396	35,463	50,950	46,812	29,269	110
Male	134,515	5,894	895	1,100	6,810	10,212	14,321	14,457	20,420	27,764	22,291	10,277	74
Female	110,469	4,759	778	659	1,727	4,365	7,464	8,939	15,043	23,186	24,521	18,992	36
Black	219,961	9,854	1,482	1,541	13,470	20,225	21,141	31,914	45,539	41,296	41,296	25,684	104
Male	120,183	5,445	785	957	6,203	9,484	13,347	13,130	18,384	24,634	19,150	8,594	69
Female	99,778	4,409	706	584	1,498	3,986	6,878	8,011	13,530	20,905	22,146	17,090	35
Nonmetropolitan counties	561,457	6,927	1,593	2,322	8,393	11,081	17,448	28,514	60,668	123,828	166,374	134,239	70
Male	294,341	3,876	930	1,446	6,243	7,980	11,669	18,088	37,628	73,443	85,802	47,079	57
Female	267,116	2,951	663	876	2,150	3,101	5,779	10,426	23,040	50,385	80,572	87,160	13
White	504,309	5,116	1,187	1,877	6,723	8,678	13,956	24,020	53,103	111,767	153,079	125,046	57
Male	263,477	2,950	706	1,164	4,982	6,332	9,411	15,298	33,204	66,742	79,102	43,539	47
Female	241,132	2,166	481	713	1,741	2,346	4,545	8,722	19,899	45,025	73,977	81,507	10
All other	56,848	1,811	406	445	1,670	2,403	3,482	4,494	7,565	12,061	13,295	9,193	13
Male	30,864	1,026	224	282	1,261	1,648	2,259	2,790	4,424	6,701	6,700	3,540	10
Female	25,984	785	182	163	409	755	1,234	1,704	3,141	5,360	6,595	5,653	3
Black	49,258	1,494	307	335	1,281	1,925	2,953	3,864	6,482	10,596	11,839	8,172	10
Male	26,447	853	179	205	966	1,294	1,910	2,384	3,820	5,892	5,885	3,052	7
Female	22,811	641	128	130	315	631	1,043	1,480	2,662	4,704	5,954	5,120	3
Alabama	39,352	655	130	160	732	1,048	1,647	2,545	4,959	8,685	10,886	7,905	-
Male	20,692	395	80	97	529	745	1,086	1,596	3,063	5,082	5,422	2,597	-
Female	18,660	260	50	63	203	303	561	949	1,896	3,603	5,464	5,308	-
White	28,812	306	70	96	436	603	954	1,718	3,549	6,547	8,384	6,149	-
Male	15,153	187	40	57	312	436	650	1,104	2,262	3,911	4,215	1,979	-
Female	13,659	119	30	39	124	167	304	614	1,287	2,636	4,169	4,170	-
All other	10,540	349	60	64	296	445	693	827	1,410	2,138	2,502	1,756	-
Male	5,539	203	40	40	217	309	436	492	801	1,171	1,207	618	-
Female	5,001	141	20	24	79	136	257	335	609	967	1,295	1,138	-
Black	10,479	349	60	63	292	439	691	818	1,397	2,129	2,490	1,751	-
Male	5,498	208	40	39	214	305	435	488	793	1,163	1,188	615	-
Female	4,981	141	20	24	78	134	256	330	604	966	1,292	1,136	-
Metropolitan counties	25,355	426	89	98	486	705	1,110	1,653	3,196	5,738	6,922	4,932	-
Male	13,201	256	52	56	360	511	740	1,041	1,945	3,315	3,365	1,560	-
Female	12,154	170	37	42	126	194	370	612	1,251	2,423	3,557	3,372	-
White	18,421	189	53	62	278	392	642	1,111	2,220	4,295	5,334	3,845	-
Male	9,598	115	29	36	202	288	442	717	1,409	2,534	2,631	1,195	-
Female	8,823	74	24	26	76	104	200	394	811	1,761	2,703	2,650	-
All other	6,934	237	36	36	208	313	468	542	976	1,443	1,588	1,087	-
Male	3,603	141	23	20	158	223	298	324	536	781	734	365	-
Female	3,331	96	13	16	50	90	170	218	440	662	854	722	-
Black	6,889	237	36	35	205	307	466	535	966	1,437	1,581	1,084	-
Male	3,570	141	23	19	156	219	297	320	530	775	727	363	-
Female	3,319	96	13	16	49	88	169	215	436	662	854	721	-
Nonmetropolitan counties	13,997	229 </											

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 101

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 2 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alaska	2,303	101	26	27	132	161	205	232	355	474	362	208	-
Male	1,406	52	13	21	103	138	145	152	221	278	198	85	-
Female	897	49	13	6	29	43	60	80	134	196	164	123	-
White	1,594	58	13	12	77	95	147	183	254	352	258	145	-
Male	985	29	7	9	56	74	113	121	164	202	146	64	-
Female	609	29	6	3	21	21	34	62	90	150	112	81	-
All other	709	43	13	15	55	86	58	49	101	122	104	63	-
Male	421	23	6	12	47	64	32	31	57	76	52	21	-
Female	288	20	7	3	8	22	26	18	44	46	52	42	-
Black	62	7	-	1	5	5	9	4	10	12	9	1	-
Male	33	3	-	1	5	3	5	2	5	4	4	1	-
Female	29	4	-	-	-	2	3	2	5	8	5	-	-
Metropolitan census areas 1	889	44	8	3	43	74	83	104	141	180	126	73	-
Male	516	22	5	2	32	53	58	66	87	105	63	23	-
Female	373	22	3	1	11	21	25	38	54	85	63	50	-
White	680	30	6	3	26	43	62	86	107	160	103	61	-
Male	414	18	4	2	19	34	47	57	71	88	55	21	-
Female	276	14	2	1	10	9	15	29	36	72	48	40	-
All other	199	14	2	-	14	31	21	18	34	30	23	12	-
Male	102	8	1	-	13	19	11	9	16	17	8	2	-
Female	97	8	1	-	1	12	10	9	18	13	15	10	-
Black	45	6	-	-	3	4	7	3	8	7	6	1	-
Male	23	3	-	-	3	2	4	2	4	2	2	1	-
Female	22	3	-	-	-	2	3	1	4	5	4	-	-
Nonmetropolitan census areas 1	1,414	57	18	24	89	107	122	128	214	284	236	135	-
Male	890	30	8	19	71	85	87	86	134	173	135	62	-
Female	524	27	10	5	18	22	35	42	80	111	101	73	-
White	904	28	7	9	48	52	85	97	147	192	155	84	-
Male	571	13	3	7	37	40	66	64	93	114	91	43	-
Female	333	15	4	2	11	12	19	33	54	78	64	41	-
All other	510	29	11	15	41	55	37	31	67	92	81	51	-
Male	319	17	5	12	34	45	21	22	41	59	44	19	-
Female	191	12	6	3	7	10	16	9	26	33	37	32	-
Black	17	1	-	1	2	1	1	1	2	5	3	-	-
Male	10	-	-	1	2	1	1	-	1	2	2	-	-
Female	7	1	-	-	-	-	-	1	1	3	1	-	-
Arizona	31,055	577	128	154	553	918	1,333	1,726	3,389	7,154	8,938	6,168	17
Male	17,232	346	71	104	430	714	956	1,101	2,108	4,295	4,741	2,352	14
Female	13,823	231	57	50	123	204	377	625	1,281	2,859	4,197	3,816	3
White	28,801	465	87	123	432	740	1,111	1,484	3,076	6,805	8,557	5,904	17
Male	15,877	277	46	82	327	584	807	940	1,929	4,096	4,540	2,235	14
Female	12,924	188	41	41	105	156	304	544	1,147	2,709	4,017	3,669	3
All other	2,254	112	41	31	121	178	222	242	313	349	381	264	-
Male	1,355	69	25	22	103	130	149	161	179	199	201	117	-
Female	899	43	16	9	18	48	73	81	134	150	180	147	-
Black	808	41	6	10	34	56	67	76	106	148	169	95	-
Male	482	24	4	6	30	42	41	58	65	87	84	41	-
Female	326	17	2	4	4	14	26	18	41	61	85	54	-
Metropolitan counties	24,098	454	82	112	417	720	1,019	1,306	2,496	5,397	7,070	5,014	11
Male	13,171	272	45	76	323	564	735	834	1,556	3,178	3,690	1,890	8
Female	10,927	182	37	36	94	156	284	472	940	2,219	3,380	3,124	3
White	22,840	394	67	97	348	628	897	1,161	2,323	5,194	6,848	4,872	11
Male	12,423	235	37	65	263	496	660	736	1,458	3,061	3,577	1,827	8
Female	10,417	159	30	32	85	132	237	425	865	2,133	3,271	3,045	3
All other	1,258	60	15	15	69	92	122	145	173	203	222	142	-
Male	748	37	8	11	60	68	75	98	98	117	113	63	-
Female	510	23	7	4	9	24	47	47	75	86	109	79	-
Black	727	41	6	9	31	51	65	72	91	131	143	87	-
Male	431	24	4	6	27	38	39	55	56	74	69	39	-
Female	296	17	2	3	4	13	26	17	35	57	74	48	-
Nonmetropolitan counties	6,957	123	46	42	136	198	314	420	893	1,757	1,868	1,154	6
Male	4,061	74	26	28	107	150	221	287	552	1,117	1,051	462	6
Female	2,896	49	20	14	29	48	93	153	341	640	817	692	-
White	5,961	71	20	26	84	112	214	323	753	1,611	1,709	1,032	6
Male	3,454	42	9	17	64	88	147	204	471	1,035	963	408	6
Female	2,507	29	11	9	20	24	67	119	282	576	746	624	-
All other	996	52	26	16	52	86	100	97	140	146	159	122	-
Male	607	32	17	11	43	62	74	63	81	82	88	54	-
Female	389	20	9	5	9	24	26	34	59	64	71	68	-
Black	81	-	-	1	3	5	2	4	15	17	26	8	-
Male	51	-	-	-	3	4	2	3	9	13	15	2	-
Female	30	-	-	1	-	1	-	1	6	4	11	6	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 102

**Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties:
United States and Each State, 1992—Con.**

(Page 3 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Arkansas	24,956	360	61	126	436	522	862	1,351	2,752	5,617	7,115	5,754	-
Male	13,128	192	33	76	317	372	571	874	1,699	3,352	3,660	1,982	-
Female	11,828	168	28	50	119	150	291	477	1,053	2,265	3,455	3,772	-
White	20,897	227	44	87	295	373	613	1,080	2,259	4,829	6,137	4,853	-
Male	10,883	126	26	50	204	272	415	723	1,419	2,940	3,142	1,686	-
Female	9,914	101	18	37	91	101	198	357	840	1,889	2,995	3,207	-
All other	4,059	133	17	39	141	149	249	271	493	788	978	801	-
Male	2,145	66	7	26	113	100	156	151	280	412	518	318	-
Female	1,914	67	10	13	28	49	93	120	213	376	460	485	-
Black	4,018	132	17	39	137	147	248	263	488	775	974	798	-
Male	2,123	65	7	26	110	99	155	146	276	408	515	316	-
Female	1,895	67	10	13	27	48	93	117	212	367	459	482	-
Metropolitan counties	8,491	144	27	50	169	210	358	496	962	1,957	2,264	1,856	-
Male	4,430	73	14	31	124	154	221	326	606	1,176	1,098	807	-
Female	4,061	71	13	19	45	56	135	170	356	781	1,166	1,249	-
White	6,836	76	17	32	95	141	244	377	768	1,622	1,890	1,574	-
Male	3,554	46	11	16	64	107	158	256	494	990	909	505	-
Female	3,282	30	6	16	31	34	88	121	274	632	981	1,069	-
All other	1,655	68	10	18	74	69	112	119	194	365	374	282	-
Male	876	27	3	15	60	47	85	70	112	196	189	102	-
Female	779	41	7	3	14	22	27	49	82	149	185	180	-
Black	1,634	68	10	18	71	69	111	116	192	328	371	280	-
Male	865	27	3	15	58	47	64	68	110	184	187	102	-
Female	769	41	7	3	13	22	47	48	82	144	184	178	-
Nonmetropolitan counties	16,465	216	34	76	267	312	506	855	1,790	3,660	4,851	3,898	-
Male	8,698	119	19	45	193	218	350	548	1,093	2,176	2,562	1,375	-
Female	7,767	97	15	31	74	94	156	307	697	1,484	2,289	2,523	-
White	14,061	151	27	55	200	232	369	703	1,491	3,207	4,247	3,379	-
Male	7,429	80	15	34	140	165	259	467	925	1,950	2,233	1,161	-
Female	6,632	71	12	21	60	67	110	236	566	1,257	2,014	2,218	-
All other	2,404	65	7	21	67	80	137	152	299	453	604	519	-
Male	1,269	39	4	11	53	53	81	81	169	226	329	214	-
Female	1,135	26	3	10	14	27	46	71	131	227	275	305	-
Black	2,384	64	7	21	66	78	137	147	296	447	603	518	-
Male	1,258	38	4	11	52	52	91	78	166	224	328	214	-
Female	1,126	26	3	10	14	26	46	69	130	223	275	304	-
California	215,847	4,201	859	910	4,512	7,845	11,892	13,790	23,435	45,288	57,208	45,784	123
Male	114,080	2,363	465	534	3,581	6,119	8,696	8,974	14,117	25,342	28,321	15,471	97
Female	101,767	1,838	394	376	931	1,726	3,196	4,816	9,318	19,946	28,887	30,313	26
White	186,927	3,119	679	708	3,491	6,239	9,540	11,119	19,385	39,218	51,252	42,077	100
Male	97,648	1,725	378	404	2,776	4,972	7,091	7,294	11,772	21,968	25,219	13,969	80
Female	89,279	1,394	301	304	715	1,267	2,449	3,825	7,613	17,250	26,033	28,108	20
All other	28,920	1,082	180	202	1,021	1,606	2,352	2,671	4,050	6,070	5,956	3,707	23
Male	16,432	638	87	130	805	1,147	1,605	1,680	2,345	3,374	3,102	1,502	17
Female	12,488	444	93	72	216	459	747	991	1,705	2,696	2,854	2,205	6
Black	17,834	782	115	118	677	1,231	1,753	1,810	2,544	3,615	3,234	1,935	20
Male	10,007	458	52	73	545	908	1,214	1,151	1,483	1,947	1,523	639	14
Female	7,827	324	63	45	132	323	539	659	1,061	1,668	1,711	1,296	6
Metropolitan counties	204,497	4,061	826	873	4,316	7,590	11,383	13,138	22,238	42,612	53,929	43,417	114
Male	107,909	2,278	446	509	3,429	5,827	8,331	8,548	13,406	23,774	26,561	14,612	88
Female	96,588	1,783	380	364	887	1,663	3,052	4,590	8,832	18,838	27,368	28,805	26
White	175,977	2,994	648	676	3,310	5,997	9,061	10,500	18,249	36,618	48,062	39,771	91
Male	91,723	1,648	359	383	2,634	4,789	6,751	6,894	11,095	20,439	23,518	13,142	71
Female	84,254	1,346	289	293	676	1,208	2,310	3,606	7,154	16,179	24,544	26,629	20
All other	28,520	1,067	178	197	1,006	1,593	2,322	2,638	3,989	5,994	5,867	3,646	23
Male	16,186	630	87	126	795	1,138	1,580	1,654	2,311	3,335	3,043	1,470	17
Female	12,334	437	91	71	211	455	742	984	1,678	2,659	2,824	2,176	6
Black	17,669	776	115	117	670	1,226	1,736	1,796	2,520	3,580	3,199	1,914	20
Male	9,908	456	52	72	540	904	1,201	1,139	1,473	1,926	1,501	630	14
Female	7,761	320	63	45	130	322	535	657	1,047	1,654	1,698	1,284	6
Nonmetropolitan counties	11,350	140	33	37	196	255	509	652	1,197	2,676	3,279	2,367	9
Male	6,171	85	19	25	152	192	365	426	711	1,568	1,780	859	9
Female	5,179	55	14	12	44	63	144	226	486	1,108	1,519	1,508	-
White	10,950	125	31	32	181	242	479	619	1,136	2,600	3,190	2,306	9
Male	5,925	77	19	21	142	183	340	400	677	1,529	1,701	827	9
Female	5,025	48	12	11	39	59	139	219	459	1,071	1,489	1,479	-
All other	400	15	2	5	15	13	30	33	61	76	89	61	-
Male	246	8	-	4	10	9	25	26	34	39	59	32	-
Female	154	7	-	1	5	4	5	7	27	37	30	29	-
Black	165	6	-	1	7	5	17	14	24	35	35	21	-
Male	99	2	-	1	5	4	13	12	10	21	22	9	-
Female	66	4	-	-	2	1	4	2	14	14	13	12	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 103

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties:
United States and Each State, 1992—Con.

(Page 4 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Colorado	22,440	413	93	125	433	744	1,156	1,278	2,336	4,623	6,057	5,182	-
Male	11,740	242	49	79	305	569	805	784	1,414	2,672	3,049	1,762	-
Female	10,700	171	44	46	128	175	351	484	922	1,951	3,008	3,420	-
White	21,421	356	81	116	389	665	1,065	1,178	2,198	4,425	5,886	5,062	-
Male	11,160	210	43	72	269	514	746	736	1,336	2,550	2,963	1,721	-
Female	10,261	146	38	44	120	151	319	442	862	1,875	2,923	3,341	-
All other	1,019	57	12	9	44	79	91	100	138	198	171	120	-
Male	580	32	6	7	38	55	59	58	78	122	86	41	-
Female	439	25	6	2	8	24	32	42	60	76	85	79	-
Black	787	44	12	6	34	65	71	79	110	147	131	88	-
Male	451	25	6	5	29	48	51	49	63	86	63	26	-
Female	336	19	6	1	5	17	20	30	47	61	68	62	-
Metropolitan counties	17,380	358	84	93	333	624	975	1,024	1,854	3,558	4,563	3,914	-
Male	9,001	209	45	60	235	484	684	629	1,119	2,001	2,255	1,280	-
Female	8,379	149	39	33	98	140	291	395	735	1,557	2,308	2,634	-
White	16,407	304	72	84	284	548	889	928	1,721	3,369	4,399	3,799	-
Male	8,445	179	39	53	202	431	626	574	1,043	1,883	2,173	1,242	-
Female	7,962	125	33	31	92	117	263	354	678	1,486	2,226	2,557	-
All other	973	54	12	9	39	76	86	96	133	189	164	115	-
Male	556	30	6	7	33	53	58	55	76	118	82	38	-
Female	417	24	6	2	6	23	28	41	57	71	82	77	-
Black	780	44	12	6	34	64	70	77	110	147	130	86	-
Male	446	25	6	5	29	47	51	47	63	86	62	25	-
Female	334	19	6	1	5	17	19	30	47	61	68	61	-
Nonmetropolitan counties	5,060	55	9	32	100	120	181	254	482	1,065	1,494	1,268	-
Male	2,739	33	4	19	70	85	121	165	295	671	794	482	-
Female	2,321	22	5	13	30	35	60	89	187	394	700	786	-
White	5,014	52	9	32	95	117	176	250	477	1,056	1,487	1,263	-
Male	2,715	31	4	19	67	83	120	162	293	667	780	479	-
Female	2,299	21	5	13	28	34	56	88	184	389	697	784	-
All other	46	3	-	-	5	3	5	4	5	9	7	5	-
Male	24	2	-	-	3	2	1	3	2	4	4	3	-
Female	22	1	-	-	2	1	4	1	3	5	3	2	-
Black	7	-	-	-	-	1	1	2	-	-	1	2	-
Male	5	-	-	-	-	1	1	2	-	-	1	1	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Connecticut	28,254	361	53	56	319	614	1,064	1,419	2,787	6,045	8,194	7,342	-
Male	14,063	216	33	39	250	446	724	909	1,701	3,465	4,011	2,269	-
Female	14,191	145	20	17	69	168	340	510	1,086	2,580	4,183	5,073	-
White	26,173	251	38	38	241	474	816	1,193	2,467	5,631	7,888	7,136	-
Male	12,868	146	25	25	185	351	557	754	1,512	3,237	3,866	2,210	-
Female	13,305	105	13	13	56	123	259	439	955	2,394	4,022	4,926	-
All other	2,081	110	15	18	78	140	248	226	320	414	306	206	-
Male	1,195	70	8	14	65	95	167	155	189	228	145	59	-
Female	886	40	7	4	13	45	81	71	131	186	161	147	-
Black	2,003	106	15	18	74	136	246	216	304	401	293	194	-
Male	1,145	66	8	14	61	93	166	149	175	222	137	54	-
Female	858	40	7	4	13	43	80	67	129	179	156	140	-
Metropolitan counties	25,877	342	47	52	294	569	986	1,311	2,559	5,563	7,438	6,716	-
Male	12,845	206	29	37	230	412	676	837	1,549	3,163	3,636	2,070	-
Female	13,032	136	18	15	64	157	310	474	1,010	2,400	3,802	4,646	-
White	23,815	232	32	35	216	429	740	1,086	2,245	5,151	7,138	6,511	-
Male	11,660	136	21	24	165	317	510	682	1,364	2,935	3,495	2,011	-
Female	12,155	96	11	11	51	112	230	404	881	2,216	3,643	4,500	-
All other	2,062	110	15	17	78	140	248	225	314	412	300	205	-
Male	1,185	70	8	13	65	95	166	155	185	228	141	59	-
Female	877	40	7	4	13	45	80	70	129	184	159	146	-
Black	1,987	106	15	17	74	136	244	215	289	399	289	193	-
Male	1,138	66	8	13	61	93	165	149	172	222	135	54	-
Female	849	40	7	4	13	43	79	66	127	177	154	139	-
Nonmetropolitan counties	2,377	19	6	4	25	45	78	108	228	482	756	626	-
Male	1,218	10	4	2	20	34	48	72	152	302	375	199	-
Female	1,159	9	2	2	5	11	30	36	76	180	381	427	-
White	2,358	19	6	3	25	45	76	107	222	480	750	625	-
Male	1,208	10	4	1	20	34	47	72	148	302	371	199	-
Female	1,150	9	2	2	5	11	29	35	74	178	379	426	-
All other	19	-	-	1	-	-	2	1	6	2	6	1	-
Male	10	-	-	1	-	-	1	-	4	-	4	-	-
Female	9	-	-	-	-	-	1	1	2	2	2	1	-
Black	16	-	-	1	-	-	2	1	5	2	4	1	-
Male	7	-	-	1	-	-	1	-	3	-	2	-	-
Female	9	-	-	-	-	-	1	1	2	2	2	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 105

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties:
United States and Each State, 1992—Con.
(Page 6 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Florida	139,723	1,691	397	366	1,488	3,398	5,273	7,180	14,067	31,253	42,197	32,346	47
Male	74,787	939	204	242	1,072	2,465	3,659	4,693	8,743	18,357	22,075	12,305	39
Female	64,936	752	193	144	416	933	1,614	2,487	5,324	12,896	20,122	20,041	14
White	124,522	989	252	264	1,032	2,363	3,765	5,701	11,835	28,249	39,342	30,694	26
Male	66,386	554	132	171	731	1,823	2,694	3,768	7,410	16,677	20,690	11,717	19
Female	58,136	445	120	93	301	540	1,071	1,933	4,425	11,572	18,652	18,977	7
All other	15,201	692	145	122	456	1,035	1,508	1,479	2,232	3,004	2,855	1,652	21
Male	8,401	385	72	71	341	642	955	925	1,333	1,680	1,385	588	14
Female	6,800	307	73	51	115	393	543	554	899	1,324	1,470	1,064	7
Black	14,838	681	143	119	436	1,016	1,479	1,418	2,178	2,922	2,807	1,618	21
Male	8,188	378	71	70	329	628	953	987	1,302	1,636	1,354	866	14
Female	6,650	303	72	49	107	388	526	431	876	1,286	1,453	1,052	7
Metropolitan counties	125,127	1,553	356	347	1,337	3,118	4,816	6,484	12,410	27,442	37,751	29,475	38
Male	66,667	854	183	213	960	2,262	3,335	4,246	7,706	16,001	19,635	11,246	26
Female	58,460	699	173	134	377	856	1,481	2,238	4,704	11,441	18,116	18,229	12
White	111,324	909	219	230	912	2,154	3,395	5,128	10,358	24,757	35,224	28,019	19
Male	59,051	498	116	146	642	1,667	2,429	3,394	6,481	14,506	18,425	10,733	14
Female	52,273	411	103	84	270	487	966	1,734	3,877	10,251	16,799	17,286	5
All other	13,803	644	137	117	425	964	1,421	1,356	2,052	2,685	2,527	1,456	19
Male	7,616	356	67	67	318	595	906	852	1,225	1,495	1,210	513	12
Female	6,187	288	70	50	107	369	515	504	827	1,190	1,317	943	7
Black	13,464	633	135	114	406	947	1,392	1,300	2,002	2,607	2,482	1,427	19
Male	7,420	349	66	66	306	583	894	819	1,196	1,453	1,181	495	12
Female	6,044	284	69	48	100	364	498	481	806	1,154	1,301	932	7
Nonmetropolitan counties	14,596	138	41	39	151	280	457	696	1,657	3,811	4,446	2,871	9
Male	8,120	85	21	29	112	203	324	447	1,037	2,356	2,440	1,059	7
Female	6,476	53	20	10	39	77	133	249	620	1,455	2,006	1,812	2
White	13,198	90	33	34	120	209	370	573	1,477	3,492	4,118	2,675	5
Male	7,395	56	16	25	89	156	265	374	929	2,171	2,265	984	7
Female	5,803	34	17	9	31	53	105	199	548	1,321	1,853	1,691	2
All other	1,398	48	8	5	31	71	87	123	180	319	328	196	2
Male	785	29	5	4	23	47	59	73	108	185	175	75	2
Female	613	19	3	1	8	24	28	50	72	134	153	121	2
Black	1,374	48	8	5	30	69	87	118	176	315	325	191	2
Male	768	29	5	4	23	45	59	68	106	183	173	71	2
Female	606	19	3	1	7	24	28	50	70	132	152	120	2
Georgia	52,992	1,146	186	256	1,079	1,807	2,894	4,037	6,834	11,762	13,711	9,272	8
Male	27,622	640	113	143	791	1,312	1,990	2,600	4,216	6,638	6,358	2,815	6
Female	25,370	506	73	113	288	495	904	1,437	2,618	5,124	7,353	6,457	2
White	37,872	491	99	141	601	930	1,554	2,545	4,753	8,712	10,537	7,507	2
Male	19,567	273	60	81	426	698	1,114	1,693	2,999	5,097	4,929	2,258	2
Female	18,305	218	39	60	175	232	440	852	1,755	3,675	5,608	5,249	2
All other	15,120	655	87	115	478	877	1,340	1,492	2,081	3,050	3,174	1,765	6
Male	8,055	367	53	62	365	614	876	907	1,218	1,601	1,429	557	6
Female	7,065	288	34	53	113	263	464	585	863	1,449	1,745	1,208	2
Black	14,945	644	86	109	467	881	1,321	1,473	2,053	3,026	3,147	1,752	6
Male	7,964	363	52	60	359	602	867	898	1,199	1,567	1,418	553	6
Female	6,981	281	34	49	108	259	454	575	854	1,439	1,729	1,199	2
Metropolitan counties	30,931	746	120	153	659	1,237	1,968	2,483	4,109	6,751	7,446	5,252	7
Male	16,157	412	74	87	480	918	1,366	1,582	2,482	3,763	3,398	1,590	5
Female	14,774	334	46	66	179	319	602	901	1,627	2,988	4,048	3,662	2
White	21,384	270	65	81	330	616	989	1,477	2,749	4,918	5,631	4,256	2
Male	11,002	156	38	49	233	467	715	962	1,699	2,805	2,599	1,279	2
Female	10,382	114	27	32	97	149	274	515	1,050	2,113	3,032	2,977	2
All other	9,547	476	55	72	329	621	979	1,006	1,360	1,833	1,815	996	5
Male	5,155	256	36	38	247	451	651	620	783	958	799	311	5
Female	4,392	220	19	34	82	170	328	386	577	875	1,016	685	5
Black	9,392	465	54	67	319	606	966	990	1,336	1,810	1,790	984	5
Male	5,072	252	35	36	242	440	643	611	767	945	789	307	5
Female	4,320	213	19	31	77	166	323	379	569	865	1,001	677	2
Nonmetropolitan counties	22,061	400	66	103	420	570	926	1,554	2,725	5,011	6,265	4,020	1
Male	11,465	228	39	56	311	394	624	1,018	1,734	2,875	2,960	1,225	1
Female	10,596	172	27	47	109	176	302	536	991	2,136	3,305	2,795	1
White	16,488	221	34	60	271	314	565	1,068	2,004	3,784	4,906	3,251	1
Male	8,565	117	22	32	193	231	399	731	1,299	2,232	2,330	979	1
Female	7,923	104	12	28	78	83	166	337	705	1,562	2,576	2,272	1
All other	5,573	179	32	43	149	256	361	486	721	1,217	1,359	769	1
Male	2,900	111	17	24	118	183	225	287	435	643	630	246	1
Female	2,673	68	15	19	31	93	136	189	286	574	729	523	1
Black	5,553	179	32	42	148	255	355	483	717	1,216	1,357	768	1
Male	2,892	111	17	24	117	162	224	287	432	642	629	246	1
Female	2,661	68	15	18	31	93	131	196	285	574	728	522	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 106

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties:
United States and Each State, 1992—Con.
(Page 7 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Hawaii	6,968	126	25	33	112	220	320	462	833	1,603	1,768	1,459	7
Male	4,066	68	16	24	92	162	231	290	492	993	1,043	650	5
Female	2,902	58	9	9	20	58	89	172	341	610	725	809	2
White	2,068	18	5	7	32	71	139	153	210	497	548	385	3
Male	1,211	12	5	5	28	52	113	107	135	321	284	147	2
Female	857	6	-	2	4	19	26	46	75	176	264	238	1
All other	4,900	108	20	26	80	149	181	309	623	1,106	1,220	1,074	4
Male	2,855	56	11	19	64	110	118	183	357	672	759	503	3
Female	2,045	52	9	7	16	39	63	126	266	434	461	571	1
Black	54	6	2	2	1	5	7	7	6	11	6	1	-
Male	37	3	-	1	1	5	5	5	6	7	4	-	-
Female	17	3	2	1	-	-	2	2	-	4	2	1	-
Metropolitan counties	5,003	90	18	22	84	156	225	335	612	1,175	1,268	1,014	4
Male	2,893	46	12	14	67	116	157	201	364	730	746	438	2
Female	2,110	44	6	8	17	40	68	134	248	445	522	576	2
White	1,384	13	2	3	25	48	86	99	128	339	386	273	2
Male	809	9	2	2	23	37	68	67	82	221	191	106	1
Female	575	4	-	1	2	11	18	32	46	118	175	167	1
All other	3,619	77	16	19	59	108	139	236	484	836	902	741	2
Male	2,084	37	10	12	44	79	89	134	282	509	555	332	1
Female	1,535	40	6	7	15	29	50	102	202	327	347	409	1
Black	46	6	2	2	1	4	6	6	5	10	4	-	-
Male	31	3	-	1	1	4	4	4	5	7	2	-	-
Female	15	3	2	1	-	-	2	2	-	3	2	-	-
Nonmetropolitan counties	1,965	36	7	11	28	64	95	127	221	428	500	445	3
Male	1,173	22	4	10	25	46	74	89	128	263	297	212	3
Female	792	14	3	1	3	18	21	38	93	165	203	233	-
White	684	5	3	4	7	23	53	54	82	158	182	112	1
Male	402	3	3	3	5	15	45	40	53	100	93	41	1
Female	282	2	-	1	2	8	8	14	29	58	89	71	-
All other	1,281	31	4	7	21	41	42	73	139	270	318	333	2
Male	771	19	1	7	20	31	29	49	75	163	204	171	2
Female	510	12	3	-	1	10	13	24	64	107	114	162	-
Black	8	-	-	-	-	1	1	1	1	1	2	1	-
Male	6	-	-	-	-	1	1	1	1	-	2	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-
Idaho	7,877	152	33	61	154	156	249	391	757	1,584	2,473	1,866	1
Male	4,208	84	18	43	114	118	153	224	505	956	1,301	691	1
Female	3,669	68	15	18	40	38	96	167	252	628	1,172	1,175	-
White	7,764	148	32	60	148	149	237	383	742	1,557	2,456	1,851	1
Male	4,154	82	18	42	113	113	144	219	498	949	1,292	683	1
Female	3,610	66	14	18	35	36	93	164	244	608	1,164	1,168	-
All other	113	4	1	1	6	7	12	8	15	27	17	15	-
Male	54	2	-	1	1	5	9	5	7	7	9	8	-
Female	59	2	1	-	5	2	3	3	8	20	8	7	-
Black	22	3	-	-	-	-	3	3	5	4	4	3	-
Male	11	2	-	-	-	-	2	-	3	1	3	-	-
Female	11	1	-	-	-	-	1	-	1	4	1	3	-
Metropolitan counties	1,423	34	8	11	23	30	60	87	150	267	423	330	-
Male	765	18	5	9	20	20	39	51	106	164	215	118	-
Female	658	16	3	2	3	10	21	36	44	103	208	212	-
White	1,404	32	8	10	23	29	58	85	146	266	420	327	-
Male	752	16	5	8	20	19	37	50	103	164	213	117	-
Female	652	16	3	2	3	10	21	35	43	102	207	210	-
All other	19	2	-	1	-	1	2	2	4	1	3	3	-
Male	13	2	-	1	-	1	2	1	3	-	2	1	-
Female	6	-	-	-	-	-	-	1	1	1	1	2	-
Black	7	2	-	-	-	-	1	-	2	-	1	1	-
Male	6	2	-	-	-	-	1	-	2	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Nonmetropolitan counties	6,454	118	25	50	131	126	189	304	607	1,317	2,050	1,536	1
Male	3,449	66	13	34	94	98	114	173	399	792	1,086	573	1
Female	3,011	52	12	16	37	28	75	131	208	525	964	963	-
White	6,360	116	24	50	125	120	179	298	596	1,291	2,036	1,524	1
Male	3,402	66	13	34	93	94	107	169	395	785	1,079	566	1
Female	2,958	50	11	16	32	26	72	129	201	506	957	958	-
All other	94	2	1	-	6	6	10	6	11	26	14	12	-
Male	41	-	-	-	1	4	7	4	4	7	7	7	-
Female	53	2	1	-	5	2	3	2	7	19	7	5	-
Black	15	1	-	-	-	-	2	-	2	5	3	2	-
Male	5	-	-	-	-	-	1	-	1	1	2	-	-
Female	10	1	-	-	-	-	1	-	1	4	1	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 107

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 8 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Illinois	102,118	1,927	311	374	1,649	2,640	4,094	5,985	11,184	22,389	28,454	23,106	5
Male	51,834	1,054	174	228	1,270	1,959	2,792	3,734	6,805	12,792	13,682	7,340	4
Female	50,284	873	137	146	379	681	1,302	2,251	4,379	9,597	14,772	15,766	1
White	85,307	1,052	184	220	941	1,620	2,631	4,268	6,650	16,927	25,547	21,263	4
Male	42,392	564	108	127	684	1,207	1,789	2,666	5,335	10,928	12,296	6,685	3
Female	42,915	488	76	93	257	413	842	1,602	3,315	7,999	13,251	14,578	1
All other	16,811	875	127	154	708	1,020	1,463	1,717	2,534	3,462	2,907	1,843	1
Male	9,442	490	66	101	586	752	1,003	1,068	1,470	1,864	1,386	655	1
Female	7,369	385	61	53	122	268	460	649	1,064	1,598	1,521	1,188	1
Black	16,133	849	123	152	686	987	1,417	1,641	2,436	3,308	2,767	1,766	1
Male	9,078	475	65	100	572	733	974	1,033	1,413	1,783	1,311	618	1
Female	7,055	374	58	52	114	254	443	608	1,023	1,525	1,456	1,148	-
Metropolitan counties	80,264	1,718	264	313	1,400	2,311	3,592	5,092	9,170	17,770	21,729	16,900	5
Male	40,882	934	145	197	1,087	1,717	2,475	3,191	5,538	10,105	10,230	5,259	4
Female	39,382	784	119	116	313	594	1,117	1,901	3,632	7,665	11,499	11,641	1
White	63,921	865	140	161	711	1,316	2,162	3,409	6,696	14,399	18,916	15,142	4
Male	31,711	460	81	97	515	984	1,497	2,143	4,099	8,295	8,896	4,641	3
Female	32,210	405	59	64	196	332	665	1,266	2,597	6,104	10,020	10,501	1
All other	16,343	853	124	152	689	995	1,430	1,683	2,474	3,371	2,813	1,758	1
Male	9,171	474	64	100	572	733	978	1,048	1,439	1,810	1,334	618	1
Female	7,172	379	60	52	117	262	452	635	1,035	1,561	1,479	1,140	-
Black	15,691	828	120	150	670	966	1,385	1,609	2,380	3,223	2,676	1,683	1
Male	8,819	459	63	99	559	715	949	1,013	1,385	1,734	1,261	581	1
Female	6,872	369	57	51	111	251	436	596	995	1,489	1,415	1,102	-
Nonmetropolitan counties	21,854	209	47	61	249	329	502	893	2,014	4,619	6,725	6,206	-
Male	10,952	120	29	31	183	242	317	543	1,267	2,687	3,452	2,081	-
Female	10,902	89	18	30	66	87	185	350	747	1,932	3,273	4,125	-
White	21,386	187	44	59	230	304	469	859	1,954	4,528	6,631	6,121	-
Male	10,681	104	27	30	169	223	282	523	1,236	2,633	3,400	2,044	-
Female	10,705	83	17	29	61	81	177	336	718	1,895	3,231	4,077	-
All other	468	22	3	2	19	25	33	34	60	91	94	85	-
Male	271	16	2	1	14	19	25	20	31	54	52	37	-
Female	197	6	1	1	5	6	8	14	29	37	42	48	-
Black	442	21	3	2	16	21	32	32	56	85	91	83	-
Male	259	16	2	1	13	18	25	20	28	49	50	37	-
Female	183	5	1	1	3	3	7	12	28	36	41	46	-
Indiana	49,964	792	140	191	746	1,079	1,607	2,553	5,447	11,277	14,515	11,612	5
Male	25,234	480	83	112	567	801	1,067	1,566	3,307	6,454	7,064	3,730	3
Female	24,730	312	57	79	179	278	540	987	2,140	4,823	7,451	7,882	2
White	45,827	594	114	156	615	872	1,315	2,225	4,879	10,381	13,622	11,049	5
Male	23,015	362	68	92	463	654	868	1,379	2,972	5,967	6,641	3,546	3
Female	22,812	232	46	64	152	218	447	846	1,907	4,414	6,981	7,503	2
All other	4,137	198	26	35	131	207	292	328	568	886	893	563	-
Male	2,219	118	15	20	104	147	199	187	335	487	423	184	-
Female	1,918	80	11	15	27	60	93	141	233	409	470	379	-
Black	4,043	191	26	34	127	203	287	311	552	884	881	547	-
Male	2,169	115	15	20	101	143	197	180	327	478	418	175	-
Female	1,874	76	11	14	26	60	90	131	225	406	463	372	-
Metropolitan counties	33,132	570	100	132	511	800	1,199	1,738	3,684	7,546	9,420	7,447	5
Male	16,655	346	54	79	396	598	810	1,067	2,205	4,273	4,493	2,331	3
Female	16,477	224	46	53	115	202	389	671	1,459	3,273	4,927	5,116	2
White	29,255	381	75	99	388	603	921	1,440	3,129	6,698	8,587	6,929	5
Male	14,584	233	40	60	294	459	619	899	1,891	3,819	4,102	2,165	3
Female	14,671	148	35	39	94	144	302	541	1,238	2,879	4,485	4,764	2
All other	3,877	189	25	33	123	197	278	298	535	848	633	518	-
Male	2,071	113	14	19	102	139	191	168	314	454	391	166	-
Female	1,806	76	11	14	21	58	87	130	221	394	442	352	-
Black	3,804	183	25	32	120	194	276	283	521	839	824	507	-
Male	2,031	110	14	19	99	136	190	162	307	447	388	159	-
Female	1,773	73	11	13	21	58	86	121	214	392	436	348	-
Nonmetropolitan counties	16,832	222	40	59	235	279	408	815	1,783	3,731	5,095	4,165	-
Male	8,579	134	29	33	171	203	257	499	1,102	2,181	2,571	1,399	-
Female	8,253	88	11	26	64	76	151	316	681	1,550	2,524	2,766	-
White	16,572	213	39	57	227	269	394	785	1,750	3,693	5,035	4,120	-
Male	8,431	129	28	32	169	195	249	480	1,081	2,148	2,539	1,381	-
Female	8,141	84	11	25	58	74	145	305	669	1,535	2,496	2,739	-
All other	260	9	1	2	8	10	14	30	33	48	60	45	-
Male	148	5	1	1	2	8	8	19	21	33	32	18	-
Female	112	4	-	1	6	2	6	11	12	15	28	27	-
Black	239	8	1	2	7	9	11	28	31	45	57	40	-
Male	138	5	1	1	2	7	7	18	20	31	30	16	-
Female	101	3	-	1	5	2	4	10	11	14	27	24	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 108

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 9 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Iowa	26,593	309	39	83	301	371	567	1,049	2,320	5,263	8,140	8,150	1
Male	13,180	174	25	55	220	259	377	633	1,410	3,116	4,255	2,855	1
Female	13,413	135	14	28	81	112	190	416	910	2,147	3,885	5,495	1
White	26,201	280	36	75	284	347	545	1,020	2,258	5,190	8,059	8,106	1
Male	12,965	166	23	50	212	242	364	614	1,369	3,077	4,213	2,834	1
Female	13,236	114	13	25	72	105	181	406	889	2,113	3,846	5,472	1
All other	392	29	3	8	17	24	22	29	62	73	81	44	1
Male	215	8	2	5	8	17	13	19	41	39	42	21	1
Female	177	21	1	3	9	7	9	10	21	34	39	23	1
Black	320	23	3	5	8	14	20	24	55	66	67	35	1
Male	178	6	2	3	5	9	11	16	36	38	38	14	1
Female	142	17	1	2	3	5	9	8	19	28	29	21	1
Metropolitan counties	9,727	165	18	30	133	190	279	480	984	2,056	2,635	2,556	1
Male	4,774	94	11	18	91	138	188	294	584	1,174	1,422	759	1
Female	4,953	71	7	12	42	52	91	186	400	882	1,413	1,797	1
White	9,407	138	15	25	119	172	259	457	933	1,995	2,771	2,522	1
Male	4,601	86	9	15	84	126	175	279	549	1,142	1,390	745	1
Female	4,806	52	6	10	35	46	84	178	384	853	1,381	1,777	1
All other	320	27	3	5	14	18	20	23	51	61	64	34	1
Male	173	8	2	3	7	12	13	15	35	32	32	14	1
Female	147	19	1	2	7	6	7	8	16	29	32	20	1
Black	277	23	3	5	7	11	18	21	46	57	55	31	1
Male	150	6	2	3	4	7	11	14	32	31	29	11	1
Female	127	17	1	2	3	4	7	7	14	26	26	20	1
Nonmetropolitan counties	16,866	144	21	53	168	181	288	569	1,336	3,207	5,305	5,594	1
Male	8,406	80	14	37	129	121	189	339	826	1,942	2,833	1,896	1
Female	8,460	64	7	16	39	60	99	230	510	1,265	2,472	3,698	1
White	16,794	142	21	50	165	175	286	563	1,325	3,195	5,288	5,584	1
Male	8,364	80	14	35	128	116	189	335	820	1,935	2,823	1,889	1
Female	8,430	62	7	15	37	59	97	228	505	1,260	2,465	3,695	1
All other	72	2	1	3	3	6	2	6	11	12	17	10	1
Male	42	1	1	2	1	5	1	4	6	7	10	7	1
Female	30	1	1	1	2	1	1	2	5	5	7	3	1
Black	43	1	1	1	1	3	2	3	9	9	12	4	1
Male	28	1	1	1	1	2	2	2	4	7	9	3	1
Female	15	1	1	1	1	1	1	1	5	2	3	1	1
Kansas	22,185	332	68	81	324	411	661	991	2,081	4,373	6,385	6,478	1
Male	10,997	188	35	45	231	289	439	609	1,301	2,580	3,123	2,157	1
Female	11,188	144	33	36	93	122	222	382	780	1,793	3,262	4,321	1
White	20,888	252	61	68	273	351	572	881	1,908	4,115	6,133	6,274	1
Male	10,274	146	31	38	195	253	385	542	1,188	2,426	2,988	2,082	1
Female	10,614	106	30	30	78	98	187	339	720	1,689	3,145	4,192	1
All other	1,297	80	7	13	51	60	89	110	173	258	252	204	1
Male	723	42	4	7	36	36	54	67	113	154	135	75	1
Female	574	38	3	6	15	24	35	43	60	104	117	129	1
Black	1,132	72	7	11	45	53	83	91	146	214	228	184	1
Male	631	39	4	5	33	34	50	59	94	125	123	65	1
Female	501	33	3	6	12	19	33	32	52	89	103	119	1
Metropolitan counties	10,024	198	36	41	176	247	407	562	1,071	2,145	2,666	2,475	1
Male	5,060	113	19	19	128	172	269	355	660	1,260	1,275	790	1
Female	4,964	85	17	22	48	75	138	207	411	885	1,391	1,685	1
White	9,025	134	30	32	137	196	330	468	936	1,955	2,481	2,326	1
Male	4,508	82	16	15	100	141	222	297	576	1,147	1,175	737	1
Female	4,517	52	14	17	37	55	108	171	360	808	1,306	1,589	1
All other	999	64	6	9	39	51	77	94	135	190	185	149	1
Male	552	31	3	4	28	31	47	58	84	113	100	53	1
Female	447	33	3	5	11	20	30	36	51	77	85	96	1
Black	911	60	6	9	37	47	73	80	120	167	176	136	1
Male	509	31	3	4	28	30	44	51	75	99	96	48	1
Female	402	29	3	5	9	17	29	29	45	68	80	88	1
Nonmetropolitan counties	12,161	134	32	40	148	164	254	429	1,010	2,228	3,719	4,003	1
Male	5,937	75	16	26	103	117	170	254	641	1,320	1,848	1,367	1
Female	6,224	59	16	14	45	47	84	175	369	908	1,871	2,636	1
White	11,863	118	31	36	136	155	242	413	972	2,160	3,652	3,948	1
Male	5,766	64	15	23	95	112	163	245	612	1,279	1,813	1,345	1
Female	6,097	54	16	13	41	43	79	168	360	881	1,839	2,603	1
All other	298	16	1	4	12	9	12	16	38	68	67	55	1
Male	171	11	1	3	8	5	7	9	29	41	35	22	1
Female	127	5	1	1	4	4	5	7	9	27	32	33	1
Black	221	12	1	2	8	6	10	11	26	47	50	48	1
Male	122	8	1	1	5	4	6	8	19	26	27	17	1
Female	99	4	1	1	3	2	4	3	7	21	23	31	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 109

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties:
United States and Each State, 1992—Con.

(Page 10 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kentucky	35,033	447	96	139	572	687	1,301	2,068	4,269	7,978	9,847	7,629	-
Male	18,300	262	51	81	408	477	871	1,319	2,856	4,657	4,897	2,621	-
Female	16,733	185	45	58	164	210	430	749	1,413	3,321	4,950	5,008	-
White	32,480	381	83	124	508	612	1,159	1,882	3,898	7,402	9,232	7,209	-
Male	16,999	232	44	71	364	432	789	1,216	2,445	4,338	4,596	2,472	-
Female	15,491	149	39	53	144	180	370	666	1,453	3,064	4,636	4,737	-
All other	2,543	66	13	15	64	75	142	186	371	576	615	420	-
Male	1,301	30	7	10	44	45	82	103	211	319	301	149	-
Female	1,242	36	6	5	20	30	60	83	160	257	314	271	-
Black	2,497	66	13	14	61	73	140	180	381	570	605	414	-
Male	1,285	30	7	9	42	45	82	100	209	317	295	149	-
Female	1,212	36	6	5	19	28	58	80	152	253	310	265	-
Metropolitan counties	15,412	233	48	45	216	289	614	890	1,886	3,520	4,283	3,388	-
Male	7,734	135	28	30	155	205	397	546	1,153	2,048	2,020	1,017	-
Female	7,678	98	20	15	61	84	217	344	733	1,472	2,263	2,371	-
White	13,667	178	39	35	173	235	512	744	1,633	3,125	3,865	3,127	-
Male	6,850	111	22	24	124	169	357	466	1,008	1,931	1,822	936	-
Female	6,817	67	17	11	49	66	175	278	625	1,295	2,043	2,191	-
All other	1,745	55	9	10	43	54	102	146	253	394	418	261	-
Male	884	24	6	6	31	36	60	80	145	217	198	81	-
Female	861	31	3	4	12	18	42	66	108	177	220	180	-
Black	1,719	55	9	9	43	53	101	141	247	390	415	256	-
Male	876	24	6	5	31	36	60	77	144	216	196	81	-
Female	843	31	3	4	12	17	41	64	103	174	219	175	-
Nonmetropolitan counties	19,621	214	48	94	356	398	687	1,178	2,383	4,458	5,564	4,241	-
Male	10,566	127	23	51	253	272	474	773	1,503	2,609	2,877	1,604	-
Female	9,055	87	25	43	103	126	213	405	890	1,849	2,687	2,637	-
White	18,823	203	44	89	335	377	647	1,138	2,285	4,276	5,367	4,082	-
Male	10,149	121	22	47	240	263	452	750	1,437	2,507	2,774	1,596	-
Female	8,674	82	22	42	95	114	195	388	828	1,769	2,593	2,546	-
All other	798	11	4	5	21	21	40	40	116	182	197	159	-
Male	417	6	1	4	13	9	22	23	66	102	103	68	-
Female	381	5	3	1	8	12	18	17	52	80	94	91	-
Black	778	11	4	5	18	20	39	59	114	180	190	158	-
Male	409	6	1	4	11	9	22	23	65	101	89	68	-
Female	369	5	3	1	7	11	17	16	49	79	91	90	-
Louisiana	37,642	668	164	223	876	1,290	1,802	2,554	4,830	8,375	9,763	7,096	1
Male	19,833	366	87	140	689	986	1,225	1,599	2,928	4,763	4,715	2,334	1
Female	17,809	302	77	83	187	304	577	955	1,902	3,612	5,048	4,762	-
White	25,565	275	61	122	413	672	936	1,477	3,083	5,833	7,337	5,355	1
Male	13,256	144	29	75	308	531	659	954	1,960	3,382	3,539	1,674	1
Female	12,309	131	32	47	105	141	277	523	1,123	2,451	3,798	3,681	-
All other	12,077	393	103	101	463	618	866	1,077	1,747	2,542	2,426	1,741	-
Male	6,577	222	58	65	381	455	566	645	968	1,381	1,176	660	-
Female	5,500	171	45	36	82	163	300	432	779	1,161	1,250	1,081	-
Black	11,976	389	101	97	463	607	851	1,066	1,730	2,526	2,411	1,735	-
Male	6,513	220	57	63	381	445	556	638	957	1,370	1,168	658	-
Female	5,463	169	44	34	82	162	295	428	773	1,156	1,243	1,077	-
Metropolitan parishes	25,006	457	111	143	621	924	1,322	1,774	3,260	5,549	6,235	4,609	1
Male	13,100	244	56	90	466	711	904	1,094	1,994	3,147	2,916	1,457	1
Female	11,906	213	55	53	135	213	418	680	1,266	2,402	3,319	3,152	-
White	16,837	187	44	68	266	463	669	1,019	2,054	3,834	4,686	3,546	1
Male	8,612	98	20	43	192	368	481	651	1,318	2,197	2,174	1,069	1
Female	8,225	89	24	25	74	95	188	368	736	1,637	2,512	2,477	-
All other	8,169	270	67	75	355	461	653	755	1,206	1,715	1,549	1,063	-
Male	4,488	146	36	47	294	343	423	443	676	950	742	388	-
Female	3,681	124	31	28	61	118	230	312	530	765	807	675	-
Black	8,088	268	66	71	355	452	642	745	1,192	1,703	1,537	1,057	-
Male	4,434	144	35	45	294	335	416	436	666	941	736	386	-
Female	3,654	124	31	26	61	117	226	309	528	762	801	671	-
Nonmetropolitan parishes	12,636	211	53	80	255	366	480	780	1,570	2,826	3,528	2,487	-
Male	6,733	122	31	50	203	275	321	505	934	1,616	1,799	877	-
Female	5,903	89	22	30	52	91	159	275	636	1,210	1,729	1,610	-
White	8,728	88	17	54	147	209	267	458	1,029	1,999	2,651	1,809	-
Male	4,644	46	9	32	116	163	178	303	642	1,185	1,365	605	-
Female	4,084	42	8	22	31	46	89	155	387	814	1,286	1,204	-
All other	3,908	123	36	26	108	157	213	322	541	827	877	678	-
Male	2,089	76	22	18	87	112	143	202	292	431	434	272	-
Female	1,819	47	14	8	21	45	70	120	249	396	443	406	-
Black	3,888	121	35	26	108	155	209	321	538	823	874	678	-
Male	2,079	76	22	18	87	110	140	202	291	429	432	272	-
Female	1,809	45	13	8	21	45	69	119	247	394	442	406	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 110

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.
(Page 11 of 26)
[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Maine	11,158	90	22	39	124	187	311	560	1,160	2,408	3,275	2,988	-
Male	5,560	51	14	16	87	138	206	353	722	1,332	1,656	985	-
Female	5,598	39	8	17	37	49	105	207	438	1,076	1,619	2,003	-
White	11,104	87	22	32	124	184	308	553	1,151	2,399	3,266	2,978	-
Male	5,531	49	14	15	87	137	205	347	715	1,329	1,651	982	-
Female	5,573	38	8	17	37	47	103	206	436	1,070	1,615	1,996	-
All other	54	3	-	1	-	3	3	7	9	9	9	10	-
Male	29	2	-	1	-	1	1	6	7	3	5	3	-
Female	25	1	-	-	-	2	2	1	2	6	4	7	-
Black	18	1	-	-	-	2	1	2	1	2	2	7	-
Male	8	-	-	-	-	1	1	2	1	-	1	2	-
Female	10	1	-	-	-	1	-	-	-	2	1	5	-
Metropolitan counties	4,357	39	7	9	39	77	118	230	445	895	1,283	1,215	-
Male	2,079	20	6	3	29	58	76	145	267	477	622	376	-
Female	2,278	19	1	6	10	19	42	85	178	418	661	839	-
White	4,335	38	7	9	39	75	117	225	441	894	1,279	1,211	-
Male	2,064	20	6	3	29	57	75	141	263	477	620	373	-
Female	2,271	18	1	6	10	18	42	84	178	417	659	838	-
All other	22	1	-	-	-	2	1	5	4	1	4	4	-
Male	15	-	-	-	-	1	1	4	4	-	2	3	-
Female	7	1	-	-	-	1	-	1	-	1	2	1	-
Black	9	1	-	-	-	1	1	2	1	-	-	3	-
Male	7	-	-	-	-	1	1	2	1	-	-	2	-
Female	2	1	-	-	-	-	-	-	-	-	-	1	-
Nonmetropolitan counties	6,801	51	15	24	85	110	193	330	715	1,513	1,992	1,773	-
Male	3,481	31	8	13	58	80	130	208	455	855	1,034	609	-
Female	3,320	20	7	11	27	30	63	122	260	658	958	1,164	-
White	6,769	49	15	23	85	109	191	328	710	1,505	1,987	1,787	-
Male	3,467	29	8	12	58	80	130	206	452	852	1,031	609	-
Female	3,302	20	7	11	27	29	61	122	258	653	956	1,158	-
All other	32	2	-	1	-	1	2	2	5	8	5	6	-
Male	14	2	-	1	-	-	-	2	3	3	3	-	-
Female	18	-	-	-	-	1	2	-	2	5	2	6	-
Black	9	-	-	-	-	1	-	-	-	2	2	4	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	8	-	-	-	-	1	-	-	2	1	1	4	-
Maryland	38,891	761	139	154	615	1,354	1,990	2,572	4,637	8,952	10,191	7,499	27
Male	19,993	422	79	94	483	987	1,327	1,615	2,775	5,035	4,829	2,328	19
Female	18,898	339	60	60	132	367	663	957	1,862	3,917	5,362	5,171	8
White	28,798	332	74	85	255	608	978	1,529	3,188	6,898	8,429	6,433	9
Male	14,299	184	44	51	180	452	671	958	1,915	3,879	3,999	1,960	6
Female	14,499	148	30	34	75	156	307	571	1,253	3,019	4,430	4,473	3
All other	10,093	429	65	69	360	746	1,012	1,043	1,469	2,054	1,762	1,066	18
Male	5,694	238	35	43	303	535	656	657	860	1,156	830	368	13
Female	4,399	191	30	26	57	211	356	386	609	898	932	698	5
Black	9,753	419	64	66	351	725	988	1,001	1,417	1,979	1,692	1,033	18
Male	5,509	234	35	41	297	518	641	635	833	1,113	797	352	13
Female	4,244	185	29	25	54	207	347	366	584	866	895	681	5
Metropolitan counties	35,419	709	129	141	584	1,279	1,871	2,405	4,237	8,122	9,158	6,758	26
Male	18,149	390	72	83	456	933	1,248	1,515	2,537	4,532	4,293	2,072	18
Female	17,270	319	57	58	128	346	623	890	1,700	3,590	4,865	4,686	8
White	26,082	302	67	76	234	562	895	1,419	2,879	6,244	7,594	5,801	9
Male	12,881	167	38	43	162	420	618	893	1,739	3,479	3,559	1,757	6
Female	13,201	135	29	33	72	142	277	526	1,140	2,765	4,035	4,044	3
All other	9,337	407	62	65	350	717	976	986	1,358	1,878	1,564	957	17
Male	5,268	223	34	40	294	513	630	622	798	1,053	734	315	12
Female	4,069	184	28	25	56	204	346	364	560	825	830	642	5
Black	9,006	397	61	62	341	696	955	946	1,306	1,805	1,495	925	17
Male	5,088	219	34	38	288	496	617	601	771	1,010	702	300	12
Female	3,918	178	27	24	53	200	338	345	535	795	793	625	5
Nonmetropolitan counties	3,472	52	10	13	31	75	119	167	400	830	1,033	741	1
Male	1,844	32	7	11	27	54	79	100	238	503	536	256	1
Female	1,628	20	3	2	4	21	40	67	162	327	497	485	-
White	2,716	30	7	9	21	46	83	110	289	654	835	632	-
Male	1,418	17	6	8	18	32	53	65	176	400	440	203	-
Female	1,298	13	1	1	3	14	30	45	113	254	395	429	-
All other	756	22	3	4	10	29	36	57	111	176	198	109	1
Male	426	15	1	3	9	22	26	35	62	103	96	53	1
Female	330	7	2	1	1	7	10	22	49	73	102	56	-
Black	747	22	3	4	10	29	33	55	111	174	197	108	1
Male	421	15	1	3	9	22	24	34	62	103	95	52	1
Female	326	7	2	1	1	7	9	21	49	71	102	56	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 111

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 12 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Massachusetts	53,878	569	109	119	480	1,202	1,871	2,661	5,325	11,527	15,925	14,088	2
Male	26,069	321	57	75	350	863	1,282	1,647	3,296	6,512	7,433	4,232	1
Female	27,809	248	52	44	130	339	589	1,014	2,029	5,015	8,492	9,856	1
White	51,547	435	89	96	402	1,039	1,636	2,436	5,017	11,043	15,520	13,832	2
Male	24,792	252	47	59	288	756	1,137	1,508	3,110	6,242	7,256	4,136	1
Female	26,755	183	42	37	114	283	499	928	1,907	4,801	8,264	9,696	1
All other	2,331	134	20	23	78	163	235	225	308	484	405	256	-
Male	1,277	69	10	16	62	107	145	139	186	270	177	96	-
Female	1,054	65	10	7	16	56	90	86	122	214	228	160	-
Black	2,013	116	15	19	66	150	213	196	263	410	342	223	-
Male	1,095	59	7	14	53	98	136	120	158	229	146	75	-
Female	918	57	8	5	13	52	77	76	105	181	196	148	-
Metropolitan counties	50,647	549	108	114	463	1,163	1,784	2,534	5,072	10,838	14,860	13,160	2
Male	24,451	307	57	72	337	830	1,229	1,560	3,132	6,134	6,898	3,894	1
Female	26,196	242	51	42	126	333	555	974	1,940	4,704	7,962	9,266	1
White	48,395	417	88	91	386	1,003	1,553	2,313	4,771	10,368	14,480	12,923	2
Male	23,215	240	47	56	276	726	1,085	1,424	2,950	5,873	6,793	3,804	1
Female	25,180	177	41	35	110	277	468	889	1,821	4,495	7,747	9,119	1
All other	2,252	132	20	23	77	160	231	221	301	470	380	237	-
Male	1,236	67	10	16	61	104	144	136	182	261	165	90	-
Female	1,016	65	10	7	16	56	87	85	119	209	215	147	-
Black	1,956	115	15	19	65	149	210	193	258	401	326	205	-
Male	1,067	58	7	14	52	97	136	118	154	223	138	70	-
Female	889	57	8	5	13	52	74	75	104	178	188	135	-
Nonmetropolitan counties	3,231	20	1	5	17	39	87	127	253	689	1,065	928	-
Male	1,618	14	-	3	13	33	53	87	164	378	535	338	-
Female	1,613	6	1	2	4	6	34	40	89	311	530	590	-
White	3,152	18	1	5	16	36	83	123	246	675	1,040	909	-
Male	1,577	12	-	3	12	30	52	84	160	369	523	332	-
Female	1,575	6	1	2	4	6	31	39	86	306	517	577	-
All other	79	2	-	-	1	3	4	4	7	14	25	19	-
Male	41	2	-	-	1	3	1	3	4	9	12	6	-
Female	38	-	-	-	-	-	3	1	3	5	13	13	-
Black	57	1	-	-	1	1	3	3	5	9	16	18	-
Male	28	1	-	-	1	1	-	2	4	6	8	5	-
Female	29	-	-	-	-	-	3	1	1	3	8	13	-
Michigan	79,079	1,463	258	358	1,309	1,877	3,154	4,589	8,927	18,294	21,816	17,024	10
Male	40,617	840	165	235	981	1,304	2,101	2,807	5,342	10,460	10,666	5,711	5
Female	38,462	623	93	123	328	573	1,053	1,782	3,585	7,834	11,150	11,313	5
White	66,554	793	158	258	829	1,266	2,097	3,448	7,138	15,573	19,388	15,612	4
Male	33,736	451	107	171	612	876	1,424	2,099	4,354	8,867	9,487	5,187	1
Female	32,818	332	51	87	217	390	673	1,349	2,784	6,606	9,901	10,425	3
All other	12,525	680	100	100	480	611	1,057	1,141	1,789	2,721	2,428	1,412	6
Male	6,881	389	58	64	369	428	677	708	988	1,493	1,179	524	4
Female	5,644	291	42	36	111	183	380	433	801	1,228	1,249	888	2
Black	11,902	657	94	95	458	585	1,012	1,066	1,674	2,589	2,310	1,356	6
Male	6,535	376	55	59	354	409	650	661	919	1,425	1,117	506	4
Female	5,367	281	39	36	104	176	362	405	755	1,164	1,193	850	2
Metropolitan counties	61,470	1,261	209	270	1,078	1,583	2,665	3,766	7,098	14,223	16,433	12,875	9
Male	31,422	717	135	179	812	1,101	1,783	2,302	4,210	8,030	7,884	4,264	5
Female	30,048	544	74	91	266	482	882	1,464	2,888	6,193	8,549	8,611	4
White	49,353	589	114	173	613	984	1,635	2,656	5,370	11,589	14,092	11,535	3
Male	24,762	331	81	118	453	683	1,121	1,611	3,260	6,584	6,755	3,764	1
Female	24,591	258	33	55	160	301	514	1,045	2,110	5,005	7,337	7,771	2
All other	12,117	672	95	97	465	599	1,030	1,110	1,728	2,634	2,341	1,340	6
Male	6,660	386	54	61	359	418	662	691	950	1,446	1,129	500	4
Female	5,457	286	41	36	106	181	368	419	778	1,188	1,212	840	2
Black	11,698	654	89	93	454	581	999	1,054	1,655	2,547	2,261	1,305	6
Male	6,422	374	51	57	352	405	642	652	908	1,403	1,086	488	4
Female	5,276	280	38	36	102	176	357	402	747	1,144	1,175	817	2
Nonmetropolitan counties	17,609	202	49	88	231	294	489	823	1,829	4,071	5,383	4,149	1
Male	9,195	123	30	56	169	203	318	505	1,132	2,430	2,782	1,447	-
Female	8,414	79	19	32	62	91	171	318	697	1,641	2,601	2,702	1
White	17,201	194	44	85	216	282	462	792	1,768	3,984	5,296	4,077	1
Male	8,974	120	26	53	159	193	303	488	1,094	2,383	2,732	1,423	-
Female	8,227	74	18	32	57	89	159	304	674	1,601	2,564	2,654	1
All other	408	8	5	3	15	12	27	31	61	87	87	72	-
Male	221	3	4	3	10	10	15	17	38	47	50	24	-
Female	187	5	1	-	5	2	12	14	23	40	37	48	-
Black	204	3	5	2	4	4	13	12	19	42	49	51	-
Male	113	2	4	2	2	4	8	9	11	22	31	18	-
Female	91	1	1	-	2	-	5	3	8	20	18	33	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 112

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 13 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minnesota	35,037	463	89	130	439	637	1,028	1,572	3,167	6,708	10,365	10,441	-
Male	17,572	271	46	89	318	453	696	974	1,980	3,947	5,285	3,513	-
Female	17,465	192	43	41	121	184	330	598	1,187	2,761	5,080	6,928	-
White	34,080	369	78	116	386	557	939	1,463	3,040	6,521	10,242	10,369	-
Male	17,028	226	39	77	282	403	644	908	1,907	3,849	5,216	3,477	-
Female	17,052	143	39	39	104	154	295	555	1,133	2,672	5,026	6,892	-
All other	957	94	11	14	53	80	87	109	127	187	123	72	-
Male	544	45	7	12	36	50	52	66	73	98	69	36	-
Female	413	49	4	2	17	30	35	43	54	89	54	36	-
Black	494	51	4	3	26	37	51	56	63	101	64	38	-
Male	288	26	3	2	19	27	31	38	35	52	36	19	-
Female	206	25	1	1	7	10	20	18	28	49	28	19	-
Metropolitan counties	20,545	332	61	86	277	437	748	1,042	2,012	4,044	5,767	5,739	-
Male	10,053	198	34	62	199	306	519	636	1,266	2,318	2,772	1,743	-
Female	10,492	134	27	24	78	131	229	406	746	1,726	2,995	3,996	-
White	19,760	252	53	74	237	371	671	953	1,908	3,891	5,666	5,684	-
Male	9,605	158	28	52	172	265	472	582	1,208	2,336	2,716	1,716	-
Female	10,155	94	25	22	65	106	199	371	700	1,655	2,950	3,968	-
All other	785	80	8	12	40	66	77	89	104	153	101	55	-
Male	449	40	6	10	27	41	47	54	58	82	56	27	-
Female	337	40	2	2	13	25	30	35	46	71	45	28	-
Black	489	50	4	3	26	37	50	55	62	100	64	38	-
Male	285	25	3	2	19	27	30	38	35	51	36	19	-
Female	204	25	1	1	7	10	20	17	27	49	28	19	-
Nonmetropolitan counties	14,492	131	28	44	162	200	278	530	1,155	2,664	4,598	4,702	-
Male	7,519	73	12	27	119	147	177	338	714	1,629	2,513	1,770	-
Female	6,973	58	16	17	43	53	101	192	441	1,035	2,085	2,932	-
White	14,320	117	25	42	149	186	268	510	1,132	2,630	4,576	4,685	-
Male	7,423	68	11	25	110	138	172	326	699	1,613	2,500	1,761	-
Female	6,897	49	14	17	39	48	96	184	433	1,017	2,076	2,924	-
All other	172	14	3	2	13	14	10	20	23	34	22	17	-
Male	96	5	1	2	9	9	5	12	15	16	13	9	-
Female	76	9	2	-	4	5	5	8	8	18	9	8	-
Black	5	1	-	-	-	-	1	1	1	1	-	-	-
Male	3	1	-	-	-	-	1	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
Mississippi	25,259	509	113	142	593	800	1,082	1,586	3,071	5,522	6,761	5,074	6
Male	13,364	262	60	93	439	535	724	987	1,943	3,288	3,292	1,737	4
Female	11,895	247	53	49	154	265	358	599	1,128	2,234	3,469	3,337	2
White	16,489	173	43	70	264	401	559	932	2,025	3,769	4,705	3,546	2
Male	8,681	91	23	46	192	277	392	595	1,337	2,317	2,273	1,137	1
Female	7,808	82	20	24	72	124	167	337	688	1,452	2,432	2,409	1
All other	8,770	336	70	72	329	399	523	654	1,046	1,753	2,056	1,528	4
Male	4,683	171	37	47	247	258	332	392	606	971	1,019	600	3
Female	4,087	165	33	25	82	141	191	262	440	782	1,037	928	1
Black	8,702	330	70	72	325	393	517	650	1,038	1,735	2,047	1,522	3
Male	4,642	165	37	47	244	252	329	390	601	964	1,012	599	2
Female	4,060	165	33	25	81	141	188	260	437	771	1,035	923	1
Metropolitan counties	6,453	135	28	44	146	251	310	440	873	1,451	1,698	1,072	5
Male	3,501	76	13	33	109	170	217	270	553	890	941	325	4
Female	2,952	59	15	11	37	81	93	170	320	561	857	747	1
White	4,509	55	10	21	65	147	175	293	623	1,093	1,229	796	2
Male	2,404	26	5	15	45	102	127	184	406	686	598	209	1
Female	2,105	29	5	6	20	45	48	109	217	407	631	587	1
All other	1,944	80	18	23	81	104	135	147	250	358	469	276	3
Male	1,097	50	8	18	64	68	90	86	147	204	243	116	3
Female	847	30	10	5	17	36	45	61	103	154	226	160	-
Black	1,927	77	18	23	80	102	134	147	249	355	466	274	2
Male	1,085	47	8	18	64	66	89	86	146	203	240	116	2
Female	842	30	10	5	16	36	45	61	103	152	226	158	-
Nonmetropolitan counties	18,806	374	85	98	447	549	772	1,146	2,198	4,071	5,063	4,002	1
Male	9,863	186	47	60	330	365	507	717	1,390	2,398	2,451	1,412	-
Female	8,943	188	38	38	117	184	265	429	808	1,673	2,612	2,590	1
White	11,980	118	33	49	199	254	384	639	1,402	2,676	3,476	2,750	-
Male	6,277	65	18	31	147	175	265	411	931	1,631	1,675	928	-
Female	5,703	53	15	18	52	79	119	228	471	1,045	1,801	1,822	-
All other	6,826	256	52	49	248	295	388	507	796	1,395	1,587	1,252	1
Male	3,586	121	29	29	183	190	242	306	459	767	776	484	-
Female	3,240	135	23	20	65	105	146	201	337	628	811	768	1
Black	6,775	253	52	49	245	291	383	503	789	1,380	1,581	1,248	1
Male	3,557	118	29	29	180	186	240	304	455	761	772	483	-
Female	3,218	135	23	20	65	105	143	199	334	619	809	765	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 113

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 14 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Missouri	50,988	649	155	196	812	1,131	1,689	2,531	5,411	10,677	14,774	12,957	6
Male	25,730	376	89	112	623	849	1,153	1,632	3,374	6,162	7,187	4,167	6
Female	25,258	273	66	84	189	282	536	899	2,037	4,515	7,587	8,790	-
White	45,407	429	114	153	565	848	1,303	2,059	4,608	9,546	13,639	12,139	4
Male	22,659	248	65	88	412	632	902	1,333	2,889	5,554	6,650	3,882	4
Female	22,748	181	49	65	153	216	401	726	1,719	3,992	6,989	8,257	-
All other	5,581	220	41	43	247	283	386	472	803	1,131	1,135	818	2
Male	3,071	128	24	24	211	217	251	299	485	608	537	285	2
Female	2,510	92	17	19	36	66	135	173	318	523	598	533	-
Black	5,438	212	41	42	241	277	368	459	772	1,106	1,113	805	2
Male	2,991	123	24	23	207	213	239	290	469	596	525	280	2
Female	2,447	89	17	19	34	64	129	169	303	510	588	525	-
Metropolitan counties	31,194	463	104	101	553	824	1,206	1,655	3,432	6,519	8,693	7,639	5
Male	15,415	265	56	57	426	637	838	1,069	2,112	3,681	3,979	2,290	5
Female	15,779	198	48	44	127	187	368	566	1,320	2,838	4,714	5,349	-
White	26,170	263	66	70	317	561	854	1,219	2,688	5,493	7,695	6,941	3
Male	12,637	153	35	40	221	432	607	786	1,667	3,125	3,518	2,050	3
Female	13,533	110	31	30	96	129	247	433	1,021	2,368	4,177	4,891	-
All other	5,024	200	38	31	236	263	352	436	744	1,026	998	698	2
Male	2,778	112	21	17	205	205	231	283	445	556	461	240	2
Female	2,246	88	17	14	31	58	121	153	299	470	537	458	-
Black	4,907	193	38	31	231	258	338	426	719	1,006	979	686	2
Male	2,712	108	21	17	202	201	220	275	433	546	452	235	2
Female	2,195	85	17	14	29	57	118	151	286	460	527	451	-
Nonmetropolitan counties	19,794	186	51	95	259	307	483	876	1,979	4,158	6,081	5,318	1
Male	10,315	111	33	55	197	212	315	563	1,262	2,481	3,208	1,877	1
Female	9,479	75	18	40	62	95	168	313	717	1,677	2,873	3,441	-
White	19,237	166	48	83	248	287	449	840	1,920	4,053	5,944	5,198	1
Male	10,022	95	30	48	191	200	295	547	1,222	2,429	3,132	1,832	1
Female	9,215	71	18	35	57	87	154	293	698	1,624	2,812	3,366	-
All other	557	20	3	12	11	20	34	36	59	105	137	120	-
Male	293	16	3	7	6	12	20	16	40	52	76	45	-
Female	264	4	-	5	5	8	14	20	19	53	61	75	-
Black	531	19	3	11	10	19	30	33	53	100	134	119	-
Male	279	15	3	6	5	12	19	15	36	50	73	45	-
Female	252	4	-	5	5	7	11	18	17	50	61	74	-
Montana	7,068	86	30	39	124	151	253	337	689	1,537	2,100	1,722	-
Male	3,770	49	13	20	92	111	160	230	418	924	1,113	640	-
Female	3,298	37	17	19	32	40	93	107	271	613	987	1,082	-
White	6,735	67	23	32	102	132	235	308	639	1,468	2,035	1,694	-
Male	3,579	37	10	17	75	97	147	212	384	887	1,082	631	-
Female	3,156	30	13	15	27	35	88	96	255	581	953	1,063	-
All other	333	19	7	7	22	19	18	29	50	69	65	28	-
Male	191	12	3	3	17	14	13	18	34	37	31	9	-
Female	142	7	4	4	5	5	5	11	16	32	34	19	-
Black	13	2	-	1	-	-	-	1	2	2	4	1	-
Male	7	1	-	1	-	-	-	1	1	2	1	-	-
Female	6	1	-	-	-	-	-	-	1	-	3	1	-
Metropolitan counties	1,526	19	5	6	24	38	55	78	169	314	457	361	-
Male	800	15	2	2	19	26	35	54	105	181	224	137	-
Female	726	4	3	4	5	12	20	24	64	133	233	224	-
White	1,496	14	5	5	23	35	54	73	162	311	454	360	-
Male	780	10	2	2	18	23	34	51	101	179	223	137	-
Female	716	4	3	3	5	12	20	22	61	132	231	223	-
All other	30	5	-	1	3	3	1	5	7	3	3	1	-
Male	20	5	-	1	3	3	1	3	4	2	1	-	-
Female	10	-	-	-	-	-	-	2	3	1	2	1	-
Black	5	1	-	-	-	-	-	1	1	-	2	-	-
Male	4	1	-	-	-	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Nonmetropolitan counties	5,542	67	25	33	100	113	198	259	520	1,223	1,643	1,361	-
Male	2,970	34	11	18	73	85	125	176	313	743	889	503	-
Female	2,572	33	14	15	27	28	73	83	207	480	754	858	-
White	5,239	53	18	27	79	97	181	235	477	1,157	1,581	1,334	-
Male	2,799	27	8	15	57	74	113	161	283	708	859	494	-
Female	2,440	26	10	12	22	23	68	74	194	449	722	840	-
All other	303	14	7	6	21	16	17	24	43	66	62	27	-
Male	171	7	3	3	16	11	12	15	30	35	30	9	-
Female	132	7	4	3	5	5	5	9	13	31	32	18	-
Black	8	1	-	1	-	-	-	-	1	2	2	1	-
Male	3	-	-	1	-	-	-	-	-	2	-	-	-
Female	5	1	-	-	-	-	-	-	1	-	2	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 114

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.
(Page 15 of 26)
[For definitions of areas see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Nebraska	14,644	172	36	55	169	234	372	608	1,324	2,837	4,383	4,453	1
Male	7,237	92	25	36	113	165	241	380	794	1,657	2,222	1,511	1
Female	7,407	80	11	19	56	69	131	228	530	1,180	2,161	2,942	-
White	14,114	143	33	52	150	211	331	558	1,234	2,731	4,277	4,395	1
Male	6,955	70	22	35	101	150	220	345	746	1,604	2,174	1,487	1
Female	7,159	73	11	17	49	61	111	211	488	1,127	2,103	2,908	-
All other	530	29	3	3	19	23	41	52	90	106	106	58	-
Male	282	22	3	1	12	15	21	35	48	53	48	24	-
Female	248	7	-	2	7	8	20	17	42	53	58	34	-
Black	421	26	3	3	10	16	30	40	67	84	94	48	-
Male	220	19	3	1	6	11	17	26	35	40	44	18	-
Female	201	7	-	2	4	5	13	14	32	44	50	30	-
Metropolitan counties	5,627	97	15	18	77	128	211	304	616	1,221	1,558	1,382	-
Male	2,810	56	12	8	48	88	136	197	378	690	759	438	-
Female	2,817	41	3	10	29	40	75	107	238	531	799	944	-
White	5,179	72	12	15	62	111	176	262	540	1,131	1,467	1,331	-
Male	2,578	38	9	7	38	77	118	170	339	647	717	418	-
Female	2,601	34	3	8	24	34	58	92	201	484	750	913	-
All other	448	25	3	3	15	17	35	42	76	90	91	51	-
Male	232	18	3	1	10	11	18	27	39	43	42	20	-
Female	216	7	-	2	5	6	17	15	37	47	49	31	-
Black	407	25	3	3	10	14	30	40	67	80	88	47	-
Male	210	18	3	1	6	9	17	26	35	37	40	18	-
Female	197	7	-	2	4	5	13	14	32	43	48	29	-
Nonmetropolitan counties	9,017	75	21	37	92	106	161	304	708	1,616	2,825	3,071	1
Male	4,427	36	13	28	65	77	105	183	416	967	1,463	1,073	1
Female	4,590	39	8	9	27	29	56	121	292	649	1,362	1,998	-
White	8,935	71	21	37	88	100	155	294	694	1,600	2,810	3,064	1
Male	4,377	32	13	28	63	73	102	175	407	957	1,457	1,089	1
Female	4,558	39	8	9	25	27	53	119	287	643	1,353	1,995	-
All other	82	4	-	-	4	6	6	10	14	16	15	7	-
Male	50	4	-	-	2	4	3	8	9	10	6	4	-
Female	32	-	-	-	2	2	3	2	5	6	9	3	-
Black	14	1	-	-	-	2	-	-	-	4	6	1	-
Male	10	1	-	-	-	2	-	-	-	3	4	-	-
Female	4	-	-	-	-	-	-	-	-	1	2	1	-
Nevada	10,277	151	39	42	176	327	562	791	1,517	2,711	2,573	1,379	9
Male	5,994	89	28	25	138	248	392	527	993	1,640	1,393	513	8
Female	4,283	62	11	17	38	79	170	264	524	1,071	1,180	866	1
White	9,474	111	29	33	127	266	478	700	1,395	2,572	2,438	1,316	9
Male	5,529	68	23	22	98	204	348	468	922	1,563	1,318	487	8
Female	3,945	43	6	11	29	62	130	232	473	1,009	1,120	829	1
All other	803	40	10	9	49	61	84	91	122	139	135	63	-
Male	465	21	5	3	40	44	44	59	71	77	75	26	-
Female	338	19	5	6	9	17	40	32	51	62	60	37	-
Black	581	36	5	6	36	51	68	62	96	85	89	47	-
Male	350	19	2	3	31	36	37	41	58	55	49	19	-
Female	231	17	3	3	5	15	31	21	38	30	40	28	-
Metropolitan counties	8,521	117	32	35	143	286	494	668	1,283	2,228	2,096	1,131	8
Male	4,942	69	21	20	109	216	342	445	827	1,341	1,119	426	7
Female	3,579	48	11	15	34	70	152	223	456	887	977	705	1
White	7,808	81	22	28	99	231	415	584	1,174	2,110	1,979	1,077	8
Male	4,530	51	16	17	74	177	301	391	763	1,277	1,052	404	7
Female	3,278	30	6	11	25	54	114	193	411	833	927	673	1
All other	713	36	10	7	44	55	79	84	109	118	117	54	-
Male	412	18	5	3	35	39	41	54	64	64	67	22	-
Female	301	18	5	4	9	16	38	30	45	54	50	32	-
Black	568	35	5	6	36	48	66	60	95	84	88	45	-
Male	340	18	2	3	31	33	36	39	58	54	48	18	-
Female	228	17	3	3	5	15	30	21	37	30	40	27	-
Nonmetropolitan counties	1,756	34	7	7	33	41	68	123	234	483	477	248	1
Male	1,052	20	7	5	29	32	50	82	168	299	274	87	1
Female	704	14	-	2	4	9	18	41	68	184	203	161	-
White	1,666	30	7	5	28	35	63	116	221	462	459	239	1
Male	999	17	7	5	24	27	47	77	159	286	266	83	1
Female	667	13	-	-	4	8	16	39	62	176	193	156	-
All other	90	4	-	2	5	6	5	7	13	21	18	9	-
Male	53	3	-	-	5	5	3	5	7	13	8	4	-
Female	37	1	-	2	-	1	2	2	6	8	10	5	-
Black	13	1	-	-	-	3	2	2	1	1	1	2	-
Male	10	1	-	-	-	3	1	2	-	1	1	1	-
Female	3	-	-	-	-	-	1	-	1	-	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 116

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 17 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Mexico	11,176	211	50	71	286	458	594	647	1,232	2,398	2,955	2,265	9
Male	6,175	139	28	45	216	350	414	416	733	1,435	1,528	862	9
Female	5,001	72	22	26	70	108	180	231	499	963	1,427	1,403	-
White	10,190	157	38	54	210	355	489	569	1,119	2,243	2,793	2,154	9
Male	5,564	111	21	31	160	267	337	358	675	1,343	1,440	812	9
Female	4,626	46	17	23	50	88	152	211	444	900	1,353	1,342	-
All other	986	54	12	17	76	103	105	78	113	155	162	111	-
Male	611	28	7	14	56	83	77	58	82	92	88	50	-
Female	375	26	5	3	20	20	28	20	55	63	74	61	-
Black	201	15	2	5	10	14	21	15	18	40	38	23	-
Male	131	12	2	5	9	12	17	11	9	26	19	9	-
Female	70	3	-	-	1	2	4	4	9	14	19	14	-
Metropolitan counties	4,946	68	19	26	124	221	288	298	520	1,072	1,299	986	5
Male	2,702	62	10	15	95	165	200	191	304	642	656	357	5
Female	2,244	26	9	11	29	56	88	107	216	430	643	629	-
White	4,755	77	17	23	108	202	258	280	499	1,044	1,272	870	5
Male	2,575	55	8	13	85	148	177	176	292	627	639	351	5
Female	2,180	22	9	10	23	54	81	104	207	417	634	619	-
All other	191	11	2	3	16	19	30	18	21	28	27	18	-
Male	127	7	2	2	10	17	23	15	12	15	9	10	-
Female	64	4	-	1	6	2	7	3	9	13	18	8	-
Black	92	10	-	1	5	7	15	8	8	15	11	12	-
Male	62	7	-	1	5	6	12	6	4	10	6	5	-
Female	30	3	-	-	-	1	3	2	4	5	5	7	-
Nonmetropolitan counties	6,230	123	31	45	162	237	306	349	712	1,326	1,656	1,279	4
Male	3,473	77	18	30	121	185	214	225	429	793	872	505	4
Female	2,757	46	13	15	41	52	92	124	283	533	784	774	-
White	5,435	80	21	31	102	153	231	289	620	1,199	1,521	1,184	4
Male	2,989	56	13	18	75	119	160	182	383	716	802	461	4
Female	2,446	24	8	13	27	34	71	107	237	483	719	723	-
All other	795	43	10	14	60	84	75	60	92	127	135	95	-
Male	484	21	5	12	46	66	54	43	46	77	70	44	-
Female	311	22	5	2	14	18	21	17	46	50	65	51	-
Black	109	5	2	4	5	7	6	7	10	25	27	11	-
Male	69	5	2	4	6	5	5	5	5	16	13	4	-
Female	40	-	-	-	1	1	1	2	5	9	14	7	-
New York	166,333	2,532	447	469	2,289	5,335	9,203	10,555	18,372	34,297	44,653	38,161	20
Male	83,824	1,407	239	291	1,769	3,798	6,520	6,786	10,870	19,025	21,121	11,981	17
Female	82,509	1,125	208	178	520	1,537	2,683	3,769	7,502	15,272	23,532	26,180	3
White	139,984	1,510	276	324	1,463	3,425	5,955	7,555	14,384	29,174	40,447	35,453	18
Male	69,588	845	159	206	1,116	2,502	4,329	4,911	8,654	16,422	19,246	11,182	16
Female	70,396	665	117	118	347	923	1,626	2,644	5,730	12,752	21,201	24,271	2
All other	26,349	1,022	171	145	826	1,910	3,248	3,000	3,988	5,123	4,206	2,708	2
Male	14,236	562	80	85	653	1,296	2,191	1,875	2,216	2,603	1,875	799	1
Female	12,113	460	91	60	173	614	1,057	1,125	1,772	2,520	2,331	1,909	1
Black	24,435	961	159	136	773	1,817	3,108	2,817	3,679	4,692	3,827	2,464	2
Male	13,114	530	75	80	615	1,240	2,096	1,751	2,022	2,346	1,672	886	1
Female	11,321	431	84	56	158	577	1,012	1,066	1,657	2,346	2,155	1,778	1
Metropolitan counties	151,674	2,363	421	421	2,138	5,100	8,808	9,827	16,759	31,062	40,264	34,492	19
Male	76,331	1,315	223	263	1,649	3,629	6,246	6,329	9,908	17,149	18,867	10,737	16
Female	75,343	1,048	198	158	489	1,471	2,562	3,498	6,851	13,913	21,397	23,755	3
White	125,621	1,349	253	277	1,320	3,205	5,582	6,863	12,824	25,993	36,115	31,822	18
Male	62,271	759	144	178	1,003	2,345	4,075	4,482	7,716	14,577	17,024	9,952	16
Female	63,350	590	109	99	317	860	1,507	2,381	5,108	11,416	19,091	21,870	2
All other	26,053	1,014	168	144	818	1,895	3,226	2,964	3,935	5,069	4,149	2,870	1
Male	14,060	556	79	85	646	1,284	2,171	1,847	2,192	2,572	1,843	785	-
Female	11,993	458	89	59	172	611	1,055	1,117	1,743	2,497	2,306	1,885	1
Black	24,206	953	157	136	767	1,803	3,089	2,786	3,641	4,655	3,787	2,431	1
Male	12,973	524	74	80	610	1,229	2,079	1,726	2,003	2,323	1,649	876	-
Female	11,233	429	83	56	157	574	1,010	1,060	1,638	2,332	2,138	1,755	1
Nonmetropolitan counties	14,659	169	26	48	151	235	395	728	1,613	3,235	4,389	3,669	1
Male	7,493	92	16	28	120	169	274	457	982	1,876	2,254	1,244	1
Female	7,166	77	10	20	31	66	121	271	651	1,359	2,135	2,425	-
White	14,363	161	23	47	143	220	373	692	1,560	3,181	4,332	3,631	-
Male	7,317	86	15	28	113	157	254	429	938	1,845	2,222	1,230	-
Female	7,046	75	8	19	30	63	119	263	622	1,336	2,110	2,401	-
All other	296	8	3	1	8	15	22	36	53	54	57	38	1
Male	176	6	1	-	7	12	20	28	24	31	32	14	1
Female	120	2	2	1	1	3	2	8	29	23	25	24	-
Black	229	8	2	-	6	14	19	31	38	37	40	39	1
Male	141	6	1	-	5	11	17	25	19	23	23	10	1
Female	88	2	1	-	1	3	2	6	19	14	17	23	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 117

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 18 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
North Carolina	59,611	1,038	206	233	1,002	1,591	2,519	3,874	7,602	13,857	16,215	11,469	5
Male	31,043	609	113	146	732	1,131	1,888	2,515	4,731	8,145	7,723	3,506	4
Female	28,568	429	93	87	270	460	631	1,359	2,871	5,712	8,492	7,963	1
White	44,977	514	113	134	607	879	1,429	2,541	5,595	10,686	12,988	9,566	3
Male	23,192	320	67	82	438	631	973	1,665	3,489	6,392	6,243	2,890	2
Female	21,785	194	46	52	189	248	456	876	2,046	4,294	6,745	6,676	1
All other	14,634	524	93	99	395	712	1,090	1,333	2,067	3,189	3,227	1,903	2
Male	7,881	289	46	64	294	500	715	850	1,242	1,763	1,480	816	2
Female	6,773	235	47	35	101	212	375	483	825	1,426	1,747	1,287	-
Black	14,070	499	84	87	370	681	1,043	1,262	1,979	3,091	3,119	1,853	2
Male	7,544	273	44	55	275	479	690	809	1,182	1,706	1,425	594	2
Female	6,526	226	40	32	95	202	353	453	787	1,385	1,694	1,259	-
Metropolitan counties	30,515	569	101	117	557	894	1,391	2,016	3,914	6,887	8,152	5,915	2
Male	15,702	324	52	78	414	625	949	1,321	2,410	3,965	3,778	1,785	1
Female	14,813	245	49	39	143	269	442	695	1,504	2,922	4,374	4,130	1
White	23,638	283	63	71	353	505	828	1,364	2,938	5,468	6,724	5,042	1
Male	12,016	177	35	45	257	353	580	907	1,834	3,170	3,156	1,802	-
Female	11,622	106	28	26	96	152	246	457	1,104	2,298	3,568	3,540	1
All other	6,877	286	38	46	204	399	565	652	876	1,419	1,428	873	1
Male	3,666	147	17	33	157	272	369	414	576	795	622	283	1
Female	3,191	139	21	13	47	117	195	238	400	624	806	590	-
Black	6,747	273	37	46	195	380	550	633	950	1,495	1,411	866	1
Male	3,622	141	17	33	151	285	362	407	565	786	614	280	1
Female	3,125	132	20	13	44	115	188	226	385	619	797	586	-
Nonmetropolitan counties	29,096	469	105	116	445	697	1,128	1,858	3,688	6,970	8,063	5,554	3
Male	15,341	285	61	68	318	506	739	1,194	2,321	4,180	3,945	1,721	3
Female	13,755	184	44	48	127	191	389	664	1,367	2,790	4,118	3,833	-
White	17,339	231	50	63	254	374	603	1,177	2,597	5,200	6,264	4,524	2
Male	11,168	143	32	37	181	278	393	758	1,655	3,212	3,087	1,388	2
Female	10,173	88	18	26	73	96	210	419	942	1,988	3,177	3,136	-
All other	7,757	238	55	53	191	323	525	681	1,091	1,770	1,789	1,030	1
Male	4,175	142	29	31	137	228	346	436	666	968	858	333	1
Female	3,582	96	26	22	54	95	179	245	425	802	941	697	-
Black	7,323	226	47	41	175	301	493	629	1,029	1,686	1,708	987	1
Male	3,922	132	27	22	124	214	328	402	627	920	811	314	1
Female	3,401	94	20	19	51	87	165	227	402	766	897	673	-
North Dakota	5,697	69	11	25	58	81	136	208	519	1,083	1,784	1,723	-
Male	3,081	34	7	14	49	58	86	132	319	688	1,021	673	-
Female	2,616	35	4	11	9	23	50	76	200	395	763	1,050	-
White	5,514	58	7	24	53	69	120	188	486	1,057	1,747	1,705	-
Male	2,981	29	5	13	46	49	78	114	303	672	1,005	667	-
Female	2,533	29	2	11	7	20	42	74	183	385	742	1,038	-
All other	183	11	4	1	5	12	16	20	33	26	37	18	-
Male	100	5	2	1	3	9	8	18	16	16	16	6	-
Female	83	6	2	-	2	3	8	2	17	10	21	12	-
Black	3	-	-	-	-	1	-	-	1	-	-	1	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Metropolitan counties	1,724	22	3	12	25	28	51	76	171	328	509	499	-
Male	885	11	3	8	20	18	31	46	101	202	262	163	-
Female	859	11	-	4	5	10	20	30	70	126	247	336	-
White	1,697	20	2	11	24	25	48	73	167	326	504	497	-
Male	848	10	2	7	20	16	29	44	99	201	258	162	-
Female	849	10	-	4	4	9	19	29	68	125	246	335	-
All other	27	2	1	1	1	3	3	3	4	2	5	2	-
Male	17	1	1	-	-	2	2	2	1	1	4	1	-
Female	10	1	-	-	-	1	1	1	2	1	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Nonmetropolitan counties	3,973	47	8	13	33	53	85	132	348	755	1,275	1,224	-
Male	2,216	23	4	6	29	40	55	86	218	486	759	510	-
Female	1,757	24	4	7	4	13	30	46	130	269	516	714	-
White	3,817	38	5	13	29	44	72	115	319	731	1,243	1,208	-
Male	2,133	19	3	6	26	33	49	70	204	471	747	505	-
Female	1,684	19	2	7	3	11	23	45	115	260	496	703	-
All other	156	9	3	-	4	9	13	17	29	24	32	16	-
Male	83	4	1	-	3	7	6	16	14	15	12	5	-
Female	73	5	2	-	1	2	7	1	15	9	20	11	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 118

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 19 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ohio	99,120	1,530	239	298	1,331	1,967	3,249	5,125	11,426	23,412	28,277	22,285	1
Male	49,567	850	130	172	993	1,397	2,126	3,151	6,946	13,172	13,814	7,016	-
Female	49,553	680	109	126	338	570	1,123	1,974	4,480	10,240	14,663	15,249	1
White	88,900	1,056	194	240	1,027	1,527	2,548	4,216	9,816	20,826	26,025	20,824	1
Male	43,816	595	110	135	740	1,103	1,688	2,622	6,011	11,751	12,546	6,515	-
Female	44,484	461	84	105	287	424	860	1,594	3,805	9,075	13,479	14,309	1
All other	10,820	474	45	58	304	440	701	909	1,610	2,586	2,252	1,441	-
Male	5,751	255	20	37	253	294	438	529	935	1,421	1,068	501	-
Female	5,069	219	25	21	51	146	263	380	675	1,165	1,184	940	-
Black	10,614	467	43	54	299	432	683	886	1,578	2,549	2,205	1,418	-
Male	5,645	251	19	33	249	290	426	519	925	1,398	1,044	491	-
Female	4,969	216	24	21	50	142	257	367	653	1,151	1,161	927	-
Metropolitan counties	77,697	1,270	174	212	1,015	1,602	2,614	4,061	9,015	18,539	22,027	17,167	1
Male	38,611	702	92	123	759	1,128	1,712	2,504	5,451	10,365	10,456	5,319	-
Female	39,086	568	82	89	256	474	902	1,557	3,564	8,174	11,571	11,848	-
White	67,269	801	132	159	715	1,173	1,929	3,185	7,479	16,047	19,863	15,785	1
Male	33,070	448	74	88	510	840	1,281	1,995	4,561	8,993	9,438	4,842	-
Female	34,199	353	58	71	205	333	648	1,190	2,918	7,054	10,425	10,943	1
All other	10,428	469	42	53	300	429	685	876	1,536	2,492	2,164	1,382	-
Male	5,541	254	18	35	249	288	431	509	890	1,372	1,018	477	-
Female	4,887	215	24	18	51	141	254	367	646	1,120	1,146	905	-
Black	10,246	463	41	50	295	422	670	855	1,509	2,459	2,119	1,363	-
Male	5,444	250	18	32	245	284	420	500	880	1,351	995	469	-
Female	4,802	213	23	18	50	138	250	355	629	1,108	1,124	894	-
Nonmetropolitan counties	21,423	260	65	86	316	365	635	1,064	2,411	4,873	6,250	5,098	-
Male	10,956	148	38	49	234	269	414	647	1,495	2,807	3,158	1,697	-
Female	10,467	112	27	37	82	96	221	417	916	2,066	3,092	3,401	-
White	21,031	255	62	81	312	354	619	1,031	2,337	4,779	6,162	5,039	-
Male	10,746	147	36	47	230	263	407	627	1,450	2,758	3,108	1,673	-
Female	10,285	108	26	34	82	91	212	404	887	2,021	3,054	3,366	-
All other	392	5	3	5	4	11	16	33	74	94	88	59	-
Male	210	1	2	2	4	6	7	20	45	49	50	24	-
Female	182	4	1	3	-	5	9	13	29	45	38	35	-
Black	368	4	2	4	4	10	13	31	69	90	86	55	-
Male	201	1	1	1	4	6	6	19	45	47	49	22	-
Female	167	3	1	3	-	4	7	12	24	43	37	33	-
Oklahoma	30,510	417	94	116	462	683	1,057	1,670	3,448	6,666	8,582	7,293	22
Male	15,625	233	49	77	331	498	717	1,034	2,113	3,843	4,240	2,478	14
Female	14,885	184	45	39	131	185	340	636	1,335	2,823	4,342	4,817	8
White	27,274	293	62	99	356	540	867	1,430	3,019	5,962	7,875	6,753	18
Male	13,907	167	36	66	245	395	597	886	1,865	3,465	3,896	2,277	12
Female	13,367	126	26	33	111	145	270	544	1,154	2,497	3,979	4,476	6
All other	3,236	124	32	17	106	143	190	240	429	704	707	540	4
Male	1,718	66	13	11	86	103	120	148	248	378	344	199	2
Female	1,518	58	19	6	20	40	70	92	181	326	363	341	2
Black	1,983	87	18	8	51	77	121	140	245	413	449	371	3
Male	1,037	51	7	3	41	55	68	82	150	236	216	127	1
Female	946	36	11	5	10	22	53	58	95	177	233	244	2
Metropolitan counties	15,737	277	56	63	276	414	646	982	1,910	3,475	4,116	3,508	14
Male	7,975	158	25	45	193	310	438	610	1,154	1,968	1,967	1,099	8
Female	7,762	119	31	18	83	104	208	372	756	1,507	2,149	2,409	6
White	13,933	186	36	53	216	320	527	822	1,655	3,089	3,763	3,255	11
Male	7,017	108	15	38	146	245	369	519	1,003	1,757	1,794	1,016	7
Female	6,916	78	21	15	70	75	158	303	652	1,332	1,969	2,239	4
All other	1,804	91	20	10	60	94	119	160	255	386	353	253	3
Male	958	50	10	7	47	65	69	91	151	211	173	83	1
Female	846	41	10	3	13	29	50	69	104	175	180	170	2
Black	1,369	72	15	6	42	65	94	107	190	291	281	203	3
Male	724	43	7	3	32	44	49	60	118	162	140	65	1
Female	645	29	8	3	10	21	45	47	72	129	141	138	2
Nonmetropolitan counties	14,773	140	38	53	186	269	411	688	1,538	3,191	4,466	3,785	8
Male	7,650	75	24	32	138	188	279	424	959	1,875	2,273	1,377	6
Female	7,123	65	14	21	48	81	132	264	579	1,316	2,193	2,408	2
White	13,341	107	26	46	140	220	340	608	1,364	2,873	4,112	3,498	7
Male	6,890	59	21	28	99	150	228	367	862	1,708	2,102	1,261	5
Female	6,451	48	5	18	41	70	112	241	502	1,165	2,010	2,237	2
All other	1,432	33	12	7	46	49	71	80	174	318	354	287	1
Male	760	16	3	4	39	38	51	57	97	167	171	116	1
Female	672	17	9	3	7	11	20	23	77	151	183	171	-
Black	614	15	3	2	9	12	27	33	55	122	168	168	-
Male	313	8	-	-	9	11	19	22	32	74	76	62	-
Female	301	7	3	2	-	1	8	11	23	48	92	106	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 119

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 20 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Oregon	25,760	298	66	104	334	502	869	1,291	2,488	5,654	7,848	6,305	1
Male	13,165	178	44	59	246	366	604	788	1,450	3,237	3,986	2,206	1
Female	12,595	120	22	45	88	136	265	503	1,038	2,417	3,862	4,099	-
White	25,024	266	57	89	298	460	788	1,220	2,395	5,512	7,682	6,227	-
Male	12,726	159	37	50	221	352	562	747	1,386	3,140	3,897	2,175	-
Female	12,298	107	20	39	77	128	236	473	1,009	2,372	3,785	4,052	-
All other	736	32	9	15	36	22	71	71	93	142	166	78	1
Male	439	19	7	9	25	14	42	41	64	97	89	31	1
Female	297	13	2	6	11	8	29	30	29	45	77	47	-
Black	350	22	2	9	19	8	36	38	37	64	82	32	1
Male	205	14	2	5	13	5	21	21	27	44	45	7	1
Female	145	8	-	4	6	3	15	17	10	20	37	25	-
Metropolitan counties	16,932	212	43	61	215	370	601	891	1,546	3,523	5,128	4,341	1
Male	8,458	129	28	39	158	275	433	550	902	1,982	2,505	1,456	1
Female	8,474	83	15	22	57	95	168	341	644	1,541	2,623	2,885	-
White	16,323	184	36	50	191	351	541	832	1,468	3,409	4,989	4,272	-
Male	8,097	112	22	31	142	263	398	514	847	1,905	2,436	1,427	-
Female	8,226	72	14	19	49	88	143	318	621	1,504	2,553	2,845	-
All other	609	28	7	11	24	19	60	59	78	114	139	69	1
Male	361	17	6	8	16	12	35	36	55	77	69	29	1
Female	248	11	1	3	8	7	25	23	37	70	40	40	-
Black	337	21	2	7	18	8	34	37	37	61	79	32	1
Male	196	13	2	5	13	5	19	20	27	42	42	7	1
Female	141	8	-	2	5	3	15	17	10	19	37	25	-
Nonmetropolitan counties	8,828	86	23	43	119	132	268	400	942	2,131	2,720	1,964	-
Male	4,707	49	16	20	88	91	171	238	548	1,255	1,481	750	-
Female	4,121	37	7	23	31	41	97	162	394	876	1,239	1,214	-
White	8,701	82	21	39	107	129	257	388	927	2,103	2,693	1,955	-
Male	4,629	47	15	19	79	89	164	233	539	1,235	1,461	748	-
Female	4,072	35	6	20	28	40	93	155	388	868	1,232	1,207	-
All other	127	4	2	4	12	3	11	12	15	28	27	9	-
Male	78	2	1	1	9	2	7	5	9	20	20	2	-
Female	49	2	1	3	3	1	4	7	6	8	7	7	-
Black	13	1	-	2	1	-	2	1	-	3	3	-	-
Male	9	1	-	-	-	-	2	1	-	2	3	-	-
Female	4	-	-	2	1	-	-	-	-	1	-	-	-
Pennsylvania	123,520	1,478	250	298	1,340	2,402	3,619	5,806	12,931	29,222	37,664	28,300	10
Male	61,981	830	157	196	1,015	1,727	2,593	3,604	7,815	16,437	17,932	9,070	5
Female	62,139	648	93	102	325	675	1,226	2,202	5,116	12,785	19,732	19,230	5
White	111,372	943	182	223	992	1,782	2,900	4,725	11,108	26,433	35,267	26,809	8
Male	54,978	545	117	148	738	1,282	2,002	2,970	6,803	14,953	16,872	8,544	4
Female	56,394	398	65	75	254	500	898	1,755	4,305	11,480	18,395	18,265	4
All other	12,148	595	68	75	348	620	919	1,081	1,823	2,789	2,397	1,491	2
Male	6,403	285	40	48	277	445	591	634	1,012	1,484	1,060	526	1
Female	5,745	250	28	27	71	175	328	447	811	1,305	1,337	965	1
Black	11,797	519	63	65	334	600	893	1,042	1,768	2,730	2,325	1,456	2
Male	6,213	277	36	42	268	432	579	615	986	1,453	1,018	506	1
Female	5,584	242	27	23	66	168	314	427	782	1,277	1,307	950	1
Metropolitan counties	103,839	1,316	205	241	1,115	2,107	3,341	4,998	10,906	24,687	31,180	23,734	9
Male	51,446	739	130	156	844	1,518	2,274	3,079	6,594	13,872	14,704	7,531	5
Female	52,393	577	75	85	271	589	1,067	1,919	4,312	10,815	16,476	16,203	4
White	91,842	788	139	166	771	1,491	2,432	3,932	9,112	21,930	28,813	22,261	7
Male	45,130	459	91	108	571	1,076	1,691	2,454	5,600	12,404	13,660	7,012	4
Female	46,712	329	48	58	200	415	741	1,478	3,512	9,526	15,153	15,249	3
All other	11,997	528	66	75	344	616	909	1,066	1,794	2,757	2,367	1,473	2
Male	6,316	280	39	48	273	442	583	625	994	1,468	1,044	519	1
Female	5,681	248	27	27	71	174	326	441	800	1,289	1,323	954	1
Black	11,664	513	61	65	331	596	884	1,027	1,745	2,703	2,297	1,440	2
Male	6,134	273	35	42	265	429	571	606	969	1,439	1,004	500	1
Female	5,530	240	26	23	66	167	313	421	776	1,264	1,293	940	1
Nonmetropolitan counties	19,681	162	45	57	225	295	478	808	2,025	4,535	6,484	4,566	1
Male	9,935	91	27	40	171	209	319	525	1,221	2,565	3,228	1,539	-
Female	9,746	71	18	17	54	86	159	283	804	1,970	3,256	3,027	1
White	18,530	155	43	57	221	291	468	793	1,996	4,503	6,454	4,548	1
Male	9,848	86	26	40	167	206	311	516	1,203	2,549	3,212	1,532	-
Female	9,682	69	17	17	54	85	157	277	793	1,954	3,242	3,016	1
All other	151	7	2	-	4	4	10	15	29	32	30	18	-
Male	87	5	1	-	4	3	8	9	18	16	16	7	-
Female	64	2	1	-	-	1	2	6	11	16	14	11	-
Black	133	6	2	-	3	4	9	15	23	27	28	16	-
Male	79	4	1	-	3	3	8	9	17	14	14	6	-
Female	54	2	1	-	-	1	1	6	6	13	14	10	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 120

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 21 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Rhode Island	9,469	107	15	14	78	191	300	395	909	2,123	2,938	2,399	-
Male	4,582	66	9	9	60	132	203	238	525	1,237	1,405	698	-
Female	4,887	41	6	5	18	59	97	157	384	886	1,533	1,701	-
White	9,146	88	12	13	71	164	268	366	853	2,059	2,893	2,359	-
Male	4,401	52	6	8	56	114	182	220	498	1,198	1,381	686	-
Female	4,745	36	6	5	15	50	86	146	355	861	1,512	1,673	-
All other	323	19	3	1	7	27	32	29	56	64	45	40	-
Male	181	14	3	1	4	18	21	18	27	39	24	12	-
Female	142	5	-	-	3	9	11	11	29	25	21	28	-
Black	262	15	3	1	4	23	30	27	48	49	32	30	-
Male	139	11	3	1	2	14	20	18	22	27	14	7	-
Female	123	4	-	-	2	9	10	9	26	22	18	23	-
Metropolitan counties	8,764	98	13	13	75	179	276	370	839	1,966	2,727	2,208	-
Male	4,265	63	9	9	57	123	188	223	483	1,148	1,313	649	-
Female	4,499	35	4	4	18	56	88	147	356	818	1,414	1,559	-
White	8,467	79	10	12	68	154	244	343	788	1,910	2,686	2,173	-
Male	4,099	49	6	8	53	106	167	206	458	1,116	1,292	638	-
Female	4,368	30	4	4	15	48	77	137	330	794	1,394	1,535	-
All other	297	19	3	1	7	25	32	27	51	56	41	35	-
Male	166	14	3	1	4	17	21	17	25	32	21	11	-
Female	131	5	-	-	3	8	11	10	26	24	20	24	-
Black	239	15	3	1	4	21	30	25	45	42	28	25	-
Male	125	11	3	1	2	13	20	17	20	21	11	6	-
Female	114	4	-	-	2	8	10	8	25	21	17	19	-
Nonmetropolitan counties	705	9	2	1	3	12	24	25	70	157	211	191	-
Male	317	3	-	-	3	9	15	15	42	89	92	49	-
Female	388	6	2	1	3	9	9	10	28	68	119	142	-
White	679	9	2	1	3	10	24	23	65	149	207	186	-
Male	302	3	-	-	3	8	15	14	40	82	89	48	-
Female	377	6	2	1	2	9	9	9	25	67	118	138	-
All other	26	-	-	-	-	2	-	2	5	8	4	5	-
Male	15	-	-	-	-	1	-	1	2	7	3	1	-
Female	11	-	-	-	-	1	-	1	3	1	1	4	-
Black	23	-	-	-	-	2	-	2	3	7	4	5	-
Male	14	-	-	-	-	1	-	1	2	6	3	1	-
Female	9	-	-	-	-	1	-	1	1	1	1	4	-
South Carolina	30,638	586	115	147	588	986	1,508	2,192	4,148	7,404	8,097	4,865	2
Male	16,307	327	64	95	464	691	996	1,415	2,585	4,301	3,925	1,443	1
Female	14,331	259	51	52	124	295	512	777	1,563	3,103	4,172	3,422	1
White	21,002	241	49	81	328	528	769	1,353	2,773	5,191	5,899	3,790	-
Male	11,085	133	28	55	250	383	522	883	1,769	3,095	2,888	1,079	-
Female	9,917	108	21	26	78	145	247	470	1,004	2,096	3,011	2,711	-
All other	9,636	345	66	66	260	458	739	839	1,375	2,213	2,198	1,075	2
Male	5,222	194	36	40	214	308	474	532	816	1,206	1,037	364	1
Female	4,414	151	30	26	46	150	265	307	559	1,007	1,161	711	1
Black	9,581	345	65	64	258	454	736	833	1,367	2,205	2,183	1,069	2
Male	5,199	194	35	40	213	305	474	530	813	1,204	1,028	362	1
Female	4,382	151	30	24	45	149	262	303	554	1,001	1,155	707	1
Metropolitan counties	17,071	347	57	74	318	583	844	1,236	2,320	4,014	4,506	2,771	1
Male	8,973	197	31	48	253	402	542	789	1,459	2,286	2,164	801	1
Female	8,098	150	26	26	65	181	302	447	861	1,728	2,342	1,970	1
White	12,435	168	31	49	192	334	472	844	1,653	2,995	3,455	2,242	-
Male	6,496	87	18	31	144	234	315	547	1,065	1,761	1,662	632	-
Female	5,939	81	13	18	48	100	157	297	588	1,234	1,793	1,610	-
All other	4,636	179	26	25	126	249	372	392	667	1,019	1,051	529	1
Male	2,477	110	13	17	109	168	227	242	394	525	502	169	1
Female	2,159	69	13	8	17	81	145	150	273	494	549	360	1
Black	4,609	179	25	25	125	246	371	387	665	1,015	1,044	526	1
Male	2,463	110	12	17	108	166	227	240	392	525	497	168	1
Female	2,146	69	13	8	17	80	144	147	273	490	547	358	-
Nonmetropolitan counties	13,567	239	58	73	270	403	664	956	1,828	3,390	3,591	2,094	1
Male	7,334	130	33	47	211	289	454	626	1,126	2,015	1,761	642	-
Female	6,233	109	25	26	59	114	210	330	702	1,375	1,830	1,452	1
White	8,567	73	18	32	136	194	297	509	1,120	2,196	2,444	1,548	-
Male	4,589	46	10	24	106	149	207	336	704	1,334	1,226	447	-
Female	3,978	27	8	8	30	45	90	173	416	862	1,218	1,101	-
All other	5,000	166	40	41	134	209	367	447	708	1,194	1,147	546	1
Male	2,745	84	23	23	105	140	247	290	422	681	535	195	-
Female	2,255	82	17	18	29	69	120	157	286	513	612	351	1
Black	4,972	166	40	39	133	208	365	446	702	1,190	1,139	543	1
Male	2,736	84	23	23	105	139	247	290	421	679	531	194	-
Female	2,236	82	17	16	28	69	118	156	281	511	608	349	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 121

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 22 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
South Dakota	6,697	102	20	25	85	108	173	291	616	1,318	1,991	1,968	-
Male	3,435	50	15	12	66	82	121	169	379	796	1,063	682	-
Female	3,262	52	5	13	19	26	52	122	237	522	928	1,286	-
White	6,228	70	14	19	59	77	127	230	551	1,220	1,918	1,943	-
Male	3,166	36	11	9	48	53	87	132	340	750	1,024	676	-
Female	3,062	34	3	10	11	24	40	98	211	470	894	1,267	-
All other	469	32	6	6	26	31	46	61	65	98	73	25	-
Male	269	14	4	3	18	29	34	37	39	46	39	6	-
Female	200	18	2	3	8	2	12	24	26	52	34	19	-
Black	4	-	-	-	-	-	1	1	-	-	2	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Metropolitan counties	1,561	28	5	5	19	42	60	79	181	310	445	387	-
Male	776	15	4	4	15	32	42	39	108	176	234	107	-
Female	785	13	1	1	4	10	18	40	73	134	211	280	-
White	1,512	26	4	5	17	36	59	73	175	296	437	384	-
Male	750	13	3	4	13	26	41	36	106	171	230	107	-
Female	762	13	1	1	4	10	18	37	69	125	207	277	-
All other	49	2	1	-	2	6	1	6	6	14	8	3	-
Male	26	2	1	-	2	6	1	3	2	5	4	-	-
Female	23	-	-	-	-	-	-	3	4	9	4	3	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Nonmetropolitan counties	5,136	74	15	20	66	66	113	212	435	1,008	1,546	1,581	-
Male	2,659	35	11	8	51	50	79	130	271	620	829	575	-
Female	2,477	39	4	12	15	16	34	82	164	388	717	1,006	-
White	4,716	44	10	14	42	41	68	157	376	924	1,481	1,559	-
Male	2,416	23	8	5	35	27	46	96	234	579	794	569	-
Female	2,300	21	2	9	7	14	22	61	142	345	687	990	-
All other	420	30	5	6	24	25	45	55	59	84	65	22	-
Male	243	12	3	3	16	23	33	34	37	41	35	6	-
Female	177	18	2	3	8	2	12	21	22	43	30	16	-
Black	2	-	-	-	-	-	1	-	-	-	1	-	-
Male	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Tennessee	46,576	695	140	168	793	1,228	1,830	2,919	5,660	10,366	12,984	9,792	1
Male	24,283	404	70	101	597	867	1,240	1,862	3,505	6,064	6,350	3,223	-
Female	22,293	291	70	67	196	361	590	1,057	2,155	4,302	6,634	6,569	1
White	38,779	386	87	122	538	875	1,325	2,330	4,588	9,731	11,240	8,556	1
Male	20,139	229	45	69	396	623	921	1,504	2,885	5,215	5,500	2,752	-
Female	18,640	157	42	53	142	252	404	826	1,703	3,516	5,740	5,804	1
All other	7,797	309	53	46	255	353	505	589	1,072	1,635	1,744	1,236	-
Male	4,144	175	25	32	201	244	319	358	620	849	850	471	-
Female	3,653	134	28	14	54	109	186	231	452	786	894	765	-
Black	7,722	305	52	46	252	348	501	580	1,063	1,612	1,732	1,231	-
Male	4,101	173	24	32	199	242	317	351	614	836	844	469	-
Female	3,621	132	28	14	53	106	184	229	449	776	888	762	-
Metropolitan counties	29,479	524	98	110	516	832	1,281	1,918	3,618	6,660	7,934	5,987	1
Male	15,169	297	47	62	381	598	863	1,215	2,209	3,830	3,793	1,874	-
Female	14,310	227	51	48	135	234	418	703	1,409	2,830	4,141	4,113	1
White	22,960	244	50	71	294	525	843	1,412	2,699	5,289	6,529	5,003	1
Male	11,705	142	23	36	208	383	586	908	1,669	3,120	3,112	1,518	-
Female	11,255	102	27	35	86	142	257	504	1,030	2,169	3,417	3,485	1
All other	6,519	280	48	39	222	307	438	506	919	1,371	1,405	984	-
Male	3,464	155	24	26	173	215	277	307	540	710	681	356	-
Female	3,055	125	24	13	49	92	161	199	379	661	724	628	-
Black	6,461	278	47	39	220	303	435	499	913	1,352	1,396	979	-
Male	3,431	154	23	26	172	213	276	302	535	699	677	354	-
Female	3,030	124	24	13	48	90	159	197	378	653	719	625	-
Nonmetropolitan counties	17,097	171	42	58	277	396	549	1,001	2,042	3,706	5,050	3,805	-
Male	9,114	107	23	39	216	269	377	647	1,296	2,234	2,557	1,349	-
Female	7,983	64	19	19	61	127	172	354	746	1,472	2,493	2,456	-
White	15,819	142	37	51	244	350	482	918	1,889	3,442	4,711	3,553	-
Male	8,434	87	22	33	188	240	335	596	1,216	2,095	2,388	1,234	-
Female	7,385	55	15	18	56	110	147	322	673	1,347	2,323	2,319	-
All other	1,278	29	5	7	33	46	67	83	153	264	339	252	-
Male	680	20	1	6	28	29	42	51	80	139	169	115	-
Female	598	9	4	1	5	17	25	32	73	125	170	137	-
Black	1,261	27	5	7	32	45	66	81	150	260	336	252	-
Male	670	19	1	6	27	29	41	49	79	137	167	115	-
Female	591	8	4	1	5	16	25	32	71	123	169	137	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 123

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 24 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vermont	4,796	56	10	18	63	76	158	228	507	1,000	1,387	1,293	-
Male	2,401	32	6	16	49	65	103	146	328	586	670	400	-
Female	2,395	24	4	2	14	11	55	82	179	414	717	893	-
White	4,782	56	10	17	60	76	156	225	506	999	1,386	1,291	-
Male	2,395	32	6	15	48	65	102	144	328	586	669	400	-
Female	2,387	24	4	2	12	11	54	81	178	413	717	891	-
All other	14	-	-	1	3	-	2	3	1	1	1	2	-
Male	6	-	-	1	1	-	1	2	-	-	1	-	-
Female	8	-	-	-	2	-	1	1	1	1	-	2	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Metropolitan counties	882	10	1	2	18	19	45	56	114	199	219	199	-
Male	457	2	1	2	14	17	34	39	74	111	93	70	-
Female	425	8	-	-	4	2	11	17	40	88	126	129	-
White	875	10	1	1	16	19	44	55	114	188	218	199	-
Male	453	2	1	1	13	17	34	38	74	111	92	70	-
Female	422	8	-	-	3	2	10	17	40	87	126	129	-
All other	7	-	-	1	2	-	1	1	-	1	1	-	-
Male	4	-	-	1	1	-	-	1	-	-	1	-	-
Female	3	-	-	-	1	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	3,914	46	9	16	45	57	113	172	393	801	1,168	1,094	-
Male	1,944	30	5	14	35	48	69	107	254	475	577	330	-
Female	1,970	16	4	2	10	9	44	65	139	326	591	764	-
White	3,907	46	9	16	44	57	112	170	392	801	1,168	1,092	-
Male	1,942	30	5	14	35	48	68	106	254	475	577	330	-
Female	1,965	16	4	2	9	9	44	64	138	326	591	762	-
All other	7	-	-	-	1	-	1	2	1	-	-	2	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	5	-	-	-	1	-	-	1	1	-	-	2	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	1	-
Virginia	49,363	919	145	148	814	1,269	2,028	3,071	5,960	11,547	13,414	10,038	10
Male	25,441	512	74	94	625	935	1,364	1,923	3,622	6,722	6,416	3,151	3
Female	23,922	407	71	54	189	334	664	1,148	2,338	4,825	6,998	6,887	7
White	38,160	485	89	97	523	799	1,296	2,144	4,414	8,839	10,997	8,475	2
Male	19,382	275	50	63	391	607	896	1,350	2,723	5,164	5,271	2,591	1
Female	18,778	210	39	34	132	192	400	794	1,691	3,675	5,726	5,884	1
All other	11,203	434	56	51	291	470	732	927	1,546	2,708	2,417	1,563	8
Male	6,059	237	24	31	234	328	468	573	899	1,558	1,145	560	2
Female	5,144	197	32	20	57	142	264	354	647	1,150	1,272	1,003	6
Black	10,865	422	53	48	281	455	700	888	1,506	2,634	2,343	1,527	8
Male	5,871	229	24	30	226	319	450	552	869	1,517	1,109	544	2
Female	4,994	193	29	18	55	136	250	336	637	1,117	1,234	983	6
Metropolitan counties	32,068	727	108	93	562	923	1,469	2,099	3,865	7,570	8,365	6,278	9
Male	16,288	400	54	54	438	679	998	1,299	2,311	4,285	3,898	1,879	3
Female	15,780	327	54	39	124	244	471	800	1,554	3,285	4,477	4,399	6
White	23,905	356	61	57	320	539	899	1,396	2,751	5,590	6,697	5,248	1
Male	11,901	199	32	33	239	406	620	867	1,676	3,179	3,124	1,525	1
Female	12,004	157	29	24	81	133	279	529	1,075	2,411	3,563	3,723	-
All other	8,163	371	47	36	242	384	570	703	1,114	1,980	1,678	1,030	8
Male	4,387	201	22	21	199	273	378	432	635	1,106	764	354	2
Female	3,776	170	25	15	43	111	192	271	479	874	914	676	6
Black	7,839	359	45	33	232	369	540	667	1,075	1,908	1,608	995	8
Male	4,208	193	22	20	191	264	362	413	605	1,066	731	339	2
Female	3,631	166	23	13	41	105	178	254	470	842	877	656	6
Nonmetropolitan counties	17,295	192	37	55	252	346	559	972	2,095	3,977	5,049	3,760	1
Male	8,153	112	20	40	187	256	366	624	1,311	2,437	2,528	1,272	-
Female	8,142	80	17	15	65	90	193	348	784	1,540	2,521	2,488	1
White	14,255	128	28	40	203	260	397	748	1,663	3,249	4,310	3,227	1
Male	7,481	76	18	30	152	201	276	483	1,047	1,985	2,147	1,066	-
Female	6,774	53	10	10	51	59	121	265	616	1,264	2,163	2,161	1
All other	3,040	63	9	15	49	86	162	224	432	728	739	533	-
Male	1,672	36	2	10	35	55	90	141	264	452	381	206	-
Female	1,368	27	7	5	14	31	72	83	168	276	358	327	-
Black	3,026	63	8	15	49	86	160	221	431	726	735	532	-
Male	1,663	36	2	10	35	55	88	139	264	451	378	205	-
Female	1,363	27	6	5	14	31	72	82	167	275	357	327	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 124

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 25 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Washington	38,162	538	127	143	583	961	1,532	2,103	3,954	8,373	10,910	8,934	4
Male	19,894	300	72	87	437	701	1,097	1,240	2,351	4,810	5,645	3,061	3
Female	18,268	238	55	56	146	260	445	763	1,603	3,563	5,265	5,873	1
White	35,057	448	106	122	486	847	1,353	1,916	3,641	7,892	10,538	8,705	3
Male	19,677	249	58	75	365	623	972	1,219	2,183	4,536	5,434	2,980	3
Female	17,380	199	48	47	121	224	381	697	1,458	3,356	5,104	5,745	-
All other	2,105	90	21	21	97	114	179	187	313	481	372	229	1
Male	1,217	51	14	12	72	78	115	121	168	274	211	101	-
Female	888	39	7	9	25	36	64	66	145	207	161	128	1
Black	897	50	9	5	44	59	92	75	126	215	126	95	1
Male	528	29	5	2	35	42	59	58	77	129	59	33	-
Female	369	21	4	3	9	17	33	17	49	86	67	62	1
Metropolitan counties	29,634	434	104	114	477	797	1,285	1,714	3,074	6,383	8,376	6,874	2
Male	15,264	245	58	70	353	573	909	1,097	1,846	3,601	4,226	2,285	1
Female	14,370	189	46	44	124	224	376	617	1,228	2,782	4,150	4,589	1
White	27,732	355	85	96	367	689	1,119	1,545	2,799	5,942	8,043	6,871	1
Male	14,163	200	45	60	286	501	802	986	1,692	3,355	4,040	2,195	1
Female	13,569	155	40	36	101	188	317	559	1,107	2,587	4,003	4,476	-
All other	1,902	79	19	18	90	108	166	169	275	441	333	203	1
Male	1,101	45	13	10	67	72	107	111	154	246	186	90	-
Female	801	34	6	8	23	36	59	58	121	195	147	113	1
Black	863	49	7	5	44	59	89	71	123	204	121	90	1
Male	507	29	4	2	35	42	56	55	76	122	55	31	-
Female	356	20	3	3	9	17	33	16	47	82	66	59	1
Nonmetropolitan counties	8,528	104	23	29	106	164	247	389	680	1,990	2,534	2,060	2
Male	4,630	55	14	17	84	128	178	243	505	1,209	1,419	776	2
Female	3,898	49	9	12	22	36	69	146	375	781	1,115	1,284	-
White	8,325	93	21	26	99	158	234	371	842	1,950	2,495	2,034	2
Male	4,514	49	13	15	79	122	170	233	491	1,181	1,394	765	2
Female	3,811	44	8	11	20	36	64	138	351	769	1,101	1,269	-
All other	203	11	2	3	7	6	13	18	38	40	39	26	-
Male	116	6	1	2	5	6	8	10	14	28	25	11	-
Female	87	5	1	1	2	-	5	8	24	12	14	15	-
Black	34	1	2	-	-	-	3	4	3	11	5	5	-
Male	21	-	1	-	-	-	3	3	1	7	4	2	-
Female	13	1	1	-	-	-	-	1	2	4	1	3	-
West Virginia	19,720	203	47	47	264	391	581	1,067	2,365	4,732	5,817	4,204	2
Male	10,026	127	22	32	206	282	398	655	1,399	2,638	2,821	1,445	1
Female	9,694	76	25	15	58	109	183	412	966	2,094	2,996	2,759	1
White	18,972	190	45	47	243	368	546	1,019	2,285	4,560	5,622	4,065	2
Male	9,654	120	21	32	189	268	376	632	1,349	2,542	2,727	1,397	1
Female	9,318	70	24	15	54	100	170	387	916	2,018	2,895	2,668	1
All other	748	13	2	-	21	23	35	48	100	172	185	139	-
Male	372	7	1	-	17	14	22	23	50	96	94	48	-
Female	376	6	1	-	4	9	13	25	50	76	101	91	-
Black	727	12	2	-	17	23	35	44	98	168	192	138	-
Male	361	6	1	-	14	14	22	21	50	92	93	48	-
Female	366	6	1	-	3	9	13	23	48	74	99	90	-
Metropolitan counties	7,100	62	10	8	87	137	204	354	801	1,723	2,125	1,588	1
Male	3,509	38	6	7	68	97	140	212	451	932	1,037	520	1
Female	3,591	24	4	1	19	40	64	142	350	791	1,088	1,068	-
White	6,859	57	10	8	77	127	191	336	784	1,671	2,066	1,551	1
Male	3,387	37	6	7	61	90	131	204	430	905	1,009	506	1
Female	3,472	20	4	1	16	37	60	132	334	766	1,057	1,045	-
All other	241	5	-	-	10	10	13	18	37	52	59	37	-
Male	122	1	-	-	7	7	9	8	21	27	28	14	-
Female	119	4	-	-	3	3	4	10	16	25	31	23	-
Black	233	5	-	-	9	10	13	17	37	48	58	36	-
Male	118	1	-	-	7	7	9	7	21	24	28	14	-
Female	115	4	-	-	2	3	4	10	16	24	30	22	-
Nonmetropolitan counties	12,620	141	37	39	177	254	377	713	1,564	3,009	3,692	2,616	1
Male	6,517	89	16	25	138	185	258	443	948	1,706	1,784	925	-
Female	6,103	52	21	14	39	69	119	270	616	1,303	1,908	1,691	1
White	12,113	133	35	39	166	241	355	683	1,501	2,889	3,556	2,514	1
Male	6,267	83	15	25	128	178	245	428	919	1,637	1,718	891	-
Female	5,846	50	20	14	38	63	110	255	582	1,252	1,838	1,623	1
All other	507	8	2	-	11	13	22	30	63	120	138	102	-
Male	250	6	1	-	10	7	13	15	29	69	66	34	-
Female	257	2	1	-	1	6	9	15	34	51	70	68	-
Black	494	7	2	-	8	13	22	27	61	118	134	102	-
Male	243	5	1	-	7	7	13	14	29	68	65	34	-
Female	251	2	1	-	1	6	9	13	32	50	69	68	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 125

Table 8-3. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1992—Con.

(Page 26 of 26)

[For definitions of areas see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wisconsin	42,242	508	105	164	513	740	1,152	1,796	3,983	8,584	12,979	11,738	-
Male	21,418	269	68	99	387	539	751	1,116	2,469	4,990	6,668	4,062	-
Female	20,824	239	37	65	126	201	401	680	1,514	3,574	6,311	7,676	-
White	40,518	389	84	133	417	616	1,001	1,604	3,732	8,235	12,700	11,607	-
Male	20,427	208	56	81	311	451	664	994	2,326	4,789	6,528	4,009	-
Female	20,091	181	28	52	106	165	337	610	1,406	3,436	6,172	7,598	-
All other	1,724	119	21	31	96	124	151	192	251	329	279	131	-
Male	891	61	12	18	76	88	87	122	143	191	140	53	-
Female	733	58	9	13	20	36	64	70	108	138	139	78	-
Black	1,389	99	14	22	82	105	122	166	195	260	219	105	-
Male	782	48	8	11	66	77	69	106	154	103	103	34	-
Female	607	51	6	11	16	28	53	60	89	106	116	71	-
Metropolitan counties	26,209	357	66	100	341	514	806	1,241	2,617	5,291	7,751	7,125	-
Male	13,020	189	42	56	255	376	530	760	1,623	3,040	3,817	2,332	-
Female	13,189	168	24	44	86	138	276	481	994	2,251	3,934	4,793	-
White	24,648	248	48	75	250	400	665	1,059	2,393	4,985	7,506	7,009	-
Male	12,132	134	31	42	182	293	449	646	1,499	2,868	3,697	2,291	-
Female	12,516	114	17	33	88	107	216	413	894	2,127	3,809	4,718	-
All other	1,561	109	18	25	91	114	141	182	224	296	245	116	-
Male	888	55	11	14	73	83	81	114	124	172	120	41	-
Female	673	54	7	11	18	31	60	68	100	124	125	75	-
Black	1,381	98	14	22	82	105	122	164	194	259	218	103	-
Male	775	47	8	11	66	77	69	104	105	153	102	33	-
Female	606	51	6	11	16	28	53	60	89	106	116	70	-
Nonmetropolitan counties	16,033	151	39	64	172	226	346	555	1,366	3,273	5,228	4,613	-
Male	8,398	80	26	43	132	163	221	356	846	1,950	2,851	1,730	-
Female	7,635	71	13	21	40	63	125	199	520	1,323	2,377	2,883	-
White	15,870	141	36	58	167	216	336	545	1,339	3,240	5,194	4,598	-
Male	8,295	74	25	39	129	158	215	348	827	1,931	2,831	1,718	-
Female	7,575	67	11	19	38	58	121	197	512	1,309	2,363	2,880	-
All other	163	10	3	6	5	10	10	10	27	33	34	15	-
Male	103	6	1	4	3	5	6	8	19	19	20	12	-
Female	60	4	2	2	2	5	4	2	8	14	14	3	-
Black	8	1	-	-	-	-	-	2	1	1	1	2	-
Male	7	1	-	-	-	-	-	2	1	1	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Wyoming	3,298	60	19	18	71	94	149	196	367	722	907	693	2
Male	1,749	37	11	11	55	70	99	131	223	407	447	258	-
Female	1,549	23	8	7	16	24	50	65	144	315	460	435	2
White	3,202	57	17	16	62	84	141	187	346	711	890	689	2
Male	1,692	34	9	10	48	62	93	127	214	400	438	257	-
Female	1,510	23	8	6	14	22	48	60	132	311	452	432	2
All other	96	3	2	2	9	10	8	9	21	11	17	4	-
Male	57	3	2	1	7	8	6	4	9	7	9	1	-
Female	39	-	-	1	2	2	2	5	12	4	8	3	-
Black	22	-	-	-	1	2	2	-	5	3	6	3	-
Male	12	-	-	-	1	2	1	-	3	2	3	-	-
Female	10	-	-	-	-	-	1	-	2	1	3	3	-
Metropolitan counties	983	20	4	2	9	33	49	59	118	212	271	206	-
Male	504	11	4	1	8	21	33	39	77	119	123	68	-
Female	479	9	-	1	1	12	16	20	41	93	148	138	-
White	959	20	4	2	9	31	46	57	113	208	265	204	-
Male	493	11	4	1	8	20	32	39	74	116	120	68	-
Female	466	9	-	1	1	11	14	18	39	92	145	136	-
All other	24	-	-	-	-	2	3	2	5	4	6	2	-
Male	11	-	-	-	-	1	1	-	3	3	3	-	-
Female	13	-	-	-	-	1	2	2	2	1	3	2	-
Black	16	-	-	-	-	1	2	-	4	3	4	2	-
Male	9	-	-	-	-	1	1	-	3	2	2	-	-
Female	7	-	-	-	-	-	1	-	1	1	2	2	-
Nonmetropolitan counties	2,315	40	15	16	62	81	100	137	249	510	636	487	2
Male	1,245	26	7	10	47	49	66	92	146	288	324	190	-
Female	1,070	14	8	6	15	12	34	45	103	222	312	297	2
White	2,243	37	13	14	58	53	95	130	233	503	625	485	2
Male	1,199	23	5	9	40	42	61	88	140	284	318	189	-
Female	1,044	14	8	5	18	11	34	42	93	219	307	296	2
All other	72	3	2	2	9	8	5	7	16	7	11	2	-
Male	46	3	2	1	7	7	5	4	6	4	6	1	-
Female	26	-	-	1	2	1	-	3	10	3	5	1	-
Black	6	-	-	-	1	1	-	-	1	-	2	1	-
Male	3	-	-	-	1	1	-	-	-	-	1	-	-
Female	3	-	-	-	-	-	-	-	1	-	1	1	-

1 County equivalents.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 126

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992

(Page 1 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
METROPOLITAN STATISTICAL AREAS, PRIMARY METROPOLITAN STATISTICAL AREAS, AND NEW ENGLAND COUNTY METROPOLITAN AREAS													
Total, 320 areas	1,614,156	27,701	5,171	5,871	26,155	47,400	73,842	96,516	180,323	354,088	443,478	353,207	404
Male	827,995	15,569	2,879	3,634	19,964	34,915	51,326	61,183	109,252	200,722	214,095	114,157	299
Female	786,161	12,132	2,292	2,237	6,191	12,485	22,516	35,333	71,071	153,366	229,383	239,050	105
White	1,369,172	17,048	3,498	4,112	17,618	32,823	52,057	73,120	144,860	303,138	398,666	323,938	294
Male	693,480	9,675	1,984	2,534	13,154	24,703	37,005	46,726	88,832	172,958	191,804	103,880	225
Female	675,692	7,373	1,514	1,578	4,464	8,120	15,052	26,394	56,028	130,180	204,862	220,058	69
All other	244,984	10,653	1,673	1,759	8,537	14,577	21,785	23,396	35,463	50,950	46,812	29,269	110
Male	134,515	5,894	895	1,100	6,810	10,212	14,321	14,457	20,420	27,764	22,291	10,277	74
Female	110,469	4,759	778	659	1,727	4,365	7,464	8,939	15,043	23,186	24,521	18,992	36
Black	219,961	9,854	1,492	1,541	7,701	13,470	20,225	21,141	31,914	45,539	41,298	25,684	104
Male	120,183	5,445	786	857	6,203	9,484	13,347	13,130	18,984	24,634	19,150	8,584	69
Female	99,778	4,409	706	584	1,498	3,986	6,878	8,011	13,530	20,905	22,146	17,090	35
Abilene, TX, MSA	1,030	13	2	6	13	22	31	52	95	240	306	250	-
Male	511	6	1	4	11	16	17	33	59	144	147	73	-
Female	519	7	1	2	2	6	14	19	36	96	159	177	-
White	966	11	2	5	10	20	27	44	87	226	293	241	-
Male	482	5	1	4	9	15	15	30	55	134	142	72	-
Female	484	6	1	1	1	5	12	14	32	92	151	169	-
All other	64	2	-	1	3	2	4	8	8	14	13	9	-
Male	29	1	-	-	2	1	2	3	4	10	5	1	-
Female	35	1	-	1	1	1	2	5	4	4	8	8	-
Black	59	2	-	1	2	2	4	8	8	14	10	8	-
Male	27	1	-	1	1	1	2	3	4	10	4	1	-
Female	32	1	-	1	1	1	2	5	4	4	6	7	-
Akron, OH, PMSA	6,063	79	12	13	69	101	180	313	698	1,531	1,661	1,406	-
Male	3,059	43	9	5	45	79	123	203	425	857	802	468	-
Female	3,004	36	3	8	24	22	57	110	273	674	859	938	-
White	5,461	57	10	12	47	80	143	259	600	1,387	1,546	1,320	-
Male	2,721	29	7	5	30	61	94	172	364	772	749	438	-
Female	2,740	28	3	7	17	19	49	87	236	615	797	882	-
All other	602	22	2	1	22	21	37	54	98	144	115	86	-
Male	338	14	2	-	15	18	29	31	61	85	53	30	-
Female	264	8	-	1	7	3	8	23	37	59	62	56	-
Black	588	20	2	1	22	20	35	51	94	142	115	86	-
Male	331	12	2	-	15	18	28	29	59	85	53	30	-
Female	257	8	-	1	7	2	7	22	35	57	62	56	-
Albany, GA, MSA	882	21	2	5	27	24	38	55	112	236	214	148	-
Male	450	9	2	4	19	11	25	35	62	131	110	42	-
Female	432	12	-	1	8	13	13	20	50	105	104	106	-
White	501	4	-	2	11	4	17	27	69	144	133	90	-
Male	263	3	-	2	8	1	12	16	43	82	89	27	-
Female	238	1	-	-	3	3	5	11	26	62	64	63	-
All other	381	17	2	3	16	20	21	28	43	92	81	58	-
Male	187	6	2	2	11	10	13	19	19	49	41	15	-
Female	194	11	-	1	5	10	8	9	24	43	40	43	-
Black	379	17	2	3	16	20	21	28	41	92	81	58	-
Male	186	6	2	2	11	10	13	19	18	49	41	15	-
Female	193	11	-	1	5	10	8	9	23	43	40	43	-
Albany-Schenectady-Troy, NY, MSA	8,386	106	23	21	72	114	250	391	841	1,831	2,568	2,168	1
Male	4,060	66	15	12	58	81	171	245	495	1,032	1,225	660	-
Female	4,326	40	8	9	14	33	79	146	346	799	1,343	1,508	1
White	8,103	82	20	20	66	100	220	360	804	1,781	2,512	2,137	1
Male	3,911	51	13	12	54	70	152	233	476	1,010	1,194	646	-
Female	4,192	31	7	8	12	30	68	127	328	771	1,318	1,491	1
All other	283	24	3	1	6	14	30	31	37	50	56	31	-
Male	149	15	2	-	4	11	19	12	19	22	31	14	-
Female	134	9	1	1	2	3	11	19	18	28	25	17	-
Black	265	20	3	1	6	14	30	28	36	49	53	25	-
Male	141	14	2	-	4	11	19	12	18	21	30	10	-
Female	124	6	1	1	2	3	11	16	18	28	23	15	-
Albuquerque, NM, MSA	3,360	62	10	15	84	157	204	211	348	727	884	655	3
Male	1,828	46	5	7	64	117	141	135	211	439	431	229	3
Female	1,532	16	5	8	20	40	63	76	137	288	453	426	-
White	3,211	54	8	12	72	141	180	197	331	706	862	645	3
Male	1,727	41	3	5	56	103	124	123	201	427	417	224	3
Female	1,484	13	5	7	16	38	56	74	130	279	445	421	-
All other	149	8	2	3	12	16	24	14	17	21	22	10	-
Male	101	5	2	2	8	14	17	12	10	12	14	5	-
Female	48	3	-	1	4	2	7	2	7	9	8	5	-
Black	71	7	-	1	5	5	13	7	7	11	8	7	-
Male	52	5	-	1	5	4	10	6	3	9	4	5	-
Female	19	2	-	-	-	1	3	1	4	2	4	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 127

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 2 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Alexandria, LA, MSA	1,253	25	-	7	23	23	57	97	165	275	334	247	-
Male	657	18	-	5	14	18	34	63	101	159	163	82	-
Female	596	7	-	2	9	5	23	34	64	116	171	165	-
White	905	15	-	3	15	12	30	61	104	215	260	190	-
Male	475	11	-	1	9	9	21	40	72	122	125	65	-
Female	430	4	-	2	6	3	9	21	32	93	135	125	-
All other	348	10	-	4	8	11	27	36	61	60	74	57	-
Male	182	7	-	4	5	9	13	23	29	37	38	17	-
Female	166	3	-	-	3	2	14	13	32	23	36	40	-
Black	346	10	-	4	8	11	26	35	61	60	74	57	-
Male	181	7	-	4	5	9	13	22	29	37	38	17	-
Female	165	3	-	-	3	2	13	13	32	23	36	40	-
Allentown-Bethlehem-Easton, PA-NJ, MSA	6,747	67	12	17	53	116	180	302	682	1,545	2,110	1,662	1
Male	3,398	33	8	10	35	80	128	187	438	921	1,005	553	-
Female	3,349	34	4	7	18	36	52	115	244	624	1,105	1,109	1
White	6,657	62	12	17	51	109	170	291	665	1,522	2,101	1,656	1
Male	3,350	31	8	10	33	76	123	180	426	910	1,000	553	-
Female	3,307	31	4	7	18	33	47	111	239	612	1,101	1,103	1
All other	90	5	-	-	2	7	10	11	17	23	9	6	-
Male	48	2	-	-	2	4	5	7	12	11	5	-	-
Female	42	3	-	-	-	3	5	4	5	12	4	6	-
Black	77	4	-	-	2	7	8	10	15	19	7	5	-
Male	44	2	-	-	2	4	5	7	11	9	4	-	-
Female	33	2	-	-	-	3	3	3	4	10	3	5	-
Altoona, PA, MSA	1,491	11	1	4	13	17	35	71	160	340	470	369	-
Male	736	7	-	2	11	13	22	46	101	206	222	106	-
Female	755	4	1	2	2	4	13	25	59	134	248	263	-
White	1,488	11	1	4	12	16	33	68	157	336	464	366	-
Male	721	7	-	2	10	12	21	43	98	204	219	105	-
Female	747	4	1	2	2	4	12	25	59	132	245	261	-
All other	23	-	-	-	1	1	2	3	3	4	6	3	-
Male	15	-	-	-	1	1	1	3	3	2	3	2	-
Female	8	-	-	-	-	-	1	-	-	2	3	1	-
Black	23	-	-	-	1	1	2	3	3	4	6	3	-
Male	15	-	-	-	1	1	1	3	3	2	3	1	-
Female	8	-	-	-	-	-	1	-	-	2	3	2	-
Amarillo, TX, MSA	1,626	36	10	6	30	46	80	105	207	328	435	343	-
Male	846	17	6	5	21	34	53	57	123	191	209	130	-
Female	780	19	4	1	9	12	27	48	84	137	226	213	-
White	1,526	28	9	5	28	40	71	97	192	315	413	328	-
Male	791	15	5	4	19	31	49	52	113	183	196	124	-
Female	735	13	4	1	9	9	22	45	79	132	217	204	-
All other	100	8	1	1	2	6	9	8	15	13	22	15	-
Male	55	2	1	1	2	3	4	5	10	8	13	6	-
Female	45	6	-	-	-	3	5	3	5	5	9	9	-
Black	93	8	1	1	1	4	9	6	15	12	22	14	-
Male	51	2	1	1	1	2	4	3	10	8	13	6	-
Female	42	6	-	-	-	2	5	3	5	4	9	8	-
Anaheim-Santa Ana, CA, PMSA	14,827	282	64	50	288	505	663	898	1,587	3,081	3,984	3,424	1
Male	7,602	158	37	31	222	395	494	561	1,008	1,737	1,877	1,082	-
Female	7,225	124	27	19	66	110	169	337	579	1,344	2,107	2,342	1
White	13,991	251	53	42	244	473	598	799	1,467	2,915	3,810	3,338	1
Male	7,100	139	32	27	191	372	443	495	932	1,638	1,785	1,046	-
Female	6,891	112	21	15	53	101	155	304	535	1,277	2,025	2,292	1
All other	836	31	11	8	44	32	65	99	120	166	174	86	-
Male	502	19	5	4	31	23	51	66	76	99	92	36	-
Female	334	12	6	4	13	9	14	33	44	67	82	50	-
Black	153	10	4	-	6	9	24	30	17	20	22	11	-
Male	96	4	1	-	5	8	21	20	15	12	7	3	-
Female	57	6	3	-	1	1	3	10	2	8	15	8	-
Anchorage, AK, MSA	889	44	8	3	43	74	83	104	141	190	126	73	-
Male	516	22	5	2	32	53	58	66	87	105	63	23	-
Female	373	22	3	1	11	21	25	38	54	85	63	50	-
White	690	30	6	3	29	43	62	86	107	160	103	61	-
Male	414	16	4	2	19	34	47	57	71	88	55	21	-
Female	276	14	2	1	10	9	15	29	36	72	48	40	-
All other	199	14	2	-	14	31	21	18	34	30	23	12	-
Male	102	6	1	-	13	19	11	9	16	17	8	2	-
Female	97	8	1	-	1	12	10	9	18	13	15	10	-
Black	45	6	-	-	3	4	7	3	8	7	6	1	-
Male	23	3	-	-	3	2	4	2	4	2	2	1	-
Female	22	3	-	-	-	2	3	1	4	5	4	-	-
Anderson, IN, MSA	1,288	15	5	9	11	27	43	61	139	296	383	299	-
Male	615	9	2	7	5	17	27	42	80	156	178	92	-
Female	673	6	3	2	6	10	16	19	59	140	205	207	-
White	1,222	14	-	7	10	19	41	54	126	287	368	296	-
Male	587	8	-	5	5	15	26	39	73	152	173	91	-
Female	635	6	-	2	5	4	15	15	53	135	195	205	-
All other	66	1	5	2	1	8	2	7	13	9	15	3	-
Male	28	1	2	2	-	2	1	3	7	4	5	1	-
Female	38	-	3	-	1	6	1	4	6	5	10	2	-
Black	66	1	5	2	1	8	2	7	13	9	15	3	-
Male	28	1	2	2	-	2	1	3	7	4	5	1	-
Female	38	-	3	-	1	6	1	4	6	5	10	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 128

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 3 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Anderson, SC, MSA	1,408	26	6	4	32	37	48	86	170	324	404	271	-
Male	735	14	4	2	26	28	27	54	104	179	212	87	-
Female	673	12	2	2	6	11	21	32	66	145	192	184	-
White	1,157	14	4	3	23	22	34	63	139	273	351	231	-
Male	612	8	2	1	18	15	21	45	87	155	186	74	-
Female	545	6	2	2	5	7	13	18	52	118	165	157	-
All other	251	12	2	1	9	15	14	23	31	51	53	40	-
Male	123	6	2	1	8	11	6	9	17	24	26	13	-
Female	128	6	-	-	1	4	8	14	14	27	27	27	-
Black	250	12	2	1	9	15	14	23	31	51	52	40	-
Male	122	6	2	1	8	11	6	9	17	24	25	13	-
Female	128	6	-	-	1	4	8	14	14	27	27	27	-
Ann Arbor, MI, PMSA	1,599	39	4	5	30	42	81	92	178	341	404	383	-
Male	762	26	3	4	16	28	54	58	94	178	187	114	-
Female	837	13	1	1	14	14	27	34	84	163	217	269	-
White	1,383	24	3	3	24	34	63	73	148	286	362	363	-
Male	640	14	3	2	13	25	44	42	76	152	163	106	-
Female	743	10	-	1	11	9	19	31	72	134	199	257	-
All other	216	15	1	2	6	8	18	19	30	55	42	20	-
Male	122	12	-	2	3	3	10	16	18	26	24	8	-
Female	94	3	1	-	3	5	8	3	12	29	18	12	-
Black	197	14	1	-	4	8	17	19	29	47	40	18	-
Male	112	11	-	-	2	3	9	16	17	22	24	8	-
Female	85	3	1	-	2	5	8	3	12	25	16	10	-
Anniston, AL, MSA	1,120	18	-	5	20	27	37	100	155	274	293	191	-
Male	594	11	-	4	15	19	24	64	100	162	138	57	-
Female	526	7	-	1	5	8	13	36	55	112	155	134	-
White	905	10	-	4	12	16	26	76	118	227	249	167	-
Male	467	5	-	3	8	12	16	46	77	132	119	49	-
Female	438	5	-	1	4	4	10	30	41	95	130	118	-
All other	215	8	-	1	8	11	11	24	37	47	44	24	-
Male	127	6	-	1	7	7	8	18	23	30	19	8	-
Female	88	2	-	-	1	4	3	6	14	17	25	16	-
Black	214	8	-	1	8	11	11	24	37	47	44	23	-
Male	126	6	-	1	7	7	8	18	23	30	19	7	-
Female	88	2	-	-	1	4	3	6	14	17	25	16	-
Appleton-Oshkosh-Neenah, WI, MSA	2,354	26	8	13	31	33	63	96	239	455	708	682	-
Male	1,160	12	6	7	21	24	33	59	155	264	361	218	-
Female	1,194	14	2	6	10	9	30	37	84	191	347	464	-
White	2,322	25	6	12	27	32	61	95	233	448	706	677	-
Male	1,136	12	5	6	18	23	31	58	149	260	359	215	-
Female	1,186	13	1	6	9	9	30	37	84	188	347	462	-
All other	32	1	2	1	4	1	2	1	6	7	2	5	-
Male	24	-	1	1	3	1	2	1	6	4	2	3	-
Female	8	1	1	-	1	-	-	-	3	-	2	2	-
Black	5	-	-	-	3	1	1	-	-	-	-	-	-
Male	5	-	-	-	3	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Asheville, NC, MSA	1,913	12	4	7	15	21	65	91	235	433	564	466	-
Male	969	7	2	5	11	16	45	58	138	245	282	160	-
Female	944	5	2	2	4	5	20	33	97	188	282	306	-
White	1,717	8	3	7	15	18	54	76	200	389	522	425	-
Male	875	6	2	5	11	14	37	49	119	222	258	152	-
Female	842	2	1	2	4	4	17	27	81	167	264	273	-
All other	196	4	1	-	-	3	11	15	35	44	42	41	-
Male	94	1	-	-	-	2	8	9	19	23	24	8	-
Female	102	3	1	-	-	1	3	6	16	21	18	33	-
Black	191	4	1	-	-	1	11	15	33	44	41	41	-
Male	91	1	-	-	-	1	8	9	18	23	23	8	-
Female	100	3	1	-	-	-	3	6	15	21	18	33	-
Athens, GA, MSA	1,096	28	4	5	19	33	41	78	141	219	305	223	-
Male	570	13	-	5	15	23	25	55	96	119	135	84	-
Female	526	15	4	-	4	10	16	23	45	100	170	139	-
White	851	13	3	3	16	26	21	57	102	169	247	194	-
Male	450	8	-	3	12	20	12	41	66	101	113	74	-
Female	401	5	3	-	4	6	9	16	36	68	134	120	-
All other	245	15	1	2	3	7	20	21	39	50	58	29	-
Male	120	5	-	2	3	3	13	14	30	18	22	10	-
Female	125	10	1	-	-	4	7	7	9	32	36	19	-
Black	242	14	1	2	3	7	20	21	38	49	58	29	-
Male	119	5	-	2	3	3	13	14	29	18	22	10	-
Female	123	9	1	-	-	4	7	7	9	31	36	19	-
Atlanta, GA, MSA	19,167	436	76	103	425	906	1,375	1,640	2,555	3,866	4,448	3,331	6
Male	10,075	231	49	54	313	689	986	1,045	1,536	2,136	2,006	1,026	4
Female	9,092	205	27	49	112	217	389	595	1,019	1,730	2,442	2,305	2
White	13,594	158	45	53	214	464	716	1,016	1,730	2,893	3,514	2,789	2
Male	7,001	84	28	30	153	356	536	667	1,065	1,629	1,605	848	-
Female	6,593	74	17	23	61	108	180	349	665	1,264	1,909	1,941	2
All other	5,573	278	31	50	211	442	659	624	825	973	934	542	4
Male	3,074	147	21	24	160	333	450	378	471	507	401	178	4
Female	2,499	131	10	26	51	109	209	246	354	466	533	364	-
Black	5,448	270	30	45	205	428	648	611	808	953	912	534	4
Male	3,002	144	20	22	158	322	442	369	458	495	393	175	4
Female	2,446	126	10	23	47	106	206	242	350	458	519	359	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 130

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 5 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Baton Rouge, LA, MSA	3,799	81	20	19	94	163	207	255	531	833	956	639	1
Male	1,968	37	9	11	73	119	135	152	336	461	433	201	1
Female	1,831	44	11	8	21	44	72	103	195	372	523	438	1
White	2,546	28	6	12	44	73	109	142	346	571	725	489	1
Male	1,292	10	2	7	30	57	73	88	221	335	328	140	1
Female	1,254	18	4	5	14	16	36	54	125	236	397	349	-
All other	1,253	53	14	7	50	90	98	113	185	262	231	150	-
Male	676	27	7	4	43	62	64	64	115	126	105	61	-
Female	577	26	7	3	7	28	36	49	70	136	126	89	-
Black	1,247	52	14	7	50	90	98	113	184	259	230	150	-
Male	672	26	7	4	43	62	62	64	115	123	105	61	-
Female	575	26	7	3	7	28	36	49	69	136	125	89	-
Battle Creek, MI, MSA	1,373	19	7	6	15	19	43	72	158	329	403	302	-
Male	721	13	5	5	14	12	32	45	99	200	194	102	-
Female	652	6	2	1	1	7	11	27	59	129	209	200	-
White	1,240	14	4	5	13	14	36	63	143	298	368	282	-
Male	642	9	3	4	12	8	25	38	89	186	175	93	-
Female	598	5	1	1	1	6	11	25	54	112	193	189	-
All other	133	5	3	1	2	5	7	9	15	31	35	20	-
Male	79	4	2	1	2	4	7	7	10	14	19	9	-
Female	54	1	1	-	-	1	-	2	5	17	16	11	-
Black	126	5	3	1	2	5	6	7	15	30	33	19	-
Male	76	4	2	1	2	4	6	6	10	14	18	9	-
Female	50	1	1	-	-	1	-	1	5	16	15	10	-
Beaumont-Port Arthur, TX, MSA	3,526	58	10	16	65	103	133	213	453	854	947	672	2
Male	1,814	36	3	11	48	74	83	133	265	483	462	214	2
Female	1,712	22	7	5	17	29	50	80	188	371	485	458	-
White	2,681	27	8	10	43	58	77	146	315	658	765	573	1
Male	1,353	18	3	7	30	40	49	96	186	372	368	183	1
Female	1,328	9	5	3	13	18	28	50	129	286	397	390	-
All other	845	31	2	6	22	45	56	67	138	196	182	89	1
Male	461	18	-	4	18	34	34	37	79	111	94	31	1
Female	384	13	2	2	4	11	22	30	59	85	88	68	-
Black	832	31	2	5	22	41	54	66	137	193	181	99	1
Male	452	18	-	3	18	30	33	36	79	110	93	31	1
Female	380	13	2	2	4	11	21	30	58	83	88	68	-
Beaver County, PA, PMSA	2,062	30	3	5	15	34	58	85	223	514	684	411	-
Male	1,072	18	3	4	9	28	38	53	130	294	350	145	-
Female	990	12	-	1	6	6	20	32	93	220	334	266	-
White	1,955	24	3	4	15	31	51	79	206	489	662	391	-
Male	1,019	15	3	3	9	25	34	49	120	281	339	141	-
Female	936	9	1	1	6	6	17	30	86	208	323	250	-
All other	107	6	-	1	-	3	7	6	17	25	22	20	-
Male	53	3	-	1	-	3	4	4	10	13	11	4	-
Female	54	3	-	-	-	-	3	2	7	12	11	16	-
Black	106	6	-	1	-	3	7	6	16	25	22	4	-
Male	53	3	-	1	-	3	4	4	10	13	11	4	-
Female	53	3	-	-	-	-	3	2	6	12	11	16	-
Bellingham, WA, MSA	1,020	11	2	5	16	28	34	57	88	195	303	281	-
Male	511	5	1	3	13	22	23	35	48	113	165	83	-
Female	509	6	1	2	3	6	11	22	40	82	138	198	-
White	986	8	2	5	14	27	33	52	83	186	296	280	-
Male	486	2	1	3	11	21	22	31	44	109	160	83	-
Female	500	6	1	2	3	6	11	21	39	78	136	197	-
All other	34	3	-	-	2	1	1	5	5	9	7	1	-
Male	25	3	-	-	2	1	1	4	4	5	5	-	-
Female	9	-	-	-	-	-	-	1	1	4	2	1	-
Black	6	2	-	-	1	-	-	1	1	-	2	-	-
Male	5	2	-	-	1	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Benton Harbor, MI, MSA	1,455	27	2	8	16	26	56	85	151	334	407	343	-
Male	710	9	1	5	12	15	36	46	88	180	204	114	-
Female	745	18	1	3	4	11	20	39	63	154	203	229	-
White	1,225	11	2	5	9	15	35	70	112	290	357	319	-
Male	596	-	1	4	7	9	24	36	68	163	180	104	-
Female	629	11	1	1	2	6	11	34	44	127	177	215	-
All other	230	16	-	3	7	11	21	15	39	44	50	24	-
Male	114	9	-	1	5	6	12	10	20	17	24	10	-
Female	116	7	-	2	2	5	9	5	19	27	26	14	-
Black	222	16	-	3	7	11	21	14	37	43	47	23	-
Male	110	9	-	1	5	6	12	9	19	17	23	9	-
Female	112	7	-	2	2	5	9	5	18	26	24	14	-
Bergen-Passaic, NJ, PMSA	11,697	135	30	26	108	250	447	616	1,228	2,532	3,405	2,918	2
Male	5,816	80	17	12	78	176	308	383	757	1,460	1,609	934	2
Female	5,881	55	13	14	30	74	139	233	471	1,072	1,796	1,984	-
White	10,729	96	22	21	81	180	324	488	1,073	2,367	3,257	2,818	2
Male	5,296	60	12	10	57	138	231	301	667	1,367	1,544	907	2
Female	5,433	36	10	11	24	42	93	187	406	1,000	1,713	1,911	-
All other	968	39	8	5	27	70	123	128	155	165	148	100	-
Male	520	20	5	2	21	38	77	82	90	93	65	27	-
Female	448	19	3	3	6	32	46	46	65	72	83	73	-
Black	878	33	8	5	23	67	120	119	136	147	132	88	-
Male	471	17	5	2	18	37	76	77	81	80	57	21	-
Female	407	16	3	3	5	30	44	42	55	67	75	67	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 131

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 6 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Billings, MT, MSA	899	13	3	4	15	23	31	48	96	188	261	217	-
Male	459	10	1	2	12	15	18	35	64	103	122	77	-
Female	440	3	2	2	3	8	13	13	32	85	139	140	-
White	889	11	3	4	14	22	30	46	95	187	261	216	-
Male	453	8	1	2	11	14	17	35	63	103	122	77	-
Female	436	3	2	2	3	8	13	11	32	84	139	139	-
All other	10	2	-	-	1	1	1	2	1	1	-	1	-
Male	6	2	-	-	1	1	1	1	1	-	-	-	-
Female	4	-	-	-	-	-	-	2	-	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Biloxi-Gulfport, MS, MSA	1,765	32	6	9	25	68	86	113	240	441	478	266	1
Male	980	17	3	6	16	45	67	78	163	271	237	76	1
Female	785	15	3	3	9	23	19	35	77	170	241	190	-
White	1,453	20	3	6	16	56	59	93	200	372	397	231	-
Male	813	9	2	3	12	36	48	64	141	232	199	67	-
Female	640	11	1	3	4	20	11	29	59	140	198	164	-
All other	312	12	3	3	9	12	27	20	40	69	81	35	1
Male	167	8	1	3	4	9	19	14	22	39	38	9	1
Female	145	4	2	-	5	3	8	6	18	30	43	26	-
Black	303	10	3	3	8	11	26	20	39	69	79	35	-
Male	159	6	1	3	4	8	18	14	21	39	36	9	-
Female	144	4	2	-	4	3	8	6	18	30	43	26	-
Binghamton, NY, MSA	2,447	27	7	8	8	36	68	119	270	557	742	605	-
Male	1,179	15	3	6	5	24	46	66	160	315	370	169	-
Female	1,268	12	4	2	3	12	22	53	110	242	372	436	-
White	2,417	26	6	5	8	34	64	117	267	552	736	602	-
Male	1,162	15	3	3	5	23	44	64	159	313	366	167	-
Female	1,255	11	3	2	3	11	20	53	108	239	370	435	-
All other	30	1	1	3	-	2	4	2	3	5	6	3	-
Male	17	-	-	3	-	1	2	2	1	2	4	2	-
Female	13	1	1	-	-	1	2	-	2	3	2	1	-
Black	21	1	1	3	-	-	3	2	3	4	4	-	-
Male	12	-	-	3	-	-	1	2	1	2	3	-	-
Female	9	1	1	-	-	-	2	-	2	2	1	-	-
Birmingham, AL, MSA	9,150	138	33	42	166	265	422	555	1,117	2,037	2,454	1,901	-
Male	4,610	84	21	22	119	209	274	333	651	1,133	1,186	578	-
Female	4,540	54	12	20	47	76	148	222	466	904	1,268	1,323	-
White	6,289	57	17	26	83	145	231	353	715	1,423	1,804	1,455	-
Male	3,168	36	9	12	55	108	160	221	443	808	837	429	-
Female	3,121	21	8	14	28	37	71	132	272	615	917	1,026	-
All other	2,861	81	16	16	83	140	191	202	402	614	650	466	-
Male	1,442	48	12	10	64	101	114	112	208	325	299	149	-
Female	1,419	33	4	6	19	39	77	90	194	289	351	317	-
Black	2,855	81	16	16	83	139	190	202	400	614	648	466	-
Male	1,439	48	12	10	64	101	114	112	207	325	297	149	-
Female	1,416	33	4	6	19	38	76	90	193	289	351	317	-
Bismarck, ND, MSA	623	9	-	7	5	10	19	25	60	115	205	168	-
Male	313	3	-	3	3	5	14	15	38	68	103	61	-
Female	310	6	-	4	2	5	5	10	22	47	102	107	-
White	612	8	-	6	4	9	17	25	58	114	203	168	-
Male	308	3	-	2	3	5	13	15	37	67	102	61	-
Female	304	5	-	4	1	4	4	10	21	47	101	107	-
All other	11	1	-	1	1	1	2	1	2	1	2	-	-
Male	5	-	-	1	-	-	1	-	1	1	-	-	-
Female	6	1	-	-	1	1	1	-	1	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Bloomington, IN, MSA	589	14	-	2	10	7	22	27	51	119	158	179	-
Male	273	7	-	1	6	5	14	12	34	67	74	53	-
Female	316	7	-	1	4	2	8	15	17	52	84	126	-
White	581	12	-	2	10	6	22	27	50	119	157	176	-
Male	268	6	-	1	6	4	14	12	33	67	73	52	-
Female	313	6	-	1	4	2	8	15	17	52	84	124	-
All other	8	2	-	-	-	1	-	-	1	-	1	3	-
Male	5	1	-	-	-	1	-	-	1	-	1	1	-
Female	3	1	-	-	-	-	-	-	-	-	-	2	-
Black	6	-	-	-	-	1	-	-	1	-	1	3	-
Male	4	-	-	-	-	1	-	-	1	-	1	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Bloomington-Normal, IL, MSA	919	10	4	2	10	13	31	45	74	186	282	262	-
Male	452	7	2	2	7	6	21	32	52	109	139	75	-
Female	467	3	2	-	3	7	10	13	22	77	143	187	-
White	892	10	4	2	8	8	29	43	73	182	278	255	-
Male	439	7	2	2	5	4	21	30	51	107	138	72	-
Female	453	3	2	-	3	4	8	13	22	75	140	183	-
All other	27	-	-	-	2	5	2	2	1	4	4	7	-
Male	13	-	-	-	2	2	-	2	1	2	1	3	-
Female	14	-	-	-	-	3	2	-	2	2	3	4	-
Black	24	-	-	-	2	4	2	1	1	4	3	7	-
Male	12	-	-	-	2	2	-	1	1	2	1	3	-
Female	12	-	-	-	-	2	2	-	2	2	2	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 132

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 7 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Boise City, ID, MSA	1,423	34	8	11	23	30	60	87	150	267	423	330	-
Male	765	18	5	9	20	20	39	51	106	164	215	118	-
Female	658	16	3	2	3	10	21	36	44	103	208	212	-
White	1,404	32	8	10	23	29	58	85	146	266	420	327	-
Male	752	16	5	8	20	19	37	50	103	164	213	117	-
Female	652	16	3	2	3	10	21	35	43	102	207	210	-
All other	19	2	-	1	-	1	2	2	4	1	3	3	-
Male	13	2	-	1	-	1	2	1	3	-	2	1	-
Female	6	-	-	-	-	-	-	1	1	1	1	2	-
Black	7	-	-	-	-	-	1	-	2	-	1	1	-
Male	6	-	-	-	-	-	-	-	2	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Boston-Lawrence-Salem-Lowell-Brockton, MA, NECMA	32,355	356	71	70	284	768	1,196	1,678	3,315	6,756	9,300	8,559	2
Male	15,512	193	40	40	204	563	834	1,030	2,054	3,812	4,261	2,480	1
Female	16,843	163	31	30	80	205	362	648	1,261	2,944	5,039	6,079	1
White	30,593	252	56	53	219	639	1,015	1,500	3,088	6,396	8,993	8,380	2
Male	14,544	143	31	30	155	479	721	919	1,916	3,615	4,126	2,408	1
Female	16,049	109	25	23	64	160	294	581	1,172	2,781	4,867	5,972	1
All other	1,762	104	15	17	65	129	181	178	227	360	307	179	-
Male	958	50	9	10	49	84	113	111	138	197	135	72	-
Female	794	54	6	7	16	45	68	67	89	163	172	107	-
Black	1,509	93	11	14	55	120	166	152	193	298	257	150	-
Male	822	45	6	9	42	79	107	95	114	162	111	52	-
Female	687	48	5	5	13	41	59	57	79	136	146	98	-
Boulder-Longmont, CO, PMSA	1,103	17	3	5	27	32	59	61	118	210	279	292	-
Male	550	10	1	3	19	25	36	33	65	115	137	108	-
Female	553	7	2	2	8	7	23	28	53	95	142	186	-
White	1,088	15	3	4	27	31	55	60	116	209	279	289	-
Male	541	8	1	2	19	24	34	33	65	114	137	104	-
Female	547	7	2	2	8	7	21	27	51	95	142	185	-
All other	15	2	-	1	-	1	4	1	2	1	-	3	-
Male	9	2	-	1	-	1	2	-	1	-	-	2	-
Female	6	-	-	-	-	-	2	-	1	-	-	1	-
Black	3	-	-	-	-	-	-	1	1	1	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	-
Bradenton, FL, MSA	2,901	22	5	4	13	46	78	105	208	647	959	814	-
Male	1,514	11	3	2	7	31	51	67	142	385	497	318	-
Female	1,387	11	2	2	6	15	27	38	66	262	462	496	-
White	2,757	17	3	4	9	35	64	93	191	618	925	800	-
Male	1,445	8	2	2	5	26	45	59	130	372	484	312	-
Female	1,312	9	1	2	4	9	19	34	61	244	441	488	-
All other	144	5	2	-	4	11	14	12	17	31	34	14	-
Male	69	3	1	-	2	5	6	8	12	13	13	6	-
Female	75	2	1	-	2	6	8	4	5	18	21	8	-
Black	140	4	2	-	4	11	14	10	17	30	34	14	-
Male	67	3	1	-	2	5	6	6	12	13	13	6	-
Female	73	1	1	-	2	6	8	4	5	17	21	8	-
Brazoria, TX, PMSA	1,227	22	7	8	25	57	55	100	172	317	272	192	-
Male	681	12	6	6	20	34	40	65	112	190	133	63	-
Female	546	10	1	2	5	23	15	35	60	127	139	129	-
White	1,137	21	7	5	22	51	49	93	164	289	256	180	-
Male	624	11	6	4	18	29	35	61	107	174	125	54	-
Female	513	10	1	1	4	22	14	32	57	115	131	126	-
All other	90	1	-	3	3	6	5	7	8	28	16	12	-
Male	57	1	-	2	2	5	4	5	3	12	8	9	-
Female	33	-	-	1	1	1	1	2	3	12	8	3	-
Black	90	1	-	3	3	6	6	7	8	28	16	12	-
Male	57	1	-	2	2	5	4	5	4	16	8	9	-
Female	33	-	-	1	1	1	1	2	3	12	8	3	-
Bremerton, WA, MSA	1,359	25	4	4	27	28	58	74	135	312	404	288	-
Male	704	15	3	4	19	20	28	47	77	172	211	108	-
Female	655	10	1	-	8	8	30	27	58	140	193	180	-
White	1,314	25	4	4	22	27	54	67	129	306	386	280	-
Male	678	15	3	4	15	20	25	42	75	168	206	105	-
Female	636	10	1	-	7	7	29	25	54	138	190	175	-
All other	45	-	-	-	5	1	4	7	6	6	8	8	-
Male	26	-	-	-	4	-	3	5	2	4	5	3	-
Female	19	-	-	-	1	1	1	2	4	2	3	5	-
Black	16	-	-	-	1	-	3	1	3	1	4	3	-
Male	8	-	-	-	1	-	2	1	2	-	1	1	-
Female	8	-	-	-	-	-	1	-	1	1	3	2	-
Bridgeport-Stamford-Norwalk-Danbury, CT, NECMA	7,008	92	11	17	90	164	264	376	673	1,485	1,939	1,897	-
Male	3,459	53	6	12	78	125	174	237	413	837	952	572	-
Female	3,549	39	5	5	12	39	90	139	260	648	987	1,325	-
White	6,404	68	7	9	60	116	193	307	578	1,364	1,857	1,845	-
Male	3,110	35	5	6	50	91	127	189	357	776	914	560	-
Female	3,294	33	2	3	10	25	66	118	221	588	943	1,285	-
All other	604	24	4	8	30	48	71	69	95	121	82	52	-
Male	349	18	1	6	28	34	47	48	56	61	38	12	-
Female	255	6	3	2	2	14	24	21	39	60	44	40	-
Black	577	23	4	8	27	46	71	65	89	116	81	47	-
Male	335	17	1	6	25	34	47	47	50	59	38	11	-
Female	242	6	3	2	2	12	24	18	39	57	43	36	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 133

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 8 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Brownsville-Harlingen, TX, MSA	1,703	42	12	7	42	55	62	89	188	369	462	348	27
Male	988	25	8	4	40	43	46	50	123	216	257	149	27
Female	715	17	4	3	2	12	16	39	65	153	205	199	-
White	1,698	42	12	7	42	55	61	89	187	368	461	347	27
Male	986	25	8	4	40	43	45	50	123	216	257	148	27
Female	712	17	4	3	2	12	16	39	64	152	204	199	-
All other	5	-	-	-	-	-	1	-	1	1	1	1	-
Male	2	-	-	-	-	-	1	-	-	-	-	1	-
Female	3	-	-	-	-	-	-	-	1	1	1	-	-
Black	3	-	-	-	-	-	-	-	1	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	1	-	1	-	-
Bryan-College Station, TX, MSA	586	7	1	2	15	24	23	31	66	128	154	135	-
Male	299	6	1	1	14	14	17	19	40	64	70	53	-
Female	287	1	-	1	1	10	6	12	26	64	84	82	-
White	473	6	-	2	12	19	15	23	53	100	130	113	-
Male	244	5	-	1	11	12	10	17	32	52	59	45	-
Female	229	1	-	1	1	7	5	6	21	48	71	68	-
All other	113	1	1	-	3	5	8	8	13	28	24	22	-
Male	55	1	1	-	3	2	7	2	8	12	11	8	-
Female	58	-	-	-	-	3	1	6	5	16	13	14	-
Black	112	1	-	-	3	5	8	8	13	28	24	22	-
Male	54	1	-	-	3	2	7	2	8	12	11	8	-
Female	58	-	-	-	-	3	1	6	5	16	13	14	-
Buffalo, NY, PMSA	10,138	127	19	20	103	150	348	524	1,157	2,529	3,042	2,118	1
Male	5,001	71	13	12	73	110	221	312	691	1,397	1,457	643	1
Female	5,137	56	6	8	30	40	127	212	466	1,132	1,585	1,475	-
White	9,014	69	14	16	64	105	256	417	970	2,234	2,855	2,013	1
Male	4,369	43	10	9	44	81	157	249	582	1,229	1,367	597	1
Female	4,645	26	4	7	20	24	99	168	388	1,005	1,488	1,416	-
All other	1,124	58	5	4	39	45	92	107	187	295	187	105	-
Male	632	28	3	3	29	29	64	63	109	168	90	46	-
Female	492	30	2	1	10	16	28	44	78	127	97	59	-
Black	1,076	55	5	4	38	44	90	105	171	284	180	100	-
Male	599	27	3	3	28	28	62	62	95	163	86	42	-
Female	477	28	2	1	10	16	28	43	76	121	94	58	-
Burlington, NC, MSA	1,102	16	2	3	12	23	31	60	120	250	323	262	-
Male	574	12	2	2	9	14	26	43	68	151	159	88	-
Female	528	4	-	1	3	9	5	17	52	99	164	174	-
White	849	9	1	-	9	14	16	37	85	195	270	213	-
Male	427	7	1	-	7	8	11	29	48	116	133	67	-
Female	422	2	-	-	2	6	5	8	37	79	137	146	-
All other	253	7	1	3	3	9	15	23	35	55	53	49	-
Male	147	5	1	2	2	6	15	14	20	35	26	21	-
Female	106	2	-	1	1	3	-	9	15	20	27	28	-
Black	251	7	1	3	3	9	15	23	35	54	53	48	-
Male	145	5	1	2	2	6	15	14	20	34	26	20	-
Female	106	2	-	1	1	3	-	9	15	20	27	28	-
Burlington, VT, NECMA	882	10	1	2	18	19	45	56	114	199	219	199	-
Male	457	2	1	2	14	17	34	39	74	111	93	70	-
Female	425	8	-	-	4	2	11	17	40	88	126	129	-
White	875	10	1	1	16	19	44	55	114	198	218	199	-
Male	453	2	1	1	13	17	34	38	74	111	92	70	-
Female	422	8	-	-	3	2	10	17	40	87	126	129	-
All other	7	-	-	1	2	-	1	-	-	1	1	-	-
Male	4	-	-	1	1	-	-	1	-	-	1	-	-
Female	3	-	-	-	1	-	1	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Canton, OH, MSA	3,727	42	13	10	43	75	118	160	400	887	1,100	879	-
Male	1,838	22	8	5	32	54	70	101	233	502	532	279	-
Female	1,889	20	5	5	11	21	48	59	167	385	568	600	-
White	3,496	31	10	9	38	63	101	141	363	841	1,048	851	-
Male	1,730	16	6	4	29	45	62	87	215	480	514	272	-
Female	1,766	15	4	5	9	18	39	54	148	361	534	579	-
All other	231	11	3	1	5	12	17	19	37	46	52	28	-
Male	108	6	2	1	3	9	8	14	18	22	18	7	-
Female	123	5	1	-	2	3	9	5	19	24	34	21	-
Black	228	11	3	1	5	12	17	18	37	46	50	28	-
Male	106	6	2	1	3	9	8	14	18	22	16	7	-
Female	122	5	1	-	2	3	9	4	19	24	34	21	-
Casper, WY, MSA	419	12	2	2	3	12	19	30	53	106	103	77	-
Male	199	6	2	1	3	6	15	17	35	54	35	25	-
Female	220	6	-	1	-	6	4	13	18	52	68	52	-
White	411	12	2	2	3	11	18	29	53	104	101	76	-
Male	197	6	2	1	3	6	15	17	35	53	34	25	-
Female	214	6	-	1	-	5	3	12	18	51	67	51	-
All other	8	-	-	-	-	1	1	1	-	2	2	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	6	-	-	-	-	1	1	1	-	1	1	1	-
Black	6	-	-	-	-	-	1	-	-	2	2	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	4	-	-	-	-	-	1	-	-	1	1	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 134

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.
 (Page 9 of 50)
 [Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cedar Rapids, IA, MSA	1,234	20	2	-	13	20	39	56	110	268	370	336	-
Male	627	11	2	-	10	10	30	36	66	172	179	111	-
Female	607	9	-	-	3	10	9	20	44	96	191	225	-
White	1,200	18	1	-	11	20	38	50	101	262	367	332	-
Male	604	11	1	-	9	10	29	30	61	167	176	110	-
Female	596	7	-	-	2	10	9	20	40	95	191	222	-
All other	34	2	1	-	2	-	1	6	9	6	3	4	-
Male	23	2	1	-	1	-	1	6	5	5	3	1	-
Female	11	-	-	-	-	-	-	-	-	-	-	-	-
Black	33	2	1	-	2	-	1	6	9	5	3	4	-
Male	23	2	1	-	1	-	1	6	5	5	3	1	-
Female	10	-	-	-	1	-	-	-	4	-	-	3	-
Champaign-Urbana-Rantoul, IL, MSA	1,021	21	1	5	19	34	38	59	104	215	258	267	-
Male	508	14	1	2	15	18	30	34	73	129	110	82	-
Female	519	7	-	3	4	16	8	25	31	86	148	185	-
White	901	11	1	5	13	22	27	47	88	167	244	256	-
Male	440	5	1	2	9	13	23	27	60	117	104	79	-
Female	461	6	-	3	4	9	4	20	28	70	140	177	-
All other	120	10	-	-	6	12	11	12	16	28	14	11	-
Male	68	9	-	-	6	5	7	7	13	12	6	3	-
Female	52	1	-	-	-	7	4	5	3	16	8	8	-
Black	112	7	-	-	6	10	11	12	16	26	14	10	-
Male	61	6	-	-	6	3	7	7	13	11	6	2	-
Female	51	1	-	-	-	7	4	5	3	15	8	8	-
Charleston, SC, MSA	3,533	104	12	22	81	150	210	254	490	823	874	512	1
Male	1,943	66	5	15	65	104	144	165	307	455	451	165	1
Female	1,590	38	7	7	16	46	66	89	183	368	423	347	-
White	2,242	43	3	14	43	84	110	155	328	534	567	361	-
Male	1,221	27	1	9	32	58	68	107	212	308	284	115	-
Female	1,021	16	2	5	11	26	42	48	116	226	283	246	-
All other	1,291	61	9	8	38	66	100	99	162	289	307	151	1
Male	722	39	4	6	33	46	76	58	95	147	167	50	1
Female	569	22	5	2	5	20	24	41	67	142	140	101	-
Black	1,284	61	9	8	38	65	99	99	161	288	306	149	1
Male	718	39	4	6	33	45	76	58	94	147	166	49	1
Female	566	22	5	2	5	20	23	41	67	141	140	100	-
Charleston, WV, MSA	2,612	21	5	2	44	59	80	162	326	610	736	567	-
Male	1,316	13	2	2	33	43	55	98	188	326	371	185	-
Female	1,296	8	3	-	11	16	25	64	138	284	365	382	-
White	2,465	20	5	2	38	52	72	153	301	579	700	543	-
Male	1,241	13	2	2	30	38	51	94	174	310	352	175	-
Female	1,224	7	3	-	8	14	21	59	127	269	348	368	-
All other	147	1	-	-	6	7	8	9	25	31	36	24	-
Male	75	-	-	-	3	5	4	4	14	16	19	10	-
Female	72	1	-	-	3	2	4	5	11	15	17	14	-
Black	145	1	-	-	5	7	8	9	25	30	36	24	-
Male	75	-	-	-	3	5	4	4	14	16	19	10	-
Female	70	1	-	-	2	2	4	5	11	14	17	14	-
Charlotte-Gastonia-Rock Hill, NC-SC, MSA	9,698	177	30	35	165	317	421	665	1,271	2,205	2,640	1,772	-
Male	4,990	94	11	24	110	225	279	442	791	1,228	1,240	546	-
Female	4,708	83	19	11	55	92	142	223	480	977	1,400	1,226	-
White	7,585	95	16	17	99	181	250	443	974	1,769	2,208	1,533	-
Male	3,863	58	6	10	61	130	173	301	597	977	1,058	472	-
Female	3,722	37	10	7	38	51	77	142	377	772	1,150	1,061	-
All other	2,113	82	14	18	66	136	171	222	297	436	432	239	-
Male	1,127	36	5	14	49	95	106	141	194	231	182	74	-
Female	986	46	9	4	17	41	65	81	103	205	250	165	-
Black	2,081	80	13	18	64	134	166	216	291	434	428	237	-
Male	1,108	34	5	14	48	93	103	138	190	230	181	72	-
Female	973	46	8	4	16	41	63	78	101	204	247	165	-
Charlottesville, VA, MSA	944	18	-	2	11	34	39	52	95	219	287	187	-
Male	493	14	-	1	8	28	28	28	56	127	143	60	-
Female	451	4	-	1	3	6	11	24	39	92	144	127	-
White	753	11	-	2	8	23	25	38	76	182	232	156	-
Male	397	8	-	1	6	19	19	22	47	109	119	47	-
Female	356	3	-	1	2	4	6	16	29	73	113	109	-
All other	191	7	-	-	3	11	14	14	19	37	55	31	-
Male	96	6	-	-	2	9	9	6	9	18	24	13	-
Female	95	1	-	-	1	2	5	8	10	19	31	18	-
Black	190	7	-	-	3	11	13	14	19	37	55	31	-
Male	95	6	-	-	2	9	8	6	9	18	24	13	-
Female	95	1	-	-	1	2	5	8	10	19	31	18	-
Chattanooga, TN-GA, MSA	4,120	47	12	10	54	91	163	266	524	1,001	1,109	843	-
Male	2,122	32	6	7	34	71	110	163	321	591	527	260	-
Female	1,998	15	6	3	20	20	53	103	203	410	582	583	-
White	3,463	29	7	7	40	67	117	234	426	833	971	732	-
Male	1,800	21	5	6	25	57	82	142	261	511	468	222	-
Female	1,663	8	2	1	15	10	35	92	165	322	503	510	-
All other	657	18	5	3	14	24	46	32	98	168	138	111	-
Male	322	11	1	1	9	14	28	21	60	80	59	38	-
Female	335	7	4	2	5	10	18	11	38	88	79	73	-
Black	656	18	5	3	13	24	46	32	98	168	138	111	-
Male	321	11	1	1	8	14	28	21	60	80	59	38	-
Female	335	7	4	2	5	10	18	11	38	88	79	73	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 135

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 10 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Cheyenne, WY, MSA	564	8	2	-	6	21	30	29	65	106	168	129	-
Male	305	5	2	-	5	15	18	22	42	65	88	43	-
Female	259	3	-	-	1	6	12	7	23	41	80	86	-
White	548	8	2	-	6	20	28	28	60	104	164	128	-
Male	296	5	2	-	5	14	17	22	39	63	96	43	-
Female	252	3	-	-	1	6	11	6	21	41	78	85	-
All other	16	-	-	-	-	1	2	1	5	2	4	1	-
Male	9	-	-	-	-	1	1	-	3	2	2	-	-
Female	7	-	-	-	-	-	1	1	2	-	2	1	-
Black	10	-	-	-	-	1	1	-	4	1	2	1	-
Male	7	-	-	-	-	1	1	-	3	1	1	-	-
Female	3	-	-	-	-	-	-	-	1	-	1	1	-
Chicago, IL, PMSA	53,213	1,255	188	216	978	1,697	2,640	3,549	6,250	11,867	14,088	10,482	5
Male	27,382	688	102	138	772	1,280	1,840	2,256	3,766	6,731	6,516	3,289	4
Female	25,831	567	84	78	206	417	800	1,293	2,484	5,136	7,572	7,193	1
White	39,232	559	81	90	422	842	1,377	2,079	4,131	8,975	11,685	8,987	4
Male	19,507	299	49	55	311	643	965	1,327	2,533	5,175	5,371	2,776	3
Female	19,725	260	32	35	111	199	412	752	1,698	3,800	6,314	6,211	1
All other	13,981	696	105	126	556	855	1,263	1,470	2,119	2,892	2,403	1,495	1
Male	7,875	389	53	63	461	637	875	929	1,233	1,556	1,145	513	1
Female	6,106	307	52	43	95	218	388	541	886	1,336	1,258	982	-
Black	13,412	678	101	125	540	832	1,222	1,407	2,038	2,761	2,279	1,428	1
Male	7,561	380	52	82	450	622	848	899	1,184	1,487	1,075	481	1
Female	5,851	298	49	43	90	210	374	508	854	1,274	1,204	947	-
Chico, CA, MSA	2,038	19	10	6	16	39	64	97	182	466	664	475	-
Male	1,065	11	4	2	12	31	40	52	126	252	344	191	-
Female	973	8	6	4	4	8	24	45	56	214	320	284	-
White	1,984	18	8	6	12	35	63	92	178	453	649	470	-
Male	1,042	11	3	2	10	29	40	51	124	247	336	189	-
Female	942	7	5	4	2	6	23	41	54	206	313	281	-
All other	54	1	2	-	4	4	1	5	4	13	15	5	-
Male	23	-	1	-	2	2	-	1	2	5	8	2	-
Female	31	1	1	-	2	2	1	4	2	8	7	3	-
Black	18	1	-	-	-	-	-	2	1	5	7	2	-
Male	9	-	-	-	-	-	-	-	1	2	5	1	-
Female	9	1	-	-	-	-	-	2	-	3	2	1	-
Cincinnati, OH-KY-IN, PMSA	12,966	204	34	48	159	239	417	671	1,587	2,979	3,702	2,926	-
Male	6,268	127	14	32	122	163	271	393	948	1,603	1,727	868	-
Female	6,698	77	20	16	37	76	146	278	639	1,376	1,975	2,058	-
White	11,217	124	28	33	120	179	325	541	1,315	2,550	3,305	2,697	-
Male	5,389	81	13	23	92	124	216	323	792	1,394	1,547	784	-
Female	5,828	43	15	10	28	55	109	218	523	1,156	1,758	1,913	-
All other	1,749	80	6	15	39	60	92	130	272	429	397	229	-
Male	879	46	1	9	30	39	55	70	156	209	180	84	-
Female	870	34	5	6	9	21	37	60	116	220	217	145	-
Black	1,727	80	6	14	39	60	90	126	270	425	393	224	-
Male	870	46	1	8	30	39	53	70	156	206	179	82	-
Female	857	34	5	6	9	21	37	56	114	219	214	142	-
Clarksville-Hopkinsville, TN-KY, MSA	1,151	28	4	2	31	29	53	76	156	227	304	241	-
Male	612	13	3	2	22	21	35	51	93	129	146	97	-
Female	539	15	1	-	9	8	18	25	63	98	158	144	-
White	897	23	2	2	18	16	38	51	122	172	247	206	-
Male	472	11	1	2	12	12	24	35	76	99	119	81	-
Female	425	12	1	-	6	4	14	16	46	73	128	125	-
All other	254	5	2	-	13	13	15	25	34	55	57	35	-
Male	140	2	2	-	10	9	11	16	17	30	27	16	-
Female	114	3	-	-	3	4	4	9	17	25	30	19	-
Black	248	5	1	-	13	11	15	25	34	53	56	35	-
Male	139	2	1	-	10	9	11	16	17	30	27	16	-
Female	109	3	-	-	3	2	4	9	17	23	29	19	-
Cleveland, OH, PMSA	17,965	328	37	52	213	343	623	949	1,947	4,320	5,226	3,927	-
Male	8,928	176	20	32	172	239	428	595	1,155	2,374	2,530	1,207	-
Female	9,037	152	17	20	41	104	195	354	792	1,946	2,696	2,720	-
White	14,347	153	24	33	113	192	393	649	1,401	3,416	4,518	3,455	-
Male	6,973	82	13	18	63	140	270	421	840	1,872	2,189	1,045	-
Female	7,374	71	11	15	30	52	113	228	561	1,544	2,329	2,420	-
All other	3,618	175	13	19	100	151	240	300	546	904	708	462	-
Male	1,855	94	7	14	89	99	158	174	315	502	341	182	-
Female	1,663	81	6	5	11	52	82	126	231	402	367	300	-
Black	3,570	174	13	18	98	149	238	296	542	891	694	457	-
Male	1,921	93	7	13	67	98	156	172	312	491	332	160	-
Female	1,649	81	6	5	11	51	82	124	230	400	362	297	-
Colorado Springs, CO, MSA	2,210	69	20	14	48	82	111	123	260	464	571	448	-
Male	1,139	35	11	9	34	58	85	78	146	265	274	144	-
Female	1,071	34	9	5	14	24	26	45	114	199	297	304	-
White	2,075	56	15	12	39	71	103	110	235	444	552	438	-
Male	1,066	29	9	9	26	51	79	71	134	251	265	142	-
Female	1,009	27	6	3	13	20	24	39	101	193	287	296	-
All other	135	13	5	2	9	11	8	13	25	20	19	10	-
Male	73	6	2	-	8	7	6	7	12	14	9	2	-
Female	62	7	3	2	1	4	2	6	13	6	10	8	-
Black	114	13	5	1	7	10	6	10	22	16	16	7	-
Male	60	6	2	-	7	7	5	6	10	10	7	7	-
Female	54	7	3	1	1	3	1	4	12	6	9	7	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 136

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 11 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Columbia, MO, MSA	716	17	4	5	10	21	24	40	75	121	201	198	-
Male	355	11	4	1	8	12	16	27	47	76	87	66	-
Female	361	6	-	4	2	9	8	13	28	45	114	132	-
White	649	12	7	2	8	17	19	34	60	115	191	191	-
Male	314	8	-	1	6	9	12	23	38	72	82	63	-
Female	335	4	-	1	2	8	7	11	22	43	109	128	-
All other	67	5	4	3	2	4	5	6	15	6	10	7	-
Male	41	3	4	-	2	3	4	4	9	4	5	3	-
Female	26	2	-	3	-	1	1	2	6	2	5	4	-
Black	65	4	4	3	2	3	5	6	15	6	10	7	-
Male	39	2	4	-	2	4	4	4	9	4	5	3	-
Female	26	2	-	3	-	1	1	2	6	2	5	4	-
Columbia, SC, MSA	3,422	63	13	12	78	143	214	260	485	798	825	531	-
Male	1,813	27	4	8	61	104	142	171	302	473	370	151	-
Female	1,609	36	9	4	17	39	72	89	183	325	455	380	-
White	2,307	24	7	7	36	66	95	161	309	577	600	425	-
Male	1,197	7	3	5	25	47	71	97	201	359	273	109	-
Female	1,110	17	4	2	11	19	24	64	108	218	327	316	-
All other	1,115	39	6	5	42	77	119	99	176	221	225	106	-
Male	616	20	1	3	36	57	71	74	101	114	87	42	-
Female	499	19	5	2	6	20	48	25	75	107	128	64	-
Black	1,107	39	6	5	42	76	119	95	176	220	224	105	-
Male	613	20	1	3	36	56	71	72	101	114	97	42	-
Female	494	19	5	2	6	20	48	23	75	106	127	63	-
Columbus, GA-AL, MSA	2,159	62	6	6	39	52	133	153	269	558	546	335	-
Male	1,096	41	4	4	31	39	87	97	161	306	239	87	-
Female	1,063	21	2	2	8	13	46	56	108	252	307	248	-
White	1,334	19	1	4	19	22	49	70	158	391	354	247	-
Male	665	14	-	2	7	9	19	34	40	98	219	158	-
Female	669	5	-	2	2	3	15	30	60	172	196	184	-
All other	825	43	5	2	20	30	84	83	111	167	192	88	-
Male	431	27	3	2	14	20	53	57	63	87	81	24	-
Female	394	16	2	6	6	10	31	26	48	80	111	64	-
Black	817	43	5	2	20	29	83	80	109	167	192	87	-
Male	431	27	3	2	14	20	53	57	63	87	81	24	-
Female	386	16	2	-	6	9	30	23	46	80	111	63	-
Columbus, OH, MSA	10,628	203	22	37	158	325	470	609	1,307	2,428	2,766	2,303	-
Male	5,306	118	15	22	121	235	304	366	796	1,365	1,271	693	-
Female	5,322	85	7	15	37	90	166	243	511	1,063	1,495	1,610	-
White	9,289	142	18	31	111	252	358	472	1,125	2,143	2,501	2,146	-
Male	4,596	65	13	19	80	185	237	287	688	1,206	1,156	640	-
Female	4,703	57	5	12	31	67	121	185	437	937	1,345	1,506	-
All other	1,329	61	4	6	47	73	112	137	182	285	265	157	-
Male	710	33	2	3	41	50	67	79	108	159	115	53	-
Female	619	28	2	3	6	23	45	58	74	126	150	104	-
Black	1,292	61	3	6	45	71	107	133	179	278	255	154	-
Male	689	33	2	3	39	48	64	76	107	155	111	51	-
Female	603	28	1	3	6	23	43	57	72	123	144	103	-
Corpus Christi, TX, MSA	2,583	44	7	13	53	97	98	131	317	600	708	515	-
Male	1,395	25	5	6	42	75	67	98	194	349	365	169	-
Female	1,188	19	2	7	11	22	31	33	123	251	343	346	-
White	2,455	41	6	12	53	90	91	124	302	567	674	495	-
Male	1,331	22	4	5	42	69	64	93	186	331	350	165	-
Female	1,124	19	2	7	11	21	27	31	116	236	324	330	-
All other	128	3	1	1	-	7	7	7	15	33	34	20	-
Male	64	3	1	1	-	6	3	5	8	18	15	4	-
Female	64	-	-	-	-	1	4	2	7	15	19	16	-
Black	125	3	1	1	-	6	7	7	14	32	34	20	-
Male	61	3	1	1	-	5	3	5	7	17	15	4	-
Female	64	-	-	-	-	1	4	2	7	15	19	16	-
Cumberland, MD-WV, MSA	1,212	8	4	2	11	13	28	49	132	314	386	264	1
Male	585	4	2	2	8	10	18	27	63	168	188	94	1
Female	627	4	2	-	3	3	10	22	69	146	198	170	-
White	1,196	8	4	2	11	13	26	47	129	311	384	260	1
Male	575	4	2	2	8	10	17	26	62	166	186	91	1
Female	621	4	2	-	3	3	9	21	67	145	198	169	-
All other	16	-	-	-	-	-	2	3	3	3	2	4	-
Male	10	-	-	-	-	-	1	1	1	2	2	3	-
Female	6	-	-	-	-	-	1	1	2	1	-	1	-
Black	16	-	-	-	-	-	2	2	3	3	2	4	-
Male	10	-	-	-	-	-	1	1	1	2	2	3	-
Female	6	-	-	-	-	-	1	1	2	1	-	1	-
Dallas, TX, PMSA	16,523	387	73	102	470	808	1,018	1,324	2,078	3,328	3,941	2,992	2
Male	8,688	202	48	71	375	630	722	866	1,248	1,835	1,798	891	2
Female	7,835	185	25	31	95	178	296	458	830	1,493	2,143	2,101	-
White	13,349	263	50	68	289	565	729	966	1,599	2,744	3,397	2,679	-
Male	6,925	141	36	47	227	447	539	638	965	1,527	1,569	789	-
Female	6,424	122	14	21	62	118	190	328	634	1,217	1,828	1,890	-
All other	3,174	124	23	34	181	243	289	358	479	584	544	313	2
Male	1,763	61	12	24	148	183	183	238	283	308	229	102	2
Female	1,411	63	11	10	33	60	106	130	196	276	315	211	-
Black	3,034	118	22	31	170	233	275	341	454	556	526	306	2
Male	1,674	56	11	23	138	177	176	217	267	292	216	99	2
Female	1,360	62	11	8	32	56	99	124	187	264	310	207	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 137

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 12 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Danville, VA, MSA	1,332	20	1	1	18	31	45	81	153	320	372	290	-
Male	689	9	-	-	17	24	38	53	90	188	180	90	-
Female	643	11	1	1	1	7	7	28	63	132	192	200	-
White	982	7	-	-	14	16	29	47	98	242	290	239	-
Male	498	3	-	-	13	11	27	34	58	147	135	70	-
Female	484	4	-	-	1	5	2	13	40	95	155	169	-
All other	350	13	1	1	4	15	16	34	55	78	82	51	-
Male	191	6	-	-	4	13	11	19	32	41	45	20	-
Female	159	7	1	1	-	2	5	15	23	37	37	31	-
Black	349	13	1	1	4	15	16	34	54	78	82	51	-
Male	190	6	-	-	4	13	11	19	31	41	45	20	-
Female	159	7	1	1	-	2	5	15	23	37	37	31	-
Davenport-Rock Island-Moline, IA-IL, MSA	3,223	50	13	12	36	50	86	155	351	722	938	810	-
Male	1,620	26	9	7	29	33	63	89	225	389	481	269	-
Female	1,603	24	4	5	7	17	23	66	126	339	457	541	-
White	3,093	41	10	9	31	43	78	147	326	691	916	801	-
Male	1,550	25	7	6	26	30	57	84	210	371	471	263	-
Female	1,543	16	3	3	5	13	21	63	116	320	445	538	-
All other	130	9	3	3	5	7	8	8	25	31	22	9	-
Male	70	1	2	1	3	3	6	5	15	18	10	6	-
Female	60	8	1	2	2	4	2	3	10	13	12	3	-
Black	121	8	3	3	5	6	7	6	23	31	20	9	-
Male	68	1	2	1	3	2	5	5	15	18	10	6	-
Female	53	7	1	2	2	4	2	1	8	13	10	3	-
Dayton-Springfield, OH, MSA	8,321	125	16	17	120	190	264	451	1,059	2,041	2,338	1,700	-
Male	4,125	78	5	8	91	137	165	272	632	1,136	1,081	520	-
Female	4,196	47	11	9	29	53	99	179	427	905	1,257	1,180	-
White	7,159	85	11	13	80	133	192	361	891	1,762	2,089	1,542	-
Male	3,507	55	3	6	58	100	119	223	532	979	961	471	-
Female	3,652	30	8	7	22	33	73	138	359	783	1,128	1,071	-
All other	1,162	40	5	4	40	57	72	90	168	279	249	158	-
Male	618	23	2	2	33	37	46	49	100	157	120	49	-
Female	544	17	3	2	7	20	26	41	68	122	129	109	-
Black	1,140	39	5	4	39	57	70	86	161	277	244	158	-
Male	612	22	2	2	33	37	45	48	99	157	118	49	-
Female	528	17	3	2	6	20	25	38	62	120	126	109	-
Daytona Beach, FL, MSA	4,854	33	6	9	39	70	122	198	424	1,183	1,540	1,229	1
Male	2,565	21	3	5	27	48	89	134	259	707	827	444	1
Female	2,289	12	3	4	12	22	33	64	165	476	713	785	-
White	4,533	27	5	5	32	63	102	175	378	1,114	1,463	1,169	-
Male	2,413	17	3	3	21	44	78	121	237	669	792	428	-
Female	2,120	10	2	2	11	19	24	54	141	445	671	741	-
All other	321	6	1	4	7	7	20	23	46	69	77	60	1
Male	152	4	-	2	6	4	11	13	22	38	35	16	1
Female	169	2	1	2	1	3	9	10	24	31	42	44	-
Black	318	6	1	4	7	7	19	23	45	69	76	60	1
Male	149	4	-	2	6	4	10	13	21	38	34	16	1
Female	169	2	1	2	1	3	9	10	24	31	42	44	-
Decatur, AL, MSA	1,183	14	4	1	25	34	39	73	161	271	330	231	-
Male	649	7	1	1	15	24	28	47	108	171	173	74	-
Female	534	7	3	-	10	10	11	26	53	100	157	157	-
White	1,035	11	4	-	20	26	34	59	143	244	293	201	-
Male	579	7	1	-	11	19	25	41	99	157	152	67	-
Female	456	4	3	-	9	7	9	18	44	87	141	134	-
All other	148	3	-	1	5	8	5	14	18	27	37	30	-
Male	70	-	-	1	4	5	3	6	9	14	21	7	-
Female	78	3	-	-	1	3	2	8	9	13	16	23	-
Black	148	3	-	1	5	8	5	14	18	27	37	30	-
Male	70	-	-	1	4	5	3	6	9	14	21	7	-
Female	78	3	-	-	1	3	2	8	9	13	16	23	-
Decatur, IL, MSA	1,130	13	3	5	17	26	39	56	122	251	314	284	-
Male	560	7	1	4	11	19	24	35	77	154	150	78	-
Female	570	6	2	1	6	7	15	21	45	97	164	206	-
White	1,022	7	1	2	12	19	30	48	105	234	294	269	-
Male	506	4	1	2	8	13	20	31	67	144	143	73	-
Female	516	3	-	-	4	6	10	17	39	90	151	196	-
All other	108	6	2	3	5	7	9	8	16	17	20	15	-
Male	54	3	-	2	3	6	4	4	10	7	5	5	-
Female	54	3	2	1	2	1	5	4	6	7	13	10	-
Black	108	6	2	3	5	7	9	8	16	17	20	15	-
Male	54	3	-	2	3	6	4	4	10	10	7	5	-
Female	54	3	2	1	2	1	5	4	6	7	13	10	-
Denver, CO, PMSA	10,840	227	51	53	199	430	665	675	1,164	2,203	2,790	2,383	-
Male	5,586	135	28	36	144	343	473	408	712	1,212	1,359	736	-
Female	5,254	92	23	17	55	87	192	267	452	991	1,431	1,647	-
White	10,052	189	44	47	169	370	585	596	1,061	2,040	2,653	2,288	-
Male	5,123	113	24	30	119	301	424	362	650	1,112	1,290	704	-
Female	4,929	76	20	17	50	69	171	234	411	928	1,363	1,584	-
All other	788	38	7	6	30	60	70	79	103	163	137	95	-
Male	457	22	4	-	25	42	49	46	62	100	69	32	-
Female	331	16	3	-	5	18	21	33	41	63	68	63	-
Black	643	31	7	-	26	52	61	65	84	129	109	74	-
Male	377	19	4	5	22	39	45	40	51	75	53	24	-
Female	266	12	3	-	4	13	16	25	33	54	56	50	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 138

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 13 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Des Moines, IA, MSA	2,974	58	4	6	39	69	107	167	308	619	864	733	-
Male	1,478	35	2	5	28	53	75	106	185	342	434	213	-
Female	1,496	23	2	1	11	16	32	61	123	277	430	520	-
White	2,850	46	4	5	37	63	97	161	290	592	839	716	-
Male	1,413	29	2	4	27	49	69	103	171	330	422	207	-
Female	1,437	17	2	1	10	14	28	58	119	262	417	509	-
All other	124	12	-	1	2	6	10	6	18	27	25	17	-
Male	65	6	-	1	1	4	6	3	14	12	12	8	-
Female	59	6	-	-	1	2	4	3	4	15	13	11	-
Black	110	10	-	1	2	4	9	6	15	26	22	15	-
Male	54	4	-	1	1	2	5	3	11	12	11	4	-
Female	56	6	-	-	1	2	4	3	4	14	11	11	-
Detroit, MI, PMSA	38,223	818	128	161	721	1,081	1,769	2,435	4,493	9,066	10,098	7,444	9
Male	19,747	476	74	108	548	772	1,188	1,503	2,654	5,103	4,815	2,501	5
Female	18,476	342	54	53	173	309	581	932	1,839	3,963	5,283	4,943	4
White	28,585	318	60	90	334	596	938	1,551	3,136	6,974	8,210	6,375	3
Male	14,431	185	38	63	245	428	656	953	1,908	3,955	3,901	2,098	1
Female	14,154	133	22	27	89	168	282	598	1,228	3,019	4,309	4,277	2
All other	9,638	500	68	71	387	485	831	884	1,357	2,092	1,888	1,069	6
Male	5,316	291	36	45	303	344	532	550	746	1,148	914	403	4
Female	4,322	209	32	26	84	141	299	334	611	944	974	666	2
Black	9,868	488	66	69	381	471	809	853	1,305	2,041	1,835	1,044	6
Male	5,151	284	35	43	299	334	517	526	714	1,121	881	393	4
Female	4,217	204	31	26	82	137	292	327	591	920	954	651	2
Dothan, AL, MSA	1,084	9	5	1	11	24	44	79	139	267	285	220	-
Male	554	5	3	1	6	17	28	50	82	157	133	72	-
Female	530	4	2	-	5	7	16	29	57	110	152	148	-
White	847	5	4	-	9	14	25	55	105	209	234	187	-
Male	438	2	3	-	5	10	16	38	63	126	112	63	-
Female	409	3	1	-	4	4	9	17	42	83	122	124	-
All other	237	4	1	1	2	10	19	24	34	58	51	33	-
Male	116	3	-	1	1	7	12	12	19	31	21	9	-
Female	121	1	1	-	1	3	7	12	15	27	30	24	-
Black	233	4	1	1	2	10	19	23	31	58	51	33	-
Male	114	3	1	1	1	7	12	17	31	51	21	9	-
Female	119	1	1	-	1	3	7	11	14	27	30	24	-
Dubuque, IA, MSA	810	6	1	5	12	12	19	43	69	170	252	221	-
Male	372	5	-	4	5	11	12	30	37	88	120	60	-
Female	438	1	1	1	7	1	7	13	32	82	132	161	-
White	807	6	1	5	11	12	19	43	69	170	251	220	-
Male	371	5	-	4	5	11	12	30	37	88	120	59	-
Female	436	1	1	1	6	1	7	13	32	82	131	161	-
All other	3	1	-	-	1	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-
Female	2	-	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Duluth, MN-WI, MSA	2,582	17	3	7	32	28	71	90	228	555	861	690	-
Male	1,286	12	1	5	25	21	52	57	142	316	438	217	-
Female	1,296	5	2	2	7	7	19	33	86	239	423	473	-
White	2,543	12	3	7	29	27	70	85	224	545	855	686	-
Male	1,259	8	1	5	22	21	52	64	133	309	434	215	-
Female	1,284	4	2	2	7	6	18	31	86	236	421	471	-
All other	39	5	-	-	3	1	1	5	4	10	6	4	-
Male	27	4	-	-	3	-	2	4	4	7	4	4	-
Female	12	1	-	-	1	1	1	2	-	3	2	2	-
Black	10	-	-	-	1	1	-	-	1	6	1	-	-
Male	8	-	-	-	1	-	-	-	1	5	1	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Eau Claire, WI, MSA	1,140	11	3	3	14	18	26	44	110	215	352	344	-
Male	569	5	3	3	12	15	14	28	69	122	185	113	-
Female	571	6	-	-	2	3	12	16	41	93	167	231	-
White	1,135	11	2	2	14	18	25	43	110	215	352	343	-
Male	567	5	2	2	12	15	14	28	69	122	185	113	-
Female	568	6	-	-	2	3	11	15	41	93	167	230	-
All other	5	-	1	1	-	-	1	1	-	-	-	1	-
Male	2	-	1	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
El Paso, TX, MSA	3,424	111	29	24	98	125	182	216	447	779	829	583	1
Male	1,887	68	13	13	78	98	117	127	282	449	444	197	1
Female	1,537	43	16	11	20	27	65	89	165	330	385	386	-
White	3,302	91	25	24	93	120	169	203	425	762	812	577	1
Male	1,808	53	10	13	74	94	109	119	268	439	433	195	1
Female	1,494	38	15	11	19	26	60	84	157	323	379	382	-
All other	122	20	4	-	5	5	13	13	22	17	17	6	-
Male	79	15	3	-	4	4	8	8	14	10	11	2	-
Female	43	5	1	-	1	1	5	5	8	7	6	4	-
Black	111	19	4	-	5	5	12	12	20	14	14	6	-
Male	73	14	3	-	4	4	8	8	13	8	9	2	-
Female	38	5	1	-	1	1	4	4	7	6	5	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 140

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 15 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fayetteville, NC, MSA	1,628	71	9	6	72	84	93	136	263	381	322	190	1
Male	885	36	7	3	61	57	58	82	162	230	142	46	1
Female	743	35	2	3	11	27	35	54	101	151	180	144	-
White	1,007	26	4	3	44	39	40	71	167	261	229	123	-
Male	561	16	4	2	40	26	22	46	113	161	102	29	-
Female	446	10	-	1	4	13	18	25	54	100	127	94	-
All other	621	45	5	3	28	45	53	65	96	120	93	67	1
Male	324	20	3	1	21	31	36	36	49	69	40	17	1
Female	297	25	2	2	7	14	17	29	47	51	53	50	-
Black	584	41	5	3	25	43	49	60	89	116	87	65	1
Male	309	18	3	1	19	30	36	32	46	67	37	17	1
Female	275	23	2	2	6	13	13	28	41	49	50	48	-
Fayetteville-Springdale, AR, MSA	961	13	3	5	12	23	37	50	119	199	276	224	-
Male	526	9	1	4	6	18	23	36	84	123	142	80	-
Female	435	4	2	1	6	5	14	14	35	76	134	144	-
White	953	12	2	5	12	21	37	50	119	199	272	224	-
Male	522	9	1	4	6	17	23	36	84	123	139	80	-
Female	431	3	1	1	6	4	14	14	35	76	133	144	-
All other	8	1	1	-	-	2	-	-	-	-	4	-	-
Male	4	-	-	-	-	1	-	-	-	-	3	-	-
Female	4	1	1	-	-	1	-	-	-	-	1	-	-
Black	6	1	1	-	-	2	-	-	-	-	2	-	-
Male	2	-	-	-	-	1	-	-	-	-	1	-	-
Female	4	1	1	-	-	1	-	-	-	-	1	-	-
Flint, MI, MSA	3,652	73	18	22	70	90	153	253	516	854	924	679	-
Male	1,919	35	15	16	56	60	112	149	312	500	452	212	-
Female	1,733	38	3	6	14	30	41	104	204	354	472	467	-
White	2,963	35	10	14	44	60	98	184	399	706	810	603	-
Male	1,541	16	7	11	36	40	73	109	245	412	403	189	-
Female	1,422	19	3	3	8	20	25	75	154	294	407	414	-
All other	689	38	8	8	26	30	55	69	117	148	114	76	-
Male	378	19	8	5	20	20	39	40	67	88	49	23	-
Female	311	19	-	3	6	10	16	29	50	60	65	53	-
Black	663	37	6	8	26	30	54	64	112	143	109	74	-
Male	368	18	6	5	20	20	38	38	67	87	47	22	-
Female	295	19	-	3	6	10	16	26	45	56	62	52	-
Florence, AL, MSA	1,328	13	2	6	29	36	50	74	171	315	360	272	-
Male	719	9	1	4	19	28	30	50	102	187	200	89	-
Female	609	4	1	2	10	8	20	24	69	128	160	183	-
White	1,163	9	2	6	23	33	36	64	142	283	320	245	-
Male	642	6	1	4	16	26	21	45	87	175	180	81	-
Female	521	3	1	2	7	7	15	19	55	108	140	164	-
All other	165	4	-	-	6	3	14	10	29	32	40	27	-
Male	77	3	-	-	3	2	9	5	15	12	20	8	-
Female	88	1	-	-	3	1	5	5	14	20	20	19	-
Black	165	4	-	-	6	3	14	10	29	32	40	27	-
Male	77	3	-	-	3	2	9	5	15	12	20	8	-
Female	88	1	-	-	3	1	5	5	14	20	20	19	-
Florence, SC, MSA	1,092	20	2	2	13	41	66	85	170	260	279	154	-
Male	566	15	2	1	10	21	38	58	105	149	124	43	-
Female	526	5	-	1	3	20	28	27	65	111	155	111	-
White	673	5	1	2	9	14	29	44	92	169	184	124	-
Male	351	4	1	1	7	10	18	34	61	101	79	35	-
Female	322	1	-	1	2	4	11	10	31	68	105	89	-
All other	419	15	1	-	4	27	37	41	78	91	95	30	-
Male	215	11	1	-	3	11	20	24	44	48	45	8	-
Female	204	4	-	-	1	16	17	17	34	43	50	22	-
Black	416	15	1	-	4	27	37	41	78	91	92	30	-
Male	213	11	1	-	3	11	20	24	44	48	43	8	-
Female	203	4	-	-	1	16	17	17	34	43	49	22	-
Fort Collins-Loveland, CO, MSA	1,101	24	3	12	23	33	43	62	118	221	285	277	-
Male	564	15	2	7	17	24	25	41	68	136	131	98	-
Female	537	9	1	5	6	9	18	21	50	85	154	179	-
White	1,090	23	3	12	23	32	42	62	117	219	281	276	-
Male	558	15	2	7	17	23	25	41	67	134	129	98	-
Female	532	8	1	5	6	9	17	21	50	85	152	178	-
All other	11	1	-	-	-	1	1	-	1	2	4	1	-
Male	6	-	-	-	-	1	-	-	1	2	2	-	-
Female	5	1	-	-	-	-	1	-	-	-	2	1	-
Black	6	-	-	-	-	1	1	-	1	-	2	1	-
Male	3	-	-	-	-	1	-	-	1	-	1	-	-
Female	3	-	-	-	-	-	1	-	-	-	1	1	-
Fort Lauderdale-Hollywood-Pompano Beach, FL, PMSA	15,235	167	37	27	119	397	633	733	1,251	2,880	5,081	3,906	4
Male	7,954	79	23	17	79	269	452	493	737	1,569	2,615	1,619	2
Female	7,281	88	14	10	40	128	181	240	514	1,311	2,466	2,287	2
White	13,796	73	20	15	74	259	431	568	1,034	2,641	4,868	3,812	1
Male	7,151	32	14	12	50	195	323	389	610	1,433	2,515	1,578	-
Female	6,645	41	6	3	24	64	108	179	424	1,208	2,353	2,234	1
All other	1,439	94	17	12	45	138	202	165	217	239	213	94	3
Male	803	47	9	5	29	74	129	104	127	136	100	41	2
Female	636	47	8	7	16	64	73	61	90	103	113	53	1
Black	1,408	93	17	12	42	135	200	160	216	229	209	92	3
Male	786	47	9	5	26	72	129	101	126	129	99	41	2
Female	622	46	8	7	16	63	71	59	90	100	110	51	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 141

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 16 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Myers-Cape Coral, FL, MSA	3,984	35	12	17	37	85	113	158	393	978	1,314	841	1
Male	2,253	21	5	10	26	58	79	111	244	612	747	340	-
Female	1,731	14	7	7	11	27	34	47	149	366	567	501	1
White	3,777	26	10	14	30	61	91	133	359	939	1,287	827	-
Male	2,138	17	4	8	21	46	64	95	230	588	731	334	-
Female	1,639	9	6	6	9	15	27	38	129	351	556	493	-
All other	207	9	2	3	7	24	22	25	34	39	27	14	1
Male	115	4	1	2	5	12	15	16	14	24	16	6	-
Female	92	5	1	1	2	12	7	9	20	15	11	8	1
Black	199	9	2	3	7	23	22	23	32	37	27	13	1
Male	110	4	1	2	5	11	15	14	14	23	16	5	-
Female	89	5	1	1	2	12	7	9	18	14	11	8	1
Fort Pierce, FL, MSA	2,945	35	9	8	18	59	72	147	291	756	932	617	1
Male	1,619	17	3	6	10	35	48	89	179	439	518	274	1
Female	1,326	18	6	2	8	24	24	58	112	317	414	343	-
White	2,631	20	5	5	13	35	49	104	241	685	884	590	-
Male	1,441	8	2	4	6	23	35	64	146	398	493	262	-
Female	1,190	12	3	1	7	12	14	40	95	287	391	328	-
All other	314	15	4	3	5	24	23	43	50	71	48	27	1
Male	178	9	1	2	4	12	13	25	33	41	25	12	1
Female	136	6	3	1	1	12	10	18	17	30	23	15	-
Black	304	15	4	3	4	24	23	41	50	67	47	25	1
Male	169	9	1	2	3	12	13	23	33	38	24	10	1
Female	135	6	3	1	1	12	10	18	17	29	23	15	-
Fort Smith, AR-OK, MSA	1,771	16	7	10	28	29	75	111	188	414	493	400	-
Male	888	8	5	5	20	24	42	69	113	240	228	134	-
Female	883	8	2	5	8	5	33	42	75	174	265	266	-
White	1,653	13	6	10	23	26	69	100	169	366	468	388	-
Male	827	7	4	5	17	22	40	61	101	225	216	128	-
Female	826	6	2	5	6	4	29	39	68	160	252	255	-
All other	118	3	1	-	5	3	6	11	19	28	25	17	-
Male	61	1	1	-	3	2	2	4	12	14	12	6	-
Female	57	2	-	-	2	1	4	7	7	14	13	11	-
Black	74	2	-	-	2	1	4	5	10	19	20	11	-
Male	38	1	-	-	1	1	4	4	5	12	10	4	-
Female	36	1	-	-	1	-	4	1	5	7	10	7	-
Fort Wallon Beach, FL, MSA	1,017	25	1	5	19	26	45	64	153	254	262	163	-
Male	558	14	1	4	15	17	25	40	99	166	132	45	-
Female	459	11	-	1	4	9	20	24	54	88	130	118	-
White	945	16	1	5	15	22	38	57	142	245	249	155	-
Male	519	9	1	4	12	14	24	36	90	162	123	44	-
Female	426	7	-	1	3	8	14	21	52	83	126	111	-
All other	72	9	-	-	4	4	7	7	11	9	13	8	-
Male	39	5	-	-	3	3	1	4	9	4	9	1	-
Female	33	4	-	-	1	1	6	3	2	5	4	7	-
Black	59	8	-	-	4	3	3	6	10	7	10	8	-
Male	34	4	-	-	3	2	-	4	9	4	7	1	-
Female	25	4	-	-	1	1	3	2	1	3	3	7	-
Fort Wayne, IN, MSA	3,014	57	8	11	58	52	93	130	307	682	841	775	-
Male	1,524	35	7	6	45	41	58	79	186	397	407	265	-
Female	1,490	22	1	5	13	11	37	51	121	285	434	510	-
White	2,796	38	6	11	43	42	77	119	271	639	796	754	-
Male	1,410	22	5	6	34	36	50	76	163	379	381	258	-
Female	1,386	16	1	5	9	6	27	43	108	260	415	496	-
All other	218	19	2	-	15	10	16	11	36	43	45	21	-
Male	114	13	2	-	11	5	6	3	23	18	26	7	-
Female	104	6	-	-	4	5	10	8	13	25	19	14	-
Black	214	19	2	-	15	10	16	11	35	41	45	20	-
Male	110	13	2	-	11	5	6	3	22	16	26	6	-
Female	104	6	-	-	4	5	10	8	13	25	19	14	-
Fort Worth-Arlington, TX, PMSA	9,154	194	34	39	242	349	482	636	1,059	2,006	2,342	1,798	3
Male	4,683	103	22	30	158	257	328	400	638	1,106	1,106	533	2
Female	4,471	91	12	9	54	92	154	236	421	900	1,236	1,265	1
White	7,975	144	29	28	138	271	376	533	891	1,786	2,128	1,648	3
Male	4,048	73	17	21	102	209	260	343	547	994	997	483	2
Female	3,927	71	12	7	36	62	116	190	344	782	1,131	1,165	1
All other	1,179	50	5	11	74	78	106	103	168	220	214	150	-
Male	635	30	5	9	56	48	68	57	91	112	109	50	-
Female	544	20	2	2	18	30	38	46	77	108	105	100	-
Black	1,126	48	4	8	65	73	102	98	164	211	209	144	-
Male	608	29	4	6	50	46	65	55	89	108	107	49	-
Female	518	19	-	2	15	27	37	43	75	103	102	95	-
Fresno, CA, MSA	5,076	155	31	27	179	199	279	313	543	1,034	1,267	1,048	1
Male	2,697	90	16	18	139	150	186	202	334	561	643	357	1
Female	2,379	65	15	9	40	49	93	111	209	473	624	691	-
White	4,457	105	25	22	141	165	224	259	469	923	1,152	971	1
Male	2,353	56	15	15	113	127	156	161	290	514	577	328	1
Female	2,104	49	10	7	28	38	68	98	179	409	575	643	-
All other	619	50	6	5	38	34	55	54	74	111	115	77	-
Male	344	34	1	3	26	23	30	41	44	47	66	29	-
Female	275	16	5	2	12	11	25	13	30	64	49	48	-
Black	334	37	-	-	19	21	34	28	36	59	65	35	-
Male	175	24	-	-	12	13	19	21	21	21	33	11	-
Female	159	13	-	-	7	8	15	7	15	38	32	24	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 142

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 17 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Gadsden, AL, MSA	1,112	16	2	6	16	19	39	72	135	263	341	203	-
Male	603	13	1	5	11	16	25	56	81	140	181	74	-
Female	509	3	1	1	5	3	14	16	54	123	160	129	-
White	942	8	2	4	10	16	28	61	109	224	303	177	-
Male	512	8	1	4	6	13	19	47	68	123	163	60	-
Female	430	-	1	-	4	3	9	14	41	101	140	117	-
All other	170	8	-	2	6	3	11	11	26	39	38	26	-
Male	91	5	-	1	5	3	6	9	13	17	18	14	-
Female	79	3	-	1	1	-	5	2	13	22	20	12	-
Black	169	8	-	2	6	3	11	11	26	39	37	26	-
Male	90	5	-	1	5	3	6	9	13	17	17	14	-
Female	79	3	-	1	1	-	5	2	13	22	20	12	-
Gainesville, FL, MSA	1,479	30	6	10	24	51	57	104	204	334	389	270	-
Male	809	18	4	4	18	37	39	69	131	194	196	99	-
Female	670	12	2	6	6	14	18	35	73	140	193	171	-
White	1,163	12	2	6	17	39	41	66	154	274	315	237	-
Male	631	6	1	2	13	29	28	48	100	157	161	86	-
Female	532	6	1	4	4	10	13	18	54	117	154	151	-
All other	316	18	4	4	7	12	16	38	50	60	74	33	-
Male	178	12	3	2	5	8	11	21	31	37	35	13	-
Female	138	6	1	2	2	4	5	17	19	23	39	20	-
Black	311	18	4	4	7	11	16	36	50	58	74	33	-
Male	174	12	3	2	5	7	11	20	31	35	35	13	-
Female	137	6	1	2	2	4	5	16	19	23	39	20	-
Galveston-Texas City, TX, PMSA	1,883	46	7	7	34	62	114	135	224	453	465	335	1
Male	1,029	28	3	5	23	47	82	86	135	270	227	122	1
Female	854	18	4	2	11	15	32	49	89	183	238	213	-
White	1,490	33	7	4	24	43	83	98	179	367	376	275	1
Male	799	21	3	2	13	33	57	59	115	221	181	93	1
Female	691	12	4	2	11	10	26	39	64	146	195	182	-
All other	393	13	-	3	10	19	31	37	45	86	89	60	-
Male	230	7	-	3	10	14	25	27	20	49	46	29	-
Female	163	6	-	-	-	5	6	10	25	37	43	31	-
Black	385	12	-	3	10	19	30	36	44	86	86	59	-
Male	228	7	-	3	10	14	25	27	20	49	44	29	-
Female	157	5	-	-	-	5	5	9	24	37	42	30	-
Gary-Hammond, IN, PMSA	5,483	88	20	27	121	178	241	341	682	1,347	1,514	922	2
Male	2,806	55	12	19	95	125	167	194	395	711	732	300	1
Female	2,677	33	8	8	26	53	74	147	287	636	782	622	1
White	4,235	49	14	17	71	104	139	240	493	1,061	1,265	780	2
Male	2,107	34	9	12	55	71	92	142	274	552	613	252	1
Female	2,128	15	5	5	16	33	47	98	219	509	652	528	1
All other	1,248	39	6	10	50	74	102	101	189	286	249	142	-
Male	699	21	3	7	40	54	75	52	121	159	119	48	-
Female	549	18	3	3	10	20	27	49	68	127	130	94	-
Black	1,240	39	6	10	50	74	102	98	187	286	247	141	-
Male	698	21	3	7	40	54	75	52	120	159	119	48	-
Female	542	18	3	3	10	20	27	46	67	127	128	93	-
Glens Falls, NY, MSA	1,058	13	5	8	15	12	35	45	110	227	324	264	-
Male	535	9	2	7	10	12	24	28	63	130	160	90	-
Female	523	4	3	1	5	-	11	17	47	97	164	174	-
White	1,050	13	5	7	14	12	34	45	110	226	321	263	-
Male	529	9	2	6	9	12	23	28	63	129	158	90	-
Female	521	4	3	1	5	-	11	17	47	97	163	173	-
All other	8	-	-	1	1	-	1	-	1	3	3	1	-
Male	6	-	-	1	1	-	1	-	1	2	1	1	-
Female	2	-	-	-	-	-	-	-	-	1	1	1	-
Black	6	-	-	1	1	-	1	-	1	1	1	1	-
Male	5	-	-	1	1	-	1	-	1	1	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-
Grand Forks, ND, MSA	421	8	3	4	6	6	12	19	41	74	120	128	-
Male	219	6	3	4	5	4	6	11	25	49	65	41	-
Female	202	2	-	-	1	2	6	8	16	25	55	87	-
White	414	8	2	4	6	6	12	16	40	73	119	128	-
Male	214	6	2	4	5	4	6	9	24	49	64	41	-
Female	200	2	-	-	1	2	6	7	16	24	55	87	-
All other	7	-	1	-	-	-	-	3	1	1	1	-	-
Male	5	-	1	-	-	-	-	2	1	1	1	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand Rapids, MI, MSA	4,660	92	16	13	69	105	177	244	456	971	1,304	1,213	-
Male	2,284	57	13	9	49	69	107	145	265	554	618	398	-
Female	2,376	35	3	4	20	36	70	99	191	417	686	815	-
White	4,366	69	9	10	64	91	155	210	414	908	1,256	1,180	-
Male	2,120	45	9	6	47	60	90	124	240	517	597	385	-
Female	2,246	24	-	4	17	31	65	86	174	391	659	795	-
All other	294	23	7	3	5	14	22	34	42	63	48	33	-
Male	164	12	4	3	2	9	17	21	25	37	21	13	-
Female	130	11	3	-	3	5	5	13	17	26	27	20	-
Black	263	21	7	3	4	12	21	29	35	57	44	30	-
Male	146	11	4	3	1	8	16	21	21	34	19	13	-
Female	117	10	3	-	3	4	5	13	14	23	25	17	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 143

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 18 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Great Falls, MT, MSA	627	6	2	2	9	15	24	30	73	126	196	144	-
Male	341	5	1	-	7	11	17	19	41	78	102	60	-
Female	286	1	1	2	2	4	7	11	32	48	94	84	-
White	607	3	2	1	9	13	24	27	67	124	193	144	-
Male	327	2	1	-	7	9	17	16	38	76	101	60	-
Female	280	1	1	1	2	4	7	11	29	48	92	84	-
All other	20	3	-	1	-	2	-	3	6	2	3	-	-
Male	14	3	-	-	-	2	-	3	3	2	1	-	-
Female	6	-	-	1	-	-	-	-	3	-	2	-	-
Black	5	1	-	-	-	-	-	1	1	-	2	-	-
Male	4	1	-	-	-	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Greeley, CO, MSA	919	10	4	6	20	24	45	35	89	182	285	219	-
Male	515	7	2	4	11	16	32	22	62	105	170	84	-
Female	404	3	2	2	9	8	13	13	27	77	115	135	-
White	913	10	4	6	20	23	45	34	89	181	284	217	-
Male	511	7	2	4	11	16	32	21	62	104	169	83	-
Female	402	3	2	2	9	7	13	13	27	77	115	134	-
All other	6	-	-	-	-	1	-	1	-	1	1	2	-
Male	4	-	-	-	-	-	-	1	-	1	1	1	-
Female	2	-	-	-	-	1	-	-	-	-	-	1	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Green Bay, WI, MSA	1,371	21	4	5	18	26	47	69	155	275	412	339	-
Male	688	12	3	4	14	17	39	47	100	160	193	99	-
Female	683	9	1	1	4	9	8	22	55	115	219	240	-
White	1,335	18	4	5	18	22	45	65	149	265	407	337	-
Male	666	10	3	4	14	15	38	44	98	153	189	98	-
Female	669	8	1	1	4	7	7	21	51	112	218	239	-
All other	36	3	-	-	-	4	2	4	6	10	5	2	-
Male	22	2	-	-	-	2	1	3	2	7	4	1	-
Female	14	1	-	-	-	2	1	1	4	3	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Greensboro-Winston-Salem-High Point, NC, MSA	8,509	137	25	32	129	212	359	525	1,043	1,969	2,329	1,749	-
Male	4,336	86	14	18	90	154	254	343	638	1,160	1,066	513	-
Female	4,173	51	11	14	39	58	105	182	405	809	1,263	1,236	-
White	6,769	70	19	20	84	130	218	372	805	1,605	1,936	1,510	-
Male	3,399	46	11	11	55	95	156	240	502	951	904	428	-
Female	3,370	24	8	9	29	35	62	132	303	654	1,032	1,082	-
All other	1,740	67	6	12	45	82	141	153	238	364	393	239	-
Male	937	40	3	7	35	59	98	103	136	209	162	85	-
Female	803	27	3	5	10	23	43	50	102	155	231	154	-
Black	1,726	64	6	12	44	81	141	152	236	362	391	237	-
Male	930	39	3	7	34	58	98	103	134	207	162	85	-
Female	796	25	3	5	10	23	43	49	102	155	229	152	-
Greenville-Spartanburg, SC, MSA	5,382	80	17	28	71	152	211	389	719	1,229	1,526	950	-
Male	2,764	51	11	19	59	100	137	243	456	706	723	259	-
Female	2,618	39	6	9	12	52	74	146	263	523	803	691	-
White	4,337	55	11	18	52	104	145	305	558	975	1,285	829	-
Male	2,230	28	7	12	42	70	96	197	362	575	617	224	-
Female	2,107	27	4	6	10	34	49	108	196	400	668	605	-
All other	1,045	35	6	10	19	48	66	84	161	254	241	121	-
Male	534	23	4	7	17	30	41	46	94	131	106	35	-
Female	511	12	2	3	2	18	25	38	67	123	135	86	-
Black	1,040	35	5	10	19	47	66	83	161	253	240	121	-
Male	532	23	3	7	17	30	41	46	94	131	105	35	-
Female	508	12	2	3	2	17	25	37	67	122	135	86	-
Hagerstown, MD, MSA	1,119	9	4	3	11	16	37	52	119	276	340	251	1
Male	570	5	1	-	8	9	26	36	75	151	173	86	-
Female	549	4	3	3	3	7	11	16	44	125	167	165	1
White	1,090	8	4	3	9	14	36	48	116	270	335	246	1
Male	553	5	1	-	6	8	25	32	73	146	171	86	-
Female	537	3	3	3	3	6	11	16	43	124	164	160	1
All other	29	1	-	-	2	2	1	4	3	6	5	5	-
Male	17	-	-	-	2	1	1	4	2	5	2	-	-
Female	12	1	-	-	-	1	-	-	1	1	3	5	-
Black	29	1	-	-	2	2	1	4	3	6	5	5	-
Male	17	-	-	-	2	1	1	4	2	5	2	-	-
Female	12	1	-	-	-	1	-	-	1	1	3	5	-
Hamilton-Middletown, OH, PMSA	2,157	34	7	7	26	49	72	127	272	519	567	477	-
Male	1,073	24	3	2	17	32	39	79	173	292	268	144	-
Female	1,084	10	4	5	9	17	33	48	99	227	299	333	-
White	2,036	31	7	7	25	49	61	123	261	485	532	455	-
Male	1,011	22	3	2	17	32	33	76	166	276	246	138	-
Female	1,025	9	4	5	8	17	28	47	95	209	286	317	-
All other	121	3	-	-	1	-	11	4	11	34	35	22	-
Male	62	2	-	-	-	-	6	3	7	16	22	6	-
Female	59	1	-	-	1	-	5	1	4	18	13	16	-
Black	117	2	-	-	1	-	11	4	10	34	33	22	-
Male	61	2	-	-	-	-	6	3	7	16	21	6	-
Female	56	-	-	-	1	-	5	1	3	18	12	16	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 144

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 19 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Harrisburg-Lebanon-Carlisle, PA, MSA	5,571	63	7	14	58	102	192	254	577	1,332	1,636	1,334	2
Male	2,785	36	3	7	40	68	141	165	361	775	768	419	2
Female	2,786	27	4	7	18	34	51	89	216	557	868	915	-
White	5,200	43	6	12	49	86	167	226	530	1,246	1,556	1,277	2
Male	2,578	21	3	7	36	57	122	148	330	721	728	403	2
Female	2,622	22	3	5	13	29	45	78	200	525	828	874	-
All other	371	20	1	2	9	16	25	28	47	86	80	57	-
Male	207	15	-	-	4	11	19	17	31	54	40	16	-
Female	164	5	1	2	5	5	6	11	16	32	40	41	-
Black	356	19	1	-	7	15	24	28	45	84	79	54	-
Male	200	14	-	-	4	10	18	17	31	53	39	14	-
Female	156	5	1	-	3	5	6	11	14	31	40	40	-
Hartford-New Britain-Middletown, CT, NECMA	9,396	122	17	15	85	182	373	485	956	2,013	2,710	2,438	-
Male	4,689	77	10	9	64	134	246	322	588	1,179	1,307	753	-
Female	4,707	45	7	6	21	48	127	163	368	834	1,403	1,685	-
White	8,689	75	12	11	69	150	289	397	841	1,881	2,612	2,362	-
Male	4,290	47	6	6	53	109	192	261	523	1,101	1,262	730	-
Female	4,409	28	6	5	16	41	97	136	318	780	1,350	1,632	-
All other	697	47	5	4	16	32	84	88	115	132	98	76	-
Male	399	30	4	3	11	25	54	61	65	78	45	23	-
Female	298	17	1	1	5	7	30	27	50	54	53	53	-
Black	669	45	5	4	15	32	83	83	109	126	93	74	-
Male	379	28	4	3	10	25	54	57	60	74	42	22	-
Female	290	17	1	1	5	7	29	26	49	52	51	52	-
Hickory-Morganton, NC, MSA	1,928	24	5	12	33	53	73	131	265	459	514	359	-
Male	1,003	13	1	8	23	35	45	84	163	279	253	99	-
Female	925	11	4	4	10	18	28	47	102	180	261	260	-
White	1,757	18	5	10	28	44	64	115	240	423	471	339	-
Male	911	7	1	7	19	29	38	75	153	259	231	92	-
Female	846	11	4	3	9	15	26	40	87	164	240	247	-
All other	171	6	-	2	5	9	9	16	25	36	43	20	-
Male	92	6	-	1	4	6	7	9	10	20	22	7	-
Female	79	-	-	1	1	3	2	7	15	16	21	13	-
Black	167	6	-	2	5	9	9	15	24	36	41	20	-
Male	90	6	-	1	4	6	7	9	10	20	20	7	-
Female	77	-	-	1	1	3	2	6	14	16	21	13	-
Honolulu, HI, MSA	5,003	90	18	22	84	156	225	335	612	1,175	1,268	1,014	4
Male	2,893	46	12	14	67	116	157	201	364	730	746	438	2
Female	2,110	44	6	8	17	40	68	134	248	445	522	576	2
White	1,384	13	2	3	25	48	86	99	128	339	366	273	2
Male	809	9	2	2	23	37	68	67	82	221	191	106	1
Female	575	4	-	1	2	11	18	32	46	118	175	167	1
All other	3,619	77	16	19	59	108	139	236	484	836	902	741	2
Male	2,084	37	10	12	44	79	89	134	282	509	555	332	1
Female	1,535	40	6	7	15	29	50	102	202	327	347	409	1
Black	46	6	2	2	1	4	6	6	5	10	4	-	-
Male	31	3	-	1	1	4	4	4	5	7	2	-	-
Female	15	3	2	1	-	-	2	2	-	3	2	-	-
Houma-Thibodaux, LA, MSA	1,307	29	8	6	42	63	66	115	188	284	288	218	-
Male	733	17	4	5	32	47	43	77	120	163	150	75	-
Female	574	12	4	1	10	16	23	38	68	121	138	143	-
White	1,063	11	6	4	28	48	43	91	152	239	249	192	-
Male	588	7	3	3	23	37	30	61	101	138	125	60	-
Female	475	4	3	1	5	11	13	30	51	101	124	132	-
All other	244	18	2	2	14	15	23	24	36	45	39	26	-
Male	145	10	1	2	9	10	13	16	19	25	25	15	-
Female	99	8	1	-	5	5	10	8	17	20	14	11	-
Black	222	18	2	1	14	13	20	20	31	43	36	24	-
Male	129	10	1	1	9	8	11	14	15	23	23	14	-
Female	93	8	1	-	5	5	9	6	16	20	13	10	-
Houston, TX, PMSA	20,718	567	113	137	604	1,190	1,652	1,726	2,833	4,238	4,439	3,210	9
Male	11,428	325	61	83	460	939	1,194	1,128	1,752	2,439	2,081	959	7
Female	9,290	242	52	54	144	251	458	598	1,081	1,799	2,358	2,251	2
White	15,579	368	72	95	399	778	1,138	1,223	2,067	3,240	3,535	2,656	8
Male	8,513	212	39	64	296	611	859	819	1,292	1,884	1,664	767	6
Female	7,066	156	33	31	103	167	279	404	775	1,356	1,871	1,889	2
All other	5,139	199	41	42	205	412	514	503	766	998	904	554	1
Male	2,915	113	22	19	164	328	335	309	460	555	417	192	1
Female	2,224	86	19	23	41	84	179	194	306	443	487	362	-
Black	4,836	187	36	38	190	392	480	480	725	936	841	530	1
Male	2,737	105	19	19	155	309	313	298	434	518	384	182	1
Female	2,099	82	17	19	35	83	167	182	291	418	457	348	-
Huntington-Ashland, WV-KY-OH, MSA	3,412	38	7	3	44	61	127	176	397	798	883	778	-
Male	1,789	25	4	2	36	47	84	115	242	465	504	275	-
Female	1,613	13	3	1	8	14	43	61	155	333	479	503	-
White	3,317	35	7	3	42	59	121	166	389	775	958	762	-
Male	1,749	24	4	2	34	46	79	108	235	452	493	272	-
Female	1,568	11	3	1	8	13	42	58	154	323	465	490	-
All other	95	3	-	-	2	2	6	10	8	23	25	16	-
Male	50	1	-	-	2	1	5	7	7	13	11	3	-
Female	45	2	-	-	-	1	1	3	1	10	14	13	-
Black	88	3	-	-	2	2	6	10	7	22	21	15	-
Male	47	1	-	-	2	1	5	7	7	12	9	3	-
Female	41	2	-	-	-	1	1	3	-	10	12	12	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 145

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 20 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Huntsville, AL, MSA	1,669	29	10	6	33	48	69	130	238	397	421	288	-
Male	908	16	6	1	27	35	50	84	133	244	224	88	-
Female	761	13	4	5	6	13	19	46	105	153	197	200	-
White	1,354	18	8	4	17	30	46	99	201	328	358	245	-
Male	718	11	4	1	14	22	30	64	110	205	182	75	-
Female	636	7	4	3	3	8	16	35	91	123	176	170	-
All other	315	11	2	2	16	18	23	31	37	69	63	43	-
Male	190	5	2	-	13	13	20	20	23	39	42	13	-
Female	125	6	-	2	3	5	3	11	14	30	21	30	-
Black	303	11	2	2	13	18	23	27	36	67	61	43	-
Male	181	5	2	-	11	13	20	18	22	37	40	13	-
Female	122	6	-	2	2	5	3	9	14	30	21	30	-
Indianapolis, IN, MSA	10,600	224	30	37	141	304	432	579	1,218	2,424	2,871	2,338	2
Male	5,312	131	15	20	116	239	290	352	742	1,365	1,338	703	1
Female	5,288	93	15	17	25	65	142	227	476	1,059	1,533	1,635	1
White	8,954	142	21	23	107	229	323	445	1,009	2,069	2,494	2,090	2
Male	4,454	84	11	13	84	184	217	266	628	1,179	1,163	624	1
Female	4,500	58	10	10	23	45	106	179	381	890	1,331	1,466	1
All other	1,646	82	9	14	34	75	109	134	209	355	377	248	-
Male	859	47	4	7	32	55	73	86	114	186	175	79	-
Female	786	35	5	7	2	20	36	48	95	169	202	169	-
Black	1,615	82	9	13	32	73	107	128	204	352	374	241	-
Male	836	47	4	7	30	53	72	82	111	184	173	73	-
Female	779	35	5	6	2	20	35	46	93	168	201	168	-
Iowa City, IA, MSA	435	11	1	2	11	11	8	25	42	84	112	127	1
Male	211	4	-	1	7	9	5	18	26	55	49	36	1
Female	224	7	1	1	4	2	3	7	16	29	63	91	-
White	428	10	1	2	9	8	8	24	42	84	112	127	1
Male	207	4	-	1	6	7	5	17	26	55	49	36	1
Female	221	6	1	1	3	1	3	7	16	29	63	91	-
All other	7	1	-	-	2	1	-	1	-	-	-	-	-
Male	4	-	-	-	1	2	-	1	-	-	-	-	-
Female	3	-	-	-	1	1	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	1	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Jackson, MI, MSA	1,291	20	3	2	18	30	45	63	132	297	371	310	-
Male	687	11	2	2	13	24	33	50	84	172	198	98	-
Female	604	9	1	-	5	6	12	13	48	125	173	212	-
White	1,198	17	2	2	16	23	37	48	116	285	353	299	-
Male	627	10	1	2	11	18	26	39	74	164	188	94	-
Female	571	7	1	-	5	5	11	9	42	121	165	205	-
All other	93	3	1	-	2	7	8	15	16	12	18	11	-
Male	60	1	1	-	2	6	7	11	10	8	10	4	-
Female	33	2	-	-	-	1	1	4	6	4	8	7	-
Black	87	3	1	-	2	7	8	12	15	11	17	11	-
Male	56	1	1	-	2	6	7	9	10	7	9	4	-
Female	31	2	-	-	-	1	1	3	5	4	8	7	-
Jackson, MS, MSA	3,333	64	17	24	92	137	164	224	431	678	881	617	4
Male	1,773	34	8	17	73	89	110	132	271	411	432	193	3
Female	1,560	30	9	7	19	48	54	92	160	267	449	424	1
White	1,940	12	3	8	28	57	69	118	254	439	548	402	2
Male	981	3	1	6	19	40	50	70	164	273	258	96	1
Female	959	9	2	2	9	17	19	48	90	166	290	306	1
All other	1,393	52	14	16	64	80	95	106	177	239	333	215	2
Male	792	31	7	11	54	49	60	62	107	138	174	97	2
Female	601	21	7	5	10	31	35	44	70	101	159	118	-
Black	1,390	52	14	16	64	80	95	106	177	238	332	214	2
Male	791	31	7	11	54	49	60	62	107	138	173	97	2
Female	599	21	7	5	10	31	35	44	70	100	159	117	-
Jackson, TN, MSA	824	11	3	1	6	24	17	48	83	191	252	188	-
Male	421	6	1	-	4	21	10	30	52	118	114	65	-
Female	403	5	2	1	2	3	7	18	31	73	138	123	-
White	577	2	1	1	2	12	10	27	48	144	182	148	-
Male	287	1	-	-	1	10	5	17	37	88	77	51	-
Female	290	1	1	1	1	2	5	10	11	56	105	97	-
All other	247	9	2	-	4	12	7	21	35	47	70	40	-
Male	134	5	1	-	3	11	5	13	15	30	37	14	-
Female	113	4	1	-	1	1	2	8	20	17	33	26	-
Black	247	9	2	-	4	12	7	21	35	47	70	40	-
Male	134	5	1	-	3	11	5	13	15	30	37	14	-
Female	113	4	1	-	1	1	2	8	20	17	33	26	-
Jacksonville, FL, MSA	7,620	140	45	32	130	263	401	540	979	1,779	1,907	1,399	5
Male	3,960	85	19	22	86	188	258	343	607	999	919	429	5
Female	3,660	55	26	10	44	75	143	197	372	780	988	970	-
White	5,908	78	30	15	79	181	264	392	760	1,390	1,540	1,174	5
Male	3,055	45	14	11	52	137	173	253	473	787	743	362	5
Female	2,853	33	16	4	27	44	91	139	287	603	797	812	-
All other	1,712	62	15	17	51	82	137	148	219	389	367	225	-
Male	905	40	5	11	34	51	85	90	134	212	176	67	-
Female	807	22	10	6	17	31	52	58	85	177	191	158	-
Black	1,692	62	15	16	49	82	135	140	217	386	366	224	-
Male	893	40	5	10	34	51	84	84	133	209	176	67	-
Female	799	22	10	6	15	31	51	56	84	177	190	157	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 146

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 21 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jacksonville, NC, MSA	595	24	7	3	41	26	35	44	85	129	125	76	-
Male	321	7	4	3	35	14	25	29	55	64	66	19	-
Female	274	17	3	-	6	12	10	15	30	65	59	57	-
White	468	15	5	3	27	16	27	36	69	106	100	64	-
Male	258	5	4	3	24	8	22	25	45	53	54	15	-
Female	210	10	1	-	3	8	5	11	24	53	46	49	-
All other	127	9	2	-	14	10	8	8	16	23	25	12	-
Male	63	2	-	-	11	6	3	4	10	11	12	4	-
Female	64	7	2	-	3	4	5	4	6	12	13	8	-
Black	119	8	2	-	12	9	7	8	15	21	25	12	-
Male	60	2	-	-	10	5	3	4	9	11	12	4	-
Female	59	6	2	-	2	4	4	4	6	10	13	8	-
Jamestown-Dunkirk, NY, MSA	1,445	13	5	5	27	20	23	41	139	329	442	401	-
Male	693	9	1	3	20	10	13	27	80	188	224	118	-
Female	752	4	4	2	7	10	10	14	59	141	218	283	-
White	1,418	12	5	5	26	20	23	39	135	320	436	397	-
Male	675	8	1	3	19	10	13	26	76	182	220	117	-
Female	743	4	4	2	7	10	10	13	59	138	216	280	-
All other	27	1	-	-	1	-	-	2	4	9	6	4	-
Male	18	1	-	-	1	-	-	1	4	6	4	1	-
Female	9	-	-	-	-	-	-	1	-	3	2	3	-
Black	20	1	-	-	1	-	-	1	2	7	5	3	-
Male	14	1	-	-	1	-	-	2	5	4	1	1	-
Female	6	-	-	-	-	-	-	1	-	2	1	2	-
Janesville-Beloit, WI, MSA	1,223	14	2	2	14	22	29	45	128	271	384	312	-
Male	604	9	2	-	11	15	18	25	71	156	208	89	-
Female	619	5	-	2	3	7	11	20	57	115	176	223	-
White	1,182	11	2	2	13	22	24	40	120	266	373	309	-
Male	584	7	2	-	10	15	16	23	66	155	201	89	-
Female	598	4	-	2	3	7	8	17	54	111	172	220	-
All other	41	3	-	-	1	-	5	5	8	5	11	3	-
Male	20	2	-	-	1	-	2	5	1	7	7	-	-
Female	21	1	-	-	-	-	3	3	3	4	4	3	-
Black	38	3	-	-	1	-	5	3	7	5	11	3	-
Male	19	2	-	-	1	-	2	2	4	1	7	-	-
Female	19	1	-	-	-	-	3	1	3	4	4	3	-
Jersey City, NJ, PMSA	5,366	86	30	13	69	248	366	361	615	1,212	1,399	966	1
Male	2,820	48	20	7	53	183	264	252	369	666	675	283	-
Female	2,546	38	10	6	16	65	102	109	246	546	724	683	-
White	4,559	43	17	8	40	177	237	259	506	1,068	1,297	906	1
Male	2,361	27	10	3	31	139	179	191	300	589	628	264	-
Female	2,198	16	7	5	9	38	58	68	206	479	669	642	1
All other	807	43	13	5	29	71	129	102	109	144	102	80	-
Male	459	21	10	4	22	44	85	61	69	77	47	19	-
Female	348	22	3	1	7	27	44	41	40	67	55	41	-
Black	745	41	13	5	27	68	124	89	98	133	91	56	-
Male	426	21	10	4	21	42	81	54	63	71	42	17	-
Female	319	20	3	1	6	26	43	35	35	62	49	39	-
Johnson City-Kingsport-Bristol, TN-VA, MSA	4,517	42	7	12	59	94	126	289	578	1,071	1,304	934	1
Male	2,394	18	5	7	45	64	78	196	360	642	679	300	-
Female	2,123	24	2	5	14	30	48	93	218	429	625	634	-
White	4,380	40	7	11	59	84	120	281	558	1,041	1,270	908	1
Male	2,318	17	5	6	45	57	72	191	349	624	660	292	-
Female	2,062	23	2	5	14	27	48	90	209	417	610	616	1
All other	137	2	-	1	-	10	6	8	20	30	34	26	-
Male	76	1	-	1	-	7	6	5	11	18	19	8	-
Female	61	1	-	-	-	3	-	3	9	12	15	18	-
Black	133	2	-	1	-	10	6	8	19	26	34	25	-
Male	74	1	-	1	-	7	6	5	10	17	19	8	-
Female	59	1	-	-	-	3	3	3	9	11	15	17	-
Johnstown, PA, MSA	2,699	21	1	4	28	34	82	103	250	664	894	618	-
Male	1,381	9	1	3	21	21	50	75	153	373	465	210	-
Female	1,318	12	-	1	7	13	32	28	97	291	429	408	-
White	2,661	19	1	4	27	33	77	99	247	656	886	612	-
Male	1,361	9	1	3	20	20	47	72	152	368	461	208	-
Female	1,300	10	-	1	7	13	30	27	95	288	425	404	-
All other	38	2	-	-	1	1	5	4	3	8	6	6	-
Male	20	-	-	-	1	1	3	3	1	5	4	2	-
Female	18	2	-	-	-	-	2	1	2	3	4	4	-
Black	37	2	-	-	1	1	5	4	2	8	8	6	-
Male	20	-	-	-	1	1	3	3	1	5	4	2	-
Female	17	2	-	-	-	-	2	1	1	3	4	4	-
Joliet, IL, PMSA	2,688	48	3	10	56	83	114	151	325	586	727	565	-
Male	1,352	24	1	4	46	64	71	92	192	326	358	174	-
Female	1,316	24	2	6	10	19	43	59	133	260	369	391	-
White	2,467	33	2	8	38	69	91	137	292	550	702	545	-
Male	1,231	15	1	2	31	53	58	83	170	304	346	168	-
Female	1,236	18	1	6	7	16	33	54	122	246	356	377	-
All other	201	15	1	2	18	14	23	14	33	36	25	20	-
Male	121	9	-	2	15	11	13	9	22	12	8	8	-
Female	80	6	1	-	3	3	10	5	11	14	13	14	-
Black	192	15	1	2	17	14	22	13	31	35	24	18	-
Male	116	9	-	2	14	11	13	9	21	21	12	4	-
Female	76	6	1	-	3	3	9	4	10	14	12	14	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 147

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 22 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Joplin, MO, MSA	1,458	13	5	2	17	27	44	65	171	298	439	377	-
Male	708	8	2	1	11	20	29	36	100	175	201	125	-
Female	750	5	3	1	6	7	15	29	71	123	238	252	-
White	1,439	13	5	2	16	27	41	64	168	295	435	373	-
Male	697	8	2	1	11	20	26	35	100	173	197	124	-
Female	742	5	3	1	5	7	15	29	68	122	238	249	-
All other	19	-	-	-	1	-	3	1	3	3	4	4	-
Male	11	-	-	-	-	-	3	1	-	2	4	1	-
Female	8	-	-	-	1	-	-	-	3	1	-	3	-
Black	15	-	-	-	-	-	2	1	2	3	3	4	-
Male	9	-	-	-	-	-	2	1	-	2	3	1	-
Female	6	-	-	-	-	-	-	-	2	1	-	3	-
Kalamazoo, MI, MSA	1,673	33	5	9	24	37	52	77	176	374	477	409	-
Male	812	19	2	5	18	24	35	37	115	200	229	128	-
Female	861	14	3	4	6	13	17	40	61	174	248	281	-
White	1,547	18	3	7	18	32	39	68	162	344	453	403	-
Male	739	7	2	4	16	19	26	32	106	181	220	126	-
Female	808	11	1	3	2	13	13	36	56	163	233	277	-
All other	126	15	2	2	6	5	13	9	14	30	24	6	-
Male	73	12	-	1	2	5	9	5	9	19	9	2	-
Female	53	3	2	1	4	-	4	4	5	11	15	4	-
Black	116	15	1	2	4	5	13	7	14	27	22	6	-
Male	70	12	-	1	1	5	9	5	9	18	8	2	-
Female	46	3	1	1	3	-	4	2	5	9	14	4	-
Kankakee, IL, MSA	1,019	20	1	5	15	19	36	68	117	226	302	210	-
Male	542	11	-	3	7	15	25	38	73	143	151	76	-
Female	477	9	1	2	8	4	11	30	44	83	151	134	-
White	881	13	-	3	11	14	30	52	93	199	275	191	-
Male	462	7	-	1	4	10	22	31	57	125	137	68	-
Female	419	6	-	2	7	4	8	21	36	74	138	123	-
All other	138	7	1	2	4	5	6	16	24	27	27	19	-
Male	80	4	-	2	3	5	3	7	16	18	14	8	-
Female	58	3	1	-	1	-	3	9	8	9	13	11	-
Black	136	7	1	2	4	5	5	16	23	27	27	19	-
Male	79	4	-	2	3	5	2	7	16	18	14	8	-
Female	57	3	1	-	1	-	3	9	7	9	13	11	-
Kansas City, MO-KS, MSA	13,006	231	51	50	250	388	514	760	1,467	2,753	3,481	3,060	1
Male	6,585	138	25	25	196	292	361	501	897	1,583	1,642	924	1
Female	6,421	93	26	25	54	96	153	259	570	1,170	1,839	2,136	-
White	11,142	150	36	35	155	275	385	595	1,207	2,369	3,116	2,818	1
Male	5,524	93	17	11	116	202	278	395	742	1,372	1,452	839	1
Female	5,618	57	19	18	39	73	107	200	465	997	1,664	1,979	-
All other	1,864	81	15	15	95	113	129	165	260	384	365	242	-
Male	1,061	45	8	8	80	90	83	106	155	211	190	85	-
Female	803	36	7	7	15	23	46	59	105	173	175	157	-
Black	1,800	77	15	15	92	112	122	158	247	369	357	236	-
Male	1,025	45	8	8	79	89	76	103	148	202	186	81	-
Female	775	32	7	7	13	23	46	55	99	167	171	155	-
Kenosha, WI, PMSA	1,113	16	2	2	11	17	34	57	106	250	333	285	-
Male	551	10	1	1	9	12	22	39	62	144	166	85	-
Female	562	6	1	1	2	5	12	18	44	106	167	200	-
White	1,079	11	2	2	10	14	30	53	103	239	331	284	-
Male	534	7	1	1	8	11	21	37	61	137	166	84	-
Female	545	4	1	1	2	3	9	16	42	102	165	200	-
All other	34	5	-	-	1	3	4	4	3	11	2	1	-
Male	17	3	-	-	1	1	1	2	1	7	-	1	-
Female	17	2	-	-	-	2	3	2	2	4	2	-	-
Black	34	5	-	-	1	3	4	4	3	11	2	1	-
Male	17	3	-	-	1	1	1	1	1	7	-	1	-
Female	17	2	-	-	-	2	3	2	2	4	2	-	-
Killeen-Temple, TX, MSA	1,665	50	12	11	53	50	54	117	225	341	391	360	1
Male	919	28	11	6	44	31	32	73	144	220	212	117	1
Female	746	22	1	5	9	19	22	44	81	121	179	243	-
White	1,454	27	9	8	39	32	40	93	195	312	364	334	1
Male	802	13	8	6	33	21	26	59	125	206	197	107	1
Female	652	14	1	2	6	11	14	34	70	106	167	227	-
All other	211	23	3	3	14	18	14	24	30	29	27	26	-
Male	117	15	3	-	11	10	6	14	19	14	15	10	-
Female	94	8	-	3	3	8	8	10	11	15	12	16	-
Black	192	23	3	3	14	15	11	21	26	25	25	26	-
Male	113	15	3	-	11	8	6	14	19	13	14	10	-
Female	79	8	-	3	3	7	5	7	7	12	11	16	-
Knoxville, TN, MSA	5,593	50	14	17	76	129	207	346	661	1,300	1,602	1,191	-
Male	2,836	30	7	9	57	93	143	209	403	759	761	365	-
Female	2,757	20	7	8	19	36	64	137	258	541	841	826	-
White	5,214	42	12	14	61	114	191	311	603	1,212	1,520	1,194	-
Male	2,637	24	6	6	45	85	131	191	363	719	722	345	-
Female	2,577	18	6	8	16	29	60	120	240	493	798	789	-
All other	379	8	2	3	15	15	16	35	58	88	82	57	-
Male	199	6	1	3	12	8	12	18	40	40	39	20	-
Female	180	2	1	-	3	7	4	17	18	48	43	37	-
Black	369	8	2	3	15	13	16	34	58	85	79	56	-
Male	193	6	1	3	12	7	12	18	40	37	37	20	-
Female	176	2	1	-	3	6	4	16	18	48	42	36	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 148

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 23 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Kokomo, IN, MSA	868	12	1	2	10	21	31	42	96	208	236	209	-
Male	425	5	1	1	5	17	19	24	58	115	110	70	-
Female	443	7	-	1	5	4	12	18	38	93	126	139	-
White	832	11	-	2	10	20	27	38	91	199	230	204	-
Male	407	4	-	1	5	16	17	21	55	110	109	69	-
Female	425	7	-	1	5	4	10	17	36	89	121	135	-
All other	36	1	1	-	-	1	4	4	5	9	6	5	-
Male	18	1	1	-	-	1	2	3	3	5	1	1	-
Female	18	-	-	-	-	-	2	1	2	4	5	4	-
Black	36	1	1	-	-	1	4	4	5	9	6	5	-
Male	18	1	1	-	-	1	2	3	3	5	1	1	-
Female	18	-	-	-	-	-	2	1	2	4	5	4	-
La Crosse, WI, MSA	770	6	2	2	10	16	20	30	74	162	223	225	-
Male	388	3	1	1	6	13	13	16	53	88	119	75	-
Female	382	3	1	1	4	3	7	14	21	74	104	150	-
White	765	5	2	1	9	15	20	29	74	162	223	225	-
Male	385	2	1	-	6	12	13	16	53	88	119	75	-
Female	380	3	1	1	3	3	7	13	21	74	104	150	-
All other	5	1	-	1	1	1	-	1	-	-	-	-	-
Male	3	1	-	1	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	1	-	-	-	-	-
Black	3	-	-	1	-	1	-	1	-	-	-	-	-
Male	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Lafayette, LA, MSA	1,433	25	6	7	35	54	71	106	204	293	360	272	-
Male	770	15	2	4	32	41	57	65	126	180	171	77	-
Female	663	10	4	3	3	13	14	41	78	113	189	195	-
White	1,042	9	4	3	18	33	49	69	137	216	284	220	-
Male	538	5	1	2	16	26	38	41	89	128	131	61	-
Female	504	4	3	1	2	7	11	28	48	88	153	159	-
All other	391	16	2	4	17	21	22	37	67	77	76	52	-
Male	232	10	1	2	16	15	19	24	37	52	40	16	-
Female	159	6	1	2	1	6	3	13	30	25	36	36	-
Black	390	16	2	4	17	21	22	36	67	77	76	52	-
Male	232	10	1	2	16	15	19	24	37	52	40	16	-
Female	158	6	1	2	1	6	3	12	30	25	36	36	-
Lafayette-West Lafayette, IN, MSA	942	13	1	-	13	17	24	47	113	223	263	228	-
Male	490	11	-	-	12	10	15	28	70	147	130	67	-
Female	452	2	1	-	1	7	9	19	43	76	133	161	-
White	927	12	1	-	12	17	23	44	111	219	261	227	-
Male	479	10	-	-	11	10	15	26	68	143	129	67	-
Female	448	2	1	-	1	7	8	18	43	76	132	160	-
All other	15	1	-	-	1	-	1	3	2	4	2	1	-
Male	11	1	-	-	1	-	-	2	2	4	1	-	-
Female	4	-	-	-	-	-	1	1	-	-	1	1	-
Black	11	1	-	-	1	-	1	1	2	4	1	-	-
Male	10	1	-	-	1	-	-	1	2	4	1	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Lake Charles, LA, MSA	1,449	21	4	14	27	40	70	92	209	349	389	234	-
Male	758	11	2	12	23	27	43	53	126	198	187	76	-
Female	691	10	2	2	4	13	27	39	83	151	202	158	-
White	1,087	14	4	9	14	30	41	64	147	261	309	194	-
Male	556	8	2	8	11	18	27	37	87	152	144	62	-
Female	531	6	2	1	3	12	14	27	60	109	165	132	-
All other	362	7	-	5	13	10	29	28	62	88	80	40	-
Male	202	3	-	4	12	9	16	16	39	46	43	14	-
Female	160	4	-	1	1	1	13	12	23	42	37	26	-
Black	360	7	-	5	13	9	29	28	62	88	79	40	-
Male	201	3	-	4	12	9	16	16	39	46	42	14	-
Female	159	4	-	1	1	-	13	12	23	42	37	26	-
Lake County, IL, PMSA	3,068	67	16	6	41	69	114	226	343	704	813	669	-
Male	1,554	36	10	3	30	46	73	143	206	418	381	208	-
Female	1,514	31	6	3	11	23	41	83	137	286	432	461	-
White	2,843	49	15	4	30	57	98	211	306	648	776	649	-
Male	1,428	27	9	2	20	40	58	133	188	384	365	202	-
Female	1,415	22	6	2	10	17	40	78	118	264	411	447	-
All other	225	18	1	2	11	12	16	15	37	56	37	20	-
Male	126	9	1	1	10	6	15	10	18	34	16	6	-
Female	99	9	-	1	1	6	1	5	19	22	21	14	-
Black	202	16	1	2	11	11	15	14	31	49	35	17	-
Male	112	7	1	1	10	6	14	9	15	30	15	4	-
Female	90	9	-	1	1	5	1	5	16	19	20	13	-
Lakeland-Winter Haven, FL, MSA	4,304	62	19	19	56	112	148	239	495	1,033	1,252	869	-
Male	2,332	35	11	12	43	81	99	146	319	620	668	298	-
Female	1,972	8	7	7	13	31	49	93	176	413	584	571	-
White	3,769	35	14	14	43	82	103	199	407	927	1,136	809	-
Male	2,018	18	9	9	31	61	67	118	269	549	608	279	-
Female	1,751	17	5	5	12	21	36	81	138	378	528	530	-
All other	535	27	5	5	13	30	45	40	88	106	116	60	-
Male	314	17	2	3	12	20	32	28	50	71	60	19	-
Female	221	10	3	2	1	10	13	12	38	35	56	41	-
Black	529	27	5	5	13	28	44	38	88	106	115	60	-
Male	312	17	2	3	12	20	31	27	50	71	60	19	-
Female	217	10	3	2	1	8	13	11	38	35	55	41	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 149

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 24 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lancaster, PA, MSA	3,544	48	9	11	31	63	106	138	298	744	1,032	1,064	-
Male	1,691	31	4	9	22	38	69	74	177	422	510	335	-
Female	1,853	17	5	2	9	25	37	64	121	322	522	729	-
White	3,455	43	9	11	26	57	100	134	285	724	1,012	1,054	-
Male	1,643	28	4	9	19	37	68	71	169	407	499	332	-
Female	1,812	15	5	2	7	20	32	63	116	317	513	722	-
All other	89	5	-	-	5	6	6	4	13	20	20	10	-
Male	48	3	-	-	3	1	1	3	8	15	11	3	-
Female	41	2	-	-	2	5	5	1	5	5	9	7	-
Black	74	5	-	-	5	5	4	4	10	17	16	8	-
Male	39	3	-	-	3	1	1	3	6	12	8	2	-
Female	35	2	-	-	2	4	3	1	4	5	8	6	-
Lansing-East Lansing, MI, MSA	2,837	40	10	15	44	54	108	166	302	605	773	720	-
Male	1,379	22	8	9	33	30	68	102	173	339	358	237	-
Female	1,458	18	2	6	11	24	40	64	129	266	415	483	-
White	2,664	26	8	13	36	45	91	153	278	569	745	700	-
Male	1,289	16	7	7	27	24	61	92	160	318	345	232	-
Female	1,375	10	1	6	9	21	30	61	118	251	400	468	-
All other	173	14	2	2	8	9	17	13	24	36	28	20	-
Male	90	6	1	2	6	6	7	10	13	21	13	5	-
Female	83	8	1	-	2	3	10	3	11	15	15	15	-
Black	154	13	2	2	8	8	14	11	23	31	23	19	-
Male	81	5	1	2	6	5	7	8	12	19	11	5	-
Female	73	8	1	-	2	3	7	3	11	12	12	14	-
Laredo, TX, MSA	759	29	5	6	16	15	41	46	96	154	203	144	4
Male	391	20	2	6	13	10	30	23	54	82	97	50	4
Female	368	9	3	-	3	5	11	23	42	72	106	94	-
White	757	29	5	5	16	14	41	46	96	154	203	144	4
Male	390	20	2	5	13	10	30	23	54	82	97	50	4
Female	367	9	3	-	3	4	11	23	42	72	106	94	-
All other	2	-	-	1	-	1	-	-	-	-	-	-	-
Male	1	-	-	1	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Las Cruces, NM, MSA	853	18	7	7	20	29	30	44	97	206	216	177	2
Male	482	10	4	6	16	22	20	31	55	125	115	76	2
Female	371	8	3	1	4	7	10	13	42	81	101	101	-
White	841	15	7	7	20	28	29	44	96	204	215	174	2
Male	477	8	4	6	16	21	19	31	54	125	115	76	2
Female	364	7	3	1	4	7	10	13	42	79	100	98	-
All other	12	3	-	-	-	1	1	1	2	1	1	3	-
Male	5	2	-	-	-	1	1	-	1	-	-	-	-
Female	7	1	-	-	-	-	-	-	2	1	1	3	-
Black	11	3	-	-	-	1	1	-	1	1	1	3	-
Male	5	2	-	-	-	1	1	-	1	-	-	-	-
Female	6	1	-	-	-	-	-	-	1	1	1	3	-
Las Vegas, NV, MSA	6,523	95	26	26	114	222	380	531	1,007	1,736	1,586	792	8
Male	3,797	55	16	14	87	169	260	351	642	1,038	861	299	7
Female	2,726	40	10	12	27	53	120	180	365	700	725	493	1
White	5,894	64	18	21	75	171	308	457	911	1,633	1,483	745	8
Male	3,432	39	12	12	55	133	223	303	589	979	801	279	7
Female	2,462	25	6	9	20	38	85	154	322	654	682	466	1
All other	629	31	8	5	39	51	72	74	96	103	103	47	-
Male	365	16	4	2	32	36	37	48	53	57	60	20	-
Female	264	15	4	3	7	15	35	26	43	46	43	27	-
Black	519	31	5	4	33	45	63	58	84	77	79	40	-
Male	310	16	2	2	29	31	34	38	49	50	43	16	-
Female	209	15	3	2	4	14	29	20	35	27	36	24	-
Lawrence, KS, MSA	429	10	3	-	2	9	15	20	41	86	115	128	-
Male	206	7	3	-	1	5	10	13	21	43	62	41	-
Female	223	3	-	-	1	4	5	7	20	43	53	87	-
White	407	7	3	-	2	9	13	16	38	82	112	125	-
Male	196	5	3	-	1	5	9	10	21	40	62	40	-
Female	211	2	-	-	1	4	4	6	17	42	50	85	-
All other	22	3	-	-	-	-	2	4	3	4	3	3	-
Male	10	2	-	-	-	-	1	3	-	3	-	1	-
Female	12	1	-	-	-	-	1	1	3	1	3	2	-
Black	16	2	-	-	-	-	2	2	2	2	3	3	-
Male	8	2	-	-	-	-	1	2	-	2	-	1	-
Female	8	-	-	-	-	-	1	-	2	-	3	2	-
Lawton, OK, MSA	783	25	7	5	21	27	30	47	109	175	180	157	-
Male	426	13	4	3	16	19	22	27	66	105	91	60	-
Female	357	12	3	2	5	8	8	20	43	70	89	97	-
White	653	11	4	5	16	20	18	37	80	155	160	147	-
Male	358	6	1	3	12	15	16	23	51	93	83	55	-
Female	295	5	3	2	4	5	2	14	29	62	77	92	-
All other	130	14	3	-	5	7	12	10	29	20	20	10	-
Male	68	7	3	-	4	4	6	4	15	12	8	5	-
Female	62	7	-	-	1	3	6	6	14	8	12	5	-
Black	94	13	3	-	5	7	9	6	17	12	15	7	-
Male	49	7	3	-	4	4	5	1	10	6	7	2	-
Female	45	6	-	-	1	3	4	5	7	6	8	5	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 150

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 25 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lewiston-Auburn, ME, NECMA	990	11	-	1	10	18	25	47	104	195	314	285	-
Male	477	6	-	-	7	12	17	35	65	114	154	67	-
Female	513	5	-	1	3	6	8	12	39	81	160	198	-
White	988	11	-	1	10	18	24	46	104	195	314	285	-
Male	475	6	-	-	7	12	16	34	65	114	154	67	-
Female	513	5	-	1	3	6	8	12	39	81	160	198	-
All other	2	-	-	-	-	-	-	1	-	-	-	-	-
Male	2	-	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington-Fayette, KY, MSA	2,832	59	7	13	43	63	118	152	366	637	758	616	-
Male	1,412	35	7	8	33	48	78	86	229	365	346	177	-
Female	1,420	24	-	5	10	15	40	66	137	272	412	439	-
White	2,433	41	5	10	36	49	99	122	305	555	683	548	-
Male	1,219	27	5	7	27	37	68	72	198	316	304	158	-
Female	1,214	14	-	3	9	12	31	50	107	239	359	390	-
All other	399	18	2	3	7	14	19	30	61	82	95	68	-
Male	193	8	2	1	6	11	10	14	31	49	42	19	-
Female	206	10	-	2	1	3	9	16	30	33	53	49	-
Black	392	18	2	2	7	14	18	30	58	81	94	68	-
Male	189	8	2	-	6	11	10	14	30	48	41	19	-
Female	203	10	-	2	1	3	8	16	28	33	53	49	-
Lima, OH, MSA	1,412	25	3	5	19	22	28	72	171	293	407	387	-
Male	729	13	3	4	12	17	15	49	118	176	206	116	-
Female	683	12	-	1	7	5	13	23	53	117	201	251	-
White	1,324	15	3	5	17	19	22	59	161	272	398	353	-
Male	680	8	3	4	11	14	15	40	112	164	200	109	-
Female	644	7	-	1	6	5	7	19	49	108	198	244	-
All other	88	10	-	-	2	3	6	13	10	21	9	14	-
Male	49	5	-	-	1	3	-	9	6	12	6	7	-
Female	39	5	-	-	1	-	6	4	4	9	3	7	-
Black	85	10	-	-	2	3	6	11	10	21	9	13	-
Male	47	5	-	-	1	3	-	8	6	12	6	6	-
Female	38	5	-	-	1	-	6	3	4	9	3	7	-
Lincoln, NE, MSA	1,499	24	6	7	24	40	57	67	147	297	434	396	-
Male	745	13	5	2	17	26	37	44	85	171	206	139	-
Female	754	11	1	5	7	14	20	23	62	126	228	257	-
White	1,461	24	5	6	19	35	54	65	141	292	426	394	-
Male	727	13	4	2	13	24	36	44	82	169	202	138	-
Female	734	11	1	4	6	11	18	21	59	123	224	256	-
All other	38	-	1	1	5	5	3	2	6	5	8	2	-
Male	18	-	1	-	4	2	1	-	3	2	4	1	-
Female	20	-	-	1	1	3	2	2	3	3	4	1	-
Black	24	-	1	1	1	3	-	2	3	4	2	2	-
Male	10	-	1	-	1	1	-	1	1	2	3	1	-
Female	14	-	-	1	-	2	-	1	2	2	1	1	-
Little Rock-North Little Rock, AR, MSA	4,335	82	15	28	99	112	189	250	491	1,003	1,129	937	-
Male	2,275	37	7	17	75	86	116	169	313	616	539	300	-
Female	2,060	45	8	11	24	26	73	81	178	387	590	637	-
White	3,480	42	7	13	53	73	120	185	390	845	950	802	-
Male	1,829	25	4	5	35	56	79	134	258	532	450	251	-
Female	1,651	17	3	8	18	17	41	51	132	313	500	551	-
All other	855	40	8	15	46	39	69	65	101	158	179	135	-
Male	446	12	3	12	40	30	37	35	55	84	89	49	-
Female	409	28	5	3	6	9	32	30	46	74	90	86	-
Black	846	40	8	15	45	39	69	63	100	155	178	134	-
Male	442	12	3	12	39	30	37	34	54	83	89	49	-
Female	404	28	5	3	6	9	32	29	46	72	89	85	-
Longview-Marshall, TX, MSA	1,582	23	6	8	26	33	70	101	189	366	449	311	-
Male	805	16	4	4	21	22	44	64	109	207	213	101	-
Female	777	7	2	4	5	11	26	37	80	159	236	210	-
White	1,198	16	4	7	21	20	53	68	137	274	353	245	-
Male	595	10	3	4	17	13	34	46	81	148	166	79	-
Female	603	6	1	3	4	7	19	22	56	126	187	172	-
All other	384	7	2	1	5	13	17	33	52	92	96	66	-
Male	210	6	1	-	4	9	10	18	28	59	47	28	-
Female	174	1	1	1	1	4	7	15	24	33	49	38	-
Black	384	7	2	1	5	13	17	33	52	92	96	66	-
Male	210	6	1	-	4	9	10	18	28	59	47	28	-
Female	174	1	1	1	1	4	7	15	24	33	49	38	-
Lorain-Elyria, OH, PMSA	2,169	43	7	1	37	32	99	121	254	543	614	418	-
Male	1,107	21	4	1	25	18	69	70	145	323	294	137	-
Female	1,062	22	3	-	12	14	30	51	109	220	320	281	-
White	1,931	32	5	1	35	28	82	105	221	509	579	396	-
Male	1,006	16	4	1	23	16	59	58	125	303	273	128	-
Female	985	16	1	-	10	12	23	47	96	206	306	268	-
All other	178	11	2	-	4	4	17	16	33	34	35	22	-
Male	101	5	-	-	2	2	10	12	20	20	21	9	-
Female	77	6	2	-	2	2	7	4	13	14	14	13	-
Black	178	11	2	-	4	4	17	16	31	31	35	22	-
Male	98	5	-	-	2	2	10	12	18	19	21	9	-
Female	75	6	2	-	2	2	7	4	13	12	14	13	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 151

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 26 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Los Angeles-Long Beach, CA, PMSA	61,980	1,426	273	283	1,652	2,794	3,746	4,118	7,029	12,368	15,461	12,818	12
Male	32,646	806	150	167	1,362	2,231	2,779	2,688	4,240	6,787	7,380	4,047	9
Female	29,334	620	123	116	290	563	967	1,430	2,789	5,581	8,081	8,771	3
White	49,556	1,029	207	219	1,236	2,031	2,758	2,943	5,243	9,721	12,914	11,247	8
Male	25,731	579	114	120	1,017	1,673	2,094	1,864	3,196	5,322	6,146	3,499	7
Female	23,825	450	93	99	219	358	664	979	2,047	4,399	6,768	7,748	1
All other	12,424	397	66	64	416	763	988	1,175	1,786	2,647	2,547	1,571	4
Male	6,915	227	36	47	345	558	685	724	1,044	1,465	1,234	548	2
Female	5,509	170	30	17	71	205	303	451	742	1,182	1,313	1,023	2
Black	8,875	321	50	45	325	651	800	906	1,323	1,798	1,651	1,001	4
Male	4,904	185	25	30	273	493	560	567	771	957	738	303	2
Female	3,971	136	25	15	52	158	240	339	552	841	913	698	2
Louisville, KY-IN, MSA	8,963	131	26	26	128	167	347	524	1,081	2,074	2,437	2,021	1
Male	4,488	75	14	19	96	117	221	332	670	1,224	1,126	593	1
Female	4,475	56	12	7	32	50	126	192	411	850	1,311	1,428	-
White	7,769	91	20	18	96	134	269	426	918	1,795	2,154	1,847	1
Male	3,868	56	11	14	72	97	174	275	576	1,072	964	536	1
Female	3,901	35	9	4	24	37	95	151	342	723	1,170	1,311	-
All other	1,194	40	6	8	32	33	78	98	163	279	283	174	-
Male	620	19	3	5	24	20	47	57	94	152	142	57	-
Female	574	21	3	3	8	13	31	41	69	127	141	117	-
Black	1,179	39	6	8	32	33	78	94	161	276	282	170	-
Male	617	19	3	5	24	20	47	54	94	152	142	57	-
Female	562	20	3	3	8	13	31	40	67	124	140	113	-
Lubbock, TX, MSA	1,590	27	5	10	33	34	58	105	193	344	444	337	-
Male	817	14	1	5	24	20	34	61	107	214	227	110	-
Female	773	13	4	5	9	14	24	44	86	130	217	227	-
White	1,459	22	5	9	30	27	50	90	173	312	419	322	-
Male	744	12	1	5	22	17	32	52	95	193	209	106	-
Female	715	10	4	4	8	10	18	38	78	119	210	216	-
All other	131	5	-	1	3	7	8	15	20	32	25	15	-
Male	73	2	-	1	2	3	2	9	12	21	18	4	-
Female	58	3	-	1	1	4	6	6	8	11	7	11	-
Black	129	5	-	1	3	7	8	15	19	32	25	14	-
Male	73	2	-	-	2	3	2	9	12	21	18	4	-
Female	56	3	-	1	1	4	6	6	7	11	7	10	-
Lynchburg, VA, MSA	1,465	18	5	5	23	23	44	82	163	339	419	344	-
Male	761	8	4	2	14	19	29	50	98	202	218	117	-
Female	704	10	1	3	9	4	15	32	65	137	201	227	-
White	1,168	9	3	3	14	17	27	57	120	261	366	291	-
Male	597	3	2	2	9	13	16	34	73	158	193	94	-
Female	571	6	1	1	5	4	11	23	47	103	173	197	-
All other	297	9	2	2	9	6	17	25	43	78	53	53	-
Male	164	5	2	-	5	6	13	16	25	44	25	23	-
Female	133	4	-	2	4	-	4	9	18	34	28	30	-
Black	297	9	2	2	9	6	17	25	43	78	53	53	-
Male	164	5	2	-	5	6	13	16	25	44	25	23	-
Female	133	4	-	2	4	-	4	9	18	34	28	30	-
Macon-Warner Robins, GA, MSA	2,542	71	15	14	53	62	139	167	351	635	654	380	1
Male	1,288	37	8	7	37	44	85	97	212	360	304	96	1
Female	1,254	34	7	7	16	18	54	70	139	275	350	284	-
White	1,569	27	4	5	21	24	70	84	210	409	438	277	-
Male	778	16	2	2	12	17	41	53	127	242	203	63	-
Female	791	11	2	3	9	7	29	31	83	167	235	214	-
All other	973	44	11	9	32	38	69	83	141	226	216	103	1
Male	510	21	6	5	25	27	44	44	85	118	101	33	1
Female	463	23	5	4	7	11	25	39	56	108	115	70	-
Black	967	43	11	9	30	38	69	83	140	225	215	103	1
Male	507	20	6	5	23	27	44	44	85	118	101	33	1
Female	460	23	5	4	7	11	25	39	55	107	114	70	-
Madison, WI, MSA	2,177	38	5	7	33	50	94	100	226	408	625	591	-
Male	1,082	21	4	3	24	33	61	67	134	230	317	188	-
Female	1,095	17	1	4	9	17	33	33	92	178	308	403	-
White	2,129	30	4	7	30	47	88	95	219	399	619	591	-
Male	1,053	17	3	3	22	30	58	63	129	227	313	188	-
Female	1,076	13	1	4	8	17	30	32	90	172	306	403	-
All other	48	8	1	-	3	3	6	5	7	9	6	-	-
Male	29	4	1	-	2	3	3	4	5	3	4	-	-
Female	19	4	-	-	1	-	3	1	2	4	2	-	-
Black	34	8	1	-	1	3	4	5	3	6	3	-	-
Male	21	4	1	-	-	3	4	2	2	2	3	-	-
Female	13	4	-	-	1	-	2	1	1	4	-	-	-
Manchester-Nashua, NH, NECMA	2,425	32	5	10	31	41	87	147	241	536	672	623	-
Male	1,153	18	4	9	16	23	55	90	154	323	297	164	-
Female	1,272	14	1	1	15	18	32	57	87	213	375	459	-
White	2,406	31	5	9	29	40	87	145	238	529	671	622	-
Male	1,140	18	4	9	16	22	55	88	152	316	297	163	-
Female	1,266	13	1	-	13	18	32	57	86	213	374	459	-
All other	19	1	-	1	2	1	-	2	3	7	1	1	-
Male	13	-	-	-	-	1	-	2	2	7	-	1	-
Female	6	1	-	1	2	-	-	-	1	-	1	-	-
Black	14	1	-	1	-	1	-	2	3	5	1	-	-
Male	10	-	-	-	-	1	-	2	2	5	-	-	-
Female	4	1	-	1	-	-	-	-	1	-	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 152

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 27 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Mansfield, OH, MSA	1,168	17	2	1	13	24	39	82	125	259	331	275	-
Male	593	11	-	-	12	15	30	48	78	159	153	87	-
Female	575	6	2	1	1	9	9	34	47	100	178	188	-
White	1,089	14	2	1	11	22	31	75	112	246	308	267	-
Male	555	9	-	-	10	14	25	43	71	152	144	87	-
Female	534	5	2	1	1	8	6	32	41	94	164	180	-
All other	79	3	-	-	2	2	8	7	13	13	23	8	-
Male	38	2	-	-	2	1	5	5	7	7	9	-	-
Female	41	1	-	-	-	1	3	2	6	6	14	8	-
Black	79	3	-	-	2	2	8	7	13	13	23	8	-
Male	38	2	-	-	2	1	5	5	7	7	9	-	-
Female	41	1	-	-	-	1	3	2	6	6	14	8	-
McAllen-Edinburg-Mission, TX, MSA	2,197	62	15	16	75	68	100	140	234	504	550	427	6
Male	1,221	26	10	7	65	55	67	94	130	307	289	165	6
Female	976	36	5	9	10	13	33	46	104	197	261	262	-
White	2,193	62	15	16	75	68	100	139	233	504	548	427	6
Male	1,218	26	10	7	65	55	67	93	129	307	288	165	6
Female	975	36	5	9	10	13	33	46	104	197	260	262	-
All other	4	-	-	-	-	-	-	1	1	-	2	-	-
Male	3	-	-	-	-	-	-	1	1	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	3	-	-	-	-	-	-	1	-	-	2	-	-
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Medford, OR, MSA	1,444	12	2	3	21	26	39	68	144	340	451	338	-
Male	761	7	2	2	16	22	29	36	78	207	243	119	-
Female	683	5	-	1	5	4	10	32	66	133	208	219	-
White	1,434	12	2	2	21	26	39	68	141	338	448	337	-
Male	754	7	2	1	16	22	29	36	77	205	241	118	-
Female	680	5	-	1	5	4	10	32	64	133	207	219	-
All other	10	-	-	1	-	-	-	-	3	2	3	1	-
Male	7	-	-	1	-	-	-	-	1	2	2	1	-
Female	3	-	-	-	-	-	-	-	2	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Melbourne-Titusville-Palm Bay, FL, MSA	3,935	38	14	9	34	91	136	203	485	1,025	1,188	710	2
Male	2,147	17	8	6	20	70	95	126	298	593	648	265	1
Female	1,788	21	6	3	14	21	41	77	187	432	540	445	1
White	3,717	30	9	9	31	76	124	180	440	984	1,147	686	1
Male	2,033	15	4	6	17	58	88	115	270	573	628	259	-
Female	1,684	15	5	3	14	18	36	65	170	411	519	427	1
All other	218	8	5	-	3	15	12	23	45	41	41	24	1
Male	114	2	4	-	3	12	7	11	28	20	20	6	1
Female	104	6	1	-	3	5	5	12	17	21	21	18	-
Black	212	8	4	-	3	15	12	21	44	40	41	23	1
Male	111	2	4	-	3	12	7	10	27	20	20	5	1
Female	101	6	-	-	3	5	5	11	17	20	21	18	-
Memphis, TN-AR-MS, MSA	8,581	259	39	48	218	303	476	582	1,100	1,911	2,137	1,508	-
Male	4,469	149	20	32	168	214	315	344	653	1,069	1,044	461	-
Female	4,112	110	19	16	50	89	161	238	447	842	1,093	1,047	-
White	4,789	62	11	21	64	115	192	294	600	1,136	1,322	972	-
Male	2,432	41	4	12	48	82	141	178	354	655	641	276	-
Female	2,357	21	7	9	16	33	51	116	246	481	681	696	-
All other	3,792	197	28	27	154	188	284	288	500	775	815	536	-
Male	2,037	108	16	20	120	132	174	166	299	414	403	185	-
Female	1,755	89	12	7	34	56	110	122	201	361	412	351	-
Black	3,778	196	28	27	154	187	282	287	499	771	812	535	-
Male	2,026	107	16	20	131	173	265	298	411	401	401	184	-
Female	1,752	89	12	7	34	56	109	122	201	360	411	351	-
Merced, CA, MSA	1,102	31	9	5	24	33	55	57	131	277	296	184	-
Male	591	13	5	3	21	22	31	38	79	155	148	76	-
Female	511	18	4	2	3	11	24	19	52	122	148	108	-
White	990	23	7	4	22	30	47	51	117	246	276	167	-
Male	534	9	4	2	19	20	27	33	73	144	136	67	-
Female	456	14	3	2	3	10	20	18	44	102	140	100	-
All other	112	8	2	1	2	3	8	6	14	31	20	17	-
Male	57	4	1	1	2	2	4	5	6	11	12	9	-
Female	55	4	1	-	1	1	4	1	8	20	8	8	-
Black	58	1	1	-	-	2	2	2	6	17	14	13	-
Male	26	1	1	-	-	1	2	1	1	4	9	6	-
Female	32	-	-	-	-	1	-	1	5	13	5	7	-
Miami-Hialeah, FL, PMSA	18,424	245	45	68	258	663	1,022	1,183	1,976	3,442	4,955	4,556	11
Male	9,784	149	21	38	203	497	720	807	1,263	2,009	2,385	1,684	8
Female	8,640	96	24	30	55	166	302	376	713	1,433	2,570	2,872	3
White	15,201	118	21	36	150	361	579	811	1,462	2,868	4,474	4,311	10
Male	7,897	72	11	23	116	297	427	559	938	1,692	2,161	1,594	7
Female	7,304	46	10	13	34	64	152	252	524	1,176	2,313	2,717	3
All other	3,223	127	24	32	108	302	443	372	514	574	481	245	1
Male	1,887	77	10	15	87	200	293	248	325	317	224	90	1
Female	1,336	50	14	17	21	102	150	124	189	257	257	155	-
Black	3,155	125	24	31	105	297	438	366	505	557	472	234	1
Male	1,840	75	10	15	84	197	291	244	318	308	215	82	1
Female	1,315	50	14	16	21	100	147	122	187	249	257	152	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 153

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 28 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Middlesex-Somerset-Hunterdon, NJ, PMSA	7,631	101	16	19	73	194	335	454	893	1,897	2,110	1,539	-
Male	3,861	55	5	12	54	123	245	279	526	1,103	996	463	-
Female	3,770	46	11	7	19	71	90	175	367	794	1,114	1,076	-
White	7,104	67	10	14	62	153	275	377	824	1,789	2,035	1,498	-
Male	3,559	38	1	11	44	97	196	229	489	1,045	962	447	-
Female	3,545	29	9	3	18	56	79	148	335	744	1,073	1,051	-
All other	527	34	6	5	11	41	60	77	69	108	75	41	-
Male	302	17	4	1	10	26	49	50	37	58	34	16	-
Female	225	17	2	4	1	15	11	27	32	50	41	25	-
Black	428	30	6	3	10	37	56	59	50	83	60	32	-
Male	245	14	4	1	9	24	45	39	27	43	27	12	-
Female	181	16	2	2	1	13	11	20	23	40	33	20	-
Midland, TX, MSA	678	26	4	3	19	18	27	36	103	158	164	120	-
Male	376	15	2	2	16	13	20	22	63	98	79	46	-
Female	302	11	2	1	3	5	7	14	40	60	85	74	-
White	602	18	4	3	17	16	19	28	91	144	150	112	-
Male	332	10	2	2	14	12	14	17	57	89	74	41	-
Female	270	8	2	1	3	4	5	11	34	55	76	71	-
All other	76	8	-	-	2	2	8	8	12	14	14	8	-
Male	44	5	-	-	2	1	6	5	6	9	5	5	-
Female	32	3	-	-	-	1	2	3	6	5	9	3	-
Black	73	8	-	-	2	2	8	8	11	14	12	8	-
Male	42	5	-	-	2	1	6	5	5	9	4	5	-
Female	31	3	-	-	-	1	2	3	6	5	8	3	-
Milwaukee, WI, PMSA	11,879	182	33	48	151	262	394	619	1,182	2,427	3,474	3,207	-
Male	5,894	94	18	27	119	190	265	373	738	1,387	1,624	1,059	-
Female	6,085	88	15	21	32	72	129	246	444	1,040	1,850	2,148	-
White	10,754	102	19	28	77	172	283	474	1,010	2,201	3,276	3,112	-
Male	5,194	54	10	17	58	124	200	281	641	1,251	1,530	1,028	-
Female	5,560	48	9	11	19	48	83	193	369	950	1,746	2,084	-
All other	1,225	80	14	20	74	90	111	145	172	226	198	95	-
Male	700	40	8	10	61	66	65	92	97	136	94	31	-
Female	525	40	6	10	13	24	46	53	75	90	104	64	-
Black	1,153	76	13	19	71	87	99	137	162	214	184	91	-
Male	653	37	7	9	58	64	57	87	91	130	86	27	-
Female	500	39	6	10	13	23	42	50	71	84	98	64	-
Minneapolis-St. Paul, MN-WI, MSA	16,466	277	54	67	223	369	633	893	1,644	3,210	4,514	4,582	-
Male	8,032	160	32	49	158	259	441	545	1,039	1,833	2,136	1,380	-
Female	8,434	117	22	18	65	110	192	348	605	1,377	2,378	3,202	-
White	15,742	204	46	55	187	305	563	812	1,548	3,071	4,420	4,531	-
Male	7,625	124	26	39	133	218	398	497	987	1,762	2,085	1,356	-
Female	8,117	80	20	16	54	87	165	315	561	1,309	2,335	3,175	-
All other	724	73	8	12	36	64	70	81	96	139	94	51	-
Male	407	36	6	10	25	41	43	48	52	71	51	24	-
Female	317	37	2	2	11	23	27	33	44	68	43	27	-
Black	471	50	4	3	25	36	48	52	60	91	64	38	-
Male	269	25	3	2	18	27	29	35	33	43	35	19	-
Female	202	25	1	1	7	9	19	17	27	48	29	19	-
Mobile, AL, MSA	4,325	99	14	17	92	129	218	264	535	949	1,216	792	-
Male	2,299	62	7	10	75	92	153	154	343	554	572	277	-
Female	2,026	37	7	7	17	37	65	110	192	395	644	515	-
White	3,040	38	7	12	48	67	115	172	352	703	942	584	-
Male	1,605	24	5	8	43	46	83	97	237	416	450	196	-
Female	1,435	14	2	4	5	21	32	75	115	287	492	388	-
All other	1,285	61	7	5	44	62	103	92	183	246	274	208	-
Male	694	38	2	2	32	46	70	57	106	138	122	81	-
Female	591	23	5	3	12	16	33	35	77	108	152	127	-
Black	1,271	61	7	5	44	58	102	92	179	244	273	206	-
Male	683	38	2	2	32	42	69	57	104	136	121	80	-
Female	588	23	5	3	12	16	33	35	75	108	152	126	-
Modesto, CA, MSA	2,931	70	17	20	62	83	131	172	305	637	840	594	-
Male	1,480	35	15	9	47	64	77	103	177	351	386	216	-
Female	1,451	35	2	11	15	19	54	69	128	286	454	378	-
White	2,826	61	15	19	61	78	121	159	293	614	825	580	-
Male	1,416	29	14	9	46	61	71	97	170	337	374	208	-
Female	1,410	32	1	10	15	17	50	62	123	277	451	372	-
All other	105	9	2	1	1	5	10	13	12	23	15	14	-
Male	64	6	1	-	1	3	6	6	7	14	12	8	-
Female	41	3	1	1	-	2	4	7	5	9	3	6	-
Black	46	3	2	-	1	2	4	6	5	12	3	8	-
Male	28	1	1	-	1	1	4	2	2	8	3	5	-
Female	18	2	1	-	-	1	-	4	3	4	-	3	-
Monmouth-Ocean, NJ, PMSA	10,834	94	20	24	68	175	348	465	965	2,491	3,549	2,633	2
Male	5,452	46	9	18	50	113	238	306	571	1,384	1,814	902	1
Female	5,382	48	11	6	18	62	110	159	394	1,107	1,735	1,731	1
White	10,245	63	17	20	61	141	291	412	872	2,371	3,430	2,565	2
Male	5,144	32	8	16	47	94	195	267	512	1,328	1,769	875	1
Female	5,101	31	9	4	14	47	96	145	360	1,043	1,661	1,690	1
All other	589	31	3	4	7	34	57	53	93	120	119	68	-
Male	308	14	1	2	3	19	43	39	59	56	45	27	-
Female	281	17	2	2	4	15	14	14	34	64	74	41	-
Black	553	28	3	4	7	33	56	51	87	114	109	61	-
Male	290	12	1	2	3	19	42	38	54	53	43	23	-
Female	263	16	2	2	4	14	14	13	33	61	66	38	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 154

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 29 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Monroe, LA, MSA	1,272	22	7	6	31	35	69	89	148	269	347	249	-
Male	686	10	5	4	19	28	46	51	103	146	175	99	-
Female	586	12	2	2	12	7	23	38	45	123	172	150	-
White	855	12	2	2	12	7	23	38	45	123	172	150	-
Male	459	6	1	1	7	7	11	16	23	38	58	127	71
Female	397	6	1	1	5	0	12	22	22	85	114	123	-
All other	417	10	5	3	16	14	34	37	61	82	99	65	-
Male	228	4	5	2	11	9	22	17	39	47	44	28	-
Female	189	6	1	1	5	5	12	20	22	35	45	37	-
Black	417	10	6	3	16	14	34	37	61	82	99	65	-
Male	228	4	5	2	11	9	22	17	39	47	44	28	-
Female	189	6	1	1	5	5	12	20	22	35	45	37	-
Montgomery, AL, MSA	2,624	64	16	10	50	68	122	180	316	551	730	517	-
Male	1,312	31	11	6	41	50	80	112	194	328	314	147	-
Female	1,312	33	5	4	9	18	42	68	122	225	416	370	-
White	1,654	22	7	4	26	27	63	101	193	351	494	367	-
Male	842	9	4	2	23	21	46	66	130	215	223	163	-
Female	812	13	3	1	3	6	17	35	63	136	271	204	-
All other	970	42	9	7	24	41	59	79	123	200	236	150	-
Male	470	22	7	4	18	29	34	46	64	111	91	44	-
Female	500	20	2	3	6	12	25	33	59	89	145	106	-
Black	967	42	9	6	24	41	59	79	123	188	236	150	-
Male	467	22	7	3	18	29	34	46	64	109	91	44	-
Female	500	20	2	3	6	12	25	33	59	89	145	106	-
Muncie, IN, MSA	1,054	11	5	5	17	16	28	68	125	231	309	239	-
Male	524	8	2	2	12	12	18	41	74	127	151	77	-
Female	530	3	3	3	5	4	10	27	51	104	158	162	-
White	984	8	5	5	13	14	25	62	116	218	292	226	-
Male	488	6	2	2	9	11	15	36	69	119	145	74	-
Female	496	2	3	3	4	3	10	26	47	99	147	152	-
All other	70	3	-	-	4	2	3	6	9	13	17	13	-
Male	36	2	-	-	3	1	3	5	5	8	6	3	-
Female	34	1	-	-	1	1	0	1	4	5	11	10	-
Black	69	3	-	-	4	2	3	5	9	13	17	13	-
Male	36	2	-	-	3	1	3	5	8	8	6	3	-
Female	33	1	-	-	1	1	-	-	4	5	11	10	-
Muskegon, MI, MSA	1,435	23	4	11	15	28	53	82	171	343	385	320	-
Male	728	12	2	4	14	16	35	44	98	201	199	103	-
Female	707	11	2	7	1	12	18	38	73	142	186	217	-
White	1,247	12	2	8	12	19	43	70	137	304	343	297	-
Male	630	7	1	3	11	12	29	39	83	173	179	83	-
Female	617	5	1	5	1	7	14	31	54	131	164	204	-
All other	188	11	2	3	3	9	10	12	34	39	42	23	-
Male	98	5	1	1	3	4	6	5	15	28	20	10	-
Female	90	6	1	2	-	5	4	7	19	11	22	13	-
Black	179	11	1	3	3	8	9	11	30	38	42	23	-
Male	91	5	1	1	3	3	3	4	12	27	20	10	-
Female	88	6	-	2	-	5	4	7	18	11	22	13	-
Naples, FL, MSA	1,611	23	5	6	22	32	44	79	156	385	515	344	-
Male	916	15	2	6	16	25	29	55	106	229	288	145	-
Female	695	8	3	-	6	7	15	24	50	156	227	199	-
White	1,544	16	4	6	22	26	37	65	144	370	511	343	-
Male	870	11	1	6	16	20	24	43	97	221	287	144	-
Female	674	5	3	-	6	6	13	22	47	149	224	199	-
All other	67	7	1	-	6	6	7	14	12	15	4	1	-
Male	46	4	1	-	5	5	12	9	8	1	1	-	-
Female	21	3	-	-	1	2	3	7	3	7	3	-	-
Black	62	7	1	-	5	7	13	12	12	4	1	-	-
Male	43	4	1	-	4	5	11	9	7	1	1	-	-
Female	19	3	-	-	1	2	2	3	5	3	-	-	-
Nashville, TN, MSA	8,245	135	28	34	138	241	356	554	1,023	1,793	2,193	1,750	-
Male	4,237	77	11	17	100	168	255	363	644	1,023	1,029	550	-
Female	4,008	58	17	17	38	73	101	191	379	770	1,164	1,200	-
White	6,712	76	19	26	97	176	274	417	790	1,480	1,857	1,500	-
Male	3,422	46	8	13	67	123	200	273	504	865	869	454	-
Female	3,290	30	11	13	30	53	74	144	286	615	988	1,046	-
All other	1,533	59	9	8	41	65	82	137	233	313	336	250	-
Male	815	31	3	4	33	45	55	90	140	158	160	96	-
Female	718	28	6	4	8	20	27	47	93	155	176	154	-
Black	1,508	58	9	8	40	65	81	132	229	304	334	248	-
Male	802	31	3	4	33	45	55	86	137	153	160	95	-
Female	706	27	6	4	7	20	26	46	92	151	174	153	-
Nassau-Suffolk, NY, PMSA	22,080	259	38	54	237	501	868	1,306	2,570	4,961	6,024	5,250	12
Male	10,840	137	19	31	169	357	586	786	1,521	2,823	2,834	1,587	10
Female	11,240	122	19	23	68	144	282	520	1,049	2,138	3,190	3,663	2
White	20,457	173	31	42	187	391	687	1,100	2,288	4,677	5,771	5,089	11
Male	10,001	88	16	25	133	291	467	678	1,362	2,681	2,729	1,521	10
Female	10,456	85	15	17	54	100	220	422	926	1,996	3,042	3,578	1
All other	1,623	86	7	12	50	110	181	206	282	284	253	151	1
Male	839	49	3	6	36	66	119	108	159	142	105	46	-
Female	784	37	4	6	14	44	62	98	123	142	148	105	1
Black	1,502	79	6	11	46	100	176	193	257	261	234	138	1
Male	772	44	3	6	33	59	115	103	148	127	94	40	-
Female	730	35	3	5	13	41	61	90	109	134	140	98	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 155

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 30 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New Bedford-Fall River-Attleboro, MA, NECMA	4,778	58	7	7	55	110	166	250	433	1,065	1,475	1,152	-
Male	2,335	35	4	5	42	76	109	150	262	597	704	351	-
Female	2,443	23	3	2	13	34	57	100	171	468	771	801	-
White	4,652	53	7	7	49	98	153	241	413	1,038	1,455	1,138	-
Male	2,265	33	4	5	36	69	100	143	251	582	695	347	-
Female	2,387	20	3	2	13	29	53	98	162	456	760	791	-
All other	126	5	-	-	6	7	13	9	20	27	20	14	-
Male	70	2	-	-	6	7	13	9	11	15	9	4	-
Female	56	3	-	-	-	5	4	2	9	12	11	10	-
Black	111	2	-	-	5	11	10	8	16	27	19	13	-
Male	60	-	-	-	5	6	7	6	9	15	8	4	-
Female	51	2	-	-	-	5	3	2	7	12	11	9	-
New Haven-Waterbury-Meriden, CT, NECMA	7,533	98	16	17	102	182	280	348	724	1,622	2,217	1,927	-
Male	3,729	57	12	13	78	123	208	213	422	891	1,107	605	-
Female	3,804	41	4	4	24	59	72	135	302	731	1,110	1,322	-
White	6,847	61	10	13	72	129	200	288	629	1,483	2,105	1,857	-
Male	3,336	36	9	10	54	91	150	174	362	813	1,052	585	-
Female	3,511	25	1	3	18	38	50	114	267	670	1,053	1,272	-
All other	686	37	6	4	30	53	80	60	95	139	112	70	-
Male	393	21	3	3	24	32	58	39	60	78	55	20	-
Female	293	16	3	1	6	21	22	21	35	61	57	50	-
Black	672	36	6	4	30	51	79	59	93	137	109	68	-
Male	382	20	3	3	24	30	57	38	58	78	53	18	-
Female	290	16	3	1	6	21	22	21	35	59	56	50	-
New London-Norwich, CT, NECMA	1,940	30	3	3	17	41	69	102	206	443	572	454	-
Male	968	19	1	3	10	30	48	65	126	256	270	140	-
Female	972	11	2	-	7	11	21	37	80	187	302	314	-
White	1,865	28	3	2	15	34	58	94	197	423	564	447	-
Male	924	18	1	2	8	26	41	58	122	245	267	136	-
Female	941	10	2	-	7	8	17	36	75	178	297	311	-
All other	75	2	-	-	2	4	7	8	9	20	8	7	-
Male	44	1	-	-	1	4	7	7	4	11	3	4	-
Female	31	1	-	-	-	3	4	1	5	9	5	3	-
Black	69	2	-	1	2	7	11	8	8	20	6	4	-
Male	42	1	-	1	2	4	7	7	4	11	2	3	-
Female	27	1	-	-	-	3	4	1	4	9	4	1	-
New Orleans, LA, MSA	11,385	205	54	68	296	469	646	846	1,426	2,597	2,732	2,046	-
Male	6,003	112	26	39	244	365	455	515	864	1,495	1,257	631	-
Female	5,382	93	28	29	52	104	191	331	562	1,102	1,475	1,415	-
White	7,993	77	17	25	100	201	303	454	854	1,716	2,000	1,562	-
Male	3,749	42	8	16	74	161	230	295	556	996	910	461	-
Female	4,244	35	9	9	26	40	73	159	298	720	1,090	1,101	-
All other	4,076	128	37	43	196	268	343	392	572	881	732	484	-
Male	2,254	70	18	23	170	204	225	220	308	499	347	170	-
Female	1,822	58	19	20	26	64	118	172	264	382	385	314	-
Black	4,029	127	36	40	196	262	336	388	564	875	725	480	-
Male	2,222	69	17	22	170	198	220	216	302	495	344	169	-
Female	1,807	58	19	18	26	64	116	172	262	380	381	311	-
New York, NY, PMSA	81,347	1,460	260	235	1,380	3,827	6,391	6,127	9,065	15,187	19,844	17,569	2
Male	41,839	819	142	151	1,103	2,746	4,652	4,053	5,359	8,185	9,061	5,566	2
Female	39,508	641	118	84	277	1,081	1,739	2,074	3,706	7,002	10,783	12,003	4
White	59,801	722	125	120	722	2,190	3,631	3,673	5,890	11,011	16,408	15,307	2
Male	30,217	409	78	84	574	1,616	2,795	2,499	3,603	6,086	7,546	4,925	2
Female	29,584	313	47	36	148	574	836	1,174	2,287	4,925	8,862	10,382	-
All other	21,546	738	135	115	658	1,637	2,760	2,454	3,175	4,176	3,436	2,262	-
Male	11,622	410	64	67	529	1,130	1,857	1,554	2,099	2,959	1,515	641	-
Female	9,924	328	71	48	129	507	903	900	1,419	2,077	1,921	1,621	-
Black	20,009	696	127	108	620	1,562	2,639	2,308	2,946	3,817	3,120	2,066	-
Male	10,716	387	60	62	502	1,086	1,777	1,453	1,609	1,881	1,345	554	-
Female	9,293	309	67	46	118	476	862	855	1,337	1,936	1,775	1,512	-
Newark, NJ, PMSA	16,597	285	43	48	203	600	1,036	1,088	1,855	3,470	4,414	3,548	7
Male	8,399	164	20	33	159	410	689	685	1,107	1,937	2,056	1,126	3
Female	8,198	121	23	15	44	190	337	403	748	1,533	2,358	2,422	4
White	12,305	105	21	23	97	255	432	558	1,180	2,687	3,757	3,185	5
Male	6,001	63	9	15	78	193	296	350	715	1,494	1,754	1,032	2
Female	6,304	42	12	8	19	62	136	208	465	1,193	2,003	2,153	3
All other	4,292	180	22	25	106	345	604	530	675	783	657	363	2
Male	2,398	101	11	18	81	217	403	335	392	443	302	94	1
Female	1,894	79	11	7	25	128	201	195	283	340	355	269	-
Black	4,182	173	20	25	104	340	596	514	661	769	631	357	2
Male	2,344	95	9	18	79	215	400	326	385	431	292	93	1
Female	1,838	78	11	7	25	125	196	188	276	328	339	264	1
Niagara Falls, NY, PMSA	2,240	19	6	6	19	44	68	112	272	513	676	504	1
Male	1,098	10	4	4	11	20	47	74	167	267	333	160	1
Female	1,142	9	2	2	8	24	21	38	105	246	343	344	-
White	2,122	13	4	6	14	36	58	102	247	493	654	494	1
Male	1,026	8	2	4	9	17	38	67	150	253	322	157	1
Female	1,094	5	2	2	5	19	20	35	97	240	332	337	-
All other	118	6	2	-	5	8	10	10	25	20	22	10	-
Male	70	2	2	-	2	3	9	7	17	14	11	3	-
Female	48	4	-	-	3	5	1	3	8	6	11	7	-
Black	102	6	2	-	4	7	10	8	20	18	20	7	-
Male	59	2	2	-	2	2	9	5	13	13	10	1	-
Female	43	4	-	-	2	5	1	3	7	5	10	6	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 156

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 31 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Norfolk-Virginia Beach-Newport News, VA, MSA	10,191	313	46	32	206	304	538	687	1,268	2,549	2,542	1,701	5
Male	5,261	171	22	21	167	229	365	428	737	1,430	1,191	498	2
Female	4,930	142	24	11	39	75	173	259	531	1,119	1,351	1,203	3
White	6,613	129	21	19	95	151	285	399	789	1,618	1,819	1,287	1
Male	3,324	73	10	13	71	119	192	252	474	914	846	359	1
Female	3,289	56	11	6	24	32	93	147	315	704	973	928	-
All other	3,578	184	25	13	111	153	253	288	479	931	723	414	4
Male	1,937	98	12	8	96	110	173	176	263	516	345	139	1
Female	1,641	86	13	5	15	43	80	112	216	415	378	275	3
Black	3,496	181	24	13	109	150	246	281	464	916	700	408	4
Male	1,888	96	8	8	95	107	170	173	253	508	328	137	1
Female	1,608	85	12	5	14	43	76	108	211	408	372	271	3
Oakland, CA, PMSA	15,178	251	43	49	270	482	890	1,028	1,593	3,198	4,064	3,304	6
Male	7,839	153	21	35	220	370	638	654	942	1,728	1,976	1,099	3
Female	7,339	98	22	14	50	112	252	374	651	1,470	2,088	2,205	3
White	11,480	138	23	30	144	281	543	673	1,143	2,387	3,273	2,842	3
Male	5,732	83	11	23	116	227	409	435	668	1,288	1,550	921	1
Female	5,748	55	12	7	28	54	134	238	475	1,099	1,723	1,921	2
All other	3,698	113	20	19	126	201	347	355	450	811	791	462	3
Male	2,107	70	10	12	104	143	229	219	274	440	426	178	2
Female	1,591	43	10	7	22	58	118	136	176	371	365	284	1
Black	2,727	84	17	13	104	169	296	275	327	592	547	300	3
Male	1,560	52	8	8	88	125	197	174	196	321	280	109	2
Female	1,167	32	9	5	16	44	99	101	131	271	267	191	1
Ocala, FL, MSA	2,355	15	5	3	36	38	71	104	278	715	662	427	1
Male	1,352	8	2	2	30	30	48	62	175	442	387	165	1
Female	1,003	7	3	1	6	8	23	42	103	273	275	262	-
White	2,119	9	4	3	24	35	56	95	243	654	604	391	1
Male	1,230	7	2	2	20	29	37	59	158	409	358	149	1
Female	889	2	2	1	4	6	19	37	85	245	246	242	-
All other	236	6	1	-	12	3	15	9	35	61	58	36	-
Male	122	1	-	-	10	1	11	4	17	33	29	16	-
Female	114	5	1	-	2	2	4	5	18	28	29	20	-
Black	233	5	1	-	12	3	15	9	34	61	57	36	-
Male	120	1	-	-	10	1	11	4	17	33	28	16	-
Female	113	5	1	-	2	2	4	5	17	28	29	20	-
Odessa, TX, MSA	864	21	7	5	29	24	44	58	118	198	218	142	-
Male	472	14	5	5	19	16	29	30	65	121	121	47	-
Female	392	7	2	-	10	8	15	28	53	77	97	95	-
White	735	18	7	4	24	20	37	50	104	186	207	138	-
Male	432	12	5	4	14	15	23	27	57	113	116	46	-
Female	303	6	2	-	10	5	14	23	47	73	91	92	-
All other	69	3	-	1	5	4	7	8	14	12	11	4	-
Male	40	2	-	-	5	1	6	3	8	8	5	1	-
Female	29	1	-	1	5	1	6	3	8	8	6	3	-
Black	67	3	-	-	5	4	6	8	14	12	10	4	-
Male	39	2	-	1	5	1	5	3	8	8	4	1	-
Female	29	1	-	-	-	3	1	5	6	4	6	3	-
Oklahoma City, OK, MSA	8,066	152	26	27	128	224	357	507	968	1,759	2,100	1,814	10
Male	4,045	91	8	21	94	173	241	312	579	953	989	577	7
Female	4,021	61	18	6	34	51	116	195	389	800	1,111	1,237	3
White	7,161	110	16	20	103	171	292	422	845	1,560	1,916	1,688	8
Male	3,564	65	6	15	74	133	204	263	510	850	898	540	6
Female	3,597	45	10	5	29	38	88	159	335	710	1,018	1,158	2
All other	905	42	10	7	25	53	65	85	123	193	181	116	2
Male	481	26	2	6	20	40	37	49	69	103	91	37	1
Female	424	16	8	1	5	13	28	36	54	90	93	79	1
Black	729	36	8	4	17	34	53	58	101	162	152	102	2
Male	380	22	2	3	13	24	28	33	58	90	72	34	1
Female	349	14	6	1	4	10	25	25	43	72	80	68	1
Olympia, WA, MSA	1,221	9	5	6	25	21	46	75	147	276	342	269	-
Male	631	4	4	3	19	14	31	51	100	164	165	76	-
Female	590	5	1	3	6	7	15	24	47	112	177	193	-
White	1,191	9	5	5	22	19	44	72	144	267	338	286	-
Male	612	4	4	3	16	12	29	49	99	158	183	75	-
Female	579	5	1	2	6	7	15	23	45	109	175	191	-
All other	30	-	-	1	3	2	2	3	3	9	4	3	-
Male	19	-	-	-	3	2	2	2	1	6	2	1	-
Female	11	-	-	1	-	-	-	1	2	3	2	2	-
Black	5	-	-	-	-	-	-	1	1	1	1	1	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-
Omaha, NE-IA, MSA	4,701	83	11	13	67	100	167	264	538	1,045	1,296	1,117	-
Male	2,353	49	8	7	41	71	108	165	327	594	644	339	-
Female	2,348	34	3	6	26	29	59	99	211	451	652	778	-
White	4,291	58	9	11	57	88	135	223	467	963	1,212	1,088	-
Male	2,141	31	6	6	35	62	91	138	290	557	606	319	-
Female	2,150	27	3	5	22	26	44	85	177	406	606	749	-
All other	410	25	2	2	10	12	32	41	71	82	84	49	-
Male	212	18	2	1	8	9	17	27	37	37	38	20	-
Female	198	7	-	1	4	3	15	14	34	45	46	29	-
Black	389	25	2	2	9	11	30	39	65	78	82	46	-
Male	202	18	2	1	5	8	17	26	35	35	37	18	-
Female	187	7	-	1	4	3	13	13	30	43	45	28	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 157

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 32 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Orange County, NY, PMSA	2,370	42	5	6	32	52	87	143	256	508	702	537	-
Male	1,137	21	2	2	19	39	48	91	140	295	325	155	-
Female	1,233	21	3	4	13	13	39	52	116	213	377	382	-
White	2,237	36	4	5	25	42	76	121	237	477	684	530	-
Male	1,061	18	2	2	15	34	41	76	130	274	314	155	-
Female	1,176	18	2	3	10	8	35	45	107	203	370	375	-
All other	133	6	1	1	7	10	11	22	19	31	18	7	-
Male	76	3	-	-	4	5	7	15	10	21	11	-	-
Female	57	3	1	1	3	5	4	7	9	10	7	7	-
Black	130	5	1	1	7	10	11	22	19	30	18	6	-
Male	75	3	-	-	4	5	7	15	10	20	11	-	-
Female	55	2	1	1	3	5	4	7	9	10	7	6	-
Orlando, FL, MSA	8,033	146	34	39	118	246	401	546	952	1,828	2,039	1,684	-
Male	4,205	76	17	20	87	186	279	359	569	1,051	1,004	557	-
Female	3,828	70	17	19	31	60	122	187	383	777	1,035	1,127	-
White	7,022	92	21	27	82	196	306	458	812	1,614	1,855	1,559	-
Male	3,664	46	10	11	63	156	222	303	487	938	910	518	-
Female	3,358	46	11	16	19	40	84	155	325	676	945	1,041	-
All other	1,011	54	13	12	36	50	95	88	140	214	184	125	-
Male	541	30	7	9	24	30	57	56	82	113	94	39	-
Female	470	24	6	3	12	20	38	32	58	101	90	86	-
Black	962	53	13	12	33	48	88	79	137	204	177	118	-
Male	515	30	7	9	23	28	54	52	79	110	88	35	-
Female	447	23	6	3	10	20	34	27	58	94	89	83	-
Owensboro, KY, MSA	830	12	2	3	10	15	28	46	97	181	260	176	-
Male	432	7	1	1	5	10	18	30	58	121	125	56	-
Female	398	5	1	2	5	5	10	16	39	60	135	120	-
White	793	12	1	3	10	15	27	44	94	170	245	172	-
Male	413	7	-	1	5	10	17	28	56	116	118	55	-
Female	380	5	1	2	5	5	10	16	38	54	127	117	-
All other	37	-	-	-	-	-	-	1	2	3	11	4	-
Male	19	-	1	-	-	-	-	1	2	5	7	1	-
Female	18	-	-	-	-	-	-	-	1	6	8	3	-
Black	36	-	1	-	-	-	-	1	2	11	15	4	-
Male	19	-	1	-	-	-	-	1	2	5	7	1	-
Female	17	-	-	-	-	-	-	-	-	6	8	3	-
Oxnard-Ventura, CA, PMSA	3,900	73	11	14	66	122	196	243	418	805	1,090	861	1
Male	2,013	42	5	10	56	98	132	168	246	437	534	285	-
Female	1,887	31	6	4	10	24	64	75	172	368	556	576	1
White	3,718	66	11	12	60	119	187	221	385	781	1,050	845	1
Male	1,900	37	5	9	51	95	126	154	228	410	510	275	-
Female	1,818	29	6	3	9	24	61	67	157	351	540	570	1
All other	182	7	-	2	6	3	9	22	33	44	40	16	-
Male	113	5	-	1	5	3	6	14	18	27	24	10	-
Female	69	2	-	1	1	-	3	8	15	17	16	6	-
Black	65	5	-	1	2	1	4	9	9	16	13	5	-
Male	40	4	-	-	2	1	2	6	6	9	9	1	-
Female	25	1	-	1	-	-	2	3	3	7	4	4	-
Panama City, FL, MSA	1,097	26	5	1	16	31	43	76	153	279	273	194	-
Male	564	16	3	-	8	23	24	46	92	158	145	49	-
Female	533	10	2	1	8	8	19	30	61	121	128	145	-
White	958	11	3	-	15	28	34	67	136	248	245	171	-
Male	495	7	1	-	7	21	18	42	85	142	128	44	-
Female	463	4	2	-	8	7	16	25	51	106	117	127	-
All other	139	15	2	1	1	3	9	9	17	31	28	23	-
Male	69	9	2	-	1	2	6	4	7	16	17	5	-
Female	70	8	-	1	-	1	3	5	10	15	11	18	-
Black	125	15	1	1	1	3	9	8	15	31	28	23	-
Male	67	9	1	-	1	2	6	4	6	16	17	5	-
Female	68	6	-	1	-	1	3	4	9	15	11	18	-
Parkersburg-Marietta, WV-OH, MSA	1,476	22	2	3	15	20	28	67	149	349	431	390	-
Male	696	12	2	1	11	12	18	46	78	201	203	112	-
Female	780	10	-	2	4	8	10	21	71	148	228	278	-
White	1,468	22	2	3	14	19	28	67	146	348	428	389	-
Male	688	12	2	1	10	11	18	46	75	200	202	111	-
Female	778	10	-	2	4	8	10	21	71	148	226	278	-
All other	10	-	-	-	1	1	-	-	3	1	3	1	-
Male	8	-	-	-	1	1	-	-	3	1	1	1	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Black	7	-	-	-	1	-	-	-	3	-	2	1	-
Male	5	-	-	-	1	-	-	-	3	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	2	-	-
Pascagoula, MS, MSA	869	28	3	3	14	33	37	54	127	220	225	125	-
Male	471	18	1	3	9	27	24	32	73	140	108	36	-
Female	398	10	2	-	5	6	13	22	54	80	117	89	-
White	703	15	2	2	8	22	28	38	101	188	190	109	-
Male	373	8	1	2	4	18	16	24	61	123	87	29	-
Female	330	7	1	-	4	4	12	14	40	65	103	80	-
All other	166	13	1	1	6	11	9	16	26	32	35	16	-
Male	98	10	-	1	5	9	8	8	12	17	21	7	-
Female	68	3	1	-	1	2	1	8	14	15	14	9	-
Black	162	12	1	1	6	10	9	16	26	31	35	15	-
Male	96	9	-	1	5	8	8	8	12	17	21	7	-
Female	66	3	1	-	1	2	1	8	14	14	14	8	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 158

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 33 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Pensacola, FL, MSA	2,904	65	10	11	44	84	144	192	392	722	752	488	-
Male	1,540	36	5	5	33	60	99	127	252	416	360	147	-
Female	1,364	29	5	6	11	24	45	65	140	306	392	341	-
White	2,357	40	5	10	30	67	96	145	304	606	631	423	-
Male	1,251	27	2	5	23	51	67	99	193	353	307	124	-
Female	1,106	13	3	5	7	16	29	46	111	253	324	299	-
All other	547	25	5	1	14	17	48	47	88	116	121	65	-
Male	289	9	3	-	10	9	32	28	59	63	53	23	-
Female	258	16	2	1	4	8	16	19	29	53	68	42	-
Black	533	25	5	1	13	16	48	45	83	114	118	65	-
Male	282	9	3	-	9	8	32	27	57	61	53	23	-
Female	251	16	2	1	4	8	16	18	26	53	65	42	-
Peoria, IL, MSA	3,075	42	9	7	40	47	98	162	324	677	897	772	-
Male	1,545	27	5	5	29	39	58	87	199	393	459	244	-
Female	1,530	15	4	2	11	8	40	75	125	284	438	528	-
White	2,890	31	4	5	27	38	88	145	292	638	868	754	-
Male	1,445	19	2	3	19	32	55	77	179	372	450	237	-
Female	1,445	12	2	2	8	6	33	68	113	266	418	517	-
All other	185	11	5	2	13	9	10	17	32	39	29	18	-
Male	100	8	3	2	10	7	3	10	20	21	9	7	-
Female	85	3	2	-	3	2	7	7	12	18	20	11	-
Black	183	11	5	2	12	9	10	17	32	38	29	18	-
Male	99	8	3	2	10	7	3	10	20	20	9	7	-
Female	84	3	2	-	2	2	7	7	12	18	20	11	-
Philadelphia, PA-NJ, PMSA	47,263	801	144	130	644	1,348	1,868	2,696	5,337	11,088	13,137	10,084	6
Male	23,364	430	88	88	502	986	1,282	1,621	3,189	6,112	5,995	3,068	3
Female	23,899	371	56	42	142	362	586	1,075	2,148	4,956	7,142	7,016	3
White	37,025	376	77	64	344	762	1,085	1,730	3,810	8,730	11,160	8,883	4
Male	17,971	210	51	43	253	566	778	1,051	2,354	4,878	5,134	2,651	2
Female	19,054	166	26	21	91	196	307	679	1,456	3,852	6,026	6,232	2
All other	10,238	425	67	66	300	586	783	966	1,527	2,338	1,977	1,201	2
Male	5,393	220	37	45	249	420	504	570	835	1,234	861	417	1
Female	4,845	205	30	21	51	166	279	396	692	1,104	1,116	784	1
Black	9,954	412	64	59	290	568	768	933	1,484	2,289	1,913	1,172	2
Male	5,237	214	34	40	242	409	497	552	813	1,208	825	402	1
Female	4,717	198	30	19	48	159	271	381	671	1,081	1,088	770	1
Phoenix, AZ, MSA	17,194	349	56	73	299	537	736	920	1,771	3,765	5,058	3,624	6
Male	9,352	214	32	45	236	414	534	585	1,075	2,217	2,635	1,361	4
Female	7,842	135	24	28	63	123	202	335	696	1,548	2,423	2,263	2
White	16,346	301	46	64	247	469	644	825	1,662	3,635	4,918	3,529	6
Male	8,660	187	27	39	193	364	478	523	1,012	2,145	2,568	1,320	4
Female	7,486	114	19	25	54	105	166	302	650	1,490	2,350	2,209	2
All other	848	48	10	9	52	68	92	95	109	130	140	95	-
Male	492	27	5	6	43	50	56	62	63	72	67	41	-
Female	356	21	5	3	9	18	36	33	46	58	73	54	-
Black	538	37	3	7	27	39	55	55	61	90	99	65	-
Male	305	21	2	4	23	30	31	39	38	46	44	27	-
Female	233	16	1	3	4	9	24	16	23	44	55	38	-
Pine Bluff, AR, MSA	916	15	1	4	19	28	49	49	86	222	239	204	-
Male	480	9	-	4	15	17	33	30	48	132	117	75	-
Female	436	6	1	-	4	11	16	19	38	90	122	129	-
White	530	5	-	2	8	12	21	28	47	142	148	117	-
Male	270	4	-	2	7	8	12	16	26	85	73	37	-
Female	260	1	-	-	1	4	9	12	21	57	75	80	-
All other	386	10	1	1	11	16	28	21	39	80	91	87	-
Male	210	5	-	2	8	9	21	14	22	47	44	38	-
Female	176	5	1	2	3	7	7	7	17	33	47	49	-
Black	386	10	1	2	11	16	28	21	39	80	91	87	-
Male	210	5	-	2	8	9	21	14	22	47	44	38	-
Female	176	5	1	2	3	7	7	7	17	33	47	49	-
Pittsburgh, PA, PMSA	23,093	231	27	45	214	328	595	984	2,368	5,892	7,319	5,089	1
Male	11,395	137	23	27	163	247	404	608	1,402	3,279	3,453	1,653	1
Female	11,698	94	4	18	51	81	191	376	966	2,613	3,866	3,436	-
White	21,226	134	21	33	165	262	480	881	2,095	5,464	6,897	4,823	1
Male	10,419	87	17	20	126	196	332	536	1,254	3,043	3,261	1,546	1
Female	10,807	47	4	13	39	66	148	325	831	2,421	3,636	3,277	-
All other	1,867	97	6	12	49	66	115	123	293	428	422	266	-
Male	976	50	6	7	37	51	72	70	148	236	192	107	-
Female	891	47	-	5	12	15	43	53	145	192	230	159	-
Black	1,837	95	6	12	49	64	113	117	279	424	416	262	-
Male	951	49	6	7	37	49	71	68	145	233	191	105	-
Female	876	46	-	5	12	15	42	49	134	191	225	157	-
Pittsfield, MA, NECMA	1,438	7	1	12	6	18	41	54	143	313	468	375	-
Male	684	3	-	8	4	13	29	35	78	173	226	115	-
Female	754	4	1	4	2	5	12	19	65	140	242	260	-
White	1,421	7	1	9	6	15	39	53	142	308	467	374	-
Male	671	3	-	5	4	10	28	34	76	170	225	114	-
Female	750	4	1	4	2	5	11	19	64	138	242	260	-
All other	17	-	-	3	-	3	2	1	1	5	1	1	-
Male	13	-	-	3	-	3	1	1	-	3	1	1	-
Female	4	-	-	-	-	-	-	-	-	2	-	-	-
Black	15	-	-	3	-	3	1	1	1	4	1	1	-
Male	12	-	-	3	-	3	1	1	-	2	1	1	-
Female	3	-	-	-	-	-	-	-	1	2	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 159

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 34 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Portland, ME, NECMA	2,157	17	6	3	17	40	50	114	204	449	622	635	-
Male	1,005	7	5	1	13	31	26	68	131	230	290	203	-
Female	1,152	10	1	2	4	9	24	46	73	219	332	432	-
White	2,141	16	6	3	17	39	50	110	201	449	618	632	-
Male	994	7	5	1	13	30	26	65	128	230	288	201	-
Female	1,147	9	1	2	4	9	24	45	73	219	330	431	-
All other	16	1	-	-	-	-	-	4	3	-	4	3	-
Male	11	-	-	-	-	-	-	3	-	-	2	2	-
Female	5	-	-	-	-	-	-	1	-	-	2	1	-
Black	6	1	-	-	-	-	-	1	1	-	-	2	-
Male	4	-	-	-	-	-	-	1	1	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-
Portland, OR, PMSA	10,500	138	29	42	137	248	402	595	949	2,129	3,126	2,704	1
Male	5,258	84	21	26	101	183	290	376	569	1,219	1,487	901	1
Female	5,242	54	8	16	36	65	112	219	380	910	1,639	1,803	-
White	9,971	112	23	34	114	232	352	540	889	2,032	3,002	2,641	-
Male	4,947	69	16	21	86	172	259	343	527	1,155	1,423	876	-
Female	5,024	43	7	13	28	60	93	197	362	877	1,579	1,765	-
All other	529	26	6	8	23	16	50	55	60	97	124	63	1
Male	311	15	5	5	15	11	31	33	42	64	64	25	1
Female	218	11	1	3	8	5	19	22	18	33	60	38	-
Black	317	20	1	6	18	7	30	34	31	59	78	32	1
Male	182	12	1	4	13	5	17	18	22	40	42	7	1
Female	135	8	-	2	5	2	13	16	9	19	36	25	-
Portsmouth-Dover-Rochester, NH, NECMA	2,324	30	-	1	18	36	77	136	285	510	678	553	-
Male	1,132	16	-	1	14	26	50	80	165	304	313	163	-
Female	1,192	14	-	-	4	10	27	56	120	206	365	390	-
White	2,316	30	-	1	17	36	76	134	283	510	677	552	-
Male	1,129	16	-	1	13	26	50	79	164	304	313	163	-
Female	1,187	14	-	-	4	10	26	55	119	206	364	389	-
All other	8	-	-	-	1	-	1	2	2	-	-	1	-
Male	3	-	-	-	1	-	-	1	1	-	-	-	-
Female	5	-	-	-	-	-	1	1	1	-	-	1	-
Black	2	-	-	-	-	-	1	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	1	-	-	-	-	1	-
Poughkeepsie, NY, MSA	2,180	28	4	9	26	30	89	116	248	457	638	535	-
Male	1,098	14	2	6	17	20	62	73	145	248	325	186	-
Female	1,082	14	2	3	9	10	27	43	103	209	313	349	-
White	2,020	16	4	9	19	24	61	105	218	438	606	520	-
Male	1,008	8	2	6	12	18	42	87	127	238	307	181	-
Female	1,012	8	2	3	7	6	19	38	91	200	299	339	-
All other	160	12	-	-	7	6	28	11	30	19	32	15	-
Male	90	6	-	-	5	2	20	6	18	10	18	5	-
Female	70	6	-	-	2	4	8	5	12	9	14	10	-
Black	152	10	-	-	6	6	28	10	28	18	31	15	-
Male	84	5	-	-	4	2	20	5	16	10	17	5	-
Female	68	5	-	-	2	4	8	5	12	8	14	10	-
Providence-Pawtucket-Woonsocket, RI, NECMA	8,764	98	13	13	75	179	276	370	839	1,966	2,727	2,208	-
Male	4,265	63	9	9	57	123	188	223	483	1,148	1,313	649	-
Female	4,499	35	4	4	18	56	88	147	356	818	1,414	1,559	-
White	8,467	79	10	12	68	154	244	343	788	1,910	2,666	2,173	-
Male	4,099	49	6	8	53	106	167	206	458	1,116	1,292	638	-
Female	4,368	30	4	4	15	48	77	137	330	794	1,384	1,535	-
All other	297	19	3	1	7	25	32	27	51	56	41	35	-
Male	166	14	3	1	4	17	21	17	25	32	21	11	-
Female	131	5	-	-	3	8	11	10	26	24	20	24	-
Black	239	15	3	1	4	21	30	25	45	42	23	25	-
Male	125	11	3	1	2	13	20	17	20	21	11	6	-
Female	114	4	-	-	2	8	10	8	25	21	17	19	-
Provo-Orem, UT, MSA	1,164	33	7	11	39	30	36	51	98	209	362	287	1
Male	592	19	2	5	27	16	23	29	61	124	175	111	-
Female	572	14	5	6	12	14	13	22	37	85	187	176	1
White	1,156	31	7	11	38	30	35	51	97	209	360	286	1
Male	585	18	2	5	26	16	22	29	60	124	173	110	-
Female	571	13	5	6	12	14	13	22	37	85	187	176	1
All other	8	2	-	-	1	-	1	-	1	-	2	1	-
Male	7	1	-	-	1	-	1	-	-	-	2	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, CO, MSA	1,207	11	3	3	16	23	52	68	105	278	353	295	-
Male	647	7	1	1	10	18	33	47	66	168	184	112	-
Female	560	4	2	2	6	5	19	21	39	110	169	183	-
White	1,189	11	3	3	16	21	49	66	103	276	350	291	-
Male	640	7	1	1	10	16	32	46	65	168	183	111	-
Female	549	4	2	2	6	5	17	20	38	108	167	180	-
All other	16	-	-	-	-	2	3	2	2	2	3	4	-
Male	7	-	-	-	-	2	1	1	1	1	1	1	-
Female	11	-	-	-	-	-	2	1	1	2	2	3	-
Black	12	-	-	-	-	-	1	-	1	-	1	1	-
Male	4	-	-	-	-	-	-	-	1	-	1	1	-
Female	8	-	-	-	-	-	1	-	1	1	2	3	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 160

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.
 (Page 35 of 50)
 [Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Racine, WI, PMSA	1,422	18	1	10	23	33	41	80	157	325	415	319	-
Male	742	6	-	7	17	27	28	49	95	200	196	117	-
Female	680	12	1	3	6	6	13	31	62	125	219	202	-
White	1,307	12	1	8	18	23	32	66	138	300	396	311	-
Male	683	5	-	6	14	20	22	40	88	186	190	112	-
Female	624	7	1	2	4	3	10	26	50	114	208	199	-
All other	115	6	-	2	5	10	9	14	19	25	17	8	-
Male	59	1	-	1	3	7	6	9	7	14	6	5	-
Female	56	5	-	1	2	3	3	5	12	11	11	3	-
Black	112	6	-	2	5	9	14	19	23	17	11	8	-
Male	57	1	-	1	3	6	9	7	13	6	5	5	-
Female	55	5	-	1	2	3	5	12	10	10	6	3	-
Raleigh-Durham, NC, MSA	5,092	112	16	19	88	167	306	364	635	1,065	1,309	1,011	-
Male	2,594	67	10	15	71	122	205	242	398	606	558	300	-
Female	2,498	45	6	4	17	45	101	122	237	459	751	711	-
White	3,516	48	8	11	48	76	154	219	423	755	988	806	-
Male	1,735	31	5	7	38	56	113	147	267	423	411	237	-
Female	1,781	17	3	4	10	20	41	72	156	332	557	569	-
All other	1,576	64	8	8	40	91	152	145	212	310	341	205	-
Male	859	36	5	8	33	66	92	95	181	183	147	63	-
Female	717	28	3	-	7	25	60	50	81	127	194	142	-
Black	1,550	61	8	8	38	90	148	139	206	307	340	205	-
Male	847	35	5	8	31	65	89	95	128	181	147	63	-
Female	703	26	3	-	7	25	59	44	78	126	193	142	-
Rapid City, SD, MSA	622	12	3	2	12	19	25	33	70	118	181	147	-
Male	323	7	3	2	10	17	20	19	45	64	95	41	-
Female	299	5	-	-	2	2	5	14	25	54	86	106	-
White	579	11	2	2	10	14	24	28	64	106	173	145	-
Male	299	6	2	2	8	12	19	16	43	59	91	41	-
Female	280	5	-	-	2	2	5	12	21	47	82	104	-
All other	43	1	1	-	2	5	1	5	6	12	8	2	-
Male	24	1	1	-	2	5	1	3	2	5	4	-	-
Female	19	-	-	-	-	-	-	2	4	7	4	2	-
Black	2	-	-	-	-	1	-	-	-	-	1	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Reading, PA, MSA	3,417	41	6	6	32	55	106	142	358	769	1,044	858	-
Male	1,719	21	4	4	22	43	74	92	233	428	509	289	-
Female	1,698	20	2	2	10	12	32	50	125	341	535	569	-
White	3,340	36	5	4	29	54	98	138	339	757	1,028	852	-
Male	1,678	18	3	2	20	42	68	89	221	422	506	287	-
Female	1,662	18	2	2	9	12	30	49	118	335	522	565	-
All other	77	5	1	2	3	1	8	4	19	12	16	6	-
Male	41	3	1	2	2	1	6	3	12	6	3	2	-
Female	36	2	-	-	1	-	2	1	7	6	13	4	-
Black	71	5	-	1	3	1	8	3	19	11	14	6	-
Male	37	3	-	1	2	1	6	3	12	5	2	2	-
Female	34	2	-	-	1	-	2	-	7	6	12	4	-
Redding, CA, MSA	1,459	23	1	9	22	34	71	80	163	350	436	270	-
Male	808	13	1	7	13	27	46	51	101	197	244	108	-
Female	651	10	-	2	9	7	25	29	62	153	192	162	-
White	1,416	22	1	8	21	32	67	79	158	335	427	266	-
Male	782	13	1	6	12	25	42	50	99	189	240	105	-
Female	634	9	-	2	9	7	25	29	59	146	187	161	-
All other	43	1	-	1	1	2	4	1	5	15	9	4	-
Male	26	-	-	1	1	2	4	1	2	8	4	3	-
Female	17	1	-	-	-	-	-	-	3	7	5	1	-
Black	13	-	-	-	-	-	1	-	3	5	2	2	-
Male	8	-	-	-	-	-	1	-	2	2	1	2	-
Female	5	-	-	-	-	-	-	-	1	3	1	-	-
Reno, NV, MSA	1,998	22	6	9	29	64	114	137	276	492	510	339	-
Male	1,145	14	5	6	22	47	82	94	185	305	258	127	-
Female	853	8	1	3	7	17	32	43	91	187	252	212	-
White	1,914	17	4	7	24	60	107	127	263	477	496	332	-
Male	1,098	12	4	5	19	44	78	88	174	298	251	125	-
Female	816	5	-	2	5	16	29	39	89	179	245	207	-
All other	84	5	2	2	5	4	7	10	13	15	14	7	-
Male	47	2	1	1	3	3	4	6	11	7	7	2	-
Female	37	3	1	1	2	1	3	4	2	8	7	5	-
Black	49	4	-	2	3	3	3	2	11	7	9	5	-
Male	30	2	-	1	2	2	2	1	9	4	5	2	-
Female	19	2	-	1	1	1	1	1	2	3	4	3	-
Richland-Kennewick-Pasco, WA, MSA	999	20	3	3	16	32	40	52	115	249	304	165	-
Male	533	7	3	2	12	22	30	17	67	142	167	64	-
Female	466	13	-	1	4	10	10	35	48	107	137	101	-
White	968	16	3	3	16	31	40	51	107	237	301	163	-
Male	515	6	3	2	12	21	30	16	62	136	164	63	-
Female	453	10	-	1	4	10	10	35	45	101	137	100	-
All other	31	4	-	-	-	1	-	1	8	12	3	2	-
Male	18	1	-	-	-	1	-	1	5	6	3	1	-
Female	13	3	-	-	-	-	-	-	3	6	-	1	-
Black	24	4	-	-	-	1	-	1	4	9	3	2	-
Male	13	1	-	-	-	1	-	1	1	5	3	1	-
Female	11	3	-	-	-	-	-	-	3	4	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 161

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 36 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Richmond-Petersburg, VA, MSA	7,595	147	29	23	142	221	316	464	925	1,804	2,016	1,504	4
Male	3,812	87	13	14	113	158	223	287	567	1,021	901	427	1
Female	3,783	60	16	9	29	63	93	177	358	783	1,115	1,077	3
White	5,158	52	19	10	64	99	158	250	573	1,244	1,503	1,186	-
Male	2,507	32	10	5	50	69	119	152	364	710	676	320	-
Female	2,651	20	9	5	14	30	39	98	209	534	827	866	-
All other	2,437	95	10	13	78	122	158	214	352	560	513	318	4
Male	1,305	55	3	9	63	89	104	135	203	311	225	107	1
Female	1,132	40	7	4	15	33	54	79	149	249	288	211	3
Black	2,405	93	10	12	78	120	154	212	349	552	508	313	4
Male	1,289	55	3	9	63	88	101	134	200	309	223	103	1
Female	1,116	38	7	3	15	32	53	78	149	243	285	210	3
Riverside-San Bernardino, CA, PMSA	20,025	500	121	108	477	697	973	1,350	2,192	4,603	5,169	3,818	17
Male	10,820	275	68	62	377	510	681	867	1,317	2,666	2,651	1,333	13
Female	9,205	225	53	46	100	187	292	483	875	1,937	2,518	2,485	4
White	18,527	400	105	90	392	594	843	1,192	1,977	4,316	4,946	3,658	14
Male	10,002	213	57	51	309	446	610	763	1,212	2,501	2,551	1,278	11
Female	8,525	187	48	39	83	148	233	429	765	1,815	2,395	2,380	3
All other	1,498	100	16	18	85	103	130	158	215	287	223	160	3
Male	818	62	11	11	68	64	71	104	105	165	100	55	2
Female	680	38	5	7	17	39	59	54	110	122	123	105	1
Black	1,123	77	12	14	64	89	100	114	164	203	163	120	3
Male	606	49	7	9	49	58	55	74	80	114	70	39	2
Female	517	28	5	5	15	31	45	40	84	89	93	81	1
Roanoke, VA, MSA	2,409	26	4	2	23	50	78	121	256	558	712	579	-
Male	1,194	13	1	-	16	32	53	83	161	334	332	169	-
Female	1,215	13	3	2	7	18	25	38	95	224	380	410	-
White	2,097	19	2	1	17	38	60	103	224	469	634	530	-
Male	1,050	10	1	-	13	26	44	72	144	284	304	152	-
Female	1,047	9	1	1	4	12	16	31	80	185	330	378	-
All other	312	7	2	1	6	12	18	18	32	89	78	49	-
Male	144	3	-	-	3	6	9	11	17	50	28	17	-
Female	168	4	2	1	3	6	9	7	15	39	50	32	-
Black	305	7	2	1	6	12	17	18	32	87	76	47	-
Male	141	3	-	-	3	6	8	11	17	49	28	16	-
Female	164	4	2	1	3	6	9	7	15	38	48	31	-
Rochester, MN, MSA	691	17	2	2	7	6	18	33	65	119	193	229	-
Male	306	13	1	1	6	3	9	17	33	65	95	63	-
Female	385	4	1	1	1	3	9	16	32	54	98	166	-
White	676	16	2	2	6	6	15	30	64	116	191	228	-
Male	295	13	1	1	5	3	8	14	32	63	93	62	-
Female	381	3	1	1	1	3	7	16	32	53	98	166	-
All other	15	1	-	-	1	-	3	3	1	3	2	1	-
Male	11	-	-	-	1	-	1	3	1	2	1	-	-
Female	4	1	-	-	-	-	2	-	-	1	-	-	-
Black	6	-	-	-	-	-	2	3	-	1	-	-	-
Male	5	-	-	-	-	-	1	3	-	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
Rochester, NY, MSA	8,324	138	30	29	119	149	308	432	830	1,760	2,376	2,153	-
Male	4,083	68	11	17	85	96	204	267	495	999	1,140	701	-
Female	4,241	70	19	12	34	53	104	165	335	761	1,236	1,452	-
White	7,707	90	19	23	88	112	228	357	735	1,648	2,301	2,105	-
Male	3,758	44	7	12	63	76	149	220	440	948	1,112	687	-
Female	3,949	46	12	11	25	36	80	137	295	700	1,189	1,418	-
All other	617	48	11	6	31	37	79	75	95	112	75	48	-
Male	325	24	4	5	22	20	55	47	55	51	28	14	-
Female	292	24	7	1	9	17	24	28	40	61	47	34	-
Black	577	47	9	6	27	36	73	70	88	104	72	45	-
Male	303	24	3	5	20	19	51	42	52	47	27	13	-
Female	274	23	6	1	7	17	22	28	36	57	45	32	-
Rockford, IL, MSA	2,293	39	14	16	29	58	77	109	232	497	664	558	-
Male	1,152	20	7	9	21	40	48	64	148	275	342	178	-
Female	1,141	19	7	7	8	18	29	45	84	222	322	380	-
White	2,135	26	12	11	24	45	65	101	205	460	643	543	-
Male	1,070	15	5	6	17	33	39	61	133	257	330	174	-
Female	1,065	11	7	5	7	12	26	40	72	203	313	369	-
All other	158	13	2	5	5	13	12	8	27	37	21	15	-
Male	82	5	2	3	4	7	9	3	15	18	12	4	-
Female	76	8	-	2	1	6	3	5	12	19	9	11	-
Black	148	13	2	4	5	12	11	6	27	35	19	14	-
Male	80	5	2	3	4	7	9	2	15	18	11	4	-
Female	68	8	-	1	1	5	2	4	12	17	8	10	-
Sacramento, CA, MSA	10,791	184	39	48	188	355	581	680	1,221	2,382	2,889	2,216	8
Male	5,683	97	22	32	152	258	415	417	692	1,385	1,439	766	8
Female	5,108	87	17	16	36	97	166	263	529	997	1,450	1,450	-
White	9,607	127	29	33	142	291	487	572	1,029	2,161	2,687	2,042	7
Male	5,025	64	18	20	119	214	359	349	586	1,261	1,330	698	7
Female	4,582	63	11	13	23	77	128	223	443	900	1,357	1,344	-
All other	1,184	57	10	15	46	64	94	108	192	221	202	174	1
Male	658	33	4	12	33	44	56	68	106	124	109	68	1
Female	526	24	6	3	13	20	38	40	86	97	93	106	-
Black	713	42	7	8	30	43	70	73	121	133	111	74	1
Male	394	26	2	6	20	29	42	41	70	81	56	20	1
Female	319	16	5	2	10	14	28	32	51	52	55	54	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 162

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 37 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Saginaw-Bay City-Midland, MI, MSA	3,272	77	12	18	56	71	128	197	365	709	887	752	-
Male	1,673	37	10	12	39	51	83	123	228	403	430	257	-
Female	1,599	40	2	6	17	20	45	74	137	306	457	495	-
White	2,935	45	11	16	43	55	100	166	325	625	835	714	-
Male	1,507	22	9	12	28	40	67	107	211	363	404	244	-
Female	1,428	23	2	4	15	15	33	59	114	262	431	470	-
All other	337	32	1	2	13	16	28	31	40	84	52	38	-
Male	166	15	1	1	11	11	16	16	17	40	26	13	-
Female	171	17	-	2	2	5	12	15	23	44	26	25	-
Black	323	31	1	2	13	16	27	27	40	79	49	38	-
Male	161	14	1	-	11	11	16	15	17	37	26	13	-
Female	162	17	-	2	2	5	11	12	23	42	23	25	-
St. Cloud, MN, MSA	1,224	19	4	11	26	35	33	46	109	240	342	359	-
Male	651	15	2	7	19	25	24	29	73	152	179	126	-
Female	573	4	2	4	7	10	9	17	36	88	163	233	-
White	1,216	19	4	11	24	35	32	46	107	238	341	359	-
Male	647	15	2	7	19	25	23	29	72	150	179	126	-
Female	569	4	2	4	5	10	9	17	35	88	162	233	-
All other	8	-	-	-	2	-	1	-	2	2	1	-	-
Male	4	-	-	-	-	-	1	-	1	2	-	-	-
Female	4	-	-	-	2	-	-	-	1	-	1	-	-
Black	3	-	-	-	-	-	-	-	1	2	-	-	-
Male	3	-	-	-	-	-	-	-	1	2	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Joseph, MO, MSA	917	6	1	-	12	14	29	43	111	192	266	243	-
Male	460	5	-	-	5	10	26	26	73	121	121	73	-
Female	457	1	1	-	7	4	3	17	38	71	145	170	-
White	892	6	1	-	11	14	27	39	108	189	259	238	-
Male	445	5	-	-	5	10	25	23	71	119	116	71	-
Female	447	1	1	-	6	4	2	16	37	70	143	167	-
All other	25	-	-	-	1	-	2	4	3	3	7	5	-
Male	15	-	-	-	-	-	1	3	2	2	5	2	-
Female	10	-	-	-	1	-	1	1	1	1	2	3	-
Black	24	-	-	-	1	-	1	4	3	3	7	5	-
Male	14	-	-	-	-	-	3	2	2	2	5	2	-
Female	10	-	-	-	1	-	1	1	1	1	2	3	-
St. Louis, MO-IL, MSA	22,770	344	66	76	421	568	871	1,209	2,502	4,843	6,441	5,426	3
Male	11,190	178	35	45	327	430	591	763	1,498	2,716	2,963	1,641	3
Female	11,580	166	31	31	94	138	280	446	1,004	2,127	3,478	3,785	-
White	18,402	153	40	52	209	357	572	826	1,869	3,956	5,564	4,803	1
Male	8,814	73	21	32	144	271	398	526	1,132	2,236	2,572	1,408	1
Female	9,588	80	19	20	65	86	174	300	737	1,720	2,992	3,395	-
All other	4,368	191	26	24	212	211	299	383	633	877	877	623	2
Male	2,376	105	12	13	183	159	193	237	366	480	391	233	2
Female	1,992	86	14	11	29	52	106	146	267	407	486	390	2
Black	4,308	188	26	24	210	210	293	375	620	878	866	616	2
Male	2,349	102	14	13	181	159	190	232	361	477	387	231	2
Female	1,959	86	12	11	29	51	103	143	259	401	479	385	-
Salem, OR, MSA	2,606	39	6	8	29	53	80	115	209	533	818	716	-
Male	1,261	21	2	6	21	38	53	71	117	284	407	241	-
Female	1,345	18	4	2	8	15	27	44	92	249	411	475	-
White	2,571	39	6	6	28	51	74	114	201	524	813	715	-
Male	1,241	21	2	4	20	38	51	70	110	278	408	241	-
Female	1,330	18	4	2	8	13	23	44	91	246	407	474	-
All other	35	-	-	2	1	-	6	1	7	9	5	1	-
Male	20	-	-	2	1	-	2	1	7	6	1	-	-
Female	15	-	-	-	-	-	4	-	2	3	4	1	-
Black	9	-	-	1	-	1	4	-	2	-	1	-	-
Male	5	-	-	1	-	2	2	-	2	-	-	-	-
Female	4	-	-	-	-	1	2	-	-	-	1	-	-
Salinas-Seaside-Monterey, CA, MSA	2,157	50	7	7	52	66	98	132	216	454	581	491	3
Male	1,073	30	2	4	43	53	74	80	123	225	279	159	1
Female	1,084	20	5	3	9	13	24	52	93	229	302	332	2
White	1,917	43	6	5	48	60	84	115	178	399	527	450	2
Male	926	25	2	3	39	48	63	72	103	197	243	131	-
Female	991	18	4	2	9	12	21	43	75	202	284	319	2
All other	240	7	1	2	4	6	14	17	38	55	54	41	1
Male	147	5	-	1	4	5	11	8	20	28	36	28	1
Female	93	2	1	1	-	1	3	9	18	27	18	13	-
Black	86	7	-	-	2	2	8	10	17	17	17	6	-
Male	56	5	-	-	2	2	6	6	12	13	9	1	-
Female	30	2	-	-	-	-	2	4	5	4	8	5	-
Salt Lake City-Ogden, UT, MSA	5,998	151	40	49	130	184	296	343	603	1,149	1,678	1,374	1
Male	3,079	96	24	30	99	130	194	213	362	663	814	453	1
Female	2,919	55	16	19	31	54	102	130	241	486	864	921	2
White	5,864	146	39	47	119	177	284	332	591	1,118	1,655	1,355	1
Male	2,994	95	23	28	92	128	184	203	353	640	802	445	1
Female	2,870	51	16	19	27	49	100	129	238	478	853	910	-
All other	134	5	1	2	11	7	12	11	12	31	23	19	-
Male	85	1	1	2	7	2	10	9	23	12	8	8	-
Female	49	4	-	-	4	5	2	1	3	8	11	11	-
Black	47	2	-	-	3	4	5	4	6	9	9	5	-
Male	31	-	-	-	2	2	5	4	5	6	5	2	-
Female	16	2	-	-	1	2	-	-	1	3	4	3	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 163

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 38 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Angelo, TX, MSA	849	13	3	6	12	18	23	41	92	171	247	223	-
Male	444	7	2	4	9	11	17	26	61	111	119	77	-
Female	405	6	1	2	3	7	6	15	31	60	128	146	-
White	812	12	3	6	12	16	21	35	90	165	239	213	-
Male	430	7	2	4	9	10	16	24	60	117	174	139	-
Female	382	5	1	2	3	6	5	11	30	58	122	139	-
All other	37	1	-	-	-	2	2	6	2	6	8	10	-
Male	14	-	-	-	-	1	1	2	1	4	2	3	-
Female	23	1	-	-	-	1	1	4	1	2	6	7	-
Black	37	1	-	-	-	2	2	6	2	6	8	10	-
Male	14	-	-	-	-	1	1	2	1	4	2	3	-
Female	23	1	-	-	-	1	1	4	1	2	6	7	-
San Antonio, TX, MSA	9,823	180	49	68	241	351	484	598	1,183	2,085	2,531	2,049	4
Male	5,157	92	26	45	197	275	341	391	733	1,153	1,238	664	2
Female	4,666	88	23	23	44	76	143	207	450	932	1,293	1,385	2
White	9,008	163	43	60	215	305	430	543	1,059	1,920	2,353	1,914	3
Male	4,712	85	22	41	176	238	300	354	654	1,072	1,148	621	1
Female	4,296	78	21	19	39	67	130	189	405	848	1,205	1,293	2
All other	815	17	6	8	26	46	54	55	124	165	178	135	1
Male	445	7	4	4	21	37	41	37	79	81	90	43	1
Female	370	10	2	4	5	9	13	18	45	84	88	92	-
Black	768	16	6	6	26	41	46	50	116	156	172	132	1
Male	423	7	4	3	21	35	38	35	75	78	85	41	1
Female	345	9	2	3	5	6	8	15	41	78	87	91	-
San Diego, CA, MSA	17,639	304	57	75	305	618	914	959	1,790	3,734	4,888	3,970	25
Male	9,226	149	26	38	220	486	675	626	1,068	2,092	2,451	1,374	22
Female	8,413	156	31	37	85	132	239	333	722	1,642	2,437	2,596	3
White	16,103	211	43	63	234	514	769	795	1,566	3,423	4,637	3,823	25
Male	8,379	104	21	29	172	412	575	529	953	1,928	2,329	1,305	22
Female	7,724	107	22	34	62	102	194	266	613	1,495	2,308	2,518	3
All other	1,536	93	14	12	71	104	145	164	224	311	251	147	-
Male	847	44	5	9	48	74	100	97	115	164	122	69	-
Female	689	49	9	3	23	30	45	67	109	147	129	78	-
Black	841	69	8	8	34	72	95	93	112	163	100	87	-
Male	463	31	1	7	25	54	68	60	64	76	43	34	-
Female	378	38	7	1	9	18	27	33	48	87	57	53	-
San Francisco, CA, PMSA	14,709	133	25	39	189	639	1,269	1,102	1,467	2,717	3,790	3,314	25
Male	8,230	85	11	25	147	545	1,072	840	955	1,550	1,831	1,147	22
Female	6,479	48	14	14	42	94	197	262	512	1,167	1,959	2,167	3
White	11,510	73	16	17	119	496	1,013	858	1,063	2,018	3,005	2,817	15
Male	6,334	43	7	12	93	432	879	675	708	1,134	1,408	929	14
Female	5,176	30	9	5	26	64	134	183	355	884	1,597	1,888	1
All other	3,199	60	9	22	70	143	256	244	404	699	785	497	10
Male	1,896	42	4	13	54	113	193	165	247	416	423	218	8
Female	1,303	18	5	9	16	30	63	79	157	283	362	279	2
Black	1,425	42	4	12	38	91	175	141	194	304	268	147	9
Male	851	32	2	5	29	71	133	97	118	171	133	53	7
Female	574	10	2	7	9	20	42	44	76	133	135	94	2
San Jose, CA, PMSA	8,244	165	31	32	130	235	412	563	955	1,720	2,146	1,848	7
Male	4,234	106	18	12	97	184	286	348	567	964	1,039	609	4
Female	4,010	59	13	20	33	51	126	215	388	756	1,107	1,239	3
White	7,285	121	28	25	99	196	344	480	805	1,518	1,934	1,728	7
Male	3,666	77	16	9	74	156	240	297	474	849	916	554	4
Female	3,619	44	12	16	25	40	104	183	331	669	1,018	1,174	3
All other	959	44	3	7	31	39	68	83	150	202	212	120	-
Male	568	29	2	3	23	28	46	51	93	115	123	55	-
Female	391	15	1	4	8	11	22	32	57	87	89	65	-
Black	202	16	-	2	10	12	26	26	37	35	23	15	-
Male	123	8	-	2	6	10	21	19	24	18	9	8	-
Female	79	8	-	2	4	2	5	7	13	17	14	7	-
Santa Barbara-Santa Maria-Lompoc, CA, MSA	2,663	33	7	9	31	72	81	104	245	550	806	724	1
Male	1,360	19	4	6	21	53	55	63	142	314	436	247	-
Female	1,303	14	3	3	10	19	26	41	103	236	370	477	1
White	2,560	28	6	9	28	70	77	98	232	531	777	703	1
Male	1,297	15	4	6	19	52	52	59	132	302	418	238	-
Female	1,263	13	2	3	9	18	25	39	100	229	359	465	1
All other	103	5	1	-	3	2	4	6	13	19	29	21	-
Male	63	4	-	-	2	1	3	4	10	12	18	9	-
Female	40	1	1	-	1	1	1	2	3	7	11	12	-
Black	45	3	-	-	2	2	3	3	8	10	7	5	-
Male	30	2	-	-	1	1	3	3	5	5	6	1	-
Female	15	1	-	-	1	1	-	-	2	5	1	4	-
Santa Cruz, CA, PMSA	1,634	17	2	6	31	32	75	93	133	301	504	439	1
Male	781	8	1	2	21	21	49	60	74	163	239	143	1
Female	853	9	1	4	10	11	27	33	59	138	265	296	-
White	1,585	15	1	2	30	29	74	90	129	292	492	427	-
Male	754	7	1	2	20	21	47	59	74	157	230	136	-
Female	831	8	-	4	10	8	27	31	55	135	262	291	-
All other	49	2	1	-	1	3	1	3	4	9	12	12	1
Male	27	1	-	-	1	1	1	1	1	4	9	7	1
Female	22	1	1	-	-	2	2	2	3	5	3	5	-
Black	8	1	-	-	-	-	-	-	-	3	2	-	-
Male	4	-	-	-	-	-	-	-	-	3	1	-	-
Female	4	1	-	-	-	-	-	-	2	-	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 164

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 39 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Santa Fe, NM, MSA	733	8	2	4	20	35	54	43	75	139	199	154	-
Male	392	6	1	2	15	26	39	25	38	78	110	52	-
Female	341	2	1	2	5	9	15	18	37	61	89	102	-
White	703	8	2	4	16	33	49	39	72	134	195	151	-
Male	371	6	1	2	13	24	34	22	37	75	106	51	-
Female	332	2	1	2	3	9	15	17	35	59	89	100	-
All other	30	-	-	-	4	2	5	4	3	5	4	3	-
Male	21	-	-	-	2	2	5	3	1	3	4	1	-
Female	9	-	-	-	2	-	-	1	2	2	-	2	-
Black	10	-	-	-	1	1	1	-	-	3	2	2	-
Male	5	-	-	-	-	1	1	-	-	1	2	-	-
Female	5	-	-	-	-	-	-	-	-	2	-	2	-
Santa Rosa-Petaluma, CA, PMSA	3,385	36	7	17	46	74	180	206	307	669	1,011	830	2
Male	1,718	20	4	10	33	53	124	145	168	348	492	320	1
Female	1,667	16	3	7	13	21	56	61	139	321	519	510	1
White	3,229	33	6	17	42	69	174	195	297	650	996	817	2
Male	1,671	19	3	10	30	51	121	135	162	342	483	314	1
Female	1,627	14	3	7	12	18	53	60	135	308	513	503	1
All other	87	3	1	-	4	5	6	11	10	19	15	13	-
Male	47	1	1	-	3	2	3	10	6	6	9	6	-
Female	40	2	-	-	1	3	3	1	4	13	6	7	-
Black	32	1	1	-	2	3	3	5	4	7	3	3	-
Male	17	-	1	-	1	1	2	4	2	3	2	1	-
Female	15	1	-	-	1	2	1	1	2	4	1	2	-
Sarasota, FL, MSA	4,205	22	2	5	13	41	93	115	285	871	1,473	1,285	-
Male	2,202	7	2	4	8	27	65	81	180	515	780	533	-
Female	2,003	15	-	1	5	14	28	34	105	356	693	752	-
White	4,075	16	2	5	10	36	79	106	270	846	1,443	1,282	-
Male	2,136	6	2	4	7	24	58	76	170	500	761	528	-
Female	1,939	10	-	1	3	12	21	30	100	346	682	734	-
All other	130	6	-	-	3	5	14	9	15	25	30	23	-
Male	66	1	-	-	1	3	7	5	10	15	19	5	-
Female	64	5	-	-	2	2	7	4	5	10	11	18	-
Black	127	6	-	-	2	2	5	13	9	14	25	30	-
Male	66	1	-	-	1	3	7	5	10	15	19	5	-
Female	61	5	-	-	1	2	6	4	4	10	11	18	-
Savannah, GA, MSA	2,166	71	6	10	42	63	97	166	256	525	550	380	-
Male	1,133	42	3	5	33	44	63	114	149	296	266	118	-
Female	1,033	29	3	5	9	19	34	52	107	229	284	262	-
White	1,351	23	3	6	22	23	44	84	158	343	373	272	-
Male	693	13	-	2	17	20	29	61	96	193	177	85	-
Female	658	10	3	4	5	3	15	23	62	150	196	187	-
All other	815	48	3	4	20	40	53	82	98	182	177	108	-
Male	440	29	3	3	16	24	34	53	53	103	89	39	-
Female	375	19	-	1	4	16	19	29	45	79	88	75	-
Black	811	47	3	4	19	40	53	82	98	182	176	107	-
Male	437	29	3	3	15	24	34	53	53	103	88	32	-
Female	374	18	-	1	4	16	19	29	45	79	88	75	-
Scranton-Wilkes-Barre, PA, MSA	8,718	67	11	16	60	133	202	361	830	2,164	2,873	2,001	-
Male	4,272	41	4	11	42	88	140	234	513	1,232	1,375	592	-
Female	4,446	26	7	5	18	45	62	127	317	932	1,498	1,409	-
White	8,662	63	10	14	59	127	196	354	826	2,154	2,861	1,998	-
Male	4,243	39	4	10	42	84	135	231	510	1,228	1,369	591	-
Female	4,419	24	6	4	17	43	61	123	316	926	1,492	1,407	-
All other	56	4	1	2	1	6	6	7	4	10	12	3	-
Male	29	2	-	1	-	4	5	3	3	4	6	1	-
Female	27	2	1	1	1	2	1	4	1	6	6	2	-
Black	46	4	-	2	1	5	3	6	4	7	11	3	-
Male	25	2	-	1	-	3	2	3	3	4	6	1	-
Female	21	2	-	1	1	2	1	3	1	3	5	2	-
Seattle, WA, PMSA	13,898	178	44	46	192	421	706	831	1,374	2,957	3,864	3,284	1
Male	7,129	106	21	28	146	310	525	549	826	1,617	1,913	1,088	-
Female	6,769	72	23	18	46	111	181	282	548	1,340	1,951	2,196	1
White	12,707	146	35	38	145	353	599	725	1,202	2,880	3,634	3,150	-
Male	6,434	86	16	25	110	263	459	480	721	1,459	1,786	1,029	-
Female	6,273	60	19	13	35	90	140	245	481	1,221	1,848	2,121	-
All other	1,191	32	9	8	47	68	107	106	172	277	230	134	1
Male	695	20	5	3	36	47	66	69	105	158	127	59	-
Female	496	12	4	5	11	21	41	37	67	119	103	75	1
Black	542	20	2	1	25	42	57	47	79	130	78	60	1
Male	311	14	-	-	20	30	35	33	47	80	34	18	-
Female	231	6	2	1	5	12	22	14	32	50	44	42	1
Sharon, PA, MSA	1,358	10	3	2	24	21	35	47	133	304	460	319	-
Male	672	6	1	1	17	12	24	30	85	179	219	98	-
Female	686	4	2	1	7	9	11	17	48	125	241	221	-
White	1,303	8	2	2	22	20	32	45	123	290	444	315	-
Male	640	5	1	1	17	11	22	28	78	168	213	96	-
Female	663	3	1	1	5	9	10	17	45	122	231	219	-
All other	55	2	1	-	2	1	3	2	10	14	16	4	-
Male	32	1	-	-	-	1	2	2	7	11	6	2	-
Female	23	1	1	-	2	-	1	3	3	3	10	2	-
Black	55	2	1	-	2	1	3	2	10	14	16	4	-
Male	32	1	-	-	1	1	2	2	7	11	6	2	-
Female	23	1	1	-	2	-	1	3	3	3	10	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 165

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 40 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Sheboygan, WI, MSA	1,009	7	-	2	10	17	20	32	95	200	306	320	-
Male	475	4	-	1	7	13	9	16	56	111	160	98	-
Female	534	3	-	1	3	4	11	16	39	89	146	222	-
White	1,002	7	-	2	10	15	19	31	94	199	305	320	-
Male	471	4	-	1	7	11	8	16	56	111	159	98	-
Female	531	3	-	1	3	4	11	15	38	88	146	222	-
All other	7	-	-	-	-	2	1	1	1	1	1	-	-
Male	4	-	-	-	-	2	1	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	1	1	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Sherman-Denison, TX, MSA	1,113	13	4	4	21	11	34	53	109	233	346	284	1
Male	542	7	3	1	18	8	20	31	66	139	160	89	-
Female	571	6	1	3	3	3	14	22	43	94	186	195	1
White	1,043	11	3	4	19	9	32	46	102	220	328	270	1
Male	514	5	2	1	17	6	19	27	62	135	156	84	-
Female	529	6	1	3	2	3	13	19	40	85	170	186	1
All other	70	2	1	-	2	2	2	7	7	13	20	14	-
Male	28	2	1	-	1	2	1	4	4	4	4	5	-
Female	42	-	-	-	1	-	1	3	3	9	16	9	-
Black	69	2	1	-	2	2	1	7	7	13	20	14	-
Male	27	2	1	-	1	2	1	4	4	4	4	5	-
Female	42	-	-	-	1	-	1	3	3	9	16	9	-
Shreveport, LA, MSA	3,108	49	12	16	73	77	136	174	389	649	829	704	-
Male	1,525	24	8	10	49	66	91	118	218	345	380	216	-
Female	1,583	25	4	6	24	11	45	56	171	304	449	488	-
White	2,030	21	6	9	32	45	59	86	227	429	601	515	-
Male	956	9	4	4	21	41	38	55	128	227	280	149	-
Female	1,074	12	2	5	11	4	21	31	99	202	321	366	-
All other	1,078	28	6	7	41	32	77	88	162	220	228	189	-
Male	569	15	4	6	28	25	53	63	90	118	100	67	-
Female	509	13	2	1	13	7	24	25	72	102	128	122	-
Black	1,077	28	6	7	41	32	77	88	162	219	228	189	-
Male	569	15	4	6	28	25	53	63	90	118	100	67	-
Female	508	13	2	1	13	7	24	25	72	101	128	122	-
Sioux City, IA-NE, MSA	1,133	22	-	2	15	17	25	34	114	261	313	330	-
Male	549	13	-	-	10	6	17	22	69	149	166	97	-
Female	584	9	-	2	5	11	8	12	45	112	147	233	-
White	1,095	19	-	2	12	13	24	31	109	252	305	328	-
Male	526	13	-	-	8	4	16	20	65	142	162	96	-
Female	569	6	-	2	4	9	8	11	44	110	143	232	-
All other	38	3	-	-	3	4	1	3	5	9	8	2	-
Male	23	-	-	-	2	2	1	2	4	7	4	1	-
Female	15	3	-	-	1	2	-	1	1	2	4	1	-
Black	19	2	-	-	-	2	1	2	4	2	5	1	-
Male	12	-	-	-	-	1	1	1	4	2	2	1	-
Female	7	2	-	-	-	1	-	1	-	-	3	-	-
Sioux Falls, SD, MSA	939	16	2	3	7	23	35	46	111	192	264	240	-
Male	453	8	1	2	5	15	22	20	63	112	139	66	-
Female	486	8	1	1	2	8	13	26	48	80	125	174	-
White	933	15	2	3	7	22	35	45	111	190	264	239	-
Male	451	7	1	2	5	14	22	20	63	112	139	66	-
Female	482	8	1	1	2	8	13	25	48	78	125	173	-
All other	6	1	-	-	-	1	-	1	-	2	-	1	-
Male	2	-	-	-	-	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	1	-	2	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend-Mishawaka, IN, MSA	2,256	47	8	10	33	47	72	87	190	469	741	552	-
Male	1,130	32	2	6	24	34	49	55	118	276	364	170	-
Female	1,126	15	6	4	9	13	23	32	72	193	377	382	-
White	2,037	28	8	6	25	34	55	71	171	425	690	524	-
Male	1,020	19	2	5	17	25	36	50	106	252	346	162	-
Female	1,017	9	6	1	8	9	19	21	65	173	344	362	-
All other	219	19	-	4	8	13	17	16	19	44	51	28	-
Male	110	13	-	1	7	9	13	5	12	24	18	8	-
Female	109	6	-	3	1	4	4	11	7	20	33	20	-
Black	211	17	-	4	6	12	17	16	17	43	50	27	-
Male	106	12	-	1	7	8	13	5	11	23	18	8	-
Female	105	5	-	3	1	4	4	11	6	20	32	19	-
Spokane, WA, MSA	3,236	37	8	10	43	53	112	153	305	711	956	847	1
Male	1,612	21	6	6	29	38	75	103	177	407	483	266	1
Female	1,624	16	2	4	14	15	37	50	128	304	473	581	-
White	3,162	35	8	10	35	52	104	148	296	697	941	835	1
Male	1,571	19	6	6	23	38	71	99	173	399	474	262	1
Female	1,591	16	2	4	12	14	33	49	123	298	467	573	-
All other	74	2	-	-	8	1	8	5	9	14	15	12	-
Male	41	2	-	-	6	-	4	4	4	8	9	4	-
Female	33	-	-	-	2	1	4	1	5	6	6	8	-
Black	25	-	-	-	3	-	2	2	3	2	8	5	-
Male	15	-	-	-	2	-	1	2	2	2	5	1	-
Female	10	-	-	-	1	-	1	-	1	-	3	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 166

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992--Con.

(Page 41 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Springfield, IL, MSA	1,737	29	1	2	15	39	64	90	183	342	527	445	-
Male	814	7	1	2	12	29	47	48	111	190	250	117	-
Female	923	22	-	-	3	10	17	42	72	152	277	328	-
White	1,622	20	1	2	9	33	56	82	167	317	502	433	-
Male	761	7	1	2	6	25	43	45	99	181	238	114	-
Female	861	13	-	-	3	8	13	37	68	136	264	319	-
All other	115	9	-	-	6	6	8	8	16	25	25	12	-
Male	53	-	-	-	6	4	4	3	12	9	12	3	-
Female	62	9	-	-	-	2	4	5	4	16	13	9	-
Black	105	9	-	-	5	6	8	6	14	23	22	12	-
Male	50	-	-	-	5	4	4	2	11	9	12	3	-
Female	55	9	-	-	-	2	4	4	3	14	10	9	-
Springfield, MO, MSA	2,220	31	5	6	36	43	73	103	217	446	651	608	1
Male	1,114	20	3	2	26	39	55	74	136	257	332	169	1
Female	1,106	11	2	4	10	4	18	29	81	189	319	439	-
White	2,149	29	4	6	35	33	66	94	212	431	638	600	1
Male	1,071	19	3	2	25	30	49	66	131	250	327	168	1
Female	1,078	10	1	4	10	3	17	28	81	181	311	432	-
All other	71	2	1	-	1	10	7	9	5	15	13	8	-
Male	43	1	-	-	1	9	6	8	5	7	5	1	-
Female	28	1	1	-	-	1	1	1	8	8	7	7	-
Black	62	2	1	-	1	8	7	9	4	12	11	7	-
Male	37	1	-	-	1	7	6	8	4	6	4	-	-
Female	25	1	1	-	-	1	1	1	-	6	7	7	-
Springfield, MA, NECMA	5,673	57	21	11	49	144	200	264	553	1,273	1,656	1,445	-
Male	2,735	38	7	9	34	99	132	160	356	718	748	434	-
Female	2,938	19	14	2	15	45	68	104	197	555	908	1,011	-
White	5,408	45	17	9	48	132	170	237	513	1,213	1,610	1,414	-
Male	2,596	29	6	7	33	91	114	147	330	684	731	424	-
Female	2,812	16	11	2	15	41	56	90	183	529	879	990	-
All other	265	12	4	2	1	12	30	27	40	60	46	31	-
Male	139	9	1	2	1	8	18	13	26	34	17	10	-
Female	126	3	3	-	-	4	12	14	14	26	29	21	-
Black	255	11	4	1	1	11	30	27	39	57	43	31	-
Male	133	8	1	1	1	7	18	13	26	33	15	10	-
Female	122	3	3	-	-	4	12	14	13	24	28	21	-
State College, PA, MSA	750	8	-	1	8	20	17	42	69	150	260	175	-
Male	385	5	-	-	6	12	13	28	45	92	114	70	-
Female	365	3	-	1	2	8	4	14	24	58	146	105	-
White	744	8	-	1	8	19	17	42	67	149	258	175	-
Male	381	5	-	-	6	12	13	28	43	92	112	70	-
Female	363	3	-	1	2	7	4	14	24	57	146	105	-
All other	6	-	-	-	-	1	-	-	2	1	2	-	-
Male	4	-	-	-	-	-	-	-	2	-	2	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Black	5	-	-	-	-	1	-	-	2	1	1	-	-
Male	3	-	-	-	-	-	-	-	2	-	1	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Steubenville-Weirton, OH-WV, MSA	1,599	11	1	2	12	29	31	78	210	425	515	285	-
Male	838	6	1	1	11	21	24	49	127	229	262	107	-
Female	761	5	-	1	1	8	7	29	83	196	253	178	-
White	1,536	10	1	2	11	27	30	72	198	408	502	275	-
Male	805	6	1	1	10	19	23	45	120	219	260	101	-
Female	731	4	-	1	1	8	7	27	78	189	242	174	-
All other	63	1	-	-	1	2	1	6	12	17	13	10	-
Male	33	-	-	-	1	2	1	4	7	10	2	6	-
Female	30	1	-	-	-	-	-	2	5	7	11	4	-
Black	61	1	-	-	1	2	1	5	12	17	13	9	-
Male	31	-	-	-	1	2	1	3	7	10	2	5	-
Female	30	1	-	-	-	-	-	2	5	7	11	4	-
Stockton, CA, MSA	3,824	82	22	13	78	132	191	230	454	830	1,024	767	1
Male	2,075	41	14	3	61	98	116	148	274	470	543	307	-
Female	1,749	41	8	10	17	34	75	82	180	360	481	460	1
White	3,286	56	17	7	60	106	154	196	387	726	892	684	1
Male	1,741	27	11	2	47	83	95	125	238	408	456	249	-
Female	1,545	29	6	5	13	23	59	71	149	318	436	435	1
All other	538	26	5	6	18	26	37	67	104	132	83	83	-
Male	334	14	3	1	14	15	21	23	36	62	87	58	-
Female	204	12	2	5	4	11	16	11	31	42	45	25	-
Black	250	14	3	4	5	18	28	19	32	56	53	18	-
Male	139	6	2	-	5	10	17	13	21	35	25	5	-
Female	111	8	1	4	-	8	11	6	11	21	28	13	-
Syracuse, NY, MSA	5,509	84	13	12	63	95	157	280	601	1,263	1,595	1,344	2
Male	2,678	45	6	7	49	66	99	176	348	721	783	396	2
Female	2,831	39	7	5	14	29	58	104	253	542	832	948	-
White	5,251	59	12	12	52	83	137	246	549	1,221	1,555	1,323	2
Male	2,536	35	6	7	38	59	88	150	318	698	746	389	2
Female	2,715	24	6	5	14	24	49	96	231	523	809	934	-
All other	258	25	1	-	11	12	20	34	52	42	40	21	-
Male	142	10	-	-	11	7	11	26	30	23	17	7	-
Female	116	15	1	-	-	5	9	8	22	19	23	14	-
Black	236	24	1	-	9	10	19	31	49	40	37	16	-
Male	128	9	-	-	9	7	10	23	28	21	15	6	-
Female	108	15	1	-	-	3	9	8	21	19	22	10	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 167

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 42 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tacoma, WA, PMSA	4,435	80	22	23	85	140	176	267	522	987	1,177	956	-
Male	2,288	41	12	14	63	97	123	163	309	576	587	303	-
Female	2,147	39	10	9	22	43	53	104	213	411	590	653	-
White	4,071	52	16	17	64	116	146	232	465	900	1,132	931	-
Male	2,088	29	7	10	49	80	104	139	286	531	563	290	-
Female	1,983	23	9	7	15	36	42	93	179	369	569	641	-
All other	364	28	6	6	21	24	30	35	57	87	45	25	-
Male	200	12	5	4	14	17	19	24	23	45	24	13	-
Female	164	16	1	2	7	7	11	11	34	42	21	12	-
Black	211	20	4	3	14	15	22	19	27	48	21	18	-
Male	130	10	4	1	11	10	14	17	18	27	9	9	-
Female	81	10	-	2	3	5	8	2	9	21	12	9	-
Tallahassee, FL, MSA	1,631	40	7	11	29	60	83	117	193	338	423	330	-
Male	838	24	3	6	22	45	52	67	113	186	210	110	-
Female	793	16	4	5	7	15	31	50	80	152	213	220	-
White	1,101	19	3	6	15	30	41	69	118	242	312	246	-
Male	562	13	2	3	10	24	27	41	74	134	154	80	-
Female	539	6	1	3	5	6	14	28	44	108	158	166	-
All other	530	21	4	5	14	30	42	48	75	96	111	84	-
Male	276	11	1	3	12	21	25	26	39	52	56	30	-
Female	254	10	3	2	2	9	17	22	36	44	55	54	-
Black	525	21	4	5	14	30	41	48	74	94	110	84	-
Male	274	11	1	3	12	21	24	26	38	52	56	30	-
Female	251	10	3	2	2	9	17	22	36	42	54	54	-
Tampa-St. Petersburg-Clearwater, FL, MSA	25,724	271	52	45	221	486	773	1,135	2,348	5,699	8,221	6,461	12
Male	13,771	141	30	33	155	372	536	733	1,465	3,402	4,419	2,478	7
Female	11,953	130	22	12	66	114	237	402	883	2,297	3,802	3,983	5
White	24,045	185	36	36	171	393	634	893	2,089	5,369	7,888	6,250	1
Male	12,865	99	22	26	117	310	454	644	1,314	3,211	4,267	2,400	1
Female	11,180	86	14	10	54	83	180	349	775	2,158	3,621	3,850	-
All other	1,679	86	16	9	50	93	139	142	259	330	333	211	11
Male	906	42	8	7	38	62	82	89	151	191	152	78	6
Female	773	44	8	2	12	31	57	53	108	139	181	133	5
Black	1,609	83	16	8	47	93	135	132	241	314	322	207	11
Male	870	40	8	7	37	62	81	85	142	181	145	76	6
Female	739	43	8	1	10	31	54	47	99	133	177	131	5
Terre Haute, IN, MSA	1,407	16	4	4	17	21	35	56	143	286	463	362	-
Male	704	10	2	3	13	18	26	35	90	169	224	114	-
Female	703	6	2	1	4	3	9	21	53	117	239	248	-
White	1,348	16	4	4	16	20	33	51	138	266	449	351	-
Male	675	10	2	3	12	17	25	34	88	158	216	110	-
Female	673	6	2	1	4	3	8	17	50	108	233	241	-
All other	59	-	-	-	-	-	2	5	5	20	14	11	-
Male	29	-	-	-	-	-	1	1	2	11	8	4	-
Female	30	-	-	-	-	-	1	4	3	9	6	7	-
Black	53	-	-	-	-	-	2	3	4	19	13	11	-
Male	27	-	-	-	-	-	1	1	2	10	8	4	-
Female	26	-	-	-	-	-	1	2	2	9	5	7	-
Texarkana, TX-Texarkana, AR, MSA	1,321	19	3	6	19	23	37	84	164	313	376	277	-
Male	688	12	3	3	12	18	24	51	106	182	195	82	-
Female	633	7	-	3	7	5	13	33	58	131	181	195	-
White	1,018	8	3	4	13	18	18	56	120	246	304	228	-
Male	518	4	3	2	8	13	13	33	81	143	154	64	-
Female	500	4	-	2	5	5	5	23	39	103	150	164	-
All other	303	11	-	2	6	5	19	28	44	67	72	49	-
Male	170	8	-	1	4	5	11	18	25	39	41	18	-
Female	133	3	-	1	2	-	8	10	19	28	31	31	-
Black	301	11	-	2	6	5	18	28	44	67	71	49	-
Male	169	8	-	1	4	5	11	18	25	39	40	18	-
Female	132	3	-	1	2	-	7	10	19	28	31	31	-
Toledo, OH, MSA	5,547	91	17	13	81	96	175	263	595	1,276	1,652	1,288	-
Male	2,893	39	8	10	54	68	113	168	375	736	741	371	-
Female	2,654	52	9	3	27	28	62	95	220	540	911	917	-
White	4,901	61	14	8	60	72	139	209	508	1,140	1,514	1,182	-
Male	2,341	25	6	6	34	50	88	134	327	652	676	341	-
Female	2,560	36	6	2	26	22	45	75	181	488	838	841	-
All other	646	30	3	5	21	24	42	54	87	136	138	106	-
Male	342	14	-	4	20	18	25	34	48	84	65	30	-
Female	304	16	3	1	1	6	17	20	39	52	73	76	-
Black	632	29	3	4	21	23	41	54	85	134	134	104	-
Male	337	14	-	3	20	18	24	34	48	82	64	30	-
Female	295	15	3	1	1	5	17	20	37	52	70	74	-
Topeka, KS, MSA	1,420	13	2	4	20	34	66	75	137	292	361	416	-
Male	681	5	1	2	14	27	38	46	93	152	163	140	-
Female	739	8	1	2	6	7	28	29	44	140	198	276	-
White	1,268	3	2	4	19	27	57	62	115	264	328	387	-
Male	598	-	1	2	13	22	34	39	77	137	143	130	-
Female	670	3	1	2	6	5	23	23	38	127	185	257	-
All other	152	10	-	-	1	7	9	13	22	28	33	29	-
Male	83	5	-	-	1	5	4	7	16	15	20	10	-
Female	69	5	-	-	-	2	5	6	6	13	13	19	-
Black	136	9	-	-	1	7	9	10	17	25	30	28	-
Male	75	5	-	-	1	5	4	5	13	13	19	10	-
Female	61	4	-	-	-	2	5	5	4	12	11	18	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 168

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 43 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Trenton, NJ, PMSA	2,856	47	7	9	29	79	121	167	317	669	754	657	-
Male	1,470	25	6	5	23	54	96	101	194	399	353	214	-
Female	1,386	22	1	4	6	25	25	66	123	270	401	443	-
White	2,287	12	2	4	18	50	67	111	221	534	673	595	-
Male	1,145	7	1	2	13	36	54	68	138	326	312	190	-
Female	1,142	5	1	2	5	14	13	45	85	208	361	405	-
All other	569	35	5	5	11	29	54	56	95	135	81	62	-
Male	325	19	5	3	10	18	42	35	56	73	41	24	-
Female	244	17	-	2	1	11	12	21	40	62	40	38	-
Black	545	32	5	4	10	27	53	58	93	129	76	60	-
Male	314	17	5	3	9	17	42	35	53	70	40	23	-
Female	231	15	-	1	1	10	11	21	40	59	36	37	-
Tucson, AZ, MSA	5,983	89	17	29	99	158	244	331	622	1,373	1,747	1,271	3
Male	3,257	53	9	23	73	132	171	211	412	802	899	470	2
Female	2,726	36	8	6	26	26	73	120	210	571	848	801	1
White	5,626	78	13	24	86	138	216	291	565	1,309	1,674	1,229	3
Male	3,043	44	7	19	60	117	153	181	383	763	961	453	2
Female	2,583	34	6	5	26	21	63	110	182	546	813	776	1
All other	357	11	4	5	13	20	28	40	57	64	73	42	-
Male	214	9	2	4	13	15	18	30	29	39	38	17	-
Female	143	2	2	1	-	5	10	10	28	25	35	25	-
Black	166	4	2	2	3	11	9	14	27	37	38	19	-
Male	105	3	1	2	3	8	7	13	15	25	19	9	-
Female	61	1	1	-	-	3	2	1	12	12	19	10	-
Tulsa, OK, MSA	5,922	90	21	25	116	149	223	370	717	1,351	1,558	1,299	3
Male	3,007	48	12	18	74	109	150	236	439	788	747	385	2
Female	2,915	42	9	7	42	40	73	134	278	563	811	914	1
White	5,214	56	16	22	88	117	185	312	628	1,180	1,417	1,181	2
Male	2,631	31	8	17	52	69	127	202	382	677	861	348	1
Female	2,583	25	8	5	36	28	58	110	246	493	740	833	1
All other	708	34	5	3	28	32	38	58	89	161	141	118	1
Male	378	17	4	1	22	20	23	34	57	91	70	37	-
Female	332	17	1	2	6	12	15	24	32	70	71	81	1
Black	521	23	3	2	20	24	29	41	66	111	111	90	1
Male	280	14	2	2	15	16	14	25	46	62	59	27	-
Female	241	9	1	2	5	8	15	16	20	49	52	63	1
Tuscaloosa, AL, MSA	1,271	15	3	3	32	26	40	91	155	290	364	252	-
Male	671	11	1	2	23	14	26	66	94	169	180	85	-
Female	600	4	2	1	9	12	14	25	61	121	184	167	-
White	898	8	2	2	23	15	25	54	97	218	257	197	-
Male	468	6	1	2	16	9	16	42	62	130	123	61	-
Female	430	2	1	-	7	6	9	12	35	88	134	136	-
All other	373	7	1	1	9	11	15	37	58	72	107	55	-
Male	203	5	-	-	7	5	10	24	32	39	57	24	-
Female	170	2	1	1	2	6	5	13	26	33	50	31	-
Black	369	7	1	1	9	10	15	35	58	72	106	55	-
Male	200	5	-	-	7	5	10	22	32	39	56	24	-
Female	169	2	1	1	2	5	5	13	26	33	50	31	-
Tyler, TX, MSA	1,423	24	9	3	26	34	42	83	166	320	380	336	-
Male	737	15	7	3	17	26	31	52	104	188	180	114	-
Female	686	9	2	-	9	8	11	31	62	132	200	222	-
White	1,138	11	8	2	15	23	28	58	126	277	311	279	-
Male	584	7	6	2	10	19	21	37	77	169	149	87	-
Female	554	4	2	-	5	4	7	21	49	108	162	192	-
All other	285	13	1	1	11	11	14	25	40	43	69	57	-
Male	153	8	1	1	7	7	10	15	27	19	31	27	-
Female	132	5	-	-	4	4	4	10	13	24	38	30	-
Black	284	13	1	1	11	11	14	24	40	43	69	57	-
Male	153	8	1	1	7	7	10	15	27	19	31	27	-
Female	131	5	-	-	4	4	4	9	13	24	38	30	-
Utica-Rome, NY, MSA	3,172	32	6	7	25	50	92	136	295	743	988	798	-
Male	1,626	20	3	5	22	34	59	88	182	440	504	259	-
Female	1,546	12	3	2	3	16	33	38	113	303	484	539	-
White	3,077	26	4	6	23	40	84	127	277	722	978	790	-
Male	1,570	15	2	5	20	28	53	83	172	428	498	256	-
Female	1,507	11	2	1	3	12	31	34	105	294	480	534	-
All other	95	6	2	1	3	10	8	9	18	21	10	8	-
Male	56	5	1	-	2	6	6	5	10	12	6	3	-
Female	39	1	1	-	-	4	2	4	8	9	4	5	-
Black	82	6	2	1	2	10	7	8	14	11	7	6	-
Male	49	5	1	-	2	6	6	4	7	11	5	2	-
Female	33	1	1	1	-	4	1	4	7	8	2	4	-
Vallejo-Fairfield-Napa, CA, PMSA	3,325	52	12	13	54	105	176	202	380	735	951	645	-
Male	1,802	30	4	7	45	76	124	119	223	434	499	241	-
Female	1,523	22	8	6	9	29	52	83	157	301	452	404	-
White	2,815	31	6	9	29	79	129	160	292	632	854	595	-
Male	1,517	18	2	5	3	19	39	64	117	257	404	220	-
Female	1,298	13	4	3	3	19	39	64	117	257	404	220	-
All other	510	21	6	5	25	26	47	42	88	103	97	50	-
Male	285	12	2	2	19	16	34	23	48	59	49	21	-
Female	225	9	4	3	6	10	13	19	40	44	48	29	-
Black	329	18	4	4	17	23	36	27	54	60	58	28	-
Male	183	10	1	2	13	15	27	16	33	34	25	7	-
Female	146	8	3	2	4	8	9	11	21	26	33	21	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 169

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 44 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Vancouver, WA, PMSA	1,820	32	8	10	39	36	59	122	226	364	530	394	-
Male	982	23	4	6	32	23	41	81	136	211	275	150	-
Female	838	9	4	4	7	13	18	41	90	153	255	244	-
White	1,792	31	6	9	39	36	56	121	221	354	528	391	-
Male	965	22	3	5	32	23	39	81	133	205	274	148	-
Female	827	9	3	4	7	13	17	40	88	149	254	243	-
All other	28	1	2	1	-	-	3	1	5	10	2	3	-
Male	17	1	1	1	-	-	2	-	3	6	1	2	-
Female	11	-	1	-	-	-	1	1	2	4	1	1	-
Black	16	-	1	1	-	-	3	-	3	7	-	1	-
Male	12	-	1	1	-	-	2	-	2	6	-	1	-
Female	4	-	1	-	-	-	1	-	1	1	-	-	-
Victoria, TX, MSA	579	7	3	1	12	15	26	46	63	121	166	119	-
Male	288	4	2	1	9	10	18	27	33	61	89	34	-
Female	291	3	1	-	3	5	8	19	30	60	77	85	-
White	530	6	3	1	10	14	23	42	58	105	158	110	-
Male	269	4	2	1	8	9	15	27	32	56	85	30	-
Female	261	2	1	-	2	5	8	15	26	49	73	80	-
All other	49	1	-	-	2	1	3	4	5	16	8	9	-
Male	19	-	-	-	1	1	3	-	1	5	4	4	-
Female	30	1	-	-	1	-	-	4	4	11	4	5	-
Black	49	1	-	-	2	1	3	4	5	16	8	9	-
Male	19	-	-	-	1	1	3	-	1	5	4	4	-
Female	30	1	-	-	1	-	-	4	4	11	4	5	-
Vineland-Millville-Bridgeton, NJ, PMSA	1,372	21	6	2	20	45	51	85	162	321	387	272	-
Male	715	9	5	1	18	32	34	47	108	193	176	92	-
Female	657	12	1	1	2	13	17	38	54	128	211	180	-
White	1,158	11	5	2	18	35	37	65	133	271	335	246	-
Male	603	5	4	1	16	27	25	37	91	167	148	82	-
Female	555	6	1	1	2	8	12	28	42	104	187	164	-
All other	214	10	1	-	2	10	14	20	29	50	52	26	-
Male	112	4	1	-	2	5	9	10	17	26	28	10	-
Female	102	6	-	-	-	5	5	10	12	24	24	16	-
Black	195	9	1	-	2	10	14	19	28	45	45	22	-
Male	101	4	1	-	2	5	9	9	16	22	25	8	-
Female	94	5	-	-	-	5	5	10	12	23	20	14	-
Visalia-Tulare-Porterville, CA, MSA	2,481	46	13	15	63	90	105	153	280	496	716	503	1
Male	1,338	24	5	9	48	70	73	93	160	279	394	182	1
Female	1,143	22	8	6	15	20	32	60	120	217	322	321	-
White	2,343	39	13	14	61	80	97	145	257	471	684	481	1
Male	1,249	23	5	9	47	64	67	89	144	260	372	168	1
Female	1,094	16	8	5	14	16	30	56	113	211	312	313	-
All other	138	7	-	1	2	10	8	8	23	25	32	22	-
Male	89	1	-	-	1	6	4	4	16	19	22	14	-
Female	49	6	-	1	1	4	4	4	7	6	10	8	-
Black	54	2	-	1	1	6	5	3	7	10	10	9	-
Male	33	-	-	-	-	4	4	1	5	9	5	5	-
Female	21	2	-	1	1	2	1	2	2	1	5	4	-
Waco, TX, MSA	1,862	21	5	10	36	58	73	77	218	405	528	431	-
Male	939	13	4	5	31	41	51	52	126	231	244	141	-
Female	923	8	1	5	5	17	22	25	92	174	284	290	-
White	1,532	14	2	7	25	43	51	55	162	334	459	380	-
Male	755	10	2	3	21	34	37	37	96	185	208	122	-
Female	777	4	-	4	4	9	14	18	66	149	251	258	-
All other	330	7	3	3	11	15	22	22	56	71	69	51	-
Male	184	3	2	2	10	7	14	15	30	46	36	19	-
Female	146	4	1	1	1	8	8	7	26	25	33	32	-
Black	330	7	3	3	11	15	22	22	56	71	69	51	-
Male	184	3	2	2	10	7	14	15	30	46	36	19	-
Female	146	4	1	1	1	8	8	7	26	25	33	32	-
Washington, DC-MD-VA, MSA	25,122	716	93	105	585	1,101	1,601	1,913	3,044	5,346	5,926	4,678	14
Male	12,995	391	56	63	479	843	1,087	1,202	1,833	2,896	2,713	1,421	11
Female	12,127	325	37	42	106	258	514	711	1,211	2,450	3,213	3,257	3
White	15,786	262	44	55	194	452	689	986	1,751	3,409	4,256	3,681	7
Male	7,758	144	27	32	140	349	482	617	1,055	1,857	1,944	1,105	6
Female	8,028	118	17	23	54	103	207	369	696	1,552	2,312	2,576	1
All other	9,336	454	49	50	391	649	912	927	1,293	1,937	1,670	997	7
Male	5,237	247	29	31	339	494	605	585	778	1,039	769	316	5
Female	4,099	207	20	19	52	155	307	342	515	898	901	681	2
Black	8,881	440	47	47	377	623	879	878	1,235	1,631	1,573	944	7
Male	4,992	238	29	29	328	476	588	557	743	975	729	295	5
Female	3,889	202	18	18	49	147	291	321	492	856	844	649	2
Waterloo-Cedar Falls, IA, MSA	1,347	15	3	6	12	24	36	65	131	258	412	385	-
Male	649	8	2	4	7	21	18	37	76	148	216	112	-
Female	698	7	1	2	5	3	18	28	55	110	196	273	-
White	1,285	11	3	4	10	23	32	61	121	246	398	376	-
Male	617	7	2	2	6	20	16	35	69	142	209	109	-
Female	668	4	1	2	4	3	16	26	52	104	189	267	-
All other	62	4	-	2	2	1	4	4	10	12	14	9	-
Male	32	1	-	2	1	1	2	2	3	6	7	3	-
Female	30	3	-	-	1	-	2	2	7	6	7	6	-
Black	60	4	-	2	1	1	4	4	10	12	13	9	-
Male	32	1	-	2	1	1	2	2	7	6	7	3	-
Female	28	3	-	-	-	-	2	2	3	6	6	6	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 170

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 45 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wausau, WI, MSA	843	11	4	4	11	10	19	34	78	153	266	253	-
Male	439	8	2	1	3	8	12	19	48	88	148	102	-
Female	404	3	2	3	8	2	7	15	30	65	118	151	-
White	836	9	4	4	11	10	19	33	76	152	265	253	-
Male	434	6	2	1	3	8	12	18	47	88	147	102	-
Female	402	3	2	3	8	2	7	15	29	64	118	151	-
All other	7	2	-	-	-	-	-	1	2	1	1	-	-
Male	5	2	-	-	-	-	-	1	1	-	1	-	-
Female	2	-	-	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
West Palm Beach-Boca Raton-Delray Beach, FL, MSA	10,869	113	37	18	91	237	337	446	794	2,294	3,614	2,888	-
Male	5,784	64	18	11	67	163	248	291	476	1,309	1,890	1,247	-
Female	5,085	49	19	7	24	74	89	155	318	985	1,724	1,641	-
White	9,906	69	21	9	50	129	226	352	674	2,125	3,447	2,804	-
Male	5,237	35	9	5	35	102	170	231	410	1,218	1,814	1,208	-
Female	4,669	34	12	4	15	27	56	121	264	907	1,633	1,596	-
All other	963	44	16	9	41	108	111	94	120	169	167	84	-
Male	547	29	9	6	32	61	78	60	66	91	76	39	-
Female	416	15	7	3	9	47	33	34	54	78	91	45	-
Black	951	43	16	9	39	108	110	93	118	166	165	84	-
Male	538	28	9	6	30	61	77	59	64	90	75	39	-
Female	413	15	7	3	9	47	33	34	54	76	90	45	-
Wheeling, WV-OH, MSA	1,932	13	1	3	18	30	43	60	194	478	638	454	-
Male	924	8	1	2	11	24	30	38	119	255	294	142	-
Female	1,008	5	-	1	7	6	13	22	75	223	344	312	-
White	1,888	12	1	3	17	30	40	60	189	469	620	447	-
Male	906	8	1	2	10	24	28	38	117	251	287	140	-
Female	982	4	-	1	7	6	12	22	72	218	333	307	-
All other	44	1	-	-	1	-	3	-	5	9	18	7	-
Male	18	-	-	-	1	-	2	-	2	4	7	2	-
Female	26	1	-	-	-	-	1	-	3	5	11	5	-
Black	42	1	-	-	1	-	3	-	5	8	18	6	-
Male	17	-	-	-	1	-	2	-	2	3	7	2	-
Female	25	1	-	-	-	-	1	-	3	5	11	4	-
Wichita, KS, MSA	3,912	87	13	20	72	101	170	220	400	852	1,034	943	-
Male	1,958	49	8	12	53	75	112	138	246	498	480	287	-
Female	1,954	38	5	8	19	26	58	82	154	354	554	656	-
White	3,581	63	12	15	59	86	142	182	346	793	979	904	-
Male	1,776	40	7	9	45	68	94	112	210	463	451	277	-
Female	1,805	23	5	6	14	18	48	70	136	330	528	627	-
All other	331	24	1	5	13	15	28	38	54	59	55	39	-
Male	182	9	1	3	8	7	18	26	36	35	29	10	-
Female	149	15	-	2	5	8	10	12	18	24	26	29	-
Black	283	23	1	5	12	11	25	33	47	46	51	29	-
Male	157	9	1	3	8	6	16	22	31	27	27	7	-
Female	126	14	-	2	4	5	9	11	16	19	24	22	-
Wichita Falls, TX, MSA	1,183	19	2	11	11	29	45	62	118	266	334	285	1
Male	593	13	1	8	10	22	29	39	69	160	147	94	1
Female	590	6	1	3	1	7	16	23	49	106	187	191	-
White	1,076	15	2	10	9	25	36	55	100	246	310	267	1
Male	533	10	1	7	8	18	25	35	57	148	136	87	1
Female	543	5	1	3	1	7	11	20	43	98	174	180	-
All other	107	4	-	1	2	4	9	7	18	20	24	18	-
Male	60	3	-	1	2	4	4	4	12	12	11	7	-
Female	47	1	-	-	-	-	5	3	6	8	13	11	-
Black	105	4	-	1	2	4	9	6	18	20	23	18	-
Male	59	3	-	1	2	4	4	4	12	12	10	7	-
Female	46	1	-	-	-	-	5	2	6	8	13	11	-
Williamsport, PA, MSA	1,212	10	4	2	9	18	30	53	133	265	381	307	-
Male	605	4	3	1	7	13	18	28	81	155	185	110	-
Female	607	6	1	1	2	5	12	25	52	110	196	197	-
White	1,190	9	3	2	9	16	27	51	132	261	377	303	-
Male	592	3	2	1	7	13	16	27	80	152	182	109	-
Female	598	6	1	1	2	3	11	24	52	109	195	194	-
All other	22	1	1	-	-	2	3	2	1	4	4	4	-
Male	13	1	1	-	-	-	2	1	1	3	3	1	-
Female	9	-	-	-	-	2	1	1	-	1	1	3	-
Black	21	1	1	-	-	2	3	2	1	4	3	4	-
Male	12	1	1	-	-	-	2	1	1	3	2	1	-
Female	9	-	-	-	-	2	1	1	-	1	1	3	-
Wilmington, DE-NJ-MD, PMSA	4,886	92	13	12	54	125	205	289	572	1,145	1,375	993	11
Male	2,452	48	9	8	35	89	149	188	341	631	644	304	6
Female	2,434	44	4	4	19	36	56	101	231	514	731	689	5
White	4,138	50	12	8	44	90	145	223	470	973	1,214	900	9
Male	2,045	32	9	5	28	64	105	146	277	528	574	271	6
Female	2,093	18	3	3	16	26	40	77	193	445	640	629	3
All other	748	42	1	4	10	35	60	66	102	172	161	93	2
Male	407	16	-	3	7	25	44	42	64	103	70	33	2
Female	341	26	1	1	3	10	16	24	38	69	91	60	2
Black	728	42	1	3	10	35	57	63	102	167	156	90	2
Male	397	16	-	2	7	25	42	42	64	99	68	32	-
Female	331	26	1	1	3	10	15	21	38	68	88	58	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 171

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 46 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wilmington, NC, MSA	1,171	17	5	2	23	23	52	77	148	283	316	224	1
Male	586	13	2	1	18	14	36	45	93	157	142	65	-
Female	585	4	3	1	5	9	16	32	55	126	174	159	1
White	845	10	3	2	14	11	32	52	96	195	251	178	1
Male	417	8	1	1	11	7	27	30	62	109	111	50	-
Female	428	2	2	1	3	4	5	22	34	86	140	128	1
All other	326	7	2	-	9	12	20	25	52	88	65	46	-
Male	169	5	1	-	7	7	9	15	31	48	31	15	-
Female	157	2	1	-	2	5	11	10	21	40	34	31	-
Black	321	7	2	-	9	12	19	25	50	87	64	46	-
Male	166	5	1	-	7	7	8	15	31	47	30	15	-
Female	155	2	1	-	2	5	11	10	19	40	34	31	-
Worcester-Fitchburg-Leominster, MA, NECMA	6,403	71	8	14	69	123	181	288	628	1,431	1,961	1,629	-
Male	3,185	38	6	10	53	79	125	185	382	834	959	514	-
Female	3,218	33	2	4	16	44	56	103	246	597	1,002	1,115	-
White	6,321	60	7	13	64	119	176	282	615	1,413	1,955	1,617	-
Male	3,139	32	6	9	48	77	122	181	375	822	956	511	-
Female	3,182	28	1	4	16	42	54	101	240	591	999	1,106	-
All other	82	11	1	1	5	4	5	6	13	18	6	12	-
Male	46	6	-	1	5	2	3	4	7	12	3	3	-
Female	36	5	1	-	-	2	2	2	6	6	3	9	-
Black	66	9	-	1	4	4	3	5	9	15	6	10	-
Male	40	5	-	1	4	2	3	3	5	11	3	3	-
Female	26	4	-	-	-	2	-	2	4	4	3	7	-
Yakima, WA, MSA	1,646	42	8	7	34	38	54	83	162	332	496	390	-
Male	874	23	4	4	20	27	33	51	106	199	260	147	-
Female	772	19	4	3	14	11	21	32	56	133	236	243	-
White	1,541	33	6	5	30	28	43	77	152	315	477	375	-
Male	814	17	2	2	18	23	23	49	99	191	250	140	-
Female	727	16	4	3	12	5	20	28	53	124	227	235	-
All other	105	9	2	2	4	10	11	6	10	17	19	15	-
Male	60	6	2	2	2	4	10	2	7	8	10	7	-
Female	45	3	-	-	2	6	1	4	3	9	9	8	-
Black	18	3	-	-	-	1	2	-	2	6	4	-	-
Male	11	2	-	-	-	1	2	-	2	2	2	-	-
Female	7	1	-	-	-	-	-	-	-	4	2	-	-
York, PA, MSA	3,503	47	10	5	54	66	119	175	375	788	1,008	856	-
Male	1,787	27	7	3	38	41	81	116	231	440	512	291	-
Female	1,716	20	3	2	16	25	38	59	144	348	496	565	-
White	3,390	36	8	5	50	59	104	164	366	763	992	843	-
Male	1,725	20	7	3	36	36	72	108	226	425	504	288	-
Female	1,665	16	1	2	14	23	32	56	140	338	488	555	-
All other	113	11	2	-	4	7	15	11	9	25	16	13	-
Male	62	7	-	-	2	5	9	8	5	15	8	3	-
Female	51	4	2	-	2	2	6	3	4	10	8	10	-
Black	107	11	2	-	3	5	14	11	8	25	16	12	-
Male	58	7	-	-	1	4	8	8	5	15	8	2	-
Female	49	4	2	-	2	1	6	3	3	10	8	10	-
Youngstown-Warren, OH, MSA	5,248	75	13	12	71	101	162	262	572	1,365	1,550	1,064	1
Male	2,655	31	5	7	53	67	104	152	351	770	771	344	-
Female	2,593	44	8	5	18	34	58	110	221	595	779	720	1
White	4,683	52	9	10	54	79	132	213	496	1,215	1,436	986	1
Male	2,351	21	3	5	41	55	82	128	310	684	710	312	-
Female	2,332	31	6	5	13	24	50	85	186	531	726	674	1
All other	565	23	4	2	17	22	30	49	76	150	114	78	-
Male	304	10	2	2	12	12	22	24	41	86	61	32	-
Female	261	13	2	-	5	10	8	25	35	64	53	46	-
Black	562	23	4	2	17	22	29	49	75	150	114	77	-
Male	302	10	2	2	12	12	21	24	40	86	61	32	-
Female	260	13	2	-	5	10	8	25	35	64	53	45	-
Yuba City, CA, MSA	1,032	13	6	6	17	36	46	69	125	242	274	198	-
Male	580	7	4	2	14	30	34	41	81	134	153	80	-
Female	452	6	2	4	3	6	12	28	44	108	121	118	-
White	965	10	6	3	16	31	42	67	115	228	257	180	-
Male	535	5	4	2	13	26	31	39	73	126	143	73	-
Female	430	5	2	1	3	5	11	28	42	102	114	117	-
All other	67	3	-	3	1	5	4	2	10	14	17	8	-
Male	45	2	-	-	1	4	3	2	8	8	10	7	-
Female	22	1	-	3	-	1	1	-	2	6	7	1	-
Black	21	2	-	-	1	1	2	1	3	3	3	1	-
Male	13	1	-	-	1	1	1	1	3	1	3	1	-
Female	8	1	-	-	-	-	1	-	-	2	4	-	-
Yuma, AZ, MSA	921	16	9	10	19	25	39	55	103	259	265	119	2
Male	562	5	4	8	14	18	30	38	69	159	156	59	2
Female	359	11	5	2	5	7	9	17	34	100	109	60	-
White	868	15	8	9	15	21	37	45	96	250	256	114	2
Male	520	4	3	7	10	15	29	32	63	153	148	54	2
Female	348	11	5	2	5	6	8	13	33	97	108	60	-
All other	53	1	1	1	4	4	2	10	7	9	9	5	-
Male	42	1	1	1	4	3	1	6	6	6	8	5	-
Female	11	-	-	-	-	1	1	4	1	3	1	-	-
Black	23	-	1	-	1	1	1	3	3	4	6	3	-
Male	21	-	1	-	1	-	1	3	3	3	6	3	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 172

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 47 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
CONSOLIDATED METROPOLITAN STATISTICAL AREAS													
Boston-Lawrence-Salem, MA-NH	32,350	355	71	69	283	767	1,196	1,678	3,315	6,756	9,299	8,559	2
Male	15,508	192	40	39	204	562	834	1,030	2,054	3,812	4,260	2,480	1
Female	16,842	163	31	30	79	205	362	648	1,261	2,944	5,039	6,079	1
White	30,588	251	56	52	218	638	1,015	1,500	3,088	6,396	8,992	8,380	2
Male	14,540	142	31	29	155	478	721	919	1,916	3,615	4,125	2,408	1
Female	16,048	109	25	23	63	160	294	581	1,172	2,781	4,867	5,972	1
All other	1,762	104	15	17	65	129	181	178	227	360	307	179	-
Male	968	50	9	10	49	84	113	111	138	197	135	72	-
Female	794	54	6	7	16	45	68	67	89	163	172	107	-
Black	1,509	93	11	14	55	120	166	152	193	298	257	150	-
Male	822	45	6	9	42	79	107	95	114	162	111	52	-
Female	687	48	5	5	13	41	59	57	79	136	146	98	-
Buffalo-Niagara Falls, NY	13,217	260	110	59	141	221	459	687	1,536	3,153	3,870	2,717	4
Male	6,940	195	102	49	103	157	311	437	965	1,776	1,942	899	4
Female	6,277	65	8	10	38	64	148	250	571	1,377	1,928	1,818	-
White	11,794	162	74	47	92	162	349	556	1,305	2,813	3,639	2,591	4
Male	6,057	131	68	38	67	119	230	353	820	1,569	1,819	839	4
Female	5,737	31	6	9	25	43	119	203	485	1,244	1,820	1,752	-
All other	1,423	98	36	12	49	59	110	131	231	340	231	125	-
Male	883	64	34	11	36	38	81	84	145	207	123	80	-
Female	540	34	2	1	13	21	29	47	86	133	108	86	-
Black	1,317	92	29	11	45	56	105	119	203	325	216	116	-
Male	797	60	27	10	33	35	76	73	120	199	112	52	-
Female	520	32	2	1	12	21	29	46	83	126	104	84	-
Chicago-Gary-Lake County, IL-IN-WI	68,021	1,525	237	273	1,255	2,113	3,237	4,491	7,969	15,305	18,102	13,507	7
Male	34,880	852	133	174	987	1,575	2,240	2,833	4,789	8,645	8,418	4,229	5
Female	33,141	673	104	99	268	538	997	1,658	3,180	6,660	9,684	9,278	2
White	52,228	740	122	131	612	1,146	1,818	2,874	5,573	12,010	15,372	11,824	6
Male	25,976	409	75	80	452	859	1,254	1,825	3,386	6,861	7,116	3,853	4
Female	26,252	331	47	51	160	287	564	1,049	2,187	5,149	8,254	8,171	2
All other	15,793	785	115	142	643	967	1,419	1,617	2,396	3,295	2,700	1,683	1
Male	8,904	443	58	94	535	716	966	1,006	1,403	1,784	1,300	575	1
Female	6,889	342	57	48	108	251	453	609	893	1,511	1,400	1,107	-
Black	15,179	764	111	141	626	942	1,376	1,547	2,306	3,157	2,599	1,809	1
Male	8,566	431	57	93	523	700	958	976	1,349	1,710	1,228	540	1
Female	6,613	333	54	48	103	242	418	571	957	1,447	1,371	1,069	-
Cincinnati-Hamilton, OH-KY-IN	15,133	238	43	56	185	288	491	799	1,862	3,500	4,270	3,401	-
Male	7,329	150	16	33	139	195	310	471	1,120	1,895	1,992	1,008	-
Female	7,804	88	27	23	46	93	181	328	742	1,605	2,278	2,393	-
White	13,260	155	36	41	145	228	387	665	1,578	3,037	3,838	3,150	-
Male	6,388	102	15	24	109	156	249	398	957	1,670	1,790	918	-
Female	6,872	53	21	17	36	72	138	267	621	1,367	2,048	2,232	-
All other	1,873	83	7	15	40	60	104	134	284	463	432	251	-
Male	941	48	1	9	30	39	61	73	163	225	202	90	-
Female	932	35	6	6	10	21	43	61	121	238	230	181	-
Black	1,846	82	6	14	40	60	102	130	281	459	426	248	-
Male	931	48	1	8	30	39	59	73	163	222	200	88	-
Female	915	34	5	6	10	21	43	57	118	237	226	158	-
Cleveland-Akron-Lorain, OH	26,187	450	54	66	319	474	902	1,383	2,899	6,392	7,500	5,748	-
Male	13,082	240	31	38	242	334	620	868	1,724	3,552	3,824	1,809	-
Female	13,105	210	23	28	77	140	282	515	1,175	2,840	3,676	3,939	-
White	21,791	242	38	46	193	298	608	1,013	2,221	5,311	6,641	5,180	-
Male	10,692	127	23	24	136	215	423	651	1,328	2,946	3,209	1,810	-
Female	11,099	115	15	22	57	83	185	362	893	2,365	3,432	3,370	-
All other	4,396	208	16	20	126	176	294	370	678	1,081	859	568	-
Male	2,390	113	8	14	106	119	197	217	396	606	415	199	-
Female	2,006	95	8	6	20	57	97	153	282	475	444	369	-
Black	4,329	205	16	19	124	173	290	363	668	1,063	845	583	-
Male	2,346	110	8	13	104	118	194	213	389	584	406	197	-
Female	1,983	95	8	6	20	55	96	150	279	479	439	386	-
Dallas-Fort Worth, TX	25,663	579	106	137	682	1,156	1,499	1,958	3,134	5,334	6,283	4,790	5
Male	13,363	303	69	99	533	886	1,050	1,265	1,885	2,941	2,904	1,424	4
Female	12,300	276	37	38	149	270	449	693	1,249	2,393	3,379	3,366	1
White	21,312	406	78	92	427	835	1,105	1,497	2,487	4,530	5,525	4,327	3
Male	10,966	213	52	66	329	655	799	980	1,511	2,521	2,566	1,272	2
Female	10,346	193	26	26	98	180	306	517	976	2,009	2,959	3,055	1
All other	4,351	173	28	45	255	321	394	461	647	804	758	463	2
Male	2,397	90	17	33	204	231	251	285	374	420	338	152	2
Female	1,954	83	11	12	51	90	143	176	273	384	420	311	-
Black	4,159	166	26	39	235	306	376	439	618	767	735	450	2
Male	2,282	85	15	29	188	223	241	272	356	400	323	148	2
Female	1,877	81	11	10	47	83	135	167	262	367	412	302	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 173

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 48 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Denver-Boulder, CO	11,939	244	52	58	226	462	724	735	1,282	2,413	3,068	2,675	-
Male	6,132	145	27	39	163	368	509	440	777	1,327	1,495	842	-
Female	5,807	99	25	19	63	94	215	295	505	1,086	1,573	1,833	-
White	11,136	204	45	51	196	401	650	655	1,177	2,249	2,931	2,577	-
Male	5,666	121	23	32	138	325	458	394	715	1,226	1,426	808	-
Female	5,470	83	22	19	58	76	192	261	462	1,023	1,505	1,769	-
All other	803	40	7	7	30	61	74	80	105	164	137	98	-
Male	466	24	4	7	25	43	51	46	62	101	69	34	-
Female	337	16	3	-	5	18	23	34	43	63	68	64	-
Black	646	31	7	5	26	52	61	68	85	130	109	74	-
Male	378	19	4	5	22	39	45	40	51	76	53	24	-
Female	268	12	3	-	4	13	16	28	34	54	56	50	-
Detroit-Ann Arbor, MI	39,777	845	121	164	751	1,121	1,850	2,526	4,666	9,401	10,497	7,826	9
Male	20,485	497	74	110	564	799	1,242	1,560	2,743	5,278	4,998	2,615	5
Female	19,292	348	47	54	187	322	608	966	1,923	4,123	5,499	5,211	4
White	29,943	334	62	91	358	628	1,001	1,623	3,282	7,256	8,568	6,737	3
Male	15,056	195	41	63	258	452	700	994	1,982	4,105	4,061	2,204	1
Female	14,887	139	21	28	100	176	301	629	1,300	3,151	4,507	4,533	2
All other	9,834	511	59	73	393	493	849	903	1,384	2,145	1,929	1,089	6
Male	5,429	302	33	47	306	347	542	566	761	1,173	937	411	4
Female	4,405	209	26	26	87	146	307	337	623	972	992	678	2
Black	9,545	498	57	69	385	479	826	872	1,331	2,086	1,874	1,062	6
Male	5,254	294	32	43	301	337	526	542	728	1,142	904	401	4
Female	4,291	204	25	26	84	142	300	330	603	944	970	661	2
Hartford-New Britain-Middletown, CT	9,380	119	17	15	85	182	372	483	954	2,011	2,706	2,436	-
Male	4,682	75	10	9	64	134	245	321	588	1,178	1,305	753	-
Female	4,698	44	7	6	21	48	127	162	366	833	1,401	1,683	-
White	8,685	72	12	11	69	150	289	395	840	1,879	2,608	2,360	-
Male	4,284	45	6	6	53	109	192	260	523	1,100	1,260	730	-
Female	4,401	27	6	5	16	41	97	135	317	779	1,348	1,630	-
All other	695	47	5	4	16	32	83	88	114	132	98	76	-
Male	398	30	4	3	11	25	53	61	65	78	45	23	-
Female	297	17	1	1	5	7	30	27	49	54	53	53	-
Black	667	45	5	4	15	32	82	83	108	126	93	74	-
Male	378	28	4	3	10	25	53	57	60	74	42	22	-
Female	289	17	1	1	5	7	29	26	48	52	51	52	-
Houston-Galveston-Brazoria, TX	23,817	633	122	151	663	1,309	1,821	1,961	3,228	5,007	5,175	3,737	10
Male	13,131	364	67	93	503	1,020	1,316	1,279	1,998	2,898	2,441	1,144	8
Female	10,686	269	55	58	160	289	505	682	1,230	2,109	2,734	2,593	2
White	18,198	420	82	104	445	872	1,270	1,414	2,410	3,895	4,166	3,111	9
Male	9,931	243	45	70	327	673	951	939	1,514	2,278	1,970	914	7
Female	8,267	177	37	34	118	199	319	475	896	1,617	2,196	2,197	2
All other	5,619	213	40	47	218	437	551	547	818	1,112	1,009	626	1
Male	3,200	121	22	23	176	347	365	340	484	620	471	230	1
Female	2,419	92	18	24	42	90	186	207	334	492	538	396	-
Black	5,308	200	35	43	203	417	516	523	776	1,050	943	601	1
Male	3,020	113	19	23	167	328	343	329	458	583	436	220	1
Female	2,288	87	16	20	36	89	173	194	318	467	507	381	-
Los Angeles-Anaheim-Riverside, CA	100,653	2,274	447	448	2,479	4,109	5,574	6,607	11,218	20,852	25,698	20,917	30
Male	53,041	1,276	247	267	2,016	3,229	4,084	4,283	6,806	11,626	12,440	6,746	21
Female	47,612	998	200	181	463	880	1,490	2,324	4,412	9,226	13,258	14,171	9
White	85,726	1,739	360	357	1,928	3,209	4,382	5,153	9,065	17,709	22,716	19,085	23
Male	44,700	963	199	204	1,567	2,581	3,271	3,375	5,564	9,870	10,991	6,098	17
Female	41,026	776	161	153	361	628	1,111	1,778	3,501	7,839	11,725	12,987	6
All other	14,927	535	87	91	551	900	1,192	1,454	2,153	3,143	2,982	1,832	7
Male	8,341	313	48	63	449	648	813	908	1,242	1,756	1,449	648	4
Female	6,586	222	39	28	102	252	379	546	911	1,387	1,533	1,184	3
Black	10,209	413	62	59	397	749	928	1,059	1,513	2,036	1,849	1,137	7
Male	5,644	242	31	39	329	560	667	872	1,092	824	824	346	4
Female	4,565	171	31	20	68	189	290	392	641	944	1,025	791	3
Miami-Fort Lauderdale, FL	33,657	412	82	95	376	1,060	1,655	1,916	3,226	6,322	10,036	8,462	15
Male	17,737	228	44	55	281	766	1,172	1,300	2,000	3,578	5,000	3,303	10
Female	15,920	184	38	40	95	294	483	616	1,226	2,744	5,036	5,159	5
White	28,996	191	41	51	223	620	1,010	1,379	2,496	5,509	9,342	8,123	11
Male	15,047	104	25	35	165	492	750	948	1,548	3,125	4,676	3,172	7
Female	13,949	87	16	16	58	128	260	431	948	2,384	4,666	4,951	4
All other	4,661	221	41	44	153	440	645	537	730	813	694	339	4
Male	2,690	124	19	20	116	274	422	352	452	453	324	131	3
Female	1,971	97	22	24	37	166	223	185	278	360	370	208	1
Black	4,562	218	41	43	147	432	638	526	720	786	681	326	4
Male	2,626	122	19	20	110	269	420	345	444	437	314	123	3
Female	1,936	96	22	23	37	163	218	181	276	349	367	203	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 174

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 49 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Milwaukee-Racine, WI	13,399	200	34	58	174	295	434	699	1,339	2,751	3,889	3,526	-
Male	6,635	100	18	34	136	217	293	422	833	1,586	1,820	1,176	-
Female	6,764	100	16	24	38	78	141	277	506	1,165	2,069	2,350	-
White	12,059	114	20	36	95	195	314	540	1,148	2,500	3,674	3,423	-
Male	5,876	59	10	23	72	144	222	321	729	1,436	1,720	1,140	-
Female	6,183	55	10	13	23	51	92	219	419	1,064	1,954	2,283	-
All other	1,340	86	14	22	79	100	120	159	191	251	215	103	-
Male	759	41	8	11	64	73	71	101	104	150	100	36	-
Female	581	45	6	11	15	27	49	58	87	101	115	67	-
Black	1,265	82	13	21	76	96	108	151	181	237	201	99	-
Male	710	38	7	10	61	70	63	96	98	143	92	32	-
Female	555	44	6	11	15	26	45	55	83	94	109	67	-
New York-Northern New Jersey-Long Island, NY-NJ-CT	164,779	2,518	427	437	2,258	6,009	10,133	10,925	18,108	33,725	43,369	36,844	28
Male	83,547	1,403	223	274	1,762	4,271	7,208	7,067	10,761	18,684	20,312	11,564	18
Female	81,232	1,115	204	163	496	1,738	2,925	3,858	7,347	15,041	23,057	25,280	8
White	133,741	1,357	240	258	1,333	3,645	6,139	7,287	13,440	27,798	38,480	33,741	23
Male	66,702	764	132	168	1,028	2,693	4,521	4,777	8,134	15,636	18,150	10,682	17
Female	67,039	593	108	90	305	952	1,618	2,510	5,306	12,162	20,330	23,059	6
All other	31,038	1,161	187	179	925	2,364	3,994	3,858	4,668	5,927	4,889	3,103	3
Male	16,845	639	91	106	734	1,578	2,687	2,290	2,827	3,048	2,162	882	1
Female	14,193	522	96	73	191	786	1,307	1,568	2,041	2,879	2,727	2,221	2
Black	28,957	1,089	177	169	871	2,281	3,848	3,418	4,341	5,455	4,475	2,850	3
Male	15,650	597	86	101	694	1,520	2,590	2,151	2,427	2,763	1,949	771	1
Female	13,307	492	91	68	177	741	1,258	1,267	1,914	2,692	2,526	2,079	2
Philadelphia-Wilmington-Trenton, PA-NJ-DE-MD	56,353	959	165	153	747	1,597	2,243	3,235	6,384	13,202	15,646	12,005	17
Male	27,889	512	104	102	578	1,161	1,560	1,957	3,828	7,334	7,166	3,878	9
Female	28,364	447	61	51	169	436	683	1,278	2,556	5,868	8,480	8,327	8
White	44,592	449	85	78	424	937	1,332	2,128	4,631	10,507	13,375	10,623	13
Male	21,756	254	64	51	310	693	961	1,300	2,857	5,898	6,166	3,194	8
Female	22,836	195	31	27	114	244	371	828	1,774	4,609	7,209	7,429	5
All other	11,761	510	70	75	323	660	911	1,107	1,753	2,695	2,271	1,382	4
Male	6,233	258	40	51	268	468	599	657	971	1,436	1,000	484	1
Female	5,528	252	30	24	55	192	312	450	782	1,259	1,271	898	3
Black	11,414	493	67	66	312	640	892	1,070	1,706	2,630	2,190	1,344	4
Male	6,045	251	37	45	260	456	590	638	945	1,399	958	465	1
Female	5,369	242	30	21	52	184	302	432	761	1,231	1,232	879	3
Pittsburgh-Beaver Valley, PA	25,150	261	28	50	228	362	653	1,069	2,590	6,406	8,002	5,500	1
Male	12,464	155	24	31	171	275	442	659	1,532	3,573	3,803	1,788	1
Female	12,686	106	4	19	57	87	211	410	1,058	2,833	4,199	3,702	8
White	23,180	158	23	37	180	293	531	940	2,291	5,953	7,559	5,214	1
Male	11,437	102	19	23	135	221	366	585	1,374	3,324	3,600	1,687	1
Female	11,743	56	4	14	45	72	165	355	917	2,629	3,959	3,527	-
All other	1,970	103	5	13	48	69	122	129	299	453	443	286	-
Male	1,027	53	5	8	36	54	76	74	158	249	203	111	-
Female	943	50	-	5	12	15	46	55	141	204	240	175	-
Black	1,939	101	5	13	48	67	120	123	294	449	437	282	-
Male	1,012	52	5	8	36	52	75	72	155	246	202	109	-
Female	927	49	-	5	12	15	45	51	139	203	235	173	-
Portland-Vancouver, OR-WA	12,314	169	36	52	174	283	461	717	1,175	2,493	3,655	3,098	1
Male	6,237	107	24	32	133	205	331	457	705	1,430	1,761	1,051	1
Female	6,077	62	12	20	41	78	130	260	470	1,063	1,894	2,047	-
White	11,758	143	28	43	151	267	408	661	1,110	2,386	3,529	3,032	-
Male	5,909	91	18	26	118	194	298	424	660	1,360	1,696	1,024	-
Female	5,849	52	10	17	33	73	110	237	450	1,026	1,833	2,008	-
All other	556	26	8	9	23	16	53	56	65	107	126	66	1
Male	328	16	6	6	15	11	33	33	45	70	65	27	1
Female	228	10	2	3	8	5	20	23	20	37	61	39	-
Black	332	19	2	7	18	7	33	34	34	66	78	33	1
Male	194	12	1	5	13	5	19	18	24	46	42	8	1
Female	138	7	1	2	5	2	14	16	10	20	36	25	-
Providence-Pawtucket-Fall River, RI-MA	13,536	154	20	20	130	289	442	620	1,272	3,031	4,201	3,357	-
Male	6,599	97	13	14	99	199	297	373	745	1,745	2,017	1,000	-
Female	6,937	57	7	6	31	90	145	247	527	1,286	2,184	2,357	-
White	13,113	130	17	19	117	252	397	584	1,201	2,948	4,140	3,308	-
Male	6,363	81	10	13	89	175	267	349	709	1,698	1,987	985	-
Female	6,750	49	7	6	28	77	130	235	492	1,250	2,153	2,323	-
All other	423	24	3	1	13	37	45	36	71	83	61	49	-
Male	236	16	3	1	10	24	30	24	36	47	30	15	-
Female	187	8	-	-	3	13	15	12	35	36	31	34	-
Black	350	17	3	1	9	32	40	33	61	69	47	38	-
Male	185	11	3	1	7	19	27	23	29	36	19	10	-
Female	165	6	-	-	2	13	13	10	32	33	28	28	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 175

Table 8-4. Deaths by 10-Year Age Groups, Race, and Sex, for Metropolitan Areas of the United States: 1992—Con.

(Page 50 of 50)

[Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England, where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
San Francisco-Oakland-San Jose, CA	46,454	649	119	156	720	1,565	2,999	3,192	4,834	9,336	12,463	10,380	41
Male	24,592	399	58	91	563	1,247	2,291	2,164	2,929	5,185	6,075	3,559	31
Female	21,862	250	61	65	157	318	708	1,028	1,905	4,151	6,388	6,821	10
White	37,955	408	79	103	463	1,149	2,274	2,454	3,728	7,493	10,551	9,226	27
Male	18,664	245	39	61	359	946	1,785	1,695	2,261	4,143	5,036	3,074	20
Female	18,291	163	40	42	104	203	489	759	1,467	3,350	5,515	6,152	7
All other	8,499	241	40	53	257	416	725	738	1,106	1,843	1,912	1,154	14
Male	4,928	154	19	30	204	301	506	459	688	1,042	1,039	485	11
Female	3,571	87	21	23	53	115	219	269	438	801	873	669	3
Black	4,721	161	26	31	171	297	536	474	618	1,001	901	493	12
Male	2,736	101	12	15	137	221	380	310	373	550	450	178	9
Female	1,985	60	14	16	34	76	156	164	245	451	451	315	3
Seattle-Tacoma, WA	16,321	258	62	69	277	561	880	1,098	1,895	3,943	5,038	4,239	1
Male	9,412	147	32	42	209	407	647	712	1,194	2,193	2,499	1,390	-
Female	8,909	111	30	27	68	154	233	386	761	1,750	2,539	2,849	-
White	16,767	198	48	55	209	469	743	957	1,666	3,579	4,763	4,080	-
Male	8,517	115	22	35	159	343	562	619	1,006	1,990	2,348	1,318	-
Female	8,250	83	26	20	50	126	181	338	660	1,589	2,415	2,762	-
All other	1,554	60	14	14	68	92	137	141	229	364	275	159	1
Male	895	32	10	7	50	64	85	93	128	203	151	72	-
Female	659	28	4	7	18	28	52	48	101	161	124	87	1
Black	753	40	6	4	39	57	79	66	106	178	99	78	1
Male	441	24	4	1	31	40	49	50	65	107	43	27	-
Female	312	16	2	3	8	17	30	16	41	71	56	51	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 176

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992

(Page 1 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All causes	2,175,613	34,628	2,660	1,810	1,276	1,018	41,392	3,739	4,454	14,411	20,137	24,314	34,167	42,089
Male	1,122,336	19,545	1,427	1,025	762	595	23,354	2,231	2,849	10,747	15,460	18,032	24,863	29,841
Female	1,053,277	15,083	1,233	785	514	423	18,038	1,508	1,605	3,664	4,677	6,282	9,304	12,448
White	1,873,781	22,164	1,807	1,248	900	730	26,849	2,690	3,299	10,208	14,053	17,051	24,450	30,127
Male	856,957	12,625	983	716	559	432	15,315	1,605	2,093	7,440	10,686	12,825	18,210	21,650
Female	916,824	9,539	824	532	341	298	11,534	1,085	1,206	2,868	3,337	4,226	6,240	8,437
All other	301,832	12,464	853	562	376	288	14,543	1,049	1,155	4,103	6,104	7,283	9,717	11,982
Male	165,379	6,920	444	309	203	163	8,039	626	756	3,307	4,764	5,207	6,653	7,951
Female	136,453	5,544	409	253	173	125	6,504	423	399	798	1,340	2,056	3,064	4,011
Black	269,219	11,348	763	473	317	246	13,147	884	882	3,563	5,399	6,559	8,636	10,965
Male	146,630	6,298	395	258	174	138	7,283	529	639	2,923	4,246	4,895	6,093	7,308
Female	122,589	5,050	368	215	143	108	5,864	365	349	660	1,153	1,664	2,753	3,657
Shigellosis and amebiasis (004,006)	14	1	1	-	-	-	2	1	-	-	-	-	-	-
Male	12	1	1	-	-	-	2	1	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-
White	10	-	1	-	-	-	1	-	-	-	-	-	-	-
Male	8	-	1	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	4	1	-	-	-	-	1	1	-	-	-	-	-	-
Male	4	1	-	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	1	-	-	-	-	1	1	-	-	-	-	-	-
Male	2	1	-	-	-	-	1	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	529	130	10	3	1	2	146	1	1	-	3	1	3	8
Male	255	75	7	3	1	-	86	-	1	-	2	1	3	8
Female	274	55	3	-	-	2	60	1	-	-	1	-	-	-
White	430	65	5	3	1	2	76	-	1	-	-	1	2	7
Male	205	42	4	3	1	-	50	-	1	-	-	1	2	7
Female	225	23	1	-	-	2	26	-	-	-	-	-	-	-
All other	99	65	5	-	-	-	70	1	-	-	3	-	1	1
Male	50	33	3	-	-	-	36	-	-	-	2	-	1	1
Female	49	32	2	-	-	-	34	1	-	-	1	-	-	-
Black	94	63	5	-	-	-	68	1	-	-	3	-	1	1
Male	47	32	3	-	-	-	35	-	-	-	2	-	1	1
Female	47	31	2	-	-	-	33	1	-	-	1	-	-	-
Tuberculosis (010-018)	1,705	5	2	3	-	1	11	2	2	3	10	31	71	111
Male	1,059	1	2	1	-	-	4	2	1	1	1	17	39	68
Female	646	4	-	2	-	1	7	-	1	2	9	14	32	43
White	994	2	1	2	-	1	6	2	2	-	4	16	23	36
Male	602	1	1	1	-	-	3	2	1	-	-	9	11	26
Female	392	1	-	1	-	1	3	-	1	-	4	7	12	10
All other	711	3	1	1	-	-	5	-	-	3	6	15	46	75
Male	457	-	1	-	-	-	1	-	-	-	1	8	28	42
Female	254	3	-	1	-	-	4	-	-	2	5	7	20	33
Black	612	3	1	1	-	-	5	-	-	3	6	15	45	71
Male	400	-	1	-	-	-	1	-	-	1	1	8	25	39
Female	212	3	-	1	-	-	4	-	-	2	5	7	20	32
Tuberculosis of respiratory system (010-012)	1,315	1	1	1	-	-	3	1	-	1	7	21	43	66
Male	853	-	1	1	-	-	2	1	-	1	1	11	24	39
Female	462	1	-	-	-	-	1	-	-	-	6	10	19	27
White	780	-	-	1	-	-	1	1	-	-	3	12	11	20
Male	488	-	-	1	-	-	1	1	-	-	6	7	7	13
Female	292	-	-	-	-	-	-	-	-	-	3	6	4	7
All other	535	1	1	-	-	-	2	-	-	1	4	9	32	46
Male	365	-	1	-	-	-	1	-	-	1	1	5	17	28
Female	170	1	-	-	-	-	1	-	-	-	3	4	15	20
Black	463	1	1	-	-	-	2	-	-	1	4	9	30	44
Male	323	-	1	-	-	-	1	-	-	1	1	5	15	25
Female	140	1	-	-	-	-	1	-	-	-	3	4	15	19
Other tuberculosis (013-018)	390	4	1	2	-	1	8	1	2	2	3	10	28	45
Male	206	1	1	-	-	-	2	1	1	-	-	6	15	29
Female	184	3	-	2	-	1	6	-	1	2	3	4	13	16
White	214	2	1	1	-	1	5	1	2	-	1	4	12	16
Male	114	1	1	-	-	-	2	1	1	-	-	3	4	13
Female	100	1	-	1	-	1	3	-	1	-	1	1	8	3
All other	176	2	-	1	-	-	3	-	-	2	2	6	16	29
Male	92	-	-	-	-	-	-	-	-	-	-	3	11	16
Female	84	2	-	1	-	-	3	-	-	2	2	3	5	13
Black	149	2	-	1	-	-	3	-	-	2	2	6	15	27
Male	77	-	-	-	-	-	-	-	-	-	-	3	10	14
Female	72	2	-	1	-	-	3	-	-	2	2	3	5	13
Whooping cough (033)	5	4	-	-	-	-	4	1	-	-	-	-	-	-
Male	3	2	-	-	-	-	2	1	-	-	-	-	-	-
Female	2	2	-	-	-	-	2	-	-	-	-	-	-	-
White	4	3	-	-	-	-	3	1	-	-	-	-	-	-
Male	3	2	-	-	-	-	2	1	-	-	-	-	-	-
Female	1	1	-	-	-	-	1	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	1	-	-	-	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 178

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 3 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	201	34	18	15	5	1	73	9	7	27	13	2	4	7
Male	98	15	12	7	3	1	38	4	4	17	9	2	1	5
Female	103	19	6	8	2	-	35	5	3	10	4	-	3	2
White	167	29	15	11	4	1	60	4	5	25	10	2	1	6
Male	79	14	9	5	2	1	31	1	4	15	6	2	-	4
Female	88	15	6	6	2	-	29	3	1	10	4	-	1	2
All other	34	5	3	4	1	-	13	5	2	3	-	-	3	1
Male	19	1	3	2	1	-	7	3	-	3	-	-	1	1
Female	15	4	-	2	-	-	6	2	2	-	-	-	2	-
Black	31	5	2	3	1	-	11	5	2	2	3	-	2	1
Male	18	1	2	2	1	-	6	3	-	2	3	-	1	1
Female	13	4	-	1	-	-	5	2	2	-	-	-	1	-
Septicemia (038)	19,667	225	41	17	12	7	302	24	21	28	58	101	174	258
Male	8,527	123	18	9	3	3	156	11	8	15	30	58	100	145
Female	11,140	102	23	8	9	4	146	13	13	13	28	43	74	113
White	15,792	126	27	15	7	4	179	16	18	15	31	72	107	159
Male	6,735	71	11	7	1	2	92	8	7	9	18	44	70	90
Female	9,057	55	16	8	6	2	87	8	11	6	13	28	37	69
All other	3,875	99	14	2	5	3	123	8	3	13	27	29	67	99
Male	1,792	52	7	2	2	1	64	3	1	6	12	14	30	55
Female	2,083	47	7	-	3	2	59	5	2	7	15	15	37	44
Black	3,607	97	13	2	5	3	120	7	3	12	26	28	62	95
Male	1,668	51	7	2	2	1	63	3	1	5	11	13	29	53
Female	1,939	46	6	-	3	2	57	4	2	7	15	15	33	42
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	1	-	-	-	1	-	-	2	-	-	-	-
Male	2	-	1	-	-	-	1	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-
White	4	-	1	-	-	-	1	-	-	2	-	-	-	-
Male	2	-	1	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2,001	9	1	1	-	-	11	1	2	7	19	51	77	146
Male	1,249	5	-	-	-	-	5	1	1	5	7	35	59	117
Female	752	4	1	1	-	-	6	-	1	2	12	16	18	29
White	1,614	5	1	-	-	-	6	1	1	7	11	38	58	99
Male	1,015	3	-	-	-	-	3	1	1	5	5	27	49	83
Female	599	2	1	-	-	-	3	-	1	2	6	11	9	16
All other	387	4	-	1	-	-	5	-	1	8	13	19	47	47
Male	234	2	-	-	-	-	2	-	-	2	8	10	54	54
Female	153	2	-	1	-	-	3	-	1	6	5	9	13	13
Black	256	4	-	1	-	-	5	-	1	7	9	15	40	40
Male	155	2	-	-	-	-	2	-	-	1	-	5	8	28
Female	101	2	-	1	-	-	3	-	1	6	4	7	12	12
Syphilis (090-097)	91	12	-	-	-	-	12	-	1	1	2	2	2	4
Male	60	9	-	-	-	-	9	-	1	1	1	2	2	3
Female	31	3	-	-	-	-	3	-	-	-	1	-	-	1
White	43	3	-	-	-	-	3	-	1	1	1	2	-	1
Male	23	1	-	-	-	-	1	-	1	1	-	-	-	1
Female	20	2	-	-	-	-	2	-	-	-	1	-	-	-
All other	48	9	-	-	-	-	9	-	-	-	-	-	-	3
Male	37	6	-	-	-	-	6	-	-	1	-	-	-	2
Female	11	1	-	-	-	-	1	-	-	-	-	-	-	1
Black	46	9	-	-	-	-	9	-	-	1	-	-	2	3
Male	36	8	-	-	-	-	8	-	-	1	-	-	2	2
Female	10	1	-	-	-	-	1	-	-	-	-	-	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 179

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 4 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	1	2	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	1	-	-	-	1	-	-	-
White	-	-	-	-	-	1	1	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	1	-	-	-
All other	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Meningococcal Infection (036)	8	6	7	6	4	3	6	6	5	4	2	2	-	-
Male	4	3	1	2	1	1	4	1	1	-	-	-	-	-
Female	4	3	6	4	3	2	2	5	4	4	2	2	-	-
White	8	6	7	5	4	3	4	6	5	3	1	2	-	-
Male	4	3	1	2	1	1	2	1	1	-	-	-	-	-
Female	4	3	6	3	3	2	2	5	4	3	1	2	-	-
All other	-	-	-	1	-	-	2	-	-	1	1	-	-	-
Male	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Black	-	-	-	-	-	-	2	-	-	1	1	-	-	-
Male	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Female	-	-	-	1	-	-	-	-	-	1	1	-	-	-
Septicemia (038)	331	403	448	604	1,027	1,600	2,295	2,858	3,321	3,031	1,876	727	176	4
Male	207	238	268	315	549	853	1,181	1,366	1,313	1,002	495	181	34	2
Female	124	165	180	289	478	747	1,114	1,492	2,008	2,029	1,381	546	142	2
White	180	263	295	406	762	1,203	1,841	2,376	2,819	2,641	1,645	626	137	1
Male	112	155	167	215	415	658	955	1,152	1,097	873	422	150	26	-
Female	68	108	128	191	347	545	886	1,224	1,722	1,768	1,223	476	111	1
All other	151	140	153	198	265	397	454	482	502	390	231	101	39	3
Male	95	83	101	100	134	195	226	214	216	129	73	31	8	2
Female	56	57	52	98	131	202	228	268	286	261	158	70	31	1
Black	140	127	144	180	241	372	410	453	470	368	213	96	37	3
Male	89	78	96	92	122	185	202	203	197	121	67	29	7	2
Female	51	49	48	88	119	187	208	250	273	247	146	67	30	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	190	151	136	137	184	229	224	216	140	58	19	3	-	-
Male	143	111	102	88	112	131	125	112	64	27	3	1	-	-
Female	47	40	34	49	72	98	99	104	76	31	16	2	-	-
White	145	112	107	97	148	192	193	198	128	52	19	2	-	-
Male	113	83	80	63	91	111	113	103	58	22	3	1	-	-
Female	32	29	27	34	57	81	80	95	70	30	16	1	-	-
All other	45	39	29	40	36	37	31	18	12	6	-	1	-	-
Male	30	28	22	25	21	20	12	9	6	5	-	-	-	-
Female	15	11	7	15	15	17	19	9	6	1	-	1	-	-
Black	36	28	15	20	20	22	17	8	9	3	-	1	-	-
Male	25	21	12	13	13	11	5	4	5	2	-	-	-	-
Female	11	7	3	7	7	11	12	4	4	1	-	1	-	-
Syphilis (090-097)	2	5	1	6	6	4	11	9	8	8	5	2	-	-
Male	2	4	1	3	6	3	7	5	5	2	1	2	-	-
Female	-	1	-	3	-	1	4	4	3	6	4	-	-	-
White	-	1	-	2	1	2	8	6	4	4	5	1	-	-
Male	-	1	-	2	1	1	5	4	1	-	1	1	-	-
Female	-	-	-	-	-	1	3	2	3	4	4	-	-	-
All other	2	4	1	4	5	2	3	3	4	4	-	1	-	-
Male	2	3	1	1	5	2	2	1	4	2	-	1	-	-
Female	-	1	-	3	-	-	1	2	-	2	-	-	-	-
Black	2	3	1	3	5	2	3	3	4	4	-	1	-	-
Male	2	2	1	1	5	2	2	1	4	2	-	1	-	-
Female	-	1	-	2	-	-	1	2	-	2	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 180

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 5 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other infectious and parasitic diseases (001-003, 005,020-032,037,039-041,*042-*044,046-054, 056-066,071-088,098-139)	40,396	361	95	67	47	35	605	137	73	111	610	3,630	7,393	8,363
Male	33,057	198	51	34	31	20	334	75	39	68	432	2,996	6,370	7,250
Female	7,339	163	44	33	16	15	271	62	34	43	178	634	1,023	1,113
White	27,106	170	43	34	23	20	290	88	55	81	314	2,253	4,903	5,398
Male	23,023	101	24	14	18	11	168	49	30	52	229	1,980	4,452	4,977
Female	4,083	69	19	20	5	9	122	39	25	29	85	273	451	421
All other	13,290	191	52	33	24	15	315	49	18	30	296	1,377	2,490	2,965
Male	10,034	97	27	20	13	9	166	26	9	16	203	1,016	1,918	2,273
Female	3,256	94	25	13	11	6	149	23	9	14	93	361	572	692
Black	12,855	179	50	31	22	15	297	48	16	29	289	1,332	2,432	2,888
Male	9,698	89	26	19	11	9	154	25	8	15	198	976	1,867	2,205
Female	3,157	90	24	12	11	6	143	23	8	14	91	356	565	683
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	520,578	95	101	138	112	128	574	557	548	738	1,071	1,776	3,527	6,282
Male	274,838	52	47	68	62	71	300	318	319	458	626	881	1,690	2,747
Female	245,740	43	54	70	50	57	274	239	229	280	445	895	1,837	3,535
White	454,531	81	86	111	87	104	469	456	448	600	867	1,401	2,820	4,942
Male	238,499	44	40	58	54	55	251	258	266	371	518	724	1,381	2,200
Female	216,032	37	46	53	33	49	218	198	182	229	349	677	1,439	2,742
All other	66,047	14	15	27	25	24	105	101	100	138	204	375	707	1,340
Male	36,339	8	7	10	8	16	49	60	53	87	108	157	309	547
Female	29,708	6	8	17	17	8	56	41	47	51	96	218	398	793
Black	58,401	12	11	20	15	16	74	81	78	107	169	313	599	1,154
Male	32,155	7	4	8	5	10	34	45	38	67	85	129	266	460
Female	26,246	5	7	12	10	6	40	36	40	40	84	184	333	694
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,107	1	-	1	-	-	2	-	1	10	13	19	35	94
Male	5,366	-	-	1	-	-	1	-	1	5	8	12	22	70
Female	2,741	1	-	-	-	-	1	-	-	5	5	7	13	24
White	6,676	1	-	1	-	-	2	-	1	7	9	13	24	51
Male	4,283	-	-	1	-	-	1	-	1	3	5	9	17	37
Female	2,393	1	-	-	-	-	1	-	-	4	4	4	7	14
All other	1,431	-	-	-	-	-	-	-	-	3	4	6	11	43
Male	1,083	-	-	-	-	-	-	-	-	2	3	3	5	33
Female	348	-	-	-	-	-	-	-	-	1	1	3	6	10
Black	1,248	-	-	-	-	-	-	-	-	2	3	4	8	34
Male	949	-	-	-	-	-	-	-	-	1	2	2	4	28
Female	299	-	-	-	-	-	-	-	-	1	1	2	4	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	122,873	11	5	4	4	1	25	11	15	38	87	196	449	1,000
Male	64,996	8	2	2	1	1	14	7	9	21	48	102	248	592
Female	57,877	3	3	2	3	-	11	4	6	17	39	94	201	408
White	105,107	7	3	4	4	-	18	7	11	23	68	146	314	719
Male	55,440	5	2	2	1	-	10	6	6	11	38	77	181	437
Female	49,667	2	1	2	3	-	8	1	5	12	30	69	133	282
All other	17,766	4	2	-	-	1	7	4	4	15	19	50	135	281
Male	9,556	3	-	-	-	1	4	1	3	10	10	25	67	155
Female	8,210	1	2	-	-	-	3	3	1	5	9	25	68	126
Black	15,090	4	1	-	-	-	5	2	3	11	17	34	101	222
Male	7,999	3	-	-	-	-	3	-	2	7	9	18	50	119
Female	7,091	1	1	-	-	-	2	2	1	4	8	16	51	103
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	151,269	3	4	1	-	-	8	3	6	10	33	59	244	814
Male	95,382	2	3	1	-	-	6	2	4	9	17	26	149	470
Female	55,887	1	1	-	-	-	2	1	2	1	16	33	101	344
White	133,129	2	3	1	-	-	6	2	5	7	24	47	181	605
Male	83,000	1	3	1	-	-	5	1	4	6	14	22	101	340
Female	50,129	1	1	-	-	-	1	1	1	1	10	25	80	265
All other	18,140	1	1	-	-	-	2	1	1	3	9	12	63	209
Male	12,382	1	1	-	-	-	1	1	1	3	3	4	42	130
Female	5,758	-	1	-	-	-	1	-	1	-	6	8	21	79
Black	16,338	1	1	-	-	-	2	1	3	8	12	60	189	79
Male	11,198	1	-	-	-	-	1	-	3	3	4	4	41	119
Female	5,140	-	1	-	-	-	1	-	1	-	5	8	19	70
Malignant neoplasm of breast (174-175)	43,365	1	-	-	-	-	1	1	1	-	6	120	490	1,194
Male	297	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	43,068	1	-	-	-	-	1	1	1	-	6	120	489	1,193
White	38,053	1	-	-	-	-	1	-	-	-	5	81	364	907
Male	256	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	37,797	1	-	-	-	-	1	-	-	-	5	81	364	907
All other	5,312	-	-	-	-	-	-	1	1	-	1	39	126	287
Male	41	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	5,271	-	-	-	-	-	-	1	1	-	1	39	125	286
Black	4,816	-	-	-	-	-	-	1	1	-	1	38	110	262
Male	37	-	-	-	-	-	-	-	-	-	-	-	1	1
Female	4,779	-	-	-	-	-	-	1	1	-	1	38	109	261
Malignant neoplasms of genital organs (179-187)	60,050	1	1	1	1	-	4	1	3	27	71	199	391	644
Male	34,821	-	1	1	1	-	3	1	3	17	31	60	62	58
Female	25,229	1	-	-	-	-	1	-	3	10	40	139	329	586
White	50,613	1	1	-	1	-	3	1	1	21	58	157	304	501
Male	28,953	-	1	-	1	-	2	1	-	14	30	57	55	51
Female	21,660	1	-	-	-	-	1	-	1	7	28	100	249	450
All other	9,437	-	-	1	-	-	1	-	2	6	13	42	87	143
Male	5,868	-	-	1	-	-	1	-	-	3	1	3	7	7
Female	3,569	-	-	-	-	-	-	-	2	3	12	39	80	136
Black	8,688	-	-	1	-	-	1	-	2	5	12	33	73	126

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 181

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 6 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other infectious and parasitic diseases (001-003, 005,020-032,037,039-041,*042-044,046-054, 056-068,071-088,098-139)	6,705	4,060	2,247	1,478	1,201	966	826	739	555	399	194	74	18	13
Male	5,894	3,565	1,975	1,178	878	647	480	373	259	153	68	26	4	13
Female	811	495	272	300	323	319	366	366	296	245	126	48	14	-
White	4,311	2,802	1,580	985	859	741	685	655	487	363	171	60	18	7
Male	3,892	2,556	1,423	804	649	495	372	340	226	142	58	18	4	-
Female	319	246	157	181	210	246	313	315	261	221	113	42	14	7
All other	2,394	1,258	667	493	342	225	141	84	68	35	23	14	-	6
Male	1,902	1,009	552	374	229	152	88	33	33	11	10	8	-	6
Female	492	249	115	119	113	73	53	51	35	24	13	6	-	6
Black	2,342	1,221	642	474	317	204	128	74	56	27	21	12	-	6
Male	1,859	975	533	363	217	143	78	32	23	6	8	7	-	6
Female	483	246	109	111	100	61	50	42	33	21	13	5	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,600	16,752	24,454	35,807	55,802	76,434	84,781	79,813	62,835	37,774	15,518	4,259	636	30
Male	4,777	8,105	12,498	19,467	31,431	43,234	47,039	43,427	32,031	17,530	6,301	1,483	179	17
Female	5,823	8,647	11,956	16,340	24,371	33,200	37,752	36,386	30,804	20,244	9,217	2,786	457	13
White	8,353	13,848	19,934	29,631	47,779	66,652	75,124	71,772	56,834	34,319	14,050	3,669	542	22
Male	3,759	6,552	10,056	15,991	26,939	37,574	41,382	38,820	28,692	15,764	5,649	1,296	144	12
Female	4,594	7,096	9,878	13,640	20,940	29,078	33,742	32,952	28,142	18,554	8,401	2,573	398	10
All other	2,247	3,104	4,520	6,176	8,023	9,782	9,667	8,041	6,001	3,456	1,468	390	94	8
Male	1,018	1,553	2,442	3,476	4,592	5,660	5,657	4,607	3,339	1,766	652	167	35	5
Female	1,229	1,551	2,078	2,700	3,431	4,122	4,010	3,434	2,662	1,690	816	223	59	3
Black	1,968	2,699	3,970	5,469	7,106	8,709	8,622	7,127	5,342	3,054	1,316	353	86	5
Male	903	1,381	2,160	3,102	4,100	5,055	5,042	4,053	2,939	1,540	569	153	32	2
Female	1,065	1,318	1,810	2,367	3,006	3,654	3,580	3,074	2,403	1,514	747	200	54	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	225	388	572	819	1,130	1,235	1,218	978	673	412	203	68	12	-
Male	168	291	441	639	828	842	806	578	356	194	75	25	4	-
Female	57	97	131	180	302	393	412	400	317	218	128	43	8	-
White	129	259	396	609	887	1,040	1,077	889	620	394	195	64	10	-
Male	94	191	300	465	639	698	702	518	320	187	70	23	3	-
Female	35	68	96	144	248	342	375	371	300	207	125	41	7	-
All other	96	129	176	210	243	195	141	89	53	18	8	4	2	-
Male	74	100	141	174	189	144	104	60	36	7	5	2	1	-
Female	22	29	35	36	54	51	37	29	17	11	3	2	1	-
Black	74	116	154	193	218	169	131	79	35	16	6	4	2	-
Male	57	93	126	159	168	123	95	54	23	7	4	2	1	-
Female	17	23	28	34	50	46	36	25	12	9	2	2	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,945	3,154	4,908	7,625	12,116	17,068	19,683	19,738	16,972	11,193	4,985	1,428	230	7
Male	1,211	2,003	3,037	4,731	7,545	10,257	11,156	10,231	7,564	4,278	1,530	362	47	5
Female	734	1,151	1,871	2,894	4,571	6,811	8,527	9,507	9,408	6,917	3,455	1,066	183	2
White	1,417	2,423	3,820	6,037	10,012	14,438	17,015	17,401	15,164	10,059	4,490	1,289	182	4
Male	893	1,549	2,353	3,786	6,303	8,736	9,710	9,023	6,741	3,854	1,382	325	37	2
Female	524	874	1,467	2,251	3,709	5,702	7,305	8,478	8,423	6,265	3,108	964	155	2
All other	528	731	1,088	1,588	2,104	2,630	2,668	2,337	1,809	1,094	495	139	38	3
Male	318	454	684	945	1,242	1,521	1,446	1,208	823	442	148	37	10	3
Female	210	277	404	643	862	1,109	1,222	1,129	985	652	347	102	28	-
Black	434	600	894	1,330	1,749	2,267	2,289	2,014	1,567	942	436	118	34	1
Male	273	377	563	775	1,047	1,296	1,220	1,008	703	370	121	29	10	1
Female	161	223	331	555	702	971	1,069	1,006	864	572	315	89	24	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,005	4,391	7,890	12,784	20,664	27,770	28,151	23,173	14,526	6,405	1,878	401	48	6
Male	1,227	2,728	4,996	8,170	13,341	17,995	17,740	14,538	9,008	3,795	969	178	16	4
Female	778	1,663	2,894	4,614	7,323	9,775	10,411	8,635	5,518	2,610	909	223	32	2
White	1,533	3,560	6,441	10,667	17,896	24,468	25,249	21,123	13,319	5,868	1,699	363	40	6
Male	918	2,157	3,993	6,706	11,442	15,728	15,750	13,146	8,154	3,457	878	161	13	4
Female	615	1,403	2,448	3,961	6,454	8,760	9,499	7,977	5,165	2,411	821	202	27	2
All other	472	831	1,449	2,117	2,768	3,282	2,902	2,050	1,207	537	179	38	8	-
Male	309	571	1,003	1,464	1,899	2,267	1,980	1,392	854	338	91	17	3	-
Female	163	260	446	653	869	1,015	912	658	353	199	88	21	5	-
Black	433	759	1,345	1,939	2,519	2,961	2,613	1,801	1,043	455	153	35	7	-
Male	288	525	932	1,354	1,730	2,060	1,788	1,221	736	288	79	16	2	-
Female	147	234	413	585	789	901	815	580	307	167	74	19	5	-
Malignant neoplasm of breast (174-175)	2,055	2,804	3,221	3,562	4,588	5,623	5,763	5,117	4,186	2,739	1,313	485	91	5
Male	8	10	16	21	28	47	45	48	32	24	9	5	2	-
Female	2,047	2,794	3,205	3,541	4,560	5,576	5,718	5,069	4,154	2,715	1,304	480	89	5
White	1,822	2,312	2,841	3,006	4,006	5,010	5,243	4,691	3,871	2,545	1,208	455	82	3
Male	8	8	11	17	25	42	37	43	27	22	8	5	2	-
Female	1,814	2,304	2,830	2,989	3,981	4,968	5,206	4,648	3,844	2,523	1,199	450	80	3
All other	433	492	580	556	582	613	520	426	315	194	105	30	9	2
Male	-	2	5	4	3	5	8	5	5	2	-	-	-	-
Female	433	490	575	552	579	608	512	421	310	192	105	30	9	2
Black	397	427	514	491	523	561	479	393	299	182	98	28	9	2
Male	-	1	4	4	3	5	7	5	5	1	-	-	-	-
Female	397	426	510	487	520	556	472	388	294	181	98	28	9	2
Malignant neoplasms of genital organs (179-187)	947	1,194	1,730	2,513	4,440	7,369	9,829	10,804	9,818	6,445	2,836	666	96	3
Male	87	109	259	715	1,922	3,920	5,993	7,292	6,964	4,689	2,099	494	64	2
Female	880	1,085	1,471	1,798	2,518	3,449	3,836	3,512	2,854	1,756	737	192	32	1
White	756	960	1,398	2,020	3,592	6,069	8,264	9,278	8,493	5,597	2,473	588	77	2
Male	57	80	187	524	1,493	3,134	4,693	6,153	5,943	4,013	1,805	412	47	2
Female	699	880	1,211	1,496	2,099	2,935	3,571	3,125	2,550	1,584	668	176	30	-
All other	191	224	332	493	848	1,300	1,565	1,526	1,325	848	363	98	19	1
Male	10	29	72	181	429	766	1,100	1,139	1,021	676				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 182

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 7 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	21,643	2	3	1	7	5	18	26	10	5	13	20	55	137
Male	13,741	2	—	—	3	3	8	12	5	3	5	12	37	91
Female	7,902	—	3	1	4	2	10	14	5	2	8	8	18	46
White	19,867	2	1	1	4	4	12	20	7	4	6	12	40	107
Male	12,575	2	—	—	3	3	8	9	4	3	2	7	27	73
Female	7,092	—	1	1	1	1	4	11	3	1	4	5	13	34
All other	1,976	—	2	—	3	1	6	3	1	7	8	15	30	30
Male	1,166	—	—	—	—	—	—	3	1	—	3	5	10	18
Female	810	—	2	—	3	1	6	3	2	1	4	3	5	12
Black	1,748	—	2	—	3	1	6	3	1	7	8	13	22	22
Male	1,008	—	—	—	3	1	6	3	—	3	5	9	12	12
Female	740	—	2	—	3	1	6	3	1	4	3	4	10	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)														
.....	62,687	39	48	67	62	72	288	281	253	325	382	533	964	1,324
Male	33,456	19	20	31	36	37	143	146	142	199	234	294	589	772
Female	29,431	20	28	36	26	35	145	135	111	126	148	239	375	552
White	56,166	33	39	52	47	56	227	226	213	268	327	452	850	1,178
Male	30,012	17	14	24	29	28	112	116	121	164	201	254	513	702
Female	26,154	16	25	28	18	28	115	110	92	104	126	198	337	476
All other	6,721	6	9	15	15	16	61	55	40	57	55	81	114	146
Male	3,444	2	6	7	7	9	31	30	21	35	33	40	76	70
Female	3,277	4	3	8	8	7	30	25	19	22	22	41	38	76
Black	5,898	5	6	11	10	12	44	46	35	47	44	67	102	120
Male	3,035	2	3	6	5	5	23	23	17	30	25	34	67	55
Female	2,863	3	3	5	5	7	21	23	18	17	19	33	35	65
Leukemia (204-208)														
.....	19,272	36	37	60	33	44	210	212	210	224	257	279	376	408
Male	10,509	20	18	31	17	27	113	134	128	136	157	160	223	226
Female	8,563	16	19	29	16	17	97	78	82	88	100	119	153	182
White	17,405	33	36	49	26	38	182	181	172	183	203	210	317	342
Male	9,595	18	17	29	16	21	101	112	106	110	127	122	188	191
Female	7,810	15	19	20	10	17	81	69	66	73	76	88	129	151
All other	1,867	3	1	11	7	6	28	31	38	41	54	69	59	68
Male	1,014	2	1	2	1	6	12	22	22	26	30	38	35	35
Female	853	1	—	9	6	—	16	9	16	15	24	31	24	31
Black	1,587	2	1	8	2	3	16	24	26	29	41	56	45	58
Male	840	1	1	1	—	3	6	17	14	18	22	29	27	31
Female	747	1	—	7	2	—	10	7	12	11	19	27	18	27
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)														
.....	31,112	1	3	3	5	6	18	22	49	99	209	351	523	667
Male	16,170	1	3	3	4	5	12	16	30	68	126	215	365	467
Female	14,942	—	—	2	1	1	6	6	19	31	83	136	158	200
White	27,715	1	3	3	5	6	18	19	38	87	167	293	426	532
Male	14,385	1	3	3	4	4	12	13	24	60	101	176	299	369
Female	13,330	—	—	2	1	3	6	14	27	66	107	127	163	163
All other	3,397	—	—	—	—	—	—	3	11	12	42	68	97	135
Male	1,765	—	—	—	—	—	—	3	6	8	25	39	66	88
Female	1,632	—	—	—	—	—	—	—	5	4	17	29	31	37
Black	2,988	—	—	—	—	—	—	2	9	9	36	61	87	121
Male	1,551	—	—	—	—	—	—	2	5	5	20	36	62	88
Female	1,437	—	—	—	—	—	—	—	4	4	16	25	25	33
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)														
.....	7,070	62	17	18	14	12	123	53	44	39	62	82	115	133
Male	3,256	34	10	12	7	7	68	24	27	16	36	53	62	75
Female	3,814	28	7	6	7	5	55	29	17	23	26	29	53	58
White	6,191	47	15	15	10	11	98	43	39	31	50	68	89	106
Male	2,843	24	8	10	4	5	51	19	23	12	29	43	49	62
Female	3,348	23	7	5	6	6	47	24	16	19	21	25	40	44
All other	879	15	2	3	4	1	25	10	5	8	12	14	26	27
Male	413	10	2	2	3	4	17	5	4	4	7	10	13	13
Female	466	5	—	1	1	1	8	5	1	4	5	4	13	14
Black	778	12	2	3	3	1	21	9	3	7	11	14	23	24
Male	360	10	2	2	2	—	16	5	2	3	7	10	11	13
Female	418	2	—	1	1	1	5	4	4	4	4	4	12	11
Diabetes mellitus (250)														
.....	50,067	4	2	1	1	—	8	14	12	36	97	234	424	666
Male	21,672	4	1	1	—	—	6	6	7	18	59	136	246	423
Female	28,395	—	1	—	1	—	2	8	5	18	38	98	178	243
White	40,442	4	2	1	1	—	8	8	10	23	62	166	331	497
Male	17,951	4	1	1	—	—	6	3	5	9	41	96	196	326
Female	22,491	—	1	—	1	—	2	5	5	14	21	70	135	171
All other	9,625	—	—	—	—	—	—	6	2	13	35	68	93	169
Male	3,721	—	—	—	—	—	—	3	2	9	18	40	50	97
Female	5,904	—	—	—	—	—	—	3	—	4	17	28	43	72
Black	8,653	—	—	—	—	—	—	6	2	12	34	68	86	163
Male	3,271	—	—	—	—	—	—	3	2	8	18	40	47	94
Female	5,382	—	—	—	—	—	—	3	—	4	16	28	39	69
Nutritional deficiencies (260-269)														
.....	3,135	22	3	1	1	—	27	6	—	4	3	11	11	13
Male	1,089	11	2	—	1	—	14	5	—	3	1	5	7	8
Female	2,046	11	1	1	—	—	13	1	—	1	2	6	4	5
White	2,642	12	2	—	—	—	14	3	—	2	2	6	10	9
Male	872	7	1	—	—	—	8	3	—	2	1	1	7	6
Female	1,770	5	1	—	—	—	6	—	—	—	1	5	3	3
All other	493	10	1	1	1	—	13	3	—	2	1	5	1	4
Male	217	4	1	—	1	—	6	2	—	1	—	4	—	2
Female	276	6	—	1	—	—	7	1	—	1	1	1	1	2
Black	445	10	1	1	1	—	13	3	—	2	1	5	1	4
Male	195	4	1	—	1	—	6	2	—	1	—	4	—	2
Female	250	6	—	1	—	—	7	1	—	1	1	1	1	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 183

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 8 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Malignant neoplasms, etc.-Con.														
Malignant neoplasms of urinary organs (188-189)	280	581	810	1,264	2,025	2,769	3,430	3,618	3,192	2,159	929	270	28	4
Male	185	422	570	900	1,391	1,889	2,267	2,276	1,912	1,152	471	117	13	3
Female	95	159	240	364	634	880	1,163	1,342	1,280	1,007	458	153	15	1
White	232	507	709	1,114	1,832	2,511	3,127	3,354	2,933	2,006	858	248	25	3
Male	158	368	497	800	1,271	1,734	2,075	2,132	1,767	1,078	441	107	12	2
Female	74	139	212	314	561	777	1,052	1,222	1,166	928	417	141	13	1
All other	48	74	101	150	193	258	303	264	259	153	71	22	3	1
Male	27	54	73	100	120	155	192	144	145	74	30	10	1	1
Female	21	20	28	50	73	103	111	120	114	79	41	12	2	-
Black	43	69	88	128	177	218	273	234	226	140	66	20	1	1
Male	25	50	61	84	109	125	168	125	126	65	27	10	-	1
Female	18	19	27	44	68	93	105	109	100	75	39	10	1	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)														
Male	1,145	1,591	1,985	2,656	3,908	4,728	4,891	4,373	3,119	1,747	615	160	17	2
Female	813	1,070	1,347	1,821	2,701	3,598	4,203	4,080	3,739	2,575	1,217	369	65	2
White	1,690	2,269	2,853	3,832	5,835	7,448	8,198	7,742	6,304	4,001	1,690	488	72	3
Male	989	1,368	1,707	2,289	3,485	4,276	4,426	4,035	2,883	1,634	573	147	16	1
Female	701	901	1,146	1,543	2,350	3,172	3,772	3,707	3,421	2,367	1,117	341	56	2
All other	268	392	479	645	774	878	896	711	554	321	142	41	10	1
Male	156	223	278	367	423	452	465	338	236	113	42	13	1	1
Female	112	169	201	278	351	426	431	373	318	208	100	28	9	-
Black	237	348	411	582	698	773	807	624	476	278	123	36	10	-
Male	140	206	250	341	374	398	419	300	199	91	30	12	1	-
Female	97	142	161	241	314	375	388	324	277	187	93	24	9	-
Leukemia (204-208)														
Male	268	316	381	589	890	1,383	1,546	1,637	1,260	722	266	63	11	-
Female	172	259	307	387	601	835	1,125	1,241	980	446	142	20	-	-
White	364	500	585	842	1,340	2,017	2,454	2,671	2,348	1,601	670	196	27	-
Male	223	274	319	513	811	1,272	1,427	1,511	1,186	684	248	61	9	-
Female	141	226	266	329	529	745	1,027	1,160	1,162	917	422	135	18	-
All other	76	75	103	134	151	201	217	207	161	101	42	9	4	-
Male	45	42	62	76	79	111	119	126	74	38	18	2	2	-
Female	31	33	41	58	72	90	98	81	87	63	24	7	2	-
Black	65	58	84	119	132	174	182	183	149	93	40	9	4	-
Male	38	33	50	68	71	95	99	106	65	31	16	2	2	-
Female	27	25	34	51	61	79	83	77	84	62	24	7	2	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)														
Male	498	635	813	1,046	1,578	2,173	2,595	2,454	1,816	931	267	59	5	1
Female	247	369	490	741	1,161	1,883	2,357	2,600	2,285	1,466	563	128	13	-
White	610	858	1,091	1,504	2,379	3,631	4,497	4,623	3,782	2,207	767	178	17	1
Male	419	557	689	891	1,370	1,954	2,362	2,259	1,671	855	243	55	5	1
Female	191	301	402	613	1,009	1,677	2,135	2,364	2,111	1,352	524	123	12	-
All other	135	146	212	283	360	425	455	431	319	190	63	9	1	-
Male	79	78	124	155	208	219	233	195	145	76	24	4	-	-
Female	56	68	88	128	152	206	222	236	174	114	39	5	1	-
Black	125	130	191	245	317	380	396	371	279	165	54	9	1	-
Male	75	67	107	133	180	198	198	166	122	64	19	4	-	-
Female	50	63	84	112	137	182	198	205	157	101	35	5	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)														
Male	100	113	131	149	268	359	439	490	404	298	105	34	5	-
Female	88	91	103	140	200	314	459	550	631	539	282	115	12	-
White	158	173	190	235	404	570	788	929	934	779	357	134	16	-
Male	89	93	106	124	238	305	388	442	359	277	100	29	5	-
Female	69	80	84	111	166	265	400	487	575	502	257	105	11	-
All other	30	31	44	54	64	103	110	111	101	58	30	15	1	-
Male	11	20	25	25	30	54	51	48	45	21	5	5	-	-
Female	19	11	19	29	34	49	59	63	56	37	25	10	1	-
Black	25	28	38	50	53	90	99	103	87	51	27	14	1	-
Male	8	17	22	23	24	44	48	43	36	18	5	5	-	-
Female	17	11	16	27	29	46	51	60	51	33	22	9	1	-
Diabetes mellitus (250)														
Male	542	613	993	1,431	2,126	2,908	3,468	3,396	2,651	1,644	636	147	15	1
Female	392	561	836	1,371	2,181	3,345	4,255	4,633	4,411	3,408	1,766	556	89	1
White	684	1,005	1,287	2,037	3,177	4,870	6,331	6,746	6,007	4,390	2,109	616	77	1
Male	415	604	732	1,100	1,644	2,392	2,942	2,947	2,320	1,451	577	133	11	1
Female	269	401	555	937	1,533	2,478	3,389	3,799	3,687	2,939	1,532	483	66	-
All other	250	369	542	765	1,130	1,383	1,392	1,283	1,055	662	293	87	27	1
Male	127	209	261	331	482	516	526	449	331	193	59	14	4	-
Female	123	160	281	434	648	867	866	834	724	469	234	73	23	1
Black	232	345	492	664	1,008	1,237	1,248	1,153	935	593	272	79	23	1
Male	116	196	230	284	424	449	461	393	280	159	52	12	3	-
Female	116	149	262	380	584	788	787	760	655	434	220	67	20	1
Nutritional deficiencies (260-269)														
Male	9	11	21	22	33	69	98	146	211	212	142	61	11	-
Female	11	17	11	17	31	50	116	201	342	467	455	229	67	-
White	14	18	22	25	47	91	168	278	467	604	538	260	64	-
Male	5	7	13	10	24	52	74	118	172	183	125	53	8	-
Female	9	11	9	15	23	39	94	160	295	421	413	207	56	-
All other	6	10	10	14	17	28	46	69	86	75	59	30	14	-
Male	4	4	8	12	9	17	24	28	39	29	17	8	3	-
Female	2	6	2	2	8	11	22	41	47	46	42	22	11	-
Black	6	10	9	14	17	26	40	64	73	68	50	26	13	-
Male	4	4	7	12	9	15	20	27	32	27	13	8	2	-
Female	2	6	2	2	8	11	20	37	41	41	37	18	11	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 184

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 9 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Anemias (280-285)	4,246	48	27	20	8	10	113	30	32	42	85	87	112	112
Male	1,825	18	16	12	6	5	57	17	20	20	52	50	59	85
Female	2,421	30	11	8	2	5	56	13	12	22	33	37	53	47
White	3,241	20	11	7	3	4	45	13	15	16	20	17	26	30
Male	1,349	5	7	4	2	1	19	6	11	9	11	10	17	19
Female	1,892	15	4	3	1	3	26	7	4	7	9	7	9	11
All other	1,005	28	16	13	5	6	68	17	17	26	65	70	86	82
Male	476	13	9	8	4	4	38	11	9	11	41	40	42	46
Female	529	15	7	5	1	2	30	6	8	15	24	30	44	36
Black	947	21	16	13	5	6	61	16	17	25	61	69	83	79
Male	450	11	9	8	4	4	36	11	9	11	39	40	41	45
Female	497	10	7	5	1	2	25	5	8	14	22	29	42	34
Meningitis (320-322)	798	126	14	13	2	3	158	25	7	16	15	20	21	42
Male	402	61	8	6	1	2	78	12	3	7	8	14	11	25
Female	396	65	6	7	1	1	80	13	4	9	7	6	10	17
White	569	80	9	9	2	1	101	18	5	11	8	14	15	26
Male	280	44	4	4	1	1	54	9	1	4	3	10	8	16
Female	289	36	5	5	1	—	47	9	4	7	5	4	7	10
All other	229	46	5	4	—	2	57	7	2	5	7	6	6	16
Male	122	17	4	2	—	1	24	3	2	3	5	4	3	9
Female	107	29	1	2	—	1	33	4	—	2	2	2	3	7
Black	204	39	4	2	—	2	47	6	1	5	7	4	5	16
Male	107	15	3	1	—	1	20	2	1	3	5	3	2	9
Female	97	24	1	1	—	1	27	4	—	2	2	1	3	7
Major cardiovascular diseases (390-448)	913,908	897	167	83	53	44	1,244	160	203	429	827	1,468	3,029	5,607
Male	439,307	501	85	42	30	23	681	94	116	284	512	876	1,962	3,858
Female	474,601	396	82	41	23	21	563	66	87	145	315	592	1,067	1,749
White	803,996	592	101	51	44	31	819	109	141	285	557	952	2,028	3,814
Male	385,803	337	52	22	23	17	451	68	78	185	346	575	1,376	2,743
Female	418,193	255	49	29	21	14	368	41	65	100	211	377	652	1,071
All other	109,912	305	66	32	9	13	425	51	62	144	270	516	1,001	1,793
Male	53,504	164	33	20	7	6	230	26	40	99	166	301	586	1,115
Female	56,408	141	33	12	2	7	195	25	22	45	104	215	415	678
Black	98,295	278	58	28	9	12	385	42	53	130	241	475	913	1,661
Male	46,966	153	28	19	7	6	213	20	35	88	144	275	529	1,028
Female	51,329	125	30	9	2	6	172	22	18	42	97	200	384	633
Diseases of heart (390-398,402,404-429)	717,706	716	139	69	43	35	1,002	130	154	333	635	1,119	2,304	4,350
Male	357,545	383	72	36	26	17	534	73	87	231	395	693	1,581	3,181
Female	360,161	333	67	33	17	18	468	57	67	102	240	426	723	1,169
White	633,487	477	79	41	35	24	656	87	101	213	416	718	1,555	3,035
Male	315,483	263	41	18	19	11	352	53	54	144	257	447	1,111	2,321
Female	318,004	214	38	23	16	13	304	34	47	69	159	271	444	714
All other	84,219	239	60	28	8	11	346	43	53	120	219	401	749	1,315
Male	42,062	120	31	18	7	6	182	20	33	87	138	246	470	860
Female	42,157	119	29	10	1	5	164	23	20	33	81	155	279	455
Black	75,600	215	52	25	8	10	310	36	46	110	195	372	681	1,219
Male	37,040	112	26	17	7	6	168	16	29	79	119	224	423	797
Female	38,560	103	26	8	1	4	142	20	17	31	76	148	258	422
Rheumatic fever and rheumatic heart disease (390-399)	5,702	2	2	3	1	1	9	2	4	13	23	41	60	86
Male	1,714	2	1	3	—	1	7	1	3	2	12	16	26	38
Female	3,988	—	1	—	1	—	2	1	1	11	11	25	34	48
White	5,161	2	1	3	1	1	8	—	3	10	18	28	47	59
Male	1,537	2	—	3	—	1	6	—	3	1	9	10	21	29
Female	3,624	—	1	—	1	—	2	—	—	9	9	18	26	30
All other	541	—	1	—	—	—	1	2	1	3	5	13	13	27
Male	177	—	1	—	—	—	1	—	1	3	6	6	5	9
Female	364	—	—	—	—	—	—	1	1	2	2	7	8	18
Black	431	—	—	—	—	—	—	2	1	3	4	11	11	24
Male	131	—	—	—	—	—	—	1	—	1	2	5	4	9
Female	300	—	—	—	—	—	—	1	1	2	2	6	7	15
Hypertensive heart disease (402)	21,853	1	—	—	—	—	1	—	1	2	18	45	121	234
Male	9,211	1	—	—	—	—	1	—	1	2	10	26	82	170
Female	12,642	—	—	—	—	—	—	—	—	—	8	19	39	64
White	15,685	—	—	—	—	—	—	—	—	1	8	22	45	104
Male	6,312	—	—	—	—	—	—	—	—	1	4	15	35	85
Female	9,373	—	—	—	—	—	—	—	—	—	4	7	10	19
All other	6,168	1	—	—	—	—	1	—	1	1	10	23	76	130
Male	2,899	1	—	—	—	—	1	—	1	1	6	11	47	85
Female	3,269	—	—	—	—	—	—	—	—	—	4	12	29	45
Black	5,854	1	—	—	—	—	1	—	1	1	10	22	73	126
Male	2,724	1	—	—	—	—	1	—	1	1	6	10	44	82
Female	3,130	—	—	—	—	—	—	—	—	—	4	12	29	44
Hypertensive heart and renal disease (404)	2,492	—	—	—	—	—	—	—	—	—	3	2	10	9
Male	1,024	—	—	—	—	—	—	—	—	—	3	1	6	7
Female	1,468	—	—	—	—	—	—	—	—	—	—	1	4	2
White	1,743	—	—	—	—	—	—	—	—	—	1	—	1	1
Male	701	—	—	—	—	—	—	—	—	—	1	—	1	—
Female	1,042	—	—	—	—	—	—	—	—	—	—	—	—	1
All other	749	—	—	—	—	—	—	—	—	—	2	2	9	8
Male	323	—	—	—	—	—	—	—	—	—	2	1	5	7
Female	426	—	—	—	—	—	—	—	—	—	—	1	4	1
Black	707	—	—	—	—	—	—	—	—	—	2	2	9	8
Male	294	—	—	—	—	—	—	—	—	—	2	1	5	7
Female	413	—	—	—	—	—	—	—	—	—	—	1	4	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 185

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 10 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Anemias (280-285)	110	85	85	90	134	235	381	520	614	679	479	185	36	-
Male	59	48	39	38	66	114	192	225	248	233	162	54	7	-
Female	51	37	46	52	68	121	189	295	366	446	317	131	29	-
White	39	44	50	61	111	192	314	435	552	621	445	167	28	-
Male	17	29	24	27	60	91	161	190	226	218	152	46	6	-
Female	22	15	26	34	51	101	153	245	326	403	293	121	22	-
All other	71	41	35	29	23	43	67	85	62	58	34	18	8	-
Male	42	19	15	11	6	23	31	35	22	15	10	8	1	-
Female	29	22	20	18	17	20	36	50	40	43	24	10	7	-
Black	71	41	32	26	22	37	63	79	59	52	30	16	8	-
Male	42	19	13	10	6	21	29	30	20	13	8	6	1	-
Female	29	22	19	16	16	16	34	49	39	39	22	10	7	-
Meningitis (320-322)	42	27	39	47	44	66	63	66	52	34	18	5	1	-
Male	28	15	24	35	21	24	32	26	22	10	5	2	-	-
Female	14	12	15	12	23	32	31	40	30	24	13	3	1	-
White	17	18	24	30	37	41	52	59	40	30	17	5	1	-
Male	13	11	12	21	16	21	28	24	16	7	4	2	-	-
Female	4	7	12	9	21	20	24	35	24	23	13	3	1	-
All other	25	9	15	17	7	15	11	7	12	4	1	-	-	-
Male	15	4	12	14	5	3	4	2	6	3	1	-	-	-
Female	10	5	3	3	2	12	7	5	6	1	-	-	-	-
Black	23	9	13	16	7	12	10	6	12	4	1	-	-	-
Male	14	4	10	14	5	1	3	1	6	3	1	-	-	-
Female	9	5	3	2	2	11	7	5	6	1	-	-	-	-
Major cardiovascular diseases (390-448)	10,389	15,714	21,923	32,767	53,474	80,845	111,999	137,554	155,746	141,303	92,033	38,287	8,801	106
Male	7,403	11,364	15,408	22,420	35,367	50,608	64,815	71,320	68,064	49,366	25,026	8,185	1,513	65
Female	2,986	4,350	6,515	10,347	18,107	30,237	47,184	66,234	87,682	91,937	67,007	30,102	7,288	41
White	7,355	11,776	16,849	25,795	43,943	68,466	97,585	122,728	141,457	130,309	85,576	35,647	7,797	68
Male	5,539	8,869	12,312	18,248	29,917	43,821	57,374	64,971	62,153	45,399	23,090	7,559	1,280	41
Female	1,816	2,907	4,537	7,487	14,026	24,645	40,211	58,357	79,304	84,910	62,486	28,088	6,507	27
All other	3,034	3,938	5,074	7,052	9,531	12,379	14,414	14,826	14,289	10,994	6,457	2,640	1,004	38
Male	1,864	2,495	3,096	4,172	5,450	6,787	7,441	6,949	5,911	3,867	1,936	626	223	24
Female	1,170	1,443	1,978	2,880	4,081	5,592	6,973	7,877	8,378	7,027	4,521	2,014	781	14
Black	2,799	3,593	4,621	6,318	8,636	11,125	12,893	13,142	12,615	9,655	5,679	2,369	913	37
Male	1,697	2,259	2,777	3,700	4,894	6,034	6,570	6,007	5,001	3,301	1,614	556	201	23
Female	1,102	1,334	1,844	2,618	3,742	5,091	6,323	7,135	7,614	6,354	4,065	1,813	712	14
Diseases of heart (390-398,402,404-429)	8,348	13,009	18,404	27,678	44,838	66,644	89,885	107,365	119,373	106,573	69,409	29,189	6,876	88
Male	6,274	9,833	13,440	19,548	30,408	42,607	53,174	56,950	53,430	38,132	19,318	6,386	1,217	53
Female	2,074	3,176	4,964	8,130	14,430	24,037	36,711	50,415	65,943	68,441	50,091	22,803	5,659	35
White	6,075	10,013	14,412	22,089	37,262	56,941	78,837	96,154	108,671	98,315	64,587	27,188	6,108	54
Male	4,811	7,844	10,933	16,163	26,003	37,227	47,357	51,620	48,903	35,074	17,846	5,889	1,042	32
Female	1,264	2,169	3,479	5,926	11,259	19,714	31,480	44,534	59,768	63,241	46,741	21,299	5,066	22
All other	2,273	2,995	3,992	5,589	7,576	9,703	11,048	11,211	10,702	8,258	4,822	2,001	768	34
Male	1,463	1,989	2,507	3,385	4,405	5,380	5,817	5,330	4,527	3,058	1,472	497	175	21
Female	810	1,007	1,485	2,204	3,171	4,323	5,231	5,881	6,175	5,200	3,350	1,504	593	13
Black	2,091	2,743	3,652	5,060	6,903	8,771	9,917	9,948	9,475	7,281	4,255	1,811	691	33
Male	1,323	1,782	2,250	3,013	3,967	4,805	5,150	4,624	3,853	2,558	1,233	441	156	20
Female	768	951	1,402	2,047	2,936	3,966	4,767	5,324	5,622	4,723	3,022	1,370	535	13
Rheumatic fever and rheumatic heart disease (390-398)	136	156	229	296	435	671	811	975	870	544	238	95	7	1
Male	57	71	92	103	156	224	239	272	214	125	43	12	1	-
Female	79	85	137	193	279	447	572	703	656	419	195	83	6	1
White	92	112	180	250	387	606	759	924	830	521	231	89	7	-
Male	43	51	76	92	140	203	223	255	201	118	43	12	1	-
Female	49	61	104	158	247	403	536	669	629	403	188	77	6	-
All other	44	44	49	46	48	65	52	51	40	23	7	6	-	1
Male	14	20	16	11	16	21	16	13	7	-	-	-	-	-
Female	30	24	33	35	32	44	36	34	27	16	7	6	-	1
Black	37	35	44	32	39	48	43	35	29	19	7	6	-	1
Male	12	17	13	6	12	14	12	8	8	7	-	-	-	-
Female	25	18	31	26	27	34	31	27	21	12	7	6	-	1
Hypertensive heart disease (402)	478	629	877	1,247	1,655	2,084	2,612	2,879	3,261	2,951	1,888	717	148	5
Male	339	408	558	774	990	1,153	1,278	1,178	1,079	700	359	86	15	2
Female	139	221	319	473	665	931	1,334	1,701	2,182	2,251	1,529	631	133	3
White	210	300	452	670	999	1,355	1,877	2,180	2,610	2,462	1,620	647	122	1
Male	165	220	312	461	635	785	940	903	838	542	289	70	12	-
Female	45	80	140	209	364	570	937	1,277	1,772	1,920	1,331	577	110	1
All other	268	329	425	577	656	729	735	699	651	489	268	70	26	4
Male	174	188	246	313	355	368	338	275	241	158	70	16	3	2
Female	94	141	179	264	301	361	397	424	410	331	198	54	23	2
Black	264	319	412	551	636	694	696	656	607	455	240	63	23	4
Male	171	184	237	297	342	347	315	254	214	140	61	13	2	2
Female	93	135	175	254	294	347	381	402	393	315	179	50	21	2
Hypertensive heart and renal disease (404)	34	36	42	92	137	192	283	365	479	444	251	95	18	-
Male	19	27	22	50	64	82	127	160	182	164	87	20	3	-
Female	15	9	20	42	73	110	156	205	297	280	164	75	15	-
White	4	13	16	32	65	109	190	264	387	353	211	81	15	-
Male	2	10	10	16	34	48	92	116	150	132	71	16	2	-
Female	2	3	6	16	31	61	98	148	237	221	140	65	13	-
All other	30	23	26	60	72	83	93	101	92	91	40	14	3	-
Male	17	17	12	34	30	34	35	44	32	32	16	4	1	-
Female	13	6	14	26	42	49	58	57	60	59	24	10	2	-
Black	30	23	25	54	68	79	88	91	88	85	39	13	3	-
Male	17	17	11	29	28	30	32	36	29	31	15	3	1	-
Female	13	6	14	25	40	49	56	55	59	54				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 186

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 11 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Diseases of heart-Con.														
Ischemic heart disease (410-414)	480,051	21	1	4	-	4	30	8	7	22	83	277	822	2,068
Male	246,913	12	-	3	-	2	17	3	6	11	58	197	626	1,634
Female	233,138	9	1	1	-	2	13	5	1	11	25	80	196	434
White	434,078	14	-	4	-	2	20	6	5	14	63	206	628	1,620
Male	224,109	9	-	3	-	1	13	2	4	9	42	146	487	1,321
Female	209,969	5	-	1	-	1	7	4	1	5	21	60	141	299
All other	45,973	7	1	-	-	2	10	2	2	8	20	71	194	448
Male	22,804	3	-	-	-	1	4	1	2	2	16	51	139	313
Female	23,169	4	1	-	-	1	6	1	-	6	4	20	55	135
Black	40,397	7	1	-	-	1	9	2	2	8	18	65	168	412
Male	19,507	3	-	-	-	1	4	1	2	2	14	47	117	282
Female	20,890	4	1	-	-	-	5	1	-	6	4	18	51	130
Acute myocardial infarction (410)	229,383	19	-	3	-	4	26	4	3	14	45	158	466	1,154
Male	123,121	12	-	2	-	2	16	3	2	4	30	109	352	902
Female	106,262	7	-	1	-	2	10	1	1	10	15	49	114	252
White	206,629	13	-	3	-	2	18	3	2	7	33	115	357	904
Male	111,528	9	-	2	-	1	12	2	1	3	22	79	274	727
Female	95,101	4	-	1	-	1	6	1	1	4	11	36	83	177
All other	22,754	6	-	-	-	2	8	1	1	7	12	43	109	250
Male	11,593	3	-	-	-	1	4	1	1	1	8	30	78	175
Female	11,161	3	-	-	-	1	4	-	-	6	4	13	31	75
Black	20,104	6	-	-	-	1	7	1	1	7	11	38	89	231
Male	9,970	3	-	-	-	1	4	1	1	1	7	27	68	159
Female	10,134	3	-	-	-	-	3	-	-	6	4	11	31	72
Other acute and subacute forms of ischemic heart disease (411)	3,179	-	-	-	-	-	-	-	-	-	3	3	12	46
Male	1,770	-	-	-	-	-	-	-	-	-	3	3	6	37
Female	1,409	-	-	-	-	-	-	-	-	-	-	-	6	9
White	2,699	-	-	-	-	-	-	-	-	-	2	3	5	36
Male	1,495	-	-	-	-	-	-	-	-	-	2	3	3	28
Female	1,204	-	-	-	-	-	-	-	-	-	-	-	2	8
All other	480	-	-	-	-	-	-	-	-	-	1	-	7	10
Male	275	-	-	-	-	-	-	-	-	-	1	-	3	9
Female	205	-	-	-	-	-	-	-	-	-	-	-	4	1
Black	428	-	-	-	-	-	-	-	-	-	1	-	5	8
Male	237	-	-	-	-	-	-	-	-	-	1	-	2	7
Female	191	-	-	-	-	-	-	-	-	-	-	-	3	1
Angina pectoris (413)	1,003	-	-	-	-	-	-	1	-	1	-	3	-	4
Male	433	-	-	-	-	-	-	-	-	1	-	-	-	3
Female	570	-	-	-	-	-	-	1	-	-	-	3	-	1
White	912	-	-	-	-	-	-	1	-	1	-	1	-	3
Male	394	-	-	-	-	-	-	-	-	1	-	-	-	3
Female	518	-	-	-	-	-	-	1	-	-	-	1	-	-
All other	91	-	-	-	-	-	-	-	-	-	-	2	-	1
Male	39	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	52	-	-	-	-	-	-	-	-	-	-	2	-	1
Black	82	-	-	-	-	-	-	-	-	-	-	2	-	1
Male	35	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	47	-	-	-	-	-	-	-	-	-	-	2	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	246,486	2	1	1	-	-	4	3	4	7	35	113	344	864
Male	121,589	-	-	1	-	-	1	-	4	6	25	85	268	692
Female	124,897	2	1	-	-	-	3	3	-	1	10	28	76	172
White	223,838	1	-	1	-	-	2	2	3	6	28	87	266	677
Male	110,692	-	-	1	-	-	1	-	3	5	18	64	210	563
Female	113,146	1	-	-	-	-	1	2	-	1	10	23	56	114
All other	22,648	1	1	-	-	-	2	1	1	1	7	26	78	187
Male	10,897	-	-	-	-	-	-	-	1	1	7	21	58	129
Female	11,751	1	1	-	-	-	2	1	-	-	5	5	20	58
Black	19,783	1	1	-	-	-	2	1	1	1	6	25	64	172
Male	9,265	-	-	-	-	-	-	-	1	1	6	20	47	116
Female	10,518	1	1	-	-	-	2	1	-	-	5	17	56	56
Other diseases of endocardium (424)	14,359	10	3	3	1	1	18	10	9	17	21	33	53	95
Male	6,051	7	1	2	1	-	11	4	6	12	16	16	39	64
Female	8,308	3	2	1	-	1	7	6	3	5	5	17	14	31
White	13,251	9	2	3	-	1	15	7	6	14	16	21	40	61
Male	5,512	6	1	2	-	-	9	2	4	9	11	9	32	44
Female	7,739	3	1	1	-	1	6	5	2	5	5	12	8	17
All other	1,108	1	1	-	1	-	3	3	3	3	5	12	13	34
Male	539	1	-	-	1	-	2	2	2	3	5	7	7	20
Female	569	-	1	-	-	-	1	1	1	-	-	5	6	14
Black	984	1	1	-	1	-	3	3	2	3	4	10	11	32
Male	467	1	-	-	1	-	2	2	1	3	4	5	7	18
Female	517	-	1	-	-	-	1	1	1	-	-	5	4	14
All other forms of heart disease (415-423,425-429)	193,249	682	133	59	41	29	944	110	133	279	487	721	1,238	1,858
Male	92,632	361	70	28	25	14	498	65	71	204	296	437	802	1,268
Female	100,617	321	63	31	16	15	446	45	62	75	191	284	436	590
White	163,569	452	76	31	34	20	613	74	87	174	310	441	794	1,190
Male	77,312	246	40	10	19	9	324	49	43	124	190	267	535	842
Female	86,257	206	36	21	15	11	289	25	44	50	120	174	259	348
All other	29,680	230	57	28	7	9	331	36	46	105	177	280	444	668
Male	15,320	115	30	18	6	5	174	16	28	80	106	170	267	426
Female	14,360	115	27	10	1	4	157	20	18	25	71	110	177	242
Black	27,227	206	50	25	7	9	297	29	40	95	157	262	409	617
Male	13,917	107	26	17	6	5	161	12	25	72	91	156	246	399
Female	13,310	99	24	8	1	4	136	17	15	23	66	106	163	218

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 187

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 12 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Diseases of heart-Con.														
Ischemic heart disease (410-414)	4,721	8,042	11,778	18,284	29,885	45,776	62,367	74,526	81,783	71,291	45,264	16,626	4,345	46
Male	3,740	6,403	8,988	13,303	20,911	30,125	37,923	40,895	37,706	26,430	12,954	4,155	798	30
Female	981	1,639	2,790	4,981	8,974	15,651	24,444	33,631	44,077	44,861	32,310	14,471	3,547	16
White	3,798	6,649	9,751	15,359	25,897	40,305	56,061	67,968	75,509	66,448	42,417	17,442	3,894	28
Male	3,101	5,442	7,678	11,506	18,552	27,070	34,624	37,717	35,080	24,637	12,097	3,861	692	18
Female	697	1,207	2,073	3,853	7,325	13,235	21,437	30,251	40,429	41,811	30,320	13,581	3,202	10
All other	923	1,393	2,027	2,925	3,998	5,471	6,306	6,558	6,274	4,843	2,847	1,184	451	18
Male	639	961	1,310	1,797	2,349	3,055	3,299	3,178	2,626	1,793	857	294	106	12
Female	284	432	717	1,128	1,649	2,416	3,007	3,380	3,648	3,050	1,990	890	345	6
Black	824	1,236	1,798	2,583	3,544	4,832	5,555	5,717	5,456	4,212	2,474	1,061	406	17
Male	556	830	1,135	1,547	2,039	2,652	2,858	2,706	2,183	1,465	701	262	93	11
Female	268	406	661	1,036	1,505	2,180	2,697	3,011	3,273	2,747	1,773	799	313	6
Acute myocardial infarction (410)	2,714	4,727	6,976	10,628	16,807	24,603	32,720	37,099	38,405	30,000	15,953	5,671	1,195	15
Male	2,146	3,751	5,320	7,679	11,640	15,979	19,525	20,021	17,663	11,567	4,821	1,349	231	11
Female	568	976	1,656	2,949	5,167	8,624	13,195	17,078	20,742	18,433	11,132	4,322	964	4
White	2,228	3,949	5,866	8,995	14,621	21,762	29,466	33,874	35,442	27,885	14,830	5,219	1,045	8
Male	1,815	3,213	4,602	6,687	10,361	14,397	17,832	18,491	16,393	10,729	4,456	1,238	187	7
Female	413	736	1,264	2,308	4,260	7,365	11,634	15,383	19,049	17,156	10,374	3,981	858	1
All other	486	778	1,110	1,633	2,186	2,841	3,254	3,225	2,963	2,115	1,123	452	150	7
Male	331	538	718	992	1,279	1,582	1,693	1,530	1,270	838	365	111	44	4
Female	155	240	392	641	907	1,259	1,561	1,693	1,277	758	341	106	3	3
Black	433	696	979	1,429	1,946	2,516	2,866	2,825	2,607	1,856	987	422	141	6
Male	289	468	621	844	1,110	1,371	1,464	1,310	1,088	689	299	105	41	3
Female	144	228	358	585	836	1,145	1,402	1,515	1,519	1,167	688	317	100	3
Other acute and subacute forms of ischemic heart disease (411)	87	128	147	199	286	355	389	405	404	357	239	88	26	5
Male	75	106	118	149	204	215	248	205	180	131	66	18	3	3
Female	12	22	29	50	82	140	141	200	224	226	173	70	23	2
White	72	108	113	159	235	313	334	345	349	317	207	78	21	2
Male	63	91	95	123	171	186	212	170	154	117	58	16	2	1
Female	9	17	18	36	64	127	122	175	195	200	149	62	19	1
All other	15	20	34	40	51	42	55	60	55	40	32	10	5	3
Male	12	15	23	26	33	29	36	35	26	14	8	2	1	1
Female	3	5	11	14	18	13	19	25	29	26	24	8	4	2
Black	12	13	25	37	46	38	53	58	50	36	29	9	5	3
Male	9	8	15	24	28	27	34	33	24	13	7	2	1	2
Female	3	5	10	13	18	11	19	25	26	23	22	7	4	1
Angina pectoris (413)	6	10	18	30	40	84	86	178	187	163	120	64	8	-
Male	5	7	10	20	25	58	43	97	73	43	30	16	2	-
Female	1	3	8	10	15	26	43	81	114	120	90	48	6	-
White	5	7	14	23	36	75	72	166	175	152	115	60	6	-
Male	5	5	8	16	22	53	37	89	70	40	29	15	1	-
Female	-	2	6	7	14	22	35	77	105	112	86	45	5	-
All other	1	3	4	7	4	9	14	12	12	11	5	4	2	-
Male	-	2	2	4	3	5	6	8	3	3	1	1	1	-
Female	1	1	2	3	1	4	8	4	9	8	4	3	1	-
Black	1	3	3	7	4	8	11	11	11	10	5	3	2	-
Male	-	2	1	4	3	4	5	8	3	2	1	1	1	-
Female	1	1	2	3	1	4	6	3	8	8	4	2	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,914	3,177	4,637	7,427	12,752	20,734	29,172	36,844	42,787	40,771	28,952	12,803	3,116	26
Male	1,514	2,539	3,540	5,455	9,042	13,873	18,107	20,572	19,790	14,689	8,037	2,772	562	16
Female	400	638	1,097	1,972	3,710	6,861	11,065	16,272	22,997	26,082	20,915	10,031	2,554	10
White	1,493	2,585	3,758	6,182	10,995	18,155	26,189	33,583	39,543	38,094	27,265	12,085	2,822	18
Male	1,218	2,133	2,973	4,680	8,008	12,434	16,543	18,967	18,463	13,751	7,554	2,592	502	10
Female	275	452	785	1,502	2,987	5,721	9,646	14,616	21,080	24,343	19,711	9,493	2,320	8
All other	421	592	879	1,245	1,757	2,579	2,983	3,261	3,244	2,677	1,687	718	294	8
Male	296	406	567	775	1,034	1,439	1,584	1,605	1,327	938	483	180	60	6
Female	125	186	312	470	723	1,140	1,419	1,656	1,917	1,739	1,204	538	234	2
Black	378	524	789	1,110	1,548	2,270	2,625	2,823	2,788	2,310	1,453	627	258	8
Male	258	352	498	675	898	1,250	1,355	1,355	1,068	761	394	154	50	6
Female	120	172	291	435	650	1,020	1,270	1,468	1,720	1,549	1,059	473	208	2
Other diseases of endocardium (424)	161	177	221	319	562	907	1,452	2,155	2,998	2,821	1,699	534	97	-
Male	119	112	138	202	319	521	761	1,010	1,202	908	467	110	14	-
Female	42	65	83	117	243	386	691	1,145	1,796	1,913	1,232	424	83	-
White	114	116	181	252	474	808	1,333	2,003	2,843	2,696	1,649	511	91	-
Male	84	74	111	163	277	468	705	940	1,142	862	451	103	12	-
Female	30	42	70	89	197	340	628	1,063	1,701	1,834	1,198	408	79	-
All other	47	61	40	67	88	99	119	152	155	125	50	23	6	-
Male	35	38	27	39	42	53	56	70	60	46	16	7	2	-
Female	12	23	13	28	46	46	63	82	95	79	34	16	4	-
Black	46	57	37	63	76	91	105	132	132	105	45	21	6	-
Male	34	35	25	36	35	49	48	59	51	33	11	7	2	-
Female	12	22	12	27	41	42	57	73	81	72	34	14	4	-
All other forms of heart disease (415-423,425-429)	2,818	3,969	5,257	7,440	12,164	17,014	22,360	28,465	29,982	28,522	20,069	9,122	2,261	36
Male	2,000	2,812	3,642	5,116	7,968	10,502	12,846	13,435	13,047	9,805	5,408	2,003	386	21
Female	818	1,157	1,615	2,324	4,196	6,512	9,514	13,030	16,935	18,717	14,661	7,119	1,875	15
White	1,857	2,823	3,832	5,526	9,450	13,758	18,617	22,815	26,492	25,835	18,459	8,418	1,979	25
Male	1,416	2,047	2,748	3,925	6,355	8,653	10,773	11,689	11,492	8,783	4,895	1,827	323	14
Female	441	776	1,086	1,601	3,095	5,105	7,844	11,126	15,000	17,052	13,564	6,591	1,656	11
All other	961	1,146	1,425	1,914	2,714	3,256	3,743	3,650	3,490	2,687	1,610	704	282	11
Male	584	765	896	1,191	1,613	1,849	2,073	1,746	1,555	1,022	513	176	63	7

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 189

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 14 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases-Con.														
Hypertension with or without renal disease (401,403)	122	168	243	363	574	904	1,295	1,570	1,832	1,604	950	387	98	1
Male	75	104	145	206	295	471	608	709	709	514	245	81	21	1
Female	47	64	98	157	279	433	687	861	1,123	1,090	705	306	77	-
White	53	65	116	211	360	593	941	1,246	1,497	1,362	819	343	83	-
Male	40	49	74	126	207	324	452	575	592	440	210	73	18	-
Female	13	16	42	85	153	269	489	671	905	922	609	270	65	-
All other	69	103	127	152	214	311	354	324	335	242	131	44	15	1
Male	35	55	71	80	88	147	156	134	117	74	35	8	3	1
Female	34	48	56	72	126	164	198	190	218	168	96	36	12	-
Black	67	98	124	142	205	288	327	297	297	222	116	36	15	1
Male	33	52	68	75	85	138	142	121	96	67	30	7	3	1
Female	34	46	56	67	120	152	185	176	201	155	86	29	12	-
Cerebrovascular diseases (430-438)	1,595	2,124	2,667	3,713	5,996	9,611	15,361	22,054	27,383	26,481	16,889	6,403	1,210	13
Male	843	1,162	1,427	1,999	3,271	5,040	7,616	9,948	10,478	8,192	4,048	1,217	183	8
Female	752	962	1,240	1,714	2,725	4,571	7,745	12,106	16,905	18,289	12,841	5,186	1,027	5
White	981	1,400	1,851	2,610	4,517	7,644	12,838	19,270	24,687	24,410	15,672	5,959	1,051	10
Male	522	773	997	1,390	2,470	4,024	6,407	8,721	9,465	7,513	3,714	1,117	149	6
Female	459	627	854	1,220	2,047	3,620	6,431	10,549	15,222	16,897	11,958	4,842	902	4
All other	614	724	816	1,103	1,479	1,967	2,523	2,784	2,696	2,071	1,217	444	159	3
Male	321	389	430	609	801	1,016	1,209	1,227	1,013	679	334	100	34	2
Female	293	335	386	494	678	951	1,314	1,557	1,683	1,392	883	344	125	1
Black	573	649	718	963	1,295	1,719	2,222	2,437	2,375	1,778	1,051	386	150	3
Male	301	358	380	539	702	884	1,061	1,037	857	547	268	87	32	2
Female	272	291	338	424	593	835	1,161	1,400	1,518	1,231	783	299	118	1
Intracerebral and other intracranial hemorrhage (431-432)	637	811	984	1,141	1,610	2,170	2,898	3,326	3,192	2,222	988	275	33	2
Male	400	491	539	635	890	1,129	1,390	1,483	1,178	675	259	78	6	2
Female	237	320	445	506	720	1,041	1,508	1,843	2,014	1,547	739	197	27	-
White	342	473	613	762	1,200	1,784	2,498	2,995	2,916	2,037	917	259	27	2
Male	222	295	339	405	665	918	1,212	1,329	1,071	610	237	73	5	2
Female	120	178	274	357	535	866	1,286	1,666	1,845	1,427	680	186	22	-
All other	295	338	371	379	410	386	400	331	276	185	81	16	6	-
Male	178	195	200	230	225	211	178	154	107	65	22	5	1	-
Female	117	142	171	149	185	175	222	177	169	120	59	11	5	-
Black	275	308	325	324	335	297	307	245	204	147	63	12	6	-
Male	167	183	176	204	184	164	137	106	73	48	15	3	1	-
Female	108	125	149	120	151	133	170	139	131	99	48	9	5	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.8)	92	122	174	334	573	976	1,601	2,452	3,076	3,043	2,076	768	167	1
Male	54	73	107	195	349	557	813	1,088	1,163	954	476	143	23	-
Female	38	49	67	139	224	419	788	1,364	1,913	2,089	1,600	625	144	1
White	53	81	126	235	439	769	1,342	2,127	2,796	2,776	1,932	708	152	-
Male	35	47	78	133	267	455	687	947	1,055	863	440	129	23	-
Female	18	34	48	102	172	314	655	1,180	1,741	1,913	1,492	579	129	-
All other	39	41	48	99	134	207	259	325	280	267	144	60	15	1
Male	19	26	29	62	82	102	126	141	108	91	36	14	-	-
Female	20	15	19	37	52	105	133	184	172	176	108	46	15	1
Black	38	36	47	88	122	183	230	295	251	231	129	51	13	1
Male	19	22	28	55	74	91	110	124	90	73	32	11	-	-
Female	19	14	19	33	48	92	120	171	161	158	97	40	13	1
Cerebral embolism (434.1)	4	7	14	15	18	46	98	108	123	87	67	26	5	-
Male	2	4	7	7	7	18	45	47	44	25	17	4	1	-
Female	2	3	7	8	11	28	53	61	79	62	50	22	4	-
White	2	5	12	11	14	39	92	94	112	79	63	24	5	-
Male	1	4	6	4	7	17	44	40	39	21	16	4	1	-
Female	1	1	6	7	7	22	48	54	73	58	47	20	4	-
All other	2	2	2	4	4	7	6	14	11	8	4	2	-	-
Male	1	-	1	3	-	1	7	5	4	1	-	-	-	-
Female	1	2	1	1	4	6	5	7	6	4	3	2	-	-
Black	2	1	1	4	4	7	5	13	7	5	3	2	-	-
Male	1	-	1	3	-	1	6	3	2	2	-	-	-	-
Female	1	1	1	1	4	6	4	7	4	3	3	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	862	1,184	1,495	2,223	3,795	6,419	10,764	16,168	20,992	21,129	13,748	5,334	1,005	10
Male	387	594	774	1,162	2,025	3,336	5,388	7,330	8,093	6,538	3,296	992	153	6
Female	475	590	721	1,061	1,770	3,083	5,386	8,838	12,899	14,591	10,452	4,342	852	4
White	584	841	1,100	1,602	2,864	5,052	8,906	14,054	18,863	19,518	12,760	4,968	867	8
Male	264	427	574	848	1,531	2,634	4,464	6,405	7,300	6,019	3,021	911	180	4
Female	320	414	526	754	1,333	2,418	4,442	7,649	11,563	13,499	9,739	4,057	747	4
All other	278	343	395	621	931	1,367	1,858	2,114	2,129	1,611	988	366	138	2
Male	123	167	200	314	494	702	904	925	793	519	275	81	33	2
Female	155	176	195	307	437	665	954	1,189	1,336	1,092	713	285	105	-
Black	258	304	345	547	834	1,232	1,680	1,884	1,913	1,395	856	321	131	2
Male	114	153	176	277	444	628	813	801	691	424	221	73	31	2
Female	144	151	169	270	390	604	867	1,083	1,222	971	635	248	100	-
Atherosclerosis (440)	30	56	106	192	422	747	1,287	1,999	2,910	3,612	3,193	1,738	509	2
Male	21	45	73	120	245	428	716	999	1,199	1,178	868	349	71	1
Female	9	11	33	72	177	319	571	1,000	1,711	2,434	2,325	1,389	438	1
White	24	42	84	154	354	641	1,139	1,826	2,667	3,393	3,038	1,641	464	2
Male	17	35	56	98	205	374	633	917	1,098	1,097	815	335	62	1
Female	7	7	28	56	149	267	506	909	1,569	2,296	2,223	1,306	402	1
All other	6	14	22	38	68	106	148	173	243	219	155	87	45	-
Male	4	10	17	22	40	54	83	92	101	81	53	14	9	-
Female	2	4	5	16	28	52	65	81	142	138	102	83	36	-
Black	5	13	21	33	60	95	130	161	216	198	142	88	43	-
Male	4	9	16	18	35	51	68	72	86	71	49	14	9	-
Female	1	4	5	15	25	44	62	89	130	127	93	74	34	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 190

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.
(Page 15 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Major cardiovascular diseases-Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	25,337	12	2	1	1	5	21	1	12	24	50	73	129	179
Male	14,504	6	1	—	—	3	10	1	8	12	30	36	72	110
Female	10,833	6	1	1	1	2	11	—	4	12	20	37	57	69
White	22,895	9	2	1	1	4	17	—	10	19	40	55	97	130
Male	13,263	5	1	—	—	3	9	—	6	10	26	26	57	81
Female	9,632	4	1	1	1	1	8	—	4	9	14	29	40	49
All other	2,442	3	—	—	—	1	4	1	2	5	10	18	32	49
Male	1,241	1	—	—	—	—	1	1	2	2	4	10	15	29
Female	1,201	2	—	—	—	1	3	—	3	3	6	8	17	20
Black	2,115	3	—	—	—	1	4	1	1	4	9	16	29	46
Male	1,032	1	—	—	—	1	1	1	1	1	3	8	13	28
Female	1,083	2	—	—	—	1	3	—	—	3	6	8	16	18
Acute bronchitis and bronchiolitis (466)	577	92	10	5	—	1	108	5	2	—	1	6	9	4
Male	282	61	6	1	—	1	69	5	2	—	1	4	7	4
Female	295	31	4	4	—	—	39	—	—	—	—	2	2	—
White	500	58	6	1	—	1	66	5	2	—	1	6	8	2
Male	239	39	3	1	—	1	44	5	2	—	1	4	7	2
Female	261	19	3	—	—	—	22	—	—	—	—	2	1	—
All other	77	34	4	4	—	—	42	—	—	—	—	—	1	2
Male	43	22	3	—	—	—	25	—	—	—	—	—	—	2
Female	34	12	1	4	—	—	17	—	—	—	—	—	1	—
Black	71	32	4	4	—	—	40	—	—	—	—	—	1	2
Male	38	21	3	—	—	—	24	—	—	—	—	—	—	2
Female	33	11	1	4	—	—	16	—	—	—	—	—	1	—
Pneumonia and influenza (480-487)	75,719	600	100	44	25	19	788	53	51	85	144	223	431	607
Male	35,465	356	55	20	11	9	451	32	22	44	82	139	272	385
Female	40,254	244	45	24	14	10	337	21	29	41	62	84	159	222
White	67,456	357	61	28	14	13	473	42	38	63	101	138	271	383
Male	30,951	218	30	12	8	6	274	24	14	34	59	86	173	240
Female	36,505	139	31	16	6	7	199	18	24	29	42	52	98	143
All other	8,263	243	39	16	11	6	315	11	13	22	43	85	160	224
Male	4,514	138	25	8	3	3	177	8	8	10	23	53	99	145
Female	3,749	105	14	8	8	3	138	3	5	12	20	32	61	79
Black	7,074	216	33	11	7	5	272	8	11	21	36	78	152	206
Male	3,822	124	23	4	2	2	155	5	6	10	19	49	93	134
Female	3,252	92	10	7	5	3	117	3	5	11	17	29	59	72
Pneumonia (480-486)	74,713	592	97	43	23	19	774	51	48	82	139	222	425	596
Male	35,127	350	53	20	11	9	443	31	22	42	80	138	269	378
Female	39,586	242	44	23	12	10	331	20	26	40	59	84	156	218
White	66,502	350	58	28	12	13	461	40	35	60	96	137	267	375
Male	30,637	212	28	12	8	6	266	23	14	32	57	85	171	236
Female	35,865	138	30	16	4	7	195	17	21	28	39	52	96	140
All other	8,211	242	39	15	11	6	313	11	13	22	43	85	158	220
Male	4,490	138	25	8	3	3	177	8	8	10	23	53	98	142
Female	3,721	104	14	7	8	3	136	3	5	12	20	32	60	78
Black	7,034	216	33	11	7	5	272	8	11	21	36	78	150	202
Male	3,804	124	23	4	2	2	155	5	6	10	19	49	92	131
Female	3,230	92	10	7	5	3	117	3	5	11	17	29	58	71
Influenza (487)	1,006	8	3	1	2	—	14	2	3	3	5	1	6	11
Male	338	6	2	—	—	—	8	1	—	2	2	1	3	7
Female	668	2	1	1	2	—	6	1	3	1	3	—	3	4
White	954	7	3	—	2	—	12	2	3	3	5	1	4	7
Male	314	6	2	—	—	—	8	1	—	2	2	1	2	4
Female	640	1	1	—	2	—	4	1	3	1	3	—	2	3
All other	52	1	—	1	—	—	2	—	—	—	—	—	2	4
Male	24	—	—	—	—	—	—	—	—	—	—	—	1	3
Female	28	1	—	1	—	—	2	—	—	—	—	—	1	1
Black	40	—	—	—	—	—	—	—	—	—	—	—	2	4
Male	18	—	—	—	—	—	—	—	—	—	—	—	1	3
Female	22	—	—	—	—	—	—	—	—	—	—	—	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	91,938	45	31	8	14	10	108	38	62	90	99	103	175	269
Male	50,465	34	16	3	9	7	69	20	35	51	55	61	97	134
Female	41,473	11	15	5	5	3	39	18	27	39	44	42	78	135
White	85,231	22	14	5	7	6	54	16	34	54	53	62	106	168
Male	46,355	19	11	2	6	3	41	8	18	29	25	32	60	90
Female	38,876	3	3	3	1	3	13	8	16	25	28	30	46	78
All other	6,707	23	17	3	7	4	54	22	28	36	46	41	69	101
Male	4,110	15	5	1	3	4	28	12	17	22	30	29	37	44
Female	2,597	8	12	2	4	—	26	10	11	14	16	12	32	57
Black	5,857	21	16	3	5	4	49	21	26	35	45	37	63	92
Male	3,569	14	5	1	3	4	27	12	16	21	29	27	34	40
Female	2,288	7	11	2	2	—	22	9	10	14	16	10	29	52
Bronchitis, chronic and unspecified (490-491)	3,664	33	12	3	3	2	53	4	3	6	4	3	12	19
Male	1,819	24	7	3	2	2	38	3	3	3	2	1	7	9
Female	1,845	9	5	—	1	—	15	1	—	3	2	2	5	10
White	3,421	17	8	2	2	1	30	4	2	6	4	2	10	13
Male	1,685	14	5	2	2	1	24	3	2	3	2	1	6	7
Female	1,736	3	3	—	—	—	6	1	—	3	2	1	4	6
All other	243	16	4	1	1	1	23	—	1	—	—	—	1	2
Male	134	10	2	1	—	1	14	—	1	—	—	—	1	2
Female	109	6	2	—	1	—	9	—	—	—	—	—	1	4
Black	204	14	3	1	—	1	19	—	1	—	—	—	1	5
Male	115	9	2	1	—	1	13	—	1	—	—	—	1	2
Female	89	5	1	—	—	—	6	—	—	—	—	—	1	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 191

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 16 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Major cardiovascular diseases—Con.														
Other diseases of arteries, arterioles, and capillaries (441-448)	294	357	503	821	1,644	2,939	4,171	4,566	4,248	3,033	1,592	570	108	2
Male	190	220	323	547	1,148	2,062	2,701	2,714	2,248	1,350	547	152	21	2
Female	104	137	180	274	496	877	1,470	1,852	2,000	1,683	1,045	418	87	-
White	222	256	386	671	1,450	2,647	3,830	4,232	3,935	2,829	1,460	516	91	2
Male	149	168	252	471	1,032	1,872	2,525	2,538	2,095	1,275	505	145	19	2
Female	73	88	134	200	418	775	1,305	1,694	1,840	1,554	955	371	72	-
All other	72	101	117	150	194	292	341	334	313	204	132	54	17	-
Male	41	52	71	76	116	190	176	176	153	75	42	7	2	-
Female	31	49	46	74	78	102	165	158	160	129	90	47	15	-
Black	63	90	106	120	173	252	297	299	252	176	115	48	14	-
Male	36	48	63	55	105	158	149	153	109	58	34	7	1	-
Female	27	42	43	65	68	94	148	146	143	118	81	41	13	-
Acute bronchitis and bronchiolitis (466)	10	7	13	15	20	35	49	70	70	70	53	21	9	-
Male	7	3	5	9	13	18	27	35	31	16	16	7	3	-
Female	3	4	8	6	7	17	22	35	39	54	37	14	6	-
White	8	4	11	14	17	34	47	67	61	66	51	21	9	-
Male	5	3	4	8	11	18	26	34	25	16	14	7	3	-
Female	3	1	7	6	6	16	21	33	36	50	37	14	6	-
All other	2	3	2	1	3	1	2	3	9	4	2	-	-	-
Male	2	-	1	1	2	-	1	1	6	-	2	-	-	-
Female	-	3	1	-	1	1	1	2	3	4	-	-	-	-
Black	2	3	2	1	3	1	2	3	6	4	1	-	-	-
Male	2	-	1	1	2	-	1	1	3	-	1	-	-	-
Female	-	3	1	-	1	1	1	2	3	4	-	-	-	-
Pneumonia and influenza (480-487)	743	797	848	1,322	2,131	3,868	6,344	9,931	14,050	15,175	11,434	5,322	1,365	7
Male	495	530	529	825	1,281	2,318	3,704	5,505	6,937	6,238	3,853	1,517	302	4
Female	248	267	319	497	850	1,550	2,640	4,426	7,113	8,937	7,581	3,805	1,063	3
White	458	568	611	1,011	1,694	3,220	5,512	8,976	12,845	14,118	10,725	5,001	1,204	4
Male	302	370	367	598	1,010	1,935	3,197	4,953	6,305	5,749	3,601	1,398	260	2
Female	156	198	244	413	684	1,285	2,315	4,023	6,540	8,369	7,124	3,603	944	2
All other	285	229	237	311	437	648	832	955	1,205	1,057	709	321	161	3
Male	193	160	162	227	271	383	507	552	632	489	252	119	42	2
Female	92	69	75	84	166	265	325	403	573	568	457	202	119	1
Black	269	203	219	275	383	572	709	807	1,017	853	561	273	146	3
Male	181	142	149	203	240	347	427	452	519	361	191	98	39	2
Female	88	61	70	72	143	225	282	355	498	492	370	175	107	1
Pneumonia (480-486)	735	790	837	1,305	2,104	3,832	6,260	9,796	13,906	14,976	11,274	5,218	1,336	7
Male	489	527	523	818	1,278	2,304	3,667	5,458	6,880	6,179	3,819	1,491	298	4
Female	246	263	314	487	826	1,528	2,593	4,338	7,026	8,797	7,461	3,727	1,038	3
White	451	565	600	997	1,668	3,190	5,435	8,844	12,706	13,926	10,569	4,899	1,176	4
Male	297	369	361	593	1,002	1,925	3,163	4,908	6,250	5,692	3,563	1,372	256	2
Female	154	196	239	404	666	1,265	2,272	3,936	6,456	8,234	7,006	3,527	920	2
All other	284	225	237	308	436	642	825	952	1,200	1,050	705	319	160	3
Male	192	158	162	225	271	379	504	550	630	487	250	119	42	2
Female	92	67	75	83	165	263	321	402	570	563	455	200	118	1
Black	268	199	219	273	382	568	703	805	1,014	847	558	271	146	3
Male	180	140	149	201	240	345	424	451	519	360	189	98	39	2
Female	88	59	70	72	142	223	279	354	495	487	369	173	107	1
Influenza (487)	8	7	11	17	27	36	84	135	144	199	160	104	29	-
Male	6	3	6	7	8	14	37	47	57	59	40	26	4	-
Female	2	4	5	10	19	22	47	88	87	140	120	78	25	-
White	7	3	11	14	26	30	77	132	139	192	156	102	28	-
Male	5	1	6	5	8	10	34	45	55	57	38	26	4	-
Female	2	2	5	9	18	20	43	87	84	135	118	76	24	-
All other	1	4	-	3	1	6	7	3	5	7	4	2	1	-
Male	1	2	-	2	-	4	3	2	2	2	2	-	-	-
Female	-	2	-	1	1	2	4	1	3	5	2	2	1	-
Black	1	4	-	2	1	4	6	2	3	6	3	2	-	-
Male	1	2	-	2	-	2	3	1	-	1	2	-	-	-
Female	-	2	-	-	1	2	3	1	3	5	1	2	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-498)	432	750	1,524	3,343	6,755	12,019	16,686	18,817	15,656	9,737	3,925	1,153	189	8
Male	224	377	792	1,836	3,746	6,788	9,441	10,507	8,673	5,111	1,882	497	62	7
Female	208	373	732	1,507	3,009	5,231	7,245	8,310	6,983	4,626	2,043	656	127	1
White	307	572	1,280	2,915	6,120	11,043	15,595	17,793	14,855	9,227	3,716	1,086	168	7
Male	160	294	667	1,587	3,348	6,191	8,730	9,835	8,153	4,798	1,762	467	54	6
Female	147	278	613	1,328	2,772	4,852	6,865	7,958	6,702	4,429	1,954	619	114	1
All other	125	178	244	428	635	976	1,091	1,024	801	510	209	67	21	1
Male	84	83	125	249	398	597	711	672	520	313	120	30	8	1
Female	61	95	119	179	237	379	380	352	281	197	89	37	13	-
Black	119	164	230	385	562	856	943	888	668	425	176	54	18	1
Male	63	76	115	226	351	520	606	585	430	262	99	23	6	1
Female	56	88	115	159	211	336	337	303	238	163	77	31	12	-
Bronchitis, chronic and unspecified (490-491)	21	27	76	128	247	409	576	641	597	433	277	103	25	-
Male	15	13	35	68	134	204	319	344	309	178	99	32	3	-
Female	6	14	41	60	113	205	257	297	288	255	178	71	22	-
White	16	23	70	111	227	381	543	607	578	412	264	95	23	-
Male	11	11	33	54	123	187	302	326	296	169	93	29	3	-
Female	5	12	37	57	104	194	241	281	282	243	171	66	20	-
All other	5	4	6	17	20	28	33	34	19	21	13	8	2	-
Male	4	2	2	14	11	17	17	18	13	9	6	3	-	-
Female	1	2	4	3	9	11	16	16	6	12	7	5	2	-
Black	5	3	6	15	13	25	30	24	18	18	11	6	2	-
Male	4	1	2	12	7	16	16	14	12	8	4	2	-	-
Female	1	2	4	3	6	9	14	10	6	10	7	4	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 192

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 17 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Chronic obstructive pulmonary diseases, etc.—Con.														
Emphysema (492)	16,363	1	1	-	1	-	3	-	-	1	2	-	8	20
Male	9,422	1	1	-	-	-	2	-	-	-	2	-	7	15
Female	6,941	-	-	-	1	-	1	-	-	1	-	-	1	5
White	15,405	1	1	-	1	-	3	-	-	1	1	-	6	13
Male	8,745	1	1	-	-	-	2	-	-	1	-	-	5	11
Female	6,660	-	-	-	1	-	1	-	-	1	-	-	1	2
All other	958	-	-	-	-	-	-	-	-	-	1	-	2	7
Male	677	-	-	-	-	-	-	-	-	-	1	-	2	4
Female	281	-	-	-	-	-	-	-	-	-	-	-	-	3
Black	831	-	-	-	-	-	-	-	-	-	1	-	1	7
Male	585	-	-	-	-	-	-	-	-	-	1	-	1	4
Female	246	-	-	-	-	-	-	-	-	-	-	-	-	3
Asthma (493)	4,964	9	17	5	9	7	47	33	55	81	87	92	140	168
Male	1,869	8	8	-	6	5	27	17	31	48	47	55	75	75
Female	3,095	1	9	5	3	2	20	16	24	33	40	37	65	93
White	3,789	4	5	3	3	4	19	11	28	45	44	55	76	102
Male	1,382	4	5	-	3	2	14	5	15	26	20	28	41	41
Female	2,427	-	-	3	-	2	5	6	13	19	24	27	35	51
All other	1,175	5	12	2	6	3	28	22	27	36	43	37	64	66
Male	507	4	3	-	3	3	13	12	16	22	27	27	34	24
Female	668	1	9	2	3	-	15	10	11	14	16	10	30	42
Black	1,036	5	12	2	5	3	27	21	25	35	42	33	60	60
Male	433	4	3	-	3	3	13	12	15	21	26	25	32	21
Female	603	1	9	2	2	-	14	9	10	14	16	8	28	39
Other chronic obstructive pulmonary diseases and allied conditions (494-498)														
Male	66,947	2	1	-	1	1	5	1	4	2	6	8	15	62
Female	37,355	1	-	-	-	-	2	-	1	-	4	5	8	35
White	29,592	1	1	-	-	1	3	1	3	2	2	3	7	27
Male	62,616	-	-	-	1	1	2	1	4	2	4	5	14	40
Female	34,563	-	-	-	1	-	1	-	1	-	2	3	8	21
All other	28,053	-	-	-	-	1	1	1	3	2	2	2	6	19
Male	4,331	2	1	-	-	-	3	-	-	-	2	3	1	22
Female	2,792	1	-	-	-	-	1	-	-	-	2	2	-	14
Black	1,539	1	1	-	-	-	2	-	-	-	-	1	1	8
Male	3,786	2	1	-	-	-	3	-	-	-	2	3	-	20
Female	2,436	1	-	-	-	-	1	-	-	-	2	2	-	13
Female	1,350	1	1	-	-	-	2	-	-	-	-	1	-	7
Ulcer of stomach and duodenum (531-533)	6,128	7	-	-	2	1	10	2	2	4	5	11	34	61
Male	2,924	6	-	-	1	-	7	1	1	2	3	9	29	40
Female	3,204	1	-	-	1	1	3	1	1	2	2	2	5	21
White	5,452	3	-	-	1	-	4	2	2	3	5	6	20	35
Male	2,539	2	-	-	1	-	3	1	1	3	4	3	4	19
Female	2,913	1	-	-	-	-	1	1	1	2	2	2	1	14
All other	676	4	-	-	1	1	6	-	-	1	-	5	14	26
Male	385	4	-	-	-	-	4	-	-	1	-	5	10	19
Female	291	-	-	-	1	1	2	-	-	-	-	-	4	7
Black	588	4	-	-	-	-	4	-	-	-	-	5	13	28
Male	323	4	-	-	-	-	4	-	-	-	-	5	9	19
Female	245	-	-	-	-	-	-	-	-	-	-	-	4	7
Appendicitis (540-543)	413	4	1	-	-	1	6	6	3	10	6	9	8	11
Male	244	3	1	-	-	1	5	6	3	5	6	6	2	8
Female	169	1	-	-	-	-	1	-	-	5	-	3	6	3
White	326	3	1	-	-	1	5	5	2	9	2	4	2	7
Male	196	3	1	-	-	1	5	5	2	5	2	3	-	5
Female	130	-	-	-	-	-	-	-	-	4	-	1	2	2
All other	87	1	-	-	-	-	1	1	1	1	4	5	6	4
Male	48	-	-	-	-	-	1	1	1	-	4	3	2	3
Female	39	1	-	-	-	-	1	-	-	1	-	2	4	1
Black	76	1	-	-	-	-	1	1	1	3	4	5	3	3
Male	41	-	-	-	-	-	1	1	1	-	3	2	1	3
Female	35	1	-	-	-	-	1	-	-	1	-	2	4	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)														
Male	6,073	77	9	3	6	3	98	13	9	12	15	24	25	45
Female	2,241	40	8	1	5	1	55	10	3	7	8	17	15	30
White	3,832	37	1	2	1	2	43	3	6	5	7	7	10	15
Male	5,291	47	6	2	5	3	63	10	7	11	13	15	18	34
Female	1,879	23	6	-	4	1	34	7	2	6	8	11	11	22
All other	3,412	24	-	2	1	2	29	3	5	5	5	4	7	12
Male	782	30	3	1	1	-	35	3	2	1	2	9	7	11
Female	362	17	2	1	1	-	21	3	1	1	-	6	4	8
Black	420	13	1	-	-	-	14	-	1	-	2	3	3	3
Male	724	25	3	1	1	-	30	3	2	-	2	8	6	10
Female	326	14	2	1	1	-	18	3	1	-	5	4	7	7
Female	398	11	1	-	-	-	12	-	1	-	2	3	2	3
Chronic liver disease and cirrhosis (571)														
Male	25,263	24	5	2	1	1	33	1	2	8	24	157	608	1,446
Female	16,487	14	3	1	-	-	18	-	2	3	15	97	404	1,042
White	8,776	10	2	1	1	1	15	1	-	5	9	60	204	406
Male	21,286	19	5	2	1	-	27	1	2	7	13	109	439	1,091
Female	13,910	11	3	1	-	-	15	-	2	3	7	72	303	813
All other	7,376	8	2	1	1	-	12	1	-	4	6	37	138	278
Male	3,977	5	-	-	-	1	6	-	-	1	11	48	169	357
Female	2,577	3	-	-	-	-	3	-	-	-	8	25	101	229
Black	1,400	2	-	-	-	1	3	-	-	1	3	23	88	128
Male	3,315	5	-	-	-	1	6	-	-	1	7	31	131	296
Female	2,181	3	-	-	-	-	3	-	-	-	6	15	81	193
Female	1,134	2	-	-	-	1	3	-	-	1	1	16	50	103

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 193

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992--Con.

(Page 18 of 26)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Chronic obstructive pulmonary diseases, etc.-Con.														
Emphysema (492)	55	132	284	675	1,377	2,517	3,380	3,408	2,522	1,396	450	118	15	-
Male	37	88	140	384	800	1,471	1,925	1,944	1,494	802	244	61	6	-
Female	18	44	144	291	577	1,046	1,455	1,464	1,028	594	206	57	9	-
White	44	108	253	617	1,279	2,355	3,194	3,248	2,403	1,339	421	107	13	-
Male	29	70	120	346	722	1,358	1,804	1,830	1,403	760	225	54	5	-
Female	15	38	133	271	557	997	1,390	1,418	1,000	579	196	53	8	-
All other	11	24	31	58	98	162	186	160	119	57	29	11	2	-
Male	8	18	20	38	78	113	121	114	91	42	19	7	1	-
Female	3	6	11	20	20	49	65	46	28	15	10	4	1	-
Black	11	24	29	52	83	146	160	135	100	47	24	9	2	-
Male	8	18	19	35	67	101	104	96	75	34	15	6	1	-
Female	3	6	10	17	16	45	56	39	25	13	9	3	1	-
Asthma (493)	205	235	260	324	368	550	614	564	533	381	168	48	11	-
Male	85	81	88	133	141	210	218	184	190	113	40	9	2	-
Female	120	154	172	191	227	340	396	380	343	268	128	39	9	-
White	139	147	173	225	259	431	520	491	476	339	159	40	10	-
Male	56	53	57	90	96	161	178	162	166	96	38	7	2	-
Female	83	94	116	135	163	270	342	329	310	243	121	33	8	-
All other	66	88	87	99	109	119	94	73	57	42	9	8	1	-
Male	29	28	31	43	45	49	40	22	24	17	2	2	-	-
Female	37	60	56	56	64	70	54	51	33	25	7	6	1	-
Black	62	79	81	84	99	97	76	59	49	34	6	6	1	-
Male	28	23	26	34	40	37	28	17	19	13	1	2	-	-
Female	34	56	55	50	59	60	48	42	30	21	5	4	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)														
Male	151	356	904	2,216	4,763	8,543	12,116	14,204	12,004	7,527	3,030	884	138	8
Female	87	195	529	1,251	2,671	4,903	6,973	8,025	6,680	4,018	1,499	395	51	7
White	108	294	784	1,962	4,355	7,876	11,338	13,447	11,398	7,137	2,872	844	122	7
Male	64	160	457	1,087	2,407	4,485	6,446	7,517	6,288	3,773	1,406	377	44	6
Female	44	134	327	865	1,948	3,391	4,892	5,930	5,110	3,364	1,466	467	78	1
All other	43	62	120	254	408	667	778	757	606	390	158	40	16	1
Male	23	35	72	154	264	418	533	518	392	245	93	18	7	1
Female	20	27	48	100	144	249	245	239	214	145	65	22	9	1
Black	41	58	114	234	367	588	677	670	501	326	135	33	13	1
Male	23	34	68	145	237	366	458	458	324	207	79	13	5	1
Female	18	24	46	89	130	222	219	212	177	119	56	20	8	-
Ulcer of stomach and duodenum (531-533)	84	128	123	207	317	505	729	978	1,112	970	596	212	36	2
Male	63	93	84	128	198	310	411	466	480	363	181	47	7	1
Female	21	35	39	79	119	195	318	512	632	607	415	165	29	1
White	60	96	94	161	264	422	653	891	1,040	897	560	202	34	1
Male	40	72	62	99	165	263	369	425	438	332	169	45	7	-
Female	20	24	32	62	99	159	284	466	602	565	391	157	27	1
All other	24	32	29	46	53	83	76	87	72	73	36	10	2	1
Male	23	21	22	29	33	47	42	41	42	31	12	2	-	1
Female	1	11	7	17	20	36	34	46	30	42	24	8	2	-
Black	22	28	27	40	45	67	59	71	63	57	28	10	2	1
Male	21	19	20	24	29	39	32	35	37	21	6	2	-	1
Female	1	9	7	16	16	28	27	36	26	36	22	8	2	-
Appendicitis (540-543)	14	11	14	21	20	53	49	49	49	40	27	5	2	-
Male	9	7	9	10	13	32	25	30	28	27	12	1	-	-
Female	5	4	5	11	7	21	24	19	21	13	15	4	2	-
White	11	4	10	15	18	44	40	42	40	36	24	5	1	-
Male	8	3	8	7	12	27	18	25	24	26	10	1	-	-
Female	3	1	2	8	6	17	22	17	16	10	14	4	1	-
All other	3	7	4	6	2	9	9	7	9	4	3	-	-	-
Male	1	4	1	3	1	5	7	5	4	1	2	-	-	-
Female	2	3	3	3	1	4	2	2	5	3	1	-	-	-
Black	3	7	4	6	2	7	9	7	5	4	2	-	-	-
Male	1	4	1	3	1	4	7	5	2	1	1	-	-	-
Female	2	3	3	3	1	3	2	2	3	3	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	45	58	76	126	203	388	547	869	1,123	1,202	828	306	61	-
Male	21	29	39	62	98	186	243	392	403	353	183	74	13	-
Female	24	29	37	64	105	202	304	477	720	849	645	232	48	-
White	33	45	54	98	166	326	456	752	993	1,095	763	290	49	-
Male	14	22	30	51	77	155	199	338	347	305	164	69	7	-
Female	19	23	24	47	89	171	257	414	646	790	599	221	42	-
All other	12	13	22	28	37	62	91	117	130	107	65	16	12	-
Male	7	7	9	11	21	31	44	54	56	48	19	5	6	-
Female	5	6	13	17	16	31	47	63	74	59	46	11	6	-
Black	12	13	20	26	34	57	89	102	121	101	62	16	10	-
Male	7	7	7	11	18	28	42	45	51	46	17	5	4	-
Female	5	6	13	15	16	29	47	57	70	55	45	11	6	-
Chronic liver disease and cirrhosis (571)	2,160	2,221	2,348	2,644	3,136	3,438	2,826	2,043	1,371	586	175	26	2	6
Male	1,661	1,657	1,665	1,875	2,106	2,158	1,655	1,103	688	249	72	11	-	6
Female	499	564	683	769	1,030	1,280	1,171	940	683	337	103	15	2	-
White	1,636	1,710	1,884	2,163	2,717	2,994	2,565	1,912	1,275	548	163	23	2	5
Male	1,288	1,285	1,358	1,563	1,839	1,886	1,498	1,028	634	234	67	10	-	5
Female	348	425	526	600	878	1,108	1,067	884	641	314	96	13	2	-
All other	524	511	464	481	419	444	261	191	96	38	12	3	-	1
Male	373	372	307	312	267	272	157	75	54	15	5	1	-	1
Female	151	139	157	169	152	172	104	56	42	23	7	2	-	-
Black	469	446	382	398	358	372	200	101	77	28	9	2	-	1
Male	334	326	256	263	238	228	127	54	39	12	4	1	-	1
Female	135	120	126	135	120	144	73	47	38	16	5	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 196

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 21 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Complications of pregnancy, childbirth, and the puerperium (630-676)	318	1	36	74	57	82	52
Male
Female	318	1	36	74	57	82	52
White	161	15	38	30	47	24
Male
Female	161	15	38	30	47	24
All other	157	1	21	36	27	35	28
Male
Female	157	1	21	36	27	35	28
Black	140	1	20	33	25	31	22
Male
Female	140	1	20	33	25	31	22
Pregnancy with abortive outcome (630-638)	52	1	5	10	13	11	11
Male
Female	52	1	5	10	13	11	11
White	25	1	6	5	6	6
Male
Female	25	1	6	5	6	6	6
All other	27	1	4	4	8	5	5
Male
Female	27	1	4	4	8	5	5
Black	26	1	4	4	8	5	4
Male
Female	26	1	4	4	8	5	4
Other complications of pregnancy, childbirth, and the puerperium (640-676)	266	31	64	44	71	41
Male
Female	266	31	64	44	71	41
White	136	14	32	25	41	18
Male
Female	136	14	32	25	41	18
All other	130	17	32	19	30	23
Male
Female	130	17	32	19	30	23
Black	114	16	29	17	26	18
Male
Female	114	16	29	17	26	18
Congenital anomalies (740-759)	12,491	7,449	429	205	124	98	8,305	245	203	224	226	230	236	263
Male	6,625	4,034	224	113	65	58	4,494	125	113	145	135	133	120	150
Female	5,866	3,415	205	92	59	40	3,811	120	90	79	91	97	116	113
White	9,890	5,666	302	142	93	76	6,279	190	153	183	186	192	187	214
Male	5,254	3,084	160	81	51	47	3,423	91	88	114	114	112	91	125
Female	4,636	2,582	142	61	42	29	2,856	99	65	69	72	80	96	89
All other	2,601	1,783	127	63	31	22	2,026	55	50	41	40	38	49	49
Male	1,371	950	64	32	14	11	1,071	34	25	31	21	21	29	25
Female	1,230	833	63	31	17	11	955	21	25	10	19	17	20	24
Black	2,167	1,477	110	54	26	18	1,685	45	46	37	33	33	43	36
Male	1,152	796	56	26	12	8	898	27	23	17	17	18	26	21
Female	1,015	681	54	28	14	10	787	18	23	20	16	15	17	15
Certain conditions originating in the perinatal period (760-779)	15,730	15,562	81	17	9	6	15,675	17	14	2	-	2	3	5
Male	8,817	8,727	45	12	1	4	8,789	12	8	-	-	-	1	-
Female	6,913	6,835	36	5	8	2	6,886	5	6	2	-	2	2	5
White	9,168	9,058	50	7	5	2	9,122	16	11	2	-	2	2	3
Male	5,128	5,068	27	7	1	1	5,104	11	7	-	-	-	1	-
Female	4,040	3,990	23	-	4	1	4,018	5	4	2	-	2	1	3
All other	6,562	6,504	31	10	4	4	6,553	1	3	-	-	-	1	2
Male	3,689	3,659	18	5	-	3	3,685	1	1	-	-	-	-	-
Female	2,873	2,845	13	5	4	1	2,868	-	2	-	-	-	1	2
Black	6,176	6,125	27	9	4	3	6,168	1	3	-	-	-	1	1
Male	3,469	3,444	15	4	-	2	3,465	1	1	-	-	-	-	-
Female	2,707	2,681	12	5	4	1	2,703	-	2	-	-	-	1	1
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2,929	2,883	15	4	2	4	2,908	6	6	2	-	-	2	3
Male	1,699	1,673	10	2	-	3	1,688	4	5	-	-	-	1	-
Female	1,230	1,210	5	2	2	1	1,220	2	1	2	-	-	1	3
White	1,898	1,867	10	-	2	1	1,880	6	5	2	-	-	1	2
Male	1,088	1,081	5	-	-	-	1,087	4	5	-	-	-	1	-
Female	800	786	5	-	2	-	793	2	2	-	-	-	-	2
All other	1,031	1,016	5	4	-	3	1,028	-	1	-	-	-	1	1
Male	601	592	5	2	-	2	601	-	1	-	-	-	-	-
Female	430	424	-	2	-	1	427	-	-	-	-	-	1	1
Black	960	950	2	4	-	2	958	-	1	-	-	-	1	-
Male	560	555	2	2	-	1	560	-	-	-	-	-	-	-
Female	400	395	-	2	-	1	398	-	1	-	-	-	1	-
Other conditions originating in the perinatal period (760-766,770-779)	12,801	12,679	66	13	7	2	12,767	11	8	-	-	2	1	2
Male	7,118	7,054	35	10	1	1	7,101	8	3	-	-	-	-	-
Female	5,683	5,625	31	3	6	1	5,666	3	5	-	-	2	1	2
White	7,270	7,191	40	7	3	1	7,242	10	6	-	-	2	1	1
Male	4,030	3,987	22	7	1	-	4,017	7	2	-	-	-	-	-
Female	3,240	3,204	18	-	2	1	3,225	3	4	-	-	2	1	1
All other	5,531	5,488	26	6	4	1	5,525	1	2	-	-	-	-	1
Male	3,088	3,067	13	3	-	1	3,084	1	1	-	-	-	-	-
Female	2,443	2,421	13	3	4	-	2,441	-	1	-	-	-	-	1
Black	5,216	5,175	25	5	4	1	5,210	1	2	-	-	-	-	1
Male	2,909	2,889	18	2	-	1	2,905	1	1	-	-	-	-	-
Female	2,307	2,286	12	3	4	-	2,305	-	1	-	-	-	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 198

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 23 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
Symptoms, signs, and ill-defined conditions (780-799)	23,430	5,638	152	51	27	28	6,096	51	77	210	424	576	857	928
Male	12,580	3,507	76	31	20	17	3,651	27	47	134	303	399	607	637
Female	10,850	2,331	76	20	7	11	2,445	24	30	76	121	177	250	289
White	17,959	3,778	98	36	15	19	3,946	31	50	133	286	375	590	628
Male	9,424	2,335	49	20	10	15	2,429	16	32	83	206	265	431	442
Female	8,535	1,443	49	16	5	4	1,517	15	18	50	80	110	159	186
All other	5,471	2,060	54	15	12	9	2,150	20	27	77	138	201	267	298
Male	3,156	1,172	27	11	10	7	1,222	11	15	51	97	134	176	185
Female	2,315	888	27	4	2	2	929	9	12	26	41	67	91	103
Black	4,976	1,837	48	11	12	6	1,914	18	26	69	125	179	252	278
Male	2,856	1,040	23	9	10	2	1,084	10	15	45	84	117	163	182
Female	2,120	797	25	2	2	4	830	8	11	24	41	62	89	96
All other diseases (Residual)	180,901	1,517	394	224	157	132	2,424	481	523	711	1,002	1,494	2,317	3,478
Male	82,152	888	207	119	75	71	1,360	285	286	445	569	909	1,402	2,219
Female	98,749	629	187	105	82	61	1,064	216	237	266	434	585	915	1,259
White	156,775	1,041	289	161	112	104	1,707	350	404	546	732	1,056	1,603	2,388
Male	70,166	615	144	87	58	58	960	194	210	362	425	671	1,015	1,606
Female	86,609	426	145	74	56	46	747	156	165	184	307	385	588	782
All other	24,126	476	105	63	45	28	717	131	119	165	270	438	714	1,090
Male	11,986	273	63	32	19	13	400	67	67	88	149	238	387	613
Female	12,140	203	42	31	26	15	317	60	52	77	121	200	327	477
Black	21,648	418	100	50	39	23	630	113	96	142	233	407	636	1,012
Male	10,671	229	58	27	18	9	341	65	52	69	127	219	344	561
Female	10,977	189	42	23	21	14	289	48	44	73	106	188	292	451
Accidents and adverse effects (E800-E949)	86,777	819	756	725	568	418	3,286	1,628	1,760	6,234	7,428	6,719	7,079	6,625
Male	57,862	463	416	451	386	260	1,976	1,058	1,222	4,450	5,803	5,245	5,501	5,089
Female	28,915	356	340	274	182	158	1,310	570	538	1,784	1,625	1,474	1,578	1,538
White	72,392	533	544	537	416	297	2,327	1,162	1,339	5,243	6,207	5,550	5,759	5,274
Male	47,879	320	317	340	289	190	1,456	763	917	3,691	4,855	4,345	4,535	4,079
Female	24,513	213	227	197	127	107	871	399	422	1,552	1,352	1,205	1,224	1,195
All other	14,385	286	212	188	152	121	959	466	421	991	1,221	1,169	1,320	1,351
Male	9,983	143	99	111	97	70	520	295	305	759	941	900	966	1,010
Female	4,402	143	113	77	55	51	439	171	116	232	273	269	354	341
Black	11,820	251	185	155	129	105	825	395	343	749	936	908	1,070	1,138
Male	8,238	120	88	89	80	62	439	248	249	591	737	692	789	855
Female	3,582	131	97	66	49	43	386	147	94	157	199	216	281	283
Motor vehicle accidents (E810-E825)	40,982	160	225	232	210	193	1,020	907	997	4,818	5,487	4,275	3,954	3,274
Male	27,882	90	120	120	127	120	577	575	655	3,252	4,186	3,191	2,972	2,343
Female	13,000	70	105	112	83	73	443	332	342	1,566	1,301	1,084	892	931
White	34,439	112	155	173	154	145	739	666	806	4,173	4,638	3,579	3,254	2,664
Male	23,415	68	93	93	97	96	447	425	521	2,782	3,531	2,672	2,470	1,906
Female	11,024	44	62	80	57	49	292	241	285	1,391	1,107	907	784	758
All other	6,543	48	70	59	56	48	281	241	191	645	849	695	700	610
Male	4,567	22	27	27	30	24	130	150	134	470	655	519	502	437
Female	1,976	26	43	32	26	24	151	91	57	175	194	177	198	173
Black	5,071	42	62	44	46	39	233	197	159	469	648	528	544	485
Male	3,607	16	25	18	23	19	101	121	110	350	512	394	398	356
Female	1,464	26	37	26	23	20	132	76	49	119	136	134	146	129
All other accidents and adverse effects (E800-E807,E826-E949)	45,795	659	531	493	358	225	2,266	721	763	1,416	1,941	2,444	3,125	3,351
Male	29,880	373	296	331	259	140	1,399	483	567	1,198	1,617	2,054	2,529	2,746
Female	15,915	286	235	162	99	85	867	238	196	218	324	390	596	605
White	37,953	421	389	364	262	152	1,588	496	533	1,070	1,569	1,971	2,506	2,610
Male	24,464	252	224	247	192	94	1,009	338	396	909	1,324	1,673	2,065	2,173
Female	13,489	169	165	117	70	58	579	158	137	161	245	298	440	437
All other	7,842	238	142	129	96	73	678	225	230	346	372	479	620	741
Male	5,416	121	72	84	67	46	390	145	171	289	293	381	464	573
Female	2,426	117	70	45	29	27	288	80	59	57	79	92	156	168
Black	6,749	209	123	111	83	66	592	198	184	279	288	380	526	653
Male	4,631	104	63	71	57	43	338	127	139	241	225	298	391	499
Female	2,118	105	60	40	26	23	254	71	45	38	63	82	135	154
Suicide (E950-E959)	30,484	10	304	1,847	2,846	2,864	3,308	3,177
Male	24,457	8	224	1,560	2,484	2,435	2,867	2,522
Female	6,027	2	80	287	362	429	641	655
White	27,611	6	265	1,531	2,404	2,464	2,895	2,845
Male	22,126	5	191	1,289	2,103	2,097	2,332	2,251
Female	5,485	1	74	242	301	367	563	594
All other	2,873	4	39	316	442	400	413	332
Male	2,331	3	33	271	381	338	335	271
Female	542	1	6	45	61	62	78	61
Black	2,143	1	33	223	313	303	331	257
Male	1,803	1	28	198	280	265	274	216
Female	340	5	5	25	33	38	57	41
Homicide and legal intervention (E960-E978)	25,488	326	170	130	78	52	756	146	441	3,302	4,717	3,916	3,427	2,596
Male	20,115	181	96	72	41	33	423	78	297	2,865	4,026	3,140	2,692	2,038
Female	5,373	145	74	58	37	19	333	68	144	437	691	776	735	558
White	12,468	189	96	58	43	27	413	79	216	1,308	1,871	1,721	1,687	1,275
Male	9,456	104	59	34	25	15	237	40	145	1,068	1,536	1,362	1,306	1,063
Female	3,012	85	37	24	18	12	176	39	71	240	335	359	361	312
All other	13,020	137	74	72	35	25	343	67	225	1,994	2,846	2,195	1,760	1,221
Male	10,659	77	37	38	16	18	186	38	152	1,797	2,490	1,778	1,386	975
Female	2,361	60	37	34	19	7	157	29	73	197	356	417	374	246
Black	12,318	128	68	64	30	23	313	55	205	1,906	2,719	2,108	1,667	1,155
Male	10,131	72	33	32	14	16	167	31	135					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 199

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 24 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
Symptoms, signs, and ill-defined conditions (780-799)	838	715	582	706	908	1,157	1,404	1,574	1,821	1,846	1,455	820	329	58
Male	580	476	374	457	573	695	808	801	708	615	388	201	58	43
Female	258	239	208	249	335	462	596	773	1,113	1,231	1,069	619	271	15
White	577	522	434	551	708	949	1,183	1,349	1,577	1,651	1,325	754	294	46
Male	402	349	275	352	442	569	681	678	610	537	356	185	52	32
Female	175	173	159	199	266	380	502	671	967	1,114	969	569	242	14
All other	261	193	148	155	200	208	221	225	244	195	130	66	35	12
Male	178	127	99	105	131	126	127	123	98	78	30	16	6	11
Female	83	66	49	50	69	82	94	102	146	117	100	50	29	1
Black	247	179	134	137	184	193	206	207	230	176	123	56	33	10
Male	168	117	89	96	120	120	118	114	90	69	26	14	6	9
Female	79	62	45	41	64	73	88	93	140	107	97	42	27	1
All other diseases (Residual)	4,238	4,534	4,736	5,844	9,102	13,699	18,915	24,896	29,180	27,470	17,514	6,894	1,431	18
Male	2,693	2,829	2,802	3,325	5,128	7,445	9,836	12,156	12,316	9,625	4,781	1,513	237	12
Female	1,545	1,705	1,934	2,519	3,974	6,254	9,079	12,740	16,864	17,845	12,733	5,381	1,194	6
White	2,914	3,292	3,500	4,496	7,422	11,645	16,519	22,356	26,584	25,386	16,249	6,388	1,226	12
Male	1,906	2,064	2,062	2,582	4,245	6,355	8,637	10,943	11,157	8,798	4,388	1,380	187	10
Female	1,008	1,228	1,438	1,914	3,177	5,290	7,882	11,413	15,427	16,588	11,861	5,008	1,039	2
All other	1,324	1,242	1,236	1,348	1,680	2,054	2,396	2,540	2,596	2,084	1,265	506	205	6
Male	787	765	740	743	883	1,090	1,189	1,213	1,159	827	393	133	50	2
Female	537	477	496	605	797	964	1,197	1,327	1,437	1,257	872	373	155	4
Black	1,209	1,135	1,125	1,187	1,540	1,836	2,168	2,257	2,318	1,843	1,108	452	185	6
Male	722	707	681	671	817	978	1,074	1,060	994	697	328	119	43	2
Female	487	428	444	526	723	858	1,094	1,197	1,324	1,146	780	333	142	4
Accidents and adverse effects (E800-E949)	5,385	4,145	3,340	3,063	3,334	3,861	4,304	4,937	5,235	4,451	2,614	1,035	196	118
Male	4,146	3,027	2,461	2,168	2,270	2,415	2,549	2,638	2,604	1,844	941	306	38	111
Female	1,239	1,118	879	895	1,064	1,446	1,755	2,299	2,631	2,607	1,673	729	177	7
White	4,281	3,326	2,692	2,456	2,743	3,296	3,762	4,368	4,786	4,107	2,448	977	177	102
Male	3,335	2,410	1,981	1,733	1,856	2,057	2,334	2,334	2,370	1,676	868	284	35	98
Female	956	916	711	723	887	1,239	1,581	2,034	2,416	2,431	1,580	693	142	4
All other	1,094	819	648	605	591	565	542	569	449	344	166	58	19	16
Male	811	617	480	435	414	358	348	304	234	168	73	22	3	13
Female	283	202	168	172	177	207	194	265	215	176	93	36	16	3
Black	949	680	537	507	501	478	445	483	379	279	135	57	16	13
Male	710	524	409	368	360	307	286	261	196	124	56	22	2	16
Female	239	156	128	139	141	166	159	222	183	155	79	35	14	3
Motor vehicle accidents (E810-E825)	2,568	2,073	1,648	1,440	1,436	1,569	1,678	1,580	1,333	659	200	33	1	32
Male	1,821	1,399	1,151	947	912	919	957	852	738	376	113	17	-	31
Female	747	674	497	493	524	650	721	728	597	283	87	16	1	1
White	2,100	1,703	1,355	1,173	1,191	1,366	1,486	1,440	1,241	619	188	32	-	25
Male	1,502	1,142	945	769	747	788	831	762	682	348	104	16	-	25
Female	598	561	410	404	444	578	655	678	559	271	84	16	-	1
All other	468	370	293	267	245	203	192	140	92	40	12	1	-	7
Male	319	257	206	178	165	131	126	90	54	28	9	1	-	6
Female	149	113	87	89	80	72	66	50	38	12	3	-	-	1
Black	375	286	224	203	197	154	143	112	69	29	8	1	-	6
Male	257	212	168	136	138	107	98	77	40	19	6	1	-	6
Female	118	74	56	67	59	47	45	35	29	10	2	-	-	1
All other accidents and adverse effects (E800-E807,E826-E849)	2,817	2,072	1,692	1,623	1,898	2,292	2,626	3,357	3,902	3,792	2,414	1,002	195	86
Male	2,325	1,628	1,310	1,221	1,358	1,496	1,592	1,786	1,868	1,468	828	289	38	80
Female	492	444	382	402	540	796	1,034	1,571	2,034	2,324	1,586	713	157	6
White	2,191	1,623	1,337	1,283	1,552	1,930	2,276	2,928	3,545	3,488	2,260	945	176	77
Male	1,833	1,268	1,036	964	1,109	1,269	1,370	1,572	1,688	1,328	764	268	35	73
Female	358	355	301	319	443	661	906	1,356	1,857	2,160	1,496	677	141	4
All other	626	449	355	340	346	362	350	429	357	304	154	57	19	9
Male	492	360	274	257	249	227	222	214	180	140	64	21	3	7
Female	134	89	81	83	97	135	128	215	177	164	90	36	16	2
Black	574	394	313	304	304	319	302	371	310	250	127	56	16	9
Male	453	312	241	232	222	200	188	184	156	105	50	21	2	7
Female	121	82	72	72	82	119	114	187	154	145	77	35	14	2
Suicide (E950-E959)	2,832	2,251	1,767	1,541	1,564	1,555	1,483	1,387	1,021	508	171	33	2	13
Male	2,158	1,689	1,310	1,183	1,203	1,227	1,205	1,152	850	409	133	27	2	9
Female	674	562	457	358	361	328	278	235	171	99	38	6	-	4
White	2,582	2,085	1,649	1,476	1,477	1,485	1,426	1,339	980	493	164	32	2	11
Male	1,968	1,569	1,222	1,133	1,139	1,177	1,158	1,113	815	398	128	27	2	9
Female	614	516	427	343	338	308	268	226	165	95	36	5	-	2
All other	250	166	118	65	87	70	57	48	41	15	7	1	-	2
Male	190	120	88	50	64	50	47	39	35	11	5	-	-	-
Female	60	46	30	15	23	20	10	9	6	4	2	1	-	2
Black	194	120	83	47	66	52	43	33	25	12	5	-	-	2
Male	153	89	68	37	53	40	36	30	23	8	4	-	-	2
Female	41	31	15	10	13	12	7	3	2	4	1	-	-	2
Homicide and legal intervention (E960-E978)	1,864	1,246	800	528	464	379	313	233	171	92	35	8	-	54
Male	1,441	977	606	419	348	255	192	126	88	46	16	4	-	38
Female	423	269	194	109	116	124	121	107	83	46	19	4	-	16
White	1,024	750	513	351	314	229	213	168	118	72	23	4	-	39
Male	765	566	373	277	236	148	116	85	62	32	8	2	-	29
Female	259	184	140	74	78	81	97	83	56	40	15	2	-	10
All other	840	496	287	177	150	150	100	65	53	20	12	4	-	15
Male	676	411	233	142	112	107	76	41	26	14	8	2	-	6
Female	164	85	54	35	38	43	24	24	27	6	4	2	-	9
Black	783	447	270	159	142	140	90	63	51	18	10	4	-	13
Male	6													

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 200

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 25 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years
All other external causes (E980-E999)	2,906	41	13	12	5	4	75	12	33	137	204	328	434	503
Male	2,115	24	10	5	1	2	42	7	29	113	169	254	324	379
Female	791	17	3	7	4	2	33	5	4	24	35	74	110	124
White	2,239	22	9	7	2	1	41	6	24	92	155	258	331	379
Male	1,602	14	8	1	-	-	23	3	21	74	127	202	247	284
Female	637	8	1	6	2	1	18	3	3	18	28	56	84	95
All other	667	19	4	5	3	3	34	6	9	45	49	70	103	124
Male	513	10	2	4	1	2	19	4	8	39	42	52	77	95
Female	154	9	2	1	2	1	15	2	1	6	7	18	26	29
Black	599	17	4	5	3	3	32	5	8	39	41	61	93	117
Male	460	9	2	4	1	2	18	3	7	35	35	46	68	89
Female	139	8	2	1	2	1	14	2	1	4	6	15	25	28

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 201

Table 8-5. Deaths From 72 Selected Causes, by 5-Year Age Groups, Race, and Sex: United States, 1992—Con.

(Page 26 of 26)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
All other external causes (E880-E899)	406	199	125	84	81	80	47	43	48	22	11	3	2	29
Male	302	134	82	58	50	46	33	26	27	13	2	2	-	23
Female	104	65	43	26	31	34	14	17	21	9	9	1	2	6
White	314	165	96	68	72	66	41	36	42	19	10	1	2	21
Male	233	107	57	43	42	38	29	20	24	11	1	-	-	16
Female	81	58	39	25	30	28	12	16	18	8	9	1	2	5
All other	92	34	29	16	9	14	6	7	6	3	1	2	-	8
Male	69	27	25	15	8	8	4	6	3	2	1	2	-	7
Female	23	7	4	1	1	6	2	1	3	1	-	-	-	1
Black	86	29	24	15	7	12	5	7	5	3	1	2	-	7
Male	64	23	21	14	7	7	3	6	3	2	1	2	-	6
Female	22	6	3	1	-	5	2	1	2	1	-	-	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 202

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992

(Page 1 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ALABAMA :																									
All causes	20,692	395	80	97	529	745	1,086	1,596	3,063	5,082	5,422	2,597	16,660	260	50	63	203	303	561	949	1,896	3,603	5,464	5,308	
White	15,153	187	40	57	312	436	650	1,104	2,262	3,911	4,215	1,979	13,659	119	30	39	124	167	304	614	1,287	2,636	4,169	4,170	
All other	5,539	208	40	40	217	309	436	492	801	1,171	1,207	618	5,001	141	20	24	79	136	257	335	609	967	1,295	1,138	
Black	5,498	208	40	39	214	305	435	488	793	1,163	1,198	615	4,981	141	20	24	78	134	256	330	604	966	1,282	1,136	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	6	5	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-	-	-	2	1	
White	3	2	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	2	1	
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	34	-	-	-	-	2	4	2	11	9	6	11	11	-	-	-	1	1	-	-	-	5	1	3	
White	16	-	-	-	-	1	1	1	5	5	4	8	8	-	-	-	1	-	-	-	-	3	1	3	
All other	18	-	-	-	-	1	3	2	6	4	2	3	3	-	-	-	-	1	-	-	-	2	-	-	
Black	18	-	-	-	-	1	3	2	6	4	2	3	3	-	-	-	-	1	-	-	-	2	-	-	
Tuberculosis of respiratory system (010-012)	29	-	-	-	-	4	2	10	9	4	8	8	8	-	-	-	1	-	-	-	-	3	1	3	
White	12	-	-	-	-	1	-	4	5	2	7	7	7	-	-	-	1	-	-	-	-	2	1	3	
All other	17	-	-	-	-	3	2	6	4	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	
Black	17	-	-	-	-	3	2	6	4	2	1	1	1	-	-	-	-	-	-	-	-	1	-	-	
Other tuberculosis (013-018)	5	-	-	-	-	2	-	1	-	2	3	3	3	-	-	-	-	1	-	-	-	2	-	-	
White	4	-	-	-	-	1	-	1	-	2	2	2	2	-	-	-	-	-	-	-	-	1	-	-	
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	2	1	-	-	1	-	-	-	-	-	-	3	3	1	-	-	1	-	-	-	-	-	-	1	
White	1	1	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	
All other	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	
Black	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	
Septicemia (039)	168	1	1	2	2	3	4	15	22	32	48	38	234	1	2	1	2	1	8	7	20	32	78	82	
White	119	-	1	1	1	2	3	11	15	22	35	22	160	-	2	-	1	1	5	3	11	22	56	59	
All other	55	1	-	1	1	1	1	4	7	10	13	16	74	1	-	1	1	-	3	4	9	10	22	23	
Black	55	1	-	1	1	1	1	4	7	10	13	16	73	1	-	1	1	-	3	4	8	10	22	23	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	31	-	-	1	1	7	5	2	6	6	3	14	-	-	-	-	1	1	2	3	6	10	6	1	
White	20	-	-	1	1	4	2	2	5	4	2	9	-	-	-	-	-	-	1	1	1	3	4	1	
All other	11	-	-	-	-	3	3	-	1	2	1	5	-	-	-	-	1	1	1	1	1	2	2	-	
Black	11	-	-	-	-	3	3	-	1	2	1	5	-	-	-	-	1	1	1	1	1	2	-	-	
Syphilis (090-097)	2	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
White	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-199)	276	4	1	-	6	92	80	42	21	13	15	2	67	-	-	2	2	13	13	6	7	10	10	4	
White	153	1	1	-	3	49	38	23	12	11	14	1	37	-	-	1	1	5	2	1	6	7	10	4	
All other	123	3	-	-	3	43	42	19	9	2	1	1	30	-	-	1	1	8	11	5	1	3	-	-	
Black	122	3	-	-	3	43	42	18	9	2	1	1	30	-	-	1	1	8	11	5	1	3	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	5,081	1	7	9	25	45	143	416	1,041	1,692	1,289	413	3,962	1	2	7	14	61	173	394	694	1,090	993	533	
White	3,809	1	6	5	17	30	99	295	783	1,293	982	298	2,970	-	1	4	7	41	112	286	522	831	763	403	
All other	1,272	-	1	4	8	15	44	121	258	399	307	115	992	1	1	3	7	20	61	108	172	259	230	130	
Black	1,265	-	1	4	8	15	44	121	256	395	306	115	984	1	1	3	7	19	61	105	171	258	228	130	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 203

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992-Con.

(Page 2 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ALABAMA - Con.																									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	74	-	-	-	-	-	7	12	23	17	10	5	34	-	-	-	-	2	1	5	5	12	5	4	
White	54	-	-	-	-	-	5	7	14	16	9	3	24	-	-	-	-	1	-	3	5	8	3	4	
All other	20	-	-	-	-	-	2	5	9	1	1	2	10	-	-	-	-	1	1	2	-	4	2	-	
Black	20	-	-	-	-	-	2	5	9	1	1	2	10	-	-	-	-	1	1	2	-	4	2	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	966	-	-	1	3	9	43	76	179	310	244	101	882	1	-	-	-	6	26	48	137	228	250	186	
White	689	-	-	1	3	2	25	47	125	218	180	68	624	-	-	-	-	3	10	33	93	168	174	143	
All other	277	-	-	-	7	18	29	54	92	64	33	258	1	-	-	-	-	3	16	15	44	60	76	43	
Black	296	-	-	-	7	18	29	53	92	64	33	256	1	-	-	-	-	3	16	13	44	60	76	43	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,004	-	-	-	-	1	27	179	505	748	473	71	798	-	-	-	1	3	19	92	175	257	199	52	
White	1,566	-	-	-	-	1	17	132	398	590	373	55	661	-	-	-	-	2	12	72	142	218	172	43	
All other	438	-	-	-	-	-	10	47	107	158	100	16	137	-	-	-	-	1	7	20	33	39	27	9	
Black	433	-	-	-	-	-	10	47	106	155	99	16	135	-	-	-	-	1	7	20	32	38	27	9	
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	2	-	1	2	-	-	660	-	-	-	-	18	70	103	132	163	115	59	
White	5	-	-	-	-	-	2	-	1	2	-	-	477	-	-	-	-	11	47	77	96	115	89	42	
All other	-	-	-	-	-	-	-	-	-	-	-	-	183	-	-	-	-	7	23	26	36	48	26	17	
Black	-	-	-	-	-	-	-	-	-	-	-	-	182	-	-	-	-	6	23	26	36	48	26	17	
Malignant neoplasms of genital organs (179-187)	594	-	-	-	-	-	4	59	193	226	112	409	-	-	-	-	3	14	21	44	63	124	100	40	
White	343	-	-	-	-	-	2	25	110	140	66	277	-	-	-	-	1	10	15	25	51	80	68	27	
All other	251	-	-	-	-	-	2	34	83	86	46	132	-	-	-	-	2	4	6	19	12	44	32	13	
Black	251	-	-	-	-	-	2	34	83	86	46	131	-	-	-	-	2	4	6	18	12	44	32	13	
Malignant neoplasms of urinary organs (188-189)	184	-	-	-	-	5	13	29	66	45	26	110	-	-	-	-	-	2	6	14	34	36	18	3	
White	162	-	-	-	-	5	10	27	64	35	21	90	-	-	-	-	-	1	4	12	26	32	15	3	
All other	22	-	-	-	-	-	3	2	2	10	5	20	-	-	-	-	-	1	2	2	8	4	3	3	
Black	22	-	-	-	-	-	3	2	2	10	5	20	-	-	-	-	-	1	2	2	8	4	3	3	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	797	-	4	3	8	17	35	92	180	220	173	65	684	-	1	5	5	13	23	68	130	169	159	111	
White	644	-	3	2	6	13	28	69	140	179	146	58	518	-	-	2	3	10	18	53	97	136	123	76	
All other	153	-	1	1	2	4	7	23	40	41	27	7	166	-	1	3	2	3	5	15	33	33	36	35	
Black	152	-	1	1	2	4	7	23	40	40	27	7	164	-	1	3	2	3	5	15	33	33	34	35	
Leukemia (204-208)	198	1	2	5	12	3	7	12	29	64	48	15	137	-	1	2	3	3	5	11	12	32	42	26	
White	156	1	2	2	8	2	5	9	28	52	41	13	113	-	1	2	3	2	5	9	9	27	32	23	
All other	40	-	-	3	4	1	2	3	6	12	7	2	24	-	-	-	-	1	-	2	3	5	10	3	
Black	40	-	-	3	4	1	2	3	6	12	7	2	24	-	-	-	-	1	-	2	3	5	10	3	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	259	-	1	-	2	15	19	26	37	73	68	18	248	-	-	-	-	2	2	6	17	26	71	87	37
White	208	-	1	-	2	12	14	17	31	63	56	14	186	-	-	-	-	2	4	10	17	53	70	30	
All other	51	-	-	-	2	3	5	9	6	10	12	4	62	-	-	-	-	2	-	2	7	9	18	7	
Black	51	-	-	-	2	3	5	9	6	10	12	4	62	-	-	-	-	2	-	2	7	9	18	7	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	-	1	-	1	6	4	5	11	6	15	8	56	-	-	1	1	1	1	4	5	15	18	10	
White	42	-	-	-	-	5	3	5	9	4	9	7	41	-	-	1	-	-	-	4	5	10	11	10	
All other	15	-	1	-	1	1	1	-	2	2	6	1	15	-	-	-	-	1	1	1	-	5	7	-	
Black	15	-	1	-	1	1	1	-	2	2	6	1	15	-	-	-	-	1	1	1	-	5	7	-	
Diabetes mellitus (250)	300	-	-	-	1	4	11	20	54	97	84	29	552	-	-	1	3	2	8	19	74	154	183	108	
White	191	-	-	-	1	3	6	12	27	64	59	19	313	-	-	-	1	1	7	33	82	111	78	78	
All other	109	-	-	-	-	1	5	8	27	33	25	10	239	-	-	1	3	1	7	12	41	72	72	30	
Black	107	-	-	-	-	1	5	8	26	32	25	10	239	-	-	1	3	1	7	12	41	72	72	30	
Nutritional deficiencies (260-269)	26	-	-	-	-	-	1	-	2	7	10	6	41	-	-	-	-	-	2	1	-	5	10	23	
White	16	-	-	-	-	-	-	-	2	6	5	3	22	-	-	-	-	-	2	1	-	3	5	11	
All other	10	-	-	-	-	-	1	-	-	1	5	3	19	-	-	-	-	-	-	-	-	2	5	12	
Black	10	-	-	-	-	-	1	-	-	1	5	3	19	-	-	-	-	-	-	-	-	2	5	12	
Anemias (280-285)	50	4	3	1	1	2	7	4	3	7	7	11	54	1	-	1	2	-	2	2	3	4	16	23	
White	30	1	2	-	-	1	2	2	3	5	4	10	36	-	-	-	-	-	1	-	1	2	12	20	
All other	20	3	1	1	1	1	5	2	-	2	3	1	18	1	-	1	2	-	1	2	2	2	4	3	
Black	20	3	1	1	1	1	5	2	-	2	3	1	18	1	-	1	2	-	1	2	2	2	4	3	
Meningitis (320-322)	9	-	-	1	1	-	-	1	1	1	3	1	3	1	-	-	1	-	-	-	-	-	1	-	
White	5	-	-	1	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
All other	4	-	-	-	1	-	-	-	-	-	2	1	2	1	-	-	1	-	-	-	-	-	-	-	
Black	4	-	-	-	1	-	-	-	-	-	2	1	2	1	-	-	1	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	8,119	15	3	5	20	67	262	576	1,207	2,047	2,565	1,352	8,394	11	3	3	7	42	135	272	668	1,430	2,724	3,099	
White	6,120	6	2	3	10	32	148	393	897	1,580	2,011	1,038	6,200	6	1	2	4	14	59	139	420	1,005	2,081	2,469	
All other	1,999	9	1	2	10	35	114	183	310	467	554	314	2,194	5	2	1	3	28	76	133	248	425	843	630	
Black	1,985	9	1	2	10	35	114	180	307	465	549	313	2,187	5	2	1	3	28	76	131	246	425	842	628	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 204

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 3 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALABAMA —Con.																								
Diseases of heart (390-398,402,404-429)	6,523	10	3	5	19	58	221	476	1,008	1,664	2,004	1,055	6,373	10	3	2	7	32	99	207	513	1,103	2,073	2,324
White	4,984	5	2	3	10	29	126	332	766	1,312	1,588	811	4,755	6	1	1	4	13	47	113	331	779	1,607	1,853
All other	1,539	5	1	2	9	29	95	144	242	352	416	244	1,618	4	2	1	3	19	52	94	182	324	466	471
Black	1,527	5	1	2	9	29	95	141	239	350	412	244	1,614	4	2	1	3	19	52	93	181	324	466	469
Rheumatic fever and rheumatic heart disease (390-398)	33	-	-	-	-	4	2	6	9	8	4	41	-	-	-	-	1	2	3	5	10	13	7	
White	28	-	-	-	-	1	2	6	8	7	4	27	-	-	-	-	1	1	1	2	7	10	5	
All other	5	-	-	-	-	3	-	-	1	1	-	14	-	-	-	-	-	1	2	3	3	3	2	
Black	5	-	-	-	-	3	-	-	1	1	-	13	-	-	-	-	-	1	2	3	3	3	1	
Hypertensive heart disease (402)	160	-	-	-	1	7	14	38	30	46	23	242	-	-	-	-	2	6	10	22	40	65	97	
White	74	-	-	-	1	4	8	17	13	19	12	123	-	-	-	-	-	1	2	8	16	42	54	
All other	86	-	-	-	1	3	6	21	17	27	11	119	-	-	-	-	2	5	8	14	24	23	43	
Black	86	-	-	-	1	3	6	21	17	27	11	119	-	-	-	-	2	5	8	14	24	23	43	
Hypertensive heart and renal disease (404)	14	-	-	-	-	3	3	3	3	2	3	31	-	-	-	-	-	-	1	4	4	9	13	
White	4	-	-	-	-	1	1	1	1	1	2	12	-	-	-	-	-	-	-	-	-	6	6	
All other	10	-	-	-	-	2	2	2	2	1	1	19	-	-	-	-	-	-	1	4	4	3	7	
Black	10	-	-	-	-	3	2	3	1	1	1	19	-	-	-	-	-	-	1	4	4	3	7	
Ischemic heart disease (410-414)	3,614	-	-	1	27	119	279	580	979	1,116	513	3,109	-	-	-	1	11	35	78	263	568	1,100	1,053	
White	2,932	-	-	1	13	77	207	471	817	927	419	2,476	-	-	-	1	7	21	54	184	430	903	876	
All other	682	-	-	-	14	42	72	109	162	189	94	633	-	-	-	-	4	14	24	79	138	197	177	
Black	673	-	-	-	14	42	69	107	161	186	94	631	-	-	-	-	4	14	24	78	138	197	176	
Acute myocardial infarction (410)	2,299	-	-	1	16	98	214	392	621	657	300	1,938	-	-	-	1	9	24	58	185	376	712	573	
White	1,832	-	-	1	9	64	162	310	514	534	238	1,526	-	-	-	1	6	15	42	130	280	586	466	
All other	467	-	-	-	7	34	52	82	107	123	62	412	-	-	-	-	3	9	16	55	96	126	107	
Black	460	-	-	-	7	34	50	80	106	121	62	411	-	-	-	-	3	9	16	55	96	126	106	
Other acute and subacute forms of ischemic heart disease (411)	30	-	-	-	1	1	8	9	3	6	2	16	-	-	-	-	1	2	1	3	5	4		
White	22	-	-	-	-	1	6	7	2	5	1	13	-	-	-	-	1	2	1	3	3	3		
All other	8	-	-	-	1	1	2	2	1	1	1	3	-	-	-	-	-	-	-	-	2	1		
Black	7	-	-	-	1	1	2	1	1	1	1	3	-	-	-	-	-	-	-	-	2	1		
Angina pectoris (413)	9	-	-	-	-	-	-	1	5	1	2	8	-	-	-	-	-	-	-	-	2	6	-	
White	7	-	-	-	-	-	-	1	3	1	2	4	-	-	-	-	-	-	-	-	1	3	-	
All other	2	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	1	3	-	
Black	2	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	-	1	3	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,276	-	-	-	10	20	57	178	350	452	209	1,147	-	-	-	-	2	10	18	77	187	377	476	
White	1,071	-	-	-	4	12	39	153	298	387	178	933	-	-	-	-	1	5	10	53	146	311	407	
All other	205	-	-	-	6	8	18	25	52	65	31	214	-	-	-	-	1	5	8	24	41	66	69	
Black	204	-	-	-	6	8	18	25	52	64	31	213	-	-	-	-	1	5	8	23	41	66	69	
Other diseases of endocardium (424)	85	-	-	-	1	2	1	2	13	25	25	113	-	-	-	-	4	4	4	4	18	37	46	
White	67	-	-	-	1	1	-	1	9	20	21	86	-	-	-	-	3	-	1	11	32	39		
All other	18	-	-	-	1	1	1	4	5	4	2	27	-	-	-	-	1	4	3	7	5	7		
Black	18	-	-	-	1	1	1	4	5	4	2	27	-	-	-	-	1	4	3	7	5	7		
All other forms of heart disease (415-423,425-429)	2,617	10	3	4	17	28	90	176	368	618	807	496	2,837	10	3	2	6	18	52	111	215	463	849	1,108
White	1,879	5	2	2	9	14	44	114	262	454	613	360	2,031	6	1	1	3	5	21	56	136	315	614	873
All other	738	5	1	2	8	14	46	62	106	164	194	136	806	4	2	1	3	13	31	55	79	148	235	235
Black	735	5	1	2	8	14	46	62	105	163	193	136	805	4	2	1	3	13	31	54	79	148	235	235
Hypertension with or without renal disease (401,403)	88	-	-	-	-	1	7	13	24	26	16	101	-	-	-	-	1	7	17	19	26	31		
White	42	-	-	-	-	-	2	6	12	18	4	50	-	-	-	-	-	1	5	8	13	23		
All other	46	-	-	-	-	1	5	7	12	8	12	51	-	-	-	-	1	6	12	11	13	8		
Black	46	-	-	-	-	1	5	7	12	8	12	51	-	-	-	-	1	6	12	11	13	8		
Cerebrovascular diseases (430-438)	1,159	5	-	-	1	8	33	72	139	259	409	233	1,597	1	-	1	-	9	33	47	111	242	534	619
White	813	1	-	-	-	3	18	42	91	172	299	187	1,159	-	-	1	-	1	12	23	65	165	392	500
All other	346	4	-	-	1	5	15	30	48	87	110	46	438	1	-	-	-	8	21	24	46	77	142	119
Black	344	4	-	-	1	5	15	30	48	87	109	45	435	1	-	-	-	8	21	23	45	77	141	119
Intracerebral and other intracranial hemorrhage (431-432)	219	2	-	-	1	4	17	35	41	51	52	16	201	-	-	-	-	2	12	19	28	40	64	36
White	153	1	-	-	-	9	19	31	41	39	13	140	-	-	-	-	2	4	8	16	29	53	30	
All other	66	1	-	-	1	4	8	16	10	10	13	3	61	-	-	-	-	2	8	11	12	11	6	
Black	66	1	-	-	1	4	8	16	10	10	13	3	60	-	-	-	-	2	8	11	12	11	6	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	102	-	-	-	-	1	3	10	29	36	23	138	-	-	-	-	1	1	1	5	15	45	70	
White	78	-	-	-	-	1	1	5	23	28	20	104	-	-	-	-	-	1	1	1	11	34	57	
All other	24	-	-	-	-	-	2	5	6	8	3	34	-	-	-	-	-	1	1	-	4	4	13	
Black	24	-	-	-	-	-	2	5	6	8	3	34	-	-	-	-	-	1	1	-	4	4	13	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 205

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 4 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ALABAMA —Con.																									
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	9	-	-	-	-	-	-	-	-	-	-	6	3
White	2	-	-	-	-	-	-	-	-	1	1	-	7	-	-	-	-	-	-	-	-	-	4	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	836	3	-	-	-	4	15	34	88	178	320	194	1,249	1	-	1	-	6	20	27	78	187	419	510	
White	580	-	-	-	-	3	8	22	55	107	231	154	908	-	-	1	-	8	14	48	125	301	410		
All other	256	3	-	-	-	1	7	12	33	71	89	40	341	1	-	-	-	5	12	13	30	62	118	100	
Black	254	3	-	-	-	1	7	12	33	71	88	39	339	1	-	-	-	5	12	12	29	62	118	100	
Atherosclerosis (440)	94	-	-	-	-	-	8	7	19	41	19	150	150	-	-	-	-	-	-	1	8	19	34	88	
White	65	-	-	-	-	-	5	3	13	31	13	111	111	-	-	-	-	-	-	5	13	26	67	67	
All other	29	-	-	-	-	-	3	4	6	10	6	39	39	-	-	-	-	-	-	1	3	6	8	21	
Black	29	-	-	-	-	-	3	4	6	10	6	39	39	-	-	-	-	-	-	1	3	6	8	21	
Other diseases of arteries, arterioles, and capillaries (441-449)	255	-	-	-	-	-	7	13	40	81	85	29	173	-	-	-	-	1	2	10	19	47	57	37	
White	216	-	-	-	-	-	4	12	31	71	75	23	125	-	-	-	-	-	2	14	40	43	26		
All other	39	-	-	-	-	-	3	1	9	10	10	6	48	-	-	-	-	1	2	8	5	7	14	11	
Black	39	-	-	-	-	-	3	1	9	10	10	6	48	-	-	-	-	1	2	8	5	7	14	11	
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	-	1	2	6	6	1	-	-	-	1	-	-	1	-	2	1	
White	2	-	-	-	-	-	-	-	-	1	1	5	5	1	-	-	-	1	-	-	1	-	1	1	
All other	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	
Black	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia and influenza (480-487)	567	5	2	-	-	7	13	16	46	107	205	166	592	2	1	-	1	2	7	10	21	51	186	311	
White	428	2	-	-	-	4	3	9	26	83	163	138	465	-	1	-	-	3	8	14	39	147	253		
All other	139	3	2	-	-	3	10	7	20	24	42	28	127	2	-	-	1	2	4	2	7	12	39	58	
Black	138	3	2	-	-	3	10	7	20	24	41	28	126	2	-	-	1	2	4	2	6	12	39	58	
Pneumonia (480-486)	566	5	2	-	-	7	13	16	46	107	205	165	588	2	1	-	1	2	7	10	21	51	183	310	
White	427	2	-	-	-	4	3	9	26	83	163	137	461	-	1	-	-	3	8	14	39	144	252		
All other	139	3	2	-	-	3	10	7	20	24	42	28	127	2	-	-	1	2	4	2	7	12	39	58	
Black	138	3	2	-	-	3	10	7	20	24	41	28	126	2	-	-	1	2	4	2	6	12	39	58	
Influenza (487)	1	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	3	1	
White	1	-	-	-	-	-	-	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	3	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	861	1	-	-	5	2	6	22	112	294	317	102	595	-	1	-	3	2	5	22	89	184	215	74	
White	737	-	-	-	2	1	4	18	92	262	278	80	535	-	1	-	1	2	2	17	75	172	201	64	
All other	124	1	-	-	3	1	2	4	20	32	39	22	60	-	-	-	2	-	3	5	14	12	14	10	
Black	124	1	-	-	3	1	2	4	20	32	39	22	60	-	-	-	2	-	3	5	14	12	14	10	
Bronchitis, chronic and unspecified (490-491)	35	-	-	-	1	1	-	-	7	10	12	4	32	-	-	-	-	-	-	5	9	9	9	9	
White	33	-	-	-	1	1	-	-	6	10	12	3	30	-	-	-	-	-	-	4	9	9	8	8	
All other	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	-	1	1	
Black	2	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	1	-	-	1	1	
Emphysema (492)	158	-	-	-	-	1	1	25	68	51	14	77	77	-	-	-	-	-	1	12	33	24	7		
White	135	-	-	-	-	1	-	22	55	44	12	74	74	-	-	-	-	-	1	12	31	24	6		
All other	23	-	-	-	-	-	1	3	10	7	2	3	3	-	-	-	-	-	-	-	2	-	1	1	
Black	23	-	-	-	-	-	1	3	10	7	2	3	3	-	-	-	-	-	-	-	2	-	1	1	
Asthma (493)	23	1	-	-	4	1	4	1	5	2	4	1	49	-	1	-	3	2	3	8	9	6	15	2	
White	11	-	-	-	1	2	1	1	2	4	4	1	32	-	1	-	1	2	-	5	5	4	12	2	
All other	12	1	-	-	3	1	2	1	4	-	-	1	17	-	-	-	2	-	3	3	4	2	3	-	
Black	12	1	-	-	3	1	2	-	4	-	-	1	17	-	-	-	2	-	3	3	4	2	3	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	645	-	-	-	-	1	20	75	216	250	83	437	437	-	-	-	-	-	2	13	63	136	167	56	
White	558	-	-	-	-	1	17	63	194	218	65	399	399	-	-	-	-	-	2	11	54	128	156	48	
All other	87	-	-	-	-	-	3	12	22	32	18	38	38	-	-	-	-	-	2	9	8	11	8		
Black	87	-	-	-	-	-	3	12	22	32	18	38	38	-	-	-	-	-	2	9	8	11	8		
Ulcer of stomach and duodenum (531-533)	36	1	-	-	-	1	3	5	7	6	10	3	59	-	-	-	-	-	1	4	2	7	18	27	
White	25	-	-	-	-	1	1	3	5	5	7	3	47	-	-	-	-	-	2	2	6	16	21	21	
All other	11	1	-	-	-	-	2	2	1	3	-	-	12	-	-	-	-	-	1	2	-	1	2	6	
Black	11	1	-	-	-	-	2	2	2	1	3	-	12	-	-	-	-	-	1	2	-	1	2	6	
Appendicitis (540-543)	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	52	3	-	-	-	2	2	2	2	8	19	14	82	-	-	-	-	1	1	2	3	14	28	33	
White	35	-	-	-	-	-	2	1	6	15	11	61	61	-	-	-	-	1	-	1	1	9	23	26	
All other	17	3	-	-	-	2	2	-	1	2	4	3	21	-	-	-	-	-	1	1	2	5	5	7	
Black	17	3	-	-	-	2	2	-	1	2	4	3	21	-	-	-	-	-	1	1	2	5	5	7	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 215

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 14 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARIZONA—Con.																								
Diabetes mellitus (250)	315	-	-	-	2	6	16	30	66	81	86	27	344	-	-	-	-	2	14	21	53	89	111	54
White	269	-	-	-	2	6	15	25	47	69	77	27	286	-	-	-	-	1	14	15	31	72	101	52
All other	46	-	-	-	-	1	5	19	19	12	9	-	58	-	-	-	-	1	6	6	22	17	10	2
Black	8	-	-	-	-	-	-	3	1	1	4	-	16	-	-	-	-	1	-	4	6	3	2	-
Nutritional deficiencies (260-269)	23	-	-	-	-	-	-	-	-	5	8	10	40	-	-	-	-	-	-	1	1	5	12	21
White	21	-	-	-	-	-	-	-	-	5	7	9	32	-	-	-	-	-	1	1	4	10	16	16
All other	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-	-	-	-	-	-	1	2	5	5
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	29	-	1	-	2	-	1	1	2	5	6	11	29	2	-	-	2	-	1	-	3	3	10	8
White	25	-	1	-	-	-	1	1	2	5	5	10	25	2	-	-	2	-	1	-	2	3	9	6
All other	4	-	-	-	2	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	1	2
Black	4	-	-	-	2	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Meningitis (320-322)	9	3	-	-	-	-	-	1	-	3	1	1	10	2	-	-	-	-	1	-	-	2	4	1
White	8	3	-	-	-	-	-	1	-	2	1	1	7	1	-	-	-	-	1	-	-	1	3	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Major cardiovascular diseases (390-449)	6,170	14	2	4	10	41	146	396	746	1,677	2,057	1,135	5,665	7	1	4	5	17	52	129	349	670	1,908	2,223
White	5,841	12	-	4	9	32	132	303	689	1,602	1,867	1,091	5,387	6	-	4	4	15	37	109	301	929	1,829	2,153
All other	329	2	2	-	2	9	14	33	58	75	90	44	278	1	1	-	1	2	15	20	48	41	79	70
Black	154	-	-	-	-	3	7	17	25	41	42	19	140	-	-	-	-	6	10	21	21	52	30	30
Diseases of heart (390-398,402,404-429)	5,016	10	2	3	8	25	131	302	652	1,409	1,600	873	4,299	7	1	4	4	9	34	94	277	767	1,434	1,668
White	4,749	9	-	3	7	19	119	271	605	1,527	1,838	838	4,082	6	-	4	3	8	22	82	241	737	1,370	1,619
All other	267	1	2	-	1	6	12	31	47	59	73	35	207	1	1	-	1	1	12	12	36	30	64	49
Black	124	-	-	-	-	2	6	16	20	31	33	16	106	-	-	-	-	5	6	18	16	41	20	20
Rheumatic fever and rheumatic heart disease (390-398)	27	1	-	1	1	-	2	1	5	9	5	2	59	-	-	-	-	-	1	1	11	18	21	7
White	26	1	-	1	1	-	2	1	4	9	5	2	55	-	-	-	-	-	1	1	9	17	20	7
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	-	-	2	1	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Hypertensive heart disease (402)	70	-	-	-	-	-	3	2	14	15	20	16	104	-	-	-	-	-	-	3	7	13	37	44
White	62	-	-	-	-	-	3	2	12	14	19	12	94	-	-	-	-	-	-	3	5	11	33	42
All other	8	-	-	-	-	-	-	-	2	1	1	4	10	-	-	-	-	-	-	-	2	2	4	2
Black	6	-	-	-	-	-	-	-	2	1	1	3	8	-	-	-	-	-	-	2	1	1	1	1
Hypertensive heart and renal disease (404)	6	-	-	-	-	-	-	-	-	2	3	1	4	-	-	-	-	-	-	-	-	-	3	1
White	6	-	-	-	-	-	-	-	-	2	3	1	4	-	-	-	-	-	-	-	-	-	3	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	3,519	-	-	-	3	13	84	241	471	1,005	1,108	593	2,778	-	-	-	-	2	16	56	180	496	971	1,057
White	3,366	-	-	-	3	11	79	220	447	989	1,064	575	2,676	-	-	-	-	2	14	50	160	477	941	1,032
All other	150	-	-	-	-	2	5	21	24	36	44	18	102	-	-	-	-	-	2	6	20	19	30	25
Black	83	-	-	-	-	1	3	13	12	21	24	9	58	-	-	-	-	-	2	4	10	10	21	11
Acute myocardial infarction (410)	1,546	-	-	-	2	6	31	114	221	446	491	235	1,213	-	-	-	-	1	6	31	85	254	452	384
White	1,488	-	-	-	2	4	28	108	209	435	472	230	1,168	-	-	-	-	1	5	28	79	247	436	372
All other	58	-	-	-	-	2	3	6	12	11	19	5	45	-	-	-	-	-	1	3	6	7	16	12
Black	22	-	-	-	-	1	1	1	4	3	9	3	24	-	-	-	-	-	1	2	3	3	10	5
Other acute and subacute forms of ischemic heart disease (411)	157	-	-	-	-	1	7	17	38	46	36	11	67	-	-	-	-	-	1	4	15	22	15	10
White	152	-	-	-	-	1	7	16	36	45	35	11	63	-	-	-	-	-	1	4	13	21	14	10
All other	5	-	-	-	-	-	1	2	1	1	1	-	4	-	-	-	-	-	-	2	1	1	1	-
Black	-	-	-	-	-	-	1	2	1	1	-	-	4	-	-	-	-	-	-	2	1	1	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	-	-	3	3	-	8	-	-	-	-	-	-	-	-	-	6	2
White	6	-	-	-	-	-	-	-	-	3	3	-	7	-	-	-	-	-	-	-	-	-	6	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,810	-	-	-	1	6	46	110	212	510	578	347	1,490	-	-	-	-	1	9	21	80	220	498	661
White	1,723	-	-	-	1	6	44	96	202	486	554	334	1,438	-	-	-	-	1	8	18	68	209	485	649
All other	87	-	-	-	-	2	14	10	24	24	13	52	52	-	-	-	-	-	1	3	12	11	13	12
Black	56	-	-	-	-	2	11	6	17	14	6	30	30	-	-	-	-	-	1	2	5	6	10	6
Other diseases of endocardium (424)	84	-	-	-	-	1	-	2	8	12	37	24	108	-	-	1	-	-	-	2	1	11	37	58
White	79	-	-	-	-	1	-	1	5	12	37	23	104	-	-	1	-	-	-	1	1	10	35	58
All other	5	-	-	-	-	-	-	1	3	-	-	-	4	-	-	-	-	-	-	-	-	1	2	-
Black	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	1	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 219

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 18 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male													Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
ARKANSAS																										
All causes	13,128	192	33	76	317	372	571	874	1,699	3,352	3,680	1,982	11,828	168	28	50	119	150	291	477	1,053	2,265	3,455	3,772		
White	10,983	126	26	50	204	272	415	723	1,419	2,940	3,142	1,666	9,914	101	18	37	91	101	198	357	840	1,889	2,995	3,287		
All other	2,145	66	7	26	113	100	156	151	280	412	518	316	1,914	67	10	13	28	49	93	120	213	376	460	485		
Black	2,123	65	7	26	110	99	155	146	276	408	515	316	1,895	67	10	13	27	48	93	117	212	367	459	482		
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	
White	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	13	-	-	-	-	-	2	4	3	3	1	8	-	-	-	-	-	-	-	-	-	6	1	1	1	
White	10	-	-	-	-	-	1	4	1	3	1	5	-	-	-	-	-	-	-	-	-	5	-	-	-	
All other	3	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	
Black	3	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	-	2	4	1	2	1	8	-	-	-	-	-	-	-	-	-	6	1	1	1	
White	8	-	-	-	-	-	1	4	-	2	1	5	-	-	-	-	-	-	-	-	-	5	-	-	-	
All other	2	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	
Black	2	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
White	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	98	-	-	2	-	2	4	6	8	27	21	28	149	1	1	-	-	-	2	7	11	30	44	53	53	
White	78	-	-	2	-	2	2	5	8	22	17	20	121	1	-	-	-	-	1	3	10	22	39	45	45	
All other	20	-	-	-	-	-	2	1	-	5	4	8	28	-	1	-	-	-	1	4	1	8	5	8	8	
Black	20	-	-	-	-	-	2	1	-	5	4	8	27	-	1	-	-	-	1	4	1	7	5	8	8	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	10	1	-	-	2	4	-	-	3	-	-	6	-	-	-	-	-	1	1	2	1	1	1	-	-	
White	9	1	-	-	2	3	-	-	3	-	-	5	-	-	-	-	-	1	1	1	1	1	1	-	-	
All other	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (080-097)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	127	5	-	-	2	30	43	15	13	6	7	6	47	2	-	-	1	8	3	3	7	10	9	4	4	
White	99	1	-	-	1	24	31	14	13	6	6	3	30	-	-	-	1	4	3	1	5	5	7	4	4	
All other	28	4	-	-	1	6	12	1	-	-	1	3	17	2	-	-	-	4	-	2	2	5	2	-	-	
Black	28	4	-	-	1	6	12	1	-	-	1	3	16	2	-	-	-	4	-	2	2	4	2	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,273	-	-	4	6	19	88	254	589	1,110	917	286	2,574	-	3	6	11	22	96	204	447	728	680	377	377	
White	2,775	-	-	4	4	13	63	210	495	985	777	224	2,188	-	3	5	9	19	72	173	382	629	584	312	312	
All other	498	-	-	-	2	6	25	44	94	125	140	62	386	-	-	1	2	3	24	31	65	99	96	65	65	
Black	494	-	-	-	2	6	25	42	93	124	140	62	382	-	-	1	2	3	24	30	64	97	96	65	65	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 220

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 19 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	46	-	-	-	-	-	3	5	6	16	10	6	27	-	-	-	-	-	-	1	5	6	7	8
White	37	-	-	-	-	-	2	2	4	15	10	4	23	-	-	-	-	-	1	5	8	5	6	
All other	9	-	-	-	-	-	1	3	2	1	-	2	4	-	-	-	-	-	-	-	-	2	2	
Black	9	-	-	-	-	-	1	3	2	1	-	2	4	-	-	-	-	-	-	-	-	2	2	
Malignant neoplasms of digestive organs and peritoneum (150-159)	694	-	-	-	-	4	25	57	129	232	189	58	613	-	-	-	2	1	16	29	71	149	192	153
White	557	-	-	-	-	2	15	43	107	185	153	42	497	-	-	-	2	1	10	25	55	118	156	130
All other	137	-	-	-	-	2	10	14	22	37	36	16	116	-	-	-	-	-	6	4	16	31	36	23
Black	135	-	-	-	-	2	10	13	22	36	36	16	115	-	-	-	-	-	6	4	16	30	36	23
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,404	-	-	-	1	3	28	113	307	547	338	67	624	-	-	1	1	-	11	55	151	227	137	41
White	1,232	-	-	-	-	3	20	94	284	498	298	55	556	-	-	1	1	-	10	51	132	205	124	32
All other	172	-	-	-	1	-	8	19	43	49	40	12	68	-	-	-	-	-	1	4	19	22	13	9
Black	170	-	-	-	1	-	8	18	42	49	40	12	67	-	-	-	-	-	1	4	18	22	13	9
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	2	1	1	1	-	-	405	-	-	-	-	8	32	62	66	113	85	39
White	3	-	-	-	-	-	1	-	1	1	-	-	345	-	-	-	-	7	25	47	58	100	77	31
All other	2	-	-	-	-	-	1	1	-	-	-	-	60	-	-	-	-	1	7	15	8	13	8	8
Black	2	-	-	-	-	-	1	1	-	-	-	-	58	-	-	-	-	1	7	14	8	13	8	8
Malignant neoplasms of genital organs (179-187)	421	-	-	-	1	2	4	28	105	184	97	263	-	-	-	-	4	15	23	52	64	69	36	
White	321	-	-	-	1	2	4	20	85	137	72	206	-	-	-	-	3	8	20	42	51	54	28	
All other	100	-	-	-	-	-	-	8	20	47	25	57	-	-	-	-	1	7	3	10	13	15	8	
Black	100	-	-	-	-	-	-	8	20	47	25	57	-	-	-	-	1	7	3	10	13	15	8	
Malignant neoplasms of urinary organs (188-189)	138	-	-	-	-	2	19	20	38	45	14	75	-	-	-	1	-	-	2	12	17	25	18	
White	121	-	-	-	-	1	17	16	37	38	12	67	-	-	-	-	-	-	2	12	15	22	16	
All other	17	-	-	-	-	1	2	4	1	7	2	8	-	-	-	1	-	-	-	-	2	3	2	
Black	17	-	-	-	-	1	2	4	1	7	2	8	-	-	-	1	-	-	-	-	2	3	2	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	296	-	-	3	2	6	19	32	49	89	74	22	325	-	1	1	3	5	15	19	59	98	79	45
White	263	-	-	3	1	4	17	29	43	76	70	20	278	-	1	-	3	5	12	16	50	86	68	37
All other	33	-	-	-	1	2	2	3	6	13	4	2	47	-	-	1	-	3	3	9	12	11	8	
Black	33	-	-	-	1	2	2	3	6	13	4	2	46	-	-	1	-	3	3	9	11	11	8	
Leukemia (204-208)	102	-	-	1	3	2	3	7	14	27	34	11	85	-	2	4	2	1	3	5	9	14	29	16
White	95	-	-	1	3	1	2	7	12	26	33	10	77	-	2	4	1	1	3	4	9	13	25	15
All other	7	-	-	-	1	1	-	2	1	1	1	1	8	-	-	-	-	-	1	-	1	4	1	
Black	7	-	-	-	1	1	-	2	1	1	1	1	8	-	-	-	-	-	1	-	1	4	1	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	167	-	-	-	-	3	6	15	35	55	42	11	157	-	-	-	2	3	4	8	22	40	57	21
White	146	-	-	-	-	2	4	13	29	52	37	9	139	-	-	-	2	2	4	7	19	35	53	17
All other	21	-	-	-	-	1	2	2	6	3	5	2	18	-	-	-	1	-	1	3	5	4	4	
Black	21	-	-	-	-	1	2	2	6	3	5	2	18	-	-	-	1	-	1	3	5	4	4	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	-	-	-	2	-	1	3	1	10	4	37	-	1	-	1	1	-	-	5	3	10	15	
White	19	-	-	-	2	-	1	3	1	8	3	31	-	1	-	1	-	-	-	4	3	9	13	
All other	3	-	-	-	-	-	-	-	-	2	1	6	-	-	-	1	-	-	-	1	-	1	2	
Black	3	-	-	-	-	-	-	-	-	2	1	6	-	-	-	1	-	-	-	1	-	1	2	
Diabetes mellitus (250)	197	-	-	1	-	3	8	15	32	54	62	22	317	-	-	1	1	4	9	30	39	73	92	68
White	160	-	-	1	-	1	7	8	24	49	52	18	224	-	-	1	1	3	6	17	21	50	73	52
All other	37	-	-	-	-	2	1	7	8	5	10	4	93	-	-	-	-	1	3	13	18	23	19	16
Black	37	-	-	-	-	2	1	7	8	5	10	4	93	-	-	-	-	1	3	13	18	23	19	16
Nutritional deficiencies (260-269)	12	-	-	-	-	-	-	-	-	2	6	4	30	-	-	-	1	-	-	-	-	4	5	20
White	10	-	-	-	-	-	-	-	-	1	5	4	26	-	-	-	-	-	-	-	3	4	19	
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	1	1	
Black	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	1	1	1	
Anemias (280-285)	27	1	-	1	-	2	2	1	1	6	9	4	23	-	-	-	-	1	1	-	-	4	11	6
White	18	1	-	-	-	-	-	-	1	6	7	3	16	-	-	-	-	-	-	-	-	2	8	6
All other	9	-	-	1	-	2	2	1	-	2	1	-	7	-	-	-	-	1	1	-	-	2	3	-
Black	9	-	-	1	-	2	2	1	-	2	1	-	7	-	-	-	-	1	1	-	-	2	3	-
Meningitis (320-322)	4	1	-	1	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	1	-	1	1	1
White	4	1	-	1	-	-	-	1	-	-	-	-	4	-	-	-	-	-	-	1	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,318	4	-	3	11	35	126	326	711	1,413	1,693	996	5,508	6	1	-	3	20	64	128	333	884	1,809	2,260
White	4,531	4	-	2	5	25	93	270	593	1,226	1,468	845	4,624	4	-	-	2	8	32	83	247	722	1,554	1,972
All other	787	-	-	1	6	10	33	56	118	187	225	151	884	2	1	-	1	12	32	45	86	162	255	288
Black	782	-	-	1	6	10	33	55	117	187	222	151	874	2	1	-	1	12	32	43	86	158	254	285

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 221

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 20 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ARKANSAS—Con.																								
Diseases of heart (390-398,402,404-429)	4,260	3	-	1	7	26	107	279	614	1,143	1,325	755	3,977	5	1	-	3	13	44	91	257	681	1,277	1,605
White	3,659	3	-	1	7	26	107	279	614	1,143	1,325	755	3,350	4	-	-	2	6	23	59	189	567	1,098	1,402
All other	601	-	-	-	5	9	25	43	90	139	169	121	627	1	1	-	1	7	21	32	68	114	179	203
Black	596	-	-	-	5	9	25	42	89	139	166	121	621	1	1	-	1	7	21	31	68	111	179	201
Rheumatic fever and rheumatic heart disease (390-398)	12	-	-	-	-	-	-	2	3	1	5	1	20	-	-	-	-	-	1	3	4	3	6	3
White	11	-	-	-	-	-	-	2	2	1	5	1	15	-	-	-	-	-	1	2	4	3	5	2
All other	1	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	-	-	1	1
Hypertensive heart disease (402)	70	-	-	-	-	2	6	3	10	8	22	19	89	-	-	-	-	-	2	4	5	15	30	33
White	37	-	-	-	-	-	1	2	5	4	14	11	57	-	-	-	-	-	-	2	2	12	16	25
All other	33	-	-	-	-	2	5	1	5	4	8	8	32	-	-	-	-	-	2	2	3	3	14	8
Black	33	-	-	-	-	2	5	1	5	4	8	8	32	-	-	-	-	-	2	2	3	3	14	8
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	-	3	2	4	4	14	-	-	-	-	1	-	1	-	4	2	6
White	8	-	-	-	-	-	-	-	2	-	3	3	7	-	-	-	-	-	-	-	-	2	2	3
All other	5	-	-	-	-	-	-	-	1	2	1	1	7	-	-	-	-	1	-	1	-	2	-	3
Black	5	-	-	-	-	-	-	-	1	2	1	1	7	-	-	-	-	1	-	1	-	2	-	3
Ischemic heart disease (410-414)	3,170	-	-	-	1	13	80	214	485	885	984	508	2,649	-	-	-	-	3	27	58	195	484	862	1,020
White	2,791	-	-	-	-	11	67	189	421	797	870	436	2,240	-	-	-	-	2	15	41	144	404	752	882
All other	379	-	-	-	1	2	13	25	64	88	114	72	409	-	-	-	-	1	12	17	51	80	110	138
Black	375	-	-	-	1	2	13	24	63	88	112	72	405	-	-	-	-	1	12	17	51	77	110	137
Acute myocardial infarction (410)	2,189	-	-	-	1	11	68	180	393	610	841	295	1,618	-	-	-	-	2	20	46	150	352	541	507
White	1,916	-	-	-	-	10	57	158	332	546	563	250	1,351	-	-	-	-	2	11	30	108	300	464	436
All other	273	-	-	-	1	1	11	22	51	64	78	45	267	-	-	-	-	-	9	16	42	52	77	71
Black	269	-	-	-	1	1	11	21	50	64	76	45	265	-	-	-	-	-	9	16	42	51	77	70
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
White	6	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	3	-	-	-	-	-	-	1	-	1	-	1	4	-	-	-	-	-	-	-	1	-	1	2
White	3	-	-	-	-	-	-	1	-	1	-	1	4	-	-	-	-	-	-	-	1	-	1	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	970	-	-	-	2	12	33	100	271	341	211	1,027	-	-	-	-	1	7	12	44	132	320	511	
White	866	-	-	-	1	10	30	88	248	305	184	885	-	-	-	-	-	4	11	35	104	287	444	
All other	104	-	-	-	1	2	3	12	23	36	27	142	-	-	-	-	1	3	1	9	28	33	67	
Black	104	-	-	-	1	2	3	12	23	36	27	140	-	-	-	-	1	3	1	9	26	33	67	
Other diseases of endocardium (424)	54	1	-	-	-	-	-	-	8	13	22	10	63	-	-	-	-	-	-	3	11	26	23	
White	49	1	-	-	-	-	-	-	7	11	20	10	58	-	-	-	-	-	-	3	11	24	20	
All other	5	-	-	-	-	-	-	-	1	2	2	-	5	-	-	-	-	-	-	-	-	2	3	
Black	5	-	-	-	-	-	-	-	1	2	2	-	5	-	-	-	-	-	-	-	-	2	3	
All other forms of heart disease (415-423,425-429)	941	2	-	1	6	11	21	60	105	234	288	219	1,142	5	1	-	3	9	14	25	50	164	351	520
White	763	2	-	1	2	6	14	43	87	191	244	173	973	4	-	-	2	4	8	15	36	135	299	470
All other	178	-	-	-	4	5	7	17	18	43	44	40	169	1	1	-	1	5	6	10	14	29	52	50
Black	177	-	-	-	4	5	7	17	18	43	44	40	168	1	1	-	1	5	6	10	14	29	52	49
Hypertension with or without renal disease (401,403)	45	-	-	-	-	-	-	7	7	12	13	6	72	-	-	-	-	-	4	4	3	10	26	25
White	33	-	-	-	-	-	-	5	4	8	10	6	51	-	-	-	-	-	1	1	-	8	23	18
All other	12	-	-	-	-	-	-	2	3	4	3	-	21	-	-	-	-	-	3	3	3	2	3	7
Black	12	-	-	-	-	-	-	2	3	4	3	-	21	-	-	-	-	-	3	3	3	2	3	7
Cerebrovascular diseases (430-438)	787	1	-	1	3	8	15	33	67	198	275	186	1,236	1	-	-	-	5	13	30	62	156	441	528
White	632	1	-	-	2	7	8	22	45	156	233	158	1,026	-	-	-	-	1	5	21	48	114	376	461
All other	155	-	-	1	1	1	7	11	22	42	42	28	210	1	-	-	-	4	8	9	14	42	65	67
Black	155	-	-	1	1	1	7	11	22	42	42	28	208	1	-	-	-	4	8	8	14	42	64	67
Intracerebral and other intracranial hemorrhage (431-432)	97	1	-	-	1	1	5	6	16	32	27	8	125	1	-	-	-	1	4	6	12	21	45	35
White	77	1	-	-	1	1	4	3	9	27	24	7	111	-	-	-	-	-	2	4	11	21	41	32
All other	20	-	-	-	-	1	3	7	7	5	3	1	14	1	-	-	-	1	2	2	1	-	4	3
Black	20	-	-	-	-	1	3	7	7	5	3	1	14	1	-	-	-	1	2	2	1	-	4	3
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	72	-	-	-	-	-	1	2	3	18	32	16	123	-	-	-	-	-	1	4	6	18	39	55
White	49	-	-	-	-	-	-	2	1	11	25	10	85	-	-	-	-	-	-	1	3	11	27	43
All other	23	-	-	-	-	-	-	2	7	7	7	6	38	-	-	-	-	-	1	3	3	7	12	12
Black	23	-	-	-	-	-	-	2	7	7	7	6	38	-	-	-	-	-	1	3	3	7	12	12

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 222

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 21 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ARKANSAS—Con.																									
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1
White	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	616	-	-	1	2	7	9	25	48	147	215	162	886	-	-	-	-	4	8	20	44	116	357	437	
White	504	-	-	-	1	6	4	17	35	117	183	141	828	-	-	-	-	1	3	16	34	81	308	385	
All other	112	-	-	1	1	1	5	8	13	30	32	21	158	-	-	-	-	3	5	4	10	35	49	52	
Black	112	-	-	1	1	1	5	8	13	30	32	21	156	-	-	-	-	3	5	3	10	35	48	52	
Atherosclerosis (440)	60	-	-	-	-	-	-	-	2	4	25	29	106	-	-	-	-	-	-	-	3	12	28	63	
White	49	-	-	-	-	-	-	-	3	19	27	27	94	-	-	-	-	-	-	-	3	10	25	56	
All other	11	-	-	-	-	-	-	-	2	1	6	2	12	-	-	-	-	-	-	-	-	2	3	7	
Black	11	-	-	-	-	-	-	-	2	1	6	2	10	-	-	-	-	-	-	-	-	1	3	6	
Other diseases of arteries, arterioles, and capillaries (441-448)	166	-	-	1	1	1	4	7	21	56	55	20	117	-	-	-	-	2	3	3	8	25	37	39	
White	158	-	-	1	1	1	3	7	20	55	50	20	103	-	-	-	-	1	3	2	7	23	32	35	
All other	8	-	-	-	-	-	-	-	1	1	5	-	14	-	-	-	-	1	-	-	1	2	5	4	
Black	8	-	-	-	-	-	1	-	1	1	5	-	14	-	-	-	-	1	-	1	1	2	5	4	
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	1	-	1	-	1	-	-	3	1	-	-	-	-	-	-	-	-	1	1	
White	4	1	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	440	6	1	-	5	3	5	6	20	64	174	156	442	6	3	-	1	1	2	6	19	46	122	236	
White	386	5	-	-	5	3	5	5	18	57	149	139	394	4	2	-	1	1	4	13	39	111	218		
All other	54	1	1	-	-	-	-	1	2	7	25	17	48	2	1	-	-	1	2	6	7	11	18		
Black	53	1	1	-	-	-	-	1	1	7	25	17	48	2	1	-	-	1	2	6	7	11	18		
Pneumonia (480-486)	436	6	1	-	5	2	5	6	20	64	172	155	437	6	3	-	1	1	2	4	19	46	120	235	
White	382	5	-	-	5	2	5	5	18	57	147	138	390	4	2	-	1	1	3	13	39	109	217		
All other	54	1	1	-	-	-	-	1	2	7	25	17	47	2	1	-	-	1	1	6	7	11	18		
Black	53	1	1	-	-	-	-	1	1	7	25	17	47	2	1	-	-	1	1	6	7	11	18		
Influenza (487)	4	-	-	-	1	-	-	-	-	2	1	-	5	-	-	-	-	-	-	2	-	-	2	1	
White	4	-	-	-	1	-	-	-	-	2	1	-	4	-	-	-	-	-	-	1	-	-	2	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	571	-	-	-	1	-	4	12	61	197	217	79	369	-	-	1	1	2	6	9	42	122	113	73	
White	522	-	-	-	1	-	2	11	54	184	202	68	342	-	-	1	-	1	6	40	117	106	70		
All other	49	-	-	-	-	-	2	1	7	13	15	11	27	-	-	-	-	1	5	3	2	5	7	3	
Black	46	-	-	-	-	-	2	1	6	11	15	11	27	-	-	-	-	1	5	3	2	5	7	3	
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	-	1	2	4	11	6	16	16	-	-	-	-	-	-	-	2	6	3	5	
White	21	-	-	-	-	-	1	2	4	10	4	16	16	-	-	-	-	-	-	-	2	6	3	5	
All other	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema (492)	97	-	-	-	-	1	2	10	36	39	9	57	57	-	-	-	-	1	3	8	20	20	5	5	
White	95	-	-	-	-	1	2	10	36	38	8	53	53	-	-	-	-	1	1	8	19	19	5	5	
All other	2	-	-	-	-	-	-	-	-	1	1	4	4	-	-	-	-	-	2	-	1	1	1	-	
Black	2	-	-	-	-	-	-	-	-	1	1	4	4	-	-	-	-	-	2	-	1	1	1	-	
Asthma (493)	26	-	-	1	-	3	3	5	6	5	3	33	33	-	-	1	1	2	3	1	5	10	4	6	
White	17	-	-	1	-	1	3	4	2	4	2	25	25	-	-	1	1	1	-	5	9	3	6		
All other	9	-	-	-	-	2	1	4	4	1	1	8	8	-	-	-	-	1	1	3	1	1	1	-	
Black	8	-	-	-	-	2	-	1	3	1	1	8	8	-	-	-	-	1	1	3	1	1	1	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	424	-	-	-	-	-	6	44	151	162	61	263	263	-	-	-	-	2	5	27	86	86	57	57	
White	389	-	-	-	-	-	5	38	142	150	54	248	248	-	-	-	-	-	5	25	83	81	54	54	
All other	35	-	-	-	-	-	1	6	9	12	7	15	15	-	-	-	-	2	-	2	3	5	3	3	
Black	33	-	-	-	-	-	1	5	8	12	7	15	15	-	-	-	-	2	-	2	3	5	3	3	
Ulcer of stomach and duodenum (531-533)	33	-	-	-	-	1	3	2	8	12	7	24	24	-	-	-	-	-	1	1	3	10	9	9	
White	28	-	-	-	-	1	3	1	7	9	7	22	22	-	-	-	-	-	1	1	1	10	9	9	
All other	5	-	-	-	-	-	-	1	1	3	3	2	2	-	-	-	-	-	-	-	2	-	-	-	
Black	5	-	-	-	-	-	-	1	1	3	3	2	2	-	-	-	-	-	-	-	2	-	-	-	
Appendicitis (540-543)	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
White	3	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	26	1	-	-	-	1	1	3	6	7	7	46	46	1	-	-	1	-	1	4	8	12	19	19	
White	20	-	-	-	-	1	1	2	4	7	5	40	40	-	-	-	1	-	-	4	7	12	16	16	
All other	6	1	-	-	-	-	-	1	2	-	2	6	6	1	-	-	-	-	-	-	1	-	3	3	
Black	6	1	-	-	-	-	-	1	2	-	2	6	6	1	-	-	-	-	-	-	1	-	3	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 224

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 23 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ARKANSAS—Con.																									
Other conditions originating in the perinatal period (760-766,770-779)	57	57	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-	-
White	32	32	-	-	-	-	-	-	-	-	-	-	27	27	-	-	-	-	-	-	-	-	-	-	-
All other	25	25	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	-
Black	25	25	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	311	38	2	-	4	12	18	28	39	58	67	45	310	38	2	3	5	6	15	9	23	41	87	101	
White	246	26	2	-	3	9	14	20	30	47	58	37	245	23	2	3	4	13	5	20	33	54	86	86	
All other	65	12	-	-	1	3	4	8	9	11	9	8	65	15	-	1	2	2	2	4	3	8	13	15	
Black	64	12	-	-	1	3	4	8	9	10	9	8	65	15	-	1	2	2	2	4	3	8	13	15	
All other diseases (Residual)	934	10	8	9	8	13	38	57	83	214	277	217	1,011	5	2	9	5	13	19	26	56	188	308	382	
White	777	7	8	4	4	11	20	47	73	184	232	187	874	5	2	6	4	6	11	20	37	157	282	344	
All other	157	3	-	5	4	2	18	10	10	30	45	30	137	-	-	3	1	7	8	6	19	29	26	38	
Black	156	3	-	5	3	2	18	10	10	30	45	30	136	-	-	3	1	7	8	6	19	28	26	38	
Accidents and adverse effects (E800-E949)	780	11	18	39	185	141	111	65	61	65	58	46	361	4	13	21	56	37	36	20	28	46	55	45	
White	624	9	13	27	132	111	91	56	46	54	46	39	310	3	7	15	50	31	30	18	27	38	51	40	
All other	156	2	5	12	33	30	20	9	15	11	12	7	51	1	6	6	6	6	6	2	1	8	4	5	
Black	153	2	5	12	33	29	20	7	15	11	12	7	49	1	6	6	5	5	6	2	1	8	4	5	
Motor vehicle accidents (E810-E825)	403	-	8	20	118	89	59	38	20	28	13	10	200	-	5	14	50	27	24	12	17	25	20	6	
White	337	-	6	17	99	74	50	34	15	23	10	9	175	-	2	10	46	21	22	10	16	23	19	6	
All other	66	-	2	3	19	15	9	4	5	5	3	1	25	-	3	4	4	6	2	2	1	2	1	-	
Black	65	-	2	3	19	15	9	3	5	5	3	1	24	-	3	4	4	5	2	2	1	2	1	-	
All other accidents and adverse effects (E800-E807, E826-E949)	377	11	10	19	47	52	52	27	41	37	45	36	161	4	8	7	6	10	12	8	11	21	35	39	
White	287	9	7	10	33	37	41	22	31	31	36	30	135	3	5	5	4	10	8	8	11	15	32	34	
All other	90	2	3	9	14	15	11	5	10	6	9	6	26	1	3	2	2	-	4	-	-	6	3	5	
Black	88	2	3	9	14	14	11	4	10	6	9	6	25	1	3	2	1	-	4	-	-	6	3	5	
Suicide (E950-E959)	237	3	38	42	43	30	22	27	27	5	56	-	10	10	13	5	4	8	5	1	
White	212	3	28	40	36	29	19	27	25	5	53	-	9	10	12	4	4	8	5	1	
All other	25	-	10	2	7	1	3	-	2	-	3	-	1	1	1	-	-	-	-	-	
Black	23	-	9	2	6	1	3	-	2	-	3	-	1	-	1	1	-	-	-	-	
Homicide and legal intervention (E960-E978)	224	2	3	8	70	51	43	18	11	11	7	-	80	1	2	3	20	20	13	10	5	2	3	1	
White	88	1	2	2	15	20	19	10	8	8	3	-	44	-	1	2	8	10	6	9	3	1	3	1	
All other	136	1	1	6	55	31	24	8	3	3	4	-	36	1	1	1	12	10	7	1	2	1	-	-	
Black	135	1	1	6	54	31	24	8	3	3	4	-	36	1	1	1	12	10	7	1	2	1	-	-	
All other external causes (E980-E999)	21	2	-	-	5	7	5	1	-	1	-	-	7	-	-	-	-	1	1	1	1	-	1	2	
White	16	2	-	-	4	4	4	1	-	1	-	-	6	-	-	-	-	1	1	1	1	-	1	2	
All other	5	-	-	-	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Black	5	-	-	-	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
CALIFORNIA																									
All causes	114,080	2,363	465	534	3,581	6,119	8,696	8,974	14,117	25,342	28,321	15,471	101,767	1,838	394	376	931	1,726	3,196	4,816	9,318	19,946	28,887	30,313	
White	97,648	1,725	378	404	2,776	4,972	7,091	7,294	11,772	21,988	25,219	13,969	89,279	1,394	301	304	715	1,267	2,449	3,825	7,613	17,250	26,033	28,108	
All other	16,432	638	87	130	805	1,147	1,605	1,680	2,345	3,374	3,102	1,502	12,488	444	93	72	216	459	747	991	1,705	2,696	2,854	2,205	
Black	10,007	458	52	73	545	908	1,214	1,151	1,483	1,947	1,523	639	7,827	324	63	45	132	323	539	659	1,061	1,668	1,711	1,296	
Shigellosis and amebiasis (004,006)	4	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	4	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	42	20	5	-	-	-	1	1	1	2	7	5	32	9	3	-	-	-	1	1	4	2	5	7	
White	34	13	4	-	-	-	1	1	1	2	7	5	26	6	3	-	-	-	1	1	3	2	5	6	
All other	8	7	1	-	-	-	-	-	-	-	-	-	6	3	-	-	-	-	-	1	1	-	1	-	
Black	8	7	1	-	-	-	-	-	-	-	-	-	5	3	-	-	-	-	-	1	1	-	1	-	
Tuberculosis (010-018)	109	-	-	1	-	10	10	13	21	22	27	5	94	-	2	1	3	9	7	5	9	22	22	14	
White	60	-	-	1	-	4	5	8	12	10	17	3	58	-	2	1	2	5	3	-	6	10	18	11	
All other	49	-	-	-	-	6	5	5	9	12	10	2	36	-	-	-	1	4	4	5	3	12	4	3	
Black	21	-	-	-	-	4	4	3	4	2	4	-	19	-	-	-	1	4	2	3	1	4	2	2	
Tuberculosis of respiratory system (010-012)	91	-	-	-	-	6	7	12	18	18	26	4	62	-	-	-	1	6	6	-	7	11	19	12	
White	51	-	-	-	-	3	5	7	9	9	16	2	38	-	-	-	1	2	3	-	4	4	15	9	
All other	40	-	-	-	-	3	2	5	9	9	10	2	24	-	-	-	-	4	3	-	3	7	4	3	
Black	17	-	-	-	-	2	2	3	4	2	4	-	11	-	-	-	-	4	1	-	1	1	2	2	
Other tuberculosis (013-018)	18	-	-	1	-	4	3	1	3	4	1	1	32	-	2	1	2	3	1	5	2	11	3	2	
White	9	-	-	1	-	1	1	1	3	1	1	1	20	-	2	1	1	3	-	2	2	6	3	2	
All other	9	-	-	-	-	3	3	-	-	3	-	-	12	-	-	-	-	1	-	1	5	-	-	-	
Black	4	-	-	-	-	2	2	-	-	-	-	-	8	-	-	-	-	1	3	-	3	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 225

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 24 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
CALIFORNIA—Con.																									
Whooping cough (033)	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
White	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarletina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	15	3	3	1	3	1	2	1	1	-	-	-	22	5	4	1	2	1	1	2	1	1	1	1	3
White	13	3	3	2	1	2	1	1	1	-	-	-	19	5	2	1	2	-	1	2	1	1	1	1	3
All other	2	-	-	1	1	-	-	-	-	-	-	-	3	-	2	-	-	1	-	-	-	-	-	-	-
Black	2	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	302	11	2	-	3	8	24	24	40	66	82	42	335	12	1	2	-	4	11	12	26	67	100	100	
White	251	9	2	-	2	6	19	21	32	56	69	35	282	9	-	1	-	3	9	11	18	56	83	92	
All other	51	2	-	-	1	2	5	3	8	10	13	7	53	3	1	1	-	1	2	1	8	11	17	8	
Black	30	2	-	-	-	2	4	2	2	6	10	2	28	3	1	-	-	1	1	1	5	2	10	4	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	212	2	-	-	5	13	42	38	45	42	24	1	129	1	1	-	1	4	12	13	25	31	35	6	
White	171	2	-	-	3	12	38	32	32	32	19	1	93	1	1	-	1	1	9	10	17	20	28	5	
All other	41	-	-	-	2	1	4	6	13	10	5	-	36	-	-	-	-	3	3	3	8	11	7	1	
Black	10	-	-	-	1	-	4	1	3	-	-	-	6	-	-	-	-	-	1	-	1	1	2	1	
Syphilis (090-097)	4	1	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-	-	1	-	1	1	
White	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	1	
All other	3	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	
Black	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	6,190	20	13	9	77	1,698	2,504	1,165	427	169	77	21	634	15	7	13	27	116	151	56	66	89	66	28	
White	5,154	12	9	6	62	1,407	2,057	994	369	147	68	17	458	12	7	12	24	77	87	46	43	73	55	22	
All other	1,036	8	4	3	15	291	447	171	58	22	9	4	176	3	-	1	3	39	64	10	23	16	11	6	
Black	887	4	3	1	14	257	391	142	49	17	4	1	143	3	-	1	3	36	57	7	14	11	5	6	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	25,757	4	39	76	157	293	816	1,987	4,697	8,290	7,061	2,334	24,326	4	37	60	94	305	1,033	2,157	4,144	7,196	6,430	2,866	
White	22,194	4	33	65	130	253	645	1,580	3,905	7,212	6,264	2,101	21,357	3	32	55	70	233	829	1,782	3,512	6,379	5,850	2,612	
All other	3,563	-	6	11	27	40	171	407	792	1,078	797	233	2,969	1	5	5	24	72	204	375	632	817	580	254	
Black	2,019	-	-	3	10	20	95	245	485	630	422	109	1,723	1	1	1	15	31	121	203	368	492	335	155	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	594	-	-	-	3	8	27	84	158	183	95	35	304	-	-	-	-	6	11	23	63	88	85	28	
White	478	-	-	-	-	6	16	64	116	157	84	35	269	-	-	-	-	2	8	19	53	83	77	27	
All other	116	-	-	-	3	2	11	20	42	26	12	-	35	-	-	-	-	4	3	4	10	5	8	1	
Black	64	-	-	-	1	1	2	12	28	15	5	-	17	-	-	-	-	1	1	1	7	5	2	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	6,434	-	2	-	9	42	212	510	1,212	2,130	1,722	595	5,600	-	1	-	6	43	130	330	785	1,538	1,758	1,009	
White	5,304	-	1	-	7	32	162	374	956	1,783	1,475	514	4,688	-	-	-	3	24	91	255	613	1,272	1,551	878	
All other	1,130	-	-	-	2	10	50	136	256	347	247	81	912	-	-	-	3	19	39	75	172	266	207	131	
Black	525	-	-	-	-	3	23	62	115	177	114	31	484	-	-	-	2	6	17	33	79	150	123	74	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	7,982	-	3	-	2	13	156	668	1,752	2,998	1,981	409	5,886	-	-	-	4	12	94	484	1,196	2,168	1,495	433	
White	6,866	-	3	-	2	11	109	519	1,467	2,613	1,774	368	5,266	-	-	-	2	10	69	411	1,038	1,956	1,380	400	
All other	1,116	-	-	-	-	2	47	149	285	385	207	41	620	-	-	-	-	2	25	73	158	212	115	33	
Black	690	-	-	-	-	2	30	109	196	233	102	18	401	-	-	-	1	1	14	49	112	148	58	18	
Malignant neoplasm of breast (174-175)	25	-	-	-	-	-	-	2	4	10	6	3	4,130	-	-	-	-	52	344	645	823	1,054	842	370	
White	22	-	-	-	-	-	-	1	4	10	5	2	3,649	-	-	-	-	41	275	532	709	867	780	345	
All other	3	-	-	-	-	-	-	-	-	-	-	1	481	-	-	-	-	11	69	113	114	87	62	25	
Black	2	-	-	-	-	-	-	1	-	-	-	-	324	-	-	-	-	7	51	67	75	55	48	21	
Malignant neoplasms of genital organs (179-187)	3,361	-	-	-	5	20	16	33	267	930	1,413	677	2,584	-	-	-	6	51	197	249	445	737	645	264	
White	2,935	-	-	-	5	19	15	26	219	805	1,239	607	2,287	-	-	-	4	42	156	207	383	655	590	250	
All other	426	-	-	-	-	1	1	7	48	125	174	70	297	-	-	-	2	9	31	42	62	62	55	14	
Black	312	-	-	-	-	-	-	6	43	97	123	43	149	-	-	-	2	3	17	19	28	39	29	12	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 226

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 25 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	1,314	-	2	2	-	4	27	92	221	412	388	164	670	-	-	1	1	1	12	28	91	188	220	128
White	1,197	-	2	2	-	4	21	78	195	376	361	156	606	-	-	-	-	1	9	26	81	172	196	121
All other	117	-	-	-	-	-	6	14	26	36	27	8	64	-	-	1	1	-	3	2	10	16	24	7
Black	67	-	-	-	-	-	3	9	16	19	14	6	43	-	-	-	-	2	1	6	12	17	4	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,256	3	19	31	52	103	222	354	669	845	724	233	2,660	2	17	27	38	84	176	251	465	785	684	321
White	2,932	3	17	27	44	94	195	318	588	760	670	216	2,546	2	14	26	32	70	156	209	394	716	629	298
All other	324	-	2	4	8	9	27	36	81	85	54	17	314	-	3	1	6	14	20	42	71	79	55	23
Black	189	-	-	2	3	6	16	21	57	49	30	5	170	-	1	1	2	7	11	19	42	44	28	15
Leukemia (204-208)	1,159	1	11	41	53	56	60	83	143	293	315	103	862	2	18	24	28	32	37	52	99	184	244	132
White	1,018	1	8	35	47	46	48	58	132	264	285	94	783	1	16	22	21	27	29	42	68	177	234	128
All other	141	-	3	6	6	10	12	25	11	29	30	9	78	1	2	2	7	5	8	10	13	17	10	4
Black	67	-	-	1	3	4	8	14	6	12	14	5	40	1	-	-	5	1	6	4	7	6	6	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,632	-	2	2	33	47	96	161	271	489	416	115	1,430	-	1	8	11	24	42	95	177	434	457	181
White	1,442	-	2	1	25	41	79	142	228	444	371	109	1,263	-	1	7	8	16	36	81	155	391	413	165
All other	190	-	-	1	8	6	17	19	43	45	45	6	167	-	-	1	3	8	6	14	22	53	44	16
Black	103	-	-	-	3	4	13	11	24	28	19	1	95	-	-	-	2	5	2	10	12	33	24	7
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	305	8	5	2	7	17	25	23	42	60	73	43	339	6	3	6	5	9	13	22	33	63	87	92
White	265	5	5	2	5	16	22	18	33	54	65	40	294	3	3	4	4	9	8	19	25	54	80	85
All other	40	3	-	-	2	1	3	5	9	6	8	3	45	3	-	2	1	-	5	3	8	9	7	7
Black	26	3	-	-	2	1	2	4	5	3	4	2	27	1	-	2	-	-	4	2	5	5	5	3
Diabetes mellitus (250)	1,616	-	-	2	15	44	88	134	265	484	424	160	1,958	-	-	4	7	23	55	113	278	535	591	352
White	1,319	-	-	1	12	38	77	99	217	399	350	126	1,567	-	-	3	5	21	45	89	202	419	475	308
All other	297	-	-	1	3	6	11	35	48	85	74	34	391	-	-	1	2	2	10	24	76	116	116	44
Black	166	-	-	1	3	6	9	24	32	50	29	12	259	-	-	1	2	2	10	22	53	74	67	28
Nutritional deficiencies (260-269)	56	1	-	-	-	1	-	4	1	10	16	23	101	-	-	-	-	1	-	-	2	11	25	62
White	47	1	-	-	-	1	-	2	-	8	15	20	95	-	-	-	-	1	-	-	2	10	21	61
All other	9	-	-	-	-	-	-	2	1	2	1	3	6	-	-	-	-	-	-	-	-	1	4	1
Black	6	-	-	-	-	-	-	2	1	1	-	2	2	-	-	-	-	-	-	-	-	1	1	-
Anemias (280-285)	135	4	3	5	8	9	10	11	8	23	25	29	146	7	-	4	5	9	9	10	7	20	34	41
White	96	-	2	3	4	5	6	5	5	20	22	27	106	3	-	3	3	1	4	4	4	15	32	37
All other	39	4	1	3	5	5	5	5	3	3	3	2	40	4	-	1	2	8	5	6	3	5	2	4
Black	26	2	1	3	5	4	3	2	1	-	1	-	26	-	-	1	7	5	5	2	1	2	2	2
Meningitis (320-322)	57	9	3	1	3	4	8	4	5	10	6	4	37	9	3	1	-	-	3	3	1	1	11	5
White	45	7	3	1	2	4	4	2	4	9	6	3	31	6	2	-	-	3	3	1	1	10	5	-
All other	12	2	-	-	1	-	4	2	1	1	-	1	6	3	1	1	-	-	-	-	-	-	1	-
Black	10	1	-	-	1	-	4	1	1	1	-	1	5	2	1	1	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	42,270	40	15	20	89	315	1,145	2,679	5,325	10,700	13,419	8,515	45,458	38	12	18	47	171	453	1,017	2,649	7,404	14,411	19,234
White	36,638	28	12	14	63	231	865	2,130	4,380	9,244	11,918	7,749	40,174	28	9	12	40	115	311	701	2,053	6,207	12,852	17,844
All other	5,631	12	3	6	26	84	280	549	945	1,456	1,501	766	5,284	10	3	6	7	56	142	316	596	1,197	1,559	1,390
Black	3,215	7	2	3	16	65	199	383	614	853	744	326	3,408	9	1	5	5	43	111	253	408	774	977	822
Diseases of heart (390-398,402,404-429)	33,608	35	14	14	65	239	949	2,278	4,541	8,672	10,348	6,447	33,497	34	9	14	31	114	297	744	1,994	5,659	10,499	14,098
White	29,238	25	11	9	42	174	725	1,649	3,777	7,530	9,214	5,879	29,658	24	7	8	26	78	206	517	1,563	4,783	9,350	13,092
All other	4,370	10	3	5	23	65	224	429	764	1,142	1,134	568	3,839	10	2	6	5	36	91	227	431	876	1,149	1,006
Black	2,664	5	2	3	14	51	158	307	501	697	578	245	2,553	7	1	5	3	28	70	198	317	594	716	614
Rheumatic fever and rheumatic heart disease (390-398)	232	-	2	-	-	4	14	32	29	53	78	20	431	-	-	1	2	9	20	23	43	106	140	87
White	194	-	1	-	-	3	10	23	27	44	66	20	390	-	-	-	2	6	13	20	34	96	134	85
All other	38	-	-	-	-	1	4	9	2	9	12	-	41	-	-	1	-	3	7	3	9	10	6	2
Black	19	-	-	-	-	1	3	6	1	5	3	-	23	-	-	1	-	2	3	3	4	4	4	2
Hypertensive heart disease (402)	1,134	-	-	-	-	10	56	117	220	291	275	164	1,540	-	-	-	-	4	30	63	134	286	494	529
White	851	-	-	-	-	4	37	73	153	229	222	133	1,218	-	-	-	-	1	12	30	85	220	407	463
All other	283	-	-	-	-	6	19	44	67	62	53	31	322	-	-	-	-	3	18	33	49	66	87	66
Black	192	-	-	-	-	4	16	38	49	38	32	14	255	-	-	-	-	3	16	26	41	53	71	43
Hypertensive heart and renal disease (404)	130	-	-	-	1	-	6	2	23	29	38	31	148	-	-	-	-	1	1	6	12	32	53	43
White	82	-	-	-	-	-	1	1	10	20	26	24	110	-	-	-	-	-	3	9	23	38	37	37
All other	48	-	-	-	1	-	5	1	13	9	12	7	38	-	-	-	-	1	1	3	3	9	15	6
Black	31	-	-	-	1	-	5	1	8	6	6	4	31	-	-	-	-	1	1	3	3	8	12	3
Ischemic heart disease (410-414)	23,075	1	-	-	8	71	477	1,406	2,891	6,107	7,501	4,611	22,320	1	-	-	-	31	120	411	1,174	3,684	7,112	9,785
White	20,529	-	-	-	7	53	386	1,181	2,474	5,412	6,776	4,239	20,030	1	-	-	-	23						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 227

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 26 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	66	-	-	-	-	1	12	13	14	9	12	4	30	-	-	-	-	-	1	1	3	7	9	9
White	59	-	-	-	-	1	10	9	14	9	12	4	27	-	-	-	-	-	1	1	3	7	8	7
All other	7	-	-	-	-	-	2	4	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
Black	4	-	-	-	-	-	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Angina pectoris (413)	33	-	-	-	-	-	1	1	2	10	11	8	34	-	-	-	-	-	-	-	1	4	14	15
White	29	-	-	-	-	-	1	1	2	8	11	7	31	-	-	-	-	-	-	-	1	4	12	14
All other	4	-	-	-	-	-	-	1	-	2	-	1	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	13,400	-	-	-	5	34	239	683	1,480	3,365	4,547	3,046	13,735	1	-	-	-	13	60	197	545	1,936	4,217	6,764
White	12,007	-	-	-	5	26	189	570	1,254	3,013	4,128	2,821	12,417	1	-	-	-	9	48	146	435	1,658	3,805	6,313
All other	1,393	-	-	-	-	8	50	113	226	352	419	225	1,318	-	-	-	-	4	12	51	110	278	412	451
Black	780	-	-	-	-	6	35	73	140	213	212	101	831	-	-	-	-	3	11	45	78	180	243	271
Other diseases of endocardium (424)	655	-	-	1	1	7	23	28	57	121	237	180	828	-	-	-	2	7	9	18	30	105	272	385
White	592	-	-	-	-	6	18	23	47	108	222	168	783	-	-	-	2	4	7	13	27	99	256	375
All other	63	-	-	1	1	1	5	5	10	13	15	12	45	-	-	-	-	3	2	5	3	6	16	10
Black	40	-	-	-	1	1	5	4	8	8	10	3	29	-	-	-	-	2	2	5	2	5	8	5
All other forms of heart disease (415-423,425-428)	8,382	34	12	13	55	147	373	693	1,321	2,071	2,219	1,441	8,230	39	9	13	27	62	117	223	601	1,446	2,428	3,269
White	6,990	25	10	9	35	108	273	548	1,066	1,717	1,902	1,295	7,127	23	7	8	22	44	78	152	453	1,189	2,117	3,032
All other	1,392	9	2	4	20	39	100	145	255	354	317	146	1,103	10	2	5	5	18	39	71	148	257	311	237
Black	942	4	2	3	12	32	71	116	202	247	181	71	783	7	1	4	3	14	28	67	114	190	206	149
Hypertension with or without renal disease (401,403)	442	-	-	-	-	5	8	22	36	113	155	103	647	-	-	-	-	3	9	15	48	115	228	229
White	359	-	-	-	-	2	5	15	31	87	131	88	519	-	-	-	-	2	8	33	83	185	198	
All other	83	-	-	-	-	3	3	7	5	26	24	15	128	-	-	-	-	3	7	7	15	32	33	31
Black	47	-	-	-	-	3	2	6	4	16	9	7	92	-	-	-	-	2	7	7	12	23	22	19
Cerebrovascular diseases (430-438)	6,049	5	1	5	19	54	145	313	546	1,319	2,174	1,467	9,118	4	3	4	11	47	132	225	502	1,302	3,017	3,871
White	5,081	3	1	5	16	42	102	217	390	1,097	1,892	1,315	7,974	2	2	4	9	30	92	153	372	1,042	2,692	3,576
All other	968	2	-	-	3	12	43	96	156	222	282	152	1,144	2	1	-	2	17	40	72	130	260	325	295
Black	504	2	-	-	2	8	31	61	100	107	133	60	651	2	-	-	2	13	31	41	67	141	200	154
Intracerebral and other intracranial hemorrhage (431-432)	1,029	2	-	4	7	19	65	111	160	250	293	117	1,214	2	1	1	4	15	40	80	127	253	414	277
White	803	1	-	4	6	14	48	70	114	199	247	99	999	1	1	1	3	10	27	50	87	194	371	254
All other	226	1	-	-	1	5	17	41	46	51	46	18	215	1	-	-	1	5	13	30	40	59	43	23
Black	106	1	-	-	1	3	11	24	29	17	14	6	89	1	-	-	1	3	10	17	11	21	15	10
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	643	2	-	-	1	3	8	17	48	131	235	198	1,013	1	-	-	-	3	4	11	49	120	354	471
White	546	1	-	-	-	1	4	10	36	107	204	183	889	-	-	-	-	3	2	10	42	89	316	427
All other	97	1	-	-	1	2	4	7	12	24	31	15	124	1	-	-	-	2	1	7	7	31	38	44
Black	43	1	-	-	-	1	4	5	7	11	11	3	73	1	-	-	-	2	1	4	13	29	23	23
Cerebral embolism (434.1)	23	-	-	-	-	1	3	1	8	6	4	4	42	-	-	-	-	-	2	2	2	11	11	14
White	19	-	-	-	-	1	2	1	7	4	4	4	35	-	-	-	-	-	2	-	1	9	10	13
All other	4	-	-	-	-	-	1	-	1	2	-	-	7	-	-	-	-	-	2	1	2	1	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	1	1	1	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	4,354	1	1	1	11	32	71	182	337	930	1,640	1,148	6,849	1	2	3	7	29	86	132	324	918	2,238	3,109
White	3,713	1	1	1	10	27	49	135	239	784	1,437	1,029	6,051	1	1	3	6	17	61	93	242	750	1,995	2,882
All other	641	-	-	-	1	5	22	47	98	146	203	119	799	-	-	-	1	12	25	39	82	168	243	227
Black	354	-	-	-	1	4	16	32	64	78	108	51	484	-	-	-	1	10	19	22	51	106	155	120
Atherosclerosis (440)	763	-	-	-	-	1	2	7	30	142	270	311	1,266	-	-	-	-	-	3	4	30	97	347	785
White	699	-	-	-	-	-	2	6	27	126	244	294	1,186	-	-	-	-	-	3	4	25	88	318	748
All other	64	-	-	-	-	1	-	1	3	16	26	17	80	-	-	-	-	-	-	5	9	29	37	
Black	35	-	-	-	-	-	1	-	2	7	14	10	58	-	-	-	-	-	-	-	4	7	23	24
Other diseases of arteries, arterioles, and capillaries (441-448)	1,408	-	-	1	5	16	41	59	172	454	472	187	930	-	-	-	5	7	12	29	75	231	320	251
White	1,262	-	-	-	5	13	31	43	155	404	437	173	837	-	-	-	5	7	8	19	60	211	297	230
All other	146	-	-	1	-	3	10	16	17	50	35	14	93	-	-	-	-	4	10	15	20	23	23	21
Black	65	-	-	-	-	2	8	8	7	26	10	4	54	-	-	-	-	3	7	8	9	16	11	11
Acute bronchitis and bronchiolitis (486)	36	9	1	1	-	2	2	1	3	4	10	3	30	6	-	-	-	1	1	1	1	1	9	10
White	30	7	1	1	-	2	1	-	3	4	9	2	29	6	-	-	-	1	1	1	1	1	9	9
All other	6	2	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
Black	3	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	4,532	56	13	1	13	43	102	129	246	756	1,637	1,535	5,290	40	15	6	13	23	58	72	195	603	1,540	2,725
White	3,942	43	11	-	11	35	75	100	198	652	1,454	1,363	4,790	30	12	6	9	17	50	57	162	520	1,394	2,533
All other	590	13	2	1	2	8	27	29	48	104	183	172	500	10	3	-	4	6	8	15	33	83	146	192
Black	282	7	1	1	1	6	23	16	26	57	79	64	292	6	2	-	2	4	6	12	20	49	92	99

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 228

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 27 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Pneumonia (480-486)	4,489	54	11	1	13	43	99	126	245	754	1,629	1,523	5,201	40	13	5	12	23	57	72	192	598	1,519	2,670
White	3,912	41	9	-	11	35	73	97	197	650	1,448	1,351	4,705	30	10	5	8	17	50	57	160	515	1,373	2,480
All other	577	13	2	1	2	8	26	29	48	104	181	172	496	10	3	-	4	6	7	15	32	83	146	190
Black	281	7	1	1	1	6	22	16	26	57	79	64	231	6	2	-	2	4	5	12	20	49	92	99
Influenza (487)	33	2	2	-	-	-	3	3	1	2	8	12	89	-	2	1	1	-	1	-	3	5	21	55
White	30	2	2	-	-	-	2	3	1	2	6	12	85	-	2	1	1	-	1	-	2	5	21	53
All other	3	-	-	-	-	-	1	-	-	-	2	-	4	-	-	-	-	-	-	-	1	-	-	2
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	5,165	4	6	3	13	22	53	111	583	1,620	1,976	773	4,916	1	4	7	7	19	46	116	488	1,398	1,917	912
White	4,635	3	4	-	8	16	46	88	499	1,437	1,830	705	4,609	1	-	4	5	13	35	97	431	1,316	1,845	861
All other	530	1	2	3	5	6	7	25	84	183	146	68	307	-	4	3	2	6	11	19	57	82	72	51
Black	284	1	2	2	5	4	5	17	55	96	70	27	198	-	2	2	2	3	9	17	40	62	36	25
Bronchitis, chronic and unspecified (490-491)	180	4	1	-	2	-	2	5	23	46	63	34	245	1	2	-	-	1	3	8	18	69	94	49
White	162	3	-	-	2	-	2	4	17	44	59	31	232	1	-	-	-	2	6	17	69	92	45	45
All other	18	1	1	-	-	-	-	1	6	2	4	3	13	-	2	-	-	1	1	2	1	-	2	4
Black	9	1	1	-	-	-	-	-	4	2	-	1	7	-	1	-	-	1	1	2	-	-	-	2
Emphysema (492)	1,095	-	-	-	-	1	5	18	153	367	424	127	974	-	-	-	-	-	1	16	113	306	393	145
White	997	-	-	-	-	1	5	16	130	336	392	117	921	-	-	-	-	-	15	100	287	382	137	8
All other	98	-	-	-	-	-	2	23	31	32	10	53	53	-	-	-	-	-	1	13	19	11	8	8
Black	55	-	-	-	-	-	2	15	16	17	5	37	37	-	-	-	-	-	1	10	15	5	5	5
Asthma (493)	234	-	5	3	11	18	24	24	35	57	35	22	338	-	2	6	7	14	28	37	43	76	81	44
White	165	-	4	-	6	12	21	16	24	35	30	17	277	-	3	5	10	25	27	31	67	70	39	39
All other	69	-	1	3	5	6	3	8	11	22	5	5	61	-	2	3	2	4	3	10	12	9	11	5
Black	32	-	1	2	5	4	2	4	4	7	1	2	39	-	1	2	2	1	8	8	5	3	3	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	3,656	-	-	-	-	3	22	64	372	1,150	1,454	590	3,359	-	-	1	-	4	14	55	314	947	1,349	674
White	3,311	-	-	-	-	3	18	50	328	1,022	1,349	540	3,179	-	-	1	-	3	8	49	283	893	1,301	640
All other	345	-	-	-	-	-	4	14	44	128	105	50	180	-	-	-	-	1	6	6	31	54	46	34
Black	188	-	-	-	-	-	3	11	32	71	52	19	121	-	-	-	-	-	6	6	22	42	28	17
Ulcer of stomach and duodenum (531-533)	421	-	-	1	1	5	13	28	49	115	129	80	458	1	1	1	-	1	6	13	31	74	162	168
White	356	-	-	1	1	2	9	20	41	100	113	70	417	1	-	1	-	1	6	12	27	59	151	159
All other	65	-	-	-	1	3	4	8	8	15	16	10	41	-	1	-	-	-	1	4	15	11	9	9
Black	37	-	-	-	-	2	3	7	6	11	6	2	22	-	-	-	-	-	-	1	1	8	5	7
Appendicitis (540-543)	33	-	-	1	1	-	3	4	3	7	9	5	19	-	-	-	3	3	1	1	2	2	3	4
White	23	-	-	1	1	-	3	1	2	5	7	4	14	-	-	-	2	1	-	1	2	2	2	4
All other	10	-	-	1	-	-	3	1	2	2	2	1	5	-	-	-	1	2	1	-	-	-	1	-
Black	8	-	-	1	-	-	3	1	1	1	2	-	3	-	-	-	1	2	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	176	4	-	-	3	4	7	10	12	40	55	41	292	8	1	1	4	3	3	9	18	35	89	121
White	155	1	-	-	3	4	7	9	11	34	48	38	269	8	1	1	3	2	3	7	15	34	80	115
All other	21	3	-	-	-	-	-	1	1	6	7	3	23	-	-	-	1	1	-	2	3	1	9	6
Black	9	1	-	-	-	-	-	-	1	4	1	3	16	-	-	-	1	-	-	2	3	1	5	4
Chronic liver disease and cirrhosis (571)	2,527	3	-	-	2	103	494	562	628	504	204	27	1,226	-	1	-	1	36	166	224	266	334	163	35
White	2,242	3	-	-	2	93	439	490	567	435	187	26	1,064	-	1	-	1	29	146	200	223	286	151	27
All other	285	-	-	-	-	10	55	72	61	69	17	1	162	-	-	-	-	7	20	24	43	48	12	8
Black	182	-	-	-	-	5	38	48	44	41	6	-	92	-	-	-	-	4	16	16	26	21	6	3
Cholelithiasis and other disorders of gallbladder (574-575)	100	-	-	-	-	2	3	5	4	31	25	30	160	-	-	-	1	-	2	9	15	32	44	57
White	92	-	-	-	-	2	3	4	4	29	24	26	137	-	-	-	-	2	7	13	25	40	50	
All other	8	-	-	-	-	-	-	1	-	2	1	4	23	-	-	-	1	-	2	2	7	4	7	
Black	2	-	-	-	-	-	-	-	-	1	1	1	13	-	-	-	1	-	2	2	4	1	3	
Nephritis, nephrotic syndrome, and nephrosis (580-583)	718	7	-	1	2	17	33	37	72	168	216	165	767	12	1	1	7	10	13	34	74	172	214	228
White	580	6	-	1	1	8	16	29	57	141	184	137	613	11	1	1	4	6	6	21	53	133	178	189
All other	138	1	-	-	1	9	17	8	15	27	32	28	154	1	-	-	3	4	7	13	21	39	36	29
Black	87	-	-	-	1	9	14	4	11	13	17	18	99	-	-	-	1	2	5	8	13	34	18	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	14	1	-	-	-	-	1	-	2	2	6	2	15	-	-	-	2	-	-	-	2	1	4	6
White	9	1	-	-	-	-	-	-	2	1	4	1	11	-	-	-	1	-	-	-	2	-	4	4
All other	5	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	1	-	-	-	-	1	-	2
Black	3	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	1	-	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 229

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 28 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CALIFORNIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	76	-	-	-	1	5	4	5	5	16	23	17	73	-	1	-	-	3	2	6	-	24	19	18
White	68	-	-	-	1	4	3	4	5	15	21	15	63	-	1	-	-	1	1	5	-	22	16	17
All other	8	-	-	-	-	1	1	1	-	1	2	2	10	-	-	-	-	2	1	1	-	2	3	1
Black	5	-	-	-	-	1	1	-	-	-	1	2	6	-	-	-	-	-	1	1	-	2	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	628	6	-	1	1	12	28	32	65	150	187	148	679	12	-	1	5	7	11	28	72	147	191	204
White	503	5	-	1	1	4	13	25	50	125	159	121	539	11	-	1	3	5	5	16	51	111	158	178
All other	125	1	-	-	1	8	15	7	15	25	28	25	140	1	-	-	2	2	6	12	21	36	33	26
Black	79	-	-	-	1	8	12	4	11	12	15	16	91	-	-	-	1	2	4	7	13	31	17	15
Infections of kidney (590)	42	1	-	-	-	2	2	1	-	5	17	14	117	-	-	-	-	-	6	5	10	21	29	46
White	36	-	-	-	-	1	2	1	-	5	15	12	106	-	-	-	-	-	4	3	9	19	25	46
All other	6	1	-	-	-	1	-	-	-	2	2	2	11	-	-	-	-	-	2	2	1	2	4	-
Black	2	1	-	-	-	1	-	-	-	-	-	-	10	-	-	-	-	-	2	2	1	2	3	-
Hyperplasia of prostate (600)	56	-	-	-	-	-	-	-	2	9	20	25
White	47	-	-	-	-	-	-	-	2	8	19	20
All other	9	-	-	-	-	-	-	-	2	1	1	5
Black	6	-	-	-	-	-	-	-	2	1	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	57	-	20	25	12	-
White	38	-	14	17	7	-
All other	19	-	6	8	5	-
Black	13	-	5	5	3	-
Pregnancy with abortive outcome (630-639)	13	-	4	5	4	-
White	10	-	3	4	3	-
All other	3	-	1	1	1	-
Black	3	-	1	1	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	44	-	16	20	8	-
White	28	-	11	13	4	-
All other	16	-	5	7	4	-
Black	10	-	4	4	2	-
Congenital anomalies (740-759)	841	559	63	31	26	37	30	27	30	18	16	4	757	453	75	23	27	29	26	27	27	38	22	10
White	687	455	53	26	22	27	25	24	26	14	11	4	624	367	64	18	24	23	23	21	19	34	21	10
All other	154	104	10	5	4	10	5	3	4	4	5	-	133	86	11	5	3	6	3	6	8	4	1	-
Black	84	59	3	3	1	10	-	1	2	3	2	-	74	49	6	3	2	3	1	4	4	1	1	-
Certain conditions originating in the perinatal period (760-779)	1,010	991	13	4	-	1	-	-	-	-	-	-	814	800	9	2	-	1	1	-	-	-	-	1
White	686	672	8	4	-	1	-	-	-	-	-	-	600	591	7	1	-	-	-	-	-	-	-	1
All other	324	319	5	-	-	-	-	-	-	-	-	-	214	209	2	1	-	1	1	-	-	-	-	-
Black	259	257	2	-	-	-	-	-	-	-	-	-	170	166	2	1	-	1	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	184	177	5	1	-	1	-	-	-	-	-	-	132	127	2	1	-	1	1	-	-	-	-	-
White	134	130	2	1	-	1	-	-	-	-	-	-	105	103	2	-	-	-	-	-	-	-	-	-
All other	50	47	3	-	-	-	-	-	-	-	-	-	27	24	-	1	-	1	1	-	-	-	-	-
Black	34	34	-	-	-	-	-	-	-	-	-	-	20	18	-	1	-	1	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	828	814	8	3	-	-	-	-	-	-	-	-	682	673	7	1	-	-	-	-	-	-	-	1
White	552	542	6	3	-	-	-	-	-	-	-	-	495	488	5	1	-	-	-	-	-	-	-	1
All other	274	272	2	-	-	-	-	-	-	-	-	-	187	185	2	-	-	-	-	-	-	-	-	-
Black	225	223	2	-	-	-	-	-	-	-	-	-	150	146	2	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	800	402	18	2	30	89	84	61	34	28	24	12	529	258	10	5	11	45	49	29	32	21	30	34
White	617	301	16	1	23	73	59	47	28	23	21	12	408	190	7	3	10	27	38	26	28	17	26	33
All other	183	101	2	1	7	16	25	14	8	5	3	-	121	68	3	2	1	18	11	3	6	4	4	1
Black	121	70	-	-	4	9	20	10	1	4	2	-	89	50	3	1	1	16	9	3	2	2	1	1
All other diseases (Residual)	7,338	122	46	61	123	296	611	577	748	1,398	2,081	1,280	8,249	92	54	61	78	162	329	379	563	1,341	2,377	2,810
White	6,408	90	35	50	98	246	520	466	629	1,217	1,883	1,167	7,338	73	42	49	58	127	233	302	447	1,180	2,176	2,650
All other	930	32	10	11	25	48	91	111	119	171	198	113	911	19	12	13	20	35	96	77	116	161	201	160
Black	555	19	7	4	17	37	74	87	73	98	88	50	586	14	10	7	11	24	75	53	68	103	117	103
Accidents and adverse effects (E800-E949)	6,698	56	175	220	1,200	1,487	1,383	702	440	421	382	199	2,800	39	122	128	327	377	391	262	201	297	360	294
White	5,744	41	150	163	1,055	1,299	1,186	598	371	348	336	166	2,341	26	89	105	285	304	314	219	167	251	325	275
All other	954	15	25	57	145	188	197	104	69	73	46	33	459	13	33	23	62	73	77	43	34	46	35	19
Black	549	9	18	31	63	117	136	70	38	35	18	12	256	12	22	15	31	47	55	21	16	14	14	8

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 232

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 31 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
Diabetes mellitus (250)	191	-	-	-	1	2	21	11	19	55	62	20	246	-	-	-	-	5	5	8	32	66	66	64
White	177	-	-	-	1	2	19	10	16	51	59	19	231	-	-	-	-	3	5	7	29	62	64	61
All other	14	-	-	-	-	-	2	1	3	4	3	1	15	-	-	-	-	2	-	1	3	4	2	3
Black	11	-	-	-	-	-	1	1	3	2	3	1	14	-	-	-	-	2	-	1	3	4	1	3
Nutritional deficiencies (260-269)	17	-	-	-	-	1	-	3	1	-	2	10	43	-	-	-	-	-	-	-	-	4	12	27
White	17	-	-	-	-	1	-	3	1	-	2	10	41	-	-	-	-	-	-	-	-	4	11	26
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	20	-	-	2	-	1	-	1	3	7	6	23	23	-	-	-	1	-	2	-	-	1	9	10
White	18	-	-	-	-	1	-	1	3	7	6	22	22	-	-	-	1	-	1	-	-	1	9	10
All other	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
Black	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Meningitis (320-322)	9	2	1	1	-	1	1	2	-	1	-	6	6	-	-	-	1	-	-	-	-	2	1	2
White	6	1	1	1	-	1	1	1	-	-	-	6	6	-	-	-	1	-	-	-	-	2	1	2
All other	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,110	3	2	4	8	29	106	241	505	1,020	1,353	839	4,316	8	3	3	7	11	43	99	243	638	1,374	1,887
White	3,947	2	2	4	7	25	97	226	477	971	1,318	818	4,160	7	3	3	7	9	38	88	225	606	1,331	1,843
All other	163	1	-	-	1	4	9	15	28	49	35	21	156	1	-	-	-	2	5	11	18	32	43	44
Black	125	1	-	-	-	4	8	13	22	36	27	14	129	1	-	-	-	1	5	9	17	27	34	35
Diseases of heart (390-398,402,404-428)	3,180	2	2	4	7	24	81	218	427	808	1,016	591	2,989	7	3	1	4	6	33	76	180	467	954	1,258
White	3,058	1	2	4	6	21	74	205	404	775	991	575	2,889	6	3	1	4	5	31	66	169	446	928	1,230
All other	122	1	-	-	1	3	7	13	23	33	25	16	100	1	-	-	-	1	2	10	11	21	26	28
Black	98	1	-	-	-	3	6	11	20	27	19	11	81	1	-	-	-	2	8	11	18	19	22	22
Rheumatic fever and rheumatic heart disease (390-398)	33	-	-	1	1	1	-	2	7	7	9	5	73	-	-	-	-	3	3	6	13	29	19	19
White	31	-	-	1	1	1	-	1	7	6	9	5	73	-	-	-	-	3	3	6	13	29	19	19
All other	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	56	-	-	-	-	2	2	3	2	11	23	13	106	-	-	-	-	1	4	9	11	30	51	51
White	51	-	-	-	-	2	1	1	1	11	22	13	102	-	-	-	-	-	3	9	10	29	51	51
All other	5	-	-	-	-	-	1	2	1	-	1	-	4	-	-	-	-	1	1	-	1	1	-	-
Black	4	-	-	-	-	-	1	2	-	-	1	-	3	-	-	-	-	1	1	-	-	1	-	-
Hypertensive heart and renal disease (404)	8	-	-	-	-	-	-	-	-	1	2	5	9	-	-	-	-	-	1	-	1	5	2	2
White	8	-	-	-	-	-	-	-	-	1	2	5	9	-	-	-	-	-	1	-	1	5	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	2,300	-	-	2	10	55	161	311	612	753	396	1,893	1,893	-	-	-	2	13	41	105	310	624	788	788
White	2,231	-	-	2	9	51	156	299	591	736	387	1,831	1,831	-	-	-	1	12	34	100	299	604	781	781
All other	69	-	-	-	1	4	5	12	21	17	9	62	62	-	-	-	-	1	7	5	11	20	17	17
Black	55	-	-	-	1	3	5	11	16	13	6	49	49	-	-	-	-	1	6	5	10	13	14	14
Acute myocardial infarction (410)	1,107	-	-	-	6	28	93	160	329	332	159	863	863	-	-	-	1	9	26	58	163	315	291	291
White	1,078	-	-	-	5	26	89	157	316	328	157	835	835	-	-	-	-	8	22	56	160	302	287	287
All other	29	-	-	-	1	2	4	3	13	4	2	28	28	-	-	-	-	1	4	2	3	13	4	4
Black	20	-	-	-	1	1	4	3	9	2	-	20	20	-	-	-	-	1	3	2	3	8	3	3
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	1	-	1	-	2	1	2	1	6	6	-	-	-	-	-	-	-	4	-	2	2
White	8	-	-	1	-	1	-	2	1	2	1	6	6	-	-	-	-	-	-	-	4	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	6	-	-	-	-	-	-	1	2	2	1	13	13	-	-	-	-	-	-	-	-	2	11	11
White	5	-	-	-	-	-	-	1	2	1	1	13	13	-	-	-	-	-	-	-	-	2	11	11
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,179	-	-	1	4	26	68	148	280	417	235	1,011	1,011	-	-	-	1	4	15	47	143	307	494	494
White	1,140	-	-	1	4	24	67	139	272	405	228	977	977	-	-	-	-	1	4	12	44	135	300	481
All other	39	-	-	-	-	2	1	9	8	12	7	34	34	-	-	-	-	-	3	3	8	7	13	13
Black	34	-	-	-	-	2	1	8	7	10	6	29	29	-	-	-	-	-	3	3	7	5	11	11
Other diseases of endocardium (424)	68	-	-	-	-	1	3	6	16	21	21	90	90	-	-	-	-	2	3	2	13	29	41	41
White	66	-	-	-	-	1	2	6	16	20	21	86	86	-	-	-	-	2	2	1	13	29	39	39
All other	2	-	-	-	-	-	-	-	-	1	-	4	4	-	-	-	-	-	1	1	-	-	2	2
Black	2	-	-	-	-	-	-	-	-	1	-	4	4	-	-	-	-	-	1	1	-	-	2	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 233

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 32 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
COLORADO—Con.																								
All other forms of heart disease (415-423,425-429)	715	2	2	3	4	11	23	49	101	161	208	151	818	7	3	1	4	4	14	24	58	119	237	347
White	671	1	2	3	3	9	21	45	91	150	202	144	788	6	3	1	4	4	14	23	53	110	232	338
All other	44	1	-	-	1	2	2	4	10	11	6	7	30	1	-	-	-	-	-	1	5	9	5	9
Black	36	1	-	-	-	2	2	3	9	10	4	5	25	1	-	-	-	-	-	5	8	5	5	6
Hypertension with or without renal disease (401,403)	61	-	-	-	-	-	3	3	5	10	24	16	59	-	-	-	-	-	-	1	3	12	22	21
White	57	-	-	-	-	-	2	2	5	9	24	15	55	-	-	-	-	-	-	1	1	12	21	21
All other	4	-	-	-	-	-	1	1	-	1	-	1	4	-	-	-	-	-	-	1	2	-	1	-
Black	4	-	-	-	-	-	1	1	-	1	-	1	4	-	-	-	-	-	-	1	2	-	1	-
Cerebrovascular diseases (430-438)	556	1	-	-	-	4	16	14	44	117	202	158	874	1	-	1	2	4	8	19	38	109	288	404
White	523	1	-	-	-	3	15	13	40	103	194	154	831	1	-	1	2	3	5	19	36	100	273	391
All other	33	-	-	-	-	1	1	1	4	14	8	4	43	-	-	-	-	1	3	-	2	9	15	13
Black	21	-	-	-	-	1	1	1	1	8	7	2	37	-	-	-	-	1	3	-	2	8	13	10
Intracerebral and other intracranial hemorrhage (431-432)	79	1	-	-	-	2	3	6	10	19	27	11	120	-	-	-	2	1	2	6	7	26	44	32
White	72	1	-	-	-	2	3	5	8	17	26	10	117	-	-	-	2	1	1	6	7	25	43	32
All other	7	-	-	-	-	-	-	1	2	2	1	1	3	-	-	-	-	-	1	-	1	1	1	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	43	-	-	-	-	1	2	-	2	9	14	15	66	-	-	-	-	1	3	-	3	7	24	28
White	39	-	-	-	-	1	2	-	1	9	12	14	59	-	-	-	-	1	2	-	3	5	23	26
All other	4	-	-	-	-	-	-	-	1	2	2	1	7	-	-	-	-	1	1	-	2	2	1	2
Black	3	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	1	1	-	2	1	1	1
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	433	-	-	-	-	1	11	8	32	88	161	132	686	1	-	1	-	2	3	13	28	75	219	344
White	411	-	-	-	-	-	10	8	31	76	156	130	653	1	-	1	-	2	2	13	26	69	206	333
All other	22	-	-	-	-	1	1	-	1	12	5	2	33	-	-	-	-	-	1	-	2	6	13	11
Black	16	-	-	-	-	1	1	-	1	7	5	1	29	-	-	-	-	1	-	2	6	11	9	9
Atherosclerosis (440)	125	-	-	-	-	-	-	1	9	24	44	47	282	-	-	-	-	-	-	-	1	21	64	176
White	122	-	-	-	-	-	-	1	8	24	42	47	259	-	-	-	-	-	-	-	1	19	64	175
All other	3	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-	-	-	2	-	1
Black	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1
Other diseases of arteries, arterioles, and capillaries (441-448)	188	-	-	-	1	1	6	5	20	61	67	27	132	-	-	1	1	1	2	3	21	29	46	28
White	187	-	-	-	1	1	6	5	20	60	67	27	126	-	-	1	1	1	2	3	18	29	45	26
All other	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-	-	-	-	-	-	3	-	1	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	2	-	1	2
Acute bronchitis and bronchiolitis (468)	7	-	-	-	-	2	-	-	-	3	2	-	5	1	-	-	-	-	-	-	1	-	-	3
White	7	-	-	-	-	2	-	-	-	3	2	-	5	1	-	-	-	-	-	-	1	-	-	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	410	7	-	-	1	5	19	10	12	71	138	147	531	3	4	1	-	5	5	10	13	60	150	280
White	387	6	-	-	1	4	17	10	12	65	135	137	518	2	3	1	-	4	5	10	12	59	147	275
All other	23	1	-	-	-	1	2	-	-	6	3	10	13	1	1	-	-	1	-	-	1	1	3	5
Black	18	1	-	-	-	1	2	-	-	5	3	6	11	1	1	-	-	1	-	-	1	-	3	4
Pneumonia (480-488)	404	7	-	-	1	5	19	10	12	71	135	144	518	3	4	1	-	5	5	9	13	60	143	275
White	381	6	-	-	1	4	17	10	12	65	132	134	505	2	3	1	-	4	5	9	12	59	140	270
All other	23	1	-	-	-	1	2	-	-	6	3	10	13	1	1	-	-	1	-	-	1	1	3	5
Black	18	1	-	-	-	1	2	-	-	5	3	6	11	1	1	-	-	1	-	-	1	-	3	4
Influenza (487)	6	-	-	-	-	-	-	-	-	3	3	3	13	-	-	-	-	-	-	1	-	-	7	5
White	6	-	-	-	-	-	-	-	-	3	3	3	13	-	-	-	-	-	-	1	-	-	7	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (480-496)	769	-	-	1	-	1	4	26	75	275	273	114	645	-	-	-	-	4	9	80	212	247	93	
White	754	-	-	1	-	1	4	24	75	269	268	112	628	-	-	-	-	4	9	77	205	241	92	
All other	15	-	-	-	-	-	-	2	-	6	5	2	17	-	-	-	-	-	-	3	7	6	1	
Black	10	-	-	-	-	-	-	2	-	5	3	-	14	-	-	-	-	-	-	3	6	5	-	
Bronchitis, chronic and unspecified (480-491)	26	-	-	1	-	-	1	1	3	8	9	3	21	-	-	-	-	-	-	4	10	3	4	
White	25	-	-	1	-	-	1	1	3	8	9	2	19	-	-	-	-	-	-	3	9	3	4	
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	
Emphysema (492)	152	-	-	-	-	1	5	17	61	48	20	107	107	-	-	-	-	-	2	12	46	41	6	
White	152	-	-	-	-	1	5	17	61	48	20	106	106	-	-	-	-	-	2	12	45	41	6	
All other	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 236

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 35 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT																								
All causes	14,063	216	33	39	250	446	724	909	1,701	3,465	4,011	2,269	14,191	145	20	17	69	168	340	510	1,086	2,580	4,183	5,073
White	12,868	146	25	25	185	351	557	754	1,512	3,237	3,866	2,210	13,305	105	13	13	56	123	259	439	955	2,394	4,022	4,926
All other	1,195	70	8	14	65	95	167	155	189	228	145	59	886	40	7	4	13	45	81	71	131	186	161	147
Black	1,145	66	8	14	61	93	166	149	175	222	137	54	858	40	7	4	13	43	80	67	129	179	156	140
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	2
White	2	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	6	-	-	-	-	-	1	2	-	2	1	-	6	-	-	-	-	-	-	-	1	-	3	2
White	3	-	-	-	-	-	1	-	-	1	1	-	5	-	-	-	-	-	-	-	-	-	3	2
All other	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	2	-	1	1	-	5	-	-	-	-	-	-	-	1	-	3	1
White	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	3	1
All other	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	2	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	1	-	-	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	157	3	-	-	1	4	9	9	25	32	51	23	216	2	1	-	1	1	6	4	19	34	69	79
White	130	2	-	-	1	2	4	8	16	26	49	22	192	1	1	-	1	1	2	3	14	30	62	77
All other	27	1	-	-	-	2	5	1	9	6	2	1	24	1	-	-	-	4	1	1	5	4	7	2
Black	26	1	-	-	-	2	5	-	9	6	2	1	24	1	-	-	-	4	1	1	5	4	7	2
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	8	-	-	-	-	1	3	4	-	-	-	-	4	-	-	-	-	-	1	1	1	-	1	-
White	8	-	-	-	-	1	3	4	-	-	-	-	3	-	-	-	-	-	1	1	1	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003, 005, 020-032, 037, 039-041, *042-*044, 046-054, 056-066, 071-088, 098-139)	360	1	2	2	5	90	151	58	33	9	4	5	115	1	-	1	7	30	41	8	8	10	6	3
White	239	1	1	1	4	64	94	40	19	7	4	5	71	1	-	1	4	16	23	6	3	9	5	3
All other	121	-	1	2	1	26	57	18	14	2	-	-	44	-	-	-	3	14	18	2	5	1	1	-
Black	120	-	1	2	1	26	57	18	13	2	-	-	44	-	-	-	3	14	18	2	5	1	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,655	-	1	7	14	37	121	248	604	1,186	1,088	349	3,478	-	1	2	6	24	117	254	517	1,008	999	550
White	3,417	-	1	5	12	29	101	216	555	1,108	1,051	339	3,254	-	1	2	5	18	106	223	463	945	961	530
All other	238	-	-	2	8	20	32	49	78	37	10	224	-	-	-	1	6	11	31	54	63	38	20	
Black	230	-	-	2	2	7	19	32	45	76	37	10	211	-	-	-	1	5	11	27	52	61	37	17

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 237

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 36 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
CONNECTICUT—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	65	-	-	-	-	1	3	15	15	18	8	5	44	-	-	-	-	-	1	2	3	15	14	9
White	50	-	-	-	-	1	1	12	10	13	8	5	43	-	-	-	-	-	2	3	15	14	9	
All other	15	-	-	-	-	-	2	3	5	5	-	-	1	-	-	-	-	1	-	-	-	-	-	
Black	13	-	-	-	-	-	1	3	4	5	-	-	1	-	-	-	-	1	-	-	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	923	-	-	-	1	5	30	70	149	300	275	93	865	-	1	-	-	3	16	34	92	217	298	204
White	867	-	-	-	4	21	60	140	283	269	90	806	-	1	-	-	2	14	28	82	198	285	186	
All other	56	-	-	-	1	1	9	10	9	17	6	3	59	-	-	-	1	2	6	10	19	13	8	
Black	53	-	-	-	1	-	9	10	8	16	6	3	55	-	-	-	-	2	6	10	18	12	7	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,130	-	-	1	-	4	23	70	230	426	313	63	769	-	-	-	-	2	11	73	151	279	209	44
White	1,056	-	-	1	-	3	18	59	213	386	305	61	725	-	-	-	-	1	10	68	140	261	204	41
All other	74	-	-	-	-	1	5	11	17	30	8	2	44	-	-	-	-	1	1	5	11	18	5	3
Black	73	-	-	-	-	1	5	11	16	30	8	2	42	-	-	-	-	1	1	5	10	18	5	2
Malignant neoplasm of breast (174-175)	5	-	-	-	-	-	-	-	1	2	-	2	588	-	-	-	-	6	47	62	115	159	125	74
White	4	-	-	-	-	-	-	-	-	2	-	2	538	-	-	-	-	4	43	51	99	149	121	71
All other	1	-	-	-	-	-	-	-	1	-	-	-	50	-	-	-	-	2	4	11	16	10	4	3
Black	1	-	-	-	-	-	-	-	1	-	-	-	45	-	-	-	-	2	4	9	15	9	4	2
Malignant neoplasms of genital organs (179-187)	486	-	-	-	-	3	1	6	38	128	215	95	304	-	-	-	-	1	11	27	47	96	78	44
White	446	-	-	-	-	3	1	5	36	114	197	90	284	-	-	-	-	1	11	23	43	91	72	43
All other	40	-	-	-	-	-	-	1	2	14	18	5	20	-	-	-	-	-	4	4	5	5	6	1
Black	40	-	-	-	-	-	-	1	2	14	18	5	18	-	-	-	-	-	2	4	5	6	1	
Malignant neoplasms of urinary organs (188-189)	189	-	-	-	-	7	9	27	50	73	23	123	123	-	-	-	-	3	6	9	30	40	35	
White	184	-	-	-	-	6	7	26	49	73	23	119	119	-	-	-	-	3	5	8	29	40	34	
All other	5	-	-	-	-	1	2	1	1	-	-	4	4	-	-	-	-	1	1	1	1	1	1	
Black	5	-	-	-	-	1	2	1	1	-	-	4	4	-	-	-	-	1	1	1	1	1	1	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	485	-	1	2	4	10	30	48	91	151	112	36	445	-	-	1	4	5	17	27	61	120	131	79
White	463	-	1	2	4	8	29	45	84	146	108	36	421	-	-	1	3	4	16	24	58	115	125	75
All other	22	-	-	-	-	2	1	3	7	5	4	-	24	-	-	1	1	1	3	3	5	6	4	4
Black	22	-	-	-	-	2	1	3	7	5	4	-	24	-	-	1	1	1	3	3	5	6	4	4
Leukemia (204-208)	136	-	-	4	3	4	13	8	17	36	35	16	128	-	-	1	-	4	2	12	15	32	38	24
White	128	-	-	2	2	4	11	8	16	34	35	16	120	-	-	1	-	4	2	11	11	30	37	24
All other	8	-	-	2	1	-	2	-	1	2	-	-	8	-	-	-	-	-	1	4	2	1	-	-
Black	7	-	-	2	1	-	2	-	1	1	-	-	8	-	-	-	-	-	1	4	2	1	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	236	-	-	-	6	10	14	22	36	75	57	16	212	-	-	-	2	3	9	11	24	60	66	37
White	219	-	-	-	6	6	14	20	30	71	56	16	198	-	-	-	2	2	7	11	19	57	63	37
All other	17	-	-	-	4	-	2	6	4	4	1	-	14	-	-	-	1	2	-	-	5	3	3	-
Black	16	-	-	-	4	-	2	5	4	1	-	-	14	-	-	-	1	2	-	-	5	3	3	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	1	-	3	-	2	3	2	6	17	14	9	64	-	1	1	1	2	4	4	8	8	15	20
White	53	-	-	2	-	2	3	2	5	16	14	9	59	-	1	1	1	2	3	3	8	8	13	19
All other	4	1	-	1	-	-	-	-	1	1	-	-	5	-	-	-	-	1	1	-	-	2	1	
Black	4	1	-	1	-	-	-	-	1	1	-	-	5	-	-	-	-	1	1	-	-	2	1	
Diabetes mellitus (250)	232	-	-	-	-	2	11	17	40	66	71	25	306	-	-	1	-	4	6	8	35	73	104	75
White	205	-	-	-	-	2	8	13	35	57	66	24	268	-	-	1	-	3	4	6	27	60	98	69
All other	27	-	-	-	-	-	3	4	5	9	5	1	38	-	-	-	-	1	2	2	8	13	6	6
Black	27	-	-	-	-	-	3	4	5	9	5	1	37	-	-	-	-	1	2	2	8	13	6	6
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	-	1	4	22	-	-	-	-	-	-	-	-	2	4	16
White	5	-	-	-	-	-	-	-	-	-	1	4	22	-	-	-	-	-	-	-	-	2	4	16
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anemias (280-285)	18	-	2	-	1	3	-	2	1	1	1	7	32	1	-	-	-	1	-	-	3	6	4	17
White	14	-	2	-	1	1	-	1	1	1	1	7	31	1	-	-	-	1	-	-	2	6	4	17
All other	4	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	4	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis (320-322)	4	-	-	-	1	-	1	1	1	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
White	4	-	-	-	1	-	1	1	1	-	1	-	3	-	-	-	-	-	-	-	1	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,614	6	4	1	4	33	127	312	666	1,485	1,808	1,168	6,469	3	2	2	7	22	44	125	298	928	2,020	3,018
White	5,259	5	3	-	3	26	103	259	594	1,390	1,741	1,135	6,153	2	1	1	6	12	29	106	265	853	1,945	2,935
All other	355	1	1	1	1	7	24	53	72	95	67	33	316	1	1	1	1	10	15	19	33	75	75	85
Black	332	1	1	1	1	7	24	50	65	93	61	28	305	1	1	1	1	9	15	19	33	70	73	82

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 242

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 41 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	27	-	-	-	1	-	3	1	2	8	6	43	-	-	-	-	1	2	1	2	6	15	16	
White	22	-	-	-	-	-	2	-	2	7	5	37	-	-	-	-	1	2	-	2	5	13	14	
All other	5	-	-	-	1	-	1	1	-	1	1	6	-	-	-	-	-	-	1	-	1	2	2	
Black	5	-	-	-	1	-	1	1	-	1	1	6	-	-	-	-	-	-	1	-	1	2	2	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	63	1	-	-	1	20	28	8	4	1	-	25	1	-	-	1	5	6	2	3	4	3	-	
White	32	-	-	-	8	15	6	2	2	1	-	18	-	-	-	4	3	1	3	4	4	3	-	
All other	31	1	-	-	1	12	13	2	2	1	-	7	1	-	-	1	3	1	-	-	-	-	-	
Black	30	1	-	-	1	12	13	2	2	-	-	7	1	-	-	1	3	1	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	810	-	1	2	-	4	24	62	162	282	203	69	734	1	-	-	2	11	30	53	145	218	186	88
White	670	-	1	1	-	4	17	47	124	240	176	59	630	1	-	-	1	9	22	40	115	193	168	81
All other	140	-	-	1	-	-	7	15	38	42	27	10	104	-	-	-	1	2	8	13	30	25	18	7
Black	135	-	-	-	-	7	15	37	41	25	10	100	-	-	-	1	1	8	11	30	25	18	6	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	29	-	-	-	-	1	3	14	4	5	2	13	-	-	-	-	-	2	2	2	3	2	2	2
White	20	-	-	-	-	-	2	10	3	3	2	11	-	-	-	-	-	2	1	2	2	2	2	2
All other	9	-	-	-	-	1	1	4	1	2	-	2	-	-	-	-	-	-	1	1	1	1	-	-
Black	9	-	-	-	-	1	1	4	1	2	-	2	-	-	-	-	-	-	1	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	178	-	-	-	-	2	14	41	61	47	13	170	-	-	-	-	-	3	9	27	40	50	41	
White	147	-	-	-	-	2	11	34	47	42	11	130	-	-	-	-	-	1	5	18	29	40	37	
All other	31	-	-	-	-	-	3	7	14	5	2	40	-	-	-	-	-	2	4	9	11	10	4	
Black	30	-	-	-	-	-	3	7	13	5	2	37	-	-	-	-	-	2	2	9	11	10	3	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	284	-	-	-	-	8	21	71	109	61	13	177	-	-	-	-	1	2	15	42	66	45	6	
White	236	-	-	-	-	4	14	57	99	51	10	159	-	-	-	-	1	2	11	33	62	44	6	
All other	48	-	-	-	-	4	7	14	10	10	3	18	-	-	-	-	-	4	4	9	4	1	-	
Black	46	-	-	-	-	4	7	13	10	9	3	18	-	-	-	-	-	4	9	4	4	1	-	
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	146	-	-	-	-	5	16	10	21	48	36	10	
White	-	-	-	-	-	-	-	-	-	-	-	128	-	-	-	-	5	12	10	15	43	33	10	
All other	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	-	-	6	5	3	-	
Black	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	-	-	6	5	3	-	
Malignant neoplasms of genital organs (179-187)	121	-	-	-	-	2	1	10	44	40	24	59	-	-	-	-	1	4	7	16	19	8	4	
White	95	-	-	-	-	2	1	7	34	32	19	46	-	-	-	-	1	2	5	13	16	6	3	
All other	26	-	-	-	-	-	-	3	10	8	5	13	-	-	-	-	-	2	2	3	3	2	1	
Black	25	-	-	-	-	-	-	3	10	7	5	13	-	-	-	-	-	2	2	3	3	2	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 243

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 42 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DELAWARE—Con.																								
Malignant neoplasms of urinary organs (188-189)	49	-	-	-	-	-	1	6	4	22	12	4	25	-	-	-	-	-	1	1	6	6	6	5
White	43	-	-	-	-	-	1	3	2	21	12	4	23	-	-	-	-	-	1	1	5	6	6	4
All other	6	-	-	-	-	-	-	3	2	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Black	6	-	-	-	-	-	-	3	2	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	88	-	1	2	-	3	8	11	14	22	24	3	82	1	-	-	-	1	2	5	21	23	17	12
White	75	-	1	1	-	3	8	11	8	18	22	3	76	1	-	-	-	1	2	3	20	22	15	12
All other	13	-	-	1	-	-	-	-	6	4	2	-	6	-	-	-	-	-	2	1	1	1	2	-
Black	12	-	-	-	-	-	-	-	6	4	2	-	6	-	-	-	-	-	2	1	1	1	2	-
Leukemia (204-208)	20	-	-	-	-	-	1	1	4	5	4	5	28	-	-	-	1	2	-	3	4	6	9	3
White	18	-	-	-	-	-	1	1	3	5	4	5	25	-	-	-	1	1	-	3	4	6	9	2
All other	2	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	1	1	-	-	-	-	-	1
Black	2	-	-	-	-	-	1	1	1	-	-	-	3	-	-	-	1	1	-	-	-	-	-	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	41	-	-	-	-	1	1	5	4	15	10	5	34	-	-	-	1	1	-	1	6	7	13	5
White	36	-	-	-	-	1	1	4	3	13	10	5	32	-	-	-	1	-	-	1	5	7	13	5
All other	5	-	-	-	-	-	1	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	-	1	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	10	-	-	-	-	-	-	-	2	1	5	2	11	-	-	-	-	-	1	-	-	3	6	1
White	8	-	-	-	-	-	-	-	1	1	5	1	8	-	-	-	-	-	1	-	-	3	3	1
All other	2	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Black	2	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	3	-	-
Diabetes mellitus (250)	79	-	-	-	-	1	4	8	12	28	21	5	128	-	-	-	-	1	4	5	14	30	50	24
White	58	-	-	-	-	1	3	5	8	21	16	4	88	-	-	-	-	1	4	1	7	17	38	20
All other	21	-	-	-	-	-	1	3	4	7	5	1	40	-	-	-	-	-	4	7	13	13	12	4
Black	21	-	-	-	-	-	1	3	4	7	5	1	40	-	-	-	-	-	4	7	13	13	12	4
Nutritional deficiencies (260-269)	4	-	-	-	-	-	-	-	1	1	1	1	8	-	-	-	-	-	-	-	-	1	3	4
White	4	-	-	-	-	-	-	-	1	1	1	1	7	-	-	-	-	-	-	-	-	1	2	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	6	-	-	-	-	1	-	-	-	1	1	3	16	-	-	-	-	1	-	-	1	2	3	9
White	4	-	-	-	-	-	-	-	-	1	1	2	11	-	-	-	-	-	-	-	-	2	1	8
All other	2	-	-	-	-	1	-	-	-	-	-	1	5	-	-	-	-	1	-	-	1	2	1	1
Black	2	-	-	-	-	1	-	-	-	-	-	1	5	-	-	-	-	1	-	-	1	2	1	1
Meningitis (320-322)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	1,079	2	-	-	1	7	28	75	161	306	318	180	1,217	-	-	-	1	6	15	33	83	201	387	487
White	903	1	-	-	1	4	21	58	129	241	286	161	1,062	-	-	-	1	5	11	22	62	177	334	448
All other	176	1	-	-	-	3	7	17	32	65	32	19	155	-	-	-	-	1	4	11	21	24	53	39
Black	168	1	-	-	-	3	7	17	31	63	29	17	151	-	-	-	-	1	4	10	20	23	52	39
Diseases of heart (390-398,402,404-429)	885	1	-	-	1	5	23	65	141	254	252	142	959	-	-	-	1	3	11	27	68	166	304	375
White	750	1	-	-	1	2	17	52	115	202	230	129	840	-	-	-	1	2	7	18	50	145	264	351
All other	135	-	-	-	-	3	6	13	26	52	22	13	119	-	-	-	-	1	4	9	18	21	40	24
Black	129	-	-	-	-	3	6	13	26	50	20	11	116	-	-	-	-	1	4	9	17	20	39	24
Rheumatic fever and rheumatic heart disease (390-398)	4	-	-	-	-	-	1	-	-	1	1	1	8	-	-	-	-	-	-	-	2	2	4	-
White	3	-	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	2	2	3	-
All other	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hypertensive heart disease (402)	43	-	-	-	-	1	4	4	8	11	11	4	46	-	-	-	-	1	2	4	5	18	16	16
White	29	-	-	-	-	1	2	5	7	10	4	33	33	-	-	-	-	-	-	1	2	15	15	15
All other	14	-	-	-	-	1	3	2	3	4	1	8	13	-	-	-	-	1	2	3	3	3	1	1
Black	14	-	-	-	-	1	3	2	3	4	1	8	13	-	-	-	-	1	2	3	3	3	1	1
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	-	2	3	-	7	-	-	-	-	-	1	-	2	3	1	-
White	3	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	1	-	1	1	1	-
All other	2	-	-	-	-	-	-	-	-	1	1	-	4	-	-	-	-	-	1	-	1	2	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	-	1	-	1	2	-	-
Ischemic heart disease (410-414)	587	-	-	-	-	1	16	42	105	173	162	88	548	-	-	-	-	1	6	19	47	100	170	203
White	514	-	-	-	-	-	14	38	88	143	151	80	483	-	-	-	-	1	5	15	36	90	145	190
All other	73	-	-	-	-	1	2	4	17	30	11	8	65	-	-	-	-	1	4	11	10	25	13	13
Black	69	-	-	-	-	1	2	4	17	29	10	6	62	-	-	-	-	1	4	10	9	24	13	13
Acute myocardial infarction (410)	313	-	-	-	-	-	14	17	57	97	88	40	275	-	-	-	-	-	4	9	31	62	89	79
White	272	-	-	-	-	-	12	14	48	82	80	36	236	-	-	-	-	-	3	6	25	57	77	68
All other	41	-	-	-	-	-	2	3	9	15	8	4	39	-	-	-	-	-	1	3	6	5	12	11
Black	39	-	-	-	-	-	2	3	9	15	8	4	37	-	-	-	-	-	1	3	5	4	12	11

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 244

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 43 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
DELAWARE—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	1	1	1
White	2	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	1	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	271	-	-	-	1	2	25	47	76	74	46	270	-	-	-	-	1	2	10	16	37	80	123		
White	239	-	-	-	-	2	24	39	61	71	42	244	-	-	-	-	1	2	9	11	32	67	121		
All other	32	-	-	-	1	-	1	8	15	3	4	26	-	-	-	-	-	1	5	5	5	13	2		
Black	30	-	-	-	1	-	1	8	14	2	4	25	-	-	-	-	-	1	5	5	5	12	2		
Other diseases of endocardium (424)	10	-	-	-	-	-	1	1	1	5	2	21	-	-	-	-	-	-	-	1	2	11	7		
White	8	-	-	-	-	-	-	-	1	5	2	17	-	-	-	-	-	-	-	1	2	8	6		
All other	2	-	-	-	-	-	1	1	-	-	-	4	-	-	-	-	-	-	-	-	-	3	1		
Black	2	-	-	-	-	-	1	1	-	-	-	4	-	-	-	-	-	-	-	-	-	3	1		
All other forms of heart disease (415-423,425-429)	236	1	-	-	1	3	3	17	27	66	70	47	329	-	-	-	1	2	3	6	12	54	100	149	
White	193	1	-	-	1	2	2	12	22	49	61	42	297	-	-	-	1	1	2	3	9	48	92	140	
All other	43	-	-	-	-	1	1	5	5	17	9	5	32	-	-	-	-	1	1	3	3	6	8	9	
Black	42	-	-	-	1	1	1	5	5	16	9	5	32	-	-	-	-	1	1	3	3	6	8	9	
Hypertension with or without renal disease (401,403)	10	-	-	-	1	1	2	1	2	2	1	16	-	-	-	-	1	-	-	1	1	3	10		
White	7	-	-	-	1	1	1	1	2	2	1	9	-	-	-	-	1	-	-	-	1	2	5		
All other	3	-	-	-	-	1	1	1	1	-	-	7	-	-	-	-	-	-	-	1	-	1	5		
Black	3	-	-	-	-	1	1	1	1	-	-	7	-	-	-	-	-	-	-	1	-	1	5		
Cerebrovascular diseases (430-438)	132	1	-	-	1	3	7	12	32	50	26	192	-	-	-	-	2	3	6	12	26	65	78		
White	104	-	-	-	1	3	4	10	22	43	21	167	-	-	-	-	2	3	4	11	23	54	70		
All other	28	1	-	-	-	-	3	2	10	7	5	25	-	-	-	-	-	2	1	3	3	11	8		
Black	27	1	-	-	-	-	3	2	10	6	5	24	-	-	-	-	-	1	1	3	3	11	8		
Intracerebral and other intracranial hemorrhage (431-432)	27	1	-	-	1	3	4	4	6	7	1	39	-	-	-	-	1	4	6	7	12	9			
White	23	-	-	-	1	3	2	4	6	6	1	34	-	-	-	-	1	3	5	7	11	7			
All other	4	1	-	-	-	-	2	-	-	1	-	5	-	-	-	-	-	1	1	-	1	2			
Black	4	1	-	-	-	-	2	-	-	1	-	4	-	-	-	-	-	-	1	-	1	2			
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	-	-	-	-	-	1	-	3	2	5	17	-	-	-	-	-	-	-	-	5	3	9		
White	9	-	-	-	-	-	1	-	2	2	4	15	-	-	-	-	-	-	-	-	4	2	9		
All other	2	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-		
Black	2	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	1	-		
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1		
White	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other and late effects of cerebrovascular diseases (430,433,435-439)	94	-	-	-	-	-	2	8	23	41	20	134	-	-	-	-	2	2	2	6	14	49	59		
White	72	-	-	-	-	-	1	6	14	35	16	116	-	-	-	-	2	2	1	6	12	40	53		
All other	22	-	-	-	-	-	1	2	9	6	4	18	-	-	-	-	-	1	-	2	2	9	6		
Black	21	-	-	-	-	-	1	2	9	5	4	18	-	-	-	-	-	1	-	2	2	9	6		
Atherosclerosis (440)	5	-	-	-	-	1	-	2	-	-	2	21	-	-	-	-	-	-	-	-	1	4	16		
White	4	-	-	-	-	1	-	1	-	-	2	20	-	-	-	-	-	-	-	-	1	4	15		
All other	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1		
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1		
Other diseases of arteries, arterioles, and capillaries (441-448)	47	-	-	-	-	-	1	5	18	14	9	29	-	-	-	-	-	1	-	2	7	11	8		
White	38	-	-	-	-	-	1	3	15	11	8	26	-	-	-	-	-	1	-	1	7	10	7		
All other	9	-	-	-	-	-	-	2	3	3	1	3	-	-	-	-	-	-	-	1	-	1	1		
Black	9	-	-	-	-	-	-	2	3	3	1	3	-	-	-	-	-	-	-	1	-	1	1		
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
White	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pneumonia and influenza (480-487)	119	-	-	-	3	1	7	13	22	32	40	112	2	-	1	-	1	1	4	5	12	31	55		
White	101	-	-	-	2	-	4	9	20	29	36	97	-	-	1	-	1	3	5	7	30	50			
All other	18	-	-	-	1	1	3	4	2	3	4	15	2	-	-	-	1	1	-	5	5	1	5		
Black	17	-	-	-	1	1	3	4	2	2	4	15	2	-	-	-	1	1	-	5	5	1	5		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 246

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 45 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix]

Area, cause of death, and race	Male											Female														
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
DELAWARE—Con.																										
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	39	-	-	-	-	-	4	4	11	10	10	47	-	-	-	-	-	-	4	9	18	16	16	16	16	
White	27	-	-	-	-	-	1	2	7	8	9	39	-	-	-	-	-	-	3	6	18	14	14	14	14	
All other	12	-	-	-	-	-	3	2	4	2	1	8	-	-	-	-	-	-	1	3	2	2	2	2	2	
Black	11	-	-	-	-	-	3	2	3	2	1	8	-	-	-	-	-	-	1	3	2	2	2	2	2	
Infections of kidney (590)	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2
White	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	1	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)
White
All other
Black
Pregnancy with abortive outcome (630-638)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)
White
All other
Black
Congenital anomalies (740-759)	18	13	1	-	2	-	1	-	1	-	-	13	5	1	-	2	-	1	-	1	2	1	-	-	-	
White	16	11	1	-	2	-	1	-	1	-	-	10	5	1	-	-	-	1	-	1	1	1	-	-	-	
All other	2	2	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	
Black	2	2	-	-	-	-	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	25	25	-	-	-	-	-	-	-	-	-	23	23	-	-	-	-	-	-	-	-	-	-	-	-	
White	14	14	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	-	-	
All other	11	11	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-	-	-	
Black	11	11	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
White	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	3	3	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
Black	3	3	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	19	19	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-	-	-	
White	11	11	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	-	-	
All other	8	8	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-	-	
Black	8	8	-	-	-	-	-	-	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	9	6	-	-	1	-	1	-	-	-	1	19	6	-	1	-	-	1	2	3	3	3	3	3	3	
White	5	3	-	-	-	-	1	-	-	-	1	10	2	-	1	-	-	-	2	3	3	3	3	3	3	
All other	4	3	-	-	1	-	-	-	-	-	-	9	4	-	-	-	-	1	-	-	-	-	-	-	-	
Black	4	3	-	-	1	-	-	-	-	-	-	9	4	-	-	-	-	1	-	-	-	-	-	-	-	
All other diseases (Residual)	221	2	3	1	1	7	13	8	31	45	68	42	275	-	1	-	1	5	6	6	22	47	94	93	93	
White	187	1	3	1	-	4	10	7	27	39	60	35	237	-	1	-	1	3	3	6	20	41	84	78	78	
All other	34	1	-	-	1	3	3	1	4	6	8	7	38	-	-	-	2	3	3	2	6	10	15	15	15	
Black	34	1	-	-	1	3	3	1	4	6	8	7	37	-	-	-	2	3	3	2	6	10	15	15	15	
Accidents and adverse effects (E800-E949)	161	-	4	5	26	45	24	7	15	13	14	6	86	-	2	2	15	11	5	6	4	11	14	15	15	
White	130	-	4	5	22	35	19	6	9	12	12	4	74	-	2	1	15	7	3	6	3	9	12	15	15	
All other	31	-	-	-	4	10	5	1	6	1	2	2	12	-	-	-	4	2	3	6	1	2	2	-	-	
Black	29	-	-	-	3	10	5	1	6	1	2	1	12	-	-	-	4	2	3	6	1	2	2	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 248

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 47 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Viral hepatitis (070)	5	-	-	-	-	1	2	1	-	1	-	-	8	-	-	-	-	1	3	1	-	2	1	-
White	3	-	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	1	-	-	-	-	1	-
All other	2	-	-	-	-	-	2	-	-	-	-	-	6	-	-	-	-	-	3	1	-	2	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	-	6	-	-	-	-	-	3	1	-	2	-	-
Syphilis (090-097)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042.*044,046-054,056-066, 071-088,098-139)	467	2	3	1	9	138	204	79	26	4	1	-	87	1	5	1	6	25	25	8	4	2	4	6
White	143	-	-	-	-	36	63	32	10	2	-	-	8	-	-	-	-	1	2	-	-	-	1	4
All other	324	2	3	1	9	102	141	47	16	2	1	-	79	1	5	1	6	24	23	8	4	2	3	2
Black	323	2	3	1	9	102	140	47	16	2	1	-	79	1	5	1	6	24	23	8	4	2	3	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	811	1	-	2	4	14	30	68	175	246	192	79	716	-	1	3	1	13	40	67	127	205	178	83
White	176	-	-	-	1	6	12	11	26	37	50	33	166	-	-	1	-	2	6	12	20	37	46	36
All other	635	1	-	2	3	8	18	57	149	209	142	46	550	-	1	2	1	11	34	55	107	168	130	47
Black	631	1	-	2	3	8	18	56	149	208	141	45	552	-	1	2	1	10	33	55	106	168	129	47
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	41	-	-	-	-	-	3	6	19	5	7	1	11	-	-	-	-	-	-	2	4	2	2	1
White	4	-	-	-	-	-	-	1	1	2	-	-	4	-	-	-	-	-	-	-	-	2	1	1
All other	37	-	-	-	-	-	3	6	18	4	5	1	7	-	-	-	-	-	-	2	4	1	-	-
Black	37	-	-	-	-	-	3	6	18	4	5	1	7	-	-	-	-	-	-	2	4	-	1	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	224	-	-	-	1	2	5	17	51	80	53	15	189	-	-	-	-	1	10	9	23	60	54	32
White	33	-	-	-	-	-	1	1	9	10	8	4	29	-	-	-	-	2	1	1	4	9	12	12
All other	191	-	-	-	1	2	4	16	42	70	45	11	160	-	-	-	-	1	8	8	22	56	45	20
Black	190	-	-	-	1	2	4	16	42	70	44	11	158	-	-	-	-	1	8	8	21	56	44	20
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	223	-	-	-	-	6	27	62	68	45	15	14	141	-	-	-	-	6	10	38	48	32	7	7
White	45	-	-	-	-	1	2	9	11	14	8	3	31	-	-	-	-	-	3	5	9	12	2	2
All other	178	-	-	-	-	5	25	53	57	31	7	11	110	-	-	-	-	6	7	33	39	20	5	5
Black	177	-	-	-	-	5	24	53	57	31	7	11	110	-	-	-	-	6	7	33	39	20	5	5
Malignant neoplasm of breast (174-175)	-	-	-	-	-	-	-	-	-	-	-	-	133	-	-	-	-	4	12	22	25	31	27	12
White	-	-	-	-	-	-	-	-	-	-	-	-	32	-	-	-	-	4	2	6	7	5	8	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	101	-	-	-	-	4	8	20	19	24	22	4
Black	-	-	-	-	-	-	-	-	-	-	-	-	100	-	-	-	-	3	8	20	19	24	22	4
Malignant neoplasms of genital organs (179-187)	118	-	-	-	2	1	1	2	7	40	41	24	83	-	-	-	-	1	7	8	13	26	20	8
White	30	-	-	-	1	1	1	1	5	12	9	23	23	-	-	-	-	-	4	3	5	8	3	3
All other	88	-	-	-	-	-	-	1	7	35	29	15	60	-	-	-	-	1	7	4	10	21	12	5
Black	88	-	-	-	1	-	-	1	7	35	29	15	59	-	-	-	-	1	6	4	10	21	12	5
Malignant neoplasms of urinary organs (188-189)	20	-	-	-	-	1	-	2	7	7	3	22	22	-	-	-	-	1	1	4	4	6	6	6
White	5	-	-	-	-	1	-	1	1	2	1	4	4	-	-	-	-	-	-	-	1	1	1	2
All other	15	-	-	-	-	-	-	1	7	5	2	18	18	-	-	-	-	1	1	4	3	5	4	4
Black	14	-	-	-	-	-	-	1	6	5	2	18	18	-	-	-	-	1	1	4	3	5	4	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	98	1	-	1	-	3	3	9	26	29	21	5	72	-	-	2	1	2	1	10	13	20	17	6
White	30	-	-	-	-	1	3	2	5	7	10	2	21	-	-	-	-	2	-	1	5	4	4	4
All other	68	1	-	1	-	2	-	7	21	22	11	3	51	-	-	1	1	-	9	8	16	13	2	2
Black	67	1	-	1	-	2	-	7	21	22	11	2	51	-	-	1	1	-	9	8	16	13	2	2
Leukemia (204-208)	23	-	-	-	1	1	2	-	1	7	6	5	29	-	1	1	-	2	2	2	3	7	7	4
White	7	-	-	-	-	-	1	-	1	1	1	4	10	-	-	-	-	-	-	-	-	5	3	2
All other	16	-	-	-	1	1	1	-	1	6	5	1	19	-	1	1	-	2	2	2	3	2	4	2
Black	16	-	-	-	1	1	1	-	1	6	5	1	19	-	1	1	-	2	2	2	3	2	4	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	64	-	-	1	-	7	9	7	7	10	12	11	36	-	-	-	-	3	1	3	4	7	11	7
White	22	-	-	-	-	4	4	5	1	2	1	5	6	-	-	-	-	-	1	-	-	-	3	2
All other	42	-	-	1	-	3	5	2	6	8	11	6	30	-	-	-	-	3	1	2	4	7	8	5
Black	42	-	-	1	-	3	5	2	6	8	11	6	30	-	-	-	-	3	1	2	4	7	8	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	12	-	-	-	-	3	-	2	2	2	2	1	15	-	-	-	-	1	-	2	-	6	4	2
White	4	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	8	-	-	-	-	2	-	2	1	1	1	1	14	-	-	-	-	1	-	2	-	6	4	1
Black	8	-	-	-	-	2	-	2	1	1	1	1	14	-	-	-	-	1	-	2	-	6	4	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 249

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 48 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
Diabetes mellitus (250)	63	-	-	-	-	-	4	6	11	16	20	6	110	-	-	-	-	1	3	4	16	31	30	25
White	16	-	-	-	-	-	1	-	1	3	8	3	14	-	-	-	-	-	1	1	4	5	3	
All other	47	-	-	-	-	-	3	6	10	13	12	3	96	-	-	-	-	1	3	3	15	27	25	22
Black	47	-	-	-	-	-	3	6	10	13	12	3	95	-	-	-	-	1	3	3	15	27	24	22
Nutritional deficiencies (260-269)	2	1	-	-	-	-	-	-	-	-	1	-	11	1	-	-	1	-	-	1	-	-	4	4
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2
All other	2	1	-	-	-	-	-	-	-	-	1	-	8	1	-	-	1	-	-	1	-	-	3	2
Black	2	1	-	-	-	-	-	-	-	-	1	-	8	1	-	-	1	-	-	1	-	-	3	2
Anemias (280-285)	12	-	-	-	1	2	1	1	2	2	3	9	9	-	-	-	-	1	2	-	-	1	3	2
White	4	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-
All other	8	-	-	-	1	2	-	-	2	2	3	8	8	-	-	-	-	1	2	-	-	1	2	2
Black	8	-	-	-	1	2	-	-	2	2	3	8	8	-	-	-	-	1	2	-	-	1	2	2
Meningitis (320-322)	2	1	-	1	-	-	-	-	-	-	-	6	6	2	-	-	-	1	1	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
All other	2	1	-	1	-	-	-	-	-	-	-	6	6	2	-	-	-	1	1	-	-	2	-	-
Black	2	1	-	1	-	-	-	-	-	-	-	6	6	2	-	-	-	1	1	-	-	2	-	-
Major cardiovascular diseases (390-446)	1,080	5	1	1	4	14	60	85	177	293	291	148	1,241	1	1	1	-	10	34	47	120	265	380	382
White	261	1	-	-	1	4	9	10	30	55	81	70	307	-	-	-	-	2	-	1	10	30	96	168
All other	819	4	1	1	3	10	51	75	147	238	210	78	934	1	1	1	-	8	34	46	110	235	284	214
Black	812	4	1	1	3	10	51	75	146	236	208	76	923	1	1	1	-	8	34	46	110	230	282	210
Diseases of heart (390-398,402,404-429)	872	5	1	-	2	12	50	65	155	235	234	112	966	1	1	1	-	8	23	39	99	215	294	285
White	212	1	-	-	-	4	9	9	27	42	65	55	227	-	-	-	-	2	-	1	9	26	71	118
All other	660	4	1	-	2	8	41	56	128	193	169	57	739	1	1	1	-	6	23	38	90	189	223	167
Black	654	4	1	-	2	8	41	56	127	191	167	56	730	1	1	1	-	6	23	38	90	185	221	164
Rheumatic fever and rheumatic heart disease (390-398)	5	-	-	-	-	-	-	1	1	3	-	-	7	-	-	-	-	1	-	-	2	-	3	1
White	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	1	-	-	-	-	2	-
All other	3	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Black	3	-	-	-	-	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-	2	-	1	1
Hypertensive heart disease (402)	82	-	-	-	-	5	6	22	23	19	7	126	-	-	-	-	-	1	1	4	22	35	39	24
White	13	-	-	-	-	1	-	2	3	3	4	17	-	-	-	-	-	-	-	-	-	4	3	10
All other	69	-	-	-	-	4	6	20	20	16	3	109	-	-	-	-	-	1	1	4	22	31	36	14
Black	69	-	-	-	-	4	6	20	20	16	3	109	-	-	-	-	-	1	1	4	22	31	36	14
Hypertensive heart and renal disease (404)	6	-	-	-	-	1	-	1	-	1	3	13	-	-	-	-	-	-	1	3	2	3	4	
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
All other	5	-	-	-	-	1	-	-	-	1	3	13	-	-	-	-	-	-	1	3	2	3	4	
Black	5	-	-	-	-	1	-	-	-	1	3	13	-	-	-	-	-	-	1	3	2	3	4	
Ischemic heart disease (410-414)	325	-	-	-	5	18	24	47	87	89	55	327	-	-	-	-	-	5	13	27	64	112	106	
White	121	-	-	-	8	5	8	13	20	40	32	97	-	-	-	-	-	-	1	4	8	32	52	
All other	204	-	-	-	2	13	16	34	67	49	23	230	-	-	-	-	-	5	12	23	56	80	54	
Black	201	-	-	-	2	13	16	33	65	49	23	224	-	-	-	-	-	5	12	23	53	79	52	
Acute myocardial infarction (410)	146	-	-	-	1	4	6	26	41	43	25	153	-	-	-	-	-	-	3	15	36	57	42	
White	49	-	-	-	-	-	-	5	13	19	12	36	-	-	-	-	-	-	-	3	3	13	17	
All other	97	-	-	-	1	4	6	21	28	24	13	117	-	-	-	-	-	-	3	12	33	44	25	
Black	95	-	-	-	1	4	6	20	27	24	13	113	-	-	-	-	-	-	3	12	30	44	24	
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina pectoris (413)	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	
White	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	176	-	-	-	3	14	18	20	46	45	30	172	-	-	-	-	-	5	9	12	28	54	64	
White	72	-	-	-	3	5	8	8	7	21	20	60	-	-	-	-	-	-	1	1	5	18	35	
All other	104	-	-	-	-	9	10	12	39	24	10	112	-	-	-	-	-	5	8	11	23	36	29	
Black	103	-	-	-	-	9	10	12	38	24	10	110	-	-	-	-	-	5	8	11	23	35	28	
Other diseases of endocardium (424)	14	-	-	-	-	-	-	2	4	5	3	14	-	-	-	-	-	-	-	2	-	5	7	
White	5	-	-	-	-	-	-	1	1	1	2	7	-	-	-	-	-	-	-	-	-	3	4	
All other	9	-	-	-	-	-	-	1	3	4	1	7	-	-	-	-	-	-	-	2	-	2	3	
Black	9	-	-	-	-	-	-	1	3	4	1	7	-	-	-	-	-	-	-	2	-	2	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 250

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 49 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
DISTRICT OF COLUMBIA—Con.																								
All other forms of heart disease (415-423,425-429)	440	5	1	-	2	7	26	34	82	118	120	44	479	1	1	1	-	6	17	21	43	114	132	143
White	70	1	-	-	-	1	3	1	9	17	21	17	103	-	-	-	-	1	-	-	5	14	31	52
All other	370	4	1	-	2	6	23	33	73	101	99	27	376	1	1	1	-	5	17	21	38	100	101	91
Black	367	4	1	-	2	6	23	33	73	101	97	26	373	1	1	1	-	5	17	21	38	99	100	90
Hypertension with or without renal disease (401,403)	15	-	-	-	1	-	2	2	3	3	4	28	-	-	-	-	-	-	-	2	2	8	7	9
White	2	-	-	-	-	-	-	-	-	-	2	4	-	-	-	-	-	-	-	-	-	-	2	2
All other	13	-	-	-	1	-	2	2	3	3	2	24	-	-	-	-	-	-	-	2	2	8	5	7
Black	12	-	-	-	1	-	2	2	3	3	1	24	-	-	-	-	-	-	-	2	2	8	5	7
Cerebrovascular diseases (430-438)	143	-	-	1	1	-	9	11	18	40	38	25	193	-	-	-	-	2	11	5	15	33	58	69
White	34	-	-	-	1	-	1	2	8	11	11	11	57	-	-	-	-	-	-	-	1	2	17	38
All other	109	-	-	1	-	-	9	10	16	32	27	14	136	-	-	-	-	2	11	5	15	31	41	31
Black	109	-	-	1	-	-	9	10	16	32	27	14	134	-	-	-	-	2	11	5	15	30	41	30
Intracerebral and other intracranial hemorrhage (431-432)	40	-	-	-	-	-	7	6	8	9	8	2	44	-	-	-	-	1	5	5	4	9	11	9
White	6	-	-	-	-	-	-	-	2	1	2	1	8	-	-	-	-	-	-	1	2	1	2	5
All other	34	-	-	-	-	-	7	6	6	8	6	1	36	-	-	-	-	1	5	5	4	8	9	4
Black	34	-	-	-	-	-	7	6	6	8	6	1	35	-	-	-	-	1	5	5	4	7	9	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	-	-	-	-	-	1	1	4	8	3	29	-	-	-	-	-	2	-	4	3	12	8	8
White	5	-	-	-	-	-	1	1	1	3	-	10	-	-	-	-	-	-	-	-	-	6	4	4
All other	12	-	-	-	-	-	-	1	3	5	3	19	-	-	-	-	-	2	-	4	3	6	4	4
Black	12	-	-	-	-	-	-	1	3	5	3	19	-	-	-	-	-	2	-	4	3	6	4	4
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	66	-	-	1	1	-	2	4	9	27	22	20	120	-	-	-	-	1	4	-	7	21	35	52
White	23	-	-	-	1	-	-	-	-	6	6	10	39	-	-	-	-	-	-	-	-	1	9	29
All other	63	-	-	1	-	-	2	4	9	21	16	10	81	-	-	-	-	1	4	-	7	20	26	23
Black	63	-	-	1	-	-	2	4	9	21	16	10	80	-	-	-	-	1	4	-	7	20	26	22
Atherosclerosis (440)	23	-	-	-	-	-	2	1	7	9	4	28	-	-	-	-	-	-	1	3	2	11	11	11
White	5	-	-	-	-	-	-	-	2	2	1	13	-	-	-	-	-	-	-	1	2	4	6	6
All other	18	-	-	-	-	-	2	1	5	7	3	15	-	-	-	-	-	-	1	2	-	7	5	5
Black	18	-	-	-	-	-	2	1	5	7	3	15	-	-	-	-	-	-	1	2	-	7	5	5
Other diseases of arteries, arterioles, and capillaries (441-448)	27	-	-	1	1	1	5	1	8	7	3	26	-	-	-	-	-	-	-	1	7	10	8	8
White	8	-	-	-	-	-	-	1	3	3	1	6	-	-	-	-	-	-	-	-	-	2	4	4
All other	19	-	-	1	1	1	5	-	5	4	2	20	-	-	-	-	-	-	-	1	7	8	4	4
Black	19	-	-	1	1	1	5	-	5	4	2	20	-	-	-	-	-	-	-	1	7	8	4	4
Acute bronchitis and bronchiolitis (466)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	105	4	1	-	4	8	7	7	21	27	26	106	2	-	-	-	1	1	5	6	15	25	51	
White	29	-	-	-	-	-	1	-	3	12	13	35	1	-	-	-	-	-	-	-	2	8	24	24
All other	76	4	1	-	4	8	6	7	18	15	13	71	1	-	-	-	1	1	5	6	13	17	27	
Black	76	4	1	-	4	8	6	7	18	15	13	70	1	-	-	-	1	1	5	6	13	17	26	
Pneumonia (480-486)	105	4	1	-	4	8	7	7	21	27	26	106	2	-	-	-	1	1	5	6	15	25	51	
White	29	-	-	-	-	-	1	-	3	12	13	35	1	-	-	-	-	-	-	-	2	8	24	24
All other	76	4	1	-	4	8	6	7	18	15	13	71	1	-	-	-	1	1	5	6	13	17	27	
Black	76	4	1	-	4	8	6	7	18	15	13	70	1	-	-	-	1	1	5	6	13	17	26	
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	83	-	-	4	3	2	1	2	7	24	30	10	82	-	-	1	-	1	3	1	14	20	29	13
White	27	-	-	-	-	-	-	2	5	6	14	5	28	-	-	-	-	-	-	-	5	16	3	3
All other	56	-	-	4	3	2	1	2	5	18	16	5	56	-	-	1	-	1	3	1	12	15	13	10
Black	55	-	-	4	3	2	1	2	5	18	15	5	55	-	-	1	-	1	3	1	12	15	13	10
Bronchitis, chronic and unspecified (490-491)	5	-	-	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	8	-	-	-	-	-	-	-	1	4	3	15	-	-	-	-	-	-	2	-	3	6	1	1
White	5	-	-	-	-	-	-	-	-	3	2	8	-	-	-	-	-	-	-	-	1	1	5	1
All other	3	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	2	-	2	1	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	2	-	2	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 251

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 50 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
DISTRICT OF COLUMBIA—Con.																									
Asthma (483)	15	-	-	3	2	2	-	1	3	1	2	1	10	-	-	1	-	1	-	1	1	3	1	2	
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	14	-	-	3	2	2	-	1	3	1	1	1	10	-	-	1	-	1	-	1	1	3	1	2	
Black	13	-	-	3	2	2	-	1	3	1	-	1	10	-	-	1	-	1	-	1	1	3	1	2	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	55	-	-	-	1	-	1	1	4	20	23	5	57	-	-	-	-	1	-	10	14	22	10		
White	19	-	-	-	-	-	-	-	2	6	9	2	18	-	-	-	-	-	1	4	11	4	2		
All other	36	-	-	-	1	-	1	1	2	14	14	3	39	-	-	-	-	1	-	9	10	11	8		
Black	36	-	-	-	1	-	1	1	2	14	14	3	39	-	-	-	-	1	-	9	10	11	8		
Ulcer of stomach and duodenum (531-533)	11	-	-	-	-	-	1	-	3	4	2	1	8	-	-	-	-	1	-	1	2	1	3		
White	3	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	1	1	3		
All other	8	-	-	-	-	-	1	-	3	4	-	-	3	-	-	-	-	1	-	1	1	-	-		
Black	8	-	-	-	-	-	1	-	3	4	-	-	3	-	-	-	-	1	-	1	1	-	-		
Appendicitis (540-549)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	-	-	-	-	-	-	-	-	3	3	3	11	-	-	-	-	1	-	-	1	2	7		
White	1	-	-	-	-	-	-	-	-	1	1	3	3	-	-	-	-	-	-	-	-	1	3		
All other	8	-	-	-	-	-	-	-	-	2	2	3	8	-	-	-	-	1	-	-	1	2	4		
Black	8	-	-	-	-	-	-	-	-	3	2	3	8	-	-	-	-	1	-	-	1	2	4		
Chronic liver disease and cirrhosis (571)	113	-	-	-	1	7	21	33	28	17	5	-	39	-	-	-	1	2	9	10	7	8	2		
White	10	-	-	-	-	3	1	3	1	1	1	-	4	-	-	-	1	1	1	1	2	2	-		
All other	103	-	-	-	1	4	20	30	27	16	4	-	35	-	-	-	2	8	10	7	6	2	-		
Black	103	-	-	-	1	4	20	30	27	16	4	-	35	-	-	-	2	8	10	7	6	2	-		
Cholelithiasis and other disorders of gallbladder (574-575)	2	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	2		
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2		
All other	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2		
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2		
Nephritis, nephrotic syndrome, and nephrosis (580-589)	59	-	-	-	-	5	3	1	8	17	14	11	46	1	-	-	2	-	2	11	7	15	6		
White	8	-	-	-	-	-	-	-	1	1	2	4	4	-	-	-	-	-	-	-	7	2	2		
All other	51	-	-	-	-	5	3	1	7	16	12	7	42	1	-	-	2	-	2	11	7	13	6		
Black	51	-	-	-	-	5	3	1	7	16	12	7	42	1	-	-	2	-	2	11	7	13	6		
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	1	-	1	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	3	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	1	-	1	-		
Black	3	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	1	-	1	-		
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,589-589)	56	-	-	-	-	5	3	1	8	16	13	10	44	1	-	-	2	-	2	10	7	14	8		
White	8	-	-	-	-	-	-	-	1	1	2	4	4	-	-	-	-	-	-	-	-	2	2		
All other	48	-	-	-	-	5	3	1	7	15	11	6	40	1	-	-	2	-	2	10	7	12	6		
Black	48	-	-	-	-	5	3	1	7	15	11	6	40	1	-	-	2	-	2	10	7	12	6		
Infections of kidney (590)	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1		
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1		
Hyperplasia of prostate (600)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 252

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 51 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
DISTRICT OF COLUMBIA—Con.																									
Pregnancy with abortive outcome (630-638)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1
White
All other	1	1
Black	1	1
Congenital anomalies (740-759)	16	12	...	1	...	1	1	1	17	12	1	1	1	1	1	
White	4	3	1	7	5	1	1	
All other	12	9	...	1	...	1	1	10	7	1	1	1		
Black	12	9	...	1	...	1	1	10	7	1	1	1		
Certain conditions originating in the perinatal period (760-779)	63	62	53	53	
White	3	2	5	5	
All other	60	60	48	48	
Black	60	60	48	48	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (787-789)	13	12	8	8	
White	1	1	1	1	
All other	12	12	7	7	
Black	12	12	7	7	
Other conditions originating in the perinatal period (760-786,770-779)	50	50	45	45	
White	2	2	4	4	
All other	48	48	41	41	
Black	48	48	41	41	
Symptoms, signs, and ill-defined conditions (780-799)	131	24	1	1	8	20	43	10	10	4	7	2	58	13	3	6	13	6	5	3	4	5	
White	14	2	2	1	4	1	3	...	1	...	7	1	1	2	
All other	117	22	1	1	6	19	39	9	7	4	6	2	51	13	3	6	13	4	4	2	3	3	
Black	117	22	1	1	6	19	39	9	7	4	6	2	51	13	3	6	13	4	4	2	3	3	
All other diseases (Residual)	305	1	1	2	5	10	33	34	38	68	72	49	318	1	2	6	14	21	31	61	75	105	
White	65	1	...	1	1	2	4	4	4	11	23	14	77	1	2	3	4	6	17	44	44	
All other	240	...	1	1	4	8	29	30	34	55	49	29	241	2	2	5	12	18	27	55	58	81	
Black	239	...	1	1	4	8	29	30	34	55	48	29	241	2	2	5	12	18	27	55	58	81	
Accidents and adverse effects (E800-E949)	121	...	6	3	17	19	13	13	12	15	15	4	64	...	2	2	3	4	8	5	5	7	11	17	
White	34	...	1	...	4	3	5	4	1	5	5	3	18	2	3	3	10	
All other	87	...	5	3	13	16	8	9	11	10	10	1	46	...	2	2	3	4	6	5	5	4	8	7	
Black	86	...	5	3	13	15	8	9	11	10	10	1	46	...	2	2	3	4	6	5	5	4	8	7	
Motor vehicle accidents (E810-E825)	43	...	1	2	8	10	6	4	3	3	5	1	16	...	1	2	2	1	1	2	2	1	2	2	
White	7	1	1	2	1	1	1	4	1	1	2	
All other	36	...	1	2	7	9	4	4	3	2	4	...	12	...	1	2	2	1	...	2	2	1	1	...	
Black	35	...	1	2	7	8	4	4	3	2	4	...	12	...	1	2	2	1	...	2	2	1	1	...	
All other accidents and adverse effects (E800-E807, E826-E949)	78	...	5	1	9	9	7	9	9	12	10	3	48	...	1	...	1	3	7	3	3	6	9	15	
White	27	...	1	...	3	2	3	4	1	4	4	2	14	1	3	2	8	
All other	51	...	4	1	6	7	4	5	8	8	6	1	34	...	1	...	1	3	6	3	3	3	7	7	
Black	51	...	4	1	6	7	4	5	8	8	6	1	34	...	1	...	1	3	6	3	3	3	7	7	
Suicide (E950-E959)	29	6	8	7	...	3	4	1	...	5	1	1	1	1	1	...	
White	14	1	4	5	...	1	2	1	...	2	1	1	...	
All other	15	5	4	2	...	2	2	3	1	1	1	
Black	15	5	4	2	...	2	2	3	1	1	1	
Homicide and legal intervention (E960-E978)	346	3	2	3	155	111	39	21	4	3	4	1	43	4	2	...	9	13	5	2	2	3	3	...	
White	18	5	7	2	2	1	1	4	2	2	...	
All other	328	3	2	3	150	104	37	19	3	3	4	...	39	4	2	...	9	13	5	2	2	1	1	...	
Black	328	3	2	3	150	104	37	19	3	3	4	...	39	4	2	...	9	13	5	2	2	1	1	...	
All other external causes (E980-E999)	26	5	10	6	3	2	...	1	...	2	1	1	
White	7	1	2	3	...	1	
All other	19	4	8	2	3	1	...	1	...	2	1	1	
Black	19	4	8	2	3	1	...	1	...	2	1	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 253

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 52 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
FLORIDA																									
All causes	74,787	939	204	242	1,072	2,465	3,659	4,693	8,743	18,357	22,075	12,305	64,936	752	193	144	416	933	1,614	2,487	5,324	12,896	20,122	20,041	
White	66,386	554	132	171	731	1,823	2,694	3,768	7,410	16,677	20,690	11,717	58,136	445	120	83	301	540	1,071	1,939	4,425	11,572	18,652	18,977	
All other	8,401	385	72	71	341	642	965	925	1,333	1,680	1,385	588	6,800	307	73	51	115	393	543	554	899	1,324	1,470	1,064	
Black	8,189	378	71	70	329	628	953	887	1,302	1,636	1,354	566	6,650	303	72	49	107	388	526	531	876	1,286	1,453	1,052	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	22	8	-	-	1	-	1	1	-	4	4	3	19	5	2	-	1	-	1	-	1	1	5	6	
White	18	5	-	-	-	-	1	1	-	4	4	3	14	2	2	-	-	-	1	-	1	1	5	5	
All other	4	3	-	-	1	-	-	-	-	-	-	-	5	3	3	-	1	-	-	-	-	-	-	1	
Black	4	3	-	-	1	-	-	-	-	-	-	-	5	3	3	-	1	-	-	-	-	-	-	1	
Tuberculosis (010-018)	84	-	1	-	-	3	11	9	21	20	14	5	42	1	-	-	4	4	1	7	6	9	10		
White	51	-	-	-	-	1	6	5	13	12	10	4	27	-	-	-	-	1	1	4	5	8	8		
All other	33	-	1	-	-	2	5	4	8	8	4	1	15	1	-	-	4	3	-	3	1	1	2		
Black	32	-	1	-	-	2	5	4	8	8	3	1	14	1	-	-	4	3	-	2	1	1	2		
Tuberculosis of respiratory system (010-012)	76	-	1	-	-	1	9	8	20	19	13	5	31	1	-	-	3	1	-	6	2	9	9		
White	47	-	-	-	-	1	4	5	12	12	9	4	21	-	-	-	-	1	-	3	2	8	7		
All other	29	-	1	-	-	-	5	3	8	7	4	1	10	1	-	-	3	-	-	3	-	1	2		
Black	28	-	1	-	-	-	5	3	8	7	3	1	9	1	-	-	3	-	-	2	-	1	2		
Other tuberculosis (013-018)	8	-	-	-	-	2	2	1	1	1	1	-	11	-	-	-	1	3	1	1	4	-	1		
White	4	-	-	-	-	-	2	-	1	1	1	-	6	-	-	-	-	1	1	1	3	-	1		
All other	4	-	-	-	-	2	-	1	-	1	-	-	5	-	-	-	1	3	-	-	1	-	-		
Black	4	-	-	-	-	2	-	1	-	1	-	-	5	-	-	-	1	3	-	-	1	-	-		
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	3	1	1	-	1	-	-	-	-	-	-	-	6	1	2	-	1	-	-	-	-	-	1	1	
White	1	-	-	-	1	-	-	-	-	-	-	-	6	1	2	-	1	-	-	-	-	-	1	1	
All other	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	384	4	4	-	1	9	13	21	39	86	130	77	431	4	2	2	4	6	11	16	24	73	135	154	
White	323	1	2	-	1	8	7	13	30	73	114	74	357	2	1	1	1	3	4	12	21	56	116	140	
All other	61	3	2	-	-	1	6	8	9	13	16	3	74	2	1	1	3	3	7	4	3	17	19	14	
Black	60	3	2	-	-	1	5	8	9	13	16	3	74	2	1	1	3	3	7	4	3	17	19	14	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	105	-	-	-	5	20	19	19	23	17	2	49	-	-	-	-	2	8	3	9	16	7	4		
White	87	-	-	-	4	12	17	15	21	16	2	41	-	-	-	-	1	7	3	7	12	7	4		
All other	18	-	-	-	1	8	2	4	2	1	-	8	-	-	-	-	1	1	-	2	4	-	-		
Black	17	-	-	-	1	7	2	4	2	1	-	7	-	-	-	-	1	-	-	2	4	-	-		
Syphilis (090-097)	5	-	-	-	-	1	1	-	2	1	-	4	-	-	-	-	-	1	-	2	-	-	1		
White	3	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-		
All other	2	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	1	-	2	-	-	1		
Black	2	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	1	-	2	-	-	1		
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	2,857	15	12	9	44	807	1,070	524	208	111	43	13	684	14	15	10	27	213	188	66	57	46	34	14	
White	1,916	7	2	5	25	580	697	353	122	75	38	12	267	2	6	2	10	55	49	33	31	38	29	12	
All other	941	8	10	4	19	227	373	171	86	36	5	1	417	12	9	8	17	158	139	33	26	8	5	2	
Black	935	8	10	4	19	225	373	168	85	36	5	1	416	12	9	8	17	158	139	33	26	7	5	2	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,080	6	12	30	46	135	422	1,219	3,107	6,234	5,749	2,119	16,093	1	9	14	34	150	508	1,119	2,413	4,851	4,787	2,205	
White	17,295	6	10	26	39	112	342	1,033	2,680	5,696	5,350	2,000	14,764	1	3	14	23	109	391	940	2,141	4,515	4,536	2,081	
All other	1,785	-	2	4	7	23	80	186	427	538	399	119	1,329	-	6	-	11	41	117	179	272	336	251	114	
Black	1,736	-	2	4	6	22	78	179	419	521	391	114	1,277	-	6	-	10	40	112	168	258	319	248	114	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 254

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 53 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	416	-	-	-	-	3	12	49	120	136	79	23	235	-	-	-	-	-	9	21	36	74	68	27
White	363	-	-	-	-	3	10	35	108	123	61	23	209	-	-	-	-	-	6	13	30	69	66	25
All other	53	-	-	-	-	-	2	14	12	13	12	-	26	-	-	-	-	-	3	8	6	5	2	2
Black	52	-	-	-	-	-	2	14	12	13	11	-	24	-	-	-	-	-	2	8	5	5	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	4,417	1	-	-	1	19	94	296	719	1,429	1,342	516	3,721	-	-	-	1	17	65	145	445	1,011	1,284	753
White	3,958	1	-	-	1	13	71	238	600	1,297	1,246	492	3,360	-	-	-	1	13	51	109	379	904	1,197	706
All other	459	-	-	-	1	6	23	58	119	132	96	24	361	-	-	-	-	4	14	36	66	107	87	47
Black	447	-	-	-	1	6	22	55	116	131	93	23	348	-	-	-	-	4	13	33	60	104	87	47
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,756	-	-	-	4	12	105	481	1,357	2,479	1,839	478	4,191	-	-	1	-	11	79	293	734	1,521	1,233	319
White	6,149	-	-	-	4	8	79	419	1,175	2,278	1,731	454	3,989	-	-	1	-	9	69	266	675	1,462	1,203	304
All other	607	-	-	-	-	4	26	62	182	201	108	24	202	-	-	-	-	2	10	27	59	59	30	15
Black	581	-	-	-	-	4	25	62	179	192	106	23	190	-	-	-	-	2	9	26	57	53	28	15
Malignant neoplasm of breast (174-175)	23	-	-	-	-	-	-	-	2	10	8	3	2,639	-	-	-	-	34	175	302	484	738	595	311
White	22	-	-	-	-	-	-	-	2	9	8	3	2,410	-	-	-	-	25	129	251	443	685	567	300
All other	1	-	-	-	-	-	-	-	1	1	-	-	229	-	-	-	-	9	46	51	41	41	28	11
Black	1	-	-	-	-	-	-	-	1	-	-	-	221	-	-	-	-	8	45	47	41	40	27	11
Malignant neoplasms of genital organs (179-187)	2,588	-	-	-	1	6	4	26	161	687	1,119	584	1,609	-	-	-	8	33	82	152	258	478	425	175
White	2,273	-	-	-	1	6	3	21	119	590	995	538	1,372	-	-	-	5	20	55	120	207	417	383	165
All other	315	-	-	-	-	1	5	42	97	124	46	237	237	-	-	-	3	13	27	32	51	59	42	10
Black	311	-	-	-	-	1	5	42	96	123	44	232	232	-	-	-	3	13	26	32	49	57	42	10
Malignant neoplasms of urinary organs (188-189)	989	-	-	2	-	3	9	55	152	312	328	128	548	-	1	-	-	-	7	22	58	142	195	123
White	938	-	-	1	-	2	8	50	139	296	318	124	518	-	-	-	-	6	20	54	138	185	115	8
All other	51	-	-	1	-	1	5	13	16	10	4	30	30	-	1	-	-	1	2	4	4	10	8	8
Black	50	-	-	1	-	1	5	13	15	10	4	30	30	-	1	-	-	1	2	4	4	10	8	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,118	2	6	18	23	45	118	208	371	645	492	190	1,659	-	5	10	19	30	58	112	256	448	468	259
White	1,967	2	4	16	20	41	106	183	338	602	475	180	1,534	-	2	10	8	24	52	100	227	417	448	246
All other	151	-	2	2	3	4	12	25	33	43	17	10	125	-	-	3	-	5	6	12	29	31	20	13
Black	145	-	2	2	3	4	12	22	33	41	16	10	117	-	3	-	5	6	6	10	26	28	20	13
Leukemia (204-208)	706	3	5	10	13	21	32	30	88	209	210	85	543	1	3	2	8	15	13	35	44	142	182	88
White	646	3	5	9	11	16	24	27	79	198	194	80	495	1	1	2	6	9	8	32	39	139	169	95
All other	60	-	1	2	5	8	3	9	11	16	5	48	48	-	2	-	2	6	5	3	5	9	13	3
Black	57	-	1	1	5	8	3	8	11	16	4	47	47	-	2	-	1	6	5	3	5	9	13	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,067	-	1	-	4	26	48	74	137	327	338	112	948	-	-	1	4	10	20	37	98	301	337	140
White	979	-	1	-	3	23	41	60	120	303	322	106	877	-	-	1	3	9	15	29	87	280	318	135
All other	88	-	-	-	1	3	7	14	17	24	16	6	71	-	-	-	1	5	8	11	21	19	19	5
Black	82	-	-	-	1	2	7	13	16	21	16	6	68	-	-	-	1	5	7	11	19	19	19	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	175	-	-	2	1	2	6	11	19	43	60	31	204	-	1	-	1	2	5	8	14	47	74	52
White	156	-	-	1	1	2	6	9	15	37	55	30	186	-	1	-	1	1	3	5	12	46	70	47
All other	19	-	-	1	-	-	2	4	6	5	1	1	18	-	-	-	-	1	2	3	2	1	4	5
Black	17	-	-	1	-	-	2	4	4	5	5	-	18	-	-	-	-	1	2	3	2	1	4	5
Diabetes mellitus (250)	1,508	-	-	-	3	23	49	100	233	421	495	184	1,570	-	-	-	4	14	27	77	201	400	527	320
White	1,300	-	-	-	1	16	35	78	180	366	451	173	1,218	-	-	-	4	11	18	49	120	306	436	274
All other	208	-	-	-	2	7	14	22	53	55	44	11	352	-	-	-	3	9	28	81	94	91	48	46
Black	206	-	-	-	2	7	14	22	52	54	44	11	349	-	-	-	3	9	28	80	92	91	46	46
Nutritional deficiencies (260-269)	59	-	-	-	-	1	2	1	4	6	21	24	81	-	-	-	-	-	-	3	3	7	21	47
White	50	-	-	-	-	-	1	-	4	6	19	20	72	-	-	-	-	-	-	2	3	5	17	45
All other	9	-	-	-	-	1	1	1	-	-	2	4	9	-	-	-	-	-	-	1	-	2	4	2
Black	9	-	-	-	-	1	1	1	-	-	2	4	9	-	-	-	-	-	-	1	-	2	4	2
Anemias (280-285)	118	-	1	3	7	3	14	5	4	15	32	34	126	-	3	2	3	6	5	7	6	15	28	51
White	83	-	-	-	2	1	4	3	3	8	32	30	99	-	-	1	1	1	1	4	6	14	25	46
All other	35	-	1	3	5	2	10	2	1	7	-	4	27	-	3	1	2	5	4	3	-	1	3	5
Black	34	-	1	3	5	2	10	2	1	7	-	3	27	-	3	1	2	5	4	3	-	1	3	5
Meningitis (320-322)	17	3	-	-	2	4	2	-	3	2	1	-	15	2	-	1	-	1	1	1	1	3	4	1
White	8	2	-	-	1	2	-	-	2	1	-	-	11	1	-	1	-	1	1	1	-	3	3	1
All other	9	1	-	-	1	2	2	-	1	1	1	-	4	1	-	-	-	1	1	1	-	1	-	-
Black	9	1	-	-	1	2	2	-	1	1	1	-	3	1	-	-	-	1	1	1	-	1	-	-
Major cardiovascular diseases (390-448)	30,201	26	10	8	20	136	567	1,426	3,184	7,638	10,504	6,673	29,284	19	8	5	19	76	242	529	1,478	4,627	9,928	12,347
White	27,694	15	5	8	11	87	422	1,158	2,737	6,978	9,891	6,378	26,573	12	6	3	15	35	140	369	1,133	4,016	9,145	11,696
All other	2,507	11	5	-	9	49	145	268	447	660	613	295	2,711	7	2	2	4	41	102	160	345	611	783	651
Black	2,426	11	5	-	9	49	143	252	430	640	596	286	2,672	7	2	2</								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 255

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 54 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
FLORIDA—Con.																								
Diseases of heart (390-398,402,404-429)	24,709	19	9	6	17	107	468	1,235	2,702	6,381	8,439	5,324	22,616	17	7	3	14	54	154	382	1,164	3,573	7,647	9,596
White	22,795	13	4	6	8	70	358	1,020	2,366	5,868	7,978	5,100	20,631	10	5	1	11	25	90	267	907	3,127	7,072	9,113
All other	1,914	6	5	-	9	37	110	215	336	513	455	224	1,985	7	2	2	3	29	64	115	257	446	575	483
Black	1,856	6	5	-	9	37	108	203	325	497	445	217	1,957	7	2	2	3	27	62	114	255	437	571	475
Rheumatic fever and rheumatic heart disease (390-398)	128	-	-	-	1	2	8	10	16	23	40	28	272	-	-	-	-	1	7	11	35	65	100	52
White	120	-	-	-	-	2	6	8	15	22	40	27	257	-	-	-	-	1	4	9	33	62	98	50
All other	8	-	-	-	1	2	2	1	1	-	-	1	15	-	-	-	-	3	2	2	3	2	2	2
Black	8	-	-	-	1	2	2	1	1	-	-	1	14	-	-	-	-	2	2	2	3	2	2	2
Hypertensive heart disease (402)	761	-	-	-	2	11	29	60	148	240	179	91	907	-	-	-	1	8	14	31	91	175	278	309
White	548	-	-	-	-	2	16	35	90	176	148	81	694	-	-	-	-	6	11	45	118	224	279	279
All other	213	-	-	-	2	9	13	25	58	64	31	10	223	-	-	-	1	7	8	20	46	57	54	30
Black	211	-	-	-	2	9	13	24	58	64	30	10	221	-	-	-	1	7	8	20	46	56	54	29
Hypertensive heart and renal disease (404)	75	-	-	-	-	1	2	3	3	17	23	26	84	-	-	-	-	1	2	1	5	19	27	29
White	63	-	-	-	-	-	1	1	1	16	20	25	58	-	-	-	-	-	-	-	2	13	19	24
All other	12	-	-	-	-	1	2	2	2	1	3	1	26	-	-	-	-	1	2	1	3	6	8	5
Black	11	-	-	-	-	1	2	2	2	-	3	1	25	-	-	-	-	1	2	1	2	6	8	5
Ischemic heart disease (410-414)	17,926	1	-	-	1	41	250	811	1,845	4,689	6,366	3,917	15,756	-	-	-	1	15	66	219	741	2,500	5,509	6,702
White	16,816	1	-	-	1	33	205	703	1,668	4,370	6,066	3,766	14,583	-	-	-	1	9	46	167	599	2,231	5,136	6,391
All other	1,110	-	-	-	-	8	45	108	177	319	300	151	1,173	-	-	-	-	6	20	52	142	269	373	311
Black	1,067	-	-	-	-	8	43	99	168	308	294	145	1,154	-	-	-	-	5	19	51	141	263	370	305
Acute myocardial infarction (410)	7,295	1	-	-	-	20	114	350	824	2,033	2,624	1,329	6,150	-	-	-	1	5	31	106	367	1,231	2,301	2,108
White	6,854	1	-	-	-	17	93	306	746	1,912	2,498	1,281	5,671	-	-	-	1	1	24	83	291	1,111	2,159	2,001
All other	441	-	-	-	-	3	21	44	78	121	126	48	479	-	-	-	-	4	7	23	76	120	142	107
Black	423	-	-	-	-	3	20	42	73	117	124	44	471	-	-	-	-	4	6	23	75	117	142	104
Other acute and subacute forms of ischemic heart disease (411)	42	-	-	-	-	-	-	-	5	14	15	8	62	-	-	-	-	-	1	5	9	23	24	24
White	37	-	-	-	-	-	-	-	4	14	12	7	50	-	-	-	-	-	-	3	5	19	23	23
All other	5	-	-	-	-	-	-	-	1	-	3	1	12	-	-	-	-	-	1	2	4	4	1	1
Black	5	-	-	-	-	-	-	-	1	-	3	1	12	-	-	-	-	-	1	2	4	4	1	1
Angina pectoris (413)	29	-	-	-	-	1	1	1	1	3	18	5	41	-	-	-	-	-	1	3	5	16	16	16
White	28	-	-	-	-	1	1	1	1	3	17	5	39	-	-	-	-	-	1	3	5	16	14	14
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	10,560	-	-	-	1	21	135	460	1,015	2,639	3,709	2,575	9,503	-	-	-	-	10	35	111	366	1,255	3,169	4,554
White	9,897	-	-	-	1	16	111	396	917	2,441	3,539	2,473	8,823	-	-	-	-	8	22	83	302	1,110	2,942	4,353
All other	663	-	-	-	-	5	24	64	98	198	170	102	680	-	-	-	-	2	13	28	64	145	227	201
Black	638	-	-	-	-	5	23	57	94	191	166	100	669	-	-	-	-	1	13	27	64	142	224	198
Other diseases of endocardium (424)	464	1	-	1	1	2	14	13	35	91	186	120	597	-	-	-	-	2	7	5	25	77	223	258
White	438	1	-	1	1	2	10	12	26	86	185	115	561	-	-	-	-	2	4	4	20	67	213	253
All other	26	-	-	-	1	-	4	1	9	5	1	5	36	-	-	-	-	2	3	1	5	10	10	5
Black	26	-	-	-	1	-	4	1	9	5	1	5	36	-	-	-	-	2	3	1	5	10	10	5
All other forms of heart disease (415-423,425-429)	5,355	17	9	5	12	50	165	338	655	1,321	1,639	1,142	5,000	17	7	3	12	27	58	115	267	737	1,510	2,246
White	4,810	11	4	5	7	31	121	261	566	1,198	1,519	1,086	4,488	10	5	1	10	14	30	76	208	636	1,382	2,116
All other	545	6	5	-	5	19	44	77	89	123	120	56	512	7	2	2	2	13	28	39	59	101	128	130
Black	539	6	5	-	5	19	44	75	87	119	117	55	507	7	2	2	2	12	28	39	59	99	127	129
Hypertension with or without renal disease (401,403)	346	-	-	-	-	6	2	12	35	76	127	88	425	-	-	-	1	1	1	8	23	73	162	156
White	287	-	-	-	-	3	1	6	23	64	108	82	336	-	-	-	1	-	1	12	48	135	139	139
All other	59	-	-	-	-	3	1	6	12	12	19	6	89	-	-	-	-	1	1	7	11	25	27	17
Black	59	-	-	-	-	3	1	6	12	12	19	6	89	-	-	-	-	1	1	7	11	25	27	17
Cerebrovascular diseases (430-438)	3,712	7	1	2	2	17	78	136	315	789	1,406	958	5,032	2	-	2	3	17	77	120	238	774	1,742	2,056
White	3,277	2	1	2	2	10	52	95	233	677	1,288	905	4,486	2	-	2	3	9	44	87	168	652	1,587	1,932
All other	435	5	-	-	-	7	26	41	82	112	108	53	546	-	-	-	-	8	33	33	70	122	155	124
Black	415	5	-	-	-	7	26	37	77	108	103	51	537	-	-	-	-	8	32	30	69	120	154	123
Intracerebral and other hemorrhage (431-432)	661	1	-	1	1	9	33	56	99	168	209	84	700	-	-	-	1	2	4	27	37	76	180	237
White	584	-	-	1	1	5	18	32	72	153	201	81	611	-	-	1	2	2	14	28	54	160	228	122
All other	97	1	-	-	-	4	15	24	27	15	8	3	89	-	-	-	-	2	13	9	22	20	9	14
Black	89	1	-	-	-	4	15	22	25	15	5	2	88	-	-	-	-	2	13	9	22	19	9	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	471	1	-	-	-	6	15	37	94	180	138	715	-	-	-	1	1	-	7	13	27	97	239	329
White	412	-	-	-	-	4	12	25	77	160	134	637	-	-	-	1	1	-	3	9	19	79	216	309
All other	59</																							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 256

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 55 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
FLORIDA—Con.																									
Cerebral embolism (434.1)	25	-	-	-	-	-	-	-	2	8	13	4	29	-	-	-	-	-	1	-	-	-	6	11	11
White	23	-	-	-	-	-	-	-	2	6	11	4	28	-	-	-	-	-	1	-	-	6	10	11	
All other	2	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,555	5	1	1	1	8	39	65	177	521	1,004	732	3,588	2	-	-	-	13	42	70	135	491	1,255	1,580	
White	2,278	2	1	1	1	5	30	51	134	441	926	686	3,210	2	-	-	-	7	26	50	95	407	1,133	1,490	
All other	277	3	-	-	-	3	9	14	43	80	78	46	378	-	-	-	-	6	16	20	40	84	122	90	
Black	267	3	-	-	-	3	9	12	40	77	77	45	371	-	-	-	-	6	15	17	39	83	122	89	
Atherosclerosis (440)	395	-	-	-	-	-	1	4	20	62	159	149	554	-	-	-	-	-	2	15	51	145	341	341	
White	361	-	-	-	-	-	-	4	12	56	147	142	518	-	-	-	-	-	1	11	48	132	328	328	
All other	34	-	-	-	-	-	1	-	8	6	12	7	36	-	-	-	-	-	1	4	5	13	13	13	
Black	33	-	-	-	-	-	1	-	7	6	12	7	35	-	-	-	-	-	1	4	5	12	13	13	
Other diseases of arteries, arterioles, and capillaries (441-448)	1,039	-	-	-	1	6	18	39	112	330	379	154	657	-	1	-	1	4	10	17	38	156	232	198	
White	974	-	-	-	1	4	11	33	103	313	360	149	602	-	1	-	-	1	6	13	35	143	219	184	
All other	65	-	-	-	-	2	7	6	9	17	19	5	55	-	-	-	-	1	3	4	4	3	13	14	
Black	63	-	-	-	-	2	7	6	9	17	17	5	54	-	-	-	-	1	3	4	3	13	13	14	
Acute bronchitis and bronchiolitis (466)	16	4	-	-	-	-	-	-	1	4	4	3	18	2	-	-	-	-	-	-	1	6	4	5	
White	14	2	-	-	-	-	-	-	1	4	4	3	17	1	-	-	-	-	-	-	1	6	4	5	
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
Black	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-		
Pneumonia and influenza (480-487)	1,790	13	5	2	2	25	33	63	107	296	646	598	1,608	13	4	1	1	9	29	25	60	166	452	848	
White	1,607	6	2	1	1	12	16	42	83	255	609	580	1,484	5	1	-	-	4	17	18	55	149	421	814	
All other	183	7	3	1	1	13	17	21	24	41	37	18	124	8	3	1	1	5	12	7	5	17	31	34	
Black	180	7	3	1	1	13	17	21	24	41	37	16	124	8	3	1	1	5	12	7	5	17	31	34	
Pneumonia (480-486)	1,784	13	5	2	2	25	33	63	107	294	642	598	1,587	13	4	1	1	9	28	23	58	165	447	838	
White	1,601	6	2	1	1	12	16	42	83	253	605	580	1,464	5	1	-	-	4	16	17	53	148	416	804	
All other	183	7	3	1	1	13	17	21	24	41	37	18	123	8	3	1	1	5	12	6	5	17	31	34	
Black	180	7	3	1	1	13	17	21	24	41	37	16	123	8	3	1	1	5	12	6	5	17	31	34	
Influenza (487)	6	-	-	-	-	-	-	-	-	2	4	-	21	-	-	-	-	-	1	2	2	1	5	10	
White	6	-	-	-	-	-	-	-	-	2	4	-	20	-	-	-	-	-	1	1	2	1	5	10	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-		
Chronic obstructive pulmonary diseases and allied conditions (490-496)	3,468	-	2	3	3	5	24	75	364	1,058	1,375	559	3,078	1	1	-	3	9	16	68	273	948	1,163	596	
White	3,241	-	-	1	2	2	16	63	319	987	1,306	545	2,950	-	1	-	1	3	10	61	254	911	1,129	580	
All other	227	-	2	2	1	3	8	12	45	71	69	14	128	1	-	-	2	6	6	7	19	37	34	16	
Black	223	-	2	2	1	3	8	12	45	70	67	13	123	1	-	-	2	6	6	7	18	36	32	15	
Bronchitis, chronic and unspecified (490-491)	120	-	-	-	-	-	-	3	12	30	55	20	126	-	-	-	-	1	6	10	31	47	31	31	
White	111	-	-	-	-	-	-	3	9	28	52	19	123	-	-	-	-	1	5	10	31	45	31		
All other	9	-	-	-	-	-	-	-	3	2	3	1	3	-	-	-	-	-	1	-	-	2	-		
Black	9	-	-	-	-	-	-	-	3	2	3	1	2	-	-	-	-	-	1	-	-	1	-		
Emphysema (492)	696	-	-	-	-	-	6	18	75	235	272	90	565	-	-	-	-	-	14	49	220	207	75		
White	650	-	-	-	-	-	4	11	67	222	259	87	552	-	-	-	-	-	14	47	211	206	74		
All other	46	-	-	-	-	-	2	7	8	13	13	3	13	-	-	-	-	-	-	2	9	1	1		
Black	46	-	-	-	-	-	2	7	8	13	13	3	13	-	-	-	-	-	-	2	9	1	1		
Asthma (493)	98	-	2	3	3	5	8	4	25	24	19	5	159	1	1	-	3	9	13	14	25	38	38	19	
White	77	-	1	2	2	5	3	3	20	23	17	4	124	-	1	-	1	3	8	14	17	29	32	19	
All other	21	-	2	2	1	3	1	1	5	1	2	1	35	1	-	-	2	6	5	-	8	7	6		
Black	20	-	2	2	1	3	1	1	5	1	1	1	34	1	-	-	2	6	5	-	8	6	6		
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,554	-	-	-	-	-	10	50	252	769	1,029	444	2,228	-	-	-	-	-	2	34	189	661	871	471	
White	2,403	-	-	-	-	-	7	46	223	714	978	435	2,151	-	-	-	-	-	1	28	180	640	846	456	
All other	151	-	-	-	-	-	3	4	29	55	51	9	77	-	-	-	-	-	1	6	9	21	25	15	
Black	148	-	-	-	-	-	3	4	29	54	50	8	74	-	-	-	-	-	1	6	8	21	24	14	
Ulcer of stomach and duodenum (531-533)	181	-	-	-	1	2	5	6	11	42	66	47	220	-	-	-	2	-	5	5	8	44	87	89	
White	165	-	-	-	1	2	3	6	7	38	62	46	198	-	-	-	2	-	3	3	5	39	80	86	
All other	16	-	-	-	-	-	-	-	4	4	4	1	22	-	-	-	-	-	2	2	3	5	7	3	
Black	15	-	-	-	-	-	-	-	3	4	4	1	21	-	-	-	-	-	2	2	3	4	7	3	
Appendicitis (540-543)	21	-	-	-	-	-	2	2	2	4	7	4	4	-	-	-	-	-	-	-	1	-	2	1	
White	17	-	-	-	-	-	1	2	2	4	5	3	3	-	-	-	-	-	-	-	-	-	2	1	
All other	4	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	1	-	-		
Black	4	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	1	-	-		
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	126	-	3	-	-	-	1	3	11	24	46	38	214	4	-	-	-	-	1	7	10	28	76	88	
White	111	-	1	-	-	-	1	3	9	19	43	35	188	1	-	-	-	-	5	9	24	63	86		
All other	15	-	2	-	-	-	-	-	2	5	3	3	26	3	-	-	-	-	1	2					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 259

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 58 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
GEORGIA—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Septicemia (038)	286	3	-	-	2	9	12	19	25	83	80	53	419	5	1	1	5	7	15	14	34	75	137	125	
White	174	-	-	-	3	4	8	16	48	54	40	259	-	-	-	1	3	6	9	13	44	95	88	-	
All other	112	3	-	-	2	6	8	10	9	35	26	13	160	5	1	-	5	4	9	5	21	31	42	37	
Black	112	3	-	-	2	6	8	10	9	35	26	13	160	5	1	-	5	4	9	5	21	31	42	37	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	4	4	1	1	2	1	1	10	7	-	-	-	-	3	2	-	3	2	-	-	
White	11	-	-	-	3	4	1	1	1	1	1	7	-	-	-	-	-	2	2	-	1	2	-	-	
All other	3	-	-	-	1	1	1	1	1	1	1	3	-	-	-	-	-	1	1	-	2	2	-	-	
Black	3	-	-	-	1	1	1	1	1	1	1	3	-	-	-	-	-	1	1	-	2	2	-	-	
Syphilis (090-097)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
All other	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,139	5	4	3	21	377	450	172	58	28	16	5	203	7	1	1	10	49	54	31	18	15	13	4	
White	594	3	2	2	5	166	245	99	37	20	12	3	65	2	-	-	2	6	10	13	5	11	12	4	
All other	545	2	2	1	16	211	205	73	21	8	4	2	138	5	1	1	8	43	44	18	13	4	1	-	
Black	544	2	2	1	16	211	205	72	21	8	4	2	136	5	1	1	8	43	43	17	13	4	1	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,491	2	8	12	21	60	234	667	1,385	2,132	1,507	463	5,306	1	5	15	17	78	259	539	989	1,508	1,331	564	
White	4,844	1	4	5	15	42	142	464	1,026	1,661	1,141	343	4,034	1	5	12	12	46	160	375	758	1,173	1,039	453	
All other	1,647	1	4	7	6	18	92	203	359	471	366	120	1,272	-	-	3	5	32	99	164	231	335	292	111	
Black	1,621	-	4	6	5	17	90	201	353	465	362	118	1,258	-	-	3	3	32	97	163	229	334	287	110	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	141	-	-	-	-	1	11	27	38	42	18	4	69	-	-	-	-	1	4	9	12	20	16	7	
White	94	-	-	-	-	1	5	17	25	26	16	4	52	-	-	-	-	-	6	10	14	15	7	-	
All other	47	-	-	-	-	-	6	10	13	16	2	-	17	-	-	-	-	1	4	3	2	6	1	-	
Black	47	-	-	-	-	-	6	10	13	16	2	-	17	-	-	-	-	1	4	3	2	6	1	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,314	1	-	1	1	14	56	137	261	433	311	99	1,222	-	-	-	-	10	36	75	194	314	400	193	
White	940	1	-	-	-	9	30	85	173	336	226	80	884	-	-	-	-	4	22	52	133	225	293	155	
All other	374	-	-	1	1	5	26	52	88	97	85	19	338	-	-	-	-	6	14	23	61	89	107	38	
Black	366	-	-	1	1	5	25	51	87	94	84	18	337	-	-	-	-	6	14	23	61	89	106	38	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,460	-	-	-	1	3	45	284	652	900	507	68	1,176	-	-	-	-	3	33	108	308	421	248	55	
White	1,817	-	-	-	-	2	24	201	498	724	412	56	968	-	-	-	-	2	23	72	255	357	212	47	
All other	543	-	-	-	1	1	21	83	154	176	95	12	208	-	-	-	-	1	10	36	53	64	36	8	
Black	535	-	-	-	1	1	21	83	150	174	93	12	205	-	-	-	-	1	9	36	53	64	34	8	
Malignant neoplasm of breast (174-175)	6	-	-	-	1	-	-	1	-	4	-	-	910	-	-	-	-	24	93	186	179	210	156	62	
White	4	-	-	-	-	-	-	-	1	-	3	-	682	-	-	-	-	15	54	135	135	166	128	49	
All other	2	-	-	-	1	-	-	-	-	-	-	-	228	-	-	-	-	9	39	51	44	44	28	13	
Black	2	-	-	-	1	-	-	-	-	1	-	-	225	-	-	-	-	9	38	50	43	44	28	13	
Malignant neoplasms of genital organs (179-187)	852	-	-	-	1	-	3	11	83	266	320	168	515	-	-	-	-	10	38	42	94	152	130	49	
White	530	-	-	-	-	-	3	3	51	168	202	103	366	-	-	-	-	4	24	28	64	105	101	39	
All other	322	-	-	-	1	-	8	32	88	118	65	149	149	-	-	-	-	6	14	14	30	46	29	10	
Black	320	-	-	-	1	-	8	32	88	117	64	149	149	-	-	-	-	6	14	14	30	46	29	10	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 260

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 59 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	273	-	-	-	1	-	7	34	62	77	70	22	154	-	-	-	-	-	2	8	18	50	41	34
White	219	-	-	-	1	-	4	23	51	67	56	17	122	-	-	-	-	2	4	16	38	33	28	28
All other	54	-	-	-	-	-	3	11	11	10	14	5	32	-	-	-	-	-	4	2	12	8	6	6
Black	54	-	-	-	-	-	3	11	11	10	14	5	32	-	-	-	-	-	4	2	12	8	6	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	910	-	4	7	11	18	71	121	205	255	155	63	786	1	4	7	7	14	34	81	102	218	197	101
White	696	-	1	5	9	13	46	90	160	203	121	48	577	1	4	6	6	12	28	57	79	169	142	75
All other	214	-	3	2	2	5	25	31	45	52	34	15	189	-	1	1	1	2	8	24	23	49	55	26
Black	210	-	3	2	2	5	24	30	44	51	34	15	185	-	1	1	1	2	8	24	23	49	53	25
Leukemia (204-209)	226	1	3	3	5	16	15	18	26	71	48	22	187	-	1	5	6	11	10	9	30	36	49	30
White	192	-	2	4	11	12	16	23	60	44	20	147	-	1	4	3	6	4	6	20	31	44	26	26
All other	36	1	1	3	1	5	3	2	3	11	4	2	40	-	1	3	5	6	3	8	5	5	4	4
Black	32	-	1	2	-	4	3	2	3	11	4	2	38	-	1	2	5	6	3	7	5	5	4	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	307	-	1	1	1	7	26	35	57	88	74	17	307	-	-	2	4	5	9	21	52	87	94	33
White	252	-	1	-	1	6	18	29	44	77	61	15	236	-	-	1	3	3	5	15	44	67	71	27
All other	55	-	-	1	-	1	8	6	13	11	13	2	71	-	-	1	2	4	6	6	8	20	23	6
Black	55	-	-	1	-	1	8	6	13	11	13	2	70	-	-	1	2	4	6	6	8	19	23	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	91	1	1	2	3	4	5	11	18	16	22	8	84	-	1	1	1	1	6	9	7	15	27	16
White	72	1	-	1	3	1	4	8	14	14	20	6	61	-	1	1	-	-	5	4	4	9	22	15
All other	19	-	1	1	-	3	1	3	4	2	2	2	23	-	-	-	-	1	1	1	5	3	6	5
Black	18	-	1	-	-	3	1	3	4	2	2	2	22	-	-	-	-	1	1	1	5	3	6	5
Diabetes mellitus (250)	399	-	-	-	4	13	28	59	83	99	76	37	585	-	-	1	2	9	18	29	84	157	184	101
White	266	-	-	-	2	7	16	34	53	69	57	28	339	-	-	-	5	9	13	47	80	112	73	73
All other	133	-	-	-	2	6	12	25	30	30	19	9	246	-	-	1	2	4	9	16	37	77	72	28
Black	133	-	-	-	2	6	12	25	30	30	19	9	245	-	-	1	2	4	9	16	37	76	72	28
Nutritional deficiencies (260-269)	31	-	-	-	-	-	2	1	4	3	10	11	68	1	-	-	-	-	2	6	6	6	17	36
White	14	-	-	-	-	-	1	-	-	-	5	8	45	-	-	-	-	-	1	3	3	3	12	26
All other	17	-	-	-	-	-	1	1	4	3	5	3	23	1	-	-	-	-	1	3	3	3	5	10
Black	17	-	-	-	-	-	1	1	4	3	5	3	23	1	-	-	-	-	1	3	3	3	5	10
Anemias (280-285)	54	2	4	3	4	2	8	2	7	7	7	8	74	2	1	-	-	4	4	6	3	15	17	22
White	28	1	-	1	-	1	1	5	6	6	6	7	38	-	-	-	-	-	3	3	-	10	10	15
All other	26	1	4	2	4	2	7	1	2	1	1	1	36	2	1	-	-	4	4	3	3	5	7	7
Black	26	1	4	2	4	2	7	1	2	1	1	1	36	2	1	-	-	4	4	3	3	5	7	7
Meningitis (320-322)	11	-	-	-	1	-	2	2	1	3	1	1	15	3	-	-	1	1	1	3	-	2	3	1
White	8	-	-	-	1	-	2	2	-	2	-	1	9	1	-	-	1	-	2	-	-	1	3	1
All other	3	-	-	-	-	-	-	-	1	1	1	-	6	2	-	-	-	1	1	1	-	1	3	1
Black	2	-	-	-	-	-	-	-	1	1	-	-	6	2	-	-	-	1	1	1	-	1	3	1
Major cardiovascular diseases (390-448)	10,122	21	10	6	34	98	391	885	1,667	2,735	2,901	1,374	11,329	19	4	10	26	71	197	415	893	2,126	3,770	3,798
White	7,494	13	4	2	17	49	215	586	1,171	2,058	2,262	1,117	8,222	4	1	4	11	30	79	207	523	1,438	2,820	3,105
All other	2,628	8	6	4	17	49	176	299	496	677	639	257	3,107	15	3	6	15	41	118	208	370	688	950	693
Black	2,604	8	6	4	17	49	175	296	488	671	635	255	3,071	15	3	5	14	40	116	202	364	682	942	688
Diseases of heart (390-398,402,404-429)	8,075	16	8	4	26	73	317	729	1,428	2,214	2,203	1,057	8,408	14	4	10	19	49	139	306	695	1,618	2,784	2,770
White	6,083	11	3	1	13	36	191	499	1,034	1,698	1,726	871	6,162	3	1	4	8	20	58	164	418	1,118	2,096	2,272
All other	1,992	5	5	3	13	37	126	230	394	516	477	186	2,246	11	3	6	11	29	81	142	277	500	688	498
Black	1,976	5	5	3	13	37	126	227	389	513	474	184	2,224	11	3	5	10	28	81	138	274	495	685	494
Rheumatic fever and rheumatic heart disease (390-398)	32	-	-	-	1	1	3	8	9	8	1	62	-	-	-	-	1	3	7	10	21	15	5	5
White	28	-	-	-	1	1	3	7	9	6	1	50	-	-	-	-	1	6	6	18	14	4	4	4
All other	4	-	-	-	-	-	1	1	-	2	-	12	-	-	-	-	-	2	1	4	3	1	1	1
Black	4	-	-	-	-	-	1	1	-	2	-	12	-	-	-	-	-	2	1	4	3	1	1	1
Hypertensive heart disease (402)	229	-	-	1	-	2	13	21	43	59	57	33	311	-	-	-	-	7	16	36	63	94	95	95
White	96	-	-	-	-	2	10	16	22	28	18	165	-	-	-	-	-	1	3	12	32	48	69	69
All other	133	-	-	1	-	2	11	11	27	37	29	15	146	-	-	-	-	6	13	24	31	46	26	26
Black	133	-	-	1	-	2	11	11	27	37	29	15	145	-	-	-	-	6	13	24	31	45	26	26
Hypertensive heart and renal disease (404)	27	-	-	-	-	1	2	6	5	7	6	43	-	-	-	-	-	-	3	5	7	16	12	12
White	9	-	-	-	-	-	-	-	3	4	2	23	-	-	-	-	-	-	1	1	3	10	8	8
All other	18	-	-	-	-	1	2	6	2	3	4	20	-	-	-	-	-	-	2	4	4	6	4	4
Black	18	-	-	-	-	1	2	6	2	3	4	20	-	-	-	-	-	-	2	4	4	6	4	4
Ischemic heart disease (410-414)	4,973	-	1	-	-	28	175	468	901	1,445	1,343	612	4,675	1	1	-	1	9	73	154	404	953	1,596	1,483
White	4,048	-	1	-	-	18	123	348	722	1,195	1,119	522	3,614	-	-	-	-	4	32	86	277	712	1,249	1,254
All other	925	-	-	-	-	10	52	120	179	250	224	90	1,061	1	1	-	1	5	41	68	127	241	347	229
Black	913	-	-	-	-	10	52	118	175	247	223	88	1,051	1	1	-	1	5	41					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 261

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 60 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	36	-	-	-	-	-	2	10	6	10	7	3	53	-	-	-	-	-	-	2	4	9	18	20
White	28	-	-	-	-	-	2	6	3	7	3	2	43	-	-	-	-	-	1	2	9	15	16	
All other	15	-	-	-	-	-	4	3	3	4	4	1	10	-	-	-	-	-	1	2	-	3	4	
Black	14	-	-	-	-	-	3	3	3	4	1	1	10	-	-	-	-	-	1	2	-	3	4	
Angina pectoris (413)	11	-	-	-	-	-	1	1	5	4	-	14	-	-	-	-	-	1	1	-	3	6	3	
White	10	-	-	-	-	-	1	1	5	4	-	10	-	-	-	-	-	1	1	-	3	5	2	
All other	1	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	1	1	-	1	1	1	
Black	1	-	-	-	-	-	1	-	-	-	-	4	-	-	-	-	-	1	1	-	1	1	1	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,045	-	-	-	8	64	156	319	606	592	300	1,905	-	1	-	-	5	21	40	122	321	642	753	
White	1,725	-	-	-	5	43	120	267	522	507	261	1,509	-	-	-	-	1	9	17	83	246	508	645	
All other	320	-	-	-	3	21	36	52	84	85	39	396	-	1	-	-	4	12	23	39	75	134	108	
Black	312	-	-	-	3	21	35	49	82	85	37	393	-	1	-	-	4	12	22	39	74	134	107	
Other diseases of endocardium (424)	111	-	-	1	1	-	6	9	30	41	23	137	-	-	2	1	-	1	7	9	23	59	36	
White	95	-	-	1	-	-	6	9	26	31	22	113	-	-	-	1	-	1	7	4	18	50	33	
All other	16	-	-	-	1	-	-	-	4	10	1	24	-	-	2	-	-	1	-	4	5	9	3	
Black	16	-	-	-	1	-	-	-	4	10	1	24	-	-	2	-	-	1	-	4	5	9	3	
All other forms of heart disease (415-423,425-429)	2,703	16	7	3	24	41	127	229	461	666	747	3,180	13	3	8	17	39	55	119	232	551	1,004	1,139	
White	1,807	11	2	1	11	17	66	132	280	443	538	3,066	3	1	4	7	15	24	61	118	335	725	904	
All other	896	5	5	2	13	24	61	97	181	223	209	76	893	10	2	4	10	24	31	58	114	216	279	
Black	892	5	5	2	13	24	61	96	180	223	207	76	892	10	2	3	9	23	31	57	113	213	279	
Hypertension with or without renal disease (401,403)	128	-	-	1	2	7	12	21	32	40	13	183	-	-	-	2	2	3	12	12	48	54	50	
White	61	-	-	-	2	3	2	10	14	22	8	81	-	-	-	-	-	2	3	21	26	29		
All other	67	-	-	1	4	10	11	18	18	18	5	102	-	-	2	2	3	10	9	27	28	21		
Black	66	-	-	1	4	10	11	18	17	17	5	102	-	-	2	2	3	10	9	27	28	21		
Cerebrovascular diseases (430-438)	1,466	5	2	4	17	57	117	168	361	501	234	2,218	5	-	4	18	49	81	154	381	748	778		
White	985	2	1	2	8	14	69	87	240	380	182	1,574	1	-	2	9	17	34	80	241	550	630		
All other	481	3	1	2	9	43	48	81	121	121	52	644	4	-	2	9	32	47	74	140	188	148		
Black	475	3	1	2	9	42	48	78	119	121	52	632	4	-	2	9	30	45	71	139	185	147		
Intracerebral and other intracranial hemorrhage (431-432)	257	1	1	1	4	29	35	45	72	54	15	317	1	-	3	7	16	35	39	72	89	55		
White	164	-	-	-	3	5	21	23	53	45	14	211	-	-	2	3	1	11	18	56	78	42		
All other	93	1	1	1	1	24	14	22	19	9	1	106	1	-	1	4	15	24	21	16	11	13		
Black	91	1	1	1	1	24	14	21	18	9	1	100	1	-	1	4	13	24	19	16	9	13		
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	145	-	-	-	3	1	11	15	41	45	29	208	-	-	-	1	4	1	6	29	78	89		
White	96	-	-	-	1	-	6	7	30	34	18	152	-	-	-	-	3	1	4	18	56	70		
All other	49	-	-	-	2	1	5	8	11	11	11	56	-	-	-	1	1	-	2	11	22	19		
Black	49	-	-	-	2	1	5	8	11	11	11	55	-	-	-	1	1	-	2	11	22	18		
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	1	2	1	9	-	-	-	-	-	-	-	2	6	1		
White	4	-	-	-	-	-	-	-	1	2	1	7	-	-	-	-	-	-	-	1	5	1		
All other	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-		
Black	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-		
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,060	4	1	3	10	27	71	108	247	400	189	1,684	4	-	1	10	29	45	109	278	575	633		
White	721	2	1	2	4	9	42	57	156	299	149	1,204	1	-	-	6	13	22	58	166	421	517		
All other	339	2	-	1	6	18	29	51	91	101	40	480	3	-	1	4	16	23	51	112	154	116		
Black	335	2	-	1	6	17	29	49	90	101	40	475	3	-	1	4	16	21	50	111	153	116		
Atherosclerosis (440)	147	-	-	-	1	2	6	9	32	58	39	269	-	-	-	1	-	1	2	6	24	92	143	
White	115	-	-	-	1	2	4	4	24	49	31	219	-	-	-	1	-	1	1	2	18	69	127	
All other	32	-	-	-	-	2	5	8	8	9	8	50	-	-	-	-	-	1	4	6	23	16		
Black	31	-	-	-	-	2	5	7	9	8	8	49	-	-	-	-	-	1	4	6	22	16		
Other diseases of arteries, arterioles, and capillaries (441-448)	306	-	-	2	3	5	8	21	41	96	99	31	251	-	-	-	-	1	3	6	20	40	69	
White	250	-	-	1	2	5	12	36	82	85	25	186	-	-	-	1	3	6	20	40	69	47		
All other	56	-	-	1	1	3	9	5	14	14	6	65	-	-	-	1	2	8	6	15	23	10		
Black	56	-	-	1	1	3	9	5	14	14	6	64	-	-	-	1	2	8	6	15	22	10		
Acute bronchitis and bronchiolitis (466)	9	5	1	-	-	1	-	-	1	1	-	4	-	1	-	-	-	-	1	-	1	1		
White	4	3	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	1	1		
All other	5	2	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-		
Black	5	2	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-		
Pneumonia and influenza (480-487)	821	9	3	4	7	32	42	66	166	280	212	866	7	-	2	4	8	16	17	41	115	264	392	
White	609	4	3	3	7	17	20	37	128	215	182	684	4	-	2	3	5	6	15	26	84	217	322	
All other	212	5	-	1	7	15	22	29	38	65	30	182	3	-	1	3	10	2	15	31	47	70		
Black	208	5	-	1	6	15	21	28	37	65	30	180	3	-	1	3	10	2	15	30	47	69		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 263

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 62 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
GEORGIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	24	-	-	-	-	1	-	1	1	8	8	5	14	-	-	-	-	-	1	-	-	1	6	6
White	11	-	-	-	-	-	-	1	-	4	4	2	6	-	-	-	-	-	-	-	-	-	4	2
All other	13	-	-	-	-	1	-	-	1	4	4	3	8	-	-	-	-	-	1	-	-	1	2	4
Black	13	-	-	-	-	1	-	-	1	4	4	3	8	-	-	-	-	-	1	-	-	1	2	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	282	2	-	-	-	3	14	18	33	75	90	47	349	2	-	-	1	3	3	11	33	90	96	110
White	160	2	-	-	-	1	6	6	17	40	55	33	205	1	-	-	1	1	1	1	14	50	56	80
All other	122	-	-	-	-	2	8	12	16	35	35	14	144	1	-	-	2	2	10	19	40	40	30	
Black	121	-	-	-	-	2	8	12	15	35	35	14	144	1	-	-	2	2	10	19	40	40	30	
Infections of kidney (590)	10	-	-	-	-	-	-	-	3	1	2	4	24	-	-	-	-	-	3	1	2	7	11	
White	8	-	-	-	-	-	-	-	1	1	2	4	18	-	-	-	-	-	2	1	2	6	7	
All other	2	-	-	-	-	-	-	-	2	-	-	-	6	-	-	-	-	-	1	-	1	1	4	
Black	2	-	-	-	-	-	-	-	2	-	-	-	6	-	-	-	-	-	1	-	1	1	4	
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	1	2	2	4
White	7	-	-	-	-	-	-	-	-	2	1	4
All other	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	5	4	-	-
White	2	1	1	-	-
All other	7	4	3	-	-
Black	7	4	3	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	1	-
White	-	-	1	-
All other	1	-	-	1	-
Black	1	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	8	5	3	-	-
White	2	1	1	-	-
All other	6	4	2	-	-
Black	6	4	2	-	-
Congenital anomalies (740-759)	191	119	14	6	10	6	7	6	6	7	7	3	171	114	12	5	3	7	6	3	8	6	3	4
White	117	64	8	3	9	6	7	6	4	6	3	1	94	64	6	1	2	4	3	2	6	2	1	3
All other	74	55	6	3	1	-	-	-	2	1	4	2	77	50	6	4	1	3	3	1	2	4	2	1
Black	72	53	6	3	1	-	-	-	2	1	4	2	73	46	6	4	1	3	3	1	2	4	2	1
Certain conditions originating in the perinatal period (760-779)	311	310	1	-	-	-	-	-	-	-	-	-	244	244	-	-	-	-	-	-	-	-	-	-
White	90	90	-	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-
All other	221	220	1	-	-	-	-	-	-	-	-	-	152	152	-	-	-	-	-	-	-	-	-	-
Black	220	219	1	-	-	-	-	-	-	-	-	-	149	149	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	61	61	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-
White	21	21	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	40	40	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Black	40	40	-	-	-	-	-	-	-	-	-	-	17	17	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	250	249	1	-	-	-	-	-	-	-	-	-	206	206	-	-	-	-	-	-	-	-	-	-
White	69	69	-	-	-	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-
All other	181	180	1	-	-	-	-	-	-	-	-	-	135	135	-	-	-	-	-	-	-	-	-	-
Black	180	179	1	-	-	-	-	-	-	-	-	-	132	132	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	314	102	2	3	6	9	22	21	19	41	49	37	320	67	-	-	6	7	9	16	38	64	113	
White	186	57	2	3	4	3	13	12	9	20	34	29	199	32	-	-	2	1	3	11	22	47	81	
All other	128	45	-	-	2	6	9	9	10	21	15	8	121	35	-	-	4	6	6	5	16	17	32	
Black	128	45	-	-	2	6	9	9	10	21	15	8	121	35	-	-	4	6	6	5	16	17	32	
All other diseases (Residual)	2,159	28	14	21	41	81	176	196	276	458	582	288	2,619	13	7	13	27	54	110	136	207	438	819	795
White	1,482	17	6	14	24	44	79	110	186	318	448	236	1,901	6	2	7	13	26	46	60	124	309	646	662
All other	677	11	8	7	17	37	97	86	90	138	134	52	718	7	5	6	14	28	64	76	83	129	173	133
Black	675	11	8	7	17	37	96	85	90	138	134	52	712	7	5	4	14	28	63	76	82	129	172	132
Accidents and adverse effects (E800-E949)	1,697	17	38	70	328	290	250	185	172	136	138	72	937	13	31	47	110	93	96	83	83	98	160	123
White	1,153	11	26	43	227	196	145	118	112	105	111	59	671	7	19	21	86	58	53	60	64	76	122	105
All other	544	6	12	27	101	94	105	67	60	31	27	13	266	6	12	26	24	35	43	23	19	22	38	18
Black	535	6	11	27	99	91	104	68	59	31	27	13	257	6	12	25	23	32	40	23	19	22	37	18

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 270

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 69 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IDAHO																									
All causes	4,208	84	18	43	114	118	153	224	505	956	1,301	691	3,669	68	15	18	40	38	86	167	252	628	1,172	1,175	
White	4,154	82	18	42	113	113	144	219	498	949	1,292	689	3,610	66	14	18	35	36	83	164	244	608	1,164	1,168	
All other	54	2	-	1	1	5	9	5	7	7	9	2	59	2	-	-	5	2	3	3	8	20	8	7	
Black	11	2	-	-	-	-	2	-	3	1	3	-	11	1	-	-	-	-	1	-	1	4	1	3	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	19	1	-	-	-	-	-	-	2	2	8	6	28	-	-	-	-	-	-	2	1	4	10	11	
White	19	1	-	-	-	-	-	-	2	2	8	6	26	-	-	-	-	-	-	2	1	3	10	10	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	10	10	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	5	-	-	-	-	1	-	-	-	2	2	-	2	-	-	-	-	-	-	2	-	-	-	-	
White	5	-	-	-	-	1	-	-	-	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	32	-	-	1	-	10	13	4	2	-	2	-	10	2	-	-	-	2	1	-	1	1	1	2	
White	32	-	-	1	-	10	13	4	2	-	2	-	9	1	-	-	-	2	1	-	1	1	1	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	975	-	2	7	4	6	20	55	160	303	312	106	827	-	4	5	4	8	31	78	121	224	255	97	
White	963	-	2	6	4	5	18	54	159	300	310	105	813	-	4	5	3	8	30	77	119	219	251	97	
All other	12	-	-	1	-	1	2	1	1	3	2	1	14	-	-	-	1	-	1	1	2	5	4	-	
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 271

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 70 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IDAHO—Con.																									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	16	-	-	-	-	-	3	6	3	3	1	11	-	-	-	-	-	1	1	1	2	3	3		
White	16	-	-	-	-	-	3	6	3	3	1	11	-	-	-	-	-	1	1	1	2	3	3		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	215	-	-	-	-	7	2	37	74	77	18	182	-	-	-	-	2	11	19	50	65	35			
White	212	-	-	-	-	7	2	36	73	76	18	178	-	-	-	-	2	11	18	49	63	35			
All other	3	-	-	-	-	-	-	1	1	1	4	4	-	-	-	-	-	-	1	1	2	-			
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	294	-	-	-	-	-	20	57	114	91	12	180	-	-	-	-	2	13	41	64	51	9			
White	290	-	-	-	-	-	19	57	112	90	12	176	-	-	-	-	2	13	40	62	50	9			
All other	4	-	-	-	-	-	1	-	2	1	4	4	-	-	-	-	-	-	1	2	1	-			
Black	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-		
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	-	-	-	2	1	139	-	-	-	-	5	10	23	27	27	30	17		
White	3	-	-	-	-	-	-	-	-	2	1	138	-	-	-	-	5	10	23	27	26	30	17		
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant neoplasms of genital organs (179-187)	165	-	-	-	-	-	2	10	36	74	43	84	-	-	-	-	7	9	14	24	26	4			
White	165	-	-	-	-	-	2	10	36	74	43	84	-	-	-	-	7	9	14	24	26	4			
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant neoplasms of urinary organs (188-189)	43	-	-	-	-	1	3	7	16	11	5	19	-	-	1	-	-	-	1	3	11	3			
White	42	-	-	-	-	-	3	7	16	11	5	19	-	-	1	-	-	-	1	3	11	3			
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	130	-	2	2	1	2	5	16	29	30	11	115	-	2	3	-	3	5	15	13	31	34	9		
White	128	-	2	2	1	2	4	16	29	30	10	112	-	2	3	-	3	5	14	13	30	33	9		
All other	2	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	1	-	1	1	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leukemia (204-208)	40	-	-	4	1	2	2	2	3	12	8	36	-	2	1	2	-	1	3	1	10	11	5		
White	38	-	-	3	1	1	2	2	3	12	8	35	-	2	1	1	-	1	3	1	10	11	5		
All other	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	69	-	-	1	2	2	5	7	11	18	14	61	-	-	-	2	-	3	3	4	13	24	12		
White	69	-	-	1	2	2	5	7	11	18	14	60	-	-	-	2	-	3	3	4	13	24	12		
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	-	-	-	-	-	1	1	-	4	2	15	-	1	-	-	-	3	-	-	2	5	4		
White	9	-	-	-	-	-	1	1	-	4	2	15	-	1	-	-	-	3	-	-	2	5	4		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Diabetes mellitus (250)	92	-	-	-	-	2	3	1	14	20	32	98	-	-	-	-	1	4	7	5	19	39	23		
White	89	-	-	-	-	2	3	1	12	20	32	96	-	-	-	-	1	4	7	4	18	39	23		
All other	3	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	1	-	-		
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Nutritional deficiencies (260-269)	5	-	-	-	-	-	-	-	-	2	3	16	-	-	-	-	-	-	-	-	-	3	13		
White	5	-	-	-	-	-	-	-	-	2	3	15	-	-	-	-	-	-	-	-	-	3	12		
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Anemias (280-285)	8	-	-	1	-	-	-	-	1	2	1	4	-	-	-	-	-	-	-	1	2	1	-		
White	8	-	-	1	-	-	-	-	1	2	1	3	-	-	-	-	-	-	-	1	2	1	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Meningitis (320-322)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Major cardiovascular diseases (390-448)	1,625	2	-	1	3	11	25	69	218	396	573	327	1,508	2	-	-	-	1	12	30	61	219	525	658	
White	1,608	2	-	1	3	11	23	69	217	392	568	322	1,492	2	-	-	-	1	12	30	59	211	522	655	
All other	17	-	-	-	-	-	2	-	1	4	5	5	16	-	-	-	-	-	-	2	8	3	3	3	
Black	3	-	-	-	-	-	1	-	-	1	1	-	6	-	-	-	-	-	-	-	3	1	2	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 276

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 75 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ILLINOIS—Con.																									
Whooping cough (093)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	7	-	2	1	2	-	1	1	-	-	-	-	4	-	-	-	1	-	-	2	-	-	1	-	-
White	3	-	-	-	2	-	-	1	-	-	-	-	4	-	-	-	1	-	-	2	-	-	1	-	-
All other	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	475	10	1	-	-	10	19	31	60	109	139	95	618	2	1	1	2	6	12	22	38	104	183	247	
White	365	5	1	-	-	5	7	19	40	88	117	83	494	-	1	1	1	4	8	14	23	76	153	213	
All other	110	5	-	-	-	5	12	12	20	21	22	12	124	2	-	-	1	2	4	8	15	28	30	34	
Black	107	5	-	-	-	5	11	12	18	21	22	12	114	2	-	-	1	2	4	5	12	26	29	33	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	33	-	-	-	1	6	11	5	6	4	-	-	28	-	-	-	1	-	-	2	6	12	5	2	
White	29	-	-	-	1	6	8	5	6	3	-	-	25	-	-	-	-	-	2	6	11	4	2	-	
All other	4	-	-	-	-	-	3	-	-	1	-	-	3	-	-	-	1	-	-	-	1	1	1	-	
Black	4	-	-	-	-	-	3	-	-	1	-	-	3	-	-	-	1	-	-	-	1	1	1	-	
Syphilis (090-097)	2	-	-	-	1	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,168	11	3	5	22	356	448	179	77	39	20	8	226	5	1	1	7	39	49	22	19	33	28	22	
White	738	5	1	4	11	212	280	118	51	31	18	7	125	1	1	1	4	11	19	10	11	25	23	19	
All other	430	6	2	1	11	144	168	61	26	8	2	1	101	4	-	-	3	28	30	12	8	8	5	3	
Black	422	6	2	1	10	142	164	61	25	8	2	1	97	4	-	-	3	27	30	11	8	6	5	3	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	12,801	1	10	43	43	120	348	979	2,384	4,224	3,502	1,147	11,820	3	11	23	30	130	446	1,033	1,963	3,381	3,210	1,590	
White	10,749	1	9	30	35	88	256	755	1,912	3,586	3,085	992	10,164	3	9	15	23	97	340	796	1,583	2,914	2,925	1,459	
All other	2,052	-	1	13	8	32	92	224	472	638	417	155	1,656	-	2	8	7	33	106	237	380	467	285	131	
Black	1,958	-	1	13	8	30	85	216	452	607	397	149	1,578	-	2	8	7	28	101	221	367	449	268	127	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	237	-	-	-	-	2	10	38	66	68	40	13	128	1	-	-	-	2	5	21	23	27	34	15	
White	179	-	-	-	-	1	2	26	46	55	36	13	102	1	-	-	-	1	2	15	13	23	33	14	
All other	58	-	-	-	-	1	8	12	20	13	4	-	26	-	-	-	-	1	3	6	10	4	1	1	
Black	54	-	-	-	-	1	8	12	18	11	4	-	24	-	-	-	-	1	2	5	10	4	1	1	
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,204	-	-	-	1	15	85	258	617	1,046	890	292	2,847	-	-	-	5	19	42	154	369	768	919	571	
White	2,662	-	-	-	1	9	54	200	492	881	773	252	2,418	-	-	-	4	9	27	114	278	638	824	524	
All other	542	-	-	-	-	6	31	58	125	165	117	40	429	-	-	-	1	10	15	40	91	130	95	47	
Black	496	-	-	-	-	5	25	52	118	152	105	39	401	-	-	-	1	7	13	35	90	122	88	45	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,309	-	-	-	1	9	77	339	997	1,630	1,047	209	2,542	-	-	-	1	5	55	228	583	906	613	171	
White	3,579	-	-	-	-	6	54	246	776	1,393	922	182	2,184	-	-	-	4	37	166	465	793	563	156	-	
All other	730	-	-	-	-	1	3	23	93	221	237	125	358	-	-	-	-	1	18	62	98	113	50	15	
Black	709	-	-	-	-	1	3	23	92	215	230	121	24	-	-	-	-	1	18	61	94	111	48	14	
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	1	1	1	2	2	1	2,156	-	-	-	-	24	156	295	406	573	464	238	
White	6	-	-	-	-	-	1	1	1	2	2	1	1,884	-	-	-	-	15	120	235	344	506	443	221	
All other	2	-	-	-	-	-	-	-	-	-	-	-	272	-	-	-	-	9	36	60	62	67	21	17	
Black	1	-	-	-	-	-	-	-	-	-	-	-	262	-	-	-	-	8	34	58	59	66	20	17	
Malignant neoplasms of genital organs (179-187)	1,523	-	-	-	1	3	4	18	114	452	616	315	1,191	-	-	-	-	18	80	131	188	352	298	124	
White	1,208	-	-	-	1	2	3	13	83	356	504	246	978	-	-	-	-	13	58	100	145	291	260	111	
All other	315	-	-	-	-	1	1	5	31	96	112	69	213	-	-	-	-	5	22	31	43	61	38	13	
Black	307	-	-	-	-	1	1	5	29	91	111	69	201	-	-	-	-	4	22	26	40	59	37	13	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 277

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 76 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Malignant neoplasms of urinary organs (188-189)	638	-	-	2	-	2	6	47	101	196	203	81	390	-	1	3	-	2	10	20	45	90	145	74
White	586	-	-	2	-	5	40	91	174	197	77	338	-	1	2	-	2	7	15	33	83	130	65	
All other	52	-	-	-	-	2	1	7	10	22	6	4	52	-	-	1	-	-	3	5	12	7	15	9
Black	51	-	-	-	-	2	1	7	10	22	6	3	52	-	-	1	-	-	3	5	12	7	15	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,593	-	4	28	17	44	87	166	319	499	372	118	1,427	1	6	10	16	32	51	111	234	380	395	191
White	1,386	-	3	17	14	37	75	137	273	379	341	110	1,250	1	4	7	13	27	47	93	195	328	360	175
All other	207	-	1	11	3	7	12	29	45	60	31	8	177	-	2	3	3	5	4	18	39	52	35	16
Black	201	-	1	11	3	6	12	29	43	59	29	8	168	-	2	3	3	5	4	16	38	50	32	15
Leukemia (204-208)	524	1	5	8	13	13	17	32	69	162	146	58	416	1	2	8	5	10	22	33	46	94	114	81
White	479	1	5	7	11	9	16	29	62	145	140	54	366	1	2	6	4	9	20	27	36	79	106	76
All other	45	-	-	1	2	4	1	3	7	17	6	4	50	-	-	2	1	1	2	6	10	15	8	5
Black	39	-	-	1	2	4	-	3	6	14	6	3	46	-	-	2	1	1	2	6	9	13	7	5
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	765	-	1	5	10	32	61	80	101	229	186	60	723	-	2	2	3	18	25	40	89	191	228	125
White	664	-	1	4	8	24	46	64	89	201	170	57	644	-	2	-	2	17	22	31	74	173	206	117
All other	101	-	-	1	2	8	15	16	12	28	16	3	79	-	-	2	1	1	3	9	15	18	22	8
Black	100	-	-	1	2	8	15	16	12	28	15	3	76	-	-	2	1	1	3	9	15	17	20	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	163	-	2	1	3	6	9	11	23	37	48	23	216	3	1	5	1	4	6	14	11	43	82	46
White	134	-	1	1	3	6	8	11	19	31	42	20	191	3	1	5	1	3	6	10	8	40	73	41
All other	29	-	1	-	-	3	3	3	4	6	6	3	25	-	-	-	-	1	-	4	3	3	9	5
Black	26	-	1	-	-	3	3	1	3	6	6	3	23	-	-	-	-	1	-	4	2	3	9	5
Diabetes mellitus (250)	1,017	-	-	1	4	16	37	90	154	315	280	120	1,375	-	-	-	4	12	33	59	160	384	432	291
White	818	-	-	-	1	11	17	63	121	257	242	106	1,068	-	-	-	2	9	22	36	104	299	343	253
All other	199	-	-	1	3	5	20	27	33	58	38	14	307	-	-	-	2	3	11	23	56	85	89	38
Black	167	-	-	1	3	5	20	27	31	53	33	14	295	-	-	-	2	3	11	23	51	81	86	38
Nutritional deficiencies (260-269)	56	-	-	-	1	1	2	1	4	6	20	21	81	1	-	-	-	-	1	2	1	4	26	46
White	46	-	-	-	1	-	2	1	2	5	15	20	70	1	-	-	-	-	1	2	1	3	22	40
All other	10	-	-	-	-	-	-	-	2	1	5	1	11	-	-	-	-	-	-	-	-	1	4	6
Black	10	-	-	-	-	1	-	-	2	1	5	1	11	-	-	-	-	-	-	-	-	1	4	6
Anemias (280-285)	96	1	1	1	7	6	5	4	7	13	28	29	142	-	-	2	3	4	5	3	4	22	39	60
White	69	-	-	-	2	1	1	-	5	12	26	22	115	-	-	1	-	1	3	3	3	19	36	49
All other	27	1	1	1	5	5	4	4	2	1	2	1	27	-	-	1	3	3	2	-	1	3	3	11
Black	27	1	1	1	5	5	4	4	2	1	2	1	25	-	-	1	2	3	2	-	1	3	3	10
Meningitis (320-322)	17	2	-	-	-	1	4	2	4	-	1	3	19	4	1	-	1	-	3	1	2	1	3	3
White	12	2	-	-	-	1	2	1	3	-	1	2	12	1	1	-	1	-	1	-	2	-	3	3
All other	5	-	-	-	-	2	1	1	-	-	-	1	7	3	-	-	-	-	2	1	-	1	-	-
Black	5	-	-	-	-	2	1	1	-	-	-	1	7	3	-	-	-	-	2	1	-	1	-	-
Major cardiovascular diseases (390-448)	20,547	20	15	10	40	139	550	1,347	2,720	5,419	6,366	3,919	22,974	19	10	8	33	90	282	576	1,325	3,725	7,420	9,505
White	17,687	9	9	8	24	81	348	962	2,127	4,679	5,807	3,631	20,063	13	7	5	23	50	145	361	924	3,042	6,646	8,866
All other	2,860	11	6	2	16	58	202	385	593	740	559	288	2,891	6	3	3	10	40	117	215	401	683	774	639
Black	2,729	11	6	2	15	56	193	372	570	707	525	272	2,776	6	3	3	10	39	113	205	391	648	740	618
Diseases of heart (390-398,402,404-429)	16,829	13	13	6	32	113	450	1,203	2,349	4,531	5,029	3,089	17,634	14	8	7	28	67	184	431	1,058	2,919	5,662	7,255
White	14,497	6	7	5	18	63	295	879	3,922	4,580	2,864	1,540	15,410	9	6	4	19	38	101	269	741	2,400	5,058	6,764
All other	2,332	7	6	1	14	50	155	324	492	609	449	225	2,224	5	2	3	9	29	83	162	317	519	604	491
Black	2,225	7	6	1	13	49	147	312	475	583	419	213	2,137	5	2	3	9	28	82	155	311	493	577	472
Rheumatic fever and rheumatic heart disease (390-398)	69	-	-	-	2	2	3	6	8	17	25	6	165	-	1	-	3	3	9	14	13	39	54	29
White	63	-	-	-	2	1	2	5	8	15	24	6	146	-	1	-	2	2	5	9	11	35	52	29
All other	6	-	-	-	-	1	1	1	-	2	1	-	19	-	-	-	1	4	5	2	4	4	2	-
Black	6	-	-	-	-	1	1	1	-	2	1	-	17	-	-	-	1	1	4	5	1	3	2	-
Hypertensive heart disease (402)	478	-	-	-	6	29	63	92	134	105	49	571	-	-	-	-	5	14	36	51	104	168	193	
White	275	-	-	-	2	10	25	49	75	75	39	379	-	-	-	-	2	5	9	15	59	124	165	
All other	203	-	-	-	4	19	38	43	59	30	10	192	-	-	-	-	3	9	27	36	45	44	28	
Black	202	-	-	-	4	19	38	43	59	29	10	189	-	-	-	-	3	9	26	35	45	43	28	
Hypertensive heart and renal disease (404)	34	-	-	-	1	2	4	4	10	7	6	64	-	-	-	-	-	-	1	2	9	14	17	21
White	18	-	-	-	-	3	2	3	5	5	5	42	-	-	-	-	-	-	-	3	6	14	19	
All other	16	-	-	-	1	2	1	2	7	2	1	22	-	-	-	-	-	-	1	2	6	8	3	2
Black	16	-	-	-	1	2	1	2	7	2	1	22	-	-	-	-	-	-	1	2	6	8	3	2
Ischemic heart disease (410-414)	11,548	-	-	1	1	30	240	713	1,475	3,173	3,660	2,255	12,139	1	-	1	2	8	69	207	653	1,969	3,990	5,239
White	10,460	-	-	1	1	23	195	589	1,277	2,867	3,406	2,101	10,913	-	-	1	1	6	43	144	492	1,685	3,626	4,915
All other	1,088	-	-	-	-	7	45	124	198	306	254	154	1,226	1	-	-								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 278

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 77 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ILLINOIS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	48	-	-	-	-	-	1	4	9	20	7	7	46	-	-	-	-	-	-	1	4	8	14	19
White	41	-	-	-	-	-	1	4	9	15	7	5	44	-	-	-	-	-	1	3	7	14	19	
All other	7	-	-	-	-	-	-	-	-	5	-	2	2	-	-	-	-	-	-	1	1	-	-	
Black	6	-	-	-	-	-	-	-	-	5	-	1	2	-	-	-	-	-	-	1	1	-	-	
Angina pectoris (413)	14	-	-	-	-	-	1	1	2	6	4	-	24	-	-	-	-	-	1	1	2	1	9	10
White	11	-	-	-	-	-	1	-	2	5	3	-	19	-	-	-	-	-	-	1	1	8	9	
All other	3	-	-	-	-	-	-	1	-	1	1	-	5	-	-	-	-	-	1	1	1	-	1	
Black	3	-	-	-	-	-	1	-	1	1	1	-	5	-	-	-	-	1	1	1	-	1	1	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	5,133	-	-	-	-	17	109	230	512	1,296	1,705	1,264	6,188	1	-	1	-	1	29	71	238	779	1,873	3,175
White	4,672	-	-	-	-	12	86	177	441	1,164	1,603	1,189	5,632	-	-	1	-	1	15	49	177	672	1,713	3,004
All other	461	-	-	-	-	5	23	53	71	132	102	75	536	1	-	-	-	-	14	22	61	107	160	171
Black	425	-	-	-	-	5	20	53	66	121	89	71	505	1	-	-	-	-	14	22	59	97	153	159
Other diseases of endocardium (424)	258	1	1	1	2	1	13	8	26	61	87	57	332	-	1	-	1	3	2	9	13	41	127	135
White	228	-	-	-	1	1	6	4	23	56	85	52	303	-	1	-	1	2	2	6	10	35	117	129
All other	30	1	1	1	1	-	7	4	3	5	2	5	29	-	-	-	-	1	-	3	3	6	10	6
Black	30	1	1	1	1	-	7	4	3	5	2	5	29	-	-	-	-	1	-	3	3	5	10	5
All other forms of heart disease (415-423,425-429)	4,442	12	12	4	27	73	163	409	744	1,136	1,145	716	4,363	13	6	6	22	48	89	163	319	752	1,306	1,638
White	3,453	6	7	4	14	36	82	253	498	906	985	681	3,627	9	4	3	15	26	46	101	210	580	1,125	1,507
All other	989	6	5	-	13	37	81	156	246	230	160	55	736	4	2	3	7	22	43	62	109	172	181	131
Black	964	6	5	-	12	36	79	149	243	226	154	54	717	4	2	3	7	21	42	60	109	164	178	127
Hypertension with or without renal disease (401,403)	204	-	-	-	3	2	5	14	22	49	72	37	312	-	-	-	-	-	5	15	21	57	104	110
White	164	-	-	-	2	-	7	15	25	42	64	32	240	-	-	-	-	-	1	6	8	39	87	99
All other	40	-	-	-	1	2	3	7	7	7	8	5	72	-	-	-	-	-	4	9	13	18	17	11
Black	39	-	-	-	1	2	3	7	7	7	7	5	69	-	-	-	-	-	4	9	12	18	15	11
Cerebrovascular diseases (430-438)	2,653	7	1	3	5	16	80	107	245	600	980	609	4,126	3	2	-	3	15	64	114	213	612	1,352	1,748
White	2,242	3	1	2	4	12	38	64	169	493	896	560	3,606	3	1	-	3	7	42	76	146	485	1,217	1,626
All other	411	4	-	1	1	4	42	43	76	107	84	49	520	-	1	-	-	8	22	38	67	127	135	122
Black	390	4	-	1	1	3	41	42	71	101	81	45	500	-	1	-	-	8	21	35	64	120	131	120
Intracerebral and other intracranial hemorrhage (431-432)	496	3	-	-	1	9	37	45	81	131	144	45	599	1	-	-	-	6	23	50	59	134	199	127
White	379	-	-	-	-	6	15	24	48	115	135	36	498	1	-	-	-	3	13	31	39	110	183	118
All other	117	3	-	-	1	3	22	21	33	16	9	9	101	-	-	-	-	3	10	19	20	24	16	9
Black	107	3	-	-	1	2	21	20	30	14	8	8	92	-	-	-	-	3	10	17	20	19	15	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	333	1	-	-	-	-	4	9	32	67	124	96	550	1	-	-	-	-	-	7	18	70	207	247
White	285	1	-	-	-	-	1	5	23	54	111	90	486	1	-	-	-	-	-	5	14	56	184	226
All other	48	-	-	-	-	-	3	4	9	13	13	6	64	-	-	-	-	-	-	2	4	14	23	21
Black	48	-	-	-	-	-	3	4	9	13	13	6	64	-	-	-	-	-	-	2	4	14	23	21
Cerebral embolism (434.1)	13	-	-	-	-	-	-	-	1	1	7	4	17	-	-	-	-	-	-	-	1	3	8	5
White	13	-	-	-	-	-	-	-	1	1	7	4	15	-	-	-	-	-	-	-	1	2	8	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,811	3	1	3	4	7	39	53	131	401	705	464	2,960	1	2	-	3	9	41	57	135	405	938	1,369
White	1,565	2	1	2	4	6	22	35	97	323	643	430	2,607	1	1	-	3	4	29	40	92	317	842	1,278
All other	246	1	-	1	-	1	17	18	34	78	62	34	353	-	1	-	-	5	12	17	43	88	96	91
Black	235	1	-	1	-	1	17	18	32	74	60	31	342	-	1	-	-	5	11	16	40	86	93	90
Atherosclerosis (440)	224	-	-	-	-	-	2	15	33	79	95	396	-	-	-	-	-	-	1	9	31	112	243	
White	210	-	-	-	-	-	1	13	29	77	90	377	-	-	-	-	-	-	1	9	25	107	235	
All other	14	-	-	-	-	-	1	2	4	2	5	19	-	-	-	-	-	-	-	-	6	5	8	
Black	14	-	-	-	-	-	1	2	4	2	5	19	-	-	-	-	-	-	-	-	6	5	8	
Other diseases of arteries, arterioles, and capillaries (441-448)	637	-	1	1	-	8	15	21	89	206	206	89	506	2	-	1	2	8	9	15	24	106	190	149
White	574	-	1	1	-	6	13	11	73	193	190	85	450	1	-	1	1	5	1	9	20	93	177	142
All other	63	-	-	-	-	2	2	10	16	13	16	4	56	1	-	-	1	3	8	6	4	13	13	7
Black	61	-	-	-	-	2	2	10	15	12	16	4	51	1	-	-	1	3	6	6	4	11	12	7
Acute bronchitis and bronchiolitis (466)	10	1	-	-	-	-	1	-	-	1	4	3	13	2	-	-	-	-	-	-	-	1	1	9
White	9	-	-	-	-	-	1	-	-	1	4	3	11	1	-	-	-	-	-	-	-	1	1	8
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia and influenza (480-487)	1,664	18	6	4	7	33	61	54	110	294	574	503	1,885	15	6	2	4	13	32	32	64	204	537	976
White	1,373	6	1	3	4	20	35	27	78	234	508	457	1,648	7	3	2	3	6	17	24	46	165	476	899
All other	291	12	5	1	3	13	26	27	32	60	66	46	237	8	3	-	1	7	15	8	18	39	61	77
Black	280	12	5	1	3	12	26	26	32	58	63	42	227	8	3	-	1	5	15	8	18	39	58	72

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 280

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 79 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male										Female														
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
ILLINOIS—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	39	-	-	-	-	-	2	1	6	9	12	9	36	-	-	-	-	-	4	2	3	17	12		
White	36	-	-	-	-	-	1	1	5	8	12	9	30	-	-	-	-	-	3	1	2	15	9		
All other	3	-	-	-	-	-	1	-	1	1	-	-	6	-	-	-	-	-	1	1	1	2	3		
Black	3	-	-	-	-	-	1	-	1	1	-	-	7	-	-	-	-	-	1	-	1	2	3		
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	626	3	1	1	1	12	29	22	56	146	201	154	661	6	1	-	-	6	12	21	38	124	217	236	
White	486	2	1	1	1	3	12	12	34	112	173	135	511	5	1	-	-	5	8	16	93	184	199		
All other	140	1	-	-	-	9	17	10	22	34	28	19	150	1	-	-	-	6	7	13	22	31	39	37	
Black	137	1	-	-	-	9	15	10	22	34	28	18	149	1	-	-	-	6	7	13	22	31	32	37	
Infections of kidney (590)	13	-	-	-	-	1	1	-	-	1	4	6	29	-	-	-	-	-	2	2	2	4	7	12	
White	11	-	-	-	-	1	-	-	-	-	4	6	24	-	-	-	-	-	2	2	2	3	6	11	
All other	2	-	-	-	-	-	1	-	-	1	-	-	5	-	-	-	-	-	2	-	2	1	1	1	
Black	2	-	-	-	-	-	1	-	-	1	-	-	5	-	-	-	-	-	2	-	-	1	1	1	
Hyperplasia of prostate (600)	16	-	-	-	-	-	-	-	-	3	4	9	
White	13	-	-	-	-	-	-	-	-	2	3	8	
All other	3	-	-	-	-	-	-	-	-	1	1	1	
Black	3	-	-	-	-	-	-	-	-	1	1	1	
Complications of pregnancy, childbirth, and the puerperium (630-676)	11	1	6	3	1	-	
White	2	-	1	1	-	-	
All other	9	1	5	2	1	-	
Black	9	1	5	2	1	-	
Pregnancy with abortive outcome (630-638)	1	1	-	-	-	-	
White	1	1	-	-	-	-	
All other	1	1	-	-	-	-	
Black	1	1	-	-	-	-	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	10	-	6	3	1	-	
White	2	-	1	1	-	-	
All other	8	-	5	2	1	-	
Black	8	-	5	2	1	-	
Congenital anomalies (740-759)	314	200	20	10	18	14	8	8	5	10	16	5	306	191	18	8	10	11	9	10	8	13	17	11	
White	230	143	12	6	9	13	6	7	4	9	16	5	228	133	8	7	9	10	7	9	8	11	15	11	
All other	84	57	8	4	9	1	2	1	1	1	-	-	78	58	10	1	1	1	2	1	-	2	2	-	
Black	77	51	8	4	8	1	2	1	1	1	-	-	70	53	9	1	1	1	2	-	-	2	1	-	
Certain conditions originating in the perinatal period (760-779)	494	492	1	1	-	-	-	-	-	-	-	-	401	397	2	-	-	1	-	-	-	1	-	-	
White	246	244	1	1	-	-	-	-	-	-	-	-	220	217	1	-	-	1	-	-	-	1	-	-	
All other	248	248	-	-	-	-	-	-	-	-	-	-	181	180	1	-	-	-	-	-	-	-	-	-	
Black	243	243	-	-	-	-	-	-	-	-	-	-	177	176	1	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	98	98	-	-	-	-	-	-	-	-	-	-	76	76	-	-	-	-	-	-	-	-	-	-	
White	53	53	-	-	-	-	-	-	-	-	-	-	50	50	-	-	-	-	-	-	-	-	-	-	
All other	45	45	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-	
Black	45	45	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	396	394	1	1	-	-	-	-	-	-	-	-	325	321	2	-	-	1	-	-	-	1	-	-	
White	193	191	1	1	-	-	-	-	-	-	-	-	170	167	1	-	-	1	-	-	-	1	-	-	
All other	203	203	-	-	-	-	-	-	-	-	-	-	155	154	1	-	-	-	-	-	-	-	-	-	
Black	198	198	-	-	-	-	-	-	-	-	-	-	151	150	1	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	464	192	4	3	20	48	53	25	26	38	37	18	405	149	9	1	11	15	24	17	18	20	57	84	
White	286	93	2	-	14	30	32	17	16	32	32	18	268	60	6	-	3	10	15	14	15	19	49	77	
All other	178	99	2	3	6	18	21	8	10	6	5	-	137	89	3	1	8	5	9	3	3	1	8	7	
Black	174	96	2	3	5	18	21	8	10	6	5	-	133	86	3	1	8	5	8	2	3	1	7	7	
All other diseases (Residual)	3,895	58	28	22	53	99	230	309	408	847	1,119	722	4,812	37	19	30	40	69	131	161	318	716	1,400	1,891	
White	3,171	36	20	13	42	61	131	197	309	726	988	648	4,132	23	14	22	26	39	82	115	238	584	1,251	1,738	
All other	724	22	8	9	11	38	99	112	99	121	131	74	680	14	5	8	14	30	49	46	80	132	149	153	
Black	701	21	7	9	11	38	97	108	98	118	127	67	652	13	5	8	12	29	47	42	77	127	146	146	
Accidents and adverse effects (E800-E949)	2,355	24	58	78	393	469	402	238	179	200	206	108	1,156	20	43	43	141	134	112	84	85	109	196	189	
White	1,846	9	37	47	326	373	287	175	141	171	183	97	924	12	21	24	119	91	83	58	66	92	178	180	
All other	509	15	21	31	67	96	115	63	38	29	23	11	232	8	22	19	22	43	29	26	19	17	18	9	
Black	491	15	21	30	65	92	114	60	35	28	22	9	217	8	21	18	21	42	26	23	18	14	17	9	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 282

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 81 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Viral hepatitis (070)	17	-	-	-	-	3	1	4	4	2	2	1	10	-	-	-	-	-	2	2	3	-	3	-
White	13	-	-	-	-	3	-	3	3	1	2	1	10	-	-	-	-	-	2	2	3	-	3	-
All other	4	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	321	4	3	2	6	105	111	39	22	14	12	3	74	-	1	2	3	10	14	7	11	9	11	6
White	263	2	1	2	5	81	90	36	17	14	12	3	61	-	1	1	3	9	7	5	10	9	10	6
All other	58	2	2	-	1	24	21	3	5	-	-	-	13	-	-	1	-	1	7	2	1	-	1	-
Black	58	2	2	-	1	24	21	3	5	-	-	-	13	-	-	1	-	1	7	2	1	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,360	2	1	5	22	52	171	464	1,211	2,157	1,727	548	5,668	1	4	14	12	69	206	470	945	1,660	1,535	752
White	5,831	2	1	5	21	47	153	416	1,092	1,973	1,601	520	5,250	1	4	10	11	57	184	419	859	1,539	1,450	716
All other	529	-	-	-	1	5	18	48	119	184	126	28	418	-	-	4	1	12	22	51	86	121	85	36
Black	520	-	-	-	1	5	18	47	116	180	125	28	408	-	-	4	1	12	19	48	83	120	85	36
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	74	-	-	-	1	-	5	6	17	25	18	2	46	-	-	-	-	-	1	3	8	17	6	11
White	68	-	-	-	1	-	5	4	13	25	18	2	42	-	-	-	-	-	1	2	6	16	6	11
All other	6	-	-	-	-	-	-	2	4	-	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Black	6	-	-	-	-	-	-	2	4	-	-	-	4	-	-	-	-	-	-	1	2	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,445	-	-	-	2	6	29	115	255	500	396	142	1,278	-	-	1	-	10	30	53	163	354	392	275
White	1,309	-	-	-	2	5	23	98	232	445	370	134	1,182	-	-	1	-	9	26	48	148	323	366	261
All other	136	-	-	-	-	1	6	17	23	55	26	8	96	-	-	-	-	1	4	5	15	31	26	14
Black	131	-	-	-	-	1	6	16	21	54	25	8	95	-	-	-	-	1	4	5	14	31	26	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,351	1	-	-	2	4	37	174	555	914	562	102	1,331	-	-	-	-	3	18	122	295	502	325	66
White	2,144	1	-	-	2	4	31	152	499	838	518	99	1,236	-	-	-	-	2	15	108	266	469	311	65
All other	207	-	-	-	-	4	6	22	56	76	44	3	95	-	-	-	-	1	3	14	29	33	14	1
Black	207	-	-	-	-	6	22	56	76	44	3	3	91	-	-	-	-	1	2	13	27	33	14	1
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	1	1	1	1	964	-	-	1	1	14	69	143	192	272	179	93
White	3	-	-	-	-	-	-	-	1	1	1	-	887	-	-	-	1	11	63	127	179	249	169	88
All other	1	-	-	-	-	-	-	-	-	-	-	1	77	-	-	1	-	3	6	16	13	23	10	5
Black	1	-	-	-	-	-	-	-	-	-	-	1	75	-	-	1	-	3	6	15	13	22	10	5
Malignant neoplasms of genital organs (179-187)	719	-	-	-	-	1	6	4	51	229	281	147	613	-	-	-	-	6	30	54	92	170	181	80
White	637	-	-	-	-	1	6	4	37	206	248	135	562	-	-	-	-	5	26	47	82	160	169	73
All other	82	-	-	-	-	-	-	-	14	23	33	12	51	-	-	-	-	1	4	7	10	10	12	7
Black	81	-	-	-	-	-	-	-	14	22	33	12	50	-	-	-	-	1	3	7	10	10	12	7
Malignant neoplasms of urinary organs (188-189)	330	-	-	-	-	1	9	28	50	87	109	46	176	-	-	1	1	2	3	8	26	43	62	30
White	309	-	-	-	-	1	9	27	46	79	101	46	165	-	-	-	1	2	2	8	25	40	58	29
All other	21	-	-	-	-	-	1	4	8	8	8	-	11	-	-	1	-	-	1	-	1	3	4	1
Black	21	-	-	-	-	-	1	4	8	8	8	-	11	-	-	1	-	-	1	-	1	3	4	1
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	829	-	-	4	7	17	52	86	171	234	197	61	707	1	2	7	4	16	39	51	107	180	202	96
White	789	-	-	4	6	13	50	83	160	220	194	59	660	1	2	5	4	14	37	46	98	168	190	95
All other	40	-	-	-	1	4	2	3	11	14	3	2	47	-	-	2	-	2	2	5	9	12	12	3
Black	39	-	-	-	1	4	2	3	11	13	3	2	46	-	-	2	-	2	2	4	9	12	12	3
Leukemia (204-208)	245	1	1	1	7	10	17	20	37	71	61	19	204	-	2	4	4	11	6	14	28	38	55	42
White	233	1	1	1	7	10	16	19	36	67	56	19	189	-	2	4	3	9	5	14	24	37	53	38
All other	12	-	-	-	-	-	1	1	1	4	5	-	15	-	-	-	1	2	1	-	4	1	2	4
Black	11	-	-	-	-	-	1	1	1	3	5	-	15	-	-	-	1	2	1	-	4	1	2	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	363	-	-	-	3	13	16	31	74	96	102	28	349	-	-	-	2	7	10	22	34	84	133	57
White	339	-	-	-	3	13	13	29	68	92	95	26	327	-	-	-	2	5	9	19	31	77	128	56
All other	24	-	-	-	-	-	3	2	6	4	7	2	22	-	-	-	-	2	1	3	3	7	5	1
Black	23	-	-	-	-	-	3	2	5	4	7	2	21	-	-	-	-	2	1	3	3	7	5	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	90	-	1	-	2	6	2	7	10	37	14	11	92	-	-	1	-	-	3	3	10	21	29	25
White	83	-	1	-	2	6	1	7	10	32	13	11	86	-	-	1	-	-	3	3	9	19	28	23
All other	7	-	-	-	-	-	1	-	-	5	1	-	6	-	-	-	-	-	-	-	1	2	1	2
Black	7	-	-	-	-	-	1	-	-	5	1	-	6	-	-	-	-	-	-	-	1	2	1	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 283

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 82 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA--Con.																								
Diabetes mellitus (250)	506	-	-	-	1	10	25	48	83	136	139	64	749	-	-	-	-	8	11	30	89	198	249	164
White	433	-	-	-	1	9	21	35	70	114	123	60	621	-	-	-	-	5	10	24	70	160	209	143
All other	73	-	-	-	-	1	4	13	13	22	16	4	128	-	-	-	-	3	1	6	19	38	40	21
Black	70	-	-	-	-	1	3	12	13	22	15	4	128	-	-	-	-	3	1	6	19	38	40	21
Nutritional deficiencies (260-269)	36	1	-	-	-	1	-	4	-	1	16	13	58	-	-	-	-	1	-	2	4	2	14	35
White	34	1	-	-	-	1	-	4	-	1	15	12	45	-	-	-	-	-	-	2	2	2	13	28
All other	2	-	-	-	-	-	-	-	-	-	1	1	13	-	-	-	-	1	-	2	2	-	1	7
Black	2	-	-	-	-	-	-	-	-	-	1	1	13	-	-	-	-	1	-	2	2	-	1	7
Anemias (280-285)	47	-	-	-	2	1	4	1	2	12	12	13	73	-	1	1	-	2	2	2	4	10	20	31
White	43	-	-	-	1	1	3	1	2	10	12	13	62	-	1	-	-	1	1	1	4	9	17	29
All other	4	-	-	-	-	-	1	-	-	2	-	-	11	-	-	1	-	2	1	1	-	1	3	2
Black	4	-	-	-	1	-	1	-	-	2	-	-	11	-	-	1	-	2	1	1	-	1	3	2
Meningitis (320-322)	14	3	-	1	2	-	-	-	1	2	3	2	6	1	-	1	-	-	1	-	-	2	1	-
White	11	1	-	1	2	-	-	-	1	2	3	2	4	1	-	1	-	-	1	-	-	1	1	-
All other	3	2	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Black	3	2	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,152	10	6	4	15	61	224	535	1,334	2,687	3,277	1,999	11,460	8	5	4	10	27	96	227	615	1,818	3,742	4,908
White	9,471	9	4	4	10	52	182	484	1,206	2,518	3,087	1,905	10,679	6	4	2	9	21	70	183	540	1,646	3,510	4,688
All other	681	1	2	-	5	9	42	51	128	169	180	94	781	2	1	2	1	6	26	44	75	172	232	220
Black	662	1	2	-	5	7	42	49	125	166	177	88	762	2	1	1	1	6	26	41	74	170	226	214
Diseases of heart (390-398,402,404-429)	8,199	7	5	2	13	50	195	467	1,170	2,200	2,604	1,486	8,507	6	4	3	8	19	61	168	501	1,437	2,723	3,577
White	7,672	6	3	2	8	41	163	426	1,073	2,072	2,464	1,414	7,836	4	3	1	7	16	46	136	441	1,366	2,561	3,415
All other	527	1	2	-	5	9	32	41	97	128	140	72	571	2	1	2	1	3	15	32	60	131	162	162
Black	512	1	2	-	5	7	32	41	94	125	138	67	559	2	1	1	1	3	15	30	59	129	159	159
Rheumatic fever and rheumatic heart disease (390-398)	36	-	-	-	-	2	1	2	5	9	12	5	81	-	-	-	1	1	2	2	11	18	31	15
White	35	-	-	-	-	1	1	2	5	9	12	5	78	-	-	-	1	1	2	2	11	16	31	14
All other	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-	1	1
Hypertensive heart disease (402)	119	-	-	-	-	6	8	23	28	33	21	219	-	-	-	-	-	-	4	12	43	67	81	75
White	97	-	-	-	-	5	5	19	21	28	19	174	-	-	-	-	-	-	4	9	30	56	75	6
All other	22	-	-	-	-	1	3	4	7	5	2	39	-	-	-	-	-	-	2	4	13	11	6	6
Black	22	-	-	-	-	1	3	4	7	5	2	39	-	-	-	-	-	-	2	4	13	11	6	6
Hypertensive heart and renal disease (404)	24	-	-	-	-	-	-	2	4	8	10	49	-	-	-	-	-	-	-	2	8	12	27	26
White	23	-	-	-	-	-	-	2	4	7	10	44	-	-	-	-	-	-	-	2	6	10	26	1
All other	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	2	1	1
Ischemic heart disease (410-414)	6,081	1	-	-	3	24	115	382	912	1,704	1,951	1,009	5,650	-	-	-	2	8	30	107	339	984	1,855	2,315
White	5,735	1	-	-	2	20	102	338	851	1,616	1,847	960	5,323	-	-	-	2	7	25	94	302	920	1,769	2,204
All other	346	-	-	-	1	4	13	26	61	88	104	49	327	-	-	-	-	1	5	13	37	74	86	111
Black	337	-	-	-	1	3	13	26	58	85	104	47	319	-	-	-	-	1	5	12	36	74	83	108
Acute myocardial infarction (410)	3,029	1	-	-	1	17	67	217	519	898	924	387	2,545	-	-	-	1	4	14	68	194	563	895	806
White	2,899	1	-	-	1	14	65	207	490	860	886	376	2,440	-	-	-	1	3	12	62	178	530	867	787
All other	130	-	-	-	1	3	2	10	29	36	38	11	105	-	-	-	-	1	2	6	16	33	28	19
Black	125	-	-	-	1	2	2	10	28	34	38	10	103	-	-	-	-	1	2	6	16	33	27	18
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	1	1	1	4	1	11	-	-	-	-	-	-	-	-	3	5	3	3
White	8	-	-	-	-	-	1	1	1	4	1	10	-	-	-	-	-	-	-	-	3	4	3	3
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	10	-	-	-	1	-	-	1	-	-	4	4	10	-	-	-	-	-	-	-	-	2	5	3
White	10	-	-	-	1	-	-	1	-	-	4	4	10	-	-	-	-	-	-	-	-	2	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,034	-	-	-	1	7	48	143	392	807	1,019	617	3,084	-	-	-	1	4	16	39	145	426	950	1,503
White	2,818	-	-	-	1	6	37	127	360	755	953	579	2,863	-	-	-	1	4	13	32	124	385	893	1,411
All other	216	-	-	-	-	1	11	16	32	52	66	38	221	-	-	-	-	3	7	21	41	57	92	92
Black	212	-	-	-	-	1	11	16	30	51	66	37	215	-	-	-	-	3	6	20	41	55	90	90
Other diseases of endocardium (424)	125	-	-	-	1	1	4	6	9	22	47	35	190	-	-	-	-	1	2	1	4	16	84	82
White	119	-	-	-	1	1	1	6	8	22	47	33	177	-	-	-	-	1	-	3	16	77	80	80
All other	6	-	-	-	-	-	3	-	1	-	-	2	13	-	-	-	-	2	1	1	-	7	2	2
Black	6	-	-	-	-	-	3	-	1	-	-	2	13	-	-	-	-	2	1	1	-	7	2	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 284

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 83 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
All other forms of heart disease (415-423,425-429)	1,814	6	5	2	9	23	69	89	219	433	553	406	2,324	6	4	3	5	9	25	50	133	358	674	1,057
White	1,663	5	3	2	5	19	54	77	188	400	523	387	2,140	4	3	1	4	7	19	36	114	318	618	1,016
All other	151	1	2	-	4	4	15	12	31	33	30	19	184	2	1	2	1	2	6	14	19	40	56	41
Black	146	1	2	-	4	4	15	12	31	33	28	16	180	2	1	1	1	2	6	13	19	38	56	41
Hypertension with or without renal disease (401,403)	109	-	-	-	-	-	2	4	21	26	30	26	125	-	-	-	-	-	3	6	17	49	50	
White	90	-	-	-	-	-	1	3	15	19	27	25	106	-	-	-	-	-	1	4	14	41	46	
All other	19	-	-	-	-	-	1	1	6	7	3	1	19	-	-	-	-	-	2	2	3	8	4	
Black	19	-	-	-	-	-	1	1	6	7	3	1	19	-	-	-	-	-	2	2	3	8	4	
Cerebrovascular diseases (430-438)	1,316	3	1	2	2	7	22	49	102	298	480	350	2,254	2	1	1	1	8	28	46	91	283	783	1,000
White	1,209	3	1	2	2	7	14	43	82	273	451	331	2,107	2	1	1	1	5	18	38	80	268	734	961
All other	107	-	-	-	-	-	8	6	20	25	29	19	147	-	-	-	-	3	10	8	11	27	49	39
Black	104	-	-	-	-	-	8	5	20	25	28	18	143	-	-	-	-	3	10	8	11	27	46	38
Intracerebral and other intracranial hemorrhage (431-432)	197	-	-	-	1	1	10	22	31	49	68	15	263	-	-	-	-	1	7	14	26	57	94	63
White	172	-	-	-	1	1	5	19	24	45	63	14	241	-	-	-	-	1	3	9	25	53	86	63
All other	25	-	-	-	-	-	5	3	7	4	5	1	22	-	-	-	-	4	5	1	4	8	8	-
Black	25	-	-	-	-	-	5	3	7	4	5	1	21	-	-	-	-	4	5	1	4	7	7	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	129	-	-	1	1	-	1	-	12	26	47	41	217	2	1	-	-	-	3	2	10	17	86	96
White	115	-	-	1	1	-	1	-	8	22	45	37	203	2	1	-	-	-	2	2	7	15	81	93
All other	14	-	-	-	-	-	-	-	4	4	2	4	14	-	-	-	-	-	1	-	3	2	5	3
Black	14	-	-	-	-	-	-	-	4	4	2	4	13	-	-	-	-	-	1	-	3	2	5	2
Cerebral embolism (434.1)	5	-	-	-	-	-	-	-	1	1	3	6	6	-	-	-	-	-	-	-	1	1	-	4
White	5	-	-	-	-	-	-	-	1	1	3	6	6	-	-	-	-	-	-	-	1	1	-	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	985	3	1	1	-	6	11	27	59	222	364	291	1,768	-	-	1	-	7	18	30	54	218	603	837
White	917	3	1	1	-	6	8	24	50	205	342	277	1,657	-	-	1	-	4	13	27	47	197	567	801
All other	68	-	-	-	-	-	3	3	9	17	22	14	111	-	-	-	-	3	5	3	7	21	36	36
Black	65	-	-	-	-	-	3	2	9	17	21	13	109	-	-	-	-	3	5	3	7	21	34	36
Atherosclerosis (440)	172	-	-	-	1	2	1	10	29	49	80	317	317	-	-	-	-	-	1	3	3	19	88	203
White	160	-	-	-	1	1	1	8	25	45	79	303	303	-	-	-	-	-	1	3	3	17	83	196
All other	12	-	-	-	-	-	1	-	2	4	4	1	14	-	-	-	-	-	-	-	-	2	5	7
Black	12	-	-	-	-	-	1	-	2	4	4	1	13	-	-	-	-	-	-	-	-	2	5	6
Other diseases of arteries, arterioles, and capillaries (441-448)	356	-	-	-	3	3	14	31	134	114	57	257	257	-	-	1	-	6	7	14	52	99	78	
White	340	-	-	-	3	3	11	28	129	110	56	227	227	-	-	1	-	5	5	12	43	91	70	
All other	16	-	-	-	-	-	3	3	5	4	1	30	30	-	-	-	-	1	2	2	9	8	8	
Black	15	-	-	-	-	-	2	3	5	4	1	28	28	-	-	-	-	1	1	2	9	8	7	
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	2	2	-	7	7	-	-	-	-	-	-	-	-	1	-	6
White	4	-	-	-	-	-	-	-	2	2	-	7	7	-	-	-	-	-	-	-	-	1	-	6
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	815	13	-	2	4	13	14	24	45	142	290	268	881	5	1	-	3	5	6	12	28	102	250	449
White	769	9	-	2	3	12	11	20	40	134	282	256	810	3	1	-	3	4	5	12	24	97	233	428
All other	46	4	-	-	1	1	3	4	5	8	8	12	51	2	-	-	1	1	-	4	5	5	17	21
Black	44	3	-	-	1	1	3	4	5	8	8	11	50	1	-	-	1	1	-	4	4	5	17	21
Pneumonia (480-486)	807	13	-	2	4	12	14	24	45	140	287	266	849	5	1	-	3	5	6	12	27	101	243	446
White	761	9	-	2	3	11	11	20	40	132	279	254	798	3	1	-	3	4	5	12	23	96	226	425
All other	46	4	-	-	1	1	3	4	5	8	8	12	51	2	-	-	1	1	-	4	5	5	17	21
Black	44	3	-	-	1	1	3	4	5	8	8	11	50	1	-	-	1	1	-	4	4	5	17	21
Influenza (487)	8	-	-	-	-	1	-	-	2	3	2	12	12	-	-	-	-	-	-	-	1	1	7	3
White	8	-	-	-	-	1	-	-	2	3	2	12	12	-	-	-	-	-	-	-	1	1	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,251	1	-	-	3	5	8	31	123	410	493	177	1,018	-	-	3	4	2	13	29	113	357	351	146
White	1,188	1	-	-	1	4	5	27	112	390	478	170	978	-	-	1	2	2	11	28	105	347	341	141
All other	63	-	-	-	2	1	3	4	11	20	15	7	40	-	-	2	2	-	2	1	8	10	10	5
Black	63	-	-	-	2	1	3	4	11	20	15	7	39	-	-	2	2	-	2	1	7	10	10	5
Bronchitis, chronic and unspecified (490-491)	45	1	-	-	-	1	1	1	3	13	14	11	54	-	-	-	1	-	-	2	7	16	16	12
White	42	1	-	-	-	1	1	1	3	13	13	10	52	-	-	-	1	-	-	2	7	16	14	12
All other	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	250	-	-	-	-	1	5	22	94	96	32	166	166	-	-	-	-	-	1	5	19	83	50	6
White	240	-	-	-	-	1	5	22	90	94	31	160	160	-	-	-	-	-	1	5	17	82	48	7
All other	10	-	-	-	-	-	-	-	3	4	2	1	6	-	-	-	-	-	-	-	2	1	2	1
Black	10	-	-																					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 285

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 84 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
INDIANA—Con.																								
Asthma (483)	41	-	-	-	3	4	6	4	1	11	9	3	71	-	-	3	3	2	8	4	8	17	15	11
White	36	-	-	-	1	3	4	4	1	11	9	3	61	-	-	1	1	2	7	3	7	15	14	11
All other	5	-	-	-	2	1	2	-	-	-	-	-	10	-	-	2	2	-	1	1	1	2	1	-
Black	5	-	-	-	2	1	2	-	-	-	-	-	10	-	-	2	2	-	1	1	1	2	1	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	915	-	-	-	-	-	21	97	292	374	131	727	-	-	-	-	-	4	18	79	241	270	115	
White	870	-	-	-	-	-	17	89	276	362	128	705	-	-	-	-	-	3	18	74	234	265	111	
All other	45	-	-	-	-	-	4	8	16	12	5	22	-	-	-	-	-	1	1	5	7	5	4	
Black	45	-	-	-	-	-	4	8	16	12	5	21	-	-	-	-	-	1	1	4	7	5	4	
Ulcer of stomach and duodenum (531-533)	46	-	-	-	-	1	1	7	12	17	8	61	-	-	-	-	-	-	1	2	10	30	18	
White	39	-	-	-	-	1	1	6	11	14	7	60	-	-	-	-	-	-	1	2	10	30	17	
All other	7	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	1	
Black	7	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	1	
Appendicitis (540-543)	2	-	-	-	-	-	-	-	-	-	2	7	-	-	-	-	-	1	-	-	1	3	1	
White	2	-	-	-	-	-	-	-	-	-	2	6	-	-	-	-	-	1	-	-	1	3	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	49	1	1	-	1	1	1	2	7	22	13	73	1	1	-	-	-	1	2	1	13	21	33	
White	44	1	1	-	1	1	1	2	6	19	13	70	-	1	-	-	-	1	2	1	12	21	32	
All other	5	-	-	-	-	-	-	1	1	3	-	3	1	-	-	-	-	-	-	-	1	-	1	
Black	5	-	-	-	-	-	-	1	3	-	-	3	-	-	-	-	-	-	-	-	1	-	1	
Chronic liver disease and cirrhosis (571)	314	-	-	-	11	43	53	61	100	40	8	140	-	-	-	-	-	1	6	11	34	43	38	7
White	280	-	-	-	9	34	46	57	92	38	6	129	-	-	-	-	-	6	6	11	32	40	38	7
All other	34	-	-	-	2	9	7	4	8	4	-	11	-	-	-	-	-	1	5	2	3	-	-	
Black	34	-	-	-	2	9	7	4	8	4	-	11	-	-	-	-	-	1	5	2	3	-	-	
Cholelithiasis and other disorders of gallbladder (574-575)	19	-	-	-	-	-	2	1	2	9	5	31	-	-	-	-	-	1	-	-	2	4	11	13
White	19	-	-	-	-	-	2	1	2	9	5	29	-	-	-	-	-	1	-	-	2	4	11	13
All other	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	293	3	-	-	2	4	4	12	16	71	103	78	322	1	-	-	-	3	4	3	21	55	111	124
White	254	1	-	-	1	3	1	8	13	57	97	73	278	-	-	-	-	2	3	2	15	45	95	116
All other	39	2	-	-	1	1	3	4	3	14	6	5	44	1	-	-	-	1	1	1	6	10	16	8
Black	39	2	-	-	1	1	3	4	3	14	6	5	42	1	-	-	-	1	1	1	5	10	16	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	3	-	-	-	-	-	-	-	1	1	1	7	-	-	-	-	-	-	-	-	3	4	-	
White	3	-	-	-	-	-	-	-	1	1	1	6	-	-	-	-	-	-	-	-	3	3	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	12	-	-	-	1	1	-	2	-	1	5	2	15	-	-	-	-	1	-	-	3	-	6	5
White	9	-	-	-	1	-	-	1	-	-	5	2	11	-	-	-	-	1	-	-	2	-	3	5
All other	3	-	-	-	-	1	-	1	-	1	-	1	4	-	-	-	-	-	-	-	1	-	3	-
Black	3	-	-	-	1	-	1	-	1	-	-	1	4	-	-	-	-	-	-	-	1	-	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	278	3	-	-	1	3	4	10	16	69	97	75	300	1	-	-	-	2	4	3	18	52	101	119
White	242	1	-	-	3	1	7	13	56	91	70	281	-	-	-	-	-	1	3	2	13	42	89	111
All other	36	2	-	-	1	3	3	3	13	6	5	39	1	-	-	-	-	1	1	1	5	10	12	8
Black	36	2	-	-	1	3	3	3	13	6	5	37	1	-	-	-	-	1	1	1	4	10	12	8
Infections of kidney (590)	12	-	-	-	-	-	-	-	-	6	8	17	-	-	-	-	-	1	1	1	-	2	3	9
White	11	-	-	-	-	-	-	-	-	6	5	15	-	-	-	-	-	1	1	1	-	1	3	9
All other	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	-	4
White	5	-	-	-	-	-	-	-	-	2	3
All other	1	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	2	1	-	-
White	1	1	-	-	-
All other	2	1	1	-	-
Black	2	1	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 286

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 85 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
INDIANA—Con.																									
Pregnancy with abortive outcome (630-636)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	2	1
White	1	1
All other	2	1	1
Black	2	1	1
Congenital anomalies (740-759)	181	106	13	6	9	5	6	6	8	5	13	4	145	80	8	7	2	2	1	5	5	7	15	13	
White	154	91	9	5	7	4	5	6	6	5	12	4	127	68	7	5	2	2	1	5	5	6	13	13	
All other	27	15	4	1	2	1	1	...	2	...	1	...	18	12	1	2	1	2	...	
Black	27	15	4	1	2	1	1	...	2	...	1	...	17	11	1	2	1	2	...	
Certain conditions originating in the perinatal period (760-779)	194	194	136	135	1	
White	129	129	92	91	1	
All other	65	65	44	44	
Black	63	63	43	43	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	35	18	18	
White	19	19	14	14	
All other	16	16	4	4	
Black	15	15	4	4	
Other conditions originating in the perinatal period (760-766,770-779)	159	159	118	117	1	
White	110	110	78	77	1	
All other	49	49	40	40	
Black	48	48	39	39	
Symptoms, signs, and ill-defined conditions (780-789)	256	97	3	5	16	24	26	17	14	16	14	22	201	50	3	1	9	11	20	7	11	12	30	45	
White	202	78	2	3	9	19	16	12	13	13	13	22	172	39	2	1	5	6	17	6	10	11	29	44	
All other	54	19	1	2	7	5	10	5	1	3	1	...	29	11	1	...	4	5	3	1	1	1	1	1	
Black	53	19	1	2	6	5	10	5	1	3	1	...	29	11	1	...	4	5	3	1	1	1	1	1	
All other diseases (Residual)	1,814	20	8	18	30	50	89	99	192	406	563	339	2,292	12	10	9	12	27	57	80	167	347	744	827	
White	1,635	17	8	14	25	39	68	81	166	375	529	313	2,126	11	8	9	10	20	45	68	147	317	704	787	
All other	179	3	...	4	5	11	21	18	26	31	34	26	166	1	2	...	2	7	12	12	20	30	40	40	
Black	175	3	...	4	5	11	21	18	24	30	34	25	163	1	2	...	2	7	12	12	18	30	39	40	
Accidents and adverse effects (E800-E949)	1,264	13	39	56	260	209	153	95	86	125	146	82	668	8	15	30	85	61	38	44	39	81	130	137	
White	1,153	12	37	48	242	185	134	87	77	117	134	80	624	5	12	28	76	57	37	40	37	78	124	130	
All other	111	1	2	8	18	24	19	8	9	8	12	2	44	3	3	2	9	4	1	4	2	3	6	7	
Black	106	1	2	8	17	22	18	8	9	8	12	1	42	3	3	2	8	4	1	3	2	3	6	7	
Motor vehicle accidents (E810-E825)	646	3	18	28	202	138	81	42	30	53	41	10	308	1	3	20	73	48	25	30	23	38	34	13	
White	597	3	18	24	191	122	74	40	27	51	38	9	290	1	2	19	67	46	24	27	21	38	33	12	
All other	49	4	11	16	7	2	3	2	3	1	18	...	1	1	6	2	1	3	2	...	1	1	
Black	44	4	10	14	6	2	3	2	3	...	16	...	1	1	5	2	1	2	2	...	1	1	
All other accidents and adverse effects (E800-E807, E826-E949)	618	10	21	28	58	71	72	53	56	72	105	72	360	7	12	10	12	13	13	14	16	43	96	124	
White	556	9	19	24	51	63	60	47	50	66	96	71	334	4	10	9	9	11	13	13	16	40	81	118	
All other	62	1	2	4	7	8	12	6	6	6	9	1	26	3	2	1	3	2	...	1	...	3	5	6	
Black	62	1	2	4	7	8	12	6	6	6	9	1	26	3	2	1	3	2	...	1	...	3	5	6	
Suicide (E950-E959)	585	6	95	137	106	77	50	51	52	11	110	1	12	13	26	20	17	16	4	1	
White	557	6	86	127	99	75	50	51	52	11	101	1	11	10	23	18	17	16	4	1	
All other	28	9	10	7	2	9	1	3	3	2	
Black	28	9	10	7	2	8	1	3	3	1	
Homicide and legal intervention (E960-E978)	302	3	5	7	86	81	60	35	17	3	4	...	104	4	7	5	22	25	20	13	3	...	5	...	
White	146	3	3	2	37	31	32	20	13	1	3	...	72	3	4	4	17	17	13	7	2	...	5	...	
All other	156	5	49	50	28	15	4	2	1	...	32	1	3	1	5	8	7	6	1	
Black	153	5	48	50	28	13	4	2	1	...	31	1	3	1	5	8	7	5	1	
All other external causes (E980-E999)	48	...	3	...	12	12	4	3	2	18	2	5	5	3	2	1	
White	38	...	1	...	11	11	7	3	3	2	11	1	3	1	3	2	1	
All other	10	...	2	...	1	1	5	1	7	1	2	4	
Black	10	...	2	...	1	1	5	1	7	1	2	4	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 287

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 86 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IOWA																									
All causes	13,180	174	25	55	220	259	377	633	1,410	3,116	4,255	2,655	13,413	135	14	28	81	112	190	416	910	2,147	3,885	5,495	
White	12,965	166	23	50	212	242	364	614	1,369	3,077	4,213	2,634	13,236	114	13	25	72	105	181	406	889	2,113	3,846	5,472	
All other	215	8	2	5	8	17	13	19	41	39	42	21	177	21	1	3	9	7	9	10	21	34	39	23	
Black	178	6	2	3	5	9	11	16	36	38	38	14	142	17	1	2	3	5	9	8	19	28	29	21	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other Intestinal Infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2	
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
White	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis of respiratory system (010-012)	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
White	4	-	-	-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	98	3	-	-	1	3	4	3	7	29	31	17	95	2	-	-	-	1	1	3	7	18	32	31	
White	96	3	-	-	1	3	3	2	7	29	31	17	94	1	-	-	-	1	1	3	7	18	32	31	
All other	2	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	9	-	-	-	-	1	3	1	1	1	1	1	6	-	-	-	-	1	1	1	1	1	1	1	
White	9	-	-	-	-	1	3	1	1	1	1	1	6	-	-	-	-	1	1	1	1	1	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	83	-	1	-	2	17	25	10	6	7	9	6	25	-	-	-	-	3	4	4	2	-	8	4	
White	81	-	1	-	2	16	24	10	6	7	9	6	25	-	-	-	-	3	4	4	2	-	8	4	
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,392	-	2	8	17	29	63	189	536	1,086	1,073	389	3,041	-	2	5	6	28	84	210	426	810	867	603	
White	3,331	-	2	8	17	28	61	177	522	1,068	1,060	388	2,994	-	2	5	5	27	82	206	413	800	855	599	
All other	61	-	-	-	-	1	2	12	14	18	13	1	47	-	-	-	1	1	2	4	13	10	12	4	
Black	52	-	-	-	-	1	-	10	11	18	11	1	37	-	-	-	-	2	2	2	13	8	8	4	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 288

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 87 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IOWA—Con.																									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	58	-	-	-	-	-	6	16	20	9	7	23	-	-	-	-	-	-	1	5	3	6	8	8	
White	58	-	-	-	-	-	6	16	20	9	7	22	-	-	-	-	-	-	1	4	3	6	8	8	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	808	-	1	1	6	15	50	147	249	246	93	734	-	1	-	4	7	28	68	178	252	196	196	196	
White	793	-	1	1	6	15	47	143	244	243	93	721	-	1	-	4	7	28	66	175	247	193	193	193	
All other	15	-	-	-	-	-	3	4	5	3	-	13	-	-	-	-	-	-	2	3	5	3	3	3	
Black	13	-	-	-	-	-	3	2	5	3	-	10	-	-	-	-	-	-	2	3	2	2	3	3	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,131	-	-	1	4	10	63	215	441	332	65	578	-	-	-	2	7	50	121	210	146	42	42	42	
White	1,106	-	-	1	4	9	59	208	434	326	65	568	-	-	-	2	6	49	118	205	146	42	42	42	
All other	25	-	-	-	-	1	4	7	7	6	-	10	-	-	-	-	1	1	3	5	-	-	-		
Black	21	-	-	-	-	-	4	6	7	4	-	9	-	-	-	-	1	1	3	4	-	-	-		
Malignant neoplasm of breast (174-175)	6	-	-	-	-	1	-	1	4	-	-	583	-	-	-	5	30	62	105	137	128	116	116	116	
White	6	-	-	-	-	1	-	1	4	-	-	575	-	-	-	5	30	60	100	137	127	116	116	116	
All other	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	2	5	-	1	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	5	-	-	-	-	-	
Malignant neoplasms of genital organs (179-187)	454	-	-	1	1	2	1	26	105	208	110	350	-	-	-	8	14	25	48	114	80	61	61	61	
White	445	-	-	1	1	2	1	25	101	206	109	347	-	-	-	8	14	25	48	113	78	61	61	61	
All other	9	-	-	-	-	-	1	1	4	2	1	3	-	-	-	-	-	-	-	1	2	-	-	-	
Black	9	-	-	-	-	-	1	1	4	2	1	2	-	-	-	-	-	-	-	-	2	-	-	-	
Malignant neoplasms of urinary organs (188-189)	191	-	-	-	-	4	13	23	66	61	24	138	-	-	-	-	3	11	14	35	45	30	30	30	
White	189	-	-	-	-	4	13	22	65	61	24	135	-	-	-	-	3	11	14	35	42	30	30	30	
All other	2	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-	1	3	-	-	-	
Black	2	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-195)	367	-	1	5	7	11	16	35	67	86	43	299	-	1	2	2	3	17	21	30	63	90	70	70	
White	360	-	1	5	7	11	15	32	66	85	43	295	-	1	2	2	3	16	21	29	63	89	69	69	
All other	7	-	-	-	-	-	1	3	1	1	-	4	-	-	-	-	-	1	1	1	1	1	1	1	
Black	5	-	-	-	-	-	2	1	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Leukemia (204-208)	147	-	1	2	5	1	5	7	19	38	46	118	-	1	2	4	4	2	4	13	17	36	35	35	
White	145	-	1	2	5	-	5	7	19	38	45	114	-	1	2	3	3	2	3	12	17	36	35	35	
All other	2	-	-	-	-	1	-	-	-	1	-	4	-	-	-	1	1	-	1	1	-	-	-	-	
Black	2	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-	-	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	230	-	-	-	2	6	10	14	22	77	24	218	-	-	-	2	4	8	22	53	84	45	45	45	
White	229	-	-	-	2	6	10	13	22	77	24	217	-	-	-	2	4	8	22	52	84	45	45	45	
All other	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	31	1	-	-	-	2	2	2	7	13	4	42	-	-	-	2	1	1	1	3	4	7	23	23	
White	31	1	-	-	-	2	2	2	7	13	4	42	-	-	-	2	1	1	1	3	4	7	23	23	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes mellitus (250)	228	-	-	1	3	11	16	25	53	77	42	278	-	-	-	3	2	11	32	60	90	80	80	80	
White	224	-	-	1	3	11	16	24	52	76	41	272	-	-	-	3	2	11	31	58	88	79	79	79	
All other	4	-	-	-	-	-	-	1	1	1	1	6	-	-	-	-	-	-	1	2	2	1	1	1	
Black	3	-	-	-	-	-	-	1	1	1	-	4	-	-	-	-	-	-	1	2	2	1	1	1	
Nutritional deficiencies (260-269)	13	-	-	-	-	-	1	-	2	3	7	36	-	-	-	-	-	-	-	1	7	28	28	28	
White	12	-	-	-	-	-	1	-	1	3	7	36	-	-	-	-	-	-	-	1	7	28	28	28	
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anemias (280-285)	20	-	-	-	-	-	1	1	3	7	8	28	-	-	-	1	-	-	2	4	8	14	14	14	
White	20	-	-	-	-	-	1	1	3	7	8	28	-	-	-	1	-	-	2	4	7	14	14	14	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis (320-322)	7	-	1	1	-	-	-	1	1	3	-	2	-	-	1	-	-	-	1	-	-	-	-	-	
White	7	-	1	1	-	-	-	1	1	3	-	2	-	-	1	-	-	-	1	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	5,596	1	-	2	7	14	78	239	560	1,306	1,991	1,398	6,440	2	2	1	2	13	31	98	276	812	1,941	3,262	
White	5,531	1	-	1	6	12	75	236	540	1,296	1,977	1,387	6,389	2	2	1	2	12	29	95	271	797	1,928	3,250	
All other	65	-	-	1	1	2	3	3	20	10	14	11	51	-	-	-	-	1	2	3	5	15	13	12	
Black	56	-	-	1	1	3	2	18	10	14	7	45	-	-	-	-	1	2	3	5	14	8	12	12	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 290

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 89 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975: Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
IOWA—Con.																									
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	-	1	1	-	3	1	
White	1	-	-	-	-	-	-	-	-	-	1	-	6	-	-	-	-	-	1	1	-	3	1		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	597	-	-	-	-	1	3	8	30	98	234	223	1,042	-	-	-	-	1	5	10	30	85	313	598	
White	591	-	-	-	-	1	3	8	29	96	232	222	1,037	-	-	-	-	1	5	10	30	83	313	595	
All other	6	-	-	-	-	-	-	-	1	2	2	1	5	-	-	-	-	-	-	-	2	2	3	3	
Black	5	-	-	-	-	-	-	-	1	2	2	1	5	-	-	-	-	-	-	-	2	2	3	3	
Atherosclerosis (440)	137	-	-	-	-	-	3	6	15	45	68	227	-	-	-	-	-	-	1	2	16	48	160		
White	134	-	-	-	-	-	3	6	14	45	66	225	-	-	-	-	-	-	1	2	16	48	158		
All other	3	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	2	2	
Black	3	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	2	
Other diseases of arteries, arterioles, and capillaries (441-448)	206	-	-	-	-	1	3	7	17	52	82	44	144	-	-	-	-	-	1	9	20	53	61		
White	204	-	-	-	-	1	3	7	16	52	81	44	143	-	-	-	-	-	1	9	19	53	61		
All other	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
Black	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	
Acute bronchitis and bronchiolitis (466)	7	1	1	-	1	-	-	-	-	1	1	2	6	-	-	-	-	-	-	1	-	2	3		
White	7	1	1	-	1	-	-	-	-	1	1	2	6	-	-	-	-	-	-	1	-	2	3		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	508	3	1	3	2	5	5	5	23	67	168	220	617	4	-	-	-	3	3	4	7	37	167	392	
White	497	3	1	3	2	5	5	5	23	65	166	219	615	4	-	-	-	3	3	4	6	37	167	391	
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	-	1	1	
Black	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia (480-486)	493	2	1	3	2	5	5	5	23	67	163	217	606	4	-	-	-	3	3	4	7	36	166	383	
White	490	2	1	3	2	5	5	5	23	65	163	216	604	4	-	-	-	3	3	4	6	36	166	382	
All other	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	1	-	1	1	
Black	3	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	1	
Influenza (487)	7	1	-	-	-	-	-	-	-	3	3	11	-	-	-	-	-	-	-	-	1	1	9	-	
White	7	1	-	-	-	-	-	-	-	3	3	11	-	-	-	-	-	-	-	-	1	1	9	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	693	-	-	-	1	1	1	9	60	211	281	129	479	-	-	1	1	1	1	16	48	130	184	97	
White	683	-	-	-	1	1	1	9	58	208	276	129	472	-	-	1	1	1	1	15	47	129	181	97	
All other	10	-	-	-	-	-	-	-	2	3	5	-	7	-	-	-	-	-	1	1	1	3	-	-	
Black	9	-	-	-	-	-	-	-	2	3	4	-	6	-	-	-	-	-	1	1	1	2	-	-	
Bronchitis, chronic and unspecified (490-491)	27	-	-	-	-	-	-	-	1	4	14	8	25	-	-	-	-	1	2	2	5	6	9	-	
White	27	-	-	-	-	-	-	-	1	4	14	8	25	-	-	-	-	1	2	2	5	6	9	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema (492)	88	-	-	-	-	-	-	8	28	35	17	58	-	-	-	-	-	-	3	8	22	19	6	-	
White	86	-	-	-	-	-	-	7	27	35	17	57	-	-	-	-	-	-	3	8	21	19	6	-	
All other	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Black	2	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Asthma (493)	20	-	-	-	1	1	1	-	1	4	10	2	37	-	-	1	1	-	1	6	4	5	12	7	
White	20	-	-	-	1	1	1	-	1	4	10	2	33	-	-	1	1	-	1	5	4	5	10	7	
All other	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	-	2	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	1	-	-	1	-	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	558	-	-	-	-	-	9	50	175	222	102	359	-	-	-	-	-	-	5	34	98	147	75		
White	550	-	-	-	-	-	9	49	173	217	102	357	-	-	-	-	-	-	5	33	98	146	75		
All other	8	-	-	-	-	-	-	1	2	5	-	2	-	-	-	-	-	-	-	1	-	1	-	-	
Black	7	-	-	-	-	-	-	1	2	4	-	2	-	-	-	-	-	-	-	1	-	1	-	-	
Ulcer of stomach and duodenum (531-533)	42	-	-	-	-	-	1	1	7	11	15	7	62	-	-	-	-	-	-	2	10	17	33	-	
White	42	-	-	-	-	-	1	1	7	11	15	7	62	-	-	-	-	-	-	2	10	17	33	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (540-543)	4	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	1	
White	4	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	40	-	2	-	-	-	-	3	4	10	21	86	-	-	-	-	-	-	1	3	7	32	43		
White	40	-	2	-	-	-	-	3	4	10	21	84	-	-	-	-	-	-	1	3	7	30	43		
All other	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 293

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 92 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
KANSAS—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	76	-	-	-	-	-	3	4	7	15	26	21	107	2	-	-	-	2	-	-	7	17	36	43	
White	68	-	-	-	-	-	3	3	5	15	25	17	100	1	-	-	-	2	-	-	5	16	34	42	
All other	8	-	-	-	-	-	-	1	2	-	1	4	7	1	-	-	-	-	-	-	2	1	2	1	
Black	8	-	-	-	-	-	-	1	2	-	1	4	7	1	-	-	-	-	-	-	2	1	2	1	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	1	-	3	2	-	4	1	-	6	-	-	-	1	-	1	1	1	1	1	1	-	
White	11	-	-	1	-	3	2	-	4	1	-	4	-	-	-	1	-	1	1	1	1	1	1	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	150	2	1	1	1	43	49	20	12	8	8	5	35	-	-	-	1	6	5	6	2	6	5	4	
White	128	1	1	1	1	37	40	18	12	6	7	4	27	-	-	-	-	5	2	5	2	5	5	3	
All other	22	1	-	-	-	6	9	2	-	2	1	1	8	-	-	-	1	1	3	1	-	1	1		
Black	20	-	-	-	-	6	9	2	-	2	1	-	8	-	-	-	1	1	3	1	-	1	1		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,645	-	4	3	13	25	64	167	458	796	796	319	2,388	-	2	7	4	26	82	197	345	634	693	398	
White	2,484	-	4	2	12	23	57	153	414	749	763	307	2,279	-	2	7	4	23	73	178	328	603	674	387	
All other	161	-	-	1	1	2	7	14	44	47	33	12	109	-	-	-	-	3	9	19	17	31	19	11	
Black	139	-	-	-	1	1	7	14	38	40	29	9	93	-	-	-	-	2	9	13	15	27	17	10	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	43	-	-	-	-	-	1	4	15	14	7	2	30	-	-	-	1	-	2	2	5	8	7	5	
White	43	-	-	-	-	-	1	4	15	14	7	2	28	-	-	-	1	-	2	2	5	7	7	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Malignant neoplasms of digestive organs and peritoneum (150-159)	598	-	-	-	1	3	16	40	106	178	184	70	534	-	-	-	1	2	9	31	71	116	165	139	
White	554	-	-	-	1	2	14	36	98	167	170	66	502	-	-	-	1	2	8	26	63	107	159	136	
All other	44	-	-	-	-	1	2	4	8	11	14	4	32	-	-	-	-	1	5	8	9	9	6	3	
Black	39	-	-	-	-	-	2	4	8	9	13	3	27	-	-	-	-	1	3	8	7	6	6	2	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	940	-	-	-	-	1	22	57	190	330	263	77	494	-	-	-	-	2	10	40	97	186	126	33	
White	878	-	-	-	-	1	20	51	162	311	257	76	475	-	-	-	-	2	8	37	92	179	124	33	
All other	62	-	-	-	-	-	2	6	28	19	6	1	19	-	-	-	-	-	2	3	5	7	2	-	
Black	51	-	-	-	-	-	2	6	24	15	4	-	15	-	-	-	-	-	2	2	5	5	1	-	
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	-	424	-	-	-	-	7	26	56	59	89	114	73	
White	1	-	-	-	-	-	-	-	-	-	1	-	401	-	-	-	-	6	23	47	58	86	111	70	
All other	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	1	3	9	1	3	3	3	
Black	-	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	1	3	7	-	3	3	3	
Malignant neoplasms of genital organs (179-187)	367	-	-	-	1	3	1	4	21	92	150	95	257	-	-	-	-	5	8	20	28	82	83	31	
White	345	-	-	-	1	3	-	4	20	86	141	90	244	-	-	-	-	3	7	20	26	78	80	30	
All other	22	-	-	-	-	-	1	-	1	6	9	5	13	-	-	-	-	2	1	-	2	4	3	1	
Black	21	-	-	-	-	-	1	-	1	6	9	4	10	-	-	-	-	1	1	-	1	4	2	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 294

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 93 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KANSAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	137	-	1	-	-	1	2	13	26	34	42	18	85	-	-	1	-	-	2	6	11	16	32	17
White	137	-	1	-	-	1	2	13	26	34	42	18	79	-	-	1	-	-	2	6	11	12	32	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	4	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	4	-	2
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	271	-	2	1	7	10	8	31	51	81	53	27	293	-	1	4	1	6	18	24	43	68	85	43
White	253	-	2	-	6	9	8	29	47	75	51	26	288	-	1	4	1	6	16	22	43	68	85	42
All other	18	-	-	1	1	-	-	2	4	6	2	1	5	-	-	-	-	2	2	-	-	-	-	1
Black	14	-	-	-	1	1	-	2	2	6	1	1	4	-	-	-	-	2	1	-	-	-	-	1
Leukemia (204-208)	116	-	1	2	3	4	6	7	19	24	35	15	108	-	1	2	-	2	1	11	13	15	29	34
White	113	-	1	2	3	4	4	7	18	24	35	15	105	-	1	2	-	2	1	11	12	14	28	34
All other	3	-	-	-	-	-	-	2	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	3	-	-	-	-	-	2	1	-	-	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	172	-	-	-	1	3	8	11	30	43	61	15	163	-	-	-	1	2	6	7	18	54	52	23
White	160	-	-	-	1	3	8	9	28	38	59	14	157	-	-	-	1	2	6	7	18	52	48	23
All other	12	-	-	-	-	-	-	2	2	5	2	1	6	-	-	-	-	-	-	-	2	2	4	-
Black	11	-	-	-	-	-	-	2	2	4	2	1	6	-	-	-	-	-	-	-	2	4	4	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	22	-	1	-	-	-	1	2	1	5	5	7	47	-	-	-	-	2	-	1	2	9	13	20
White	20	-	1	-	-	-	1	1	1	4	5	7	47	-	-	-	-	2	-	1	2	9	13	20
All other	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	245	1	-	-	1	3	9	18	42	55	72	44	270	-	-	-	-	3	8	16	29	61	73	80
White	219	1	-	-	-	2	9	17	36	47	66	41	253	-	-	-	-	1	7	13	27	58	71	78
All other	26	-	-	-	1	1	-	1	6	8	6	3	17	-	-	-	-	2	1	3	2	3	2	4
Black	23	-	-	-	1	1	-	-	6	7	5	3	16	-	-	-	-	1	1	3	2	3	2	4
Nutritional deficiencies (260-269)	12	-	-	-	-	-	1	-	-	-	4	7	33	-	-	-	-	-	-	-	-	1	8	24
White	12	-	-	-	-	-	1	-	-	-	4	7	31	-	-	-	-	-	-	-	-	1	7	23
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Anemias (280-285)	23	-	1	1	-	-	1	1	-	1	8	10	33	-	1	-	-	-	1	-	1	4	8	18
White	20	-	-	1	-	-	-	1	-	1	8	9	31	-	-	-	-	-	-	-	1	4	8	18
All other	3	-	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-
Black	3	-	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-	-	-
Meningitis (320-322)	2	1	-	-	-	-	-	-	1	-	-	-	4	-	-	1	-	-	-	-	-	1	2	-
White	2	1	-	-	-	-	-	-	1	-	-	-	3	-	-	1	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	4,445	4	2	1	3	16	90	221	504	1,102	1,406	1,096	5,302	3	1	2	5	10	30	74	234	652	1,684	2,807
White	4,224	4	2	1	2	12	79	202	459	1,044	1,354	1,065	5,076	2	-	1	4	8	21	66	214	610	1,624	2,528
All other	221	-	-	-	1	4	11	19	45	58	52	31	224	1	1	1	1	2	9	8	20	42	80	79
Black	187	-	-	-	-	4	9	18	33	45	48	30	198	1	1	1	1	2	9	5	19	38	51	72
Diseases of heart (390-398,402,404-429)	3,501	3	1	1	2	14	81	181	427	885	1,072	834	3,922	3	1	2	4	7	25	53	186	506	1,227	1,908
White	3,334	3	1	1	2	10	71	168	398	838	1,031	811	3,755	2	-	1	3	6	18	47	173	471	1,189	1,845
All other	167	-	-	-	-	4	10	13	29	47	41	23	167	1	1	1	1	1	7	6	13	35	38	63
Black	138	-	-	-	-	4	8	12	21	34	37	22	150	1	1	1	1	1	7	4	13	31	34	58
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	-	-	3	6	4	7	2	32	-	-	-	-	-	-	1	7	5	14	5	-
White	21	-	-	-	-	-	3	5	4	7	2	29	-	-	-	-	-	-	-	7	4	13	5	-
All other	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	1	-	1	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-
Hypertensive heart disease (402)	42	-	-	-	-	1	2	2	5	9	14	9	90	-	-	-	-	-	-	-	3	14	29	44
White	34	-	-	-	-	-	1	1	4	7	12	9	79	-	-	-	-	-	-	-	2	11	24	42
All other	8	-	-	-	-	1	1	1	1	2	2	1	11	-	-	-	-	-	-	-	1	3	5	2
Black	8	-	-	-	-	1	1	1	1	2	2	1	10	-	-	-	-	-	-	-	1	3	5	1
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	-	1	3	3	12	-	-	-	-	-	-	1	-	1	3	7
White	7	-	-	-	-	-	-	-	-	1	3	3	12	-	-	-	-	-	-	1	-	1	3	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	2,479	-	-	-	-	3	60	137	322	660	757	534	2,468	-	-	-	-	1	1	14	30	118	343	799
White	2,362	-	-	-	-	2	53	128	302	627	733	517	2,378	-	-	-	-	1	1	12	25	112	324	780
All other	111	-	-	-	-	1	7	9	20	33	24	17	90	-	-	-	-	-	2	5	6	19	19	39
Black	88	-	-	-	-	1	5	8	12	22	23	17	79	-	-	-	-	-	2	4	6	17	16	34
Acute myocardial infarction (410)	1,315	-	-	-	-	1	42	87	213	367	391	214	1,203	-	-	-	-	1	9	19	73	226	441	434
White	1,262	-	-	-	-	1	38	83	200	350	380	210	1,161	-	-	-	-	1	7	15	68	215	432	423
All other	53	-	-	-	-	-	4	4	13	17	11	4	42	-	-	-	-	-	2	4	5	11	9	11
Black	41	-	-	-	-	-	3	4	8															

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 295

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 94 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
KANSAS—Con.																									
Other acute and subacute forms of Ischemic heart disease (411)	6	-	-	-	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
White	6	-	-	-	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	1	1	-	2	-	-
White	4	-	-	-	-	-	-	-	1	3	-	-	4	-	-	-	-	-	-	1	1	-	2	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,148	-	-	-	-	2	18	50	107	287	366	318	1,260	-	-	-	1	-	5	10	44	117	356	727	
White	1,090	-	-	-	-	1	15	45	100	271	353	305	1,212	-	-	-	1	-	5	9	43	109	346	699	
All other	58	-	-	-	-	1	3	5	7	16	13	13	48	-	-	-	-	-	1	1	1	8	10	28	
Black	47	-	-	-	-	1	2	4	4	11	12	13	43	-	-	-	-	-	1	1	1	8	9	24	
Other diseases of endocardium (424)	61	-	-	-	-	1	2	4	2	4	26	22	99	-	-	-	-	1	1	-	3	14	38	42	
White	59	-	-	-	-	1	1	4	1	4	26	22	97	-	-	-	-	1	1	-	3	14	37	41	
All other	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
Black	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
All other forms of heart disease (415-423,425-429)	896	3	1	1	2	9	17	35	92	207	265	264	1,221	3	1	2	3	5	10	21	55	129	344	648	
White	851	3	1	1	2	7	16	32	86	195	250	258	1,160	2	-	1	2	4	5	21	49	117	332	627	
All other	45	-	-	-	-	2	1	3	6	12	15	6	61	1	1	1	1	1	5	-	6	12	12	21	
Black	39	-	-	-	-	2	1	3	6	10	12	5	57	1	1	1	1	1	5	-	6	10	11	20	
Hypertension with or without renal disease (401,403)	46	-	-	-	-	-	1	6	5	10	13	11	52	-	-	-	-	-	1	-	4	4	21	22	
White	43	-	-	-	-	-	1	5	4	9	13	11	47	-	-	-	-	-	-	-	3	4	20	20	
All other	3	-	-	-	-	-	-	1	1	1	-	-	5	-	-	-	-	-	1	-	1	-	1	2	
Black	3	-	-	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	1	-	1	-	1	2	
Cerebrovascular diseases (430-436)	631	1	1	-	1	2	7	27	57	133	227	175	995	-	-	-	1	2	3	16	36	106	334	497	
White	587	1	1	-	2	6	22	44	125	218	168	168	954	-	-	-	1	1	2	14	31	101	316	488	
All other	44	-	-	-	1	1	5	13	8	9	7	7	41	-	-	-	-	1	1	2	5	5	18	9	
Black	40	-	-	-	-	1	5	10	8	9	7	36	36	-	-	-	-	1	1	1	5	4	15	9	
Intracerebral and other intracranial hemorrhage (431-432)	87	-	1	-	1	-	3	8	12	22	30	10	127	-	-	-	1	2	1	7	12	24	46	34	
White	79	-	1	-	-	-	3	5	8	22	30	10	118	-	-	-	1	1	-	5	10	22	45	34	
All other	8	-	-	-	1	-	3	4	-	-	-	-	9	-	-	-	-	1	2	2	2	2	1	-	
Black	6	-	-	-	-	-	3	3	-	-	-	-	7	-	-	-	-	1	1	1	2	2	-	-	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	66	-	-	-	-	-	1	5	11	12	21	16	88	-	-	-	-	-	-	1	1	5	40	41	
White	60	-	-	-	-	-	4	9	12	21	21	14	80	-	-	-	-	-	-	1	1	5	35	38	
All other	6	-	-	-	-	-	1	1	2	-	-	2	8	-	-	-	-	-	-	-	-	-	5	3	
Black	6	-	-	-	-	-	1	1	2	-	-	2	8	-	-	-	-	-	-	-	-	-	5	3	
Cerebral embolism (434,1)	6	-	-	-	-	-	-	-	-	1	2	3	8	-	-	-	-	-	-	-	-	1	3	4	
White	6	-	-	-	-	-	-	-	-	1	2	3	8	-	-	-	-	-	-	-	-	1	3	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	472	1	-	-	-	2	3	14	34	98	174	146	772	-	-	-	-	-	2	8	23	76	245	418	
White	442	1	-	-	-	2	3	13	27	90	165	141	749	-	-	-	-	-	2	8	20	73	233	412	
All other	30	-	-	-	-	-	1	7	7	8	9	5	24	-	-	-	-	-	-	-	3	3	12	6	
Black	28	-	-	-	-	-	1	5	8	9	5	21	21	-	-	-	-	-	-	-	3	2	10	6	
Atherosclerosis (440)	102	-	-	-	-	-	-	-	3	2	13	37	47	202	-	-	-	-	-	2	2	9	53	136	
White	100	-	-	-	-	-	-	3	1	13	36	47	197	-	-	-	-	-	-	2	2	9	52	132	
All other	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4	
Black	2	-	-	-	-	-	-	-	1	-	1	-	5	-	-	-	-	-	-	-	-	-	1	4	
Other diseases of arteries, arterioles, and capillaries (441-448)	165	-	-	-	-	-	1	4	13	61	57	29	131	-	-	-	-	1	1	3	6	27	49	44	
White	160	-	-	-	-	-	1	4	12	59	56	28	125	-	-	-	-	1	1	3	5	25	47	43	
All other	5	-	-	-	-	-	-	1	2	1	2	1	6	-	-	-	-	-	-	-	1	2	2	1	
Black	4	-	-	-	-	-	-	-	2	1	1	3	3	-	-	-	-	-	-	-	-	1	1	1	
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	-	-	2	2	-	6	1	-	-	-	1	-	-	-	1	-	3	
White	4	-	-	-	-	-	-	-	-	2	2	-	6	1	-	-	-	1	-	-	-	1	-	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	392	6	-	-	1	5	2	6	8	54	140	170	461	2	-	-	-	3	7	4	9	35	103	288	
White	379	4	-	-	1	5	2	4	8	53	136	166	438	1	-	-	-	2	5	4	8	31	96	291	
All other	13	2	-	-	-	-	-	2	-	1	4	4	23	1	-	-	-	1	2	-	1	4	7	7	
Black	11	2	-	-	-	-	2	-	-	1	4	4	21	1	-	-	-	1	2	-	1	3	6	7	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 297

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 96 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
KANSAS—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	7	-	-	-	-	-	-	-	2	2	1	2	2	-	-	-	-	-	-	-	1	-	-	-	1
White	7	-	-	-	-	-	-	-	2	2	1	2	2	-	-	-	-	-	-	-	1	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	119	2	-	-	-	1	4	4	10	27	33	38	133	1	-	-	-	-	-	3	1	7	23	36	62
White	105	1	-	-	-	1	3	3	9	23	30	35	125	1	-	-	-	-	-	3	1	7	20	34	59
All other	14	1	-	-	-	-	1	1	1	4	3	3	8	-	-	-	-	-	-	-	-	3	2	3	3
Black	12	1	-	-	-	-	1	1	1	3	3	2	8	-	-	-	-	-	-	-	-	3	2	3	3
Infections of kidney (590)	3	-	-	-	-	-	-	-	-	1	-	2	8	-	-	-	-	-	-	-	1	-	1	4	2
White	3	-	-	-	-	-	-	-	-	1	-	2	8	-	-	-	-	-	-	-	1	-	1	4	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	9	-	-	-	-	-	-	-	-	1	5	3
White	9	-	-	-	-	-	-	-	-	1	5	3
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	2	-	-	-
White	2	-	2	-	-	-
All other	2	-	2	-	-	-
Black	2	-	2	-	-	-
Pregnancy with abortive outcome (630-638)	1	-	1	-	-	-
White	1	-	1	-	-	-
All other	1	-	1	-	-	-
Black	1	-	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	1	-	-	-
White	1	-	1	-	-	-
All other	1	-	1	-	-	-
Black	1	-	1	-	-	-
Congenital anomalies (740-759)	60	40	-	4	5	1	2	3	1	2	1	1	59	37	4	3	1	1	-	-	3	2	6	2	
White	52	33	-	4	5	1	1	3	1	2	1	1	54	33	4	2	1	1	-	-	3	2	6	2	
All other	8	7	-	-	-	-	1	-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	-	-	
Black	8	7	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	77	77	-	-	-	-	-	-	-	-	-	-	60	58	2	-	-	-	-	-	-	-	-	-	
White	56	56	-	-	-	-	-	-	-	-	-	-	42	41	1	-	-	-	-	-	-	-	-	-	
All other	21	21	-	-	-	-	-	-	-	-	-	-	18	17	1	-	-	-	-	-	-	-	-	-	
Black	19	19	-	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	10	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-	
White	8	8	-	-	-	-	-	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	67	67	-	-	-	-	-	-	-	-	-	-	51	49	2	-	-	-	-	-	-	-	-	-	
White	48	48	-	-	-	-	-	-	-	-	-	-	34	33	1	-	-	-	-	-	-	-	-	-	
All other	19	19	-	-	-	-	-	-	-	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-	
Black	18	18	-	-	-	-	-	-	-	-	-	-	16	15	1	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	162	35	2	-	2	3	12	10	16	28	27	27	181	25	-	1	-	1	5	5	7	19	38	80	
White	138	32	2	-	2	3	11	7	13	21	21	26	155	17	-	1	-	1	4	3	5	17	32	75	
All other	24	3	-	-	-	-	1	3	3	7	6	1	26	8	-	-	-	-	1	2	2	2	6	5	
Black	24	3	-	-	-	-	1	3	3	7	6	1	26	8	-	-	-	-	1	2	2	2	6	5	
All other diseases (Residual)	842	9	4	4	8	13	31	45	81	157	271	219	1,082	8	3	4	7	12	26	32	50	150	312	478	
White	781	6	3	1	5	11	30	38	77	146	253	211	1,020	5	3	3	6	5	22	25	40	143	302	466	
All other	61	3	1	3	3	2	1	7	4	11	18	8	62	3	-	1	1	7	4	7	10	7	10	12	
Black	54	3	1	3	3	1	1	7	4	8	16	7	51	3	-	1	1	6	3	5	7	6	9	10	
Accidents and adverse effects (E800-E949)	571	8	14	26	111	99	76	36	38	64	57	42	300	6	16	12	46	27	21	14	17	32	41	68	
White	534	6	13	24	105	94	68	32	38	62	54	38	281	4	16	11	41	25	20	13	15	28	40	68	
All other	37	2	1	2	6	5	8	4	-	2	3	4	19	2	-	1	5	2	1	1	2	4	1	-	
Black	30	2	1	1	4	5	6	2	-	2	3	4	13	2	-	1	2	1	-	1	2	3	1	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 300

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 99 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
KENTUCKY—Con.																								
Diabetes mellitus (250)	309	-	-	-	-	4	12	30	54	83	76	50	508	-	-	-	2	5	9	33	63	120	176	100
White	278	-	-	-	-	4	11	28	46	74	70	45	455	-	-	-	2	4	9	29	50	110	162	89
All other	31	-	-	-	-	-	1	2	8	9	6	5	53	-	-	-	-	1	-	4	13	10	14	11
Black	30	-	-	-	-	-	1	2	7	9	6	5	50	-	-	-	-	1	-	4	11	9	14	11
Nutritional deficiencies (260-269)	24	-	-	-	1	-	-	-	1	3	11	8	38	-	-	-	-	1	1	-	-	3	11	22
White	21	-	-	-	1	-	-	-	-	3	10	7	34	-	-	-	-	-	1	1	-	3	9	20
All other	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	2	2
Black	3	-	-	-	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	2	2
Anemias (280-285)	29	1	-	-	-	2	3	2	2	4	7	8	39	-	-	-	1	1	1	-	-	10	14	12
White	20	1	-	-	-	-	1	2	2	2	6	8	35	-	-	-	1	1	-	-	-	9	13	11
All other	9	-	-	-	-	2	3	1	2	1	2	1	4	-	-	-	-	-	-	-	-	1	1	1
Black	9	-	-	-	-	2	3	1	2	1	2	1	4	-	-	-	-	-	-	-	-	1	1	1
Meningitis (320-322)	3	2	-	-	-	-	-	-	-	1	-	-	11	1	-	-	1	1	1	1	1	3	1	1
White	3	2	-	-	-	-	-	-	-	1	-	-	6	1	-	-	1	1	1	1	1	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	7,380	10	2	3	13	40	211	502	1,054	1,956	2,272	1,317	7,429	9	3	3	13	28	75	199	468	1,273	2,437	2,921
White	6,900	7	2	2	11	31	185	462	974	1,826	2,149	1,251	6,917	8	2	3	10	20	63	169	411	1,169	2,283	2,779
All other	480	3	-	1	2	9	26	40	80	130	123	66	512	1	1	-	3	8	12	30	57	104	154	142
Black	476	3	-	1	2	9	26	39	80	130	120	66	501	1	1	-	3	7	11	30	56	101	153	138
Diseases of heart (390-398,402,404-429)	6,102	8	2	3	11	35	184	458	922	1,656	1,799	1,024	5,676	9	2	2	13	22	57	164	372	1,003	1,821	2,211
White	5,711	6	2	2	9	27	163	425	850	1,547	1,707	973	5,297	8	1	2	10	15	48	144	333	930	1,707	2,099
All other	391	2	-	1	2	8	21	33	72	109	92	51	379	1	1	-	3	7	9	20	39	73	114	112
Black	387	2	-	1	2	8	21	32	72	109	89	51	370	1	1	-	3	6	9	20	38	70	113	109
Rheumatic fever and rheumatic heart disease (390-398)	16	-	-	-	-	-	1	-	-	2	5	6	2	61	-	-	-	1	3	6	11	15	12	13
White	16	-	-	-	-	-	-	-	-	2	5	6	2	56	-	-	-	-	3	5	11	13	11	13
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	1	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	1	-	1	1	-
Hypertensive heart disease (402)	78	-	-	-	1	1	2	7	16	20	21	10	154	-	-	-	-	1	2	3	10	33	48	57
White	63	-	-	-	-	-	1	5	11	17	19	10	128	-	-	-	-	-	2	9	25	39	53	
All other	15	-	-	-	1	1	1	2	5	3	2	-	26	-	-	-	-	1	2	1	1	8	9	4
Black	15	-	-	-	1	1	2	5	3	2	-	-	26	-	-	-	-	1	2	1	1	8	9	4
Hypertensive heart and renal disease (404)	10	-	-	-	-	-	-	-	-	2	4	4	12	-	-	-	-	-	-	-	-	-	7	5
White	9	-	-	-	-	-	-	-	-	2	3	4	12	-	-	-	-	-	-	-	-	-	7	5
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	4,269	1	-	-	-	15	135	342	691	1,205	1,248	632	3,460	-	-	-	3	6	36	84	234	682	1,142	1,273
White	4,038	1	-	-	-	13	122	324	644	1,133	1,194	607	3,270	-	-	-	2	5	32	76	217	639	1,087	1,212
All other	231	-	-	-	-	2	13	18	47	72	54	25	190	-	-	-	1	1	4	8	17	43	55	61
Black	230	-	-	-	-	2	13	17	47	72	54	25	188	-	-	-	1	1	4	8	17	42	55	60
Acute myocardial infarction (410)	2,797	1	-	-	-	8	91	248	504	838	761	346	2,082	-	-	-	3	5	28	65	179	461	718	833
White	2,657	1	-	-	-	7	82	236	474	790	732	335	1,969	-	-	-	2	4	23	60	160	430	688	802
All other	140	-	-	-	-	1	9	12	30	48	29	11	113	-	-	-	1	1	3	5	13	31	28	31
Black	140	-	-	-	-	1	9	12	30	48	29	11	111	-	-	-	1	1	3	5	13	30	28	30
Other acute and subacute forms of ischemic heart disease (411)	12	-	-	-	-	-	2	8	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
White	10	-	-	-	-	-	1	7	1	-	1	-	3	-	-	-	-	-	-	-	-	1	2	-
All other	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	8	-	-	-	-	-	1	1	3	1	2	-	15	-	-	-	-	-	-	-	-	2	7	6
White	7	-	-	-	-	-	1	1	2	1	2	-	15	-	-	-	-	-	-	-	-	2	7	6
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,452	-	-	-	-	7	41	85	183	366	484	286	1,360	-	-	-	-	1	10	19	61	218	417	634
White	1,364	-	-	-	-	6	38	80	167	342	459	272	1,283	-	-	-	-	1	9	16	57	206	390	604
All other	88	-	-	-	-	1	3	5	16	24	25	14	77	-	-	-	-	-	1	3	4	12	27	30
Black	87	-	-	-	-	1	3	4	16	24	25	14	77	-	-	-	-	-	1	3	4	12	27	30
Other diseases of endocardium (424)	70	-	-	-	1	1	5	5	8	16	20	14	85	1	-	-	-	-	7	7	7	8	29	33
White	64	-	-	-	-	1	4	5	6	15	19	14	79	1	-	-	-	-	7	5	7	7	28	31
All other	6	-	-	-	1	-	1	-	2	1	1	-	6	-	-	-	-	-	-	-	2	1	1	2
Black	6	-	-	-	1	-	1	-	2	1	1	-	5	-	-	-	-	-	-	-	2	-	1	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 304

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 103 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
LOUISIANA																									
All causes	19,833	366	87	140	689	986	1,225	1,599	2,928	4,763	4,715	2,334	17,809	302	77	83	187	304	577	955	1,902	3,812	5,048	4,762	
White	13,256	144	29	75	308	531	659	954	1,960	3,382	3,539	1,674	12,309	131	32	47	105	141	277	523	1,123	2,451	3,798	3,681	
All other	6,577	222	58	65	381	455	566	645	968	1,381	1,176	660	5,500	171	45	36	82	163	300	432	779	1,161	1,250	1,081	
Black	6,513	220	57	63	381	445	556	638	957	1,370	1,168	658	5,463	169	44	34	82	162	295	428	773	1,156	1,243	1,077	
Shigellosis and amebiasis (004,006)																									
White																									
All other																									
Black																									
Certain other intestinal infections (007-009)	3	3											3	1								1		1	
White	1	1											1												
All other	2	2											2	1								1		1	
Black	2	2											2	1								1		1	
Tuberculosis (010-018)	29			1		2	2	5	6	8	3	2	18					1	2	3	5	2	3	2	
White	15			1		2	2	3	3	3	2	2	11					1	1		4	2	2	1	
All other	14						2	3	3	5	1		7					1	3	1	1		1	1	
Black	14					2	3	3	5	1			7					1	3	1			1	1	
Tuberculosis of respiratory system (010-012)	26			1		1	2	5	5	7	3	2	12					1	1	1	4	1	3	1	
White	13			1		1	2	2	2	3	2	2	8					1	1		3	1	2		
All other	13						2	3	3	4	1		4						1	1		1	1	1	
Black	13					2	3	3	4	1			4						1	1			1	1	
Other tuberculosis (013-018)	3					1			1	1			6					1	2	1	1		1		
White	2					1			1				3						1	1			1		
All other	1									1			3					1	2						
Black	1									1			3					1	2						
Whooping cough (033)																									
White																									
All other																									
Black																									
Streptococcal sore throat, scarlatina, and erysipelas (034-035)																									
White																									
All other																									
Black																									
Meningococcal infection (036)	1												1												
White	1												1												
All other																									
Black																									
Septicemia (038)	222	1	2	1		3	14	20	29	55	63	34	295	2	2	2	2	1	7	5	25	65	83	101	
White	115			1			7	6	19	28	39	15	177	1	1		1		4		13	34	57	66	
All other	107	1	2			3	7	14	10	27	24	19	118	1	1	2	1	1	3	5	12	31	26	35	
Black	107	1	2			3	7	14	10	27	24	19	117	1	1	2	1	1	3	5	12	30	26	35	
Acute poliomyelitis (045)																									
White																									
All other																									
Black																									
Measles (055)																									
White																									
All other																									
Black																									
Viral hepatitis (070)	40	1				2	6	2	11	9	8	1	14				1	1	2	1		2	5	2	
White	30					1	3	2	8	7	8	1	10				1	1		1			1	1	
All other	10	1				1	3		3	2			4						2			1	5	1	
Black	10	1				1	3		3	2			4						2			1	1	1	
Syphilis (090-097)	3								1	1	1		1												
White										1	1														
All other	3								1	1	1		1												
Black	3								1	1	1		1												
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	578	7	7	1	12	198	202	79	38	19	11	4	96	10	3	3	5	24	12	13	7	8	5	6	
White	351	3	2	1	4	107	137	58	18	12	7	2	33	1	1	2		5	3	4	3	6	3	5	
All other	227	4	5		8	91	65	21	20	7	4	2	63	9	2	1	5	19	9	9	4	2	2	1	
Black	225	4	5		8	90	65	21	20	7	3	2	63	9	2	1	5	19	9	9	4	2	2	1	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,911		4	11	21	59	146	390	1,047	1,590	1,253	390	3,946		6	8	17	50	183	387	743	1,116	967	469	
White	3,431		2	8	11	42	93	242	721	1,129	920	263	2,755		3	4	11	25	101	252	480	796	722	361	
All other	1,480		2	3	10	17	53	148	326	461	333	127	1,191		3	4	6	25	82	135	263	320	245	108	
Black	1,466		2	3	10	17	51	146	320	459	331	127	1,181		3	4	6	25	79	133	261	319	243	108	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 305

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 104 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
LOUISIANA—Con.																									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	110	-	-	-	-	2	9	13	26	37	16	7	47	-	-	-	-	-	-	3	5	19	13	7	
White	69	-	-	-	-	1	6	5	13	24	13	7	35	-	-	-	-	-	3	2	13	10	7		
All other	41	-	-	-	-	1	3	8	13	13	3	-	12	-	-	-	-	-	-	3	6	3	-		
Black	41	-	-	-	-	1	3	8	13	13	3	-	12	-	-	-	-	-	-	3	6	3	-		
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,077	-	-	1	2	6	41	82	233	339	287	86	932	-	-	-	2	2	22	65	147	233	286	175	
White	722	-	-	-	4	26	50	162	226	192	62	62	615	-	-	-	1	-	14	38	85	155	186	136	
All other	355	-	-	1	2	2	15	32	71	113	95	24	317	-	-	-	1	2	8	27	62	78	100	39	
Black	350	-	-	1	2	2	14	32	69	111	95	24	312	-	-	-	1	2	6	27	60	78	99	39	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,900	-	-	-	-	2	29	160	490	696	428	95	921	-	-	-	-	3	30	83	217	345	197	46	
White	1,362	-	-	-	-	1	14	99	342	503	335	68	697	-	-	-	-	2	16	59	156	267	165	32	
All other	538	-	-	-	-	1	15	61	148	193	93	27	224	-	-	-	-	1	14	24	61	78	32	14	
Black	530	-	-	-	-	1	14	59	145	193	91	27	223	-	-	-	-	1	14	23	61	78	32	14	
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	1	-	-	-	-	1	670	-	-	-	-	21	66	107	124	156	136	60	
White	2	-	-	-	-	-	-	-	-	-	-	1	451	-	-	-	-	9	31	62	80	111	108	50	
All other	1	-	-	-	-	-	1	-	-	-	-	-	219	-	-	-	-	12	35	45	44	45	28	10	
Black	1	-	-	-	-	-	1	-	-	-	-	-	216	-	-	-	-	12	34	44	44	45	27	10	
Malignant neoplasms of genital organs (179-187)	594	-	-	-	1	-	2	11	61	162	251	108	358	-	-	-	2	6	24	41	78	94	75	38	
White	345	-	-	-	1	-	1	7	30	96	159	51	224	-	-	-	1	4	13	23	40	59	58	26	
All other	249	-	-	-	-	-	1	4	31	66	92	55	134	-	-	-	1	2	11	18	38	35	17	12	
Black	249	-	-	-	-	-	1	4	31	66	92	55	134	-	-	-	1	2	11	18	38	35	17	12	
Malignant neoplasms of urinary organs (188-189)	195	-	-	-	1	-	6	12	43	58	55	20	135	-	-	-	1	-	5	11	21	27	42	28	
White	164	-	-	-	-	-	5	9	38	45	50	17	98	-	-	-	1	-	3	7	17	16	33	21	
All other	31	-	-	-	1	-	1	3	5	13	5	3	37	-	-	-	-	-	2	4	4	11	9	7	
Black	31	-	-	-	1	-	1	3	5	13	5	3	36	-	-	-	-	-	2	4	4	10	9	7	
Malignant neoplasms of all other and unspecified sites (170-173, 190-199)	603	-	2	4	7	26	31	76	123	169	122	43	495	-	-	4	3	9	7	27	46	91	134	109	65
White	442	-	2	3	5	20	21	47	82	132	97	33	345	-	-	1	-	6	6	19	35	56	95	74	53
All other	161	-	-	1	2	6	10	29	41	37	25	10	150	-	-	3	3	3	1	8	11	35	39	35	12
Black	160	-	-	1	2	6	10	29	40	37	25	10	150	-	-	3	3	3	1	8	11	35	39	35	12
Leukemia (204-208)	180	-	2	5	6	9	6	16	24	50	43	19	142	-	-	2	4	1	6	5	11	14	44	33	22
White	135	-	-	4	2	7	5	10	16	40	35	16	107	-	-	2	3	1	2	3	10	12	30	27	17
All other	45	-	2	1	4	2	1	6	8	10	8	3	35	-	-	1	-	4	2	1	2	14	6	5	
Black	45	-	2	1	4	2	1	6	8	10	8	3	35	-	-	1	-	4	2	1	2	14	6	5	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	249	-	-	1	4	14	21	20	47	78	51	13	246	-	-	-	3	5	4	20	46	64	76	28	
White	190	-	-	1	3	9	15	15	38	62	39	8	183	-	-	-	2	2	2	15	32	50	61	19	
All other	59	-	-	-	1	5	6	5	9	16	12	5	63	-	-	-	1	3	2	5	14	14	15	9	
Black	59	-	-	-	1	5	6	5	9	16	12	5	63	-	-	-	1	3	2	5	14	14	15	9	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	54	-	1	-	-	4	3	8	6	13	14	5	68	1	-	-	1	3	1	2	1	10	15	23	11
White	39	-	1	-	-	3	3	4	4	11	9	4	51	1	-	-	2	1	-	1	8	11	19	8	
All other	15	-	-	-	-	1	-	4	2	2	5	1	17	-	-	-	1	1	-	2	-	4	4	3	
Black	14	-	-	-	-	-	-	4	2	2	5	1	17	-	-	-	1	1	-	2	-	4	4	3	
Diabetes mellitus (250)	453	-	-	-	2	9	20	56	82	133	99	52	740	-	-	-	1	8	15	47	101	203	229	136	
White	269	-	-	-	-	5	12	31	37	67	58	39	414	-	-	-	-	6	4	16	48	109	143	88	
All other	184	-	-	-	2	4	8	25	45	46	41	13	326	-	-	-	1	2	11	31	53	94	86	48	
Black	182	-	-	-	2	3	8	25	44	46	41	13	325	-	-	-	1	2	11	31	53	93	86	48	
Nutritional deficiencies (260-269)	33	-	1	1	1	-	-	-	1	6	14	9	29	1	-	-	-	1	-	4	-	1	6	16	
White	20	-	1	1	1	-	-	-	-	2	8	7	23	1	-	-	-	1	-	3	-	1	5	12	
All other	13	-	-	-	-	-	-	-	-	1	4	6	6	-	-	-	-	-	-	1	-	-	1	4	
Black	13	-	-	-	-	-	-	-	-	1	4	6	6	-	-	-	-	-	-	1	-	-	1	4	
Anemias (280-285)	46	-	1	1	1	7	6	1	4	9	5	11	55	-	1	1	2	3	1	2	2	8	13	22	
White	23	-	-	-	-	1	1	-	4	7	3	7	36	-	-	-	-	-	-	-	1	6	9	20	
All other	23	-	1	1	1	6	5	1	-	2	2	4	19	-	1	1	2	3	1	2	1	2	4	2	
Black	23	-	1	1	1	6	5	1	-	2	2	4	19	-	1	1	2	3	1	2	1	2	4	2	
Meningitis (320-322)	5	1	1	-	-	-	-	-	-	1	2	-	7	2	-	-	-	1	1	-	2	-	1	-	
White	3	1	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	1	1	-	-	-	1	-	
All other	2	-	1	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	
Black	2	-	1	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	7,387	12	6	9	19	68	268	588	1,161	1,969	2,118	1,169	8,007	5	1	-	13	38	129	293	661	1,466	2,582	2,819	
White	5,172	6	1	5	10	35	115	351	777	1,402	1,617	853	5,610	1	1	-	6	16	43	130	344	857	1,838	2,174	
All other	2,215	6	5	4	9	33	153	237	384	567	501	316	2,397	4	-	-	7	22	86	163	317	509	644	645	
Black	2,192	6	5	4	9	32	150	234	381	560	497	314	2,387	4	-	-	7	22	86	162	316	508	639	642	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 306

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 105 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male													Female												
	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
LOUISIANA—Con.																										
Diseases of heart (390-398,402,404-429)	6,027	9	5	9	16	52	223	492	987	1,629	1,696	909	6,128	5	1	-	12	25	90	217	536	1,139	1,982	2,121		
White	4,301	5	1	5	7	27	94	313	679	1,190	1,318	662	4,322	1	1	-	6	13	29	97	294	733	1,501	1,647		
All other	1,726	4	4	4	9	25	129	179	308	439	378	247	1,806	4	-	-	6	12	61	120	242	406	481	474		
Black	1,709	4	4	4	9	24	126	176	305	434	377	246	1,798	4	-	-	6	12	61	119	242	406	477	471		
Rheumatic fever and rheumatic heart disease (390-398)	22	-	-	-	1	1	3	4	5	3	3	2	49	-	-	-	1	1	3	4	7	8	14	11		
White	17	-	-	-	1	-	2	2	5	3	3	1	32	-	-	-	1	-	2	-	4	6	10	9		
All other	5	-	-	-	-	1	1	2	-	-	-	1	17	-	-	-	-	1	1	4	3	2	4	2		
Black	5	-	-	-	-	1	1	2	-	-	-	1	17	-	-	-	-	1	1	4	3	2	4	2		
Hypertensive heart disease (402)	302	-	-	-	-	2	24	24	64	88	69	31	405	-	-	-	2	3	3	28	46	76	129	118		
White	138	-	-	-	-	2	4	8	27	43	35	19	220	-	-	-	-	2	-	5	11	29	89	84		
All other	164	-	-	-	-	-	20	16	37	45	34	12	185	-	-	-	2	1	3	23	35	47	40	34		
Black	164	-	-	-	-	-	20	16	37	45	34	12	185	-	-	-	2	1	3	23	35	47	40	34		
Hypertensive heart and renal disease (404)	28	-	-	-	-	-	2	1	1	10	11	3	42	-	-	-	-	-	2	6	12	11	11	11		
White	11	-	-	-	-	-	-	-	1	2	7	1	19	-	-	-	-	-	-	1	7	5	6	6		
All other	17	-	-	-	-	-	2	1	-	8	4	2	23	-	-	-	-	-	2	5	5	6	5	5		
Black	17	-	-	-	-	-	2	1	-	8	4	2	23	-	-	-	-	-	2	5	5	6	5	5		
Ischemic heart disease (410-414)	4,048	-	-	1	2	22	120	360	708	1,142	1,112	581	3,576	-	-	-	-	9	43	111	315	685	1,206	1,197		
White	3,050	-	-	-	1	12	61	252	506	886	899	433	2,618	-	-	-	-	5	19	53	187	477	931	946		
All other	998	-	-	1	1	10	59	108	202	256	213	148	958	-	-	-	-	4	24	58	128	218	275	251		
Black	985	-	-	1	1	9	58	105	201	251	212	147	953	-	-	-	-	4	24	57	128	218	273	249		
Acute myocardial infarction (410)	2,412	-	-	1	2	17	82	256	478	689	609	278	1,848	-	-	-	-	5	34	81	213	399	616	500		
White	1,810	-	-	-	1	10	41	180	346	529	495	208	1,338	-	-	-	-	3	14	39	125	278	486	393		
All other	602	-	-	1	1	7	41	76	132	160	114	70	510	-	-	-	-	2	20	42	88	121	130	107		
Black	598	-	-	1	1	6	41	75	132	158	114	70	508	-	-	-	-	2	20	41	88	121	130	106		
Other acute and subacute forms of ischemic heart disease (411)	57	-	-	-	-	2	17	12	13	4	7	2	18	-	-	-	-	1	1	3	2	5	3	3		
White	45	-	-	-	-	2	11	10	11	4	5	2	15	-	-	-	-	1	3	2	4	3	2	2		
All other	12	-	-	-	-	-	6	2	2	-	2	-	3	-	-	-	-	1	-	-	-	1	-	1		
Black	9	-	-	-	-	-	5	-	2	-	2	-	3	-	-	-	-	1	-	-	-	1	-	1		
Angina pectoris (413)	13	-	-	-	-	-	-	2	1	6	4	11	11	-	-	-	-	-	-	1	1	2	7	7		
White	10	-	-	-	-	-	-	1	1	5	3	8	8	-	-	-	-	-	-	1	-	2	5	5		
All other	3	-	-	-	-	-	-	1	-	1	1	3	3	-	-	-	-	-	-	-	1	-	2	2		
Black	3	-	-	-	-	-	-	1	-	1	1	3	3	-	-	-	-	-	-	-	1	-	2	2		
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,566	-	-	-	-	3	21	92	215	448	490	297	1,699	-	-	-	-	3	8	27	99	290	585	697		
White	1,185	-	-	-	-	-	9	62	148	352	394	220	1,257	-	-	-	-	2	4	11	59	195	440	546		
All other	381	-	-	-	-	3	12	30	67	96	96	77	442	-	-	-	-	1	4	16	40	95	145	141		
Black	375	-	-	-	-	3	12	30	66	93	95	76	439	-	-	-	-	1	4	16	40	95	143	140		
Other diseases of endocardium (424)	71	1	-	-	-	2	4	6	-	11	30	17	89	-	1	-	-	-	1	6	18	33	30	30		
White	49	1	-	-	-	1	-	2	-	7	26	12	72	-	1	-	-	-	1	3	15	26	26	26		
All other	22	-	-	-	-	-	1	4	4	-	4	5	17	-	-	-	-	-	-	3	3	7	4	4		
Black	22	-	-	-	-	1	4	4	-	4	5	16	16	-	-	-	-	-	-	3	3	7	4	3		
All other forms of heart disease (415-423,425-429)	1,556	8	5	8	13	25	70	97	209	375	471	275	1,967	5	-	-	-	9	12	41	71	156	330	589	754	
White	1,036	4	1	5	5	12	27	49	140	249	348	196	1,361	1	-	-	-	5	6	8	38	88	199	440	576	
All other	520	4	4	3	8	13	43	48	69	126	123	79	606	4	-	-	-	4	6	33	33	68	131	149	178	
Black	516	4	4	3	8	13	41	48	67	126	123	79	604	4	-	-	-	4	6	33	33	68	131	147	178	
Hypertension with or without renal disease (401,403)	75	-	-	-	-	3	5	8	9	16	20	14	95	-	-	-	-	1	1	6	7	26	21	33		
White	45	-	-	-	-	1	1	2	8	10	14	9	49	-	-	-	-	-	1	1	1	15	13	19		
All other	30	-	-	-	-	2	4	6	1	6	6	5	46	-	-	-	-	1	1	5	6	11	8	14		
Black	30	-	-	-	-	2	4	6	1	6	6	5	46	-	-	-	-	1	1	5	6	11	8	14		
Cerebrovascular diseases (430-438)	1,003	3	1	-	1	9	29	78	136	234	317	195	1,415	-	-	-	-	8	34	56	96	243	471	507		
White	622	1	-	-	1	4	14	32	70	129	224	147	977	-	-	-	-	1	13	25	41	163	344	390		
All other	381	2	1	-	-	5	15	46	66	105	93	48	438	-	-	-	-	7	21	31	55	80	127	117		
Black	376	2	1	-	-	5	15	46	66	104	90	47	436	-	-	-	-	7	21	31	54	80	126	117		
Intracerebral and other intracranial hemorrhage (431-432)	173	1	-	-	1	2	12	27	36	43	33	18	211	-	-	-	-	1	14	16	31	49	61	39		
White	100	1	-	-	1	-	7	13	17	22	25	14	134	-	-	-	-	-	6	4	12	33	49	30		
All other	73	-	-	-	-	2	5	14	19	21	8	4	77	-	-	-	-	1	8	12	19	16	12	9		
Black	72	-	-	-	-	2	5	14	19	21	7	4	76	-	-	-	-	1	8	12	19	16	11	9		
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	99	-	-	-	-	-	2	6	9	26	32	24	146	-	-	-	-	1	2	1	8	22	46	66		
White	74	-	-	-	-	-	1	1	5	21	25	21	103	-	-	-	-	-	1	3	14	34	51	51		
All other	25	-	-	-	-	-	1	5	4	5	7	3	43	-	-	-	-	1	2	-	5	8	12	15		
Black	25	-	-	-	-	-	1	5	4	5	7	3	43	-	-	-	-	1	2	-	5	8	12	15		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 307

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 106 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
LOUISIANA—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	2	2	2
White	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	729	2	1	-	-	7	15	45	91	165	250	153	1,052	-	-	-	6	18	39	57	170	362	400	
White	447	-	-	-	-	4	6	18	48	86	173	112	736	-	-	-	1	7	20	26	115	260	307	
All other	282	2	1	-	-	3	9	27	43	79	77	41	316	-	-	-	5	11	19	31	55	102	93	
Black	278	2	1	-	-	3	9	27	43	78	75	40	315	-	-	-	5	11	19	30	55	102	93	
Atherosclerosis (440)	91	-	-	-	-	4	3	6	16	30	32	189	-	-	-	-	1	-	2	5	18	46	117	
White	55	-	-	-	-	2	1	3	11	16	22	137	-	-	-	-	1	-	1	2	12	31	90	
All other	36	-	-	-	-	2	2	3	5	14	10	52	-	-	-	-	-	-	1	3	6	15	27	
Black	36	-	-	-	-	2	2	3	5	14	10	52	-	-	-	-	-	-	1	3	6	15	27	
Other diseases of arteries, arterioles, and capillaries (441-448)	191	-	-	-	2	4	7	7	23	74	55	19	180	-	-	-	1	3	4	12	17	40	62	41
White	149	-	-	-	2	3	4	3	17	62	45	13	125	-	-	-	-	1	1	6	6	34	49	28
All other	42	-	-	-	-	1	3	4	6	12	10	6	55	-	-	-	1	2	3	6	11	6	13	13
Black	41	-	-	-	-	1	3	4	6	11	10	6	55	-	-	-	1	2	3	6	11	6	13	13
Acute bronchitis and bronchitis (466)	5	2	-	1	-	-	1	-	-	-	-	1	5	1	-	-	-	-	-	-	-	1	-	3
White	2	-	-	1	-	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1	-	3
All other	3	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	3	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	484	8	2	-	4	4	11	16	32	93	165	149	516	6	2	2	4	4	7	9	29	58	143	252
White	347	-	-	-	3	3	4	10	15	69	123	120	387	3	-	2	2	3	2	6	18	41	111	199
All other	137	8	2	-	1	1	7	6	17	24	42	29	129	3	2	-	2	1	5	3	11	17	32	53
Black	136	8	2	-	1	1	7	6	17	24	41	29	128	3	1	-	2	1	5	3	11	17	32	53
Pneumonia (480-486)	483	8	2	-	4	4	10	16	32	93	165	149	511	6	2	1	4	4	7	9	29	56	142	251
White	347	-	-	-	3	3	4	10	15	69	123	120	384	3	-	1	2	3	2	6	18	40	110	199
All other	136	8	2	-	1	1	6	6	17	24	42	29	127	3	2	-	2	1	5	3	11	16	32	52
Black	135	8	2	-	1	1	6	6	17	24	41	29	126	3	1	-	2	1	5	3	11	16	32	52
Influenza (487)	1	-	-	-	-	1	-	-	-	-	-	-	5	-	-	1	-	-	-	-	-	2	1	1
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	729	1	-	1	1	5	8	23	96	223	268	103	539	-	1	3	2	-	8	14	62	163	187	99
White	577	-	-	1	-	2	3	15	74	178	225	79	453	-	-	2	-	-	3	7	49	144	162	86
All other	152	1	-	-	1	3	5	8	22	45	43	24	86	-	1	1	2	-	5	7	13	19	25	13
Black	151	1	-	-	1	3	5	8	21	45	43	24	85	-	1	1	2	-	5	7	12	19	25	13
Bronchitis, chronic and unspecified (490-491)	38	1	-	-	-	1	3	7	8	12	6	21	-	-	-	-	-	-	1	2	7	8	3	
White	31	-	-	-	-	-	1	7	7	12	4	16	-	-	-	-	-	-	1	1	6	8	-	
All other	7	1	-	-	-	1	2	-	1	-	-	5	-	-	-	-	-	-	-	1	1	2	3	
Black	7	1	-	-	-	1	2	-	1	-	-	5	-	-	-	-	-	-	-	1	1	2	3	
Emphysema (492)	159	-	-	-	1	1	4	5	24	47	58	21	90	-	-	-	-	-	1	1	12	38	21	17
White	134	-	-	-	-	1	2	4	22	37	49	19	80	-	-	-	-	-	1	1	12	33	18	15
All other	25	-	-	-	1	-	2	1	2	10	7	2	10	-	-	-	-	-	-	-	-	5	3	2
Black	25	-	-	-	1	-	2	1	2	10	7	2	10	-	-	-	-	-	-	-	-	5	3	2
Asthma (493)	36	-	-	-	-	3	-	5	8	12	4	3	71	-	-	2	2	-	7	5	12	15	16	12
White	21	-	-	1	-	1	-	2	3	9	3	2	43	-	-	1	-	-	2	1	5	12	12	10
All other	15	-	-	-	-	2	-	3	5	3	1	1	28	-	-	1	2	-	5	4	7	3	4	2
Black	14	-	-	-	-	2	-	3	4	3	1	1	27	-	-	1	2	-	5	4	6	3	4	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	496	-	-	-	-	1	3	10	57	156	196	73	357	-	1	1	-	-	7	36	103	142	67	
White	391	-	-	-	-	1	1	8	42	125	161	54	314	-	-	1	-	-	4	31	93	124	61	
All other	105	-	-	-	-	2	2	15	31	35	19	43	43	-	1	-	-	-	3	5	10	18	6	
Black	105	-	-	-	-	1	2	2	15	31	35	19	43	-	1	-	-	-	3	5	10	18	6	
Ulcer of stomach and duodenum (531-533)	47	1	-	-	1	1	4	3	8	10	12	7	38	-	-	-	-	1	-	2	4	6	15	10
White	35	1	-	-	1	1	2	2	6	9	10	3	26	-	-	-	-	-	2	3	2	13	6	6
All other	12	-	-	-	-	2	1	2	2	1	2	4	12	-	-	-	-	1	-	1	2	4	2	4
Black	10	-	-	-	-	1	1	2	1	2	2	4	12	-	-	-	-	1	-	1	2	4	2	4
Appendicitis (540-543)	4	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	35	-	-	-	-	1	2	6	8	7	11	56	2	-	-	-	-	-	3	3	3	21	24	
White	26	-	-	-	-	1	1	5	6	7	6	40	1	-	-	-	-	-	-	2	1	16	20	
All other	9	-	-	-	-	-	1	1	2	-	5	16	1	-	-	-	-	-	3	1	2	5	4	
Black	9	-	-	-	-	-	1	1	2	-	5	16	1	-	-	-	-	-	3	1	2	5	4	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 316

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 115 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
Viral hepatitis (070)	30	-	-	-	-	6	2	3	6	10	2	1	5	-	-	-	-	1	1	-	-	1	2	-
White	23	-	-	-	-	3	1	3	5	8	2	1	5	-	-	-	-	1	1	-	-	1	2	-
All other	7	-	-	-	-	3	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	6	-	-	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	716	5	7	2	13	197	284	125	40	20	15	8	243	3	2	2	9	51	72	25	17	26	24	12
White	260	3	2	2	2	62	101	40	14	13	14	7	69	1	-	1	3	4	4	8	5	14	19	10
All other	456	2	5	-	11	135	183	85	26	7	1	1	174	2	2	1	6	47	68	17	12	12	5	2
Black	454	2	5	-	11	134	183	84	26	7	1	1	171	2	1	1	6	47	68	17	12	10	5	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,188	1	6	12	21	54	167	449	981	1,797	1,312	385	4,763	1	5	9	9	49	209	447	833	1,402	1,229	588
White	3,894	-	4	6	17	38	98	297	691	1,366	1,057	319	3,680	1	3	5	5	34	121	304	594	1,124	1,030	458
All other	1,294	1	2	6	4	16	69	152	290	431	255	66	1,083	-	2	4	4	15	88	143	239	278	199	110
Black	1,244	1	2	5	4	14	68	143	287	412	243	63	1,034	-	2	4	3	15	83	134	229	262	192	109
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	124	-	-	-	-	2	5	13	34	46	19	5	66	-	-	-	-	-	4	9	17	25	14	3
White	85	-	-	-	-	1	2	8	20	32	17	5	47	-	-	-	-	-	2	3	9	20	12	1
All other	39	-	-	-	-	1	3	5	14	14	2	-	19	-	-	-	-	-	2	-	8	5	2	2
Black	38	-	-	-	-	1	3	5	14	13	2	-	18	-	-	-	-	-	1	-	8	5	2	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,260	-	-	-	1	4	47	124	263	440	299	81	1,116	-	-	1	-	9	20	69	181	306	337	192
White	921	-	-	-	1	1	22	77	192	325	238	65	830	-	-	-	-	5	14	46	122	218	274	150
All other	339	-	-	-	-	3	25	47	71	115	61	16	286	-	-	1	-	4	6	23	59	88	63	42
Black	316	-	-	-	-	1	24	44	70	105	56	15	269	-	-	1	-	4	4	21	58	80	60	41
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,760	1	-	-	1	6	38	170	385	692	401	66	1,152	-	-	-	-	3	29	108	250	415	282	85
White	1,326	-	-	-	1	2	22	106	278	525	335	57	932	-	-	-	-	1	18	77	191	358	240	47
All other	434	1	-	-	-	4	16	64	107	167	66	9	220	-	-	-	-	2	11	31	59	57	42	18
Black	423	1	-	-	-	4	16	59	107	162	65	9	214	-	-	-	-	2	10	31	58	55	40	18
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	1	1	3	1	2	839	1	-	-	-	-	9	80	123	145	245	173	63
White	6	-	-	-	-	-	1	1	2	-	2	632	1	-	-	-	-	8	45	78	101	200	150	49
All other	2	-	-	-	-	-	-	-	-	1	1	207	-	-	-	-	-	1	35	45	44	45	23	14
Black	2	-	-	-	-	-	-	-	-	1	1	189	-	-	-	-	-	1	35	44	39	43	23	14
Malignant neoplasms of genital organs (179-187)	655	-	-	-	1	4	8	51	197	280	113	432	-	-	-	-	1	6	25	54	61	120	118	46
White	460	-	-	-	-	3	4	25	129	208	90	327	-	-	-	-	-	5	15	37	44	92	94	40
All other	195	-	-	-	1	1	4	26	68	72	23	105	-	-	-	-	1	1	10	17	17	28	24	6
Black	192	-	-	-	1	1	4	26	67	70	23	97	-	-	-	-	-	1	10	13	17	25	24	6
Malignant neoplasms of urinary organs (188-189)	269	-	-	-	2	3	22	47	83	74	37	145	-	-	-	2	-	1	5	4	20	32	45	36
White	218	-	-	-	1	1	19	34	69	63	31	123	-	-	-	2	-	1	4	3	18	27	41	27
All other	51	-	-	-	1	2	3	13	14	11	6	22	-	-	-	-	-	1	1	2	5	4	9	9
Black	50	-	-	-	1	2	3	13	14	11	5	22	-	-	-	-	-	1	1	2	5	4	9	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	664	-	4	4	6	21	40	63	125	214	138	49	625	-	3	5	4	10	21	62	113	165	146	86
White	526	-	2	2	4	18	33	42	95	177	111	42	492	-	3	2	2	6	11	40	80	138	123	87
All other	138	-	2	2	2	3	7	21	30	37	27	7	133	-	-	3	2	4	10	22	33	27	23	9
Black	130	-	2	1	2	3	7	20	30	35	24	6	128	-	-	3	2	4	9	21	33	28	21	9
Leukemia (204-208)	165	-	2	5	10	10	11	17	20	42	34	14	139	-	2	1	1	7	2	10	20	23	42	31
White	131	-	2	3	8	8	4	14	12	38	29	13	110	-	-	1	1	5	1	7	13	18	37	27
All other	34	-	-	2	2	2	7	3	8	4	5	1	29	-	-	2	-	2	1	3	7	5	5	4
Black	32	-	-	2	2	2	7	3	7	4	4	1	27	-	-	-	-	2	1	2	6	5	5	4
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	283	-	-	3	3	8	19	31	55	80	66	18	249	-	-	-	3	4	23	14	26	71	72	36
White	221	-	-	1	3	7	11	26	34	69	56	14	187	-	-	-	2	3	11	13	16	53	59	30
All other	62	-	-	2	1	8	5	21	11	10	4	6	62	-	-	-	1	1	12	1	10	18	13	6
Black	61	-	-	2	-	1	8	5	20	11	10	4	60	-	-	-	1	1	12	1	8	18	13	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	94	3	-	2	1	1	4	4	13	30	27	9	71	-	1	-	1	2	6	5	6	13	24	13
White	72	1	-	-	1	1	4	4	9	25	20	7	59	-	1	-	1	2	5	3	5	10	21	11
All other	22	2	-	2	-	-	-	-	4	5	7	2	12	-	-	-	-	-	1	2	1	3	3	2
Black	22	2	-	2	-	-	-	-	4	5	7	2	12	-	-	-	-	-	1	2	1	3	3	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 317

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 116 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male													Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
MARYLAND—Con.																										
Diabetes mellitus (250)	497	-	-	2	2	12	24	51	68	170	125	43	609	-	-	-	1	10	12	32	83	177	176	117		
White	336	-	-	-	-	8	14	26	45	116	96	31	391	-	-	-	1	6	4	15	44	104	124	93		
All other	161	-	-	2	2	4	10	25	23	54	29	12	218	-	-	-	-	4	8	17	39	73	52	24		
Black	156	-	-	2	2	4	10	25	23	52	27	11	216	-	-	-	-	4	8	16	39	72	52	24		
Nutritional deficiencies (260-269)	18	-	-	-	-	-	-	2	1	2	8	5	38	1	-	-	-	1	-	-	-	-	2	13	21	
White	9	-	-	-	-	-	-	-	-	2	4	3	35	-	-	-	-	1	-	-	-	-	2	13	19	
All other	9	-	-	-	-	-	-	2	1	-	4	2	3	1	-	-	-	-	-	-	-	-	-	2		
Black	9	-	-	-	-	-	-	2	1	-	4	2	3	1	-	-	-	-	-	-	-	-	-	2		
Anemias (280-285)	40	-	1	2	1	2	11	2	2	5	6	8	62	-	-	1	2	-	7	4	2	6	20	20		
White	15	-	-	-	1	1	1	-	-	4	2	6	36	-	-	-	-	-	1	-	1	5	12	17		
All other	25	-	1	2	-	2	10	1	2	1	4	2	26	-	-	1	2	-	6	4	1	1	8	3		
Black	25	-	1	2	-	2	10	1	2	1	4	2	26	-	-	1	2	-	6	4	1	1	8	3		
Meningitis (320-322)	5	1	-	1	-	1	1	1	-	-	-	-	9	-	1	1	-	-	2	1	1	2	1	-		
White	1	1	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	-	2	-	1	-	-	-		
All other	4	-	-	1	-	1	1	1	-	-	-	-	5	-	1	-	-	-	1	-	1	2	1	-		
Black	4	-	-	1	-	1	1	1	-	-	-	-	5	-	1	-	-	-	1	-	1	2	1	-		
Major cardiovascular diseases (390-448)	7,164	7	4	3	10	61	228	539	1,090	1,947	2,127	1,141	7,590	8	4	4	7	41	105	212	534	1,362	2,445	2,865		
White	5,593	4	3	3	5	28	129	346	774	1,525	1,792	982	6,053	2	1	3	2	16	39	104	329	1,032	2,003	2,520		
All other	1,571	3	1	-	5	33	99	193	316	422	335	159	1,537	6	3	1	5	25	66	108	205	330	442	345		
Black	1,514	3	1	-	5	30	97	187	299	410	325	152	1,477	5	3	1	5	25	63	104	194	321	421	334		
Diseases of heart (390-398,402,404-429)	5,989	4	2	2	6	52	191	475	942	1,643	1,760	905	5,889	6	3	4	5	25	79	157	419	1,098	1,858	2,232		
White	4,728	2	2	2	4	25	113	315	686	1,301	1,498	778	4,757	2	1	3	1	12	30	82	329	842	1,540	1,985		
All other	1,261	2	-	-	2	27	78	160	256	342	262	127	1,132	4	2	1	4	13	49	75	162	256	318	247		
Black	1,219	2	-	-	2	24	77	156	244	333	256	120	1,091	3	2	1	4	13	46	74	152	250	302	243		
Rheumatic fever and rheumatic heart disease (390-398)	27	-	-	-	-	-	1	2	2	5	10	7	55	-	-	-	-	1	4	5	6	15	15	9		
White	23	-	-	-	-	-	1	2	1	5	8	6	48	-	-	-	-	-	5	6	13	15	9	9		
All other	4	-	-	-	-	-	-	-	1	2	2	1	7	-	-	-	-	1	4	-	2	-	-	-		
Black	4	-	-	-	-	-	-	-	1	2	1	1	7	-	-	-	-	1	4	-	2	-	-	-		
Hypertensive heart disease (402)	281	-	-	-	-	5	15	39	73	71	58	20	280	-	-	-	-	-	6	18	35	67	76	78		
White	152	-	-	-	-	2	3	14	37	44	39	13	176	-	-	-	-	-	1	5	14	41	52	63		
All other	129	-	-	-	-	3	12	25	36	27	19	7	104	-	-	-	-	-	5	13	21	26	24	15		
Black	128	-	-	-	-	2	12	25	36	27	19	7	104	-	-	-	-	-	5	13	21	26	24	15		
Hypertensive heart and renal disease (404)	26	-	-	-	-	-	-	1	4	4	9	8	22	-	-	-	-	-	1	-	1	7	4	9		
White	16	-	-	-	-	-	-	-	2	1	7	6	13	-	-	-	-	-	-	-	3	4	6	6		
All other	10	-	-	-	-	-	-	1	2	3	2	2	9	-	-	-	-	-	1	-	4	-	3	3		
Black	9	-	-	-	-	-	-	1	1	3	2	2	8	-	-	-	-	-	1	-	4	-	3	3		
Ischemic heart disease (410-414)	3,056	-	-	-	-	5	52	199	464	891	985	457	2,873	-	-	1	-	2	16	48	207	587	1,002	1,029		
White	2,644	-	-	-	-	4	37	148	387	765	888	414	2,411	-	-	1	-	2	9	32	138	464	838	926		
All other	412	-	-	-	-	1	15	51	77	126	97	43	462	-	-	-	-	1	7	16	69	103	164	103		
Black	394	-	-	-	-	1	15	49	71	120	94	42	446	-	-	-	-	1	5	16	64	101	158	102		
Acute myocardial infarction (410)	1,717	-	-	-	-	3	42	134	291	473	547	226	1,583	-	-	1	-	2	7	32	143	338	569	490		
White	1,461	-	-	-	-	3	29	98	239	399	492	201	1,323	-	-	1	-	2	5	23	97	275	475	444		
All other	256	-	-	-	-	-	13	36	52	74	55	25	260	-	-	-	-	2	9	46	63	94	46	46		
Black	242	-	-	-	-	-	13	34	46	72	52	24	249	-	-	-	-	1	9	42	62	89	46	46		
Other acute and subacute forms of ischemic heart disease (411)	17	-	-	-	-	-	-	-	4	8	4	1	20	-	-	-	-	-	1	1	3	2	4	9		
White	16	-	-	-	-	-	-	-	4	7	4	1	15	-	-	-	-	-	1	2	2	3	7	7		
All other	1	-	-	-	-	-	-	-	-	1	-	-	5	-	-	-	-	-	1	1	1	1	2	2		
Black	1	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	1	1	2	2		
Angina pectoris (413)	9	-	-	-	-	-	-	-	3	1	2	3	24	-	-	-	-	-	-	-	2	4	7	11		
White	8	-	-	-	-	-	-	-	3	1	2	3	18	-	-	-	-	-	-	-	1	7	8	8		
All other	1	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	2	3	3		
Black	1	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	1	2	3	3		
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,313	-	-	-	-	2	10	65	166	409	432	227	1,246	-	-	-	-	-	8	15	59	223	422	519		
White	1,159	-	-	-	-	1	8	50	141	358	390	210	1,055	-	-	-	-	-	4	8	38	185	353	467		
All other	154	-	-	-	-	1	2	15	25	51	42	17	191	-	-	-	-	-	4	7	21	38	69	52		
Black	151	-	-	-	-	1	2	15	25	48	42	17	186	-	-	-	-	-	3	7	20	37	68	51		
Other diseases of endocardium (424)	100	-	-	-	-	-	4	8	4	23	37	24	153	-	-	-	-	2	5	3	6	18	43	76		
White	85	-	-	-	-	-	2	4	2	20	34	23	138	-	-	-	-	-	2	3	4	16	42	71		
All other	15	-	-	-	-	-	2	4	2	3	3	1	15	-	-	-	-	-	2	3	2	2	1	5		
Black	14	-	-	-	-	-	2	4	1	3	3	1	14	-	-	-	-	-	2	3	2	1	1	5		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 318

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 117 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MARYLAND—Con.																								
All other forms of heart disease (415-423,425-429)	2,499	4	2	2	6	42	119	226	395	649	661	389	2,506	6	3	3	5	20	47	83	164	424	718	1,031
White	1,808	2	2	2	4	19	70	147	257	466	522	316	1,971	2	1	2	1	10	18	37	95	305	589	910
All other	691	2	-	-	2	23	49	79	138	183	139	73	535	4	2	1	4	10	29	46	69	119	129	121
Black	670	2	-	-	2	21	48	77	134	180	136	67	512	3	2	1	4	10	28	45	65	118	119	118
Hypertension with or without renal disease (401,403)	71	-	-	-	1	1	3	4	12	19	20	11	107	-	-	-	-	1	-	5	7	26	37	31
White	39	-	-	-	-	1	2	2	7	7	14	8	65	-	-	-	-	-	-	2	3	17	22	21
All other	32	-	-	-	1	1	2	2	5	12	6	3	42	-	-	-	-	1	-	3	4	9	15	10
Black	30	-	-	-	1	1	2	2	5	12	4	3	41	-	-	-	-	1	-	3	4	9	14	10
Cerebrovascular diseases (430-438)	828	3	2	1	3	8	28	50	109	192	254	178	1,278	2	1	-	2	14	19	41	85	193	448	473
White	602	2	1	1	1	3	12	24	61	143	200	154	968	-	-	-	1	3	4	16	54	138	352	400
All other	226	1	1	-	2	5	16	26	48	49	54	24	310	2	1	-	1	11	15	25	31	55	96	73
Black	215	1	1	-	2	5	16	24	44	46	52	24	295	2	1	-	1	11	15	23	30	52	92	68
Intracerebral and other intracranial hemorrhage (431-432)	167	2	-	1	2	5	16	21	32	39	33	16	204	1	-	-	-	7	8	12	27	40	78	31
White	111	1	-	1	1	2	8	9	17	31	28	15	141	-	-	-	-	1	1	1	18	29	65	26
All other	56	1	-	-	1	3	8	12	15	8	7	1	63	1	-	-	-	6	7	11	9	11	13	5
Black	53	1	-	-	1	3	8	11	13	8	7	1	61	1	-	-	-	6	7	10	9	11	12	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	75	-	-	-	-	1	3	5	6	16	23	21	107	-	-	-	-	1	1	1	7	12	35	50
White	54	-	-	-	-	-	-	2	5	14	17	16	85	-	-	-	-	-	-	-	5	7	31	42
All other	21	-	-	-	-	1	3	3	1	2	6	5	22	-	-	-	-	1	1	1	2	5	4	8
Black	21	-	-	-	-	1	3	3	1	2	6	5	21	-	-	-	-	1	1	1	2	4	4	8
Cerebral embolism (434.1)	2	-	-	-	-	1	-	-	-	-	-	1	4	-	-	-	-	-	-	-	1	-	2	1
White	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	1	-	1	1
All other	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	584	1	2	-	1	9	24	71	137	198	140	963	1	1	-	2	6	10	28	50	141	333	391	
White	436	1	1	-	1	4	13	39	98	157	122	739	-	-	-	1	2	3	15	30	102	255	331	
All other	148	-	1	-	1	5	11	32	39	41	18	224	1	1	-	1	4	7	13	20	39	78	80	
Black	140	-	1	-	1	5	10	30	36	39	18	212	1	1	-	1	4	7	12	19	37	75	55	
Atherosclerosis (440)	57	-	-	-	-	-	2	1	14	17	23	117	-	-	-	-	-	-	-	-	1	11	26	79
White	49	-	-	-	-	-	1	1	9	16	22	104	-	-	-	-	-	-	-	-	1	9	23	71
All other	8	-	-	-	-	-	1	-	5	1	1	13	-	-	-	-	-	-	-	-	1	2	3	8
Black	8	-	-	-	-	-	1	-	5	1	1	12	-	-	-	-	-	-	-	-	2	3	7	
Other diseases of arteries, arterioles, and capillaries (441-448)	219	-	-	-	-	3	8	26	79	76	24	199	-	-	-	-	1	7	9	22	34	76	50	
White	175	-	-	-	-	3	4	19	65	64	20	159	-	-	-	-	1	5	4	14	26	66	43	
All other	44	-	-	-	-	3	4	7	14	12	4	40	-	-	-	-	2	5	8	8	10	7		
Black	42	-	-	-	-	2	4	6	14	12	4	38	-	-	-	-	2	4	8	8	8	10	6	
Acute bronchitis and bronchiolitis (466)	7	1	-	-	-	-	-	-	1	3	2	5	-	-	-	-	-	-	-	-	-	1	3	1
White	5	-	-	-	-	-	-	-	1	2	4	-	-	-	-	-	-	-	-	-	-	1	2	1
All other	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	545	4	-	-	5	10	24	21	36	118	178	148	603	-	1	3	2	14	13	9	28	71	178	283
White	405	1	-	-	2	10	13	21	85	148	125	509	-	-	3	1	3	8	4	22	53	156	259	
All other	140	3	-	-	3	10	8	15	33	30	23	94	-	1	-	1	11	5	5	6	18	22	24	
Black	134	3	-	-	3	10	14	8	13	32	27	23	91	-	1	-	1	11	5	5	6	17	20	24
Pneumonia (480-486)	537	4	-	-	5	10	23	21	36	118	175	144	583	-	1	1	2	14	13	9	27	68	174	273
White	397	1	-	-	2	9	13	21	85	145	121	492	-	1	1	3	8	4	21	50	153	251		
All other	140	3	-	-	3	10	14	8	15	33	30	23	91	-	1	-	1	11	5	5	6	18	21	22
Black	134	3	-	-	3	10	14	8	13	32	27	23	88	-	1	-	1	11	5	5	6	17	19	22
Influenza (487)	8	-	-	-	-	1	-	-	-	3	4	20	-	-	-	2	-	-	-	-	1	3	4	10
White	8	-	-	-	-	1	-	-	-	3	4	17	-	-	2	-	-	-	-	-	1	3	3	8
All other	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	2	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	721	1	1	1	3	1	3	10	94	241	270	95	727	-	1	-	1	2	3	15	73	221	278	133
White	609	-	1	1	-	1	5	74	209	235	83	658	-	-	-	-	1	10	64	204	258	259		
All other	112	1	-	-	3	1	2	5	20	32	35	12	69	-	1	-	1	2	2	5	9	17	20	12
Black	108	1	-	-	3	1	2	5	19	30	34	12	66	-	1	-	1	2	2	5	8	17	18	12
Bronchitis, chronic and unspecified (490-491)	36	-	-	-	-	1	1	7	14	9	4	30	-	-	-	-	-	-	-	-	-	4	13	13
White	33	-	-	-	-	1	1	6	13	8	4	28	-	-	-	-	-	-	-	-	-	4	12	12
All other	3	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1
Emphysema (492)	125	-	-	-	-	-	3	15	48	48	11	100	-	-	-	-	-	1	2	13	35	33	16	
White	110	-	-	-	-	-	3	13	45	39	10	96	-	-	-	-	-	-	1	12	35	32	16	
All other	15	-	-	-	-	-	-	2	3	9	1	4	-	-										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 320

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 119 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MARYLAND—Con.																									
Pregnancy with abortive outcome (630-636)
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	...	1
White	2	1	...	1
All other
Black
Congenital anomalies (740-759)	111	71	10	1	2	2	1	5	2	7	6	4	106	65	10	6	4	3	1	1	3	5	4	4	4
White	60	34	7	-	1	-	-	4	1	5	4	4	63	36	6	3	3	2	-	-	3	4	3	3	3
All other	51	37	3	1	1	2	1	1	1	2	2	-	43	29	4	3	1	1	1	1	-	1	1	1	1
Black	50	36	3	1	1	2	1	1	1	2	2	-	40	26	4	3	1	1	1	1	-	1	1	1	1
Certain conditions originating in the perinatal period (760-779)	230	230	-	-	-	-	-	-	-	-	-	-	180	178	-	1	-	1	-	-	-	-	-	-	-
White	97	97	-	-	-	-	-	-	-	-	-	-	70	68	-	1	-	1	-	-	-	-	-	-	-
All other	133	133	-	-	-	-	-	-	-	-	-	-	110	110	-	-	-	-	-	-	-	-	-	-	-
Black	131	131	-	-	-	-	-	-	-	-	-	-	108	108	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	41	41	-	-	-	-	-	-	-	-	-	-	30	30	-	-	-	-	-	-	-	-	-	-	-
White	28	28	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	189	189	-	-	-	-	-	-	-	-	-	-	150	148	-	1	-	1	-	-	-	-	-	-	-
White	69	69	-	-	-	-	-	-	-	-	-	-	55	53	-	1	-	1	-	-	-	-	-	-	-
All other	120	120	-	-	-	-	-	-	-	-	-	-	95	95	-	-	-	-	-	-	-	-	-	-	-
Black	118	118	-	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	290	66	6	3	20	51	61	32	16	17	4	12	189	54	6	-	10	22	26	9	8	8	23	23	
White	142	25	5	2	7	24	29	17	8	12	3	9	110	24	5	-	4	6	15	5	7	5	19	20	
All other	148	41	1	1	13	27	32	15	8	5	1	3	79	30	1	-	6	16	11	4	1	3	4	3	
Black	145	40	1	1	12	27	31	15	8	5	1	3	79	30	1	-	6	16	11	4	1	3	4	3	
All other diseases (Residual)	1,566	14	10	10	13	52	99	111	180	351	429	297	2,045	17	10	13	10	36	66	93	137	346	579	737	
White	1,153	11	6	9	6	22	50	56	107	269	366	251	1,567	11	7	8	6	10	22	5	87	262	475	629	
All other	413	3	4	1	7	30	49	55	73	82	63	46	478	6	3	5	4	26	44	43	50	84	104	108	
Black	402	3	4	1	7	28	49	54	71	80	62	43	467	6	3	5	3	26	44	41	49	83	102	104	
Accidents and adverse effects (E800-E949)	835	6	21	39	125	182	122	78	64	73	74	50	451	3	16	12	40	41	39	36	28	67	76	93	
White	606	2	12	23	88	133	90	51	46	57	61	42	343	-	7	7	33	25	26	22	47	65	85	85	
All other	229	4	9	16	37	49	32	27	18	16	13	8	108	3	9	5	7	16	13	10	6	20	11	8	
Black	215	4	9	15	35	46	28	26	18	15	12	7	97	3	9	4	7	15	12	7	5	18	10	7	
Motor vehicle accidents (E810-E825)	431	1	5	23	99	122	65	42	26	27	14	7	203	1	5	9	37	28	32	28	17	26	14	6	
White	317	-	5	12	71	89	51	27	21	23	12	7	154	-	3	6	32	18	21	21	13	20	14	6	
All other	114	1	-	11	28	34	14	15	5	4	2	-	49	1	2	3	5	10	11	7	4	6	-	-	
Black	104	1	-	10	27	32	11	14	5	3	1	-	40	1	2	2	5	9	10	4	3	4	-	-	
All other accidents and adverse effects (E800-E807, E826-E849)	404	5	16	16	26	60	57	36	38	46	60	43	248	2	11	3	3	13	7	8	11	41	62	87	
White	289	2	7	11	17	45	39	24	25	34	49	35	189	-	4	1	1	7	5	5	9	27	51	79	
All other	115	3	9	5	9	15	18	12	13	12	11	8	59	2	7	2	2	6	2	3	2	14	11	8	
Black	111	3	9	5	8	14	17	12	13	12	11	7	57	2	7	2	2	6	2	3	2	14	10	7	
Suicide (E950-E959)	366	5	49	93	70	54	31	31	26	7	95	1	10	19	26	13	11	9	5	1	
White	285	3	27	67	56	44	26	31	25	6	85	-	8	17	23	11	11	9	5	1	
All other	81	2	22	26	14	10	5	-	-	1	10	1	2	2	3	2	-	-	-	-	
Black	68	2	19	23	11	8	5	-	-	-	10	1	2	2	8	2	-	-	-	-	
Homicide and legal intervention (E960-E978)	524	4	9	8	197	178	73	25	12	11	5	1	123	1	3	6	22	45	16	10	9	8	1	2	
White	86	2	1	1	13	24	27	6	2	4	5	1	49	1	-	1	6	13	8	7	7	5	1	-	
All other	438	2	8	7	184	154	46	19	10	7	-	-	74	-	3	5	16	32	8	3	2	3	-	2	
Black	430	2	8	7	184	151	43	18	9	7	-	-	71	-	3	5	16	29	8	3	2	3	-	2	
All other external causes (E980-E999)	194	1	-	2	15	65	89	14	4	2	1	-	39	1	-	-	4	10	16	5	1	1	1	-	
White	81	-	-	1	4	34	31	4	4	2	1	-	24	-	-	-	2	8	7	5	-	1	1	-	
All other	113	1	-	1	11	31	58	10	-	-	-	-	15	1	-	-	2	2	9	-	1	-	-	-	
Black	113	1	-	1	11	31	58	10	-	-	-	-	13	1	-	-	1	2	9	-	-	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 321

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 120 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MASSACHUSETTS																									
All causes	26,069	321	57	75	350	863	1,282	1,647	3,296	6,512	7,433	4,232	27,809	248	52	44	130	339	589	1,014	2,029	5,015	8,492	9,856	
White	24,792	252	47	59	288	756	1,137	1,508	3,110	6,242	7,256	4,136	26,755	183	42	37	114	283	499	928	1,907	4,801	8,264	9,696	
All other	1,277	69	10	16	62	107	145	139	186	270	177	96	1,054	65	10	7	16	56	90	86	122	214	228	160	
Black	1,095	59	7	14	53	98	136	120	158	229	146	75	918	57	8	5	13	52	77	76	105	181	196	148	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	19	1	-	-	-	-	1	-	3	4	6	4	21	-	-	-	-	-	-	-	1	-	13	7	
White	19	1	-	-	-	-	1	-	3	4	6	4	21	-	-	-	-	-	-	-	1	-	13	7	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	10	-	-	-	-	1	1	2	1	3	1	1	9	-	-	-	-	-	2	-	-	3	1	3	
White	9	-	-	-	-	-	1	2	1	3	1	1	7	-	-	-	-	-	2	-	-	2	1	2	
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Tuberculosis of respiratory system (010-012)	10	-	-	-	-	1	1	2	1	3	1	1	6	-	-	-	-	-	1	-	-	3	1	1	
White	9	-	-	-	-	1	1	2	1	3	1	1	4	-	-	-	-	-	1	-	-	2	1	1	
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2	
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	259	1	-	-	-	9	11	13	21	64	69	51	355	-	3	-	2	1	5	8	15	59	114	148	
White	243	1	-	-	-	7	7	11	20	60	66	51	333	-	3	-	1	1	4	7	13	53	109	142	
All other	16	-	-	-	-	2	4	2	1	4	3	2	22	-	-	-	1	-	1	1	2	6	5	6	
Black	15	-	-	-	-	2	4	2	1	4	2	17	17	-	-	-	1	-	1	1	-	4	5	5	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	32	-	-	-	-	3	11	4	1	10	2	1	14	-	-	-	-	-	2	2	4	2	4	-	
White	28	-	-	-	-	3	9	2	1	10	2	1	12	-	-	-	-	-	2	2	4	2	4	-	
All other	4	-	-	-	-	-	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	686	1	1	4	4	208	286	113	29	25	12	3	180	3	4	2	1	51	42	19	10	19	16	13	
White	564	-	1	4	3	179	225	93	22	23	11	3	131	3	2	2	1	33	24	13	9	17	15	12	
All other	122	1	-	-	1	29	61	20	7	2	1	-	49	-	2	-	-	18	18	6	1	2	1	1	
Black	120	1	-	-	1	29	60	20	7	2	-	-	49	-	2	-	-	18	18	6	1	2	1	1	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,130	3	10	18	18	72	164	470	1,234	2,293	2,050	798	7,052	1	4	9	16	75	231	572	1,015	1,935	2,091	1,103	
White	6,831	3	10	15	18	66	153	439	1,166	2,197	1,988	776	6,781	1	3	9	16	70	206	534	961	1,866	2,035	1,080	
All other	299	-	-	3	-	6	11	31	68	96	62	22	271	-	1	-	-	5	25	38	54	69	56	23	
Black	251	-	-	2	-	6	8	22	61	79	53	20	236	-	1	-	-	3	18	33	49	57	52	23	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 322

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 121 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MASSACHUSETTS—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	142	-	-	-	1	5	15	28	59	31	3	69	-	-	-	-	-	1	4	14	18	18	16	16
White	134	-	-	-	1	4	12	27	57	30	3	69	-	-	-	-	-	1	4	14	18	18	16	16
All other	8	-	-	-	-	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,826	-	-	1	11	45	118	303	583	559	206	1,699	-	-	-	-	5	21	83	159	405	614	412	
White	1,748	-	-	1	9	41	111	282	560	540	204	1,626	-	-	-	-	4	14	76	143	391	595	403	
All other	78	-	-	-	2	4	7	21	23	19	2	73	-	-	-	-	1	7	7	16	14	19	9	
Black	61	-	-	-	2	2	4	18	18	16	1	55	-	-	-	-	3	5	12	10	16	16	9	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,236	-	-	1	4	27	169	521	786	579	149	1,560	-	-	-	-	4	38	151	318	528	403	120	
White	2,130	-	-	-	3	25	154	495	746	562	145	1,505	-	-	-	-	4	34	141	305	506	397	118	
All other	106	-	-	1	1	2	15	26	40	17	4	55	-	-	-	-	1	4	10	11	22	6	2	
Black	90	-	-	-	1	2	12	24	34	14	3	49	-	-	-	-	3	10	11	17	6	6	2	
Malignant neoplasm of breast (174-175)	13	-	-	-	-	2	-	1	5	4	1	1,248	-	-	-	-	21	88	157	181	339	299	163	
White	13	-	-	-	-	2	-	1	5	4	1	1,206	-	-	-	-	19	80	149	173	331	294	160	
All other	-	-	-	-	-	-	-	-	-	-	-	42	-	-	-	-	2	8	8	8	8	5	3	
Black	-	-	-	-	-	-	-	-	-	-	-	40	-	-	-	-	2	6	8	8	8	5	3	
Malignant neoplasms of genital organs (179-187)	890	-	-	3	4	6	8	64	241	340	224	657	-	-	-	1	11	27	57	102	199	181	79	
White	851	-	-	3	4	6	7	59	231	328	213	631	-	-	-	1	10	27	54	99	193	170	77	
All other	39	-	-	-	-	-	-	1	5	10	12	26	-	-	-	-	1	3	3	6	11	2	2	
Black	37	-	-	-	-	-	-	1	5	9	11	23	-	-	-	-	1	1	2	6	11	2	2	
Malignant neoplasms of urinary organs (188-189)	368	-	1	1	1	6	22	51	102	124	60	257	-	-	-	-	6	17	31	59	80	64	64	
White	355	-	1	1	-	6	22	50	97	120	58	248	-	-	-	-	5	17	27	59	79	61	61	
All other	13	-	-	-	1	-	-	1	5	4	2	9	-	-	-	-	1	1	4	-	1	3	3	
Black	10	-	-	-	1	-	-	1	2	4	2	9	-	-	-	-	1	-	4	-	1	3	3	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	975	1	5	8	7	29	41	93	157	324	227	83	886	1	-	5	8	15	35	63	136	224	267	132
White	941	1	5	8	7	28	39	89	149	311	222	82	847	1	-	5	8	15	31	58	129	211	258	131
All other	34	-	-	-	-	1	2	4	8	13	5	1	39	-	-	-	-	4	5	7	13	9	1	
Black	29	-	-	-	-	1	2	4	7	11	3	1	36	-	-	-	-	4	4	7	11	9	1	
Leukemia (204-208)	276	2	4	7	3	11	12	15	40	83	68	31	239	-	4	3	3	7	9	15	27	51	68	52
White	266	2	4	5	3	10	11	15	37	82	66	31	232	-	3	3	3	7	9	14	25	50	66	52
All other	10	-	-	2	1	1	-	3	1	2	-	-	7	-	1	-	-	1	2	1	2	1	2	
Black	10	-	-	2	-	1	-	3	1	2	-	-	6	-	1	-	-	-	1	2	-	2	-	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	404	-	-	1	4	11	20	30	69	110	118	41	437	-	-	1	4	12	6	25	49	112	163	65
White	393	-	-	1	4	11	19	29	66	108	116	39	417	-	-	1	4	11	5	21	46	107	160	62
All other	11	-	-	-	-	-	1	1	3	2	2	2	20	-	-	-	1	1	4	3	5	3	3	
Black	10	-	-	-	-	-	-	1	3	2	2	2	18	-	-	-	-	1	4	3	5	2	3	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	109	3	-	1	2	5	7	7	13	24	35	12	117	-	1	-	2	2	3	2	6	30	35	36
White	105	2	-	1	2	5	6	5	13	24	35	12	113	-	1	-	2	2	2	2	6	28	34	36
All other	4	1	-	-	-	-	1	2	-	-	-	-	4	-	-	-	-	1	-	-	2	1	-	
Black	4	1	-	-	-	-	1	2	-	-	-	-	4	-	-	-	-	1	-	-	2	1	-	
Diabetes mellitus (250)	537	-	-	-	4	19	34	82	177	154	67	658	-	-	1	1	3	12	20	58	180	235	148	
White	513	-	-	-	4	17	33	79	171	144	65	613	-	-	1	1	2	12	16	50	164	224	143	
All other	24	-	-	-	-	2	1	3	6	10	2	45	-	-	-	-	1	4	8	8	16	11	5	
Black	22	-	-	-	-	1	1	3	6	9	2	34	-	-	-	-	1	2	6	14	7	4	4	
Nutritional deficiencies (260-269)	17	-	-	-	-	-	-	1	2	4	10	44	-	1	-	-	-	-	-	1	2	14	26	
White	17	-	-	-	-	-	-	1	2	4	10	40	-	-	-	-	-	-	-	1	2	13	24	
All other	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	1	2	
Black	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	1	2	
Anemias (280-285)	48	-	-	2	1	2	1	1	7	16	18	69	1	1	-	1	3	1	2	4	9	20	27	
White	44	-	-	1	2	1	1	1	6	15	18	62	1	1	-	1	2	1	2	4	8	20	25	
All other	4	-	-	1	1	-	-	-	1	1	-	7	-	-	-	1	2	1	-	-	1	-	2	
Black	4	-	-	1	1	-	-	-	1	1	-	7	-	-	-	1	2	1	-	-	1	-	2	
Meningitis (320-322)	8	1	1	-	2	1	1	-	1	1	-	11	1	1	-	1	1	-	-	-	1	3	3	
White	5	1	-	-	1	1	-	-	1	1	-	10	1	-	-	1	1	-	-	-	1	3	3	
All other	3	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Black	3	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	9,905	10	1	4	19	66	215	557	1,268	2,592	3,248	1,925	11,774	5	5	-	8	27	96	176	488	1,729	3,780	5,459
White	9,547	8	-	1	13	60	199	503	1,198	2,492	3,180	1,893	11,458	3	5	-	7	25	80	158	454	1,647	3,684	5,394
All other	358	2	1	3	6	6	16	54	70	100	68	32	316	2	-	-	1	2	16	18	34	82	96	65
Black	299	2	-	3	4	6	16	46	54	86	55	27	278	2	-	-	1	2	12	16	29	75	82	59

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 326

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 125 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MASSACHUSETTS—Con.																									
Other conditions originating in the perinatal period (760-766,770-779)	144	144	-	-	-	-	-	-	-	-	-	-	122	121	1	-	-	-	-	-	-	-	-	-	-
White	105	105	-	-	-	-	-	-	-	-	-	-	82	82	-	-	-	-	-	-	-	-	-	-	-
All other	39	39	-	-	-	-	-	-	-	-	-	-	40	39	1	-	-	-	-	-	-	-	-	-	-
Black	35	35	-	-	-	-	-	-	-	-	-	-	36	35	1	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	205	45	-	3	5	22	29	10	18	27	30	22	181	26	1	-	-	16	9	10	9	16	35	59	
White	189	38	-	3	5	18	21	10	18	25	30	21	168	19	1	-	-	14	9	10	7	16	35	57	
All other	16	7	-	-	-	4	2	-	-	2	-	-	13	7	-	-	-	2	-	-	2	-	-	2	
Black	12	5	-	-	-	3	2	-	-	2	-	-	10	5	-	-	-	2	-	-	1	-	-	2	
All other diseases (Residual)	2,207	10	6	11	10	60	113	141	233	475	655	493	2,974	9	12	5	13	31	56	68	158	408	906	1,308	
White	2,106	8	5	10	9	51	99	131	217	450	644	482	2,852	7	10	4	10	24	44	60	150	386	877	1,280	
All other	101	2	1	1	1	9	14	10	16	25	11	11	122	2	2	1	3	7	12	8	8	22	29	28	
Black	92	2	1	1	1	9	13	9	14	22	10	10	108	2	1	-	3	7	12	8	6	17	24	28	
Accidents and adverse effects (E800-E949)	801	2	26	17	137	150	103	73	44	85	94	70	495	2	5	16	43	33	20	30	35	55	119	137	
White	753	2	21	13	125	140	97	68	40	84	94	69	479	2	5	14	40	31	18	25	32	54	116	136	
All other	48	-	5	4	12	10	6	5	4	1	-	1	22	-	-	2	3	2	5	3	3	1	3	1	
Black	37	-	4	4	7	8	5	4	3	1	-	1	18	-	-	1	2	1	2	5	3	1	3	1	
Motor vehicle accidents (E810-E825)	382	1	5	9	102	98	46	38	18	27	29	9	180	-	2	7	38	23	16	15	18	23	26	12	
White	358	1	5	9	94	90	43	34	17	27	29	9	173	-	2	7	36	22	14	15	16	23	26	12	
All other	24	-	-	-	8	8	3	4	1	-	-	-	7	-	-	-	2	1	2	-	2	-	-	-	
Black	15	-	-	-	4	6	2	3	-	-	-	-	5	-	-	-	1	-	2	-	2	-	-	-	
All other accidents and adverse effects (E800-E807, E826-E949)	419	1	21	8	35	52	57	35	26	58	65	61	315	2	3	9	5	10	4	15	17	32	93	125	
White	395	1	16	4	31	50	54	34	23	57	65	60	300	2	3	7	4	9	4	10	16	31	90	124	
All other	24	-	5	4	4	2	3	1	3	1	-	-	15	-	-	2	1	1	-	5	1	1	3	1	
Black	22	-	4	4	3	2	3	1	3	1	-	-	13	-	-	1	1	1	-	5	1	1	3	1	
Suicide (E950-E959)	428	4	59	120	88	49	41	34	27	5	106	2	14	21	27	18	9	7	5	3	
White	404	3	53	109	85	48	40	34	26	5	100	2	13	19	26	17	8	7	5	3	
All other	24	1	6	11	3	1	1	-	-	-	6	-	1	2	1	1	1	-	-	-	
Black	18	1	4	8	3	1	-	-	-	-	3	-	1	1	-	1	-	-	-	-	
Homicide and legal intervention (E960-E978)	159	4	3	7	65	39	23	9	6	3	-	-	68	2	1	3	20	19	9	5	2	4	3	-	
White	97	2	3	5	30	25	17	7	5	3	-	-	52	1	1	1	14	15	7	4	2	4	3	-	
All other	62	2	-	2	35	14	6	2	1	-	-	-	16	1	-	2	6	4	2	1	-	-	-	-	
Black	62	2	-	2	35	14	6	2	1	-	-	-	14	1	-	2	5	4	1	1	-	-	-	-	
All other external causes (E980-E999)	211	-	-	-	18	65	98	18	7	4	1	-	65	-	-	1	3	30	18	7	4	1	1	-	
White	193	-	-	-	18	59	89	16	6	4	1	-	56	-	-	-	3	25	16	6	4	1	1	-	
All other	18	-	-	-	-	6	9	2	1	-	-	-	9	-	-	-	-	5	2	1	-	-	-	-	
Black	17	-	-	-	-	5	9	2	1	-	-	-	9	-	-	-	-	5	2	1	-	-	-	-	
MICHIGAN																									
All causes	40,617	840	165	235	981	1,304	2,101	2,807	5,342	10,460	10,666	5,711	38,462	623	93	123	328	573	1,053	1,782	3,585	7,834	11,150	11,313	
White	33,736	451	107	171	612	876	1,424	2,059	4,354	8,927	9,487	5,187	32,818	332	51	87	217	390	673	1,349	2,784	6,606	9,901	10,425	
All other	6,881	389	58	64	369	428	677	708	888	1,493	1,179	524	5,644	291	42	36	111	183	380	433	801	1,228	1,249	888	
Black	6,535	376	55	59	354	409	650	661	919	1,425	1,177	506	5,367	281	39	36	104	176	362	405	755	1,164	1,193	850	
Shigellosis and amebiasis (004,005)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	1	-	-	-	1	-	-	1	-	-	6	1	-	-	1	-	-	-	-	-	2	2	
White	4	1	1	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	1	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	-	
Tuberculosis (010-018)	23	-	-	1	-	2	2	2	4	6	5	1	26	1	-	-	1	1	6	1	3	7	4	2	
White	10	-	-	1	-	2	2	2	3	4	1	1	10	-	-	-	-	-	-	-	2	4	2	1	
All other	13	-	-	-	-	2	2	2	1	2	4	1	16	1	-	-	1	1	6	1	1	3	2	1	
Black	12	-	-	-	-	2	2	2	1	1	4	-	15	1	-	-	1	1	6	-	1	2	2	1	
Tuberculosis of respiratory system (010-012)	18	-	-	-	-	2	1	2	3	5	4	1	20	-	-	-	-	1	4	-	2	7	4	2	
White	7	-	-	-	-	2	1	2	3	3	1	1	9	-	-	-	-	-	-	-	2	4	2	1	
All other	11	-	-	-	-	2	1	2	1	2	3	-	11	-	-	-	-	1	4	-	2	4	2	1	
Black	10	-	-	-	-	2	1	2	1	1	3	-	10	-	-	-	-	1	4	-	2	3	2	1	
Other tuberculosis (013-018)	5	-	-	1	-	-	1	-	1	1	1	-	6	1	-	-	1	2	1	1	-	-	-	-	
White	3	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	2	1	1	-	-	-	-	
All other	2	-	-	-	-	-	1	-	-	-	-	-	5	1	-	-	-	-	1	-	-	-	-	-	
Black	2	-	-	-	-	-	1	-	-	-	-	-	5	1	-	-	-	2	-	1	-	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 327

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 126 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MICHIGAN—Con.																									
Whooping cough (033)																									
White																									
All other																									
Black																									
Streptococcal sore throat, scarlatina, and erysipelas (034-035)																									
White																									
All other																									
Black																									
Meningococcal infection (036)	2						1			1		3							1		1		1		
White	2						1			1		2							1		1		1		
All other												1													
Black																									
Septicemia (038)	257	5	2		1	2	10	10	21	58	96	52	340	5	1			7	7	12	30	45	112	121	
White	201	1			1	2	5	6	15	45	82	44	270	2	1			3	3	6	17	36	100	102	
All other	56	4	2				5	4	6	13	14	8	70	3				4	4	6	13	9	12	19	
Black	55	4	2				5	4	6	12	14	8	69	3				4	4	6	13	9	11	19	
Acute poliomyelitis (045)																									
White																									
All other																									
Black																									
Measles (055)																									
White																									
All other																									
Black																									
Viral hepatitis (070)	34	1		1		7	6	10	3	4	2	23	1			1		3	1	2	6	6	6	1	
White	21			1		5	3	4	2	4	2	17				1		2	1	1	6	6	6	1	
All other	13	1				2	3	6	1			6	1					1	1	1	1	2	1		
Black	11	1				2	3	4	1			5	1					1		1	1	2			
Syphilis (090-097)	2									2		1										1			
White	2									2		1										1			
All other																									
Black																									
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	610	9	4	3	13	183	212	101	24	37	20	4	169	5	1		6	24	38	21	18	23	23	10	
White	355	3	2	1	6	106	119	56	14	27	17	4	94	3	1		3	9	9	8	12	18	22	9	
All other	255	6	2	2	7	77	93	45	10	10	3		75	2			3	15	29	13	6	5	1	1	
Black	252	6	2	2	7	76	91	45	10	10	3		74	2			2	15	29	13	6	5	1	1	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	10,282	1	12	32	50	85	296	784	1,917	3,500	2,719	886	9,015	1	11	20	37	114	331	779	1,525	2,691	2,383	1,123	
White	8,735	1	8	30	42	68	228	614	1,588	2,974	2,404	778	7,791	1	7	16	29	88	253	643	1,250	2,323	2,141	1,040	
All other	1,547		4	2	8	17	68	170	329	526	315	108	1,224		4	4	8	26	78	136	275	368	242	83	
Black	1,465		4	1	7	14	65	159	304	505	300	106	1,158		2	4	7	25	74	126	257	351	231	81	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	182				2	1	17	21	55	50	32	4	98				1	1	2	7	18	31	23	15	
White	141				2		5	16	42	44	28	4	90				1	1	2	6	16	27	23	14	
All other	41					1	12	5	13	6	4		8							1	2	4		1	
Black	41					1	12	5	13	6	4		7							1	2	3		1	
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,425			2	6	16	71	198	460	848	623	201	2,038			1	4	6	31	102	275	584	672	363	
White	2,032			1	5	14	55	149	379	708	547	174	1,736			1	3	3	22	81	208	493	593	332	
All other	393			1	1	2	16	49	81	140	76	27	302				1	3	9	21	67	91	79	31	
Black	367				1	1	15	46	73	133	72	26	292				1	3	9	21	63	89	76	30	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	3,605			2		1	65	282	788	1,428	851	188	2,131				1	8	48	189	459	770	506	150	
White	3,036			2			45	220	638	1,206	756	169	1,849				1	6	39	153	387	688	457	138	
All other	569					1	20	62	150	222	95	19	282					2	9	36	72	102	49	12	
Black	543					1	20	60	142	212	89	19	268					2	9	33	67	99	47	11	
Malignant neoplasm of breast (174-175)	13						1	2	4	1	5		1,589					25	126	198	307	439	339	155	
White	9						1	1	3		4		1,361					18	88	160	255	384	308	148	
All other	4							1	1	1	1		228					7	38	38	52	55	31	7	
Black	4							1	1	1	1		214					6	35	33	50	53	30	7	
Malignant neoplasms of genital organs (179-187)	1,328		1		5	5	8	15	107	377	546	264	945				3	25	55	104	151	280	227	100	
White	1,086				4	5	6	12	83	297	454	225	792				1	19	40	89	119	240	198	86	
All other	242		1		1		2	3	24	80	92	39	153				2	6	15	15	32	40	29	14	
Black	234		1		1		2	2	22	78	89	39	143				1	6	14	14	29	36	29	14	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 328

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 127 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Malignant neoplasms of urinary organs (188-189)	536	-	-	1	-	3	15	41	102	160	146	68	310	-	-	-	-	-	3	17	50	86	100	54
White	489	-	-	1	-	3	15	35	90	148	137	60	276	-	-	-	-	-	1	13	43	79	93	53
All other	47	-	-	-	-	-	-	6	12	12	9	8	34	-	-	-	-	-	2	4	7	13	7	1
Black	42	-	-	-	-	-	-	5	11	12	7	7	31	-	-	-	-	-	2	3	7	12	6	1
Malignant neoplasms of all other and unspecified sites (170-173,190-198)	1,161	1	8	10	17	33	67	140	234	327	242	82	1,030	1	8	16	11	24	36	95	140	271	268	160
White	1,030	1	5	10	15	27	61	114	202	298	224	73	917	1	5	13	9	21	34	81	121	238	244	150
All other	131	-	3	-	2	6	6	26	32	29	18	9	113	-	3	3	2	3	2	14	19	33	24	10
Black	120	-	3	-	2	4	6	24	26	28	18	9	104	-	1	3	2	3	2	14	17	31	21	10
Leukemia (204-208)	420	-	3	16	11	11	12	33	62	123	110	39	299	-	3	3	9	9	17	20	39	76	77	46
White	379	-	3	15	9	12	24	59	108	103	37	266	-	2	2	9	8	15	17	34	65	70	44	44
All other	41	-	-	1	2	2	-	9	3	15	7	2	33	-	1	1	-	1	2	3	5	11	7	2
Black	39	-	-	1	1	2	-	8	3	15	7	2	31	-	1	1	-	1	2	3	4	10	7	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	612	-	-	1	9	15	40	52	105	186	164	40	575	-	-	-	8	16	13	47	86	154	171	80
White	533	-	-	1	7	10	28	43	82	165	151	36	504	-	-	-	5	12	12	49	67	135	155	75
All other	79	-	-	-	2	5	12	9	13	21	13	4	71	-	-	-	3	4	1	4	19	19	16	5
Black	75	-	-	-	2	5	10	8	13	21	13	4	68	-	-	-	3	4	1	4	18	18	15	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	75	-	1	3	1	2	5	3	8	18	17	17	113	2	2	1	1	2	3	6	14	23	29	30
White	66	-	1	2	-	2	3	3	8	16	14	17	94	2	2	1	1	1	2	6	8	18	26	27
All other	9	-	-	1	1	-	2	-	-	2	3	-	19	-	-	-	-	-	1	1	-	6	5	3
Black	9	-	-	1	1	-	2	-	-	2	3	-	17	-	-	-	-	-	1	1	-	5	5	2
Diabetes mellitus (250)	896	-	-	1	5	17	42	78	142	278	254	79	1,229	-	-	-	2	8	24	62	142	374	379	244
White	726	-	-	1	4	11	34	54	106	223	219	74	885	-	-	-	-	5	18	41	93	296	317	215
All other	170	-	-	-	1	6	8	24	36	55	35	5	244	-	-	-	2	3	6	21	49	78	56	29
Black	159	-	-	-	1	6	8	24	32	50	33	5	233	-	-	-	2	3	6	19	47	75	53	28
Nutritional deficiencies (260-269)	55	-	1	-	-	-	1	3	2	13	21	14	94	1	-	-	-	-	3	2	4	7	25	52
White	40	-	-	-	-	-	-	1	10	17	12	84	1	-	-	-	-	-	2	2	4	7	19	49
All other	15	-	1	-	-	-	1	3	1	3	4	2	10	-	-	-	-	-	1	-	-	-	6	3
Black	13	-	1	-	-	-	1	2	1	2	4	2	10	-	-	-	-	-	1	-	-	-	6	3
Anemias (280-285)	60	1	1	-	3	1	3	3	8	12	21	7	69	-	-	-	1	4	1	3	6	5	21	28
White	44	-	-	-	1	1	-	3	6	7	19	7	50	-	-	-	-	-	-	1	4	2	18	25
All other	16	1	1	-	2	-	3	-	2	5	2	-	19	-	-	-	1	4	1	2	2	3	3	3
Black	15	1	1	-	2	-	3	-	2	4	2	-	19	-	-	-	1	4	1	2	2	3	3	3
Meningitis (320-322)	7	1	-	1	-	-	1	2	1	-	1	-	19	4	-	1	1	-	-	-	5	3	3	2
White	6	-	-	1	-	-	1	2	1	-	1	-	15	3	-	1	1	-	-	-	5	1	3	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	2	-	1
Black	1	1	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	2	-	1
Major cardiovascular diseases (390-448)	16,413	17	12	7	27	96	444	1,017	2,130	4,454	5,081	3,128	17,677	5	2	2	18	49	195	441	1,147	3,089	5,776	6,950
White	14,151	10	6	3	18	69	298	786	1,733	3,851	4,522	2,855	15,380	3	1	2	13	35	108	309	832	2,553	5,098	6,424
All other	2,262	7	6	4	9	27	146	231	397	603	559	273	2,297	2	1	-	5	14	87	132	315	536	678	526
Black	2,140	7	6	4	9	24	138	211	370	582	528	261	2,195	2	1	-	4	14	82	125	298	511	651	506
Diseases of heart (390-398,402,404-429)	13,429	11	12	5	20	81	366	883	1,858	3,691	4,096	2,406	13,466	4	2	2	13	30	128	325	927	2,465	4,399	5,168
White	11,576	6	6	1	12	60	262	686	1,523	3,192	3,640	2,188	11,663	2	1	2	10	23	66	233	673	2,031	3,865	4,755
All other	1,853	5	6	4	8	21	104	197	335	499	456	218	1,803	2	1	-	3	7	62	92	254	434	534	413
Black	1,745	5	6	4	8	19	96	179	309	480	432	207	1,728	2	1	-	3	7	58	87	239	419	513	398
Rheumatic fever and rheumatic heart disease (390-398)	66	-	-	-	-	2	7	6	12	23	13	3	135	-	-	-	1	1	3	7	20	45	40	18
White	59	-	-	-	-	2	6	4	11	21	13	2	118	-	-	-	1	-	-	5	18	40	37	17
All other	7	-	-	-	-	-	1	2	1	2	-	1	17	-	-	-	-	1	3	2	2	5	3	1
Black	6	-	-	-	-	-	1	2	1	1	-	1	16	-	-	-	-	1	3	1	2	5	3	1
Hypertensive heart disease (402)	299	-	-	-	-	3	24	45	57	62	71	37	379	-	-	-	-	-	9	25	38	65	114	128
White	193	-	-	-	-	2	7	22	26	46	60	30	278	-	-	-	-	-	3	11	17	45	94	108
All other	106	-	-	-	-	1	17	23	31	16	11	7	101	-	-	-	-	-	6	14	21	20	20	20
Black	104	-	-	-	-	1	17	23	30	16	10	7	100	-	-	-	-	-	6	14	21	20	20	19
Hypertensive heart and renal disease (404)	37	-	-	-	-	2	3	3	7	16	6	6	53	-	-	-	-	-	1	-	-	10	20	22
White	26	-	-	-	-	-	2	1	6	12	5	39	39	-	-	-	-	-	-	-	3	16	20	20
All other	11	-	-	-	-	2	1	2	1	4	1	14	14	-	-	-	-	-	1	-	-	7	4	2
Black	11	-	-	-	-	2	1	2	1	4	1	14	14	-	-	-	-	-	1	-	-	7	4	2
Ischemic heart disease (410-414)	9,397	1	-	1	4	33	185	543	1,230	2,658	2,990	1,752	9,229	-	-	-	2	5	59	182	586	1,707	3,110	3,577
White	8,513	-	-	-	3	28	156	468	1,094	2,409	2,729	1,626	8,236	-	-	-	2	3	46	141	463	1,464	2,790	3,327
All other	884	1	-	1	1	5	29	75	136	249	261	128	993	-	-	-	-	2	13	41	123	243	320	250
Black	808	1	-	1	1	5	25																	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 329

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 128 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MICHIGAN—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	14	-	-	-	-	-	2	1	2	4	4	1	13	-	-	-	-	-	-	-	-	-	4	7	2
White	12	-	-	-	-	-	1	1	1	4	4	1	12	-	-	-	-	-	-	-	-	-	4	6	2
All other	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Angina pectoris (413)	12	-	-	-	-	-	-	-	1	4	6	1	23	-	-	-	-	-	-	2	-	3	6	12	
White	10	-	-	-	-	-	-	-	1	4	6	1	21	-	-	-	-	-	-	2	-	3	5	11	
All other	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
Black	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,279	-	-	-	2	11	58	153	453	1,153	1,456	993	4,696	-	-	-	-	2	18	59	217	735	1,533	2,131	
White	3,848	-	-	-	1	9	50	129	400	1,033	1,313	913	4,170	-	-	-	-	1	12	44	157	607	1,369	1,980	
All other	431	-	-	-	1	2	8	24	53	120	143	80	526	-	-	-	-	1	6	15	60	128	164	151	
Black	400	-	-	-	1	2	7	20	48	117	131	74	496	-	-	-	-	1	5	13	56	125	151	144	
Other diseases of endocardium (424)	183	-	1	1	3	4	8	7	16	49	56	38	264	-	-	1	1	3	1	2	16	41	93	106	
White	164	-	1	-	2	2	6	6	14	43	53	37	242	-	-	1	1	3	-	2	14	32	88	101	
All other	19	-	-	1	1	2	2	1	2	6	3	1	22	-	-	-	-	-	1	-	2	9	5	5	
Black	17	-	-	1	1	1	2	1	1	6	3	1	22	-	-	-	-	-	1	-	2	9	5	5	
All other forms of heart disease (415-423,425-429)	3,447	10	11	3	13	39	140	279	540	892	950	570	3,406	4	2	1	9	21	55	109	267	597	1,022	1,317	
White	2,621	6	5	1	7	26	87	184	377	667	773	488	2,750	2	1	1	6	17	17	74	161	447	840	1,182	
All other	826	4	6	2	6	13	53	95	163	225	177	82	656	2	1	-	3	4	38	35	106	150	182	135	
Black	799	4	6	2	6	12	49	89	159	221	171	80	637	2	1	-	3	4	35	34	100	149	178	131	
Hypertension with or without renal disease (401,403)	158	-	-	-	-	2	5	7	12	45	50	37	190	-	-	-	1	-	4	8	15	28	68	66	
White	114	-	-	-	-	-	1	4	5	33	39	32	134	-	-	-	-	-	2	3	5	19	49	56	
All other	44	-	-	-	-	2	4	3	7	12	11	5	56	-	-	-	1	-	2	5	10	9	19	10	
Black	44	-	-	-	-	2	4	3	7	12	11	5	55	-	-	-	1	-	2	5	10	9	19	9	
Cerebrovascular diseases (430-438)	1,994	6	-	2	4	8	61	104	168	482	667	492	3,111	1	-	-	4	15	57	92	159	475	1,023	1,285	
White	1,707	4	-	2	3	6	26	77	125	408	599	457	2,752	1	-	-	3	9	36	64	118	395	923	1,203	
All other	287	2	-	-	1	2	35	27	43	74	68	35	359	-	-	-	1	6	21	28	41	80	100	82	
Black	274	2	-	-	1	1	35	25	42	72	62	34	336	-	-	-	-	6	21	26	40	70	94	79	
Intracerebral and other intracranial hemorrhage (431-432)	345	1	-	1	3	3	27	40	56	93	82	39	421	-	-	-	3	3	17	31	52	100	125	90	
White	262	-	-	1	2	2	8	21	39	76	76	37	349	-	-	-	3	3	8	19	37	83	112	84	
All other	83	1	-	-	1	1	19	19	17	17	6	2	72	-	-	-	-	9	12	15	17	17	13	6	
Black	79	1	-	-	1	-	19	18	17	16	5	2	67	-	-	-	-	9	12	15	13	12	12	6	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	306	-	-	-	1	1	5	11	27	79	109	73	436	-	-	-	-	-	-	11	16	63	148	198	
White	252	-	-	-	1	1	3	7	18	65	92	65	389	-	-	-	-	-	-	6	12	53	134	184	
All other	54	-	-	-	-	-	2	4	9	14	17	8	47	-	-	-	-	-	-	5	4	10	14	14	
Black	52	-	-	-	-	-	2	3	8	14	17	8	45	-	-	-	-	-	-	5	4	9	14	13	
Cerebral embolism (434.1)	7	-	-	-	-	-	1	1	-	2	3	-	14	-	-	-	-	-	-	-	-	6	5	3	
White	5	-	-	-	-	-	-	1	-	2	2	-	13	-	-	-	-	-	-	-	-	6	5	2	
All other	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,336	5	-	1	-	4	28	52	85	308	473	380	2,240	1	-	-	1	12	40	50	91	306	745	994	
White	1,188	4	-	1	-	3	15	48	68	265	429	355	2,001	1	-	-	-	6	28	39	69	253	672	933	
All other	148	1	-	-	-	1	13	4	17	43	44	25	239	-	-	-	1	6	12	11	22	53	73	61	
Black	141	1	-	-	-	1	13	4	17	42	39	24	228	-	-	-	-	6	12	9	21	48	68	59	
Atherosclerosis (440)	280	-	-	-	-	-	1	2	16	53	88	120	500	-	-	-	-	-	1	3	12	37	135	312	
White	251	-	-	-	-	-	1	1	13	47	79	110	466	-	-	-	-	-	1	3	9	32	122	299	
All other	29	-	-	-	-	-	-	1	3	6	9	10	34	-	-	-	-	-	-	-	3	5	13	13	
Black	28	-	-	-	-	-	-	1	3	6	8	10	32	-	-	-	-	-	-	-	2	5	13	12	
Other diseases of arteries, arterioles, and capillaries (441-448)	552	-	-	-	3	5	11	21	76	183	180	73	410	-	-	-	-	4	5	13	34	84	151	119	
White	503	-	-	-	3	3	8	18	67	171	165	68	365	-	-	-	-	3	3	6	27	76	139	111	
All other	49	-	-	-	-	2	3	3	9	12	15	5	45	-	-	-	-	1	2	7	7	8	12	8	
Black	49	-	-	-	-	2	3	3	9	12	15	5	44	-	-	-	-	1	1	7	7	8	12	8	
Acute bronchitis and bronchiolitis (466)	7	2	-	1	-	1	-	-	1	2	-	-	14	2	-	-	-	-	-	-	-	2	6	4	
White	6	1	-	1	-	1	-	-	1	2	-	-	11	-	-	-	-	-	-	-	-	2	5	4	
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-	
Pneumonia and influenza (480-487)	1,318	12	3	2	4	12	34	37	82	261	460	411	1,396	7	4	5	8	8	22	30	58	156	376	722	
White	1,125	8	1	2	2	3	16	19	55	229	413	385	1,255	3	2	3	4	6	15	16	44	139	341	682	
All other	193	6	2	-	2	9	18	18	27	38	47	26	141	4	2	2	4	2	7	14	14	17	35	40	
Black	187	6	2	-	2	9	18	18	27	37	43	25	134	3	2	2	4	2	7	13	14	15	34	38	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 331

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 130 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	31	-	1	-	-	-	3	2	2	2	15	6	22	-	-	-	-	-	2	1	2	1	8	8
White	24	-	-	-	-	-	1	2	-	1	14	6	20	-	-	-	-	-	1	1	2	1	8	7
All other	7	-	1	-	-	-	2	-	2	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Black	7	-	1	-	-	-	2	-	2	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	365	4	-	1	1	5	7	14	27	81	130	95	438	3	1	-	-	4	6	17	29	70	148	160
White	293	1	-	-	-	4	6	10	21	60	109	82	340	1	1	-	-	1	2	7	18	49	118	143
All other	72	3	-	1	1	1	1	4	6	21	21	13	98	2	-	-	-	3	4	10	11	21	30	17
Black	67	3	-	1	1	1	1	4	6	19	20	11	90	2	-	-	-	3	4	8	10	19	28	16
Infections of kidney (590)	10	-	-	-	-	-	1	1	1	3	3	1	27	-	-	-	-	-	-	-	5	5	8	9
White	8	-	-	-	-	-	-	1	1	3	3	1	24	-	-	-	-	-	-	-	4	4	8	8
All other	2	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	1	1
Black	2	-	-	-	-	-	1	-	1	-	-	-	3	-	-	-	-	-	-	-	1	1	-	1
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	1	5
White	7	-	-	-	-	-	-	-	-	1	1	5
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	18	7	7	4	1
White	6	2	3	1
All other	12	5	4	3
Black	10	4	4	2
Pregnancy with abortive outcome (630-638)	1	1
White
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	17	7	6	4
White	6	2	3	3
All other	11	5	3	3
Black	9	4	3	2
Congenital anomalies (740-759)	238	133	19	9	15	9	11	7	10	16	8	1	198	117	8	10	6	6	10	7	7	11	11	5
White	192	99	15	7	15	8	8	7	10	15	7	1	148	83	5	6	5	6	9	5	6	8	11	4
All other	46	34	4	2	1	3	-	-	-	1	1	-	50	34	3	4	1	1	2	1	1	3	-	1
Black	39	28	4	2	-	1	2	-	-	1	1	-	45	30	3	4	1	-	1	1	1	3	-	1
Certain conditions originating in the perinatal period (760-779)	439	434	3	2	-	-	-	-	-	-	-	-	356	346	7	2	1	-	-	-	-	-	-	-
White	193	189	2	2	-	-	-	-	-	-	-	-	168	162	3	2	1	-	-	-	-	-	-	-
All other	246	245	1	-	-	-	-	-	-	-	-	-	188	184	4	-	-	-	-	-	-	-	-	-
Black	243	242	1	-	-	-	-	-	-	-	-	-	185	181	4	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	80	78	1	1	-	-	-	-	-	-	-	-	66	65	-	1	-	-	-	-	-	-	-	-
White	43	41	1	1	-	-	-	-	-	-	-	-	38	37	-	1	-	-	-	-	-	-	-	-
All other	37	37	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Black	37	37	-	-	-	-	-	-	-	-	-	-	28	28	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	359	356	2	1	-	-	-	-	-	-	-	-	290	281	7	2	-	-	-	-	-	-	-	-
White	150	148	1	1	-	-	-	-	-	-	-	-	130	125	3	2	-	-	-	-	-	-	-	-
All other	209	208	1	-	-	-	-	-	-	-	-	-	160	156	4	-	-	-	-	-	-	-	-	-
Black	206	205	1	-	-	-	-	-	-	-	-	-	157	153	4	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	230	170	7	1	7	4	6	4	1	7	15	6	137	85	4	-	1	3	2	4	5	5	12	16
White	157	110	5	1	5	2	3	4	1	6	14	6	90	46	3	-	2	1	2	5	5	10	16	16
All other	73	60	2	-	2	2	3	-	-	1	1	-	47	39	1	-	1	1	2	-	-	-	-	-
Black	68	56	2	-	2	1	3	-	-	1	1	-	45	37	1	-	1	1	1	2	-	-	-	-
All other diseases (Residual)	2,967	22	19	26	39	118	245	218	321	660	776	523	3,590	13	13	23	35	84	145	164	250	578	1,048	1,237
White	2,468	14	14	19	33	87	163	157	263	566	691	461	3,054	6	8	17	23	59	82	129	201	489	924	1,116
All other	499	8	5	7	6	31	82	61	58	94	85	62	536	7	5	6	12	25	63	35	49	89	124	121
Black	476	8	5	5	5	29	80	60	53	88	82	61	513	7	4	6	12	25	61	34	47	83	119	115
Accidents and adverse effects (E800-E949)	1,877	13	68	120	331	284	280	168	154	178	191	109	1,007	17	28	48	117	115	76	64	58	122	178	184
White	1,563	11	49	87	284	238	209	129	124	157	174	100	848	12	17	35	95	95	61	52	46	105	157	173
All other	314	2	19	33	47	46	51	39	30	21	17	9	159	5	11	13	22	20	15	12	12	17	21	11
Black	283	2	16	31	38	41	47	34	28	21	16	9	141	5	11	13	20	17	12	9	11	15	18	10

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 332

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 131 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MICHIGAN—Con.																								
Motor vehicle accidents (E810-E825)	957	2	20	67	228	198	147	87	64	60	61	23	482	2	17	32	103	91	50	42	31	56	46	12
White	793	1	17	51	199	163	121	64	46	56	53	22	406	1	11	24	87	76	41	38	25	49	42	12
All other	164	1	3	16	29	35	26	23	18	4	8	1	76	1	6	8	16	15	9	4	6	7	4	-
Black	140	1	3	15	21	31	22	18	16	4	8	1	64	1	6	8	15	13	7	1	6	5	2	-
All other accidents and adverse effects (E800-E807, E826-E949)	920	11	48	53	103	86	113	81	90	118	130	66	525	15	11	16	14	24	26	22	27	66	132	172
White	770	10	32	36	85	75	88	65	78	101	121	76	442	11	6	11	8	19	20	14	21	56	115	161
All other	150	1	16	17	18	11	25	16	12	17	9	8	83	4	5	5	6	5	6	8	6	10	17	11
Black	143	1	13	16	17	10	25	16	12	17	8	8	77	4	5	5	5	4	5	8	5	10	16	10
Suicide (E950-E959)	865	5	161	199	179	100	68	77	52	24	203	2	19	39	43	39	24	18	14	5
White	763	4	124	167	164	93	65	73	51	22	185	2	18	35	37	36	22	17	14	4
All other	102	1	37	32	15	7	3	4	1	2	18	1	4	6	3	2	1	-	1
Black	92	1	35	29	13	5	3	3	1	2	15	4	4	3	2	1	-	1
Homicide and legal intervention (E960-E978)	830	8	9	11	299	227	155	62	33	17	4	4	229	5	10	8	61	60	44	18	6	10	4	2
White	239	2	2	3	60	61	52	28	19	8	2	2	85	3	...	2	20	19	19	10	3	7	2	2
All other	591	6	7	8	239	166	103	34	14	9	2	2	144	2	10	6	41	41	25	8	3	3	2	2
Black	584	6	7	8	237	165	102	32	13	9	2	2	141	2	10	6	41	38	25	8	3	3	2	2
All other external causes (E980-E999)	74	1	-	1	15	24	24	4	1	1	2	-	39	-	-	-	-	13	16	5	2	1	1	-
White	51	-	-	1	10	21	14	3	1	-	1	-	25	-	-	-	-	9	8	4	2	-	1	-
All other	23	1	-	-	5	3	10	1	-	1	1	-	14	-	-	-	-	4	8	1	-	1	-	-
Black	22	1	-	-	5	3	9	1	-	1	1	-	14	-	-	-	-	4	8	1	-	1	-	-
MINNESOTA																								
All causes	17,572	271	46	89	318	453	696	974	1,980	3,947	5,285	3,513	17,465	192	43	41	121	184	330	598	1,187	2,761	5,080	6,928
White	17,028	226	39	77	282	403	644	908	1,907	3,849	5,216	3,477	17,052	143	39	39	104	154	295	555	1,133	2,672	5,026	6,892
All other	544	45	7	12	36	50	52	66	73	98	69	36	413	49	4	2	17	30	35	43	54	89	54	36
Black	288	26	3	2	19	27	31	38	35	52	36	19	206	25	1	1	7	10	20	18	28	49	28	19
Shigellosis and amebiasis (004.006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	1	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-	3	2
White	1	-	1	-	-	-	-	-	-	-	-	-	6	1	-	-	-	-	-	-	-	-	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	8	-	-	-	1	-	1	1	4	-	1	4	4	-	-	-	-	-	1	-	-	-	3	-
White	7	-	-	-	-	-	1	1	4	-	1	4	4	-	-	-	-	-	1	-	-	-	3	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	5	-	-	-	1	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	4	-	-	-	-	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	1	-	-	-	2	-
White	3	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	-	-	1	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	95	-	-	1	-	1	3	-	7	25	32	26	118	-	1	1	1	1	5	4	5	25	30	45
White	91	-	-	1	-	1	3	-	6	23	31	26	111	-	1	1	1	1	3	4	4	22	29	45
All other	4	-	-	-	-	-	-	-	1	2	1	-	7	-	-	-	-	-	2	-	1	3	1	-
Black	3	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 338

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 137 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MISSISSIPPI																									
All causes	13,364	262	60	93	439	535	724	987	1,943	3,288	3,292	1,737	11,895	247	53	49	154	265	358	599	1,128	2,234	3,489	3,337	
White	8,681	91	23	46	192	277	392	595	1,337	2,317	2,273	1,137	7,808	82	20	24	72	124	167	337	688	1,452	2,432	2,409	
All other	4,683	171	37	47	247	258	332	392	606	971	1,019	600	4,087	165	33	25	82	141	191	262	440	782	1,037	928	
Black	4,642	165	37	47	244	252	329	390	601	964	1,012	599	4,060	165	33	25	81	141	188	260	437	771	1,035	923	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	1	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	1	-	
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
All other	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	25	-	-	-	-	-	-	-	3	10	7	5	10	-	-	-	-	-	1	-	1	3	2	3	
White	10	-	-	-	-	-	-	-	1	1	4	4	7	-	-	-	-	-	-	-	1	2	2	3	
All other	15	-	-	-	-	-	-	-	2	9	3	1	3	-	-	-	-	-	1	-	1	1	-	-	
Black	15	-	-	-	-	-	-	-	2	9	3	1	3	-	-	-	-	-	1	-	1	1	-	-	
Tuberculosis of respiratory system (010-012)	20	-	-	-	-	-	-	-	2	9	5	4	7	-	-	-	-	-	1	-	1	1	2	2	
White	9	-	-	-	-	-	-	-	1	1	3	4	5	-	-	-	-	-	-	-	-	1	2	2	
All other	11	-	-	-	-	-	-	-	1	8	2	-	2	-	-	-	-	-	1	-	1	-	-	-	
Black	11	-	-	-	-	-	-	-	1	8	2	-	2	-	-	-	-	-	1	-	1	-	-	-	
Other tuberculosis (013-018)	5	-	-	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	2	-	1	
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1	
All other	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	
Black	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	1	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Septicemia (039)	99	1	-	1	-	2	4	9	4	22	29	21	101	1	1	-	-	-	1	6	6	20	32	34	
White	52	-	-	-	-	2	1	5	1	13	18	12	59	-	1	-	-	-	4	3	6	20	20	25	
All other	41	1	-	1	-	-	3	4	3	9	11	9	42	1	-	-	-	-	2	3	3	14	12	9	
Black	41	1	-	1	-	-	3	4	3	9	11	9	42	1	-	-	-	-	2	3	3	14	12	9	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	12	-	-	-	-	2	3	2	4	-	-	1	9	-	-	-	1	1	2	1	-	3	1	-	
White	9	-	-	-	-	2	1	2	4	-	-	-	5	-	-	-	1	1	-	-	-	3	1	-	
All other	3	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	
Black	3	-	-	-	-	-	2	-	-	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	
Syphilis (090-097)	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	176	2	3	1	6	56	63	17	10	10	6	2	52	-	1	-	3	9	6	4	8	7	10	4	
White	91	-	1	-	5	25	33	10	8	6	5	2	23	-	-	-	1	2	1	1	5	4	6	3	
All other	85	2	2	1	6	30	30	7	2	4	1	-	29	-	1	-	2	7	5	3	3	3	4	1	
Black	85	2	2	1	6	30	30	7	2	4	1	-	29	-	1	-	2	7	5	3	3	3	4	1	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,193	-	-	5	10	30	98	262	639	1,025	846	278	2,367	-	3	9	6	41	111	218	405	629	633	312	
White	2,137	-	-	5	5	21	53	158	448	727	556	164	1,601	-	3	4	4	21	62	133	289	430	458	198	
All other	1,056	-	-	-	5	9	45	104	191	298	290	114	766	-	-	6	2	20	49	85	116	199	175	114	
Black	1,053	-	-	-	5	9	45	103	191	298	288	114	762	-	-	6	2	20	49	85	115	196	175	114	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 339

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 138 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix.]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MISSISSIPPI—Con.																									
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	80	-	-	-	-	-	6	14	23	26	9	2	31	-	-	-	-	1	-	3	4	6	5	12	
White	47	-	-	-	-	-	2	7	9	21	7	1	27	-	-	-	-	1	-	3	3	6	4	10	
All other	33	-	-	-	-	-	4	7	14	5	2	1	4	-	-	-	-	-	-	-	1	-	1	2	
Black	33	-	-	-	-	-	4	7	14	5	2	1	4	-	-	-	-	-	-	-	1	-	1	2	
Malignant neoplasms of digestive organs and peritoneum (150-159)	691	-	-	-	2	4	23	62	153	218	162	67	545	-	-	-	-	8	11	30	69	131	181	115	
White	423	-	-	-	3	11	34	101	144	89	41	321	-	-	-	-	-	3	3	16	37	80	116	66	
All other	268	-	-	-	2	1	12	28	52	74	73	28	224	-	-	-	-	5	8	14	32	51	65	49	
Black	266	-	-	-	2	1	12	27	52	74	72	26	222	-	-	-	-	5	8	14	32	49	65	49	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,198	-	-	-	1	2	34	107	290	438	273	53	474	-	-	-	-	1	8	41	99	166	122	37	
White	875	-	-	-	1	16	67	208	332	214	37	354	-	-	-	-	-	1	4	30	72	127	98	22	
All other	323	-	-	-	2	18	40	82	106	59	16	120	-	-	-	-	-	4	11	27	39	24	15	15	
Black	322	-	-	-	2	18	40	82	106	58	16	120	-	-	-	-	-	4	11	27	39	24	15		
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	1	1	-	-	394	-	-	-	-	9	41	59	89	88	77	31	
White	1	-	-	-	-	-	-	-	1	-	-	-	270	-	-	-	-	2	20	31	73	62	58	24	
All other	1	-	-	-	-	-	-	-	-	-	-	-	124	-	-	-	-	7	21	28	16	25	19	7	
Black	1	-	-	-	-	-	-	-	-	-	-	-	123	-	-	-	-	7	21	28	15	26	19	7	
Malignant neoplasms of genital organs (179-187)	440	-	-	-	-	-	1	36	119	194	90	258	-	-	-	-	-	8	16	37	42	75	60	20	
White	215	-	-	-	-	-	-	20	60	92	43	153	-	-	-	-	-	5	8	24	22	46	37	11	
All other	225	-	-	-	-	-	1	16	59	102	47	105	-	-	-	-	-	3	8	13	20	29	23	9	
Black	225	-	-	-	-	-	1	16	59	102	47	105	-	-	-	-	-	3	8	13	20	29	23	9	
Malignant neoplasms of urinary organs (188-189)	127	-	-	-	1	3	17	23	38	38	7	62	-	-	-	-	-	3	1	10	13	27	8	8	
White	100	-	-	-	2	8	21	32	31	6	47	-	-	-	-	-	-	1	1	9	8	25	3	3	
All other	27	-	-	-	1	1	9	2	6	7	1	15	-	-	-	-	-	2	-	1	5	2	5	5	
Black	27	-	-	-	1	1	9	2	6	7	1	15	-	-	-	-	-	2	-	1	5	2	5	5	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	367	-	-	4	3	12	23	37	64	115	105	24	379	-	-	6	2	5	24	35	66	88	106	47	
White	279	-	-	4	1	10	18	26	47	85	71	17	264	-	-	1	2	2	21	20	50	59	80	29	
All other	108	-	-	2	2	5	11	17	30	34	7	115	-	-	5	-	3	3	15	16	28	26	18	18	
Black	108	-	-	2	2	5	11	17	30	34	7	115	-	-	5	-	3	3	15	16	28	26	18	18	
Leukemia (204-208)	111	-	-	1	3	6	3	5	19	31	25	18	89	-	-	3	3	3	4	3	5	7	18	21	22
White	87	-	-	1	2	4	2	2	16	28	21	11	65	-	-	3	2	4	4	4	7	11	18	15	
All other	24	-	-	1	2	1	3	3	3	4	7	24	-	-	1	2	-	3	1	-	7	7	3	7	
Black	24	-	-	1	2	1	3	3	3	4	7	23	-	-	1	2	-	3	1	-	6	3	3	7	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	157	-	-	-	1	5	6	19	30	39	40	17	135	-	-	-	1	5	5	7	19	44	34	20	
White	110	-	-	-	1	4	2	14	25	25	31	8	100	-	-	-	1	3	5	4	16	31	22	18	
All other	47	-	-	-	1	4	5	5	14	14	9	9	35	-	-	-	2	-	3	3	13	12	2	2	
Black	47	-	-	-	1	4	5	5	14	14	9	9	35	-	-	-	2	-	3	3	13	12	2	2	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	-	-	-	2	3	2	1	3	12	2	2	34	-	-	1	2	2	4	2	4	3	10	6	
White	20	-	-	-	1	2	2	1	2	10	2	2	19	-	-	-	1	1	3	2	2	1	5	4	
All other	5	-	-	-	1	1	-	-	1	2	-	-	15	-	-	1	1	1	1	-	2	2	5	2	
Black	5	-	-	-	1	1	-	-	1	2	-	-	15	-	-	1	1	1	1	-	2	2	5	2	
Diabetes mellitus (250)	196	-	-	-	1	7	10	27	29	51	18	279	-	-	-	-	1	3	9	22	38	73	83	52	
White	100	-	-	-	2	6	14	15	24	30	9	137	-	-	-	1	2	1	13	18	36	37	29	29	
All other	96	-	-	-	1	5	4	13	14	29	21	9	142	-	-	-	-	1	8	9	18	37	46	23	
Black	92	-	-	-	1	5	4	12	12	28	21	9	142	-	-	-	-	1	8	9	18	37	46	23	
Nutritional deficiencies (260-269)	16	-	-	1	1	-	-	1	2	4	4	3	22	-	-	-	-	-	-	-	1	5	8	8	
White	6	-	-	-	-	-	-	1	1	2	2	2	12	-	-	-	-	-	-	-	1	2	4	5	
All other	10	-	-	1	1	-	-	2	3	2	2	1	10	-	-	-	-	-	-	-	-	3	4	3	
Black	10	-	-	1	1	-	-	2	3	2	2	1	10	-	-	-	-	-	-	-	-	3	4	3	
Anemias (280-285)	26	-	-	-	2	1	1	2	3	9	8	28	-	-	1	2	2	4	1	2	2	9	5	5	
White	13	-	-	-	1	1	1	1	1	5	6	12	-	-	-	1	2	-	2	-	2	6	1	1	
All other	13	-	-	-	2	1	1	1	2	4	2	16	-	-	1	2	1	2	1	2	-	3	4	4	
Black	13	-	-	-	2	1	1	1	2	4	2	15	-	-	1	2	1	2	1	2	-	3	4	4	
Meningitis (320-322)	4	1	-	-	-	-	-	-	2	-	-	-	6	2	-	-	-	-	-	-	1	2	-	-	
White	4	1	-	-	-	-	-	-	2	-	-	-	3	1	-	-	-	-	-	1	1	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	5,437	7	3	3	15	57	174	400	833	1,489	1,523	931	5,897	16	2	1	13	49	90	188	447	1,029	1,930	2,131	
White	3,647	3	1	3	8	29	83	241	570	1,038	1,057	620	3,878	7	1	1	2	19	25	90	229	636	1,319	1,548	
All other	1,790	4	2	-	7	34	91	159	263	451	466	311	2,019	9	1	-	11	30	65	98	218	393	611	583	
Black	1,780	4	2	-	7	34	90	159	262	447	462	311	2,011	9	1	-	11	30	65	98	217	388	611	581	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 340

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 139 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Diseases of heart (390-398,402,404-429)	4,471	6	3	2	15	47	152	343	720	1,227	1,215	740	4,659	14	2	1	12	39	69	150	370	834	1,514	1,653
White	3,032	3	1	2	8	19	73	217	509	871	835	494	3,060	6	1	1	13	20	72	193	522	1,034	1,198	
All other	1,439	3	2	-	7	28	79	126	211	356	380	246	1,599	8	1	-	11	26	49	78	177	312	480	457
Black	1,431	3	2	-	7	28	78	126	211	352	377	246	1,593	8	1	-	11	26	49	78	176	308	480	456
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	-	-	-	1	1	4	3	1	18	-	-	-	1	-	4	2	4	3	3	1
White	7	-	-	-	-	-	-	-	1	3	3	-	17	-	-	-	1	-	4	2	3	3	3	1
All other	3	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	130	-	-	-	1	1	6	10	20	41	23	28	195	-	-	-	-	1	2	3	24	42	64	58
White	67	-	-	-	1	2	3	10	21	14	16	16	90	-	-	-	-	-	1	1	6	17	33	32
All other	63	-	-	-	-	4	7	10	20	9	12	10	105	-	-	-	-	1	2	2	18	25	31	26
Black	63	-	-	-	-	4	7	10	20	9	12	10	103	-	-	-	-	1	2	2	18	23	31	26
Hypertensive heart and renal disease (404)	12	-	-	-	-	-	-	1	3	1	6	1	19	-	-	-	-	-	-	3	1	6	9	9
White	5	-	-	-	-	-	-	1	1	3	1	3	8	-	-	-	-	-	-	-	-	-	2	6
All other	7	-	-	-	-	-	-	-	3	-	3	1	11	-	-	-	-	-	-	3	1	4	4	3
Black	6	-	-	-	-	-	-	-	3	-	2	1	11	-	-	-	-	-	-	3	1	4	4	3
Ischemic heart disease (410-414)	2,441	-	1	-	-	10	85	217	441	676	668	343	2,195	-	-	-	1	11	30	78	183	416	775	701
White	1,786	-	-	-	-	5	49	152	340	503	490	247	1,507	-	-	-	-	5	7	42	106	279	544	524
All other	655	-	1	-	-	5	36	65	101	173	178	96	688	-	-	-	1	6	23	36	77	137	231	177
Black	652	-	1	-	-	5	36	65	101	170	178	96	686	-	-	-	1	6	23	36	76	137	231	176
Acute myocardial infarction (410)	1,704	-	1	-	-	8	76	177	335	464	431	212	1,376	-	-	-	1	11	25	60	129	298	490	362
White	1,209	-	-	-	-	4	43	121	251	335	307	148	902	-	-	-	-	5	4	34	67	198	337	257
All other	495	-	1	-	-	4	33	56	84	129	124	64	474	-	-	-	1	6	21	26	62	100	153	105
Black	494	-	1	-	-	4	33	56	84	128	124	64	472	-	-	-	1	6	21	26	61	100	153	104
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	-	2	1	-	9	-	-	-	-	-	-	1	2	4	2	2
White	1	-	-	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	1	2	3	1	1
All other	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	1	1
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	-	4	-	6	-	-	-	-	-	-	1	2	2	2	1
White	4	-	-	-	-	-	-	-	-	-	4	-	4	-	-	-	-	-	-	-	1	1	2	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	730	-	-	-	2	9	40	106	210	232	131	804	-	-	-	-	-	5	18	52	114	279	336	
White	572	-	-	-	1	6	31	89	167	179	99	594	-	-	-	-	-	3	8	38	78	202	265	
All other	158	-	-	-	1	3	9	17	43	53	32	210	-	-	-	-	-	2	10	14	36	77	71	
Black	156	-	-	-	1	3	9	17	41	53	32	210	-	-	-	-	-	2	10	14	36	77	71	
Other diseases of endocardium (424)	52	-	-	-	4	-	1	3	19	17	8	45	-	-	-	-	-	1	1	4	13	12	14	
White	40	-	-	-	3	-	1	2	15	13	6	33	-	-	-	-	-	-	1	4	9	8	11	
All other	12	-	-	-	1	-	-	1	4	4	2	12	-	-	-	-	-	1	-	-	4	4	3	
Black	12	-	-	-	1	-	-	1	4	4	2	12	-	-	-	-	-	1	-	-	4	4	3	
All other forms of heart disease (415-423,425-429)	1,826	6	2	2	14	32	61	113	252	486	498	359	2,187	14	2	1	10	27	32	66	152	359	654	870
White	1,127	3	1	2	7	11	22	60	156	328	312	225	1,405	6	1	1	-	8	9	26	74	214	444	622
All other	699	3	1	-	7	21	39	53	96	158	186	134	782	8	1	-	10	19	23	40	78	145	210	248
Black	695	3	1	-	7	21	38	53	96	157	184	134	780	8	1	-	10	19	23	40	78	143	210	248
Hypertension with or without renal disease (401,403)	60	-	-	-	1	3	5	10	23	14	4	63	-	-	-	-	-	-	1	7	11	24	20	
White	26	-	-	-	-	3	1	5	10	6	1	34	-	-	-	-	-	-	1	-	6	14	13	
All other	34	-	-	-	1	-	4	5	13	8	3	29	-	-	-	-	-	-	-	7	5	10	7	
Black	34	-	-	-	1	-	4	5	13	8	3	29	-	-	-	-	-	-	-	7	5	10	7	
Cerebrovascular diseases (430-438)	706	1	-	1	-	9	17	42	85	175	229	146	1,022	2	-	-	1	8	19	33	64	163	342	380
White	442	-	-	1	-	4	6	19	41	112	165	94	676	1	-	-	1	5	14	14	34	97	233	286
All other	264	1	-	-	-	5	11	23	44	63	64	52	346	1	-	-	3	14	19	30	66	109	104	
Black	262	1	-	-	-	5	11	23	43	63	63	52	344	1	-	-	3	14	19	30	65	109	103	
Intracerebral and other intracranial hemorrhage (431-432)	124	-	-	1	-	5	9	15	22	35	24	13	134	-	-	-	-	3	5	13	18	32	39	24
White	72	-	-	1	-	2	2	7	15	21	16	8	91	-	-	-	2	2	6	11	22	30	18	
All other	52	-	-	-	-	3	7	8	7	14	8	5	43	-	-	-	1	3	7	7	10	9	6	
Black	51	-	-	-	-	3	7	8	6	14	8	5	42	-	-	-	1	3	7	7	10	9	5	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	73	-	-	-	-	-	2	10	27	22	12	80	1	-	-	-	-	2	3	4	12	24	34	
White	45	-	-	-	-	-	2	3	18	16	6	47	-	-	-	-	-	-	1	1	4	18	23	
All other	28	-	-	-	-	-	-	7	9	6	6	33	1	-	-	-	-	2	2	3	8	6	11	
Black	28	-	-	-	-	-	-	7	9	6	6	33	1	-	-	-	-	2	2	3	8	6	11	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 341

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 140 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSISSIPPI—Con.																								
Cerebral embolism (434.1)	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	1	-	2	-	1
White	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	1	-	2	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	507	1	-	-	-	4	8	25	53	113	181	121	604	1	-	-	1	5	12	16	42	117	279	331
White	323	-	-	-	-	2	4	10	23	73	131	80	534	1	-	-	1	3	3	6	22	69	185	244
All other	184	1	-	-	-	2	4	15	30	40	50	41	270	-	-	-	-	2	9	10	20	48	94	87
Black	183	1	-	-	-	2	4	15	30	40	49	41	269	-	-	-	-	2	9	10	20	47	94	87
Atherosclerosis (440)	47	-	-	-	-	-	-	2	1	6	13	25	72	-	-	-	-	-	1	-	2	5	24	40
White	35	-	-	-	-	-	-	1	1	3	9	21	53	-	-	-	-	-	-	-	1	1	19	32
All other	12	-	-	-	-	-	-	-	-	3	4	4	19	-	-	-	-	-	1	-	1	4	5	8
Black	12	-	-	-	-	-	-	1	-	3	4	4	19	-	-	-	-	-	1	-	1	4	5	8
Other diseases of arteries, arterioles, and capillaries (441-448)	153	-	-	-	-	-	2	8	17	58	52	16	81	-	-	-	-	2	1	4	4	16	26	28
White	112	-	-	-	-	-	1	3	14	42	42	10	55	-	-	-	-	1	-	3	1	10	19	21
All other	41	-	-	-	-	-	-	5	3	16	10	6	26	-	-	-	-	-	1	1	3	6	7	7
Black	41	-	-	-	-	-	1	5	3	16	10	6	26	-	-	-	-	1	1	1	3	6	7	7
Acute bronchitis and bronchiolitis (466)	5	1	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
White	4	1	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	397	4	2	2	3	7	9	14	25	85	141	105	416	3	-	-	1	3	4	13	11	56	119	206
White	263	2	1	-	1	2	3	7	14	61	99	73	318	1	-	-	1	1	2	5	8	40	93	167
All other	134	2	1	2	2	5	6	7	11	24	42	32	98	2	-	-	-	2	2	8	3	16	26	39
Black	134	2	1	2	2	5	6	7	11	24	42	32	98	2	-	-	-	2	2	8	3	15	26	38
Pneumonia (480-486)	397	4	2	2	3	7	9	14	25	85	141	105	414	3	-	-	1	3	3	13	11	55	119	206
White	263	2	1	-	1	2	3	7	14	61	99	73	317	1	-	-	1	1	1	5	8	40	93	167
All other	134	2	1	2	2	5	6	7	11	24	42	32	97	2	-	-	-	2	2	8	3	15	26	39
Black	134	2	1	2	2	5	6	7	11	24	42	32	95	2	-	-	-	2	2	8	3	14	26	38
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	535	2	-	1	1	3	1	17	64	180	193	73	344	-	2	2	1	1	1	14	43	107	116	57
White	441	1	-	-	-	2	-	13	52	156	162	55	292	-	-	1	1	-	-	10	32	94	105	49
All other	94	1	-	1	1	1	1	4	12	24	31	18	52	-	2	1	-	1	4	11	13	11	8	
Black	94	1	-	1	1	1	1	4	12	24	31	18	51	-	2	1	-	1	4	11	13	10	8	
Bronchitis, chronic and unspecified (490-491)	24	-	-	-	-	-	1	1	9	9	4	20	-	-	-	-	-	-	-	2	7	7	4	
White	21	-	-	-	-	-	1	1	8	7	4	18	-	-	-	-	-	-	-	2	6	7	3	
All other	3	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1	
Black	3	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	1	-	1	
Emphysema (492)	94	-	-	-	-	-	2	14	29	37	12	41	-	-	-	-	-	-	3	10	16	8	4	
White	77	-	-	-	-	-	2	12	22	32	9	38	-	-	-	-	-	-	3	9	14	8	4	
All other	17	-	-	-	-	-	-	2	7	5	3	3	-	-	-	-	-	-	-	1	2	-	-	
Black	17	-	-	-	-	-	-	2	7	5	3	3	-	-	-	-	-	-	-	1	2	-	-	
Asthma (493)	24	2	-	1	1	2	1	2	2	4	6	3	29	-	2	2	-	1	1	4	6	4	4	5
White	11	1	-	-	-	1	-	-	1	3	2	12	-	-	1	-	-	-	2	3	2	2	2	
All other	13	1	-	1	1	1	1	2	1	1	3	1	17	-	2	1	-	1	1	2	3	2	3	
Black	13	1	-	1	1	1	1	2	1	1	3	1	17	-	2	1	-	1	1	2	3	2	3	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	393	-	-	-	-	-	1	12	47	138	141	54	254	-	-	-	-	1	-	7	25	80	97	44
White	332	-	-	-	-	-	1	10	38	123	120	40	224	-	-	-	-	1	-	5	18	72	88	40
All other	61	-	-	-	-	-	-	2	9	15	21	14	30	-	-	-	-	-	2	7	8	9	4	
Black	61	-	-	-	-	-	-	2	9	15	21	14	29	-	-	-	-	-	2	7	8	8	4	
Ulcer of stomach and duodenum (531-533)	24	-	-	-	-	-	2	-	3	8	6	5	31	-	-	-	-	-	1	2	6	11	11	
White	20	-	-	-	-	-	1	-	1	8	5	5	22	-	-	-	-	-	-	1	4	8	9	
All other	4	-	-	-	-	-	1	-	2	-	1	-	9	-	-	-	-	-	1	1	2	3	2	
Black	4	-	-	-	-	-	1	-	2	-	1	-	9	-	-	-	-	-	1	1	2	3	2	
Appendicitis (540-543)	3	-	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-	1	-
White	3	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	38	-	-	-	-	1	-	2	-	3	19	13	34	1	-	-	-	-	-	2	7	14	10	
White	22	-	-	-	-	-	-	-	2	13	7	25	-	-	-	-	-	-	-	2	6	10	7	
All other	16	-	-	-	-	1	-	2	-	1	6	6	9	1	-	-	-	-	-	-	1	4	3	
Black	16	-	-	-	-	1	-	2	-	1	6	6	9	1	-	-	-	-	-	-	1	4	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 344

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 143 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
MISSOURI—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Black	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Septicemia (038)	171	1	-	1	1	2	12	7	20	33	54	40	233	-	-	-	-	1	4	8	16	33	66	105	
White	134	1	-	1	1	1	9	4	13	28	42	34	197	-	-	-	-	4	6	13	25	56	93	83	
All other	37	-	-	-	-	1	3	3	7	5	12	6	36	-	-	-	-	1	2	3	8	10	12	12	
Black	37	-	-	-	-	1	3	3	7	5	12	6	35	-	-	-	-	1	2	3	7	10	12	12	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	26	-	-	-	-	2	6	2	5	6	5	-	10	-	-	1	1	-	3	-	1	3	-	1	-
White	22	-	-	-	-	2	5	1	4	6	4	-	6	-	-	-	-	2	6	-	3	3	-	1	-
All other	4	-	-	-	-	-	1	1	1	-	1	-	4	-	-	1	1	-	1	-	1	-	-	-	-
Black	4	-	-	-	-	-	1	1	1	-	1	-	3	-	-	1	1	-	1	-	1	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	463	2	1	1	3	169	165	62	23	22	9	6	82	1	2	3	3	10	8	7	9	15	13	11	
White	351	2	-	1	2	122	123	47	19	21	8	6	67	-	2	2	2	8	5	6	7	12	12	11	
All other	112	-	1	-	1	47	42	15	4	1	1	-	15	1	-	1	1	2	3	1	2	3	1	-	
Black	109	-	1	-	1	46	41	14	4	1	1	-	14	1	-	1	1	2	2	1	2	3	1	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,372	1	1	12	21	61	158	483	1,206	2,015	1,753	661	5,438	1	5	11	10	57	189	409	867	1,550	1,545	794	
White	5,683	1	1	12	20	50	141	393	1,053	1,804	1,615	593	4,865	1	4	7	7	48	156	355	751	1,392	1,423	721	
All other	689	-	-	-	1	11	17	90	153	211	138	68	573	-	1	4	3	9	33	54	116	158	122	73	
Black	670	-	-	-	1	9	13	90	147	209	136	65	552	-	1	4	3	9	31	50	111	155	118	70	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	102	-	-	-	1	1	3	12	32	22	21	10	38	-	-	-	1	-	1	4	5	12	9	6	
White	81	-	-	-	1	1	2	10	25	15	18	9	33	-	-	-	-	1	3	4	11	8	6	6	
All other	21	-	-	-	-	-	1	2	7	7	3	1	5	-	-	-	1	-	1	1	1	1	1	-	
Black	19	-	-	-	-	1	2	5	7	3	3	1	4	-	-	-	1	-	1	1	1	1	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,410	-	-	-	4	7	31	114	258	442	399	155	1,213	-	-	-	2	4	20	60	149	285	410	283	
White	1,250	-	-	-	3	6	25	91	218	395	370	142	1,080	-	-	-	2	3	14	50	127	249	380	255	
All other	160	-	-	-	1	1	6	23	40	47	29	13	133	-	-	-	-	1	6	10	22	36	30	28	
Black	155	-	-	-	1	1	3	23	38	47	29	13	126	-	-	-	-	1	5	9	22	35	29	25	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,409	-	-	-	-	3	37	192	563	892	578	144	1,260	-	-	-	-	-	30	111	282	420	321	96	
White	2,156	-	-	-	-	2	32	152	494	806	538	132	1,105	-	-	-	-	-	26	91	239	372	293	84	
All other	253	-	-	-	-	1	5	40	69	86	40	12	155	-	-	-	-	-	4	20	43	48	28	12	
Black	248	-	-	-	-	1	5	40	67	85	38	12	149	-	-	-	-	-	4	19	41	46	27	12	
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	2	-	1	1	856	-	-	-	-	14	54	89	162	257	176	104	
White	3	-	-	-	-	-	-	-	2	-	-	1	771	-	-	-	-	13	45	81	144	233	160	95	
All other	1	-	-	-	-	-	-	-	-	-	1	-	85	-	-	-	-	1	9	8	18	24	16	9	
Black	1	-	-	-	-	-	-	-	-	-	1	-	84	-	-	-	-	1	9	8	17	24	16	9	
Malignant neoplasms of genital organs (179-187)	793	-	-	-	1	3	6	12	62	201	328	180	591	1	-	-	1	13	31	48	87	176	163	71	
White	683	-	-	-	1	3	5	10	52	163	295	154	528	1	-	-	1	12	24	43	74	155	152	64	
All other	110	-	-	-	-	1	2	10	38	33	26	65	85	-	-	-	-	1	7	5	13	21	11	7	
Black	109	-	-	-	-	1	2	10	38	33	26	64	84	-	-	-	-	1	7	5	12	21	11	7	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 345

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 144 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Malignant neoplasms of urinary organs (188-189)	301	-	-	-	-	1	3	24	56	87	87	43	169	-	-	-	-	-	1	8	13	41	72	34
White	271	-	-	-	-	1	3	19	51	80	81	36	149	-	-	-	-	-	1	7	10	38	63	30
All other	30	-	-	-	-	-	-	5	5	7	6	7	20	-	-	-	-	-	-	1	3	3	9	4
Black	30	-	-	-	-	-	-	5	5	7	6	7	20	-	-	-	-	-	-	1	3	3	9	4
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	787	1	-	4	8	18	41	86	152	230	173	74	745	-	5	6	5	15	37	57	97	202	210	111
White	714	1	-	4	8	14	38	73	136	216	157	67	680	-	4	4	3	12	32	51	87	190	197	100
All other	73	-	-	-	-	4	3	13	16	14	16	7	65	-	1	2	2	3	5	6	10	12	13	11
Black	67	-	-	-	-	2	2	13	16	13	16	5	61	-	1	2	2	3	4	4	10	12	12	11
Leukemia (204-208)	229	-	1	7	6	6	13	15	32	58	68	23	217	-	-	4	1	6	6	14	30	62	67	27
White	213	-	1	7	6	4	12	13	30	54	64	22	198	-	-	3	1	4	5	13	28	54	64	26
All other	16	-	-	-	-	2	1	2	2	4	4	1	19	-	-	1	-	2	1	1	2	8	3	1
Black	16	-	-	-	-	2	1	2	2	4	4	1	19	-	-	1	-	2	1	1	2	8	3	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	337	-	-	1	1	22	24	28	49	83	98	31	349	-	-	1	-	5	9	18	42	95	117	62
White	312	-	-	1	1	19	24	25	45	75	92	30	323	-	-	-	-	4	8	16	38	90	106	61
All other	25	-	-	-	-	3	-	3	4	8	6	1	26	-	-	1	-	1	1	2	4	5	11	1
Black	25	-	-	-	-	3	-	3	4	8	6	1	25	-	-	1	-	1	1	2	3	5	11	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	78	1	2	1	-	3	6	6	7	15	19	19	103	-	2	1	-	2	1	6	4	29	32	26
White	72	1	1	1	-	3	6	5	6	13	17	19	87	-	1	1	-	2	1	6	3	21	27	25
All other	6	-	1	-	-	-	1	1	1	2	1	-	16	-	-	-	-	-	-	-	1	8	5	1
Black	6	-	1	-	-	-	-	1	1	2	1	-	16	-	-	-	-	-	-	-	1	8	5	1
Diabetes mellitus (250)	440	-	-	2	3	12	15	25	71	134	126	52	641	-	-	-	1	6	12	27	69	176	210	140
White	377	-	-	2	3	9	11	18	54	116	115	49	535	-	-	-	3	7	17	50	147	183	128	128
All other	63	-	-	-	-	3	4	7	17	18	11	3	106	-	-	-	1	3	5	10	19	29	27	12
Black	61	-	-	-	-	3	3	7	17	17	11	3	104	-	-	-	1	3	5	10	18	28	27	12
Nutritional deficiencies (260-269)	45	2	-	-	-	-	-	1	5	7	17	13	76	1	-	-	-	-	-	1	1	5	22	46
White	40	1	-	-	-	-	-	-	4	6	16	13	67	-	-	-	-	-	-	1	1	3	18	44
All other	5	1	-	-	-	-	-	1	1	1	1	-	9	1	-	-	-	-	-	-	2	4	2	2
Black	5	1	-	-	-	-	-	1	1	1	1	-	9	1	-	-	-	-	-	-	2	4	2	2
Anemias (280-285)	38	-	1	-	-	1	4	1	1	6	15	9	47	-	2	1	1	1	1	1	2	7	9	22
White	30	-	-	-	-	1	1	1	1	5	14	9	40	-	1	1	-	-	-	2	7	8	21	21
All other	8	-	1	-	-	4	-	1	1	1	1	-	7	-	1	1	1	1	1	-	-	1	1	1
Black	8	-	1	-	-	4	-	1	1	1	1	-	7	-	1	1	1	1	1	-	-	1	1	1
Meningitis (320-322)	8	4	-	1	1	-	1	-	-	1	-	-	8	1	-	1	2	-	1	-	1	1	1	-
White	5	1	-	1	1	-	1	-	-	1	-	-	7	1	-	2	-	1	-	1	1	1	1	-
All other	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	10,430	14	4	7	16	76	245	600	1,328	2,589	3,350	2,200	11,990	5	7	2	9	32	86	224	667	1,728	3,858	5,372
White	9,470	11	3	3	12	60	197	500	1,141	2,357	3,113	2,073	10,953	3	5	2	8	22	60	167	548	1,515	3,564	5,059
All other	960	3	1	4	4	16	48	100	187	232	237	127	1,037	2	2	-	1	10	26	57	119	213	294	313
Black	935	3	1	4	4	15	47	94	193	226	231	126	1,018	2	2	-	1	10	25	57	114	209	290	308
Diseases of heart (390-398,402,404-428)	8,552	7	3	4	11	65	216	518	1,163	2,172	2,688	1,704	9,195	2	5	2	5	21	52	177	552	1,352	2,921	4,106
White	7,771	7	2	1	8	50	177	437	1,002	1,992	2,485	1,600	8,374	2	4	2	4	14	37	133	449	1,182	2,692	3,855
All other	781	-	1	3	3	15	39	81	161	180	193	104	821	-	1	-	1	7	15	44	103	170	229	251
Black	759	-	1	3	3	14	38	76	158	175	187	103	805	-	1	-	1	7	14	44	98	168	226	246
Rheumatic fever and rheumatic heart disease (390-398)	26	-	-	1	-	3	-	3	5	4	5	5	84	-	-	-	-	4	3	3	11	21	26	16
White	22	-	-	-	-	3	-	3	4	3	4	5	80	-	-	-	-	3	2	2	10	21	26	16
All other	4	-	-	1	-	-	-	-	1	1	1	-	4	-	-	-	-	1	1	1	1	-	-	-
Black	3	-	-	1	-	-	-	-	1	1	-	-	4	-	-	-	-	1	1	1	1	-	-	-
Hypertensive heart disease (402)	181	-	-	-	-	5	11	22	27	50	40	26	259	-	-	-	1	3	6	13	21	46	71	98
White	115	-	-	-	-	1	5	9	15	40	26	18	190	-	-	-	1	-	3	3	10	32	60	81
All other	66	-	-	-	-	4	6	13	12	10	14	7	69	-	-	-	-	3	3	10	11	14	11	17
Black	65	-	-	-	-	4	6	12	12	10	14	7	69	-	-	-	-	3	3	10	11	14	11	17
Hypertensive heart and renal disease (404)	15	-	-	-	-	-	1	-	2	2	4	6	31	-	-	-	-	-	-	-	-	8	14	9
White	9	-	-	-	-	-	-	-	1	-	4	4	21	-	-	-	-	-	-	-	-	4	8	9
All other	6	-	-	-	-	-	1	-	1	2	-	2	10	-	-	-	-	-	-	-	-	4	6	-
Black	6	-	-	-	-	-	1	-	1	2	-	2	10	-	-	-	-	-	-	-	-	4	6	-
Ischemic heart disease (410-414)	6,404	1	-	1	1	32	149	384	892	1,657	2,064	1,222	6,376	-	-	-	2	3	31	107	377	938	2,068	2,852
White	5,897	1	-	1	1	27	130	338	785	1,540	1,923	1,151	5,847	-	-	-	2	3	24	87	320	827	1,916	2,668
All other	507	-	-	-	-	5	19	46	107	117	141	71	529	-	-	-	-	7	20	57	111	150	184	184
Black	490	-	-	-	-	4	18	43	105	113	136	70	518	-	-	-	-	7	20	55	109	147	180	180
Acute myocardial infarction (410)	3,402	1	-	1	1	18	74	236	521	944	1,071	53												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 346

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 145 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	9	-	-	-	-	-	1	-	2	5	1	-	8	-	-	-	-	-	1	-	-	2	3	2
White	9	-	-	-	-	-	1	-	2	5	1	-	8	-	-	-	-	-	1	-	-	2	3	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	9	-	-	-	-	-	-	-	1	4	2	2	6	-	-	-	-	-	-	-	-	1	2	3
White	8	-	-	-	-	-	-	-	1	4	2	2	6	-	-	-	-	-	-	-	-	1	2	3
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,984	-	-	-	14	74	148	368	704	990	686	3,291	-	-	-	2	3	8	45	149	389	990	1,705	
White	2,708	-	-	-	12	63	129	312	636	911	645	3,003	-	-	-	2	3	3	35	121	337	912	1,590	
All other	276	-	-	-	2	11	19	56	68	79	41	288	-	-	-	-	-	5	10	28	52	78	115	
Black	270	-	-	-	1	11	19	56	65	78	40	284	-	-	-	-	-	5	10	26	52	77	114	
Other diseases of endocardium (424)	134	1	-	-	-	3	6	10	26	51	37	176	-	-	-	-	-	-	1	4	21	59	91	
White	129	1	-	-	-	3	5	9	24	50	36	169	-	-	-	-	-	-	1	2	21	56	89	
All other	6	-	-	-	-	-	1	1	2	1	1	7	-	-	-	-	-	-	-	2	-	3	2	
Black	6	-	-	-	-	-	1	1	2	1	1	7	-	-	-	-	-	-	-	2	-	3	2	
All other forms of heart disease (415-423,425-429)	1,792	5	3	2	10	25	52	103	227	433	524	408	2,269	2	5	2	2	11	12	53	139	318	685	1,040
White	1,600	5	2	-	7	19	39	82	188	385	488	385	2,067	2	4	2	1	8	8	40	107	277	626	992
All other	192	-	1	2	3	6	13	21	39	48	36	23	202	-	1	-	1	3	4	13	32	41	59	46
Black	189	-	1	2	3	6	13	20	38	47	36	23	197	-	1	-	1	3	3	13	29	41	59	47
Hypertension with or without renal disease (401,403)	93	-	-	1	-	-	2	8	7	19	34	22	122	-	-	-	-	1	-	-	6	26	41	48
White	75	-	-	1	-	-	2	7	5	14	29	17	107	-	-	-	-	1	-	-	6	20	33	47
All other	18	-	-	-	-	-	-	1	2	5	5	5	15	-	-	-	-	-	-	-	-	6	8	1
Black	18	-	-	-	-	-	-	1	2	5	5	5	15	-	-	-	-	-	-	-	-	6	8	1
Cerebrovascular diseases (430-438)	1,307	6	-	2	4	8	18	63	114	265	470	357	2,144	3	1	-	1	8	28	44	92	277	730	960
White	1,174	3	-	1	3	7	11	46	93	227	438	345	1,972	1	-	-	1	5	17	31	78	245	683	911
All other	133	3	-	1	1	1	7	17	21	38	32	12	172	2	1	-	-	3	11	13	14	32	47	49
Black	130	3	-	1	1	1	7	16	20	37	32	12	169	2	1	-	-	3	11	13	14	30	46	49
Intracerebral and other intracranial hemorrhage (431-432)	209	-	-	2	-	4	8	22	29	55	60	29	296	-	-	-	-	2	8	15	26	71	97	77
White	184	-	-	1	-	4	6	14	24	50	58	27	267	-	-	-	-	1	4	8	21	66	94	73
All other	25	-	-	1	-	-	2	8	5	5	2	2	29	-	-	-	-	1	4	7	5	5	3	4
Black	23	-	-	1	-	-	2	7	5	4	2	2	26	-	-	-	-	1	4	7	5	3	2	4
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	130	-	-	-	1	1	-	2	11	30	49	36	251	1	-	-	-	-	5	1	12	27	91	114
White	110	-	-	-	1	-	-	1	6	23	44	35	226	-	-	-	-	-	3	1	9	22	81	110
All other	20	-	-	-	-	1	-	1	5	7	5	1	25	1	-	-	-	-	2	-	3	5	10	4
Black	20	-	-	-	-	1	-	1	5	7	5	1	25	1	-	-	-	-	2	-	3	5	10	4
Cerebral embolism (434.1)	9	-	-	-	-	-	-	-	2	5	2	13	-	-	-	-	-	-	1	1	1	3	4	3
White	8	-	-	-	-	-	-	-	2	4	2	12	-	-	-	-	-	-	1	1	1	3	4	3
All other	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	959	6	-	-	3	3	10	39	74	178	356	290	1,584	2	1	-	1	6	14	27	53	176	538	766
White	872	3	-	-	2	3	5	31	63	152	332	281	1,467	1	-	-	1	4	10	21	47	154	504	725
All other	87	3	-	-	1	-	5	8	11	26	24	9	117	1	1	-	-	2	4	6	6	22	34	41
Black	86	3	-	-	1	-	5	8	10	26	24	9	117	1	1	-	-	2	4	6	6	22	34	41
Atherosclerosis (440)	134	-	-	-	-	-	-	10	24	40	60	265	-	-	-	-	-	-	-	-	5	16	73	171
White	127	-	-	-	-	-	-	8	22	40	57	254	-	-	-	-	-	-	-	-	5	15	71	163
All other	7	-	-	-	-	-	-	2	2	-	3	11	-	-	-	-	-	-	-	-	1	2	8	
Black	7	-	-	-	-	-	-	2	2	-	3	11	-	-	-	-	-	-	-	-	1	2	8	
Other diseases of arteries, arterioles, and capillaries (441-448)	344	1	1	-	1	3	9	11	34	109	118	57	264	-	1	-	3	2	6	3	12	57	93	87
White	323	1	1	-	1	3	7	10	33	102	111	54	246	-	1	-	3	2	6	3	10	53	85	83
All other	21	-	-	-	-	2	1	1	7	7	7	3	18	-	-	-	-	-	-	-	2	4	8	4
Black	21	-	-	-	-	2	1	1	7	7	7	3	18	-	-	-	-	-	-	-	2	4	8	4
Acute bronchitis and bronchiolitis (466)	4	2	-	1	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	2	-
White	3	1	-	1	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	2	2	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	824	5	2	2	4	3	12	15	52	126	296	307	1,040	-	2	-	4	2	5	10	24	88	312	593
White	759	1	2	2	3	1	11	11	45	119	275	288	977	-	2	-	3	1	3	9	19	80	292	568
All other	66	4	-	-	1	2	1	4	7	7	21	19	63	-	-	-	1	1	2	1	5	8	20	25
Black	63	4	-	-	1	2	1	4	5	7	20	19	62	-	-	-	1	1	2	1	4	8	20	25

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 348

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 147 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MISSOURI—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	-	-	-	-	2	2	2	1	2	6	7	19	-	-	-	-	-	-	1	1	3	8	6
White	16	-	-	-	-	1	1	2	-	2	6	5	18	-	-	-	-	-	-	1	1	3	8	6
All other	6	-	-	-	-	1	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	2	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	276	1	-	-	-	2	5	5	25	61	105	72	277	-	-	-	-	1	1	4	16	54	87	114
White	244	1	-	-	-	2	1	4	20	54	94	68	237	-	-	-	-	1	1	2	12	39	75	107
All other	32	-	-	-	-	1	4	1	5	7	11	4	40	-	-	-	-	-	2	4	15	12	7	7
Black	32	-	-	-	-	1	4	1	5	7	11	4	40	-	-	-	-	-	2	4	15	12	7	7
Infections of kidney (590)	8	-	-	-	-	1	1	-	-	1	2	3	29	-	-	-	-	-	-	-	-	3	11	15
White	8	-	-	-	-	1	1	-	-	1	2	3	8	-	-	-	-	-	-	-	-	3	11	14
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyperplasia of prostate (600)	7	-	-	-	-	-	-	-	-	1	2	4
White	5	-	-	-	-	-	-	-	-	1	2	2
All other	2	-	-	-	-	-	-	-	-	-	-	2
Black	2	-	-	-	-	-	-	-	-	-	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	5	4	1
White	4	3	1
All other	1	1	-
Black	1	1	-
Pregnancy with abortive outcome (630-638)	1	1	-
White	1	1	-
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	3	1
White	3	2	1
All other	1	1	-
Black	1	1	-
Congenital anomalies (740-759)	130	74	9	5	2	7	6	3	1	11	11	1	135	70	12	5	2	6	7	4	7	9	4	9
White	111	60	7	3	2	6	6	3	1	11	11	1	114	59	6	5	1	6	6	4	6	9	4	8
All other	19	14	2	2	-	1	-	-	-	-	-	-	21	11	6	-	1	1	-	1	-	-	-	1
Black	17	12	2	2	-	1	-	-	-	-	-	-	21	11	6	-	1	-	1	-	1	-	-	1
Certain conditions originating in the perinatal period (760-779)	149	147	1	1	-	-	-	-	-	-	-	-	128	127	-	-	-	-	-	1	-	-	-	-
White	85	84	-	1	-	-	-	-	-	-	-	-	72	71	-	-	-	-	-	1	-	-	-	-
All other	64	63	1	-	-	-	-	-	-	-	-	-	56	56	-	-	-	-	-	-	-	-	-	-
Black	63	62	1	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	35	35	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-
White	26	26	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-
All other	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Black	9	9	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	114	112	1	1	-	-	-	-	-	-	-	-	106	105	-	-	-	-	-	1	-	-	-	-
White	59	58	-	1	-	-	-	-	-	-	-	-	57	56	-	-	-	-	-	1	-	-	-	-
All other	55	54	1	-	-	-	-	-	-	-	-	-	49	49	-	-	-	-	-	-	-	-	-	-
Black	54	53	1	-	-	-	-	-	-	-	-	-	48	48	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	241	88	4	-	7	9	15	8	17	34	35	23	190	44	1	-	5	3	5	9	10	22	43	48
White	179	61	2	-	4	8	10	7	14	26	29	17	150	33	1	-	3	1	3	4	9	17	37	42
All other	62	27	2	-	3	1	5	1	3	8	6	6	40	11	-	-	2	2	2	5	1	5	6	6
Black	60	25	2	-	3	1	5	1	3	8	6	6	40	11	-	-	2	2	2	5	1	5	6	6
All other diseases (Residual)	1,927	17	12	14	23	41	83	117	196	412	590	421	2,443	7	11	12	19	23	72	71	131	339	738	1,020
White	1,655	14	9	13	16	30	59	89	147	347	540	391	2,196	6	10	9	14	19	45	49	101	299	678	966
All other	272	3	3	1	7	11	24	28	49	65	50	30	247	1	1	3	5	4	27	22	30	40	60	54
Black	268	3	3	1	7	11	23	28	49	64	49	29	241	1	1	3	4	3	27	22	29	37	60	54
Accidents and adverse effects (E800-E949)	1,341	11	45	46	250	227	189	126	111	123	128	84	793	5	17	40	93	74	67	46	42	96	152	181
White	1,185	7	37	38	226	196	162	110	91	117	120	80	716	3	15	33	90	64	55	41	38	90	139	148
All other	156	4	8	8	24	31	27	16	20	6	8	4	77	2	2	7	3	10	12	5	4	6	13	13
Black	149	4	8	7	22	31	25	16	18	6	8	4	73	1	2	7	3	9	11	5	4	6	12	13

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 355

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 154 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA																								
All causes	7,237	92	25	36	113	165	241	380	794	1,657	2,222	1,511	7,407	80	11	19	56	69	131	228	530	1,180	2,161	2,942
White	6,955	70	22	35	101	150	220	345	746	1,604	2,174	1,487	7,159	73	11	17	49	61	111	211	488	1,127	2,103	2,908
All other	282	22	3	1	12	15	21	35	48	53	48	24	248	7	-	2	7	8	20	17	42	53	58	34
Black	220	19	3	1	6	11	17	26	35	40	44	18	201	7	-	2	4	5	13	14	32	44	50	30
Shigellosis and amebiasis (004,008)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	-	-	-	-	-	-	-	1	1	-	4	2	-	-	-	-	-	-	-	-	-	2
White	2	-	-	-	-	-	-	-	-	1	1	-	4	2	-	-	-	-	-	-	-	-	-	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	34	-	-	-	-	-	1	2	2	3	18	7	41	1	-	-	1	-	1	1	1	8	13	15
White	29	-	-	-	-	-	1	1	1	2	17	7	39	1	-	-	1	-	1	1	1	8	12	15
All other	5	-	-	-	-	-	-	1	1	1	1	2	2	-	-	-	-	-	1	-	-	-	1	-
Black	4	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-	1	-	-	-	1	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	-	-	-	-	1	1	-	1	-	-	3	-	-	-	-	-	-	-	1	-	-	2
White	2	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	-	-	-	1	-	-	2
All other	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	75	3	-	-	1	17	21	16	3	10	3	1	27	2	-	-	-	3	3	2	2	7	4	4
White	65	1	-	-	1	16	16	15	3	9	3	1	26	2	-	-	-	2	3	2	2	7	4	4
All other	10	2	-	-	-	1	5	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	10	2	-	-	-	1	5	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,703	-	2	6	7	14	31	92	310	511	528	202	1,536	-	1	3	3	12	47	110	244	432	437	247
White	1,650	-	2	5	7	13	29	87	294	495	518	200	1,482	-	1	3	3	11	44	105	232	415	424	244
All other	53	-	-	1	-	1	2	5	16	16	10	2	54	-	-	-	-	1	3	5	12	17	13	3
Black	42	-	-	1	-	1	2	3	12	13	9	1	48	-	-	-	-	1	3	5	12	14	11	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 356

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 155 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEBRASKA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	-	-	-	-	-	-	3	5	4	4	2	20	-	-	-	-	-	-	1	6	7	4	2
White	17	-	-	-	-	-	-	3	4	4	4	2	19	-	-	-	-	-	-	1	5	7	4	2
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	416	-	-	-	-	2	7	28	90	120	112	57	364	-	-	-	-	2	2	20	39	96	103	102
White	403	-	-	-	-	1	7	27	86	115	110	57	355	-	-	-	-	2	2	19	37	90	103	102
All other	13	-	-	-	-	-	-	1	4	5	2	-	9	-	-	-	-	-	1	2	6	-	-	
Black	11	-	-	-	-	1	-	-	3	5	2	-	7	-	-	-	-	-	1	2	4	-	-	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	585	-	-	-	1	1	8	35	122	206	175	37	292	-	-	-	-	1	3	20	52	106	89	21
White	564	-	-	-	1	1	7	31	115	200	173	36	280	-	-	-	-	1	3	19	51	101	86	19
All other	21	-	-	-	-	-	1	4	7	6	2	1	12	-	-	-	-	-	1	1	5	3	2	
Black	17	-	-	-	-	-	1	3	6	6	1	-	11	-	-	-	-	-	1	1	5	2	2	
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	-	1	286	-	-	-	-	4	15	26	81	76	32	32
White	1	-	-	-	-	-	-	-	-	-	-	1	280	-	-	-	-	3	14	26	59	74	72	32
All other	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	1	1	-	2	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	-
Malignant neoplasms of genital organs (179-187)	233	-	-	-	-	1	-	-	13	58	98	63	167	-	-	-	-	-	11	16	27	49	44	20
White	226	-	-	-	-	1	-	-	13	56	94	62	159	-	-	-	-	-	10	14	26	48	41	20
All other	7	-	-	-	-	-	-	-	-	2	4	1	8	-	-	-	-	-	1	2	1	1	3	-
Black	6	-	-	-	-	-	-	-	-	1	4	1	7	-	-	-	-	-	1	2	1	1	2	-
Malignant neoplasms of urinary organs (188-189)	92	-	-	-	-	-	3	6	15	26	28	14	57	-	-	-	-	-	2	-	12	6	21	16
White	89	-	-	-	-	-	2	6	14	26	27	14	51	-	-	-	-	-	1	-	10	6	18	16
All other	3	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	2	-	3	-
Black	3	-	-	-	-	-	1	-	1	-	1	-	6	-	-	-	-	-	1	-	2	-	3	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	196	-	1	4	1	6	7	9	44	53	58	15	194	-	1	2	1	1	11	16	32	48	50	32
White	190	-	1	3	1	6	7	9	41	52	55	15	187	-	1	2	1	1	11	15	31	46	47	32
All other	6	-	-	1	-	-	-	-	3	1	1	-	7	-	-	-	-	-	1	1	1	2	3	-
Black	5	-	-	-	-	-	-	-	2	1	1	-	6	-	-	-	-	-	1	1	1	1	3	-
Leukemia (204-208)	61	-	1	1	3	1	5	2	9	8	23	8	44	-	-	1	-	1	1	3	5	9	15	9
White	61	-	1	1	3	1	5	2	9	8	23	8	44	-	-	1	-	1	1	3	5	9	15	9
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	101	-	-	1	2	3	1	9	12	36	32	5	112	-	-	-	2	3	2	8	10	35	39	13
White	99	-	-	1	2	3	1	9	12	34	32	5	107	-	-	-	2	3	2	8	8	34	38	12
All other	2	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-	-	-	-	2	1	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	2	1	1	-	-
Bonign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	20	-	-	-	-	-	2	-	2	5	6	5	20	-	-	-	-	-	-	-	-	3	10	7
White	20	-	-	-	-	-	2	-	2	5	6	5	19	-	-	-	-	-	-	-	-	2	10	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	114	1	-	-	-	1	4	8	13	30	36	21	152	-	-	-	-	-	2	5	16	35	59	35
White	106	1	-	-	-	1	4	7	10	27	35	21	143	-	-	-	-	-	2	4	13	34	55	35
All other	8	-	-	-	-	-	-	-	3	3	1	-	9	-	-	-	-	-	1	3	1	4	4	-
Black	7	-	-	-	-	-	-	-	1	2	3	1	8	-	-	-	-	-	1	2	1	4	-	-
Nutritional deficiencies (260-269)	7	-	-	-	-	-	-	-	-	3	1	3	22	-	-	-	-	-	-	1	-	1	2	18
White	7	-	-	-	-	-	-	-	-	3	1	3	22	-	-	-	-	-	-	1	-	1	2	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	7	-	-	-	-	1	-	-	2	2	-	2	21	-	-	-	-	1	1	1	-	1	3	14
White	6	-	-	-	-	-	-	-	2	2	-	2	19	-	-	-	-	1	1	-	-	1	3	13
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	1
Black	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	1
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Major cardiovascular diseases (390-449)	3,133	2	4	1	8	16	54	131	301	724	1,050	842	3,609	6	3	-	3	2	24	52	139	447	1,100	1,833
White	3,034	2	2	1	6	16	51	121	284	703	1,024	824	3,499	4	3	-	2	2	18	47	125	420	1,068	1,810
All other	99	-	2	-	2	-	3	10	17	21	26	18	110	2	-	-	1	-	6	5	14	27	32	23
Black	77	-	2	-	2	-	2	6	13	14	23	15	92	2	-	-	1	-	5	4	9	22	28	21

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 358

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 157 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix]

Area, cause of death, and race	Male										Female														
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEBRASKA—Con.																									
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	-	4	-	
White	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	-	4	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	287	-	1	-	2	2	2	7	17	48	109	99	524	-	1	-	-	1	8	12	9	52	142	299	
White	278	-	1	-	2	2	2	7	17	43	106	98	511	-	1	-	-	1	7	10	8	48	140	296	
All other	9	-	-	-	-	-	-	-	-	5	3	1	13	-	-	-	-	-	1	2	1	4	2	3	
Black	7	-	-	-	-	-	-	-	-	4	3	-	12	-	-	-	-	1	1	1	4	2	3	-	
Atherosclerosis (440)	78	-	-	-	-	-	-	1	1	12	26	38	124	-	-	-	-	-	1	2	7	33	81	-	
White	77	-	-	-	-	-	-	1	1	12	26	37	122	-	-	-	-	-	1	1	7	32	81	-	
All other	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	1	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	
Other diseases of arteries, arterioles, and capillaries (441-448)	91	-	-	2	-	-	-	9	24	38	18	65	-	-	-	-	-	1	-	5	13	21	25	-	
White	88	-	-	2	-	-	-	9	23	37	17	62	-	-	-	-	-	1	-	5	12	19	25	-	
All other	3	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	2	-	-	
Black	3	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	1	2	-	-	
Acute bronchitis and bronchiolitis (466)	3	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
White	3	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	243	1	-	-	-	-	7	7	32	88	108	333	-	1	-	-	4	3	2	13	23	87	200	-	
White	237	1	-	-	-	-	5	5	31	87	108	326	-	1	-	-	4	1	1	11	23	86	199	-	
All other	6	-	-	-	-	-	2	2	1	1	1	7	-	-	-	-	-	2	1	2	-	1	1	-	
Black	5	-	-	-	-	-	2	2	-	1	-	4	-	-	-	-	-	1	1	1	-	1	1	-	
Pneumonia (480-486)	236	1	-	-	-	-	7	6	31	87	104	325	-	1	-	-	4	3	2	12	23	86	194	-	
White	230	1	-	-	-	-	5	4	30	86	104	318	-	1	-	-	4	1	1	10	23	85	193	-	
All other	6	-	-	-	-	-	2	2	1	1	1	7	-	-	-	-	-	2	1	2	-	1	1	-	
Black	5	-	-	-	-	-	2	2	-	1	-	4	-	-	-	-	-	1	1	1	-	1	1	-	
Influenza (487)	7	-	-	-	-	-	-	1	1	1	4	8	-	-	-	-	-	-	-	1	-	1	6	-	
White	7	-	-	-	-	-	-	1	1	1	4	8	-	-	-	-	-	-	-	1	-	1	6	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	403	-	-	1	1	2	2	6	31	117	165	78	264	-	-	-	2	1	1	6	26	70	96	62	
White	396	-	-	1	1	2	2	5	31	114	163	77	259	-	-	-	2	1	1	4	26	68	96	61	
All other	7	-	-	-	-	-	-	1	-	3	2	1	5	-	-	-	-	-	2	-	2	-	1	-	
Black	7	-	-	-	-	-	1	-	-	3	2	1	4	-	-	-	-	-	1	-	2	-	1	-	
Bronchitis, chronic and unspecified (490-491)	22	-	-	-	-	-	-	2	6	8	6	10	-	-	-	-	-	-	-	-	-	6	4	-	
White	21	-	-	-	-	-	-	2	5	8	6	10	-	-	-	-	-	-	-	-	-	6	4	-	
All other	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema (492)	50	-	-	-	-	-	1	7	17	16	9	34	-	-	-	-	-	-	3	6	12	11	2	-	
White	50	-	-	-	-	-	1	7	17	16	9	33	-	-	-	-	-	-	3	6	11	11	2	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Asthma (493)	20	-	1	1	1	1	1	-	4	7	4	29	-	-	-	1	1	-	2	1	7	8	9	-	
White	20	-	1	1	1	1	1	-	4	7	4	28	-	-	-	1	1	-	1	1	7	8	9	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	311	-	-	-	1	1	4	22	90	134	59	191	-	-	-	1	-	1	1	19	51	71	47	-	
White	305	-	-	-	1	1	3	22	88	132	58	188	-	-	-	1	-	1	1	19	50	71	46	-	
All other	6	-	-	-	-	-	1	-	2	2	1	3	-	-	-	-	-	-	1	-	1	1	1	-	
Black	6	-	-	-	-	-	1	-	2	2	1	2	-	-	-	-	-	-	1	-	1	1	1	-	
Ulcer of stomach and duodenum (531-533)	19	-	-	-	-	-	2	1	5	6	5	21	-	-	-	-	-	-	-	2	3	10	6	-	
White	19	-	-	-	-	-	2	1	5	6	5	20	-	-	-	-	-	-	-	2	3	9	6	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Appendicitis (540-543)	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	-	-	-	-	1	1	1	1	-	3	4	37	-	-	-	1	-	-	3	3	13	17	-	
White	11	-	-	-	-	1	1	1	1	-	3	4	36	-	-	-	1	-	-	3	3	12	17	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 361

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 160 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male										Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	53	1	-	-	-	-	2	4	7	11	20	8	65	2	-	-	-	1	-	3	6	14	21	18
White	48	-	-	-	-	-	2	4	7	10	17	8	60	2	-	-	-	1	-	3	4	13	20	17
All other	5	1	-	-	-	-	-	-	-	1	3	-	5	-	-	-	-	-	-	1	2	1	1	1
Black	3	1	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	1	1	1	1	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	-	-	-	-	-	1	1	2	1	-	-	3	-	-	-	-	-	1	1	-	1	-	-
White	4	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-
All other	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (080-097)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-089,098-139)	140	2	-	-	4	34	61	24	8	4	2	1	23	-	-	-	-	3	10	1	4	2	1	2
White	121	1	-	-	4	30	51	20	8	4	2	1	16	-	-	-	-	-	7	1	4	2	-	2
All other	19	1	-	-	-	4	10	4	-	-	-	-	7	-	-	-	-	3	3	-	-	-	1	-
Black	18	1	-	-	-	3	10	4	-	-	-	-	7	-	-	-	-	3	3	-	-	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,531	-	3	4	8	10	41	149	333	531	367	85	1,147	-	-	3	1	13	51	118	232	370	268	90
White	1,430	-	2	3	5	9	35	132	306	510	345	83	1,071	-	-	2	1	13	38	106	216	353	255	86
All other	101	-	1	1	3	1	6	17	27	21	22	2	76	-	-	1	-	13	12	16	17	13	4	4
Black	77	-	-	1	1	1	5	12	24	17	15	1	48	-	-	1	-	9	7	10	11	7	3	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	-	-	-	-	-	1	3	9	5	-	1	18	-	-	-	-	-	1	2	4	8	2	1
White	19	-	-	-	-	-	1	3	9	5	-	1	16	-	-	-	-	-	1	2	3	8	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	341	-	-	-	-	-	7	33	72	119	88	22	224	-	-	-	-	2	4	17	38	62	68	33
White	320	-	-	-	-	-	6	30	66	114	82	22	203	-	-	-	-	2	2	14	32	59	64	30
All other	21	-	-	-	-	-	1	3	6	5	6	-	21	-	-	-	-	2	3	6	3	4	3	3
Black	16	-	-	-	-	-	3	5	3	5	-	-	13	-	-	-	-	1	2	2	3	3	2	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	552	-	-	-	-	-	15	58	148	205	112	14	328	-	-	-	-	-	7	28	78	134	69	11
White	519	-	-	-	-	-	11	50	140	196	108	14	310	-	-	-	-	-	7	25	71	130	65	11
All other	33	-	-	-	-	-	4	8	8	9	4	-	18	-	-	-	-	-	3	7	4	4	4	-
Black	29	-	-	-	-	-	4	7	8	9	1	-	11	-	-	-	-	-	1	6	2	2	2	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	1	-	-	209	-	-	-	-	5	16	31	50	60	35	12
White	2	-	-	-	-	-	-	-	-	1	-	-	194	-	-	-	-	5	11	28	50	55	33	12
All other	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	5	3	-	5	2	2	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	4	2	-	2	2	-
Malignant neoplasms of genital organs (179-187)	150	-	-	-	1	-	-	2	14	40	63	30	98	-	-	-	-	1	7	11	15	39	18	7
White	139	-	-	-	1	-	-	2	10	38	59	29	93	-	-	-	-	1	3	10	15	39	18	7
All other	11	-	-	-	-	-	-	4	2	4	4	1	5	-	-	-	-	-	4	1	-	-	-	-
Black	9	-	-	-	-	-	-	4	2	2	3	-	3	-	-	-	-	-	3	-	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 362

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 161 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male										Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEVADA—Con.																								
Malignant neoplasms of urinary organs (188-189)	77	-	-	-	-	1	1	13	11	26	18	7	26	-	-	-	-	-	-	2	3	7	10	4
White	66	-	-	-	-	1	1	10	8	26	14	6	26	-	-	-	-	-	2	3	7	10	4	
All other	11	-	-	-	-	-	-	3	3	-	4	1	-	-	-	-	-	-	-	-	-	-	-	
Black	8	-	-	-	-	-	-	1	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	239	-	1	3	4	5	12	28	52	86	43	5	165	-	-	2	1	3	11	21	32	40	38	17
White	224	-	3	2	5	11	25	48	82	43	5	157	-	-	2	1	3	10	19	31	36	38	17	
All other	15	-	1	-	2	-	1	3	4	4	-	-	8	-	-	-	-	1	2	1	4	4	-	
Black	8	-	-	1	-	1	-	1	2	3	-	-	5	-	-	-	-	2	-	-	3	-	-	
Leukemia (204-208)	63	-	2	1	2	1	1	1	12	20	20	3	33	-	-	1	-	1	5	2	5	8	9	2
White	59	-	2	-	2	1	1	1	11	19	19	3	31	-	-	-	-	1	4	2	5	8	9	2
All other	4	-	-	1	-	-	-	-	1	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-
Black	2	-	-	1	-	-	-	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	88	-	-	-	1	3	4	11	15	29	23	2	46	-	-	-	-	1	-	4	7	12	19	3
White	82	-	-	-	-	2	4	11	14	29	20	2	41	-	-	-	-	1	-	4	6	11	17	2
All other	6	-	-	-	1	1	-	-	1	-	3	-	5	-	-	-	-	-	-	1	1	1	2	1
Black	5	-	-	-	-	1	-	-	1	-	3	-	3	-	-	-	-	-	-	1	1	-	-	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	25	-	-	-	-	2	1	3	6	5	7	1	18	-	-	-	-	-	1	1	4	6	4	2
White	21	-	-	-	-	1	1	2	6	3	7	1	15	-	-	-	-	-	1	1	3	5	3	2
All other	4	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	-	1	1	1	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-
Diabetes mellitus (250)	91	-	-	-	-	3	3	7	16	33	23	6	82	-	-	-	-	2	7	12	22	22	17	17
White	86	-	-	-	-	3	3	6	15	31	23	5	71	-	-	-	-	2	5	7	20	22	15	15
All other	5	-	-	-	-	-	-	1	1	2	-	1	11	-	-	-	-	2	2	5	2	2	2	2
Black	4	-	-	-	-	-	-	1	1	2	-	-	7	-	-	-	-	1	4	1	-	-	-	1
Nutritional deficiencies (260-269)	14	-	-	-	-	1	1	-	-	4	6	2	8	-	-	-	-	-	-	2	1	-	-	5
White	11	-	-	-	-	1	-	-	-	3	5	2	8	-	-	-	-	-	-	2	1	-	-	5
All other	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	6	-	-	-	-	-	-	1	-	-	3	2	8	-	-	-	-	-	-	-	-	3	2	3
White	5	-	-	-	-	-	-	1	-	-	2	2	8	-	-	-	-	-	-	-	-	3	2	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,171	3	4	1	3	19	63	185	368	658	608	256	1,640	1	-	-	2	11	19	54	156	372	535	490
White	2,014	1	4	1	2	12	58	163	340	621	571	238	1,522	1	-	-	1	6	13	45	137	345	506	468
All other	157	2	-	-	1	7	5	22	28	37	37	18	118	-	-	-	1	5	6	9	19	27	29	22
Black	112	2	-	-	1	5	4	15	23	25	23	14	83	-	-	-	-	5	6	9	17	10	19	17
Diseases of heart (390-398,402,404-429)	1,815	2	4	1	2	16	54	161	326	562	488	196	1,287	1	-	-	1	10	11	42	126	280	418	398
White	1,695	1	4	1	2	11	50	143	304	531	460	185	1,197	1	-	-	1	5	8	34	110	263	396	379
All other	120	1	-	-	-	5	4	18	22	31	28	11	90	-	-	-	-	5	3	8	16	17	22	19
Black	85	1	-	-	-	3	3	12	17	21	19	9	66	-	-	-	-	5	3	8	15	6	15	14
Rheumatic fever and rheumatic heart disease (390-398)	14	-	1	-	-	-	-	1	-	7	3	1	16	-	-	-	-	-	-	-	2	7	5	2
White	14	-	1	-	-	-	1	-	1	7	3	1	16	-	-	-	-	-	-	-	2	7	5	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	107	-	-	-	-	2	9	15	29	29	14	9	107	-	-	-	1	2	1	4	14	21	42	22
White	93	-	-	-	-	2	9	13	23	27	11	8	96	-	-	-	-	1	1	4	12	18	39	20
All other	14	-	-	-	-	-	2	2	6	2	3	1	11	-	-	-	-	-	-	-	2	3	3	2
Black	11	-	-	-	-	-	2	5	2	2	1	1	9	-	-	-	-	-	-	-	2	1	3	2
Hypertensive heart and renal disease (404)	5	-	-	-	-	-	-	-	1	4	-	-	2	-	-	-	-	-	-	-	-	1	1	-
White	5	-	-	-	-	-	-	-	1	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	902	-	-	1	-	4	25	72	156	285	252	106	554	-	-	-	-	1	5	14	49	113	186	186
White	859	-	-	1	-	1	25	65	151	271	243	101	513	-	-	-	-	1	4	11	43	106	172	176
All other	43	-	-	-	-	3	7	5	14	9	5	4	41	-	-	-	-	-	1	3	6	7	14	10
Black	25	-	-	-	-	2	-	4	3	7	5	4	29	-	-	-	-	-	1	3	6	2	8	9
Acute myocardial infarction (410)	403	-	-	-	-	2	14	33	73	137	104	39	207	-	-	-	-	1	3	5	25	59	67	47
White	388	-	-	-	-	1	14	32	70	132	100	38	190	-	-	-	-	1	2	3	22	56	63	43
All other	15	-	-	-	-	-	1	3	7	5	4	1	17	-	-	-	-	-	-	-	3	3	4	4
Black	12	-	-	-	-	1	-	1	1	4	4	1	19	-	-	-	-	-	1	2	3	3	4	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 363

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 162 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEVADA—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	496	-	-	1	-	2	11	39	82	148	146	67	347	-	-	-	-	-	2	9	24	54	119	139	
White	468	-	-	1	-	-	11	33	80	139	141	63	323	-	-	-	-	-	2	8	21	50	109	133	
All other	28	-	-	-	-	2	-	6	2	9	5	4	24	-	-	-	-	-	-	1	3	4	10	6	
Black	13	-	-	-	-	1	-	3	2	3	1	3	16	-	-	-	-	-	1	3	2	5	5	5	
Other diseases of endocardium (424)	37	-	-	-	-	1	2	1	3	8	18	4	35	-	-	-	-	-	-	-	2	8	12	13	
White	36	-	-	-	-	1	2	1	3	7	18	4	35	-	-	-	-	-	-	-	2	8	12	13	
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other forms of heart disease (415-423,425-429)	750	2	3	-	2	9	17	73	136	229	201	76	573	1	-	-	-	7	5	24	59	130	172	175	
White	688	1	3	-	2	7	13	64	125	215	185	71	536	1	-	-	-	3	3	19	51	123	168	168	
All other	62	1	-	-	2	4	9	11	14	16	5	37	-	-	-	-	4	2	5	8	7	4	7	7	
Black	48	1	-	-	1	3	6	9	11	13	4	27	-	-	-	-	4	2	5	7	3	3	3	3	
Hypertension with or without renal disease (401,402)	11	-	-	-	-	-	-	1	4	3	1	2	13	-	-	-	-	-	-	-	2	3	6	2	
White	9	-	-	-	-	-	-	-	3	3	1	2	12	-	-	-	-	-	-	-	2	3	5	2	
All other	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Black	2	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cerebrovascular diseases (430-438)	231	-	-	-	1	3	5	21	29	55	80	37	268	-	-	-	1	1	7	9	23	69	88	70	
White	201	-	-	-	-	1	4	18	24	51	71	32	244	-	-	-	-	1	5	8	20	60	83	67	
All other	30	-	-	-	1	2	1	3	5	4	9	5	24	-	-	-	1	2	1	3	9	9	5	3	
Black	21	-	-	-	1	2	1	2	5	3	4	3	14	-	-	-	-	2	1	2	4	2	2	3	
Intracerebral and other intracranial hemorrhage (431-432)	46	-	-	-	-	1	2	7	8	11	15	2	45	-	-	-	-	1	3	1	6	17	12	5	
White	40	-	-	-	-	1	2	6	6	10	13	2	42	-	-	-	-	1	2	1	5	17	11	5	
All other	6	-	-	-	-	-	-	1	2	1	2	-	3	-	-	-	-	-	-	1	1	-	1	-	
Black	4	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-	-	-	-	1	1	-	-	-	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	19	-	-	-	-	-	-	2	1	7	5	4	16	-	-	-	-	-	-	-	2	5	4	5	
White	16	-	-	-	-	-	-	2	1	6	5	2	15	-	-	-	-	-	-	-	2	4	4	5	
All other	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Black	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Cerebral embolism (434.1)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	165	-	-	-	1	2	3	11	20	37	60	31	206	-	-	-	1	-	4	8	15	47	72	59	
White	144	-	-	-	-	2	9	17	35	53	28	186	-	-	-	-	-	3	7	13	39	68	56		
All other	21	-	-	-	1	2	1	2	3	2	7	3	20	-	-	-	1	-	1	2	8	4	3	3	
Black	15	-	-	-	1	2	1	1	3	1	4	2	11	-	-	-	-	1	1	1	3	2	3	3	
Atherosclerosis (440)	41	-	-	-	-	1	2	3	11	11	13	35	-	-	-	-	-	-	-	4	5	9	17	17	
White	39	-	-	-	-	1	2	3	10	11	12	34	-	-	-	-	-	-	-	4	5	8	17	17	
All other	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Other diseases of arteries, arterioles, and capillaries (441-448)	73	1	-	-	-	-	3	-	6	27	28	8	37	-	-	-	-	-	1	3	1	15	14	3	
White	70	-	-	-	-	-	3	-	6	26	28	7	35	-	-	-	-	-	-	3	1	14	14	3	
All other	3	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	
Black	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Acute bronchitis and bronchiolitis (466)	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	132	3	-	-	3	1	4	6	14	31	45	25	145	2	1	-	-	2	3	4	7	20	46	60	
White	126	1	-	-	3	1	3	5	13	31	44	25	139	1	-	-	-	2	2	3	7	20	45	59	
All other	6	2	-	-	-	-	1	1	1	-	1	-	6	1	1	-	-	-	1	1	-	-	1	1	
Black	6	2	-	-	-	-	1	1	1	-	1	-	4	-	1	-	-	-	1	-	-	-	1	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 365

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 164 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEVADA—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	76	-	-	-	-	2	4	3	6	16	29	16	68	1	-	-	-	-	-	2	5	27	16	17	
White	72	-	-	-	-	2	4	1	6	15	29	15	60	1	-	-	-	-	1	5	23	15	15		
All other	4	-	-	-	-	-	-	2	1	1	1	1	8	-	-	-	-	-	1	1	4	1	2		
Black	3	-	-	-	-	-	-	1	-	1	-	1	5	-	-	-	-	-	1	-	2	-	2		
Infections of kidney (590)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-	
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	1	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	4	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
White	4	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	3	1	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies (740-759)	28	18	1	-	-	2	1	1	2	1	2	-	19	9	2	-	-	1	1	1	-	2	1	2	
White	26	16	1	-	-	2	1	1	2	1	2	-	14	6	1	-	-	1	1	1	-	2	1	2	
All other	2	2	-	-	-	-	-	-	-	-	-	-	5	3	1	-	-	1	-	-	-	-	-	-	
Black	2	2	-	-	-	-	-	-	-	-	-	-	4	2	1	-	-	1	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	19	19	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	
White	17	17	-	-	-	-	-	-	-	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-	
All other	2	2	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-	
Black	2	2	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	5	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	-	-	
White	5	5	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	14	14	-	-	-	-	-	-	-	-	-	-	15	15	-	-	-	-	-	-	-	-	-	-	
White	12	12	-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	-	-	
All other	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-	
Black	2	2	-	-	-	-	-	-	-	-	-	-	6	6	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	68	34	1	-	4	5	7	-	3	5	3	4	52	16	1	1	-	2	1	-	3	5	10	13	
White	52	25	1	-	2	4	5	-	3	5	2	4	42	11	-	-	-	1	1	-	3	5	10	11	
All other	16	9	-	-	2	1	2	-	1	1	1	1	10	5	1	1	-	1	-	-	-	-	1	2	
Black	14	8	-	-	2	1	2	-	-	-	-	-	8	5	-	-	-	1	-	-	-	-	-	1	
All other diseases (Residual)	408	3	2	2	3	10	34	38	62	96	103	55	354	3	2	4	3	2	19	22	29	73	114	83	
White	385	2	2	1	3	8	32	34	59	93	99	52	334	2	2	4	3	2	15	21	27	70	107	81	
All other	23	1	-	1	-	2	2	4	3	3	4	3	20	1	-	-	-	4	1	2	3	7	7	2	
Black	15	-	-	1	-	2	1	2	2	2	3	2	16	1	-	-	-	4	-	2	2	6	6	1	
Accidents and adverse effects (E800-E949)	302	-	16	14	47	59	50	25	27	30	24	10	110	2	5	7	18	13	14	12	8	9	11	11	
White	270	-	13	13	37	55	44	23	23	29	23	10	92	2	3	4	13	10	11	11	7	9	11	11	
All other	32	-	3	1	10	4	6	2	4	1	1	-	18	-	2	3	5	3	3	1	1	-	-	-	
Black	20	-	1	1	7	2	5	2	2	-	-	-	8	-	1	-	3	1	3	-	-	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 367

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 166 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW HAMPSHIRE—Con.																									
Viral hepatitis (070)	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
White	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	1	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	46	1	-	-	-	12	15	3	3	6	4	2	15	-	-	-	1	2	2	-	1	5	3	1	
White	44	1	-	-	-	11	15	3	3	5	4	2	15	-	-	-	1	2	2	-	1	5	3	1	
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,163	-	-	4	8	7	34	93	202	385	318	112	1,120	-	1	-	8	13	45	104	172	297	325	155	
White	1,156	-	-	4	8	7	34	92	200	381	318	112	1,117	-	1	-	8	13	44	104	171	297	325	154	
All other	7	-	-	-	-	-	-	1	2	4	-	-	3	-	-	-	-	1	-	1	-	-	-	1	
Black	5	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	21	-	-	-	-	-	1	2	6	7	5	-	21	-	-	-	-	1	3	3	3	8	3	3	
White	21	-	-	-	-	-	1	2	6	7	5	-	21	-	-	-	-	1	3	3	3	8	3	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	313	-	-	1	1	-	8	31	51	97	91	33	265	-	-	-	1	3	16	26	68	102	49	49	
White	312	-	-	1	1	-	8	31	51	96	91	33	265	-	-	-	1	3	16	26	68	102	49	49	
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	369	-	-	-	-	2	5	28	77	147	91	19	266	-	-	-	-	1	8	21	55	96	65	20	
White	364	-	-	-	-	2	5	27	75	145	91	19	266	-	-	-	-	1	8	21	55	96	65	20	
All other	5	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	1	-	-	-	-	196	-	-	-	-	1	10	32	29	49	42	33	
White	1	-	-	-	-	-	-	1	-	-	-	-	196	-	-	-	-	1	10	32	29	49	42	33	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of genital organs (179-187)	151	-	-	-	1	-	2	9	39	69	31	104	104	-	-	-	-	3	8	13	23	28	21	8	
White	150	-	-	-	1	-	2	9	38	69	31	102	102	-	-	-	-	3	7	13	22	28	21	8	
All other	1	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	1	-	1	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of urinary organs (188-189)	64	-	-	-	-	-	5	14	24	12	9	30	30	-	-	-	-	1	-	1	5	5	16	2	
White	64	-	-	-	-	-	5	14	24	12	9	30	30	-	-	-	-	1	-	1	5	5	16	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	133	-	-	1	3	2	10	15	28	41	25	8	137	-	1	-	3	6	11	14	15	28	38	21	
White	133	-	-	1	3	2	10	15	28	41	25	8	137	-	1	-	3	6	11	14	15	28	38	21	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leukemia (204-208)	27	-	-	2	1	1	1	3	3	8	4	4	35	-	-	-	-	3	1	3	3	5	4	9	7
White	27	-	-	2	1	1	1	3	3	8	4	4	35	-	-	-	-	3	1	3	3	5	4	9	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	84	-	-	-	3	1	9	6	14	22	21	8	66	-	-	-	1	-	1	1	11	16	24	12	
White	84	-	-	-	3	1	9	6	14	22	21	8	65	-	-	-	1	-	1	1	11	16	24	11	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	-	-	1	1	1	-	1	1	3	1	4	18	1	1	-	-	-	1	-	1	3	7	4	
White	13	-	-	1	1	1	-	1	1	3	1	4	16	-	1	-	-	-	-	-	1	3	7	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 372

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 171 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY *																								
All causes	35,863	553	111	113	566	1,370	2,253	2,553	4,607	9,121	9,911	4,918	35,005	449	90	69	196	616	969	1,474	3,045	6,988	10,542	10,581
White	30,418	311	66	74	384	912	1,449	1,827	3,755	8,063	8,945	4,626	30,586	224	58	44	143	347	590	1,062	2,422	6,129	9,656	9,906
All other	5,445	242	45	39	182	458	804	726	852	1,058	746	292	4,419	225	32	25	53	269	379	412	623	859	886	655
Black	5,179	226	43	39	174	445	788	690	806	993	704	270	4,167	212	32	22	51	257	368	384	585	812	821	622
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	-	-	-	1	-	-	-	-	3	1	2	9	1	-	-	-	-	-	-	-	-	1	7
White	6	-	-	-	-	-	-	-	-	3	1	2	7	-	-	-	-	-	-	-	-	-	1	6
All other	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	36	-	1	-	-	5	4	4	5	7	7	3	16	-	-	-	-	1	3	-	1	5	3	3
White	21	-	1	-	-	3	1	1	4	4	5	2	11	-	-	-	-	1	2	-	1	2	2	3
All other	15	-	-	-	-	2	3	3	1	3	2	1	5	-	-	-	-	-	1	-	-	3	1	-
Black	13	-	-	-	-	2	3	1	1	3	2	1	4	-	-	-	-	-	1	-	-	2	1	-
Tuberculosis of respiratory system (010-012)	22	-	-	-	-	2	3	2	3	5	4	3	14	-	-	-	-	1	3	-	1	3	3	3
White	13	-	-	-	-	1	1	-	3	3	3	2	11	-	-	-	-	1	2	-	1	2	2	3
All other	9	-	-	-	-	1	2	2	-	2	1	1	3	-	-	-	-	-	1	-	-	1	1	-
Black	8	-	-	-	-	1	2	1	-	2	1	1	3	-	-	-	-	-	1	-	-	1	1	-
Other tuberculosis (013-018)	14	-	1	-	-	3	1	2	2	3	-	2	2	-	-	-	-	-	-	-	-	2	-	-
White	8	-	1	-	-	2	-	1	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
All other	6	-	-	-	-	1	1	1	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-
Black	5	-	-	-	-	1	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	2	-	1	-	1	-	-	-	-	-	-	-	4	2	-	-	-	-	1	-	1	-	-	-
White	2	-	1	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	500	6	3	-	3	10	25	26	27	135	157	108	673	2	3	-	2	4	11	10	42	108	230	280
White	403	5	1	-	3	8	8	14	18	110	139	97	583	1	2	-	2	1	5	6	33	89	208	237
All other	97	1	2	-	2	17	12	9	25	18	11	11	90	1	1	-	2	3	6	4	9	19	22	23
Black	96	1	2	-	2	17	12	9	25	17	11	11	85	1	1	-	2	3	6	4	9	18	19	22
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	43	-	-	1	-	10	9	6	8	7	7	2	27	-	-	-	-	1	2	2	4	9	8	1
White	35	-	-	1	-	5	8	5	7	7	7	2	19	-	-	-	-	1	1	1	1	8	7	1
All other	8	-	-	-	-	5	1	1	1	1	-	-	8	-	-	-	-	2	1	3	1	1	1	-
Black	8	-	-	-	-	5	1	1	1	1	-	-	6	-	-	-	-	2	1	2	1	-	-	-
Syphilis (090-097)	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,613	9	10	10	23	418	719	265	76	47	26	10	546	3	5	4	11	169	205	58	23	35	17	16
White	866	2	3	3	9	239	361	138	41	35	25	10	211	-	2	3	3	60	54	23	9	29	14	14
All other	747	7	7	7	14	179	358	127	35	12	1	-	335	3	3	1	8	109	151	35	14	6	3	2
Black	741	7	7	7	14	177	355	127	34	12	1	-	332	3	3	1	8	107	151	35	14	6	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	9,064	-	6	12	41	78	236	659	1,679	3,083	2,434	834	8,803	2	8	9	22	109	299	723	1,383	2,552	2,527	1,169
White	7,926	-	6	8	35	65	178	499	1,387	2,744	2,218	784	7,817	1	7	6	20	82	233	577	1,166	2,298	2,338	1,089
All other	1,138	-	-	4	6	13	58	160	292	339	216	50	986	1	1	3	2	27	66	146	217	254	189	80
Black	1,072	-	-	4	6	13	53	149	281	313	208	45	922	1	1	3	2	26	60	128	198	247	181	75

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 373

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 172 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW JERSEY 2—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	189	-	-	-	-	1	8	32	59	53	25	11	91	-	-	-	-	2	-	8	21	28	18	14
White	129	-	-	-	-	-	3	14	38	39	24	11	82	-	-	-	-	2	-	6	19	24	17	14
All other	60	-	-	-	-	1	5	18	21	14	1	-	9	-	-	-	-	-	-	2	2	4	1	-
Black	53	-	-	-	-	1	3	17	20	11	1	-	7	-	-	-	-	-	1	1	4	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,364	-	-	-	-	6	51	159	455	657	611	225	2,166	-	-	-	1	11	32	84	254	601	754	449
White	2,071	-	-	-	-	5	34	113	370	768	566	215	1,920	-	-	-	1	9	22	51	205	518	686	418
All other	293	-	-	-	-	1	17	46	85	89	45	10	266	-	-	-	-	2	10	23	49	83	68	31
Black	272	-	-	-	-	1	15	41	79	83	43	10	244	-	-	-	-	2	9	20	42	79	65	27
Malignant neoplasms of respiratory and intrathoracic organs (160-185)	2,925	-	-	-	2	6	61	247	618	1,089	754	147	1,873	-	-	-	-	5	52	157	357	666	506	130
White	2,534	-	-	-	1	4	46	186	514	961	684	137	1,682	-	-	-	-	4	40	130	309	601	474	124
All other	391	-	-	-	1	2	15	61	104	128	70	10	191	-	-	-	-	1	12	27	48	65	32	6
Black	372	-	-	-	1	2	15	59	101	118	67	9	183	-	-	-	-	1	11	27	44	64	30	6
Malignant neoplasm of breast (174-175)	10	-	-	-	-	-	-	1	1	3	2	3	1,649	-	-	1	-	21	95	235	312	433	379	179
White	9	-	-	-	-	-	-	1	1	2	2	3	1,441	-	-	-	-	11	78	186	254	395	352	165
All other	1	-	-	-	-	-	-	-	-	1	-	-	208	-	-	1	-	10	17	49	58	38	21	14
Black	1	-	-	-	-	-	-	-	-	1	-	-	196	-	-	1	-	10	15	43	54	38	21	14
Malignant neoplasms of genital organs (179-187)	1,128	-	-	-	3	2	5	14	105	338	430	231	916	-	-	-	1	18	42	103	160	273	242	77
White	959	-	-	-	2	2	4	10	80	273	377	211	807	-	-	-	1	12	35	85	136	249	219	70
All other	169	-	-	-	1	-	1	4	25	65	53	20	109	-	-	-	-	6	7	18	24	24	23	7
Black	163	-	-	-	1	-	1	2	25	63	51	20	105	-	-	-	-	5	7	16	23	24	23	7
Malignant neoplasms of urinary organs (188-189)	476	-	-	-	-	3	6	27	81	132	156	71	284	-	-	-	-	4	1	8	44	66	89	52
White	437	-	-	-	-	2	3	22	71	128	143	68	233	-	-	-	-	4	-	6	37	60	77	49
All other	39	-	-	-	-	1	3	5	10	4	13	3	31	-	-	-	-	-	1	2	7	6	12	3
Black	36	-	-	-	-	1	3	5	10	3	13	1	30	-	-	-	-	-	1	2	7	6	11	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,100	-	3	5	19	19	55	113	217	340	249	80	1,033	2	4	3	9	28	41	80	153	261	307	145
White	969	-	3	2	16	17	48	97	193	315	235	76	938	1	3	2	8	25	31	69	130	238	293	138
All other	102	-	3	3	2	7	16	28	25	14	4	4	95	1	1	1	1	3	10	11	23	23	14	7
Black	98	-	3	3	2	6	16	28	23	14	3	3	87	1	1	1	1	3	9	8	22	21	13	7
Leukemia (204-208)	338	-	2	4	8	18	11	18	52	109	85	31	310	-	3	4	7	10	11	18	33	86	85	53
White	309	-	2	3	7	16	9	16	46	103	78	29	278	-	3	6	7	14	31	82	131	82	78	47
All other	29	-	-	1	1	2	2	2	6	6	7	2	32	-	-	1	1	3	4	4	2	4	7	6
Black	29	-	-	1	1	2	2	2	6	6	7	2	28	-	-	1	1	3	3	2	2	4	6	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	534	-	1	3	9	23	39	48	91	162	122	35	481	-	1	1	4	10	25	30	49	138	153	70
White	480	-	1	3	9	19	31	40	78	155	109	34	436	-	1	1	4	8	20	20	45	131	142	64
All other	54	-	-	-	-	4	8	7	13	7	13	1	45	-	-	-	-	2	5	10	4	7	11	6
Black	48	-	-	-	-	4	8	7	12	5	12	-	42	-	-	-	-	2	5	9	3	7	11	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	154	1	1	-	4	6	9	10	17	37	48	21	176	-	-	2	2	8	7	9	18	42	52	36
White	136	-	1	-	2	5	7	9	15	31	46	20	153	-	-	2	2	6	6	7	16	36	47	31
All other	18	1	-	-	2	1	2	1	2	6	2	1	23	-	-	-	-	2	1	2	2	6	5	5
Black	17	1	-	-	2	1	2	1	2	5	2	1	22	-	-	-	-	2	1	2	2	5	5	5
Diabetes mellitus (250)	981	-	-	-	1	16	40	78	156	316	277	97	1,122	-	1	-	-	9	16	38	139	326	364	229
White	819	-	-	-	1	11	32	57	124	266	244	84	918	-	1	-	-	6	12	28	101	266	306	198
All other	162	-	-	-	-	5	8	21	32	50	33	13	204	-	-	-	-	3	4	10	38	60	58	31
Black	157	-	-	-	-	5	8	20	31	47	33	13	200	-	-	-	-	3	4	10	37	60	55	31
Nutritional deficiencies (260-269)	32	-	-	-	-	-	1	-	-	5	12	14	58	-	-	-	-	1	1	-	1	5	17	33
White	26	-	-	-	-	-	1	-	-	4	10	11	52	-	-	-	-	1	1	-	-	3	15	32
All other	6	-	-	-	-	-	-	-	-	1	2	3	6	-	-	-	-	-	-	-	1	2	2	1
Black	6	-	-	-	-	-	-	-	-	1	2	3	6	-	-	-	-	-	-	-	1	2	2	1
Anemias (280-285)	68	-	1	-	1	6	1	6	1	17	18	17	104	1	3	1	-	6	5	2	7	10	34	35
White	46	-	1	-	-	2	1	1	1	12	14	14	83	-	2	-	-	3	-	1	6	5	33	33
All other	22	-	-	-	1	4	-	5	-	5	4	3	21	1	1	1	-	3	5	1	1	5	1	2
Black	19	-	-	-	-	4	-	5	-	5	3	2	20	1	1	1	-	2	5	1	1	5	1	2
Meningitis (320-322)	9	1	-	-	-	1	1	1	2	2	1	-	11	1	-	-	-	4	-	1	1	1	3	-
White	4	1	-	-	-	-	-	-	-	2	1	-	7	-	-	-	-	2	-	1	1	1	2	-
All other	5	-	-	-	-	1	1	1	2	-	-	-	4	1	-	-	-	2	-	-	-	-	1	-
Black	4	-	-	-	-	-	1	1	2	-	-	-	4	1	-	-	-	2	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	13,947	16	4	1	15	78	311	788	1,792	3,842	4,552	2,546	15,309	17	7	6	17	38	115	290	864	2,575	5,077	6,300
White	12,476	11	2	1	8	52	229	602	1,480	3,424	4,259	2,406	13,760	7	6	2	10	23	71	179	647	2,227	4,643	5,942
All other	1,471	5	2	-	7	28	82	186	312	418	293	140	1,549	10	1	4	7	15	44	111	217	348	434	358
Black	1,363	5	2	-	6	25	78	172	289	389	289	128	1,448	8	1	3	7	14	43	106	209	322	395	340

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 374

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 173 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW JERSEY 2—Con.																									
Diseases of heart (390-398,402,404-429)	11,641	9	4	1	10	58	248	694	1,550	3,257	3,734	2,074	12,168	13	4	5	11	24	79	201	695	2,070	4,007	5,056	
White	10,479	5	2	1	6	37	188	548	1,300	2,924	3,503	1,963	10,995	5	3	2	7	16	51	127	519	1,782	3,668	4,782	
All other	1,162	4	2	-	4	21	60	146	250	333	231	111	1,173	8	1	3	4	8	28	74	176	278	319	274	
Black	1,077	4	2	-	3	20	57	134	235	310	212	100	1,096	6	1	2	4	8	28	72	169	258	290	258	
Rheumatic fever and rheumatic heart disease (390-398)	75	-	-	-	-	2	7	11	7	22	18	8	190	-	-	-	2	1	5	8	23	58	60	33	
White	65	-	-	-	-	2	7	7	6	20	15	8	179	-	-	-	1	1	3	6	21	55	60	32	
All other	10	-	-	-	-	-	-	4	1	2	3	-	11	-	-	-	-	2	2	2	3	3	-	1	
Black	9	-	-	-	-	-	-	4	1	1	3	-	10	-	-	-	-	2	2	2	2	2	-	1	
Hypertensive heart disease (402)	332	-	-	-	-	2	7	35	66	76	104	42	410	-	-	-	-	2	-	14	30	74	144	146	
White	240	-	-	-	-	1	4	24	34	49	96	32	325	-	-	-	-	2	-	4	14	54	118	133	
All other	92	-	-	-	-	1	3	11	32	27	8	10	85	-	-	-	-	-	-	10	16	20	28	13	
Black	89	-	-	-	-	1	3	11	32	26	8	8	81	-	-	-	-	-	-	10	16	20	22	13	
Hypertensive heart and renal disease (404)	34	-	-	-	-	-	2	3	3	5	13	8	49	-	-	-	-	-	-	-	7	8	19	15	
White	19	-	-	-	-	-	-	-	-	5	10	4	38	-	-	-	-	-	-	-	4	6	17	11	
All other	15	-	-	-	-	-	2	3	3	-	3	4	11	-	-	-	-	-	-	-	3	2	2	4	
Black	14	-	-	-	-	-	2	2	3	-	3	4	11	-	-	-	-	-	-	-	3	2	2	4	
Ischemic heart disease (410-414)	8,296	1	-	-	-	24	138	444	1,054	2,416	2,726	1,493	8,374	-	-	-	1	3	3	34	105	488	1,404	2,795	3,560
White	7,667	-	-	-	-	19	117	369	918	2,227	2,584	1,433	7,664	-	-	-	-	2	3	26	71	367	1,237	2,587	3,370
All other	629	1	-	-	-	5	21	75	136	189	142	60	710	-	-	-	-	1	1	8	34	101	167	208	190
Black	572	1	-	-	-	4	19	66	124	175	130	53	658	-	-	-	-	1	1	8	32	96	154	190	176
Acute myocardial infarction (410)	4,034	1	-	-	-	15	75	266	587	1,251	1,275	564	3,692	-	-	-	3	2	18	56	277	752	1,362	1,222	
White	3,697	-	-	-	-	12	63	218	513	1,146	1,210	535	3,346	-	-	-	2	2	14	40	223	666	1,248	1,151	
All other	337	1	-	-	-	3	12	48	74	105	65	29	346	-	-	-	1	-	4	16	54	86	114	71	
Black	308	1	-	-	-	3	11	43	68	98	57	27	318	-	-	-	1	-	4	16	50	79	103	65	
Other acute and subacute forms of ischemic heart disease (411)	28	-	-	-	-	-	1	5	4	5	6	7	31	-	-	-	-	-	-	2	4	5	11	9	
White	24	-	-	-	-	-	1	3	3	4	6	7	25	-	-	-	-	-	-	1	1	4	11	8	
All other	4	-	-	-	-	-	-	2	1	1	-	-	6	-	-	-	-	-	-	1	3	1	-	1	
Black	3	-	-	-	-	-	-	1	1	1	-	-	6	-	-	-	-	-	-	1	3	1	-	1	
Angina pectoris (413)	19	-	-	-	-	-	1	-	1	1	10	6	20	-	-	-	-	-	-	-	2	3	5	10	
White	17	-	-	-	-	-	1	-	1	1	9	5	17	-	-	-	-	-	-	-	1	3	4	9	
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	1	-	1	1	
Black	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,215	-	-	-	-	9	61	173	462	1,159	1,435	916	4,631	-	-	-	1	-	1	18	47	185	644	1,417	2,319
White	3,929	-	-	-	-	7	52	148	401	1,076	1,359	886	4,276	-	-	-	-	-	1	12	30	142	564	1,324	2,202
All other	286	-	-	-	-	2	9	25	61	83	76	30	355	-	-	-	1	-	4	17	43	80	93	117	
Black	259	-	-	-	-	1	8	22	55	76	72	25	332	-	-	-	1	-	4	15	42	74	87	109	
Other diseases of endocardium (424)	240	-	-	-	-	1	11	9	27	41	93	58	313	1	-	-	1	-	1	2	12	38	127	131	
White	221	-	-	-	-	-	7	4	24	39	89	58	298	1	-	-	1	-	1	2	10	36	121	128	
All other	19	-	-	-	-	1	4	5	3	2	4	-	15	-	-	-	-	-	-	2	2	6	6	5	
Black	18	-	-	-	-	1	3	5	3	2	4	-	13	-	-	-	-	-	-	2	2	4	4	5	
All other forms of heart disease (415-423,425-429)	2,664	8	4	1	10	29	83	192	393	697	780	465	2,832	12	4	4	5	18	39	72	155	488	862	1,171	
White	2,267	5	2	1	6	15	53	144	318	584	709	428	2,491	4	3	2	3	10	21	44	103	404	785	1,110	
All other	397	3	2	-	4	14	30	48	75	113	71	37	341	8	1	2	2	8	18	28	52	84	77	61	
Black	375	3	2	-	3	14	30	46	72	106	64	35	323	6	1	1	2	8	18	28	50	78	72	59	
Hypertension with or without renal disease (401,403)	117	-	-	-	-	2	3	5	19	26	34	28	155	-	-	-	-	2	4	8	16	26	59	40	
White	86	-	-	-	-	-	2	1	8	20	29	26	115	-	-	-	-	-	-	4	10	20	43	38	
All other	31	-	-	-	-	2	1	4	11	6	5	2	40	-	-	-	-	2	4	4	6	6	16	2	
Black	29	-	-	-	-	2	1	4	10	5	5	2	39	-	-	-	-	2	4	4	6	6	15	2	
Cerebrovascular diseases (430-438)	1,543	7	-	-	5	12	45	64	160	338	580	332	2,335	4	3	1	5	9	26	75	112	356	790	954	
White	1,312	6	-	-	2	9	25	35	117	276	534	308	2,050	2	3	-	2	5	16	44	85	302	706	885	
All other	231	1	-	-	3	3	20	29	43	62	46	24	285	2	-	1	3	4	10	31	27	54	84	69	
Black	215	1	-	-	3	3	19	27	38	59	42	23	265	2	-	1	3	3	9	29	26	50	75	67	
Intracerebral and other intracranial hemorrhage (431-432)	302	2	-	-	3	4	22	30	55	66	86	34	331	1	2	1	4	4	7	22	35	81	107	67	
White	232	2	-	-	1	3	8	16	36	54	79	33	274	-	2	-	1	2	3	10	29	67	94	68	
All other	70	-	-	-	2	1	14	14	19	12	7	1	57	1	-	1	3	2	4	12	6	14	13	1	
Black	64	-	-	-	2	1	14	14	17	10	5	1	49	1	-	1	3	1	4	11	6	12	9	1	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	208	1	-	-	1	-	4	4	22	52	85	39	277	-	-	-	-	-	1	6	6	46	91	127	
White	181	-	-	-	-	-	3	3	18	44	77	36	239	-	-	-	-	-	-	5	3	35	84	112	
All other	27	1	-	-	1	-	1	1	4	8	8	3	38	-	-	-	-	-	1	1	3	11	7	15	
Black	25	1	-	-	1	-	1	1	3	7	8														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 375

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 174 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW JERSEY 2—Con.																									
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	2	1	2	2	5	-	-	-	-	-	-	-	-	-	-	4	1
White	5	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-	-	-	-	-	-	-	3	1
All other	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	2	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,026	4	-	-	1	8	19	30	81	219	407	257	1,722	3	1	-	1	5	18	47	71	229	588	759	
White	894	4	-	-	1	6	14	16	62	177	376	238	1,533	2	1	-	1	3	13	29	53	200	525	706	
All other	132	-	-	-	-	2	5	14	19	42	31	19	189	1	-	-	-	2	5	18	18	29	63	53	
Black	124	-	-	-	-	2	4	12	17	42	29	18	178	1	-	-	-	2	4	17	17	27	59	51	
Atherosclerosis (440)	188	-	-	-	-	3	10	18	61	144	52	266	-	-	-	-	-	-	-	1	8	34	67	156	
White	177	-	-	-	-	3	5	18	57	44	50	248	-	-	-	-	-	-	-	1	4	31	62	150	
All other	11	-	-	-	-	-	-	5	-	4	-	2	18	-	-	-	-	-	-	-	4	3	5	6	
Black	10	-	-	-	-	-	5	-	3	-	-	2	16	-	-	-	-	-	-	-	4	1	5	6	
Other diseases of arteries, arterioles, and capillaries (441-446)	458	-	-	-	-	6	12	15	45	160	160	60	385	-	-	-	1	3	6	5	33	89	154	94	
White	422	-	-	-	-	6	11	13	37	147	149	59	352	-	-	-	1	2	4	3	29	82	144	87	
All other	36	-	-	-	-	-	1	2	8	13	11	1	33	-	-	-	-	1	2	2	4	7	10	7	
Black	32	-	-	-	-	-	1	2	6	12	10	1	32	-	-	-	-	1	2	1	4	7	10	7	
Acute bronchitis and bronchiolitis (466)	5	-	-	-	-	1	-	1	-	1	1	1	11	-	-	-	-	-	1	1	2	-	2	5	
White	5	-	-	-	-	1	-	1	-	1	1	1	10	-	-	-	-	-	1	1	2	-	2	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Pneumonia and influenza (480-487)	1,037	8	4	3	3	13	32	39	66	197	347	325	1,124	3	1	-	3	9	23	23	45	121	322	574	
White	909	5	1	3	2	7	18	26	47	168	317	315	1,028	1	1	-	3	4	13	14	39	110	296	547	
All other	128	3	3	-	1	6	14	13	19	29	30	10	96	2	-	-	-	5	10	9	6	11	26	27	
Black	123	3	2	-	1	6	14	12	18	29	28	10	88	2	-	-	-	5	10	9	5	10	22	25	
Pneumonia (480-486)	1,023	8	4	3	3	13	32	39	66	194	341	320	1,110	3	-	-	3	8	23	23	44	118	318	570	
White	895	5	1	3	2	7	18	26	47	165	311	310	1,015	1	-	-	3	4	13	14	38	107	292	543	
All other	128	3	3	-	1	6	14	13	19	29	30	10	95	2	-	-	-	4	10	9	6	11	26	27	
Black	123	3	2	-	1	6	14	12	18	29	28	10	87	2	-	-	-	4	10	9	5	10	22	25	
Influenza (487)	14	-	-	-	-	-	-	-	-	3	6	5	14	-	1	-	-	1	-	-	1	3	4	4	
White	14	-	-	-	-	-	-	-	-	3	6	5	13	-	1	-	-	-	-	-	1	3	4	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,241	-	1	1	4	5	15	26	109	400	500	180	1,180	-	-	-	1	2	12	37	103	339	464	222	
White	1,123	-	-	1	3	1	12	21	97	355	464	169	1,075	-	-	-	1	-	7	25	90	309	438	205	
All other	118	-	1	-	1	4	3	5	12	45	36	11	105	-	-	-	-	2	5	12	13	30	26	17	
Black	114	-	1	-	1	4	3	5	12	42	35	11	95	-	-	-	-	2	4	11	11	27	25	15	
Bronchitis, chronic and unspecified (490-491)	51	-	1	-	-	1	-	7	16	19	7	63	-	-	-	-	-	1	-	8	17	24	13	13	
White	49	-	-	-	-	1	-	7	15	19	7	57	-	-	-	-	-	-	-	7	15	24	11	11	
All other	2	-	1	-	-	-	-	-	1	-	-	6	-	-	-	-	-	1	-	1	2	-	2	2	
Black	2	-	1	-	-	-	-	-	1	-	-	5	-	-	-	-	-	1	-	1	1	-	2	2	
Emphysema (492)	282	-	-	-	1	-	2	9	23	108	106	33	230	-	-	-	-	1	5	25	79	88	32	32	
White	261	-	-	-	1	-	1	8	21	99	99	32	216	-	-	-	-	1	4	23	77	82	29	29	
All other	21	-	-	-	-	-	1	2	9	7	1	14	-	-	-	-	-	-	1	2	2	6	3	3	
Black	20	-	-	-	-	-	1	1	2	9	6	1	13	-	-	-	-	-	-	2	2	6	3	3	
Asthma (493)	38	-	-	1	3	4	9	1	7	6	4	3	78	-	-	-	1	2	5	19	12	20	9	10	
White	28	-	-	1	2	-	8	1	5	4	4	3	48	-	-	-	1	-	3	10	7	13	7	7	
All other	10	-	-	-	1	4	1	-	2	2	-	-	30	-	-	-	-	2	2	9	5	7	2	3	
Black	10	-	-	1	4	1	-	2	2	2	-	-	25	-	-	-	-	2	2	9	4	5	1	2	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	870	-	-	-	-	1	3	16	72	270	371	137	809	-	-	-	-	5	13	58	223	343	167	167	
White	785	-	-	-	-	1	2	12	64	237	342	127	754	-	-	-	-	3	11	53	204	325	158	158	
All other	85	-	-	-	-	-	1	4	8	33	29	10	55	-	-	-	-	2	2	5	19	18	9	9	
Black	82	-	-	-	-	-	1	4	8	30	29	10	52	-	-	-	-	1	2	4	19	18	8	8	
Ulcer of stomach and duodenum (531-533)	75	-	-	-	-	1	3	3	6	19	30	13	101	-	-	-	1	-	3	4	6	12	36	38	
White	68	-	-	-	-	1	3	2	6	17	28	11	96	-	-	-	1	-	3	2	6	12	34	37	
All other	7	-	-	-	-	-	1	-	2	2	2	5	5	-	-	-	-	-	2	-	-	-	2	1	
Black	6	-	-	-	-	-	1	-	2	2	1	4	4	-	-	-	-	-	2	-	-	-	1	1	
Appendicitis (540-543)	5	-	-	-	-	-	2	1	2	-	-	-	9	-	-	-	-	-	1	3	3	3	1	1	
White	5	-	-	-	-	-	2	1	2	-	-	-	7	-	-	-	-	-	1	3	3	1	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	66	1	-	-	-	2	1	2	5	16	19	20	143	1	-	2	-	-	6	8	22	34	70	70	
White	51	-	-	-	-	1	2	3	13	14	18	124	124	-	-	1	-	-	4	5	18	31	65	65	
All other	15	1	-	-	-	2	-	2	3	5	2	19	19	1	-	1	-	-	2	3	4	3	5	5	
Black	12	-	-	-	-	2	-	2	3	3	2	18	18	-	-	-	-	-	2	3					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 378

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 177 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW MEXICO—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	42	1	1	1	-	-	1	2	5	9	16	6	34	1	1	-	1	1	2	4	4	6	6	15	15
White	36	1	1	1	-	-	1	2	5	9	13	3	31	1	1	-	1	2	4	4	3	5	5	15	15
All other	6	-	-	-	-	-	-	-	-	-	3	3	3	-	-	-	-	1	-	-	-	1	1	1	1
Black	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	7	-	-	-	2	-	1	2	-	2	-	6	6	-	-	-	-	1	-	-	2	3	-	-	-
White	6	-	-	-	2	-	1	1	-	2	-	6	6	-	-	-	-	1	-	-	2	3	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	120	2	1	-	2	34	47	13	7	10	2	1	18	1	-	1	-	1	4	2	2	2	3	2	2
White	107	2	1	-	1	32	40	12	6	9	2	1	17	1	-	1	-	1	3	2	2	2	3	2	2
All other	13	-	-	-	1	2	7	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Black	7	-	-	-	-	2	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,342	1	5	5	9	17	38	89	206	475	380	117	1,148	-	1	2	7	10	48	99	200	347	283	151	151
White	1,268	1	5	3	4	14	36	78	200	457	358	112	1,102	-	1	2	6	10	41	94	192	335	275	146	146
All other	74	-	-	2	5	3	2	11	6	18	22	5	46	-	-	-	1	7	5	8	12	8	8	5	5
Black	20	-	-	-	-	-	2	4	1	7	6	-	11	-	-	-	-	-	-	2	3	5	1	1	1
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	26	-	-	-	-	-	4	4	9	5	4	17	17	-	-	-	-	1	1	8	3	2	2	2	2
White	25	-	-	-	-	-	3	4	9	5	4	16	16	-	-	-	-	1	1	8	3	2	2	2	2
All other	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	331	-	-	-	4	9	29	57	104	101	27	281	281	-	-	-	1	6	17	36	78	89	54	54	54
White	308	-	-	-	4	9	24	54	100	92	25	264	264	-	-	-	1	5	16	35	71	84	52	52	52
All other	23	-	-	-	-	-	5	3	4	9	2	17	17	-	-	-	-	1	1	1	7	5	2	2	2
Black	6	-	-	-	-	-	2	1	1	4	-	3	3	-	-	-	-	-	-	1	1	2	-	-	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	368	-	-	1	1	5	25	62	152	111	11	197	197	-	-	-	-	1	11	50	71	51	13	13	13
White	359	-	-	1	1	3	22	62	150	110	10	194	194	-	-	-	-	1	11	48	71	50	1	1	1
All other	9	-	-	-	-	2	3	2	2	1	1	3	3	-	-	-	-	-	-	2	2	1	-	-	-
Black	5	-	-	-	-	2	1	-	2	-	-	2	2	-	-	-	-	-	-	1	1	-	-	-	-
Malignant neoplasm of breast (174-175)	2	-	-	-	-	1	-	-	1	-	-	231	231	-	-	-	1	18	37	38	68	52	17	17	17
White	2	-	-	-	-	1	-	-	1	-	-	228	228	-	-	-	1	16	37	38	67	52	17	17	17
All other	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	2	-	-	1	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	179	-	-	-	1	1	3	11	56	72	35	122	122	-	-	-	3	11	17	18	39	20	14	14	14
White	168	-	-	-	-	1	3	11	51	68	34	111	111	-	-	-	3	9	15	15	37	19	13	13	13
All other	11	-	-	-	1	-	-	-	5	4	1	11	11	-	-	-	-	2	2	3	2	1	1	1	1
Black	4	-	-	-	-	-	-	-	3	1	-	2	2	-	-	-	-	-	-	-	1	1	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 379

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 178 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Malignant neoplasms of urinary organs (188-189)	72	-	-	-	-	-	1	5	17	18	23	8	39	-	-	-	-	-	1	1	10	12	6	9
White	67	-	-	-	-	-	1	5	17	17	19	8	37	-	-	-	-	-	1	1	9	12	6	9
All other	5	-	-	-	-	-	-	-	-	1	4	-	2	-	-	-	-	-	1	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	208	-	2	2	3	7	10	17	26	77	44	20	146	-	1	1	3	1	5	12	26	40	31	26
White	197	-	2	1	2	6	10	16	25	74	42	19	140	-	1	1	3	1	4	11	26	38	31	24
All other	11	-	-	1	1	1	-	1	1	3	2	1	6	-	-	-	-	-	1	1	2	2	2	2
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	1
Leukemia (204-208)	67	-	3	3	4	1	4	-	10	26	9	7	39	-	-	1	4	1	4	2	5	10	6	6
White	60	-	3	2	1	-	4	-	9	26	8	7	38	-	-	1	3	1	4	2	5	10	6	6
All other	7	-	-	1	3	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-209)	89	1	-	-	1	3	7	6	19	32	15	5	76	-	-	-	-	3	1	1	9	26	26	10
White	82	1	-	-	-	3	7	5	18	29	14	5	74	-	-	-	-	3	1	1	8	26	25	10
All other	7	-	-	-	1	-	-	1	1	3	1	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	21	-	-	-	-	2	-	1	2	5	7	4	26	-	-	-	-	1	3	3	2	4	9	4
White	18	-	-	-	-	1	-	1	2	4	6	4	24	-	-	-	-	1	2	3	2	4	8	4
All other	3	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	168	-	-	-	-	2	6	6	30	54	48	22	202	-	-	-	-	1	2	7	34	61	63	34
White	145	-	-	-	-	2	6	5	22	47	44	19	166	-	-	-	-	1	1	6	27	51	52	28
All other	23	-	-	-	-	-	-	1	8	7	4	3	36	-	-	-	-	-	1	1	7	10	11	6
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	1	2	2
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	2	3	4	16	-	-	-	-	-	-	-	1	2	4	9
White	8	-	-	-	-	-	-	-	-	1	3	4	13	-	-	-	-	-	-	-	1	2	4	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	7	-	-	1	-	-	1	-	-	-	1	4	12	-	1	1	-	-	-	1	-	-	-	9
White	7	-	-	1	-	-	1	-	-	-	1	4	10	-	1	1	-	-	-	1	-	-	-	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Meningitis (320-322)	6	-	-	-	1	-	1	-	-	2	2	-	2	-	-	-	-	-	-	-	-	2	-	-
White	4	-	-	-	-	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-	2	-	-
All other	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	2,014	1	1	1	4	12	49	104	273	532	627	408	1,884	3	1	1	1	5	20	43	111	301	639	759
White	1,906	1	1	-	3	12	42	96	256	505	599	390	1,781	2	1	1	1	4	19	41	98	275	611	738
All other	108	-	-	1	1	-	7	8	17	27	28	19	93	1	-	-	-	1	1	2	13	26	28	21
Black	31	-	-	-	-	3	3	2	10	7	6	26	-	-	-	-	-	1	-	5	7	7	7	6
Diseases of heart (390-398,402,404-429)	1,601	1	-	1	2	8	40	95	238	430	473	312	1,365	2	1	1	1	3	9	32	83	227	470	536
White	1,511	1	-	-	2	8	35	87	223	405	453	286	1,295	1	1	1	1	2	9	30	75	208	445	522
All other	90	-	-	1	-	-	5	8	15	25	20	16	70	1	-	-	-	1	-	2	8	19	25	14
Black	27	-	-	-	-	3	3	2	9	5	5	19	-	-	-	-	-	1	-	1	6	6	6	5
Rheumatic fever and rheumatic heart disease (390-399)	8	-	-	-	-	-	1	-	1	2	3	1	30	-	-	-	-	-	-	2	5	11	8	4
White	8	-	-	-	-	-	1	-	1	2	3	1	27	-	-	-	-	-	-	2	5	9	7	4
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	34	-	-	-	-	-	2	8	14	8	2	49	-	-	-	-	-	-	1	3	3	9	16	17
White	33	-	-	-	-	-	2	7	14	8	2	44	-	-	-	-	-	-	1	2	2	8	14	17
All other	1	-	-	-	-	-	-	1	-	-	-	5	-	-	-	-	-	-	1	1	1	2	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	1	1
White	3	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	1	1
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	839	-	-	-	1	15	45	111	242	270	155	700	-	-	-	-	-	4	11	39	103	255	288	
White	801	-	-	-	1	14	39	105	232	259	151	676	-	-	-	-	-	4	11	36	95	245	285	
All other	38	-	-	-	-	1	6	6	10	11	4	24	-	-	-	-	-	-	-	3	8	10	3	
Black	11	-	-	-	-	-	2	1	3	3	2	10	-	-	-	-	-	-	-	1	3	4	2	
Acute myocardial infarction (410)	399	-	-	-	-	5	27	68	112	131	56	299	-	-	-	-	-	3	9	20	51	132	84	
White	375	-	-	-	-	5	23	64	104	125	54	289	-	-	-	-	-	3	9	19	48	126	84	
All other	24	-	-	-	-	-	4	4	8	6	2	10	-	-	-	-	-	-	-	1	3	6	-	
Black	5	-	-	-	-	-	1	1	2	1	1	4	-	-	-	-	-	-	-	-	1	3	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 383

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 182 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW MEXICO—Con.																								
Motor vehicle accidents (E810-E825)	283	3	7	10	66	75	49	29	15	11	6	121	—	5	9	26	32	15	10	11	3	8	2	
White	203	2	3	5	49	53	36	21	9	8	10	98	—	5	9	19	27	13	7	6	3	7	2	
All other	80	1	4	5	17	22	13	8	6	3	1	23	—	—	—	7	5	2	3	5	—	1	—	
Black	9	—	2	4	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
All other accidents and adverse effects (E800-E807, E826-E849)	303	3	2	10	26	58	59	32	20	29	36	27	116	1	6	3	9	11	9	10	6	13	19	29
White	249	3	1	7	21	44	48	25	15	26	33	25	102	1	3	1	6	11	9	9	3	13	18	28
All other	54	—	1	3	5	14	11	7	5	3	3	2	14	—	3	2	3	—	—	1	3	—	1	1
Black	7	—	—	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suicide (E950-E959)	248	—	—	3	57	54	42	28	20	17	21	6	55	—	—	1	9	11	12	10	6	2	2	2
White	213	—	—	2	44	42	38	26	18	17	21	4	49	—	—	1	7	9	10	10	6	2	2	2
All other	35	—	—	1	13	12	4	2	1	—	—	2	6	—	—	2	2	2	—	—	—	—	—	—
Black	6	—	—	1	1	1	1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—
Homicide and legal intervention (E960-E976)	125	—	1	4	35	40	21	8	8	2	4	1	37	1	2	2	6	11	7	2	—	4	2	—
White	93	—	1	4	26	25	16	7	6	2	4	1	32	1	2	2	3	10	6	2	—	4	2	—
All other	32	—	—	—	9	15	5	1	2	—	—	—	5	—	—	—	3	1	1	—	—	—	—	—
Black	15	—	—	—	4	9	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
All other external causes (E980-E999)	16	2	—	—	3	6	2	—	2	—	—	1	13	—	—	—	1	5	6	—	1	—	—	—
White	12	1	—	—	2	5	1	—	2	—	—	1	12	—	—	—	1	4	6	—	1	—	—	—
All other	4	1	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Black	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
NEW YORK																								
All causes	83,824	1,407	239	291	1,769	3,798	6,520	6,786	10,870	19,025	21,121	11,981	82,509	1,125	208	178	520	1,537	2,683	3,769	7,502	15,272	23,532	26,180
White	69,588	845	159	206	1,116	2,502	4,329	4,911	8,654	16,422	19,246	11,182	70,396	685	117	118	347	929	1,626	2,644	5,730	12,752	21,201	24,271
All other	14,236	562	80	85	653	1,296	2,191	1,875	2,216	2,603	1,875	799	12,113	460	91	60	173	614	1,057	1,125	1,772	2,520	2,331	1,909
Black	13,114	530	75	80	615	1,240	2,096	1,751	2,022	2,346	1,672	686	11,321	431	84	56	158	577	1,012	1,066	1,657	2,346	2,155	1,778
Shigellosis and amebiasis (004,006)	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Certain other intestinal infections (007-009)	19	7	2	—	—	1	2	—	1	3	1	2	21	10	—	—	—	—	—	—	—	3	3	5
White	14	3	1	—	—	1	2	—	1	3	1	2	15	4	—	—	—	—	—	—	—	3	3	5
All other	5	4	1	—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—	—	—
Black	5	4	1	—	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—	—	—
Tuberculosis (010-018)	163	—	—	—	—	13	55	30	24	20	13	8	88	1	1	—	2	12	19	5	14	12	9	13
White	65	—	—	—	—	5	20	9	10	9	7	5	40	—	—	—	1	5	4	3	5	5	7	10
All other	98	—	—	—	—	8	35	21	14	11	6	3	48	1	1	—	1	7	15	2	9	7	2	3
Black	92	—	—	—	—	8	34	21	14	8	4	3	46	1	1	—	1	7	15	2	8	7	1	3
Tuberculosis of respiratory system (010-012)	130	—	—	—	—	8	39	28	21	17	12	5	69	—	—	—	2	9	15	3	11	8	10	
White	50	—	—	—	—	3	14	8	9	7	6	3	32	—	—	—	1	3	3	2	4	4	6	9
All other	80	—	—	—	—	5	25	20	12	10	6	2	37	—	—	—	1	6	12	1	7	7	2	1
Black	76	—	—	—	—	5	25	20	12	8	4	2	35	—	—	—	1	6	12	1	6	7	1	1
Other tuberculosis (013-018)	33	—	—	—	—	5	16	2	3	3	1	3	19	1	1	—	—	3	4	2	3	1	1	3
White	15	—	—	—	—	2	6	1	1	2	1	2	8	—	—	—	—	2	1	1	1	1	1	1
All other	18	—	—	—	—	3	10	1	2	1	—	1	11	1	1	—	—	1	3	1	2	—	—	2
Black	16	—	—	—	—	3	9	1	2	—	—	1	11	1	1	—	—	1	3	1	2	—	—	2
Whooping cough (033)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
White	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
All other	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infection (036)	10	1	2	—	5	—	—	1	—	1	—	—	8	1	—	1	2	—	1	1	1	1	—	—
White	9	1	2	—	4	—	—	1	—	1	—	—	8	1	—	1	2	—	1	1	1	1	—	—
All other	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	682	12	1	2	4	22	51	50	63	149	198	130	825	11	6	—	2	14	25	26	52	115	269	305
White	541	6	1	1	2	16	26	28	45	129	169	118	677	5	4	—	2	5	11	14	35	90	232	279
All other	141	6	—	1	2	6	25	22	18	20	29	12	148	6	2	—	—	9	14	12	17	25	37	26
Black	131	6	—	1	2	5	25	20	16	1														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 384

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 183 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Viral hepatitis (070)	90	-	-	-	1	10	21	21	12	13	9	3	75	-	1	-	1	8	5	9	14	17	17	3
White	66	-	-	-	1	7	13	17	8	10	7	3	50	-	-	-	1	2	4	6	7	11	16	3
All other	24	-	-	-	-	3	8	4	4	3	2	-	25	-	1	-	-	6	1	3	7	6	1	-
Black	20	-	-	-	-	3	7	3	3	2	2	-	19	-	1	-	-	6	1	3	4	4	-	-
Syphilis (090-097)	7	2	-	-	-	1	1	1	-	2	-	-	2	1	-	-	-	-	-	-	-	1	-	-
White	2	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
All other	5	1	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	5	1	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	5,475	15	28	30	49	1,199	2,513	1,124	343	120	41	13	1,569	22	30	16	34	442	610	202	91	46	37	39
White	3,456	6	19	21	26	791	1,544	733	202	72	34	8	785	12	11	8	18	235	288	99	42	31	29	32
All other	2,019	9	9	9	23	408	969	391	141	48	7	5	784	10	19	8	16	207	342	103	49	15	8	7
Black	1,982	9	9	9	23	405	951	382	137	46	7	4	775	10	19	7	16	204	340	102	48	15	7	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	19,164	3	12	43	66	215	598	1,512	3,539	6,005	5,233	1,938	19,460	6	12	32	57	233	749	1,666	3,298	5,347	5,379	2,680
White	16,521	1	10	37	51	168	462	1,160	2,901	5,232	4,729	1,770	16,770	4	7	25	43	174	560	1,281	2,701	4,590	4,905	2,479
All other	2,643	2	2	6	15	47	136	352	638	773	504	168	2,690	2	5	7	14	59	189	385	597	757	474	201
Black	2,358	2	1	6	13	45	122	312	563	696	450	148	2,473	2	2	7	14	44	171	358	549	701	443	182
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	382	-	-	1	2	19	55	116	106	67	14	210	-	-	-	2	-	8	17	46	68	40	29	
White	284	-	-	1	2	11	31	77	88	61	12	173	-	-	-	1	-	3	10	35	59	37	28	
All other	98	-	-	-	1	8	24	39	18	6	2	37	-	-	-	-	-	5	7	11	9	3	1	
Black	88	-	-	-	1	5	23	37	15	5	2	32	-	-	-	1	-	3	6	11	8	3	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	5,129	2	2	-	2	24	138	436	884	1,633	1,376	531	4,906	2	2	1	4	23	92	256	637	1,255	1,641	993
White	4,384	1	2	-	1	18	97	319	795	1,430	1,233	488	4,150	2	-	-	3	15	61	178	492	1,028	1,463	908
All other	744	1	-	-	1	6	41	117	189	203	143	43	756	-	2	1	1	8	31	78	145	227	178	85
Black	625	1	-	-	1	6	34	94	145	180	128	36	694	-	1	1	1	6	27	70	133	208	168	79
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	6,226	-	-	1	1	13	141	547	1,386	2,182	1,579	376	4,234	-	-	-	1	7	101	321	895	1,420	1,143	346
White	5,376	-	-	1	1	11	101	424	1,148	1,911	1,439	341	3,753	-	-	-	-	3	82	268	766	1,252	1,054	318
All other	850	-	-	-	1	2	40	123	238	271	140	35	481	-	-	-	1	4	19	53	129	168	79	28
Black	770	-	-	-	1	2	38	118	220	242	122	27	436	-	-	-	1	4	18	52	121	150	70	20
Malignant neoplasm of breast (174-175)	36	-	-	-	-	1	2	8	10	10	5	3,649	-	-	-	2	47	266	502	716	913	803	399	
White	29	-	-	-	-	1	2	6	7	8	5	3,141	-	-	-	2	32	191	393	595	810	742	375	
All other	7	-	-	-	-	-	-	2	3	2	-	508	-	-	-	-	15	75	109	121	103	61	24	
Black	6	-	-	-	-	-	-	2	2	2	-	474	-	-	-	-	12	70	102	110	100	57	23	
Malignant neoplasms of genital organs (179-187)	2,420	-	-	-	2	12	9	30	191	703	944	529	2,083	-	-	2	4	49	115	261	399	550	479	224
White	1,990	-	-	-	2	11	8	18	140	547	800	464	1,729	-	-	-	3	35	93	191	308	464	428	207
All other	430	-	-	-	1	1	12	51	156	144	65	354	-	-	2	1	14	22	70	91	86	51	17	
Black	415	-	-	-	1	1	11	51	150	138	63	327	-	-	2	1	9	22	63	81	82	51	16	
Malignant neoplasms of urinary organs (188-189)	942	-	-	-	-	4	14	58	146	266	307	147	631	-	1	3	1	2	10	21	73	166	228	126
White	870	-	-	-	-	1	13	50	134	241	291	140	577	-	-	3	1	-	8	17	69	147	209	123
All other	72	-	-	-	-	3	1	8	12	25	16	7	54	-	1	-	-	2	2	4	4	19	19	3
Black	65	-	-	-	-	3	1	6	11	24	15	5	49	-	1	-	-	2	1	4	4	17	17	3
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,006	1	5	15	27	55	119	203	416	576	428	161	1,965	2	6	11	18	36	83	169	300	554	505	281
White	1,804	-	3	14	23	44	103	171	360	527	403	156	1,704	-	4	10	18	35	61	134	247	469	468	258
All other	202	1	2	1	4	11	16	32	56	49	25	5	261	2	2	1	-	1	22	35	53	85	37	23
Black	175	1	1	1	3	11	14	30	51	40	18	5	239	2	-	1	-	1	20	32	48	79	33	23
Leukemia (204-208)	719	-	4	22	18	21	39	55	100	186	204	70	615	2	3	12	12	27	25	48	68	113	182	123
White	656	-	4	18	14	18	35	42	84	176	197	68	549	2	3	9	6	22	21	41	57	107	165	116
All other	63	-	-	4	4	3	4	13	16	10	7	2	66	-	-	3	6	5	4	7	11	6	17	7
Black	55	-	-	4	3	2	4	10	15	8	7	2	61	-	-	3	6	2	2	7	11	6	17	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,305	-	1	4	14	84	118	126	192	343	318	105	1,167	-	-	3	13	42	49	71	164	308	358	159
White	1,128	-	1	3	10	63	93	103	157	305	297	96	994	-	-	3	9	32	40	49	132	254	329	146
All other	177	-	-	1	4	21	25	23	35	38	21	9	173	-	-	-	4	10	9	22	32	54	29	13
Black	159	-	-	1	4	20	25	20	31	35	15	8	161	-	-	-	4	8	8	22	30	51	27	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	242	1	1	6	6	5	12	21	39	55	65	31	299	2	-	4	4	5	12	18	36	59	92	67
White	209	1	1	5	6	3	11	12	34	46	60	30	253	2	-	3	3	2	8	13	27	50	86	59
All other	33	-	-	1	-	2	1	9	5	9	5	1	46	-	-	1	1	3	4	5	9	9	6	8
Black	31	-	-	1	-	2	1	8	5	8	5	1	41	-	-	1	1	2	2	5	9	8	6	7

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 385

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 184 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
Diabetes mellitus (250).....	1,290	1	—	—	4	21	62	111	219	383	342	147	1,677	—	1	1	4	18	39	115	192	459	479	369
White	1,023	1	—	—	3	14	43	72	150	312	293	135	1,279	—	1	1	1	13	22	70	126	323	399	323
All other	267	—	—	—	1	7	19	39	69	71	49	12	398	—	—	—	3	5	17	45	66	136	80	46
Black	244	—	—	—	1	7	18	37	62	62	48	9	376	—	—	—	3	5	16	43	63	128	73	45
Nutritional deficiencies (260-269).....	27	1	—	1	—	—	—	—	—	4	11	10	67	—	—	—	—	2	—	—	—	7	16	42
White	24	1	—	—	—	—	—	—	—	3	10	10	63	—	—	—	—	1	—	—	7	16	39	—
All other	3	—	—	1	—	—	—	—	—	1	1	—	4	—	—	—	—	1	—	—	—	—	—	3
Black	2	—	—	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	—	—	—	—	—	3
Anemias (280-285).....	101	1	3	3	5	19	8	5	7	10	18	22	160	1	4	3	8	8	5	5	13	17	38	58
White	63	—	—	1	1	4	2	2	6	8	17	22	115	—	2	1	—	1	2	3	8	11	32	55
All other	38	1	3	2	4	15	6	3	1	2	1	—	45	1	2	2	8	7	3	2	5	6	6	3
Black	37	1	3	2	3	15	6	3	1	2	1	—	40	1	2	2	7	6	2	2	5	5	5	3
Meningitis (320-322).....	46	5	2	1	1	4	8	7	7	4	6	1	36	4	2	—	—	2	6	2	6	8	3	3
White	27	4	2	1	—	3	5	2	1	2	6	1	23	2	2	—	—	2	2	1	4	6	1	3
All other	19	1	—	—	1	1	3	5	6	2	—	—	13	2	—	—	—	4	1	2	2	2	2	—
Black	18	1	—	—	1	1	3	5	6	1	—	—	13	2	—	—	—	4	1	2	2	2	2	—
Major cardiovascular diseases (390-449).....	34,783	43	14	19	55	202	864	2,056	4,600	8,964	10,991	6,974	40,664	31	11	10	29	134	375	881	2,499	6,526	12,850	17,517
White	30,499	23	6	7	30	132	638	1,561	3,720	7,757	10,077	6,542	35,711	18	6	8	18	83	228	549	1,766	5,337	11,479	16,219
All other	4,284	20	8	6	25	70	226	495	880	1,207	914	432	5,153	13	5	2	11	51	147	332	733	1,189	1,371	1,298
Black	3,856	18	7	6	25	65	211	453	805	1,085	816	364	4,822	10	4	2	10	49	143	318	694	1,113	1,267	1,211
Diseases of heart (390-398,402,404-429).....	29,937	34	14	10	47	156	716	1,753	4,058	7,761	9,386	5,987	34,173	28	8	10	18	95	266	684	2,034	5,521	10,753	14,755
White	26,396	18	6	6	27	106	538	1,368	3,330	6,766	8,614	5,611	29,936	17	4	8	11	60	160	437	1,450	4,547	9,600	13,642
All other	3,541	16	8	4	20	50	178	385	738	995	772	376	4,237	11	4	2	7	35	106	247	584	974	1,153	1,113
Black	3,187	15	7	4	20	47	164	351	675	896	692	315	3,972	8	3	2	7	34	103	238	557	918	1,064	1,037
Rheumatic fever and rheumatic heart disease (390-398).....	124	—	2	—	—	3	7	12	25	36	25	14	330	—	—	—	3	7	12	25	39	84	105	55
White	112	—	2	—	—	2	2	12	23	34	25	12	289	—	—	—	1	4	5	17	34	79	98	51
All other	12	—	—	—	—	1	5	—	2	2	—	2	41	—	—	—	2	3	7	8	5	5	7	4
Black	10	—	—	—	—	—	1	5	—	1	—	2	35	—	—	—	2	3	6	7	4	5	5	3
Hypertensive heart disease (402).....	1,025	—	—	—	3	22	82	135	218	268	212	85	1,247	—	—	—	1	12	33	80	153	243	338	386
White	897	—	—	—	2	10	43	73	150	189	156	74	881	—	—	—	1	5	12	35	75	156	268	329
All other	328	—	—	—	1	12	39	62	68	79	56	11	366	—	—	—	—	7	21	45	78	87	70	57
Black	317	—	—	—	1	12	38	60	65	76	54	11	354	—	—	—	—	7	21	44	76	86	67	52
Hypertensive heart and renal disease (404).....	77	—	—	—	1	—	2	8	17	9	27	13	96	—	—	—	—	—	2	4	11	22	30	27
White	45	—	—	—	—	—	1	2	4	5	20	13	66	—	—	—	—	—	—	—	2	13	27	24
All other	32	—	—	—	1	—	1	6	13	4	7	—	30	—	—	—	—	—	2	4	9	9	3	3
Black	31	—	—	—	1	—	1	6	13	4	6	—	30	—	—	—	—	—	2	4	9	9	3	3
Ischemic heart disease (410-414).....	23,036	—	—	1	9	51	377	1,187	2,984	5,998	7,555	4,869	26,363	2	—	1	2	18	115	393	1,412	4,173	8,472	11,775
White	20,729	—	—	—	5	40	322	976	2,520	5,316	6,985	4,561	23,336	1	—	1	2	10	80	262	1,060	3,470	7,575	10,875
All other	2,307	—	—	1	4	11	55	211	464	682	570	308	3,027	1	—	—	—	8	35	131	352	703	897	900
Black	2,022	—	—	1	4	10	46	185	415	601	504	255	2,821	1	—	—	—	8	35	127	331	655	824	840
Acute myocardial infarction (410).....	9,014	—	—	—	3	28	175	541	1,365	2,541	2,877	1,483	8,954	2	—	—	1	11	54	185	648	1,750	3,059	3,244
White	8,185	—	—	—	2	22	150	457	1,181	2,285	2,698	1,389	8,000	1	—	—	1	7	39	130	505	1,505	2,801	3,011
All other	829	—	—	—	1	6	25	84	184	256	179	94	954	1	—	—	—	4	15	55	143	245	258	233
Black	723	—	—	—	1	6	20	70	158	230	158	80	878	1	—	—	—	4	15	52	137	224	225	220
Other acute and subacute forms of ischemic heart disease (411).....	120	—	—	—	1	—	5	21	20	24	29	19	122	—	—	—	—	—	1	4	9	35	29	44
White	116	—	—	—	1	—	5	20	19	23	29	19	120	—	—	—	—	—	1	4	9	34	29	43
All other	4	—	—	—	—	—	—	1	1	1	—	—	2	—	—	—	—	—	—	—	—	1	—	1
Black	4	—	—	—	—	—	—	1	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Angina pectoris (413).....	23	—	—	—	—	—	—	—	2	8	8	5	26	—	—	1	—	—	—	—	2	3	8	12
White	22	—	—	—	—	—	—	—	1	8	8	5	25	—	—	1	—	—	—	—	2	2	8	12
All other	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Black	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414).....	13,879	—	—	1	5	23	197	625	1,597	3,425	4,641	3,362	17,261	—	—	—	1	7	60	204	753	2,385	5,376	8,475
White	12,406	—	—	—	2	18	167	499	1,319	3,000	4,250	3,148	15,191	—	—	—	1	3	40	128	544	1,929	4,737	7,809
All other	1,473	—	—	1	3	5	30	126	278	425	391	214	2,070	—	—	—	—	4	20	76	209	456	639	666
Black	1,294	—	—	1	3	4	26	114	255	370	346	175	1,941	—	—	—	—	4	20	75	194	429	599	620
Other diseases of endocardium (424).....	397	1	—																					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 386

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 185 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NEW YORK—Con.																								
All other forms of heart disease (415-423,425-429)	5,278	33	12	9	32	77	222	391	784	1,372	1,427	917	5,573	25	7	9	12	54	95	167	393	915	1,626	2,270
White	4,447	17	4	6	19	54	152	289	599	1,146	1,295	864	4,835	15	3	7	7	38	59	115	259	750	1,458	2,124
All other	831	16	8	3	13	23	70	102	185	226	132	53	738	10	4	2	5	16	36	52	134	165	188	146
Black	780	15	7	3	13	22	66	96	178	212	122	46	700	7	3	2	5	15	34	49	133	158	158	136
Hypertension with or without renal disease (401,403)	343	1	-	-	-	3	15	27	47	102	95	53	443	-	-	-	-	3	11	10	55	88	125	151
White	208	1	-	-	-	-	7	8	19	56	73	44	299	-	-	-	-	2	3	30	53	91	120	91
All other	135	-	-	-	-	3	8	19	28	46	22	9	144	-	-	-	-	3	9	7	25	35	34	31
Black	125	-	-	-	-	3	8	17	26	42	21	8	135	-	-	-	-	3	9	7	24	33	31	28
Cerebrovascular diseases (430-438)	3,252	8	-	3	7	36	104	223	352	724	1,104	691	5,071	2	2	-	7	28	87	160	337	714	1,611	2,123
White	2,771	4	-	1	2	22	71	144	259	596	1,014	658	4,610	-	2	-	5	16	55	90	231	563	1,449	1,999
All other	481	4	-	2	5	14	33	79	93	128	90	33	661	2	-	-	2	12	32	70	106	151	162	124
Black	426	3	-	2	5	13	32	75	81	111	77	27	609	2	-	-	1	11	31	66	96	134	152	116
Intracerebral and other intracranial hemorrhage (431-432)	686	2	-	1	2	15	42	98	116	180	163	67	852	1	-	-	5	8	29	60	101	166	267	215
White	560	1	-	1	-	9	31	59	93	154	151	61	687	-	-	-	3	5	13	26	70	137	243	190
All other	126	1	-	-	2	6	11	39	23	26	12	6	165	1	-	-	2	3	16	34	31	29	24	25
Black	104	1	-	-	2	6	11	37	18	18	8	3	145	1	-	-	1	3	15	32	27	23	22	21
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	397	-	-	-	1	1	7	15	49	71	150	103	660	-	-	-	-	1	3	8	27	71	228	322
White	360	-	-	-	-	6	9	36	66	142	101	61	621	-	-	-	-	1	3	6	22	56	216	317
All other	37	-	-	-	1	1	6	13	5	8	2	39	39	-	-	-	-	-	2	5	15	12	5	5
Black	35	-	-	-	1	1	6	12	5	7	2	2	39	-	-	-	-	-	2	5	15	12	5	5
Cerebral embolism (434.1)	12	-	-	-	-	1	-	2	2	2	5	-	31	-	-	-	-	-	-	-	-	4	11	16
White	9	-	-	-	-	-	-	2	2	2	3	-	28	-	-	-	-	-	-	-	-	3	10	15
All other	3	-	-	-	-	1	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	3	-	-	-	-	1	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-439)	2,157	6	-	2	4	19	55	108	185	471	786	521	3,528	1	2	-	2	19	55	92	209	473	1,105	1,570
White	1,842	3	-	2	2	13	34	74	128	374	718	496	3,074	-	2	-	2	10	39	58	139	367	980	1,477
All other	315	3	-	2	2	6	21	34	57	97	68	25	454	1	-	-	-	9	16	34	70	106	125	93
Black	284	2	-	2	2	5	20	32	51	88	60	22	422	1	-	-	-	8	16	32	64	95	117	89
Atherosclerosis (440)	331	-	-	-	-	-	4	12	19	59	108	129	480	-	-	-	-	1	2	18	50	118	291	291
White	304	-	-	-	-	-	3	10	18	53	98	122	449	-	-	-	-	1	2	15	42	111	276	276
All other	27	-	-	-	-	-	1	2	1	6	10	7	31	-	-	-	-	-	-	3	7	7	13	13
Black	26	-	-	-	-	-	1	1	1	6	10	7	29	-	-	-	-	-	-	3	8	7	6	13
Other diseases of arteries, arterioles, and capillaries (441-449)	920	-	-	-	1	7	25	41	116	318	298	114	697	1	1	-	4	8	10	25	55	153	243	197
White	820	-	-	-	1	4	19	31	94	286	278	107	617	1	-	-	2	7	10	17	40	132	228	180
All other	100	-	-	-	-	3	6	10	22	32	20	7	80	-	1	-	2	1	-	8	15	21	15	17
Black	92	-	-	-	-	2	6	9	22	30	16	7	77	-	1	-	2	1	-	7	14	21	14	17
Acute bronchitis and bronchiolitis (466)	17	5	-	-	-	1	-	1	1	1	7	1	15	-	1	-	-	-	-	1	1	1	5	6
White	14	2	-	-	-	1	-	1	1	1	7	1	13	-	-	-	-	-	-	1	1	1	4	6
All other	3	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-
Black	3	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	2,876	30	5	7	8	60	133	120	186	474	952	900	3,325	22	7	8	13	31	48	53	126	354	897	1,766
White	2,398	11	4	5	4	38	72	74	129	379	845	836	2,941	10	6	6	9	17	22	37	100	282	817	1,635
All other	478	19	1	2	4	22	61	46	57	95	107	64	384	12	1	2	4	14	26	16	26	72	80	131
Black	447	18	1	2	4	21	61	45	56	87	94	58	360	11	1	2	4	14	26	15	25	69	72	121
Pneumonia (480-486)	2,866	30	5	7	8	60	133	120	184	471	951	896	3,296	22	7	8	13	31	48	52	125	348	891	1,751
White	2,388	11	4	5	4	38	72	74	127	376	844	832	2,912	10	6	6	9	17	22	36	99	276	811	1,620
All other	478	19	1	2	4	22	61	46	57	95	107	64	394	12	1	2	4	14	26	16	26	72	80	131
Black	447	18	1	2	4	21	61	45	56	87	94	58	360	11	1	2	4	14	26	15	25	69	72	121
Influenza (487)	10	-	-	-	-	-	-	-	2	3	1	4	29	-	-	-	-	-	-	1	1	6	6	15
White	10	-	-	-	-	-	-	-	2	3	1	4	29	-	-	-	-	-	-	1	1	6	6	15
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,593	5	5	8	9	23	39	87	308	869	1,132	507	2,650	-	3	7	8	18	39	82	260	782	1,069	582
White	2,716	4	4	3	4	14	22	69	268	789	1,061	477	2,622	-	2	2	5	14	25	56	223	713	1,013	568
All other	277	1	1	5	5	9	17	18	40	80	71	30	228	-	1	5	3	4	13	26	37	69	56	14
Black	254	1	1	5	5	9	16	18	36	74	63	26	216	-	1	5	3	4	12	26	35	66	50	14
Bronchitis, chronic and unspecified (490-491)	94	2	1	1	-	-	-	3	10	18	35	24	115	-	-	-	-	-	-	2	10	27	31	45
White	84	2	1	1	-	-	-	3	9	12	33	23	102	-	-	-	-	-	-	1	7	23	28	43
All other	10	-	-	-	-	-	-	-	1	6	2	1	13	-	-	-	-	-	-	1	3	4	3	2
Black	8	-	-	-	-	-	-	-	1	5	2	-	12	-	-	-	-	-	-	1	3	4	2	2
Emphysema (492)	552	-</																						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 388

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 187 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
NEW YORK—Con.																									
Pregnancy with abortive outcome (630-638)	14	14
White	4	4
All other	10	10
Black	10	10
Other complications of pregnancy, childbirth, and the puerperium (640-676)	30	30
White	12	12
All other	18	18
Black	17	17
Congenital anomalies (740-759)	444	275	32	17	20	14	25	15	15	14	11	6	383	226	22	15	9	19	15	12	16	13	26	10	
White	319	195	13	14	15	11	18	11	14	12	10	6	296	167	13	11	6	17	12	11	14	12	23	10	
All other	125	80	19	3	5	3	7	4	1	2	1	-	87	59	9	4	3	2	3	1	2	1	3	-	
Black	112	69	18	3	5	3	7	4	1	1	1	-	78	53	8	4	3	2	2	1	2	1	2	-	
Certain conditions originating in the perinatal period (760-779)	706	699	5	-	-	-	1	-	-	-	-	1	575	571	3	-	-	-	-	-	-	-	1	-	-
White	414	410	3	-	-	-	1	-	-	-	-	-	319	318	-	-	-	-	-	-	-	-	1	-	-
All other	292	289	2	-	-	-	-	-	-	-	-	-	256	253	3	-	-	-	-	-	-	-	-	-	-
Black	282	279	2	-	-	-	-	-	-	-	-	-	244	241	3	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	132	132	-	-	-	-	-	-	-	-	-	-	97	96	1	-	-	-	-	-	-	-	-	-	-
White	86	86	-	-	-	-	-	-	-	-	-	-	55	55	-	-	-	-	-	-	-	-	-	-	-
All other	46	46	-	-	-	-	-	-	-	-	-	-	42	41	1	-	-	-	-	-	-	-	-	-	-
Black	46	46	-	-	-	-	-	-	-	-	-	-	40	39	1	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	574	567	5	-	-	-	1	-	-	-	-	1	478	475	2	-	-	-	-	-	-	-	1	-	-
White	328	324	3	-	-	-	1	-	-	-	-	-	264	263	-	-	-	-	-	-	-	-	1	-	-
All other	246	243	2	-	-	-	-	-	-	-	-	-	214	212	2	-	-	-	-	-	-	-	-	-	-
Black	236	233	2	-	-	-	-	-	-	-	-	-	204	202	2	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	716	186	5	3	37	116	127	97	45	41	32	24	472	145	7	6	23	47	45	42	33	31	35	58	
White	476	100	3	1	19	84	88	64	31	30	32	21	331	82	4	1	16	30	28	32	26	26	30	56	
All other	240	86	2	2	18	32	39	33	14	11	-	3	141	63	3	5	7	17	17	10	7	5	5	2	
Black	227	83	2	2	17	31	38	30	10	11	-	3	133	59	3	5	7	15	15	10	7	5	5	2	
All other diseases (Residual)	4,815	64	37	26	64	192	493	482	543	972	1,173	769	5,345	41	36	9	47	154	252	272	450	832	1,430	1,822	
White	3,989	43	28	20	47	136	321	320	415	840	1,091	728	4,576	22	25	5	36	81	141	194	331	713	1,308	1,720	
All other	826	21	9	6	17	56	172	162	128	132	82	41	769	19	11	4	11	73	111	78	119	119	122	102	
Black	771	16	8	6	16	54	158	158	124	124	73	34	737	18	11	4	10	71	108	75	115	113	116	96	
Accidents and adverse effects (E800-E949)	3,279	21	69	99	471	641	620	373	258	269	295	161	1,575	7	47	49	142	155	172	128	120	197	277	281	
White	2,582	13	52	69	388	479	452	278	198	231	267	153	1,281	3	28	36	113	115	110	88	97	172	253	256	
All other	697	8	17	30	83	162	168	95	60	38	28	8	294	4	19	13	29	40	62	30	23	25	24	25	
Black	621	8	16	25	66	145	158	89	55	32	21	6	263	4	17	12	24	38	59	28	18	19	21	23	
Motor vehicle accidents (E810-E825)	1,367	4	14	64	339	292	162	130	114	111	98	38	650	-	8	30	110	81	81	67	65	89	84	35	
White	1,122	3	11	47	283	236	122	105	90	97	89	38	555	-	5	27	89	72	61	54	55	78	80	34	
All other	245	1	3	17	56	56	40	25	24	14	9	-	95	-	3	3	21	9	20	13	10	11	4	1	
Black	192	1	2	13	42	44	33	22	20	9	6	-	76	-	2	3	17	8	17	11	8	7	2	1	
All other accidents and adverse effects (E800-E807, E826-E949)	1,912	17	55	35	132	349	458	243	144	158	197	123	925	7	39	19	32	74	91	61	55	108	193	246	
White	1,460	10	41	22	105	243	330	173	108	134	178	115	726	3	23	9	24	43	49	44	42	94	173	222	
All other	452	7	14	13	27	106	128	70	36	24	19	8	199	4	16	10	8	31	42	17	13	14	20	24	
Black	429	7	14	12	24	101	125	67	35	23	15	6	187	4	15	9	7	30	42	17	10	12	19	22	
Suicide (E950-E959)	1,226	8	208	265	238	153	117	115	93	29	306	2	31	53	65	52	37	34	21	11	
White	1,070	6	181	217	196	138	111	107	85	29	253	2	27	41	49	44	32	31	18	9	
All other	156	2	27	48	42	15	6	8	8	-	53	-	4	12	16	8	5	3	3	2	
Black	137	2	24	43	38	14	4	7	5	-	32	-	1	8	9	6	3	3	1	1	
Homicide and legal intervention (E960-E978)	2,045	12	14	20	732	690	313	153	62	31	13	4	393	8	10	11	84	128	67	35	15	13	15	6	
White	989	4	8	11	315	322	169	92	36	19	9	3	208	7	4	5	34	56	46	20	10	10	9	6	
All other	1,056	8	6	9	417	368	144	61	26	12	4	1	185	1	6	6	50	72	21	15	5	3	6	-	
Black	1,012	8	6	9	404	351	137	57	25	10	4	1	172	1	6	4	47	67	21	12	5	3	6	-	
All other external causes (E980-E999)	134	1	1	2	17	39	38	18	10	4	1	1	57	4	1	1	4	7	13	11	1	6	4	5	
White	97	1	1	2	12	25	28	13	9	2	1	1	44	1	-	1	4	5	11	8	1	6	3	4	
All other	37	-	-	-	5	14	10	5	1	2	-	-	13	3	1	-	2	2	3	-	-	-	1	1	
Black	35	-	-	-	5	13	9	5	1	2	-	-	13	3	1	-	2	2	3	-	-	-	1	1	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 389

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 188 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA																								
All causes	31,043	609	113	146	732	1,131	1,688	2,515	4,731	8,145	7,723	3,506	28,568	429	93	87	270	460	831	1,359	2,871	5,712	8,492	7,963
White	23,162	320	67	82	438	631	973	1,665	3,469	6,382	6,243	2,890	21,795	194	46	52	169	248	456	676	2,046	4,286	6,745	6,676
All other	7,861	289	46	64	294	500	715	850	1,242	1,763	1,480	616	6,773	235	47	35	101	212	375	483	825	1,426	1,747	1,287
Black	7,544	273	44	55	275	479	690	809	1,192	1,706	1,425	594	6,526	226	40	32	95	202	353	453	787	1,385	1,694	1,259
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	3	1	-	-	-	-	-	1	1	2	-	12	2	2	-	-	-	-	1	1	-	1	5
White	6	3	-	-	-	-	-	-	1	1	1	-	7	2	2	-	-	-	-	-	1	-	1	5
All other	2	-	1	-	-	-	-	-	-	-	1	-	5	2	2	-	-	-	-	1	-	-	-	-
Black	2	-	1	-	-	-	-	-	-	-	1	-	5	2	2	-	-	-	-	1	-	-	-	-
Tuberculosis (010-018)	35	-	-	-	-	2	3	2	4	9	12	3	13	-	-	-	-	1	-	-	-	4	5	3
White	14	-	-	-	-	-	-	-	2	3	7	1	9	-	-	-	-	1	-	-	-	2	4	2
All other	21	-	-	-	-	2	3	1	2	6	5	2	4	-	-	-	-	-	-	-	-	2	1	1
Black	21	-	-	-	-	2	3	1	2	6	5	2	3	-	-	-	-	-	-	-	-	2	-	1
Tuberculosis of respiratory system (010-012)	27	-	-	-	-	1	2	1	4	6	10	3	8	-	-	-	-	-	-	-	-	2	3	3
White	10	-	-	-	-	-	-	-	2	1	6	1	6	-	-	-	-	-	-	-	-	1	2	2
All other	17	-	-	-	-	1	2	1	2	5	4	2	2	-	-	-	-	-	-	-	-	1	1	1
Black	17	-	-	-	-	1	2	1	2	5	4	2	2	-	-	-	-	-	-	-	-	1	1	1
Other tuberculosis (013-018)	8	-	-	-	-	1	1	1	-	3	2	-	5	-	-	-	1	-	-	-	2	2	-	-
White	4	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	1	-	-	-	1	1	-	-
All other	4	-	-	-	-	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-	1	1	-	-
Black	4	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Whooping cough (033)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	1	1	-	-	2	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	1	-	-	2	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Septicemia (038)	229	1	1	1	2	6	15	21	68	70	42	330	5	1	1	2	2	5	12	25	50	98	129	
White	166	-	1	1	1	2	4	9	16	45	51	37	232	1	-	1	1	3	9	16	30	69	102	
All other	63	1	1	-	1	2	6	5	23	19	5	98	4	1	1	1	1	2	3	9	20	29	27	
Black	63	1	1	-	1	2	6	5	23	19	5	95	4	1	1	1	1	2	1	8	20	29	27	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	24	-	-	-	-	3	7	2	7	4	1	-	14	-	-	-	-	1	2	2	2	1	4	2
White	21	-	-	-	-	3	6	2	5	4	1	-	12	-	-	-	-	1	2	2	1	4	2	
All other	3	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	-	1	1	-	-	-	-	
Black	3	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	-	1	1	-	-	-	-	
Syphilis (090-097)	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	
White	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	668	1	1	3	17	234	245	80	38	28	17	4	230	10	2	1	11	46	65	30	23	18	18	6
White	331	-	1	2	9	97	120	44	21	19	14	4	78	3	1	-	2	10	6	11	12	13	14	6
All other	337	1	-	1	8	137	125	36	17	9	3	-	152	7	1	1	9	36	59	19	11	5	4	-
Black	336	1	-	1	8	136	125	36	17	9	3	-	151	7	1	1	9	36	58	19	11	5	4	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	7,580	2	2	18	21	65	208	660	1,549	2,593	1,935	527	6,364	1	8	9	12	81	288	572	1,192	1,817	1,585	789
White	5,794	2	1	13	17	50	136	458	1,150	2,021	1,540	406	5,008	1	4	6	7	52	205	410	928	1,470	1,261	664
All other	1,786	-	1	5	4	15	72	202	399	572	395	121	1,356	-	4	3	5	29	83	162	264	347	324	135
Black	1,722	-	1	5	3	15	68	184	382	552	383	119	1,301	-	2	3	5	28	78	151	250	338	315	131

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 390

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 189 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male													Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
NORTH CAROLINA—Con.																										
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	157	-	-	-	-	1	9	27	39	50	26	5	77	-	-	-	-	-	-	6	11	24	24	12		
White	107	-	-	-	-	1	9	12	27	36	23	5	64	-	-	-	-	-	2	8	20	22	12			
All other	50	-	-	-	-	-	-	15	12	14	3	-	13	-	-	-	-	-	4	3	4	2	-			
Black	47	-	-	-	-	-	5	14	12	14	2	-	13	-	-	-	-	-	4	3	4	2	-			
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,680	-	-	1	4	11	58	150	373	542	409	112	1,518	-	-	-	2	6	44	84	215	397	462	308		
White	1,236	-	-	1	3	8	37	103	266	410	320	88	1,122	-	-	-	2	3	34	56	142	302	340	243		
All other	424	-	-	-	1	3	21	47	107	132	89	24	396	-	-	-	-	3	10	28	73	95	122	65		
Black	412	-	-	-	-	3	20	44	103	130	88	24	380	-	-	-	-	3	8	27	69	92	119	62		
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,843	-	-	-	-	4	52	277	681	1,136	603	90	1,374	-	-	-	-	4	36	116	349	475	303	91		
White	2,218	-	-	-	-	2	31	187	508	912	507	71	1,184	-	-	-	-	3	31	88	301	413	265	83		
All other	625	-	-	-	-	2	21	90	173	224	96	19	190	-	-	-	-	1	5	28	48	62	38	8		
Black	599	-	-	-	-	2	20	89	164	212	93	19	182	-	-	-	-	1	5	26	45	61	37	7		
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	1	1	2	1	1	1,127	-	-	-	-	16	99	177	235	300	206	94		
White	6	-	-	-	-	-	-	1	1	2	1	1	862	-	-	-	-	7	67	124	179	244	164	77		
All other	-	-	-	-	-	-	-	-	-	-	-	-	265	-	-	-	-	9	32	53	56	56	42	17		
Black	-	-	-	-	-	-	-	-	-	-	-	-	253	-	-	-	-	9	31	48	52	56	40	17		
Malignant neoplasms of genital organs (179-187)	996	-	-	-	1	3	4	18	94	296	393	187	651	-	-	-	-	2	14	43	59	138	182	153	60	
White	637	-	-	-	1	2	3	13	58	179	257	124	483	-	-	-	-	2	7	27	41	104	134	117	51	
All other	359	-	-	-	-	1	1	5	36	117	136	63	168	-	-	-	-	7	16	18	34	48	36	9		
Black	350	-	-	-	-	1	1	5	36	112	133	62	160	-	-	-	-	6	14	17	32	46	36	9		
Malignant neoplasms of urinary organs (188-189)	365	-	-	2	-	-	9	27	54	111	125	37	180	-	-	-	-	2	2	10	27	53	54	32		
White	315	-	-	2	-	-	6	20	46	99	108	34	143	-	-	-	-	1	2	9	22	39	43	27		
All other	50	-	-	-	-	-	3	7	8	12	17	3	37	-	-	-	-	1	-	1	5	14	11	5		
Black	49	-	-	-	-	-	2	7	8	12	17	3	34	-	-	-	-	1	-	1	5	13	9	5		
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	869	-	2	5	13	28	48	110	185	256	196	46	806	-	6	6	4	24	41	74	138	215	191	107		
White	743	-	1	4	11	24	36	86	154	214	169	44	631	-	3	4	1	19	26	58	109	176	145	90		
All other	146	-	1	1	2	4	12	24	31	42	27	2	175	-	3	2	3	5	16	29	29	39	46	17		
Black	138	-	1	1	2	4	12	23	27	41	25	2	170	-	2	2	3	5	15	15	29	37	45	17		
Leukemia (204-208)	241	2	-	7	2	8	6	18	34	73	70	21	225	1	2	3	2	7	14	11	28	56	61	40		
White	193	2	-	4	1	5	5	14	25	64	58	15	184	1	1	2	1	6	12	9	24	41	53	34		
All other	48	-	-	3	1	3	1	4	9	9	12	6	41	-	1	1	1	1	2	2	4	15	8	6		
Black	45	-	-	3	1	3	1	3	9	9	11	5	40	-	-	1	1	2	2	2	4	15	8	6		
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	423	-	-	3	1	10	22	32	88	127	112	28	406	-	-	-	2	8	9	35	51	115	131	55		
White	339	-	-	2	1	8	15	22	65	105	97	24	335	-	-	-	1	6	6	23	39	101	112	47		
All other	84	-	-	1	-	2	7	10	23	22	15	4	71	-	-	-	1	2	3	12	12	14	19	8		
Black	82	-	-	1	-	2	7	9	23	22	14	4	69	-	-	-	1	2	3	11	11	14	19	8		
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	57	1	1	-	5	1	4	6	6	13	12	8	82	-	-	1	1	1	3	4	11	18	25	18		
White	35	1	-	-	1	-	3	3	5	10	8	4	66	-	-	1	1	1	2	4	7	14	20	16		
All other	22	-	1	-	4	1	1	3	1	3	4	4	16	-	-	-	-	-	1	-	4	4	5	2		
Black	21	-	1	-	3	1	1	3	1	3	4	4	15	-	-	-	-	-	-	-	4	4	5	2		
Diabetes mellitus (250)	605	-	-	-	3	13	32	61	133	184	133	46	821	-	-	-	2	9	28	52	112	212	273	133		
White	417	-	-	-	3	9	15	42	90	131	96	31	490	-	-	-	2	6	7	32	59	122	179	83		
All other	188	-	-	-	-	4	17	19	43	53	37	15	331	-	-	-	-	3	21	20	53	90	94	50		
Black	183	-	-	-	-	4	17	18	41	53	36	14	317	-	-	-	-	3	20	20	50	87	88	49		
Nutritional deficiencies (260-269)	32	-	-	-	-	-	-	2	1	8	8	13	57	1	-	-	-	-	1	-	2	2	16	35		
White	23	-	-	-	-	-	-	1	1	5	5	11	47	-	-	-	-	-	1	-	2	-	14	30		
All other	9	-	-	-	-	-	-	1	-	3	3	2	10	1	-	-	-	-	-	-	-	2	2	5		
Black	9	-	-	-	-	-	-	1	-	3	3	2	10	1	-	-	-	-	-	-	-	2	2	5		
Anemias (280-285)	44	-	1	-	2	6	2	1	2	7	15	8	64	-	2	2	6	2	3	3	3	5	19	19		
White	28	-	-	-	1	-	1	2	6	11	7	44	-	1	1	2	-	1	1	2	3	15	18			
All other	16	-	1	-	2	5	2	-	1	4	1	20	-	1	1	4	2	2	2	2	1	2	4	1		
Black	16	-	1	-	2	5	2	-	1	4	1	20	-	1	1	4	2	2	2	2	1	2	4	1		
Meningitis (320-322)	11	2	-	-	1	1	3	-	2	-	2	-	10	-	1	2	1	-	-	1	2	-	2	1		
White	5	-	-	-	1	1	-	-	1	-	2	-	7	-	1	2	-	-	-	-	1	-	2	1		
All other	6	2	-	-	1	-	2	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	-	-		
Black	6	2	-	-	1	-	2	-	1	-	-	-	3	-	-	-	-	-	-	1	1	-	-	-		
Major cardiovascular diseases (390-448)	12,079	24	5	10	24	72	368	914	1,902	3,491	3,500	1,768	12,856	7	9	4	10	39	147	355	916	2,346	4,350	4,673		
White	9,384	13	3	9	15	39	213	597	1,394	2,764	2,847	1,490	9,881	4	6	2	4	24	68	202	591	1,660	3,407	3,913		
All other	2,695	11	2	1	9	33	155	317	508	727	653	278	2,975	3	3	2	6	15	79	153	325	686	943	760		
Black	2,594	11	2	1	7	31	151	299	488	707	627	269	2,878	3	3	2	6	15	76	144	310	666	911	742		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 391

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 190 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Diseases of heart (390-398,402,404-429)	9,571	21	4	4	17	53	306	764	1,581	2,850	2,686	1,305	9,419	6	4	4	6	27	102	251	720	1,788	3,217	3,294
White	7,523	11	2	3	10	27	191	509	1,196	2,292	2,193	1,089	7,341	4	3	2	4	17	46	147	471	1,303	2,569	2,775
All other	2,048	10	2	1	7	26	115	255	385	558	473	216	2,078	2	1	2	2	10	56	104	249	485	648	519
Black	1,970	10	2	1	6	25	113	239	371	541	453	209	2,003	2	1	2	2	10	54	97	236	469	626	504
Rheumatic fever and rheumatic heart disease (390-398)	43	-	-	-	-	3	5	8	16	6	5	108	-	-	1	-	5	4	4	18	21	38	17	
White	32	-	-	-	-	2	2	7	12	4	5	84	-	-	-	-	3	-	2	14	15	34	16	
All other	11	-	-	-	-	1	3	1	4	2	-	24	-	-	1	-	2	4	2	4	6	4	1	
Black	11	-	-	-	-	1	3	1	4	2	-	23	-	-	1	-	2	4	2	3	6	4	1	
Hypertensive heart disease (402)	278	-	-	-	3	17	36	48	76	70	28	338	-	-	-	1	2	9	10	39	69	107	101	
White	140	-	-	-	1	4	9	16	46	45	19	193	-	-	-	1	1	2	15	34	68	72		
All other	138	-	-	-	2	13	27	32	30	25	9	145	-	-	-	-	2	8	8	24	35	39	29	
Black	135	-	-	-	2	13	26	32	28	25	9	141	-	-	-	-	2	8	7	24	34	38	28	
Hypertensive heart and renal disease (404)	34	-	-	-	2	2	4	5	13	8	53	-	-	-	-	-	-	-	-	3	9	24	17	
White	15	-	-	-	-	-	-	2	2	8	3	26	-	-	-	-	-	-	-	-	3	11	12	
All other	19	-	-	-	2	2	2	3	5	5	27	-	-	-	-	-	-	-	-	3	6	13	5	
Black	19	-	-	-	2	2	2	3	5	5	27	-	-	-	-	-	-	-	-	3	6	13	5	
Ischemic heart disease (410-414)	6,779	-	-	-	2	21	212	567	1,172	2,104	1,861	840	5,887	-	-	-	-	8	47	165	438	1,216	2,080	1,933
White	5,519	-	-	-	2	12	150	417	940	1,739	1,561	698	4,708	-	-	-	-	7	30	102	300	919	1,712	1,638
All other	1,260	-	-	-	9	62	150	232	365	300	142	1,179	-	-	-	-	-	1	17	63	138	297	368	295
Black	1,203	-	-	-	9	61	139	219	353	285	137	1,133	-	-	-	-	-	1	16	58	133	288	353	284
Acute myocardial infarction (410)	3,426	-	-	-	11	115	304	586	1,070	947	393	3,023	-	-	-	-	5	31	85	246	677	1,134	845	
White	2,857	-	-	-	6	94	240	473	893	816	335	2,411	-	-	-	-	4	20	54	172	507	940	714	
All other	569	-	-	-	5	21	64	113	177	131	58	612	-	-	-	-	1	11	31	74	170	194	131	
Black	532	-	-	-	5	20	58	103	168	124	54	584	-	-	-	-	1	10	30	70	163	185	125	
Other acute and subacute forms of ischemic heart disease (411)	23	-	-	-	2	6	6	4	1	4	11	-	-	-	-	-	-	-	-	2	2	3	4	
White	15	-	-	-	2	4	3	3	1	3	8	-	-	-	-	-	-	-	-	2	2	3	3	
All other	8	-	-	-	2	3	1	1	1	3	3	-	-	-	-	-	-	-	-	2	-	-	1	
Black	7	-	-	-	2	2	1	1	1	1	3	-	-	-	-	-	-	-	-	2	-	-	1	
Angina pectoris (413)	10	-	-	-	-	1	2	5	2	13	-	-	-	-	-	-	-	-	-	1	5	3	4	
White	8	-	-	-	-	1	1	5	1	11	-	-	-	-	-	-	-	-	-	1	3	3	4	
All other	2	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	
Black	2	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,320	-	-	-	2	10	95	257	579	1,028	908	441	2,840	-	-	-	-	3	16	80	189	532	940	1,080
White	2,639	-	-	-	2	6	54	173	463	842	740	359	2,278	-	-	-	-	3	10	48	127	407	766	917
All other	681	-	-	-	4	41	84	116	186	168	82	562	-	-	-	-	-	6	32	62	125	174	163	
Black	662	-	-	-	4	41	79	114	183	160	81	544	-	-	-	-	-	6	28	61	123	168	158	
Other diseases of endocardium (424)	170	-	-	1	2	5	9	28	38	54	33	220	-	-	-	-	1	5	3	23	21	81	86	
White	128	-	-	-	2	4	17	34	38	31	178	-	-	-	-	-	1	3	-	18	14	69	73	
All other	42	-	-	1	-	3	5	11	4	16	2	42	-	-	-	-	-	2	3	5	7	12	13	
Black	40	-	-	1	-	3	4	11	3	16	2	39	-	-	-	-	-	2	3	5	6	10	13	
All other forms of heart disease (415-423,425-429)	2,267	21	4	3	13	27	69	145	321	611	662	391	2,813	6	4	3	5	11	37	69	199	452	887	1,140
White	1,689	11	2	3	6	14	33	77	214	459	537	333	2,152	4	3	2	3	6	12	41	124	318	675	964
All other	578	10	2	-	7	13	36	68	107	152	125	58	661	2	1	1	2	5	25	28	75	134	212	176
Black	562	10	2	-	6	12	35	65	106	150	120	56	640	2	1	1	2	5	24	27	68	129	208	173
Hypertension with or without renal disease (401,403)	117	-	-	-	1	3	4	18	30	46	14	199	-	-	-	1	-	4	5	16	53	59	61	
White	57	-	-	-	-	1	1	7	13	23	12	93	-	-	-	-	-	1	4	4	22	31	35	
All other	60	-	-	-	1	2	3	11	17	23	2	106	-	-	-	1	-	4	4	12	31	28	26	
Black	58	-	-	-	1	2	3	10	17	22	2	104	-	-	-	1	-	4	4	11	31	27	26	
Cerebrovascular diseases (430-438)	1,852	3	1	5	4	16	54	123	235	445	609	357	2,724	1	5	-	2	9	35	81	139	428	923	1,101
White	1,351	2	1	5	3	10	19	70	138	318	474	311	2,052	-	3	-	-	5	18	44	87	279	692	934
All other	501	1	-	1	6	35	53	97	127	135	46	672	1	2	-	2	4	17	37	52	149	241	167	
Black	483	1	-	1	5	33	51	93	124	131	44	656	1	2	-	2	4	16	36	51	146	233	165	
Intracerebral and other intracranial hemorrhage (431-432)	295	1	1	2	1	6	27	44	66	69	56	22	319	-	5	-	1	4	12	33	32	86	94	52
White	182	-	1	2	1	3	6	20	36	46	46	19	230	-	3	-	-	3	7	13	20	62	76	46
All other	113	1	-	-	-	3	21	24	30	21	10	3	89	-	2	-	1	1	5	20	12	24	18	6
Black	105	1	-	-	-	3	20	23	27	19	9	3	87	-	2	-	1	1	5	19	12	23	18	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	176	-	-	1	-	4	9	17	39	65	41	273	-	-	-	-	-	2	5	7	34	105	120	
White	143	-	-	1	-	2	6	9	32	54	39	215	-	-	-	-	-	-	4	6	20	82	103	
All other	33	-	-	-	-	2	3	8	7	11	2	58	-	-	-	-	-	2	1	1	14	23	17	
Black	33	-	-	-	-	2	3	8	7	11	2	56	-	-	-	-	-	2	1	1	14	21	17	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 392

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 191 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NORTH CAROLINA—Con.																								
Cerebral embolism (434.1)	7	-	-	-	-	-	1	-	-	3	3	-	8	-	-	-	-	-	-	1	1	-	2	4
White	6	-	-	-	-	-	1	-	-	3	2	-	5	-	-	-	-	-	-	-	-	2	3	
All other	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	-	1	
Black	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	1	-	1	
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,374	2	-	2	3	10	22	70	152	334	485	294	2,124	1	-	-	1	5	21	42	99	308	722	925
White	1,020	2	-	2	7	10	44	93	235	372	523	253	1,602	-	-	-	2	11	27	61	197	522	782	
All other	354	-	-	1	3	12	26	59	99	113	41	522	522	1	-	-	1	3	10	15	38	111	200	143
Black	344	-	-	-	1	2	11	25	58	98	110	39	510	1	-	-	1	3	9	15	37	109	194	141
Atherosclerosis (440)	155	-	-	-	-	-	-	4	17	33	54	47	234	-	-	-	-	-	-	1	11	22	60	140
White	115	-	-	-	-	-	-	2	11	22	43	37	185	-	-	-	-	-	-	-	9	14	47	115
All other	40	-	-	-	-	-	-	2	6	11	11	10	49	-	-	-	-	-	-	1	2	8	13	25
Black	39	-	-	-	-	-	-	2	6	11	10	10	48	-	-	-	-	-	-	1	2	7	13	25
Other diseases of arteries, arterioles, and capillaries (441-448)	384	-	-	1	3	2	5	19	51	133	125	45	280	-	-	-	1	3	6	17	30	55	91	77
White	338	-	-	1	2	2	15	42	119	114	41	41	210	-	-	-	-	2	4	10	20	42	78	54
All other	46	-	-	-	1	-	3	4	9	14	11	4	70	-	-	-	1	1	2	7	10	13	13	23
Black	44	-	-	-	-	-	3	4	8	14	11	4	67	-	-	-	1	1	2	6	10	13	12	22
Acute bronchitis and bronchiolitis (466)	10	1	-	-	-	-	-	-	2	3	2	2	8	1	-	-	-	-	-	-	1	-	4	2
White	7	-	-	-	-	-	-	-	-	3	2	2	6	1	-	-	-	-	-	-	-	-	3	2
All other	3	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Black	3	1	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-
Pneumonia and influenza (480-487)	954	6	5	3	3	9	25	46	79	181	349	248	964	7	4	1	1	11	9	12	31	99	308	481
White	730	4	2	1	2	4	6	23	55	139	283	211	817	2	2	-	1	4	5	9	26	75	268	425
All other	224	2	3	2	1	5	19	23	24	42	66	37	147	5	2	1	-	7	4	3	5	24	40	56
Black	214	2	3	1	1	5	18	21	24	40	63	36	143	5	2	1	-	7	4	3	4	23	39	55
Pneumonia (480-485)	943	6	5	3	3	9	24	45	77	180	349	242	950	7	4	1	1	11	9	12	30	97	304	474
White	722	4	2	1	2	4	5	23	55	138	283	205	807	2	2	-	1	4	5	9	25	74	265	420
All other	221	2	3	2	1	5	19	22	22	42	66	37	143	5	2	1	-	7	4	3	5	23	39	54
Black	211	2	3	1	1	5	18	20	22	40	63	36	139	5	2	1	-	7	4	3	4	22	38	53
Influenza (487)	11	-	-	-	-	-	1	1	2	1	-	6	14	-	-	-	-	-	-	-	1	2	4	7
White	8	-	-	-	-	-	1	-	-	1	-	6	10	-	-	-	-	-	-	-	1	1	3	5
All other	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Black	3	-	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	-	-	1	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-495)	1,399	1	-	1	3	2	9	28	202	478	507	168	1,003	-	-	-	2	3	7	30	142	314	350	155
White	1,210	-	-	1	1	4	23	174	416	449	142	142	905	-	-	-	1	3	3	24	123	285	318	148
All other	189	1	-	1	2	1	5	5	28	62	56	26	98	-	-	-	1	-	4	6	19	29	32	7
Black	179	1	-	1	2	1	5	4	25	59	55	26	96	-	-	-	1	-	3	6	19	28	32	7
Bronchitis, chronic and unspecified (490-491)	62	1	-	-	-	-	1	2	7	22	22	7	53	-	-	-	-	1	1	1	8	14	17	11
White	54	-	-	-	-	-	1	2	6	20	19	6	50	-	-	-	-	1	-	1	7	13	17	11
All other	8	1	-	-	-	-	-	1	2	3	1	3	3	-	-	-	-	-	-	-	1	1	-	-
Black	8	1	-	-	-	-	-	1	2	3	1	3	3	-	-	-	-	-	-	-	1	1	-	-
Emphysema (492)	206	-	-	-	-	-	2	6	32	78	70	18	137	-	-	-	-	-	1	6	22	53	47	8
White	184	-	-	-	-	-	2	4	30	68	66	14	130	-	-	-	-	-	1	6	22	50	43	8
All other	22	-	-	-	-	-	-	2	2	10	4	4	7	-	-	-	-	-	-	-	-	3	4	-
Black	22	-	-	-	-	-	-	2	2	10	4	4	7	-	-	-	-	-	-	-	-	3	4	-
Asthma (493)	48	-	-	1	3	2	4	1	11	13	8	5	93	-	-	-	2	2	5	5	17	32	20	10
White	30	-	-	-	1	1	1	1	7	11	5	3	66	-	-	-	1	2	1	9	26	16	9	
All other	18	-	-	1	2	1	3	-	4	2	3	2	27	-	-	-	-	1	-	3	4	8	6	1
Black	17	-	-	1	2	1	3	-	4	2	2	2	26	-	-	-	1	-	2	4	8	6	4	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,083	-	-	-	-	-	2	19	152	365	407	138	720	-	-	-	-	-	-	18	95	215	266	126
White	942	-	-	-	-	-	-	16	131	317	359	119	659	-	-	-	-	-	-	16	85	196	242	120
All other	141	-	-	-	-	-	-	2	3	21	48	19	61	-	-	-	-	-	-	2	10	19	24	6
Black	132	-	-	-	-	-	-	2	2	18	45	19	60	-	-	-	-	-	-	2	10	18	24	6
Ulcer of stomach and duodenum (531-533)	85	-	-	-	-	-	4	6	13	22	26	14	77	-	-	-	-	-	-	3	7	16	31	20
White	71	-	-	-	-	-	1	4	12	18	22	14	68	-	-	-	-	-	-	3	6	12	31	16
All other	14	-	-	-	-	-	3	2	1	4	4	4	9	-	-	-	-	-	-	-	1	4	-	4
Black	14	-	-	-	-	-	3	2	1	4	4	4	9	-	-	-	-	-	-	-	1	4	-	4
Appendicitis (540-543)	9	-	-	-	-	-	1	2	2	-	1	2	1	6	-	-	-	-	2	-	-	1	-	2
White	5	-	-	-	-	-	-	1	1	-	-	2	1	2	-	-	-	-	-	-	-	-	1	-
All other	4	-	-	-	-	-	-	1	1	-	-	1	-	4	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	1	1	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	74	1	1	1	-	1	3	1	3	20	32	11	96	1	-	-	-	1	-	3	8	16	34	33
White	48	-	1	1	-	1	2	1	2	13	19	8	72	-	-	-	-	1	-	1	5	11	25	29
All other	26	1	-	-	-	-	1	-	1	7	13	3	24	1	-	-	-	-	-	2	3	5	9	4
Black	26	1	-	-	-	-	1	-	1	7	13	3	24	1	-	-	-	-	-	2	3	5	9	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 401

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 200 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Viral hepatitis (070)	28	-	-	-	1	3	7	1	2	11	3	-	24	-	-	-	-	-	5	2	3	8	4	2
White	24	-	-	-	1	3	4	1	2	10	3	-	20	-	-	-	-	4	2	2	7	3	2	
All other	4	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-	-	1	-	1	1	1	-	
Black	3	-	-	-	-	2	-	-	-	1	-	-	3	-	-	-	-	1	-	1	1	1	-	
Syphilis (090-097)	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	692	10	1	1	13	196	261	101	44	29	28	8	194	13	3	3	3	30	20	19	26	27	31	19
White	528	6	-	1	11	144	198	75	34	25	26	8	139	7	2	2	3	15	9	9	22	22	29	19
All other	164	4	1	-	2	52	63	26	10	4	2	-	55	6	1	1	-	15	11	10	4	5	2	-
Black	162	4	1	-	2	52	62	25	10	4	2	-	55	6	1	1	-	15	11	10	4	5	2	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	12,658	2	7	22	55	113	331	871	2,455	4,310	3,407	1,085	11,662	2	5	24	30	103	422	882	1,918	3,552	3,233	1,491
White	11,225	2	7	21	42	95	281	737	2,141	3,824	3,101	974	10,460	2	5	22	27	94	341	747	1,673	3,188	2,969	1,392
All other	1,433	-	-	1	13	18	50	134	314	486	306	111	1,202	-	-	2	3	9	81	135	245	364	264	99
Black	1,407	-	-	-	12	17	47	132	312	480	297	110	1,176	-	-	2	3	8	79	128	238	359	260	99
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	213	-	-	-	-	6	28	59	78	33	9	113	-	-	-	2	1	2	11	14	31	35	17	
White	179	-	-	-	-	3	20	50	70	29	7	100	-	-	-	2	1	-	8	12	26	34	17	
All other	34	-	-	-	-	3	8	9	8	4	2	13	-	-	-	-	-	2	3	2	5	1	-	
Black	34	-	-	-	-	3	8	9	8	4	2	13	-	-	-	-	-	2	3	2	5	1	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,902	-	1	-	2	14	84	180	571	1,012	804	234	2,658	-	-	2	9	59	141	348	738	850	512	
White	2,558	-	1	-	2	13	71	148	494	885	732	212	2,346	-	-	2	9	44	116	289	641	771	474	
All other	344	-	-	-	-	1	13	32	77	127	72	22	312	-	-	1	13	14	25	59	97	79	38	
Black	336	-	-	-	-	1	11	32	76	125	69	22	305	-	-	-	-	14	23	56	96	78	38	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,641	-	-	-	1	9	75	334	1,073	1,789	1,126	234	2,721	-	-	1	9	48	185	595	1,022	699	162	
White	4,136	-	-	-	1	8	62	287	932	1,606	1,025	215	2,444	-	-	1	9	35	161	534	915	637	152	
All other	505	-	-	-	-	1	13	47	141	183	101	19	277	-	-	-	13	24	61	107	162	10		
Black	496	-	-	-	-	1	13	46	140	182	96	19	272	-	-	-	13	22	60	105	162	10		
Malignant neoplasm of breast (174-175)	16	-	-	-	-	-	1	4	6	3	2	2,110	-	-	-	-	20	142	263	368	581	491	245	
White	14	-	-	-	-	-	-	4	5	3	2	1,879	-	-	-	-	15	119	213	323	530	452	228	
All other	2	-	-	-	-	-	-	-	1	-	-	231	-	-	-	-	5	24	50	45	51	39	17	
Black	2	-	-	-	-	-	-	1	-	-	-	225	-	-	-	-	5	23	48	44	51	37	17	
Malignant neoplasms of genital organs (179-187)	1,489	-	-	1	2	7	5	17	100	436	603	318	1,171	-	-	1	20	69	103	199	358	319	102	
White	1,249	-	-	-	1	2	6	4	13	81	349	531	262	1,050	-	-	1	19	56	91	169	326	291	97
All other	240	-	-	-	-	1	1	4	19	87	72	56	121	-	-	-	1	13	12	30	32	28	5	
Black	238	-	-	-	-	1	1	4	19	86	72	55	117	-	-	-	1	12	11	28	32	28	5	
Malignant neoplasms of urinary organs (188-199)	681	-	-	-	-	4	14	48	133	205	203	74	385	-	-	-	-	1	3	20	52	118	126	65
White	619	-	-	-	-	2	12	43	117	185	189	71	347	-	-	-	-	1	2	18	43	104	120	59
All other	62	-	-	-	-	2	2	5	16	20	14	3	38	-	-	-	-	1	2	9	14	6	6	
Black	61	-	-	-	-	2	2	5	16	20	13	3	38	-	-	-	-	1	2	9	14	6	6	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,506	2	4	9	23	32	79	175	312	423	332	115	1,388	-	5	18	12	22	62	95	210	387	375	202
White	1,380	2	4	9	17	30	71	150	283	393	312	109	1,269	-	5	17	10	20	55	85	185	354	348	190
All other	126	-	-	-	6	2	8	25	29	30	20	6	119	-	-	1	2	7	10	25	33	27	12	
Black	128	-	-	-	5	2	8	25	29	28	20	6	118	-	-	1	2	7	10	25	33	27	12	
Leukemia (204-209)	452	-	2	8	13	9	21	29	77	137	115	41	397	2	-	6	8	8	15	24	41	100	115	80
White	416	-	2	8	11	9	17	23	69	129	107	41	365	2	-	5	7	5	13	19	35	91	111	77
All other	36	-	-	-	2	-	4	6	8	8	8	-	32	-	-	1	1	2	5	6	9	4	3	
Black	35	-	-	-	2	-	4	5	8	8	8	-	32	-	-	1	1	2	5	6	9	4	3	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	758	-	-	4	14	38	47	59	126	224	188	58	719	-	-	-	4	15	23	40	91	217	223	106
White	674	-	-	3	9	27	41	53	111	202	173	55	660	-	-	-	4	15	18	36	83	201	205	98
All other	84	-	-	1	5	11	6	6	15	22	15	3	59	-	-	-	-	5	4	8	16	18	8	
Black	82	-	-	-	5	11	5	6	15	22	15	3	56	-	-	-	-	5	4	8	14	17	8	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	163	2	-	2	2	6	7	7	27	46	42	22	222	4	1	6	1	6	8	11	20	41	69	55
White	144	1	-	2	2	4	6	6	24	39	39	21	191	4	1	6	1	5	5	11	16	32	62	48
All other	19	1	-	-	-	2	1	1	3	7	3	1	31	-	-	-	-	1	3	-	4	9	7	7
Black	19	1	-	-	-	2	1	1	3	7	3	1	31	-	-	-	-	1	3	-	4	9	7	7

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 402

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 201 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Diabetes mellitus (250)	1,196	-	-	-	5	19	36	102	203	375	340	116	1,704	-	-	-	5	14	32	49	182	462	583	377
White	1,044	-	-	-	2	12	30	84	174	331	306	105	1,455	-	-	-	5	11	21	42	140	382	515	339
All other	152	-	-	-	3	7	6	18	29	44	34	11	249	-	-	-	-	3	11	7	42	80	68	38
Black	150	-	-	-	3	7	6	18	28	44	33	11	248	-	-	-	-	3	11	7	42	80	67	38
Nutritional deficiencies (260-269)	46	-	-	-	-	-	-	-	1	8	12	25	107	-	-	-	-	1	-	1	1	10	29	65
White	36	-	-	-	-	-	-	-	1	6	11	18	95	-	-	-	-	1	-	1	1	8	25	60
All other	10	-	-	-	-	-	-	-	-	2	1	7	12	-	-	-	-	-	-	1	2	4	5	5
Black	10	-	-	-	-	-	-	-	-	2	1	7	12	-	-	-	-	-	-	1	2	4	5	5
Anemias (280-285)	79	-	1	2	3	4	-	2	5	18	22	22	129	-	1	1	1	1	4	1	5	16	50	49
White	72	-	1	1	1	2	-	2	5	17	21	22	117	-	1	1	1	-	3	1	5	14	47	45
All other	7	-	-	1	2	2	-	-	1	1	1	-	12	-	1	-	-	-	1	1	-	2	3	4
Black	7	-	-	1	2	2	-	-	1	1	1	-	12	-	1	-	-	-	1	1	-	2	3	4
Meningitis (320-322)	13	-	-	-	1	1	-	1	5	1	3	1	17	1	-	-	1	1	1	3	2	2	2	4
White	10	-	-	-	1	1	-	1	5	1	3	1	12	1	-	-	1	1	1	1	2	1	1	4
All other	3	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	1	1	1	-
Black	3	-	-	-	1	-	-	1	-	-	-	-	5	-	-	-	-	-	-	1	1	1	1	-
Major cardiovascular diseases (390-448)	20,245	23	5	6	35	115	482	1,184	2,812	5,621	6,319	3,643	22,431	16	3	8	17	89	189	511	1,410	3,907	7,192	9,089
White	18,267	17	4	6	29	84	381	998	2,432	5,028	5,875	3,413	20,343	11	1	7	12	59	142	372	1,148	3,423	6,619	8,549
All other	1,978	6	1	-	6	31	101	186	380	593	444	230	2,088	5	2	1	5	30	47	139	262	484	573	540
Black	1,944	6	1	-	6	30	100	183	375	584	436	223	2,050	5	2	1	5	30	45	136	252	479	563	532
Diseases of heart (390-398,402,404-429)	16,783	14	5	3	26	98	417	1,053	2,473	4,778	5,068	2,848	17,240	14	3	7	14	52	130	387	1,145	3,138	5,511	6,839
White	15,178	10	4	3	23	72	334	893	2,153	4,306	4,715	2,665	15,635	10	1	6	10	35	97	282	939	2,752	5,077	6,426
All other	1,605	4	1	-	3	26	83	160	320	472	353	183	1,605	4	2	1	4	17	33	105	206	386	434	413
Black	1,576	4	1	-	3	25	82	157	315	465	348	178	1,575	4	2	1	4	17	32	103	199	382	425	406
Rheumatic fever and rheumatic heart disease (390-398)	92	-	-	-	1	1	3	11	13	29	29	5	200	-	-	-	2	-	4	11	25	61	65	32
White	84	-	-	-	1	-	2	7	12	28	29	5	183	-	-	-	2	-	3	9	21	55	63	30
All other	8	-	-	-	-	1	1	4	1	1	-	-	17	-	-	-	-	-	1	2	4	6	2	2
Black	8	-	-	-	-	1	1	4	1	1	-	-	17	-	-	-	-	-	1	1	3	6	2	2
Hypertensive heart disease (402)	392	-	-	-	1	3	23	35	61	115	97	57	583	-	-	-	-	3	10	20	42	107	170	211
White	296	-	-	-	1	2	14	27	43	87	74	48	442	-	-	-	-	1	3	11	22	78	132	195
All other	96	-	-	-	-	1	9	8	18	28	23	9	121	-	-	-	-	2	7	9	20	29	38	16
Black	95	-	-	-	-	1	9	8	18	28	23	8	119	-	-	-	-	2	7	9	19	29	38	15
Hypertensive heart and renal disease (404)	63	-	-	-	-	2	3	5	9	24	20	87	87	-	-	-	-	1	2	-	9	14	28	33
White	45	-	-	-	-	-	2	4	6	18	15	58	58	-	-	-	-	-	-	3	7	21	27	27
All other	18	-	-	-	-	2	1	1	3	6	5	29	29	-	-	-	-	1	2	-	6	7	7	6
Black	18	-	-	-	-	2	1	1	3	6	5	29	29	-	-	-	-	1	2	-	6	7	7	6
Ischemic heart disease (410-414)	11,946	-	-	-	6	43	252	757	1,832	3,477	3,664	1,915	11,299	-	-	-	2	19	57	221	756	2,120	3,745	4,379
White	10,969	-	-	-	4	38	215	656	1,633	3,179	3,442	1,802	10,352	-	-	-	2	15	47	168	632	1,878	3,479	4,131
All other	977	-	-	-	2	5	37	101	199	298	222	113	947	-	-	-	-	4	10	53	124	242	266	248
Black	960	-	-	-	2	5	36	99	196	294	218	110	934	-	-	-	-	4	10	53	122	242	262	244
Acute myocardial infarction (410)	5,619	-	-	-	3	27	144	437	984	1,652	1,634	738	4,853	-	-	-	1	11	31	123	413	1,049	1,715	1,510
White	5,231	-	-	-	2	23	129	395	903	1,538	1,545	696	4,474	-	-	-	1	10	30	102	356	954	1,605	1,416
All other	388	-	-	-	1	4	15	42	81	114	89	42	379	-	-	-	-	1	1	21	57	95	110	94
Black	379	-	-	-	1	4	14	40	81	110	88	41	372	-	-	-	-	1	1	21	55	94	107	93
Other acute and subacute forms of ischemic heart disease (411)	73	-	-	-	-	3	11	9	22	18	10	48	48	-	-	-	-	-	-	4	6	9	19	10
White	69	-	-	-	-	3	9	9	21	17	10	44	44	-	-	-	-	-	-	2	6	9	19	8
All other	4	-	-	-	-	-	2	-	1	1	-	4	4	-	-	-	-	-	-	2	-	-	-	2
Black	4	-	-	-	-	-	2	-	1	1	-	4	4	-	-	-	-	-	-	2	-	-	-	2
Angina pectoris (413)	15	-	-	-	-	-	-	-	6	5	4	33	33	-	-	-	-	1	-	-	-	5	9	18
White	14	-	-	-	-	-	-	-	5	5	4	30	30	-	-	-	-	-	-	-	4	9	17	17
All other	1	-	-	-	-	-	-	-	1	-	-	3	3	-	-	-	-	-	-	-	1	-	-	1
Black	1	-	-	-	-	-	-	-	1	-	-	3	3	-	-	-	-	-	-	-	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,239	-	-	-	3	16	105	309	839	1,797	2,007	1,163	6,365	-	-	-	1	7	26	94	337	1,057	2,002	2,841
White	5,655	-	-	-	2	15	83	252	721	1,615	1,875	1,092	5,804	-	-	-	1	5	17	64	270	911	1,846	2,690
All other	584	-	-	-	1	1	22	57	118	162	132	71	561	-	-	-	-	2	9	30	67	146	156	151
Black	576	-	-	-	1	1	22	57	115	162	129	69	555	-	-	-	-	2	9	30	67	144	155	148
Other diseases of endocardium (424)	277	-	-	-	4	7	13	22	66	84	81	394	394	-	-	-	-	2	4	19	55	124	190	190
White	260	-	-	-	4	6	10	21	62	80	77	370	370	-	-	-	-	2	2	17	51	118	180	180
All other	17	-	-	-	-	1	3	1	4	4	4	24	24	-	-	-	-	-	-	2	2	4	6	10
Black	15	-	-	-	-	1	3	1	3	4	4													

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 403

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 202 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
All other forms of heart disease (415-423,425-429)	4,013	14	5	3	18	47	130	234	540	1,082	1,170	770	4,697	14	3	7	10	29	55	131	294	781	1,379	1,994
White	3,524	10	4	3	17	28	97	191	440	944	1,072	718	4,230	10	1	6	6	19	42	82	244	683	1,264	1,863
All other	489	4	1	-	1	19	33	43	100	138	88	52	467	4	2	1	4	10	13	39	50	98	115	131
Black	482	4	1	-	1	18	33	42	98	136	97	52	454	4	2	1	4	10	12	38	47	97	110	129
Hypertension with or without renal disease (401,403)	170	2	-	-	-	1	6	11	18	37	62	33	314	-	-	-	-	2	-	6	19	62	105	120
White	127	1	-	-	-	1	3	5	12	25	54	26	270	-	-	-	-	1	-	5	12	47	91	114
All other	43	1	-	-	-	-	3	6	6	12	8	7	44	-	-	-	-	1	-	1	7	15	14	6
Black	43	1	-	-	-	-	3	6	6	12	8	7	43	-	-	-	-	1	-	1	7	14	14	6
Cerebrovascular diseases (430-438)	2,298	6	-	2	4	12	49	91	214	518	839	563	3,811	2	-	1	3	26	52	97	201	557	1,268	1,604
White	2,031	5	-	2	3	8	37	76	172	427	768	533	3,459	1	-	1	2	16	38	69	161	487	1,162	1,522
All other	267	1	-	-	1	4	12	15	42	91	71	30	352	1	-	-	1	10	14	28	40	70	106	82
Black	261	1	-	-	1	4	12	15	42	90	68	28	345	1	-	-	1	10	13	27	37	70	105	81
Intracerebral and other intracranial hemorrhage (431-432)	408	2	-	1	1	5	19	42	59	108	122	49	510	-	-	-	2	7	12	30	49	112	189	109
White	348	1	-	1	1	3	14	33	47	89	115	45	455	-	-	-	2	4	7	21	40	99	179	103
All other	59	1	-	-	-	2	5	9	12	19	7	4	55	-	-	-	-	3	5	9	9	13	10	6
Black	56	1	-	-	-	2	5	9	12	18	6	3	54	-	-	-	-	3	5	9	9	13	9	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	288	-	-	-	-	-	2	5	31	72	101	77	489	1	-	-	-	2	4	7	18	63	180	214
White	260	-	-	-	-	-	1	4	25	64	92	74	456	1	-	-	-	2	3	5	16	59	169	201
All other	28	-	-	-	-	-	1	1	6	8	9	3	33	-	-	-	-	1	2	2	4	11	13	13
Black	28	-	-	-	-	-	1	1	6	8	9	3	31	-	-	-	-	-	2	1	4	11	13	13
Cerebral embolism (434.1)	4	-	-	-	-	-	-	1	-	1	1	1	20	-	-	-	-	-	1	-	1	1	9	8
White	4	-	-	-	-	-	-	1	-	1	1	1	18	-	-	-	-	-	1	-	1	9	7	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,598	4	-	1	3	7	28	43	124	337	615	436	2,792	1	-	1	1	17	35	60	133	381	890	1,273
White	1,418	4	-	1	2	5	22	38	100	273	560	413	2,530	-	-	1	-	10	27	43	105	328	805	1,211
All other	180	-	-	-	1	2	6	5	24	64	55	23	262	1	-	-	1	7	8	17	28	53	85	62
Black	177	-	-	-	1	2	6	5	24	64	53	22	258	1	-	-	1	7	8	16	26	53	85	61
Atherosclerosis (440)	266	-	-	-	-	-	-	3	12	47	96	108	507	-	-	-	-	1	2	7	36	119	342	342
White	246	-	-	-	-	-	-	3	10	41	91	101	472	-	-	-	-	1	2	7	33	108	321	321
All other	20	-	-	-	-	-	-	-	2	6	5	7	35	-	-	-	-	-	-	-	3	11	21	21
Black	20	-	-	-	-	-	-	-	2	6	5	7	35	-	-	-	-	-	-	-	3	11	21	21
Other diseases of arteries, arterioles, and capillaries (441-448)	728	1	-	1	5	4	10	26	95	241	254	91	559	-	-	-	-	9	6	19	38	114	189	184
White	685	1	-	1	3	3	7	21	85	229	247	88	507	-	-	-	-	7	6	14	29	104	181	166
All other	43	-	-	-	2	1	3	5	10	12	7	3	52	-	-	-	-	2	-	5	9	10	8	18
Black	42	-	-	-	2	1	3	5	10	11	7	3	52	-	-	-	-	2	-	5	9	10	8	18
Acute bronchitis and bronchiolitis (466)	17	3	-	-	-	-	-	1	2	4	2	5	17	-	3	-	-	-	6	1	-	3	4	4
White	15	2	-	-	-	-	-	1	2	4	1	5	12	-	1	-	-	-	3	1	-	3	4	4
All other	2	1	-	-	-	-	-	-	-	-	-	1	5	-	2	-	-	-	3	-	-	-	-	-
Black	2	1	-	-	-	-	-	-	-	-	-	1	5	-	2	-	-	-	3	-	-	-	-	-
Pneumonia and influenza (480-487)	1,450	16	2	4	6	11	22	33	90	272	511	483	1,649	9	2	3	7	6	17	31	58	174	488	854
White	1,306	12	2	3	6	10	15	27	72	241	471	447	1,524	5	1	3	6	4	12	26	50	156	455	806
All other	144	4	-	1	1	7	6	18	31	40	36	36	125	4	1	-	1	2	5	5	8	18	33	48
Black	139	4	-	1	1	7	6	17	30	38	35	35	121	4	1	-	1	2	5	5	7	17	32	47
Pneumonia (480-486)	1,438	16	2	4	5	11	22	32	90	271	507	478	1,630	9	2	3	7	6	17	30	58	172	486	840
White	1,297	12	2	3	5	10	15	26	72	241	467	444	1,505	5	1	3	6	4	12	25	50	154	453	792
All other	141	4	-	1	1	7	6	18	30	40	34	34	125	4	1	-	1	2	5	5	8	18	33	48
Black	136	4	-	1	1	7	6	17	29	38	33	33	121	4	1	-	1	2	5	5	7	17	32	47
Influenza (487)	12	-	-	-	1	-	-	1	-	1	4	5	19	-	-	-	-	-	-	1	-	2	2	14
White	9	-	-	-	1	-	-	1	-	-	4	3	19	-	-	-	-	-	-	1	-	2	2	14
All other	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,412	1	3	1	3	8	10	51	288	790	896	361	1,961	-	-	-	-	8	2	14	49	210	615	738
White	2,227	1	3	-	2	5	8	43	263	733	835	334	1,849	-	-	-	-	7	1	8	40	195	583	709
All other	185	-	-	1	1	3	2	8	25	57	61	27	112	-	-	-	-	1	1	6	9	15	32	29
Black	183	-	-	1	1	3	2	8	25	55	61	27	111	-	-	-	-	1	1	6	9	15	32	29
Bronchitis, chronic and unspecified (490-491)	107	1	1	-	1	1	-	1	15	39	35	13	96	-	-	-	-	2	2	6	4	24	31	27
White	101	1	1	-	1	1	-	1	14	35	34	13	90	-	-	-	-	1	2	6	4	21	29	27
All other	6	-	-	-	-	-	-	-	1	4	1	-	6	-	-	-	-	-	-	-	-	3	2	-
Black	6	-	-	-	-	-	-	-	1	4	1	-	6	-	-	-	-	-	-	-	-	3	2	-
Empyema (492)	411	-	1	-	-	2	14	56	165	134	39	321	315	-	-	-	1	-	2	11	48	120	108	31

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 404

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 203 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OHIO—Con.																								
Asthma (493)	67	-	1	1	2	7	4	6	8	19	10	9	98	-	-	-	6	-	8	9	11	25	28	11
White	52	1	-	1	4	3	3	7	18	7	8	8	73	-	-	-	5	-	2	3	6	20	26	11
All other	15	-	-	1	1	3	1	3	1	1	3	1	25	-	-	-	1	-	6	6	5	5	2	-
Black	15	-	-	1	1	3	1	3	1	1	3	1	25	-	-	-	1	-	6	6	5	5	2	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,827	-	-	-	-	-	4	30	209	567	717	300	1,446	-	-	-	1	-	2	23	147	446	571	256
White	1,688	-	-	-	-	-	4	26	193	524	665	276	1,371	-	-	-	1	-	2	20	137	425	549	237
All other	139	-	-	-	-	-	-	4	16	43	52	24	75	-	-	-	-	-	3	10	21	22	19	-
Black	137	-	-	-	-	-	-	4	16	41	52	24	74	-	-	-	-	-	3	10	21	22	18	-
Ulcer of stomach and duodenum (531-533)	122	1	-	-	-	2	5	6	15	45	29	19	124	-	-	-	-	-	3	11	21	38	51	-
White	112	-	-	-	-	1	5	4	13	42	29	18	116	-	-	-	-	-	3	9	19	36	49	-
All other	10	1	-	-	-	1	-	2	2	3	-	1	8	-	-	-	-	-	-	2	2	2	2	-
Black	10	1	-	-	-	1	-	2	2	3	-	1	8	-	-	-	-	-	-	2	2	2	2	-
Appendicitis (540-543)	6	-	-	-	1	-	-	-	-	1	1	2	10	-	-	-	-	-	-	-	2	2	3	3
White	5	-	-	-	-	-	-	-	-	1	1	2	7	-	-	-	-	-	-	-	2	1	2	2
All other	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	77	-	1	1	-	1	2	2	5	9	29	27	175	1	-	-	-	-	4	6	9	25	49	81
White	72	-	1	-	-	1	1	1	5	8	28	27	157	1	-	-	-	-	4	6	7	21	41	77
All other	5	-	-	1	-	-	1	1	-	1	-	-	18	-	-	-	-	-	-	-	2	4	8	4
Black	5	-	-	1	-	-	1	1	-	1	-	-	17	-	-	-	-	-	-	-	2	4	7	4
Chronic liver disease and cirrhosis (571)	591	-	-	-	-	8	81	107	148	160	74	13	299	1	-	-	2	6	26	26	65	101	57	15
White	492	-	-	-	-	6	58	86	126	137	67	12	256	1	-	-	2	5	18	20	53	89	54	14
All other	99	-	-	-	-	2	23	21	22	23	7	1	43	-	-	-	-	1	8	6	12	12	3	1
Black	99	-	-	-	-	2	23	21	22	23	7	1	42	-	-	-	-	1	8	6	12	12	2	1
Cholelithiasis and other disorders of gallbladder (574-575)	45	-	-	-	-	-	2	8	13	12	10	64	-	-	-	-	1	1	1	2	15	18	26	-
White	42	-	-	-	-	-	2	7	12	11	10	54	-	-	-	-	1	1	1	2	10	15	25	-
All other	3	-	-	-	-	-	-	1	1	1	-	10	-	-	-	-	-	-	-	-	5	3	1	-
Black	3	-	-	-	-	-	-	1	1	1	-	10	-	-	-	-	-	-	-	-	5	3	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	563	8	-	1	-	5	11	28	43	118	209	140	585	4	-	-	2	2	6	13	31	124	199	204
White	472	6	-	1	-	4	8	14	33	101	183	122	504	1	-	-	-	4	9	24	104	176	186	-
All other	91	2	-	-	-	1	3	14	10	17	26	18	81	3	-	-	2	2	2	4	7	20	23	18
Black	89	2	-	-	-	1	3	13	9	17	26	18	77	3	-	-	2	1	1	4	7	19	23	17
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	-	-	1	-	-	2	-	-	2	1	7	-	-	-	-	1	-	-	-	-	1	3	2
White	5	-	-	1	-	-	1	-	-	2	1	6	-	-	-	-	-	-	-	-	-	1	3	2
All other	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	33	1	-	-	-	1	1	1	2	8	11	8	20	-	-	-	-	-	-	1	-	2	6	11
White	26	-	-	-	-	1	1	-	1	7	9	7	18	-	-	-	-	-	-	-	-	1	6	11
All other	7	1	-	-	-	-	-	1	1	1	2	1	2	-	-	-	-	-	-	1	-	1	-	-
Black	7	1	-	-	-	-	1	1	1	1	2	1	2	-	-	-	-	-	1	-	1	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	524	7	-	-	-	4	10	25	41	110	196	131	558	4	-	-	1	2	6	12	31	121	190	191
White	441	6	-	-	-	3	7	13	32	94	172	114	480	1	-	-	-	4	9	24	102	167	173	-
All other	83	1	-	-	-	1	3	12	9	16	24	17	78	3	-	-	1	2	2	3	7	19	23	18
Black	81	1	-	-	-	1	3	11	8	16	24	17	74	3	-	-	1	1	1	3	7	18	23	17
Infections of kidney (590)	16	-	-	-	-	-	-	-	-	5	7	4	29	-	-	-	-	-	1	1	1	4	9	13
White	11	-	-	-	-	-	-	-	-	2	5	4	27	-	-	-	-	-	-	1	1	4	8	13
All other	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Black	5	-	-	-	-	-	-	-	-	3	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	-	1	-	7	11
White	15	-	-	-	-	-	-	-	1	-	5	9
All other	4	-	-	-	-	-	-	-	-	-	2	2
Black	4	-	-	-	-	-	-	-	-	-	2	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	4	1	1	-
White	5	3	1	1	-
All other	1	1	-	-	-
Black	1	1	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 406

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 205 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OKLAHOMA																									
All causes	15,625	233	49	77	331	498	717	1,034	2,113	3,843	4,240	2,476	14,885	184	45	39	131	185	340	636	1,335	2,823	4,342	4,817	
White	13,907	167	36	66	245	395	597	886	1,865	3,465	3,896	2,277	13,367	126	26	33	111	145	270	544	1,154	2,497	3,979	4,476	
All other	1,718	66	13	11	86	103	120	148	248	378	344	199	1,518	58	19	6	20	40	70	92	181	326	363	341	
Black	1,037	51	7	3	41	55	68	82	150	236	216	127	946	36	11	5	10	22	53	58	95	177	233	244	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	12	-	-	-	-	-	1	2	3	2	2	2	13	-	-	-	-	1	1	1	1	3	5	1	
White	9	-	-	-	-	-	-	2	2	1	2	2	9	-	-	-	-	1	-	-	-	1	5	1	
All other	3	-	-	-	-	-	1	-	1	1	-	4	-	-	-	-	-	1	1	1	-	2	-	-	
Black	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	
Tuberculosis of respiratory system (010-012)	11	-	-	-	-	-	1	2	2	2	2	2	7	-	-	-	-	-	-	-	-	2	4	1	
White	9	-	-	-	-	-	-	2	2	1	2	2	5	-	-	-	-	-	-	-	-	-	4	1	
All other	2	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	2	-	-	
Black	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis (013-018)	1	-	-	-	-	-	-	-	1	-	-	-	6	-	-	-	-	1	1	1	1	1	1	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	-	-	1	1	-	
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	117	2	1	-	-	2	4	3	14	27	35	29	201	3	3	1	-	2	3	11	12	26	63	77	
White	102	2	1	-	-	2	2	3	11	24	31	26	170	2	2	1	-	1	2	10	9	19	54	70	
All other	15	-	-	-	-	-	2	-	3	3	4	3	31	1	1	-	-	1	1	1	3	7	9	7	
Black	9	-	-	-	-	-	1	-	-	1	4	3	20	1	1	-	-	1	-	1	-	5	5	6	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	23	-	-	-	2	-	7	2	2	3	6	1	6	-	-	-	-	-	-	-	1	1	3	1	
White	23	-	-	-	2	-	7	2	2	3	6	1	6	-	-	-	-	-	-	-	1	1	3	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-089,098-139)	221	1	1	1	4	69	83	35	12	7	4	4	56	-	1	1	1	6	9	3	6	7	13	9	
White	184	-	-	1	2	53	69	32	12	7	4	4	49	-	1	1	1	5	8	1	6	6	11	9	
All other	37	1	1	-	2	16	14	3	-	-	-	-	7	-	-	-	-	1	1	2	-	1	2	-	
Black	35	1	1	-	2	15	13	3	-	-	-	-	7	-	-	-	-	1	1	2	-	1	2	-	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,718	-	2	10	15	35	86	259	707	1,218	999	386	3,055	1	6	5	9	24	99	263	539	870	808	430	
White	3,365	-	2	10	12	30	74	228	636	1,104	923	345	2,735	-	3	5	7	23	78	233	485	778	731	391	
All other	353	-	-	-	3	5	12	31	71	114	76	41	320	1	3	-	2	1	21	30	54	92	77	39	
Black	237	-	-	-	3	3	7	19	47	80	52	26	203	-	1	-	1	1	16	21	27	54	52	30	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 407

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 206 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OKLAHOMA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	48	-	-	-	-	-	2	3	13	17	10	3	26	-	-	-	-	-	1	2	1	8	8	6
White	41	-	-	-	-	-	1	2	13	14	8	3	26	-	-	-	-	-	1	2	1	8	8	6
All other	7	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	782	-	-	-	1	7	19	59	148	248	204	95	754	-	-	-	1	3	13	44	106	199	238	150
White	680	-	-	-	1	6	18	47	130	216	179	82	667	-	-	-	1	3	9	39	94	172	215	134
All other	102	-	-	-	-	1	1	12	18	32	25	13	87	-	-	-	-	-	4	5	12	27	23	16
Black	64	-	-	-	-	1	-	7	12	19	18	7	55	-	-	-	-	-	3	2	6	12	18	14
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,444	-	-	-	-	2	25	124	317	517	379	80	744	-	1	-	1	1	9	57	172	279	171	53
White	1,330	-	-	-	-	1	21	110	289	475	363	71	669	-	-	-	1	1	7	47	160	253	151	49
All other	114	-	-	-	-	1	4	14	28	42	16	9	75	-	1	-	-	2	10	12	26	20	4	4
Black	83	-	-	-	-	1	3	11	19	31	10	8	54	-	1	-	-	2	10	7	16	15	3	3
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	-	-	-	2	1	1	478	-	-	-	-	6	38	74	90	119	103	47
White	4	-	-	-	-	-	-	-	-	2	1	1	434	-	-	-	-	6	31	68	80	106	97	45
All other	-	-	-	-	-	-	-	-	-	-	-	-	44	-	-	-	-	7	6	10	13	6	2	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	27	-	-	-	-	4	4	4	4	10	4	1
Malignant neoplasms of genital organs (170-187)	476	-	-	-	1	2	2	5	45	132	169	120	318	-	-	-	-	2	13	30	60	96	75	42
White	421	-	-	-	1	2	2	5	39	117	151	104	280	-	-	-	-	2	10	27	53	85	68	35
All other	55	-	-	-	-	-	-	-	6	15	18	16	38	-	-	-	-	3	3	7	11	7	7	7
Black	42	-	-	-	-	-	-	-	4	13	14	11	23	-	-	-	-	2	3	3	5	4	4	6
Malignant neoplasms of urinary organs (188-189)	169	-	-	-	-	1	4	11	30	54	41	28	97	-	-	-	-	-	3	11	24	27	32	32
White	156	-	-	-	-	4	11	28	49	37	27	27	82	-	-	-	-	-	3	7	23	19	30	30
All other	13	-	-	-	-	1	-	2	5	4	1	1	15	-	-	-	-	-	-	4	1	8	2	2
Black	7	-	-	-	-	-	-	1	4	2	-	-	7	-	-	-	-	-	-	2	1	2	2	2
Malignant neoplasms of all other and unspecified sites (170-173, 190-199)	437	-	2	2	8	14	22	33	84	139	102	31	333	1	3	4	4	9	14	34	53	80	83	48
White	407	-	2	2	7	14	17	30	79	133	94	29	297	-	2	4	2	8	11	28	49	72	78	43
All other	30	-	-	-	1	-	5	3	5	6	8	2	36	1	1	-	2	1	3	6	4	8	5	5
Black	15	-	-	-	1	-	3	-	2	3	6	-	22	-	-	-	1	3	2	2	2	7	4	2
Leukemia (204-208)	144	-	-	5	3	2	4	5	25	38	45	17	115	-	2	1	1	1	2	9	7	28	39	25
White	134	-	-	5	1	2	4	5	23	34	43	17	111	-	1	1	1	1	2	9	7	28	37	24
All other	10	-	-	-	2	-	-	-	2	4	2	-	4	-	-	-	-	-	-	-	-	-	2	1
Black	8	-	-	-	2	-	-	-	1	4	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	214	-	-	3	2	7	8	19	45	71	48	11	190	-	-	-	-	2	9	10	39	37	64	27
White	192	-	-	3	2	5	7	18	35	64	47	11	169	-	-	-	-	2	7	10	34	31	58	25
All other	22	-	-	-	-	2	1	1	10	7	1	-	21	-	-	-	-	-	2	-	5	6	6	2
Black	15	-	-	-	1	-	-	-	8	5	1	-	12	-	-	-	-	2	-	3	3	3	3	1
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	27	-	-	-	-	1	6	2	-	6	6	6	47	1	-	2	1	2	1	3	3	6	15	13
White	24	-	-	-	-	1	5	2	-	5	6	5	47	1	-	2	1	2	1	3	3	6	15	13
All other	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	252	-	1	-	2	9	13	28	43	73	54	29	322	-	-	2	1	3	6	19	49	75	91	76
White	197	-	1	-	1	6	12	21	26	58	43	29	263	-	-	2	1	2	6	17	35	56	80	64
All other	55	-	-	-	1	3	1	7	17	15	11	-	59	-	-	-	1	-	2	14	19	11	12	12
Black	31	-	-	-	-	2	-	4	10	7	8	-	26	-	-	-	1	-	1	7	7	8	8	2
Nutritional deficiencies (260-269)	20	-	-	-	-	-	-	-	1	6	4	9	20	-	-	-	-	-	-	-	-	1	7	12
White	17	-	-	-	-	-	-	-	1	4	3	9	17	-	-	-	-	-	-	-	-	1	5	11
All other	3	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	2	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1
Anemias (280-285)	30	-	2	1	3	2	-	-	1	6	8	7	29	-	-	-	1	-	1	3	2	12	10	10
White	22	-	1	-	1	-	-	-	1	6	7	6	24	-	-	-	-	-	1	1	1	2	12	8
All other	8	-	1	1	2	2	-	-	-	1	-	1	5	-	-	-	-	-	-	-	-	-	-	2
Black	7	-	1	1	2	2	-	-	-	-	1	-	4	-	-	-	-	-	-	-	1	-	-	2
Meningitis (320-322)	7	2	1	1	2	-	-	-	-	1	-	-	8	2	1	1	-	2	-	-	1	-	1	-
White	5	2	1	1	1	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-
All other	2	-	-	1	1	-	-	-	-	-	-	-	6	1	1	1	-	1	-	-	1	-	1	-
Black	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Major cardiovascular diseases (390-448)	6,609	8	4	3	11	37	164	408	924	1,679	2,043	1,324	7,164	6	3	1	6	26	78	171	441	1,182	2,300	2,947
White	5,956	4	4	2	6	27	134	348	811	1,513	1,876	1,227	6,506	4	3	1	5	17	62	141	370	1,047	2,112	2,741
All other	653	4	-	1	5	10	30	60	113	166	167	97	658	2	-	-	1	9	16	30	71	135	188	206
Black	390	4	-	-	2	6	13	35	65	98	106	61	429	-	-	-	1	4	14	19	40	79	121	151

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 408

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 207 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OKLAHOMA—Con.																									
Diseases of heart (390-398,402,404-429)	5,449	8	3	3	10	28	137	371	605	1,414	1,627	1,041	5,420	6	3	-	5	21	58	129	345	911	1,744	2,197	
White	4,917	4	3	2	5	19	114	319	709	1,279	1,498	963	4,911	4	3	-	4	14	47	103	287	811	1,599	2,038	
All other	532	4	-	1	5	9	23	52	96	135	129	78	509	2	-	-	1	7	11	26	58	100	145	159	
Black	317	4	-	-	2	5	10	29	53	82	80	52	326	-	-	-	1	4	9	15	31	57	93	116	
Rheumatic fever and rheumatic heart disease (390-398)	17	-	-	-	-	1	1	1	3	3	6	2	30	-	-	-	-	1	1	-	3	14	8	3	
White	15	-	-	-	-	-	1	1	2	3	6	2	27	-	-	-	-	1	1	-	2	12	8	3	
All other	2	-	-	-	-	1	-	-	1	-	-	-	3	-	-	-	-	-	-	-	1	2	-	-	
Black	2	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	
Hypertensive heart disease (402)	69	-	-	-	-	1	2	5	7	20	16	18	108	-	-	-	-	2	-	4	3	10	33	56	
White	55	-	-	-	-	-	1	3	6	17	12	16	82	-	-	-	-	1	-	2	3	6	23	47	
All other	14	-	-	-	-	1	1	2	1	3	4	2	26	-	-	-	-	1	-	2	-	4	10	9	
Black	13	-	-	-	-	1	1	2	1	3	4	1	25	-	-	-	-	1	-	2	-	4	9	9	
Hypertensive heart and renal disease (404)	4	-	-	-	-	-	-	-	1	-	2	1	10	-	-	-	-	-	-	-	-	-	6	4	
White	2	-	-	-	-	-	-	-	1	-	-	1	8	-	-	-	-	-	-	-	-	-	5	3	
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1	
Black	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	1	
Ischemic heart disease (410-414)	3,867	-	-	-	-	12	94	277	593	1,068	1,166	655	3,428	-	-	-	-	7	26	82	219	607	1,154	1,332	
White	3,511	-	-	-	-	9	80	240	520	977	1,076	607	3,133	-	-	-	-	3	20	69	182	544	1,069	1,245	
All other	356	-	-	-	-	3	14	37	73	91	90	48	295	-	-	-	-	4	6	13	37	63	85	87	
Black	195	-	-	-	-	1	6	19	37	52	49	31	173	-	-	-	-	2	4	6	18	33	47	63	
Acute myocardial infarction (410)	1,802	-	-	-	-	4	36	122	289	518	559	273	1,458	-	-	-	-	1	7	41	115	299	547	448	
White	1,652	-	-	-	-	3	32	111	255	478	517	255	1,339	-	-	-	-	6	37	95	270	511	420	420	
All other	150	-	-	-	-	1	4	11	34	40	42	18	118	-	-	-	-	1	1	4	20	29	36	28	
Black	71	-	-	-	-	1	2	4	15	17	21	11	69	-	-	-	-	1	2	9	17	19	21	21	
Other acute and subacute forms of ischemic heart disease (411)	424	-	-	-	-	1	18	54	97	103	92	59	341	-	-	-	-	2	6	11	27	60	88	148	
White	371	-	-	-	-	1	15	47	83	91	80	54	308	-	-	-	-	1	5	9	20	54	82	136	
All other	53	-	-	-	-	3	7	14	12	12	12	5	33	-	-	-	-	1	1	2	7	6	6	10	
Black	38	-	-	-	-	1	3	10	11	9	4	22	22	-	-	-	-	1	1	6	4	4	4	6	
Angina pectoris (413)	3	-	-	-	-	-	-	-	-	2	1	-	5	-	-	-	-	-	-	-	-	2	1	2	2
White	3	-	-	-	-	-	-	-	-	2	1	-	4	-	-	-	-	-	-	-	-	1	1	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,638	-	-	-	-	7	40	101	207	445	514	323	1,624	-	-	-	-	4	13	30	77	246	518	736	
White	1,485	-	-	-	-	5	33	82	162	406	478	298	1,482	-	-	-	-	2	9	23	67	219	475	687	
All other	153	-	-	-	-	2	7	19	25	39	36	25	142	-	-	-	-	2	4	7	10	27	43	49	
Black	86	-	-	-	-	3	12	12	24	19	16	82	82	-	-	-	-	1	3	3	3	12	24	36	
Other diseases of endocardium (424)	62	-	-	-	1	-	3	2	7	12	23	14	110	-	-	-	-	2	2	10	13	30	53	53	
White	55	-	-	-	-	2	2	2	7	10	21	13	100	-	-	-	-	2	1	8	11	27	51	51	
All other	7	-	-	-	1	-	1	-	-	2	2	1	10	-	-	-	-	-	1	2	2	3	2	2	
Black	4	-	-	-	-	-	-	-	-	2	1	1	6	-	-	-	-	-	-	1	1	2	2	2	
All other forms of heart disease (415-423,425-429)	1,430	8	3	3	9	14	37	86	194	311	414	351	1,734	6	3	-	5	11	29	41	110	267	513	749	
White	1,279	4	3	2	5	10	30	73	173	272	383	324	1,561	4	3	-	4	9	24	31	92	238	467	689	
All other	151	4	-	1	4	4	7	13	21	39	31	27	173	2	-	-	1	2	5	10	18	29	46	60	
Black	102	4	-	-	2	2	3	8	14	25	25	19	118	-	-	-	1	1	5	7	11	18	34	41	
Hypertension with or without renal disease (401,403)	46	-	1	-	-	2	2	-	2	9	18	12	67	-	-	-	-	2	1	4	13	30	17	17	
White	39	-	1	-	-	2	2	-	2	8	13	11	53	-	-	-	-	1	-	3	6	27	16	16	
All other	7	-	-	-	-	-	-	-	-	1	5	1	14	-	-	-	-	-	1	1	1	7	3	1	
Black	6	-	-	-	-	-	-	-	-	1	4	1	10	-	-	-	-	-	1	1	1	3	3	1	
Cerebrovascular diseases (430-438)	818	-	-	-	1	6	20	33	84	183	289	200	1,335	-	-	1	-	4	16	39	71	199	438	565	
White	722	-	-	-	1	5	14	26	70	157	263	184	1,228	-	-	1	-	2	13	36	64	175	402	533	
All other	96	-	-	-	-	1	6	7	14	26	26	16	107	-	-	-	-	2	3	3	7	24	36	32	
Black	60	-	-	-	-	1	3	6	12	14	17	7	72	-	-	-	-	-	3	3	4	16	24	22	
Intracerebral and other intracranial hemorrhage (431-432)	113	-	-	-	-	4	6	9	24	29	30	11	130	-	-	1	-	4	8	13	24	48	29	29	
White	93	-	-	-	-	4	4	7	19	25	24	10	119	-	-	1	-	3	7	11	24	46	27	27	
All other	20	-	-	-	-	2	2	2	5	4	6	1	11	-	-	-	-	1	1	2	3	2	2	2	
Black	15	-	-	-	-	1	2	5	1	5	1	1	7	-	-	-	-	1	1	2	1	1	1	1	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	52	-	-	-	-	2	2	1	4	14	16	13	98	-	-	-	-	1	-	3	17	24	53	53	
White	46	-	-	-	-	1	1	-	4	12	16	12	94	-	-	-	-	-	-	2	16	23	53	53	
All other	6	-	-	-	-	1	1	1	-	2	-	1	4	-	-	-	-	1	-	1	1	1	1	-	
Black	3	-	-	-	-	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	1	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 409

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 208 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OKLAHOMA—Con.																									
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2	2
White	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	653	-	-	-	1	-	12	23	56	140	243	176	1,103	-	-	-	-	3	12	31	55	155	364	481	
White	583	-	-	-	1	-	9	19	47	120	223	162	1,011	-	-	-	-	2	10	29	51	135	331	451	
All other	70	-	-	-	-	-	3	4	9	20	20	14	92	-	-	-	-	1	2	2	4	20	33	30	
Black	42	-	-	-	-	-	1	3	7	13	12	6	63	-	-	-	-	2	2	2	2	14	22	21	
Atherosclerosis (440)	127	-	-	-	-	-	1	-	11	25	48	42	205	-	-	-	-	1	-	7	24	46	127	127	
White	117	-	-	-	-	-	1	-	9	22	44	41	189	-	-	-	-	-	-	6	24	44	115	115	
All other	10	-	-	-	-	-	-	-	2	3	4	1	16	-	-	-	-	1	-	1	1	2	12	12	
Black	3	-	-	-	-	-	-	-	-	1	2	1	13	-	-	-	-	1	-	1	-	-	2	11	
Other diseases of arteries, arterioles, and capillaries (441-448)	169	-	-	-	-	1	4	4	22	48	61	29	137	-	-	-	1	1	1	2	14	35	42	41	
White	161	-	-	-	-	1	3	3	21	47	58	28	125	-	-	-	1	1	1	2	10	31	40	39	
All other	8	-	-	-	-	-	1	1	1	1	3	1	12	-	-	-	-	-	-	4	4	4	2	2	
Black	4	-	-	-	-	-	-	-	-	-	3	1	8	-	-	-	-	-	-	3	3	1	1	1	
Acute bronchitis and bronchiolitis (466)	3	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
White	3	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	563	6	1	2	2	7	9	12	35	82	194	213	690	2	1	-	2	5	6	8	23	75	189	378	
White	513	6	-	1	1	6	6	9	32	75	180	197	646	2	-	-	2	5	6	8	21	68	174	359	
All other	50	-	1	1	1	1	3	3	3	7	14	16	44	-	1	-	-	-	-	2	7	15	19	19	
Black	27	-	-	-	-	-	2	2	1	5	9	8	30	-	-	-	-	-	-	-	1	4	10	15	
Pneumonia (480-486)	559	5	1	2	2	7	9	12	35	82	191	213	686	2	1	-	2	5	6	8	23	74	188	376	
White	509	5	-	1	1	6	6	9	32	75	177	197	642	2	-	-	2	5	6	8	21	67	173	357	
All other	50	-	1	1	1	1	3	3	3	7	14	16	44	-	1	-	-	-	-	2	7	15	19	19	
Black	27	-	-	-	-	-	2	2	1	5	9	8	30	-	-	-	-	-	-	-	1	4	10	15	
Influenza (487)	4	1	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	1	1	2	2
White	4	1	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	1	1	2	2
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	786	1	-	-	5	3	4	19	85	250	320	97	591	-	1	-	-	1	4	24	78	199	193	91	
White	744	-	-	-	5	1	3	18	81	235	307	92	560	-	-	-	-	1	4	18	73	193	185	86	
All other	42	1	-	-	2	1	1	4	15	13	5	3	31	-	1	-	-	-	6	5	6	6	8	5	5
Black	26	1	-	-	2	1	-	2	12	6	2	16	16	-	-	-	-	-	4	3	4	3	3	2	2
Bronchitis, chronic and unspecified (490-491)	15	1	-	-	-	1	-	1	2	7	3	14	14	-	1	-	-	-	-	-	3	3	5	2	2
White	14	-	-	-	-	1	-	1	2	7	3	11	11	-	-	-	-	-	-	-	2	2	5	2	2
All other	1	1	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	1	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Emphysema (492)	139	-	-	-	1	2	2	15	50	56	13	98	98	-	-	-	-	1	3	18	41	27	8	8	
White	133	-	-	-	-	1	2	15	49	55	11	94	94	-	-	-	-	1	3	17	40	25	8	8	
All other	6	-	-	-	-	1	1	1	1	1	2	4	4	-	-	-	-	-	-	1	1	2	-	-	
Black	3	-	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Asthma (493)	21	-	-	-	3	1	1	3	2	3	5	3	32	-	-	-	-	1	3	7	6	7	5	3	3
White	19	-	-	-	3	-	1	2	2	3	5	3	30	-	-	-	-	1	3	5	6	7	5	3	3
All other	2	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	611	-	-	-	2	1	-	14	67	195	252	78	447	-	-	-	-	-	14	51	148	156	78	78	
White	578	-	-	-	2	1	-	14	63	181	240	75	425	-	-	-	-	-	10	48	144	150	73	73	
All other	33	-	-	-	-	-	-	4	14	12	3	22	22	-	-	-	-	-	4	3	4	6	5	5	
Black	21	-	-	-	-	-	-	2	12	5	2	13	13	-	-	-	-	-	3	3	2	3	2	2	
Ulcer of stomach and duodenum (531-533)	37	-	-	-	-	3	-	2	4	8	10	10	35	-	-	-	-	-	-	1	6	12	16	16	
White	34	-	-	-	-	2	-	2	4	8	9	9	33	-	-	-	-	-	-	-	6	11	16	16	
All other	3	-	-	-	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	1	-	1	-	-	
Black	3	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	
Appendicitis (540-543)	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	1	-	-	-	-	1	3	6	4	8	60	60	-	-	-	-	1	-	2	8	14	35	35	
White	22	1	-	-	-	-	1	3	6	4	7	59	59	-	-	-	-	1	-	2	7	14	35	35	
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 412

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 211 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	5	1	1	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	5	1	1	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	52	-	-	-	-	-	1	4	5	13	18	11	82	2	2	1	-	-	2	2	5	16	19	33
White	50	-	-	-	-	-	1	4	5	13	16	11	82	2	2	1	-	-	2	2	5	16	19	33
All other	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	18	-	-	-	2	2	1	3	2	7	1	13	-	-	-	-	1	1	2	4	3	4	3	2
White	16	-	-	-	2	1	1	2	2	7	1	13	-	-	-	-	1	1	2	4	3	4	3	2
All other	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	257	1	-	2	4	74	89	41	22	15	5	4	54	1	-	-	4	5	6	4	3	13	8	10
White	249	1	-	2	4	73	84	41	22	13	5	4	53	1	-	-	4	5	5	4	3	13	8	10
All other	8	-	-	-	-	1	5	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	5	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,261	-	3	5	8	25	74	210	500	1,091	998	347	3,053	-	-	5	2	25	97	229	516	902	896	381
White	3,162	-	3	4	8	24	69	199	470	1,064	978	343	2,990	-	-	5	2	25	89	220	504	886	881	376
All other	99	-	-	1	-	1	5	11	30	27	20	4	63	-	-	-	-	8	9	12	14	15	5	5
Black	46	-	1	-	-	2	6	11	12	14	14	4	27	-	-	-	-	3	5	6	7	3	3	3
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	54	-	-	-	-	1	7	17	13	12	4	30	-	-	-	-	-	1	1	4	11	10	3	3
White	51	-	-	-	-	1	7	16	12	11	4	30	-	-	-	-	-	1	1	4	11	10	3	3
All other	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	705	-	-	1	-	13	46	96	253	221	75	644	-	-	-	2	12	34	72	174	218	218	134	134
White	674	-	-	1	-	11	42	88	244	215	73	631	-	-	-	2	12	31	68	173	213	213	132	132
All other	31	-	-	-	-	2	4	8	9	6	2	13	-	-	-	-	-	3	4	1	3	2	2	2
Black	11	-	-	-	-	2	1	3	3	5	-	6	-	-	-	-	-	2	1	-	1	1	2	2
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,136	-	-	-	2	13	75	220	435	315	76	825	-	-	-	-	1	14	54	183	304	229	40	40
White	1,101	-	-	-	2	11	71	208	427	307	75	808	-	-	-	-	1	11	53	177	303	225	38	38
All other	35	-	-	-	-	2	4	12	8	8	1	17	-	-	-	-	-	3	1	6	1	4	2	2
Black	20	-	-	-	-	1	3	6	5	5	-	9	-	-	-	-	-	2	1	3	1	2	-	-
Malignant neoplasm of breast (174-175)	3	-	-	-	-	-	1	1	-	1	-	498	-	-	-	-	2	31	69	108	118	120	50	50
White	3	-	-	-	-	-	1	1	-	1	-	491	-	-	-	-	2	28	66	108	117	120	50	50
All other	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	3	3	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-	-	-	-
Malignant neoplasms of genital organs (179-187)	435	-	-	-	-	1	3	31	116	178	106	313	-	-	-	-	5	14	23	42	97	81	51	51
White	424	-	-	-	-	1	3	29	111	174	106	306	-	-	-	-	5	13	22	41	93	81	51	51
All other	11	-	-	-	-	-	-	2	5	4	-	7	-	-	-	-	-	1	1	1	4	-	-	-
Black	8	-	-	-	-	-	-	1	3	4	-	4	-	-	-	-	-	1	-	1	2	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 413

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 212 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
OREGON—Con.																								
Malignant neoplasms of urinary organs (188-189)	193	-	1	-	-	-	8	15	23	53	70	23	100	-	-	-	-	-	1	6	16	25	36	16
White	189	-	1	-	-	-	7	13	23	52	70	23	98	-	-	-	-	-	1	6	15	25	35	16
All other	4	-	-	-	-	-	1	2	-	1	-	2	2	-	-	-	-	-	-	-	1	-	1	-
Black	2	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	408	-	1	4	4	9	23	38	61	126	111	31	362	-	-	4	-	9	17	31	57	96	99	49
White	400	-	1	3	4	9	23	38	57	124	110	31	350	-	-	4	-	9	16	30	57	93	93	48
All other	8	-	-	-	-	-	-	-	-	2	1	-	12	-	-	-	-	-	1	1	-	3	6	1
Black	3	-	-	1	-	-	-	-	4	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Leukemia (204-208)	129	-	1	1	1	5	4	8	30	34	33	12	106	-	-	1	1	5	4	7	18	23	33	14
White	128	-	1	1	1	4	4	8	30	34	33	12	105	-	-	1	1	5	4	7	18	23	33	14
All other	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	198	-	-	-	2	9	11	17	21	61	57	20	175	-	-	-	1	1	3	4	16	54	72	24
White	192	-	-	-	2	9	11	16	18	60	57	19	171	-	-	-	1	1	3	4	16	51	71	24
All other	6	-	-	-	-	-	-	1	3	1	-	1	4	-	-	-	-	-	-	-	-	3	1	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	-	1	-	-	4	4	1	1	8	8	8	49	-	-	1	-	-	4	1	5	6	21	11
White	34	-	-	-	-	4	4	1	1	8	8	8	48	-	-	1	-	-	4	1	5	5	21	11
All other	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	246	-	-	-	-	3	14	24	33	60	77	35	315	-	-	-	-	3	11	21	42	71	105	62
White	235	-	-	-	-	3	14	24	33	56	72	33	303	-	-	-	-	3	11	20	41	68	100	60
All other	11	-	-	-	-	-	-	-	-	4	5	2	12	-	-	-	-	-	-	1	1	3	5	2
Black	4	-	-	-	-	-	-	-	-	2	2	-	8	-	-	-	-	-	-	1	-	1	5	1
Nutritional deficiencies (260-269)	9	-	-	-	-	-	-	-	-	-	3	6	31	-	-	-	-	1	-	-	-	2	9	19
White	9	-	-	-	-	-	-	-	-	-	3	6	29	-	-	-	-	1	-	-	-	1	9	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Anemias (280-285)	30	-	-	-	-	1	-	2	6	8	13	23	-	-	-	-	-	1	1	-	4	8	9	9
White	29	-	-	-	-	-	-	2	6	8	13	23	-	-	-	-	-	1	1	-	4	8	8	9
All other	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	5,040	2	1	2	4	18	101	240	539	1,293	1,777	1,063	5,167	3	2	2	4	12	32	97	243	768	1,738	2,266
White	4,912	2	-	1	4	17	93	227	526	1,258	1,739	1,045	5,055	3	1	2	3	9	27	87	233	754	1,699	2,237
All other	128	-	1	1	-	1	8	13	13	35	38	18	112	-	-	-	1	3	5	10	14	39	29	29
Black	57	-	1	1	-	3	6	7	7	20	15	4	54	-	-	-	1	3	6	2	7	18	15	15
Diseases of heart (390-398,402,404-429)	3,813	2	1	2	3	14	87	209	464	1,018	1,281	732	3,475	1	2	1	2	9	18	63	177	550	1,157	1,495
White	3,713	2	-	1	3	13	81	200	453	990	1,251	718	3,399	1	1	1	2	6	15	57	171	540	1,126	1,479
All other	100	-	1	1	-	1	6	9	11	28	30	13	76	-	-	-	-	3	3	6	6	10	31	16
Black	49	-	1	1	-	3	5	6	6	17	13	3	38	-	-	-	-	1	2	3	1	5	17	9
Rheumatic fever and rheumatic heart disease (390-398)	32	-	-	-	-	2	1	3	10	12	4	71	-	-	-	-	1	1	1	5	6	21	24	12
White	31	-	-	-	-	1	1	3	10	12	4	69	-	-	-	-	1	1	1	4	6	21	24	12
All other	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	63	-	-	-	-	3	2	8	13	22	15	116	-	-	-	-	-	1	3	5	11	34	62	62
White	62	-	-	-	-	3	2	8	12	22	15	115	-	-	-	-	-	-	1	3	5	11	34	62
All other	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	7	-	-	-	-	-	-	-	2	4	1	11	-	-	-	-	-	-	-	-	-	-	7	4
White	7	-	-	-	-	-	-	-	2	4	1	10	-	-	-	-	-	-	-	-	-	-	7	3
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	2,821	-	-	-	4	60	163	370	788	945	491	2,206	-	1	-	-	1	11	39	118	378	765	893	893
White	2,744	-	-	-	4	57	155	360	767	918	483	2,159	-	-	-	-	1	10	35	113	372	746	882	882
All other	77	-	-	-	-	3	8	10	21	27	8	47	-	1	-	-	-	1	4	5	6	19	11	11
Black	37	-	-	-	-	1	5	5	10	13	3	21	-	-	-	-	-	1	2	-	4	8	6	6
Acute myocardial infarction (410)	1,093	-	-	-	-	1	14	58	133	328	400	159	892	-	1	-	-	2	11	49	185	350	294	294
White	1,070	-	-	-	-	1	14	56	132	319	390	158	877	-	-	-	-	2	11	48	183	340	293	293
All other	23	-	-	-	-	-	2	1	9	10	1	15	-	1	-	-	-	-	-	1	2	10	1	1
Black	14	-	-	-	-	-	1	1	6	6	-	7	-	-	-	-	-	-	-	-	2			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 414

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 213 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix.]

Area, cause of death, and race	Male											Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OREGON—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	5	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-
White	4	-	-	-	-	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-	-	-	-	-	3	3	
White	4	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-	-	-	-	-	3	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,719	-	-	-	-	3	45	105	237	458	542	329	1,307	-	-	-	-	1	9	28	69	193	411	596	
White	1,666	-	-	-	-	3	42	99	228	446	525	323	1,275	-	-	-	-	1	8	24	65	189	402	586	
All other	53	-	-	-	-	-	3	6	9	12	17	6	32	-	-	-	-	1	4	4	4	4	9	10	
Black	22	-	-	-	-	-	1	4	4	4	7	2	14	-	-	-	-	1	2	-	2	2	4	5	
Other diseases of endocardium (424)	108	-	-	-	-	1	2	3	5	20	41	36	166	-	-	-	-	-	2	6	16	55	87		
White	105	-	-	-	-	1	1	3	5	20	41	34	163	-	-	-	-	-	2	6	16	53	86		
All other	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	1		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1		
All other forms of heart disease (415-423,425-429)	782	2	1	2	3	9	20	40	78	185	257	185	905	1	1	1	1	7	5	14	42	124	272	437	
White	764	2	-	1	3	8	19	39	77	179	254	182	883	1	1	1	1	5	4	13	41	120	262	434	
All other	18	-	1	1	-	1	1	1	1	6	3	3	22	-	-	-	-	2	1	1	1	4	10	3	
Black	10	-	1	1	-	-	1	-	1	6	-	-	12	-	-	-	-	1	-	-	1	1	7	2	
Hypertension with or without renal disease (401,403)	72	-	-	-	-	1	1	1	6	17	27	19	98	-	-	-	-	-	1	2	6	17	44	28	
White	68	-	-	-	-	1	1	1	6	16	25	18	91	-	-	-	-	-	1	2	4	16	43	25	
All other	4	-	-	-	-	-	-	-	-	1	2	1	7	-	-	-	-	-	-	-	2	1	1	3	
Black	1	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	1	3	
Cerebrovascular diseases (430-438)	833	-	-	-	1	9	11	24	44	161	345	244	1,269	2	-	-	1	3	8	28	49	152	429	597	
White	814	-	-	-	1	9	20	42	157	341	241	1,241	2	-	-	-	3	6	24	47	149	422	588		
All other	19	-	-	-	-	2	4	2	4	4	3	28	11	-	-	-	1	2	4	2	3	7	9		
Black	5	-	-	-	-	-	1	1	1	1	1	11	11	-	-	-	1	3	1	1	2	1	2		
Intracerebral and other intracranial hemorrhage (431-432)	96	-	-	-	-	-	4	9	8	31	32	12	137	-	-	-	-	-	1	10	19	28	46	35	
White	90	-	-	-	-	-	3	6	8	30	31	12	131	-	-	-	-	-	1	7	19	25	45	34	
All other	6	-	-	-	-	-	1	3	-	1	1	-	6	-	-	-	-	-	-	3	-	1	1	1	
Black	1	-	-	-	-	-	-	1	-	-	-	-	5	-	-	-	-	-	3	-	-	1	1	-	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	90	-	-	-	-	-	5	1	20	38	26	135	-	-	-	-	-	-	2	2	13	44	74		
White	87	-	-	-	-	-	5	1	19	36	26	133	-	-	-	-	-	-	2	2	13	43	73		
All other	3	-	-	-	-	-	-	-	1	2	-	2	2	-	-	-	-	-	-	-	-	1	1		
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	4	-	6	-	-	-	-	-	1	-	-	-	2	1	2	
White	4	-	-	-	-	-	-	-	-	4	-	6	-	-	-	-	-	1	-	-	-	2	1	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	643	-	-	-	1	3	7	10	35	110	271	206	991	2	-	-	1	2	7	18	28	111	338	486	
White	633	-	-	-	1	3	6	9	33	108	270	203	971	2	-	-	-	2	5	15	26	109	333	479	
All other	10	-	-	-	-	1	1	2	2	2	1	3	20	-	-	-	1	2	1	2	2	2	5	7	
Black	4	-	-	-	-	-	-	1	1	1	1	1	5	-	-	-	1	1	-	1	1	1	1	1	
Atherosclerosis (440)	119	-	-	-	-	-	2	7	38	35	37	182	-	-	-	-	-	-	2	4	19	54	103		
White	118	-	-	-	-	-	2	7	37	35	37	181	-	-	-	-	-	-	2	4	19	54	102		
All other	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
Black	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Other diseases of arteries, arterioles, and capillaries (441-448)	203	-	-	-	-	-	2	4	18	59	89	31	143	-	-	1	1	-	5	2	7	30	54	43	
White	199	-	-	-	-	-	2	4	18	58	87	30	143	-	-	1	1	-	5	2	7	30	54	43	
All other	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Acute bronchitis and bronchiolitis (466)	3	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
White	3	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	370	2	1	-	2	1	9	7	17	58	136	137	479	-	-	-	-	-	11	8	10	45	141	284	
White	355	2	-	-	2	1	8	6	15	54	132	135	472	-	-	-	-	-	10	6	10	43	141	282	
All other	15	-	1	-	-	-	1	1	2	4	4	2	7	-	-	-	-	-	1	2	-	2	-	2	
Black	9	-	1	-	-	-	1	1	1	1	2	2	3	-	-	-	-	-	-	1	-	2	-	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 416

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 215 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
OREGON—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	-	-	-	-	1	-	-	-	6	4	3	11	-	-	-	-	-	-	1	-	-	1	4	5
White	14	-	-	-	-	1	-	-	-	6	4	3	11	-	-	-	-	-	-	1	-	-	1	4	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	83	3	-	-	-	-	2	1	4	22	32	19	90	-	-	-	-	1	1	1	4	20	30	33	
White	75	3	-	-	-	-	2	1	3	18	29	19	86	-	-	-	-	1	1	1	4	20	27	32	
All other	8	-	-	-	-	-	-	-	1	4	3	4	4	-	-	-	-	-	-	-	-	-	3	1	
Black	2	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	2	1	
Infections of kidney (590)	5	-	-	-	-	-	-	-	1	3	1	12	-	-	-	-	-	-	-	-	2	2	3	5	
White	5	-	-	-	-	-	-	-	1	3	1	11	-	-	-	-	-	-	-	-	1	2	3	5	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	1	3	2	
White	6	-	-	-	-	-	-	-	1	3	2	
All other	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	
White	1	1	
All other	
Black	
Pregnancy with abortive outcome (630-638)	
White	
All other	
Black	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	
White	1	1	
All other	
Black	
Congenital anomalies (740-759)	79	37	7	6	5	3	1	3	1	2	6	8	62	28	1	4	2	2	1	5	6	6	2	5	
White	77	36	7	6	5	3	1	3	1	2	5	8	58	25	1	4	2	2	1	5	5	6	2	5	
All other	2	1	-	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	65	63	1	-	-	-	1	-	-	-	-	41	39	-	1	1	-	-	-	-	-	-	-	-	
White	57	55	1	-	-	-	1	-	-	-	-	37	35	-	1	1	-	-	-	-	-	-	-	-	
All other	8	8	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	
Black	7	7	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	10	1	-	-	-	-	-	-	-	-	6	5	-	-	1	-	-	-	-	-	-	-	-	
White	11	10	1	-	-	-	-	-	-	-	-	6	5	-	-	1	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	54	53	-	-	-	-	-	1	-	-	-	35	34	-	1	-	-	-	-	-	-	-	-	-	
White	46	45	-	-	-	-	-	1	-	-	-	31	30	-	1	-	-	-	-	-	-	-	-	-	
All other	8	8	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	
Black	7	7	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	306	58	2	1	3	4	10	12	39	57	63	57	327	38	1	1	2	4	4	6	15	48	77	133	
White	286	50	2	1	2	3	10	11	36	56	58	57	317	33	1	1	2	4	3	6	15	44	76	132	
All other	20	8	-	-	1	1	-	1	3	1	5	-	10	5	-	-	-	-	1	-	-	2	1	1	
Black	11	7	-	-	-	-	-	1	1	-	2	-	8	5	-	-	-	-	-	-	-	1	1	-	
All other diseases (Residual)	1,096	4	3	5	11	23	44	65	77	219	374	271	1,479	5	5	7	11	20	19	33	68	241	454	616	
White	1,062	3	2	5	9	22	42	59	73	211	369	267	1,453	4	5	5	11	20	18	31	66	237	445	611	
All other	34	1	1	-	2	1	2	6	4	8	5	4	26	1	-	2	-	-	1	2	2	4	9	5	
Black	15	-	-	-	1	-	1	3	3	3	3	3	13	1	-	1	-	-	2	-	-	1	5	3	
Accidents and adverse effects (E800-E949)	716	6	15	31	110	112	109	70	47	66	88	62	372	2	7	17	46	28	30	29	23	29	73	90	
White	667	5	14	24	99	107	99	66	42	62	88	61	350	2	6	14	39	25	26	28	22	29	69	90	
All other	49	1	1	7	11	5	10	4	5	4	4	4	22	-	1	3	7	4	4	1	1	-	4	-	
Black	17	-	-	3	5	2	4	1	1	1	1	1	11	-	-	2	4	-	3	-	-	-	2	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 418

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 217 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Viral hepatitis (070)	41	-	-	-	-	1	6	3	6	10	11	4	27	-	-	-	-	1	2	2	3	7	8	4
White	37	-	-	-	-	1	4	3	5	10	11	3	24	-	-	-	-	1	1	1	3	7	8	4
All other	4	-	-	-	-	-	2	-	1	-	-	1	3	-	-	-	-	2	1	-	-	-	-	-
Black	3	-	-	-	-	-	2	-	1	-	-	3	3	-	-	-	-	2	1	-	-	-	-	-
Syphilis (090-097)	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	1,046	7	3	2	20	299	390	162	78	42	30	13	264	3	4	1	6	49	51	29	28	21	50	22
White	678	5	2	2	9	184	242	113	52	30	27	12	171	1	2	1	4	25	21	16	19	17	45	20
All other	368	2	1	-	11	115	148	49	26	12	3	1	93	2	2	-	2	24	30	13	9	4	5	2
Black	364	2	-	-	11	114	148	48	26	12	2	1	91	2	2	-	1	24	30	13	8	4	5	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	15,555	4	16	25	51	126	326	1,018	2,701	5,382	4,497	1,409	14,759	-	8	9	36	131	442	1,053	2,270	4,482	4,334	1,985
White	14,046	4	12	21	43	107	262	872	2,364	4,868	4,193	1,300	13,330	-	6	7	36	106	373	876	1,981	4,071	4,026	1,845
All other	1,509	-	4	4	8	19	64	146	337	514	304	109	1,429	-	2	2	-	25	69	177	289	411	308	140
Black	1,463	-	3	4	8	15	59	142	327	502	295	108	1,368	-	2	2	-	23	65	165	273	401	301	136
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	240	-	-	-	-	1	13	28	62	70	46	20	137	-	-	-	1	1	2	13	31	36	37	16
White	200	-	-	-	-	1	6	22	49	60	44	18	123	-	-	-	1	1	1	11	26	31	36	16
All other	40	-	-	-	-	-	7	6	13	10	2	2	14	-	-	-	-	1	2	5	5	1	-	-
Black	40	-	-	-	-	-	7	6	13	10	2	2	14	-	-	-	-	1	2	5	5	1	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,811	-	-	1	4	14	82	253	657	1,322	1,127	351	3,611	-	-	-	2	18	48	159	437	893	1,294	660
White	3,449	-	-	1	4	13	61	211	567	1,199	1,066	327	3,217	-	-	-	2	14	38	124	371	880	1,174	614
All other	362	-	-	-	-	1	21	42	90	123	61	24	394	-	-	-	-	4	10	35	66	113	120	46
Black	345	-	-	-	-	-	19	40	84	117	61	24	374	-	-	-	-	4	10	28	60	110	116	46
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,229	-	-	-	1	6	78	367	1,113	2,017	1,390	257	3,150	-	-	-	2	9	64	228	585	1,180	851	230
White	4,700	-	-	-	-	4	58	311	968	1,821	1,293	245	2,831	-	-	-	2	8	50	191	497	1,068	802	212
All other	529	-	-	-	1	2	20	56	145	196	97	12	319	-	-	-	-	1	14	37	88	112	49	18
Black	514	-	-	-	1	2	19	56	141	192	91	12	307	-	-	-	-	1	14	37	83	106	48	18
Malignant neoplasm of breast (174-175)	16	-	-	-	-	-	1	5	5	5	-	-	2,654	-	-	-	-	26	158	306	474	770	605	314
White	12	-	-	-	-	-	1	4	3	4	-	-	2,419	-	-	-	-	20	141	262	418	715	569	293
All other	4	-	-	-	-	-	-	1	2	1	-	-	235	-	-	-	-	6	17	44	56	55	36	21
Black	4	-	-	-	-	-	-	1	2	1	-	-	229	-	-	-	-	6	17	42	54	55	35	20
Malignant neoplasms of genital organs (179-187)	1,910	-	-	-	4	7	4	13	132	569	799	382	1,487	-	-	-	-	21	68	135	273	453	374	163
White	1,662	-	-	-	4	7	4	9	109	485	713	331	1,324	-	-	-	-	15	57	108	245	401	348	150
All other	248	-	-	-	-	-	-	4	23	84	86	51	163	-	-	-	-	6	11	27	28	52	26	13
Black	247	-	-	-	-	-	-	4	23	84	86	50	154	-	-	-	-	5	9	25	26	51	26	12
Malignant neoplasms of urinary organs (188-189)	805	-	-	1	-	5	12	41	130	261	253	102	455	-	1	1	-	1	4	21	43	120	169	95
White	751	-	-	-	-	4	10	37	120	246	241	93	413	-	1	1	-	2	19	39	109	155	87	87
All other	54	-	-	1	-	1	2	4	10	15	12	9	42	-	-	-	-	1	2	2	4	11	14	8
Black	53	-	-	1	-	1	2	4	10	15	11	9	40	-	-	-	-	1	2	2	4	11	14	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	2,084	3	10	9	24	53	81	214	385	660	476	169	1,840	-	3	3	14	26	56	120	253	504	569	291
White	1,915	3	6	8	18	46	72	189	350	606	455	162	1,699	-	2	2	14	24	52	102	230	462	535	275
All other	169	-	4	1	6	7	9	25	35	54	21	7	141	-	1	1	-	2	4	18	23	42	34	16
Black	163	-	3	1	6	5	7	25	35	53	21	7	136	-	1	1	-	2	3	17	22	42	33	15
Leukemia (204-208)	611	1	5	14	8	22	28	36	88	185	165	59	521	-	4	5	12	10	22	30	61	126	158	93
White	569	1	5	12	7	17	25	34	82	177	153	56	474	-	3	4	12	6	17	29	57	116	146	84
All other	42	-	-	2	1	5	3	2	6	8	12	3	47	-	1	1	-	4	5	1	4	10	12	9
Black	40	-	-	2	1	4	3	2	6	8	11	3	46	-	1	1	-	3	5	1	4	10	12	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	849	-	1	-	10	18	28	65	129	293	236	69	898	-	-	-	5	19	20	41	113	300	277	123
White	788	-	1	-	10	15	26	58	115	271	224	68	830	-	-	-	5	18	15	30	98	289	261	114
All other	61	-	-	-	-	3	2	7	14	22	12	1	68	-	-	-	-	1	5	11	15	11	16	9
Black	57	-	-	-	-	3	2	5	14	21	11	1	68	-	-	-	-	1	5	11	15	11	16	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	204	3	4	7	2	3	8	11	28	60	52	26	224	1	1	1	4	3	8	5	11	59	77	54
White	187	3	3	7	2	3	8	10	24	54	49	24	203	1	1	-	4	2	6	5	11	51	72	50
All other	17	-	1	-	-	-	-	1	4	6	3	2	21	-	-	-	-	1	2	-	-	8	5	4
Black	16	-	1	-	-	-	-	1	3	6	3	2	20	-	-	-	-	1	2	-	-	8	5	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 419

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 218 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Diabetes mellitus (250)	1,334	-	-	1	2	16	50	95	201	405	410	154	1,811	-	-	-	2	12	30	63	201	495	623	385
White	1,207	-	-	1	2	14	41	76	167	377	389	140	1,616	-	-	-	1	10	22	47	172	440	565	359
All other	127	-	-	-	-	2	9	19	34	28	21	14	195	-	-	-	1	2	8	16	28	55	58	26
Black	126	-	-	-	-	2	9	19	34	27	21	14	193	-	-	-	1	2	7	16	28	55	58	26
Nutritional deficiencies (260-269)	62	2	1	1	-	1	-	2	3	7	19	26	117	-	-	-	1	-	1	1	1	13	32	68
White	51	1	-	1	-	1	-	2	3	6	16	21	108	-	-	-	1	-	1	1	1	12	28	65
All other	11	1	1	-	-	-	-	-	-	1	3	5	9	-	-	-	-	-	1	-	-	1	4	3
Black	10	1	1	-	-	-	-	-	-	1	2	5	9	-	-	-	-	-	1	-	-	1	4	3
Anemias (280-285)	104	1	3	3	2	7	1	3	4	18	40	22	162	2	-	-	2	8	9	7	3	20	48	63
White	84	-	2	2	1	2	-	2	4	15	35	21	130	1	-	-	1	1	3	4	3	18	40	59
All other	20	1	1	1	1	5	1	1	-	3	5	1	32	1	-	-	1	7	6	3	-	2	8	4
Black	20	1	1	1	1	5	1	1	-	3	5	1	32	1	-	-	1	7	6	3	-	2	8	4
Meningitis (320-322)	17	1	-	-	-	1	5	-	5	3	2	-	19	4	-	-	-	1	1	1	1	5	4	2
White	13	1	-	-	-	1	3	-	4	3	1	-	15	2	-	-	-	1	1	1	1	5	4	2
All other	4	-	-	-	-	-	2	-	1	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	2	-	1	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	25,203	20	4	11	41	147	552	1,324	3,175	7,107	8,170	4,650	28,506	15	8	9	22	85	195	538	1,570	4,864	9,677	11,522
White	23,251	17	3	5	32	115	449	1,117	2,820	6,537	7,736	4,419	26,348	11	7	5	15	66	140	406	1,262	4,337	9,073	11,025
All other	1,952	3	1	6	9	32	103	207	355	570	434	231	2,158	4	1	4	7	19	55	132	308	527	604	497
Black	1,900	3	1	6	9	32	100	198	346	561	418	225	2,117	4	1	3	7	18	54	128	303	518	590	491
Diseases of heart (390-399,402,404-429)	21,002	17	3	9	33	126	481	1,173	2,785	6,022	6,646	3,705	22,203	12	7	8	17	64	128	437	1,267	3,891	7,520	8,852
White	19,419	14	2	4	24	100	401	1,009	2,487	5,556	6,296	3,525	20,568	9	6	4	11	50	88	341	1,015	3,481	7,081	8,482
All other	1,583	3	1	5	9	26	80	164	298	466	350	180	1,635	3	1	4	6	14	40	96	252	410	439	370
Black	1,548	3	1	5	9	26	79	159	290	459	341	175	1,605	3	1	3	6	13	39	94	248	402	431	365
Rheumatic fever and rheumatic heart disease (390-399)	97	-	-	-	2	2	7	14	11	30	23	8	264	-	-	-	-	5	2	9	30	82	92	44
White	90	-	-	-	1	1	7	11	10	29	23	8	251	-	-	-	-	5	1	8	29	76	88	44
All other	7	-	-	-	1	1	-	3	1	1	-	-	13	-	-	-	-	1	1	1	1	6	4	-
Black	7	-	-	-	1	1	-	3	1	1	-	-	12	-	-	-	-	1	-	1	1	6	4	-
Hypertensive heart disease (402)	261	-	-	-	-	5	23	32	55	98	95	53	537	-	-	-	-	1	6	20	36	85	181	208
White	284	-	-	-	-	4	10	19	41	79	86	45	446	-	-	-	-	4	9	18	62	156	197	197
All other	77	-	-	-	-	1	13	13	14	19	9	8	91	-	-	-	-	1	2	11	18	23	25	11
Black	77	-	-	-	-	1	13	13	14	19	9	8	90	-	-	-	-	1	2	11	18	23	24	11
Hypertensive heart and renal disease (404)	51	-	-	-	-	1	-	3	4	14	12	17	96	-	-	-	-	2	2	4	13	36	39	39
White	41	-	-	-	-	-	-	1	2	11	10	17	85	-	-	-	-	1	1	2	10	34	37	37
All other	10	-	-	-	-	1	-	2	2	3	2	2	11	-	-	-	-	1	1	2	3	2	2	2
Black	10	-	-	-	-	1	-	2	2	3	2	2	11	-	-	-	-	1	1	2	3	2	2	2
Ischemic heart disease (410-414)	14,043	2	-	-	7	44	269	735	1,900	4,143	4,598	2,343	13,825	2	-	1	5	15	50	239	789	2,568	4,890	5,266
White	13,371	2	-	-	7	39	240	681	1,774	3,952	4,419	2,256	13,075	1	-	1	3	15	39	209	676	2,372	4,677	5,082
All other	672	-	-	-	-	5	29	54	126	191	179	87	750	1	-	2	2	11	30	113	196	213	184	184
Black	654	-	-	-	-	5	28	51	120	189	174	86	739	1	-	2	2	11	30	112	192	210	181	181
Acute myocardial infarction (410)	7,920	2	-	-	2	28	172	506	1,247	2,420	2,482	1,059	7,245	2	-	-	4	5	39	159	517	1,568	2,724	2,227
White	7,539	2	-	-	2	24	160	467	1,170	2,324	2,378	1,011	6,814	1	-	-	2	5	33	141	442	1,458	2,594	2,138
All other	381	-	-	-	-	4	12	39	77	96	104	48	431	1	-	-	2	6	18	75	110	130	89	89
Black	370	-	-	-	-	4	12	36	72	95	103	47	424	1	-	-	2	6	18	74	108	128	87	87
Other acute and subacute forms of ischemic heart disease (411)	44	-	-	-	-	-	-	3	7	11	15	8	35	-	-	-	-	-	-	-	1	8	12	14
White	42	-	-	-	-	-	-	3	7	10	14	8	34	-	-	-	-	-	-	-	1	8	12	13
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	19	-	-	-	-	-	-	1	2	4	6	6	33	-	-	-	-	1	-	2	2	-	10	18
White	19	-	-	-	-	-	-	1	2	4	6	6	31	-	-	-	-	1	-	2	2	-	9	17
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,060	-	-	-	5	16	97	225	644	1,708	2,095	1,270	6,512	-	-	1	1	9	11	78	269	992	2,144	3,007
White	5,771	-	-	-	5	15	80	210	595	1,614	2,021	1,231	6,196	-	-	1	1	9	6	66	231	906	2,062	2,914
All other	289	-	-	-	-	1	17	15	49	94	74	39	316	-	-	-	-	5	12	38	86	86	82	93
Black	282	-	-	-	-	1	16	15	48	93	70	39	312	-	-	-	-	5	12	38	84	81	81	92
Other diseases of endocardium (424)	414	-	1	-	-	2	7	16	39	93	145	111	671	-	-	-	1	1	3	13	28	97	232	296
White	394	-	1	-	-	1	6	14	36	88	139	109	635	-	-	-	1	1	2	10	19	90	222	290
All other	20	-	-	-	-	1	1	2	3	5	6	2	36	-	-	-	-	-	1	3	9	7	10	6
Black	18	-	-	-	-	1	1	2	3	4	5	2	36	-	-	-	-	-						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 420

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 219 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
PENNSYLVANIA—Con.																									
All other forms of heart disease (415-423,425-429)	6,036	15	2	9	24	72	175	373	776	1,644	1,773	1,173	6,810	10	7	7	11	42	65	154	380	1,046	2,089	2,999	
White	5,239	12	1	4	16	55	138	283	624	1,397	1,619	1,090	6,076	8	6	3	7	29	41	104	271	871	1,904	2,832	
All other	797	3	1	5	8	17	37	90	152	247	154	83	734	2	1	4	4	13	24	50	109	175	185	167	
Black	782	3	1	5	8	17	37	88	150	243	151	79	717	2	1	3	4	12	23	49	106	171	181	165	
Hypertension with or without renal disease (401,403)	197	-	-	-	-	2	4	20	32	46	59	34	300	-	-	-	1	-	-	5	21	70	86	117	
White	159	-	-	-	-	-	3	10	24	36	57	29	250	-	-	-	1	-	-	2	15	54	68	110	
All other	38	-	-	-	-	2	1	10	8	10	2	5	50	-	-	-	-	-	-	3	6	16	18	7	
Black	37	-	-	-	-	2	1	9	8	10	2	5	49	-	-	-	-	-	-	3	6	16	17	7	
Cerebrovascular diseases (430-438)	2,902	3	1	2	8	16	59	107	258	691	1,081	676	4,789	3	-	1	3	18	52	89	234	685	1,678	2,025	
White	2,629	3	1	1	8	12	38	77	219	620	1,013	637	4,411	2	-	1	3	15	44	57	189	608	1,557	1,934	
All other	273	-	-	1	-	4	21	30	39	71	68	39	376	1	-	-	-	3	8	32	45	77	121	91	
Black	262	-	-	1	-	4	20	27	39	70	63	38	369	1	-	-	-	3	8	30	44	77	116	90	
Intracerebral and other intracranial hemorrhage (431-432)	507	-	-	-	1	8	32	51	75	127	149	64	653	-	-	-	1	1	2	14	29	65	156	230	155
White	433	-	-	-	1	7	19	28	62	113	143	60	584	-	-	1	1	-	13	17	55	140	210	147	
All other	74	-	-	-	-	1	13	23	13	14	6	4	69	-	-	-	-	2	1	12	10	16	20	8	
Black	72	-	-	-	-	1	13	21	13	14	6	4	64	-	-	-	-	2	1	10	9	16	18	8	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	392	1	1	-	-	1	4	6	33	99	153	94	642	1	-	-	-	2	5	3	24	97	228	282	
White	369	1	1	-	-	1	3	6	29	95	146	87	595	1	-	-	-	2	5	1	18	87	214	267	
All other	23	-	-	-	-	-	1	-	4	4	7	7	47	-	-	-	-	-	-	2	6	10	14	15	
Black	22	-	-	-	-	-	1	-	4	4	7	6	46	-	-	-	-	-	-	2	6	10	14	14	
Cerebral embolism (434.1)	16	-	-	-	-	1	-	-	2	7	3	3	27	-	-	-	-	-	-	2	2	7	10	6	
White	16	-	-	-	-	1	-	-	2	7	3	3	27	-	-	-	-	-	-	2	2	7	10	6	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,987	2	-	2	7	6	23	50	148	458	776	515	3,467	2	-	-	2	14	33	55	143	425	1,210	1,582	
White	1,811	2	-	1	7	3	16	43	126	405	721	487	3,205	1	-	-	2	13	26	37	114	374	1,123	1,514	
All other	176	-	-	1	-	3	7	7	22	53	55	28	262	1	-	-	-	1	7	18	29	51	87	68	
Black	168	-	-	1	-	3	6	6	22	52	50	28	259	1	-	-	-	1	7	18	29	51	84	68	
Atherosclerosis (440)	255	-	-	-	-	-	-	2	12	56	90	95	497	-	-	-	-	-	2	1	12	46	131	305	
White	239	-	-	-	-	-	-	2	12	49	86	90	465	-	-	-	-	-	2	1	11	43	118	290	
All other	16	-	-	-	-	-	-	-	7	4	5	5	32	-	-	-	-	-	-	-	1	3	13	15	
Black	16	-	-	-	-	-	-	-	7	4	5	5	32	-	-	-	-	-	-	-	1	3	13	15	
Other diseases of arteries, arterioles, and capillaries (441-448)	847	-	-	-	-	3	8	22	88	292	294	140	717	-	1	-	1	3	13	6	36	172	262	223	
White	805	-	-	-	-	3	7	19	78	276	284	138	654	-	1	-	-	1	6	5	32	151	249	209	
All other	42	-	-	-	-	-	1	3	10	16	10	2	63	-	-	-	1	2	7	1	4	21	13	14	
Black	37	-	-	-	-	-	-	3	9	15	8	2	62	-	-	-	1	2	7	1	4	20	13	14	
Acute bronchitis and bronchiolitis (466)	21	3	-	-	-	1	2	-	1	3	7	4	20	2	-	-	-	1	-	1	-	5	4	7	
White	19	2	-	-	-	1	2	-	1	3	6	4	17	1	-	-	-	-	-	1	-	5	4	7	
All other	2	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	1	-	1	-	-	-	-	
Black	2	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	1	-	1	-	-	-	-	
Pneumonia and influenza (480-487)	1,812	14	2	2	3	19	27	36	91	312	690	616	2,227	15	4	2	1	11	19	33	60	258	690	1,134	
White	1,667	8	2	1	2	9	18	32	72	283	655	585	2,077	11	3	2	1	9	10	24	52	235	649	1,081	
All other	145	6	-	1	1	10	9	4	19	29	35	31	150	4	1	-	-	2	9	9	8	23	41	53	
Black	137	5	-	1	1	10	9	4	18	28	33	28	144	4	1	-	-	2	9	9	8	20	40	51	
Pneumonia (480-486)	1,790	14	2	1	3	19	25	36	91	310	684	605	2,179	15	4	2	1	11	17	33	59	254	677	1,106	
White	1,646	8	2	-	2	9	16	32	72	281	649	575	2,030	11	3	2	1	9	8	24	51	231	636	1,054	
All other	144	6	-	1	1	10	9	4	19	29	35	30	149	4	1	-	-	2	9	9	8	23	41	52	
Black	137	5	-	1	1	10	9	4	18	28	33	28	143	4	1	-	-	2	9	9	8	20	40	50	
Influenza (487)	22	-	-	1	-	-	2	-	-	2	6	11	48	-	-	-	-	-	2	-	1	4	13	28	
White	21	-	-	1	-	-	2	-	-	2	6	10	47	-	-	-	-	-	2	-	1	4	13	27	
All other	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,617	-	-	1	4	8	16	52	258	831	1,057	390	2,160	-	-	1	2	1	11	40	221	649	831	404	
White	2,459	-	-	1	2	4	11	42	234	772	1,019	374	2,038	-	-	1	-	1	7	31	197	604	806	391	
All other	158	-	-	-	2	4	5	10	24	59	38	16	122	-	-	-	2	-	4	9	24	45	25	13	
Black	153	-	-	-	1	4	5	10	24	57	37	15	121	-	-	-	2	-	4	9	24	44	25	13	
Bronchitis, chronic and unspecified (490-491)	67	-	-	-	1	1	-	1	4	25	26	9	83	-	-	-	-	-	-	-	5	17	34	27	
White	63	-	-	-	1	-	-	1	4	23	25	9	80	-	-	-	-	-	-	-	5	15	34	26	
All other	4	-	-	-	-	-	-	-	2	2	1	-	3	-	-	-	-	-	-	-	-	2	-	1	
Black	4	-	-	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	-	-	-	2	-	1	
Emphysema (492)	408	-	-	-	-	4	10</																		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 421

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 220 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
PENNSYLVANIA—Con.																								
Asthma (493)	66	-	-	1	3	6	7	6	12	12	7	143	-	-	1	2	-	8	11	16	42	40	23	23
White	56	-	-	1	1	4	6	5	11	10	6	121	-	-	1	-	-	5	7	13	37	35	-	-
All other	10	-	-	-	2	2	1	1	1	2	-	22	-	-	-	2	-	3	4	3	5	5	-	-
Black	9	-	-	-	1	2	1	1	1	2	-	22	-	-	-	2	-	3	4	3	5	5	-	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	2,076	-	-	-	1	5	35	204	643	861	327	1,616	-	-	-	-	1	3	18	162	481	637	314	314
White	1,955	-	-	-	-	2	28	182	600	828	315	1,532	-	-	-	-	1	2	14	143	448	620	304	304
All other	121	-	-	-	1	3	7	22	43	33	12	84	-	-	-	-	1	4	19	33	17	10	10	10
Black	117	-	-	-	1	3	7	22	41	32	11	83	-	-	-	-	1	4	19	32	17	10	10	10
Ulcer of stomach and duodenum (531-533)	139	-	-	-	1	2	8	12	30	52	34	163	-	-	-	-	-	2	2	12	26	64	57	57
White	130	-	-	-	1	1	8	10	27	51	32	154	-	-	-	-	-	2	2	7	26	62	55	55
All other	9	-	-	-	-	1	1	2	3	1	2	9	-	-	-	-	-	-	-	5	-	2	2	2
Black	9	-	-	-	-	1	-	2	3	1	2	9	-	-	-	-	-	-	-	5	-	2	2	2
Appendicitis (540-543)	9	-	-	-	-	-	-	-	1	5	2	11	-	-	-	-	-	1	1	1	5	2	1	1
White	9	-	-	-	-	-	-	-	1	5	2	11	-	-	-	-	-	1	1	1	5	2	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	117	1	-	-	2	2	1	4	9	20	42	36	240	1	1	-	2	1	5	2	6	24	96	102
White	105	1	-	-	2	2	1	4	8	18	35	34	218	1	1	-	2	1	4	2	6	22	84	95
All other	12	-	-	-	-	-	-	-	1	2	7	2	22	-	-	-	-	-	1	-	-	2	12	7
Black	11	-	-	-	-	-	-	-	1	2	6	2	22	-	-	-	-	-	1	-	-	2	12	7
Chronic liver disease and cirrhosis (571)	762	-	-	-	1	12	106	140	196	174	114	19	446	1	-	-	-	8	37	48	70	133	114	35
White	668	-	-	-	-	10	86	114	169	161	109	19	387	-	-	-	-	6	26	36	60	116	108	35
All other	94	-	-	-	1	2	20	26	27	13	5	-	59	1	-	-	-	2	11	12	10	17	6	-
Black	90	-	-	-	1	2	18	26	27	12	4	-	59	1	-	-	-	2	11	12	10	17	6	-
Cholelithiasis and other disorders of gallbladder (574-575)	70	-	-	-	-	-	-	3	2	19	28	18	79	-	-	-	-	2	1	4	14	29	29	29
White	67	-	-	-	-	-	-	2	2	17	28	18	75	-	-	-	-	1	1	3	13	28	29	29
All other	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-	-	1	1	1	-	-
Black	3	-	-	-	-	-	-	1	-	2	-	-	4	-	-	-	-	-	-	1	1	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	792	2	-	-	2	4	20	26	54	171	294	219	842	5	-	-	1	2	8	17	54	160	296	298
White	705	2	-	-	1	3	14	16	40	143	278	208	735	3	-	-	-	2	5	13	35	135	267	275
All other	87	-	-	-	1	1	6	10	14	28	16	11	107	2	-	-	1	-	3	4	19	25	29	23
Black	84	-	-	-	1	1	6	10	13	27	15	11	104	2	-	-	1	-	3	4	18	24	28	23
Acute glomerulonephritis and nephrotic syndrome (580-581)	10	1	-	-	-	-	-	-	2	-	4	3	12	-	-	-	-	-	-	-	-	3	6	3
White	10	1	-	-	-	-	-	-	2	-	4	3	11	-	-	-	-	-	-	-	-	2	6	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	32	-	-	-	-	-	-	1	2	4	11	14	30	-	-	-	-	-	-	1	1	6	11	11
White	28	-	-	-	-	-	-	-	2	4	10	12	26	-	-	-	-	-	-	1	-	6	10	9
All other	4	-	-	-	-	-	-	1	-	-	1	2	4	-	-	-	-	-	-	-	1	-	1	2
Black	4	-	-	-	-	-	-	1	-	-	1	2	4	-	-	-	-	-	-	-	1	-	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	750	1	-	-	2	4	20	25	50	167	279	202	800	5	-	-	1	2	8	16	53	151	279	284
White	667	1	-	-	1	3	14	16	36	139	264	193	698	3	-	-	-	2	5	12	35	127	251	263
All other	83	-	-	-	1	1	6	9	14	28	15	9	102	2	-	-	1	3	4	18	24	28	21	21
Black	80	-	-	-	1	1	6	9	13	27	14	9	99	2	-	-	1	3	4	17	23	27	21	21
Infections of kidney (590)	10	-	-	-	-	-	-	1	1	1	3	4	35	-	-	-	-	-	-	1	5	4	8	17
White	9	-	-	-	-	-	-	-	1	1	3	4	32	-	-	-	-	-	-	1	4	4	7	16
All other	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1
Hyperplasia of prostate (600)	19	-	-	-	-	-	-	-	1	7	11	11
White	19	-	-	-	-	-	-	-	1	7	11	11
All other	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	11	4	6	1
White	4	1	2	1
All other	7	3	4	-
Black	6	3	3	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 422

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 221 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
PENNSYLVANIA—Con.																									
Pregnancy with abortive outcome (630-639)	1												1												
White																									
All other	1												1												
Black	1												1												
Other complications of pregnancy, childbirth, and the puerperium (640-676)	10												4												
White	4												1												
All other	6												3												
Black	5												2												
Congenital anomalies (740-759)	294	182	20	8	13	14	9	7	8	17	12	4	232	142	10	7	6	5	9	10	14	14	11	4	
White	243	141	18	8	10	13	7	7	8	16	11	4	185	107	6	7	5	2	9	10	13	12	10	4	
All other	51	41	2		3	1	2			1			47	35	4		1	3			1	2	1		
Black	48	38	2		3	1	2			1	1		46	34	4		1	3			1	2	1		
Certain conditions originating in the perinatal period (760-779)	419	413	5				1						323	320	2										
White	255	252	2				1						185	183	1										
All other	164	161	3										138	137	1										
Black	164	161	3										133	132	1										
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	83	82	1										61	61											
White	58	58											40	40											
All other	25	24	1										21	21											
Black	25	24	1										21	21											
Other conditions originating in the perinatal period (760-766,770-779)	336	331	4				1						262	259	2										
White	197	194	2				1						145	143	1										
All other	139	137	2										117	116	1										
Black	139	137	2										112	111	1										
Symptoms, signs, and ill-defined conditions (780-799)	668	112	5	1	7	28	43	45	96	150	116	65	644	87	5	2	8	14	19	25	33	105	160	186	
White	522	65	3		5	15	33	38	74	128	107	54	516	43	2	2	5	9	10	19	26	90	139	171	
All other	146	47	2	1	2	13	10	7	22	22	9	11	128	44	3		3	5	9	6	7	15	21	15	
Black	135	44	1	1	2	12	10	7	19	22	8	9	127	43	3		3	5	9	6	7	15	21	15	
All other diseases (Residual)	4,683	37	21	22	44	77	202	216	441	1,074	1,593	956	5,767	26	13	15	34	66	139	162	350	967	1,862	2,133	
White	4,184	31	17	17	37	59	154	165	367	945	1,493	899	5,234	19	9	14	25	46	94	125	290	863	1,723	2,026	
All other	499	6	4	5	7	18	48	51	74	129	100	57	533	7	4	1	9	20	45	37	60	104	139	107	
Black	482	5	4	4	7	18	47	50	74	126	95	52	517	6	4	1	8	20	44	36	58	102	134	104	
Accidents and adverse effects (E800-E949)	2,653	17	60	90	397	486	439	203	222	250	313	175	1,461	14	31	41	132	137	125	62	94	219	307	299	
White	2,279	8	43	69	353	426	363	154	180	221	293	168	1,295	9	23	26	118	116	91	53	82	206	290	281	
All other	374	9	17	21	44	60	76	49	42	29	20	7	166	5	8	15	14	21	34	9	12	13	17	18	
Black	356	9	16	17	39	56	76	46	42	29	19	7	153	5	7	13	12	19	32	7	11	13	16	18	
Motor vehicle accidents (E810-E825)	1,110	1	15	38	295	241	163	79	92	78	83	25	527	1	10	22	100	81	57	31	38	93	74	20	
White	1,011		14	32	266	217	154	71	80	72	80	25	490	1	8	16	94	75	47	29	36	92	73	19	
All other	99	1	6	29	24	9	8	12	6	3			37		2	6	6	10	2	2	1	1	1	1	
Black	88	1	1	5	25	21	9	6	12	6	2		29		2	6	4	4	8	1	1	1	1	1	
All other accidents and adverse effects (E800-E807, E826-E949)	1,543	16	45	52	102	245	276	124	130	172	230	150	934	13	21	19	32	56	68	31	56	126	233	279	
White	1,268	8	29	37	87	209	209	83	100	149	213	143	805	8	15	10	24	41	44	24	46	114	217	262	
All other	275	8	16	15	15	36	67	41	30	23	17	7	129	5	6	9	8	15	24	7	10	12	16	17	
Black	268	8	15	12	14	35	67	40	30	23	17	7	124	5	5	7	8	15	24	6	10	12	15	17	
Suicide (E950-E959)	1,130			9	192	241	224	140	110	108	87	19	259			2	19	57	52	54	34	24	13	4	
White	1,040			6	175	206	206	127	108	108	85	19	231			2	17	47	43	51	32	22	13	4	
All other	90			3	17	35	18	13	2		2		28				2	10	9	3	2	2			
Black	86			2	16	34	18	12	2		2		20				1	9	7	2		1			
Homicide and legal intervention (E960-E978)	611	5	9	12	212	175	113	43	17	13	11		171	5	2	12	38	52	35	11	3	7	5	1	
White	229	3	7	6	48	62	53	23	9	10	7		88	2	1	8	14	27	14	10	1	6	4	1	
All other	382	2	2	6	164	113	60	20	8	3	4		83	3	1	4	24	25	21	1	2	1	1		
Black	376	2	2	6	162	111	59	20	7	3	4		79	3	1	4	24	25	18	1	2	1			
All other external causes (E980-E999)	120	2			16	43	30	8	11	5	4		36		1		4	12	8	6	2	3			
White	100	1			13	35	28	6	8	4	4		29			3	11	7	5	2	1				
All other	20	1			3	8	2	2	3	1			7		1		1	1	1		2				
Black	20	1			3	8	2	2	3	1			7		1		1	1	1		2				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 423

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 222 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND																								
All causes	4,582	66	9	9	60	132	203	238	525	1,237	1,405	698	4,887	41	6	5	18	59	97	157	384	886	1,533	1,701
White	4,401	52	6	8	56	114	182	220	498	1,198	1,381	686	4,745	36	6	5	15	50	86	146	355	861	1,512	1,673
All other	181	14	3	1	4	18	21	18	27	39	24	12	142	5	-	-	3	9	11	11	29	25	21	28
Black	139	11	3	1	2	14	20	18	22	27	14	7	123	4	-	-	2	9	10	9	26	22	18	23
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	5	-	-	-	-	-	-	-	2	-	3	-	4	-	-	-	-	-	-	-	-	1	1	2
White	4	-	-	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-	-	-	-	1	1	2
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
White	3	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	2	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	1	-	2
White	1	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	-	2
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (039)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (039)	50	-	1	-	1	-	1	2	6	12	19	8	69	-	-	-	-	-	-	4	9	27	29	
White	47	-	1	-	1	-	1	2	6	10	19	8	68	-	-	-	-	-	-	3	9	27	29	
All other	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	
Black	2	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	-	-	-	-	-	3	2	-	1	-	-	8	-	-	-	3	-	1	1	1	1	2	-
White	6	-	-	-	-	-	3	2	-	1	-	-	8	-	-	-	3	-	1	1	1	1	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	88	1	-	-	2	30	32	14	3	2	4	-	24	2	-	-	-	4	5	-	5	3	3	2
White	73	1	-	-	2	23	26	12	3	2	4	-	19	1	-	-	-	2	3	-	5	3	3	2
All other	15	-	-	-	-	7	6	2	-	-	-	-	5	1	-	-	-	2	2	-	-	-	-	-
Black	15	-	-	-	-	7	6	2	-	-	-	-	4	-	-	-	-	2	2	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,277	-	-	1	8	12	28	74	218	449	374	113	1,240	-	1	-	3	15	43	73	166	365	387	187
White	1,228	-	-	1	7	11	28	65	212	431	360	113	1,196	-	1	-	1	14	39	67	155	357	378	184
All other	49	-	-	-	1	1	-	9	6	18	14	-	44	-	-	-	2	4	6	11	8	8	9	3
Black	34	-	-	-	1	-	-	9	4	11	9	-	35	-	-	-	1	3	5	10	6	7	7	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 424

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 223 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
RHODE ISLAND—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	27	-	-	-	-	1	2	6	12	6	-	10	-	-	-	-	-	2	-	1	-	-	4	3
White	27	-	-	-	-	1	2	6	12	6	-	9	-	-	-	-	-	1	-	1	-	-	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	334	-	-	-	2	5	23	50	123	104	27	311	-	-	-	2	-	4	8	26	62	117	72	
White	319	-	-	-	2	5	19	49	117	100	27	300	-	-	-	-	-	4	8	23	61	114	70	
All other	15	-	-	-	-	-	4	1	6	4	-	11	-	-	-	2	-	-	-	3	1	3	2	
Black	12	-	-	-	-	-	4	-	5	3	-	8	-	-	1	-	-	-	-	2	1	3	1	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	431	-	-	-	-	10	32	94	165	105	25	278	-	-	-	2	9	17	52	88	87	23		
White	412	-	-	-	-	10	30	90	158	99	25	269	-	-	-	2	8	16	48	86	86	23		
All other	19	-	-	-	-	-	2	4	7	6	-	9	-	-	-	-	1	1	4	2	1	-		
Black	15	-	-	-	-	-	2	4	4	5	-	8	-	-	-	-	-	1	4	4	2	1		
Malignant neoplasm of breast (174-175)	1	-	-	-	-	-	-	-	-	-	1	233	-	-	-	-	5	11	24	44	63	55	31	
White	1	-	-	-	-	-	-	-	-	-	1	225	-	-	-	-	5	11	24	42	62	52	31	
All other	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	2	2	1	3	-	
Black	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	2	2	1	1	-	
Malignant neoplasms of genital organs (179-187)	135	-	-	-	2	3	7	42	54	27	111	-	-	-	-	1	5	12	12	41	25	15		
White	131	-	-	-	2	3	7	40	52	27	102	-	-	-	-	1	3	10	11	39	24	14		
All other	4	-	-	-	-	-	-	2	2	-	9	-	-	-	-	-	-	2	2	1	2	1		
Black	2	-	-	-	-	-	-	1	1	-	6	-	-	-	-	-	-	2	1	1	1	1		
Malignant neoplasms of urinary organs (188-189)	72	-	-	-	1	2	8	22	24	15	39	-	-	-	-	1	-	1	5	12	12	8		
White	70	-	-	-	1	2	7	21	24	15	38	-	-	-	-	1	-	1	5	12	12	8		
All other	2	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-		
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	155	-	-	5	1	8	10	38	43	43	7	141	-	-	-	1	7	8	18	38	48	21		
White	149	-	-	4	1	8	7	38	43	41	7	137	-	-	-	1	7	8	17	36	47	21		
All other	6	-	-	1	-	3	-	-	-	2	-	4	-	-	-	-	-	-	1	2	1	-		
Black	4	-	-	1	-	3	-	-	-	-	-	4	-	-	-	-	-	-	1	2	1	-		
Leukemia (204-208)	38	-	1	3	1	2	-	3	15	8	5	37	-	1	-	-	2	3	1	1	13	11	5	
White	36	-	1	3	1	2	-	3	14	8	5	37	-	1	-	-	2	3	1	1	13	11	5	
All other	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	84	-	-	-	5	2	2	12	27	30	6	80	-	-	-	1	3	2	2	7	28	28	9	
White	83	-	-	-	5	2	2	12	26	30	6	79	-	-	-	1	2	2	2	7	28	28	9	
All other	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	15	-	-	-	-	-	1	2	5	7	-	22	-	-	-	-	-	-	1	2	3	9	7	
White	15	-	-	-	-	-	1	2	5	7	-	22	-	-	-	-	-	-	1	2	3	9	7	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes mellitus (250)	108	-	-	-	2	3	6	20	37	34	6	120	-	-	-	-	3	1	3	8	27	36	42	
White	103	-	-	-	2	3	4	19	35	34	6	116	-	-	-	-	3	1	2	7	25	36	42	
All other	5	-	-	-	-	-	2	1	2	-	4	-	-	-	-	-	-	-	1	1	2	-		
Black	4	-	-	-	-	-	2	-	2	-	4	-	-	-	-	-	-	1	1	1	2	-		
Nutritional deficiencies (260-269)	8	-	-	-	-	-	-	-	2	5	1	4	-	-	-	-	-	-	-	-	-	-	4	
White	8	-	-	-	-	-	-	-	2	5	1	4	-	-	-	-	-	-	-	-	-	-	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anemias (280-285)	7	-	-	-	-	1	-	-	2	4	-	12	-	-	-	-	-	-	-	2	2	1	7	
White	7	-	-	-	-	1	-	-	2	4	-	12	-	-	-	-	-	-	-	2	2	1	7	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningitis (320-322)	1	-	-	-	-	-	-	-	1	-	-	3	-	1	1	-	1	-	-	-	-	-	-	
White	1	-	-	-	-	-	-	-	1	-	-	3	-	1	1	-	1	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Major cardiovascular diseases (390-448)	1,830	-	1	1	10	51	87	180	486	635	379	2,212	-	-	-	2	5	10	36	122	299	740	998	
White	1,785	-	-	1	9	49	83	169	474	630	370	2,154	-	-	-	2	4	9	34	109	288	731	977	
All other	45	-	-	1	1	2	4	11	12	5	9	58	-	-	-	-	1	1	2	13	11	9	21	
Black	32	-	1	-	-	1	4	10	8	3	5	50	-	-	-	-	1	1	1	11	11	8	17	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 428

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 227 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
RHODE ISLAND—Con.																									
Other conditions originating in the perinatal period (760-766,770-779)	26	26	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	18	18	-	-	-	-	-	-	-	-	-	-	-
All other	8	8	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
Black	7	7	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	22	9	-	-	-	3	1	1	1	3	2	2	18	3	-	-	1	-	1	2	3	3	3	5	
White	16	7	-	-	-	2	1	1	-	3	2	2	17	3	-	-	1	-	1	2	2	3	5	-	
All other	4	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Black	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other diseases (Residual)	366	6	3	1	2	5	24	10	33	86	120	76	516	1	3	2	1	5	13	13	32	79	151	216	
White	353	5	2	1	2	5	20	9	29	85	119	76	505	1	3	2	1	4	12	13	30	77	149	213	
All other	13	1	1	-	-	-	4	1	4	1	1	-	11	-	-	-	1	1	-	2	2	2	2	3	
Black	10	-	1	-	-	-	4	1	3	1	-	-	11	-	-	-	1	1	-	2	2	2	3	3	
Accidents and adverse effects (E800-E949)	145	1	1	3	24	27	20	13	7	14	15	20	82	2	-	1	7	7	6	5	7	8	16	23	
White	136	1	1	3	22	25	17	13	7	13	15	19	80	2	-	1	7	7	6	4	7	7	16	23	
All other	9	-	-	-	2	2	3	-	-	1	-	1	2	-	-	-	-	-	-	1	-	1	-	-	
Black	7	-	-	-	-	2	3	-	-	1	-	1	2	-	-	-	-	-	-	1	-	1	-	-	
Motor vehicle accidents (E810-E825)	62	-	-	1	17	16	15	2	4	5	1	1	31	1	-	-	7	7	5	1	6	-	2	2	
White	55	-	-	1	16	14	13	2	4	4	1	1	31	1	-	-	7	7	5	1	6	-	2	2	
All other	6	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	5	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other accidents and adverse effects (E800-E807, E826-E949)	83	1	1	2	7	11	5	11	3	9	14	19	51	1	-	1	-	1	4	1	8	14	21	21	
White	80	1	1	2	6	11	4	11	3	9	14	18	49	1	-	1	-	1	3	1	7	14	21	21	
All other	3	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	
Black	2	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
Suicide (E950-E959)	59	-	-	-	6	19	9	7	3	6	9	-	14	-	-	-	3	4	3	2	-	2	-	-	
White	57	-	-	-	6	18	8	7	3	6	9	-	14	-	-	-	3	4	3	2	-	2	-	-	
All other	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Homicide and legal intervention (E960-E978)	27	1	-	1	10	8	4	-	1	1	1	-	5	-	-	1	3	1	-	-	-	-	-	-	
White	20	-	-	1	9	5	2	-	1	1	1	-	4	-	-	-	2	1	-	-	-	-	-	-	
All other	7	1	-	1	3	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
Black	6	1	-	1	2	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
All other external causes (E980-E999)	38	-	-	-	3	14	16	3	-	1	1	-	14	-	-	-	8	4	2	-	-	-	-	-	
White	35	-	-	-	3	12	15	3	-	1	1	-	11	-	-	-	8	4	2	-	-	-	-	-	
All other	3	-	-	-	-	2	1	-	-	-	-	-	3	-	-	-	3	4	2	-	-	-	-	-	
Black	3	-	-	-	-	2	1	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	
SOUTH CAROLINA																									
All causes	16,307	327	64	95	464	691	996	1,415	2,585	4,301	3,925	1,443	14,331	259	51	52	124	295	512	777	1,563	3,103	4,172	3,422	
White	11,085	139	28	55	250	383	522	883	1,769	3,085	2,888	1,079	9,917	108	21	26	78	145	247	470	1,004	2,096	3,011	2,711	
All other	5,222	194	36	40	214	308	474	532	816	1,206	1,037	364	4,414	151	30	26	46	150	265	307	559	1,007	1,161	711	
Black	5,199	194	35	40	213	305	474	530	813	1,204	1,028	362	4,382	151	30	24	45	149	262	303	554	1,001	1,155	707	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis (010-018)	20	-	-	-	-	1	2	6	4	6	1	10	3	-	-	-	1	1	1	-	1	6	-	-	
White	5	-	-	-	-	-	-	-	2	1	1	1	3	-	-	-	-	-	-	-	-	1	2	-	
All other	15	-	-	-	-	1	2	4	4	3	5	7	7	-	-	-	1	1	1	-	1	4	-	-	
Black	15	-	-	-	-	1	2	4	3	5	-	7	7	-	-	-	1	1	1	-	1	4	-	-	
Tuberculosis of respiratory system (010-012)	16	-	-	-	-	1	2	3	4	5	1	6	2	-	-	-	1	-	1	-	1	3	-	-	
White	3	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
All other	13	-	-	-	-	1	2	2	3	5	1	4	4	-	-	-	1	-	1	-	1	2	-	-	
Black	13	-	-	-	-	1	2	2	3	5	-	4	4	-	-	-	1	-	1	-	1	2	-	-	
Other tuberculosis (013-018)	4	-	-	-	-	-	-	3	-	1	-	4	1	-	-	-	-	1	-	-	-	3	-	-	
White	2	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	
All other	2	-	-	-	-	-	-	2	-	-	-	3	3	-	-	-	-	-	-	-	-	2	-	-	
Black	2	-	-	-	-	-	-	2	-	-	-	3	3	-	-	-	-	-	-	-	-	2	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 429

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 228 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
SOUTH CAROLINA—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	121	8	1	-	1	-	7	12	16	34	29	13	119	1	-	1	-	3	6	7	7	27	35	32	
White	67	2	-	-	-	-	5	5	11	16	18	10	65	-	-	-	-	1	4	5	3	16	18	18	
All other	54	6	1	-	1	-	2	7	5	18	11	3	54	1	-	1	-	2	2	2	4	11	17	14	
Black	54	6	1	-	1	-	2	7	5	18	11	3	54	1	-	1	-	2	2	2	4	11	17	14	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	-	-	-	-	-	2	1	2	4	2	-	8	-	-	-	-	-	2	1	3	1	1	1	
White	8	-	-	-	-	-	2	1	1	3	2	-	7	-	-	-	-	-	1	1	3	1	1	1	
All other	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Black	3	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
Syphilis (090-097)	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	369	1	3	1	14	129	120	59	16	13	11	1	122	5	1	-	2	31	34	14	10	15	4	6	
White	152	1	-	1	3	46	51	29	8	5	7	1	36	-	1	-	-	4	3	6	3	13	3	3	
All other	217	-	3	-	11	83	69	30	8	8	4	-	86	5	-	-	2	27	31	8	7	2	1	3	
Black	217	-	3	-	11	83	69	30	8	8	4	-	86	5	-	-	2	27	31	8	7	2	1	3	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	3,942	-	2	14	18	37	114	361	837	1,334	983	242	3,050	1	3	9	6	40	137	284	561	925	748	336	
White	2,799	-	2	11	13	27	65	241	590	982	698	170	2,262	1	3	6	4	24	86	215	419	688	551	265	
All other	1,143	-	-	3	5	10	49	120	247	352	285	72	788	-	-	3	2	16	51	69	142	237	197	71	
Black	1,138	-	-	3	5	10	49	118	247	351	283	72	779	-	-	3	2	16	50	65	142	235	195	71	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	101	-	-	-	-	2	4	13	29	34	17	2	39	-	-	-	-	1	4	11	11	11	1	1	
White	66	-	-	-	-	2	2	4	17	25	14	2	33	-	-	-	-	-	1	11	9	11	1	1	
All other	35	-	-	-	-	-	2	9	12	9	3	-	6	-	-	-	-	1	3	-	2	-	-	-	
Black	35	-	-	-	-	-	2	9	12	9	3	-	6	-	-	-	-	1	3	-	2	-	-	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	893	-	1	1	1	4	32	90	189	317	207	51	771	-	-	1	1	3	25	51	100	227	247	116	
White	580	-	1	1	-	3	13	53	117	223	134	35	533	-	-	-	1	3	14	32	66	152	176	89	
All other	313	-	-	-	1	1	19	37	72	94	73	16	238	-	-	1	-	11	19	34	75	71	27	27	
Black	311	-	-	-	1	1	19	35	72	94	73	16	234	-	-	1	-	11	17	34	74	70	27	27	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,494	-	-	-	1	6	31	142	406	552	313	43	628	-	-	-	-	1	12	60	168	229	120	38	
White	1,130	-	-	-	1	2	16	101	298	442	238	32	506	-	-	-	-	-	8	51	137	184	94	32	
All other	364	-	-	-	-	4	15	41	108	110	75	11	122	-	-	-	-	1	4	9	31	45	26	6	
Black	362	-	-	-	-	4	15	41	108	109	74	11	121	-	-	-	-	1	4	9	31	45	25	6	
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	1	-	1	-	1	1	529	-	-	-	-	12	46	89	99	132	108	43	
White	3	-	-	-	-	-	1	-	1	-	-	1	395	-	-	-	-	6	30	67	76	105	82	30	
All other	1	-	-	-	-	-	-	-	-	-	-	-	133	-	-	-	-	6	16	22	23	27	26	13	
Black	1	-	-	-	-	-	-	-	-	-	-	-	132	-	-	-	-	6	16	21	23	27	26	13	
Malignant neoplasms of genital organs (179-187)	515	-	-	-	-	2	2	8	53	155	198	97	341	-	-	-	-	9	18	33	74	105	72	30	
White	311	-	-	-	-	2	2	3	33	82	130	59	230	-	-	-	-	3	11	24	51	68	48	25	
All other	204	-	-	-	-	-	-	5	20	73	68	38	111	-	-	-	-	6	7	9	23	37	24	5	
Black	204	-	-	-	-	-	-	5	20	73	68	38	109	-	-	-	-	6	6	8	23	37	24	5	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 430

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 229 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Malignant neoplasms of urinary organs (188-189)	161	-	-	1	-	3	8	13	24	53	48	11	105	-	1	-	2	-	3	5	10	31	34	19
White	125	-	-	-	-	3	4	9	22	39	38	10	77	-	1	-	-	-	5	7	23	25	16	
All other	36	-	-	1	-	-	4	4	2	14	10	1	28	-	-	-	2	-	3	-	8	9	3	
Black	36	-	-	1	-	-	4	4	2	14	10	1	28	-	-	-	2	-	3	-	8	9	3	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	436	-	-	7	9	11	20	68	76	121	109	15	339	-	2	6	1	9	22	29	42	101	78	49
White	332	-	-	7	9	16	49	59	92	81	12	258	-	2	4	1	7	18	25	31	72	56	42	
All other	104	-	-	-	2	4	19	17	29	28	3	81	-	-	2	-	2	4	4	11	29	22	7	
Black	104	-	-	-	2	4	19	17	29	28	3	80	-	-	2	-	2	4	4	11	28	22	7	
Leukemia (204-208)	138	-	1	4	3	3	8	13	20	31	39	16	95	1	-	2	1	4	3	6	18	22	19	19
White	105	-	1	2	2	1	6	11	16	24	28	14	79	1	-	2	1	3	2	5	14	21	13	17
All other	33	-	-	2	1	2	2	2	4	7	11	2	16	-	-	-	-	1	1	1	4	1	6	2
Black	32	-	-	2	1	2	2	2	4	7	10	2	16	-	-	-	-	1	1	1	4	1	6	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	200	-	-	1	4	6	8	14	39	71	51	6	203	-	-	-	1	2	7	7	39	67	59	21
White	147	-	-	1	3	5	5	11	27	55	35	5	150	-	-	-	1	2	3	5	26	54	46	13
All other	53	-	-	-	1	1	3	3	12	16	16	1	53	-	-	-	-	-	4	2	13	13	13	8
Black	53	-	-	-	1	1	3	3	12	16	16	1	53	-	-	-	-	-	4	2	13	13	13	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	-	-	-	-	3	2	7	12	8	1	36	-	1	-	-	-	-	3	3	4	8	12	5
White	24	-	-	-	-	2	1	7	7	4	1	23	-	1	-	-	-	-	3	3	1	4	7	4
All other	11	-	-	-	-	1	1	-	5	4	-	13	-	-	-	-	-	-	-	-	3	4	5	1
Black	11	-	-	-	-	1	1	-	5	4	-	13	-	-	-	-	-	-	-	-	3	4	5	1
Diabetes mellitus (250)	325	-	-	-	-	4	22	26	58	92	96	27	456	-	-	-	-	5	13	29	72	129	141	67
White	203	-	-	-	-	4	10	10	38	57	63	21	234	-	-	-	-	2	9	7	23	71	77	45
All other	122	-	-	-	-	-	12	16	20	35	33	6	222	-	-	-	-	3	4	22	49	58	64	22
Black	122	-	-	-	-	-	12	16	20	35	33	6	222	-	-	-	-	3	4	22	49	58	64	22
Nutritional deficiencies (260-269)	24	-	-	-	-	-	1	4	7	6	6	37	-	-	-	-	1	-	1	5	5	8	17	
White	10	-	-	-	-	-	1	4	2	3	19	-	-	-	-	1	-	-	2	2	5	9		
All other	14	-	-	-	-	-	-	4	3	4	3	18	-	-	-	-	-	-	1	3	3	8		
Black	14	-	-	-	-	-	-	4	3	4	3	18	-	-	-	-	-	-	1	3	3	8		
Anemias (280-285)	39	-	-	-	5	4	6	-	2	7	10	5	37	1	1	-	2	5	4	1	3	4	8	8
White	21	-	-	-	1	1	-	-	2	5	8	4	13	-	-	-	-	-	-	-	2	1	4	6
All other	18	-	-	-	5	3	5	-	-	2	2	1	24	1	1	-	2	5	4	1	1	3	4	2
Black	18	-	-	-	5	3	5	-	-	2	2	1	24	1	1	-	2	5	4	1	1	3	4	2
Meningitis (320-322)	8	-	1	1	-	-	1	2	3	-	-	-	5	2	-	-	-	-	-	-	-	1	2	-
White	1	-	-	-	-	-	1	-	-	-	-	-	4	2	-	-	-	-	-	-	-	-	2	-
All other	7	-	1	1	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black	7	-	1	1	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Major cardiovascular diseases (390-448)	6,267	10	3	5	19	68	222	527	1,039	1,837	1,820	717	6,613	14	5	3	4	44	109	241	546	1,333	2,221	2,092
White	4,385	3	1	-	10	39	112	337	712	1,300	1,339	532	4,569	10	1	2	2	21	42	111	312	826	1,579	1,663
All other	1,882	7	2	5	9	29	110	190	327	537	481	185	2,044	4	4	1	2	23	67	130	234	507	642	429
Black	1,872	7	2	5	9	28	110	190	326	537	475	183	2,030	4	4	1	2	23	67	130	232	503	638	425
Diseases of heart (390-398,402,404-429)	4,865	10	2	5	17	53	174	431	861	1,435	1,356	521	4,789	12	3	2	1	33	66	183	440	990	1,583	1,475
White	3,540	3	-	-	8	31	97	293	615	1,065	1,039	389	3,877	8	1	2	-	14	28	87	260	650	1,148	1,189
All other	1,325	7	2	5	9	22	77	138	246	370	317	132	1,402	4	2	-	1	19	38	96	180	340	435	286
Black	1,316	7	2	5	9	21	77	138	245	370	312	130	1,394	4	2	-	1	19	38	96	179	337	433	284
Rheumatic fever and rheumatic heart disease (390-398)	10	-	-	-	1	-	-	1	2	3	2	1	43	-	-	-	-	1	-	9	7	9	9	8
White	8	-	-	-	-	-	-	1	2	2	2	1	32	-	-	-	-	1	-	3	4	8	8	8
All other	2	-	-	-	1	-	-	-	-	1	-	-	11	-	-	-	-	-	-	6	3	1	1	1
Black	2	-	-	-	1	-	-	-	-	1	-	-	11	-	-	-	-	-	-	6	3	1	1	1
Hypertensive heart disease (402)	110	-	-	-	1	2	6	12	21	28	27	13	188	-	-	-	-	-	3	9	19	40	64	53
White	55	-	-	-	-	3	3	10	15	16	8	106	-	-	-	-	-	-	1	1	7	11	44	42
All other	55	-	-	-	1	2	3	9	11	13	11	5	82	-	-	-	-	-	2	8	12	29	20	11
Black	55	-	-	-	1	2	3	9	11	13	11	5	82	-	-	-	-	-	2	8	12	29	20	11
Hypertensive heart and renal disease (404)	23	-	-	-	-	1	1	1	6	7	7	29	-	-	-	-	-	-	-	3	6	10	10	10
White	11	-	-	-	-	-	-	-	1	6	4	16	-	-	-	-	-	-	-	-	1	4	4	7
All other	12	-	-	-	-	1	1	1	5	1	3	13	-	-	-	-	-	-	-	2	2	6	3	
Black	12	-	-	-	-	1	1	1	5	1	3	13	-	-	-	-	-	-	-	2	2	6	3	
Ischemic heart disease (410-414)	3,331	-	-	-	2	23	106	311	620	1,041	903	325	2,948	-	-	-	-	9	26	116	280	655	971	890
White	2,572	-	-	-	1	18	65	232	468	815	723	250	2,151	-	-	-	-	7	14	60	178	451	719	722
All other	759	-	-	-	1	5	41	79	152	226	180	75	797	-	-	-	-	2	12	56	102	204	252	168
Black	754	-	-	-	1	5	41	79	151	226	177	74	789	-	-	-	-	2	12	56	101	201	250	166
Acute myocardial infarction (410)	2,048	-	-	-	2	18	69	227	426	632	513	161	1,660	-	-	-	-	5	12	82	190	419	547	404
White	1,529	-	-	-	1	14	41	161	319															

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 431

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 230 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	108	-	-	-	-	-	6	8	26	31	26	11	112	-	-	-	-	1	4	7	11	21	30	38
White	65	-	-	-	-	-	4	8	16	18	11	8	63	-	-	-	-	1	2	-	6	11	22	21
All other	43	-	-	-	-	-	2	-	10	13	15	3	49	-	-	-	-	-	2	7	5	10	8	17
Black	43	-	-	-	-	-	2	-	10	13	15	3	49	-	-	-	-	-	2	7	5	10	8	17
Angina pectoris (413)	10	-	-	-	-	-	-	-	2	2	5	1	8	-	-	-	-	1	-	-	-	1	3	3
White	9	-	-	-	-	-	-	-	2	2	4	1	7	-	-	-	-	-	-	-	-	1	3	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,165	-	-	-	-	5	31	76	166	376	359	152	1,168	-	-	-	-	2	10	27	79	214	391	445
White	969	-	-	-	-	4	20	63	131	312	306	133	901	-	-	-	-	2	3	15	52	156	302	371
All other	196	-	-	-	-	1	11	13	35	64	53	19	267	-	-	-	-	-	7	12	27	58	89	74
Black	195	-	-	-	-	1	11	13	35	64	52	19	261	-	-	-	-	-	7	12	26	56	87	73
Other diseases of endocardium (424)	65	-	-	-	-	-	3	4	10	16	24	8	86	-	1	-	-	-	-	3	3	16	32	31
White	49	-	-	-	-	-	3	1	8	14	18	5	67	-	-	-	-	-	-	2	2	11	27	25
All other	16	-	-	-	-	-	-	3	2	2	6	3	19	-	1	-	-	-	-	1	1	5	5	6
Black	16	-	-	-	-	-	-	3	2	2	6	3	19	-	1	-	-	-	-	1	1	5	5	6
All other forms of heart disease (415-423,425-429)	1,326	10	2	5	13	28	58	102	207	341	393	167	1,495	12	2	2	1	23	37	46	128	264	497	483
White	845	3	-	7	13	26	56	127	218	274	121	1,015	8	1	2	-	6	13	21	68	165	346	385	
All other	481	7	2	5	6	15	32	46	80	123	119	46	480	4	1	-	1	17	24	25	60	99	151	98
Black	477	7	2	5	6	14	32	46	80	123	117	45	480	4	1	-	1	17	24	25	60	99	151	98
Hypertension with or without renal disease (401,403)	93	-	-	-	-	1	4	9	9	32	31	7	121	-	-	-	-	-	1	6	14	33	39	28
White	40	-	-	-	-	-	3	5	14	15	3	46	-	-	-	-	-	-	-	3	11	16	16	16
All other	53	-	-	-	-	1	4	6	4	18	16	4	75	-	-	-	-	-	1	6	11	22	23	12
Black	53	-	-	-	-	1	4	6	4	18	16	4	73	-	-	-	-	-	1	6	11	21	22	12
Cerebrovascular diseases (430-438)	1,028	-	1	-	1	12	37	67	135	281	337	157	1,466	2	2	1	2	8	40	44	82	262	517	506
White	586	-	1	-	1	7	11	33	62	146	210	115	969	2	-	-	1	5	12	19	43	133	354	400
All other	442	-	-	-	-	5	26	34	73	135	127	42	497	-	2	1	1	3	28	25	39	129	163	106
Black	442	-	-	-	-	5	26	34	73	135	127	42	493	-	2	1	1	3	28	25	38	129	162	104
Intracerebral and other intracranial hemorrhage (431-432)	211	-	1	-	1	8	23	33	38	42	50	15	186	-	2	-	-	5	15	15	24	47	50	28
White	115	-	1	-	1	4	5	15	13	32	33	11	120	-	-	-	-	2	3	6	13	35	38	23
All other	96	-	-	-	-	4	18	18	25	10	17	4	66	-	2	-	-	3	12	9	11	12	12	5
Black	96	-	-	-	-	4	18	18	25	10	17	4	66	-	2	-	-	3	12	9	11	12	12	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	96	-	-	-	-	-	1	3	9	34	31	18	200	-	-	-	-	-	3	12	28	77	80	
White	62	-	-	-	-	-	1	2	4	21	20	14	134	-	-	-	-	-	1	9	9	55	60	
All other	34	-	-	-	-	-	-	1	5	13	11	4	66	-	-	-	-	-	2	3	19	22	20	
Black	34	-	-	-	-	-	-	1	5	13	11	4	65	-	-	-	-	-	2	3	19	22	19	
Cerebral embolism (434.1)	3	-	-	-	-	-	-	-	-	1	2	-	9	-	-	-	-	-	-	-	1	1	4	3
White	2	-	-	-	-	-	-	-	-	-	2	-	6	-	-	-	-	-	-	-	-	3	3	
All other	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	
Black	1	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	1	1	1	
All other and late effects of cerebrovascular diseases (430,433,435-438)	718	-	-	-	-	4	13	31	88	204	254	124	1,071	2	-	1	2	3	25	26	45	186	386	395
White	407	-	-	-	-	3	5	16	45	93	155	90	709	2	-	1	3	9	12	21	89	258	314	
All other	311	-	-	-	-	1	8	15	43	111	99	34	362	-	-	1	1	16	14	24	97	128	81	
Black	311	-	-	-	-	1	8	15	43	111	99	34	359	-	-	1	1	16	14	28	97	127	80	
Atherosclerosis (440)	56	-	-	-	-	-	-	4	10	25	17	81	-	-	-	-	-	-	1	3	12	24	41	
White	40	-	-	-	-	-	-	3	6	19	12	62	-	-	-	-	-	-	1	1	9	20	31	
All other	16	-	-	-	-	-	-	1	4	6	5	19	-	-	-	-	-	-	-	2	3	4	10	
Black	16	-	-	-	-	-	-	1	4	6	5	19	-	-	-	-	-	-	-	2	3	4	10	
Other diseases of arteries, arterioles, and capillaries (441-448)	225	-	-	-	1	2	7	20	30	79	71	15	156	-	-	-	1	3	2	7	7	36	58	42
White	179	-	-	-	1	1	4	8	27	69	56	13	105	-	-	-	1	2	2	4	5	23	41	27
All other	46	-	-	-	-	1	3	12	3	10	15	2	51	-	-	-	-	1	3	2	2	13	17	15
Black	45	-	-	-	-	1	3	12	3	10	14	2	51	-	-	-	-	1	3	2	2	13	17	15
Acute bronchitis and bronchiolitis (466)	4	1	-	-	-	-	-	1	1	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
White	3	-	-	-	-	-	-	1	1	-	-	-	4	-	-	-	-	-	-	-	-	-	1	3
All other	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	353	7	3	-	-	8	15	16	39	77	117	71	403	5	4	2	2	4	10	10	18	56	127	165
White	235	3	1	-	-	3	6	7	17	52	93	53	288	1	1	1	-	1	7	4	8	38	88	139
All other	118	4	2	-	-	5	9	9	22	25	24	18	115	4	3	1	2	3	3	6	10	18	39	26
Black	117	4	1	-	-	5	9	9	22	25	24	18	114	4	3	1	2	3	3	6	9	18	39	26

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 432

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 231 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
SOUTH CAROLINA—Con.																								
Pneumonia (480-496)	350	7	3	-	-	8	15	16	39	76	115	71	398	5	4	2	2	4	10	10	18	54	126	163
White	234	3	1	-	-	3	6	7	17	52	92	53	283	1	1	1	-	1	7	4	8	36	87	137
All other	116	4	2	-	-	5	9	9	22	24	23	18	115	4	3	1	2	3	3	6	10	18	39	26
Black	115	4	1	-	-	5	9	9	22	24	23	18	114	4	3	1	2	3	3	6	9	18	39	26
Influenza (497)	3	-	-	-	-	-	-	-	-	1	2	-	5	-	-	-	-	-	-	-	-	2	1	2
White	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	2	1	2
All other	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	717	-	1	2	2	2	1	21	111	268	225	84	542	1	-	1	-	4	6	27	83	180	170	70
White	600	-	-	2	1	-	-	18	82	235	192	70	477	-	-	-	-	3	3	22	68	157	156	68
All other	117	-	1	-	2	1	1	3	29	33	33	14	65	1	-	1	-	1	3	5	15	23	14	2
Black	115	-	1	-	2	1	1	3	27	33	33	14	65	1	-	1	-	1	3	5	15	23	14	2
Bronchitis, chronic and unspecified (490-491)	26	-	-	-	-	1	-	1	1	8	7	8	29	1	-	-	-	-	-	1	2	11	8	6
White	23	-	-	-	-	1	-	1	1	7	5	8	27	-	-	-	-	-	-	1	2	11	7	6
All other	3	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	1	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	1	-
Emphysema (492)	127	-	-	-	-	-	1	23	57	41	5	89	-	-	-	-	-	2	4	7	43	30	3	
White	112	-	-	-	-	-	-	16	52	38	5	82	-	-	-	-	-	1	4	5	42	27	3	
All other	15	-	-	-	-	-	-	7	5	3	-	7	-	-	-	-	-	1	-	2	1	3	-	
Black	15	-	-	-	-	-	-	7	5	3	-	7	-	-	-	-	-	1	-	2	1	3	-	
Asthma (493)	27	-	1	2	2	1	-	2	6	6	5	2	53	-	-	1	-	2	4	6	8	15	12	5
White	13	-	-	2	-	-	-	2	3	2	2	2	33	-	-	-	-	1	2	4	5	10	7	4
All other	14	-	1	-	2	1	-	3	4	3	-	2	20	-	-	1	-	1	2	2	3	5	5	1
Black	13	-	1	-	2	1	-	2	4	3	-	2	20	-	-	1	-	1	2	2	3	5	5	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	537	-	-	-	-	-	1	17	81	197	172	69	371	-	-	-	-	2	-	16	66	111	120	56
White	452	-	-	-	-	-	-	14	62	174	147	55	335	-	-	-	-	2	-	13	56	94	115	55
All other	85	-	-	-	-	-	1	3	19	23	25	14	36	-	-	-	-	-	3	10	17	5	1	
Black	84	-	-	-	-	1	3	18	23	25	14	36	-	-	-	-	-	3	10	17	5	1		
Ulcer of stomach and duodenum (531-533)	43	-	-	-	-	2	3	2	8	8	12	8	30	-	-	-	-	-	-	-	2	3	11	14
White	29	-	-	-	-	1	2	1	6	7	6	7	23	-	-	-	-	-	-	-	1	2	9	11
All other	14	-	-	-	-	1	3	1	2	1	6	1	7	-	-	-	-	-	-	-	1	1	2	3
Black	14	-	-	-	-	1	3	1	2	1	6	1	7	-	-	-	-	-	-	-	1	1	2	3
Appendicitis (540-543)	6	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White	3	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	37	1	-	2	1	1	3	-	1	10	10	8	52	2	-	-	1	-	-	3	3	7	20	16
White	24	1	-	2	1	1	-	-	1	5	9	6	37	2	-	-	-	-	1	1	3	3	14	14
All other	13	-	-	2	-	1	2	-	-	5	1	2	15	-	-	-	1	-	-	2	-	4	6	2
Black	13	-	-	2	-	1	2	-	-	5	1	2	15	-	-	-	1	-	-	2	-	4	6	2
Chronic liver disease and cirrhosis (571)	232	-	-	-	1	6	41	56	63	42	20	3	124	-	-	-	1	4	16	16	34	39	13	1
White	158	-	-	-	1	2	20	36	44	33	19	3	87	-	-	-	-	1	8	10	22	32	13	1
All other	74	-	-	-	-	4	21	20	19	9	1	-	37	-	-	-	1	3	8	6	12	7	-	-
Black	74	-	-	-	-	4	21	20	19	9	1	-	37	-	-	-	1	3	8	6	12	7	-	-
Cholelithiasis and other disorders of gallbladder (574-575)	21	-	-	-	-	-	-	1	1	8	8	3	23	-	-	-	-	-	-	-	-	3	13	7
White	17	-	-	-	-	-	-	1	1	6	6	3	14	-	-	-	-	-	-	-	-	3	6	5
All other	4	-	-	-	-	-	-	-	-	2	2	-	9	-	-	-	-	-	-	-	-	-	7	2
Black	4	-	-	-	-	-	-	-	-	2	2	-	9	-	-	-	-	-	-	-	-	-	7	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	121	1	-	-	1	3	6	7	11	33	40	19	107	1	-	-	-	-	3	5	7	27	29	35
White	72	-	-	-	2	2	5	4	4	20	26	13	55	-	-	-	-	-	-	1	2	10	19	23
All other	49	1	-	-	1	1	4	2	7	13	14	6	52	1	-	-	-	-	3	4	5	17	10	12
Black	49	1	-	-	1	1	4	2	7	13	14	6	51	1	-	-	-	-	2	4	5	17	10	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	5	-	-	-	-	-	-	-	1	3	-	1	4	-	-	-	-	-	-	-	1	2	1	-
White	4	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	1	1	1	-
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	1	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 433

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 232 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
SOUTH CAROLINA—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	2	-	2	4	3	13	-	-	-	-	-	-	-	-	-	4	4	5
White	8	-	-	-	-	-	-	1	-	1	4	2	9	-	-	-	-	-	-	-	-	-	1	4	4
All other	3	-	-	-	-	-	-	1	-	1	-	1	4	-	-	-	-	-	-	-	-	3	-	1	1
Black	3	-	-	-	-	-	-	1	-	1	-	1	4	-	-	-	-	-	-	-	-	3	-	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	105	1	-	-	1	3	6	5	10	28	36	15	90	1	-	-	-	-	3	5	6	21	24	30	
White	60	-	-	-	2	2	4	3	17	22	10	44	-	-	-	-	-	-	1	1	8	15	19	19	
All other	45	1	-	-	1	1	4	1	7	11	14	5	46	1	-	-	-	-	2	4	5	13	9	11	
Black	45	1	-	-	1	1	4	1	7	11	14	5	45	1	-	-	-	-	3	4	5	13	9	11	
Infections of kidney (590)	4	-	-	-	-	-	-	-	-	1	1	2	14	-	-	-	-	-	-	-	-	1	7	6	
White	4	-	-	-	-	-	-	-	-	1	1	2	9	-	-	-	-	-	-	-	-	-	5	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	2	2	
Black	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	1	2	2	
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	-	4	2	2	
White	6	-	-	-	-	-	-	-	-	3	2	1	
All other	2	-	-	-	-	-	-	-	-	1	-	1	
Black	2	-	-	-	-	-	-	-	-	1	-	1	
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	2	5	2	
White	7	2	4	1	
All other	2	1	1	
Black	2	1	1	
Pregnancy with abortive outcome (630-636)	2	1	1	
White	2	1	1	
All other	
Black	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	7	2	4	1	
White	5	2	3	
All other	2	1	1	
Black	2	1	1	
Congenital anomalies (740-759)	76	46	7	3	7	2	1	2	-	4	4	-	79	48	7	2	1	4	4	-	5	3	3	2	
White	46	26	1	2	5	2	1	2	-	3	4	-	45	24	3	-	1	3	1	-	5	3	3	2	
All other	30	20	6	1	2	-	-	-	-	1	-	-	34	24	4	2	-	1	3	-	-	-	-	-	
Black	30	20	6	1	2	-	-	-	-	1	-	-	34	24	4	2	-	1	3	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	163	163	-	-	-	-	-	-	-	-	-	-	126	125	1	-	-	-	-	-	-	-	-	-	
White	67	67	-	-	-	-	-	-	-	-	-	-	50	49	1	-	-	-	-	-	-	-	-	-	
All other	116	116	-	-	-	-	-	-	-	-	-	-	76	76	-	-	-	-	-	-	-	-	-	-	
Black	116	116	-	-	-	-	-	-	-	-	-	-	76	76	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	42	42	-	-	-	-	-	-	-	-	-	-	23	22	1	-	-	-	-	-	-	-	-	-	
White	20	20	-	-	-	-	-	-	-	-	-	-	12	11	1	-	-	-	-	-	-	-	-	-	
All other	22	22	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-	
Black	22	22	-	-	-	-	-	-	-	-	-	-	11	11	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	141	141	-	-	-	-	-	-	-	-	-	-	103	103	-	-	-	-	-	-	-	-	-	-	
White	47	47	-	-	-	-	-	-	-	-	-	-	38	38	-	-	-	-	-	-	-	-	-	-	
All other	94	94	-	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-	
Black	94	94	-	-	-	-	-	-	-	-	-	-	65	65	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	149	45	1	1	1	6	14	10	13	27	21	10	149	36	3	-	2	7	14	5	7	10	29	35	
White	78	19	-	1	-	4	6	7	8	14	12	7	76	13	-	-	2	4	3	4	4	4	14	28	
All other	71	26	1	-	1	2	8	3	5	13	9	3	73	23	3	-	-	3	11	1	3	6	15	8	
Black	71	26	1	-	1	2	8	3	5	13	9	3	73	23	3	-	-	3	11	1	3	6	15	8	
All other diseases (Residual)	1,360	13	8	8	20	30	80	126	186	335	373	181	1,530	10	5	7	11	27	63	67	140	258	492	450	
White	898	6	2	4	11	14	31	61	116	235	280	138	1,077	3	3	4	4	12	23	31	91	169	383	354	
All other	462	7	6	4	9	16	49	65	70	100	93	43	453	7	2	3	7	15	40	36	49	89	109	96	
Black	460	7	6	4	9	16	49	65	70	99	92	43	452	7	2	2	7	15	40	36	49	89	109	96	
Accidents and adverse effects (E800-E949)	1,104	7	30	51	218	203	182	103	99	89	92	30	445	4	15	21	61	62	50	27	37	51	64	53	
White	703	3	21	30	140	128	103	62	61	58	72	25	307	1	6	9	48	41	35	20	19	37	46	45	
All other	401	4	9	21	78	75	79	41	38	31	20	5	138	3	9	12	13	21	15	7	18	14	18	8	
Black	399	4	9	21	78	73	79	41	38	31	20	5	133	3	9	11	12	21	14	7	16	14	18	8	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 440

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 239 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total *	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE																								
All causes	24,283	404	70	101	597	867	1,240	1,862	3,505	6,064	6,350	3,223	22,293	291	70	67	196	361	590	1,057	2,155	4,302	6,634	6,569
White	20,139	229	45	69	396	623	921	1,504	2,885	5,215	5,500	2,752	18,640	157	42	53	142	252	404	826	1,703	3,516	5,740	5,804
All other	4,144	175	25	32	201	244	319	358	620	849	850	471	3,653	134	28	14	54	109	186	231	452	786	894	765
Black	4,101	173	24	32	199	242	317	351	614	836	844	469	3,621	132	28	14	53	106	184	229	449	776	888	762
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	2	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-
White	4	2	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	28	-	-	-	-	-	2	3	6	13	4	-	24	-	-	-	-	-	1	1	6	8	8	
White	22	-	-	-	-	-	-	3	6	9	4	-	14	-	-	-	-	-	-	-	2	7	5	
All other	6	-	-	-	-	-	2	-	-	4	-	-	10	-	-	-	-	-	1	1	4	1	3	
Black	6	-	-	-	-	-	2	-	-	4	-	-	10	-	-	-	-	-	1	1	4	1	3	
Tuberculosis of respiratory system (010-012)	26	-	-	-	-	2	3	5	12	4	-	-	21	-	-	-	-	-	-	1	5	7	8	
White	20	-	-	-	-	-	3	5	8	4	-	-	14	-	-	-	-	-	-	2	7	5		
All other	6	-	-	-	-	2	-	-	4	-	-	-	7	-	-	-	-	-	-	1	3	3		
Black	6	-	-	-	-	2	-	-	4	-	-	-	7	-	-	-	-	-	-	1	3	3		
Other tuberculosis (013-018)	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	1	-	1	1		
White	2	-	-	-	-	-	-	1	1	-	-	-	3	-	-	-	-	-	1	-	1	1		
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1		
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	1		
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Septicemia (038)	135	3	1	-	1	2	4	7	14	35	40	28	152	1	2	-	1	2	3	4	12	27	43	57
White	100	1	1	-	1	2	4	9	25	33	24	24	119	-	2	-	1	2	3	2	9	23	32	48
All other	35	2	-	-	1	1	2	3	5	10	7	4	33	1	-	-	-	3	2	3	4	11	9	
Black	35	2	-	-	1	1	2	3	5	10	7	4	32	1	-	-	-	3	2	3	3	11	9	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	48	-	-	-	4	12	8	9	8	7	-	-	18	1	-	-	1	1	3	3	6	2	1	
White	41	-	-	-	4	9	6	9	6	7	-	-	16	-	-	-	1	1	3	3	6	2	1	
All other	7	-	-	-	-	3	2	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	
Black	6	-	-	-	-	3	2	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	
Syphilis (090-097)	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	325	4	1	2	10	110	110	44	16	15	5	8	89	1	1	1	2	14	9	9	12	12	15	13
White	225	1	-	2	5	72	75	35	8	14	5	8	65	-	-	1	-	5	6	6	10	10	14	13
All other	100	3	1	-	5	38	35	9	8	1	-	-	24	1	1	-	2	9	3	3	2	2	1	
Black	100	3	1	-	5	38	35	9	8	1	-	-	23	1	1	-	2	9	3	3	2	1	1	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,991	2	5	11	20	40	148	531	1,233	1,981	1,537	483	4,782	-	7	11	10	66	207	466	843	1,299	1,266	607
White	5,050	1	4	10	14	28	119	433	1,022	1,707	1,301	411	4,013	-	5	9	7	47	153	389	693	1,092	1,092	526
All other	941	1	1	1	6	12	29	98	211	274	236	72	769	-	2	2	3	19	54	77	150	207	174	81
Black	931	1	1	1	5	12	29	96	209	272	235	70	765	-	2	2	3	18	54	77	150	206	173	80

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 441

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 240 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix.]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	125	-	-	-	-	5	25	25	37	22	11	47	-	-	-	-	-	1	3	4	15	18	6	
White	92	-	-	-	-	4	16	15	30	17	10	39	-	-	-	-	-	1	4	4	13	16	5	
All other	33	-	-	-	-	1	9	10	7	5	1	8	-	-	-	-	-	1	2	-	2	2	1	
Black	33	-	-	-	-	1	9	10	7	5	1	8	-	-	-	-	-	1	2	-	2	2	1	
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,278	2	-	-	2	3	47	106	255	410	341	112	1,085	-	-	1	1	8	31	64	154	262	349	215
White	1,067	1	-	-	1	-	37	89	208	353	285	93	879	-	-	1	-	5	15	53	119	207	292	187
All other	211	1	-	-	1	3	10	17	47	57	56	19	206	-	-	-	1	3	16	11	35	55	57	28
Black	207	1	-	-	1	3	10	16	46	55	56	19	206	-	-	1	3	16	11	35	55	57	28	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,461	-	-	-	-	4	41	230	613	943	541	89	1,090	-	-	1	1	4	23	119	247	372	255	68
White	2,104	-	-	-	-	1	32	180	515	824	471	81	933	-	-	-	1	3	18	97	210	320	222	62
All other	357	-	-	-	-	3	9	50	98	119	70	8	157	-	-	-	1	1	5	22	37	52	33	6
Black	355	-	-	-	-	3	9	49	97	119	70	8	156	-	-	1	1	5	22	37	52	32	6	
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	1	1	2	2	-	847	-	-	-	-	14	66	135	173	223	160	76	
White	5	-	-	-	-	-	-	1	2	2	-	705	-	-	-	-	7	50	114	138	190	139	67	
All other	1	-	-	-	-	-	1	-	-	-	-	142	-	-	-	-	7	16	21	35	33	21	9	
Black	1	-	-	-	-	-	1	-	-	-	-	140	-	-	-	-	6	16	21	35	32	21	9	
Malignant neoplasms of genital organs (179-187)	681	-	-	-	-	3	14	57	204	266	137	516	-	-	1	3	5	29	57	88	133	141	59	
White	518	-	-	-	-	3	8	37	161	200	109	425	-	-	1	1	4	25	45	77	106	119	47	
All other	163	-	-	-	-	-	6	20	43	66	28	91	-	-	-	2	1	4	12	11	27	22	12	
Black	163	-	-	-	-	-	6	20	43	66	28	90	-	-	-	2	1	4	12	11	27	22	11	
Malignant neoplasms of urinary organs (188-189)	296	-	-	-	-	8	25	53	88	86	36	161	-	2	-	-	3	5	12	22	41	39	37	
White	266	-	-	-	-	7	24	53	80	74	28	131	-	-	-	-	2	4	11	19	32	33	30	
All other	30	-	-	-	-	1	1	1	8	12	8	30	-	2	-	-	1	1	1	3	9	6	7	
Black	29	-	-	-	-	1	1	1	8	11	8	30	-	2	-	-	1	1	1	3	9	6	7	
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	651	-	4	9	7	17	32	81	145	171	138	47	558	-	3	7	4	18	34	46	95	144	143	64
White	572	-	3	8	5	13	29	70	121	155	124	44	482	-	3	6	4	15	26	41	79	123	127	58
All other	79	-	1	1	2	4	3	11	24	16	14	3	76	-	-	1	-	3	8	5	16	21	16	6
Black	76	-	1	1	2	4	3	11	24	16	14	2	76	-	-	1	-	3	8	5	16	21	16	6
Leukemia (204-208)	185	-	1	2	7	5	8	14	25	43	57	23	171	-	1	1	1	9	6	11	24	35	43	40
White	159	-	1	2	5	4	6	13	20	36	51	21	146	-	1	1	1	7	5	10	18	32	37	34
All other	26	-	-	2	1	2	1	5	7	6	2	25	-	-	-	-	2	1	1	6	3	6	6	6
Black	25	-	-	1	1	2	1	5	7	6	2	25	-	-	-	-	2	1	1	6	3	6	6	6
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	308	-	-	-	4	8	7	35	59	83	84	28	307	-	1	-	-	5	12	19	36	74	118	42
White	267	-	-	-	3	7	4	33	52	66	77	25	273	-	1	-	-	4	10	17	29	69	107	36
All other	41	-	-	-	1	1	3	2	7	17	7	3	34	-	-	-	-	1	2	2	7	5	11	6
Black	40	-	-	-	1	1	3	2	7	17	7	2	34	-	-	-	-	1	2	2	7	5	11	6
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	45	1	-	1	-	2	-	5	5	13	12	6	59	-	1	-	-	-	3	1	8	12	21	13
White	39	-	-	-	-	2	-	4	5	11	12	5	45	-	-	-	-	-	2	1	8	10	14	10
All other	6	1	-	1	-	-	-	1	-	2	-	1	14	-	1	-	-	-	1	-	2	7	7	3
Black	6	1	-	1	-	-	-	1	-	2	-	1	14	-	1	-	-	-	1	-	2	7	7	3
Diabetes mellitus (250)	400	-	-	1	2	7	24	43	65	104	111	43	602	-	-	-	3	7	16	35	82	163	180	116
White	323	-	-	-	1	5	16	38	49	85	97	32	446	-	-	-	1	5	12	18	55	122	144	89
All other	77	-	-	1	1	2	8	5	16	19	14	11	156	-	-	-	2	2	4	17	27	41	36	27
Black	77	-	-	1	1	2	8	5	16	19	14	11	154	-	-	-	2	2	4	17	27	40	35	27
Nutritional deficiencies (260-269)	20	-	-	-	-	1	1	2	4	4	8	52	1	-	-	-	-	-	-	-	2	4	21	24
White	17	-	-	-	-	1	1	2	3	4	6	42	1	-	-	-	-	-	-	-	2	3	17	20
All other	3	-	-	-	-	-	-	-	1	-	2	10	1	-	-	-	-	-	-	-	1	4	4	4
Black	3	-	-	-	-	-	-	-	1	-	2	9	1	-	-	-	-	-	-	-	1	3	4	4
Anemias (280-285)	34	-	1	-	-	3	1	2	2	10	9	6	46	1	1	-	1	3	1	2	2	8	12	15
White	25	-	1	-	-	1	1	1	2	8	6	6	37	1	-	-	1	1	-	2	6	11	15	15
All other	9	-	-	-	-	3	-	1	-	2	3	-	9	-	1	-	1	2	-	2	2	1	-	-
Black	9	-	-	-	-	3	-	1	-	2	3	-	9	-	1	-	1	2	-	2	2	1	-	-
Meningitis (320-322)	5	-	-	-	-	1	-	-	1	2	1	-	7	-	-	1	-	-	-	1	1	2	1	1
White	4	-	-	-	-	1	-	-	1	2	-	-	6	-	-	-	-	-	-	1	1	2	1	1
All other	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	9,528	8	2	4	13	70	290	639	1,396	2,573	2,879	1,654	10,266	5	4	5	16	39	128	294	692	1,755	3,424	3,904
White	6,069	7	2	2	9	52	199	517	1,156	2,204	2,509	1,412	8,632	3	2	3	9	25	72	206	510	1,379	2,948	3,475
All other	1,459	1	-	2	4	18	91	122	240	369	370	242	1,634	2	2	2	7	14	56	88	182	376	476	429
Black	1,444	1	-	2	4	17	90	119	238	364	367	242	1,620	2	2	2	7	13	55	87	181	370	473	428

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 442

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 241 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TENNESSEE—Con.																								
Diseases of heart (390-398,402,404-429)	7,590	7	—	3	9	54	246	553	1,181	2,156	2,177	1,204	7,425	3	4	2	11	27	92	228	535	1,333	2,461	2,729
White	6,454	6	—	2	6	40	176	449	981	1,854	1,917	1,029	6,230	2	2	—	6	17	52	158	396	1,051	2,116	2,430
All other	1,136	1	—	1	3	14	70	104	200	302	260	181	1,195	1	2	2	5	10	40	70	139	282	345	299
Black	1,123	1	—	1	3	13	69	102	199	297	257	181	1,186	1	2	2	5	10	39	70	139	277	342	299
Rheumatic fever and rheumatic heart disease (390-398)	33	—	—	—	—	3	3	4	6	11	5	1	86	—	—	—	—	1	1	8	8	20	35	13
White	28	—	—	—	—	1	2	4	6	10	4	1	79	—	—	—	—	1	1	6	4	20	34	13
All other	5	—	—	—	—	2	1	—	—	1	1	—	7	—	—	—	—	—	—	2	4	—	1	—
Black	4	—	—	—	—	1	1	—	—	1	1	—	7	—	—	—	—	—	—	2	4	—	1	—
Hypertensive heart disease (402)	239	—	—	—	—	2	18	24	44	63	55	33	335	—	—	—	—	2	8	16	31	54	99	126
White	131	—	—	—	—	2	4	7	19	37	43	19	213	—	—	—	—	1	2	6	15	30	62	97
All other	108	—	—	—	—	—	14	17	25	26	12	14	122	—	—	—	—	—	1	6	10	16	24	36
Black	107	—	—	—	—	—	14	17	25	25	12	14	122	—	—	—	—	—	1	6	10	16	24	36
Hypertensive heart and renal disease (404)	21	—	—	—	—	—	—	—	1	6	11	3	47	—	—	—	—	—	—	1	7	4	21	14
White	14	—	—	—	—	—	—	—	1	4	8	1	32	—	—	—	—	—	—	1	5	3	14	9
All other	7	—	—	—	—	—	—	—	—	2	3	2	15	—	—	—	—	—	—	—	2	1	7	5
Black	7	—	—	—	—	—	—	—	—	2	3	2	15	—	—	—	—	—	—	—	2	1	7	5
Ischemic heart disease (410-414)	5,304	—	—	—	1	25	151	358	809	1,527	1,568	865	4,792	—	—	—	—	8	51	126	322	893	1,603	1,789
White	4,742	—	—	—	—	19	126	317	729	1,382	1,416	753	4,205	—	—	—	—	4	36	98	270	733	1,442	1,622
All other	562	—	—	—	1	6	25	41	80	145	152	112	587	—	—	—	—	4	15	28	52	160	161	167
Black	555	—	—	—	1	6	24	40	79	142	151	112	580	—	—	—	—	4	15	28	52	160	161	167
Acute myocardial infarction (410)	3,155	—	—	—	—	19	100	244	516	945	885	446	2,558	—	—	—	—	8	36	77	196	534	904	803
White	2,846	—	—	—	—	14	89	221	472	863	806	381	2,230	—	—	—	—	4	26	63	170	442	812	713
All other	309	—	—	—	—	5	11	23	44	82	79	65	328	—	—	—	—	4	10	14	26	92	92	90
Black	307	—	—	—	—	5	11	22	43	82	79	65	326	—	—	—	—	4	10	14	26	91	91	90
Other acute and subacute forms of ischemic heart disease (411)	8	—	—	—	1	—	1	1	—	2	3	—	4	—	—	—	—	—	—	—	—	—	1	3
White	7	—	—	—	—	—	1	1	—	2	3	—	4	—	—	—	—	—	—	—	—	—	1	3
All other	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Angina pectoris (413)	14	—	—	—	—	—	1	1	4	4	3	1	7	—	—	—	—	—	—	—	1	1	—	5
White	13	—	—	—	—	—	1	1	4	4	2	1	7	—	—	—	—	—	—	—	1	1	—	5
All other	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Black	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,127	—	—	—	—	6	49	112	289	576	677	418	2,223	—	—	—	—	—	15	49	125	358	698	978
White	1,876	—	—	—	—	5	35	94	253	513	605	371	1,984	—	—	—	—	—	10	35	99	290	629	901
All other	251	—	—	—	—	1	14	18	36	63	72	47	259	—	—	—	—	—	5	14	26	68	69	77
Black	246	—	—	—	—	1	13	18	36	60	71	47	254	—	—	—	—	—	5	14	26	65	67	77
Other diseases of endocardium (424)	102	—	—	—	—	1	1	4	11	24	39	22	140	—	—	—	—	1	1	5	7	25	59	42
White	95	—	—	—	—	1	1	3	9	22	39	20	129	—	—	—	—	1	1	5	7	21	55	39
All other	7	—	—	—	—	—	—	1	2	2	—	2	11	—	—	—	—	—	—	—	—	4	4	3
Black	7	—	—	—	—	—	—	1	2	2	—	2	11	—	—	—	—	—	—	—	—	4	4	3
All other forms of heart disease (415-423,425-429)	1,891	7	—	3	8	23	73	163	310	525	499	280	2,025	3	4	2	11	15	31	72	160	337	645	745
White	1,444	6	—	2	6	17	43	118	217	399	407	229	1,572	2	2	—	6	10	12	42	95	244	509	650
All other	447	1	—	1	2	6	30	45	93	126	92	51	453	1	2	2	5	5	19	30	65	93	136	95
Black	443	1	—	1	2	6	30	44	93	125	90	51	451	1	2	2	5	5	18	30	65	92	136	95
Hypertension with or without renal disease (401,403)	86	—	1	—	2	3	3	1	11	14	25	26	93	—	—	—	—	—	4	3	10	15	28	33
White	61	—	1	—	1	2	2	—	6	8	22	19	66	—	—	—	—	—	1	2	5	13	20	25
All other	25	—	—	—	1	1	1	—	5	6	3	7	27	—	—	—	—	—	3	1	5	2	8	8
Black	25	—	—	—	1	1	1	—	5	6	3	7	27	—	—	—	—	—	3	1	5	2	8	8
Cerebrovascular diseases (430-438)	1,413	—	—	—	2	12	36	68	143	296	529	327	2,286	1	—	3	4	11	30	51	119	334	788	945
White	1,168	—	—	—	2	10	18	53	110	246	442	287	1,944	1	—	3	3	8	17	36	90	258	682	846
All other	245	—	—	—	—	2	18	15	33	50	87	40	342	—	—	—	1	3	13	15	29	76	106	99
Black	243	—	—	—	—	2	18	14	32	50	87	40	338	—	—	—	1	3	13	14	28	75	106	98
Intracerebral and other intracranial hemorrhage (431-432)	220	—	—	—	1	6	16	23	33	64	56	21	258	—	—	—	—	4	10	17	25	54	103	45
White	181	—	—	—	1	5	9	17	26	53	52	18	213	—	—	—	—	4	6	10	17	41	96	39
All other	39	—	—	—	—	1	7	6	7	11	4	3	45	—	—	—	—	—	4	7	8	13	7	6
Black	38	—	—	—	—	1	7	5	7	11	4	3	45	—	—	—	—	—	4	7	8	13	7	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	154	—	—	—	—	1	4	5	10	26	71	37	224	—	—	—	—	2	2	2	6	29	77	106
White	127	—	—	—	—	1	2	4	6	18	62	34	193	—	—	—	—	1	—	1	3	24	67	97
All other	27	—	—	—	—	—	2	1																

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 443

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 242 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
TENNESSEE—Con.																									
Cerebral embolism (434.1)	9	-	-	-	-	-	-	1	2	3	3	-	9	-	-	-	-	-	-	-	-	-	3	1	5
White	8	-	-	-	-	-	-	1	1	3	3	-	7	-	-	-	-	-	-	-	-	-	1	1	5
All other	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Black	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,030	-	-	-	1	5	16	39	98	203	399	269	1,795	1	-	3	4	5	18	32	88	248	607	789	
White	852	-	-	-	1	4	7	31	77	172	325	235	1,531	1	-	3	3	3	11	25	70	192	518	705	
All other	178	-	-	-	-	1	9	8	21	31	74	34	264	-	-	-	1	2	7	7	18	56	89	84	
Black	178	-	-	-	-	1	9	8	21	31	74	34	260	-	-	-	1	2	7	6	17	55	89	83	
Atherosclerosis (440)	141	-	-	-	-	-	1	2	11	17	47	63	223	-	-	-	-	1	-	5	26	61	130	130	
White	121	-	-	-	-	-	1	2	11	16	38	53	198	-	-	-	-	1	-	4	18	57	118	118	
All other	20	-	-	-	-	-	-	-	-	1	9	10	25	-	-	-	-	-	-	1	8	4	12	12	
Black	20	-	-	-	-	-	-	-	-	1	9	10	25	-	-	-	-	-	-	1	8	4	12	12	
Other diseases of arteries, arterioles, and capillaries (441-448)	298	1	1	1	-	1	4	15	50	90	101	34	239	1	-	-	1	1	1	12	23	47	86	67	
White	265	1	1	-	-	-	2	13	48	80	90	30	194	-	-	-	-	1	10	15	39	73	56	56	
All other	33	-	-	1	-	1	2	2	2	10	11	4	45	1	-	-	1	1	-	2	8	8	13	11	
Black	33	-	-	1	-	1	2	2	2	10	11	4	44	1	-	-	1	-	2	8	8	13	11	11	
Acute bronchitis and bronchiolitis (466)	4	-	-	-	-	-	-	1	1	-	-	2	11	2	2	-	-	-	-	-	-	3	1	3	
White	4	-	-	-	-	-	-	1	1	-	-	2	8	1	1	-	-	-	-	-	-	2	1	3	
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-	
Pneumonia and influenza (480-487)	793	5	3	-	5	11	16	22	42	144	304	241	932	3	1	1	1	2	7	12	33	113	289	470	
White	644	2	3	-	3	9	6	18	31	103	263	206	798	1	-	1	-	1	3	11	22	94	255	410	
All other	149	3	-	-	2	2	10	4	11	41	41	35	134	2	1	-	1	1	4	1	11	19	34	60	
Black	149	3	-	-	2	2	10	4	11	41	41	35	134	2	1	-	1	1	4	1	11	19	34	60	
Pneumonia (480-486)	790	5	3	-	5	11	16	22	40	144	303	241	921	3	1	1	1	2	7	11	33	111	286	465	
White	641	2	3	-	3	9	6	18	29	103	262	206	788	1	-	1	-	1	3	10	22	92	253	405	
All other	149	3	-	-	2	2	10	4	11	41	41	35	133	2	1	-	1	1	4	1	11	19	33	60	
Black	149	3	-	-	2	2	10	4	11	41	41	35	133	2	1	-	1	1	4	1	11	19	33	60	
Influenza (487)	3	-	-	-	-	-	-	-	2	-	1	-	11	-	-	-	-	-	-	1	-	2	3	5	
White	3	-	-	-	-	-	-	-	2	-	1	-	10	-	-	-	-	-	-	1	-	2	2	5	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,120	-	-	1	1	3	8	39	134	368	442	124	802	-	1	2	1	5	9	28	131	260	238	127	
White	1,015	-	-	-	1	5	33	117	340	402	117	735	-	-	2	-	3	4	22	118	237	229	120	120	
All other	105	-	-	1	1	2	3	6	17	28	40	7	67	-	1	-	1	2	5	6	13	23	9	7	
Black	104	-	-	1	1	2	3	6	17	27	40	7	67	-	1	-	1	2	5	6	13	23	9	7	
Bronchitis, chronic and unspecified (490-491)	31	-	-	-	-	1	4	1	9	12	4	47	47	-	-	-	-	-	-	4	4	14	14	11	
White	28	-	-	-	-	1	3	1	9	10	4	44	44	-	-	-	-	-	-	4	3	13	14	10	
All other	3	-	-	-	-	-	1	-	-	2	-	3	3	-	-	-	-	-	-	-	1	1	1	1	
Black	3	-	-	-	-	-	1	-	-	2	-	3	3	-	-	-	-	-	-	-	1	1	1	1	
Emphysema (492)	186	-	-	-	-	1	9	22	73	63	18	121	121	-	-	-	-	1	1	5	22	40	30	22	
White	166	-	-	-	-	1	7	22	67	52	17	114	114	-	-	-	-	1	1	3	22	36	30	21	
All other	20	-	-	-	-	-	2	-	6	11	1	7	7	-	-	-	-	-	2	-	4	4	1	1	
Black	20	-	-	-	-	-	2	-	6	11	1	7	7	-	-	-	-	-	2	-	4	4	1	1	
Asthma (493)	36	-	-	1	1	3	3	1	5	7	14	1	68	-	1	1	1	2	4	5	10	22	11	11	
White	26	-	-	-	-	1	2	1	6	14	1	49	49	-	-	1	-	1	2	3	6	18	10	8	
All other	10	-	-	1	1	2	1	-	4	1	-	19	19	-	1	-	1	1	2	2	4	4	1	3	
Black	10	-	-	1	1	2	1	-	4	1	-	19	19	-	1	-	1	1	2	2	4	4	1	3	
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	867	-	-	-	-	3	25	106	279	353	101	566	566	-	-	1	-	2	4	14	95	184	183	83	
White	795	-	-	-	-	1	22	93	258	326	95	528	528	-	-	1	-	1	1	12	87	170	175	81	
All other	72	-	-	-	-	2	3	13	21	27	6	38	38	-	-	-	-	1	3	2	8	14	8	2	
Black	71	-	-	-	-	2	3	13	20	27	6	38	38	-	-	-	-	1	3	2	8	14	8	2	
Ulcer of stomach and duodenum (531-533)	72	-	-	-	1	1	2	8	13	17	19	11	61	-	-	-	-	-	1	1	5	13	19	22	
White	58	-	-	-	1	-	6	9	17	16	9	51	51	-	-	-	-	-	1	1	5	9	17	18	
All other	14	-	-	-	-	1	2	2	4	-	3	2	10	-	-	-	-	-	-	-	-	4	2	4	
Black	14	-	-	-	-	1	2	2	4	-	3	2	10	-	-	-	-	-	-	-	-	4	2	4	
Appendicitis (540-543)	7	-	-	-	-	-	1	1	3	-	2	4	4	-	-	-	-	1	-	-	-	-	1	2	
White	5	-	-	-	-	-	1	1	1	-	2	4	4	-	-	-	-	1	-	-	-	-	1	2	
All other	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	62	-	-	-	1	1	-	5	18	25	12	67	67	-	-	-	-	-	1	1	2	11	21	31	
White	56	-	-	-	1	1	-	4	15	25	10	49	49	-	-	-	-	-	1	-	2	8	14	24	
All other	6	-	-	-	-	-	-	1	3	-	2	18	18	-	-	-	-	-	-	1	-	3	7	7	
Black	6	-	-	-	-	-	-	1	3	-	2	18	18	-	-	-	-	-	-	1	-	3	7	7	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 446

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 245 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
TEXAS—Con.																									
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection (036)	5	-	3	-	1	-	1	-	-	-	-	10	1	2	2	3	-	1	-	1	-	-	-	-	
White	5	-	3	-	1	-	1	-	-	-	-	9	1	2	1	3	-	1	-	1	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Septicemia (038)	572	13	1	2	2	6	15	30	75	131	182	115	684	7	3	4	5	8	12	28	61	118	201	237	
White	468	10	1	2	1	5	10	22	55	108	164	90	563	6	3	4	1	6	8	24	48	93	164	206	
All other	104	3	-	-	1	1	5	8	20	23	18	25	121	1	-	-	4	2	4	4	13	25	37	31	
Black	100	3	-	-	1	1	5	8	20	20	17	25	116	1	-	-	4	2	4	4	12	23	35	31	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
White	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	74	-	-	-	-	5	16	14	11	14	14	-	71	-	-	-	6	3	4	6	11	18	19	4	
White	61	-	-	-	-	3	13	8	10	14	13	-	57	-	-	-	3	1	3	5	9	15	17	4	
All other	13	-	-	-	-	2	3	6	1	-	-	-	14	-	-	-	3	2	1	1	2	3	2	-	
Black	7	-	-	-	-	1	1	4	-	-	-	-	11	-	-	-	3	2	-	1	1	3	2	-	
Syphilis (090-097)	6	-	-	-	-	-	-	-	3	1	2	-	2	-	-	-	1	-	-	-	-	-	1	-	
White	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	1	-	
All other	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	4	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	2,524	14	16	9	50	862	971	350	120	69	43	20	369	16	10	11	20	71	65	38	33	33	47	25	
White	1,955	8	11	7	28	648	760	283	95	56	41	18	244	8	6	8	13	34	29	26	23	32	42	23	
All other	569	6	5	2	22	214	211	67	25	13	2	2	125	8	4	3	7	37	36	12	10	1	5	2	
Black	556	6	4	2	22	207	208	66	24	13	2	2	124	8	4	3	7	37	36	12	9	1	5	2	
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	16,194	9	21	56	86	201	527	1,356	3,189	5,278	4,105	1,364	13,908	9	17	40	62	190	644	1,320	2,450	3,863	3,551	1,760	
White	13,923	7	19	46	72	167	413	1,103	2,694	4,595	3,607	1,198	12,199	9	16	31	52	153	524	1,102	2,092	3,438	3,202	1,578	
All other	2,271	2	2	10	14	34	114	253	495	683	498	166	1,709	-	1	9	10	37	120	218	358	425	349	182	
Black	2,185	2	1	8	13	32	104	243	477	658	482	165	1,631	-	1	7	9	33	108	207	339	408	340	179	
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	373	-	1	-	1	1	13	56	105	97	73	26	167	-	-	-	-	1	4	10	24	51	50	27	
White	302	-	1	-	-	1	6	35	79	85	69	26	145	-	-	-	-	-	4	6	16	46	46	27	
All other	71	-	-	-	1	-	7	21	26	12	4	-	22	-	-	-	-	1	-	4	8	5	4	-	
Black	67	-	-	-	1	-	6	20	25	11	4	-	21	-	-	-	-	1	-	4	8	5	3	-	
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,794	1	-	2	8	24	116	348	795	1,231	947	321	3,267	-	1	-	7	27	86	216	480	832	989	628	
White	3,194	-	-	2	6	19	81	276	648	1,058	823	280	2,795	-	1	-	6	21	63	164	398	705	885	551	
All other	600	1	-	2	5	35	72	147	173	124	41	472	-	-	-	1	6	23	52	82	127	104	77		
Black	566	1	-	-	2	4	29	67	137	164	121	41	449	-	-	-	1	4	20	48	75	123	102	76	
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	5,991	-	-	-	3	19	115	506	1,397	2,260	1,381	310	3,274	-	-	-	2	14	64	271	742	1,191	790	200	
White	5,155	-	-	-	3	14	83	399	1,189	1,969	1,224	274	2,947	-	-	-	2	10	47	233	647	1,098	728	182	
All other	836	-	-	-	-	5	32	107	208	291	157	36	327	-	-	-	-	4	17	38	95	93	62	18	
Black	811	-	-	-	-	5	30	105	205	285	146	35	317	-	-	-	-	4	16	37	92	91	60	17	
Malignant neoplasm of breast (174-175)	13	-	-	-	-	-	1	1	2	6	3	2,446	-	-	-	1	38	219	407	472	576	470	263	-	
White	12	-	-	-	-	-	1	1	2	5	3	2,132	-	-	-	1	31	181	342	404	519	419	235	-	
All other	1	-	-	-	-	-	-	-	-	-	-	314	-	-	-	-	7	38	65	68	57	51	28	-	
Black	1	-	-	-	-	-	-	-	-	-	-	304	-	-	-	-	6	37	63	65	55	50	28	-	
Malignant neoplasms of genital organs (179-187)	1,872	-	2	-	5	8	6	21	156	532	761	380	1,444	-	-	-	7	37	124	158	271	368	343	136	
White	1,536	-	2	-	5	8	5	15	124	432	632	312	1,224	-	-	-	7	29	101	136	225	317	295	114	
All other	336	-	-	-	-	-	1	6	32	100	129	68	220	-	-	-	-	8	23	22	46	51	48	22	
Black	334	-	-	-	-	-	1	6	31	99	129	68	203	-	-	-	-	8	19	18	43	45	48	22	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 447

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 246 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Malignant neoplasms of urinary organs (188-189)	793	2	1	1	4	4	27	80	141	243	208	82	442	-	1	3	1	1	9	31	48	126	128	93
White	710	2	1	1	2	3	24	72	129	211	191	74	390	-	1	1	-	-	9	29	41	110	113	85
All other	83	-	-	-	2	1	3	8	12	32	17	8	52	-	-	2	1	1	-	2	7	16	15	8
Black	80	-	-	-	2	1	3	8	12	30	16	8	52	-	-	2	1	1	-	2	7	16	15	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,761	1	6	25	32	70	144	200	347	495	328	113	1,527	6	8	19	14	34	88	149	230	390	380	209
White	1,591	1	5	19	28	60	128	177	310	458	299	106	1,374	6	7	16	12	30	78	130	201	351	351	192
All other	170	-	1	6	4	10	16	23	37	29	7	7	153	-	1	3	2	4	10	19	29	39	29	17
Black	163	-	-	6	3	9	15	22	37	35	29	7	141	-	1	2	1	4	8	19	26	37	27	16
Leukemia (204-208)	640	5	11	24	24	31	34	49	88	154	166	54	526	3	6	16	24	23	24	27	60	119	147	77
White	575	4	10	20	21	26	28	43	75	140	154	54	477	3	6	12	21	21	21	24	55	105	135	74
All other	65	1	1	4	3	5	6	6	13	14	12	-	49	-	-	4	3	2	3	3	5	14	12	3
Black	61	1	1	2	3	5	6	6	13	12	12	-	47	-	-	3	3	2	2	3	5	14	12	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	957	-	-	4	9	44	72	95	159	264	235	75	815	-	1	2	6	15	26	51	123	210	254	127
White	848	-	-	4	7	36	58	85	139	240	210	69	715	-	1	2	3	11	20	38	105	187	230	118
All other	109	-	-	-	2	8	14	10	20	24	25	6	100	-	-	-	3	4	6	13	18	23	24	9
Black	102	-	-	-	2	8	14	9	17	22	24	6	97	-	-	-	3	3	6	13	18	22	23	9
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	169	2	2	5	2	2	7	16	20	44	53	16	172	2	2	3	3	4	8	6	19	33	55	37
White	150	2	2	5	2	2	7	14	18	38	46	14	153	2	1	3	3	3	8	6	15	31	47	34
All other	19	-	-	-	-	-	-	2	2	6	7	2	19	-	-	-	-	-	-	-	4	2	8	3
Black	18	-	-	-	-	-	-	2	1	6	7	2	18	-	-	-	-	-	-	-	4	1	8	3
Diabetes mellitus (250)	1,629	-	-	-	7	24	78	148	316	479	413	164	2,142	-	-	1	4	21	59	140	321	600	641	355
White	1,386	-	-	-	4	18	59	117	253	427	381	147	1,721	-	-	1	3	17	42	105	247	475	541	290
All other	243	-	-	-	3	6	19	31	63	52	52	17	421	-	-	-	1	4	17	35	74	125	100	65
Black	233	-	-	-	3	6	19	28	58	51	51	17	409	-	-	-	1	4	16	35	71	122	96	64
Nutritional deficiencies (260-269)	88	3	-	1	-	3	1	1	4	12	26	37	149	1	-	1	-	-	2	2	5	12	37	89
White	75	2	-	1	-	2	1	1	2	11	23	32	129	1	-	-	-	-	1	2	4	11	30	80
All other	13	1	-	-	-	1	-	-	2	1	3	5	20	-	-	1	-	-	1	-	1	1	7	9
Black	12	1	-	-	-	1	-	-	2	1	3	4	20	-	-	1	-	-	1	-	1	1	7	9
Anemias (280-285)	131	1	5	3	7	3	6	12	9	24	35	26	174	4	1	2	4	8	7	8	11	26	38	63
White	102	1	-	2	3	-	3	8	7	21	31	26	133	2	-	1	1	-	2	4	5	26	33	59
All other	29	-	5	1	4	3	3	4	2	3	4	-	41	2	1	1	3	8	5	4	6	2	5	4
Black	29	-	5	1	4	3	3	4	2	3	4	-	39	2	1	1	3	8	5	4	6	2	5	4
Meningitis (320-322)	36	8	-	-	-	8	5	4	6	4	1	23	4	-	-	1	1	2	4	2	2	2	4	3
White	27	5	-	-	-	5	4	3	6	3	1	19	2	-	-	1	1	1	4	2	2	3	3	
All other	9	3	-	-	-	3	1	1	-	1	-	4	2	-	-	-	-	1	-	-	-	-	1	
Black	8	2	-	-	-	3	1	1	-	1	-	4	2	-	-	-	-	1	-	-	-	-	1	
Major cardiovascular diseases (390-448)	25,535	34	11	19	70	216	823	1,805	3,711	6,575	7,718	4,545	26,608	35	7	16	29	128	386	734	1,845	4,300	8,405	10,721
White	22,221	28	9	15	49	147	644	1,481	3,121	5,744	6,940	4,056	23,125	28	5	11	20	87	243	515	1,420	3,594	7,427	9,773
All other	3,314	6	2	4	21	69	179	344	590	831	778	489	3,483	7	2	5	9	41	143	219	425	706	978	948
Black	3,186	6	2	3	20	68	172	333	568	798	739	476	3,392	7	1	4	9	40	141	212	411	682	952	933
Diseases of heart (390-398,402,404-429)	20,750	26	8	15	58	178	690	1,599	3,237	5,429	6,078	3,427	19,745	31	6	14	18	87	265	541	1,443	3,373	6,240	7,726
White	18,157	23	6	12	38	114	541	1,307	2,759	4,794	5,497	3,062	17,199	24	4	10	13	58	165	380	1,117	2,823	5,544	7,050
All other	2,593	3	2	3	20	64	149	292	478	635	581	365	2,546	7	2	4	5	29	100	161	326	550	696	866
Black	2,494	3	2	2	19	63	142	281	461	610	554	356	2,483	7	1	4	5	28	99	157	316	532	677	857
Rheumatic fever and rheumatic heart disease (390-398)	63	1	-	-	1	2	3	4	14	19	15	4	162	-	-	-	1	3	8	8	24	37	53	28
White	54	1	-	-	-	1	2	3	11	18	14	4	151	-	-	-	1	3	5	7	21	36	52	26
All other	9	-	-	-	1	1	1	1	3	1	1	-	11	-	-	-	-	3	1	1	3	1	1	2
Black	4	-	-	-	-	1	-	-	3	-	-	-	10	-	-	-	-	3	1	2	1	1	1	2
Hypertensive heart disease (402)	641	-	-	-	-	5	34	77	149	172	136	68	881	-	-	-	1	2	16	33	85	157	274	313
White	469	-	-	-	-	3	22	48	103	135	105	53	658	-	-	-	-	-	4	16	45	109	216	268
All other	172	-	-	-	-	2	12	29	46	37	31	15	223	-	-	-	1	2	12	17	40	48	58	45
Black	170	-	-	-	-	2	12	29	46	35	31	15	219	-	-	-	1	2	12	17	38	46	58	45
Hypertensive heart and renal disease (404)	75	-	-	-	1	2	1	2	8	11	21	29	108	-	-	-	-	1	3	-	10	20	34	40
White	61	-	-	-	1	1	-	2	6	10	18	23	75	-	-	-	-	2	-	4	13	27	29	29
All other	14	-	-	-	-	1	1	-	2	1	3	6	33	-	-	-	-	1	1	-	6	7	7	11
Black	14	-	-	-	-	1	1	-	2	1	3	6	33	-	-	-	-	1	1	-	6	7	7	11
Ischemic heart disease (410-414)	14,055	1	1	1	4	57	402	1,067	2,179	3,742	4,281	2,315	12,478	2	1	1	1	18	113	322	874	2,154	4,079	4,913
White	12,602	1	1	1	3	38	327	900	1,912	3,389	3,923	2,103	11,090	2	1	1	-	14	76	236	711	1,850	3,666	4,533

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 448

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 247 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	72	-	-	-	-	2	2	9	17	27	8	7	47	-	-	-	-	-	-	-	5	10	22	10
White	61	-	-	-	-	1	1	9	16	20	8	6	40	-	-	-	-	-	-	5	9	18	8	
All other	11	-	-	-	-	1	1	-	1	7	-	1	7	-	-	-	-	-	-	-	-	1	4	2
Black	9	-	-	-	-	-	1	-	1	6	-	1	7	-	-	-	-	-	-	-	-	1	4	2
Angina pectoris (413)	32	-	-	-	-	-	2	3	9	15	9	41	-	-	-	-	-	-	1	2	1	15	22	
White	28	-	-	-	-	-	1	2	2	14	9	40	-	-	-	-	-	-	1	2	1	14	22	
All other	4	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-	
Black	4	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	6,246	-	-	1	-	26	167	448	867	1,613	1,948	1,174	6,114	-	-	-	-	5	53	121	344	911	1,917	2,763
White	5,621	-	-	1	-	17	131	366	763	1,477	1,793	1,072	5,425	-	-	-	-	4	34	84	272	775	1,700	2,556
All other	625	-	-	-	-	9	36	82	104	136	155	102	689	-	-	-	-	1	19	37	72	136	217	207
Black	591	-	-	-	-	9	34	80	100	127	141	99	671	-	-	-	-	1	18	36	70	133	210	203
Other diseases of endocardium (424)	299	-	1	3	5	5	6	18	31	72	100	58	401	-	-	4	-	3	6	6	16	57	146	163
White	266	-	1	3	4	4	4	12	27	63	94	54	372	-	-	4	-	2	4	6	12	48	138	158
All other	33	-	-	-	1	1	2	6	4	9	6	4	29	-	-	-	-	1	2	-	4	9	8	5
Black	33	-	-	-	1	1	2	6	4	9	6	4	28	-	-	-	-	2	-	-	4	9	8	5
All other forms of heart disease (415-423,425-429)	5,617	24	6	11	47	107	244	431	856	1,413	1,525	953	5,715	29	5	9	15	60	119	172	434	946	1,654	2,269
White	4,705	21	4	8	30	67	186	342	700	1,179	1,343	825	4,853	22	3	5	12	39	74	115	324	767	1,445	2,046
All other	912	3	2	3	17	40	58	89	156	234	182	129	862	7	2	4	3	21	45	57	110	181	209	223
Black	892	3	2	2	17	40	56	86	153	229	178	126	843	7	1	4	3	21	45	56	106	176	204	220
Hypertension with or without renal disease (401,403)	277	-	-	-	1	2	6	15	33	79	89	52	364	-	-	1	-	1	7	11	34	53	119	138
White	209	-	-	-	-	1	4	10	21	59	70	44	271	-	-	1	-	4	5	19	36	94	112	
All other	68	-	-	-	1	2	5	12	20	19	8	93	93	-	-	-	-	1	3	6	15	17	25	
Black	67	-	-	-	1	1	2	5	12	20	18	8	90	-	-	-	-	1	3	6	15	17	24	
Cerebrovascular diseases (430-438)	3,429	8	3	4	11	31	98	157	335	764	1,169	827	5,270	4	1	1	9	31	95	153	308	710	1,707	2,251
White	2,876	5	3	3	11	27	74	116	252	612	1,040	731	4,553	4	1	-	6	21	61	110	232	598	1,487	2,033
All other	553	3	-	1	-	4	24	41	83	152	149	96	717	-	-	1	3	10	34	43	76	112	220	218
Black	528	3	-	1	-	4	24	41	79	145	139	92	695	-	-	3	10	33	40	73	107	215	214	
Intracerebral and other intracranial hemorrhage (431-432)	569	3	-	3	4	9	48	71	88	146	148	49	655	2	-	1	1	10	37	49	77	149	191	138
White	461	1	-	2	4	7	33	51	58	128	130	47	567	2	-	-	1	8	21	34	63	135	173	130
All other	108	2	-	1	-	2	15	20	30	18	18	2	88	-	-	1	-	2	16	15	14	14	18	8
Black	99	2	-	1	-	2	15	20	28	15	14	2	78	-	-	-	-	2	15	15	12	12	15	7
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	332	3	1	-	-	2	5	12	31	88	108	82	500	-	1	-	-	1	2	3	22	72	159	240
White	272	2	1	-	-	1	4	8	24	67	98	67	434	-	1	-	-	2	2	18	64	134	213	
All other	60	1	-	-	-	1	1	4	7	21	10	15	66	-	-	-	-	1	1	4	8	25	27	
Black	59	1	-	-	-	1	1	4	6	21	10	15	64	-	-	-	-	1	1	4	8	25	25	
Cerebral embolism (434.1)	5	-	-	-	-	-	1	-	2	-	2	17	-	-	-	-	-	1	1	1	3	5	6	
White	5	-	-	-	-	-	1	-	2	-	2	15	-	-	-	-	-	1	1	1	2	5	5	
All other	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	
Black	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,523	2	2	1	7	20	45	73	216	528	933	694	4,098	2	-	-	8	20	55	100	208	486	1,352	1,867
White	2,138	2	2	1	7	19	37	56	170	415	812	615	3,537	2	-	-	5	13	37	73	150	397	1,175	1,685
All other	385	-	-	-	-	1	8	17	46	113	121	79	561	-	-	-	3	7	18	27	58	89	177	182
Black	370	-	-	-	-	1	8	17	45	109	115	75	551	-	-	-	3	7	18	24	57	86	175	181
Atherosclerosis (440)	359	-	-	-	2	2	6	18	63	122	145	682	-	-	-	-	1	1	3	19	57	155	445	
White	324	-	-	-	2	2	5	14	55	111	134	630	-	-	-	-	1	1	2	18	45	139	423	
All other	35	-	-	-	-	-	1	4	8	11	11	52	-	-	-	-	-	-	1	1	12	16	22	
Black	35	-	-	-	-	-	1	4	8	11	11	51	-	-	-	-	-	-	1	1	11	16	22	
Other diseases of arteries, arterioles, and capillaries (441-448)	720	-	-	-	3	27	28	88	240	240	94	547	-	-	-	2	8	18	26	41	107	164	161	
White	655	-	-	-	3	23	23	75	224	222	85	472	-	-	-	1	7	12	18	34	92	163	145	
All other	65	-	-	-	-	4	5	13	16	18	9	75	-	-	-	1	1	6	8	7	15	21	16	
Black	62	-	-	-	-	4	5	12	15	17	9	73	-	-	-	1	1	6	8	6	15	20	16	
Acute bronchitis and bronchiolitis (466)	15	4	1	1	-	1	-	2	1	2	3	17	3	-	-	-	-	-	-	1	3	5	5	
White	12	3	1	1	-	1	-	2	1	1	3	15	1	-	-	-	-	-	-	1	3	5	5	
All other	3	1	1	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	
Black	3	1	1	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	1,809	19	14	4	11	29	59	63	108	301	611	590	1,903	14	7	2	8	19	26	18	75	201	549	984
White	1,620	16	9	4	8	22	43	51	86	267	554	560	1,729	7	7	2	6	13	17	15	68	167	508	919
All other	189	3	5	-	3	7	16	12	22	34	57	30	174	7	-	-	2	6	9	3	7	34	41	65
Black	183	3	4	-	3	7	16	12	21	32	56	29	169	7	-	-	2	6	9	3	7	33	39	63

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 450

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 249 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TEXAS—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (584-589,587)	51	-	-	-	1	-	4	3	5	12	12	13	64	-	-	-	1	1	3	-	4	10	26	19
White	38	-	-	-	1	-	2	3	3	10	9	12	53	-	-	-	1	1	3	-	4	8	20	16
All other	13	-	-	-	-	-	2	3	2	2	3	1	11	-	-	-	-	-	-	-	-	2	6	3
Black	12	-	-	-	-	-	2	2	2	2	3	1	10	-	-	-	-	-	-	-	-	2	5	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	338	6	-	1	-	5	8	6	38	73	117	84	377	8	-	-	1	2	5	16	23	64	108	150
White	267	5	-	1	-	3	5	4	19	62	95	73	307	5	-	-	1	1	3	13	17	51	87	129
All other	71	1	-	-	-	2	3	2	19	11	22	11	70	3	-	-	-	1	2	3	6	13	21	21
Black	69	1	-	-	-	2	3	2	18	10	22	11	69	3	-	-	-	1	2	3	6	13	20	23
Infections of kidney (590)	34	-	1	-	1	-	1	2	3	6	13	7	47	-	-	-	-	1	-	2	3	6	12	22
White	30	-	-	-	-	-	1	2	3	6	13	7	43	-	-	-	-	1	-	2	2	5	11	22
All other	4	-	1	-	1	-	1	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Black	3	-	-	-	1	-	1	1	-	-	-	-	4	-	-	-	-	-	-	-	1	1	1	1
Hyperplasia of prostate (600)	17	-	-	-	-	-	-	-	1	2	6	8
White	16	-	-	-	-	-	-	-	1	2	5	8
All other	1	-	-	-	-	-	-	-	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	-	1	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	23	6	12	5	-
White	13	3	7	3	-
All other	10	3	5	2	-
Black	9	3	5	1	-
Pregnancy with abortive outcome (630-638)	2	-	2	-	-
White	1	-	1	-	-
All other	1	-	1	-	-
Black	1	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	21	6	10	5	-
White	12	3	6	3	-
All other	9	3	4	2	-
Black	8	3	4	1	-
Congenital anomalies (740-759)	520	339	43	20	25	13	21	10	12	18	9	10	456	292	36	21	10	11	9	14	15	23	19	6
White	431	276	35	18	20	10	18	8	11	17	9	9	389	253	28	18	9	9	7	12	12	20	16	5
All other	89	63	8	2	5	3	3	2	1	1	-	1	67	39	8	3	1	2	2	3	3	3	3	1
Black	82	58	8	2	4	2	3	2	1	1	-	1	59	35	8	2	1	2	1	2	2	3	2	1
Certain conditions originating in the perinatal period (760-779)	569	560	4	5	-	-	-	-	-	-	-	-	422	420	-	1	-	-	-	-	-	1	-	-
White	386	389	4	3	-	-	-	-	-	-	-	-	289	287	-	1	-	-	-	-	-	1	-	-
All other	173	171	-	2	-	-	-	-	-	-	-	-	133	133	-	-	-	-	-	-	-	-	-	-
Black	165	163	-	2	-	-	-	-	-	-	-	-	130	130	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	107	105	-	2	-	-	-	-	-	-	-	-	95	94	-	-	-	-	-	-	-	1	-	-
White	78	76	-	2	-	-	-	-	-	-	-	-	69	68	-	-	-	-	-	-	-	1	-	-
All other	29	29	-	-	-	-	-	-	-	-	-	-	26	26	-	-	-	-	-	-	-	-	-	-
Black	29	29	-	-	-	-	-	-	-	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	462	455	4	3	-	-	-	-	-	-	-	-	327	326	-	1	-	-	-	-	-	-	-	-
White	318	313	4	1	-	-	-	-	-	-	-	-	220	219	-	1	-	-	-	-	-	-	-	-
All other	144	142	-	2	-	-	-	-	-	-	-	-	107	107	-	-	-	-	-	-	-	-	-	-
Black	136	134	-	2	-	-	-	-	-	-	-	-	105	105	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	710	229	9	6	18	29	50	35	66	88	97	80	594	149	7	4	13	21	23	14	38	67	98	159
White	587	170	5	6	16	21	40	32	57	81	87	70	485	104	6	3	11	17	18	12	30	55	83	145
All other	123	59	4	-	2	8	10	3	9	7	10	10	109	45	1	1	2	4	5	2	8	12	15	14
Black	118	57	4	-	2	5	10	3	9	7	10	10	105	43	1	1	2	4	3	2	8	12	15	14
All other diseases (Residual)	4,782	82	36	55	82	180	265	336	537	991	1,325	893	5,894	66	30	28	59	114	153	239	430	907	1,775	2,093
White	4,167	61	31	46	70	130	211	255	445	900	1,199	819	5,222	53	27	21	46	80	108	184	351	798	1,616	1,940
All other	615	21	5	9	12	50	54	81	92	91	126	74	672	13	3	7	13	34	45	55	79	111	159	153
Black	594	21	4	9	11	49	50	79	88	89	122	72	649	13	2	7	13	32	43	52	76	108	156	147
Accidents and adverse effects (E800-E949)	4,220	38	131	201	905	830	675	352	307	281	309	152	1,885	46	78	77	265	244	218	132	136	172	247	269
White	3,620	31	108	164	805	710	563	297	255	242	266	140	1,595	29	63	60	234	203	170	108	110	156	215	246
All other	600	7	23	37	100	120	112	55	52	39	43	12	290	17	15	17	31	41	48	24	26	16	32	23
Black	556	7	22	33	89	106	104	55	51	39	39	11	263	17	14	15	26	33	44	20	26	13	32	23

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 462

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 261 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female														
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over		
VERMONT—Con.																										
Other conditions originating in the perinatal period (760-766,770-779)	10	10	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-	-	
White	10	10	-	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	12	8	-	-	1	-	-	-	-	-	3	-	10	6	-	-	1	1	-	-	-	-	-	2	-	
White	12	8	-	-	1	-	-	-	-	-	3	-	10	6	-	-	1	1	-	-	-	-	-	2	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other diseases (Residual)	209	1	1	-	-	4	5	16	19	45	62	56	268	3	-	-	1	1	4	6	13	41	75	124	-	
White	209	1	1	-	-	4	5	16	19	45	62	56	267	3	-	-	1	1	4	6	13	41	75	123	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Accidents and adverse effects (E800-E949)	110	-	3	10	27	21	12	7	7	12	7	4	60	-	-	1	4	3	6	6	5	5	11	19	-	
White	108	-	3	9	27	21	12	6	7	12	7	4	57	-	-	1	4	3	5	6	5	5	11	19	-	
All other	2	-	-	1	-	-	-	1	-	-	-	-	3	-	-	-	2	3	1	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Motor vehicle accidents (E810-E825)	60	-	-	3	21	15	6	4	2	4	5	-	24	-	-	-	3	3	6	2	3	1	4	2	-	
White	58	-	-	2	21	15	6	3	2	4	5	-	22	-	-	-	2	3	5	2	3	1	4	2	-	
All other	2	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other accidents and adverse effects (E800-E807, E826-E949)	50	-	3	7	6	6	6	3	5	8	2	4	36	-	-	1	1	-	4	2	4	7	17	-		
White	50	-	3	7	6	6	6	3	5	8	2	4	35	-	-	1	1	-	4	2	4	7	17	-		
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide (E950-E959)	71	-	-	1	11	15	13	9	8	5	8	1	9	-	-	-	2	-	3	1	1	1	-	1	-	
White	71	-	-	1	11	15	13	9	8	5	8	1	9	-	-	-	2	-	3	1	1	1	-	1	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Homicide and legal intervention (E960-E978)	13	-	-	-	2	4	3	2	2	-	-	-	7	-	1	-	2	2	-	1	-	-	-	1	-	
White	12	-	-	-	1	4	3	2	2	-	-	-	7	-	1	-	2	2	-	1	-	-	-	1	-	
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other external causes (E980-E999)	9	-	-	-	-	4	4	1	-	-	-	-	7	-	-	-	1	1	2	2	1	-	-	-	-	
White	9	-	-	-	-	4	4	1	-	-	-	-	7	-	-	-	1	1	2	2	1	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIRGINIA																										
All causes	25,441	512	74	94	625	935	1,364	1,923	3,622	6,722	6,416	3,151	23,922	407	71	54	189	334	664	1,148	2,338	4,825	6,998	6,887	-	
White	19,382	275	50	63	391	607	896	1,350	2,723	5,164	5,271	2,591	18,778	210	39	34	132	192	400	794	1,691	3,675	5,726	5,884	-	
All other	6,059	237	24	31	234	328	468	573	899	1,558	1,145	560	5,144	197	32	20	57	142	264	354	647	1,150	1,272	1,003	-	
Black	5,871	229	24	30	226	319	450	552	869	1,517	1,109	544	4,994	193	29	18	55	136	250	336	637	1,117	1,234	983	-	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	1	-	-	-	-	-	-	1	-	1	1	5	-	-	-	-	-	-	-	-	-	-	5	-	
White	3	-	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	-	-	-	-	-	-	4	-	
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Tuberculosis (010-018)	18	-	-	-	1	2	-	2	7	5	1	11	-	-	-	-	1	-	1	-	1	1	6	1	-	
White	10	-	-	-	1	2	-	2	7	5	1	7	-	-	-	-	1	-	1	-	1	1	5	1	-	
All other	8	-	-	-	-	-	-	-	2	2	3	4	-	-	-	-	-	-	-	-	-	-	1	1	-	
Black	8	-	-	-	-	-	-	2	2	3	1	4	-	-	-	-	1	-	1	-	-	1	1	1	-	
Tuberculosis of respiratory system (010-012)	10	-	-	-	1	1	-	1	3	4	-	7	-	-	-	-	-	-	-	-	1	1	5	-	-	
White	7	-	-	-	1	1	-	1	3	4	-	5	-	-	-	-	-	-	-	-	1	1	4	-	-	
All other	3	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
Black	3	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
Other tuberculosis (013-018)	8	-	-	-	-	1	-	1	4	1	1	4	-	-	-	1	-	1	-	-	-	-	1	1	-	
White	3	-	-	-	-	1	-	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
All other	5	-	-	-	-	-	-	-	2	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	
Black	5	-	-	-	-	-	-	1	2	1	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 463

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 262 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal Infection (036)	2	-	-	-	2	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	1	-	-
White	1	-	-	-	1	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	1	-	-
All other	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	273	-	-	4	7	9	16	24	70	97	46	382	4	-	-	1	3	11	12	30	66	121	134	
White	182	-	-	2	6	4	6	13	40	75	38	274	2	-	-	1	1	11	6	23	42	87	99	
All other	91	-	-	2	1	5	10	11	30	22	10	108	2	-	-	2	-	4	7	24	34	35	35	
Black	87	-	-	1	1	5	10	11	28	22	10	108	2	-	-	-	2	4	7	24	34	35	35	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	34	-	-	-	-	7	9	8	4	4	2	12	-	-	-	-	4	1	8	2	2	2	-	
White	25	-	-	-	-	6	6	5	2	4	2	9	-	-	-	-	3	1	1	1	1	2	-	
All other	9	-	-	-	-	1	3	3	2	-	3	3	-	-	-	-	1	-	1	1	1	1	-	
Black	5	-	-	-	-	1	1	1	2	-	3	3	-	-	-	-	1	-	1	1	1	1	-	
Syphilis (090-097)	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	608	8	1	3	11	191	232	76	31	27	20	8	143	5	2	2	2	32	29	15	12	16	15	13
White	366	4	-	2	7	113	129	48	18	21	18	6	73	-	1	1	1	12	9	5	6	13	11	12
All other	242	4	1	1	4	78	103	28	13	6	2	2	70	5	1	1	1	20	20	10	4	3	4	1
Black	240	4	1	1	4	77	102	28	13	6	2	2	69	5	1	1	1	19	20	10	4	3	4	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,459	1	10	11	23	63	166	547	1,295	2,261	1,604	477	5,549	-	6	8	36	69	224	508	989	1,632	1,418	659
White	4,946	1	8	8	18	44	121	392	980	1,708	1,288	377	4,384	-	4	5	28	48	158	384	758	1,301	1,160	539
All other	1,513	-	2	3	5	19	45	155	315	553	316	100	1,165	-	2	3	10	21	66	124	230	331	258	120
Black	1,464	-	2	2	4	18	41	148	305	542	306	96	1,116	-	2	2	10	20	60	117	224	318	247	116
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	140	-	-	-	1	1	5	29	32	46	19	7	58	-	-	-	1	1	2	2	11	18	17	6
White	100	-	-	-	1	1	3	14	22	36	16	7	44	-	-	-	1	-	1	1	8	15	14	5
All other	40	-	-	-	-	2	15	10	10	3	-	14	-	-	-	-	1	2	1	3	3	3	3	1
Black	36	-	-	-	-	1	14	10	10	3	-	14	-	-	-	-	1	2	1	3	3	3	3	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,461	-	-	-	-	12	36	132	300	518	353	110	1,268	-	-	-	4	1	32	71	171	348	405	236
White	1,093	-	-	-	-	7	24	89	207	389	291	86	949	-	-	-	2	1	23	45	123	248	322	185
All other	368	-	-	-	-	5	12	43	93	129	62	24	319	-	-	-	2	-	9	26	48	100	83	51
Black	347	-	-	-	-	4	12	39	87	124	59	22	305	-	-	-	2	-	8	22	48	99	77	49
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,331	-	-	-	1	4	38	209	583	876	511	109	1,283	-	-	-	-	5	18	104	281	474	300	101
White	1,799	-	-	-	1	1	26	147	450	680	406	88	1,047	-	-	-	-	4	13	82	216	390	254	88
All other	532	-	-	-	3	12	62	133	195	105	21	236	-	-	-	-	1	5	22	65	84	46	13	
Black	516	-	-	-	3	12	60	129	191	101	20	229	-	-	-	-	1	4	22	64	80	45	13	
Malignant neoplasm of breast (174-175)	8	-	-	-	-	-	-	1	5	1	1	996	-	-	-	1	22	89	166	214	283	171	80	
White	6	-	-	-	-	-	-	1	3	1	1	780	-	-	-	-	15	57	128	166	211	136	67	
All other	2	-	-	-	-	-	-	-	2	-	-	216	-	-	-	1	7	32	38	48	42	35	13	
Black	2	-	-	-	-	-	-	-	2	-	-	206	-	-	-	1	7	31	35	47	41	32	12	
Malignant neoplasms of genital organs (179-187)	808	-	-	1	1	4	12	66	279	302	143	560	-	-	-	2	8	32	56	103	165	140	54	
White	536	-	-	1	1	2	6	40	171	211	105	442	-	-	-	2	3	25	45	83	129	119	42	
All other	272	-	-	-	1	2	6	26	108	91	38	118	-	-	-	-	5	7	11	20	36	27	12	
Black	271	-	-	-	1	2	6	26	108	90	38	117	-	-	-	-	5	7	11	20	35	27	12	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 464

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 263 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Malignant neoplasms of urinary organs (188-189)	301	-	-	-	3	11	18	52	104	82	30	174	-	-	-	1	1	6	15	24	45	53	29	21
White	253	-	-	1	-	3	10	17	43	84	69	132	-	-	-	1	1	4	10	16	38	42	21	8
All other	48	-	-	-	-	1	1	9	20	13	4	42	-	-	-	-	1	2	5	8	7	11	8	8
Black	47	-	-	-	-	1	1	9	19	13	4	42	-	-	-	-	1	2	5	8	7	11	8	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	845	-	5	7	8	25	47	99	163	255	191	44	670	-	4	5	14	17	32	55	102	177	187	77
White	701	-	4	4	8	20	38	81	136	201	167	41	549	-	3	3	10	13	26	46	83	145	157	63
All other	144	-	1	3	-	5	9	18	27	54	24	3	121	-	1	2	4	4	6	9	19	32	30	14
Black	139	-	1	2	-	5	7	18	27	54	23	2	112	-	1	2	4	3	5	9	17	28	29	14
Leukemia (204-209)	213	1	5	2	9	7	11	10	33	66	61	8	204	-	2	3	10	3	5	17	32	48	50	34
White	178	1	4	2	5	6	7	8	28	55	55	7	166	-	1	2	7	2	4	12	25	38	44	31
All other	35	-	1	-	4	1	4	2	5	11	6	1	38	-	1	1	3	1	1	5	7	10	6	3
Black	32	-	1	-	3	1	3	2	5	11	5	1	34	-	1	-	3	1	1	5	6	8	6	3
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	352	-	-	1	3	10	14	38	65	112	84	25	336	-	-	-	3	11	8	22	51	104	95	42
White	280	-	-	1	2	6	11	30	53	89	72	16	275	-	-	-	3	10	6	15	39	87	78	37
All other	72	-	-	-	1	4	3	8	12	23	12	9	61	-	-	-	1	2	7	12	17	17	5	5
Black	72	-	-	-	1	4	3	8	12	23	12	9	61	-	-	-	1	2	7	12	17	17	5	5
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	83	1	1	1	3	4	3	7	10	29	17	7	99	-	1	1	2	3	6	10	8	23	23	22
White	64	1	1	1	2	1	3	5	8	23	13	6	88	-	1	1	2	5	10	5	21	22	20	20
All other	19	-	-	-	1	3	-	2	2	6	4	1	11	-	-	-	1	1	1	-	3	2	1	2
Black	17	-	-	-	1	3	-	1	2	6	3	1	11	-	-	-	1	1	1	-	3	2	1	2
Diabetes mellitus (250)	391	-	-	-	-	7	21	33	73	122	99	36	572	-	-	-	1	4	17	26	85	158	180	101
White	271	-	-	-	-	5	17	20	45	85	70	29	383	-	-	-	1	3	11	15	51	102	122	78
All other	120	-	-	-	-	2	4	13	28	37	29	7	189	-	-	-	1	6	11	34	56	58	23	23
Black	117	-	-	-	-	2	4	13	28	37	27	6	185	-	-	-	1	6	10	34	56	56	22	22
Nutritional deficiencies (260-269)	28	-	-	-	-	1	2	3	3	5	9	5	83	-	-	-	-	1	1	-	1	9	19	32
White	19	-	-	-	-	1	2	2	2	4	5	5	46	-	-	-	-	1	1	-	1	6	12	26
All other	9	-	-	-	-	1	1	1	1	1	4	1	17	-	-	-	-	1	1	-	1	3	7	6
Black	9	-	-	-	-	1	1	1	1	1	4	1	16	-	-	-	-	1	1	-	1	3	6	6
Anemias (280-285)	32	-	1	-	-	5	4	1	1	5	10	5	50	1	-	-	2	2	2	1	5	10	11	16
White	20	-	1	-	-	1	1	1	1	3	10	3	32	1	-	-	2	2	1	4	6	6	12	12
All other	12	-	-	-	-	5	3	-	-	2	1	2	18	-	-	-	2	1	1	1	4	5	4	4
Black	12	-	-	-	-	5	3	-	-	2	1	2	18	-	-	-	2	1	1	1	4	5	4	4
Meningitis (320-322)	9	2	1	-	-	1	-	1	2	1	-	1	13	2	2	1	1	-	1	1	1	1	3	-
White	7	2	-	-	-	1	-	1	1	1	-	1	9	2	1	1	-	-	1	1	1	3	-	-
All other	2	-	1	-	-	-	-	-	1	-	-	-	4	2	-	-	-	-	1	-	1	-	-	-
Black	2	-	1	-	-	-	-	-	1	-	-	-	4	2	-	-	-	-	1	-	1	-	-	-
Major cardiovascular diseases (390-448)	9,620	20	5	7	27	68	280	687	1,423	2,753	2,795	1,553	10,392	10	7	5	13	38	128	300	713	1,829	3,423	3,922
White	7,604	15	4	7	16	38	194	488	1,085	2,148	2,313	1,296	8,206	7	3	4	6	17	53	183	469	1,322	2,771	3,371
All other	2,016	5	1	-	11	30	86	199	338	605	482	257	2,186	3	4	1	7	21	75	117	244	507	652	551
Black	1,956	5	1	-	11	29	80	193	329	586	468	252	2,135	3	4	1	7	21	72	113	241	493	635	541
Diseases of heart (390-398,402,404-429)	7,690	17	4	6	20	54	226	597	1,212	2,242	2,175	1,135	7,810	8	6	3	9	30	89	219	572	1,428	2,555	2,887
White	6,143	13	4	6	12	33	164	440	940	1,770	1,812	949	6,217	5	2	2	3	14	39	132	382	1,051	2,086	2,501
All other	1,547	4	-	-	8	21	62	157	272	472	363	186	1,593	3	4	1	6	16	50	87	190	377	469	386
Black	1,504	4	-	-	8	20	58	153	266	457	355	181	1,561	3	4	1	6	16	48	86	187	370	456	380
Rheumatic fever and rheumatic heart disease (390-398)	31	-	-	-	-	1	3	4	4	14	4	1	71	-	-	-	1	2	2	5	11	17	21	12
White	30	-	-	-	-	1	3	4	3	14	4	1	54	-	-	-	1	2	1	1	8	14	17	10
All other	1	-	-	-	-	-	-	-	1	-	-	-	17	-	-	-	-	1	4	3	3	4	2	2
Black	1	-	-	-	-	-	-	-	1	-	-	-	15	-	-	-	-	1	4	3	3	4	1	1
Hypertensive heart disease (402)	138	1	-	-	-	1	4	14	20	36	45	17	232	-	-	-	-	2	2	11	14	44	69	89
White	83	-	-	-	-	1	1	7	13	22	29	10	146	-	-	-	-	-	2	4	22	49	69	69
All other	55	1	-	-	-	3	7	7	14	16	7	7	86	-	-	-	-	2	2	9	10	22	20	20
Black	53	1	-	-	-	3	7	7	13	15	7	7	85	-	-	-	-	2	2	9	10	21	20	20
Hypertensive heart and renal disease (404)	18	-	-	-	-	1	-	-	4	7	5	1	42	-	-	-	-	1	1	1	8	13	18	18
White	7	-	-	-	-	-	-	-	1	2	4	-	25	-	-	-	-	-	-	-	5	8	12	12
All other	11	-	-	-	-	1	-	-	3	5	1	1	17	-	-	-	-	1	1	1	3	5	6	6
Black	11	-	-	-	-	1	-	-	3	5	1	1	17	-	-	-	-	1	1	1	3	5	6	6
Ischemic heart disease (410-414)	4,841	-	-	1	1	18	144	386	842	1,479	1,356	612	4,201	-	-	-	-	6	34	114	336	825	1,475	1,409
White	3,985	-	-	1	1	14	112	310	675	1,191	1,154	527	3,409	-	-	-	-	2	18	76	236	622	1,223	1,232
All other	856	-	-	-	-	4	32	76	167	288	202	85	792	-	-	-	-	4	16	38	100	203	252	177
Black	832	-	-	-	-	4	30	75	164	278	198	81	779	-	-	-	-	4	16	38	97	201		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 465

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 264 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Other acute and subacute forms of ischemic heart disease (411)	255	-	-	-	-	26	23	45	74	56	31	218	-	-	-	-	2	3	5	23	36	77	71	
White	187	-	-	-	-	21	17	29	60	39	22	164	-	-	-	-	-	3	3	16	30	56	56	
All other	68	-	-	-	-	5	6	16	14	18	9	54	-	-	-	-	2	-	2	7	6	21	15	
Black	66	-	-	-	-	5	6	15	14	17	9	53	-	-	-	-	2	-	2	7	6	20	15	
Angina pectoris (413)	7	-	-	-	-	-	-	-	-	7	-	20	-	-	-	-	-	-	-	-	3	9	8	
White	6	-	-	-	-	-	-	-	-	6	-	17	-	-	-	-	-	-	-	-	2	8	7	
All other	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1	
Black	1	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	1	1	1	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,096	-	-	1	-	10	55	141	336	602	635	314	1,857	-	-	-	-	10	38	117	313	610	769	
White	1,733	-	-	1	-	8	43	113	273	474	554	267	1,500	-	-	-	-	5	23	76	221	506	669	
All other	363	-	-	-	-	2	12	28	63	128	81	47	357	-	-	-	-	5	15	41	92	104	100	
Black	350	-	-	-	-	2	12	27	62	122	80	43	354	-	-	-	-	5	15	41	91	104	98	
Other diseases of endocardium (424)	141	-	-	1	2	1	5	9	16	34	47	26	206	-	-	-	-	1	2	7	10	28	72	86
White	113	-	-	1	2	-	3	5	12	27	40	23	169	-	-	-	-	1	1	4	4	26	58	76
All other	28	-	-	-	-	1	2	4	4	7	7	3	37	-	-	-	-	1	1	3	6	2	14	10
Black	27	-	-	-	-	1	2	4	4	7	6	3	36	-	-	-	-	1	1	3	6	2	13	10
All other forms of heart disease (412-423,425-429)	2,521	16	4	4	17	33	69	184	326	672	718	478	3,058	8	6	3	8	19	48	81	200	506	905	1,273
White	1,925	13	4	4	9	17	45	114	236	514	581	388	2,414	5	2	2	2	10	19	49	130	362	731	1,102
All other	596	3	-	-	8	16	24	70	90	158	137	90	644	3	4	1	6	9	29	32	70	144	174	171
Black	580	3	-	-	8	15	22	67	87	154	135	89	629	3	4	1	6	9	28	31	70	140	167	169
Hypertension with or without renal disease (401,403)	88	-	-	-	1	2	4	9	10	30	21	11	137	-	-	-	-	-	4	6	13	37	38	39
White	62	-	-	-	1	2	3	7	22	17	10	77	-	-	-	-	-	-	1	1	7	17	27	25
All other	26	-	-	-	1	1	2	6	3	8	4	1	60	-	-	-	-	-	4	5	6	20	11	14
Black	25	-	-	-	1	1	2	6	2	8	4	1	60	-	-	-	-	-	4	5	6	20	11	14
Cerebrovascular diseases (430-438)	1,376	3	1	1	5	8	39	67	138	340	454	320	2,014	1	1	2	3	8	32	67	107	300	690	803
White	1,005	2	-	1	3	3	19	36	84	242	355	260	1,553	1	1	2	2	3	11	43	63	202	546	679
All other	371	1	1	-	2	5	20	31	54	98	99	60	461	-	-	-	1	5	21	24	44	98	144	124
Black	358	1	1	-	2	5	18	29	53	95	94	60	443	-	-	-	1	5	20	21	44	91	141	120
Intracerebral and other intracranial hemorrhage (431-432)	232	1	-	-	3	4	17	31	47	65	48	16	297	-	-	1	1	-	13	26	34	60	110	52
White	146	-	-	-	2	1	7	12	25	47	37	15	226	-	-	1	1	-	4	15	18	47	94	46
All other	86	1	-	-	1	3	10	19	22	18	11	1	71	-	-	-	-	-	9	11	16	13	16	6
Black	81	1	-	-	1	3	9	19	21	16	10	1	65	-	-	-	-	-	8	9	16	11	16	5
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	126	-	-	-	-	1	1	10	33	46	35	207	1	-	-	1	-	2	7	8	26	61	101	
White	88	-	-	-	-	-	-	7	22	33	26	156	1	-	-	-	-	2	4	4	16	46	85	
All other	38	-	-	-	-	1	1	3	11	13	9	51	-	-	-	1	-	2	3	4	10	15	16	
Black	37	-	-	-	-	1	1	3	11	13	9	50	-	-	-	1	-	2	3	4	10	15	15	
Cerebral embolism (434.1)	6	-	-	-	-	-	-	1	1	2	2	12	-	-	-	-	-	-	-	-	1	4	3	4
White	3	-	-	-	-	-	-	-	1	1	1	10	-	-	-	-	-	-	-	-	1	3	3	3
All other	3	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	1	1	1	1
Black	3	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	1	1	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,012	2	1	1	2	4	21	35	80	241	358	267	1,498	-	1	1	1	8	17	34	64	210	516	646
White	768	2	-	1	1	2	12	24	52	172	284	218	1,161	-	1	1	1	3	7	24	40	136	403	545
All other	244	-	1	-	1	2	9	11	28	69	74	49	337	-	-	-	-	5	10	10	24	74	113	101
Black	237	-	1	-	1	2	8	10	28	68	70	49	326	-	-	-	-	5	10	9	24	69	110	99
Atherosclerosis (440)	133	-	-	-	-	1	3	9	21	52	47	195	-	-	-	-	-	-	1	2	23	51	118	
White	116	-	-	-	-	1	3	6	14	49	43	159	-	-	-	-	-	-	1	1	16	39	103	
All other	17	-	-	-	-	-	-	3	7	3	4	36	-	-	-	-	-	-	1	1	7	12	15	
Black	17	-	-	-	-	-	-	3	7	3	4	36	-	-	-	-	-	-	1	1	7	12	15	
Other diseases of arteries, arterioles, and capillaries (441-448)	333	-	-	-	1	4	10	11	54	120	93	40	236	1	-	-	1	-	3	7	19	41	89	75
White	278	-	-	-	1	1	8	6	48	100	80	34	200	1	-	-	1	-	3	7	16	36	73	63
All other	55	-	-	-	-	3	2	5	6	20	13	6	36	-	-	-	-	-	-	-	3	5	16	12
Black	52	-	-	-	-	3	2	5	5	19	12	6	35	-	-	-	-	-	-	-	3	5	15	12
Acute bronchitis and bronchiolitis (466)	7	1	-	-	-	2	1	-	-	3	-	-	10	-	-	-	-	-	-	1	-	1	1	7
White	7	1	-	-	-	2	1	-	-	3	-	-	9	-	-	-	-	-	-	1	-	1	1	7
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	851	9	2	2	1	12	29	24	62	158	282	261	910	7	3	2	2	4	12	9	29	93	288	460
White	688	5	2	1	-	7	19	13	43	119	254	225	769	2	2	1	2	1	5	7	18	69	248	413
All other	163	4	-	1	1	5	9	11	19	39	38	36	141	5	1	1	-	3	7	2	11	24	40	47
Black	159	4	-	1	1	5	9	11	19	38	37	34	135	5	1	1	-	3	7	2	11	24	37	44

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 467

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 266 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
VIRGINIA—Con.																								
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	11	-	-	-	-	-	-	-	-	3	5	3	7	-	-	-	-	-	-	-	1	2	-	4
White	9	-	-	-	-	-	-	-	-	2	4	3	6	-	-	-	-	-	-	-	1	2	-	3
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	258	1	-	-	-	4	7	10	15	69	91	61	292	5	-	-	-	3	1	11	20	54	90	108
White	179	1	-	-	-	3	3	6	7	50	68	41	188	1	-	-	-	1	1	7	12	30	62	75
All other	79	-	-	-	-	1	4	4	8	19	23	20	104	4	-	-	-	2	1	4	8	24	28	33
Black	79	-	-	-	-	1	4	4	8	19	23	20	103	4	-	-	-	2	1	4	8	24	28	32
Infections of kidney (590)	7	-	-	-	-	-	-	-	1	1	3	2	11	-	-	-	-	-	-	2	-	1	3	5
White	5	-	-	-	-	-	-	-	1	1	2	1	8	-	-	-	-	-	-	-	-	1	2	5
All other	2	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	2	-	-	1	-
Black	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
Hyperplasia of prostate (600)	6	-	-	-	-	-	-	-	-	1	3	2
White	5	-	-	-	-	-	-	-	-	1	3	1
All other	1	-	-	-	-	-	-	-	-	-	-	1
Black	1	-	-	-	-	-	-	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	6	1	3	2
White	2	2
All other	4	1	1	2
Black	3	1	...	2
Pregnancy with abortive outcome (630-638)	1	1
White
All other	1	1
Black	1	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	5	1	3	1
White	2	2
All other	3	1	1	1
Black	2	1	...	1
Congenital anomalies (740-759)	138	94	8	4	9	4	5	1	5	3	4	1	150	87	7	4	4	5	6	5	5	12	10	5
White	104	69	7	1	6	4	5	-	4	3	4	1	114	61	2	4	4	5	4	5	4	12	8	5
All other	34	25	1	3	3	-	-	1	1	-	-	-	36	26	5	-	-	-	2	-	1	2	2	-
Black	31	22	1	3	3	-	-	1	1	-	-	-	32	23	4	-	-	-	2	-	1	-	2	-
Certain conditions originating in the perinatal period (760-779)	259	256	1	1	-	-	-	-	-	-	1	-	204	203	1	-	-	-	-	-	-	-	-	-
White	113	111	1	1	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-
All other	146	145	-	-	-	-	-	-	-	-	1	-	111	110	1	-	-	-	-	-	-	-	-	-
Black	143	142	-	-	-	-	-	-	-	-	1	-	110	109	1	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	31	31	-	-	-	-	-	-	-	-	-	-	35	35	-	-	-	-	-	-	-	-	-	-
White	18	18	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-
All other	13	13	-	-	-	-	-	-	-	-	-	-	14	14	-	-	-	-	-	-	-	-	-	-
Black	13	13	-	-	-	-	-	-	-	-	-	-	13	13	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	228	225	1	1	-	-	-	-	-	-	1	-	169	168	1	-	-	-	-	-	-	-	-	-
White	95	93	1	1	-	-	-	-	-	-	-	-	72	72	-	-	-	-	-	-	-	-	-	-
All other	133	132	-	-	-	-	-	-	-	-	1	-	97	96	1	-	-	-	-	-	-	-	-	-
Black	130	129	-	-	-	-	-	-	-	-	1	-	97	96	1	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-789)	241	77	2	-	6	11	19	9	19	32	33	33	297	49	2	1	-	5	5	10	13	36	56	120
White	161	39	1	-	5	9	13	6	12	24	25	27	227	29	1	1	-	3	1	6	8	30	43	105
All other	80	38	1	-	1	2	6	3	7	8	8	6	70	20	1	-	-	2	4	4	5	6	13	15
Black	74	36	1	-	-	2	5	3	6	8	7	6	70	20	1	-	-	2	4	4	5	6	13	15
All other diseases (Residual)	2,078	21	13	4	21	41	106	161	224	516	591	380	2,515	18	13	11	19	38	67	101	174	385	790	898
White	1,580	13	7	3	11	28	62	106	160	401	480	309	2,020	9	8	6	12	26	45	64	121	288	662	779
All other	498	8	6	1	10	13	44	55	64	115	111	71	495	9	5	5	7	12	22	37	53	97	128	119
Black	483	8	6	1	10	12	43	55	62	112	106	68	482	9	4	4	7	12	21	35	52	93	126	118
Accidents and adverse effects (E800-E949)	1,320	10	25	48	245	205	204	134	119	128	135	67	619	9	18	17	71	54	68	35	38	73	108	127
White	994	6	17	30	192	156	149	95	89	88	115	57	467	3	10	9	57	35	36	25	26	58	96	112
All other	326	4	8	18	53	49	55	39	30	40	20	10	152	6	8	8	14	19	32	10	12	15	12	15
Black	314	4	8	18	50	47	52	39	28	39	20	9	148	6	7	8	13	18	31	10	12	15	12	15

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 469

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 268 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total †	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
Viral hepatitis (070)	47	-	-	-	-	2	12	10	6	9	8	-	14	-	-	-	-	-	1	3	-	6	3	1
White	38	-	-	-	-	2	9	6	5	8	8	-	11	-	-	-	-	-	1	-	-	6	3	1
All other	9	-	-	-	-	-	3	4	1	1	-	-	3	-	-	-	-	-	1	2	-	-	-	-
Black	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
White	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	488	6	-	2	4	136	199	71	31	28	8	3	64	2	1	3	1	11	7	6	9	11	10	3
White	444	4	-	2	2	124	182	67	27	26	8	2	58	1	1	3	1	10	5	6	9	10	9	3
All other	44	2	-	-	2	12	17	4	4	2	-	1	6	1	-	-	-	1	2	-	-	1	1	-
Black	31	1	-	-	2	8	14	4	2	-	-	-	5	1	-	-	-	1	2	-	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,989	1	4	14	20	52	146	364	864	1,642	1,385	496	4,473	-	5	4	13	45	148	388	732	1,303	1,250	585
White	4,698	1	4	11	19	47	128	331	803	1,549	1,326	478	4,245	-	4	4	13	37	130	362	673	1,233	1,215	574
All other	291	-	-	3	1	5	18	33	61	93	59	18	228	-	1	-	-	8	18	26	59	70	35	11
Black	127	-	-	-	1	2	8	17	25	51	18	5	76	-	-	-	-	5	7	5	15	28	12	4
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	86	-	-	-	1	2	6	8	25	26	14	4	51	-	-	-	-	-	-	5	11	10	17	8
White	80	-	-	-	1	1	5	7	22	26	14	4	47	-	-	-	-	-	-	4	9	10	17	7
All other	6	-	-	-	-	1	1	1	3	2	-	-	4	-	-	-	-	-	-	1	2	-	-	1
Black	2	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,093	-	-	1	1	7	34	80	216	344	290	120	989	-	-	-	2	6	15	55	119	260	345	187
White	1,014	-	-	-	1	6	29	70	196	320	277	115	921	-	-	-	2	4	12	51	98	243	326	185
All other	79	-	-	1	-	1	5	10	20	24	13	5	68	-	-	-	-	2	3	4	21	17	19	2
Black	25	-	-	-	-	1	4	3	11	5	1	1	14	-	-	-	-	1	1	1	2	5	5	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,710	-	1	-	-	2	29	129	340	648	450	110	1,100	-	-	-	-	3	12	83	240	418	283	61
White	1,615	-	1	-	-	2	25	114	317	618	429	108	1,058	-	-	-	-	2	11	75	227	402	280	61
All other	95	-	-	-	-	4	15	23	30	21	21	2	42	-	-	-	-	1	1	8	13	16	3	-
Black	51	-	-	-	-	3	11	13	18	5	1	1	12	-	-	-	-	1	2	6	3	-	-	-
Malignant neoplasm of breast (174-175)	4	-	-	-	-	-	1	-	2	1	-	-	773	-	-	-	-	11	51	106	150	191	180	84
White	4	-	-	-	-	-	1	-	2	1	-	-	736	-	-	-	-	11	46	104	140	177	176	82
All other	-	-	-	-	-	-	-	-	-	-	-	-	37	-	-	-	-	-	5	2	10	14	4	2
Black	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	-	-	-	2	-	2	5	3	1
Malignant neoplasms of genital organs (179-187)	648	-	-	-	1	3	4	4	41	205	259	131	458	-	-	-	1	7	24	54	69	120	128	55
White	618	-	-	-	1	3	3	4	40	191	250	126	426	-	-	-	1	4	19	47	65	112	125	53
All other	30	-	-	-	-	1	-	1	14	9	5	3	32	-	-	-	-	3	5	7	4	8	3	2
Black	15	-	-	-	-	1	-	-	9	4	1	1	19	-	-	-	-	3	2	2	1	7	3	1
Malignant neoplasms of urinary organs (188-189)	234	-	-	-	-	1	15	42	72	70	34	131	131	-	-	-	-	3	10	16	37	35	30	30
White	223	-	-	-	-	1	14	39	71	65	33	130	130	-	-	-	-	3	10	16	36	35	30	30
All other	11	-	-	-	-	-	1	3	1	5	1	1	1	-	-	-	-	-	-	-	-	1	-	-
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	673	1	2	3	8	20	39	73	125	195	149	58	528	-	2	1	7	5	25	43	81	148	134	82
White	635	1	2	2	7	19	35	69	121	181	143	55	506	-	2	1	7	5	24	41	75	142	131	78
All other	38	-	-	1	1	1	4	4	4	14	6	3	22	-	-	-	-	-	1	2	6	6	3	4
Black	19	-	-	-	1	1	1	1	1	10	2	2	7	-	-	-	-	-	-	-	2	3	-	2
Leukemia (204-208)	219	-	1	9	4	11	8	17	26	63	64	16	160	-	3	3	2	6	7	12	13	36	45	33
White	207	-	1	8	4	9	7	16	24	60	62	16	152	-	2	3	2	6	4	10	12	35	45	33
All other	12	-	-	1	-	2	1	1	2	3	2	-	8	-	1	-	-	-	3	2	1	1	-	-
Black	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	322	-	-	1	5	7	25	37	49	87	88	23	283	-	-	-	1	7	11	20	33	83	83	45
White	302	-	-	1	5	7	23	36	44	80	85	21	269	-	-	-	1	5	11	20	31	76	80	45
All other	20	-	-	-	-	-	2	1	5	7	3	2	14	-	-	-	-	2	-	-	2	7	3	-
Black	11	-	-	-	-	-	2	1	4	3	1	-	7	-	-	-	-	2	-	-	-	4	1	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	68	2	2	2	-	1	1	6	6	15	23	8	79	-	-	1	-	1	2	4	8	21	23	19
White	65	2	2	2	-	1	1	6	7	13	23	8	73	-	-	1	-	1	1	4	6	19	22	19
All other	3	-	-	-	-	-	-	-	1	2	-	-	6	-	-	-	-	-	-	-	2	2	1	-
Black	2	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	1	-	1	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 471

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 270 of 269)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WASHINGTON—Con.																								
All other forms of heart disease (415-423,425-429)	1,750	5	-	1	10	17	57	123	243	410	514	370	1,767	3	5	-	4	11	20	38	85	265	479	857
White	1,656	5	-	1	8	13	53	110	227	379	498	362	1,705	3	5	-	4	8	18	34	78	250	461	844
All other	94	-	-	-	2	4	4	13	16	31	16	8	62	-	-	-	-	3	2	4	7	15	18	13
Black	44	-	-	-	2	4	1	7	9	15	2	4	32	-	-	-	-	3	1	3	4	8	9	4
Hypertension with or without renal disease (401,403)	56	-	-	-	-	-	-	1	1	7	12	24	11	97	-	-	-	-	-	-	1	15	40	41
White	52	-	-	-	-	-	-	1	1	7	11	23	9	86	-	-	-	-	-	-	1	14	33	38
All other	4	-	-	-	-	-	-	-	-	1	1	2	11	-	-	-	-	-	-	-	-	1	7	3
Black	2	-	-	-	-	-	-	-	-	1	-	1	7	-	-	-	-	-	-	-	-	1	4	2
Cerebrovascular diseases (430-438)	1,128	-	-	-	1	1	17	32	88	247	443	299	1,790	1	-	1	-	2	15	32	72	225	573	869
White	1,066	-	-	-	1	1	16	29	82	230	424	283	1,713	1	-	1	-	2	14	29	64	207	551	844
All other	62	-	-	-	-	-	1	3	6	17	19	16	77	-	-	-	-	1	3	8	18	22	25	25
Black	21	-	-	-	-	-	1	2	7	7	4	7	30	-	-	-	-	1	2	1	6	9	11	11
Intracerebral and other intracranial hemorrhage (431-432)	148	-	-	-	-	-	11	11	23	46	44	13	199	-	-	-	-	1	3	11	21	45	79	39
White	136	-	-	-	-	-	11	10	22	43	40	10	188	-	-	-	-	1	3	9	19	43	76	37
All other	12	-	-	-	-	-	-	1	1	3	4	3	11	-	-	-	-	-	2	2	2	3	3	2
Black	8	-	-	-	-	-	-	1	1	2	1	3	2	-	-	-	-	-	1	-	-	-	-	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	93	-	-	-	-	1	-	1	10	25	30	26	134	-	-	-	-	-	1	1	6	16	48	62
White	90	-	-	-	-	1	-	1	10	24	29	25	129	-	-	-	-	-	1	1	5	15	47	61
All other	3	-	-	-	-	-	-	-	1	1	1	1	5	-	-	-	-	-	1	-	1	1	1	1
Black	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Cerebral embolism (434.1)	4	-	-	-	-	-	-	-	-	1	3	-	11	-	-	-	-	-	1	-	-	3	4	3
White	3	-	-	-	-	-	-	-	-	1	2	-	11	-	-	-	-	-	1	-	-	3	4	3
All other	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	883	-	-	-	1	-	6	20	55	175	366	260	1,446	1	-	1	-	1	10	20	45	161	442	765
White	837	-	-	-	1	-	5	18	50	162	353	248	1,385	1	-	1	-	1	10	19	40	146	424	743
All other	46	-	-	-	-	-	1	2	5	13	13	12	61	-	-	-	-	-	1	5	15	18	22	22
Black	11	-	-	-	-	-	-	1	4	4	2	4	27	-	-	-	-	-	1	1	6	9	10	10
Atherosclerosis (440)	150	-	-	-	-	1	2	10	21	69	47	242	-	-	-	-	-	-	-	-	5	22	67	148
White	145	-	-	-	-	1	2	10	21	67	44	236	-	-	-	-	-	-	-	-	5	21	65	145
All other	5	-	-	-	-	-	-	-	-	2	3	6	-	-	-	-	-	-	-	-	-	1	2	3
Black	1	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	1	1	1	2
Other diseases of arteries, arterioles, and capillaries (441-448)	324	-	-	-	-	2	9	12	32	100	112	57	213	-	-	-	1	2	5	5	16	56	69	59
White	307	-	-	-	-	1	8	10	29	96	109	54	208	-	-	-	1	1	5	5	16	53	68	59
All other	17	-	-	-	-	1	1	2	3	4	3	3	5	-	-	-	-	-	-	-	3	3	1	-
Black	6	-	-	-	-	1	2	1	-	1	1	1	3	-	-	-	-	-	-	-	1	1	1	-
Acute bronchitis and bronchiolitis (466)	6	-	-	-	-	-	-	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
White	5	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
All other	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and influenza (480-487)	586	4	-	2	5	2	10	11	28	86	206	232	726	4	-	1	1	6	7	15	18	62	191	421
White	559	2	-	1	5	2	7	11	28	77	199	227	708	3	-	1	-	6	7	13	17	58	189	414
All other	27	2	-	1	-	-	3	-	9	9	7	5	18	1	-	-	1	-	2	1	4	2	2	7
Black	12	1	-	-	-	-	1	-	5	3	2	5	5	1	-	-	1	-	2	-	1	-	-	-
Pneumonia (480-486)	579	4	-	2	5	2	10	11	28	85	204	228	710	4	-	1	1	5	7	15	18	62	186	411
White	552	2	-	1	5	2	7	11	28	76	197	223	692	3	-	1	-	5	7	13	17	58	184	404
All other	27	2	-	1	-	-	3	-	9	9	7	5	18	1	-	-	1	-	2	1	4	2	7	7
Black	12	1	-	-	-	-	1	-	5	3	2	5	5	1	-	-	1	-	2	-	1	-	-	-
Influenza (487)	7	-	-	-	-	-	-	-	1	2	4	16	-	-	-	-	-	1	-	-	-	-	5	10
White	7	-	-	-	-	-	-	-	1	2	4	16	-	-	-	-	-	1	-	-	-	-	5	10
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (480-496)	1,078	1	1	1	-	2	6	28	124	334	423	158	1,010	-	-	-	3	-	7	18	116	330	388	148
White	1,028	-	1	1	-	1	5	24	115	320	409	152	989	-	-	-	3	-	6	17	112	322	383	146
All other	50	1	-	-	-	1	1	4	9	14	14	6	21	-	-	-	-	1	1	4	8	8	5	2
Black	22	-	-	-	-	1	1	1	5	6	7	1	10	-	-	-	-	1	-	-	5	2	2	2
Bronchitis, chronic and unspecified (490-491)	40	1	-	1	-	1	1	4	13	11	8	41	-	-	-	1	-	1	2	4	10	16	7	7
White	37	-	-	1	-	1	1	3	12	11	8	40	-	-	-	1	-	1	2	4	10	15	7	7
All other	3	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	183	-	-	-	-	-	8	23	57	74	21	155	-	-	-	-	-	1	3	19	55	60	17	17
White	180	-	-	-	-	-	7	21	57	74	21	151	-	-	-	-	-	1	3	19	53	59	17	17
All other	3	-	-	-	-	-	1	2	-	-	-	4	-	-	-	-	-	-	-	-	2	1	-	-
Black	1	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 473

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 272 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
WASHINGTON—Con.																									
Pregnancy with abortive outcome (630-639)	1	1
White	1	1
All other
Black
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1
White	1	1
All other	1	1
Black
Congenital anomalies (740-759)	124	79	7	5	5	2	5	2	5	8	4	2	125	59	6	5	1	7	6	4	7	12	12	6	
White	111	72	6	4	5	2	4	2	3	7	4	2	111	52	4	4	1	7	5	4	6	11	12	5	
All other	13	7	1	1	1	1	1	1	2	1	1	1	14	7	2	1	1	1	1	1	1	1	1	1	
Black	6	3	1	1	1	1	1	1	1	1	1	1	6	3	1	1	1	1	1	1	1	1	1	1	
Certain conditions originating in the perinatal period (760-779)	93	93	76	74	1	1
White	75	75	66	64	1	1
All other	18	18	10	10
Black	17	17	8	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	11	11	8	6	1	1
White	11	11	8	6	1	1
All other
Black
Other conditions originating in the perinatal period (760-766,770-779)	82	82	68	68
White	64	64	58	58
All other	18	18	10	10
Black	17	17	8	8
Symptoms, signs, and ill-defined conditions (780-799)	153	71	2	2	3	8	10	6	5	12	18	16	176	63	4	1	5	3	10	4	5	18	25	38	
White	140	61	1	2	3	8	10	4	5	12	18	16	150	47	3	...	5	2	8	3	3	17	25	37	
All other	13	10	1	26	16	1	1	...	1	2	1	2	1	...	1	
Black	5	4	11	5	1	1	...	1	2	1	
All other diseases (Residual)	1,610	21	14	11	19	22	74	103	120	333	531	362	1,980	17	9	9	10	26	44	71	109	264	583	838	
White	1,519	11	14	10	19	20	68	90	106	316	511	356	1,898	15	9	9	7	22	33	61	99	252	573	818	
All other	91	10	82	2	3	4	11	10	10	12	10	20	
Black	37	3	34	1	1	8	2	2	2	5	4	11	
Accidents and adverse effects (E800-E949)	1,162	7	31	36	207	215	203	111	70	104	111	65	556	4	18	18	60	73	58	38	31	51	92	113	
White	1,068	6	23	32	181	205	185	105	66	100	104	59	519	3	17	15	53	68	50	34	27	50	89	113	
All other	94	1	8	4	26	10	18	6	4	4	7	6	37	1	1	3	7	5	8	4	4	1	3	...	
Black	22	7	1	7	2	1	1	2	1	9	1	1	2	1	3	1	...	
Motor vehicle accidents (E810-E825)	487	2	8	14	134	110	71	34	26	45	33	8	235	...	8	12	52	40	34	22	12	22	21	12	
White	443	2	5	14	117	103	62	33	23	43	31	8	214	...	8	10	46	37	29	18	12	21	21	12	
All other	44	17	7	9	1	3	2	2	...	21	2	6	3	5	4	
Black	10	7	...	2	...	1	4	2	1	1	
All other accidents and adverse effects (E800-E807, E826-E949)	675	5	23	22	73	105	132	77	44	59	78	57	321	4	10	6	8	33	24	16	19	29	71	101	
White	625	4	18	18	64	102	123	72	43	57	73	51	305	3	9	5	7	31	21	16	15	29	68	101	
All other	50	1	5	4	9	3	9	5	1	2	5	6	16	1	1	1	2	3	3	
Black	12	1	5	2	...	1	2	1	1	5	1	1	2	
Suicide (E950-E959)	547	6	86	122	119	67	37	42	52	16	147	6	18	24	43	19	12	16	9	...	
White	510	6	76	109	114	61	36	40	52	16	139	6	14	23	42	18	11	16	9	...	
All other	37	10	13	5	6	1	2	8	4	1	1	1	1	
Black	13	4	5	2	2	1	1	
Homicide and legal intervention (E960-E978)	216	4	10	2	62	65	33	21	7	7	4	1	85	3	3	5	24	23	15	2	2	3	4	1	
White	138	4	6	...	32	40	21	18	6	7	3	1	58	2	2	2	15	16	10	2	2	2	4	1	
All other	78	30	25	12	3	1	27	1	1	3	9	7	5	
Black	53	19	18	7	2	1	16	1	1	1	5	3	5	
All other external causes (E980-E999)	60	1	4	15	25	10	1	1	2	1	25	1	1	1	2	6	5	5	2	1	1	...	
White	52	1	4	13	24	6	...	1	2	1	20	1	...	1	2	5	3	4	2	1	1	...	
All other	8	2	1	4	5	1	2	1	
Black	5	1	1	2	3	2	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 474

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 273 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA																								
All causes	10,026	127	22	32	206	282	398	655	1,399	2,638	2,821	1,445	9,694	76	25	15	58	109	183	412	966	2,094	2,996	2,759
White	9,654	120	21	32	189	268	376	632	1,349	2,542	2,727	1,397	9,318	70	24	15	54	100	170	387	916	2,018	2,895	2,668
All other	372	7	1	-	17	14	22	23	50	96	94	48	376	6	1	-	4	9	13	25	50	76	101	91
Black	361	6	1	-	14	14	22	21	50	92	93	48	366	6	1	-	3	9	13	23	48	74	99	90
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	3	1	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	1	1	1
White	2	1	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	1	1	1
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	7	-	-	-	-	-	-	-	-	3	2	2	7	-	-	-	-	1	1	-	1	2	2	-
White	7	-	-	-	-	-	-	-	-	3	2	2	6	-	-	-	-	1	1	-	1	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	7	-	-	-	-	-	-	-	3	2	2	4	-	-	-	-	-	-	-	-	-	2	2	-
White	7	-	-	-	-	-	-	-	3	2	2	4	-	-	-	-	-	-	-	-	-	2	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	70	1	-	-	-	2	3	6	20	28	10	124	-	-	-	-	1	9	17	9	47	41	41	
White	65	1	-	-	-	1	3	6	18	26	10	117	-	-	-	-	1	9	16	8	46	37		
All other	5	-	-	-	-	1	-	2	2	2	7	7	-	-	-	-	-	1	1	1	1	4		
Black	5	-	-	-	-	1	-	2	2	2	7	7	-	-	-	-	-	1	1	1	1	4		
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Viral hepatitis (070)	3	-	-	-	-	1	-	2	-	-	-	8	-	-	-	-	-	1	3	2	2	-	-	
White	3	-	-	-	-	1	-	2	-	-	-	8	-	-	-	-	-	1	3	2	2	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis (090-097)	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
White	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-088,098-139)	55	1	-	-	1	14	16	2	6	4	5	6	38	1	1	-	-	2	3	1	4	8	11	7
White	51	1	-	-	1	13	15	2	5	4	4	6	32	1	1	-	-	1	2	1	4	8	9	5
All other	4	-	-	-	-	1	1	-	1	-	1	-	6	-	-	-	-	1	1	-	-	-	2	2
Black	4	-	-	-	-	1	1	-	1	-	1	-	6	-	-	-	-	1	1	-	-	-	2	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,421	-	3	4	7	20	64	174	465	791	708	185	2,193	-	1	5	1	22	58	181	377	703	572	273
White	2,347	-	3	4	7	20	61	172	447	766	689	178	2,104	-	1	5	1	21	52	172	361	678	552	261
All other	74	-	-	-	-	3	2	18	25	19	7	89	-	-	-	-	-	1	6	9	16	25	20	12
Black	73	-	-	-	-	3	1	18	25	19	7	83	-	-	-	-	-	1	6	7	14	24	19	12

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 475

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 274 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	39	-	-	-	-	1	-	3	8	17	8	2	23	-	-	-	-	-	1	3	3	6	4	6
White	38	-	-	-	-	1	-	3	8	16	8	2	21	-	-	-	-	-	1	2	3	5	4	6
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	1	-	-
Black	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	509	-	-	-	-	5	15	35	98	161	148	47	469	-	-	-	-	2	5	19	56	138	150	99
White	491	-	-	-	-	5	13	35	93	157	144	44	447	-	-	-	-	2	5	19	54	133	141	93
All other	18	-	-	-	-	-	2	-	5	4	4	3	22	-	-	-	-	-	-	2	5	9	6	6
Black	18	-	-	-	-	-	2	-	5	4	4	3	20	-	-	-	-	-	-	1	4	9	6	6
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	938	-	-	-	-	-	15	77	226	347	246	27	552	-	-	-	-	-	7	44	127	232	117	25
White	908	-	-	-	-	-	15	76	217	335	238	27	534	-	-	-	-	-	6	43	121	225	115	24
All other	30	-	-	-	-	-	-	1	9	12	8	-	18	-	-	-	-	-	1	1	6	7	2	1
Black	29	-	-	-	-	-	-	-	9	12	8	-	16	-	-	-	-	-	1	1	5	7	1	1
Malignant neoplasm of breast (174-175)	2	-	-	-	-	-	-	-	-	-	1	1	329	-	-	-	-	-	5	18	47	61	80	19
White	2	-	-	-	-	-	-	-	-	-	1	1	305	-	-	-	-	-	5	14	40	59	97	18
All other	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-	-	-	-	4	7	2	2	8	1
Black	-	-	-	-	-	-	-	-	-	-	-	-	23	-	-	-	-	-	4	6	2	2	8	1
Malignant neoplasms of genital organs (179-187)	260	-	-	-	-	-	1	20	71	119	49	203	-	-	-	-	-	7	11	26	38	57	42	22
White	246	-	-	-	-	-	1	18	68	115	46	196	-	-	-	-	-	6	11	26	35	56	41	21
All other	14	-	-	-	-	-	-	2	5	4	3	7	-	-	-	-	-	1	-	-	3	1	1	1
Black	14	-	-	-	-	-	-	2	5	4	3	7	-	-	-	-	-	1	-	-	3	1	1	1
Malignant neoplasms of urinary organs (188-189)	124	-	-	-	-	2	10	13	41	39	19	78	-	-	-	-	-	-	3	7	12	20	26	10
White	122	-	-	-	-	2	10	12	41	39	18	78	-	-	-	-	-	-	3	7	12	20	26	10
All other	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	342	-	1	2	4	6	19	33	66	98	83	30	326	-	1	1	1	3	9	21	52	92	89	57
White	337	-	1	2	4	6	19	33	65	95	82	30	316	-	1	1	1	3	9	21	49	86	89	56
All other	5	-	-	-	-	-	-	-	1	3	1	-	10	-	-	-	-	-	-	-	3	6	-	1
Black	5	-	-	-	-	-	-	-	1	3	1	-	10	-	-	-	-	-	-	-	3	6	-	1
Leukemia (204-208)	79	-	2	2	1	4	3	6	9	20	25	7	94	-	-	4	-	2	2	5	13	21	24	23
White	77	-	2	2	1	4	3	6	9	20	23	7	91	-	-	4	-	2	2	5	13	20	24	21
All other	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
Black	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	1	-	2
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	128	-	-	-	2	4	10	9	25	36	39	3	119	-	-	-	-	3	2	9	15	38	40	12
White	126	-	-	-	2	4	9	8	25	36	39	3	116	-	-	-	-	3	1	9	15	36	40	12
All other	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	1	-	2	-	-	-
Black	2	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	1	-	2	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	35	-	1	-	1	-	1	3	8	9	6	6	37	-	-	1	1	2	1	2	8	4	14	4
White	33	-	1	-	1	-	1	3	8	8	5	6	36	-	-	1	1	2	1	2	8	4	14	4
All other	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	207	-	1	-	1	5	7	18	34	66	50	25	338	-	-	-	-	2	5	15	50	96	117	53
White	190	-	1	-	1	5	6	15	32	61	47	22	313	-	-	-	-	2	4	15	43	91	109	49
All other	17	-	-	-	-	1	3	2	5	3	3	25	25	-	-	-	-	1	-	7	7	5	8	4
Black	17	-	-	-	-	1	3	2	5	3	3	25	25	-	-	-	-	1	-	7	7	5	8	4
Nutritional deficiencies (260-269)	13	-	-	-	-	1	-	-	1	1	3	7	23	-	1	-	-	-	-	2	1	-	6	13
White	9	-	-	-	-	1	-	-	1	1	2	5	23	-	1	-	-	-	-	2	1	-	6	13
All other	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Black	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	20	-	-	-	1	-	2	4	3	3	2	5	22	-	1	-	-	-	1	-	-	2	12	6
White	18	-	-	-	-	1	4	3	3	3	2	5	19	-	1	-	-	-	1	-	-	2	10	5
All other	2	-	-	-	1	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	2	1
Black	2	-	-	-	1	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	2	2	1
Meningitis (320-322)	1	-	-	-	-	-	1	-	-	-	-	-	4	-	-	-	1	-	-	1	1	1	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	1	-	-	1	1	1	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	4,100	4	1	2	6	25	108	260	566	1,137	1,257	734	4,408	2	2	-	3	14	34	94	311	811	1,533	1,603
White	3,960	4	1	2	4	24	101	249	549	1,099	1,213	714	4,254	1	2	-	2	12	31	86	292	779	1,486	1,562
All other	140	-	-	-	2	1	7	11	17	38	44	20	154	1	-	-	1	2	3	8	19	32	47	41
Black	134	-	-	-	1	1	7	10	17	35	43	20	153	1	-	-	1	2	3	8	19	32	47	40

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 476

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 275 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WEST VIRGINIA—Con.																								
Diseases of heart (390-398,402,404-429)	3,469	3	1	2	2	18	99	244	485	974	1,032	599	3,456	2	2	-	2	11	26	71	249	655	1,214	1,225
White	3,352	3	1	2	1	18	93	233	482	942	995	582	3,340	1	2	-	1	9	24	65	233	628	1,178	1,198
All other	117	-	-	-	-	-	6	11	13	32	37	17	118	1	-	-	1	2	2	6	16	27	36	27
Black	115	-	-	-	1	-	6	10	13	31	37	17	117	1	-	-	1	2	2	6	16	27	36	26
Rheumatic fever and rheumatic heart disease (390-399)	12	-	-	-	-	-	-	-	1	2	7	2	39	-	-	-	-	-	2	2	4	13	10	8
White	12	-	-	-	-	-	-	-	1	2	7	2	38	-	-	-	-	-	2	2	4	12	10	8
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart disease (402)	75	-	-	-	-	2	8	9	20	10	19	7	102	-	-	-	-	-	-	5	11	20	36	30
White	71	-	-	-	-	2	7	9	18	9	19	7	95	-	-	-	-	-	-	5	7	19	36	28
All other	4	-	-	-	-	-	1	-	2	1	-	-	7	-	-	-	-	-	-	-	4	1	-	2
Black	3	-	-	-	-	-	1	-	2	-	-	-	6	-	-	-	-	-	-	-	4	1	-	1
Hypertensive heart and renal disease (404)	9	-	-	-	-	-	-	-	-	3	4	2	23	-	-	-	-	-	-	-	-	9	8	6
White	7	-	-	-	-	-	-	-	-	3	2	2	19	-	-	-	-	-	-	-	-	6	7	6
All other	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	3	1	-
Black	2	-	-	-	-	-	-	-	-	-	2	-	4	-	-	-	-	-	-	-	-	3	1	-
Ischemic heart disease (410-414)	2,269	-	-	-	-	3	55	149	323	667	702	370	2,111	-	-	-	-	4	12	35	155	450	756	699
White	2,191	-	-	-	-	3	52	142	318	643	676	357	2,044	-	-	-	-	4	11	31	148	434	733	683
All other	78	-	-	-	-	-	3	7	5	24	26	13	67	-	-	-	-	-	1	4	7	16	23	16
Black	77	-	-	-	-	-	3	6	5	24	28	13	67	-	-	-	-	-	1	4	7	16	23	16
Acute myocardial infarction (410)	1,225	-	-	-	-	1	35	112	188	380	363	146	1,020	-	-	-	-	3	7	21	103	254	364	268
White	1,181	-	-	-	-	1	34	105	185	366	349	141	983	-	-	-	-	3	6	18	99	245	353	259
All other	44	-	-	-	-	-	1	7	3	14	14	5	37	-	-	-	-	-	1	3	4	9	11	9
Black	43	-	-	-	-	-	1	6	3	14	14	5	37	-	-	-	-	-	1	3	4	9	11	9
Other acute and subacute forms of ischemic heart disease (411)	1	-	-	-	-	-	-	-	1	-	-	-	11	-	-	-	-	-	1	2	4	3	1	1
White	1	-	-	-	-	-	-	-	1	-	-	-	11	-	-	-	-	-	1	2	4	3	1	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	7	-	-	-	-	-	-	1	2	-	3	1	8	-	-	-	-	-	-	-	-	1	2	5
White	5	-	-	-	-	-	-	1	1	-	3	1	8	-	-	-	-	-	-	-	-	1	2	5
All other	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,036	-	-	-	-	2	20	36	132	287	336	223	1,072	-	-	-	-	1	5	13	50	191	387	425
White	1,004	-	-	-	-	2	18	36	131	277	324	216	1,042	-	-	-	-	1	5	12	47	184	375	418
All other	32	-	-	-	-	-	2	-	1	10	12	7	30	-	-	-	-	-	1	3	7	7	12	7
Black	32	-	-	-	-	2	-	-	1	10	12	7	30	-	-	-	-	-	1	3	7	7	12	7
Other diseases of endocardium (424)	58	-	-	1	1	-	1	1	4	16	19	15	69	-	-	-	-	-	3	5	6	6	36	19
White	55	-	-	1	1	-	1	1	4	15	17	15	68	-	-	-	-	-	3	4	6	6	36	19
All other	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
Black	3	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
All other forms of heart disease (415-423,425-429)	1,046	3	1	1	1	13	35	85	147	276	281	203	1,114	2	2	-	2	7	12	26	74	157	368	463
White	1,016	3	1	1	1	13	33	81	141	270	274	199	1,076	1	2	-	1	5	11	24	70	151	356	454
All other	30	-	-	-	-	-	2	4	6	6	7	4	38	1	-	-	1	2	1	2	4	6	12	9
Black	30	-	-	-	1	-	2	4	6	6	7	4	38	1	-	-	1	2	1	2	4	6	12	9
Hypertension with or without renal disease (401,403)	24	-	-	-	-	1	-	1	5	6	6	5	45	-	-	-	-	-	2	1	4	8	14	16
White	21	-	-	-	-	1	-	1	4	4	6	5	41	-	-	-	-	-	1	1	4	8	14	13
All other	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	-	-	-	-	3
Black	3	-	-	-	-	-	-	-	1	2	-	-	4	-	-	-	-	-	-	-	-	-	-	3
Cerebrovascular diseases (430-438)	398	1	-	-	1	4	6	10	41	96	151	88	693	-	-	-	-	1	2	5	20	48	111	233
White	385	1	-	-	1	3	5	10	38	94	148	86	667	-	-	-	-	1	2	5	18	45	107	225
All other	13	-	-	-	1	1	1	-	3	2	3	2	26	-	-	-	-	-	-	2	3	4	8	9
Black	11	-	-	-	1	1	-	-	3	1	3	2	26	-	-	-	-	-	-	2	3	4	8	9
Intracerebral and other intracranial hemorrhage (431-432)	67	-	-	-	-	1	4	4	9	18	21	10	82	-	-	-	1	1	1	8	8	17	29	17
White	66	-	-	-	-	1	3	4	9	18	21	10	76	-	-	-	1	1	1	7	8	17	25	16
All other	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	-	-	1	-	-	4	1
Black	1	-	-	-	-	-	1	-	-	-	-	-	6	-	-	-	-	-	-	1	-	-	4	1
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	43	-	-	-	-	-	-	1	3	9	20	10	78	-	-	-	-	-	-	7	11	25	35	35
White	42	-	-	-	-	-	-	1	3	8	20	10	76	-	-	-	-	-	-	6	11	25	34	34
All other	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	1
Black	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 477

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 276 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
WEST VIRGINIA—Con.																									
Cerebral embolism (434.1)	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
White	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	287	1	-	-	1	3	2	5	29	68	110	68	531	-	-	-	-	1	4	12	33	83	177	221	
White	276	1	-	-	2	2	5	26	67	107	66	513	-	-	-	-	1	4	11	31	79	173	214	214	
All other	11	-	-	-	1	1	-	3	1	3	2	18	-	-	-	-	-	-	1	2	4	4	7	7	
Black	9	-	-	-	1	-	-	3	-	3	2	16	-	-	-	-	-	-	1	2	4	4	7	7	
Atherosclerosis (440)	68	-	-	-	-	-	-	2	3	12	30	21	112	-	-	-	-	-	1	4	16	32	59	59	
White	66	-	-	-	-	-	-	2	3	12	28	21	110	-	-	-	-	-	1	4	16	30	59	59	
All other	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-	
Black	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	2	-	-	
Other diseases of arteries, arterioles, and capillaries (441-448)	141	-	-	-	3	2	3	3	22	49	38	21	100	-	-	-	-	1	1	1	6	21	40	30	
White	136	-	-	-	3	2	3	3	22	47	36	20	96	-	-	-	-	1	1	1	6	20	39	28	
All other	5	-	-	-	-	-	-	-	2	2	2	1	4	-	-	-	-	-	-	-	1	1	1	2	
Black	3	-	-	-	-	-	-	-	1	1	1	1	4	-	-	-	-	-	-	-	1	1	1	2	
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1	
White	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	1	-	1	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	334	4	-	-	1	2	5	8	20	52	125	117	358	-	-	-	1	3	2	6	11	40	108	187	
White	321	4	-	-	1	5	8	20	47	122	114	352	-	-	-	1	3	2	6	11	40	106	183		
All other	13	-	-	-	1	1	-	-	5	3	3	6	-	-	-	-	-	-	-	-	-	2	4	4	
Black	13	-	-	-	1	1	-	-	5	3	3	6	-	-	-	-	-	-	-	-	-	2	4	4	
Pneumonia (480-486)	326	4	-	-	1	2	4	8	20	50	121	116	343	-	-	-	3	2	6	10	39	104	179		
White	313	4	-	-	1	4	8	20	45	118	113	337	-	-	-	3	2	6	10	39	102	175	175		
All other	13	-	-	-	1	1	-	-	5	3	3	6	-	-	-	-	-	-	-	-	2	4	4		
Black	13	-	-	-	1	1	-	-	5	3	3	6	-	-	-	-	-	-	-	-	2	4	4		
Influenza (487)	8	-	-	-	-	1	-	-	2	4	1	15	-	-	-	1	-	-	-	1	1	4	8		
White	8	-	-	-	-	1	-	-	2	4	1	15	-	-	-	1	-	-	-	1	1	4	8		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chronic obstructive pulmonary diseases and allied conditions (490-496)	553	1	-	-	-	1	5	13	71	179	203	80	429	-	-	-	1	2	11	61	137	138	79		
White	542	1	-	-	-	1	5	12	70	174	201	78	419	-	-	-	-	2	11	60	133	137	76		
All other	11	-	-	-	-	-	1	1	5	2	2	10	-	-	-	1	-	-	1	4	1	1	3		
Black	10	-	-	-	-	-	1	1	4	2	2	10	-	-	-	1	-	-	1	4	1	1	3		
Bronchitis, chronic and unspecified (490-491)	21	1	-	-	-	-	-	-	2	7	8	3	25	-	-	-	-	1	1	3	11	3	6		
White	21	1	-	-	-	-	-	-	2	7	8	3	25	-	-	-	-	1	1	3	11	3	6		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Emphysema (492)	71	-	-	-	-	1	1	3	11	18	27	10	60	-	-	-	-	-	3	11	19	15	12		
White	69	-	-	-	-	1	1	2	11	17	27	10	59	-	-	-	-	-	3	11	19	15	11		
All other	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1		
Black	2	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1		
Asthma (493)	8	-	-	-	-	-	-	1	2	4	1	-	27	-	-	-	-	1	3	8	7	7	7		
White	8	-	-	-	-	-	-	1	2	4	1	-	24	-	-	-	-	1	2	7	7	7	7		
All other	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	-		
Other chronic obstructive pulmonary diseases and allied conditions (494-498)	453	-	-	-	-	-	4	9	56	150	167	67	317	-	-	-	-	1	6	44	99	113	54		
White	444	-	-	-	-	-	4	9	55	146	165	65	311	-	-	-	-	1	6	44	96	112	52		
All other	9	-	-	-	-	-	-	1	4	2	2	6	-	-	-	-	-	-	-	3	1	2	2		
Black	8	-	-	-	-	-	-	1	3	2	2	6	-	-	-	-	-	-	-	3	1	2	2		
Ulcer of stomach and duodenum (531-533)	25	-	-	-	-	-	1	1	4	6	8	5	14	-	-	-	-	-	-	1	3	6	4		
White	24	-	-	-	-	-	1	1	4	5	8	5	14	-	-	-	-	-	-	1	3	6	4		
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis (540-543)	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1	
White	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	1	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	17	1	-	-	-	-	-	-	1	4	7	4	31	-	-	-	-	-	-	3	4	12	12		
White	17	1	-	-	-	-	-	-	1	4	7	4	30	-	-	-	-	-	-	3	4	11	12		
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 480

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 279 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	108	2	2	2	-	-	2	8	11	24	32	25	155	3	-	1	1	1	1	2	4	21	45	76
White	101	2	1	2	-	-	2	7	10	21	31	25	141	1	-	1	-	1	1	3	19	40	74	
All other	7	-	1	-	-	-	1	1	1	3	1	-	14	2	-	-	1	-	1	1	2	5	2	
Black	7	-	1	-	-	-	1	1	1	3	1	-	12	2	-	-	1	-	1	1	1	4	2	
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	14	-	-	-	-	-	3	3	1	4	2	1	9	-	-	-	-	-	-	3	3	1	2	
White	13	-	-	-	-	-	3	3	1	3	2	1	9	-	-	-	-	-	-	3	3	1	2	
All other	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis (090-097)	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005, 020-032,037,039-041, *042-*044,046-054,056-066, 071-098,099-139)	239	3	1	3	-	61	90	28	15	13	19	6	71	1	1	2	-	11	10	4	6	10	11	15
White	205	3	1	3	-	41	79	27	13	13	19	6	56	1	1	1	-	8	4	1	5	10	10	15
All other	34	-	-	-	-	20	11	1	2	-	-	-	15	-	-	1	-	3	6	3	1	-	1	-
Black	34	-	-	-	-	20	11	1	2	-	-	-	14	-	-	1	-	3	6	2	1	-	1	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,461	1	4	12	18	32	113	335	951	1,690	1,671	634	4,864	1	3	14	10	42	161	338	709	1,388	1,430	768
White	5,247	1	4	12	15	29	102	302	900	1,627	1,634	621	4,699	1	2	14	7	35	139	319	670	1,349	1,404	759
All other	214	-	-	-	3	3	11	33	51	63	37	13	165	-	1	-	3	7	22	19	39	39	26	9
Black	171	-	-	-	2	1	9	30	40	49	30	10	141	-	1	-	2	4	19	17	34	35	22	7
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	103	-	-	-	-	-	-	12	27	37	20	7	46	-	-	-	-	-	3	5	12	15	11	
White	99	-	-	-	-	-	-	12	26	34	20	7	46	-	-	-	-	-	3	5	12	15	11	
All other	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,342	-	-	-	2	7	27	88	244	401	400	173	1,197	-	-	-	1	9	14	42	122	330	405	274
White	1,283	-	-	-	1	6	25	78	229	381	392	171	1,159	-	-	-	-	8	11	39	115	317	400	269
All other	59	-	-	-	1	1	2	10	15	20	8	2	38	-	-	-	1	3	3	7	7	13	5	5
Black	38	-	-	-	1	-	1	9	7	13	5	2	32	-	-	-	1	1	2	2	7	12	4	3
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,667	-	-	-	-	3	32	111	361	597	450	113	949	-	-	-	-	1	28	77	206	322	250	65
White	1,592	-	-	-	-	3	27	96	340	577	438	111	916	-	-	-	-	1	25	71	195	313	246	65
All other	75	-	-	-	-	-	5	15	21	20	12	2	33	-	-	-	-	-	3	6	11	9	4	-
Black	66	-	-	-	-	-	4	13	19	17	12	1	30	-	-	-	-	-	3	6	10	8	3	-
Malignant neoplasm of breast (174-175)	6	-	-	-	-	-	-	-	-	3	2	1	860	-	-	-	-	6	56	100	138	243	199	118
White	6	-	-	-	-	-	-	-	-	3	2	1	817	-	-	-	-	5	46	92	128	236	195	115
All other	-	-	-	-	-	-	-	-	-	-	-	-	43	-	-	-	-	1	10	8	10	7	4	3
Black	-	-	-	-	-	-	-	-	-	-	-	-	40	-	-	-	-	-	10	7	9	7	4	3
Malignant neoplasms of genital organs (179-187)	810	-	-	-	2	1	-	5	42	217	349	194	533	-	-	-	1	4	27	46	80	156	153	66
White	777	-	-	-	-	-	-	3	40	210	336	186	517	-	-	-	-	3	25	46	76	152	149	66
All other	33	-	-	-	1	-	-	2	2	7	13	8	16	-	-	-	1	1	2	-	4	4	4	-
Black	26	-	-	-	-	-	-	2	2	6	10	6	13	-	-	-	1	1	-	3	3	3	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 481

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 280 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male												Female											
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WISCONSIN—Con.																								
Malignant neoplasms of urinary organs (188-189)	311	-	-	1	-	-	6	19	49	87	104	45	174	-	1	-	-	-	3	10	13	37	67	43
White	303	-	-	1	-	-	5	19	49	84	101	44	168	-	1	-	-	-	2	10	12	36	65	43
All other	8	-	-	-	-	-	1	-	-	3	3	1	6	-	1	-	-	-	1	-	1	1	2	-
Black	7	-	-	-	-	-	1	-	-	3	2	1	5	-	1	-	-	-	-	1	1	2	-	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	686	1	-	7	10	12	35	65	139	173	188	56	610	-	2	7	4	11	19	43	92	154	172	106
White	663	1	-	7	9	12	34	62	129	166	187	55	594	-	2	7	3	10	19	42	87	151	169	105
All other	23	-	-	-	-	-	1	3	10	7	1	-	16	-	-	-	-	-	1	1	5	3	4	1
Black	21	-	-	-	-	-	1	3	10	5	1	-	11	-	-	-	-	-	1	1	3	2	3	1
Leukemia (204-208)	218	-	4	4	2	4	5	11	26	74	67	21	173	1	-	6	2	5	9	9	17	42	54	28
White	213	-	4	4	1	3	4	11	25	73	67	21	170	1	-	6	2	3	9	9	17	41	54	28
All other	5	-	-	-	1	1	1	-	1	1	-	-	3	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	1	-	-	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	318	-	-	-	2	5	8	24	63	101	91	24	322	-	-	1	2	6	5	8	36	92	115	57
White	311	-	-	-	2	5	7	21	62	99	91	24	312	-	-	1	2	5	2	7	35	91	112	57
All other	7	-	-	-	-	-	1	3	1	2	-	-	10	-	-	-	-	-	-	1	1	3	-	-
Black	7	-	-	-	-	-	1	3	1	2	-	-	8	-	-	-	-	-	-	1	1	2	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	68	-	-	2	-	-	5	5	7	13	24	12	81	-	1	-	1	-	5	6	4	11	20	33
White	65	-	-	2	-	-	5	5	6	12	23	12	80	-	1	-	1	-	5	6	3	11	20	33
All other	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	3	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	464	-	-	1	1	5	14	30	61	128	143	81	578	-	-	-	1	5	11	21	61	132	192	155
White	444	-	-	1	1	5	14	27	57	117	142	81	538	-	-	-	1	4	9	18	55	123	179	149
All other	20	-	-	-	1	-	-	3	4	11	1	-	40	-	-	-	1	2	3	6	9	13	6	6
Black	15	-	-	-	1	-	-	2	3	8	1	-	27	-	-	-	1	1	1	3	6	10	5	5
Nutritional deficiencies (260-269)	18	-	-	-	-	-	-	-	2	2	3	11	52	-	-	-	-	-	1	-	-	6	17	28
White	18	-	-	-	-	-	-	-	2	2	3	11	51	-	-	-	-	-	1	-	-	5	17	28
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Anemias (280-285)	38	1	-	-	2	3	-	2	5	13	12	53	1	1	-	1	1	-	1	2	5	13	28	28
White	35	-	-	-	2	1	-	2	5	13	12	50	1	1	-	1	1	-	1	2	5	13	28	28
All other	3	1	-	-	-	2	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
Black	3	1	-	-	-	2	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	6	-	-	1	-	-	-	-	2	1	-	10	4	-	-	1	-	-	1	-	-	2	-	2
White	4	-	-	1	-	-	-	-	2	1	-	8	3	-	-	1	-	-	-	-	2	-	-	2
All other	2	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
Black	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-446)	8,963	6	2	4	15	43	142	400	982	2,134	3,130	2,105	9,491	4	3	-	8	19	54	144	427	1,302	3,041	4,489
White	8,676	4	2	4	13	33	129	361	929	2,056	3,068	2,077	9,248	3	3	-	5	15	44	124	390	1,242	2,973	4,449
All other	287	2	-	-	2	10	13	39	53	78	62	28	243	1	-	-	3	4	10	20	37	60	68	40
Black	213	2	-	-	2	9	11	35	32	64	40	18	203	-	-	-	3	4	7	18	33	43	58	37
Diseases of heart (390-399,402,404-429)	7,055	5	1	4	14	34	118	353	842	1,720	2,388	1,576	6,997	2	3	-	7	15	37	123	348	995	2,233	3,234
White	6,823	3	1	4	12	26	107	322	798	1,659	2,339	1,552	6,818	1	3	-	4	11	33	106	316	950	2,193	3,201
All other	232	2	-	-	2	8	11	31	44	61	49	24	179	1	-	-	3	4	4	17	32	45	40	33
Black	174	2	-	-	2	7	9	28	28	49	32	17	149	-	-	-	3	4	3	17	28	30	34	30
Rheumatic fever and rheumatic heart disease (390-398)	30	-	-	-	1	-	1	4	7	9	7	1	60	-	-	-	-	2	2	8	14	18	16	16
White	29	-	-	-	1	-	1	4	6	9	7	1	56	-	-	-	-	2	1	7	13	18	15	15
All other	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-	1	1	1	-	1	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	1	1	1	-	1	-
Hypertensive heart disease (402)	86	-	-	-	-	1	5	14	26	25	15	198	-	-	-	-	-	1	9	17	21	60	90	
White	73	-	-	-	-	1	2	10	25	22	13	182	-	-	-	-	-	1	5	12	20	56	88	
All other	13	-	-	-	-	-	3	4	1	3	2	16	-	-	-	-	-	-	4	5	1	4	2	2
Black	13	-	-	-	-	-	3	4	1	3	2	16	-	-	-	-	-	-	4	5	1	4	2	2
Hypertensive heart and renal disease (404)	10	-	-	-	-	-	2	1	2	4	1	22	-	-	-	-	-	-	-	1	4	8	9	9
White	8	-	-	-	-	-	-	1	2	4	1	20	-	-	-	-	-	-	-	1	2	8	9	9
All other	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Black	2	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-
Ischemic heart disease (410-414)	5,225	-	1	-	17	78	258	634	1,323	1,781	1,133	4,775	-	-	-	1	4	18	72	229	699	1,588	2,166	
White	5,088	-	1	-	13	71	243	609	1,283	1,752	1,116	4,678	-	-	-	1	3	16	67	214	671	1,559	2,147	
All other	137	-	-	-	4	7	15	25	40	29	17	97	-	-	-	-	1	2	5	15	28	27	19	
Black	95	-	-	-	3	6	12	13	32	18	11	75	-	-	-	-	1	1	5	12	15	22	19	
Acute myocardial infarction (410)	2,827	-	-	-	6	50	182	381	738	959	511	2,339	-	-	-	1	1	7	43	123	411	849	904	
White	2,776	-	-	-	5	46	171	371	727	949	507	2,297	-	-	-	1	1	6	42	116	397	837	897	
All other	51	-	-	-	1	4	11	10	11	10	4													

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 482

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 281 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total :	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
* WISCONSIN—Con.																									
Other acute and subacute forms of ischemic heart disease (411)	8	-	-	-	-	-	-	-	-	1	4	3	9	-	-	-	-	-	1	2	-	1	1	4	
White	8	-	-	-	-	-	-	-	-	1	4	3	9	-	-	-	-	-	1	2	-	1	1	4	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Angina pectoris (413)	4	-	-	-	-	-	-	-	-	1	2	1	6	-	-	-	-	-	-	-	-	-	1	5	
White	4	-	-	-	-	-	-	-	-	1	2	1	6	-	-	-	-	-	-	-	-	-	1	5	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,386	-	1	-	-	11	28	76	253	583	816	618	2,421	-	-	-	-	3	10	27	106	287	735	1,253	
White	2,300	-	1	-	-	8	25	72	238	554	797	605	2,366	-	-	-	-	2	9	23	98	273	720	1,241	
All other	86	-	-	-	-	3	3	4	15	29	19	13	55	-	-	-	-	1	1	4	8	14	15	12	
Black	68	-	-	-	-	3	3	4	11	26	12	9	48	-	-	-	-	1	1	4	6	10	14	12	
Other diseases of endocardium (424)	134	-	-	-	1	-	2	5	8	28	52	38	196	-	-	-	-	-	1	3	6	24	65	97	
White	131	-	-	-	1	-	1	5	7	27	52	38	194	-	-	-	-	-	-	3	6	24	65	96	
All other	3	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1	
Black	2	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	1	
All other forms of heart disease (415-423,425-429)	1,570	5	-	4	12	17	36	79	178	332	519	388	1,746	2	3	-	6	11	15	37	87	233	496	856	
White	1,494	3	-	4	10	13	33	68	165	313	502	383	1,688	1	3	-	3	8	14	30	76	220	487	846	
All other	76	2	-	-	2	4	3	11	13	19	17	5	58	1	-	-	3	3	1	7	11	13	9	10	
Black	62	2	-	-	2	4	2	11	11	15	11	4	50	-	-	-	3	3	1	7	10	11	8	7	
Hypertension with or without renal disease (401,403)	76	-	-	-	-	-	-	1	11	14	28	22	86	-	-	-	-	-	1	-	6	14	32	33	
White	74	-	-	-	-	-	-	1	11	14	26	22	81	-	-	-	-	-	-	6	12	30	33	33	
All other	2	-	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	1	-	-	2	2	-	
Black	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	1	-	-	2	2	-	
Cerebrovascular diseases (430-438)	1,342	1	1	-	1	8	22	35	86	276	539	373	1,977	1	-	-	1	4	14	18	63	239	631	1,006	
White	1,297	1	1	-	1	6	20	28	80	261	529	370	1,929	1	-	-	1	4	9	15	60	230	609	1,000	
All other	45	-	-	-	-	2	2	7	6	15	10	3	48	-	-	-	-	-	5	3	3	9	22	6	
Black	34	-	-	-	-	2	2	6	3	13	7	1	39	-	-	-	-	3	1	3	7	19	6	6	
Intracerebral and other intracranial hemorrhage (431-432)	177	-	-	-	-	3	9	10	23	63	49	20	199	1	-	-	-	-	3	6	19	42	79	49	
White	168	-	-	-	-	3	8	8	19	61	49	20	190	1	-	-	-	-	2	4	18	40	77	48	
All other	9	-	-	-	-	1	2	2	4	2	-	-	9	-	-	-	-	-	1	2	1	2	2	1	
Black	7	-	-	-	-	1	2	2	2	2	-	-	6	-	-	-	-	-	1	1	1	1	1	1	
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	127	-	1	-	-	-	-	4	14	23	48	37	188	-	-	-	-	-	1	-	6	22	70	89	
White	125	-	1	-	-	-	-	3	14	22	48	37	186	-	-	-	-	-	1	-	6	22	68	89	
All other	2	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-	
Black	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Cerebral embolism (434.1)	7	-	-	-	-	-	-	-	1	1	4	1	6	-	-	-	-	-	-	-	-	2	2	2	
White	7	-	-	-	-	-	-	-	1	1	4	1	6	-	-	-	-	-	-	-	-	2	2	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,031	1	-	-	1	5	13	21	48	189	438	315	1,584	-	-	-	1	4	10	12	38	173	480	866	
White	997	1	-	-	1	3	12	17	46	177	428	312	1,547	-	-	-	-	1	4	6	11	36	166	462	861
All other	34	-	-	-	-	2	1	4	2	12	10	3	37	-	-	-	-	-	4	1	2	7	18	5	
Black	26	-	-	-	-	2	1	4	1	10	7	1	32	-	-	-	-	-	2	-	2	6	17	5	
Atherosclerosis (440)	142	-	-	-	-	1	2	8	22	43	66	170	-	-	-	-	-	-	1	-	-	12	44	113	
White	138	-	-	-	-	1	1	7	21	42	66	168	-	-	-	-	-	-	1	-	-	11	44	112	
All other	4	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Black	2	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	1	-	1	
Other diseases of arteries, arterioles, and capillaries (441-448)	348	-	-	-	-	1	1	9	35	102	132	68	261	1	-	-	-	-	1	3	10	42	101	103	
White	344	-	-	-	-	1	1	9	33	101	132	67	252	1	-	-	-	-	1	3	8	39	97	103	
All other	4	-	-	-	-	-	-	-	2	1	-	-	9	-	-	-	-	-	-	-	2	3	4	-	
Black	2	-	-	-	-	-	-	-	1	1	-	-	8	-	-	-	-	-	-	-	2	3	3	-	
Acute bronchitis and bronchiolitis (466)	4	-	1	-	-	-	-	-	1	-	2	-	4	1	-	-	-	-	-	-	-	1	-	2	
White	4	-	1	-	-	-	-	-	1	-	2	-	4	1	-	-	-	-	-	-	-	1	-	2	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia and influenza (480-487)	731	13	2	1	-	4	6	10	31	89	277	298	876	4	2	-	2	1	5	5	18	56	246	537	
White	712	11	1	1	-	3	5	9	29	86	272	295	861	2	1	-	2	-	4	5	16	55	244	532	
All other	19	2	1	-	-	1	1	1	2	3	5	3	15	2	1	-	-	-	1	1	-	2	1	5	
Black	15	2	-	-	-	-	-	1	2	3	5	2	12	2	-	-	-	-	1	1	-	2	2	4	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 484

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.
(Page 283 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
WISCONSIN—Con.																									
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	15	-	-	-	1	-	-	1	-	-	8	4	14	-	-	-	-	-	-	-	2	1	5	6	
White	15	-	-	-	1	-	-	1	-	-	8	4	14	-	-	-	-	-	-	2	1	5	6		
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	198	1	-	-	1	1	3	7	9	37	84	55	194	1	-	-	1	1	1	3	16	31	74	66	
White	188	1	-	-	1	1	3	4	8	36	80	55	179	-	-	-	1	1	1	2	11	28	70	65	
All other	10	-	-	-	1	-	-	3	1	1	4	-	15	1	-	-	-	-	-	1	5	3	4	1	
Black	8	-	-	-	1	-	-	3	1	-	3	-	11	1	-	-	-	-	-	1	4	-	4	1	
Infections of kidney (590)	8	-	-	-	-	-	-	-	-	2	3	3	13	-	-	-	-	-	-	1	-	1	-	6	5
White	8	-	-	-	-	-	-	-	-	2	3	3	13	-	-	-	-	-	-	1	-	1	-	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate (600)	10	-	-	-	-	-	-	-	-	-	2	8	
White	10	-	-	-	-	-	-	-	-	-	2	8	
All other	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	1	2	-	-	
White	3	1	2	-	-	
All other	
Black	
Pregnancy with abortive outcome (630-638)	
White	
All other	
Black	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	1	2	-	-	
White	3	1	2	-	-	
All other	
Black	
Congenital anomalies (740-759)	125	57	9	4	3	7	7	7	8	7	11	5	94	61	3	3	1	3	1	4	6	3	6	3	
White	114	47	9	3	3	7	7	7	8	7	11	5	86	54	2	3	1	3	1	4	6	3	6	3	
All other	11	10	-	1	-	-	-	-	-	-	-	-	8	7	1	-	-	-	-	-	-	-	-	-	
Black	6	5	-	1	-	-	-	-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	115	115	-	-	-	-	-	-	-	-	-	-	87	85	-	-	-	-	1	-	-	-	-	-	
White	90	90	-	-	-	-	-	-	-	-	-	-	65	64	-	-	-	-	1	-	-	-	-	-	
All other	25	25	-	-	-	-	-	-	-	-	-	-	22	22	-	-	-	-	-	-	-	-	-	-	
Black	19	19	-	-	-	-	-	-	-	-	-	-	20	20	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	20	20	-	-	-	-	-	-	-	-	-	-	14	13	-	-	-	-	1	-	-	-	-	-	
White	18	18	-	-	-	-	-	-	-	-	-	-	13	12	-	-	-	-	1	-	-	-	-	-	
All other	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Black	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
Other conditions originating in the perinatal period (760-766,770-779)	95	95	-	-	-	-	-	-	-	-	-	-	73	73	-	-	-	-	-	-	-	-	-	-	
White	72	72	-	-	-	-	-	-	-	-	-	-	52	52	-	-	-	-	-	-	-	-	-	-	
All other	23	23	-	-	-	-	-	-	-	-	-	-	21	21	-	-	-	-	-	-	-	-	-	-	
Black	18	18	-	-	-	-	-	-	-	-	-	-	19	19	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	89	48	1	-	2	6	7	5	3	5	5	7	97	49	3	-	-	-	1	3	3	3	11	24	
White	70	34	-	-	2	5	6	3	3	5	5	7	83	37	2	-	-	-	1	2	3	3	11	24	
All other	19	14	1	-	-	1	1	2	-	-	-	-	14	12	1	-	-	-	-	1	-	-	-	-	
Black	17	13	-	-	-	1	1	2	-	-	-	-	13	12	-	-	-	-	-	1	-	-	-	-	
All other diseases (Residual)	1,724	8	9	11	21	32	76	73	144	300	598	452	2,265	10	5	7	9	22	41	64	115	284	670	1,038	
White	1,644	6	6	10	20	27	60	60	137	290	581	447	2,191	6	3	6	9	18	31	56	105	271	660	1,026	
All other	80	2	3	1	1	5	16	13	7	10	17	5	74	4	2	1	-	4	10	8	10	13	10	12	
Black	60	1	2	-	1	5	11	10	7	8	12	3	65	4	2	1	-	3	9	8	7	11	8	12	
Accidents and adverse effects (E800-E949)	992	5	29	38	166	182	127	70	73	105	113	84	596	8	14	25	59	49	52	31	34	61	117	146	
White	924	5	26	27	153	173	118	63	66	100	110	83	560	5	11	21	55	42	48	24	33	60	115	146	
All other	68	-	3	11	13	9	9	7	7	5	3	1	36	3	3	4	4	7	4	7	1	1	2	-	
Black	47	-	3	6	9	5	5	7	5	5	2	-	21	2	2	2	1	4	2	5	-	1	2	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 487

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 286 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female												
	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total 1	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
WYOMING—Con.																								
Diabetes mellitus (250)	17	-	-	-	-	1	-	-	4	9	2	1	51	-	-	-	-	2	-	1	6	8	21	13
White	15	-	-	-	-	1	-	-	2	9	2	1	48	-	-	-	-	2	-	1	4	8	21	12
All other	2	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	2	-	-	1
Black	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Nutritional deficiencies (260-269)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
White	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	608	1	1	1	1	4	16	43	87	166	183	105	609	-	-	-	-	2	6	12	45	115	203	226
White	591	1	1	-	1	3	16	42	85	160	177	105	596	-	-	-	-	2	6	11	41	112	199	225
All other	17	-	-	1	-	1	-	1	2	6	6	-	13	-	-	-	-	-	1	4	3	4	4	1
Black	6	-	-	-	-	-	-	1	2	3	-	-	4	-	-	-	-	-	-	1	1	1	1	1
Diseases of heart (390-398,402,404-429)	466	1	-	-	-	4	13	34	80	131	133	70	436	-	-	-	-	1	4	10	39	85	140	157
White	453	1	-	-	-	3	13	33	78	127	128	70	429	-	-	-	-	1	4	9	36	83	139	157
All other	13	-	-	-	-	1	-	1	2	4	5	-	7	-	-	-	-	-	1	3	2	1	-	-
Black	5	-	-	-	-	-	-	1	2	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-
Rheumatic fever and rheumatic heart disease (390-398)	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	-	-	-	1	2	4	3
White	2	-	-	-	-	-	-	-	-	2	-	-	10	-	-	-	-	-	-	-	1	2	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	4	-	-	-	-	-	-	-	1	3	-	-	8	-	-	-	-	-	-	-	-	1	4	3
White	4	-	-	-	-	-	-	-	1	3	-	-	8	-	-	-	-	-	-	-	-	1	4	3
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart and renal disease (404)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	321	-	-	-	-	2	8	27	60	92	91	41	255	-	-	-	-	2	6	23	58	83	83	83
White	311	-	-	-	-	2	8	26	58	88	88	41	250	-	-	-	-	2	5	21	57	82	83	83
All other	10	-	-	-	-	-	-	1	2	4	3	-	5	-	-	-	-	-	1	2	1	1	-	-
Black	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute myocardial infarction (410)	188	-	-	-	-	1	6	15	43	53	49	21	146	-	-	-	-	-	4	16	33	53	40	40
White	181	-	-	-	-	1	6	14	42	49	48	21	143	-	-	-	-	-	4	15	32	52	40	40
All other	7	-	-	-	-	-	-	1	4	4	1	-	3	-	-	-	-	-	-	1	1	1	-	-
Black	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other acute and subacute forms of ischemic heart disease (411)	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
White	2	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	131	-	-	-	-	1	2	12	16	38	42	20	108	-	-	-	-	-	2	2	7	25	30	42
White	128	-	-	-	-	1	2	12	15	38	40	20	106	-	-	-	-	-	2	1	6	25	30	42
All other	3	-	-	-	-	-	-	1	1	2	2	-	2	-	-	-	-	-	-	1	1	-	-	-
Black	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of endocardium (424)	12	-	-	-	-	1	-	1	2	2	3	3	14	-	-	-	-	-	1	-	1	1	6	5
White	12	-	-	-	-	1	-	1	2	2	3	3	13	-	-	-	-	-	1	-	1	1	6	5
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 490

Table 8-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Each State, 1992—Con.

(Page 289 of 289)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Area, cause of death, and race	Male											Female													
	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Total ¹	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	
WYOMING—Con.																									
Pregnancy with abortive outcome (630-638)	
White	
All other	
Black	
Other complications of pregnancy, childbirth, and the puerperium (640-676)	
White	
All other	
Black	
Congenital anomalies (740-759)	12	9	2	-	-	-	-	-	-	-	1	-	10	4	2	1	-	1	1	-	-	-	1	-	
White	12	9	2	-	-	-	-	-	-	1	-	10	4	2	1	-	1	1	-	-	-	1	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Certain conditions originating in the perinatal period (760-779)	8	8	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	
White	5	5	-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	8	8	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	
White	5	5	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	
All other	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Symptoms, signs, and ill-defined conditions (780-799)	27	12	-	-	-	1	1	1	1	1	4	6	21	9	-	-	-	-	-	-	-	1	4	6	
White	27	12	-	-	-	1	1	1	1	1	4	6	20	9	-	-	-	-	-	-	-	1	3	6	
All other	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
All other diseases (Residual)	152	2	2	2	2	4	6	8	22	32	45	27	176	-	1	2	2	4	6	6	11	25	49	70	
White	145	2	1	2	1	4	5	6	22	32	43	27	168	-	1	1	2	3	6	5	9	25	47	69	
All other	7	-	1	-	1	-	1	2	-	-	2	-	8	-	-	1	-	1	-	1	2	-	2	1	
Black	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
Accidents and adverse effects (E800-E949)	170	1	6	4	31	30	37	12	13	15	10	11	67	1	3	2	12	10	9	5	3	6	8	8	
White	164	1	5	4	29	27	37	12	13	15	10	11	64	1	3	2	11	9	4	3	3	6	8	8	
All other	6	-	1	-	2	3	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-	
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Motor vehicle accidents (E810-E825)	94	-	2	3	22	20	25	8	5	5	3	1	40	1	2	-	11	10	8	3	1	2	1	1	
White	89	-	1	3	20	18	25	8	5	5	3	1	39	1	2	-	11	9	8	3	1	2	1	1	
All other	5	-	1	-	2	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other accidents and adverse effects (E800-E807, E826-E949)	76	1	4	1	9	10	12	4	8	10	7	10	27	-	1	2	1	-	1	2	2	4	7	7	
White	75	1	4	1	9	9	12	4	8	10	7	10	25	-	1	2	-	-	1	1	2	4	7	7	
All other	1	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Suicide (E950-E959)	75	-	-	1	17	13	12	9	6	8	7	2	9	-	-	-	-	1	4	1	-	2	1	-	
White	69	-	-	1	14	12	10	9	6	8	7	2	9	-	-	-	-	1	4	1	-	2	1	-	
All other	6	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Homicide and legal intervention (E960-E978)	16	1	-	1	2	5	4	1	-	-	-	-	5	1	-	-	-	1	1	1	-	-	-	-	
White	14	1	-	1	1	5	4	1	-	-	-	-	5	1	-	-	-	1	1	1	-	-	-	-	
All other	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All other external causes (E980-E999)	3	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
White	3	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
All other	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

¹ Figures for age not stated included in "Total" but not distributed among age groups.
² Excludes some amended records for selected external causes of death; see Technical Appendix.

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 491

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1992

(Page 1 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	United States	Alabama	Alaska	Arizona	Arkansas	California	Colorado	Connecticut	Delaware	District of Columbia
All causes	2,178,187	39,068	2,308	31,828	24,896	216,378	22,888	28,396	6,060	8,755
Shigellosis and amebiasis (004,006)	15	-	-	1	-	4	-	-	-	-
Certain other intestinal infections (007-009)	529	10	1	8	3	74	7	4	5	9
Tuberculosis (010-018)	1,710	43	2	32	22	205	10	12	6	13
Tuberculosis of respiratory system (010-012)	1,316	34	1	25	19	154	5	9	5	10
Other tuberculosis (013-018)	394	9	1	7	3	51	5	3	1	3
Whooping cough (033)	5	-	-	-	-	3	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	201	5	1	1	3	37	6	4	-	-
Septicemia (038)	19,687	403	7	261	248	631	182	372	70	175
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	4	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2,012	43	1	31	15	347	30	13	2	20
Syphilis (090-097)	91	2	-	1	1	8	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,089-139)	40,436	335	28	485	162	6,806	450	466	91	638
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	521,062	8,927	482	7,525	5,838	50,278	4,988	7,219	1,585	2,035
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8,113	107	8	107	75	500	77	111	45	56
Malignant neoplasms of digestive organs and peritoneum (150-159)	122,981	1,810	117	1,812	1,311	12,031	1,246	1,818	359	530
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	151,366	2,760	195	2,205	2,014	13,824	1,261	1,939	480	463
Malignant neoplasm of breast (174-175)	43,400	658	44	580	409	4,174	481	600	134	179
Malignant neoplasms of genital organs (179-187)	60,096	1,000	52	881	679	5,963	649	791	184	271
Malignant neoplasms of urinary organs (188-189)	21,681	292	24	302	221	1,992	201	314	80	61
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	62,958	1,479	67	1,034	618	6,137	616	928	174	248
Leukemia (204-208)	19,324	327	11	339	180	2,031	208	266	51	80
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	31,163	496	24	465	331	3,074	302	452	78	147
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7,082	110	5	131	58	651	58	124	24	39
Diabetes mellitus (250)	50,113	849	45	660	522	3,570	456	541	209	205
Nutritional deficiencies (260-269)	3,136	65	2	61	42	154	62	28	14	15
Anemias (280-285)	4,256	103	3	56	49	286	43	48	22	31
Meningitis (320-322)	804	11	2	23	8	94	16	7	4	7
Major cardiovascular diseases (390-448)	915,552	16,389	655	12,273	10,834	87,983	8,619	12,113	2,315	2,626
Diseases of heart (390-398,402,404-429)	719,035	12,823	515	9,693	8,251	67,296	6,327	9,671	1,871	2,076
Rheumatic fever and rheumatic heart disease (390-398)	5,721	76	12	89	30	670	106	91	13	19
Hypertensive heart disease (402)	21,904	395	10	177	155	2,664	164	249	90	212
Hypertensive heart and renal disease (404)	2,492	50	1	9	28	281	17	19	11	16
Ischemic heart disease (410-414)	480,927	6,673	335	6,642	5,850	45,513	4,318	5,903	1,139	830
Acute myocardial infarction (410)	229,872	4,229	152	2,867	3,867	18,126	2,032	2,307	577	399
Other acute and subacute forms of ischemic heart disease (411)	3,191	45	1	272	5	97	15	6	6	-
Angina pectoris (413)	1,003	16	-	13	7	66	21	32	1	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	246,861	2,383	182	3,490	1,971	27,224	2,250	3,558	555	428
Other diseases of endocardium (424)	14,379	205	23	198	115	1,494	163	219	36	37
All other forms of heart disease (415-423,425-429)	193,612	5,424	134	2,578	2,073	16,674	1,559	3,190	582	962
Hypertension with or without renal disease (401,403)	10,275	166	5	103	111	1,095	119	126	26	40
Cerebrovascular diseases (430-438)	144,000	2,708	104	1,859	2,023	15,226	1,446	1,774	317	378
Intracerebral and other intracranial hemorrhage (431-432)	21,208	409	24	274	217	2,252	203	262	53	95
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	15,596	230	15	151	190	1,663	114	204	32	51
Cerebral embolism (434.1)	630	11	-	10	5	66	3	8	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	106,566	2,058	65	1,424	1,611	11,245	1,126	1,300	230	232
Atherosclerosis (440)	16,836	238	9	262	162	2,026	392	190	24	54
Other diseases of arteries, arterioles, and capillaries (441-448)	25,406	434	22	356	287	2,340	335	352	77	78
Acute bronchitis and bronchiolitis (466)	577	10	1	9	9	66	12	7	2	2
Pneumonia and influenza (480-487)	75,767	1,154	47	1,078	889	9,867	950	1,151	232	236
Pneumonia (480-486)	74,761	1,149	46	1,065	880	9,745	932	1,126	227	234
Influenza (487)	1,006	5	1	13	9	122	18	25	5	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	91,992	1,444	91	1,737	936	10,124	1,428	1,184	264	186
Bronchitis, chronic and unspecified (490-491)	3,669	64	5	53	38	430	47	47	19	5
Emphysema (492)	16,372	238	13	346	156	2,090	263	148	58	25
Asthma (493)	4,977	70	6	90	62	578	57	48	11	25
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	66,974	1,072	67	1,248	680	7,026	1,061	941	176	131
Ulcer of stomach and duodenum (531-533)	6,140	94	3	86	57	886	85	58	15	25
Appendicitis (540-543)	415	3	-	10	5	54	6	4	2	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6,078	133	4	78	70	474	89	56	18	24
Chronic liver disease and cirrhosis (571)	25,306	370	46	451	167	3,761	317	277	73	180
Cholelithiasis and other disorders of gallbladder (574-575)	2,927	71	1	45	52	261	35	29	6	9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22,178	543	11	388	352	1,473	134	322	93	136
Acute glomerulonephritis and nephrotic syndrome (580-581)	304	14	-	2	3	29	3	3	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,504	22	3	18	21	148	18	12	3	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20,370	507	8	368	328	1,296	113	307	90	129
Infections of kidney (590)	1,084	39	2	11	16	157	9	8	2	2
Hyperplasia of prostate (600)	397	4	-	4	5	58	10	5	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	323	5	-	1	3	57	3	1	-	2
Pregnancy with abortive outcome (630-638)	53	2	-	-	-	13	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	270	3	-	1	3	44	3	1	-	2
Congenital anomalies (740-759)	12,585	195	30	216	95	1,614	162	147	27	124
Certain conditions originating in the perinatal period (760-779)	15,750	329	27	212	120	1,819	154	189	55	243
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2,934	86	8	45	31	316	23	16	12	47
Other conditions originating in the perinatal period (760-766,770-779)	12,816	243	19	167	89	1,503	131	173	43	196
Symptoms, signs, and ill-defined conditions (780-799)	23,486	1,032	65	285	633	1,307	213	304	28	226
All other diseases (Residual)	181,092	3,159	191	2,859	1,935	15,641	2,264	2,337	500	763
Accidents and adverse effects (E800-E949)	87,381	2,094	419	1,719	1,123	9,432	1,199	873	261	262
Motor vehicle accidents (E810-E825)	41,304	1,098	108	847	603	4,408	563	307	150	95
All other accidents and adverse effects (E800-E807,E826-E949)	46,057	996	311	872	520	5,024	636	566	111	167
Suicide (E950-E959)	30,557	516	92	676	293	3,739	594	291	86	36
Homicide and legal intervention (E960-E978)	25,577	541	41	375	301	4,201	231	176	40	446
All other external causes (E980-E999)	2,915	37	3	39	30	258	56	26	8	37

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 492

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1992—Con.

(Page 2 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Florida	Georgia	Hawaii	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana
All causes	140,687	53,552	7,176	7,669	99,332	50,606	26,178	21,464	34,501	37,988
Shigellosis and amebiasis (004,006)	—	—	—	—	2	—	—	—	1	—
Certain other intestinal infections (007-009)	39	6	3	1	14	18	3	3	9	5
Tuberculosis (010-018)	128	58	6	1	85	23	7	3	23	44
Tuberculosis of respiratory system (010-012)	109	40	4	1	66	17	7	2	20	36
Other tuberculosis (013-018)	19	18	2	—	19	6	—	1	3	8
Whooping cough (033)	—	—	—	—	—	—	—	—	—	—
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	—	—	—	—	—	—	—	—	—
Meningococcal infection (036)	10	4	—	2	11	2	3	4	4	2
Septicemia (038)	800	714	71	48	1,056	544	199	174	292	515
Acute poliomyelitis (045)	—	—	—	—	—	—	—	—	—	—
Measles (055)	1	—	—	—	—	—	—	—	—	—
Viral hepatitis (070)	159	24	13	5	59	28	13	13	28	52
Syphilis (090-097)	9	4	—	—	4	—	—	—	—	4
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,089-139)	3,543	1,347	136	37	1,362	390	103	169	223	682
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	34,779	11,901	1,784	1,762	24,116	12,137	6,405	4,900	8,454	8,909
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	639	212	40	28	365	120	86	71	123	161
Malignant neoplasms of digestive organs and peritoneum (150-159)	8,068	2,560	577	389	5,964	2,760	1,526	1,109	1,834	2,017
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	10,885	3,653	457	470	6,707	3,723	1,698	1,411	2,963	2,845
Malignant neoplasm of breast (174-175)	2,615	918	130	144	2,123	972	595	409	626	683
Malignant neoplasms of genital organs (179-187)	4,149	1,378	184	242	2,655	1,350	808	616	828	958
Malignant neoplasms of urinary organs (188-189)	1,525	436	60	62	1,010	509	330	221	381	338
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	3,702	1,703	172	239	2,957	1,548	661	536	980	1,105
Leukemia (204-208)	1,230	414	55	70	905	448	260	209	276	303
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	1,996	627	99	118	1,430	707	441	318	443	499
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	373	182	30	20	378	187	69	66	103	121
Diabetes mellitus (250)	3,105	992	169	188	2,342	1,275	505	504	821	1,210
Nutritional deficiencies (260-269)	138	102	10	20	135	99	50	45	61	63
Anemias (280-285)	245	126	7	12	237	121	48	56	65	104
Meningitis (320-322)	35	24	2	1	37	17	8	4	12	13
Major cardiovascular diseases (390-448)	60,484	21,760	2,941	3,031	42,305	21,952	11,830	9,419	14,801	15,511
Diseases of heart (390-398,402,404-429)	48,173	16,717	2,213	2,240	33,533	16,937	9,029	7,160	11,642	12,233
Rheumatic fever and rheumatic heart disease (390-398)	404	92	21	34	215	118	77	50	76	70
Hypertensive heart disease (402)	1,767	550	55	51	1,041	318	214	130	229	702
Hypertensive heart and renal disease (404)	156	70	5	9	95	77	25	19	21	68
Ischemic heart disease (410-414)	34,195	9,738	1,272	1,541	22,983	11,932	6,158	4,729	7,659	7,990
Acute myocardial infarction (410)	13,615	5,649	608	876	11,877	5,672	2,948	2,444	4,852	4,302
Other acute and subacute forms of ischemic heart disease (411)	101	88	1	4	87	19	16	7	15	79
Angina pectoris (413)	74	27	2	3	37	20	11	7	25	23
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	20,405	3,974	661	658	10,982	6,221	3,183	2,271	2,767	3,286
Other diseases of endocardium (424)	1,076	249	41	61	563	324	209	146	153	161
All other forms of heart disease (415-423,425-429)	10,575	6,018	819	544	8,636	4,188	2,346	2,086	3,504	3,542
Hypertension with or without renal disease (401,403)	773	313	31	28	501	244	107	96	132	169
Cerebrovascular diseases (430-438)	8,858	3,752	575	618	6,600	3,641	1,994	1,574	2,245	2,439
Intracerebral and other intracranial hemorrhage (431-432)	1,406	608	134	61	1,040	477	233	192	286	381
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	1,205	360	51	36	866	348	141	154	233	240
Cerebral embolism (434,1)	53	13	8	1	29	10	6	13	8	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	6,194	2,771	382	520	4,665	2,806	1,614	1,215	1,718	1,811
Atherosclerosis (440)	946	414	29	51	599	491	366	305	205	281
Other diseases of arteries, arterioles, and capillaries (441-448)	1,734	564	93	94	1,072	639	334	284	377	389
Acute bronchitis and bronchiolitis (466)	33	12	—	3	21	13	12	7	14	10
Pneumonia and influenza (480-487)	3,408	1,695	267	315	3,474	1,704	1,103	841	1,313	999
Pneumonia (480-486)	3,380	1,689	266	307	3,432	1,685	1,085	827	1,295	993
Influenza (487)	28	6	1	8	42	19	18	14	18	6
Chronic obstructive pulmonary diseases and allied conditions (490-495)	6,613	2,104	192	420	3,729	2,325	1,160	911	1,652	1,288
Bronchitis, chronic and unspecified (490-491)	245	78	6	11	180	101	54	50	65	59
Emphysema (492)	1,273	376	30	61	784	429	139	119	242	246
Asthma (493)	277	135	32	24	245	112	51	40	60	115
Other chronic obstructive pulmonary diseases and allied conditions (494-495)	4,818	1,515	124	324	2,540	1,683	916	702	1,285	868
Ulcer of stomach and duodenum (531-539)	414	139	22	25	264	112	70	70	80	88
Appendicitis (540-543)	25	18	2	1	19	9	4	11	5	5
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	340	191	14	26	249	125	120	82	85	92
Chronic liver disease and cirrhosis (571)	1,769	573	74	61	1,202	461	180	155	289	361
Cholelithiasis and other disorders of gallbladder (574-575)	169	84	14	7	121	53	37	15	73	49
Nephritis, nephrotic syndrome, and nephrosis (580-589)	828	681	72	62	1,347	627	172	258	424	541
Acute glomerulonephritis and nephrotic syndrome (580-581)	11	4	3	1	15	9	7	1	2	6
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	91	39	3	5	74	27	26	11	23	30
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	726	638	66	56	1,258	591	139	246	399	505
Infections of kidney (590)	45	33	2	7	43	30	28	11	17	27
Hyperplasia of prostate (600)	20	10	—	5	14	6	10	9	1	8
Complications of pregnancy, childbirth, and the puerperium (630-676)	23	9	3	—	10	2	1	2	2	2
Pregnancy with abortive outcome (630-638)	5	1	1	—	1	—	—	1	—	—
Other complications of pregnancy, childbirth, and the puerperium (640-676)	18	8	2	—	9	2	1	1	2	2
Congenital anomalies (740-759)	694	358	43	44	586	301	102	103	188	214
Certain conditions originating in the perinatal period (760-779)	841	553	58	42	851	326	104	118	146	313
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	148	94	11	5	162	56	17	17	25	73
Other conditions originating in the perinatal period (760-766,770-779)	693	459	47	37	699	270	87	101	121	240
Symptoms, signs, and ill-defined conditions (780-799)	1,693	632	111	85	827	481	181	338	268	381
All other diseases (Residual)	11,367	4,864	600	715	8,481	4,159	2,277	1,880	2,878	3,158
Accidents and adverse effects (E800-E949)	5,028	2,840	335	500	3,300	1,911	985	819	1,650	1,823
Motor vehicle accidents (E810-E825)	2,556	1,374	132	256	1,386	949	442	398	822	918
All other accidents and adverse effects (E800-E807,E826-E949)	2,472	1,266	203	244	1,914	962	543	421	828	907
Suicide (E950-E959)	2,052	817	133	171	1,110	695	290	311	484	531
Homicide and legal intervention (E960-E979)	1,393	838	43	45	1,411	405	51	153	207	800
All other external causes (E980-E999)	83	63	19	7	130	68	13	17	24	45

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 493

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1992—Con.

(Page 3 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Maine	Maryland	Massachusetts	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	Nevada
All causes	11,105	38,303	54,646	77,895	35,189	24,419	52,513	7,067	14,914	10,971
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	2	-	-	-
Certain other Intestinal Infections (007-009)	4	9	41	10	5	5	19	1	5	3
Tuberculosis (010-018)	2	28	19	49	13	37	42	2	2	8
Tuberculosis of respiratory system (010-012)	2	21	16	38	7	29	33	-	2	6
Other tuberculosis (013-018)	-	7	3	11	6	8	9	2	-	2
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	1	5	2	1	4	1	-	1
Septicemia (038)	73	588	637	586	216	191	414	36	78	118
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	35	49	55	19	20	38	4	15	10
Syphilis (080-097)	1	-	1	3	6	3	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	89	919	877	769	282	220	592	38	112	168
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,904	9,780	14,474	19,091	8,643	5,303	12,088	1,678	3,302	2,711
Malignant neoplasms of lip, oral cavity, and pharynx (140-148)	57	189	218	278	122	112	140	30	38	37
Malignant neoplasms of digestive organs and peritoneum (150-159)	693	2,318	3,588	4,401	2,128	1,186	2,677	382	788	571
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	825	2,863	3,875	5,691	2,091	1,614	3,742	499	902	899
Malignant neoplasm of breast (174-175)	216	832	1,300	1,587	737	375	683	146	288	205
Malignant neoplasms of genital organs (179-187)	332	1,068	1,564	2,253	1,014	664	1,394	232	403	257
Malignant neoplasms of urinary organs (188-189)	133	404	630	838	437	180	477	72	149	104
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	369	1,276	1,896	2,180	1,034	721	1,572	209	396	404
Leukemia (204-208)	110	305	534	698	409	178	469	63	110	99
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	169	525	869	1,165	671	273	724	105	228	135
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	37	161	233	182	124	51	185	29	44	44
Diabetes mellitus (250)	316	1,096	1,219	2,108	775	458	1,106	161	267	181
Nutritional deficiencies (260-269)	21	53	61	148	58	38	124	10	28	24
Anemias (280-285)	22	97	119	128	64	51	90	13	32	15
Meningitis (320-322)	5	13	19	26	4	11	16	2	2	2
Major cardiovascular diseases (390-448)	4,505	14,717	21,830	33,476	14,196	11,008	23,010	2,654	6,790	4,232
Diseases of heart (390-398,402,404-429)	3,435	11,829	17,191	26,431	10,226	8,911	18,192	1,831	5,303	3,443
Rheumatic fever and rheumatic heart disease (390-398)	33	72	150	196	81	30	122	22	43	31
Hypertensive heart disease (402)	68	563	310	654	197	319	436	30	89	258
Hypertensive heart and renal disease (404)	13	56	35	91	28	28	44	2	13	8
Ischemic heart disease (410-414)	2,318	5,827	11,365	18,318	7,019	4,475	13,139	1,167	3,239	1,569
Acute myocardial infarction (410)	1,131	3,255	5,343	9,431	3,170	3,035	6,648	575	1,473	690
Other acute and subacute forms of ischemic heart disease (411)	8	32	7	22	12	11	15	1	4	1
Angina pectoris (413)	10	33	38	34	26	9	15	1	5	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,169	2,507	5,977	8,831	3,811	1,420	6,461	590	1,757	877
Other diseases of endocardium (424)	90	248	363	433	335	85	327	49	110	74
All other forms of heart disease (415-423,425-429)	913	5,063	4,968	6,739	2,566	3,974	4,124	661	1,809	1,503
Hypertension with or without renal disease (401,403)	53	187	242	343	240	121	218	45	82	27
Cerebrovascular diseases (430-438)	750	2,115	3,353	4,998	2,835	1,637	3,558	496	1,040	557
Intracerebral and other intracranial hemorrhage (431-432)	80	376	531	743	395	228	537	55	101	108
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	78	185	391	729	222	141	396	31	110	41
Cerebral embolism (434.1)	1	5	18	21	17	6	22	2	6	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	591	1,549	2,413	3,505	2,201	1,262	2,603	408	823	406
Atherosclerosis (440)	104	177	341	776	342	121	404	75	204	80
Other diseases of arteries, arterioles, and capillaries (441-448)	163	409	703	928	553	218	638	107	161	125
Acute bronchitis and bronchiolitis (466)	6	11	11	20	8	6	9	1	4	3
Pneumonia and influenza (480-487)	337	1,151	2,439	2,700	1,397	783	1,898	272	576	291
Pneumonia (480-486)	313	1,124	2,407	2,664	1,354	781	1,878	262	561	289
Influenza (487)	24	27	32	36	43	2	20	10	15	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	619	1,453	2,209	3,034	1,472	850	2,308	453	675	659
Bronchitis, chronic and unspecified (490-491)	39	71	63	128	52	46	91	14	32	14
Emphysema (492)	85	226	359	681	221	132	359	68	85	129
Asthma (493)	21	64	116	164	83	51	106	22	52	25
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	474	1,092	1,671	2,061	1,116	621	1,752	349	506	491
Ulcer of stomach and duodenum (531-533)	18	95	114	229	97	54	151	33	43	36
Appendicitis (540-543)	3	6	8	18	10	4	6	2	3	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	34	113	193	246	125	71	179	34	50	23
Chronic liver disease and cirrhosis (571)	124	385	692	939	308	219	404	72	96	181
Cholelithiasis and other disorders of gallbladder (574-575)	19	46	65	103	49	31	75	12	20	12
Nephritis, nephrotic syndrome, and nephrosis (580-589)	96	452	744	848	337	322	614	54	151	162
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	7	10	5	3	5	5	1	1	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	31	33	52	36	20	40	4	7	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	92	414	701	791	298	297	569	49	143	158
Infections of kidney (590)	3	12	20	37	8	4	37	3	6	5
Hyperplasia of prostate (600)	4	5	8	7	11	4	8	1	1	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	1	4	18	3	4	4	-	-	4
Pregnancy with abortive outcome (630-638)	1	-	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	1	4	17	3	4	4	-	-	3
Congenital anomalies (740-759)	50	166	251	435	237	124	322	25	71	43
Certain conditions originating in the perinatal period (760-779)	29	294	324	784	195	211	336	20	71	43
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	47	57	147	23	41	75	6	11	15
Other conditions originating in the perinatal period (760-766,770-779)	23	247	267	637	172	170	261	14	60	28
Symptoms, signs, and ill-defined conditions (780-799)	60	458	383	355	759	232	446	113	325	118
All other diseases (Residual)	1,100	3,565	5,304	6,482	3,605	1,788	4,515	683	1,273	773
Accidents and adverse effects (E800-E949)	423	1,286	1,241	2,785	1,454	1,521	2,208	456	590	532
Motor vehicle accidents (E810-E825)	237	643	518	1,388	630	838	1,049	202	288	297
All other accidents and adverse effects (E800-E807,E826-E949)	186	643	723	1,397	824	683	1,159	254	302	235
Suicide (E950-E959)	206	458	538	1,059	524	328	633	156	193	351
Homicide and legal intervention (E960-E978)	30	614	233	1,047	150	449	580	39	62	165
All other external causes (E980-E999)	1	232	285	113	33	17	50	9	27	47

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 494

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1992—Con.

(Page 4 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death	New Hampshire	New Jersey	New Mexico	New York	North Carolina	North Dakota	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
All causes	8,464	69,181	11,185	165,178	60,070	6,180	98,751	29,523	26,034	124,520	9,594
Shigellosis and amebiasis (004,006)	-	-	-	1	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	16	2	40	21	1	22	-	3	30	3
Tuberculosis (010-018)	3	50	9	249	50	4	39	23	12	65	8
Tuberculosis of respiratory system (010-012)	3	34	6	197	36	2	29	16	8	55	3
Other tuberculosis (013-018)	-	16	3	52	14	2	10	7	4	10	5
Whooping cough (033)	-	-	-	-	1	-	-	-	-	1	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	1	1	-	-	-
Meningococcal infection (036)	1	5	1	18	4	1	7	1	6	10	-
Septicemia (038)	51	1,134	71	1,488	572	22	854	308	141	1,941	115
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	67	14	157	39	2	51	27	36	75	15
Syphilis (090-097)	-	3	1	9	3	2	2	1	1	3	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	50	2,064	133	7,063	903	25	895	272	321	1,360	114
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,228	17,142	2,413	38,818	14,041	1,490	24,265	6,486	6,331	30,641	2,542
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	40	259	43	598	239	13	322	71	87	383	40
Malignant neoplasms of digestive organs and peritoneum (150-159)	548	4,385	590	10,048	3,186	330	5,558	1,480	1,358	7,531	652
Malignant neoplasms of respiratory and intrathoracic organs (160-169)	629	4,633	538	10,524	4,233	354	7,316	2,092	1,964	8,435	721
Malignant neoplasm of breast (174-175)	193	1,567	226	3,704	1,151	130	2,129	468	488	2,720	229
Malignant neoplasms of genital organs (170-187)	254	1,985	289	4,527	1,660	225	2,668	759	744	3,408	259
Malignant neoplasms of urinary organs (188-189)	89	711	112	1,583	542	95	1,058	253	292	1,275	111
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	280	2,078	355	3,983	1,698	152	2,896	743	779	3,963	293
Leukemia (204-208)	56	568	101	1,368	492	83	851	243	235	1,154	78
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	139	956	159	2,483	840	108	1,467	377	384	1,772	159
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	29	313	43	542	142	18	374	73	82	440	38
Diabetes mellitus (250)	236	2,109	376	2,909	1,428	153	2,875	541	568	3,138	225
Nutritional deficiencies (260-269)	16	89	25	94	89	13	158	37	38	173	12
Anemias (280-285)	10	170	18	252	113	15	206	52	52	276	18
Meningitis (320-322)	1	22	7	80	23	2	30	16	2	36	4
Major cardiovascular diseases (390-448)	3,514	28,923	3,913	74,937	25,144	2,758	42,530	13,371	10,255	53,839	4,110
Diseases of heart (390-398,402,404-429)	2,701	23,538	2,987	63,608	19,164	2,042	33,888	10,571	7,331	43,249	3,283
Rheumatic fever and rheumatic heart disease (390-398)	42	246	39	439	158	11	297	39	103	375	32
Hypertensive heart disease (402)	79	744	86	2,252	623	20	961	168	179	888	51
Hypertensive heart and renal disease (404)	10	83	6	172	86	4	152	14	18	147	15
Ischemic heart disease (410-414)	1,731	16,501	1,503	49,189	12,838	1,433	23,133	7,084	5,065	27,891	2,388
Acute myocardial infarction (410)	766	7,652	691	17,838	6,531	822	10,400	3,106	2,002	15,244	1,005
Other acute and subacute forms of ischemic heart disease (411)	2	55	4	235	24	-	120	798	3	78	6
Angina pectoris (413)	8	38	3	49	23	7	48	7	10	51	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	955	8,756	805	31,067	6,260	604	12,565	3,173	3,050	12,518	1,359
Other diseases of endocardium (424)	94	539	40	930	400	42	670	166	283	1,091	74
All other forms of heart disease (415-423,425-429)	745	5,425	1,313	10,826	5,059	532	8,675	3,100	1,683	12,857	743
Hypertension with or without renal disease (401,403)	40	268	32	777	315	24	487	109	174	492	39
Cerebrovascular diseases (430-438)	569	3,866	599	8,158	4,601	518	6,095	2,090	2,097	7,740	596
Intracerebral and other intracranial hemorrhage (431-432)	112	638	81	1,510	620	78	918	234	229	1,173	88
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	58	476	39	1,038	449	40	772	141	226	1,042	50
Cerebral embolism (434.1)	3	12	-	44	17	2	24	3	10	43	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	396	2,740	479	5,566	3,515	398	4,381	1,712	1,632	5,482	455
Atherosclerosis (440)	90	454	167	792	386	71	767	328	306	761	71
Other diseases of arteries, arterioles, and capillaries (441-448)	114	797	128	1,602	678	103	1,273	273	347	1,597	121
Acute bronchitis and bronchiolitis (466)	2	16	5	31	18	1	32	4	5	41	2
Pneumonia and influenza (480-487)	307	2,140	349	6,121	1,914	212	3,075	1,223	869	4,068	289
Pneumonia (480-486)	299	2,114	342	6,081	1,889	205	3,043	1,216	850	3,998	282
Influenza (487)	8	26	7	40	25	7	32	7	19	70	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	397	2,406	522	5,748	2,408	255	4,355	1,324	1,260	4,771	383
Bronchitis, chronic and unspecified (490-491)	14	113	12	211	115	8	203	30	42	150	15
Emphysema (492)	76	509	112	1,023	341	29	733	227	277	728	42
Asthma (493)	17	113	32	484	145	23	164	48	73	209	17
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	280	1,671	366	4,030	1,807	195	3,255	1,019	868	3,684	309
Ulcer of stomach and duodenum (531-533)	26	170	27	523	161	15	243	66	66	303	24
Appendicitis (540-543)	3	13	5	22	17	1	16	1	1	22	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	24	205	34	335	171	22	251	78	61	359	29
Chronic liver disease and cirrhosis (571)	101	842	231	1,962	746	61	887	268	280	1,236	113
Cholelithiasis and other disorders of gallbladder (574-575)	12	97	28	159	76	15	109	41	41	146	11
Nephritis, nephrotic syndrome, and nephrosis (580-589)	73	891	127	1,352	550	59	1,156	405	203	1,647	106
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	6	1	24	14	1	14	4	2	23	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	68	2	99	54	4	53	14	25	61	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	71	817	124	1,229	482	54	1,089	387	176	1,563	101
Infections of kidney (590)	1	19	6	48	41	2	46	19	17	46	2
Hyperplasia of prostate (600)	1	9	1	23	10	-	19	7	6	21	4
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	8	2	45	13	-	6	4	1	10	1
Pregnancy with abortive outcome (630-638)	-	1	-	14	2	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	7	2	31	11	-	6	4	1	9	1
Congenital anomalies (740-759)	38	265	91	854	336	43	598	131	162	597	46
Certain conditions originating in the perinatal period (760-779)	29	510	64	1,282	542	34	679	163	115	775	68
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	129	18	226	87	7	152	22	21	155	12
Other conditions originating in the perinatal period (760-766,770-779)	26	381	46	1,056	455	27	527	141	94	620	56
Symptoms, signs, and ill-defined conditions (780-799)	35	1,109	127	1,167	498	74	1,709	387	653	1,315	42
All other diseases (Residual)	815	5,542	1,102	9,940	5,508	534	8,076	2,216	2,607	10,649	879
Accidents and adverse effects (E800-E949)	272	1,914	925	4,774	2,770	260	3,276	1,227	1,137	4,147	230
Motor vehicle accidents (E810-E825)	135	780	477	1,919	1,368	113	1,412	640	484	1,659	92
All other accidents and adverse effects (E800-E807,E826-E949)	137	1,134	448	2,855	1,402	147	1,864	587	653	2,488	138
Suicide (E950-E959)	142	492	312	1,528	862	65	1,181	471	496	1,388	71
Homicide and legal intervention (E960-E978)	23	382	167	2,416	829	17	660	248	161	786	34
All other external causes (E980-E999)	20	44	34	191	27	6	68	31	45	155	56

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 495

Table 8-7. Deaths From 72 Selected Causes, by State of Occurrence: United States and Each State, 1992—Con.

(Page 5 of 5)

[Data by place of occurrence include deaths of nonresidents. Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix.]

Cause of death	South Carolina	South Dakota	Tennessee	Texas	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
All causes	29,786	6,841	49,677	130,486	10,114	4,803	48,807	38,042	19,777	42,306	3,136
Shigellosis and amebiasis (004,006)	-	-	-	3	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	4	3	-	16	4	2	11	4	5	11	-
Tuberculosis (010-018)	24	2	53	112	3	-	26	18	13	21	1
Tuberculosis of respiratory system (010-012)	18	1	48	84	2	-	15	13	11	16	1
Other tuberculosis (013-018)	6	1	5	28	1	-	11	5	2	5	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	1	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	14	-	1	6	4	1	1	1
Septicemia (038)	222	39	299	1,280	93	30	659	194	199	256	20
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	2	-	-	-	-	-	-	-
Viral hepatitis (070)	18	3	73	141	11	6	36	61	10	23	2
Syphilis (090-097)	2	-	2	8	-	1	2	1	1	2	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	478	36	467	2,909	99	33	716	551	92	318	18
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,751	1,627	11,697	30,519	2,027	1,150	11,734	9,509	4,861	10,306	678
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	133	21	181	539	23	16	196	136	64	149	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,626	398	2,528	7,149	491	271	2,693	2,070	981	2,538	150
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,054	436	3,868	9,328	353	336	3,534	2,616	1,528	2,591	179
Malignant neoplasm of breast (174-175)	519	159	915	2,492	182	94	887	782	342	890	65
Malignant neoplasms of genital organs (179-187)	827	205	1,285	3,375	314	194	1,332	1,106	476	1,346	86
Malignant neoplasms of urinary organs (188-189)	255	77	493	1,243	60	55	474	368	191	487	34
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	741	192	1,329	3,328	318	143	1,473	1,204	662	1,300	87
Leukemia (204-208)	211	54	407	1,245	105	41	391	416	165	395	27
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	385	82	691	1,830	161	60	654	611	252	640	42
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	66	18	114	349	48	22	176	147	73	149	7
Diabetes mellitus (250)	769	166	1,048	3,815	362	129	957	807	542	1,040	65
Nutritional deficiencies (260-269)	60	11	70	239	19	8	93	55	33	71	2
Anemias (280-285)	70	9	88	313	16	8	79	65	40	89	3
Meningitis (320-322)	14	4	15	61	5	1	22	17	4	13	-
Major cardiovascular diseases (390-448)	12,585	2,988	20,805	52,695	3,750	2,008	19,928	15,148	8,488	18,497	1,207
Diseases of heart (390-398,402,404-429)	9,452	2,309	15,808	40,905	2,805	1,601	15,428	11,148	6,917	14,101	907
Rheumatic fever and rheumatic heart disease (390-398)	48	15	131	230	57	17	102	50	87	13	13
Hypertensive heart disease (402)	291	27	589	1,545	92	58	357	318	182	265	12
Hypertensive heart and renal disease (404)	49	10	72	183	7	7	61	40	25	33	-
Ischemic heart disease (410-414)	6,172	1,611	10,687	26,839	1,614	982	8,857	6,778	4,374	10,061	580
Acute myocardial infarction (410)	3,683	970	6,046	14,121	786	474	4,522	3,276	2,237	5,213	337
Other acute and subacute forms of ischemic heart disease (411)	228	4	11	101	2	5	500	15	9	11	-
Angina pectoris (413)	17	-	24	74	5	3	25	22	14	11	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	2,244	637	4,606	12,543	821	500	3,910	3,465	2,114	4,826	240
Other diseases of endocardium (424)	139	40	266	717	71	49	345	352	126	332	26
All other forms of heart disease (415-423,425-429)	2,753	606	4,063	11,391	964	488	5,606	3,523	2,157	3,283	276
Hypertension with or without renal disease (401,403)	207	24	194	655	37	22	221	150	71	160	14
Cerebrovascular diseases (430-438)	2,428	486	3,938	8,783	722	295	3,392	2,825	1,101	3,317	234
Intracerebral and other intracranial hemorrhage (431-432)	373	56	551	1,241	76	29	533	353	139	379	24
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	296	29	400	845	51	24	329	226	128	311	18
Cerebral embolism (434.1)	11	4	18	23	6	1	17	15	4	13	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,748	397	2,959	6,654	587	241	2,513	2,331	830	2,614	188
Atherosclerosis (440)	133	60	387	1,048	71	28	329	395	171	316	17
Other diseases of arteries, arterioles, and capillaries (441-448)	365	109	578	1,324	115	62	558	530	228	603	35
Acute bronchitis and bronchiolitis (466)	8	2	15	34	3	-	17	6	4	8	1
Pneumonia and influenza (480-487)	733	263	1,844	3,732	420	183	1,737	1,308	694	1,611	108
Pneumonia (480-486)	725	255	1,830	3,684	414	180	1,712	1,284	672	1,576	104
Influenza (487)	8	8	14	38	6	3	25	24	22	35	4
Chronic obstructive pulmonary diseases and allied conditions (490-498)	1,233	322	2,062	5,427	423	238	2,041	2,075	973	1,629	220
Bronchitis, chronic and unspecified (490-491)	51	11	90	227	23	9	73	79	43	37	6
Emphysema (492)	212	76	324	1,110	85	17	329	329	129	281	22
Asthma (493)	80	20	107	291	30	8	137	118	34	78	7
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	890	215	1,541	3,799	285	204	1,502	1,549	767	1,233	185
Ulcer of stomach and duodenum (531-533)	69	21	140	362	39	15	111	95	40	129	8
Appendicitis (540-543)	5	1	12	24	3	1	8	3	3	5	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	83	26	143	403	49	13	146	114	45	138	11
Chronic liver disease and cirrhosis (571)	336	76	513	1,802	101	46	466	451	196	365	40
Cholelithiasis and other disorders of gallbladder (574-575)	44	8	94	230	21	10	65	49	39	63	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	217	83	456	851	128	46	584	304	235	434	27
Acute glomerulonephritis and nephrotic syndrome (580-581)	8	1	9	13	2	-	12	6	6	2	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-593,597)	23	4	61	118	10	4	15	35	9	29	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	186	78	386	720	116	42	557	263	220	403	24
Infections of kidney (590)	18	3	29	82	1	7	18	26	9	20	-
Hyperplasia of prostate (600)	8	2	13	17	1	2	6	10	3	10	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	-	9	26	5	-	6	3	2	6	-
Pregnancy with abortive outcome (630-638)	2	-	2	1	2	-	1	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	7	-	8	24	4	-	5	2	2	6	-
Congenital anomalies (740-759)	153	39	306	991	109	20	257	238	104	206	16
Certain conditions originating in the perinatal period (760-779)	293	35	356	1,002	74	15	444	174	83	201	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	63	8	72	201	14	3	57	20	19	35	-
Other conditions originating in the perinatal period (760-766,770-779)	230	27	284	801	60	12	387	154	64	166	5
Symptoms, signs, and ill-defined conditions (780-799)	2,869	66	898	1,311	172	23	538	322	170	181	51
All other diseases (Residual)	2,765	553	4,236	10,757	1,156	479	4,534	3,589	1,727	4,009	303
Accidents and adverse effects (E800-E949)	1,522	334	2,387	6,165	614	189	1,958	1,634	884	1,633	230
Motor vehicle accidents (E810-E825)	802	176	1,310	3,223	301	94	876	679	449	898	127
All other accidents and adverse effects (E800-E807,E826-E949)	720	158	1,077	2,942	313	95	1,082	955	435	935	103
Suicide (E950-E959)	472	78	677	2,246	262	81	814	680	245	586	83
Homicide and legal intervention (E960-E978)	439	17	593	2,396	64	17	582	294	137	241	17
All other external causes (E980-E999)	16	6	55	150	45	15	30	85	22	33	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 496

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992
(Page 1 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Total, 320 areas	Ablene, TX, MSA	Akron, OH, PMSA	Albany, GA, MSA	Albany-Schenectady-Troy, NY, MSA	Albuquerque, NM, MSA	Alexandria, LA, MSA	Allentown-Bethlehem-Easton, PA-NJ, MSA
All causes	1,614,156	1,030	6,063	882	8,386	3,360	1,253	6,747
Shigellosis and amebiasis (004,006)	10	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	419	-	-	-	-	1	-	4
Tuberculosis (010-018)	1,355	1	1	2	4	3	-	4
Tuberculosis of respiratory system (010-012)	1,039	-	-	-	-	3	-	4
Other tuberculosis (013-018)	316	1	1	2	-	-	-	-
Whooping cough (033)	4	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	5	-	-	-	-	-	-	-
Meningococcal infection (036)	159	-	-	-	1	-	-	1
Septicemia (038)	15,172	23	44	16	77	17	20	98
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	1	-	-	-	-	-	-	-
Viral hepatitis (070)	1,624	-	3	-	5	7	4	3
Syphilis (090-097)	66	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	36,784	10	47	18	106	66	16	63
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	389,945	203	1,538	218	2,132	817	277	1,678
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6,276	3	21	4	36	18	7	25
Malignant neoplasms of digestive organs and peritoneum (150-159)	92,884	46	351	45	522	205	69	401
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	112,514	61	483	74	639	179	87	460
Malignant neoplasm of breast (174-175)	33,527	21	127	14	175	84	18	142
Malignant neoplasms of genital organs (179-187)	44,178	19	158	33	236	99	25	184
Malignant neoplasms of urinary organs (188-189)	16,057	9	60	8	108	32	10	72
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	46,660	18	186	27	222	102	33	236
Leukemia (204-208)	14,301	14	46	4	81	36	11	54
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	23,547	12	106	9	113	62	17	104
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5,325	2	20	5	39	14	2	22
Diabetes mellitus (250)	36,936	33	178	10	133	92	40	205
Nutritional deficiencies (260-269)	2,112	3	14	3	12	6	-	11
Anemias (280-285)	3,114	2	11	2	15	4	3	18
Meningitis (320-322)	615	-	1	-	1	-	-	1
Major cardiovascular diseases (390-448)	667,785	461	2,437	299	3,843	1,165	524	2,933
Diseases of heart (390-398,402,404-429)	527,338	368	1,910	221	3,152	848	416	2,415
Rheumatic fever and rheumatic heart disease (390-398)	4,441	5	24	1	18	8	3	19
Hypertensive heart disease (402)	17,927	11	49	5	50	23	14	38
Hypertensive heart and renal disease (404)	1,841	1	6	3	9	2	2	4
Ischemic heart disease (410-414)	351,881	246	1,222	129	2,308	471	291	1,534
Acute myocardial infarction (410)	157,641	115	604	76	786	169	191	811
Other acute and subacute forms of ischemic heart disease (411)	2,131	1	3	-	14	3	-	3
Angina pectoris (413)	710	1	2	-	2	-	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	191,379	129	613	53	1,506	299	100	717
Other diseases of endocardium (424)	10,828	8	50	5	62	18	3	60
All other forms of heart disease (415-423,425-429)	140,440	97	559	78	705	326	103	760
Hypertension with or without renal disease (401,403)	7,786	2	25	8	27	9	1	19
Cerebrovascular diseases (430-438)	102,757	75	380	60	473	197	91	361
Intracerebral and other intracranial hemorrhage (431-432)	15,939	8	57	11	84	28	13	57
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11,795	5	48	3	53	14	9	39
Cerebral embolism (434.1)	455	-	2	-	3	-	1	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	74,568	62	273	46	333	155	68	262
Atherosclerosis (440)	11,667	5	38	3	68	70	3	42
Other diseases of arteries, arterioles, and capillaries (441-448)	18,257	11	84	7	123	41	13	96
Acute bronchitis and bronchiolitis (466)	429	-	5	-	1	-	-	2
Pneumonia and influenza (480-487)	55,460	35	185	49	375	83	34	225
Pneumonia (480-486)	54,841	34	185	49	372	82	34	221
Influenza (487)	619	1	-	-	3	1	-	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	68,820	51	256	30	384	130	52	276
Bronchitis, chronic and unspecified (490-491)	2,694	3	8	2	12	3	2	4
Emphysema (492)	12,171	18	36	4	65	25	10	43
Asthma (493)	3,700	4	7	4	18	12	3	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48,255	26	205	20	291	90	37	217
Ulcer of stomach and duodenum (531-533)	4,556	3	5	3	27	4	5	15
Appendicitis (540-543)	311	-	3	1	3	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4,321	4	14	6	22	5	6	17
Chronic liver disease and cirrhosis (571)	19,977	13	49	8	83	70	14	72
Cholelithiasis and other disorders of gallbladder (574-575)	1,983	4	8	2	6	2	1	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15,974	7	79	11	115	31	18	114
Acute glomerulonephritis and nephrotic syndrome (580-581)	205	-	-	-	4	1	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1,131	2	4	1	9	-	-	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14,638	5	75	10	102	30	18	109
Infections of kidney (590)	749	-	7	-	1	3	1	2
Hyperplasia of prostate (600)	282	-	1	-	2	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	269	1	-	-	-	1	-	-
Pregnancy with abortive outcome (630-638)	48	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	221	-	-	-	-	-	-	-
Congenital anomalies (740-759)	9,742	6	28	4	40	26	9	33
Certain conditions originating in the perinatal period (760-779)	12,931	4	29	9	44	21	14	33
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2,325	1	10	-	7	5	2	7
Other conditions originating in the perinatal period (760-766,770-779)	10,606	3	19	9	37	16	12	26
Symptoms, signs, and ill-defined conditions (780-799)	17,540	7	330	32	50	38	8	55
All other diseases (Residual)	134,220	102	551	83	566	335	114	523
Accidents and adverse effects (E800-E949)	60,018	36	138	40	203	228	56	217
Motor vehicle accidents (E810-E825)	27,093	8	45	19	90	93	23	109
All other accidents and adverse effects (E800-E807,E826-E949)	32,925	28	93	21	113	135	33	108
Suicide (E950-E959)	22,889	12	64	8	71	106	14	85
Homicide and legal intervention (E960-E978)	21,832	7	16	22	22	61	15	18
All other external causes (E980-E999)	2,423	-	1	1	3	12	5	11

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 497

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 2 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Altoona, PA, MSA	Amarillo, TX, MSA	Anaheim-Santa Ana, CA, PMSA	Anchorage, AK, MSA	Anderson, IN, MSA	Anderson, SC, MSA	Ann Arbor, MI, PMSA	Anniston, AL, MSA
All causes	1,491	1,626	14,827	889	1,288	1,408	1,599	1,120
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-008)	-	-	4	-	1	-	-	-
Tuberculosis (010-018)	-	-	10	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	-	-	9	-	-	1	-	-
Other tuberculosis (013-018)	-	-	1	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	4	-	1	-	-	-
Sepsis (038)	17	12	24	-	25	12	17	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	23	1	-	1	3	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	5	27	346	20	11	11	22	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	322	335	3,583	230	323	325	416	278
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	6	71	1	4	4	6	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	82	68	863	58	63	81	79	30
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	83	107	981	60	107	89	108	66
Malignant neoplasm of breast (174-175)	27	35	304	24	26	26	45	14
Malignant neoplasms of genital organs (179-187)	35	51	422	20	34	41	51	24
Malignant neoplasms of urinary organs (188-189)	13	15	155	9	14	10	20	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	46	29	418	40	45	32	62	114
Leukemia (204-208)	13	9	151	7	9	13	16	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	15	218	11	21	29	29	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	4	41	3	7	4	4	2
Diabetes mellitus (250)	37	30	218	23	31	30	52	16
Nutritional deficiencies (260-269)	3	1	8	-	3	3	4	2
Anemias (280-285)	1	3	13	2	2	2	5	2
Meningitis (320-322)	-	-	5	-	-	1	-	1
Major cardiovascular diseases (390-448)	738	700	6,281	245	560	574	616	477
Diseases of heart (390-398,402,404-429)	587	539	4,785	192	422	450	483	395
Rheumatic fever and rheumatic heart disease (390-398)	3	5	56	3	5	1	3	2
Hypertensive heart disease (402)	13	7	111	5	7	11	12	4
Hypertensive heart and renal disease (404)	4	2	21	1	-	5	-	1
Ischemic heart disease (410-414)	430	379	3,660	118	307	316	347	223
Acute myocardial infarction (410)	242	170	1,389	44	124	172	178	168
Other acute and subacute forms of ischemic heart disease (411)	1	41	16	1	-	1	1	-
Angina pectoris (413)	2	-	5	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	185	168	2,250	73	183	143	168	55
Other diseases of endocardium (424)	11	7	106	13	4	16	9	3
All other forms of heart disease (415-423,425-429)	126	139	831	52	99	101	112	162
Hypertension with or without renal disease (401,403)	7	9	67	2	3	13	9	5
Cerebrovascular diseases (430-438)	118	97	1,058	44	103	93	100	61
Intracerebral and other intracranial hemorrhage (431-432)	13	16	169	12	11	18	15	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	15	5	105	10	10	11	8	6
Cerebral embolism (434.1)	1	1	5	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	89	75	779	22	82	63	77	42
Atherosclerosis (440)	10	36	179	2	15	3	11	3
Other diseases of arteries, arterioles, and capillaries (441-448)	16	19	192	5	17	15	13	13
Acute bronchitis and bronchiolitis (466)	-	-	7	-	-	1	-	-
Pneumonia and influenza (480-487)	40	41	706	12	39	44	54	25
Pneumonia (480-486)	39	40	700	12	39	44	50	25
Influenza (487)	1	1	6	-	-	-	4	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	57	108	704	37	54	64	52	52
Bronchitis, chronic and unspecified (490-491)	1	5	26	3	3	2	2	1
Emphysema (492)	6	10	146	4	6	10	11	10
Asthma (493)	3	2	27	4	2	5	2	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	47	91	505	26	43	47	37	39
Ulcer of stomach and duodenum (531-533)	7	4	66	2	-	3	3	2
Appendicitis (540-543)	1	-	3	-	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	5	31	2	4	3	6	1
Chronic liver disease and cirrhosis (571)	10	22	237	20	8	12	15	14
Cholelithiasis and other disorders of gallbladder (574-575)	2	3	18	-	-	3	5	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	7	88	3	21	14	10	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	13	-	2	3	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	15	6	75	3	19	10	9	19
Infections of kidney (590)	3	1	5	2	-	2	2	-
Hyperplasia of prostate (600)	1	-	3	-	1	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-678)	-	-	4	-	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	3	-	-	1	1	-
Congenital anomalies (740-759)	5	9	123	14	11	6	8	3
Certain conditions originating in the perinatal period (760-779)	3	20	112	13	4	14	25	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	2	15	6	2	-	1	2
Other conditions originating in the perinatal period (760-766,770-779)	2	18	97	7	2	14	24	9
Symptoms, signs, and ill-defined conditions (780-799)	7	10	103	28	7	21	8	17
All other diseases (Residual)	125	149	962	85	104	140	166	83
Accidents and adverse effects (E800-E949)	54	82	612	92	46	65	68	52
Motor vehicle accidents (E810-E825)	24	42	267	35	17	40	26	28
All other accidents and adverse effects (E800-E807,E826-E849)	30	40	345	57	29	25	42	24
Suicide (E950-E959)	16	33	273	37	15	26	26	18
Homicide and legal intervention (E960-E978)	1	16	196	16	7	24	9	15
All other external causes (E880-E999)	1	2	14	2	3	1	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 498

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.
(Page 3 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Appleton-Ostikosh-Neenah, WI, MSA	Asheville, NC, MSA	Athens, GA, MSA	Atlanta, GA, MSA	Atlantic City, NJ, MSA	Augusta, GA-SC, MSA	Aurora-Elgin, IL, PMSA	Austin, TX, MSA
All causes	2,354	1,913	1,096	19,167	3,697	3,511	2,489	4,377
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	3	2	1	-	1
Tuberculosis (010-018)	2	2	2	24	3	3	3	1
Tuberculosis of respiratory system (010-012)	2	2	1	17	2	3	2	1
Other tuberculosis (013-018)	-	-	1	7	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	1	-	1	2
Septicemia (038)	13	17	5	272	93	56	13	36
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	3	-	10	2	2	1	3
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	17	12	12	879	76	92	35	201
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	574	501	259	4,331	935	763	599	1,050
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	9	4	82	17	17	8	15
Malignant neoplasms of digestive organs and peritoneum (150-159)	141	104	58	918	222	181	152	252
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	152	148	78	1,334	277	219	153	292
Malignant neoplasm of breast (174-175)	48	40	13	386	65	69	58	92
Malignant neoplasms of genital organs (179-187)	78	67	44	473	112	60	61	125
Malignant neoplasms of urinary organs (188-189)	22	19	9	167	41	35	28	44
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	69	59	35	560	117	134	82	119
Leukemia (204-206)	21	17	9	155	32	22	23	40
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	35	38	9	256	52	26	34	71
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	7	3	68	8	10	11	9
Diabetes mellitus (250)	61	41	21	349	84	75	65	115
Nutritional deficiencies (260-269)	2	4	-	37	4	7	3	10
Anemias (280-285)	5	5	5	46	8	2	6	12
Meningitis (320-322)	-	-	-	8	3	-	-	4
Major cardiovascular diseases (390-448)	1,034	768	428	7,095	1,548	1,468	1,048	1,588
Diseases of heart (390-398,402,404-429)	790	591	363	5,462	1,261	1,194	838	1,190
Rheumatic fever and rheumatic heart disease (390-398)	4	5	2	45	14	8	11	7
Hypertensive heart disease (402)	8	10	12	264	38	29	16	54
Hypertensive heart and renal disease (404)	2	-	2	20	3	8	3	5
Ischemic heart disease (410-414)	586	405	189	2,972	841	777	653	723
Acute myocardial infarction (410)	310	205	119	1,546	343	503	288	387
Other acute and subsite forms of ischemic heart disease (411)	1	2	-	7	2	3	7	1
Angina pectoris (413)	-	2	1	9	-	2	2	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	275	196	69	1,410	496	269	356	332
Other diseases of endocardium (424)	15	17	9	95	28	14	11	25
All other forms of heart disease (415-423,425-429)	175	154	149	2,066	337	358	144	376
Hypertension with or without renal disease (401,403)	4	7	-	110	15	21	10	21
Cerebrovascular diseases (430-438)	190	135	53	1,173	217	200	159	313
Intracerebral and other intracranial hemorrhage (431-432)	16	24	8	205	27	43	21	39
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	8	10	5	96	33	27	27	25
Cerebral embolism (434.1)	1	1	-	7	1	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	165	100	40	863	156	130	109	249
Atherosclerosis (440)	7	18	9	151	17	16	14	30
Other diseases of arteries, arterioles, and capillaries (441-448)	43	17	3	199	38	37	27	34
Acute bronchitis and bronchiolitis (466)	-	3	-	4	-	1	-	-
Pneumonia and influenza (480-487)	90	76	33	585	99	101	88	120
Pneumonia (480-486)	90	75	33	584	96	100	86	119
Influenza (487)	-	-	-	1	1	1	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	89	77	55	741	135	125	101	188
Bronchitis, chronic and unspecified (490-491)	2	3	1	24	1	3	8	6
Emphysema (492)	11	16	10	138	25	19	18	34
Asthma (493)	5	2	3	62	2	6	5	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	71	56	41	517	107	97	70	134
Ulcer of stomach and duodenum (531-533)	10	7	4	48	4	9	6	17
Appendicitis (540-543)	1	-	-	4	-	1	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	3	-	61	11	12	8	5
Chronic liver disease and cirrhosis (571)	29	24	12	206	47	37	26	74
Cholelithiasis and other disorders of gallbladder (574-575)	5	5	3	21	3	6	2	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	18	17	16	240	77	41	32	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	2	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	1	12	5	5	2	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	17	14	15	226	72	35	30	13
Infections of kidney (590)	1	-	-	10	1	3	1	4
Hyperplasia of prostate (600)	1	-	-	6	-	-	2	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	1	2	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	1	2	-	-	-
Congenital anomalies (740-759)	15	7	4	148	20	26	20	43
Certain conditions originating in the perinatal period (760-779)	12	7	13	223	21	35	27	25
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	-	3	36	4	6	5	1
Other conditions originating in the perinatal period (760-766,770-779)	9	7	10	187	17	29	22	24
Symptoms, signs, and ill-defined conditions (780-799)	7	10	20	231	81	54	13	35
All other diseases (Residual)	233	200	102	1,810	279	327	206	392
Accidents and adverse effects (E800-E949)	88	72	64	900	113	143	108	252
Motor vehicle accidents (E810-E825)	34	16	41	459	50	71	54	145
All other accidents and adverse effects (E800-E807,E826-E949)	54	56	23	441	63	72	54	104
Suicide (E950-E959)	39	37	20	377	23	47	39	100
Homicide and legal intervention (E960-E978)	4	7	14	407	12	61	22	54
All other external causes (E980-E999)	-	-	-	21	2	3	1	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 499

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992--Con.

(Page 4 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas								
	Bakersfield, CA, MSA	Baltimore, MD, MSA	Bangor, ME, NECMA	Baton Rouge, LA, MSA	Battle Creek, MI, MSA	Beaumont-Port Arthur, TX, MSA	Beaver County, PA, PMSA	Bellingham, WA, MSA	
All causes	4,097	21,852	1,210	3,799	1,373	3,526	2,062	1,020	
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	6	-	-	-	-	1	-	-
Tuberculosis (010-016)	2	17	-	2	-	-	-	1	-
Tuberculosis of respiratory system (010-012)	2	13	-	1	-	-	-	-	-
Other tuberculosis (013-016)	-	4	-	-	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-	-
Septicemia (036)	23	377	10	70	12	49	21	2	-
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	19	-	5	-	7	-	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	65	655	7	80	9	45	9	6	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	902	5,502	317	922	322	897	510	241	-
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	19	108	10	13	4	17	6	4	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	206	1,292	74	238	82	216	122	49	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	287	1,681	83	262	94	299	199	66	-
Malignant neoplasm of breast (174-175)	62	450	38	85	14	61	49	25	-
Malignant neoplasms of genital organs (178-187)	127	595	30	92	42	94	44	27	-
Malignant neoplasms of urinary organs (188-189)	38	234	19	43	12	43	19	13	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	88	696	32	105	34	75	74	35	-
Leukemia (204-208)	32	158	17	36	14	36	22	5	-
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	43	288	14	48	26	56	35	17	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	19	90	1	11	3	8	6	3	-
Diabetes mellitus (250)	82	622	30	107	39	97	69	27	-
Nutritional deficiencies (260-269)	1	35	1	8	4	6	2	-	-
Anemias (280-285)	2	57	6	6	-	18	6	2	-
Meningitis (320-322)	2	8	-	3	-	-	1	-	-
Major cardiovascular diseases (390-448)	1,684	8,106	494	1,557	587	1,410	945	418	-
Diseases of heart (390-398,402,404-429)	1,389	6,588	400	1,275	431	1,106	800	296	-
Rheumatic fever and rheumatic heart disease (390-398)	14	47	1	10	4	4	8	1	-
Hypertensive heart disease (402)	49	319	7	192	10	21	19	6	-
Hypertensive heart and renal disease (404)	4	29	1	11	1	8	1	-	-
Ischemic heart disease (410-414)	1,015	3,138	245	763	299	736	586	193	-
Acute myocardial infarction (410)	357	1,862	126	265	164	398	311	87	-
Other acute and subacute forms of ischemic heart disease (411)	-	24	-	-	-	10	1	-	-
Angina pectoris (413)	-	20	2	1	-	5	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	658	1,232	117	497	135	323	272	106	-
Other diseases of endocardium (424)	32	148	6	12	5	12	12	10	-
All other forms of heart disease (415-423,425-429)	275	2,907	140	287	112	325	174	86	-
Hypertension with or without renal disease (401,403)	16	108	5	10	8	17	6	6	-
Cerebrovascular diseases (430-438)	213	1,096	68	196	105	246	106	91	-
Intracerebral and other intracranial hemorrhage (431-432)	30	210	8	32	18	27	15	9	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	27	90	6	25	9	14	12	12	-
Cerebral embolism (434.1)	2	4	-	1	1	1	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	154	792	54	138	77	204	78	70	-
Atherosclerosis (440)	21	79	4	32	24	16	8	9	-
Other diseases of arteries, arterioles, and capillaries (441-448)	45	235	17	44	19	25	25	16	-
Acute bronchitis and bronchiolitis (466)	-	8	-	-	1	-	-	-	-
Pneumonia and influenza (480-487)	191	643	54	103	64	96	64	46	-
Pneumonia (480-486)	190	630	51	102	62	96	64	45	-
Influenza (487)	1	13	3	1	2	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	217	761	59	118	68	146	73	59	-
Bronchitis, chronic and unspecified (490-491)	11	31	3	6	5	5	3	4	-
Emphysema (492)	59	116	6	22	14	32	3	3	-
Asthma (493)	14	40	2	12	3	8	2	3	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	133	574	48	78	46	101	65	49	-
Ulcer of stomach and duodenum (531-533)	17	49	4	6	6	10	12	2	-
Appendicitis (540-543)	-	4	-	1	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	12	62	5	5	5	10	6	6	-
Chronic liver disease and cirrhosis (571)	71	242	16	35	12	42	16	9	-
Cholelithiasis and other disorders of gallbladder (574-575)	6	26	-	4	4	5	1	1	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	23	288	10	51	9	43	32	10	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	18	-	6	2	2	2	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	270	10	45	7	41	30	9	-
Infections of kidney (590)	3	6	1	-	-	3	2	-	-
Hyperplasia of prostate (600)	-	3	-	-	-	2	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	2	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	1	-	-	-
Congenital anomalies (740-759)	36	112	8	23	5	20	11	5	-
Certain conditions originating in the perinatal period (760-779)	55	182	6	44	5	27	16	3	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	6	34	-	6	-	8	4	-	-
Other conditions originating in the perinatal period (760-766,770-779)	49	148	6	38	5	19	12	3	-
Symptoms, signs, and ill-defined conditions (780-799)	21	302	7	15	4	39	10	8	-
All other diseases (Residual)	280	2,168	112	280	129	276	164	94	-
Accidents and adverse effects (E800-E949)	250	657	42	193	56	164	58	54	-
Motor vehicle accidents (E810-E825)	131	293	22	103	26	82	20	19	-
All other accidents and adverse effects (E800-E807,E826-E949)	119	364	20	90	30	82	38	35	-
Suicide (E950-E959)	70	249	18	56	18	51	15	18	-
Homicide and legal intervention (E960-E978)	56	418	2	89	10	51	9	3	-
All other external causes (E980-E999)	2	176	-	5	1	1	3	2	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 500

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 5 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Benton Harbor, MI, MSA	Bergen-Passaic, NJ, PMSA	Billings, MT, MSA	Bloxi-Gulfport, MS, MSA	Binghamton, NY, MSA	Birmingham, AL, MSA	Bismarck, ND, MSA	Bloomington, IN, MSA
All causes	1,455	11,697	899	1,765	2,447	9,150	623	589
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	1	-	4	-	-
Tuberculosis (010-018)	-	6	-	3	-	18	1	1
Tuberculosis of respiratory system (010-012)	-	3	-	2	-	13	1	1
Other tuberculosis (019-018)	-	3	-	1	-	5	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	8	169	5	12	11	94	-	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	12	-	-	2	9	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	7	304	6	32	24	94	2	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	380	2,967	220	416	599	2,042	159	152
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	47	3	14	5	24	1	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	98	778	52	91	157	442	33	36
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	96	757	58	148	166	648	34	32
Malignant neoplasm of breast (174-175)	36	285	19	27	45	129	18	15
Malignant neoplasms of genital organs (179-187)	49	338	24	30	76	219	23	22
Malignant neoplasms of urinary organs (188-189)	17	128	11	18	28	65	5	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	40	365	32	47	66	301	24	21
Leukemia (204-208)	17	119	7	18	23	88	12	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	26	150	14	23	33	128	11	8
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	48	4	3	10	27	1	2
Diabetes mellitus (250)	36	376	21	28	51	206	19	11
Nutritional deficiencies (260-269)	3	19	2	3	-	18	-	2
Anemias (280-285)	2	26	2	1	3	32	-	2
Meningitis (320-322)	-	4	-	1	-	2	1	-
Major cardiovascular diseases (390-448)	631	5,090	323	734	1,159	3,498	266	247
Diseases of heart (390-398,402,404-429)	461	4,146	212	638	917	2,670	187	191
Rheumatic fever and rheumatic heart disease (390-398)	6	37	1	2	6	20	-	-
Hypertensive heart disease (402)	14	117	4	17	22	89	1	1
Hypertensive heart and renal disease (404)	6	14	-	-	3	11	-	-
Ischemic heart disease (410-414)	350	3,037	141	350	651	1,354	130	140
Acute myocardial infarction (410)	158	1,379	63	212	293	763	57	70
Other acute and subacute forms of ischemic heart disease (411)	-	6	1	5	-	8	-	-
Angina pectoris (413)	-	9	-	1	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	192	1,643	77	132	357	583	73	69
Other diseases of endocardium (424)	15	98	7	16	21	44	1	7
All other forms of heart disease (415-423,425-429)	70	643	59	253	214	1,152	55	43
Hypertension with or without renal disease (401,403)	9	44	6	3	14	59	4	-
Cerebrovascular diseases (430-438)	116	713	70	65	174	625	51	43
Intracerebral and other intracranial hemorrhage (431-432)	17	110	10	11	25	97	7	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	21	89	3	5	32	39	4	1
Cerebral embolism (434.1)	1	3	-	-	-	2	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	77	511	57	49	117	487	40	40
Atherosclerosis (440)	23	55	22	3	17	47	13	3
Other diseases of arteries, arterioles, and capillaries (441-448)	22	132	13	25	37	97	11	10
Acute bronchitis and bronchiolitis (466)	-	2	-	2	2	3	-	-
Pneumonia and influenza (480-487)	52	352	21	53	83	310	19	24
Pneumonia (480-486)	51	350	21	53	82	310	18	24
Influenza (487)	1	2	-	-	1	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	52	333	67	90	111	325	31	29
Bronchitis, chronic and unspecified (490-491)	1	15	4	6	7	15	2	1
Emphysema (492)	19	94	9	12	23	54	3	4
Asthma (493)	1	24	4	2	3	19	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	31	200	50	70	78	237	25	22
Ulcer of stomach and duodenum (531-533)	5	32	2	4	4	23	2	-
Appendicitis (540-543)	-	1	-	-	1	-	1	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	30	9	6	12	36	1	1
Chronic liver disease and cirrhosis (571)	12	143	14	30	23	87	10	3
Cholelithiasis and other disorders of gallbladder (574-575)	1	15	-	1	4	17	2	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	122	7	23	31	137	5	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	1	-	4	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	8	1	-	1	9	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	21	114	6	22	30	124	5	4
Infections of kidney (590)	1	5	1	-	2	8	-	-
Hyperplasia of prostate (600)	-	1	-	-	1	1	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	1	2	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	-	1	1	-	-
Congenital anomalies (740-758)	12	39	5	12	13	35	6	7
Certain conditions originating in the perinatal period (760-779)	11	81	3	9	12	65	1	5
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	28	1	1	2	21	-	-
Other conditions originating in the perinatal period (760-766,770-779)	11	53	2	8	10	44	1	5
Symptoms, signs, and ill-defined conditions (780-799)	12	198	9	9	18	386	5	6
All other diseases (Residual)	124	885	89	144	171	845	58	46
Accidents and adverse effects (E800-E849)	47	299	59	67	63	490	29	23
Motor vehicle accidents (E810-E825)	21	103	17	35	28	244	9	14
All other accidents and adverse effects (E800-E807,E826-E849)	26	196	42	52	35	246	14	9
Suicide (E950-E959)	12	78	26	31	27	131	3	7
Homicide and legal intervention (E960-E978)	16	55	3	30	7	200	7	4
All other external causes (E980-E999)	-	6	1	-	1	5	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 501

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 6 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Bloomington-Normal, IL, MSA	Boise City, ID, MSA	Boston-Lawrence-Salem-Lowell-Brockton, MA, NECMA	Boulder-Longmont, CO, PMSA	Bradenton, FL, MSA	Brazoria, TX, PMSA	Bremerton, WA, MSA	Bridgeport-Stamford-Norwalk-Danbury, CT, NECMA
All causes	919	1,423	32,355	1,103	2,901	1,227	1,359	7,008
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	-	2	27	-	-	-	-	-
Tuberculosis of respiratory system (010-012)	-	-	14	-	-	-	1	3
Other tuberculosis (013-018)	-	-	11	-	-	-	1	3
Whooping cough (033)	-	-	3	-	-	-	-	-
Streptococcal sore throat, scarletina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	-	2	1	-	-	1	-	1
Acute poliomyelitis (045)	5	10	417	6	11	13	10	88
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	-	28	2	2	3	2	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	8	16	600	19	36	18	9	129
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	229	354	8,666	270	712	329	336	1,750
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	3	126	4	11	8	7	33
Malignant neoplasms of digestive organs and peritoneum (150-159)	61	78	2,167	54	164	70	70	446
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	63	91	2,309	54	219	118	114	451
Malignant neoplasm of breast (174-175)	14	34	791	31	51	21	21	157
Malignant neoplasms of genital organs (179-187)	24	46	934	40	82	30	35	186
Malignant neoplasms of urinary organs (188-189)	8	18	364	14	25	16	15	72
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	32	45	1,156	32	74	42	38	232
Leukemia (204-206)	12	15	317	16	36	9	12	68
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	24	502	25	50	15	24	105
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	4	133	2	5	-	5	40
Diabetes mellitus (250)	22	20	685	19	40	45	33	144
Nutritional deficiencies (260-269)	1	6	34	1	2	-	3	11
Anemias (280-285)	2	3	75	2	7	4	2	10
Meningitis (320-322)	1	-	15	1	-	1	-	2
Major cardiovascular diseases (390-448)	384	543	12,691	430	1,365	431	496	3,104
Diseases of heart (390-396,402,404-429)	268	407	10,045	333	1,098	330	361	2,493
Rheumatic fever and rheumatic heart disease (390-396)	1	5	82	4	4	1	2	21
Hypertensive heart disease (402)	12	4	201	7	26	8	12	69
Hypertensive heart and renal disease (404)	-	-	18	1	10	2	1	4
Ischemic heart disease (410-414)	170	306	6,529	154	680	238	280	1,548
Acute myocardial infarction (410)	65	107	3,011	65	330	121	146	537
Other acute and subacute forms of ischemic heart disease (411)	1	2	4	-	1	1	-	1
Angina pectoris (413)	-	-	24	-	-	-	-	7
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	104	197	3,490	88	349	116	113	1,003
Other diseases of endocardium (424)	4	16	197	11	25	3	10	53
All other forms of heart disease (415-423,425-429)	81	76	3,018	155	353	78	76	798
Hypertension with or without renal disease (401,403)	7	8	138	11	18	4	4	32
Cerebrovascular diseases (430-438)	78	107	1,943	59	192	74	107	441
Intracerebral and other intracranial hemorrhage (431-432)	11	15	301	11	18	12	17	72
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	8	2	256	4	30	5	12	43
Cerebral embolism (434.1)	2	-	10	-	2	-	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	55	90	1,376	44	142	57	77	325
Atherosclerosis (440)	16	8	171	15	16	9	6	55
Other diseases of arteries, arterioles, and capillaries (441-448)	15	13	394	12	41	14	18	83
Acute bronchitis and bronchiolitis (466)	1	-	3	-	1	-	-	1
Pneumonia and influenza (480-487)	32	50	1,443	34	55	31	37	264
Pneumonia (480-486)	32	49	1,423	34	54	30	37	257
Influenza (487)	-	1	20	-	1	-	-	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	45	69	1,294	69	175	50	100	243
Bronchitis, chronic and unspecified (490-491)	3	-	42	3	10	3	2	10
Emphysema (492)	5	5	219	11	44	12	24	44
Asthma (493)	2	1	78	3	2	3	5	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	35	63	955	52	118	32	69	177
Ulcer of stomach and duodenum (531-533)	4	6	76	4	14	3	4	14
Appendicitis (540-543)	1	-	5	-	1	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	7	108	4	4	4	6	11
Chronic liver disease and cirrhosis (571)	9	16	400	11	32	17	21	70
Cholelithiasis and other disorders of gallbladder (574-575)	1	1	44	2	1	4	3	10
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	10	424	4	16	5	5	61
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	7	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	22	-	1	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	5	9	395	4	15	5	5	59
Infections of kidney (590)	1	1	16	-	1	-	-	2
Hyperplasia of prostate (600)	-	1	4	1	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-678)	-	-	2	-	-	2	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-678)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	7	11	140	8	6	10	13	34
Certain conditions originating in the perinatal period (760-779)	2	12	213	6	11	8	5	41
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	1	36	1	3	1	-	3
Other conditions originating in the perinatal period (760-766,770-779)	2	11	177	5	8	7	5	38
Symptoms, signs, and ill-defined conditions (780-799)	5	20	223	13	47	7	14	71
All other diseases (Residual)	95	135	3,210	101	231	127	151	539
Accidents and adverse effects (E800-E949)	33	66	721	51	73	72	86	211
Motor vehicle accidents (E810-E825)	15	36	296	21	36	31	31	70
All other accidents and adverse effects (E800-E807,E826-E949)	18	30	425	30	37	20	35	141
Suicide (E950-E959)	7	9	309	40	32	28	26	61
Homicide and legal intervention (E960-E978)	9	1	159	2	19	13	7	82
All other external causes (E980-E999)	1	1	174	1	2	1	3	7

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 502

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 7 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Brownsville-Harlingen, TX, MSA	Bryan-College Station, TX, MSA	Buffalo, NY, PMSA	Burlington, NC, MSA	Burlington, VT, NECMA	Canton, OH, MSA	Casper, WY, MSA	Cedar Rapids, IA, MSA
All causes	1,703	588	10,138	1,102	882	3,727	419	1,234
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	4	-	1	3	-	-
Tuberculosis (010-018)	5	-	3	-	-	3	-	-
Tuberculosis of respiratory system (010-012)	3	-	3	-	-	2	-	-
Other tuberculosis (013-018)	2	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	1	-	-	-	1
Septicemia (038)	22	5	124	9	4	30	3	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	1	5	-	1	-	-	1
Syphilis (090-097)	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	21	9	92	11	13	29	-	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	321	142	2,565	232	228	882	112	343
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	6	35	3	1	10	3	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	73	26	618	53	52	197	23	86
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	69	41	757	74	67	268	34	96
Malignant neoplasm of breast (174-175)	29	11	245	15	19	81	10	30
Malignant neoplasms of genital organs (179-187)	54	17	275	27	24	101	10	35
Malignant neoplasms of urinary organs (188-189)	17	8	109	7	12	40	4	25
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	37	18	272	34	29	95	12	37
Leukemia (204-208)	18	10	86	12	10	35	4	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	21	5	158	7	14	55	12	15
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	44	3	3	26	-	2
Diabetes mellitus (250)	76	22	174	31	24	136	7	21
Nutritional deficiencies (260-269)	-	1	16	2	-	4	-	1
Anemias (280-285)	1	1	9	2	-	8	-	1
Meningitis (320-322)	1	-	2	1	-	-	-	-
Major cardiovascular diseases (390-448)	583	228	4,828	494	354	1,574	139	478
Diseases of heart (390-398,402,404-429)	437	167	3,884	377	293	1,210	100	352
Rheumatic fever and rheumatic heart disease (390-398)	6	2	31	3	5	12	3	6
Hypertensive heart disease (402)	7	11	83	17	16	25	2	26
Hypertensive heart and renal disease (404)	3	1	11	1	1	4	-	-
Ischemic heart disease (410-414)	291	98	2,965	260	159	880	62	225
Acute myocardial infarction (410)	162	50	1,313	123	71	442	38	99
Other acute and subacute forms of ischemic heart disease (411)	-	-	8	-	-	2	-	1
Angina pectoris (413)	1	-	3	1	1	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	128	48	1,641	136	87	436	24	125
Other diseases of endocardium (424)	10	3	73	10	9	33	7	10
All other forms of heart disease (415-423,425-429)	120	52	731	86	103	256	26	85
Hypertension with or without renal disease (401,403)	8	4	44	5	4	12	3	8
Cerebrovascular diseases (430-438)	105	41	719	84	44	257	26	78
Intracerebral and other intracranial hemorrhage (431-432)	16	3	131	10	4	36	4	15
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	9	2	108	13	3	24	2	7
Cerebral embolism (434.1)	-	-	-	1	1	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	80	36	477	60	36	197	20	56
Atherosclerosis (440)	16	5	43	16	3	32	1	20
Other diseases of arteries, arterioles, and capillaries (441-448)	17	11	128	12	10	63	9	20
Acute bronchitis and bronchiolitis (486)	1	-	3	-	-	1	-	-
Pneumonia and influenza (480-487)	41	17	289	27	25	125	7	48
Pneumonia (480-486)	41	17	286	27	25	125	7	45
Influenza (487)	-	-	3	-	-	-	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	80	24	389	57	43	195	45	62
Bronchitis, chronic and unspecified (490-491)	7	1	10	-	1	16	-	3
Emphysema (482)	18	8	73	3	3	40	11	2
Asthma (493)	1	1	16	3	1	8	1	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	54	14	270	51	38	131	33	54
Ulcer of stomach and duodenum (531-533)	1	1	38	8	3	9	1	8
Appendicitis (540-543)	1	-	2	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	2	29	3	4	8	2	11
Chronic liver disease and cirrhosis (571)	31	7	133	13	8	27	4	18
Cholelithiasis and other disorders of gallbladder (574-575)	10	-	10	2	1	5	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	6	94	16	5	36	4	10
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	-	-	1	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	1	3	3	-	-	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	14	5	90	13	5	35	4	9
Infections of kidney (590)	-	-	4	-	4	2	-	1
Hyperplasia of prostate (600)	-	-	2	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	12	2	23	3	5	22	3	6
Certain conditions originating in the perinatal period (760-779)	23	1	68	11	5	15	3	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	8	-	9	1	1	8	-	1
Other conditions originating in the perinatal period (760-766,770-779)	15	1	59	10	4	7	3	8
Symptoms, signs, and ill-defined conditions (780-799)	149	10	66	9	5	42	8	10
All other diseases (Residual)	133	49	700	103	89	334	43	126
Accidents and adverse effects (E800-E949)	109	40	244	40	25	145	25	36
Motor vehicle accidents (E810-E825)	39	22	107	18	12	65	19	11
All other accidents and adverse effects (E800-E807,E826-E949)	70	18	137	22	13	80	6	25
Suicide (E950-E959)	25	12	81	11	20	43	9	17
Homicide and legal intervention (E960-E978)	26	6	89	12	6	20	2	5
All other external causes (E980-E999)	3	-	28	-	3	2	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 503

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 8 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Champaign-Urbana-Rantoul, IL, MSA	Charleston, SC, MSA	Charleston, WV, MSA	Charlotte-Gastonia-Rock Hill, NC-SC, MSA	Charlottesville, VA, MSA	Chattanooga, TN-GA, MSA	Cheyenne, WY, MSA	Chicago, IL, PMSA
All causes	1,021	3,533	2,612	9,698	944	4,120	564	53,213
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	1
Certain other intestinal infections (007-009)	-	-	1	1	-	-	-	9
Tuberculosis (010-018)	-	5	2	7	1	8	-	65
Tuberculosis of respiratory system (010-012)	-	3	2	4	1	7	-	50
Other tuberculosis (013-018)	-	2	-	3	-	1	-	15
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	-	-	-	-	-	6
Sepsicemia (039)	9	37	26	74	14	23	2	674
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	2	1	5	-	3	1	38
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-199)	21	86	13	201	15	43	4	1,038
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	248	840	651	2,257	238	975	123	12,825
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	20	6	35	4	13	1	205
Malignant neoplasms of digestive organs and peritoneum (150-159)	44	225	145	526	35	217	24	3,268
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	72	250	217	671	62	317	36	3,503
Malignant neoplasm of breast (174-175)	15	55	50	188	27	70	11	1,170
Malignant neoplasms of genital organs (179-187)	33	95	56	253	24	117	13	1,432
Malignant neoplasms of urinary organs (188-189)	16	27	28	97	13	41	6	516
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	40	97	95	271	43	103	19	1,517
Leukemia (204-208)	12	27	24	84	11	37	4	459
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	10	44	30	132	19	60	9	755
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	8	8	18	2	9	2	207
Diabetes mellitus (250)	43	70	77	232	10	73	21	1,294
Nutritional deficiencies (260-269)	3	6	9	24	7	-	-	62
Anemias (280-285)	8	10	7	22	4	4	-	125
Meningitis (320-322)	-	2	1	2	1	1	-	26
Major cardiovascular diseases (390-448)	397	1,383	1,084	4,052	359	1,801	209	21,867
Diseases of heart (390-398,402,404-429)	306	1,055	870	3,120	267	1,374	146	17,963
Rheumatic fever and rheumatic heart disease (390-398)	-	9	6	19	1	11	1	120
Hypertensive heart disease (402)	5	35	34	80	3	72	5	661
Hypertensive heart and renal disease (404)	2	4	11	11	-	4	-	42
Ischemic heart disease (410-414)	205	706	466	2,010	165	830	90	11,665
Acute myocardial infarction (410)	93	296	238	1,110	79	497	55	6,296
Other acute and subacute forms of ischemic heart disease (411)	-	200	-	2	10	2	-	24
Angina pectoris (413)	2	1	1	3	1	1	-	16
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	110	209	227	895	75	331	33	5,329
Other diseases of endocardium (424)	8	16	22	70	3	14	6	292
All other forms of heart disease (415-423,425-429)	86	285	331	930	95	443	44	4,883
Hypertension with or without renal disease (401,403)	16	17	15	52	3	20	5	249
Cerebrovascular diseases (430-438)	49	259	144	719	76	308	47	3,220
Intracerebral and other intracranial hemorrhage (431-432)	47	49	25	114	10	37	4	626
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	1	37	15	91	9	25	1	464
Cerebral embolism (434.1)	-	-	-	4	-	-	-	13
All other and late effects of cerebrovascular diseases (430,433,435-438)	41	173	104	510	57	246	42	2,117
Atherosclerosis (440)	16	10	21	57	8	54	6	209
Other diseases of arteries, arterioles, and capillaries (441-448)	10	42	34	104	5	45	5	526
Acute bronchitis and bronchiolitis (466)	-	1	1	4	-	1	-	9
Pneumonia and influenza (480-487)	29	80	90	274	32	165	13	1,859
Pneumonia (480-486)	28	79	83	270	31	165	13	1,851
Influenza (487)	1	1	7	4	1	4	-	8
Chronic obstructive pulmonary diseases and allied conditions (490-496)	49	147	125	389	44	187	43	1,721
Bronchitis, chronic and unspecified (490-491)	1	10	3	6	4	2	-	70
Emphysema (492)	11	20	15	63	6	23	1	341
Asthma (493)	2	5	4	24	2	6	3	142
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	35	112	103	296	32	156	39	1,168
Ulcer of stomach and duodenum (531-533)	1	11	4	29	-	8	1	136
Appendicitis (540-543)	-	1	-	3	-	3	-	10
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	11	4	26	2	13	1	119
Chronic liver disease and cirrhosis (571)	11	35	33	129	8	58	7	814
Cholelithiasis and other disorders of gallbladder (574-575)	-	4	3	5	-	8	-	61
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	30	25	72	11	46	4	762
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	1	2	-	-	-	7
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	2	6	-	2	-	41
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	9	28	22	64	11	44	4	714
Infections of kidney (590)	-	5	1	4	1	4	-	26
Hyperplasia of prostate (600)	-	1	-	1	-	2	1	8
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	1	-	-	-	9
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	1	-	-	-	8
Congenital anomalies (740-759)	6	21	13	54	9	20	3	359
Certain conditions originating in the perinatal period (760-779)	9	65	9	90	6	15	1	600
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	18	2	11	2	2	-	112
Other conditions originating in the perinatal period (760-766,770-779)	9	47	7	79	4	13	1	488
Symptoms, signs, and ill-defined conditions (780-799)	13	27	26	108	8	22	6	490
All other diseases (Residual)	90	335	241	936	106	353	71	4,576
Accidents and adverse effects (E800-E949)	45	200	105	366	44	178	34	1,660
Motor vehicle accidents (E810-E825)	17	90	48	170	23	75	23	620
All other accidents and adverse effects (E800-E807,E826-E949)	28	110	57	196	21	103	11	1,040
Suicide (E950-E959)	12	54	33	130	22	48	10	544
Homicide and legal intervention (E960-E978)	9	54	16	177	7	41	5	1,124
All other external causes (E980-E999)	-	1	3	4	-	1	2	85

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 504

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 9 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Chico, CA, MSA	Cincinnati, OH-KY-IN, PMSA	Clarksville-Hopkinsville, TN-KY, MSA	Cleveland, OH, PMSA	Colorado Springs, CO, MSA	Columbia, MO, MSA	Columbia, SC, MSA	Columbus, GA-AL, MSA
All causes	2,038	12,966	1,151	17,965	2,210	716	3,422	2,159
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	3	-	4	2	-	1	-
Tuberculosis (010-018)	-	4	1	12	-	-	2	4
Tuberculosis of respiratory system (010-012)	-	3	1	9	-	-	2	3
Other tuberculosis (013-018)	-	1	-	3	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	1	1	-	-	-
Septicemia (038)	5	135	6	157	10	7	27	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	8	1	9	3	2	2	3
Syphilis (090-097)	-	-	-	1	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,058-066,071-088,098-139)	15	108	12	204	34	5	104	34
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	508	3,327	271	4,557	516	182	822	469
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	42	4	67	5	2	17	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	112	727	76	1,105	148	45	188	112
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	159	1,043	92	1,296	128	50	248	148
Malignant neoplasm of breast (174-175)	38	283	17	404	46	13	87	37
Malignant neoplasms of genital organs (179-187)	55	358	25	517	53	14	103	60
Malignant neoplasms of urinary organs (188-189)	20	151	7	203	16	2	32	12
Malignant neoplasms of all other and unspecified sites (170-173,180-199)	58	405	29	551	77	22	90	55
Leukemia (204-208)	25	124	6	137	19	4	27	9
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	35	194	15	277	24	10	50	30
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	37	3	64	4	2	9	8
Diabetes mellitus (250)	39	335	24	521	31	24	88	48
Nutritional deficiencies (260-269)	3	21	2	26	3	4	8	3
Anemias (280-285)	5	30	3	44	3	3	12	5
Meningitis (320-322)	3	8	-	5	2	-	-	1
Major cardiovascular diseases (390-448)	806	5,384	431	7,747	798	270	1,276	858
Diseases of heart (390-398,402,404-429)	562	4,334	313	6,390	539	185	966	652
Rheumatic fever and rheumatic heart disease (390-398)	5	34	3	70	9	1	9	4
Hypertensive heart disease (402)	12	241	9	161	13	4	16	24
Hypertensive heart and renal disease (404)	2	25	1	23	2	2	5	1
Ischemic heart disease (410-414)	370	2,844	203	4,631	400	137	729	408
Acute myocardial infarction (410)	145	1,006	140	1,397	154	48	441	226
Other acute and subacute forms of ischemic heart disease (411)	-	4	-	10	4	-	5	13
Angina pectoris (413)	-	3	1	10	1	-	1	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	225	1,631	62	3,214	241	89	282	165
Other diseases of endocardium (424)	29	73	1	130	14	5	15	7
All other forms of heart disease (415-423,425-429)	144	1,317	96	1,375	101	48	212	206
Hypertension with or without renal disease (401,403)	18	58	4	94	16	6	20	11
Cerebrovascular diseases (430-438)	144	758	91	946	173	52	226	171
Intracerebral and other intracranial hemorrhage (431-432)	13	89	9	187	16	6	39	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	12	95	7	135	11	7	14	18
Cerebral embolism (434.1)	3	3	2	4	-	-	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	119	571	73	620	146	39	172	126
Atherosclerosis (440)	53	72	8	76	37	7	6	9
Other diseases of arteries, arterioles, and capillaries (441-448)	29	162	15	241	33	10	38	15
Acute bronchitis and bronchiolitis (466)	-	5	1	2	1	-	2	-
Pneumonia and influenza (480-487)	77	464	41	496	99	16	106	57
Pneumonia (480-486)	76	462	41	494	99	16	105	57
Influenza (487)	1	2	-	2	-	-	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	155	572	49	620	146	29	131	106
Bronchitis, chronic and unspecified (490-491)	7	14	1	21	7	2	7	7
Emphysema (492)	18	70	11	113	40	5	29	20
Asthma (493)	9	30	2	25	7	4	5	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	121	458	35	461	92	18	90	75
Ulcer of stomach and duodenum (531-533)	11	34	4	45	7	1	8	4
Appendicitis (540-543)	-	-	-	4	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	46	4	32	8	2	18	11
Chronic liver disease and cirrhosis (571)	27	130	7	195	33	6	41	16
Cholelithiasis and other disorders of gallbladder (574-575)	-	16	4	28	2	1	6	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	8	152	14	223	5	8	28	29
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	9	2	12	2	2	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	4	141	12	211	3	6	24	27
Infections of kidney (590)	4	7	1	6	-	3	-	1
Hyperplasia of prostate (600)	2	3	-	1	1	-	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	1	1	-	-	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	1	-	-	-	1
Congenital anomalies (740-759)	9	79	13	106	22	7	17	17
Certain conditions originating in the perinatal period (760-779)	7	95	12	170	21	6	30	37
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	21	1	28	4	-	4	7
Other conditions originating in the perinatal period (760-766,770-779)	6	74	11	142	17	6	26	30
Symptoms, signs, and ill-defined conditions (780-799)	14	106	35	262	17	7	40	53
All other diseases (Residual)	188	1,170	110	1,420	218	103	356	200
Accidents and adverse effects (E800-E949)	83	417	63	579	118	34	148	94
Motor vehicle accidents (E810-E825)	44	177	33	156	60	11	75	48
All other accidents and adverse effects (E800-E807,E826-E849)	39	240	30	423	58	23	73	46
Suicide (E950-E959)	35	168	21	199	68	10	66	28
Homicide and legal intervention (E960-E978)	12	68	14	214	22	3	64	31
All other external causes (E980-E999)	-	32	4	10	14	1	6	5

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 506

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 11 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Decatur, AL, MSA	Decatur, IL, MSA	Denver, CO, PMSA	Des Moines, IA, MSA	Detroit, MI, PMSA	Dothan, AL, MSA	Dubuque, IA, MSA	Duluth, MN-WI, MSA
All causes	1,183	1,130	10,840	2,974	38,223	1,084	810	2,582
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	2	-	3	-	-	1
Tuberculosis (010-018)	-	-	7	-	31	-	-	2
Tuberculosis of respiratory system (010-012)	-	-	2	-	22	-	-	2
Other tuberculosis (013-018)	-	-	5	-	9	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	3	-	4	1	-	-
Septicemia (038)	-	-	-	-	-	-	-	-
Acute poliomyelitis (045)	9	10	88	34	336	10	3	20
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	-	-	-	-	-	-	-
Syphilis (090-097)	-	1	18	4	28	3	-	-
All other infectious and parasitic diseases (901-903,905,920-932,937,939-941,*042-*044,046-054,056-066,071-088,098-139)	4	12	326	20	502	11	5	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-206)	252	261	2,383	759	9,246	281	199	650
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	2	2	33	11	155	5	3	11
Malignant neoplasms of digestive organs and peritoneum (150-159)	43	76	572	170	2,125	65	52	176
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	78	69	642	232	2,870	88	60	136
Malignant neoplasm of breast (174-175)	23	15	221	77	804	23	25	59
Malignant neoplasms of genital organs (179-187)	30	29	312	83	1,070	23	14	68
Malignant neoplasms of urinary organs (188-189)	11	14	96	36	364	11	8	26
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	47	31	275	59	959	46	19	93
Leukemia (204-206)	6	8	96	31	328	8	7	28
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	12	17	136	60	571	12	11	51
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	1	29	12	91	5	2	16
Diabetes mellitus (250)	14	32	212	48	995	20	17	73
Nutritional deficiencies (260-269)	-	2	26	3	68	1	-	8
Anemias (280-285)	2	2	16	2	64	-	1	5
Meningitis (320-322)	-	-	10	1	13	-	-	-
Major cardiovascular diseases (390-448)	521	534	3,959	1,206	16,595	450	369	1,092
Diseases of heart (390-396,402,404-426)	420	407	2,873	964	13,399	341	292	825
Rheumatic fever and rheumatic heart disease (390-396)	2	5	60	6	87	5	3	3
Hypertensive heart disease (402)	3	8	70	45	387	14	5	15
Hypertensive heart and renal disease (404)	3	3	9	1	48	2	1	1
Ischemic heart disease (410-414)	258	228	1,899	445	8,932	200	207	517
Acute myocardial infarction (410)	199	100	838	209	4,516	100	88	264
Other acute and subacute forms of ischemic heart disease (411)	2	-	4	6	11	-	-	5
Angina pectoris (413)	1	-	10	-	15	-	2	4
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	56	128	1,047	230	4,390	100	117	244
Other diseases of endocardium (424)	5	10	75	21	176	1	4	21
All other forms of heart disease (415-423,425-429)	150	153	760	446	3,769	119	72	268
Hypertension with or without renal disease (401,403)	1	14	50	10	164	4	4	9
Cerebrovascular diseases (430-438)	82	94	652	180	2,339	65	57	204
Intracerebral and other intracranial hemorrhage (431-432)	10	16	102	27	389	10	6	34
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	5	10	52	8	407	3	7	14
Cerebral embolism (434.1)	1	1	2	2	5	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	66	67	496	143	1,538	52	44	156
Atherosclerosis (440)	7	9	241	20	297	24	10	8
Other diseases of arteries, arterioles, and capillaries (441-448)	11	10	143	32	396	16	6	46
Acute bronchitis and bronchiolitis (466)	-	-	7	1	9	-	-	-
Pneumonia and influenza (480-487)	45	33	432	128	1,189	31	39	79
Pneumonia (480-486)	45	33	425	128	1,181	31	39	78
Influenza (487)	-	-	7	-	8	-	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	43	51	666	144	1,311	62	35	119
Bronchitis, chronic and unspecified (490-491)	8	3	18	4	54	2	3	4
Emphysema (492)	8	6	92	39	305	8	8	24
Asthma (493)	-	5	32	5	85	1	-	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	27	37	524	96	867	51	24	89
Ulcer of stomach and duodenum (531-533)	6	3	36	10	96	1	2	4
Appendicitis (540-543)	-	-	1	-	8	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	5	36	12	99	3	3	14
Chronic liver disease and cirrhosis (571)	7	11	141	30	567	6	7	36
Cholelithiasis and other disorders of gallbladder (574-575)	4	2	13	2	41	-	-	7
Nephritis, nephrotic syndrome, and nephrosis (580-589)	24	14	61	13	443	14	2	26
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	1	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	1	9	4	20	-	-	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	23	13	51	8	423	14	2	23
Infections of kidney (590)	2	-	3	3	13	-	1	1
Hypertrophy of prostate (600)	-	-	5	-	2	-	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	13	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	12	-	-	1
Congenital anomalies (740-759)	2	4	71	18	203	3	5	9
Certain conditions originating in the perinatal period (760-779)	8	8	88	21	499	4	1	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	3	15	3	89	2	-	2
Other conditions originating in the perinatal period (760-766,770-779)	5	5	73	18	410	2	1	4
Symptoms, signs, and ill-defined conditions (780-799)	91	8	106	30	166	15	5	42
All other diseases (Residual)	59	84	1,090	278	3,018	98	75	242
Accidents and adverse effects (E800-E949)	54	33	533	142	1,148	43	24	78
Motor vehicle accidents (E810-E825)	27	19	245	53	548	20	18	31
All other accidents and adverse effects (E800-E807,E826-E949)	27	14	288	89	600	23	6	47
Suicide (E950-E959)	27	15	306	37	520	11	12	31
Homicide and legal intervention (E960-E978)	6	3	143	13	810	10	2	7
All other external causes (E980-E999)	-	1	22	3	91	1	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 507

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 12 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Eau Claire, WI, MSA	El Paso, TX, MSA	Elkhart-Goshen, IN, MSA	Elmira, NY, MSA	Enid, OK, MSA	Erie, PA, MSA	Eugene-Springfield, OR, MSA	Evansville, IN-KY, MSA
All causes	1,140	3,424	1,208	978	579	2,552	2,382	2,800
Shigellosis and amebiasis (004,006)	-	1	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	1
Tuberculosis (010-018)	1	8	-	-	1	-	1	1
Tuberculosis of respiratory system (010-012)	-	6	-	-	1	-	1	1
Other tuberculosis (013-018)	1	2	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	1	-
Septicemia (039)	3	32	10	8	3	24	10	34
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	4	-	-	1	-	3	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	3	56	12	16	1	14	26	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	318	819	276	254	126	595	598	712
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	11	3	6	1	7	9	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	80	223	72	50	30	143	105	156
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	73	188	81	82	36	174	188	238
Malignant neoplasm of breast (174-175)	25	70	24	20	10	65	52	53
Malignant neoplasms of genital organs (179-187)	48	102	26	33	16	71	80	58
Malignant neoplasms of urinary organs (188-189)	21	41	10	10	5	25	24	20
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	42	91	29	33	20	67	77	95
Leukemia (204-208)	8	39	14	13	2	18	26	29
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	16	54	17	7	6	25	37	57
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	9	9	4	2	10	5	6
Diabetes mellitus (250)	28	119	28	23	24	58	40	53
Nutritional deficiencies (260-269)	1	6	1	2	2	10	5	5
Anemias (280-285)	2	31	3	2	2	7	5	5
Meningitis (320-322)	-	3	1	1	-	1	-	2
Major cardiovascular diseases (390-448)	472	1,198	533	412	237	1,143	908	1,125
Diseases of heart (390-398,402,404-429)	358	944	416	329	171	852	645	891
Rheumatic fever and rheumatic heart disease (390-398)	1	14	6	3	1	8	13	3
Hypertensive heart disease (402)	4	51	3	7	3	15	19	11
Hypertensive heart and renal disease (404)	1	12	1	-	-	6	1	4
Ischemic heart disease (410-414)	247	651	269	231	110	599	416	606
Acute myocardial infarction (410)	131	256	136	68	50	357	188	380
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	14	10	-	-
Angina pectoris (413)	-	3	-	1	1	1	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	116	392	133	162	45	231	228	224
Other diseases of endocardium (424)	9	20	12	6	4	38	31	9
All other forms of heart disease (415-423,425-429)	97	196	125	82	53	166	165	258
Hypertension with or without renal disease (401,403)	2	18	8	3	-	16	12	6
Cerebrovascular diseases (430-438)	82	175	92	58	54	224	198	175
Intracerebral and other intracranial hemorrhage (431-432)	10	37	19	8	3	16	23	26
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	7	18	8	2	6	32	23	19
Cerebral embolism (434.1)	-	-	1	-	-	1	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	65	120	64	48	45	175	150	190
Atherosclerosis (440)	11	25	9	9	3	18	26	24
Other diseases of arteries, arterioles, and capillaries (441-448)	19	38	8	13	9	33	27	29
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	2	-	-
Pneumonia and influenza (480-497)	37	89	33	30	34	67	86	121
Pneumonia (480-486)	36	88	32	30	34	65	83	120
Influenza (487)	1	1	-	-	-	2	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	64	140	53	62	28	109	118	144
Bronchitis, chronic and unspecified (490-491)	2	9	8	-	1	3	1	11
Emphysema (492)	13	22	15	9	6	17	38	28
Asthma (493)	2	7	2	1	-	5	7	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	47	102	28	52	21	84	72	102
Ulcer of stomach and duodenum (531-533)	2	14	3	2	-	8	8	7
Appendicitis (540-543)	-	2	1	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	21	3	1	1	10	2	4
Chronic liver disease and cirrhosis (571)	12	79	8	16	6	28	22	22
Cholelithiasis and other disorders of gallbladder (574-575)	-	5	1	1	1	5	5	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	35	12	11	5	28	20	34
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	3	-	-	1	-	2	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	7	32	12	11	4	27	18	33
Infections of kidney (590)	2	1	2	-	-	1	2	-
Hypertrophy of prostate (600)	-	1	-	-	-	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	1	-	-	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	1	-	-	1	-	-
Congenital anomalies (740-759)	8	45	7	4	5	12	16	18
Certain conditions originating in the perinatal period (760-779)	4	42	11	6	-	20	11	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	18	2	1	-	6	1	5
Other conditions originating in the perinatal period (760-766,770-779)	4	24	9	5	-	14	10	9
Symptoms, signs, and ill-defined conditions (780-799)	17	29	13	7	5	17	83	17
All other diseases (Residual)	104	267	109	85	64	254	252	285
Accidents and adverse effects (E800-E949)	44	224	47	23	19	83	95	119
Motor vehicle accidents (E810-E825)	17	117	26	16	11	33	35	51
All other accidents and adverse effects (E800-E807,E826-E949)	27	107	21	7	8	50	60	68
Suicide (E850-E859)	14	57	23	5	10	33	40	38
Homicide and legal intervention (E860-E878)	1	43	7	2	1	8	15	12
All other external causes (E880-E899)	-	13	1	1	1	2	4	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 508

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 13 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Fargo-Moorhead, ND-MN, MSA	Fayetteville, NC, MSA	Fayetteville-Springdale, AR, MSA	Flint, MI, MSA	Florence, AL, MSA	Florence, SC, MSA	Fort Collins-Loveland, CO, MSA	Fort Lauderdale-Hollywood-Pompano Beach, FL, PMSA
All causes	1,070	1,628	961	3,652	1,328	1,062	1,101	15,235
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	-	-	-	-	5
Tuberculosis (010-018)	-	1	-	5	-	-	-	10
Tuberculosis of respiratory system (010-012)	-	1	-	4	-	-	-	10
Other tuberculosis (013-018)	-	-	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	1	-	-	-	85
Septicemia (038)	6	10	5	28	11	14	10	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	-	1	-	1	3	17
Syphilis (090-097)	-	-	-	-	-	-	-	2
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	5	34	8	32	9	19	11	654
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	282	357	213	874	307	233	228	3,872
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	1	9	2	6	5	8	3	83
Malignant neoplasms of digestive organs and peritoneum (150-159)	53	83	40	204	52	52	57	924
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	74	125	65	297	88	73	51	1,142
Malignant neoplasm of breast (174-175)	26	19	15	70	29	20	20	321
Malignant neoplasms of genital organs (179-187)	47	36	31	95	28	30	32	493
Malignant neoplasms of urinary organs (188-189)	17	11	14	21	12	5	9	164
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	39	23	94	68	20	30	380
Leukemia (204-208)	14	12	9	40	10	6	10	145
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	23	14	47	17	19	16	230
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	4	7	6	7	6	3	3	51
Diabetes mellitus (250)	29	37	16	101	15	24	23	301
Nutritional deficiencies (260-269)	2	2	4	12	2	-	4	8
Anemias (280-289)	3	3	2	5	4	2	-	21
Meningitis (320-322)	-	1	1	1	-	-	-	1
Major cardiovascular diseases (390-448)	446	625	344	1,605	592	492	426	6,752
Diseases of heart (390-398,404-429)	321	511	272	1,276	467	368	315	5,473
Rheumatic fever and rheumatic heart disease (390-398)	3	2	5	6	6	11	8	54
Hypertensive heart disease (402)	4	36	5	37	6	11	8	110
Hypertensive heart and renal disease (404)	-	5	1	5	-	-	-	12
Ischemic heart disease (410-414)	205	346	174	903	247	245	207	4,285
Acute myocardial infarction (410)	114	119	68	505	171	170	102	1,590
Other acute and subacute forms of ischemic heart disease (411)	-	5	-	3	1	1	2	18
Angina pectoris (413)	-	1	-	2	-	-	1	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	91	221	78	383	75	74	102	2,867
Other diseases of endocardium (424)	10	5	7	10	10	4	17	106
All other forms of heart disease (415-423,425-429)	99	112	60	315	202	104	78	904
Hypertension with or without renal disease (401,403)	2	9	2	24	5	2	7	73
Cerebrovascular diseases (430-438)	94	78	62	230	97	105	63	915
Intracerebral and other intracranial hemorrhage (431-432)	12	11	12	24	19	22	12	152
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	6	1	33	15	12	6	95
Cerebral embolism (434.1)	-	-	-	1	-	2	-	4
All other and late effects of cerebrovascular diseases (430,433,435-438)	71	61	39	172	63	69	65	664
Atherosclerosis (440)	15	13	7	36	10	1	5	92
Other diseases of arteries, arterioles, and capillaries (441-448)	14	14	11	38	13	16	16	199
Acute bronchitis and bronchiolitis (466)	-	-	-	-	1	2	-	2
Pneumonia and influenza (480-487)	44	33	33	101	27	21	40	267
Pneumonia (480-486)	44	33	31	100	27	20	39	266
Influenza (487)	-	-	2	1	-	1	1	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	31	71	44	160	60	32	77	649
Bronchitis, chronic and unspecified (490-491)	1	3	3	5	1	4	4	24
Emphysema (492)	4	5	6	45	7	3	24	130
Asthma (493)	3	7	9	4	2	6	4	20
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	23	56	32	106	43	22	45	475
Ulcer of stomach and duodenum (531-533)	2	3	-	10	3	2	5	35
Appendicitis (540-543)	-	1	-	-	-	-	1	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	5	1	10	4	3	6	41
Chronic liver disease and cirrhosis (571)	9	21	8	30	18	18	16	154
Cholelithiasis and other disorders of gallbladder (574-575)	5	2	4	1	1	1	2	13
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	15	11	52	17	9	3	121
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	-	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	6	-	-	-	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	15	11	46	17	9	3	108
Infections of kidney (590)	1	-	-	1	1	1	-	7
Hyperplasia of prostate (600)	-	-	1	-	1	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	1	-	-	-	6
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	1	-	-	-	5
Congenital anomalies (740-759)	5	26	4	24	4	3	9	78
Certain conditions originating in the perinatal period (760-779)	4	29	2	33	6	14	6	92
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	3	1	8	3	4	-	14
Other conditions originating in the perinatal period (760-766,770-779)	3	26	1	25	3	10	6	78
Symptoms, signs, and ill-defined conditions (780-799)	23	27	80	23	15	6	10	52
All other diseases (Residual)	89	127	99	291	117	109	117	1,199
Accidents and adverse effects (E800-E949)	52	116	52	147	90	62	59	447
Motor vehicle accidents (E810-E825)	22	58	31	69	40	26	29	203
All other accidents and adverse effects (E800-E807,E826-E949)	30	58	21	78	40	36	30	244
Suicide (E950-E959)	15	29	17	33	19	7	30	190
Homicide and legal intervention (E960-E978)	4	3	5	59	8	14	7	99
All other external causes (E980-E999)	-	39	-	4	1	-	1	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 509

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 14 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Fort Myers-Cape Coral, FL, MSA	Fort Pierce, FL, MSA	Fort Smith, AR-OK, MSA	Fort Walton Beach, FL, MSA	Fort Wayne, IN, MSA	Fort Worth-Arlington, TX, PMSA	Fresno, CA, MSA	Gadsden, AL, MSA
All causes	3,984	2,945	1,771	1,017	3,014	9,154	5,076	1,112
Shigellosis and amebiasis (004,006)	-	-	-	-	-	1	-	-
Certain other intestinal infections (007-009)	1	-	-	-	1	1	3	-
Tuberculosis (010-018)	2	4	-	1	-	6	10	1
Tuberculosis of respiratory system (010-012)	2	1	-	-	-	4	7	1
Other tuberculosis (013-018)	-	3	-	-	-	2	3	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	2	-	-
Septicemia (038)	16	19	13	7	33	60	13	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	1	3	-	1	17	8	-
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,099-139)	66	50	16	8	21	194	84	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,079	823	420	266	703	2,153	1,087	246
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	11	5	6	8	30	15	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	231	171	101	64	153	466	259	48
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	361	257	146	97	222	701	285	77
Malignant neoplasm of breast (174-175)	75	60	38	18	48	193	78	18
Malignant neoplasms of genital organs (179-187)	134	103	40	26	74	223	146	23
Malignant neoplasms of urinary organs (188-189)	52	42	9	13	27	105	37	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	111	104	49	25	102	230	132	44
Leukemia (204-206)	31	26	8	9	30	81	58	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	49	26	8	39	124	77	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	9	6	4	10	21	11	2
Diabetes mellitus (250)	88	50	49	21	73	249	102	33
Nutritional deficiencies (260-269)	2	1	2	-	5	19	7	2
Anemias (280-285)	1	7	1	1	10	19	11	1
Meningitis (320-322)	-	1	2	-	1	3	2	1
Major cardiovascular diseases (390-448)	1,697	1,303	812	399	1,401	3,781	1,928	502
Diseases of heart (390-398,402,404-428)	1,385	1,039	649	311	1,055	2,914	1,474	399
Rheumatic fever and rheumatic heart disease (390-398)	5	7	-	-	5	13	19	3
Hypertensive heart disease (402)	67	22	7	3	21	154	92	8
Hypertensive heart and renal disease (404)	1	-	2	1	7	12	8	1
Ischemic heart disease (410-414)	897	702	515	230	764	2,012	941	241
Acute myocardial infarction (410)	304	251	348	99	332	1,053	394	139
Other acute and subacute forms of ischemic heart disease (411)	2	2	1	-	5	2	15	1
Angina pectoris (413)	3	1	-	2	2	3	6	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	588	448	166	129	425	954	526	100
Other diseases of endocardium (424)	37	22	6	7	27	51	38	5
All other forms of heart disease (415-423,425-429)	378	286	119	70	231	672	376	141
Hypertension with or without renal disease (401,403)	17	10	4	4	16	44	34	4
Cerebrovascular diseases (430-438)	210	194	114	59	246	659	324	86
Intracerebral and other intracranial hemorrhage (431-432)	37	33	6	10	33	82	55	14
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	12	41	10	6	30	100	44	19
Cerebral embolism (434.1)	1	2	1	-	2	4	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	160	118	97	43	181	473	224	53
Atherosclerosis (440)	30	15	19	12	33	82	58	8
Other diseases of arteries, arterioles, and capillaries (441-448)	55	45	28	13	51	82	38	5
Acute bronchitis and bronchiolitis (466)	1	-	-	-	-	2	2	1
Pneumonia and influenza (480-487)	104	47	56	26	87	249	210	41
Pneumonia (480-486)	103	47	56	26	83	248	205	41
Influenza (487)	1	-	-	-	4	1	5	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	194	148	69	59	117	431	221	49
Bronchitis, chronic and unspecified (490-491)	3	4	-	1	6	19	12	-
Emphysema (492)	33	52	11	10	26	82	41	14
Asthma (493)	4	3	7	1	7	16	14	1
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	154	89	51	47	78	314	154	34
Ulcer of stomach and duodenum (531-533)	12	5	3	3	6	18	19	1
Appendicitis (540-543)	-	1	1	-	1	4	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	6	5	2	8	20	15	3
Chronic liver disease and cirrhosis (571)	73	37	8	12	22	124	95	13
Cholelithiasis and other disorders of gallbladder (574-575)	5	4	1	3	5	16	4	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	17	20	21	7	49	44	49	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	1	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	1	2	-	7	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	16	20	5	48	37	45	15
Infections of kidney (590)	1	1	2	-	2	5	12	-
Hyperplasia of prostate (600)	1	-	-	-	1	1	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	1	-	-	1	-	-
Congenital anomalies (740-759)	19	10	7	6	20	81	42	1
Certain conditions originating in the perinatal period (760-779)	12	13	5	18	18	80	75	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (787-789)	1	6	1	2	4	19	20	5
Other conditions originating in the perinatal period (760-766,770-779)	11	7	4	14	14	61	55	6
Symptoms, signs, and ill-defined conditions (780-799)	18	10	22	11	38	38	63	13
All other diseases (Residual)	281	214	138	92	205	729	449	83
Accidents and adverse effects (E800-E949)	164	95	73	43	118	379	215	18
Motor vehicle accidents (E810-E825)	76	51	34	21	59	193	129	19
All other accidents and adverse effects (E800-E807,E826-E949)	88	44	39	22	59	186	129	21
Suicide (E950-E959)	64	47	19	20	32	201	77	21
Homicide and legal intervention (E960-E978)	34	19	12	6	25	196	125	14
All other external causes (E980-E999)	2	-	3	4	1	9	4	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 510

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.
(Page 15 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Gainesville, FL, MSA	Galveston-Texas City, TX, PMSA	Gary-Hammond, IN, PMSA	Glens Falls, NY, MSA	Grand Forks, ND, MSA	Grand Rapids, MI, MSA	Great Falls, MT, MSA	Greeley, CO, MSA
All causes	1,479	1,883	5,483	1,058	421	4,660	827	919
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	4	1	-	-	-	1
Tuberculosis (010-018)	1	-	5	1	-	2	-	-
Tuberculosis of respiratory system (010-012)	-	-	4	-	-	1	-	-
Other tuberculosis (013-018)	1	-	1	1	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	-	-	-	-
Septicemia (038)	8	19	49	8	-	33	1	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	-	4	2	-	3	1	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	43	48	46	12	2	49	-	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	381	453	1,368	249	101	1,125	161	188
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	9	5	20	2	2	9	4	2
Malignant neoplasms of digestive organs and peritoneum (150-159)	69	116	323	58	22	291	38	55
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	124	146	401	76	25	271	46	44
Malignant neoplasm of breast (174-175)	28	39	114	20	10	106	10	13
Malignant neoplasms of genital organs (178-187)	52	41	157	39	18	135	26	22
Malignant neoplasms of urinary organs (188-189)	17	19	55	8	5	58	7	6
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54	47	162	21	10	141	14	24
Leukemia (204-208)	14	19	46	10	8	41	5	12
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	14	21	90	15	5	73	11	10
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	6	30	4	1	7	4	3
Diabetes mellitus (250)	48	55	184	31	10	103	8	27
Nutritional deficiencies (260-269)	2	4	10	2	-	9	-	1
Anemias (280-285)	1	4	19	1	1	5	2	2
Meningitis (320-322)	-	-	4	-	-	1	-	-
Major cardiovascular diseases (390-448)	485	772	2,257	461	163	1,894	238	362
Diseases of heart (390-398,402,404-429)	344	631	1,719	364	127	1,445	175	275
Rheumatic fever and rheumatic heart disease (390-398)	2	3	10	4	1	21	4	6
Hypertensive heart disease (402)	10	5	61	12	-	60	4	13
Hypertensive heart and renal disease (404)	-	3	4	1	-	4	-	1
Ischemic heart disease (410-414)	251	485	1,183	252	94	735	119	192
Acute myocardial infarction (410)	98	211	467	114	49	380	48	97
Other acute and subacute forms of ischemic heart disease (411)	-	1	6	2	-	3	-	-
Angina pectoris (413)	-	-	6	1	-	3	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	153	273	714	135	45	349	71	95
Other diseases of endocardium (424)	13	7	31	9	4	26	6	8
All other forms of heart disease (415-423,425-429)	68	128	420	86	28	599	42	55
Hypertension with or without renal disease (401,403)	11	11	78	7	-	22	4	5
Cerebrovascular diseases (430-438)	111	99	361	54	26	310	49	60
Intracerebral and other intracranial hemorrhage (431-432)	11	10	66	8	4	41	4	9
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	18	12	48	4	4	28	1	4
Cerebral embolism (434.1)	-	-	1	-	-	3	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	82	77	246	42	18	238	44	47
Atherosclerosis (440)	8	11	25	13	2	43	1	9
Other diseases of arteries, arterioles, and capillaries (441-448)	11	20	74	23	8	74	9	13
Acute bronchitis and bronchiolitis (466)	-	-	-	-	-	1	-	-
Pneumonia and influenza (480-487)	33	33	126	26	19	216	19	43
Pneumonia (480-486)	33	32	125	26	19	212	19	43
Influenza (487)	-	1	1	-	-	4	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	64	73	212	60	17	199	39	63
Bronchitis, chronic and unspecified (490-491)	2	1	7	2	1	14	-	5
Emphysema (492)	13	9	56	3	2	43	5	12
Asthma (493)	2	7	12	-	-	11	2	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	47	56	137	55	14	131	32	43
Ulcer of stomach and duodenum (531-533)	3	6	11	4	1	18	5	4
Appendicitis (540-543)	-	-	1	-	-	8	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	4	10	3	2	11	3	7
Chronic liver disease and cirrhosis (571)	22	26	72	10	2	39	2	15
Cholelithiasis and other disorders of gallbladder (574-575)	1	3	7	3	-	9	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	16	75	5	5	49	7	3
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	4	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	4	6	-	1	3	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	9	12	65	5	4	46	7	2
Infections of kidney (590)	-	2	3	2	-	7	1	1
Hyperplasia of prostate (600)	1	-	1	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	-	-	-	-	-
Congenital anomalies (740-759)	7	12	33	6	6	41	5	5
Certain conditions originating in the perinatal period (760-779)	19	26	40	4	9	32	1	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	4	7	1	-	9	1	-
Other conditions originating in the perinatal period (760-766,770-779)	16	22	33	3	9	23	-	3
Symptoms, signs, and ill-defined conditions (780-799)	55	19	110	8	5	34	5	1
All other diseases (Residual)	159	156	401	94	54	468	74	88
Accidents and adverse effects (E800-E949)	68	72	217	38	25	200	31	51
Motor vehicle accidents (E810-E825)	34	39	107	21	7	105	12	29
All other accidents and adverse effects (E800-E807,E826-E949)	34	33	110	17	18	95	19	22
Suicide (E950-E959)	30	25	72	18	3	67	18	24
Homicide and legal intervention (E960-E978)	28	44	110	1	-	28	-	6
All other external causes (E980-E999)	1	4	2	2	1	4	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 511

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 16 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Green Bay, WI, MSA	Greensboro-Winston-Salem-High Point, NC, MSA	Greenville-Spartanburg, SC, MSA	Hagerstown, MD, MSA	Hamilton-Middletown, OH, PMSA	Harrisburg-Lebanon-Carlisle, PA, MSA	Hartford-New Britain-Middletown, CT, NECMA	Hickory-Morganton, NC, MSA
All causes	1,371	8,509	5,382	1,119	2,157	5,571	9,396	1,828
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	4	-	-	3	2	2	1
Tuberculosis (010-018)	-	3	3	-	-	3	3	-
Tuberculosis of respiratory system (010-012)	-	3	1	-	-	3	3	-
Other tuberculosis (013-018)	-	-	2	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	1	-	1	1
Meningococcal infection (036)	1	1	-	-	-	-	-	-
Septicemia (038)	8	83	38	7	14	109	103	15
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	1	-	-	-
Viral hepatitis (070)	2	3	5	-	1	2	5	2
Syphilis (090-097)	-	-	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,048-054,056-066,071-088,098-139)	10	121	76	7	15	54	163	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	327	1,967	1,273	313	552	1,341	2,421	468
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	22	26	4	5	18	37	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	78	457	281	86	128	336	605	100
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	83	581	387	77	181	333	649	156
Malignant neoplasm of breast (174-175)	26	166	125	21	50	105	188	36
Malignant neoplasms of genital organs (179-187)	37	234	130	37	47	142	257	53
Malignant neoplasms of urinary organs (188-189)	13	82	50	14	22	65	97	23
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	59	247	143	48	70	217	349	54
Leukemia (204-208)	10	67	48	8	18	53	76	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	17	101	83	20	31	72	163	32
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	10	15	6	8	18	41	3
Diabetes mellitus (250)	24	188	131	30	66	133	177	38
Nutritional deficiencies (260-269)	2	9	9	2	5	6	8	-
Anemias (280-285)	3	18	10	-	6	10	16	3
Meningitis (320-322)	1	8	2	-	1	1	3	-
Major cardiovascular diseases (390-448)	641	3,545	2,221	477	860	2,500	3,930	799
Diseases of heart (390-398,402,404-429)	468	2,699	1,700	395	683	1,966	3,143	645
Rheumatic fever and rheumatic heart disease (390-398)	1	25	7	3	3	9	33	5
Hypertensive heart disease (402)	14	78	68	15	40	45	100	11
Hypertensive heart and renal disease (404)	2	8	6	-	7	12	8	2
Ischemic heart disease (410-414)	306	1,810	1,087	245	468	1,241	1,866	456
Acute myocardial infarction (410)	207	904	615	137	215	734	790	288
Other acute and subacute forms of ischemic heart disease (411)	-	3	2	1	-	2	4	3
Angina pectoris (413)	-	4	4	3	1	2	5	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	89	899	466	104	252	503	1,067	167
Other diseases of endocardium (424)	13	58	26	5	14	51	76	10
All other forms of heart disease (415-423,425-429)	130	720	506	127	151	608	1,060	161
Hypertension with or without renal disease (401,403)	5	44	33	5	11	25	45	5
Cerebrovascular diseases (430-438)	143	667	404	56	129	391	572	107
Intracerebral and other intracranial hemorrhage (431-432)	13	78	63	5	22	57	88	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	29	88	46	6	11	40	82	9
Cerebral embolism (434.1)	1	3	-	-	-	3	5	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	100	498	295	44	93	291	397	87
Atherosclerosis (440)	9	46	19	7	19	53	43	9
Other diseases of arteries, arterioles, and capillaries (441-448)	18	89	65	14	21	65	127	33
Acute bronchitis and bronchiolitis (468)	2	-	-	2	-	-	5	1
Pneumonia and influenza (480-487)	48	288	128	54	66	208	376	69
Pneumonia (480-486)	46	280	126	50	66	202	365	65
Influenza (487)	2	6	2	4	-	6	11	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	44	394	233	60	117	220	405	76
Bronchitis, chronic and unspecified (490-491)	-	20	12	3	13	9	18	7
Emphysema (492)	14	77	41	8	13	26	48	15
Asthma (493)	1	16	8	3	2	5	12	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	29	281	172	46	89	180	327	50
Ulcer of stomach and duodenum (531-533)	2	28	9	2	8	17	24	2
Appendicitis (540-543)	-	4	1	-	-	2	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	3	23	17	2	10	14	21	12
Chronic liver disease and cirrhosis (571)	16	98	74	5	23	30	83	31
Cholelithiasis and other disorders of gallbladder (574-575)	1	14	8	-	2	5	7	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	62	35	16	22	76	111	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	3	-	-	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	11	2	-	3	6	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,589-589)	8	70	30	16	19	70	107	12
Infections of kidney (590)	-	5	3	-	-	1	2	2
Hyperplasia of prostate (600)	1	2	3	-	1	1	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	1	2	-	1	-	-	1
Pregnancy with abortive outcome (630-638)	-	1	1	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	-	1
Congenital anomalies (740-759)	8	53	35	6	16	21	41	8
Certain conditions originating in the perinatal period (760-778)	10	81	41	5	9	28	77	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	15	9	2	1	12	9	5
Other conditions originating in the perinatal period (760-766,770-779)	7	66	32	3	8	16	68	9
Symptoms, signs, and ill-defined conditions (780-799)	2	92	38	4	25	33	84	5
All other diseases (Residual)	128	802	581	80	188	477	822	188
Accidents and adverse effects (E800-E948)	23	350	252	30	92	171	325	86
Motor vehicle accidents (E810-E925)	20	155	126	20	51	76	109	43
All other accidents and adverse effects (E800-E807,E926-E949)	3	195	126	10	41	95	216	43
Suicide (E950-E959)	25	132	87	9	33	64	100	33
Homicide and legal intervention (E960-E978)	1	101	51	2	11	22	28	24
All other external causes (E980-E999)	2	1	-	-	1	2	9	6

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 512

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 17 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Honolulu, HI, MSA	Houma-Thibodaux, LA, MSA	Houston, TX, PMSA	Huntington-Ashland, WV-KY-OH, MSA	Huntsville, AL, MSA	Indianapolis, IN, MSA	Iowa City, IA, MSA	Jackson, MI, MSA
All causes	5,003	1,307	20,718	3,412	1,669	10,800	435	1,291
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	7	-	-	7	-	-
Tuberculosis (010-018)	5	-	34	2	2	9	-	-
Tuberculosis of respiratory system (010-012)	4	-	25	2	1	7	-	-
Other tuberculosis (013-018)	1	-	9	-	1	2	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	2	-	-	1	-	-
Septicemia (038)	55	21	237	37	11	145	3	8
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	11	3	31	3	1	9	-	1
Syphilis (090-097)	-	-	4	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	83	14	1,005	19	23	149	2	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,275	295	4,876	793	396	2,563	112	302
Malignant neoplasms of lip, oral cavity, and pharynx (140-143)	29	2	106	8	5	21	-	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	427	57	1,108	164	94	585	26	56
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	340	107	1,570	275	119	824	35	84
Malignant neoplasm of breast (174-175)	89	22	397	54	38	222	10	31
Malignant neoplasms of genital organs (178-187)	126	36	506	86	42	254	12	34
Malignant neoplasms of urinary organs (188-189)	45	12	167	32	13	100	3	20
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	113	42	536	97	42	318	10	40
Leukemia (204-206)	34	6	175	29	18	99	10	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	72	11	307	48	25	140	6	23
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	20	8	46	11	2	29	-	5
Diabetes mellitus (250)	108	28	572	95	39	269	8	28
Nutritional deficiencies (260-269)	4	2	24	6	4	23	2	5
Anemias (280-285)	6	-	51	4	5	26	-	3
Meningitis (320-322)	3	-	14	1	-	8	-	1
Major cardiovascular diseases (390-448)	2,065	542	7,684	1,470	752	4,211	173	551
Diseases of heart (390-398,402,404-429)	1,544	423	5,962	1,154	636	3,285	127	438
Rheumatic fever and rheumatic heart disease (390-398)	16	2	44	6	1	21	3	6
Hypertensive heart disease (402)	48	4	181	32	11	91	4	10
Hypertensive heart and renal disease (404)	2	-	23	3	3	11	-	-
Ischemic heart disease (410-414)	882	308	3,927	754	293	2,273	95	315
Acute myocardial infarction (410)	431	201	1,682	428	209	892	45	152
Other acute and subacute forms of ischemic heart disease (411)	1	-	11	-	2	-	-	-
Angina pectoris (413)	1	-	4	4	1	2	-	3
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	459	107	2,230	322	81	1,378	50	160
Other diseases of endocardium (424)	29	3	113	29	9	65	7	11
All other forms of heart disease (415-423,425-429)	557	106	1,664	330	319	824	18	96
Hypertension with or without renal disease (401,403)	24	2	105	9	3	34	-	2
Cerebrovascular diseases (430-438)	412	74	1,294	239	93	629	38	82
Intracerebral and other intracranial hemorrhage (431-432)	96	11	213	30	19	102	9	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	39	3	143	22	14	64	4	-
Cerebral embolism (434.1)	5	-	1	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	272	60	937	187	60	462	25	70
Atherosclerosis (440)	21	33	128	21	4	135	3	12
Other diseases of arteries, arterioles, and capillaries (441-448)	64	10	205	47	16	128	5	17
Acute bronchitis and bronchiolitis (466)	-	-	7	2	1	3	-	1
Pneumonia and influenza (480-487)	198	22	503	133	40	408	12	53
Pneumonia (480-486)	198	21	499	133	40	404	11	51
Influenza (487)	-	1	4	-	-	4	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	126	58	678	168	63	537	22	77
Bronchitis, chronic and unspecified (490-491)	6	4	23	13	3	19	4	2
Emphysema (492)	22	15	147	30	7	100	7	16
Asthma (493)	21	4	43	6	6	32	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	77	35	465	119	47	386	10	57
Ulcer of stomach and duodenum (531-533)	19	3	50	12	2	27	-	3
Appendicitis (540-543)	2	-	2	1	-	2	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	4	56	10	6	25	3	3
Chronic liver disease and cirrhosis (571)	50	8	328	40	19	101	3	9
Cholelithiasis and other disorders of gallbladder (574-575)	5	2	29	6	2	11	1	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	48	18	125	44	26	122	3	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	3	-	1	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	-	19	2	-	7	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	43	18	103	42	25	115	2	10
Infections of kidney (590)	1	-	8	3	1	5	-	-
Hyperplasia of prostate (600)	-	-	1	1	-	2	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	5	-	-	1	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	-	5	-	-	1	1	-
Congenital anomalies (740-759)	35	4	186	15	7	83	6	8
Certain conditions originating in the perinatal period (760-779)	36	14	226	14	14	103	5	9
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	3	35	3	2	12	1	2
Other conditions originating in the perinatal period (760-766,770-779)	30	11	191	11	12	91	4	7
Symptoms, signs, and ill-defined conditions (780-799)	69	9	152	52	20	80	2	5
All other diseases (Residual)	441	123	1,619	296	122	948	48	113
Accidents and adverse effects (E800-E949)	180	76	1,073	138	67	382	21	49
Motor vehicle accidents (E810-E825)	70	48	568	71	35	160	8	28
All other accidents and adverse effects (E800-E807,E826-E849)	110	28	507	67	32	222	13	21
Suicide (E950-E959)	92	30	424	38	21	169	7	25
Homicide and legal intervention (E960-E978)	29	23	624	16	19	113	-	5
All other external causes (E980-E999)	14	-	25	2	3	35	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 514

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 19 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Johnstown, PA, MSA	Joliet, IL, PMSA	Joplin, MO, MSA	Kalamazoo, MI, MSA	Kankakee, IL, MSA	Kansas City, MO-KS, MSA	Kenosha, WI, PMSA	Killeen-Temple, TX, MSA
All causes	2,699	2,668	1,458	1,673	1,019	13,006	1,113	1,665
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	1	-	5	-	-
Tuberculosis (010-018)	-	1	3	-	-	5	-	2
Tuberculosis of respiratory system (010-012)	-	1	3	-	-	4	-	2
Other tuberculosis (013-018)	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	24	21	15	14	10	131	6	10
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	3	-	-	1	15	-	-
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	12	28	11	15	6	196	7	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	616	642	337	404	267	3,054	272	312
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	10	3	6	6	49	6	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	148	163	66	83	60	673	68	75
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	168	182	116	111	66	977	80	96
Malignant neoplasm of breast (174-175)	54	55	31	43	33	218	21	15
Malignant neoplasms of genital organs (179-187)	75	64	32	48	33	314	28	32
Malignant neoplasms of urinary organs (188-189)	34	25	15	22	12	110	13	11
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	67	74	37	44	30	402	33	39
Leukemia (204-206)	24	28	15	20	8	102	11	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	41	41	22	27	19	209	12	17
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	14	3	6	6	43	3	4
Diabetes mellitus (250)	69	61	30	35	23	288	23	47
Nutritional deficiencies (260-269)	1	2	10	5	-	28	1	1
Anemias (280-285)	2	3	2	5	3	24	4	4
Meningitis (320-322)	1	5	-	3	-	2	-	3
Major cardiovascular diseases (390-448)	1,271	1,136	628	662	420	5,369	485	791
Diseases of heart (390-398,402,404-429)	1,040	887	502	511	339	4,203	381	601
Rheumatic fever and rheumatic heart disease (390-398)	11	6	2	7	2	36	2	1
Hypertensive heart disease (402)	9	21	9	10	9	105	21	11
Hypertensive heart and renal disease (404)	2	1	1	2	1	14	-	-
Ischemic heart disease (410-414)	762	670	390	383	242	2,802	234	288
Acute myocardial infarction (410)	439	341	225	172	125	1,205	115	182
Other acute and subacute forms of ischemic heart disease (411)	2	-	2	-	-	3	-	1
Angina pectoris (413)	2	-	-	1	-	5	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	319	329	163	210	117	1,589	119	103
Other diseases of endocardium (424)	20	18	21	12	6	72	9	5
All other forms of heart disease (415-423,425-429)	236	171	79	97	79	1,174	115	386
Hypertension with or without renal disease (401,403)	11	7	5	7	7	63	2	3
Cerebrovascular diseases (430-438)	157	190	104	115	56	803	78	77
Intracerebral and other intracranial hemorrhage (431-432)	20	28	9	16	9	118	14	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	22	18	9	19	10	66	5	6
Cerebral embolism (434,1)	1	1	-	1	-	5	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	114	143	86	79	37	614	57	58
Atherosclerosis (440)	23	13	9	15	6	149	12	4
Other diseases of arteries, arterioles, and capillaries (441-448)	40	39	8	14	12	151	14	16
Acute bronchitis and bronchiolitis (466)	2	-	-	-	3	4	-	-
Pneumonia and influenza (480-487)	106	90	65	87	28	419	57	33
Pneumonia (480-486)	106	89	64	86	28	419	58	33
Influenza (487)	-	1	1	-	-	-	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	99	115	72	85	45	571	43	62
Bronchitis, chronic and unspecified (490-491)	-	11	2	3	2	28	-	2
Emphysema (492)	13	27	13	21	4	78	12	7
Asthma (493)	4	7	2	5	4	15	1	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	82	70	55	56	35	452	30	51
Ulcer of stomach and duodenum (531-533)	5	3	7	9	2	34	6	8
Appendicitis (540-543)	-	-	-	-	-	1	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	10	6	9	-	40	1	8
Chronic liver disease and cirrhosis (571)	25	35	9	19	5	101	18	29
Cholelithiasis and other disorders of gallbladder (574-575)	3	4	3	3	1	10	3	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	41	37	18	17	10	143	17	7
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	3	3	-	10	4	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	41	36	15	14	10	133	13	7
Infections of kidney (590)	2	3	-	1	-	6	-	2
Hyperplasia of prostate (600)	-	-	-	-	-	2	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	-	-	-	2	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	1	-	-	-	2	-	-
Congenital anomalies (740-759)	8	17	7	11	13	93	5	25
Certain conditions originating in the perinatal period (760-779)	16	29	3	15	7	84	4	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	3	4	1	3	1	9	1	2
Other conditions originating in the perinatal period (760-766,770-779)	13	25	2	12	6	75	3	14
Symptoms, signs, and ill-defined conditions (780-799)	10	15	11	9	4	228	4	13
All other diseases (Residual)	243	211	124	171	100	1,160	97	126
Accidents and adverse effects (E800-E949)	87	110	65	64	45	496	34	80
Motor vehicle accidents (E810-E825)	42	58	30	29	23	221	18	42
All other accidents and adverse effects (E800-E807,E826-E949)	45	52	35	35	22	275	16	38
Suicide (E950-E959)	31	42	20	19	9	215	13	34
Homicide and legal intervention (E960-E978)	10	29	8	4	9	218	6	22
All other external causes (E980-E999)	-	1	1	-	2	19	4	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 515

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 20 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Knowville, TN, MSA	Kokomo, IN, MSA	La Crosse, WI, MSA	Lafayette, LA, MSA	Lafayette-West Lafayette, IN, MSA	Lake Charles, LA, MSA	Lake County, IL, PMSA	Lakeland-Winter Haven, FL, MSA
All causes	5,593	868	770	1,433	942	1,449	3,068	4,304
Shigellosis and amebiasis (004.006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	-	1	-	-	-	-	-	1
Tuberculosis (010-018)	3	-	-	2	-	3	2	4
Tuberculosis of respiratory system (010-012)	3	-	-	2	-	2	1	2
Other tuberculosis (013-018)	-	-	-	-	-	1	1	2
Whooping cough (033)	-	-	-	-	-	-	-	-
Strepococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	1	-
Septicemia (036)	18	12	6	9	5	26	34	25
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	12	-	-	4	1	3	-	5
Syphilis (090-097)	1	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	47	5	4	22	7	16	27	71
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,316	201	175	367	224	379	787	1,011
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	23	4	6	5	5	6	10	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	291	48	39	73	55	66	169	226
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	431	64	44	131	75	134	220	333
Malignant neoplasm of breast (174-175)	113	11	13	31	16	37	72	65
Malignant neoplasms of genital organs (178-187)	131	19	11	40	26	35	86	120
Malignant neoplasms of urinary organs (188-189)	72	7	12	15	11	13	37	42
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	142	29	31	45	26	54	117	103
Leukemia (204-208)	49	8	7	7	5	9	34	43
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	64	11	12	20	5	25	42	60
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	6	4	6	3	4	7	9
Diabetes mellitus (250)	122	20	22	41	17	33	79	102
Nutritional deficiencies (260-269)	6	1	-	4	-	1	4	2
Anemias (280-285)	12	3	3	4	1	5	8	5
Meningitis (320-322)	-	-	-	-	-	-	1	2
Major cardiovascular diseases (390-448)	2,201	369	302	561	393	601	1,246	1,805
Diseases of heart (390-398,402,404-428)	1,589	303	237	447	303	492	991	1,438
Rheumatic fever and rheumatic heart disease (390-398)	14	4	-	3	3	1	9	13
Hypertensive heart disease (402)	43	7	11	41	2	49	42	56
Hypertensive heart and renal disease (404)	11	-	-	1	-	2	2	2
Ischemic heart disease (410-414)	1,146	195	169	235	214	201	691	937
Acute myocardial infarction (410)	606	83	56	146	92	88	304	415
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	1	-	1	27	-
Angina pectoris (413)	2	-	-	-	-	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	538	112	113	88	122	101	360	522
Other diseases of endocardium (424)	40	5	11	7	11	7	31	32
All other forms of heart disease (415-423,425-428)	335	92	46	160	73	232	216	398
Hypertension with or without renal disease (401,403)	14	-	4	6	2	4	9	23
Coronary artery diseases (430-439)	442	50	45	80	69	84	199	254
Intracerebral and other intracranial hemorrhage (431-432)	60	10	3	11	6	14	31	46
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.8)	1	4	3	1	4	5	36	39
Cerebral embolism (434.1)	1	-	-	-	-	1	1	1
All other and late effects of cardiovascular diseases (430,433,435-438)	340	38	39	68	59	64	131	168
Atherosclerosis (440)	79	8	7	11	7	10	7	28
Other diseases of arteries, arterioles, and capillaries (441-448)	77	8	9	17	12	11	40	62
Acute bronchitis and bronchiolitis (468)	4	-	-	1	2	-	-	-
Pneumonia and influenza (480-487)	177	29	39	52	37	53	115	122
Pneumonia (480-486)	172	29	39	52	37	53	112	121
Influenza (487)	5	-	-	-	-	-	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	238	46	44	45	62	39	131	230
Bronchitis, chronic and unspecified (490-491)	14	-	1	3	1	1	4	14
Emphysema (492)	35	11	2	9	8	16	22	38
Asthma (493)	15	1	2	2	2	6	5	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	174	34	39	31	51	16	100	169
Ulcer of stomach and duodenum (531-533)	15	3	2	2	2	3	11	12
Appendicitis (540-543)	1	1	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	19	2	4	4	3	4	11	10
Chronic liver disease and cirrhosis (571)	64	5	4	12	8	12	34	46
Cholelithiasis and other disorders of gallbladder (574-575)	11	-	3	5	-	-	4	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	34	18	8	12	7	17	26	21
Acute glomerulonephritis and nephrotic syndrome (580-581)	4	1	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	8	2	-	-	-	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	22	15	8	12	7	16	24	20
Infections of kidney (590)	2	-	-	1	-	-	2	1
Hyperplasia of prostate (600)	3	-	-	-	-	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	-	-
Congenital anomalies (740-759)	30	1	3	11	5	11	22	20
Certain conditions originating in the perinatal period (760-778)	20	4	3	9	10	1	29	32
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	9	-	-	3	-	-	4	6
Other conditions originating in the perinatal period (760-766,770-778)	11	4	3	6	10	1	25	26
Symptoms, signs, and ill-defined conditions (780-799)	334	9	2	9	5	13	30	126
All other diseases (Residual)	516	81	88	120	101	111	269	328
Accidents and adverse effects (E800-E949)	239	30	37	73	30	64	111	198
Motor vehicle accidents (E810-E825)	143	15	15	44	15	34	55	110
All other accidents and adverse effects (E800-E807,E826-E949)	96	15	22	29	15	30	56	88
Suicide (E950-E959)	77	16	13	32	13	23	44	69
Homicide and legal intervention (E960-E978)	49	3	3	25	5	22	22	42
All other external causes (E880-E999)	11	2	1	-	1	3	9	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 516

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 21 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Lancaster, PA, MSA	Lansing-East Lansing, MI, MSA	Laredo, TX, MSA	Las Cruces, NM, MSA	Las Vegas, NV, MSA	Lawrence, KS, MSA	Lawton, OK, MSA	Lewiston-Auburn, ME, NECMA
All causes	3,544	2,837	759	853	6,523	429	783	990
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	-	-	-	2	-	-	-
Tuberculosis (010-018)	1	-	1	-	4	-	-	-
Tuberculosis of respiratory system (010-012)	1	-	1	-	3	-	-	-
Other tuberculosis (013-018)	-	-	-	-	1	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	40	36	17	6	92	5	10	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	4	1	-	6	-	-	-
Syphilis (090-097)	-	-	-	-	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	40	20	16	7	118	4	11	10
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	874	729	148	198	1,743	105	179	238
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	10	11	2	2	18	3	-	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	209	168	45	48	366	19	33	55
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	221	207	35	44	598	30	61	70
Malignant neoplasm of breast (174-175)	88	67	16	20	133	10	11	10
Malignant neoplasms of genital organs (179-187)	92	70	14	26	154	9	29	25
Malignant neoplasms of urinary organs (188-189)	41	30	7	15	66	3	7	18
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	110	105	18	20	257	15	17	38
Leukemia (204-208)	36	26	4	10	65	8	10	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	67	45	7	13	86	8	11	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	9	2	3	32	1	3	-
Diabetes mellitus (250)	116	73	57	28	124	11	11	34
Nutritional deficiencies (260-269)	3	4	5	4	13	-	-	2
Anemias (280-285)	4	5	4	4	9	-	4	1
Meningitis (320-322)	-	2	-	1	1	-	1	-
Major cardiovascular diseases (390-448)	1,575	1,148	276	287	2,373	168	334	431
Diseases of heart (390-398,402,404-429)	1,212	897	214	204	1,927	119	254	317
Rheumatic fever and rheumatic heart disease (390-398)	13	3	1	2	24	-	2	4
Hypertensive heart disease (402)	42	13	4	9	146	2	2	10
Hypertensive heart and renal disease (404)	4	2	3	1	3	-	1	1
Ischemic heart disease (410-414)	777	611	151	104	819	74	173	223
Acute myocardial infarction (410)	321	276	93	47	338	27	73	93
Other acute and subacute forms of ischemic heart disease (411)	2	3	-	1	1	-	33	4
Angina pectoris (413)	-	1	-	2	1	-	-	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	454	331	58	54	479	47	67	125
Other diseases of endocardium (424)	37	19	1	3	45	3	4	10
All other forms of heart disease (415-423,425-429)	339	249	54	85	890	40	72	69
Hypertension with or without renal disease (401,403)	22	9	5	4	15	2	11	6
Cerebrovascular diseases (430-438)	265	173	39	43	325	37	56	69
Intracerebral and other intracranial hemorrhage (431-432)	38	15	8	5	62	6	8	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	17	29	3	1	28	5	6	12
Cerebral embolism (434.1)	2	2	-	-	1	3	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	208	127	28	37	234	23	42	46
Atherosclerosis (440)	25	30	5	26	40	6	4	17
Other diseases of arteries, arterioles, and capillaries (441-448)	51	39	13	10	66	4	9	22
Acute bronchitis and bronchiolitis (466)	-	4	-	2	2	-	-	-
Pneumonia and influenza (480-487)	124	113	21	31	172	14	28	29
Pneumonia (480-486)	120	112	21	31	172	14	28	23
Influenza (487)	4	1	-	-	-	-	-	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	154	127	17	45	386	18	33	58
Bronchitis, chronic and unspecified (490-491)	12	4	1	1	9	2	-	6
Emphysema (492)	7	23	6	12	82	1	5	9
Asthma (493)	9	6	-	3	13	-	-	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	126	94	11	29	282	15	28	40
Ulcer of stomach and duodenum (531-533)	7	8	1	2	18	-	2	1
Appendicitis (540-543)	-	-	-	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	14	11	-	4	14	-	-	5
Chronic liver disease and cirrhosis (571)	23	16	21	21	99	7	8	13
Cholelithiasis and other disorders of gallbladder (574-575)	4	4	2	3	7	-	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	39	19	-	12	112	2	7	8
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	1	-	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	37	19	-	12	110	2	7	7
Infections of kidney (590)	1	2	-	-	1	-	1	-
Hyperplasia of prostate (600)	1	2	-	-	1	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	3	-	-	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	1	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	2	-	-	-
Congenital anomalies (740-759)	19	13	14	10	31	2	3	5
Certain conditions originating in the perinatal period (760-779)	16	14	13	8	30	4	15	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	1	6	4	10	-	2	3
Other conditions originating in the perinatal period (760-766,770-779)	13	13	7	4	20	4	13	3
Symptoms, signs, and ill-defined conditions (780-799)	25	22	16	11	60	19	9	3
All other diseases (Residual)	278	274	58	73	467	45	60	102
Accidents and adverse effects (E800-E949)	115	127	43	59	253	15	38	25
Motor vehicle accidents (E810-E825)	55	62	22	27	128	9	24	13
All other accidents and adverse effects (E800-E807,E826-E949)	60	65	21	32	125	6	14	12
Suicide (E950-E959)	41	39	8	21	197	7	14	11
Homicide and legal intervention (E960-E978)	9	11	11	11	119	2	9	-
All other external causes (E980-E999)	-	1	-	2	32	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 517

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 22 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Lexington-Fayette, KY, MSA	Lima, OH, MSA	Lincoln, NE, MSA	Little Rock-North Little Rock, AR, MSA	Longview-Marshall, TX, MSA	Lorain-Elyria, OH, PMSA	Los Angeles-Long Beach, CA, PMSA	Louisville, KY-IN, MSA
All causes	2,832	1,412	1,499	4,335	1,582	2,169	81,980	8,963
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	4	-
Certain other intestinal infections (007-009)	-	-	-	1	-	-	31	2
Tuberculosis (010-018)	1	-	-	2	1	1	92	5
Tuberculosis of respiratory system (010-012)	1	-	-	2	1	1	67	5
Other tuberculosis (013-018)	-	-	-	-	-	-	25	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	15	3
Septicemia (038)	17	11	8	52	15	13	38	92
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	1	1	2	1	-	112	8
Syphilis (090-097)	-	-	-	-	-	-	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	30	5	13	45	15	12	2,427	77
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	724	364	367	1,038	371	530	13,719	2,254
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	18	4	4	17	7	20	262	32
Malignant neoplasms of digestive organs and peritoneum (150-159)	155	69	69	256	72	128	3,457	476
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	238	96	97	352	124	184	3,544	809
Malignant neoplasm of breast (174-175)	62	29	36	78	21	44	1,202	191
Malignant neoplasms of genital organs (179-187)	69	37	41	101	44	47	1,627	212
Malignant neoplasms of urinary organs (188-189)	36	20	10	32	15	16	533	87
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	87	37	49	106	47	48	1,641	242
Leukemia (204-208)	19	20	13	43	17	16	590	79
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	40	32	28	53	24	27	863	126
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	-	3	11	3	13	136	32
Diabetes mellitus (250)	56	29	28	100	36	64	1,043	201
Nutritional deficiencies (260-269)	6	3	3	10	4	4	8	22
Anemias (280-285)	4	4	2	6	1	2	76	19
Meningitis (320-322)	2	1	-	-	-	-	26	5
Major cardiovascular diseases (390-448)	1,087	631	620	1,640	663	922	26,519	3,749
Diseases of heart (390-398,402,404-429)	824	502	492	1,156	496	704	20,941	2,977
Rheumatic fever and rheumatic heart disease (390-398)	7	3	4	7	1	7	181	27
Hypertensive heart disease (402)	31	6	11	29	11	17	713	83
Hypertensive heart and renal disease (404)	6	1	1	6	3	3	97	4
Ischemic heart disease (410-414)	509	366	277	801	385	525	13,262	1,829
Acute myocardial infarction (410)	289	164	96	446	244	172	5,314	955
Other acute and subacute forms of ischemic heart disease (411)	3	-	1	1	1	62	26	2
Angina pectoris (413)	1	-	3	-	-	1	11	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	216	202	177	354	140	290	7,911	862
Other diseases of endocardium (424)	14	12	14	15	10	15	347	40
All other forms of heart disease (415-423,425-429)	257	114	185	298	86	137	6,341	994
Hypertension with or without renal disease (401,403)	14	5	1	36	5	7	364	40
Cerebrovascular diseases (430-438)	197	98	101	364	130	166	4,153	589
Intracerebral and other intracranial hemorrhage (431-432)	28	15	14	45	16	21	600	81
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	24	7	5	35	24	17	515	59
Cerebral embolism (434.1)	-	-	-	-	-	1	13	3
All other and late effects of cerebrovascular diseases (430,433,435-438)	145	76	82	284	90	127	3,025	446
Atherosclerosis (440)	17	16	17	23	17	15	598	53
Other diseases of arteries, arterioles, and capillaries (441-448)	35	10	9	61	15	30	463	90
Acute bronchitis and bronchiolitis (466)	2	-	-	2	-	-	11	5
Pneumonia and influenza (480-487)	126	47	38	156	47	58	2,859	310
Pneumonia (480-486)	123	44	38	156	47	58	2,832	309
Influenza (487)	3	3	-	-	-	-	27	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	147	76	80	157	87	93	2,454	426
Bronchitis, chronic and unspecified (490-491)	4	2	8	10	3	1	123	22
Emphysema (492)	20	16	16	20	17	23	525	69
Asthma (493)	5	2	5	15	5	7	149	12
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	118	56	51	112	62	62	1,657	323
Ulcer of stomach and duodenum (531-533)	7	3	4	13	7	7	253	27
Appendicitis (540-543)	2	-	1	1	-	-	17	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	2	8	13	7	1	73	26
Chronic liver disease and cirrhosis (571)	22	9	13	38	20	25	1,101	79
Cholelithiasis and other disorders of gallbladder (574-575)	6	2	4	14	5	1	73	15
Nephritis, nephrotic syndrome, and nephrosis (580-589)	38	16	12	51	6	18	405	99
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	-	-	-	8	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	5	1	-	2	2	-	38	6
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	14	12	49	4	18	359	93
Infections of kidney (590)	4	2	-	2	1	-	39	3
Hyperplasia of prostate (600)	-	-	1	1	-	-	18	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	-	-	25	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	5	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	-	-	20	1
Congenital anomalies (740-759)	21	12	10	27	9	8	565	48
Certain conditions originating in the perinatal period (760-779)	24	12	6	38	8	25	664	51
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	6	6	1	9	1	7	118	8
Other conditions originating in the perinatal period (760-766,770-779)	18	6	5	29	7	18	546	43
Symptoms, signs, and ill-defined conditions (780-799)	34	12	34	194	11	28	277	83
All other diseases (Residual)	271	94	139	380	146	225	3,365	831
Accidents and adverse effects (E800-E949)	110	54	58	195	66	77	2,461	283
Motor vehicle accidents (E810-E825)	45	25	19	91	40	37	1,138	120
All other accidents and adverse effects (E800-E807,E826-E949)	65	29	39	104	26	40	1,323	163
Suicide (E950-E959)	48	16	31	49	33	27	964	137
Homicide and legal intervention (E960-E978)	26	4	10	90	18	13	2,062	64
All other external causes (E980-E999)	2	1	5	7	1	2	47	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 518

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.
(Page 23 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Lubbock, TX, MSA	Lynchburg, VA, MSA	Macon-Warner Robins, GA, MSA	Madison, WI, MSA	Manchester-Nashua, NH, NECMA	Mansfield, OH, MSA	McAllen-Edinburg-Mission, TX, MSA	Medford, OR, MSA
All causes	1,590	1,465	2,542	2,177	2,425	1,168	2,197	1,444
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	2	1	1	1	1	-	2	1
Tuberculosis of respiratory system (010-012)	2	-	-	-	1	-	2	1
Other tuberculosis (013-018)	-	1	1	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	-	-
Septicemia (038)	20	20	40	9	17	9	42	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	1	-
Viral hepatitis (070)	2	2	-	3	2	1	2	1
Syphilis (090-097)	-	-	1	1	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	11	14	50	25	20	13	29	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	371	363	551	507	653	280	463	385
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	8	14	9	13	3	11	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	94	79	134	118	161	61	127	85
Malignant neoplasms of respiratory and intrathoracic organs (160-185)	117	116	156	125	180	81	112	117
Malignant neoplasm of breast (174-175)	26	32	30	58	61	24	39	38
Malignant neoplasms of genital organs (179-187)	42	37	64	53	64	9	19	21
Malignant neoplasms of urinary organs (188-189)	24	14	16	21	27	8	50	50
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	30	47	91	65	85	37	17	13
Leukemia (204-208)	11	11	24	20	19	9	17	16
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	20	19	22	38	43	12	29	16
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	7	8	15	10	3	8	3
Diabetes mellitus (250)	38	33	50	63	63	37	104	22
Nutritional deficiencies (260-269)	1	1	12	2	4	1	2	4
Anemias (280-285)	5	2	10	2	4	4	3	4
Meningitis (320-322)	-	-	1	1	1	1	2	-
Major cardiovascular diseases (390-448)	688	594	1,057	923	1,008	549	804	530
Diseases of heart (390-398,402,404-429)	529	458	773	665	774	449	605	375
Rheumatic fever and rheumatic heart disease (390-398)	3	1	4	9	11	5	2	7
Hypertensive heart disease (402)	10	15	38	7	29	14	16	10
Hypertensive heart and renal disease (404)	-	5	3	1	2	1	1	1
Ischemic heart disease (410-414)	320	267	418	460	437	341	410	257
Acute myocardial infarction (410)	171	142	205	232	176	153	222	86
Other acute and subacute forms of ischemic heart disease (411)	-	11	-	2	-	-	-	-
Angina pectoris (413)	-	3	3	1	3	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	149	111	210	225	258	187	188	171
Other diseases of endocardium (424)	10	11	13	18	30	12	8	20
All other forms of heart disease (415-423,425-429)	186	159	297	170	265	76	168	80
Hypertension with or without renal disease (401,403)	6	4	26	18	9	2	22	5
Cerebrovascular diseases (430-438)	122	108	192	194	192	74	146	126
Intracerebral and other intracranial hemorrhage (431-432)	22	13	35	24	29	13	20	6
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	4	10	8	27	25	2	28	13
Cerebral embolism (434.1)	-	-	2	3	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	96	85	147	140	98	59	98	107
Atherosclerosis (440)	9	6	46	6	42	8	12	11
Other diseases of arteries, arterioles, and capillaries (441-448)	22	18	20	40	31	16	19	13
Acute bronchitis and bronchiolitis (466)	-	1	2	-	-	-	-	-
Pneumonia and influenza (480-487)	41	60	67	75	70	31	90	61
Pneumonia (480-486)	40	59	67	75	67	31	89	59
Influenza (487)	1	1	-	-	3	-	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	68	62	94	84	124	56	102	84
Bronchitis, chronic and unspecified (490-491)	1	2	4	1	2	1	12	5
Emphysema (492)	23	7	25	22	21	12	15	13
Asthma (493)	2	5	7	4	11	2	6	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	42	48	58	57	90	41	69	63
Ulcer of stomach and duodenum (531-533)	3	3	5	6	6	3	2	4
Appendicitis (540-543)	1	-	2	-	1	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	6	9	3	8	1	9	2
Chronic liver disease and cirrhosis (571)	14	14	29	17	30	13	47	21
Cholelithiasis and other disorders of gallbladder (574-575)	4	3	5	2	1	1	11	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	11	12	34	8	16	12	22	9
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	2	2	2	1	1	3	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	10	10	32	6	15	11	18	8
Infections of kidney (590)	-	-	1	4	-	-	-	-
Hyperplasia of prostate (600)	-	-	-	1	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	1	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	-	1	-	-	-	-	-
Congenital anomalies (740-759)	16	6	24	12	14	5	26	5
Certain conditions originating in the perinatal period (760-779)	7	6	37	17	8	6	18	3
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	-	7	2	1	1	7	1
Other conditions originating in the perinatal period (760-766,770-779)	6	6	30	15	7	5	11	2
Symptoms, signs, and ill-defined conditions (780-799)	7	11	23	13	14	11	16	52
All other diseases (Residual)	151	162	235	237	211	87	198	160
Accidents and adverse effects (E800-E949)	71	46	103	96	73	36	138	58
Motor vehicle accidents (E810-E825)	34	20	42	42	26	12	88	27
All other accidents and adverse effects (E800-E807,E826-E949)	37	26	61	54	47	24	50	31
Suicide (E950-E959)	22	25	38	37	49	22	30	31
Homicide and legal intervention (E960-E978)	18	10	50	8	8	5	24	7
All other external causes (E880-E999)	1	-	2	4	9	-	2	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 519

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 24 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Melbourne-Titusville-Palm Bay, FL, MSA	Memphis, TN-AR-MS, MSA	Merced, CA, MSA	Miami-Hialeah, FL, PMSA	Middlesex-Somerset-Hunterdon, NJ, PMSA	Midland, TX, MSA	Milwaukee, WI, PMSA	Minneapolis-St. Paul, MN-WI, MSA
All causes	3,935	8,581	1,102	18,424	7,831	678	11,979	16,466
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	-	3	1	-	6	-
Tuberculosis (010-018)	2	6	-	28	5	1	11	8
Tuberculosis of respiratory system (010-012)	2	4	-	22	4	-	8	5
Other tuberculosis (013-016)	-	2	-	6	1	1	3	3
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (038)	2	1	-	1	-	-	-	1
Sepsis (039)	23	87	7	133	98	6	96	108
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	15	1	30	5	2	10	8
Syphilis (090-097)	-	1	-	3	1	-	1	3
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	50	129	9	839	194	4	143	204
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,136	2,002	283	4,119	2,134	184	2,957	4,113
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	34	9	77	30	3	48	62
Malignant neoplasms of digestive organs and peritoneum (150-159)	252	447	71	1,089	534	42	713	960
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	391	659	88	1,044	551	58	742	1,082
Malignant neoplasm of breast (174-175)	96	192	19	347	211	20	265	384
Malignant neoplasms of genital organs (179-187)	124	200	36	516	234	14	363	446
Malignant neoplasms of urinary organs (188-189)	52	70	16	164	95	5	129	207
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	115	223	25	454	260	20	381	479
Leukemia (204-208)	41	63	11	153	83	6	120	170
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	55	115	14	275	136	16	196	323
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	25	4	57	41	3	40	54
Diabetes mellitus (250)	89	148	19	506	242	16	272	373
Nutritional deficiencies (260-269)	3	5	2	17	9	1	13	21
Anemias (280-285)	5	13	1	38	20	1	35	36
Meningitis (320-322)	1	3	1	9	2	-	6	1
Major cardiovascular diseases (390-448)	1,533	3,510	404	7,684	3,046	263	5,104	6,106
Diseases of heart (390-398,402,404-429)	1,228	2,712	294	6,274	2,402	213	3,966	4,333
Rheumatic fever and rheumatic heart disease (390-398)	6	17	2	40	31	1	28	37
Hypertensive heart disease (402)	48	169	6	317	55	1	132	129
Hypertensive heart and renal disease (404)	3	17	3	14	5	2	14	14
Ischemic heart disease (410-414)	829	1,550	216	4,646	1,812	171	2,834	2,971
Acute myocardial infarction (410)	387	715	88	1,789	802	76	1,071	1,140
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	11	2	-	5	4
Angina pectoris (413)	-	-	-	11	5	-	4	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	442	834	128	2,825	1,003	95	1,754	1,817
Other diseases of endocardium (424)	27	41	12	123	54	6	93	167
All other forms of heart disease (415-423,425-428)	315	918	55	1,134	445	32	865	1,015
Hypertension with or without renal disease (401,403)	10	39	7	89	31	3	34	158
Cerebrovascular diseases (430-438)	210	655	72	1,055	398	37	890	1,237
Intracerebral and other intracranial hemorrhage (431-432)	39	99	13	186	68	7	118	185
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	30	58	3	168	43	7	106	86
Cerebral embolism (434.1)	1	2	-	6	2	-	1	7
All other and late effects of cerebrovascular diseases (430,433,435-438)	140	496	56	695	265	23	685	959
Atherosclerosis (440)	35	30	8	84	110	3	79	132
Other diseases of arteries, arterioles, and capillaries (441-448)	50	74	23	182	105	7	135	246
Acute bronchitis and bronchiolitis (466)	-	4	-	6	-	-	1	3
Pneumonia and influenza (480-487)	114	300	54	494	223	19	503	627
Pneumonia (480-486)	114	299	54	492	220	19	498	618
Influenza (487)	-	1	-	2	3	-	5	9
Chronic obstructive pulmonary diseases and allied conditions (490-496)	231	305	43	619	249	34	432	752
Bronchitis, chronic and unspecified (490-491)	3	14	1	30	15	2	18	20
Emphysema (492)	38	36	13	134	51	2	56	124
Asthma (483)	8	24	3	52	11	4	28	28
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	182	231	26	403	172	26	344	580
Ulcer of stomach and duodenum (531-533)	16	30	5	61	20	5	32	51
Appendicitis (540-543)	-	-	-	4	1	-	1	6
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	18	2	41	27	2	46	56
Chronic liver disease and cirrhosis (571)	62	75	12	233	96	15	124	166
Cholelithiasis and other disorders of gallbladder (574-575)	6	11	3	24	12	-	10	17
Nephritis, nephrotic syndrome, and nephrosis (580-589)	14	95	14	137	71	1	110	160
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	1	-	2	-	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	13	2	14	10	-	8	14
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	13	81	11	123	59	1	101	146
Infections of kidney (590)	2	2	1	3	3	-	4	3
Hypertrophy of prostate (600)	-	2	-	3	4	-	3	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	3	-	8	1	-	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	3	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	3	-	5	1	-	-	-
Congenital anomalies (740-759)	33	64	19	110	32	5	65	112
Certain conditions originating in the perinatal period (760-779)	19	124	13	119	70	11	83	122
Birth trauma, intruterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	4	12	4	27	15	1	10	8
Other conditions originating in the perinatal period (760-766,770-779)	15	112	9	92	55	10	73	114
Symptoms, signs, and ill-defined conditions (780-799)	16	99	9	92	106	7	59	448
All other diseases (Residual)	318	778	92	1,606	629	53	1,084	1,779
Accidents and adverse effects (E800-E849)	147	386	71	671	208	23	388	711
Motor vehicle accidents (E810-E825)	71	225	51	331	91	6	125	257
All other accidents and adverse effects (E800-E807,E826-E849)	76	161	20	340	117	17	263	454
Suicide (E950-E959)	67	105	21	268	61	15	164	284
Homicide and legal intervention (E960-E978)	21	231	11	355	16	6	164	106
All other external causes (E980-E999)	7	3	1	3	3	1	12	24

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 520

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.
(Page 25 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Mobile, AL, MSA	Modesto, CA, MSA	Monmouth-Ocean, NJ, PMSA	Monroe, LA, MSA	Montgomery, AL, MSA	Muncie, IN, MSA	Muskegon, MI, MSA	Naples, FL, MSA
All causes	4,325	2,931	10,834	1,272	2,624	1,054	1,435	1,611
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	1	-	3	-	4	-
Tuberculosis (010-018)	4	-	5	5	-	-	2	3
Tuberculosis of respiratory system (010-012)	3	-	5	5	-	-	2	2
Other tuberculosis (013-018)	1	-	-	-	-	-	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	2	-	-	-	-	-	-
Septicemia (038)	39	19	197	11	29	9	8	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	4	12	-	5	1	2	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,058-066,071-088,098-139)	54	37	201	16	30	7	11	34
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,089	673	2,798	300	646	240	346	448
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	15	8	43	5	7	2	5	13
Malignant neoplasms of digestive organs and peritoneum (150-159)	223	140	721	68	151	47	82	111
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	363	232	748	94	169	81	81	148
Malignant neoplasm of breast (174-175)	91	47	256	26	52	22	28	29
Malignant neoplasms of genital organs (179-187)	130	61	342	36	92	21	51	52
Malignant neoplasms of urinary organs (188-189)	36	25	112	15	23	8	15	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	126	95	315	27	95	37	43	48
Leukemia (204-208)	46	33	103	12	17	6	9	13
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	59	32	158	17	40	16	32	19
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	10	73	4	12	1	4	1
Diabetes mellitus (250)	104	55	296	63	65	35	39	29
Nutritional deficiencies (260-269)	5	1	10	3	8	4	1	-
Anemias (280-285)	15	4	17	4	3	-	1	6
Meningitis (320-322)	1	1	-	1	1	-	-	-
Major cardiovascular diseases (390-448)	1,719	1,104	4,935	499	1,034	468	646	645
Diseases of heart (390-398,402,404-429)	1,331	866	4,031	371	772	373	493	504
Rheumatic fever and rheumatic heart disease (390-398)	12	7	38	2	4	3	3	9
Hypertensive heart disease (402)	80	21	76	11	61	10	8	14
Hypertensive heart and renal disease (404)	5	2	9	1	2	-	3	2
Ischemic heart disease (410-414)	686	636	3,078	273	400	272	391	376
Acute myocardial infarction (410)	333	287	1,271	108	252	103	190	152
Other acute and subacute forms of ischemic heart disease (411)	9	1	3	-	-	-	-	-
Angina pectoris (413)	3	-	6	-	2	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	341	348	1,798	165	146	169	201	224
Other diseases of endocardium (424)	34	26	78	7	10	3	21	13
All other forms of heart disease (415-423,425-429)	514	174	752	77	295	85	67	90
Hypertension with or without renal disease (401,403)	24	11	28	16	13	7	5	7
Cerebrovascular diseases (430-438)	263	174	645	94	218	68	107	92
Intracerebral and other intracranial hemorrhage (431-432)	36	20	110	25	32	9	17	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	21	24	84	4	18	5	10	13
Cerebral embolism (434.1)	4	2	-	-	1	-	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	202	128	451	65	167	54	79	59
Atherosclerosis (440)	46	14	81	8	5	9	18	16
Other diseases of arteries, arterioles, and capillaries (441-448)	55	39	150	10	26	11	23	26
Acute bronchitis and bronchiolitis (466)	-	1	2	-	1	-	-	-
Pneumonia and influenza (480-487)	105	199	338	20	65	29	50	38
Pneumonia (480-486)	104	199	335	20	64	28	46	37
Influenza (487)	1	-	3	-	1	1	4	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	156	168	392	57	92	50	50	85
Bronchitis, chronic and unspecified (490-491)	1	9	17	4	3	2	2	3
Emphysema (492)	27	20	90	10	19	13	11	9
Asthma (493)	7	6	12	3	2	1	3	4
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	121	133	273	40	68	34	34	69
Ulcer of stomach and duodenum (531-533)	9	10	22	2	5	4	2	3
Appendicitis (540-543)	-	2	1	1	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	12	20	1	11	2	3	3
Chronic liver disease and cirrhosis (571)	45	61	130	7	27	10	14	23
Cholelithiasis and other disorders of gallbladder (574-575)	9	3	14	1	4	-	2	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	42	20	145	26	37	9	13	11
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	3	4	5	2	3	1	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	38	16	139	24	32	8	13	10
Infections of kidney (590)	3	6	1	1	1	1	1	-
Hyperplasia of prostate (600)	-	-	1	-	-	-	-	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	1	1	-	1	-	-	-
Pregnancy with abortive outcome (630-636)	1	-	-	-	1	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	1	-	-	-	-	-	-
Congenital anomalies (740-759)	32	22	44	5	13	12	3	3
Certain conditions originating in the perinatal period (760-779)	51	23	42	9	34	2	12	13
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	10	5	7	3	12	-	2	-
Other conditions originating in the perinatal period (760-766,770-779)	41	18	35	6	22	2	10	13
Symptoms, signs, and ill-defined conditions (780-799)	45	18	90	6	68	8	5	11
All other diseases (Residual)	374	232	743	117	237	104	130	131
Accidents and adverse effects (E800-E949)	243	155	222	71	118	35	55	82
Motor vehicle accidents (E810-E825)	133	76	91	37	57	16	20	46
All other accidents and adverse effects (E800-E807,E826-E949)	110	79	131	34	61	19	35	36
Suicide (E950-E959)	46	49	64	18	32	15	22	24
Homicide and legal intervention (E960-E978)	96	35	16	23	39	6	9	11
All other external causes (E980-E999)	6	4	1	1	3	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 521

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 26 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Nashville, TN, MSA	Nassau-Suffolk, NY, PMSA	New Bedford-Fall River-Attleboro, MA, NECMA	New Haven-Waterbury-Meriden, CT, NECMA	New London-Norwich, CT, NECMA	New Orleans, LA, MSA	New York, NY, PMSA	Newark, NJ, PMSA
All causes	8,245	22,080	4,778	7,533	1,940	11,385	81,347	16,597
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	2	3	-	-	3	27	6
Tuberculosis (010-018)	16	11	1	5	-	23	216	21
Tuberculosis of respiratory system (010-012)	15	9	1	2	-	19	169	14
Other tuberculosis (013-018)	1	2	-	3	-	4	47	7
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	2	-	1	8	1
Septicemia (038)	37	275	46	138	18	162	582	276
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	16	17	5	2	-	16	111	19
Syphilis (090-097)	-	-	-	-	-	2	8	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	104	402	56	143	20	366	5,938	807
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,976	5,766	1,200	1,833	540	2,621	17,294	3,976
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	35	80	16	23	7	57	293	78
Malignant neoplasms of digestive organs and peritoneum (150-159)	430	1,471	322	444	139	590	4,765	1,040
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	615	1,616	321	493	150	857	4,268	1,021
Malignant neoplasm of breast (174-175)	163	577	97	169	40	204	1,758	396
Malignant neoplasms of genital organs (179-187)	233	618	126	211	62	264	2,114	458
Malignant neoplasms of urinary organs (188-189)	86	238	53	89	28	102	629	160
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	239	621	148	214	66	304	1,694	450
Leukemia (204-208)	60	196	38	73	23	105	558	157
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	115	349	79	117	25	138	1,215	216
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	13	87	16	27	7	42	225	80
Diabetes mellitus (250)	214	340	130	132	40	394	1,463	507
Nutritional deficiencies (260-269)	13	6	3	3	-	21	8	14
Anemias (280-285)	13	36	6	17	-	34	118	59
Meningitis (320-322)	3	8	1	-	1	3	57	4
Major cardiovascular diseases (390-448)	3,419	10,197	2,153	3,221	825	4,398	36,963	6,509
Diseases of heart (390-398,402,404-429)	2,616	8,677	1,706	2,616	635	3,441	32,550	5,339
Rheumatic fever and rheumatic heart disease (390-398)	24	79	13	22	5	15	188	74
Hypertensive heart disease (402)	139	336	30	48	16	208	1,445	205
Hypertensive heart and renal disease (404)	14	29	5	5	5	20	81	27
Ischemic heart disease (410-414)	1,533	6,586	1,212	1,600	399	2,071	26,165	3,590
Acute myocardial infarction (410)	826	2,104	610	616	158	1,096	8,461	1,861
Other acute and subacute forms of ischemic heart disease (411)	5	20	1	2	1	57	43	10
Angina pectoris (413)	4	8	1	18	1	4	16	8
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	698	4,454	600	964	229	914	17,645	1,711
Other diseases of endocardium (424)	41	143	18	58	16	46	284	152
All other forms of heart disease (415-423,425-429)	865	1,504	428	883	204	1,081	4,387	1,291
Hypertension with or without renal disease (401,403)	28	56	17	31	5	57	502	76
Cerebrovascular diseases (430-438)	632	1,159	323	437	146	748	3,079	877
Intracerebral and other intracranial hemorrhage (431-432)	90	205	59	67	16	135	693	143
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	57	215	55	36	25	95	293	109
Cerebral embolism (434.1)	5	8	2	-	2	2	14	5
All other and late effects of cerebrovascular diseases (430,433,435-438)	480	731	207	334	103	516	2,079	620
Atherosclerosis (440)	38	94	46	48	14	57	282	45
Other diseases of arteries, arterioles, and capillaries (441-448)	105	211	61	89	25	95	550	172
Acute bronchitis and bronchiolitis (466)	1	4	2	-	-	3	9	4
Pneumonia and influenza (480-487)	297	740	170	306	86	251	3,106	515
Pneumonia (480-486)	295	731	167	303	83	249	3,099	509
Influenza (487)	2	9	3	3	3	2	7	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	313	882	162	293	87	327	2,027	529
Bronchitis, chronic and unspecified (490-491)	10	25	3	12	1	16	78	36
Emphysema (492)	71	169	24	22	17	77	391	69
Asthma (493)	17	58	8	16	4	39	327	40
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	215	630	127	243	65	195	1,231	364
Ulcer of stomach and duodenum (531-533)	22	52	11	16	1	30	265	35
Appendicitis (540-543)	2	2	1	1	1	2	10	4
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	18	48	10	13	2	28	106	55
Chronic liver disease and cirrhosis (571)	85	231	61	76	20	130	1,114	200
Cholelithiasis and other disorders of gallbladder (574-575)	16	18	3	9	3	14	61	24
Nephritis, nephrotic syndrome, and nephrosis (580-589)	83	194	68	103	20	161	488	206
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	3	-	2	-	3	8	2
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	14	18	-	6	1	11	47	21
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	68	173	68	95	19	147	433	183
Infections of kidney (590)	4	3	-	4	-	6	25	6
Hyperplasia of prostate (600)	-	1	1	3	-	2	10	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	3	3	-	-	-	1	37	1
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	13	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	3	3	-	1	-	1	24	1
Congenital anomalies (740-759)	45	88	23	51	15	59	425	86
Certain conditions originating in the perinatal period (760-779)	71	134	30	43	14	87	787	147
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	13	19	4	1	1	14	154	40
Other conditions originating in the perinatal period (760-766,770-779)	58	115	26	42	13	73	633	107
Symptoms, signs, and ill-defined conditions (780-799)	59	179	27	88	29	206	618	325
All other diseases (Residual)	780	1,354	349	641	122	1,013	3,990	1,421
Accidents and adverse effects (E800-E949)	362	644	127	220	51	429	2,415	476
Motor vehicle accidents (E810-E825)	193	351	64	87	22	188	778	206
All other accidents and adverse effects (E800-E807,E826-E949)	169	293	63	133	29	241	1,637	270
Suicide (E950-E959)	141	209	51	68	34	177	698	112
Homicide and legal intervention (E960-E978)	111	110	12	63	1	354	2,048	159
All other external causes (E980-E999)	8	34	50	10	-	19	90	9

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 522

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 27 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Niagara Falls, NY, PMSA	Norfolk-Virginia Beach-Newport News, VA, MSA	Oakland, CA, PMSA	Ocala, FL, MSA	Odessa, TX, MSA	Oklahoma City, OK, MSA	Olympia, WA, MSA	Omaha, NE-IA, MSA
All causes	2,240	10,191	15,178	2,355	864	8,066	1,221	4,701
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	3	-	-	-	-	2
Tuberculosis (010-018)	-	7	14	3	-	2	1	1
Tuberculosis of respiratory system (010-012)	-	2	9	3	-	1	1	1
Other tuberculosis (013-018)	-	5	5	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	1	-	1	1	-	-	-	-
Septicemia (038)	21	150	83	17	4	88	5	36
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	11	17	2	2	10	3	2
Syphilis (090-097)	-	2	1	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	27	221	495	23	15	134	16	50
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	535	2,471	3,771	626	222	1,803	315	1,161
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	43	64	8	9	21	7	16
Malignant neoplasms of digestive organs and peritoneum (150-159)	140	580	918	127	36	411	67	265
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	159	800	1,004	230	72	600	89	364
Malignant neoplasm of breast (174-175)	43	200	325	41	19	137	24	104
Malignant neoplasms of genital organs (179-187)	61	257	476	71	31	208	44	115
Malignant neoplasms of urinary organs (188-189)	22	83	139	28	7	63	15	58
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	310	470	70	22	200	37	139
Leukemia (204-206)	13	72	149	16	14	64	15	33
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	38	126	226	35	12	99	17	67
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	39	49	5	2	21	3	10
Diabetes mellitus (250)	42	230	258	64	31	142	17	92
Nutritional deficiencies (260-269)	4	17	9	3	-	12	3	10
Anemias (280-285)	4	15	18	3	-	11	3	12
Meningitis (320-322)	-	6	3	-	1	5	1	1
Major cardiovascular diseases (390-448)	1,063	3,965	5,959	1,046	248	3,479	492	2,042
Diseases of heart (390-398,402,404-429)	854	3,106	4,406	774	205	2,710	382	1,633
Rheumatic fever and rheumatic heart disease (390-398)	2	16	38	7	3	13	5	20
Hypertensive heart disease (402)	14	92	295	43	7	61	11	40
Hypertensive heart and renal disease (404)	4	11	20	5	1	7	-	2
Ischemic heart disease (410-414)	691	1,841	2,849	484	142	1,735	226	1,063
Acute myocardial infarction (410)	337	817	1,100	201	77	647	104	362
Other acute and subacute forms of ischemic heart disease (411)	3	147	4	5	-	379	1	1
Angina pectoris (413)	-	2	5	-	-	2	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	351	875	1,740	278	65	707	120	700
Other diseases of endocardium (424)	8	52	102	12	2	52	15	45
All other forms of heart disease (415-423,425-429)	135	1,094	1,104	223	50	842	125	483
Hypertension with or without renal disease (401,403)	4	54	81	16	2	27	3	24
Cerebrovascular diseases (430-438)	163	642	1,160	221	30	616	78	262
Intracerebral and other intracranial hemorrhage (431-432)	29	125	171	18	7	91	14	29
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	51	65	111	77	3	40	4	46
Cerebral embolism (434,1)	-	3	4	-	-	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-439)	83	449	894	125	20	484	60	187
Atherosclerosis (440)	34	61	131	8	1	51	5	62
Other diseases of arteries, arterioles, and capillaries (441-448)	31	102	159	27	10	75	24	61
Acute bronchitis and bronchiolitis (466)	1	2	7	-	-	-	-	2
Pneumonia and influenza (480-487)	67	356	638	38	39	331	59	156
Pneumonia (480-486)	67	353	631	38	39	330	59	155
Influenza (487)	-	3	7	-	-	1	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	93	392	682	124	52	390	59	195
Bronchitis, chronic and unspecified (490-491)	2	10	32	4	-	11	1	7
Emphysema (492)	13	69	138	26	15	60	8	24
Asthma (493)	3	29	42	5	2	14	3	14
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	75	284	470	89	35	295	47	150
Ulcer of stomach and duodenum (531-533)	11	20	51	4	6	13	1	9
Appendicitis (540-543)	-	2	2	1	-	-	-	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	42	36	4	4	17	5	13
Chronic liver disease and cirrhosis (571)	30	98	252	24	12	88	12	49
Cholelithiasis and other disorders of gallbladder (574-575)	4	19	11	3	-	6	1	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	130	114	9	-	111	10	47
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	2	1	-	-	3	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	-	13	2	-	5	2	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	128	100	7	-	103	8	45
Infections of kidney (590)	-	3	13	-	1	8	-	2
Hypertrophy of prostate (600)	1	-	4	-	-	3	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	3	-	-	-	2	-	-
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	-	-	2	-	-
Congenital anomalies (740-759)	7	62	73	9	12	49	6	28
Certain conditions originating in the perinatal period (760-779)	5	190	111	7	6	64	4	28
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	14	19	3	-	9	-	3
Other conditions originating in the perinatal period (760-766,770-779)	5	176	92	4	6	55	4	25
Symptoms, signs, and ill-defined conditions (780-799)	15	102	106	6	46	97	5	60
All other diseases (Residual)	166	924	1,298	170	87	640	103	381
Accidents and adverse effects (E800-E949)	75	332	544	113	43	299	62	175
Motor vehicle accidents (E810-E825)	37	129	207	58	18	147	26	86
All other accidents and adverse effects (E800-E807,E826-E949)	38	203	337	55	25	152	36	89
Suicide (E950-E959)	21	172	234	29	17	153	23	80
Homicide and legal intervention (E960-E978)	8	191	300	22	14	87	8	33
All other external causes (E980-E999)	5	15	21	-	-	11	3	10

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 523

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 28 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Orange County, NY, PMSA	Oriando, FL, MSA	Owensboro, KY, MSA	Oxnard-Ventura, CA, PMSA	Panama City, FL, MSA	Parkersburg-Marietta, WV-OH, MSA	Pascagoula, MS, MSA	Pensacola, FL, MSA
All causes	2,370	8,033	830	3,900	1,097	1,478	869	2,904
Shigellosis and amebiasis (004.006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	2	2	2	1	-	-	1
Tuberculosis (010-018)	1	11	1	4	3	1	-	5
Tuberculosis of respiratory system (010-012)	1	10	1	4	3	1	-	5
Other tuberculosis (013-018)	-	1	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	1	-	-	-	1
Septicemia (036)	23	39	6	14	11	6	5	16
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	9	2	2	1	2	1	1
Syphilis (090-097)	-	1	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,098-139)	46	241	3	61	18	8	5	53
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	615	2,071	195	965	292	352	229	749
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	33	4	20	5	2	4	13
Malignant neoplasms of digestive organs and peritoneum (150-159)	163	475	45	223	53	70	55	167
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	180	677	67	251	91	105	76	257
Malignant neoplasm of breast (174-175)	57	151	11	77	26	28	17	50
Malignant neoplasms of genital organs (179-187)	65	219	23	114	32	45	24	73
Malignant neoplasms of urinary organs (188-189)	23	80	11	42	16	22	6	37
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	61	239	20	131	35	47	24	92
Leukemia (204-208)	23	89	9	46	10	15	9	21
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	36	108	5	61	24	18	14	39
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	21	-	19	2	4	1	5
Diabetes mellitus (250)	51	182	23	82	21	41	13	81
Nutritional deficiencies (260-269)	2	8	1	5	-	2	-	4
Anemias (280-285)	3	17	3	2	2	3	-	2
Meningitis (320-322)	-	-	-	1	-	-	-	-
Major cardiovascular diseases (390-448)	1,096	3,180	363	1,482	400	678	368	1,156
Diseases of heart (390-396,402,404-429)	898	2,554	273	1,135	309	549	308	885
Rheumatic fever and rheumatic heart disease (390-398)	7	26	-	21	2	5	3	6
Hypertensive heart disease (402)	28	103	10	41	6	8	22	39
Hypertensive heart and renal disease (404)	-	5	-	3	-	-	2	9
Ischemic heart disease (410-414)	681	1,810	183	808	196	355	152	585
Acute myocardial infarction (410)	272	819	97	306	88	192	66	280
Other acute and subacute forms of ischemic heart disease (411)	4	18	-	-	-	-	-	-
Angina pectoris (413)	-	6	-	-	-	1	1	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	405	967	86	502	108	162	85	303
Other diseases of endocardium (424)	26	50	2	25	2	7	7	21
All other forms of heart disease (415-423,425-429)	156	560	78	237	102	174	122	225
Hypertension with or without renal disease (401,403)	10	49	4	14	7	3	2	15
Coronary artery diseases (430-438)	139	438	70	277	67	76	40	184
Intracerebral and other intracranial hemorrhage (431-432)	23	71	8	34	11	7	8	27
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	44	3	21	5	4	4	23
Cerebral embolism (434.1)	2	2	1	3	-	-	-	1
All other and late effects of cardiovascular diseases (430,433,435-438)	94	321	58	219	51	65	28	143
Atherosclerosis (440)	25	42	6	24	5	22	3	28
Other diseases of arteries, arterioles, and capillaries (441-448)	24	97	10	32	12	28	15	34
Acute bronchitis and bronchiolitis (466)	-	3	2	-	-	1	-	1
Pneumonia and influenza (480-487)	81	217	26	166	23	65	24	60
Pneumonia (480-486)	80	216	25	164	23	64	24	60
Influenza (487)	1	1	1	2	-	1	-	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	115	407	42	188	72	59	37	137
Bronchitis, chronic and unspecified (490-491)	3	4	1	11	6	2	5	4
Emphysema (492)	23	81	5	49	15	5	5	17
Asthma (493)	6	22	1	8	2	1	3	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	83	300	35	120	49	51	24	107
Ulcer of stomach and duodenum (531-533)	5	16	3	15	3	5	-	13
Appendicitis (540-543)	1	1	-	1	-	-	-	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	14	2	15	3	2	1	20
Chronic liver disease and cirrhosis (571)	18	133	13	76	26	12	12	41
Cholelithiasis and other disorders of gallbladder (574-575)	3	9	3	4	-	1	-	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	23	47	9	17	3	24	9	14
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	1	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	8	1	1	2	3	-	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-588,588-589)	21	39	8	15	1	21	9	13
Infections of kidney (590)	2	3	1	4	1	-	-	1
Hyperplasia of prostate (600)	1	5	-	2	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	2	-	-	-	-	-	1
Pregnancy with abortive outcome (630-638)	1	2	-	-	-	-	-	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	2	-	-	-	-	-	1
Congenital anomalies (740-759)	16	58	4	34	8	14	6	14
Certain conditions originating in the perinatal period (760-779)	20	60	5	36	14	2	10	31
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	5	16	-	7	-	-	2	4
Other conditions originating in the perinatal period (760-766,770-779)	15	44	5	29	14	2	8	27
Symptoms, signs, and ill-defined conditions (780-799)	16	51	8	31	39	15	6	22
All other diseases (Residual)	118	669	60	334	77	115	67	259
Accidents and adverse effects (E800-E849)	67	317	44	216	52	36	45	127
Motor vehicle accidents (E810-E825)	34	149	15	87	27	20	19	63
All other accidents and adverse effects (E800-E807,E826-E849)	33	168	29	129	25	16	26	64
Suicide (E850-E859)	20	151	7	83	13	17	14	53
Homicide and legal intervention (E860-E878)	11	81	1	33	12	9	14	29
All other external causes (E880-E899)	3	7	1	5	-	2	2	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 524

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 29 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Peoria, IL, MSA	Philadelphia, PA-NJ, PMSA	Phoenix, AZ, MSA	Pine Bluff, AR, MSA	Pittsburgh, PA, PMSA	Pittsfield, MA, NECMA	Portland, ME, NECMA	Portland, OR, PMSA
All causes	3,075	47,263	17,184	916	23,083	1,438	2,157	10,500
Shigellosis and amebiasis (004.006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	12	5	-	4	-	2	1
Tuberculosis (010-018)	3	34	14	3	6	-	-	7
Tuberculosis of respiratory system (010-012)	3	26	10	2	5	-	-	4
Other tuberculosis (013-018)	-	8	4	1	1	-	-	3
Whooping cough (033)	-	1	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	1	-	-	-	-	-	-
Meningococcal infection (036)	-	9	-	1	1	-	-	3
Septicemia (038)	21	976	133	11	310	12	19	58
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	33	19	1	13	2	-	14
Syphilis (090-097)	-	1	1	1	1	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042,*044,046-054,056-066,071-088,098-139)	29	874	308	8	159	7	22	194
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	848	11,914	4,176	220	5,882	370	542	2,574
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	20	175	50	2	56	9	10	38
Malignant neoplasms of digestive organs and peritoneum (150-159)	187	2,841	921	47	1,426	92	129	576
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	250	3,425	1,226	69	1,702	96	147	782
Malignant neoplasm of breast (174-175)	68	1,076	333	16	529	37	48	200
Malignant neoplasms of genital organs (179-187)	85	1,351	470	28	635	42	68	305
Malignant neoplasms of urinary organs (188-189)	40	446	149	10	247	14	19	107
Malignant neoplasms of all other and unspecified sites (170-173,180-189)	93	1,529	586	27	720	39	74	318
Leukemia (204-208)	40	405	179	7	226	15	22	96
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	65	666	262	14	341	26	29	172
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	8	160	73	3	68	5	12	29
Diabetes mellitus (250)	66	1,059	337	17	588	36	62	225
Nutritional deficiencies (260-269)	8	78	22	2	39	1	8	20
Anemias (280-285)	7	114	40	4	41	3	6	21
Meningitis (320-322)	-	22	8	-	6	-	-	2
Major cardiovascular diseases (390-448)	1,255	18,820	6,627	380	10,319	615	845	4,108
Diseases of heart (390-398,402,404-429)	904	14,938	5,224	292	8,488	486	627	2,895
Rheumatic fever and rheumatic heart disease (390-398)	6	129	48	-	82	3	6	47
Hypertensive heart disease (402)	18	467	87	7	163	3	15	81
Hypertensive heart and renal disease (404)	-	52	4	3	18	-	-	11
Ischemic heart disease (410-414)	622	8,651	3,687	198	5,718	349	413	1,992
Acute myocardial infarction (410)	331	4,688	1,652	118	2,875	175	161	719
Other acute and subacute forms of ischemic heart disease (411)	1	41	119	-	11	-	2	4
Angina pectoris (413)	1	19	9	-	6	-	2	5
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	289	3,903	1,907	80	2,826	174	248	1,264
Other diseases of endocardium (424)	24	370	110	-	211	11	27	108
All other forms of heart disease (415-423,425-429)	234	5,267	1,288	84	2,294	120	166	656
Hypertension with or without renal disease (401,403)	7	191	52	2	86	8	13	77
Cerebrovascular diseases (430-438)	290	2,809	1,050	66	1,369	90	147	868
Intracerebral and other intracranial hemorrhage (431-432)	40	473	152	4	229	7	15	107
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	29	401	80	1	247	8	14	86
Cerebral embolism (434.1)	-	8	4	-	6	-	1	6
All other and late effects of cerebrovascular diseases (430,433,435-438)	221	1,927	814	61	887	75	117	669
Atherosclerosis (440)	19	285	115	11	111	10	27	128
Other diseases of arteries, arterioles, and capillaries (441-448)	35	599	186	9	267	21	31	140
Acute bronchitis and bronchiolitis (466)	1	17	5	1	5	-	2	1
Pneumonia and influenza (480-487)	121	1,417	598	30	770	68	69	360
Pneumonia (480-486)	121	1,393	593	30	765	68	67	353
Influenza (487)	-	24	5	-	5	-	2	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	144	1,696	942	35	901	68	133	451
Bronchitis, chronic and unspecified (490-491)	4	58	33	2	21	1	18	12
Emphysema (492)	39	302	204	6	161	6	21	102
Asthma (493)	5	75	40	2	39	1	5	30
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	96	1,261	665	25	680	60	89	307
Ulcer of stomach and duodenum (531-533)	4	121	41	1	51	3	5	31
Appendicitis (540-543)	-	10	3	-	4	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	11	133	44	1	59	7	5	31
Chronic liver disease and cirrhosis (571)	25	554	221	9	226	17	23	111
Cholelithiasis and other disorders of gallbladder (574-575)	3	49	27	3	29	2	5	14
Nephritis, nephrotic syndrome, and nephrosis (580-589)	75	629	203	21	330	13	17	83
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	6	1	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	26	15	1	10	1	2	11
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	69	597	187	20	318	12	15	72
Infections of kidney (590)	-	13	8	-	6	1	-	5
Hyperplasia of prostate (600)	-	5	4	-	1	-	1	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	7	1	-	1	-	-	1
Pregnancy with abortive outcome (630-638)	-	1	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	6	1	-	1	-	-	1
Congenital anomalies (740-759)	15	250	130	5	86	3	8	56
Certain conditions originating in the perinatal period (760-779)	20	429	136	5	122	4	6	51
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	69	28	1	25	1	2	8
Other conditions originating in the perinatal period (760-766,770-779)	18	360	108	4	97	3	4	43
Symptoms, signs, and ill-defined conditions (780-799)	15	825	133	4	133	6	11	252
All other diseases (Residual)	241	4,109	1,604	75	1,903	135	249	1,071
Accidents and adverse effects (E800-E949)	98	1,705	768	44	645	44	68	431
Motor vehicle accidents (E810-E825)	44	551	349	22	234	26	29	148
All other accidents and adverse effects (E800-E807,E826-E949)	54	1,154	419	22	411	18	39	283
Suicide (E950-E959)	39	512	329	10	245	11	31	189
Homicide and legal intervention (E960-E978)	12	568	219	20	109	3	7	81
All other external causes (E980-E999)	4	107	15	1	30	1	1	22

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 525

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 30 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Portsmouth-Dover-Rochester, NH, NECMA	Poughkeepsie, NY, MSA	Providence-Pawtucket-Woonsocket, RI, NECMA	Provo-Orem, UT, MSA	Pueblo, CO, MSA	Racine, WI, PMSA	Raleigh-Durham, NC, MSA	Rapid City, SD, MSA
All causes	2,324	2,180	8,764	1,164	1,207	1,422	5,092	622
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	-	-	-	-	-
Tuberculosis (010-018)	1	1	7	-	-	1	3	-
Tuberculosis of respiratory system (010-012)	1	1	3	-	-	1	2	-
Other tuberculosis (013-018)	-	-	4	-	-	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	1	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Septicemia (038)	12	21	111	20	17	8	68	3
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	2	14	-	1	1	3	1
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,089-139)	18	30	110	8	17	11	138	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	673	529	2,304	215	264	369	1,274	169
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	12	9	35	4	6	11	29	1
Malignant neoplasms of digestive organs and peritoneum (150-159)	174	134	592	33	69	68	276	33
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	187	164	642	40	61	107	361	54
Malignant neoplasm of breast (174-175)	60	45	215	25	19	31	111	17
Malignant neoplasms of genital organs (178-187)	73	57	222	45	36	41	130	17
Malignant neoplasms of urinary organs (188-189)	26	19	103	2	9	18	45	10
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	80	48	276	34	32	47	182	15
Leukemia (204-208)	16	19	70	15	17	13	51	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	45	34	149	17	15	32	69	12
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	7	33	7	4	8	12	3
Diabetes mellitus (250)	67	38	216	33	33	31	131	17
Nutritional deficiencies (260-269)	3	1	15	4	2	3	5	1
Anemias (280-295)	6	-	15	1	6	1	6	-
Meningitis (320-322)	1	-	2	-	-	1	2	1
Major cardiovascular diseases (390-448)	909	970	3,756	463	469	606	1,932	248
Diseases of heart (390-398,402,404-428)	675	809	3,027	341	341	480	1,422	193
Rheumatic fever and rheumatic heart disease (390-398)	7	8	29	7	5	3	11	1
Hypertensive heart disease (402)	29	10	45	8	11	9	31	3
Hypertensive heart and renal disease (404)	2	1	12	3	1	2	5	-
Ischemic heart disease (410-414)	419	608	2,181	187	236	325	943	141
Acute myocardial infarction (410)	189	266	916	84	108	171	389	79
Other acute and subacute forms of ischemic heart disease (411)	2	1	7	-	-	-	4	-
Angina pectoris (413)	1	-	3	-	-	-	5	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	227	341	1,255	103	128	154	535	62
Other diseases of endocardium (424)	20	17	67	12	11	13	37	3
All other forms of heart disease (415-423,425-429)	198	165	693	124	77	128	395	45
Hypertension with or without renal disease (401,403)	12	11	34	7	14	6	22	4
Cerebrovascular diseases (430-438)	167	118	540	98	77	91	398	37
Intracerebral and other intracranial hemorrhage (431-432)	28	17	83	14	9	14	47	2
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	11	15	45	4	5	7	20	-
Cerebral embolism (434.1)	1	-	2	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	127	86	410	78	63	70	331	35
Atherosclerosis (440)	32	27	109	15	21	19	57	11
Other diseases of arteries, arterioles, and capillaries (441-448)	3	2	10	1	1	2	-	-
Acute bronchitis and bronchiolitis (466)	68	95	272	49	51	53	154	18
Pneumonia and influenza (480-487)	65	93	268	49	49	53	153	16
Influenza (487)	3	2	4	-	2	-	1	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	94	113	355	54	68	62	177	30
Bronchitis, chronic and unspecified (490-491)	5	4	15	1	4	2	10	1
Emphysema (492)	17	20	37	14	16	27	24	6
Asthma (493)	3	2	14	4	3	3	19	3
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	87	289	35	45	30	124	20
Ulcer of stomach and duodenum (531-533)	8	6	20	5	3	6	8	1
Appendicitis (540-543)	-	-	-	-	-	1	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	10	10	27	7	5	5	17	2
Chronic liver disease and cirrhosis (571)	30	26	99	6	27	8	55	7
Cholelithiasis and other disorders of gallbladder (574-575)	3	2	9	4	3	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	25	25	95	16	11	14	53	5
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	2	-	-	-	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	3	3	-	1	2	5	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	23	22	90	16	10	12	45	5
Infections of kidney (590)	-	-	1	-	-	-	6	-
Hyperplasia of prostate (600)	1	-	4	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	1	1	1	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	1	1	1	-	-
Congenital anomalies (740-759)	11	12	46	18	2	5	28	2
Certain conditions originating in the perinatal period (760-779)	16	8	48	10	5	6	62	4
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	1	6	2	-	3	14	1
Other conditions originating in the perinatal period (760-766,770-779)	14	7	42	8	5	3	48	3
Symptoms, signs, and ill-defined conditions (780-799)	13	10	40	13	24	9	42	5
All other diseases (Residual)	233	176	802	132	118	122	538	54
Accidents and adverse effects (E800-E949)	69	67	216	66	45	50	220	31
Motor vehicle accidents (E810-E825)	33	32	88	37	23	18	95	13
All other accidents and adverse effects (E800-E807,E826-E949)	36	35	128	29	22	32	125	18
Suicide (E950-E959)	32	15	68	24	17	21	82	11
Homicide and legal intervention (E960-E978)	8	10	30	3	7	16	71	4
All other external causes (E980-E999)	5	-	49	5	6	-	1	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 526

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 31 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Reading, PA, MSA	Redding, CA, MSA	Reno, NV, MSA	Richland-Kennewick-Pasco, WA, MSA	Richmond-Petersburg, VA, MSA	Riverside-San Bernardino, CA, PMSA	Roanoke, VA, MSA	Rochester, MN, MSA
All causes	3,417	1,459	1,998	999	7,595	20,025	2,409	691
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	-	-	2	5	-	-
Tuberculosis (010-016)	2	-	1	1	5	13	1	1
Tuberculosis of respiratory system (010-012)	1	-	1	1	4	12	1	-
Other tuberculosis (013-018)	1	-	-	-	1	1	-	1
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	1	-	-	1	2	2	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-
Sepsicemia (038)	65	8	13	10	106	24	44	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	2	8	2	1	12	21	-	1
Syphilis (090-097)	-	-	-	-	-	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	38	9	35	8	132	390	19	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	754	372	494	255	1,880	4,481	525	184
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	8	11	3	32	91	12	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	195	97	107	56	442	1,016	119	46
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	214	112	163	73	601	1,395	164	42
Malignant neoplasm of breast (174-175)	62	26	39	21	142	350	37	14
Malignant neoplasms of genital organs (178-187)	68	40	45	31	218	549	58	24
Malignant neoplasms of urinary organs (188-189)	35	16	20	16	72	169	21	9
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	104	36	70	30	208	523	67	16
Leukemia (204-208)	29	18	15	9	61	143	17	7
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	41	19	24	16	104	245	30	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	11	6	4	4	34	53	7	2
Diabetes mellitus (250)	92	27	18	13	144	318	39	14
Nutritional deficiencies (260-269)	5	2	3	1	15	6	8	-
Anemias (280-285)	9	-	1	4	14	23	1	-
Meningitis (320-322)	-	-	1	1	2	14	-	-
Major cardiovascular diseases (390-448)	1,512	548	793	387	2,999	8,424	1,064	276
Diseases of heart (390-398,402,404-429)	1,166	401	644	276	2,304	6,611	827	211
Rheumatic fever and rheumatic heart disease (390-398)	8	5	3	4	20	54	2	5
Hypertensive heart disease (402)	22	11	54	18	49	200	20	3
Hypertensive heart and renal disease (404)	2	4	3	-	7	18	2	1
Ischemic heart disease (410-414)	737	245	363	175	1,295	5,082	451	151
Acute myocardial infarction (410)	441	112	142	92	614	1,936	207	95
Other acute and subacute forms of ischemic heart disease (411)	2	1	-	-	55	10	31	-
Angina pectoris (413)	2	1	-	1	2	6	1	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	292	131	221	82	624	3,140	212	56
Other diseases of endocardium (424)	40	9	13	7	55	88	18	11
All other forms of heart disease (415-423,425-429)	357	127	208	72	878	1,159	334	40
Hypertension with or without renal disease (401,403)	15	5	6	7	47	87	13	-
Cerebrovascular diseases (430-438)	251	101	101	79	513	1,273	177	51
Intracerebral and other intracranial hemorrhage (431-432)	49	16	25	6	88	203	23	13
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	29	10	5	5	38	129	17	3
Cerebral embolism (434.1)	2	-	1	-	4	6	1	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	171	75	70	68	383	935	136	35
Atherosclerosis (440)	26	15	23	10	57	238	17	4
Other diseases of arteries, arterioles, and capillaries (441-448)	54	24	19	15	78	215	30	10
Acute bronchitis and bronchiolitis (466)	-	1	-	-	3	12	-	1
Pneumonia and influenza (480-487)	177	69	57	19	193	771	115	34
Pneumonia (480-486)	173	68	56	19	192	760	113	33
Influenza (487)	4	1	1	-	1	11	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	122	77	139	64	280	1,156	105	36
Bronchitis, chronic and unspecified (490-491)	7	5	2	7	8	43	4	5
Emphysema (492)	22	14	23	13	37	215	16	6
Asthma (493)	9	2	7	4	30	51	5	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	84	56	107	40	205	847	80	23
Ulcer of stomach and duodenum (531-533)	13	5	7	2	19	103	12	2
Appendicitis (540-543)	1	1	1	-	-	6	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	15	8	6	1	21	52	8	4
Chronic liver disease and cirrhosis (571)	30	22	43	13	74	362	25	5
Cholelithiasis and other disorders of gallbladder (574-575)	9	4	1	1	7	20	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	35	10	16	11	91	131	24	2
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	-	2	2	3	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	1	3	2	-	4	17	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	33	7	14	9	85	111	23	2
Infections of kidney (590)	-	-	1	-	2	9	-	1
Hyperplasia of prostate (600)	1	-	1	1	1	3	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	1	7	-	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	1	6	-	-
Congenital anomalies (740-759)	14	12	4	11	42	177	10	5
Certain conditions originating in the perinatal period (760-778)	20	10	6	4	68	211	19	7
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	2	-	2	-	7	38	3	2
Other conditions originating in the perinatal period (760-766,770-779)	18	10	4	4	61	173	16	5
Symptoms, signs, and ill-defined conditions (780-799)	44	6	26	7	112	127	14	7
All other diseases (Residual)	279	128	152	91	771	1,278	240	69
Accidents and adverse effects (E800-E949)	106	75	80	64	293	1,009	83	21
Motor vehicle accidents (E810-E825)	45	40	37	30	126	532	24	9
All other accidents and adverse effects (E800-E807,E826-E949)	61	35	43	34	167	477	59	12
Suicide (E950-E959)	12	33	66	17	112	410	30	9
Homicide and legal intervention (E960-E978)	44	9	23	5	150	389	15	-
All other external causes (E880-E999)	3	9	3	1	8	16	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 527

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 32 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Rochester, NY, MSA	Rockford, IL, MSA	Sacramento, CA, MSA	Saginaw-Bay City-Midland, MI, MSA	St. Cloud, MN, MSA	St. Joseph, MO, MSA	St. Louis, MO-IL, MSA	Salem, OR, MSA
All causes	8,324	2,293	10,781	3,272	1,224	917	22,770	2,606
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	1	-
Certain other intestinal infections (007-009)	3	-	4	-	1	-	6	-
Tuberculosis (010-018)	2	1	6	1	-	1	20	1
Tuberculosis of respiratory system (010-012)	2	1	2	1	-	-	17	1
Other tuberculosis (013-018)	-	-	4	-	-	1	3	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	3	-	1	-	4	1
Sepsicemia (038)	113	30	39	20	9	7	212	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	6	2	18	4	2	-	13	3
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-044,046-054,056-066,071-088,089-138)	131	20	216	21	7	6	301	19
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	2,074	593	2,576	807	291	204	5,422	607
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	34	10	37	12	5	3	71	5
Malignant neoplasms of digestive organs and peritoneum (150-159)	465	124	515	193	70	47	1,234	136
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	567	148	778	240	68	60	1,706	182
Malignant neoplasm of breast (174-175)	194	64	228	59	19	12	411	52
Malignant neoplasms of genital organs (179-187)	245	73	289	84	31	19	634	74
Malignant neoplasms of urinary organs (188-189)	87	25	115	39	32	12	217	33
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	250	88	363	99	32	28	649	75
Leukemia (204-208)	72	22	99	42	14	9	183	17
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	160	39	152	39	20	14	307	33
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	18	9	30	9	2	3	72	9
Diabetes mellitus (250)	171	50	183	102	16	26	522	62
Nutritional deficiencies (260-269)	6	2	9	3	2	2	38	4
Anemias (280-285)	12	4	16	7	3	2	39	5
Meningitis (320-322)	6	-	4	-	-	-	6	-
Major cardiovascular diseases (390-448)	3,473	910	4,231	1,438	505	408	9,688	1,142
Diseases of heart (390-398,402,404-429)	2,735	725	3,173	1,101	372	318	7,745	789
Rheumatic fever and rheumatic heart disease (390-398)	24	3	38	6	2	2	71	6
Hypertensive heart disease (402)	59	27	173	18	10	3	282	22
Hypertensive heart and renal disease (404)	8	2	15	4	1	1	24	3
Ischemic heart disease (410-414)	2,031	537	2,136	850	256	229	5,788	559
Acute myocardial infarction (410)	1,260	231	875	354	102	132	2,586	279
Other acute and subacute forms of ischemic heart disease (411)	39	1	4	3	2	-	11	-
Angina pectoris (413)	4	-	7	-	-	-	7	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	728	305	1,250	493	152	97	3,184	278
Other diseases of endocardium (424)	61	13	93	25	9	3	142	36
All other forms of heart disease (415-423,425-429)	552	143	718	198	94	80	1,438	173
Hypertension with or without renal disease (401,403)	29	17	48	15	5	4	92	24
Cerebrovascular diseases (430-438)	579	121	774	219	97	70	1,481	252
Intracerebral and other intracranial hemorrhage (431-432)	88	11	154	41	15	19	240	25
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	77	15	49	26	14	3	197	56
Cerebral embolism (434,1)	1	-	3	2	1	-	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	415	95	574	150	67	48	1,018	171
Atherosclerosis (440)	103	32	164	54	13	11	269	40
Other diseases of arteries, arterioles, and capillaries (441-448)	3	-	2	2	-	-	8	1
Acute bronchitis and bronchiolitis (466)	334	65	547	86	52	23	888	81
Pneumonia and influenza (480-487)	332	65	540	83	49	22	860	80
Influenza (487)	2	-	7	3	3	1	8	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	301	88	592	133	38	63	911	139
Bronchitis, chronic and unspecified (490-491)	13	4	13	7	-	5	26	5
Emphysema (492)	42	10	107	22	5	3	153	25
Asthma (493)	12	12	33	5	-	1	44	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	234	72	439	99	33	54	688	103
Ulcer of stomach and duodenum (531-533)	25	8	30	9	3	4	49	9
Appendicitis (540-543)	2	1	4	-	-	-	5	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	23	9	27	11	3	1	70	5
Chronic liver disease and cirrhosis (571)	76	23	186	36	9	4	195	24
Cholelithiasis and other disorders of gallbladder (574-575)	8	3	18	1	1	2	28	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	96	24	66	29	14	10	248	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	-	-	-	4	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	6	-	6	4	1	1	22	4
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	89	24	59	25	13	9	222	12
Infections of kidney (590)	4	2	7	1	-	-	13	1
Hyperplasia of prostate (600)	2	-	4	-	-	2	4	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	1	-	1	-	3	-
Pregnancy with abortive outcome (630-638)	1	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	1	-	1	-	2	-
Congenital anomalies (740-759)	63	12	64	28	9	3	123	14
Certain conditions originating in the perinatal period (760-779)	61	14	72	44	9	2	163	16
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	7	4	17	3	2	-	36	3
Other conditions originating in the perinatal period (760-766,770-778)	54	10	55	41	7	2	127	13
Symptoms, signs, and ill-defined conditions (780-799)	53	18	137	13	21	11	149	46
All other diseases (Residual)	849	255	864	228	119	77	1,982	218
Accidents and adverse effects (E800-E949)	235	90	482	138	75	37	878	95
Motor vehicle accidents (E810-E825)	108	48	257	72	43	23	389	38
All other accidents and adverse effects (E800-E807,E826-E949)	127	42	225	66	32	14	489	57
Suicide (E850-E859)	103	31	203	50	26	14	289	48
Homicide and legal intervention (E860-E978)	62	15	122	47	4	4	409	19
All other external causes (E980-E999)	7	4	28	4	1	1	23	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 528

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 33 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	San Jose-Seaside-Monterey, CA, MSA	Salt Lake City-Ogden, UT, MSA	San Angelo, TX, MSA	San Antonio, TX, MSA	San Diego, CA, MSA	San Francisco, CA, PMSA	San Jose, CA, PMSA	Santa Barbara-Santa Maria-Lompoc, CA, MSA
All causes	2,157	5,998	849	9,823	17,639	14,709	8,244	2,863
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	2	-	-	3	4	-	2
Tuberculosis (010-018)	2	3	-	10	16	12	3	1
Tuberculosis of respiratory system (010-012)	2	2	-	9	12	7	3	1
Other tuberculosis (013-018)	-	1	-	1	4	5	-	-
Whooping cough (033)	-	-	-	-	-	-	-	1
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	2	-
Septicemia (038)	17	44	9	136	82	57	52	5
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	5	-	10	35	35	10	2
Syphilis (090-097)	-	-	-	-	1	1	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	41	70	10	213	567	1,432	174	52
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	480	1,215	182	2,275	4,269	3,339	2,016	634
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	16	2	30	79	71	34	12
Malignant neoplasms of digestive organs and peritoneum (150-159)	126	305	45	553	1,010	886	471	160
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	124	205	68	628	1,167	904	505	178
Malignant neoplasm of breast (174-175)	37	116	9	217	353	264	206	45
Malignant neoplasms of genital organs (179-187)	44	175	16	262	510	379	244	74
Malignant neoplasms of urinary organs (188-189)	25	58	8	99	194	105	72	25
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	52	186	17	251	536	385	277	70
Leukemia (204-208)	20	54	4	81	168	115	83	35
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	47	100	13	156	252	230	122	35
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	25	2	26	61	53	30	11
Diabetes mellitus (250)	34	229	23	289	244	191	167	29
Nutritional deficiencies (260-269)	4	9	1	21	30	16	9	3
Anemias (280-285)	2	11	2	23	21	23	13	-
Meningitis (320-322)	-	5	-	8	8	5	5	2
Major cardiovascular diseases (390-448)	835	2,214	366	3,767	6,919	5,441	3,275	1,154
Diseases of heart (390-398,402,404-429)	577	1,658	254	3,023	5,213	3,989	2,488	821
Rheumatic fever and rheumatic heart disease (390-398)	8	41	-	16	52	41	31	10
Hypertensive heart disease (402)	18	72	6	141	193	260	140	40
Hypertensive heart and renal disease (404)	1	4	3	13	16	19	9	3
Ischemic heart disease (410-414)	373	938	132	1,846	3,551	2,517	1,603	516
Acute myocardial infarction (410)	158	432	90	681	1,431	1,131	640	210
Other acute and subacute forms of ischemic heart disease (411)	-	3	-	1	1	4	3	1
Angina pectoris (413)	-	5	2	5	2	2	5	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	215	498	40	959	2,117	1,380	955	304
Diseases of endocardium (424)	14	43	5	63	124	103	59	26
All other forms of heart disease (415-423,425-429)	163	560	108	944	1,277	1,049	646	226
Hypertension with or without renal disease (401,403)	13	27	5	48	81	52	39	23
Cerebrovascular diseases (430-438)	181	419	87	556	1,259	1,145	585	247
Intracerebral and other intracranial hemorrhage (431-432)	24	44	11	93	176	163	77	36
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	16	34	8	56	146	170	49	35
Cerebral embolism (434.1)	-	5	-	1	6	5	5	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	141	336	68	406	931	807	454	176
Atherosclerosis (440)	24	45	6	64	165	82	62	20
Other diseases of arteries, arterioles, and capillaries (441-448)	40	64	14	76	201	173	101	43
Acute bronchitis and bronchiolitis (468)	1	-	1	4	7	4	2	1
Pneumonia and influenza (480-487)	82	247	34	324	805	704	420	112
Pneumonia (480-486)	81	245	34	322	794	698	415	108
Influenza (487)	1	2	-	2	11	6	5	4
Chronic obstructive pulmonary diseases and allied conditions (490-496)	100	260	44	352	848	540	398	141
Bronchitis, chronic and unspecified (490-491)	4	21	2	6	45	24	8	9
Emphysema (492)	15	50	9	62	156	124	88	42
Asthma (493)	6	13	-	10	43	39	24	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	75	176	33	274	604	353	276	81
Ulcer of stomach and duodenum (531-533)	15	28	2	23	68	57	23	10
Appendicitis (540-543)	-	3	-	4	4	2	2	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	8	19	2	34	53	21	15	13
Chronic liver disease and cirrhosis (571)	55	59	13	200	255	260	150	53
Cholelithiasis and other disorders of gallbladder (574-575)	4	6	2	18	23	23	7	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	12	81	5	67	148	89	49	22
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	1	-	2	3	4	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	6	4	9	17	4	5	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	12	74	1	56	128	85	44	19
Infections of kidney (590)	4	1	1	12	10	6	2	2
Hyperplasia of prostate (600)	-	1	-	1	4	2	3	1
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	2	-	2	5	7	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	1	4	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	2	-	2	4	3	1	-
Congenital anomalies (740-759)	19	58	11	74	113	57	61	22
Certain conditions originating in the perinatal period (760-779)	24	43	3	76	140	56	67	8
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-768)	8	8	-	8	16	12	8	1
Other conditions originating in the perinatal period (760-766,770-779)	16	35	3	68	124	44	59	7
Symptoms, signs, and ill-defined conditions (780-799)	13	102	10	96	78	74	54	9
All other diseases (Residual)	207	690	73	899	1,536	1,198	686	187
Accidents and adverse effects (E800-E949)	108	323	43	401	671	529	339	122
Motor vehicle accidents (E810-E825)	52	149	22	172	296	172	154	51
All other accidents and adverse effects (E800-E807,E826-E949)	56	174	21	229	375	357	185	71
Suicide (E950-E959)	40	172	6	189	345	260	117	43
Homicide and legal intervention (E960-E978)	38	39	4	262	251	166	86	17
All other external causes (E980-E999)	4	32	-	7	19	41	8	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 529

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 34 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Santa Cruz, CA, PMSA	Santa Fe, NM, MSA	Santa Rosa-Petaluma, CA, PMSA	Sarasota, FL, MSA	Savannah, GA, MSA	Scranton-Wilkes-Barre, PA, MSA	Seattle, WA, PMSA	Sharon, PA, MSA
All causes	1,634	733	3,385	4,205	2,166	8,718	13,898	1,358
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	2	-	1	-	-	-	2	-
Tuberculosis (010-018)	1	-	3	-	2	11	10	-
Tuberculosis of respiratory system (010-012)	1	-	3	-	1	9	8	-
Other tuberculosis (013-018)	-	-	-	-	1	2	2	-
Whooping cough (033)	-	-	1	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	-	-	-	-	1	-
Septicemia (038)	8	5	10	10	26	107	78	13
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	1	4	2	1	5	23	-
Syphilis (090-097)	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	28	16	99	38	66	48	368	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	389	175	667	1,031	493	2,051	3,484	305
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	4	4	6	22	12	39	49	3
Malignant neoplasms of digestive organs and peritoneum (150-159)	89	38	207	225	100	572	810	63
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	88	37	239	344	170	527	997	83
Malignant neoplasm of breast (174-175)	26	21	72	71	31	180	312	32
Malignant neoplasms of genital organs (179-187)	45	27	107	114	55	207	394	44
Malignant neoplasms of urinary organs (188-189)	8	4	37	43	14	81	130	8
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	56	25	115	114	56	269	457	39
Leukemia (204-208)	19	4	28	34	17	72	123	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	34	15	56	64	38	104	212	22
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	9	6	12	12	6	33	73	4
Diabetes mellitus (250)	24	25	43	70	27	278	316	41
Nutritional deficiencies (260-269)	1	2	4	3	4	12	19	-
Anemias (280-285)	4	1	4	10	6	22	20	3
Meningitis (320-322)	2	-	-	1	3	-	5	-
Major cardiovascular diseases (390-448)	692	215	1,343	1,910	902	4,103	5,311	621
Diseases of heart (390-398,402,404-429)	510	148	945	1,428	684	3,424	3,903	499
Rheumatic fever and rheumatic heart disease (390-398)	4	3	9	20	3	32	53	3
Hypertensive heart disease (402)	29	5	31	22	17	53	112	6
Hypertensive heart and renal disease (404)	2	1	3	7	3	10	8	2
Ischemic heart disease (410-414)	327	70	653	1,040	453	2,086	2,215	370
Acute myocardial infarction (410)	109	37	262	393	280	1,154	1,009	216
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	2	-	2	5	-
Angina pectoris (413)	1	-	1	3	1	5	8	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	217	33	390	642	172	925	1,193	154
Other diseases of endocardium (424)	21	5	52	54	6	76	120	7
All other forms of heart disease (415-423,425-429)	127	64	197	285	202	1,167	1,395	111
Hypertension with or without renal disease (401,403)	6	4	18	19	7	38	61	6
Cerebrovascular diseases (430-438)	143	46	275	335	179	459	1,052	94
Intracerebral and other intracranial hemorrhage (431-432)	24	7	36	37	21	70	124	8
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	20	1	29	44	62	69	78	17
Cerebral embolism (434.1)	-	-	-	2	-	2	6	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	99	38	208	253	96	318	844	69
Atherosclerosis (440)	14	5	56	65	10	84	115	7
Other diseases of arteries, arterioles, and capillaries (441-448)	19	12	49	63	22	98	180	15
Acute bronchitis and bronchiolitis (466)	1	-	-	1	-	1	2	-
Pneumonia and influenza (480-487)	92	25	135	136	56	255	519	59
Pneumonia (480-486)	91	25	132	130	56	249	514	59
Influenza (487)	1	-	3	6	-	6	5	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	69	37	180	190	79	326	669	60
Bronchitis, chronic and unspecified (490-491)	3	2	5	8	7	12	28	1
Emphysema (492)	7	6	43	15	11	52	90	6
Asthma (493)	5	4	14	1	2	9	43	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	54	25	118	166	59	253	508	51
Ulcer of stomach and duodenum (531-533)	13	3	15	18	5	21	32	3
Appendicitis (540-549)	-	-	-	1	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	1	3	9	15	4	23	49	2
Chronic liver disease and cirrhosis (571)	32	22	58	52	34	94	168	11
Cholelithiasis and other disorders of gallbladder (574-575)	1	1	6	6	2	12	22	3
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	6	26	30	20	88	114	16
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	1	-	5	3	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	2	-	3	2	-	9	14	3
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-585,588-589)	7	6	23	27	20	74	97	13
Infections of kidney (590)	4	-	4	3	-	2	8	3
Hyperplasia of prostate (600)	1	-	-	2	-	3	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	1	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	1	-	-	-	1	-
Congenital anomalies (740-759)	6	8	21	20	24	33	77	5
Certain conditions originating in the perinatal period (760-779)	5	2	14	10	43	28	61	6
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	1	2	1	11	10	4	1
Other conditions originating in the perinatal period (760-766,770-779)	5	1	12	9	32	18	57	5
Symptoms, signs, and ill-defined conditions (780-799)	13	4	11	78	34	59	110	5
All other diseases (Residual)	129	83	306	380	185	760	1,369	123
Accidents and adverse effects (E800-E949)	68	56	127	119	88	233	549	50
Motor vehicle accidents (E810-E825)	30	29	62	46	45	101	204	27
All other accidents and adverse effects (E800-E807,E826-E949)	38	27	65	73	43	132	345	23
Suicide (E950-E959)	35	25	63	41	22	89	272	16
Homicide and legal intervention (E960-E978)	9	10	12	15	32	14	126	1
All other external causes (E980-E999)	2	1	5	3	2	7	36	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 530

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.
(Page 35 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Sheboygan, WI, MSA	Sherman-Denison, TX, MSA	Shreveport, LA, MSA	Sioux City, IA-NE, MSA	Sioux Falls, SD, MSA	South Bend-Mishawaka, IN, MSA	Spokane, WA, MSA	Springfield, IL, MSA
All causes	1,009	1,113	3,108	1,133	939	2,256	3,236	1,737
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	-	1	1	1	2	-	2
Tuberculosis (010-018)	-	-	3	-	-	1	-	-
Tuberculosis of respiratory system (010-012)	-	-	3	-	-	-	-	-
Other tuberculosis (013-018)	-	-	-	-	-	1	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	1	1	-	-	-	1	-
Septicemia (038)	7	9	33	10	7	10	25	12
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	-	1	7	2	-	2	2	2
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	8	6	37	1	8	22	27	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	239	277	734	252	282	592	817	424
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	5	6	17	4	2	3	20	6
Malignant neoplasms of digestive organs and peritoneum (150-159)	58	71	156	54	60	156	169	106
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	61	96	228	78	67	169	250	119
Malignant neoplasm of breast (174-175)	21	22	62	20	29	40	71	45
Malignant neoplasms of genital organs (179-187)	32	27	103	30	39	78	96	38
Malignant neoplasms of urinary organs (188-189)	13	15	26	16	13	31	25	17
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	23	25	72	26	28	63	85	43
Leukemia (204-208)	8	4	27	10	11	14	43	11
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	18	11	45	14	13	38	58	39
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	2	6	1	6	9	9	13
Diabetes mellitus (250)	24	38	137	33	19	63	50	24
Nutritional deficiencies (260-269)	4	-	4	2	1	3	7	3
Anemias (280-285)	2	4	7	3	1	4	2	2
Meningitis (320-322)	-	-	2	-	-	1	2	-
Major cardiovascular diseases (390-448)	443	522	1,206	540	381	1,001	1,318	769
Diseases of heart (390-398,402,404-429)	348	421	1,000	420	291	746	961	587
Rheumatic fever and rheumatic heart disease (390-398)	1	1	6	1	5	3	17	8
Hypertensive heart disease (402)	9	11	74	12	1	9	16	7
Hypertensive heart and renal disease (404)	-	1	8	1	2	4	9	3
Ischemic heart disease (410-414)	248	313	621	295	198	560	610	389
Acute myocardial infarction (410)	157	178	243	134	85	268	311	163
Other acute and subacute forms of ischemic heart disease (411)	-	-	3	-	-	1	9	4
Angina pectoris (413)	-	1	3	1	-	-	1	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	91	134	372	160	113	291	289	221
Other diseases of endocardium (424)	4	5	17	8	10	23	38	15
All other forms of heart disease (415-423,425-429)	86	90	274	103	75	147	271	166
Hypertension with or without renal disease (401,403)	4	7	16	6	4	10	7	27
Cerebrovascular diseases (430-438)	76	71	150	85	65	201	248	123
Intracerebral and other intracranial hemorrhage (431-432)	5	10	26	8	7	26	29	21
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434,9)	8	12	19	7	2	19	12	14
Cerebral embolism (434.1)	-	1	1	-	1	1	1	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	63	48	104	70	55	155	206	86
Atherosclerosis (440)	2	12	11	12	6	21	56	17
Other diseases of arteries, arterioles, and capillaries (441-448)	13	11	29	17	15	23	46	15
Acute bronchitis and bronchiolitis (466)	-	1	2	-	-	-	-	1
Pneumonia and influenza (480-487)	43	47	93	50	43	53	110	63
Pneumonia (480-486)	42	47	92	47	43	52	110	61
Influenza (487)	1	-	1	3	-	1	-	2
Chronic obstructive pulmonary diseases and allied conditions (490-496)	22	40	116	70	50	81	185	69
Bronchitis, chronic and unspecified (490-491)	1	-	3	5	2	3	1	2
Emphysema (492)	4	10	15	2	14	14	45	22
Asthma (493)	1	2	4	4	4	6	7	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	16	28	94	59	30	58	132	36
Ulcer of stomach and duodenum (531-533)	2	-	6	4	2	4	7	4
Appendicitis (540-543)	-	-	-	-	-	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	2	5	10	4	5	10	5	2
Chronic liver disease and cirrhosis (571)	8	9	30	9	5	17	48	18
Cholelithiasis and other disorders of gallbladder (574-575)	2	1	3	1	1	2	5	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	15	4	21	5	7	24	43	19
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	1	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	-	-	2	3	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	4	21	5	7	21	40	19
Infections of kidney (590)	1	-	-	-	-	1	3	2
Hyperplasia of prostate (600)	-	-	-	-	-	-	2	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	1	-	-	-	1	-
Pregnancy with abortive outcome (630-636)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	1	-	-	-	1	-
Congenital anomalies (740-759)	2	7	15	7	7	22	24	13
Certain conditions originating in the perinatal period (760-779)	3	5	26	6	5	22	14	11
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	2	6	1	-	2	4	-
Other conditions originating in the perinatal period (760-766,770-779)	2	3	20	5	5	20	10	11
Symptoms, signs, and ill-defined conditions (780-799)	6	7	25	6	5	16	22	23
All other diseases (Residual)	128	62	315	78	75	173	291	159
Accidents and adverse effects (E800-E949)	31	40	149	34	31	62	137	52
Motor vehicle accidents (E810-E825)	12	23	63	17	19	24	51	21
All other accidents and adverse effects (E800-E807,E826-E949)	19	17	86	17	12	38	86	31
Suicide (E950-E959)	13	17	47	9	11	32	51	27
Homicide and legal intervention (E960-E978)	2	7	68	4	3	26	24	9
All other external causes (E980-E999)	-	1	3	1	2	-	4	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 531

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 36 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Springfield, MO, MSA	Springfield, MA, NECMA	State College, PA, MSA	Staubenville-Weirton, OH-WV, MSA	Stockton, CA, MSA	Syracuse, NY, MSA	Tacoma, WA, PMSA	Tallahassee, FL, MSA
All causes	2,220	5,673	750	1,599	3,824	5,509	4,435	1,631
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	4	3	-	-	1	-	-	1
Tuberculosis (010-018)	3	-	-	2	3	2	3	3
Tuberculosis of respiratory system (010-012)	2	-	-	1	2	2	2	3
Other tuberculosis (013-018)	1	-	-	1	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	1	2	-	-
Septicemia (038)	13	50	13	12	18	72	15	18
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	1	5	1	1	5	3	7	-
Syphilis (090-097)	-	-	-	-	-	-	-	1
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	53	94	3	7	46	62	46	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	517	1,424	187	419	839	1,372	1,095	417
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	8	27	1	4	13	9	17	11
Malignant neoplasms of digestive organs and peritoneum (150-159)	107	356	48	94	196	317	247	86
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	161	379	42	157	247	412	316	123
Malignant neoplasm of breast (174-175)	33	116	19	34	77	124	83	43
Malignant neoplasms of genital organs (179-187)	55	162	26	36	96	151	136	64
Malignant neoplasms of urinary organs (188-189)	25	62	5	13	33	74	37	15
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	69	175	27	41	97	169	139	43
Leukemia (204-208)	31	60	8	19	40	43	54	8
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	28	87	11	21	40	73	66	24
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	7	22	5	7	20	25	14	5
Diabetes mellitus (250)	53	131	14	57	89	106	108	46
Nutritional deficiencies (260-269)	2	10	2	3	3	7	7	5
Anemias (280-285)	3	10	1	4	7	15	3	3
Meningitis (320-322)	1	-	-	1	1	1	1	1
Major cardiovascular diseases (390-448)	957	2,341	315	696	1,536	2,383	1,832	590
Diseases of heart (390-398,402,404-429)	762	1,841	250	575	1,146	1,863	1,316	414
Rheumatic fever and rheumatic heart disease (390-398)	3	12	2	5	19	30	16	6
Hypertensive heart disease (402)	8	32	-	5	24	69	68	24
Hypertensive heart and renal disease (404)	4	7	-	2	5	9	8	4
Ischemic heart disease (410-414)	548	1,208	180	430	886	1,164	713	253
Acute myocardial infarction (410)	343	609	100	186	243	475	308	146
Other acute and subacute forms of ischemic heart disease (411)	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	7	1	2	2	1	2	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	205	591	79	242	641	688	402	107
Other diseases of endocardium (424)	22	40	5	7	18	52	29	20
All other forms of heart disease (415-423,425-429)	177	542	63	126	194	539	482	107
Hypertension with or without renal disease (401,403)	14	34	1	2	15	19	16	13
Cerebrovascular diseases (430-438)	153	367	48	97	306	383	347	129
Intracerebral and other intracranial hemorrhage (431-432)	29	49	3	18	42	54	43	19
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	9	24	-	20	32	39	26	17
Cerebral embolism (434.1)	1	1	1	-	2	1	2	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	114	293	44	59	230	289	276	91
Atherosclerosis (440)	9	30	7	6	33	41	98	9
Other diseases of arteries, arterioles, and capillaries (441-448)	19	69	9	16	36	77	55	25
Acute bronchitis and bronchiolitis (466)	-	-	-	1	-	2	-	-
Pneumonia and influenza (480-487)	55	251	25	50	161	182	104	19
Pneumonia (480-486)	53	249	24	50	156	181	103	19
Influenza (487)	2	2	1	-	5	1	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	117	211	37	84	168	296	265	64
Bronchitis, chronic and unspecified (490-491)	10	7	3	4	2	10	9	8
Emphysema (492)	18	31	3	11	38	42	34	9
Asthma (493)	2	13	-	2	17	10	16	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	87	160	31	67	111	234	206	45
Ulcer of stomach and duodenum (531-533)	4	7	4	7	15	18	8	8
Appendicitis (540-543)	-	1	-	1	1	1	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	9	18	3	4	7	10	12	2
Chronic liver disease and cirrhosis (571)	12	87	4	14	80	39	52	17
Cholelithiasis and other disorders of gallbladder (574-575)	3	4	3	-	12	10	3	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	91	8	14	32	53	22	13
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	2	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	4	-	3	-	3	4	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	20	85	8	11	32	50	18	11
Infections of kidney (590)	1	-	-	-	5	3	3	-
Hyperplasia of prostate (600)	-	-	-	-	2	1	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	2	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	1	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	1	-	-	-
Congenital anomalies (740-759)	11	13	4	2	25	37	37	16
Certain conditions originating in the perinatal period (760-779)	16	36	3	7	35	37	23	22
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	3	9	2	5	3	7	1	1
Other conditions originating in the perinatal period (760-766,770-779)	13	27	1	2	32	30	22	21
Symptoms, signs, and ill-defined conditions (780-799)	16	53	11	17	40	41	41	34
All other diseases (Residual)	218	563	64	116	328	475	365	165
Accidents and adverse effects (E800-E949)	85	149	28	46	214	174	181	96
Motor vehicle accidents (E810-E825)	37	68	16	22	102	93	85	58
All other accidents and adverse effects (E800-E807,E826-E949)	48	81	12	24	112	81	96	38
Suicide (E950-E959)	27	47	15	18	54	55	97	27
Homicide and legal intervention (E960-E978)	10	27	-	4	71	19	67	22
All other external causes (E980-E999)	2	22	-	5	3	6	22	3

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 532

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 37 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Tampa-St. Petersburg-Clearwater, FL, MSA	Terre Haute, IN, MSA	Texarkana, TX-Texarkana, AR, MSA	Toledo, OH, MSA	Topeka, KS, MSA	Trenton, NJ, PMSA	Tucson, AZ, MSA	Tulsa, OK, MSA
All causes	25,724	1,407	1,321	5,547	1,420	2,856	5,983	5,922
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	8	-	-	-	-	2	2	-
Tuberculosis (010-018)	16	1	2	-	-	2	6	10
Tuberculosis of respiratory system (010-012)	15	1	1	-	-	2	4	5
Other tuberculosis (013-018)	1	-	1	-	-	-	2	5
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	1
Meningococcal infection (036)	1	-	-	1	-	-	-	-
Septicemia (038)	139	14	13	41	20	56	59	82
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	29	1	1	2	3	-	3	7
Syphilis (090-097)	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	462	7	6	46	25	66	106	69
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	6,338	329	319	1,266	323	700	1,423	1,372
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	133	4	4	26	7	8	20	19
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,452	74	81	310	76	177	333	314
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	1,952	106	96	375	95	198	410	438
Malignant neoplasm of breast (174-175)	476	25	26	115	31	58	109	103
Malignant neoplasms of genital organs (179-187)	775	40	29	133	33	91	166	152
Malignant neoplasms of urinary organs (188-189)	289	17	14	73	10	25	66	50
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	715	38	40	115	42	79	163	157
Leukemia (204-208)	203	7	10	42	15	20	63	48
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	343	18	19	77	14	44	93	91
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	79	6	2	21	5	11	21	12
Diabetes mellitus (250)	526	32	30	137	37	93	129	126
Nutritional deficiencies (260-269)	28	5	2	10	4	4	7	9
Anemias (280-285)	48	-	-	8	8	9	7	9
Meningitis (320-322)	5	-	1	3	1	2	3	4
Major cardiovascular diseases (390-448)	11,324	657	570	2,667	589	1,148	2,325	2,582
Diseases of heart (390-398,402,404-429)	9,063	484	448	2,095	450	929	1,831	2,041
Rheumatic fever and rheumatic heart disease (390-398)	85	4	1	14	3	16	21	7
Hypertensive heart disease (402)	337	7	18	101	9	44	50	44
Hypertensive heart and renal disease (404)	32	2	2	11	1	4	1	-
Ischemic heart disease (410-414)	6,450	354	287	1,382	275	634	1,127	1,407
Acute myocardial infarction (410)	2,417	169	168	657	104	297	442	567
Other acute and subacute forms of ischemic heart disease (411)	13	1	1	1	-	20	2	14
Angina pectoris (413)	12	-	-	3	-	1	2	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,008	184	118	721	171	316	681	825
Other diseases of endocardium (424)	218	6	6	19	14	19	38	45
All other forms of heart disease (415-423,425-429)	1,941	111	134	568	148	212	594	538
Hypertension with or without renal disease (401,403)	134	7	5	29	12	17	22	23
Cerebrovascular diseases (430-438)	1,672	126	96	400	102	163	338	384
Intracerebral and other intracranial hemorrhage (431-432)	261	5	17	50	15	32	49	40
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	254	23	14	66	9	20	32	26
Cerebral embolism (434.1)	17	1	-	2	-	-	2	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,140	97	65	282	77	111	253	318
Atherosclerosis (440)	170	22	9	65	5	10	73	63
Other diseases of arteries, arterioles, and capillaries (441-448)	285	18	12	78	20	28	63	71
Acute bronchitis and bronchiolitis (468)	10	1	-	5	-	2	3	1
Pneumonia and influenza (480-487)	665	46	39	158	45	112	214	203
Pneumonia (480-486)	659	46	39	157	44	110	211	202
Influenza (487)	6	-	-	1	1	2	3	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,221	64	45	269	75	105	325	282
Bronchitis, chronic and unspecified (490-491)	64	1	-	20	3	3	8	4
Emphysema (492)	224	6	3	45	6	28	52	54
Asthma (493)	46	1	3	14	3	2	30	9
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	887	56	36	190	63	72	235	215
Ulcer of stomach and duodenum (531-533)	73	3	4	12	6	13	16	15
Appendicitis (540-543)	6	-	-	1	-	-	2	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	55	2	1	17	7	8	15	20
Chronic liver disease and cirrhosis (571)	335	12	7	62	14	36	96	44
Cholelithiasis and other disorders of gallbladder (574-575)	37	2	-	5	2	6	7	5
Nephritis, nephrotic syndrome, and nephrosis (580-589)	98	18	8	59	17	23	67	62
Acute glomerulonephritis and nephrotic syndrome (580-581)	2	-	-	-	-	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	10	1	1	4	-	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	86	17	7	55	17	22	66	61
Infections of kidney (590)	8	3	2	2	1	1	-	4
Hyperplasia of prostate (600)	2	-	-	1	-	-	-	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	-	-	-	-	-	-	1
Pregnancy with abortive outcome (630-636)	-	-	-	-	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	-	-	-	-	-	1
Congenital anomalies (740-759)	112	5	8	40	6	12	35	34
Certain conditions originating in the perinatal period (760-779)	131	6	7	37	3	28	40	36
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	16	-	1	15	1	3	6	3
Other conditions originating in the perinatal period (760-766,770-779)	115	6	6	22	2	25	34	33
Symptoms, signs, and ill-defined conditions (780-799)	647	10	53	42	25	38	40	87
All other diseases (Residual)	2,047	105	108	349	133	238	542	455
Accidents and adverse effects (E800-E949)	722	46	60	172	34	98	287	246
Motor vehicle accidents (E810-E825)	383	16	28	84	17	35	133	132
All other accidents and adverse effects (E800-E807,E826-E949)	339	30	32	88	17	63	154	114
Suicide (E950-E959)	362	18	13	62	22	24	129	105
Homicide and legal intervention (E960-E978)	175	14	18	50	14	17	63	53
All other external causes (E980-E999)	14	-	2	2	1	2	11	4

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 533

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 38 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Tuscaloosa, AL, MSA	Tyler, TX, MSA	Utica-Rome, NY, MSA	Vallejo-Fairfield-Napa, CA, PMSA	Vancouver, WA, PMSA	Victoria, TX, MSA	Vineland-Milville-Bridgeton, NJ, PMSA	Visalia-Tulare-Porterville, CA, MSA
All causes	1,271	1,423	3,172	3,325	1,820	579	1,372	2,461
Shigellosis and amebiasis (004,006)	-	-	-	-	1	-	-	-
Certain other intestinal infections (007-009)	-	1	-	1	1	-	-	-
Tuberculosis (010-018)	3	-	2	1	-	-	1	2
Tuberculosis of respiratory system (010-012)	3	-	2	1	-	-	1	2
Other tuberculosis (013-018)	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	2	1	-	1	-
Septicemia (038)	26	13	28	9	12	7	18	19
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	5	1	1	3	7	-	2	4
Syphilis (090-097)	-	1	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042.*044,046-054,056-066,071-088,098-139)	8	14	36	81	19	7	29	31
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	319	346	772	834	485	138	313	501
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	3	8	14	20	4	1	1	8
Malignant neoplasms of digestive organs and peritoneum (150-159)	66	76	204	218	101	33	79	118
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	100	100	198	232	145	50	101	145
Malignant neoplasm of breast (174-175)	40	27	73	51	46	11	17	38
Malignant neoplasms of genital organs (179-187)	31	45	96	97	48	18	38	62
Malignant neoplasms of urinary organs (188-189)	14	17	33	22	22	8	19	21
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	33	37	85	120	60	10	34	63
Leukemia (204-208)	13	16	34	23	20	4	10	18
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	19	20	35	51	39	3	14	28
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	7	5	10	8	-	6	8
Diabetes mellitus (250)	22	31	58	63	25	17	45	60
Nutritional deficiencies (260-269)	3	1	3	3	1	-	5	1
Anemias (280-285)	5	5	7	7	-	3	2	6
Meningitis (320-322)	2	1	1	1	-	1	1	2
Major cardiovascular diseases (390-448)	529	600	1,470	1,248	702	257	567	1,060
Diseases of heart (390-398,402,404-429)	426	445	1,173	906	548	191	486	812
Rheumatic fever and rheumatic heart disease (390-398)	2	-	16	7	6	1	-	5
Hypertensive heart disease (402)	20	15	19	38	11	9	15	24
Hypertensive heart and renal disease (404)	6	1	2	2	2	-	2	4
Ischemic heart disease (410-414)	190	323	796	642	343	147	308	598
Acute myocardial infarction (410)	112	159	331	266	158	79	172	238
Other acute and subacute forms of ischemic heart disease (411)	3	2	5	1	-	-	-	-
Angina pectoris (413)	1	1	3	1	2	-	-	2
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	74	161	457	374	183	68	136	358
Other diseases of endocardium (424)	4	12	43	32	24	1	12	16
All other forms of heart disease (415-423,425-429)	204	94	297	185	162	33	140	165
Hypertension with or without renal disease (401,403)	5	8	14	12	11	2	3	13
Cerebrovascular diseases (430-438)	78	112	226	272	109	49	65	177
Intracerebral and other intracranial hemorrhage (431-432)	9	17	34	32	14	10	13	28
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	3	14	26	31	9	6	16	8
Cerebral embolism (434.1)	-	-	3	2	2	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	66	81	163	207	84	32	36	141
Atherosclerosis (440)	10	20	20	20	8	7	8	32
Other diseases of arteries, arterioles, and capillaries (441-448)	10	15	37	38	26	8	5	26
Acute bronchitis and bronchiolitis (466)	-	1	2	2	-	-	1	1
Pneumonia and influenza (480-487)	37	45	121	157	71	11	46	122
Pneumonia (480-486)	37	45	120	154	71	11	46	119
Influenza (487)	-	-	1	3	-	-	-	3
Chronic obstructive pulmonary diseases and allied conditions (490-496)	38	70	163	146	104	14	62	129
Bronchitis, chronic and unspecified (490-491)	1	5	8	5	4	-	-	1
Emphysema (492)	3	12	23	33	29	2	18	25
Asthma (493)	1	6	6	8	6	1	3	5
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	33	47	126	100	65	11	41	98
Ulcer of stomach and duodenum (531-533)	1	3	8	18	6	1	3	8
Appendicitis (540-543)	-	-	-	1	-	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	6	4	14	9	3	-	6	3
Chronic liver disease and cirrhosis (571)	16	13	34	53	20	7	9	40
Cholelithiasis and other disorders of gallbladder (574-575)	2	4	6	4	1	-	5	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	16	5	49	35	11	3	29	15
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	-	1	4	1	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	1	3	1	-	1	2
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	5	47	28	9	3	28	12
Infections of kidney (590)	3	2	-	5	-	-	-	2
Hyperplasia of prostate (600)	-	-	1	2	-	-	1	2
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	-	-	-	1	2
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	-	2
Other complications of pregnancy, childbirth, and the puerperium (640-676)	-	-	-	-	-	-	1	2
Congenital anomalies (740-759)	9	7	13	23	17	1	5	17
Certain conditions originating in the perinatal period (760-779)	6	15	10	23	9	3	12	14
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	1	5	-	4	2	1	1	4
Other conditions originating in the perinatal period (760-766,770-779)	5	10	10	19	7	2	11	10
Symptoms, signs, and ill-defined conditions (780-799)	27	9	24	26	30	3	12	18
All other diseases (Residual)	99	115	225	318	153	62	109	169
Accidents and adverse effects (E800-E949)	65	77	80	151	92	28	64	168
Motor vehicle accidents (E810-E825)	34	29	40	67	43	16	27	109
All other accidents and adverse effects (E800-E807,E826-E949)	31	48	40	84	49	12	37	59
Suicide (E950-E959)	8	16	31	42	29	11	11	29
Homicide and legal intervention (E960-E978)	9	16	5	43	7	5	5	44
All other external causes (E980-E999)	4	-	3	4	4	-	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 534

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 39 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas							
	Waco, TX, MSA	Washington, DC-MD-VA, MSA	Waterloo-Cedar Falls, IA, MSA	Wausau, WI, MSA	West Palm Beach-Boca Raton-DeLray Beach, FL, MSA	Wheeling, WV-OH, MSA	Wichita, KS, MSA	Wichita Falls, TX, MSA
All causes	1,862	25,122	1,347	843	10,869	1,932	3,912	1,183
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	-	12	-	1	5	1	1	1
Tuberculosis (010-018)	-	17	-	-	8	-	2	2
Tuberculosis of respiratory system (010-012)	-	12	-	-	7	-	1	2
Other tuberculosis (013-018)	-	5	-	-	1	-	1	-
Whooping cough (033)	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	3	-	-	1	-	-	-
Septicemia (038)	16	393	12	7	61	13	26	11
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-
Viral hepatitis (070)	4	38	-	-	7	1	3	2
Syphilis (090-097)	-	1	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	19	1,009	9	7	304	2	46	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	399	6,385	339	217	2,913	464	934	274
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	7	131	4	-	45	6	12	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	90	1,599	73	52	709	97	203	76
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	112	1,619	94	42	819	141	280	86
Malignant neoplasms of breast (174-175)	40	614	28	20	262	37	73	20
Malignant neoplasms of genital organs (179-187)	40	732	45	35	366	44	128	29
Malignant neoplasms of urinary organs (188-189)	14	245	17	10	138	28	41	12
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	54	818	45	29	263	72	102	23
Leukemia (204-208)	15	226	11	14	120	8	33	10
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	27	381	22	15	191	31	62	14
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	6	108	9	5	28	9	10	3
Diabetes mellitus (250)	54	625	25	27	194	57	84	23
Nutritional deficiencies (250-269)	2	40	2	1	13	1	9	1
Anemias (280-285)	4	68	2	2	21	1	5	3
Meningitis (320-322)	1	17	-	-	1	1	-	-
Major cardiovascular diseases (390-448)	802	8,828	634	331	4,810	880	1,621	533
Diseases of heart (390-398,402,404-429)	655	6,894	457	251	3,872	747	1,191	402
Rheumatic fever and rheumatic heart disease (390-398)	1	55	3	3	33	9	9	3
Hypertensive heart disease (402)	19	426	7	8	89	8	27	7
Hypertensive heart and renal disease (404)	1	45	3	-	11	3	3	-
Ischemic heart disease (410-414)	483	3,178	325	170	2,870	538	753	282
Acute myocardial infarction (410)	338	1,483	173	88	987	248	398	158
Other acute and subacute forms of ischemic heart disease (411)	1	20	-	-	7	2	2	1
Angina pectoris (413)	4	14	1	1	8	1	4	1
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	140	1,661	151	81	1,868	287	349	122
Other diseases of endocardium (424)	12	148	6	11	96	12	28	8
All other forms of heart disease (415-423,425-429)	139	3,042	110	59	773	177	371	102
Hypertension with or without renal disease (401,403)	9	107	12	3	61	5	23	10
Cerebrovascular diseases (430-438)	103	1,430	127	67	681	94	284	96
Intracerebral and other intracranial hemorrhage (431-432)	13	273	17	10	97	9	46	18
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	9	155	7	11	70	9	37	10
Cerebral embolism (434.1)	-	3	-	-	3	1	3	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	81	999	103	46	511	75	198	67
Atherosclerosis (440)	14	141	15	2	60	13	62	12
Other diseases of arteries, arterioles, and capillaries (441-448)	21	256	23	8	136	21	61	13
Acute bronchitis and bronchiolitis (466)	-	8	-	-	2	1	3	1
Pneumonia and influenza (480-487)	60	745	33	25	237	86	138	32
Pneumonia (480-486)	60	736	33	25	234	86	136	31
Influenza (487)	-	9	-	-	3	-	2	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	74	860	59	36	446	87	198	68
Bronchitis, chronic and unspecified (490-491)	3	29	1	1	11	8	8	3
Emphysema (492)	17	151	15	4	94	13	38	21
Asthma (493)	6	53	2	1	18	2	12	6
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	48	627	41	30	323	64	140	38
Ulcer of stomach and duodenum (531-533)	8	63	3	2	23	2	11	5
Appendicitis (540-543)	-	5	-	-	3	-	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	4	72	9	7	19	8	14	3
Chronic liver disease and cirrhosis (571)	22	336	5	8	88	18	35	17
Cholelithiasis and other disorders of gallbladder (574-575)	3	31	1	2	7	1	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	20	294	8	11	89	20	50	4
Acute glomerulonephritis and nephrotic syndrome (580-581)	1	4	-	-	1	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	4	17	-	-	10	1	1	1
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	15	273	8	11	78	19	49	3
Infections of kidney (590)	2	8	1	-	1	1	1	1
Hyperplasia of prostate (600)	-	3	-	1	2	-	1	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	1	3	-	-	-	-	1	-
Pregnancy with abortive outcome (630-638)	-	-	-	-	-	-	1	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	3	-	-	-	-	-	-
Congenital anomalies (740-759)	8	182	6	10	49	8	33	9
Certain conditions originating in the perinatal period (760-779)	9	375	5	3	57	5	41	2
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	65	1	1	7	-	6	-
Other conditions originating in the perinatal period (760-766,770-779)	9	310	4	2	50	5	35	2
Symptoms, signs, and ill-defined conditions (780-799)	13	408	5	6	34	15	51	10
All other diseases (Residual)	192	2,240	118	92	892	167	320	101
Accidents and adverse effects (E800-E949)	80	905	45	30	328	57	159	28
Motor vehicle accidents (E810-E825)	44	423	25	18	160	25	81	15
All other accidents and adverse effects (E800-E807,E826-E949)	36	482	20	12	168	32	78	13
Suicide (E950-E959)	32	324	16	10	135	14	64	26
Homicide and legal intervention (E960-E978)	24	649	1	1	86	11	43	13
All other external causes (E980-E999)	3	86	-	-	5	1	7	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 535

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 40 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Metropolitan Statistical Areas, Primary Metropolitan Statistical Areas, and New England County Metropolitan Areas								
	Williamsport, PA, MSA	Wilmington, DE-NJ-MD, PMSA	Wilmington, NC, MSA	Worcester-Fitchburg-Leominster, MA, NECMA	Yakima, WA, MSA	York, PA, MSA	Youngstown-Warren, OH, MSA	Yuba City, CA, MSA	Yuma, AZ, MSA
All causes	1,212	4,886	1,171	6,403	1,646	3,503	5,248	1,032	921
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	1	1	-	5	-	1	1	-	-
Tuberculosis (010-018)	1	6	1	2	-	1	-	-	1
Tuberculosis of respiratory system (010-012)	1	5	1	2	-	1	-	-	1
Other tuberculosis (013-018)	-	1	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	1	-
Septicemia (038)	11	66	6	56	4	25	46	17	4
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	3	2	-	5	4	2	1	2	-
Syphilis (090-097)	-	1	-	1	-	-	-	-	-
All other infectious and parasitic diseases (901-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	15	74	29	69	5	30	32	13	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	278	1,267	299	1,669	327	937	1,245	234	222
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	6	33	5	20	-	9	13	3	4
Malignant neoplasms of digestive organs and peritoneum (150-159)	68	295	70	399	69	235	296	54	43
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	72	365	66	461	113	234	372	63	71
Malignant neoplasm of breast (174-175)	22	118	18	142	22	98	108	14	23
Malignant neoplasms of genital organs (179-187)	24	142	40	180	33	111	136	22	22
Malignant neoplasms of urinary organs (188-189)	14	63	15	80	13	39	57	8	7
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	42	143	39	235	45	120	145	23	26
Leukemia (204-208)	15	43	6	56	9	31	40	5	15
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	15	65	20	96	23	60	78	22	11
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	5	20	3	34	2	13	21	1	7
Diabetes mellitus (250)	36	160	40	146	49	92	189	19	22
Nutritional deficiencies (260-269)	2	10	3	11	1	2	9	1	4
Anemias (280-285)	3	14	2	13	7	6	14	5	3
Meningitis (320-322)	-	1	-	2	1	-	-	-	2
Major cardiovascular diseases (390-448)	522	1,929	495	2,549	735	1,496	2,383	374	362
Diseases of heart (390-398,402,404-429)	405	1,563	381	2,023	552	1,168	1,850	274	285
Rheumatic fever and rheumatic heart disease (390-398)	4	10	1	22	12	9	14	3	2
Hypertensive heart disease (402)	3	82	14	30	13	18	24	9	7
Hypertensive heart and renal disease (404)	4	10	1	3	1	6	10	-	2
Ischemic heart disease (410-414)	239	934	206	1,409	409	749	1,347	200	196
Acute myocardial infarction (410)	129	508	74	670	249	448	778	94	84
Other acute and subacute forms of ischemic heart disease (411)	1	4	1	3	-	7	7	1	18
Angina pectoris (413)	-	-	-	3	1	1	1	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	109	422	131	733	159	300	561	105	94
Other diseases of endocardium (424)	13	21	9	55	14	48	23	9	4
All other forms of heart disease (415-423,425-429)	142	506	130	504	103	338	432	53	74
Hypertension with or without renal disease (401,403)	3	18	8	32	10	5	41	5	5
Cerebrovascular diseases (430-438)	90	269	93	356	134	243	346	62	54
Intracerebral and other intracranial hemorrhage (431-432)	7	47	16	55	14	26	38	10	11
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	5	26	14	36	22	27	55	7	4
Cerebral embolism (434.1)	-	2	-	1	1	2	2	1	1
All other and late effects of cerebrovascular diseases (430,433,435-438)	78	194	63	264	97	188	251	44	38
Atherosclerosis (440)	9	27	9	36	13	18	83	15	5
Other diseases of arteries, arterioles, and capillaries (441-448)	15	52	14	102	26	62	63	18	13
Acute bronchitis and bronchiolitis (466)	1	2	-	1	1	1	-	-	-
Pneumonia and influenza (480-487)	45	158	30	301	51	104	147	48	24
Pneumonia (480-486)	42	154	28	298	47	103	147	48	23
Influenza (487)	3	4	2	3	4	1	-	-	1
Chronic obstructive pulmonary diseases and allied conditions (490-496)	81	216	46	265	95	140	217	62	56
Bronchitis, chronic and unspecified (490-491)	1	16	2	6	5	10	5	3	1
Emphysema (492)	6	39	11	34	12	23	35	20	7
Asthma (493)	5	9	8	10	7	9	6	3	2
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	69	152	25	215	71	98	171	36	46
Ulcer of stomach and duodenum (531-533)	4	14	2	11	5	6	14	10	1
Appendicitis (540-543)	1	1	-	-	-	2	1	1	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	5	14	3	35	6	6	15	1	2
Chronic liver disease and cirrhosis (571)	15	55	1R	85	21	20	35	18	9
Cholelithiasis and other disorders of gallbladder (574-575)	3	1	-	6	-	4	5	1	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	9	76	8	103	14	51	61	14	12
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	-	-	-	2	-	-	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	-	-	-	3	2	2	2	-	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	9	76	8	100	12	47	59	14	12
Infections of kidney (590)	1	2	1	1	2	-	1	3	-
Hyperplasia of prostate (600)	-	-	-	2	-	-	2	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	-	-	-	1	-	-	1	-	-
Pregnancy with abortive outcome (630-636)	-	-	-	2	-	-	1	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	4	27	6	33	15	11	29	4	5
Congenital anomalies (740-759)	3	50	3	32	15	27	44	1	5
Certain conditions originating in the perinatal period (760-779)	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	-	10	-	10	2	2	13	-	1
Other conditions originating in the perinatal period (760-766,770-779)	3	40	3	22	13	25	31	1	4
Symptoms, signs, and ill-defined conditions (780-799)	8	30	12	57	21	18	68	10	8
All other diseases (Residual)	95	415	88	619	132	264	377	82	68
Accidents and adverse effects (E800-E949)	40	175	47	173	95	142	150	70	64
Motor vehicle accidents (E810-E825)	15	83	16	75	47	72	66	33	37
All other accidents and adverse effects (E800-E807,E826-E949)	25	92	29	98	48	70	84	37	27
Suicide (E950-E959)	18	69	21	74	28	55	62	22	18
Homicide and legal intervention (E960-E978)	1	24	17	21	9	16	74	13	8
All other external causes (E980-E999)	1	6	1	21	1	1	4	5	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 536

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 41 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix.]

Cause of death	Consolidated Metropolitan Statistical Areas						
	Boston-Lawrence-Salem, MA-NH	Buffalo-Niagara Falls, NY	Chicago-Gary-Lake County, IL-IN-WI	Cincinnati-Hamilton, OH-KY-IN	Cleveland-Akron-Lorain, OH	Dallas-Fort Worth, TX	Denver-Boulder, CO
All causes	32,350	13,217	68,021	15,133	26,187	25,663	11,939
Shigellosis and amebiasis (004,006)	-	-	2	-	-	1	-
Certain other intestinal infections (007-009)	27	6	13	6	4	2	2
Tuberculosis (010-018)	14	4	75	4	14	20	7
Tuberculosis of respiratory system (010-012)	11	3	58	3	10	15	2
Other tuberculosis (013-018)	3	1	18	1	4	5	5
Whooping cough (033)	-	1	1	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-
Meningococcal infection (036)	1	2	8	2	1	4	3
Sepsicemia (038)	417	149	797	149	214	193	94
Acute poliomyelitis (045)	-	-	-	-	-	-	-
Measles (055)	-	2	-	-	-	-	-
Viral hepatitis (070)	29	6	46	9	12	38	20
Syphilis (090-097)	-	-	4	-	1	1	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	600	160	1,184	124	263	785	345
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	8,666	3,235	16,485	3,884	6,624	6,084	2,663
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	126	45	259	47	108	106	37
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,167	783	4,143	856	1,583	1,382	626
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,309	953	4,540	1,224	1,963	1,899	696
Malignant neoplasm of breast (174-175)	791	300	1,482	336	575	551	252
Malignant neoplasms of genital organs (178-187)	934	358	1,827	406	722	648	352
Malignant neoplasms of urinary organs (188-189)	364	138	674	173	279	253	110
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,156	337	1,985	475	785	673	307
Leukemia (204-208)	317	115	601	142	199	224	112
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	502	206	974	225	410	358	161
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	133	50	272	45	97	74	31
Diabetes mellitus (250)	685	234	1,704	401	763	671	231
Nutritional deficiencies (260-269)	34	20	82	26	44	43	27
Anemias (280-285)	75	16	165	36	57	53	18
Meningitis (320-322)	15	3	36	9	6	11	11
Major cardiovascular diseases (390-448)	12,691	6,087	28,039	6,244	11,105	10,217	4,369
Diseases of heart (390-398,402,404-420)	10,045	4,899	22,480	5,019	9,004	7,956	3,206
Rheumatic fever and rheumatic heart disease (390-398)	82	33	158	37	101	51	65
Hypertensive heart disease (402)	201	102	822	261	227	566	77
Hypertensive heart and renal disease (404)	18	15	52	18	32	38	10
Ischemic heart disease (410-414)	6,529	3,749	15,107	3,113	6,378	4,879	2,053
Acute myocardial infarction (410)	3,011	1,693	7,811	1,223	2,173	2,290	903
Other acute and subacute forms of ischemic heart disease (411)	4	19	64	4	75	4	5
Angina pectoris (413)	24	3	24	4	13	10	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	3,490	2,034	7,208	1,882	4,117	2,575	1,135
Other diseases of endocardium (424)	197	82	392	87	195	158	86
All other forms of heart disease (415-423,425-429)	3,018	918	5,949	1,469	2,071	2,264	915
Hypertension with or without renal disease (401,403)	138	51	357	69	126	110	61
Cerebrovascular diseases (430-438)	1,943	916	4,203	882	1,491	1,732	711
Intracerebral and other intracranial hemorrhage (431-432)	301	165	784	110	265	244	113
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	256	159	598	106	200	161	56
Cerebral embolism (434.1)	10	3	18	3	7	4	2
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,376	589	2,803	663	1,019	1,323	540
Atherosclerosis (440)	171	55	280	91	129	193	256
Other diseases of arteries, arterioles, and capillaries (441-448)	394	166	719	183	355	226	155
Acute bronchitis and bronchiolitis (466)	3	4	9	5	7	8	7
Pneumonia and influenza (480-487)	1,443	371	2,334	529	737	707	466
Pneumonia (480-486)	1,423	368	2,318	527	735	703	459
Influenza (487)	20	3	16	2	2	4	7
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,294	487	2,324	689	969	1,092	734
Bronchitis, chronic and unspecified (490-491)	42	12	100	27	30	66	21
Emphysema (492)	219	95	476	83	172	210	103
Asthma (493)	78	24	172	32	39	65	35
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	955	356	1,576	547	728	751	575
Ulcer of stomach and duodenum (531-533)	76	50	173	42	57	64	40
Appendicitis (540-543)	5	2	13	-	7	7	1
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	108	37	159	56	47	66	40
Chronic liver disease and cirrhosis (571)	400	173	999	153	269	310	182
Cholelithiasis and other disorders of gallbladder (574-575)	44	16	81	18	37	30	15
Nephritis, nephrotic syndrome, and nephrosis (580-589)	424	120	949	174	319	131	65
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	2	13	2	-	-	1
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	22	4	54	12	16	18	9
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	395	114	882	160	303	113	55
Infections of kidney (590)	16	4	35	7	13	17	3
Hyperplasia of prostate (600)	4	3	12	4	2	2	6
Complications of pregnancy, childbirth, and the puerperium (630-676)	2	-	9	2	1	6	1
Pregnancy with abortive outcome (630-638)	-	-	1	-	-	-	-
Other complications of pregnancy, childbirth, and the puerperium (640-676)	2	-	8	2	1	6	1
Congenital anomalies (740-759)	139	66	452	97	141	223	78
Certain conditions originating in the perinatal period (760-779)	213	183	730	104	223	238	93
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	36	34	134	23	45	50	15
Other conditions originating in the perinatal period (760-766,770-779)	177	149	596	81	178	188	78
Symptoms, signs, and ill-defined conditions (780-799)	222	181	663	134	619	172	118
All other diseases (Residual)	3,207	950	5,757	1,358	2,195	2,023	1,191
Accidents and adverse effects (E800-E949)	721	344	2,239	509	783	1,102	584
Motor vehicle accidents (E810-E825)	296	154	912	228	237	569	266
All other accidents and adverse effects (E800-E807,E826-E949)	425	190	1,327	281	556	533	318
Suicide (E950-E959)	309	113	754	201	290	521	346
Homicide and legal intervention (E960-E978)	159	104	1,313	79	243	705	145
All other external causes (E980-E999)	174	34	102	33	13	42	23

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 537

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 42 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of Metropolitan areas, see Technical Appendix.]

Cause of death	Consolidated Metropolitan Statistical Areas						
	Detroit-Ann Arbor, MI	Hartford-New Britain-Middletown, CT	Houston-Galveston-Brazoria, TX	Los Angeles-Anaheim-Riverside, CA	Miami-Fort Lauderdale, FL	Milwaukee-Racine, WI	New York-Northern New Jersey-Long Island, NY-NJ-CT
All causes	39,777	9,380	23,817	100,653	33,657	13,399	164,779
Shigellosis and amebiasis (004,006)	-	-	-	4	-	-	-
Certain other intestinal infections (007-009)	3	2	7	42	8	6	39
Tuberculosis (010-018)	31	3	34	119	38	12	273
Tuberculosis of respiratory system (010-012)	22	3	25	92	32	9	212
Other tuberculosis (013-018)	9	-	9	27	6	3	61
Whooping cough (033)	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-
Meningococcal infection (036)	4	1	3	22	1	-	14
Septicemia (038)	353	103	269	89	218	104	1,802
Acute poliomyelitis (045)	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-
Viral hepatitis (070)	31	5	34	158	47	11	183
Syphilis (090-097)	1	-	4	2	5	1	10
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	524	163	1,071	3,202	1,593	154	8,336
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-209)	9,651	2,416	5,658	22,746	7,991	3,325	38,517
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	160	37	121	444	140	59	632
Malignant neoplasms of digestive organs and peritoneum (150-159)	2,204	604	1,284	5,559	2,023	781	10,249
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	2,975	649	1,834	6,171	2,186	849	9,933
Malignant neoplasm of breast (174-175)	843	166	457	1,932	668	296	3,781
Malignant neoplasms of genital organs (179-187)	1,120	255	579	2,712	1,009	404	4,481
Malignant neoplasms of urinary organs (188-189)	384	97	202	899	328	147	1,516
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,021	349	625	2,719	834	428	4,143
Leukemia (204-209)	344	76	203	930	298	133	1,353
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	600	163	343	1,386	505	228	2,429
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	95	41	52	249	108	48	625
Diabetes mellitus (250)	1,047	177	672	1,660	807	303	3,570
Nutritional deficiencies (260-269)	72	8	28	27	25	16	84
Anemias (280-285)	69	16	59	114	59	36	303
Meningitis (320-322)	13	3	15	46	10	7	78
Major cardiovascular diseases (390-448)	17,205	3,929	8,893	42,700	14,435	5,709	72,993
Diseases of heart (390-398,402,404-429)	13,878	3,142	6,919	33,467	11,746	4,445	62,248
Rheumatic fever and rheumatic heart disease (390-398)	90	33	48	312	94	31	490
Hypertensive heart disease (402)	399	100	204	1,064	427	141	2,400
Hypertensive heart and renal disease (404)	48	8	28	139	26	16	176
Ischemic heart disease (410-414)	9,277	1,865	4,646	22,819	8,931	3,159	47,595
Acute myocardial infarction (410)	4,693	789	2,012	8,945	3,389	1,242	17,149
Other acute and subacute forms of ischemic heart disease (411)	12	4	13	52	29	5	94
Angina pectoris (413)	15	5	4	22	21	4	63
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,557	1,067	2,619	13,800	5,492	1,906	30,289
Other diseases of endocardium (424)	185	76	123	566	231	106	827
All other forms of heart disease (415-423,425-429)	3,879	1,060	1,888	8,567	2,037	992	10,660
Hypertension with or without renal disease (401,403)	173	45	120	532	162	40	799
Cerebrovascular diseases (430-439)	2,437	572	1,467	6,760	1,970	981	7,684
Intracerebral and other intracranial hemorrhage (431-432)	404	88	235	1,006	338	132	1,468
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434,0,434.9)	414	82	160	770	263	113	916
Cerebral embolism (434.1)	5	5	1	27	10	1	35
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,614	397	1,071	4,957	1,359	795	5,265
Atherosclerosis (440)	308	43	148	1,039	176	89	775
Other diseases of arteries, arterioles, and capillaries (441-448)	409	127	239	902	381	154	1,487
Acute bronchitis and bronchiolitis (469)	9	5	7	30	8	3	25
Pneumonia and influenza (480-487)	1,243	376	567	4,501	761	556	5,743
Pneumonia (480-486)	1,231	365	561	4,455	758	551	5,704
Influenza (487)	12	11	6	46	3	5	39
Chronic obstructive pulmonary diseases and allied conditions (490-496)	1,362	405	801	4,502	1,268	494	4,866
Bronchitis, chronic and unspecified (490-491)	56	18	27	203	54	15	208
Emphysema (492)	315	48	168	935	264	63	983
Asthma (493)	87	12	53	235	72	22	496
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	904	327	553	3,129	878	374	3,277
Ulcer of stomach and duodenum (531-533)	99	24	59	437	96	38	458
Appendicitis (540-543)	8	1	2	27	6	2	23
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	105	21	64	171	82	51	319
Chronic liver disease and cirrhosis (571)	582	82	371	1,775	367	132	2,080
Cholelithiasis and other disorders of gallbladder (574-575)	46	7	36	115	37	12	164
Nephritis, nephrotic syndrome, and nephrosis (580-589)	451	111	146	641	258	124	1,398
Acute glomerulonephritis and nephrotic syndrome (580-581)	-	-	3	12	2	1	18
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	21	4	23	69	25	10	119
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	430	107	120	560	231	113	1,261
Infections of kidney (590)	15	2	10	57	10	4	48
Hyperplasia of prostate (600)	2	2	1	26	3	3	21
Complications of pregnancy, childbirth, and the puerperium (630-676)	13	-	8	36	14	1	46
Pregnancy with abortive outcome (630-638)	1	-	7	7	4	-	14
Other complications of pregnancy, childbirth, and the puerperium (640-676)	12	-	8	29	10	1	32
Congenital anomalies (740-759)	208	40	205	895	188	70	783
Certain conditions originating in the perinatal period (760-779)	509	76	259	995	211	88	1,334
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	87	9	40	167	41	12	281
Other conditions originating in the perinatal period (760-766,770-779)	422	67	219	828	170	76	1,053
Symptoms, signs, and ill-defined conditions (780-799)	174	77	178	537	144	68	1,688
All other diseases (Residual)	3,179	822	1,899	5,930	2,804	1,206	10,128
Accidents and adverse effects (E800-E949)	1,215	325	1,217	4,296	1,118	438	4,687
Motor vehicle accidents (E810-E825)	574	109	657	2,023	534	143	1,770
All other accidents and adverse effects (E800-E807,E826-E949)	641	216	560	2,273	584	295	2,917
Suicide (E950-E959)	546	100	477	1,730	458	185	1,341
Homicide and legal intervention (E960-E978)	819	28	681	2,680	454	180	2,540
All other external causes (E980-E999)	93	9	30	82	5	12	160

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 538

Table 8-8. Deaths From 72 Selected Causes for Metropolitan Areas of the United States: 1992—Con.

(Page 43 of 43)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Metropolitan Statistical Areas (MSAs), Primary Metropolitan Statistical Areas (PMSAs), and Consolidated Metropolitan Statistical Areas (CMSAs) are those defined by the Office of Management and Budget as of June 30, 1990, except for New England where areas are New England County Metropolitan Areas (NECMAs). PMSAs are components of CMSAs. For further discussion of metropolitan areas, see Technical Appendix]

Cause of death	Consolidated Metropolitan Statistical Areas					
	Philadelphia-Wilmington-Trenton, PA-NJ-DE-MD	Pittsburgh-Beaver Valley, PA	Portland-Vancouver, OR-WA	Providence-Pawtucket-Fall River, RI-MA	San Francisco-Oakland-San Jose, CA	Seattle-Tacoma, WA
All causes	56,353	25,150	12,314	13,536	46,454	18,321
Shigellosis and amebiasis (004.006)	-	-	1	-	-	-
Certain other intestinal infections (007-009)	15	2	2	4	11	2
Tuberculosis (010-018)	43	6	7	8	34	13
Tuberculosis of respiratory system (010-012)	34	5	4	4	24	10
Other tuberculosis (013-018)	9	1	3	4	10	3
Whooping cough (033)	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-
Meningococcal infection (036)	10	1	4	-	5	1
Septicemia (038)	1,114	331	70	157	219	93
Acute poliomyelitis (045)	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-
Viral hepatitis (070)	37	13	21	19	72	30
Syphilis (090-097)	2	1	-	-	2	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	1,042	168	213	166	2,304	414
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	14,191	6,392	3,059	3,501	11,194	4,577
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	217	82	42	51	189	66
Malignant neoplasms of digestive organs and peritoneum (150-159)	3,391	1,548	677	914	2,789	1,057
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	4,088	1,841	907	963	2,971	1,312
Malignant neoplasm of breast (174-175)	1,258	578	246	310	846	394
Malignant neoplasms of genital organs (179-187)	1,622	679	353	348	1,347	530
Malignant neoplasms of urinary organs (188-189)	553	268	129	156	383	167
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	1,785	794	378	423	1,423	596
Leukemia (204-208)	478	248	116	108	417	177
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	789	376	211	228	719	278
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	197	74	37	49	163	87
Diabetes mellitus (250)	1,356	657	250	346	745	424
Nutritional deficiencies (260-269)	97	41	21	14	42	26
Anemias (280-285)	139	47	21	21	69	23
Meningitis (320-322)	26	7	2	3	16	6
Major cardiovascular diseases (390-448)	22,458	11,263	4,809	5,909	17,953	7,139
Diseases of heart (390-398,402,404-429)	17,910	9,285	3,442	4,733	13,243	5,216
Rheumatic fever and rheumatic heart disease (390-398)	155	90	53	42	130	69
Hypertensive heart disease (402)	607	182	92	75	793	180
Hypertensive heart and renal disease (404)	68	19	13	17	55	16
Ischemic heart disease (410-414)	10,526	6,303	2,334	3,393	8,590	2,927
Acute myocardial infarction (410)	5,665	3,185	877	1,526	3,508	1,317
Other acute and subacute forms of ischemic heart disease (411)	65	12	4	8	12	8
Angina pectoris (413)	20	8	7	4	15	10
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	4,776	3,098	1,446	1,855	5,055	1,594
Other diseases of endocardium (424)	422	223	132	85	369	149
All other forms of heart disease (415-423,425-429)	6,132	2,468	818	1,121	3,306	1,875
Hypertension with or without renal disease (401,403)	229	92	88	51	206	77
Cerebrovascular diseases (430-438)	3,304	1,475	977	863	3,600	1,398
Intracerebral and other intracranial hemorrhage (431-432)	564	244	121	142	503	167
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	463	259	95	100	410	104
Cerebral embolism (434.1)	10	7	8	4	18	8
All other and late effects of cerebrovascular diseases (430,433,435-438)	2,267	965	753	617	2,669	1,119
Atherosclerosis (440)	330	119	136	92	365	213
Other diseases of arteries, arterioles, and capillaries (441-448)	685	292	166	170	539	235
Acute bronchitis and bronchiolitis (466)	22	5	2	4	17	2
Pneumonia and influenza (480-487)	1,732	834	431	442	2,145	823
Pneumonia (480-486)	1,702	829	424	435	2,120	617
Influenza (487)	30	5	7	7	25	6
Chronic obstructive pulmonary diseases and allied conditions (490-496)	2,078	974	555	517	2,013	932
Bronchitis, chronic and unspecified (490-491)	77	24	16	18	77	36
Emphysema (492)	387	164	131	61	433	124
Asthma (493)	89	41	36	22	132	59
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	1,525	745	372	416	1,371	713
Ulcer of stomach and duodenum (531-533)	151	63	37	31	177	40
Appendicitis (540-543)	12	4	-	1	7	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	161	65	34	37	91	61
Chronic liver disease and cirrhosis (571)	654	242	131	160	805	220
Cholelithiasis and other disorders of gallbladder (574-575)	61	30	15	12	52	25
Nephritis, nephrotic syndrome, and nephrosis (580-589)	757	362	94	163	326	136
Acute glomerulonephritis and nephrotic syndrome (580-581)	6	2	1	2	9	3
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	28	12	12	3	30	18
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	723	348	81	158	287	115
Infections of kidney (590)	16	8	5	1	34	11
Hyperplasia of prostate (600)	6	1	3	5	12	3
Complications of pregnancy, childbirth, and the puerperium (630-676)	8	1	-	1	10	2
Pregnancy with abortive outcome (630-638)	1	-	-	-	4	1
Other complications of pregnancy, childbirth, and the puerperium (640-676)	7	1	-	1	6	1
Congenital anomalies (740-759)	291	97	73	69	241	113
Certain conditions originating in the perinatal period (760-779)	515	136	58	76	272	82
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	82	29	8	10	44	3
Other conditions originating in the perinatal period (760-766,770-779)	433	107	50	66	228	79
Symptoms, signs, and ill-defined conditions (780-799)	905	143	281	67	284	151
All other diseases (Residual)	4,870	2,066	1,224	1,150	3,933	1,733
Accidents and adverse effects (E800-E949)	2,042	702	523	343	1,758	730
Motor vehicle accidents (E810-E825)	696	254	191	152	692	289
All other accidents and adverse effects (E800-E807,E826-E949)	1,346	448	332	191	1,066	441
Suicide (E950-E959)	616	260	218	119	751	369
Homicide and legal intervention (E960-E978)	614	118	88	42	616	193
All other external causes (E980-E999)	115	33	25	99	81	58

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 539

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992

(Page 1 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cul- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of digest- ive organs and pancre- um (150- 159)	Malign- ant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
United States	2,175,613	1,705	91	62,822	520,578	122,873	151,269	43,365	60,050	21,643	19,272	102,106	50,067	913,908	717,706	5,702	24,345	480,051	207,608
Urban places	1,219,297	1,193	56	44,823	284,535	68,693	81,223	24,612	32,801	11,427	10,342	55,437	28,178	506,425	397,975	3,230	15,715	264,118	114,912
Balance of area	956,316	512	35	17,999	236,043	54,180	70,046	18,753	27,249	10,216	8,930	46,669	21,889	407,483	319,731	2,472	8,630	215,933	92,696
Metropolitan counties	1,614,156	1,355	66	54,178	389,945	92,884	112,514	33,527	44,179	16,057	14,301	76,483	36,936	667,785	527,338	4,441	19,768	351,861	151,268
Urban places	1,104,940	1,113	48	42,835	258,990	62,773	73,847	22,490	29,698	10,354	9,377	50,451	25,506	456,046	359,581	2,881	14,671	238,709	103,220
Balance of area	509,216	242	18	11,343	130,955	30,111	38,667	11,037	14,481	5,703	4,924	26,032	11,430	211,739	167,757	1,460	5,097	113,152	48,048
Nonmetropolitan counties	561,457	350	25	8,644	130,633	29,989	38,755	9,838	15,871	5,586	4,971	25,623	13,131	246,123	180,368	1,261	4,577	128,190	56,340
Urban places	114,357	80	8	1,988	25,545	5,920	7,376	2,122	3,103	1,073	965	4,986	2,672	50,379	38,394	249	1,044	25,409	11,692
Balance of area	447,100	270	17	6,656	105,088	24,069	31,379	7,716	12,768	4,513	4,006	20,637	10,459	195,744	151,974	1,012	3,533	102,781	44,648
Alabama	39,352	45	3	805	9,043	1,848	2,802	665	1,003	294	335	2,096	852	16,513	12,896	74	447	6,723	5,652
Urban places	17,345	20	2	428	4,025	892	1,159	310	493	131	144	896	418	7,084	5,457	29	267	2,733	2,428
Balance of area	22,007	25	1	377	5,018	956	1,643	355	510	163	191	1,200	434	9,429	7,439	45	180	3,990	3,224
Metropolitan counties	25,355	29	2	553	5,557	1,236	1,835	462	653	204	222	1,345	540	10,259	7,981	53	331	4,182	3,415
Urban places	14,454	15	2	365	3,400	769	987	269	410	119	118	728	340	5,785	4,423	24	236	2,208	1,955
Balance of area	10,801	14	-	188	2,557	467	848	193	243	85	104	617	200	4,474	3,558	29	95	1,974	1,460
Nonmetropolitan counties	13,997	16	1	252	3,086	612	967	203	350	90	113	751	312	6,254	4,915	21	116	2,541	2,237
Urban places	2,891	5	-	63	625	123	172	41	83	12	26	168	78	1,299	1,034	5	31	525	473
Balance of area	11,106	11	1	189	2,461	489	795	162	267	78	87	583	234	4,955	3,881	16	85	2,016	1,764
Autauga	310	-	-	6	75	21	18	3	13	2	3	15	7	138	114	1	1	67	45
Prattville, part	192	-	-	5	51	17	14	2	7	1	2	8	3	83	69	1	-	36	32
Prattville, total	194	-	-	5	51	17	14	2	7	1	2	8	3	84	70	1	-	37	32
Balance of county	118	-	-	1	24	4	4	1	6	1	1	7	4	55	45	-	1	31	13
Baldwin	977	2	-	15	266	56	85	23	29	12	15	46	25	407	313	7	15	167	124
Barbour	277	-	-	3	61	14	19	2	4	1	3	18	7	115	94	1	3	28	62
Eufaula	144	-	-	3	30	6	8	1	2	1	1	11	5	56	45	-	1	11	33
Balance of county	193	-	-	-	31	8	11	1	2	-	2	7	2	59	49	1	2	17	29
Bibb	171	-	-	7	35	3	10	3	1	-	2	16	3	87	66	2	3	32	29
Blount	385	-	-	10	102	26	38	4	8	1	2	23	7	148	115	1	3	64	47
Bullock	152	-	-	5	23	6	6	-	4	1	1	5	7	67	56	-	5	32	19
Butler	266	-	-	4	54	13	10	3	10	2	-	16	5	130	109	-	5	53	56
Calhoun	1,120	-	-	28	278	30	66	14	24	6	7	131	16	477	395	2	5	223	165
Anniston	403	-	-	11	95	12	22	6	7	1	1	46	12	151	120	1	1	56	62
Balance of county	717	-	-	17	183	18	44	8	17	5	6	85	4	326	275	1	4	167	103
Chambers	455	1	-	4	100	19	26	10	13	3	4	25	16	210	152	1	2	64	85
Cherokee	228	1	-	3	41	5	11	3	6	4	1	11	6	111	93	-	2	40	53
Chilton	325	-	-	8	81	16	33	3	4	-	4	21	2	129	95	-	-	61	34
Choctaw	165	-	-	2	37	8	8	5	4	1	2	9	3	80	64	-	-	39	25
Clarke	275	-	-	2	61	10	16	7	8	3	1	16	2	118	95	1	1	54	39
Clay	161	-	-	3	36	7	8	1	7	-	-	13	2	71	57	-	-	34	23
Cleburne	123	-	-	2	20	5	5	-	-	-	1	9	3	71	50	-	-	25	25
Coffee	394	-	-	9	95	18	35	3	16	2	4	17	14	151	110	-	2	68	40
Enterprise, part	174	-	-	6	40	6	17	-	7	1	1	8	5	63	47	-	2	27	18
Enterprise, total	174	-	-	6	40	6	17	-	7	1	1	8	5	63	47	-	2	27	18
Balance of county	220	-	-	3	55	12	18	3	9	1	3	9	9	88	63	-	-	41	22
Colbert	555	-	-	11	125	22	47	12	12	6	3	23	6	247	199	-	3	140	56
Sheffield	121	-	-	2	38	8	12	5	3	1	1	8	2	44	33	-	3	23	10
Balance of county	434	-	-	9	87	14	35	7	9	5	2	15	4	203	166	-	3	117	46
Conecuh	201	-	-	3	53	15	13	2	6	4	2	11	7	84	71	-	2	47	22
Coosa	112	-	-	-	26	5	11	4	2	-	1	3	1	52	42	-	2	27	13
Covington	440	-	-	5	110	20	36	8	14	-	5	27	10	191	151	1	-	84	66
Andalusia	119	-	-	4	32	2	10	3	8	-	1	8	2	56	45	-	-	21	24
Balance of county	321	-	-	1	78	18	28	5	6	-	4	19	8	135	106	1	-	63	42
Crenshaw	166	1	-	4	31	6	17	2	1	1	-	4	3	74	60	-	-	28	32
Cullman	683	1	-	10	164	30	61	9	19	4	6	33	11	256	194	2	5	100	87
Cullman	206	-	-	4	41	8	16	3	4	1	1	8	4	87	63	1	1	30	31
Balance of county	477	1	-	6	123	22	45	6	15	3	7	25	7	169	131	1	4	70	56
Dale	358	-	-	10	91	17	30	8	6	5	3	22	8	138	111	2	6	69	34
Dothan, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enterprise, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ozark	161	-	-	6	37	8	13	4	1	2	1	8	6	66	50	2	3	31	14
Balance of county	197	-	-	4	54	9	17	4	5	3	2	14	2	72	61	-	3	38	20
Dallas	543	2	-	12	124	27	27	7	19	3	4	37	22	214	152	2	22	60	68
Selma	340	1	-	11	80	21	14	5	12	2	3	23	17	135	99	2	14	43	40
Balance of county	203	1	-	1	44	6	13	2	7	1	1	14	5	79	53	-	8	17	28
De Kalb	620	1	-	7	113	20	37	8	8	2	6	32	14	349					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 540

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 2 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
United States	10,265	143,769	16,831	25,337	75,719	91,938	6,128	25,263	22,162	318	12,491	15,730	23,430	207,608	40,982	45,795	30,484	25,488	2,906
Urban places	6,229	79,583	9,151	13,487	43,260	49,874	3,569	15,726	12,280	232	7,452	10,442	13,590	117,805	17,647	25,115	16,153	19,043	1,899
Balance of area	4,036	64,186	7,680	11,850	32,459	42,064	2,559	9,537	9,882	86	5,039	5,288	9,840	89,803	23,335	20,680	14,331	6,445	1,007
Metropolitan counties	7,766	102,757	11,667	18,257	55,460	66,820	4,556	19,977	15,974	269	9,742	12,931	17,540	153,460	27,093	32,925	22,889	21,832	2,423
Urban places	5,669	70,708	8,042	12,046	38,887	44,555	3,263	14,531	11,003	222	6,831	9,793	12,346	105,678	15,683	22,744	14,833	18,220	1,803
Balance of area	2,097	32,049	3,625	6,211	16,573	22,265	1,293	5,446	4,971	47	2,911	3,138	5,194	47,782	11,400	10,181	8,058	3,612	620
Nonmetropolitan counties	2,499	41,012	5,164	7,080	20,259	25,118	1,572	5,286	6,188	49	2,749	2,789	5,890	54,148	13,889	12,870	7,595	3,653	483
Urban places	560	8,875	1,109	1,441	4,373	5,319	306	1,195	1,277	10	621	649	1,244	12,127	1,954	2,371	1,320	823	96
Balance of area	1,939	32,137	4,055	5,639	15,886	19,799	1,266	4,091	4,911	39	2,128	2,150	4,646	42,021	11,935	10,499	6,275	2,833	397
Alabama	189	2,756	244	428	1,159	1,456	95	380	543	5	190	322	1,017	3,752	1,085	980	523	546	38
Urban places	101	1,227	124	175	513	599	46	180	249	3	88	168	445	1,772	344	389	205	350	17
Balance of area	88	1,529	120	253	646	857	49	200	294	2	102	154	572	1,980	741	591	318	196	21
Metropolitan counties	125	1,720	168	265	740	961	55	253	356	4	115	213	738	2,513	649	624	341	428	25
Urban places	86	1,030	111	135	435	506	34	150	205	3	71	142	395	1,500	282	323	168	317	16
Balance of area	39	690	57	130	305	455	21	103	151	1	44	71	343	1,013	367	301	173	111	9
Nonmetropolitan counties	64	1,036	76	163	419	495	40	127	187	1	75	109	279	1,239	436	356	182	118	13
Urban places	15	197	13	40	78	93	12	30	44	—	17	26	50	272	62	66	37	33	1
Balance of area	49	839	63	123	341	402	28	97	143	1	58	83	229	967	374	290	145	85	12
Autauga	1	20	—	3	10	8	—	3	4	—	—	2	5	34	7	8	3	—	—
Prattville, part	1	13	—	—	7	6	—	2	1	—	—	—	3	22	4	3	2	—	—
Prattville, total	1	13	—	—	7	6	—	2	1	—	—	—	3	23	4	3	2	—	—
Balance of county	—	7	—	3	3	2	—	1	3	—	—	2	2	12	3	5	1	—	—
Baldwin	4	67	12	11	16	36	2	10	7	—	2	10	3	100	24	27	17	8	—
Barbour	1	17	1	2	5	10	2	6	3	—	1	1	3	26	5	14	7	7	—
Eufaula	—	8	1	2	4	4	1	4	2	—	1	1	3	10	2	7	5	6	—
Balance of county	1	9	—	1	6	1	2	1	2	—	—	—	—	16	3	7	2	1	—
Bibb	1	19	—	1	2	5	1	—	—	—	4	—	3	12	3	6	1	1	—
Blount	1	30	1	1	8	15	1	2	7	—	1	2	2	44	9	13	8	6	—
Bullock	2	8	—	1	2	1	2	—	1	—	1	2	—	23	8	7	1	2	—
Butler	—	19	1	1	21	9	—	2	4	—	1	2	3	15	7	5	2	2	—
Calhoun	5	61	3	13	25	52	2	14	19	—	3	11	17	93	28	24	18	15	—
Anniston	2	22	2	5	7	20	1	7	9	—	3	6	7	41	6	11	5	11	—
Balance of county	3	39	1	8	18	32	1	7	10	—	—	5	10	52	22	13	13	4	—
Chambers	2	48	1	7	14	18	1	1	2	—	2	4	8	41	15	8	4	6	—
Cherokee	—	15	2	1	9	10	—	1	—	—	3	1	9	17	7	2	4	2	—
Chilton	—	28	2	4	8	17	—	4	6	—	—	4	7	33	8	13	4	3	—
Choctaw	—	10	2	4	3	2	—	2	5	—	3	2	4	11	4	5	—	2	—
Clarke	—	17	6	—	6	9	2	5	6	—	2	4	3	24	18	7	2	3	—
Clay	1	8	1	4	10	6	3	1	2	—	—	2	—	14	5	2	3	—	—
Cleburne	6	13	1	1	4	2	—	1	2	—	—	—	—	9	3	3	—	2	—
Coffee	4	30	2	5	9	25	1	1	7	—	—	3	2	31	22	16	4	2	—
Enterprise, part	3	9	1	3	4	14	—	—	5	—	1	2	1	14	10	6	1	2	—
Enterprise, total	3	9	1	3	4	14	—	—	5	—	1	2	1	14	10	6	1	2	—
Balance of county	1	21	1	2	5	11	1	1	2	—	—	1	1	17	12	10	3	—	—
Colbert	1	41	3	3	12	24	2	7	7	—	2	2	2	64	17	16	8	2	—
Sheffield	1	8	2	—	4	4	—	2	2	—	1	—	—	15	3	2	1	1	—
Balance of county	—	33	1	3	8	20	2	5	5	—	—	2	2	49	14	14	7	1	—
Concuh	1	9	1	2	4	3	—	2	1	—	—	2	6	15	6	8	2	5	—
Coosa	1	6	—	3	3	8	—	1	2	—	—	—	—	5	8	3	1	—	—
Covington	2	34	1	3	21	18	1	2	7	—	—	2	3	44	6	10	6	2	—
Andalusia	1	9	—	1	3	5	1	—	1	—	2	1	1	8	2	2	—	1	—
Balance of county	1	25	1	2	18	13	—	2	6	—	2	1	2	36	4	8	6	1	—
Crenshaw	—	14	—	—	11	7	—	2	2	—	1	—	3	12	6	3	4	2	—
Cullman	1	45	6	10	13	32	2	5	9	—	6	4	56	64	16	14	15	5	—
Balance of county	—	17	2	5	6	10	2	—	3	—	1	—	16	20	4	4	4	—	—
Dale	2	18	4	3	15	22	—	2	8	—	5	4	40	44	12	10	11	5	—
Dothan, part	—	—	—	—	—	—	—	—	—	—	—	2	4	35	7	8	4	3	—
Enterprise, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ozark	1	11	4	—	7	9	—	1	2	—	1	1	—	18	2	1	1	—	—
Balance of county	1	7	—	3	8	13	—	1	6	—	—	—	—	5	6	3	2	—	—
Dallas	10	45	2	5	13	23	1	5	8	—	1	1	7	60	16	19	8	7	—
Selma	6	26	—	4	10	11	1	4	5	—	1	—	5	37	6	8	4	4	—
Balance of county	4	19	2	1	3	12	—	1	3	—	—	1	2	23	10	11	4	3	—
De Kalb	1	37	9	7	17	10	1	2	5	—	1	3	3	41	21	18	10	4	—
Fort Payne	—	14	4	5	4	3	—	1	3	—	—	—	—	16	3	4	1	—	—
Balance of county	1	23	5	2	13	7	1	1	2	—	—	—	—	25	18	14	9	4	—
Elmore	—	37	1	7	10	18	—	2	7	—	1	2	5	38	15	16	7	8	—
Prattville, part	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Balance of county	—	37	1	7	10	18	—	2	7	—	1	2	5	37	15	16	7	8	—
Escambia	4	28	—	8	15	13	—	4	5	—									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 541

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 3 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cul- osis (010- 018)	Syph- illis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- poeitic tissues (140-208)	Malignant neoplasms of dige- stive organs and perito- neum (150- 159)	Malign- ant neoplasms of respi- ratory and intra- tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of unary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 148, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Alabama—Con.																				
Houston	726	-	-	15	190	48	58	15	17	6	5	41	12	312	230	3	10	131	86	
Dothan, part	482	-	-	12	128	33	40	10	10	3	3	29	9	201	151	1	6	87	57	
Dothan, total	482	-	-	12	128	33	40	10	10	3	3	29	9	201	151	1	6	87	57	
Balance of county	244	-	-	3	62	15	18	5	7	3	2	12	3	111	79	2	4	44	29	
Jackson	470	-	-	5	105	20	39	8	7	3	5	23	9	220	171	1	2	108	60	
Scottsboro	140	-	-	1	35	10	6	3	4	-	4	8	3	65	50	1	-	34	15	
Balance of county	330	-	-	4	70	10	33	5	3	3	1	15	6	155	121	-	2	74	45	
Jefferson	6,900	16	-	165	1,540	337	468	106	177	55	65	332	163	2,648	1,983	14	92	989	888	
Bessemer	492	2	-	12	113	21	21	8	20	4	6	33	9	181	137	1	7	63	66	
Blmingham	3,329	7	-	86	710	168	204	50	94	25	25	144	89	1,244	907	7	57	385	458	
Fairfield	175	-	-	3	37	9	11	1	6	1	2	7	2	75	63	1	6	18	38	
Homewood	173	-	-	6	45	12	13	4	3	1	4	8	1	58	44	1	-	27	16	
Hoover, part	184	-	-	3	53	7	14	5	7	2	2	16	5	80	57	1	1	41	14	
Hoover, total	197	-	-	3	55	7	14	5	8	3	2	16	5	85	60	1	1	44	14	
Hueytown	158	-	-	4	46	11	17	3	5	1	-	9	2	55	41	-	1	26	14	
Mountain Brook	147	1	-	2	39	8	13	3	4	2	1	8	1	55	38	-	1	18	19	
Vestavia Hills	171	-	-	5	48	15	13	3	5	1	2	9	2	61	48	-	-	31	17	
Balance of county	2,071	6	-	44	449	86	162	29	33	18	23	98	52	839	648	3	19	380	246	
Lamar	183	-	-	5	37	16	8	3	4	1	-	5	3	96	82	-	1	39	42	
Lauderdale	773	-	-	9	182	30	41	17	14	6	7	67	9	345	268	2	3	107	156	
Florence	402	-	-	6	85	15	17	8	9	5	3	28	6	184	139	1	1	58	79	
Balance of county	371	-	-	3	97	15	24	9	5	1	4	39	3	161	129	1	2	49	77	
Lawrence	298	-	-	6	61	6	21	7	5	7	-	15	7	135	109	1	2	65	41	
Lee	575	1	-	15	124	15	38	4	15	5	6	41	14	246	201	-	5	132	64	
Auburn	144	-	-	5	29	3	7	1	4	1	3	10	3	62	48	-	2	28	18	
Opelika	219	-	-	4	50	-	5	11	2	7	2	1	22	89	75	-	2	53	20	
Phenix City, part	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Balance of county	210	1	-	6	45	7	20	1	4	2	2	9	3	95	78	-	1	51	26	
Limestone	460	1	-	11	119	23	45	8	9	2	6	26	11	199	156	1	1	78	76	
Athens	187	1	-	4	10	16	4	4	5	-	3	9	5	84	65	-	-	36	29	
Balance of county	273	-	-	7	72	13	29	4	2	3	17	6	115	91	1	1	42	47		
Lowndes	128	-	-	5	24	3	3	-	1	2	1	14	4	57	50	-	-	18	32	
Macon	302	1	-	6	73	17	25	5	15	2	-	4	9	8	125	97	-	1	76	
Tuskegee	146	-	-	3	36	8	15	2	7	-	-	4	5	56	41	-	1	30	10	
Balance of county	156	1	-	3	37	9	10	3	8	2	-	5	3	69	56	-	-	46	10	
Madison	1,669	2	1	35	396	94	119	38	42	13	18	72	39	752	636	1	14	293	328	
Huntsville	1,220	1	1	31	288	73	81	25	30	11	14	54	28	555	462	-	8	219	235	
Balance of county	449	1	-	4	108	21	38	13	12	2	4	18	11	197	174	1	6	74	93	
Marion	256	-	-	2	47	7	18	3	7	-	1	11	9	119	79	1	4	33	41	
Marion	323	1	-	8	77	15	22	3	10	9	3	15	6	130	106	-	2	61	43	
Marshall	790	3	-	17	189	47	63	12	18	2	6	41	16	353	288	-	6	140	142	
Albertville	200	2	-	5	49	12	14	4	5	-	1	13	5	87	74	-	2	35	37	
Balance of county	590	1	-	12	140	35	49	8	13	2	5	28	11	266	214	-	4	105	105	
Mobile	3,348	2	-	87	823	167	278	68	101	24	31	154	79	1,312	1,018	5	70	519	424	
Mobile	1,978	1	-	56	476	99	160	40	60	15	17	85	52	801	616	3	49	306	258	
Pritchard	390	-	-	11	94	20	28	7	13	3	1	22	10	136	109	-	10	51	48	
Balance of county	980	1	-	20	253	48	90	21	28	6	13	47	17	375	293	2	11	162	118	
Monroe	221	-	-	5	56	9	17	6	5	5	1	13	3	83	63	-	1	37	25	
Montgomery	1,850	-	-	55	456	106	119	36	66	18	13	98	53	703	510	3	60	255	192	
Montgomery	1,712	-	-	54	419	100	107	34	64	15	13	86	50	655	474	3	58	236	177	
Balance of county	138	-	-	1	37	6	12	2	2	3	-	12	3	48	36	-	2	19	15	
Morgan	885	-	-	7	191	37	57	16	25	4	6	46	7	386	311	1	3	193	114	
Decatur	452	-	-	4	109	20	34	6	16	1	4	28	4	190	151	-	2	93	56	
Balance of county	433	-	-	3	82	17	23	10	9	3	2	18	3	196	160	1	1	100	58	
Perry	136	-	-	2	18	3	4	1	4	-	1	5	3	52	38	1	3	17	17	
Pickens	232	-	-	5	52	18	10	2	8	2	3	9	3	106	91	-	1	38	52	
Pike	297	-	-	4	73	14	18	2	11	2	5	21	3	137	115	-	2	48	65	
Troy	142	-	-	2	24	4	6	-	3	-	2	9	1	72	63	-	1	21	30	
Balance of county	155	-	-	2	49	10	12	2	8	2	3	12	2	65	52	-	1	27	35	
Randolph	248	1	-	3	37	8	12	8	2	-	-	7	5	127	85	-	1	50	34	
Russell	489	1	1	7	101	24	39	5	13	1	1	18	6	185	124	-	2	90	32	
Phenix City, part	341	-	1	5	66	15	29	3	5	1	1	12	2	142	96	-	2	70	24	
Phenix City, total	343	-	1	5	66	15	29	3	5	1	1	12	2	142	96	-	2	70	24	
Balance of county	146	1	-	2	35	9	10	2	8	-	-	6	4	43	28	-	-	20	8	
St. Clair	451	1	-	5	118	21	46	4	8	2	6	31	9	170	153	1	3	94	55	
Shelby	654	1	-	11	121	23	36	8	13	3	10	28	11	204	147	2	-	71	74	
Hoover, part	13	-	-	-	2	-	-	-	1	1	-	-	-	5	3	-	-	3	3	
Balance of county	641	1	-	11	119	23	36	8	12	2	10	28	11	199	144	2	-	68	74	
Sumter	170	-	1	4	38	6	13	2	3	1	1	12	3	65	50	-	5	24	21	
Talladega	737	-	-	15	170	33	43	15	15	7	6	51	10	347	289	-	5	144	140	
Sylacauga	179	-	-	3	27	8	5	2	-	-										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 542

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 4 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneu-monia and in-fluenza (480-487)	Chronic obstruc-tive pulmo-nary diseases and allied conditions (490-496)	Ulcer of stomach and duo-denum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, nephrotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (650-676)	Congen-ital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symp-toms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E978)	All other external causes (E980-E999)
Alabama—Con.																			
Houston	2	47	20	13	16	40	1	4	6	-	2	2	11	72	13	15	7	7	1
Dothan, part	1	28	13	8	8	26	1	1	4	-	2	2	8	52	9	8	7	3	1
Dothan, total	1	28	13	8	8	26	1	1	4	-	2	2	8	52	9	8	7	3	1
Balance of county	1	19	7	5	8	14	-	3	2	-	-	-	3	20	4	7	-	4	-
Jackson	-	40	3	6	13	13	1	9	11	-	2	2	8	43	8	11	7	2	1
Scottsboro	-	10	1	4	3	5	1	1	5	-	1	2	1	10	3	2	2	-	-
Balance of county	-	30	2	2	10	8	-	8	6	-	1	-	7	33	5	9	5	2	1
Jefferson	52	504	41	68	285	225	18	71	103	2	22	48	262	785	147	184	85	177	3
Bessemer	4	34	2	4	14	16	-	7	7	-	2	5	12	52	11	18	7	24	-
Birmingham	31	244	29	33	100	90	11	39	60	2	11	33	167	381	58	83	33	123	2
Fairfield	-	11	-	1	13	3	-	1	4	-	-	1	5	14	-	9	3	5	-
Homewood	1	10	1	2	8	8	1	1	2	-	1	-	4	19	5	7	4	3	-
Hoover, part	1	20	-	2	3	7	2	-	-	-	-	1	3	16	6	2	3	-	-
Hoover, total	2	20	-	3	3	8	2	-	-	-	-	1	5	16	6	4	4	-	-
Hueytown	1	11	1	1	6	5	-	2	3	-	-	2	4	20	4	3	2	-	-
Mountain Brook	1	14	1	1	6	4	1	-	-	-	-	-	7	19	4	4	3	-	-
Vestavia Hills	-	12	-	1	9	7	-	1	2	-	-	-	5	19	2	6	3	1	-
Balance of county	13	148	7	23	76	86	3	19	25	-	8	6	55	245	57	52	27	21	1
Lamar	1	11	1	1	5	5	2	-	1	-	-	-	5	14	8	2	-	-	-
Lauderdale	4	56	7	10	15	36	1	11	10	-	2	4	13	72	23	24	11	6	-
Florence	3	34	4	4	10	20	-	7	7	-	1	1	7	42	6	12	5	3	-
Balance of county	1	22	3	6	5	16	1	4	3	-	1	3	6	30	17	12	6	3	-
Lawrence	1	20	3	2	4	13	-	2	10	-	1	1	18	17	7	8	8	-	-
Lee	-	35	4	6	15	14	1	5	14	-	4	14	11	59	10	15	8	5	-
Auburn	-	10	1	3	7	2	1	1	5	-	1	3	3	16	3	3	-	-	-
Opelika	-	11	2	1	4	5	-	2	3	-	1	5	6	24	2	5	6	5	-
Phenix City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Balance of county	-	14	1	2	4	7	-	2	6	-	2	6	2	18	5	6	2	-	-
Limestone	2	38	2	6	5	20	-	2	1	-	1	3	3	36	25	11	11	1	-
Athens	1	17	-	1	2	5	-	2	1	-	1	1	-	19	8	5	3	-	-
Balance of county	1	16	2	5	3	15	-	1	-	-	2	3	17	17	6	8	2	1	-
Lowndes	1	5	-	1	4	3	-	1	1	-	-	1	4	10	7	4	2	1	-
Macon	2	22	1	3	10	3	1	3	4	-	1	3	7	26	5	10	4	11	-
Tuskegee	1	12	-	2	4	1	2	2	2	-	1	2	1	14	1	7	1	9	-
Balance of county	1	10	1	1	6	2	1	2	1	-	1	6	12	4	3	3	2	2	-
Madison	3	93	4	16	40	63	2	19	26	-	7	14	20	143	35	32	21	19	3
Huntsville	2	72	4	15	27	49	2	12	18	-	5	10	14	110	19	22	10	17	1
Balance of county	1	21	-	1	13	14	-	7	8	-	2	4	6	33	16	10	11	2	2
Marengo	1	30	3	6	8	12	-	3	6	-	2	2	6	26	3	9	2	-	-
Marion	-	19	-	5	12	16	2	6	8	-	2	2	2	24	15	10	1	1	-
Marshall	1	53	1	10	20	30	3	4	11	-	5	3	13	77	21	14	8	3	-
Albertville	-	12	-	1	4	5	1	2	3	-	3	1	5	19	4	4	1	-	-
Balance of county	1	41	1	9	16	25	2	2	8	-	2	2	8	58	17	10	7	3	-
Mobile	20	196	34	44	89	120	7	35	35	1	30	41	42	330	109	83	29	88	6
Mobile	12	129	22	22	60	63	5	20	25	-	15	23	29	204	49	35	18	42	4
Prichard	2	19	2	4	11	10	-	4	3	1	5	10	3	38	14	10	5	25	-
Balance of county	6	48	10	18	18	47	2	11	7	-	10	8	10	88	46	38	6	21	2
Monroe	1	15	2	2	9	11	1	4	1	-	2	5	11	13	5	6	2	3	1
Montgomery	12	161	4	16	45	66	5	22	26	-	11	27	47	206	35	37	22	31	3
Montgomery	11	153	4	13	44	60	5	18	24	-	9	27	37	190	32	34	21	30	3
Balance of county	1	8	-	3	1	6	-	4	2	-	2	-	10	16	3	3	1	1	-
Morgan	-	62	4	9	41	30	6	5	14	-	1	7	73	53	20	19	19	6	-
Decatur	-	31	2	6	20	15	3	3	8	-	1	3	35	23	10	10	11	3	-
Balance of county	-	31	2	3	21	15	3	2	6	-	-	4	38	30	10	9	8	3	-
Perry	-	14	-	-	4	4	-	3	4	-	1	1	10	26	2	6	-	-	-
Pickens	1	10	2	2	14	5	1	3	3	-	1	2	6	16	9	2	-	2	2
Pike	-	17	1	4	8	6	-	4	3	-	3	6	4	34	5	5	-	1	1
Troy	-	8	-	1	6	4	-	1	1	-	2	3	1	22	2	1	-	-	-
Balance of county	-	9	1	3	2	2	-	3	2	-	1	3	3	12	3	4	-	1	1
Randolph	-	37	-	5	10	3	1	4	1	-	2	1	7	18	10	6	8	4	-
Russell	2	52	4	3	14	21	2	1	9	-	6	3	41	48	13	11	7	12	-
Phenix City, part	1	41	3	1	10	17	1	1	5	-	6	3	18	37	7	8	5	7	-
Phenix City, total	1	41	3	1	10	17	1	1	5	-	6	3	18	38	7	9	5	7	-
Balance of county	1	11	1	2	4	4	1	-	4	-	-	-	23	11	6	2	5	-	-
St. Clair	1	10	-	6	17	18	1	2	7	-	6	3	4	39	27	9	9	5	1
Shelby	3	36	2	16	17	30	2	6	9	-	6	8	112	49	26	18	18	5	-
Hoover, part	1	-	-	1	-	1	-	-	-	-	-	-	2	-	2	1	-	-	-
Balance of county	2	36	2	15	17	29	2	6	9	-	6	8	110	49	26	16	17	5	-
Sumter	1	13	1	-	8	6	-	2	6	-	8	110	49	26	16	17	5	3	-
Talladega	1	48	2	7	23	26	3	10	6	-	5	8	11	47	21	10	13	11	1
Sylacauga	-	10	-	1	7	4	-	5	2	-	2	3	10	3	4	1	2	1	1
Talladega	1	11	-	2	7	9	2	3	4	-	2	2	2	18	5	1	2	3	-
Balance of county	-	27	2	4	9	13	1	2	4	-	3	4	6	19	13	5	10	6	-
Tallapoosa	3	36	2	7	11	19	1	4	9	-	2	1	11	39	14	11	9	2	-
Alexander City	2	13	1	4	3	6	1	2	4	-	1	-	2	14	4	2	6	1	-
Balance of county	1	23	1	3	8	13	-	2	5	-	1	-	9	25	10	9	3	1	-
Tuscaloosa	5	78	10	10	37	38	1	16	16</										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 543

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 5 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of diges- tive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malignant neo- plasm of breast (174- 175)	Malignant neo- plasm of genital organs (179- 187)	Malignant neo- plasm of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neo- plasm (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Alabama—Con.																				
Walker	760	-	-	10	161	35	60	7	13	4	5	37	16	328	272	2	2	136	132	
Jasper	169	-	-	2	34	11	16	1	3	-	-	3	1	71	57	-	1	25	31	
Balance of county	591	-	-	8	127	24	44	6	10	4	5	34	15	257	215	2	1	111	101	
Washington	169	-	-	1	44	6	15	3	3	3	2	12	5	69	54	-	3	45	6	
Wilcox	147	-	-	2	26	5	7	4	3	-	-	7	1	81	53	-	2	37	14	
Winston	237	-	-	5	50	8	16	6	4	2	3	11	3	97	82	-	-	51	31	
Alaska	2,303	2	-	41	518	120	150	45	57	24	16	106	47	660	518	12	10	333	163	
Urban places	1,227	-	-	30	310	75	83	30	36	12	10	64	28	368	288	6	7	179	96	
Balance of area	1,076	2	-	11	208	45	67	15	21	12	6	42	19	292	230	6	3	154	67	
Metropolitan census areas 2	889	-	-	21	230	58	60	24	20	9	7	52	23	245	192	3	6	118	65	
Urban places	889	-	-	21	230	58	60	24	20	9	7	52	23	245	192	3	6	118	65	
Balance of area	
Nonmetropolitan census areas 2	1,414	2	-	20	288	82	90	21	37	15	9	54	24	415	326	9	4	215	98	
Urban places	338	-	-	9	80	17	23	6	16	3	3	12	5	123	96	3	1	61	31	
Balance of area	1,076	2	-	11	208	45	67	15	21	12	6	42	19	292	230	6	3	154	67	
Aleutian Islands	17	-	-	-	1	1	-	-	-	-	-	-	-	2	7	6	-	5	1	
Anchorage, coext. with Anchorage city	889	-	-	21	230	58	60	24	20	9	7	52	23	245	192	3	6	118	65	
Bethel	75	1	-	1	12	4	3	1	1	-	-	3	-	14	11	-	-	5	6	
Bristol Bay borough	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	
Dillingham	36	1	-	1	7	1	2	-	1	-	-	2	1	5	4	-	-	3	1	
Fairbanks North Star borough	255	-	-	5	55	13	15	7	10	2	2	6	4	93	77	3	-	51	23	
Fairbanks	210	-	-	5	47	11	12	5	10	1	2	6	4	79	64	3	-	42	19	
Balance of area	45	-	-	-	8	2	3	2	1	-	-	-	-	14	13	-	-	9	4	
Haines borough	12	-	-	-	2	-	1	-	1	-	-	-	-	3	2	-	-	2	-	
Juneau, coext. with Juneau city	128	-	-	4	33	6	11	5	6	2	1	6	1	44	32	-	1	19	12	
Kenai Peninsula borough	168	-	-	-	37	4	17	1	5	2	-	4	3	50	41	2	-	31	8	
Ketchikan Gateway borough	67	-	-	1	14	3	2	1	5	-	2	1	1	27	21	1	-	15	5	
Kobuk	47	-	-	2	4	2	-	1	-	-	-	-	-	9	6	-	-	4	2	
Kodiak Island borough	53	-	-	1	9	2	4	2	1	-	1	-	1	13	13	-	1	5	7	
Metanuska-Susitna borough	174	-	-	3	41	6	11	2	5	2	2	19	2	55	42	-	-	25	17	
Nome	53	-	-	-	12	7	2	-	-	-	-	3	-	15	13	1	-	11	1	
North Slope borough	28	-	-	-	9	1	3	-	2	1	-	-	-	1	1	-	-	1	-	
Prince of Wales- Outer Ketchikan	35	-	-	-	4	-	2	-	-	-	1	1	1	5	3	-	-	3	-	
Sitka borough	48	-	-	1	10	3	2	-	-	-	-	5	1	16	11	1	-	9	1	
Skagway-Yakutat-Angoon	18	-	-	-	4	1	2	-	1	-	-	-	-	6	5	-	-	4	1	
Southeast Fairbanks	29	-	-	-	4	-	-	-	-	-	-	-	-	6	5	1	-	2	2	
Valdez-Cordova	38	-	-	1	11	3	5	1	-	-	-	2	2	11	9	-	1	6	2	
Wade Hampton	34	-	-	-	5	-	2	1	-	1	-	1	-	5	5	-	-	1	2	
Wrangell-Petersburg	43	-	-	-	5	1	3	-	-	-	1	-	3	17	11	-	1	8	2	
Yukon-Koyukuk	52	-	-	-	9	-	3	-	1	2	-	3	2	12	7	-	-	3	4	
Arizona	31,055	33	2	788	7,444	1,611	2,182	565	858	305	335	1,590	659	11,835	9,315	86	184	6,297	2,748	
Urban places	19,630	22	2	508	4,616	1,002	1,364	367	519	185	201	978	393	7,468	5,842	50	121	3,992	1,679	
Balance of area	11,425	11	-	280	2,828	609	818	198	337	120	134	612	266	4,367	3,473	36	63	2,305	1,069	
Metropolitan counties	24,098	21	1	648	5,821	1,297	1,707	465	658	222	257	1,215	488	9,314	7,340	71	151	5,010	2,108	
Urban places	18,174	19	1	547	4,269	948	1,259	344	474	171	181	892	365	6,880	5,378	45	114	3,696	1,523	
Balance of area	5,924	2	-	101	1,552	349	448	121	184	51	76	323	123	2,434	1,962	26	37	1,314	595	
Nonmetropolitan counties	6,957	12	1	120	1,623	314	475	100	198	83	78	375	171	2,521	1,975	15	33	1,237	640	
Urban places	1,458	3	1	21	347	54	105	23	45	14	20	86	28	588	464	5	7	286	156	
Balance of area	5,501	9	-	99	1,276	260	370	77	153	69	58	289	143	1,933	1,511	10	26	991	484	
Apache	407	2	-	7	54	20	3	5	8	3	3	12	16	103	79	2	3	31	43	
Cochise	814	-	-	11	208	33	69	11	31	10	8	46	24	316	247	1	1	152	93	
Douglas	140	-	-	3	30	6	8	1	6	-	-	9	3	61	48	-	-	26	22	
Sierra Vista	186	-	-	1	48	7	16	3	5	1	4	12	4	68	55	-	-	31	24	
Balance of county	488	-	-	7	130	20	45	7	20	9	4	25	17	187	144	1	1	95	47	
Cocconino	443	2	-	10	87	25	15	6	8	3	6	24	12	135	108	1	1	59	47	
Flagstaff	177	1	-	3	38	8	7	3	3	2	3	12	4	61	49	1	1	27	20	
Balance of county	266	1	-	7	49	17	8	3	5	1	3	12	8	74	59	-	-	32	27	
Gila	494	-	-	9	108	23	33	4	11	7	5	25	16	199	156	1	1	108	46	
Graham	237	-	-	5	51	16	11	2	5	3	3	11	5	100	77	-	8	46	23	
Greenlee	48	-	-	1	9	5	1	1	2	-	-	2	4	20	12	-	-	6	6	
Maricopa	17,194	14	1	465	4,176	921	1,226	333	470	149	179	898	337	6,627	5,224	48	91	3,687	1,398	
Chandler	388	-	-	10	80	17	31	3	4	3	5	17	11	139	106	1	2	64	39	
Glandale	1,066	2	-	20	258	59	78	24	24	10	13	50	19	410	333	2	3	231	97	
Mesa	2,256	1	-	51	552	111	162	41	68	19	22	129	35	890	692	6	7	507	172	
Paradise Valley	65	-	-	-	16	6	5	3	-	1	-	1	-	25	20	-	-	16	4	
Peoria	564	-	-	6	125	33	37	12	9	7	5	22	11	238	189	3	4	136	46	
Phoenix	7,342	10	-	279	1,686	364	505	135	191	67	60	364	166	2,646	2,067	11	44	1,443	569	
Scottsdale	1,338	-	-	30	385	89	109	29	43	15	16	84	17	528	425	4	7	307	107	
Tempe	698	-	1	19	152	36	33	20	20	1	13	29	12	278	211	3	6	149	53	
Balance of																				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 544

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 6 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-436)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Alabama—Con.																			
Walker	2	45	3	6	33	36	1	6	11	-	-	4	6	72	35	22	11	7	1
Jasper	1	11	-	2	9	8	-	2	3	-	-	-	1	20	5	4	6	3	-
Balance of county	1	34	3	4	24	28	1	4	8	-	-	4	5	52	30	18	5	4	1
Washington	-	13	-	2	4	3	-	1	2	-	1	6	3	9	9	5	5	2	-
Wilcox	4	21	1	2	2	4	-	1	1	-	-	1	2	14	7	3	2	-	-
Winston	1	12	1	1	4	12	1	-	4	-	-	3	4	35	10	7	-	1	1
Alaska																			
Urban places	2	64	4	10	18	48	2	28	7	-	17	17	41	121	45	81	44	20	2
Balance of area	3	44	5	10	29	41	1	22	5	-	17	12	25	93	64	168	46	21	-
Metropolitan census areas	2	44	2	5	12	37	2	20	3	-	14	13	28	94	35	57	37	16	2
Urban places	2	44	2	5	12	37	2	20	3	-	14	13	28	94	35	57	37	16	2
Balance of area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan census areas	3	64	7	15	35	52	1	30	9	-	20	16	38	120	74	192	53	25	-
Urban places	-	20	2	5	6	11	-	8	4	-	3	4	13	27	10	24	7	4	-
Balance of area	3	44	5	10	29	41	1	22	5	-	17	12	25	93	64	168	46	21	-
Aleutian Islands																			
Anchorage, coext. with Anchorage city	2	44	2	5	12	37	2	20	3	-	14	13	28	94	35	57	37	16	2
Bethel	-	3	-	-	7	1	-	2	-	-	3	2	1	5	2	18	6	-	-
Bristol Bay borough	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Dillingham	-	1	-	-	-	3	-	1	-	-	-	-	1	-	2	9	-	1	-
Fairbanks North Star borough	-	11	3	2	4	5	-	7	1	-	2	3	15	17	14	20	6	4	-
Fairbanks	-	11	2	2	4	5	-	4	1	-	1	3	12	16	7	15	3	4	-
Balance of area	-	-	1	-	-	-	-	3	-	-	1	3	1	7	1	5	3	2	-
Haines borough	-	1	-	-	-	-	-	-	-	-	-	-	3	1	7	5	3	-	-
Juneau, coext. with Juneau city	-	9	-	3	2	6	-	4	3	-	2	1	1	11	3	9	4	-	-
Kenai Peninsula borough	-	7	-	2	6	7	-	8	-	-	3	1	1	3	9	4	-	-	-
Ketchikan Gateway borough	2	3	1	-	-	1	-	-	-	-	1	1	13	9	21	5	4	-	-
Kobuk	-	3	-	-	2	1	-	-	-	-	1	1	7	2	7	4	1	-	-
Kodiak Island borough	-	-	-	3	3	3	-	1	-	-	1	1	3	4	16	7	2	-	-
Matanuska-Susitna borough	-	10	1	2	2	9	-	4	-	-	3	1	3	5	4	7	2	-	-
Nome	-	1	-	1	2	2	-	2	-	-	3	1	3	14	15	12	6	4	-
North Slope borough	-	1	-	-	-	3	-	-	-	-	1	1	-	8	1	7	3	-	-
Prince of Wales-Outer Ketchikan	-	1	-	1	1	2	-	-	-	-	-	-	-	1	1	8	-	3	-
Sitka borough	-	2	1	2	1	2	-	1	-	-	-	1	-	1	15	2	2	-	-
Skagway-Yakutat-Angoon	-	1	-	1	1	1	-	-	-	-	-	1	1	5	4	4	1	-	-
Southeast Fairbanks	-	1	-	-	-	-	-	-	-	-	-	1	2	2	3	7	2	-	-
Valdez-Cordova	-	2	-	1	-	-	-	1	-	-	-	1	2	4	3	2	-	-	-
Wade Hampton	-	-	-	-	2	2	-	-	-	-	2	2	1	5	2	2	-	-	-
Wrangell-Petersburg	1	4	-	1	-	1	-	-	2	-	1	1	1	2	11	2	-	-	-
Yukon-Koyukuk	-	4	1	-	-	3	1	-	-	-	1	-	1	6	1	5	1	-	-
Arizona																			
Urban places	68	1,168	177	213	670	1,072	48	268	256	1	152	168	163	2,100	441	505	411	281	25
Balance of area	32	656	82	124	400	624	31	188	127	-	60	45	117	1,138	355	321	242	87	18
Metropolitan counties	79	1,440	193	262	838	1,323	58	326	282	1	170	181	181	2,534	519	600	476	280	28
Urban places	63	1,086	154	199	627	1,003	43	254	225	1	147	159	147	1,945	401	475	375	268	23
Balance of area	16	354	39	63	209	320	15	72	57	-	23	22	34	589	118	125	101	22	5
Nonmetropolitan counties	21	384	66	75	234	373	21	130	101	-	42	32	99	704	277	226	177	78	15
Urban places	5	82	23	14	43	69	5	14	31	-	5	9	16	155	40	30	36	19	2
Balance of area	16	302	43	61	191	304	16	116	70	-	37	23	83	549	237	196	141	65	13
Apache																			
Cochise	-	20	1	3	18	5	1	12	5	-	9	3	14	62	45	31	8	8	4
Cochise	-	61	1	7	29	41	1	10	12	-	3	15	79	26	15	16	6	1	-
Douglas	-	12	-	1	6	3	-	1	3	-	-	-	4	17	3	2	2	-	-
Sierra Vista	-	12	-	1	5	9	1	3	6	-	-	1	2	22	8	3	3	2	-
Balance of county	-	37	1	5	18	29	-	6	3	-	1	2	9	40	15	10	11	2	1
Cocconino	-	22	2	3	19	14	2	7	4	-	4	5	6	58	26	17	8	1	-
Flagstaff	-	9	2	1	8	7	-	1	2	-	2	4	3	20	6	7	7	3	-
Balance of county	-	13	-	2	11	7	2	6	2	-	2	1	3	38	20	19	10	5	1
Gila	1	29	9	4	14	26	4	11	7	-	4	2	6	48	8	15	12	3	2
Graham	2	17	4	-	3	17	-	4	3	-	4	1	2	28	4	5	4	1	-
Greenlee	1	4	1	2	1	5	-	1	1	-	-	-	1	-	2	-	2	-	-
Maricopa																			
Chandler	52	1,050	115	186	593	942	41	221	203	1	130	136	133	1,838	349	419	329	219	15
Glendale	-	23	3	7	9	19	1	3	6	-	5	7	3	50	15	8	13	6	1
Mesa	2	61	4	10	35	60	2	16	11	-	16	9	5	109	35	25	19	15	-
Paradise Valley	7	157	18	16	96	134	4	23	30	-	13	18	25	236	45	44	44	14	1
Peoria	-	5	-	-	-	5	-	1	-	-	-	-	-	10	1	4	2	1	-
Phoenix	2	39	2	6	26	39	-	3	8	-	2	3	4	64	8	11	9	7	-
Scottsdale	27	419	52	81	251	389	20	114	79	1	66	72	68	819	159	205	153	149	10
Tempe	5	70	11	17	37	68	4	14	19	-	10	7	10	136	14	29	22	7	1
Balance of county	1	55	3	8	20	41	1	11	16	-	5	9	4	67	18	23	14	7	-
Mohave	6	69	32	15	41	87	3	28	14	-	2	5	16	99	46	24	37	18	3
Lake Havasu City	2	13	17	3	4	21	1	2	2	-	1	1	2	25	5	4	9	2	-
Balance of county	4	56	15	12	37	66	2	26	12	-	1	4	14	74	41	20	28	16	3
Navajo	-	30	2	6	25	24	-	10	10	-	9	7	13	62	53	32	20	2	-
Pima	22	936	73	63	214	325	16	96	67	-	35	40	40	607	133	154	129	63	11
Tucson	14	229	58	46	141	219	11	64	49	-	26	31	23	405	94	109	90	55	10
Balance of county	8	107	15	17	73	106	5	32	18	-	9	9	17	202	39	45	39	8	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 545

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 7 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and in- tra- tho- racic organs (160- 169)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (178- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 180- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (398- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Arizona—Con.																			
Pinal	1,068	3	1	26	266	57	69	19	28	20	11	62	29	349	266	-	6	174	86
Casa Grande	162	-	1	3	34	6	11	2	4	1	-	10	3	54	37	-	2	20	15
Balance of county	906	3	-	23	232	51	58	17	24	19	11	52	26	295	229	-	4	154	71
Santa Cruz	169	-	-	7	39	9	7	-	14	1	2	6	4	70	54	-	2	38	14
Nogales	106	-	-	3	24	4	5	-	8	1	2	4	3	44	36	-	2	27	7
Balance of county	63	-	-	4	15	5	2	-	6	-	-	2	1	26	18	-	-	11	7
Yavapai	1,420	-	-	15	360	54	103	27	57	17	16	86	19	579	486	6	9	327	144
Prescott	381	-	-	2	89	12	28	8	11	5	5	20	5	173	147	1	2	104	40
Balance of county	1,039	-	-	13	271	42	75	19	46	12	11	66	14	406	339	5	7	223	104
Yuma	921	1	-	13	222	43	71	23	22	7	15	41	22	362	285	2	9	196	78
Yuma	474	-	-	7	111	22	36	12	11	3	7	20	7	192	148	-	6	98	44
Balance of county	447	1	-	6	111	21	35	11	11	4	8	21	15	170	137	2	3	98	34
Arkansas	24,956	21	1	443	5,847	1,307	2,028	410	684	213	187	1,018	514	10,826	8,237	32	186	5,819	2,200
Urban places	9,851	14	1	210	2,276	549	751	179	251	82	75	389	219	4,075	3,070	11	83	2,113	663
Balance of area	15,105	7	-	233	3,571	758	1,277	231	433	131	112	629	295	6,751	5,167	21	103	3,706	1,337
Metropolitan counties	8,491	7	1	174	1,993	461	672	156	211	65	69	359	194	3,383	2,551	12	73	1,788	678
Urban places	6,077	7	1	129	1,434	352	455	123	156	50	48	250	142	2,402	1,809	7	54	1,256	492
Balance of area	2,414	-	-	45	559	109	217	33	55	15	21	109	52	981	742	5	19	532	186
Nonmetropolitan counties	16,465	14	-	269	3,854	846	1,356	254	473	148	118	659	320	7,443	5,686	20	113	4,031	1,522
Urban places	3,774	7	-	81	842	197	296	56	95	32	27	139	77	1,673	1,261	4	29	857	371
Balance of area	12,691	7	-	188	3,012	649	1,060	198	378	116	91	520	243	5,770	4,425	16	84	3,174	1,151
Arkansas	311	1	-	5	74	18	22	5	11	2	3	13	5	142	96	-	2	73	21
Stuttgart	142	-	-	2	35	7	12	3	6	-	1	6	3	69	47	-	2	39	6
Balance of county	169	1	-	3	39	11	10	2	5	2	2	7	2	73	49	-	-	34	15
Ashley	244	-	-	5	48	11	11	3	10	-	1	12	6	107	73	-	1	44	28
Baxter	490	-	-	5	130	23	48	16	18	2	3	20	11	218	160	2	2	118	38
Benlon	966	-	-	6	254	67	82	13	20	11	13	48	15	434	331	2	4	251	74
Rogers	272	-	-	2	60	14	17	4	5	5	5	10	5	121	89	-	1	68	20
Springdale, part	5	-	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	1	-
Balance of county	689	-	-	4	193	53	64	9	15	6	8	38	10	311	241	2	3	182	54
Boone	297	1	-	6	62	7	27	3	5	1	4	15	3	141	107	1	1	76	29
Bradley	198	-	-	4	39	10	13	3	5	2	1	5	3	107	79	-	-	70	9
Calhoun	71	-	-	-	13	2	5	2	1	-	-	3	3	36	29	-	-	20	9
Carroll	221	-	-	2	57	12	18	6	6	3	-	12	2	95	75	-	1	45	29
Chicot	185	-	-	4	30	6	5	1	7	2	-	9	2	69	54	-	-	41	13
Clark	255	-	-	4	56	13	21	1	3	3	1	14	1	129	97	-	3	63	31
Arkadelphia	105	-	-	2	25	6	8	1	-	1	-	9	1	52	36	-	2	27	7
Balance of county	150	-	-	2	31	7	13	-	3	2	1	5	-	77	61	-	1	36	24
Clay	266	-	-	2	64	16	18	2	9	3	2	14	6	126	102	-	1	81	20
Cleburne	248	-	-	1	58	11	26	2	8	1	1	9	4	135	76	1	3	39	33
Cleveland	92	-	-	1	28	6	10	2	3	-	2	5	3	37	28	-	1	24	3
Columbia	280	1	-	8	72	17	22	6	7	2	1	17	1	138	108	1	6	79	22
Magnolia	137	1	-	5	33	6	10	3	4	1	1	8	1	65	50	-	2	36	12
Balance of county	143	-	-	3	39	11	12	3	3	1	-	9	-	73	58	1	4	43	10
Conway	211	-	-	1	56	11	12	4	11	5	1	12	5	89	65	-	1	48	16
Craighead	633	1	-	16	149	26	62	5	17	7	2	30	7	279	208	1	2	132	73
Jonesboro	378	1	-	9	92	19	34	4	11	3	2	19	4	153	115	-	1	65	49
Balance of county	255	-	-	7	57	7	28	1	6	4	-	11	3	126	93	1	1	67	24
Crawford	376	-	-	5	93	24	32	7	9	3	2	16	9	160	141	-	1	129	11
Van Buren	154	-	-	2	35	13	7	2	3	3	1	6	4	68	61	-	1	53	7
Balance of county	222	-	-	3	58	11	25	5	6	-	1	10	5	92	80	-	-	76	4
Crittenden	471	-	-	9	101	19	37	11	14	2	1	17	12	199	157	-	6	107	44
West Memphis	278	-	-	6	66	12	21	9	10	-	-	14	7	111	93	-	4	63	26
Balance of county	193	-	-	3	35	7	16	2	4	2	1	3	5	88	64	-	2	44	18
Cross	206	-	-	6	46	9	18	4	4	2	3	6	5	98	74	1	1	57	15
Dallas	131	1	-	-	35	4	11	1	10	2	-	7	1	57	42	-	2	29	11
Desha	205	-	-	5	42	11	8	2	11	2	1	7	6	96	62	1	2	42	17
Drew	157	-	-	3	31	11	4	3	6	-	-	7	8	72	45	1	1	32	11
Faulkner	445	-	-	9	106	25	37	5	13	6	3	17	4	144	99	-	6	65	28
Conway	224	-	-	-	49	16	14	2	7	3	3	4	4	77	51	-	2	34	15
Balance of county	221	-	-	9	57	9	23	3	6	3	-	13	-	67	48	-	4	31	13
Franklin	200	-	-	3	51	14	20	1	7	-	3	6	5	68	57	-	2	47	8
Fullon	103	-	-	1	20	2	7	4	2	1	2	2	2	57	47	-	3	26	18
Garland	1,026	1	-	26	268	64	95	17	24	12	7	49	19	409	312	2	4	188	108
Hot Springs	701	-	-	21	163	38	56	8	15	9	6	31	14	285	217	1	4	136	76
Balance of county	325	1	-	5	105	26	39	9	9	3	1	18	5	124	95	1	-	62	32
Grant	143	-	-	1	32	5	12	1	6	1	2	5	3	52	44	-	-	36	8
Greene	360	-	-	4	71	24	23	3	5	3	5	8	7	161	118	-	1	96	21
Paragould	247	-	-	1	50	17	17	3	4	-	4	5	6	110	77	-	1	62	14
Balance of county	113	-	-	3	21	7	6	-	1	3	1	3	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 546

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 8 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arizona—Con.																			
Pinal	5	59	5	14	28	70	4	25	15	-	6	3	16	104	35	44	24	17	3
Casa Grande	1	13	1	2	7	11	-	1	3	-	-	1	2	17	10	9	4	1	1
Balance of county	4	46	4	12	21	59	4	24	12	-	6	2	14	87	25	35	20	16	2
Santa Cruz	2	13	-	1	2	4	1	2	9	-	-	-	-	1	2	4	4	3	1
Nogales	1	7	-	-	1	3	1	1	6	-	-	1	1	15	2	4	4	3	1
Balance of county	1	6	-	1	1	1	-	1	3	-	-	-	-	8	1	3	2	3	1
Yavapai	4	60	9	20	54	80	5	20	21	-	-	-	-	148	32	28	35	10	-
Prescott	1	16	3	6	12	15	2	5	9	-	3	2	9	46	7	2	9	-	-
Balance of county	3	44	6	14	42	65	3	15	12	-	1	1	2	102	25	26	26	10	-
Yuma	5	54	5	13	24	56	1	9	12	-	5	5	8	89	37	27	18	8	2
Balance of county	-	28	2	5	12	29	-	5	7	-	4	3	5	49	12	17	9	5	-
Balance of county	-	26	2	5	12	27	1	4	5	-	1	2	3	40	25	10	9	3	2
Arkansas	117	2,023	166	283	882	940	57	172	353	3	103	147	621	2,260	603	538	293	304	28
Urban places	48	770	68	119	334	382	26	91	137	1	48	69	277	1,039	181	207	98	151	15
Balance of area	69	1,253	98	164	548	558	31	81	216	2	55	78	344	1,221	422	331	195	153	13
Metropolitan counties	49	639	46	98	285	324	21	61	115	1	44	59	328	855	195	205	98	136	12
Urban places	34	448	40	71	196	244	16	54	84	1	36	45	210	658	107	133	57	113	8
Balance of area	15	191	6	27	89	80	5	7	31	-	8	14	118	197	88	72	41	23	4
Nonmetropolitan counties	68	1,384	120	185	597	616	36	111	238	2	59	88	293	1,405	408	333	195	168	16
Urban places	14	322	28	48	138	198	10	37	53	-	12	24	67	381	74	74	41	38	7
Balance of area	54	1,062	92	137	459	478	26	74	185	2	47	64	226	1,024	334	259	154	130	9
Arkansas	-	29	11	6	10	13	-	3	6	-	1	1	4	21	15	4	1	5	-
Stuttgart	-	18	-	4	5	7	-	1	3	-	1	1	1	7	3	1	1	2	-
Balance of county	-	11	11	2	5	6	-	2	3	-	-	-	3	14	12	3	-	3	-
Ashley	2	29	1	3	3	9	1	2	5	-	-	2	9	24	7	6	4	6	-
Baxter	3	41	5	9	20	14	3	6	7	-	-	2	11	46	6	6	4	1	-
Benton	2	82	8	11	38	37	1	6	14	-	3	6	4	99	17	17	11	3	1
Rogers	-	29	2	1	16	10	-	3	5	-	-	1	1	31	5	4	6	1	1
Springdale, part	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Balance of county	2	52	6	10	22	27	1	3	9	-	3	5	3	67	12	13	4	2	-
Bopon	2	26	2	4	18	15	-	3	5	-	3	1	1	23	6	2	5	1	1
Bradley	1	21	-	6	11	4	-	1	3	-	1	1	4	11	3	3	1	2	-
Calhoun	-	6	-	1	4	6	-	2	1	-	-	-	1	4	-	1	-	-	-
Carroll	-	17	1	2	9	9	-	1	2	-	-	2	2	22	11	6	1	-	-
Chicot	-	15	-	7	7	2	-	-	5	-	2	-	30	14	5	5	-	10	-
Clark	2	19	10	1	6	7	1	2	-	-	-	-	6	26	5	7	3	2	-
Arkadelphia	1	8	7	-	2	2	1	-	-	-	-	-	2	9	2	5	1	1	-
Balance of county	1	11	3	1	4	5	-	2	-	-	-	-	4	17	3	2	2	1	-
Clay	2	20	1	1	11	10	-	2	5	-	-	-	2	23	6	3	5	1	-
Cleburne	1	49	1	8	11	5	-	1	4	-	-	-	1	16	3	3	4	2	-
Cleveland	-	8	-	1	1	8	-	-	-	-	-	-	-	9	2	2	-	-	-
Columbia	-	29	1	-	4	14	-	1	-	-	1	3	3	18	11	2	-	3	-
Magnolia	-	15	-	-	2	7	-	1	-	-	-	1	2	11	5	1	-	2	-
Balance of county	-	14	1	-	2	7	-	-	-	-	1	2	1	7	6	4	1	1	-
Conway	1	23	-	-	11	8	-	2	-	-	-	2	23	6	6	4	2	2	-
Craighead	-	63	-	8	28	19	2	2	15	-	2	5	12	51	16	10	11	7	1
Jonesboro	-	32	-	6	19	13	1	2	10	-	1	5	8	36	8	7	4	4	1
Balance of county	-	31	-	2	9	6	1	5	5	-	1	4	15	8	3	7	3	-	-
Crawford	-	15	-	4	20	13	2	-	6	-	1	2	3	33	7	17	2	1	2
Van Buren	-	6	-	1	8	5	-	-	3	-	-	-	1	17	1	7	-	2	-
Balance of county	-	9	-	3	12	8	2	-	3	-	-	2	2	16	6	10	2	1	-
Crittenden	4	37	-	1	7	20	2	2	9	-	-	9	18	44	13	13	5	8	-
West Memphis	3	14	-	1	3	13	2	2	5	-	-	5	11	28	5	6	3	5	-
Balance of county	1	23	-	-	4	7	-	-	4	-	-	4	7	16	8	7	2	3	-
Cross	1	22	1	-	5	6	1	1	2	-	1	2	7	15	4	4	-	3	-
Dallas	1	13	1	-	6	6	-	-	6	-	-	-	-	7	5	7	-	-	-
Desha	2	25	3	4	6	8	-	1	4	1	1	2	3	11	9	5	1	4	-
Drew	2	17	6	2	6	4	-	1	6	-	-	1	-	13	5	3	2	2	-
Faulkner	1	37	-	7	22	15	-	3	6	-	6	-	62	44	5	8	7	4	-
Conway	1	21	-	4	9	10	-	2	5	-	4	-	31	23	1	5	3	1	-
Balance of county	-	16	-	3	13	5	-	1	1	-	2	-	31	21	4	3	4	3	-
Franklin	-	8	1	2	6	15	2	-	11	-	-	2	1	21	1	10	3	1	-
Fulton	4	4	-	2	5	2	-	2	-	-	-	1	3	2	2	2	2	2	-
Garland	5	72	8	12	34	33	4	12	10	-	3	4	41	99	18	24	11	8	2
Hot Springs	4	49	5	10	26	24	3	11	9	-	1	3	28	73	11	17	4	7	1
Balance of county	1	23	3	2	8	9	1	1	1	-	2	1	13	26	7	7	7	1	-
Grant	-	6	-	2	6	6	1	1	2	-	3	2	1	12	8	5	5	3	-
Greene	1	31	6	5	14	24	-	2	2	-	5	2	6	32	11	12	6	-	1
Paragould	-	23	6	4	6	17	-	1	1	-	4	2	4	25	9	5	5	-	-
Balance of county	1	8	-	1	8	7	-	1	1	-	1	-	2	7	2	7	1	-	-
Hempstead	-	17	1	4	4	9	1	-	2	-	-	-	3	35	8	6	2	1	-
Hope	-	8	1	3	3	4	1	-	1	-	-	-	1	20	7	3	2	1	-
Balance of county	-	9	-	1	1	5	-	-	1	-	-	-	2	15	1	3	-	-	-
Hot Spring	1	19	3	6	8	11	2	1	1	-	1	2	3	38	10	5	4	2	-
Malvern	1	14	-	5	7	5	1	-	1	-	-	1	1	18	3	2	2	1	-
Balance of county	-	5	3	1	1	6	1	-	1	-	1	1	2	18	7	2	2	1	-
Howard	-	14	1	1	18	10	-												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 547

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 9 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases †	Malignant neoplasms, including of lymphatic and hema- topoietic tissues (140-209)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- pirato- ry and intra- tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malig- nant neoplasms (140- 149, 170- 173, 180- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (398- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Arkansas—Con.																			
Izard	196	-	-	-	54	9	15	7	9	7	1	6	3	95	77	-	2	50	25
Jackson	267	-	-	3	51	7	21	6	2	5	2	8	9	135	93	-	1	63	29
Jefferson	916	3	1	21	220	47	69	16	28	10	7	43	17	380	292	-	10	198	84
Pine Bluff	733	3	1	18	175	42	48	13	25	9	5	33	16	303	233	-	8	154	71
Balance of county	183	-	-	3	45	5	21	3	3	1	2	10	1	77	59	-	2	44	13
Johnson	194	-	-	3	42	9	17	5	7	-	1	3	7	83	65	-	1	60	4
Lafayette	105	-	-	1	25	8	5	1	3	3	1	4	1	49	33	-	1	22	10
Lawrence	229	-	-	4	49	9	19	1	9	2	1	8	3	112	84	-	-	64	20
Lee	149	-	-	2	36	9	9	4	4	1	3	6	4	57	43	-	5	28	10
Lincoln	128	-	-	1	23	4	7	3	6	-	-	3	5	62	50	1	2	30	17
Little River	145	-	-	-	31	4	12	3	2	2	1	7	9	56	42	-	1	35	6
Logan	263	1	-	2	68	20	18	3	10	1	2	14	9	125	98	-	1	75	22
Lonoke	308	-	-	4	69	19	26	2	5	3	1	13	7	148	88	-	-	64	24
Madison	119	-	-	4	37	7	12	-	10	-	1	7	2	46	19	-	1	12	6
Marion	147	-	-	1	40	7	12	3	6	4	8	1	1	68	57	-	1	43	13
Miller	424	2	-	5	94	20	29	10	10	2	2	21	8	195	159	-	8	101	50
Texarkana †	302	2	-	3	68	14	21	8	7	2	-	14	5	143	115	-	6	70	39
Balance of county	122	-	-	2	28	6	8	2	3	-	2	7	3	53	44	-	2	31	11
Mississippi	584	2	-	19	135	28	55	11	13	7	4	17	17	238	189	1	2	133	53
Blytheville	268	2	-	14	60	14	24	4	7	3	1	7	3	117	94	1	1	68	24
Balance of county	316	-	-	5	75	14	31	7	6	4	3	10	14	121	95	-	1	65	29
Monroe	153	-	-	2	45	12	13	3	5	2	-	10	3	72	53	1	3	37	12
Montgomery	85	-	-	1	15	2	8	-	-	-	1	4	2	46	34	-	2	22	10
Nevada	122	-	-	-	29	12	7	1	2	1	1	5	1	54	39	-	-	30	9
Newton	82	-	-	1	14	3	4	2	2	1	1	2	1	39	36	-	-	13	23
Ouachita	400	1	-	5	75	20	30	3	6	2	2	12	6	198	148	-	4	106	38
Camden	217	1	-	3	34	13	7	2	4	1	1	6	4	111	82	-	3	59	20
Balance of county	163	-	-	2	41	7	23	1	2	1	1	6	2	87	66	-	1	47	16
Perry	84	-	-	2	22	7	7	2	3	-	-	3	-	32	22	-	-	18	4
Phillips	386	1	-	4	107	26	33	7	23	3	1	14	13	175	146	1	6	103	36
West Helena	116	1	-	2	40	8	14	5	6	-	1	6	5	44	37	-	2	27	8
Balance of county	270	-	-	2	67	18	18	2	17	3	-	8	8	131	109	1	4	76	28
Pike	125	-	-	3	28	1	17	3	1	-	2	4	3	52	40	-	1	28	11
Poinsett	275	-	-	6	56	6	28	4	7	1	1	9	3	127	111	-	-	73	38
Polk	206	1	-	3	48	11	17	2	2	4	1	11	3	82	71	-	2	57	12
Pope	421	-	-	9	102	26	33	9	7	4	3	20	11	169	128	-	2	96	30
Russellville	211	-	-	6	48	13	17	5	4	1	1	7	7	80	58	-	1	35	22
Balance of county	210	-	-	3	54	13	16	4	3	3	2	13	4	89	70	-	1	61	8
Praline	99	-	-	2	26	7	12	2	3	1	1	1	1	48	38	-	-	30	8
Pulaski	3,072	2	-	77	747	191	243	68	70	21	30	124	76	1,123	801	6	29	558	208
Jacksonville	197	-	-	3	55	14	21	4	4	2	2	10	3	68	52	-	1	35	16
Little Rock	1,729	2	-	45	417	99	129	48	40	11	18	72	39	636	450	4	14	325	107
North Little Rock	766	-	-	21	183	56	61	11	18	6	5	26	20	282	197	-	9	125	63
Sherwood	93	-	-	1	31	10	11	-	4	1	1	4	3	31	20	-	-	16	4
Balance of county	287	-	-	7	61	12	21	5	6	1	4	12	11	106	82	2	5	57	18
Randolph	188	-	-	1	48	13	20	2	7	1	-	5	2	76	66	-	-	42	24
St. Francis	337	-	-	7	59	15	18	2	9	-	3	12	8	177	140	-	4	108	28
Forrest City	168	-	-	2	24	6	10	1	3	-	1	3	5	100	81	-	3	59	19
Balance of county	169	-	-	5	35	9	8	1	6	-	2	9	3	77	59	-	1	49	9
Saline	510	-	-	10	116	21	46	3	13	2	9	22	13	225	168	1	-	114	53
Benton	228	-	-	5	52	11	18	-	7	1	2	13	4	102	78	1	-	55	22
Balance of county	282	-	-	5	64	10	28	3	6	1	7	9	9	123	90	-	-	59	31
Scott	117	-	-	1	34	8	12	2	1	1	4	6	-	56	50	-	3	35	12
Searcy	99	-	-	1	21	1	9	3	4	2	-	2	1	46	38	-	-	33	5
Sebastian	1,008	-	-	20	234	55	88	19	18	2	5	47	32	464	374	-	7	278	89
Fort Smith	754	-	-	18	162	35	60	15	15	1	3	33	27	356	283	-	5	213	65
Balance of county	254	-	-	2	72	20	28	4	3	1	2	14	5	108	91	-	2	65	24
Sevier	150	-	-	1	32	7	9	2	3	1	1	9	4	71	54	-	-	45	9
Sharp	235	-	-	6	56	13	19	5	9	-	2	8	6	116	102	1	1	81	19
Stone	140	-	-	2	37	7	12	5	4	1	1	7	1	65	51	-	4	34	13
Union	586	1	-	14	121	26	38	7	21	7	4	18	18	268	205	1	6	107	91
El Dorado	354	1	-	8	71	12	21	4	15	4	3	12	9	162	122	1	3	68	50
Balance of county	232	-	-	6	50	14	17	3	6	3	1	6	9	106	83	-	3	39	41
Van Buren	184	-	-	4	43	8	22	6	3	-	-	4	3	90	75	-	-	41	34
Washington	961	-	-	14	213	40	65	15	31	14	9	39	16	344	272	5	6	174	87
Fayetteville	327	-	-	6	72	14	24	5	11	4	6	8	2	116	89	1	3	49	36
Springdale, part	292	-	-	1	71	16	20	6	7	7	2	13	8	109	87	1	1	64	21
Springdale, total	297	-	-	1	72	16	21	6	7	7	2	13	8	111	88	1	1	65	21
Balance of county	342	-	-	7	70	10	21	4	13	3	1	18	6	119	96	3	2	61	30
White	601	-	-	8	162	38	64	12	21	7	4	18	13	271	209	1	4	165	39
Searcy	178	-	-	1	45	11	21	4	5	1	-	3	4	83	68	1	-</		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 548

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 10 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Arkansas—Con.																			
Izard	1	17	-	-	4	6	-	-	5	-	1	1	2	20	1	1	3	-	-
Jackson	-	40	-	2	6	14	-	1	5	-	-	-	1	17	9	5	3	8	1
Jefferson	2	66	11	9	30	35	1	9	21	-	5	5	4	89	22	22	10	20	1
Pine Bluff	2	53	8	7	24	31	1	8	16	-	4	4	2	73	13	17	16	17	1
Balance of county	-	13	3	2	6	4	-	1	5	-	1	1	2	18	9	5	4	4	-
Johnson	-	16	-	2	7	6	1	1	2	-	1	-	9	15	6	7	3	3	-
Lafayette	-	10	6	-	2	2	-	1	3	-	1	-	4	5	4	2	2	1	-
Lawrence	1	22	-	5	14	8	1	2	4	-	-	-	4	16	5	5	2	3	-
Lee	-	11	1	2	6	4	-	2	1	-	4	1	1	12	2	9	1	1	-
Lincoln	-	12	-	-	6	11	-	1	2	-	-	-	-	8	3	1	-	-	-
Little River	-	12	-	2	2	7	-	1	-	-	-	-	14	13	6	4	-	-	-
Logan	2	23	1	1	8	4	1	1	2	-	1	2	1	23	5	6	3	1	1
Lonoke	3	50	1	6	12	4	-	1	7	-	1	-	7	24	9	7	5	-	-
Madison	-	7	16	4	4	-	-	-	1	2	2	-	2	14	1	4	1	1	-
Marion	2	7	1	1	5	6	-	1	1	-	-	2	2	9	4	3	3	1	-
Miller	3	30	1	3	15	16	2	1	3	-	2	3	11	33	10	13	5	4	-
Texarkana 4	2	23	1	2	14	12	1	1	3	-	2	2	7	25	4	7	3	2	-
Balance of county	1	7	-	1	1	4	1	-	-	-	-	1	4	8	6	6	2	2	-
Mississippi	2	39	-	8	24	24	3	5	13	-	3	6	5	51	18	8	2	10	1
Blytheville	1	18	-	4	10	6	1	5	7	-	2	2	2	22	7	3	4	1	-
Balance of county	1	21	-	4	14	18	2	-	6	-	1	4	3	29	11	5	2	6	-
Monroe	1	17	-	1	8	1	-	1	2	-	-	3	-	7	3	3	1	2	-
Montgomery	-	10	1	1	1	2	-	1	1	-	-	-	1	7	4	1	2	1	-
Nevada	1	9	1	4	8	1	1	-	2	-	-	-	8	5	2	2	5	4	-
Newton	-	2	1	-	5	3	2	3	-	-	-	2	2	4	3	1	2	2	-
Ouachita	2	42	2	4	13	15	1	1	10	-	3	5	37	6	12	9	2	1	-
Camden	2	22	2	3	6	11	-	1	5	-	-	1	3	23	2	8	3	1	-
Balance of county	-	20	-	1	7	4	1	-	5	-	-	2	2	14	4	4	6	2	-
Perry	-	7	-	3	8	2	-	1	1	-	2	-	1	9	-	2	2	-	-
Phillips	3	19	1	3	6	10	-	1	6	-	2	3	7	26	6	6	3	10	-
West Helena	-	4	-	3	1	4	-	1	-	-	1	-	3	6	1	1	2	4	-
Balance of county	3	15	1	3	5	6	-	-	6	-	1	3	4	20	5	5	1	6	-
Pike	-	12	-	-	11	7	-	-	2	-	-	1	3	8	4	2	1	4	-
Poinsett	1	11	-	4	10	15	-	2	4	-	2	4	3	18	6	8	5	4	2
Poik	2	6	-	3	7	9	2	2	1	-	1	-	5	28	8	5	1	1	-
Pope	3	28	3	7	16	12	3	1	11	-	-	2	4	54	7	13	4	2	1
Russellville	2	17	2	1	9	9	2	1	8	-	-	-	1	31	2	6	-	1	-
Balance of county	1	11	1	6	7	3	1	-	3	-	2	3	3	23	5	7	4	1	1
Prairie	-	8	2	-	5	4	-	-	1	-	-	1	1	7	-	3	-	-	-
Pulaski	30	231	21	40	103	118	12	31	35	-	19	37	119	321	61	78	29	77	7
Jacksonville	3	10	-	3	9	9	1	4	2	-	1	1	3	16	5	9	5	2	1
Little Rock	10	142	13	21	54	58	9	10	20	-	12	25	76	190	27	36	10	61	2
North Little Rock	10	58	5	12	25	34	1	14	9	-	3	4	28	87	16	16	9	12	2
Sherwood	2	5	2	2	3	3	-	-	-	-	-	3	2	10	1	1	2	-	-
Balance of county	5	16	1	2	12	14	1	1	4	-	3	4	10	18	12	16	3	2	2
Randolph	2	6	-	2	9	9	-	1	2	-	-	-	-	20	11	6	1	2	-
St. Francis	4	32	1	-	9	10	-	6	2	-	2	2	4	27	9	4	4	6	1
Forrest City	2	17	-	-	3	2	-	5	-	-	1	1	3	13	1	1	1	5	1
Balance of county	2	15	1	-	6	8	-	1	2	-	1	1	1	14	8	3	3	1	-
Saline	2	46	1	8	19	20	1	3	3	-	1	1	6	51	16	11	8	6	-
Benton	-	20	1	3	10	12	-	3	1	-	1	-	1	24	6	4	1	2	-
Balance of county	2	26	-	5	9	8	1	-	2	-	-	1	5	27	10	7	7	4	-
Scott	-	6	-	-	4	4	-	1	3	-	-	-	-	5	5	3	1	1	-
Searcy	-	6	2	-	5	3	-	-	1	-	1	-	4	6	4	2	4	-	-
Sebastian	2	75	4	9	24	39	1	3	14	1	5	-	18	98	21	15	10	8	1
Fort Smith	-	61	4	8	16	31	1	3	9	1	4	-	6	82	13	5	7	7	-
Balance of county	2	14	-	1	8	8	-	-	5	-	1	-	12	16	8	2	5	1	-
Sevier	1	14	-	2	3	5	-	-	1	-	2	1	8	13	5	-	2	2	-
Sharp	-	6	2	6	4	7	-	1	3	-	-	1	3	18	7	2	4	1	-
Stones	1	11	-	2	3	7	-	-	3	-	1	-	1	14	3	-	2	1	-
Union	2	50	6	5	19	20	-	6	2	-	1	5	6	62	17	10	8	8	-
El Dorado	1	33	3	3	15	13	-	3	-	-	1	5	6	40	4	6	5	5	-
Balance of county	1	17	3	2	4	7	-	3	2	-	-	-	-	22	13	4	3	3	-
Van Buren	-	12	-	2	4	9	-	1	3	-	2	-	5	11	4	3	1	1	-
Washington	2	52	7	11	33	44	-	8	11	-	4	2	80	118	31	21	17	5	-
Fayetteville	-	22	-	5	12	14	-	2	6	-	3	1	22	52	4	8	4	3	-
Springdale, part	1	13	6	2	9	12	-	3	5	-	1	-	20	31	11	4	6	1	-
Springdale, total	1	14	6	2	9	12	-	3	5	-	1	-	20	32	11	4	7	1	-
Balance of county	1	17	1	4	12	18	-	3	-	-	1	1	38	35	16	9	7	1	-
White	-	57	1	4	19	27	-	3	10	-	1	3	6	40	11	12	8	7	-
Searcy	-	14	-	1	8	4	-	2	3	-	-	1	1	15	4	3	4	-	-
Balance of county	-	43	1	3	11	23	-	1	7	-	1	2	5	25	7	9	4	7	-
Woodruff	-	14	-	-	3	4	-	2	5	-	1	-	1	7	3	-	-	-	-
Yell	2	38	-	-	10	8	-	-	2	-	-	2	2	18	4	8	2	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 549

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 11 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hema- tologic tissues (140-208)	Malignant neoplasms of diges- tive organs and peri- toneum (150- 159)	Malignant neoplasms of res- piratory and intra- tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
California	215,847	203	7	7,920	50,083	12,034	13,868	4,155	5,945	1,984	2,021	10,076	3,574	87,728	67,105	663	2,952	45,395	18,095
Urban places	173,362	186	6	6,927	39,495	9,698	10,701	3,288	4,707	1,541	1,603	7,957	2,924	70,945	54,377	536	2,474	36,511	14,856
Balance of area	42,485	17	1	993	10,588	2,336	3,167	867	1,238	443	418	2,119	650	16,783	12,728	127	478	8,884	3,239
Metropolitan counties	204,497	195	5	7,745	47,302	11,412	13,028	3,941	5,622	1,855	1,909	9,535	3,389	83,245	63,720	629	2,791	43,096	17,204
Urban places	170,216	178	5	6,862	38,802	9,534	10,516	3,233	4,630	1,509	1,566	7,814	2,862	69,675	53,428	529	2,421	35,865	14,613
Balance of area	34,281	17	-	883	8,500	1,878	2,512	708	992	346	343	1,721	527	13,570	10,292	100	370	7,231	2,591
Nonmetropolitan counties	11,350	8	2	175	2,781	622	840	214	323	129	112	541	185	4,483	3,385	34	161	2,299	891
Urban places	3,146	8	1	65	693	164	185	55	77	32	37	143	62	1,270	949	7	53	646	243
Balance of area	8,204	-	1	110	2,088	458	655	159	246	97	75	398	123	3,213	2,436	27	108	1,653	648
Alameda	9,587	10	-	402	2,303	565	619	187	297	62	89	464	166	3,809	2,798	24	221	1,842	711
Alameda	551	1	-	19	143	25	44	19	13	7	10	25	7	228	167	-	12	117	38
Albany	104	1	-	6	32	5	9	2	3	1	1	11	2	43	26	-	1	18	7
Berkeley	732	1	-	32	193	60	35	16	36	4	10	32	9	289	199	2	20	115	62
Fremont	805	-	-	17	210	45	56	16	27	9	11	46	19	326	232	3	18	165	46
Hayward	1,116	2	-	38	263	54	64	20	29	17	7	72	25	444	345	3	20	237	85
Livermore	306	-	-	4	67	20	14	6	7	1	2	17	3	131	102	1	1	75	25
Newark	157	-	-	4	48	11	12	5	4	-	2	14	4	56	41	1	2	28	10
Oakland	3,595	4	-	189	790	197	227	58	112	28	30	138	56	1,377	1,013	6	102	624	281
Piedmont	96	-	-	2	28	12	3	-	3	-	2	8	-	40	20	-	-	14	8
Pleasanton	248	-	-	9	69	19	18	3	9	3	1	16	4	81	56	1	5	40	10
San Leandro	830	-	-	39	202	66	51	13	27	4	5	36	17	364	265	4	18	177	66
Union City	308	-	-	13	69	14	22	9	6	2	1	15	7	125	88	2	6	58	22
Balance of county	739	1	-	20	189	37	64	20	21	6	7	34	13	305	244	1	16	174	53
Alpine	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Amador	335	-	-	4	84	15	32	3	10	5	2	17	5	127	86	-	1	65	20
Butte	2,038	-	-	23	508	112	159	38	55	20	25	99	39	806	562	5	14	370	173
Chico	588	-	-	8	128	24	35	13	14	4	5	33	12	230	165	1	3	104	57
Paradise	472	-	-	5	127	34	37	12	11	8	6	19	8	182	130	2	2	86	40
Balance of county	993	-	-	10	253	54	87	13	30	8	14	47	19	394	267	2	9	180	76
Calaveras	364	-	-	2	85	21	22	6	10	4	5	17	4	141	101	1	1	66	33
Colusa	138	-	-	2	36	7	13	1	5	3	1	6	-	60	50	-	3	34	13
Contra Costa	5,591	4	1	197	1,468	353	385	138	179	57	60	296	92	2,150	1,610	14	94	1,007	495
Antioch	385	-	-	16	106	20	33	12	14	2	5	20	8	133	99	-	4	62	33
Concord	739	1	1	22	210	51	51	22	23	10	10	43	7	279	202	4	12	125	61
El Cerrito	212	-	-	3	43	11	11	5	2	3	2	9	2	101	80	1	3	49	27
Lafayette	164	-	-	2	39	11	8	5	7	1	2	5	3	62	46	2	1	30	13
Martinez	253	-	-	11	62	15	17	6	3	-	3	18	4	102	80	1	6	49	24
Moraga Town	104	-	-	2	38	11	9	1	7	2	3	5	3	42	32	-	1	16	15
Pinole	114	-	-	4	32	7	14	-	2	1	-	8	3	37	30	-	-	22	8
Pittsburg	380	-	-	27	81	19	23	5	9	1	5	19	9	148	116	-	4	70	42
Pleasant Hill	206	1	-	12	54	17	8	4	7	3	-	15	3	82	61	-	4	34	23
Richmond	824	1	-	40	199	52	58	19	28	7	2	33	17	303	241	1	24	151	65
San Pablo	297	-	-	6	81	20	23	10	6	2	6	14	10	95	74	-	7	44	23
Walnut Creek	852	-	-	18	214	58	54	19	24	11	4	44	7	374	245	4	12	171	58
Balance of county	1,060	1	-	34	309	61	76	30	47	14	18	63	16	392	304	1	16	184	103
Del Norte	225	-	-	3	64	14	23	7	4	4	2	10	5	73	56	-	3	43	10
El Dorado	866	1	-	10	225	42	77	21	25	10	9	41	15	318	240	3	3	163	71
South Lake Tahoe	124	-	-	4	30	8	10	2	3	1	1	5	6	33	26	1	-	16	9
Balance of county	742	1	-	6	195	34	67	19	22	9	8	36	9	285	214	2	3	147	62
Fresno	5,076	10	-	108	1,087	259	285	78	146	37	58	224	102	1,928	1,474	19	100	941	414
Clovis	371	2	-	6	96	14	34	7	10	6	4	21	2	144	106	1	8	75	22
Fresno	3,409	5	-	81	738	188	192	52	96	25	38	147	63	1,265	970	11	74	595	290
Reedley	175	-	-	2	31	6	4	2	9	-	3	7	5	80	55	-	2	42	11
Sanger	179	1	-	1	42	10	8	2	5	1	5	11	4	75	58	-	2	43	13
Selma	181	-	-	4	42	9	13	4	9	-	2	5	4	68	55	2	4	37	12
Balance of county	761	2	-	14	138	32	34	11	17	5	6	33	24	296	230	5	10	149	66
Glenn	251	-	-	1	71	13	28	4	2	4	1	19	6	92	74	-	4	42	28
Humboldt	1,129	-	-	20	275	48	71	21	45	14	10	66	28	404	314	5	20	190	99
Arcata	124	-	-	1	35	5	6	5	7	2	1	9	5	44	35	1	3	20	11
Eureka	508	-	-	9	120	24	34	8	18	5	5	26	9	185	137	1	10	80	46
Balance of county	497	-	-	10	120	19	31	8	20	7	4	31	14	175	142	3	7	90	42
Imperial	836	6	-	22	180	41	59	16	18	6	9	31	14	320	243	1	10	193	39
Brawley	124	-	-	2	22	4	8	-	3	2	1	4	1	47	27	-	-	22	5
Calixico	127	4	-	6	20	4	4	2	4	-	2	4	3	42	32	-	3	22	7
El Centro	257	2	-	7	68	16	22	6	6	2	3	13	5	93	74	1	1	58	16
Balance of county	328	-	-	7	70	17	25	8	5	2	3	10	5	138	110	-	6	93	11
Inyo	198	-	-	-	49	12	16	2	7	1	2	9	3	77	60	2	-	45	13
Kern	4,097	2	-	93	902	206	287	62	127	38									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 550

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 12 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E958)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California	1,089	15,167	2,029	2,338	9,822	10,081	879	3,753	1,485	57	1,598	1,824	1,329	17,824	4,461	5,037	3,723	4,194	265
Urban places	895	12,272	1,613	1,788	7,937	7,775	718	3,087	1,174	52	1,341	1,552	1,032	14,214	3,190	4,018	2,846	3,736	267
Balance of area	194	2,895	416	550	1,885	2,306	161	666	311	5	257	272	297	3,610	1,019	1,019	877	458	58
Metropolitan counties	1,029	14,395	1,934	2,167	9,325	9,436	837	3,556	1,400	57	1,544	1,776	1,258	16,710	4,173	4,696	3,502	4,100	246
Urban places	878	12,040	1,585	1,744	7,801	7,607	712	3,037	1,149	52	1,321	1,528	1,013	13,880	3,118	3,914	2,803	3,695	202
Balance of area	151	2,355	349	423	1,524	1,829	125	519	251	5	223	248	245	2,930	1,055	782	699	405	44
Nonmetropolitan counties	60	772	95	171	497	645	42	197	85	5	54	48	71	1,114	288	341	221	94	19
Urban places	17	232	28	44	136	168	6	50	25	20	24	19	24	334	72	104	43	41	5
Balance of area	43	540	67	127	361	477	36	147	60	34	24	52	760	216	237	178	53	14	14
Alameda	51	773	95	92	378	422	21	167	81	—	43	76	64	925	136	214	140	215	15
Alameda	6	43	8	4	23	34	—	11	3	—	1	—	3	51	7	14	3	—	—
Albany	1	15	1	—	2	—	—	2	—	—	—	—	—	7	1	2	—	—	—
Berkeley	3	72	7	8	33	21	—	7	8	—	—	7	4	76	9	18	6	18	—
Fremont	5	72	7	10	25	44	5	19	5	—	8	4	5	65	21	12	13	5	2
Hayward	1	73	11	14	40	58	1	22	10	—	7	11	8	102	18	35	19	12	1
Livermore	1	21	5	2	18	26	—	6	3	—	2	5	1	22	8	5	3	2	—
Newark	—	12	1	2	3	6	—	3	1	—	2	1	2	15	2	1	—	—	—
Oakland	21	283	28	32	143	137	7	61	28	—	11	34	24	377	46	95	42	155	9
Piedmont	1	17	—	2	1	3	—	—	—	—	—	—	—	1	—	1	—	—	—
Pleasanton	3	18	3	1	14	13	—	2	5	—	—	6	2	28	4	4	—	—	—
San Leandro	8	67	13	11	33	38	1	20	9	—	2	1	3	58	8	17	9	8	1
Union City	—	31	4	2	14	12	2	5	1	—	4	—	2	38	5	3	3	3	—
Balance of county	1	49	7	4	29	29	4	9	8	—	4	6	8	70	11	13	14	4	2
Alpine	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Amador	5	25	6	5	22	14	4	5	4	—	1	1	4	37	—	5	7	1	—
Butte	18	144	53	29	77	155	11	27	8	—	9	7	14	224	44	39	35	12	—
Chico	6	42	10	7	18	33	5	6	3	—	5	2	2	78	9	14	11	4	—
Paradise	3	39	3	7	15	39	2	3	3	—	2	1	1	65	7	5	7	—	—
Balance of county	9	63	40	15	44	83	4	18	2	—	2	4	11	81	28	20	17	8	—
Calaveras	—	29	4	7	18	26	—	6	5	—	1	1	2	37	9	12	8	6	1
Colusa	—	8	2	—	12	6	—	3	—	—	—	1	1	5	5	2	1	3	1
Contra Costa	30	407	36	67	260	260	30	85	33	—	30	35	42	525	71	123	94	85	6
Antioch	3	27	1	3	25	21	1	7	3	—	4	1	1	28	9	6	12	4	1
Concord	3	58	3	13	23	36	3	10	2	—	1	10	8	79	9	17	13	8	—
El Cerrito	—	11	3	7	10	8	3	3	4	—	1	—	—	28	2	1	3	—	—
Lafayette	2	12	—	2	12	6	1	3	—	—	—	—	—	22	3	6	4	—	1
Martinez	1	19	1	1	8	15	1	7	2	—	1	1	2	25	—	3	7	2	—
Moraga Town	1	9	—	—	3	2	1	—	1	—	—	—	—	13	1	—	—	—	—
Pinole	—	5	—	2	5	1	2	—	3	—	—	—	—	11	—	—	—	—	—
Pittsburg	4	24	2	2	13	13	1	8	4	—	1	2	2	31	10	4	1	2	—
Pleasant Hill	—	18	1	2	4	14	2	4	2	—	2	1	2	16	—	4	6	8	—
Richmond	5	47	4	6	31	25	8	10	5	—	5	11	10	74	9	26	9	40	1
San Pablo	2	16	—	3	16	21	2	8	2	—	2	3	3	23	3	10	3	9	—
Walnut Creek	3	97	14	15	53	41	4	11	2	—	3	3	4	90	4	15	10	1	—
Balance of county	6	64	7	11	57	53	2	12	5	—	7	5	6	85	20	19	23	11	3
Del Norte	1	14	—	2	10	12	1	3	1	—	1	1	1	28	6	6	5	4	—
El Dorado	1	54	4	19	42	38	2	17	3	—	3	5	5	91	37	23	24	7	—
South Lake Tahoe	—	6	—	1	4	3	—	—	—	—	2	2	2	15	6	9	4	—	—
Balance of county	1	48	4	18	38	35	2	13	3	—	1	3	3	76	31	14	20	7	—
Fresno	34	324	58	38	210	221	19	95	49	—	42	75	63	517	215	129	77	125	4
Clovis	4	26	5	3	18	19	—	5	4	—	4	2	2	39	18	9	4	3	—
Fresno	18	214	39	24	136	159	15	72	33	—	25	60	54	354	95	91	64	96	3
Reedley	2	17	4	2	11	6	—	1	2	—	2	1	1	13	9	4	1	6	—
Sanger	2	10	2	3	5	7	1	1	1	—	4	—	2	22	5	4	—	4	—
Selma	—	11	1	1	8	5	1	1	1	—	—	2	1	26	14	3	—	1	—
Balance of county	8	46	7	5	32	25	2	15	8	—	7	10	3	69	74	18	8	15	1
Glenn	1	13	—	4	14	13	1	2	4	—	2	1	4	16	9	9	6	—	—
Humboldt	4	67	6	13	43	76	2	27	6	—	2	4	7	137	7	61	17	9	4
Arcata	—	7	2	—	5	5	—	1	—	—	—	—	2	13	—	9	1	—	—
Eureka	2	34	3	9	22	41	2	13	5	—	1	1	2	57	2	23	8	7	—
Balance of county	2	26	1	4	16	30	—	13	1	—	1	1	3	67	5	29	8	1	3
Imperial	1	64	8	4	31	31	3	22	3	—	4	9	8	88	34	35	11	14	1
Brawley	—	18	2	—	9	2	—	5	—	—	1	3	3	8	6	8	4	3	—
Calexico	—	9	1	—	1	6	—	3	1	—	—	—	—	21	8	10	—	2	—
El Centro	—	16	1	2	9	8	—	6	—	—	2	4	3	27	8	6	3	5	1
Balance of county	1	21	4	2	12	15	3	8	2	—	1	2	2	32	12	11	4	4	—
Inyo	1	10	3	3	11	13	2	3	3	—	—	3	2	19	5	4	3	—	1
Kern	16	213	21	45	191	217	17	71	23	—	36	55	21	325	131	119	70	56	2
Bakersfield	9	112	10	23	126	123	12	42	18	—	19	33	12	200	59	77	43	39	2
Delano	1	7	2	4	8	12	—	3	—	—	4	1	—	16	8	6	2	—	—
Ridgecrest	2	24	1	6	8	8	—	3	—	—	2	5	—	19	8	6	3	—	—
Balance of county	4	70	8	12	49	74	5	23	5	—	11	16	9	90	56	30	22	15	—
Kings	7	50																	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 551

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 13 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- tosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of diges- tive organs and perit- oneum (150- 159)	Malign- ant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (179- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
California—Con.																				
Los Angeles	61,980	92	1	2,627	13,719	3,457	3,544	1,202	1,627	533	590	2,766	1,043	26,519	20,941	181	810	13,262	6,688	
Alhambra	659	1	-	10	127	34	28	12	18	8	4	23	19	339	270	5	6	190	69	
Arcadia	471	2	-	6	118	25	32	13	13	4	6	25	3	251	199	3	4	140	52	
Artesia	101	-	-	1	22	5	5	1	3	2	-	6	-	46	35	-	2	27	6	
Azusa	254	-	-	13	60	12	16	1	12	-	6	13	5	96	74	2	2	46	24	
Baldwin Park	304	-	-	8	59	11	19	4	6	-	8	9	7	124	96	-	3	64	29	
Bell	150	-	-	6	37	11	8	1	4	-	3	10	2	63	49	-	2	33	14	
Bellflower	515	-	-	10	141	33	42	9	18	-	9	25	5	212	177	1	9	106	61	
Bell Gardens	136	-	-	4	24	4	7	4	4	-	2	3	1	48	39	-	1	24	14	
Beverly Hills	371	-	-	25	116	26	28	17	21	-	1	21	3	157	129	-	5	85	39	
Burbank	876	-	-	25	186	49	42	25	20	13	9	38	6	424	336	3	11	207	115	
Carson	553	-	-	18	128	36	41	10	11	5	5	20	15	237	184	1	14	104	65	
Cerritos	193	-	-	5	53	14	15	4	7	3	1	9	3	75	63	-	2	51	10	
Claremont	228	-	-	2	62	15	21	5	9	3	1	8	2	119	97	1	7	59	30	
Commerce	60	-	-	4	16	4	3	-	4	5	5	34	13	294	227	1	17	130	79	
Compton	797	1	-	23	154	35	36	17	22	5	5	32	5	202	156	3	5	100	48	
Covina	458	1	-	9	132	28	36	14	12	5	5	32	1	30	26	-	1	16	9	
Cudahy	89	-	-	4	13	3	2	2	2	-	4	3	1	15	116	-	1	84	31	
Culver City	338	1	-	7	84	18	29	7	23	11	8	39	12	330	266	1	9	170	86	
Downey	756	1	-	16	181	27	42	11	23	11	8	39	12	330	266	1	9	170	86	
Duarte	212	1	-	5	53	9	14	6	7	2	6	9	2	103	90	1	2	63	24	
El Monte	585	1	-	14	104	23	36	2	10	6	5	22	12	252	203	-	6	122	75	
El Segundo	93	-	-	1	25	4	7	3	5	1	2	3	-	40	31	-	1	11	19	
Gardena	601	-	-	20	149	48	39	15	17	4	5	21	12	269	202	2	8	124	68	
Glendale	1,305	-	-	38	298	70	77	30	36	13	11	61	15	612	470	2	13	324	131	
Glendora	370	-	-	5	79	18	26	9	5	4	1	16	6	172	142	3	5	85	49	
Hawthorne	71	-	-	1	18	2	6	3	2	2	3	23	7	177	140	-	-	87	53	
Hawthorne	464	-	-	13	113	22	40	8	15	2	3	23	7	177	140	-	-	87	53	
Hermosa Beach	71	-	-	6	19	7	4	1	2	1	-	4	-	30	21	1	-	14	6	
Huntington Park	286	-	-	9	49	13	11	7	7	1	2	8	12	114	92	-	8	47	37	
Inglewood	763	2	-	38	154	33	41	10	28	7	8	27	6	308	238	1	17	132	88	
La Canada Flintridge	141	-	-	3	38	8	11	4	8	-	2	5	3	69	51	1	1	31	18	
Lakewood	562	-	-	17	152	34	53	14	11	7	6	27	4	235	173	2	4	135	32	
La Mirada	310	-	-	3	73	19	21	5	11	3	2	12	7	147	115	-	4	78	33	
Lancaster	803	-	-	13	185	45	56	14	22	11	9	26	16	337	279	2	8	188	81	
La Puente	465	-	-	14	110	28	29	9	7	-	7	15	12	187	154	2	7	98	47	
La Verne	259	1	-	4	67	16	22	2	3	4	1	8	2	57	47	-	2	35	10	
Lawndale	153	-	-	6	44	8	18	2	6	5	1	7	3	77	57	-	2	39	16	
Lomita	174	-	-	3	38	3	16	3	3	1	-	8	1	46	31	1	2	14	14	
Long Beach	3,739	3	-	224	776	169	222	69	81	27	29	179	53	1,646	1,251	13	46	785	407	
Los Angeles	27,146	56	-	1,528	5,700	1,530	1,374	495	682	219	243	1,157	463	11,365	9,064	80	384	5,639	2,961	
Lynwood	326	-	-	4	53	16	10	7	6	3	2	9	13	131	103	-	1	65	37	
Manhattan Beach	150	-	-	6	48	9	12	4	4	1	1	15	1	60	43	-	-	26	17	
Maywood	111	1	-	5	15	2	2	4	1	-	1	5	4	39	33	-	1	24	8	
Monrovia	332	1	-	6	69	16	13	7	8	3	19	8	167	139	-	3	89	47		
Montebello	481	1	-	13	117	34	23	6	10	-	5	24	7	165	128	1	4	80	43	
Monterey Park	377	-	-	10	108	42	25	2	10	6	6	36	22	245	193	1	7	132	53	
Norwalk	649	-	1	12	147	40	39	6	14	6	4	13	10	178	146	-	6	82	58	
Palmdale	462	-	-	11	96	21	32	9	14	3	4	13	10	178	146	-	6	82	58	
Palos Verdes Estates	102	-	-	1	33	8	8	2	6	1	-	8	1	46	31	1	2	14	14	
Paramount	262	1	-	5	65	18	20	4	6	2	2	13	7	95	81	-	5	49	27	
Pasadena	1,309	3	-	38	300	72	72	38	36	9	20	53	17	583	445	1	20	279	145	
Pico Rivera	371	-	-	8	88	19	28	5	12	6	4	14	7	157	116	-	4	73	39	
Pomona	800	3	-	18	136	38	35	11	13	3	7	29	21	330	268	4	11	166	88	
Rancho Palos Verdes	273	-	-	6	92	25	17	12	9	2	3	24	3	114	85	1	3	48	33	
Redondo Beach	363	-	-	10	99	24	25	8	9	3	7	23	3	167	130	1	7	79	43	
Rosemead	372	1	-	5	91	35	26	-	8	1	2	19	6	164	133	-	3	100	30	
San Dimas	244	-	-	3	61	12	14	7	9	3	4	12	2	114	82	1	3	68	20	
San Fernando	187	2	-	3	33	7	10	3	4	-	1	8	2	60	69	1	3	37	28	
San Gabriel	480	-	-	12	93	33	19	12	14	2	1	12	4	250	201	1	2	144	54	
San Marino	109	-	-	-	26	3	7	2	5	2	2	5	1	50	40	-	-	31	9	
Santa Fe Springs	102	-	-	2	25	10	5	-	1	1	2	6	3	47	32	-	2	19	11	
Santa Monica	951	-	-	37	201	46	42	25	26	10	4	48	13	455	349	4	9	214	122	
Sierra Madre	77	-	-	2	15	5	4	-	2	1	2	1	1	36	28	-	1	22	9	
South El Monte	82	-	-	1	23	6	4	-	4	1	2	6	-	38	32	-	-	15	55	
South Gate	461	3	-	12	95	23	20	10	18	1	5	18	8	217	176	3	5	35	14	
South Pasadena	156	-	-	-	43	14	8	3	5	1	3	9	1	71	49	-	-	101	29	
Temple City	304	-	-	4	60	11	19	3	11	3	3	10	4	169	137	1	6	121	68	
Torrance	1,104	-	-	17	287	67	89	24	25	7	16	59	25	484	367	6	17	226	118	
West Covina	608	-	-	12	145	43	38	20												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 552

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 14 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E989)
California—Con.																			
Los Angeles	364	4,153	598	463	2,859	2,454	253	1,101	405	25	565	664	277	3,942	1,138	1,323	964	2,062	47
Alhambra	3	36	22	8	43	28	2	9	3	-	2	1	1	33	14	6	3	17	1
Arcadia	3	40	6	3	25	14	2	1	2	-	1	2	1	27	5	4	5	3	3
Artesia	2	6	3	-	9	9	-	2	-	-	-	-	-	6	-	-	-	2	3
Azusa	2	17	1	2	19	9	1	3	2	-	-	3	1	14	6	10	3	7	7
Baldwin Park	3	17	3	5	10	8	-	9	3	-	12	4	1	21	9	8	6	15	-
Bell	1	10	2	1	5	6	-	4	-	-	1	3	-	10	3	2	2	6	-
Bellflower	1	25	4	5	32	29	3	11	2	-	4	4	2	32	5	6	5	12	6
Bell Gardens	-	8	1	-	8	9	1	9	1	1	4	1	-	6	7	4	2	6	-
Beverly Hills	-	25	1	2	15	11	2	3	1	-	2	-	1	22	4	4	3	2	-
Burbank	4	57	23	4	34	46	4	17	5	-	4	8	1	57	8	15	14	10	2
Carson	2	41	4	6	27	25	3	10	2	1	5	12	4	24	8	9	8	17	-
Cerritos	-	12	-	-	9	11	2	2	1	-	3	2	-	12	3	3	5	4	-
Claremont	-	21	-	1	6	4	-	2	-	-	2	-	-	16	4	2	7	-	-
Commerce	-	3	-	-	1	1	-	3	-	-	1	-	-	1	1	3	1	1	1
Compton	9	52	3	3	29	29	5	16	7	1	13	9	9	50	20	26	4	92	2
Covina	3	36	3	4	18	19	1	6	10	-	2	4	2	25	4	4	11	3	-
Cudahy	1	3	-	-	7	2	-	2	-	-	2	1	5	4	4	1	9	-	-
Culver City	2	24	-	3	14	13	3	6	1	-	4	4	-	29	4	7	7	4	-
Downey	4	50	7	3	44	38	3	11	8	1	4	6	1	56	14	13	9	8	-
Duarte	-	11	-	2	13	9	3	1	1	-	2	1	1	9	2	3	-	3	-
El Monte	4	39	5	1	30	20	3	19	4	1	10	15	2	33	17	19	6	22	1
El Segundo	3	3	3	-	5	5	-	1	-	-	1	2	-	4	1	5	2	1	-
Gardena	6	50	6	5	22	27	2	9	3	1	1	3	4	25	6	12	14	21	1
Glendale	6	106	24	6	96	52	9	18	4	-	7	12	4	85	19	11	11	13	1
Glendora	4	20	1	5	28	17	3	3	3	-	7	3	-	24	5	6	8	1	-
Hawaiian Gardens	-	1	-	1	6	3	-	-	-	-	3	2	-	8	3	1	1	3	-
Hawthorne	2	31	3	1	20	25	1	11	1	-	2	13	2	30	8	7	11	22	1
Hermosa Beach	-	6	2	1	2	4	-	1	-	-	-	-	-	2	2	3	2	-	-
Huntington Park	2	17	2	1	10	13	2	9	3	-	11	10	2	17	4	6	2	13	-
Inglewood	6	50	7	7	24	25	3	16	6	1	7	11	7	52	12	19	11	61	-
La Canada Flintridge	1	15	-	2	2	3	-	2	1	-	1	2	-	13	1	2	1	-	-
Lakewood	2	46	7	7	28	28	1	14	5	-	4	2	1	34	15	7	8	7	-
La Mirada	-	25	2	5	14	16	-	3	1	-	1	2	2	26	4	9	-	1	1
Lancaster	3	51	3	1	30	50	3	12	6	-	7	7	4	43	30	20	17	21	2
La Puente	2	27	2	2	12	12	1	8	4	-	5	11	4	25	16	10	7	27	-
La Verne	1	21	4	3	16	11	2	2	1	-	1	1	-	24	5	2	4	1	-
Lawndale	-	5	4	1	10	7	2	4	1	-	3	3	-	6	1	2	4	1	-
Lomita	-	17	1	2	7	8	2	7	-	-	1	1	-	9	5	5	5	2	-
Long Beach	19	279	56	41	190	183	16	51	21	2	29	30	15	219	50	75	51	105	-
Los Angeles	173	1,708	234	186	1,171	904	105	523	187	12	240	323	130	1,692	497	620	409	1,197	24
Lynwood	3	22	3	-	9	11	1	9	1	-	8	16	4	21	9	13	4	1	-
Manhattan Beach	1	13	-	3	5	5	-	3	-	-	2	1	1	7	2	3	4	1	-
Maywood	-	2	2	2	7	8	-	3	-	-	1	4	1	4	5	6	3	5	-
Monrovia	3	22	1	2	15	17	-	3	1	1	1	2	1	18	3	6	6	5	-
Montebello	1	31	3	4	19	18	-	16	3	-	2	2	1	26	5	13	11	7	-
Monterey Park	3	26	3	5	19	12	1	7	3	1	2	1	-	21	3	6	4	7	-
Norwalk	3	36	7	6	32	39	5	17	9	-	6	5	4	46	16	7	18	18	-
Palmdale	-	27	-	5	19	26	4	6	3	1	10	2	6	31	24	14	10	11	-
Palos Verdes Estates	-	13	1	1	7	3	-	-	-	-	-	-	-	5	2	3	1	-	-
Paramount	1	10	3	-	13	12	-	4	1	-	8	5	2	16	4	5	7	11	-
Pasadena	8	96	18	16	91	53	6	16	11	-	10	15	3	91	20	21	11	20	-
Pico Rivera	1	31	5	4	18	15	2	10	5	-	1	2	1	24	3	8	3	19	-
Pomona	6	49	1	5	36	32	4	18	5	1	16	10	10	59	19	25	17	38	-
Rancho Palos Verdes	1	23	3	2	7	7	1	1	2	-	-	2	-	18	10	4	4	2	-
Redondo Beach	3	32	2	-	10	17	1	5	1	-	1	3	2	23	6	6	9	-	-
Rosemead	2	24	2	3	20	18	2	5	4	-	4	2	-	20	4	7	2	17	-
San Dimas	3	17	-	2	20	13	1	2	1	-	2	1	-	12	3	3	3	2	1
San Fernando	2	15	2	2	5	8	3	5	-	-	2	4	2	7	3	13	1	4	-
San Gabriel	3	35	9	2	25	21	4	5	5	-	4	3	1	28	5	10	7	3	-
San Marino	-	8	2	-	12	7	1	1	-	-	-	-	1	4	-	5	1	-	-
Santa Fe Springs	2	7	3	3	3	4	-	-	1	-	1	2	1	7	-	1	2	3	-
Santa Monica	7	85	9	5	41	40	5	14	6	-	2	1	2	72	12	17	23	10	-
Sierra Madre	-	7	1	-	-	6	1	-	-	-	-	-	-	10	1	1	3	-	-
South El Monte	1	4	-	1	4	3	-	2	2	-	-	-	-	3	1	2	1	2	-
South Gate	1	34	4	2	16	16	1	11	1	-	5	4	4	31	7	9	6	15	-
South Pasadena	3	14	3	2	13	7	1	-	1	-	1	-	-	10	1	3	4	-	-
Temple City	2	23	2	5	16	11	1	3	1	-	2	-	-	15	4	3	8	3	-
Torrance	2	94	12	9	67	52	3	16	2	-	6	9	2	75	14	12	17	16	-
West Covina	3	37	11	5	33	27	3	9	3	-	14	8	1	33	13	13	11	7	-
Whittier	11	72	12	6	60	73	4	23	11	-	14	9	5	88	21	24	22	20	-
Balance of county	14	233	25	31	126	140	8	47	22	-	33	30	20	191	92	84	71	53	6
Madera	7	40	2	10	28	32	2	10	10	-	3	3	5	78	27	20	7	13	-
Madera	5	22	2	5	15	17	1	5	9	-	3	3	4	45	18	7	-	13	-
Balance of county	2	18	-	5	13	15	1	5	1	-	-	-	1	33	9	13	7	-	-
Marin	6	151	24	30	102	78	4	25	10	-	6	5	8	138	29				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 553

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 15 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of di- gestive organs and pento- neum (150- 159)	Malign- ant neo- plasms of res- piratory and intra- tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheum- atic fever and rheum- atic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
California—Con.																			
Mariposa	139	-	-	2	38	8	13	3	2	3	1	8	1	52	41	2	3	26	10
Mendocino	733	1	1	10	156	39	59	8	18	5	7	20	13	301	216	2	17	151	46
Ukiah	273	1	1	1	45	13	16	5	3	1	3	4	6	137	105	-	5	79	21
Balance of county	460	-	-	9	111	26	43	3	15	4	4	16	7	164	111	2	12	72	25
Merced	1,102	-	-	17	283	71	88	19	36	16	11	42	19	404	294	2	9	216	67
Atwater	114	-	-	1	32	6	12	5	3	2	-	4	2	43	32	-	-	24	8
Los Banos	133	-	-	2	34	9	8	3	4	2	1	7	3	53	40	-	1	30	9
Merced	461	-	-	7	117	37	32	8	15	6	3	16	7	173	121	1	5	88	27
Balance of county	394	-	-	7	100	19	36	3	14	6	7	15	7	135	101	1	3	74	23
Modoc	102	-	-	2	26	4	7	2	6	1	2	4	4	42	34	-	2	15	17
Mono	45	-	-	-	10	1	5	-	1	1	-	2	2	16	12	-	1	10	1
Monterey	2,157	2	-	60	480	126	124	37	44	25	20	104	34	835	577	8	19	373	177
Marina	90	-	-	1	23	7	4	3	1	2	-	6	-	37	24	-	1	18	5
Monterey	236	-	-	9	53	10	18	5	1	3	5	11	4	113	84	2	3	57	22
Pacific Grove	188	-	-	4	48	17	10	7	3	2	1	8	1	84	53	-	-	37	16
Salinas	817	-	-	23	157	38	48	10	22	5	3	31	19	299	211	3	6	135	67
Seaside	183	-	-	5	43	13	14	-	3	4	3	6	5	63	45	2	3	29	11
Balance of county	643	2	-	18	156	41	30	12	14	9	6	42	5	239	160	1	6	97	56
Napa	1,166	1	-	20	286	71	70	14	47	5	7	72	26	489	373	4	21	260	88
Napa	751	1	-	14	183	48	44	10	30	3	3	45	20	306	239	2	17	161	59
Balance of county	415	-	-	6	103	23	26	4	17	2	4	27	6	183	134	2	4	99	29
Nevada	733	-	-	9	216	47	63	17	30	12	10	37	11	262	205	4	13	116	72
Orange	14,827	10	-	401	3,583	863	981	304	422	155	151	707	218	6,281	4,785	56	132	3,660	937
Anaheim	1,804	1	-	36	395	87	107	37	54	12	18	80	23	770	575	4	18	436	117
Brea	197	-	-	5	54	16	15	5	9	1	-	8	-	97	69	-	2	56	11
Buena Park	430	1	-	9	112	32	32	6	16	3	3	20	9	176	144	1	6	115	22
Costa Mesa	561	-	-	18	139	25	54	6	17	7	4	26	11	209	152	4	5	114	29
Cypress	224	-	-	11	52	17	13	7	6	2	2	5	3	91	75	2	6	50	17
Fountain Valley	311	-	-	8	73	18	22	7	8	5	4	9	2	131	100	1	3	73	23
Fullerton	749	1	-	15	183	46	52	16	20	6	6	37	10	335	243	4	6	193	40
Garden Grove	1,007	1	-	27	230	58	67	14	25	6	9	51	24	429	342	5	6	241	90
Huntington Beach	1,001	-	-	17	266	71	69	18	30	13	7	58	7	431	350	2	4	279	65
Irvine	393	-	-	20	98	23	20	7	10	8	4	26	5	156	118	3	1	88	26
Laguna Beach	225	-	-	35	54	8	15	7	3	1	2	18	1	76	54	-	1	46	7
La Habra	380	-	-	5	89	29	16	9	15	2	4	14	10	174	138	1	7	106	24
La Palma	85	-	-	4	21	6	6	2	1	1	-	5	2	24	18	-	2	15	1
Los Alamitos	155	1	-	4	46	9	13	2	7	1	2	12	3	64	48	-	-	30	18
Newport Beach	546	-	-	16	149	31	44	17	13	7	10	27	7	226	157	2	8	111	36
Orange	678	1	-	15	150	32	45	17	17	8	3	28	9	284	222	2	2	173	45
Pacifica	226	-	-	2	57	12	17	6	5	4	3	10	4	91	65	-	4	47	14
Pacifica	280	-	-	12	83	17	31	8	3	2	7	15	3	116	80	-	3	66	11
San Clemente	220	-	-	5	51	12	14	1	8	1	4	11	3	89	71	1	-	51	19
San Juan Capistrano	220	-	-	4	77	20	26	38	13	12	64	29	565	438	5	11	347	75	
Santa Ana	1,468	3	-	41	300	77	70	26	38	13	12	64	29	565	438	5	11	347	75
Seal Beach	513	-	-	-	111	21	29	8	19	6	5	23	8	293	236	3	4	191	38
Stanton	177	-	-	9	41	5	13	3	3	1	2	14	2	76	62	-	-	45	17
Tustin	293	-	-	11	90	27	22	7	6	3	6	18	3	109	91	-	4	76	11
Westminster	489	-	-	16	113	32	28	7	16	4	6	20	4	196	147	4	2	111	30
Yorba Linda	196	-	-	4	53	13	20	4	5	1	1	9	3	86	69	2	3	55	9
Balance of county	2,239	1	-	58	573	139	147	57	67	34	30	99	32	987	721	10	24	545	142
Placer	1,355	-	-	26	332	62	101	21	35	19	16	78	28	523	385	2	12	287	84
Roseville	418	-	-	6	93	16	32	7	8	5	6	19	11	180	141	-	2	110	29
Balance of county	937	-	-	20	239	46	69	14	27	14	10	59	17	343	244	2	10	177	55
Plumas	189	-	-	2	57	14	10	7	5	2	4	15	3	74	57	-	1	33	23
Riverside	10,041	5	1	247	2,290	516	690	193	282	80	71	448	121	4,405	3,478	30	104	2,613	731
Banning	337	1	-	3	79	29	20	5	7	7	3	8	2	174	145	1	2	126	16
Corona	485	-	-	14	113	28	27	13	10	6	8	21	8	210	169	1	-	136	32
Hemet	1,496	-	1	7	342	83	106	25	46	8	9	65	12	782	608	5	26	474	103
Indio	228	-	-	8	54	11	13	5	9	1	2	7	2	89	64	-	3	46	15
Norco	115	-	-	2	28	6	11	1	2	1	-	7	2	48	36	-	-	31	5
Palm Desert	375	-	-	12	101	13	32	8	13	4	3	28	7	156	123	2	5	87	29
Palm Springs	648	1	-	48	143	40	37	9	23	6	3	25	5	272	212	-	3	146	63
Riverside	1,978	1	-	44	415	89	129	44	36	16	12	89	30	851	666	5	18	519	125
Balance of county	4,379	2	-	109	1,015	217	315	83	136	41	31	192	52	1,844	1,455	16	47	1,049	343
Sacramento	7,632	5	-	225	1,815	366	534	170	202	80	67	396	126	3,018	2,268	31	156	1,489	592
Folsom	156	-	-	5	40	11	9	3	8	1	2	6	2	62	46	2	4	28	12
Sacramento	4,972	5	-	171	1,100	215	333	90	134	55	36	237	81	2,007	1,492	22	111	976	363
Balance of county	2,504	-	-	49	675	140	192	77	60	24	29	153	43	949	730	7	41	485	197
San Benito	252	-	-	3	61	21	10	6	3	2	-	19	3	102</					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 554

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 16 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
California—Con.																			
Mariposa	1	7	-	3	5	6	2	2	1	-	1	-	-	16	6	5	2	-	-
Mendocino	3	57	12	13	42	42	2	11	4	-	1	-	5	67	32	21	18	5	1
Ukiah	2	20	6	4	16	15	-	5	1	-	-	-	2	26	4	6	6	4	-
Balance of county	1	37	6	9	26	27	2	6	3	-	1	-	3	41	28	15	12	4	1
Merced	7	72	8	23	54	43	5	12	14	-	19	13	9	106	51	20	21	11	1
Atwater	2	8	-	1	5	6	-	1	1	-	2	5	1	7	4	1	2	1	-
Los Banos	-	11	-	2	9	4	1	-	1	-	-	3	-	11	4	4	3	1	-
Merced	3	33	4	12	20	15	3	4	8	-	11	2	5	46	20	7	10	6	6
Balance of county	2	20	4	8	20	18	1	7	4	-	6	3	3	42	23	8	6	3	1
Modoc	-	7	1	-	5	2	-	2	2	-	-	-	-	8	2	6	1	-	-
Mono	-	4	-	-	-	3	-	1	-	-	-	-	-	7	3	2	1	-	-
Monterey	13	181	24	40	82	100	15	55	12	-	19	24	13	236	52	56	40	38	4
Marina	2	7	-	4	2	2	2	2	1	-	2	-	-	12	3	-	1	-	-
Monterey	-	22	2	5	7	10	1	3	3	-	1	1	1	17	1	5	3	2	-
Pacific Grove	2	19	5	5	8	8	1	5	-	-	2	1	-	19	3	3	3	-	-
Salinas	8	55	11	14	28	46	8	30	4	-	7	8	6	93	27	21	19	18	4
Seaside	-	13	1	4	5	7	1	3	1	-	2	8	1	20	5	7	2	5	-
Balance of county	1	65	5	8	32	27	2	12	3	-	5	6	5	75	13	20	12	11	-
Napa	9	87	9	11	91	64	8	14	11	-	3	-	3	94	15	22	11	5	3
Napa	5	48	6	8	59	31	5	11	7	-	3	-	2	70	12	15	8	2	2
Balance of county	4	39	3	3	32	33	3	3	4	-	-	-	-	24	3	7	3	3	1
Nevada	3	41	3	10	36	44	3	20	3	-	5	1	1	75	15	11	17	4	-
Orange	67	1,058	179	192	706	704	66	237	88	4	123	112	103	1,096	267	345	273	186	14
Anaheim	13	113	49	20	91	85	6	30	11	1	23	19	12	137	38	49	37	34	3
Brea	-	17	6	5	6	11	1	2	1	-	1	1	-	10	2	3	4	1	-
Brea Park	1	15	7	9	23	24	1	9	3	-	2	2	2	23	10	14	6	4	-
Costa Mesa	-	42	3	12	19	28	4	6	4	-	8	4	8	49	14	19	15	6	-
Cypress	1	11	2	2	8	11	1	7	2	-	2	3	2	18	2	3	6	2	-
Fountain Valley	3	23	-	5	16	18	2	6	2	-	-	-	2	26	6	10	6	3	-
Fullerton	5	64	17	6	44	33	2	14	4	-	4	11	2	55	6	13	9	7	1
Garden Grove	6	61	7	13	45	47	6	11	7	-	15	7	7	78	22	18	16	16	1
Huntington Beach	4	59	7	11	38	52	3	16	6	-	5	2	9	68	24	23	26	7	1
Irvine	-	29	4	5	14	19	1	2	3	-	-	7	3	38	8	8	9	1	-
Laguna Beach	1	20	-	1	11	10	-	3	1	-	-	-	3	18	5	3	5	-	-
La Habra	1	27	5	3	12	20	3	4	3	-	3	4	1	34	8	6	4	-	-
La Palma	-	5	1	2	3	3	-	-	1	-	-	-	-	7	-	-	-	1	-
Los Alamitos	-	9	2	5	6	7	-	2	1	-	1	-	-	12	1	3	2	2	-
Newport Beach	4	53	5	7	24	36	2	6	2	-	1	-	1	39	7	16	11	3	-
Orange	2	39	9	12	41	42	5	14	5	1	6	3	10	43	12	9	14	12	2
Placentia	1	20	1	4	14	10	1	6	1	-	2	-	1	18	4	6	6	3	-
San Clemente	1	28	3	4	5	7	3	6	2	-	1	2	3	18	2	8	6	3	-
San Juan Capistrano	-	13	1	4	7	18	1	6	-	-	3	3	-	17	5	7	3	2	-
Santa Ana	6	102	7	12	79	58	7	36	10	2	29	20	14	105	30	45	28	64	3
Seal Beach	5	42	4	6	20	23	1	6	3	-	2	-	-	29	3	9	3	1	1
Stanton	-	11	1	2	6	6	3	4	-	-	-	-	2	10	4	8	2	4	-
Tustin	1	13	2	2	11	12	-	6	2	-	2	6	1	23	5	7	2	3	-
Westminster	3	32	8	6	39	27	3	11	5	-	3	4	2	35	8	7	9	6	1
Yorba Linda	1	10	3	3	8	12	-	4	-	-	-	-	2	13	1	5	3	2	-
Balance of county	8	200	26	32	117	84	8	20	10	-	10	13	18	173	40	46	41	9	1
Placer	7	104	8	19	66	83	3	18	16	-	5	6	5	150	39	28	21	5	1
Roseville	1	33	3	2	19	25	1	6	4	-	2	1	1	46	11	8	3	1	-
Balance of county	6	71	5	17	47	58	2	12	12	-	3	5	4	104	28	20	18	4	1
Plumas	2	9	2	4	2	8	1	1	-	-	1	1	4	25	4	4	2	1	-
Riverside	44	640	131	112	401	568	52	169	62	2	70	85	65	704	240	214	189	147	4
Banning	-	23	4	2	13	21	1	3	1	-	3	1	1	23	1	3	3	4	-
Corona	1	27	11	2	15	19	-	12	1	-	6	11	6	26	14	13	9	8	-
Hemet	7	96	26	25	44	88	13	16	10	1	4	11	5	122	16	23	15	4	-
Indio	2	18	-	4	8	11	2	4	3	-	-	-	2	14	8	6	2	7	-
Norco	1	9	1	1	5	9	-	1	-	-	-	-	4	9	5	4	2	-	-
Palm Desert	1	19	4	9	19	23	3	8	-	-	-	-	1	21	3	5	12	2	-
Palm Springs	3	46	4	7	37	34	2	16	5	-	2	2	4	41	11	7	12	8	-
Riverside	12	126	27	20	85	97	10	49	13	-	22	16	17	139	48	58	40	41	2
Balance of county	17	276	54	42	175	266	21	60	29	1	29	38	29	309	134	95	94	75	2
Sacramento	35	550	54	111	369	406	23	135	45	1	46	54	121	658	155	154	140	109	27
Folsom	1	9	5	1	5	6	1	1	1	-	1	2	-	19	4	1	4	1	1
Sacramento	29	378	39	69	236	260	15	91	30	1	29	32	85	432	99	108	82	87	21
Balance of county	5	163	10	41	128	140	7	43	14	-	16	20	36	207	52	45	54	21	5
San Benito	2	15	2	9	15	11	1	1	2	-	4	2	1	23	11	7	5	-	-
Hollister	2	12	1	5	12	7	-	1	2	-	4	2	1	22	8	5	5	-	-
Balance of county	-	3	1	4	3	4	1	-	-	-	-	-	-	3	2	-	-	-	-
San Bernardino	43	633	107	103	370	588	51	193	69	5	107	126	62	772	292	263	221	242	12
Barstow	-	9	6	2	5	14	-	1	1	-	1	1	3	12	6	9	8	4	-
Chino	2	25	2	3	12	17	1	8	1	-	9	6	2	17	18	9	11	-	-
Colton	1	21	2	5	7	13	2	7	2	-	5	6	1	22	2	7	5	12	2
Fontana	2	29	3	3	18	37	3	14	2	2	8	15	6	56	24	27	11	27	1
Loma Linda	-	17	5	1	6	6	2	-	1	-	3	-							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 555

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 17 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poeitic tissues (140-208)	Malignant neoplasms of diges- tive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheum- atic fever and rheum- atic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
California—Con.																				
Redlands	512	1	-	11	95	21	26	6	10	2	3	27	7	243	192	1	3	145	43	
Rialto	506	-	-	18	112	28	38	9	10	8	2	17	10	194	151	3	6	119	23	
San Bernardino	1,570	1	-	30	288	65	78	26	41	12	15	51	43	599	470	1	27	368	74	
Upland	392	-	-	7	84	16	25	6	14	1	4	18	10	180	135	-	6	109	20	
Victorville	456	-	-	7	114	27	28	11	14	6	3	25	10	188	139	-	3	113	23	
Balance of county	3,631	-	-	53	877	205	312	56	108	28	25	143	51	1,479	1,143	11	35	907	190	
San Diego	17,639	16	1	687	4,269	1,010	1,167	353	510	194	168	867	244	6,919	5,213	52	209	3,551	1,401	
Carlsbad	439	2	-	11	136	25	38	11	14	7	7	34	4	168	128	-	1	86	41	
Chula Vista	1,012	2	-	20	236	51	61	13	33	13	7	58	16	453	357	5	13	240	99	
Coronado	187	-	-	2	50	19	7	5	7	2	1	9	4	83	52	-	1	33	18	
El Cajon	1,170	-	-	26	268	51	94	22	32	9	9	51	15	491	363	3	15	252	93	
Escondido	1,114	-	-	24	269	56	80	21	34	15	9	54	20	439	320	3	7	224	86	
Imperial Beach	124	-	-	3	27	7	5	3	4	1	1	6	3	44	38	-	-	29	9	
La Mesa	636	-	-	13	131	33	36	15	13	7	5	22	6	296	232	2	8	160	62	
Lemon Grove	219	-	-	6	61	19	21	4	6	2	-	9	5	76	61	-	4	43	14	
National City	368	-	-	12	65	14	20	4	10	1	1	15	6	158	124	-	3	87	34	
Oceanside	976	1	1	32	219	49	51	13	23	13	15	55	6	398	309	-	18	202	89	
San Diego	7,591	9	-	456	1,825	456	484	147	227	80	75	356	114	2,618	2,090	27	97	1,404	562	
San Marcos	405	-	-	7	98	21	28	12	14	5	-	18	5	186	133	1	3	90	39	
Vista	600	-	-	11	145	45	32	12	15	8	5	28	7	245	187	6	2	136	43	
Balance of county	2,798	2	-	64	739	164	210	71	78	31	33	152	33	1,064	819	5	37	565	212	
San Francisco, coext. with																				
San Francisco city	8,174	10	1	1,335	1,601	455	438	119	182	48	48	311	103	2,862	2,173	15	201	1,227	730	
San Joaquin	3,824	3	-	71	839	196	247	77	96	33	40	150	89	1,536	1,146	19	29	886	212	
Lodi	577	-	-	6	125	37	33	16	15	5	1	18	13	254	164	4	6	126	28	
Manteca	337	1	-	8	72	15	25	4	7	2	5	14	8	134	102	-	4	81	17	
Stockton	2,234	2	-	46	467	98	139	41	52	22	28	87	56	892	687	14	15	533	125	
Tracy	272	-	-	7	63	18	22	4	6	2	2	9	3	108	81	1	3	62	15	
Balance of county	404	-	-	4	112	28	28	12	16	2	4	22	9	148	112	-	1	84	27	
San Luis Obispo	1,746	-	-	44	427	113	111	33	55	24	23	68	22	754	573	10	23	402	138	
Arroyo Grande	221	-	-	4	64	17	19	4	6	4	3	11	1	101	78	1	2	55	20	
Atascadero	195	-	-	9	47	13	11	2	6	2	3	10	2	79	62	2	2	42	16	
San Luis Obispo	345	-	-	13	63	15	17	6	9	5	4	7	5	143	104	1	9	72	22	
Balance of county	985	-	-	18	253	68	64	21	34	13	13	40	14	431	329	6	10	233	80	
San Mateo	4,843	2	-	139	1,278	329	350	112	137	41	48	261	68	1,923	1,371	18	65	989	299	
Belmont	167	-	-	3	48	17	8	7	3	-	2	11	3	60	47	3	1	34	9	
Burlingame	314	-	-	8	86	23	18	9	11	6	3	16	2	132	87	-	4	70	13	
Daly City	649	1	-	19	166	48	41	11	23	-	4	39	8	267	187	1	7	151	28	
Foster City	135	-	-	3	41	10	13	4	4	-	3	7	1	53	34	1	4	21	8	
Hillsborough	64	-	-	1	25	4	7	4	5	-	2	3	-	23	19	-	2	10	7	
Menlo Park	343	-	-	15	71	14	11	8	13	3	4	18	4	138	102	3	5	64	30	
Millbrae	212	-	-	1	46	14	11	6	5	-	2	8	4	98	61	2	2	46	11	
Pacificia	209	-	-	9	64	16	18	7	6	1	4	12	2	72	52	1	-	37	14	
Redwood City	603	-	-	15	142	34	44	10	11	7	6	30	8	240	179	-	6	141	32	
San Bruno	244	1	-	8	74	14	20	8	5	4	3	20	4	90	63	-	1	50	12	
San Carlos	209	-	-	3	67	18	22	5	6	-	4	12	3	88	59	2	5	37	15	
San Mateo	768	-	-	14	215	56	58	20	26	11	4	40	15	319	234	5	17	169	43	
South San Francisco	417	-	-	17	110	33	33	5	8	6	5	20	6	167	131	-	7	90	34	
Balance of county	509	-	-	23	123	28	46	8	11	3	2	25	8	176	116	-	4	69	43	
Santa Barbara	2,663	1	-	62	634	160	178	45	74	25	35	117	29	1,154	821	10	43	516	252	
Carpinteria	109	-	-	2	28	6	8	-	4	3	1	6	2	39	24	-	-	17	7	
Lompoc	300	-	-	6	77	20	19	11	6	3	3	15	-	121	82	1	7	53	21	
Santa Barbara	1,213	1	-	38	286	89	63	19	38	8	16	53	12	539	378	3	15	232	128	
Santa Maria	685	-	-	10	149	25	59	7	15	7	11	25	9	308	230	4	16	144	66	
Balance of county	356	-	-	6	94	20	29	8	11	4	4	18	6	147	107	2	5	70	30	
Santa Clara	8,244	3	-	238	2,016	471	505	208	244	72	83	433	167	3,275	2,488	31	149	1,603	705	
Campbell	284	-	-	7	60	12	19	8	6	2	1	12	4	124	95	1	8	64	22	
Cupertino	269	-	-	4	79	21	18	4	7	6	5	18	7	118	86	-	7	55	24	
Gilroy	223	-	-	3	46	12	10	6	4	-	3	11	4	102	78	3	5	46	24	
Los Altos	239	-	-	5	64	14	8	15	6	1	2	18	2	105	70	-	4	48	18	
Los Gatos	276	-	-	5	68	17	19	5	12	4	-	11	1	125	100	2	3	63	32	
Milpitas	180	-	-	6	53	10	22	6	5	-	2	8	4	63	47	-	1	33	13	
Morgan Hill	168	-	-	8	35	8	6	4	5	2	4	6	1	72	58	2	3	35	18	
Mountain View	404	-	-	9	93	18	22	13	10	4	4	22	11	159	122	1	10	70	41	
Palo Alto	456	-	-	10	110	20	27	15	15	5	5	23	7	179	122	1	9	61	51	
San Jose	4,156	3	-	138	1,007	240	251	96	133	30	36	221	81	1,578	1,207	18	66	802	321	
Santa Clara	530	-	-	20	124	39	31	7	10	6	6	25	16	213	163	1	13	115	34	
Saratoga	215	-	-	4	57	14	15	3	7	1	3	14	6	96	73	-	6	44	23	
Sunnyvale ..																				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 556

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 18 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
California—Con.																			
Redlands	2	36	5	8	28	34	2	11	2	—	2	3	2	38	7	10	9	7	—
Rialto	2	32	2	7	18	23	4	12	3	—	4	8	—	41	10	13	15	21	—
San Bernardino	8	105	7	9	66	94	13	40	12	—	14	26	14	144	41	37	34	66	6
Upland	1	30	10	4	22	13	1	3	4	—	5	4	—	21	7	8	8	5	—
Victorville	1	30	11	7	9	32	3	7	4	—	7	10	—	30	13	4	10	7	—
Balance of county	17	232	45	42	122	243	15	59	29	1	26	28	26	272	123	93	86	46	2
San Diego	81	1,259	165	201	805	848	68	255	148	5	113	140	78	1,757	296	375	345	251	19
Carlsbad	1	29	4	6	24	14	3	3	4	—	—	—	—	51	4	7	6	—	1
Chula Vista	7	72	9	8	50	59	1	18	4	—	5	7	5	81	14	13	18	9	1
Coronado	1	25	1	4	6	3	2	2	—	—	2	—	—	23	1	2	4	2	—
El Cajon	5	105	7	11	58	68	6	26	10	1	8	3	7	109	16	22	27	8	1
Escondido	6	80	15	18	65	56	6	14	5	1	11	7	6	117	20	23	16	11	4
Imperial Beach	—	5	5	—	10	7	—	4	—	—	3	3	—	12	1	4	2	1	—
La Mesa	5	47	1	7	32	40	3	5	4	—	1	1	1	75	6	7	11	3	1
Lemon Grove	—	13	1	1	10	15	—	2	2	—	5	3	1	18	6	3	4	2	—
National City	1	25	3	5	24	17	—	7	2	—	4	6	—	35	9	7	5	10	1
Oceanside	6	62	11	10	36	60	4	16	7	—	6	18	4	107	14	19	14	14	—
San Diego	36	543	67	82	325	330	32	120	68	1	44	73	31	742	106	192	155	142	8
San Marcos	—	39	6	8	13	21	—	2	4	—	1	—	—	38	10	8	7	4	—
Vista	1	35	12	10	29	33	2	7	2	—	5	3	6	60	17	8	12	8	—
Balance of county	12	179	23	31	123	125	9	29	36	2	18	16	14	289	72	60	64	37	2
San Francisco, coext. with																			
San Francisco city	30	560	31	68	344	257	31	138	56	5	25	28	41	754	76	228	144	107	28
San Joaquin	15	306	33	36	161	168	15	80	32	2	25	35	40	386	102	112	54	71	3
Lodi	3	72	8	7	28	25	2	19	6	—	1	3	3	62	10	9	8	7	—
Manteca	—	27	4	1	19	12	3	3	2	1	2	3	3	35	11	9	7	3	1
Stockton	10	162	15	18	82	104	7	47	20	1	17	19	26	236	58	70	26	56	2
Tracy	1	17	2	7	6	7	3	5	2	—	4	6	4	23	9	11	4	7	—
Balance of county	1	28	4	3	26	20	—	6	2	—	1	4	4	30	14	13	9	2	—
San Luis Obispo	8	138	11	24	68	109	7	19	7	—	14	4	3	150	24	43	35	13	3
Arroyo Grande	1	17	1	4	7	15	—	—	—	—	—	—	—	19	3	2	4	1	—
Atascadero	1	12	2	2	11	23	1	2	2	—	3	1	—	14	2	6	1	3	—
San Luis Obispo	—	32	2	5	16	23	1	4	—	—	5	—	—	45	6	12	6	—	2
Balance of county	6	77	6	13	34	59	5	13	5	—	6	3	2	72	13	23	24	9	1
San Mateo	16	434	27	75	258	205	22	97	27	2	26	23	25	461	67	88	79	49	4
Belmont	—	10	—	3	8	10	—	2	3	—	—	—	—	23	—	2	3	1	—
Burlingame	1	37	2	5	19	11	3	4	—	—	—	1	1	31	4	4	6	2	—
Daly City	4	61	4	11	36	33	3	5	5	—	2	4	6	48	12	12	13	8	1
Foster City	—	17	1	1	4	5	1	1	1	—	—	—	—	16	—	4	5	—	—
Hillsborough	—	4	—	—	2	1	—	—	—	—	—	—	—	8	—	1	—	—	—
Menlo Park	—	26	3	7	29	17	—	4	—	—	4	—	—	38	6	6	7	3	—
Millbrae	—	35	—	2	20	12	2	3	—	—	—	—	1	17	2	5	1	—	—
Pacifica	—	15	1	4	5	10	1	7	—	—	—	1	1	17	5	8	3	—	—
Redwood City	3	53	1	4	36	28	1	18	2	1	5	1	6	58	8	18	11	5	—
San Bruno	—	20	1	6	14	9	2	5	2	—	1	1	—	21	3	4	4	1	—
San Carlos	1	22	2	4	8	3	2	7	—	—	1	—	—	20	—	2	1	1	—
San Mateo	4	62	6	13	41	31	2	13	2	1	5	5	3	78	6	9	8	1	—
South San Francisco	—	29	1	6	18	16	2	16	2	—	3	3	3	38	5	5	3	2	1
Balance of county	3	43	5	9	18	18	2	12	9	—	4	6	—	48	16	8	14	22	2
Santa Barbara	23	247	20	43	112	141	10	53	22	—	22	8	9	221	51	71	43	17	3
Carpinteria	1	12	—	2	5	9	—	5	1	—	1	—	—	10	—	3	2	1	—
Lompoc	4	27	3	5	12	19	2	10	2	—	3	—	—	21	3	11	9	2	—
Santa Barbara	9	123	10	19	51	59	6	22	9	—	6	4	2	106	17	35	13	5	2
Santa Maria	5	56	3	14	25	41	2	12	6	—	9	3	3	62	14	13	12	6	1
Balance of county	4	29	4	3	19	13	—	4	4	—	3	1	1	22	17	9	7	3	—
Santa Clara	39	585	62	101	420	396	23	150	49	1	61	67	54	774	154	185	117	86	8
Campbell	4	18	3	4	13	19	2	6	3	—	2	2	—	25	2	9	5	1	—
Cupertino	2	22	4	6	13	—	—	3	2	—	1	—	1	27	4	—	3	—	—
Gilroy	1	15	2	6	11	6	—	4	1	—	1	—	—	25	5	6	2	6	—
Los Altos	3	25	3	4	14	10	—	1	—	—	—	—	—	30	2	3	2	1	—
Los Gatos	—	24	—	1	16	17	—	7	2	—	—	—	—	19	3	2	4	2	—
Milpitas	1	11	1	3	8	10	1	3	2	—	1	4	2	13	3	3	4	—	—
Morgan Hill	1	10	—	3	13	9	1	4	1	—	—	—	—	7	4	5	3	4	—
Mountain View	3	27	3	4	26	18	—	5	4	—	2	2	2	43	4	12	8	5	1
Palo Alto	2	43	6	6	24	24	3	4	1	—	2	1	2	61	4	12	9	2	1
San Jose	11	285	26	49	222	199	7	87	26	1	46	40	33	380	99	100	51	54	4
Santa Clara	2	37	3	8	21	30	4	12	2	—	—	—	—	42	9	12	10	3	—
Saratoga	3	11	7	2	7	5	—	3	2	—	1	5	6	42	4	5	3	—	—
Sunnyvale	5	47	2	6	35	34	5	11	3	—	—	—	—	22	4	5	3	—	—
Balance of county	1	10	2	1	4	2	—	—	—	—	—	—	—	71	10	12	9	5	1
Santa Cruz	6	143	14	19	82	69	13	32	9	1	6	5	13	153	30	38	35	9	2
Santa Cruz	3	62	6	8	45	33	7	16	5	—	—	—	—	58	7	12	16	4	—
Watsonville	1	29	4	4	23	9	3	7	2	—	—	—	—	40	11	9	5	4	—
Balance of county	2	52	4	7	24	27	3	9	2	1	3	1	4	55	12	17	14	1	2
Shasta	5	101	15	24	69	77	5	22	10	—	12	10	6	150	40	35	33	9	9
Redding	4	61	10	12	44	45	3	11	5	—	9	2	3	86	15	21	22	5	8
Balance of county	1	40	5	12	25	32	2	11	5	—	3	8	3	64	25	14	11	4	1
Sierra	1	4	1	1	—	2	—	—	—	—	—	—	—	2	1	1	—	—	—
Siskiyou	4	30	8	5	27	24	1	12	4	—	—	—	—	9	9	12	4	—	—

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 557

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 19 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated-in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- topoietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respira- tory and intra- thoracic organs (160- 165)	Malignant neoplasm of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 449)	Diseases of heart (390- 398, 402,404- 429)	Rheum- atic fever and rheum- atic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other diseases (415- 429)
California—Con.																			
Solano	2,159	-	-	76	548	147	162	37	50	17	16	119	37	759	533	3	19	382	129
Benicia	129	-	-	8	27	6	10	-	1	3	-	7	2	46	35	-	-	24	11
Fairfield	403	-	-	10	103	28	25	8	13	1	1	27	5	135	87	-	5	63	19
Suisun City	103	-	-	5	34	12	11	3	2	1	1	4	2	33	26	-	-	16	10
Vacaville	434	-	-	19	109	33	26	6	11	3	4	26	9	157	107	3	2	76	26
Vallejo	953	-	-	31	237	56	79	18	20	9	10	45	15	344	244	-	10	181	53
Balance of county	137	-	-	3	38	12	11	2	3	-	-	10	4	44	34	-	2	22	10
Sonoma	3,385	3	-	115	867	207	239	72	107	37	28	177	43	1,343	945	9	34	653	249
Petaluma	437	1	-	9	103	27	30	7	9	2	3	25	6	203	136	1	7	101	27
Rohnert Park	227	-	-	9	66	12	14	5	12	4	4	15	2	81	58	-	2	41	15
Santa Rosa	1,501	1	-	39	377	99	113	29	42	12	9	73	19	584	424	6	17	292	109
Balance of county	1,220	1	-	64	321	69	82	31	44	19	12	64	14	475	327	2	8	219	98
Stanislaus	2,931	-	-	62	673	140	232	47	61	25	33	135	55	1,104	866	7	23	636	200
Ceres	202	-	-	5	46	10	18	4	4	2	2	6	5	71	62	-	1	49	12
Modesto	1,620	-	-	40	362	84	116	27	27	15	13	80	23	604	471	4	10	339	118
Turlock	455	-	-	10	109	15	41	5	13	2	9	24	13	194	159	2	9	121	27
Balance of county	654	-	-	7	156	31	57	11	17	6	9	25	14	235	174	1	3	127	43
Sutter	556	-	-	17	130	33	42	8	10	4	2	31	12	196	143	1	7	104	31
Yuba City	446	-	-	15	103	27	31	6	7	3	2	27	9	169	123	1	7	89	26
Balance of county	110	-	-	2	27	6	11	2	3	1	-	4	3	27	20	-	-	15	5
Tehama	562	-	-	10	147	37	46	12	21	5	6	20	5	225	173	1	2	125	45
Trinity	152	-	-	-	33	8	12	4	3	2	-	4	3	50	40	1	-	24	15
Tulare	2,481	-	-	54	501	118	145	38	62	21	18	99	60	1,060	812	5	28	598	181
Porterville	464	-	-	6	90	26	25	3	14	6	3	13	7	193	156	1	5	127	23
Tulare	370	2	-	6	71	18	28	6	3	2	8	14	17	140	2	5	112	21	
Visalia	692	-	-	16	162	43	47	12	17	4	5	34	14	301	217	1	13	143	60
Balance of county	955	-	-	26	178	31	45	17	25	8	8	44	25	389	299	1	5	216	77
Tuolumne	423	-	-	3	111	18	41	13	12	4	2	21	6	173	125	-	5	88	32
Ventura	3,900	4	-	80	965	223	251	77	114	42	46	212	82	1,482	1,135	21	44	808	262
Camarillo	502	-	-	8	137	32	35	5	25	5	11	24	9	195	153	4	4	115	30
Oxnard	827	2	-	21	179	41	45	11	16	9	9	48	28	291	221	2	10	161	48
Port Hueneme	133	-	-	2	34	7	11	6	4	-	-	6	4	48	34	-	2	29	3
San Buenaventura (Ventura)	777	1	-	21	182	38	53	15	19	7	11	39	11	303	220	5	15	144	56
Santa Paula	221	-	-	1	47	10	8	3	6	4	3	13	3	96	72	1	2	50	19
Simi Valley	447	-	-	11	125	35	33	10	12	7	3	25	4	172	144	4	2	105	33
Thousand Oaks	533	-	-	8	153	32	40	15	22	7	6	31	9	202	152	1	8	108	35
Balance of county	460	1	-	8	108	28	26	12	10	3	3	26	14	175	139	4	1	96	38
Yolo	938	-	-	19	204	45	66	16	27	6	7	37	14	372	280	2	17	197	64
Davis	197	-	-	6	41	7	9	6	5	1	2	11	-	68	48	-	3	33	12
Woodland	332	-	-	5	61	15	18	5	8	2	2	11	5	166	123	1	6	90	26
Balance of county	409	-	-	8	102	23	39	5	14	3	3	15	9	138	109	1	8	74	26
Yuba	476	-	-	16	104	21	41	6	12	4	3	17	7	178	131	2	2	96	31
Colorado	22,440	7	-	669	4,954	1,230	1,255	432	637	204	210	986	437	8,426	6,169	106	179	4,193	1,691
Urban places	15,551	6	-	544	3,343	847	851	285	445	128	141	646	302	5,931	4,312	82	131	2,844	1,255
Balance of area	6,889	1	-	125	1,611	389	404	147	192	76	69	340	135	2,495	1,857	24	48	1,349	436
Metropolitan counties	17,390	7	-	593	3,849	955	980	350	495	150	170	749	345	6,444	4,676	90	136	3,088	1,362
Urban places	14,623	6	-	528	3,153	800	796	275	421	118	135	608	288	5,521	4,004	80	120	2,621	1,183
Balance of area	2,767	1	-	65	696	155	184	75	74	32	35	141	57	923	672	10	16	467	179
Nonmetropolitan counties	5,060	-	-	76	1,105	275	275	82	142	54	40	237	92	1,982	1,493	16	43	1,105	329
Urban places	928	-	-	16	190	47	55	10	24	10	6	38	14	410	308	2	11	223	72
Balance of area	4,132	-	-	60	915	228	220	72	118	44	34	199	78	1,572	1,185	14	32	882	257
Adams	1,592	1	-	50	340	78	96	30	40	14	16	66	44	523	379	9	8	263	99
Arvada, part	14	-	-	2	5	1	2	-	1	-	-	-	-	4	4	-	-	3	1
Aurora, part	157	-	-	10	29	7	4	1	5	3	1	8	4	52	42	-	1	27	14
Brighton, part	143	-	-	5	29	11	6	1	5	-	-	6	3	50	33	2	2	23	6
Brighton, total	146	-	-	5	29	11	6	1	5	-	-	6	3	50	33	2	2	23	6
Broomfield, part	15	-	-	2	1	-	-	-	-	-	-	-	-	9	3	-	-	1	2
Commerce City	168	-	-	4	24	5	12	3	3	-	-	1	3	59	40	-	-	31	9
Northglenn	186	-	-	7	43	12	9	3	4	3	3	9	4	57	39	1	1	27	10
Thornton	283	-	-	9	57	10	17	5	6	1	2	16	15	86	62	3	2	41	16
Westminster, part	239	-	-	3	57	15	15	6	8	1	4	8	4	80	64	3	-	43	18
Westminster, total	296	-	-	4	70	18	18	7	9	2	5	11	6	95	76	4	1	49	22
Balance of county	387	1	-	8	95	17	30	11	8	6	5	18	9	126	92	-	2	67	23
Alamosa	94	-	-	3	17	5	2	2	1	3	-	4	4	33	19	1	1	9	8
Arapahoe	1,910	3	-	52	464	102	124	38	67	21	29	83	26	713	529	12	17	373	127
Aurora, part	934	-	-	21	225	49	64	17	33	9	14	39	12	348	260	8	10	179	63
Aurora, total	1,091	3	-	31	254	56	68	18	38	12	15	47	16	400	302	8	11	206	77
Englewood	380	-	-	13	93	22	24	9	12	6	9	11	5	141	96	2	2	71	21
Littleton, part	365	-																	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 558

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 20 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-439)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneu-monia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, nephrotic syndrome, and nephros-isis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (630-676)	Congen-ital anomalies (740-759)	Certain condi-tions origi-nating in the perina-tal period (760-779)	Symp-toms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E978)	All other ex-ternal causes (E980-E989)
California—Con.																			
Solano	3	185	11	27	66	82	10	39	24	—	20	23	23	268	52	62	31	38	1
Benicia	1	6	—	4	4	7	—	4	1	—	—	—	1	16	1	6	6	4	—
Fairfield	1	40	1	6	13	14	4	14	1	—	6	4	—	62	9	12	6	5	—
Suisun City	—	7	—	—	3	4	—	3	1	—	—	1	—	8	—	4	2	3	—
Vacaville	—	44	5	1	7	19	3	7	2	—	2	5	5	53	9	12	8	8	—
Vallejo	1	80	4	15	34	32	2	11	16	—	9	13	15	116	24	30	7	17	—
Balance of county	—	8	1	1	5	6	1	—	3	—	3	—	2	13	9	2	2	1	1
Sonoma	18	275	56	49	135	180	15	58	26	1	21	14	11	346	62	65	63	12	5
Petaluma	3	48	12	4	20	18	1	3	6	—	4	1	—	37	6	15	7	1	—
Rohnert Park	2	20	—	1	7	16	—	3	1	—	1	1	1	24	6	2	6	7	—
Santa Rosa	6	107	25	22	68	84	8	31	12	1	7	7	6	166	23	26	30	7	5
Balance of county	7	100	19	22	40	62	6	21	7	—	9	5	4	119	27	22	20	3	—
Stanislaus	11	174	14	39	199	168	10	61	20	1	22	23	18	272	76	79	49	35	4
Ceres	—	7	2	—	12	13	—	7	4	—	1	8	1	16	4	5	2	3	1
Modesto	7	99	4	23	128	90	5	30	11	1	13	13	10	143	41	50	28	26	2
Turlock	1	26	4	4	23	24	2	8	—	—	3	3	5	38	7	9	6	1	—
Balance of county	3	42	4	12	36	41	3	16	5	—	5	1	2	75	24	15	13	5	1
Sutter	3	33	7	10	25	34	4	9	11	—	1	—	4	59	17	16	13	6	2
Yuba City	3	28	6	9	19	26	3	6	4	—	—	—	3	49	13	12	9	5	1
Balance of county	—	5	1	1	6	8	1	3	7	—	1	—	1	10	4	4	4	1	1
Tehama	5	31	6	10	18	33	4	5	2	—	—	—	4	69	13	14	11	1	—
Trinity	—	7	1	2	5	11	2	2	3	—	—	2	2	18	8	6	8	6	—
Tulare	13	177	32	26	122	129	8	40	15	2	17	14	18	197	109	59	29	44	1
Porterville	3	29	1	4	35	33	1	8	5	—	3	2	1	35	18	14	4	9	—
Tulare	1	29	4	3	7	17	1	2	2	—	5	2	3	29	18	13	5	4	—
Visalia	4	53	17	10	33	25	6	13	5	2	6	—	4	64	15	9	10	6	1
Balance of county	5	66	10	9	47	54	—	17	3	—	3	10	10	69	66	23	10	25	—
Tuolumne	1	33	4	10	19	22	1	5	2	—	—	—	4	40	8	16	9	2	2
Ventura	14	277	24	32	166	188	15	76	17	—	34	36	31	387	87	129	83	33	5
Camarillo	1	32	2	7	17	23	—	8	4	—	4	3	6	53	15	15	4	1	—
Oxnard	3	58	6	3	30	36	3	15	2	—	7	18	7	95	20	35	20	17	—
Port Hueneme	1	11	1	1	7	9	1	1	1	—	3	1	2	9	3	3	2	3	—
San Buenaventura (Ventura)	—	69	6	8	40	38	4	15	3	—	6	—	6	76	18	28	20	3	2
Santa Paula	—	20	1	3	9	14	1	7	1	—	1	—	3	18	7	7	3	2	1
Simi Valley	2	19	3	4	14	27	—	9	2	—	4	8	3	33	8	13	12	2	—
Thousand Oaks	4	40	3	3	23	21	1	14	1	—	5	2	1	53	8	13	17	2	—
Balance of county	3	28	2	3	26	20	5	7	3	—	4	4	3	50	8	15	5	3	1
Yolo	5	66	6	15	70	65	2	16	2	—	10	7	6	86	26	20	18	1	—
Davis	—	16	1	3	25	11	—	2	—	—	2	2	2	22	4	4	7	1	—
Woodland	2	31	3	7	22	14	1	3	1	—	7	3	1	24	10	7	2	—	—
Balance of county	3	19	2	5	23	40	1	11	1	—	1	2	3	40	12	9	9	—	—
Yuba	2	29	8	8	23	28	6	9	3	—	3	1	6	36	16	21	9	7	3
Colorado	120	1,430	387	320	941	1,414	85	309	127	3	143	149	212	2,548	557	589	598	218	54
Urban places	98	1,009	298	214	651	989	53	215	75	3	97	107	152	1,795	307	384	394	167	36
Balance of area	22	421	89	106	290	425	32	94	52	—	46	42	60	753	250	205	204	51	18
Metropolitan counties	103	1,104	323	238	699	1,089	59	243	87	3	117	129	171	1,971	407	450	485	187	45
Urban places	89	941	284	203	611	927	49	205	72	3	92	104	146	1,680	298	367	377	161	35
Balance of area	14	163	39	35	88	162	10	38	15	—	25	25	25	291	109	83	108	26	10
Nonmetropolitan counties	17	326	64	82	242	325	26	66	40	—	26	20	41	577	150	139	113	31	9
Urban places	9	68	14	11	40	62	4	10	3	—	5	3	6	115	9	17	17	6	1
Balance of area	8	258	50	71	202	263	22	56	37	—	21	17	35	462	141	122	96	25	8
Adams	9	91	19	25	44	108	6	22	14	1	16	14	27	195	52	50	55	27	3
Arvada, part	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Aurora, part	—	9	—	1	8	7	2	—	1	—	3	3	2	12	3	6	7	8	—
Brighton, part	3	10	—	4	6	6	—	1	2	—	—	—	4	23	7	4	2	1	—
Brighton, total	3	10	—	4	6	6	—	1	2	—	—	—	4	25	7	4	2	1	—
Broomfield, part	1	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Commerce City	1	12	3	3	4	18	—	5	—	—	3	1	1	23	6	7	7	3	—
Northglenn	—	12	1	5	5	10	1	1	2	—	4	3	3	22	6	6	6	5	1
Thornton	3	13	3	5	8	16	2	4	1	—	—	3	8	43	6	8	12	4	1
Westminster, part	—	7	9	—	7	17	—	3	3	1	4	2	2	31	6	8	10	1	—
Westminster, total	—	10	9	—	9	22	—	4	3	1	6	4	4	34	8	9	15	2	—
Balance of county	1	26	3	4	5	34	1	8	5	—	1	2	7	40	18	11	10	5	1
Alamosa	1	9	—	4	4	5	—	3	—	—	1	1	—	14	2	3	1	2	1
Arapahoe	9	111	30	34	78	108	5	14	10	—	9	24	23	205	40	48	61	20	7
Aurora, part	1	62	9	16	39	48	3	9	5	—	5	13	14	107	20	15	34	8	5
Aurora, total	1	71	9	17	47	55	5	9	6	—	8	16	16	119	23	21	41	16	5
Englewood	6	21	8	10	21	24	—	2	3	—	—	5	2	37	7	15	7	5	—
Littleton, part	2	22	9	3	11	26	2	2	2	—	3	1	4	36	6	9	10	2	—
Littleton, total	2	22	9	4	11	26	2	2	2	—	3	1	4	36	6	9	10	2	—
Balance of county	—	6	4	5	7	10	—	1	—	—	1	5	3	25	7	9	10	2	—
Archuleta	—	3	—	1	1	4	—	1	—	—	—	—	1	3	—	—	—	—	—
Baca	—	3	1	1	1	2	—	2	1	—	—	—	1	6	—	—	—	—	—
Bent	—	3	—	1	6	3	—	1	1	—	—	—	—	3	—	—	—	—	—
Boulder	11	59	15	12	34	69	4	11	4	—	8	6	13	114	21	30	40	2	1
Boulder	2	27	5	6	17	24	2	4	3	—	1	2	4	52	8	13	12	—	—
Broomfield, part	1	2	1	1	—	6	—	1	—	—	1	1	1	8	2	—	4	—	—
Broomfield, total	2	6	1	1	—	7	—	1	—	—	1	1	1	9	4	1	5	1	—
Longmont	6	20	5	2	9	21	—	3	1	—	1	1	1	30	8	11	10	1	—
Balance of county	2	10	4	3	8	18	2	3	—	—	5	2	4	24	3	6	14	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 560

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 22 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumo-nia and In-fluenza (480-487)	Chronic obstruc-tive pulmo-nary diseases and allied conditions (490-496)	Ulcer of stomach and duo-denum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, nephrotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (630-676)	Congen-ital anomalies (740-759)	Certain condi-tions origi-nating in the perinatal period (760-779)	Symp-toms, signs, and ill-defined condi-tions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E807, E826-E849)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E976)	All other external causes (E980-E999)
Colorado—Con.																			
Chaffee	1	11	4	3	5	14	2	2	1	-	1	-	-	11	2	2	2	-	-
Cheyenne	-	2	-	-	1	1	-	-	-	-	-	-	1	5	2	1	1	-	-
Clear Creek	-	-	-	-	-	3	1	2	1	-	-	-	1	8	3	3	1	1	-
Conejos	-	5	-	-	2	3	1	2	1	-	-	-	1	6	3	5	2	-	-
Costilla	-	1	1	-	1	1	-	-	-	-	-	-	1	6	1	1	1	-	-
Crowley	-	2	-	1	1	1	-	1	-	-	-	-	1	6	1	1	1	-	-
Custer	1	-	-	1	1	-	-	-	-	-	-	-	1	3	1	1	-	-	-
Delta	-	13	6	6	19	16	1	2	-	-	1	2	2	23	7	8	4	1	-
Denver, coext. with Denver city ..	24	295	84	52	196	268	18	75	23	-	29	31	43	532	86	130	98	80	9
Dolores	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	1	-
Douglas	-	22	-	2	5	8	1	1	2	-	2	3	-	29	17	6	8	1	1
Littleton, part	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Balance of county	-	22	-	1	5	8	1	1	2	-	2	3	-	29	16	6	8	-	1
Eagle	-	1	-	-	4	-	-	2	1	-	-	-	1	5	8	5	2	-	-
Elbert	-	2	-	-	-	2	-	1	1	-	-	-	-	1	3	1	1	-	-
El Paso	16	173	37	33	99	146	7	33	5	1	22	21	17	242	60	58	68	22	14
Colorado Springs	12	143	31	28	78	128	6	30	5	1	15	18	13	211	45	46	58	17	11
Balance of county	4	30	6	5	21	18	1	3	-	-	7	3	4	31	15	12	20	5	3
Fremont	3	28	11	4	16	26	-	5	-	-	2	1	5	41	6	8	13	1	1
Canon City	3	19	5	3	10	13	-	1	-	-	1	2	2	29	1	6	6	1	1
Balance of county	-	9	6	1	6	13	-	4	-	-	2	1	3	12	5	2	7	-	-
Garfield	-	9	-	1	4	14	1	3	1	-	-	-	1	20	10	7	8	5	1
Gilpin	-	-	-	-	1	1	1	-	-	-	-	-	1	4	-	-	2	-	-
Grand	-	3	2	-	3	3	-	3	-	-	-	1	-	4	-	-	3	-	-
Gunnison	-	4	-	-	1	2	-	1	3	-	-	-	3	15	3	3	3	-	-
Hinsdale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Huerfano	-	2	-	-	3	4	-	2	1	-	-	-	-	5	2	1	1	-	-
Jackson	-	-	-	1	1	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Jefferson	8	133	108	30	109	174	6	29	12	-	15	16	13	275	50	54	84	16	2
Arvada, part	1	25	13	8	17	42	-	8	4	-	2	2	2	45	10	14	20	2	-
Arvada, total	1	25	13	8	18	42	-	8	4	-	3	2	2	46	10	14	20	2	-
Broomfield, part	-	2	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-
Golden	1	7	3	4	8	8	-	2	-	-	-	-	3	13	2	1	7	1	-
Lakewood	4	59	57	9	47	65	3	9	3	-	5	1	4	122	10	19	27	6	2
Westminster, part	-	3	-	-	2	5	-	1	-	-	2	2	2	3	2	1	5	1	-
Wheat Ridge	-	18	18	5	14	19	3	2	2	-	1	1	2	34	5	4	4	1	-
Balance of county	2	19	17	4	21	34	-	7	3	-	1	7	2	57	19	14	21	4	-
Kiowa	-	1	-	2	-	-	1	-	1	-	-	-	-	-	2	-	1	-	-
Kit Carson	-	3	4	-	4	2	-	-	-	-	-	-	-	12	2	1	-	-	-
Lake	-	-	-	-	2	2	1	-	-	-	1	-	-	6	1	-	-	-	-
La Plata	-	16	1	3	13	16	1	3	2	-	1	2	1	26	7	5	7	-	-
Durango	-	6	1	2	6	9	-	1	-	-	-	1	-	17	1	1	3	-	-
Balance of county	-	10	-	1	7	7	1	2	2	-	1	1	1	9	6	4	4	-	-
Larimer	7	83	5	16	40	77	5	16	3	-	9	6	10	136	29	30	30	7	1
Fort Collins	2	37	3	9	20	31	2	7	3	-	4	4	7	63	12	13	16	5	1
Loveland	5	29	1	4	14	29	-	6	-	-	3	1	1	41	9	8	8	2	-
Balance of county	-	17	1	3	6	17	3	3	-	-	2	1	2	32	8	9	6	-	-
Las Animas	-	8	-	2	9	3	-	1	-	-	1	-	-	21	2	2	-	2	-
Lincoln	-	7	-	1	6	4	-	-	-	-	-	-	-	3	2	3	-	1	-
Logan	1	17	1	3	15	14	1	2	1	-	1	3	1	17	1	2	2	-	-
Sterling	1	13	1	3	13	11	-	2	1	-	1	2	1	13	1	1	1	-	-
Balance of county	-	4	-	-	2	3	1	-	-	-	-	1	-	4	-	1	1	-	-
Mesa	8	52	14	12	20	61	6	11	4	-	8	2	5	111	24	20	16	9	-
Grand Junction	5	30	7	3	11	29	4	6	2	-	4	-	3	56	6	9	7	5	-
Balance of county	3	22	7	9	9	32	2	5	2	-	4	2	2	55	18	11	9	4	-
Mineral	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Moffat	-	3	1	2	5	4	-	2	1	-	-	1	3	9	3	2	1	-	1
Montezuma	2	11	2	2	4	16	2	3	1	-	3	1	1	14	6	7	2	-	-
Montrose	-	23	4	8	6	12	2	3	4	-	-	-	2	30	6	11	5	-	-
Morgan	-	18	5	2	21	18	-	3	-	-	-	1	1	32	6	4	5	2	-
Otero	-	15	1	6	15	21	-	3	3	-	1	1	3	37	6	4	2	-	-
Ouray	-	3	1	-	-	2	-	-	-	-	-	-	-	1	1	1	1	-	1
Park	-	2	-	2	1	1	-	-	1	-	1	-	-	3	3	3	2	-	-
Phillips	-	1	-	2	7	1	1	-	-	-	-	-	1	10	1	3	3	-	-
Pitkin	-	1	-	-	2	2	-	-	-	-	-	-	1	1	2	2	1	-	-
Prowers	-	11	-	1	7	9	1	-	1	-	1	-	-	5	4	-	2	1	2
Pueblo	14	77	16	21	51	68	3	27	11	1	2	5	24	139	23	22	17	7	6
Pueblo	11	70	15	19	49	64	3	23	8	1	2	5	21	132	20	19	14	6	5
Balance of county	3	7	1	2	2	4	-	4	3	-	-	-	3	7	3	3	3	1	1
Rio Blanco	-	5	-	1	1	2	-	-	-	-	-	-	-	5	2	1	-	-	-
Rio Grande	-	7	-	1	7	11	1	3	4	-	-	-	1	9	3	5	1	1	-
Routt	-	4	1	2	7	3	1	1	-	-	1	-	-	6	2	3	2	-	-
Saguache	-	4	1	-	1	3	-	1	1	-	-	-	1	4	1	1	1	1	1
San Juan	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
San Miguel	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-
Sedgwick	-	3	1	-	1	1	1	-	-	-	-	-	-	4	1	-	1	-	1
Summit	-	1	-	1	1	1	-	1	-	-	-	1	2	3	2	2	4	-	-
Teller	-	1	-	1	10	3	-	1	1	-	-	1	-	2	1	-	5	2	-
Washington	-	6	-	3	2	3	1	1	-	-	-	-	-	5	2	-	2	-	-
Weld	5	60	9	13	43	63	4	15	3	-	5	3	1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 561

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 23 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1990. For definition of areas see Technical Appendix]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases †	Malignant neoplasms, including of lymphatic and hema- topoi- etic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neo- plasms of res- pirato- ry and intra- tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of ge- nital organs (179- 187)	Malign- ant neo- plasms of uri- nary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Connecticut	28,254	12	-	869	7,133	1,788	1,899	593	790	312	264	1,467	538	12,083	9,659	88	276	5,916	3,379
Urban places	20,215	10	-	702	4,968	1,268	1,319	419	524	209	187	1,042	394	8,644	6,946	66	201	4,223	2,456
Balance of area	8,039	2	-	167	2,165	520	580	174	266	103	77	445	144	3,439	2,713	22	75	1,693	923
Metropolitan counties	25,877	11	-	817	6,544	1,634	1,743	554	716	286	240	1,371	493	11,080	8,887	81	255	5,403	3,148
Urban places	19,816	10	-	695	4,869	1,229	1,299	413	511	206	183	1,028	386	8,488	6,835	66	199	4,168	2,402
Balance of area	6,061	1	-	122	1,675	405	444	141	205	80	57	343	107	2,592	2,052	15	56	1,235	746
Nonmetropolitan counties	2,377	1	-	52	589	154	156	39	74	26	24	116	45	1,003	772	7	21	513	231
Urban places	399	-	-	7	99	39	20	6	13	3	4	14	8	156	111	-	2	55	54
Balance of area	1,978	1	-	45	490	115	136	33	61	23	20	102	37	847	661	7	19	458	177
Fairfield	7,008	3	-	220	1,750	446	451	157	186	72	68	370	144	3,104	2,493	21	73	1,548	851
Bridgeport	1,467	-	-	75	319	80	79	22	34	11	11	82	42	605	486	3	15	320	148
Danbury	474	-	-	12	119	27	27	6	10	8	7	34	17	194	146	2	4	94	46
Darien town#	126	-	-	5	29	10	7	1	4	2	2	3	1	54	46	-	1	26	19
Fairfield town#	591	-	-	17	133	31	33	14	19	6	6	24	9	293	236	2	4	160	70
Greenwich town#	488	-	-	8	123	42	27	12	10	4	5	23	2	242	206	4	2	133	67
Norwalk	659	-	-	20	145	31	38	14	21	5	5	31	9	298	244	-	13	127	104
Shelton	309	-	-	7	82	26	31	4	11	2	1	7	7	153	113	-	2	88	23
Stamford	889	1	-	32	239	57	58	29	26	11	11	47	25	391	315	1	7	161	146
Stratford town#	568	2	-	13	141	31	43	10	16	8	3	30	7	263	218	3	5	136	74
Trumbull town#	293	-	-	4	84	18	21	9	12	3	5	16	12	126	101	1	2	76	20
Westport town#	165	-	-	-	56	18	11	8	2	2	3	12	1	64	44	1	2	21	112
Balance of county	979	-	-	27	280	75	76	28	21	10	9	61	12	421	338	4	16	206	120
Hartford	7,476	2	-	243	1,885	486	500	152	198	66	60	423	147	3,128	2,501	29	93	1,474	905
Bristol	515	-	-	13	134	32	39	12	10	6	5	30	9	214	169	1	3	124	41
East Hartford town#	493	-	-	17	131	29	44	11	13	7	3	24	13	212	170	4	4	99	63
Enfield town#	340	-	-	6	80	20	19	7	11	2	2	19	7	148	126	-	3	84	39
Hartford	1,255	-	-	98	280	64	79	21	32	6	6	72	44	428	358	3	28	200	127
Manchester town#	462	1	-	9	116	27	35	10	6	4	5	29	3	199	156	3	3	92	58
New Britain	773	-	-	21	175	49	55	12	13	8	6	32	16	349	288	2	14	146	126
Newington town#	255	-	-	4	76	21	18	4	8	1	1	23	8	106	91	2	2	61	26
Plainville town#	152	-	-	7	45	12	11	4	2	2	1	13	1	62	55	-	1	36	18
Rocky Hill town#	146	-	-	5	45	10	13	6	2	1	3	10	1	47	41	-	1	28	12
Southington town#	281	-	-	3	67	14	20	6	10	1	3	13	2	135	112	2	7	61	42
West Hartford town#	723	1	-	11	191	69	36	19	22	2	5	38	8	320	242	6	5	155	76
Wethersfield town#	505	-	-	4	77	17	21	6	5	4	5	19	4	135	107	1	5	63	38
Windsor town#	228	-	-	8	54	11	12	2	7	2	4	16	4	104	73	2	3	35	33
Windsor Locks town#	109	-	-	5	27	9	9	1	2	1	-	5	2	43	34	1	1	24	8
Balance of county	1,439	-	-	32	387	102	89	31	55	19	11	80	25	626	479	2	13	266	198
Litchfield	1,513	-	-	36	385	109	95	27	55	16	10	73	25	648	491	4	12	314	161
Torrington	398	-	-	7	99	39	20	6	13	3	4	14	8	155	110	-	2	54	54
Balance of county	1,115	-	-	29	286	70	75	21	42	13	6	59	17	493	381	4	10	260	107
Middlesex	1,188	1	-	17	333	72	91	22	37	20	9	82	22	492	401	3	9	239	150
Middletown	344	-	-	7	88	19	26	4	11	10	2	16	5	147	114	1	4	68	41
Balance of county	844	-	-	10	245	53	65	18	26	10	7	66	17	345	287	2	5	171	109
New Haven	7,533	5	-	285	1,833	444	493	169	211	89	73	354	132	3,221	2,616	53	59	1,600	941
Ansonia	169	1	-	7	37	6	11	2	7	2	1	8	-	85	70	-	1	50	19
Branford town#	215	-	-	9	51	12	12	6	6	3	5	7	7	91	70	-	2	43	25
Derby	143	-	-	2	39	8	13	5	6	-	1	6	1	58	50	1	-	35	14
East Haven town#	244	-	-	8	67	18	17	10	6	2	3	11	3	117	102	4	3	58	37
Hamden town#	570	1	-	17	135	35	33	13	8	6	8	32	10	249	182	-	1	103	78
Meriden	553	-	-	16	158	40	43	10	15	10	8	32	13	222	181	2	5	113	61
Millford	421	-	-	9	111	21	27	10	11	4	4	34	7	181	152	3	3	88	58
Naugatuck	210	-	-	5	61	13	19	6	5	7	3	8	7	80	61	-	2	42	17
New Haven	1,301	1	-	105	279	80	67	30	29	11	9	53	15	490	404	-	11	191	202
North Haven town#	212	-	-	5	57	14	13	2	7	1	3	17	5	98	78	-	2	50	24
Orange town#	106	-	-	1	32	8	12	3	4	1	2	2	1	53	40	1	1	25	13
Wallingford town#	404	-	-	12	93	21	21	16	12	9	5	9	8	188	152	2	4	114	32
Waterbury	1,224	2	-	45	275	76	82	20	32	9	5	51	23	540	449	2	6	306	135
West Haven	517	-	-	19	132	24	41	7	17	6	3	34	7	221	184	2	2	101	79
Balance of county	1,244	-	-	25	306	68	82	29	46	18	13	50	25	548	443	5	10	281	147
New London	1,940	-	-	38	540	139	150	40	62	28	23	98	40	825	635	5	21	389	220
Groton	274	-	-	2	70	14	23	6	10	3	3	11	2	122	85	-	2	58	25
New London	289	-	-	9	72	20	19	4	8	3	4	14	2	114	91	1	6	56	28
Norwich	362	-	-	11	85	26	21	7	6	6	3	16	14	160	131	2	6	70	53
Balance of county	1,035	-	-	16	313	79	87	23	38	16	13	57	22	429	328	2	7	205	114
Tolland	732	-	-	14	203	47	58	14	22	11	7	44	8	310	241	1	6	153	81
Vernon town#	212	-	-	2	59	16	13	2	3	4	3	15	2	87	64	1	1	47	15
Balance of county	520	-	-	12	144	28	45	12	19										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 562

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 24 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Connecticut	121	1,753	189	361	1,132	1,160	58	277	318	1	151	183	308	2,630	332	563	298	180	28
Urban places	99	1,245	127	227	830	784	43	195	240	1	112	142	217	1,920	217	417	189	167	23
Balance of area	22	508	62	134	302	376	15	82	78	-	39	41	91	710	115	146	109	13	5
Metropolitan counties	113	1,596	160	324	1,032	1,028	55	249	295	1	141	175	272	2,414	288	519	263	174	26
Urban places	97	1,208	125	223	808	752	43	190	237	1	110	142	212	1,886	207	409	184	165	23
Balance of area	16	388	35	101	224	276	12	59	58	-	31	33	61	528	81	110	79	9	3
Nonmetropolitan counties	8	157	29	37	100	132	3	28	23	-	10	8	36	216	44	44	35	6	2
Urban places	2	37	2	4	22	32	-	5	3	-	2	-	6	34	10	8	5	2	-
Balance of area	6	120	27	33	78	100	3	23	20	-	8	8	30	182	34	36	30	4	2
Fairfield	32	441	55	83	264	243	14	70	61	-	34	41	71	628	70	141	61	82	7
Bridgeport	5	92	9	13	62	36	3	21	14	-	8	16	25	121	17	29	16	54	4
Danbury	3	35	4	6	23	26	1	3	6	-	2	6	4	41	3	11	3	3	-
Darien town#	-	8	-	-	7	4	-	1	1	-	-	-	2	15	2	2	3	-	-
Fairfield town#	4	39	4	10	16	20	1	2	6	-	4	3	1	58	9	7	3	3	-
Greenwich town#	1	21	10	4	11	19	-	5	5	-	3	1	3	45	5	12	3	1	-
Norwalk	3	41	3	7	26	33	-	7	9	-	2	3	5	70	3	17	4	6	2
Shelton	-	29	3	8	9	11	1	3	2	-	2	-	2	17	5	1	4	3	-
Stamford	9	55	7	5	32	21	1	9	5	-	4	5	8	75	7	18	9	6	1
Stratford town#	1	34	4	6	23	19	2	6	5	-	5	2	5	54	4	12	2	3	-
Trumbull town#	1	19	1	4	10	12	1	3	5	-	-	2	1	25	4	3	-	1	-
Westport town#	-	16	3	1	7	4	-	1	3	-	1	-	1	23	2	3	2	1	-
Balance of county	5	52	7	19	38	38	4	9	3	-	3	3	14	84	9	24	8	2	-
Hartford	39	456	36	96	314	323	18	66	94	-	36	60	68	724	77	176	80	27	8
Bristol	1	36	1	7	16	23	-	5	6	-	4	-	3	53	10	17	7	-	1
East Hartford town#	6	28	1	7	16	21	1	7	3	-	2	3	5	38	6	11	5	-	-
Enfield town#	-	18	-	4	18	23	-	-	11	-	-	-	3	30	6	2	6	-	-
Hartford	4	51	6	9	43	48	4	16	21	-	7	31	22	133	7	48	9	15	1
Manchester town#	3	33	2	5	26	20	1	8	5	-	-	4	1	46	7	7	8	-	1
New Britain	4	39	8	10	31	34	3	7	11	-	2	5	9	79	6	17	4	3	1
Newington town#	1	10	-	4	11	8	1	2	2	-	1	-	2	24	2	6	2	-	-
Plainville town#	2	5	-	-	3	7	-	-	-	-	1	-	1	17	-	4	2	-	1
Rocky Hill town#	1	4	-	1	12	7	1	-	-	-	1	-	-	21	1	3	-	1	1
Southington town#	3	17	-	3	10	14	2	2	6	-	2	1	1	27	2	5	2	-	-
West Hartford town#	3	59	6	10	51	28	1	6	4	-	3	2	3	69	4	10	11	-	-
Wethersfield town#	2	20	-	6	12	9	1	-	2	-	2	2	5	42	-	8	2	-	-
Windsor town#	2	25	-	4	11	2	1	2	1	-	2	-	-	21	5	6	4	2	-
Windsor Locks town#	-	7	1	1	5	6	1	2	1	-	-	1	-	10	3	2	1	-	-
Balance of county	7	104	11	25	49	73	1	9	19	-	9	11	13	114	18	30	17	4	2
Litchfield	5	120	9	23	59	86	1	19	16	-	8	6	20	132	21	28	19	4	-
Torrington	2	37	2	4	22	32	-	5	3	-	2	-	6	34	10	8	5	2	-
Balance of county	3	83	7	19	37	54	1	14	13	-	6	6	14	98	11	20	14	2	-
Middlesex	2	73	2	14	34	51	3	11	12	-	4	9	9	133	20	25	11	1	-
Middletown	2	23	1	7	11	11	1	6	3	-	1	5	3	43	4	8	1	-	-
Balance of county	-	50	1	7	23	40	2	5	9	-	3	4	6	90	16	17	10	1	-
New Haven	31	437	48	89	306	293	16	76	103	1	51	43	88	719	87	133	68	63	10
Ansonia	1	10	2	2	8	6	1	1	2	-	-	2	1	10	1	3	2	2	-
Branford town#	1	16	1	3	2	12	-	2	4	-	-	-	4	22	3	8	-	-	-
Derby	1	5	2	-	3	10	-	1	1	-	1	3	2	11	2	6	3	-	-
East Haven town#	1	12	1	1	6	9	-	4	2	-	-	-	2	18	3	2	2	-	1
Hamden town#	3	54	3	7	43	15	1	5	5	-	5	2	5	58	1	10	3	4	1
Meriden	2	27	8	4	33	22	2	6	8	-	6	2	1	37	4	11	9	1	2
Milford	2	20	-	7	12	23	2	1	3	-	1	3	9	40	9	7	3	-	-
Naugatuck	1	11	4	3	2	8	2	3	1	-	5	-	1	23	4	6	2	-	-
New Haven	4	67	5	10	56	39	1	13	24	1	11	16	29	133	19	26	10	32	1
North Haven town#	-	15	2	5	7	6	-	1	4	-	2	-	-	20	-	6	1	-	-
Orange town#	-	12	-	1	2	2	-	-	-	-	-	-	-	12	1	1	-	1	-
Wallingford town#	3	28	-	5	13	19	-	1	8	-	3	-	1	51	2	3	1	-	-
Waterbury	8	58	12	13	34	41	4	20	22	-	9	7	17	108	19	25	13	17	3
West Haven	4	24	1	8	29	17	-	4	4	-	2	6	6	53	4	5	4	3	1
Balance of county	-	78	7	20	56	64	3	14	15	-	6	2	10	123	15	14	15	2	1
New London	5	146	14	25	86	87	1	20	20	-	15	14	29	139	22	29	34	1	-
Groton	1	28	3	5	9	15	-	1	3	-	5	4	8	21	3	5	4	-	-
New London	2	16	2	3	21	12	-	-	1	-	-	2	6	22	2	4	2	-	-
Norwich	-	25	2	2	14	13	-	2	8	-	1	2	4	30	4	6	7	1	-
Balance of county	2	77	7	15	42	47	1	17	8	-	9	6	11	66	13	14	21	-	-
Tolland	4	43	5	17	28	31	3	6	5	-	1	8	7	71	12	15	9	-	1
Vernon town#	2	16	3	2	12	17	2	1	1	-	-	1	-	20	2	4	1	-	1
Balance of county	2	27	2	15	16	14	1	5	4	-	1	7	7	51	10	11	8	-	-
Windham	3	37	20	14	41	46	2	9	7	-	2	2	16	84	23	16	16	2	2
Willimantic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	37	20	14	41	46	2	9	7	-	2	2	16	84	23	16	16	2	2
Delaware	26	324	26	76	231	248	15	70	88	-	31	48	28	584	132	115	88	37	8
Urban places	10	68	9	12	47	45	-	21	20	-	11	16	11	136	17	39	14	12	1
Balance of area	16	256	17	64	184	203	15	49	68	-	20	32	17	448	115	76			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 564

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 26 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E976)	All other external causes (E980-E999)
Delaware—Con.																			
Kent	5	51	1	11	38	39	5	9	8	-	10	7	2	88	46	15	20	11	-
Dover	2	11	-	3	8	9	-	4	2	-	6	1	1	19	8	5	6	2	-
Balance of county	3	40	1	8	30	30	5	5	6	-	4	6	1	69	38	10	14	9	-
New Castle	14	196	21	40	126	140	9	44	61	-	17	35	22	375	53	77	52	20	6
Newark	-	6	1	-	4	5	-	2	2	-	-	-	2	16	3	3	3	1	-
Wilmington	8	51	8	9	35	31	-	15	16	-	5	15	8	101	6	31	5	9	1
Balance of county	6	139	12	31	87	104	9	27	43	-	12	20	12	258	44	43	44	10	5
Sussex	7	77	4	25	67	69	1	17	19	-	4	6	4	121	33	23	16	6	2
District of Columbia	43	336	51	53	211	165	19	152	105	1	33	116	189	721	59	126	34	389	28
Florida	771	8,744	949	1,696	3,398	6,546	401	1,752	840	22	690	831	1,653	12,794	2,452	2,420	2,027	1,381	83
Urban places	369	4,275	481	785	1,701	3,115	195	810	431	15	346	422	800	6,418	984	1,158	932	733	35
Balance of area	402	4,469	468	911	1,697	3,431	206	942	409	7	344	409	853	6,376	1,468	1,262	1,095	648	48
Metropolitan counties	691	7,793	850	1,498	2,997	5,792	355	1,565	752	21	639	762	1,452	11,530	2,135	2,153	1,822	1,276	62
Urban places	360	4,208	475	773	1,668	3,065	192	795	421	15	342	418	789	6,295	970	1,139	919	725	32
Balance of area	331	3,585	375	725	1,329	2,727	163	770	331	6	297	344	663	5,235	1,165	1,014	903	551	30
Nonmetropolitan counties	80	951	99	198	401	754	46	187	88	1	51	69	201	1,264	317	267	205	105	21
Urban places	9	67	6	12	33	50	3	15	10	-	4	4	11	123	14	19	13	8	3
Balance of area	71	884	93	186	368	704	43	172	78	1	47	65	190	1,141	303	248	192	97	18
Alachua	9	92	7	10	27	56	2	16	8	-	7	19	50	150	27	30	25	23	1
Gainesville	3	35	4	7	14	26	2	8	3	-	1	11	27	82	7	13	13	12	-
Balance of county	6	57	3	3	13	30	-	8	5	-	6	8	23	68	20	17	12	11	1
Baker	1	7	-	-	2	7	2	3	-	-	1	1	2	19	5	3	6	1	-
Bay	7	67	5	12	23	72	3	26	3	-	8	14	39	85	27	25	13	12	-
Panama City	5	40	2	4	11	40	3	11	2	-	5	8	15	47	7	6	5	6	-
Balance of county	2	27	3	8	12	32	-	15	1	-	3	6	24	38	20	19	8	6	-
Bradford	2	19	1	1	6	8	1	6	1	-	-	-	5	21	7	4	5	5	-
Brevard	10	210	35	50	114	231	16	62	14	-	33	19	16	351	71	76	67	21	7
Cocoa	1	9	2	1	4	19	-	2	2	-	3	1	2	24	5	3	2	1	-
Cocoa Beach	1	11	3	4	3	13	1	2	1	-	1	1	-	10	5	7	2	1	-
Melbourne	1	31	7	13	31	42	3	15	3	-	4	4	3	73	12	9	16	5	2
Palm Bay	-	20	3	3	12	26	1	5	-	-	8	2	-	32	6	14	7	4	2
Rockledge	-	10	2	2	4	9	1	1	1	-	2	-	2	19	4	3	1	2	-
Titusville	2	28	2	5	11	24	4	4	1	-	2	2	4	38	3	5	8	2	-
Balance of county	5	101	16	22	49	98	6	34	6	-	13	9	5	155	36	35	31	8	1
Broward	73	915	92	199	267	649	35	154	121	6	78	92	52	1,345	203	244	190	99	2
Cooper City	-	7	-	-	-	3	-	2	2	-	-	-	-	8	1	2	-	-	-
Coral Springs	3	19	2	4	7	9	2	1	4	-	5	2	1	47	8	12	11	1	-
Dania	-	11	-	5	5	8	1	4	2	-	1	1	-	17	2	6	3	5	-
Davie	1	12	-	3	4	10	-	4	-	-	2	3	1	26	11	5	4	3	-
Deerfield Beach	4	54	4	9	11	33	2	7	8	-	3	4	2	71	7	14	6	4	-
Fort Lauderdale	14	149	23	21	52	114	1	31	25	1	11	25	14	218	42	41	45	13	2
Hallandale, part	4	49	4	12	17	36	2	2	7	-	6	3	3	75	6	9	3	3	-
Hallandale, total	4	49	4	12	17	36	2	2	7	-	6	3	3	75	6	9	3	3	-
Hollywood	11	126	10	26	82	4	29	12	1	7	7	7	4	193	27	28	15	8	-
Lauderdale Lakes	2	26	6	3	5	22	1	9	1	-	1	3	-	41	4	4	2	-	-
Lauderhill	3	29	4	8	8	14	-	-	-	-	4	7	1	44	3	6	4	3	-
Lighthouse Point	1	7	2	2	-	7	1	1	1	-	-	-	-	15	-	2	4	-	-
Margate	2	39	2	15	10	25	3	3	4	-	2	1	3	62	7	9	6	1	-
Miramar	1	16	-	1	5	12	-	3	1	1	2	3	1	19	15	5	5	6	-
North Lauderdale	-	10	-	2	-	5	-	-	-	-	3	-	-	8	1	2	4	2	-
Oakland Park	1	7	-	1	3	8	-	1	1	-	-	-	-	16	1	4	6	3	-
Pembroke Pines	5	46	5	12	11	33	3	9	7	2	7	2	5	62	7	10	5	1	-
Plantation	1	35	5	6	10	30	2	5	5	-	4	2	1	46	5	12	13	-	-
Pompano Beach	3	59	10	17	29	62	5	15	12	1	7	12	6	105	9	17	12	16	-
Sunrise	2	44	3	16	11	34	3	7	4	-	3	1	2	83	10	9	7	3	-
Tamarac	4	61	2	12	18	38	1	8	11	-	2	1	3	68	8	9	8	4	-
Wilton Manors	1	10	2	2	2	8	-	1	1	-	2	-	-	13	1	3	1	1	-
Balance of county	10	99	8	22	24	56	3	9	11	-	6	13	4	118	28	35	26	22	-
Calhoun	1	6	-	3	2	8	-	1	2	-	-	-	7	12	3	2	-	1	-
Charlotte	4	102	4	22	102	75	5	17	7	-	3	6	10	110	16	29	26	9	1
Citrus	5	93	9	20	26	64	2	17	10	-	3	1	5	112	26	20	12	4	-
Clay	9	31	5	7	21	35	2	7	-	-	8	5	11	81	17	17	9	5	-
Collier	7	92	16	26	38	85	3	23	11	-	3	13	11	144	46	36	24	11	-
Naples	2	32	6	9	14	18	1	3	5	-	2	-	4	37	7	12	2	3	-
Balance of county	5	60	10	17	24	67	2	20	6	-	1	13	7	107	39	24	22	8	-
Columbia	3	33	6	6	10	29	3	8	-	-	4	5	-	39	15	10	7	5	-
Dade	89	1,055	84	182	494	619	61	233	137	8	110	119	92	1,808	331	340	268	355	3
Coral Gables	1	10	3	7	8	15	1	1	4	-	1	1	1	37	4	5	5	2	-
Hallandale, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hialeah	3	65	4	17	51	65	4	26	13	-	11	3	7	149	31	26	19	26	-
Homestead	-	15	1	1	8	15	-	2	2	1	4	6	2	37	11	12	6	6	-
Miami	33	256	21	39	146	165	17	73	28	2	22	37	32	500	86	88	78	115	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 570

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 32 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Georgia—Con.																			
Bleckley	1	3	2	3	5	2	-	-	-	-	2	-	-	11	5	5	2	-	-
Brantley	2	4	3	-	-	11	-	2	1	-	1	-	-	5	2	1	-	-	-
Brooks	2	14	-	3	7	5	2	1	-	-	1	1	1	15	8	2	4	2	-
Bryan	1	5	-	-	2	4	-	1	2	-	2	2	2	8	5	4	-	1	-
Bulloch	1	43	3	5	10	10	-	1	5	-	1	8	2	42	16	8	5	4	-
Statesboro	1	22	1	2	7	5	-	1	4	-	-	2	1	21	4	2	2	2	-
Balance of county	-	21	2	3	3	5	-	-	1	-	2	6	1	21	12	6	3	2	-
Burke	1	17	6	2	2	3	-	1	5	-	-	1	1	30	4	11	3	7	-
Butts	-	12	-	3	2	5	-	4	3	-	-	2	1	21	5	2	4	3	-
Calhoun	1	19	-	1	1	1	-	-	-	-	-	-	2	3	4	2	1	-	-
Camden	-	1	1	3	3	1	1	3	3	-	1	2	3	15	9	3	2	5	-
Candler	2	16	-	-	-	1	-	1	-	-	-	-	2	10	1	3	-	1	-
Carroll	2	55	2	12	15	26	1	3	9	1	2	2	10	41	13	9	6	8	-
Carrollton	-	16	-	1	-	1	1	1	2	1	-	-	4	12	3	1	1	2	-
Balance of county	2	39	2	11	15	25	-	2	7	-	2	2	6	29	10	8	5	6	-
Catoosa	2	18	7	10	6	15	-	4	7	-	-	-	2	30	4	3	4	2	-
Charlton	-	4	-	2	1	5	-	1	1	-	3	-	3	5	5	-	-	-	-
Chatham	7	170	10	21	53	76	4	31	20	-	23	40	30	197	44	39	19	32	2
Savannah	6	146	9	16	43	52	2	25	18	-	17	32	27	157	38	31	13	26	-
Balance of county	1	24	1	5	10	24	2	6	2	-	6	8	3	40	6	8	6	6	-
Chattahoochee	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chattooga	1	29	2	7	14	3	2	1	1	1	2	5	-	3	-	2	2	-	-
Cherokee	1	32	14	4	20	18	-	3	11	-	5	6	5	50	12	8	10	3	-
Clarke	-	27	5	-	17	25	1	7	7	-	4	6	12	56	12	8	12	8	-
Athens	-	21	2	-	7	14	-	6	7	-	3	6	7	36	4	6	4	6	-
Balance of county	-	6	3	-	10	11	1	1	-	-	1	-	5	20	8	2	8	2	-
Clay	-	8	1	-	-	-	-	1	1	-	-	-	-	3	1	1	-	-	-
Clayton	4	48	6	9	34	50	3	15	8	-	10	15	13	107	32	25	32	17	2
College Park, part	-	2	1	1	1	1	-	1	1	-	2	2	1	6	2	1	2	2	-
Forest Park	-	13	1	-	3	11	-	-	-	-	1	1	3	17	5	6	4	-	-
Balance of county	4	33	5	8	30	38	3	14	7	-	7	12	9	84	25	18	26	15	2
Clinch	-	5	-	-	-	4	1	-	1	-	-	-	-	2	1	3	1	-	-
Cobb	12	167	16	31	60	110	3	35	19	-	16	27	14	214	56	52	47	28	4
Marietta	3	31	5	4	8	21	1	5	4	-	5	8	4	59	10	8	7	8	-
Smyrna	1	19	-	4	4	13	1	2	2	-	4	2	2	27	8	3	6	5	2
Balance of county	8	117	11	27	48	76	1	28	13	-	11	15	8	128	38	41	34	15	2
Coffee	2	20	1	1	13	15	-	1	3	1	3	1	2	31	7	14	1	7	-
Douglas	1	12	-	-	8	7	-	1	3	1	2	-	-	17	3	6	-	3	-
Balance of county	1	8	1	1	5	8	-	-	-	-	1	1	2	14	4	8	1	4	-
Colquitt	4	19	1	13	13	17	2	7	5	-	3	3	1	50	9	14	3	11	-
Moultrie	3	7	-	7	8	10	2	4	4	-	2	1	1	25	1	5	1	8	-
Balance of county	1	12	1	6	5	7	-	3	1	-	1	2	-	25	8	9	2	3	-
Columbia	2	23	1	1	9	13	2	3	1	-	3	2	4	36	9	6	7	4	-
Cook	-	8	1	1	6	5	-	-	2	-	-	1	1	14	4	2	2	-	-
Coweta	-	31	18	7	9	20	-	6	3	-	6	1	4	43	16	12	12	4	-
Newman	-	18	9	3	3	7	-	1	1	-	3	-	2	21	5	3	6	2	-
Balance of county	-	13	9	4	6	13	-	5	2	-	3	1	2	11	9	6	2	-	-
Crawford	-	4	2	1	4	1	-	-	1	-	-	1	1	5	4	3	1	1	-
Crisp	-	15	-	3	12	4	-	-	-	-	2	4	2	31	2	13	2	5	-
Cordele	-	11	-	3	4	3	-	-	-	-	2	2	2	23	-	9	2	3	-
Balance of county	-	4	-	-	8	1	-	-	-	-	-	-	-	8	2	4	-	2	-
Dade	-	3	2	-	4	8	-	-	1	-	-	-	-	6	4	2	-	1	-
Dawson	-	8	2	-	2	3	1	3	-	-	-	1	1	3	5	1	1	-	-
Decatur	3	27	1	2	4	20	-	2	4	-	4	4	3	32	8	12	3	2	-
Bainbridge	3	15	-	2	1	11	-	1	3	-	2	1	2	16	2	10	-	-	-
Balance of county	-	12	1	-	3	9	-	1	1	-	2	3	1	16	6	2	3	2	-
De Kalb	36	207	29	44	114	132	10	40	43	-	28	68	39	427	90	68	56	96	2
Atlanta, part	11	25	1	9	18	18	1	7	8	-	8	16	10	73	17	10	6	19	-
Decatur	3	42	3	4	19	21	1	8	10	-	5	19	5	82	18	11	11	28	-
Balance of county	22	140	25	31	77	93	8	25	25	-	15	33	24	272	55	47	39	49	2
Dodge	2	12	1	2	5	9	-	3	4	-	3	3	4	22	10	7	2	1	-
Dooley	-	9	3	-	6	3	-	-	-	-	-	2	1	14	1	2	3	2	-
Dougherty	7	53	2	6	43	28	3	7	11	-	3	3	31	98	18	20	8	22	1
Albany	6	48	2	6	36	25	3	7	11	-	3	9	29	83	15	16	6	21	1
Balance of county	1	5	-	-	7	3	-	-	-	-	-	-	2	15	3	4	2	1	-
Douglas	3	24	7	5	11	18	-	2	10	-	5	-	5	52	10	8	10	6	-
Early	-	13	2	1	3	7	-	1	-	-	1	-	1	16	3	3	1	3	-
Echols	-	4	-	-	1	-	-	-	2	-	-	-	-	2	-	-	-	-	-
Effingham	-	9	-	1	3	3	-	3	-	-	-	-	-	1	1	4	3	-	-
Elbert	-	13	-	1	2	8	2	-	-	-	1	3	4	13	1	4	3	-	-
Emanuel	1	19	2	2	8	6	-	2	2	-	-	1	1	29	4	5	2	2	-
Evans	2	11	1	2	3	4	-	-	4	-	-	-	1	5	3	2	2	1	-
Fannin	-	3	-	1	8	7	1	-	2	-	1	1	3	18	5	5	1	3	-
Fayette	1	27	4	1	14	18	-	6	4	-	2	2	2	34	5	4	8	1	-
Floyd	3	60	-	10	35	30	3	16	10	-	6	11	9	80	20	24	13	8	-
Rome	3	30	-	6	20	14	2	9	5	-	1	7	5	47	12	10	4	2	-
Balance of county	-	30	-	4	15	16	1	7	5	-	5	4	4	33	8	14	9	6	-
Forsyth	-	19	2	3	13	12	1	3	2	-	3	-	1	28	12	10	10	5	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 582

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 44 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Du Page	19	341	30	68	171	179	14	46	57	-	46	36	25	450	71	65	55	14	2
Addison	-	12	-	4	7	9	1	5	3	-	3	1	-	12	1	2	-	-	-
Aurora, part	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Bartlett, part	1	1	-	-	-	3	1	1	-	-	-	-	1	2	2	2	-	-	-
Bartlett, total	1	2	-	1	2	4	1	1	-	-	-	1	1	9	2	3	2	1	1
Batavia, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bensenville, part	2	12	-	2	1	7	-	1	2	-	1	-	-	8	4	-	1	-	-
Bensenville, total	2	13	-	2	1	7	-	1	2	-	2	-	-	10	4	-	1	-	-
Bloomington	-	9	-	1	6	3	-	1	1	-	3	2	-	25	-	-	3	-	-
Bolingbrook, part	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
Carol Stream	-	9	2	-	2	6	-	1	-	-	2	3	2	7	3	-	1	1	-
Chicago, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darien	1	7	-	1	2	4	-	1	1	-	1	-	1	8	-	1	3	6	-
Downers Grove	2	31	3	8	18	19	1	3	2	-	6	-	3	39	2	3	3	1	-
Elk Grove Village, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elmhurst	2	31	2	8	10	13	2	7	7	-	1	1	1	36	6	7	4	1	1
Glendale Heights	-	7	1	1	-	5	1	1	1	-	3	3	2	9	3	4	2	-	-
Glenn Ellyn	-	10	-	1	7	3	1	1	1	-	1	1	-	7	3	4	1	-	-
Hanover Park, part	-	-	1	-	-	1	1	-	-	-	1	-	-	3	-	1	1	-	-
Hinsdale, part	-	4	4	2	5	6	-	1	3	-	-	1	-	24	3	-	2	-	-
Hinsdale, total	-	6	5	3	5	6	-	1	3	-	-	1	-	24	3	1	2	-	-
Lisle	-	12	1	4	5	3	-	-	2	-	-	2	-	14	3	1	-	2	-
Lombard	2	30	2	4	12	19	-	1	6	-	-	2	1	33	2	6	3	1	-
Naperville, part	3	32	3	7	20	13	2	5	3	-	7	4	2	53	5	6	3	-	-
Naperville, total	3	34	3	7	20	13	2	5	3	-	8	4	2	54	5	6	3	-	-
Roselle, part	-	8	-	2	-	4	-	-	1	-	1	-	3	5	2	2	-	1	-
Roselle, total	-	8	-	2	-	4	-	-	1	-	1	-	3	5	2	2	-	1	-
St. Charles, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Schaumburg, part	1	14	2	4	5	6	-	2	3	-	1	2	1	8	1	3	2	1	-
Villa Park	-	4	1	1	1	5	-	-	-	-	1	1	1	8	3	-	1	1	-
West Chicago	-	11	1	5	10	7	1	3	1	-	4	1	2	17	4	1	1	1	-
Westmont	1	28	6	1	23	7	1	2	4	-	3	1	1	37	5	1	1	2	-
Wood Dale	1	8	-	1	2	3	-	1	2	-	-	-	1	7	-	1	2	-	-
Woodridge	1	4	-	3	3	2	-	-	-	-	-	2	1	8	4	2	5	-	-
Balance of county	1	55	2	8	30	30	1	14	14	-	8	6	2	80	14	18	13	2	-
Edgar	2	47	5	-	10	12	-	1	3	-	-	-	1	16	2	2	3	-	1
Edwardsville	-	7	3	1	5	1	-	-	1	-	-	1	1	6	5	2	-	-	-
Effingham	3	35	6	4	5	13	3	3	2	-	2	3	2	25	10	3	-	1	-
Effingham, total	2	18	3	3	4	9	2	-	1	-	2	1	1	16	3	1	-	-	-
Balance of county	1	17	3	1	1	4	1	3	1	-	-	2	1	9	7	2	-	1	-
Fayette	2	14	2	5	5	13	-	1	5	-	3	1	1	16	4	5	-	-	-
Ford	-	16	9	2	9	8	1	1	4	-	1	1	1	15	3	2	-	-	-
Franklin	6	27	5	7	18	20	3	3	9	-	2	3	3	52	7	17	2	1	-
Fullton	2	22	2	4	13	26	2	6	6	-	1	1	2	42	6	11	4	-	2
Fullton, total	1	9	1	1	10	12	-	2	3	-	-	-	1	20	2	5	3	-	-
Balance of county	1	13	1	3	3	2	4	3	3	-	1	1	1	22	4	6	1	2	-
Gallatin	-	5	3	-	5	3	-	-	1	-	-	-	-	2	2	2	-	-	-
Greene	1	10	2	5	15	8	-	2	3	-	1	1	3	17	5	4	2	-	-
Grundy	1	9	-	3	8	13	1	3	4	-	1	-	2	28	5	2	5	-	-
Hamilton	2	6	-	2	1	5	-	1	-	-	-	-	-	6	-	1	1	-	-
Hancock	2	18	14	2	7	15	1	2	-	-	1	2	2	20	7	5	3	1	-
Hardin	-	4	1	-	6	4	1	1	4	-	-	-	-	4	-	1	-	-	-
Henderson	6	6	-	1	3	2	-	3	-	-	-	-	2	13	1	3	3	1	-
Henry	1	41	10	8	17	28	5	3	7	-	5	1	2	53	10	16	8	2	-
Kewanee	2	16	1	4	8	13	2	1	2	-	2	-	1	26	-	2	2	-	-
Balance of county	4	25	9	4	9	15	3	2	5	-	3	1	1	27	10	14	6	2	-
Iroquois	1	31	6	7	8	11	-	2	2	-	1	2	-	27	9	7	1	-	1
Jackson	1	32	3	8	18	27	2	2	10	-	3	2	5	41	4	5	7	6	-
Carbondale	1	6	3	2	6	8	-	2	3	-	1	1	2	19	1	1	5	6	-
Balance of county	-	26	-	6	12	19	2	-	7	-	2	1	3	22	3	4	2	-	-
Jasper	1	12	-	2	10	4	1	2	2	-	-	2	4	11	2	2	-	-	-
Jefferson	-	27	1	5	25	18	2	2	3	-	3	3	3	44	14	9	2	2	-
Mount Vernon	-	20	1	2	18	16	2	1	2	-	2	3	1	35	5	5	1	2	-
Balance of county	3	7	-	3	7	2	-	1	1	-	1	-	2	9	9	4	1	-	-
Jersey	3	13	2	2	2	12	1	1	3	-	1	-	1	26	6	7	2	-	-
Jo Daviess	-	31	1	4	7	6	-	2	4	-	-	-	1	12	3	3	2	1	-
Johnson	-	9	-	1	9	6	1	2	1	-	-	-	2	7	3	3	2	-	-
Kane	10	140	14	24	83	92	4	25	24	-	20	26	10	216	48	46	33	22	1
Aurora, part	2	35	2	6	23	28	1	9	6	-	7	10	3	61	13	14	9	13	1
Aurora, total	2	36	2	6	25	29	1	9	6	-	7	11	3	61	13	14	9	14	1
Batavia, part	-	10	1	3	10	3	2	-	2	-	1	-	-	-	-	5	1	-	-
Batavia, total	-	10	1	3	10	3	2	-	2	-	1	-	-	-	-	5	1	-	-
Carpentersville	-	4	1	2	2	4	-	5	2	-	1	3	1	12	3	4	2	2	-
Elgin, part	3	42	6	5	23	25	-	3	4	-	6	10	3	54	9	11	11	3	-
Elgin, total	3	47	6	8	24	28	-	3	5	-	6	10	4	59	9	11	11	5	-
St. Charles, part	1	13	-	1	8	6	-	1	3	-	1	-	1	10	-	2	1	1	-
St. Charles, total	1	13	-	1	8	6	-	1	3	-	1	-	1	10	-	2	1	1	-
Balance of county	4	36	4	7	17	26	1	7	7	-	4	3	2	68	23	10	9	3	-
Kankakee	7	56	6	12	28	45	2</												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 583

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 45 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neo- plasms of res- piratory and intra- thoracic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Illinois—Con.																				
Kendall	237	-	-	6	59	11	18	10	7	3	1	9	5	93	71	1	-	53	17	
Knox	647	-	-	8	136	30	40	17	11	4	4	30	9	314	233	2	5	177	49	
Galesburg	428	-	-	7	88	17	26	10	9	3	2	21	7	204	146	2	4	110	30	
Balance of county	219	-	-	1	48	13	14	7	2	1	2	9	2	110	87	-	1	67	19	
Lake	3,068	2	-	63	787	169	220	72	86	37	34	169	79	1,246	991	9	44	691	247	
Arlington Heights, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Buffalo Grove, part	44	-	-	1	11	-	2	3	2	1	-	3	2	17	15	-	-	9	6	
Deerfield, part	118	-	-	2	33	6	11	6	2	1	1	6	1	51	43	-	2	35	6	
Deerfield, total	124	-	-	3	36	6	11	6	2	1	1	9	1	52	44	-	2	35	7	
Highland Park	171	1	-	6	45	12	13	9	1	1	2	7	2	75	58	1	1	40	16	
Lake Forest	121	-	-	3	42	10	14	3	7	1	1	6	1	40	32	-	2	22	8	
Libertyville	213	-	-	4	56	13	11	7	4	1	5	15	10	96	63	1	3	44	15	
Mundelein	88	-	-	4	23	4	9	2	1	3	-	4	3	35	29	-	-	21	8	
North Chicago	116	-	-	3	34	14	7	2	6	3	-	2	1	48	40	-	6	28	6	
Round Lake Beach	82	-	-	-	21	1	9	1	1	2	1	6	3	26	23	-	-	16	7	
Waukegan	529	1	-	8	123	27	31	10	13	4	7	31	12	222	179	2	10	107	60	
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Zion	155	-	-	3	27	6	12	1	3	-	1	4	11	63	45	1	2	31	11	
Balance of county	1,431	-	-	29	372	76	101	28	46	20	16	85	33	573	464	4	18	338	104	
La Salle	1,190	3	-	12	302	69	101	22	30	16	16	48	31	542	425	1	9	357	58	
La Salle	155	-	-	2	43	8	20	3	3	3	2	4	2	72	61	-	1	53	7	
Ottawa	213	-	-	-	55	7	22	7	3	4	2	10	7	103	79	-	2	71	6	
Peru	119	1	-	1	31	8	9	-	6	-	-	8	2	55	40	-	1	33	6	
Streator, part	195	-	-	4	48	12	18	4	7	1	1	5	3	100	77	-	1	63	13	
Streator, total	197	-	-	4	49	12	18	4	8	1	1	5	3	100	77	-	1	63	13	
Balance of county	508	2	-	5	125	34	32	8	11	8	11	21	17	212	168	1	4	137	26	
Lawrence	250	1	-	5	57	14	18	4	3	3	3	12	4	99	75	-	-	62	13	
Lee	314	-	-	5	69	15	16	5	11	4	4	14	3	159	113	-	2	75	36	
Dixon	165	-	-	4	38	6	8	5	4	3	3	9	1	73	60	-	2	35	23	
Balance of county	149	-	-	1	31	9	8	-	7	1	1	5	2	86	53	-	-	40	13	
Livingston	405	-	-	5	103	22	35	13	11	2	11	9	6	202	165	-	7	118	40	
Pontiac	115	-	-	1	35	7	12	3	3	-	4	6	1	51	45	-	3	28	14	
Streator, part	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Balance of county	288	-	-	4	67	15	23	10	7	2	7	3	5	151	120	-	4	90	26	
Logan	328	1	-	2	74	23	14	6	6	5	1	19	8	157	124	1	3	70	50	
Lincoln	188	-	-	1	44	12	10	6	2	3	-	11	4	87	73	-	2	40	31	
Balance of county	140	1	-	1	30	11	4	-	4	2	1	8	4	70	51	1	1	30	19	
McDonough	319	-	-	3	72	25	21	5	5	3	3	10	5	168	125	1	1	107	16	
Macomb	172	-	-	2	40	12	12	5	4	2	1	4	1	91	68	-	-	60	8	
Balance of county	147	-	-	1	32	13	9	-	1	1	2	6	4	77	57	1	1	47	8	
McHenry	1,237	-	-	18	324	84	90	26	33	16	10	65	31	512	393	4	7	279	103	
Crystal Lake	163	-	-	1	47	14	10	5	6	2	2	8	6	60	40	-	1	27	12	
McHenry	200	-	-	-	44	16	8	4	3	2	-	11	1	97	77	1	3	54	19	
Woodstock	162	-	-	5	34	6	12	3	2	1	1	9	5	71	53	-	-	38	15	
Balance of county	712	-	-	12	199	48	60	14	22	11	7	37	19	284	223	3	3	160	57	
McLean	919	-	-	13	229	61	63	14	24	8	12	47	22	384	268	1	12	170	85	
Bloomington	436	-	-	6	110	25	32	6	13	4	7	23	7	196	134	-	11	80	43	
Normal	183	-	-	5	43	12	9	6	4	-	1	11	1	72	49	1	-	29	19	
Balance of county	300	-	-	2	76	24	22	2	7	4	4	13	14	116	85	-	1	61	23	
Macon	1,130	-	-	23	261	76	69	15	29	14	8	50	32	534	407	5	11	228	163	
Decatur	948	-	-	22	214	61	53	14	20	13	6	47	22	460	358	4	10	203	141	
Balance of county	182	-	-	1	47	15	16	1	9	1	2	3	10	74	49	1	1	25	22	
Macoupin	546	-	-	9	112	31	21	4	14	8	3	31	10	274	220	-	3	160	57	
Madison	2,389	3	-	47	536	115	176	48	52	19	25	101	54	1,126	894	7	15	690	182	
Alton	402	-	-	4	87	21	23	6	11	3	8	15	9	195	146	3	3	108	32	
Collinsville, part	232	-	-	3	59	12	17	2	10	2	3	13	5	110	86	1	-	65	20	
Collinsville, total	245	-	-	4	64	13	19	3	11	2	3	13	6	114	89	1	-	68	20	
Edwardsville	206	-	-	5	38	12	9	4	6	-	1	6	10	107	79	-	1	63	15	
Granite City	374	2	-	10	86	19	25	11	6	2	2	23	6	163	136	-	2	108	26	
Wood River	139	1	-	3	39	9	12	5	3	3	2	5	1	60	46	2	1	31	12	
Balance of county	1,036	-	-	22	225	42	80	20	16	9	9	39	23	491	401	1	8	315	77	
Merion	526	-	-	5	115	22	38	10	13	3	5	24	10	255	210	2	7	162	39	
Centralia, part	203	-	-	3	31	6	10	2	2	-	2	9	3	106	82	-	3	64	15	
Centralia, total	234	-	-	3	38	7	12	2	5	-	2	10	4	116	90	-	3	71	16	
Balance of county	323	-	-	2	84	16	28	8	11	3	3	15	7	149	128	2	4	98	24	
Marshall	126	-	-	1	29	5	14	3	1	-	2	4	3	62	54	-	1	52	1	
Mason	173	-	-	2	38	7	13	3	6	2	1	6	4	65	52	-	-	31	21	
Massac	188	-	-	2	42	8	21	1	4	1	2	5	2	88	67	-	-	53	14	
Menard	111	-	-	6	28	6	4	2	4	1	1	10	1	54	42	-	2	32	8	
Mercer	179	-	-	2	57	9	19	2	5	-	-	22	4	77	64	-	-	23	41	
Monroe	198	-	-	2	50	12	16	5	5	1	4									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 584

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 46 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (770)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Illinois—Con.																			
Kendall	—	19	—	3	5	9	2	1	8	—	—	1	3	25	6	8	6	—	—
Knox	3	62	7	9	16	22	4	9	5	—	5	1	14	68	11	14	11	—	—
Galesburg	1	48	4	5	14	19	1	6	4	—	3	—	7	46	7	9	6	—	—
Balance of county	2	14	3	4	2	3	3	3	1	—	2	1	7	22	4	5	5	—	—
Lake	9	199	7	40	115	131	11	34	26	—	22	29	30	307	55	56	44	22	9
Arlington Heights, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Buffalo Grove, part	—	2	—	—	2	3	—	2	—	—	2	—	—	3	—	—	—	—	—
Deerfield, part	—	7	—	1	13	2	—	1	1	—	1	—	—	9	—	1	3	—	—
Deerfield, total	—	7	—	1	13	2	—	1	1	—	1	—	—	10	—	1	3	—	—
Highland Park	2	14	—	1	5	5	—	2	2	—	2	1	—	19	2	1	1	2	—
Lake Forest	1	5	—	2	3	5	—	2	—	—	1	1	—	11	4	—	5	—	—
Libertyville	1	27	—	5	6	10	—	—	1	—	1	1	—	24	—	3	1	—	—
Mundelein	—	4	—	2	3	5	—	2	—	—	—	1	—	9	—	1	1	—	—
North Chicago	—	6	—	2	3	5	—	1	—	—	1	2	1	12	1	1	1	2	—
Round Lake Beach	—	2	—	1	4	3	—	1	—	—	1	3	3	6	3	3	3	1	1
Waukegan	1	33	2	7	16	19	2	10	11	—	1	8	9	51	5	17	6	8	1
Wheeling, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Zion	1	16	—	1	6	3	—	1	—	—	3	1	1	21	3	3	5	3	1
Balance of county	3	83	5	18	50	70	9	14	11	—	10	11	16	142	37	26	18	4	6
La Salle	5	84	8	20	60	33	4	13	12	—	6	3	9	102	20	22	14	2	—
La Salle	—	7	2	2	8	4	1	3	—	—	—	—	1	14	3	—	2	—	—
Ottawa	1	15	1	7	8	2	—	2	6	—	1	1	1	18	3	4	1	1	—
Peru	2	11	—	2	6	3	1	3	1	—	—	—	—	9	3	1	2	—	—
Streator, part	—	21	1	1	5	6	1	1	—	—	1	1	2	17	2	2	2	—	—
Streator, total	—	21	1	1	5	6	1	1	—	—	1	1	2	17	2	2	3	—	—
Balance of county	2	30	4	8	33	18	1	4	5	—	4	1	5	44	9	15	7	1	—
Lawrence	—	22	—	2	28	9	—	3	2	—	1	—	2	28	1	8	1	—	1
Lee	5	28	5	8	6	8	1	1	6	—	4	2	6	33	1	5	4	1	—
Dixon	2	10	—	1	3	8	1	1	2	—	3	1	3	21	—	4	2	—	—
Balance of county	3	18	5	7	3	—	—	4	—	—	1	1	3	12	1	1	2	1	—
Livingston	—	27	7	3	9	19	3	1	2	—	3	1	1	26	7	12	4	—	1
Pontiac	—	4	—	2	7	2	—	—	—	—	—	—	1	10	1	2	1	—	—
Streator, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Balance of county	—	23	7	1	7	12	1	1	2	—	3	—	—	16	6	10	2	—	1
Logan	3	19	10	1	8	13	2	1	3	—	1	1	3	35	7	4	5	—	—
Lincoln	1	6	6	1	2	9	—	1	1	—	1	—	1	26	6	3	2	—	—
Balance of county	2	13	4	—	6	4	1	1	2	—	—	—	2	9	1	1	3	—	1
McDonough	1	35	3	4	10	19	—	2	2	—	1	2	1	21	6	3	4	—	—
Macomb	—	19	1	3	5	9	—	2	2	—	1	2	—	11	2	3	1	—	—
Balance of county	1	16	2	1	5	10	—	—	—	—	—	—	1	10	4	—	3	—	—
McHenry	6	90	10	13	28	60	3	23	11	—	6	13	10	121	22	35	18	1	1
Crystal Lake	1	15	3	1	5	12	3	1	3	—	1	—	—	15	1	6	2	—	—
McHenry	1	13	—	6	4	11	—	3	2	—	—	—	2	27	4	4	1	—	—
Woodstock	1	11	3	3	3	6	—	2	1	—	1	3	1	19	3	5	3	—	—
Balance of county	3	51	4	3	16	31	—	17	5	—	4	10	7	60	14	20	12	1	1
McLean	9	76	16	15	32	45	4	9	5	—	7	2	5	112	15	18	9	7	1
Bloomington	7	39	8	8	12	27	3	6	1	—	2	1	2	39	8	8	3	4	1
Normal	1	13	5	4	11	7	—	1	—	—	4	—	1	31	1	4	1	—	—
Balance of county	1	24	3	3	9	11	1	2	4	—	1	1	2	42	6	8	5	2	—
Macon	14	94	9	10	33	51	3	11	14	—	4	8	8	96	19	14	15	3	1
Decatur	13	76	5	8	24	41	2	11	11	—	4	8	8	81	11	13	13	3	—
Balance of county	1	18	4	2	9	10	1	3	—	—	—	—	—	15	8	1	2	—	—
Maccoupin	2	38	4	10	21	17	3	4	12	—	2	1	1	52	13	9	6	—	—
Madison	8	174	24	26	55	101	6	26	20	—	10	14	14	220	54	48	30	22	3
Alton	3	40	1	5	5	22	1	5	3	—	1	5	2	36	8	8	4	7	—
Collinsville, part	—	18	1	5	5	10	1	2	2	—	—	2	1	17	7	6	2	—	—
Collinsville, total	—	19	1	5	5	11	1	3	2	—	—	2	1	17	7	6	2	—	—
Edwardsville	—	19	8	1	4	7	2	1	1	—	2	1	1	23	2	1	1	—	—
Granite City	1	20	2	4	12	18	—	7	5	—	—	2	4	35	6	6	7	2	1
Wood River	1	10	3	—	3	4	—	3	—	—	2	1	—	18	—	—	2	—	—
Balance of county	3	67	9	11	26	40	2	8	9	—	5	3	6	91	31	27	14	11	2
Marion	4	32	—	9	15	30	2	2	10	—	2	2	1	56	4	11	5	—	—
Centralia, part	3	17	—	4	10	1	—	4	—	—	2	—	—	25	—	6	2	—	—
Centralia, total	3	18	—	5	11	12	—	4	—	—	2	—	1	30	1	7	4	—	—
Balance of county	1	15	—	5	5	20	1	2	6	—	—	2	1	31	4	5	3	1	—
Marshall	1	5	1	1	4	4	—	1	1	—	—	2	1	11	3	4	—	—	—
Mason	1	10	—	2	9	9	—	2	3	—	—	1	2	27	4	3	1	—	1
Massac	—	14	2	5	4	13	—	—	—	—	—	—	—	24	6	3	4	—	—
Menard	3	6	2	1	7	3	—	1	—	—	—	1	1	10	—	2	—	—	—
Mercer	3	4	2	4	3	12	—	2	—	—	—	—	2	10	3	5	2	—	—
Monroe	1	10	4	1	6	8	1	2	3	—	1	—	—	30	5	1	4	—	—
Montgomery	—	35	2	5	14	11	—	2	3	—	2	—	2	33	4	7	3	—	—
Morgan	—	19	4	5	23	22	2	3	5	—	1	—	4	36	1	10	3	3	1
Jacksonville	—	18	3	4	17	17	1	3	4	—	1	—	2	27	1	6	1	1	1
Balance of county	—	1	1	1	6	5	1	—	1	—	—	—	2	9	—	4	2	—	—
Moultrie	—	13	1	3	14	13	—	1	2										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 585

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 47 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cul- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of diges- tive organs and perito- neum (150- 159)	Malign- ant neo- plasms of res- piratory and in- tra- thoracic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of gen- ital organs (179- 187)	Malign- ant neo- plasms of ur- inary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Illinois—Con.																			
Perry	265	-	-	5	57	22	17	4	4	2	1	7	6	127	109	1	6	74	28
Platt	159	-	-	1	48	15	15	1	7	-	3	7	7	62	48	-	1	29	18
Pike	254	-	-	2	55	15	16	3	5	2	6	8	3	121	85	-	1	59	25
Pope	39	-	-	-	11	2	5	1	1	1	-	1	-	17	15	-	-	13	2
Pulaski	101	-	-	4	20	7	6	2	1	1	-	3	1	40	34	-	1	26	7
Putnam	61	-	-	2	16	3	5	2	1	-	2	3	3	26	22	-	1	16	5
Randolph	361	-	-	3	73	24	16	7	9	6	-	11	10	185	153	2	2	115	34
Richland	201	-	-	-	45	12	17	2	3	2	2	7	5	89	68	-	1	57	10
Rock Island	1,466	-	-	27	378	82	107	32	46	16	19	76	42	654	515	3	2	367	143
East Moline	230	-	-	2	66	15	23	4	5	2	1	16	10	86	70	-	-	46	24
Moline	418	-	-	8	111	29	34	8	10	3	9	18	10	187	147	1	-	111	35
Rock Island	469	-	-	13	109	23	25	9	14	8	6	24	13	207	161	1	1	113	46
Balance of county	349	-	-	4	92	15	25	11	17	3	3	18	9	174	137	1	1	97	56
St. Clair	2,572	4	-	73	603	144	177	47	70	25	16	124	66	1,011	784	9	29	498	250
Belleveille	588	1	-	18	135	38	27	12	15	7	7	29	13	250	187	2	-	32	20
Cahokia	191	-	-	6	51	8	20	3	8	3	1	8	4	73	53	1	-	3	-
Collinsville, part	13	-	-	1	5	1	2	1	-	-	-	-	1	4	3	-	-	3	-
East St. Louis	512	1	-	17	111	24	37	7	16	1	2	24	22	157	128	-	-	75	42
Fairview Heights	103	-	-	4	27	3	6	2	7	1	-	8	-	46	35	2	1	21	11
O'Fallon	110	1	-	4	30	10	7	1	3	1	-	8	3	43	32	1	-	23	8
Balance of county	1,055	1	-	23	244	60	78	21	20	12	6	47	23	438	346	3	8	226	109
Saline	407	-	-	6	99	23	29	6	11	3	6	21	11	190	140	3	6	102	29
Harrisburg	156	-	-	3	43	13	10	2	5	3	2	8	2	69	49	1	2	37	9
Balance of county	251	-	-	3	56	10	19	4	6	-	4	13	9	121	91	2	4	65	20
Sangamon	1,626	-	-	26	396	100	115	43	34	16	10	78	23	715	545	8	8	357	172
Springfield	1,153	-	-	19	256	65	84	26	24	11	9	57	15	509	382	6	6	249	121
Balance of county	473	-	-	7	140	35	51	17	10	5	1	21	8	206	163	2	2	108	51
Schuyler	77	-	-	-	13	4	5	1	2	1	-	-	-	35	32	-	-	14	19
Scott	65	-	-	1	11	1	5	-	3	-	-	1	2	50	43	1	9	21	11
Shelby	234	-	-	3	61	14	23	3	8	1	1	11	3	114	87	1	2	63	21
Stark	85	-	-	-	20	4	1	2	3	2	1	7	3	28	19	-	-	15	4
Stephenson	494	-	-	9	103	34	18	6	5	1	8	31	11	225	167	-	6	100	61
Freeport	327	-	-	6	71	21	11	5	5	-	6	22	7	151	111	-	4	61	46
Balance of county	167	-	-	3	32	13	7	1	-	-	2	9	4	74	56	-	2	39	15
Tazewell	1,045	-	-	22	290	60	88	25	35	11	18	53	24	426	302	3	4	218	77
East Peoria	218	-	-	2	58	11	21	1	9	2	1	13	11	90	59	-	2	46	11
Morton	149	-	-	3	38	8	14	4	4	-	3	5	3	69	45	-	1	32	12
Pekin, part	305	-	-	11	77	15	23	9	9	5	3	13	4	123	90	1	1	67	21
Pekin, total	306	-	-	11	78	15	23	9	9	5	4	13	4	123	90	1	1	67	21
Washington	114	-	-	2	30	4	8	2	4	2	5	4	2	90	69	-	-	41	26
Balance of county	259	-	-	4	87	22	22	9	9	2	6	17	4	54	39	-	-	32	7
Union	209	-	-	3	50	12	11	6	4	2	2	6	6	80	69	2	-	41	26
Vermillion	1,001	-	-	16	216	53	69	14	20	6	6	48	18	474	384	6	7	237	134
Danville	517	-	-	13	111	28	34	9	8	2	4	26	11	232	187	1	4	122	60
Balance of county	484	-	-	3	105	25	35	5	12	2	2	22	7	242	197	5	3	115	74
Wabash	157	-	-	6	45	13	11	6	2	1	1	11	2	57	41	-	-	33	8
Warren	240	-	-	2	61	10	15	7	7	1	4	17	2	106	78	-	-	60	18
Monmouth	147	-	-	1	37	7	8	3	4	1	3	11	2	62	46	-	-	37	9
Balance of county	93	-	-	1	24	3	7	4	3	-	1	1	-	44	32	-	-	23	9
Washington	156	-	-	-	34	8	13	1	1	-	-	4	2	82	73	-	1	62	10
Wayne	165	-	-	3	28	11	7	1	5	-	1	9	4	89	76	-	1	47	28
White	240	-	-	4	52	6	20	4	6	-	1	14	3	118	96	1	2	58	35
Whiteside	573	-	-	4	139	37	37	15	18	10	4	18	10	272	212	3	-	153	56
Rock Falls	119	-	-	-	27	5	7	2	4	1	4	4	4	53	43	1	-	29	13
Sterling	181	-	-	2	43	15	15	2	3	1	-	7	2	84	61	2	-	40	19
Balance of county	273	-	-	-	69	17	15	11	11	5	3	7	4	135	108	-	-	84	24
Will	2,403	1	-	50	574	148	160	50	58	22	24	112	56	1,020	784	5	22	590	167
Bolingbrook, part	153	-	-	3	29	4	11	2	3	-	1	8	7	62	54	-	2	46	6
Bolingbrook, total	163	-	-	3	31	5	11	2	3	-	1	9	7	67	58	-	2	48	8
Joliet	891	-	-	29	210	54	55	20	23	8	10	40	15	384	289	1	8	225	55
Naperville, part	11	-	-	-	4	2	-	1	-	-	-	-	-	6	5	-	1	1	-
Park Forest, part	13	-	-	-	4	-	3	1	-	-	-	-	-	17	14	-	-	11	3
Romeoville	57	-	-	-	18	5	7	-	-	-	1	4	-	1	1	-	-	1	-
Tinley Park, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-
Balance of county	1,277	1	-	18	309	83	84	26	32	13	11	60	29	546	419	4	11	302	102
Williamson	675	2	-	11	165	42	51	13	20	7	3	29	15	282	230	1	10	147	72
Henri	172	1	-	3	35	10	10	1	3	2	1	8	3	85	69	1	6	44	18
Marion	205	-	-	3	54	10	23	4	6	2	1	8	4	73	58	-	2	36	20
Balance of county	298	1	-	5	76	22	18	8	11	3	1	13	8	124	103	-	2	67	34
Winnemago	2,078	1	-	45	539	113	134	56	64	22	20	124	47	834	665	3	28	497	137
Loves Park	101	-	-	1	32	8	10	1	5	2	-	6	3	34	26	-	1	18	7
Rockford	1,484	1	-																

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 586

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 48 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Illinois—Con.																			
Perry	1	14	1	2	13	10	2	1	5	-	1	-	4	18	4	9	2	1	-
Piatt	-	11	-	3	6	5	-	2	3	-	-	-	-	15	1	6	1	-	2
Pike	2	22	11	1	8	9	-	1	1	-	3	2	12	24	5	5	3	-	-
Pope	-	1	-	1	1	2	-	2	1	-	-	-	-	3	1	1	-	-	-
Pulaski	-	5	1	-	4	6	-	-	-	-	-	2	3	16	3	1	1	-	-
Putnam	-	4	-	-	1	4	1	-	-	-	-	-	-	3	-	5	-	-	-
Randolph	2	24	3	3	10	12	2	5	5	-	-	-	7	31	10	4	4	-	-
Richland	2	13	3	3	14	4	-	2	3	-	-	2	-	27	4	3	2	-	1
Rock Island	10	102	13	14	38	61	6	15	19	-	4	13	9	127	17	23	24	8	1
East Moline	2	10	1	3	6	12	1	3	2	-	3	8	2	16	5	4	2	2	-
Moline	3	33	3	1	12	16	1	5	7	-	-	3	1	40	3	5	9	-	-
Rock Island	3	33	4	6	14	18	2	4	7	-	1	1	5	53	2	7	8	4	1
Balance of county	2	26	5	4	6	15	2	3	3	-	-	1	1	18	7	7	5	2	-
St. Clair	10	172	16	29	99	110	2	20	27	-	18	23	27	280	39	57	40	70	3
Belleville	2	51	2	8	34	23	1	2	6	-	4	1	4	64	4	13	13	2	-
Cahokia	-	12	3	5	8	9	-	4	1	-	-	2	2	19	3	4	3	1	1
Collinsville, part	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
East St. Louis	3	25	-	1	15	13	-	4	11	-	7	10	9	53	9	15	5	53	-
Fairview Heights	-	9	1	1	3	3	-	1	-	-	-	-	1	14	1	2	-	1	-
O'Fallon	-	8	3	-	4	7	-	2	1	-	1	1	-	10	-	-	3	-	-
Balance of county	5	66	7	14	35	54	1	6	8	-	6	9	11	120	22	23	16	13	2
Saline	-	41	4	5	12	16	1	6	9	-	1	2	-	33	5	11	3	1	1
Harrisburg	-	17	-	3	3	7	-	4	4	-	1	2	-	11	2	4	1	-	-
Balance of county	-	24	4	2	9	9	1	2	5	-	-	-	-	22	3	7	2	1	1
Sangamon	24	117	15	14	56	66	4	17	19	-	13	10	22	173	21	29	25	9	2
Springfield	19	89	10	9	46	48	2	15	17	-	8	7	18	133	14	20	16	8	2
Balance of county	5	28	5	5	10	18	2	2	2	-	5	3	4	40	7	9	9	1	-
Schuyler	-	4	3	-	2	3	-	-	-	-	-	-	-	3	3	2	1	-	-
Scott	-	2	-	1	4	2	-	1	1	-	-	-	-	6	2	1	-	-	-
Shelby	2	22	1	2	4	6	-	-	1	-	2	-	10	21	4	3	1	1	-
Stark	1	6	-	2	4	10	-	1	1	-	1	1	1	12	-	4	-	-	-
Stephenson	3	46	5	4	20	17	3	2	6	-	5	2	1	53	10	11	8	8	-
Freeport	1	32	3	4	16	10	3	2	4	-	3	-	-	36	2	7	3	6	-
Balance of county	2	14	2	-	4	7	-	-	2	-	2	2	1	17	8	4	5	2	-
Tazewell	1	101	10	12	37	39	1	11	31	-	6	5	3	95	16	16	19	1	3
East Peoria	-	25	3	3	16	8	-	2	8	-	-	1	1	15	2	2	2	-	-
Morton	-	21	-	3	6	5	-	-	4	-	2	-	1	13	2	1	-	1	-
Pekin, part	1	28	-	4	10	12	-	4	12	-	2	-	-	35	4	4	6	-	1
Pekin, total	1	28	-	4	10	12	-	4	12	-	2	-	-	35	4	4	6	-	1
Washington	-	9	5	1	2	5	-	1	2	-	1	1	1	9	1	3	-	-	-
Balance of county	-	18	2	1	3	9	1	4	5	-	1	3	-	23	7	6	10	1	1
Union	-	18	-	1	11	11	1	1	1	-	1	-	3	18	2	1	2	2	-
Vermillion	4	71	2	13	30	43	4	8	11	-	4	4	8	118	14	19	9	4	1
Danville	1	38	-	6	16	24	1	6	6	-	1	3	4	66	4	12	3	4	-
Balance of county	3	33	2	7	14	19	3	2	5	-	3	1	4	52	10	7	6	-	1
Wabash	2	8	-	6	7	9	1	3	2	-	1	1	1	16	1	2	3	-	-
Warren	1	20	4	3	14	12	-	1	1	-	1	-	1	28	3	5	2	1	-
Monmouth	1	12	3	-	8	10	-	1	-	-	-	-	1	18	2	3	1	1	-
Balance of county	-	8	1	3	6	2	-	-	1	-	1	-	-	10	1	2	1	-	-
Washington	2	5	-	2	6	3	-	2	2	-	1	-	3	10	5	4	1	-	-
Wayne	1	11	-	1	6	5	2	-	2	-	-	-	1	16	7	2	1	1	-
White	1	16	-	5	10	15	2	-	4	-	-	1	1	16	3	8	2	1	-
Whiteside	-	49	5	6	9	23	-	12	6	-	2	2	3	57	19	8	6	1	-
Rock Falls	-	10	-	1	6	-	-	3	1	-	-	-	-	17	5	2	-	-	-
Sterling	-	18	3	2	5	6	-	4	1	-	1	-	1	17	11	3	-	1	-
Balance of county	-	21	2	4	3	11	-	5	4	-	1	2	2	23	3	3	6	-	-
Will	6	181	13	36	82	102	2	32	33	1	16	29	13	224	53	50	37	27	1
Bolingbrook, part	-	5	-	3	4	8	-	3	3	-	1	3	1	13	7	4	3	2	-
Bolingbrook, total	1	5	-	3	4	8	1	3	3	-	1	4	1	13	8	4	3	2	-
Joliet	3	76	4	12	40	32	-	11	11	-	6	13	2	88	8	16	10	16	-
Naperville, part	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Park Forest, part	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
Romeoville	-	3	-	-	-	3	1	-	3	-	-	-	1	5	1	3	1	-	-
Tinley Park, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	94	9	21	38	58	1	18	16	1	8	13	9	116	37	26	23	9	1
Williamson	6	31	5	10	21	39	1	6	13	-	1	4	9	61	24	12	8	1	-
Herrin	1	11	2	2	5	8	1	1	4	-	1	-	3	16	3	2	1	-	-
Marion	3	5	2	5	5	14	-	3	2	-	-	3	3	25	9	4	2	1	-
Balance of county	2	15	1	3	11	17	-	2	7	-	-	1	3	20	12	6	5	-	-
Winnebago	16	110	14	29	64	88	8	22	21	-	9	14	16	257	37	37	28	14	3
Loves Park	-	7	1	-	2	9	-	2	-	-	-	-	-	15	1	2	-	-	-
Rockford	12	88	12	16	50	63	6	14	13	-	7	11	11	195	18	30	17	11	3
Balance of county	4	15	1	13	12	16	2	6	8	-	2	3	5	47	18	5	11	3	-
Woodford	1	21	-	2	16	20	-	1	2	-	1	2	2	16	7	5	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 587

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 49 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplas- ms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplas- ms of res- pirato- ry and in- tra-tho- racic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (179- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Indiana	49,964	23	-	961	12,028	2,723	3,682	968	1,332	506	449	2,368	1,255	21,612	16,706	117	405	11,731	4,453
Urban places	28,705	17	-	642	6,805	1,538	2,150	567	730	274	235	1,311	769	12,066	9,268	69	258	6,497	2,444
Balance of area	21,259	6	-	319	5,223	1,185	1,532	401	602	232	214	1,057	486	9,546	7,438	48	147	5,234	2,009
Metropolitan counties	33,132	19	-	720	8,070	1,845	2,520	655	851	320	297	1,582	832	13,984	10,776	72	277	7,571	2,856
Urban places	24,040	16	-	567	5,743	1,286	1,824	476	605	207	207	1,103	645	10,034	7,711	57	215	5,375	2,064
Balance of area	9,092	3	-	153	2,327	549	696	179	246	88	90	479	187	3,950	3,065	15	62	2,196	792
Nonmetropolitan counties	16,832	4	-	241	3,958	878	1,162	313	481	186	152	786	423	7,628	5,930	45	128	4,160	1,597
Urban places	4,665	1	-	75	1,062	242	326	91	125	42	28	208	124	2,032	1,557	12	43	1,122	380
Balance of area	12,167	3	-	166	2,896	636	836	222	356	144	124	578	299	5,596	4,373	33	85	3,038	1,217
Adams	240	-	-	1	56	8	18	4	8	5	3	10	6	115	81	-	-	56	25
Allen	2,463	-	-	47	578	122	189	40	59	21	26	121	61	1,127	838	5	20	617	196
Fort Wayne	1,839	-	-	40	425	89	141	28	43	18	20	85	49	841	635	5	15	467	148
Balance of county	624	-	-	7	153	33	48	12	16	3	6	35	12	286	203	-	5	150	48
Bartholomew	543	1	-	20	121	34	37	9	10	6	6	19	9	238	191	1	3	124	63
Columbus	357	1	-	14	80	20	23	4	9	4	4	16	5	156	125	1	2	87	35
Balance of county	186	-	-	6	41	14	14	5	1	2	2	3	4	82	66	-	1	37	28
Benton	103	-	-	1	23	6	5	1	3	3	3	4	3	46	31	-	-	28	3
Blackford	149	-	-	3	42	11	10	2	5	3	1	10	3	68	47	-	-	38	9
Boone	363	1	-	9	88	28	27	7	5	-	3	16	4	165	129	1	-	78	50
Lebanon	139	-	-	5	31	8	13	1	3	-	5	3	3	60	47	-	-	31	16
Balance of county	224	1	-	4	57	20	14	6	2	2	2	13	1	105	82	1	-	47	34
Brown	118	-	-	-	27	4	10	-	3	2	1	7	1	64	43	1	1	24	17
Carroll	163	-	-	4	40	12	7	1	3	-	1	16	1	73	50	-	1	37	12
Cass	408	-	-	3	96	22	28	9	11	2	3	21	12	177	139	1	8	103	27
Logansport	239	-	-	2	49	14	16	7	3	1	2	6	5	108	81	-	5	63	13
Balance of county	169	-	-	1	47	8	12	2	8	1	1	15	7	69	58	1	3	40	14
Clerk	866	-	-	13	200	38	72	24	15	8	8	35	17	405	319	-	6	237	76
Clarksville	279	-	-	5	70	13	27	10	3	2	2	13	11	117	91	-	1	72	18
Jeffersonville	288	-	-	6	56	8	20	10	2	5	4	7	2	146	116	-	1	83	32
Balance of county	299	-	-	2	74	17	25	4	10	1	2	15	4	142	112	-	4	82	26
Clay	262	-	-	1	67	15	25	3	11	5	-	8	6	129	87	-	-	67	20
Clinton	326	-	-	6	75	18	21	8	6	3	2	17	7	148	112	-	-	67	20
Frankford	179	-	-	3	45	14	14	3	3	1	1	9	2	76	62	-	-	52	10
Balance of county	147	-	-	3	30	4	7	5	3	2	1	8	5	72	50	-	-	39	17
Crawford	110	-	-	2	25	2	12	3	3	1	1	4	3	44	33	1	-	26	6
Davess	309	-	-	-	60	8	20	2	11	5	2	12	15	138	99	-	-	76	23
Washington	180	-	-	-	34	5	13	1	7	2	2	4	8	82	57	-	-	46	11
Balance of county	129	-	-	-	26	3	7	1	4	3	-	8	7	56	42	-	-	30	12
Dearborn	340	1	-	4	94	25	26	8	9	2	7	17	3	143	114	3	4	77	30
Decatur	191	-	-	-	30	4	9	1	2	5	2	7	11	95	78	-	-	67	11
De Kalb	293	-	-	3	63	20	20	4	3	3	2	11	5	139	112	3	10	272	88
Delaware	1,054	-	-	17	240	47	81	22	21	8	6	55	35	468	373	3	8	191	58
Muncie	751	-	-	13	177	37	61	17	13	7	5	37	27	332	259	2	8	81	30
Balance of county	303	-	-	4	63	10	20	5	8	1	1	18	8	136	114	1	2	81	49
Dubois	313	1	-	4	67	17	15	4	12	2	3	14	4	145	117	-	-	68	49
Elkhart	1,208	-	-	22	276	72	81	24	26	10	14	49	28	533	416	6	4	269	137
Elkhart	471	-	-	9	95	34	29	6	8	3	3	12	8	203	151	3	3	108	37
Goshen	243	-	-	5	50	10	16	6	3	3	3	9	6	122	104	1	1	40	63
Balance of county	494	-	-	8	131	28	36	12	15	4	8	28	14	208	161	2	1	121	37
Fayette	246	-	-	4	71	18	17	6	10	5	2	13	5	102	90	1	5	74	10
Connersville	188	-	-	4	48	12	9	6	10	2	1	8	5	83	74	1	5	58	10
Balance of county	58	-	-	-	23	6	8	-	3	1	5	-	19	16	-	-	16	-	
Floyd	610	-	-	9	142	29	48	11	15	4	8	27	7	270	209	1	3	164	41
New Albany	472	-	-	8	116	23	44	8	14	3	6	18	6	202	158	1	3	124	30
Balance of county	138	-	-	1	26	6	4	3	1	1	2	9	1	68	51	-	-	40	11
Fountain	195	-	-	1	39	8	16	6	1	-	3	5	5	102	83	3	4	65	11
Franklin	130	-	-	2	30	6	7	-	8	4	-	5	2	63	46	1	3	35	7
Fulton	209	-	-	5	59	13	11	5	13	5	-	12	9	81	70	-	2	57	11
Gibson	382	-	-	4	95	15	34	15	13	3	4	11	18	164	129	2	6	81	40
Grant	736	-	-	8	154	32	57	9	13	6	4	33	30	330	270	-	8	195	67
Marion	473	-	-	4	90	19	30	5	10	3	2	21	17	207	168	-	4	120	44
Balance of county	263	-	-	4	64	13	27	4	3	3	2	12	13	123	102	-	4	75	23
Greene	353	-	-	8	76	20	23	5	6	5	4	13	9	181	152	1	7	91	53
Hamilton	658	-	-	17	152	40	39	18	11	4	10	30	9	272	217	2	1	130	84
Carmel	186	-	-	3	48	13	11	6	4	1	2	11	4	77	61	1	-	39	21
Noblesville	191	-	-	10	38	8	11	5	4	2	2	6	1	75	65	-	1	34	30
Balance of county	281	-	-	4	66	19	17	7	3	1	6	13	4	120	91	1	-	57	33
Hancock	400	-	-	19	85	18	24	8	6	5	2	22	14	172	128	-	1	100	27
Greenfield	196	-	-	7	42	10	13	3	4	3	-	9	10	89					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 588

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 50 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Indiana	234	3,570	489	613	1,676	2,269	107	454	615	3	326	330	457	4,749	954	978	695	406	66
Urban places	149	2,014	283	352	994	1,382	66	290	377	2	189	216	308	2,863	412	552	392	318	45
Balance of area	85	1,556	206	261	682	887	41	164	238	1	137	114	149	1,986	542	426	303	88	21
Metropolitan counties	179	2,295	330	404	1,083	1,519	71	316	408	2	230	247	331	3,220	547	662	462	338	51
Urban places	132	1,646	246	299	796	1,142	54	247	303	2	167	194	255	2,389	329	483	338	296	40
Balance of area	47	649	84	105	287	377	17	69	105	—	63	53	76	831	218	179	144	42	11
Nonmetropolitan counties	55	1,275	159	209	593	750	36	138	207	1	96	83	126	1,529	407	316	213	68	15
Urban places	17	368	37	53	198	240	12	43	74	—	22	22	53	474	83	69	54	22	5
Balance of area	38	907	122	156	395	510	24	95	133	1	74	61	73	1,055	324	247	159	46	10
Adams	—	25	3	6	9	5	1	—	2	—	1	2	4	23	3	7	4	1	—
Allen	13	209	25	42	71	101	6	19	45	—	17	17	30	203	44	48	26	22	1
Fort Wayne	8	150	16	32	53	79	5	13	33	—	15	13	25	153	23	34	20	17	1
Balance of county	5	59	9	10	18	22	1	6	12	—	2	4	5	50	21	14	6	5	—
Bartholomew	3	36	2	6	18	30	—	4	7	—	2	3	2	21	6	6	6	—	—
Columbus	1	27	2	1	12	19	—	3	4	—	2	2	2	41	6	4	2	—	—
Balance of county	2	9	—	5	6	11	—	1	3	—	—	—	—	21	7	2	2	—	—
Benton	—	10	5	—	5	6	—	1	—	—	—	—	1	12	2	2	1	—	—
Blackford	—	13	2	6	1	3	—	2	3	—	2	3	—	6	4	5	2	—	—
Boone	—	31	1	4	25	12	2	1	4	—	1	1	3	31	6	5	4	1	—
Lebanon	—	11	—	2	11	4	1	1	2	—	1	—	2	13	2	2	4	1	—
Balance of county	—	20	1	2	14	8	1	—	2	—	—	1	1	18	4	3	3	—	—
Brown	—	17	3	1	3	7	1	1	1	—	—	—	—	8	4	1	4	—	—
Carroll	2	20	1	—	3	9	—	3	2	—	1	—	—	16	2	6	1	—	—
Cass	1	32	2	3	18	15	2	3	6	—	2	1	2	45	9	7	6	3	1
Logansport	1	23	1	2	12	11	2	1	4	—	2	1	1	28	3	5	3	3	1
Balance of county	—	9	1	1	6	4	—	2	2	—	—	—	1	17	6	2	3	—	—
Clark	3	67	9	7	32	39	1	7	11	—	1	4	7	79	17	14	16	3	—
Clarksville	—	18	6	2	12	16	—	2	3	—	—	1	3	22	3	7	7	—	—
Jeffersonville	—	25	2	3	9	14	1	1	5	—	—	2	3	20	3	3	5	3	—
Balance of county	3	24	1	2	11	9	—	4	3	—	1	1	1	28	11	4	4	—	—
Clay	1	33	2	6	5	5	2	1	4	—	3	1	6	18	5	6	2	1	—
Clinton	2	24	7	3	12	17	—	4	4	—	1	2	3	29	6	5	6	1	—
Frankfort	—	8	4	2	9	11	—	3	1	—	—	2	2	14	5	2	3	—	—
Balance of county	2	16	3	1	3	6	—	1	3	—	1	—	1	15	1	3	3	—	—
Crawford	—	7	1	3	3	10	—	1	1	—	—	—	—	11	4	6	—	—	—
Davies	1	27	9	2	11	20	2	—	4	—	4	2	5	26	10	8	3	1	—
Washington	1	18	5	1	7	12	—	—	—	—	2	2	4	17	5	5	1	—	—
Balance of county	—	9	4	1	4	8	—	—	4	—	2	—	1	9	5	2	2	—	—
Dearborn	1	18	7	3	18	12	—	6	8	—	1	—	2	23	8	6	4	2	2
Decatur	1	10	3	3	4	12	—	2	1	—	3	1	—	13	8	3	3	4	1
De Kalb	2	16	6	3	4	9	—	3	4	—	2	1	6	31	11	7	4	1	—
Delaware	7	68	9	11	29	50	4	10	9	—	12	2	8	114	16	19	15	6	—
Muncie	5	54	7	7	18	33	3	8	6	—	10	1	5	79	10	14	11	4	—
Balance of county	2	14	2	4	11	17	1	2	3	—	2	1	3	35	6	5	4	2	—
Dubois	1	25	—	2	12	9	—	4	7	—	3	2	1	36	5	6	4	1	—
Elkhart	8	92	9	8	33	53	3	8	12	1	7	11	13	130	26	21	23	7	1
Elkhart	7	39	4	2	17	24	1	4	5	1	4	5	9	60	5	6	8	6	1
Goshen	—	12	3	3	5	10	2	1	1	—	1	1	3	26	6	2	2	—	—
Balance of county	1	41	2	3	11	19	—	3	6	—	2	5	1	44	15	13	13	1	—
Fayette	—	11	1	—	7	13	—	1	3	—	1	—	—	21	6	2	4	4	—
Connersville	—	8	1	—	6	9	—	1	3	—	—	—	—	13	4	2	3	4	—
Balance of county	—	3	—	—	1	4	—	—	—	—	—	—	—	8	2	—	1	—	—
Floyd	4	46	5	6	28	29	1	15	2	—	6	1	4	65	6	12	12	1	—
New Albany	2	33	5	4	23	23	1	14	2	—	3	1	4	50	2	7	10	—	—
Balance of county	2	13	—	2	5	6	—	1	—	—	3	—	—	15	4	5	2	1	—
Fountain	—	17	—	2	3	10	—	2	—	—	1	—	2	18	3	4	4	—	1
Franklin	—	12	2	3	8	4	—	1	2	—	—	—	—	9	2	2	4	—	—
Fulton	—	9	—	—	7	9	—	1	1	—	2	1	1	22	4	4	2	1	—
Gibson	1	26	4	4	6	9	—	1	4	—	1	—	—	41	6	9	3	1	—
Grant	1	44	6	9	18	27	2	8	24	—	4	3	4	72	18	16	9	8	1
Marion	1	30	4	4	14	19	1	5	21	—	2	2	4	54	13	10	6	4	—
Balance of county	—	14	2	5	4	8	1	3	3	—	2	1	—	18	5	6	3	4	—
Greene	1	19	3	—	3	20	—	4	3	—	3	—	—	22	9	6	8	—	—
Hamilton	3	46	2	4	29	24	2	8	10	—	5	5	6	82	12	11	8	5	1
Carmel	1	13	1	1	7	11	—	1	5	—	1	1	3	18	2	3	1	—	—
Noblesville	—	9	—	1	11	8	1	6	2	—	—	—	—	31	—	3	2	1	—
Balance of county	2	24	1	2	11	5	1	1	3	—	4	3	2	33	10	5	5	4	—
Hancock	2	25	10	7	9	25	—	1	6	—	2	1	8	41	7	5	4	1	—
Greenfield	1	12	6	6	4	11	—	—	2	—	—	—	4	22	3	1	1	—	—
Balance of county	1	13	4	1	5	14	—	1	4	—	2	1	4	19	4	4	3	1	—
Harrison	2	20	2	1	4	8	1	2	1	—	—	1	2	16	5	5	4	2	—
Hendricks	—	31	—	7	23	22	1	6	11	—	2	2	—	47	11	12	7	—	—
Henry	4	49	2	4	21	23	1	5	3	—	1	1	5	56	10	8			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 589

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 51 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- culosis (010- 018)	Syph- ilits (090- 097)	Residual of infect- ious and para- sitic dis- eases 1	Malignant neoplasms, including of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasm of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Indiana—Con.																			
Jackson	388	-	-	7	84	22	16	9	8	6	4	19	9	189	137	1	2	107	27
Seymour	197	-	-	5	41	11	8	6	3	2	1	10	5	92	66	-	-	53	12
Balance of county	191	-	-	2	43	11	8	3	5	4	3	9	4	97	71	1	1	54	15
Jasper	214	-	-	3	46	7	15	6	5	1	3	9	7	92	65	3	-	44	18
Jay	198	-	-	4	44	10	12	3	6	1	3	9	7	91	70	1	-	54	15
Jefferson	312	-	-	6	68	13	21	10	12	-	4	8	7	131	99	-	2	73	24
Madison	178	-	-	4	37	9	12	3	4	-	4	5	2	73	58	-	1	40	17
Balance of county	134	-	-	2	31	4	9	7	8	-	-	3	5	58	41	-	1	33	7
Jennings	192	-	-	4	54	11	22	2	6	3	2	8	2	80	66	1	-	45	20
Johnson	769	-	-	11	165	49	51	11	14	9	4	27	19	339	253	-	4	178	71
Franklin	241	-	-	3	34	10	7	1	5	1	1	9	9	119	88	-	-	60	28
Greenwood	315	-	-	8	74	27	18	4	6	5	3	11	7	134	99	-	2	70	26
Balance of county	213	-	-	-	57	12	26	6	3	3	-	7	3	86	67	-	2	48	17
Knox	449	-	-	7	106	18	35	12	12	4	3	22	3	220	165	1	3	101	60
Vincennes	263	-	-	4	62	6	25	7	10	2	1	11	1	129	97	1	3	60	33
Balance of county	186	-	-	3	44	12	10	5	2	2	2	11	2	91	68	-	-	41	27
Kosciusko	500	-	-	4	127	25	42	13	14	8	6	19	14	211	183	4	5	116	58
Warsaw	136	-	-	2	35	8	12	3	1	2	2	7	4	55	46	-	1	34	11
Balance of county	364	-	-	2	92	17	30	10	13	6	4	12	10	156	137	4	4	82	47
Lagrange	204	-	-	3	50	18	11	2	9	4	1	5	5	87	66	1	-	50	15
Lake	4,603	5	-	78	1,118	263	317	95	137	45	40	221	166	1,920	1,470	9	61	1,010	390
Crown Point	264	-	-	1	60	14	15	14	4	2	2	9	8	121	82	-	2	63	17
East Chicago	350	-	-	6	84	25	21	3	10	2	1	22	21	124	92	-	5	71	16
Gary	1,299	2	-	34	314	73	99	25	50	10	11	46	53	504	385	3	21	241	120
Griffith	134	-	-	3	33	8	10	3	2	2	1	7	3	57	50	-	3	36	11
Hammond	872	2	-	11	210	46	59	16	23	10	12	44	28	372	294	2	11	200	81
Highland	178	-	-	3	49	13	13	2	9	1	2	8	9	74	63	-	2	45	16
Hobart	213	-	-	4	44	12	10	3	2	4	-	13	13	91	72	-	2	45	25
Lake Station	112	-	-	-	24	7	7	2	4	1	-	3	7	47	40	-	2	26	12
Merrillville	325	1	-	4	61	11	15	6	6	4	2	17	3	172	129	4	4	86	35
Munster	223	-	-	2	64	14	17	8	7	3	2	13	5	94	67	-	4	44	19
Schererville	90	-	-	2	30	8	14	-	2	1	-	5	-	36	28	-	-	24	4
Balance of county	543	-	-	8	146	32	37	13	18	5	7	34	16	228	168	-	5	129	34
La Porte	974	1	-	15	238	62	67	23	28	10	3	45	22	409	312	3	7	218	84
La Porte	244	-	-	4	54	9	15	7	8	3	-	12	4	127	90	2	1	60	27
Michigan City	386	-	-	5	91	27	24	9	9	3	3	16	10	147	119	-	3	87	29
Balance of county	344	1	-	6	93	26	28	7	11	4	-	17	8	135	103	1	3	71	28
Lawrence	459	-	-	3	110	30	39	2	10	3	3	23	9	217	164	1	1	127	35
Bedford	201	-	-	1	56	11	27	1	5	2	1	9	3	89	62	-	-	49	13
Balance of county	258	-	-	2	54	19	12	1	5	1	2	14	6	128	102	1	1	78	22
Madison	1,288	-	-	38	323	63	107	26	34	14	9	70	31	560	422	5	7	307	103
Anderson	751	-	-	21	193	45	60	16	17	6	5	44	14	336	251	2	6	181	62
Elwood, part	124	-	-	2	25	4	7	2	3	4	1	4	6	53	42	1	1	29	11
Elwood, total	124	-	-	2	25	4	7	2	3	4	1	4	6	53	42	1	1	29	11
Balance of county	413	-	-	15	105	14	40	8	14	4	3	22	11	171	129	2	-	97	30
Marion	7,104	7	-	229	1,714	372	562	147	187	68	63	315	193	2,764	2,169	17	80	1,501	571
Beech Grove	132	1	-	3	41	11	13	3	5	2	-	7	3	65	52	-	-	39	13
Indianapolis	6,754	6	-	225	1,619	345	533	139	177	66	61	298	183	2,605	2,042	16	78	1,406	542
Lawrence	13	-	-	-	1	1	8	-	-	-	-	1	7	8	6	-	-	5	1
Speedway	116	-	-	1	33	7	8	5	4	-	1	7	3	46	39	1	-	29	9
Balance of county	89	-	-	-	20	7	8	-	1	-	1	3	3	40	30	-	2	22	6
Marshall	388	-	-	5	87	16	26	6	10	3	7	19	5	191	146	1	1	91	53
Martin	107	-	-	1	27	4	7	-	4	3	1	8	2	49	39	1	1	30	7
Miami	281	-	-	2	63	12	20	7	4	2	11	4	4	125	92	-	1	69	22
Peru	150	-	-	1	33	7	10	4	1	1	-	10	4	68	52	-	1	39	12
Balance of county	131	-	-	1	30	5	10	3	6	3	2	1	-	57	40	-	-	30	10
Monroe	589	1	-	9	152	36	32	15	22	7	7	33	11	247	191	-	1	140	50
Bloomington	366	1	-	5	87	20	22	9	11	3	4	18	5	156	115	-	1	81	33
Balance of county	223	-	-	4	65	16	10	6	11	4	3	15	6	91	76	-	-	59	17
Montgomery	373	-	-	6	97	28	24	8	12	3	6	16	13	164	132	-	-	98	34
Crawfordsville	224	-	-	6	55	15	14	4	8	2	-	12	8	98	76	-	-	53	23
Balance of county	149	-	-	-	42	13	10	4	4	1	6	4	5	66	56	-	-	45	11
Morgan	461	-	-	6	123	17	46	7	11	6	7	29	8	176	136	-	7	110	19
Martinsville	193	-	-	4	43	4	16	2	4	3	4	10	3	86	63	-	2	52	9
Balance of county	268	-	-	2	80	13	30	5	7	3	3	19	5	90	73	-	5	58	10
Newton	115	-	-	-	28	4	9	1	5	-	-	9	4	50	42	-	-	34	8
Noble	333	-	-	3	78	15	18	4	12	3	3	23	12	129	105	-	-	79	26
Ohio	47	-	-	-	10	1	2	2	3	-	-	2	1	21	15	-	1	12	2
Orange	173	-	-	5	36	14	10	2	1	1	-	8	4	84	66	-	1	52	13
Owen	158	-	-	2	37	10	11	1	4	4	1	6	-	68	54	-	1	43	10
Parke	186	-	-	1	38	12	12	3	3	1	3	4	5	96	83	-	15	42	26
Perry	207	-	-	1	54	14	14	5	5	3	-	13	3	102					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 602

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 64 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E900-E907, E926-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Kentucky—Con.																			
Bell	--	14	--	1	15	22	1	2	--	--	1	1	6	34	12	9	3	5	1
Middlesborough	--	9	--	1	7	10	1	2	--	--	--	1	1	11	3	5	1	2	1
Balance of county	--	5	--	--	8	12	--	--	--	--	1	--	5	23	9	4	2	3	--
Boone	1	19	2	7	17	18	--	3	3	--	2	--	--	50	6	5	9	--	1
Florence	1	12	1	3	12	8	--	--	2	--	1	--	--	34	3	4	4	--	--
Balance of county	--	7	1	4	5	8	--	3	1	--	1	--	--	16	3	1	5	--	1
Bourbon	2	17	1	4	8	10	--	1	4	--	1	2	2	17	5	5	3	2	--
Boyd	1	48	3	7	21	27	2	6	10	--	3	1	4	50	5	12	2	2	--
Ashland	1	25	1	3	12	19	2	6	6	--	1	--	2	32	2	4	1	--	--
Balance of county	--	23	2	4	9	8	--	--	4	--	2	1	2	18	3	8	1	2	--
Boyle	1	13	--	1	8	11	1	--	6	--	2	--	--	26	4	9	2	2	--
Danville	1	7	--	--	3	8	1	--	4	--	2	--	--	18	2	3	--	--	--
Balance of county	--	6	--	1	5	3	--	--	2	--	--	--	--	8	2	6	2	2	--
Bracken	--	4	--	--	4	8	--	1	2	--	--	--	--	6	5	2	2	--	--
Breathitt	1	10	1	--	8	5	2	3	2	--	1	1	3	14	7	3	3	--	--
Breckinridge	1	18	--	--	1	5	1	--	5	--	1	1	1	11	3	5	2	--	--
Bullitt	--	11	--	4	6	18	1	--	1	--	2	1	4	23	15	1	6	1	--
Butler	--	6	--	2	2	4	--	2	4	--	1	--	--	18	6	3	1	--	--
Caldwell	--	10	--	--	5	5	--	--	7	--	1	--	1	13	3	3	4	--	--
Calloway	2	12	2	3	20	12	1	4	4	--	--	--	2	28	6	9	6	--	--
Murray	--	4	--	2	8	6	--	2	1	--	--	--	--	17	3	3	2	--	--
Balance of county	2	8	2	1	12	6	1	2	3	--	--	--	2	11	3	6	4	--	--
Campbell	2	66	1	21	23	28	2	8	7	--	6	5	2	70	13	18	7	2	2
Fort Thomas	--	20	--	8	8	6	--	1	--	--	3	1	--	13	1	5	--	--	--
Newport	--	19	1	2	4	9	1	3	4	--	1	1	2	18	1	4	2	1	1
Balance of county	2	27	--	11	11	13	1	4	3	--	2	3	--	39	11	9	5	1	1
Carfisle	1	2	1	--	1	2	--	--	--	--	--	--	1	6	1	1	1	--	--
Carroll	1	9	--	--	--	2	--	--	1	--	--	--	--	14	6	5	--	1	--
Carter	1	24	1	4	7	7	--	6	6	--	--	2	2	30	11	4	6	2	--
Casey	2	10	--	1	9	7	--	--	3	--	1	1	3	10	4	4	4	1	--
Christian	3	31	4	5	14	19	2	2	10	--	4	3	3	73	19	16	5	6	1
Hopkinsville	2	19	3	4	11	14	2	2	8	--	2	1	2	45	6	10	3	2	1
Balance of county	1	12	1	1	3	5	--	--	2	--	2	2	--	28	13	6	2	4	--
Clark	4	20	3	4	17	8	1	4	3	--	1	--	4	22	7	8	1	4	--
Winchester	4	13	1	3	10	6	1	2	2	--	--	--	3	14	5	3	--	2	--
Balance of county	--	7	2	1	7	2	--	2	1	--	1	--	1	8	2	5	1	2	--
Clay	--	13	--	2	10	3	1	4	1	--	2	5	1	17	5	11	--	3	--
Clinton	--	5	--	--	3	8	--	1	--	--	--	--	1	9	5	--	1	--	--
Crittenden	1	4	1	1	3	8	--	--	4	--	--	--	--	4	4	--	1	--	--
Cumberland	--	8	--	1	1	1	--	--	3	--	--	--	1	3	--	2	7	1	--
Davess	4	70	6	10	26	42	3	13	9	--	4	5	8	72	15	29	7	1	1
Owensboro	3	56	6	6	19	32	3	10	8	--	2	4	5	61	6	20	6	--	1
Balance of county	1	14	--	4	7	10	--	3	1	--	2	1	3	11	9	9	1	1	--
Edmonson	--	6	--	1	4	7	--	--	1	--	--	1	1	7	3	1	--	2	--
Elliott	--	5	--	1	3	6	--	--	2	--	2	--	--	9	3	1	1	--	--
Estill	--	12	1	2	1	6	1	1	3	--	1	--	1	9	2	3	3	1	--
Fayette, coext. with Lexington-Fayette	5	121	9	20	75	89	5	13	25	1	16	13	19	209	23	43	31	18	2
Fleming	--	8	--	1	7	17	--	3	3	--	1	--	--	13	2	4	3	--	--
Floyd	--	21	6	6	14	29	--	4	2	--	2	1	1	38	16	14	6	2	--
Franklin	1	29	1	6	22	15	1	4	5	--	3	2	3	41	7	7	6	4	--
Frankfort	1	21	1	4	15	12	--	3	5	--	3	1	1	31	3	5	3	2	--
Balance of county	--	8	--	2	7	3	1	1	--	--	--	--	1	10	4	2	3	2	--
Fulton	--	3	3	--	3	11	2	2	2	--	--	--	1	6	5	2	--	1	--
Gallatin	--	4	--	--	2	1	--	2	--	--	--	--	1	2	1	--	1	--	--
Garrard	--	12	--	1	5	2	--	--	4	--	1	--	--	12	2	4	1	--	--
Grant	--	9	1	1	4	7	--	1	1	--	1	--	1	10	2	8	3	--	--
Graves	3	27	1	4	8	17	1	1	3	--	2	1	--	25	11	9	3	2	1
Mayfield	1	9	--	2	4	9	--	--	2	--	2	--	--	11	1	4	--	1	--
Balance of county	2	18	1	2	4	8	1	1	1	--	1	--	--	14	10	5	3	1	1
Grayson	--	13	2	1	14	11	--	1	3	--	2	1	--	16	7	6	2	1	--
Green	2	9	--	--	9	5	--	--	--	--	1	--	1	8	2	2	2	--	--
Greenup	1	31	--	2	15	14	2	2	8	--	1	--	2	27	11	8	5	--	1
Hancock	--	6	2	--	2	4	--	2	1	--	--	--	--	2	2	--	2	--	--
Hardin	2	27	6	4	34	22	--	4	2	--	2	3	8	37	23	18	15	3	--
Elizabethtown	2	9	2	--	7	7	--	2	1	--	--	--	1	13	4	5	3	--	--
Radcliff	--	4	1	--	9	4	--	1	--	--	1	--	--	6	4	4	5	1	--
Balance of county	--	14	3	4	18	11	--	1	1	--	--	3	3	18	17	7	7	2	--
Harlan	1	22	2	5	12	30	--	4	4	--	1	--	5	41	12	4	4	4	--
Harrison	1	18	6	1	10	9	--	1	4	--	3	--	--	13	9	4	1	--	--
Hart	--	15	--	3	6	4	--	--	1	--	--	1	--	14	7	3	2	--	--
Henderson	2	19	4	2	31	18	2	2	7	--	2	--	3	40	10	10	4	2	--
Henderson	2	15	2	1	26	12	--	2	7	--	1	--	3	30	5	5	2	2	--
Balance of county	--	4	2	1	5	6	2	--	--	--	--	--	--	10	5	5	2	--	--
Henry	3	10	--	1	4	2	--	--	--	--	2	--	3	15	2	6	2	1	--
Hickman	1	6	1	2	3	3	--	1	2	--	--	--	--	10	3	--	2	--	--
Hopkins	--	33	5	5	23	19	1	9	6	--	3	3	1	56	11	6	4	1	1
Madisonville	--	17	3	4	5	19	1	6	5	--	1	2	1	28	3	1	1	1	--
Balance of county	--	16	2	1	18	14	--	3	1	--	2	1	--	28	8	5	3	--	1
Jackson	--	7	--	1	6	6	1	1	2	--	1	--	--	6	3	--	--	--	--

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 603

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 65 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Table with 19 columns: Area, Total, Tuberculosis (010-018), Syphilis (090-097), Residual of infectious and parasitic diseases, Malignant neoplasms, including lymphatic and hematopoietic tissues (140-208), Malignant neoplasms of digestive organs and peritoneum (150-159), Malignant neoplasms of respiratory and intrathoracic organs (160-165), Malignant neoplasm of breast (174-175), Malignant neoplasms of genital organs (179-187), Malignant neoplasms of urinary organs (188-189), Leukemia (204-208), Other malignant neoplasms (140-149, 170-173, 190-203), Diabetes mellitus (250), Major cardiovascular diseases (390-449), Diseases of heart (390-399, 402, 404-429), Rheumatic fever and rheumatic heart disease (390-398), Hypertensive heart disease with or without renal disease (402, 404), Ischemic heart disease (410-414), Other heart diseases (415-429).

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 632

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 94 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Missouri—Con.																			
Harrison	9	3	1	7	3	2	1	5						12	1	1	1		
Henry	17	6	3	6	6	1	1	2			3			24	5	6	1		1
Hickory	10	1	3	3	14		1	1						24	2	2			1
Holt	7			6	5	1		2					1	8	2	2			
Howard	6	3	4	8	3	1		2				1	2	20	5	7	1		
Howell	32	3	9	14	1	4	7	7			4	2	3	35	7	10	5		1
Iron	16	3	12	7	1			3					1	13	2	2	2		2
Jackson	38	350	62	77	200	243	11	59	7	1	47	40	90	659	93	126	99	140	12
Blue Springs	16	2	6	8	13		2	2	2		5	1	1	20	5	8	5	2	2
Grandview	3	1	3	4				3		1	2	1	2	21	3	1	3	2	1
Independence, part	9	49	10	14	33	49	4	14	9		7	3	7	99	10	19	14	3	3
Independence, total	9	49	10	14	33	49	4	14	9		7	3	7	99	10	19	14	3	3
Kansas City, part	24	234	48	38	118	143	5	35	42		29	30	76	422	53	84	60	132	6
Kansas City, total	25	271	50	44	138	174	7	43	50		33	32	84	488	65	105	68	135	6
Lee's Summit, part	3	24		5	16	5		4	9		1	2	1	50	7	4	8	1	
Lee's Summit, total	3	25		5	16	5		4	9		1	2	1	50	7	4	8	1	
Raytown	1	21	2	9	16	20	2	1	5		3	1	1	24	2	4	6		
Balance of county	1	3		4	6	9		3	1			2	2	23	13	6	3	1	
Jasper	5	76	5	3	41	50	5	7	13		5	2	3	100	18	24	15	5	
Carthage	1	15	1		4	6	2		1					16	3	1	3		
Joplin, part	3	31	1	2	23	28	2	5	6		2		3	47	3	14	6		
Joplin, total	3	39	3	3	25	34	2	6	9		3		5	57	4	15	7	5	
Balance of county	1	30	3	1	14	16	2	6	6		3	1	4	37	12	9	6		
Jefferson	4	75	5	10	49	57	2	18	9		8	9	4	112	41	23	25	10	
Arnold		6	1		1	5					1		1	10	6	2	2		
Balance of county	4	69	4	10	48	52	2	17	9		7	9	3	102	35	21	23	10	
Johnson		15	3	4	8	12	1	4	2		2	2	2	13	9	5	5		
Warrensburg		8	2	3	8	6		3			1	1		7	1	1	2		
Balance of county		7	1		6	1	1	2			1	1	2	6	8	4	3		
Knox		9		1	3	3			3					6		1			
Laclede	1	19	2	2	10	22		1	3					16	6	3	4	4	
Lafayette	1	17	4	4	10	15	2	4	3		1	2	3	33	7	10	2	2	
Lawrence	2	34		5	11	21	1	2	4		1		2	34	7	5	2	2	1
Lewis	1	10	1		2	3			2				1	9	2	4	2		
Lincoln		13	1	2	10	7		1	3	1	1	2	1	16	7	7	2		
Linn	2	18	2	2	1	8	1		1			2		15	3	4	2		
Livingston		22	1	2	11	8			3				2	22	1	4	2		
McDonald		16		2	9	8	1	1	2				1	15	7	4		2	1
Macon		11		2	11	7	1		3			4	1	24	6	4	2	1	
Madison	1	2		1	12	8	1	1	2				2	13	1	4	1		
Marion		11	1		4	3		1					1	7	2	4			
Marion	1	23	3	5	18	14		1	7		1	1	2	33	8	8	10	2	1
Hannibal, part		21	1	3	15	10		1	4		1	1	2	28	1	5	7	1	
Hannibal, total		21	1	3	15	10		1	4		1	1	2	28	1	5	7	1	
Balance of county	1	2	2	2	3	4			3					5	7	3	3	1	1
Mercer		7		2	2	2			1					4		1	4		
Miller		31	5	5	6	6		1	1		1			10	8	8	3	2	
Mississippi		17	1		5	12		2	1			1	2	10	3	4	1		
Moniteau		7	4		4	7			2		1		1	8	1	1	2	1	
Monroe		9	2	3	3	3		1	1				2	6	3	3	2		
Montgomery	3	14	3	1	2	9					1			13	3	7	2		
Morgan	2	14	4	2	6	14	1	3	3					32	4	2	1	1	
New Madrid		14	2	5	12	11	1	2	3				1	27	8	7	2	1	
Sikeston, part														1					
Balance of county		14	2	5	12	11	1	2	3				1	26	8	7	2	1	
Newton		28	4	5	24	22	2	2	5		2	1	8	48	12	11	5	3	1
Joplin, part		8	2	1	2	6		1	3				2	10	1	1	1		
Balance of county		20	2	4	22	16	2	1	2		1	1	6	38	11	10	4	3	1
Nodaway		25	1	2	16	9	1		2		1	2	2	12	2	4	2		
Oregon	1	17	1	2	5	3	1	1	2				1	12	4	7	1	1	
Osage	1	8	3	2	1	3			3					14	7	8	4		
Ozark		10	1	2	6	4					1			12	1		1	1	
Pemiscot		24	2	5	10	10	1	6	9		1	2	1	19	9	7	4	2	1
Perry		16		3	4	6	1		4				3	21	1	7	2		
Pettis	4	24	1	4	15	31		2	11		1	3	1	50	7	13	3		
Sedalia	2	15		3	10	23		2	10		1	3	1	35	4	8			
Balance of county	2	9	1	1	5	8			1					15	3	5	3		
Phelps		30	3	4	3	14	3		3		2		24	42	8	8	1	2	
Rolla		12	1	1	3	3			2				10	23	3	2		1	
Balance of county		18	2	3		11	3		1		2		14	19	5	6	1	1	
Pike	1	11	13	3	14	8			3				5	14	4	5	1	3	
Platte		24	3	5	13	19	1	2	3		3	3	6	56	7	15	13	1	
Kansas City, part		8		3	8	7		2			1	2	4	27	2	10	4		
Balance of county		16	3	2	5	12	1		3		2	1	2	29	5	5	9	1	
Polk	5	18	9	2	7	4	1	2	3			1	5	29	12	5	4		
Pulaski		9	2	3	15	9	1	3	4		2	3	5	21	6	7	3	1	3
Putnam		5	3	5	4	9	1	1	3					1	3	1			
Ralls		7		1	1	5	2	1	2					13	5	1			
Hannibal, part																			
Balance of county		7		1		5	2	1	2						5				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 636

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 98 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-789)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Montana—Con.																			
Deer Lodge, coext. with Anaconda-Deer Lodge	1	5	-	2	7	10	1	-	-	-	1	1	4	9	1	4	2	-	-
Fallon	-	2	1	-	-	1	1	-	-	-	-	-	-	8	1	2	-	-	-
Fergus	2	12	2	3	13	15	1	-	1	-	-	1	3	22	3	6	5	1	-
Flathead	4	41	4	7	33	31	1	4	5	-	2	-	8	70	19	17	-	-	-
Kalispell	1	11	2	4	8	10	1	1	-	-	-	-	5	29	3	6	10	-	-
Balance of county	3	30	2	3	25	21	-	3	5	-	2	-	3	41	16	11	10	-	-
Gallatin	6	23	10	3	13	21	1	-	2	-	1	-	5	28	11	7	7	-	-
Bozeman	4	13	9	1	10	11	1	-	2	-	-	-	3	17	2	3	1	-	-
Balance of county	2	10	1	2	3	10	-	-	-	-	1	-	2	11	9	4	6	-	-
Garfield	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Glacier	-	8	-	-	5	8	-	3	-	-	-	-	1	10	4	9	-	-	1
Golden Valley	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Granite	-	4	-	-	2	4	-	1	-	-	-	-	1	1	1	1	-	-	-
Hill	2	10	-	4	8	9	-	2	1	-	-	3	4	10	2	2	1	-	-
Havre	-	8	-	4	8	9	-	2	1	-	-	-	4	8	-	1	-	-	-
Balance of county	2	2	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	1
Jefferson	1	3	1	1	2	6	-	-	-	-	1	-	3	4	6	5	-	-	1
Judith Basin	-	1	-	-	-	1	-	-	-	-	-	-	-	3	1	1	-	-	-
Lake	-	18	4	4	4	10	-	1	2	-	-	1	1	20	7	11	9	5	-
Lewis and Clark	2	24	-	5	12	18	3	5	4	-	2	1	10	50	9	7	9	1	-
Helena	1	18	-	4	10	14	3	4	2	-	2	1	9	33	6	5	5	-	-
Balance of county	1	6	1	1	2	4	1	2	2	-	-	-	1	17	3	2	1	-	-
Liberty	-	-	1	-	-	-	-	-	-	-	-	-	-	6	-	1	1	-	-
Lincoln	1	10	2	3	-	8	-	1	4	-	-	1	-	22	3	8	-	-	2
McCone	-	1	-	-	-	-	-	1	-	-	-	1	-	2	3	8	-	-	-
Madison	-	6	-	3	5	8	1	-	1	-	-	-	-	4	1	2	4	-	-
Meagher	-	2	-	-	1	4	-	-	-	-	-	-	-	11	-	2	1	-	-
Mineral	-	-	-	-	1	5	-	1	-	-	-	-	-	2	1	3	1	-	-
Missoula	3	34	3	7	21	41	4	6	5	-	5	4	10	58	12	18	18	3	-
Missoula	1	27	1	3	15	33	3	5	4	-	3	4	9	49	7	9	9	-	1
Balance of county	2	7	2	4	6	8	1	1	1	-	2	-	1	9	5	9	3	-	-
Musselshell	-	1	1	-	-	2	-	1	-	-	-	-	-	3	2	2	2	-	-
Park	-	16	1	4	14	3	1	-	4	-	-	-	5	26	7	4	-	-	-
Petroleum	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phillips	-	2	-	1	-	4	-	1	-	-	-	-	-	7	2	2	1	-	-
Pondera	-	3	1	2	2	7	-	1	-	-	-	-	3	6	1	1	-	-	-
Powder River	-	-	-	-	1	1	-	-	-	-	-	-	1	2	-	-	-	-	-
Powell	-	5	-	2	1	1	-	1	-	-	1	-	-	3	2	5	1	-	-
Prairie	-	3	-	2	-	3	-	-	-	-	-	2	-	1	1	2	-	-	-
Ravalli	2	22	2	2	10	19	1	2	1	-	2	-	14	16	3	9	6	-	-
Richland	1	4	2	2	2	4	-	-	-	-	1	1	5	7	2	1	2	-	-
Roosevelt	-	5	-	1	6	8	-	5	1	-	-	1	2	12	4	3	-	-	4
Rosebud	-	4	1	3	3	4	1	-	-	-	1	1	2	6	8	1	1	4	1
Sanders	-	6	-	1	5	4	-	-	-	-	-	-	1	5	-	3	-	-	-
Sheridan	-	3	-	-	4	4	1	1	2	-	-	-	1	9	1	3	-	-	-
Silver Bow	2	29	8	3	5	24	1	11	2	-	4	2	54	8	9	8	3	-	-
Butte-Silver Bow	1	28	8	3	5	22	1	10	2	-	4	1	53	7	9	7	3	-	-
Balance of county	1	1	-	-	2	-	1	-	-	-	-	1	1	1	1	-	-	-	-
Stillwater	-	7	-	1	4	6	-	-	-	-	-	-	1	8	5	2	-	-	-
Sweet Grass	1	3	-	2	1	2	1	-	-	-	-	-	6	-	-	1	-	-	-
Teton	-	4	-	-	3	5	-	-	-	-	1	-	1	9	2	1	-	-	-
Toole	-	5	2	-	2	4	-	1	-	-	-	-	9	2	1	1	-	-	-
Treasure	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Valley	1	5	-	-	2	4	-	1	1	-	1	-	2	6	2	-	-	-	1
Wheatland	-	3	-	-	1	1	-	-	1	-	-	-	-	4	-	1	1	-	-
Wibaux	1	1	-	-	2	1	-	-	1	-	1	-	2	-	-	-	-	-	-
Yellowstone	6	70	22	13	21	67	2	14	7	-	5	3	9	107	17	42	28	3	1
Billings	6	53	16	11	18	60	2	11	7	-	3	2	6	81	14	37	22	2	1
Balance of county	-	17	6	2	3	7	-	3	-	-	2	1	3	26	3	5	4	1	-
Yellowstone National Park	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	79	1,029	202	156	576	667	40	99	138	-	65	60	326	1,402	267	292	188	61	25
Urban places	35	471	88	77	250	317	12	60	63	-	35	36	136	670	99	140	107	43	17
Balance of area	44	558	114	79	326	350	28	39	75	-	30	24	190	732	168	152	81	18	8
Metropolitan counties	21	336	79	61	182	259	13	57	52	-	36	29	100	560	88	116	97	42	16
Urban places	16	279	65	52	145	221	8	49	46	-	31	24	89	472	66	101	79	36	15
Balance of area	5	57	14	9	37	38	5	8	6	-	5	5	11	88	22	15	18	6	1
Nonmetropolitan counties	58	693	123	95	394	408	27	42	86	-	29	31	226	842	179	176	91	19	9
Urban places	19	192	23	25	105	96	4	11	17	-	4	12	47	198	33	39	28	7	2
Balance of area	39	501	100	70	289	312	23	31	69	-	25	19	179	644	146	137	63	12	7
Adams	2	29	5	7	10	13	-	1	6	-	1	-	4	28	1	5	4	1	-
Hastings	2	23	4	6	8	10	-	1	5	-	1	-	3	21	-	3	4	1	-
Balance of county	-	6	1	1	2	3	-	-	1	-	-	-	1	7	1	2	-	-	-
Antelope	1	5	4	1	-	4	-	-	-	-	-	-	4	9	-	1	-	-	-
Arthur	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Banner	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Boone	-	8	1	-	4	5	1	-	3	-	-	-	-	7	2	1	-	-	-
Box Butte	-	8	-	-	9	5	1	-	2	-	-	2	2	12	11	2	1	-	-
Boyd	-	3	-	-	2	2	-	-	1	-	-	-	-	5	1	-	-	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 637

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 99 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases ¹	Malignant neoplasms, including of lymphatic and hemato- poietic tissues (140-204)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and in- tra-tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of gen- ital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402, 404- 429)	Rheum- atic fever and rheum- atic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Nebraska—Con.																			
Brown	43	-	-	2	9	2	3	1	-	1	2	-	-	16	13	-	-	4	30
Buffalo	290	-	-	2	75	16	20	6	15	3	4	11	6	124	84	2	3	59	9
Kearney	177	-	-	2	38	5	11	5	8	1	7	7	6	76	60	1	2	37	20
Balance of county	113	-	-	-	37	11	9	1	7	2	3	4	-	48	34	-	1	22	10
Burt	121	-	-	1	21	7	4	2	1	1	1	5	2	63	43	-	-	29	14
Butler	124	-	-	-	26	5	9	2	1	1	1	7	4	67	54	1	4	29	20
Cass	189	-	-	1	44	11	13	4	3	2	2	9	5	69	54	-	-	31	23
Cedar	116	-	-	2	26	7	8	3	2	1	-	5	4	49	40	1	-	29	10
Chase	52	-	-	1	9	2	3	1	1	-	1	2	2	28	23	-	-	13	10
Cherry	75	-	-	1	19	7	6	2	1	1	-	2	4	25	19	-	-	15	4
Cheyenne	100	-	-	-	25	9	5	-	3	2	1	5	5	39	34	1	-	30	3
Clay	81	-	-	-	17	5	2	3	3	-	-	4	-	40	35	-	-	21	14
Colfax	99	-	-	1	18	5	3	2	2	1	1	3	-	47	30	-	-	25	5
Cuming	136	-	-	-	26	4	4	2	6	2	1	7	-	78	63	-	1	37	25
Custer	184	-	-	2	38	9	8	4	3	1	3	10	2	84	67	-	1	45	21
Dakota	158	-	-	1	40	10	11	2	2	1	1	13	2	65	51	-	1	37	13
Dawes	87	-	-	1	17	4	5	1	1	2	1	3	2	42	29	-	1	16	12
Dawson	220	-	-	3	47	15	9	6	5	2	2	8	5	105	79	-	1	45	33
Deuel	18	-	-	1	2	-	-	-	1	-	-	1	3	9	8	-	-	6	2
Dixon	83	-	-	2	16	2	2	1	6	2	-	3	-	42	36	-	-	28	8
Dodge	363	-	-	3	78	25	17	6	13	1	1	15	3	163	123	1	2	95	25
Fremont	252	-	-	1	55	15	13	3	10	-	1	13	1	110	82	-	2	63	16
Balance of county	111	-	-	2	23	10	4	3	3	1	-	2	2	53	41	-	-	32	9
Douglas	3,459	1	-	74	842	195	268	75	86	46	19	153	61	1,478	1,171	14	39	760	358
Omaha	3,163	1	-	66	760	178	238	68	77	42	18	139	54	1,379	1,095	13	34	713	335
Balance of county	296	-	-	8	82	17	30	7	9	4	1	14	7	99	76	1	5	47	23
Dundy	25	-	-	-	2	-	1	-	1	-	-	-	-	17	14	-	-	12	2
Fillmore	102	-	-	-	18	6	6	2	1	-	-	3	4	49	42	-	-	31	11
Franklin	73	-	-	1	16	3	4	1	2	1	2	3	3	40	32	-	-	16	16
Frontier	24	-	-	-	5	2	1	-	-	-	-	2	-	13	9	-	-	9	12
Furnas	90	-	-	1	28	3	10	4	4	-	2	5	-	39	31	1	1	17	12
Gage	273	-	-	2	63	15	17	3	14	3	-	11	7	136	103	-	2	55	46
Beatrice	175	-	-	2	38	11	9	1	8	3	-	6	6	84	59	-	-	29	29
Balance of county	98	-	-	-	25	4	8	2	6	-	-	5	1	52	44	-	2	25	17
Garden	35	-	-	-	6	1	1	1	1	-	-	1	-	13	12	-	-	9	3
Garfield	32	-	-	-	3	-	1	2	1	-	-	-	1	20	16	-	-	4	12
Gosper	32	-	-	-	2	1	-	-	-	-	-	1	-	18	13	1	-	7	5
Grant	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Greely	44	-	-	-	8	1	1	2	3	-	1	-	1	20	14	-	-	10	4
Hall	454	-	-	7	90	22	31	7	9	4	1	16	5	216	161	-	4	83	74
Grand Island	390	-	-	6	77	19	26	7	8	4	-	13	-	180	135	-	4	68	63
Balance of county	64	-	-	1	13	3	5	-	1	-	2	3	-	36	26	-	-	15	11
Hamilton	91	-	-	2	22	-	5	2	8	-	1	5	2	34	27	-	-	17	10
Harlan	55	-	-	-	15	3	3	1	7	1	-	-	1	26	17	-	2	10	5
Hayes	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Hitchcock	42	-	-	-	14	2	4	2	4	1	-	1	1	17	15	-	1	8	6
Holt	143	-	-	-	29	6	5	2	5	4	2	5	1	73	59	-	-	35	24
Hooker	14	-	-	-	-	-	-	-	-	-	-	-	-	9	6	-	-	3	3
Howard	69	-	-	1	12	3	2	1	2	1	1	2	3	35	25	-	-	19	6
Jefferson	137	-	-	1	28	6	8	3	5	2	-	4	1	84	70	1	1	40	28
Johnson	85	-	-	-	20	8	3	1	4	-	-	4	4	41	25	-	-	18	7
Kearney	74	-	-	-	18	7	4	1	1	-	-	6	1	24	20	-	1	10	9
Keith	104	-	-	1	20	3	3	4	2	5	-	3	2	50	33	-	-	22	11
Keya Paha	11	-	-	1	2	-	1	-	1	-	-	-	-	5	4	-	-	1	3
Kimball	47	-	-	-	13	2	6	3	1	-	1	-	1	22	15	-	-	9	6
Knox	143	-	-	-	26	6	7	2	3	1	6	-	-	88	77	-	-	66	11
Lancaster	1,499	-	-	22	367	89	97	36	41	10	13	81	28	620	492	4	12	277	199
Lincoln	1,398	-	-	21	334	85	85	35	37	9	12	71	27	579	457	4	11	260	182
Balance of county	101	-	-	1	33	4	12	1	4	1	1	10	1	41	35	-	-	17	17
Lincoln	354	-	-	3	67	9	22	6	9	5	6	10	6	178	138	-	-	71	65
North Platte	270	-	-	2	51	7	14	5	7	4	5	9	5	137	108	-	2	57	49
Balance of county	84	-	-	1	16	2	8	1	2	1	1	1	1	41	30	-	-	14	16
Logan	10	-	-	-	3	-	-	-	-	2	-	-	2	3	-	-	-	-	-
Loup	5	-	-	-	2	1	-	1	-	-	-	-	-	3	2	-	-	2	1
McPherson	5	-	-	-	1	1	-	-	-	-	-	-	-	2	2	-	-	1	-
Madison	324	-	-	4	62	17	17	5	2	4	3	14	9	171	135	1	1	94	39
Norfolk	209	-	-	2	44	12	15	2	1	2	1	11	5	111	84	-	-	58	25
Balance of county	115	-	-	2	18	5	2	3	1	2	2	3	4	60	51	-	1	36	14
Merrick	75	-	-	-	12	3	5	2	1	1	-	1	2	34	26	1	1	13	12
Monrill	65	-	-	-	11	4	-	1	3	1	-	2	1	33	22	-	-	9	11
Nance	49	-	-	-	10	5	1	-	2	-	-	2	-	32	26	-	-	14	12
Nemaha	78	-	-	1	16	4	4	1	2	2	-	3	2	38	33	-	1	16	16
Nuckolls	77	-	-	-	19	7	6	2	1	2	-	1	1	33	25	-	1	12	12
Otoe	188	-	-	3	44	11	9	2	9	1	2	10	1	65	49	-	1	31	17
Pawnee	37	-	-	-	7	1	3	-	2	-									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 638

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 100 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Nebraska—Con.																			
Brown		3			1	3	1	1	1				1	6	1	1			
Buffalo	1	21	3	5	15	11	1	3					1	32	5	6	4	2	1
Keamsy	1	12		3	9	7	1						1	24	4	5	2	2	
Balance of county		9	3	2	7	4	1	3					1	8	1	1	2	1	
Burt		15	4	1	6	3		3					2	14	1	2			
Butler	2	7	3	1	1	3		1						13	4	2			
Cass	2	11	1	1	6	11	1	1					17	19	5	3	5		
Cedar	1	7		1	8	6	1	1					1	11	3	1			
Chase	1		1		2	5							1	2		2			
Cherry		4	1	1	3	3	2		2				1	8	1	4			
Cheyenne		4	1		3	5			1				1	16	4	2			
Clay		3	1	1	3	1							3	7	3	2			
Colfax		12	2	3	9	2	1		3			1	6	9		2	3		
Cuming	2	12		1	4	2			1				6						
Custer		15		2	12	6	2	2	1			2	2	10	3	3	2		
Dakota		12	2		11	9	2		2			2	2	18	6	7			
Dawes	4	7		2	3	3	1	1	1				1	15	2	3	2	1	1
Dawson	3	15	6	2	5	7	1		4			1	5	23	4	4	4	2	
Devel				1	1									2					
Dixon	1	5			6	6								8	1		1		
Dodge	3	27	9	1	26	20		1	2		2	2	20	29	6	4	4	4	
Fremont	2	20	5	1	18	14		1				2	16	22	4	4	4	3	
Balance of county	1	7	4		8	6			2				4	7	2				
Douglas	17	187	55	48	112	156	6	40	36		19	19	57	347	60	63	51	28	9
Omaha	16	177	49	42	106	137	5	37	35		16	18	55	307	47	61	45	25	9
Balance of county	1	10	6	6	6	19	1	3	1		3	1	2	40	13	2	6	3	
Dundy		3			3				1					1		1			
Fillmore		7			2	2	1						4	16	2	3			
Franklin		4	2	2	1	2	1							6	1	1			
Frontier	1		3		2	1								3					
Furnas		7	1		2	3							1	10	2		3		
Gage	4	22	2	5	12	9	1		4		1	2	1	24	5	5	1	1	
Beatrice	3	17	1	4	8	5			3			2	1	19	3	3	1	1	
Balance of county	1	5	1	1	4	4	1						6	6	2	2	2		
Garden					1	6							1	5	1				
Garfield		3		1	1	4									1		2		
Gosper		5			1								1	9		1			
Grant		1											1	2					
Grealey	1	2	3		2	3								6	3		1		
Hall	4	37	8	6	22	19	2	1	3		1	5	12	39	7	13	10	2	
Grand Island	4	31	7	3	20	16	2	1	2			4	11	35	7	13	9	2	
Balance of county		6	1	3	2	3							1	4			1		
Hamilton		6		1	2	3			1				1	16	2	3	1		
Harlan		4	4	1	1	2			1				2	3	3				
Hayes					1				1				1	1					
Hitchcock		2			2										2	1			
Holt		12	1	1	4	6	2		4				1	13	5	4	2		
Hooker		3			1	1										1			
Howard		9		1	6	2	1		2				2	4	1				
Jefferson		11	1	2	6	4			1				1	7	2	2			
Johnson		7	6	3	6	3						1	1	3	4	2			
Kearney		3		1	9	2			1				3	7	4	2			
Keith	1	10	5	1	5	8	1	1	1				1	9	4	2			
Keya Paha				1		1								1		1			
Kimball		2	3	2		1			1				1	5		2			
Knox		10		1	2	8			2					4	3	4	1		
Lancaster	1	101	17	9	38	80	4	13	12		10	6	34	161	19	39	31	5	
Lincoln		98	15	9	34	77	3	11	10		10	6	33	156	18	36	29	9	5
Balance of county	1	3	2	4	4	3	1	2	2				1	5	1	3	2	1	
Lincoln	2	32	2	4	23	17	4	2	2		1		4	31	7	5	4	1	
North Platte	2	23	1	3	20	10		3	1				3	23	6	4	4	1	
Balance of county		9	1	1	3	7		1	1		1		1		1	1			
Logan		2																	
Loup		1																	
McPherson														1	1				
Madison		30		6	7	13	1		6		2	1	5	31	4	5	3		
Norfolk		23		4	3	6			3		2	1	5	20	3	2			
Balance of county		7		2	4	7		1	3				1	11	1	3	2	1	
Merrick	3	4		1	4	1		2					2	10					
Morrill	1	9		1	1	3		1	1				1	12	1				
Nance		4	1	1		4										1			
Nemaha	1	4			2	4					1		2	8		2		1	
Nuckolls		8			7	3			1					9	2	1			
Otoe	1	10	1	4	14	5	1		2				27	18	5	1	1		
Pawnee		4	1	1		2							1	4					
Perkins		3		1		3			1				2	4		1			
Phelps	1	5	2	2	2	6	2				1		3	19	3	6			
Pierce		6	2	2	3	6								8	3	2	1		
Platte	2	23	4	1	13	9		3	2			1	2	16	7	4	2		
Columbus	2	20	3	1	11	6		2	2			1	1	13	6	2	2		
Balance of county		3	1		2	3		1					1	3	1	2			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 639

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 101 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- culosis (010- 018)	Syph- illis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of dige- stive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasm of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever- and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Nebraska—Con.																				
Polk	76	-	-	1	10	2	1	-	1	1	-	5	-	47	34	-	1	25	8	
Red Willow	119	-	-	-	31	10	7	3	3	-	-	8	4	58	44	1	1	22	20	
Richardson	144	-	-	1	32	4	10	2	5	1	3	7	1	64	49	-	-	22	21	
Rock	15	-	-	-	4	3	1	-	-	-	-	-	-	5	1	-	-	-	-	
Saline	168	-	-	1	33	6	7	2	10	1	-	7	3	90	77	1	3	28	45	
Sarpy	369	-	-	9	102	24	24	9	11	2	4	28	6	154	129	3	-	67	59	
Bellevue	147	-	-	3	38	9	6	7	1	-	3	12	3	61	55	2	-	26	27	
Balance of county	222	-	-	6	64	15	18	2	10	2	1	16	3	93	74	1	-	41	32	
Saunders	191	-	-	2	51	12	16	5	4	1	2	11	2	81	68	-	1	37	30	
Scotts Bluff	404	-	-	4	65	19	15	4	14	2	1	10	10	181	134	1	3	75	55	
Scottsbluff	186	-	-	1	23	7	3	2	5	-	1	5	7	84	56	-	1	27	28	
Balance of county	218	-	-	3	42	12	12	2	9	2	-	5	3	97	78	1	2	48	27	
Seward	135	1	-	1	27	8	5	2	7	1	-	4	3	77	64	-	-	34	30	
Sheridan	74	-	-	1	14	5	2	5	-	-	-	2	2	37	29	-	-	16	13	
Sherman	33	-	-	-	8	3	2	-	-	1	-	2	-	12	10	-	-	6	4	
Sioux	10	-	-	-	3	-	1	-	1	-	-	1	-	6	5	-	-	3	2	
Stanton	49	-	-	-	8	1	3	-	-	1	-	3	-	27	24	-	-	16	8	
Thayer	99	-	-	-	25	3	7	1	2	1	2	9	3	45	38	-	-	19	19	
Thomas	7	-	-	-	1	-	1	-	-	-	-	-	-	5	5	-	-	4	1	
Thurston	89	-	-	1	10	2	1	1	2	-	1	3	2	47	40	-	-	31	9	
Valley	81	-	-	1	9	2	1	-	-	2	3	1	1	45	34	-	-	19	15	
Washington	142	-	-	2	28	7	8	3	4	-	1	5	6	72	49	1	1	35	12	
Wayne	70	-	-	-	9	2	3	-	1	1	1	1	-	35	24	-	-	21	3	
Webster	80	-	-	-	17	3	7	1	2	-	-	4	-	45	38	-	-	22	16	
Wheeler	8	-	-	-	1	1	-	-	-	-	-	-	-	5	5	-	-	5	-	
York	136	-	-	1	32	8	10	2	1	-	-	11	3	66	56	1	-	37	18	
Nevada	10,277	5	1	293	2,678	565	880	211	248	103	96	575	173	3,811	3,102	30	221	1,456	1,395	
Urban places	6,056	5	-	196	1,556	321	519	127	140	67	55	327	100	2,255	1,846	15	142	881	808	
Balance of area	4,221	-	1	97	1,122	244	361	84	108	36	41	248	73	1,556	1,256	15	79	575	587	
Metropolitan counties	8,521	5	1	268	2,237	473	761	172	199	86	80	466	142	3,166	2,571	27	206	1,182	1,156	
Urban places	5,617	5	-	191	1,429	299	484	115	123	59	50	299	93	2,100	1,714	15	140	804	755	
Balance of area	2,904	-	1	77	808	174	277	57	76	27	30	167	49	1,066	857	12	66	378	401	
Nonmetropolitan counties	1,756	-	-	25	441	92	119	39	49	17	16	109	31	645	531	3	15	274	239	
Urban places	439	-	-	5	127	22	35	12	17	8	5	28	7	155	132	-	2	77	53	
Balance of area	1,317	-	-	20	314	70	84	27	32	9	11	81	24	490	399	3	13	197	186	
Carson City city	439	-	-	5	127	22	35	12	17	8	5	28	7	155	132	-	2	77	53	
Churchill	159	-	-	2	37	7	22	2	1	-	-	5	5	56	46	-	2	25	19	
Clark	6,523	4	1	218	1,743	366	598	133	154	66	65	361	124	2,373	1,927	24	149	819	935	
Henderson	550	-	-	18	146	25	51	13	13	7	5	32	13	195	161	1	8	69	83	
Las Vegas	2,910	3	-	109	773	167	267	65	65	29	27	153	53	1,040	846	9	68	360	409	
North Las Vegas	384	1	-	20	67	12	24	4	5	3	3	16	10	154	134	2	10	52	70	
Balance of county	2,679	-	1	71	757	162	256	51	71	27	30	160	48	984	786	12	63	338	373	
Douglas	223	-	-	4	57	20	9	5	5	-	-	16	5	94	71	-	6	42	23	
Elko	187	-	-	5	45	6	12	4	2	3	1	17	4	63	56	1	-	13	42	
Esmeralda	13	-	-	-	2	-	1	-	1	-	-	-	-	6	5	-	-	2	3	
Eureka	11	-	-	-	2	-	4	-	-	-	-	2	-	2	-	-	-	5	1	
Humboldt	79	-	-	-	17	5	4	1	2	-	-	1	-	28	26	-	-	17	9	
Lander	29	-	-	-	4	1	2	2	2	1	1	3	2	14	14	-	-	9	5	
Lincoln	50	-	-	-	13	2	2	2	2	-	-	2	1	19	12	-	-	6	6	
Lyon	212	-	-	4	51	9	12	8	3	-	3	18	2	70	52	1	1	31	19	
Mineral	56	-	-	1	16	2	4	-	3	1	2	4	1	15	12	1	1	3	7	
Nye	171	-	-	3	42	10	13	-	9	-	2	8	2	73	62	-	1	28	33	
Pershing	38	-	-	-	7	1	-	-	2	-	-	3	1	13	12	-	-	3	9	
Storey	10	-	-	-	-	-	2	-	-	-	-	2	-	5	-	-	-	3	2	
Washoe	1,998	1	-	50	494	107	163	39	45	20	15	105	18	793	644	3	57	363	221	
Reno	1,372	-	-	35	333	72	100	25	29	16	15	76	13	562	455	3	41	253	158	
Sparks	401	1	-	9	110	23	42	8	11	4	-	22	4	149	118	-	13	70	35	
Balance of county	225	-	-	6	51	12	21	6	5	-	-	7	1	82	71	-	3	40	28	
White Pine	79	-	-	1	17	7	1	5	2	-	-	2	1	28	20	-	2	10	8	
New Hampshire	8,545	3	-	127	2,283	578	635	197	255	94	62	462	240	3,487	2,684	37	87	1,732	828	
Urban places	3,402	1	-	54	859	217	227	78	101	45	23	168	99	1,438	1,084	18	40	676	350	
Balance of area	5,143	2	-	73	1,424	361	408	119	154	49	39	294	141	2,049	1,600	19	47	1,056	478	
Metropolitan counties	4,749	2	-	69	1,326	335	367	121	137	53	35	278	130	1,917	1,449	18	62	856	513	
Urban places	2,239	1	-	36	602	148	172	54	62	31	15	120	71	950	694	12	34	398	250	
Balance of area	2,510	1	-	33	724	187	195	67	75	22	20	158	59	987	755	6	28	458	263	
Nonmetropolitan counties	3,796	1	-	58	957	243	268	76	118	41	27	184	110	1,570	1,235	19	25	876	315	
Urban places	1,163	-	-	18	257	69	55	24	39	14	8	48	28	508	390	6	6	278	100	
Balance of area	2,633	1	-	40	700	174	213	52	79	27	19	136	82	1,062	845	13	19	598	215	
Belknap	484	-	-	7	125	30	33	13	20	5	-	24	4	209	160	3	3	104	50	
Laconia	183	-	-	1	43	9	12	7	6	2	-	7	-	77	59	1	2	38	18	
Balance of county	301	-	-	6	82	21														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 640

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 102 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumo-nia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, nephrotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the perur-perium (630-676)	Congen-ital anomalies (740-759)	Certain con-ditions origi-nating in the per-natal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle acci-dents (E810-E825)	All other acci-dents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E978)	All other ex-ternal causes (E980-E999)
Nebraska—Con.																			
Polk	1	12	—	1	1	2	—	—	—	—	—	—	2	11	1	1	—	—	—
Red Willow	—	8	5	1	4	6	—	—	1	—	1	—	2	11	—	1	—	—	—
Richardson	2	15	2	2	2	7	—	—	—	—	—	—	25	4	1	4	—	—	2
Rock	—	3	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Saline	2	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sarpy	2	19	2	2	15	12	—	2	2	—	—	7	5	15	5	3	2	—	1
Bellevue	—	4	1	1	5	7	—	1	1	—	—	—	3	5	5	8	10	3	1
Balance of county	2	15	1	1	10	5	—	1	1	—	—	5	1	9	1	4	5	2	1
Saunders	—	8	3	2	9	12	1	—	—	—	2	3	4	16	4	4	5	1	—
Scotts Bluff	3	39	5	—	24	39	2	5	1	—	2	1	15	42	2	5	3	3	—
Scottsbluff	3	23	2	—	9	22	1	3	1	—	—	1	6	22	—	3	1	2	—
Balance of county	—	16	3	—	15	17	1	2	—	—	2	—	9	20	2	2	2	1	—
Seward	1	7	3	—	4	3	—	—	—	—	—	—	1	6	7	1	1	—	—
Sheridan	—	5	3	—	1	6	—	—	1	—	—	1	1	8	1	1	—	—	—
Sherman	—	2	—	—	3	2	—	2	1	—	—	—	—	4	—	—	—	—	—
Sioux	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Stanton	—	3	—	—	2	2	—	—	—	—	—	—	2	5	—	2	1	—	—
Thayer	—	6	1	—	11	4	—	—	—	—	—	—	1	6	—	4	—	—	—
Thomas	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Thurston	—	6	—	1	—	4	—	6	—	—	—	—	4	5	5	1	1	1	1
Valley	1	7	2	1	4	2	—	1	—	—	—	—	1	11	1	2	2	1	—
Washington	1	17	3	2	6	2	1	1	1	—	—	1	2	12	2	3	3	—	—
Wayne	3	6	1	1	5	5	—	—	—	—	—	2	2	6	2	3	1	—	—
Webster	1	6	—	—	3	4	—	—	2	—	1	—	5	2	1	—	—	—	—
Wheeler	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
York	—	9	—	1	4	6	1	1	1	—	2	—	2	14	2	1	—	—	—
Nevada	24	499	76	110	277	636	35	177	148	4	47	44	120	889	212	200	329	158	40
Urban places	16	285	47	61	165	389	18	103	80	4	23	26	67	514	117	119	187	107	25
Balance of area	8	214	29	49	112	247	17	74	68	—	24	18	53	375	95	81	142	51	15
Metropolitan counties	21	426	63	85	229	525	25	142	128	4	35	36	86	719	165	168	283	142	35
Urban places	16	269	46	55	157	353	15	98	76	4	23	25	61	461	112	111	173	106	24
Balance of area	5	157	17	30	72	172	10	44	52	—	12	11	25	258	53	57	90	36	11
Nonmetropolitan counties	3	73	13	25	48	111	10	35	20	—	12	8	34	170	47	32	66	16	5
Urban places	—	16	1	6	8	36	3	5	4	—	—	1	6	53	5	8	14	1	1
Balance of area	3	57	12	19	40	75	7	30	16	—	12	7	28	117	42	24	52	15	4
Carson City city	—	16	1	6	8	36	3	5	4	—	—	1	6	53	5	8	14	1	1
Churchill	1	5	1	3	6	11	1	5	2	—	2	1	7	14	3	3	2	1	1
Clark	15	325	40	66	172	386	18	99	112	3	31	30	60	548	128	125	197	119	32
Henderson	2	24	4	4	20	41	1	8	8	—	2	—	3	42	10	18	19	6	—
Las Vegas	7	134	18	35	79	173	6	46	45	3	15	16	31	235	57	53	91	62	20
North Las Vegas	2	16	2	—	11	15	1	7	8	—	2	3	5	34	12	5	11	17	1
Balance of county	4	151	16	27	62	157	10	38	51	—	12	11	21	237	49	49	76	34	11
Douglas	—	16	—	7	1	10	2	2	—	—	1	—	—	27	5	5	9	—	—
Eiko	—	7	—	—	8	5	—	6	1	—	4	1	6	8	9	6	11	4	1
Esmeralda	—	1	—	—	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—
Eureka	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Humboldt	1	—	—	1	—	2	1	5	—	—	1	—	—	—	—	—	—	—	—
Lander	—	—	—	—	1	—	—	—	—	—	—	2	1	11	5	2	4	—	—
Lincoln	—	5	2	—	1	4	—	4	—	—	—	—	1	1	3	—	1	—	—
Lyon	—	10	4	4	14	16	—	3	7	—	—	—	5	—	4	2	8	2	—
Mineral	—	2	—	1	3	3	—	2	—	—	—	—	3	6	1	1	2	2	—
Nye	—	7	2	2	4	11	1	1	3	—	1	—	2	9	8	3	3	3	2
Pershing	1	—	—	—	—	2	1	—	—	—	1	1	1	6	1	—	3	1	—
Storey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Washoe	6	101	23	19	57	139	7	43	16	1	4	6	26	171	37	43	66	23	3
Reno	3	76	15	13	33	85	5	29	9	1	3	5	18	124	28	29	42	16	2
Sparks	2	19	7	3	14	39	2	8	6	—	1	1	4	26	5	6	10	5	1
Balance of county	1	6	1	3	10	15	—	6	1	—	—	—	4	21	4	8	14	2	—
White Pine	1	3	3	1	2	9	1	2	1	—	2	1	1	4	1	—	8	—	—
New Hampshire	37	557	93	116	311	407	27	94	79	—	48	33	39	929	115	139	137	22	25
Urban places	14	253	45	42	138	173	11	34	25	—	17	13	14	397	26	44	39	11	9
Balance of area	23	304	48	74	173	234	16	60	54	—	31	20	25	532	89	95	98	11	16
Metropolitan counties	21	319	65	63	138	218	14	60	41	—	25	24	27	505	59	83	81	16	14
Urban places	10	165	34	27	63	109	6	25	13	—	9	11	12	252	19	34	31	9	8
Balance of area	11	154	31	36	75	109	8	35	28	—	16	13	15	253	40	49	50	7	8
Nonmetropolitan counties	16	238	28	53	173	189	13	34	38	—	23	9	12	424	56	56	56	6	11
Urban places	4	88	11	15	75	64	5	9	12	—	8	2	2	145	7	10	8	2	3
Balance of area	12	150	17	38	98	125	8	25	26	—	15	7	10	279	49	46	48	4	8
Belknap	1	35	4	9	31	28	2	2	3	—	3	—	—	57	6	2	4	—	1
Laconia	—	15	1	2	16	15	2	1	2	—	2	—	—	24	—	—	—	—	—
Balance of county	1	20	3	7	15	13	—	1	1	—	1	—	—	33	6	2	4	—	1
Carroll	—	26	3	2	10	17	1	3	4	—	5	1	—	30	10	1	8	1	2
Cheshire	6	38	10	10	32	23													

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 641

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 103 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hema- to- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- pirato- ry and intra- tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasm of genital organs (179- 187)	Malign- ant neo- plasm of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malign- ant neo- plasm (140- 149, 170- 173, 180- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
New Hampshire—Con.																				
Grafton	635	-	-	10	167	43	48	14	10	10	7	35	27	247	167	5	2	141	49	
Lebanon	107	-	-	3	28	9	7	3	1	1	-	7	5	40	32	-	1	22	9	
Balance of county	528	-	-	7	139	34	41	11	9	9	7	28	22	207	165	5	1	119	40	
Hillsborough	2,425	1	-	39	653	161	180	61	64	27	19	141	63	1,008	774	11	31	437	295	
Manchester	908	1	-	15	232	57	65	15	21	14	6	54	24	407	320	6	16	162	136	
Nashua	571	-	-	9	161	39	43	19	22	6	5	27	14	225	159	1	6	93	59	
Balance of county	946	-	-	15	260	65	72	27	21	7	8	60	25	376	295	4	9	182	100	
Merrimack	967	-	-	18	230	51	68	13	28	14	7	49	26	416	330	4	6	237	83	
Concord	367	-	-	7	70	20	14	3	10	7	2	14	10	180	137	-	1	101	35	
Balance of county	600	-	-	11	160	31	54	10	18	7	5	35	16	236	193	4	5	136	48	
Rockingham	1,608	1	-	22	472	125	125	38	55	20	9	100	36	622	469	3	24	275	167	
Portsmouth	233	-	-	4	68	22	17	5	6	6	-	13	7	91	68	1	6	41	20	
Balance of county	1,375	1	-	18	404	103	108	33	50	14	9	87	29	531	401	2	18	234	147	
Strafford	716	-	-	8	201	49	62	22	18	6	7	37	31	267	206	4	7	144	51	
Dover	219	-	-	3	49	12	18	4	3	-	1	11	11	89	59	3	3	42	11	
Rochester	212	-	-	5	58	12	16	6	7	4	1	12	9	81	56	1	3	39	13	
Somersworth	96	-	-	-	34	6	13	5	4	1	2	3	6	37	32	-	-	21	11	
Balance of county	189	-	-	-	60	19	15	7	4	1	3	11	5	80	59	-	1	42	16	
Sullivan	390	-	-	6	103	31	23	4	21	3	5	16	11	147	120	2	4	94	20	
Claremont	179	-	-	3	41	13	5	2	9	1	3	8	4	71	57	2	1	47	7	
Balance of county	211	-	-	3	62	18	18	2	12	2	2	8	7	76	63	-	3	47	13	
New Jersey																				
Urban places	49,893	45	2	2,769	12,263	3,153	3,272	1,149	1,440	497	449	2,303	1,558	20,430	16,603	182	621	11,570	4,230	
Balance of area	20,975	7	1	655	5,604	1,397	1,526	510	604	243	199	1,125	545	8,826	7,206	83	204	5,100	1,819	
Metropolitan counties	70,868	52	3	3,424	17,867	4,550	4,798	1,659	2,044	740	648	3,428	2,103	29,256	23,809	265	825	16,670	6,049	
Urban places	49,893	45	2	2,769	12,263	3,153	3,272	1,149	1,440	497	449	2,303	1,558	20,430	16,603	182	621	11,570	4,230	
Balance of area	20,975	7	1	655	5,604	1,397	1,526	510	604	243	199	1,125	545	8,826	7,206	83	204	5,100	1,819	
Nonmetropolitan counties	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Urban places	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Balance of area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Atlantic	2,412	2	-	131	589	133	173	45	70	25	23	120	61	1,000	806	8	30	536	232	
Atlantic City	678	-	-	54	147	26	46	10	20	8	8	29	14	272	217	2	14	147	54	
Hammoncton	142	-	-	10	41	13	11	2	6	2	1	6	8	49	39	-	-	26	13	
Pleasantville	200	-	-	13	55	14	15	6	7	2	1	10	4	87	69	1	-	38	30	
Somers Point	138	1	-	-	32	8	11	2	3	1	1	6	5	62	46	-	2	29	15	
Ventnor City	154	1	-	-	36	1	13	5	5	2	1	9	4	77	65	-	2	46	17	
Balance of county	1,100	-	-	47	278	71	77	20	29	10	11	60	26	453	370	5	12	250	103	
Bergen	7,540	4	-	234	1,999	496	533	203	224	95	76	372	232	3,334	2,709	26	81	1,978	624	
Bergenfield	229	-	-	12	66	14	22	4	8	3	-	15	5	92	74	1	3	50	20	
Cltfside Park	211	-	-	8	51	16	10	6	4	4	1	10	12	85	71	-	2	52	17	
Dumont	193	-	-	5	49	12	16	4	5	1	2	9	6	80	60	1	3	44	12	
Elmwood Park	173	-	-	3	46	7	11	5	7	5	2	9	8	75	63	-	3	46	14	
Englewood	259	-	-	11	73	21	17	7	12	2	2	12	4	105	81	-	6	58	17	
Fair Lawn	288	-	-	8	75	28	21	1	6	3	6	10	15	131	107	3	2	75	27	
Fairview	103	-	-	6	27	3	8	3	4	-	1	8	2	49	42	-	1	34	7	
Fort Lee	286	-	-	2	87	16	29	7	13	4	5	13	6	138	112	2	2	81	27	
Garfield	308	-	-	12	83	22	26	6	13	4	2	10	7	128	110	2	5	84	19	
Glen Rock	73	-	-	3	22	9	3	1	2	1	-	6	3	29	26	-	-	22	4	
Hackensack	321	-	-	24	80	22	16	10	17	3	3	9	5	134	111	2	4	79	26	
Hasbrouck Heights	120	-	-	2	31	7	7	6	2	-	-	4	9	33	47	-	3	34	10	
Hillsdale	86	-	-	1	33	8	11	3	-	2	4	5	4	50	21	-	2	16	3	
Lodi	237	-	-	6	55	16	10	8	5	2	3	11	10	111	86	1	4	55	26	
Lyndhurst township#	205	-	-	6	51	14	13	7	4	4	-	9	9	79	70	-	2	48	11	
New Millford	155	-	-	3	36	7	13	3	5	-	2	6	5	79	60	-	1	48	11	
North Arlington	207	1	-	7	52	15	16	3	8	1	2	7	5	91	76	-	2	50	24	
Oakland	79	-	-	1	17	1	4	2	4	-	1	5	1	42	28	-	-	21	7	
Palisades Park	132	-	-	5	38	6	12	8	3	2	-	5	3	57	42	-	-	31	11	
Paramus	254	-	-	8	61	15	12	8	7	6	1	12	7	118	94	1	-	76	17	
Ramsey	64	1	-	1	21	4	8	3	1	-	-	5	1	26	20	-	-	17	3	
Ridgefield	128	-	-	7	38	11	8	4	7	2	2	4	2	50	42	-	1	28	13	
Ridgefield Park	60	-	-	-	20	5	6	4	1	1	2	2	-	26	24	-	1	15	8	
Ridgewood	185	-	-	6	50	14	11	6	6	2	2	9	1	92	72	-	1	52	19	
River Edge	105	-	-	2	28	6	7	3	5	3	1	3	6	51	44	-	-	37	7	
Rutherford	165	-	-	6	40	14	10	1	3	1	-	11	7	77	61	1	3	44	13	
Saddle Brook township#	144	1	-	6	34	11	8	2	3	3	1	6	7	67	50	1	2	39	8	
Teaneck township#	342	-	-	11	88	23	15	15	12	3	9	11	16	152	120	2	3	83	32	
Tenafly	85	-	-	-	18	6	2	2	2	1	1	4	1	42	33	2	1	25	5	
Waldwick	71	-	-	1	14	4	3	1	4	-	1	1	2	33	27	-	-	15	12	
Wallington	107	-	-	3	20	5	2	1	6	-	-	6	5	55	48	-	2	36	10	
Westwood	107	-	-	3	26	5	9	2	4	-	1	5	2	43	29	1	1	18	9	
Wyckoff township#	126	-	-	4	34	4	10	3	4	4	2	7	4	55	48	-	-	42	6	
Balance of																				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 642

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 104 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
New Hampshire—Con.																			
Grafton	3	41	3	3	23	36	2	4	12		6	3	3	72	7	5	8	2	1
Lebanon		7	1		5	3	1	4	4		1			12	1	4	2	1	
Balance of county	3	34	2	3	18	33	1	4	8		5	3	3	60	6	4	6	1	1
Hillsborough	9	152	42	31	70	124	6	30	16		14	8	14	240	26	47	49	8	9
Manchester	2	57	20	8	24	47	2	10	5		5	5	4	85	8	15	15	3	3
Nashua	5	43	6	12	16	33	2	9	4		2	1	4	61	5	8	12	2	3
Balance of county	2	52	16	11	30	44	4	11	7		7	2	6	94	13	24	22	3	3
Merriamack	4	59	6	17	51	44	4	8	9		3	3	5	103	9	18	15	2	3
Concord	2	31	4	6	24	18	1	3	9		1	1	1	42	1	3	4	1	1
Balance of county	2	28	2	11	27	26	3	7	6		2	2	5	61	8	15	11	2	2
Rockingham	8	106	15	24	50	66	5	24	20		9	15	10	171	24	23	28	5	5
Portsmouth	1	19	1	2	10	8	1	1	2		1	4	1	28	1	3	1	2	
Balance of county	7	87	14	22	40	58	4	23	18		8	11	9	143	23	20	27	3	5
Strafford	4	61	8	8	18	28	3	6	5		2	1	3	94	9	13	4	3	1
Dover	1	26	1	2	6	11	1	2	1		1	1	1	39	2	3	1	1	
Rochester	1	15	6	3	5	8	2	1	1		1	1	1	30	5	6	1	1	
Somersworth	5	5	1	1	2	2	2	1	1		1	1	1	9	4	5	1	1	
Balance of county	2	15	1	3	5	7	2	1	3		1	1	1	16	4	5	1	1	
Sullivan	1	14	2	10	14	20	2	7	3		2	1	1	48	6	10	8	1	1
Claremont	1	8	1	4	10	13	1	3	2		1	1	1	22	2	2	2	1	1
Balance of county	1	6	1	6	4	7	1	4	1		1	1	1	26	4	8	6		
New Jersey	272	3,878	454	843	2,161	2,421	178	854	902	8	328	548	1,099	6,682	832	1,189	513	402	48
Urban places	209	2,720	324	574	1,444	1,619	115	634	646	7	229	428	849	4,802	492	845	335	342	39
Balance of area	63	1,158	130	269	717	802	61	220	256	1	99	120	250	1,880	340	344	178	60	9
Metropolitan counties	272	3,878	454	843	2,161	2,421	178	854	902	8	328	548	1,099	6,682	832	1,189	513	402	48
Urban places	209	2,720	324	574	1,444	1,619	115	634	646	7	229	428	849	4,802	492	845	335	342	39
Balance of area	63	1,158	130	269	717	802	61	220	256	1	99	120	250	1,880	340	344	178	60	9
Nonmetropolitan counties																			
Urban places																			
Balance of area																			
Atlantic	9	146	14	25	61	86	3	34	49	2	13	18	61	194	37	42	19	9	1
Atlantic City	2	42	2	9	25	15		16	16		2	7	31	60	1	10	4	4	
Hammonton	1	8	1	1	3	5		2	2		1	1	2	15	3	3			
Pleasantville		13	4	1	1	4		4	7	1	1	2	5	14	2				
Somers Point	2	13		1	7	11		2	3		1	1	2	13	1	3	1		
Ventnor City	1	10		1	3	3		1	2		1	1	2	8	2	1	2		
Balance of county	3	60	7	13	24	48	2	12	19	1	7	9	19	84	28	25	12	5	1
Bergen	23	472	36	94	219	210	22	78	77	1	26	43	115	677	62	122	50	31	4
Bergenfield	1	14	3	5	3	3		4	3		1	1	1	28	2	3	1		
Cliffside Park		9	2	3	8	8	1	4	1				4	19	4	3	1	2	
Dumont		17	1	2	5	2		5	2				4	24	1	8			
Elmwood Park		8		4	2	6		1	1				2	3	18		4	5	
Englewood		19	1	4	8	6	2	4	7			3	3	25	1	2	1	2	2
Fair Lawn	1	15	2	6	9	5		5	3		1	1	2	26	4	1	1	1	
Fairview		7		1	1	4		1	1		2	1	3	7					
Fort Lee		24		2	8	5	1	4	2		1	2	2	21	2	1	4	2	
Garfield		16	1	1	6	4	1	4	8		2	1	7	24	5	9	4	3	
Glen Rock		2		1	1	4							1	9		1			
Hackensack	2	18	1	2	7	4	1	1	6		3	5	6	26	4	10	3	2	
Hasbrouck Heights		4	1	2	3	1		1	1		2		6	15	1	1			
Hillsdale	1	7	1	1	1	3		1	1				3	7		2			
Lodi		18	1	6	2	7	1	3	2	1		2	7	23	2	2	1	2	
Lyndhurst township#	1	7		1	9	12		1	1			3	5	22	2	4	3	1	
New Milford	1	12		6	3	5	2	3	4		2	2	2	8	2		1		
North Arlington	1	11		3	4	2		3				1	8	19	1	9	2		
Oakland		8	3	3	1			1				1	4	8		3			
Palisades Park		13	1	1	2	3		1	1		1	1	1	15	1	2		3	
Paramus		19	2	3	13	4	1	4	1		1		3	28		6			
Ramsey		4	1	1	1	2	1	1					1	3	2	3			
Ridgefield		7		1	7	1	1	3				1	3	9	4	2	1		
Ridgefield Park		2			3		2						2	5		1	1		
Ridgewood	2	14		4	6	2	2	4			1	1	1	16		3	1		
River Edge		6	1		2	5	1				1	2	2	6	1				
Rutherford		16			7	6		1					2	12	2	1	2	2	
Saddle Brook township#	3	12	1	1	7	6		1			1	1		12			1		
Teaneck township#	1	27	1	3	6	13		4	5		2	1	5	28	3	4	2	2	
Tenafly		7		2	5	5	1	2			1			6	1	3			
Waldwick	1	4		1	3	4								12					
Wallington		5		2	2	5			5		1			7					
Westwood	1	11	2		3	9	1	1	1				1	1	2				
Wyckoff township#		4	3		7	2		1						15		3			
Balance of county	7	105	11	25	65	59	6	19	11		7	9	28	162	16	26	13	6	
Burlington	7	154	13	35	92	123	6	40	41		21	17	16	278	59	50	37	20	1
Burlington		7	2	2	3	4		1	3					8	3	2	1	1	
Cinnaminson township#	1	11	2	2	2	2	1	1	1					18	1	3	1		
Delran township#	1	4			3	6								3	1	1	1		
Maple Shade township#		10	1	1	5	10		2			1			2	3	4	1	1	
Moorestown township#	1	9	4	1	9	5		1	2				1						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 643

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 105 of 86)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber-cu-losis (010-018)	Syph-illis (090-097)	Residual of infec-tious and para-sitic dis-eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hemato-poietic tissues (140-208)	Malignant neoplasms of diges-tive organs and perito-neum (150-159)	Malign-ant neo-plasms of respi-ratory and intra-thorac-ic organs (160-165)	Malign-ant neo-plasms of breast (174-175)	Malign-ant neo-plasms of genital organs (179-187)	Malign-ant neo-plasms of urinary organs (188-189)	Leuka-mia (204-208)	Other malig-nant neo-plasms (140-149, 170-173, 190-203)	Diabetes mel-litus (250)	Major cardio-vascular diseases (390-448)	Diseases of heart (390-398, 402,404-429)	Rheu-matic fever and rheu-matic heart disease (390-398)	Hyper-tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410-414)	Other heart diseases (415-429)
New Jersey—Con.																			
Mount Holly township#	152	-	-	3	39	10	11	7	4	1	-	6	5	55	49	1	1	33	14
Pambrton township#	186	1	-	9	37	8	15	2	2	2	-	8	7	69	54	1	-	39	14
Willingboro township#	240	-	-	12	76	17	24	6	9	2	2	16	13	82	62	1	3	40	18
Balance of county	1,708	-	-	50	456	119	124	45	59	21	7	81	35	708	599	8	19	426	146
Camden	4,489	1	-	155	1,143	260	330	125	116	33	34	245	126	1,760	1,414	19	63	877	455
Bellmaw	123	-	-	2	43	7	18	1	7	3	-	7	4	42	34	-	-	26	8
Camden	830	-	-	39	172	38	58	17	21	5	4	29	35	277	213	1	19	112	81
Cherry Hill township#	641	-	-	26	168	38	46	27	10	2	7	38	12	284	225	2	6	162	55
Collingswood	158	-	-	3	35	5	12	4	9	2	-	7	7	78	65	1	8	35	21
Gloucester township#	293	-	-	8	101	22	28	12	9	4	1	25	9	102	83	-	1	49	33
Gloucester City	127	-	-	2	35	5	16	1	3	-	-	10	2	55	48	1	2	30	15
Haddon township#	179	-	-	3	38	11	10	3	4	1	1	8	2	80	59	-	3	41	15
Haddonfield	90	-	-	2	18	4	4	3	1	-	-	6	6	29	20	-	1	8	11
Lindenwold	134	-	-	8	36	9	9	7	5	-	-	6	2	48	40	-	3	18	19
Pennsauken township#	370	-	-	5	95	23	27	8	6	5	5	21	11	147	114	2	3	75	34
Voorhees township#	163	-	-	7	22	4	7	3	3	1	-	4	6	74	66	2	2	46	16
Balance of county	1,381	1	-	50	380	94	95	39	38	10	16	88	30	544	447	10	15	275	147
Cape May	1,285	1	-	43	346	89	104	20	42	16	9	66	23	548	455	6	11	305	133
Ocean City	209	-	-	6	46	17	18	8	5	1	2	13	3	80	61	2	1	37	21
Balance of county	1,076	1	-	37	292	72	86	12	37	15	7	53	20	468	394	4	10	268	112
Cumberland	1,372	1	-	50	313	79	101	17	38	19	10	49	45	567	486	-	17	308	161
Bridgeton	277	-	-	11	61	18	18	4	7	3	1	10	8	116	93	-	4	63	26
Milville	286	-	-	6	60	13	25	3	6	2	2	9	10	125	107	-	2	72	33
Vineland	550	-	-	20	134	36	36	8	20	8	6	20	18	229	203	-	10	111	82
Balance of county	259	1	-	13	58	12	22	2	5	6	1	10	9	97	83	-	1	62	20
Essex	7,836	16	1	753	1,768	480	454	194	214	56	69	301	249	2,834	2,304	30	133	1,505	636
Belleville	353	2	-	12	104	29	30	12	13	5	1	14	13	134	109	3	2	79	25
Bloomfield	489	-	-	8	127	26	33	22	9	8	-	21	16	206	169	6	4	119	40
Cedar Grove township#	144	-	-	8	29	11	6	5	4	-	3	-	2	60	49	-	1	34	14
East Orange	805	-	-	92	167	44	53	19	24	4	2	21	22	276	225	3	14	146	62
Irvington	522	2	-	63	101	25	22	13	11	6	4	20	12	198	166	-	11	100	55
Livingston township#	182	-	-	4	50	14	5	7	7	4	1	12	4	83	63	2	5	47	9
Maplewood township#	201	-	-	7	52	17	7	10	7	-	4	7	6	88	71	2	3	49	17
Milburn township#	136	-	-	6	45	14	11	4	4	3	5	2	53	42	-	-	3	27	12
Montclair	366	-	-	25	87	29	15	4	14	3	3	19	5	167	125	1	12	69	43
Newark	2,910	10	1	456	577	157	173	54	62	12	24	95	112	854	703	8	53	418	224
Nutley	275	-	-	8	74	20	14	7	12	3	1	17	9	115	94	-	5	72	17
Orange	347	1	-	33	79	21	22	11	7	1	2	15	13	118	100	2	8	64	26
South Orange Village township#	122	-	-	2	30	5	6	2	5	1	3	8	3	57	44	-	4	30	10
Verona	132	-	-	1	37	8	7	5	4	-	3	10	2	65	50	-	2	33	15
West Caldwell	114	1	-	3	26	4	9	2	6	-	1	4	3	54	45	-	2	33	10
West Orange	441	-	-	19	110	28	28	11	8	4	4	27	16	187	151	2	4	114	51
Balance of county	297	-	-	6	73	28	13	9	11	4	2	6	9	119	98	1	-	71	26
Gloucester	1,855	2	-	54	487	110	147	34	48	19	19	110	57	737	543	6	31	300	206
Deptford township#	181	-	-	5	46	14	13	5	2	2	2	8	6	78	62	1	5	28	28
Glassboro	121	-	-	5	36	9	8	2	5	1	1	10	1	48	37	1	4	19	13
Washingtown township#	122	-	-	6	44	8	14	6	5	1	1	9	4	43	23	1	2	12	8
West Deptford township#	108	-	-	2	29	6	8	1	3	-	-	11	1	46	36	1	2	18	15
Woodbury	160	1	-	5	41	8	14	2	3	4	1	9	7	63	50	-	5	28	17
Balance of county	1,163	1	-	31	291	65	90	18	30	11	14	63	38	459	335	2	13	195	125
Hudson	5,386	5	-	428	1,244	335	343	99	128	59	46	234	152	2,073	1,730	15	77	1,112	526
Bayonne	771	-	-	27	201	54	63	16	19	8	8	33	24	327	283	3	4	192	84
Harrison	113	-	-	4	33	9	10	2	1	-	3	8	3	51	42	1	6	23	12
Hoboken	304	1	-	28	64	17	22	4	5	4	-	12	13	123	104	1	2	70	31
Jersey City	2,319	2	-	256	484	138	135	36	56	18	16	85	67	800	659	4	43	378	234
Kearny	305	1	-	7	82	21	21	8	9	3	1	19	5	143	123	1	5	93	24
North Bergen township#	504	1	-	32	113	38	27	11	11	5	3	18	12	220	184	1	3	134	46
Socacus	146	-	-	7	41	9	9	3	6	2	5	7	3	56	46	1	2	30	13
Union City	411	-	-	36	96	22	20	10	9	6	1	28	14	152	116	-	3	84	29
Weehawken township#	94	-	-	9	24	9	7	1	2	2	2	1	2	38	33	-	1	23	9
West New York	291	-	-	16	72	12	21	2	8	11	4	14	6	112	92	3	3	59	27
Balance of county	108	-	-	6	34	6	8	6	2	-	3	9	3	51	48	-	5	26	17
Hunterdon	677	-	-	20	180	45	50	13	23	8	4	37	12	272	213	4	7	147	55
Mercer	2,856	2	-	124	700	177	198	58	91	25	20	131	83	1,148	929	16	48	634	231
East Windsor township#	111	-	-	5	28	5	8	2	6	1	2	4	2	44	37	1	1	24	11
Ewing township#	300	-	-	12	71	16	19	3	12	3	2	16	11	123	107	4	4	73	26
Hamilton township#	748	-	-	20	202	54	64	12	21	10	5	36	26	325	270	5	10	203	52
Princeton	103	-	-	2	23	7	3	2	4	-	2	5	3	42	30	1	1	17	11
Trenton	1,037	2	-	59	228	59	68	23	27	4	5	42	34	394	316	4	24	196	92
Balance of county	557	-	-	26	148	36	36	16	21	7	4	28	17	220	169	1	8	121	39
Middlesex	5,246	4	1	217	1,451	371	363	147	167	66	61	276	174	2,116	1,669	19	43	1,278	329
Cartaret	209	-	-	6	55</														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 644

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 106 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401-403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Mount Holly township#	-	3	-	3	4	9	1	2	1	-	3	1	3	19	-	3	2	2	-
Pemberton township#	2	10	-	3	4	6	-	4	3	-	3	6	1	20	5	7	2	2	-
Willingboro township#	-	14	1	5	4	7	-	3	2	-	2	2	3	24	4	2	1	3	-
Balance of county	2	86	3	18	58	74	4	26	23	-	12	8	5	145	40	30	24	9	1
Camden	14	234	30	68	146	152	14	51	53	-	27	57	88	447	53	110	41	51	14
Belmawr	1	2	1	4	2	5	-	3	2	-	1	-	1	12	-	3	2	2	1
Camden	2	46	6	10	13	23	-	8	11	-	9	33	33	80	15	32	8	35	7
Cherry Hill township#	3	44	5	7	23	12	-	7	7	-	-	-	6	74	4	15	4	-	-
Collingswood	1	7	2	3	6	7	-	2	2	-	-	1	1	12	3	5	-	-	-
Gloucester township#	-	12	3	4	5	14	-	1	1	-	-	-	1	17	3	9	3	1	1
Gloucester City	3	2	2	-	3	2	2	1	-	-	2	1	7	26	3	5	1	1	-
Haddon township#	-	14	1	6	9	8	-	3	2	-	1	1	3	10	5	3	1	1	-
Haddonfield	-	6	-	3	9	1	-	1	2	-	2	-	2	25	1	2	1	-	-
Lindenwold	-	7	-	-	1	1	-	3	2	-	-	1	-	16	2	3	2	-	-
Pennsauken township#	2	26	1	4	18	19	-	2	4	-	2	4	3	9	1	2	2	1	1
Voorhees township#	-	7	-	4	12	5	1	1	4	-	1	7	7	34	4	4	3	3	2
Balance of county	2	61	9	25	41	52	6	19	18	-	7	8	23	132	22	24	14	9	1
Cape May	6	71	3	13	38	49	1	13	28	-	7	3	20	123	13	21	4	3	1
Ocean City	-	13	1	5	5	2	-	2	6	-	-	-	4	29	4	4	-	-	-
Balance of county	6	58	2	8	33	47	1	11	22	-	7	3	16	94	9	17	4	3	1
Cumberland	3	65	8	5	46	62	3	9	29	1	5	12	12	137	27	37	11	5	-
Bridgeton	2	17	2	2	9	16	1	-	11	-	1	2	1	31	2	5	1	1	-
Milville	-	14	2	2	3	16	1	-	3	-	3	-	3	34	7	7	4	2	-
Vineland	1	20	4	1	20	19	1	2	3	-	-	9	6	52	9	14	2	2	-
Balance of county	-	14	-	-	14	11	-	1	5	-	1	1	2	20	9	11	4	2	-
Essex	43	399	26	62	224	232	21	104	112	1	43	80	185	810	89	131	50	125	8
Belleville	1	13	-	11	9	11	1	3	4	1	1	4	4	38	6	4	3	-	-
Bloomfield	2	27	1	7	9	24	-	1	10	-	-	-	6	59	4	8	3	-	-
Cedar Grove township#	1	8	1	1	7	3	-	-	-	-	-	-	1	27	-	-	-	1	-
East Orange	6	39	1	5	25	17	3	15	15	-	8	13	19	79	8	20	3	21	2
Irvington	6	23	2	1	10	16	1	10	6	-	5	6	16	43	5	10	3	15	-
Livingston township#	-	18	-	2	8	2	-	1	1	-	-	-	1	19	3	3	1	-	-
Maplewood township#	1	10	2	4	9	3	1	1	-	1	1	1	1	18	2	4	2	2	-
Millburn township#	-	10	-	1	3	1	-	-	3	-	-	-	4	14	1	1	3	-	-
Montclair	3	32	4	3	12	8	-	2	5	-	-	3	4	37	4	4	2	1	-
Newark	17	119	2	13	79	85	8	46	36	1	22	47	108	281	40	48	17	78	4
Nutley	-	18	1	2	7	9	1	-	1	-	2	-	3	39	3	2	1	1	-
Orange	2	12	-	4	9	10	-	7	9	-	-	5	12	38	3	4	3	4	-
South Orange Village township#	1	9	2	1	3	8	-	-	5	-	-	-	2	6	3	1	2	-	-
Verona	1	13	-	1	3	2	1	-	1	-	1	-	-	12	3	3	1	-	-
West Caldwell	-	5	4	-	2	4	-	4	1	-	1	-	-	12	-	1	-	1	-
West Orange	1	24	6	5	19	17	1	4	8	-	-	-	2	49	-	4	3	2	-
Balance of county	1	19	-	1	10	12	2	4	6	-	2	-	2	35	4	11	2	-	-
Gloucester	11	101	51	31	51	72	4	14	28	-	6	17	23	212	41	32	11	5	2
Deptford township#	1	9	3	3	2	9	-	4	5	-	-	-	1	17	4	3	1	-	-
Glassboro	-	5	5	1	4	4	-	-	2	-	-	-	-	17	-	4	-	-	-
Washington township#	2	7	8	3	-	5	-	-	-	-	-	3	-	17	-	-	-	-	-
West Deptford township#	-	7	2	1	4	3	1	-	2	-	1	2	2	12	1	2	-	-	-
Woodbury	-	10	2	1	7	1	-	-	4	-	1	3	1	20	2	2	2	2	-
Balance of county	8	63	31	22	34	50	3	10	15	-	4	9	19	129	34	21	8	5	2
Hudson	20	235	28	60	127	196	14	80	89	1	29	45	107	536	46	103	40	44	7
Bayonne	2	29	4	9	11	40	1	8	16	-	4	2	15	70	3	14	4	4	-
Harrison	-	6	-	3	2	6	1	2	1	-	-	-	-	9	-	1	-	-	-
Hoboken	2	12	2	3	5	8	-	6	8	-	-	1	7	30	2	4	2	1	1
Jersey City	6	104	12	19	63	84	6	33	39	1	13	29	60	260	22	50	18	29	3
Kearny	1	11	2	6	8	11	2	2	3	-	2	1	5	18	3	5	5	1	1
North Bergen township#	3	22	3	8	15	13	3	6	10	-	3	3	7	47	4	10	4	1	-
Secaucus	-	7	2	1	6	5	1	5	2	-	-	-	3	13	2	1	1	-	-
Union City	3	23	3	7	8	19	-	9	5	-	5	5	5	34	5	10	2	5	1
Weehawken township#	-	5	-	-	-	-	-	1	1	-	-	1	-	16	-	2	-	-	-
West New York	2	15	-	3	7	9	-	7	3	-	2	3	4	33	5	4	2	1	-
Balance of county	1	1	-	1	2	1	-	1	1	-	-	1	-	6	-	-	-	1	-
Hunterdon	3	43	3	10	30	30	3	3	8	-	4	4	3	70	13	19	5	-	1
Mercer	17	163	10	29	112	105	13	36	23	-	12	28	38	281	35	63	24	17	2
East Windsor township#	2	5	-	-	2	8	1	-	2	-	2	-	-	12	2	2	1	-	-
Ewing township#	-	14	1	1	15	15	-	2	3	-	1	2	4	33	3	3	1	-	1
Hamilton township#	4	43	1	7	17	30	5	12	3	-	1	5	5	69	8	14	5	1	-
Princeton	-	8	2	2	5	2	1	-	-	-	1	-	2	16	2	-	4	-	-
Trenton	8	54	4	12	45	34	2	18	11	-	7	14	20	103	10	32	8	15	1
Balance of county	3	39	2	7	28	16	4	4	4	-	-	7	7	48	10	12	5	1	-
Middlesex	23	247	104	73	129	163	14	79	48	1	22	55	88	493	57	77	42	13	2
Cartersville	1	8	8	3	5	6	-	6	2	-	-	4	5	25	3	2	-	-	-
East Brunswick township#	1	11	6	3	10	6	-	6	4	-	4	2	2	14	4	5	1	-	-
Edison township#	4	32	16	13	13	19	1	7	4	-	3	5	10	71	3	9	8	-	-
Highland Park	-	6	2	-	3	4	-	1	-	-	-	3	-	11	-	2	1	-	-
Metuchen	-	7	1	1	2	1	1	2	1	-	-	-	3	7	1	3	1	-	1
Middlesex	-	6	2	1	4	2	-	2	-	-	1	-	1	4	-	1	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 645

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 107 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malign- ant neo- plasms of respi- ratory and intra- thro- cic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (178- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
New Jersey—Con.																			
Piscataway township#	253	-	-	11	69	15	19	4	5	3	6	17	14	88	68	2	-	52	14
Sayreville	271	-	-	11	74	21	19	6	6	3	8	11	11	119	91	2	-	71	18
South Plainfield	170	-	-	2	52	9	13	5	4	5	4	12	5	73	55	-	2	40	13
South River	183	-	-	4	40	15	10	4	2	1	2	6	7	74	58	-	1	46	9
Woodbridge township#	753	-	-	22	222	55	61	21	26	6	7	46	24	311	261	5	8	197	51
Balance of county	910	-	-	35	247	55	67	20	32	11	10	52	31	367	282	5	8	208	61
Monmouth	5,011	1	-	221	1,276	337	340	123	139	49	42	246	155	2,202	1,744	18	38	1,334	354
Aberdeen township#	101	-	-	4	29	12	5	2	2	1	4	3	4	3	43	1	-	29	6
Asbury Park	254	-	-	40	45	9	11	4	7	2	1	11	5	96	72	-	5	55	12
Eatonville	116	-	-	3	29	8	8	5	2	-	-	6	3	61	48	-	1	40	7
Freehold	91	-	-	2	22	3	6	-	-	-	-	8	5	40	31	-	-	20	11
Hazlet township#	202	1	-	7	53	11	20	6	4	2	2	8	12	95	77	-	1	63	13
Howell township#	230	-	-	9	65	12	15	5	3	3	19	8	9	94	78	1	1	60	16
Keansburg	134	-	-	7	34	9	14	2	3	1	1	4	2	51	41	-	-	32	9
Long Branch	363	-	-	22	82	20	21	5	16	6	2	12	9	159	130	3	-	104	23
Middletown township#	490	-	-	16	131	36	34	11	12	8	5	29	19	212	161	4	4	125	28
Neptune township#	358	-	-	21	76	17	21	6	8	3	1	13	-	68	53	1	-	42	10
Ocean township#	157	-	-	5	54	14	15	4	4	3	1	10	8	94	67	-	-	55	12
Red Bank	189	-	-	8	45	9	11	4	6	1	4	10	8	94	67	-	-	55	12
Balance of county	2,326	-	-	77	611	177	159	69	62	15	23	106	66	1,014	808	6	21	607	174
Morris	2,953	2	-	87	785	204	207	72	81	31	30	160	71	1,234	1,009	18	23	713	255
Denville township#	113	-	-	1	25	4	8	2	3	1	-	7	5	55	48	1	1	32	14
Dover	119	-	-	3	23	7	7	1	1	2	1	4	2	49	43	2	2	30	9
Hanover township#	84	-	-	2	23	10	2	1	4	-	1	5	-	37	26	-	-	20	6
Madison	119	-	-	6	20	3	4	4	4	-	1	4	4	49	38	-	1	28	9
Morris township#	119	-	-	5	33	3	7	5	3	1	-	7	4	44	35	1	-	23	11
Morristown	207	2	-	7	44	8	12	5	4	3	1	11	4	79	61	-	2	43	16
Parsippany-Troy Hills township#	273	-	-	7	72	16	25	5	5	4	4	13	7	123	104	3	3	76	22
Pequanock township#	104	-	-	2	34	12	14	3	2	1	-	2	4	40	33	-	-	24	9
Balance of county	1,815	-	-	54	511	134	128	46	55	19	22	107	41	758	621	11	14	437	159
Ocean	5,823	4	-	190	1,522	384	408	133	203	63	61	270	141	2,733	2,287	20	47	1,744	476
Brick township#	708	1	-	21	196	46	43	19	34	7	3	44	24	307	249	3	2	184	60
Dover township#	1,003	-	-	32	265	56	75	27	33	16	12	46	26	480	399	5	10	312	72
Jackson township#	261	1	-	6	80	20	29	8	8	2	2	11	2	118	100	-	-	66	34
Lakewood township#	715	1	-	31	160	48	44	12	20	2	6	28	13	344	281	1	7	203	70
Manchester township#	833	-	-	29	206	56	43	14	40	4	11	38	18	417	357	-	7	288	62
Point Pleasant	287	-	-	10	81	27	17	7	9	3	6	12	13	130	108	-	-	84	24
Balance of county	2,016	1	-	61	534	131	157	46	59	29	21	91	45	937	793	11	21	607	154
Passaic	4,157	2	-	251	968	282	224	82	114	33	43	190	144	1,756	1,437	11	50	1,059	317
Clifton	859	-	-	24	221	70	44	24	27	7	9	40	31	398	322	2	7	245	68
Hawthorne	158	-	-	5	41	12	15	2	5	2	1	4	6	76	55	1	3	41	10
Little Falls township#	98	-	-	2	24	6	7	2	3	-	-	6	2	48	42	-	1	32	9
Passaic	468	1	-	30	103	20	34	15	6	3	5	20	21	192	160	-	9	116	35
Paterson	1,211	1	-	132	233	68	48	17	30	9	13	48	53	457	368	1	23	243	101
Pompton Lakes	90	-	-	4	20	7	6	-	3	1	-	3	1	36	30	-	2	22	6
Ringwood	68	-	-	2	23	7	4	1	3	2	-	6	1	23	19	-	-	9	10
Totowa	153	-	-	4	36	13	8	3	5	-	3	4	-	78	69	-	2	58	9
Wanaque	111	-	-	25	17	5	1	2	1	1	2	5	2	40	35	1	-	32	2
Wayne township#	418	-	-	13	101	30	26	5	9	4	4	23	16	179	142	3	1	108	30
West Paterson	88	-	-	2	28	7	5	1	6	-	1	8	2	40	32	-	1	29	2
Balance of county	435	-	-	8	121	37	26	10	16	4	5	23	9	189	163	3	1	124	35
Salem	677	-	1	23	169	44	46	13	19	8	7	32	15	289	236	1	5	177	53
Somerset	1,708	1	-	62	503	118	138	51	44	21	18	113	56	658	520	8	10	387	115
Bridgewater township#	228	-	-	3	68	15	23	4	5	1	3	17	6	88	67	3	-	54	10
Franklin township#	209	1	-	10	51	17	12	8	5	2	1	6	8	92	82	1	4	52	25
Manville	96	-	-	2	31	7	14	1	3	-	-	6	5	30	26	-	1	23	2
North Plainfield	151	-	-	9	50	15	14	3	4	2	2	10	3	61	49	-	1	38	10
Somerville	227	-	-	13	59	10	19	7	5	3	5	10	7	96	75	1	-	62	12
Balance of county	797	-	-	25	244	54	56	28	22	13	7	64	27	291	221	3	4	158	56
Sussex	951	1	-	18	247	49	70	22	28	12	12	54	28	395	331	3	14	215	99
Hopatcong	75	-	-	3	14	4	8	-	1	-	-	1	3	34	29	1	2	19	7
Balance of county	876	1	-	15	233	45	62	22	27	12	12	53	25	361	302	2	12	196	92
Union	4,857	2	-	251	1,176	307	290	108	135	61	46	229	159	2,046	1,695	23	62	1,157	453
Berkeley Heights township#	107	-	-	3	27	9	4	-	3	3	-	8	6	42	35	-	1	27	7
Clark township#	156	-	-	7	38	13	12	2	2	-	4	5	4	74	63	3	1	47	12
Cranford township#	187	-	-	6	42	8	7	7	2	-	11	5	94	75	1	3	51	20	
Elizabeth	1,049	1	-	76	217	57	63	14	25	6	7	45	33	412	348	10	16	225	97
Hillside township#	183	-	-	12	40	16	14	2	3	3	-	2	10	79	62	-	2	37	23
Linden	458	-	-	19	117	30	31	10	14	8	8	16	15	207	183	1	5	136	41
New Providence	96	-	-	3	25	7	2	4	2	1	-	9	3						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 646

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 108 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category number *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New Jersey—Con.																			
Piscataway township#	1	13	4	2	4	10	1	3	4	-	1	1	8	27	-	6	5	1	-
Sayreville	2	17	5	4	8	9	1	3	3	-	1	-	6	18	3	2	2	-	-
South Plainfield	1	11	4	2	6	6	-	2	-	-	-	1	5	11	4	3	-	-	-
South River	1	7	5	5	6	4	-	3	-	-	-	-	1	18	-	3	3	-	-
Woodbridge township#	2	27	10	11	17	22	-	11	12	-	1	5	8	65	11	10	11	1	-
Balance of county	7	45	18	15	21	37	5	10	7	-	5	8	13	88	14	16	3	3	-
Monmouth	11	315	51	81	157	168	12	79	56	1	23	23	36	441	45	74	35	5	1
Aberdeon township#	-	4	2	1	-	5	-	5	1	-	3	-	-	6	-	1	1	1	-
Asbury Park	1	19	1	3	7	11	-	4	2	1	-	1	7	24	-	7	1	2	1
Eatontown	-	1	-	1	4	1	-	3	3	-	-	2	2	7	-	1	-	-	-
Freshold	-	8	-	1	4	2	1	2	3	-	-	-	1	11	1	-	-	-	-
Hazlet township#	-	12	1	5	9	-	-	2	2	-	1	-	-	15	1	-	1	2	-
Howell township#	-	11	3	2	7	-	-	3	5	-	2	3	3	14	6	3	1	-	-
Keansburg	1	5	-	-	3	10	-	5	3	-	1	-	1	10	1	4	1	1	-
Long Branch	1	17	4	7	10	11	-	11	3	-	3	3	4	31	4	9	5	-	-
Middletown township#	1	38	5	7	18	24	3	7	5	-	1	-	2	38	6	5	2	1	-
Neptune township#	1	28	-	4	12	10	1	3	1	-	-	3	1	34	3	-	3	-	-
Ocean township#	1	11	-	3	6	4	-	1	-	-	1	-	2	15	1	-	-	-	-
Red Bank	1	12	10	4	7	4	-	9	-	-	-	1	2	10	1	2	-	-	-
Balance of county	4	139	21	42	73	79	7	30	28	-	10	10	13	226	22	40	19	1	-
Morris	8	171	11	35	113	105	1	31	31	-	17	22	42	299	40	40	26	6	1
Denville township#	2	3	-	2	3	4	-	1	1	-	-	-	1	12	2	1	3	-	-
Dover	-	6	-	-	4	3	-	2	2	-	2	2	2	17	2	4	1	1	-
Hanover township#	-	7	-	4	5	4	-	-	-	-	1	-	1	8	-	1	2	-	-
Madison	1	9	-	1	4	7	-	1	-	-	2	1	3	19	1	2	-	-	-
Morris township#	1	6	-	2	7	2	1	1	2	-	1	-	-	15	2	-	1	1	-
Morristown	1	14	-	3	10	14	-	4	4	-	-	2	6	23	2	2	3	1	-
Parsippany-Troy Hills township#	-	14	2	3	5	14	-	1	-	-	4	3	2	26	4	2	2	1	-
Poquannock township#	-	6	-	1	2	5	-	1	2	-	-	-	2	12	-	-	-	-	-
Balance of county	3	106	9	19	73	52	-	21	20	-	7	14	25	167	27	28	14	2	1
Ocean	17	330	30	69	181	224	10	51	89	-	21	19	54	441	46	57	29	11	-
Brick township#	2	39	10	7	19	27	1	7	12	-	4	5	5	54	7	13	4	1	-
Dover township#	7	57	4	13	29	40	3	8	11	-	2	1	11	75	10	6	4	1	-
Jackson township#	1	11	-	6	8	7	-	1	3	-	-	2	2	18	3	5	4	1	-
Lakewood township#	-	54	5	4	28	28	-	7	18	-	3	5	3	55	5	9	2	3	-
Manchester township#	4	44	1	11	30	36	1	5	11	-	-	1	4	66	2	5	2	-	-
Point Pleasant	-	17	3	2	9	9	-	5	1	-	2	-	1	22	1	1	-	2	-
Balance of county	3	108	7	26	58	77	5	18	33	-	10	5	28	151	18	18	13	4	-
Passaic	21	241	19	38	133	123	10	65	45	-	13	38	83	359	41	74	26	24	2
Clifton	3	62	3	8	32	25	1	7	10	-	2	-	11	73	4	12	6	2	-
Hawthorne	-	17	1	3	2	5	-	2	2	-	-	-	4	13	1	-	-	-	-
Little Falls township#	-	4	-	2	6	3	-	3	-	-	-	-	-	10	-	-	-	-	-
Passaic	4	21	3	4	12	9	1	8	8	-	-	7	12	43	2	14	2	3	-
Paterson	7	64	7	11	32	35	2	27	11	-	2	22	38	101	9	30	7	17	2
Pompton Lakes	-	4	2	-	3	5	-	1	1	-	-	-	3	12	2	1	1	-	-
Ringwood	-	2	1	1	2	3	1	1	-	-	1	-	-	8	1	1	1	-	-
Totowa	1	6	-	2	5	7	-	-	1	-	-	-	3	16	1	1	-	-	-
Wanaque	1	4	-	-	7	4	1	-	3	-	2	1	1	8	-	-	-	-	-
Wayne township#	2	29	1	5	17	12	2	10	6	-	2	5	5	37	5	8	-	-	-
West Paterson	1	5	1	1	1	-	-	1	-	-	2	-	1	11	-	-	-	-	-
Balance of county	2	23	-	1	14	15	2	5	3	-	1	3	5	27	16	6	9	2	-
Salem	3	39	3	8	20	37	4	1	11	-	6	7	6	62	13	7	4	2	-
Somerset	5	108	3	22	64	56	3	14	15	-	6	11	15	185	21	21	14	3	-
Bridgewater township#	-	14	1	6	8	9	1	1	3	-	-	1	2	29	4	2	3	-	-
Franklin township#	1	9	-	-	5	6	-	3	3	-	2	3	1	20	1	2	1	-	-
Marville	-	2	-	2	5	4	2	1	2	-	-	-	1	12	1	-	-	-	-
North Plainfield	1	8	-	3	2	3	-	1	2	-	1	2	-	13	3	1	-	-	-
Somerville	1	14	1	5	10	6	-	2	2	-	-	1	2	21	3	3	1	1	-
Balance of county	2	61	1	6	34	28	-	6	3	-	3	4	9	90	9	13	9	2	-
Sussex	2	49	1	12	45	45	3	12	8	-	7	5	17	84	20	9	6	1	-
Hopatcong	1	4	-	-	3	2	1	-	-	-	3	1	-	10	-	1	-	-	-
Balance of county	1	45	1	12	42	43	2	12	8	-	4	4	17	74	20	8	6	1	-
Union	23	258	7	63	133	147	10	53	55	-	19	40	81	481	57	90	30	27	-
Berkeley Heights township#	1	6	-	-	1	6	-	-	-	-	-	-	-	20	-	1	-	-	-
Clark township#	1	8	-	2	4	3	1	1	2	-	1	1	2	14	-	1	3	-	-
Cranford township#	1	13	1	4	3	8	-	1	1	-	-	-	-	22	1	3	1	-	-
Elizabeth	6	46	2	10	30	26	3	19	14	-	6	14	34	105	21	17	10	11	-
Hillside township#	-	12	-	5	2	5	1	2	3	-	-	3	2	17	3	3	-	-	-
Linden	2	18	1	3	10	15	1	6	3	-	2	2	7	41	3	7	3	-	-
New Providence	1	6	-	1	7	2	-	-	-	-	-	-	2	9	2	-	-	-	-
Plainfield	5	25	-	4	9	13	-	4	10	-	1	6	14	41	8	13	2	9	-
Rahway	-	11	-	5	6	7	-	3	1	-	2	1	3	19	4	5	2	1	-
Roselle	-	5	-	2	4	7	-	6	2	-	2	-	4	17	-	8	-	-	-
Roselle Park	-	5	-	-	2	6	-	1	1	-	-	-	1	10	-	4	-	-	-
Scotch Plains township#	1	12	-	1	2	3	-	2	2	-	-	2	1	14	5	5	1	-	-
Springfield township#	-	12	1	3	2	5	1	2	1	-	-	-	-	15	-	1	1	1	-
Summit	1	11	1	2	8	3	-	-	-	-	2	4	1	17	2	3	1	1	-
Union township#	2	46	-	12	25	24	2	3	6	-	2	2	6	70	6	10	2	1	-
Westfield																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 647

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 109 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infect- ious and para- sitic dis- eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hemo- topoietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thorac- ic organs (160- 165)	Malign- nant neo- plasm of breast (174- 175)	Malign- nant neo- plasm of genital organs (179- 187)	Malign- nant neo- plasm of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasm (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
New Mexico	11,176	9	1	230	2,490	612	565	233	301	111	106	562	370	3,898	2,966	38	89	1,539	1,300
Urban places	6,396	4	-	144	1,472	351	342	145	176	60	59	339	178	2,327	1,743	21	45	933	744
Balance of area	4,780	5	1	86	1,018	261	223	88	125	51	47	223	192	1,571	1,223	17	44	606	556
Metropolitan counties	4,946	3	-	127	1,190	291	260	125	152	51	50	261	145	1,667	1,200	13	41	645	501
Urban places	4,262	3	-	116	1,023	255	221	111	127	44	41	224	115	1,459	1,057	12	32	583	430
Balance of area	684	-	-	11	167	36	39	14	25	7	9	37	30	208	143	1	9	62	71
Nonmetropolitan counties	6,230	6	1	103	1,300	321	305	108	149	60	56	301	225	2,231	1,766	25	48	894	799
Urban places	2,134	1	-	28	449	96	121	34	49	16	18	115	63	868	686	9	13	350	314
Balance of area	4,096	5	1	75	851	225	184	74	100	44	38	186	162	1,363	1,080	16	35	544	485
Bernalillo	3,360	3	-	91	817	205	179	84	99	32	36	182	92	1,165	848	8	25	471	344
Albuquerque	3,193	3	-	90	784	198	169	82	95	30	33	177	85	1,105	806	8	23	449	326
Balance of county	167	-	-	1	33	7	10	2	4	2	3	5	7	60	42	-	2	22	18
Catron	19	-	-	-	8	2	1	2	1	-	-	2	-	5	4	-	-	-	4
Chaves	576	-	-	3	131	20	43	11	15	7	3	32	20	233	193	-	3	87	103
Roswell	496	-	-	3	113	16	38	9	14	5	1	30	15	205	170	-	3	79	88
Balance of county	80	-	-	-	18	4	5	2	1	2	2	2	5	28	23	-	-	8	15
Cibola	142	-	-	4	28	5	6	2	3	2	5	5	10	32	23	1	-	9	13
Colfax	125	-	-	4	34	6	10	5	3	-	3	7	3	42	36	1	3	22	10
Curry	321	-	-	4	74	12	15	8	11	4	1	23	5	130	95	2	1	52	40
Clovis	277	-	-	3	63	11	14	5	9	3	1	20	4	111	83	2	1	45	35
Balance of county	44	-	-	1	11	1	1	3	2	1	-	3	1	19	12	-	-	7	5
Doña Ana	32	-	-	-	7	2	2	1	1	-	-	1	-	13	10	-	2	3	5
Dona Ana	853	-	-	13	198	48	44	20	26	15	10	35	28	287	204	2	10	104	88
Las Cruces	558	-	-	8	122	32	31	11	14	10	7	17	11	201	148	1	6	85	56
Balance of county	295	-	-	5	76	16	13	9	12	5	3	18	17	86	56	1	4	19	32
Eddy	481	-	-	7	89	31	26	6	7	1	4	14	13	221	194	3	7	87	97
Artesia	108	-	-	2	13	6	3	1	1	-	-	3	3	59	50	-	3	33	14
Carlsbad	313	-	-	4	69	23	21	4	6	1	4	10	9	132	119	3	2	43	71
Balance of county	60	-	-	1	6	2	2	-	1	-	-	1	1	30	25	-	2	11	12
Grant	278	-	-	3	49	19	11	1	10	1	1	6	8	104	80	-	5	37	38
Guadalupe	45	-	-	1	8	2	3	2	-	-	-	1	-	18	17	-	-	6	11
Harding	6	-	-	-	2	3	-	-	-	-	-	1	-	1	-	-	-	-	-
Hidalgo	9	-	-	-	9	3	3	-	-	-	-	2	-	16	15	1	-	2	12
Lea	463	-	-	4	102	22	29	4	11	3	6	27	15	177	132	1	1	89	41
Hobbs	259	-	-	2	52	11	14	1	7	1	4	14	7	107	77	1	1	54	21
Balance of county	204	-	-	2	50	11	15	3	4	2	2	13	8	70	55	-	-	35	20
Lincoln	118	-	-	3	29	11	3	3	4	3	-	5	-	46	34	-	1	20	13
Los Alamos	71	-	-	1	21	7	4	-	4	-	2	4	2	22	13	-	-	7	6
Luna	213	-	-	6	43	8	8	6	7	-	2	12	12	82	65	-	3	39	23
McKinley	407	2	-	9	51	17	4	2	14	2	2	10	31	90	67	3	2	31	31
Gallup	110	-	-	2	16	3	3	1	3	1	-	5	8	35	27	1	1	17	8
Balance of county	297	2	-	7	35	14	1	1	11	1	2	5	23	55	40	2	1	14	23
Mora	41	-	-	-	8	2	2	-	-	-	-	4	2	15	15	-	2	5	8
Otero	345	-	-	5	59	17	18	3	1	-	4	16	11	164	113	-	1	56	56
Alamogordo	214	-	-	5	35	9	12	2	-	-	1	11	8	111	75	-	-	37	37
Balance of county	131	-	-	-	24	8	6	1	1	-	3	5	3	53	38	-	-	19	19
Quay	121	-	-	1	31	9	4	3	3	4	1	7	-	50	39	-	2	17	20
Rio Arriba	247	-	-	6	45	11	12	3	1	2	1	15	12	76	66	1	1	33	31
Roosevelt	129	-	-	2	36	8	6	3	5	2	2	10	5	56	43	1	-	23	19
Sandoval	364	-	-	8	88	20	18	10	10	7	5	18	15	112	78	3	5	40	30
San Juan	547	1	-	10	117	25	25	14	10	5	7	31	17	157	121	2	-	48	71
Farmington	202	-	-	5	54	8	13	6	2	-	6	19	3	54	38	2	-	17	19
Balance of county	345	1	-	5	63	17	12	8	8	5	1	12	14	103	83	-	-	31	52
San Miguel	217	2	-	2	56	15	8	6	11	6	2	8	9	68	57	1	4	31	21
Las Vegas	155	1	-	2	34	9	3	5	8	5	1	3	6	54	47	-	1	25	21
Balance of county	62	1	-	-	22	6	5	1	3	1	1	5	3	14	10	1	3	6	-
Santa Fe	662	-	-	22	154	31	33	21	23	4	2	40	23	193	135	3	6	63	63
Santa Fe	511	-	-	18	117	25	21	18	18	4	1	30	19	153	103	3	3	49	48
Balance of county	151	-	-	4	37	6	12	3	5	-	1	10	4	40	32	-	3	14	15
Sierra	204	-	1	5	32	7	8	1	2	-	2	12	4	91	77	-	-	17	14
Socorro	120	-	-	1	23	6	6	3	2	2	-	4	1	41	32	1	-	18	13
Taos	174	1	-	6	37	11	10	2	4	1	-	9	12	38	32	-	-	11	15
Torrance	86	-	-	1	19	8	4	2	1	-	-	4	2	32	26	-	-	11	6
Union	60	-	-	-	7	1	1	1	3	-	1	-	5	24	20	-	1	13	6
Valencia	310	-	-	8	79	21	19	5	9	6	4	15	13	97	80	4	1	49	28
New York	166,333	251	9	8,775	38,624	10,034	10,460	3,685	4,503	1,573	1,334	7,035	2,967	75,647	64,110	454	2,445	49,399	11,812
Urban places	106,239	222	8	7,367	22,989	6,133	6,022	2,283	2,760	887	752	4,152	1,943	48,509	41,844	253	1,783	32,975	6,833
Balance of area	60,094	29	1	1,408	15,635	3,901	4,438	1,402	1,743	686	582	2,883	1,024	27,138	22,266	201	662	16,424	4,979
Metropolitan counties	151,674	245	8	8,511	35,082	9,148	9,369	3,402	4,112	1,401	1,195	6,455	2,711	69,001	58,774	417			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 648

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992-Con.

(Page 110 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
New Mexico	34	602	167	129	356	535	25	228	126	2	102	70	127	1,290	404	419	303	162	29
Urban places	25	382	100	77	209	322	11	134	57	2	51	39	66	697	181	224	167	98	13
Balance of area	9	220	67	52	147	213	14	94	69	-	51	31	61	593	223	195	136	64	16
Metropolitan counties	17	286	101	63	149	212	9	113	49	1	44	31	53	561	149	194	152	82	15
Urban places	15	252	81	54	136	185	8	93	40	1	38	24	44	483	120	166	131	66	11
Balance of area	2	34	20	9	13	27	1	20	9	-	6	7	9	78	29	28	21	16	4
Nonmetropolitan counties	17	316	66	66	207	323	16	115	77	1	58	39	74	729	255	225	151	80	14
Urban places	10	130	19	23	73	137	3	41	17	1	13	15	22	214	61	58	36	32	2
Balance of area	7	186	47	43	134	186	13	74	60	-	45	24	52	515	194	167	115	48	12
Bernalillo	9	197	70	41	93	130	4	70	31	1	26	21	38	371	93	135	106	61	12
Albuquerque	9	184	65	41	91	125	4	68	30	1	26	18	32	351	88	129	97	55	11
Balance of county	13	13	5	-	2	5	-	2	1	-	-	3	6	20	5	6	9	6	-
Catron	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	-
Chaves	-	29	6	5	27	41	1	7	2	-	5	2	3	52	8	11	16	13	1
Roswell	-	26	5	4	24	32	1	7	2	-	4	2	3	45	7	8	12	12	1
Balance of county	-	3	1	1	3	9	-	7	-	-	1	-	-	7	1	3	4	1	-
Cibola	-	6	2	1	4	8	-	7	5	-	2	-	2	19	14	1	4	2	-
Colfax	-	3	2	1	5	5	-	3	-	-	1	-	3	15	2	4	3	1	-
Curry	1	27	2	5	9	22	1	7	4	-	1	3	5	25	13	10	5	3	-
Clovis	1	21	2	4	7	21	1	7	4	-	1	3	5	24	11	6	4	2	-
Balance of county	-	6	-	1	2	1	-	-	-	-	-	-	-	1	2	4	1	-	-
De Baca	-	1	-	2	2	2	1	-	-	-	-	-	-	3	1	2	1	-	-
Dona Ana	4	43	26	10	31	45	2	21	12	-	10	8	11	94	27	32	21	11	2
Las Cruces	2	32	14	5	25	34	1	14	8	-	7	5	8	59	14	19	16	6	-
Balance of county	2	11	12	5	6	11	1	7	4	-	3	3	3	35	13	13	5	5	2
Eddy	1	22	2	2	14	26	-	11	4	1	2	4	4	49	10	16	5	6	-
Artesia	-	3	1	-	2	6	-	3	2	-	1	1	2	6	3	3	2	1	-
Carlsbad	-	9	1	2	9	19	-	5	2	1	1	2	4	38	6	7	4	1	-
Balance of county	-	5	-	-	3	1	-	3	-	-	-	-	-	5	1	6	2	1	-
Grant	3	16	2	3	14	20	4	2	5	-	3	1	-	40	4	10	7	3	1
Guadalupe	-	1	-	-	1	2	-	1	-	-	-	1	-	7	2	4	-	-	-
Harding	-	1	-	-	-	1	-	-	-	-	-	-	-	5	1	-	-	-	-
Hidalgo	-	1	-	-	2	1	-	1	-	-	1	1	-	2	1	2	-	-	-
Lea	1	39	2	3	11	33	-	6	10	-	1	2	7	47	18	11	10	8	1
Hobbs	-	27	2	1	6	22	-	3	2	-	1	1	5	27	10	6	6	3	-
Balance of county	1	12	2	2	5	11	-	3	8	-	1	1	2	20	8	5	4	5	1
Lincoln	-	10	2	-	3	11	-	1	3	-	2	1	1	12	2	4	1	-	-
Los Alamos	-	5	1	3	3	5	-	2	-	-	-	-	-	11	-	3	1	-	-
Luna	-	7	3	10	11	11	-	3	1	-	-	-	3	23	5	6	6	1	-
McKinley	-	15	2	6	19	8	3	13	8	-	12	6	10	57	31	37	9	2	-
Gallup	-	3	1	4	2	4	-	5	-	-	3	1	3	11	5	10	2	3	-
Balance of county	-	12	1	2	17	4	3	8	8	-	9	5	7	46	26	27	7	6	2
Mora	-	-	-	4	-	-	-	-	-	-	-	-	-	6	1	3	1	1	-
Otero	5	32	8	6	10	16	-	11	3	-	2	4	1	29	8	12	8	2	-
Alamogordo	4	21	5	6	5	8	-	7	2	-	1	3	-	17	2	5	3	2	-
Balance of county	1	11	3	-	5	8	-	4	1	-	1	1	1	12	6	7	5	-	-
Quay	-	9	1	1	5	4	-	-	-	-	2	-	3	17	3	2	2	-	1
Rio Arriba	1	5	4	8	9	1	11	1	-	-	3	1	4	28	12	16	8	5	1
Roosevelt	-	8	2	3	5	3	-	2	2	-	1	1	1	10	3	2	1	-	-
Sandoval	-	14	14	6	5	7	1	5	-	-	4	3	4	66	16	9	17	4	-
San Juan	3	21	5	7	12	43	2	8	2	-	5	2	4	60	47	29	17	11	3
Farmington	3	9	2	2	7	22	1	1	1	-	2	1	1	23	9	8	5	4	1
Balance of county	-	12	3	5	5	21	1	7	-	-	3	1	3	37	38	21	12	7	2
San Miguel	1	10	-	-	12	4	-	3	4	-	-	-	2	32	14	6	1	2	-
Las Vegas	1	6	-	-	11	3	-	3	2	-	-	-	1	23	8	5	1	1	-
Balance of county	-	4	-	-	1	1	-	-	-	-	-	-	-	9	6	1	-	-	-
Santa Fe	4	41	4	9	22	32	3	20	6	-	8	2	4	85	29	24	24	10	1
Santa Fe	4	36	2	8	20	26	3	11	2	-	5	1	4	73	18	18	18	5	-
Balance of county	-	5	2	1	2	6	-	9	4	-	3	1	-	12	11	6	6	5	1
Sierra	-	11	-	3	4	17	-	2	14	-	-	-	4	17	4	1	7	1	-
Socorro	-	7	-	2	3	1	1	1	4	-	1	2	10	20	2	3	6	5	-
Taos	1	5	-	-	7	5	1	4	3	-	4	1	2	27	14	3	5	3	1
Torrance	-	5	1	-	3	7	-	1	-	-	1	-	1	10	4	1	2	-	2
Union	-	3	1	-	2	5	-	1	1	-	-	-	-	8	2	4	-	-	-
Valencia	-	9	3	3	5	11	-	4	-	-	2	2	3	42	14	16	8	5	1
New York	786	8,323	811	1,617	6,201	5,843	523	1,995	1,382	44	827	1,281	1,188	11,761	2,017	2,837	1,532	2,438	191
Urban places	606	4,780	427	872	3,994	3,127	362	1,403	788	40	536	969	831	6,891	999	1,981	889	2,257	134
Balance of area	180	3,563	384	745	2,207	2,716	161	592	594	4	291	312	357	4,870	1,018	856	643	181	57
Metropolitan counties	748	7,424	656	1,399	5,580	5,045	471	1,850	1,226	44	754	1,201	1,110	10,498	1,785	2,613	1,373	2,400	186
Urban places	595	4,569	387	827	3,855	2,960	350	1,372	750	40	520	955	807	6,628	975	1,940	867	2,247	134
Balance of area	153	2,855	269	572	1,725	2,085	121	478	476	4	234	246	303	3,870	790	673	506	153	52
Nonmetropolitan counties	38	899	155	218	621	798	52	145	156	-	73	80	78	1,263	252	224	159	38	5
Urban places	11	191	40	45	139	167	12	31	38	-	16	14	24	263	24	41	122	10	2
Balance of area	27	708	115	173	482	631	40	114	118	-	57	66	54	1,000	228	183	137	28	5
Albany	9	168	26	36	144	117	4	27	44	-	11	15	18						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 649

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 111 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hemo- poeitic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasm of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
New York—Con.																			
Broome	2,018	-	-	35	480	128	134	33	59	20	17	89	36	976	779	5	21	567	186
Binghamton	674	-	-	15	153	41	44	8	20	9	7	24	9	330	273	3	6	199	65
Endicott	175	-	-	4	35	10	10	3	2	3	2	5	3	87	64	-	1	53	10
Johnson City	228	-	-	3	58	12	20	6	7	-	2	11	6	111	93	1	4	65	23
Vestal town#	214	-	-	5	37	13	9	6	3	1	2	3	2	117	87	1	2	64	20
Balance of county	727	-	-	8	197	52	51	10	27	7	4	46	16	331	282	-	8	186	68
Cattaraugus	803	-	-	14	173	43	56	14	18	7	7	28	19	374	305	2	6	227	70
Clear	191	-	-	1	40	10	9	5	3	-	1	12	7	92	76	-	4	47	25
Balance of county	612	-	-	13	133	33	47	9	15	7	6	16	12	282	229	2	2	180	45
Cayuga	794	-	-	14	181	57	50	15	15	8	7	29	13	384	300	1	6	232	61
Auburn	421	-	-	9	97	33	29	6	5	5	11	7	7	197	152	1	5	116	30
Balance of county	373	-	-	5	84	24	21	9	7	3	2	18	6	187	148	-	1	116	31
Chautauqua	1,445	2	-	17	326	84	85	26	46	13	14	58	30	683	559	1	16	408	134
Dunkirk	146	-	-	2	26	7	7	2	2	-	4	4	3	83	69	-	1	63	5
Fredonia	57	-	-	-	10	1	4	-	1	1	1	2	-	30	25	-	-	19	6
Jamestown	382	-	-	6	79	19	20	9	12	4	1	14	14	177	149	1	4	103	41
Balance of county	860	2	-	9	211	57	54	15	31	8	8	38	13	393	316	-	11	223	82
Chemung	978	-	-	24	254	50	82	20	33	10	13	46	23	412	329	3	7	231	88
Elmira	364	-	-	9	92	17	31	4	12	4	7	17	11	150	123	1	1	88	33
Balance of county	614	-	-	15	162	33	51	16	21	6	6	29	12	262	206	2	6	143	55
Chenango	119	-	-	4	127	31	37	8	15	6	5	25	4	233	186	-	2	136	48
Clinton	605	-	-	4	130	29	38	9	19	6	4	25	12	298	234	3	4	178	49
Plattsburgh	221	-	-	-	48	9	13	4	8	2	2	10	2	107	95	1	2	72	20
Balance of county	384	-	-	4	82	20	25	5	11	4	2	15	10	191	139	2	2	106	29
Columbia	672	-	-	20	163	34	59	10	18	11	6	25	9	305	246	3	5	193	45
Cortland	392	-	-	4	98	24	33	6	11	5	5	14	8	179	144	2	1	101	40
Cortland	187	-	-	1	46	9	18	4	5	1	1	8	6	87	69	1	1	51	16
Balance of county	205	-	-	3	52	15	15	2	6	4	4	6	2	92	75	1	-	50	24
Delaware	508	-	-	4	117	32	36	10	10	6	5	18	8	248	204	3	8	116	77
Dutchess	2,180	1	-	53	529	134	164	45	57	19	19	91	38	970	809	8	11	608	182
Beacon	139	-	-	3	29	6	12	3	1	1	1	5	3	67	53	-	-	41	12
Poughkeepsie	385	1	-	16	88	23	25	10	10	2	6	12	12	165	126	1	1	89	35
Balance of county	1,656	-	-	34	412	105	127	32	46	16	12	74	23	738	630	7	10	478	135
Erie	10,138	3	-	225	2,565	618	757	245	275	109	96	465	174	4,828	3,884	31	94	2,965	804
Buffalo	3,927	-	-	133	908	199	279	88	103	32	30	177	78	1,767	1,430	12	43	1,079	296
Depew	189	-	-	1	57	16	19	6	4	5	-	7	6	85	72	-	1	53	18
Hamburg	71	-	-	2	15	1	8	2	-	-	1	3	1	32	23	-	1	16	6
Kenmore	179	-	-	2	44	8	15	5	5	1	2	8	1	98	85	1	6	60	18
Lackawanna	231	-	-	4	68	18	19	6	9	4	1	11	8	101	79	1	3	61	14
Lancaster	107	-	-	-	24	2	7	2	2	2	1	8	1	60	46	-	1	36	9
Tonawanda	180	-	-	3	42	13	8	2	5	3	1	10	1	95	78	-	1	61	16
West Seneca town#	441	-	-	6	145	40	43	14	13	5	5	25	4	201	159	-	2	135	22
Balance of county	4,813	3	-	74	1,262	321	359	120	134	57	55	216	74	2,389	1,922	17	36	1,464	405
Eseax	366	-	-	5	90	19	34	10	6	2	4	15	2	159	126	-	3	101	22
Franklin	444	1	-	6	108	23	36	8	11	5	8	17	6	202	167	2	2	133	30
Fulton	613	1	-	8	141	44	44	11	13	10	1	18	8	317	267	1	3	178	85
Gloversville	237	1	-	4	52	17	11	5	6	5	-	8	3	130	110	-	1	80	29
Balance of county	376	-	-	4	89	27	33	6	7	5	1	10	5	187	157	1	2	98	56
Genesee	545	-	-	10	143	34	44	12	18	5	4	26	9	233	188	2	7	141	38
Batavia	199	-	-	2	48	15	18	2	4	2	-	7	2	91	74	2	1	53	18
Balance of county	346	-	-	8	95	19	26	10	14	3	4	19	7	142	114	-	6	88	20
Greene	506	-	-	13	138	33	44	7	15	4	4	31	9	226	191	1	4	151	35
Hamilton	56	-	-	-	14	2	2	1	4	-	-	5	2	25	24	-	-	16	8
Herkimer	683	1	-	4	160	45	43	14	22	6	2	28	13	333	264	4	5	191	64
Jefferson	846	-	-	9	187	29	59	18	29	5	10	37	13	411	334	1	5	257	71
Watertown	349	-	-	6	68	12	16	11	10	2	3	14	2	181	141	-	2	113	26
Balance of county	497	-	-	3	119	17	43	7	19	3	7	23	11	230	193	1	3	144	45
Lewis	238	-	-	6	68	17	27	7	4	-	3	10	2	96	79	-	1	51	27
Livingston	491	1	-	12	117	25	28	5	14	4	6	35	6	218	167	-	5	126	36
Madison	557	1	-	12	134	26	40	12	19	12	6	19	10	244	191	4	10	132	45
Oneida	112	-	-	2	22	4	7	2	2	2	-	5	1	60	49	-	5	34	10
Balance of county	445	1	-	10	112	22	33	10	17	10	6	14	9	184	142	4	5	98	35
Monroe	5,871	1	-	212	1,455	326	403	147	165	55	47	312	120	2,432	1,912	18	42	1,420	432
Brighton town#	351	-	-	7	77	21	10	6	14	3	1	22	6	161	118	3	-	81	34
Gates town#	259	-	-	5	87	25	30	11	7	-	1	13	5	105	78	-	3	55	20
Greece town#	659	-	-	17	185	39	58	14	19	9	9	37	17	277	230	1	1	199	29
Honnetta town#	151	-	-	5	47	7	13	3	4	4	3	13	2	61	47	1	1	39	6
Irondequoit town#	520	-	-	14	131	41	28	10	19	4	3	26	8	221	169	1	1	130	37
Penfield town#	253	-	-	5	67	12	21	10	6	3	2	13	3	103	79	-	2	49	28
Rochester	2,437	1	-	123	516	116	156	52	54	20</									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 650

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 112 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
New York—Con.																			
Broome	12	139	15	31	61	92	4	19	28	1	11	10	16	173	22	24	23	6	1
Binghamton	2	39	10	6	27	29	-	6	10	1	3	2	8	62	2	7	7	2	1
Endicott	1	19	1	2	5	9	1	3	2	-	1	1	3	18	1	2	1	-	-
Johnson City	2	12	1	3	6	13	-	5	3	-	-	2	-	23	4	3	2	1	-
Vestal town#	2	22	1	5	8	7	2	-	2	-	-	-	-	23	2	3	2	1	-
Balance of county	5	47	2	15	15	34	1	5	11	-	7	5	4	59	13	11	11	2	-
Cattaraugus	2	39	15	13	38	59	3	6	12	4	5	7	3	60	10	8	10	1	-
Olean	1	12	1	2	12	17	1	2	4	-	-	2	2	9	1	1	10	1	-
Balance of county	1	27	14	11	26	42	2	4	8	-	5	5	1	51	9	8	10	1	-
Cayuga	3	58	12	11	39	47	2	9	8	-	4	1	7	60	6	12	6	1	-
Auburn	3	32	5	5	25	27	1	4	5	1	1	-	6	31	2	6	2	1	-
Balance of county	-	26	7	6	14	20	1	5	3	-	3	1	1	29	4	6	4	1	-
Chautauqua	8	100	4	12	51	69	6	17	20	-	1	5	5	129	30	20	19	6	3
Dunkirk	2	11	1	-	4	3	-	1	1	-	1	-	-	18	2	-	-	2	1
Fredonia	-	4	-	1	1	5	1	-	2	-	1	-	-	3	2	-	1	1	-
Jamestown	2	22	-	4	14	21	5	5	8	-	2	1	2	31	9	4	3	1	-
Balance of county	4	63	3	7	32	40	-	11	9	-	3	4	3	77	17	16	15	3	2
Chemung	3	58	9	13	30	62	2	16	11	-	4	6	7	96	16	7	5	2	1
Elmira	1	19	2	5	12	24	2	6	5	-	4	4	4	35	3	4	1	1	-
Balance of county	2	39	7	8	18	38	-	10	6	-	4	2	3	61	13	3	4	1	-
Chenango	-	36	4	7	23	32	1	4	1	-	1	2	2	57	11	10	3	4	-
Clinton	-	44	11	9	19	34	4	6	3	-	5	4	1	49	15	12	8	1	-
Plattsburgh	-	8	1	3	6	12	2	4	3	-	2	2	1	23	5	2	2	2	-
Balance of county	-	36	10	6	13	22	2	2	3	-	3	2	-	26	10	10	6	1	-
Columbia	1	47	5	6	34	27	5	8	5	-	2	1	4	54	17	11	6	1	-
Cortland	-	29	-	6	18	11	3	5	7	-	2	1	1	34	3	11	5	2	-
Cortland	-	15	-	3	9	5	3	3	5	-	1	-	-	15	3	3	1	2	-
Balance of county	-	14	-	3	9	6	-	2	2	-	1	1	1	19	3	8	4	4	-
Delaware	-	31	2	11	13	36	2	4	7	-	4	2	3	40	7	8	5	-	-
Dutchess	11	118	5	27	95	113	6	26	25	-	12	8	10	202	32	35	15	10	-
Beacon	-	11	-	3	5	12	-	3	1	-	-	-	1	12	-	2	1	-	-
Poughkeepsie	3	28	2	6	18	17	3	7	4	-	4	3	3	33	1	5	2	3	-
Balance of county	8	79	3	18	72	84	3	16	20	-	8	5	6	157	31	28	12	7	-
Erie	44	719	43	128	289	369	38	133	94	-	23	68	66	821	107	137	81	89	28
Buffalo	23	259	7	48	121	154	16	64	37	-	9	51	49	324	26	69	30	73	18
Depew	-	10	-	3	4	5	1	1	2	-	-	1	1	17	3	3	1	-	1
Hamburg	-	6	-	3	2	5	1	1	1	-	-	-	-	7	2	2	-	-	-
Kenmore	2	11	-	-	5	6	-	1	1	-	-	-	-	10	1	6	4	-	-
Lackawanna	1	18	1	2	5	9	2	3	3	-	-	1	2	16	5	1	2	1	-
Lancaster	1	10	1	2	5	-	-	2	1	-	-	-	1	8	2	1	1	-	1
Tonawanda	1	13	-	3	2	12	1	2	1	-	1	-	-	18	-	1	1	-	-
West Seneca town#	2	32	1	7	10	13	1	6	4	-	2	1	2	33	2	6	4	1	-
Balance of county	14	360	33	60	135	165	16	53	44	-	11	14	11	388	66	48	38	14	8
Essex	1	22	4	6	11	25	-	5	4	-	3	2	2	46	3	7	2	-	-
Franklin	-	22	5	8	10	35	-	5	5	-	1	1	3	51	6	3	1	-	-
Fulton	1	30	5	14	26	33	1	6	10	-	2	2	-	37	8	5	2	1	-
Gloversville	-	13	2	5	6	12	-	1	3	-	1	-	-	16	2	3	2	1	-
Balance of county	1	17	3	9	20	21	1	5	7	-	1	2	-	21	6	2	3	1	-
Genesee	2	20	11	12	21	26	1	4	7	-	2	7	4	46	17	10	4	1	-
Batavia	-	6	7	4	10	11	1	1	4	-	1	-	3	19	1	3	1	1	-
Balance of county	2	14	4	8	11	15	-	3	3	-	1	7	1	27	16	7	3	-	-
Greene	2	24	2	7	24	16	1	5	5	-	1	2	2	38	13	7	5	1	-
Hamilton	-	-	-	1	4	2	-	1	2	-	-	-	-	3	1	2	-	-	-
Herkimer	7	53	5	4	25	40	2	10	11	-	4	3	4	48	10	8	6	-	1
Jefferson	3	55	10	9	38	35	4	16	9	-	6	9	6	65	16	11	10	1	-
Watertown	1	27	9	3	13	17	2	4	5	-	1	2	2	35	2	6	3	-	-
Balance of county	2	28	1	6	25	18	2	12	4	-	5	7	4	30	14	5	7	1	-
Lewis	-	14	2	1	9	10	-	2	4	-	1	2	1	23	7	3	3	1	-
Livingston	2	38	5	6	21	22	1	8	3	-	2	4	-	42	13	8	12	1	-
Madison	2	39	2	10	22	35	-	3	5	-	4	5	3	51	11	9	5	3	-
Oneida	-	10	1	-	5	6	-	-	1	-	-	1	2	9	2	1	-	-	-
Balance of county	2	29	1	10	17	29	-	3	4	-	4	4	1	42	9	8	5	3	-
Monroe	21	418	13	68	238	193	16	56	80	2	46	44	44	666	51	92	65	53	5
Brighton town#	-	37	1	5	12	13	2	4	4	-	4	-	2	53	3	3	-	-	-
Gates town#	-	21	1	5	5	5	1	1	1	-	1	-	2	28	2	6	1	-	-
Greece town#	2	37	1	7	30	28	1	7	8	-	6	4	4	55	3	14	3	-	-
Henrietta town#	3	8	-	3	5	7	-	-	2	-	2	1	1	12	1	2	3	-	-
Irondequoit town#	1	44	-	7	21	15	1	2	6	-	3	2	4	77	3	5	6	1	-
Penfield town#	-	19	2	3	15	8	1	2	6	-	1	1	1	30	-	4	5	1	-
Rochester	12	175	4	31	101	76	9	25	31	1	20	31	26	282	18	40	28	51	4
Balance of county	3	77	4	7	49	41	1	15	18	1	9	5	4	129	21	18	19	-	1
Montgomery	4	44	4	14	33	29	1	9	14	-	4	1	7	44	9	9	6	2	-
Amsterdam	3	18	2	7	14	13	1	2	5	-	3	-	3	18	2	5	4	1	-
Balance of county	1	26	2	7	19	16	-	7	9	-	1	1	4	26	7	4	2	1	-
Nassau	23	552	57	106	405	388	28	126	102	3	30	73	96	781	161	136	97	43	28
East Rockaway	-	7	1	1	3	2	-	1	-	-	-	-	-	7	1	2	-	-	1
Floral Park																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 651

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 113 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-203)	Malignant neoplas- ms of di- gestive organs and peri- toneum (150- 159)	Malign- ant neoplas- ms of res- piratory and in- tra-thor- acic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (179- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
New York—Con.																				
Long Beach	482	-	-	8	83	18	24	6	10	4	4	17	7	277	247	1	8	217	21	
Lynbrook	185	-	-	10	50	15	14	3	3	5	1	9	2	93	77	4	2	63	8	
Massapequa Park	175	-	-	2	49	17	6	6	7	4	2	7	2	80	69	1	1	54	13	
Mineola	155	-	-	6	29	7	7	3	4	2	4	2	4	81	69	1	2	50	16	
Rockville Centre	235	-	-	11	62	14	22	3	7	4	-	12	2	116	102	1	5	76	20	
Valley Stream	342	-	-	9	96	22	25	10	11	3	6	19	2	162	150	1	4	131	14	
Westbury	175	-	-	7	53	16	17	-	7	3	3	7	3	69	61	1	3	45	12	
Balance of county	8,191	5	-	244	2,207	556	604	225	244	103	75	400	118	3,837	3,297	32	135	2,564	566	
New York city	71,023	205	8	6,258	14,609	4,058	3,577	1,492	1,835	521	461	2,665	1,299	32,370	28,730	154	1,397	23,315	3,864	
Bronx bor., Bronx co	12,675	36	5	1,314	2,300	683	502	225	311	95	65	419	291	5,317	4,676	30	326	3,655	665	
Brooklyn bor., Kings co	21,642	77	-	1,775	4,202	1,151	1,057	458	527	132	131	746	427	10,275	9,242	40	443	7,599	1,160	
Manhattan bor., New York co	15,120	72	3	2,125	3,203	831	792	315	400	91	108	666	229	5,703	4,804	27	367	3,387	1,023	
Queens bor., Queens co	18,161	16	-	884	4,063	1,170	981	417	502	170	125	698	297	9,332	8,408	48	235	7,221	904	
Staten Island bor., Richmond co	3,425	4	-	160	841	223	245	77	95	33	32	136	55	1,743	1,600	9	26	1,453	112	
Niagara	2,240	-	-	51	535	140	159	43	61	22	13	97	42	1,063	854	2	18	691	143	
Lockport	303	-	-	7	69	22	20	6	4	4	2	11	5	154	138	-	5	116	17	
Niagara Falls	773	-	-	20	172	51	49	15	22	5	1	29	22	350	272	1	8	201	62	
North Tonawanda	305	-	-	7	86	18	29	11	7	4	1	16	7	143	111	-	3	91	17	
Balance of county	859	-	-	17	208	49	61	11	28	9	9	41	8	416	333	1	2	283	47	
Oneida	2,489	1	-	61	612	159	155	59	74	27	32	106	45	1,137	909	12	16	605	276	
Rome	430	-	-	18	97	20	18	12	13	4	7	23	7	179	149	3	3	85	58	
Utica	940	-	-	25	218	57	56	20	20	19	11	35	20	442	356	5	9	252	90	
Balance of county	1,119	1	-	18	297	82	81	27	41	4	14	48	18	516	404	4	46	268	128	
Onondaga	3,949	-	-	107	1,007	244	297	83	105	47	24	207	79	1,675	1,300	22	22	800	432	
Syracuse	1,736	1	-	56	386	106	127	28	35	14	8	68	30	773	598	6	24	341	229	
Balance of county	2,213	-	-	51	621	138	170	55	70	33	16	139	49	902	702	16	24	459	203	
Ontario	871	-	-	13	228	46	64	26	20	12	11	49	19	343	282	3	8	210	61	
Canandaigua	144	-	-	1	33	5	8	4	2	1	2	11	2	62	46	1	2	33	10	
Geneva, part	173	-	-	4	46	9	15	7	4	2	5	4	2	74	61	-	-	51	10	
Geneva, total	173	-	-	4	46	9	15	7	4	2	5	4	2	74	61	-	-	51	10	
Balance of county	554	-	-	8	149	32	41	15	14	9	4	34	15	207	175	2	6	126	41	
Orange	2,370	1	-	69	615	163	180	57	65	23	23	104	51	1,096	899	7	28	681	182	
Middletown	257	1	-	12	59	13	24	9	5	1	3	4	5	122	94	1	4	69	20	
Newburgh	256	-	-	17	40	9	17	3	2	1	-	8	7	123	96	1	3	76	16	
Balance of county	1,857	-	-	40	516	141	139	45	58	21	20	92	39	851	708	5	21	536	146	
Orleans	371	-	-	10	90	25	20	8	20	1	2	14	8	180	140	1	2	112	25	
Oswego	1,003	-	-	20	231	47	75	29	27	15	13	25	17	464	372	4	22	232	114	
Fulton	160	-	-	3	36	9	13	5	3	5	-	1	4	76	62	1	2	33	26	
Oswego, part	234	-	-	8	47	8	15	10	3	4	2	5	4	118	89	2	7	60	20	
Balance of county	609	-	-	9	148	30	47	14	21	6	11	19	9	270	221	1	13	139	68	
Otsego	619	-	-	9	162	39	47	12	16	13	8	27	14	261	197	1	3	122	71	
Oneonta	127	-	-	1	31	6	9	3	5	1	-	7	2	63	45	-	-	25	19	
Balance of county	492	-	-	8	131	33	38	9	11	12	8	20	12	198	152	-	3	97	52	
Putnam	574	-	-	20	160	37	42	17	13	11	10	30	11	247	207	1	5	145	56	
Carmel town#	185	-	-	6	57	7	14	8	9	5	2	12	-	77	64	-	1	45	18	
Balance of county	389	-	-	14	103	30	28	9	4	6	8	18	11	170	143	1	4	100	38	
Rensselaer	1,422	-	-	31	353	95	115	34	30	19	9	51	31	676	553	2	12	413	126	
Troy	595	-	-	14	150	42	43	17	11	12	3	22	13	279	228	1	6	174	47	
Balance of county	827	-	-	17	203	53	72	17	19	7	6	29	18	397	325	1	6	239	79	
Rockland	2,019	-	-	91	509	142	122	49	42	21	17	116	36	846	701	12	9	556	124	
Spring Valley	148	-	-	10	36	9	7	3	2	2	2	11	5	56	45	1	-	37	7	
Suffern	80	-	-	4	31	6	10	1	4	2	2	6	1	31	25	-	1	21	3	
Balance of county	1,791	-	-	77	442	127	105	45	36	17	13	99	30	759	631	11	8	498	114	
St. Lawrence	1,061	-	-	14	261	79	69	21	32	11	10	39	19	475	392	-	6	300	86	
Massena	120	-	-	3	35	11	11	4	2	1	1	5	1	52	46	-	1	39	6	
Ogdensburg	151	-	-	4	35	11	12	2	5	2	-	3	2	69	58	-	1	47	10	
Potsdam	76	-	-	1	18	7	5	2	1	-	1	2	1	32	22	-	-	17	5	
Balance of county	714	-	-	6	173	50	41	13	24	8	8	29	15	322	266	-	4	197	65	
Saratoga	1,283	1	-	22	331	75	103	24	34	16	25	54	13	548	453	4	7	340	102	
Saratoga Springs	252	-	-	7	58	10	21	3	7	5	2	10	3	107	80	-	2	55	23	
Balance of county	1,031	1	-	15	273	65	82	21	27	11	23	44	10	441	373	4	5	285	79	
Schenectady	1,555	1	-	31	404	81	124	29	54	16	14	86	32	699	566	2	7	387	170	
Niskayuna town#	143	-	-	3	42	14	4	2	8	-	3	11	1	60	49	-	-	38	11	
Rotterdam town#	261	-	-	1	73	17	29	5	6	3	2	11	3	120	99	1	1	73	24	
Schenectady	808	-	-	20	204	37	64	15	31	8	5	44	21	380	307	-	4	204	99	
Balance of county	343	1	-	7	85	13	27	7	9	5	4	20	7	139	111	1	2	72	36	
Schoharie	306	1	-	2	69	17	25	6												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 652

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 114 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-439)	Athero-sclerosis (440)	Other diseases of arteries, arteri-oles, and capil-laries (441-448)	Pneu-monia and in-fluenza (480-487)	Chronic obstructive pul-mo-nary diseases and allied condi-tions (490-496)	Ulcer of stomach and duo-denum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, ne-phrotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (630-676)	Congen-ital anomalies (740-759)	Certain con-ditions orig-inating in the per-natal period (760-779)	Symp-toms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E979)	All other external causes (E980-E999)
New York—Con.																			
Long Beach	3	21	3	3	13	16	-	6	5	-	1	3	5	32	8	4	7	1	6
Lynbrook	1	12	3	-	2	7	-	1	3	-	-	1	-	11	1	2	1	-	1
Massapequa Park	-	8	-	3	6	12	-	4	-	-	-	-	1	9	3	3	2	-	-
Mineola	-	8	1	3	4	5	2	1	4	1	-	1	2	9	2	4	-	-	-
Rockville Centre	1	12	1	-	10	6	-	2	1	-	1	1	1	18	4	4	1	-	-
Valley Stream	-	9	1	2	17	13	-	7	1	1	-	1	-	18	2	5	5	2	1
Westbury	-	8	-	-	3	6	-	-	2	-	1	4	1	12	3	5	-	5	1
Balance of county	15	398	42	85	298	275	20	87	70	1	23	47	74	570	107	99	69	25	15
New York city	472	2,475	236	457	2,614	1,643	242	992	383	35	381	723	583	3,867	668	1,480	606	1,995	82
Bronx bor., Bronx co	82	428	46	85	503	314	57	210	85	4	67	147	115	810	124	320	97	567	14
Brooklyn bor., Kings co	144	729	50	110	763	420	59	288	122	13	147	289	188	1,088	212	439	184	666	28
Manhattan bor., New York co	140	558	73	128	677	383	53	245	78	9	79	97	111	1,010	107	383	177	358	18
Queens bor., Queens co	96	658	60	110	539	427	65	215	101	7	72	168	125	831	192	289	146	371	21
Staten Island bor., Richmond co	10	102	7	24	134	99	8	34	17	2	16	22	24	128	33	49	22	33	1
Niagara	4	163	8	34	67	93	11	30	22	-	7	5	15	190	37	38	2	8	5
Lockport	-	14	-	2	10	13	1	1	5	-	-	1	-	26	7	2	2	-	-
Niagara Falls	-	62	4	12	31	32	4	13	10	-	3	4	6	68	9	15	8	6	-
North Tonawanda	2	27	1	2	6	11	1	1	-	-	1	-	2	24	3	5	5	1	2
Balance of county	2	60	3	18	20	37	5	15	7	-	3	-	7	72	18	16	6	1	3
Oneida	7	173	15	33	96	123	6	24	38	-	9	7	20	216	30	32	25	5	2
Rome	1	24	-	5	25	24	1	3	5	-	1	2	6	41	6	8	7	-	-
Utica	2	70	3	11	36	44	1	8	16	-	1	2	8	85	6	15	7	5	1
Balance of county	4	79	12	17	35	55	4	13	17	-	7	3	6	90	18	9	11	1	-
Onondaga	16	277	24	58	140	186	17	29	34	-	23	26	30	421	53	61	39	15	6
Syracuse	9	135	13	18	63	77	7	14	15	-	13	14	17	194	23	25	14	13	1
Balance of county	7	142	11	40	77	109	10	15	19	-	10	12	13	227	30	36	25	2	5
Ontario	1	48	-	12	38	40	3	4	5	-	6	5	3	118	18	12	13	3	-
Canandagua	-	15	-	1	8	9	1	-	-	-	1	-	-	22	2	3	1	-	-
Geneva, part	1	8	-	4	8	8	1	-	-	-	2	1	1	18	2	3	2	1	-
Geneva, total	1	8	-	4	8	8	1	-	-	-	2	1	1	18	2	3	2	1	-
Balance of county	-	25	-	7	22	23	1	3	5	-	3	4	2	78	13	9	10	2	-
Orange	10	139	25	24	81	115	5	18	23	1	16	20	16	142	34	33	20	11	3
Middletown	2	18	6	2	6	13	-	5	4	-	1	4	4	14	1	4	2	1	1
Newburgh	2	22	1	1	11	19	-	4	2	1	1	4	-	12	4	5	-	6	-
Balance of county	6	99	17	21	64	83	5	9	17	-	14	12	14	116	29	24	18	4	2
Orleans	1	31	3	5	14	12	2	2	2	-	3	3	2	22	9	4	5	2	1
Oswego	1	67	15	9	20	75	1	7	14	-	10	6	8	78	29	11	11	1	-
Fulton	-	10	3	1	2	13	-	-	5	-	2	2	2	12	2	2	1	-	-
Oswego	-	22	5	2	5	17	-	2	4	-	2	1	1	19	3	2	1	-	-
Balance of county	1	35	7	6	13	45	1	5	5	-	6	5	5	47	24	7	9	1	-
Otsego	-	47	8	9	35	32	1	4	8	-	6	1	1	53	11	13	8	-	-
Oneonta	-	13	2	3	8	8	-	-	-	-	1	-	1	9	1	3	-	-	-
Balance of county	-	34	6	6	27	24	1	4	8	-	5	1	1	44	10	10	8	-	-
Putnam	3	32	1	4	27	25	2	8	4	-	5	1	6	35	12	7	4	-	-
Camel town#	2	9	1	1	11	13	1	3	2	-	1	-	-	8	3	3	-	-	-
Balance of county	1	23	-	3	16	12	1	5	2	-	4	1	6	27	9	4	4	-	-
Rensselaer	5	78	19	21	55	78	6	12	18	-	10	7	9	96	16	11	12	-	-
Troy	3	31	7	10	22	33	3	8	4	-	5	4	3	43	5	4	5	-	-
Balance of county	2	47	12	11	33	46	3	4	14	-	5	3	6	53	11	7	7	-	-
Rockland	5	114	5	21	137	82	2	18	18	2	12	21	20	153	17	26	21	7	1
Spring Valley	2	8	-	1	6	3	-	4	2	-	2	3	3	11	2	2	1	2	-
Suffern	-	6	-	3	7	1	-	1	-	-	-	-	-	2	1	3	2	-	-
Balance of county	3	100	5	20	128	78	2	14	15	2	10	18	17	140	14	21	18	5	1
St. Lawrence	4	58	5	16	38	65	3	8	9	-	4	12	7	90	21	19	15	1	-
Massena	1	5	-	2	3	4	1	2	-	-	-	-	2	14	-	1	2	-	-
Ogdensburg	-	7	2	2	10	17	-	3	1	-	2	2	-	4	1	1	-	-	-
Potsdam	1	8	-	1	3	5	-	3	-	-	-	-	2	11	-	2	-	-	-
Balance of county	2	38	3	13	22	39	2	3	8	-	2	8	4	61	20	15	13	1	-
Saratoga	5	62	4	24	55	72	7	13	20	-	5	9	6	106	21	31	22	1	-
Saratoga Springs	1	20	-	6	16	18	4	2	3	-	1	2	-	25	-	5	1	-	-
Balance of county	4	42	4	18	39	54	3	11	17	-	4	7	6	81	21	26	21	1	-
Schenectady	2	97	13	21	64	71	8	17	14	-	9	10	8	142	11	21	9	4	-
Niskayuna town#	-	9	1	1	5	6	-	2	1	-	1	-	1	15	3	3	-	-	-
Rotterdam town#	1	16	-	4	9	8	4	5	3	-	1	1	1	25	2	4	1	-	-
Schenectady	1	53	10	9	28	34	2	6	8	-	3	8	6	66	3	10	6	3	-
Balance of county	-	19	2	7	22	23	2	4	2	-	4	1	-	36	3	4	2	1	-
Schoharie	1	17	1	4	16	14	1	2	4	-	1	1	1	34	10	4	4	-	1
Schuyler	-	5	1	3	13	9	-	2	1	-	-	-	1	15	2	3	-	5	-
Seneca	-	21	2	2	25	16	1	4	2	-	1	2	1	20	7	5	1	3	-
Geneva, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	21	2	2	25	16	1	4	1	-	1	2	1	20	7	5	1	3	-
Steuben	3	62	8	5	38	58	2	9	8	-	8	4	8	105	16	9	13	2	-
Corning	1	8	3	2	7	3	-	2	1	-	1	2	2	17	3	3	-	-	-
Hornell	-	6	-	4	5	-	-	1	1	-	3	1	1	15	1	3	1	-	-
Balance of county																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 653

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 115 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- topoietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perit- oneum (150- 159)	Malign- ant neoplasms of res- piratory and in- tra-tho- racic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (179- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
New York—Con.																			
Sullivan	763	-	-	28	194	51	59	15	23	8	3	35	13	346	288	2	7	214	65
Tioga	429	-	-	2	119	29	32	12	17	8	6	15	15	163	138	1	4	84	49
Tompkins	563	-	1	9	138	35	41	14	20	8	4	16	14	247	168	2	1	106	56
Ulster	1,481	1	-	49	353	79	107	32	37	16	15	67	41	664	540	5	10	410	115
Warren	492	-	-	8	110	24	30	13	17	3	5	18	15	221	173	2	6	119	46
Washington	566	1	-	16	139	34	46	7	22	5	5	20	16	240	191	2	7	133	49
Wayne	720	-	-	6	184	43	52	8	26	15	6	34	18	300	234	2	10	163	59
Westchester	7,731	11	-	297	2,016	528	527	200	224	76	70	391	117	3,500	2,912	21	115	2,149	627
York	1,156	1	-	38	282	70	83	21	25	13	13	57	34	510	414	4	9	318	83
Albany	1,102	-	-	21	232	53	74	15	27	7	12	44	31	494	377	3	18	260	96
Albany	496	-	-	10	115	25	40	8	11	3	2	26	9	213	152	1	10	103	38
Albany	606	-	-	11	117	28	34	7	16	4	10	18	22	281	225	2	8	157	58
Alexander	209	-	-	5	51	15	16	4	4	1	1	10	3	90	71	-	2	51	18
Allegany	102	-	-	2	23	4	7	-	4	-	1	7	1	39	28	1	1	21	5
Anson	291	-	1	5	69	20	20	7	6	2	2	12	4	150	118	-	4	97	20
Ashes	219	-	-	1	44	14	15	2	5	3	-	5	6	99	72	-	4	51	17
Avery	135	-	-	3	29	7	9	-	4	2	-	7	2	64	58	-	3	31	24
Beaufort	543	-	-	15	126	27	41	7	17	5	4	25	16	250	194	1	14	107	72
Bertie	236	-	-	4	53	15	20	4	10	1	-	3	8	106	72	-	2	56	14
Bladen	303	-	-	6	70	18	20	7	10	5	2	8	9	117	88	-	5	62	21
Brunswick	532	1	-	12	133	28	45	8	21	4	5	22	14	222	172	2	3	108	59
Buncombe	1,913	2	-	32	501	104	148	40	67	19	17	106	41	768	591	5	10	405	171
Asheville	960	2	-	23	247	52	72	23	32	8	10	50	24	391	288	4	6	198	80
Balance of county	953	-	-	9	254	52	76	17	35	11	7	56	17	377	303	1	4	207	91
Burke	683	-	-	14	166	37	56	6	26	7	4	30	14	291	245	2	3	177	63
Hickory, part	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Morganton	184	-	-	6	47	9	15	2	8	5	1	7	5	75	64	1	1	42	20
Balance of county	496	-	-	8	118	28	41	4	18	2	3	22	9	216	181	1	2	135	43
Cabarrus	673	-	1	22	208	58	51	17	22	10	9	41	12	380	311	2	4	219	86
Concord	351	-	-	11	82	21	23	8	10	5	5	10	4	154	129	-	-	93	36
Balance of county	522	-	1	11	126	37	28	9	12	5	4	31	8	226	182	2	4	126	50
Caldwell	592	-	-	8	157	32	58	9	19	6	4	29	22	243	206	3	4	129	70
Lenoir	173	-	-	3	42	8	14	-	5	1	1	13	8	74	66	1	1	42	22
Balance of county	419	-	-	5	115	24	44	9	14	5	3	16	14	169	140	2	3	87	48
Camden	59	-	-	1	11	3	3	1	1	-	-	3	1	24	17	-	1	11	5
Elizabeth City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	59	-	-	1	11	3	3	1	1	-	-	3	1	24	17	-	1	11	5
Carteret	534	-	-	14	146	23	57	9	10	6	8	33	18	203	163	1	2	103	57
Caswell	223	-	-	5	52	9	17	4	5	4	1	12	3	99	70	-	3	43	24
Catawba	1,036	-	-	19	251	48	84	26	23	15	5	50	21	418	329	3	8	228	90
Hickory, part	422	-	-	7	96	22	29	11	9	2	1	22	12	167	129	2	2	90	35
Hickory, total	425	-	-	7	97	22	29	11	9	2	1	23	12	167	129	2	2	90	35
Balance of county	614	-	-	12	155	26	55	15	14	13	4	28	9	251	200	1	6	138	55
Chatham	357	-	-	4	87	17	16	14	10	5	8	17	15	143	108	2	1	75	30
Cherokee	235	1	-	5	73	13	31	3	7	2	4	13	-	94	79	1	2	44	32

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 654

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 116 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper- tension with or without renal disease (401, 403)	Cerebro- vascular diseases (430- 438)	Athero- sclero- sis (440)	Other diseases of arteries, arterio- sclerosis, and capil- larities (441- 449)	Pneumonia and influenza (480- 487)	Chronic obstruc- tive pulmo- nary diseases and allied conditions (490- 496)	Ulcer of stomach and dodu- denum (531- 533)	Chronic liver disease and cir- rhosis (571)	Nephri- tis, neph- rotic syndro- me, and nephr- osis (580- 589)	Complica- tions of preg- nancy, child- birth, and the puer- perium (630- 676)	Congen- ital anomal- ies (740- 759)	Certain condi- tions origi- nating in the peri- natal period (760- 779)	Symp- toms, signs, and ill- defined condi- tions (780- 799)	All other diseases (Resid- ual)	Motor vehicle accidents (E810- E825)	All other accidents and adverse effects (E800- E807, E826- E849)	Suicide (E950- E959)	Homi- cide and legal inter- vention (E960- E978)	All other ex- ternal causes (E980- E999)	
New York—Con.																				
Sullivan	5	44	1	8	26	38	5	10	7	-	1	4	4	53	15	7	8	4	-	
Tioga	2	35	2	6	22	19	-	4	3	-	2	2	2	34	6	11	4	1	-	
Tompkins	2	45	21	11	17	36	3	2	4	-	2	1	3	61	10	5	9	1	-	
Ithaca	1	15	4	6	5	8	1	-	1	-	1	1	1	19	5	1	4	1	-	
Balance of county	1	30	17	5	12	28	2	2	3	-	1	1	2	42	5	4	5	-	-	
Ulster	7	81	10	26	55	73	3	16	17	-	8	7	10	115	17	25	20	6	1	
Kingston	2	16	4	6	18	16	-	4	5	-	1	1	3	26	-	4	1	3	-	
Balance of county	5	65	6	20	37	57	3	12	12	-	7	6	7	89	17	21	19	3	1	
Warren	3	29	1	15	15	35	2	6	3	-	2	2	4	42	11	9	5	1	1	
Glens Falls	1	7	-	7	5	13	1	1	2	-	2	2	2	13	-	2	1	-	-	
Balance of county	2	22	1	8	10	22	1	5	1	-	2	2	2	29	11	7	4	1	1	
Washington	4	25	12	8	11	25	2	4	2	-	4	2	4	68	10	8	13	-	-	
Wayne	4	44	6	12	23	34	3	6	6	-	6	5	4	85	17	11	8	3	1	
Newark	-	4	1	2	4	4	-	3	1	-	-	-	1	17	1	1	1	1	-	
Balance of county	4	40	5	10	19	30	3	3	5	-	6	5	3	68	16	10	8	2	1	
Westchester	22	458	40	68	328	277	19	96	83	-	27	42	29	564	81	124	67	46	7	
Dobbs Ferry	1	5	-	2	6	1	2	2	-	-	-	-	-	9	1	1	-	-	-	
Harrison	-	11	-	2	5	6	1	1	-	-	-	-	-	12	3	3	3	-	-	
Mamaroneck	-	16	-	3	5	5	-	3	1	-	-	-	-	5	-	3	3	-	-	
Mount Vernon	2	29	3	6	39	24	1	9	13	-	1	8	1	59	6	15	3	10	-	
New Rochelle	1	49	5	11	34	16	3	10	6	-	4	5	1	52	2	8	9	4	3	
Ossining	-	16	2	-	8	8	1	2	1	-	-	2	2	15	3	1	5	-	-	
Peekskill	-	15	-	1	13	11	-	6	4	-	1	2	2	11	1	1	-	1	-	
Port Chester	-	16	-	3	11	11	-	5	2	-	2	3	-	17	4	8	1	2	-	
Rye	-	5	2	-	7	6	1	-	2	-	-	-	-	7	-	-	2	-	-	
Scarsdale	-	12	-	1	5	1	-	1	1	-	-	-	-	10	-	4	-	1	-	
Tarrytown	1	9	2	-	3	2	-	1	2	-	-	-	-	9	2	1	-	-	-	
White Plains	2	28	2	3	24	15	-	12	7	-	3	3	-	44	4	7	3	1	1	
Yonkers	5	89	4	14	69	70	4	29	17	-	6	9	11	118	18	27	8	21	-	
Yorktown town#	1	16	2	4	20	15	-	1	2	-	1	2	1	23	5	3	2	-	1	
Balance of county	9	142	18	18	79	86	6	14	24	-	9	9	11	175	32	42	29	5	2	
Wyoming	-	22	5	7	16	17	5	4	6	-	1	3	1	27	3	9	4	1	-	
Yates	-	22	1	2	20	10	1	2	2	-	-	1	2	17	7	5	2	1	-	
North Carolina	316	4,576	389	664	1,918	2,402	162	730	548	13	337	539	515	6,148	1,314	1,403	860	816	29	
Urban places	124	1,718	153	215	691	864	61	306	196	2	130	250	227	2,441	323	489	288	385	9	
Balance of area	192	2,858	236	449	1,227	1,538	101	424	352	11	207	289	288	3,707	991	914	572	431	20	
Metropolitan counties	150	2,226	189	333	938	1,243	88	386	279	5	188	295	305	3,269	575	728	473	454	15	
Urban places	93	1,305	113	173	527	634	50	231	148	2	99	192	191	1,908	213	387	233	306	8	
Balance of area	57	921	76	160	411	549	38	154	131	3	89	103	114	1,361	362	341	240	146	7	
Nonmetropolitan counties	166	2,350	200	331	980	1,159	74	344	269	8	149	244	210	2,879	739	675	387	362	14	
Urban places	31	413	40	42	164	170	11	75	48	-	31	58	36	533	110	102	55	77	1	
Balance of area	135	1,937	160	289	816	989	63	269	221	8	118	186	174	2,346	629	573	332	289	13	
Alamance	5	84	16	12	27	57	8	13	16	-	3	11	9	117	18	22	11	12	-	
Burlington	3	47	7	4	11	28	4	4	6	-	1	6	3	61	5	10	4	6	-	
Balance of county	2	37	9	8	16	29	4	9	10	-	2	5	6	56	13	12	7	6	-	
Alexander	-	14	-	5	8	8	-	4	1	-	-	-	-	20	2	7	5	4	-	
Alleghany	-	7	1	3	5	9	-	1	1	-	2	-	-	9	3	1	6	-	-	
Anson	3	27	1	1	9	1	-	1	2	-	2	5	4	13	6	5	5	9	-	
Ashe	1	20	1	5	3	16	-	3	3	-	1	1	2	21	5	5	5	3	1	
Avery	-	4	-	2	9	7	1	1	3	-	-	1	1	8	2	1	2	1	-	
Beaufort	7	35	2	12	16	18	1	7	3	-	2	1	2	46	12	17	4	7	-	
Bertie	3	24	3	4	8	8	1	2	2	-	1	4	1	25	6	2	4	1	-	
Bladen	2	16	5	6	14	17	1	2	4	-	2	4	2	30	7	6	7	5	-	
Brunswick	3	36	4	7	17	21	1	10	5	-	2	1	2	42	16	15	13	5	-	
Buncombe	7	135	18	17	76	77	7	24	17	-	7	7	10	228	16	56	37	7	-	
Asheville	6	79	13	5	37	36	1	14	8	-	4	4	5	121	6	23	11	3	-	
Balance of county	1	56	5	12	39	41	6	10	9	-	3	3	5	107	10	33	26	4	-	
Burke	1	26	4	15	17	38	1	7	6	-	4	6	2	69	17	15	10	5	1	
Hickory, part	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	
Morganton	-	3	1	7	2	13	1	1	2	-	2	1	1	22	1	4	-	1	-	
Balance of county	1	23	3	8	15	25	-	5	4	-	2	5	1	47	16	10	10	4	1	
Cabarrus	2	51	2	14	41	36	4	6	9	-	4	7	7	89	13	16	12	6	-	
Concord	1	19	1	4	21	18	1	1	4	-	1	5	3	29	6	4	4	3	-	
Balance of county	1	32	1	10	20	18	3	5	5	-	3	2	4	60	7	12	8	3	-	
Caldwell	-	32	1	4	14	27	2	6	1	-	5	3	2	63	18	7	9	5	-	
Lenoir	-	7	1	-	6	13	-	-	1	-	2	1	-	17	3	3	-	-	-	
Balance of county	-	25	-	4	8	14	2	6	-	-	3	2	2	46	15	4	9	5	-	
Camden	1	5	-	1	1	5	-	1	-	-	-	-	2	10	2	1	-	-	-	
Elizabeth City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Balance of county	1	5	-	1	1	5	-	1	-	-	-	-	2	10	2	1	-	-	-	
Carteret	-	31	-	9	11	26	1	6	5	-	1	3	4	60	15	12	8	1	-	
Caswell	-	23	2	4	4	12	1	2	4	-	2	-	1	26	7	2	2	1	-	
Catawba	4	67	5	13	44	30	1	20	8	1	4	8	2	126	24	21	18	15	5	
Hickory, part	2	24	4	8	21	15	-	10	4	-	2	6	-	49	3	9	10	8	3	
Hickory, total	2	24	4	8	21	15	-	11	4	-	2	6	-	49	3	10	10	8	3	
Balance of county	2	43	1	5	23	15	1	10	4	1	2	2	2	77	21	12	8	7	2	
Chatham	4	28	-	3	5	17	2	4	4	-	-	-	3	32	18	14	6	3	-	
Cherokee	-	8	3	4	5	18	-	2	1	-	-	-	1	23	4	4	-	3	-	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 655

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 117 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 016)	Syphi- s (090- 097)	Residual of infec- tious and para- sitic dis- eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of di- gestive organs and pento- neum (150- 159)	Malignant neoplasms of res- piratory and in- tra- tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasm of genital organs (179- 187)	Malign- ant neo- plasm of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasm (140- 149, 170- 173, 190- 203)	Diabetes melli- tus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 428)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
North Carolina—Con.																				
Chowan	171	-	-	6	37	10	11	2	3	2	-	9	3	75	57	1	3	34	19	
Clay	72	-	-	-	25	7	8	2	1	2	-	5	-	29	24	-	-	18	6	
Cleveland	842	2	-	19	147	40	47	4	18	4	3	33	21	403	307	2	4	200	101	
Shelby	216	-	-	10	33	9	11	1	6	-	-	6	6	110	84	1	-	57	26	
Balance of county	626	2	-	9	114	31	36	3	10	4	3	27	15	293	223	1	4	143	75	
Columbus	540	-	-	11	113	34	38	4	13	2	5	17	11	240	188	-	3	164	21	
Craven	608	-	-	22	141	27	38	14	16	9	4	33	10	238	183	2	6	113	62	
Havelock	40	-	-	1	12	-	4	1	2	1	-	4	-	11	9	-	-	7	2	
New Bern	235	-	-	12	50	12	14	3	4	3	2	12	6	97	77	1	4	47	25	
Balance of county	333	-	-	9	79	15	20	10	10	5	2	17	4	130	97	1	2	59	35	
Cumberland	1,628	1	-	47	357	83	125	19	36	11	12	71	37	625	511	2	43	346	120	
Fayetteville	771	-	-	28	177	42	55	11	19	4	8	38	17	290	232	-	20	152	60	
Balance of county	857	1	-	19	180	41	70	8	17	7	4	33	20	335	279	2	23	194	60	
Cumtuck	133	-	-	4	28	6	9	2	4	1	-	6	2	61	47	-	1	29	17	
Dare	182	-	-	3	47	7	18	4	2	1	2	13	3	64	46	1	1	31	13	
Davidson	1,105	-	-	16	237	50	71	15	39	11	8	43	22	534	435	2	10	297	126	
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lexington	247	-	-	5	54	14	13	2	11	4	2	8	3	112	89	-	3	54	32	
Thomasville	210	-	-	3	35	9	9	2	4	-	2	9	2	119	102	1	1	80	20	
Balance of county	648	-	-	8	148	27	49	11	24	7	4	26	17	303	244	1	6	163	74	
Davie	224	-	-	5	64	20	14	4	6	3	3	14	4	89	73	1	2	57	13	
Duplin	448	1	-	10	106	22	24	9	14	3	2	32	13	203	130	1	4	92	33	
Durham	1,579	-	-	76	382	89	115	27	41	12	16	82	37	587	420	3	7	283	127	
Chapel Hill, part	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Durham	1,306	-	-	67	302	73	90	25	30	7	14	63	30	487	349	3	6	230	110	
Balance of county	270	-	-	9	79	16	25	2	11	4	2	19	7	100	71	-	1	53	17	
Edgecombe	603	2	-	14	139	28	41	16	17	7	1	29	12	257	182	1	17	121	43	
Rocky Mount, part	201	-	-	6	45	10	12	4	2	1	1	15	5	83	65	-	8	34	23	
Balance of county	402	2	-	8	94	18	29	12	15	6	-	14	7	174	117	1	9	87	20	
Forsyth	2,502	-	-	58	565	120	175	56	51	22	21	120	79	998	735	8	29	440	258	
Winston-Salem	1,687	-	-	47	361	73	115	33	37	15	14	74	66	670	496	3	17	294	182	
Balance of county	815	-	-	11	204	47	60	23	14	7	7	46	13	328	239	5	12	146	76	
Franklin	371	-	-	9	91	20	31	9	7	2	2	20	8	140	114	-	3	83	28	
Gaston	1,644	1	-	39	360	88	118	35	38	9	9	63	42	741	603	3	17	420	163	
Gastonia	718	-	-	13	153	45	41	14	14	6	1	32	16	313	262	-	10	171	81	
Balance of county	926	1	-	26	207	43	77	21	24	3	8	31	26	428	341	3	7	249	82	
Gates	92	-	-	4	19	7	2	1	5	-	-	4	-	40	32	1	1	24	6	
Graham	79	-	-	3	18	6	5	-	1	2	1	3	4	31	28	-	-	17	11	
Granville	354	-	-	14	75	21	18	6	9	4	1	16	11	148	107	-	2	77	28	
Greene	126	1	-	4	26	7	8	2	3	1	1	4	5	60	46	2	3	28	13	
Guilford	3,142	2	-	100	722	175	222	57	94	30	22	122	58	1,285	956	8	34	670	244	
Greensboro	1,700	1	-	51	405	89	122	39	54	19	12	60	34	663	480	3	18	317	142	
High Point, part	802	-	-	35	154	35	46	10	23	6	5	29	14	368	278	4	10	205	59	
High Point, total	806	-	-	35	156	35	47	10	23	6	5	30	15	369	279	4	10	205	60	
Balance of county	640	1	-	14	163	41	54	8	17	5	5	33	10	254	198	1	6	148	43	
Halifax	650	-	-	22	202	53	64	12	25	10	6	32	15	401	303	3	18	201	81	
Roanoke Rapids	189	-	-	1	42	7	16	7	4	1	1	6	3	59	59	-	7	44	18	
Balance of county	461	-	-	9	100	28	29	10	15	2	-	16	16	202	158	3	14	105	36	
Harnett	592	-	-	18	160	38	51	14	18	4	5	30	13	231	187	2	8	136	41	
Haywood	510	1	-	8	120	28	35	11	17	3	1	25	9	221	176	2	-	113	61	
Henderson	942	-	-	18	260	55	74	27	31	10	13	50	6	369	283	2	8	173	100	
Hertford	301	-	-	3	73	23	18	7	11	2	3	9	6	128	83	-	2	53	28	
Hoke	214	-	-	4	41	9	14	2	1	2	3	10	8	68	62	-	10	36	16	
Hyde	60	-	-	2	13	4	4	3	1	-	1	-	2	20	13	-	-	8	5	
Iredell	873	-	-	22	207	53	64	12	25	10	6	32	15	401	303	3	18	201	81	
Statesville	266	-	-	7	57	17	3	11	7	3	-	5	7	125	93	1	8	55	29	
Balance of county	607	-	-	15	145	35	47	9	14	7	6	27	8	276	210	2	10	146	52	
Jackson	240	-	-	7	52	10	16	5	3	3	3	12	5	102	79	-	-	56	23	
Johnston	779	1	-	19	164	34	53	15	21	6	2	33	18	367	292	3	10	204	75	
Jones	89	-	-	2	20	6	8	-	1	3	-	2	2	47	34	1	1	24	8	
Lee	408	2	-	11	104	30	28	6	13	3	9	15	8	146	112	-	7	68	37	
Sanford	214	-	-	4	53	12	15	4	6	2	4	10	4	78	59	-	5	33	21	
Balance of county	194	2	-	7	51	18	13	2	7	1	5	5	4	68	53	-	2	35	16	
Lenoir	636	1	-	25	143	27	41	17	23	6	5	24	26	271	185	-	6	110	69	
Kinston	343	-	-	14	77	11	19	8	17	4	4	14	13	141	97	-	5	54	38	
Balance of county	293	-	-	11	66	16	22	9	6	2	1	10	13	130	88	-	1	51	31	
Lincoln	416	-	-	11	101	21	35	11	11	7	1	15	5	178	128	-	4	97	38	
McDowell	331	-	-	6	76	10	22	4	9	6	3	22	9	162	128	-	4	97	25	
Macon	295	-	-	3	63	17	15	6	9	2	1	13	7	130	101	1	4	51	45	
Madison	189	-	-	3	41	9	15	3	7	1	1	5	7	83	61	1	1	39	21	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 656

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 118 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E900-E907, E926-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
Chowan	-	14	4	-	11	9	-	3	2	-	-	2	1	12	4	5	1	-	-
Clay	-	3	1	1	2	6	-	-	-	-	-	-	1	6	1	1	-	-	1
Cleveland	4	68	15	9	37	35	5	3	7	-	6	8	7	80	24	11	6	19	-
Shelby	1	18	5	2	9	5	1	3	2	-	2	2	1	15	6	3	-	8	-
Balance of county	3	50	10	7	28	30	4	2	5	-	4	6	6	65	18	8	6	11	-
Columbus	2	43	-	7	16	19	2	4	9	-	-	3	3	47	24	15	11	12	-
Craven	3	42	3	7	16	29	2	7	5	1	7	12	5	68	12	13	16	4	-
Havelock	2	2	-	-	1	-	1	1	-	-	2	2	1	4	1	2	1	-	-
New Bern	2	14	2	2	9	11	1	1	4	-	2	7	2	23	2	4	3	1	-
Balance of county	1	26	1	5	6	18	-	5	1	1	3	3	2	41	9	7	12	3	-
Cumberland	9	78	13	14	33	71	3	21	15	1	26	29	27	148	58	58	29	39	3
Fayetteville	4	36	9	9	18	29	3	12	8	1	9	14	15	81	17	20	15	16	1
Balance of county	5	42	4	5	15	42	-	9	7	-	17	15	12	67	41	38	14	23	2
Cumtuck	-	11	3	-	10	5	-	-	1	-	-	1	2	8	6	3	1	-	-
Dare	-	13	4	1	10	7	1	3	-	-	1	1	2	23	4	4	7	2	-
Davidson	5	75	2	17	30	58	1	14	12	-	7	10	8	78	25	23	17	13	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	3	15	1	4	9	14	-	6	5	-	1	3	3	15	2	7	3	5	-
Thomasville	1	11	-	5	8	10	-	2	3	-	-	2	-	15	2	3	2	4	-
Balance of county	1	49	1	8	13	34	1	6	4	-	6	5	5	48	21	13	12	4	-
Davie	-	14	2	-	10	9	1	1	2	-	3	2	2	21	2	3	2	4	-
Duplin	4	61	7	1	13	17	-	3	6	-	1	10	6	32	6	7	8	5	1
Durham	3	121	23	20	55	56	3	15	21	-	7	10	17	193	21	41	22	36	-
Chapel Hill, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Durham	2	98	23	15	46	49	2	14	18	-	5	7	15	165	16	35	14	34	-
Balance of county	1	23	-	5	9	7	1	1	3	-	2	3	2	27	5	6	7	2	-
Edgecombe	7	53	11	4	20	21	3	6	10	-	5	3	3	62	20	8	5	13	-
Rocky Mount, part	4	12	2	-	6	7	-	2	3	-	3	2	1	23	6	-	2	7	-
Balance of county	3	41	9	4	14	14	3	4	7	-	2	1	2	39	14	8	3	6	-
Forsyth	13	215	10	25	77	124	5	25	33	-	14	28	17	307	39	55	41	36	1
Winston-Salem	9	147	6	12	49	80	2	20	25	-	9	25	13	203	20	40	25	31	1
Balance of county	4	68	4	13	28	44	3	5	8	-	5	3	4	104	19	15	16	5	-
Franklin	3	20	1	2	17	9	1	7	6	-	2	3	3	43	12	8	6	6	-
Gaston	9	102	6	21	36	70	6	30	12	-	7	12	26	163	26	31	17	24	1
Gastonia	4	35	3	9	12	33	2	17	3	-	4	8	12	84	10	13	7	17	1
Balance of county	5	67	3	12	24	37	4	13	9	-	3	4	14	79	16	18	10	7	-
Gates	1	5	1	1	7	5	-	1	4	-	-	-	1	4	4	1	2	-	-
Graham	-	1	-	2	3	4	-	1	2	-	1	1	2	5	-	2	2	-	-
Granville	1	37	1	2	20	13	3	3	1	-	2	3	1	36	8	11	1	4	-
Greene	-	13	1	-	1	2	-	-	3	-	-	3	2	14	3	1	-	1	-
Guilford	21	253	23	32	107	138	19	39	20	-	23	31	26	365	52	81	38	36	-
Greensboro	12	148	7	16	56	76	15	26	9	-	9	18	16	214	20	45	22	20	-
High Point, part	7	67	5	11	38	35	-	7	3	-	7	7	6	81	11	17	9	12	-
High Point, total	7	67	5	11	38	35	-	7	3	-	7	7	6	81	11	17	9	12	-
Balance of county	2	38	11	5	15	27	4	6	8	-	7	6	4	70	21	19	7	4	-
Halifax	7	50	2	5	22	24	-	9	4	-	7	8	2	54	17	23	8	8	1
Roanoke Rapids	1	18	-	1	5	8	-	2	1	-	4	1	-	11	6	9	5	1	-
Balance of county	6	32	1	4	17	16	-	7	3	-	3	7	2	43	11	14	3	7	1
Harnett	1	31	1	11	22	24	3	4	7	1	3	5	9	51	14	12	7	8	-
Haywood	-	37	-	8	18	32	1	4	5	-	2	1	2	56	10	12	6	2	-
Henderson	3	70	-	13	38	45	-	13	6	-	5	1	3	117	14	20	16	10	-
Hertford	5	32	5	3	12	10	-	7	4	2	-	6	1	26	4	12	1	6	-
Hoke	1	22	-	3	6	8	1	4	2	-	3	7	4	14	11	5	1	7	-
Hyde	2	5	-	4	3	-	-	-	2	-	-	-	-	4	3	4	-	3	-
Iredell	4	79	3	12	35	33	5	9	5	-	2	4	3	90	13	11	10	13	-
Statesville	4	23	-	5	15	7	2	2	1	-	1	1	-	24	5	3	2	8	-
Balance of county	-	56	3	7	20	26	3	7	4	-	2	3	3	66	8	8	8	5	-
Jackson	-	14	-	9	9	8	-	7	3	-	3	1	2	28	6	6	3	1	-
Johnston	5	60	2	8	24	16	3	13	6	1	2	7	2	66	23	21	13	13	-
Jones	2	10	-	1	1	-	-	2	-	-	-	-	-	9	2	-	-	3	-
Lee	3	24	3	4	14	11	1	7	7	-	2	9	4	41	17	9	4	11	-
Sanford	1	12	3	3	7	6	1	5	3	-	1	3	3	24	10	3	2	7	-
Balance of county	2	12	-	1	7	5	-	2	4	-	1	6	1	17	7	6	2	4	-
Lenoir	2	68	12	4	15	25	1	6	9	-	2	5	1	72	9	7	9	9	-
Kinston	-	38	5	1	5	11	-	2	7	-	1	3	1	46	4	7	3	7	-
Balance of county	2	30	7	3	10	14	1	4	2	-	1	2	-	26	5	-	6	2	-
Lincoln	3	39	3	5	13	11	1	3	5	-	3	1	4	52	7	9	10	2	-
McDowell	4	21	5	4	11	14	-	7	3	-	1	1	1	26	5	8	1	-	-
Macon	-	25	-	4	14	15	-	4	1	-	2	1	5	38	6	3	2	2	-
Madison	3	19	-	2	6	13	-	-	3	-	1	-	-	19	7	1	5	-	-
Martin	2	13	2	2	12	1	1	2	-	-	1	4	-	28	12	3	3	4	-
Mecklenburg	26	307	13	41	91	143	14	55	23	-	28	46	52	424	65	78	54	105	1
Charlotte	24	248	11	29	81	119	11	51	21	-	25	40	48	348	44	68	46	98	1
Balance of county	2	59	2	12	10	24	3	4	2	-	3	6	4	76	21	10	8	7	-
Mitchell	1	10	2	1	7	6	-	2	1	-	-	1	2	24	2	6	2	-	-
Montgomery	1	17	-	4	7	3	3	2	2	-	1	2	4	27	4	7	3	2	-
Moore	1	72	1																

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 657

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 119 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- piratory and in- tra- thorac- ic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other mal- ignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
North Carolina—Con.																			
New Hanover	1,171	1	-	35	299	70	86	18	40	15	6	64	40	485	361	1	15	206	139
Wilmington	715	1	-	24	173	44	45	13	25	3	3	40	26	296	219	1	11	117	90
Balance of county	456	-	-	11	126	26	41	5	15	12	3	24	14	189	142	-	4	66	49
Northampton	277	-	-	8	70	20	21	8	7	3	1	10	7	127	92	-	9	65	17
Onslow	595	1	1	13	132	27	45	11	21	5	6	17	6	196	166	3	10	121	32
Jacksonville	226	-	-	8	48	7	15	4	10	2	1	9	2	79	69	3	7	48	11
Balance of county	369	1	1	5	84	20	30	7	11	3	5	8	4	117	97	-	3	73	21
Orange	596	1	-	20	162	32	48	14	17	7	4	40	12	229	170	1	5	107	57
Chapel Hill, part	220	1	-	10	62	10	18	6	7	2	3	16	4	79	56	1	2	33	20
Chapel Hill, total	223	1	-	10	63	10	18	6	7	3	3	16	4	79	56	1	2	33	20
Balance of county	376	-	-	10	100	22	30	8	10	5	1	24	8	150	114	-	3	74	37
Pamlico	113	-	-	1	37	3	14	2	2	-	1	15	2	44	31	-	2	23	6
Pasquotank	295	-	-	7	68	16	24	6	4	2	-	16	6	129	96	-	6	65	25
Elizabeth City, part	191	-	-	2	41	10	11	4	3	1	-	12	3	82	61	-	5	42	14
Elizabeth City, total	191	-	-	2	41	10	11	4	3	1	-	12	3	82	61	-	5	42	14
Balance of county	104	-	-	5	27	6	13	2	1	1	-	4	3	47	35	-	1	23	11
Pender	281	-	-	3	67	19	20	5	9	1	2	11	6	131	100	-	3	73	24
Perquimans	135	-	-	1	25	3	7	2	7	1	-	5	3	71	50	-	4	24	21
Person	280	-	-	6	59	8	19	3	11	2	-	16	3	140	103	-	1	71	31
Pitt	918	1	-	27	177	55	56	11	15	2	5	33	36	346	243	6	14	158	65
Greenville	365	-	-	16	62	18	19	3	5	2	1	14	13	135	100	2	7	59	32
Balance of county	553	1	-	11	115	37	37	8	10	-	4	19	23	211	143	4	7	99	33
Polk	234	1	-	3	52	13	13	4	8	6	3	5	6	106	84	1	3	62	18
Randolph	901	1	-	16	226	60	59	21	28	10	6	42	20	371	299	4	9	206	80
Asheboro	240	-	-	6	50	15	6	3	10	4	2	10	4	100	80	-	2	51	27
High Point, part	4	-	-	-	2	-	1	-	-	-	-	1	1	1	1	-	-	-	1
Balance of county	657	1	-	10	174	45	52	18	18	6	4	31	15	270	218	4	7	155	52
Richmond	480	-	-	5	111	30	33	13	14	2	1	18	10	217	166	1	10	118	37
Robeson	1,005	-	-	28	180	43	55	18	26	1	4	33	29	428	310	-	17	237	56
Lumberton	256	-	-	6	46	10	14	5	8	-	1	8	3	114	79	-	5	61	13
Balance of county	749	-	-	22	134	33	41	13	18	-	3	25	26	314	231	-	12	176	43
Rockingham	889	-	-	10	220	48	61	22	29	9	3	48	31	389	300	3	14	187	96
Eden	248	-	-	1	60	15	16	5	5	1	1	17	14	93	73	-	2	44	27
Reidsville	178	-	-	1	48	12	14	9	4	4	-	5	4	84	62	-	6	35	21
Balance of county	463	-	-	8	112	21	31	8	20	4	2	26	13	212	165	3	6	108	48
Rowan	1,163	-	-	11	265	52	80	14	31	11	14	63	27	532	398	2	13	249	134
Salisbury	407	-	-	6	78	20	22	5	7	6	2	16	7	191	134	1	8	68	57
Balance of county	756	-	-	5	187	32	58	9	24	5	12	47	20	341	264	1	5	181	77
Rutherford	584	-	-	10	130	23	45	10	14	3	5	30	11	266	207	2	2	147	56
Sampson	513	1	-	11	96	16	33	7	12	5	4	19	15	231	165	1	10	117	37
Scotland	300	-	-	11	65	18	14	4	8	2	2	17	7	135	101	-	4	74	23
Laurinburg	167	-	-	6	35	5	7	2	5	1	1	14	6	80	59	-	2	44	13
Balance of county	133	-	-	5	30	13	7	2	3	1	1	3	1	55	42	-	2	30	10
Stanly	526	-	-	8	139	25	52	11	19	7	1	24	20	240	176	1	10	128	37
Albemarle	200	-	-	3	54	13	18	5	7	1	-	10	11	82	66	-	4	47	15
Balance of county	326	-	-	5	85	12	34	6	12	6	1	14	9	158	110	1	6	81	22
Stokes	317	-	-	6	79	10	32	4	10	3	3	17	2	132	101	-	1	69	31
Surry	605	2	-	9	129	23	45	12	15	3	4	27	13	266	207	6	4	142	55
Swain	126	1	-	4	21	2	11	2	1	-	1	4	2	55	40	-	2	22	16
Transylvania	257	-	-	4	60	18	10	6	9	1	3	13	3	105	83	1	4	54	24
Tyrrell	45	1	-	1	5	2	2	1	-	-	-	-	1	22	17	-	2	11	4
Union	618	1	-	9	137	33	39	17	14	4	4	26	15	286	238	1	5	163	69
Monroe	194	-	-	4	38	10	13	3	5	-	1	6	2	96	78	-	2	53	23
Balance of county	424	1	-	5	99	23	26	14	9	4	3	20	13	190	160	1	3	110	46
Vance	412	-	-	11	100	22	27	8	11	4	9	19	14	165	132	-	8	85	39
Henderson	198	-	-	6	51	13	16	5	5	2	2	8	7	76	59	-	4	36	19
Balance of county	214	-	-	5	49	9	11	3	6	2	7	11	7	89	73	-	4	49	20
Wake	2,546	2	-	105	639	135	167	61	65	24	29	158	74	976	718	7	21	470	220
Cary	177	-	-	2	52	15	9	5	2	3	3	15	4	55	47	-	1	33	13
Gamer	103	-	-	8	27	8	7	-	3	2	1	6	3	40	35	1	2	21	11
Raleigh	1,435	-	-	70	343	66	90	38	38	9	15	87	46	545	363	6	11	235	111
Balance of county	831	2	-	25	217	46	61	18	22	10	10	50	21	336	273	-	7	181	85
Warren	250	-	-	8	75	19	17	4	17	4	2	12	4	91	63	-	2	42	19
Washington	130	-	-	5	35	11	7	3	8	2	-	4	-	54	43	1	1	22	19
Watauga	220	-	-	2	61	9	16	7	15	2	5	7	4	86	75	-	-	47	28
Boone	50	-	-	-	11	1	4	-	5	-	-	1	1	21	18	-	-	12	6
Balance of county	170	-	-	2	50	8	12	7	10	2	5	6	3	65	57	-	-	35	22
Wayne	913	3	-	30	224	65	67	20	31	4	7	30	19	374	294	3	16	187	88
Goldsboro	410	1	-	20	95	30	32	4	18	1	2	8	5	178	138	2	7	81	48
Balance of county	503	2	-	10	129	35	35	16	13	3	5	22	14	196	156	1	9	106	40
Wilkes	545	-	-	9	123														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 658

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 120 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
North Carolina—Con.																			
New Hanover	8	93	9	14	30	46	2	18	8	-	6	3	12	100	18	29	21	17	1
Wilmington	5	57	5	10	20	24	2	9	5	-	3	-	8	65	8	24	12	14	1
Balance of county	3	36	4	4	10	22	-	9	3	-	3	3	4	35	10	5	9	3	-
Northampton	4	25	2	4	8	9	3	2	3	-	1	-	2	22	9	3	2	1	-
Onslow	4	22	2	2	15	21	1	15	5	1	7	11	5	75	26	31	15	18	-
Jacksonville	-	8	1	1	8	10	1	1	2	1	3	5	1	30	6	8	6	7	-
Balance of county	4	14	1	1	7	11	-	14	3	-	4	6	4	45	20	23	9	11	-
Orange	5	46	3	5	10	17	1	3	4	-	2	9	3	74	20	9	13	6	1
Chapel Hill, part	1	22	-	-	5	7	1	-	1	-	1	4	2	28	6	4	5	-	-
Chapel Hill, total	1	22	-	-	5	7	1	-	1	-	1	4	2	29	6	4	6	-	-
Balance of county	4	24	3	5	5	10	-	3	3	-	1	5	1	46	14	5	8	6	1
Pamlico	1	9	1	2	5	2	-	-	-	-	-	-	-	11	5	4	1	1	-
Pasquotank	-	28	1	4	11	11	-	2	2	-	3	6	1	35	5	5	-	4	-
Elizabeth City, part	-	18	1	2	10	10	-	1	1	-	1	5	1	25	5	2	-	2	-
Elizabeth City, total	-	18	1	2	10	10	-	1	1	-	1	5	1	25	5	2	-	2	-
Balance of county	1	10	-	2	1	1	-	1	1	-	2	1	-	10	-	3	-	2	-
Pender	1	25	4	1	5	13	1	7	2	-	3	1	2	18	9	7	3	3	-
Perquimans	-	15	3	3	6	4	-	1	1	-	1	-	-	12	2	4	-	4	-
Person	2	27	1	7	7	9	-	4	-	-	1	-	2	21	8	10	7	3	-
Pitt	10	78	2	13	24	33	1	14	10	1	9	13	8	122	15	40	18	21	2
Greenville	3	29	1	2	12	12	-	5	2	-	4	6	3	56	8	13	9	9	-
Balance of county	7	49	1	11	12	21	1	9	8	1	5	7	5	66	7	27	9	12	2
Polk	1	20	1	-	8	10	1	1	-	-	-	1	-	25	4	8	6	1	1
Randolph	3	57	5	7	27	33	1	10	7	1	3	8	39	68	24	19	17	10	-
Asheboro	-	18	-	2	9	9	1	3	2	-	-	1	20	24	2	3	3	3	-
High Point, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	39	5	5	18	24	-	7	5	1	3	7	19	44	22	16	14	7	-
Richmond	3	32	6	10	19	12	3	5	6	-	1	3	4	44	24	6	4	6	-
Robeson	8	89	14	7	32	31	3	18	8	1	5	14	13	111	36	30	11	26	1
Lumberton	3	24	6	2	15	10	2	6	1	-	1	3	3	29	6	6	2	5	-
Balance of county	5	65	8	5	17	21	1	12	7	1	4	13	10	82	30	24	9	21	1
Rockingham	5	75	3	6	19	48	1	15	8	-	2	9	5	78	14	17	14	9	-
Eden	2	17	1	-	9	13	-	7	2	-	1	5	1	28	3	5	4	2	-
Reidsville	1	17	1	3	2	9	1	5	1	-	1	2	2	11	3	2	-	2	-
Balance of county	2	41	1	3	8	26	-	3	5	-	-	2	2	39	8	10	10	5	-
Rowan	5	99	19	11	43	41	3	10	14	1	5	8	9	123	21	25	9	15	1
Salisbury	3	38	13	3	21	15	1	6	4	-	2	4	3	55	2	6	2	4	-
Balance of county	2	61	6	8	22	26	2	4	10	1	3	4	6	68	19	19	7	11	1
Rutherford	3	39	7	10	27	31	1	5	3	1	7	6	4	40	15	14	10	3	-
Sampson	8	53	-	5	25	24	-	6	4	-	4	4	2	48	17	12	3	8	2
Scotland	3	30	-	1	8	4	1	4	-	-	3	7	4	27	9	11	1	3	-
Laurinburg	2	19	-	-	4	4	-	4	-	-	-	3	1	13	2	7	-	2	-
Balance of county	1	11	-	1	4	-	1	-	-	-	3	4	3	14	7	4	1	1	-
Stanly	-	54	8	2	7	13	-	6	6	-	1	6	10	34	12	13	7	4	-
Albemarle	-	15	1	-	5	5	-	1	1	-	1	1	5	14	8	5	3	1	-
Balance of county	-	39	7	2	2	8	-	5	5	-	-	5	5	20	4	8	4	3	-
Stokes	-	25	3	3	23	15	1	5	4	-	2	2	-	19	8	7	10	2	-
Surry	3	45	4	7	25	31	1	2	6	-	3	1	4	76	11	17	6	3	-
Swain	-	14	-	1	7	6	-	3	1	-	1	2	1	8	5	7	1	1	-
Transylvania	-	21	-	1	10	6	1	2	1	-	2	1	1	39	6	15	-	1	-
Tyrrell	-	5	-	-	-	2	-	1	2	-	-	1	-	7	2	-	-	-	-
Union	1	44	-	3	24	23	1	7	5	-	3	3	5	51	14	10	11	13	-
Monroe	-	18	-	-	7	9	1	4	-	-	-	3	2	17	3	3	-	5	-
Balance of county	1	26	-	3	17	14	-	3	5	-	3	-	3	34	11	7	11	8	-
Vance	2	28	1	2	15	12	1	9	7	-	-	1	5	42	10	10	5	5	-
Henderson	2	14	1	-	5	5	-	8	3	-	-	-	4	22	5	3	2	1	-
Balance of county	-	14	-	2	10	7	1	1	4	-	-	1	1	20	5	7	3	4	-
Wake	11	211	6	30	72	95	3	30	22	-	17	40	19	279	42	67	41	23	-
Cary	-	4	-	4	9	12	-	2	-	-	-	3	1	27	1	3	5	1	-
Garner	-	4	-	1	3	4	-	2	1	-	1	1	-	9	1	1	2	-	-
Raleigh	6	159	3	14	38	49	1	18	14	-	10	25	14	164	21	36	25	16	-
Balance of county	5	44	3	11	22	30	2	8	7	-	6	11	4	79	19	27	9	6	-
Warren	-	24	2	2	8	9	3	2	3	-	-	3	2	24	5	8	2	3	-
Washington	1	9	1	-	6	8	-	-	-	-	2	2	2	9	4	3	-	-	-
Watauga	1	5	3	2	9	7	-	2	1	-	1	-	-	33	5	5	2	2	-
Boone	-	1	2	-	4	1	-	-	1	-	-	-	-	8	2	1	-	-	-
Balance of county	1	4	1	2	5	6	-	2	-	-	1	-	-	25	3	4	2	2	-
Wayne	-	63	6	11	20	29	1	19	9	-	7	10	4	99	20	17	12	16	-
Goldsboro	-	33	2	5	8	9	-	12	5	-	3	6	1	45	8	6	5	3	-
Balance of county	-	30	4	6	12	20	1	7	4	-	4	4	3	54	12	11	7	13	-
Wilkes	3	50	2	6	27	25	1	5	6	-	3	1	-	62	18	15	8	5	-
Wilson	3	65	14	5	30	23	1	5	5	-	4	5	4	97	17	20	12	11	-
Wilson	3	52	6	3	21	13	1	4	3	-	1	3	3	72	11	14	7	9	-
Balance of county	-	13	8	2	9	10	-	1	2	-	3	2	1	25	6	6	5	2	-
Yadkin	2	28	1	5	12	17	-	4	4	-	1	-	-	37	5	7	7	-	-
Yancey	2	19	-	3	9	8	-	-	3	-	2	2	-	17	1	6	6	-	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 659

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 121 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hema- tolo- gic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- piratory and in- tra- thoracic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of gen- ital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuko- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
North Dakota	5,697	4	-	48	1,363	311	316	122	205	84	64	261	143	2,565	1,902	11	24	1,325	542
Urban places	2,147	1	-	18	524	118	124	54	69	29	31	99	47	939	691	5	6	468	212
Balance of area	3,550	3	-	30	839	193	192	68	136	55	33	162	96	1,626	1,211	6	18	857	330
Metropolitan counties	1,724	1	-	9	452	91	108	46	68	22	26	91	40	725	527	4	3	374	146
Urban places	1,385	1	-	6	361	72	85	40	54	17	22	71	36	588	433	4	1	303	125
Balance of area	339	-	-	3	91	19	23	6	14	5	4	20	4	137	94	-	2	71	21
Nonmetropolitan counties	3,973	3	-	39	911	220	208	76	137	62	38	170	103	1,840	1,375	7	21	951	396
Urban places	762	-	-	12	163	46	39	14	15	12	9	28	11	351	258	1	5	165	87
Balance of area	3,211	3	-	27	748	174	169	62	122	50	29	142	92	1,489	1,117	6	16	786	309
Adams	49	-	-	-	14	2	2	2	3	1	-	4	-	23	15	-	-	9	6
Barnes	154	-	-	3	36	7	3	4	8	3	2	9	5	66	44	1	2	27	14
Benson	83	-	-	1	11	1	4	1	3	1	-	1	6	41	28	-	-	21	7
Billings	4	-	-	-	1	1	-	-	-	-	-	-	-	3	2	-	-	1	1
Bottineau	94	-	-	-	25	7	10	3	2	2	-	1	2	41	31	-	-	26	5
Bowman	33	-	-	-	8	2	3	1	1	-	-	1	1	16	14	-	-	12	2
Burke	35	-	-	-	6	1	-	1	1	1	-	2	1	17	12	-	-	8	4
Burleigh	430	1	-	2	115	22	19	13	18	3	11	29	14	182	132	-	-	93	39
Bismarck	386	1	-	2	102	19	16	13	16	3	10	25	14	167	121	-	-	86	35
Balance of county	44	-	-	-	13	3	3	-	2	-	1	4	-	15	11	-	-	7	4
Cass	680	-	-	5	192	36	49	20	29	12	8	38	11	296	213	3	2	150	58
Fargo	520	-	-	2	139	26	38	15	20	10	5	25	11	227	162	1	1	115	45
West Fargo	43	-	-	-	11	1	3	1	2	-	1	3	-	20	15	2	-	8	5
Balance of county	117	-	-	3	42	9	8	4	7	2	2	10	8	49	36	-	1	27	8
Cavalier	69	-	-	-	15	6	3	-	2	2	-	2	1	42	35	-	-	19	16
Dickey	81	-	-	1	18	6	1	2	6	-	-	3	2	36	24	-	-	11	13
Divide	38	-	-	1	9	1	4	-	-	-	2	2	4	11	8	-	-	5	3
Dunn	33	-	-	1	9	3	1	-	1	1	-	3	1	12	9	-	-	6	3
Eddy	47	-	-	-	10	4	1	-	3	1	1	1	1	24	10	-	-	6	4
Emmons	57	-	-	-	17	4	1	2	4	-	-	3	3	23	18	-	-	13	5
Foster	60	-	-	-	14	3	4	-	5	-	-	1	-	35	16	-	1	6	9
Golden Valley	19	-	-	-	5	2	-	2	-	-	-	-	-	13	11	-	-	7	4
Grand Forks	421	-	-	2	101	22	25	10	16	5	6	17	10	163	127	1	-	94	32
Grand Forks	328	-	-	2	80	19	18	9	12	2	6	14	8	129	102	1	-	73	28
Balance of county	93	-	-	-	21	3	7	1	4	3	-	3	2	34	25	-	-	21	4
Grant	48	-	-	-	10	1	3	1	2	-	1	2	1	25	22	1	-	11	10
Griggs	41	-	-	-	3	-	2	-	-	1	-	-	-	20	14	-	2	9	3
Hottinger	33	-	-	-	11	7	-	2	2	-	-	-	1	13	13	-	-	10	3
Kidder	39	-	-	-	12	5	2	3	1	-	-	1	2	20	14	-	-	12	2
La Moure	66	-	-	3	10	5	-	2	1	1	1	1	4	30	23	-	-	14	9
Logan	34	-	-	1	5	1	1	1	-	2	-	-	2	17	11	-	-	9	2
McHenry	72	-	-	-	18	6	1	4	3	-	1	3	1	29	22	-	2	18	2
McIntosh	77	-	-	-	12	4	2	1	2	1	-	2	2	40	34	-	1	21	12
McKenzie	60	-	-	1	18	3	5	1	3	-	1	5	3	22	13	-	-	11	2
McLean	125	-	-	1	32	8	6	2	3	2	2	9	3	55	38	-	-	33	5
Mercer	70	-	-	2	16	1	7	2	2	1	-	3	3	30	20	-	1	12	7
Morton	193	-	-	-	44	11	15	3	5	2	1	7	5	84	55	-	1	37	17
Mandan	108	-	-	-	29	7	10	2	4	2	-	4	3	45	33	-	-	21	12
Balance of county	85	-	-	-	15	4	5	1	1	-	1	3	2	39	22	-	1	16	5
Mountrail	83	-	-	2	14	2	5	-	3	-	2	2	3	39	30	-	-	18	11
Nelson	74	-	-	-	20	4	4	4	3	1	1	3	3	36	32	-	-	27	5
Oliver	12	-	-	-	2	-	-	-	1	-	-	1	-	8	7	-	-	2	5
Pembina	110	-	-	-	31	6	7	3	3	3	1	8	2	57	39	-	-	30	9
Pierce	72	-	-	3	17	3	2	2	5	2	1	2	3	27	22	1	-	16	5
Ramsey	126	-	-	1	29	5	7	2	5	3	1	6	3	63	49	-	1	41	7
Ransom	82	-	-	-	15	4	2	2	1	1	-	5	3	44	34	-	-	16	18
Renville	29	-	-	-	6	1	1	-	3	1	-	-	-	11	9	-	-	8	1
Richland	186	-	-	-	53	10	13	-	11	1	6	12	2	82	61	-	1	53	7
Rolette	122	-	-	1	33	7	11	3	2	1	1	8	4	42	38	-	-	29	9
Sargent	47	-	-	-	12	1	5	1	1	1	-	3	1	20	18	-	-	8	10
Sheridan	16	1	-	-	3	2	1	-	-	-	-	-	1	5	4	-	-	4	-
Sioux	31	1	-	-	4	1	1	-	-	-	-	2	3	8	6	-	-	3	3
Slope	2	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Stark	176	-	-	2	35	5	8	5	3	1	2	11	-	96	63	-	2	38	23
Dickinson	133	-	-	2	26	4	6	5	2	1	1	7	-	72	47	-	1	28	18
Balance of county	43	-	-	-	9	1	2	-	1	-	1	4	-	24	16	-	1	10	5
Steele	35	-	-	-	8	1	2	-	1	3	-	1	-	20	12	-	-	9	3
Stutsman	226	-	-	4	54	9	18	5	8	3	4	7	6	96	69	-	-	47	22
Jamestown	175	-	-	4	42	7	13	4	6	3	4	5	3	74	53	-	-	37	16
Balance of county	51	-	-	-	12	2	5	1	2	-	-	2	3	22	16	-	-	10	6
Towner	53	-	-	2	9	3	3	1	1	1	-	1	2	27	25	-	1	14	10
Trell	113	-	-	1	27	6	4	1	7	3	1	5	1	53	38	-	2	29	7
Walsh	180	-	-	-	38	12	9	1	8	-	-	8	3	104	88	2	-	69	17
Ward	402	1	-	5	89	27	23	5	6	6	4	18	5	174	135	1	3	80	51
Minot	323	-	-	4	68	24													

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 660

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 122 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterio-les, and capil-laries (441-448)	Pneu-monia and in-fluenza (480-487)	Chronic obstruc-tive pul-mo-nary diseases and allied con-ditions (490-496)	Ulcer of stomach and duo-denum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, nephrotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (630-676)	Congen-ital anomalies (740-759)	Certain condi-tions origi-nating in the peri-natal period (760-779)	Symp-toms, signs, and ill-defined condi-tions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other acci-dents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E978)	All other ex-ternal causes (E980-E999)
North Dakota	24	481	69	89	211	234	13	53	48	-	35	27	71	568	96	136	65	12	5
Urban places	8	177	28	35	88	91	4	23	19	-	18	4	28	216	37	56	29	4	1
Balance of area	16	304	41	54	123	143	9	30	29	-	17	23	43	352	59	80	36	8	4
Metropolitan counties	5	143	24	26	71	67	4	18	17	-	13	5	15	179	30	49	19	9	1
Urban places	4	113	19	19	54	57	3	17	15	-	11	2	12	137	24	39	17	4	1
Balance of area	1	30	5	7	17	10	1	2	2	-	2	3	3	42	6	10	2	5	-
Nonmetropolitan counties	19	338	45	63	140	167	9	35	31	-	22	22	56	389	66	87	46	3	4
Urban places	4	64	9	16	34	34	1	6	4	-	7	2	16	79	13	17	12	-	-
Balance of area	15	274	36	47	106	133	8	29	27	-	15	20	40	310	53	70	34	3	4
Adams	1	4	1	2	1	-	-	-	1	-	-	-	1	4	2	2	-	-	-
Barnes	1	19	-	2	4	8	-	1	4	-	1	1	1	19	1	5	-	-	-
Benson	-	12	-	1	3	2	-	2	3	-	2	-	2	6	-	-	2	1	-
Billings	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bottineau	1	9	-	-	2	3	1	-	-	-	-	-	1	13	2	2	1	-	-
Bowman	-	1	-	1	-	3	-	-	1	-	-	-	-	1	1	2	1	-	-
Burke	-	5	-	-	2	1	1	-	-	-	-	-	-	2	1	1	-	-	-
Burleigh	2	31	9	8	9	22	2	6	2	-	5	1	4	41	6	10	2	6	-
Bismarck	2	28	9	7	9	20	2	6	2	-	5	-	4	34	6	9	1	2	-
Balance of county	-	3	-	1	-	2	-	-	-	-	-	1	-	7	-	1	1	4	-
Cass	1	66	9	7	33	19	1	6	7	-	1	1	5	57	14	17	13	2	-
Fargo	1	55	6	3	29	14	1	6	7	-	1	1	3	43	9	14	11	2	-
West Fargo	-	1	2	2	-	4	-	-	-	-	-	-	1	4	2	2	-	-	-
Balance of county	-	10	1	2	4	1	-	-	-	-	-	-	-	10	3	1	-	-	-
Cavalier	1	6	-	-	5	1	-	-	1	-	-	-	2	11	1	1	-	-	-
Dickey	1	6	1	4	5	3	-	-	-	-	-	-	2	11	2	2	1	-	-
Divide	-	3	-	-	3	-	-	1	1	-	1	-	1	4	-	-	2	-	-
Dunn	-	3	-	-	-	2	-	-	1	-	-	-	-	5	-	1	1	-	-
Eddy	-	9	2	3	-	3	-	1	-	-	-	-	-	8	-	-	-	-	-
Emmons	-	5	-	-	3	1	-	-	1	-	-	-	-	7	-	1	-	-	-
Foster	1	13	4	1	1	5	-	-	1	-	-	-	1	3	-	-	-	-	-
Golden Valley	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand Forks	-	26	2	8	19	17	1	2	5	-	6	3	5	58	7	18	3	-	1
Grand Forks	-	20	1	6	13	16	-	2	5	-	4	1	3	43	5	14	2	-	1
Balance of county	-	6	1	2	6	1	1	-	-	-	2	2	2	15	2	4	1	-	-
Grant	-	2	1	-	1	2	-	-	-	-	-	-	1	5	1	2	-	-	-
Griggs	-	3	1	2	4	4	-	-	1	-	-	-	-	7	2	-	-	-	-
Hettinger	-	-	-	-	3	1	-	-	1	-	-	-	-	2	-	1	-	-	-
Kidder	1	4	1	-	1	1	-	-	-	-	-	-	-	3	-	-	-	-	-
La Moure	-	5	1	1	3	3	-	-	-	-	2	-	2	7	1	1	-	-	-
Logan	-	3	1	2	1	5	-	-	-	-	-	-	-	3	-	-	-	-	-
McHenry	-	5	-	2	3	4	1	2	-	-	1	1	-	8	1	3	-	-	-
McIntosh	1	5	-	-	1	4	-	2	-	-	-	-	-	13	-	3	-	-	-
McKenzie	-	6	2	1	-	1	-	1	1	-	-	-	2	2	6	1	1	1	-
McLean	1	13	1	2	3	2	-	1	-	-	1	1	-	16	4	3	3	-	-
Mercer	-	5	-	5	1	1	-	1	-	-	1	-	-	6	3	4	2	-	-
Morton	2	20	4	3	10	9	-	4	3	-	1	-	1	23	3	4	1	1	-
Mandan	1	9	1	1	3	6	-	3	1	-	1	-	1	13	2	-	1	-	-
Balance of county	1	11	3	2	7	3	-	1	2	-	-	-	-	10	1	4	-	1	-
Mountrail	-	8	1	1	5	1	2	1	-	-	-	1	-	10	1	2	-	1	-
Nelson	-	4	-	-	5	3	-	-	1	-	1	-	-	5	-	-	-	-	-
Oliver	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Pembina	-	16	1	1	1	2	1	1	1	-	-	-	-	7	1	5	1	-	-
Pierce	-	4	1	-	4	3	1	-	-	-	-	-	-	9	-	5	-	-	-
Ramsay	-	11	2	1	5	8	-	1	-	-	1	-	-	12	2	-	-	-	-
Ransom	-	8	1	1	5	3	-	-	-	-	-	-	1	5	1	1	1	-	3
Renville	1	1	-	1	4	2	-	-	1	-	-	-	2	2	1	2	-	-	-
Richland	1	15	3	2	9	6	-	3	-	-	1	-	7	16	2	1	4	-	-
Rolette	1	1	1	1	4	5	-	1	-	-	2	1	9	13	3	2	2	-	-
Sargent	-	2	-	-	2	3	-	-	1	-	-	-	2	4	-	2	-	-	-
Sheridan	-	1	-	-	-	-	-	2	-	-	-	-	3	1	1	1	-	-	-
Sioux	-	2	-	-	-	1	-	1	-	-	-	3	2	3	1	1	2	-	1
Slope	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stark	2	20	5	6	8	7	1	1	1	-	2	1	-	14	3	-	5	-	-
Dickinson	2	17	3	3	7	3	1	1	1	-	2	1	-	11	2	-	4	-	-
Balance of county	-	3	2	3	1	4	-	-	-	-	-	-	-	3	1	-	1	-	-
Steele	1	7	-	-	-	-	-	-	1	-	-	-	-	4	2	6	-	-	-
Stutsman	-	23	1	3	10	11	-	1	1	-	1	-	-	28	6	6	2	-	-
Jamestown	-	18	-	3	10	6	-	1	1	-	1	-	-	23	3	5	2	-	-
Balance of county	-	5	1	-	-	5	-	-	-	-	-	-	-	5	3	1	-	-	-
Towner	-	2	-	-	3	4	-	-	-	-	-	-	-	2	2	2	-	-	-
Trail	-	10	3	2	8	3	-	1	1	-	-	1	1	14	-	1	1	-	-
Walsh	2	11	1	2	2	3	1	2	1	-	-	3	2	15	3	3	-	-	-
Ward	2	26	2	9	11	18	-	4	4	-	1	5	12	45	9	12	7	-	-
Minot	2	20	2	7	11	15	-	3	2	-	1	1	11	35	7	9	4	-	-
Balance of county	-	6	-	2	-	3	-	1	2	-	-	4	1	10	2	3	3	-	-
Wells	1	5	-	-	1	2	-	1	-	-	-	-	-	4	-	3	1	-	-
Williams	-	11	6	4	7	17	-	3	-	-	3	1	6	14	3	4	4	-	-
Williston	-	9	4	3	6	10	-	1	-	-	3	-	5	10	1	3	2	-	-
Balance of county	-	2	2	1	1	7	-	2	-	-	-	1	1	4	2	1	2	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 661

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 123 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- culosis (010- 018)	Syphi- llis (090- 097)	Residual of infecti- ous and parasi- tic diseases	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respira- tory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheuma- tic fever and rheuma- tic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Ohio	99,120	38	2	1,839	24,320	5,560	7,362	2,126	2,660	1,066	849	4,697	2,900	42,676	34,023	292	1,105	23,245	9,381
Urban places	57,115	23	2	1,192	13,639	3,134	4,198	1,196	1,458	591	459	2,603	1,706	24,570	18,544	167	717	13,300	5,360
Balance of area	42,005	15	-	647	10,681	2,426	3,164	930	1,202	475	390	2,094	1,194	18,106	14,479	125	388	9,945	4,021
Metropolitan counties	77,697	28	1	1,539	19,183	4,414	5,892	1,699	2,041	839	652	3,648	2,273	33,179	26,488	242	953	17,872	7,421
Urban places	50,570	21	1	1,086	12,146	2,819	3,770	1,057	1,283	518	401	2,298	1,517	21,643	17,249	154	673	11,661	4,761
Balance of area	27,127	7	-	453	7,037	1,595	2,122	642	758	321	251	1,348	756	11,536	9,239	88	280	6,211	2,660
Nonmetropolitan counties	21,423	10	1	300	5,137	1,146	1,470	427	619	227	197	1,051	627	9,497	7,535	50	152	5,373	1,960
Urban places	6,545	2	1	106	1,493	315	428	139	175	73	58	305	189	2,927	2,295	13	44	1,639	599
Balance of area	14,878	8	-	194	3,644	831	1,042	288	444	154	139	746	438	6,570	5,240	37	108	3,734	1,361
Adams	265	-	-	3	67	17	16	2	11	3	3	15	5	113	74	-	5	53	16
Allen	1,009	-	-	11	252	60	71	16	28	12	14	51	15	457	358	3	5	260	90
Lima	517	-	-	4	125	24	38	6	20	7	9	21	6	238	187	1	2	143	41
Balance of county	492	-	-	7	127	36	33	10	8	5	5	30	9	219	171	2	3	117	49
Ashland	423	-	-	6	104	28	25	11	11	4	5	20	21	177	125	3	-	72	50
Ashland	227	-	-	3	57	17	12	3	4	4	5	12	6	97	69	-	-	44	25
Balance of county	196	-	-	3	47	11	13	8	7	-	-	8	15	80	56	3	-	28	25
Ashtabula	983	-	-	13	239	48	71	18	33	9	7	53	36	413	337	2	11	237	87
Ashtabula	233	-	-	7	60	10	16	6	10	2	1	15	5	87	76	1	-	55	20
Conneaut	124	-	-	1	33	7	14	3	4	1	1	3	5	50	38	-	1	23	14
Balance of county	626	-	-	5	146	31	41	9	19	6	5	35	26	276	223	1	10	159	53
Athens	452	-	-	8	115	27	41	9	9	3	4	22	6	196	152	-	-	116	36
Athens	91	-	-	2	18	2	2	2	3	1	2	6	1	41	31	-	-	22	9
Balance of county	361	-	-	6	97	25	39	7	6	2	2	16	5	155	121	-	-	94	27
Auglaize	403	-	-	7	112	29	25	13	9	8	6	22	14	174	144	-	2	106	36
Belmont	873	-	-	6	211	43	63	17	17	14	3	54	20	399	344	4	3	282	75
Brown	335	-	-	5	81	13	33	9	8	1	2	15	8	130	102	-	-	72	30
Butler	2,157	-	-	34	552	128	181	50	47	22	18	106	66	860	683	3	47	488	165
Fairfield	222	-	-	2	47	9	15	4	3	3	2	11	7	91	75	1	9	48	17
Hamilton	643	-	-	10	152	37	50	17	13	4	6	25	20	277	220	-	20	144	56
Middletown	481	-	-	4	143	24	59	6	11	7	3	31	19	181	137	-	9	103	25
Oxford	57	-	-	1	14	4	4	2	-	-	1	3	1	25	17	1	-	8	8
Balance of county	754	-	-	17	196	54	53	19	20	8	6	36	19	286	234	1	9	165	59
Carroll	231	-	-	4	56	9	16	5	10	3	1	7	5	107	82	1	-	60	21
Champaign	331	-	-	4	66	17	21	3	7	3	1	14	10	155	118	-	4	89	25
Urbana	156	-	-	3	32	7	10	1	5	1	-	8	5	75	56	-	-	42	12
Balance of county	175	-	-	1	34	10	11	2	2	2	1	6	5	80	62	-	2	47	13
Clark	1,474	1	-	30	335	67	113	33	36	24	10	52	58	623	496	4	21	317	154
Springfield	909	-	-	21	185	36	64	17	18	13	4	33	35	375	298	2	11	189	96
Balance of county	565	1	-	9	150	31	49	16	18	11	6	19	23	248	198	2	10	128	58
Clermont	1,091	-	-	12	270	56	96	20	24	16	7	51	23	438	363	1	14	242	106
Clinton	322	1	-	6	84	13	21	9	13	2	1	25	6	140	110	2	2	71	35
Wilmington	115	-	-	2	34	9	7	3	6	-	-	9	1	51	43	1	-	27	15
Balance of county	207	1	-	4	50	4	14	6	7	2	1	16	5	89	67	1	2	44	20
Columbiana	1,088	-	-	22	261	53	74	26	27	12	10	59	29	508	418	2	9	325	82
East Liverpool	239	-	-	5	52	6	15	10	5	2	2	12	5	109	91	-	-	75	16
Salem	171	-	-	3	30	9	10	2	4	2	-	3	6	73	60	-	1	46	13
Balance of county	678	-	-	14	179	38	49	14	18	8	8	44	18	326	267	2	8	204	53
Coshocton	365	-	-	6	83	24	23	4	12	5	1	14	12	172	146	2	3	102	39
Coshocton	185	-	-	3	38	12	8	-	6	3	1	8	6	92	77	1	2	56	18
Balance of county	180	-	-	3	45	12	15	4	6	2	-	6	6	80	69	1	1	46	21
Crawford	457	-	-	8	117	28	34	12	16	7	4	16	13	194	146	1	2	119	24
Bucyrus	146	-	-	5	41	8	17	3	5	3	1	4	3	55	42	-	-	33	9
Gallion	138	-	-	2	26	6	2	5	5	2	-	6	4	68	54	1	-	47	6
Balance of county	173	-	-	1	50	14	15	4	6	2	3	6	6	71	50	-	2	39	9
Cuyahoga	14,931	12	1	326	3,757	927	1,039	340	436	168	112	735	434	6,467	5,338	58	156	3,941	1,183
Bay Village	125	-	-	1	38	9	11	4	6	1	2	5	2	51	40	-	-	31	9
Bedford	185	-	-	2	44	10	10	8	3	4	3	6	8	86	73	3	1	52	17
Bedford Heights	91	-	1	2	34	6	8	4	8	2	1	5	2	34	26	1	-	21	4
Berea	174	-	-	4	39	11	11	4	4	1	1	7	4	76	64	2	2	49	11
Brecksville	100	-	-	3	26	7	6	2	7	1	-	3	3	46	32	1	-	21	10
Broadview Heights	116	-	-	-	40	13	11	3	4	-	-	9	2	49	41	-	-	35	6
Brooklyn	167	-	-	4	39	13	11	2	4	1	1	7	6	77	62	1	2	47	12
Brook Park	179	-	-	1	52	14	21	4	3	1	2	7	7	83	69	-	1	53	15
Cleveland	5,892	8	-	161	1,398	355	412	123	170	38	36	264	193	2,472	2,050	22	76	1,518	434
Cleveland Heights	458	-	-	14	117	26	32	7	15	6	10	21	12	168	137	2	5	96	34
East Cleveland	341	-	-	11	73	20	19	7	5	5	3	14	11	137	117	-	5	86	26
Euclid	693	1	-	14	175	52	42	14	21	9	2	35	14	329	285	4	7	200	74
Fairview Park	200	-	-	2	47	10	12	7	1	2	4	11	6	102	83	-	2	64	17
Garfield Heights	375																		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 662

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 124 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Ohio	484	6,109	773	1,287	3,099	4,373	246	890	1,148	6	596	669	1,696	9,329	1,471	1,886	1,194	676	65
Urban places	311	3,521	451	743	1,709	2,475	141	584	684	4	344	462	1,112	5,508	630	1,075	668	542	46
Balance of area	173	2,588	322	544	1,390	1,898	105	306	464	2	252	207	584	3,821	841	811	526	134	21
Metropolitan counties	393	4,754	550	994	2,369	3,343	196	738	905	6	458	576	1,429	7,432	982	1,447	940	613	60
Urban places	276	3,101	365	652	1,478	2,148	128	534	607	4	297	442	1,027	4,843	526	955	604	520	42
Balance of area	117	1,653	185	342	890	1,195	68	204	298	2	161	134	402	2,589	456	492	336	83	18
Nonmetropolitan counties	91	1,355	228	293	730	1,030	50	152	243	2	138	93	267	1,897	489	439	254	83	6
Urban places	35	420	88	91	230	327	13	50	77	—	47	20	85	665	104	120	64	22	3
Balance of area	56	935	137	202	500	703	37	102	166	—	91	73	182	1,232	385	319	190	41	3
Adams	4	17	12	6	7	13	—	2	2	—	1	2	2	24	7	10	6	1	—
Allen	3	73	13	10	33	64	3	7	10	—	9	10	8	82	19	16	8	4	1
Lima	1	36	7	7	13	33	3	5	6	—	4	7	6	44	6	10	4	2	1
Balance of county	2	37	6	3	20	31	—	2	4	—	5	3	2	38	13	6	4	2	—
Ashland	2	33	8	9	11	25	2	3	3	—	2	4	1	41	6	11	4	1	1
Ashland	2	19	5	4	6	19	2	2	2	—	1	—	1	20	1	7	1	1	1
Balance of county	—	14	3	5	5	6	—	1	1	—	1	—	—	21	5	4	3	—	—
Ashtabula	4	53	9	10	25	44	3	8	16	—	10	4	7	109	21	15	15	5	—
Ashtabula	—	9	—	2	4	15	—	1	1	—	4	—	1	40	1	5	2	—	—
Conneaut	1	7	—	4	4	2	—	1	2	—	—	—	—	20	4	1	—	—	—
Balance of county	3	37	9	4	17	27	3	6	13	—	6	3	6	49	16	9	13	5	—
Athens	1	33	5	5	15	26	1	3	4	—	6	2	6	42	6	10	6	—	—
Athens	—	9	—	1	3	2	—	1	1	—	2	1	4	10	1	2	2	—	—
Balance of county	1	24	5	4	12	24	1	2	3	—	4	1	2	32	5	8	4	—	—
Auglaize	2	25	3	—	14	12	—	2	6	—	3	2	4	26	10	9	8	—	—
Belmont	2	38	5	10	49	30	—	8	12	—	4	4	10	80	11	18	8	3	—
Brown	3	18	2	5	16	17	—	2	3	—	5	1	21	27	9	6	4	—	—
Butler	11	126	19	21	66	117	8	23	22	1	16	9	25	221	51	41	33	11	1
Fairfield	1	12	2	1	9	14	—	4	1	—	6	1	3	25	5	2	4	1	—
Hamilton	2	45	7	3	15	38	3	6	4	1	4	4	5	71	11	9	9	4	—
Middletown	6	28	6	4	15	31	1	3	5	—	2	2	5	43	6	13	5	3	—
Oxford	—	6	—	2	2	—	—	—	—	—	—	—	1	9	3	—	—	—	—
Balance of county	2	35	4	11	25	33	4	10	12	—	4	2	11	73	26	17	15	3	1
Carroll	2	17	1	5	11	10	—	—	1	—	—	2	2	26	5	4	3	—	—
Champaign	—	29	3	5	5	13	—	1	7	—	4	3	—	47	7	8	1	—	—
Urbana	—	15	2	2	1	5	—	1	3	—	—	1	—	24	3	3	—	—	—
Balance of county	—	14	1	3	4	8	—	—	4	—	4	2	—	23	4	5	1	—	—
Clark	8	84	16	19	49	84	4	15	38	—	5	12	23	130	22	18	16	10	1
Springfield	5	49	10	13	28	60	—	11	27	—	3	7	17	92	15	14	11	8	—
Balance of county	3	35	6	6	21	24	4	4	11	—	2	5	6	38	7	4	5	2	1
Clermont	3	60	2	10	47	54	4	7	11	—	7	6	8	130	34	17	16	4	3
Clinton	2	25	—	3	15	10	—	—	2	—	3	2	1	31	12	5	3	—	—
Wilmington	1	6	—	1	4	2	—	—	1	—	1	—	—	16	2	1	—	—	—
Balance of county	1	19	—	2	11	8	—	—	1	—	2	2	1	15	10	4	3	—	1
Columbiana	6	47	19	18	22	57	4	10	16	—	6	3	8	92	23	10	14	3	—
East Liverpool	3	10	1	4	1	13	—	3	6	—	1	—	1	29	5	4	4	1	—
Salem	—	6	5	2	9	11	1	—	3	—	2	2	3	19	4	—	4	1	—
Balance of county	3	31	13	12	12	33	3	7	7	—	3	1	4	44	14	6	6	1	—
Coshocton	2	18	2	4	7	20	3	3	6	—	—	—	2	24	12	5	9	1	—
Coshocton	2	8	1	4	5	8	2	3	2	—	—	—	1	13	8	3	—	1	—
Balance of county	—	10	1	—	2	12	1	—	4	—	—	—	1	11	4	2	9	—	—
Crawford	1	32	5	10	18	23	1	2	2	—	1	3	4	47	11	8	4	1	—
Bucyrus	—	10	—	3	4	9	—	1	—	—	1	1	1	22	1	2	—	—	—
Galion	—	10	2	5	6	6	1	1	—	—	—	—	2	14	4	2	2	—	—
Balance of county	1	12	3	2	8	8	—	—	2	—	—	2	1	11	6	4	2	1	—
Cuyahoga	79	789	64	197	400	490	41	167	190	1	74	155	197	1,370	115	370	157	199	8
Bay Village	1	7	1	2	6	7	—	1	2	—	—	—	—	10	—	3	3	1	—
Bedford	—	12	—	1	6	8	—	2	2	—	—	—	1	5	1	5	3	1	—
Bedford Heights	3	3	1	1	2	2	—	1	1	—	—	—	2	7	—	1	1	1	—
Berea	2	8	—	2	4	6	1	4	4	—	1	4	3	18	1	4	1	—	—
Brecksville	—	10	1	3	—	3	1	—	—	—	—	—	1	9	—	7	—	—	—
Broadview Heights	—	5	—	3	3	—	—	4	3	—	—	—	2	7	1	2	2	—	—
Brooklyn	1	11	—	3	3	6	1	3	4	—	1	—	1	12	—	7	2	1	—
Brook Park	—	12	—	2	3	5	—	1	2	—	—	—	1	14	—	5	3	—	—
Cleveland	33	294	23	72	157	196	19	90	67	1	32	94	79	489	52	170	65	144	5
Cleveland Heights	6	21	3	1	18	12	1	2	10	—	2	13	9	60	5	8	3	4	—
East Cleveland	1	18	—	1	8	8	—	7	5	—	2	8	5	37	3	9	1	16	—
Euclid	4	32	3	5	21	15	—	10	9	—	2	2	19	60	1	13	5	3	—
Fairview Park	—	16	1	2	2	6	2	—	1	—	1	1	1	21	1	3	3	—	1
Garfield Heights	2	23	2	3	12	10	—	2	4	—	2	2	9	35	5	6	5	6	—
Lakewood	2	37	3	7	16	19	3	1	5	—	5	4	3	43	5	10	7	2	—
Lyndhurst	2	11	2	5	5	2	—	1	4	—	—	—	1	17	—	4	2	—	—
Maple Heights	1	10	—	4	12	12	1	3	5	—	2	3	9	45	—	4	4	1	—
Mayfield Heights	1	17	2	3	8	6	2	2	3	—	—	1	2	24	2	7	—	—	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 663

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 125 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tion and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic issues (140-206)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Ohio—Con.																			
Shaker Heights	249	-	-	4	65	14	13	10	9	5	3	11	9	106	85	1	1	63	20
Solon	96	-	-	-	30	2	8	5	3	1	1	10	1	40	31	-	-	23	8
South Euclid	228	-	-	1	69	21	10	9	4	4	5	16	3	106	85	1	2	55	27
Strongsville	224	-	-	2	66	18	14	6	9	2	3	14	3	86	72	-	1	57	14
University Heights	99	-	-	3	32	8	11	2	3	1	1	6	3	41	36	-	-	26	10
Warrensville Heights	139	-	-	5	36	8	9	-	5	2	-	12	5	54	47	1	4	30	12
Westlake	268	-	-	4	58	7	26	7	6	2	3	7	7	129	107	-	3	86	18
Balance of county	976	-	-	22	222	55	58	23	27	14	5	40	29	444	364	4	10	240	110
Darke	534	-	-	9	126	39	29	12	16	5	5	20	10	262	199	-	3	149	47
Greenville	215	-	-	4	47	15	14	4	4	1	2	7	1	111	81	-	-	63	18
Balance of county	319	-	-	5	79	24	15	8	12	4	3	13	9	151	118	-	3	86	29
Defiance	303	-	-	1	70	13	19	7	4	5	4	18	10	132	91	-	3	58	30
Defiance	145	-	-	1	28	3	6	1	3	2	2	11	6	58	41	-	1	28	12
Balance of county	158	-	-	-	42	10	13	6	1	3	2	7	4	74	50	-	2	30	18
Delaware	426	-	-	10	112	30	28	10	12	3	8	21	15	153	120	1	4	92	23
Delaware	193	-	-	6	43	13	10	5	3	2	3	7	8	68	57	-	-	45	12
Westerville, part	21	-	-	1	6	1	3	-	1	-	-	1	1	8	4	-	-	4	-
Balance of county	212	-	-	3	63	16	15	5	8	1	5	13	6	77	59	1	4	43	11
Erie	713	1	-	12	197	45	61	22	21	9	7	32	26	257	191	5	3	119	64
Sandusky	327	-	-	4	84	19	28	11	7	7	2	10	13	124	92	2	2	56	32
Vermilion, part	40	-	-	-	11	3	2	-	1	-	1	4	-	11	6	-	-	4	2
Vermilion, total	67	-	-	-	20	4	2	-	2	-	1	8	-	22	13	-	-	9	4
Balance of county	346	1	-	8	102	23	31	11	13	2	4	18	13	122	93	3	1	59	30
Fairfield	812	-	-	14	194	45	68	17	20	6	6	32	31	348	258	1	4	186	67
Columbus, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	359	-	-	7	81	20	30	8	7	1	4	11	12	161	112	-	3	84	25
Reynoldsburg, part	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Balance of county	452	-	-	7	113	25	38	9	13	5	2	21	18	185	146	1	1	102	42
Fayette	327	-	-	7	85	23	28	6	9	1	3	15	14	144	104	-	3	82	19
Washington	193	-	-	3	51	11	22	3	2	1	2	10	10	83	56	-	2	45	9
Balance of county	134	-	-	4	34	12	6	3	7	-	1	5	4	61	48	-	1	37	10
Franklin	7,303	4	-	237	1,776	354	609	182	173	69	60	323	223	2,872	2,301	17	72	1,371	841
Bexley	45	-	-	-	14	7	3	-	2	-	2	1	1	19	16	-	1	11	4
Columbus, part	4,880	3	-	173	1,132	217	403	112	114	43	34	209	156	1,921	1,527	12	54	895	566
Columbus, total	4,880	3	-	173	1,132	217	403	112	114	43	34	209	156	1,921	1,527	12	54	895	566
Gahanna	41	-	-	2	6	-	3	1	1	-	-	1	1	12	11	-	2	5	4
Grove City	36	1	-	1	12	2	4	2	1	1	-	2	3	9	8	-	-	6	2
Reynoldsburg, part	50	-	-	4	9	2	5	-	-	-	1	1	1	22	19	-	-	13	6
Reynoldsburg, total	55	-	-	5	10	2	6	-	-	-	1	1	2	24	21	-	-	15	6
Upper Arlington	320	-	-	5	75	19	20	9	8	2	5	12	14	151	123	2	6	80	35
Westerville, part	239	-	-	8	52	13	18	4	3	4	1	9	6	87	71	-	3	48	20
Westerville, total	260	-	-	9	58	14	21	4	4	4	1	10	7	95	75	-	3	52	20
Whitehall	161	-	-	4	48	10	16	5	2	4	2	9	6	51	40	-	1	27	12
Worthington	44	-	-	3	13	2	1	4	2	2	1	1	-	19	17	-	-	13	4
Balance of county	1,487	-	-	37	415	82	136	45	40	13	16	83	35	581	469	3	5	273	188
Fulton	307	-	-	7	54	9	11	4	4	7	5	14	8	152	126	3	1	85	37
Gallia	317	1	-	2	72	27	16	1	8	1	5	14	7	135	104	1	3	77	23
Geauga	486	-	-	7	133	30	42	13	15	5	8	20	14	179	138	-	-	86	51
Greene	979	-	-	20	230	47	75	22	17	6	10	53	34	450	338	6	8	211	113
Beavercreek	211	-	-	3	57	10	13	6	7	2	-	19	6	93	72	1	-	47	24
Dayton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairborn	216	-	-	4	52	11	21	8	2	1	-	9	9	92	66	-	3	43	20
Xenia	247	-	-	5	51	13	15	3	4	1	3	12	4	126	91	4	3	57	27
Balance of county	305	-	-	8	70	13	26	5	4	2	7	13	15	139	109	1	2	64	42
Guernsey	419	-	-	6	98	19	33	4	16	6	3	17	14	172	151	1	1	129	20
Cambridge	152	-	-	1	29	5	13	3	2	-	1	5	1	69	62	-	1	51	10
Balance of county	267	-	-	5	69	14	20	1	14	6	2	12	13	103	89	1	-	78	10
Hamilton	8,254	2	-	184	2,113	484	633	183	236	98	75	404	211	3,439	2,780	25	215	1,627	913
Cincinnati	4,014	2	-	125	952	215	299	76	108	40	32	182	106	1,663	1,332	8	131	748	445
Forest Park	112	-	-	2	33	11	6	3	3	1	-	9	2	42	31	-	-	22	9
Montgomery	82	-	-	1	16	5	3	1	2	-	3	2	-	35	23	-	2	13	8
North College Hill	136	-	-	1	35	8	10	3	6	1	2	5	4	68	56	-	2	36	18
Norwood	240	-	-	2	52	6	22	5	4	1	2	12	6	109	89	-	4	48	37
Reading	119	-	-	-	31	4	11	2	5	-	2	7	5	51	37	-	1	17	19
Sharonville	121	-	-	-	33	6	11	3	3	2	2	6	5	49	38	2	2	21	13
Springdale	61	-	-	1	23	7	7	1	3	1	1	3	2	38	31	-	-	28	3
Balance of county	3,349	-	-	52	938	222	264	69	102	52	31	178	81	1,384	1,143	15	73	694	361
Hancock	581	-	-	6	146	31	34	11	21	7	3	39	23	252	184	1	3	150	30
Findlay	347	-	-	4	92	18	22	9	11	5	3	24	13	138	95	1	-	75	19
Fostoria, part	40	-	-	-	12	5	4	-	1	-	-	2	1	17	15	-	-	13	2
Balance of county	194	-	-	2	42	8	8	2	9	2	-	13	9	97	74	-	3	62	9
Hardin	320	-	-	4	70	12													

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 664

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 126 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Shaker Heights	-	12	1	8	5	12	-	1	4	-	2	2	4	24	2	5	3	1	-
Solon	1	6	-	2	2	5	1	-	1	1	1	1	-	11	-	3	-	-	-
South Euclid	3	13	2	3	6	5	1	1	1	-	1	1	3	23	1	6	1	-	-
Strongsville	-	11	1	2	5	7	-	4	2	-	1	1	3	25	4	6	1	-	-
University Heights	-	2	1	2	3	-	-	2	1	-	-	1	2	5	4	1	1	-	-
Warrensville Heights	-	6	-	1	2	5	1	1	1	-	4	-	1	15	2	2	1	3	-
Westlake	-	18	2	2	8	11	1	1	3	-	2	-	3	33	2	6	1	-	-
Balance of county	3	48	9	20	33	35	2	4	12	-	2	4	4	117	9	25	6	4	2
Darke	1	52	2	8	28	17	-	4	5	-	3	-	5	43	15	4	3	-	-
Greenville	1	26	1	3	16	7	-	1	2	-	-	-	1	20	3	2	-	-	-
Balance of county	1	26	1	5	12	10	-	3	3	-	3	-	4	23	12	2	3	-	-
Defiance	1	30	4	6	7	23	1	3	4	-	2	2	2	24	12	6	4	-	-
Defiance	1	10	3	3	4	11	-	1	3	-	-	-	1	17	8	4	3	-	-
Balance of county	1	20	1	3	3	12	1	2	1	-	2	2	1	7	4	2	1	-	-
Delaware	2	23	3	5	13	15	1	3	1	-	2	6	16	58	10	4	5	2	-
Delaware	1	8	1	1	4	8	-	1	1	-	1	3	6	33	5	3	3	-	-
Westerville, part	-	3	-	1	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Balance of county	1	12	2	3	9	7	1	2	-	-	1	3	10	21	5	1	2	1	-
Erie	4	40	6	16	26	42	3	9	9	-	4	-	31	75	7	5	5	3	1
Sandusky	2	18	4	8	10	17	-	3	5	-	2	-	18	38	2	3	1	2	1
Vermilion, part	-	4	-	1	1	6	1	-	2	-	-	-	3	2	1	-	2	-	-
Vermilion, total	-	8	-	1	2	9	1	-	2	-	1	-	3	4	1	-	2	-	-
Balance of county	2	18	2	7	15	19	2	6	2	-	2	-	10	35	4	2	2	1	-
Fairfield	6	64	5	13	17	47	5	4	8	-	5	1	12	93	12	12	10	1	-
Columbus, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lancaster	5	36	3	5	6	25	4	2	5	-	2	1	6	38	1	3	4	1	-
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	28	2	8	11	22	1	2	3	-	3	-	6	55	11	9	6	-	-
Fayette	2	25	11	2	14	12	-	1	2	-	4	1	3	25	12	2	1	-	-
Washington	1	15	10	1	10	6	-	1	-	-	2	-	3	17	4	2	1	-	-
Balance of county	1	10	1	1	4	6	-	-	2	-	2	1	-	8	8	-	-	-	-
Franklin	40	404	44	83	212	312	20	69	87	2	56	69	256	762	82	107	108	45	4
Bexley	-	2	1	-	3	1	-	-	-	-	1	-	-	5	-	-	1	-	-
Columbus, part	32	276	31	55	143	202	10	44	57	1	35	50	196	508	55	74	77	40	3
Columbus, total	32	276	31	55	143	202	10	44	57	1	35	50	196	508	55	74	77	40	3
Gahanna	-	1	-	-	-	4	-	1	2	-	1	1	-	6	3	-	2	-	-
Grove City	-	1	-	-	-	2	-	-	-	-	-	1	1	2	1	-	1	2	-
Reynoldsburg, part	-	3	-	-	2	4	-	-	1	-	-	-	2	3	-	1	-	1	-
Reynoldsburg, total	-	3	-	-	2	4	-	-	1	-	-	-	2	3	-	1	-	1	-
Upper Arlington	1	22	-	5	12	11	1	3	2	-	2	1	4	31	-	6	2	-	-
Westerville, part	-	13	1	2	9	9	-	1	3	-	2	4	6	41	2	6	3	-	-
Westerville, total	-	16	1	3	9	9	-	1	3	-	2	4	6	45	2	6	3	-	-
Whitehall	2	4	1	4	7	10	1	4	1	-	1	4	6	12	-	2	3	1	-
Worthington	-	1	1	1	1	-	-	-	-	-	-	-	1	4	2	-	1	-	-
Balance of county	5	82	9	16	35	69	8	16	21	1	14	7	41	150	19	18	18	2	-
Fulton	-	22	1	3	11	13	1	1	1	-	1	1	1	35	12	4	5	-	-
Gallia	-	23	4	4	13	17	1	-	3	-	-	1	2	32	7	11	8	5	-
Gauga	4	26	3	8	13	19	1	2	3	-	6	2	23	51	13	14	4	2	-
Greene	5	87	11	9	23	41	1	6	6	-	14	7	11	82	22	14	13	4	1
Beavercreek	1	15	2	3	4	5	1	2	3	-	2	3	2	19	7	1	3	-	-
Dayton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairborn	2	20	1	3	8	9	-	2	1	-	3	1	1	20	5	5	3	2	-
Xenia	1	31	3	-	8	12	-	1	1	-	4	1	6	20	3	2	2	1	-
Balance of county	1	21	5	3	3	15	-	1	2	-	5	2	2	23	7	6	5	1	1
Guernsey	1	13	1	6	31	19	1	5	2	-	2	2	1	35	7	15	7	2	-
Cambridge	1	2	1	3	13	9	-	1	-	-	1	1	-	15	3	8	-	1	-
Balance of county	-	11	-	3	18	10	1	4	2	-	1	1	1	20	4	7	7	1	-
Hamilton	41	472	43	103	281	358	24	86	98	1	49	70	77	855	79	154	96	53	24
Cincinnati	19	247	20	45	134	166	8	50	48	-	30	43	46	414	42	78	48	43	16
Forest Park	1	7	1	2	1	5	1	4	2	-	2	1	3	10	1	1	1	-	-
Montgomery	-	10	1	1	5	2	-	2	-	-	-	-	-	19	1	1	-	-	-
North College Hill	1	5	2	4	3	6	-	1	1	-	-	-	1	12	-	2	-	1	1
Nonwood	1	13	2	4	10	15	3	-	5	-	2	1	4	23	-	3	4	1	-
Reading	-	11	-	3	7	6	-	-	-	-	1	1	-	11	1	3	2	-	-
Sharonville	1	6	3	1	4	3	-	2	3	-	-	-	2	14	2	1	2	-	1
Springdale	-	5	-	2	-	3	-	1	-	-	-	-	-	10	-	-	3	-	-
Balance of county	18	168	14	41	117	152	12	26	39	1	14	24	21	342	32	65	36	7	6
Hancock	2	56	3	7	23	26	-	5	4	-	4	2	8	52	11	11	6	2	-
Findlay	2	35	3	3	14	20	-	4	2	-	4	2	5	33	6	5	3	2	-
Fostoria, part	-	2	-	-	1	3	-	-	-	-	-	-	1	4	-	1	-	-	-
Balance of county	-	19	-	4	8	3	-	1	2	-	-	-	2	15	5	5	3	-	-
Hardin	1	21	5	4	15	14	2	-	7	-	2	2	4	21	7	3	3	2	-
Harrison	1	9	1	3	5	6	-	3	5	-	-	1	2	13	2	2	2	2	-
Henry	1	14	-	3	9	11	-	1	1	-	1	-	3	24	10	9	4	-	-
Highland	2	26	5	8	15	18	-	3	4	-	-	1	1	26	11	7	5	1	-
Hocking	-	15	2	1	9	24	2	7	3	-	-	4	5	33	4	4	4	-	-
Holmes	-	14	2	2	7	9	-	-	1	-	6	4	5	16	5	9	1	-	-
Huron	1	23	2	8	13	21	1												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 665

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 127 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hema- tologic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Ohio—Con.																			
Jackson	322	-	-	4	81	21	19	4	7	3	4	23	6	144	109	-	4	82	23
Jefferson	931	2	-	16	241	59	89	18	21	7	12	35	32	414	336	5	3	267	61
Steubenville	325	2	-	8	75	20	26	5	6	2	3	13	10	138	110	-	1	91	18
Balance of county	606	-	-	8	166	39	63	13	15	5	9	22	22	276	226	5	2	176	43
Knox	471	1	-	5	87	18	23	9	13	4	6	8	7	250	164	2	6	110	46
Mount Vernon	201	-	-	1	34	9	11	5	4	1	1	3	2	115	62	-	5	42	15
Balance of county	270	1	-	4	53	9	18	4	9	3	5	5	5	135	102	2	1	68	31
Lake	1,702	-	-	27	447	93	145	34	50	16	10	99	46	757	631	8	14	447	162
Eastlake	158	-	-	2	40	6	15	4	6	1	1	7	6	70	58	-	-	40	18
Mentor	305	-	-	4	86	18	36	3	4	1	2	22	11	129	112	2	4	75	31
Painesville	185	-	-	6	42	9	19	3	1	3	1	6	3	84	72	2	-	60	10
Wickliffe	156	-	-	4	47	10	9	4	5	4	1	14	6	63	46	1	-	32	13
Willoughby	221	-	-	1	50	13	9	3	9	2	3	11	4	103	83	-	3	52	28
Willowick	144	-	-	3	48	11	16	5	4	1	1	10	7	56	50	-	2	37	11
Balance of county	533	-	-	7	134	26	41	12	21	4	1	29	9	252	210	3	5	151	51
Lawrence	666	1	-	19	138	28	51	5	19	5	3	27	19	282	234	1	6	157	70
Ironton	187	-	-	10	22	3	7	1	3	1	-	7	5	92	77	-	2	53	22
Balance of county	479	1	-	9	116	25	44	4	16	4	3	20	14	190	157	1	4	104	48
Licking	1,138	-	-	19	293	72	97	31	27	11	5	50	31	496	379	2	14	294	69
Newark	533	-	-	9	115	35	35	12	6	3	3	21	14	232	170	-	5	135	30
Reynoldsburg, part	4	-	-	1	1	-	1	-	-	-	-	-	-	2	2	-	-	2	-
Balance of county	601	-	-	9	177	37	61	19	21	8	2	29	17	262	207	2	9	157	39
Logan	401	-	-	3	97	18	31	7	11	3	3	24	7	171	136	1	2	95	38
Bellefontaine	116	-	-	-	26	3	7	4	2	2	1	7	4	48	41	1	1	27	12
Balance of county	285	-	-	3	71	15	24	3	9	1	2	17	3	123	95	-	1	68	26
Lorain	2,169	1	-	25	530	128	184	44	47	16	16	95	64	922	704	7	20	525	152
Amherst	90	-	-	-	23	3	6	2	4	-	1	7	2	36	30	1	1	21	7
Avon Lake	107	-	-	-	30	4	16	3	3	2	-	2	2	44	38	1	1	21	15
Elyria	473	-	-	4	110	30	44	7	13	1	3	12	17	191	151	2	6	112	31
Lorain	699	-	-	10	173	42	58	16	10	6	5	36	23	294	223	2	8	171	42
North Ridgenille	118	-	-	-	30	9	3	3	1	3	2	3	3	50	35	-	-	27	8
Sheffield Lake	65	-	-	-	21	7	5	1	1	-	-	7	1	30	23	1	-	17	5
Vermilion, part	27	-	-	-	9	1	-	3	1	-	-	4	-	11	7	-	-	5	2
Balance of county	590	1	-	11	134	32	46	9	12	6	4	25	16	266	197	-	4	151	42
Lucas	4,461	-	-	70	1,018	252	315	97	108	52	27	167	110	2,139	1,676	10	97	1,080	489
Maumee	139	-	-	-	41	11	14	4	2	-	1	9	5	61	53	-	1	30	22
Oregon	207	-	-	-	42	11	14	2	4	2	2	7	5	114	97	-	4	68	25
Sylvania	150	-	-	-	31	9	9	2	5	1	-	5	2	81	57	2	-	41	14
Toledo	3,537	-	-	63	805	195	248	78	85	44	24	131	86	1,681	1,311	7	84	836	384
Balance of county	428	-	-	5	99	26	30	11	12	5	-	15	12	202	158	1	8	105	44
Madison	311	-	-	7	81	14	21	7	15	3	3	18	9	127	103	-	4	78	21
Mahoning	3,018	-	-	46	716	181	203	61	76	32	24	139	120	1,412	1,065	8	15	754	288
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	99	-	-	3	23	7	4	2	1	1	2	6	4	51	40	-	1	33	6
Struthers	151	-	-	3	40	9	17	2	2	-	1	9	9	69	53	2	-	37	14
Youngstown, part	1,273	-	-	18	278	65	85	21	31	13	10	53	50	604	444	1	6	324	113
Youngstown, total	1,334	-	-	20	292	68	88	24	33	14	10	55	51	625	468	1	8	341	118
Balance of county	1,495	-	-	22	375	100	97	36	42	18	11	71	57	698	528	5	8	360	155
Maion	624	1	-	15	162	32	43	17	19	8	11	32	21	241	188	2	9	117	70
Marion	387	-	-	10	106	18	28	12	11	6	10	21	16	148	123	1	3	74	45
Balance of county	237	-	-	5	56	14	15	5	8	2	1	11	5	92	75	1	6	43	25
Medina	846	-	-	15	220	55	70	17	16	14	7	41	27	344	283	3	14	157	109
Brunswick	163	-	-	1	51	12	21	1	5	1	3	8	3	60	54	1	3	27	23
Medina	163	-	-	-	30	12	6	1	1	2	-	8	7	77	56	1	2	29	24
Wadsworth	162	-	-	3	38	11	9	4	1	2	-	11	5	68	57	-	3	32	22
Balance of county	358	-	-	11	101	20	34	11	9	9	4	14	12	139	119	1	6	69	40
Meigs	250	-	-	2	54	13	15	3	7	-	2	14	6	126	89	1	2	61	25
Mercer	339	-	-	2	97	19	23	9	10	8	6	22	4	153	130	1	2	99	28
Miami	808	-	-	11	203	49	45	21	40	6	8	34	19	397	329	3	8	216	102
Piqua	206	-	-	2	50	9	14	5	15	-	1	6	3	108	92	2	2	52	36
Troy	184	-	-	5	56	11	14	7	12	1	-	11	6	80	64	1	1	45	17
Balance of county	418	-	-	4	97	29	17	9	13	5	7	17	10	209	173	-	5	119	49
Monroe	168	-	-	3	31	8	12	2	-	2	1	6	11	69	56	-	-	44	12
Montgomery	5,060	-	-	106	1,265	296	403	113	125	53	52	223	130	2,110	1,631	12	57	968	594
Centerville	179	-	-	1	39	8	12	-	6	3	2	8	4	79	55	-	1	35	19
Dayton, part	1,947	-	-	60	463	120	145	30	53	16	21	78	48	774	596	5	36	331	224
Dayton, total	1,947	-	-	60	463	120	145	30	53	16	21	78	48	774	596	5	36	331	224
Englewood	87	-	-	2	21	7	7	3	-	-	1	3	2	33	28	-	-	16	12
Huber Heights	196	-	-	5	47	11	13	7	4	1	2	9	5	76	60	-	1	32	27
Kettering	521	-	-	5	138	30	43	13	16	8	3	25	11	231	178	4	4	104	66
Miamisburg	143	-	-	3	31	4	13	4	-	2	3	5	5	62	46	-	-	33	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 666

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 128 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Ohio—Con.																			
Jackson	3	22	9	1	9	13	-	1	7	-	-	1	3	29	8	7	6	3	-
Jefferson	1	63	4	10	33	45	4	8	4	2	4	7	79	11	17	8	3	1	-
Stuebenville	-	25	1	2	19	16	1	3	3	-	-	3	4	29	2	7	3	1	-
Balance of county	1	38	3	8	14	29	3	5	1	2	1	3	50	9	10	5	2	2	-
Knox	4	56	22	4	6	18	1	2	4	-	6	4	8	36	15	12	7	2	-
Mount Vernon	3	30	17	3	2	10	-	-	3	-	4	1	4	16	3	2	4	-	-
Balance of county	1	26	5	1	4	8	1	2	1	-	2	3	4	20	12	10	3	2	-
Lake	6	84	8	28	57	74	2	19	23	-	16	10	15	138	15	24	26	4	2
Eastlake	-	10	-	2	6	11	-	2	-	-	1	-	1	13	-	2	4	-	-
Mentor	-	13	-	4	9	14	-	1	5	-	1	2	-	28	4	3	6	2	-
Painesville	1	7	-	4	1	11	-	-	1	-	2	1	4	15	3	7	2	1	-
Wickliffe	1	9	3	4	5	3	1	1	3	-	3	1	2	14	-	-	3	-	-
Willoughby	1	14	2	3	10	7	1	3	3	-	1	2	2	28	2	4	-	-	-
Willowick	-	5	-	1	3	6	-	3	3	-	-	-	3	7	1	2	1	-	1
Balance of county	3	26	3	10	23	22	-	9	8	-	8	4	3	33	5	6	10	-	-
Lawrence	4	34	1	9	32	34	3	8	9	-	3	3	7	72	16	16	3	1	-
Ironton	1	8	1	5	7	12	-	1	4	-	1	-	4	22	4	3	-	-	-
Balance of county	3	26	-	4	25	22	3	7	5	-	2	3	3	50	12	13	3	1	-
Licking	9	81	6	21	36	58	3	9	9	-	6	11	13	95	19	21	17	2	-
Newark	6	45	2	9	22	28	3	6	5	-	3	7	7	56	7	8	9	2	-
Reynoldsburg, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	3	36	4	12	14	30	-	3	4	-	3	4	6	39	12	13	8	-	-
Logan	2	26	-	7	12	26	2	2	4	-	6	3	4	39	8	9	4	3	1
Bellefontaine	-	6	-	1	2	8	-	-	2	-	2	1	1	15	1	2	1	3	-
Balance of county	2	20	-	6	10	18	2	2	2	-	4	2	3	24	7	7	3	-	1
Lorain	7	166	15	30	58	93	7	25	18	-	8	25	28	246	37	40	27	13	2
Amherst	-	6	-	-	2	4	-	2	1	-	2	-	-	13	4	-	1	-	-
Avon Lake	-	6	-	-	3	4	2	-	1	-	-	2	1	15	-	1	2	-	-
Elyria	2	23	5	10	16	26	2	6	2	-	1	8	8	58	6	11	4	3	-
Lorain	3	55	6	7	11	32	3	9	6	-	2	9	9	78	9	11	9	9	2
North Ridgeville	-	13	-	2	5	7	-	1	1	-	-	3	-	12	2	2	2	-	-
Sheffield Lake	1	4	1	1	3	2	-	-	-	-	-	-	2	4	1	-	-	-	-
Vermilion, part	-	4	-	-	1	3	-	-	-	-	1	-	-	2	-	-	-	-	-
Balance of county	1	55	3	10	17	15	-	7	7	-	2	3	8	64	15	14	9	1	-
Lucas	26	329	46	62	121	224	10	57	48	-	33	29	36	333	56	77	51	47	2
Maumee	-	5	-	3	3	10	-	1	1	-	1	-	1	8	1	1	3	1	-
Oregon	-	15	1	1	2	12	1	2	4	-	2	-	1	11	3	3	4	-	-
Sylvania	-	19	1	4	4	5	-	1	1	-	1	-	-	16	-	4	3	-	-
Toledo	24	260	38	48	94	173	9	53	40	-	25	27	30	267	47	59	33	43	2
Balance of county	2	30	6	6	18	24	-	-	2	-	4	1	4	31	5	10	8	3	-
Madison	3	16	3	2	12	15	1	4	3	-	2	3	4	27	9	5	2	-	-
Mahoning	17	230	64	36	82	104	7	19	24	1	18	23	25	257	29	43	35	56	1
Alliance, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Campbell	-	7	1	3	2	4	-	-	1	-	-	-	-	7	1	1	1	2	-
Struthers	1	13	-	2	2	5	-	1	3	-	-	2	1	13	-	1	1	1	-
Youngstown, part	11	100	33	16	33	40	3	11	9	1	10	16	10	103	15	17	12	43	-
Youngstown, total	11	102	36	18	35	43	3	12	10	1	10	16	10	105	15	18	12	46	-
Balance of county	5	110	30	15	45	55	4	7	11	-	8	5	14	134	13	24	22	10	1
Marion	3	35	1	4	15	30	2	1	6	-	5	-	12	64	19	19	8	3	-
Marion	1	21	1	3	10	18	1	1	3	-	2	-	8	36	8	11	5	2	-
Balance of county	2	14	-	1	5	12	1	-	3	-	3	-	4	28	11	8	3	1	-
Medina	5	47	1	8	26	37	1	7	7	-	10	3	27	73	13	15	12	9	-
Brunswick	1	4	-	1	5	8	-	1	-	-	4	2	4	12	1	3	6	2	-
Medina	3	17	-	1	3	4	-	2	4	-	3	-	10	12	2	6	1	2	-
Wadsworth	-	9	1	1	8	8	1	2	-	-	-	-	5	19	-	3	1	1	-
Balance of county	1	17	-	5	10	17	-	3	2	-	3	1	8	30	10	3	4	4	-
Meigs	1	22	8	6	2	8	2	1	4	-	2	1	7	23	2	6	4	-	-
Mercer	-	21	-	2	9	9	1	3	4	-	1	1	4	26	9	6	9	1	-
Miami	3	51	-	14	21	36	-	2	8	-	4	-	2	69	12	14	10	-	-
Piqua	1	10	-	5	5	6	-	-	3	-	-	-	-	14	6	4	5	-	-
Troy	2	13	-	1	4	10	-	1	1	-	-	-	-	14	1	4	2	-	-
Balance of county	-	28	-	8	12	20	-	1	4	-	4	-	2	41	5	6	3	-	-
Monroe	1	11	-	1	5	5	1	3	2	-	-	-	2	20	5	7	4	-	-
Montgomery	32	352	39	56	150	229	14	53	51	-	18	27	132	479	63	92	68	72	1
Centerville	1	20	1	2	14	9	1	1	3	-	-	-	3	20	1	1	2	1	-
Dayton, part	15	120	21	22	56	91	5	26	21	-	5	18	73	182	21	32	20	51	1
Dayton, total	15	120	21	22	56	91	5	26	21	-	5	18	73	182	21	32	20	51	1
Englewood	1	4	-	7	-	-	-	1	1	-	-	-	4	10	3	1	2	-	-
Huber Heights	-	13	1	2	5	6	-	3	-	-	2	-	6	18	5	5	12	1	-
Kettering	4	35	7	7	14	24	1	4	8	-	5	2	5	59	3	3	7	1	-
Miamisburg	1	12	-	3	4	6	-	-	1	-	2	-	2	14	6	5	3	-	-
Vandalia	-	6	-	-	2	9	1	2	1	-	1	-	-	8	1	1	3	-	-
West Carrollton	1	10	-	2	3	4	1	2	1	-	-	-	1	10	1	4	1	1	-
Balance of county	9	132	9	18	45	80	5	14	15	-	3	7	38	158	23	40	18	17	-
Morgan	-	8	-	2	8	9	1	1	-	-	-	2	2	9	6	5	-	1	-
Morrow	-	8	-	1	4	11	-	1	1	-	1	1	4	20	7	5	1	1	-
Muskingum	9	47	7	9	42	47	1	8	7	-	2	5	10	74	8	19	6	2	-
Zanesville																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 667

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 129 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases :	Malignant neoplasms, including neoplasms of lymphatic and hemo- poeitic tissues (140-208)	Malignant neoplas- ms of digestive organs and perito- neum (150- 159)	Malignant neoplas- ms of respira- tory and intra- thoracic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (178- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Ohio—Con.																				
Perry	304	-	-	6	81	17	28	5	9	3	3	16	7	127	107	-	-	88	19	
Pickaway	396	-	-	12	88	21	26	12	4	3	4	18	14	159	113	2	3	64	44	
Circleville	183	-	-	4	35	6	13	3	2	3	1	7	10	74	43	1	1	20	21	
Balance of county	213	-	-	8	53	15	13	9	2	-	3	11	4	85	70	1	2	44	23	
Pike	254	-	-	2	43	9	12	4	4	3	1	10	4	126	104	-	2	73	89	
Portage	944	-	-	10	271	62	100	17	25	10	9	48	18	397	296	4	5	188	89	
Kent	164	-	-	1	41	10	10	1	3	3	2	12	1	85	61	1	2	42	16	
Ravenna	139	-	-	2	29	7	11	4	1	1	1	4	7	62	54	1	1	37	15	
Balance of county	641	-	-	7	201	45	79	12	21	6	6	32	10	250	181	2	2	119	58	
Preble	289	-	-	3	70	17	19	3	9	3	3	6	13	4	128	108	1	1	79	27
Putnam	269	-	-	3	63	12	20	9	7	3	2	10	14	114	96	3	4	73	16	
Richland	1,168	-	-	24	260	61	81	24	24	9	9	52	37	549	449	5	15	341	88	
Mansfield	648	-	-	13	145	36	49	11	12	6	3	28	17	299	244	4	6	184	50	
Balance of county	520	-	-	11	115	25	32	13	12	3	6	24	20	250	205	1	9	157	38	
Ross	615	1	-	11	154	30	56	9	16	3	6	34	21	243	197	-	2	144	51	
Chillicothe	290	-	-	5	72	16	22	3	10	3	3	15	12	112	92	-	1	71	20	
Balance of county	325	1	-	6	82	14	34	6	6	-	3	19	9	131	105	-	1	73	31	
Sandusky	552	-	1	10	127	24	34	12	17	5	11	24	12	241	187	-	4	146	37	
Fremont	187	-	1	1	44	10	12	3	4	1	4	10	5	84	61	-	1	49	11	
Balance of county	365	-	-	9	83	14	22	9	13	4	7	14	7	157	126	-	3	97	26	
Scioto	894	-	-	18	204	41	72	7	30	9	4	41	29	414	352	1	5	219	127	
Portsmouth	385	-	-	11	78	10	32	3	10	4	2	17	11	184	155	1	2	89	63	
Balance of county	509	-	-	7	126	31	40	4	20	5	2	24	18	230	197	-	3	130	64	
Seneca	600	-	-	5	133	37	27	16	15	7	5	26	15	310	268	1	5	221	41	
Fostoria, part	166	-	-	2	28	7	7	5	3	1	1	4	6	90	79	-	1	67	11	
Fostoria, total	217	-	-	2	43	13	11	5	4	1	2	7	7	110	97	-	1	82	14	
Tiffin	197	-	-	2	44	12	8	5	5	2	3	9	4	101	90	-	4	78	10	
Balance of county	237	-	-	1	61	18	12	6	7	4	1	13	5	119	99	1	-	78	20	
Shelby	299	-	-	5	71	14	13	7	9	9	3	16	7	152	117	4	2	73	38	
Sidney	132	-	-	2	34	7	7	4	5	4	3	4	4	56	45	1	-	26	18	
Balance of county	167	-	-	3	37	7	6	3	4	5	-	12	3	96	72	3	2	47	20	
Stark	3,496	3	-	58	831	188	252	76	91	37	34	153	131	1,467	1,128	11	29	820	268	
Alliance, part	273	1	-	3	60	19	13	10	9	3	-	6	16	103	73	1	-	62	10	
Alliance, total	273	1	-	3	60	19	13	10	9	3	-	6	16	103	73	1	-	62	10	
Canton	1,030	-	-	20	221	49	73	21	22	10	10	36	43	425	336	2	8	257	69	
Massillon	346	-	-	6	79	15	30	6	9	4	2	13	18	151	113	1	3	70	39	
North Canton	140	-	-	2	40	12	8	2	5	1	3	9	2	57	44	-	1	33	10	
Balance of county	1,707	2	-	27	431	93	128	37	46	19	19	89	52	731	562	7	17	398	140	
Summit	5,119	1	-	84	1,267	289	383	110	133	50	37	265	160	2,040	1,614	20	50	1,024	520	
Akron	2,375	-	-	43	562	127	184	40	52	28	15	116	87	921	717	8	26	447	238	
Barberton	339	-	-	2	78	14	27	3	8	1	4	21	9	161	135	2	2	67	64	
Cuyahoga Falls	430	-	-	7	118	29	37	11	15	1	3	22	13	155	117	1	2	81	33	
Norton	121	-	-	-	27	4	8	3	3	3	2	4	2	59	51	-	-	35	16	
Stow	228	-	-	1	54	12	16	7	4	2	5	8	7	97	78	1	2	57	18	
Tallmadge	162	-	-	4	40	9	15	4	2	2	1	7	4	66	56	-	5	34	17	
Balance of county	1,464	1	-	27	388	94	96	42	49	13	7	87	38	581	460	8	13	303	136	
Trumbull	2,230	-	-	34	529	115	169	47	60	25	16	97	69	971	785	6	19	593	167	
Girard	109	-	-	2	30	6	9	2	3	3	2	5	2	52	44	-	-	33	11	
Niles	261	-	-	1	66	19	18	3	9	3	10	7	118	96	1	1	72	22		
Warren	675	-	-	19	136	23	45	11	16	8	5	28	23	304	252	2	8	196	46	
Youngstown, part	61	-	-	2	14	3	3	3	2	1	-	2	1	31	24	-	2	17	5	
Balance of county	1,124	-	-	10	283	64	94	28	30	9	6	52	36	466	369	3	8	275	83	
Tuscarawas	884	1	-	6	199	45	54	21	27	6	7	39	31	425	337	2	10	243	82	
Dover	161	-	-	1	33	9	5	7	6	-	-	6	7	85	67	-	3	48	16	
New Philadelphia	186	1	-	1	34	7	9	3	3	2	1	9	9	88	69	1	3	54	11	
Balance of county	537	-	-	4	132	29	40	11	18	4	6	24	15	252	201	1	4	141	55	
Union	242	-	-	8	66	11	25	1	6	1	7	15	6	88	71	1	-	48	22	
Van Wert	270	-	-	8	61	21	15	2	8	1	3	11	8	117	95	-	2	67	26	
Van Wert	121	-	-	6	24	5	6	1	5	-	2	5	1	51	42	-	1	28	13	
Balance of county	149	-	-	2	37	16	9	1	3	1	1	6	7	66	53	-	1	39	13	
Vinton	107	-	-	2	28	2	8	3	4	2	1	8	1	40	34	-	-	27	7	
Warren	868	1	-	19	227	39	75	12	28	7	12	54	22	338	271	2	11	148	110	
Franklin	126	-	-	6	29	4	11	2	2	1	2	7	4	52	39	-	1	22	16	
Balance of county	742	1	-	13	193	35	64	10	26	6	10	47	18	286	232	2	10	126	94	
Washington	609	-	-	7	146	34	39	13	21	7	4	28	19	278	228	3	3	162	60	
Marietta	208	-	-	1	44	10	10	4	7	4	2	7	8	100	79	1	1	58	19	
Balance of county	401	-	-	6	102	24	29	9	14	3	2	21	11	178	149	2	2	104	41	
Wayne	801	-	-	7	201	43	54	22	32	7	4	39	17	372	297	3	8	189	97	
Wooster	219	-	-	2	44	11	12	3	7	2	-	9	3	108	81	-	4	51	26	
Balance of county	582	-	-	5	157	32	42	19	25	5	4	30								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 668

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 130 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-789)	All other diseases (Residual)	Motor vehicle accidents and adverse effects (E810-E829)	All other accidents and adverse effects (E800-E807, E828-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Ohio—Con.																			
Perry	-	14	2	4	16	15	-	3	-	-	-	2	5	24	4	6	7	1	-
Pickaway	2	38	4	2	13	19	1	4	4	-	3	1	11	35	7	11	10	3	1
Circleville	1	25	3	2	9	15	1	1	2	-	1	-	3	17	2	6	3	-	-
Balance of county	1	13	1	-	4	4	-	3	2	-	2	1	8	18	5	7	3	1	-
Pike	2	18	1	1	14	18	-	3	2	-	1	-	5	25	7	5	-	1	-
Portage	7	73	7	14	18	34	-	6	18	-	4	6	26	78	17	21	14	6	-
Kent	4	14	4	2	4	2	-	1	4	-	1	2	2	10	3	3	3	1	-
Ravenna	-	6	1	1	3	6	-	-	2	-	1	1	6	14	1	4	1	-	-
Balance of county	3	53	2	11	11	26	-	5	12	-	2	3	18	54	13	14	10	5	-
Preble	-	8	5	7	6	17	1	4	3	-	4	2	1	24	10	10	2	-	-
Putnam	3	10	-	5	11	16	1	-	2	-	1	1	1	17	7	9	9	-	-
Richland	2	74	8	16	31	56	3	13	12	-	5	6	11	98	12	24	22	5	-
Mansfield	1	40	3	11	16	35	3	10	6	-	1	2	6	58	6	12	14	5	-
Balance of county	1	34	5	5	15	21	-	3	6	-	4	4	5	40	6	12	8	-	-
Ross	2	31	7	6	17	34	1	11	4	-	7	5	7	57	18	13	9	2	-
Chillicothe	1	14	3	2	8	19	-	6	2	-	3	2	3	31	7	6	2	-	-
Balance of county	1	17	4	4	9	15	1	5	2	-	4	3	4	26	11	7	7	2	-
Sandusky	1	31	8	14	16	14	1	2	12	-	2	2	9	67	16	12	6	2	-
Fremont	-	10	6	7	5	4	1	1	7	-	-	-	1	22	5	3	1	2	-
Balance of county	1	21	2	7	11	10	-	1	5	-	2	2	8	45	11	9	5	-	-
Scioto	-	49	4	9	28	42	3	7	14	-	4	1	15	71	11	18	11	3	1
Portsmouth	-	21	2	6	8	19	2	4	5	-	2	-	8	34	1	10	6	1	1
Balance of county	-	28	2	3	20	23	1	3	9	-	2	1	7	37	10	8	5	2	-
Seneca	2	33	1	6	14	22	1	3	11	-	9	2	4	40	15	9	4	3	-
Fostoria, part	2	9	-	-	8	7	-	1	2	-	1	1	1	10	3	3	1	2	-
Fostoria, total	2	11	-	-	10	10	-	1	2	-	1	1	3	17	3	4	1	2	-
Tiffin	-	9	-	2	3	8	1	2	3	-	6	1	1	14	3	2	2	-	-
Balance of county	-	15	1	4	3	7	-	3	6	-	2	-	2	16	9	4	1	1	-
Shelby	1	25	6	3	5	13	1	-	3	-	2	-	3	16	8	6	7	-	-
Sidney	1	7	3	-	3	6	-	-	3	-	1	-	2	9	5	4	3	-	-
Balance of county	-	18	3	3	2	7	1	-	-	-	1	-	1	7	3	2	4	-	-
Stark	10	240	31	58	114	185	9	27	35	-	22	13	40	363	60	76	40	20	2
Alliance, part	1	10	14	5	11	17	2	1	3	-	1	1	4	36	5	3	2	4	-
Alliance, total	1	10	14	5	11	17	2	1	3	-	1	1	4	36	5	3	2	4	-
Canton	3	66	5	15	37	56	2	12	10	-	7	6	16	109	20	26	7	11	2
Massillon	-	32	1	5	9	23	1	1	6	-	1	-	4	30	2	11	2	2	-
North Canton	-	8	1	4	6	6	-	-	2	-	2	-	1	12	1	5	4	-	-
Balance of county	6	124	10	29	51	83	4	13	14	-	11	6	15	176	32	31	25	3	-
Summit	18	307	31	70	167	222	5	43	61	-	24	23	304	557	28	72	50	10	1
Akron	6	150	11	37	86	99	2	27	31	-	9	16	150	267	13	36	19	7	-
Barberton	2	19	2	3	5	21	-	1	4	-	1	1	27	18	3	7	1	-	-
Cuyahoga Falls	-	23	9	6	10	17	-	2	5	-	3	1	29	55	2	5	8	-	-
Norton	-	6	-	2	3	3	-	-	1	-	-	-	10	11	-	4	1	-	-
Stow	2	12	1	4	9	9	1	1	4	-	-	-	8	25	-	3	4	1	-
Tallmadge	1	7	1	1	8	6	-	2	1	-	3	1	8	25	1	-	1	-	1
Balance of county	7	90	7	17	46	67	2	10	15	-	8	4	77	156	9	17	16	2	-
Trumbull	24	116	19	27	65	113	7	16	37	-	11	21	43	188	37	41	27	18	3
Girard	1	4	2	1	3	5	-	1	1	-	1	-	7	2	3	-	-	-	-
Niles	4	14	1	3	12	8	1	3	8	-	-	1	4	20	3	2	4	-	-
Warren	6	33	5	8	13	30	3	2	6	-	3	12	18	69	10	13	8	4	2
Youngstown, part	-	2	3	2	2	3	-	1	1	-	-	-	-	2	-	1	-	3	-
Balance of county	13	63	8	13	35	67	3	9	21	-	7	8	21	90	22	21	17	7	1
Tuscarawas	4	63	8	13	37	50	-	9	12	-	3	3	6	64	19	15	3	1	-
Dover	2	12	4	-	9	5	-	2	3	-	1	2	-	11	-	2	-	-	-
New Philadelphia	-	13	1	5	10	11	-	-	2	-	2	-	1	20	-	5	2	-	-
Balance of county	2	38	3	8	18	34	-	7	7	-	-	1	5	33	19	8	1	1	-
Union	1	11	3	2	11	7	2	3	5	-	1	1	1	29	3	8	3	-	-
Van Wert	2	13	5	2	7	14	1	-	3	-	2	-	1	33	6	5	4	-	-
Van Wert	-	5	4	-	6	8	1	-	3	-	-	-	-	16	1	1	3	-	-
Balance of county	2	8	1	2	1	6	-	-	-	-	2	-	1	17	5	4	1	-	-
Vinton	1	5	-	-	2	7	-	2	-	-	-	2	6	14	3	2	-	-	-
Warren	4	51	7	5	30	39	3	7	12	-	6	4	12	104	21	14	8	1	-
Franklin	1	9	2	1	3	7	-	2	3	-	-	-	4	8	3	2	3	-	-
Balance of county	3	42	5	4	27	32	3	5	9	-	6	4	8	96	18	12	5	1	-
Washington	1	32	2	15	27	21	-	4	13	-	5	-	7	57	4	7	11	2	1
Marietta	-	11	2	8	5	10	-	1	2	-	3	-	5	27	-	2	4	1	-
Balance of county	1	21	-	7	22	11	-	3	11	-	2	-	2	35	4	5	7	1	1
Wayne	5	50	6	14	33	32	3	5	-	-	5	4	9	62	14	20	10	3	1
Wooster	4	15	4	4	16	7	-	2	1	-	2	-	2	20	1	5	4	2	-
Balance of county	1	35	2	10	17	25	3	1	4	-	3	4	7	42	13	15	6	1	1
Williams	1	19	-	7	18	19	-	1	5	-	3	3	5	34	11	4	-	1	-
Wood	3	49	18	13	26	32	1	4	10	-	6	7	5	54	16	7	6	3	-
Bowling Green	1	8	3	1	7	6	1	-	4	-	-	3	1	9	2	1	-	1	-
Fostoria, part	-	-	-	-	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-
Perysburg	1	7	4	3	4	4	-	1	3	-	-	-	9	2	-	1	-	-	-
Balance of county	1	34	11	9	14	22	-	3	3	-	6	4	3	33	12	6	5	2	-
Wyandot	-	24	-	2	11	10	-	2	1	-	3	-	2	18	5	3	3	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 669

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 131 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- tologic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- piratory and in- tra- thoracic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (179- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Oklahoma	30,510	25	1	625	6,773	1,536	2,188	482	794	266	259	1,248	574	13,773	10,869	47	191	7,295	3,336
Urban places	15,813	13	-	417	3,538	825	1,125	275	413	121	134	645	293	6,940	5,406	27	129	3,602	1,648
Balance of area	14,697	12	1	208	3,235	711	1,063	207	381	145	125	603	281	6,833	5,463	20	62	3,693	1,688
Metropolitan counties	15,737	13	1	404	3,573	810	1,161	271	418	129	125	659	311	6,820	5,310	23	119	3,533	1,635
Urban places	12,255	13	-	349	2,730	625	901	212	306	94	96	496	241	5,302	4,138	20	104	2,746	1,268
Balance of area	3,482	-	1	55	843	185	260	59	112	35	29	163	70	1,518	1,172	3	15	787	367
Nonmetropolitan counties	14,773	12	-	221	3,200	726	1,027	211	376	137	134	589	263	6,953	5,559	24	72	3,762	1,701
Urban places	3,558	-	-	68	808	200	224	63	107	27	38	149	52	1,638	1,268	7	25	856	380
Balance of area	11,215	12	-	153	2,392	526	803	148	269	110	96	440	211	5,315	4,291	17	47	2,906	1,321
Adair	209	-	-	3	49	11	17	6	2	-	1	12	6	93	67	-	-	47	20
Alfalfa	84	-	-	1	23	6	6	2	1	3	3	3	1	38	28	-	-	11	17
Atoka	128	-	-	-	20	4	11	-	1	-	-	4	1	67	57	-	-	27	30
Beaver	62	-	-	-	21	5	4	2	3	1	1	5	-	23	17	-	-	12	5
Beckham	254	-	-	2	46	9	20	1	7	1	2	6	1	107	86	1	2	54	29
Blaine	144	1	-	4	26	7	6	-	7	-	2	4	4	70	64	-	-	51	13
Bryan	348	-	-	4	88	24	26	6	14	4	3	9	10	154	129	1	2	104	22
Durant	177	-	-	1	48	15	15	4	9	-	1	4	4	73	57	1	2	47	7
Balance of county	171	-	-	3	38	9	11	2	5	4	2	5	6	81	72	-	-	57	15
Caddo	363	1	-	3	64	17	15	4	7	1	3	17	12	172	141	1	-	87	53
Canadian	490	1	-	14	97	21	30	15	13	-	4	14	4	222	172	2	1	119	50
El Reno	183	1	-	8	31	8	11	6	2	-	2	2	1	99	77	-	1	52	24
Oklahoma City, part	10	-	-	1	1	1	-	-	-	-	-	-	-	4	4	-	-	3	1
Yukon	190	-	-	5	43	7	13	8	7	-	1	7	2	72	55	1	-	36	18
Balance of county	107	-	-	-	22	5	6	1	4	-	1	5	1	47	36	1	-	28	7
Carter	515	-	-	12	124	30	31	10	17	6	2	28	6	235	190	-	6	127	57
Ardmore	334	-	-	11	82	20	21	6	11	4	-	20	4	152	118	-	4	80	34
Balance of county	181	-	-	1	42	10	10	4	6	2	2	8	2	83	72	-	2	47	23
Cherokee	307	-	-	2	57	13	19	1	8	1	3	12	8	131	99	-	-	69	30
Choctaw	208	-	-	3	35	8	16	2	5	-	-	4	3	112	88	1	1	59	27
Cimarron	46	-	-	1	6	3	1	-	1	-	1	-	1	24	19	1	1	11	6
Cleveland	911	-	-	16	208	54	62	21	21	9	6	35	22	403	310	-	6	214	90
Moore	214	-	-	4	45	8	13	5	7	3	1	8	6	102	84	-	3	55	26
Norman	515	-	-	9	117	33	34	12	10	5	4	19	11	223	172	-	2	122	48
Oklahoma City, part	49	-	-	1	17	7	2	2	2	-	1	3	1	18	14	-	-	9	5
Balance of county	133	-	-	2	29	6	13	2	2	1	-	5	4	60	40	-	1	28	11
Coal	68	-	-	1	13	5	3	2	2	1	-	-	1	37	29	-	-	16	13
Comanche	783	-	-	21	179	33	61	11	29	7	10	28	11	334	254	2	3	173	76
Lawton	603	-	-	17	143	29	46	9	25	5	7	22	9	262	202	2	3	136	61
Balance of county	180	-	-	4	36	4	15	2	4	2	3	6	2	72	52	-	-	37	15
Cotton	93	1	-	-	14	6	6	-	2	-	-	-	2	55	40	-	-	18	22
Craig	185	-	-	-	41	5	16	5	4	-	4	7	4	79	59	1	-	42	16
Creek	593	1	-	7	140	32	43	5	21	5	6	28	13	269	218	1	4	155	58
Sapulpa	240	1	-	5	50	16	15	2	6	-	2	9	5	117	89	1	2	63	23
Balance of county	353	-	-	2	90	16	28	3	15	5	4	19	8	152	129	-	2	92	35
Custer	271	-	-	5	55	10	20	3	7	4	3	8	7	130	111	-	-	81	30
Delaware	370	2	-	3	85	16	32	5	6	4	2	20	3	186	160	-	2	94	64
Dowry	83	-	-	2	15	4	2	2	2	1	2	1	2	42	24	-	-	17	7
Ellis	61	-	-	-	14	4	5	1	1	-	1	2	1	31	23	-	-	4	19
Garfield	579	1	-	5	126	30	36	10	16	5	2	27	24	237	171	1	3	110	57
Enid	477	1	-	4	101	19	33	9	12	4	2	22	23	191	138	1	2	89	46
Balance of county	102	-	-	1	25	11	3	1	4	1	-	5	1	46	33	-	1	21	11
Garvin	330	1	-	5	58	9	20	5	4	5	2	13	7	173	124	-	2	82	40
Grady	393	-	-	5	75	15	17	6	14	4	3	16	5	206	162	2	9	99	52
Chickasha	225	-	-	3	33	8	7	3	8	1	2	4	3	128	96	1	6	57	32
Balance of county	168	-	-	2	42	7	10	3	6	3	1	12	2	78	66	1	3	42	20
Grant	83	-	-	3	16	6	-	2	2	1	2	3	2	42	28	-	-	15	13
Greer	110	-	-	2	25	7	6	-	3	3	1	5	2	52	36	-	-	21	15
Harmon	54	-	-	-	20	-	10	3	2	1	-	4	1	23	19	-	-	16	3
Harper	62	-	-	-	13	3	1	3	1	2	1	2	4	33	25	-	-	17	8
Haskell	173	-	-	2	41	4	19	3	1	6	-	8	2	87	75	-	-	59	16
Hughes	198	1	-	1	39	12	12	1	5	2	1	6	5	100	85	-	-	61	24
Jackson	225	-	-	4	49	21	10	3	4	1	-	10	5	102	76	-	1	44	31
Altus	167	-	-	3	35	14	8	2	1	-	8	5	7	72	49	-	1	28	20
Balance of county	58	-	-	1	14	7	2	2	2	-	-	2	-	30	27	-	-	16	11
Jefferson	114	-	-	-	21	6	6	1	4	-	1	3	3	51	36	-	2	23	11
Johnston	121	1	-	3	34	10	9	2	2	-	2	9	4	52	43	-	1	33	9
Key	578	-	-	6	135	33	44	6	16	4	6	26	9	273	200	1	4	134	61
Ponca City	307	-	-	4	76	18	22	2	11	2	4	17	3	146	106	1	2	62	41
Balance of county	271	-	-	2	59	15	22	4	5	2	2	9	6	127	94	-	2	72	20
Kingfisher	140	-	-	3	27	6	10	2	2	1	4	1	6	65	50	-	1	36	13
Kiowa	186	-	-	2	33	6	7	1	10	2	4	3	6	102	84	1			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 670

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 132 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Oklahoma	113	2,153	332	306	1,253	1,377	72	283	410	4	139	167	393	2,619	653	613	472	252	32
Urban places	55	1,181	136	162	666	748	30	151	199	3	84	107	201	1,455	256	282	254	159	17
Balance of area	58	972	196	144	587	629	42	132	211	1	55	60	192	1,164	397	331	218	93	15
Metropolitan counties	63	1,134	136	177	608	740	30	151	185	3	72	99	165	1,139	211	217	213	129	14
Urban places	47	891	94	132	482	591	22	116	147	3	20	19	34	1,139	211	217	213	129	14
Balance of area	16	243	42	45	126	149	8	35	39	-	20	19	34	275	109	78	76	24	3
Nonmetropolitan counties	50	1,019	196	129	645	637	42	132	224	1	47	49	194	1,205	333	318	183	99	15
Urban places	8	290	42	30	184	157	8	35	52	-	12	8	36	316	45	65	41	30	3
Balance of area	42	729	154	99	461	480	34	97	172	1	35	41	158	889	288	253	142	69	12
Adair	1	18	2	5	7	8	1	2	2	-	-	3	4	20	7	3	-	1	-
Alfalfa	6	4	-	-	5	1	-	5	1	-	-	-	2	2	2	3	1	-	-
Atoka	9	-	-	1	2	2	1	1	3	-	-	-	6	2	2	3	-	-	-
Beaver	4	1	1	1	1	5	1	1	1	-	-	-	6	1	1	1	1	-	-
Beckham	20	1	-	-	6	9	-	2	2	-	-	1	46	23	6	-	1	-	-
Blaine	1	4	-	1	10	6	-	1	2	-	-	3	1	7	6	2	4	1	-
Bryan	2	20	-	3	13	14	-	3	8	-	-	3	1	28	7	13	4	1	1
Durant	1	13	-	2	7	5	-	2	6	-	-	-	1	17	3	7	1	1	1
Balance of county	1	7	-	1	6	9	-	1	2	-	-	1	11	4	6	3	-	-	-
Caddo	3	24	1	3	17	13	1	8	3	-	-	4	8	32	8	11	3	2	1
Canadian	2	37	2	9	24	27	-	5	12	-	5	3	3	44	3	8	7	1	-
El Reno	-	16	-	6	12	12	-	1	3	-	1	1	1	11	13	-	-	-	-
Oklahoma City, part	-	-	-	-	1	1	-	1	1	-	-	-	-	2	-	-	-	-	-
Yukon	2	11	2	2	7	9	-	2	5	-	2	2	2	22	7	6	3	1	-
Balance of county	-	10	-	1	5	5	-	2	3	-	2	-	-	9	5	2	4	-	-
Carter	2	39	4	-	20	19	1	3	11	-	4	3	4	43	7	9	10	3	1
Ardmore	1	30	3	-	12	12	1	1	6	-	2	2	2	31	3	5	6	3	1
Balance of county	1	9	1	-	8	7	-	2	5	-	2	3	2	12	4	4	4	-	-
Cherokee	1	20	8	3	18	9	-	3	4	-	2	1	2	38	13	14	4	1	-
Choctaw	2	20	-	2	6	18	-	2	5	-	2	3	1	8	2	2	3	3	-
Cimarron	-	4	-	1	2	4	-	-	1	-	-	-	-	4	2	1	-	-	-
Cleveland	4	77	4	8	36	40	2	9	11	-	7	4	14	68	20	19	23	5	4
Moore	1	15	-	2	9	7	-	3	1	-	2	-	3	18	3	5	4	2	-
Norman	1	44	2	4	20	28	2	4	9	-	2	4	9	39	11	9	13	1	4
Oklahoma City, part	-	4	-	-	1	1	-	1	-	-	1	-	-	3	3	1	1	-	-
Balance of county	2	14	2	2	6	4	-	1	1	-	2	-	2	8	3	4	5	2	-
Coal	-	5	1	2	2	2	-	-	2	-	-	-	2	6	2	-	-	-	-
Comanche	11	56	4	9	28	33	2	8	7	-	3	15	9	71	24	14	14	9	1
Lawton	8	44	3	5	20	21	2	6	4	-	2	12	9	52	13	11	11	8	1
Balance of county	3	12	1	4	8	12	-	2	3	-	1	3	-	19	11	3	3	1	-
Cotton	1	10	2	2	2	8	-	-	-	-	-	-	-	7	2	1	1	-	-
Craig	-	18	2	-	20	6	-	3	1	-	-	-	4	14	4	4	3	2	-
Creek	2	37	3	9	21	18	-	7	5	-	4	2	8	58	16	15	8	1	-
Sapulpa	-	22	2	4	6	6	-	3	-	-	3	-	4	27	4	3	6	-	-
Balance of county	2	15	1	5	15	12	-	4	5	-	1	2	4	31	12	12	2	1	-
Custer	1	14	-	4	12	15	-	1	2	-	2	2	2	19	4	8	5	2	-
Delaware	1	17	5	3	7	14	-	2	8	-	2	-	5	29	9	4	10	1	-
Dewey	-	4	14	-	3	5	2	-	2	-	-	-	10	1	-	-	-	-	-
Ellis	-	6	2	-	2	-	-	1	-	-	-	-	3	6	2	1	-	-	-
Garfield	-	54	3	9	34	28	-	6	5	-	5	-	5	72	11	8	10	1	1
Enid	-	45	1	7	29	22	-	6	4	-	4	-	4	63	9	5	9	1	1
Balance of county	-	9	2	2	5	6	-	1	1	-	1	-	1	9	2	3	1	-	-
Garvin	3	20	24	2	19	16	1	-	5	-	-	-	3	18	11	7	2	3	1
Grady	-	40	3	1	13	14	-	4	4	-	-	2	4	38	7	6	7	3	-
Chickasha	-	30	2	-	8	17	-	-	3	-	-	2	2	23	2	4	5	2	-
Balance of county	-	10	1	1	5	7	-	4	1	-	-	-	2	15	5	2	2	1	-
Grant	-	7	4	3	3	4	-	1	-	-	-	1	-	9	-	1	-	1	-
Greer	1	12	1	2	7	7	1	-	1	-	-	-	2	10	-	1	-	-	-
Harmon	-	3	1	-	2	2	-	-	-	-	1	-	1	3	1	-	-	-	-
Harper	-	6	-	2	3	2	-	-	1	-	-	-	2	4	-	-	-	-	-
Haskell	-	9	1	2	11	5	1	2	1	-	-	-	2	8	5	5	-	-	1
Hughes	1	12	1	1	13	8	-	2	5	-	-	-	1	14	5	3	1	-	-
Jackson	-	25	-	1	11	7	1	4	2	-	-	2	7	22	1	5	2	1	-
Altus	-	23	-	-	8	4	1	3	-	-	-	2	7	19	1	5	1	1	-
Balance of county	-	2	-	1	3	3	-	1	2	-	-	-	3	-	-	1	-	-	-
Jefferson	-	10	4	1	4	5	1	-	1	-	-	-	-	14	4	7	1	2	-
Johnston	-	6	2	1	4	6	-	-	2	-	-	-	-	9	3	1	2	-	-
Key	3	56	8	6	17	28	-	7	6	-	2	1	5	48	14	16	10	1	-
Ponca City	1	32	5	2	6	12	-	3	3	-	1	1	3	30	5	6	7	1	-
Balance of county	2	24	3	4	11	16	-	4	3	-	1	-	2	18	9	10	3	-	-
Kingfisher	-	13	1	1	10	7	-	3	2	-	-	-	1	14	2	3	1	-	-
Kiowa	1	13	2	2	6	7	-	1	8	-	2	-	-	11	4	3	1	-	-
Latimer	-	10	-	2	9	4	1	1	-	-	2	3	1	10	3	1	1	1	-
Le Flore	-	33	8	3	19	21	1	3	7	-	2	-	5	36	16	12	11	5	1
Lincoln	-	17	2	1	14	10	1	4	3	-	1	1	1	32	4	7	7	4	1
Logan	2	29	1	2	19	12	2	1	6	-	1	1	4	14	11	5	5	1	1
Guthrie	1	21	-	-	14	10	1	-	5	-	-	-	3	9	4	4	1	1	-
Balance of county	1	8	1	2	5	2	1	1	1	-	1	1	1	7	1	4	-	1	-
Love	1	15																	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 671

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 133 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hemo- topeic tissues (140-208)	Malignant neoplasms of di- gestive organs and per- itoneum (150- 159)	Malignant neoplasms of res- piratory and in- tra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other mal- ignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Oklahoma—Con.																				
McIntosh	233	-	-	4	50	11	18	5	4	2	1	9	6	104	95	-	2	72	21	
Major	107	-	-	-	18	4	4	-	3	1	3	3	1	61	48	-	-	17	31	
Marshall	161	-	-	3	32	13	43	2	4	2	1	6	2	92	76	-	1	58	17	
Mayes	392	-	-	7	91	9	13	2	3	-	2	12	2	194	157	1	-	119	37	
Murray	168	-	-	2	40	5	13	2	3	-	2	12	2	77	67	1	1	51	14	
Muskogee	841	-	-	17	193	51	65	15	23	7	14	18	15	365	303	3	4	212	84	
Muskogee	595	-	-	12	124	32	38	13	13	4	9	15	8	269	221	2	2	154	63	
Balance of county	246	-	-	5	69	19	27	2	10	3	5	3	7	96	82	1	2	58	21	
Noble	123	-	-	-	30	4	7	5	5	1	1	7	2	60	49	-	-	28	21	
Nowata	131	-	-	-	41	8	14	1	7	2	1	8	2	55	39	1	-	33	5	
Oklfuskee	152	1	-	2	37	7	10	3	6	2	3	6	3	68	60	-	-	36	24	
Oklahoma	5,549	1	-	179	1,252	273	435	82	147	47	46	222	96	2,345	1,817	8	53	1,128	628	
Bathany	205	-	-	4	41	6	11	4	6	1	4	9	3	90	65	1	4	41	19	
Del City	217	-	-	10	63	15	28	5	2	2	6	3	3	87	70	3	-	45	22	
Edmond	327	1	-	9	84	22	29	4	7	4	6	12	2	149	111	-	1	62	48	
Midwest City	402	-	-	14	84	22	25	7	9	3	4	14	8	173	139	-	1	92	46	
Oklahoma City, part	4,008	-	-	129	885	187	312	55	103	34	28	166	74	1,691	1,313	2	47	820	444	
Oklahoma City, total	4,068	-	-	131	904	195	315	57	105	34	29	169	75	1,713	1,331	2	47	832	450	
The Village	32	-	-	2	6	1	2	1	-	1	-	1	-	20	18	-	-	10	8	
Balance of county	354	-	-	11	89	20	28	6	17	2	2	14	6	135	101	2	-	58	41	
Okmulgee	465	-	-	11	111	23	36	7	11	7	4	23	3	205	171	1	2	135	33	
Okmulgee	207	-	-	4	46	9	13	-	8	3	3	10	2	92	77	1	2	67	7	
Balance of county	258	-	-	7	65	14	23	7	3	4	1	13	1	113	94	-	-	68	26	
Osage	311	-	-	3	88	17	25	5	14	4	6	17	5	135	103	-	1	67	35	
Bartlesville, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Sand Springs, part	6	-	-	-	1	-	1	-	-	-	-	-	-	3	3	-	-	1	2	
Tulsa, part	6	-	-	-	1	-	1	-	-	-	-	-	-	3	3	-	-	1	2	
Balance of county	304	-	-	3	87	17	24	5	14	4	6	17	5	131	100	-	1	66	33	
Ottawa	417	1	-	7	108	25	39	7	12	4	6	15	9	185	149	-	-	102	47	
Miami	200	-	-	6	54	13	20	5	5	2	4	5	4	89	71	-	-	42	29	
Balance of county	217	1	-	1	54	12	19	2	7	2	2	10	5	96	78	-	-	60	18	
Pawnee	169	-	-	-	29	9	9	2	2	-	2	5	3	80	61	2	1	36	22	
Payne	406	-	-	11	88	22	27	6	11	3	6	13	9	170	133	1	2	99	31	
Stillwater	161	-	-	5	33	10	6	2	6	1	2	6	3	70	52	-	-	38	14	
Balance of county	245	-	-	6	55	12	21	4	5	2	4	7	6	100	81	1	2	61	17	
Pittsburg	481	-	-	5	118	23	40	11	17	7	-	20	4	223	174	1	1	113	59	
McAlester	239	-	-	4	55	13	15	6	8	3	-	10	1	114	86	1	1	56	28	
Balance of county	242	-	-	1	63	10	25	5	9	4	-	10	3	109	88	-	-	57	31	
Pontotoc	385	-	-	7	76	21	22	2	9	3	5	14	6	182	135	-	-	99	36	
Ada	217	-	-	4	44	11	13	1	4	1	4	10	2	99	74	-	-	51	23	
Balance of county	168	-	-	3	32	10	9	1	5	2	1	4	4	83	61	-	-	48	13	
Pottawatomie	627	-	-	12	133	38	33	12	13	4	4	29	10	288	237	2	7	159	69	
Oklahoma City, part	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Shawnee	391	-	-	8	77	25	17	6	9	3	3	14	7	173	143	2	3	87	41	
Balance of county	235	-	-	4	55	13	15	6	4	1	1	15	3	115	94	-	4	62	28	
Pushmataha	161	-	-	7	41	10	16	-	5	3	2	5	3	79	61	-	-	42	19	
Roger Mills	43	-	-	-	8	-	3	-	2	-	2	1	-	21	19	-	-	15	4	
Rogers	409	-	-	6	90	20	32	8	6	6	3	15	4	192	158	-	-	120	35	
Claremore	176	-	-	3	38	10	14	2	3	1	7	1	1	83	65	-	2	51	12	
Balance of county	233	-	-	3	52	10	18	6	3	5	2	8	3	109	93	-	1	69	23	
Seminole	340	-	-	6	70	20	20	1	11	1	1	16	7	181	149	-	2	84	63	
Sequoyah	387	-	1	7	93	22	26	10	13	4	1	17	8	188	134	-	1	108	25	
Stephens	435	-	-	7	96	24	28	7	11	3	6	17	5	196	168	-	4	118	46	
Duncan	244	-	-	3	59	16	13	4	7	1	4	14	3	110	95	-	-	68	27	
Balance of county	191	-	-	4	37	8	15	3	4	2	2	3	2	86	73	-	4	50	19	
Texas	137	-	-	1	19	4	6	3	2	-	1	4	7	65	55	-	1	32	22	
Tillman	148	-	-	3	30	8	6	-	3	3	1	9	4	71	54	-	-	43	11	
Tulsa	4,301	9	-	117	968	224	311	77	100	33	29	194	96	1,863	1,466	6	36	1,007	417	
Broken Arrow, part	267	-	-	4	71	17	18	8	8	2	4	14	4	123	90	-	-	70	20	
Broken Arrow, total	295	-	-	4	78	18	20	10	9	2	4	15	4	141	105	-	-	80	25	
Sand Springs, part	143	-	-	5	30	6	17	2	2	1	1	1	1	56	47	-	1	33	13	
Sand Springs, total	144	-	-	5	30	6	17	2	2	1	1	1	1	57	47	-	1	33	13	
Tulsa, part	3,384	9	-	100	764	181	245	61	76	24	22	155	73	1,457	1,156	6	31	798	321	
Tulsa, total	3,390	9	-	100	765	181	246	61	76	24	22	155	73	1,460	1,159	6	31	799	323	
Balance of county	507	-	-	8	103	20	31	6	14	11	2	4	13	8	123	96	-	-	58	38
Wagoner	308	-	-	6	86	21	27	8	11	-	-	1	-	18	15	-	-	10	5	
Broken Arrow, part	28	-	-	-	7	1	2	2	2	1	-	-	-	1	1	-	-	-	-	
Balance of county	280	-	-	6	79	20	25	6	10	2	4	12	8	105	81	-	-	48	33	
Washington	477	-	-	7	114	20	36	12	15	3	5	23	8	217	175	-	6	110	59	
Bartlesville, part	356	-	-	6	85	14	24	11	11	3	5	17	8	162	125	-	5	74	46	
Bartlesville, total	356	-	-	6	85	14	24	11	11	3	5	17	8	162	125	-	5	74	46	
Balance of county	121	-	-	1	29	6	12	1	4	-										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 672

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 134 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oklahoma—Con.																			
McIntosh	2	2	2	3	15	9	1	4	2	-	-	-	2	15	7	8	5	1	-
Major	-	12	1	-	4	3	1	-	2	-	-	-	-	10	5	2	-	-	-
Marshall	2	11	1	2	3	6	2	2	1	-	1	-	-	11	-	3	-	-	1
Mayes	3	28	4	2	15	19	2	6	3	-	3	-	-	28	6	7	2	1	2
Murray	-	7	2	1	2	9	-	2	8	-	2	-	1	11	6	5	-	-	-
Muskogee	2	38	21	1	51	53	1	10	15	-	4	1	1	11	6	5	-	-	-
Muskogee	-	30	17	1	41	38	1	9	9	-	-	-	1	56	18	15	9	9	1
Balance of county	2	8	4	-	10	15	-	1	6	-	4	1	6	43	6	11	5	8	-
Noble	-	9	-	2	3	7	-	-	1	-	-	-	3	13	12	4	4	1	-
Nowata	2	10	2	2	7	5	1	-	4	-	2	-	2	13	4	1	-	-	-
Balance of county	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	4	-	-	-
Okfuskee	-	7	1	-	3	6	-	1	-	-	-	-	1	20	4	1	4	1	-
Oklahoma	17	419	41	51	201	262	8	66	78	2	32	54	66	519	89	104	110	79	6
Bethany	-	21	1	3	10	9	-	3	3	-	-	-	3	29	-	5	8	1	-
Del City	1	12	1	3	2	17	-	3	5	-	1	-	3	11	3	5	3	1	-
Edmond	1	31	1	5	9	10	1	1	2	-	3	1	2	28	4	7	9	5	-
Midwest City	2	26	3	3	15	29	-	3	11	-	4	6	4	25	3	10	6	7	-
Oklahoma City, part	13	298	32	35	154	183	5	51	52	2	23	42	49	397	68	68	72	58	5
Oklahoma City, total	13	302	32	35	155	185	5	52	53	2	24	42	49	402	71	69	73	58	5
The Village	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-
Balance of county	-	29	3	2	11	14	2	5	5	-	1	5	5	27	11	8	11	7	1
Okmulgee	1	23	4	6	36	17	2	8	6	-	1	1	-	37	8	8	3	8	-
Okmulgee	1	10	-	4	23	5	-	6	2	-	1	1	-	19	1	1	-	4	-
Balance of county	-	13	4	2	13	12	2	2	4	-	-	-	-	18	7	7	3	4	-
Osage	-	27	3	2	4	18	1	3	2	-	1	1	6	20	6	5	10	3	-
Bartlesville, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sand Springs, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tulsa, part	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Balance of county	-	26	3	2	3	18	1	3	2	-	1	1	5	20	6	5	10	3	-
Ottawa	-	28	3	5	10	19	-	2	5	-	-	-	4	44	7	9	4	3	-
Miami	-	14	2	2	5	8	-	1	1	-	-	-	2	23	3	2	1	-	-
Balance of county	-	14	1	3	5	11	-	1	4	-	-	-	2	21	4	7	3	2	-
Pawnee	-	13	3	3	6	2	-	3	4	-	2	1	4	18	7	5	2	3	-
Payne	1	27	1	8	16	20	1	1	7	-	1	-	3	40	15	11	11	2	-
Stillwater	1	11	1	5	1	7	1	1	3	-	1	-	1	17	11	3	2	2	-
Balance of county	-	16	-	3	15	13	-	4	-	-	-	-	2	23	4	8	9	5	-
Pittsburg	1	37	9	2	38	19	4	5	6	-	1	3	5	25	4	9	5	6	1
McAlester	1	21	4	2	24	5	2	3	2	-	-	1	3	14	-	5	2	3	1
Balance of county	-	16	5	-	14	14	2	2	4	-	1	2	2	11	4	4	3	3	-
Pontotoc	-	39	5	3	29	18	-	4	6	-	1	1	5	28	8	8	4	2	-
Ada	-	24	-	1	20	12	-	3	4	-	-	-	5	18	2	3	1	-	-
Balance of county	-	15	5	2	9	6	-	1	2	-	1	1	-	10	6	5	3	2	-
Pottawatomie	2	42	3	4	46	30	1	6	3	-	1	2	8	55	10	14	7	1	-
Oklahoma City, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shawnee	-	25	2	3	32	21	-	3	1	-	1	2	5	40	6	11	3	1	-
Balance of county	2	17	1	1	14	9	1	3	2	-	-	-	3	15	4	3	4	-	-
Pushmataha	-	13	4	1	4	4	-	1	1	-	-	-	2	9	6	1	1	2	-
Roger Mills	-	-	-	2	3	3	-	1	-	-	-	-	-	4	3	-	-	-	-
Rogers	-	22	5	7	15	18	-	3	9	-	1	1	3	29	16	5	14	2	1
Claremore	-	11	3	4	10	10	-	2	4	-	-	-	1	13	5	1	4	1	-
Balance of county	-	11	2	3	5	8	-	1	5	-	1	1	2	16	11	4	10	1	-
Seminole	1	19	8	4	10	6	3	1	7	-	1	2	4	18	5	10	5	4	-
Sequoyah	2	24	15	13	12	17	-	5	1	-	1	3	1	27	6	7	7	3	-
Stephens	-	20	6	2	28	27	2	4	8	-	1	1	3	32	9	8	6	2	-
Duncan	-	9	5	1	17	18	1	2	5	-	1	-	1	13	2	3	4	2	-
Balance of county	-	11	1	1	11	9	1	2	3	-	1	1	2	19	7	5	2	-	-
Texas	2	5	1	2	5	7	-	3	1	1	1	3	1	6	8	2	6	1	-
Tillman	2	13	1	1	5	9	-	-	5	-	-	-	1	17	1	-	-	1	-
Tulsa	20	275	50	52	151	220	13	29	44	1	28	32	65	388	87	78	66	43	3
Broken Arrow, part	3	25	2	3	7	14	-	-	2	-	-	1	5	17	5	8	6	-	-
Broken Arrow, total	3	28	2	3	7	14	-	-	2	-	-	1	5	18	6	9	6	-	-
Sand Springs, part	-	6	3	-	2	5	-	2	1	-	-	-	4	21	6	-	3	1	1
Sand Springs, total	-	7	3	-	2	5	-	2	1	-	-	-	4	21	6	-	3	1	1
Tulsa, part	14	208	36	43	122	176	11	22	34	1	22	28	53	309	55	56	50	40	2
Tulsa, total	14	208	36	43	123	176	11	22	34	1	22	28	53	309	55	56	50	40	2
Balance of county	3	36	9	6	20	25	2	5	7	-	5	3	3	41	21	14	7	2	-
Wagoner	1	23	2	1	12	8	1	2	2	-	-	-	5	26	7	11	7	4	-
Broken Arrow, part	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Balance of county	1	20	2	1	12	8	1	2	2	-	-	-	5	25	6	10	7	4	-
Washington	2	31	3	6	14	24	1	1	6	-	3	-	2	52	4	13	9	2	-
Bartlesville, part	1	28	2	6	9	17	1	1	5	-	2	-	2	39	2	9	6	2	-
Bartlesville, total	1	28	2	6	9	17	1	1	5	-	2	-	2	39	2	9	6	2	-
Balance of county	1	3	1	-	5	7	-	-	1	-	-	-	-	13	2	4	3	-	-
Washita	-	5	1	1	2	4	1	-	2	-	-	-	-	15	1	1	-	-	-
Woods	-	14	1	-	4	4	-	-	-	-	-	-	1	10	3	4	-	-	-
Woodward	1	20	3	4	5	7	1	1	5	-	-	-	2	16	7	3	-	-	-
Woodward	1	15	1	4	3	7	-	-	3	-	-	-	1	10	4	1	-	-	-
Balance of county	-	5	2	-	2														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 673

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 135 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of diges- tive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (178- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Oregon	25,760	13	1	484	6,314	1,349	1,961	501	748	293	235	1,227	561	10,207	7,288	103	197	5,027	1,961
Urban places	13,458	8	1	319	3,201	660	887	263	369	146	122	654	273	5,272	3,692	56	109	2,522	1,005
Balance of area	12,302	5	-	165	3,113	689	974	238	379	147	113	573	288	4,935	3,596	47	88	2,505	956
Metropolitan counties	16,932	10	-	366	4,144	882	1,249	342	501	185	152	833	349	6,688	4,714	73	148	3,224	1,269
Urban places	11,117	8	-	278	2,668	554	807	228	312	119	100	548	227	4,342	3,005	49	96	2,060	800
Balance of area	5,815	2	-	88	1,476	328	442	114	189	66	52	285	122	2,346	1,709	24	52	1,164	469
Nonmetropolitan counties	8,828	3	1	118	2,170	467	712	159	247	108	83	394	212	3,519	2,574	30	49	1,803	692
Urban places	2,341	-	1	41	533	106	180	35	57	27	22	106	46	930	687	7	13	462	205
Balance of area	6,487	3	-	77	1,637	361	532	124	190	81	61	288	166	2,589	1,887	23	36	1,341	487
Baker	181	-	-	3	36	9	9	2	5	3	1	7	8	78	59	-	-	52	7
Benton	434	-	-	6	101	24	30	2	15	8	3	19	10	176	138	-	4	85	49
Albany, part	16	-	-	-	5	-	3	1	-	-	-	-	-	9	5	-	-	-	1
Corvallis	292	-	-	3	62	16	21	-	10	2	2	11	4	123	96	-	3	55	38
Balance of county	126	-	-	3	34	8	6	1	5	5	1	8	6	44	37	-	1	26	10
Clackamas	2,182	1	-	40	550	128	162	40	63	24	23	110	45	899	637	8	19	447	163
Lake Oswego, part	223	-	-	5	70	22	16	6	7	3	2	14	5	80	51	-	1	35	15
Lake Oswego, total	228	-	-	5	70	22	16	6	7	3	2	14	5	82	52	-	1	36	15
Milwaukie, part	429	1	-	10	86	19	31	5	7	1	4	19	10	174	113	-	3	86	24
Milwaukie, total	429	1	-	10	86	19	31	5	7	1	4	19	10	174	113	-	3	86	24
Oregon City	195	-	-	1	44	7	15	3	4	5	1	9	5	82	62	1	1	51	9
Portland, part	10	-	-	-	6	-	2	1	2	1	-	-	-	3	-	-	-	-	-
West Linn	89	-	-	2	22	6	3	3	4	2	1	3	4	39	27	1	1	17	8
Balance of county	1,236	-	-	22	322	74	95	22	39	12	15	65	21	521	384	6	13	258	107
Clatsop	361	-	-	-	86	18	35	7	7	2	1	16	9	140	109	3	4	77	25
Columbia	303	-	-	2	75	20	26	10	6	2	-	11	10	121	86	1	-	63	22
Coos	714	-	1	11	207	43	83	9	14	9	8	41	26	280	197	5	3	146	43
Coos Bay	205	-	1	2	70	16	33	1	5	3	1	11	5	68	52	-	1	45	6
Balance of county	509	-	-	9	137	27	50	8	9	6	7	30	21	212	145	5	2	101	37
Crook	142	-	-	2	43	12	9	2	4	5	4	7	5	53	27	-	-	18	9
Curry	254	-	-	2	80	12	24	8	9	4	5	18	3	106	77	-	-	43	34
Deschutes	607	-	-	7	155	27	42	18	23	8	9	28	18	244	179	3	1	118	57
Bend	193	-	-	1	37	5	8	7	4	2	5	6	3	85	64	3	-	38	23
Balance of county	414	-	-	6	118	22	34	11	19	6	4	22	15	159	115	-	1	80	34
Douglas	1,002	-	-	17	229	55	63	16	24	18	13	40	22	415	334	2	9	233	90
Roseburg	251	-	-	4	36	12	10	2	3	1	2	6	7	113	90	-	1	68	21
Balance of county	751	-	-	13	193	43	53	14	21	17	11	34	15	302	244	2	8	165	69
Gilliam	11	-	-	-	2	1	-	-	-	-	-	-	-	6	3	-	-	3	-
Grant	70	-	-	3	19	3	4	2	3	-	1	6	2	25	16	-	-	9	7
Harney	66	-	-	1	12	4	4	1	1	-	-	2	5	21	16	-	1	10	5
Hood River	135	-	-	1	33	10	8	2	5	-	-	8	4	56	39	-	3	27	9
Jackson	1,444	1	-	20	365	65	117	38	42	21	13	69	22	530	375	7	11	257	100
Ashland	130	-	-	6	37	9	8	4	-	-	3	5	2	45	33	1	1	22	9
Medford	556	1	-	6	129	18	40	16	15	7	4	29	9	211	142	4	5	94	39
Balance of county	758	-	-	8	199	38	69	14	23	14	6	35	11	274	200	2	5	141	52
Jefferson	96	-	-	-	14	-	5	1	2	2	3	4	38	26	-	-	-	18	8
Josephine	806	-	-	7	216	39	76	16	23	12	9	41	12	321	237	2	11	170	54
Grants Pass	311	-	-	3	78	9	27	9	8	4	3	18	6	125	90	-	5	62	23
Balance of county	495	-	-	4	138	30	49	7	15	8	6	23	6	196	147	2	6	108	31
Klamath	552	-	-	5	129	31	43	10	14	9	4	18	13	197	139	4	1	97	37
Klamath Falls	199	-	-	-	48	8	14	4	8	5	3	6	2	72	47	-	-	35	12
Balance of county	353	-	-	5	81	23	29	6	6	4	1	12	11	125	92	4	1	62	25
Lake	90	-	-	-	19	5	8	1	3	-	-	2	2	43	33	-	-	25	8
Lane	2,382	1	-	40	598	105	188	52	80	24	26	123	40	908	645	13	20	416	196
Eugene	1,008	1	-	22	252	43	76	24	34	9	9	57	17	364	241	3	5	157	76
Springfield	384	-	-	5	95	18	33	9	7	4	2	22	6	152	111	3	4	76	28
Balance of county	990	-	-	13	251	44	79	19	39	11	15	44	17	392	293	7	11	183	92
Lincoln	449	1	-	3	112	20	47	8	15	4	3	15	12	203	133	1	3	97	32
Linn	902	-	-	19	232	47	79	13	36	9	6	42	21	356	247	2	3	170	72
Albany, part	289	-	-	11	61	11	26	3	7	4	-	10	11	117	87	-	2	55	30
Albany, total	305	-	-	11	66	11	29	4	7	5	-	10	11	126	92	-	2	59	31
Lebanon	163	-	-	2	48	10	13	3	5	2	4	11	2	70	43	1	-	27	15
Balance of county	450	-	-	6	123	26	40	7	24	3	2	21	8	169	117	1	1	88	27
Malheur	280	1	-	6	59	9	18	8	8	3	2	11	8	113	77	-	-	56	21
Marion	2,161	-	-	31	502	110	156	42	60	27	16	91	56	948	654	5	20	457	172
Salem, part	1,054	-	-	16	254	51	82	23	32	13	9	44	26	449	310	2	9	219	80
Salem, total	1,195	-	-	16	292	60	95	26	37	14	9	51	26	510	350	2	11	246	91
Woodburn	211	-	-	3	51	8	18	2	4	2	3	14	3	100	61	2	1	41	17
Balance of county	896	-	-	12	197	51	56	17	24	12	4	33	27	399	283	1	10	197	75
Morrow	49	-	-	2	11	3	4	-	2	-	-	2	-	21	18	1	-	10	7
Multnomah	5,7																		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 674

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 136 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800, E807, E820-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon	170	2,102	301	346	849	1,255	69	268	200	1	141	106	633	2,880	446	642	488	160	42
Urban places	90	1,165	143	182	471	628	43	139	101	-	79	61	349	1,634	170	346	240	97	26
Balance of area	80	937	158	164	378	627	26	129	99	1	62	45	284	1,246	276	296	248	63	16
Metropolitan counties	118	1,444	192	220	588	792	52	178	128	1	91	81	433	1,891	248	431	308	122	31
Urban places	78	982	126	151	400	510	35	118	87	-	56	54	297	1,319	135	282	193	87	21
Balance of area	40	462	66	69	188	282	17	60	41	1	35	27	136	572	113	149	115	35	10
Nonmetropolitan counties	52	658	109	126	261	463	17	90	72	-	50	25	200	969	168	211	180	38	11
Urban places	12	163	17	31	71	118	8	21	14	-	23	7	52	315	35	64	47	10	5
Balance of area	40	475	92	95	190	345	9	69	58	-	27	18	148	674	163	147	133	28	6
Baker	-	16	1	2	6	5	2	2	1	-	2	-	4	21	1	6	6	-	-
Benton	-	28	5	5	17	16	2	-	2	-	-	2	7	63	5	11	13	1	2
Albany, part	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Corvallis	-	21	2	4	12	9	2	-	-	-	-	-	4	52	2	6	11	-	2
Balance of county	-	5	2	-	5	7	-	-	2	-	-	-	3	10	3	5	1	1	-
Clackamas	12	182	29	39	77	78	7	18	17	1	13	8	46	229	37	65	34	10	7
Lake Oswego, part	-	19	3	7	5	8	-	4	2	-	1	1	6	23	2	6	3	1	1
Lake Oswego, total	-	20	3	7	5	8	-	4	2	-	1	1	6	25	2	6	4	1	1
Milwaukie, part	3	41	7	10	20	18	3	5	2	-	3	2	7	61	5	11	9	1	1
Milwaukie, total	3	41	7	10	20	18	3	5	2	-	3	2	7	61	5	11	9	1	1
Oregon City	1	13	4	2	14	5	-	1	1	-	1	-	8	23	3	2	4	-	1
Portland, part	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
West Linn	1	7	2	2	2	3	-	-	2	-	-	-	4	6	-	3	1	1	-
Balance of county	7	99	13	18	36	43	4	8	10	1	8	5	21	116	27	43	17	7	4
Catsop	2	23	3	3	13	20	-	5	3	-	2	2	2	53	9	11	6	-	-
Columbia	1	27	4	3	7	19	1	5	1	-	1	9	37	8	3	3	3	1	-
Coos	3	61	13	6	13	34	-	9	4	-	3	1	20	79	5	10	6	2	3
Coos Bay	-	12	2	2	7	6	-	3	1	-	1	-	7	26	1	3	2	1	1
Balance of county	3	49	11	4	6	28	-	6	3	-	2	1	13	53	4	7	4	1	2
Crook	1	16	9	-	6	7	-	1	1	-	1	-	3	9	4	5	2	-	-
Curry	-	22	1	6	5	10	1	4	-	-	-	1	6	24	5	2	3	2	-
Deschutes	2	39	6	18	18	29	1	6	3	-	7	2	4	56	25	14	15	2	1
Bend	1	13	1	6	4	11	1	1	1	-	5	1	1	21	7	8	5	-	1
Balance of county	1	26	5	12	14	18	-	5	2	-	2	1	3	35	18	6	10	2	-
Douglas	10	55	4	12	29	68	1	15	8	-	7	4	16	98	29	17	22	4	1
Roseburg	1	21	-	1	7	22	-	4	1	-	3	1	5	32	11	3	-	2	-
Balance of county	9	34	4	11	22	46	1	11	7	-	4	3	11	66	18	14	22	2	1
Gilliam	-	2	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Grant	-	7	-	2	2	6	-	-	-	-	-	-	1	5	-	2	3	2	-
Harney	1	1	1	2	-	6	1	4	1	-	1	-	2	8	1	1	2	-	-
Hood River	2	13	1	1	4	9	-	-	1	-	1	-	3	12	2	4	5	-	-
Jackson	5	126	11	13	61	84	4	21	9	-	5	3	52	169	27	31	31	7	2
Ashland	1	9	-	2	7	5	-	1	1	-	-	-	3	17	-	4	-	-	1
Medford	-	60	5	4	22	31	1	10	3	-	2	2	24	76	8	6	11	3	1
Balance of county	4	57	6	7	32	48	3	10	5	-	3	-	25	76	19	21	20	4	-
Jefferson	1	9	-	2	3	5	-	2	1	-	-	1	2	10	3	9	1	3	-
Josephine	3	62	8	11	13	39	3	7	10	-	3	1	18	110	10	14	16	6	-
Grants Pass	-	28	3	4	6	13	3	4	2	-	2	1	6	47	2	6	4	3	-
Balance of county	3	34	5	7	7	26	-	3	8	-	1	-	12	63	8	8	12	3	-
Klamath	4	46	1	7	22	23	-	8	2	-	4	3	21	68	16	22	14	5	-
Klamath Falls	3	21	-	1	7	5	-	5	-	-	2	2	11	24	4	8	6	3	-
Balance of county	1	25	1	6	15	18	-	3	2	-	2	1	10	44	12	14	8	2	-
Lake	-	7	1	2	1	4	1	-	1	-	-	-	2	10	2	1	3	1	-
Lane	12	198	26	27	86	118	8	22	20	-	16	11	83	277	35	60	40	15	4
Eugene	4	93	14	12	44	45	3	7	9	-	7	2	34	135	10	31	16	7	2
Springfield	3	29	3	6	14	22	1	3	3	-	3	5	15	39	3	9	7	2	-
Balance of county	5	76	9	9	28	51	4	12	8	-	6	4	34	103	22	20	17	6	2
Lincoln	4	36	27	3	16	12	1	-	3	-	2	1	8	38	16	8	9	2	2
Linn	10	76	10	13	22	51	2	7	10	-	8	-	24	100	10	19	19	2	-
Albany, part	3	21	-	6	5	15	1	2	3	-	4	-	9	39	-	5	6	-	-
Albany, total	3	23	1	7	5	15	1	2	3	-	4	-	9	40	-	5	7	-	-
Lebanon	2	18	5	2	6	8	1	-	1	-	2	-	1	12	2	5	2	1	-
Balance of county	5	37	5	5	11	28	-	5	6	-	2	-	14	49	8	9	11	1	-
Malheur	2	25	4	5	9	15	-	2	4	-	-	1	12	32	6	4	5	3	-
Marion	20	215	21	38	66	115	8	21	13	-	13	13	34	210	29	44	38	18	2
Salem, part	9	106	8	16	32	53	3	12	8	-	7	5	20	104	11	22	22	8	2
Salem, total	11	123	9	17	60	60	4	14	9	-	7	6	23	118	11	27	22	8	2
Woodburn	3	27	3	6	7	11	2	-	-	-	1	-	1	22	2	4	3	1	-
Balance of county	8	82	10	16	27	51	3	9	5	-	5	8	13	84	16	18	13	9	-
Morrow	-	2	1	-	-	1	-	-	1	-	-	-	-	5	7	-	-	-	1
Multnomah	51	460	57	74	193	240	14	74	44	-	33	28	154	681	68	152	110	55	12
Gresham	3	43	4	7	10	25	2	7	5	-	6	2	12	79	8	12	10	1	-
Lake Oswego, part	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Milwaukie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	42	383	48	60	166	199	11	56	36	-	20	26	137	543	55	130	86	53	12
Portland, total	42	386	48	60	166	200	11	56	36	-	20	26	137	543	57	131	86		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 675

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 137 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cul- osis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and pan- creas (150- 159)	Malignant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of gen- ital organs (178- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 428)
Oregon—Con.																			
Umatilla	534	1	-	4	97	20	37	9	12	2	4	13	7	224	163	2	2	107	52
Pendleton	157	-	-	2	25	5	7	2	4	-	1	6	1	65	46	1	-	29	16
Balance of county	377	1	-	2	72	15	30	7	8	2	3	7	6	159	117	1	2	78	36
Union	197	-	-	1	50	15	12	3	4	2	2	12	2	63	56	2	1	35	18
La Grande	112	-	-	1	29	8	6	2	1	2	1	9	2	33	31	1	-	18	12
Balance of county	85	-	-	-	21	7	6	1	3	-	1	3	-	30	25	1	1	17	6
Wallowa	77	-	-	2	18	4	3	3	3	1	2	2	-	32	25	-	-	23	1
Wasco	240	-	-	12	62	16	21	3	3	1	2	16	3	85	67	1	1	51	14
City of the Dalles	153	-	-	12	34	6	12	1	2	1	-	12	3	50	36	1	1	26	8
Balance of county	87	-	-	-	28	10	9	2	1	-	2	4	-	35	31	-	-	25	6
Washington	2,068	1	-	43	547	128	143	48	80	21	16	111	41	795	544	9	19	367	149
Beaverton	469	1	-	10	121	27	34	14	12	7	4	23	12	170	120	-	6	77	37
Forest Grove	160	-	-	-	33	9	8	4	5	1	2	4	1	71	48	1	1	37	9
Hillsboro	270	-	-	9	55	11	11	5	15	1	3	9	8	107	75	-	2	52	21
Lake Oswego, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	8	-	-	-	2	1	-	1	-	-	-	-	-	3	3	-	-	1	2
Tigard	250	-	-	8	71	20	19	5	9	6	1	11	6	98	65	2	3	41	19
Balance of county	911	-	-	16	265	60	71	19	39	6	6	64	14	346	233	6	7	159	61
Wheeler	17	-	-	-	2	1	-	-	1	-	-	-	1	12	7	-	-	7	-
Yamhill	512	-	-	9	120	27	31	13	15	6	6	22	18	195	137	1	-	96	40
McMinnville	176	-	-	7	47	8	16	4	7	4	1	7	5	63	41	1	-	28	12
Newberg	112	-	-	1	29	8	5	4	1	-	3	8	3	42	25	-	-	19	6
Balance of county	224	-	-	1	44	11	10	5	7	2	2	7	10	90	71	-	-	49	22
Pennsylvania	123,520	64	3	3,309	30,308	7,422	8,379	2,670	3,397	1,260	1,132	6,048	3,145	53,709	43,205	361	1,045	27,868	13,931
Urban places	61,978	43	2	2,173	15,104	3,731	4,277	1,349	1,682	610	525	2,930	1,471	26,277	21,003	168	583	12,703	7,549
Balance of area	61,542	21	1	1,136	15,204	3,691	4,102	1,321	1,715	650	607	3,118	1,674	27,432	22,202	193	462	15,165	6,382
Metropolitan counties	103,839	59	3	3,011	25,613	6,269	7,121	2,289	2,825	1,051	946	5,112	2,594	44,762	35,957	301	911	22,578	12,167
Urban places	59,661	42	2	2,133	14,565	3,584	4,144	1,311	1,618	587	503	2,818	1,400	25,198	20,132	164	572	12,047	7,349
Balance of area	44,178	17	1	878	11,048	2,685	2,977	978	1,207	464	443	2,294	1,194	19,564	15,825	137	339	10,531	4,818
Nonmetropolitan counties	19,681	5	-	298	4,695	1,153	1,258	381	572	209	186	936	551	8,947	7,248	60	134	5,290	1,764
Urban places	2,317	1	-	40	539	147	133	38	64	23	22	112	71	1,079	871	4	11	656	200
Balance of area	17,364	4	-	258	4,156	1,006	1,125	343	508	186	164	824	480	7,868	6,377	56	123	4,634	1,564
Adams	674	-	-	6	188	58	34	23	28	8	7	30	19	283	223	1	6	142	74
Allegheny	15,080	5	-	357	3,876	943	1,125	363	405	160	143	737	352	6,610	5,424	55	124	3,470	1,775
Baldwin	232	-	-	5	71	18	23	8	7	6	-	9	2	83	65	-	3	46	16
Belleve	120	-	-	6	17	4	7	3	1	-	2	1	1	59	46	-	1	33	12
Bethel Park	292	-	-	6	90	19	30	9	4	3	2	23	3	138	108	2	3	69	34
Brenwood	120	-	-	4	30	7	8	3	2	2	-	8	3	59	49	1	2	25	21
Carnegie	146	1	-	2	47	8	16	5	6	1	3	8	3	59	47	1	1	32	13
Castle Shannon	102	-	-	1	28	5	10	3	3	-	1	6	1	49	36	2	-	25	9
Clairton	183	-	-	6	40	9	10	2	4	1	-	14	7	75	61	-	3	39	19
Dormont	89	-	-	1	22	5	13	-	1	1	-	2	1	43	35	-	1	21	13
Duquesne	135	-	-	1	33	11	10	3	3	2	-	4	7	61	51	-	-	41	10
Elizabeth township#	169	-	-	3	48	14	15	4	4	3	2	6	3	79	70	1	-	47	22
Harrison township#	166	-	-	3	50	15	11	7	6	2	3	6	8	71	59	1	1	39	18
McCandless township#	236	-	-	4	61	19	15	6	3	2	4	12	7	107	84	2	1	61	20
McKeesport	469	-	-	11	91	21	21	6	14	7	4	18	17	220	179	3	5	110	61
Monroeville	255	-	-	1	71	21	18	11	5	1	3	12	8	102	89	1	3	60	25
Mount Lebanon township#	348	-	-	3	81	18	26	9	11	1	4	12	3	176	147	1	4	101	41
Munhall	182	-	-	5	44	17	10	4	5	1	-	7	5	83	68	-	-	41	27
North Versailles township#	146	-	-	3	41	11	15	7	2	2	1	3	5	67	53	-	1	32	20
Penn Hills township#	523	-	-	15	146	28	49	13	13	8	6	31	11	235	195	2	1	134	58
Pittsburgh	4,604	4	-	156	1,116	265	335	102	126	44	34	210	103	1,957	1,585	17	44	950	574
Plum	151	-	-	4	41	8	12	3	4	1	5	8	2	68	59	-	-	49	10
Ross township#	373	-	-	4	95	26	23	12	10	3	2	19	6	170	131	-	2	81	48
Scott township#	194	-	-	1	43	12	7	-	7	-	3	14	2	67	83	-	2	62	19
Shaler township#	239	-	-	8	59	12	17	3	3	4	4	16	9	118	104	5	2	70	27
South Park township#	89	-	-	2	30	8	6	2	4	-	2	8	1	37	35	-	3	25	7
Swissvale	140	-	-	2	33	8	12	2	1	2	1	7	5	64	52	-	1	32	19
Upper St. Clair township#	106	-	-	1	36	7	8	1	7	2	4	7	3	45	32	1	2	23	6
West Mifflin	292	-	-	5	80	18	31	5	6	3	1	16	8	130	105	-	4	69	32
Whitehall	180	-	-	3	58	19	15	1	6	4	3	10	2	81	68	-	3	42	23
Wilkinsburg	275	-	-	9	71	19	23	5	6	5	3	10	3	111	91	-	2	47	42
Balance of county	4,524	-	-	82	1,203	293	329	124	131	49	48	229	113	1,965	1,637	15	29	1,064	529
Armstrong	878	-	-	23	202	53	54	10	30	7	9	39	19	415	328	2	-	215	111
Beaver	2,062	-	-	31	510	122	139	49	44	19	22	115	69	945	800	8	20	586	186
Aliquippa	216	-	-	2	56	14	19	5	5	2	1	10	8	100	92	1	2	69	20
Beaver Falls	188	-	-	2	33	7	9	4	-	1	2	10	6	92	69	1	3	48	17
Balance of county	1,658	-	-	27	421	101	111	40											

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 676

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 138 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E900-E907, E926-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Oregon—Con.																			
Umatilla	3	38	5	15	22	34	1	6	6	—	4	1	18	53	16	28	9	2	1
Pondleton	1	16	1	1	5	10	—	1	2	—	1	1	5	20	3	11	4	—	1
Balance of county	2	22	4	14	17	24	1	5	4	—	3	—	13	33	13	17	5	2	—
Union	—	5	—	2	9	17	—	4	2	—	2	—	3	30	5	5	4	—	—
La Grande	—	1	—	1	5	13	—	1	1	—	2	—	1	18	—	3	3	—	—
Balance of county	—	4	—	1	4	4	—	3	1	—	—	—	2	12	5	2	1	—	—
Wallowa	—	7	—	—	5	5	—	—	—	—	—	—	3	6	3	2	1	—	—
Wasco	2	12	2	2	9	11	—	2	2	—	1	2	4	33	3	6	5	—	—
City of the Dalles	1	9	2	2	7	6	—	2	—	—	1	1	2	23	3	6	3	—	—
Balance of county	1	3	—	—	2	5	—	2	—	—	—	—	2	10	—	—	2	—	—
Washington	12	183	37	19	70	110	5	15	15	—	9	11	48	230	33	45	37	11	2
Beaverton	1	35	9	5	12	29	—	—	8	—	2	3	8	61	8	12	9	3	—
Forest Grove	2	17	3	1	8	11	1	1	—	—	—	—	6	20	3	3	—	1	—
Hillsboro	1	21	7	3	10	14	1	4	1	—	1	2	4	34	5	7	5	3	—
Lake Oswego, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Portland, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tigard	2	27	2	2	8	12	1	3	—	—	1	1	4	25	5	2	4	1	—
Balance of county	6	83	16	8	32	44	2	7	5	—	5	5	26	90	10	20	19	3	2
Wheeler	—	4	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Yamhill	2	43	5	8	20	23	5	4	7	—	1	4	4	57	10	21	8	5	1
McMinnville	—	17	1	4	7	8	3	1	2	—	—	—	—	23	2	7	1	—	—
Newberg	—	14	2	1	4	3	2	1	2	—	1	1	1	12	3	5	1	1	—
Balance of county	2	12	2	3	9	12	—	2	3	—	—	3	3	22	5	9	6	4	1
Pennsylvania																			
Urban places	261	3,897	341	775	1,944	2,338	157	676	845	9	275	498	778	6,101	558	1,363	644	625	97
Balance of area	236	3,794	411	789	2,095	2,439	145	532	789	2	251	244	534	5,889	1,079	1,114	745	157	59
Metropolitan counties	416	6,459	629	1,301	3,357	3,968	265	1,046	1,382	10	461	675	1,124	10,094	1,250	2,112	1,179	724	150
Urban places	251	3,747	326	742	1,860	2,242	154	648	821	9	269	490	753	5,895	528	1,319	621	615	97
Balance of area	165	2,712	303	559	1,497	1,726	111	398	561	1	192	185	371	4,199	722	793	558	109	53
Nonmetropolitan counties	81	1,232	123	263	682	809	37	162	252	1	65	67	188	1,896	387	365	210	58	6
Urban places	10	150	15	33	84	96	3	28	24	—	6	8	25	206	30	44	23	10	—
Balance of area	71	1,082	108	230	598	713	34	134	228	1	59	59	163	1,690	357	321	187	48	6
Adams	1	43	9	7	25	30	1	1	8	—	—	2	4	60	20	12	11	4	—
Allegheny	64	888	64	170	494	629	41	148	223	1	57	92	101	1,456	113	254	165	85	21
Baldwin	2	14	—	2	6	16	2	2	6	—	—	2	—	31	1	3	1	—	—
Bellevue	1	11	1	—	4	7	1	3	1	—	1	—	—	13	—	6	1	—	—
Bethel Park	2	22	—	6	4	8	—	1	5	—	1	—	3	25	2	1	4	1	—
Brentwood	—	8	2	—	3	6	—	1	1	—	1	—	2	9	—	2	—	—	—
Carnegie	2	9	—	1	5	7	—	1	1	—	—	1	17	—	—	—	—	—	—
Castle Shannon	1	9	1	2	4	8	—	2	—	—	—	—	1	17	1	1	1	—	—
Clairton	1	12	1	—	7	9	1	2	—	—	1	3	1	17	4	3	3	4	—
Dormont	—	5	1	2	3	3	—	3	1	—	—	—	—	8	1	—	2	—	—
Duquesne	1	9	—	—	2	2	—	1	3	—	—	1	1	17	1	4	—	2	—
Elizabeth township#	1	7	—	1	3	6	—	—	2	—	—	—	—	14	1	6	1	1	—
Harrison township#	—	10	1	1	1	3	1	2	4	—	2	—	—	17	1	2	1	—	—
McCandless township#	1	20	—	2	9	9	—	—	2	—	—	—	—	30	—	2	2	—	—
McKeesport	1	28	1	11	22	20	3	4	11	—	1	2	2	47	7	10	3	1	—
Monroeville	—	9	—	4	7	13	—	—	5	—	—	3	3	32	2	4	3	1	—
Mount Lebanon township#	—	22	4	3	20	9	2	4	2	—	1	1	4	30	4	3	5	—	—
Munhall	1	13	—	1	8	8	1	3	2	—	—	—	1	18	1	1	2	—	—
North Versailles township#	—	10	1	3	3	5	1	1	3	—	—	—	1	13	1	1	1	—	—
Penn Hills township#	2	32	1	5	14	24	1	3	7	—	3	3	3	36	5	10	4	1	2
Pittsburgh	28	273	19	52	165	194	11	49	68	1	16	48	39	451	24	92	55	46	9
Plum	—	9	—	—	4	2	—	—	2	—	2	1	—	18	1	1	3	1	—
Ross township#	1	33	—	5	15	18	—	3	5	—	—	2	4	43	1	4	2	—	1
Scott township#	—	11	1	2	6	14	—	—	4	—	1	—	2	20	2	1	1	—	—
Shaler township#	—	8	1	5	4	11	—	2	3	—	—	—	2	19	1	1	2	—	—
South Park township#	—	2	—	—	2	2	—	—	—	—	—	—	—	11	—	3	1	—	—
Swissvale	—	11	—	1	8	9	—	2	—	—	—	1	1	10	1	2	1	—	1
Upper St. Clair township#	—	10	1	2	5	2	—	—	1	—	—	—	1	8	1	2	1	—	—
West Mifflin	1	18	—	5	11	12	1	5	4	—	4	—	—	22	1	5	3	1	—
Whitehall	—	8	3	2	5	6	1	1	4	—	—	—	—	15	1	1	2	—	—
Wilksburg	—	14	2	4	10	16	—	4	4	—	—	—	—	4	4	—	3	8	—
Balance of county	18	241	23	47	134	180	15	50	71	—	17	22	24	436	44	83	59	19	6
Armstrong	5	67	6	9	32	36	1	3	24	—	3	4	9	65	22	9	10	1	—
Beaver	6	106	8	25	64	73	12	16	32	—	11	16	10	188	20	38	15	9	3
Aliquippa	1	6	—	1	10	8	—	1	5	—	—	3	3	13	1	4	1	1	—
Beaver Falls	2	15	2	4	6	4	—	2	5	—	—	1	1	23	1	4	4	—	—
Balance of county	3	65	6	20	48	61	8	13	22	—	11	12	6	152	18	30	10	8	3
Bedford	1	34	1	6	15	17	1	2	2	—	3	2	2	40	14	16	6	—	—
Berks	15	251	26	54	177	122	13	30	35	—	14	20	44	330	45	61	42	14	3
Muhlenberg township#	—	21	1	4	6	8	1	—	1	—	—	—	3	20	—	1	3	—	—
Reading	4	60	3	15	31	30	4	13	10	—	2	9	18	73	8	14	7	9	1
Balance of county	11	170	22	35	140	80	8	17	24	—	12	11	23	237	37	46	32	5	2
Blair ..																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 677

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 139 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hema- topoi- etic tissues (140-208)	Malignant neoplasms of di- gestive organs and pento- neum (150- 159)	Malign- ant neo- plasms of res- piratory and in- tra- thor- acic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Pennsylvania—Con.																				
Bucks	4,241	-	-	124	1,086	244	322	85	125	40	43	227	91	1,679	1,360	10	34	867	449	
Bensalem township#	399	-	-	9	107	26	31	9	16	2	6	17	7	172	142	2	1	85	54	
Bristol	102	-	-	-	30	5	14	3	3	-	-	5	4	32	26	-	-	18	8	
Bristol township#	435	-	-	13	129	22	54	10	11	5	4	23	8	166	141	-	4	94	43	
Falls township#	300	-	-	16	81	22	27	6	9	-	2	15	8	101	89	-	2	64	23	
Lower Southampton																				
township#	148	-	-	8	45	11	17	1	3	1	3	9	3	52	41	1	1	28	11	
Middletown township#	298	-	-	5	75	18	20	8	5	7	3	14	10	129	94	1	2	61	30	
Northampton township#	226	-	-	6	60	17	18	5	4	1	2	13	7	88	67	1	5	45	16	
Upper Southampton																				
township#	140	-	-	4	42	14	7	3	4	4	2	8	3	51	36	-	-	26	10	
Warminster township#	275	-	-	5	88	21	19	6	12	3	4	7	23	94	75	2	1	48	24	
Balance of county	1,918	-	-	58	429	88	115	34	58	17	17	100	34	784	649	3	18	398	230	
Butler	1,447	-	-	17	355	90	101	34	33	15	14	68	40	690	573	5	4	419	145	
Butler	243	-	-	4	62	16	16	7	4	2	3	14	9	120	95	1	1	70	23	
Balance of county	1,204	-	-	13	293	74	85	27	29	13	11	54	31	578	478	4	3	349	122	
Cambria	1,880	-	-	31	441	101	130	43	50	20	16	81	47	878	704	6	5	514	179	
Johnstown	476	-	-	9	114	32	26	15	11	2	6	22	2	243	195	2	3	138	52	
Balance of county	1,404	-	-	22	327	69	104	28	39	18	10	59	4	635	509	4	2	376	127	
Cameron	64	-	-	2	12	4	2	1	-	2	-	3	4	32	24	-	-	18	6	
Carbon	744	1	-	20	173	42	42	12	25	7	7	38	22	366	319	2	4	215	98	
Centre	750	-	-	17	187	48	42	19	26	5	8	39	14	315	250	2	-	180	68	
State College	140	-	-	1	36	8	9	5	3	1	1	9	9	67	52	1	-	32	19	
Balance of county	610	-	-	16	151	40	33	14	23	4	7	30	14	248	198	1	-	148	49	
Chester	2,732	-	-	75	730	167	226	59	81	22	27	148	52	1,074	851	5	19	559	268	
Coatesville	185	-	-	5	50	15	14	6	5	-	2	8	4	68	57	-	-	36	20	
Phoenixville	161	-	-	4	33	10	18	-	-	1	-	4	1	72	59	-	-	40	19	
Tredyffrin township#	159	-	-	6	52	11	11	6	5	1	1	17	4	70	54	-	-	39	15	
West Chester	195	-	-	6	49	11	13	9	6	3	-	7	5	76	62	-	-	35	26	
West Goshen township#	102	-	-	2	28	3	7	2	3	1	2	10	1	41	32	-	-	16	14	
Balance of county	1,930	-	-	52	518	117	163	36	62	16	22	102	37	747	587	5	17	391	174	
Clarion	405	-	-	12	101	29	25	8	8	4	5	22	12	188	162	-	-	130	32	
Clearfield	836	2	-	14	207	50	51	19	32	10	6	39	24	374	317	3	2	239	73	
Clinton	418	-	-	10	104	18	29	12	15	4	3	23	13	180	142	1	10	88	43	
Columbia	670	-	-	12	149	39	36	18	15	7	4	30	24	322	255	4	-	169	82	
Berwick	152	-	-	4	29	9	6	5	4	-	-	5	14	63	51	1	-	35	15	
Bloomsburg	147	-	-	6	29	5	8	2	4	3	2	5	2	75	57	1	-	36	20	
Balance of county	371	-	-	2	91	25	22	11	7	4	2	20	8	184	147	2	-	98	47	
Crawford	862	-	-	14	200	47	54	11	22	12	9	45	17	379	305	1	11	205	88	
Meadville	206	-	-	5	40	9	12	2	5	1	1	10	3	95	77	-	3	47	27	
Balance of county	656	-	-	9	160	38	42	9	17	11	8	35	14	284	228	1	8	158	61	
Cumberland	1,754	1	-	49	434	93	106	36	58	25	18	98	34	789	612	3	17	409	183	
Carlisle	259	-	-	2	51	7	18	3	7	3	3	10	3	130	93	-	4	71	18	
East Pennsboro township#	176	-	-	9	39	8	8	4	5	1	3	10	4	68	52	1	-	33	17	
Lower Allen township#	131	-	-	4	31	3	9	1	4	1	2	11	1	64	48	-	2	33	13	
Balance of county	1,188	1	-	34	313	75	71	28	42	20	10	67	27	527	419	2	10	272	135	
Dauphin	2,397	2	-	77	580	152	151	46	56	24	25	126	58	1,050	807	4	27	504	272	
Harrisburg	683	1	-	29	128	32	32	7	15	7	4	31	21	284	228	2	15	132	79	
Lower Paxton township#	348	-	-	9	83	20	21	9	7	4	4	18	6	166	122	-	3	79	40	
Middletown	125	-	-	1	36	8	15	2	3	1	-	5	3	47	34	-	-	27	7	
Susquehanna township#	150	-	-	6	35	10	10	6	4	1	1	9	1	66	57	1	2	37	17	
Swatara township#	218	-	-	3	63	16	17	6	7	2	2	13	10	93	67	-	2	45	20	
Balance of county	873	1	-	29	235	66	56	16	20	7	14	56	17	394	299	1	5	184	109	
Delaware	5,741	3	-	210	1,439	310	434	131	171	61	49	283	105	2,431	1,866	19	63	1,048	736	
Aston township#	149	-	-	6	46	12	12	9	2	-	1	10	2	58	43	1	1	29	12	
Chester	596	1	-	54	146	31	49	11	24	3	3	25	9	210	161	1	8	79	73	
Darby	171	-	-	9	28	5	12	2	3	1	-	5	5	66	66	1	4	26	35	
Darby township#	73	-	-	2	18	6	2	2	5	1	-	2	1	36	27	-	-	17	10	
Haverford township#	468	1	-	14	130	23	24	16	21	11	-	30	8	200	143	3	5	86	49	
Lansdowne	135	-	-	4	27	4	9	4	5	-	-	5	4	64	44	-	1	21	22	
Marple township#	263	-	-	7	55	14	15	5	6	5	-	9	3	121	94	2	2	52	38	
Middletown township#	244	-	-	6	34	8	6	2	5	2	3	8	3	140	99	-	7	48	44	
Nether Providence																				
township#	124	-	-	8	29	7	4	1	6	1	1	9	1	53	40	-	1	19	20	
Newtown township#	156	-	-	1	34	8	8	5	3	3	-	7	2	83	66	2	3	38	23	
Radnor township#	221	-	-	9	54	10	15	3	8	2	2	14	5	102	76	-	3	46	27	
Ridley township#	251	-	-	4	64	13	21	6	7	3	1	13	8	106	87	1	1	55	30	
Springfield township#	285	-	-	11	90	20	26	8	7	3	5	21	6	111	83	-	1	46	36	
Upper Chichester																				
township#	121	-	-	3	31	4	11	5	1	-	1	9	1	45	37	-	1	22	14	
Upper Darby township#	758	-	-	16	199	46	66	13	28	3	5	38	15	312	235	3	2	139		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 678

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 140 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800, E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E990-E999)
Pennsylvania—Con.																			
Bucks	17	234	19	49	129	200	15	37	56	-	20	22	129	418	76	82	44	11	22
Bensalem township#	2	19	-	9	11	11	1	4	7	-	2	1	16	26	9	9	2	2	3
Bristol	-	4	1	1	2	4	-	1	6	-	-	-	3	13	3	2	1	-	1
Bristol township#	1	21	-	3	7	25	2	5	3	-	2	4	12	34	10	8	2	-	5
Falls township#	2	6	1	3	8	15	1	1	2	-	1	5	7	36	7	2	3	2	4
Lower Southampton township#	-	10	-	1	5	5	-	1	2	-	3	-	6	7	4	1	4	2	-
Middletown township#	2	28	1	4	5	13	-	3	3	-	-	2	9	28	7	8	1	-	-
Northampton township#	1	16	-	4	4	12	1	3	2	-	4	1	7	23	4	1	2	-	1
Upper Southampton township#	-	10	1	4	7	2	-	1	5	-	-	-	5	16	-	2	2	-	-
Warminster township#	1	11	5	2	8	20	1	2	2	-	1	-	9	25	2	7	3	-	1
Balance of county	8	109	10	18	72	93	9	16	24	-	7	9	55	210	30	42	24	5	7
Butler	8	77	14	18	44	52	3	12	16	-	5	4	8	115	30	30	24	2	-
Butler	1	19	2	3	8	5	1	5	1	-	1	-	-	17	5	1	4	-	-
Balance of county	7	58	12	15	36	47	2	7	15	-	4	4	8	98	25	29	20	2	-
Cambria	8	119	17	30	73	70	4	21	32	1	8	11	6	183	24	28	17	5	-
Johnstown	1	36	3	8	14	14	2	10	8	-	2	5	1	39	3	3	4	3	-
Balance of county	7	83	14	22	59	56	2	11	24	1	6	6	5	144	21	25	13	2	-
Cameron	1	3	1	3	3	3	-	-	1	-	-	-	-	5	1	-	-	-	-
Carbon	-	37	2	8	11	29	-	8	8	-	1	2	3	69	13	9	8	1	-
Centre	1	48	7	9	25	37	4	4	8	-	4	3	11	78	16	12	15	-	-
State College	1	12	1	3	4	4	-	1	1	-	-	-	2	15	5	3	2	-	-
Balance of county	-	36	6	8	22	33	4	3	7	-	4	3	9	63	11	9	13	-	-
Chester	12	163	9	39	108	117	3	28	36	-	13	12	63	250	48	60	3	9	3
Coatesville	-	10	-	1	1	7	-	5	3	-	3	3	5	15	5	6	4	-	-
Phoenixville	1	9	1	2	7	7	1	-	4	-	-	2	7	13	2	4	-	-	-
Tredyffrin township#	-	8	2	6	3	3	-	1	1	-	1	1	2	19	4	4	2	2	-
West Chester	1	10	-	3	8	9	-	4	2	-	1	1	4	9	4	-	2	-	-
West Goshen township#	-	5	3	4	2	2	-	2	2	-	-	-	4	9	4	-	2	-	-
Balance of county	10	121	3	26	85	89	2	16	23	-	7	6	43	183	31	43	40	6	2
Clarion	1	19	3	3	10	16	1	3	2	-	2	1	5	38	6	5	2	-	1
Clearfield	1	49	3	4	21	43	-	4	11	-	3	2	5	96	11	10	9	-	-
Clinton	2	33	1	2	11	16	1	7	5	-	2	-	-	53	1	7	6	2	-
Columbia	1	46	10	10	19	23	4	3	9	-	1	2	4	60	10	15	12	1	-
Berwick	1	7	1	3	9	8	-	-	-	-	-	-	2	18	2	2	1	-	-
Bloomsburg	-	14	2	2	4	1	-	-	1	-	-	-	1	16	2	3	5	-	-
Balance of county	-	25	7	5	8	11	3	3	8	-	1	2	1	26	6	10	6	1	-
Crawford	3	54	6	11	31	39	-	9	16	-	3	3	8	86	19	18	15	5	-
Moachville	1	13	1	3	7	10	-	3	2	-	1	-	3	22	3	7	3	2	-
Balance of county	2	41	5	8	24	29	-	6	14	-	2	3	5	64	16	11	12	3	-
Cumberland	7	123	24	23	60	73	2	6	23	-	5	6	8	188	23	25	24	4	-
Carlisle	2	24	6	5	9	15	-	-	5	-	2	1	-	32	2	2	4	1	-
East Pannsboro township#	-	16	-	-	12	10	-	-	1	-	1	1	2	23	1	3	2	-	-
Lower Allen township#	-	15	-	-	3	1	1	-	4	-	-	-	-	17	2	2	2	-	-
Balance of county	5	68	18	17	36	47	1	6	13	-	2	4	6	116	18	18	16	3	-
Dauphin	12	177	27	27	84	97	7	19	33	-	14	19	20	225	27	44	26	14	1
Harrisburg	4	41	6	5	27	27	2	7	15	-	2	15	12	70	5	19	7	12	-
Lower Paxton township#	4	28	7	5	16	17	-	1	5	-	1	-	-	32	2	2	6	-	1
Middletown	-	12	1	-	3	3	1	3	2	-	-	-	1	21	1	-	2	-	-
Susquehanna township#	-	7	1	1	5	7	-	3	-	-	1	1	3	13	2	4	2	1	-
Swatara township#	1	22	1	2	7	9	1	2	1	-	4	2	1	18	-	3	1	-	-
Balance of county	3	67	11	14	26	34	3	3	10	-	5	-	3	71	17	16	8	1	-
Delaware	18	436	32	79	187	223	15	70	63	-	21	41	70	585	64	105	50	27	32
Aston township#	-	13	2	-	2	4	-	1	4	-	1	-	-	22	-	2	-	-	1
Chester	1	40	-	8	22	21	1	10	5	-	2	12	11	53	6	15	2	13	3
Darby	-	17	2	1	10	7	-	1	-	-	-	-	1	14	3	3	1	1	1
Darby township#	1	6	1	1	3	2	1	1	1	-	-	-	1	4	-	1	-	-	2
Haverford township#	2	44	1	10	14	27	1	4	3	-	1	-	4	43	2	12	3	-	1
Lansdowne	-	18	-	4	5	4	1	-	3	-	-	-	1	14	1	6	1	-	-
Maple township#	-	22	-	4	11	7	1	2	4	-	1	1	2	38	2	5	1	1	1
Middletown township#	-	35	3	3	9	12	-	-	3	-	-	2	-	27	2	4	2	-	-
Nether Providence township#	2	9	-	2	5	5	-	2	1	-	-	-	2	14	2	2	-	-	-
Newtown township#	2	14	1	-	5	4	-	2	1	-	1	-	1	15	4	1	1	-	1
Radnor township#	-	18	3	5	8	7	-	4	-	-	1	1	2	18	2	3	4	-	1
Ridley township#	2	10	1	6	12	15	3	3	4	-	3	2	3	16	3	3	1	-	1
Springfield township#	-	22	4	2	13	11	-	2	3	-	1	-	2	27	3	2	3	-	-
Upper Chichester township#	-	6	-	2	6	5	1	1	2	-	-	1	4	17	2	1	-	1	-
Upper Darby township#	3	58	3	13	22	27	3	9	9	-	2	8	9	89	4	15	10	3	6
Yeadon	-	14	-	3	3	6	1	2	2	-	-	3	-	10	1	3	1	1	1
Balance of county	5	90	10	17	37	59	2	26	18	-	8	9	28	164	27	27	20	7	13
Elk	2	35	2	2	9	11	-	3	8	-	-	-	-	30	2	12	2	1	-
Erie	16	224	18	33	67	109	8	28	28	1	12	20	17	302	33	50	33	8	2
Erie	9	97	11	9	38	44	3	15	9	-	7	15	9	163	11	29	12	4	1
Millcreek township#	4	24	2	9	6	25	1	5	8	1	1	2	4	36	6	3	6	2	-
Balance of county	3	103	5	15	23	40	4	8	11	-	4	3	4	103	16	18	15	2	1
Fayette	7	109	14	19	52	61	2	20	28	-	6	8	12	137	33	35	13	10	1
Connellsville	2	12	2	1	5	7	-	2	1	-	2	2	1	13	2	2	1	-	-
Uniontown	1	19	2	4	11	8	1	3	6	-	-	1	1	20	2	7	4	3	-</

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 679

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 141 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neoplasm of breast (174- 175)	Malignant neoplasms of genital organs (176- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Isochemic heart disease (410- 414)	Other heart diseases (415- 428)
Pennsylvania—Con.																			
Franklin	1,170	-	-	24	268	73	72	19	26	13	15	50	40	465	369	4	2	241	122
Chambersburg	262	-	-	6	58	22	13	2	4	3	4	10	10	113	84	-	-	58	26
Balance of county	908	-	-	18	210	51	59	17	22	10	11	40	30	352	285	4	2	183	96
Fulton	110	-	-	2	37	11	9	5	4	2	1	5	1	48	29	-	-	20	9
Greene	519	-	-	4	111	23	28	5	15	6	8	26	11	248	206	1	3	156	46
Huntingdon	427	-	-	4	114	23	32	14	12	4	6	21	7	196	161	1	3	122	35
Indiana	799	-	-	4	205	48	60	14	27	14	7	35	13	366	296	5	4	206	81
Indiana	90	-	-	1	28	12	4	4	2	1	2	1	2	37	36	1	-	25	10
Balance of county	709	-	-	3	177	36	56	11	23	12	6	33	12	329	260	4	4	181	71
Jefferson	505	-	-	8	128	28	39	8	16	5	4	28	17	246	199	1	5	164	29
Junata	236	-	-	6	49	13	13	3	6	1	1	12	9	113	87	1	-	68	18
Lackawanna	2,776	3	-	51	612	192	146	45	60	20	19	130	78	1,318	1,108	7	17	670	414
Carbondale	161	-	-	7	40	12	12	3	4	1	1	7	2	84	72	-	-	47	25
Dunmore	199	-	-	3	38	16	8	1	2	1	4	6	4	106	91	1	-	59	31
Scranton	1,222	2	-	24	266	85	72	15	23	9	5	57	28	582	490	3	8	285	194
Balance of county	1,194	1	-	17	268	79	54	26	31	9	9	60	44	546	455	3	9	279	164
Lancaster	3,544	1	-	83	874	209	221	88	92	41	36	187	116	1,575	1,212	13	46	777	376
Columbia	141	-	-	4	35	10	12	3	-	2	-	8	8	55	47	-	4	32	11
Ephrata	97	-	-	3	24	7	5	1	4	1	-	6	3	43	38	-	1	26	11
Lancaster	559	-	-	24	127	29	45	10	12	7	5	19	24	232	181	2	5	117	57
Lancaster township#	204	-	-	6	44	14	11	5	6	2	1	8	8	101	85	1	3	45	36
Manheim township#	374	-	-	4	83	15	21	11	9	5	5	17	15	192	138	2	4	83	49
Balance of county	2,169	1	-	42	551	134	190	58	61	24	25	129	58	952	723	8	29	474	212
Lawrence	1,153	1	-	14	281	79	78	20	35	9	16	49	38	549	457	2	11	367	77
New Castle	452	-	-	5	97	32	27	5	13	2	4	14	13	223	185	-	4	156	25
Balance of county	701	1	-	9	184	47	46	15	22	7	12	35	25	326	272	2	7	211	52
Lebanon	1,075	-	-	28	239	65	52	18	21	15	7	61	30	510	426	2	12	237	175
Lebanon	267	-	-	11	57	16	18	7	2	2	3	9	5	121	100	1	3	49	47
Balance of county	808	-	-	17	182	49	34	11	19	13	4	52	25	389	326	1	9	188	128
Lehigh	2,946	-	-	76	636	187	184	67	71	31	22	144	77	1,238	985	8	12	595	370
Allentown	1,161	-	-	48	272	66	78	22	33	9	5	59	33	499	397	3	6	224	164
Bethlehem, part	296	-	-	6	76	16	20	10	7	2	7	14	10	118	89	-	1	47	41
Emmaus	119	-	-	1	21	7	4	1	-	1	-	8	7	65	56	1	-	41	14
Salisbury township#	104	-	-	3	26	5	8	3	3	1	-	6	1	50	40	-	-	27	13
Whitehall township#	202	-	-	4	54	13	15	6	5	3	2	10	3	86	66	1	3	42	20
Balance of county	944	-	-	14	237	60	59	25	23	15	8	47	23	420	337	3	2	214	118
Luzerne	4,152	8	-	67	995	264	251	95	107	40	40	188	138	1,969	1,651	18	40	1,018	575
Hazleton	367	1	-	8	77	18	16	10	12	5	3	13	10	182	175	1	4	124	46
Kingston	248	1	-	4	42	12	15	6	4	-	1	4	8	131	102	-	2	69	31
Nanticoke	180	-	-	2	46	16	9	2	8	1	1	9	3	87	72	1	1	40	30
Wilkes-Barre	707	1	-	18	174	53	43	17	19	4	6	32	17	342	284	2	10	164	108
Balance of county	2,650	5	-	35	656	165	168	60	64	30	29	140	100	1,217	1,018	14	23	621	360
Lycoming	1,212	1	-	30	278	68	72	22	24	14	15	63	36	522	405	4	7	239	155
Williamsport	385	-	-	10	85	26	18	4	5	7	2	23	13	142	108	-	2	72	34
Balance of county	847	1	-	20	193	42	54	18	19	7	13	40	23	380	297	4	5	167	121
McKean	558	-	-	16	125	26	41	15	15	6	5	17	10	259	179	2	2	133	42
Bradford	171	-	-	8	43	7	14	6	6	1	1	8	2	71	49	-	-	38	11
Balance of county	387	-	-	8	82	19	27	9	9	5	4	9	8	188	130	2	2	95	31
Mercer	1,358	-	1	20	305	63	63	32	44	8	11	64	41	621	499	3	8	370	118
Sharon	212	-	-	4	52	14	6	6	3	1	11	5	96	77	-	2	51	24	
Balance of county	1,146	-	1	16	253	49	72	26	38	5	10	53	36	525	422	3	6	319	94
Millfin	487	-	-	9	122	28	32	14	14	2	5	27	7	201	169	4	2	123	40
Monroe	869	-	-	27	233	61	70	15	22	12	9	44	28	376	315	3	3	174	135
Montgomery	6,121	2	-	143	1,602	387	394	153	180	61	80	347	113	2,547	1,950	28	56	1,207	659
Abington township#	614	-	-	17	178	42	37	20	22	7	7	43	9	232	173	1	6	113	53
Cheltenham township#	351	-	-	12	94	26	19	15	10	3	4	17	8	148	113	2	3	70	38
East Norriton township#	117	-	-	3	37	12	6	3	5	2	2	7	3	50	42	1	2	26	13
Hatfield township#	70	-	-	-	15	8	3	-	-	-	-	3	2	38	30	1	3	19	7
Lansdale	245	-	-	3	51	11	7	7	4	6	9	2	108	76	1	5	47	23	
Lower Merion township#	578	-	-	16	137	29	40	13	16	4	8	26	7	250	188	2	3	110	73
Lower Moreland township#	109	-	-	1	33	6	12	3	5	-	3	4	3	45	38	-	1	23	14
Lower Providence township#	88	-	-	3	20	5	4	1	3	2	1	4	2	32	24	2	1	14	7
Norriton	367	-	-	8	93	20	29	12	7	1	4	20	8	124	97	2	4	62	29
Plymouth township#	139	-	-	2	40	10	9	5	2	3	2	9	1	58	43	-	2	28	13
Pottstown	259	-	-	9	62	11	11	5	9	3	6	17	7	103	80	3	1	40	36
Springfield township#	300	-	-	7	67	20	12	6	13	3	2	11	4	140	107	-	2	55	50
Towamencin township#	75	-	-	1	22	6	3	2	4	2	4	6	4	29	21	-	1	10	10
Upper Dublin township#	128	-	-	1	36	8	6	4	4	2	4	8	2	56	38	-	-	30	8
Upper Merion township#	179	-	-	5	62	16	16	6	7	3	1	12	4	55	42	1	1	24	16
Upper Merion township#																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 680

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 142 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Franklin	3	81	3	9	48	73	2	12	10	-	3	7	26	129	26	27	5	4	1
Chambersburg	-	25	1	3	14	13	1	5	2	-	1	1	3	21	6	5	1	2	-
Balance of county	3	56	2	6	34	60	1	7	3	-	2	6	23	108	20	22	4	2	1
Fulton	2	5	10	2	11	9	-	1	3	-	-	-	-	5	3	4	-	2	-
Greene	5	32	-	5	11	25	-	1	8	-	-	-	-	5	3	4	-	2	-
Huntingdon	1	23	3	8	13	18	1	2	10	-	-	1	3	63	11	10	8	1	-
Indiana	1	44	11	14	12	31	1	7	9	-	4	4	9	25	13	10	6	-	-
Indiana	-	-	-	1	1	4	-	-	-	-	4	4	9	91	12	18	11	2	-
Balance of county	1	44	11	13	11	27	1	7	9	-	4	4	7	82	12	14	9	1	-
Jefferson	4	32	4	7	11	25	1	3	6	-	1	-	3	41	4	6	5	-	-
Juniata	1	19	2	4	14	6	-	1	2	-	5	-	2	21	4	3	1	-	-
Lackawanna	9	150	19	32	106	114	6	29	29	-	7	11	22	296	24	36	28	4	2
Carbondale	-	11	-	1	5	3	1	2	1	-	-	-	-	14	-	-	1	-	-
Dunmore	1	9	2	3	12	6	1	2	2	-	-	-	2	21	-	1	1	-	-
Scranton	3	67	5	17	55	59	2	13	14	-	3	5	11	110	11	19	14	3	1
Balance of county	5	63	12	11	34	46	2	12	12	-	4	5	9	151	13	16	12	1	1
Lancaster	22	265	25	51	124	154	7	23	39	-	19	16	25	323	55	60	41	9	-
Columbia	-	4	3	1	5	8	-	1	3	-	-	1	1	16	-	2	2	-	-
Ephrata	-	5	-	-	1	6	-	-	1	-	-	-	2	10	2	1	-	-	-
Lancaster	3	35	1	12	18	34	2	1	6	-	4	4	7	40	13	7	10	6	-
Lancaster township#	4	8	2	2	7	8	2	1	4	-	-	-	1	19	-	3	1	-	-
Manheim township#	2	39	5	8	17	13	1	1	2	-	-	-	4	33	1	6	2	-	-
Balance of county	13	174	14	28	76	85	2	20	23	-	-	-	4	33	1	6	2	-	-
Lawrence	8	62	7	15	54	33	1	9	21	-	15	11	10	205	39	41	26	2	-
New Castle	3	25	2	8	26	15	-	2	10	-	3	4	6	88	17	17	13	4	-
Balance of county	5	37	5	7	28	18	1	7	11	-	2	2	3	36	5	11	2	1	-
Lebanon	5	66	1	12	54	41	6	5	18	-	2	3	2	90	18	18	8	2	1
Lebanon	1	15	-	5	15	12	-	3	3	-	-	-	2	26	5	4	4	-	-
Balance of county	4	51	1	7	39	29	6	5	15	-	2	1	-	64	13	14	4	2	1
Lehigh	7	177	18	51	90	121	3	35	58	-	17	15	30	268	36	51	34	9	2
Allentown	4	76	4	18	47	50	1	16	25	-	8	9	10	102	11	22	19	7	2
Bethlehem, part	-	16	3	10	7	20	1	5	4	-	1	1	3	35	1	5	2	-	-
Emmaus	-	4	1	4	2	2	-	2	2	-	1	2	1	11	2	2	2	-	-
Salisbury township#	-	9	-	1	2	5	1	-	2	-	1	2	1	9	-	1	3	-	-
Whitehall township#	3	14	1	2	2	6	-	4	6	-	-	3	11	16	2	2	1	-	-
Balance of county	-	58	9	16	30	38	-	10	17	-	7	1	4	95	20	19	9	-	-
Luzerne	19	208	51	40	103	137	10	49	44	-	19	10	28	432	39	60	33	7	4
Hazleton	1	16	-	-	12	8	-	5	7	-	1	-	2	27	6	7	2	1	1
Kingston	1	19	5	4	5	10	1	5	-	-	1	-	-	34	2	3	1	-	-
Nanticoke	-	9	4	2	2	4	-	3	2	-	-	-	1	24	1	4	1	-	-
Wilkes-Barre	5	34	11	8	15	30	2	10	8	-	3	4	5	60	3	7	4	3	1
Balance of county	12	130	31	26	69	85	7	26	27	-	14	6	20	287	27	39	25	3	2
Lycoming	3	90	9	15	45	81	4	15	9	-	4	3	8	116	15	25	18	1	1
Williamsport	1	23	3	7	10	26	-	5	4	-	1	1	3	45	3	11	6	-	-
Balance of county	2	67	6	8	35	55	4	10	5	-	3	2	5	71	12	14	12	1	1
McKean	2	45	7	26	19	25	-	5	8	-	2	-	5	59	12	6	7	-	-
Bradford	1	14	2	5	4	6	-	3	2	-	-	-	5	20	2	1	4	-	-
Balance of county	1	31	5	21	15	19	-	2	6	-	2	-	-	39	10	5	3	-	-
Mercer	6	94	7	15	59	60	3	11	16	-	5	6	5	138	27	23	16	1	-
Sharon	1	16	-	2	4	7	1	2	2	-	1	-	-	26	2	6	3	1	-
Balance of county	5	78	7	13	55	53	2	9	14	-	4	6	5	112	25	17	13	1	-
Mifflin	-	26	-	6	27	22	3	2	4	-	4	3	7	53	15	10	1	-	-
Monroe	7	42	1	11	19	44	1	12	6	-	5	4	3	60	21	13	14	2	1
Montgomery	24	442	34	97	215	247	15	69	81	-	34	33	140	605	62	116	72	15	10
Abington township#	2	44	3	10	23	23	1	5	7	-	1	5	14	68	8	16	6	-	1
Cheltenham township#	1	29	1	4	7	12	1	1	8	-	2	-	7	34	3	8	3	2	1
East Norriton township#	-	5	-	3	4	7	-	-	1	-	-	-	2	9	-	-	1	-	-
Hatfield township#	1	5	-	2	2	4	-	-	3	-	1	-	2	3	-	2	1	-	-
Lansdale	-	25	2	5	9	13	2	2	3	-	-	1	8	28	6	8	1	-	-
Lower Merion township#	-	42	6	14	17	24	2	10	6	-	2	2	10	69	5	12	5	1	1
Lower Moreland township#	1	5	-	1	2	5	-	3	1	-	-	-	-	9	3	1	3	-	-
Lower Providence township#	-	6	1	1	4	4	-	-	1	-	1	2	2	9	1	5	2	-	-
Norriton	2	22	-	3	9	15	2	5	5	-	4	2	16	50	5	11	4	4	2
Plymouth township#	1	8	2	4	1	9	-	3	2	-	-	-	2	14	-	4	2	1	-
Pottstown	1	18	-	4	11	14	1	4	3	-	3	2	2	28	-	3	3	1	1
Springfield township#	-	27	3	3	16	8	-	2	3	-	1	-	4	37	1	5	4	1	-
Towamencin township#	3	4	-	1	2	3	-	-	-	-	-	-	3	6	-	2	3	-	-
Upper Dublin township#	-	16	1	1	3	2	-	1	3	-	1	1	5	13	1	2	1	-	-
Upper Merion township#	1	8	-	4	3	12	-	3	3	-	1	1	7	18	-	4	1	-	-
Upper Moreland township#	-	21	2	-	10	13	1	2	5	-	1	2	5	22	1	4	2	-	-
West Norriton township#	1	4	-	3	2	3	-	2	2	-	-	1	1	9	-	1	1	-	-
Whitemarsh township#	-	7	2	1	9	8	1	2	1	-	1	-	1	15	1	2	2	-	-
Balance of county	10	146	11	33	81	68	4	24	30	-	15	14	49	164	27	26	27	3	4
Montour	1	16	2	4	16	7	1	-	3	-	1	1	-	34	5	2	1	1	-
Northampton	9	110	19	27	84	90	7	22	41	-	14	12	13	195	43	38	34	8	8
Bethlehem, part	-	23	5	9	16	16	3	3	5	-	5	-	3	40	7	11	7	2	4
Bethlehem, total	-	39	8	19	23	36	4	8	9	-	6	-							

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 681

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 143 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thorac- ic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (398, 402,404- 428)	Rheuma- tic fever and rheuma- tic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 428)
Pennsylvania—Con.																			
Northumberland	1,241	2	-	17	333	81	70	22	49	22	15	74	42	554	454	2	5	319	128
Shamokin	147	-	-	5	43	11	7	3	6	3	2	11	10	55	49	1	-	31	17
Sunbury	160	1	-	1	42	8	9	2	4	4	3	12	3	73	54	1	-	38	15
Balance of county	934	1	-	11	248	62	54	17	39	15	10	51	29	426	351	-	5	250	96
Perry	345	-	-	13	88	26	24	5	7	1	3	22	11	151	121	-	1	91	29
Philadelphia, coext. with Philadelphia city	19,127	25	1	1,049	4,629	1,153	1,355	407	532	180	139	863	438	7,407	5,976	29	225	3,110	2,612
Pike	289	-	-	6	81	19	23	6	9	3	-	14	4	117	87	-	2	66	19
Potter	191	-	-	7	36	10	7	4	5	-	-	7	5	77	60	1	3	31	25
Schuylkill	2,058	-	-	21	474	119	125	30	55	16	16	113	65	965	799	13	19	630	137
Pottsville	262	-	-	1	53	12	18	3	5	1	2	12	9	149	124	-	1	100	23
Balance of county	1,796	-	-	20	421	107	107	27	50	15	14	101	56	816	675	13	18	530	114
Snyder	289	-	-	4	68	15	18	5	8	4	-	6	7	123	99	-	2	66	31
Somersel	819	-	-	7	175	47	38	11	25	14	8	32	22	393	336	5	6	248	77
Sullivan	96	-	-	1	12	4	2	2	1	-	-	3	3	42	31	-	-	22	9
Susquehanna	457	-	-	1	96	20	23	14	12	2	1	24	12	230	192	2	9	128	53
Tioga	398	-	-	7	101	19	36	12	13	5	3	13	14	153	119	-	3	85	31
Union	299	-	-	7	60	18	14	5	5	1	1	16	6	151	125	-	1	89	35
Venango	675	-	-	7	168	33	41	16	27	11	7	33	30	274	217	-	4	168	45
Oil City	179	-	-	3	48	14	7	2	7	4	1	13	7	77	62	-	1	46	15
Balance of county	496	-	-	4	120	19	34	14	20	7	6	20	23	197	155	-	3	122	30
Warren	511	-	-	4	117	22	33	14	16	9	-	6	4	66	56	-	1	47	8
Warren	145	-	-	1	25	4	6	3	6	-	-	6	4	66	56	-	1	47	8
Balance of county	366	-	-	3	92	18	27	11	10	9	-	17	8	167	140	-	1	107	32
Washington	2,284	1	1	39	561	135	158	47	66	18	33	104	73	1,023	854	7	12	654	181
Canonsburg	119	-	-	3	22	7	6	5	1	-	3	5	5	58	51	-	-	39	12
Washington	274	-	1	5	64	14	17	9	5	4	7	8	7	120	104	1	1	72	30
Balance of county	1,892	1	-	31	475	114	135	38	56	13	26	93	61	845	699	6	11	543	139
Wayne	485	-	-	12	108	28	29	4	15	3	5	24	12	254	206	3	4	149	50
Westmoreland	3,993	-	-	62	1,009	242	296	82	103	47	37	202	125	1,871	1,542	14	26	1,115	387
Greensburg	257	-	-	4	59	13	12	5	10	3	3	13	7	130	106	3	-	81	22
Hempfield township#	429	-	-	6	106	25	28	12	12	4	1	24	14	219	188	2	4	147	35
Jeanette	123	-	-	4	48	10	11	7	7	2	1	10	5	38	33	-	-	24	9
Latrobe	152	-	-	2	42	16	14	3	1	1	-	7	2	70	60	-	2	35	23
Lower Burrell	136	-	-	1	33	7	12	1	3	3	1	6	2	57	50	-	-	39	11
Monessen	148	-	-	1	41	15	12	1	5	2	1	5	6	77	66	-	1	46	19
Municipality of Murrysville	134	-	-	3	35	10	12	2	2	1	2	6	2	64	50	-	2	37	11
New Kensington	236	-	-	1	55	12	22	5	8	3	2	3	10	117	102	2	-	69	31
North Huntingdon township#	272	-	-	4	82	18	27	6	9	2	3	17	8	115	96	-	-	71	25
Balance of county	2,106	-	-	36	508	116	146	40	46	26	23	111	65	984	791	7	17	566	201
Wyoming	251	-	-	3	62	16	24	7	3	2	-	10	10	118	95	-	3	55	37
York	2,829	1	-	52	749	177	200	75	83	31	24	159	73	1,213	945	8	18	607	312
Hanover	181	-	-	-	52	14	20	4	5	-	2	7	7	75	62	-	2	39	21
Springettsbury township#	329	-	-	8	72	23	14	8	7	6	2	12	8	154	122	1	4	59	58
Spring Garden township#	166	-	-	1	43	6	7	4	8	2	2	14	2	80	50	1	-	34	15
York	451	1	-	22	103	23	26	13	11	3	2	25	10	177	131	3	3	76	49
Balance of county	1,702	-	-	21	479	111	133	46	52	20	16	101	46	727	580	3	9	399	169
Rhode Island	9,469	9	-	247	2,517	645	709	234	246	111	75	497	228	4,042	3,234	32	67	2,316	819
Urban places	7,459	6	-	221	1,951	501	558	176	191	82	57	386	180	3,192	2,562	29	52	1,856	625
Balance of area	2,010	3	-	26	566	144	151	58	55	29	18	111	48	850	672	3	15	460	194
Metropolitan counties	8,764	7	-	236	2,304	592	642	215	222	103	70	460	216	3,756	3,027	29	57	2,181	760
Urban places	7,051	5	-	213	1,836	474	521	165	176	78	52	370	174	3,013	2,436	26	46	1,772	592
Balance of area	1,713	2	-	23	468	118	121	50	46	25	18	90	42	743	591	3	11	409	168
Nonmetropolitan counties	705	2	-	11	213	53	67	19	24	8	5	37	12	286	207	3	10	135	59
Urban places	408	1	-	8	115	27	37	11	15	4	5	16	6	179	126	3	6	84	33
Balance of area	297	1	-	3	98	26	30	8	9	4	-	21	6	107	81	-	4	51	26
Bristol	446	1	-	11	108	23	27	17	12	5	4	20	11	184	151	-	1	107	43
Barrington town#	115	1	-	3	36	10	11	3	5	2	-	5	2	45	36	-	-	28	8
Bristol town#	202	-	-	4	45	8	11	8	6	1	3	8	6	79	65	-	-	46	19
Warren town#	126	-	-	4	27	5	5	6	1	2	1	7	3	58	48	-	-	32	16
Balance of county	3	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	1	-
Kent	1,516	-	-	36	391	108	112	32	37	11	15	76	40	649	532	4	8	377	143
Coventry town#	251	-	-	5	69	15	28	6	8	1	1	10	7	107	98	-	1	71	26
Warwick	877	-	-	22	221	60	60	15	24	7	9	46	17	377	298	1	6	216	75
West Warwick town#	278	-	-	7	73	22	21	7	4	2	2	15	13	117	97	2	1	67	27
Balance of county	110	-	-	2	28	11	3	4	1	1	3	5	3	48	39	1	-	23	15
Newport	705	2	-	11	213	53	67	19	24	8	5	37	12	286	207	3	10	135	59
Middletown town#	176	1	-	3	55	14	18	6	6	3	2	6	2	78	47	1	1	34	11
Newport	232	-	-	5	60	13	19	5	9	1	3	10	4	101	79	2	5	50	22
Balance of county	297	1	-	3	98	26	30	8	9	4	-	21	6	107	81	-	4	51	26
Providence	5,961																		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 682

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 144 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E829)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Pennsylvania—Con.																			
Northumberland	4	74	10	12	38	40	1	9	15	--	4	4	17	118	20	14	10	3	--
Shamokin	--	4	--	2	4	5	--	4	4	--	1	1	1	9	3	--	--	1	--
Sunbury	--	14	5	--	5	6	--	1	1	--	--	2	4	17	1	2	--	1	--
Balance of county	4	56	5	10	29	29	1	4	10	--	3	1	12	92	16	11	10	1	--
Perry	1	25	1	3	20	29	2	--	2	--	--	--	3	32	8	8	6	2	--
Philadelphia, coext. with Philadelphia city	88	1,045	97	201	489	562	49	245	271	7	108	230	296	1,915	148	599	206	430	23
Pike	4	21	--	5	12	10	2	1	1	--	1	--	17	25	3	4	3	1	1
Potter	--	12	--	5	11	7	3	--	1	--	--	2	1	26	4	7	3	1	--
Schuylkill	8	123	3	32	54	77	6	25	31	--	2	5	5	222	38	40	23	3	2
Pottsville	1	19	1	4	3	12	1	2	1	--	1	1	2	24	1	1	--	--	--
Balance of county	7	104	2	28	51	65	5	23	30	--	1	4	3	198	37	39	22	3	2
Snyder	--	19	1	4	14	13	--	3	2	1	3	2	3	33	8	4	3	1	--
Somerset	3	38	6	10	33	29	1	4	9	--	--	5	4	83	18	17	14	5	--
Sullivan	--	9	1	1	8	6	--	1	2	--	1	--	--	14	3	3	--	--	--
Susquehanna	2	22	6	8	19	17	1	5	4	--	--	--	1	41	11	10	6	3	--
Tioga	1	29	1	3	19	21	1	2	3	--	1	3	3	40	14	3	9	4	--
Union	1	21	3	1	12	7	1	2	4	--	4	2	3	24	3	8	2	3	--
Venango	4	40	2	11	24	41	1	5	5	--	2	4	3	63	14	22	7	5	--
Oil City	3	8	1	3	6	6	--	1	--	--	--	--	1	14	2	8	4	2	--
Balance of county	1	32	1	8	18	35	1	4	5	--	2	4	2	49	12	14	3	3	--
Warren	1	28	1	7	21	27	2	5	1	--	2	3	2	52	12	11	5	1	1
Warren	--	9	--	1	6	14	--	2	1	--	--	1	1	17	2	3	2	--	--
Balance of county	1	19	1	6	15	13	2	3	--	--	2	2	1	35	10	8	3	1	1
Washington	3	127	11	28	96	79	2	21	32	--	11	6	5	207	45	49	24	6	3
Canonsburg	--	6	--	--	5	4	--	1	1	--	1	--	--	16	2	--	--	--	--
Washington	--	14	--	2	11	13	1	2	6	--	--	1	1	25	5	8	3	1	--
Balance of county	3	107	11	25	80	62	1	18	25	--	10	5	4	166	38	41	21	5	3
Wayne	2	33	4	9	10	15	--	6	7	--	2	3	1	29	12	8	2	4	--
Westmoreland	12	245	22	50	128	132	6	37	47	--	12	16	15	361	43	73	43	8	5
Greensburg	--	20	4	--	11	10	--	1	2	--	1	--	--	24	4	3	1	--	--
Hempfield township#	--	26	2	3	16	15	2	2	6	--	1	1	1	28	1	5	6	--	--
Jeannette	1	4	--	--	2	3	--	1	1	--	1	--	--	9	1	2	4	2	1
Latrobe	--	9	--	1	1	2	--	--	--	--	--	2	1	19	4	4	2	1	--
Lower Burrell	1	5	--	1	11	5	--	1	2	--	--	--	1	16	1	2	--	--	--
Monessen	1	8	--	2	4	4	1	2	--	--	--	--	9	--	3	--	--	--	--
Municipality of Murrysville	--	12	1	1	4	5	--	1	1	--	--	--	--	13	--	5	1	--	--
New Kensington	1	11	--	3	6	10	--	1	3	--	1	--	2	21	3	4	1	--	--
North Huntingdon township#	--	15	1	3	11	10	--	3	4	--	1	3	1	25	--	3	1	--	1
Balance of county	8	135	14	36	62	68	3	25	28	--	7	9	9	197	29	42	27	4	3
Wyoming	2	13	3	5	8	8	--	1	--	--	1	1	2	20	7	8	2	--	--
York	4	200	9	55	79	110	5	19	43	--	11	25	14	268	52	58	44	12	1
Hanover	--	9	1	3	7	10	--	1	--	--	1	2	2	20	1	1	2	--	--
Springettsbury township#	1	20	2	9	15	10	1	3	9	--	1	1	--	37	--	6	4	--	--
Spring Garden township#	--	28	1	1	5	4	--	2	5	--	--	--	--	21	1	1	--	--	--
York	2	33	1	10	14	15	--	6	4	--	1	13	1	42	9	17	9	7	--
Balance of county	1	110	4	32	38	71	4	7	25	--	8	9	11	148	41	33	28	5	1
Rhode Island	37	586	68	117	289	377	22	109	102	1	48	53	40	1,001	93	134	73	32	52
Urban places	27	463	55	85	238	296	15	82	81	1	40	40	32	790	66	103	52	28	45
Balance of area	10	123	13	32	51	81	7	27	21	--	8	13	8	211	27	31	21	4	7
Metropolitan counties	34	540	46	109	272	355	20	99	95	1	46	48	40	906	88	128	68	30	49
Urban places	27	431	37	82	228	283	14	76	79	1	39	38	32	735	63	101	51	26	44
Balance of area	7	109	9	27	44	72	6	23	16	--	7	10	8	171	25	27	17	4	5
Nonmetropolitan counties	3	46	22	8	17	22	2	10	7	--	2	5	--	95	5	6	5	2	3
Urban places	--	32	18	3	10	13	1	6	2	--	1	2	--	55	3	2	1	2	1
Balance of area	3	14	4	5	7	9	1	4	5	--	1	3	--	40	2	4	4	--	2
Bristol	2	21	1	9	23	24	2	4	6	--	1	2	3	52	5	6	3	--	--
Barrington town#	1	5	--	3	6	2	--	1	--	--	--	1	2	13	--	2	1	--	--
Bristol town#	--	12	1	1	11	16	2	2	5	--	--	--	1	22	4	4	1	--	--
Warren town#	1	4	--	5	5	6	--	1	1	--	1	1	--	17	1	--	--	--	--
Balance of county	--	--	--	--	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Kent	5	86	12	14	45	72	3	10	28	--	9	6	3	149	19	26	17	2	11
Coventry town#	1	6	1	1	6	10	--	2	5	--	1	1	1	18	4	9	4	--	2
Warwick	4	61	5	9	27	45	2	4	19	--	4	3	1	94	10	15	10	--	6
West Warwick town#	--	15	5	--	10	12	1	3	2	--	3	1	1	25	5	--	2	1	2
Balance of county	--	4	1	4	2	5	--	1	2	--	1	1	--	12	--	2	1	1	1
Newport	3	46	22	8	17	22	2	10	7	--	2	5	--	95	5	6	5	2	3
Middletown town#	--	15	13	3	4	5	1	1	--	--	1	1	--	21	1	--	1	--	--
Newport	--	17	5	--	6	8	--	5	2	--	--	1	--	34	2	2	--	1	1
Balance of county	3	14	4	5	7	9	1	4	5	--	1	3	--	40	2	4	4	--	2
Providence	22	379	31	74	183	228	12	74	55	1	32	34	28	616	49	83	36	27	36
Central Falls	1	14	4	4	6	4	--	3	1	--	1	1	--	13	1	1	1	2	1
Cranston	1	51	3	5	24	27	1	9	7	--	5	2	5	80	7	9	4	--	3
Cumberland town#	2	17	--	4	5	3	--	5	1	--	2	2	2	26	1	3	--	--	3
East Providence	1	36	1	6	24	16	1	2	5	--	4	1	3	64	1	9	4	--	1
Johnston town#	1	22	3	3	6	18	--	2	7	--	--	1	1	24	1	5	5	1	2
North Providence town#	1	28	4	6	5	13	--	6	1	--	3	1	1	35	4	2	2	3	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 683

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 145 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheuma- tic fever and rheuma- tic heart disease (390- 398)	Hypertensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
South Carolina	30,638	30	2	755	6,992	1,664	2,122	533	856	266	233	1,318	781	12,880	9,654	53	350	6,279	2,972
Urban places	8,420	9	-	276	1,777	458	500	147	209	61	66	336	225	3,607	2,624	17	103	1,639	865
Balance of area	22,218	21	2	479	5,215	1,206	1,622	386	647	205	167	982	556	9,273	7,030	36	247	4,640	2,107
Metropolitan counties	17,071	12	1	486	3,978	936	1,197	331	451	152	134	777	399	6,922	5,339	33	175	3,525	1,606
Urban places	6,433	8	-	227	1,371	346	382	122	164	50	50	257	180	2,675	2,016	14	78	1,256	670
Balance of area	10,638	4	1	259	2,607	590	815	209	287	102	84	520	219	4,247	3,323	19	99	2,269	936
Nonmetropolitan counties	13,567	18	1	269	3,014	728	925	202	405	114	99	541	382	5,958	4,315	20	175	2,754	1,366
Urban places	1,987	1	-	49	406	112	118	25	45	11	16	79	45	932	608	3	27	383	195
Balance of area	11,580	17	1	220	2,608	616	807	177	360	103	83	462	337	5,026	3,707	17	148	2,371	1,171
Abbeville	241	-	-	2	69	20	16	3	8	2	3	17	4	91	67	-	-	46	21
Aiken	1,113	-	-	34	236	57	69	21	25	11	5	49	19	517	427	2	9	239	177
Aiken	293	-	-	11	50	9	17	3	7	2	1	11	9	147	122	1	2	49	70
North Augusta	186	-	-	6	44	10	5	3	8	2	-	16	2	87	72	1	3	43	25
Balance of county	634	-	-	17	142	38	47	15	10	7	4	21	8	283	233	-	4	147	82
Allendale	113	-	-	6	16	5	5	3	1	-	-	2	5	53	44	-	4	31	9
Anderson	1,408	1	-	24	325	81	89	26	41	10	13	65	30	574	450	1	16	316	117
Anderson	474	-	-	8	92	20	29	10	11	1	2	19	16	213	164	1	5	105	53
Balance of county	934	1	-	16	233	61	60	16	30	9	11	46	14	361	286	-	11	211	64
Bamberg	184	-	-	5	32	5	11	2	9	1	1	3	10	83	65	-	2	41	22
Barnwell	223	-	-	8	41	7	18	-	3	2	2	9	4	111	85	-	2	58	25
Beaufort	666	1	-	18	156	32	42	12	19	10	3	38	13	273	182	1	4	109	68
Berkeley	705	2	-	24	183	42	59	15	24	6	4	33	13	242	194	1	5	123	65
Goose Creek	101	-	-	1	33	5	11	5	3	1	2	6	2	93	27	-	1	21	5
Hanahan	93	-	-	2	30	8	9	2	4	2	-	5	2	30	23	-	1	16	6
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	511	2	-	21	120	29	39	8	17	3	2	22	9	179	144	1	3	86	54
Calhoun	135	-	-	4	32	9	7	2	4	2	3	5	8	53	33	-	2	17	14
Charleston	2,291	3	-	82	534	150	157	34	59	16	18	100	54	904	679	5	33	461	180
Charleston	854	2	-	38	210	55	58	17	25	8	6	41	24	331	251	2	8	180	61
Mount Pleasant	249	1	-	6	45	17	14	2	5	1	1	5	7	113	67	-	3	37	27
North Charleston, part	374	-	-	13	77	18	25	1	8	2	5	18	6	142	105	1	6	72	26
North Charleston, total	874	-	-	13	77	18	25	1	8	2	5	18	6	142	105	1	6	72	26
Balance of county	314	-	-	25	202	60	60	14	21	5	6	36	17	318	256	2	16	172	66
Cherokee	461	-	-	10	83	25	20	3	12	3	3	17	22	191	151	1	7	99	44
Gaffney	229	-	-	7	50	12	13	3	7	1	3	11	9	90	70	1	3	44	22
Balance of county	232	-	-	3	33	13	7	-	5	2	-	6	13	101	81	-	4	55	22
Chester	335	-	-	2	86	21	25	7	11	6	4	12	11	150	122	-	1	5	23
Chesterfield	405	1	-	6	88	28	12	7	15	1	7	18	18	158	112	-	1	78	33
Clarendon	313	1	-	6	71	18	20	3	12	2	3	13	6	140	70	-	3	48	19
Colleton	337	1	-	13	73	15	19	2	18	1	3	15	14	134	98	1	5	59	33
Darlington	680	2	1	15	154	31	53	14	23	5	5	23	24	286	208	2	15	125	66
Dillon	311	-	-	2	62	15	18	5	7	4	-	13	13	133	101	-	2	50	49
Dorchester	537	-	-	19	123	33	34	6	12	5	5	28	3	237	182	3	1	122	56
Edgefield	165	2	-	2	34	10	11	3	2	1	1	6	2	78	64	-	6	49	9
Fairfield	276	-	-	4	70	21	13	6	14	-	2	14	2	130	99	-	5	65	29
Florence	1,092	-	-	34	233	52	73	20	30	5	6	47	24	492	368	4	11	245	108
Florence	352	-	-	12	80	16	26	8	12	-	4	14	5	160	115	2	3	81	29
Balance of county	740	-	-	22	153	36	47	12	18	5	2	33	19	332	253	2	8	164	79
Georgetown	475	-	-	13	128	35	43	7	15	3	5	20	6	192	144	2	6	89	47
Georgetown	154	-	-	5	31	10	7	-	4	1	2	7	1	67	47	-	2	25	20
Balance of county	321	-	-	8	97	25	36	7	11	2	3	13	5	125	97	2	4	64	27
Greenville	2,523	2	-	60	628	140	194	60	61	25	26	122	63	1,006	781	5	36	476	264
Greenville	705	1	-	31	155	42	42	19	7	7	6	32	27	285	224	2	12	122	88
Greer, part	121	-	-	3	23	5	8	2	1	2	2	3	4	54	39	-	1	21	17
Greer, total	161	-	-	4	33	8	10	3	3	3	3	3	4	69	50	-	4	24	22
Balance of county	1,697	1	-	26	450	93	144	39	53	16	18	87	32	667	518	3	23	333	159
Greenwood	591	-	-	10	135	32	50	6	11	6	6	24	9	261	173	-	7	126	40
Greenwood	313	-	-	4	67	12	30	4	5	2	2	12	5	143	87	-	3	62	22
Balance of county	278	-	-	6	68	20	20	2	6	4	4	12	4	118	86	-	4	64	18
Hampton	149	-	-	5	30	12	8	1	4	-	2	3	3	65	46	1	3	27	15
Horry	1,288	2	-	24	320	69	124	19	32	11	7	58	34	518	411	5	8	289	109
Conway	158	1	-	5	23	6	7	-	2	1	2	5	4	84	55	-	2	34	19
Myrtle Beach	214	-	-	6	51	12	13	5	7	1	2	11	4	77	60	1	-	48	11
Balance of county	916	1	-	13	246	51	104	14	23	9	3	42	26	357	296	4	6	207	79
Jasper	136	2	-	2	26	8	9	1	4	-	1	3	4	64	49	-	-	35	14
Kershaw	404	-	-	8	106	19	37	11	11	3	4	21	11	157	116	1	7	89	19
Lancaster	534	-	-	5	109	18	34	9	12	6	4	26	17	258	211	1	4	126	80
Laurens	623	-	-	14	145	34	46	8	21	9	3	24	23	266	197	-	17	123	57
Laurens	175	-	-	3	41	14	11												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 684

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 146 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneu-monia and in-fluenza (480-487)	Chronic obstruc-tive pul-mo-nary diseases and allied con-ditions (490-496)	Ulcer of stomach and duo-denum (531-533)	Chronic liver disease and cir-rhosis (571)	Nephri-tis, neph-rotic syn-drome, and nephro-sis (580-589)	Complica-tions of preg-nancy, child-birth, and the puer-perium (630-676)	Congen-ital anomalies (740-759)	Certain con-ditions origi-nating in the peri-natal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (EB10-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homi-cide and legal inter-vention (E960-E978)	All other ex-ternal causes (E980-E999)
South Carolina	214	2,494	137	381	756	1,259	73	356	228	9	155	309	298	3,284	798	751	465	438	19
Urban places	68	765	39	111	219	321	16	97	61	3	44	93	75	1,029	150	196	102	116	4
Balance of area	146	1,729	98	270	537	938	57	259	167	6	111	216	223	2,255	648	555	363	322	15
Metropolitan counties	102	1,224	61	196	429	711	37	206	128	4	92	190	145	1,978	410	420	279	235	9
Urban places	55	498	27	79	176	249	13	70	52	1	36	80	53	814	107	144	80	93	4
Balance of area	47	726	34	117	253	462	24	136	76	3	56	110	92	1,164	303	276	199	142	5
Nonmetropolitan counties	112	1,270	76	185	327	548	36	150	100	5	63	119	153	1,306	388	331	186	203	10
Urban places	13	267	12	32	43	72	3	27	9	2	8	13	22	215	43	52	22	23	-
Balance of area	99	1,003	64	153	284	476	33	123	91	3	55	106	131	1,091	345	279	164	180	10
Abbeville	-	19	-	5	8	10	-	1	1	-	1	1	2	29	8	7	3	3	1
Aiken	11	60	8	11	24	39	4	8	8	-	6	13	8	107	29	23	22	16	-
North Augusta	3	17	2	3	6	7	1	1	2	-	1	6	-	40	3	3	3	3	-
Balance of county	2	10	3	-	2	5	1	1	1	-	-	-	1	18	7	3	5	3	-
Allendale	6	33	3	8	16	27	2	6	5	-	5	7	7	49	19	17	14	10	-
Anderson	2	6	1	5	3	3	-	3	-	-	-	-	1	11	1	1	3	4	-
Anderson	13	93	3	15	44	64	3	12	14	1	6	14	21	159	40	25	26	24	1
Balance of county	5	37	1	6	20	18	1	3	4	-	1	4	7	63	7	2	8	7	-
Bamberg	8	56	2	9	24	46	2	9	10	1	5	10	14	96	33	23	18	17	1
Barnwell	1	14	-	3	3	11	2	3	-	-	1	4	1	14	6	5	2	2	-
Beaufort	5	17	-	4	6	5	-	2	1	-	-	3	5	21	4	6	2	4	-
Beaufort	8	63	7	13	13	22	-	5	5	-	6	6	5	83	19	19	16	6	-
Berkeley	1	37	1	9	17	46	1	5	6	-	3	12	3	85	17	27	8	11	-
Goose Creek	-	4	-	2	2	11	-	1	-	-	1	1	-	7	2	4	1	2	-
Hanahan	1	4	-	2	1	9	-	-	-	-	1	4	-	9	1	2	1	1	-
North Charleston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	29	1	5	14	26	1	4	6	-	1	7	3	69	14	21	6	8	-
Calhoun	2	15	1	2	4	4	-	3	2	-	1	-	1	16	5	1	1	3	-
Charleston	15	175	7	28	57	85	8	23	20	1	13	42	22	243	55	73	36	35	1
Charleston	6	60	4	10	18	33	6	9	13	-	4	8	7	97	13	21	11	9	-
Mount Pleasant	4	33	2	7	9	11	-	1	-	1	2	5	-	31	4	6	2	5	-
North Charleston, part	1	29	1	6	13	14	2	3	2	-	5	18	9	28	10	12	9	11	-
North Charleston, total	1	29	1	6	13	14	2	3	2	-	5	18	9	28	10	12	9	11	-
Balance of county	4	53	-	5	17	27	-	10	5	-	2	11	6	87	28	34	14	10	1
Cherokee	3	30	-	7	12	18	-	5	4	1	1	3	9	50	12	17	16	6	1
Gaffney	1	15	-	4	4	7	-	1	1	1	-	2	6	28	6	7	7	3	-
Balance of county	2	15	-	3	8	11	-	4	3	-	1	1	3	22	6	10	9	3	1
Chester	3	17	6	2	16	13	1	3	4	-	1	2	3	20	12	6	2	3	-
Chesterfield	6	34	3	3	8	18	1	3	4	-	1	5	15	39	10	9	12	9	-
Clarendon	3	60	1	6	10	7	1	1	2	-	1	4	16	20	13	6	2	6	-
Colleton	2	26	3	5	19	12	1	1	1	-	1	2	4	33	13	7	2	4	1
Darlington	11	54	4	9	18	37	2	8	11	-	3	7	12	59	16	8	5	11	1
Dillon	5	19	5	3	8	12	3	3	3	-	3	7	2	43	10	7	2	10	-
Dorchester	1	47	2	5	6	16	2	7	4	-	5	11	2	56	18	10	10	8	-
Edgefield	-	12	-	2	3	8	-	-	1	-	-	1	1	20	3	3	4	3	-
Fairfield	5	17	3	6	11	8	1	3	-	-	1	1	5	22	9	6	1	2	-
Florence	2	105	1	16	21	32	2	18	9	-	3	14	6	121	26	36	7	14	-
Florence	-	42	-	3	6	11	-	6	2	-	-	5	2	41	7	10	3	2	-
Balance of county	2	63	1	13	15	21	2	12	7	-	3	9	4	80	19	26	4	12	-
Georgetown	5	34	3	6	8	10	4	5	1	3	9	4	50	13	11	3	7	1	-
Georgetown	2	16	1	4	10	4	-	1	-	1	1	3	2	19	3	2	-	2	-
Balance of county	3	18	2	5	4	7	-	3	5	-	2	6	2	31	10	9	3	5	1
Greenville	11	167	10	37	59	120	5	28	18	1	24	23	14	285	56	56	43	32	-
Greenville	8	42	1	10	14	26	-	6	7	-	5	5	5	88	15	15	8	12	-
Greer, part	1	12	-	2	4	4	-	2	1	-	1	-	-	21	2	3	-	1	-
Greer, total	1	14	-	4	5	5	-	2	1	-	1	-	-	26	4	4	-	1	-
Balance of county	2	113	9	25	41	90	5	21	11	1	18	18	9	176	39	38	35	19	-
Greenwood	1	72	5	10	8	31	2	5	2	-	1	3	8	76	10	15	9	6	-
Greenwood	-	44	5	7	2	14	-	3	2	-	-	2	7	48	2	8	3	3	-
Balance of county	1	28	-	3	6	17	2	2	-	-	1	1	1	28	8	7	6	3	-
Hampton	2	13	1	3	3	5	-	2	-	-	-	1	1	20	6	4	2	2	-
Horry	4	85	3	15	27	68	4	25	5	-	5	2	13	119	40	37	27	14	4
Conway	-	25	1	3	4	5	-	4	1	-	-	-	-	19	4	1	1	2	-
Myrtle Beach	-	14	1	2	7	10	1	4	-	-	1	-	2	24	10	11	5	1	-
Balance of county	4	46	1	10	16	53	3	17	4	-	4	2	11	76	26	25	21	11	4
Jasper	1	12	-	2	2	5	1	1	-	-	1	1	-	9	3	5	4	6	-
Kershaw	3	33	1	4	5	20	2	8	5	-	3	4	1	39	13	14	4	4	-
Lancaster	-	37	2	8	16	23	2	6	3	-	2	7	5	43	13	10	9	6	-
Laurens	8	52	1	8	16	29	2	4	5	1	6	6	3	53	17	15	8	10	-
Laurens	2	22	-	4	5	6	-	1	-	-	4	1	1	16	5	5	-	1	-
Balance of county	6	30	1	4	11	23	2	3	5	1	2	5	2	37	12	10	8	9	-
Lee	-	15	1	2	-	7	-	2	5	-	4	2	-	13	9	7	1	1	-
Lexington	6	88	1	9	41	44	4	17	12	-	8	10	8	120	31	18	23	21	1
Cayce	-	6	-	2	3	5	-	2	1	-	2	3	-	5	2	2	2	-	-
West Columbia	-	8	1	1	1	9	-	4	1	-	2	2	3	15	2	2	2	4	-
Balance of county	6	74	-	6	37	34	4	11	10										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 685

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 147 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hemo- tologic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of gen- ital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other mal- ignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major car- diovas- cular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
South Carolina—Con.																			
Pickens	720	-	-	12	161	31	44	18	15	6	5	42	19	297	224	-	11	156	57
Easley	192	-	-	4	39	9	10	5	4	2	2	7	5	86	61	-	4	40	17
Balance of county	528	-	-	8	122	22	34	13	11	4	3	35	14	211	163	-	7	116	40
Richland	2,262	2	-	107	516	124	144	40	68	22	16	104	58	837	651	5	14	480	152
Columbia	1,119	2	-	53	229	59	58	21	31	10	8	42	31	421	309	2	9	230	68
Balance of county	1,143	-	-	54	287	65	86	19	35	12	8	62	27	416	342	3	5	250	84
Seluda	195	-	-	1	42	8	13	2	8	2	1	8	4	94	61	-	1	50	10
Spartanburg	2,139	1	1	47	484	110	149	47	54	19	17	88	49	918	695	2	27	455	211
Greer, part	40	-	-	1	10	3	2	1	2	1	-	-	-	15	11	-	3	3	5
Spartanburg	599	1	-	19	106	31	27	9	19	1	4	15	15	274	206	-	8	112	86
Balance of county	1,500	-	1	27	368	76	120	37	33	17	12	73	34	629	478	2	16	340	120
Sumter	786	2	-	23	159	42	51	10	18	2	4	32	22	384	288	2	12	157	117
Sumter	389	-	-	15	80	27	21	6	8	-	2	16	8	192	137	1	9	79	48
Balance of county	397	2	-	8	79	15	30	4	10	2	2	16	14	192	151	1	3	78	69
Union	364	-	-	-	87	23	25	5	14	3	5	12	12	168	109	-	5	72	32
Union	154	-	-	-	34	10	9	4	5	1	2	3	3	77	51	-	3	31	17
Balance of county	210	-	-	-	53	13	16	1	9	2	3	9	9	91	58	-	2	41	15
Williamsburg	364	1	-	13	66	16	19	7	7	3	2	10	11	158	110	-	5	64	41
York	1,121	1	-	16	249	52	81	17	27	17	8	47	37	459	359	1	5	203	144
Rock Hill	450	1	-	11	88	20	25	10	10	7	2	14	21	195	149	1	4	75	69
Balance of county	671	-	-	5	161	32	56	7	17	10	6	33	16	264	204	-	1	128	75
South Dakota	6,697	2	-	73	1,573	382	413	153	201	80	65	279	164	2,969	2,294	16	38	1,605	635
Urban places	2,426	-	-	35	615	151	158	64	80	31	24	107	60	1,055	808	6	17	564	221
Balance of area	4,271	2	-	38	958	231	255	89	121	49	41	172	104	1,914	1,486	10	21	1,041	414
Metropolitan counties	1,561	-	-	24	431	93	121	46	56	23	21	71	36	629	484	6	6	339	133
Urban places	1,258	-	-	23	353	80	95	37	51	18	16	56	30	507	383	5	6	265	107
Balance of area	303	-	-	1	78	13	26	9	5	5	5	15	6	122	101	1	-	74	26
Nonmetropolitan counties	5,136	2	-	49	1,142	289	292	107	145	57	44	208	128	2,340	1,810	10	32	1,266	502
Urban places	1,168	-	-	12	262	71	63	27	29	13	8	51	30	548	425	1	11	299	114
Balance of area	3,968	2	-	37	880	218	229	80	116	44	36	157	98	1,792	1,385	9	21	967	388
Aurora	39	-	-	-	11	2	2	-	4	1	-	2	-	15	12	-	-	12	-
Beadle	194	-	-	2	31	7	7	2	3	1	-	9	6	90	67	-	4	48	15
Huron	148	-	-	2	26	7	5	2	2	1	-	9	5	68	53	-	4	37	12
Balance of county	46	-	-	-	5	2	2	-	1	-	-	-	1	22	14	-	-	11	3
Bennett	23	-	-	-	8	1	4	2	1	-	-	-	1	5	2	-	-	1	1
Bon Homme	82	-	-	2	19	7	5	2	1	-	1	3	-	40	31	1	-	24	6
Brookings	165	-	-	1	42	15	4	6	6	1	2	8	3	66	47	-	-	34	13
Brookings	111	-	-	1	31	14	3	4	4	1	1	4	2	45	29	-	-	20	9
Balance of county	54	-	-	-	11	1	1	2	2	-	1	4	1	21	18	-	-	14	4
Brown	355	-	-	4	85	19	20	8	11	7	5	15	8	167	127	1	1	89	36
Aberdeen	265	-	-	3	67	16	18	7	9	4	2	11	7	119	93	1	-	69	23
Balance of county	90	-	-	1	18	3	2	1	2	3	3	4	1	48	34	-	1	20	13
Brule	39	-	-	-	8	4	1	-	2	-	-	1	-	16	15	-	-	10	5
Buffalo	18	-	-	-	1	1	-	-	-	-	-	-	1	4	2	-	-	2	-
Butte	72	-	-	-	15	4	6	1	2	-	1	1	-	40	29	-	-	25	4
Campbell	14	-	-	-	4	1	-	-	-	-	2	1	-	7	4	-	-	3	1
Charles Mix	96	-	-	1	19	8	4	1	3	1	-	2	2	37	33	1	1	27	4
Clark	51	-	-	1	14	4	2	2	3	-	1	2	2	23	21	-	1	12	8
Clay	88	-	-	-	28	7	8	4	6	2	-	1	2	46	35	-	-	34	1
Vermillion	39	-	-	-	11	3	3	1	3	1	-	-	-	24	17	-	-	16	1
Balance of county	49	-	-	-	17	4	5	3	3	1	-	1	2	22	18	-	-	18	-
Codington	239	-	-	3	63	19	13	8	9	1	-	13	7	113	93	1	3	55	34
Watertown	207	-	-	3	51	15	10	8	6	1	-	11	6	97	81	-	2	47	32
Balance of county	32	-	-	-	12	4	3	-	3	-	-	2	1	16	12	1	1	8	2
Corson	47	-	-	1	7	4	-	-	1	1	1	-	-	15	12	-	-	8	4
Custer	77	-	-	3	17	5	6	2	2	-	-	2	2	25	21	-	-	16	5
Davison	185	-	-	2	41	7	11	2	4	3	2	12	3	96	74	-	4	39	31
Mitchell	161	-	-	2	34	5	11	2	2	3	2	9	3	83	62	-	4	34	24
Balance of county	24	-	-	-	7	2	-	-	2	-	-	3	-	13	12	-	-	5	7
Day	109	-	-	-	19	3	4	2	3	1	-	6	1	61	44	-	-	32	12
Deuel	52	-	-	-	16	4	5	-	1	1	2	3	3	26	21	-	-	20	1
Dewey	47	-	-	1	11	2	4	1	2	-	1	1	1	14	11	-	1	6	4
Douglas	41	-	-	1	8	4	4	-	-	-	-	-	2	21	17	-	-	10	7
Edmunds	59	-	-	1	15	-	6	3	1	1	1	3	1	35	16	-	-	13	3
Fall River	115	-	-	-	30	3	10	4	2	1	1	9	2	54	40	-	-	30	10
Faulk	31	-	-	-	8	3	3	1	-	-	1	-	2	14	10	-	-	9	1
Grant	91	-	-	4	21	8	4	2	3	1	-	3	-	37	27	-	-	20	7
Gregory	72	-	-	-	14	4	4	1	2	-	-	3	2	35	27	-	-	16	11
Haakon	17	-	-	-	6	2	2	-	1	1	-	-	-	10	7	-	-	6	1
Hamlin	74	-	-	4	13	4	2	2	-	1	-	4	2	29	23	-	1	18	4
Hand	63	-	-	-	13	2	5	-	1	-	2	3	2	28	16	-	-	13	3
Hanson	21	-	-	-	7	3	-	-	-	1	-	3	1	10	7	-	-	5	2
Harding	15	-	-	-															

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 686

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 148 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401-403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
South Carolina—Con.																			
Pickens	2	63	1	7	18	24	3	15	1	-	5	4	1	101	20	19	14	6	-
Easley	2	20	-	3	6	3	-	2	1	-	2	2	-	32	3	4	2	1	-
Balance of county	-	43	1	4	12	21	3	13	-	-	3	2	1	69	17	15	12	5	-
Richland	14	138	5	29	65	87	4	24	16	-	9	20	32	295	44	55	43	43	5
Columbia	10	86	3	13	38	38	2	12	10	-	5	11	13	169	13	30	17	21	3
Balance of county	4	52	2	16	26	49	2	12	6	-	4	9	19	126	31	25	26	22	2
Saluda	-	29	1	3	5	8	1	3	2	-	-	-	1	24	3	5	1	1	-
Spartanburg	20	174	8	21	51	89	1	31	16	1	6	14	23	263	50	51	30	13	-
Greer, part	-	2	-	2	2	1	-	1	1	-	-	-	1	5	2	1	-	-	-
Spartanburg	7	54	3	4	11	24	-	10	7	-	1	3	4	91	7	16	4	6	-
Balance of county	13	118	5	15	38	64	1	20	8	1	5	11	18	167	41	34	26	7	-
Sumter	5	84	1	6	13	20	4	9	3	-	4	12	4	65	26	12	9	15	-
Sumter	4	48	-	3	10	9	1	4	2	-	-	5	2	32	7	8	5	9	-
Balance of county	1	36	1	3	3	11	3	5	1	-	4	7	2	33	19	4	4	6	-
Union	3	46	2	8	7	19	-	5	1	-	1	5	3	36	7	8	3	2	-
Union	2	18	1	5	6	5	-	3	1	-	-	-	-	17	2	4	1	1	-
Balance of county	1	28	1	3	1	14	-	2	-	-	1	5	3	19	5	4	2	1	-
Williamsburg	5	36	-	7	13	7	-	3	4	-	1	10	-	43	19	8	2	5	-
York	6	77	14	9	26	65	-	18	4	-	4	13	5	143	24	27	17	12	1
Rock Hill	5	32	6	3	19	24	-	7	-	-	3	3	1	54	7	8	2	5	1
Balance of county	1	45	8	6	7	41	-	11	4	-	1	10	4	89	17	19	15	7	-
South Dakota																			
Urban places	12	174	16	45	89	122	4	20	24	-	13	16	21	249	30	37	28	7	1
Balance of area	11	307	43	67	173	179	13	54	58	-	30	13	41	390	121	116	51	12	4
Metropolitan counties	8	102	9	26	61	80	3	12	12	-	9	9	10	152	32	30	22	7	2
Urban places	6	86	7	25	48	69	2	10	8	-	7	7	9	124	19	20	15	6	1
Balance of area	2	16	2	1	13	11	1	2	4	-	2	2	1	28	13	10	7	1	1
Nonmetropolitan counties	15	379	50	86	201	221	14	62	70	-	34	20	52	487	119	123	57	12	3
Urban places	6	88	9	20	41	53	2	10	16	-	6	9	12	125	11	17	13	1	-
Balance of area	9	291	41	66	160	168	12	52	54	-	28	11	40	362	108	106	44	11	3
Aurora	-	3	-	-	2	1	1	1	-	-	-	-	2	5	-	1	-	-	-
Beadle	2	15	6	-	8	7	-	2	3	-	2	-	3	26	5	4	4	1	-
Huron	2	10	3	-	5	6	-	2	3	-	1	-	3	21	1	2	2	1	-
Balance of county	-	5	3	-	3	1	-	1	-	-	1	-	-	5	4	2	2	-	-
Bennett	-	3	-	-	2	1	-	1	-	-	-	-	-	-	2	2	-	1	-
Bon Homme	-	8	-	1	4	4	-	1	-	-	-	-	-	9	2	1	-	-	-
Brookings	2	14	-	3	5	8	1	3	-	-	1	-	1	26	1	5	1	-	1
Brookings	1	13	-	2	3	6	-	1	-	-	-	-	1	18	-	2	1	-	-
Balance of county	1	1	-	1	2	2	1	2	-	-	1	-	-	8	1	3	-	-	1
Brown	2	30	1	7	14	13	1	6	2	-	3	-	2	42	2	2	4	-	-
Aberdeen	2	19	-	5	8	13	1	5	2	-	1	-	2	31	2	2	2	-	-
Balance of county	-	11	1	2	6	1	-	1	-	-	2	-	-	11	-	-	2	-	-
Brule	-	-	-	1	2	1	1	1	-	-	-	-	-	7	2	1	1	-	-
Buffalo	1	1	-	-	2	1	-	2	1	-	1	-	1	3	1	1	2	-	-
Butte	-	6	3	2	6	2	-	2	1	-	-	-	-	4	-	1	1	-	-
Campbell	-	2	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Charles Mix	-	2	-	2	4	4	-	2	-	-	-	1	3	14	4	2	1	-	2
Clark	-	1	1	-	-	2	-	-	1	-	1	-	-	5	1	1	-	-	-
Clay	-	7	1	3	-	2	1	-	1	-	1	-	1	4	1	-	1	-	-
Vermillion	-	3	1	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
Balance of county	-	4	-	-	2	1	-	1	-	-	-	-	1	2	1	-	-	-	-
Codington	-	15	1	4	5	9	-	5	-	-	3	2	2	19	3	3	2	-	-
Watertown	-	11	1	4	5	9	-	5	-	-	3	2	2	18	2	2	2	-	-
Balance of county	-	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Corson	-	3	-	-	-	5	-	4	2	-	3	-	2	2	4	2	-	-	-
Custer	-	3	-	1	2	3	-	1	1	-	1	-	2	16	2	1	2	-	-
Davison	-	15	3	4	8	2	1	1	3	-	-	1	1	15	2	7	2	-	-
Mitchell	-	14	3	4	7	2	1	1	2	-	-	1	1	14	2	6	2	-	-
Balance of county	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Day	-	12	1	4	10	5	1	-	-	-	-	-	2	4	3	1	2	-	-
Deuel	-	2	1	2	1	-	-	2	-	-	1	-	-	2	-	2	-	-	-
Dewey	1	1	-	1	1	-	-	2	1	-	1	2	1	4	2	2	3	1	-
Douglas	-	4	-	-	2	2	-	-	-	-	1	-	-	3	-	1	-	-	-
Edmunds	-	17	1	1	-	-	-	-	1	-	-	-	-	2	1	1	1	-	-
Fall River	1	9	2	2	2	7	-	2	-	-	-	2	-	10	2	3	1	-	-
Faulk	-	1	3	-	3	-	-	-	1	-	-	-	1	2	-	-	-	-	-
Grant	-	10	-	-	5	7	-	1	1	-	-	-	-	8	5	2	-	-	-
Gregory	-	7	-	1	5	1	1	1	1	-	-	1	-	10	-	1	-	-	-
Haakon	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamlin	-	6	-	-	5	6	1	-	2	-	-	-	1	7	1	2	1	-	-
Hand	-	4	8	-	-	5	-	-	2	-	-	-	1	8	1	3	-	-	-
Hanson	-	2	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
Harding	-	-	-	-	-	1	-	-	1	-	-	-	-	1	2	-	-	-	-
Hughes	-	5	-	-	6	5	-	2	1	-	-	4	2	13	2	1	-	-	-
Pierre	-	4	-	-	6	4	-	1	1	-	-	4	2	11	2	1	-	-	-
Balance of county	-	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-
Hutchinson	-	9	2	1	2	6	-	-	1	-	1	-	1	16	1	3	-	-	-
Hyde	-	3	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Jackson	-	3	-	-	1	-	-	-	-	-	1	-	-	1	1	2	-	1	-
Jerauld	-	4	-	2	2	1	-	-	1	-	-	-	-	5	-	1	1	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 687

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 149 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syphi- lis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemo- poeitic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- m of genital organs (179- 187)	Malign- ant neoplas- m of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 428)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
South Dakota—Con.																				
Jones	17	-	-	-	5	-	1	-	2	-	-	2	-	-	7	5	-	-	4	1
Kingsbury	97	-	-	-	20	2	6	1	5	-	2	4	4	4	45	32	-	-	24	8
Lake	107	-	-	-	25	11	6	2	3	1	-	2	5	47	32	-	2	18	12	
Lawrence	184	-	-	1	42	7	18	4	4	3	2	4	7	86	65	-	2	36	27	
Lincoln	142	1	-	1	19	6	3	3	1	2	-	4	4	75	61	3	-	46	12	
Sioux Falls, part	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Balance of county	141	1	-	1	19	6	3	3	1	2	-	4	4	75	61	3	-	46	12	
Lyman	39	-	-	-	12	2	5	1	2	-	-	2	1	11	10	-	-	8	2	
McCook	80	-	-	1	16	6	1	2	3	1	-	3	4	41	36	-	1	21	14	
McPherson	42	-	-	1	6	2	1	-	1	-	-	2	1	25	21	-	-	17	4	
Marshall	67	-	-	14	-	4	3	2	2	-	-	3	-	31	25	-	-	19	6	
Meade	161	-	-	2	42	9	14	2	6	1	1	9	5	68	59	1	-	30	28	
Mellette	37	-	-	-	5	2	3	-	-	-	-	-	3	16	13	-	-	10	3	
Miner	50	-	-	-	10	3	2	3	1	-	-	1	2	26	17	-	-	8	9	
Minnehaha	939	-	-	16	262	60	67	29	39	13	11	43	19	381	291	5	3	198	85	
Sioux Falls, part	763	-	-	15	223	54	57	23	35	10	7	37	15	308	234	4	3	155	72	
Sioux Falls, total	764	-	-	15	223	54	57	23	35	10	7	37	15	308	234	4	3	155	72	
Balance of county	176	-	-	1	39	6	10	6	4	3	4	6	4	73	57	1	-	43	13	
Moody	60	-	-	-	10	-	4	-	1	-	1	4	1	37	29	-	-	16	13	
Pannington	622	-	-	8	169	33	54	17	17	10	10	28	17	248	193	1	3	141	48	
Rapid City	495	-	-	8	130	26	38	14	16	8	9	19	15	199	149	1	3	110	35	
Balance of county	127	-	-	-	39	7	16	3	1	2	1	9	2	49	44	-	-	31	13	
Perkins	45	-	-	-	7	1	-	-	3	2	-	1	1	25	20	-	1	19	-	
Potter	47	-	-	-	9	3	1	-	-	3	1	1	-	22	18	1	1	10	6	
Roberts	125	-	-	-	27	11	6	3	-	-	1	6	6	58	48	-	-	34	14	
Sanborn	26	-	-	2	5	-	2	1	1	-	1	1	1	13	11	-	-	7	4	
Shannon	102	-	-	1	13	-	6	-	3	-	-	4	4	28	22	-	-	9	13	
Spink	112	-	-	-	26	4	4	5	4	2	2	5	2	47	31	-	-	24	7	
Stanley	23	-	-	-	6	1	1	1	1	-	-	2	-	10	8	-	-	3	5	
Sully	12	-	-	-	5	3	-	-	1	-	-	1	-	5	3	-	-	2	1	
Todd	81	1	-	1	14	3	3	2	2	1	1	4	2	25	22	-	-	16	6	
Tripp	75	-	-	1	19	2	6	2	1	2	2	4	1	33	26	-	-	19	7	
Turner	127	-	-	1	33	7	10	3	6	2	-	5	4	60	47	1	-	30	16	
Union	93	-	-	2	31	9	8	2	2	4	2	4	3	29	25	-	-	21	4	
Walworth	100	-	-	-	23	8	5	3	3	-	-	4	2	47	43	-	4	35	4	
Wankton	190	-	-	2	40	14	10	3	3	2	2	6	3	95	74	-	1	64	9	
Yankton	152	-	-	1	27	9	7	3	2	2	2	3	3	79	61	-	1	52	8	
Balance of county	38	-	-	1	13	5	3	1	1	-	-	4	-	16	13	-	-	12	1	
Ziebach	9	-	-	-	1	-	1	-	-	-	-	-	-	2	1	-	-	1	-	
Tennessee	46,576	52	2	775	10,773	2,363	3,551	853	1,197	457	356	1,996	1,002	19,794	15,015	119	642	10,096	4,158	
Urban places	23,209	30	2	485	5,336	1,224	1,732	470	580	205	152	973	520	9,683	7,302	54	432	4,481	2,335	
Balance of area	23,367	22	-	290	5,437	1,139	1,819	383	617	252	204	1,023	482	10,111	7,713	65	210	5,615	1,823	
Metropolitan counties	29,479	35	2	575	6,908	1,529	2,214	578	761	290	226	1,310	640	12,157	9,188	79	504	5,733	2,872	
Urban places	20,237	27	2	452	4,680	1,062	1,510	406	510	172	135	885	446	8,317	6,260	50	404	3,693	2,113	
Balance of area	9,242	8	-	123	2,228	467	704	172	251	118	91	425	194	3,840	2,928	29	100	2,040	759	
Nonmetropolitan counties	17,097	17	-	200	3,865	834	1,337	275	436	167	130	686	382	7,637	5,827	40	138	4,363	1,286	
Urban places	2,972	3	-	33	656	162	222	64	70	33	17	88	74	1,366	1,042	4	28	788	222	
Balance of area	14,125	14	-	167	3,209	672	1,115	211	366	134	113	598	288	6,271	4,785	36	110	3,575	1,064	
Anderson	664	-	-	13	165	35	59	11	18	7	9	26	20	273	205	4	3	151	47	
Oak Ridge, part	247	-	-	5	69	16	20	4	9	2	3	15	11	101	70	-	1	59	10	
Oak Ridge, total	259	-	-	5	74	17	21	4	10	2	4	16	11	106	75	-	1	64	10	
Balance of county	417	-	-	8	96	19	39	7	9	5	6	11	9	172	135	4	2	92	37	
Bedford	343	-	-	4	73	11	19	6	16	5	4	12	6	161	122	-	3	88	31	
Shelbyville	216	-	-	1	46	8	13	5	6	3	3	8	4	107	77	-	1	57	19	
Balance of county	127	-	-	3	27	3	6	1	10	2	1	4	2	54	45	-	2	31	12	
Benton	186	-	-	1	46	10	14	1	10	2	1	8	3	83	59	-	4	46	9	
Bledsoe	96	-	-	3	19	6	8	1	2	-	1	1	1	40	36	-	1	31	4	
Blount	802	1	-	10	192	42	51	23	15	7	13	41	19	337	236	-	12	164	60	
Maryville	261	-	-	4	63	11	22	5	4	6	5	10	6	102	70	-	4	48	18	
Balance of county	541	1	-	6	129	31	29	18	11	1	8	31	13	235	166	-	8	116	42	
Bradley	698	1	-	8	132	35	43	16	13	6	3	16	18	267	198	2	3	165	28	
Cleveland	396	1	-	3	79	17	27	12	8	4	2	9	13	179	132	1	3	110	18	
Balance of county	212	-	-	5	53	18	16	4	5	2	1	7	5	88	66	1	-	55	10	
Campbell	401	-	-	1	101	16	33	7	13	5	4	23	6	167	134	2	-	103	29	
Cannon	109	-	-	4	20	3	10	-	-	3	1	3	3	57	43	-	3	31	9	
Carroll	361	1	-	7	73	14	24	4	7	3	4	17	7	184	136	1	3	100	32	
Carter	546	-	-	6	114	12	45	7	15	8	4	23	10	259	201	6	8	150	37	
Elizabethton	169	-	-	2	35	3	14	3	5	2	-	8	4	95	75	1	3	61	10	
Johnson City, part	11	-	-	-	2	1	-	-	-	-	-	1	2	6	5	-	-	2	3	
Balance of county	366	-	-	4	77	8	31	4	10	6	4	14	4	158	121	5	5	87	24	
Choctaw	189	-	-	2	49	7	18	5	2	6	1	10	6	75	64	-				

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 688

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 150 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E998)
South Dakota—Con.																			
Jones	1	1	-	-	-	-	-	2	-	-	-	-	-	2	-	1	-	-	-
Kingsbury	-	9	1	3	10	2	-	-	-	-	-	-	1	9	-	3	1	-	-
Lake	1	10	1	3	5	2	-	2	1	-	-	-	1	13	2	2	2	-	-
Lawrence	-	13	2	3	3	11	-	1	3	-	1	-	-	13	3	8	5	-	-
Lincoln	-	10	1	3	13	5	-	-	1	-	-	-	-	14	2	5	2	-	-
Sioux Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Balance of county	-	10	1	3	13	5	-	-	1	-	-	-	-	14	2	5	1	-	-
Lyman	-	1	-	-	2	2	-	-	-	-	-	-	-	1	1	1	3	-	-
McCook	-	3	1	1	3	5	-	-	2	-	-	-	-	4	3	-	1	-	-
McPherson	-	4	-	-	2	-	-	-	-	1	-	-	-	3	2	1	-	-	-
Marshall	-	4	-	2	7	8	-	1	-	-	-	-	1	3	2	-	-	-	-
Meade	-	8	-	1	5	6	1	2	3	-	2	-	-	16	1	6	1	1	-
Mellott	-	1	-	2	1	1	-	3	-	-	-	-	1	4	-	3	1	-	-
Miner	-	9	-	-	2	1	-	1	-	-	-	-	-	6	-	-	-	-	-
Minnehaha	4	65	6	15	43	50	2	5	7	-	7	5	5	90	19	12	11	3	2
Sioux Falls, part	2	53	5	14	33	43	1	3	5	-	5	4	5	73	10	8	8	3	1
Sioux Falls, total	2	53	5	14	33	43	1	3	5	-	5	4	5	73	10	8	8	3	1
Balance of county	2	12	1	1	10	7	1	2	2	-	2	1	-	17	9	4	3	1	-
Moody	-	6	1	1	2	-	-	-	-	1	-	-	-	4	2	2	1	-	-
Pennington	4	37	3	11	18	30	1	7	5	-	2	4	5	62	13	18	11	4	-
Rapid City	4	33	2	11	15	26	1	7	3	-	2	3	4	51	9	12	7	3	-
Balance of county	-	4	1	-	3	4	-	-	2	-	-	1	1	11	4	6	4	1	-
Perkins	1	3	-	1	6	6	-	1	-	-	-	-	-	3	2	-	-	-	-
Potter	-	1	1	2	1	5	-	1	-	-	-	-	-	5	1	2	1	-	-
Roberts	-	7	-	3	2	6	1	1	3	-	1	-	3	9	6	1	1	1	-
Sanborn	-	2	-	-	2	3	-	1	-	-	-	-	-	1	-	1	-	-	-
Shannon	-	5	1	-	2	3	-	5	2	-	1	2	5	9	13	9	2	3	-
Spink	-	12	2	2	2	12	-	-	2	-	1	-	1	11	3	3	2	-	-
Stanley	-	2	-	-	-	2	-	1	-	-	-	-	-	1	1	-	-	-	-
Sully	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Todd	-	2	-	1	2	3	-	5	2	-	-	1	3	9	9	1	1	2	-
Tripp	1	5	1	-	2	1	-	2	1	-	2	-	3	8	2	-	-	-	-
Turner	1	8	-	4	7	4	-	-	2	-	-	-	-	9	1	6	-	-	-
Union	-	2	-	2	6	4	1	1	2	-	-	-	-	9	3	2	-	-	-
Walworth	-	3	-	1	4	5	-	3	-	-	2	1	-	5	3	4	1	-	-
Yankton	1	16	1	3	9	13	-	-	3	-	-	2	1	14	3	2	2	1	-
Yankton	1	14	1	2	7	13	-	-	3	-	-	2	1	10	2	2	2	-	-
Balance of county	-	2	-	1	2	-	-	-	-	-	-	-	-	4	1	-	-	1	-
Ziebach	-	1	-	-	1	-	-	-	-	-	1	-	-	1	1	2	-	-	-
Tennessee	179	3,699	364	537	1,725	1,922	133	476	431	8	284	302	880	4,541	1,203	1,005	650	570	48
Urban places	88	1,852	166	275	888	918	62	231	223	7	137	213	458	2,418	432	446	283	413	24
Balance of area	91	1,847	198	262	837	1,004	71	245	208	1	147	89	422	2,123	771	559	367	157	24
Metropolitan counties	108	2,305	214	342	1,090	1,155	80	305	273	6	180	245	637	3,020	677	602	415	449	28
Urban places	80	1,600	139	238	782	772	55	209	188	6	118	202	425	2,141	372	387	242	393	21
Balance of area	28	705	75	104	308	383	25	96	85	-	62	43	212	879	305	215	173	56	7
Nonmetropolitan counties	71	1,394	150	195	635	767	53	171	158	2	104	57	243	1,521	526	403	235	121	20
Urban places	8	252	27	37	106	146	7	22	35	1	19	11	33	277	60	59	41	20	3
Balance of area	63	1,142	123	158	529	621	46	149	123	1	85	46	210	1,244	466	344	194	101	17
Anderson	-	59	6	3	23	32	-	6	2	-	6	3	26	58	13	11	9	4	-
Oak Ridge, part	-	28	2	1	9	8	-	3	1	-	-	-	10	24	-	3	2	1	-
Oak Ridge, total	-	28	2	1	9	8	-	3	1	-	1	-	10	24	-	3	2	1	-
Balance of county	-	31	4	2	14	24	-	3	1	-	6	3	16	34	13	8	7	3	-
Bedford	1	36	1	1	9	11	3	2	11	-	7	2	3	26	11	5	6	3	-
Shelbyville	-	28	1	1	3	6	2	2	9	-	3	-	1	19	8	1	3	1	-
Balance of county	1	8	-	-	6	5	1	-	2	-	4	2	2	7	3	4	3	2	-
Benton	1	19	2	2	5	10	1	1	1	-	2	1	3	16	7	6	-	-	-
Bledsoe	-	4	-	-	2	6	1	-	-	-	1	-	-	11	4	6	1	1	-
Blount	3	78	8	12	33	31	5	9	4	-	5	-	21	81	23	16	11	4	-
Maryville	1	28	1	2	16	10	1	5	1	-	2	-	8	30	4	6	2	1	-
Balance of county	2	50	7	10	17	21	4	4	3	-	3	-	13	51	19	10	9	3	-
Bradley	-	52	4	13	27	32	1	6	4	-	2	2	5	64	14	13	8	3	1
Cleveland	-	37	2	8	18	20	-	3	3	-	2	2	4	44	10	10	3	2	-
Balance of county	-	15	2	5	9	12	1	3	1	-	-	-	1	20	4	3	5	1	1
Campbell	4	24	-	3	23	17	1	10	2	-	-	3	11	35	7	7	7	1	2
Cannon	-	10	-	4	3	5	1	1	-	-	-	-	-	8	4	-	1	1	-
Carroll	3	38	3	4	6	17	2	2	-	-	4	1	4	36	6	5	3	3	-
Carter	1	45	2	10	22	26	2	5	5	-	5	1	5	54	10	16	4	2	-
Elizabethton	-	18	1	1	6	6	-	2	1	-	1	-	2	14	-	1	-	-	-
Johnson City, part	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	1	26	1	9	16	20	2	3	4	-	4	1	3	39	10	15	4	2	-
Cheatham	1	9	-	1	3	9	2	1	5	-	2	-	-	10	14	3	6	2	-
Chester	2	13	-	-	1	4	-	2	-	-	1	-	3	7	4	3	1	1	-
Claborn	1	21	3	3	15	8	-	2	3	-	3	-	2	17	9	8	7	2	-
Clay	-	4	1	1	6	-	-	3	1	-	-	-	1	7	5	6	1	-	1
Cocke	2	27	1	4	14	11	-	4	2	-	-	1	2	26	13	12	4	3	1
Coffee	1	22	2	3	13	17	1	1	6	-	6	-	2	40	14	10	8	2	2
Tulahoma, part	1	9	-	2	8	7	1	-	2	-	3	-	1	10	5	3	4	-	1
Tulahoma, total	1	9	-																

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 689

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 151 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cul- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases :	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of diges- tive organs and perit- oneum (150- 159)	Malign- ant neo- plasms of respira- tory and intra- thoracic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Diseases of heart (390- 398, 402,404- 429)	Rheum- atic fever and rheu- matic heart disease (398- 398)	Hyper- tensive heart disease with or without renal disease (402- 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Tennessee—Con.																			
Crockett	175	-	-	-	33	4	16	1	5	1	1	5	3	87	61	-	1	36	24
Cumberland	358	-	-	-	90	16	35	4	12	4	2	17	2	154	126	-	2	103	21
Davidson	4,647	13	-	105	1,106	249	337	96	131	37	31	225	130	1,853	1,471	15	115	807	534
Nashville-Davidson	4,537	12	-	103	1,081	243	329	93	129	35	30	222	127	1,805	1,434	14	114	783	523
Balance of county	110	1	-	2	25	6	8	3	2	2	1	3	3	48	37	1	1	24	11
Decatur	144	-	-	2	32	9	11	2	2	1	2	5	4	64	51	-	1	37	13
De Kalb	166	-	-	-	35	8	13	1	5	1	1	6	5	83	64	2	1	48	13
Dickson	363	-	-	6	93	25	30	4	9	-	3	22	7	165	113	1	6	81	25
Dyer	364	1	-	8	86	22	28	4	15	3	2	12	6	160	139	-	6	113	20
Dyersburg	201	1	-	6	45	13	14	2	9	1	1	5	1	89	80	-	4	68	8
Balance of county	163	-	-	2	41	9	14	2	6	2	1	7	5	71	59	-	2	45	12
Fayette	231	-	-	4	42	8	18	1	6	1	3	5	2	104	72	2	2	55	13
Fentress	144	-	-	-	35	6	14	1	4	1	2	7	5	62	48	-	3	37	8
Franklin	333	-	-	3	87	21	25	6	12	4	-	19	5	140	118	2	1	96	19
Tullahoma, part	9	-	-	-	2	1	1	-	-	-	-	-	-	5	5	-	-	3	2
Balance of county	324	-	-	3	85	20	24	6	12	4	-	19	5	135	113	2	1	93	17
Gibson	594	1	-	9	154	39	53	9	15	5	3	30	10	257	177	-	5	133	39
Humboldt	136	1	-	-	38	13	10	4	3	1	-	7	6	48	31	-	-	22	9
Balance of county	458	-	-	9	116	26	43	5	12	4	3	23	4	209	146	-	5	111	30
Giles	318	-	-	6	75	12	31	4	11	6	-	11	3	150	113	-	4	72	37
Grainger	161	-	-	-	32	9	10	2	2	2	-	7	3	56	39	-	3	31	5
Greene	634	1	-	5	144	36	55	7	10	3	6	27	14	296	221	3	6	152	60
Greenville	210	-	-	1	48	18	18	1	3	-	1	7	7	96	72	-	1	47	24
Balance of county	424	1	-	4	96	18	37	6	7	3	5	20	7	200	149	3	5	105	36
Grundy	154	-	-	2	28	5	8	2	5	2	2	4	3	64	51	-	-	41	10
Hamblen	535	-	-	9	124	25	45	13	10	7	2	22	10	241	159	-	2	135	22
Morris town	305	-	-	4	60	13	26	6	3	3	-	9	5	152	97	-	1	82	14
Balance of county	230	-	-	5	64	12	19	7	7	4	2	13	5	89	62	-	1	53	8
Hamilton	2,790	6	-	50	649	154	205	44	73	31	22	120	55	1,219	916	7	66	538	305
Chattanooga	1,857	4	-	30	421	108	138	26	41	19	15	74	35	825	607	3	50	342	212
East Ridge	195	1	-	8	50	11	15	3	7	1	-	13	3	79	58	-	2	39	17
Red Bank	99	-	-	3	30	9	7	2	2	1	7	1	43	36	1	2	26	7	7
Balance of county	639	1	-	9	148	26	45	13	23	9	6	26	16	272	215	3	12	131	69
Hancock	67	1	-	-	13	4	5	1	-	-	2	1	-	35	29	-	-	28	1
Hardeman	236	-	-	2	54	12	14	2	7	4	3	12	6	98	76	1	2	53	20
Hardin	275	-	-	3	54	15	12	8	3	1	5	10	3	145	104	2	1	83	18
Hawkins	477	-	-	3	95	21	29	6	16	4	1	18	11	204	168	2	7	123	36
Kingsport, part	21	-	-	1	6	2	1	-	2	-	-	1	-	7	5	-	-	5	-
Balance of county	456	-	-	2	89	19	28	6	14	4	1	17	11	197	163	2	7	118	36
Haywood	230	-	-	1	61	10	19	2	7	3	1	19	3	93	70	-	-	47	23
Henderson	239	-	-	3	46	8	13	4	7	5	1	8	4	115	83	-	-	68	15
Heny	393	-	-	3	85	20	33	13	3	6	1	9	10	201	154	-	14	114	28
Paris	185	-	-	1	40	12	10	7	2	4	-	5	5	100	80	-	8	56	16
Balance of county	208	-	-	2	45	8	23	6	1	2	1	4	5	101	74	-	6	58	10
Hickman	185	-	-	2	43	6	14	3	5	1	2	12	5	64	51	-	1	24	28
Houston	88	-	-	-	16	4	5	2	4	1	-	-	3	44	35	-	-	15	20
Humphreys	175	-	-	2	28	8	8	2	4	-	2	4	4	81	62	-	2	46	14
Jackson	118	1	-	2	18	7	3	1	2	-	-	5	1	54	43	-	-	36	7
Jefferson	325	-	-	3	70	17	26	5	6	3	2	11	8	152	121	1	4	100	16
Johnson	134	-	-	3	23	4	10	2	2	-	3	2	3	58	48	-	1	34	13
Knox	3,065	1	1	45	719	167	228	64	75	40	17	128	64	1,129	781	7	23	549	202
Knoxville	2,045	1	1	32	440	103	139	36	53	23	10	76	41	766	521	5	17	358	141
Balance of county	1,020	-	-	13	279	64	89	28	22	17	7	52	23	363	260	2	6	191	61
Lake	78	-	-	-	13	1	5	1	1	-	1	4	3	32	24	-	-	20	4
Lauderdale	297	-	-	4	63	11	22	3	11	4	4	8	10	123	96	-	5	79	12
Lawrence	397	-	-	6	95	19	36	7	7	3	3	20	10	166	136	1	1	121	13
Lawrenceburg	155	-	-	2	40	7	14	3	4	2	-	10	5	68	60	-	1	54	5
Balance of county	242	-	-	4	55	12	22	4	3	1	3	10	5	98	76	1	-	67	8
Lewis	81	-	-	3	22	3	7	3	3	3	-	3	1	31	24	1	-	16	7
Lincoln	322	-	-	-	75	14	30	5	13	3	2	8	4	158	127	-	8	94	25
Loudon	320	1	-	4	75	14	31	9	6	2	2	11	5	140	110	-	2	75	33
McMinn	406	1	-	6	84	17	28	5	10	2	3	19	11	174	139	1	2	106	30
Athens	139	-	-	3	27	10	9	2	3	-	1	2	3	63	47	-	-	36	11
Balance of county	267	1	-	3	57	7	19	3	7	2	2	17	8	111	92	1	2	70	19
McNairy	282	-	-	3	57	12	16	2	6	2	1	18	6	132	109	1	3	90	15
Macon	165	-	-	1	38	13	10	2	7	1	1	4	5	60	42	-	-	26	16
Madison	824	1	-	16	175	45	62	9	23	4	7	25	18	361	266	3	8	199	56
Jackson	627	1	-	15	134	33	45	8	21	4	6	17	13	273	204	3	7	150	44
Balance of county	197	-	-	1	41	12	17	1	2	-	1	8	5	88	62	-	1	49	12
Marion	228	-	-	4	56	7	15	4	12	2	3	13	3	91	73	-	2	46	25
Marshall	239	-	-	3	61	14	22	2	5	5	1	12	5	127	97	-	3	58	36
Maury	540	-	-	8	121	26	46	5	15	9	4	16	15	2					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 690

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 152 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401-403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee—Con.																			
Crockett	-	22	1	3	4	6	2	-	-	-	-	1	4	20	8	6	1	-	-
Cumberland	2	18	5	3	14	24	2	5	4	-	-	2	2	30	12	6	4	3	-
Davidson	17	288	17	60	194	170	13	55	45	2	29	50	30	507	87	95	65	82	6
Nashville-Davidson	17	281	15	58	190	167	13	55	43	2	29	49	30	495	83	92	65	81	5
Balance of county	-	7	2	2	4	3	-	-	2	-	-	1	-	12	4	3	-	1	1
Decatur	1	10	-	2	8	6	-	2	-	-	-	-	3	13	2	6	-	1	-
De Kalb	-	16	1	2	3	5	-	4	2	-	-	1	1	18	3	3	-	1	1
Dickson	2	46	1	3	8	10	1	6	3	-	1	1	5	30	8	10	6	3	-
Dyer	-	15	-	6	10	13	1	3	3	-	4	1	6	35	8	10	2	7	1
Dyersburg	-	4	-	5	4	9	-	-	1	-	2	-	3	27	4	4	2	3	-
Balance of county	-	11	-	1	6	4	1	3	2	-	2	-	3	8	4	6	-	4	1
Fayette	1	29	2	-	17	3	1	1	-	-	2	3	12	16	12	5	1	6	-
Fentress	-	7	3	4	2	12	2	-	1	-	-	-	1	17	2	3	2	-	-
Franklin	-	18	2	2	16	11	-	5	3	-	-	-	3	38	7	9	4	2	-
Tullahoma, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Balance of county	-	18	2	2	16	11	-	5	3	-	-	-	-	7	8	4	2	-	-
Gibson	1	62	5	12	19	30	3	6	7	-	6	1	12	41	20	6	7	5	-
Humboldt	1	13	1	2	5	8	1	3	2	-	3	-	4	10	4	1	-	2	-
Balance of county	-	49	4	10	14	22	2	3	5	-	3	-	8	31	16	5	7	3	-
Giles	4	31	-	2	9	7	1	4	2	-	1	1	6	31	11	6	5	1	-
Grainger	-	13	3	1	6	8	1	3	2	-	1	1	13	18	10	4	2	1	-
Greene	7	54	2	12	30	23	1	6	7	-	6	4	5	45	12	20	10	3	2
Greeneville	2	19	1	2	12	6	-	-	4	-	1	1	1	16	3	8	4	1	1
Balance of county	5	35	1	10	18	17	1	6	3	-	5	3	4	29	9	12	6	2	1
Grundy	1	10	-	2	6	11	1	3	1	-	-	-	8	8	10	6	-	1	1
Hambleton	-	71	7	4	20	33	2	3	5	-	3	3	8	37	17	8	6	4	2
Morristown	-	48	4	3	15	20	1	2	2	-	1	2	5	21	7	3	3	1	1
Balance of county	-	23	3	1	5	13	1	1	3	-	2	1	3	16	10	5	3	3	1
Hamilton	12	233	30	28	124	121	5	37	29	-	9	14	12	281	44	69	33	33	-
Chattanooga	10	169	18	21	79	78	2	29	21	-	5	13	8	190	22	47	17	31	-
East Ridge	-	13	4	4	10	13	1	1	1	-	1	-	1	19	2	4	1	-	-
Red Bank	-	5	-	2	6	3	-	2	1	-	-	-	-	8	-	2	-	-	-
Balance of county	2	46	8	1	29	27	2	5	6	-	3	1	3	64	20	16	15	2	-
Hancock	-	5	-	1	5	2	-	-	-	-	-	-	-	4	2	2	1	2	-
Hardeman	-	19	-	3	7	12	-	4	3	-	4	5	2	19	8	4	3	4	1
Hardin	1	35	3	2	6	5	1	2	1	-	1	-	1	25	10	11	5	2	-
Hawkins	-	26	7	3	15	21	-	6	6	-	5	3	33	36	21	10	4	3	1
Kingsport, part	-	1	-	1	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-
Balance of county	-	25	6	3	14	21	-	6	6	-	4	3	32	33	20	10	4	3	1
Haywood	2	17	1	3	13	7	3	-	5	-	2	-	4	20	6	5	4	3	-
Henderson	4	25	2	1	6	11	2	1	3	-	3	-	1	20	12	6	3	3	-
Henry	-	42	2	3	8	13	2	1	7	-	-	-	-	34	13	8	6	2	-
Paris	-	17	1	2	5	7	-	1	3	-	-	-	-	16	3	-	3	1	-
Balance of county	-	25	1	1	3	6	2	-	4	-	-	-	-	18	10	8	3	1	-
Hickman	1	11	-	1	4	8	-	4	1	-	-	-	16	24	4	7	3	-	-
Houston	1	5	1	2	-	4	-	-	-	-	-	-	-	8	5	2	2	2	-
Humphreys	-	18	1	-	7	15	-	1	4	-	1	-	10	14	3	3	2	-	-
Jackson	2	8	-	8	8	-	-	2	1	-	1	-	2	12	3	2	2	1	-
Jefferson	1	24	-	6	7	6	-	6	4	-	1	-	6	41	15	3	3	-	-
Johnson	-	9	-	1	10	5	-	2	-	-	1	-	-	16	9	2	2	-	-
Knox	9	234	56	49	93	139	8	33	19	-	16	14	261	338	55	45	36	38	11
Knoxville	8	161	38	38	65	90	7	22	13	-	6	9	199	231	35	29	18	32	8
Balance of county	1	73	18	11	28	49	1	11	6	-	10	5	62	107	20	16	18	6	3
Lake	-	6	1	1	2	6	-	1	-	-	1	-	2	9	6	1	-	2	-
Lauderdale	-	24	1	2	12	18	-	2	3	-	3	1	1	29	12	11	5	-	-
Lawrence	-	28	-	2	16	19	1	6	4	1	3	2	5	25	17	15	3	3	-
Lawrenceburg	-	7	-	1	4	6	1	-	-	1	1	-	2	14	2	6	2	1	-
Balance of county	-	21	-	1	12	13	-	6	4	-	2	2	3	11	15	9	1	2	-
Lewis	-	3	-	4	7	8	-	1	-	-	-	-	-	4	2	-	-	2	-
Lincoln	1	23	2	5	7	8	3	1	3	-	2	4	1	39	10	1	5	1	-
Loudon	2	22	4	12	12	12	-	2	5	-	2	2	2	40	10	4	5	1	-
McMinn	-	28	2	5	27	16	-	1	5	-	2	-	1	45	11	12	6	3	1
Athens	-	12	1	3	4	9	-	1	3	-	-	-	-	15	2	4	4	1	-
Balance of county	-	16	1	2	23	7	-	-	2	-	2	-	1	30	9	8	2	2	1
McNairy	2	18	-	3	10	8	2	4	1	-	1	-	2	24	15	8	6	3	-
Macon	2	15	1	-	11	5	-	4	3	-	-	-	4	15	6	7	4	2	-
Madison	6	74	8	7	19	39	2	5	11	-	3	5	48	73	11	15	7	15	-
Jackson	5	54	7	3	15	30	1	1	8	-	3	4	38	53	7	12	6	13	-
Balance of county	1	20	1	4	9	1	4	3	-	-	1	10	20	4	3	1	2	-	-
Marion	1	12	4	1	7	6	1	2	-	-	3	-	5	26	9	9	5	1	-
Marshall	2	21	3	4	8	8	-	-	1	-	-	1	3	13	4	-	5	-	-
Maury	1	45	-	10	23	30	-	9	6	-	2	1	7	54	17	11	9	3	-
Columbia	1	21	-	3	14	17	-	2	3	-	1	1	3	32	8	6	2	1	-
Balance of county	-	24	-	7	9	13	-	7	3	-	1	-	4	22	9	5	7	2	-
Meigs	1	5	-	1	2	5	-	-	1	-	-	-	2	12	6	1	-	-	1
Monroe	5	31	2	6	7	13	-	6	3	1	-	1	4	19	9	9	3	3	1
Montgomery	1	60	4	10	27	30	2	5	4	-	9	9	32	55	14	14	16	8	3
Clarksville	1	44	4	9	18	21	2	3	2	-	9	9	25	33	10	10	10	8	2
Balance of county</																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 691

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 153 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hemo- poeitic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- pirato- ry and intra- thorac organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplas- ms of genital organs (179- 187)	Malign- ant neoplas- ms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malign- ant neoplas- ms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Tennessee-Con.																			
Morgan	164	-	-	3	37	7	17	1	3	2	1	6	5	51	40	1	-	25	14
Oblon	383	-	-	4	82	15	25	9	10	6	6	11	12	180	119	1	4	93	21
Union City	145	-	-	-	33	4	9	5	5	4	3	3	3	65	46	1	2	34	9
Balance of county	238	-	-	4	49	11	16	4	5	2	3	8	9	115	73	-	2	59	12
Overton	183	1	-	3	42	9	12	3	5	1	1	11	-	83	71	-	2	56	13
Perry	97	-	-	-	21	1	8	3	-	1	-	8	3	47	41	-	1	29	11
Pickett	41	-	-	1	7	1	4	1	-	1	-	-	1	19	17	-	-	14	3
Polk	157	1	-	5	38	5	15	2	7	1	1	7	1	58	45	-	-	29	16
Putnam	524	-	-	7	110	23	38	9	10	6	4	20	8	266	203	2	10	160	31
Cookeville	225	-	-	2	45	9	15	4	4	5	3	5	3	118	87	1	3	69	14
Balance of county	289	-	-	5	65	14	23	5	6	1	1	15	5	148	116	1	7	91	17
Rhea	249	1	-	1	69	13	25	3	11	1	3	13	3	102	78	1	1	66	10
Roane	507	-	-	5	128	31	46	3	12	9	3	24	7	227	176	4	1	131	40
Oak Ridge, part	12	-	-	-	5	1	1	-	1	-	1	1	-	5	5	-	-	5	-
Balance of county	495	-	-	5	123	30	45	3	11	9	2	23	7	222	171	4	1	126	40
Robertson	409	-	-	9	94	21	31	6	9	3	1	23	7	178	127	-	4	89	34
Springfield	181	-	-	6	37	7	15	3	2	1	-	9	1	86	69	-	2	53	14
Balance of county	228	-	-	3	57	14	16	3	7	2	1	14	6	92	58	-	2	36	20
Rutherford	806	1	-	7	185	32	59	15	24	13	9	39	23	363	278	2	7	182	87
Murfreesboro	410	-	-	2	99	17	35	12	10	4	5	16	16	171	130	1	6	80	43
Balance of county	396	1	-	5	86	15	24	3	14	9	4	17	7	192	148	1	1	102	44
Scott	166	1	-	5	43	8	21	3	-	1	-	10	7	59	39	1	-	29	9
Squatchie	92	-	-	-	20	3	3	3	2	-	3	6	1	37	30	-	1	26	3
Savner	456	-	-	3	109	15	44	7	15	12	3	13	6	209	172	1	9	126	36
Shelby	7,279	6	1	215	620	376	556	163	170	54	55	316	126	2,968	2,280	17	173	1,253	837
Bartlett	107	-	-	3	22	1	7	1	5	1	1	6	5	46	35	-	2	18	15
Germanytown	128	-	-	6	35	10	4	6	5	3	1	6	2	59	41	-	1	31	9
Memphis	6,528	6	1	196	1,499	332	504	147	145	46	43	282	109	2,658	2,032	17	166	1,090	759
Millington	102	-	-	3	27	8	11	2	2	-	1	3	3	37	32	-	1	21	10
Balance of county	414	-	-	7	107	25	30	7	13	4	9	19	7	168	140	-	3	93	44
Smith	154	-	-	2	38	4	13	5	5	1	1	9	3	72	54	-	1	36	17
Stewart	104	1	-	2	25	7	9	3	-	-	4	2	1	47	34	-	-	22	12
Sullivan	1,368	2	-	15	328	60	110	29	30	12	9	78	34	574	451	3	12	326	110
Bristol	298	1	-	3	67	18	19	3	9	2	1	15	8	128	102	-	2	76	24
Kingsport, part	517	1	-	3	111	15	42	15	6	3	-	30	12	227	178	1	5	130	42
Kingsport, total	538	1	-	4	117	17	43	15	8	3	-	31	12	234	183	1	5	135	42
Balance of county	553	-	-	9	150	27	49	11	15	7	8	33	14	219	171	2	5	120	44
Sumner	779	2	-	12	207	49	63	17	27	12	10	29	14	329	240	4	4	135	97
Gallatin	204	-	-	3	48	17	14	1	6	3	2	5	2	98	72	1	1	36	34
Hendersonville	247	-	-	2	76	18	28	8	7	3	2	10	6	101	68	1	2	40	25
Balance of county	328	2	-	7	89	14	21	8	14	6	6	14	6	130	100	2	1	59	38
Tipton	345	-	-	8	83	20	25	9	8	6	4	11	6	148	118	-	5	81	32
Trousdale	68	1	-	-	13	3	4	-	4	-	-	2	3	29	20	-	1	14	5
Unicoi	198	-	-	1	48	13	16	-	7	2	1	9	5	89	68	1	1	54	12
Union	120	1	-	3	29	6	13	1	-	1	5	3	2	45	35	1	-	25	9
Van Buren	39	-	-	1	8	2	1	2	1	-	-	2	1	18	15	-	-	12	3
Warren	350	-	-	5	79	17	28	9	8	2	3	12	11	137	115	1	4	74	36
McMinnville	163	-	-	3	37	7	12	4	4	2	2	6	5	63	52	1	3	34	14
Balance of county	187	-	-	2	42	10	16	5	4	-	1	6	6	74	63	-	1	40	22
Washington	870	-	-	12	212	54	59	18	26	5	5	45	24	360	260	1	10	150	99
Johnson City, part	528	-	-	8	122	27	40	10	15	2	2	26	18	218	151	-	5	87	59
Johnson City, total	539	-	-	8	124	28	40	10	15	2	2	27	20	224	156	-	5	89	62
Balance of county	342	-	-	4	90	27	19	8	11	3	3	19	6	142	109	1	5	63	40
Wayne	130	-	-	2	27	4	8	2	4	1	1	7	3	55	35	1	-	19	15
Weakley	354	-	-	3	80	20	25	8	6	7	3	11	8	170	121	1	1	101	18
White	248	-	-	2	63	12	19	8	8	1	-	15	6	100	73	-	3	54	16
Williamson	475	-	-	5	115	24	37	11	12	2	3	26	14	205	166	2	7	89	68
Franklin	217	-	-	2	50	12	12	6	7	1	3	9	8	106	82	1	4	37	40
Balance of county	258	-	-	3	65	12	25	5	5	1	-	17	6	99	84	1	3	52	28
Wilson	577	-	-	11	127	23	40	9	19	13	2	21	13	251	157	-	10	101	46
Lebanon	248	-	-	2	51	9	17	4	10	6	1	8	8	109	70	-	4	42	24
Balance of county	329	-	-	9	76	14	23	5	9	7	1	17	5	142	87	-	6	59	22
Texas																			
Urban places	83,421	86	3	3,425	19,041	4,573	5,703	1,658	2,130	763	698	3,516	2,464	32,876	25,472	159	1,234	16,887	7,692
Balance of area	45,687	22	5	903	11,061	2,488	3,562	801	1,186	472	468	2,084	1,307	19,267	15,023	66	471	10,146	4,340
Metropolitan counties	95,424	92	6	3,800	22,320	5,238	6,806	1,900	2,442	925	837	4,172	2,764	37,250	29,047	163	1,371	18,719	8,774
Urban places	75,823	81	3	3,311	17,395	4,175	5,216	1,515	1,943	697	632	3,217	2,198	29,532	22,914	148	1,178	14,614	6,974
Balance of area	19,601	11	3	489	4,925	1,063	1,590	385	499	228	205	955	566	7,718	6,133	35	193	4,105	1,800
Nonmetropolitan counties	33,684	16	2	528	7,782	1,823	2,459	559	874	310	329	1,428	1,007	14,893	11,448	42	334	7,814	3,258
Urban places	7,598	5	-	114	1,646	398	487	143	187	66	66	299	266	3,344	2,558	11	56	1,773	718
Balance of area																			

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 692

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 154 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E828-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Tennessee-Con.																			
Morgan	-	8	1	2	5	10	3	2	3	-	3	2	-	24	7	6	3	-	-
Obion	1	21	36	3	11	29	1	5	-	-	2	1	5	27	10	7	5	2	-
Union City	-	7	10	2	4	12	-	2	-	-	-	1	3	14	1	1	4	2	-
Balance of county	1	14	26	1	7	17	1	3	-	-	2	-	2	13	9	6	1	-	-
Overton	1	9	-	2	14	6	-	2	2	-	-	-	2	15	5	5	2	1	-
Perry	1	4	-	1	6	2	-	-	-	-	-	-	2	7	5	3	1	-	-
Pickett	-	2	-	-	2	2	1	-	1	-	-	-	1	4	-	2	-	-	-
Polk	1	10	-	2	7	6	-	4	1	-	-	-	9	15	2	2	6	1	1
Putnam	2	47	9	5	12	20	1	5	3	-	2	5	7	50	5	9	10	4	-
Cookeville	2	22	6	1	3	8	1	3	1	-	-	4	4	17	1	5	7	3	-
Balance of county	-	25	3	4	9	12	-	2	2	-	2	1	3	33	4	4	3	1	-
Rhea	-	18	2	4	3	13	1	3	2	-	-	1	6	21	9	5	7	2	-
Roane	1	41	4	5	17	24	2	3	4	-	7	-	6	41	13	11	10	2	-
Oak Ridge, part	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Balance of county	1	41	4	5	17	23	2	3	4	-	6	-	6	41	13	11	10	2	-
Robertson	1	37	5	8	7	15	-	2	5	-	2	1	2	48	11	13	7	8	-
Springfield	-	13	-	4	2	5	-	2	-	-	-	1	1	20	4	7	2	7	-
Balance of county	1	24	5	4	5	10	-	2	3	-	2	-	1	28	7	6	5	1	-
Rutherford	2	71	3	9	26	30	1	7	6	1	7	5	8	87	14	13	13	8	1
Murfreesboro	1	34	1	5	15	19	-	3	1	2	2	2	1	53	4	6	7	5	1
Balance of county	1	37	2	4	11	11	1	4	3	1	5	3	7	34	10	7	6	3	-
Scott	-	14	4	2	8	14	1	2	4	-	1	-	4	8	2	6	1	-	-
Sequatchie	-	5	1	1	3	5	-	1	3	-	2	-	-	13	1	5	1	-	-
Sevier	1	27	5	4	13	18	1	5	2	-	1	2	6	39	17	14	10	1	-
Shelby	31	561	28	68	264	237	24	68	72	3	55	106	75	765	173	128	89	211	3
Bartlett	1	6	1	3	4	4	-	2	2	-	-	1	1	6	6	2	1	2	-
Germantown	1	13	2	2	2	5	-	1	-	-	1	-	1	10	3	2	1	2	-
Memphis	26	519	21	60	241	212	22	62	68	3	47	101	68	697	143	117	73	202	3
Millington	1	3	1	-	2	4	1	-	1	-	2	2	3	6	5	1	4	1	-
Balance of county	2	20	3	3	15	12	1	3	1	-	5	2	2	46	16	7	9	6	-
Smith	-	14	1	3	4	4	-	-	-	-	-	-	1	16	6	6	2	-	-
Stewart	-	10	1	2	6	1	-	1	2	-	1	-	1	5	5	3	3	-	-
Sullivan	6	91	7	19	83	59	3	11	9	-	6	10	9	151	23	22	20	8	1
Bristol *	1	23	-	2	28	11	-	1	2	-	1	1	2	35	2	5	2	1	-
Kingsport, part	3	33	5	8	30	30	2	5	4	-	4	-	4	62	7	7	5	2	1
Kingsport, total	3	34	6	8	31	30	2	5	4	-	5	-	5	65	8	7	5	2	1
Balance of county	2	35	2	9	25	18	1	5	3	-	1	9	3	54	14	10	13	5	-
Sumner	2	68	8	11	26	31	2	4	3	-	1	10	8	75	16	17	12	3	1
Gallatin	-	20	4	2	8	11	-	1	9	-	-	3	2	16	3	2	3	1	-
Hendersonville	2	24	4	3	4	9	-	-	1	-	1	2	2	27	4	7	4	1	-
Balance of county	-	24	-	6	14	11	2	3	5	-	-	5	4	32	9	8	5	1	1
Tipton	4	23	1	2	13	14	1	3	6	-	6	3	3	21	11	9	4	6	-
Trousdale	-	7	1	1	3	-	-	-	-	-	2	-	-	8	6	2	1	-	-
Unicoi	2	16	-	3	9	10	1	-	2	-	1	1	1	17	5	7	1	-	-
Union	-	7	1	2	2	4	-	2	1	-	-	-	1	10	3	6	1	-	-
Van Buren	-	2	-	1	1	4	-	-	-	-	1	-	-	4	1	-	-	-	-
Warren	3	15	-	4	9	23	-	5	2	-	2	-	7	39	11	11	3	5	1
McMinnville	1	8	-	2	7	10	-	3	2	-	1	-	2	21	2	6	-	1	-
Balance of county	2	7	-	2	2	13	-	2	-	-	1	-	5	18	9	5	3	4	1
Washington	2	85	5	8	30	36	2	13	9	-	1	2	21	80	19	33	13	2	1
Johnson City, part	1	56	5	5	19	24	2	8	6	-	1	2	15	52	7	15	9	1	1
Johnson City, total	1	57	5	5	19	24	2	8	6	-	1	2	15	53	7	15	9	1	1
Balance of county	1	29	-	3	11	12	-	5	3	-	-	-	6	28	12	18	4	1	-
Wayne	1	10	9	-	7	5	-	1	1	-	1	1	4	9	7	4	-	3	-
Weakley	-	37	9	3	11	16	1	1	3	-	1	1	7	32	4	10	3	3	-
White	1	25	-	1	14	9	1	6	5	-	1	1	2	24	5	2	5	2	-
Williamson	2	30	3	4	14	24	-	3	3	-	1	2	3	53	16	8	7	2	-
Franklin	-	19	3	2	4	6	-	1	-	-	1	1	2	27	7	1	-	1	-
Balance of county	2	11	-	2	10	18	-	3	2	-	-	1	1	26	9	7	7	1	-
Wilson	1	83	1	9	19	24	3	7	7	-	2	2	3	53	17	10	25	3	-
Lebanon	1	34	1	3	8	6	1	3	3	-	1	2	1	29	3	10	9	2	-
Balance of county	-	49	-	6	11	18	2	4	4	-	1	-	2	24	14	-	16	1	-
Texas																			
Urban places	429	5,555	633	787	2,348	3,372	232	1,268	523	17	684	763	859	8,324	1,796	1,864	1,454	1,920	102
Balance of area	212	3,144	408	480	1,364	2,011	129	515	321	6	292	228	445	4,075	1,402	1,043	804	439	48
Metropolitan counties	462	6,149	689	903	2,641	3,847	259	1,443	587	22	818	856	947	9,224	2,332	2,193	1,810	2,088	125
Urban places	382	4,979	545	712	2,104	3,001	211	1,170	461	17	641	726	774	7,503	1,669	1,707	1,369	1,854	96
Balance of area	80	1,170	144	191	537	846	48	273	126	5	177	130	173	1,721	663	486	441	234	29
Nonmetropolitan counties	179	2,550	352	364	1,071	1,536	102	340	257	1	158	135	357	3,175	866	714	448	271	25
Urban places	47	576	88	75	244	371	21	98	62	-	43	37	85	821	127	157	85	66	6
Balance of area	132	1,974	264	289	827	1,165	81	242	195	1	115	98	272	2,354	739	557	363	205	19
Anderson	5	28	10	9	11	17	1	2	3	-	-	1	5	52	10	6	7	10	1
Palestine	3	13	6	2	8	7	-	2	2	-	-	-	-	30	3	3	4	6	-
Balance of county	2	15	4	7	3	10	1	2	1	-	-	-	1	22	7	3	3	4	1
Andrews	-	7	-	1	5	6	-	2	-	-	-	-	1	6	-	8	1	3	-
Andrews	-	6	-	1	5	4	-	2	-	-	-	-	1	4	-	5	-	3	-
Balance of county	-	1	-	-	2	2	-	-	-	-	-	-	-	2</					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 693

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 155 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Texas—Con.																			
Aransas	189	-	-	9	55	14	21	2	10	2	1	5	6	64	51	1	2	36	12
Archer	78	-	-	-	17	5	5	1	2	1	-	3	1	38	32	-	-	30	2
Wichita Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	78	-	-	-	17	5	5	1	2	1	-	3	1	38	32	-	-	30	2
Armstrong	20	-	-	-	5	1	1	-	-	-	-	2	-	7	3	-	-	3	-
Atascosa	248	-	-	3	47	9	11	4	2	1	2	18	9	118	98	-	4	63	31
Austin	232	-	-	4	48	12	13	5	9	1	2	6	5	124	93	-	7	55	31
Bailey	54	-	-	-	9	4	-	1	2	1	-	1	1	22	18	-	-	12	6
Bandera	123	-	-	6	30	5	10	3	2	1	-	9	-	48	39	-	1	28	10
Bastrop	375	-	-	12	98	24	23	8	12	4	8	19	15	145	108	-	5	57	46
Baylor	101	-	-	2	22	5	7	2	2	1	2	3	-	53	40	-	-	36	4
Bee	217	-	-	4	57	17	18	4	7	-	4	7	15	90	66	-	1	50	15
Beeville	135	-	-	3	35	10	13	2	4	-	2	4	8	53	39	-	-	28	11
Balance of county	82	-	-	1	22	7	5	2	3	-	2	3	7	37	27	-	1	22	4
Bell	1,402	2	-	28	253	63	79	12	29	6	14	50	40	683	606	1	9	214	382
Bellton	141	-	-	3	27	7	10	2	2	1	3	2	3	71	63	-	1	20	42
Killeen	307	-	-	7	73	22	24	3	6	1	3	14	13	102	88	-	2	57	29
Temple	588	1	-	8	79	15	23	4	13	3	4	17	10	350	314	-	4	80	230
Balance of county	366	1	-	10	74	19	22	3	8	1	4	17	14	160	141	1	2	57	81
Bexar	8,820	9	-	345	2,029	492	563	193	236	87	67	391	262	3,329	2,695	16	148	1,623	908
San Antonio	7,770	9	-	308	1,732	437	482	162	205	74	46	326	246	2,950	2,383	14	125	1,458	786
Universal City	73	-	-	5	20	2	10	1	2	2	-	3	-	24	21	1	1	14	5
Balance of county	977	-	-	32	277	53	71	30	29	11	21	62	16	355	291	1	22	151	117
Blanco	66	-	-	1	11	-	6	-	2	-	-	3	5	36	19	-	-	14	5
Borden	5	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	1	-
Bosque	234	-	-	2	58	17	16	5	3	1	4	12	7	111	89	-	4	53	32
Bowie	897	-	-	15	225	61	67	16	19	12	8	42	22	374	289	1	12	186	90
Texarkana	491	-	-	10	129	42	33	13	10	8	4	19	13	192	145	1	7	92	45
Balance of county	406	-	-	5	96	19	34	3	9	4	4	23	9	182	144	-	5	94	45
Brazoria	1,227	-	-	35	329	70	118	21	30	16	9	65	45	431	330	1	10	238	81
Alvin	179	-	-	6	43	6	22	4	4	2	1	4	9	57	49	-	1	39	9
Angleton	135	-	-	3	28	4	10	1	6	4	-	3	5	64	47	1	5	36	5
Freeport	99	-	-	3	25	7	7	-	3	-	1	7	2	36	30	-	1	19	10
Lake Jackson	114	-	-	4	28	6	6	2	1	-	6	7	3	38	32	-	2	17	13
Pearland, part	139	-	-	6	40	12	12	2	4	2	1	7	5	50	36	-	1	24	11
Pearland, total	154	-	-	8	42	13	12	2	4	2	1	8	6	58	41	-	1	28	12
Balance of county	561	-	-	13	165	35	60	8	11	7	6	38	17	186	136	-	-	103	33
Brazos	588	-	-	15	142	26	41	11	17	8	10	29	22	228	167	2	12	98	55
Bryan	400	-	-	11	92	18	28	6	10	8	4	18	16	156	113	1	8	67	37
College Station	110	-	-	2	30	6	2	5	6	-	4	7	6	46	33	-	3	21	9
Balance of county	78	-	-	2	20	2	11	-	1	-	2	4	-	26	21	1	1	10	9
Brewster	70	-	-	-	11	5	-	1	-	-	1	4	2	29	22	-	1	13	8
Briscoe	26	-	-	1	9	-	1	3	1	1	-	3	-	11	7	-	-	5	2
Brooks	82	-	-	2	15	5	-	3	-	1	2	4	3	37	27	-	2	10	15
Brown	447	-	-	2	93	25	24	13	12	6	4	9	11	235	156	-	3	107	46
Brownwood	280	-	-	1	60	18	14	10	7	3	2	6	9	148	94	-	2	71	21
Balance of county	167	-	-	1	33	7	10	3	5	3	2	3	2	88	62	-	1	36	25
Burleson	175	-	-	2	40	11	16	3	5	-	1	4	2	81	60	-	2	35	23
Burnet	274	-	-	6	80	14	28	2	7	3	6	20	12	109	81	-	-	59	22
Balance of county	267	1	-	2	65	16	24	1	6	2	5	11	6	104	72	-	4	48	20
Calhoun	172	-	-	5	56	19	19	3	4	2	2	7	8	55	45	-	3	23	19
Port Lavaca	103	-	-	4	35	10	14	2	2	1	4	7	3	32	26	-	-	12	14
Balance of county	69	-	-	1	21	9	5	1	2	-	1	3	1	23	19	-	3	11	5
Callahan	143	-	-	4	27	6	7	1	5	1	-	7	5	68	55	-	2	31	22
Cameron	1,703	5	-	46	321	73	69	29	54	17	18	61	76	583	437	6	10	291	130
Brownsville	700	4	-	13	119	32	24	10	23	1	4	25	28	184	135	3	4	90	38
Harlingen	423	-	-	14	80	17	18	8	13	4	4	16	15	181	131	-	2	96	33
San Benito	160	-	-	4	40	8	9	4	5	4	4	6	10	63	48	1	-	30	17
Balance of county	420	1	-	15	82	16	18	7	13	8	6	14	23	155	123	2	4	75	42
Camp	138	-	-	2	34	6	17	1	4	2	-	4	1	65	46	-	4	30	12
Carson	67	-	-	2	11	3	3	-	-	-	2	3	2	32	24	-	-	19	5
Cass	385	-	-	3	78	23	28	3	8	2	3	11	12	182	123	-	1	84	38
Castro	76	-	-	1	18	4	7	2	-	3	-	2	1	38	31	1	-	23	7
Chambers	159	-	-	4	46	8	15	4	3	1	2	13	2	64	44	-	3	28	13
Baytown, part	7	-	-	1	3	-	1	1	-	-	-	1	-	3	1	-	-	-	1
Balance of county	152	-	-	3	43	8	14	3	3	1	2	12	2	61	43	-	3	28	12
Cherokee	478	-	-	4	128	32	42	8	13	4	4	25	12	205	138	1	1	83	53
Jacksonville	193	-	-	-	55	13	16	4	6	2	1	13	6	63	53	1	1	32	19
Balance of county	285	-	-	4	73	19	26	4	7	2	3	12	6	122	85	-	-	51	34
Childress	99	-	-	1	24	7	11	1	1	2	-	2	4	45	30	-	2	27	1
Clay	107	-	-	-	25	2	9	4	4	-	2	4	2	55	45	-	-	26	19
Cochran	35	-	-	2	7	2	2	1	1	-	-	1	2	15	10	-	-	4	6
Coke	51	-	-	1	14	2	5</												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 694

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 156 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800, E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E860-E876)	All other external causes (E980-E999)
Texas—Con.																			
Aransas	-	9	2	2	8	12	2	1	2	-	-	1	-	14	3	5	5	2	-
Archer	-	4	2	-	2	2	1	1	-	-	-	-	1	7	2	2	3	1	-
Wichita Falls, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	-	4	2	-	2	2	1	1	-	-	-	-	1	7	2	2	3	1	-
Armstrong	-	4	-	-	1	3	-	1	-	-	-	-	-	2	-	-	1	-	-
Atascosa	1	14	4	1	7	8	1	3	4	-	2	1	6	23	7	5	4	-	-
Austin	2	26	1	2	6	6	1	1	3	-	2	2	1	18	3	8	1	1	-
Bailey	-	4	-	-	6	2	1	1	2	-	-	1	-	11	2	2	2	1	-
Bandera	1	7	1	-	6	12	-	-	-	-	1	4	-	11	2	5	1	1	-
Bastrop	2	26	6	3	11	27	-	3	4	-	4	3	3	31	8	6	3	1	1
Baylor	1	12	-	-	5	5	1	2	-	-	2	1	-	2	-	2	1	1	1
Bea	1	17	5	1	1	8	-	1	4	-	-	1	1	20	2	6	3	-	-
Beeville	-	11	2	1	1	6	-	1	4	-	1	1	1	12	1	2	3	3	-
Balance of county	1	6	3	-	-	2	-	-	-	-	-	-	8	1	1	3	-	-	-
Bell	2	61	2	12	28	49	8	27	5	-	22	15	11	115	34	34	29	19	-
Belton	-	4	1	3	3	9	1	1	-	-	-	1	1	10	4	1	1	-	-
Killeen	-	12	1	1	4	8	1	5	1	-	9	8	7	29	10	8	10	12	-
Temple	2	29	-	5	16	18	1	11	1	-	4	3	2	54	7	15	5	3	-
Balance of county	-	16	-	3	5	14	5	10	3	-	9	3	1	22	13	5	13	4	-
Bexar	42	488	38	66	291	304	18	188	60	2	70	72	86	962	154	207	171	255	6
San Antonio	40	434	36	57	268	271	17	174	53	2	59	58	78	852	128	176	148	234	5
Universal City	-	2	-	-	-	3	-	2	-	-	1	1	-	1	1	2	2	1	-
Balance of county	2	52	2	8	23	30	1	12	7	-	10	13	7	102	23	27	21	20	1
Blanco	1	13	2	1	2	3	-	1	-	-	1	-	-	2	3	1	-	-	-
Borden	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
Bosque	-	19	1	2	6	11	-	2	2	-	2	1	-	19	4	6	1	2	-
Bowie	2	66	8	9	24	29	2	6	5	-	6	4	42	83	18	19	8	14	1
Texarkana *	-	36	5	6	11	14	1	2	4	-	6	1	30	48	8	9	1	11	1
Balance of county	2	30	3	3	13	15	1	4	1	-	-	3	12	10	10	7	3	-	-
Brazoria	4	74	9	14	31	50	3	17	5	2	10	8	7	140	52	20	28	19	1
Alvin	-	6	2	-	8	6	-	1	1	1	2	-	1	25	8	3	5	3	-
Angleton	-	14	2	1	3	3	1	2	-	-	1	3	1	10	8	2	1	-	-
Freeport	-	4	1	1	2	4	1	2	-	-	1	1	1	8	5	3	3	2	-
Lake Jackson	-	4	-	2	3	8	-	1	-	-	-	2	-	12	5	3	3	-	-
Pearland, part	1	9	-	4	3	6	-	4	-	-	1	-	1	16	3	1	2	1	1
Pearland, total	1	11	-	5	3	6	-	4	-	-	1	-	1	18	3	1	2	1	1
Balance of county	3	37	4	6	12	23	1	7	4	1	5	2	3	69	23	8	14	8	-
Brazos	4	41	5	11	17	24	1	7	6	-	2	1	10	53	22	18	12	6	-
Bryan	4	28	3	8	11	16	1	5	6	-	1	1	8	41	9	14	7	5	-
College Station	-	8	2	3	5	3	-	2	-	-	1	-	1	4	4	3	3	-	-
Balance of county	-	5	-	-	1	5	-	-	-	-	-	-	1	8	9	1	2	1	-
Brewster	-	5	-	2	2	5	-	2	-	-	1	-	-	8	3	7	-	-	-
Briscoe	-	4	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
Brooks	1	5	2	2	3	1	-	3	1	-	1	-	1	11	-	3	-	1	-
Brown	5	54	14	7	6	20	2	1	-	-	3	2	2	42	8	10	4	3	2
Brownwood	2	40	9	3	5	12	-	-	-	-	2	1	2	27	4	5	2	1	1
Balance of county	3	14	5	4	1	8	2	1	-	-	1	1	2	15	4	5	2	2	1
Burleson	1	18	2	-	4	11	-	2	-	-	3	-	1	8	7	2	4	6	-
Burnet	-	21	4	3	11	16	1	1	2	-	1	1	2	17	10	3	3	3	-
Caldwell	3	23	4	6	18	1	1	3	3	-	2	1	2	30	7	4	4	1	-
Calhoun	1	8	-	1	4	6	-	2	3	-	-	3	-	11	6	5	5	2	1
Port Lavaca	1	4	-	1	3	3	-	2	1	-	-	-	-	7	3	3	2	1	-
Balance of county	-	4	-	-	1	3	-	-	2	-	-	3	-	4	3	2	3	2	-
Callahan	-	9	1	3	1	5	-	4	-	-	-	-	-	15	9	3	2	-	-
Cameron	8	105	17	41	80	1	31	16	-	-	12	23	149	156	39	70	25	26	3
Brownsville	1	39	6	3	22	26	-	13	6	-	7	15	123	62	12	43	9	12	2
Harlingen	4	32	4	10	10	22	1	3	4	-	2	2	6	54	8	6	8	7	-
San Benito	2	9	3	1	9	10	-	5	4	-	1	1	2	13	2	2	2	2	1
Balance of county	1	25	3	3	9	22	-	10	2	-	2	5	18	27	17	19	8	5	-
Camp	1	18	-	-	8	4	-	-	1	-	-	2	2	13	4	-	2	-	-
Carson	1	4	1	2	-	6	-	1	1	-	-	-	-	3	3	1	3	-	-
Cass	6	45	5	3	12	13	2	-	1	-	1	2	21	34	7	7	5	5	-
Castro	-	6	1	3	2	3	-	-	-	-	-	4	-	5	1	2	-	1	-
Chambers	2	14	-	3	2	4	1	2	1	-	1	2	-	13	4	7	2	3	1
Baytown, part	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	2	12	1	3	2	4	1	2	1	-	1	2	-	-	-	-	-	-	-
Cherokee	2	52	9	4	13	21	-	7	6	-	3	3	1	42	9	11	7	5	1
Jacksonville	1	23	4	2	6	9	-	5	2	-	1	-	-	16	2	1	3	4	-
Balance of county	1	29	5	2	7	12	-	2	4	-	2	3	1	26	7	10	4	1	1
Childress	1	13	1	-	3	14	-	-	-	-	-	1	-	5	1	1	-	-	-
Clay	-	5	4	1	4	2	-	-	1	-	-	-	3	10	2	1	-	-	1
Cochran	-	4	1	-	2	1	-	-	-	-	-	-	-	4	2	-	-	-	-
Coke	-	3	-	1	3	4	1	1	1	-	-	-	-	3	-	-	-	-	-
Coleman	1	22	2	4	6	7	2	3	1	-	1	-	-	10	2	4	4	1	-
Collin	3	75	13	9	35	49	7	4	7	1	9	15	9	103	36	29	27	11	4
Carrollton, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dallas, part	-	-	-	-	-	1	-	-	-	-	1	-	-	4	-	2	1	1	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
McKinney	-	16	5	2	6	7	2	1	1	1	2	1	-	21	4	4	1</		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 695

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 157 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- culosis (010- 018)	Syphi- llis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hema- tologic tissues (140-208)	Malignant neoplasms of di- gestive organs and pe- ritoneum (150- 159)	Malign- ant neoplasms of res- piratory and in- tra-tho- racic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 449)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Texas—Con.																				
Collingsworth	63	-	-	-	15	4	4	1	1	1	1	3	1	24	19	-	-	2	14	3
Colorado	226	-	1	6	45	12	14	4	4	4	3	4	6	107	78	-	1	50	27	
Comal	506	-	-	8	125	29	35	10	11	6	11	23	9	227	163	-	2	116	45	
New Braunfels, part	308	-	-	4	71	19	16	3	8	3	7	15	3	152	106	-	1	74	31	
New Braunfels, total	311	-	-	4	74	19	17	3	8	4	7	16	3	152	106	-	1	74	31	
Balance of county	198	-	-	4	54	10	19	7	3	3	4	8	6	75	57	-	1	42	14	
Comanche	196	-	-	1	44	8	16	2	4	1	3	10	2	88	61	-	3	33	25	
Concho	42	-	-	-	7	2	3	-	1	-	-	1	2	22	15	-	-	10	5	
Cooke	280	-	-	2	60	13	18	10	6	1	3	9	5	134	109	2	2	82	23	
Galveston	174	-	-	1	30	5	9	9	3	1	-	3	5	89	70	-	1	50	19	
Balance of county	106	-	-	1	30	8	9	1	3	-	3	6	-	45	39	2	1	32	4	
Coryell	263	-	-	3	59	12	17	3	-	5	1	18	7	108	85	-	2	74	9	
Copperas Cove	78	-	-	2	15	5	5	-	-	-	-	5	5	29	23	-	1	19	3	
Balance of county	185	-	-	1	44	7	12	3	3	5	1	13	2	79	62	-	1	55	6	
Cottle	30	-	-	-	11	3	4	-	1	2	-	1	1	14	10	-	-	7	2	
Crane	31	-	-	-	6	3	2	-	1	1	-	1	1	12	11	-	-	10	1	
Crockett	31	-	-	-	7	1	-	-	5	-	-	1	2	8	7	-	-	4	3	
Crosby	71	-	-	1	14	4	3	-	1	1	1	3	-	35	26	-	-	20	6	
Culberson	27	-	-	-	5	-	2	1	-	-	-	2	1	14	12	-	-	11	1	
Dallam	65	-	-	1	14	6	6	-	1	-	-	1	-	26	24	-	-	15	9	
Dallas	12,815	13	1	650	3,004	692	903	277	342	115	116	559	333	4,960	3,893	32	382	2,178	1,301	
Balch Springs	96	-	-	2	25	3	14	-	3	2	1	2	1	38	36	1	2	22	11	
Carrollton, part	131	-	-	9	51	10	15	1	8	3	2	4	10	56	46	-	6	29	11	
Carrollton, total	293	-	-	14	79	16	22	6	12	3	5	15	10	89	67	-	7	44	16	
Dallas, part	8,426	-	1	500	1,870	462	599	171	216	70	65	347	225	3,236	2,513	22	281	1,336	872	
Dallas, total	8,460	12	1	509	1,876	463	541	172	216	70	65	349	226	3,242	2,519	22	282	1,343	872	
De Soto	192	-	-	5	47	13	15	2	6	1	4	6	5	72	55	-	5	33	17	
Duncanville	162	-	-	2	52	6	19	8	4	4	2	12	1	69	59	1	4	41	13	
Farmers Branch	140	-	-	3	37	9	10	3	4	2	3	6	-	64	55	1	5	34	15	
Garland, part	888	-	-	27	227	52	71	26	16	5	5	52	25	358	300	1	25	179	95	
Garland, total	890	-	-	27	227	52	71	26	16	5	5	52	25	359	300	1	25	179	95	
Grand Prairie, part	456	-	-	23	112	23	29	12	14	7	5	22	20	172	140	-	9	89	42	
Grand Prairie, total	501	-	-	26	118	25	31	12	15	7	5	23	20	191	155	-	9	100	46	
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Irving	704	-	-	25	178	32	58	20	21	12	4	31	17	251	196	3	17	124	52	
Lancaster	183	1	-	4	33	13	5	2	3	1	2	7	5	92	66	-	4	38	24	
Mesquite	502	-	-	17	131	24	52	9	12	2	8	24	11	196	153	1	9	89	54	
Richardson, part	344	-	-	10	108	21	30	9	20	3	7	18	6	131	96	-	3	50	43	
Richardson, total	383	-	-	10	115	23	31	10	21	3	8	19	6	139	101	-	3	52	46	
University Park	67	-	-	-	20	3	5	2	3	1	1	5	-	30	25	-	3	12	10	
Balance of county	464	-	-	23	113	21	41	12	12	5	5	17	12	195	153	2	9	100	42	
Dawson	138	-	-	1	25	7	5	1	3	1	-	8	1	62	52	-	-	31	21	
Lamesa	118	-	-	1	23	6	5	1	3	1	-	7	1	56	47	-	-	28	19	
Balance of county	20	-	-	1	2	1	-	-	-	-	-	1	-	6	5	-	-	3	2	
Deaf Smith	128	-	-	-	25	7	3	4	5	1	2	3	5	63	48	2	1	39	6	
Hereford	115	-	-	-	21	5	2	4	4	1	2	3	5	59	44	2	1	36	5	
Balance of county	13	-	-	-	4	2	1	-	-	-	-	-	-	4	4	-	-	3	1	
Delta	82	-	-	2	18	2	6	-	5	-	1	4	2	36	26	-	2	21	3	
Denton	1,189	-	-	37	308	59	95	26	36	10	10	72	29	456	354	1	13	224	116	
Carrollton, part	102	-	-	5	28	6	7	5	4	-	1	5	5	33	21	-	1	15	5	
Dallas, part	7	-	-	3	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	
Denton	438	-	-	12	103	18	29	10	15	1	3	27	10	181	140	1	4	84	51	
Lewisville	194	-	-	8	58	15	19	3	4	2	4	11	5	70	59	-	1	42	16	
Piano, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
The Colony	49	-	-	2	9	2	3	-	1	-	-	3	1	16	14	-	1	8	5	
Balance of county	399	-	-	7	109	18	37	8	12	7	2	25	8	155	119	-	6	74	39	
De Witt	230	-	-	3	50	17	10	6	7	2	4	4	8	115	74	-	-	61	13	
Dickens	38	-	-	1	9	2	2	-	2	-	-	3	-	23	15	-	-	13	2	
Dimmit	75	-	-	-	18	6	2	1	4	-	1	4	6	30	27	-	-	21	6	
Donley	64	-	-	1	11	1	5	1	-	-	-	4	3	35	32	-	-	30	2	
Duval	138	-	-	2	38	11	10	3	3	4	-	7	11	53	40	-	-	32	8	
Eastland	279	-	-	1	64	19	17	4	8	2	2	12	5	150	113	-	4	87	22	
Ector	864	-	-	21	222	36	72	19	31	7	14	43	31	248	26	3	8	142	52	
Odessa	702	-	-	17	177	26	52	18	28	7	10	36	25	205	166	2	7	117	40	
Balance of county	162	-	-	4	45	10	20	1	3	-	4	7	6	43	39	1	1	25	12	
Edwards	30	-	-	-	9	4	1	1	-	-	-	2	2	12	9	-	1	4	4	
Ellis	693	1	-	12	173	51	49	13	15	5	3	37	15	291	234	1	6	130	97	
Ennis	168	-	-	5	36	13	6	3	5	-	-	9	2	80	70	-	1	32	37	
Grand Prairie, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Waxahachie	222	-	-	4	59	22	12	4	4	2	1	14	8	75	56	1	4	32	19	
Balance of county	313	1	-	3	78	16	31	6	6	3	2	14	5	136	108	-	1	66	41	
El Paso	3,424	8	-	94	819	223	188	70	102	41	39	156	119	1,198	944	14	63	651	216	
El Paso	3,244	7	-	91	777	210														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 696

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 158 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Collingsworth	2	2	-	1	3	4	1	-	2	-	1	-	-	9	-	3	-	-	-
Colorado	3	20	2	4	11	8	-	2	1	-	-	-	1	18	11	4	4	1	-
Comal	4	40	13	7	18	26	-	7	4	-	1	-	3	46	12	14	4	1	-
New Braunfels, part	1	28	12	5	13	12	-	3	3	-	1	-	1	26	5	11	2	1	-
New Braunfels, total	1	28	12	5	13	12	-	3	3	-	1	-	1	26	5	11	2	1	-
Balance of county	3	12	1	2	5	14	-	4	1	-	-	-	2	20	7	3	2	1	-
Comanche	-	22	1	4	3	4	1	1	2	-	-	1	6	27	6	3	4	2	1
Concho	2	3	2	-	2	4	-	-	-	-	-	-	1	-	-	3	-	-	-
Cooke	2	13	3	7	10	11	1	2	3	2	2	1	5	25	6	6	5	2	-
Gainsville	2	9	3	5	9	9	-	1	3	-	1	1	2	19	-	3	-	1	-
Balance of county	-	4	-	2	1	2	1	1	-	-	1	-	3	6	6	3	5	1	-
Coryell	1	16	2	4	5	13	-	2	2	-	3	1	2	38	8	4	5	3	-
Copperas Cove	-	6	-	-	-	3	-	1	-	-	2	-	1	10	2	2	3	3	-
Balance of county	1	10	2	4	5	10	-	1	2	-	1	1	1	28	6	2	2	-	-
Cottle	1	3	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-
Crane	-	1	-	-	-	3	-	-	-	-	-	-	1	5	3	-	1	-	-
Crockett	-	-	1	-	-	4	-	-	2	-	-	-	-	6	2	-	-	-	-
Crosby	2	6	-	1	1	3	-	-	1	-	-	-	1	13	-	1	-	-	-
Culberson	-	2	-	-	-	-	-	1	1	-	-	-	-	3	1	-	1	-	-
Dallam	-	1	-	1	4	6	1	1	-	-	-	-	-	5	2	2	-	3	-
Dallas	55	807	87	118	326	509	29	161	66	3	112	124	112	1,121	275	261	252	476	27
Balch Springs	-	1	-	1	4	7	-	1	-	-	2	1	-	6	-	4	4	1	-
Carrollton, part	-	8	1	1	4	10	-	3	-	-	3	4	7	16	7	2	10	3	1
Carrollton, total	1	16	3	2	7	12	-	4	-	-	7	6	8	24	10	6	12	4	1
Dallas, part	37	559	50	77	220	327	23	115	49	3	64	79	76	725	177	175	146	387	16
Dallas, total	37	559	50	77	220	328	23	115	49	3	65	79	76	729	177	177	149	388	16
De Soto	1	15	1	-	3	12	-	-	1	-	3	-	2	26	9	2	4	1	-
Duncanville	-	9	1	-	6	1	-	-	-	-	1	1	2	10	2	1	5	3	-
Farmers Branch	1	7	-	1	3	8	-	-	1	-	-	1	2	8	3	2	4	4	-
Garland, part	3	37	6	12	12	39	2	9	2	-	14	6	5	87	21	13	18	22	1
Garland, total	3	38	6	12	12	39	2	9	2	-	14	6	5	87	22	13	18	22	1
Grand Prairie, part	3	21	3	5	7	13	-	6	-	-	1	7	6	44	7	13	10	12	3
Grand Prairie, total	3	24	3	6	9	14	-	6	-	-	2	7	6	50	9	14	13	13	3
Grapevine, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Irving	4	36	8	7	23	29	-	16	4	-	9	6	4	71	21	18	16	14	2
Lancaster	3	18	2	3	4	7	-	1	2	-	1	3	-	17	2	3	4	4	-
Mesquite	1	35	2	5	10	21	2	6	2	-	6	8	3	48	12	9	8	11	1
Richardson, part	1	25	8	1	14	16	1	2	1	-	1	2	2	31	2	6	7	3	1
Richardson, total	1	26	9	2	14	18	1	2	1	-	1	2	2	32	2	6	7	4	1
University Park	-	4	-	1	2	4	-	-	-	-	-	-	-	7	-	1	3	-	-
Balance of county	1	32	5	4	14	10	-	2	4	-	7	6	3	25	12	13	11	2	-
Dawson	-	7	1	2	7	7	-	3	1	-	-	-	1	15	2	5	5	3	-
Lamesa	-	6	1	2	7	4	-	2	1	-	-	-	-	12	1	5	3	-	-
Balance of county	-	1	-	-	3	-	-	1	-	-	-	-	1	3	1	2	2	-	-
Deaf Smith	-	14	-	1	3	7	2	4	1	-	2	1	-	11	2	2	-	-	-
Hereford	-	14	-	1	3	7	2	4	1	-	2	1	-	10	1	2	-	-	-
Balance of county	-	-	-	-	2	1	-	-	-	-	-	-	-	1	1	2	-	-	-
Delta	-	9	1	-	3	3	1	1	2	-	1	-	2	6	2	-	1	2	-
Denton	4	82	8	8	33	53	4	8	3	1	14	13	5	134	30	28	27	5	1
Carrollton, part	1	8	2	1	3	2	-	1	-	-	4	2	1	8	3	4	2	1	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Denton	2	33	4	2	14	27	3	1	2	-	4	1	-	55	7	8	8	2	-
Lewisville	-	10	-	1	4	9	1	2	-	-	2	7	2	16	3	3	2	2	-
Plano, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
The Colony	-	1	-	1	2	-	-	1	-	-	1	1	-	7	6	1	2	-	-
Balance of county	1	30	2	3	10	15	-	4	-	1	3	2	2	48	11	12	11	-	1
De Witt	1	30	6	4	6	4	1	6	2	-	1	-	-	26	4	2	1	1	-
Dickens	-	6	1	1	-	1	-	1	-	-	-	-	-	6	2	1	1	-	-
Dimmit	-	3	-	-	4	1	-	2	3	-	-	-	-	5	1	-	-	-	-
Donley	-	3	-	-	5	-	1	-	-	-	-	-	-	5	1	-	-	-	-
Duval	-	11	1	1	6	5	1	4	1	-	-	2	1	6	1	4	2	1	-
Eastland	1	30	4	2	7	13	1	5	5	-	1	1	-	16	4	3	3	-	-
Ector	2	30	1	10	39	52	6	12	-	-	12	6	46	95	18	25	17	14	-
Odessa	2	29	-	8	34	45	6	10	-	-	11	6	36	79	11	19	10	11	-
Balance of county	-	1	1	2	5	7	-	2	-	-	1	-	10	16	7	6	7	3	-
Edwards	-	3	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	1	-
Ellis	1	53	-	3	29	23	3	5	5	-	5	2	4	78	16	16	6	9	-
Ennis	-	9	-	1	13	1	-	-	2	-	-	-	-	10	1	2	4	1	-
Grand Prairie, part	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Waxahachie	1	17	-	1	5	10	2	3	2	-	2	-	2	36	4	5	3	5	-
Balance of county	-	27	-	1	11	12	1	2	1	-	3	1	2	32	11	9	2	3	-
El Paso	18	175	25	36	89	140	14	79	35	-	45	42	29	376	117	107	57	43	13
El Paso	18	171	25	34	85	134	14	73	33	-	42	38	23	353	100	99	56	41	12
Balance of county	-	4	-	2	4	6	-	6	2	-	3	4	6	13	17	8	1	2	1
Erath	2	13	2	3	6	14	1	4	1	-	1	1	7	19	6	5	6	1	-
Stephenville	1	9	1	1	5	10	1	2	1	-	1	1	5	14	2	3	3	1	-
Balance of county	1	4	2	2	1	4	1	1	1	-	1	-	2	5	4	2	3	1	-
Falls	-	12	2	2	2	5	1	1	1	-	-	-	1	2					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 697

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 159 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- tope- tic tissues (140-208)	Malignant neoplasms of di- gestive organs and pento- neum (150- 159)	Malign- ant neo- plasms of res- piratory and in- tra- tho- racic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasms of genital organs (179- 187)	Malign- ant neo- plasms of urinary organs (188- 189)	Leuko- mia (204- 208)	Other malign- ant neo- plasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Texas—Con.																			
Floyd	81	-	-	1	18	3	8	-	2	-	-	5	-	43	34	-	-	30	4
Foard	31	-	-	1	6	-	2	1	2	-	1	-	-	18	13	-	-	11	2
Fort Bend	969	-	-	30	239	53	79	20	22	-	-	6	9	50	41	364	275	4	12
Houston, part	22	-	-	3	3	-	1	-	-	-	-	2	3	6	5	-	-	3	2
Missouri City, part	160	-	-	4	44	10	15	4	2	-	1	2	10	3	59	48	-	2	33
Missouri City, total	180	-	-	7	48	12	16	4	2	1	2	11	3	68	55	1	2	36	16
Rosenberg	156	-	-	2	36	5	9	2	6	2	2	10	8	54	38	-	2	28	8
Balance of county	631	-	-	21	156	38	54	14	14	3	5	28	27	245	184	4	8	130	42
Franklin	111	-	-	5	11	4	3	-	2	-	1	1	3	67	53	-	2	47	4
Freestone	223	-	-	-	43	9	15	4	5	3	2	5	4	117	85	-	2	55	28
Frio	97	-	-	3	21	4	6	1	5	1	1	3	3	43	33	-	-	26	7
Galnes	72	-	-	1	20	4	9	1	3	-	1	2	1	34	26	-	2	20	4
Galveston	1,883	-	-	67	453	116	146	39	41	19	19	73	55	772	631	3	8	485	135
Friendswood, part	104	-	-	3	22	4	5	2	3	1	1	6	3	44	33	-	-	24	9
Friendswood, total	135	-	-	5	29	5	7	4	4	1	1	7	3	55	43	-	-	30	13
Galveston	670	-	-	35	159	52	45	11	16	6	5	24	20	261	209	-	6	160	43
La Marque	122	-	-	2	31	6	12	3	3	2	1	4	2	60	50	1	1	34	14
League City	133	-	-	2	32	7	10	3	3	2	3	4	7	51	40	1	1	35	3
Texas City	370	-	-	9	73	18	21	8	8	2	3	13	8	169	142	-	-	110	32
Balance of county	484	-	-	16	136	29	53	12	8	6	6	22	15	187	157	1	-	122	34
Garza	61	-	-	2	19	7	5	1	3	1	-	2	3	23	18	1	-	11	6
Gillespie	253	-	-	8	53	16	10	1	6	3	4	13	3	108	76	-	5	43	28
Glasscock	6	-	-	-	3	1	1	-	-	-	-	-	-	2	2	-	-	-	2
Gollad	62	-	-	-	18	5	3	-	3	2	-	5	4	22	20	-	-	17	3
Gonzales	206	-	-	5	52	12	17	5	9	2	1	6	8	92	70	-	2	42	26
Gray	270	-	-	2	59	12	22	9	5	2	2	7	7	115	90	-	5	67	18
Pampa	230	-	-	2	50	12	18	7	3	2	1	7	5	98	75	-	5	55	15
Balance of county	40	-	-	-	9	-	4	2	2	-	1	-	2	17	15	-	-	12	3
Grayson	1,113	-	-	17	277	71	96	22	27	15	4	42	38	522	421	1	12	313	95
Denison	307	-	-	6	83	20	27	4	9	5	3	15	11	139	100	1	2	65	32
Sherman	379	-	-	6	96	24	36	10	7	5	-	14	9	179	158	-	5	129	24
Balance of county	427	-	-	5	98	27	33	8	11	5	1	13	18	204	163	-	5	119	39
Gregg	1,027	1	-	21	250	48	82	13	39	9	12	53	19	407	304	1	2	234	67
Kilgore, part	114	-	-	3	25	5	13	-	-	-	1	6	2	43	31	-	1	23	7
Kilgore, total	138	-	-	3	33	7	14	-	2	-	1	9	4	50	34	-	1	25	8
Longview, part	687	1	-	15	169	31	54	12	25	7	7	33	14	273	206	-	1	163	42
Longview, total	697	1	-	15	171	31	54	13	25	7	7	34	15	277	209	-	2	165	42
Balance of county	226	-	-	3	56	12	15	1	8	2	4	14	3	91	67	1	-	48	18
Grimes	197	-	-	6	48	10	21	4	4	-	2	7	14	85	65	-	-	46	19
Guadalupe	497	1	-	6	121	32	28	14	15	6	3	23	18	211	165	-	4	107	54
New Braunfels, part	3	-	-	-	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Seguin	215	1	-	2	45	17	12	6	2	1	1	6	8	92	68	-	1	46	21
Balance of county	279	-	-	4	73	15	15	8	13	4	2	16	10	119	97	-	3	61	33
Hale	317	-	-	7	69	22	16	3	6	5	6	11	13	152	103	2	-	71	30
Plainview	209	-	-	4	39	14	8	1	3	2	5	6	10	107	70	1	-	51	18
Balance of county	108	-	-	3	30	8	8	2	3	3	1	5	3	45	33	1	-	20	12
Hall	76	-	-	-	14	1	5	-	3	2	-	3	4	43	40	-	1	34	5
Hamilton	155	-	-	1	26	5	8	2	6	1	-	4	-	88	69	-	2	61	6
Hansford	47	-	-	-	18	7	6	1	1	3	-	-	1	18	11	-	-	6	5
Hardeman	85	-	-	-	18	5	4	2	3	-	1	3	3	38	31	-	-	14	17
Hardin	382	-	-	15	88	17	31	6	9	6	4	15	14	142	123	-	1	83	39
Harris	17,769	32	3	1,205	4,086	948	1,292	351	427	142	145	781	477	6,584	5,072	34	189	3,301	1,548
Baytown, part	471	-	-	15	109	40	25	8	12	4	3	17	18	171	130	-	3	96	31
Baytown, total	478	-	-	16	112	40	26	9	12	4	3	18	18	174	131	-	3	96	32
Bellaire	113	-	-	4	30	4	13	1	5	-	-	7	3	42	31	-	4	21	6
Deer Park	111	-	-	3	32	4	9	4	3	1	2	9	4	44	34	-	-	25	9
Friendswood, part	31	-	-	2	7	1	2	2	2	-	-	1	-	11	10	-	-	6	4
Houston, part	13,298	26	2	1,052	2,979	699	921	261	324	99	99	576	354	4,880	3,706	29	152	2,362	1,163
Houston, total	13,321	26	2	1,055	2,982	699	922	261	324	99	99	578	357	4,887	3,712	29	152	2,366	1,165
La Porte	147	1	-	3	40	9	16	2	7	1	2	3	4	55	51	-	4	27	20
Missouri City, part	20	-	-	3	4	2	1	-	-	-	-	1	-	9	7	1	-	3	3
Pasadena	719	2	-	26	180	28	67	12	21	10	5	37	16	288	232	-	3	168	61
Pearland, part	15	-	-	2	1	-	-	-	-	-	1	1	1	8	5	-	-	4	1
South Houston	95	-	-	2	20	2	8	1	4	1	1	3	4	30	27	-	1	21	5
West University Place	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	2,747	3	1	86	683	158	230	60	50	26	33	126	73	1,045	839	4	22	568	245
Harrison	555	-	-	10	121	24	42	8	11	6	5	25	17	256	192	-	12	151	29
Longview, part	10	-	-	-	2	-	-	1	-	-	1	1	4	3	-	-	1	2	-
Marshall	298	-	-	6	64	13	22	4	6	2	2	15	6	144	105	-	6	85	14
Balance of county	247	-	-	4	55	11	20	3	5	4	3	9	10	108	84	-	5	64	15
Hartley	29	-	-	-	10	1	6	1	1	-	-	1	-	11	11	-	-	5	6
Haskell	95	-	-	-	23	4	9	2	4	-	1	3	2	55	44	-	3	17	24
Hays	372	-	-	6	102														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 698

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 160 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Floyd	1	8	-	-	1	4	-	-	-	-	-	-	1	7	2	3	1	-	-
Foard	1	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Fort Bend	9	50	17	13	30	28	3	10	8	1	10	16	7	85	31	17	26	21	2
Houston, part	-	1	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-
Missouri City, part	-	9	2	-	4	5	1	1	2	-	4	2	-	15	3	2	3	6	2
Missouri City, total	-	9	2	-	4	5	1	1	2	-	4	2	-	15	3	2	3	6	2
Rosenberg	2	7	5	2	8	4	2	3	1	-	1	4	1	14	4	5	3	3	8
Balance of county	7	39	10	11	18	19	-	6	4	1	4	10	5	54	23	9	20	9	-
Franklin	1	10	1	2	3	4	-	1	-	-	-	-	-	11	3	2	-	1	-
Freestone	3	25	2	2	3	8	1	2	1	-	-	-	17	13	3	4	4	3	-
Frio	-	7	1	2	2	1	-	6	-	-	1	-	-	12	3	-	2	-	-
Gaines	-	8	-	-	1	2	1	-	-	-	-	-	-	9	1	2	-	-	-
Galveston	11	99	11	20	33	73	6	26	16	1	12	26	19	179	39	33	25	44	4
Friendswood, part	-	7	3	1	7	4	-	2	-	-	-	-	1	11	2	1	2	1	-
Friendswood, total	-	8	3	1	8	5	1	3	-	-	4	3	1	12	2	1	2	1	-
Galveston	5	40	2	5	11	22	3	6	6	1	3	7	9	77	7	16	5	20	2
La Marque	1	8	1	-	2	6	1	-	-	-	3	1	-	10	1	1	-	2	-
League City	-	7	3	1	-	4	-	4	2	-	1	4	2	13	5	2	2	2	-
Texas City	2	16	1	8	4	22	2	6	6	-	2	2	2	33	10	3	8	11	-
Balance of county	3	21	1	5	9	15	-	8	2	-	3	11	5	35	14	10	8	8	2
Garza	-	5	-	-	3	1	-	-	-	-	-	-	1	2	2	4	1	-	-
Gillespie	1	22	8	1	13	9	-	1	4	-	1	-	-	30	8	10	2	3	-
Glasscock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goliad	-	2	-	-	1	-	-	-	1	-	-	-	1	8	3	1	2	1	-
Gonzales	-	21	-	1	6	5	-	2	1	-	2	1	3	15	6	3	2	3	-
Gray	-	17	2	6	10	24	-	5	-	-	2	1	1	31	3	8	2	-	-
Pampa	-	15	2	6	9	20	-	4	-	-	1	1	1	27	3	7	2	-	-
Balance of county	-	2	-	-	1	4	-	1	-	-	1	-	-	4	-	1	-	-	-
Grayson	7	71	12	11	47	40	-	9	4	-	7	5	7	75	23	17	17	7	1
Denison	4	27	4	4	9	13	-	3	-	-	1	1	3	17	6	8	6	1	-
Sherman	2	17	-	2	19	11	-	5	-	-	4	1	2	29	7	3	5	2	1
Balance of county	1	27	8	5	19	16	-	1	4	-	2	3	2	29	10	6	6	4	-
Gregg	4	81	13	5	36	62	5	12	4	-	8	7	8	114	22	16	21	13	1
Kilgore, part	1	11	-	-	4	8	1	1	1	-	1	1	-	11	3	4	4	1	1
Kilgore, total	1	14	-	1	4	11	1	2	1	-	1	1	-	12	3	4	4	3	1
Longview, part	3	49	11	4	26	36	4	7	1	-	5	5	6	77	18	9	13	8	-
Longview, total	3	50	11	4	26	37	4	7	1	-	5	5	6	79	18	9	13	8	-
Balance of county	-	21	2	1	6	18	-	4	2	-	2	1	2	26	1	3	4	4	-
Grimes	3	11	1	5	5	7	-	2	4	-	-	1	-	15	5	2	2	1	-
Guadalupe	2	28	13	3	15	22	5	5	3	-	3	4	7	42	6	8	14	6	-
New Braunfels, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seguin	2	11	10	1	8	7	2	4	2	-	1	4	3	22	3	4	4	3	-
Balance of county	-	17	3	2	7	15	3	1	1	-	2	-	4	20	3	4	10	3	-
Hale	2	42	2	3	9	9	1	2	-	-	2	1	4	24	15	7	2	-	-
Plainview	1	33	2	1	6	6	1	1	-	-	2	1	3	18	4	5	2	-	-
Balance of county	1	9	-	2	3	3	-	1	-	-	-	-	1	6	11	2	-	-	-
Hall	-	3	-	-	1	7	-	-	-	-	-	-	-	-	-	2	1	-	-
Hamilton	-	14	2	3	6	9	-	1	-	-	-	1	1	16	4	1	1	-	-
Hansford	-	3	-	4	-	1	-	2	-	-	1	-	-	3	1	2	-	-	-
Hardeman	-	7	-	-	5	4	-	1	-	-	-	-	1	9	-	6	-	-	-
Hardin	-	17	1	1	10	25	1	10	4	-	3	2	4	32	16	7	7	2	-
Harris	86	1,156	98	172	427	559	44	297	102	4	155	196	129	1,598	474	438	358	580	21
Baytown, part	3	22	5	11	16	16	4	7	3	-	7	6	4	51	13	10	7	14	-
Baytown, total	3	24	5	11	16	16	4	7	3	-	7	6	4	51	13	10	7	14	-
Bellair	-	11	-	-	4	6	-	1	2	-	1	-	1	12	3	3	1	-	-
Deer Park	-	9	-	1	1	2	-	1	-	-	2	1	8	3	2	5	-	1	-
Friendswood, part	-	1	-	-	1	1	1	1	-	-	4	2	1	-	-	-	-	-	-
Houston, part	73	907	71	123	318	397	29	225	79	3	97	165	93	1,216	322	314	236	498	13
Houston, total	73	908	71	123	318	397	29	225	80	3	98	165	94	1,218	323	315	236	498	13
La Porte	-	4	-	-	3	5	1	1	-	-	-	1	1	14	7	5	5	1	-
Missouri City, part	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-
Pasadena	1	44	4	7	17	22	1	13	3	-	8	4	4	47	27	24	21	16	-
Pearland, part	-	2	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
South Houston	-	3	-	-	1	2	-	2	3	-	-	3	2	10	4	5	-	-	-
West University Place	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Balance of county	9	153	18	26	65	108	8	46	12	1	35	13	23	237	95	74	83	49	7
Harrison	1	49	4	10	11	25	2	8	2	-	1	1	3	53	18	10	12	5	-
Longview, part	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
Marshall	1	30	1	7	3	11	1	4	1	-	-	-	-	35	7	4	4	3	-
Balance of county	-	18	3	3	8	13	1	4	1	-	1	1	3	16	11	6	8	2	-
Hartley	-	-	-	2	1	-	-	-	-	-	-	-	-	4	-	1	-	-	-
Haskell	-	8	1	2	3	1	-	1	-	-	-	-	-	5	-	4	-	1	-
Hays	3	33	1	3	11	18	-	10	1	-	2	1	1	41	6	8	5	2	-
San Marcos	2	19	1	1	4	8	-	4	-	-	2	1	1	25	3	5	2	2	-
Balance of county	1	14	-	2	7	10	-	6	-	-	1	-	-	16	3	3	3	-	-
Hemphill	-	4	-	1	-	2	-	-	-	-	2	1	-	9	2	1	1	-	-
Henderson	-	40	2	6	22	26	2	1	2	-	3	2	2	68	10	8	9	6	2
Athens	-	15	1	2	5	6	1	-	1	-	-	-	-	15	1	1	-	1	1

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 699

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 161 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases :	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and pento- neum (150- 159)	Malign- ant neoplasms of res- piratory and in- tra-tho- racic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Texas—Con.																			
Hidalgo	2,197	2	-	74	463	127	112	39	59	19	17	90	104	804	605	2	17	410	176
Edinburg	207	-	-	6	38	12	10	3	5	-	2	6	9	83	64	-	3	44	17
McAllen	489	1	-	24	101	25	30	8	10	2	3	23	23	172	119	-	2	85	32
Mercedes	98	-	-	1	17	7	2	-	2	-	-	6	5	52	42	1	2	27	12
Mission	237	-	-	7	53	9	20	6	6	2	3	7	7	90	68	1	-	54	13
Pharr	188	-	-	4	41	11	6	5	6	3	2	8	7	70	48	-	1	33	14
Weslaco	237	1	-	6	56	21	10	4	8	4	-	9	14	90	63	-	4	41	18
Balance of county	741	-	-	26	157	42	34	13	22	8	7	31	39	247	201	-	5	126	70
Hill	378	-	-	5	74	19	21	3	11	3	2	15	8	186	148	-	6	113	29
Hockley	180	-	-	4	31	10	7	1	1	2	3	7	11	76	59	1	1	43	14
Levelland	124	-	-	1	18	4	6	-	-	2	2	4	9	55	44	1	-	34	9
Balance of county	56	-	-	3	13	6	1	1	1	-	1	3	2	21	15	-	1	9	5
Hood	310	-	-	7	77	17	30	4	7	4	1	14	11	113	90	-	3	75	12
Hopkins	297	-	-	3	74	17	22	3	12	2	2	16	5	141	117	2	2	70	43
Sulphur Springs	174	-	-	1	59	7	12	3	5	2	2	8	1	92	75	1	1	46	27
Balance of county	232	-	-	2	35	10	10	-	7	-	-	8	4	49	42	1	1	24	16
Houston	356	-	-	10	56	14	19	3	3	3	1	13	2	140	99	-	5	67	27
Howard	378	1	-	5	71	14	23	7	12	4	2	9	7	156	126	1	1	94	30
Big Spring	271	-	-	2	55	9	18	3	12	4	2	7	5	115	91	1	1	70	19
Balance of county	85	-	-	3	16	5	5	4	-	-	-	2	2	41	35	-	-	24	11
Hudspeth	13	-	-	-	7	1	1	-	2	-	-	1	2	3	3	-	-	3	-
Hunt	609	1	-	12	130	27	53	12	10	4	6	18	19	274	212	2	5	97	108
Greenville	242	-	-	7	40	6	14	4	4	1	3	8	11	110	85	1	2	40	42
Balance of county	367	1	-	5	90	21	39	8	6	3	3	10	8	164	127	1	3	57	66
Hutchinson	243	-	-	3	50	13	20	3	3	1	3	7	5	111	86	-	3	64	19
Borger	176	-	-	2	38	8	18	3	2	1	2	4	5	83	62	-	3	47	12
Balance of county	67	-	-	1	12	5	2	-	1	-	1	3	-	28	24	-	-	17	7
Irion	14	-	-	-	3	5	2	-	1	-	-	1	-	3	2	-	-	1	1
Jack	98	-	-	1	25	5	14	2	1	1	-	2	6	44	39	-	4	23	12
Jackson	131	-	-	1	20	3	9	2	1	-	-	5	4	73	58	-	2	43	13
Jasper	370	-	-	4	104	18	50	5	11	2	2	16	13	154	122	-	-	71	51
Jeff Davis	15	-	-	-	2	1	-	-	1	-	-	-	-	6	5	-	-	4	1
Jefferson	2,408	-	-	71	601	153	200	41	66	26	25	90	66	947	715	3	22	469	221
Beaumont	1,163	-	-	43	283	63	97	19	30	12	17	45	25	473	369	3	10	251	105
Groves	163	-	-	3	43	16	13	4	4	2	-	2	10	63	41	-	1	27	13
Nederland	137	-	-	2	34	10	9	3	4	2	1	5	-	54	39	-	2	28	9
Port Arthur	698	-	-	21	174	50	57	8	20	5	4	30	24	254	185	-	5	111	69
Port Neches	105	-	-	-	35	6	14	4	4	-	2	3	5	31	26	-	-	14	12
Balance of county	142	-	-	2	32	6	10	3	4	3	1	5	2	72	55	-	4	38	13
Jim Hogg	42	-	-	-	6	1	2	-	2	-	-	1	-	16	11	1	-	7	3
Jim Wells	280	-	-	2	62	11	22	4	9	6	2	8	12	129	105	-	-	85	20
Alice	187	-	-	2	41	7	13	3	6	6	1	5	7	84	65	-	-	58	7
Balance of county	93	-	-	-	21	4	9	1	3	-	1	3	5	45	40	-	-	27	13
Johnson	754	1	-	13	174	40	56	11	23	7	12	25	25	344	266	2	12	168	84
Burleson, part	124	-	-	2	32	11	6	2	3	2	3	5	6	49	38	-	2	24	12
Burleson, total	161	-	-	2	40	12	8	3	3	3	3	8	6	67	52	-	2	36	14
Cleburne	271	1	-	3	54	11	25	2	6	2	5	3	9	127	99	1	4	64	30
Balance of county	359	-	-	8	88	18	25	7	14	3	4	17	10	168	129	1	6	80	42
Jones	214	1	-	3	46	9	16	7	5	-	3	6	6	107	89	2	2	59	26
Abilene, part	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	211	1	-	3	46	9	16	7	5	-	3	6	6	106	88	2	2	58	26
Karnes	134	-	-	2	23	-	13	2	3	-	-	5	3	59	38	-	-	29	9
Kaufman	509	-	-	14	115	30	46	7	9	3	3	17	11	215	164	-	6	106	52
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Terrell	160	-	-	4	30	8	11	2	3	-	-	6	6	69	48	-	4	29	15
Balance of county	349	-	-	10	85	22	35	5	6	3	3	11	5	146	116	-	2	77	37
Kendall	157	-	-	4	42	9	16	2	3	1	2	9	4	64	47	1	5	25	16
Kenedy	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Kent	13	-	-	-	2	1	-	-	-	-	-	1	-	8	8	-	-	5	3
Kerr	524	-	-	8	130	25	46	13	13	5	4	24	13	208	163	-	6	113	44
Kerrville	341	-	-	3	77	15	31	6	7	1	3	14	9	147	109	-	4	71	34
Balance of county	183	-	-	5	53	10	15	7	6	4	1	10	4	61	54	-	2	42	10
Kimble	60	-	-	-	13	4	4	1	2	1	-	1	-	28	22	1	-	9	12
King	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	1
Kinney	23	-	-	-	8	1	2	1	1	-	1	2	-	8	7	-	-	4	3
Kleberg	191	1	-	-	42	13	15	2	5	1	-	6	7	79	60	-	-	35	25
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kingsville	169	1	-	-	36	12	12	2	5	1	-	4	6	71	53	-	-	31	22
Balance of county	22	-	-	-	6	1	3	-	-	-	-	2	1	8	7	-	-	4	3
Knox	71	-	-	1	13	6	2	1	1	1	-	2	3	37	29	-	3	20	6
Lamar	544	-	-	9	129	31	43	6	12	7	-	30	11	240	181	-	2	136	43
Paris	381	-	-	7	82	20	28	4	8	3	-	19	10	170	125	-	2	96	27
Balance of county	163	-	-	2	47	11	15	2	4	4	-	11	1	70	56	-	-	40	16
Lamb	147	-	-	1	28														

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 700

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 162 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800, E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Hidalgo	22	146	12	19	90	102	2	47	22	—	26	18	16	233	88	50	30	24	2
Edinburg	1	17	—	1	15	11	—	4	2	—	2	2	3	21	4	5	—	2	—
McAllen	7	40	4	2	20	24	1	7	2	—	7	4	2	68	15	7	7	3	1
Mercedes	—	9	—	1	3	3	—	5	2	—	—	—	—	1	6	1	1	—	—
Mission	1	15	1	5	10	15	—	5	5	—	—	—	—	2	24	8	5	3	—
Pharr	4	16	1	1	3	11	—	6	3	—	2	2	—	22	7	2	4	2	—
Weslaco	1	21	3	2	14	11	—	2	2	—	1	4	1	20	8	4	3	2	—
Balance of county	8	28	3	7	25	27	1	18	6	—	13	4	8	72	45	26	12	14	1
Hill	2	32	2	2	10	14	2	2	3	—	—	—	—	42	9	6	6	5	1
Hockley	—	12	—	5	6	10	—	4	2	—	—	—	—	24	5	5	—	—	—
Levelland	—	7	—	4	6	7	—	2	2	—	—	—	—	17	3	3	—	—	—
Balance of county	—	5	—	1	—	3	—	2	—	—	—	—	1	7	2	2	—	—	—
Hood	1	15	3	4	10	22	2	5	2	—	3	1	1	32	13	5	6	—	—
Hopkins	—	21	3	—	6	16	—	2	1	—	—	—	—	30	6	7	3	—	—
Sulphur Springs	—	14	3	—	4	12	—	—	1	—	—	—	—	14	3	3	2	—	—
Balance of county	—	7	—	—	2	4	—	—	—	—	—	—	2	16	3	4	1	—	—
Houston	—	28	10	3	9	13	—	2	—	—	—	—	—	35	12	6	4	3	—
Howard	1	16	12	1	11	24	—	7	1	—	3	3	7	39	5	7	4	5	—
Big Spring	1	14	8	1	8	22	—	—	1	—	3	3	3	29	5	6	2	4	—
Balance of county	—	2	4	—	3	2	—	—	—	—	—	—	—	10	—	1	2	1	—
Hudspeth	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
Hunt	2	49	1	10	12	35	2	7	6	—	—	—	4	53	16	13	15	9	—
Greenville	1	21	—	3	6	16	2	3	4	—	1	—	—	19	6	4	8	4	—
Balance of county	1	28	1	7	6	19	—	4	2	—	—	—	2	34	10	9	7	5	—
Hutchinson	—	21	2	2	9	18	1	4	3	—	—	—	—	29	1	4	3	—	—
Borger	—	17	2	2	5	10	1	3	3	—	—	—	—	21	—	1	2	—	—
Balance of county	—	4	—	—	4	8	—	—	—	—	—	—	—	8	1	3	1	—	—
Irion	—	1	—	—	—	2	—	—	—	—	—	—	—	2	1	—	—	—	—
Jack	—	3	—	2	2	6	1	1	2	—	—	—	—	9	1	—	—	—	—
Jackson	1	12	—	2	7	2	1	1	1	—	—	—	—	10	5	1	1	2	—
Jasper	4	23	3	2	9	11	—	3	3	—	2	1	10	33	13	4	4	2	—
Jeff Davis	—	1	—	—	—	3	—	—	—	—	—	—	—	2	1	1	4	2	—
Jefferson	15	189	10	18	75	90	7	26	33	—	12	21	31	244	43	62	30	46	1
Beaumont	6	86	5	7	48	35	5	9	20	2	8	11	6	106	18	30	16	26	1
Groves	1	18	1	2	6	5	—	1	1	—	—	—	—	13	3	3	1	4	—
Nederland	2	13	—	—	4	11	—	3	2	—	—	—	—	16	4	1	2	1	—
Port Arthur	6	54	3	6	10	32	2	11	8	—	3	9	17	79	15	17	9	13	—
Port Neches	—	4	—	1	4	5	—	—	1	—	—	—	—	15	2	4	—	—	—
Balance of county	—	14	1	2	3	2	—	2	1	—	—	—	—	15	1	7	2	1	—
Jim Hogg	—	4	1	—	3	3	—	—	—	—	—	—	—	7	2	2	2	—	—
Jim Wells	2	18	3	1	9	11	1	6	1	—	2	—	1	27	8	6	2	1	—
Alice	2	14	3	—	4	11	—	5	1	—	1	—	—	20	5	4	2	—	—
Balance of county	—	4	—	1	5	—	1	1	1	—	—	—	—	7	3	2	—	1	—
Johnson	3	58	9	10	28	30	1	4	4	—	8	5	2	67	19	10	18	3	—
Burleson, part	1	10	—	—	5	5	—	—	—	—	—	—	—	10	6	2	4	1	—
Burleson, total	1	14	—	—	5	5	—	—	—	—	—	—	—	14	7	3	4	1	—
Cleburne	1	18	5	4	9	10	1	1	1	—	6	4	—	34	4	2	5	—	—
Balance of county	1	28	4	6	12	15	—	3	3	—	2	—	1	23	9	6	9	2	—
Jones	1	15	—	2	8	15	1	1	2	1	1	—	—	13	1	7	1	—	—
Abilene, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Balance of county	1	15	—	2	8	14	1	1	2	1	1	—	—	13	1	6	1	—	—
Karnes	—	8	11	2	8	14	1	3	1	—	—	—	—	15	8	3	2	—	—
Kaufman	2	43	1	5	28	19	3	5	5	—	4	3	2	49	16	10	5	6	1
Dallas, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Terrell	—	16	1	2	11	5	—	1	2	—	—	—	—	19	2	3	2	3	—
Balance of county	—	27	—	3	15	14	3	4	3	—	2	3	1	30	14	7	3	3	1
Kendall	1	10	2	4	6	6	—	—	1	—	—	—	—	17	4	4	4	—	1
Kenedy	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Kent	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Kerr	3	25	9	8	21	37	1	3	1	—	3	2	1	63	9	12	8	4	—
Kemville	3	21	9	5	13	22	1	2	1	—	2	2	—	48	5	5	4	—	—
Balance of county	—	4	—	3	8	15	—	1	—	—	1	—	—	15	4	7	4	4	—
Kimble	—	5	—	1	4	2	—	—	1	—	—	—	—	8	1	2	1	—	—
King	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kinney	—	1	—	—	—	—	1	—	—	—	—	—	—	3	—	2	1	—	—
Kleberg	5	13	—	1	1	7	—	3	3	—	1	2	2	23	9	4	4	2	1
Corpus Christi, part	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingsville	4	13	—	1	—	7	—	2	3	—	1	2	2	22	7	3	3	2	1
Balance of county	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	—	—
Knox	1	6	1	—	3	4	—	1	1	—	—	—	—	6	—	2	—	—	—
Lamar	2	42	7	8	23	29	4	3	4	—	3	1	7	48	9	12	7	4	1
Paris	2	39	6	4	19	17	3	2	3	—	3	—	6	36	9	9	5	3	—
Balance of county	—	9	1	4	4	12	1	1	1	—	—	—	—	12	3	3	2	1	—
Lamb	—	12	1	—	7	2	1	3	2	—	1	2	1	12	5	4	4	3	—
Lampasas	1	4	—	2	3	13	—	—	—	—	1	1	1	11	8	5	2	—	—
La Salle	—	4	—	1	1	—	—	—	—	—	—	—	—	4	2	2	3	1	—
Lavaca	2	23	5	4	9	12	—	3	5	—	—	—	—	31</					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 701

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 163 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and in- tra- tho- racic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of gen- ital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other mal- ignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Texas—Con.																			
Lipscomb	30	-	-	1	12	2	5	-	-	1	1	3	1	9	8	-	-	5	3
Live Oak	103	-	-	-	27	6	8	2	4	-	2	5	7	44	33	-	1	22	10
Llano	218	-	-	2	58	12	21	1	9	3	2	10	3	94	78	-	-	52	26
Loving	3	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lubbock	1,580	2	-	33	371	94	117	26	42	24	11	57	38	688	529	3	10	320	196
Balance of county	1,369	2	-	29	322	82	104	21	38	20	11	46	34	595	460	2	9	273	176
Lynn	221	-	-	4	49	12	13	5	4	4	-	11	4	93	69	1	1	47	20
McClulloch	79	-	-	-	11	6	1	1	1	-	-	2	-	47	40	-	-	26	14
McLennan	130	-	-	3	25	4	6	2	6	1	2	4	2	62	48	1	2	34	11
Balance of county	1,862	-	-	39	399	90	112	40	40	14	15	88	54	802	655	1	20	483	151
Waco	1,291	-	-	31	263	67	71	25	26	8	10	56	39	573	467	1	14	347	105
Balance of county	571	-	-	8	136	23	41	15	14	6	5	32	15	229	188	-	6	136	46
McMullen	4	-	-	-	1	1	-	-	-	-	-	-	-	2	2	-	-	-	2
Madison	135	-	-	2	37	5	16	1	2	4	2	7	3	58	45	-	1	23	21
Marion	130	-	-	1	34	4	18	-	6	1	-	5	7	56	43	-	7	25	11
Marlin	45	-	-	2	7	-	2	1	1	-	-	3	4	25	24	-	1	22	1
Mason	51	-	-	1	9	3	1	-	1	-	1	3	1	27	19	-	-	8	11
Matagorda	318	1	-	11	64	14	17	4	16	2	3	8	15	121	103	-	6	80	17
Bay City	163	-	-	6	35	9	9	3	8	1	-	5	8	58	51	-	3	42	6
Balance of county	155	1	-	5	29	5	8	1	8	1	3	3	7	65	52	-	3	38	11
Maverick	225	-	-	6	43	11	7	5	5	2	1	12	13	96	87	-	2	49	36
Eagle Pass	189	-	-	6	37	10	5	4	4	2	-	12	9	84	76	-	2	43	31
Balance of county	36	-	-	-	6	1	2	1	1	-	1	-	4	12	11	-	-	6	5
Medina	245	-	-	6	57	12	15	10	7	5	1	7	9	92	71	-	3	48	20
Menard	31	-	-	-	8	1	4	1	-	-	-	2	1	13	8	-	-	4	4
Midland	678	1	-	12	184	42	58	20	14	5	6	39	16	263	213	1	3	171	38
Balance of county	604	1	-	10	161	35	50	18	13	4	6	35	15	238	193	-	3	155	35
Milam	74	-	-	2	23	7	8	2	1	1	-	4	1	25	20	1	-	16	3
Mills	275	-	-	4	72	24	13	2	9	1	2	21	9	120	91	1	5	51	34
Mitchell	60	-	-	2	13	5	4	2	-	1	-	1	1	24	19	-	1	11	7
Montague	114	-	-	-	29	8	9	2	4	1	-	5	6	32	23	-	2	15	6
Montgomery	276	-	-	2	42	9	10	3	7	1	1	11	7	144	103	-	6	76	21
Balance of county	1,301	2	-	35	359	61	125	21	32	13	13	93	32	482	398	6	6	288	98
Conroe	289	-	-	9	67	14	25	3	4	1	4	16	8	110	89	-	2	59	28
Houston, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Balance of county	1,011	2	-	26	291	47	100	18	28	12	9	77	24	371	308	6	4	228	70
Moore	106	-	-	2	33	9	10	4	1	4	2	3	4	28	24	-	-	18	6
Dumas	83	-	-	2	25	7	7	3	1	3	1	3	3	21	18	-	-	14	5
Balance of county	23	-	-	-	8	2	3	1	-	1	1	-	1	7	5	-	-	4	1
Morris	174	-	-	4	37	6	12	3	5	-	2	9	2	85	65	-	2	48	15
Motley	20	-	-	-	5	2	3	-	-	-	-	-	-	9	5	-	-	4	1
Nacogdoches	469	1	-	9	113	30	39	6	10	5	4	19	8	207	164	-	4	114	46
Balance of county	261	-	-	6	55	17	17	2	6	1	2	10	4	115	95	-	4	72	19
Navarro	208	1	-	3	58	13	22	4	4	4	2	9	4	92	69	-	-	42	27
Balance of county	493	-	-	4	101	20	38	4	12	3	3	21	13	213	152	-	4	118	30
Corsicana	301	-	-	3	56	11	22	3	7	2	1	10	7	133	92	-	3	71	18
Balance of county	192	-	-	1	45	9	16	1	5	1	2	11	6	80	60	-	1	47	12
Newton	132	-	-	3	28	5	9	3	2	1	1	7	6	62	53	-	2	41	10
Nolan	186	-	-	2	41	12	8	4	3	1	3	10	5	85	77	-	5	50	22
Sweetwater	141	-	-	2	28	9	6	3	2	-	1	7	4	66	59	-	1	43	15
Balance of county	45	-	-	-	13	3	2	1	1	1	2	3	1	19	18	-	4	7	7
Nueces	2,083	1	-	57	502	135	164	44	50	18	12	79	79	823	642	5	27	408	202
Corpus Christi, part	1,837	1	-	51	443	118	146	35	46	18	10	70	65	730	571	5	25	363	178
Balance of county	1,837	1	-	51	443	118	146	35	46	18	10	70	65	730	571	5	25	363	178
Portland, part	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Robstown	104	-	-	3	22	6	8	3	2	-	1	2	10	36	27	-	2	17	8
Balance of county	141	-	-	3	37	11	10	6	2	-	1	7	3	57	44	-	-	28	16
Ochiltree	82	-	-	1	21	4	10	-	3	2	1	1	4	29	19	-	2	15	2
Olcham	14	-	-	-	6	2	1	-	-	1	1	1	-	3	3	-	-	3	-
Orange	736	-	-	15	208	46	68	14	19	11	7	43	17	321	268	1	6	184	77
Balance of county	250	-	-	9	70	23	16	5	3	3	3	17	6	107	93	-	-	66	27
Vidor	148	-	-	1	39	3	15	3	5	6	2	5	-	70	55	1	3	43	8
Balance of county	338	-	-	5	99	20	37	6	11	2	2	21	11	144	120	-	3	75	42
Palo Pinto	326	-	-	2	83	21	21	13	5	5	2	16	10	141	107	-	1	75	31
Mineral Wells, part	209	-	-	1	46	10	10	7	4	2	1	12	8	98	76	-	-	54	22
Balance of county	117	-	-	1	46	10	10	7	4	2	1	12	8	99	77	-	-	55	22
Panola	244	-	-	2	70	13	14	6	12	1	4	20	8	90	70	-	-	51	19
Parker	479	-	-	9	122	31	40	6	13	5	5	22	14	211	168	-	9	119	40
Mineral Wells, part	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Weatherford	199	-	-	5	41	11	15	3	3	1	1	7	11	101	81	-	5	59	17
Balance of county	279	-	-	4	81	20	25	3	10	4	4	15	3	109	86	-	4	59	23
Parmer	86	-	-	-	24	8	6	3	5	-	1	1	-	35	22	-	-	16	6
Pecos	105	-	-	1	18	3	11	1	1										

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 702

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 164 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-436)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Lipscomb	1	-	-	-	-	1	-	-	-	-	-	-	-	5	-	-	-	1	-
Live Oak	1	7	1	2	2	1	-	-	1	-	-	-	-	12	5	1	3	-	-
Llano	1	12	2	1	16	11	2	2	1	-	1	-	1	13	2	8	4	-	-
Loving	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lubbock	6	122	9	22	41	68	3	14	11	2	16	7	7	177	34	37	22	18	1
Balance of county	1	18	1	5	6	12	-	3	2	2	14	1	7	154	25	33	15	17	-
Lynn	-	3	1	3	-	6	-	-	1	-	2	-	-	23	9	4	7	1	1
McCulloch	2	11	1	-	8	4	-	-	-	-	-	-	1	7	2	2	-	-	-
McLennan	9	103	14	21	60	74	8	22	20	1	8	9	13	10	3	4	5	3	-
Balance of county	6	75	10	15	40	50	4	16	14	-	6	9	13	214	44	36	32	24	3
McMullen	-	-	-	-	20	24	4	6	6	1	2	-	3	67	20	11	13	4	2
Madison	3	9	-	1	10	4	1	1	2	-	1	1	1	10	3	1	-	-	-
Marion	-	12	1	-	2	5	-	-	1	-	-	-	-	10	4	5	1	3	-
Martin	-	1	-	-	1	1	-	-	1	-	-	-	-	2	2	1	-	-	-
Mason	-	7	1	-	2	2	-	-	-	-	-	-	-	7	1	-	-	-	-
Matagorda	4	8	1	5	11	17	-	7	2	-	4	4	4	35	8	4	2	8	-
Bay City	2	3	1	1	9	7	-	3	-	-	3	4	1	18	4	3	-	4	-
Balance of county	2	5	-	4	2	10	-	4	2	-	1	-	3	17	4	1	2	4	-
Maverick	2	7	-	-	8	8	-	8	-	-	1	-	3	27	2	7	2	1	-
Eagle Pass	2	6	-	-	6	5	-	7	-	-	1	-	3	23	1	5	1	1	-
Balance of county	1	1	-	-	2	3	-	1	-	-	-	-	-	4	1	2	1	-	-
Medina	1	18	2	-	15	10	-	3	2	-	1	3	6	22	11	6	2	-	-
Menard	3	1	1	-	3	1	-	-	-	-	1	-	1	1	1	1	-	-	-
Midland	3	37	3	7	19	34	5	15	1	-	5	11	7	60	6	17	15	6	1
Balance of county	1	2	1	1	8	1	3	-	-	-	1	1	-	3	-	2	3	1	-
Milam	3	18	6	2	7	14	1	2	-	-	1	-	5	27	10	1	1	1	-
Mills	-	4	-	1	1	2	1	1	-	-	1	-	2	6	3	1	2	-	-
Mitchell	-	8	-	1	10	9	-	2	1	-	-	-	-	18	2	3	-	2	-
Montague	-	32	9	-	13	16	1	1	2	-	1	2	9	20	7	7	2	-	-
Montgomery	3	54	11	16	31	65	2	16	10	-	16	7	11	122	43	25	29	15	-
Conroe	2	16	2	1	10	11	1	4	1	-	3	2	3	32	8	7	9	4	-
Houston, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	38	9	15	21	54	1	12	9	-	13	5	8	90	35	18	20	11	-
Moore	-	3	-	1	1	6	1	3	1	-	-	-	-	16	5	4	1	1	-
Dumas	-	2	-	-	1	6	1	2	1	-	-	-	-	16	3	1	-	1	-
Balance of county	-	1	-	1	-	-	-	1	-	-	-	-	-	2	3	1	-	-	-
Morris	-	14	2	4	4	10	2	-	-	-	1	1	1	14	5	2	2	4	-
Motley	-	3	-	1	1	1	-	-	-	-	-	-	-	2	1	1	-	1	-
Nacogdoches	2	38	-	3	16	20	1	7	5	-	4	1	10	40	11	8	5	3	-
Balance of county	2	19	-	2	8	9	-	2	1	-	1	-	5	29	4	4	3	3	-
Navarro	6	45	4	6	16	20	-	6	5	-	3	2	8	65	8	19	7	3	-
Corsicana	5	30	3	3	10	12	-	3	3	-	2	2	5	46	3	10	4	2	-
Balance of county	1	15	1	3	6	8	-	3	2	-	1	-	3	19	5	9	3	1	-
Newton	1	7	-	1	3	3	-	3	1	-	-	-	-	8	6	3	2	4	-
Nolan	1	6	1	-	11	6	1	2	2	-	-	-	1	19	3	5	1	2	-
Sweetwater	1	5	1	-	9	4	1	2	2	-	-	-	1	13	2	4	1	2	-
Balance of county	-	1	-	-	2	2	-	-	-	-	-	-	-	6	1	1	-	-	-
Nueces	15	140	12	14	49	82	9	36	13	-	16	15	6	224	46	28	52	32	13
Corpus Christi, part	13	126	9	11	45	78	9	32	8	-	14	14	6	199	32	24	44	31	11
Corpus Christi, total	13	126	9	11	45	78	9	32	8	-	14	14	6	199	32	24	44	31	11
Portland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Robstown	1	5	2	1	1	2	-	2	2	-	1	1	-	16	4	1	3	-	-
Balance of county	1	9	1	2	3	2	-	2	3	-	1	-	9	10	3	5	1	2	-
Ochiltree	1	7	1	1	2	2	-	1	-	-	2	1	-	8	2	5	4	-	-
Oldham	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Orange	2	40	5	6	11	31	2	6	6	-	5	4	4	53	23	13	14	3	-
Balance of county	1	11	1	1	5	9	1	-	1	-	4	-	2	22	5	4	3	2	-
Vidor	-	11	1	3	2	4	-	2	2	-	1	2	1	13	4	2	5	-	-
Balance of county	1	18	3	2	4	18	1	4	3	-	1	2	1	18	14	7	6	1	-
Palo Pinto	3	18	7	6	13	23	3	3	2	-	6	-	2	24	3	6	4	1	-
Mineral Wells, part	3	12	5	2	10	15	2	2	1	-	4	-	2	13	1	3	3	-	-
Mineral Wells, total	3	12	5	2	10	15	2	2	1	-	4	-	2	13	1	3	3	-	-
Balance of county	-	6	2	4	3	8	1	1	1	-	2	-	-	11	2	3	1	1	-
Panola	1	15	-	4	9	15	1	1	3	-	3	-	-	20	9	7	5	1	-
Parker	-	32	5	6	13	22	1	7	4	-	5	3	2	31	15	10	7	2	1
Mineral Wells, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Weatherford	-	15	3	2	3	5	-	2	2	-	1	1	1	18	4	2	2	-	-
Balance of county	-	17	2	4	10	17	1	5	2	-	4	2	1	13	11	8	5	2	1
Parmer	-	11	1	1	1	2	1	-	-	-	1	1	1	14	3	2	2	-	-
Pecos	-	4	1	1	9	11	1	2	1	-	-	-	-	10	2	3	4	1	-
Polk	3	27	1	3	12	27	1	5	1	-	-	5	3	34	14	9	4	3	-
Potter	5	59	24	14	30	77	3	17	6	-	7	15	8	121	28	34	18	12	1
Amarillo, part	5	58	24	14	29	73	3	16	6	-	7	15	8	119	27	31	18	12	1
Amarillo, total	9	91	34	18	35	96	3	21	7	-	9	19	9	151	36	36	29	16	2
Balance of county	-	1	-	-	1	4	-	1	-	-	-	-	-	2	1	3	-	-	-
Presidio	-	2	-	-	3	1	-	-	1	-	-	1	3	7	1	2	2	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 703

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 165 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tions and para- sitic dis- eases †	Malignant neoplasms, including neoplasms of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malign- ant neo- plasm of breast (174- 175)	Malign- ant neo- plasm of genital organs (179- 187)	Malign- ant neo- plasm of urinary organs (188- 189)	Louke- mia (204- 208)	Other malign- ant neo- plasm (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 428)	Rheu- matic fever and rheu- matic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Texas—Con.																			
Rains	73	-	-	1	15	-	3	2	4	1	-	5	-	31	22	-	-	10	12
Randall	523	-	-	19	129	23	32	14	19	10	4	27	6	226	167	2	5	118	42
Amarillo, part	388	-	-	16	95	18	24	11	12	8	3	19	2	171	120	2	1	87	30
Canyon	83	-	-	2	26	-	5	3	7	-	1	5	2	33	27	-	3	17	7
Balance of county	52	-	-	1	3	-	3	-	-	-	-	3	2	22	20	-	1	14	5
Reagan	32	-	-	1	6	1	1	-	-	-	-	1	1	13	10	-	-	8	2
Real	36	-	-	1	10	2	3	2	-	-	1	2	1	16	16	-	-	8	8
Red River	235	-	-	1	43	10	12	1	4	-	4	12	6	132	100	-	-	86	14
Reeves	118	-	-	2	26	9	5	2	3	1	1	5	3	38	33	-	-	27	6
Pecos	103	-	-	2	21	9	4	2	2	-	1	3	3	35	31	-	-	26	5
Balance of county	15	-	-	-	5	-	1	-	-	-	-	2	-	3	2	-	-	1	1
Refugio	91	-	-	1	19	2	9	2	2	-	-	2	3	38	27	-	1	18	8
Roberts	9	-	-	1	-	-	-	-	4	-	-	-	-	7	4	-	-	4	-
Robertson	216	-	-	6	51	17	14	5	4	1	2	8	7	92	67	-	3	49	15
Rockwall	172	-	-	5	42	13	16	3	1	2	-	7	4	69	52	-	1	36	15
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	172	-	-	5	42	13	16	3	1	2	-	7	4	69	52	-	1	36	15
Runnels	171	-	-	1	35	10	14	3	1	1	-	6	6	86	71	-	3	52	16
Rusk	490	-	-	6	118	31	27	8	17	7	6	22	16	193	141	-	5	87	49
Henderson	165	-	-	4	35	7	9	3	5	3	-	8	4	63	52	-	2	30	20
Kilgore, part	24	-	-	2	8	2	1	-	2	-	-	3	2	7	3	-	-	2	1
Balance of county	301	-	-	2	75	22	17	5	10	4	6	11	10	123	86	-	3	55	28
Sabine	131	-	-	1	28	6	10	3	3	-	-	6	2	62	39	-	2	26	11
San Augustine	114	-	-	2	27	6	8	1	2	1	3	6	3	51	39	-	2	24	13
San Jacinto	161	-	-	4	36	7	15	1	2	2	2	7	7	71	57	-	1	34	22
San Patricio	500	1	-	11	121	26	43	11	11	2	6	22	24	188	139	1	5	76	57
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	48	-	-	2	19	5	6	3	-	1	-	4	1	15	10	-	-	8	2
Portland, total	49	-	-	2	19	5	6	3	-	1	-	4	1	15	10	-	-	8	2
Balance of county	452	1	-	9	102	21	37	8	11	1	6	18	24	173	129	1	5	68	55
San Saba	77	-	-	2	13	4	4	-	4	-	-	1	3	42	34	-	-	18	16
Schleicher	15	-	-	-	1	1	1	-	-	-	-	-	1	7	8	-	-	4	2
Scurry	167	-	-	3	47	9	16	3	5	1	4	6	4	55	48	-	4	35	19
Snyder	133	-	-	3	34	5	13	1	4	1	4	3	-	10	10	-	-	8	2
Balance of county	34	-	-	-	13	4	3	2	1	-	-	3	2	23	19	-	7	9	3
Shackelford	55	-	-	1	18	2	8	3	2	-	-	3	2	23	19	-	1	69	34
Shelby	344	1	-	8	72	13	19	9	5	4	4	18	15	146	104	-	-	5	-
Sherman	19	-	-	-	5	1	2	-	2	-	-	-	-	6	5	-	-	-	-
Smith	1,423	-	1	29	346	76	100	27	45	17	16	65	31	600	445	-	16	323	106
Tyler	791	-	-	16	195	46	59	17	28	8	7	30	17	350	247	-	10	178	59
Balance of county	632	-	1	13	151	30	41	10	17	9	9	35	14	270	198	-	6	145	47
Somervell	42	-	-	-	13	-	5	2	3	-	-	3	2	10	8	-	-	3	5
Starr	215	-	-	8	33	10	7	2	5	-	2	7	12	95	72	-	1	41	30
Stephens	129	-	-	2	30	7	9	3	4	-	1	6	4	54	43	-	5	27	10
Sterling	17	-	-	-	3	-	1	-	-	-	-	2	-	14	9	-	-	3	5
Stonewall	29	-	-	-	8	1	5	-	-	-	-	2	1	14	8	-	-	6	2
Sutton	40	-	-	-	10	-	3	-	3	-	2	2	1	14	8	-	-	6	2
Swisher	84	-	-	-	15	5	4	1	4	-	-	1	2	40	29	-	2	23	4
Tarrant	7,921	5	-	253	1,857	395	605	176	187	93	64	337	210	3,226	2,480	11	145	1,725	599
Arlington	1,140	-	-	43	278	62	84	35	27	13	8	49	16	435	344	-	18	243	83
Bedford	167	-	-	7	41	4	11	6	2	4	4	10	3	64	50	-	1	35	14
Benbrook	109	-	-	3	31	7	10	6	-	3	2	3	2	40	28	-	-	12	2
Burleson, part	37	-	-	-	8	1	2	1	-	1	-	3	-	18	14	-	-	34	8
Euless	150	-	-	2	45	13	21	2	3	2	1	3	8	53	44	-	2	14	3
Forest Hill	82	-	-	2	17	3	7	2	-	-	-	5	7	29	21	-	-	11	4
Fort Worth	4,114	5	-	137	926	216	298	75	94	44	30	169	110	1,704	1,284	8	99	856	331
Grand Prairie, part	45	-	-	3	6	2	2	-	1	-	-	1	-	19	15	-	-	11	4
Grapevine, part	121	-	-	6	29	4	10	2	2	1	-	10	5	46	39	1	1	29	8
Grapevine, total	121	-	-	6	29	4	10	2	2	1	-	10	5	46	39	1	1	29	8
Haltom City	246	-	-	9	52	5	18	3	7	4	-	15	7	111	86	1	2	62	21
Hurst	205	-	-	8	48	9	13	6	7	1	3	9	4	80	63	-	-	46	17
North Richland Hills	223	-	-	7	72	10	25	9	8	3	4	13	6	85	66	-	5	47	14
Watauga	49	-	-	1	17	5	6	2	1	1	-	2	2	13	12	-	1	7	4
White Settlement	140	-	-	3	22	2	11	2	2	-	1	4	4	65	54	-	1	38	15
Balance of county	1,083	-	-	22	265	52	87	25	33	16	11	41	36	464	350	1	10	265	74
Taylor	1,030	1	-	33	203	46	61	21	19	9	14	33	33	461	368	5	12	246	105
Ablene, part	894	1	-	26	171	38	50	19	18	7	12	27	32	404	324	5	10	216	93
Ablene, total	897	1	-	26	171	38	50	19	18	7	12	27	32	405	325	5	10	217	93
Balance of county	136	-	-	7	32	8	11	2	1	2	2	6	1	57	44	-	2	30	12
Terrell	15	-	-	-	4	1	-	-	1	-	1	1	-	6	5	-	1	4	-
Terry	111	1	-	1	26	6	9	1	4	1	-	5	3	52	36	-	5	24	7
Brownfield	95	1	-	1	22	5	8	1	4	1	-	3	3	43	28	-	4	19	5
Balance of county	16	-	-	-	4	1	1	-	-	-									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 704

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 166 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401-403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents and adverse effects (E810-E829)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Texas—Con.																			
Rains	-	4	-	5	4	6	-	1	-	-	-	-	1	11	2	-	-	1	-
Randall	4	38	12	5	11	31	1	5	1	-	2	5	2	45	14	6	15	4	-
Amarillo, part	4	33	10	4	6	23	-	5	1	-	2	4	1	32	9	5	11	4	1
Canyon	-	4	2	-	1	4	1	-	-	-	-	1	1	8	1	1	2	-	-
Balance of county	-	1	-	1	4	4	-	-	-	-	-	-	-	5	4	2	2	-	-
Reagan	-	2	1	-	3	2	-	-	1	-	-	-	-	1	3	2	1	1	-
Real	-	-	-	-	-	1	-	-	-	-	-	-	-	5	1	1	1	2	-
Red River	-	29	1	2	8	12	1	3	2	-	1	3	1	18	11	3	2	5	-
Reeves	-	5	-	-	6	7	-	3	-	-	-	1	1	14	5	2	2	5	-
Pecos	-	4	-	-	4	4	-	3	-	-	1	3	1	13	4	2	2	5	-
Balance of county	-	1	-	-	2	3	-	-	-	-	-	-	-	1	1	-	-	-	-
Refugio	1	8	2	-	3	4	-	4	-	-	-	-	2	9	3	4	1	-	-
Roberts	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Robertson	3	13	8	1	6	9	-	2	2	-	-	3	5	20	5	4	2	-	-
Rockwall	1	13	2	1	9	8	-	3	1	-	1	5	2	12	3	3	3	2	-
Dallas, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Garland, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	1	13	2	1	9	8	-	3	1	-	1	5	2	12	3	3	3	2	-
Runnels	1	14	-	-	6	8	-	1	1	-	-	1	1	14	6	4	3	1	-
Rusk	4	41	2	5	16	30	-	5	6	-	1	1	3	56	13	11	7	8	1
Henderson	1	9	1	1	6	3	-	2	2	-	-	-	1	29	3	8	1	1	-
Kilgore, part	-	3	-	1	3	3	-	1	-	-	-	-	-	1	-	-	-	2	-
Balance of county	3	29	1	4	10	21	-	2	4	-	1	-	2	26	10	3	6	5	1
Sabine	1	19	2	1	5	2	-	2	-	-	1	-	-	12	13	2	1	1	-
San Augustine	1	10	1	1	4	4	-	1	1	-	-	-	-	11	3	1	1	2	-
San Jacinto	1	8	2	3	2	4	1	1	4	-	2	1	3	59	3	4	2	1	-
San Patricio	1	37	9	2	12	22	1	13	4	-	1	1	6	15	13	14	6	1	-
Corpus Christi, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, part	-	3	-	2	-	1	-	-	-	-	-	-	-	6	2	2	1	-	-
Portland, total	-	3	-	2	-	1	-	-	-	-	-	-	-	6	2	2	1	-	-
Balance of county	1	34	9	-	12	21	1	13	4	-	1	1	6	53	11	12	5	2	1
San Saba	1	7	-	-	4	2	1	-	-	-	-	-	1	5	1	1	1	1	-
Schleicher	-	-	1	-	1	1	-	-	-	-	-	-	1	2	1	-	-	-	-
Scurry	1	4	-	2	2	10	-	3	2	-	2	2	2	19	1	1	2	2	-
Snyder	1	4	-	2	2	8	-	2	2	-	2	2	2	14	1	2	2	2	-
Balance of county	-	-	-	-	-	2	-	1	-	-	-	-	-	5	1	1	-	-	-
Shackelford	-	3	1	-	2	3	-	1	-	-	1	-	1	1	-	-	-	-	1
Shelby	-	33	4	5	8	19	1	2	7	-	-	1	6	26	10	8	5	9	-
Sherman	-	1	-	-	-	1	-	-	1	-	-	-	-	2	-	1	3	-	-
Smith	8	112	20	15	45	70	3	13	5	-	7	15	9	140	29	48	16	16	-
Tyler	5	58	13	7	25	43	1	7	2	-	4	12	5	86	12	24	6	8	-
Balance of county	3	54	7	8	20	27	2	6	3	-	3	3	4	54	17	24	10	10	-
Somervell	-	2	-	-	-	1	-	1	2	-	-	-	1	7	-	2	3	-	-
Starr	-	13	6	4	10	6	-	3	-	-	2	1	4	16	8	5	3	9	-
Stephens	-	8	2	1	3	8	-	1	-	-	1	1	-	14	3	5	3	-	-
Sterling	-	-	-	1	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-
Stonewall	-	5	-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-
Sutton	-	3	1	2	2	1	-	1	-	-	1	-	-	7	2	1	-	-	-
Swisher	-	8	3	-	4	1	-	1	-	-	1	-	-	14	1	2	3	-	-
Tarrant	41	571	68	66	210	379	16	113	36	1	68	72	34	741	159	166	176	191	8
Arlington	7	61	13	10	20	59	1	16	4	-	12	18	7	103	40	26	44	17	1
Bedford	-	13	-	1	3	12	1	3	1	-	1	2	-	17	5	4	2	1	-
Benbrook	1	11	-	-	2	5	1	-	1	-	1	-	-	15	-	1	5	1	1
Burleson, part	-	4	-	-	3	1	-	-	-	-	-	1	-	4	1	1	-	-	-
Eules	-	8	1	-	2	4	-	-	1	-	3	2	1	14	11	1	3	-	-
Forest Hill	2	2	1	3	1	6	-	2	-	-	3	1	-	7	-	1	1	5	-
Fort Worth	20	328	30	32	119	185	8	70	17	1	28	36	16	376	66	96	70	140	4
Grand Prairie, part	-	3	-	1	2	1	-	-	-	-	1	-	-	6	2	1	3	1	-
Grapevine, part	-	5	-	2	3	8	-	3	1	-	2	-	1	8	3	4	1	1	-
Grapevine, total	-	5	-	2	3	8	-	3	1	-	2	-	1	8	3	4	1	1	-
Haltom City	1	16	6	2	7	13	-	3	4	-	1	2	2	18	4	3	6	4	-
Hurst	-	13	3	1	7	14	-	2	-	-	-	1	-	23	4	6	7	1	-
North Richland Hills	-	15	-	4	4	13	1	2	-	-	1	-	1	18	2	3	3	4	1
Watauga	-	1	-	-	1	1	-	1	-	-	-	2	1	6	1	3	3	-	-
White Settlement	2	7	2	-	6	8	1	1	2	-	-	-	-	17	3	1	4	3	-
Balance of county	8	84	12	10	30	49	3	10	5	-	15	7	5	109	17	18	24	13	1
Taylor	2	75	5	11	35	51	3	13	7	1	6	4	7	117	8	28	12	7	-
Abilene, part	1	66	4	9	28	44	2	12	5	1	5	4	7	105	6	26	10	5	-
Abilene, total	1	66	4	9	28	44	2	12	5	1	5	4	7	105	6	26	10	5	-
Balance of county	1	9	1	2	7	7	1	1	2	-	1	-	-	12	2	2	2	2	-
Terrell	-	1	-	-	-	1	-	1	-	-	-	-	-	2	1	-	-	-	-
Terry	2	12	-	2	-	6	-	1	-	-	1	-	-	14	1	3	-	2	-
Brownfield	2	11	-	2	-	5	-	-	-	-	1	-	-	13	1	3	-	2	-
Balance of county	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
Throckmorton	-	2	-	-	1	-	-	-	2	-	-	-	1	2	1	-	-	-	-
Titus	-	24	5	1	3	10	1	3	2	-	3	2	2	22	10	2	6	1	-
Mount Pleasant	-	14	3	1	2	7	1	3	2	-	1	1	2	19	4	1	3	1	-
Balance of county	-	10	2	-	1	3	-	-	-	-	2	1	-	3	6	1	3	-	-
Tom Green	5	87	6	14	34	44	2	13	5	-	11	3	10	84	22	21	6	4	-
San Angelo	4	83	6																

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 705

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 167 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hemo- toeitic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of res- piratory and in- tra- thoracic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other mal- ignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Texas—Con.																			
Travis	3,217	1	-	218	761	176	223	64	92	29	33	144	87	1,101	827	6	48	476	297
Austin, part	2,746	1	-	200	638	146	191	54	79	22	30	116	77	948	598	4	43	409	242
Austin, total	2,754	1	-	200	638	146	191	54	79	22	30	116	77	952	700	4	43	411	242
Round Rock, part	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	467	-	-	18	123	30	32	10	13	7	3	28	10	152	129	2	5	67	55
Trinity	160	-	-	2	41	13	13	2	2	2	1	8	8	64	55	1	1	26	28
Tyler	255	-	-	3	57	9	21	6	4	3	2	12	6	125	107	1	1	84	21
Upshur	328	-	-	7	84	18	24	7	5	3	1	26	5	137	97	-	4	65	28
Upton	32	-	-	-	11	2	3	-	1	-	-	5	1	12	9	-	-	7	2
Uvalde	221	1	-	3	52	13	11	6	9	3	1	9	16	88	68	1	-	39	28
Uvalde	141	1	-	3	25	5	4	5	5	2	1	3	13	54	39	1	-	23	15
Balance of county	80	-	-	-	27	8	7	1	4	1	-	6	3	34	29	-	-	16	13
Val Verde	261	1	-	6	68	22	23	2	6	-	3	12	23	89	65	-	2	45	18
Del Rio	235	1	-	6	60	19	20	2	6	-	3	10	22	83	59	-	1	43	15
Balance of county	26	-	-	-	8	3	3	-	-	-	-	2	1	6	6	-	1	2	3
Van Zandt	442	-	-	3	113	29	33	10	14	4	5	18	10	188	145	3	3	89	50
Victoria	579	-	-	14	138	33	50	11	18	8	4	14	17	257	191	1	9	147	34
Victoria	461	-	-	10	106	26	40	8	13	5	4	10	15	212	156	1	8	121	26
Balance of county	118	-	-	4	32	7	10	3	5	3	-	4	2	45	35	-	1	26	8
Walker	325	-	-	8	81	15	27	6	9	4	3	17	10	132	101	-	5	70	26
Huntsville	157	-	-	4	33	8	8	3	3	-	1	10	6	65	50	-	4	38	8
Balance of county	168	-	-	4	48	7	19	3	6	4	2	7	4	67	51	-	1	32	18
Waller	194	-	-	4	57	14	19	2	9	3	2	8	9	74	67	-	3	44	20
Ward	97	-	-	2	27	6	8	3	4	-	3	3	4	29	24	-	2	17	5
Washington	311	-	-	3	80	22	22	8	7	1	2	18	10	115	88	-	2	60	26
Brenham	167	-	-	2	40	10	8	5	5	1	1	10	7	61	50	-	1	36	13
Balance of county	144	-	-	1	40	12	14	3	2	-	1	8	3	54	38	-	1	24	13
Webb	759	1	-	34	148	45	35	16	14	7	4	27	57	276	214	1	7	151	55
Laredo	731	1	-	34	144	44	34	16	13	7	4	26	55	263	204	1	7	143	53
Balance of county	28	-	-	-	4	1	1	-	1	-	-	1	2	13	10	-	-	8	2
Wharton	398	-	-	11	91	22	24	6	11	2	6	20	14	180	132	-	5	91	36
El Campo	114	-	-	1	25	7	4	2	4	-	4	4	3	61	46	-	-	29	17
Balance of county	284	-	-	10	66	15	20	4	7	2	2	16	11	119	86	-	5	62	19
Wheeler	85	-	-	-	16	4	4	2	2	1	-	3	1	44	38	1	2	27	8
Wichita	1,183	2	-	23	274	76	86	20	29	12	10	41	23	533	402	3	7	282	110
Burkburnett	106	-	-	1	23	5	7	3	2	1	-	5	4	43	32	1	-	26	5
Wichita Falls, part	918	1	-	19	216	64	66	16	22	9	10	29	14	418	316	1	4	218	93
Wichita Falls, total	918	1	-	19	216	64	66	16	22	9	10	29	14	418	316	1	4	218	93
Balance of county	159	1	-	3	35	7	13	1	5	2	-	7	5	72	54	1	3	38	12
Wilbarger	190	-	-	-	45	15	9	5	3	3	1	9	5	98	82	1	-	65	16
Vernon	160	-	-	-	36	12	7	3	3	3	1	7	4	82	70	1	-	55	14
Balance of county	30	-	-	-	9	3	2	2	-	-	-	2	1	16	12	-	-	10	2
Willacy	130	2	-	2	28	6	7	1	7	1	1	5	12	53	43	-	-	27	16
Williamson	788	-	-	19	187	46	45	21	19	9	7	40	16	342	258	-	9	169	80
Austin, part	8	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	2	-
Round Rock, part	156	-	-	7	40	7	10	4	5	1	-	13	1	65	50	-	1	30	19
Round Rock, total	160	-	-	7	40	7	10	4	5	1	-	13	1	65	50	-	1	30	19
Taylor	141	-	-	2	29	7	5	4	3	-	2	8	4	65	46	-	3	33	10
Balance of county	483	-	-	10	118	32	30	13	11	8	5	19	11	208	160	-	5	104	51
Wilson	209	-	-	5	42	12	12	2	5	1	4	6	6	101	82	-	1	54	27
Winkler	82	-	-	-	17	2	8	4	-	1	1	1	3	37	29	-	1	22	6
Wise	296	-	-	5	70	19	18	3	10	2	5	13	3	139	111	-	2	80	29
Wood	420	1	-	6	109	19	39	10	9	3	5	24	14	185	148	3	6	116	23
Yoakum	45	-	-	1	8	3	2	-	2	-	-	1	4	13	13	-	1	11	1
Young	239	-	-	6	56	9	16	4	7	4	6	10	10	106	79	-	3	56	20
Zapata	68	-	-	1	8	-	5	-	1	-	-	2	4	35	32	-	-	19	13
Zavala	81	-	-	3	18	7	4	1	1	4	-	1	2	34	28	-	1	17	10
Utah	9,772	3	-	192	1,961	478	336	161	310	81	91	484	359	3,668	2,750	58	102	1,587	1,003
Urban places	5,051	2	-	113	975	233	171	105	151	41	42	232	176	1,947	1,440	23	59	833	525
Balance of area	4,721	1	-	79	986	245	165	76	159	40	49	252	183	1,721	1,310	35	43	754	478
Metropolitan counties	7,162	3	-	149	1,430	338	245	141	220	60	69	357	262	2,677	1,999	48	87	1,125	739
Urban places	4,339	2	-	102	829	194	142	94	135	33	35	195	148	1,673	1,252	21	54	706	471
Balance of area	2,823	1	-	47	601	144	103	47	85	27	33	162	114	1,004	747	27	33	419	268
Nonmetropolitan counties	2,610	-	-	43	531	140	91	40	80	21	22	127	97	991	751	10	15	462	264
Urban places	712	-	-	11	146	39	29	11	16	8	6	37	28	274	188	2	5	127	54
Balance of area	1,898	-	-	32	385	101	62	29	74	13	16	90	69	717	563	8	10	335	210
Beaver	53	-	-	1	15	3	5	1	1	-	-	5	3	20	16	-	-	10	6
Box Elder	223	-	-	3	42	13	7	4	7	3	1	7	9	86	63	-	1	42	20
Brigham City	108	-	-	2	19	4	3	2	3	2	1	4	4	40	29	-	1	22	6
Balance of county	115	-	-	1	23	9	4	2	4	1	-	3	5	45	34	-	-	20	14
Cache	347	-	-	2	66	18	6	8	10	3	1	20	12	135	105	-	5	65	35
Logan	185																		

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 706

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 168 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401-403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrologic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E829)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Texas—Con.																			
Travis	15	216	22	21	87	136	16	54	12	-	36	21	30	341	109	80	79	45	3
Austin, part	14	197	20	19	77	112	14	43	9	-	32	18	26	292	86	67	63	40	3
Austin, total	14	199	20	19	79	112	14	43	9	-	32	18	26	292	86	67	64	41	3
Round Rock, part	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Balance of county	1	18	2	2	10	24	2	11	3	-	4	3	4	49	21	15	16	5	-
Trinity	1	6	1	1	5	6	-	3	3	-	-	-	6	12	3	4	4	2	-
Tyler	1	11	3	3	5	13	1	1	-	-	1	2	2	23	8	4	4	2	-
Upshur	3	31	1	5	10	10	-	3	1	-	1	4	5	41	11	3	3	2	1
Upton	-	2	-	-	-	2	-	-	-	-	-	-	-	3	1	1	1	1	-
Uvalde	1	16	1	2	7	6	-	4	1	-	-	1	4	17	8	7	3	3	-
Uvalde	1	12	1	1	5	4	-	3	1	-	-	1	3	13	6	6	1	2	-
Balance of county	-	4	-	1	2	2	-	1	-	-	-	-	-	4	2	1	2	1	-
Val Verde	2	19	1	2	5	9	1	3	2	-	-	3	5	26	8	8	3	-	1
Del Rio	2	19	1	2	4	7	1	3	2	-	-	3	5	23	7	6	2	-	-
Balance of county	-	-	-	-	1	2	-	-	-	-	-	-	-	3	1	2	1	-	-
Van Zandt	-	33	2	8	21	14	4	-	4	-	2	2	8	50	11	8	4	-	-
Victoria	2	49	7	8	11	14	1	7	3	-	1	3	3	66	16	12	11	5	-
Victoria	1	40	7	8	8	10	1	7	3	-	-	3	3	57	6	9	7	4	-
Balance of county	1	9	-	-	3	4	-	-	-	-	1	-	-	9	10	3	4	1	-
Walker	2	19	3	7	5	14	1	4	2	-	2	3	12	26	14	7	4	-	-
Huntsville	1	7	3	4	4	6	-	1	-	-	1	1	8	17	6	2	2	-	-
Balance of county	1	12	-	3	1	8	1	3	2	-	1	2	4	9	8	5	2	-	-
Waller	-	7	-	-	4	6	-	2	-	-	2	2	4	14	4	7	2	3	-
Ward	-	4	-	1	3	8	1	-	-	-	2	2	4	14	4	3	2	1	-
Washington	-	23	2	2	19	8	-	2	1	-	2	3	1	12	-	3	2	1	-
Brenham	-	10	1	-	12	7	-	2	-	-	3	-	18	32	7	5	6	1	-
Balance of county	-	13	1	2	7	1	-	1	-	-	2	-	10	18	1	2	3	-	-
Webb	5	39	5	13	21	17	1	21	-	-	14	13	16	71	22	21	8	18	-
Laredo	5	37	5	12	20	17	1	21	-	-	14	12	16	68	22	18	8	17	-
Balance of county	-	2	-	1	1	-	-	-	-	-	1	1	-	3	-	3	-	1	-
Wharton	5	27	11	5	7	12	-	3	1	-	2	1	6	38	11	13	5	3	-
El Campo	-	8	5	2	1	7	-	1	-	-	1	1	1	6	3	2	-	1	-
Balance of county	5	19	6	3	6	5	-	2	-	-	1	1	5	32	8	11	5	2	-
Wheeler	-	6	-	-	3	6	-	-	-	-	-	-	-	7	3	2	2	-	1
Wichita	10	96	12	13	32	68	5	17	4	-	9	2	10	114	15	13	26	13	-
Burkburnett	1	6	1	3	8	11	1	-	-	-	-	-	-	9	-	1	2	-	-
Wichita Falls, part	7	76	10	9	19	46	3	14	4	-	5	2	6	96	12	9	22	12	-
Wichita Falls, total	7	76	10	9	19	46	3	14	4	-	5	2	6	96	12	9	22	12	-
Balance of county	2	14	1	1	5	11	1	3	4	-	2	-	3	9	3	3	2	1	-
Wilbarger	1	13	1	1	3	6	1	1	-	-	-	1	-	22	2	2	3	1	-
Vernon	1	9	1	1	3	6	1	1	-	-	-	1	-	18	2	2	3	1	-
Balance of county	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-
Willacy	1	8	-	1	5	3	1	4	2	-	1	1	-	7	5	2	2	-	-
Williamson	3	64	7	10	22	34	1	10	6	-	5	2	4	68	33	16	16	7	-
Austin, part	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Round Rock, part	1	9	3	2	2	6	-	2	2	-	-	-	-	19	5	4	3	-	-
Round Rock, total	1	10	3	2	2	6	-	2	2	-	-	-	-	19	7	5	3	-	-
Taylor	1	16	-	2	4	8	-	2	1	-	-	-	1	11	7	1	1	4	-
Balance of county	1	37	4	6	14	20	1	6	3	-	4	2	3	38	21	11	11	2	-
Wilson	-	13	5	1	10	6	1	4	1	-	1	1	-	13	8	3	3	4	-
Winkler	-	5	-	3	2	5	-	3	1	-	1	-	-	9	2	1	2	-	-
Wise	1	20	5	2	5	7	1	1	4	-	1	1	1	35	10	2	10	1	-
Wood	2	27	4	4	16	20	3	5	3	-	2	-	3	29	11	7	4	1	1
Yoakum	-	-	-	-	1	2	-	-	-	-	-	-	-	6	6	3	2	1	-
Young	2	18	5	2	9	14	1	2	-	-	1	-	-	25	1	3	5	-	-
Zapata	-	2	1	-	1	1	1	1	-	-	-	3	1	4	5	1	2	-	-
Zavala	1	2	-	3	4	4	-	2	1	-	-	-	-	4	3	2	1	3	-
Utah	37	701	71	109	407	420	39	99	127	5	89	63	164	1,271	271	284	256	51	43
Urban places	24	390	32	61	210	215	26	48	72	2	49	27	81	673	125	138	120	27	25
Balance of area	13	311	39	48	197	205	13	51	55	3	40	36	83	598	146	146	136	24	18
Metropolitan counties	34	515	50	79	296	314	33	65	97	3	76	53	115	925	186	203	196	42	37
Urban places	23	326	25	47	178	186	23	41	67	1	46	25	66	567	111	121	103	25	25
Balance of area	11	189	25	32	118	128	10	24	30	2	30	28	49	358	75	82	83	17	12
Nonmetropolitan counties	3	185	21	30	111	106	6	34	30	2	13	10	49	346	85	81	60	9	6
Urban places	1	64	7	14	32	29	3	7	5	1	3	2	15	106	14	17	17	2	-
Balance of area	2	122	14	16	79	77	3	27	25	1	10	8	34	240	71	64	43	7	6
Beaver	-	4	-	-	2	3	-	1	-	-	-	-	-	4	2	-	2	-	-
Box Elder	1	17	1	4	12	8	1	2	4	-	3	2	2	29	6	7	7	-	-
Brigham City	1	7	1	2	5	2	1	-	3	-	3	1	2	16	3	4	3	-	-
Balance of county	-	10	-	2	7	6	-	2	1	-	-	-	-	13	3	4	4	-	-
Cache	-	24	3	3	23	11	2	4	4	-	2	1	7	51	10	7	8	2	-
Logan	-	13	2	3	18	8	1	2	4	-	-	-	4	35	5	1	3	1	-
Balance of county	-	11	1	-	5	3	1	2	4	-	2	1	3	16	5	6	5	1	-
Carbon	-	13	3	2	6	5	-	2	2	-	1	-	3	26	9	7	4	-	1
Daggett	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Davis	2	49	7	7	28	21	6	7	11	-	9	7	9	98	20	22	25	4	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 707

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 169 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1997 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infectious and para- sitic dis- eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hemo- toe- poietic tissues (140-208)	Malignant neoplasms of dig- estive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malignant neo- plasm of breast (174- 175)	Malignant neo- plasm of genital organs (178- 187)	Malignant neo- plasm of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neo- plasm (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheum- atic fever and rheum- atic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Utah—Con.																				
Duchesne	90	-	-	3	15	2	3	1	7	-	1	1	5	34	27	1	1	15	10	
Emery	62	-	-	2	15	3	2	-	3	-	1	6	3	22	16	-	1	7	8	
Garfield	36	-	-	2	10	-	2	2	3	2	-	1	4	13	12	-	-	9	3	
Grand	79	-	-	-	24	4	7	5	5	-	-	3	4	17	15	1	-	11	3	
Iron	117	-	-	2	29	12	4	-	3	2	1	7	1	51	38	2	1	16	19	
Cedar City	61	-	-	2	18	5	2	-	2	2	1	6	1	24	13	1	-	4	8	
Balance of county	56	-	-	-	11	7	2	-	1	-	-	1	-	27	25	1	1	12	11	
Juab	56	-	-	1	4	2	1	1	-	-	-	-	1	21	16	-	1	10	5	
Kane	50	-	-	1	7	1	1	-	1	-	1	3	-	26	19	-	-	14	5	
Millard	60	-	-	2	16	3	1	-	5	1	2	4	2	22	16	-	-	10	6	
Morgan	25	-	-	-	7	2	1	2	2	-	-	-	2	10	8	-	-	5	3	
Plute	11	-	-	-	4	2	-	-	2	-	-	-	-	5	2	-	-	1	1	
Rich	12	-	-	-	2	1	-	-	-	1	-	-	-	6	5	-	-	2	3	
Salt Lake	4,097	3	-	86	851	210	143	82	127	39	39	211	147	1,468	1,090	31	60	604	395	
Midvale	92	-	-	2	19	6	4	1	3	-	-	5	7	28	26	-	-	15	11	
Murray	180	-	-	5	33	5	3	4	6	3	2	10	8	74	59	-	2	35	22	
Salt Lake City	1,453	1	-	38	283	73	47	32	48	15	9	59	44	540	389	4	27	219	139	
Sandy City	256	1	-	5	59	15	10	7	11	2	4	10	7	89	60	2	3	28	27	
South Salt Lake	105	-	-	2	19	5	4	2	1	1	1	5	5	45	37	1	2	21	13	
West Jordan	123	-	-	3	26	7	6	2	1	-	3	7	3	35	27	2	1	14	10	
Balance of county	1,888	1	-	31	412	99	69	34	57	18	20	115	73	657	492	22	25	272	173	
San Juan	58	-	-	-	9	2	-	1	3	1	-	2	2	22	18	1	-	7	10	
Sanpete	137	-	-	4	26	9	5	2	6	-	1	3	7	54	45	-	-	32	13	
Sevier	126	-	-	3	22	8	2	3	1	-	-	8	7	42	33	1	-	16	16	
Summit	79	-	-	-	19	3	3	1	2	1	1	8	-	31	24	-	-	14	10	
Tooele	167	-	-	6	34	13	6	2	4	-	1	8	7	62	53	2	2	35	14	
Wasatch	110	-	-	4	23	8	6	2	2	-	1	4	6	40	37	1	1	26	9	
Balance of county	57	-	-	2	11	5	-	-	2	-	-	4	1	22	16	1	1	9	5	
Uintah	128	-	-	-	23	3	4	1	5	2	1	7	6	44	37	1	-	21	15	
Utah	1,164	-	-	28	215	33	40	25	45	2	15	55	33	463	341	7	11	187	136	
American Fork	79	-	-	1	16	4	1	2	6	-	-	3	1	39	26	-	-	18	8	
Orem	279	-	-	11	55	7	9	9	11	1	2	16	7	113	88	1	4	51	32	
Pleasant Grove	72	-	-	3	11	3	3	1	2	-	1	1	2	24	15	-	1	8	6	
Provo	331	-	-	4	48	5	9	8	11	1	2	12	8	141	108	-	4	53	51	
Springville	89	-	-	1	25	5	5	1	3	-	3	8	1	31	19	3	-	7	9	
Balance of county	314	-	-	8	60	9	13	4	12	-	7	15	14	115	85	3	2	50	30	
Wasatch	75	-	-	2	13	5	1	1	1	-	-	5	-	31	24	-	-	17	7	
Washington	408	-	-	3	91	18	24	5	14	5	3	22	14	148	91	-	3	58	30	
St. George	248	-	-	1	54	9	16	3	7	3	3	13	10	104	61	-	1	42	18	
Balance of county	160	-	-	2	37	9	8	2	7	2	-	9	4	44	30	-	2	16	12	
Wayne	17	-	-	2	1	-	-	-	1	-	-	-	1	8	5	-	-	4	1	
Weber	1,139	-	-	27	207	57	36	15	29	11	10	49	48	452	339	2	9	206	122	
Ogden	612	-	-	17	98	28	17	6	15	4	4	24	25	261	197	-	2	126	69	
Roy	135	-	-	1	24	4	3	4	1	2	1	9	8	41	31	1	1	14	15	
South Ogden	83	-	-	3	20	6	5	2	3	1	-	3	1	27	17	-	2	11	4	
Balance of county	309	-	-	6	65	19	11	3	10	4	5	13	14	123	94	1	4	55	34	
Vermont	4,796	-	1	65	1,166	259	354	98	140	50	44	221	125	1,990	1,585	16	61	971	537	
Urban places	673	-	-	10	134	31	32	13	15	4	4	35	23	306	247	3	13	138	93	
Balance of area	4,123	-	1	55	1,032	228	322	85	125	46	40	186	102	1,684	1,338	13	48	833	444	
Metropolitan counties	882	-	1	19	228	52	67	19	24	12	10	44	24	354	293	5	17	159	112	
Urban places	429	-	-	9	91	15	23	10	10	4	3	26	17	183	149	3	7	82	57	
Balance of area	453	-	1	10	137	37	44	9	14	8	7	18	7	171	144	2	10	77	55	
Nonmetropolitan counties	3,914	-	-	46	938	207	287	79	116	38	34	177	101	1,636	1,292	11	44	812	425	
Urban places	244	-	-	1	43	16	9	3	5	-	1	9	6	123	98	-	6	56	36	
Balance of area	3,670	-	-	45	895	191	278	76	111	38	33	168	95	1,513	1,194	11	38	756	389	
Addison	247	-	-	6	55	11	18	3	8	2	3	10	5	91	73	-	2	49	22	
Bennington	386	-	-	1	93	21	26	6	13	6	2	19	6	168	129	2	5	75	47	
Caledonia	258	-	-	3	67	11	24	5	7	3	2	15	7	96	72	-	4	41	27	
Chittenden	830	-	1	17	213	46	64	18	23	12	9	41	24	330	272	4	17	148	103	
Burlington	348	-	-	8	76	13	20	9	8	2	3	21	14	145	118	2	6	63	47	
South Burlington	81	-	-	1	15	2	3	1	2	2	-	5	3	38	31	1	1	19	10	
Balance of county	401	-	1	8	122	31	41	8	13	8	6	15	7	147	123	1	10	66	46	
Essex	62	-	-	-	21	4	9	2	3	1	-	2	1	21	14	-	-	9	5	
Franklin	330	-	-	7	84	15	29	11	5	4	5	15	4	151	128	-	5	61	62	
Grand Isle	52	-	-	2	15	6	3	1	1	-	1	3	-	24	21	1	-	11	9	
Lamoille	139	-	-	4	25	6	10	1	3	1	1	3	6	61	52	-	3	35	14	
Orange	204	-	-	1	47	8	13	4	10	2	2	8	10	91	71	2	1	52	16	
Orleans	259	-	-	2	52	16	16	2	3	3	2	10	6	112	89	-	1	76	12	
Rutland	600	-	-	4	134	33	35	14	18	5	5	24	17	288	234	1	15	136	82	
Rutland	244	-	-	1	43	16	9	3	5	-	1	9	6	123	98	-	6	56	36	
Balance of county	356	-	-	3	91	17	26	11	13	5	4	15	11	165	136	1	9	80	46	
Washington	467	-	-	8	123															

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 708

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 170 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-539)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E820-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Utah—Con.																			
Duchesne	—	5	1	1	3	3	1	3	—	—	—	—	—	11	4	5	2	—	1
Emery	—	5	—	—	2	4	—	—	2	—	—	—	—	7	3	1	—	—	—
Garfield	—	1	—	—	1	—	—	—	1	—	—	—	1	3	1	—	—	—	—
Grand	—	1	—	1	1	5	—	3	2	—	—	—	—	12	3	6	2	—	—
Iron	—	10	2	1	2	6	—	2	—	—	—	—	3	9	3	4	5	—	—
Cedar City	—	8	2	1	2	2	—	1	—	—	—	—	—	4	1	2	1	—	—
Balance of county	—	2	—	—	—	4	—	1	—	—	—	—	—	5	2	4	—	—	—
Juab	—	4	—	1	6	3	—	1	1	—	—	—	5	9	2	2	—	—	—
Kane	—	6	—	1	2	2	—	1	1	—	—	—	—	6	1	1	—	—	—
Millard	—	5	1	—	1	3	—	1	1	—	—	—	2	4	1	2	—	—	1
Morgan	—	1	1	—	—	—	—	—	—	—	—	—	—	4	1	1	—	—	—
Piute	—	3	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Rich	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—
Salt Lake	19	287	29	43	170	189	15	38	54	2	44	23	76	542	95	122	118	27	29
Midvale	—	2	—	—	3	4	—	2	2	—	3	—	2	13	—	2	5	—	—
Murray	1	13	—	1	6	8	—	3	5	—	4	—	1	2	2	4	4	—	—
Salt Lake City	8	115	7	21	66	71	6	12	17	—	12	3	23	209	29	45	25	11	18
Sandy City	1	25	2	1	10	10	—	1	4	—	2	3	4	30	9	10	11	1	—
South Salt Lake	—	7	1	—	4	3	2	1	—	—	—	1	2	10	1	3	5	1	1
West Jordan	1	6	—	1	2	4	3	—	4	—	3	—	4	19	6	6	6	—	1
Balance of county	8	119	19	19	79	89	4	17	22	2	20	15	39	240	48	54	62	14	9
San Juan	—	2	1	1	8	1	—	1	—	—	—	1	—	1	6	4	1	1	1
Sanpete	—	8	—	1	11	4	—	—	1	—	2	—	1	16	3	6	1	—	1
Sevier	—	8	—	1	8	9	1	2	—	—	—	3	—	3	1	1	—	—	—
Summit	—	4	1	2	1	4	—	2	2	—	1	1	4	5	2	5	2	—	—
Tooele	—	4	2	3	5	6	1	2	1	—	1	—	3	23	7	4	4	1	—
Tooele	—	1	—	2	1	5	1	1	1	—	—	—	—	17	4	2	4	—	—
Balance of county	—	3	2	1	4	1	—	1	—	—	1	—	3	6	3	2	—	—	—
Uintah	1	5	—	1	4	6	—	5	1	—	2	—	3	21	6	2	3	1	1
Utah	7	96	4	15	49	54	5	6	16	1	18	10	13	155	37	29	24	3	5
American Fork	—	10	1	2	1	3	—	—	2	—	—	2	—	9	3	1	1	—	—
Orem	2	19	—	4	12	11	3	1	4	—	5	1	4	37	6	5	4	—	—
Pleasant Grove	1	5	1	2	2	5	—	—	1	—	—	1	—	10	8	1	3	—	—
Provo	2	30	1	—	14	13	—	4	3	1	9	4	5	53	9	10	5	—	—
Springville	1	11	—	—	6	—	—	—	4	—	1	—	—	8	3	—	3	1	3
Balance of county	1	21	1	7	14	21	2	1	2	—	2	2	3	38	8	12	8	2	2
Wasatch	—	5	1	1	4	3	—	—	3	—	—	1	—	12	4	2	—	—	—
Washington	1	47	3	6	9	17	—	4	3	2	—	1	9	68	8	14	13	4	—
St. George	—	35	2	6	6	12	—	3	1	1	—	1	6	34	1	8	6	—	—
Balance of county	1	12	1	—	3	5	—	1	2	1	—	—	3	34	7	6	7	4	—
Wayne	—	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—
Weber	6	83	10	14	49	50	7	16	16	—	5	13	17	130	34	30	29	8	1
Ogden	4	47	4	9	28	28	3	10	9	—	1	5	10	67	13	17	13	7	—
Roy	—	8	1	1	6	8	3	3	4	—	—	1	1	18	8	3	5	1	—
South Ogden	—	8	2	—	5	3	1	1	3	—	3	—	3	7	2	2	2	—	—
Balance of county	2	20	3	4	10	11	—	2	—	—	1	7	3	38	11	8	9	—	1
Vermont	23	288	30	64	186	242	15	53	48	—	23	21	22	553	84	86	80	20	16
Urban places	5	42	3	9	28	31	2	6	6	—	3	2	3	80	9	7	13	6	4
Balance of area	18	246	27	55	158	211	13	47	42	—	20	19	19	473	75	79	67	14	12
Metropolitan counties	4	44	3	10	25	43	3	8	5	—	5	5	5	103	12	13	20	6	3
Urban places	2	25	2	5	10	19	2	6	3	—	3	1	2	61	1	3	11	5	2
Balance of area	2	19	1	5	15	24	1	2	2	—	2	4	3	42	1	10	9	1	1
Nonmetropolitan counties	19	244	27	54	161	199	12	45	43	—	18	16	17	450	72	73	60	14	13
Urban places	3	17	1	4	18	12	—	—	3	—	—	1	1	19	8	4	2	1	2
Balance of area	16	227	26	50	143	187	12	45	40	—	18	15	16	431	64	69	58	13	11
Addison	1	15	—	2	18	9	2	3	2	—	1	1	2	31	7	10	2	1	—
Bennington	—	32	2	5	19	17	1	7	3	—	—	1	1	52	4	8	5	1	—
Caledonia	2	17	3	2	17	11	—	5	2	—	—	—	2	30	3	5	9	—	1
Chittenden	4	41	3	10	25	42	3	8	5	—	5	5	5	97	12	12	18	6	2
Burlington	2	19	2	4	7	15	2	5	2	—	3	1	2	50	1	2	10	3	2
South Burlington	—	6	—	1	3	4	—	1	1	—	—	—	—	11	—	1	1	2	—
Balance of county	2	16	1	5	15	23	1	2	2	—	2	4	3	36	11	9	7	1	—
Essex	1	5	1	—	2	2	—	—	2	—	—	1	1	9	1	—	1	—	—
Franklin	1	15	3	4	5	19	1	2	4	—	3	2	1	32	2	5	5	—	3
Grand Isle	—	3	—	—	—	1	—	—	—	—	—	—	—	6	—	1	2	—	1
Lamoille	1	5	—	3	5	9	—	1	1	—	—	—	—	14	2	5	4	—	1
Orange	2	11	3	4	8	15	1	1	1	—	—	—	—	22	5	—	2	—	—
Orleans	1	18	1	3	4	22	—	4	3	—	1	—	—	36	5	5	5	2	—
Rutland	4	36	3	11	26	25	—	1	4	—	5	2	2	54	18	9	6	3	2
Rutland	3	17	1	4	18	12	—	—	3	—	—	1	1	19	8	4	2	1	2
Balance of county	1	19	2	7	8	13	—	1	1	—	5	1	1	35	10	5	4	2	—
Washington	1	31	5	3	17	23	2	7	7	—	2	1	4	52	11	6	8	—	2
Windham	2	21	1	8	22	16	4	4	6	—	3	3	—	40	7	7	5	4	1
Windsor	3	38	5	9	18	31	1	10	8	—	3	5	4	78	7	13	8	3	2

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 709

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 171 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemo- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of respi- ratory and in- tra- thoracic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of gen- ital organs (179- 187)	Malign- ant neoplasms of uri- nary organs (188- 189)	Leuka- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Virginia	49,363	29	2	1,466	12,008	2,729	3,614	1,004	1,368	475	417	2,401	963	20,012	15,500	102	430	9,042	5,926
Urban places	20,835	13	2	752	4,971	1,194	1,496	411	533	197	165	975	429	8,352	6,451	33	204	3,694	2,520
Balance of area	28,528	16	-	714	7,037	1,535	2,118	593	835	278	252	1,426	534	11,660	9,049	69	226	5,348	3,406
Metropolitan counties	32,068	19	2	1,125	7,998	1,853	2,387	686	878	328	274	1,592	628	12,579	9,719	69	281	5,523	3,846
Urban places	18,839	13	2	720	4,471	1,079	1,356	363	480	179	143	871	401	7,467	5,787	30	184	3,303	2,270
Balance of area	13,229	6	-	405	3,527	774	1,031	323	398	149	131	721	227	5,112	3,932	39	97	2,220	1,576
Nonmetropolitan counties	17,295	10	-	341	4,010	876	1,227	318	480	147	143	809	395	7,433	5,781	33	149	3,519	2,080
Urban places	1,996	-	-	32	500	115	140	48	53	18	22	104	28	885	664	3	20	391	250
Balance of area	15,299	10	-	309	3,510	761	1,087	270	437	129	121	705	307	6,548	5,117	30	129	3,128	1,830
Accomack	457	-	-	21	102	19	40	4	15	2	5	17	13	185	145	-	5	81	59
Albemarle	412	-	-	13	100	11	32	13	10	5	4	25	3	168	123	-	3	70	50
Alexandria city	860	2	-	55	214	60	61	17	22	10	9	35	17	330	255	1	8	126	120
Alleghany	134	-	-	4	30	9	7	2	2	-	1	9	-	60	51	-	2	38	11
Amelia	82	-	-	3	24	8	5	1	3	-	-	7	2	30	25	-	-	14	11
Amherst	260	-	-	5	71	13	23	5	5	2	5	18	4	109	86	-	1	58	27
Appomattox	150	-	-	5	31	5	10	1	3	6	-	6	2	80	62	-	4	38	20
Arlington#	1,106	1	-	71	290	72	59	34	34	19	14	58	18	401	294	2	11	171	110
Augusta	406	-	-	7	97	20	27	8	11	5	6	20	5	173	130	1	3	93	33
Bath	74	-	-	3	15	3	5	-	2	2	1	2	4	27	22	-	-	9	13
Bedford	403	-	-	6	92	21	23	6	13	-	3	26	4	175	126	2	1	65	58
Bedford city *	109	-	-	1	21	5	8	-	5	-	-	3	2	53	38	1	-	23	14
Bland	75	-	-	4	23	6	6	1	4	-	-	6	-	29	21	-	-	14	7
Botetourt	213	-	-	2	47	10	19	4	3	-	-	11	5	100	80	-	-	53	27
Bristol city 10	262	-	-	3	65	14	23	3	8	3	2	12	6	115	93	-	2	62	29
Brunswick	201	-	-	4	57	11	14	3	14	2	4	9	5	79	61	-	3	38	20
Buchanan	254	-	-	1	50	8	18	5	8	2	1	8	11	108	96	-	-	79	17
Buckingham	138	-	-	9	31	7	9	1	3	2	1	8	4	46	38	1	1	20	16
Buena Vista city *	94	-	-	1	22	3	7	2	1	3	2	5	-	40	31	-	-	15	16
Campbell	389	1	-	13	97	19	33	9	13	3	2	18	9	164	135	1	8	75	51
Caroline	171	-	-	9	39	13	9	-	4	1	2	10	6	61	53	-	-	31	22
Carroll	302	-	-	4	59	13	21	5	5	3	1	11	1	142	103	-	-	62	41
Charles City	57	-	-	-	18	2	10	1	3	-	1	1	1	17	14	-	-	9	5
Charlotte	144	-	-	2	31	6	11	1	4	3	1	5	3	67	54	-	6	34	14
Charlottesville city	363	1	-	8	84	16	16	7	6	6	3	30	5	136	102	-	-	70	32
Chesapeake city	1,100	1	-	42	253	53	90	22	34	10	5	39	29	453	363	1	16	225	121
Chesterfield	1,014	1	-	33	257	57	73	23	26	11	15	52	21	366	281	2	4	169	106
Clarke	134	1	-	-	27	2	9	3	3	-	3	7	2	61	49	-	5	20	24
Clifton Forge city *	98	-	-	2	22	2	8	1	5	1	-	5	2	48	37	-	-	31	6
Colonial Heights city	187	-	-	5	46	15	14	1	7	2	2	5	4	85	71	1	-	37	33
Covington city *	118	-	-	-	19	8	6	2	1	-	2	-	4	57	45	1	-	31	13
Craig	42	-	-	1	8	2	3	-	1	-	-	2	1	18	14	-	-	6	8
Culpeper	287	-	-	6	60	13	19	3	9	-	1	15	7	116	91	-	-	43	48
Cumberland	75	-	-	1	26	3	12	3	5	1	-	2	3	17	12	-	-	7	5
Darville city	771	-	-	14	183	45	44	14	24	6	9	41	11	356	285	1	7	157	120
Dickenson	174	-	-	1	33	6	11	2	1	1	4	8	5	86	67	-	3	50	14
Dinwiddie	182	-	-	3	59	12	21	3	6	1	1	15	2	69	55	-	2	29	24
Emporia city *	86	-	-	2	19	6	4	2	3	1	-	3	7	38	26	-	5	14	7
Essex	108	-	-	1	18	6	6	-	2	-	2	2	3	58	50	-	7	30	13
Fairfax	3,289	1	-	132	969	241	239	111	101	47	44	186	61	1,198	891	11	19	447	414
Herndon	53	-	-	4	21	7	4	3	1	-	2	4	-	20	18	1	-	9	8
Vienna	94	-	-	1	30	4	5	5	4	2	3	7	2	32	22	-	2	9	11
Balance of county	3,142	1	-	127	918	230	230	103	96	45	39	175	59	1,146	851	10	17	429	395
Fairfax city	190	-	-	6	56	14	10	8	5	2	1	16	4	61	46	1	-	22	23
Falls Church city *	92	-	-	10	25	2	9	2	3	1	2	6	1	29	27	-	2	16	9
Fauquier	355	-	-	6	100	17	40	9	9	2	5	18	6	154	118	1	-	60	57
Floyd	109	-	-	1	18	3	6	1	2	-	2	4	2	44	29	-	-	19	10
Flovanna	89	-	-	4	30	8	7	3	4	1	2	5	1	29	24	-	-	14	10
Franklin	368	-	-	8	72	15	20	9	9	4	1	14	4	156	116	2	1	68	45
Franklin city *	133	2	-	2	28	7	7	3	2	3	-	6	3	62	48	-	1	32	15
Frederick	337	1	-	1	96	25	27	8	7	6	3	20	4	153	124	1	3	75	45
Fredericksburg city	184	-	-	2	44	9	16	2	4	1	2	10	2	76	54	-	2	33	19
Galax city *	96	-	-	3	16	3	4	2	3	-	-	4	3	40	31	-	-	17	14
Giles	168	-	-	-	38	11	9	3	7	3	1	4	2	78	65	1	3	34	27
Gloucester	273	-	-	7	77	21	24	5	6	2	2	17	2	110	89	-	2	56	31
Goochland	136	-	-	2	38	12	11	4	8	1	-	2	2	56	37	-	-	19	18
Grayson	190	-	-	2	44	11	9	5	6	-	1	12	4	84	69	1	3	47	18
Greene	80	-	-	4	24	-	7	4	4	1	2	6	1	26	18	1	-	11	6
Greensville	101	-	-	1	18	5	2	2	5	1	1	1	2	4	52	34	-	3	8
Halifax	372	-	-	10	83	25	21	6	9	2	2	18	5	146	114	-	4	63	47
Hampton city	942	2	-	32	223	46	80												

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 710

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 172 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-678)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E894)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Virginia	225	3,390	328	569	1,761	2,057	116	479	580	6	288	463	538	5,237	872	1,067	612	568	39
Urban places	112	1,435	134	220	711	824	53	229	246	4	135	291	230	2,223	249	433	312	352	24
Balance of area	113	1,955	194	349	1,050	1,233	63	250	334	2	153	172	308	3,014	623	634	300	15	15
Metropolitan counties	164	2,144	204	348	1,091	1,285	77	316	356	5	210	374	347	3,454	499	697	539	446	32
Urban places	102	1,265	117	196	632	738	49	205	229	4	124	275	209	2,028	221	401	289	340	21
Balance of area	62	679	87	152	459	547	28	111	127	1	86	99	138	1,426	278	286	249	106	11
Nonmetropolitan counties	61	1,246	124	221	670	772	39	163	224	1	78	89	191	1,783	373	380	274	122	7
Urban places	10	170	17	24	79	86	4	24	17	1	11	16	21	195	28	32	23	12	3
Balance of area	51	1,076	107	197	591	686	35	139	207	1	67	73	170	1,588	345	348	251	110	4
Accomack	2	31	3	4	22	22	-	4	5	-	3	2	1	54	4	10	6	3	-
Albemarle	3	35	3	4	19	24	-	3	3	-	3	1	1	47	9	8	11	2	-
Alexandria city	5	53	6	11	30	31	3	15	10	1	3	8	9	74	15	22	9	11	1
Alleghany	-	6	-	2	7	4	-	-	3	-	-	-	1	16	3	4	1	-	-
Amelia	-	4	-	1	5	4	-	2	-	-	-	-	2	8	-	1	2	1	-
Amherst	-	21	-	2	11	5	-	1	3	-	-	1	2	30	4	4	2	-	-
Appomattox	1	14	2	1	2	5	-	1	-	-	1	1	1	13	6	1	2	2	-
Arlington#	3	83	9	12	31	41	5	16	12	7	12	8	14	133	11	20	12	7	3
Augusta	1	33	1	8	16	14	-	5	7	-	-	-	2	47	10	11	8	3	-
Bath	-	3	-	2	6	3	-	2	1	-	-	-	2	5	2	3	1	-	-
Bedford	-	43	3	3	11	14	1	2	5	-	2	1	4	47	12	14	11	2	-
Bedford city *	2	11	1	1	1	8	1	1	2	-	-	-	3	9	2	3	-	-	-
Bland	1	6	-	-	3	1	-	-	-	-	-	-	-	10	2	2	1	-	-
Botetourt	-	16	-	4	5	9	-	3	3	-	-	2	2	16	8	2	6	3	-
Bristol city *	3	17	-	1	14	9	1	1	2	-	-	3	3	27	1	4	8	-	-
Brunswick	-	16	-	2	10	9	1	1	2	-	-	2	2	15	4	4	4	4	-
Buchanan	-	7	-	1	4	12	13	3	3	-	1	2	1	22	6	11	6	3	-
Buckingham	-	7	-	3	7	4	-	1	1	-	-	1	2	17	3	4	2	4	-
Buena Vista city *	1	6	-	2	2	7	1	-	-	-	-	-	2	14	-	1	2	2	-
Campbell	-	20	2	7	17	11	2	2	4	-	3	1	1	43	5	8	7	1	-
Caroline	-	4	-	2	5	9	-	1	1	-	-	2	4	19	4	5	4	2	-
Carroll	1	24	2	7	17	12	-	5	9	-	2	1	3	26	7	5	8	1	-
Charles City	-	2	-	1	4	3	-	-	-	-	-	-	3	8	1	2	1	-	-
Charlottesville	-	12	-	1	4	5	-	1	1	-	1	1	1	15	3	2	5	2	-
Charlottesville city	-	28	5	1	9	20	6	8	8	-	5	5	4	45	7	7	8	5	-
Chesapeake city	7	70	2	11	37	42	3	11	16	-	6	8	105	18	21	22	13	3	-
Chesterfield	3	63	5	14	24	42	2	11	7	1	12	15	11	125	28	22	22	14	-
Clarke	2	10	-	-	9	5	-	1	1	-	1	1	1	19	4	-	-	1	-
Clifton Forge city *	1	10	-	-	4	2	1	1	4	-	-	-	1	13	1	-	-	-	-
Colonial Heights city	2	11	-	1	7	10	1	1	4	-	2	1	1	9	3	5	4	-	-
Covington city *	-	7	-	1	4	5	-	2	1	-	-	-	2	13	1	3	3	3	1
Craig	-	3	-	1	2	1	-	3	1	-	-	-	1	3	1	1	-	-	-
Culpeper	-	20	1	4	2	18	-	2	6	-	2	2	3	46	8	6	3	-	-
Cumberland	1	2	2	-	2	6	-	-	2	-	-	1	1	6	3	5	1	1	-
Danville city	2	64	5	7	27	42	-	7	2	-	5	6	6	64	12	19	9	8	-
Dickenson	1	16	1	1	6	5	-	2	1	-	-	-	1	20	2	8	3	-	-
Dinwiddie	-	10	2	2	3	4	-	1	1	-	1	1	-	23	6	7	1	-	1
Emporia city *	-	7	3	2	2	3	-	-	-	-	-	-	1	8	1	-	-	-	-
Essex	-	7	1	-	3	3	-	2	1	-	-	-	-	7	3	5	2	1	-
Fairfax	13	219	23	52	100	119	8	29	24	-	26	27	36	340	54	75	66	21	3
Herdon	1	-	-	1	-	5	-	-	-	-	-	-	-	1	-	1	-	-	-
Vienna	1	7	1	1	4	4	-	2	1	-	1	1	1	11	-	1	2	2	-
Balance of county	11	212	22	50	96	110	8	27	23	-	25	27	35	328	54	73	63	19	3
Fairfax city	-	13	-	1	6	9	-	2	1	-	6	2	1	24	6	3	2	1	-
Falls Church city *	1	-	-	1	2	6	-	1	1	-	1	1	3	8	1	1	1	1	-
Fauquier	-	28	2	6	10	10	2	1	5	-	2	2	2	32	8	6	7	2	-
Floyd	-	8	1	6	6	5	-	-	1	-	1	2	1	14	4	4	3	3	-
Fluvanna	-	5	-	1	1	-	-	1	-	-	-	-	1	13	5	2	2	-	-
Franklin	2	31	2	5	16	14	-	6	3	-	1	3	14	43	13	8	4	3	-
Franklin city *	1	12	1	4	4	6	-	2	1	-	-	-	1	16	-	3	-	3	-
Frederick	3	23	-	3	10	17	3	3	6	-	2	2	2	22	3	5	4	3	-
Fredericksburg city	1	15	3	3	8	8	1	5	3	-	2	5	2	16	2	4	1	2	1
Galax city *	1	5	1	2	6	8	-	1	2	-	1	-	1	12	1	1	1	-	-
Giles	-	10	-	3	4	8	1	1	4	-	1	-	-	24	-	4	3	-	-
Gloucester	2	16	1	2	14	8	1	1	2	-	-	2	2	30	4	2	8	2	1
Goochland	2	16	-	1	2	2	-	1	-	-	-	1	3	21	3	1	2	1	1
Grayson	-	12	3	-	15	10	-	2	-	-	-	-	5	13	4	3	4	-	-
Greene	-	8	-	-	3	-	-	1	-	-	1	-	2	11	2	4	1	-	-
Greensville	-	13	3	2	3	3	-	-	-	-	-	1	4	5	1	5	1	3	-
Halifax	2	23	1	6	22	18	-	2	2	-	-	2	15	42	12	5	4	4	-
Hampton city	4	63	4	13	45	47	1	6	7	-	5	20	6	103	4	23	13	13	2
Hanover	4	26	7	2	17	18	1	5	6	-	3	-	4	59	8	6	9	8	-
Harrisonburg city	1	17	1	3	13	8	-	1	3	-	1	5	1	21	4	1	2	1	-
Henrico	15	132	21	20	57	94	7	17	24	-	7	11	30	221	32	44	19	23	3
Henry	1	30	2	4	19	18	1	4	5	-	2	11	7	37	28	10	13	6	-
Highland	-	2	-	-	1	2	-	-	1	-	-	-	-	6	-	1	1	-	-
Hopewell city	2	19	1	2	7	9	2	2	3	-	2	-	2	30	2	8	8	2	-
Isle of Wight	4	21	2	5	9	6	1	1	6	-	-								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 711

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 173 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hema- tologic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 180- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Virginia—Con.																				
Lancaster	190	-	-	5	50	9	18	3	8	3	-	9	5	75	60	-	1	27	32	
Lee	287	1	-	-	64	9	28	5	6	1	3	12	4	137	111	1	2	69	39	
Lexington city *	88	-	-	-	14	4	3	-	-	1	-	-	5	7	31	-	1	15	15	
Loudoun	448	-	-	16	110	22	22	13	21	4	1	27	9	156	115	4	3	59	49	
Louisa	196	-	-	5	40	6	15	6	5	2	1	5	2	83	60	-	2	32	26	
Lunenburg	127	-	-	3	32	8	6	4	3	2	1	8	3	59	42	-	1	29	12	
Lynchburg city	816	-	-	19	195	47	60	18	19	9	4	38	20	321	237	-	11	134	92	
Madison	131	-	-	1	28	4	9	1	1	-	2	11	7	55	46	1	1	20	24	
Manassas city	132	-	-	6	36	5	8	3	2	3	1	14	2	43	32	-	1	17	14	
Manassas Park city *	23	-	-	-	6	1	3	-	-	-	-	2	-	9	5	-	1	2	2	
Martinsville city	269	-	-	5	63	14	19	5	7	3	2	13	4	133	94	-	2	49	43	
Mathews	123	-	-	6	31	4	6	6	3	2	1	9	-	53	41	-	-	26	15	
Mecklenburg	412	-	-	13	96	18	34	6	14	2	6	16	14	188	141	1	7	83	50	
Middlesex	123	-	-	4	42	7	18	-	7	1	1	8	-	47	39	-	1	25	13	
Montgomery	415	-	-	5	106	23	25	11	11	7	6	23	8	154	115	-	2	61	52	
Blacksburg	106	-	-	2	36	11	7	5	5	2	1	5	2	38	30	-	1	15	14	
Christiansburg	116	-	-	-	30	5	4	2	2	4	4	9	2	39	32	-	-	15	17	
Balance of county	193	-	-	3	40	7	14	4	4	1	1	9	4	77	53	-	1	31	21	
Nelson	162	-	-	2	32	8	9	4	3	3	1	4	4	81	66	-	2	39	25	
New Kent	66	-	-	-	27	7	8	3	2	1	5	1	5	20	14	-	-	6	8	
Newport News city	1,249	1	-	45	321	80	87	26	38	12	11	67	30	468	370	2	10	232	126	
Norfolk city	2,311	2	2	116	503	134	171	41	39	18	12	88	56	916	739	1	28	429	281	
Northampton	201	-	-	7	41	5	16	4	7	1	-	8	6	83	59	-	4	36	19	
Northumberland	157	-	-	3	47	9	12	2	9	6	1	8	1	64	39	-	2	25	12	
Norton city *	44	-	-	-	10	4	1	1	1	-	1	2	2	13	12	-	-	9	3	
Nottoway	192	1	-	3	39	9	15	1	4	2	2	6	3	89	70	-	3	42	25	
Orange	218	-	-	2	57	15	10	4	13	2	1	12	10	86	73	-	2	48	23	
Pago	223	-	-	3	42	7	14	6	5	2	-	10	4	109	87	1	1	56	29	
Patrick	194	-	-	10	41	10	10	5	8	-	1	5	5	63	49	-	1	29	19	
Petersburg city	486	-	-	14	133	31	53	10	17	5	2	15	4	196	150	1	7	80	62	
Pittsylvania	561	-	-	11	137	28	33	12	18	9	4	33	8	245	192	1	5	105	81	
Poquoson city *	84	-	-	2	16	2	7	3	-	-	1	3	2	42	30	-	1	19	10	
Portsmouth city	1,100	-	-	34	244	55	85	14	29	8	4	49	33	430	329	1	12	195	121	
Powhatan	94	-	-	3	27	3	10	2	5	1	3	3	3	33	27	2	2	20	3	
Prince Edward	198	-	-	3	40	8	15	3	9	1	-	4	3	77	56	1	1	25	29	
Prince George	117	-	-	4	39	9	15	2	3	2	2	6	1	47	42	-	-	28	14	
Prince William	651	-	-	19	178	46	51	17	19	5	5	35	13	207	157	4	7	80	66	
Pulaski	365	-	-	6	85	20	22	7	9	4	3	20	2	151	125	2	1	89	33	
Pulaski	136	-	-	1	36	10	8	4	3	1	1	9	2	52	43	1	-	31	11	
Balance of county	229	-	-	5	49	10	14	3	6	3	2	11	-	99	82	1	1	58	22	
Radford city	92	-	-	2	24	8	6	3	2	-	2	3	2	38	31	1	-	18	12	
Rappahannock	63	-	-	4	16	3	4	1	5	-	-	3	-	25	18	-	-	12	6	
Richmond	104	-	-	1	23	8	7	-	4	1	-	3	2	46	35	-	4	24	7	
Richmond city	2,524	3	-	110	527	132	151	41	64	21	11	107	63	1,020	774	6	22	408	338	
Roanoke	672	1	-	19	142	26	38	11	22	6	5	34	10	302	248	1	4	121	122	
Roanoke city	1,228	-	-	29	273	65	88	18	30	12	9	51	20	545	410	1	16	229	164	
Rockbridge	181	1	-	3	43	10	14	2	4	-	2	11	4	82	60	-	-	35	25	
Rockingham	450	1	-	10	98	29	29	6	13	3	3	15	3	204	153	4	3	92	54	
Russell	273	-	-	2	56	9	17	7	5	2	3	13	2	135	121	2	-	68	51	
Salem city	296	-	-	13	63	18	19	4	3	3	3	13	4	117	89	-	2	48	39	
Scott	293	-	-	3	72	14	25	1	7	5	2	18	8	130	106	1	1	85	19	
Shenandoah	376	-	-	2	86	19	21	8	6	4	6	22	5	167	130	-	1	80	49	
Smyth	374	1	-	2	86	21	27	4	12	5	1	16	12	169	144	1	2	94	47	
Southampton	186	-	-	4	52	16	17	4	5	1	3	6	5	74	63	-	4	35	24	
South Boston city *	101	-	-	2	20	1	9	2	3	-	1	4	4	42	34	-	-	26	8	
Spotsylvania	337	1	-	6	79	17	30	5	8	3	-	16	5	141	119	1	-	78	40	
Stafford	283	-	-	3	67	12	21	5	9	3	2	15	3	104	74	1	4	40	29	
Staunton city	304	-	-	11	82	22	28	7	9	1	5	10	3	128	86	-	5	42	39	
Suffolk city	569	-	-	21	151	32	47	12	17	4	2	37	14	220	159	2	6	69	82	
Surry	65	-	-	4	14	3	5	1	2	1	1	1	2	25	17	-	1	14	2	
Sussex	125	-	-	4	39	6	18	3	4	-	2	6	2	50	29	-	1	18	10	
Tazewell	473	-	-	5	121	30	35	6	10	4	5	31	8	194	171	-	2	108	61	
Virginia Beach city	1,943	-	-	70	503	114	162	42	50	13	20	102	45	705	560	7	16	340	197	
Warren	225	-	-	4	60	7	20	11	4	1	3	14	2	112	85	-	3	57	25	
Front Royal	126	-	-	1	29	4	15	3	2	-	1	4	2	69	54	-	-	37	15	
Balance of county	99	-	-	3	31	3	5	8	2	1	2	10	-	43	31	-	1	20	10	
Washington	503	-	-	9	113	22	36	8	11	8	6	22	11	214	185	2	6	115	62	
Waynesboro city	216	-	-	3	46	14	11	5	3	2	1	10	2	114	87	-	1	72	14	
Westmoreland	217	-	-	7	60	16	22	3	7	4	1	7	6	91	70	2	4	47	17	
Williamsburg city *	137	-	-	8	33	8	6	1	4	3	1	10	2	56	32	-	2	17	13	
Winchester city	234	-	-	2	61	10	16	4	11	1	-									

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 712

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 174 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042.*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-439)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Virginia—Con.																			
Lancaster	—	13	1	1	7	10	1	—	6	—	1	1	—	17	8	4	—	—	—
Lee	—	18	5	3	17	10	—	—	8	—	—	2	3	24	6	5	6	—	—
Lexington city *	—	6	—	—	3	5	—	2	2	—	—	—	—	12	—	1	—	—	—
Loudoun	4	27	3	7	15	26	2	3	5	—	7	3	7	55	8	10	13	3	—
Louisa	—	22	—	1	6	12	—	1	2	—	1	—	—	26	8	3	5	2	—
Lunenburg	1	13	—	3	3	4	1	—	2	—	1	1	—	11	3	—	2	2	—
Lynchburg city	4	67	4	9	32	42	1	11	5	—	3	4	8	109	11	14	12	9	—
Madison	—	8	—	1	5	7	—	2	3	—	—	—	—	10	3	5	1	3	—
Manassas city	1	10	—	—	4	10	—	—	1	—	3	3	1	13	3	2	3	1	1
Manassas Park city *	2	1	1	—	1	—	—	1	—	—	—	—	—	1	—	3	2	—	—
Martinsville city	2	34	2	1	13	5	—	2	5	—	2	1	3	19	5	4	3	2	—
Mathews	1	10	—	1	5	5	—	—	3	—	—	—	1	16	1	1	1	—	—
Mecklenburg	1	33	2	11	15	12	2	4	7	—	1	2	1	36	12	7	2	—	—
Middlesex	—	5	2	1	6	3	—	1	1	—	3	—	—	9	2	5	—	—	—
Montgomery	1	25	6	7	17	29	1	5	4	—	2	1	5	46	8	10	9	4	1
Blacksburg	—	3	2	3	2	4	—	1	1	—	1	—	1	12	—	4	2	—	—
Christiansburg	—	6	1	—	8	6	1	2	—	—	—	—	2	13	4	3	4	1	—
Balance of county	1	16	3	4	7	19	—	2	3	—	1	1	2	21	4	3	3	3	—
Nelson	—	10	2	3	8	8	1	—	2	—	1	—	—	19	4	—	—	—	—
New Kent	1	5	—	—	6	—	—	1	—	—	—	—	—	4	2	1	2	2	—
Newport News city	8	66	4	20	41	49	4	12	17	—	7	23	10	138	12	26	17	25	3
Norfolk city	14	138	14	11	61	85	5	23	41	1	19	54	33	228	27	42	33	61	3
Northampton	—	21	1	2	6	6	—	2	2	—	1	—	4	26	5	8	3	1	—
Northumberland	1	21	—	3	1	7	1	1	2	—	—	—	2	22	1	4	1	—	—
Norton city *	—	1	—	—	2	4	—	1	2	—	—	—	—	7	1	2	1	1	—
Nottoway	—	15	—	4	9	5	—	2	2	—	1	3	1	22	2	6	1	3	—
Orange	—	11	1	1	8	12	1	3	3	—	2	—	1	16	6	5	5	1	—
Page	2	13	1	6	6	12	2	4	2	—	—	1	3	21	6	6	2	—	—
Patrick	—	11	1	2	7	12	2	2	3	—	2	1	1	27	6	7	3	2	—
Petersburg city	—	35	1	10	10	11	2	4	11	—	1	7	6	57	3	11	7	9	—
Pittsylvania	1	42	1	9	16	22	1	8	10	—	1	6	4	43	17	17	8	7	—
Poquoson city *	1	8	2	1	4	5	—	—	2	—	1	1	2	4	2	—	1	—	—
Portsmouth city	4	79	4	14	38	37	—	16	18	1	6	23	11	130	14	19	12	34	—
Powhatan	—	5	1	—	2	—	—	2	2	—	—	—	—	9	9	2	1	1	—
Prince Edward	2	16	1	2	8	9	—	1	5	—	1	2	3	27	7	4	3	5	—
Prince George	1	4	—	—	2	1	—	1	—	—	1	2	1	10	3	3	1	—	1
Prince William	3	36	2	9	16	35	1	6	10	—	10	13	12	66	24	15	21	4	1
Pulaski	1	20	3	2	10	26	1	7	3	—	1	1	7	48	5	2	4	6	—
Pulaski	—	7	2	—	5	8	1	3	1	—	1	—	4	19	1	—	—	2	—
Balance of county	1	13	1	2	5	18	—	4	2	—	—	1	3	29	4	2	4	4	—
Radford city	—	3	—	4	4	6	—	2	—	—	—	—	1	11	1	—	—	1	—
Rappahannock	—	6	1	—	3	2	—	—	2	—	1	—	—	5	3	1	1	—	—
Richmond	1	9	1	—	1	5	1	2	3	—	1	1	—	11	1	1	4	1	—
Richmond city	17	185	19	25	60	78	5	28	33	—	13	30	51	296	28	56	34	89	2
Roanoke	2	44	3	5	36	31	1	6	7	—	3	4	4	73	7	14	9	3	—
Roanoke city	8	95	13	19	54	51	9	14	14	—	6	10	7	134	7	37	10	8	—
Rockbridge	—	19	1	2	4	9	1	1	1	—	1	—	1	21	3	3	3	—	—
Rockingham	1	40	5	5	25	21	1	3	4	—	4	1	5	42	10	8	8	1	1
Russell	—	9	1	4	9	15	—	3	1	—	1	1	—	22	6	7	10	2	1
Salem city	3	22	1	2	20	14	2	2	—	—	1	3	1	42	2	6	5	1	—
Scott	—	20	3	1	16	19	—	1	1	—	—	—	1	25	6	6	2	3	—
Shenandoah	2	23	7	5	17	17	—	8	6	—	—	1	3	40	5	7	11	1	—
Smyth	2	15	2	6	18	17	—	4	4	—	4	2	5	33	6	6	4	1	—
Southampton	—	10	—	—	7	9	1	—	1	—	1	—	—	13	7	8	3	—	—
South Boston city *	—	6	1	1	5	4	1	—	3	—	1	—	4	12	1	2	—	—	—
Spotsylvania	—	15	3	4	10	16	—	3	3	—	2	2	2	35	8	12	9	2	1
Stafford	3	20	4	3	16	11	—	5	4	—	5	5	—	32	9	7	7	5	—
Stafford	4	33	—	5	6	17	1	2	1	—	2	—	2	35	3	5	5	1	—
Suffolk city	3	40	11	7	28	18	2	7	5	—	2	—	5	56	9	14	6	11	—
Surry	1	6	—	1	1	4	—	—	1	—	—	2	—	4	5	2	1	—	—
Sussex	1	16	2	2	2	5	1	—	4	—	—	—	1	11	4	2	—	—	—
Tazewell	—	20	—	3	13	25	3	5	8	—	3	3	1	48	11	11	8	6	—
Virginia Beach city	10	100	16	19	67	74	4	19	18	1	16	48	21	199	28	40	52	30	3
Warren	2	19	1	5	5	8	—	1	—	—	1	—	1	23	2	3	1	2	—
Front Royal	—	12	1	2	4	5	—	—	—	—	—	—	—	11	1	2	1	1	—
Balance of county	2	7	—	3	1	3	—	1	—	—	1	—	1	12	1	1	—	—	—
Washington	2	23	1	3	41	22	2	2	5	—	2	—	3	47	10	7	14	1	—
Waynesboro city	1	25	—	1	5	8	—	2	3	—	1	—	—	23	3	4	1	1	—
Westmoreland	1	13	4	3	6	7	1	2	5	—	1	1	1	15	5	5	2	2	—
Williamsburg city *	—	22	2	—	6	8	—	1	—	—	—	—	2	16	2	4	—	1	—
Winchester city	1	15	5	2	11	11	—	4	—	—	1	5	5	15	4	5	4	—	1
Wise	1	11	4	2	20	19	—	5	2	—	3	2	5	49	3	14	7	3	—
Wythe	1	23	1	2	13	14	—	5	3	—	—	2	15	30	5	6	7	2	—
York	1	17	1	3	10	5	—	2	—	—	—	2	1	22	5	7	4	—	—

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 713

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 175 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malign- ant neoplasms of res- piratory and intra- thoracic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of genital organs (178- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 209)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Washington	38,162	18	1	820	9,462	2,082	2,810	777	1,106	365	379	1,943	811	15,183	11,183	135	361	6,817	3,870
Urban places	19,109	11	-	537	4,383	1,039	1,249	353	517	157	186	882	408	7,688	5,573	64	207	3,324	1,978
Balance of area	19,053	7	1	283	5,079	1,043	1,561	424	589	208	193	1,061	403	7,495	5,610	71	154	3,493	1,892
Metropolitan counties	29,634	17	-	722	7,355	1,638	2,163	625	844	288	290	1,509	628	11,691	8,595	116	296	5,144	3,039
Urban places	16,902	11	-	506	3,805	944	1,106	312	455	136	166	786	357	6,740	4,800	58	184	2,875	1,783
Balance of area	12,732	6	-	216	3,450	694	1,057	313	389	150	124	723	281	4,951	3,695	58	112	2,269	1,256
Nonmetropolitan counties	8,528	1	1	98	2,107	444	647	152	262	79	89	434	173	3,492	2,588	19	65	1,673	831
Urban places	2,207	-	-	31	478	95	143	41	62	21	20	86	51	948	673	6	23	449	195
Balance of area	6,321	1	1	67	1,629	349	504	111	200	58	69	338	122	2,544	1,915	13	42	1,224	636
Adams	100	-	-	1	22	6	6	3	-	3	1	3	2	43	31	-	-	21	10
Asotin	196	-	-	1	38	9	10	4	6	1	1	7	5	82	54	-	-	4	35
Benton	761	-	-	17	196	41	61	14	24	12	5	39	11	302	216	4	13	136	63
Kennawick	333	-	-	4	74	18	29	4	10	3	2	8	4	130	88	-	-	6	53
Richland	203	-	-	7	56	9	14	4	8	5	2	14	2	96	64	3	5	39	17
Balance of county	225	-	-	6	66	14	18	6	6	4	1	17	5	76	64	1	2	44	17
Chelan	539	-	-	8	125	28	36	13	12	4	5	27	7	206	144	2	3	109	30
Wenatchee	269	-	-	4	57	12	14	5	8	3	3	12	3	107	80	1	-	62	17
Balance of county	270	-	-	4	68	16	22	8	4	1	2	15	4	99	64	1	3	47	13
Columbia	720	-	-	5	209	49	62	17	17	8	10	46	12	294	218	3	8	121	86
Port Angeles	235	-	-	1	51	11	14	5	4	4	3	10	4	100	68	2	6	33	27
Balance of county	485	-	-	4	158	38	48	12	13	4	7	36	8	194	150	1	2	88	59
Clark	1,820	-	-	41	485	101	145	46	48	22	20	103	25	702	548	6	13	343	186
Vancouver	654	-	-	16	149	33	44	11	10	6	9	36	7	257	211	1	6	129	75
Balance of county	1,166	-	-	25	336	68	101	35	38	16	11	67	18	445	337	5	7	214	111
Columbia	52	-	-	-	15	2	4	-	1	2	2	4	1	21	18	-	-	14	4
Cowlitz	760	-	-	9	176	30	57	15	18	9	6	41	25	334	224	3	5	157	59
Kelso	120	-	-	1	34	7	8	3	5	2	2	7	4	46	28	1	-	18	9
Longview	352	-	-	7	67	8	24	8	7	3	2	15	12	160	105	-	-	76	27
Balance of county	288	-	-	1	75	15	25	4	6	4	2	19	9	128	91	2	3	63	23
Douglas	185	-	-	1	36	7	7	-	7	2	2	11	2	82	60	-	1	39	20
Ferry	41	-	-	1	6	1	2	1	2	-	-	-	3	14	12	-	-	7	5
Franklin	238	1	-	3	59	15	12	7	7	4	4	10	2	85	60	-	5	39	16
Pasco	165	1	-	2	40	9	11	3	6	2	2	7	2	55	37	-	3	27	7
Balance of county	73	-	-	1	19	6	1	4	1	2	2	3	-	30	23	-	2	12	9
Garfield	31	-	-	-	9	-	2	1	4	-	1	1	-	12	9	-	-	5	4
Grant	426	-	-	5	106	20	28	8	20	7	1	22	14	153	110	1	4	71	34
Moses Lake	110	-	-	2	25	9	4	1	2	2	-	7	5	45	34	-	-	27	7
Balance of county	316	-	-	3	81	11	24	7	18	5	1	15	9	108	76	1	4	44	27
Grays Harbor	689	-	-	8	168	35	60	11	21	4	6	31	11	288	225	-	4	157	64
Aberdeen	204	-	-	1	48	10	15	3	7	-	3	10	5	95	71	-	2	49	20
Balance of county	485	-	-	7	120	25	45	8	14	4	3	21	6	193	154	-	2	108	44
Island	411	-	-	7	106	25	34	9	11	1	2	24	8	166	138	-	6	81	49
Oak Harbor	83	-	-	-	18	4	8	1	3	-	1	1	-	42	36	-	5	17	14
Balance of county	328	-	-	7	88	21	26	8	8	1	1	23	8	124	100	-	1	64	35
Jefferson	203	-	-	4	63	17	24	3	6	3	2	8	4	77	57	-	1	35	21
King	10,937	4	-	413	2,735	655	758	246	311	108	96	563	259	4,124	3,014	37	100	1,704	1,173
Auburn	493	-	-	8	111	32	26	6	15	4	3	25	9	202	148	1	9	92	46
Bellingham	575	-	-	14	170	49	36	20	15	3	9	38	8	217	142	1	1	85	55
Kent	256	-	-	8	64	14	22	6	5	-	3	14	10	95	74	-	4	42	28
Kirkland	292	-	-	2	76	18	18	3	9	4	3	21	5	120	85	-	3	55	27
Mercer Island	462	-	-	9	142	46	30	20	10	7	8	21	7	161	120	1	1	79	39
Redmond	171	-	-	5	43	9	10	5	7	1	1	10	4	70	43	1	1	27	14
Renton	393	-	-	14	90	16	30	12	11	4	5	12	12	131	93	1	6	43	43
Seattle	5,351	3	-	284	1,217	315	343	91	140	42	40	246	126	2,051	1,507	18	56	827	606
Balance of county	2,954	1	-	69	822	156	243	83	99	41	24	176	78	1,077	802	14	19	454	315
Kitsap	1,359	1	-	21	336	70	114	21	35	15	12	69	33	496	361	2	13	260	86
Bremerton	383	-	-	7	78	22	26	4	7	-	2	17	7	149	111	-	6	79	26
Balance of county	976	1	-	14	258	48	88	17	28	15	10	52	26	347	250	2	7	181	60
Kittitas	217	-	-	5	51	7	19	4	7	-	3	11	5	83	62	-	-	47	15
Ellensburg	80	-	-	3	22	3	8	3	2	-	2	4	2	25	19	-	-	17	2
Balance of county	137	-	-	2	29	4	11	1	5	-	1	7	3	58	43	-	-	30	13
Klickitat	177	-	-	2	44	13	15	1	6	1	1	7	4	60	44	-	1	35	8
Lewis	628	-	-	4	147	24	52	9	19	3	7	33	11	287	205	3	5	102	95
Centralia	182	-	-	2	35	5	14	5	4	2	-	5	6	82	50	-	2	28	20
Balance of county	446	-	-	2	112	19	38	4	15	1	7	28	5	205	155	3	3	74	75
Lincoln	109	-	-	2	24	2	7	5	5	2	1	2	3	49	35	-	-	24	11
Mason	408	1	-	3	116	24	39	7	10	5	4	27	2	161	127	1	3	92	31
Okanogan	329	-	-	4	84	14	25	5	14	3	3	20	7	145	113	1	3	68	41
Pacific	229	-																	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 714

Table 8-9. Deaths From 34 Selected Causes, United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 176 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-449)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Washington	153	2,918	392	537	1,312	2,088	96	454	302	3	249	169	329	4,067	722	996	694	301	85
Urban places	96	1,539	225	255	709	1,016	51	228	170	3	125	85	152	2,163	295	521	337	175	52
Balance of area	57	1,379	167	282	603	1,072	45	226	132	-	124	84	177	1,904	427	475	357	126	33
Metropolitan counties	125	2,245	320	406	1,016	1,800	67	384	240	3	205	138	258	3,127	536	764	561	256	76
Urban places	88	1,334	200	218	640	887	47	205	155	3	111	78	134	1,895	261	453	302	163	49
Balance of area	37	911	120	188	376	713	20	159	85	-	94	60	124	1,232	275	311	259	93	27
Nonmetropolitan counties	28	673	72	131	296	488	29	90	62	-	44	31	71	940	186	232	133	45	9
Urban places	8	205	25	37	69	129	4	23	15	-	14	7	18	268	34	68	35	12	3
Balance of area	20	468	47	94	227	359	25	67	47	-	30	24	53	672	152	164	98	33	6
Adams	2	9	1	-	1	5	-	2	-	-	2	2	1	12	1	1	3	2	-
Asotin	-	16	6	6	9	14	1	2	1	-	-	-	-	29	4	5	4	1	-
Benton	6	62	8	10	16	46	2	8	7	-	6	3	2	82	19	27	14	3	-
Kennewick	4	28	4	6	7	22	1	4	3	-	3	2	2	45	8	14	9	1	-
Richland	2	27	1	2	2	10	-	1	2	-	3	-	-	17	5	2	-	-	-
Balance of county	-	7	3	2	7	14	1	3	2	-	-	1	-	20	6	11	5	2	-
Chelan	4	44	5	9	24	35	1	9	2	-	1	3	8	72	13	15	6	4	-
Wenatchee	1	20	2	4	11	15	1	5	-	-	-	-	5	43	5	7	4	2	-
Balance of county	3	24	3	5	13	20	-	4	2	-	1	3	3	29	8	8	2	2	-
Clallam	1	52	8	15	28	46	1	8	5	-	4	1	7	57	9	15	14	2	2
Port Angeles	1	23	4	4	10	20	-	4	2	-	3	-	2	22	4	5	5	1	1
Balance of county	-	29	4	11	19	26	1	4	3	-	1	1	5	35	5	10	9	1	1
Clark	11	109	8	26	71	104	6	20	11	-	17	9	30	167	43	49	29	7	4
Vancouver	3	31	3	9	29	40	4	10	7	-	4	3	14	69	12	23	8	2	-
Balance of county	8	78	5	17	42	64	2	10	4	-	13	6	16	98	31	26	21	5	4
Columbia	-	3	-	-	-	3	-	-	-	-	-	-	-	1	2	3	1	-	-
Cowlitz	6	81	6	17	22	37	2	8	3	-	4	5	6	71	13	22	16	7	-
Kelso	2	10	1	5	4	4	-	4	1	-	-	1	1	10	4	2	4	-	-
Longview	2	46	2	5	11	22	1	1	-	-	3	3	1	35	4	12	7	6	-
Balance of county	2	25	3	7	7	11	1	3	2	-	1	1	4	26	5	8	5	1	-
Douglas	1	16	1	4	6	13	-	1	2	-	-	-	2	22	4	6	4	4	-
Ferry	-	2	-	-	1	-	-	-	1	-	2	-	-	11	-	1	1	-	-
Franklin	1	17	2	5	3	18	-	5	4	-	5	1	5	23	11	7	3	2	1
Pasco	1	12	1	4	3	11	-	4	4	-	2	1	5	18	6	7	1	2	1
Balance of county	-	5	1	1	-	7	-	1	-	-	3	-	-	5	5	-	2	-	-
Garfield	-	2	-	1	1	3	-	-	-	-	-	-	-	5	-	-	-	-	-
Grant	1	34	5	3	15	32	1	2	3	-	4	2	4	47	15	8	8	6	1
Moses Lake	1	10	-	-	3	6	-	1	1	-	-	-	1	14	3	3	-	-	1
Balance of county	-	24	5	3	12	26	1	1	2	-	4	2	3	33	12	5	8	6	-
Grays Harbor	2	42	7	12	24	44	3	10	4	-	2	-	4	73	16	21	12	1	-
Aberdeen	1	14	3	6	2	9	-	1	4	-	1	-	2	22	1	8	4	1	-
Balance of county	1	28	4	6	22	35	3	9	-	-	1	-	2	51	15	13	8	-	-
Island	1	24	2	3	13	16	1	3	5	-	-	2	5	52	4	19	3	-	1
Oak Harbor	-	5	-	1	2	2	-	-	-	-	-	1	1	8	1	7	1	-	-
Balance of county	1	19	2	2	11	14	1	3	5	-	-	1	4	44	3	12	2	-	1
Jefferson	-	16	-	4	11	9	1	2	-	-	5	2	2	9	5	4	-	2	3
King	51	839	87	133	417	507	25	121	99	1	61	51	75	1,265	158	273	211	107	31
Auburn	2	40	5	7	24	31	-	1	6	-	3	2	3	58	6	15	11	2	1
Bellevue	2	55	6	12	19	26	1	10	2	-	5	4	5	61	5	14	10	4	-
Kent	3	15	1	2	6	14	1	4	1	-	2	3	2	19	12	7	6	2	-
Kirkland	-	29	3	3	17	11	1	1	4	-	-	1	2	33	5	7	7	-	-
Mercer Island	-	36	2	3	23	20	2	5	3	-	5	4	1	57	5	9	7	1	1
Redmond	2	16	3	6	3	6	1	-	-	-	2	-	2	24	3	2	5	1	-
Renton	2	26	3	7	17	18	2	10	5	-	5	2	3	42	5	10	9	7	1
Seattle	32	418	37	57	206	242	13	57	54	1	21	20	34	635	63	136	97	69	22
Balance of county	8	204	27	36	102	139	4	33	24	-	18	15	23	336	54	73	59	21	6
Kitsap	4	107	6	18	37	100	4	21	5	-	13	5	14	171	31	35	26	7	3
Bremerton	-	33	1	4	10	30	2	6	2	-	2	2	3	50	10	11	8	5	1
Balance of county	4	74	5	14	27	70	2	15	3	-	11	3	11	121	21	24	18	2	2
Kittitas	-	17	-	4	8	11	2	3	2	-	1	2	1	27	2	11	3	-	-
Ellensburg	-	6	-	-	3	4	-	1	-	-	-	-	1	11	-	6	2	-	-
Balance of county	-	11	-	4	5	7	2	2	2	-	1	2	-	16	2	5	1	-	-
Klickitat	-	10	3	12	16	-	-	1	-	-	-	-	1	19	4	7	3	2	-
Lewis	3	59	6	14	17	38	4	7	9	-	6	3	4	58	9	13	6	5	-
Centralia	-	24	3	5	8	14	1	1	3	-	2	1	1	17	1	5	2	1	-
Balance of county	3	35	3	9	9	24	3	6	6	-	4	2	3	41	8	8	4	4	-
Lincoln	-	13	-	1	-	8	-	1	1	-	-	-	2	14	1	2	1	1	-
Mason	-	28	-	6	6	22	3	4	4	-	2	1	1	50	17	9	8	1	-
Okanogan	3	23	1	5	10	20	-	2	3	-	1	1	4	19	15	10	3	-	-
Pacific	1	13	-	4	18	17	2	2	2	-	1	1	1	20	6	3	3	-	-
Pend Oreille	-	7	-	-	6	4	1	2	2	-	-	-	1	7	5	3	-	1	-
Pierce	16	347	98	55	104	265	8	52	22	1	37	23	41	409	85	96	97	67	22
Puyallup	-	18	4	4	7	14	1	2	3	-	1	-	1	27	6	9	5	2	2
Tacoma	10	155	51	21	48	113	4	21	6	1	17	7	19	188	33	33	38	37	10
Balance of county	6	174	43	30	49	138	3	29	13	-	19	16	21	194	46	54	54	28	10

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 715

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 177 of 186)
 [Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1997 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cul- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including of lymphatic and hema- to- poietic tissues (140-208)	Malignant neoplasms of di- gestive organs and pe- ritone- um (150- 159)	Malign- ant neoplasms of res- pirato- ry and in- tra- tho- racic organs (160- 165)	Malign- ant neoplas- m of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Washington—Con.																			
Snohomish	2,961	6	-	59	749	155	239	66	83	24	27	155	57	1,187	889	16	20	511	342
Edmonds	274	-	-	5	66	13	28	2	8	-	2	13	6	113	87	2	2	35	48
Everett	714	4	-	16	147	24	60	8	18	4	5	28	11	312	236	4	5	143	84
Lynnwood	237	-	-	6	62	18	17	9	6	2	1	9	-	98	74	3	-	40	31
Mountlake Terrace	77	-	-	2	23	4	8	1	3	-	3	4	2	31	26	1	-	8	17
Balance of county	1,659	2	-	30	451	96	126	46	48	18	16	101	38	633	466	6	13	285	162
Spokane	3,236	-	-	55	817	169	250	71	96	25	43	163	50	1,318	961	17	25	610	309
Spokane	1,951	-	-	38	473	106	133	41	59	15	29	90	36	785	563	10	18	360	175
Balance of county	1,285	-	-	17	344	63	117	30	37	10	14	73	14	533	398	7	7	250	134
Stevens	279	-	-	3	62	20	11	5	10	2	5	9	6	119	91	-	2	54	35
Thurston	1,221	1	-	24	315	67	89	24	44	15	15	61	17	492	382	5	11	226	140
Lacey	191	-	-	3	38	9	7	7	4	1	-	10	1	89	74	1	5	31	37
Olympia	409	-	-	8	96	21	26	6	16	7	6	14	5	154	118	-	2	71	45
Balance of county	621	1	-	13	181	37	56	11	24	7	9	37	11	249	190	4	4	124	58
Wahkiakum	34	-	-	1	9	1	3	-	-	-	-	5	1	10	9	-	1	6	2
Walla Walla	522	-	-	6	113	22	31	6	13	4	8	29	8	223	165	2	5	108	50
Walla Walla	335	-	-	6	67	13	20	4	10	2	3	15	5	144	106	2	4	68	32
Balance of county	187	-	-	-	46	9	11	2	3	2	5	14	3	79	59	-	1	40	18
Whatcom	1,020	1	-	8	241	49	66	25	27	13	5	56	27	418	296	1	6	193	96
Bellingham	511	1	-	6	108	28	25	8	16	8	4	19	8	211	142	-	5	90	47
Balance of county	509	-	-	2	133	21	41	17	11	5	1	37	19	207	154	1	1	103	49
Whitman	205	-	-	3	44	9	14	4	7	1	4	5	3	90	68	2	-	40	26
Pullman	50	-	-	-	13	3	2	1	3	1	1	2	1	19	14	-	-	6	8
Balance of county	155	-	-	3	31	6	12	3	4	-	3	3	2	71	54	2	-	34	18
Yakima	1,646	-	-	13	327	69	113	22	33	13	9	68	49	735	552	12	14	409	117
Yakima	736	-	-	5	140	32	48	8	15	3	3	31	25	328	235	6	2	179	48
Balance of county	910	-	-	8	187	37	65	14	18	10	6	37	24	407	317	6	12	230	69
West Virginia	19,720	14	1	305	4,614	978	1,490	331	463	202	173	977	545	8,508	6,927	51	209	4,380	2,287
Urban places	5,300	3	1	91	1,227	267	362	103	134	54	53	254	156	2,369	1,905	11	66	1,163	665
Balance of area	14,420	11	-	214	3,387	711	1,128	228	329	148	120	728	389	6,139	5,022	40	143	3,217	1,622
Metropolitan counties	7,100	4	-	95	1,727	361	572	128	165	79	69	358	208	3,086	2,504	15	91	1,516	882
Urban places	3,559	2	-	57	821	163	254	65	87	37	35	160	107	1,601	1,279	10	45	759	465
Balance of area	3,541	2	-	38	906	178	916	63	78	42	34	193	101	1,485	1,225	5	46	757	417
Nonmetropolitan counties	12,620	10	1	210	2,887	617	918	203	298	123	104	624	337	5,422	4,423	36	118	2,864	1,405
Urban places	1,741	1	1	34	405	84	108	38	47	17	18	94	49	768	625	1	21	404	200
Balance of area	10,879	9	-	176	2,481	533	810	165	251	106	86	530	288	4,654	3,797	35	97	2,460	1,205
Barbour	203	-	-	5	49	6	20	4	5	5	1	8	7	84	66	-	1	45	20
Berkeley	587	-	-	10	145	24	57	6	13	6	9	30	20	251	204	-	5	127	72
Martinsburg	250	-	-	6	61	8	23	3	7	2	4	14	8	111	89	-	-	56	33
Balance of county	337	-	-	4	84	16	34	3	6	4	5	16	12	140	115	-	5	71	39
Boone	256	-	-	3	61	13	17	4	8	-	2	17	8	105	79	1	3	49	26
Braxton	172	1	-	5	31	9	8	-	6	1	3	4	4	81	71	-	3	42	26
Brooke	273	-	-	1	69	12	30	7	6	3	2	9	9	111	94	-	2	60	32
Welton, part	45	-	-	1	8	2	5	-	-	-	1	5	18	14	-	-	-	10	4
Balance of county	228	-	-	-	61	10	25	7	6	3	2	8	4	93	80	-	2	50	28
Cabell	1,159	-	-	24	254	55	84	17	25	7	15	51	28	527	411	-	17	255	139
Huntington, part	745	-	-	17	152	34	54	10	15	3	8	28	17	340	264	-	12	164	88
Huntington, total	823	-	-	18	172	40	59	12	18	4	9	30	19	373	291	1	13	181	96
Balance of county	414	-	-	7	102	21	30	7	10	4	7	23	11	187	147	-	5	91	51
Calhoun	91	-	-	-	17	2	8	-	1	1	1	4	3	45	37	-	-	27	10
Clay	110	-	-	1	25	4	12	1	2	1	-	5	2	46	38	-	3	22	13
Doddridge	70	-	-	2	12	4	1	2	2	-	-	3	2	23	18	-	-	13	5
Fayette	623	1	-	10	137	33	44	8	11	4	3	34	15	280	237	2	5	164	66
Gilmer	76	-	-	-	22	6	4	2	5	1	-	4	3	39	38	-	-	31	7
Grant	88	1	-	2	24	9	3	1	3	-	1	7	-	42	39	-	1	33	5
Greenbrier	446	-	-	10	110	29	33	3	13	2	5	25	8	189	146	5	4	81	56
Hampshire	158	-	-	1	39	5	15	2	4	2	1	10	8	66	56	-	2	38	16
Hancock	395	-	-	3	109	23	38	9	9	3	5	22	16	171	145	-	2	103	40
Welton, part	226	-	-	1	65	18	18	6	3	2	3	15	12	94	80	-	2	55	23
Welton, total	271	-	-	2	73	20	23	6	3	2	3	16	17	112	94	-	2	65	27
Balance of county	169	-	-	2	44	5	20	3	6	1	2	7	4	77	65	-	-	48	17
Hardy	120	-	-	-	21	4	4	-	2	2	1	8	3	68	56	1	-	39	16
Harrison	962	1	-	11	209	60	59	16	18	3	5	48	36	452	367	4	15	229	119
Clarksburg	331	-	-	5	74	14	23	5	6	1	2	23	12	159	136	-	6	85	45
Balance of county	631	1	-	6	135	46	36	11	12	2	3	25	24	293	231	4	9	144	74
Jackson	261	-	-	4	66	16	14	5	5	3	4	19	8	121	98	1	1	62	34
Jefferson	309	1	-	5	67	13	21	5	6	4	4	14	7	134	111	-	3	69	39
Kanawha	2,273	2	-	37	564	123	188	41	49	24	23	116	66	946	759	6	41	397	315
Charleston	778	1	-	17	185	46	60	14	17	8	8								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 716

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 178 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E860-E978)	All other external causes (E890-E999)
Washington—Con.																			
Snohomish	10	213	28	47	102	162	7	47	15	-	16	10	35	306	46	72	61	19	5
Edmonds	2	20	2	2	7	12	-	2	1	-	3	1	1	38	5	8	6	-	-
Everett	4	56	9	7	29	37	2	12	5	-	6	3	8	72	10	23	12	4	1
Lynnwood	-	15	3	6	5	10	1	4	3	-	1	-	2	24	7	6	5	2	1
Mountlake Terrace	1	2	1	1	1	2	1	1	1	-	-	-	-	6	-	3	2	2	-
Balance of county	3	120	13	31	60	101	3	28	5	-	6	6	24	166	24	32	36	11	3
Spokane	7	248	56	46	110	185	7	48	43	1	24	14	22	326	51	86	51	24	4
Spokane	5	147	39	31	76	115	6	34	25	1	17	9	12	190	27	61	29	13	4
Balance of county	2	101	17	15	34	70	1	14	18	-	7	5	10	136	24	25	22	11	-
Stevens	1	25	-	2	7	19	1	2	2	-	1	-	3	29	8	8	7	2	-
Thurston	3	78	5	24	59	59	1	12	10	-	6	4	5	120	26	36	23	8	3
Lacey	1	11	1	2	23	3	-	4	2	-	-	-	-	18	-	5	4	1	-
Olympia	2	27	2	5	20	27	1	3	3	-	2	1	3	56	6	13	7	2	2
Balance of county	-	40	2	17	16	29	-	5	5	-	4	3	2	46	20	18	12	5	1
Wahkiakum	-	1	-	-	1	3	-	-	-	-	-	-	-	6	-	1	1	-	-
Walla Walla	2	44	8	4	14	31	1	5	5	-	1	2	6	80	11	9	4	1	2
Walla Walla	-	28	7	3	9	28	1	3	1	-	1	-	2	53	6	5	3	-	1
Balance of county	2	16	1	1	5	3	-	2	4	-	-	2	4	27	5	4	1	1	1
Whatcom	6	91	9	16	46	59	2	9	10	-	5	3	8	106	19	35	18	3	2
Bellingham	4	52	7	6	27	30	2	3	6	-	2	2	3	70	8	15	7	1	1
Balance of county	2	39	2	10	19	29	-	6	4	-	3	1	5	36	11	20	11	2	1
Whitman	-	17	2	3	8	8	2	1	2	-	1	1	-	24	5	9	3	1	-
Pullman	-	2	2	1	1	1	-	1	-	-	1	1	-	5	3	3	1	-	-
Balance of county	-	15	-	2	7	7	2	-	2	-	-	-	-	19	2	6	2	1	-
Yakima	10	134	13	26	51	95	5	21	14	-	15	15	21	152	47	48	28	9	1
Yakima	6	65	11	11	31	43	1	6	7	-	5	11	9	78	14	20	9	3	1
Balance of county	4	69	2	15	20	52	4	15	7	-	10	4	12	74	33	28	19	6	-
West Virginia	69	1,091	180	241	692	982	39	187	230	2	102	76	166	2,018	426	419	240	131	23
Urban places	20	318	53	73	188	261	16	56	59	-	25	15	52	534	61	89	50	41	6
Balance of area	49	773	127	168	504	721	23	131	171	2	77	61	114	1,484	365	330	190	90	17
Metropolitan counties	23	391	75	93	243	361	19	75	67	-	35	24	68	709	127	119	80	43	10
Urban places	12	219	37	54	126	182	15	39	32	-	18	10	39	358	38	49	34	28	3
Balance of area	11	172	38	39	117	179	4	36	35	-	17	14	29	351	89	70	46	15	7
Nonmetropolitan counties	46	700	105	148	449	621	20	112	163	2	67	52	98	1,309	299	300	160	88	13
Urban places	8	99	16	19	62	79	1	17	27	-	7	5	13	176	23	40	16	13	3
Balance of area	38	601	89	129	387	542	19	95	136	2	60	47	85	1,133	276	260	144	75	10
Barbour	-	15	-	3	6	11	-	3	3	-	-	2	2	16	5	7	2	1	-
Berkeley	5	31	4	7	16	27	1	4	10	1	1	4	3	57	11	12	11	3	-
Martinsburg	2	15	-	5	8	11	1	3	5	-	-	2	2	24	4	3	1	-	-
Balance of county	3	16	4	2	8	16	-	1	5	1	1	2	1	33	7	9	10	3	-
Boone	3	14	4	5	6	12	1	4	2	-	1	-	1	37	6	4	4	1	-
Braxton	-	9	1	-	9	8	-	1	1	-	2	-	1	10	5	5	6	2	-
Brooke	1	12	2	2	10	20	2	1	3	-	-	1	4	27	5	3	4	-	3
Weirton, part	-	3	-	1	-	4	1	-	1	-	-	1	2	3	-	1	-	-	-
Balance of county	1	9	2	1	10	16	1	1	2	-	-	-	2	24	5	2	4	-	3
Cabell	2	81	13	20	40	53	3	15	5	-	4	6	14	125	16	20	17	7	1
Huntington, part	2	56	6	12	26	35	3	10	3	-	3	4	14	87	8	10	10	6	-
Huntington, total	2	60	7	13	30	38	4	10	3	-	5	5	14	94	8	10	11	9	-
Balance of county	-	25	7	8	14	18	-	5	2	-	1	2	-	38	8	10	7	1	1
Calhoun	-	7	1	-	1	8	-	1	-	-	-	-	-	8	4	1	3	-	-
Clay	-	5	1	2	4	12	-	1	-	-	-	-	2	8	2	4	2	2	-
Doddridge	-	4	-	1	6	4	-	2	1	-	-	-	-	12	1	2	2	1	-
Fayette	1	32	3	7	28	40	-	6	3	1	2	1	1	60	16	10	7	5	-
Gilmer	-	-	1	-	1	-	-	-	1	-	-	-	1	7	1	1	-	-	-
Grant	-	2	1	-	1	2	-	-	-	-	-	-	2	12	-	2	-	-	-
Greenbrier	3	22	5	13	13	14	1	2	5	-	2	2	5	60	12	8	5	-	-
Hampshire	-	8	-	2	9	4	-	-	1	-	1	-	3	15	3	3	4	1	-
Hancock	-	22	-	4	7	19	1	5	7	-	-	2	6	31	6	4	6	1	1
Weirton, part	-	11	-	3	4	11	1	1	7	-	-	1	3	16	3	3	3	1	1
Weirton, total	-	14	-	4	4	15	2	1	7	-	-	2	5	19	3	4	3	1	1
Balance of county	-	11	-	1	3	8	-	4	1	-	-	1	3	15	3	1	3	-	-
Hardy	1	7	1	3	1	4	-	1	1	-	1	-	1	14	1	3	1	-	-
Harrison	3	62	14	6	28	49	1	8	9	-	7	5	6	98	15	11	9	7	-
Clarksburg	1	17	5	-	8	15	-	3	2	-	3	1	4	37	2	2	2	2	-
Balance of county	2	45	9	6	20	34	1	5	7	-	4	4	2	61	13	9	7	5	-
Jackson	2	14	1	6	6	14	-	1	5	-	1	1	1	26	2	4	2	2	-
Jefferson	-	21	2	-	15	6	1	1	5	-	2	1	12	29	10	4	6	2	1
Kanawha	14	126	15	32	76	115	4	27	24	-	11	8	19	244	36	49	28	15	2
Charleston	6	53	9	11	24	46	2	10	7	-	4	1	7	87	6	16	6	5	-
St. Albans	1	8	-	2	3	7	-	1	1	-	-	-	1	16	2	2	6	3	-
South Charleston	-	10	-	5	6	9	-	2	1	-	1	-	-	15	4	2	2	1	-
Balance of county	7	55	6	14	43	53	2	14	15	-	6	7	11	126	24	29	14	6	2
Lewis	-	14	-	3	5	15	1	2	2	-	3	2	1	20	2	6	1	3	-
Lincoln	2	13	1	4	15	8	-	2	2	-	2	1	2	24	8	7	3	2	-
Logan	3	13	1	3	10	25	1	6	8	-	1	2	3	64	13	19	3	6	-
McDowell	2	16	3	5	16	18	-	3	7	-	2	1	2</						

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 717

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 179 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 019)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of dige- stive organs and perito- neum (150- 159)	Malign- ant neoplasms of respi- ratory and intra- tho- racic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
West Virginia—Con.																			
Marshall	393	-	-	5	92	17	41	3	9	5	2	15	21	176	153	1	2	105	45
Moundsville	191	-	-	4	45	6	19	1	6	4	2	7	10	88	78	-	-	53	25
Wheeling, part	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	200	-	-	1	46	10	22	2	3	1	-	8	11	88	75	1	2	52	20
Mason	295	-	-	5	72	15	18	3	5	6	-	25	11	135	111	1	1	76	33
Mercer	764	-	1	15	164	37	44	14	15	7	5	42	14	320	276	1	6	186	83
Bluefield	207	-	1	2	47	8	10	7	5	2	3	12	4	95	86	-	2	60	24
Balance of county	557	-	-	13	117	29	34	7	10	5	2	30	10	225	190	1	4	126	59
Mineral	278	1	-	3	66	12	16	3	4	6	3	22	10	121	98	-	3	61	34
Mingo	316	-	-	5	86	13	33	8	4	4	5	19	9	113	101	1	5	46	49
Monongalia	581	1	-	16	130	33	33	13	12	9	7	23	9	229	165	3	3	97	62
Morgantown	273	1	-	4	59	13	13	9	7	2	4	11	5	105	77	1	1	42	33
Balance of county	308	-	-	12	71	20	20	4	5	7	3	12	4	124	88	2	2	55	29
Monroe	150	-	-	1	34	5	8	1	5	7	1	7	5	63	52	-	1	30	21
Morgan	142	-	-	3	31	4	10	3	5	-	-	9	9	62	53	-	-	25	28
Nicholas	301	-	-	8	73	14	23	9	6	3	1	17	-	124	102	3	2	63	34
Ohio	666	-	-	6	161	37	37	17	18	9	3	40	16	305	250	4	6	171	69
Wheeling, part	537	-	-	3	125	30	27	13	16	6	2	31	13	255	207	3	5	138	61
Wheeling, total	539	-	-	3	126	31	27	13	16	6	2	31	13	255	207	3	5	138	61
Balance of county	129	-	-	3	36	7	10	4	2	3	1	9	3	50	43	1	1	33	8
Pendleton	92	-	-	4	27	8	6	2	2	4	1	4	2	35	26	-	-	20	6
Pleasants	70	-	-	-	18	4	12	-	1	-	-	1	-	32	24	-	-	16	8
Pocahontas	121	-	-	-	24	8	4	1	3	1	2	5	4	52	44	-	1	28	15
Preston	306	-	-	3	69	9	21	7	4	3	4	21	7	125	97	1	1	57	38
Putnam	339	-	-	4	87	22	29	9	7	4	1	15	11	138	111	-	4	69	38
Raleigh	875	-	-	15	187	36	64	21	23	4	3	36	28	399	324	6	17	212	89
Beckley	341	-	-	7	80	21	23	8	11	3	2	12	14	142	114	-	9	80	25
Balance of county	534	-	-	8	107	15	41	13	12	1	1	24	14	257	210	6	8	132	64
Randolph	312	-	-	8	72	15	22	5	12	2	4	12	10	117	98	1	2	68	27
Ritchie	136	-	-	3	19	8	6	2	3	-	-	-	3	64	54	-	1	42	11
Roane	165	2	-	2	32	5	14	2	2	3	3	3	4	84	59	-	3	41	15
Summers	174	-	-	1	39	6	10	3	5	2	-	13	4	85	74	-	4	50	20
Taylor	180	1	-	-	42	11	17	2	6	1	-	5	2	76	54	-	1	29	24
Tucker	91	-	-	2	18	5	4	2	1	2	-	4	4	40	36	-	1	24	11
Tyler	102	-	-	-	27	6	9	1	-	1	1	9	2	42	34	-	-	26	8
Upshur	214	-	-	3	55	13	22	4	4	1	3	8	2	91	67	1	2	32	32
Wayne	457	-	-	3	119	24	43	7	14	3	4	24	9	191	162	2	9	102	49
Huntington, part	78	-	-	1	20	6	5	2	3	1	1	2	2	33	27	1	1	17	8
Balance of county	379	-	-	2	99	18	38	5	11	2	3	22	7	158	135	1	8	85	41
Webster	118	-	-	3	24	3	11	2	3	1	-	4	4	42	34	-	-	24	10
Wetzel	205	-	-	3	51	10	19	2	3	1	1	15	6	86	67	-	1	54	12
Wirt	43	-	-	-	12	4	3	2	2	-	-	1	1	20	20	-	-	13	7
Wood	867	1	-	9	205	36	66	15	24	15	11	39	22	400	321	2	5	193	121
Parkersburg	521	1	-	6	110	20	36	8	17	7	6	16	14	250	202	2	5	116	79
Vienna	119	-	-	1	34	8	8	3	-	5	2	8	4	49	38	-	-	21	17
Balance of county	227	-	-	2	62	8	22	4	7	3	3	15	4	101	81	-	-	56	25
Wyoming	253	-	-	-	56	11	17	6	8	3	4	7	15	89	70	1	2	51	16
Wisconsin	42,242	21	2	610	10,325	2,539	2,616	866	1,343	485	391	2,085	1,042	18,454	14,052	90	316	10,000	3,646
Urban places	21,330	14	1	399	5,149	1,246	1,286	468	649	234	191	1,075	490	9,190	6,980	53	213	4,921	1,793
Balance of area	20,912	7	1	211	5,176	1,293	1,330	398	694	251	200	1,010	552	9,284	7,072	37	103	5,079	1,853
Metropolitan counties	26,209	17	2	446	6,480	1,595	1,672	567	785	295	251	1,375	627	11,224	8,608	58	254	6,037	2,259
Urban places	18,967	13	1	372	4,589	1,095	1,157	419	563	202	170	983	440	8,107	6,177	45	201	4,331	1,600
Balance of area	7,342	4	1	74	1,891	440	515	148	222	93	81	392	187	3,117	2,431	13	53	1,706	659
Nonmetropolitan counties	16,033	4	-	164	3,845	1,004	944	289	558	190	140	710	415	7,230	5,444	32	62	3,963	1,387
Urban places	2,463	1	-	27	580	151	129	49	86	32	21	92	50	1,083	803	8	12	590	193
Balance of area	13,570	3	-	137	3,265	853	815	250	472	158	119	618	365	6,147	4,641	24	50	3,373	1,194
Adams	162	-	-	2	39	7	13	6	7	-	-	6	5	72	52	1	-	39	12
Ashland	227	-	-	4	56	14	11	3	8	5	3	12	5	103	83	-	-	48	34
Barron	421	-	-	3	113	25	26	10	19	5	5	23	15	192	127	-	-	90	37
Bayfield	161	-	-	1	32	12	3	1	7	1	1	7	6	68	49	-	1	34	14
Brown	1,371	-	-	21	327	78	83	26	37	13	10	80	24	641	466	1	16	306	143
Allouez townit	59	-	-	1	8	1	2	-	1	-	-	4	2	32	24	-	2	15	7
Ashwaubenon	116	-	-	2	27	10	5	3	2	-	1	6	1	48	28	-	3	13	12
Do Pero	125	-	-	3	31	6	8	3	6	1	1	6	3	62	40	-	-	32	8
Green Bay	861	-	-	12	212	47	58	18	23	9	6	51	14	396	294	1	11	192	90
Balance of county	211	-	-	3	49	14	10	2	5	3	2	13	4	103	80	-	-	54	26
Buffalo	150	-	-	-	36	15	7	3	5	-	1	5	2	73	61	-	1	46	14
Burnett	157	1	-	2	43	8	11	3	5	4	3	9	3	58	40	-	-	24	16
Calumet	207	-	-	1	47	11	11	4	6	3	3	9	12	72	54	1	1	31	21
Appleton, part	22	-	-	-	7	3	-	1	1	-	-	2	-	7					

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 718

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 180 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
West Virginia—Con.																			
Marshall	2	16	1	4	18	22	1	3	3	-	3	-	-	34	4	5	4	2	-
Moundsville	-	7	-	3	9	10	1	-	-	-	1	-	-	15	1	2	3	1	-
Wheeling, part	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Balance of county	2	9	1	1	9	12	-	3	2	-	2	-	-	18	3	3	1	1	-
Mason	-	22	2	-	5	9	1	2	1	-	-	-	8	25	10	7	2	2	-
Mercer	3	33	5	3	37	43	1	13	13	-	2	3	7	71	22	9	15	12	2
Bluefield	1	5	2	1	7	8	-	3	3	-	-	-	1	22	4	4	2	3	1
Balance of county	2	28	3	2	30	35	1	10	10	-	2	3	6	49	18	5	13	9	1
Mineral	-	11	8	4	3	17	-	-	2	-	1	1	2	33	10	5	3	-	-
Mingo	1	11	-	-	12	25	1	1	5	-	4	1	4	21	6	10	5	3	1
Monongalia	4	35	16	9	29	29	1	-	8	-	7	2	7	76	7	16	12	7	-
Morgantown	1	18	5	4	18	12	-	-	4	-	3	1	5	36	3	11	5	1	-
Balance of county	3	17	11	5	11	17	1	-	4	-	4	1	2	40	4	5	7	1	-
Monroe	-	8	2	1	5	6	-	1	4	-	-	1	3	16	8	1	1	1	-
Morgan	-	8	-	1	2	3	1	3	1	-	-	1	1	15	6	1	1	3	-
Nicholas	-	14	4	4	8	19	-	7	-	-	2	1	3	38	8	7	2	1	-
Ohio	1	40	7	7	19	35	1	7	5	-	1	1	5	76	10	9	2	6	1
Wheeling, part	1	34	6	7	19	25	1	7	3	-	1	1	5	62	5	7	1	4	1
Wheeling, total	1	34	6	7	19	25	1	7	3	-	1	1	5	63	5	7	1	4	1
Balance of county	-	6	1	-	-	10	-	-	2	-	1	-	-	14	5	2	1	2	-
Pendleton	-	6	1	2	3	2	-	1	-	-	2	-	1	10	1	2	2	1	-
Pleasants	-	4	1	3	8	5	-	-	-	-	-	-	3	3	-	1	1	-	-
Pocahontas	1	6	1	-	7	6	-	2	3	-	-	-	1	10	2	6	1	1	-
Preston	-	20	4	4	8	8	-	4	5	-	2	-	1	37	13	10	3	1	-
Putnam	1	18	6	2	14	10	-	6	1	-	4	7	2	31	12	8	5	1	-
Raleigh	4	50	8	13	26	36	1	9	14	-	7	4	-	98	19	19	8	3	2
Beckley	2	21	3	2	12	17	-	4	7	-	1	1	-	34	5	10	5	2	-
Balance of county	2	29	5	11	14	19	1	5	7	-	6	3	-	64	14	9	3	1	2
Randolph	1	13	2	3	10	28	-	9	2	-	-	2	1	27	12	10	3	-	1
Ritchie	-	7	1	2	5	8	2	-	3	-	-	-	1	20	2	5	1	-	
Roane	-	23	-	6	5	5	2	3	-	-	-	-	11	4	7	3	-	-	
Summers	-	8	1	2	9	6	-	3	3	-	1	1	1	13	4	1	1	1	-
Taylor	-	15	7	-	9	9	-	2	1	-	-	1	2	18	6	10	1	-	-
Tucker	3	3	-	1	5	4	-	2	3	-	1	-	-	8	2	1	-	1	-
Tyler	-	5	-	3	9	4	-	1	1	-	1	-	-	10	-	3	1	1	-
Upshur	-	14	4	-	9	10	-	-	2	-	1	1	1	22	2	7	1	1	-
Wayne	-	21	3	5	18	32	2	3	6	-	4	2	3	37	12	7	5	4	-
Huntington, part	-	4	1	1	4	3	1	-	-	-	2	1	-	7	-	-	1	3	-
Balance of county	-	17	2	4	14	29	1	3	6	-	2	1	3	30	12	7	4	1	-
Webster	1	7	-	2	14	-	-	4	-	-	2	-	1	12	5	2	3	-	-
Wetzel	1	12	-	6	9	11	-	1	2	-	1	-	1	18	5	5	3	3	-
Wirt	-	-	-	2	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-
Wood	2	44	20	13	38	38	5	8	11	-	9	2	8	71	16	9	6	7	1
Parkersburg	2	27	11	8	27	26	4	5	8	-	6	1	5	39	9	4	2	4	-
Vienna	-	6	4	1	4	6	1	3	1	-	1	-	2	10	-	2	-	1	-
Balance of county	-	11	5	4	7	6	-	2	2	-	2	1	1	22	7	3	4	3	-
Wyoming	3	12	1	3	10	14	-	1	2	-	1	-	2	36	15	7	5	-	-
Wisconsin	162	3,319	312	609	1,607	1,638	129	366	424	3	219	202	186	4,565	677	911	586	244	31
Urban places	93	1,710	131	276	885	836	64	227	206	-	116	139	102	2,368	225	420	284	196	19
Balance of area	69	1,609	181	333	722	802	65	139	218	3	103	63	84	2,197	452	491	302	48	12
Metropolitan counties	99	2,015	160	342	1,060	1,012	75	262	248	2	141	155	121	2,825	354	550	369	213	26
Urban places	74	1,512	103	241	769	735	54	204	179	-	103	131	94	2,027	199	382	258	192	18
Balance of area	25	503	57	101	291	277	21	58	69	2	38	24	27	798	155	168	111	21	8
Nonmetropolitan counties	63	1,304	152	267	547	626	54	104	176	1	78	47	65	1,740	323	361	217	31	5
Urban places	19	198	28	35	116	101	10	23	27	-	13	8	8	341	26	38	26	4	1
Balance of area	44	1,106	124	232	431	525	44	81	149	1	65	39	57	1,399	297	323	191	27	4
Adams	-	15	3	2	6	7	-	1	5	-	-	2	-	13	1	7	2	-	-
Ashland	-	16	2	2	9	11	-	-	3	-	1	-	3	27	2	2	1	-	-
Barron	1	43	12	9	10	14	-	1	4	-	2	-	-	44	6	9	6	2	-
Bayfield	-	11	1	7	8	6	1	-	3	-	-	1	1	19	4	9	1	1	-
Brown	5	143	9	18	48	44	2	16	10	-	8	10	2	147	23	20	25	1	2
Allouez town#	-	7	-	1	3	1	-	1	1	-	1	-	-	6	-	1	1	-	-
Ashwaubenton	1	16	1	2	6	3	-	1	1	-	2	-	-	23	-	1	-	1	-
De Pere	-	18	3	1	3	4	1	-	1	-	-	2	-	11	-	3	1	-	-
Green Bay	4	84	4	10	30	28	1	10	7	-	5	8	2	91	15	13	16	-	1
Balance of county	-	16	1	4	6	8	-	4	-	-	-	-	-	16	8	2	7	-	1
Buffalo	-	8	1	3	6	5	-	-	1	-	-	2	-	18	5	-	2	-	-
Burnett	-	11	3	4	4	11	-	-	3	-	1	-	-	20	5	3	2	1	-
Calumet	-	10	1	7	11	5	2	6	2	-	2	2	-	31	4	7	2	1	-
Appleton, part	-	1	-	1	1	-	-	2	-	-	-	-	-	3	1	-	1	-	-
Balance of county	-	9	1	6	10	5	2	4	2	-	2	2	-	28	3	7	1	1	-
Chippewa	-	41	3	9	24	24	1	6	1	-	2	-	1	46	13	17	3	-	-
Chippewa Falls	-	8	-	3	11	6	-	3	-	-	1	-	1	17	4	6	2	-	-
Eau Claire, part	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
Balance of county	-	33	3	6	13	18	1	2	1	-	1	-	-	27	9	11	1	-	-
Clark	1	24	1	4	7	7	-	1	4	-	4	-	2	40	7	10	2	1	-
Columbia	-	47	2	7	18	24	4	1	3	-	4	1	-	51	12	12	8	2	-
Crawford	-	11</																	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 719

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.
(Page 181 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- culosis (010- 018)	Syph- ilis (090- 097)	Residual of infectious and para- sitic dis- eases	Malignant neoplasms, including neoplasms of lymphatic and hemato- poietic tissues (140-208)	Malignant neoplasms of digestive organs and perito- neum (150- 159)	Malign- ant neoplasms of respi- ratory and intra- thoracic organs (160- 165)	Malign- ant neoplasms of breast (174- 175)	Malign- ant neoplasms of genital organs (179- 187)	Malign- ant neoplasms of urinary organs (188- 189)	Leuka- mia (204- 208)	Other malign- ant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 449)	Disease of heart (390- 398, 402,404- 429)	Rheum- atic fever and rheum- atic heart disease (390- 399)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Wisconsin—Con.																			
Dane	2,177	1	1	38	507	118	125	58	53	21	20	112	63	923	665	9	8	460	188
Madison	1,164	-	-	26	259	66	60	24	26	10	13	60	34	491	341	4	4	249	84
Middleton	82	-	-	-	17	2	4	4	1	2	-	4	4	40	26	2	-	18	6
Sun Prairie	94	-	-	1	26	7	9	3	2	1	-	4	4	35	28	-	1	21	6
Balance of county	837	-	1	11	205	43	52	27	24	8	7	44	21	357	270	3	3	172	92
Dodge	797	-	-	6	173	43	37	20	26	11	5	31	19	408	298	1	1	205	91
Beaver Dam	222	-	-	1	52	16	13	7	7	2	1	6	3	116	84	1	-	57	26
Watertown, part	86	-	-	1	21	4	2	3	5	1	1	5	-	44	28	-	-	19	9
Balance of county	489	-	-	4	100	23	22	10	14	8	3	20	16	248	186	-	1	129	56
Door	273	-	-	4	62	22	8	4	11	-	4	13	5	113	82	-	1	42	39
Douglas	462	1	-	3	117	33	27	10	10	8	3	26	10	212	163	-	2	98	63
Superior	333	1	-	3	82	23	17	9	8	6	-	19	6	155	116	-	2	66	48
Balance of county	129	-	-	-	35	10	10	1	2	2	3	7	4	57	47	-	-	32	15
Dunn	243	-	-	3	56	11	10	8	9	6	2	10	7	116	92	-	1	61	30
Menomonie	115	-	-	2	24	7	4	5	4	1	1	2	2	47	39	-	-	34	5
Balance of county	128	-	-	1	32	4	6	3	5	5	1	8	5	69	53	-	1	27	25
Eau Claire	634	1	-	5	185	45	44	17	29	8	5	37	14	252	191	1	4	118	68
Eau Claire, part	419	-	-	2	122	29	25	13	18	6	3	28	11	160	121	1	1	75	44
Eau Claire, total	430	-	-	2	127	32	25	13	19	6	3	29	11	163	124	1	1	76	46
Balance of county	215	1	-	3	63	16	19	4	11	2	2	9	3	92	70	-	3	43	24
Florence	47	-	-	-	6	2	1	-	2	-	-	1	1	27	21	-	-	21	-
Fond du Lac	802	1	-	4	188	51	41	20	30	7	10	39	13	344	256	1	9	192	54
Superior	440	1	-	1	107	21	24	8	20	4	7	23	5	163	132	1	4	99	28
Balance of county	362	-	-	3	91	30	17	12	10	3	3	16	8	161	124	-	5	93	26
Forest	106	-	-	-	21	6	6	-	1	2	1	5	2	45	38	1	-	28	9
Grant	486	-	-	7	115	29	26	12	22	6	3	17	20	214	159	-	5	121	33
Green	299	-	-	3	72	19	16	6	15	2	3	11	7	119	92	-	4	61	27
Monroe	116	-	-	1	27	6	9	3	4	1	1	3	3	46	31	-	2	18	11
Balance of county	183	-	-	2	45	13	7	3	11	1	2	8	4	73	61	-	2	43	16
Green Lake	218	-	-	1	52	10	12	2	12	3	4	9	10	102	78	-	4	60	14
Iowa	177	-	-	-	34	15	5	1	6	1	1	5	3	75	55	-	1	45	9
Iron	84	-	-	-	21	7	6	-	5	-	-	3	1	38	25	-	-	22	3
Jackson	193	-	-	3	57	13	16	3	4	5	1	15	2	89	70	1	-	61	8
Jefferson	527	-	-	3	140	37	29	9	21	11	5	28	14	219	150	4	-	111	35
Watertown, part	111	-	-	1	20	4	3	1	2	3	1	6	2	53	35	2	-	24	9
Watertown, total	197	-	-	2	41	8	5	4	7	4	2	11	2	97	63	2	-	43	18
Whitewater, part	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
Balance of county	413	-	-	2	120	33	26	8	19	8	4	22	12	164	114	2	-	86	26
Juneau	233	-	-	-	63	19	17	6	8	3	2	8	8	108	85	-	1	64	20
Kenosha	1,113	-	-	13	272	68	80	21	28	13	11	51	23	485	381	2	21	234	124
Kenosha	805	-	-	11	176	48	46	13	20	7	8	34	18	369	280	2	16	169	93
Balance of county	308	-	-	2	96	20	34	8	8	6	3	17	5	116	101	-	5	65	31
Kewaunee	185	-	-	2	32	11	6	4	3	1	1	6	7	102	79	-	3	51	25
La Crosse	770	-	-	10	175	39	44	13	11	12	7	49	22	302	237	-	11	169	57
La Crosse	491	-	-	7	114	25	24	10	7	9	3	36	15	192	153	-	7	113	33
Balance of county	279	-	-	3	61	14	20	3	4	3	4	13	7	110	84	-	4	56	24
Lafayette	137	-	-	5	32	11	4	2	4	2	-	9	3	66	48	-	-	42	6
Langlade	221	-	-	1	55	16	20	1	7	4	-	7	6	100	78	2	1	60	15
Lincoln	301	-	-	-	78	22	20	5	12	9	3	7	11	127	99	-	-	80	19
Manitowoc	795	1	-	23	177	46	45	16	29	10	3	28	21	344	280	3	1	218	58
Manitowoc	483	-	-	12	98	28	26	9	17	4	1	13	13	207	169	2	-	126	41
Two Rivers	101	-	-	2	29	6	10	1	4	4	1	3	3	46	38	-	-	34	4
Balance of county	211	1	-	9	50	12	9	6	8	2	1	12	5	91	73	1	1	58	13
Marathon	943	-	-	15	217	52	42	20	35	10	14	44	27	331	251	3	8	170	70
Marshfield, part	6	-	-	-	-	-	-	-	-	-	-	-	-	4	3	-	-	3	-
Wausau	410	-	-	8	93	21	15	11	16	3	8	19	15	165	118	1	2	81	34
Balance of county	427	-	-	7	124	31	27	9	19	7	6	25	12	162	130	2	6	86	36
Marinette	471	-	-	2	118	29	41	6	14	1	3	24	17	203	143	2	3	108	30
Marinette	152	-	-	-	30	7	9	1	7	-	-	6	5	57	40	-	2	31	7
Balance of county	319	-	-	2	88	22	32	5	7	1	3	18	12	146	103	2	1	77	23
Marquette	142	-	-	1	36	9	10	2	4	1	2	8	4	61	45	1	1	28	15
Menominee	45	-	-	-	11	2	2	1	1	2	-	3	3	13	11	-	-	5	6
Milwaukee	8,930	9	1	218	2,182	534	545	203	264	100	83	453	194	3,750	2,948	26	128	2,107	687
Brown Deer	88	-	-	2	29	8	12	2	3	2	-	2	3	31	27	-	3	18	6
Cudahy	147	-	-	1	40	14	8	3	2	1	1	11	4	62	51	-	5	40	6
Franklin	89	-	-	-	26	6	7	2	3	-	2	6	4	36	28	-	-	20	8
Glendale	304	-	-	8	61	16	11	3	7	3	5	16	2	138	107	1	5	62	39
Greendale	105	-	-	-	31	6	5	4	4	1	2	9	2	49	33	-	-	26	7
Greenfield	387	1	-	8	82	16	15	6	17	2	5	21	8	171	132	1	4	89	38
Greenfield	5,682	4	1	169	1,358	329	350	125	161	63	51	274	129	2,307	1,839	18	92	1,290	439
Milwaukee, part	5,682	4	1	169	1,353	329	350	125	161	63	51	274	129	2,307	1,839	18	92	1,290	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 720

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 182 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Dane	18	194	6	40	75	84	6	17	8	-	12	17	13	267	42	54	37	8	4
Madison	12	113	3	22	38	51	2	8	7	-	8	12	8	145	17	33	16	6	3
Middleton	1	12	-	1	1	2	-	2	-	-	1	-	-	9	2	1	4	-	-
Sun Prairie	-	5	1	1	2	5	-	2	-	-	-	-	-	14	-	3	-	-	-
Balance of county	5	64	2	16	34	28	4	5	1	-	3	3	5	99	23	17	17	2	1
Dodge	1	99	4	6	17	24	-	3	11	1	4	4	6	83	11	13	13	1	-
Beaver Dam	-	27	2	3	7	7	-	1	2	-	1	1	1	21	2	4	3	-	-
Watertown, part	-	14	1	1	3	3	-	-	-	-	-	-	-	12	1	1	1	-	-
Balance of county	1	58	1	2	7	14	-	2	9	1	3	3	5	50	8	9	9	1	-
Door	1	23	5	2	11	16	-	3	4	-	1	1	3	39	2	6	3	-	-
Douglas	1	41	-	7	12	20	2	5	7	-	2	1	-	50	6	6	6	2	-
Superior	1	33	-	5	7	16	2	4	7	-	1	-	-	41	1	4	1	2	-
Balance of county	-	8	-	2	5	4	-	1	-	-	1	1	-	9	5	2	5	-	-
Dunn	-	20	1	3	9	6	2	-	1	-	1	-	1	30	6	4	1	-	-
Menomonie	-	6	1	1	7	4	2	-	1	-	-	-	1	20	2	3	-	-	-
Balance of county	-	14	-	2	2	2	-	-	-	-	-	-	1	10	4	1	1	-	-
Eau Claire	2	41	8	10	13	40	1	6	6	1	6	4	2	72	4	10	11	1	-
Eau Claire, part	2	25	6	6	10	29	1	5	3	-	3	3	1	52	1	9	6	1	-
Eau Claire, total	2	25	6	6	10	29	1	6	3	-	3	3	1	54	1	9	6	1	-
Balance of county	-	16	2	4	3	11	-	1	3	1	3	1	1	20	3	1	5	-	-
Florence	-	4	2	-	3	3	-	-	-	-	1	1	1	2	-	-	2	-	-
Fond du Lac	14	54	5	15	26	25	4	9	12	-	7	3	2	112	14	13	9	6	-
Fond du Lac	9	29	3	10	12	16	2	5	6	-	3	3	1	80	6	4	2	3	-
Balance of county	5	25	2	5	14	9	2	4	6	-	4	-	1	32	8	9	7	3	-
Forest	-	5	1	1	-	6	-	-	1	-	-	-	1	22	4	4	-	-	-
Grant	6	39	4	6	12	22	1	1	6	-	1	3	2	47	7	23	5	-	-
Green	1	19	2	5	13	16	1	4	1	-	5	-	-	37	9	8	3	1	-
Monroe	-	11	1	3	5	9	1	2	1	-	2	-	-	14	2	2	1	-	-
Balance of county	1	8	1	2	8	7	-	2	-	-	3	-	-	23	7	6	2	1	-
Green Lake	2	14	1	7	3	11	1	-	4	-	-	-	1	24	2	4	1	1	1
Iowa	-	15	3	2	6	13	-	-	4	-	1	1	2	21	3	10	4	-	-
Iron	-	11	-	2	5	2	-	-	-	-	1	1	2	9	1	2	1	-	-
Jackson	1	17	-	1	7	6	2	1	3	-	-	-	1	16	1	2	3	-	-
Jefferson	-	53	5	11	25	16	3	6	12	-	5	1	3	46	11	12	8	2	1
Watertown, part	-	15	2	1	5	2	-	3	1	-	2	-	1	12	3	3	1	1	1
Watertown, total	-	29	3	2	8	5	-	3	1	-	2	-	1	24	4	3	2	1	1
Whitewater, part	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Balance of county	-	37	3	10	20	14	3	3	10	-	3	1	2	34	8	9	7	1	-
Juneau	1	17	3	2	5	6	1	-	3	-	-	-	1	19	7	6	5	-	-
Kenosha	2	76	12	14	57	43	6	18	17	-	5	4	4	109	18	16	13	6	4
Kenosha	2	67	8	12	45	34	3	14	12	-	2	4	4	74	13	9	10	5	2
Balance of county	-	9	4	2	12	9	3	4	5	-	3	-	-	35	5	7	3	1	2
Kewaunee	-	18	4	1	7	2	1	1	3	-	1	1	-	22	1	1	2	-	-
La Crosse	4	45	7	9	39	44	2	4	8	-	3	3	2	102	15	22	13	3	1
La Crosse	2	29	5	3	24	28	1	2	4	-	2	3	2	61	8	17	11	-	-
Balance of county	2	16	2	6	15	16	1	2	4	-	1	-	-	41	7	5	2	3	1
Lafayette	-	12	-	6	2	4	2	-	4	-	-	-	-	10	4	3	2	-	-
Langlade	-	16	1	5	6	10	-	2	4	-	-	-	1	20	5	7	4	-	-
Lincoln	1	19	3	5	13	8	2	4	3	-	-	-	-	36	14	4	1	-	-
Manitowoc	1	48	6	9	46	29	2	6	10	-	6	-	-	99	9	17	5	-	-
Manitowoc	1	28	2	7	31	19	2	3	7	-	3	-	-	74	2	8	4	-	-
Two Rivers	-	7	1	-	6	3	-	-	1	-	-	-	-	8	1	2	-	-	-
Balance of county	-	13	3	2	9	7	-	3	2	-	3	-	-	17	6	7	1	-	-
Marathon	3	67	2	8	25	36	2	8	11	-	10	3	6	111	18	12	10	1	-
Marshfield, part	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Wausau	1	42	1	3	13	21	1	5	5	-	7	2	3	62	4	2	4	-	-
Balance of county	2	24	1	5	12	15	1	3	6	-	3	1	3	47	14	10	6	1	-
Marquette	2	38	12	8	22	20	3	6	3	-	4	-	3	47	9	7	7	-	-
Mannette	1	7	7	2	15	8	2	2	2	-	-	-	-	23	-	2	4	-	-
Balance of county	1	31	5	6	7	12	1	4	1	-	4	-	1	24	9	5	3	-	-
Marquette	-	12	-	4	5	6	-	-	2	-	-	-	-	14	4	4	4	-	-
Menominee	-	1	-	1	1	-	-	1	1	-	-	-	1	5	6	2	1	-	-
Milwaukee	26	635	43	98	346	337	26	102	84	-	49	68	50	961	86	182	121	155	9
Brown Deer	-	2	1	1	3	5	1	1	-	-	-	-	5	1	5	2	1	-	-
Cudahy	-	7	1	3	2	7	1	5	1	-	1	-	2	14	-	2	2	3	-
Franklin	-	5	1	2	2	4	-	2	-	-	1	-	-	9	2	1	2	-	-
Glendale	1	26	-	4	17	13	1	2	6	-	1	1	-	47	-	7	-	-	-
Greendale	1	11	-	3	4	4	1	3	1	-	1	-	-	7	1	-	-	-	-
Greenfield	1	31	3	4	14	14	-	5	2	-	-	-	-	4	-	1	-	-	-
Milwaukee, part	16	360	26	66	205	219	15	59	57	-	37	56	44	47	3	7	2	-	1
Milwaukee, total	16	360	26	66	205	219	15	59	57	-	37	56	44	592	64	115	79	151	6
Oak Creek	3	8	-	4	4	3	-	1	-	-	1	2	-	14	1	2	4	1	-
St. Francis	-	3	-	3	3	3	-	1	-	-	-	-	-	7	1	-	3	-	-
Shorewood	-	4	-	2	1	7	1	3	1	-	-	-	-	19	1	4	2	-	-
South Milwaukee	-	14	2	2	5	6	-	2	2	-	-	-	-	24	-	2	4	-	-
Wauwatosa	3	55	4	4	32	18	1	4	4	-	4	3	1	64	2	13	4	-	1
West Allis	-	71	4	6	42	24	4	9	7	-	2	4	2	66	7	14	11	-	-
Whitefish Bay	-	10	-	1	4	1	-	1	-	-	-	-	-	10	1	4	1	-	-
Balance of county	1	28	-	1	8	9	1	4	3	-	-								

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 721

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992--Con.

(Page 183 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases 1	Malignant neoplasms, including neoplasms of lymphatic and hema- topoietic tissues (140-208)	Malignant neoplasms of di- gestive organs and perito- neum (150- 159)	Malignant neoplasms of ras- piro- ry and intra- tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 208)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 448)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)	
Wisconsin--Con.																				
Oconto	319	-	-	1	78	18	26	5	10	3	4	12	12	154	113	2	-	92	19	
Oneida	378	-	-	7	94	13	28	4	15	2	2	30	2	178	127	2	-	93	32	
Outagamie	994	1	-	13	258	64	68	16	39	8	11	52	18	409	308	2	3	237	66	
Appleton, part	457	-	-	10	107	29	28	7	13	4	6	20	10	200	151	1	1	116	33	
Appleton, total	481	-	-	10	114	32	28	8	14	4	6	22	10	209	157	1	1	118	37	
Kaukauna	119	-	-	1	34	7	3	2	8	1	1	12	2	51	35	-	2	25	8	
Balance of county	418	1	-	2	117	28	37	7	18	3	4	20	6	158	122	1	-	96	25	
Ozaukee	445	-	-	5	109	22	26	9	12	4	4	32	16	197	148	-	5	96	47	
Mequon	146	-	-	-	47	8	11	4	4	3	2	15	5	56	42	-	1	23	18	
Balance of county	299	-	-	5	62	14	15	5	8	1	2	17	11	141	106	-	4	73	29	
Pepin	79	-	-	2	13	2	2	1	4	1	-	3	1	42	34	-	-	25	9	
Pierce	209	-	-	4	43	13	8	8	3	3	3	5	10	111	89	1	4	58	26	
Polk	377	-	-	3	110	26	27	11	13	7	2	24	11	157	90	-	-	65	25	
Portage	392	-	-	4	107	36	20	9	11	4	3	24	7	167	125	2	3	79	41	
Stevens Point	160	-	-	1	42	16	7	3	4	2	2	8	2	69	47	1	1	29	16	
Balance of county	232	-	-	3	65	20	13	6	7	2	1	16	5	98	78	1	2	50	25	
Price	211	-	-	2	45	15	9	1	6	2	2	10	7	107	89	-	2	58	29	
Racine	1,422	1	-	20	368	68	107	31	41	18	13	90	31	606	480	3	11	325	141	
Flacine	784	1	-	13	189	33	50	20	27	8	7	44	14	335	264	3	7	162	92	
Balance of county	638	-	-	7	179	35	57	11	14	10	6	46	17	271	216	-	4	163	49	
Richland	201	-	-	2	58	11	27	4	5	-	-	11	3	80	62	1	-	47	14	
Rock	1,223	-	-	15	331	64	110	25	42	12	11	67	36	525	390	5	6	280	99	
Beloit	342	-	-	6	98	22	36	8	15	2	2	13	14	141	99	1	3	74	21	
Janesville	412	-	-	5	100	17	37	6	13	7	2	18	7	186	140	2	2	97	39	
Balance of county	469	-	-	4	133	25	37	11	14	3	7	36	15	198	151	2	1	109	39	
Rusk	169	-	-	3	29	10	5	3	5	2	1	3	6	83	69	-	-	47	22	
St. Croix	346	-	-	4	78	23	26	4	7	3	5	10	6	146	113	1	2	80	30	
Sauk	451	-	-	4	114	24	29	10	25	3	5	18	12	193	141	-	2	95	44	
Sawyer	170	-	-	3	42	11	14	2	4	1	4	6	3	66	52	-	-	45	7	
Shawano	413	-	-	5	80	23	20	3	7	2	7	18	6	210	166	-	-	117	49	
Shoebogyan	1,009	-	-	15	239	58	61	21	32	13	8	46	24	443	348	1	9	248	90	
Shoebogyan	591	-	-	9	132	31	31	10	21	6	3	30	14	271	206	-	2	152	52	
Balance of county	418	-	-	6	107	27	30	11	11	7	5	16	10	172	142	1	7	96	38	
Taylor	150	-	-	1	37	16	6	3	6	1	1	4	4	68	51	-	3	40	8	
Trempealeau	277	-	-	4	59	17	15	-	13	1	1	12	8	145	119	-	-	86	33	
Vernon	274	-	-	1	55	14	16	2	6	2	4	11	5	131	92	1	-	68	23	
Vilas	253	-	-	2	68	19	13	8	11	3	3	11	5	101	75	-	1	56	18	
Walworth	698	-	-	6	176	40	42	14	27	17	4	32	13	323	242	2	2	192	46	
Whitewater, part	71	-	-	1	16	4	3	-	3	2	1	3	3	34	25	-	-	14	11	
Whitewater, total	74	-	-	1	16	4	3	-	3	2	1	3	3	36	26	-	-	15	11	
Balance of county	627	-	-	5	160	36	39	14	24	15	3	29	10	289	217	2	2	178	35	
Washburn	167	-	-	1	48	10	17	5	4	3	2	7	-	75	57	-	-	44	13	
Washington	624	-	-	6	149	37	42	11	19	7	3	30	22	294	222	-	4	179	39	
Germantown	57	-	-	1	20	7	5	2	4	1	-	1	2	18	14	-	-	12	2	
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Bend	183	-	-	4	40	11	11	2	5	3	-	8	5	92	62	-	2	47	13	
Balance of county	384	-	-	1	89	19	26	7	10	3	3	21	15	184	146	-	2	120	24	
Waukesha	1,980	2	-	26	517	120	129	42	68	18	30	110	40	863	648	2	9	452	185	
Brookfield	273	-	-	2	75	17	15	5	13	1	5	19	5	136	87	-	2	65	20	
Menomonee Falls	220	1	-	5	47	12	14	2	6	1	1	11	5	101	78	-	-	51	27	
Muskego	105	-	-	1	28	9	4	5	4	-	3	3	5	42	30	-	-	23	7	
New Berlin	184	-	-	-	61	9	19	7	8	2	2	14	5	69	47	-	-	33	14	
Waukesha	406	-	-	11	98	19	27	12	12	5	7	16	8	168	135	-	2	109	24	
Balance of county	792	1	-	7	208	54	50	11	25	9	12	47	12	347	271	2	5	171	93	
Waupaca	633	-	-	5	130	42	37	5	15	4	8	19	14	308	243	2	-	182	59	
Waushara	227	-	-	1	64	13	15	3	12	3	1	17	3	111	97	-	-	82	15	
Winnabago	1,153	1	-	17	269	66	73	28	33	11	7	51	31	553	428	1	6	318	103	
Appleton, part	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	
Menasha	106	1	-	3	24	3	11	1	2	2	-	5	3	50	37	-	1	27	9	
Neenah	171	-	-	6	36	8	10	5	4	1	1	7	8	87	67	1	1	45	20	
Oshkosh	483	-	-	4	124	34	34	13	12	4	3	24	8	233	176	-	1	128	47	
Balance of county	391	-	-	4	85	21	18	9	15	4	3	15	12	181	147	-	3	118	26	
Wood	633	-	-	6	153	42	38	14	19	11	6	23	17	272	202	1	4	153	44	
Marshfield, part	175	-	-	4	34	8	7	4	4	3	2	6	6	79	60	1	1	50	8	
Marshfield, total	181	-	-	4	34	8	7	4	4	3	2	6	6	83	63	1	1	53	8	
Wisconsin Rapids	228	-	-	-	60	24	12	4	5	5	2	8	3	100	74	-	2	54	18	
Balance of county	230	-	-	2	59	10	19	6	10	3	2	9	8	93	68	-	1	49	18	

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 722

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 184 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix]

Area	Hyper-tension with or without renal disease (401, 403)	Cerebro-vascular diseases (430-438)	Athero-sclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E949)	Suicide (E950-E959)	Homicide and legal intervention (E960-E978)	All other external causes (E980-E999)
Wisconsin—Con.																			
Oconto	3	35	-	3	5	9	3	1	2	-	3	-	-	28	3	11	8	1	-
Oneida	3	34	2	12	15	16	3	3	2	-	2	-	-	43	6	4	2	-	1
Outagamie	3	77	5	16	40	42	5	12	5	-	8	3	2	112	20	24	21	1	-
Appleton, part	1	36	2	10	17	18	4	6	3	-	4	2	1	52	5	12	6	-	-
Appleton, total	1	38	2	11	18	18	4	8	3	-	4	2	1	55	6	12	7	-	-
Kaukauna	1	13	1	1	3	8	-	2	-	-	1	-	-	12	1	1	2	1	-
Balance of county	1	28	2	5	20	16	1	4	2	-	3	1	1	48	14	11	13	-	-
Ozaukee	4	27	12	6	18	10	1	4	3	-	2	2	2	50	5	9	9	2	1
Mequon	2	9	1	2	4	2	1	1	2	-	1	1	-	19	2	3	2	-	-
Balance of county	2	18	11	4	14	8	-	3	1	-	1	1	2	31	3	6	7	2	1
Pepin	-	7	1	-	3	3	-	-	-	-	-	-	-	10	1	2	2	-	-
Pierce	-	18	-	4	5	6	1	1	1	-	-	1	1	18	3	4	1	-	-
Polk	1	49	9	8	10	11	2	1	4	-	1	2	1	35	12	9	8	-	-
Portage	7	28	2	5	14	16	-	3	5	-	1	-	1	42	12	7	5	-	1
Stevens Point	5	14	1	2	5	9	-	2	1	-	-	-	1	21	3	1	3	-	-
Balance of county	2	14	1	3	9	7	-	1	4	-	1	-	-	21	9	6	2	-	1
Price	-	11	-	7	8	5	-	-	2	-	-	1	1	22	3	5	3	-	-
Racine	6	91	10	19	53	62	6	8	14	1	5	6	9	145	18	32	21	16	-
Racine, total	4	51	6	10	35	41	4	6	8	-	4	3	8	73	9	18	10	13	-
Balance of county	2	40	4	9	18	21	2	2	6	1	1	3	1	72	9	14	11	3	-
Richland	-	14	1	3	4	10	1	1	3	-	1	-	3	23	3	5	4	-	-
Rock	15	94	13	13	58	58	2	12	13	-	4	6	9	104	14	16	12	5	3
Beloit	7	28	4	3	12	14	2	3	3	-	4	1	1	32	1	3	5	1	2
Janesville	2	31	5	8	28	17	-	5	5	-	2	2	4	32	5	6	5	2	1
Balance of county	6	35	4	2	18	27	-	4	5	-	2	-	4	40	8	7	2	-	-
Rusk	1	9	4	-	11	6	-	2	1	-	-	-	1	17	3	4	3	-	-
St. Croix	1	26	2	4	20	14	1	1	10	-	2	3	1	37	12	9	2	-	-
Sauk	-	40	5	7	22	21	3	5	4	-	3	4	1	43	3	11	7	1	-
Sawyer	3	9	1	1	7	6	-	6	1	-	-	-	-	20	7	5	4	-	-
Shawano	2	27	7	8	18	20	-	1	4	-	3	3	2	39	12	4	4	2	-
Sheboygan	4	76	2	13	43	22	2	8	15	-	2	3	6	141	12	19	13	2	-
Sheboygan, total	3	50	2	10	32	12	1	5	8	-	2	4	7	78	4	12	6	1	-
Balance of county	1	26	-	3	11	10	1	3	7	-	2	1	2	63	8	7	2	-	-
Taylor	-	13	2	2	3	2	-	-	1	-	-	3	2	21	3	3	2	-	-
Trempealeau	1	18	2	5	8	8	1	2	1	-	-	-	2	27	6	6	2	1	-
Vernon	-	34	-	5	14	10	1	1	1	-	-	1	1	33	4	11	4	1	-
Vilas	1	17	1	7	6	13	-	-	1	-	3	-	-	30	7	5	9	3	-
Walworth	2	61	7	11	27	21	3	5	7	-	3	4	2	71	15	12	9	-	1
Whitewater, part	1	8	-	-	1	2	-	1	2	-	-	-	-	8	-	1	1	-	-
Whitewater, total	1	9	-	-	1	2	-	1	3	-	-	-	-	8	-	1	1	-	-
Balance of county	1	53	7	11	26	19	3	4	5	-	3	3	2	63	15	11	8	-	1
Washburn	2	13	-	3	4	8	1	-	4	-	-	-	2	14	3	6	4	1	-
Washington	-	53	14	5	23	23	1	5	4	-	5	3	2	47	8	21	10	-	1
Germantown	-	4	-	-	5	2	-	1	-	-	-	-	-	4	2	1	-	-	1
Milwaukee, part	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Bend	-	29	-	1	7	9	-	-	1	-	-	2	-	12	1	5	5	-	-
Balance of county	-	20	14	4	11	12	1	4	3	-	5	1	2	31	5	15	5	-	-
Waukesha	4	175	10	26	116	62	4	13	19	-	9	10	5	185	26	51	24	7	1
Brookfield	-	43	1	5	15	3	-	4	2	-	1	1	1	15	1	7	5	-	-
Menomonee Falls	-	18	3	2	9	10	-	-	1	-	1	2	1	21	4	7	4	1	-
Muskego	-	11	-	1	6	4	1	1	2	-	-	-	-	11	1	2	1	-	-
New Berlin	-	16	2	4	8	5	-	1	1	-	1	1	-	17	6	5	3	1	-
Waukesha	2	27	-	4	30	11	2	3	8	-	2	4	-	43	2	11	4	1	-
Balance of county	2	60	4	10	48	29	1	4	5	-	4	2	3	78	12	19	7	4	1
Waupaca	1	46	3	15	14	33	4	8	5	-	1	-	3	64	16	16	9	3	-
Waushara	-	12	-	2	2	10	-	2	5	-	2	-	-	17	7	2	1	-	-
Winnebago	1	103	1	20	39	42	3	11	11	-	5	7	5	108	10	23	16	2	-
Appleton, part	-	1	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Menasha	-	7	1	5	2	4	-	2	-	-	1	-	1	7	3	2	3	-	-
Neenah	1	16	-	3	8	5	-	1	1	-	1	3	1	11	2	-	1	-	-
Oshkosh	-	54	-	3	16	16	2	5	5	-	2	1	1	50	-	9	6	1	-
Balance of county	-	25	-	9	13	17	1	3	5	-	1	3	2	40	5	12	6	1	-
Wood	2	45	13	10	25	33	1	8	2	-	3	4	1	75	11	11	11	-	-
Marshfield, part	1	12	3	3	3	7	-	-	2	-	1	1	1	28	-	7	2	-	-
Marshfield, total	1	13	3	3	3	7	-	-	2	-	1	1	1	30	-	7	2	-	-
Wisconsin Rapids	1	19	4	2	16	12	1	4	-	-	1	2	-	20	4	1	4	-	-
Balance of county	-	14	6	5	6	14	-	4	-	-	1	1	-	27	7	3	5	-	-

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 723

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 185 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Total	Tuber- cu- losis (010- 018)	Syph- ilis (090- 097)	Residual of infec- tious and para- sitic dis- eases ¹	Malignant neoplasms, including neoplasms of lymphatic and hema- to- poietic tissues (140-208)	Malignant neoplasms of dige- stive organs and perito- neum (150- 159)	Malignant neoplasms of respi- ratory and intra- tho- racic organs (160- 165)	Malignant neoplasms of breast (174- 175)	Malignant neoplasms of genital organs (179- 187)	Malignant neoplasms of urinary organs (188- 189)	Leuke- mia (204- 209)	Other malignant neoplasms (140- 149, 170- 173, 190- 203)	Diabetes mellitus (250)	Major cardio- vascular diseases (390- 449)	Disease of heart (390- 398, 402,404- 429)	Rheu- matic fever and rheu- matic heart disease (390- 398)	Hyper- tensive heart disease with or without renal disease (402, 404)	Ischemic heart disease (410- 414)	Other heart diseases (415- 429)
Wyoming	3,298	1	-	52	747	159	197	68	94	36	35	158	68	1,217	902	12	12	576	302
Urban places	1,467	1	-	20	341	72	84	35	40	16	14	80	32	530	373	6	6	233	128
Balance of area	1,831	-	-	32	406	87	113	33	54	20	21	78	36	687	529	6	6	343	174
Metropolitan counties	983	-	-	10	235	47	70	21	23	10	8	56	28	348	246	4	7	152	83
Urban places	818	-	-	8	189	39	52	18	19	9	7	45	24	296	205	3	5	121	76
Balance of area	165	-	-	2	46	8	18	3	4	1	11	4	52	41	1	2	31	7	
Nonmetropolitan counties	2,315	1	-	42	512	112	127	47	71	26	27	102	40	869	656	8	5	424	219
Urban places	649	1	-	12	152	33	32	17	21	7	7	35	8	234	168	3	1	112	52
Balance of area	1,666	-	-	30	360	79	95	30	50	19	20	67	32	635	488	5	4	312	167
Albany	144	-	-	5	40	12	7	4	5	2	2	8	3	38	29	-	1	20	8
Laramie	125	-	-	4	36	12	4	4	5	2	1	8	3	33	24	-	1	18	5
Balance of county	19	-	-	1	4	-	3	-	-	-	1	-	-	5	5	-	-	2	3
Big Horn	127	-	-	1	20	4	6	1	2	-	2	5	2	47	38	-	-	23	15
Campbell	115	-	-	4	26	7	5	1	2	-	3	8	1	43	30	1	1	17	11
Gillette	88	-	-	3	20	5	5	1	2	-	1	6	1	33	22	1	-	13	8
Balance of county	27	-	-	1	6	2	-	-	-	-	2	2	-	10	8	-	1	4	3
Carbon	131	1	-	1	35	8	7	-	6	1	1	12	-	57	48	-	-	34	14
Rawlins	71	1	-	-	20	5	4	-	2	-	-	9	-	32	26	-	-	18	8
Balance of county	60	-	-	1	15	3	3	-	4	1	1	3	-	25	22	-	-	16	6
Converse	78	-	-	1	15	4	6	1	2	1	-	1	2	36	27	-	1	14	12
Crook	37	-	-	1	9	3	1	2	1	-	1	1	-	16	15	-	-	10	5
Fremont	272	-	-	3	71	13	22	4	11	-	2	19	4	86	67	-	-	54	13
Goshan	109	-	-	5	24	5	6	3	3	2	1	4	4	45	38	1	-	20	17
Hot Springs	69	-	-	-	17	5	6	-	1	1	1	3	1	27	22	-	-	13	9
Johnson	69	-	-	1	16	4	5	-	2	2	1	2	-	29	26	1	-	18	7
Laramie	564	-	-	7	123	24	36	11	13	6	4	29	21	209	146	1	5	90	50
Cheyenne	470	-	-	5	99	19	25	10	12	6	4	23	19	173	116	1	3	68	44
Balance of county	94	-	-	2	24	5	11	1	1	-	-	6	2	36	30	-	2	22	6
Lincoln	71	-	-	-	16	4	3	2	2	2	1	2	2	30	22	1	-	14	7
Natrona	419	-	-	3	112	23	34	10	10	4	4	27	7	139	100	3	2	62	33
Casper	348	-	-	3	90	20	27	8	7	3	3	22	5	123	89	2	2	53	32
Balance of county	71	-	-	-	22	3	7	2	3	1	1	5	2	16	11	1	-	9	1
Niobrara	34	-	-	-	5	3	-	1	-	-	1	-	-	21	19	-	-	14	5
Park	166	-	-	2	45	10	11	7	6	1	2	8	-	65	43	-	1	31	11
Platte	86	-	-	1	15	5	4	1	2	2	-	1	8	33	23	-	-	12	11
Sheridan	252	-	-	6	47	8	11	3	8	7	3	7	1	105	70	2	-	40	28
Balance of county	188	-	-	3	36	7	9	3	5	4	2	6	1	78	53	2	-	31	20
Sublette	64	-	-	3	11	1	2	-	3	3	1	1	-	27	17	-	-	9	8
Balance of county	48	-	-	3	11	3	2	2	-	1	1	2	2	18	9	-	-	3	6
Sweetwater	217	-	-	4	46	5	13	9	8	1	3	7	3	71	51	-	-	38	13
Green River	63	-	-	-	17	2	5	5	3	-	1	1	2	19	17	-	-	14	3
Rock Springs	114	-	-	2	23	2	5	4	4	1	2	5	1	39	26	-	-	18	8
Balance of county	40	-	-	2	6	1	3	-	1	-	-	1	-	13	8	-	-	6	2
Teton	49	-	-	1	12	1	3	1	3	-	-	4	-	21	17	-	-	14	3
Uinta	102	-	-	2	16	3	3	3	2	2	-	3	1	31	25	-	1	12	12
Washakie	88	-	-	-	18	3	4	1	4	1	2	3	5	36	26	-	-	20	6
Weston	51	-	-	1	8	2	2	1	1	-	-	2	1	19	11	2	-	3	6

SECTION 8 - GEOGRAPHIC DETAIL - PAGE 724

Table 8-9. Deaths From 34 Selected Causes: United States, Each State and County, Population-Size Groups, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1992—Con.

(Page 186 of 186)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix. Urban places in metropolitan counties are those with populations of 10,000 or more; urban places in nonmetropolitan counties are those with populations of 10,000 or more but less than 50,000 as enumerated in 1980. For definition of areas see Technical Appendix.]

Area	Hypertension with or without renal disease (401, 403)	Cerebrovascular diseases (430-438)	Atherosclerosis (440)	Other diseases of arteries, arterioles, and capillaries (441-448)	Pneumonia and influenza (480-487)	Chronic obstructive pulmonary diseases and allied conditions (490-496)	Ulcer of stomach and duodenum (531-533)	Chronic liver disease and cirrhosis (571)	Nephritis, nephrotic syndrome, and nephrosis (580-589)	Complications of pregnancy, childbirth, and the puerperium (630-676)	Congenital anomalies (740-759)	Certain conditions originating in the perinatal period (760-779)	Symptoms, signs, and ill-defined conditions (780-799)	All other diseases (Residual)	Motor vehicle accidents (E810-E825)	All other accidents and adverse effects (E800-E807, E826-E849)	Suicide (E950-E959)	Homicide and legal intervention (E960-E979)	All other external causes (E980-E999)
Wyoming	13	243	18	41	109	230	12	41	29	-	22	15	48	361	134	103	84	21	4
Urban places	7	119	11	20	45	114	3	19	10	-	9	7	23	176	63	34	26	11	3
Balance of area	6	124	7	21	64	116	9	22	19	-	13	8	25	185	71	69	58	10	1
Metropolitan counties	8	73	7	14	20	88	2	11	8	-	6	4	14	121	42	17	19	7	3
Urban places	7	64	7	13	16	68	2	10	7	-	4	3	13	109	36	13	10	7	3
Balance of area	9	9	-	1	4	20	-	1	1	-	2	1	1	12	6	4	9	-	-
Nonmetropolitan counties	5	170	11	27	89	142	10	30	21	-	16	11	34	240	92	86	65	14	1
Urban places	-	55	4	7	29	46	1	9	9	-	5	4	10	67	27	21	16	4	1
Balance of area	5	115	7	20	60	96	9	21	18	-	11	7	24	173	65	65	49	10	1
Albany	-	6	2	1	12	13	-	2	-	-	2	-	3	12	4	3	7	-	-
Laramie	-	6	2	1	10	12	-	2	-	-	1	-	3	9	3	3	6	-	-
Balance of county	-	-	-	-	2	1	-	-	-	-	1	-	-	3	1	-	1	-	-
Big Horn	-	4	3	2	8	9	-	1	1	-	-	1	2	18	7	7	3	2	1
Campbell	-	10	1	2	5	5	-	1	1	-	-	1	1	11	5	6	2	2	1
Gillette	-	8	1	2	5	4	-	1	1	-	-	2	1	10	2	4	1	1	1
Balance of county	-	2	-	-	1	1	-	1	-	-	-	-	-	1	3	2	1	-	-
Carbon	-	9	-	-	3	5	-	1	1	-	-	-	3	6	10	5	2	1	-
Rawlins	-	6	-	-	2	4	-	1	1	-	-	-	1	1	5	3	2	1	-
Balance of county	-	3	-	-	1	1	-	-	-	-	-	-	2	5	2	2	1	-	-
Converse	-	7	-	2	4	3	1	2	1	-	-	-	1	7	2	2	2	-	-
Crook	-	1	-	1	1	1	1	1	-	-	-	-	1	2	3	1	1	-	-
Fremont	-	16	-	3	6	13	3	9	5	-	2	3	-	35	7	12	11	2	-
Goshen	-	6	-	1	4	4	1	2	1	-	-	1	2	11	1	4	-	-	-
Hot Springs	-	5	-	-	7	3	-	1	3	-	-	-	-	8	-	2	-	-	-
Johnson	-	3	-	-	3	5	-	-	-	-	-	-	-	10	3	1	1	-	-
Laramie	5	47	6	5	13	43	1	7	4	-	3	1	6	75	23	11	10	5	2
Cheyenne	4	42	6	5	12	35	1	7	4	-	1	1	5	66	20	9	6	5	2
Balance of county	1	5	-	1	8	8	-	-	-	-	2	-	1	9	3	2	4	-	-
Lincoln	-	5	-	3	1	3	-	1	-	-	-	-	-	10	3	3	2	-	-
Natrona	3	26	1	9	7	45	1	4	4	-	3	3	8	46	19	6	9	2	1
Casper	3	22	1	8	4	33	1	3	3	-	3	2	8	43	16	4	4	2	1
Balance of county	-	4	-	1	3	12	-	1	1	-	-	1	-	3	3	2	5	-	-
Niobrara	-	2	-	-	2	1	-	-	1	-	-	-	1	2	-	1	-	-	-
Park	1	19	1	1	13	1	1	2	1	-	1	1	3	12	4	6	9	-	-
Platte	2	4	3	1	2	7	-	1	-	-	1	-	2	11	1	2	2	-	-
Sheridan	-	32	1	2	8	22	1	4	3	-	2	1	4	21	11	6	9	1	-
Sheridan	-	22	1	2	7	18	1	4	1	-	1	1	3	15	7	5	6	1	-
Balance of county	-	10	-	-	1	4	-	-	2	-	1	-	1	6	4	1	3	1	-
Sublette	-	4	-	-	3	1	-	-	-	-	-	-	1	11	-	-	1	2	-
Sweetwater	1	17	-	2	6	10	-	2	-	-	3	1	4	34	14	9	6	4	-
Green River	-	1	-	1	3	3	-	1	-	-	-	-	-	12	4	1	-	-	-
Rock Springs	-	12	-	1	2	5	-	1	-	-	3	-	2	20	6	5	3	2	-
Balance of county	1	4	-	-	1	2	-	-	-	-	-	-	2	2	4	3	3	2	-
Teton	-	3	-	1	1	1	-	-	-	-	1	-	-	2	2	2	4	2	-
Uinta	1	5	-	-	8	7	-	2	1	-	3	1	5	8	7	7	3	3	-
Washakie	-	8	-	2	4	8	1	1	-	-	-	-	1	4	3	6	1	-	-
Weston	-	5	-	3	-	8	1	-	1	-	1	-	-	5	5	1	-	-	-

1 Includes ICD-9 Nos. 001-009,020-041,*042-*044,045-088,098-139.
2 Areas shown are census areas, the nearest equivalent of counties.
3 Includes data for La Paz which became a new county on January 1, 1983.
4 Includes data for Texarkana, Ark., only.
5 Data coded by Connecticut did not identify the incorporated city of Willimantic and are included in Balance of county. Figures shown are for deaths occurring in other States.
6 Areas shown are parishes, the equivalent of counties.
7 Includes data for Bristol, Tenn., only.
8 Includes data for Texarkana, Tex., only.
9 Independent city having population of less than 10,000 according to the 1980 census.
10 Includes data for Bristol, Va., only.
11 Includes data for Bluefield, W. Va., only.
Classified as urban under special rule; see Technical Appendix.

Section 9. Puerto Rico, Virgin Islands (U.S.), and Guam

Table	Page
9-1. Deaths and death rates: Puerto Rico, Virgin Islands, and Guam, 1940-92	1
9-2. Deaths by month and sex for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1992	2
9-3. Deaths by 10-year age groups, race, and sex: Virgin Islands and Guam, 1992	3
9-4. Deaths from 72 selected causes, by 10-year age groups and sex: Puerto Rico, 1992	4
9-5. Deaths from 72 selected causes, by 10-year age groups, race, and sex: Virgin Islands, 1992	8
9-6. Deaths from 72 selected causes, by 10-year age groups, race, and sex: Guam, 1992	15
9-7. Deaths from motor vehicle accidents, by person injured and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1992	22
9-8. Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1992	23
9-9. Total, infant, neonatal, and fetal deaths: Puerto Rico and each municipio, 1992	24
9-10. Total, infant, neonatal, and fetal deaths, by race: Virgin Islands by island and specified urban place, and Guam, 1992	25
9-11. Deaths under 1 year and 28 days, by month, for Puerto Rico, Virgin Islands, and Guam; and race for Virgin Islands and Guam: 1992	26
9-12. Deaths under 1 year, by age and sex, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1992	27
9-13. Deaths under 1 year, under 28 days, and 28 days-11 months, from 61 selected causes, for Puerto Rico, Virgin Islands, and Guam; and by race for Virgin Islands and Guam: 1992	29
9-14. Deaths from Human immunodeficiency virus infection and 3-digit subcategories, by 10-year age groups, and sex: Puerto Rico, 1992	31

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths to residents of Puerto Rico occurring in Puerto Rico. Deaths to nonresidents occurring in the Commonwealth are included in occurrence mortality statistics, but are excluded from residence mortality statistics. Deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands and Guam. Exclusion of these nonresident deaths from resident mortality statistics began in 1970. Before 1970 resident mortality statistics for Puerto Rico included all deaths occurring in Puerto Rico, with deaths of nonresidents of Puerto Rico assigned to place of death.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, the "municipio," and in the Virgin Islands for St. Croix Island, St. John Island, and St. Thomas Island. Deaths by place of residence are shown for municipios only and not for urban places for Puerto Rico; however, for the Virgin Islands they are shown for Charlotte Amalie, the only urban area having a population of 10,000 or more.

Race

Deaths are not shown by race for Puerto Rico; they are classified as white, all other, and black for the Virgin Islands and white, all other, and Guamanian for Guam.

Fetal deaths

Fetal deaths for Puerto Rico were published in the *Vital Statistics of the United States, Volume II, Mortality, Part B*, for the first time, beginning with 1976. Puerto Rico requires the reporting of fetal deaths with gestation period of over 5 months. All tables showing fetal deaths include only those with stated or presumed gestational age of 20 weeks or more.

The Technical Appendix—Section 7 in Part A of Volume II, *Vital Statistics of the United States, 1992*—discusses other factors concerning these mortality statistics.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 1

Table 9-1. Deaths and Death Rates: Puerto Rico, Virgin Islands, and Guam, 1940-92

[Rates per 1,000 population in each area]

Year	Puerto Rico		Virgin Islands		Guam	
	Number	Rate	Number	Rate	Number	Rate
1992	27,229	7.6	496	---	560	---
1991	26,169	---	506	---	580	---
1990	25,957	7.4	480	4.7	520	3.9
1989	25,808	---	500	---	507	---
1988	24,940	7.6	501	4.9	464	3.5
1987	23,829	7.2	527	5.0	472	3.6
1986	23,182	7.1	476	4.3	429	3.4
1985	23,071	7.0	506	4.6	415	3.4
1984	21,618	6.6	471	4.4	409	3.4
1983	21,377	6.5	484	4.7	442	3.8
1982	21,427	6.6	498	4.9	428	3.9
1981	21,085	6.5	547	5.5	385	3.5
1980	20,413	6.4	504	5.2	393	3.7
1979	20,271	6.4	476	4.9	354	3.4
1978	19,812	6.4	461	4.8	398	3.9
1977	19,778	6.4	380	4.1	361	3.6
1976	19,286	6.4	447	4.6	446	4.4
1975	17,805	6.1	477	5.0	427	4.2
1974	18,948	6.6	462	5.1	423	4.2
1973	19,479	6.8	459	5.5	416	3.9
1972	19,011	6.7	---	---	409	4.2
1971	17,499	6.3	498	7.0	338	3.7
1970	17,830	6.6	441	7.1	338	4.0
1969	17,667	6.4	477	8.5	421	4.1
1968	17,481	6.4	474	8.5	356	3.6
1967	16,677	6.2	373	6.7	340	3.7
1966	16,891	6.3	387	7.8	327	4.1
1965	17,686	6.7	416	9.6	336	4.4
1964	18,566	7.2	343	8.4	363	5.3
1963	17,350	6.9	383	9.6	344	5.0
1962	16,548	6.7	321	9.2	315	4.7
1961	16,364	6.8	326	9.5	265	4.1
1960	15,791	6.7	332	10.3	351	5.3
1959	15,818	6.8	320	10.3	285	4.2
1958	16,074	7.0	340	11.3	254	3.8
1957	15,978	7.1	324	11.0	277	4.2
1956	16,566	7.4	354	12.5	246	3.6
1955	16,221	7.2	311	11.3	292	4.3
1954	16,783	7.6	301	11.1	291	4.3
1953	17,972	8.2	279	10.4	390	5.7
1952	20,480	9.2	346	12.4	278	4.4
1951	22,374	10.0	375	13.5	196	3.1
1950	21,895	9.9	374	14.0	230	3.9
1949	23,389	10.6	362	13.6	---	---
1948	26,209	12.0	340	12.6	---	---
1947	25,407	11.8	394	14.5	---	---
1946	27,517	12.9	408	15.1	---	---
1945	28,837	13.7	401	15.0	---	---
1944	29,795	14.4	402	14.8	---	---
1943	29,019	14.3	389	14.2	---	---
1942	32,220	16.2	483	18.5	---	---
1941	35,492	18.3	468	18.1	---	---
1940	34,468	18.4	553	22.2	---	---

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 2

Table 9-2. Deaths by Month and Sex for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1992

Area, race, and sex	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	27,229	2,416	2,411	2,288	2,155	2,228	2,154	2,193	2,265	2,077	2,278	2,299	2,465
Male	16,066	1,460	1,414	1,314	1,259	1,321	1,265	1,279	1,387	1,248	1,361	1,310	1,448
Female	11,163	956	997	974	896	907	889	914	878	829	917	989	1,017
Virgin Islands	496	47	35	40	54	36	39	34	46	34	40	56	35
Male	275	27	17	25	32	18	23	14	26	23	21	30	19
Female	221	20	18	15	22	18	16	20	20	11	19	26	16
White	116	9	10	8	19	7	9	5	11	7	13	9	9
Male	69	4	5	7	15	5	4	3	5	4	6	5	6
Female	47	5	5	1	4	2	5	2	6	3	7	4	3
All other	380	38	25	32	35	29	30	29	35	27	27	47	26
Male	206	23	12	18	17	13	19	11	21	19	15	25	13
Female	174	15	13	14	18	16	11	18	14	8	12	22	13
Black	379	38	25	32	35	29	30	29	35	26	27	47	26
Male	206	23	12	18	17	13	19	11	21	19	15	25	13
Female	173	15	13	14	18	16	11	18	14	7	12	22	13
Guam	560	64	49	42	42	37	48	34	46	55	48	43	52
Male	328	34	28	24	24	23	33	22	33	26	28	25	28
Female	232	30	21	18	18	14	15	12	13	29	20	18	24
White	43	6	1	3	2	5	9	2	2	2	5	2	4
Male	32	4	1	2	1	3	7	2	2	1	4	2	3
Female	11	2	-	1	1	2	2	-	-	1	1	-	1
All other	517	58	48	39	40	32	39	32	44	53	43	41	48
Male	296	30	27	22	23	20	26	20	31	25	24	23	25
Female	221	28	21	17	17	12	13	12	13	28	19	18	23
Guamanian	334	36	29	30	20	20	29	22	32	33	27	31	25
Male	181	20	16	17	10	12	18	13	22	12	14	15	12
Female	153	16	13	13	10	8	11	9	10	21	13	16	13

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 3

Table 9-3. Deaths by 10-Year Age Groups, Race, and Sex: Virgin Islands and Guam, 1992

Area, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Virgin Islands	496	35	-	4	16	22	40	64	77	91	82	64	1
Male	275	15	-	3	14	20	23	39	46	50	34	30	1
Female	221	20	-	1	2	2	17	25	31	41	48	34	-
White	116	3	-	-	5	7	8	13	22	25	18	15	-
Male	69	1	-	-	4	5	5	11	12	15	11	5	-
Female	47	2	-	-	1	2	3	2	10	10	7	10	-
All other	380	32	-	4	11	15	32	51	55	66	64	49	1
Male	206	14	-	3	10	15	18	28	34	35	23	25	1
Female	174	18	-	1	1	-	14	23	21	31	41	24	-
Black	379	32	-	4	11	15	32	51	55	66	63	49	1
Male	206	14	-	3	10	15	18	28	34	35	23	25	1
Female	173	18	-	1	1	-	14	23	21	31	40	24	-
Guam	560	42	3	9	36	39	51	44	98	129	75	34	-
Male	328	28	1	6	27	32	36	23	56	72	33	14	-
Female	232	14	2	3	9	7	15	21	42	57	42	20	-
White	43	5	-	-	5	4	7	5	3	8	4	2	-
Male	32	3	-	-	3	4	7	4	3	5	3	-	-
Female	11	2	-	-	2	-	-	1	-	3	1	2	-
All other	517	37	3	9	31	35	44	39	95	121	71	32	-
Male	296	25	1	6	24	28	29	19	53	67	30	14	-
Female	221	12	2	3	7	7	15	20	42	54	41	18	-
Guamanian	334	22	1	6	18	16	32	26	58	79	55	21	-
Male	181	18	-	4	14	13	20	11	34	40	20	7	-
Female	153	4	1	2	4	3	12	15	24	39	35	14	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 4

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1992

(Page 1 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
All causes	27,229	816	112	146	753	1,439	1,831	2,071	3,008	5,275	6,648	5,042	88
Male	16,066	457	65	90	605	1,104	1,393	1,476	1,924	3,140	3,507	2,234	71
Female	11,163	359	47	56	148	335	438	595	1,084	2,135	3,141	2,808	17
Shigellosis and amebiasis (004,006)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (007-009)	7	2	-	-	-	-	1	2	-	-	-	2	-
Male	7	2	-	-	-	-	1	2	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (010-018)	52	-	-	-	1	3	5	4	4	12	15	7	1
Male	33	-	-	-	1	1	3	2	2	8	12	3	1
Female	19	-	-	-	-	2	2	2	2	4	3	4	-
Tuberculosis of respiratory system (010-012)	44	-	-	-	1	2	2	4	2	11	14	7	1
Male	28	-	-	-	1	1	1	2	1	7	11	3	1
Female	16	-	-	-	-	1	1	2	1	4	3	4	-
Other tuberculosis (013-018)	8	-	-	-	-	1	3	-	2	1	1	-	-
Male	5	-	-	-	-	-	2	-	1	1	1	-	-
Female	3	-	-	-	-	1	1	-	1	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat, scarlatina, and erysipelas (034-035)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	478	13	4	3	5	10	30	32	44	75	144	112	6
Male	255	5	2	1	2	8	18	24	33	39	69	49	5
Female	223	8	2	2	3	2	12	8	11	36	75	63	1
Acute poliomyelitis (045)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (070)	30	-	-	-	4	1	4	7	6	6	2	-	-
Male	17	-	-	-	2	1	4	4	2	3	1	-	-
Female	13	-	-	-	2	-	-	3	4	3	1	-	-
Syphilis (090-097)	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infectious and parasitic diseases (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)	1,509	19	6	8	31	507	595	197	61	41	27	12	5
Male	1,207	10	3	4	18	393	495	175	52	32	19	3	3
Female	302	9	3	4	13	114	100	22	9	9	8	9	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	4,374	1	9	16	27	56	181	385	689	1,190	1,191	627	2
Male	2,566	1	7	11	12	22	77	208	394	714	730	390	-
Female	1,808	-	2	5	15	34	104	177	295	476	461	237	2
Malignant neoplasms of lip, oral cavity, and pharynx (140-149)	160	-	-	-	-	1	5	19	37	42	36	20	-
Male	124	-	-	-	-	-	5	18	32	33	26	10	-
Female	36	-	-	-	-	1	-	1	5	9	10	10	-
Malignant neoplasms of digestive organs and peritoneum (150-159)	1,436	1	1	2	3	9	49	106	238	410	410	207	-
Male	849	1	1	2	1	5	27	74	153	244	227	114	-
Female	587	-	-	-	2	4	22	32	85	166	183	93	-
Malignant neoplasms of respiratory and intrathoracic organs (160-165)	632	-	-	-	-	5	14	61	114	207	171	60	-
Male	446	-	-	-	-	3	10	44	80	147	121	41	-
Female	186	-	-	-	-	2	4	17	34	60	50	19	-
Malignant neoplasm of breast (174-175)	316	-	-	-	-	5	33	71	77	60	49	21	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	316	-	-	-	-	5	33	71	77	60	49	21	-
Malignant neoplasms of genital organs (179-187)	761	-	-	1	4	10	23	29	61	187	259	185	2
Male	548	-	-	1	2	1	2	6	34	131	213	158	-
Female	213	-	-	-	2	9	21	23	27	56	46	27	2
Malignant neoplasms of urinary organs (188-189)	110	-	-	-	-	1	-	11	16	30	32	20	-
Male	70	-	-	-	-	-	-	7	10	23	16	14	-
Female	40	-	-	-	-	1	-	4	6	7	16	6	-
Malignant neoplasms of all other and unspecified sites (170-173,190-199)	551	-	5	7	6	14	28	51	85	159	134	62	-
Male	304	-	3	4	2	8	13	35	44	90	74	31	-
Female	247	-	2	3	4	6	15	16	41	69	60	31	-
Leukemia (204-208)	155	-	3	6	6	5	8	8	20	26	51	22	-
Male	97	-	3	4	2	1	5	7	15	15	33	12	-
Female	58	-	-	2	4	4	3	1	5	11	18	10	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 5

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1992—Con.

(Page 2 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	253	-	-	-	8	6	21	29	41	69	49	30	-
Male	128	-	-	-	5	4	15	17	26	31	20	10	-
Female	125	-	-	-	3	2	6	12	15	38	29	20	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	100	2	1	4	7	1	7	4	10	35	17	12	-
Male	54	2	1	2	5	1	4	1	5	20	7	6	-
Female	46	-	-	2	2	-	3	3	5	15	10	6	-
Diabetes mellitus (250)	1,867	-	-	-	3	11	39	105	293	556	566	293	1
Male	849	-	-	-	1	7	29	73	145	278	215	100	1
Female	1,018	-	-	-	2	4	10	32	148	278	351	193	-
Nutritional deficiencies (260-269)	58	3	-	1	-	1	-	2	2	7	13	29	-
Male	38	2	-	-	-	1	-	1	1	5	7	21	-
Female	20	1	-	1	-	-	-	1	1	2	6	8	-
Anemias (280-285)	177	-	1	-	2	5	6	10	19	26	58	50	-
Male	88	-	-	-	2	4	4	7	12	16	25	18	-
Female	89	-	1	-	-	1	2	3	7	10	33	32	-
Meningitis (320-322)	23	6	-	-	1	2	-	4	2	1	5	2	-
Male	12	4	-	-	1	1	-	1	2	-	2	1	-
Female	11	2	-	-	-	1	-	3	-	1	3	1	-
Major cardiovascular diseases (390-448)	8,716	35	4	13	30	78	191	505	946	1,962	2,718	2,210	24
Male	4,654	19	2	5	17	46	136	347	632	1,165	1,378	887	20
Female	4,062	16	2	8	13	32	55	158	314	797	1,340	1,323	4
Diseases of heart (390-398,402,404-429)	6,545	26	2	8	20	51	129	369	760	1,527	2,003	1,627	23
Male	3,534	12	1	4	13	34	99	259	508	908	1,028	648	20
Female	3,011	14	1	4	7	17	30	110	252	619	975	979	3
Rheumatic fever and rheumatic heart disease (390-398)	29	-	-	1	1	-	1	4	4	11	5	2	-
Male	11	-	-	-	1	-	1	1	3	4	-	1	-
Female	18	-	-	1	-	-	-	3	1	7	5	1	-
Hypertensive heart disease (402)	218	-	-	-	-	1	5	21	31	43	66	51	-
Male	114	-	-	-	-	1	4	11	17	24	35	22	-
Female	104	-	-	-	-	-	1	10	14	19	31	29	-
Hypertensive heart and renal disease (404)	13	-	-	-	-	-	-	1	-	2	4	6	-
Male	7	-	-	-	-	-	-	-	-	1	3	3	-
Female	6	-	-	-	-	-	-	1	-	1	1	3	-
Ischemic heart disease (410-414)	4,298	1	-	-	2	13	64	241	547	1,109	1,334	966	21
Male	2,407	1	-	-	1	11	57	178	382	678	686	394	19
Female	1,891	-	-	-	1	2	7	63	165	431	648	572	2
Acute myocardial infarction (410)	2,822	-	-	-	2	6	41	153	376	763	912	565	4
Male	1,567	-	-	-	1	5	36	110	265	456	459	231	4
Female	1,255	-	-	-	1	1	5	43	111	307	453	334	-
Other acute and subacute forms of ischemic heart disease (411)	24	-	-	-	-	-	-	-	-	4	4	14	2
Male	10	-	-	-	-	-	-	-	-	2	1	6	1
Female	14	-	-	-	-	-	-	-	-	2	3	8	1
Angina pectoris (413)	67	-	-	-	-	-	1	3	7	21	20	15	-
Male	42	-	-	-	-	-	1	3	3	12	14	9	-
Female	25	-	-	-	-	-	-	-	4	9	6	6	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	1,385	1	-	-	-	7	22	85	164	321	398	372	15
Male	788	1	-	-	-	6	20	65	114	208	212	148	14
Female	597	-	-	-	-	1	2	20	50	113	186	224	1
Other diseases of endocardium (424)	70	-	-	-	-	4	4	7	5	16	26	8	-
Male	39	-	-	-	-	2	1	6	3	10	10	7	-
Female	31	-	-	-	-	2	3	1	2	6	16	1	-
All other forms of heart disease (415-423,425-429)	1,917	25	2	7	17	33	55	95	173	346	568	594	2
Male	956	11	1	4	11	20	36	63	103	191	294	221	1
Female	961	14	1	3	6	13	19	32	70	155	274	373	1
Hypertension with or without renal disease (401,403)	218	1	-	-	1	5	4	16	25	49	73	44	-
Male	114	1	-	-	1	3	4	11	17	25	32	20	-
Female	104	-	-	-	-	2	-	5	8	24	41	24	-
Cerebrovascular diseases (430-438)	1,669	8	2	5	7	18	52	108	143	326	556	443	1
Male	857	6	1	1	2	7	31	70	94	190	275	180	-
Female	812	2	1	4	5	11	21	38	49	136	281	263	1
Intracerebral and other intracranial hemorrhage (431-432)	344	4	-	-	3	8	27	56	43	72	84	47	-
Male	187	3	-	-	2	3	19	34	26	38	40	22	-
Female	157	1	-	-	1	5	8	22	17	34	44	25	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	196	-	-	-	1	1	3	7	11	44	67	62	-
Male	94	-	-	-	-	1	1	5	6	22	36	23	-
Female	102	-	-	-	1	-	2	2	5	22	31	39	-
Cerebral embolism (434.1)	5	-	-	-	-	-	-	1	1	2	1	-	-
Male	2	-	-	-	-	-	-	1	1	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	2	1	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	1,124	4	2	5	3	9	22	44	88	208	404	334	1
Male	574	3	1	1	-	3	11	30	61	130	199	135	-
Female	550	1	1	4	3	6	11	14	27	78	205	199	1

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 6

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1992—Con.

(Page 3 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Atherosclerosis (440)	121	-	-	-	-	-	-	-	4	14	38	65	-
Male	51	-	-	-	-	-	-	-	2	7	18	24	-
Female	70	-	-	-	-	-	-	-	2	7	20	41	-
Other diseases of arteries, arterioles, and capillaries (441-448)	163	-	-	-	2	4	6	12	14	46	48	31	-
Male	98	-	-	-	1	2	2	7	11	35	25	15	-
Female	65	-	-	-	1	2	4	5	3	11	23	16	-
Acute bronchitis and bronchiolitis (466)	15	1	-	-	-	-	-	1	-	4	5	4	-
Male	8	1	-	-	-	-	-	1	-	2	3	1	-
Female	7	-	-	-	-	-	-	-	-	2	2	3	-
Pneumonia and influenza (480-487)	1,192	48	4	3	9	39	45	46	86	179	317	414	2
Male	643	36	3	3	6	28	29	28	51	106	169	186	1
Female	549	12	1	3	3	11	16	18	35	73	148	228	1
Pneumonia (480-486)	1,188	48	4	3	9	39	45	46	85	179	315	413	2
Male	643	36	3	3	6	28	29	28	51	106	169	186	1
Female	545	12	1	3	3	11	16	18	34	73	146	227	1
Influenza (487)	4	-	-	-	-	-	-	-	1	-	2	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	2	1	-
Chronic obstructive pulmonary diseases and allied conditions (490-496)	988	4	4	1	5	13	17	33	79	203	348	281	-
Male	519	3	-	-	3	8	7	19	45	116	194	124	-
Female	469	1	4	1	2	5	10	14	34	87	154	157	-
Bronchitis, chronic and unspecified (490-491)	50	-	1	-	-	-	1	-	-	7	24	17	-
Male	21	-	-	-	-	-	1	-	-	4	9	7	-
Female	29	-	1	-	-	-	-	-	-	3	15	10	-
Emphysema (492)	187	-	-	-	-	-	3	4	16	36	77	51	-
Male	116	-	-	-	-	-	3	3	14	23	44	29	-
Female	71	-	-	-	-	-	-	1	2	13	33	22	-
Asthma (493)	190	2	3	1	4	11	12	15	26	40	44	32	-
Male	91	1	-	-	3	6	3	8	12	21	25	12	-
Female	99	1	3	1	1	5	9	7	14	19	19	20	-
Other chronic obstructive pulmonary diseases and allied conditions (494-496)	561	2	-	-	1	2	1	14	37	120	203	181	-
Male	291	2	-	-	-	2	-	8	19	68	116	76	-
Female	270	-	-	-	1	-	1	6	18	52	87	105	-
Ulcer of stomach and duodenum (531-533)	58	1	-	-	-	1	-	4	7	16	15	14	-
Male	36	-	-	-	-	1	-	4	5	13	9	4	-
Female	22	1	-	-	-	-	-	-	2	3	6	10	-
Appendicitis (540-543)	7	-	-	-	-	-	1	2	2	2	-	-	-
Male	6	-	-	-	-	-	1	1	2	2	-	-	-
Female	1	-	-	-	-	-	-	1	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	72	7	1	1	-	2	3	2	9	9	24	14	-
Male	26	2	1	1	-	1	-	1	5	5	8	2	-
Female	46	5	-	-	-	1	3	1	4	4	16	12	-
Chronic liver disease and cirrhosis (571)	768	-	1	-	1	18	97	187	183	145	100	34	2
Male	592	-	1	-	1	14	88	163	144	100	62	17	2
Female	176	-	-	-	-	4	9	24	39	45	38	17	-
Cholelithiasis and other disorders of gallbladder (574-575)	41	-	-	-	-	1	-	2	3	8	10	17	-
Male	22	-	-	-	-	1	-	1	-	4	5	11	-
Female	19	-	-	-	-	-	-	1	3	4	5	6	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	364	3	3	-	5	12	15	22	47	74	104	78	1
Male	211	1	1	-	2	7	12	13	32	44	58	40	1
Female	153	2	2	-	3	5	3	9	15	30	46	38	-
Acute glomerulonephritis and nephrotic syndrome (580-581)	7	-	-	-	-	-	-	1	1	2	2	1	-
Male	2	-	-	-	-	-	-	1	-	-	1	-	-
Female	5	-	-	-	-	-	-	-	1	2	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583,587)	18	-	-	-	-	-	2	1	2	5	3	5	-
Male	13	-	-	-	-	-	2	-	2	3	2	4	-
Female	5	-	-	-	-	-	-	1	-	2	1	1	-
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause (584-586,588-589)	339	3	3	-	5	12	13	20	44	67	99	72	1
Male	196	1	1	-	2	7	10	12	30	41	55	36	1
Female	143	2	2	-	3	5	3	8	14	26	44	36	-
Infections of kidney (590)	13	-	-	-	-	-	-	3	2	3	3	2	-
Male	5	-	-	-	-	-	-	1	-	2	1	1	-
Female	8	-	-	-	-	-	-	2	2	1	2	1	-
Hyperplasia of prostate (600)	8	-	-	-	-	-	-	-	1	3	4	-	-
Male	8	-	-	-	-	-	-	-	1	3	4	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of pregnancy, childbirth, and the puerperium (630-676)	9	-	-	-	1	5	3	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	9	-	-	-	1	5	3	-	-	-	-	-	-
Pregnancy with abortive outcome (630-638)	2	-	-	-	-	2	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	2	-	-	-	-	-	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 7

Table 9-4. Deaths From 72 Selected Causes, by 10-Year Age Groups and Sex: Puerto Rico, 1992—Con.

(Page 4 of 4)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other complications of pregnancy, childbirth, and the puerperium (640-676) ...	7	-	1	3	3	-	-
Male	1	3	3
Female	7	-	1	3	3	-
Congenital anomalies (740-759)	231	173	14	6	5	9	10	2	1	3	5	3	-
Male	115	85	9	3	2	4	5	2	1	-	3	1	-
Female	116	88	5	3	3	5	5	-	-	3	2	2	-
Certain conditions originating in the perinatal period (760-779)	400	400	-	-	-	-	-	-	-	-	-	-	-
Male	228	228	-	-	-	-	-	-	-	-	-	-	-
Female	172	172	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome (767-769)	170	170	-	-	-	-	-	-	-	-	-	-	-
Male	86	86	-	-	-	-	-	-	-	-	-	-	-
Female	84	84	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	230	230	-	-	-	-	-	-	-	-	-	-	-
Male	142	142	-	-	-	-	-	-	-	-	-	-	-
Female	88	88	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	194	8	3	-	1	12	6	9	8	23	37	84	3
Male	107	5	1	-	-	8	3	6	4	15	27	36	2
Female	87	3	2	-	1	4	3	3	4	8	10	48	1
All other diseases (Residual)	2,962	67	21	25	49	101	187	243	324	513	771	653	8
Male	1,658	36	13	13	24	62	132	175	203	303	407	283	7
Female	1,304	31	8	12	25	39	55	68	121	210	364	370	1
Accidents and adverse effects (E800-E949)	1,349	22	32	54	214	244	192	147	103	122	122	77	20
Male	1,046	14	19	43	181	208	167	116	81	93	70	38	16
Female	303	8	13	11	33	36	25	31	22	29	52	39	4
Motor vehicle accidents (E810-E825)	600	3	16	25	122	107	73	82	67	55	34	10	6
Male	474	-	8	22	103	87	61	63	53	40	25	7	5
Female	126	3	8	3	19	20	12	19	14	15	9	3	1
All other accidents and adverse effects (E800-E807,E826-E949)	749	19	16	29	92	137	119	65	36	67	88	67	14
Male	572	14	11	21	78	121	106	53	28	53	45	31	11
Female	177	5	5	8	14	16	13	12	8	14	43	36	3
Suicide (E950-E959)	310	-	35	64	57	54	40	34	18	8	-
Male	275	-	29	61	50	46	35	30	16	8	-
Female	35	-	6	3	7	8	5	4	2	-	-
Homicide and legal intervention (E960-E978)	839	1	4	11	314	240	132	56	35	23	8	3	12
Male	767	1	2	7	295	214	122	53	33	22	5	2	11
Female	72	-	2	4	19	26	10	3	2	1	3	1	1
All other external causes (E980-E999)	17	-	-	-	3	3	7	1	1	-	1	-	1
Male	13	-	-	-	1	2	6	1	1	-	1	-	1
Female	4	-	-	-	2	1	1	-	-	-	-	-	-

NOTE: Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 10

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1992—Con.

(Page 3 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	2	-	-	-	-	-	-	-	2	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	2	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	2	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	3	-	-	-	-	-	-	-	1	1	-	1	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	-	-	-	-	-	-	-	1	-	1	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus (250)	35	-	-	-	-	-	2	3	10	5	8	7	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	5	-	-	-	-	-	-	-	2	-	1	2	-
All other, male	11	-	-	-	-	-	1	1	3	2	2	2	-
All other, female	18	-	-	-	-	-	1	2	5	3	4	3	-
Black, male	11	-	-	-	-	-	1	1	3	2	2	2	-
Black, female	18	-	-	-	-	-	1	2	5	3	4	3	-
Nutritional deficiencies (260-269)	3	-	-	-	-	-	-	1	-	-	-	2	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	1	-	-	-	1	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	2	-	-	-	-	-	-	1	-	-	-	1	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Anemias (280-285)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis (320-322)	1	-	-	-	-	-	1	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	1	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	1	-	-	-	-	-	1	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	168	-	-	-	-	3	4	19	23	39	49	31	-
White, male	22	-	-	-	-	-	-	5	7	5	2	3	-
White, female	14	-	-	-	-	-	-	-	2	3	5	4	-
All other, male	63	-	-	-	-	3	2	8	10	16	12	12	-
All other, female	69	-	-	-	-	2	2	6	4	15	30	12	-
Black, male	63	-	-	-	-	3	2	8	10	16	12	12	-
Black, female	68	-	-	-	-	2	2	6	4	15	29	12	-
Diseases of heart (390-398,402,404-429)	129	-	-	-	-	3	2	15	18	27	39	25	-
White, male	19	-	-	-	-	-	-	4	6	5	1	3	-
White, female	11	-	-	-	-	-	-	-	2	2	4	3	-
All other, male	45	-	-	-	-	3	1	6	7	11	9	8	-
All other, female	54	-	-	-	-	1	1	5	3	9	25	11	-
Black, male	45	-	-	-	-	3	1	6	7	11	9	8	-
Black, female	53	-	-	-	-	1	1	5	3	9	24	11	-
Rheumatic fever and rheumatic heart disease (390-398)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive heart disease (402)	22	-	-	-	-	-	-	3	2	6	8	3	-
White, male	1	-	-	-	-	-	-	-	1	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	-	-	-	-	-	-	3	-	3	1	2	-
All other, female	12	-	-	-	-	-	-	-	1	3	7	1	-
Black, male	9	-	-	-	-	-	-	3	-	3	1	2	-
Black, female	12	-	-	-	-	-	-	-	1	3	7	1	-
Hypertensive heart and renal disease (404)	3	-	-	-	-	-	-	1	-	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, female	2	-	-	-	-	-	-	1	-	-	1	-	-
Black, male	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, female	2	-	-	-	-	-	-	-	-	-	1	-	-
Ischemic heart disease (410-414)	48	-	-	-	-	1	1	5	8	7	19	7	-
White, male	6	-	-	-	-	-	-	1	3	1	1	1	-
White, female	7	-	-	-	-	-	-	-	2	2	2	1	-
All other, male	16	-	-	-	-	1	1	3	2	2	6	1	-
All other, female	19	-	-	-	-	-	-	1	1	2	11	4	-
Black, male	16	-	-	-	-	1	1	3	2	2	6	1	-
Black, female	18	-	-	-	-	-	-	1	1	2	10	4	-
Acute myocardial infarction (410)	22	-	-	-	-	1	1	3	4	3	8	2	-
White, male	2	-	-	-	-	-	-	1	1	-	-	-	-
White, female	3	-	-	-	-	-	-	-	2	1	-	-	-
All other, male	6	-	-	-	-	1	1	1	1	-	2	-	-
All other, female	11	-	-	-	-	-	-	1	1	2	6	2	-
Black, male	6	-	-	-	-	1	1	1	1	-	2	-	-
Black, female	10	-	-	-	-	-	-	1	-	2	5	2	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 14

Table 9-5. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Virgin Islands, 1992—Con.

(Page 7 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Congenital anomalies (740-759)	5	3	-	-	-	-	-	2	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	2	-	-	-	-	-	2	-	-	-	-	-
Black, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Black, female	4	2	-	-	-	-	-	2	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	25	25	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, male	12	12	-	-	-	-	-	-	-	-	-	-	-
All other, female	11	11	-	-	-	-	-	-	-	-	-	-	-
Black, male	12	12	-	-	-	-	-	-	-	-	-	-	-
Black, female	11	11	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	6	6	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	2	-	-	-	-	-	-	-	-	-	-	-
Black, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	19	19	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, male	10	10	-	-	-	-	-	-	-	-	-	-	-
All other, female	8	8	-	-	-	-	-	-	-	-	-	-	-
Black, male	10	10	-	-	-	-	-	-	-	-	-	-	-
Black, female	8	8	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	10	2	-	-	1	1	-	2	1	-	-	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	2	-	-	-	-	-	-	-	-	-	-	2	-
All other, male	4	-	-	-	1	1	-	-	1	-	-	1	-
All other, female	4	2	-	-	-	-	-	2	-	-	-	-	-
Black, male	4	-	-	-	1	1	-	-	1	-	-	1	-
Black, female	4	2	-	-	-	-	-	2	-	-	-	-	-
All other diseases (Residual)	41	1	-	-	1	-	9	8	4	10	4	4	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	5	1	-	-	-	-	-	1	1	1	1	1	-
All other, male	15	-	-	-	-	-	3	5	1	3	2	1	-
All other, female	20	-	-	-	1	-	6	2	2	6	1	2	-
Black, male	15	-	-	-	-	-	3	5	1	3	2	1	-
Black, female	20	-	-	-	1	-	6	2	2	3	1	2	-
Accidents and adverse effects (E800-E949)	38	3	-	2	7	5	8	7	3	1	-	2	-
White, male	8	-	-	-	2	2	2	1	1	-	-	-	-
White, female	3	-	-	-	1	1	-	-	-	-	-	-	-
All other, male	20	1	-	2	4	2	3	5	1	1	-	1	-
All other, female	7	2	-	-	-	-	3	1	-	-	-	1	-
Black, male	20	1	-	2	4	2	3	5	1	1	-	1	-
Black, female	7	2	-	-	-	-	3	1	-	-	-	1	-
Motor vehicle accidents (E810-E825)	9	-	-	-	3	2	2	1	-	-	-	1	-
White, male	2	-	-	-	1	1	-	-	-	-	-	-	-
White, female	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, male	5	-	-	-	1	1	2	1	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Black, male	5	-	-	-	1	1	2	1	-	-	-	-	-
Black, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other accidents and adverse effects (E800-E807,E826-E949)	29	3	-	2	4	3	6	6	3	1	-	1	-
White, male	6	-	-	-	1	1	2	1	1	-	-	-	-
White, female	2	-	-	-	-	1	-	-	-	-	-	-	-
All other, male	15	1	-	2	3	1	1	4	1	1	-	1	-
All other, female	6	2	-	-	-	-	3	1	-	-	-	-	-
Black, male	15	1	-	2	3	1	1	4	1	1	-	1	-
Black, female	6	2	-	-	-	-	3	1	-	-	-	-	-
Suicide (E950-E959)	8	-	2	2	1	-	2	1	-	-	-
White, male	4	-	1	-	1	-	1	-	-	-	-
White, female	2	-	-	1	-	-	1	-	-	-	-
All other, male	2	-	1	1	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-
Black, male	2	-	1	1	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	15	-	-	-	3	6	3	1	1	-	-	-	1
White, male	3	-	-	-	1	2	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	-	-	-	2	4	3	-	1	-	-	-	1
All other, female	1	-	-	-	-	-	-	1	-	-	-	-	-
Black, male	11	-	-	-	2	4	3	-	1	-	-	-	1
Black, female	1	-	-	-	-	-	-	1	-	-	-	-	-
All other external causes (E980-E999)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, female	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE: Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 17

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1992—Con.

(Page 3 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other malignant neoplasms of lymphatic and hematopoietic tissues (200-203)	4	-	-	-	-	-	-	-	2	2	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	2	1	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Guamanian, male	3	-	-	-	-	-	-	-	2	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	-	-	-	-	-	-	1	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, male	1	-	-	-	-	-	-	-	1	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus (250)	41	-	-	-	-	1	4	5	12	13	6	-	-
White, male	1	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	1	-	-	-
All other, male	11	-	-	-	-	-	1	1	2	6	1	-	-
All other, female	27	-	-	-	-	-	3	3	10	6	5	-	-
Guamanian, male	7	-	-	-	-	-	1	1	1	4	-	-	-
Guamanian, female	23	-	-	-	-	-	3	2	8	5	5	-	-
Nutritional deficiencies (260-269)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Anemias (280-285)	3	1	-	-	-	-	-	-	1	-	-	1	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	1	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	1	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (390-448)	171	-	-	-	1	7	10	15	40	47	33	18	-
White, male	6	-	-	-	-	-	2	1	1	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	84	-	-	-	1	3	4	8	24	20	17	7	-
All other, female	62	-	-	-	2	2	5	11	19	14	9	-	-
Guamanian, male	48	-	-	-	3	4	5	14	9	10	3	-	-
Guamanian, female	45	-	-	-	1	2	5	4	16	12	5	-	-
Diseases of heart (390-398,402,404-429)	124	-	-	-	1	5	7	11	28	31	27	14	-
White, male	6	-	-	-	-	-	2	1	1	2	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	57	-	-	-	1	2	2	6	16	12	14	4	-
All other, female	49	-	-	-	2	2	4	8	13	12	8	-	-
Guamanian, male	33	-	-	-	2	2	3	10	5	8	3	-	-
Guamanian, female	35	-	-	-	1	2	4	3	11	10	4	-	-
Rheumatic fever and rheumatic heart disease (390-398)	7	-	-	-	1	2	2	-	1	-	-	1	-
White, male	1	-	-	-	-	-	1	-	-	-	-	-	-
White, female	1	-	-	-	-	-	-	-	-	-	-	1	-
All other, male	3	-	-	-	1	1	-	-	1	-	-	-	-
All other, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	1	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	1	-	-	-	-	-	-
Hypertensive heart disease (402)	5	-	-	-	-	-	-	-	1	1	2	1	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	4	-	-	-	-	-	-	-	1	1	1	1	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	1	-	-	-
Hypertensive heart and renal disease (404)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischemic heart disease (410-414)	106	-	-	-	-	2	5	11	24	29	23	12	-
White, male	5	-	-	-	-	-	1	1	1	2	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	50	-	-	-	-	1	2	6	14	11	12	4	-
All other, female	42	-	-	-	-	1	1	4	7	12	10	7	-
Guamanian, male	29	-	-	-	-	1	2	3	9	4	7	3	-
Guamanian, female	32	-	-	-	-	1	1	4	3	10	9	4	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 18

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1992—Con.

(Page 4 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Ischemic heart disease-Con.													
Acute myocardial infarction (410)	31	-	-	-	-	1	3	5	6	10	4	2	-
White, male	2	-	-	-	-	-	1	-	-	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	14	-	-	-	-	1	1	2	4	4	2	-	-
All other, female	11	-	-	-	-	-	-	3	1	4	1	2	-
Guamanian, male	8	-	-	-	-	1	1	1	2	2	1	-	-
Guamanian, female	8	-	-	-	-	-	-	3	-	4	1	-	-
Other acute and subacute forms of ischemic heart disease (411)	3	-	-	-	-	-	-	-	1	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	1	1	1	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Angina pectoris (413)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Old myocardial infarction and other forms of chronic ischemic heart disease (412,414)	72	-	-	-	-	1	2	6	17	18	18	10	-
White, male	3	-	-	-	-	-	-	1	1	1	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	33	-	-	-	-	-	1	4	9	6	9	4	-
All other, female	31	-	-	-	-	1	1	1	6	8	9	5	-
Guamanian, male	20	-	-	-	-	-	-	1	2	7	5	3	-
Guamanian, female	24	-	-	-	-	1	1	1	3	6	8	4	-
Other diseases of endocardium (424)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other forms of heart disease (415-423,425-429)	5	-	-	-	-	1	-	-	2	1	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	-	-	-	-	-	-	-	1	1	-	-	-
All other, female	2	-	-	-	-	1	-	-	-	-	1	-	-
Guamanian, male	2	-	-	-	-	-	-	-	1	1	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	1	-	-
Hypertension with or without renal disease (401,403)	1	-	-	-	-	-	-	-	-	-	1	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	-	-	-	-	-	1	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	-	-	-	-	-	-	-	-	-	1	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular diseases (430-438)	39	-	-	-	-	2	3	4	10	14	3	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	19	-	-	-	-	1	2	2	6	8	-	2	-
All other, female	13	-	-	-	-	-	-	1	3	6	2	1	-
Guamanian, male	11	-	-	-	-	1	2	2	3	3	-	-	-
Guamanian, female	10	-	-	-	-	-	-	1	1	5	2	1	-
Intracerebral and other intracranial hemorrhage (431-432)	16	-	-	-	-	2	2	2	4	6	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	-	-	-	-	1	1	-	3	3	-	-	-
All other, female	4	-	-	-	-	-	-	1	1	2	-	-	-
Guamanian, male	3	-	-	-	-	1	1	-	1	-	-	-	-
Guamanian, female	2	-	-	-	-	-	-	1	-	1	-	-	-
Cerebral thrombosis and unspecified occlusion of cerebral arteries (434.0,434.9)	6	-	-	-	-	-	-	-	2	1	-	3	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	-	-	-	-	-	-	-	1	-	-	2	-
All other, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Guamanian, male	2	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	2	-	-	-	-	-	-	-	-	1	-	1	-
Cerebral embolism (434.1)	-	-	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and late effects of cerebrovascular diseases (430,433,435-438)	17	-	-	-	-	-	1	2	4	7	3	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	8	-	-	-	-	-	1	2	2	3	-	-	-
All other, female	7	-	-	-	-	-	-	2	2	3	2	-	-
Guamanian, male	8	-	-	-	-	-	1	2	2	3	-	-	-
Guamanian, female	6	-	-	-	-	-	-	1	1	3	2	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 21

Table 9-6. Deaths From 72 Selected Causes, by 10-Year Age Groups, Race, and Sex: Guam, 1992—Con.

(Page 7 of 7)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death, race, and sex	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Other complications of pregnancy, childbirth, and the puerperium (640-676)	1	-	1	-	-	-	-
White, male	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	-	-
All other, female	1	-	1	-	-	-	-
Guamanian, male	-	-
Guamanian, female	1	-	1	-	-	-	-
Congenital anomalies (740-759)	5	3	-	2	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other, male	3	2	-	1	-	-	-	-	-	-	-	-	-
All other, female	1	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	2	1	-	1	-	-	-	-	-	-	-	-	-
Guamanian, female	1	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	18	18	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	11	11	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	7	7	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Birth trauma, intrauterine hypoxia, birth asphyxia and respiratory distress syndrome (767-769)	3	3	-	-	-	-	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	2	2	-	-	-	-	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	1	1	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Other conditions originating in the perinatal period (760-766,770-779)	15	15	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	9	9	-	-	-	-	-	-	-	-	-	-	-
All other, female	4	4	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	6	6	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions (780-799)	8	8	-	-	-	-	-	-	-	-	-	-	-
White, male	1	1	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	4	4	-	-	-	-	-	-	-	-	-	-	-
All other, female	3	3	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	4	4	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	1	1	-	-	-	-	-	-	-	-	-	-	-
All other diseases (Residual)	55	7	-	-	2	1	6	4	8	14	11	2	-
White, male	1	-	-	-	-	-	-	-	-	-	1	-	-
White, female	2	-	-	-	-	-	-	-	-	1	-	1	-
All other, male	28	4	-	-	2	1	5	2	3	6	4	1	-
All other, female	23	2	-	-	-	-	1	2	5	7	6	-	-
Guamanian, male	25	4	-	-	2	1	5	2	2	5	4	-	-
Guamanian, female	20	2	-	-	-	-	1	1	5	5	6	-	-
Accidents and adverse effects (E800-E949)	46	-	2	4	15	10	7	2	2	1	1	2	-
White, male	6	-	-	-	2	2	2	-	-	-	-	-	-
White, female	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, male	17	-	-	3	7	2	2	1	1	1	-	-	-
All other, female	11	-	1	-	3	1	1	1	1	-	1	2	-
Guamanian, male	8	-	-	2	3	-	1	1	1	-	-	-	-
Guamanian, female	5	-	-	-	1	-	-	1	1	-	-	2	-
Motor vehicle accidents (E810-E825)	25	-	1	1	10	7	3	1	1	1	-	-	-
White, male	3	-	-	-	1	1	1	-	-	-	-	-	-
White, female	1	-	-	-	1	-	-	-	-	-	-	-	-
All other, male	11	-	-	1	5	2	1	-	1	1	-	-	-
All other, female	5	-	1	-	2	1	-	1	-	-	-	-	-
Guamanian, male	4	-	-	1	2	-	-	-	1	-	-	-	-
Guamanian, female	2	-	-	-	1	-	-	1	-	-	-	-	-
All other accidents and adverse effects (E800-E807,E826-E949)	21	-	1	3	5	3	4	1	1	-	1	2	-
White, male	3	-	-	-	1	1	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	-	-	2	2	-	1	1	-	-	-	-	-
All other, female	6	-	-	-	1	-	1	-	1	-	1	2	-
Guamanian, male	4	-	-	1	1	-	1	1	-	-	-	-	-
Guamanian, female	3	-	-	-	-	-	-	-	1	-	-	2	-
Suicide (E950-E959)	27	-	13	7	4	1	1	1	-	-	-
White, male	2	-	1	-	1	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	18	-	9	5	1	1	1	1	-	-	-
All other, female	3	-	3	-	-	-	-	-	-	-	-
Guamanian, male	13	-	7	3	1	-	1	1	-	-	-
Guamanian, female	2	-	2	-	-	-	-	-	-	-	-
Homicide and legal intervention (E960-E978)	14	-	-	-	3	5	2	2	2	-	-	-	-
White, male	1	-	-	-	-	1	-	-	-	-	-	-	-
White, female	2	-	-	-	1	-	-	1	-	-	-	-	-
All other, male	6	-	-	-	2	2	-	1	1	-	-	-	-
All other, female	3	-	-	-	-	1	1	-	1	-	-	-	-
Guamanian, male	5	-	-	-	2	2	-	1	-	-	-	-	-
Guamanian, female	2	-	-	-	-	1	1	-	-	-	-	-	-
All other external causes (E980-E999)	1	-	-	-	-	1	-	-	-	-	-	-	-
White, male	-	-	-	-	-	-	-	-	-	-	-	-	-
White, female	-	-	-	-	-	-	-	-	-	-	-	-	-
All other, male	1	-	-	-	-	1	-	-	-	-	-	-	-
All other, female	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, male	-	-	-	-	-	-	-	-	-	-	-	-	-
Guamanian, female	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE: Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 22

Table 9-7. Deaths From Motor Vehicle Accidents, by Person Injured and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1992

[Deaths are those assigned to category numbers E810-E825 of the Ninth Revision International Classification of Diseases, 1975.
Numbers after person injured are fourth-digit subcategory numbers]

Area, race, and sex	Total deaths	Person injured									
		Driver of motor vehicle other than motorcycle (.0)	Passenger in motor vehicle other than motorcycle (.1)	Motorcyclist (.2)	Passenger on motorcycle (.3)	Occupant of streetcar (.4)	Rider of animal; occupant of animal-drawn vehicle (.5)	Pedal cyclist (.6)	Pedestrian (.7)	Other specified person (.8)	Unspecified person (.9)
Puerto Rico	600	212	128	25	-	-	1	9	218	-	7
Male	474	187	63	25	-	-	1	9	183	-	6
Female	126	25	65	-	-	-	-	-	35	-	1
Virgin Islands	9	3	-	-	-	-	-	-	3	-	3
White, male	2	1	-	-	-	-	-	-	1	-	-
White, female	1	1	-	-	-	-	-	-	-	-	-
All other, male	5	1	-	-	-	-	-	-	1	-	3
All other, female	1	-	-	-	-	-	-	-	1	-	-
Black, male	5	1	-	-	-	-	-	-	1	-	3
Black, female	1	-	-	-	-	-	-	-	1	-	-
Guam	25	1	4	-	-	-	-	-	5	-	15
White, male	3	-	1	-	-	-	-	-	2	-	-
White, female	1	-	-	-	-	-	-	-	-	-	1
All other, male	11	1	1	-	-	-	-	-	1	-	8
All other, female	5	-	1	-	-	-	-	-	2	-	2
Guamanian, male	4	-	1	-	-	-	-	-	-	-	3
Guamanian, female	2	-	-	-	-	-	-	-	2	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 23

Table 9-8. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1992

[Deaths are those assigned to category numbers E850-E869 and E880-E928 of the Ninth Revision International Classification of Diseases, 1975. Numbers after place of accident are special fifth-digit subcategory codes]

Area, race, and sex	Total deaths	Place of accident									
		Home ¹	Farm ²	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Residential institution	Other specified places	Unspecified place
		(0)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Puerto Rico	674	228	8	-	5	4	81	18	12	132	186
Male	521	168	8	-	5	4	71	17	9	116	123
Female	153	60	-	-	-	-	10	1	3	16	63
Virgin Islands	26	3	-	-	1	5	-	-	-	6	11
White, male	5	1	-	-	1	1	-	-	-	1	1
White, female	2	1	-	-	-	-	-	-	-	-	1
All other, male	14	1	-	-	-	3	-	-	-	5	5
All other, female	5	-	-	-	-	1	-	-	-	-	4
Black, male	14	1	-	-	-	3	-	-	-	5	5
Black, female	5	-	-	-	-	1	-	-	-	-	4
Guam	21	5	-	-	-	2	-	3	1	7	3
White, male	3	1	-	-	-	-	-	1	-	-	1
White, female	-	-	-	-	-	-	-	-	-	-	-
All other, male	6	1	-	-	-	1	-	-	-	4	-
All other, female	6	2	-	-	-	-	-	-	1	1	2
Guamanian, male	4	1	-	-	-	-	-	-	-	3	-
Guamanian, female	3	1	-	-	-	-	-	-	1	-	1

¹ Including home premises and any noninstitutional place of residence.
² Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 24

Table 9-9. Total, Infant, Neonatal, and Fetal Deaths: Puerto Rico and Each Municipio, 1992

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than Puerto Rico; however, data by place of occurrence include deaths of nonresidents of Puerto Rico. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix]

Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence	Area	Total deaths by municipio of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal				Total deaths	Infant	Neonatal	
Puerto Rico	27,397	27,229	816	586	645						
Adjuntas	83	162	4	4	2	Juncos	94	253	6	3	5
Aguada	105	240	9	9	5	Lajas	85	188	8	6	3
Aguadilla	562	444	8	4	11	Lares	102	209	6	3	4
Aguas Buenas	82	170	11	11	6	Las Marías	23	55	1	-	2
Aibonito	197	163	7	4	4	Las Piedras	74	195	7	5	6
Anasco	71	186	8	5	2	Loíza	66	162	9	9	9
Arecibo	1,177	819	23	15	22	Luquillo	100	139	4	3	2
Arroyo	80	144	7	4	4	Manatí	654	315	15	12	9
Barceloneta	73	168	1	1	4	Maricao	12	44	3	3	1
Barranquitas	77	160	7	5	6	Maunabo	40	94	1	1	-
Bayamon	2,460	1,569	50	33	21	Mayaguez	1,590	894	22	18	15
Cabo Rojo	134	342	2	2	6	Moca	284	198	6	5	8
Caguas	1,663	1,064	35	28	25	Morovis	63	146	7	3	5
Camuy	105	199	6	4	3	Naguabo	66	186	2	2	7
Canovanas	103	254	12	9	8	Naranjito	75	166	7	4	6
Carolina	1,018	1,230	50	36	23	Orocovis	66	137	3	1	5
Catano	99	279	11	4	6	Patillas	71	163	4	4	1
Cayey	278	399	8	5	9	Penuelas	72	145	4	4	6
Ceiba	51	112	4	4	5	Ponce	2,438	1,572	49	35	39
Ciales	57	121	6	5	2	Quebradillas	53	133	5	2	6
Cidra	80	192	3	2	8	Rincon	48	98	1	1	1
Coamo	120	258	11	4	4	Rio Grande	128	318	11	8	4
Comerio	56	139	6	2	3	Sabana Grande	85	198	7	6	3
Corozal	81	190	5	3	10	Salinas	98	215	10	6	8
Culebra	7	10	-	-	1	San German	425	279	3	1	6
Dorado	69	185	5	5	3	San Juan	7,159	4,473	99	75	78
Fajardo	543	347	13	11	10	San Lorenzo	113	276	9	6	5
Florida	26	73	3	2	6	San Sebastian	193	296	5	4	17
Guanica	66	147	5	2	3	Santa Isabel	78	159	5	4	4
Guayama	452	325	12	8	9	Toa Alta	97	228	11	7	6
Guayanilla	75	158	2	2	3	Toa Baja	258	591	21	15	17
Guaynabo	259	646	18	14	11	Trujillo Alto	157	361	5	5	13
Gurabo	95	236	7	6	5	Utuado	144	258	1	1	5
Hatillo	100	242	11	9	3	Vega Alta	105	212	10	7	9
Hormigueros	65	133	4	3	1	Vega Baja	255	432	12	10	13
Humacao	674	423	10	6	13	Vieques	44	76	2	2	1
Isabela	160	325	9	6	7	Villalba	61	129	6	1	10
Jayuya	47	91	7	7	0	Yabucoa	98	249	12	7	5
Juana Diaz	132	327	10	6	18	Yauco	301	315	7	7	9

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 25

Table 9-10. Total, Infant, Neonatal, and Fetal Deaths, by Race: Virgin Islands by Island and Specified Urban Place, and Guam, 1992

[Data by place of residence exclude deaths of nonresidents and deaths of residents occurring elsewhere than the Virgin Islands; however, data by place of occurrence include deaths of nonresidents of the Virgin Islands. The same qualifications apply to resident and nonresident deaths in Guam. Infant deaths are those under 1 year and neonatal deaths are those under 28 days. Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more; see Technical Appendix. Beginning in 1989, race for fetal deaths is tabulated according to race of mother; see Technical Appendix. Charlotte Amalie is the only specified urban place with a population of 10,000 or more in 1980.]

Area and race	Total deaths by place of occurrence	Deaths by place of residence			Fetal deaths by place of residence
		Total deaths	Infant	Neonatal	
Virgin Islands	537	496	35	26	37
White	151	116	3	2	5
All other	386	380	32	24	32
Black	383	379	32	24	32
St. Croix Island	241	229	27	22	18
White	77	67	3	2	4
All other	164	162	24	20	14
Black	163	162	24	20	14
St. John Island	14	14	-	-	1
White	7	4	-	-	-
All other	7	10	-	-	1
Black	7	10	-	-	1
St. Thomas Island	282	253	8	4	18
White	67	45	-	-	1
All other	215	208	8	4	17
Black	213	207	8	4	17
Charlotte Amalie	---	129	5	4	8
White	---	15	-	-	1
All other	---	114	5	4	7
Black	---	113	5	4	7
Balance of area	---	124	3	-	10
White	---	30	-	-	-
All other	---	94	3	-	10
Black	---	94	3	-	10
Guam	585	580	42	17	36
White	43	43	5	1	3
All other	542	517	37	16	33
Guamanian	335	334	22	8	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 26

Table 9-11. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1992

Area, age, and race	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	816	68	52	71	73	56	72	71	75	83	65	63	67
Under 28 days	586	50	33	49	49	38	57	49	53	59	53	44	52
VIRGIN ISLANDS													
Under 1 year	35	1	2	2	7	4	2	4	1	3	3	2	4
White	3	-	-	1	1	-	-	-	-	1	-	-	-
All other	32	1	2	1	6	4	2	4	1	2	3	2	4
Black	32	1	2	1	6	4	2	4	1	2	3	2	4
Under 28 days	26	1	-	2	5	4	1	3	1	3	3	-	3
White	2	-	-	1	-	-	-	-	-	1	-	-	-
All other	24	1	-	1	5	4	1	3	1	2	3	-	3
Black	24	1	-	1	5	4	1	3	1	2	3	-	3
GUAM													
Under 1 year	42	2	2	6	3	5	6	3	3	3	4	4	1
White	5	-	-	-	-	2	2	1	-	-	-	-	-
All other	37	2	2	6	3	3	4	2	3	3	4	4	1
Guamanian	22	1	1	5	1	2	3	1	3	1	2	2	-
Under 28 days	17	1	-	3	1	3	3	-	1	1	2	1	1
White	1	-	-	-	-	1	-	-	-	-	-	-	-
All other	16	1	-	3	1	2	3	-	1	1	2	1	1
Guamanian	8	-	-	2	-	2	2	-	1	-	1	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 29

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1992
(Page 1 of 2)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-044; see Technical Appendix]

Cause of death	Puerto Rico				Virgin Islands						Guam						
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days			28 days-11 months		
					White	All other		White	All other			White	All other		White	All other	
						Total	Black		Total	Black			Total	Guamanian		Total	Guamanian
All causes	816	586	230	35	2	24	24	1	8	8	42	1	16	8	4	21	14
Certain intestinal infections (008-009)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (033)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection (036)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	13	...	13
Viral diseases (045-079)	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital syphilis (090)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of infectious and parasitic diseases (001-007,010-032,034-035,037,039-041,*042-*044,080-088,091-139)	16	1	15	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature (210-239)	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of thymus gland (254)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystic fibrosis (277.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of blood and blood-forming organs (280-289)	4	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Meningitis (320-322)	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs (323-389)	12	2	10	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Acute upper respiratory infections (460-465)	2	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Bronchitis and bronchiolitis (466,490-491)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Pneumonia and influenza (480-487)	48	22	26	-	-	-	-	-	-	-	3	-	-	-	1	2	-
Pneumonia (480-486)	48	22	26	-	-	-	-	-	-	-	3	-	-	-	1	2	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of diseases of respiratory system (470-478,492-519)	24	14	10	1	-	-	-	1	-	-	3	-	-	-	-	3	2
Hernia of abdominal cavity and intestinal obstruction without mention of hernia (550-553,560)	7	3	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Gastritis, duodenitis, and noninfective enteritis and colitis (535,555-558)	2	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Remainder of diseases of digestive system (520-534,536-543,562-579)	8	4	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Congenital anomalies (740-759)	173	117	56	3	-	-	-	-	3	3	3	-	1	1	1	1	-
Anencephalus and similar anomalies (740)	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spina bifida (741)	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital hydrocephalus (742.3)	6	3	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Other congenital anomalies of central nervous system and eye (742.0-742.2,742.4-742.9,743)	5	3	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Congenital anomalies of heart (745-746)	51	20	31	2	-	-	-	-	2	2	1	-	1	-	-	-	-
Other congenital anomalies of circulatory system (747)	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of respiratory system (748)	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of digestive system (749-751)	4	3	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Congenital anomalies of genitourinary system (752-753)	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies of musculoskeletal system (754-756)	14	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Down's syndrome (758.0)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other chromosomal anomalies (758.1-758.9)	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified congenital anomalies (744,757,759)	29	21	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	400	385	15	25	2	22	22	-	1	1	18	1	14	6	-	3	2
Newborn affected by maternal conditions which may be unrelated to present pregnancy (760)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (761)	9	9	-	1	-	1	1	-	-	-	2	1	1	-	-	-	-
Newborn affected by complications of placenta, cord, and membranes (762)	6	6	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1
Newborn affected by other complications of labor and delivery (763)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slow fetal growth and fetal malnutrition (764)	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Disorders relating to short gestation and unspecified low birthweight (765)	32	32	-	3	-	3	3	-	-	-	4	-	4	2	-	-	-
Disorders relating to long gestation and high birthweight (766)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth trauma (767)	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (768)	20	20	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Fetal distress in liveborn infant (768.2-768.4)	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birth asphyxia (768.5-768.9)	15	15	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Respiratory distress syndrome (769)	146	141	5	5	1	3	3	-	1	1	3	-	2	1	-	1	-
Other respiratory conditions of newborn (770)	70	63	7	3	-	3	3	-	-	-	3	-	2	1	-	1	1
Infections specific to the perinatal period (771)	43	43	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Neonatal hemorrhage (772)	20	20	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Hemolytic disease of newborn, due to isoimmunization, and other perinatal jaundice (773-774)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus (775.0-775.1)	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (776.0)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and ill-defined conditions originating in the perinatal period (775.2-775.9,776.1-779)	44	41	3	10	1	9	9	-	-	-	3	-	3	2	-	-	-

SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 30

Table 9-13. Deaths Under 1 Year, Under 28 Days, and 28 Days-11 Months, From 61 Selected Causes, for Puerto Rico, Virgin Islands, and Guam; and by Race for Virgin Islands and Guam: 1992—Con.

(Page 2 of 2)

[Numbers after causes of death are category numbers of the Ninth Revision International Classification of Diseases, 1975. Beginning 1987 includes category numbers *042-*044; see Technical Appendix]

Cause of death	Puerto Rico			Virgin Islands						Guam							
	Total, under 1 year	Under 28 days	28 days-11 months	All races, under 1 year	Under 28 days			28 days-11 months			All races, under 1 year	Under 28 days		28 days-11 months			
					White	All other		White	All other			White	All other				
						Total	Black		Total	Black			Total	Guamanian	White	Total	Guamanian
Symptoms, signs, and ill-defined conditions (780-799)	8	5	3	2	-	-	-	-	2	2	8	-	-	-	1	7	5
Sudden infant death syndrome (798.0)	4	1	3	2	-	-	-	-	2	2	7	-	-	-	1	6	4
Symptoms, signs, and all other ill-defined conditions (780-797,798.1-799)	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1
Accidents and adverse effects (E800-E949)	22	3	19	3	-	2	2	-	1	1	-	-	-	-	-	-	-
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (E911-E912)	9	3	6	3	-	2	2	-	1	1	-	-	-	-	-	-	-
Accidental mechanical suffocation (E913)	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidental causes and adverse effects (E800-E910,E914-E949)	9	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Homicide (E960-E969)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Child battering and other maltreatment (E967)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other homicide (E960-E966,E968-E969)	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other causes (Residual)	61	24	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE: Data for *042-*044 Human immunodeficiency virus (HIV) infection are shown in separate tables.


SECTION 9 - PUERTO RICO, VIRGIN ISLANDS (U.S.), AND GUAM - PAGE 31

Table 9-14. Deaths From Human Immunodeficiency Virus Infection and 3-Digit Subcategories, by 10-Year Age Groups, and Sex: Puerto Rico, 1992

[Numbers after causes of death are category numbers introduced in the United States in 1987; see Technical Appendix]

Cause of death and sex	All ages	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Human immunodeficiency virus infection (*042-*044)	1,383	8	4	7	28	485	563	191	53	28	9	2	5
Male	1,130	6	2	4	16	378	471	170	47	25	8	-	3
Female	253	2	2	3	12	107	92	21	6	3	1	2	2
Human immunodeficiency virus infection with specified conditions (*042)	1,316	8	4	7	26	465	530	183	52	26	9	1	5
Male	1,079	6	2	4	14	368	441	163	47	23	8	-	3
Female	237	2	2	3	12	97	89	20	5	3	1	1	2
Human immunodeficiency virus infection causing other specified conditions (*043)	8	-	-	-	-	4	3	-	1	-	-	-	-
Male	4	-	-	-	-	1	3	-	-	-	-	-	-
Female	4	-	-	-	-	3	-	-	1	-	-	-	-
Other human immunodeficiency virus infection (*044)	59	-	-	-	2	16	30	8	-	2	-	1	-
Male	47	-	-	-	2	9	27	7	-	2	-	-	-
Female	12	-	-	-	-	7	3	1	-	-	-	1	-

ISBN 0-16-048847-8



90000



9 780160 488474