State Injury Profile for Pennsylvania

The CDC State Injury Profiles

Gathering and sharing reliable data about the broad range of public health problems is among the many ways the Centers for Disease Control and Prevention protect the safety and health of Americans.

Policy makers and health care workers need access to the best, most current data available so they can make informed decisions about where to allocate limited resources to prevent diseases and injuries. Yet, many people find statistics difficult to understand and interpret. This State Injury Profile offers an easier way to look at statistics. Through maps and graphs, the Profile clearly shows how this state compares with others in the nation and what injury problems are most pressing.

CDC's National Center for Injury Prevention and Control gathers data about a broad range of intentional and unintentional injuries or what many people call 'violence' and 'accidents.' Injuries affect everyone. Injury is the leading cause of death for all Americans ages one to 34, and injury remains one of the leading causes of death, no matter how long someone may live.

Maps and graphs in this State Injury Profile show this state's death rates from in falls, poisoning, drowning, suffocation, fires and burns, suicide, homicide, traumatic brain injury and injuries related to firearms. The graphics show how this state compares with others and with mortality rates in the United States as a whole. You will also find a table showing the Ten Leading Causes of Death for the United States and for this state. **New this year** is a county-by-county map showing locations with higher death rates for each type of injury.

In addition to injury data, you'll also find a list of all CDC-funded injury prevention and research programs in this state for 2001.

To learn more

After you page through the State Injury Profile, if you want to know more, CDC has made it easy for you to find additional information about any injury and public health. Simply visit **www.cdc.gov/ncipc**. Or call the CDC National Center for Injury Prevention and Control, Office of Planning, Evaluation and Legislation at 1-770-488-4936.

These other resources offered or funded by the CDC may also interest you:

General information about injury in America

Customized data reports, www.cdc.gov/ncipc/wisqars

Consumer facts and tip sheets, www.cdc.gov/ncipc/safeusa or call the SafeUSA hotline toll free at 1-800-252-7751.

Intentional Injury

National Resource Center on Domestic Violence, 1-800-537-2238

National Sexual Violence Resource Center, **www.nsvrc.org**, or call 1-877-739-3895

National Violence Against Women Prevention Research Center, www.violenceagainstwomen.org, or call 1-843-792-2945

National Youth Violence Prevention Resource Center, www.safeyouth.org, or call 1-866-SAFEYOUTH (723-3968)

Violence Against Women Electronic Network (VAWnet), www.vawnet.org, or call 1-800-537-2238

Unintentional Injury

National Program for Playground Safety, www.uni.edu/playground, or call 1-800-554-PLAY (7529)

National Resource Center on Aging and Injury, www.nrcai.org or call 1-619-594-0986

State Injury Profile for Pennsylvania 1989-1998

United States 10 Leading Causes of Deaths by Age Group: 1996-1998

| | Age Groups | | | | | | | | | | |
|------|--|------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-------------------------------------|-------------------------------------|---|--|---|---|
| Rank | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | Total |
| 1 | Congenital Anomalies 18,771 | Unintentional Injuries 6,087 | Unintentional Injuries 4,666 | Unintentional Injuries 5,392 | Unintentional Injuries 40,525 | Unintentional Injuries 37,468 | Malignant Neoplasms 51,170 | Malignant Neoplasms 135,803 | Malignant Neoplasms 260,166 | Heart Disease 1,824,785 | Heart Disease 2,185,194 |
| 2 | Short Gestation 11,928 | Congenital Anomalies 1,791 | Malignant Neoplasms 1,557 | Malignant Neoplasms 1,514 | Homicide 18,200 | Suicide 16,898 | Unintentional Injuries 43,925 | Heart Disease 105,367 | Heart Disease 198,361 | Malignant Neoplasms 1,150,087 | Malignant Neoplasms 1,620,642 |
| 3 | SIDS 8,863 | Malignant Neoplasms 1,227 | Congenital Anomalies 662 | Suicide 918 | Suicide 12,679 | Homicide 15,068 | Heart Disease 40,037 | Unintentional Injuries 31,208 | Bronchitis Emphysema Asthma 30,317 | Cerebro- vascular 419,998 | Cerebro- vascular 478,181 |
| 4 | Respiratory Distress Synd. 3,958 | Homicide 1,194 | Homicide 523 | Homicide 908 | Malignant Neoplasms 4,976 | HIV 14,953 | HIV 26,456 | Cerebro- vascular 17,196 | Cerebro- vascular 29,005 | Bronchitis Emphysema Asthma 283,777 | Bronchitis Emphysema Asthma 327,640 |
| 5 | Maternal Complications 3,836 | Heart Disease 643 | Heart Disease 413 | Congenital Anomalies 613 | Heart Disease 3,124 | Malignant Neoplasms 13,837 | Suicide 20,308 | Liver Disease 16,797 | Diabetes 25,504 | Pneumonia & Influenza 235,529 | Unintentional Injuries 288,427 |
| 6 | Placenta Cord Membranes 2,870 | Pneumonia & Influenza 494 | Pneumonia & Influenza 218 | Heart Disease 560 | Congenital Anomalies 1,252 | Heart Disease 9,843 | Homicide 11,138 | Suicide 14,916 | Unintentional Injuries 21,316 | Diabetes 142,639 | Pneumonia & Influenza 262,047 |
| 7 | Perinatal Infections 2,348 | Septicemia 245 | HIV 194 | Bronchitis Emphysema Asthma 287 | HIV 883 | Cerebro- vascular 2,068 | Liver Disease 10,518 | Diabetes 12,979 | Liver Disease 15,844 | Unintentional Injuries 95,191 | Diabetes 189,154 |
| 8 | Unintentional Injuries 2,323 | HIV 233 | Bronchitis Emphysema Asthma 159 | Pneumonia & Influenza 180 | Bronchitis Emphysema Asthma 677 | Diabetes 1,903 | Cerebro- vascular 8,159 | HIV 12,892 | Pneumonia & Influenza 11,228 | Alzheimer's Disease 65,647 | Suicide 92,013 |
| 9 | Pneumonia & Influenza 1,358 | Perinatal Period 210 | Benign Neoplasms 134 | Cerebro- vascular 140 | Pneumonia & Influenza 638 | Pneumonia & Influenza 1,633 | Diabetes 5,622 | Bronchitis Emphysema Asthma 8,467 | Suicide 8,834 | Nephritis 65,296 | Nephritis 75,817 |
| 10 | Intrauterine Hypoxia 1,341 | Benign Neoplasms 188 | Cerebro- vascular 102 | HIV 139 | Cerebro- vascular 533 | Liver Disease 1,592 | Pneumonia & Influenza 4,255 | Pneumonia & Influenza 6,493 | Septicemia 5,704 | Septicemia 54,428 | Liver Disease 75,414 |

United States Total Number of Injury Deaths

 Cause
 Deaths
 Percent

 Unintentional Injury
 288,427
 65.6%

 Intentional
 151,102
 34.4%

 Total (1996-1998)
 439,529
 100.0%

Average Number of Injury Deaths per Year In the United States = 146,510

Pennsylvania 10 Leading Causes of Deaths by Age Group: 1996-1998

| | Age Groups | | | | | | | | | | |
|------|--------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|------------------------------------|------------------------------------|---------------------------------------|---|--|--|
| Rank | <1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65+ | Total |
| 1 | Congenital Anomalies 678 | Unintentional Injuries 198 | Unintentional Injuries 171 | Unintentional Injuries 212 | Unintentional Injuries 1,670 | Unintentional Injuries 1,607 | Malignant Neoplasms 2,318 | Malignant Neoplasms 6,407 | Malignant Neoplasms 12,980 | Heart Disease 109,576 | Heart Disease 127,203 |
| 2 | Short Gestation 550 | Congenital Anomalies 53 | Malignant Neoplasms 61 | Malignant Neoplasms 56 | Homicide 737 | Suicide 775 | Unintentional Injuries 1,957 | Heart Disease 4,944 | Heart Disease 10,119 | Malignant Neoplasms 67,819 | Malignant Neoplasms 90,513 |
| 3 | SIDS 318 | Malignant Neoplasms 50 | Congenital Anomalies 27 | Suicide 30 | Suicide 549 | Malignant Neoplasms 612 | Heart Disease 1,835 | Unintentional Injuries 1,376 | Diabetes 1,262 | Cerebro- vascular 22,830 | Cerebro- vascular 25,251 |
| 4 | Maternal Complications 225 | Homicide 45 | Homicide 25 | Homicide 30 | Malignant Neoplasms 194 | HIV 545 | Suicide 969 | Suicide 699 | Cerebro- vascular 1,249 | Bronchitis Emphysema Asthma 14,527 | Bronchitis Emphysema Asthma 16,339 |
| 5 | Placenta Cord Membranes 167 | Heart Disease 29 | Heart Disease 18 | Congenital Anomalies 23 | Heart Disease 126 | Homicide 511 | HIV 923 | Cerebro- vascular 658 | Bronchitis Emphysema Asthma 1,247 | Pneumonia & Influenza 12,185 | Unintentional Injuries 13,788 |
| 6 | Respiratory Distress Synd. 152 | Pneumonia & Influenza 20 | Pneumonia & Influenza 14 | Heart Disease 23 | Congenital Anomalies 41 | Heart Disease 458 | Liver Disease 381 | Diabetes 582 | Unintentional Injuries 945 | Diabetes 8,441 | Pneumonia & Influenza 13,321 |
| 7 | Perinatal Infections 90 | Septicemia 11 | Bronchitis Emphysema Asthma 7 | Pneumonia & Influenza 13 | Bronchitis Emphysema Asthma 29 | Pneumonia & Influenza 97 | Cerebro- vascular 372 | Liver Disease 569 | Liver Disease 585 | Unintentional Injuries 5,581 | Diabetes 10,622 |
| 8 | Unintentional Injuries 69 | Bronchitis Emphysema Asthma 8 | Meningitis 5 | Bronchitis Emphysema Asthma 10 | Septicemia 24 | Cerebro- vascular 83 | Homicide 354 | HIV 443 | Pneumonia & Influenza 494 | Septicemia 5,069 | Septicemia 5,983 |
| 9 | Intrauterine Hypoxia 67 | Cerebro- vascular 7 | Cerebro- vascular 4 | Cerebro- vascular 4 | HIV 21 | Diabetes 73 | Diabetes 245 | Bronchitis Emphysema Asthma 371 | Septicemia 408 | Nephritis 4,993 | Nephritis 5,581 |
| 10 | Pneumonia & Influenza 50 | HIV 7 | HIV 4 | Septicemia 4 | Pneumonia & Influenza 20 | Liver Disease 47 | Pneumonia & Influenza 176 | Pneumonia & Influenza 251 | Suicide 365 | Alzheimer's Disease 2,843 | Suicide 4,210 |

Pennsylvania Total Number of Injury Deaths

 Cause
 Deaths
 Percent

 Unintentional Injury
 13,788
 68.5%

 Intentional Injury
 6,348
 31.5%

 Total (1996-1998)
 20,136
 100.0%

Average Number of Injury Deaths per Year In Pennsylvania = 6,712

1996-1998 Leading Causes of Death

Unintentional Injury

| ı | United States Jnintentional Injury | , |
|---|--|--|
| Cause MV Traffic Fall Poisoning Suffocation Drowning Fire/Burn Other Causes | <u>Deaths</u> 127,053 35,745 30,474 13,325 12,416 10,80958,605 288,427 | Percent 44.1% 12.4% 10.6% 4.6% 4.3% 3.7% |

| | Pennsylvania Only Unintentional Injury | |
|--|--|--|
| Cause MV Traffic Poisoning Fall Suffocation Fire/Burn Other Causes | <u>Deaths</u> 4,795 2,173 1,761 778 599 <u>3,682</u> 13,788 | Percent 34.8% 15.8% 12.8% 5.6% 4.3% 26.7% 100.0% |

Intentional Injury

| | United States Suicide | |
|--|------------------------------------|--|
| <u>Cause</u> Firearm Suffocation | <u>Deaths</u> 53,156 16,469 | Percent 57.8% 17.9% |
| Poisoning Other Causes | 15,280 | 16.6% <u>7.<i>7</i>%</u> 100.0% |

| | Pennsylvania Only Suicide | |
|--|---|---------------------------------------|
| Cause Firearm Suffocation Poisoning Other Causes | <u>Deaths</u> 2,336 803 707364 4,210 | Percent 55.5% 19.1% 16.8% 8.6% 100.0% |


| United States | | | | |
|---------------------------------|--|--|--|--|
| Homicide and Legal Intervention | | | | |


| Cause | Deaths | Percent |
|--------------|---------------|---------|
| Firearm | 39,951 | 67.6% |
| Cut/Pierce | 6,955 | 11.8% |
| Suffocation | 2,147 | 3.6% |
| Other Causes | 10,036 | 17.0% |
| | 59.089 | 100.0% |

Pennsylvania Only Homicide and Legal Intervention


| Cause | Deaths | Percent |
|--------------|---------------|---------------|
| Firearm | 1,522 | 71.2% |
| Cut/Pierce | 191 | 8.9% |
| Suffocation | 69 | 3.2% |
| Other Causes | <u>356</u> | <u> 16.7%</u> |
| | 2,138 | 100.0% |


Unintentional Motor Vehicle, Traffic-Related Death Rates United States, 1996-1998







Unintentional Fall Death Rates United States, 1996-1998







Unintentional Poisoning Death Rates United States, 1996-1998







Unintentional Suffocation Death Rates United States, 1996-1998







Unintentional Drowning Death Rates United States, 1996-1998







Unintentional Fire and Burn-Related Death Rates United States, 1996-1998







Suicide Death Rates United States, 1996-1998







Homicide Death Rates United States, 1996-1998






Traumatic Brain Injury-Related Death Rates* United States, 1996-1998






^{*} Includes unintentional and intentional deaths from motor vehicles, firearms, falls, and other causes (of determined and undetermined intent).

Firearm-Related Death Rates United States, 1996-1998





^{*} Includes deaths from firearm suicide, firearm homicide, unintentional firearm-related deaths, and firearm-related deaths of undetermined intent.

Pennsylvania 1989-1998



Motor Vehicle 1,650 Deaths/Year U.S. 16.4 PA 13.5




Homicides770 Deaths/Year
U.S. 8.7
PA 6.4



Falls
510 Deaths/Year
U.S. 4.3
PA 3.9



Suicides 1,410 Deaths/Year U.S. 12.0 PA 11.5



Fires/Burns
224 Deaths/Year
U.S. 1.6
PA 1.8
Excess Deaths/Year 24




Firearms
1,343 Deaths/Year
U.S. 13.7
PA 11.0



Drownings
117 Deaths/Year
U.S. 1.7
PA 1.0




Traumatic Brain Injury
2,085 Deaths/Year
U.S. 18.5
PA 16.9



Poisonings
593 Deaths/Year
U.S. 3.2
PA 5.0
Excess Deaths/Year 210



At or above the 90th NATIONAL percentile



CDC-Funded Injury Control Projects

CDC-Funded Injury Control Projects in PENNSYLVANIA

The National Center for Injury Prevention and Control (NCIPC) funds six programs in Pennsylvania to build the state's ability to keep its citizens safe. Pennsylvania is home to one of the United States' 10 Injury Research Control Centers.

Injury Control Research Centers

The University of Pittsburgh Center for Injury Research and Control (CIRCL)

Injury Control Research Centers conduct research in the three core phases of injury control — prevention, acute care, and rehabilitation — and serve as training and information centers. ICRC research is interdisciplinary, incorporating medicine, engineering, epidemiology, law, and criminal justice, behavioral and social sciences, biostatistics, public health, and biomechanics. An interdisciplinary program involving 6 schools and 18 departments of the University of Pittsburgh, leads and coordinates local, regional, and statewide injury control efforts. CIRCL advocates scientific discipline in injury control projects; develops local and regional injury surveillance systems and links surveillance data to preventive interventions; supports, coordinates, and conducts injury control research; promotes community-based injury control programs and policies; educates trainees, professionals, and the public about injury problems and solutions; and disseminates information about injury control opportunities and activities. (*University of Pittsburgh Center for Injury Research and Control*)

Unintentional Injury

Prevention of Fire-Related Injuries

A project to reduce residential fire death rates among people residing in three high-risk communities. Trained volunteers from community organizations and fire departments will install lithium-powered (non-removable battery) alarms in eligible residences. They will also educate residents about fire safety and smoke alarm maintenance. The project will purchase and install special needs alarms where necessary. (*Pennsylvania Department of Health*)

Intentional Injury

Prevention of Violence Against Women Electronic Networking Program

A program to plan, implement, and evaluate an electronic network designed to help state domestic violence coalitions and allied organizations develop and support effective local, state, and national intervention and prevention initiatives. (*Pennsylvania Coalition Against Domestic Violence, Inc., Philadelphia*)

Community-Based Primary Prevention Programs to Prevent Intimate Partner Violence

A project to implement and evaluate a community-based approach to prevent intimate partner violence among African American adolescents. Program staff will implement and evaluate a school-based curriculum to prevent intimate partner violence among middle school-age youth in urban communities. The curriculum will also be modified, implemented, and evaluated

among youth ages 11–14 who have witnessed intimate partner violence and currently reside at a battered women's shelter with their mothers. In addition, program staff will provide counseling for young victims, perpetrators, or witnesses; educate parents of middle school-aged youth about intimate partner violence to promote community awareness; and develop in-service training for health and physical education teachers. (Women Against Abuse, Inc., Philadelphia)

Rape Prevention and Education

A nationwide grant program providing resources to states for rape prevention and education programs conducted by rape crisis centers, State sexual assault coalitions, and other public and private nonprofit entities for:

- 1) educational seminars;
- 2) operation of hotlines;
- 3) training programs for professionals;
- 4) preparation of informational material;
- 5) education and training programs for students and campus personnel designed to reduce the incidence of sexual assault at colleges and universities;
- 6) education and training to increase awareness about drugs to facilitate rapes or sexual assaults; and
- 7) other efforts to increase awareness about, or to help prevent, sexual assault, including efforts to increase awareness in underserved communities and awareness among individuals with disabilities.

(State Block Grant)

Acute Care and Rehabilitation

Biomechanics of Diffuse Brain Injuries

A research program to predict accurately the conditions that cause diffuse brain injuries in humans. (*University of Pennsylvania*)

Notes

Notes