CHLORPYRIFOS 101

# 3. CHEMICAL AND PHYSICAL INFORMATION

## **3.1 CHEMICAL IDENTITY**

Information regarding the chemical identity of chlorpyrifos is located in Table 3-l.

## 3.2 PHYSICAL AND CHEMICAL PROPERTIES

Information regarding the physical and chemical properties of chlorpyrifos is located in Table 3-2.

### 3. CHEMICAL AND PHYSICAL INFORMATION

Table 3-1. Chemical Identity of Chlorpyrifos

Characteristic	Information	Reference		
Chemical name	O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate	Merck 1989		
Synonym(s)	Phosphorothioic acid O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) ester; chlorpyrifos-ethyl; chlorpyriphos	Merck 1989		
Registered trade name(s)	Dowco 179; ENT 27311; Dursban; Lorsban; Pyrinex; DMS-0971	Merck 1989		
Chemical formula	$C_9H_{11}CI_3NO_3PS$	Merck 1989		
Chemical structure	$\begin{array}{c} \text{CH}_3\text{CH}_2\text{O} & \text{S} \\ \text{II} \\ \text{CH}_3\text{CH}_2\text{O} & \text{CI} \end{array}$	Merck 1989		
Identification numbers:  CAS Registry  NIOSH RTECS  EPA Hazardous Waste  OHM/TADS  DOT/UN/NA/IMCO  HSDB  NCI	2921–88–2 TF6300000 059101 7800025 NA 2783 Chlorpyrifos 389 No data	Merck 1989 HSDB 1994 HSDB 1994 HSDB 1994 HSDB 1994 HSDB 1994		

CAS = Chemical Abstracts Services; DOT/UN/NA/IMCO = Department of Transportation/United Nations/North America/International Maritime Dangerous Goods Code; EPA = Environmental Protection Agency; HSDB = Hazardous Substance Data Bank; NCI = National Cancer Institute; NIOSH = National Institute for Occupational Safety and Health; OHM/TADS = Oil and Hazardous Materials/Technical Assistance Data System; RTECS = Registry of Toxic Effects of Chemical Substances

### 3. CHEMICAL AND PHYSICAL INFORMATION

Table 3-2. Physical and Chemical Properties of Chlorpyrifos

Property	Information	Reference	
Molecular weight	350.57	Merck 1989	
Color	White granular crystals White to tan Amber solid cake with amber oil Colorless crystals	Merck 1989 EPA 1988 Verschueren 1983 Worthing 1987	
Physical state	Crystalline solid	EPA 1988	
Melting point	41–42 °C	Merck 1989	
Boiling point	Decomposes at approximately 160 °C	Verschueren 1983	
Density at 43.5 °C	1.398 g/cm <sup>3</sup>	Verschueren 1983	
Odor	Mild mercaptan	EPA 1988	
Odor threshold: Water Air	No data No data		
Solubility: Water at 20 °C Water at 25 °C	0.7 mg/L 2 mg/L	Bowman 1983 Merck 1989	
Organic solvent(s)	79% w/w in isooctane 43% w/w in methanol Readily soluble in other organic solvents	Merck 1989	
Partition coefficients: Log K <sub>ow</sub> Log K <sub>oc</sub>	4.82 3.73	McCall et al. 1980	
Vapor pressure at 20 °C Vapor pressure at 25 °C	1.87x10 <sup>-5</sup> mm Hg 1.87x10 <sup>-5</sup> mm Hg	Verschueren 1983 Merck 1989	
Henry's law constant: at 25 °C	1.23x10 <sup>-5</sup> atm-m <sup>3</sup> /mol	HSDB 1995	
Autoignition temperature	No data		
Flashpoint	None	EPA 1988b	
Flammability limits at 25 °C	No data		
Conversion factors (25 °C)	1 ppm=14.3 mg/m <sup>3</sup> 1 mg/m <sup>3</sup> =0.070 ppm	~	
Explosive limits	No data		

CAS = Chemical Abstracts Services; DOT/UN/NA/IMCO = Department of Transportation/United Nations/North America/International Maritime Dangerous Goods Code; EPA = Environmental Protection Agency; HSDB = Hazardous Substance Data Bank; NCI = National Cancer Institute; NIOSH = National Institute for Occupational Safety and Health; OHM/TADS = Oil and Hazardous Materials/Technical Assistance Data System; RTECS = Registry of Toxic Effects of Chemical Substances

***		•			
				-	
				~	