

8. REFERENCES

- *Adam G, Kneuchel R, Vorwerk D, et al. 1990. Tissue response of the biliary and digestive system of rabbits after MTBE infusion into the gallbladder. *Invest Radiol* 25(1):58-61.
- *AIHA. 1992. Workplace Environmental Exposures Level (WHEEL) Guide: MTBE, American Industrial Hygiene Association. Akron, OH, Set 14.
- *Akimoto R, Rieger E, Moossa AR, et al. 1992. Systemic and local toxicity in the rat of methyl *tert*-butyl ether: A gallstone dissolution agent. *J Surg Res* 53(6):572-577.
- *Alden CL. 1986. A review of unique male rat hydrocarbon nephropathy. *Toxicol Pathol* 14: 109-111
- *Allen MJ, Borody TJ, Bugliosi TF, et al. 1985a. Cholelitholysis using methyl tertiary butyl ether. *Gastroenterology* 88(1 pt 1): 122-125.
- *Allen MJ, Borody TJ, Bugliosi TF, et al. 1985b. Rapid dissolution of gallstones by methyl *tert*-butyl ether. Preliminary observations. *N Engl J Med* 312(4):217-220.
- *Althoff WF, Cleary RW, Roux PH. 1981. Aquifer decontamination for volatile organics: A case history. *Groundwater* 19(5):495-504.
- *Anderson HA, Hanrahan L, Goldring J, et al. 1995. An investigation of health concerns attributed to reformulated gasoline use in southeastern Wisconsin. Final Report. Madison, WI: Wisconsin Department of Health and Social Services, Bureau of Public Health; May 30.
- *Angle CR. 1991. If the tap water smells foul, think methyl- *tert*-butyl ether. *J Am Med Ass* 266(21):2985-2986.
- *Annino R, Villalobos R. 1991. Application of process GC instrumentation to environmental monitoring. *American Laboratory* 23(15): 15-18,20, 22,24-26.
- Anonymous. 1991. King of oil surges ahead. *Petroleum Economist* 58(12):6-11.
- Anonymous. 1992a. Canadian Environmental Protection Act. Priority Substance List Assessment Report No. 5 - Methyl Tertiary-Butyl Ether (MTBE). Canada Communication Group Pub. Ottawa, Canada, (KIA OS9).
- *Anonymous. 1992b. MTBE movements between Texas Gulf Coast plants to be enhanced. *Oil & Gas Journal* 90:90-91.
- *API. 1993. Gasoline vapor exposure assessment at service stations. API publication no.4553. Washington, DC: American Petroleum Institute. (Clayton Environmental Consultants)
- *ARCO Chemical Company. 1980. Methyl tertiary-butyl ether: Acute toxicological studies. Unpublished study from ARCO Research and Development, Glenolden, PA.

*Cited in text

8. REFERENCES

- Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. *Anal Chem* 64: 1021-1029.
- *ASTER. 1995. ASTER (Assessment Tools for the Evaluation of Risk) Ecotoxicity Profile. U.S. Environmental Protection Agency, Environmental Research Laboratory, Duluth, MN.
- *ASTM. 1988. Standard test method for determination of C1 to C4 alcohols and MTBE in gasoline by gas chromatography, method D4815-88. In: 1988 annual book of ASTM standards. Philadelphia, PA: American Society for Testing and Materials.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- *ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry/Centers for Disease Control and Prevention, Atlanta, GA.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Belier M, Middaugh J. 1992. Potential illness due to exposure to oxygenated fuels, Fairbanks, Alaska. Anchorage, Alaska: State of Alaska Department of Health and Social Services: December 11.
- *Belpoggi F, Soffritti M, Maltoni C. 1995. Methyl-tertiary-butyl ether (MTBE), a gasoline additive, causes testicular and lymphohaematopoietic cancers in rats. *Toxicol Ind Health* 11: 119-149.
- *Bergman JJ, Groen AK, Huibregste K, et al. 1994. Addition of dimethylsulphoxide to methyl-*tert*-butyl ether and ethyl propionate increases cholesterol dissolving capacity and cholesterol gall stone dissolution *in vitro*. *Gut: An International Journal of Gastroenterology and Hepatology* 35: 1553-1658.
- *Bianchi A, Vamey MS. 1989. Analysis of methyl *tert*-butyl ether and 1,2-dihaloethanes in estuarine water and sediments using purge-and-trap/gas-chromatography. *Journal of High Resolution Chromatography* 12(3): 184-186.
- *Bianchi AP, Vamey MS, Phillips J. 1991. Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography-mass spectrometry. *Journal of Chromatography* 542:413-450.
- *Biles RW, Schroeder RE, Holdsworth CE. 1987. Methyl tertiary butyl ether inhalation in rats: A single generation reproduction study. *Toxicol Ind Health* 3(4):519-534.
- *Biodynamics Inc. 1981. Nine day inhalation toxicity study of MTBE in the rat. Project no. 80-1452. East Millstone, NJ: Unpublished report submitted to American Petroleum Institute, Washington, DC.
- *Biodynamics Inc. 1984. The metabolic fate of methyl-t-butyl ether (MTBE) following an acute intraperitoneal injection. Project No. 80089. East Millstone, NJ: Unpublished report submitted to American Petroleum Institute, Washington, DC.

8. REFERENCES

- *Bioresearch Laboratories. 1990a. Pharmacokinetics of methyl *tert*-butyl ether (MTBE) and *tert*-butyl alcohol (TBA) in male and female Fischer-344 rats after administration of MTBE by the intravenous, oral and dermal routes. Report No. 38842. Senneville, Quebec, Canada.
- *Bioresearch Laboratories. 1990b. Mass balance of radioactivity and metabolism in male and female Fischer-344 rats after intravenous, oral and dermal administration of ¹⁴C-methyl tertiary-butyl ether. Report No. 38843. Senneville, Quebec, Canada.
- *Bioresearch Laboratories. 1990c. Pharmacokinetics of methyl *tert*-butyl ether (MTBE) and *tert*-butyl alcohol (TBA) in male and female Fischer-344 rats after single and repeated inhalation nose-only exposures to MTBE. Report No. 38844. Senneville, Quebec, Canada.
- *Bioresearch Laboratories. 1990d. Disposition of radioactivity and metabolism of MTBE in male and female Fischer-344 rats after nose-only inhalation to ¹⁴C MTBE. Report No. 38845. Senneville, Quebec, Canada.
- *Bioresearch Laboratories. 1991. Mass balance of radioactivity in male Fischer-344 rats after intravenous oral & dermal administration of ¹⁴C-methyl tertiary-ether. Report No. 38843B. Follow-up to Bio-project No. 38843. Senneville; Quebec, Canada.
- *Blanch GP, Tabera J, Sanz J, et al. 1992. Volatile composition of vinegars. Simultaneous distillation-extraction and gas chromatographic-mass spectrometric analysis. *J Agric Food Chem* 40: 1046-1049.
- *Bonardi L, Gandini G, Gabasio S, et al. 1986. Methyl-*tert*-butyl ether (MTBE) and endoscopic sphincterotomy. A possible solution for dissolving gallstones. *Endoscopy* 18(6):238-239.
- *Benin MA, Ashley DL, Cardinali FL. 1995. Measurement of methyl *tert*-butyl ether and *tert*-Butyl Alcohol in human blood by purge and trap gas chromatography mass spectrometry using an Isotope dilution method. *J Anal Toxicol* 19: 187-191.
- *Borghoff SJ, Jayjock E, Murphy JE. 1996a. Methyl *tert*-butyl ether (MTBE) vs ethyl *tert*-butyl ether (ETBE): A comparison of blood and tissue partition coefficients in male and female Fischer-344 rats. *Toxicologist* 30(1):34, Abstract 178.
- *Borghoff SJ, Murphy JE, Medinisky MA. 1996b. Development of a physiologically based pharmacokinetic model for methyl tertiary-butyl ether and tertiary-butanol in male Fischer-344 rats, 30:264-275.
- *Brady JF, Xiao F, Ning SM, et al. 1990. Metabolism of methyl tertiary-butyl ether by rat hepatic microsomes. *Arch Toxicol* 64(2): 157-160.
- *Brandon JC, Teplick SK, Haskin PH, et al. 1988. Common bile duct calculi: updated experience with dissolution with methyl tertiary butyl ether. *Radiology* 166(3):665-667.
- *Bravo HA, Camacho RC, Roy-Ocotla R. 1991. Analysis of the change in atmospheric urban formaldehyde and photochemistry activity as result of using methyl-t-butyl-ether (MTBE) as an additive in gasoline of the metropolitan area of Mexico City. *Atmospheric Environment* 25(2):285-288.

8. REFERENCES

- *Burleigh-Flayer HD, Chun JS, Kintigh WJ. 1992. Methyl tertiary butyl ether: Vapor inhalation oncogenicity study in CD-10 mice. Bushy Run Research Center, Export, PA. Project No. 91N0013A.
- *Cain WS, Leaderer BP, Ginsbert GL, et al. 1994. Human reactions to brief exposures to methyl tertiary-butyl ether (MTBE). John B. Pierce Laboratory, New Haven, CT.
- *CDC. 1993a. Methyl tertiary butyl ether in human blood after exposure to oxygenated fuel in Fairbanks, Alaska. Centers for Disease Control and Prevention, National Center for Environmental Health, Atlanta, GA.
- *CDC. 1993b. An investigation of exposure to methyl tertiary butyl ether among motorists and exposed workers in Stamford, Connecticut. Centers for Disease Control and Prevention, National Center for Environmental Health, National Institute for Occupational Safety and Health, Atlanta, GA.
- *CDC. 1993c. An investigation of exposure to MTBE and gasoline among motorist and exposed workers in Albany, New York. Atlanta, GA: U. S. Department of Health and Human Services, National Center for Environmental Health, August 4.
- *CEPA. 1995. Priority substances list assessment report No.5: Methyl tertiary-butyl ether. Environment Canada. Government of Canada, Ottawa, Canada.
- *Chandler B, Middaugh J. 1992. Potential illness due to exposure to oxygenated fuels, Anchorage, Alaska. Anchorage, AK: State of Alaska Department of Health and Social Services, December 23.
- *Chen C-Y, Chang K-K, Chow N-H, et al. 1995. Toxic effects of cholelitholytic solvents on gallbladder and liver: A piglet model study. *Dig Dis Sci* 40:419-426.
- *Chiang CY, Loos KR, Kloop RA. 1992. Field determination of geological/chemical properties of an aquifer by cone penetrometry and headspace analysis. *Ground Water* 30(3):428-436.
- *Choi SW, Yoon YB, Kim CY. 1993. The tissue toxicity of methyl *tert*-butyl ether in rats and the role of the platelet activating factor as a toxic mechanism. *Gastroenterology* 104(4):A357 (abstract only).
- *Chun JS, Burleigh-Flayer HD, Kintigh WJ. 1992. Methyl tertiary butyl ether: Vapor inhalation oncogenicity study in Fischer 344 rats. Bushy Run Research Center, Export, PA. Project No. 91N0013B.
- *Chun JS, Kintigh WJ. 1993. Methyl *tertiary* butyl ether: Twenty-eight day vapor inhalation study in rats and mice. Laboratory project ID 93N1241. Bushy Run Research Center, Export, PA.
- *Cinelli S, Ciliutti P, Falezza A, et al. 1992. Absence of mutagenicity of methyl-tertiary-butyl ether. *Toxicol Lett (Suppl 1-356)*:300 (abstract only).
- *Cirvello JD, Radovshy A, Health JE, et al. 1995. Toxicity and carcinogenicity of t-butyl alcohol in rats and mice following chronic exposure in drinking water. *Toxicol Ind Health* 11:151-165.
- Clark CR, Dutcher JS, Henderson TR, et al. 1983. Mutagenicity of automotive particulate exhaust: Influence of fuel extenders, additives, and aromatic content. CA/101/185783C. *Toxicol Pet Hydrocarbons*, Proceedings from 1st Symposium, 1982:139-148.
- *CMR. 1995. Chemical Profile: MTBE. Chemical Marketing Report. April 3, 1994, 41.

8. REFERENCES

- *Cochrane RA, Hillman DE. 1984. Direct gas chromatographic determination of alcohols and methyl *tert*-butyl ether in gasolines using infrared detection. *J Chromatogr* 287: 197-201.
- *Coker DT, van den Hoed N, Saunders KJ, et al. 1989. A monitoring method for gasoline vapor giving detailed composition. *Ann Occup Hyg* 33:15-26.
- *Conaway CC, Schroeder RE, Snyder NK. 1985. Teratology evaluation of methyl tertiary butyl ether in rats and mice. *J Toxicol Environ Health* 16:797-809.
- Costantini MG. 1993. Health effects of oxygenated fuels. *Environ Health Perspect Suppl* 101 (Suppl 6): 151-160.
- *Cox RA, Goldstone A. 1982. Atmospheric reactivity of oxygenated motor fuel additives, pp. 112-119. In: Versino B, Ott H, eds. *Physico-chemical behavior of atmospheric pollutants: Proceedings of the Second European Symposium held in Vemese, Italy, 29 September-1 October 1981*. London: D. Reidel Publishing Company.
- Dai KY, Montet JC, Zhao XM, et al. 1988. Dissolving agents of human mixed cholesterol stones, *Gastroenterology and Clinical Biology* 12(4):312-319.
- *Dai KY, Montet JC, Zhao XM, et al. 1989. Dissolution of human brown pigment biliary stones. *J Hepatol* 9(13):301-311.
- *de Peyster A, Gonzales H, Thiel JE, et al. 1996. Effects of subchronic oral MTBE exposure on reproductive endocrine function and metabolism in male rats. *Toxicologist* 30(1): 118, Abstract 605.
- *Di Padova C, Di Padova F, Montorsi W, et al. 1986. Methyl *tert*-butyl ether fails to dissolve retained radiolucent common bile duct stones. *Gastroenterology* 91(5): 1296-1300.
- *Dodd DE, Kintigh WJ. 1989. Methyl tertiary butyl ether (MTBE): Repeated (13-week) vapor inhalation study in rats with neurotoxicity evaluation (unpublished study). Project Report 52-507. Union Carbide, Bushy Run Research Center, Export, PA. EPA/OTS #FYI-OTS-0889-0689.
- Duffy JS, Del Pup JA, Kneiss JJ. 1992. Toxicological evaluation of methyl tertiary butyl ether (MTBE): Testing performed under TSCA consent agreement. *J Soil Contam* 1(1):29-37.
- *Duffy LK. 1994. Oxyfuel in Alaska: Use of interleukins to monitor effects on the immune system. *Sci Total Environ* 151:253-256.
- *Eidson SA, Maier M, Kohler B, et al. 1993. Direct dissolution of gallstones with methyl *tert*-butyl ether by endoscopic cannulation of the gallbladder. *American Journal of Gastroenterology* 88(8): 1242-1248.
- *Eidsvoll BE, Aadland E, Stiris M, et al. 1993. Dissolution of cholesterol gallbladder stones with methyl *tert*-butyl ether in patients with increased surgical risk. *Stand J Gastroenterol* 28:744-748.
- *EPA. 1980a. Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- *EPA. 1980b. Hazardous waste from non-specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 161.31.

8. REFERENCES

- *EPA. 1980c. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U. S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.33.
- *EPA. 1984a. Report on analytical methodology for purgeable and semivolatile components in leachates and solid wastes. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, OH. (authors: Warner JS, Landes MC). EPA-600/S4-84-029.
- *EPA. 1984b. Guidelines establishing test procedures for the analysis of pollutants under the clean water act. Federal Register 49:43234-43442.
- *EPA. 1984c. Methods TO-1 and TO-14. In: Compendium of methods for the determination of toxic organic compounds in ambient air. U.S. Environmental Protection Agency, Quality Assurance Division, Environmental Monitoring Systems Laboratory, ORD, Research Triangle Park, NC. (authors: Winberry WT, Murphy NT, Riggan RM.). EPA-600/4-84-041.
- *EPA. 1986. Method 8015. In: Test methods for evaluating solid waste, volume 1B, laboratory manual, physical/chemical methods, SW-846, 3rd ed. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC.
- *EPA. 1987. Description of bulk organic chemicals subcategory. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.70.
- *EPA. 1988a. Method 524.2. Capillary GCYMS. In: Methods for the determination of organic compounds in drinking water. EPA-600/4-88/039.
- *EPA. 1988b. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.
- *EPA. 1990a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066A.
- *EPA. 1990b. Standards of performance for VOC emissions from the synthetic organic chemical manufacturing industry distillation operation. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.
- EPA. 1992. Subpart D-specific toxic chemical listings. U.S. Environmental Protection Agency. 40 CFR 372.65
- *EPA. 1993a. Assessment of potential health risks of gasoline oxygenated with methyl tertiary butyl ether (MTBE). U. S. Environmental Protection Agency, Office of Research and Development. EPA/600/R-93/206.
- *EPA. 1993b. Standards of performance for VOC emissions from the synthetic organic chemical manufacturing industry. Reactor processes. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60. 707.
- *EPA. 1994a. Regulation of fuels and additives-complex emission models. U. S. Environmental Protection Agency. code of Federal Regulations. 40 CFR 80.45.

- *EPA. 1994b. Measurement of reformulated gasoline fuel parameters. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 80.46.
- *EPA. 1994c. Chemical summary for methyl-*tert*-butyl-ether. U. S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. Washington, DC. EPA 749-F-94-017a.
- *EPA. 1995a. Toxic chemical inventory reporting Form R and instructions. U. S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. Washington DC: EPA 745-K-95-051.
- *EPA. 1995b. The national listing of fish consumption advisories and bans. U. S. Environmental Protection Agency.
- *EPA. 1995c. Drinking water regulations and health advisories. U.S. Environmental Protection Agency, Office of Water. Washington, DC. May 1995
- *EPA. 1995d. Drinking water regulations and health advisories. U.S. Environmental Protection Agency, Office of Water. Washington, DC. April 1995.
- *Esch O, Scheingart CD, Pappert D, et al. 1993. Increased blood levels of methyl *tert*-butyl ether but not of ethyl propionate during instillation with contact gallstone dissolution agents in the pig. *Hepatology* 18:373-379.
- *Esch O, Spinosa JC, Hamilton RL, et al. 1992. Acute effects of topical methyl *tert*-butyl ether or ethyl propionate on gallbladder histology in animals: A comparison of two solvents for contact dissolution of cholesterol gallstones. *Hepatology* 16(4):984-991.
- *Exxon. 1988. Pharmacokinetic studies on methyl tertiary butyl ether (MTBE). East Millstone, NJ, Exxon Biomedical Sciences, Inc.
- *FEDRIP. 1995. Federal Research in Progress. Dialog Information Service Inc. Amarillo TX.
- *Fielder N, Mohr SN, Kelly-McNeil K, et al. 1994. Response of sensitive groups to MTBE. *Inhalation Toxicology* 6:539-552.
- *FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. U.S. Environmental Protection Agency, Chemical Communication Subcommittee, Federal State Toxicology and Regulatory Alliance Committee (FSTRAC).
- *Fueta Y, Arashidani K, Katoh T, et al. 1994. Effects of methyl tertiary-butyl ether on the central nervous system. *Jpn J Ind Hea* 36:26-27. (Japanese)
- *Fujiwara Y, Kinoshita T, Sato H, et al. 1984. Biodegradation and bioconcentration of alkyl ethers. *Yukayaku* 33:111-114.
- *Gallignani M, Garrigues S, De la Guardia M. 1994. Simultaneous flow analysis fourier transform infrared determination of benzene, toluene, and methyl t-butyl ether in petrol. *Analyst* 119:653-657.
- *Gilbert CE, Calabrese EJ. 1992. Developing a standard for methyl butyl ether in drinking water. In: Gilbert CE, Calabrese EJ, eds. *Regulating Drinking Water Quality*. Lewis Publishers, 23 1-252.

8. REFERENCES

- *Gill MW. 1989. Methyl tertiary butyl ether single exposure vapor inhalation neurotoxicity study in rats. Project report 52-533. Bushy Run Research Center, Export, PA.
- *Godsworthy TL, Wolf DC, Wong BA, et al. 1996. Lack of hepatic tumor-promoting activity of unleaded gasoline in ovariectomized mice. *Toxicologist* 30(1): 163, Abstract 835.
- *Gordian ME, Huelsman MD, Brecht M-L. 1995. Health effects of methyl tertiary butyl ether (MTBE) in gasoline in Alaska. *Alaska Medicine* (in press).
- *Grant WB, Kagann RH, McClenny WA. 1992. Optical remote measurement of toxic gases. *J Air Waste Manage Assoc* 42:18-30.
- *Greenough RJ, McDonald P, Robinson P, et al. 1980. Methyl *tertiary*-butyl ether (Driveron) three month inhalation toxicity in rats. IRI Project No. 413038. Inveresk Research International, Edinburgh Scotland. Unpublished report submitted to Chemische Werke Hols AG, Marl, West Germany.
- *Griffith SL, Bumey BT, Fry FJ, et al. 1990. Experimental gallstone dissolution with methyl-*tert*-butyl ether (MTBE) and transcutaneous ultrasound energy. *Invest Radio* 25(2):146-152.
- *Harper M, Fiore AA. 1995. Determination of methyl *tert*-butyl ether in air using a diffusive sampler. *Appl Occup Environ Hyg* 10(7):616-619.
- *Hartle R. 1993. Exposure to Methyl *tert*-butyl ether and benzene among service station attendants and operators. *Environmental Health Perspectives Supplements* 101 (Supl. 6): 107-109.
- *HAZDAT. 1996. Database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *Hellstem A, Leuschner M, Frenk H, et al. 1990. Gall stone dissolution with methyl *tert*-butyl ether: how to avoid complications. *Gut* 31(8):922-925.
- *Hine J, Mookerjee PK. 1975. The intrinsic hydrophilic character of organic compounds. correlations in terms of structural contributions. *J Org Chem* 40(3):292-296.
- *Hoekman SK. 1992. Speciated measurements and calculated reactivities of vehicle exhaust emissions from conventional and reformulated gasolines. *Environ Sci Technol* 26: 1206-1 216.
- *Hoekman SK. 1993. Improved gas chromatography procedure for speciated hydrocarbon measurements of vehicle emissions. *J Chromatogr* 639:239-253.
- *Holl J, Sauerbruch T, Sackmann M, et al. 1991. Combined treatment of symptomatic gallbladder stones by extracorporeal shock-wave lithotripsy (ESWL) and instillation of methyl *tert*-butyl ether (MTBE). *Dig Dis Sci* 36(8):1097-1101.
- *HSDB. 1995. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD.
- *Huber AH. 1994. Human exposure estimates of methyl *tertiary* butyl ether (MTBE). Conference on MTBE and other oxygenates: A research update. U. S. Environmental Protection Agency. Washington DC. EPA/600-A-94-/255.

8. REFERENCES

- *Humberto BA, Rosaura CC, Guadalupe R, et al. 1991. Analysis of the change in atmospheric urban formaldehyde and photochemistry activity as a result of using methyl-t-butyl-ether (MTBE) as an additive in gasolines of the metropolitan area of Mexico City. *Atmospheric Environment* 25B(2):285-288.
- *IBT Labs. 1969. Acute toxicity studies on X-801-25. A report to Sun Oil Company. IBT No. A6809. Industrial Bio-test Laboratories, Inc. Northbrook, IL.
- IBT Labs. 1972a. Absorption, distribution, and excretion study with 2,2-MMOP in albino rats. IBT no. E200(A). Industrial Bio-test Laboratories, Inc. Northbrook, IL.
- IBT Labs. 1972b. Absorption, distribution, and excretion study with 2,2-MMOP in monkeys. IBT no. E200(B). Industrial Bio-test Laboratories, Inc. Northbrook, IL.
- *Illman D. 1993. Oxygenated fuel cost may outweigh effectiveness. *Chemical and Engineering News* (April 12):28-30.
- *IRIS. 1996. Integrated Risk Information System (IRIS). Online. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH. February 1996.
- *ITT Research Institute. 1992. 28-day oral toxicity study of methyl tert-butyl ether in rats. Project No. L08100. ITT Research Institute, Chicago, IL.
- *Janowitz P, Shumacher KA, Swobodnik W, et al. 1993. Transhepatic topical dissolution of gallbladder stones with MTBE and EDTA: Results, side effects, and correlation with CT imaging. *Dig Dis Sci* 38:2121-2129.
- *Japar SM, Wallington J, Richert FO, et al. 1990. The atmospheric chemistry of oxygenated fuel additives: t-butyl alcohol, dimethyl ether, and methyl t-butyl ether. *International Journal of Chemical Kinetics* 22: 1257-1269.
- *Jensen HM, Arvin E. 1990. Solubility and degradability of the gasoline additive methyl t-butyl ether, and gasoline compounds in water. In: Arendt F, Hinsenveld M, van den Brink WJ, eds. *Contaminated Soil '90*; Vol. 1: Kluwer Academic Publishers. 445-448.
- *Johansen NG. 1984. The analysis of C1-C4 alcohols, MTBE, and DIPE in motor gasolines by multi-dimensional capillary column gas chromatography. *Journal of High Resolution Chromatography Communications* 7:487-489.
- *Johanson G, Nihlen A, Lof A. 1995. Disposition and acute effects of inhaled MTBE and ETBE in male volunteers. *International Congress of Toxicology VII*, July 2-6. (abstract only).
- *Katoh T, Arashidani K, Kikuchi M, et al. 1993. Effects of methyl tertiary-butyl ether on hepatic lipid peroxidation in mice. *Jpn J Hyg* 48:873-878. (Japanese)
- *Kaye GL, Summerfield JA, McIntyre N, et al. 1990. Methyl *tert* butyl ether dissolution therapy for common bile duct stones. *J Hepatol* 10(3):337-340.
- *Kelly TK, Callahan PJ, Pleil J, et al. 1993. Method development and field measurements for polar volatile organic compounds in ambient air. *Environ Sci Technol* 27(6):1146-1153.

8. REFERENCES

- Kerstan BS. 1992. Drug matrix effect on the determination of residual solvents in bulk pharmaceuticals by Wide-Bore capillary gas chromatography. *J Chromatogr Sci* 30:115-119.
- *LaGrone FS. 1991. Potential community exposure to toxic chemicals. *Environ Sci Technol* 25(3):366-368.
- *Leuschner U, Hellstem A, Ansell A, et al. 1994. Manual and automatic gallstone dissolution with methyl *tert*-butyl ether. *Digestive Diseases and Sciences* 39: 1302-1 308.
- *Leuschner U, Hellstem A, Schmidt K, et al. 1991. Gallstone dissolution with methyl *tert*-butyl ether in 120 patients--efficacy and safety. *Digestive Diseases and Sciences* 36(2): 193-199.
- *Leuschner U, Hellstem A, Wendt T, et al. 1988. Endoscopy of the gallbladder as control of gallstone therapy with methyl-*tert*-butyl ether. *Am J Gastroenterol* 83(2):169-172.
- *Levy JM, Yancy JA. 1986. Dual capillary gas chromatographic analysis of alcohols and methyl *tert*-butyl ether in gasolines. *Journal of High Resolution Chromatography Communications* 9:383-387.
- *Li D, Zhu M, Yang X-Y, et. al. 1991. Pharmacokinetics of methyl *tert*-butyl ether (MTBE) in rats. *Chinese J Pharmacol Toxicol* 5: 287-290.
- *Lide DR. 1994. *CRC Handbook of Chemistry and Physics*. 74th edition, CRC Press Boca Raton 3-146.
- *Lioy PJ, Weisel CP, Jo W, et al. 1994. Micro environmental and personal measurements of methyl-*tertiary* butyl ether (MTBE) associated with automobile use activities. *Journal of Exposure Analysis and Environmental Epidemiology* 4(4):427-441.
- *Little CJ, Dale AD, Whatley JA. 1979. Methyl *tert*-butyl ether: A new chromatographic effluent. *J Chromatogr* 169:381-385.
- *Lorenzetti MS. 1994. On the road with oxygenates. *Chemical Business* (January): 15-17.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*. New York, NY: McGraw-Hill Book Company.
- *Mackay D, Wan YS, Ma KC. 1993. *Illustrated handbook of physical-chemical properties and environmental fate for organic chemicals*. Volume III: Volatile organic chemicals. Boca Raton, FL: Lewis Publishers.
- *Mannino DM, Schreiber J, Aldous K. 1995. Human exposure to volatile organic compounds: A comparison of organic vapor monitoring badge levels with blood levels. *Int Arch Occup Environ Health* 67:59-64
- *McGahan JP, Tesluk H, Brock JM, et al. 1988. Dissolution of gallstones using methyl tertiary-butyl ether in an animal model. *Invest Radio* 23(8):599-603.
- *McGregor DB, Brown A, Cattananch P, et al. 1988. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay II: 18 coded chemicals. *Environ Mol Mutagen* 11:19-1 18.

8. REFERENCES

- *McNulty J, Chua A, Keating J, et al. 1991. Dissolution of cholesterol gall stones using methyl tert-butyl ether: A safe effective treatment. *Gut* 32(12):1550-1 553.
- *Medlin J. 1995. MTBE: The headache of cleaner air. *Environ Health Perspect* 103(7-8):666-670
- *Mehlman MA. 1995. Dangerous and cancer-causing properties of products and chemicals in the oil refining and petrochemical industry: Part XV. Health hazards and health risks from oxygenated automobile fuels (MTBE): Lessons not heeded. *International Journal of Occupational Medicine and Toxicology* 4:219-236.
- *Merck Index. 1989. Merck Index: An Encyclopedia of Chemicals, Drugs, and Biologicals. 11th ed. Budavari S, ed. Rahway NJ: Merck & Co., Inc.
- *Mihelcic JR. 1990. Modeling the potential effect of additives on enhancing the solubility of aromatic solutes contained in gasoline. *Ground Water Monit Rev* 10(3): 132-137.
- *Mohr SN, Fiedler N, Weisel C, et al. 1994. Health effects of MTBE among New Jersey garage workers. *Inhalation Toxicology* 6:553-562.
- *Moolenaar RL, Hefflin BJ, Ashely DL, et al. 1994. Methyl *tertiary* butyl ether in human blood after exposure to oxygenated fuel in Fairbanks, Alaska. *Archives of Environmental Health* 49(5):402-409.
- *Moser GM, Wolf DC, Wong BA, et al. 1996. Lack of hepatic tumor-promoting ability by methyl tertiary butyl ether. *Toxicologist* 30(1): 161-162, Abstract 827.
- *Munch JW, Eichelberger JW. 1992. Evaluation of 48 compounds for possible inclusion in the US EPA method 524.2, Revision 3.0: Expansion of the method analyte list to a total of 83 compounds. *J Chromatogr Sci* 30:471-477.
- *Murray WR, LaFerla G, Fullarton GM. 1988. Choledocholithiasis--*in vivo* stone dissolution using methyl tertiary butyl ether (MTBE). *Gut* 29(2):143-145.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Science, National Research Council, Washington, DC. National Academy Press, 15-34.
- *Neeper-Bradley TL. 1991. Two-generation reproduction study of inhaled methyl tert-butyl ether in CD Sprague-Dawley rats. Project ID 53-594. Bushy Run Research Center, Export, PA.
- *Neoptolemos JP, Hall C, O'Connor HJ, et al. 1990. Methyl-tert-butyl-ether for treating bile duct stones: The British experience. *Br J Surg* 77(1):32-35.
- *Neubrand M, Ho11 J, Sackmann M, et al. 1994. Combination of extracorporeal shock-wave lithotripsy and dissolution of gallbladder stones with methyl tert-butyl ether: A randomized study. *Hepatology* 19:133-137.
- *Nicolaides CP, Stotijn CJ, van der Veen ERA, et al. 1993. Conversion of methanol and isobutanol to methyl t-butyl ether. *Applied Catalysis (A: General)* 103:223-232.

8. REFERENCES

- *Nihlen A, Walinder R, Lof A, et al. 1994. Toxicokinetics and irritative effects of methyl tertiary-butyl ether in man (unpublished poster presentation). Presented at a meeting of the International Society for Environmental Epidemiology; Durham, NC. (abstract and poster only).
- *NIOSH. 1984. NIOSH manual of analytical methods, 3rd edition, vol. 1 and 2 with 1985, 1987 and 1989 supplements. Eller P, ed. U.S. Department of Health and Human Services.
- *NIOSH. 1993a. NIOSH: Health Hazard Evaluation Report: HETA 93-606-2336. U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control and Prevention, National Centers for Environmental Health, Fairbanks, Alaska.
- *NIOSH. 1993b. NIOSH: Health Hazard Evaluation Report: HETA 93-802-2338. U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control and Prevention, National Centers for Environmental Health, Stamford, Connecticut.
- *NJDWQI. 1994. Maximum contaminant level recommendations for hazardous contaminants in drinking water, Appendix A. Health Based Maximum Contaminant Level Support Documents and Addenda. New Jersey Drinking Water Quality Institute, September 26, 1994.
- *NOES. 1991. National occupational exposure survey 1981 - 1983. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH.
- *NTDB. 1995. National Trade Data Bank, merchandise trade. Washington DC: USDOC, Bureau of Census.
- *NTP. 1994. Sixth annual report on carcinogens. Summary 1991. U.S. Department of Health and Human Services, Public Health Service, National Institute of Health, National Toxicology Program, Research Triangle Park, NC.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.
- *Otto KW. 1993. Methyl t-butyl ether will be a boon to U.S. gas processors. *Oil & Gas Journal* 91(2):37-39.
- *Pate B, Jayanty RKM, Peterson MR, et al. 1992. Temporal stability of polar organic compounds in stainless steel canisters. *J Air Waste Manage Assoc* 42(4):460-462.
- *Pauls RE. 1985. Determination of high octane components: Methyl t-butyl ether, benzene, toluene, and ethanol in gasoline by liquid chromatography. *J Chromatographic Sci* 23:437-441.
- Pauls RE, McCoy RW. 1981. Gas and liquid chromatographic analyses of methanol, ethanol, t-butanol, and methyl t-butyl ether in gasoline. *J Chromatogr Sci* 19:558-561.
- *Peine CJ, May GR, Nagomey DM, et al. 1990. Safety of same-day sequential extracorporeal shock wave lithotripsy and dissolution of gall stones by methyl tert-butyl ether in dogs. *Mayo Clin Proc* 65(12):1564-1569.
- *Pie1 WJ. 1988. The role of methyl t-butyl ether in future gasoline production. *Energy Progress* 8(4):201-204.

8. REFERENCES

- *Ponchon T, Baroud J, Pujol B, et al. 1988. Renal failure during dissolution of gallstones by methyl-*tert*-butyl ether (letter). *Lancet* 2(8605):276-277.
- *Paulsen M, Lemon L, Barker JF. 1992. Dissolution of monoaromatic hydrocarbons into groundwater from gasoline-oxygenated mixtures. *Environ Sci Technol* 26(12):2483-2489.
- *Prah JD, Goldstein GM, Devlin R, et al. 1994. Sensory symptomatic, inflammatory, and ocular responses to and the metabolism of methyl *tertiary* butyl ether in a controlled human exposure experiment. *Inhalation Toxicology* 6:521-538.
- *Reese E, Kimbrough RD. 1993. Acute toxicity of gasoline and some additives. *Environ Health Perspect* 101(6):115-131.
- *Reisch MS. 1993. Top 50 chemicals production recovered last year. *Chemical & Engineering News* (April 12):10-18.
- *Rhodes AK. 1992. U.S. refiners choose variety of routes to methyl *t*-butyl ether. *Oil & Gas Journal* 9:36-41.
- Rhodes IAL, Olvera RZ, Leon JA. 1991. Determination of gasoline range total petroleum hydrocarbons (TPH) and approximate boiling point distribution in soil by gas chromatography. In: *Hydrocarbon contaminated soils*, 273-290.
- *Robinson M, Bruner RH, Olson GR. 1990. Fourteen- and ninety-day oral toxicity studies of methyl *tertiary*-butyl ether in Sprague-Dawley rats. Health Effects Research Lab, U.S. Environmental Protection Agency, Cincinnati. *J Am Coll Toxicol* 9(ISS 5):525-540.
- *Rosenkranz HS, Klopman G. 1991. Predictions of the lack of genotoxicity and carcinogenicity in rodents of two gasoline additives: methyl- and ethyl-*t*-butyl ethers. School Med, Case Western Reserve Univ, Cleveland, OH. CA/1 15/108294F. *In Vitro Toxicol* 4 (1):49-54.
- *Saraya A, Rai RR, Tandon RK. 1990. Experience with MTBE as a solvent for common bile duct stones in patients with T-tube in situ. *J Gastroenterol Hepatol* 5(2): 130-134.
- *Savolainen H, Pfaffli P, Elovaara E. 1985. Biochemical effects of methyl *tertiary*-butyl ether in extended vapor exposure of rats. *Arch Toxicol* 57(4):285-288.
- *Sax NI, Lewis RJ Sr. 1987. *Hawley's condensed chemical dictionary - 12th ed.* New York, NY: Van Nostrand Reinhold Company, 760.
- *Scholl HR, Seelig B, Thomas PE, et al. 1996. Methyl *t*-butyl ether (MTBE) induced central nervous system (CNS) depression: Effects of metabolism of the compound. *Toxicologist* 30(1):24, Abstract 122.
- *Schorr P. 1994. Occurrence of methyl *tertiary* butyl ether in public and non public water systems in New Jersey: Treatability and estimated statewide costs to achieve a proposed maximum contaminant level of 50 ppb in drinking water. Trenton, NJ: New Jersey Department of Environmental Protection, Bureau of Safe Drinking Water.
- *Schuberth J. 1994. Joint use of retention index and mass spectrum in post mortem tests for volatile organics by headspace capillary gas chromatography with ion-trap detection. *J Chromatogr A*, 674:63-71.

8. REFERENCES

- *Schuchmann HP, von Sonntag C. 1973. The UV photolysis ($\lambda=185$ nm) of liquid t-butyl methyl ether. *Tetrahedron* 29: 1811-1818.
- *Schuetzle D, Jensen TE, Nagy D, et al. 1991. Analytical chemistry and auto emissions. *Anal Chem* 63:1149-1 159.
- *Schumacher KA, Swobodnik W, Janowitz P, et al. 1990. Radiographic aspects in transcatheter contact dissolution of calcified gallbladder concrements. *European Journal of Radiology* 10:28-34.
- *Sernau RC. 1989. Mutagenicity test on methyl tertiary butyl ether drosophila melanogaster sex-linked recessive lethal test (Final Report). HLA study no. 10484-0-461. Fiche #: OTSO528039. Hazleton Laboratories, Kensington, MD.
- *Shanley A. 1990. Methyl t-butyl ether helps loosen the clean air/octane vise. *Chemical Business* 12(2):14-16.
- *Sieber WK, Sundin DS, Frazier TM, et al. 1991. Development, use, and availability of a job exposure matrix based on national occupational hazard survey data. *American Journal of Industrial Medicine* 20:163-174.
- *Siegl WO, McCabe RW, Chun W, et al. 1992. Speciated hydrocarbon emissions from the combustion of single component fuels. I. Effects of fuel structure. *J Air Waste Manage Assoc* 42:912-920.
- *Sittig. 1994. World-wide limits for toxic and hazardous chemicals in air, water and soil. New Jersey: Noyes Publications. Park Ridge, NJ.
- *Smith DF, Kleindienst TE, Hudgens EE, et al. 1991. The photo oxidation of methyl *tertiary* butyl ether. *International Journal of Chemical Kinetics* 23:907-924.
- *Snamprogetti. 1980. MTBE toxicological data book. Texas Petrochemicals Corp.
- *Snyder R. 1979. Studies on the metabolism of t-butyl methyl ether (TBME). Thomas Jefferson University, Jefferson Medical College, Philadelphia, PA.
- SOW. 1990. USEPA contract laboratory program statement of work for organics analysis.
- *SRI. 1995. Directory of chemical producers, United States of America, Menlo Park, CA.
- *Streete PJ, Ruprah M, Ramsey JD, et. al. 1992. Detection and identification of volatile substances by headspace capillary gas chromatography to aid the diagnosis of acute poisoning. *Analyst* 117(7):1111-1127.
- Stump FD, Knapp KT, Ray WD. 1990. Seasonal impact of blending oxygenated organics with gasoline on motor vehicle tailpipe and evaporative emissions. *J Air Waste Management Assoc* 40:872-880.
- *Swarm RL, Laskowski DA, McCall PJ. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Residue Reviews* 85:17-27.

8. REFERENCES

- *Swenberg JA, Dietrich DR. 1991. Immunohistochemical localization of α_2 -globulin in kidneys of treated and control rats of a 13-week vapor inhalation study undertaken with methyl tertiary butyl ether (MTBE). University of North Carolina, Chapel Hill, NC.
- *Swenberg JA, Short B, Borghoff S, et al. 1989. The comparative pathobiology of α_2 -globulin nephropathy. *Toxicol Appl Pharmacol* 97:35-46.
- Telliard WA. 1990. Broad-range methods for determination of pollutants in wastewater. *J Chromatogr Sci* 28:453-459.
- *Tepper JS, Jackson MC, McGee JK. 1994. Estimation of respiratory irritancy from inhaled methyl tertiary butyl ether in mice. *Inhalation Toxicology* 6:563-569.
- *Thistle JL, May GR, Bender CE, et al. 1989. Dissolution of cholesterol gallbladder stones by methyl *tert*-butyl ether administered by percutaneous transhepatic catheter. *N Engl J Med* 320(10):633-639.
- *Tobio-Calo R, Llerena JM, Pinto-Pabon I, et al. 1992. Dissolution of multiple biliary duct stones using methyl *tert*-butyl ether (MTBE): Experience in two cases. *Cardiovasc Intervent Radiol* 15(4):247-250.
- *TRI93. 1995. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Tritapepe R, Pozzi C, Caspani P, et al. 1989. Unexpected dilatation of the common bile duct after methyl tertiary butyl ether (MTBE) in rabbits: Possible implications to findings in man. *Gut* 30(2):206-212.
- *Tuazon EC, Carter WPL, Aschmann SM, et al. 1991. Products of the gas-phase reaction of methyl *tert*-butyl ether with the OH radical in the presence of NO_x. *International Journal of Chemical Kinetics* 23:1003-1015.
- *Tyl RW. 1989. Developmental toxicity study of inhaled methyl tertiary butyl ether in New Zealand white rabbits. Project Report 5 1-268. Bushy Run Research Center, Export, PA.
- *Tyl RW, Nepper-Bradley TL. 1989. Developmental toxicity study of inhaled methyl tertiary butyl ether in CD-1 mice. Project Report 51-266. Bushy Run Research Center, Export, PA.
- *U. S. Congress. 1990. Clean Air Amendments of 1990, Title III. Hazardous Air Pollutants, Section 112-Hazardous Air Pollutants as amended, October 26, 1990. 101 st congress, 2nd Session report 101-952.
- *Uchida N, Nakatsu T, Hirabayashi S, et al. 1994. Direct dissolution of gallstones with methyl *tert*-butyl ether (MTBE) via endoscopic transpapillary catheterization in the gallbladder (ETCG). *J Gastroenterol* 29:486-494.
- *USGS. 1995. Occurrence of the gasoline additive MTBE in shallow ground water in urban and agricultural areas. Fact Sheet FS- 114-95. United States Geological Survey, National Water-Quality Assessment (NAWQA) Program. (Available on World Wide Web).
- *USITIC. 1995. Preliminary Report on U. S. production of selected synthetic organic chemicals. S. O. C. series C/P-95-5, February 28, 1995. Washington, DC: U. S. International Trade Commission.

8. REFERENCES

- *Utell MJ, Warren J, Sawyer RF. 1994. Public health risks from motor vehicle emissions. *Annu Rev Public Health* 15:157-178.
- *van Luin AB, Teurlinckx LVM. 1987. The treatment of industrial waste water in integrated activated sludge/powdered activated carbon systems. *Management of Hazardous Toxic Wastes; Proc of Int Cong*, 476-485.
- *van Sonnenberg E, Hofmann AF, Neoptolemus J, et al. 1986. Gallstone dissolution with methyl-*tert*-butyl ether via percutaneous cholecystostomy: Success and caveats. *Am J Roentgenol* 146(4):865-867.
- *van Sonnenberg E, Zakko S, Hofmann AF, et al. 1991. Human gallbladder morphology after gallstone dissolution with methyl *tert*-butyl ether. *Gastroenterology* 100(6): 1718-1123.
- *Veith GD, Kosian P. 1983. Estimating bioconcentration potential from octanol/water partition coefficients. In: Mackay D, et al, eds. *Physical behavior of PCBs in the Great Lakes*. Ann Arbor, MI: Ann Arbor Science; 269-282.
- *Vergnes JS, Chun JS. 1994. Methyl tertiary butyl ether: *In vivo in vitro* hepatocyte unscheduled DNA synthesis assay in mice. Laboratory project ID 93N 1316. Bushy Run Research Center, Export PA.
- *Vergnes JS, Kintigh WJ. 1993. Methyl tertiary butyl ether: Bone marrow micronucleus test in mice. Laboratory project ID 93N1244. Bushy Run Research Center, Export, PA.
- *Vergnes JS, Morabit ER. 1989. Methyl tertiary butyl ether repeated exposure vapor inhalation study in rats: *In vivo* cytogenetic evaluation. Project report 5 I-635. Fiche #: OTSO528040 Doc#:40-8913431. Prepared by Bushy Run Research Center, Export, PA.
- *Vergunst H, Brake1 K, Nijs HGT, et al. 1994. Methyl *tert*-butyl ether improves the efficacy of extracorporeal shock wave lithotripsy of human gallstones implanted in pigs. *Eur J Surg* 160:619-625.
- Von Burg R. 1992. Toxicology update: Methyl *tert*-butyl ether. *J Appl Toxicol* 12(1):73-74.
- *Wallington TJ, Dagaut P, Renzhang L, et al. 1988. Gas-phase reactions of hydroxyl radicals with the fuel additives methyl *tert*-butyl ether and *tert*-butyl alcohol over the temperature range 240-440K. *Environ Sci Technol* 22:842-844.
- *Wang S, Stuart JD, Ke H, et al. 1991. Analysis of volatile aromatic compounds in gasoline-contaminated groundwater samples by static headspace sampling and high speed gas chromatography. *J High Resol Chromatogr* 14:757-761.
- *Ward JB Jr, Au WW, Whorton EB, et al. 1994. Genetic toxicity of methyl-tertiary butyl ether. Division of Environmental Toxicology, Department of Preventive Medicine & Community Health, University of Texas Medical Branch, Galveston, TX.
- Watson JG, Chow JC, Pritchett LC, et al. 1990. Chemical source profiles for particulate motor vehicle exhaust under cold and high altitude operating conditions. *The Science of the Total Environment* 93:183-190.

8. REFERENCES

- *Weast RW. 1989. Handbook of chemistry and physics. Weast RW, ed., 69th edition, 1988-1989. Boca Raton, FL: CRC Press.
- *White MC, Johnson CA, Ashely DL, et al. 1995. Exposure to methyl tertiary butyl ether from oxygenated gasoline in Stamford, Connecticut. Archives of Environmental Health 50(3): 183- 189.
- *Yeh CK, Novak JT. 1991. Anaerobic biodegradation of oxygenates in the subsurface. 427-441. Proceedings of the 1991 Petroleum Hydrocarbons and Organic Chemicals in Ground Water: Prevention, Detection, and Restoration. N.P.: Association of Ground Water Scientists and Engineers and the American Petroleum Institute.
- *Yoshikawa M, Arashidani K, Katoh T, et al. 1994. Pulmonary elimination of methyl tertiary-butyl ether after intraperitoneal administration in mice. Arch Toxicol 68:517-519.
- *Zakko S, Oberstein R, Tomicic T, et al. 1995. A method to quantitatively compare *in vivo* the effects of gallstone solvents on intestinal mucosal function: A controlled study comparing mono-octanoic with methyl *tert*-butyl ether in the rat (43895). Proc Soc Exp Biol Med 209:190-194.