# Documentation, Codebook, and Frequencies

Surplus Specimen Laboratory Component: Antibody to human herpes virus 1 (Ages 6 to 13) (Surplus Sera)

**Survey Years:** 1999 to 2000

SAS Export File: SSHSV1\_a.XPT



First Published: October 2006

Last Revised: N/A

#### NHANES 1999–2000 Data Documentation

Laboratory Assessment: Antibody to Herpes Simplex Virus Type-1 (HSV-1) for 6-13 Year Olds (NHANES 1999+ Surplus Sera)

Years of Coverage: 1999-2000 First Published: October 2006 Last Revised: N/A

## **Component Description**

Sera from consenting children age 6-13 years examined in NHANES 1999-2002 were tested for antibodies to Herpes Simplex Virus Type-1 (HSV-1) using a solid-phase enzymatic immunodot assay. Purified glycoprotein specific for HSV-1 (gG-1) was used as antigen. All results in this data release are reported as positive or negative or indeterminate.

#### Eligible Sample

All participants 6-13 years from NHANES 1999-2002 who gave consent for further testing using stored sera (n = 3,115).

#### Description of Laboratory Methodology

Although extensive antigenic cross-reactivity exists between the two viral types of herpes, a viral glycoprotein specific for herpes simplex virus type 2 (HSV-2) (designated gG-2), and a glycoprotein specific for herpes simplex virus type 1 (HSV-1) (designated gG-1) have been Monoclonal antibodies and affinity chromatography have been used to purify these glycoproteins and thus provide antigens for herpes serologic assays. Solid-phase type-specific immunodot assays are used to detect antibodies reactive to these antigens. The purified glycoprotein gG-1 is adsorbed to the center of a nitrocellulose disk. The rest of the disk surface is coated with bovine serum albumin (BSA) to prevent further nonspecific protein adsorption. Incubation of test serum with the disk allows specific antibodies, if present, to bind to the immobilized antigen. After extensive washing to remove non-reactive antibodies, the bound antibodies are detected by sequential treatment with peroxidase-conjugated goat-anti-human IgG and the enzyme substrate (H2O2 with chromogen 4-chloro-1-naphthol). A positive reaction is demonstrated by the appearance of a blue dot at the center of the disk. Serum reactive to an immunodot charged with gG-1 indicates previous and probable latent HSV-1 infection.

#### Laboratory Quality Control and Monitoring

Assay performance was monitored throughout the testing period by testing positive and negative controls derived from reference sera. gG-1 immunodot results were run in duplicate and 2% were randomly repeated.

HSV-1 antibody Page 1 of 4

#### Data Processing and Editing

Data was received after all the antibody testing was complete. The data were not edited.

Data Access: All data are publicly available.

## Analytic Notes

SSHSVGG1 (HSV-1 antibody)

1= positive

2= negative

3= indeterminate

Please refer to the Analytic Guidelines for further details on the use of sample weights and other analytic issues.

#### References

Aarnisalo J, Ilonen J, Vainionpaa R, Volanen I, Kaitosaari T, Simell O. Development of antibodies against cytomegalovirus, varicella-zoster virus and herpes simplex virus in Finland during the first eight years of life: a prospective study. Scand J Infect Dis. 2003;35(10):750-3.

Ashley RL. Sorting out the new HSV type specific antibody tests. Sex Transm Inf. 2001;77:232-237.

Ashley-Morrow R, Nolkamper J, Robinson NH, Bishop N, Smith J. Performance of Focus ELISA tests for herpes simplex virus type 1 (HSV-1) and HSV-2 antibodies among women in ten diverse geographical locations. Clin Microbiol Infect. 2004;10:530-536.

Chin J. Control of Communicable Diseases Manual. 17th Edition. American Public Health Association, Washington D.C. 2000.

Cohen, J. A coefficient of agreement for nominal scales. Educational and Psychological Measurement. 1960;20:37-46.

Emmert DH. Treatment of common cutaneous herpes simplex virus infections. Am Fam Physician. 2000 Mar 15; 61(6):1697-706, 1708.

Fleming DT, McQuillan GM, Johnson RE, Nahmias AJ, Aral SO, Lee FK, St Louis ME. Herpes simplex virus type 2 in the United States, 1976 to 1994. N Engl J Med. 1997 Oct 16;337(16):1105-11.

HSV-1 antibody Page 2 of 4

Lafferty WE. The changing epidemiology of HSV-1 and HSV-2 and implications for serological testing. Herpes. 2002 Jul;9(2):51-5

Leach CT, Ashley RL, Baillargeon J, Jenson HB. Performance of two commercial glycoprotein G-based enzyme immunoassays for detecting antibodies to herpes simplex viruses 1 and 2 in children and young adolescents. Clinical and Diagnostic Laboratory Immunology. 2002;9(5):1124-1125.

Lee FK, Coleman RM, Pereira L, Griffin C, Reid E, Nahmias A. Detection of herpes simplex virus type-2-specific antibody with glycoprotein G. J Clin Microbiol 1985; 22:641-4.

Lee FK, Pereira L, Griffin C, Reid E, Nahmias A. A novel glycoprotein (gG-1) for detection of herpes simplex virus specific antibodies. J Virol Methods 1986;14:111-8.

HSV-1 antibody Page 3 of 4

#### **Locator Fields**

Title: Antibody to Herpes Simplex Virus Type-1 (HSV-1) for 6-13 Year Olds

Contact Number: 1-866-441-NCHS

Years of Content: 1999-2000 First Published: October 2006

Revised: N/A

Access Constraints: None
Use Constraints: None

Geographic Coverage: National

Subject: Antibody to Herpes Simplex Virus Type-1

Record Source: NHANES 1999-2000

Survey Methodology: NHANES is a stratified multistage probability sample of the civilian non-

institutionalized population of the U.S.

Medium: NHANES Web site; SAS transport files

HSV-1 antibody Page 4 of 4

### National Health and Nutrition Examination Survey Codebook for Data Production (1999-2000)

#### Herpes I for 6-13 year olds (Surplus Sera) (SSHSV1\_A) Person Level Data

First Published: October 2006 Last Revised: N/A



SEQN	Target			
DZQ.	B(6 Yrs. to 13 Yrs.)			
Hard Edits	SAS Label			
	Respondent sequence number			
English Text: Respondent sequence number.				
English Instructions:				

SSXHE1	Target			
	B(6 Yrs. to 13 Yrs.)			
Hard Edits	SAS Label			
	Herpes I			
English Text: Herpes I antibody				
English Instructions:				

Code or Value	Description	Count	Cumulative	Skip to Item
1	positive	612	612	
2	negative	813	1425	
3	indeterminate	1	1426	
	Missing	0	1426	