

**National Health and Nutrition Examination Survey  
Codebook for Data Production (1999-2000)**

**Osteoporosis Section of the SP Questionnaire (OSQ)  
Person Level Data**

**July 2006**

<b>SEQN</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Respondent sequence number
<b>English Text:</b> Respondent sequence number.	
<b>English Instructions:</b>	

<b>OSQ010a</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Broken or fractured a hip
<b>English Text:</b> Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .hip?	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	OSQ020a
2= No	
7= Refused	
9= Don't know	

<b>OSQ010b</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Broken or fractured a wrist
<b>English Text:</b> Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .wrist?	
<b>English Instructions:</b> DO NOT INCLUDE FOREARM OR HAND.	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ020b

<b>OSQ010c</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Broken or fractured spine
<b>English Text:</b> Has a doctor ever told {you/SP} that {you/s/he} had broken or fractured {your/his/her} . . .spine?	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ020c OSQ025 OSQ025 OSQ025

<b>OSQ020a</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
1 to 33	# Times broken/fractured hip
<b>English Text:</b> How many times {have you/has SP} broken or fractured {your/his/her} hip?	
<b>English Instructions:</b> ENTER NUMBER OF TIMES. SKIP TO OSQ010b.	
<b>Codes:</b> 7777= Refused 9999= Don't know	<b>Skip To Values:</b> OSQ010b OSQ010b

<b>OSQ020b</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
1 to 33	# Times broken/fractured wrist
<b>English Text:</b> How many times {have you/has SP} broken or fractured {your/his/her} wrist?	
<b>English Instructions:</b> ENTER NUMBER OF TIMES. SKIP TO OSQ010c.	
<b>Codes:</b> 7777= Refused 9999= Don't know	<b>Skip To Values:</b> OSQ010c OSQ010c

<b>OSQ020c</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
1 to 33	# Times broken/fractured spine
<b>English Text:</b> How many times {have you/has SP} broken or fractured {your/his/her} spine?	
<b>English Instructions:</b> ENTER NUMBER OF TIMES	
<b>Codes:</b> 7777= Refused 9999= Don't know	<b>Skip To Values:</b>

<b>OSQ025</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b> CHECK ITEM	
<b>English Instructions:</b> CHECK ITEM OSQ.025: IF 'YES' (CODE 1) IN OSQ.010 a, b, OR c, CONTINUE WITH LOOP 1. OTHERWISE, GO TO OSQ.060. Loop 1: Ask OSQ030 - OSD050 for each type and each incidence of fracture. (Example: How old were you when you fractured your hip for the first time?)	

<b>OSD030aa</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured hip 1st time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040aa</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fractd. hip 1st time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b> IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b>   OSQ025 OSQ025

<b>OSQ045</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b> CHECK ITEM	
<b>English Instructions:</b> CHECK ITEM OSQ.045: IF AGE IS $\geq$ 50 IN OSQ.030 OR OSQ.040, CONTINUE WITH OSD.050. OTHERWISE, OSQ025.	

<b>OSQ050aa</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason hip fracture occurred 1st time
<b>English Text:</b> Did that fracture occur as a result of . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= A fall from standing height or less, for example, tripped, slipped, fell out of bed	
2= A hard fall, such as falling off a ladder or step stool, down stairs	
3= A car accident or other severe trama	
7= Refused	
9= Don't know	

<b>OSD030ab</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured hip 2nd time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b>	<b>Skip To Values:</b>
85= 85 or older	
77777= Refused	
99999= Don't know	

<b>OSQ040ab</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. hip 2nd time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSQ050ab</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason hip fracture occurred 2nd time
<b>English Text:</b> Did that fracture occur as a result of . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= A fall from standing height or less, for example, tripped, slipped, fell out of bed	
2= A hard fall, such as falling off a ladder or step stool, down stairs	
3= A car accident or other severe trauma	
7= Refused	
9= Don't know	

<b>OSD030ac</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured hip 3rd time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b>	<b>Skip To Values:</b>
85= 85 or older	
77777= Refused	
99999= Don't know	

<b>OSQ040ac</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fractd. hip 3rd time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSD030ba</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 1st time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040ba</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 1st time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSQ050ba</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason wrist fracture occurred 1st time
<b>English Text:</b> Did that fracture occur as a result of. . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= A fall from standing height or less, for example, tripped, slipped, fell out of bed 2= A hard fall, such as falling off a ladder or step stool, down stairs 3= A car accident or other severe trama 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>OSD030bb</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 2nd time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040bb</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 2nd time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSQ050bb</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason wrist fracture occurred 2nd time
<b>English Text:</b> Did that fracture occur as a result of . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= A fall from standing height or less, for example, tripped, slipped, fell out of bed 2= A hard fall, such as falling off a ladder or step stool, down stairs 3= A car accident or other severe trama 7= Refused 9= Don't know	<b>Skip To Values:</b>



<b>OSD030bc</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 3rd time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040bc</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 3rd time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSQ050bc</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason wrist fracture occurred 3rd time
<b>English Text:</b> Did that fracture occur as a result of. . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= A fall from standing height or less, for example, tripped, slipped, fell out of bed 2= A hard fall, such as falling off a ladder or step stool, down stairs 3= A car accident or other severe trama 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>OSD030bd</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 4th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040bd</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 4th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSQ050bd</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason wrist fracture occurred 4th time
<b>English Text:</b> Did that fracture occur as a result of . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= A fall from standing height or less, for example, tripped, slipped, fell out of bed 2= A hard fall, such as falling off a ladder or step stool, down stairs 3= A car accident or other severe trama 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>OSD030be</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 5th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040be</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 5th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSD030bf</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 6th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040bf</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fractd. wrist 6th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b> IF REFUSED OR DON'T KNOW, ASK OSQ.030 - OSQ.050 FOR NEXT INCIDENT OF FRACTURE. IF NO NEXT INCIDENT, GO TO OSQ.060.	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSD030bg</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 7th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b>	<b>Skip To Values:</b>
85= 85 or older	
77777= Refused	
99999= Don't know	

<b>OSQ040bg</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fractd. wrist 7th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSD030bh</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 8th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} hip {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040bh</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 8th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSD030bi</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 9th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040bi</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. wrist 9th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSD030bj</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured wrist 10th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} wrist {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b>	<b>Skip To Values:</b>
85= 85 or older	
77777= Refused	
99999= Don't know	

<b>OSQ040bj</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd wrist 10th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSD030ca</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured spine 1st time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040ca</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. spine 1st time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSQ050ca</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason spine fracture occurred 1st time
<b>English Text:</b> Did that fracture occur as a result of . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= A fall from standing height or less, for example, tripped, slipped, fell out of bed 2= A hard fall, such as falling off a ladder or step stool, down stairs 3= A car accident or other severe trama 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>OSD030cb</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured spine 2nd time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040cb</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. spine 2nd time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSQ050cb</b>	<b>Target</b>
	B(50 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Reason spine fracture occurred 2nd time
<b>English Text:</b> Did that fracture occur as a result of . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= A fall from standing height or less, for example, tripped, slipped, fell out of bed 2= A hard fall, such as falling off a ladder or step stool, down stairs 3= A car accident or other severe trama 7= Refused 9= Don't know	<b>Skip To Values:</b>



<b>OSD030cc</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured spine 3rd time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040cc</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fracd. spine 3rd time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Under 50 years old, or 2= 50 years old or older? 7= Refused 9= Don't know	<b>Skip To Values:</b> OSQ025  OSQ025 OSQ025

<b>OSD030cd</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured spine 4th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . . } time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b> 85= 85 or older 77777= Refused 99999= Don't know	<b>Skip To Values:</b>

<b>OSQ040cd</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fractd. spine 4th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSD030ce</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age when fractured spine 5th time
<b>English Text:</b> How old {were you/was SP} when {you/s/he} fractured {your/his/her} spine {the {1st/2nd . . .} time}?	
<b>English Instructions:</b> ENTER AGE IN YEARS. SKIP TO OSQ045.	
<b>Codes:</b>	<b>Skip To Values:</b>
85= 85 or older	
77777= Refused	
99999= Don't know	

<b>OSQ040ce</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Under/over 50 when fractd. spine 5th time
<b>English Text:</b> {Were you/Was SP} . . .	
<b>English Instructions:</b>	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Under 50 years old, or	OSQ025
2= 50 years old or older?	
7= Refused	OSQ025
9= Don't know	OSQ025

<b>OSQ060</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Ever told had osteoporosis/brittle bones
<b>English Text:</b> Has a doctor ever told {you/SP} that {you/s/he} had osteoporosis, sometimes called thin or brittle bones?	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>OSQ070</b>	<b>Target</b>
	B(20 Yrs. to 150 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Ever treated for osteoporosis
<b>English Text:</b> {Were you/Was SP} treated for osteoporosis?	
<b>English Instructions:</b>	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>