



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

SP has a severe eye infection?				
VIQ110	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	306	4.53	306	4.53
1 : Yes	2	0.03	308	4.56
2 : No	6450	95.44	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Which eye(s) infected?				
VIQ121	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6756	99.97	6756	99.97
1 : Right	1	0.01	6757	99.99
3 : Both	1	0.01	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Is SP wearing an eye patch?				
VIQ130	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	308	4.56	308	4.56
2 : No	6450	95.44	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Which eye has eye patch?				
VIQ141	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6758	100.00	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Glasses/contact lenses for near work?				
VIQ150	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4744	70.20	4744	70.20
1 : Yes	1743	25.79	6487	95.99
2 : No	269	3.98	6756	99.97
9 : Don't know	2	0.03	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Glasses/contact lenses available?				
VIQ160	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5015	74.21	5015	74.21
1 : Yes	1551	22.95	6566	97.16
2 : No	192	2.84	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Glasses or contacts worn for near test?				
VIQ170	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	5207	77.05	5207	77.05
1 : Glasses	1529	22.63	6736	99.67
2 : Contacts	14	0.21	6750	99.88
3 : Both glasses and contact lenses	8	0.12	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Line read on near card				
VIXNC1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4744	70.20	4744	70.20
0	5	0.07	4749	70.27
1	9	0.13	4758	70.41
2	105	1.55	4863	71.96
3	243	3.60	5106	75.55
4	644	9.53	5750	85.08
5	983	14.55	6733	99.63
8 : Could not obtain	25	0.37	6758	100.00





**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Testing distance of near card				
VIXNC2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4744	70.20	4744	70.20
5	1	0.01	4745	70.21
6	3	0.04	4748	70.26
7	4	0.06	4752	70.32
8	20	0.30	4772	70.61
9	17	0.25	4789	70.86
10	46	0.68	4835	71.54
11	72	1.07	4907	72.61
12	107	1.58	5014	74.19
13	178	2.63	5192	76.83
14	224	3.31	5416	80.14
15	226	3.34	5642	83.49
16	212	3.14	5854	86.62
17	204	3.02	6058	89.64
18	140	2.07	6198	91.71
19	113	1.67	6311	93.39
20	92	1.36	6403	94.75
21	68	1.01	6471	95.75
22	56	0.83	6527	96.58
23	48	0.71	6575	97.29
24	63	0.93	6638	98.22
25	41	0.61	6679	98.83
26	14	0.21	6693	99.04
27	19	0.28	6712	99.32
28	14	0.21	6726	99.53
29	3	0.04	6729	99.57
30	3	0.04	6732	99.62
31	3	0.04	6735	99.66
32	2	0.03	6737	99.69
33	2	0.03	6739	99.72
34	1	0.01	6740	99.73
88 : Could not obtain	18	0.27	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Eye surgery for near sightedness?				
VIQ180	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	320	4.74	320	4.74
1 : Yes	51	0.75	371	5.49
2 : No	6378	94.38	6749	99.87
9 : Don't know	9	0.13	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Which eye(s) surgery - near-sightedness?				
VIQ191	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6707	99.25	6707	99.25
1 : Right	7	0.10	6714	99.35
2 : Left	5	0.07	6719	99.42
3 : Both	39	0.58	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Eye surgery for cataracts?				
VIQ200	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	320	4.74	320	4.74
1 : Yes	338	5.00	658	9.74
2 : No	6093	90.16	6751	99.90
9 : Don't know	7	0.10	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Which eye(s) cataract surgery?				
VIQ211	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6420	95.00	6420	95.00
1 : Right	55	0.81	6475	95.81
2 : Left	55	0.81	6530	96.63
3 : Both	225	3.33	6755	99.96
9 : Don't know	3	0.04	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Glasses/contact lenses worn for distance				
VIQ220	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	320	4.74	320	4.74
1 : Yes	2607	38.58	2927	43.31
2 : No	3827	56.63	6754	99.94
9 : Don't know	4	0.06	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Is distance correction available?				
VIQ230	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4151	61.42	4151	61.42
1 : Yes	2238	33.12	6389	94.54
2 : No	369	5.46	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Which type? Glasses or contacts?				
VIQ240	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4520	66.88	4520	66.88
1 : Glasses	1904	28.17	6424	95.06
2 : Contacts	263	3.89	6687	98.95
3 : Both glasses and contact lenses	71	1.05	6758	100.00





**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Was prescription obtained?				
VIQ250	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4794	70.94	4794	70.94
1 : Yes	1956	28.94	6750	99.88
2 : No	8	0.12	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Prescription, right sphere				
VIXPRS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4793	70.92	4793	70.92
-14.25 to 12.75	1919	28.40	6712	99.32
88 : Could not obtain	46	0.68	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Prescription, right cylinder				
VIXPRC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4793	70.92	4793	70.92
0	403	5.96	5196	76.89
0.02	1	0.01	5197	76.90
0.07	1	0.01	5198	76.92
0.12	2	0.03	5200	76.95
0.25	276	4.08	5476	81.03
0.28	1	0.01	5477	81.04
0.37	1	0.01	5478	81.06
0.38	1	0.01	5479	81.07
0.47	1	0.01	5480	81.09
0.48	1	0.01	5481	81.10
0.5	353	5.22	5834	86.33
0.62	1	0.01	5835	86.34
0.75	247	3.65	6082	90.00
0.78	1	0.01	6083	90.01
1	153	2.26	6236	92.28
1.2	1	0.01	6237	92.29
1.25	137	2.03	6374	94.32
1.5	87	1.29	6461	95.61
1.75	68	1.01	6529	96.61
2	45	0.67	6574	97.28
2.25	31	0.46	6605	97.74
2.5	30	0.44	6635	98.18
2.75	20	0.30	6655	98.48
3	12	0.18	6667	98.65
3.25	13	0.19	6680	98.85
3.5	5	0.07	6685	98.92
3.75	7	0.10	6692	99.02
4	6	0.09	6698	99.11
4.12	1	0.01	6699	99.13
4.25	6	0.09	6705	99.22
4.5	1	0.01	6706	99.23
5	1	0.01	6707	99.25
5.25	1	0.01	6708	99.26
5.5	2	0.03	6710	99.29
6	1	0.01	6711	99.30
6.75	1	0.01	6712	99.32
88 : Could not obtain	46	0.68	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Prescription, right axis				
VIXPRA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4793	70.92	4793	70.92
0 to 180	1919	28.40	6712	99.32
888 : Could not obtain	46	0.68	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Prescription, left sphere				
VIXPLS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4793	70.92	4793	70.92
-14.75 to 12.5	1920	28.41	6713	99.33
88 : Could not obtain	45	0.67	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Prescription, left cylinder				
VIXPLC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4793	70.92	4793	70.92
0	400	5.92	5193	76.84
0.01	1	0.01	5194	76.86
0.02	1	0.01	5195	76.87
0.04	2	0.03	5197	76.90
0.12	2	0.03	5199	76.93
0.25	265	3.92	5464	80.85
0.37	2	0.03	5466	80.88
0.5	350	5.18	5816	86.06
0.55	1	0.01	5817	86.08
0.75	268	3.97	6085	90.04
0.81	1	0.01	6086	90.06
0.87	1	0.01	6087	90.07
0.96	1	0.01	6088	90.09
1	168	2.49	6256	92.57
1.25	122	1.81	6378	94.38
1.5	83	1.23	6461	95.61
1.75	63	0.93	6524	96.54
1.87	1	0.01	6525	96.55
2	38	0.56	6563	97.11
2.25	41	0.61	6604	97.72
2.5	35	0.52	6639	98.24
2.75	13	0.19	6652	98.43
3	19	0.28	6671	98.71
3.25	17	0.25	6688	98.96
3.5	4	0.06	6692	99.02
3.75	7	0.10	6699	99.13
3.87	1	0.01	6700	99.14
4	2	0.03	6702	99.17
4.25	2	0.03	6704	99.20
4.75	1	0.01	6705	99.22
5	2	0.03	6707	99.25
5.25	3	0.04	6710	99.29
5.5	1	0.01	6711	99.30
6	1	0.01	6712	99.32
10.5	1	0.01	6713	99.33
88 : Could not obtain	45	0.67	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Prescription, left axis				
VIXPLA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4793	70.92	4793	70.92
0 to 180	1920	28.41	6713	99.33
888 : Could not obtain	45	0.67	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Visual Acuity Comments				
VIXOCMT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	6741	99.75	6741	99.75
1 : Monovision glasses/contacts worn for visual acuity	2	0.03	6743	99.78
2 : Cataract contact lenses worn for objective refraction	7	0.10	6750	99.88
4 : Artificial eye	3	0.04	6753	99.93
5 : Monovision contacts worn for objective refraction	1	0.01	6754	99.94
6 : Contact in right eye only for presenting visual acuity	1	0.01	6755	99.96
7 : Contact in left eye only for presenting visual acuity	3	0.04	6758	100.00





**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR right sphere, average				
VIXORSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
-22.5 to 20.5	6256	92.57	6614	97.87
88 : Could not obtain	144	2.13	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR right cylinder, average				
VIXORCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 8	6256	92.57	6614	97.87
88 : Could not obtain	144	2.13	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

OR right axis, average				
VIXORAM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6256	92.57	6614	97.87
888 : Could not obtain	144	2.13	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR right confidence level reading				
VIDORFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	492	7.28	492	7.28
5	24	0.36	516	7.64
5.3	8	0.12	524	7.75
5.5	3	0.04	527	7.80
5.7	24	0.36	551	8.15
6	39	0.58	590	8.73
6.3	44	0.65	634	9.38
6.5	1	0.01	635	9.40
6.7	59	0.87	694	10.27
7	79	1.17	773	11.44
7.3	94	1.39	867	12.83
7.5	4	0.06	871	12.89
7.7	152	2.25	1023	15.14
8	313	4.63	1336	19.77
8.3	331	4.90	1667	24.67
8.5	1	0.01	1668	24.68
8.7	531	7.86	2199	32.54
9	4559	67.46	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR left sphere, average				
VIXOLSM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
-22.5 to 11	6235	92.26	6593	97.56
88 : Could not obtain	165	2.44	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR left cylinder, average				
VIXOLCM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 7.5	6235	92.26	6593	97.56
88 : Could not obtain	165	2.44	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR left axis, average				
VIXOLAM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6235	92.26	6593	97.56
888 : Could not obtain	165	2.44	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

OR left confidence level reading				
VIDOLFM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	473	7.00	473	7.00
5	18	0.27	491	7.27
5.3	12	0.18	503	7.44
5.5	6	0.09	509	7.53
5.7	37	0.55	546	8.08
6	48	0.71	594	8.79
6.3	41	0.61	635	9.40
6.5	1	0.01	636	9.41
6.7	80	1.18	716	10.59
7	117	1.73	833	12.33
7.3	104	1.54	937	13.87
7.5	4	0.06	941	13.92
7.7	171	2.53	1112	16.45
8	314	4.65	1426	21.10
8.3	345	5.11	1771	26.21
8.5	5	0.07	1776	26.28
8.7	523	7.74	2299	34.02
9	4459	65.98	6758	100.00





**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry radius flat curve (mm)				
VIXKRM1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
5.5 to 9.8	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry power flat curve (D)				
VIXKRD1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
34.5 to 61.25	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry axis flat curve (deg)				
VIXKRG1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6339	93.80	6697	99.10
888 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry radius steep curve(mm)				
VIXKRM2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
5.29 to 9.11	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry power steep curve (D)				
VIXKRD2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
37 to 63.75	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Right keratometry axis steep curve (deg)				
VIXKRG2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6339	93.80	6697	99.10
888 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry radius, average (mm)				
VIXKRMM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
5.48 to 9.23	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry power, average (D)				
VIXKRDM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
36.5 to 61.5	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00





**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry cylinder				
VIXKRCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
-4.5 to 24.5	6339	93.80	6697	99.10
88 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right keratometry axis, average (deg)				
VIXKRCG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6339	93.80	6697	99.10
888 : Could not obtain	61	0.90	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry radius flat curve (mm)				
VIXKLM1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
5.45 to 10.09	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry power flat curve (D)				
VIXKLD1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
33.5 to 62	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry axis flat curve (deg)				
VIXKLG1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6346	93.90	6704	99.20
888 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry radius steep curve (mm)				
VIXKLM2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
5.1 to 9.42	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry power steep curve (D)				
VIXKLD2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
35.75 to 66.25	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Left keratometry axis steep curve (deg)				
VIXKLG2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6346	93.90	6704	99.20
888 : Could not obtain	54	0.80	6758	100.00





**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Left keratometry radius, average (mm)				
VIXKLMM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
5.41 to 9.68	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry power, average (D)				
VIXKLDM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
34.75 to 62.5	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry cylinder				
VIXKLCD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
-4.75 to 23.5	6346	93.90	6704	99.20
88 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left keratometry axis, average (deg)				
VIXKLCG	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	358	5.30	358	5.30
0 to 180	6346	93.90	6704	99.20
888 : Could not obtain	54	0.80	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Right visual acuity, presenting				
VIDRVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	402	5.95	402	5.95
20 : 20/20	2928	43.33	3330	49.27
25 : 20/25	1552	22.97	4882	72.24
30 : 20/30	533	7.89	5415	80.13
40 : 20/40	294	4.35	5709	84.48
50 : 20/50	601	8.89	6310	93.37
60 : 20/60	96	1.42	6406	94.79
80 : 20/80	103	1.52	6509	96.32
200 : 20/200	140	2.07	6649	98.39
666 : 20/200+	109	1.61	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left visual acuity, presenting				
VIDLVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	396	5.86	396	5.86
20 : 20/20	2952	43.68	3348	49.54
25 : 20/25	1525	22.57	4873	72.11
30 : 20/30	553	8.18	5426	80.29
40 : 20/40	294	4.35	5720	84.64
50 : 20/50	611	9.04	6331	93.68
60 : 20/60	82	1.21	6413	94.89
80 : 20/80	106	1.57	6519	96.46
200 : 20/200	127	1.88	6646	98.34
666 : 20/200+	112	1.66	6758	100.00



**MEC Examination**  
**Frequencies for the Vision Examination (VIX)**  
**February 2005**

Right visual acuity, w/ obj. refraction				
VIDROVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4962	73.42	4962	73.42
25 : 20/25	1315	19.46	6277	92.88
30 : 20/30	93	1.38	6370	94.26
40 : 20/40	76	1.12	6446	95.38
50 : 20/50	187	2.77	6633	98.15
60 : 20/60	14	0.21	6647	98.36
80 : 20/80	21	0.31	6668	98.67
200 : 20/200	47	0.70	6715	99.36
666 : 20/200+	43	0.64	6758	100.00



**MEC Examination  
Frequencies for the Vision Examination (VIX)  
February 2005**

Left visual acuity, w/ obj. refraction				
VIDLOVA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4944	73.16	4944	73.16
25 : 20/25	1317	19.49	6261	92.65
30 : 20/30	108	1.60	6369	94.24
40 : 20/40	77	1.14	6446	95.38
50 : 20/50	195	2.89	6641	98.27
60 : 20/60	14	0.21	6655	98.48
80 : 20/80	24	0.36	6679	98.83
200 : 20/200	45	0.67	6724	99.50
666 : 20/200+	34	0.50	6758	100.00