

S U D A A N

Software for the Statistical Analysis of Correlated Data
Copyright Research Triangle Institute February

2005

Release 9.0.1

Number of observations read	:	19759	Weighted count	:	278652243
Observations in subpopulation	:	9471	Weighted count:	:	198419259
Denominator degrees of freedom	:	29			

For Subpopulation: RIDAGEYR >= 20

Standardized estimates

Age-standardized prevalence of persons 20 years and older with high
blood pressure: NHANES 1999-2002

by: Variable, Gender, Race Ethnicity.

for: Variable = HBP: High BP.

Gender	Sample		Standard
Race Ethnicity	Size	Percent	Error

Total			
Total	8960	29.3433	0.8381
NH-White	4439	27.8638	0.9714
NH-Black	1677	40.8659	1.0472
Mex-Am	2087	26.0541	0.9851
Other	757	30.5625	2.2547
Male			
Total	4228	28.3277	1.2083
NH-White	2143	27.1904	1.3029
NH-Black	800	39.6611	1.2386
Mex-Am	957	25.9010	1.4114
Other	328	27.7263	3.5277
Female			
Total	4732	29.9706	0.7126
NH-White	2296	28.1902	0.8825
NH-Black	877	41.8446	1.4807
Mex-Am	1130	25.9149	1.1827
Other	429	32.0618	2.4540

Age adjusted by the direct method to the year 2000 Census population
projections using the age groups 20-39, 40-59, and 60+