

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 IDN Variables
 Unweighted Frequencies

1

Tuesday, June 13, 2006

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	31428	100.00
40 Sample Child	0	0.00
60 Family	0	0.00
70 Injury/Poisoning Episode	0	0.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
2005	31428	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
All Values	31428	100.00

IDN.000_25.000: Interview Quarter

INTV_QRT	Frequency	Percent
1 Quarter 1	7005	22.29
2 Quarter 2	8155	25.95
3 Quarter 3	8238	26.21
4 Quarter 4	8030	25.55

IDN.000_30.000: Assignment Week

ASSIGNWK	Frequency	Percent
01 Week 1	1899	6.04
02 Week 2	1842	5.86
03 Week 3	2599	8.27
04 Week 4	2649	8.43
05 Week 5	2584	8.22
06 Week 6	2539	8.08
07 Week 7	2477	7.88
08 Week 8	2440	7.76
09 Week 9	2595	8.26
10 Week 10	2454	7.81
11 Week 11	2496	7.94
12 Week 12	2413	7.68
13 Week 13	2441	7.77

Cancer Public Use File (cancerxx)

IDN Variables

Tuesday, June 13, 2006

Unweighted Frequencies

IDN.000_35.000: Family Serial Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	31428	100.00

IDN.000_40.000: Person Number (in family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	31428	100.00

IDN.000_65.000: Weight - Interim Annual

WTIA_SA	Frequency	Percent
All Values	31428	100.00

IDN.000_70.000: Weight - Final Annual

WTFA_SA	Frequency	Percent
All Values	31428	100.00

Cancer Public Use File (cancerxx)

UCF Variables

Tuesday, June 13, 2006

Unweighted Frequencies

UCF.000_00.000: Region

REGION	Frequency	Percent
1 Northeast	5402	17.19
2 Midwest	7328	23.32
3 South	11608	36.94
4 West	7090	22.56

UCF.000_00.000: Stratum for variance estimation

STRATUM	Frequency	Percent
Stratum for variance estimation	31428	100.00

UCF.000_00.000: PSU for variance estimation

PSU	Frequency	Percent
PSU for variance estimation	31428	100.00

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 HHC Variables
 Unweighted Frequencies

4

Tuesday, June 13, 2006

HHC.110_00.000: Sex

SEX	Frequency	Percent
1 Male	13762	43.79
2 Female	17666	56.21

HHC.180_00.000: Hispanic subgroup detail

HISPAN_I	Frequency	Percent
00 Multiple Hispanic	69	0.22
01 Puerto Rico	535	1.70
02 Mexican	2087	6.64
03 Mexican-American	1342	4.27
04 Cuban/Cuban American	318	1.01
05 Dominican (Republic)	149	0.47
06 Central or South American	826	2.63
07 Other Latin American, type not specified	10	0.03
08 Other Spanish	170	0.54
09 Hispanic/Latino/Spanish, non-specific type	0	0.00
10 Hispanic/Latino/Spanish, type refused	0	0.00
11 Hispanic/Latino/Spanish, type not ascertained	0	0.00
12 Not Hispanic/Spanish origin	25922	82.48

HHC.200_01.000: OMB groups w/multiple race

RACERPI2	Frequency	Percent
01 White only	25408	80.85
02 Black/African American only	4407	14.02
03 AIAN only	221	0.70
04 Asian only	986	3.14
05 Race group not releasable (See file layout)	45	0.14
06 Multiple race	361	1.15

HHC.200_01.000: Race coded to single/multiple race group

MRACRPI2	Frequency	Percent
01 White	25562	81.34
02 Black/African American	4481	14.26
03 Indian (American), Alaska Native	273	0.87
09 Asian Indian	188	0.60
10 Chinese	188	0.60
11 Filipino	236	0.75
15 Other Asian (See file layout)	389	1.24
16 Primary race not releasable (See file layout)	59	0.19
17 Multiple race, no primary race selected	52	0.17

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 HHC Variables
 Unweighted Frequencies

5

Tuesday, June 13, 2006

HHC.200_01.000: Race coded to single/multiple race group

MRACBPI2	Frequency	Percent
01 White	23873	75.96
02 Black/African American	4418	14.06
03 Indian (American) (includes Eskimo, Aleut)	222	0.71
06 Chinese	183	0.58
07 Filipino	226	0.72
12 Asian Indian	186	0.59
16 Other race (See file layout)	2260	7.19
17 Multiple race, no primary race selected	60	0.19

HHC.420_00.000: Age

AGE_P	Frequency	Percent
00 Under 1 year	0	0.00
01-84 1-84 years	30677	97.61
85 85+ years	751	2.39

HHC.430_00.000: Record completion status

COMPSTAT	Frequency	Percent
1 Not ascertained answers only	555	1.77
2 Refused and don't know answers only	47	0.15
3 Refused, DK, and not ascertained answers only	21	0.07
4 At least one valid answer	30805	98.02

Unweighted Frequencies

FID.250_00.000: Marital Status

R_MARITL	Frequency	Percent
0 Under 14 years	0	0.00
1 Married - spouse in household	14381	45.76
2 Married - spouse not in household	493	1.57
3 Married - spouse in household unknown	0	0.00
4 Widowed	3094	9.84
5 Divorced	4192	13.34
6 Separated	1008	3.21
7 Never married	6585	20.95
8 Living with partner	1510	4.80
9 Unknown marital status	165	0.53

NAC.005_00.000: Language used most often

SPSPEAK	Frequency	Percent
1 Only Spanish	1504	4.79
2 Mostly Spanish	1149	3.66
3 Spanish and English about the same	1437	4.57
4 Mostly English	4031	12.83
5 Only English	21915	69.73
6 Other	684	2.18
7 Refused	111	0.35
8 Not ascertained	585	1.86
9 Don't know	12	0.04

NAC.010_00.000: Hot or cold breakfast cereals

CEREAL	Frequency	Percent
00 Never	5739	18.26
01 1-3 times last month	5399	17.18
02 1-2 times per week	5899	18.77
03 3-4 times per week	4662	14.83
04 5-6 times per week	2039	6.49
05 1 time per day	5418	17.24
06 2 times per day	234	0.74
07 3 times per day	49	0.16
08 4 times per day	18	0.06
09 5 or more times per day	30	0.10
97 Refused	729	2.32
98 Not ascertained	975	3.10
99 Don't know	237	0.75

NAC.015_01.000: Kind of cereal: Cooked cereals

CERKIND1	Frequency	Percent
1 Mentioned	8442	35.55
2 Not mentioned	15161	63.84
7 Refused	14	0.06
8 Not ascertained	15	0.06
9 Don't know	116	0.49

Frequency Missing = 7680

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAC Variables
Unweighted Frequencies

8

Tuesday, June 13, 2006

NAC.015_02.000: Kind of cereal: All bran cereals

CERKIND2	Frequency	Percent
1 Mentioned	2951	12.43
2 Not mentioned	20652	86.96
7 Refused	14	0.06
8 Not ascertained	15	0.06
9 Don't know	116	0.49

Frequency Missing = 7680

NAC.015_03.000: Kind of cereal: Cereals with some bran or fiber

CERKIND3	Frequency	Percent
1 Mentioned	9007	37.93
2 Not mentioned	14596	61.46
7 Refused	14	0.06
8 Not ascertained	15	0.06
9 Don't know	116	0.49

Frequency Missing = 7680

NAC.015_04.000: Kind of cereal: Cereals with little bran or fiber

CERKIND4	Frequency	Percent
1 Mentioned	7769	32.71
2 Not mentioned	15834	66.68
7 Refused	14	0.06
8 Not ascertained	15	0.06
9 Don't know	116	0.49

Frequency Missing = 7680

NAC.015_05.000: Kind of cereal:Other cereal

CERKIND5	Frequency	Percent
1 Mentioned	442	1.86
2 Not mentioned	23161	97.53
7 Refused	14	0.06
8 Not ascertained	15	0.06
9 Don't know	116	0.49

Frequency Missing = 7680

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

9

Tuesday, June 13, 2006

NAC.020_00.000: Drink milk in past month

MILK	Frequency	Percent
00 Never	4151	13.21
01 1-3 times last month	3442	10.95
02 1-2 times per week	4278	13.61
03 3-4 times per week	4110	13.08
04 5-6 times per week	2076	6.61
05 1 time per day	7980	25.39
06 2 times per day	2320	7.38
07 3 times per day	783	2.49
08 4 times per day	187	0.60
09 5 or more times per day	124	0.39
97 Refused	739	2.35
98 Not ascertained	1005	3.20
99 Don't know	233	0.74

NAC.030_00.000: Drink soda past month

SODA	Frequency	Percent
00 Never	9901	31.50
01 1-3 times last month	4537	14.44
02 1-2 times per week	4226	13.45
03 3-4 times per week	2448	7.79
04 5-6 times per week	999	3.18
05 1 time per day	4017	12.78
06 2 times per day	1651	5.25
07 3 times per day	822	2.62
08 4 times per day	346	1.10
09 5 or more times per day	461	1.47
97 Refused	742	2.36
98 Not ascertained	1020	3.25
99 Don't know	258	0.82

NAC.040_00.000: Drink fruit juice past month

FRTJUICE	Frequency	Percent
00 Never	5824	18.53
01 1-3 times last month	4275	13.60
02 1-2 times per week	5541	17.63
03 3-4 times per week	4220	13.43
04 5-6 times per week	1565	4.98
05 1 time per day	6697	21.31
06 2 times per day	827	2.63
07 3 times per day	288	0.92
08 4 times per day	79	0.25
09 5 or more times per day	79	0.25
97 Refused	743	2.36
98 Not ascertained	1030	3.28
99 Don't know	260	0.83

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

10

Tuesday, June 13, 2006

NAC.060_00.000: Drink fruit drinks past month

FRTDRINK	Frequency	Percent
00 Never	16250	51.71
01 1-3 times last month	4044	12.87
02 1-2 times per week	3936	12.52
03 3-4 times per week	2049	6.52
04 5-6 times per week	662	2.11
05 1 time per day	1698	5.40
06 2 times per day	436	1.39
07 3 times per day	182	0.58
08 4 times per day	60	0.19
09 5 or more times per day	71	0.23
97 Refused	748	2.38
98 Not ascertained	1035	3.29
99 Don't know	257	0.82

NAC.070_00.000: Eat fruit past month

FRUIT	Frequency	Percent
00 Never	1531	4.87
01 1-3 times last month	3184	10.13
02 1-2 times per week	5822	18.52
03 3-4 times per week	5651	17.98
04 5-6 times per week	2305	7.33
05 1 time per day	7725	24.58
06 2 times per day	2219	7.06
07 3 times per day	722	2.30
08 4 times per day	130	0.41
09 5 or more times per day	99	0.32
97 Refused	743	2.36
98 Not ascertained	1041	3.31
99 Don't know	256	0.81

NAC.090_00.000: Eat salad past month

SALAD	Frequency	Percent
00 Never	2076	6.61
01 1-3 times last month	3352	10.67
02 1-2 times per week	7690	24.47
03 3-4 times per week	7408	23.57
04 5-6 times per week	2855	9.08
05 1 time per day	5272	16.77
06 2 times per day	549	1.75
07 3 times per day	108	0.34
08 4 times per day	23	0.07
09 5 or more times per day	38	0.12
97 Refused	746	2.37
98 Not ascertained	1046	3.33
99 Don't know	265	0.84

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

11

Tuesday, June 13, 2006

NAC.100_00.000: Eat fries past month

FRIES	Frequency	Percent
00 Never	6312	20.08
01 1-3 times last month	9800	31.18
02 1-2 times per week	8847	28.15
03 3-4 times per week	2984	9.49
04 5-6 times per week	632	2.01
05 1 time per day	679	2.16
06 2 times per day	51	0.16
07 3 times per day	31	0.10
08 4 times per day	8	0.03
09 5 or more times per day	16	0.05
97 Refused	744	2.37
98 Not ascertained	1050	3.34
99 Don't know	274	0.87

NAC.110_00.000: Eat potatoes past month

POTATO	Frequency	Percent
00 Never	3063	9.75
01 1-3 times last month	8118	25.83
02 1-2 times per week	11486	36.55
03 3-4 times per week	4707	14.98
04 5-6 times per week	899	2.86
05 1 time per day	998	3.18
06 2 times per day	42	0.13
07 3 times per day	9	0.03
08 4 times per day	4	0.01
09 5 or more times per day	8	0.03
97 Refused	747	2.38
98 Not ascertained	1054	3.35
99 Don't know	293	0.93

NAC.120_00.000: Eat beans past month

BEANS	Frequency	Percent
00 Never	5728	18.23
01 1-3 times last month	9676	30.79
02 1-2 times per week	8365	26.62
03 3-4 times per week	3230	10.28
04 5-6 times per week	829	2.64
05 1 time per day	1290	4.10
06 2 times per day	146	0.46
07 3 times per day	32	0.10
08 4 times per day	6	0.02
09 5 or more times per day	12	0.04
97 Refused	753	2.40
98 Not ascertained	1059	3.37
99 Don't know	302	0.96

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

12

Tuesday, June 13, 2006

NAC.130_00.000: Eat other vegetables past month

OVEG	Frequency	Percent
00 Never	711	2.26
01 1-3 times last month	1840	5.85
02 1-2 times per week	5337	16.98
03 3-4 times per week	6406	20.38
04 5-6 times per week	3013	9.59
05 1 time per day	9336	29.71
06 2 times per day	2233	7.11
07 3 times per day	340	1.08
08 4 times per day	67	0.21
09 5 or more times per day	50	0.16
97 Refused	754	2.40
98 Not ascertained	1062	3.38
99 Don't know	279	0.89

NAC.131_00.000: Eat tomato sauce past month

TOMSAUCE	Frequency	Percent
00 Never	2795	8.89
01 1-3 times last month	8498	27.04
02 1-2 times per week	12303	39.15
03 3-4 times per week	3943	12.55
04 5-6 times per week	814	2.59
05 1 time per day	821	2.61
06 2 times per day	76	0.24
07 3 times per day	27	0.09
08 4 times per day	11	0.04
09 5 or more times per day	9	0.03
97 Refused	760	2.42
98 Not ascertained	1064	3.39
99 Don't know	307	0.98

NAC.132_00.000: Eat salsa past month

SALSA	Frequency	Percent
00 Never	11237	35.75
01 1-3 times last month	8645	27.51
02 1-2 times per week	5166	16.44
03 3-4 times per week	1970	6.27
04 5-6 times per week	682	2.17
05 1 time per day	1319	4.20
06 2 times per day	194	0.62
07 3 times per day	60	0.19
08 4 times per day	15	0.05
09 5 or more times per day	14	0.04
97 Refused	763	2.43
98 Not ascertained	1065	3.39
99 Don't know	298	0.95

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

13

Tuesday, June 13, 2006

NAC.134_00.000: Eat red meat past month

REDMEAT	Frequency	Percent
00 Never	2187	6.96
01 1-3 times last month	4896	15.58
02 1-2 times per week	10275	32.69
03 3-4 times per week	7561	24.06
04 5-6 times per week	1937	6.16
05 1 time per day	2115	6.73
06 2 times per day	277	0.88
07 3 times per day	56	0.18
08 4 times per day	13	0.04
09 5 or more times per day	20	0.06
97 Refused	758	2.41
98 Not ascertained	1065	3.39
99 Don't know	268	0.85

NAC.135_00.000: Eat whole grain bread past month

BREAD	Frequency	Percent
00 Never	6065	19.30
01 1-3 times last month	3093	9.84
02 1-2 times per week	5072	16.14
03 3-4 times per week	4629	14.73
04 5-6 times per week	1978	6.29
05 1 time per day	6687	21.28
06 2 times per day	1486	4.73
07 3 times per day	220	0.70
08 4 times per day	36	0.11
09 5 or more times per day	31	0.10
97 Refused	761	2.42
98 Not ascertained	1066	3.39
99 Don't know	304	0.97

NAC.136_00.000: Eat doughnuts past month

DONUT	Frequency	Percent
00 Never	11091	35.29
01 1-3 times last month	9058	28.82
02 1-2 times per week	5904	18.79
03 3-4 times per week	1705	5.43
04 5-6 times per week	434	1.38
05 1 time per day	1027	3.27
06 2 times per day	75	0.24
07 3 times per day	15	0.05
08 4 times per day	3	0.01
09 5 or more times per day	8	0.03
97 Refused	761	2.42
98 Not ascertained	1072	3.41
99 Don't know	275	0.88

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

14

Tuesday, June 13, 2006

NAC.137_00.000: Eat cookies past month

COOKIES	Frequency	Percent
00 Never	5708	18.16
01 1-3 times last month	8759	27.87
02 1-2 times per week	8201	26.09
03 3-4 times per week	3243	10.32
04 5-6 times per week	870	2.77
05 1 time per day	2218	7.06
06 2 times per day	213	0.68
07 3 times per day	62	0.20
08 4 times per day	9	0.03
09 5 or more times per day	20	0.06
97 Refused	763	2.43
98 Not ascertained	1073	3.41
99 Don't know	289	0.92

NAC.138_00.000: Eat cheese past month

CHEESE	Frequency	Percent
00 Never	1646	5.24
01 1-3 times last month	3298	10.49
02 1-2 times per week	7654	24.35
03 3-4 times per week	7661	24.38
04 5-6 times per week	2863	9.11
05 1 time per day	5147	16.38
06 2 times per day	730	2.32
07 3 times per day	209	0.67
08 4 times per day	50	0.16
09 5 or more times per day	43	0.14
97 Refused	762	2.42
98 Not ascertained	1081	3.44
99 Don't know	284	0.90

NAC.170_00.000: Vitamin/mineral supplements past 12 months

VITANY	Frequency	Percent
1 Yes	16126	51.31
2 No	13644	43.41
7 Refused	474	1.51
8 Not ascertained	1090	3.47
9 Don't know	94	0.30

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

15

Tuesday, June 13, 2006

NAC.180_00.000: Take any multi-vitamins in past 12 months

VITMUL	Frequency	Percent
1 Yes	13800	85.58
2 No	2301	14.27
7 Refused	4	0.02
8 Not ascertained	1	0.01
9 Don't know	20	0.12

Frequency Missing = 15302

NAC.190_00.000: Number of months took multi-vitamins

VITMULM	Frequency	Percent
01-12 1-12 months	13748	99.62
97 Refused	2	0.01
98 Not ascertained	0	0.00
99 Don't know	50	0.36

Frequency Missing = 17628

NAC.200_01.000: Freq taking multi-vitamins: # of units

VITMULDN	Frequency	Percent
01-30 1-30 days	13702	99.67
95 Other	4	0.03
97 Refused	2	0.01
98 Not ascertained	0	0.00
99 Don't know	40	0.29

Frequency Missing = 17680

NAC.200_02.000: Freq taking multi-vitamins: Time unit

VITMULDT	Frequency	Percent
1 Days per week	268	1.95
2 Days per month	13406	97.51
3 Other	32	0.23
7 Refused	2	0.01
8 Not ascertained	0	0.00
9 Don't know	40	0.29

Frequency Missing = 17680

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

16

Tuesday, June 13, 2006

NAC.210_00.000: Take any beta carotene in past 12 months

BETAC	Frequency	Percent
1 Yes	822	5.10
2 No	15220	94.38
7 Refused	13	0.08
8 Not ascertained	7	0.04
9 Don't know	64	0.40

Frequency Missing = 15302

NAC.220_00.000: Number of months took beta carotene

BETACM	Frequency	Percent
01-12 1-12 months	813	98.91
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	9	1.09

Frequency Missing = 30606

NAC.230_01.000: Freq taking beta carotene: # of units

BETACDN	Frequency	Percent
01-30 1-30 days	808	99.38
95 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	0.62

Frequency Missing = 30615

NAC.230_02.000: Freq taking beta carotene: Time units

BETACDT	Frequency	Percent
1 Days per week	51	6.27
2 Days per month	746	91.76
3 Other	10	1.23
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.74

Frequency Missing = 30615

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

17

Tuesday, June 13, 2006

NAC.270_00.000: Take vitamin E during past 12 months

VITE	Frequency	Percent
1 Yes	3509	21.76
2 No	12552	77.84
7 Refused	13	0.08
8 Not ascertained	8	0.05
9 Don't know	44	0.27

Frequency Missing = 15302

NAC.280_00.000: Number of months took vitamin E

VITEM	Frequency	Percent
01-12 1-12 months	3476	99.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	33	0.94

Frequency Missing = 27919

NAC.290_01.000: Freq taking vitamin E: # of units

VITEDN	Frequency	Percent
01-30 1-30 days	3458	99.48
95 Other	2	0.06
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	16	0.46

Frequency Missing = 27952

NAC.290_02.000: Freq taking vitamin E: Time unit

VITEDT	Frequency	Percent
1 Days per week	94	2.70
2 Days per month	3353	96.46
3 Other	11	0.32
7 Refused	1	0.03
8 Not ascertained	1	0.03
9 Don't know	16	0.46

Frequency Missing = 27952

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

18

Tuesday, June 13, 2006

NAC.300_00.000: Take calcium during past 12 months

CALC	Frequency	Percent
1 Yes	5687	35.27
2 No	10376	64.34
7 Refused	16	0.10
8 Not ascertained	9	0.06
9 Don't know	38	0.24

Frequency Missing = 15302

NAC.310_00.000: Number of months took calcium

CALCM	Frequency	Percent
01-12 1-12 months	5658	99.49
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	29	0.51

Frequency Missing = 25741

NAC.320_01.000: Freq taking calcium: # of units

CALCDN	Frequency	Percent
01-30 1-30 days	5629	99.49
95 Other	3	0.05
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	26	0.46

Frequency Missing = 25770

NAC.320_02.000: Freq taking calcium: Time unit

CALCDT	Frequency	Percent
1 Days per week	159	2.81
2 Days per month	5456	96.43
3 Other	16	0.28
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	27	0.48

Frequency Missing = 25770

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAC Variables
Unweighted Frequencies

19

Tuesday, June 13, 2006

NAC.360_00.000: Take selenium during past 12 months

SELN	Frequency	Percent
1 Yes	497	3.08
2 No	15528	96.29
7 Refused	15	0.09
8 Not ascertained	10	0.06
9 Don't know	76	0.47

Frequency Missing = 15302

NAC.370_00.000: Number of months took selenium

SELNM	Frequency	Percent
01-12 1-12 months	492	98.99
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	1.01

Frequency Missing = 30931

NAC.380_01.000: Freq taking selenium: # of units

SELNDN	Frequency	Percent
01-30 1-30 days	491	99.80
95 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.20

Frequency Missing = 30936

NAC.380_02.000: Freq taking selenium: Time unit

SELNDT	Frequency	Percent
1 Days per week	23	4.67
2 Days per month	468	95.12
3 Other	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.20

Frequency Missing = 30936

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAC Variables
 Unweighted Frequencies

20

Tuesday, June 13, 2006

NAC.390_00.000: Take herbal supplements during past 12 months

HERBSUPP	Frequency	Percent
1 Yes	3174	10.10
2 No	26549	84.48
7 Refused	483	1.54
8 Not ascertained	1104	3.51
9 Don't know	118	0.38

NAC.435_00.000: Take medication to lower cholesterol regularly

CHOLEST	Frequency	Percent
1 Yes	4479	14.25
2 No	25290	80.47
7 Refused	441	1.40
8 Not ascertained	1109	3.53
9 Don't know	109	0.35

NAC.437_00.000: Take cholesterol medication regularly last 3 months

CHOLMTHS	Frequency	Percent
1 Yes	4220	94.22
2 No	256	5.72
7 Refused	1	0.02
8 Not ascertained	0	0.00
9 Don't know	2	0.04

Frequency Missing = 26949

NAC.440_00.000: Take pain medication regularly

PAINMEDS	Frequency	Percent
1 Yes	8503	27.06
2 No	21272	67.68
7 Refused	458	1.46
8 Not ascertained	1112	3.54
9 Don't know	83	0.26

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAC Variables
Unweighted Frequencies

21

Tuesday, June 13, 2006

NAC.442_00.000: Take pain medication regularly last 3 months

PAINMTHS	Frequency	Percent
1 Yes	6637	78.05
2 No	1859	21.86
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	6	0.07

Frequency Missing = 22925

NAC.450_01.000: Took Aspirin regularly

PAINKD1	Frequency	Percent
1 Mentioned	3009	45.34
2 Not mentioned	3599	54.23
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_02.000: Took Advil regularly

PAINKD2	Frequency	Percent
1 Mentioned	1038	15.64
2 Not mentioned	5570	83.92
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_03.000: Took Aleve regularly

PAINKD3	Frequency	Percent
1 Mentioned	693	10.44
2 Not mentioned	5915	89.12
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAC Variables
Unweighted Frequencies

22

Tuesday, June 13, 2006

NAC.450_04.000: Took Bayer regularly

PAINKD4	Frequency	Percent
1 Mentioned	270	4.07
2 Not mentioned	6338	95.49
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_05.000: Took Bufferin regularly

PAINKD5	Frequency	Percent
1 Mentioned	56	0.84
2 Not mentioned	6552	98.72
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_06.000: Took Celecoxib regularly

PAINKD6	Frequency	Percent
1 Mentioned	68	1.02
2 Not mentioned	6540	98.54
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_07.000: Took Excedrin regularly

PAINKD7	Frequency	Percent
1 Mentioned	347	5.23
2 Not mentioned	6261	94.33
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAC Variables
Unweighted Frequencies

23

Tuesday, June 13, 2006

NAC.450_08.000: Took Ibuprofen regularly

PAINKD8	Frequency	Percent
1 Mentioned	1377	20.75
2 Not mentioned	5231	78.82
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_09.000: Took Motrin regularly

PAINKD9	Frequency	Percent
1 Mentioned	404	6.09
2 Not mentioned	6204	93.48
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_10.000: Took Naprosyn (Naproxen) regularly

PAINKD10	Frequency	Percent
1 Mentioned	228	3.44
2 Not mentioned	6380	96.13
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_11.000: Took Nuprin regularly

PAINKD11	Frequency	Percent
1 Mentioned	11	0.17
2 Not mentioned	6597	99.40
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAC Variables
Unweighted Frequencies

24

Tuesday, June 13, 2006

NAC.450_12.000: Took Vioxx regularly

PAINKD12	Frequency	Percent
1 Mentioned	50	0.75
2 Not mentioned	6558	98.81
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.450_13.000: Took other pain medication regularly

PAINKD13	Frequency	Percent
1 Mentioned	692	10.43
2 Not mentioned	5916	89.14
7 Refused	4	0.06
8 Not ascertained	0	0.00
9 Don't know	25	0.38

Frequency Missing = 24791

NAC.460_00.000: Take Propecia regularly

PROPECIA	Frequency	Percent
1 Yes	165	1.20
2 No	12822	93.17
7 Refused	216	1.57
8 Not ascertained	513	3.73
9 Don't know	46	0.33

Frequency Missing = 17666

NAC.470_00.000: Take Propecia regularly past 3 months

PROPMTHS	Frequency	Percent
1 Yes	117	70.91
2 No	46	27.88
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.21

Frequency Missing = 31263

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAD Variables
 Unweighted Frequencies

25

Tuesday, June 13, 2006

NAD.010_00.000: Walk for transportation in past 7 days

AD11	Frequency	Percent
1 Yes	8700	27.68
2 No	20158	64.14
3 Unable to walk	831	2.64
7 Refused	496	1.58
8 Not ascertained	1143	3.64
9 Don't know	100	0.32

NAD.011_00.000: Number of days walking for transportation in past week

AD12	Frequency	Percent
01-07 1-7 days	8640	99.31
97 Refused	3	0.03
98 Not ascertained	0	0.00
99 Don't know	57	0.66

Frequency Missing = 22728

NAD.012_01.000: Duration of walking: # of units

AD13NO	Frequency	Percent
001-995 1-995	8493	98.30
997 Refused	1	0.01
998 Not ascertained	0	0.00
999 Don't know	146	1.69

Frequency Missing = 22788

NAD.012_02.000: Duration of walking: Time unit

AD13TP	Frequency	Percent
1 Minutes	7453	86.26
2 Hours	1037	12.00
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	149	1.72

Frequency Missing = 22788

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAD Variables
Unweighted Frequencies

26

Tuesday, June 13, 2006

NAD.013_00.000: Walk for leisure in past 7 days

AD14	Frequency	Percent
1 Yes	12164	39.76
2 No	16668	54.48
7 Refused	494	1.61
8 Not ascertained	1146	3.75
9 Don't know	125	0.41

Frequency Missing = 831

NAD.014_00.000: Number of days walking for leisure in past week

AD15	Frequency	Percent
01-07 1-7 days	12098	99.46
97 Refused	7	0.06
98 Not ascertained	0	0.00
99 Don't know	59	0.49

Frequency Missing = 19264

NAD.015_01.000: Duration of walking: # of units

AD16NO	Frequency	Percent
001-995 1-995	11981	99.03
997 Refused	3	0.02
998 Not ascertained	1	0.01
999 Don't know	113	0.93

Frequency Missing = 19330

NAD.015_02.000: Duration of walking: Time unit

AD16TP	Frequency	Percent
1 Minutes	10061	83.16
2 Hours	1920	15.87
7 Refused	3	0.02
8 Not ascertained	1	0.01
9 Don't know	113	0.93

Frequency Missing = 19330

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAD Variables
 Unweighted Frequencies

27

Tuesday, June 13, 2006

NAD.020_00.000: Daily activities, moving around

MOVE1	Frequency	Percent
1 SIT during MOST of the day	11810	37.58
2 STAND during MOST of the day	3438	10.94
3 WALK AROUND MOST of the day	13993	44.52
7 Refused	501	1.59
8 Not ascertained	1156	3.68
9 Don't know	530	1.69

NAD.030_00.000: Daily activities, lifting or carrying

LIFT	Frequency	Percent
1 NOT lift or carry things very often	8519	27.11
2 LIFT or carry LIGHT loads	10123	32.21
3 LIFT or carry MODERATE loads	8157	25.95
4 LIFT or carry HEAVY loads	2073	6.60
5 Unable to lift or carry loads	705	2.24
6 Other	28	0.09
7 Refused	488	1.55
8 Not ascertained	1162	3.70
9 Don't know	173	0.55

NAD.040_00.000: Weekday hours sitting outside of work

SITWDAY	Frequency	Percent
00 None	339	1.08
01-24 1-24 hours	27489	87.47
97 Refused	587	1.87
98 Not ascertained	1174	3.74
99 Don't know	1839	5.85

NAD.050_00.000: Weekend hours sitting outside of work

SITWEND	Frequency	Percent
00 None	494	1.57
01-24 hours	27247	86.70
97 Refused	587	1.87
98 Not ascertained	1180	3.75
99 Don't know	1920	6.11

NAD.060_00.000: MD recommends exercise/physical activity

MDEXER	Frequency	Percent
1 Yes	7340	28.07
2 No	16627	63.58
3 Did not see a doctor in the PAST 12 MONTHS	463	1.77
7 Refused	417	1.59
8 Not ascertained	1108	4.24
9 Don't know	197	0.75

Frequency Missing = 5276

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAE Variables
 Unweighted Frequencies

29

Tuesday, June 13, 2006

NAE.010_00.000: Usual cigarette menthol/non menthol 12m before quitting

MENTHOLF	Frequency	Percent
1 Menthol	1515	22.36
2 Non menthol	4434	65.46
3 No usual type	448	6.61
7 Refused	67	0.99
8 Not ascertained	198	2.92
9 Don't know	112	1.65

Frequency Missing = 24654

NAE.015_00.000: Number of cigarettes smoked daily

NUMCIG	Frequency	Percent
01-94 1-94 cigarettes	6068	89.58
95 Varied	37	0.55
96 Never smoked cigarettes regularly	185	2.73
97 Refused	71	1.05
98 Not ascertained	199	2.94
99 Don't know	214	3.16

Frequency Missing = 24654

NAE.017_00.000: Average number of cigarettes during longest period smoked

NUMCVAR	Frequency	Percent
01-94 1-94 cigarettes	31	83.78
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	6	16.22

Frequency Missing = 31391

NAE.020_01.000: Use nicotine gum to stop smoking

FE1A_1	Frequency	Percent
1 Yes	57	5.62
2 No	912	89.94
7 Refused	14	1.38
8 Not ascertained	29	2.86
9 Don't know	2	0.20

Frequency Missing = 30414

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

30

Tuesday, June 13, 2006

NAE.020_02.000: Use nicotine patch to stop smoking

FE1A_2	Frequency	Percent
1 Yes	132	13.02
2 No	836	82.45
7 Refused	14	1.38
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

NAE.020_03.000: Use nicotine spray/inhaler/lozenge/tablet to stop smoking

FE1A_3	Frequency	Percent
1 Yes	32	3.16
2 No	935	92.21
7 Refused	14	1.38
8 Not ascertained	30	2.96
9 Don't know	3	0.30

Frequency Missing = 30414

NAE.020_04.000: Use prescription pill to stop smoking

FE1A_4	Frequency	Percent
1 Yes	60	5.92
2 No	907	89.45
7 Refused	14	1.38
8 Not ascertained	30	2.96
9 Don't know	3	0.30

Frequency Missing = 30414

NAE.025_01.000: Use telephone help/quit line to stop smoking

FE1B_1	Frequency	Percent
1 Yes	9	0.89
2 No	960	94.67
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

31

Tuesday, June 13, 2006

NAE.025_02.000: Use stop smoking class/clinic/support group to stop smoking

FE1B_2	Frequency	Percent
1 Yes	21	2.07
2 No	948	93.49
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

NAE.025_03.000: Use one-on-one counseling to stop smoking

FE1B_3	Frequency	Percent
1 Yes	13	1.28
2 No	956	94.28
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

NAE.025_04.000: Use help/support from friends/family to stop smoking

FE1B_4	Frequency	Percent
1 Yes	222	21.89
2 No	747	73.67
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

NAE.025_05.000: Use Internet/Web to stop smoking

FE1B_5	Frequency	Percent
1 Yes	11	1.08
2 No	958	94.48
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAE Variables
 Unweighted Frequencies

32

Tuesday, June 13, 2006

NAE.025_06.000: Use books/pamphlets/videos to stop smoking

FE1B_6	Frequency	Percent
1 Yes	36	3.55
2 No	933	92.01
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

NAE.025_07.000: Use acupuncture/hypnosis to stop smoking

FE1B_7	Frequency	Percent
1 Yes	21	2.07
2 No	948	93.49
7 Refused	13	1.28
8 Not ascertained	30	2.96
9 Don't know	2	0.20

Frequency Missing = 30414

NAE.060_00.000: Usual cigarette brand menthol/non menthol

MENTHOL	Frequency	Percent
1 Menthol	1700	26.11
2 Non menthol	4355	66.89
3 No usual type	144	2.21
7 Refused	79	1.21
8 Not ascertained	212	3.26
9 Don't know	21	0.32

Frequency Missing = 24917

NAE.075_00.000: Stopped smoking one day or longer

CSQEV	Frequency	Percent
1 Yes	4095	62.89
2 No	2228	34.22
7 Refused	44	0.68
8 Not ascertained	132	2.03
9 Don't know	12	0.18

Frequency Missing = 24917

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

33

Tuesday, June 13, 2006

NAE.080_01.000: Use nicotine gum to try to quit smoking

CE1A_1	Frequency	Percent
1 Yes	303	11.03
2 No	2325	84.64
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	3	0.11

Frequency Missing = 28681

NAE.080_02.000: Use nicotine patch to try to quit smoking

CE1A_2	Frequency	Percent
1 Yes	483	17.58
2 No	2145	78.09
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	3	0.11

Frequency Missing = 28681

NAE.080_03.000: Use nicotine spray/inhaler/lozenge/tablet to try to quit smoking

CE1A_3	Frequency	Percent
1 Yes	129	4.70
2 No	2499	90.97
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	3	0.11

Frequency Missing = 28681

NAE.080_04.000: Use prescription pill to try to quit smoking

CE1A_4	Frequency	Percent
1 Yes	184	6.70
2 No	2444	88.97
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	3	0.11

Frequency Missing = 28681

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

34

Tuesday, June 13, 2006

NAE.085_01.000: Use telephone help/quit line to try to quit smoking

CE1B_1	Frequency	Percent
1 Yes	45	1.64
2 No	2583	94.03
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	3	0.11

Frequency Missing = 28681

NAE.085_02.000: Use stop smoking class/clinic/support group to try to quit smoking

CE1B_2	Frequency	Percent
1 Yes	57	2.07
2 No	2570	93.56
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	4	0.15

Frequency Missing = 28681

NAE.085_03.000: Use one-on-one counseling to try to quit smoking

CE1B_3	Frequency	Percent
1 Yes	53	1.93
2 No	2575	93.74
7 Refused	33	1.20
8 Not ascertained	82	2.99
9 Don't know	4	0.15

Frequency Missing = 28681

NAE.085_04.000: Use help/support from friends/family to try to quit smoking

CE1B_4	Frequency	Percent
1 Yes	680	24.75
2 No	1947	70.88
7 Refused	33	1.20
8 Not ascertained	82	2.99
9 Don't know	5	0.18

Frequency Missing = 28681

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

35

Tuesday, June 13, 2006

NAE.085_05.000: Use Internet/Web to try to quit smoking

CE1B_5	Frequency	Percent
1 Yes	74	2.69
2 No	2554	92.97
7 Refused	33	1.20
8 Not ascertained	82	2.99
9 Don't know	4	0.15

Frequency Missing = 28681

NAE.085_06.000: Use books/pamphlets/videos to try to quit smoking

CE1B_6	Frequency	Percent
1 Yes	187	6.81
2 No	2440	88.82
7 Refused	34	1.24
8 Not ascertained	82	2.99
9 Don't know	4	0.15

Frequency Missing = 28681

NAE.085_07.000: Use acupuncture/hypnosis to try to quit smoking

CE1B_7	Frequency	Percent
1 Yes	67	2.44
2 No	2561	93.23
7 Refused	33	1.20
8 Not ascertained	82	2.99
9 Don't know	4	0.15

Frequency Missing = 28681

NAE.100_00.000: Like to completely quit smoking

QWANT	Frequency	Percent
1 Yes	4170	64.05
2 No	1898	29.15
7 Refused	76	1.17
8 Not ascertained	216	3.32
9 Don't know	151	2.32

Frequency Missing = 24917

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAE Variables
 Unweighted Frequencies

36

Tuesday, June 13, 2006

NAE.130_00.000: MD asked if smoke/use tobacco

MDTOB1A	Frequency	Percent
1 Yes	9832	35.23
2 No	15615	55.95
3 Did not see a doctor in the PAST 12 MONTHS	1033	3.70
7 Refused	423	1.52
8 Not ascertained	820	2.94
9 Don't know	185	0.66

Frequency Missing = 3520

NAE.131_00.000: MD already knew if smoke/use tobacco

MDTOB1B	Frequency	Percent
1 Yes	8330	53.35
2 No	6841	43.81
3 Varies from doctor to doctor	160	1.02
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	283	1.81

Frequency Missing = 15813

NAE.135_00.000: MD advised quit smoking/use tobacco

MDTOB2	Frequency	Percent
1 Yes	3127	55.46
2 No	2390	42.39
7 Refused	84	1.49
8 Not ascertained	1	0.02
9 Don't know	36	0.64

Frequency Missing = 25790

NAE.137_01.000: MD advised quitting tobacco

HPTOB21	Frequency	Percent
1 Mentioned	2907	92.96
2 Not mentioned	214	6.84
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.19

Frequency Missing = 28301

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

37

Tuesday, June 13, 2006

NAE.137_02.000: Dentist advised quitting tobacco

HPTOB22	Frequency	Percent
1 Mentioned	484	15.48
2 Not mentioned	2637	84.33
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.19

Frequency Missing = 28301

NAE.137_03.000: Nurse advised quitting tobacco

HPTOB23	Frequency	Percent
1 Mentioned	164	5.24
2 Not mentioned	2957	94.56
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.19

Frequency Missing = 28301

NAE.137_04.000: Dental Hygienist advised quitting tobacco

HPTOB24	Frequency	Percent
1 Mentioned	83	2.65
2 Not mentioned	3038	97.15
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.19

Frequency Missing = 28301

NAE.137_05.000: Other health prof advised quitting tobacco

HPTOB25	Frequency	Percent
1 Mentioned	106	3.39
2 Not mentioned	3015	96.42
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.19

Frequency Missing = 28301

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAE Variables
 Unweighted Frequencies

38

Tuesday, June 13, 2006

NAE.140_00.000: Ever smoked a pipe

PIPEEV	Frequency	Percent
1 Yes	3937	12.53
2 No	25782	82.04
7 Refused	413	1.31
8 Not ascertained	1205	3.83
9 Don't know	91	0.29

NAE.142_00.000: Smoked a pipe at least 50 times

PIPEEV50	Frequency	Percent
1 Yes	1263	32.08
2 No	2655	67.44
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	19	0.48

Frequency Missing = 27491

NAE.144_00.000: Pipe freq: Every day/Some days/Not at all

PIPECUR	Frequency	Percent
1 Every day	59	1.50
2 Some days	138	3.51
3 Not at all	3739	94.97
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.03

Frequency Missing = 27491

NAE.146_00.000: Ever smoked cigar

CIGEV1	Frequency	Percent
1 Yes	7844	24.96
2 No	21891	69.65
7 Refused	405	1.29
8 Not ascertained	1205	3.83
9 Don't know	83	0.26

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAE Variables
 Unweighted Frequencies

39

Tuesday, June 13, 2006

NAE.148_00.000: Smoked at least 50 cigars

CIGEV50	Frequency	Percent
1 Yes	1922	24.50
2 No	5897	75.18
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	24	0.31

Frequency Missing = 23584

NAE.150_00.000: Cigar freq: Every day/Some days/Not at all

CIGCUR	Frequency	Percent
1 Every day	146	1.86
2 Some days	784	9.99
3 Not at all	6911	88.11
7 Refused	2	0.03
8 Not ascertained	0	0.00
9 Don't know	1	0.01

Frequency Missing = 23584

NAE.152_00.000: Times smoked cigar in past 30 days

CIG30D	Frequency	Percent
00 None	308	39.14
01-30 1-30 days	466	59.21
97 Refused	2	0.25
98 Not ascertained	0	0.00
99 Don't know	11	1.40

Frequency Missing = 30641

NAE.154_00.000: Ever used snuff

SNUFFEV	Frequency	Percent
1 Yes	1941	6.18
2 No	27794	88.44
7 Refused	403	1.28
8 Not ascertained	1207	3.84
9 Don't know	83	0.26

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

40

Tuesday, June 13, 2006

NAE.156_00.000: Used snuff at least 20 times

SNUFEV20	Frequency	Percent
1 Yes	1040	53.58
2 No	898	46.26
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.15

Frequency Missing = 29487

NAE.158_00.000: Snuff freq: Every day/Some days/Not at all

SNUFFCUR	Frequency	Percent
1 Every day	236	12.16
2 Some days	140	7.21
3 Not at all	1565	80.63
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 29487

NAE.160_00.000: Ever used chewing tobacco

CHEWEV	Frequency	Percent
1 Yes	2234	7.11
2 No	27501	87.50
7 Refused	402	1.28
8 Not ascertained	1207	3.84
9 Don't know	84	0.27

NAE.162_00.000: Used chewing tobacco at least 20 times

CHEWEV20	Frequency	Percent
1 Yes	1153	51.61
2 No	1081	48.39
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 29194

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

41

Tuesday, June 13, 2006

NAE.164_00.000: Chew freq: Every day/Some days/Not at all

CHEWCUR	Frequency	Percent
1 Every day	131	5.86
2 Some days	142	6.36
3 Not at all	1961	87.78
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 29194

NAE.166_00.000: Ever smoked bidi

BIDISEV	Frequency	Percent
1 Yes	621	1.98
2 No	29101	92.60
7 Refused	400	1.27
8 Not ascertained	1209	3.85
9 Don't know	97	0.31

NAE.168_00.000: Smoked bidis at least 20 times

BIDIEV20	Frequency	Percent
1 Yes	195	31.40
2 No	426	68.60
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 30807

NAE.170_00.000: Bidi freq: Every day/Some days/Not at all

BIDISCUR	Frequency	Percent
1 Every day	2	0.32
2 Some days	22	3.54
3 Not at all	597	96.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 30807

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAE Variables
 Unweighted Frequencies

42

Tuesday, June 13, 2006

NAE.173_00.000: Residents smoke inside home

LIVINTRO	Frequency	Percent
1 Yes	4102	13.05
2 No	25657	81.64
7 Refused	389	1.24
8 Not ascertained	1212	3.86
9 Don't know	68	0.22

NAE.174_00.000: Number of residents smoking inside home

LIVSMOKE	Frequency	Percent
00 None	116	2.83
01-95 persons	3969	96.76
96 96+	0	0.00
97 Refused	1	0.02
98 Not ascertained	2	0.05
99 Don't know	14	0.34

Frequency Missing = 27326

NAE.176_00.000: Number of days residents smoke inside home

LVDYSMOK	Frequency	Percent
00 Less than one day per week/rarely/none	103	2.60
01-07 days	3833	96.57
97 Refused	3	0.08
98 Not ascertained	0	0.00
99 Don't know	30	0.76

Frequency Missing = 27459

NAE.190_00.000: Had live birth in past 5 years

LIVEBTH	Frequency	Percent
1 Yes	2586	26.13
2 No	6827	68.98
7 Refused	106	1.07
8 Not ascertained	367	3.71
9 Don't know	11	0.11

Frequency Missing = 21531

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

43

Tuesday, June 13, 2006

NAE.200_00.000: Smoking when became pregnant

SMKPREG	Frequency	Percent
1 Yes	368	47.06
2 No	409	52.30
7 Refused	4	0.51
8 Not ascertained	0	0.00
9 Don't know	1	0.13

Frequency Missing = 30646

NAE.210_00.000: Smoke any time during pregnancy

SMKLST	Frequency	Percent
1 Yes	251	32.10
2 No	526	67.26
7 Refused	4	0.51
8 Not ascertained	0	0.00
9 Don't know	1	0.13

Frequency Missing = 30646

NAE.220_00.000: Quit smoking a week+ during pregnancy

QUTWK	Frequency	Percent
1 Yes	113	45.02
2 No	135	53.78
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.20

Frequency Missing = 31177

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAE Variables
Unweighted Frequencies

44

Tuesday, June 13, 2006

NAE.230_00.000: Month of pregnancy quit smoking

MTHQUIT	Frequency	Percent
01 First	14	12.39
02 Second	26	23.01
03 Third	22	19.47
04 Fourth	14	12.39
05 Fifth	5	4.42
06 Sixth	11	9.73
07 Seventh	4	3.54
08 Eighth	2	1.77
09 Ninth	5	4.42
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	10	8.85

Frequency Missing = 31315

NAE.240_00.000: Start smoking again during pregnancy

STSMOK	Frequency	Percent
1 Stayed off rest of pregnancy	48	42.48
2 Started again	58	51.33
3 Never started again	6	5.31
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.88

Frequency Missing = 31315

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

45

Tuesday, June 13, 2006

NAF.010_00.000: In sun 1 hr, effect on skin

SUN1HR	Frequency	Percent
01 Get a severe sunburn with blisters	2108	6.71
02 Have a moderate sunburn with peeling	6019	19.15
03 Burn mildly with some or no darkening/tanning	6557	20.86
04 Turn darker without sunburn	7622	24.25
05 Nothing would happen to my skin	4084	12.99
06 Do not go out in the sun	2565	8.16
07 Other	206	0.66
97 Refused	629	2.00
98 Not ascertained	1293	4.11
99 Don't know	345	1.10

NAF.015_00.000: In sun a long time, effect on skin

SUNTAN	Frequency	Percent
01 Very dark or deeply tanned	3963	12.61
02 Dark/Moderately tanned	8951	28.48
03 A little dark/mildly tanned	7855	24.99
04 Freckled but still light skinned	1257	4.00
05 Burned repeatedly with little or no darkening or tanning---still light skinned	3211	10.22
06 Don't go out in the sun	3178	10.11
07 Other	594	1.89
97 Refused	639	2.03
98 Not ascertained	1306	4.16
99 Don't know	474	1.51

NAF.020_00.000: Stay in shade on warm sunny day

SUN1_SHA	Frequency	Percent
1 Always	2879	9.16
2 Most of the time	6803	21.65
3 Sometimes	9675	30.78
4 Rarely	4300	13.68
5 Never	3535	11.25
6 Don't go out in the sun	2009	6.39
7 Refused	652	2.07
8 Not ascertained	1315	4.18
9 Don't know	260	0.83

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

46

Tuesday, June 13, 2006

NAF.022_00.000: Wear baseball cap/visor on warm sunny day

SUN1_CAP	Frequency	Percent
1 Always	4462	14.20
2 Most of the time	3685	11.73
3 Sometimes	5140	16.35
4 Rarely	3044	9.69
5 Never	10924	34.76
6 Don't go out in the sun	2014	6.41
7 Refused	653	2.08
8 Not ascertained	1317	4.19
9 Don't know	189	0.60

NAF.023_00.000: Wear wide-brimmed hat on warm sunny day

SUN1_HAT	Frequency	Percent
1 Always	1830	5.82
2 Most of the time	1818	5.78
3 Sometimes	3662	11.65
4 Rarely	3331	10.60
5 Never	16559	52.69
6 Don't go out in the sun	2057	6.55
7 Refused	656	2.09
8 Not ascertained	1319	4.20
9 Don't know	196	0.62

NAF.024_00.000: Wear long sleeved shirt on warm sunny day

SUN2_LGS	Frequency	Percent
1 Always	1400	4.45
2 Most of the time	1721	5.48
3 Sometimes	4645	14.78
4 Rarely	4277	13.61
5 Never	15160	48.24
6 Don't go out in the sun	2052	6.53
7 Refused	655	2.08
8 Not ascertained	1320	4.20
9 Don't know	198	0.63

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

47

Tuesday, June 13, 2006

NAF.025_00.000: Wear long clothing to ankles on warm sunny day

SUN2_LGP	Frequency	Percent
1 Always	4587	14.60
2 Most of the time	3869	12.31
3 Sometimes	5668	18.03
4 Rarely	3248	10.33
5 Never	9836	31.30
6 Don't go out in the sun	2045	6.51
7 Refused	655	2.08
8 Not ascertained	1320	4.20
9 Don't know	200	0.64

NAF.026_00.000: Use sunscreen on warm sunny day

SUN2_SCR	Frequency	Percent
1 Always	4377	13.93
2 Most of the time	3477	11.06
3 Sometimes	5033	16.01
4 Rarely	2696	8.58
5 Never	11763	37.43
6 Don't go out in the sun	1962	6.24
7 Refused	626	1.99
8 Not ascertained	1322	4.21
9 Don't know	172	0.55

NAF.027_00.000: SPF of sunscreen used most often

SPF	Frequency	Percent
01-50 1-50	14106	90.52
96 More than one, different ones, other	84	0.54
97 Refused	8	0.05
98 Not ascertained	1	0.01
99 Don't know	1384	8.88

Frequency Missing = 15845

NAF.028_00.000: SPF number of usual sunscreen

SPFSCALE	Frequency	Percent
1-14	256	17.34
2 15-50	564	38.21
7 Refused	6	0.41
8 Not ascertained	1	0.07
9 Don't know	649	43.97

Frequency Missing = 29952

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

48

Tuesday, June 13, 2006

NAF.030_00.000: Number of times sunburned in past year

NBURN	Frequency	Percent
000 None	20300	64.59
001-365 1-365 times	8950	28.48
997 Refused	583	1.86
998 Not ascertained	1331	4.24
999 Don't know	264	0.84

NAF.033_00.000: Number of times used tanning device in past year

SNNUM	Frequency	Percent
000 None	25523	81.21
001-365 1-365 times	3871	12.32
997 Refused	569	1.81
998 Not ascertained	1332	4.24
999 Don't know	133	0.42

NAF.040_00.000: Ever had skin cancer exam

SKNX	Frequency	Percent
1 Yes	5107	16.25
2 No	24196	76.99
7 Refused	524	1.67
8 Not ascertained	1346	4.28
9 Don't know	255	0.81

NAF.050_01.000: Month of most recent skin exam

RSKX1_MT	Frequency	Percent
01 January	272	5.33
02 February	258	5.05
03 March	266	5.21
04 April	251	4.91
05 May	250	4.90
06 June	359	7.03
07 July	254	4.97
08 August	197	3.86
09 September	239	4.68
10 October	250	4.90
11 November	199	3.90
12 December	135	2.64
96 Time period format	994	19.46
97 Refused	18	0.35
98 Not ascertained	0	0.00
99 Don't know	1165	22.81

Frequency Missing = 26321

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

49

Tuesday, June 13, 2006

NAF.050_02.000: Year of most recent skin exam

RSKX1_YR	Frequency	Percent
1880-2006	3907	76.50
9996 Time period format	994	19.46
9997 Refused	20	0.39
9998 Not ascertained	0	0.00
9999 Don't know	186	3.64

Frequency Missing = 26321

NAF.055_01.000: Time ago date of skin exam: # of units

RSKX1N	Frequency	Percent
01-94	944	94.97
95 95+	2	0.20
97 Refused	1	0.10
98 Not ascertained	0	0.00
99 Don't know	47	4.73

Frequency Missing = 30434

NAF.055_02.000: Time ago date of skin exam: Time unit

RSKX1T	Frequency	Percent
1 Days ago	3	0.30
2 Weeks ago	8	0.80
3 Months ago	116	11.67
4 Years ago	819	82.39
7 Refused	1	0.10
8 Not ascertained	0	0.00
9 Don't know	47	4.73

Frequency Missing = 30434

NAF.060_00.000: Most recent skin exam, time categories

RSKX2	Frequency	Percent
1 A year ago or less	265	12.93
2 More than 1 year but not more than 2 years	351	17.12
3 More than 2 years but not more than 3 years	407	19.85
4 More than 3 years but not more than 5 years	392	19.12
5 Over 5 years ago	595	29.02
7 Refused	5	0.24
8 Not ascertained	0	0.00
9 Don't know	35	1.71

Frequency Missing = 29378

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

50

Tuesday, June 13, 2006

NAF.070_00.000: Reason for most recent skin exam

SKINREAS	Frequency	Percent
1 Part of a routine exam	3327	65.15
2 Because of a problem	1495	29.27
3 Other reason	266	5.21
7 Refused	5	0.10
8 Not ascertained	4	0.08
9 Don't know	10	0.20

Frequency Missing = 26321

NAF.080_00.000: Age at first menstrual cycle

MENSTAGE	Frequency	Percent
00 Haven't started	35	0.20
06-60 6-60 years	15359	86.94
97 Refused	647	3.66
98 Not ascertained	768	4.35
99 Don't know	857	4.85

Frequency Missing = 13762

NAF.090_01.000: Ever used oral contraception

BCONTRL1	Frequency	Percent
1 Mentioned	9024	51.08
2 Not mentioned	6861	38.84
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

NAF.090_02.000: Ever used patch

BCONTRL2	Frequency	Percent
1 Mentioned	604	3.42
2 Not mentioned	15281	86.50
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAF Variables
Unweighted Frequencies

51

Tuesday, June 13, 2006

NAF.090_03.000: Ever used ring

BCONTRL3	Frequency	Percent
1 Mentioned	265	1.50
2 Not mentioned	15620	88.42
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

NAF.090_04.000: Ever used injection

BCONTRL4	Frequency	Percent
1 Mentioned	989	5.60
2 Not mentioned	14896	84.32
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

NAF.090_05.000: Ever used IUD

BCONTRL5	Frequency	Percent
1 Mentioned	1310	7.42
2 Not mentioned	14575	82.50
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

NAF.090_06.000: Ever used implant

BCONTRL6	Frequency	Percent
1 Mentioned	134	0.76
2 Not mentioned	15751	89.16
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

52

Tuesday, June 13, 2006

NAF.090_07.000: Used none of these birth control methods

BCONTRL0	Frequency	Percent
1 Mentioned	5874	33.25
2 Not mentioned	10011	56.67
7 Refused	766	4.34
8 Not ascertained	773	4.38
9 Don't know	242	1.37

Frequency Missing = 13762

NAF.100_01.000: Length used birth control: # of units

BCNO	Frequency	Percent
01-94	9627	96.16
95 95+	4	0.04
97 Refused	27	0.27
98 Not ascertained	0	0.00
99 Don't know	353	3.53

Frequency Missing = 21417

NAF.100_02.000: Length used birth control: Time unit

BCTP	Frequency	Percent
1 Weeks	72	0.72
2 Months	999	9.98
3 Years	8560	85.51
7 Refused	27	0.27
8 Not ascertained	0	0.00
9 Don't know	353	3.53

Frequency Missing = 21417

NAF.110_00.000: Ever gave birth to live born infant

BIRTHEV	Frequency	Percent
1 Yes	12425	70.33
2 No	4106	23.24
7 Refused	337	1.91
8 Not ascertained	755	4.27
9 Don't know	43	0.24

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

53

Tuesday, June 13, 2006

NAF.111_00.000: Total number of births

BIRTHNUM	Frequency	Percent
01-25 1-25 births	12316	99.12
97 Refused	67	0.54
98 Not ascertained	27	0.22
99 Don't know	15	0.12

Frequency Missing = 19003

NAF.120_00.000: Age at first child born

BIRTHAGE	Frequency	Percent
06-60 6-60 years	12108	97.45
97 Refused	186	1.50
98 Not ascertained	30	0.24
99 Don't know	101	0.81

Frequency Missing = 19003

NAF.121_00.000: Year first child born

BIRTHAG2	Frequency	Percent
1890-2006	18	17.82
9997 Refused	4	3.96
9998 Not ascertained	2	1.98
9999 Don't know	77	76.24

Frequency Missing = 31327

NAF.130_00.000: Ever had Pap smear test

PAPHAD	Frequency	Percent
1 Yes	15317	86.70
2 No	986	5.58
7 Refused	419	2.37
8 Not ascertained	791	4.48
9 Don't know	153	0.87

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

54

Tuesday, June 13, 2006

NAF.140_00.000: Number of Pap smears, last 6 years

PAP6YR	Frequency	Percent
00 None	1548	10.11
01-94 1-94 times	13259	86.56
95 95+ times	1	0.01
97 Refused	76	0.50
98 Not ascertained	2	0.01
99 Don't know	431	2.81

Frequency Missing = 16111

NAF.150_01.000: Month of most recent Pap smear test

RPAP1_MT	Frequency	Percent
01 January	1079	7.04
02 February	907	5.92
03 March	928	6.06
04 April	790	5.16
05 May	772	5.04
06 June	846	5.52
07 July	786	5.13
08 August	833	5.44
09 September	777	5.07
10 October	930	6.07
11 November	754	4.92
12 December	623	4.07
96 Time period format	2045	13.35
97 Refused	171	1.12
98 Not ascertained	8	0.05
99 Don't know	3068	20.03

Frequency Missing = 16111

NAF.150_02.000: Year of most recent Pap smear test

RPAP1_YR	Frequency	Percent
1880-2006	12066	78.78
9996 Time period format	2045	13.35
9997 Refused	177	1.16
9998 Not ascertained	9	0.06
9999 Don't know	1020	6.66

Frequency Missing = 16111

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

55

Tuesday, June 13, 2006

NAF.160_01.000: Time ago date of Pap smear exam: # of units

RPAP1N	Frequency	Percent
01-94 1-94	1897	92.76
95 95+	6	0.29
97 Refused	1	0.05
98 Not ascertained	0	0.00
99 Don't know	141	6.89

Frequency Missing = 29383

NAF.160_02.000: Time ago date of Pap smear: Time unit

RPAP1T	Frequency	Percent
1 Days ago	2	0.10
2 Weeks ago	9	0.44
3 Months ago	227	11.10
4 Years ago	1664	81.37
7 Refused	1	0.05
8 Not ascertained	0	0.00
9 Don't know	142	6.94

Frequency Missing = 29383

NAF.165_00.000: Most recent Pap smear, time categories

RPAP2CA	Frequency	Percent
1 A year ago or less	811	16.03
2 More than 1 year but not more than 2 years	888	17.55
3 More than 2 years but not more than 3 years	869	17.17
4 More than 3 years but not more than 5 years	579	11.44
5 Over 5 years ago	1647	32.55
7 Refused	80	1.58
8 Not ascertained	9	0.18
9 Don't know	177	3.50

Frequency Missing = 26368

NAF.170_00.000: Reason for most recent Pap smear

PAPREAS	Frequency	Percent
1 Part of a routine exam	14332	93.57
2 Because of a problem	699	4.56
3 Other reason	194	1.27
7 Refused	39	0.25
8 Not ascertained	10	0.07
9 Don't know	43	0.28

Frequency Missing = 16111

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAF Variables
Unweighted Frequencies

56

Tuesday, June 13, 2006

NAF.180_00.000: Ever had abnormal Pap smear results

PAPABN	Frequency	Percent
1 Yes	3070	20.04
2 No	12095	78.96
7 Refused	56	0.37
8 Not ascertained	14	0.09
9 Don't know	82	0.54

Frequency Missing = 16111

NAF.190_00.000: Abnormal Pap, additional tests

PAPADDE	Frequency	Percent
1 Yes	2842	92.57
2 No	222	7.23
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.20

Frequency Missing = 28358

NAF.200_00.000: Abnormal Pap, treatment or surgery

PAPTRT	Frequency	Percent
1 Yes	1583	51.56
2 No	1475	48.05
7 Refused	1	0.03
8 Not ascertained	0	0.00
9 Don't know	11	0.36

Frequency Missing = 28358

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

57

Tuesday, June 13, 2006

NAF.210_00.000: Reason why no Pap smear

PAPNOT	Frequency	Percent
01 No reason/Never thought about it	1367	36.61
02 Didn't need/Didn't know I needed this type of test	306	8.19
03 Doctor didn't order it/didn't say I needed it	431	11.54
04 Haven't had any problems	298	7.98
05 Put it off/Didn't get around to it	173	4.63
06 Too expensive/No insurance/Cost	295	7.90
07 Too painful, unpleasant, or embarrassing	74	1.98
08 Had hysterectomy	537	14.38
09 Don't have doctor	84	2.25
10 Other	142	3.80
97 Refused	6	0.16
98 Not ascertained	6	0.16
99 Don't know	15	0.40

Frequency Missing = 27694

NAF.215_00.000: MD recommended Pap smear in the last year

MDRECPAP	Frequency	Percent
1 Yes	8281	51.62
2 No	6289	39.20
3 Did not see a doctor in the PAST 12 MONTHS	498	3.10
7 Refused	57	0.36
8 Not ascertained	841	5.24
9 Don't know	76	0.47

Frequency Missing = 15386

NAF.220_00.000: Ever had a hysterectomy

HYST	Frequency	Percent
1 Yes	3215	18.20
2 No	13093	74.11
7 Refused	449	2.54
8 Not ascertained	808	4.57
9 Don't know	101	0.57

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

58

Tuesday, June 13, 2006

NAF.221_01.000: Month of hysterectomy

RHYS1_MT	Frequency	Percent
01 January	153	4.76
02 February	133	4.14
03 March	118	3.67
04 April	116	3.61
05 May	106	3.30
06 June	160	4.98
07 July	98	3.05
08 August	86	2.67
09 September	102	3.17
10 October	102	3.17
11 November	95	2.95
12 December	72	2.24
96 Time period format	834	25.94
97 Refused	25	0.78
98 Not ascertained	0	0.00
99 Don't know	1015	31.57

Frequency Missing = 28213

NAF.221_02.000: Year of hysterectomy

RHYS1_YR	Frequency	Percent
1880-2006	2220	69.05
9996 Time period format	834	25.94
9997 Refused	25	0.78
9998 Not ascertained	0	0.00
9999 Don't know	136	4.23

Frequency Missing = 28213

NAF.222_01.000: Time ago date of hysterectomy: # of units

RHYS1N	Frequency	Percent
01-94 1-94	801	96.04
95 95+	0	0.00
97 Refused	1	0.12
98 Not ascertained	0	0.00
99 Don't know	32	3.84

Frequency Missing = 30594

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

59

Tuesday, June 13, 2006

NAF.222_02.000: Time ago date of hysterectomy: Time unit

RHYS1T	Frequency	Percent
1 Days ago	0	0.00
2 Weeks ago	0	0.00
3 Months ago	5	0.60
4 Years ago	796	95.44
7 Refused	1	0.12
8 Not ascertained	0	0.00
9 Don't know	32	3.84

Frequency Missing = 30594

NAF.225_00.000: Date of hysterectomy, time categories

RHYS2	Frequency	Percent
1 A year ago or less	1	0.05
2 More than 1 year but not more than 2 years	9	0.48
3 More than 2 years but not more than 3 years	31	1.65
4 More than 3 years but not more than 5 years	68	3.62
5 Over 5 years ago	1755	93.50
7 Refused	6	0.32
8 Not ascertained	0	0.00
9 Don't know	7	0.37

Frequency Missing = 29551

NAF.230_00.000: Ever had mammogram

MAMHAD	Frequency	Percent
1 Yes	9632	66.74
2 No	3621	25.09
7 Refused	386	2.67
8 Not ascertained	685	4.75
9 Don't know	108	0.75

Frequency Missing = 16996

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

60

Tuesday, June 13, 2006

NAF.240_00.000: Age at first mammogram, age categories

MAMAGE	Frequency	Percent
1 Under 30 years	771	8.00
2 30-39	3052	31.69
3 40-49	3635	37.74
4 50-59	1178	12.23
5 60 years or older	509	5.28
7 Refused	21	0.22
8 Not ascertained	0	0.00
9 Don't know	466	4.84

Frequency Missing = 21796

NAF.250_00.000: Number of mammograms, last 6 years

MAM6YR	Frequency	Percent
00 None	704	7.31
01-94 1-94	8667	89.98
95 95+	2	0.02
97 Refused	24	0.25
98 Not ascertained	1	0.01
99 Don't know	234	2.43

Frequency Missing = 21796

NAF.260_01.000: Month of most recent mammogram

RMAM1_MT	Frequency	Percent
01 January	712	7.39
02 February	584	6.06
03 March	563	5.85
04 April	518	5.38
05 May	455	4.72
06 June	562	5.83
07 July	472	4.90
08 August	490	5.09
09 September	461	4.79
10 October	673	6.99
11 November	492	5.11
12 December	371	3.85
96 Time period format	1267	13.15
97 Refused	58	0.60
98 Not ascertained	1	0.01
99 Don't know	1953	20.28

Frequency Missing = 21796

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

61

Tuesday, June 13, 2006

NAF.260_02.000: Year of most recent mammogram

RMAM1_YR	Frequency	Percent
1880-2006	7747	80.43
9996 Time period format	1267	13.15
9997 Refused	60	0.62
9998 Not ascertained	1	0.01
9999 Don't know	557	5.78

Frequency Missing = 21796

NAF.270_01.000: Time ago date of mammogram: # of units

RMAM1N	Frequency	Percent
01-94 1-94	1189	93.84
95 95+	1	0.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	77	6.08

Frequency Missing = 30161

NAF.270_02.000: Time ago date of mammogram: Time unit

RMAM1T	Frequency	Percent
1 Days ago	2	0.16
2 Weeks ago	4	0.32
3 Months ago	108	8.52
4 Years ago	1076	84.93
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	77	6.08

Frequency Missing = 30161

NAF.275_00.000: Most recent mammogram, time categories

RMAM2CA	Frequency	Percent
1 A year ago or less	535	16.89
2 More than 1 year but not more than 2 years	622	19.64
3 More than 2 years but not more than 3 years	601	18.98
4 More than 3 years but not more than 5 years	447	14.11
5 Over 5 years ago	832	26.27
7 Refused	24	0.76
8 Not ascertained	1	0.03
9 Don't know	105	3.32

Frequency Missing = 28261

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

62

Tuesday, June 13, 2006

NAF.310_00.000: Reason for most recent mammogram

MAMREAS	Frequency	Percent
1 Part of a routine exam	8750	90.84
2 Because of a problem	703	7.30
3 Other reason	136	1.41
7 Refused	12	0.12
8 Not ascertained	2	0.02
9 Don't know	29	0.30

Frequency Missing = 21796

NAF.320_00.000: Ever had abnormal mammogram results

MAMABN	Frequency	Percent
1 Yes	2636	27.37
2 No	6919	71.83
7 Refused	22	0.23
8 Not ascertained	5	0.05
9 Don't know	50	0.52

Frequency Missing = 21796

NAF.340_00.000: Additional tests indicated cancer

MAMCAN	Frequency	Percent
1 Yes	394	14.95
2 No	2236	84.83
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.23

Frequency Missing = 28792

NAF.350_00.000: Had non-cancerous breast lump removed

LUMPEV	Frequency	Percent
1 Yes	1198	12.44
2 No	8267	85.83
3 Lump removed was cancerous	110	1.14
7 Refused	19	0.20
8 Not ascertained	5	0.05
9 Don't know	33	0.34

Frequency Missing = 21796

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

63

Tuesday, June 13, 2006

NAF.351_00.000: Total number of lumpectomies

LUMPNUM	Frequency	Percent
01-20 1-20 Operations	1192	99.50
97 Refused	3	0.25
98 Not ascertained	0	0.00
99 Don't know	3	0.25

Frequency Missing = 30230

NAF.360_00.000: Reason why no mammogram

MAMNOT	Frequency	Percent
01 No reason/never thought about it	2328	38.47
02 Didn't need it/didn't know I needed this type of test	474	7.83
03 Doctor didn't order it/didn't say I needed it	1011	16.71
04 Haven't had any problems	450	7.44
05 Put it off/Didn't get around to it	393	6.49
06 Too expensive/no insurance/cost	422	6.97
07 Too painful, unpleasant or embarrassing	161	2.66
08 I'm too young	497	8.21
09 Don't have doctor	63	1.04
10 Other	219	3.62
97 Refused	8	0.13
98 Not ascertained	3	0.05
99 Don't know	22	0.36

Frequency Missing = 25377

NAF.370_00.000: MD recommended mammogram in past year

MDRECMAM	Frequency	Percent
1 Yes	6140	47.73
2 No	5450	42.37
3 Did not see a doctor in the PAST 12 MONTHS	483	3.75
7 Refused	19	0.15
8 Not ascertained	717	5.57
9 Don't know	55	0.43

Frequency Missing = 18564

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAF Variables
Unweighted Frequencies

64

Tuesday, June 13, 2006

NAF.380_01.000: Currently taking HRT

MEDHRT	Frequency	Percent
1 Yes	1097	7.60
2 No	12137	84.10
7 Refused	193	1.34
8 Not ascertained	935	6.48
9 Don't know	70	0.49

Frequency Missing = 16996

NAF.380_02.000: Currently taking tamoxifen

MEDTAMX	Frequency	Percent
1 Yes	72	0.50
2 No	13158	91.17
7 Refused	193	1.34
8 Not ascertained	936	6.49
9 Don't know	73	0.51

Frequency Missing = 16996

NAF.380_03.000: Currently taking raloxifene

MEDRALX	Frequency	Percent
1 Yes	93	0.64
2 No	13137	91.03
7 Refused	192	1.33
8 Not ascertained	936	6.49
9 Don't know	74	0.51

Frequency Missing = 16996

NAF.380_04.000: Currently taking birth control

MEDBC	Frequency	Percent
1 Yes	1788	10.12
2 No	14539	82.30
7 Refused	454	2.57
8 Not ascertained	801	4.53
9 Don't know	84	0.48

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

65

Tuesday, June 13, 2006

NAF.385_00.000: Main reason taking tamoxifen

TAMMAIN	Frequency	Percent
1 As part of my treatment for breast cancer	55	76.39
2 To reduce the chance I may develop breast cancer	12	16.67
3 Other	4	5.56
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	1.39

Frequency Missing = 31356

NAF.390_00.000: Ever had a breast exam

CBEHAD	Frequency	Percent
1 Yes	10612	73.53
2 No	2620	18.15
7 Refused	375	2.60
8 Not ascertained	698	4.84
9 Don't know	127	0.88

Frequency Missing = 16996

NAF.400_01.000: Month of most recent breast exam

RCBE1_MT	Frequency	Percent
01 January	773	7.28
02 February	665	6.27
03 March	667	6.29
04 April	633	5.96
05 May	560	5.28
06 June	651	6.13
07 July	556	5.24
08 August	611	5.76
09 September	548	5.16
10 October	754	7.11
11 November	566	5.33
12 December	434	4.09
96 Time period format	1282	12.08
97 Refused	68	0.64
98 Not ascertained	1	0.01
99 Don't know	1843	17.37

Frequency Missing = 20816

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

66

Tuesday, June 13, 2006

NAF.400_02.000: Year of most recent breast exam

RCBE1_YR	Frequency	Percent
1880-2006	8654	81.55
9996 Time period format	1282	12.08
9997 Refused	69	0.65
9998 Not ascertained	1	0.01
9999 Don't know	606	5.71

Frequency Missing = 20816

NAF.410_01.000: Time ago date of breast exam: # of units

RCBE1N	Frequency	Percent
01-94 1-94	1199	93.53
95 95+	2	0.16
97 Refused	2	0.16
98 Not ascertained	0	0.00
99 Don't know	79	6.16

Frequency Missing = 30146

NAF.410_02.000: Time ago date of breast exam: Time unit

RCBE1T	Frequency	Percent
1 Days ago	2	0.16
2 Weeks ago	10	0.78
3 Months ago	165	12.87
4 Years ago	1024	79.88
7 Refused	2	0.16
8 Not ascertained	0	0.00
9 Don't know	79	6.16

Frequency Missing = 30146

NAF.415_00.000: Most recent breast exam, time categories

RCBE2	Frequency	Percent
1 A year ago or less	610	20.21
2 More than 1 year but not more than 2 years	592	19.61
3 More than 2 years but not more than 3 years	521	17.26
4 More than 3 years but not more than 5 years	375	12.42
5 Over 5 years ago	748	24.78
7 Refused	25	0.83
8 Not ascertained	1	0.03
9 Don't know	147	4.87

Frequency Missing = 28409

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

67

Tuesday, June 13, 2006

NAF.430_00.000: Ever had PSA test

PSAHAD	Frequency	Percent
1 Yes	3941	46.42
2 No	3708	43.67
7 Refused	180	2.12
8 Not ascertained	365	4.30
9 Don't know	296	3.49

Frequency Missing = 22938

NAF.440_00.000: Age category at first PSA test

PSAAGE1	Frequency	Percent
01 Under 40 years	293	7.43
02 40-44	645	16.37
03 45-49	640	16.24
04 50-54	846	21.47
05 55-59	484	12.28
06 60-64	392	9.95
07 65-69	210	5.33
08 70 years and older	253	6.42
97 Refused	9	0.23
98 Not ascertained	0	0.00
99 Don't know	169	4.29

Frequency Missing = 27487

NAF.450_00.000: Number of PSA tests, last 5 years

PSA5YR	Frequency	Percent
00 None	242	6.14
01-94 1-94 times	3544	89.93
95 95+	0	0.00
97 Refused	8	0.20
98 Not ascertained	0	0.00
99 Don't know	147	3.73

Frequency Missing = 27487

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

68

Tuesday, June 13, 2006

NAF.460_01.000: Month of most recent PSA test

RPSA1_MT	Frequency	Percent
01 January	295	7.49
02 February	200	5.07
03 March	232	5.89
04 April	211	5.35
05 May	180	4.57
06 June	247	6.27
07 July	181	4.59
08 August	177	4.49
09 September	198	5.02
10 October	223	5.66
11 November	212	5.38
12 December	153	3.88
96 Time period format	532	13.50
97 Refused	26	0.66
98 Not ascertained	1	0.03
99 Don't know	873	22.15

Frequency Missing = 27487

NAF.460_02.000: Year of most recent PSA test

RPSA1_YR	Frequency	Percent
1880-2006	3152	79.98
9996 Time period format	532	13.50
9997 Refused	26	0.66
9998 Not ascertained	1	0.03
9999 Don't know	230	5.84

Frequency Missing = 27487

NAF.470_01.000: Time ago date of PSA test: # of units

RPSA1N	Frequency	Percent
01-94 1-94	504	94.74
95 95+	3	0.56
97 Refused	1	0.19
98 Not ascertained	0	0.00
99 Don't know	24	4.51

Frequency Missing = 30896

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

69

Tuesday, June 13, 2006

NAF.470_02.000: Time ago date of PSA test: Time unit

RPSA1T	Frequency	Percent
1 Days ago	2	0.38
2 Weeks ago	2	0.38
3 Months ago	67	12.59
4 Years ago	436	81.95
7 Refused	1	0.19
8 Not ascertained	0	0.00
9 Don't know	24	4.51

Frequency Missing = 30896

NAF.475_00.000: Most recent PSA test, time categories

RPSA2	Frequency	Percent
1 A year ago or less	304	22.34
2 More than 1 year but not more than 2 years	272	19.99
3 More than 2 years but not more than 3 years	262	19.25
4 More than 3 years but not more than 5 years	200	14.70
5 Over 5 years ago	233	17.12
7 Refused	12	0.88
8 Not ascertained	2	0.15
9 Don't know	76	5.58

Frequency Missing = 30067

NAF.480_00.000: Reason for most recent PSA

PSAREAS	Frequency	Percent
1 Part of a routine exam	3382	85.82
2 Because of a problem	446	11.32
3 Other reason	84	2.13
7 Refused	5	0.13
8 Not ascertained	2	0.05
9 Don't know	22	0.56

Frequency Missing = 27487

NAF.540_00.000: Ever had colorectal screening exam

CREHAD	Frequency	Percent
1 Yes	6770	34.51
2 No	11225	57.22
7 Refused	480	2.45
8 Not ascertained	908	4.63
9 Don't know	235	1.20

Frequency Missing = 11810

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

70

Tuesday, June 13, 2006

NAF.550_00.000: Number of colorectal exams, last 10 years

CRE10YR	Frequency	Percent
00 None	423	6.25
01-94 1-94 times	6205	91.65
95 95+	1	0.01
97 Refused	10	0.15
98 Not ascertained	2	0.03
99 Don't know	129	1.91

Frequency Missing = 24658

NAF.560_01.000: Month of most recent colorectal exam

RCRE1_MT	Frequency	Percent
01 January	343	5.07
02 February	266	3.93
03 March	309	4.56
04 April	307	4.53
05 May	268	3.96
06 June	353	5.21
07 July	262	3.87
08 August	222	3.28
09 September	219	3.23
10 October	271	4.00
11 November	199	2.94
12 December	168	2.48
96 Time period format	1461	21.58
97 Refused	31	0.46
98 Not ascertained	3	0.04
99 Don't know	2088	30.84

Frequency Missing = 24658

NAF.560_02.000: Year of most recent colorectal exam

RCRE1_YR	Frequency	Percent
1880-2006	4868	71.91
9996 Time period format	1461	21.58
9997 Refused	32	0.47
9998 Not ascertained	3	0.04
9999 Don't know	406	6.00

Frequency Missing = 24658

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

71

Tuesday, June 13, 2006

NAF.570_01.000: Time ago date of colorectal exam: # of units

RCRE1N	Frequency	Percent
01-94 1-94	1389	95.07
95 95+	1	0.07
97 Refused	1	0.07
98 Not ascertained	0	0.00
99 Don't know	70	4.79

Frequency Missing = 29967

NAF.570_02.000: Time ago date of colorectal exam: Time unit

RCRE1T	Frequency	Percent
1 Days ago	1	0.07
2 Weeks ago	5	0.34
3 Months ago	62	4.24
4 Years ago	1322	90.49
7 Refused	1	0.07
8 Not ascertained	0	0.00
9 Don't know	70	4.79

Frequency Missing = 29967

NAF.575_00.000: Most recent colorectal exam, time categories

RCRE2	Frequency	Percent
1 A year ago or less	257	7.31
2 More than 1 year but not more than 2 years	451	12.82
3 More than 2 years but not more than 3 years	662	18.82
4 More than 3 years but not more than 5 years	867	24.64
5 More than 5 years but not more than 10 years	749	21.29
6 Over 10 years ago	431	12.25
7 Refused	8	0.23
8 Not ascertained	3	0.09
9 Don't know	90	2.56

Frequency Missing = 27910

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

72

Tuesday, June 13, 2006

NAF.580_00.000: Type of recent colorectal exam

CRENAM	Frequency	Percent
1 Sigmoidoscopy	842	12.44
2 Colonoscopy	5480	80.95
3 Proctoscopy	147	2.17
4 Something else	40	0.59
7 Refused	7	0.10
8 Not ascertained	4	0.06
9 Don't know	250	3.69

Frequency Missing = 24658

NAF.590_00.000: Reason for most recent colorectal exam

CREREAS	Frequency	Percent
1 Part of a routine exam	4485	66.25
2 Because of a problem	2035	30.06
3 Other reason	203	3.00
7 Refused	2	0.03
8 Not ascertained	4	0.06
9 Don't know	41	0.61

Frequency Missing = 24658

NAF.600_00.000: Reason no recent colorectal screening exam

CRENOT	Frequency	Percent
01 No reason/never thought about it	5713	48.61
02 Didn't need it/Didn't know I needed this type of test	1225	10.42
03 Doctor didn't order it/didn't say I needed it	2514	21.39
04 Haven't had any problems	1219	10.37
05 Put it off/Didn't get around to it	288	2.45
06 Too expensive/No insurance/Cost	233	1.98
07 Too painful, unpleasant, or embarrassing	178	1.51
08 Had another type of colorectal exam	17	0.14
09 Don't have doctor	111	0.94
10 Other	204	1.74
97 Refused	12	0.10
98 Not ascertained	0	0.00
99 Don't know	38	0.32

Frequency Missing = 19676

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

73

Tuesday, June 13, 2006

NAF.610_00.000: MD recommended colorectal screening exam

CREREC	Frequency	Percent
1 Yes	6374	39.16
2 No	8145	50.04
3 Did not see a doctor in the PAST 12 MONTHS	751	4.61
7 Refused	15	0.09
8 Not ascertained	936	5.75
9 Don't know	57	0.35

Frequency Missing = 15150

NAF.620_00.000: Had blood stool test using home test kit

HFOBHAD	Frequency	Percent
1 Yes	4825	24.59
2 No	13034	66.44
7 Refused	520	2.65
8 Not ascertained	919	4.68
9 Don't know	320	1.63

Frequency Missing = 11810

NAF.630_00.000: Number of home blood stool tests, last 3 years

HFOB3YR	Frequency	Percent
00 None	1502	31.13
01-94 1-94 times	3217	66.67
95 95+	3	0.06
97 Refused	6	0.12
98 Not ascertained	0	0.00
99 Don't know	97	2.01

Frequency Missing = 26603

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

74

Tuesday, June 13, 2006

NAF.640_01.000: Month of most recent home blood stool test

RHF01_MT	Frequency	Percent
01 January	245	5.08
02 February	177	3.67
03 March	197	4.08
04 April	209	4.33
05 May	179	3.71
06 June	222	4.60
07 July	170	3.52
08 August	163	3.38
09 September	127	2.63
10 October	198	4.10
11 November	150	3.11
12 December	110	2.28
96 Time period format	1097	22.74
97 Refused	21	0.44
98 Not ascertained	2	0.04
99 Don't know	1558	32.29

Frequency Missing = 26603

NAF.640_02.000: Year of most recent home blood stool test

RHF01_YR	Frequency	Percent
1880-2006	3213	66.59
9996 Time period format	1097	22.74
9997 Refused	21	0.44
9998 Not ascertained	2	0.04
9999 Don't know	492	10.20

Frequency Missing = 26603

NAF.650_01.000: Time ago date of home blood stool test: # of units

RHF01N	Frequency	Percent
01-94 1-94	1011	92.16
95 95+	1	0.09
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	85	7.75

Frequency Missing = 30331

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

75

Tuesday, June 13, 2006

NAF.650_02.000: Time ago date of home blood stool test: Time unit

RHF01T	Frequency	Percent
1 Days ago	3	0.27
2 Weeks ago	1	0.09
3 Months ago	48	4.38
4 Years ago	960	87.51
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	85	7.75

Frequency Missing = 30331

NAF.655_00.000: Most recent home blood stool test, time categories

RHF02	Frequency	Percent
1 A year ago or less	244	9.28
2 More than 1 year but not more than 2 years	332	12.63
3 More than 2 years but not more than 3 years	481	18.30
4 More than 3 years but not more than 5 years	512	19.48
5 More than 5 years but not more than 10 years	572	21.77
6 Over 10 years ago	357	13.58
7 Refused	7	0.27
8 Not ascertained	2	0.08
9 Don't know	121	4.60

Frequency Missing = 28800

NAF.660_00.000: Reason for recent home blood stool test

HFOBREAS	Frequency	Percent
1 Part of a routine exam	3984	82.57
2 Because of a problem	717	14.86
3 Other reason	86	1.78
7 Refused	5	0.10
8 Not ascertained	2	0.04
9 Don't know	31	0.64

Frequency Missing = 26603

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAF Variables
Unweighted Frequencies

76

Tuesday, June 13, 2006

NAF.670_00.000: Had abnormal home blood stool test results

HFOBABN	Frequency	Percent
1 Yes	282	5.84
2 No	4502	93.31
7 Refused	7	0.15
8 Not ascertained	2	0.04
9 Don't know	32	0.66

Frequency Missing = 26603

NAF.672_00.000: Was this your most recent test

HFOREC	Frequency	Percent
1 Yes	180	63.83
2 No	96	34.04
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	2.13

Frequency Missing = 31146

NAF.680_01.000: Another Fecal Occult Blood Test

HFOBTST1	Frequency	Percent
1 Mentioned	13	7.22
2 Not mentioned	164	91.11
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.67

Frequency Missing = 31248

NAF.680_02.000: Sigmoidoscopy

HFOBTST2	Frequency	Percent
1 Mentioned	5	2.78
2 Not mentioned	172	95.56
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.67

Frequency Missing = 31248

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAF Variables
Unweighted Frequencies

77

Tuesday, June 13, 2006

NAF.680_03.000: Colonoscopy

HFOBTST3	Frequency	Percent
1 Mentioned	81	45.00
2 Not mentioned	96	53.33
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.67

Frequency Missing = 31248

NAF.680_04.000: Barium Enema

HFOBTST4	Frequency	Percent
1 Mentioned	8	4.44
2 Not mentioned	169	93.89
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.67

Frequency Missing = 31248

NAF.680_05.000: Surgery

HFOBTST5	Frequency	Percent
1 Mentioned	23	12.78
2 Not mentioned	154	85.56
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.67

Frequency Missing = 31248

NAF.680_06.000: No additional tests/surgery

HFOBTST0	Frequency	Percent
1 Mentioned	60	33.33
2 Not mentioned	117	65.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	1.67

Frequency Missing = 31248

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

78

Tuesday, June 13, 2006

NAF.690_00.000: Reason no recent home blood stool test

HFOBNOT	Frequency	Percent
01 No reason/Never thought about it	8152	50.56
02 Didn't need it/Didn't know I needed this type of test	1747	10.84
03 Doctor didn't order it/didn't say I needed it	3874	24.03
04 Haven't had any problems	1336	8.29
05 Put it off/Didn't get around to it	230	1.43
06 Too expensive/No insurance/Cost	132	0.82
07 Too painful, unpleasant, or embarrassing	43	0.27
08 Had another type of colorectal exam	181	1.12
09 Don't have doctor	135	0.84
10 Other	202	1.25
97 Refused	15	0.09
98 Not ascertained	15	0.09
99 Don't know	61	0.38

Frequency Missing = 15305

NAF.700_00.000: MD recommended home blood stool test, past year

MDHFOB	Frequency	Percent
1 Yes	1966	13.31
2 No	11037	74.73
3 Did not see a doctor in the PAST 12 MONTHS	777	5.26
7 Refused	17	0.12
8 Not ascertained	922	6.24
9 Don't know	50	0.34

Frequency Missing = 16659

NAF.710_00.000: Ever had blood stool test

FOBHAD	Frequency	Percent
1 Yes	2463	12.55
2 No	15102	76.98
7 Refused	557	2.84
8 Not ascertained	923	4.70
9 Don't know	573	2.92

Frequency Missing = 11810

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

79

Tuesday, June 13, 2006

NAF.720_01.000: Month of most recent office blood stool test

RFOB1_MT	Frequency	Percent
01 January	136	5.52
02 February	115	4.67
03 March	99	4.02
04 April	121	4.91
05 May	115	4.67
06 June	112	4.55
07 July	86	3.49
08 August	83	3.37
09 September	91	3.69
10 October	117	4.75
11 November	113	4.59
12 December	77	3.13
96 Time period format	485	19.69
97 Refused	12	0.49
98 Not ascertained	0	0.00
99 Don't know	701	28.46

Frequency Missing = 28965

NAF.720_02.000: Year of most recent office blood stool test

RFOB1_YR	Frequency	Percent
1880-2006	1696	68.86
9996 Time period format	485	19.69
9997 Refused	12	0.49
9998 Not ascertained	0	0.00
9999 Don't know	270	10.96

Frequency Missing = 28965

NAF.730_01.000: Time ago date of office blood stool test: # of units

RFOB1N	Frequency	Percent
01-94 1-94	437	90.10
95 95+	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	48	9.90

Frequency Missing = 30943

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAF Variables
 Unweighted Frequencies

80

Tuesday, June 13, 2006

NAF.730_02.000: Time ago date of office blood stool test: Time unit

RFOB1T	Frequency	Percent
1 Days ago	0	0.00
2 Weeks ago	1	0.21
3 Months ago	23	4.74
4 Years ago	413	85.15
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	48	9.90

Frequency Missing = 30943

NAF.735_00.000: Most recent office blood stool test, time categories

RFOB2	Frequency	Percent
1 A year ago or less	110	9.36
2 More than 1 year but not more than 2 years	182	15.49
3 More than 2 years but not more than 3 years	182	15.49
4 More than 3 years but not more than 5 years	208	17.70
5 More than 5 years but not more than 10 years	269	22.89
6 Over 10 years ago	144	12.26
7 Refused	3	0.26
8 Not ascertained	0	0.00
9 Don't know	77	6.55

Frequency Missing = 30253

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAG Variables
Unweighted Frequencies

81

Tuesday, June 13, 2006

NAG.010_00.000: Heard of genetic testing for cancer risk

GTHEARD	Frequency	Percent
1 Yes	11221	35.70
2 No	17822	56.71
7 Refused	620	1.97
8 Not ascertained	1482	4.72
9 Don't know	283	0.90

NAG.020_00.000: Discussed genetic test with MD

GTPOSS	Frequency	Percent
1 Yes	640	5.70
2 No	10562	94.13
7 Refused	6	0.05
8 Not ascertained	0	0.00
9 Don't know	13	0.12

Frequency Missing = 20207

NAG.025_00.000: Advised to have genetic test for cancer

GTADVISE	Frequency	Percent
1 Yes	254	39.69
2 No	381	59.53
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	5	0.78

Frequency Missing = 30788

NAG.030_00.000: Had genetic test for cancer risk

GTGRISK	Frequency	Percent
1 Yes	168	1.50
2 No	11015	98.16
7 Refused	12	0.11
8 Not ascertained	3	0.03
9 Don't know	23	0.20

Frequency Missing = 20207

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAG Variables
Unweighted Frequencies

82

Tuesday, June 13, 2006

NAG.040_01.000: Had genetic test for breast cancer risk

GTBRE	Frequency	Percent
1 Yes	51	48.11
2 No	45	42.45
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	10	9.43

Frequency Missing = 31322

NAG.040_02.000: Had genetic test for ovarian cancer risk

GTOVA	Frequency	Percent
1 Yes	38	35.85
2 No	57	53.77
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	11	10.38

Frequency Missing = 31322

NAG.040_03.000: Had genetic test for colon or rectal cancer risk

GTCOL	Frequency	Percent
1 Yes	41	24.40
2 No	113	67.26
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	14	8.33

Frequency Missing = 31260

NAG.040_04.000: Had genetic test for other cancer risk

GTOTH	Frequency	Percent
1 Yes	60	35.71
2 No	93	55.36
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	15	8.93

Frequency Missing = 31260

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAG Variables
 Unweighted Frequencies

83

Tuesday, June 13, 2006

NAG.050_01.000: Month of last genetic test

GTRSK_MT	Frequency	Percent
01 January	13	7.74
02 February	4	2.38
03 March	8	4.76
04 April	7	4.17
05 May	5	2.98
06 June	19	11.31
07 July	11	6.55
08 August	5	2.98
09 September	9	5.36
10 October	10	5.95
11 November	9	5.36
12 December	6	3.57
96 Time period format	28	16.67
97 Refused	3	1.79
98 Not ascertained	0	0.00
99 Don't know	31	18.45

Frequency Missing = 31260

NAG.050_02.000: Year of last genetic test

GTRSK_YR	Frequency	Percent
1880-2006	135	80.36
9996 Time period format	28	16.67
9997 Refused	3	1.79
9998 Not ascertained	0	0.00
9999 Don't know	2	1.19

Frequency Missing = 31260

NAG.055_01.000: Time ago date of genetic test: # of units

GTRSKN	Frequency	Percent
01-94 1-94	27	96.43
95 95+	1	3.57
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 31400

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAG Variables
 Unweighted Frequencies

84

Tuesday, June 13, 2006

NAG.055_02.000: Time ago date of genetic test: Time unit

GTRSKT	Frequency	Percent
1 Days ago	1	3.57
2 Weeks ago	0	0.00
3 Months ago	2	7.14
4 Years ago	25	89.29
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31400

NAG.060_00.000: Genetic testing affects health insurance

GTINSURE	Frequency	Percent
1 Yes	30	17.86
2 No	125	74.40
7 Refused	2	1.19
8 Not ascertained	0	0.00
9 Don't know	11	6.55

Frequency Missing = 31260

NAG.070_00.000: Risk of cancer compared to average man/woman

GTCCOM	Frequency	Percent
1 More likely to get cancer	3610	11.49
2 Less likely	9190	29.24
3 About as likely	14503	46.15
7 Refused	610	1.94
8 Not ascertained	1492	4.75
9 Don't know	2023	6.44

NAG.080_00.000: Risk of colon/rectal cancer compared to average man/woman

GTCCLOM	Frequency	Percent
1 More likely to get colon or rectal cancer	2037	6.48
2 Less likely	10987	34.96
3 About as likely	14088	44.83
7 Refused	610	1.94
8 Not ascertained	1493	4.75
9 Don't know	2213	7.04

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAG Variables
Unweighted Frequencies

85

Tuesday, June 13, 2006

NAG.090_00.000: Risk of breast cancer compared to average woman

GTCBOM	Frequency	Percent
1 More likely to get breast cancer	1959	11.09
2 Less likely	5470	30.96
3 About as likely	7949	45.00
7 Refuse	343	1.94
8 Not ascertained	845	4.78
9 Don't know	1100	6.23

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

86

Tuesday, June 13, 2006

NAH.010_00.000: Biological father ever have cancer

FHF CAN	Frequency	Percent
1 Yes	5133	16.33
2 No	22807	72.57
3 Adopted or don't know biological father	757	2.41
7 Refused	576	1.83
8 Not ascertained	1508	4.80
9 Don't know	647	2.06

NAH.020_01.000: What kind of cancer...bladder

FHFTYP1	Frequency	Percent
1 Mentioned	123	2.40
2 Not mentioned	4771	92.95
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_02.000: What kind of cancer...blood

FHFTYP2	Frequency	Percent
1 Mentioned	37	0.72
2 Not mentioned	4857	94.62
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_03.000: What kind of cancer...bone

FHFTYP3	Frequency	Percent
1 Mentioned	148	2.88
2 Not mentioned	4746	92.46
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

87

Tuesday, June 13, 2006

NAH.020_04.000: What kind of cancer...brain

FHFTYP4	Frequency	Percent
1 Mentioned	134	2.61
2 Not mentioned	4760	92.73
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_05.000: What kind of cancer...breast

FHFTYP5	Frequency	Percent
1 Mentioned	14	0.27
2 Not mentioned	4880	95.07
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_07.000: What kind of cancer...colon

FHFTYP7	Frequency	Percent
1 Mentioned	630	12.27
2 Not mentioned	4264	83.07
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_08.000: What kind of cancer...esophagus

FHFTYP8	Frequency	Percent
1 Mentioned	79	1.54
2 Not mentioned	4815	93.80
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

88

Tuesday, June 13, 2006

NAH.020_09.000: What kind of cancer...gall bladder

FHFTYP9	Frequency	Percent
1 Mentioned	11	0.21
2 Not mentioned	4883	95.13
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_10.000: What kind of cancer...kidney

FHFTYP10	Frequency	Percent
1 Mentioned	115	2.24
2 Not mentioned	4779	93.10
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_11.000: What kind of cancer...larynx-windpipe

FHFTYP11	Frequency	Percent
1 Mentioned	38	0.74
2 Not mentioned	4856	94.60
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_12.000: What kind of cancer...leukemia

FHFTYP12	Frequency	Percent
1 Mentioned	147	2.86
2 Not mentioned	4747	92.48
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

89

Tuesday, June 13, 2006

NAH.020_13.000: What kind of cancer...liver

FHFTYP13	Frequency	Percent
1 Mentioned	204	3.97
2 Not mentioned	4690	91.37
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_14.000: What kind of cancer...lung

FHFTYP14	Frequency	Percent
1 Mentioned	971	18.92
2 Not mentioned	3923	76.43
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_15.000: What kind of cancer...lymphoma

FHFTYP15	Frequency	Percent
1 Mentioned	131	2.55
2 Not mentioned	4763	92.79
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_16.000: What kind of cancer...melanoma

FHFTYP16	Frequency	Percent
1 Mentioned	221	4.31
2 Not mentioned	4673	91.04
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

90

Tuesday, June 13, 2006

NAH.020_17.000: What kind of cancer...mouth/tongue/lip

FHFTYP17	Frequency	Percent
1 Mentioned	33	0.64
2 Not mentioned	4861	94.70
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_19.000: What kind of cancer...pancreas

FHFTYP19	Frequency	Percent
1 Mentioned	163	3.18
2 Not mentioned	4731	92.17
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_20.000: What kind of cancer...prostate

FHFTYP20	Frequency	Percent
1 Mentioned	1082	21.08
2 Not mentioned	3812	74.26
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_21.000: What kind of cancer...rectum

FHFTYP21	Frequency	Percent
1 Mentioned	23	0.45
2 Not mentioned	4871	94.90
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

91

Tuesday, June 13, 2006

NAH.020_22.000: What kind of cancer...skin (non-melanoma)

FHFTYP22	Frequency	Percent
1 Mentioned	345	6.72
2 Not mentioned	4549	88.62
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_23.000: What kind of cancer...skin (DK what kind)

FHFTYP23	Frequency	Percent
1 Mentioned	387	7.54
2 Not mentioned	4507	87.80
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_24.000: What kind of cancer...soft tissue (muscle or fat)

FHFTYP24	Frequency	Percent
1 Mentioned	13	0.25
2 Not mentioned	4881	95.09
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_25.000: What kind of cancer...stomach

FHFTYP25	Frequency	Percent
1 Mentioned	199	3.88
2 Not mentioned	4695	91.47
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

92

Tuesday, June 13, 2006

NAH.020_26.000: What kind of cancer...testis

FHFTYP26	Frequency	Percent
1 Mentioned	26	0.51
2 Not mentioned	4868	94.84
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_27.000: What kind of cancer...throat-pharynx

FHFTYP27	Frequency	Percent
1 Mentioned	164	3.20
2 Not mentioned	4730	92.15
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_28.000: What kind of cancer...thyroid

FHFTYP28	Frequency	Percent
1 Mentioned	12	0.23
2 Not mentioned	4882	95.11
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

NAH.020_30.000: What kind of cancer . . . Other

FHFTYP30	Frequency	Percent
1 Mentioned	130	2.53
2 Not mentioned	4764	92.81
7 Refused	10	0.19
8 Not ascertained	0	0.00
9 Don't know	229	4.46

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

93

Tuesday, June 13, 2006

NAH.020_31.000: What kind of cancer...more than 3 kinds

FHFTYP31	Frequency	Percent
1 Mentioned	17	18.09
2 Not mentioned	77	81.91
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31334

NAH.030_01.000: Father <50 when diag w/bladder cancer

FHFAGE01	Frequency	Percent
1 Yes	6	1.66
2 No	116	32.04
7 Refused	10	2.76
8 Not ascertained	0	0.00
9 Don't know	230	63.54

Frequency Missing = 31066

NAH.030_02.000: Father <50 when diag w/blood cancer

FHFAGE02	Frequency	Percent
1 Yes	10	3.62
2 No	27	9.78
7 Refused	10	3.62
8 Not ascertained	0	0.00
9 Don't know	229	82.97

Frequency Missing = 31152

NAH.030_03.000: Father <50 when diag w/bone cancer

FHFAGE03	Frequency	Percent
1 Yes	19	4.91
2 No	125	32.30
7 Refused	10	2.58
8 Not ascertained	0	0.00
9 Don't know	233	60.21

Frequency Missing = 31041

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

94

Tuesday, June 13, 2006

NAH.030_04.000: Father <50 when diag w/brain cancer

FHFAGE04	Frequency	Percent
1 Yes	28	7.51
2 No	105	28.15
7 Refused	10	2.68
8 Not ascertained	0	0.00
9 Don't know	230	61.66

Frequency Missing = 31055

NAH.030_05.000: Father <50 when diag w/breast cancer

FHFAGE05	Frequency	Percent
1 Yes	3	1.19
2 No	11	4.35
7 Refused	10	3.95
8 Not ascertained	0	0.00
9 Don't know	229	90.51

Frequency Missing = 31175

NAH.030_07.000: Father <50 when diag w/colon cancer

FHFAGE07	Frequency	Percent
1 Yes	91	10.47
2 No	533	61.33
7 Refused	10	1.15
8 Not ascertained	0	0.00
9 Don't know	235	27.04

Frequency Missing = 30559

NAH.030_08.000: Father <50 when diag w/esophageal cancer

FHFAGE08	Frequency	Percent
1 Yes	9	2.83
2 No	70	22.01
7 Refused	10	3.14
8 Not ascertained	0	0.00
9 Don't know	229	72.01

Frequency Missing = 31110

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

95

Tuesday, June 13, 2006

NAH.030_09.000: Father <50 when diag w/gall bladder cancer

FHFAGE09	Frequency	Percent
1 Yes	0	0.00
2 No	11	4.40
7 Refused	10	4.00
8 Not ascertained	0	0.00
9 Don't know	229	91.60

Frequency Missing = 31178

NAH.030_10.000: Father <50 when diag w/kidney cancer

FHFAGE10	Frequency	Percent
1 Yes	23	6.50
2 No	92	25.99
7 Refused	10	2.82
8 Not ascertained	0	0.00
9 Don't know	229	64.69

Frequency Missing = 31074

NAH.030_11.000: Father <50 when diag w/larynx-windpipe cancer

FHFAGE11	Frequency	Percent
1 Yes	9	3.25
2 No	28	10.11
7 Refused	10	3.61
8 Not ascertained	0	0.00
9 Don't know	230	83.03

Frequency Missing = 31151

NAH.030_12.000: Father <50 when diag w/leukemia

FHFAGE12	Frequency	Percent
1 Yes	35	9.07
2 No	110	28.50
7 Refused	10	2.59
8 Not ascertained	0	0.00
9 Don't know	231	59.84

Frequency Missing = 31042

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

96

Tuesday, June 13, 2006

NAH.030_13.000: Father <50 when diag w/liver cancer

FHFAGE13	Frequency	Percent
1 Yes	26	5.87
2 No	175	39.50
7 Refused	10	2.26
8 Not ascertained	0	0.00
9 Don't know	232	52.37

Frequency Missing = 30985

NAH.030_14.000: Father <50 when diag w/lung cancer

FHFAGE14	Frequency	Percent
1 Yes	139	11.49
2 No	818	67.60
7 Refused	10	0.83
8 Not ascertained	0	0.00
9 Don't know	243	20.08

Frequency Missing = 30218

NAH.030_15.000: Father <50 when diag w/lymphoma

FHFAGE15	Frequency	Percent
1 Yes	27	7.30
2 No	101	27.30
7 Refused	12	3.24
8 Not ascertained	0	0.00
9 Don't know	230	62.16

Frequency Missing = 31058

NAH.030_16.000: Father <50 when diag w/melanoma

FHFAGE16	Frequency	Percent
1 Yes	62	13.48
2 No	156	33.91
7 Refused	10	2.17
8 Not ascertained	0	0.00
9 Don't know	232	50.43

Frequency Missing = 30968

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

97

Tuesday, June 13, 2006

NAH.030_17.000: Father <50 when diag w/mouth/tongue/lip cancer

FHFAGE17	Frequency	Percent
1 Yes	8	2.94
2 No	23	8.46
7 Refused	10	3.68
8 Not ascertained	0	0.00
9 Don't know	231	84.93

Frequency Missing = 31156

NAH.030_19.000: Father <50 when diag w/pancreatic cancer

FHFAGE19	Frequency	Percent
1 Yes	21	5.22
2 No	141	35.07
7 Refused	10	2.49
8 Not ascertained	0	0.00
9 Don't know	230	57.21

Frequency Missing = 31026

NAH.030_20.000: Father <50 when diag w/prostate cancer

FHFAGE20	Frequency	Percent
1 Yes	64	4.84
2 No	1004	76.00
7 Refused	10	0.76
8 Not ascertained	0	0.00
9 Don't know	243	18.40

Frequency Missing = 30107

NAH.030_21.000: Father <50 when diag w/rectal cancer

FHFAGE21	Frequency	Percent
1 Yes	4	1.53
2 No	18	6.87
7 Refused	10	3.82
8 Not ascertained	0	0.00
9 Don't know	230	87.79

Frequency Missing = 31166

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

98

Tuesday, June 13, 2006

NAH.030_22.000: Father <50 when diag w/skin (non-melanoma) cancer

FHFAGE22	Frequency	Percent
1 Yes	67	11.47
2 No	268	45.89
7 Refused	10	1.71
8 Not ascertained	0	0.00
9 Don't know	239	40.92

Frequency Missing = 30844

NAH.030_23.000: Father <50 when diag w/skin (DK what kind) cancer

FHFAGE23	Frequency	Percent
1 Yes	87	13.90
2 No	288	46.01
7 Refused	10	1.60
8 Not ascertained	0	0.00
9 Don't know	241	38.50

Frequency Missing = 30802

NAH.030_24.000: Father <50 when diag w/soft tissue (muscle or fat) cancer

FHFAGE24	Frequency	Percent
1 Yes	4	1.59
2 No	9	3.57
7 Refused	10	3.97
8 Not ascertained	0	0.00
9 Don't know	229	90.87

Frequency Missing = 31176

NAH.030_25.000: Father <50 when diag w/stomach cancer

FHFAGE25	Frequency	Percent
1 Yes	36	8.22
2 No	160	36.53
7 Refused	10	2.28
8 Not ascertained	0	0.00
9 Don't know	232	52.97

Frequency Missing = 30990

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

99

Tuesday, June 13, 2006

NAH.030_26.000: Father <50 when diag w/testicular cancer

FHFAGE26	Frequency	Percent
1 Yes	10	3.77
2 No	16	6.04
7 Refused	10	3.77
8 Not ascertained	0	0.00
9 Don't know	229	86.42

Frequency Missing = 31163

NAH.030_27.000: Father <50 when diag w/throat-pharynx cancer

FHFAGE27	Frequency	Percent
1 Yes	31	7.69
2 No	127	31.51
7 Refused	10	2.48
8 Not ascertained	0	0.00
9 Don't know	235	58.31

Frequency Missing = 31025

NAH.030_28.000: Father <50 when diag w/thyroid cancer

FHFAGE28	Frequency	Percent
1 Yes	7	2.79
2 No	5	1.99
7 Refused	10	3.98
8 Not ascertained	0	0.00
9 Don't know	229	91.24

Frequency Missing = 31177

NAH.030_30.000: Father <50 when diag w/other kind of cancer

FHFAGE30	Frequency	Percent
1 Yes	24	6.50
2 No	105	28.46
7 Refused	10	2.71
8 Not ascertained	0	0.00
9 Don't know	230	62.33

Frequency Missing = 31059

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

100

Tuesday, June 13, 2006

NAH.040_00.000: Biological mother ever have cancer

FHMCAN	Frequency	Percent
1 Yes	5315	16.91
2 No	23364	74.34
3 Adopted or don't know biological mother	302	0.96
7 Refused	566	1.80
8 Not ascertained	1511	4.81
9 Don't know	370	1.18

NAH.050_01.000: What kind of cancer...bladder

FHMTYP1	Frequency	Percent
1 Mentioned	46	0.87
2 Not mentioned	4984	93.77
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_02.000: What kind of cancer...blood

FHMTYP2	Frequency	Percent
1 Mentioned	28	0.53
2 Not mentioned	5002	94.11
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_03.000: What kind of cancer...bone

FHMTYP3	Frequency	Percent
1 Mentioned	111	2.09
2 Not mentioned	4919	92.55
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

101

Tuesday, June 13, 2006

NAH.050_04.000: What kind of cancer...brain

FHMTYP4	Frequency	Percent
1 Mentioned	130	2.45
2 Not mentioned	4900	92.19
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_05.000: What kind of cancer...breast

FHMTYP5	Frequency	Percent
1 Mentioned	1529	28.77
2 Not mentioned	3501	65.87
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_06.000: What kind of cancer...cervix

FHMTYP6	Frequency	Percent
1 Mentioned	307	5.78
2 Not mentioned	4723	88.86
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_07.000: What kind of cancer...colon

FHMTYP7	Frequency	Percent
1 Mentioned	495	9.31
2 Not mentioned	4535	85.32
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

102

Tuesday, June 13, 2006

NAH.050_08.000: What kind of cancer...esophagus

FHMTYP8	Frequency	Percent
1 Mentioned	32	0.60
2 Not mentioned	4998	94.04
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_09.000: What kind of cancer...gall bladder

FHMTYP9	Frequency	Percent
1 Mentioned	16	0.30
2 Not mentioned	5014	94.34
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_10.000: What kind of cancer...kidney

FHMTYP10	Frequency	Percent
1 Mentioned	80	1.51
2 Not mentioned	4950	93.13
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_11.000: What kind of cancer...larynx-windpipe

FHMTYP11	Frequency	Percent
1 Mentioned	11	0.21
2 Not mentioned	5019	94.43
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

103

Tuesday, June 13, 2006

NAH.050_12.000: What kind of cancer...leukemia

FHMTYP12	Frequency	Percent
1 Mentioned	120	2.26
2 Not mentioned	4910	92.38
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_13.000: What kind of cancer...liver

FHMTYP13	Frequency	Percent
1 Mentioned	152	2.86
2 Not mentioned	4878	91.78
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_14.000: What kind of cancer...lung

FHMTYP14	Frequency	Percent
1 Mentioned	514	9.67
2 Not mentioned	4516	84.97
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_15.000: What kind of cancer...lymphoma

FHMTYP15	Frequency	Percent
1 Mentioned	134	2.52
2 Not mentioned	4896	92.12
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

104

Tuesday, June 13, 2006

NAH.050_16.000: What kind of cancer...melanoma

FHMTYP16	Frequency	Percent
1 Mentioned	161	3.03
2 Not mentioned	4869	91.61
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_17.000: What kind of cancer...mouth/tongue/lip

FHMTYP17	Frequency	Percent
1 Mentioned	18	0.34
2 Not mentioned	5012	94.30
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_18.000: What kind of cancer...ovary

FHMTYP18	Frequency	Percent
1 Mentioned	342	6.43
2 Not mentioned	4688	88.20
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_19.000: What kind of cancer...pancreas

FHMTYP19	Frequency	Percent
1 Mentioned	147	2.77
2 Not mentioned	4883	91.87
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

105

Tuesday, June 13, 2006

NAH.050_21.000: What kind of cancer...rectum

FHMTYP21	Frequency	Percent
1 Mentioned	13	0.24
2 Not mentioned	5017	94.39
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_22.000: What kind of cancer...skin (non-melanoma)

FHMTYP22	Frequency	Percent
1 Mentioned	262	4.93
2 Not mentioned	4768	89.71
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_23.000: What kind of cancer...skin (DK what kind)

FHMTYP23	Frequency	Percent
1 Mentioned	256	4.82
2 Not mentioned	4774	89.82
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_24.000: What kind of cancer...soft tissue (muscle or fat)

FHMTYP24	Frequency	Percent
1 Mentioned	9	0.17
2 Not mentioned	5021	94.47
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

106

Tuesday, June 13, 2006

NAH.050_25.000: What kind of cancer...stomach

FHMTYP25	Frequency	Percent
1 Mentioned	217	4.08
2 Not mentioned	4813	90.56
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_27.000: What kind of cancer...throat-pharynx

FHMTYP27	Frequency	Percent
1 Mentioned	59	1.11
2 Not mentioned	4971	93.53
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_28.000: What kind of cancer...thyroid

FHMTYP28	Frequency	Percent
1 Mentioned	72	1.35
2 Not mentioned	4958	93.28
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_29.000: What kind of cancer . . . Uterus

FHMTYP29	Frequency	Percent
1 Mentioned	360	6.77
2 Not mentioned	4670	87.86
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

107

Tuesday, June 13, 2006

NAH.050_30.000: What kind of cancer . . . Other

FHMTYP30	Frequency	Percent
1 Mentioned	143	2.69
2 Not mentioned	4887	91.95
7 Refused	8	0.15
8 Not ascertained	0	0.00
9 Don't know	277	5.21

Frequency Missing = 26113

NAH.050_31.000: What kind of cancer...more than 3 kinds

FHMTYP31	Frequency	Percent
1 Mentioned	21	19.27
2 Not mentioned	88	80.73
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31319

NAH.060_01.000: Mother <50 when diag w/bladder cancer

FHMAGE01	Frequency	Percent
1 Yes	8	2.42
2 No	38	11.48
7 Refused	7	2.11
8 Not ascertained	48	14.50
9 Don't know	230	69.49

Frequency Missing = 31097

NAH.060_02.000: Mother <50 when diag w/blood cancer

FHMAGE02	Frequency	Percent
1 Yes	9	2.88
2 No	18	5.75
7 Refused	7	2.24
8 Not ascertained	48	15.34
9 Don't know	231	73.80

Frequency Missing = 31115

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

108

Tuesday, June 13, 2006

NAH.060_03.000: Mother <50 when diag w/bone cancer

FHMAGE03	Frequency	Percent
1 Yes	15	3.79
2 No	95	23.99
7 Refused	7	1.77
8 Not ascertained	48	12.12
9 Don't know	231	58.33

Frequency Missing = 31032

NAH.060_04.000: Mother <50 when diag w/brain cancer

FHMAGE04	Frequency	Percent
1 Yes	32	7.71
2 No	97	23.37
7 Refused	7	1.69
8 Not ascertained	48	11.57
9 Don't know	231	55.66

Frequency Missing = 31013

NAH.060_05.000: Mother <50 when diag w/breast cancer

FHMAGE05	Frequency	Percent
1 Yes	518	28.56
2 No	994	54.80
7 Refused	8	0.44
8 Not ascertained	48	2.65
9 Don't know	246	13.56

Frequency Missing = 29614

NAH.060_06.000: Mother <50 when diag w/cervical cancer

FHMAGE06	Frequency	Percent
1 Yes	186	31.42
2 No	117	19.76
7 Refused	7	1.18
8 Not ascertained	48	8.11
9 Don't know	234	39.53

Frequency Missing = 30836

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

109

Tuesday, June 13, 2006

NAH.060_07.000: Mother <50 when diag w/colon cancer

FHMAGE07	Frequency	Percent
1 Yes	89	11.41
2 No	401	51.41
7 Refused	7	0.90
8 Not ascertained	48	6.15
9 Don't know	235	30.13

Frequency Missing = 30648

NAH.060_08.000: Mother <50 when diag w/esophageal cancer

FHMAGE08	Frequency	Percent
1 Yes	4	1.26
2 No	28	8.83
7 Refused	7	2.21
8 Not ascertained	48	15.14
9 Don't know	230	72.56

Frequency Missing = 31111

NAH.060_09.000: Mother <50 when diag w/gall bladder cancer

FHMAGE09	Frequency	Percent
1 Yes	2	0.66
2 No	13	4.32
7 Refused	7	2.33
8 Not ascertained	48	15.95
9 Don't know	231	76.74

Frequency Missing = 31127

NAH.060_10.000: Mother <50 when diag w/kidney cancer

FHMAGE10	Frequency	Percent
1 Yes	13	3.56
2 No	67	18.36
7 Refused	7	1.92
8 Not ascertained	48	13.15
9 Don't know	230	63.01

Frequency Missing = 31063

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

110

Tuesday, June 13, 2006

NAH.060_11.000: Mother <50 when diag w/larynx-windpipe cancer

FHMAGE11	Frequency	Percent
1 Yes	6	2.03
2 No	5	1.69
7 Refused	7	2.36
8 Not ascertained	48	16.22
9 Don't know	230	77.70

Frequency Missing = 31132

NAH.060_12.000: Mother <50 when diag w/leukemia

FHMAGE12	Frequency	Percent
1 Yes	30	7.41
2 No	86	21.23
7 Refused	7	1.73
8 Not ascertained	48	11.85
9 Don't know	234	57.78

Frequency Missing = 31023

NAH.060_13.000: Mother <50 when diag w/liver cancer

FHMAGE13	Frequency	Percent
1 Yes	33	7.55
2 No	115	26.32
7 Refused	7	1.60
8 Not ascertained	48	10.98
9 Don't know	234	53.55

Frequency Missing = 30991

NAH.060_14.000: Mother <50 when diag w/lung cancer

FHMAGE14	Frequency	Percent
1 Yes	88	11.01
2 No	421	52.69
7 Refused	7	0.88
8 Not ascertained	48	6.01
9 Don't know	235	29.41

Frequency Missing = 30629

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

111

Tuesday, June 13, 2006

NAH.060_15.000: Mother <50 when diag w/lymphoma

FHMAGE15	Frequency	Percent
1 Yes	31	7.40
2 No	102	24.34
7 Refused	7	1.67
8 Not ascertained	48	11.46
9 Don't know	231	55.13

Frequency Missing = 31009

NAH.060_16.000: Mother <50 when diag w/melanoma

FHMAGE16	Frequency	Percent
1 Yes	54	12.11
2 No	104	23.32
7 Refused	7	1.57
8 Not ascertained	48	10.76
9 Don't know	233	52.24

Frequency Missing = 30982

NAH.060_17.000: Mother <50 when diag w/mouth/tongue/lip cancer

FHMAGE17	Frequency	Percent
1 Yes	2	0.66
2 No	16	5.28
7 Refused	7	2.31
8 Not ascertained	48	15.84
9 Don't know	230	75.91

Frequency Missing = 31125

NAH.060_18.000: Mother <50 when diag w/ovarian cancer

FHMAGE18	Frequency	Percent
1 Yes	170	27.11
2 No	168	26.79
7 Refused	7	1.12
8 Not ascertained	49	7.81
9 Don't know	233	37.16

Frequency Missing = 30801

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

112

Tuesday, June 13, 2006

NAH.060_19.000: Mother <50 when diag w/pancreatic cancer

FHMAGE19	Frequency	Percent
1 Yes	21	4.86
2 No	126	29.17
7 Refused	7	1.62
8 Not ascertained	48	11.11
9 Don't know	230	53.24

Frequency Missing = 30996

NAH.060_21.000: Mother <50 when diag w/rectal cancer

FHMAGE21	Frequency	Percent
1 Yes	2	0.67
2 No	11	3.69
7 Refused	7	2.35
8 Not ascertained	48	16.11
9 Don't know	230	77.18

Frequency Missing = 31130

NAH.060_22.000: Mother <50 when diag w/skin (non-melanoma) cancer

FHMAGE22	Frequency	Percent
1 Yes	76	13.89
2 No	178	32.54
7 Refused	7	1.28
8 Not ascertained	48	8.78
9 Don't know	238	43.51

Frequency Missing = 30881

NAH.060_23.000: Mother <50 when diag w/skin (DK what kind) cancer

FHMAGE23	Frequency	Percent
1 Yes	89	16.45
2 No	163	30.13
7 Refused	7	1.29
8 Not ascertained	48	8.87
9 Don't know	234	43.25

Frequency Missing = 30887

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

113

Tuesday, June 13, 2006

NAH.060_24.000: Mother <50 when diag w/soft tissue (muscle or fat) cancer

FHMAGE24	Frequency	Percent
1 Yes	1	0.34
2 No	8	2.72
7 Refused	7	2.38
8 Not ascertained	48	16.33
9 Don't know	230	78.23

Frequency Missing = 31134

NAH.060_25.000: Mother <50 when diag w/stomach cancer

FHMAGE25	Frequency	Percent
1 Yes	45	8.96
2 No	169	33.67
7 Refused	7	1.39
8 Not ascertained	48	9.56
9 Don't know	233	46.41

Frequency Missing = 30926

NAH.060_27.000: Mother <50 when diag w/throat-pharynx cancer

FHMAGE27	Frequency	Percent
1 Yes	15	4.36
2 No	43	12.50
7 Refused	8	2.33
8 Not ascertained	48	13.95
9 Don't know	230	66.86

Frequency Missing = 31084

NAH.060_28.000: Mother <50 when diag w/thyroid cancer

FHMAGE28	Frequency	Percent
1 Yes	44	12.32
2 No	26	7.28
7 Refused	7	1.96
8 Not ascertained	48	13.45
9 Don't know	232	64.99

Frequency Missing = 31071

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

114

Tuesday, June 13, 2006

NAH.060_29.000: Mother <50 when diag w/uterine cancer

FHMAGE29	Frequency	Percent
1 Yes	189	29.30
2 No	169	26.20
7 Refused	7	1.09
8 Not ascertained	48	7.44
9 Don't know	232	35.97

Frequency Missing = 30783

NAH.060_30.000: Mother <50 when diag w/other kind of cancer

FHMAGE30	Frequency	Percent
1 Yes	42	9.81
2 No	99	23.13
7 Refused	7	1.64
8 Not ascertained	48	11.21
9 Don't know	232	54.21

Frequency Missing = 31000

NAH.070_00.000: # of full brothers

FHBNUM	Frequency	Percent
00 None	8779	27.93
01-20 1-20 brothers	20028	63.73
21 21+	1	0.00
97 Refused	799	2.54
98 Not ascertained	1535	4.88
99 Don't know	286	0.91

NAH.080_00.000: # of full brothers who ever had cancer

FHBCAN	Frequency	Percent
00 None	17888	89.31
01-20 1-20 brothers	2031	10.14
21 21+	1	0.00
97 Refused	4	0.02
98 Not ascertained	0	0.00
99 Don't know	105	0.52

Frequency Missing = 11399

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

115

Tuesday, June 13, 2006

NAH.090_01.000: What kind of cancer...bladder

FHBTYP1	Frequency	Percent
1 Mentioned	36	1.77
2 Not mentioned	1826	89.86
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_02.000: What kind of cancer...blood

FHBTYP2	Frequency	Percent
1 Mentioned	10	0.49
2 Not mentioned	1852	91.14
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_03.000: What kind of cancer...bone

FHBTYP3	Frequency	Percent
1 Mentioned	69	3.40
2 Not mentioned	1793	88.24
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_04.000: What kind of cancer...brain

FHBTYP4	Frequency	Percent
1 Mentioned	101	4.97
2 Not mentioned	1761	86.66
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

116

Tuesday, June 13, 2006

NAH.090_05.000: What kind of cancer...breast

FHBTYP5	Frequency	Percent
1 Mentioned	5	0.25
2 Not mentioned	1857	91.39
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_07.000: What kind of cancer...colon

FHBTYP7	Frequency	Percent
1 Mentioned	228	11.22
2 Not mentioned	1634	80.41
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_08.000: What kind of cancer...esophagus

FHBTYP8	Frequency	Percent
1 Mentioned	32	1.57
2 Not mentioned	1830	90.06
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_09.000: What kind of cancer...gall bladder

FHBTYP9	Frequency	Percent
1 Mentioned	6	0.30
2 Not mentioned	1856	91.34
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

117

Tuesday, June 13, 2006

NAH.090_10.000: What kind of cancer...kidney

FHBTYP10	Frequency	Percent
1 Mentioned	55	2.71
2 Not mentioned	1807	88.93
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_11.000: What kind of cancer...larynx-windpipe

FHBTYP11	Frequency	Percent
1 Mentioned	15	0.74
2 Not mentioned	1847	90.90
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_12.000: What kind of cancer...leukemia

FHBTYP12	Frequency	Percent
1 Mentioned	110	5.41
2 Not mentioned	1752	86.22
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_13.000: What kind of cancer...liver

FHBTYP13	Frequency	Percent
1 Mentioned	81	3.99
2 Not mentioned	1781	87.65
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

118

Tuesday, June 13, 2006

NAH.090_14.000: What kind of cancer...lung

FHBTYP14	Frequency	Percent
1 Mentioned	354	17.42
2 Not mentioned	1508	74.21
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_15.000: What kind of cancer...lymphoma

FHBTYP15	Frequency	Percent
1 Mentioned	83	4.08
2 Not mentioned	1779	87.55
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_16.000: What kind of cancer...melanoma

FHBTYP16	Frequency	Percent
1 Mentioned	81	3.99
2 Not mentioned	1781	87.65
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_17.000: What kind of cancer...mouth/tongue/lip

FHBTYP17	Frequency	Percent
1 Mentioned	15	0.74
2 Not mentioned	1847	90.90
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

119

Tuesday, June 13, 2006

NAH.090_19.000: What kind of cancer...pancreas

FHBTYP19	Frequency	Percent
1 Mentioned	49	2.41
2 Not mentioned	1813	89.22
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_20.000: What kind of cancer...prostate

FHBTYP20	Frequency	Percent
1 Mentioned	333	16.39
2 Not mentioned	1529	75.25
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_21.000: What kind of cancer...rectum

FHBTYP21	Frequency	Percent
1 Mentioned	12	0.59
2 Not mentioned	1850	91.04
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_22.000: What kind of cancer...skin (non-melanoma)

FHBTYP22	Frequency	Percent
1 Mentioned	86	4.23
2 Not mentioned	1776	87.40
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

120

Tuesday, June 13, 2006

NAH.090_23.000: What kind of cancer...skin (DK what kind)

FHBTYP23	Frequency	Percent
1 Mentioned	111	5.46
2 Not mentioned	1751	86.17
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_24.000: What kind of cancer...soft tissue (muscle or fat)

FHBTYP24	Frequency	Percent
1 Mentioned	8	0.39
2 Not mentioned	1854	91.24
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_25.000: What kind of cancer...stomach

FHBTYP25	Frequency	Percent
1 Mentioned	101	4.97
2 Not mentioned	1761	86.66
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_26.000: What kind of cancer...testis

FHBTYP26	Frequency	Percent
1 Mentioned	42	2.07
2 Not mentioned	1820	89.57
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

121

Tuesday, June 13, 2006

NAH.090_27.000: What kind of cancer...throat-pharynx

FHBTYP27	Frequency	Percent
1 Mentioned	69	3.40
2 Not mentioned	1793	88.24
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_28.000: What kind of cancer...thyroid

FHBTYP28	Frequency	Percent
1 Mentioned	19	0.94
2 Not mentioned	1843	90.70
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_30.000: What kind of cancer . . . Other

FHBTYP30	Frequency	Percent
1 Mentioned	74	3.64
2 Not mentioned	1788	87.99
7 Refused	2	0.10
8 Not ascertained	0	0.00
9 Don't know	168	8.27

Frequency Missing = 29396

NAH.090_31.000: What kind of cancer...more than 3 kinds

FHBTYP31	Frequency	Percent
1 Mentioned	9	14.52
2 Not mentioned	53	85.48
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31366

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

122

Tuesday, June 13, 2006

NAH.097_01.000: Number of brothers diagnosed w/bladder cancer

FHBMAN01	Frequency	Percent
01-20 1-20 brothers	36	17.48
21 21+	0	0.00
97 Refused	2	0.97
98 Not ascertained	0	0.00
99 Don't know	168	81.55

Frequency Missing = 31222

NAH.097_02.000: Number of brothers diagnosed w/blood cancer

FHBMAN02	Frequency	Percent
01-20 1-20 brothers	10	5.56
21 21+	0	0.00
97 Refused	2	1.11
98 Not ascertained	0	0.00
99 Don't know	168	93.33

Frequency Missing = 31248

NAH.097_03.000: Number of brothers diagnosed w/bone cancer

FHBMAN03	Frequency	Percent
01-20 1-20 brothers	69	28.87
21 21+	0	0.00
97 Refused	2	0.84
98 Not ascertained	0	0.00
99 Don't know	168	70.29

Frequency Missing = 31189

NAH.097_04.000: Number of brothers diagnosed w/brain cancer

FHBMAN04	Frequency	Percent
01-20 1-20 brothers	100	36.90
21 21+	0	0.00
97 Refused	2	0.74
98 Not ascertained	0	0.00
99 Don't know	169	62.36

Frequency Missing = 31157

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

123

Tuesday, June 13, 2006

NAH.097_05.000: Number of brothers diagnosed w/breast cancer

FHBMAN05	Frequency	Percent
01-20 1-20 brothers	5	2.86
21 21+	0	0.00
97 Refused	2	1.14
98 Not ascertained	0	0.00
99 Don't know	168	96.00

Frequency Missing = 31253

NAH.097_07.000: Number of brothers diagnosed w/colon cancer

FHBMAN07	Frequency	Percent
01-20 1-20 brothers	227	57.04
21 21+	0	0.00
97 Refused	2	0.50
98 Not ascertained	0	0.00
99 Don't know	169	42.46

Frequency Missing = 31030

NAH.097_08.000: Number of brothers diagnosed w/esophageal cancer

FHBMAN08	Frequency	Percent
01-20 1-20 brothers	32	15.84
21 21+	0	0.00
97 Refused	2	0.99
98 Not ascertained	0	0.00
99 Don't know	168	83.17

Frequency Missing = 31226

NAH.097_09.000: Number of brothers diagnosed w/gall bladder cancer

FHBMAN09	Frequency	Percent
01-20 1-20 brothers	6	3.41
21 21+	0	0.00
97 Refused	2	1.14
98 Not ascertained	0	0.00
99 Don't know	168	95.45

Frequency Missing = 31252

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

124

Tuesday, June 13, 2006

NAH.097_10.000: Number of brothers diagnosed w/kidney cancer

FHBMAN10	Frequency	Percent
01-20 1-20 brothers	55	24.44
21 21+	0	0.00
97 Refused	2	0.89
98 Not ascertained	0	0.00
99 Don't know	168	74.67

Frequency Missing = 31203

NAH.097_11.000: Number of brothers diagnosed w/larynx-windpipe cancer

FHBMAN11	Frequency	Percent
01-20 1-20 brothers	15	8.11
21 21+	0	0.00
97 Refused	2	1.08
98 Not ascertained	0	0.00
99 Don't know	168	90.81

Frequency Missing = 31243

NAH.097_12.000: Number of brothers diagnosed w/leukemia

FHBMAN12	Frequency	Percent
01-20 1-20 brothers	110	39.29
21 21+	0	0.00
97 Refused	2	0.71
98 Not ascertained	0	0.00
99 Don't know	168	60.00

Frequency Missing = 31148

NAH.097_13.000: Number of brothers diagnosed w/liver cancer

FHBMAN13	Frequency	Percent
01-20 1-20 brothers	81	32.27
21 21+	0	0.00
97 Refused	2	0.80
98 Not ascertained	0	0.00
99 Don't know	168	66.93

Frequency Missing = 31177

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

125

Tuesday, June 13, 2006

NAH.097_14.000: Number of brothers diagnosed w/lung cancer

FHBMAN14	Frequency	Percent
01-20 1-20 brothers	353	67.37
21 21+	0	0.00
97 Refused	2	0.38
98 Not ascertained	0	0.00
99 Don't know	169	32.25

Frequency Missing = 30904

NAH.097_15.000: Number of brothers diagnosed w/lymphoma

FHBMAN15	Frequency	Percent
01-20 1-20 brothers	83	32.81
21 21+	0	0.00
97 Refused	2	0.79
98 Not ascertained	0	0.00
99 Don't know	168	66.40

Frequency Missing = 31175

NAH.097_16.000: Number of brothers diagnosed w/melanoma

FHBMAN16	Frequency	Percent
01-20 1-20 brothers	81	32.27
21 21+	0	0.00
97 Refused	2	0.80
98 Not ascertained	0	0.00
99 Don't know	168	66.93

Frequency Missing = 31177

NAH.097_17.000: Number of brothers diagnosed w/mouth/tongue/lip cancer

FHBMAN17	Frequency	Percent
01-20 1-20 brothers	15	8.11
21 21+	0	0.00
97 Refused	2	1.08
98 Not ascertained	0	0.00
99 Don't know	168	90.81

Frequency Missing = 31243

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

126

Tuesday, June 13, 2006

NAH.097_19.000: Number of brothers diagnosed w/pancreatic cancer

FHBMAN19	Frequency	Percent
01-20 1-20 brothers	49	22.37
21 21+	0	0.00
97 Refused	2	0.91
98 Not ascertained	0	0.00
99 Don't know	168	76.71

Frequency Missing = 31209

NAH.097_20.000: Number of brothers diagnosed w/prostate cancer

FHBMAN20	Frequency	Percent
01-20 1-20 brothers	332	66.00
21 21+	0	0.00
97 Refused	2	0.40
98 Not ascertained	0	0.00
99 Don't know	169	33.60

Frequency Missing = 30925

NAH.097_21.000: Number of brothers diagnosed w/rectal cancer

FHBMAN21	Frequency	Percent
01-20 1-20 brothers	12	6.59
21 21+	0	0.00
97 Refused	2	1.10
98 Not ascertained	0	0.00
99 Don't know	168	92.31

Frequency Missing = 31246

NAH.097_22.000: Number of brothers diagnosed w/skin (non-melanoma) cancer

FHBMAN22	Frequency	Percent
01-20 1-20 brothers	86	33.59
21 21+	0	0.00
97 Refused	2	0.78
98 Not ascertained	0	0.00
99 Don't know	168	65.63

Frequency Missing = 31172

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

127

Tuesday, June 13, 2006

NAH.097_23.000: Number of brothers diagnosed w/skin (DK what kind) cancer

FHBMAN23	Frequency	Percent
01-20 1-20 brothers	109	38.79
21 21+	0	0.00
97 Refused	2	0.71
98 Not ascertained	0	0.00
99 Don't know	170	60.50

Frequency Missing = 31147

NAH.097_24.000: Number of brothers diagnosed
 w/soft tissue (muscle or fat) cancer

FHBMAN24	Frequency	Percent
01-20 1-20 brothers	8	4.49
21 21+	0	0.00
97 Refused	2	1.12
98 Not ascertained	0	0.00
99 Don't know	168	94.38

Frequency Missing = 31250

NAH.097_25.000: Number of brothers diagnosed w/stomach cancer

FHBMAN25	Frequency	Percent
01-20 1-20 brothers	101	37.27
21 21+	0	0.00
97 Refused	2	0.74
98 Not ascertained	0	0.00
99 Don't know	168	61.99

Frequency Missing = 31157

NAH.097_26.000: Number of brothers diagnosed w/testicular cancer

FHBMAN26	Frequency	Percent
01-20 1-20 brothers	42	19.81
21 21+	0	0.00
97 Refused	2	0.94
98 Not ascertained	0	0.00
99 Don't know	168	79.25

Frequency Missing = 31216

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

128

Tuesday, June 13, 2006

NAH.097_27.000: Number of brothers diagnosed w/throat-pharynx cancer

FHBMAN27	Frequency	Percent
01-20 1-20 brothers	69	28.87
21 21+	0	0.00
97 Refused	2	0.84
98 Not ascertained	0	0.00
99 Don't know	168	70.29

Frequency Missing = 31189

NAH.097_28.000: Number of brothers diagnosed w/thyroid cancer

FHBMAN28	Frequency	Percent
01-20 1-20 brothers	19	10.05
21 21+	0	0.00
97 Refused	2	1.06
98 Not ascertained	0	0.00
99 Don't know	168	88.89

Frequency Missing = 31239

NAH.097_30.000: Number of brothers diagnosed w/other kind of cancer

FHBMAN30	Frequency	Percent
01-20 1-20 brothers	72	29.51
21 21+	0	0.00
97 Refused	2	0.82
98 Not ascertained	0	0.00
99 Don't know	170	69.67

Frequency Missing = 31184

NAH.098_01.000: Number of brothers <50 when diagnosed w/bladder cancer

FHBAGE01	Frequency	Percent
00 None	26	12.62
01-20 1-20 brothers	10	4.85
21 21+	0	0.00
97 Refused	2	0.97
98 Not ascertained	0	0.00
99 Don't know	168	81.55

Frequency Missing = 31222

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

129

Tuesday, June 13, 2006

NAH.098_02.000: Number of brothers <50 when diagnosed w/blood cancer

FHBAGE02	Frequency	Percent
00 None	3	1.67
01-20 1-20 brothers	7	3.89
21 21+	0	0.00
97 Refused	2	1.11
98 Not ascertained	0	0.00
99 Don't know	168	93.33

Frequency Missing = 31248

NAH.098_03.000: Number of brothers <50 when diagnosed w/bone cancer

FHBAGE03	Frequency	Percent
00 None	43	17.99
01-20 1-20 brothers	24	10.04
21 21+	0	0.00
97 Refused	2	0.84
98 Not ascertained	0	0.00
99 Don't know	170	71.13

Frequency Missing = 31189

NAH.098_04.000: Number of brothers <50 when diagnosed w/brain cancer

FHBAGE04	Frequency	Percent
00 None	58	21.40
01-20 1-20 brothers	41	15.13
21 21+	0	0.00
97 Refused	2	0.74
98 Not ascertained	0	0.00
99 Don't know	170	62.73

Frequency Missing = 31157

NAH.098_05.000: Number of brothers <50 when diagnosed w/breast cancer

FHBAGE05	Frequency	Percent
00 None	1	0.57
01-20 1-20 brothers	4	2.29
21 21+	0	0.00
97 Refused	2	1.14
98 Not ascertained	0	0.00
99 Don't know	168	96.00

Frequency Missing = 31253

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

130

Tuesday, June 13, 2006

NAH.098_07.000: Number of brothers <50 when diagnosed w/colon cancer

FHBAGE07	Frequency	Percent
00 None	163	40.95
01-20 1-20 brothers	57	14.32
21 21+	0	0.00
97 Refused	2	0.50
98 Not ascertained	0	0.00
99 Don't know	176	44.22

Frequency Missing = 31030

NAH.098_08.000: Number of brothers <50 when diagnosed w/esophageal cancer

FHBAGE08	Frequency	Percent
00 None	25	12.38
01-20 1-20 brothers	7	3.47
21 21+	0	0.00
97 Refused	2	0.99
98 Not ascertained	0	0.00
99 Don't know	168	83.17

Frequency Missing = 31226

NAH.098_09.000: Number of brothers <50 when diagnosed w/gall bladder cancer

FHBAGE09	Frequency	Percent
00 None	6	3.41
01-20 1-20 brothers	0	0.00
21 21+	0	0.00
97 Refused	2	1.14
98 Not ascertained	0	0.00
99 Don't know	168	95.45

Frequency Missing = 31252

NAH.098_10.000: Number of brothers <50 when diagnosed w/kidney cancer

FHBAGE10	Frequency	Percent
00 None	36	16.00
01-20 1-20 brothers	18	8.00
21 21+	0	0.00
97 Refused	2	0.89
98 Not ascertained	0	0.00
99 Don't know	169	75.11

Frequency Missing = 31203

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

131

Tuesday, June 13, 2006

NAH.098_11.000: Number of brothers <50 when diagnosed w/larynx-windpipe cancer

FHBAGE11	Frequency	Percent
00 None	11	5.95
01-20 1-20 brothers	4	2.16
21 21+	0	0.00
97 Refused	2	1.08
98 Not ascertained	0	0.00
99 Don't know	168	90.81

Frequency Missing = 31243

NAH.098_12.000: Number of brothers <50 when diagnosed w/leukemia

FHBAGE12	Frequency	Percent
00 None	43	15.36
01-20 1-20 brothers	66	23.57
21 21+	0	0.00
97 Refused	2	0.71
98 Not ascertained	0	0.00
99 Don't know	169	60.36

Frequency Missing = 31148

NAH.098_13.000: Number of brothers <50 when diagnosed w/liver cancer

FHBAGE13	Frequency	Percent
00 None	49	19.52
01-20 1-20 brothers	31	12.35
21 21+	0	0.00
97 Refused	2	0.80
98 Not ascertained	0	0.00
99 Don't know	169	67.33

Frequency Missing = 31177

NAH.098_14.000: Number of brothers <50 when diagnosed w/lung cancer

FHBAGE14	Frequency	Percent
00 None	237	45.23
01-20 1-20 brothers	106	20.23
21 21+	0	0.00
97 Refused	2	0.38
98 Not ascertained	1	0.19
99 Don't know	178	33.97

Frequency Missing = 30904

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

132

Tuesday, June 13, 2006

NAH.098_15.000: Number of brothers <50 when diagnosed w/lymphoma

FHBAGE15	Frequency	Percent
00 None	29	11.46
01-20 1-20 brothers	53	20.95
21 21+	0	0.00
97 Refused	2	0.79
98 Not ascertained	0	0.00
99 Don't know	169	66.80

Frequency Missing = 31175

NAH.098_16.000: Number of brothers <50 when diagnosed w/melanoma

FHBAGE16	Frequency	Percent
00 None	34	13.55
01-20 1-20 brothers	47	18.73
21 21+	0	0.00
97 Refused	2	0.80
98 Not ascertained	0	0.00
99 Don't know	168	66.93

Frequency Missing = 31177

NAH.098_17.000: Number of brothers <50 when diagnosed w/mouth/tongue/lip cancer

FHBAGE17	Frequency	Percent
00 None	8	4.32
01-20 1-20 brothers	7	3.78
21 21+	0	0.00
97 Refused	2	1.08
98 Not ascertained	0	0.00
99 Don't know	168	90.81

Frequency Missing = 31243

NAH.098_19.000: Number of brothers <50 when diagnosed w/pancreatic cancer

FHBAGE19	Frequency	Percent
00 None	39	17.81
01-20 1-20 brothers	10	4.57
21 21+	0	0.00
97 Refused	2	0.91
98 Not ascertained	0	0.00
99 Don't know	168	76.71

Frequency Missing = 31209

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

133

Tuesday, June 13, 2006

NAH.098_20.000: Number of brothers <50 when diagnosed w/prostate cancer

FHBAGE20	Frequency	Percent
00 None	250	49.70
01-20 1-20 brothers	74	14.71
21 21+	0	0.00
97 Refused	2	0.40
98 Not ascertained	0	0.00
99 Don't know	177	35.19

Frequency Missing = 30925

NAH.098_21.000: Number of brothers <50 when diagnosed w/rectal cancer

FHBAGE21	Frequency	Percent
00 None	9	4.95
01-20 1-20 brothers	2	1.10
21 21+	0	0.00
97 Refused	2	1.10
98 Not ascertained	0	0.00
99 Don't know	169	92.86

Frequency Missing = 31246

NAH.098_22.000: Number of brothers <50 when
 diagnosed w/skin (non-melanoma) cancer

FHBAGE22	Frequency	Percent
00 None	41	16.02
01-20 1-20 brothers	44	17.19
21 21+	0	0.00
97 Refused	2	0.78
98 Not ascertained	0	0.00
99 Don't know	169	66.02

Frequency Missing = 31172

NAH.098_23.000: Number of brothers <50 when
 diagnosed w/skin (DK what kind) cancer

FHBAGE23	Frequency	Percent
00 None	55	19.57
01-20 1-20 brothers	51	18.15
21 21+	0	0.00
97 Refused	2	0.71
98 Not ascertained	0	0.00
99 Don't know	173	61.57

Frequency Missing = 31147

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

134

Tuesday, June 13, 2006

NAH.098_24.000: Number of brothers <50 when diagnosed
 w/soft tissue (muscle or fat) cancer

FHBAGE24	Frequency	Percent
00 None	4	2.25
01-20 1-20 brothers	4	2.25
21 21+	0	0.00
97 Refused	2	1.12
98 Not ascertained	0	0.00
99 Don't know	168	94.38

Frequency Missing = 31250

NAH.098_25.000: Number of brothers <50 when diagnosed w/stomach cancer

FHBAGE25	Frequency	Percent
00 None	56	20.66
01-20 1-20 brothers	43	15.87
21 21+	0	0.00
97 Refused	2	0.74
98 Not ascertained	0	0.00
99 Don't know	170	62.73

Frequency Missing = 31157

NAH.098_26.000: Number of brothers <50 when diagnosed w/testicular cancer

FHBAGE26	Frequency	Percent
00 None	8	3.77
01-20 1-20 brothers	34	16.04
21 21+	0	0.00
97 Refused	2	0.94
98 Not ascertained	0	0.00
99 Don't know	168	79.25

Frequency Missing = 31216

NAH.098_27.000: Number of brothers <50 when diagnosed w/throat-pharynx cancer

FHBAGE27	Frequency	Percent
00 None	37	15.48
01-20 1-20 brothers	30	12.55
21 21+	0	0.00
97 Refused	2	0.84
98 Not ascertained	0	0.00
99 Don't know	170	71.13

Frequency Missing = 31189

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

135

Tuesday, June 13, 2006

NAH.098_28.000: Number of brothers <50 when diagnosed w/thyroid cancer

FHBAGE28	Frequency	Percent
00 None	5	2.65
01-20 1-20 brothers	14	7.41
21 21+	0	0.00
97 Refused	2	1.06
98 Not ascertained	0	0.00
99 Don't know	168	88.89

Frequency Missing = 31239

NAH.098_30.000: Number of brothers <50 when diagnosed w/other kind of cancer

FHBAGE30	Frequency	Percent
00 None	35	14.34
01-20 1-20 brothers	38	15.57
21 21+	0	0.00
97 Refused	2	0.82
98 Not ascertained	0	0.00
99 Don't know	169	69.26

Frequency Missing = 31184

NAH.100_00.000: # of full sisters

FHSNUM	Frequency	Percent
00 None	9379	29.84
01-20 1-20 sisters	19424	61.80
21 21+	1	0.00
97 Refused	803	2.56
98 Not ascertained	1538	4.89
99 Don't know	283	0.90

NAH.110_00.000: # of full sisters who ever had cancer

FHSCAN	Frequency	Percent
00 None	16715	86.05
01-20 1-20 sisters	2587	13.32
21 21+	0	0.00
97 Refused	3	0.02
98 Not ascertained	0	0.00
99 Don't know	120	0.62

Frequency Missing = 12003

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

136

Tuesday, June 13, 2006

NAH.120_01.000: What kind of cancer...bladder

FHSTYP1	Frequency	Percent
1 Mentioned	20	0.77
2 Not mentioned	2403	92.89
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_02.000: What kind of cancer...blood

FHSTYP2	Frequency	Percent
1 Mentioned	15	0.58
2 Not mentioned	2408	93.08
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_03.000: What kind of cancer...bone

FHSTYP3	Frequency	Percent
1 Mentioned	49	1.89
2 Not mentioned	2374	91.77
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_04.000: What kind of cancer...brain

FHSTYP4	Frequency	Percent
1 Mentioned	82	3.17
2 Not mentioned	2341	90.49
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

137

Tuesday, June 13, 2006

NAH.120_05.000: What kind of cancer...breast

FHSTYP5	Frequency	Percent
1 Mentioned	886	34.25
2 Not mentioned	1537	59.41
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_06.000: What kind of cancer...cervix

FHSTYP6	Frequency	Percent
1 Mentioned	159	6.15
2 Not mentioned	2264	87.51
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_07.000: What kind of cancer...colon

FHSTYP7	Frequency	Percent
1 Mentioned	205	7.92
2 Not mentioned	2218	85.74
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_08.000: What kind of cancer...esophagus

FHSTYP8	Frequency	Percent
1 Mentioned	8	0.31
2 Not mentioned	2415	93.35
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

138

Tuesday, June 13, 2006

NAH.120_09.000: What kind of cancer...gall bladder

FHSTYP9	Frequency	Percent
1 Mentioned	3	0.12
2 Not mentioned	2420	93.54
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_10.000: What kind of cancer...kidney

FHSTYP10	Frequency	Percent
1 Mentioned	34	1.31
2 Not mentioned	2389	92.35
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_11.000: What kind of cancer...larynx-windpipe

FHSTYP11	Frequency	Percent
1 Mentioned	8	0.31
2 Not mentioned	2415	93.35
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_12.000: What kind of cancer...leukemia

FHSTYP12	Frequency	Percent
1 Mentioned	87	3.36
2 Not mentioned	2336	90.30
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

139

Tuesday, June 13, 2006

NAH.120_13.000: What kind of cancer...liver

FHSTYP13	Frequency	Percent
1 Mentioned	74	2.86
2 Not mentioned	2349	90.80
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_14.000: What kind of cancer...lung

FHSTYP14	Frequency	Percent
1 Mentioned	217	8.39
2 Not mentioned	2206	85.27
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_15.000: What kind of cancer...lymphoma

FHSTYP15	Frequency	Percent
1 Mentioned	61	2.36
2 Not mentioned	2362	91.30
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_16.000: What kind of cancer...melanoma

FHSTYP16	Frequency	Percent
1 Mentioned	69	2.67
2 Not mentioned	2354	90.99
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

140

Tuesday, June 13, 2006

NAH.120_17.000: What kind of cancer...mouth/tongue/lip

FHSTYP17	Frequency	Percent
1 Mentioned	11	0.43
2 Not mentioned	2412	93.24
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_18.000: What kind of cancer...ovary

FHSTYP18	Frequency	Percent
1 Mentioned	174	6.73
2 Not mentioned	2249	86.93
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_19.000: What kind of cancer...pancreas

FHSTYP19	Frequency	Percent
1 Mentioned	50	1.93
2 Not mentioned	2373	91.73
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_21.000: What kind of cancer...rectum

FHSTYP21	Frequency	Percent
1 Mentioned	11	0.43
2 Not mentioned	2412	93.24
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

141

Tuesday, June 13, 2006

NAH.120_22.000: What kind of cancer...skin (non-melanoma)

FHSTYP22	Frequency	Percent
1 Mentioned	83	3.21
2 Not mentioned	2340	90.45
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_23.000: What kind of cancer...skin (DK what kind)

FHSTYP23	Frequency	Percent
1 Mentioned	95	3.67
2 Not mentioned	2328	89.99
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_24.000: What kind of cancer...soft tissue (muscle or fat)

FHSTYP24	Frequency	Percent
1 Mentioned	7	0.27
2 Not mentioned	2416	93.39
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_25.000: What kind of cancer...stomach

FHSTYP25	Frequency	Percent
1 Mentioned	85	3.29
2 Not mentioned	2338	90.37
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

142

Tuesday, June 13, 2006

NAH.120_27.000: What kind of cancer...throat-pharynx

FHSTYP27	Frequency	Percent
1 Mentioned	30	1.16
2 Not mentioned	2393	92.50
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_28.000: What kind of cancer...thyroid

FHSTYP28	Frequency	Percent
1 Mentioned	50	1.93
2 Not mentioned	2373	91.73
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_29.000: What kind of cancer...Uterus

FHSTYP29	Frequency	Percent
1 Mentioned	163	6.30
2 Not mentioned	2260	87.36
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

NAH.120_30.000: What kind of cancer...Other

FHSTYP30	Frequency	Percent
1 Mentioned	80	3.09
2 Not mentioned	2343	90.57
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	160	6.18

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

143

Tuesday, June 13, 2006

NAH.120_31.000: What kind of cancer...more than 3 kinds

FHSTYP31	Frequency	Percent
1 Mentioned	6	8.11
2 Not mentioned	68	91.89
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31354

NAH.127_01.000: Number of sisters diagnosed w/bladder cancer

FHSMAN01	Frequency	Percent
01-20 1-20 sisters	20	10.87
21 21+	0	0.00
97 Refused	4	2.17
98 Not ascertained	0	0.00
99 Don't know	160	86.96

Frequency Missing = 31244

NAH.127_02.000: Number of sisters diagnosed w/blood cancer

FHSMAN02	Frequency	Percent
01-20 1-20 sisters	15	8.38
21 21+	0	0.00
97 Refused	4	2.23
98 Not ascertained	0	0.00
99 Don't know	160	89.39

Frequency Missing = 31249

NAH.127_03.000: Number of sisters diagnosed w/bone cancer

FHSMAN03	Frequency	Percent
01-20 1-20 sisters	49	23.00
21 21+	0	0.00
97 Refused	4	1.88
98 Not ascertained	0	0.00
99 Don't know	160	75.12

Frequency Missing = 31215

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

144

Tuesday, June 13, 2006

NAH.127_04.000: Number of sisters diagnosed w/brain cancer

FHSMAN04	Frequency	Percent
01-20 1-20 sisters	82	33.33
21 21+	0	0.00
97 Refused	4	1.63
98 Not ascertained	0	0.00
99 Don't know	160	65.04

Frequency Missing = 31182

NAH.127_05.000: Number of sisters diagnosed w/breast cancer

FHSMAN05	Frequency	Percent
01-20 1-20 sisters	886	84.38
21 21+	0	0.00
97 Refused	4	0.38
98 Not ascertained	0	0.00
99 Don't know	160	15.24

Frequency Missing = 30378

NAH.127_06.000: Number of sisters diagnosed w/cervical cancer

FHSMAN06	Frequency	Percent
01-20 1-20 sisters	159	49.23
21 21+	0	0.00
97 Refused	4	1.24
98 Not ascertained	0	0.00
99 Don't know	160	49.54

Frequency Missing = 31105

NAH.127_07.000: Number of sisters diagnosed w/colon cancer

FHSMAN07	Frequency	Percent
01-20 1-20 sisters	204	55.28
21 21+	0	0.00
97 Refused	4	1.08
98 Not ascertained	0	0.00
99 Don't know	161	43.63

Frequency Missing = 31059

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

145

Tuesday, June 13, 2006

NAH.127_08.000: Number of sisters diagnosed w/esophageal cancer

FHSMAN08	Frequency	Percent
01-20 1-20 sisters	8	4.65
21 21+	0	0.00
97 Refused	4	2.33
98 Not ascertained	0	0.00
99 Don't know	160	93.02

Frequency Missing = 31256

NAH.127_09.000: Number of sisters diagnosed w/gall bladder cancer

FHSMAN09	Frequency	Percent
01-20 1-20 sisters	3	1.80
21 21+	0	0.00
97 Refused	4	2.40
98 Not ascertained	0	0.00
99 Don't know	160	95.81

Frequency Missing = 31261

NAH.127_10.000: Number of sisters diagnosed w/kidney cancer

FHSMAN10	Frequency	Percent
01-20 1-20 sisters	34	17.17
21 21+	0	0.00
97 Refused	4	2.02
98 Not ascertained	0	0.00
99 Don't know	160	80.81

Frequency Missing = 31230

NAH.127_11.000: Number of sisters diagnosed w/larynx-windpipe cancer

FHSMAN11	Frequency	Percent
01-20 1-20 sisters	8	4.65
21 21+	0	0.00
97 Refused	4	2.33
98 Not ascertained	0	0.00
99 Don't know	160	93.02

Frequency Missing = 31256

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

146

Tuesday, June 13, 2006

NAH.127_12.000: Number of sisters diagnosed w/leukemia

FHSMAN12	Frequency	Percent
01-20 1-20 sisters	87	34.66
21 21+	0	0.00
97 Refused	4	1.59
98 Not ascertained	0	0.00
99 Don't know	160	63.75

Frequency Missing = 31177

NAH.127_13.000: Number of sisters diagnosed w/liver cancer

FHSMAN13	Frequency	Percent
01-20 1-20 sisters	74	31.09
21 21+	0	0.00
97 Refused	4	1.68
98 Not ascertained	0	0.00
99 Don't know	160	67.23

Frequency Missing = 31190

NAH.127_14.000: Number of sisters diagnosed w/lung cancer

FHSMAN14	Frequency	Percent
01-20 1-20 sisters	217	56.96
21 21+	0	0.00
97 Refused	4	1.05
98 Not ascertained	0	0.00
99 Don't know	160	41.99

Frequency Missing = 31047

NAH.127_15.000: Number of sisters diagnosed w/lymphoma

FHSMAN15	Frequency	Percent
01-20 1-20 sisters	61	27.11
21 21+	0	0.00
97 Refused	4	1.78
98 Not ascertained	0	0.00
99 Don't know	160	71.11

Frequency Missing = 31203

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

147

Tuesday, June 13, 2006

NAH.127_16.000: Number of sisters diagnosed w/melanoma

FHSMAN16	Frequency	Percent
01-20 1-20 sisters	69	29.61
21 21+	0	0.00
97 Refused	4	1.72
98 Not ascertained	0	0.00
99 Don't know	160	68.67

Frequency Missing = 31195

NAH.127_17.000: Number of sisters diagnosed w/mouth/tongue/lip cancer

FHSMAN17	Frequency	Percent
01-20 1-20 sisters	11	6.29
21 21+	0	0.00
97 Refused	4	2.29
98 Not ascertained	0	0.00
99 Don't know	160	91.43

Frequency Missing = 31253

NAH.127_18.000: Number of sisters diagnosed w/ovarian cancer

FHSMAN18	Frequency	Percent
01-20 1-20 sisters	174	51.48
21 21+	0	0.00
97 Refused	4	1.18
98 Not ascertained	0	0.00
99 Don't know	160	47.34

Frequency Missing = 31090

NAH.127_19.000: Number of sisters diagnosed w/pancreatic cancer

FHSMAN19	Frequency	Percent
01-20 1-20 sisters	50	23.36
21 21+	0	0.00
97 Refused	4	1.87
98 Not ascertained	0	0.00
99 Don't know	160	74.77

Frequency Missing = 31214

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

148

Tuesday, June 13, 2006

NAH.127_21.000: Number of sisters diagnosed w/rectal cancer

FHSMAN21	Frequency	Percent
01-20 1-20 sisters	11	6.29
21 21+	0	0.00
97 Refused	4	2.29
98 Not ascertained	0	0.00
99 Don't know	160	91.43

Frequency Missing = 31253

NAH.127_22.000: Number of sisters diagnosed w/skin (non-melanoma) cancer

FHSMAN22	Frequency	Percent
01-20 1-20 sisters	83	33.60
21 21+	0	0.00
97 Refused	4	1.62
98 Not ascertained	0	0.00
99 Don't know	160	64.78

Frequency Missing = 31181

NAH.127_23.000: Number of sisters diagnosed w/skin (DK what kind) cancer

FHSMAN23	Frequency	Percent
01-20 1-20 sisters	95	36.68
21 21+	0	0.00
97 Refused	4	1.54
98 Not ascertained	0	0.00
99 Don't know	160	61.78

Frequency Missing = 31169

NAH.127_24.000: Number of sisters diagnosed w/soft tissue (muscle or fat) cancer

FHSMAN24	Frequency	Percent
01-20 1-20 sisters	7	4.09
21 21+	0	0.00
97 Refused	4	2.34
98 Not ascertained	0	0.00
99 Don't know	160	93.57

Frequency Missing = 31257

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

149

Tuesday, June 13, 2006

NAH.127_25.000: Number of sisters diagnosed w/stomach cancer

FHSMAN25	Frequency	Percent
01-20 1-20 sisters	85	34.14
21 21+	0	0.00
97 Refused	4	1.61
98 Not ascertained	0	0.00
99 Don't know	160	64.26

Frequency Missing = 31179

NAH.127_27.000: Number of sisters diagnosed w/throat-pharynx cancer

FHSMAN27	Frequency	Percent
01-20 1-20 sisters	30	15.46
21 21+	0	0.00
97 Refused	4	2.06
98 Not ascertained	0	0.00
99 Don't know	160	82.47

Frequency Missing = 31234

NAH.127_28.000: Number of sisters diagnosed w/thyroid cancer

FHSMAN28	Frequency	Percent
01-20 1-20 sisters	50	23.36
21 21+	0	0.00
97 Refused	4	1.87
98 Not ascertained	0	0.00
99 Don't know	160	74.77

Frequency Missing = 31214

NAH.127_29.000: Number of sisters diagnosed w/uterine cancer

FHSMAN29	Frequency	Percent
01-20 1-20 sisters	163	49.85
21 21+	0	0.00
97 Refused	4	1.22
98 Not ascertained	0	0.00
99 Don't know	160	48.93

Frequency Missing = 31101

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

150

Tuesday, June 13, 2006

NAH.127_30.000: Number of sisters diagnosed w/other kind of cancer

FHSMAN30	Frequency	Percent
01-20 1-20 sisters	80	32.79
21 21+	0	0.00
97 Refused	4	1.64
98 Not ascertained	0	0.00
99 Don't know	160	65.57

Frequency Missing = 31184

NAH.128_01.000: Number of sisters <50 when diagnosed w/bladder cancer

FHSAGE01	Frequency	Percent
00 None	11	5.98
01-20 1-20 sisters	7	3.80
21 21+	0	0.00
97 Refused	4	2.17
98 Not ascertained	0	0.00
99 Don't know	162	88.04

Frequency Missing = 31244

NAH.128_02.000: Number of sisters <50 when diagnosed w/blood cancer

FHSAGE02	Frequency	Percent
00 None	10	5.59
01-20 1-20 sisters	5	2.79
21 21+	0	0.00
97 Refused	4	2.23
98 Not ascertained	0	0.00
99 Don't know	160	89.39

Frequency Missing = 31249

NAH.128_03.000: Number of sisters <50 when diagnosed w/bone cancer

FHSAGE03	Frequency	Percent
00 None	34	15.96
01-20 1-20 sisters	15	7.04
21 21+	0	0.00
97 Refused	4	1.88
98 Not ascertained	0	0.00
99 Don't know	160	75.12

Frequency Missing = 31215

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

151

Tuesday, June 13, 2006

NAH.128_04.000: Number of sisters <50 when diagnosed w/brain cancer

FHSAGE04	Frequency	Percent
00 None	48	19.51
01-20 1-20 sisters	32	13.01
21 21+	0	0.00
97 Refused	4	1.63
98 Not ascertained	0	0.00
99 Don't know	162	65.85

Frequency Missing = 31182

NAH.128_05.000: Number of sisters <50 when diagnosed w/breast cancer

FHSAGE05	Frequency	Percent
00 None	420	40.00
01-20 1-20 sisters	454	43.24
21 21+	0	0.00
97 Refused	5	0.48
98 Not ascertained	0	0.00
99 Don't know	171	16.29

Frequency Missing = 30378

NAH.128_06.000: Number of sisters <50 when diagnosed w/cervical cancer

FHSAGE06	Frequency	Percent
00 None	26	8.05
01-20 1-20 sisters	129	39.94
21 21+	0	0.00
97 Refused	5	1.55
98 Not ascertained	0	0.00
99 Don't know	163	50.46

Frequency Missing = 31105

NAH.128_07.000: Number of sisters <50 when diagnosed w/colon cancer

FHSAGE07	Frequency	Percent
00 None	129	34.96
01-20 1-20 sisters	73	19.78
21 21+	0	0.00
97 Refused	4	1.08
98 Not ascertained	0	0.00
99 Don't know	163	44.17

Frequency Missing = 31059

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

152

Tuesday, June 13, 2006

NAH.128_08.000: Number of sisters <50 when diagnosed w/esophageal cancer

FHSAGE08	Frequency	Percent
00 None	3	1.74
01-20 1-20 sisters	5	2.91
21 21+	0	0.00
97 Refused	4	2.33
98 Not ascertained	0	0.00
99 Don't know	160	93.02

Frequency Missing = 31256

NAH.128_09.000: Number of sisters <50 when diagnosed w/gall bladder cancer

FHSAGE09	Frequency	Percent
00 None	2	1.20
01-20 1-20 sisters	1	0.60
21 21+	0	0.00
97 Refused	4	2.40
98 Not ascertained	0	0.00
99 Don't know	160	95.81

Frequency Missing = 31261

NAH.128_10.000: Number of sisters <50 when diagnosed w/kidney cancer

FHSAGE10	Frequency	Percent
00 None	24	12.12
01-20 1-20 sisters	7	3.54
21 21+	0	0.00
97 Refused	4	2.02
98 Not ascertained	0	0.00
99 Don't know	163	82.32

Frequency Missing = 31230

NAH.128_11.000: Number of sisters <50 when diagnosed w/larynx-windpipe cancer

FHSAGE11	Frequency	Percent
00 None	5	2.91
01-20 1-20 sisters	3	1.74
21 21+	0	0.00
97 Refused	4	2.33
98 Not ascertained	0	0.00
99 Don't know	160	93.02

Frequency Missing = 31256

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

153

Tuesday, June 13, 2006

NAH.128_12.000: Number of sisters <50 when diagnosed w/leukemia

FHSAGE12	Frequency	Percent
00 None	35	13.94
01-20 1-20 sisters	52	20.72
21 21+	0	0.00
97 Refused	4	1.59
98 Not ascertained	0	0.00
99 Don't know	160	63.75

Frequency Missing = 31177

NAH.128_13.000: Number of sisters <50 when diagnosed w/liver cancer

FHSAGE13	Frequency	Percent
00 None	54	22.69
01-20 1-20 sisters	20	8.40
21 21+	0	0.00
97 Refused	4	1.68
98 Not ascertained	0	0.00
99 Don't know	160	67.23

Frequency Missing = 31190

NAH.128_14.000: Number of sisters <50 when diagnosed w/lung cancer

FHSAGE14	Frequency	Percent
00 None	145	38.06
01-20 1-20 sisters	70	18.37
21 21+	0	0.00
97 Refused	4	1.05
98 Not ascertained	0	0.00
99 Don't know	162	42.52

Frequency Missing = 31047

NAH.128_15.000: Number of sisters <50 when diagnosed w/lymphoma

FHSAGE15	Frequency	Percent
00 None	27	12.00
01-20 1-20 sisters	34	15.11
21 21+	0	0.00
97 Refused	4	1.78
98 Not ascertained	0	0.00
99 Don't know	160	71.11

Frequency Missing = 31203

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

154

Tuesday, June 13, 2006

NAH.128_16.000: Number of sisters <50 when diagnosed w/melanoma

FHSAGE16	Frequency	Percent
00 None	20	8.58
01-20 1-20 sisters	49	21.03
21 21+	0	0.00
97 Refused	4	1.72
98 Not ascertained	0	0.00
99 Don't know	160	68.67

Frequency Missing = 31195

NAH.128_17.000: Number of sisters <50 when diagnosed w/mouth/tongue/lip cancer

FHSAGE17	Frequency	Percent
00 None	7	4.00
01-20 1-20 sisters	4	2.29
21 21+	0	0.00
97 Refused	4	2.29
98 Not ascertained	0	0.00
99 Don't know	160	91.43

Frequency Missing = 31253

NAH.128_18.000: Number of sisters <50 when diagnosed w/ovarian cancer

FHSAGE18	Frequency	Percent
00 None	63	18.64
01-20 1-20 sisters	109	32.25
21 21+	0	0.00
97 Refused	5	1.48
98 Not ascertained	0	0.00
99 Don't know	161	47.63

Frequency Missing = 31090

NAH.128_19.000: Number of sisters <50 when diagnosed w/pancreatic cancer

FHSAGE19	Frequency	Percent
00 None	38	17.76
01-20 1-20 sisters	11	5.14
21 21+	0	0.00
97 Refused	4	1.87
98 Not ascertained	0	0.00
99 Don't know	161	75.23

Frequency Missing = 31214

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

155

Tuesday, June 13, 2006

NAH.128_21.000: Number of sisters <50 when diagnosed w/rectal cancer

FHSAGE21	Frequency	Percent
00 None	9	5.14
01-20 1-20 sisters	2	1.14
21 21+	0	0.00
97 Refused	4	2.29
98 Not ascertained	0	0.00
99 Don't know	160	91.43

Frequency Missing = 31253

NAH.128_22.000: Number of sisters <50 when
 diagnosed w/skin (non-melanoma) cancer

FHSAGE22	Frequency	Percent
00 None	33	13.36
01-20 1-20 sisters	49	19.84
21 21+	0	0.00
97 Refused	4	1.62
98 Not ascertained	0	0.00
99 Don't know	161	65.18

Frequency Missing = 31181

NAH.128_23.000: Number of sisters <50 when
 diagnosed w/skin (DK what kind) cancer

FHSAGE23	Frequency	Percent
00 None	41	15.83
01-20 1-20 sisters	52	20.08
21 21+	0	0.00
97 Refused	4	1.54
98 Not ascertained	0	0.00
99 Don't know	162	62.55

Frequency Missing = 31169

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

156

Tuesday, June 13, 2006

NAH.128_24.000: Number of sisters <50 when diagnosed
 w/soft tissue (muscle or fat) cancer

FHSAGE24	Frequency	Percent
00 None	2	1.17
01-20 1-20 sisters	4	2.34
21 21+	0	0.00
97 Refused	4	2.34
98 Not ascertained	0	0.00
99 Don't know	161	94.15

Frequency Missing = 31257

NAH.128_25.000: Number of sisters <50 when diagnosed w/stomach cancer

FHSAGE25	Frequency	Percent
00 None	59	23.69
01-20 1-20 sisters	26	10.44
21 21+	0	0.00
97 Refused	4	1.61
98 Not ascertained	0	0.00
99 Don't know	160	64.26

Frequency Missing = 31179

NAH.128_27.000: Number of sisters <50 when diagnosed w/throat-pharynx cancer

FHSAGE27	Frequency	Percent
00 None	12	6.19
01-20 1-20 sisters	16	8.25
21 21+	0	0.00
97 Refused	4	2.06
98 Not ascertained	0	0.00
99 Don't know	162	83.51

Frequency Missing = 31234

NAH.128_28.000: Number of sisters <50 when diagnosed w/thyroid cancer

FHSAGE28	Frequency	Percent
00 None	11	5.14
01-20 1-20 sisters	38	17.76
21 21+	0	0.00
97 Refused	4	1.87
98 Not ascertained	0	0.00
99 Don't know	161	75.23

Frequency Missing = 31214

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

157

Tuesday, June 13, 2006

NAH.128_29.000: Number of sisters <50 when diagnosed w/uterine cancer

FHSAGE29	Frequency	Percent
00 None	45	13.76
01-20 1-20 sisters	116	35.47
21 21+	0	0.00
97 Refused	5	1.53
98 Not ascertained	0	0.00
99 Don't know	161	49.24

Frequency Missing = 31101

NAH.128_30.000: Number of sisters <50 when diagnosed w/other kind of cancer

FHSAGE30	Frequency	Percent
00 None	35	14.34
01-20 1-20 sisters	43	17.62
21 21+	0	0.00
97 Refused	4	1.64
98 Not ascertained	0	0.00
99 Don't know	162	66.39

Frequency Missing = 31184

NAH.130_00.000: # of sons

FHNNUM	Frequency	Percent
00 None	13185	41.95
01-20 1-20 sons	15872	50.50
21 21+	0	0.00
96 No biological children	24	0.08
97 Refused	680	2.16
98 Not ascertained	1538	4.89
99 Don't know	129	0.41

NAH.140_00.000: # of full sons who ever had cancer

FHNCAN	Frequency	Percent
00 None	15523	97.80
01-20 1-20 sons	319	2.01
21 21+	0	0.00
97 Refused	8	0.05
98 Not ascertained	0	0.00
99 Don't know	22	0.14

Frequency Missing = 15556

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

158

Tuesday, June 13, 2006

NAH.150_01.000: What kind of cancer...bladder

FHNTYP1	Frequency	Percent
1 Mentioned	1	0.31
2 Not mentioned	310	97.18
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_02.000: What kind of cancer...blood

FHNTYP2	Frequency	Percent
1 Mentioned	2	0.63
2 Not mentioned	309	96.87
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_03.000: What kind of cancer...bone

FHNTYP3	Frequency	Percent
1 Mentioned	6	1.88
2 Not mentioned	305	95.61
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_04.000: What kind of cancer...brain

FHNTYP4	Frequency	Percent
1 Mentioned	19	5.96
2 Not mentioned	292	91.54
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

159

Tuesday, June 13, 2006

NAH.150_05.000: What kind of cancer...breast

FHNTYP5	Frequency	Percent
1 Mentioned	2	0.63
2 Not mentioned	309	96.87
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_07.000: What kind of cancer...colon

FHNTYP7	Frequency	Percent
1 Mentioned	25	7.84
2 Not mentioned	286	89.66
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_08.000: What kind of cancer...esophagus

FHNTYP8	Frequency	Percent
1 Mentioned	4	1.25
2 Not mentioned	307	96.24
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_09.000: What kind of cancer...gall bladder

FHNTYP9	Frequency	Percent
1 Mentioned	0	0.00
2 Not mentioned	311	97.49
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

160

Tuesday, June 13, 2006

NAH.150_10.000: What kind of cancer...kidney

FHNTYP10	Frequency	Percent
1 Mentioned	6	1.88
2 Not mentioned	305	95.61
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_11.000: What kind of cancer...larynx-windpipe

FHNTYP11	Frequency	Percent
1 Mentioned	2	0.63
2 Not mentioned	309	96.87
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_12.000: What kind of cancer...leukemia

FHNTYP12	Frequency	Percent
1 Mentioned	22	6.90
2 Not mentioned	289	90.60
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_13.000: What kind of cancer...liver

FHNTYP13	Frequency	Percent
1 Mentioned	11	3.45
2 Not mentioned	300	94.04
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

161

Tuesday, June 13, 2006

NAH.150_14.000: What kind of cancer...lung

FHNTYP14	Frequency	Percent
1 Mentioned	27	8.46
2 Not mentioned	284	89.03
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_15.000: What kind of cancer...lymphoma

FHNTYP15	Frequency	Percent
1 Mentioned	25	7.84
2 Not mentioned	286	89.66
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_16.000: What kind of cancer...melanoma

FHNTYP16	Frequency	Percent
1 Mentioned	31	9.72
2 Not mentioned	280	87.77
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_17.000: What kind of cancer...mouth/tongue/lip

FHNTYP17	Frequency	Percent
1 Mentioned	0	0.00
2 Not mentioned	311	97.49
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

162

Tuesday, June 13, 2006

NAH.150_19.000: What kind of cancer...pancreas

FHNTYP19	Frequency	Percent
1 Mentioned	3	0.94
2 Not mentioned	308	96.55
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_20.000: What kind of cancer...prostate

FHNTYP20	Frequency	Percent
1 Mentioned	28	8.78
2 Not mentioned	283	88.71
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_21.000: What kind of cancer...rectum

FHNTYP21	Frequency	Percent
1 Mentioned	1	0.31
2 Not mentioned	310	97.18
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_22.000: What kind of cancer...skin (non-melanoma)

FHNTYP22	Frequency	Percent
1 Mentioned	20	6.27
2 Not mentioned	291	91.22
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

163

Tuesday, June 13, 2006

NAH.150_23.000: What kind of cancer...skin (DK what kind)

FHNTYP23	Frequency	Percent
1 Mentioned	25	7.84
2 Not mentioned	286	89.66
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_24.000: What kind of cancer...soft tissue (muscle or fat)

FHNTYP24	Frequency	Percent
1 Mentioned	1	0.31
2 Not mentioned	310	97.18
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_25.000: What kind of cancer...stomach

FHNTYP25	Frequency	Percent
1 Mentioned	5	1.57
2 Not mentioned	306	95.92
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_26.000: What kind of cancer...testis

FHNTYP26	Frequency	Percent
1 Mentioned	22	6.90
2 Not mentioned	289	90.60
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

164

Tuesday, June 13, 2006

NAH.150_27.000: What kind of cancer...throat-pharynx

FHNTYP27	Frequency	Percent
1 Mentioned	4	1.25
2 Not mentioned	307	96.24
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_28.000: What kind of cancer...thyroid

FHNTYP28	Frequency	Percent
1 Mentioned	7	2.19
2 Not mentioned	304	95.30
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_30.000: What kind of cancer . . . Other

FHNTYP30	Frequency	Percent
1 Mentioned	27	8.46
2 Not mentioned	284	89.03
7 Refused	1	0.31
8 Not ascertained	0	0.00
9 Don't know	7	2.19

Frequency Missing = 31109

NAH.150_31.000: What kind of cancer...more than 2 kinds

FHNTYP31	Frequency	Percent
1 Mentioned	2	13.33
2 Not mentioned	13	86.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31413

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

165

Tuesday, June 13, 2006

NAH.155_01.000: Number of sons diagnosed w/bladder cancer

FHNMAN01	Frequency	Percent
01-20 1-20 sons	1	11.11
21 21+	0	0.00
97 Refused	1	11.11
98 Not ascertained	0	0.00
99 Don't know	7	77.78

Frequency Missing = 31419

NAH.155_02.000: Number of sons diagnosed w/blood cancer

FHNMAN02	Frequency	Percent
01-20 1-20 sons	2	20.00
21 21+	0	0.00
97 Refused	1	10.00
98 Not ascertained	0	0.00
99 Don't know	7	70.00

Frequency Missing = 31418

NAH.155_03.000: Number of sons diagnosed w/bone cancer

FHNMAN03	Frequency	Percent
01-20 1-20 sons	6	42.86
21 21+	0	0.00
97 Refused	1	7.14
98 Not ascertained	0	0.00
99 Don't know	7	50.00

Frequency Missing = 31414

NAH.155_04.000: Number of sons diagnosed w/brain cancer

FHNMAN04	Frequency	Percent
01-20 1-20 sons	19	70.37
21 21+	0	0.00
97 Refused	1	3.70
98 Not ascertained	0	0.00
99 Don't know	7	25.93

Frequency Missing = 31401

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

166

Tuesday, June 13, 2006

NAH.155_05.000: Number of sons diagnosed w/breast cancer

FHNMAN05	Frequency	Percent
01-20 1-20 sons	2	20.00
21 21+	0	0.00
97 Refused	1	10.00
98 Not ascertained	0	0.00
99 Don't know	7	70.00

Frequency Missing = 31418

NAH.155_07.000: Number of sons diagnosed w/colon cancer

FHNMAN07	Frequency	Percent
01-20 1-20 sons	25	75.76
21 21+	0	0.00
97 Refused	1	3.03
98 Not ascertained	0	0.00
99 Don't know	7	21.21

Frequency Missing = 31395

NAH.155_08.000: Number of sons diagnosed w/esophageal cancer

FHNMAN08	Frequency	Percent
01-20 1-20 sons	4	33.33
21 21+	0	0.00
97 Refused	1	8.33
98 Not ascertained	0	0.00
99 Don't know	7	58.33

Frequency Missing = 31416

NAH.155_09.000: Number of sons diagnosed w/gall bladder cancer

FHNMAN09	Frequency	Percent
01-20 1-20 sons	0	0.00
21 21+	0	0.00
97 Refused	1	12.50
98 Not ascertained	0	0.00
99 Don't know	7	87.50

Frequency Missing = 31420

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

167

Tuesday, June 13, 2006

NAH.155_10.000: Number of sons diagnosed w/kidney cancer

FHNMAN10	Frequency	Percent
01-20 1-20 sons	6	42.86
21 21+	0	0.00
97 Refused	1	7.14
98 Not ascertained	0	0.00
99 Don't know	7	50.00

Frequency Missing = 31414

NAH.155_11.000: Number of sons diagnosed w/larynx-windpipe cancer

FHNMAN11	Frequency	Percent
01-20 1-20 sons	2	20.00
21 21+	0	0.00
97 Refused	1	10.00
98 Not ascertained	0	0.00
99 Don't know	7	70.00

Frequency Missing = 31418

NAH.155_12.000: Number of sons diagnosed w/leukemia

FHNMAN12	Frequency	Percent
01-20 1-20 sons	22	73.33
21 21+	0	0.00
97 Refused	1	3.33
98 Not ascertained	0	0.00
99 Don't know	7	23.33

Frequency Missing = 31398

NAH.155_13.000: Number of sons diagnosed w/liver cancer

FHNMAN13	Frequency	Percent
01-20 1-20 sons	11	57.89
21 21+	0	0.00
97 Refused	1	5.26
98 Not ascertained	0	0.00
99 Don't know	7	36.84

Frequency Missing = 31409

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

168

Tuesday, June 13, 2006

NAH.155_14.000: Number of sons diagnosed w/lung cancer

FHNMAN14	Frequency	Percent
01-20 1-20 sons	27	77.14
21 21+	0	0.00
97 Refused	1	2.86
98 Not ascertained	0	0.00
99 Don't know	7	20.00

Frequency Missing = 31393

NAH.155_15.000: Number of sons diagnosed w/lymphoma

FHNMAN15	Frequency	Percent
01-20 1-20 sons	25	75.76
21 21+	0	0.00
97 Refused	1	3.03
98 Not ascertained	0	0.00
99 Don't know	7	21.21

Frequency Missing = 31395

NAH.155_16.000: Number of sons diagnosed w/melanoma

FHNMAN16	Frequency	Percent
01-20 1-20 sons	31	79.49
21 21+	0	0.00
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	7	17.95

Frequency Missing = 31389

NAH.155_17.000: Number of sons diagnosed w/mouth/tongue/lip cancer

FHNMAN17	Frequency	Percent
01-20 1-20 sons	0	0.00
21 21+	0	0.00
97 Refused	1	12.50
98 Not ascertained	0	0.00
99 Don't know	7	87.50

Frequency Missing = 31420

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

169

Tuesday, June 13, 2006

NAH.155_19.000: Number of sons diagnosed w/pancreatic cancer

FHNMAN19	Frequency	Percent
01-20 1-20 sons	3	27.27
21 21+	0	0.00
97 Refused	1	9.09
98 Not ascertained	0	0.00
99 Don't know	7	63.64

Frequency Missing = 31417

NAH.155_20.000: Number of sons diagnosed w/prostate cancer

FHNMAN20	Frequency	Percent
01-20 1-20 sons	28	77.78
21 21+	0	0.00
97 Refused	1	2.78
98 Not ascertained	0	0.00
99 Don't know	7	19.44

Frequency Missing = 31392

NAH.155_21.000: Number of sons diagnosed w/rectal cancer

FHNMAN21	Frequency	Percent
01-20 1-20 sons	1	11.11
21 21+	0	0.00
97 Refused	1	11.11
98 Not ascertained	0	0.00
99 Don't know	7	77.78

Frequency Missing = 31419

NAH.155_22.000: Number of sons diagnosed w/skin (non-melanoma) cancer

FHNMAN22	Frequency	Percent
01-20 1-20 sons	20	71.43
21 21+	0	0.00
97 Refused	1	3.57
98 Not ascertained	0	0.00
99 Don't know	7	25.00

Frequency Missing = 31400

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

170

Tuesday, June 13, 2006

NAH.155_23.000: Number of sons diagnosed w/skin (DK what kind) cancer

FHNMAN23	Frequency	Percent
01-20 1-20 sons	25	75.76
21 21+	0	0.00
97 Refused	1	3.03
98 Not ascertained	0	0.00
99 Don't know	7	21.21

Frequency Missing = 31395

NAH.155_24.000: Number of sons diagnosed w/soft tissue (muscle or fat) cancer

FHNMAN24	Frequency	Percent
01-20 1-20 sons	1	11.11
21 21+	0	0.00
97 Refused	1	11.11
98 Not ascertained	0	0.00
99 Don't know	7	77.78

Frequency Missing = 31419

NAH.155_25.000: Number of sons diagnosed w/stomach cancer

FHNMAN25	Frequency	Percent
01-20 1-20 sons	5	38.46
21 21+	0	0.00
97 Refused	1	7.69
98 Not ascertained	0	0.00
99 Don't know	7	53.85

Frequency Missing = 31415

NAH.155_26.000: Number of sons diagnosed w/testicular cancer

FHNMAN26	Frequency	Percent
01-20 1-20 sons	22	73.33
21 21+	0	0.00
97 Refused	1	3.33
98 Not ascertained	0	0.00
99 Don't know	7	23.33

Frequency Missing = 31398

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

171

Tuesday, June 13, 2006

NAH.155_27.000: Number of sons diagnosed w/throat-pharynx cancer

FHNMAN27	Frequency	Percent
01-20 1-20 sons	4	33.33
21 21+	0	0.00
97 Refused	1	8.33
98 Not ascertained	0	0.00
99 Don't know	7	58.33

Frequency Missing = 31416

NAH.155_28.000: Number of sons diagnosed w/thyroid cancer

FHNMAN28	Frequency	Percent
01-20 1-20 sons	7	46.67
21 21+	0	0.00
97 Refused	1	6.67
98 Not ascertained	0	0.00
99 Don't know	7	46.67

Frequency Missing = 31413

NAH.155_30.000: Number of sons diagnosed w/other kind of cancer

FHNMAN30	Frequency	Percent
01-20 1-20 sons	27	77.14
21 21+	0	0.00
97 Refused	1	2.86
98 Not ascertained	0	0.00
99 Don't know	7	20.00

Frequency Missing = 31393

NAH.156_01.000: Number of sons <50 when diagnosed w/bladder cancer

FHNAGE01	Frequency	Percent
00 None	1	11.11
01-20 1-20 sons	0	0.00
21 21+	0	0.00
97 Refused	1	11.11
98 Not ascertained	0	0.00
99 Don't know	7	77.78

Frequency Missing = 31419

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

172

Tuesday, June 13, 2006

NAH.156_02.000: Number of sons <50 when diagnosed w/blood cancer

FHNAGE02	Frequency	Percent
00 None	2	20.00
01-20 1-20 sons	0	0.00
21 21+	0	0.00
97 Refused	1	10.00
98 Not ascertained	0	0.00
99 Don't know	7	70.00

Frequency Missing = 31418

NAH.156_03.000: Number of sons <50 when diagnosed w/bone cancer

FHNAGE03	Frequency	Percent
00 None	1	7.14
01-20 1-20 sons	5	35.71
21 21+	0	0.00
97 Refused	1	7.14
98 Not ascertained	0	0.00
99 Don't know	7	50.00

Frequency Missing = 31414

NAH.156_04.000: Number of sons <50 when diagnosed w/brain cancer

FHNAGE04	Frequency	Percent
00 None	2	7.41
01-20 1-20 sons	17	62.96
21 21+	0	0.00
97 Refused	1	3.70
98 Not ascertained	0	0.00
99 Don't know	7	25.93

Frequency Missing = 31401

NAH.156_05.000: Number of sons <50 when diagnosed w/breast cancer

FHNAGE05	Frequency	Percent
00 None	1	10.00
01-20 1-20 sons	1	10.00
21 21+	0	0.00
97 Refused	1	10.00
98 Not ascertained	0	0.00
99 Don't know	7	70.00

Frequency Missing = 31418

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

173

Tuesday, June 13, 2006

NAH.156_07.000: Number of sons <50 when diagnosed w/colon cancer

FHNAGE07	Frequency	Percent
00 None	12	36.36
01-20 1-20 sons	13	39.39
21 21+	0	0.00
97 Refused	1	3.03
98 Not ascertained	0	0.00
99 Don't know	7	21.21

Frequency Missing = 31395

NAH.156_08.000: Number of sons <50 when diagnosed w/esophageal cancer

FHNAGE08	Frequency	Percent
00 None	2	16.67
01-20 1-20 sons	2	16.67
21 21+	0	0.00
97 Refused	1	8.33
98 Not ascertained	0	0.00
99 Don't know	7	58.33

Frequency Missing = 31416

NAH.156_09.000: Number of sons <50 when diagnosed w/gall bladder cancer

FHNAGE09	Frequency	Percent
00 None	0	0.00
01-20 1-20 sons	0	0.00
21 21+	0	0.00
97 Refused	1	12.50
98 Not ascertained	0	0.00
99 Don't know	7	87.50

Frequency Missing = 31420

NAH.156_10.000: Number of sons <50 when diagnosed w/kidney cancer

FHNAGE10	Frequency	Percent
00 None	3	21.43
01-20 1-20 sons	3	21.43
21 21+	0	0.00
97 Refused	1	7.14
98 Not ascertained	0	0.00
99 Don't know	7	50.00

Frequency Missing = 31414

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

174

Tuesday, June 13, 2006

NAH.156_11.000: Number of sons <50 when diagnosed w/larynx-windpipe cancer

FHNAGE11	Frequency	Percent
00 None	1	10.00
01-20 1-20 sons	1	10.00
21 21+	0	0.00
97 Refused	1	10.00
98 Not ascertained	0	0.00
99 Don't know	7	70.00

Frequency Missing = 31418

NAH.156_12.000: Number of sons <50 when diagnosed w/leukemia

FHNAGE12	Frequency	Percent
00 None	3	10.00
01-20 1-20 sons	19	63.33
21 21+	0	0.00
97 Refused	1	3.33
98 Not ascertained	0	0.00
99 Don't know	7	23.33

Frequency Missing = 31398

NAH.156_13.000: Number of sons <50 when diagnosed w/liver cancer

FHNAGE13	Frequency	Percent
00 None	3	15.79
01-20 1-20 sons	8	42.11
21 21+	0	0.00
97 Refused	1	5.26
98 Not ascertained	0	0.00
99 Don't know	7	36.84

Frequency Missing = 31409

NAH.156_14.000: Number of sons <50 when diagnosed w/lung cancer

FHNAGE14	Frequency	Percent
00 None	11	31.43
01-20 1-20 sons	16	45.71
21 21+	0	0.00
97 Refused	1	2.86
98 Not ascertained	0	0.00
99 Don't know	7	20.00

Frequency Missing = 31393

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

175

Tuesday, June 13, 2006

NAH.156_15.000: Number of sons <50 when diagnosed w/lymphoma

FHNAGE15	Frequency	Percent
00 None	3	9.09
01-20 1-20 sons	22	66.67
21 21+	0	0.00
97 Refused	1	3.03
98 Not ascertained	0	0.00
99 Don't know	7	21.21

Frequency Missing = 31395

NAH.156_16.000: Number of sons <50 when diagnosed w/melanoma

FHNAGE16	Frequency	Percent
00 None	5	12.82
01-20 1-20 sons	26	66.67
21 21+	0	0.00
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	7	17.95

Frequency Missing = 31389

NAH.156_17.000: Number of sons <50 when diagnosed w/mouth/tongue/lip cancer

FHNAGE17	Frequency	Percent
00 None	0	0.00
01-20 1-20 sons	0	0.00
21 21+	0	0.00
97 Refused	1	12.50
98 Not ascertained	0	0.00
99 Don't know	7	87.50

Frequency Missing = 31420

NAH.156_19.000: Number of sons <50 when diagnosed w/pancreatic cancer

FHNAGE19	Frequency	Percent
00 None	1	9.09
01-20 1-20 sons	2	18.18
21 21+	0	0.00
97 Refused	1	9.09
98 Not ascertained	0	0.00
99 Don't know	7	63.64

Frequency Missing = 31417

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

176

Tuesday, June 13, 2006

NAH.156_20.000: Number of sons <50 when diagnosed w/prostate cancer

FHNAGE20	Frequency	Percent
00 None	11	30.56
01-20 1-20 sons	17	47.22
21 21+	0	0.00
97 Refused	1	2.78
98 Not ascertained	0	0.00
99 Don't know	7	19.44

Frequency Missing = 31392

NAH.156_21.000: Number of sons <50 when diagnosed w/rectal cancer

FHNAGE21	Frequency	Percent
00 None	0	0.00
01-20 1-20 sons	1	11.11
21 21+	0	0.00
97 Refused	1	11.11
98 Not ascertained	0	0.00
99 Don't know	7	77.78

Frequency Missing = 31419

NAH.156_22.000: Number of sons <50 when diagnosed w/skin (non-melanoma) cancer

FHNAGE22	Frequency	Percent
00 None	2	7.14
01-20 1-20 sons	18	64.29
21 21+	0	0.00
97 Refused	1	3.57
98 Not ascertained	0	0.00
99 Don't know	7	25.00

Frequency Missing = 31400

NAH.156_23.000: Number of sons <50 when diagnosed w/skin (DK what kind) cancer

FHNAGE23	Frequency	Percent
00 None	6	18.18
01-20 1-20 sons	18	54.55
21 21+	0	0.00
97 Refused	1	3.03
98 Not ascertained	0	0.00
99 Don't know	8	24.24

Frequency Missing = 31395

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

177

Tuesday, June 13, 2006

NAH.156_24.000: Number of sons <50 when diagnosed
w/soft tissue (muscle or fat) cancer

FHNAGE24	Frequency	Percent
00 None	0	0.00
01-20 1-20 sons	1	11.11
21 21+	0	0.00
97 Refused	1	11.11
98 Not ascertained	0	0.00
99 Don't know	7	77.78

Frequency Missing = 31419

NAH.156_25.000: Number of sons <50 when diagnosed w/stomach cancer

FHNAGE25	Frequency	Percent
00 None	1	7.69
01-20 1-20 sons	4	30.77
21 21+	0	0.00
97 Refused	1	7.69
98 Not ascertained	0	0.00
99 Don't know	7	53.85

Frequency Missing = 31415

NAH.156_26.000: Number of sons <50 when diagnosed w/testicular cancer

FHNAGE26	Frequency	Percent
00 None	0	0.00
01-20 1-20 sons	22	73.33
21 21+	0	0.00
97 Refused	1	3.33
98 Not ascertained	0	0.00
99 Don't know	7	23.33

Frequency Missing = 31398

NAH.156_27.000: Number of sons <50 when diagnosed w/throat-pharynx cancer

FHNAGE27	Frequency	Percent
00 None	1	8.33
01-20 1-20 sons	3	25.00
21 21+	0	0.00
97 Refused	1	8.33
98 Not ascertained	0	0.00
99 Don't know	7	58.33

Frequency Missing = 31416

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

178

Tuesday, June 13, 2006

NAH.156_28.000: Number of sons <50 when diagnosed w/thyroid cancer

FHNAGE28	Frequency	Percent
00 None	1	6.67
01-20 1-20 sons	6	40.00
21 21+	0	0.00
97 Refused	1	6.67
98 Not ascertained	0	0.00
99 Don't know	7	46.67

Frequency Missing = 31413

NAH.156_30.000: Number of sons <50 when diagnosed w/other kind of cancer

FHNAGE30	Frequency	Percent
00 None	3	8.57
01-20 1-20 sons	23	65.71
21 21+	0	0.00
97 Refused	1	2.86
98 Not ascertained	0	0.00
99 Don't know	8	22.86

Frequency Missing = 31393

NAH.160_00.000: # of daughters

FHDNUM	Frequency	Percent
00 None	13692	43.57
01-20 1-20 daughters	15373	48.91
21 21+	1	0.00
97 Refused	678	2.16
98 Not ascertained	1562	4.97
99 Don't know	122	0.39

NAH.170_00.000: # of full daughters who ever had cancer

FHDCAN	Frequency	Percent
00 None	14866	96.70
01-20 1-20 daughters	481	3.13
21 21+	0	0.00
97 Refused	6	0.04
98 Not ascertained	0	0.00
99 Don't know	21	0.14

Frequency Missing = 16054

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

179

Tuesday, June 13, 2006

NAH.180_01.000: What kind of cancer...bladder

FHDTYP1	Frequency	Percent
1 Mentioned	3	0.62
2 Not mentioned	460	95.63
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_02.000: What kind of cancer...blood

FHDTYP2	Frequency	Percent
1 Mentioned	1	0.21
2 Not mentioned	462	96.05
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_03.000: What kind of cancer...bone

FHDTYP3	Frequency	Percent
1 Mentioned	7	1.46
2 Not mentioned	456	94.80
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_04.000: What kind of cancer...brain

FHDTYP4	Frequency	Percent
1 Mentioned	9	1.87
2 Not mentioned	454	94.39
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

180

Tuesday, June 13, 2006

NAH.180_05.000: What kind of cancer...breast

FHDTYP5	Frequency	Percent
1 Mentioned	121	25.16
2 Not mentioned	342	71.10
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_06.000: What kind of cancer...cervix

FHDTYP6	Frequency	Percent
1 Mentioned	91	18.92
2 Not mentioned	372	77.34
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_07.000: What kind of cancer...colon

FHDTYP7	Frequency	Percent
1 Mentioned	14	2.91
2 Not mentioned	449	93.35
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_08.000: What kind of cancer...esophagus

FHDTYP8	Frequency	Percent
1 Mentioned	0	0.00
2 Not mentioned	463	96.26
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

181

Tuesday, June 13, 2006

NAH.180_09.000: What kind of cancer...gall bladder

FHDTYP9	Frequency	Percent
1 Mentioned	2	0.42
2 Not mentioned	461	95.84
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_10.000: What kind of cancer...kidney

FHDTYP10	Frequency	Percent
1 Mentioned	5	1.04
2 Not mentioned	458	95.22
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_11.000: What kind of cancer...larynx-windpipe

FHDTYP11	Frequency	Percent
1 Mentioned	1	0.21
2 Not mentioned	462	96.05
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_12.000: What kind of cancer...leukemia

FHDTYP12	Frequency	Percent
1 Mentioned	24	4.99
2 Not mentioned	439	91.27
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

182

Tuesday, June 13, 2006

NAH.180_13.000: What kind of cancer...liver

FHDTYP13	Frequency	Percent
1 Mentioned	4	0.83
2 Not mentioned	459	95.43
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_14.000: What kind of cancer...lung

FHDTYP14	Frequency	Percent
1 Mentioned	13	2.70
2 Not mentioned	450	93.56
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_15.000: What kind of cancer...lymphoma

FHDTYP15	Frequency	Percent
1 Mentioned	23	4.78
2 Not mentioned	440	91.48
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_16.000: What kind of cancer...melanoma

FHDTYP16	Frequency	Percent
1 Mentioned	31	6.44
2 Not mentioned	432	89.81
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

183

Tuesday, June 13, 2006

NAH.180_17.000: What kind of cancer...mouth/tongue/lip

FHDTYP17	Frequency	Percent
1 Mentioned	0	0.00
2 Not mentioned	463	96.26
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_18.000: What kind of cancer...ovary

FHDTYP18	Frequency	Percent
1 Mentioned	21	4.37
2 Not mentioned	442	91.89
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_19.000: What kind of cancer...pancreas

FHDTYP19	Frequency	Percent
1 Mentioned	3	0.62
2 Not mentioned	460	95.63
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_21.000: What kind of cancer...rectum

FHDTYP21	Frequency	Percent
1 Mentioned	0	0.00
2 Not mentioned	463	96.26
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

184

Tuesday, June 13, 2006

NAH.180_22.000: What kind of cancer...skin (non-melanoma)

FHDTYP22	Frequency	Percent
1 Mentioned	23	4.78
2 Not mentioned	440	91.48
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_23.000: What kind of cancer...skin (DK what kind)

FHDTYP23	Frequency	Percent
1 Mentioned	28	5.82
2 Not mentioned	435	90.44
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_24.000: What kind of cancer...soft tissue (muscle or fat)

FHDTYP24	Frequency	Percent
1 Mentioned	4	0.83
2 Not mentioned	459	95.43
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_25.000: What kind of cancer...stomach

FHDTYP25	Frequency	Percent
1 Mentioned	8	1.66
2 Not mentioned	455	94.59
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

185

Tuesday, June 13, 2006

NAH.180_27.000: What kind of cancer...throat-pharynx

FHDTYP27	Frequency	Percent
1 Mentioned	2	0.42
2 Not mentioned	461	95.84
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_28.000: What kind of cancer...thyroid

FHDTYP28	Frequency	Percent
1 Mentioned	17	3.53
2 Not mentioned	446	92.72
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_29.000: What kind of cancer . . . Uterus

FHDTYP29	Frequency	Percent
1 Mentioned	28	5.82
2 Not mentioned	435	90.44
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

NAH.180_30.000: What kind of cancer . . . Other

FHDTYP30	Frequency	Percent
1 Mentioned	21	4.37
2 Not mentioned	442	91.89
7 Refused	1	0.21
8 Not ascertained	0	0.00
9 Don't know	17	3.53

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

186

Tuesday, June 13, 2006

NAH.180_31.000: What kind of cancer...more than 2 kinds

FHDTP31	Frequency	Percent
1 Mentioned	6	13.95
2 Not mentioned	37	86.05
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31385

NAH.194_01.000: Number of daughters diagnosed w/bladder cancer

FHDMAN01	Frequency	Percent
01-20 1-20 daughters	3	14.29
21 21+	0	0.00
97 Refused	1	4.76
98 Not ascertained	0	0.00
99 Don't know	17	80.95

Frequency Missing = 31407

NAH.194_02.000: Number of daughters diagnosed w/blood cancer

FHDMAN02	Frequency	Percent
01-20 1-20 daughters	1	5.26
21 21+	0	0.00
97 Refused	1	5.26
98 Not ascertained	0	0.00
99 Don't know	17	89.47

Frequency Missing = 31409

NAH.194_03.000: Number of daughters diagnosed w/bone cancer

FHDMAN03	Frequency	Percent
01-20 1-20 daughters	7	28.00
21 21+	0	0.00
97 Refused	1	4.00
98 Not ascertained	0	0.00
99 Don't know	17	68.00

Frequency Missing = 31403

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

187

Tuesday, June 13, 2006

NAH.194_04.000: Number of daughters diagnosed w/brain cancer

FHDMAN04	Frequency	Percent
01-20 1-20 daughters	9	33.33
21 21+	0	0.00
97 Refused	1	3.70
98 Not ascertained	0	0.00
99 Don't know	17	62.96

Frequency Missing = 31401

NAH.194_05.000: Number of daughters diagnosed w/breast cancer

FHDMAN05	Frequency	Percent
01-20 1-20 daughters	121	87.05
21 21+	0	0.00
97 Refused	1	0.72
98 Not ascertained	0	0.00
99 Don't know	17	12.23

Frequency Missing = 31289

NAH.194_06.000: Number of daughters diagnosed w/cervical cancer

FHDMAN06	Frequency	Percent
01-20 1-20 daughters	91	83.49
21 21+	0	0.00
97 Refused	1	0.92
98 Not ascertained	0	0.00
99 Don't know	17	15.60

Frequency Missing = 31319

NAH.194_07.000: Number of daughters diagnosed w/colon cancer

FHDMAN07	Frequency	Percent
01-20 1-20 daughters	14	43.75
21 21+	0	0.00
97 Refused	1	3.13
98 Not ascertained	0	0.00
99 Don't know	17	53.13

Frequency Missing = 31396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

188

Tuesday, June 13, 2006

NAH.194_08.000: Number of daughters diagnosed w/esophageal cancer

FHDMAN08	Frequency	Percent
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.56
98 Not ascertained	0	0.00
99 Don't know	17	94.44

Frequency Missing = 31410

NAH.194_09.000: Number of daughters diagnosed w/gall bladder cancer

FHDMAN09	Frequency	Percent
01-20 1-20 daughters	2	10.00
21 21+	0	0.00
97 Refused	1	5.00
98 Not ascertained	0	0.00
99 Don't know	17	85.00

Frequency Missing = 31408

NAH.194_10.000: Number of daughters diagnosed w/kidney cancer

FHDMAN10	Frequency	Percent
01-20 1-20 daughters	5	21.74
21 21+	0	0.00
97 Refused	1	4.35
98 Not ascertained	0	0.00
99 Don't know	17	73.91

Frequency Missing = 31405

NAH.194_11.000: Number of daughters diagnosed w/larynx-windpipe cancer

FHDMAN11	Frequency	Percent
01-20 1-20 daughters	1	5.26
21 21+	0	0.00
97 Refused	1	5.26
98 Not ascertained	0	0.00
99 Don't know	17	89.47

Frequency Missing = 31409

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

189

Tuesday, June 13, 2006

NAH.194_12.000: Number of daughters diagnosed w/leukemia

FHDMAN12	Frequency	Percent
01-20 1-20 daughters	24	57.14
21 21+	0	0.00
97 Refused	1	2.38
98 Not ascertained	0	0.00
99 Don't know	17	40.48

Frequency Missing = 31386

NAH.194_13.000: Number of daughters diagnosed w/liver cancer

FHDMAN13	Frequency	Percent
01-20 1-20 daughters	4	18.18
21 21+	0	0.00
97 Refused	1	4.55
98 Not ascertained	0	0.00
99 Don't know	17	77.27

Frequency Missing = 31406

NAH.194_14.000: Number of daughters diagnosed w/lung cancer

FHDMAN14	Frequency	Percent
01-20 1-20 daughters	13	41.94
21 21+	0	0.00
97 Refused	1	3.23
98 Not ascertained	0	0.00
99 Don't know	17	54.84

Frequency Missing = 31397

NAH.194_15.000: Number of daughters diagnosed w/lymphoma

FHDMAN15	Frequency	Percent
01-20 1-20 daughters	23	56.10
21 21+	0	0.00
97 Refused	1	2.44
98 Not ascertained	0	0.00
99 Don't know	17	41.46

Frequency Missing = 31387

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

190

Tuesday, June 13, 2006

NAH.194_16.000: Number of daughters diagnosed w/melanoma

FHDMAN16	Frequency	Percent
01-20 1-20 daughters	31	63.27
21 21+	0	0.00
97 Refused	1	2.04
98 Not ascertained	0	0.00
99 Don't know	17	34.69

Frequency Missing = 31379

NAH.194_17.000: Number of daughters diagnosed w/mouth/tongue/lip cancer

FHDMAN17	Frequency	Percent
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.56
98 Not ascertained	0	0.00
99 Don't know	17	94.44

Frequency Missing = 31410

NAH.194_18.000: Number of daughters diagnosed w/ovarian cancer

FHDMAN18	Frequency	Percent
01-20 1-20 daughters	21	53.85
21 21+	0	0.00
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	17	43.59

Frequency Missing = 31389

NAH.194_19.000: Number of daughters diagnosed w/pancreatic cancer

FHDMAN19	Frequency	Percent
01-20 1-20 daughters	3	14.29
21 21+	0	0.00
97 Refused	1	4.76
98 Not ascertained	0	0.00
99 Don't know	17	80.95

Frequency Missing = 31407

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

191

Tuesday, June 13, 2006

NAH.194_21.000: Number of daughters diagnosed w/rectal cancer

FHDMAN21	Frequency	Percent
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.56
98 Not ascertained	0	0.00
99 Don't know	17	94.44

Frequency Missing = 31410

NAH.194_22.000: Number of daughters diagnosed w/skin (non-melanoma) cancer

FHDMAN22	Frequency	Percent
01-20 1-20 daughters	23	56.10
21 21+	0	0.00
97 Refused	1	2.44
98 Not ascertained	0	0.00
99 Don't know	17	41.46

Frequency Missing = 31387

NAH.194_23.000: Number of daughters diagnosed w/skin (DK what kind) cancer

FHDMAN23	Frequency	Percent
01-20 1-20 daughters	28	60.87
21 21+	0	0.00
97 Refused	1	2.17
98 Not ascertained	0	0.00
99 Don't know	17	36.96

Frequency Missing = 31382

NAH.194_24.000: Number of daughters diagnosed
w/soft tissue (muscle or fat) cancer

FHDMAN24	Frequency	Percent
01-20 1-20 daughters	4	18.18
21 21+	0	0.00
97 Refused	1	4.55
98 Not ascertained	0	0.00
99 Don't know	17	77.27

Frequency Missing = 31406

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

192

Tuesday, June 13, 2006

NAH.194_25.000: Number of daughters diagnosed w/stomach cancer

FHDMAN25	Frequency	Percent
01-20 1-20 daughters	8	30.77
21 21+	0	0.00
97 Refused	1	3.85
98 Not ascertained	0	0.00
99 Don't know	17	65.38

Frequency Missing = 31402

NAH.194_27.000: Number of daughters diagnosed w/throat-pharynx cancer

FHDMAN27	Frequency	Percent
01-20 1-20 daughters	2	10.00
21 21+	0	0.00
97 Refused	1	5.00
98 Not ascertained	0	0.00
99 Don't know	17	85.00

Frequency Missing = 31408

NAH.194_28.000: Number of daughters diagnosed w/thyroid cancer

FHDMAN28	Frequency	Percent
01-20 1-20 daughters	17	48.57
21 21+	0	0.00
97 Refused	1	2.86
98 Not ascertained	0	0.00
99 Don't know	17	48.57

Frequency Missing = 31393

NAH.194_29.000: Number of daughters diagnosed w/uterine cancer

FHDMAN29	Frequency	Percent
01-20 1-20 daughters	27	58.70
21 21+	0	0.00
97 Refused	1	2.17
98 Not ascertained	0	0.00
99 Don't know	18	39.13

Frequency Missing = 31382

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

193

Tuesday, June 13, 2006

NAH.194_30.000: Number of daughters diagnosed w/other kind of cancer

FHDMAN30	Frequency	Percent
01-20 1-20 daughters	21	53.85
21 21+	0	0.00
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	17	43.59

Frequency Missing = 31389

NAH.195_01.000: Number of daughters <50 when diagnosed w/bladder cancer

FHDAGE01	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	3	14.29
21 21+	0	0.00
97 Refused	1	4.76
98 Not ascertained	0	0.00
99 Don't know	17	80.95

Frequency Missing = 31407

NAH.195_02.000: Number of daughters <50 when diagnosed w/blood cancer

FHDAGE02	Frequency	Percent
00 None	1	5.26
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.26
98 Not ascertained	0	0.00
99 Don't know	17	89.47

Frequency Missing = 31409

NAH.195_03.000: Number of daughters <50 when diagnosed w/bone cancer

FHDAGE03	Frequency	Percent
00 None	1	4.00
01-20 1-20 daughters	6	24.00
21 21+	0	0.00
97 Refused	1	4.00
98 Not ascertained	0	0.00
99 Don't know	17	68.00

Frequency Missing = 31403

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

194

Tuesday, June 13, 2006

NAH.195_04.000: Number of daughters <50 when diagnosed w/brain cancer

FHDAGE04	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	9	33.33
21 21+	0	0.00
97 Refused	1	3.70
98 Not ascertained	0	0.00
99 Don't know	17	62.96

Frequency Missing = 31401

NAH.195_05.000: Number of daughters <50 when diagnosed w/breast cancer

FHDAGE05	Frequency	Percent
00 None	24	17.27
01-20 1-20 daughters	92	66.19
21 21+	0	0.00
97 Refused	1	0.72
98 Not ascertained	0	0.00
99 Don't know	22	15.83

Frequency Missing = 31289

NAH.195_06.000: Number of daughters <50 when diagnosed w/cervical cancer

FHDAGE06	Frequency	Percent
00 None	8	7.34
01-20 1-20 daughters	83	76.15
21 21+	0	0.00
97 Refused	1	0.92
98 Not ascertained	0	0.00
99 Don't know	17	15.60

Frequency Missing = 31319

NAH.195_07.000: Number of daughters <50 when diagnosed w/colon cancer

FHDAGE07	Frequency	Percent
00 None	3	9.38
01-20 1-20 daughters	11	34.38
21 21+	0	0.00
97 Refused	1	3.13
98 Not ascertained	0	0.00
99 Don't know	17	53.13

Frequency Missing = 31396

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

195

Tuesday, June 13, 2006

NAH.195_08.000: Number of daughters <50 when diagnosed w/esophageal cancer

FHDAGE08	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.56
98 Not ascertained	0	0.00
99 Don't know	17	94.44

Frequency Missing = 31410

NAH.195_09.000: Number of daughters <50 when diagnosed w/gall bladder cancer

FHDAGE09	Frequency	Percent
00 None	1	5.00
01-20 1-20 daughters	1	5.00
21 21+	0	0.00
97 Refused	1	5.00
98 Not ascertained	0	0.00
99 Don't know	17	85.00

Frequency Missing = 31408

NAH.195_10.000: Number of daughters <50 when diagnosed w/kidney cancer

FHDAGE10	Frequency	Percent
00 None	3	13.04
01-20 1-20 daughters	2	8.70
21 21+	0	0.00
97 Refused	1	4.35
98 Not ascertained	0	0.00
99 Don't know	17	73.91

Frequency Missing = 31405

NAH.195_11.000: Number of daughters <50 when diagnosed w/larynx-windpipe cancer

FHDAGE11	Frequency	Percent
00 None	1	5.26
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.26
98 Not ascertained	0	0.00
99 Don't know	17	89.47

Frequency Missing = 31409

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

196

Tuesday, June 13, 2006

NAH.195_12.000: Number of daughters <50 when diagnosed w/leukemia

FHDAGE12	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	24	57.14
21 21+	0	0.00
97 Refused	1	2.38
98 Not ascertained	0	0.00
99 Don't know	17	40.48

Frequency Missing = 31386

NAH.195_13.000: Number of daughters <50 when diagnosed w/liver cancer

FHDAGE13	Frequency	Percent
00 None	1	4.55
01-20 1-20 daughters	3	13.64
21 21+	0	0.00
97 Refused	1	4.55
98 Not ascertained	0	0.00
99 Don't know	17	77.27

Frequency Missing = 31406

NAH.195_14.000: Number of daughters <50 when diagnosed w/lung cancer

FHDAGE14	Frequency	Percent
00 None	4	12.90
01-20 1-20 daughters	8	25.81
21 21+	0	0.00
97 Refused	1	3.23
98 Not ascertained	0	0.00
99 Don't know	18	58.06

Frequency Missing = 31397

NAH.195_15.000: Number of daughters <50 when diagnosed w/lymphoma

FHDAGE15	Frequency	Percent
00 None	7	17.07
01-20 1-20 daughters	16	39.02
21 21+	0	0.00
97 Refused	1	2.44
98 Not ascertained	0	0.00
99 Don't know	17	41.46

Frequency Missing = 31387

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

197

Tuesday, June 13, 2006

NAH.195_16.000: Number of daughters <50 when diagnosed w/melanoma

FHDAGE16	Frequency	Percent
00 None	3	6.12
01-20 1-20 daughters	28	57.14
21 21+	0	0.00
97 Refused	1	2.04
98 Not ascertained	0	0.00
99 Don't know	17	34.69

Frequency Missing = 31379

NAH.195_17.000: Number of daughters <50 when diagnosed w/mouth/tongue/lip cancer

FHDAGE17	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.56
98 Not ascertained	0	0.00
99 Don't know	17	94.44

Frequency Missing = 31410

NAH.195_18.000: Number of daughters <50 when diagnosed w/ovarian cancer

FHDAGE18	Frequency	Percent
00 None	3	7.69
01-20 1-20 daughters	18	46.15
21 21+	0	0.00
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	17	43.59

Frequency Missing = 31389

NAH.195_19.000: Number of daughters <50 when diagnosed w/pancreatic cancer

FHDAGE19	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	3	14.29
21 21+	0	0.00
97 Refused	1	4.76
98 Not ascertained	0	0.00
99 Don't know	17	80.95

Frequency Missing = 31407

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

198

Tuesday, June 13, 2006

NAH.195_21.000: Number of daughters <50 when diagnosed w/rectal cancer

FHDAGE21	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	0	0.00
21 21+	0	0.00
97 Refused	1	5.56
98 Not ascertained	0	0.00
99 Don't know	17	94.44

Frequency Missing = 31410

NAH.195_22.000: Number of daughters <50 when
diagnosed w/skin (non-melanoma) cancer

FHDAGE22	Frequency	Percent
00 None	2	4.88
01-20 1-20 daughters	21	51.22
21 21+	0	0.00
97 Refused	1	2.44
98 Not ascertained	0	0.00
99 Don't know	17	41.46

Frequency Missing = 31387

NAH.195_23.000: Number of daughters <50 when
diagnosed w/skin (DK what kind) cancer

FHDAGE23	Frequency	Percent
00 None	4	8.70
01-20 1-20 daughters	24	52.17
21 21+	0	0.00
97 Refused	1	2.17
98 Not ascertained	0	0.00
99 Don't know	17	36.96

Frequency Missing = 31382

2005 National Health Interview Survey (NHIS)
 Cancer Public Use File (cancerxx)
 NAH Variables
 Unweighted Frequencies

199

Tuesday, June 13, 2006

NAH.195_24.000: Number of daughters <50 when diagnosed
 w/soft tissue (muscle or fat) cancer

FHDAGE24	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	4	18.18
21 21+	0	0.00
97 Refused	1	4.55
98 Not ascertained	0	0.00
99 Don't know	17	77.27

Frequency Missing = 31406

NAH.195_25.000: Number of daughters <50 when diagnosed w/stomach cancer

FHDAGE25	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	8	30.77
21 21+	0	0.00
97 Refused	1	3.85
98 Not ascertained	0	0.00
99 Don't know	17	65.38

Frequency Missing = 31402

NAH.195_27.000: Number of daughters <50 when diagnosed w/throat-pharynx cancer

FHDAGE27	Frequency	Percent
00 None	0	0.00
01-20 1-20 daughters	2	10.00
21 21+	0	0.00
97 Refused	1	5.00
98 Not ascertained	0	0.00
99 Don't know	17	85.00

Frequency Missing = 31408

NAH.195_28.000: Number of daughters <50 when diagnosed w/thyroid cancer

FHDAGE28	Frequency	Percent
00 None	2	5.71
01-20 1-20 daughters	15	42.86
21 21+	0	0.00
97 Refused	1	2.86
98 Not ascertained	0	0.00
99 Don't know	17	48.57

Frequency Missing = 31393

2005 National Health Interview Survey (NHIS)
Cancer Public Use File (cancerxx)
NAH Variables
Unweighted Frequencies

200

Tuesday, June 13, 2006

NAH.195_29.000: Number of daughters <50 when diagnosed w/uterine cancer

FHDAGE29	Frequency	Percent
00 None	3	6.52
01-20 1-20 daughters	25	54.35
21 21+	0	0.00
97 Refused	1	2.17
98 Not ascertained	0	0.00
99 Don't know	17	36.96

Frequency Missing = 31382

NAH.195_30.000: Number of daughters <50 when diagnosed w/other kind of cancer

FHDAGE30	Frequency	Percent
00 None	2	5.13
01-20 1-20 daughters	19	48.72
21 21+	0	0.00
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	17	43.59

Frequency Missing = 31389