

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 IDN Variables  
 Unweighted Frequencies

1

Tuesday, June 6, 2006

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
70 Injury/Poisoning Episode	2429	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
2005	2429	100.00

IDN.000\_04.000: HH identifier

HHX	Frequency	Percent
All Values	2429	100.00

IDN.000\_35.000: Family #

FMX	Frequency	Percent
01-25 Family number 1 - 25	2429	100.00

IDN.000\_40.000: Person #

FPX	Frequency	Percent
01-25 Person number 1 thru 25	2429	100.00

IDN.000\_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2314	95.27
02 Second injury or poisoning	96	3.95
03 Third injury or poisoning	15	0.62
04 Fourth injury or poisoning	3	0.12
05 Fifth injury or poisoning	1	0.04
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

Episode Public Use File (injqoiep)

IDN Variables

Tuesday, June 6, 2006

Unweighted Frequencies

IDN.000\_70.000: Weight - Final Annual

WTFA	Frequency	Percent
-----		
All Values	2429	100.00

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

3

Tuesday, June 6, 2006

FIJ.050\_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	205	8.44
02 February	172	7.08
03 March	212	8.73
04 April	203	8.36
05 May	224	9.22
06 June	224	9.22
07 July	197	8.11
08 August	201	8.28
09 September	232	9.55
10 October	189	7.78
11 November	151	6.22
12 December	176	7.25
97 Refused	4	0.16
98 Not ascertained	0	0.00
99 Don't know	39	1.61

FIJ.050\_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
2003	0	0.00
2004	221	9.26
2005	2165	90.74
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	0	0.00

Frequency Missing = 43

FIJ.051\_01.000: Approximate time since injury/poisoning episode: Number

IPDATENO	Frequency	Percent
01-91 1-91	24	61.54
97 Refused	1	2.56
98 Not ascertained	0	0.00
99 Don't know	14	35.90

Frequency Missing = 2390

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

4

Tuesday, June 6, 2006

FIJ.051\_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	1	2.56
3 Months	23	58.97
7 Refused	1	2.56
8 Not ascertained	0	0.00
9 Don't know	14	35.90

Frequency Missing = 2390

FIJ.052\_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	176	30.29
2 Middle	228	39.24
3 End	131	22.55
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	46	7.92

Frequency Missing = 1848

FIJ.052\_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

-----  
 000-499 0-499 days  
 500 Same month as month the injury/poisoning questions were asked  
 501 Month before the month the injury/poisoning questions were asked  
 502-524 2-24 months before the month the injury/poisoning questions were asked  
 998 Not ascertained

FIJ.052\_00.000: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1800	74.10
48	1.98
206	8.48
332	13.67
43	1.77

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

Tuesday, June 6, 2006

FIJ.052\_02.000: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-999 0-999 days	2429	100.00

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

BIETD

000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Lower boundary of elapsed time interval in days

Frequency	Percent
2429	100.00

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

EIETD

000-999 0-999 days before the date the injury/poisoning questions were asked

FIJ.052\_00.000: Upper boundary of elapsed time interval in days

Frequency	Percent
2429	100.00

FIJ.052\_00.000: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1800	74.10
2 Month, beginning of month, and year	176	7.25
3 Month, middle of month, and year	228	9.39
4 Month, end of month, and year	131	5.39
5 Month and year	51	2.10
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	1	0.04
8 Elapsed time in months	23	0.95
9 No information	19	0.78

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

6

Tuesday, June 6, 2006

FIJ.052\_00.000: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1800	74.10
1 Imputed day based on reported beginning, middle, or end of month	535	22.03
2 Imputed day of the month (no day of month information reported)	51	2.10
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	1	0.04
5 Imputed time interval based on elapsed time reported in months	23	0.95
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date information reported or no valid date information reported)	19	0.78

FIJ.052\_00.000: Imputed month

MUMON	Frequency	Percent
01 January	208	8.56
02 February	173	7.12
03 March	212	8.73
04 April	205	8.44
05 May	226	9.30
06 June	229	9.43
07 July	200	8.23
08 August	203	8.36
09 September	239	9.84
10 October	195	8.03
11 November	159	6.55
12 December	180	7.41

FIJ.052\_00.000: Imputed year

MUYEAR	Frequency	Percent
2003	1	0.04
2004	230	9.47
2005	2198	90.49

FIJ.052\_00.000: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	116	4.78
2 Elapsed time is <= 91 days	2313	95.22

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

7

Tuesday, June 6, 2006

FIJ.052\_00.000: Elapsed time interval boundary flag

BEIFLG

- 
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
  - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
  - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052\_00.000: Elapsed time interval boundary flag

Frequency	Percent
53	2.18
101	4.16
2275	93.66

FIJ.065\_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	227	9.53
02 On a bike, scooter, skateboard, skates, skis, horse, etc	95	3.99
03 Pedestrian who was struck by a vehicle such as a car or bicycle	13	0.55
04 In a boat, train, or plane	12	0.50
05 Fall	855	35.88
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	28	1.17
07 Other	1125	47.21
97 Refused	6	0.25
98 Not ascertained	0	0.00
99 Don't know	22	0.92

Frequency Missing = 46

FIJ.065\_00.000: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
01 Transportation	303	12.47
02 Fire/burn/scald related	29	1.19
03 Fall	871	35.86
04 Poisoning	33	1.36
05 Overexertion/strenuous movements	330	13.59
06 Struck by object or person	308	12.68
07 Animal or insect bite	84	3.46
08 Cut/pierce	180	7.41
09 Machinery	20	0.82
10 Other	271	11.16
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

## Unweighted Frequencies

FIJ.070\_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	224	9.40
02 Back	264	11.08
03 Buttocks	8	0.34
04 Chest	42	1.76
05 Ear	5	0.21
06 Elbow	67	2.81
07 Eye	59	2.48
08 Face	93	3.90
09 Finger/thumb	195	8.18
10 Foot	130	5.46
11 Forearm	88	3.69
12 Groin	7	0.29
13 Hand	140	5.87
14 Head (not face)	142	5.96
15 Hip	63	2.64
16 Jaw	3	0.13
17 Knee	210	8.81
18 Lower leg	100	4.20
19 Mouth	18	0.76
20 Neck	61	2.56
21 Nose	15	0.63
22 Shoulder	114	4.78
23 Stomach	19	0.80
24 Teeth	6	0.25
25 Thigh	22	0.92
26 Toe	56	2.35
27 Upper arm	20	0.84
28 Wrist	110	4.62
29 Other	86	3.61
97 Refused	6	0.25
98 Not ascertained	0	0.00
99 Don't know	10	0.42

Frequency Missing = 46



## Unweighted Frequencies

FIJ.070\_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2060	86.45
01 Ankle	3	0.13
02 Back	35	1.47
03 Buttocks	3	0.13
04 Chest	14	0.59
05 Ear	0	0.00
06 Elbow	11	0.46
07 Eye	3	0.13
08 Face	10	0.42
09 Finger/thumb	3	0.13
10 Foot	18	0.76
11 Forearm	8	0.34
12 Groin	1	0.04
13 Hand	12	0.50
14 Head (not face)	18	0.76
15 Hip	14	0.59
16 Jaw	0	0.00
17 Knee	24	1.01
18 Lower leg	24	1.01
19 Mouth	2	0.08
20 Neck	44	1.85
21 Nose	2	0.08
22 Shoulder	27	1.13
23 Stomach	2	0.08
24 Teeth	0	0.00
25 Thigh	7	0.29
26 Toe	2	0.08
27 Upper arm	10	0.42
28 Wrist	10	0.42
29 Other	16	0.67
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 46

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

10

Tuesday, June 6, 2006

FIJ.070\_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2270	95.26
01 Ankle	4	0.17
02 Back	9	0.38
03 Buttocks	0	0.00
04 Chest	6	0.25
05 Ear	0	0.00
06 Elbow	2	0.08
07 Eye	1	0.04
08 Face	3	0.13
09 Finger/thumb	1	0.04
10 Foot	5	0.21
11 Forearm	4	0.17
12 Groin	1	0.04
13 Hand	6	0.25
14 Head (not face)	6	0.25
15 Hip	8	0.34
16 Jaw	1	0.04
17 Knee	12	0.50
18 Lower leg	6	0.25
19 Mouth	0	0.00
20 Neck	9	0.38
21 Nose	3	0.13
22 Shoulder	14	0.59
23 Stomach	2	0.08
24 Teeth	0	0.00
25 Thigh	2	0.08
26 Toe	0	0.00
27 Upper arm	0	0.00
28 Wrist	4	0.17
29 Other	4	0.17
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 46

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

11

Tuesday, June 6, 2006

FIJ.070\_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2343	98.32
01 Ankle	0	0.00
02 Back	2	0.08
03 Buttocks	0	0.00
04 Chest	3	0.13
05 Ear	1	0.04
06 Elbow	1	0.04
07 Eye	0	0.00
08 Face	1	0.04
09 Finger/thumb	1	0.04
10 Foot	1	0.04
11 Forearm	2	0.08
12 Groin	0	0.00
13 Hand	2	0.08
14 Head (not face)	2	0.08
15 Hip	4	0.17
16 Jaw	0	0.00
17 Knee	5	0.21
18 Lower leg	2	0.08
19 Mouth	0	0.00
20 Neck	2	0.08
21 Nose	1	0.04
22 Shoulder	3	0.13
23 Stomach	0	0.00
24 Teeth	0	0.00
25 Thigh	1	0.04
26 Toe	0	0.00
27 Upper arm	3	0.13
28 Wrist	0	0.00
29 Other	3	0.13
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 46

2005 National Health Interview Survey (NHIS)  
Episode Public Use File (injqoiep)  
FIJ Variables  
Unweighted Frequencies

12

Tuesday, June 6, 2006

FIJ.072\_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	472	19.94
02 Sprain, strain, or twist	732	30.93
03 Cut	409	17.28
04 Scrape	78	3.30
05 Bruise	279	11.79
06 Burn	34	1.44
07 Insect bite	44	1.86
08 Animal bite	31	1.31
09 Other	275	11.62
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	13	0.55

Frequency Missing = 62

FIJ.072\_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2233	94.34
01 Broken bone or fracture	4	0.17
02 Sprain, strain, or twist	15	0.63
03 Cut	9	0.38
04 Scrape	17	0.72
05 Bruise	62	2.62
06 Burn	1	0.04
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	26	1.10
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 62

2005 National Health Interview Survey (NHIS)  
Episode Public Use File (injqoiep)  
FIJ Variables  
Unweighted Frequencies

13

Tuesday, June 6, 2006

FIJ.074\_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	30	9.29
02 Sprain, strain, or twist	117	36.22
03 Cut	20	6.19
04 Scrape	23	7.12
05 Bruise	74	22.91
06 Burn	4	1.24
07 Insect bite	3	0.93
08 Animal bite	3	0.93
09 Other	46	14.24
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	0.93

Frequency Missing = 2106

FIJ.074\_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	297	91.95
01 Broken bone or fracture	2	0.62
02 Sprain, strain, or twist	1	0.31
03 Cut	2	0.62
04 Scrape	9	2.79
05 Bruise	10	3.10
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	0.62
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2106

2005 National Health Interview Survey (NHIS)  
Episode Public Use File (injqoiep)  
FIJ Variables  
Unweighted Frequencies

14

Tuesday, June 6, 2006

FIJ.076\_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	14	12.39
02 Sprain, strain, or twist	33	29.20
03 Cut	4	3.54
04 Scrape	11	9.73
05 Bruise	33	29.20
06 Burn	1	0.88
07 Insect bite	2	1.77
08 Animal bite	0	0.00
09 Other	15	13.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2316

FIJ.076\_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	101	89.38
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	2	1.77
03 Cut	0	0.00
04 Scrape	1	0.88
05 Bruise	7	6.19
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	2	1.77
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2316

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

15

Tuesday, June 6, 2006

FIJ.078\_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	2	5.00
02 Sprain, strain, or twist	11	27.50
03 Cut	1	2.50
04 Scrape	5	12.50
05 Bruise	14	35.00
06 Burn	0	0.00
07 Insect bite	2	5.00
08 Animal bite	0	0.00
09 Other	5	12.50
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2389

FIJ.078\_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	35	87.50
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	3	7.50
05 Bruise	2	5.00
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2389

FIJ.080\_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	13	28.26
2 No	33	71.74
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2383

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

16

Tuesday, June 6, 2006

FIJ.080\_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	491	20.21
2 No	1927	79.33
7 Refused	5	0.21
8 Not ascertained	0	0.00
9 Don't know	6	0.25

FIJ.080\_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1286	52.94
2 No	1125	46.32
7 Refused	9	0.37
8 Not ascertained	0	0.00
9 Don't know	9	0.37

FIJ.080\_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1844	75.92
2 No	570	23.47
7 Refused	9	0.37
8 Not ascertained	0	0.00
9 Don't know	6	0.25

FIJ.080\_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	896	36.89
2 No	1511	62.21
7 Refused	9	0.37
8 Not ascertained	0	0.00
9 Don't know	13	0.54

FIJ.080\_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	268	11.03
2 No	2146	88.35
7 Refused	9	0.37
8 Not ascertained	0	0.00
9 Don't know	6	0.25



FIJ.090\_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	174	7.16
2 No	2248	92.55
7 Refused	4	0.16
8 Not ascertained	0	0.00
9 Don't know	3	0.12

FIJ.091\_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	173	99.43
95 95+ nights	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.57

Frequency Missing = 2255

FIJ.109\_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	239	71.34
2 No	93	27.76
7 Refused	2	0.60
8 Not ascertained	0	0.00
9 Don't know	1	0.30

Frequency Missing = 2094

FIJ.110\_00.000: Injured as . . .

IMVWHO

- 1 The driver of a motor vehicle
- 2 A passenger in a motor vehicle
- 3 A pedestrian
- 4 A bicycle rider or tricycle rider
- 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
- 7 Refused
- 8 Not ascertained
- 9 Don't know

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
152	45.37
81	24.18
19	5.67
37	11.04

FIJ Variables  
Unweighted Frequencies

Tuesday, June 6, 2006

FIJ.110\_00.000: Injured as . . .

Frequency	Percent
43	12.84
2	0.60
0	0.00
1	0.30

Frequency Missing = 2094

FIJ.111\_00.000: Type of vehicle injured person was in

IMVTYP

- 01 Passenger car
- 02 Passenger truck, such as a pickup truck, van, or SUV
- 03 Bus
- 04 Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
- 05 Motorcycle (including mopeds and minibikes)
- 06 All terrain vehicle or ski/snow-mobile
- 07 Farm equipment (such as a tractor)
- 08 Industrial or construction vehicle
- 09 Other
- 97 Refused
- 98 Not ascertained
- 99 Don't know

FIJ.111\_00.000: Type of vehicle injured person was in

Frequency	Percent
128	54.94
69	29.61
7	3.00
2	0.86
14	6.01
4	1.72
1	0.43
3	1.29
5	2.15
0	0.00
0	0.00
0	0.00

Frequency Missing = 2196

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

19

Tuesday, June 6, 2006

FIJ.112\_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	165	82.91
2 No	29	14.57
7 Refused	1	0.50
8 Not ascertained	0	0.00
9 Don't know	4	2.01

Frequency Missing = 2230

FIJ.113\_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	29	29.59
2 No	64	65.31
7 Refused	1	1.02
8 Not ascertained	0	0.00
9 Don't know	4	4.08

Frequency Missing = 2331

FIJ.130\_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	120	14.04
02 Floor or level ground	284	33.22
03 Curb (including sidewalk)	47	5.50
04 Ladder or scaffolding	25	2.92
05 Playground equipment	39	4.56
06 Sports field, court, or rink	82	9.59
07 Building or other structure	21	2.46
08 Chair, bed, sofa, or other furniture	65	7.60
09 Bathtub, shower, toilet, or commode	19	2.22
10 Hole or other opening	10	1.17
11 Other	136	15.91
97 Refused	2	0.23
98 Not ascertained	0	0.00
99 Don't know	5	0.58

Frequency Missing = 1574

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

20

Tuesday, June 6, 2006

FIJ.130\_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	844	98.71
01 Stairs, steps, or escalator	2	0.23
02 Floor or level ground	1	0.12
03 Curb (including sidewalk)	1	0.12
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	0	0.00
07 Building or other structure	1	0.12
08 Chair, bed, sofa, or other furniture	0	0.00
09 Bathtub, shower, toilet, or commode	0	0.00
10 Hole or other opening	1	0.12
11 Other	5	0.58
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1574

FIJ.131\_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

FIJ.131\_00.000: Cause of fall

Frequency	Percent
446	52.16
54	6.32
37	4.33
38	4.44
156	18.25
109	12.75
3	0.35
0	0.00
12	1.40

Frequency Missing = 1574

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injqoiep)  
 FIJ Variables  
 Unweighted Frequencies

21

Tuesday, June 6, 2006

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	13
2 Swallowing or touching a harmful solid or liquid substance	2
3 Inhaling harmful gases or vapors	17
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	7
6 Other, please specify	5
7 Refused	0
8 Not ascertained	0
9 Don't know	2

FIJ.140\_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	28.26
2 Swallowing or touching a harmful solid or liquid substance	4.35
3 Inhaling harmful gases or vapors	36.96
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	15.22
6 Other, please specify	10.87
7 Refused	0.00
8 Not ascertained	0.00
9 Don't know	4.35

Frequency Missing = 2383

FIJ.150\_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	209	8.60
02 Working at a paid job	360	14.82
03 Working around the house or yard	333	13.71
04 Attending school	69	2.84
05 Unpaid work (such as volunteer work)	23	0.95
06 Sports and exercise	364	14.99
07 Leisure activity (excluding sports)	579	23.84
08 Sleeping, resting, eating, or drinking	78	3.21
09 Cooking	27	1.11
10 Being cared for (hands-on care from other person)	25	1.03
11 Other	319	13.13
97 Refused	8	0.33
98 Not ascertained	0	0.00
99 Don't know	35	1.44

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injpoiep)  
 FIJ Variables  
 Unweighted Frequencies

22

Tuesday, June 6, 2006

FIJ.150\_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2405	99.01
01 Driving or riding in a motor vehicle	0	0.00
02 Working at a paid job	3	0.12
03 Working around the house or yard	2	0.08
04 Attending school	1	0.04
05 Unpaid work (such as volunteer work)	1	0.04
06 Sports and exercise	5	0.21
07 Leisure activity	8	0.33
08 Sleeping, resting, eating, or drinking	0	0.00
09 Cooking	1	0.04
10 Being cared for (hands on care from other person)	0	0.00
11 Other	3	0.12
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160\_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	653	26.88
02 Home (outside)	422	17.37
03 School (not residential)	169	6.96
04 Child care center or preschool	7	0.29
05 Residential institution (exclude hospital)	12	0.49
06 Health care facility (include hospital)	30	1.24
07 Street or highway	244	10.05
08 Sidewalk	62	2.55
09 Parking lot	45	1.85
10 Sport facility, athletic field, or playground	207	8.52
11 Shopping center, restaurant, store, bank, gas station, or other place of business	106	4.36
12 Farm	16	0.66
13 Park or recreation area (include bike or jog path)	84	3.46
14 River, lake, stream, or ocean	24	0.99
15 Industrial or construction area	81	3.33
16 Other public building	48	1.98
17 Other	176	7.25
97 Refused	7	0.29
98 Not ascertained	0	0.00
99 Don't know	36	1.48

2005 National Health Interview Survey (NHIS)  
 Episode Public Use File (injpoiep)  
 FIJ Variables  
 Unweighted Frequencies

23

Tuesday, June 6, 2006

FIJ.160\_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2401	98.85
01 Home (inside)	0	0.00
02 Home (outside)	4	0.16
03 School (not residential)	0	0.00
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	0	0.00
06 Health care facility (include hospital)	1	0.04
07 Street or highway	4	0.16
08 Sidewalk	3	0.12
09 Parking lot	2	0.08
10 Sport facility, athletic field, or playground	4	0.16
11 Shopping center, restaurant, store, bank, gas station, or other place of business	3	0.12
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	3	0.12
14 River, lake, stream, or ocean	1	0.04
15 Industrial or construction area	2	0.08
16 Other public building	0	0.00
17 Other	1	0.04
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170\_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	966	47.24
2 Part-time	191	9.34
3 Not employed	880	43.03
7 Refused	5	0.24
8 Not ascertained	0	0.00
9 Don't know	3	0.15

Frequency Missing = 384

FIJ.171\_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	566	48.92
2 Less than one day	73	6.31
3 One to five days	270	23.34
4 Six or more days	236	20.40
7 Refused	3	0.26
8 Not ascertained	0	0.00
9 Don't know	9	0.78

Frequency Missing = 1272

FIJ.180\_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	578	25.19
2 Part-time	56	2.44
3 Not a student	1654	72.07
7 Refused	5	0.22
8 Not ascertained	0	0.00
9 Don't know	2	0.09

Frequency Missing = 134

FIJ.181\_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	405	63.88
2 Less than one day	55	8.68
3 One to five days	133	20.98
4 Six or more days	37	5.84
7 Refused	2	0.32
8 Not ascertained	0	0.00
9 Don't know	2	0.32

Frequency Missing = 1795

FIJ.181\_01.000: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
ICD-9-CM codes	2429	100.00

FIJ.181\_02.000: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
ICD-9-CM codes	521	100.00

Frequency Missing = 1908

FIJ.181\_03.000: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
ICD-9-CM codes	167	100.00

Frequency Missing = 2262



2005 National Health Interview Survey (NHIS)  
Episode Public Use File (injqoiep)  
FIJ Variables  
Unweighted Frequencies

25

Tuesday, June 6, 2006

FIJ.181\_04.000: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
ICD-9-CM codes	66	100.00

Frequency Missing = 2363

FIJ.181\_05.000: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
ICD-9-CM codes	18	100.00

Frequency Missing = 2411

FIJ.181\_06.000: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
ICD-9-CM codes	7	100.00

Frequency Missing = 2422

FIJ.181\_07.000: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
ICD-9-CM codes	2	100.00

Frequency Missing = 2427

FIJ.181\_08.000: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
--------	-----------	---------

Frequency Missing = 2429

FIJ.181\_10.000: ICD-9-CM external cause code

ECODE_1	Frequency	Percent
E8000-E999 E codes	2429	100.00

2005 National Health Interview Survey (NHIS)  
Episode Public Use File (injqoiep)  
FIJ Variables  
Unweighted Frequencies

26

Tuesday, June 6, 2006

FIJ.181\_20.000: ICD-9-CM external cause code

ECODE_2	Frequency	Percent
E8000-E999 E codes	104	100.00

Frequency Missing = 2325

FIJ.181\_30.000: ICD-9-CM external cause code

ECODE_3	Frequency	Percent
E8000-E999 E codes	2	100.00

Frequency Missing = 2427