

Table 28. Tuberculosis Cases and Case Rates per 100,000 Population, Ranked and Grouped by Number of Cases: States and the District of Columbia, 2002 and 2003

State	2003		2002		2002-2003 % Change		Overall Rank by 2003 Rate
	No.	Rate	No.	Rate	No.	Rate	
≥400 cases in 2003							
California	3,227	9.1	3,169	9.0	1.9	1.1	3
Texas	1,594	7.2	1,550	7.1	2.8	1.4	6
New York ¹	1,480	7.7	1,434	7.5	3.0	2.7	5
Florida	1,046	6.1	1,086	6.5	-3.7	-6.2	7
Illinois	633	5.0	680	5.4	-6.9	-7.4	14
Georgia ²	526	6.1	524	6.1	0.4	0.0	7
New Jersey	495	5.7	530	6.2	-6.6	-8.1	11
100-399 cases in 2003							
North Carolina	374	4.4	434	5.2	-13.8	-15.4	21
Pennsylvania	336	2.7	353	2.9	-4.8	-6.9	32
Virginia	332	4.5	315	4.3	5.4	4.7	20
Arizona	295	5.3	263	4.8	12.2	10.4	13
Tennessee	285	4.9	308	5.3	-7.5	-7.5	15
Maryland	268	4.9	306	5.6	-12.4	-12.5	15
Massachusetts	261	4.1	271	4.2	-3.7	-2.4	25
Louisiana	260	5.8	230	5.1	13.0	13.7	10
Alabama	258	5.7	233	5.2	10.7	9.6	11
South Carolina	254	6.1	256	6.2	-0.8	-1.6	7
Washington	250	4.1	252	4.2	-0.4	-2.4	25
Michigan	243	2.4	315	3.1	-22.9	-22.6	35
Ohio	229	2.0	257	2.3	-10.9	-13.0	39
Minnesota	214	4.2	237	4.7	-9.7	-10.6	24
Oklahoma	163	4.6	190	5.4	-14.2	-14.8	19
Indiana	143	2.3	128	2.1	11.7	9.5	37
Kentucky	138	3.4	146	3.6	-4.8	-5.6	28
Missouri	131	2.3	136	2.4	-3.7	-4.2	37
Mississippi	128	4.4	134	4.7	-4.5	-6.4	21
Arkansas	127	4.7	136	5.0	-6.6	-6.0	18
Hawaii	117	9.3	148	11.9	-20.9	-21.8	2
Connecticut	111	3.2	104	3.0	6.7	6.7	29
Colorado	111	2.4	104	2.3	6.7	4.3	35
Nevada	107	4.8	85	3.9	25.9	23.1	17
Oregon	106	3.0	111	3.2	-4.5	-6.3	30
<100 cases in 2003							
District of Columbia	79	14.0	82	14.4	-3.7	-2.8	1
Kansas	75	2.8	89	3.3	-15.7	-15.2	31
Wisconsin	66	1.2	78	1.4	-15.4	-14.3	45
Alaska	57	8.8	49	7.6	16.3	15.8	4
New Mexico	49	2.6	57	3.1	-14.0	-16.1	33
Rhode Island	46	4.3	49	4.6	-6.1	-6.5	23
Iowa	40	1.4	34	1.2	17.6	16.7	44
Utah	39	1.7	31	1.3	25.8	30.8	41
Delaware	33	4.0	25	3.1	32.0	29.0	27
Nebraska	28	1.6	28	1.6	0.0	0.0	42
Maine	25	1.9	23	1.8	8.7	5.6	40
West Virginia	21	1.2	30	1.7	-30.0	-29.4	45
South Dakota	20	2.6	13	1.7	53.8	52.9	33
New Hampshire	15	1.2	19	1.5	-21.1	-20.0	45
Idaho	13	1.0	14	1.0	-7.1	0.0	48
Vermont	9	1.5	8	1.3	12.5	15.4	43
Montana	7	0.8	12	1.3	-41.7	-38.5	50
North Dakota	6	0.9	6	0.9	0.0	0.0	49
Wyoming	4	0.8	3	0.6	33.3	33.3	50
TOTAL	14,874	5.1	15,075	5.2	-1.4	-1.9	

¹Includes New York City.

²Georgia revised its final 2002 case count to 536 after CDC finalized 2002 data in March 2003.

Note: Denominators for computing 2002 and 2003 rates for states and the District of Columbia were obtained from U.S. Census Bureau Annual Population Estimates, April 1, 2000, to July 1, 2003 (<http://eire.census.gov/popest/data/states/tables/NST-EST2003-01.pdf>).

See Table 20, page 37, for ranking of states without the District of Columbia included.