

**Table 27. Extrapulmonary Tuberculosis Cases and Percentages by Site of Disease: Reporting Areas, 2005**

State	Total Extrapulmonary Cases	Site of Disease									
		Pleural		Lymphatic		Bone and/or Joint		Genitourinary		Meningeal	
		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<b>United States</b>	<b>2,968</b>	<b>535</b>	<b>(18.0)</b>	<b>1,247</b>	<b>(42.0)</b>	<b>329</b>	<b>(11.1)</b>	<b>153</b>	<b>(5.2)</b>	<b>186</b>	<b>(6.3)</b>
Alabama	33	12	(36.4)	6	(18.2)	6	(18.2)	1	(3.0)	0	(0.0)
Alaska	6	0	(0.0)	3	(50.0)	0	(0.0)	2	(33.3)	0	(0.0)
Arizona	35	5	(14.3)	16	(45.7)	5	(14.3)	2	(5.7)	2	(5.7)
Arkansas	18	3	(16.7)	4	(22.2)	4	(22.2)	0	(0.0)	2	(11.1)
California	623	109	(17.5)	268	(43.0)	83	(13.3)	42	(6.7)	39	(6.3)
Colorado	31	4	(12.9)	9	(29.0)	4	(12.9)	0	(0.0)	4	(12.9)
Connecticut	29	5	(17.2)	12	(41.4)	3	(10.3)	3	(10.3)	0	(0.0)
Delaware	7	2	(28.6)	5	(71.4)	0	(0.0)	0	(0.0)	0	(0.0)
District of Columbia	15	2	(13.3)	8	(53.3)	0	(0.0)	0	(0.0)	0	(0.0)
Florida	182	34	(18.7)	59	(32.4)	13	(7.1)	7	(3.8)	12	(6.6)
Georgia	103	24	(23.3)	42	(40.8)	9	(8.7)	1	(1.0)	9	(8.7)
Hawaii	8	1	(12.5)	1	(12.5)	0	(0.0)	2	(25.0)	0	(0.0)
Idaho	5	1	(20.0)	1	(20.0)	0	(0.0)	2	(40.0)	0	(0.0)
Illinois	145	30	(20.7)	60	(41.4)	16	(11.0)	8	(5.5)	2	(1.4)
Indiana	28	4	(14.3)	11	(39.3)	3	(10.7)	2	(7.1)	0	(0.0)
Iowa	18	2	(11.1)	7	(38.9)	3	(16.7)	0	(0.0)	0	(0.0)
Kansas	15	3	(20.0)	5	(33.3)	0	(0.0)	0	(0.0)	1	(6.7)
Kentucky	19	4	(21.1)	5	(26.3)	2	(10.5)	1	(5.3)	4	(21.1)
Louisiana	31	8	(25.8)	7	(22.6)	4	(12.9)	1	(3.2)	4	(12.9)
Maine	4	0	(0.0)	3	(75.0)	0	(0.0)	0	(0.0)	1	(25.0)
Maryland	63	9	(14.3)	30	(47.6)	5	(7.9)	4	(6.3)	5	(7.9)
Massachusetts	77	19	(24.7)	29	(37.7)	6	(7.8)	5	(6.5)	3	(3.9)
Michigan	83	16	(19.3)	38	(45.8)	10	(12.0)	4	(4.8)	3	(3.6)
Minnesota	83	9	(10.8)	53	(63.9)	8	(9.6)	0	(0.0)	3	(3.6)
Mississippi	14	4	(28.6)	3	(21.4)	2	(14.3)	0	(0.0)	4	(28.6)
Missouri	29	3	(10.3)	11	(37.9)	4	(13.8)	0	(0.0)	2	(6.9)
Montana	1	1	(100.0)	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
Nebraska	12	3	(25.0)	3	(25.0)	0	(0.0)	2	(16.7)	1	(8.3)
Nevada	26	4	(15.4)	8	(30.8)	3	(11.5)	1	(3.8)	0	(0.0)
New Hampshire	2	0	(0.0)	1	(50.0)	0	(0.0)	1	(50.0)	0	(0.0)

**Table 27. (Cont'd) Extrapulmonary Tuberculosis Cases and Percentages by Site of Disease: Reporting Areas, 2005**

States	Total Extrapulmonary Cases	Site of Disease							
		Pleural		Lymphatic		Bone and/or Joint		Genitourinary	
		No.	(%)	No.	(%)	No.	(%)	No.	(%)
New Jersey	109	19	(17.4)	57	(52.3)	10	(9.2)	5	(4.6)
New Mexico	8	2	(25.0)	2	(25.0)	0	(0.0)	0	(0.0)
New York	288	46	(16.0)	138	(47.9)	27	(9.4)	12	(4.2)
North Carolina	72	14	(19.4)	21	(29.2)	16	(22.2)	8	(11.1)
North Dakota	1	0	(0.0)	0	(0.0)	0	(0.0)	0	(0.0)
Ohio	63	14	(22.2)	20	(31.7)	7	(11.1)	3	(4.8)
Oklahoma	21	4	(19.0)	15	(71.4)	0	(0.0)	0	(0.0)
Oregon	21	4	(19.0)	9	(42.9)	2	(9.5)	3	(14.3)
Pennsylvania	68	10	(14.7)	21	(30.9)	12	(17.6)	2	(2.9)
Rhode Island	17	2	(11.8)	4	(23.5)	3	(17.6)	1	(5.9)
South Carolina	47	9	(19.1)	21	(44.7)	2	(4.3)	5	(10.6)
South Dakota	6	0	(0.0)	2	(33.3)	1	(16.7)	0	(0.0)
Tennessee	64	16	(25.0)	26	(40.6)	3	(4.7)	6	(9.4)
Texas	259	48	(18.5)	110	(42.5)	38	(14.7)	11	(4.2)
Utah	7	0	(0.0)	3	(42.9)	1	(14.3)	0	(0.0)
Vermont	2	1	(50.0)	1	(50.0)	0	(0.0)	0	(0.0)
Virginia	69	10	(14.5)	39	(56.5)	6	(8.7)	2	(2.9)
Washington	75	14	(18.7)	37	(49.3)	5	(6.7)	2	(2.7)
West Virginia	3	0	(0.0)	1	(33.3)	1	(33.3)	1	(33.3)
Wisconsin	23	1	(4.3)	12	(52.2)	2	(8.7)	1	(4.3)
Wyoming	0	0	—	0	—	0	—	0	—
American Samoa <sup>1</sup>	...	...	...	...	...	...	...	...	...
Fed. States of Micronesia <sup>1</sup>	15	2	(13.3)	6	(40.0)	3	(20.0)	0	(0.0)
Guam <sup>1</sup>	9	2	(22.2)	5	(55.6)	0	(0.0)	1	(11.1)
Marshall Islands <sup>1</sup>	11	4	(36.4)	6	(54.5)	1	(9.1)	0	(0.0)
N. Mariana Islands <sup>1</sup>	5	0	(0.0)	2	(40.0)	2	(40.0)	0	(0.0)
Puerto Rico <sup>1</sup>	16	3	(18.8)	7	(43.8)	1	(6.3)	3	(18.8)
Republic of Palau <sup>1</sup>	...	...	...	...	...	...	...	...	...
U.S. Virgin Islands <sup>1</sup>	...	...	...	...	...	...	...	...	...

<sup>1</sup>Not included in U.S. totals.

Note: Ellipses indicate data not available.