

Table 16. Tuberculosis Case Rates per 100,000 Population by Hispanic Ethnicity and non-Hispanic Race, Sex, and Age Group: United States, 2003

Race/Ethnicity and Sex	Age Group						
	All Ages	Under 5	5 - 14	15 - 24	25 - 44	45 - 64	65+
Total Cases	5.1	2.8	0.9	3.8	6.0	6.3	8.4
Hispanic or Latino ¹	10.3	6.6	2.1	9.1	12.1	15.6	24.6
Male	12.7	6.5	2.1	10.5	14.9	21.9	34.8
Female	7.8	6.6	2.1	7.5	9.0	9.7	17.1
Non-Hispanic							
American Indian or Alaska Native	8.1	5.9	0.8	2.8	7.7	14.9	23.3
Male	10.6	6.9	0.5	3.6	11.1	21.0	29.1
Female	5.6	4.8	1.1	2.1	4.4	9.3	18.9
Asian	29.3	8.0	3.9	23.4	29.9	36.3	73.2
Male	33.5	8.1	3.6	20.7	32.1	46.8	104.1
Female	25.4	7.6	4.3	26.1	27.8	27.1	50.2
Black or African American	11.6	5.2	1.8	7.1	14.2	18.6	21.3
Male	14.9	5.2	1.6	6.9	18.4	29.0	29.1
Female	8.7	5.2	2.1	7.2	10.4	9.8	16.5
Native Hawaiian or other Pac. Islander	21.8	22.2	4.6	18.4	14.7	43.1	50.2
Male	23.8	43.8	3.0	13.7	13.6	54.2	55.9
Female	19.6	0.0	6.3	23.3	15.7	32.1	45.6
White	1.4	0.5	0.1	0.4	1.1	1.8	3.6
Male	1.9	0.5	0.1	0.5	1.4	2.7	5.3
Female	0.9	0.5	0.1	0.4	0.8	0.9	2.4
Multiple Race ²	1.0	0.2	0.2	0.0	2.1	2.2	2.1
Male	1.0	0.0	0.2	0.0	2.2	2.7	2.4
Female	0.9	0.4	0.2	0.0	2.0	1.8	1.8

¹Persons of Hispanic or Latino origin may be of any race or multiple race.

²Indicates two or more races reported for a person. Category first reported in 2003.

Note: Denominators for computing case rates were obtained from the U.S. Census Bureau, Monthly Population Estimates, Monthly Postcensal Resident Population, July 1, 2003, located at http://eire.census.gov/popest/data/national/asro_detail.php.

Case counts for race categories (American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White) are mutually exclusive and do not include persons of Hispanic ethnicity or multiple race. Multiple Race does not include persons of Hispanic ethnicity.

See Technical Notes (page 9).

See Surveillance Slide #10.