

Table 43. Completion of Tuberculosis Therapy (COT) Cases and Percentages¹ by Hispanic Ethnicity and Non-Hispanic Race: States, 2001²

State	Total Cases ³	Hispanic ⁴		Non-Hispanic									
				American Indian or Alaska Native	Asian or Pacific Islander	Black	White	Unknown or Missing					
United States	14,067	3,633	(78.4)	194	(80.4)	3,238	(80.3)	4,176	(81.2)	2,807	(82.2)	19	(63.2)
Alabama	224	18	(61.1)	0	...	9	(88.9)	109	(78.0)	88	(81.8)	0	...
Alaska	50	2	(50.0)	30	(96.7)	12	(75.0)	0	...	6	(83.3)	0	...
Arizona	254	119	(84.9)	39	(71.8)	21	(81.0)	11	(90.9)	64	(81.3)	0	...
Arkansas	138	14	(92.9)	1	(100.0)	17	(94.1)	51	(96.1)	55	(87.3)	0	...
California	2,969	1,124	(76.1)	14	(85.7)	1,263	(82.5)	256	(75.4)	310	(79.7)	2	(50.0)
Colorado	128	66	(93.9)	2	(50.0)	18	(94.4)	17	(100.0)	25	(88.0)	0	...
Connecticut	113	25	(68.0)	0	...	22	(72.7)	31	(71.0)	34	(73.5)	1	(0.0)
Delaware	30	8	(100.0)	0	...	6	(100.0)	9	(77.8)	7	(100.0)	0	...
District of Columbia	63	7	(85.7)	0	...	5	(80.0)	46	(89.1)	5	(60.0)	0	...
Florida	1,018	210	(73.3)	3	(100.0)	76	(81.6)	468	(81.0)	261	(85.1)	0	...
Georgia	507	60	(83.3)	1	(100.0)	49	(71.4)	305	(81.3)	91	(79.1)	1	(100.0)
Hawaii	138	2	(100.0)	0	...	130	(70.8)	0	...	6	(100.0)	0	...
Idaho	7	3	(66.7)	0	...	1	(100.0)	0	...	2	(50.0)	1	(100.0)
Illinois	643	143	(73.4)	5	(80.0)	135	(85.9)	248	(66.5)	112	(78.6)	0	...
Indiana	97	17	(88.2)	0	...	12	(91.7)	25	(96.0)	43	(93.0)	0	...
Iowa	36	3	(100.0)	1	(100.0)	10	(80.0)	7	(85.7)	15	(66.7)	0	...
Kansas	70	20	(75.0)	1	(0.0)	22	(68.2)	7	(100.0)	14	(85.7)	6	(33.3)
Kentucky	131	9	(66.7)	0	...	8	(87.5)	20	(90.0)	94	(90.4)	0	...
Louisiana	259	7	(100.0)	1	(100.0)	17	(47.1)	143	(79.7)	90	(76.7)	1	(100.0)
Maine	19	0	...	1	(100.0)	6	(100.0)	5	(100.0)	7	(85.7)	0	...
Maryland	235	30	(80.0)	0	...	54	(90.7)	121	(87.6)	30	(90.0)	0	...
Massachusetts	250	42	(71.4)	1	(100.0)	77	(72.7)	67	(85.1)	63	(81.0)	0	...
Michigan	275	11	(90.9)	0	...	49	(71.4)	126	(80.2)	88	(84.1)	1	(100.0)
Minnesota	222	17	(88.2)	6	(66.7)	56	(82.1)	126	(86.5)	17	(70.6)	0	...
Mississippi	137	5	(100.0)	2	(50.0)	5	(100.0)	91	(80.2)	34	(82.4)	0	...
Missouri	138	7	(100.0)	0	...	19	(63.2)	57	(84.2)	55	(90.9)	0	...
Montana	17	0	...	6	(100.0)	2	(50.0)	1	(100.0)	8	(100.0)	0	...
Nebraska	31	8	(75.0)	3	(66.7)	5	(100.0)	7	(100.0)	8	(75.0)	0	...
Nevada	87	16	(68.8)	0	...	32	(87.5)	14	(78.6)	25	(80.0)	0	...
New Hampshire	19	4	(100.0)	0	...	7	(85.7)	2	(100.0)	6	(83.3)	0	...
New Jersey	459	140	(76.4)	0	...	138	(68.1)	124	(79.0)	57	(82.5)	0	...
New Mexico	46	16	(87.5)	17	(76.5)	4	(75.0)	0	...	9	(100.0)	0	...
New York	1,440	439	(87.0)	0	...	395	(82.3)	437	(85.6)	169	(84.6)	0	...
North Carolina	340	74	(81.1)	2	(100.0)	26	(73.1)	161	(94.4)	77	(88.3)	0	...
North Dakota	5	0	...	3	(100.0)	0	...	1	(100.0)	1	(100.0)	0	...
Ohio	258	11	(54.5)	1	(100.0)	29	(86.2)	121	(81.0)	96	(77.1)	0	...
Oklahoma	159	18	(72.2)	29	(82.8)	17	(70.6)	38	(84.2)	57	(80.7)	0	...
Oregon	113	31	(87.1)	1	(100.0)	29	(89.7)	11	(81.8)	41	(87.8)	0	...
Pennsylvania	281	17	(76.5)	0	...	70	(74.3)	103	(68.0)	89	(79.8)	2	(100.0)
Rhode Island	60	16	(62.5)	0	...	13	(76.9)	12	(58.3)	19	(89.5)	0	...
South Carolina	227	19	(78.9)	0	...	14	(92.9)	151	(85.4)	43	(83.7)	0	...
South Dakota	12	2	(100.0)	3	(66.7)	1	(0.0)	3	(100.0)	3	(33.3)	0	...
Tennessee	265	20	(90.0)	0	...	13	(76.9)	118	(85.6)	114	(82.5)	0	...
Texas	1,442	698	(75.1)	5	(40.0)	149	(74.5)	361	(75.6)	229	(79.9)	0	...
Utah	33	12	(83.3)	1	(0.0)	6	(100.0)	4	(100.0)	10	(70.0)	0	...
Vermont	7	0	...	0	...	3	(100.0)	2	(100.0)	2	(100.0)	0	...
Virginia	271	80	(82.5)	1	(100.0)	65	(73.8)	85	(84.7)	38	(78.9)	2	(100.0)
Washington	241	32	(81.3)	10	(80.0)	99	(88.9)	45	(86.7)	53	(79.2)	2	(50.0)
West Virginia	25	0	...	0	...	0	...	4	(50.0)	21	(66.7)	0	...
Wisconsin	75	11	(90.9)	3	(66.7)	21	(76.2)	25	(80.0)	15	(86.7)	0	...
Wyoming	3	0	...	1	(100.0)	1	(100.0)	0	...	1	(100.0)	0	...

¹Percentages shown only for reporting areas with information reported for $\geq 90\%$ of cases, and indicate the percentage of those who completed therapy within one year.

²Most recent year for which data are available.

³Therapy less than one year indicated in persons alive at diagnosis, with an initial regimen of one or more drugs prescribed, who did not die during therapy.

⁴Persons of Hispanic or Latino origin may be of any race.

Note: Case counts and percentage for race categories do not include persons of Hispanic ethnicity.

Ellipses indicate data not available.

See Technical Notes for description of COT calculation (page 9).