

Table 14. Tuberculosis (TB) Cases and Percentages by Reason Tuberculosis Therapy Stopped: United States, 1993–2004

Year	Total Cases ¹	Completed Therapy		Moved		Lost		Refused		Died ²		Unknown ³	
	No.	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
1993	23741	18041	(76.0)	1121	(4.7)	1086	(4.6)	223	(0.9)	3052	(12.9)	218	(0.9)
1994	23051	17761	(77.1)	1194	(5.2)	739	(3.2)	183	(0.8)	2743	(11.9)	431	(1.9)
1995	21712	17286	(79.6)	970	(4.5)	563	(2.6)	155	(0.7)	2390	(11.0)	348	(1.6)
1996	20297	16510	(81.3)	783	(3.9)	520	(2.6)	156	(0.8)	1992	(9.8)	336	(1.7)
1997	18930	15654	(82.7)	667	(3.5)	435	(2.3)	119	(0.6)	1755	(9.3)	300	(1.6)
1998	17584	14762	(84.0)	534	(3.0)	400	(2.3)	104	(0.6)	1578	(9.0)	206	(1.2)
1999	16863	14218	(84.3)	456	(2.7)	356	(2.1)	104	(0.6)	1436	(8.5)	293	(1.7)
2000	15786	13395	(84.9)	411	(2.6)	391	(2.5)	112	(0.7)	1295	(8.2)	182	(1.2)
2001	15409	13195	(85.6)	374	(2.4)	364	(2.4)	97	(0.6)	1115	(7.2)	264	(1.7)
2002	14558	12427	(85.4)	336	(2.3)	364	(2.5)	86	(0.6)	1071	(7.4)	274	(1.9)
2003	14381	12376	(86.1)	315	(2.2)	356	(2.5)	84	(0.6)	986	(6.9)	264	(1.8)
2004	14078	11910	(84.6)	348	(2.5)	322	(2.3)	79	(0.6)	941	(6.7)	478	(3.4)

¹Includes all cases in persons reported as alive at diagnosis and taking one or more TB drugs.

²Died = died of any cause (not only TB).

³Includes cases in persons reporting reason therapy stopped = Other, Missing, or Unknown.

Note: Data for all years are updated through April 6, 2007.

Data complete through 2004 only. See Technical Notes (page 9) for details.