Centers for Disease Control and Prevention Model Performance Evaluation Program Human T-Lymphotropic Virus Types I and II (HTLV-I/II) Testing

Figures Used to Summarize the Candidate Reference Laboratory Results for the April 6, 1998 Shipment

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES



Public Health Service
Centers for Disease Control and Prevention
Public Health Practice Program Office
Division of Laboratory Systems
Atlanta, Georgia 30333



Use of trade names is for identification only and does not constitute endorsement by the Public Health Service or by the U.S. Department of Health and Human Services.

Report of the April 6, 1998 Human T-lymphotropic virus types I and II (HTLV-I/II) Performance Evaluation Sample Testing Results Provided by Candidate Reference Laboratories in the Model Performance Evaluation Program, Centers for Disease Control and Prevention (CDC).

The production of this report was coordinated in CDC by:

The material in this report was developed and prepared by:

Model Performance Evaluation Program (MPEP)......William O. Schalla, M.S., Chief MPEP HTLV Performance Evaluation.....Laurina O. Williams, Ph.D., HTLV Project Coordinator

Information about this report should be addressed to the Model Performance Evaluation Program by calling (770) 488-8130 or (770) 488-8098.

Centers for Disease Control and Prevention (CDC) Model Performance Evaluation Program Human T-Lymphotropic Virus Types I and II (HTLV-I/II) Testing April 6, 1998 Candidate Reference Laboratory Shipment

Table 1

Vial Label Number	CDC Donor Number	CDC Contractor Result ²	Laboratory Interpretation ¹ EIA		
Number	Number	Result	INIT. ³ FINAL ⁴	WB	IIF
01	12	Negative			
02	15	Negative			
03	07	Positive, HTLV-II			
04	03	Positive, HTLV-I			
05	06	Positive, HTLV-II			
06	08	Positive, HTLV-II			
07	10	Negative			
08	01	Positive, HTLV-I			
09	04	Positive, HTLV-I			
10	13	Negative			
11	02	Positive, HTLV-I			
12	16	Negative			
13	11	Negative			
14	05	Positive, HTLV-II			
15	09	Negative	<u> </u>		
16	14	Negative			

Laboratory Interpretation space (to be completed by candidate reference laboratory) provided to facilitate comparison of candidate reference laboratory result with CDC result.

The CDC result was obtained by contractor after composite EIA, WB, and RIPA testing, and employing the interpretation criteria of the Public Health Service Working Group.


Initial EIA interpretation

Final EIA interpretation


SUPPLEMENTAL INFORMATION FOR COMPREHENDING THE NUMBERS USED TO LABEL FIGURES IN THIS REPORT

The "N=" that appears on each graph represents the number of laboratories that reported results. For some graphs, laboratories reported results using more than one test; therefore, the number of results may exceed the actual number of laboratories providing reports. In figures 1-7 and 10, the vertical axis is labeled either as frequency or percentage of results; in figures 8 and 9, this axis is labeled as percentage of reports. However, in all figures, the number appearing directly above or within each bar represents a frequency of results only.

Figure 1. Frequency of HTLV-I/II antibody test result interpretations, by sample type (reactivity), for enzyme immunoassay (EIA), Western blot (WB), and indirect immunofluorescence (IIF), reported by reference laboratories for the April 6, 1998 shipment



* = Indeterminate is not an EIA interpretation option; these areas have been left blank






Figure 2. Percentage of HTLV-I/II reference laboratories, by laboratory type, that reported EIA, WB, and IIF results to the CDC for the April 6, 1998 shipment




Figure 3. Combination of HTLV-I/II antibody tests reported by reference laboratories for the April 6, 1998 shipment






Figure 4. Types of HTLV-I/II antibody test kits used for enzyme immunoassay, Western blot, and indirect immunofluorescence, as reported by reference laboratories to the CDC for the April 6, 1998 shipment











Figure 5. Enzyme immunoassay HTLV-I/II antibody test results, by kit manufacturer, reported by reference laboratories for the April 6, 1998 shipment






Test Result Interpretations


Figure 6. Western blot HTLV-I/II antibody test results, by kit manufacturer, reported by reference laboratories for the April 6, 1998 shipment






Test Result

Figure 7. Indirect immunofluorescence HTLV-I/II antibody test results, by kit manufacturer, reported by reference laboratories for the April 6, 1998 shipment





Test Result

Figure 8. Western blot HTLV-I/II antibody band patterns reported to CDC by reference laboratories for the April 6, 1998 shipment




Figure 8. Western blot HTLV-I/II antibody band patterns reported to CDC by reference laboratories for the April 6, 1998 shipment




Figure 9. Fluorescence intensity patterns, of HTLV-I/II-infected cells, for IIF results reported to CDC by reference laboratories for the April 6, 1998 shipment




Figure 9. Fluorescence intensity patterns, of HTLV-I/II-infected cells, for IIF results reported to CDC by reference laboratories for the April 6, 1998 shipment




Figure 10. Types of 'Other' HTLV antibody test kits used and results reported by reference laboratories to the CDC for the April 6, 1998 shipment

