

Silicosis: Number of deaths, death rates (per million population), and years of potential life lost (YPLL) by state, U.S. residents age 15 and over, 1995–2004

State	No. of Deaths Rank		Death Rate				YPLL to Life Expectancy			
			Crude	Rank	Age-Adjusted	Rank	Total	Rank	YPLL/death	Rank
Alabama	32	19	0.91	18	0.90	19	464	15	14.5	12
Alaska	2	49	0.43	41	1.27	12	15	50	7.4	49
Arizona	36	16	0.91	18	0.90	19	439	18	12.2	31
Arkansas	16	34	0.76	23	0.72	28	348	24	21.7	2
California	76	7	0.29	48	0.33	46	972	5	12.8	24
Colorado	68	8	2.01	4	2.59	2	813	8	12.0	34
Connecticut	18	30	0.67	28	0.61	34	236	33	13.1	19
Delaware	6	43	0.96	16	0.98	18	65	44	10.8	41
District of Columbia	3	46	0.63	33	0.67	31	60	45	19.8	3
Florida	52	11	0.40	43	0.32	48	672	11	12.9	21
Georgia	28	22	0.44	40	0.57	37	328	28	11.7	37
Hawaii	1	50	0.10	51	0.10	51	22	48	22.0	1
Idaho	15	35	1.51	11	1.63	10	154	35	10.3	45
Illinois	58	10	0.60	34	0.62	33	807	9	13.9	14
Indiana	38	14	0.80	22	0.81	22	569	13	15.0	9
Iowa	17	33	0.73	25	0.61	34	177	34	10.4	44
Kansas	7	40	0.33	47	0.33	46	90	40	12.9	21
Kentucky	37	15	1.14	13	1.18	13	510	14	13.8	16
Louisiana	25	25	0.72	26	0.76	26	384	22	15.3	8
Maine	4	44	0.38	44	0.35	44	46	46	11.6	39
Maryland	27	23	0.65	30	0.72	28	331	27	12.3	29
Massachusetts	19	29	0.37	45	0.36	43	239	32	12.6	27
Michigan	77	6	0.99	15	1.01	16	951	6	12.3	29
Minnesota	41	13	1.05	14	1.05	14	413	21	10.1	47
Mississippi	18	30	0.81	20	0.82	21	333	26	18.5	4
Missouri	32	19	0.72	26	0.68	30	423	20	13.2	18
Montana	14	36	1.94	5	1.84	7	128	38	9.2	48
Nebraska	3	46	0.22	49	0.18	49	21	49	7.1	50
Nevada	7	40	0.45	39	0.54	38	76	42	10.9	40
New Hampshire	4	44	0.41	42	0.42	42	66	43	16.5	6
New Jersey	36	16	0.54	36	0.52	40	440	17	12.2	31
New Mexico	25	25	1.78	7	1.90	6	351	23	14.0	13
New York	78	5	0.52	37	0.51	41	937	7	12.0	34
North Carolina	60	9	0.94	17	1.00	17	766	10	12.8	24
North Dakota	1	50	0.19	50	0.13	50	6	51	6.1	51
Ohio	160	2	1.78	7	1.72	9	2,013	2	12.6	27
Oklahoma	10	38	0.37	45	0.35	44	130	37	13.0	20
Oregon	22	28	0.81	20	0.79	24	257	31	11.7	37
Pennsylvania	257	1	2.60	2	2.15	4	2,765	1	10.8	41
Rhode Island	13	37	1.53	10	1.33	11	137	36	10.6	43
South Carolina	18	30	0.56	35	0.58	36	268	30	14.9	10
South Dakota	7	40	1.18	12	1.02	15	84	41	12.0	34
Tennessee	29	21	0.64	31	0.66	32	456	16	15.7	7
Texas	106	3	0.66	29	0.78	25	1,787	3	16.9	5
Utah	26	24	1.57	9	2.17	3	334	25	12.8	24
Vermont	10	38	2.03	3	2.02	5	103	39	10.3	45
Virginia	36	16	0.64	31	0.73	27	436	19	12.1	33
Washington	23	27	0.49	38	0.54	38	308	29	13.4	17
West Virginia	47	12	3.17	1	2.78	1	653	12	13.9	14
Wisconsin	79	4	1.86	6	1.80	8	1,022	4	12.9	21
Wyoming	3	46	0.76	23	0.80	23	44	47	14.7	11

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data. Population estimates from U.S. Census Bureau.