
These slides demonstrate the effects of the changes in pumping capacity.

- Notes:
 The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of construction progress
 The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet
- The info does not depict interior drainage modeling results
 The storm surge is characterized as the result of a
- or the storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 0% Pumping Capacity




The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress

- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 50% Pumping Capacity



- The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress
- The water surface elevations are mean values The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 100% Pumping Capacity




The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress The water surface elevations are mean values

- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Assumes 0% Pumping Capacity


Feet of Flooding



- The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress
- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event






Assumes 50% Pumping Capacity



- The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress
- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 100% Pumping Capacity



The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of construction progress The water surface elevations are mean values

- The scale sensitivity of the legend is +/- 2 feet
- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 0% Pumping Capacity




The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of

- construction progress
- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 50% Pumping Capacity

The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of construction progress

- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 100% Pumping Capacity



These slides demonstrate the effects of the changes in levels of protection.

- Notes:
 The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of construction progress
 The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet
- The info does not depict interior drainage modeling results
 The storm surge is characterized as the result of a
- or the storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 0% Pumping Capacity




The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress The water surface elevations are mean values

- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Assumes 0% Pumping Capacity


Feet of Flooding



The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of construction progress The water surface elevations are mean values

- The scale sensitivity of the legend is +/- 2 feet
- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 0% Pumping Capacity



The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress

- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet
- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 50% Pumping Capacity



- The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress
- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 50% Pumping Capacity

The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of

- construction progress
- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding




Assumes 50% Pumping Capacity

- The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress
- The water surface elevations are mean values The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 100% Pumping Capacity




The depth map tool is a relative indicator of progress, over 1 time, demonstrating risk reduction as a function of construction progress

- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 100% Pumping Capacity




The depth map tool is a relative indicator of progress, over time, demonstrating risk reduction as a function of

- construction progress
- The water surface elevations are mean values
- The scale sensitivity of the legend is +/- 2 feet

- The info does not depict interior drainage modeling results The storm surge is characterized as the result of a probabilistic analysis of 5 to 6 storm parameters of a suite of 152 storms and not a particular event

Feet of Flooding



Assumes 100% Pumping Capacity