CONSIDERATION OF POLICY OPTIONS FOR USE OF PNEUMOCOCCAL VACCINES

ACIP PNEUMOCOCCAL VACCINES WORKING GROUP

October 22-23, 2008

Pneumococcal vaccines working group

ACIP members:

S. Michael Marcy (chair, 6/08) Dale Morse Kathy Neuzil

Liaison representatives:

Nancy Bennett, NACCHO
Rick Zimmerman, Univ of
Pittsburgh
Lorry Rubin, AAP/COID
William Schaffner, NFID

Ex Officio members:

Lucia Lee, FDA Kristin Nichol, VA Ray Strikas, NVPO

Consultants:

Jay Butler, Alaska DPH Lisa Jackson, Group Health, WA Julie Morita, Chicago Dept of PH Farukh Khambaty, NIH/NIAID Kate O'Brien, Johns Hopkins Univ

• CDC

William Atkinson
Angela Calugar
Tom Hennessy
Jessica Henry
Beth Hibbs
Matt Moore
Gina Mootrey
Pekka Nuorti
Jennifer Rosen
Sandy Steiner
Cynthia Whitney

TOPICS UNDER REVIEW BY PNEUMOCOCCAL VACCINE WG

Expand PPSV23* target groups to include persons
 19-64 years of age who are cigarette smokers

^{*} Pneumococcal polysaccharide 23-valent vaccine

[†] Pneumococcal conjugate 7-valent vaccine

TOPICS UNDER REVIEW BY PNEUMOCOCCAL VACCINE WG

- Expand PPSV23* target groups to include persons
 19-64 years of age who are cigarette smokers
- Use of PPSV23 after PCV7[†] for AI/AN children 24 through 59 months of age
 Use of PPSV23 for AI/AN persons younger than 65 years of age

^{*} Pneumococcal polysaccharide 23-valent vaccine

[†] Pneumococcal conjugate 7-valent vaccine

PNEUMOCOCCAL VACCINES WORKING GROUP AI/AN CONSULTANTS

Indian Health Service

Amy Groom, MPH, Immunization Program Manager Steve Holve, MD, Chief Clinical Consultant, Pediatrics

Alaska Native Tribal Health Consortium

Ros Singleton, MD, MPH, Immunization Consultant

Johns Hopkins Center for American Indian Health

Kate O'Brien, MD, MPH, Associate Professor

CDC Arctic Investigations Program

Tom Hennessy, MD, MPH, Director Jay Wenger, MD, Associate Director for Science

TOPICS UNDER REVIEW BY PNEUMOCOCCAL VACCINE WG

- Expand PPSV23* target groups to include persons
 19-64 years of age who are cigarette smokers
- Use of PPSV23 after PCV7[†] for AI/AN children 24 through 59 months of age
 Use of PPSV23 for AI/AN persons younger than 65 years of age
- Interval for revaccination with PPSV23 for persons
 >2 years of age who are immunocompromised, who have sickle cell disease, anatomic or functional asplenia

† Pneumococcal conjugate 7-valent vaccine

^{*} Pneumococcal polysaccharide 23-valent vaccine

MAJOR CONSIDERATIONS IN REVIEWING PROPOSED RECOMMENDATIONS

- Burden of disease
- Vaccine effectiveness
 - short-term
 - long-term
- Vaccine safety
 - adverse events
 - hypo-responsiveness (PPSV23)
- Feasibility of implementation
- Cost effectiveness
- Status of PCV13