VFC Resolution Update: Pneumococcal Vaccines

Jeanne M. Santoli (jsantoli@cdc.gov)
Immunization Services Division
National Center for Immunization and
Respiratory Diseases
October 22, 2008





Changes to Current Resolution

- Polysaccharide vaccine
 - -Eligible Groups
 - -Recommended Schedule
- Pneumococcal vaccine
 - Recommended Schedule

Polysaccharide Vaccine, Eligible Groups

Eligible Groups Children and adolescents aged 2-18 years who have functional or anatomical asplenia, immunocompromising illness or medications, chronic illness (as specified above), who are American Indian or Alaska Native (when deemed appropriate by relevant public health authorities based on local circumstances), or who have received a bone marrow transplant.

Polysaccharide Vaccine, Recommended Schedule

For children who are immunocompromised or who have functional or anatomical asplenia: a single revaccination is recommended if 5 or more years have elapsed since the previous dose.

Conjugate Vaccine, Recommended Schedule

American Indian and Alaska Native children, 24-59 months, who have received the pneumococcal conjugate vaccine, may receive a single dose of polysaccharide vaccine after conjugate vaccination when deemed appropriate by relevant public health authorities based on local circumstances.

Simplification of the VFC Resolutions

- Currently VFC resolutions provide information about eligible groups, recommended schedule, dosage intervals, recommended dosage, and contraindications/precautions
- Much of this information is detailed in the ACIP recommendations
- CDC is working to identify ways to streamline the VFC resolutions, pointing to the ACIP recommendations and avoiding rewriting those recommendations to the extent possible