
## AIDS Cases among Minority Races/Ethnicities 1985–2006—United States and Dependent Areas






Note. Data have been adjusted for reporting delays. Includes Blacks, Hispanics, Asians/Pacific Islanders, and American Indians/Alaska Natives.



### Proportions of AIDS Cases among Adults and Adolescents, by Race/Ethnicity and Year of Diagnosis 1985–2006—United States and Dependent Areas



# **AIDS in Blacks**

Of the 992,865 AIDS cases reported to CDC through 2006, blacks accounted for

- 40% of total
- 60% of women
- 59% of heterosexual persons at high risk\*
- 59% of children aged <13 years

Of AIDS cases reported during 2006, 48% were in black adults and adolescents.



\* High-risk heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# **AIDS in Hispanics**

Of the 992,865 AIDS cases reported to CDC through 2006, Hispanics accounted for


- 19% of total
- 19% of women
- 21% of heterosexual persons at high risk \*
- 23% of children aged <13 years

Of AIDS cases reported during 2006, 20% were in Hispanic adults and adolescents.



\* High-risk heterosexual contact with a person known to have, or to be at high risk for, HIV infection.










Proportions of AIDS Cases among Male Adults and Adolescents, by Transmission Category and Race/Ethnicity 2002–2006—United States and Dependent Areas






Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed. IDU, injection drug use.

\*Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Proportions of AIDS Cases among Female Adults and Adolescents, by Transmission Category and Race/Ethnicity 2002–2006—United States and Dependent Areas






- Note: Data have been adjusted for reporting delays and cases without risk factor information have been proportionally redistributed.
- \* Includes sex with a bisexual male, a person with hemophilia, an HIV-infected transfusion recipient, or an HIV-infected person whose risk factor was not specified.
  - Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.




### Reported AIDS Cases among Adults and Adolescents by Sex and Race/Ethnicity, 2006—United States and Dependent Areas



\* Includes persons of unknown race or multiple races.

### AIDS Rates for Black Adults and Adolescents Reported 2002–2006—50 States and DC





Note. Excludes cases from U.S. dependent areas because of the lack of census information by race and age categories for these areas.



### AIDS Rates for Hispanic Adults and Adolescents Reported 2002–2006—50 States and DC






Note. Excludes cases from U.S. dependent areas because of the lack of census information by race and age categories for these areas.




### AIDS Rates for White Adults and Adolescents Reported 2002–2006—50 States and DC





Note. Excludes cases from U.S. dependent areas because of the lack of census information by race and age categories for these areas.








Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays. \* Includes 156 persons of unknown race or multiple races.




# Proportions of HIV/AIDS Cases among Adults and Adolescents, by Race/Ethnicity, 2003–2006—33 States







# Estimated Number of Persons Living with HIV/AIDS, by Race/Ethnicity, 2003–2006—33 States







#### Estimated Number of HIV/AIDS Cases and Rates for Male Adults and Adolescents, by Race/Ethnicity 2006—33 States

Race/Ethnicity	Cases	Rate (cases per 100,000 population)
White, not Hispanic	9,078	16.7
Black, not Hispanic	11,230	119.1
Hispanic	5,058	50.9
Asian/Pacific Islander	318	13.5
American Indian/ Alaska Native	129	17.7
Total*	25,928	33.8



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays. \* Includes 115 male adults and adolescents of unknown race or multiple races.

#### Estimated Number of HIV/AIDS Cases and Rates for Female Adults and Adolescents, by Race/Ethnicity 2006—33 States


Race/Ethnicity	Cases	Rate (cases per 100,000 population)
White, not Hispanic	1,664	2.9
Black, not Hispanic	6,033	56.2
Hispanic	1,400	15.1
Asian/Pacific Islander	79	3.2
American Indian/ Alaska Native	35	4.6
Total*	9,252	11.5



Note. Data include persons with a diagnosis of HIV infection regardless of their AIDS status at diagnosis. Data from 33 states with confidential name-based HIV infection reporting since at least 2003. Data have been adjusted for reporting delays. \* Includes 41 female adults and adolescents of unknown race or multiple races.




### Diagnosis Rates of HIV/AIDS for Black Adults and Adolescents, 2002–2006—33 States







### Diagnosis Rates of HIV/AIDS for Hispanic Adults and Adolescents, 2002–2006—33 States







### Diagnosis Rates of HIV/AIDS for White Adults and Adolescents, 2002–2006—33 States

