

**NORA *mining* sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999**

<b>Bureau of Census Industry/Occupation</b>		<b>Number of Deaths*</b>	<b>Percent</b>
<b>CIC</b>	<b>Industry</b>		
041	Coal mining	4,623	95.6
040	Metal mining	131	2.7
050	Nonmetallic mining and quarrying, except fuel	69	1.4
042	Oil and gas extraction	14	0.3
	All other industries within this sector	0	0.0
	<b>TOTAL</b>	<b>4,837</b>	<b>100.0</b>
<b>COC</b>	<b>Occupation</b>		
616	Mining machine operators	4,292	88.7
613	Supervisors, extractive occupations	73	1.5
575	Electricians	64	1.3
889	Laborers, except construction	58	1.2
019	Managers and administrators, n.e.c.	36	0.7
804	Truck drivers	30	0.6
617	Mining occupations, n.e.c.	25	0.5
844	Operating engineers	24	0.5
824	Locomotive operating occupations	23	0.5
633	Supervisors, production occupations	22	0.5
	All other occupations within this sector	188	3.9
	Occupation not reported within this sector	2	0.0
	<b>TOTAL</b>	<b>4,837</b>	<b>100.0</b>

NORA - National Occupational Research Agenda    CIC - Census Industry Code    COC - Census Occupation Code    n.e.c. - not elsewhere classified

\* The total number of all pneumoconioses deaths was 10,014 in these same selected states and years, and the comparable number of all pneumoconioses deaths in the entire United States for this same time period was 31,455.

NOTE: Percentages may not total to 100% due to rounding. See appendices for source description, methods, ICD codes, industry and occupation codes, industrial sector groupings, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.