

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
TOTAL, BOTH SEXES													
1998-----	5.0	*	0.2	0.1	0.5	7.5	12.9	9.0	4.3	1.6	0.5	*	4.6
1997-----	6.2	*	0.4	0.3	0.8	10.1	16.1	10.4	4.9	1.8	0.6	*	5.8
1996-----	11.7	1.1	0.9	0.5	1.1	19.9	31.4	19.3	8.4	2.7	0.8	*	11.1
1995-----	16.4	1.5	1.3	0.5	1.7	29.1	44.4	26.3	11.0	3.6	0.7	*	15.6
1994-----	16.2	2.5	1.3	0.5	1.8	29.3	44.1	25.6	10.4	3.1	0.9	*	15.4
1993-----	14.5	2.2	1.3	0.4	1.7	27.0	39.1	22.6	8.8	2.9	0.8	*	13.8
1992-----	13.2	2.5	1.0	0.3	1.6	24.6	35.6	20.3	8.5	2.8	0.8	*	12.6
1991-----	11.7	2.3	1.0	0.3	1.7	22.1	31.2	18.4	7.4	2.4	0.9	*	11.3
1990-----	10.1	2.7	0.8	0.2	1.5	19.7	27.4	15.2	6.2	2.0	0.7	*	9.8
1989-----	8.9	3.1	0.8	0.2	1.6	17.9	23.5	13.3	5.4	1.8	0.7	*	8.7
1988-----	6.8	2.2	0.8	0.2	1.4	14.0	17.6	9.8	4.0	1.6	0.8	*	6.7
1987-----	5.6	2.3	0.7	0.1	1.3	11.7	14.0	8.0	3.5	1.3	0.8	*	5.5
TOTAL, MALE													
1998-----	7.8	*	*	0.1	0.5	10.7	20.1	15.2	7.3	2.9	0.9	*	7.2
1997-----	9.8	*	0.3	0.3	0.8	15.1	25.5	17.4	8.5	3.4	1.0	*	9.1
1996-----	19.5	1.1	0.9	0.5	1.3	31.4	51.8	33.6	14.9	5.1	1.5	*	18.1
1995-----	28.0	1.7	1.2	0.5	2.1	47.1	75.9	46.9	19.9	6.4	1.3	*	26.2
1994-----	28.0	2.1	1.2	0.5	2.3	48.5	76.2	46.3	19.1	5.8	1.4	*	26.4
1993-----	25.5	2.1	1.3	0.4	2.3	46.0	68.5	41.7	16.5	5.4	1.4	*	24.1
1992-----	23.6	2.3	1.1	0.4	2.3	42.2	63.5	38.1	15.9	5.3	1.6	*	22.3
1991-----	21.2	2.1	1.0	0.3	2.4	38.3	56.9	34.4	14.0	4.5	1.5	*	20.1
1990-----	18.5	2.4	0.8	0.3	2.2	34.5	50.2	29.1	12.0	3.7	1.1	*	17.7
1989-----	16.4	2.7	0.7	0.2	2.6	31.5	43.6	25.6	10.5	3.3	1.2	*	15.8
1988-----	12.4	2.5	0.8	0.2	2.3	24.5	32.6	19.0	7.8	2.9	1.5	*	12.1
1987-----	10.2	2.2	0.7	0.2	2.2	20.7	26.3	15.5	6.8	2.4	1.2	*	10.0
TOTAL, FEMALE													
1998-----	2.3	*	*	0.2	0.6	4.4	5.8	3.1	1.6	0.6	0.3	*	2.2
1997-----	2.7	*	0.4	0.2	0.7	5.1	6.8	3.8	1.6	0.5	0.4	*	2.6
1996-----	4.3	*	1.0	0.4	1.0	8.5	11.3	5.7	2.5	0.8	0.3	*	4.2
1995-----	5.3	1.2	1.5	0.5	1.4	11.1	13.4	6.7	2.9	1.4	0.3	*	5.2
1994-----	4.9	2.9	1.3	0.5	1.3	10.1	12.5	5.8	2.6	1.0	0.6	*	4.8
1993-----	3.9	2.4	1.3	0.4	1.1	8.0	10.2	4.4	1.9	1.0	0.4	*	3.8
1992-----	3.2	2.7	1.0	0.2	0.9	6.9	8.2	3.4	1.9	0.9	0.4	*	3.2
1991-----	2.7	2.4	1.1	0.2	0.9	6.0	6.1	3.1	1.5	0.8	0.5	*	2.7
1990-----	2.2	3.0	0.8	0.2	0.7	4.9	5.2	1.9	1.1	0.8	0.4	*	2.1
1989-----	1.8	3.5	0.8	0.1	0.6	4.4	3.9	1.6	0.8	0.7	0.4	*	1.8
1988-----	1.4	1.7	0.7	0.1	0.5	3.5	3.0	1.1	0.7	0.6	0.4	*	1.4
1987-----	1.1	2.5	0.7	*	0.3	2.8	2.1	0.8	0.5	0.5	0.5	*	1.1

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
WHITE, BOTH SEXES													
1998-----	2.7	*	*	*	0.2	4.1	7.4	4.8	2.3	0.8	0.3	*	2.6
1997-----	3.5	*	*	0.1	0.4	6.0	9.4	5.7	2.6	0.9	0.3	*	3.3
1996-----	7.6	*	0.4	0.3	0.6	13.4	20.5	12.4	5.2	1.6	0.4	*	7.2
1995-----	11.7	0.7	0.7	0.3	1.0	21.3	31.6	18.6	7.5	2.4	0.4	*	11.1
1994-----	11.8	1.1	0.6	0.3	1.0	21.8	32.3	18.7	7.3	2.0	0.6	*	11.2
1993-----	11.0	0.7	0.6	0.3	1.0	20.9	29.3	17.5	6.8	2.0	0.6	*	10.5
1992-----	10.3	0.9	0.5	0.2	1.0	19.4	27.5	16.6	6.5	2.1	0.7	*	9.8
1991-----	9.4	0.7	0.5	0.2	1.1	17.8	24.9	15.0	6.1	1.9	0.7	*	9.0
1990-----	8.3	1.0	0.4	0.1	1.0	15.7	22.4	13.2	5.1	1.7	0.6	*	8.0
1989-----	7.3	1.7	0.4	0.1	1.2	14.3	18.9	11.5	4.6	1.6	0.7	*	7.1
1988-----	5.5	1.1	0.4	0.1	1.0	10.8	14.1	8.5	3.4	1.5	0.8	*	5.3
1987-----	4.6	1.1	0.4	0.1	1.0	9.3	11.4	6.9	3.1	1.3	0.8	*	4.5
WHITE MALE													
1998-----	4.7	*	*	*	0.2	6.6	12.7	8.5	4.1	1.5	*	*	4.3
1997-----	6.1	*	*	0.2	0.5	9.8	16.1	10.2	4.7	1.8	*	*	5.6
1996-----	13.6	*	0.3	0.3	0.8	22.6	36.0	22.7	9.4	3.0	0.8	*	12.5
1995-----	21.2	*	0.6	0.3	1.4	36.7	56.7	34.4	14.2	4.5	0.7	*	19.6
1994-----	21.7	*	0.6	0.3	1.5	37.9	58.7	35.0	13.8	3.8	0.9	*	20.1
1993-----	20.4	*	0.6	0.3	1.5	37.4	53.6	33.1	12.9	3.8	1.0	*	19.0
1992-----	19.3	*	0.5	0.3	1.5	34.9	51.2	31.6	12.5	3.9	1.4	*	18.1
1991-----	17.8	*	0.4	0.3	1.7	32.3	46.9	28.8	11.8	3.5	1.1	*	16.7
1990-----	15.8	*	*	*	1.7	28.8	42.5	25.8	10.0	3.1	1.0	*	15.0
1989-----	13.9	1.7	*	0.2	2.0	26.2	36.1	22.5	9.1	2.8	1.2	*	13.2
1988-----	10.4	1.5	0.4	0.2	1.8	19.8	26.9	16.5	6.6	2.6	1.4	*	10.0
1987-----	8.7	1.3	0.4	0.2	1.7	17.0	21.8	13.6	6.0	2.3	1.2	*	8.4
WHITE FEMALE													
1998-----	0.8	*	*	*	*	1.6	2.1	1.1	0.6	0.2	*	*	0.8
1997-----	1.0	*	*	*	0.2	2.2	2.6	1.3	0.7	*	*	*	1.0
1996-----	1.9	*	0.5	0.2	0.4	4.0	4.7	2.4	1.2	0.4	*	*	1.8
1995-----	2.6	*	0.8	0.2	0.5	5.5	6.4	3.2	1.3	0.6	*	*	2.5
1994-----	2.3	*	0.6	0.2	0.5	5.4	5.7	2.7	1.2	0.5	0.4	*	2.3
1993-----	1.9	*	0.6	0.2	0.5	4.0	4.9	2.3	1.1	0.6	*	*	1.9
1992-----	1.6	*	0.5	*	0.5	3.6	3.7	1.9	1.0	0.6	*	*	1.6
1991-----	1.4	*	0.5	0.2	0.4	3.0	2.9	1.6	0.8	0.7	0.5	*	1.3
1990-----	1.1	*	0.5	*	0.4	2.4	2.3	1.0	0.7	0.6	*	*	1.1
1989-----	0.9	1.7	0.5	*	0.4	2.2	1.6	0.9	0.5	0.6	0.4	*	0.9
1988-----	0.7	*	0.4	*	0.3	1.7	1.4	0.6	0.5	0.6	0.4	*	0.7
1987-----	0.6	*	0.4	*	0.1	1.4	1.0	0.5	0.4	0.5	0.6	*	0.6

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
ALL OTHER, BOTH SEXES													
1998-----	15.5	*	0.6	0.5	1.8	21.7	39.0	32.7	17.0	7.5	2.8	*	15.0
1997-----	18.7	*	1.2	0.8	2.3	27.2	48.6	37.4	19.0	8.8	3.8	*	18.3
1996-----	31.5	3.4	3.0	1.2	3.1	48.3	85.5	59.2	28.6	11.4	4.3	*	30.7
1995-----	39.4	4.1	3.8	1.4	4.9	64.1	108.4	71.8	33.1	13.6	3.6	*	38.8
1994-----	37.7	7.4	3.8	1.2	5.0	63.3	103.5	67.0	30.8	12.5	3.7	*	37.2
1993-----	31.8	7.9	3.9	1.1	4.5	55.2	88.8	54.0	22.3	10.1	2.8	*	31.4
1992-----	27.6	8.7	3.2	0.7	4.1	48.8	77.7	43.5	22.3	8.8	2.3	*	27.3
1991-----	23.5	7.7	3.1	0.6	4.1	42.8	64.9	39.1	16.8	6.7	2.5	*	23.5
1990-----	19.8	9.3	2.6	0.8	3.3	39.1	55.1	27.7	14.0	5.1	*	*	19.7
1989-----	17.8	8.5	2.3	0.3	3.6	36.2	49.4	24.7	11.0	4.2	*	*	17.7
1988-----	13.9	6.4	2.4	0.4	3.0	29.9	37.4	18.4	8.6	3.0	*	*	13.9
1987-----	11.0	7.5	2.0	*	2.7	24.4	29.4	14.4	6.8	1.7	*	*	11.2
ALL OTHER MALE													
1998-----	22.6	*	*	*	1.5	28.6	57.8	55.1	29.1	13.9	5.2	*	22.7
1997-----	28.0	*	*	0.9	2.1	38.8	74.1	61.8	34.1	16.1	6.6	*	28.1
1996-----	48.8	*	3.2	1.3	3.3	71.7	134.8	101.8	52.4	22.1	8.5	*	48.9
1995-----	62.3	4.7	3.5	1.4	4.9	96.2	178.8	126.5	59.5	22.9	7.4	*	62.8
1994-----	60.4	5.9	3.7	1.1	5.6	99.5	170.7	119.0	56.2	23.3	6.1	*	61.2
1993-----	51.8	7.1	4.1	0.9	5.4	87.7	149.6	98.0	42.3	19.0	5.4	*	52.5
1992-----	45.5	7.7	3.4	0.7	5.5	78.6	131.6	80.8	41.3	17.4	*	*	46.3
1991-----	39.0	6.9	3.0	0.7	5.4	68.6	114.3	70.9	30.5	13.5	*	*	40.0
1990-----	32.9	7.2	2.8	0.9	4.4	64.0	95.4	51.2	27.2	8.9	*	*	33.6
1989-----	30.1	6.7	2.7	*	5.4	59.5	88.1	46.5	21.8	8.2	*	*	30.9
1988-----	23.7	6.9	2.5	*	4.7	49.7	67.4	35.1	16.8	5.9	*	*	24.4
1987-----	18.9	5.8	2.0	*	4.2	41.0	54.1	28.1	13.7	*	*	*	19.7
ALL OTHER FEMALE													
1998-----	8.9	*	*	0.5	2.2	15.5	22.3	13.8	7.3	2.8	*	*	8.5
1997-----	10.2	*	1.5	0.6	2.6	16.7	25.9	16.8	7.0	3.5	*	*	9.8
1996-----	15.6	*	2.7	1.2	2.9	26.9	41.7	23.2	9.8	3.8	*	*	14.9
1995-----	18.5	*	4.1	1.4	4.9	34.7	46.3	25.7	12.2	6.9	*	*	17.9
1994-----	17.0	8.8	3.8	1.3	4.3	30.3	44.3	23.0	10.7	4.8	*	*	16.3
1993-----	13.5	8.8	3.8	1.2	3.6	25.5	35.5	16.8	6.6	3.6	*	*	13.0
1992-----	11.3	9.6	2.9	0.6	2.7	21.5	30.5	11.7	7.3	2.7	*	*	10.8
1991-----	9.4	8.5	3.2	*	2.9	19.2	21.9	11.9	6.0	1.9	*	*	9.1
1990-----	7.9	11.4	2.3	0.8	2.1	16.3	20.0	7.5	3.6	2.4	*	*	7.6
1989-----	6.5	10.4	2.0	*	1.7	14.9	15.8	6.0	2.6	*	*	*	6.3
1988-----	5.0	5.9	2.2	*	1.4	12.0	11.4	4.1	2.2	*	*	*	4.8
1987-----	3.8	9.3	1.9	*	1.1	9.5	8.1	2.7	1.4	*	*	*	3.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
BLACK, BOTH SEXES													
1998-----	20.9	*	0.9	0.6	2.4	29.9	53.2	45.4	22.8	9.9	3.5	*	20.6
1997-----	25.1	*	1.6	1.0	3.1	37.4	65.6	51.8	25.6	11.5	4.9	*	24.9
1996-----	41.8	4.8	3.9	1.7	4.1	65.8	114.8	81.0	38.2	14.8	5.6	*	41.4
1995-----	51.7	5.3	5.0	1.8	6.4	85.7	144.4	97.4	43.4	17.5	4.2	*	51.8
1994-----	49.2	9.5	4.8	1.6	6.5	83.7	138.4	90.2	40.2	15.9	4.4	*	49.4
1993-----	41.4	10.0	5.1	1.3	5.9	73.0	118.4	72.1	29.1	12.7	3.5	*	41.6
1992-----	35.9	11.5	4.1	0.8	5.4	64.5	104.1	58.0	28.8	11.0	2.9	*	36.2
1991-----	30.3	10.3	3.9	0.8	5.3	55.8	86.5	51.8	21.2	8.1	2.7	*	30.8
1990-----	25.4	11.9	3.3	1.0	4.2	51.0	73.1	35.9	17.5	6.0	*	*	25.7
1989-----	22.5	10.9	3.0	0.4	4.5	46.8	65.3	31.7	13.5	5.1	*	*	23.0
1988-----	17.5	8.2	3.0	0.4	3.8	38.4	49.2	23.5	10.3	3.5	*	*	17.9
1987-----	13.8	9.5	2.4	*	3.3	31.4	38.4	18.0	8.3	1.7	*	*	14.3
BLACK MALE													
1998-----	30.6	*	*	*	2.0	39.1	79.1	77.1	40.1	18.4	7.0	*	31.2
1997-----	37.7	*	*	1.2	2.7	53.3	100.1	86.5	47.0	21.3	8.8	*	38.5
1996-----	65.0	*	4.4	1.7	4.3	98.1	181.4	140.2	71.0	28.4	11.3	*	66.4
1995-----	81.9	6.4	4.7	1.9	6.4	128.9	238.3	173.0	79.0	29.7	9.3	*	84.3
1994-----	79.0	8.0	4.8	1.4	7.2	132.1	228.4	161.6	74.1	29.6	7.1	*	81.7
1993-----	67.7	9.1	5.4	1.1	7.1	116.7	199.6	132.1	55.6	24.5	6.9	*	70.0
1992-----	59.5	10.3	4.5	0.9	7.2	104.5	176.7	109.2	54.0	22.1	*	*	61.8
1991-----	50.4	9.3	3.8	0.9	6.9	90.0	152.7	95.2	38.9	16.5	*	*	52.9
1990-----	42.3	9.3	3.6	1.1	5.7	84.1	127.1	67.1	34.5	10.6	*	*	44.2
1989-----	38.4	8.6	3.5	*	6.8	77.4	116.9	60.6	27.1	10.2	*	*	40.3
1988-----	29.9	8.8	3.3	*	5.9	64.0	89.0	45.7	20.1	7.0	*	*	31.6
1987-----	23.8	7.3	2.4	*	5.3	52.9	71.0	35.7	16.9	*	*	*	25.4
BLACK FEMALE													
1998-----	12.1	*	*	0.7	2.9	21.6	30.4	19.2	9.6	3.7	*	*	11.7
1997-----	13.7	*	2.0	0.8	3.5	23.1	35.3	23.0	9.2	4.4	*	*	13.3
1996-----	20.8	*	3.5	1.6	3.9	36.8	56.4	31.9	13.0	4.9	*	*	20.2
1995-----	24.5	*	5.3	1.8	6.4	46.9	62.3	34.9	15.9	8.8	*	*	24.0
1994-----	22.3	11.2	4.9	1.8	5.7	40.3	59.9	31.1	14.0	6.1	*	*	21.8
1993-----	17.7	11.0	4.9	1.5	4.7	33.9	47.6	22.4	8.6	4.3	*	*	17.3
1992-----	14.7	12.7	3.6	0.8	3.5	28.6	41.0	15.6	9.4	3.2	*	*	14.3
1991-----	12.2	11.4	4.1	*	3.7	25.3	29.4	15.9	7.5	2.3	*	*	12.0
1990-----	10.2	14.6	3.0	0.9	2.7	21.4	26.6	10.0	4.4	2.8	*	*	9.9
1989-----	8.3	13.3	2.5	*	2.1	19.4	21.0	7.7	2.9	*	*	*	8.1
1988-----	6.4	7.6	2.8	*	1.7	15.6	15.3	5.1	2.6	*	*	*	6.2
1987-----	4.8	11.7	2.5	*	1.4	12.2	10.7	3.4	*	*	*	*	4.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
TOTAL, BOTH SEXES													
1998-----	4.6	*	0.2	0.1	0.5	7.0	12.1	8.4	3.9	1.5	0.5	*	4.3
1997-----	5.8	*	0.3	0.2	0.7	9.5	15.1	9.7	4.5	1.7	0.5	*	5.4
1996-----	11.2	0.9	0.9	0.4	1.1	19.1	30.1	18.4	8.0	2.5	0.7	*	10.6
1995-----	15.8	1.3	1.2	0.4	1.7	28.0	42.6	25.3	10.5	3.4	0.6	*	14.9
1994-----	15.5	2.1	1.1	0.4	1.7	28.1	42.3	24.4	9.9	3.0	0.8	*	14.8
1993-----	13.8	1.9	1.2	0.3	1.6	25.9	37.5	21.7	8.3	2.8	0.7	*	13.2
1992-----	12.6	2.0	0.9	0.3	1.5	23.5	34.1	19.5	8.1	2.6	0.8	*	12.1
1991-----	11.2	2.0	0.9	0.3	1.6	21.3	29.9	17.5	7.1	2.3	0.8	*	10.8
1990-----	9.8	2.4	0.8	0.2	1.4	19.1	26.4	14.7	5.9	1.9	0.6	*	9.5
1989-----	8.7	2.9	0.7	0.2	1.6	17.5	22.9	12.9	5.2	1.7	0.6	*	8.5
1988-----	6.6	2.0	0.6	0.1	1.4	13.7	17.2	9.6	3.9	1.5	0.8	*	6.5
1987-----	5.4	2.2	0.6	0.1	1.2	11.5	13.7	7.8	3.4	1.3	0.7	*	5.3
TOTAL, MALE													
1998-----	7.3	*	*	0.1	0.5	10.0	18.9	14.1	6.7	2.7	0.8	*	6.7
1997-----	9.3	*	0.3	0.3	0.7	14.3	24.1	16.3	7.9	3.2	0.8	*	8.6
1996-----	18.6	*	0.8	0.4	1.3	30.1	49.6	31.9	14.2	4.7	1.4	*	17.3
1995-----	26.9	1.5	1.1	0.5	1.9	45.4	73.0	45.0	19.2	6.1	1.2	*	25.2
1994-----	26.9	1.7	1.1	0.4	2.2	46.6	73.2	44.2	18.1	5.5	1.3	*	25.3
1993-----	24.5	1.8	1.2	0.4	2.2	44.2	65.8	40.0	15.6	5.2	1.2	*	23.1
1992-----	22.6	2.0	1.0	0.3	2.1	40.5	61.1	36.6	15.2	5.0	1.4	*	21.4
1991-----	20.3	1.8	0.8	0.3	2.3	37.0	54.7	32.9	13.4	4.3	1.3	*	19.3
1990-----	17.8	2.0	0.8	0.2	2.1	33.4	48.5	28.1	11.4	3.4	1.0	*	17.1
1989-----	16.0	2.6	0.6	0.2	2.6	30.7	42.5	24.9	10.3	3.1	1.1	*	15.4
1988-----	12.2	2.4	0.7	0.2	2.3	24.1	31.9	18.6	7.5	2.8	1.4	*	11.8
1987-----	10.0	2.0	0.6	0.2	2.1	20.3	25.7	15.1	6.6	2.3	1.0	*	9.8
TOTAL, FEMALE													
1998-----	2.1	*	*	0.1	0.5	4.0	5.4	2.9	1.4	0.5	0.3	*	2.0
1997-----	2.4	*	0.3	0.2	0.7	4.7	6.3	3.4	1.5	0.5	*	*	2.4
1996-----	4.1	*	0.9	0.4	0.9	8.1	10.7	5.4	2.4	0.7	*	*	4.0
1995-----	5.1	1.1	1.3	0.4	1.4	10.7	12.8	6.5	2.7	1.3	*	*	5.0
1994-----	4.6	2.5	1.2	0.4	1.2	9.6	11.9	5.5	2.4	0.9	0.5	*	4.5
1993-----	3.7	2.1	1.1	0.3	1.1	7.6	9.7	4.2	1.8	0.9	0.4	*	3.6
1992-----	3.0	2.0	0.7	0.2	0.9	6.6	7.7	3.1	1.7	0.8	0.4	*	3.0
1991-----	2.5	2.2	0.9	0.2	0.8	5.6	5.6	2.9	1.4	0.7	0.5	*	2.5
1990-----	2.1	2.7	0.8	0.2	0.7	4.8	4.9	1.8	1.0	0.8	0.4	*	2.1
1989-----	1.8	3.2	0.8	0.1	0.6	4.3	3.8	1.5	0.8	0.6	0.4	*	1.7
1988-----	1.4	1.6	0.6	*	0.5	3.4	2.9	1.1	0.7	0.6	0.4	*	1.3
1987-----	1.1	2.3	0.6	*	0.3	2.7	2.0	0.8	0.5	0.4	0.5	*	1.0

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
WHITE, BOTH SEXES													
1998-----	2.6	*	*	*	0.2	3.8	7.0	4.5	2.1	0.8	0.3	*	2.4
1997-----	3.4	*	*	0.1	0.3	5.7	8.9	5.4	2.5	0.8	0.2	*	3.1
1996-----	7.3	*	0.4	0.2	0.6	12.9	19.7	11.9	4.9	1.5	0.4	*	6.9
1995-----	11.3	0.7	0.6	0.2	0.9	20.5	30.6	18.0	7.3	2.2	0.4	*	10.7
1994-----	11.4	1.0	0.5	0.3	0.9	21.1	31.1	17.9	6.9	1.8	0.6	*	10.8
1993-----	10.6	*	0.6	0.2	1.0	20.2	28.3	16.9	6.5	2.0	0.5	*	10.1
1992-----	9.9	*	0.4	0.2	0.9	18.7	26.5	16.0	6.2	2.0	0.6	*	9.4
1991-----	9.1	0.6	0.4	0.2	1.0	17.2	24.1	14.3	5.8	1.8	0.6	*	8.6
1990-----	8.0	0.9	0.4	0.1	1.0	15.3	21.7	12.8	4.9	1.6	0.5	*	7.7
1989-----	7.1	1.6	0.4	0.1	1.2	13.9	18.4	11.2	4.5	1.4	0.6	*	6.9
1988-----	5.4	1.0	0.4	0.1	1.0	10.7	13.8	8.3	3.3	1.4	0.7	*	5.2
1987-----	4.5	1.0	0.4	0.1	0.9	9.1	11.2	6.8	3.0	1.2	0.7	*	4.4
WHITE MALE													
1998-----	4.5	*	*	*	0.2	6.2	12.0	8.0	3.8	1.4	*	*	4.0
1997-----	5.8	*	*	0.2	0.4	9.3	15.4	9.7	4.4	1.7	*	*	5.4
1996-----	13.0	*	0.3	0.3	0.8	21.8	34.6	21.8	8.9	2.8	0.8	*	12.0
1995-----	20.5	*	0.5	0.3	1.3	35.4	54.9	33.3	13.8	4.2	0.7	*	19.0
1994-----	20.9	*	0.5	0.3	1.4	36.7	56.7	33.6	13.2	3.6	0.9	*	19.4
1993-----	19.7	*	0.5	0.3	1.4	36.2	51.8	31.9	12.3	3.7	0.9	*	18.4
1992-----	18.6	*	0.4	0.3	1.4	33.6	49.5	30.6	12.0	3.7	1.3	*	17.5
1991-----	17.2	*	0.4	0.3	1.7	31.3	45.4	27.6	11.4	3.3	0.9	*	16.1
1990-----	15.3	*	*	*	1.6	27.9	41.3	25.1	9.5	2.9	0.9	*	14.5
1989-----	13.6	1.6	*	0.2	2.0	25.5	35.3	22.0	8.9	2.6	1.1	*	12.9
1988-----	10.2	1.4	0.4	0.2	1.7	19.5	26.4	16.2	6.4	2.5	1.4	*	9.8
1987-----	8.5	*	0.4	0.2	1.7	16.7	21.4	13.3	5.8	2.3	1.0	*	8.2
WHITE FEMALE													
1998-----	0.8	*	*	*	*	1.5	2.0	1.0	0.6	0.2	*	*	0.7
1997-----	0.9	*	*	*	0.2	2.0	2.4	1.2	0.6	*	*	*	0.9
1996-----	1.8	*	0.5	0.2	0.4	3.9	4.6	2.3	1.2	0.4	*	*	1.8
1995-----	2.5	*	0.7	0.2	0.5	5.4	6.1	3.2	1.2	0.6	*	*	2.4
1994-----	2.2	*	0.6	0.2	0.5	5.1	5.5	2.6	1.2	0.4	0.3	*	2.2
1993-----	1.9	*	0.6	0.2	0.5	3.8	4.6	2.2	1.1	0.6	*	*	1.8
1992-----	1.5	*	*	*	0.4	3.4	3.4	1.8	0.9	0.6	*	*	1.5
1991-----	1.3	*	0.5	*	0.4	2.9	2.7	1.5	0.8	0.6	0.4	*	1.3
1990-----	1.0	*	0.4	*	0.4	2.3	2.1	0.9	0.7	0.6	*	*	1.0
1989-----	0.9	1.5	0.5	*	0.3	2.1	1.6	0.8	0.5	0.5	*	*	0.9
1988-----	0.7	*	0.4	*	0.3	1.7	1.3	0.6	0.5	0.5	0.4	*	0.7
1987-----	0.6	*	0.4	*	0.1	1.3	1.0	0.5	0.4	0.4	0.5	*	0.5

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
ALL OTHER, BOTH SEXES													
1998-----	14.2	*	*	0.4	1.7	19.8	36.1	30.1	15.1	6.7	2.5	*	13.8
1997-----	17.4	*	1.0	0.7	2.2	25.6	45.4	34.5	17.3	8.1	3.1	*	17.0
1996-----	29.8	2.8	2.7	1.1	2.9	45.9	81.3	55.5	27.1	10.5	3.9	*	29.0
1995-----	37.5	3.5	3.4	1.2	4.6	61.4	103.1	68.3	31.3	12.8	3.1	*	36.9
1994-----	35.7	6.2	3.3	1.1	4.8	60.1	98.4	63.5	28.9	11.9	3.5	*	35.2
1993-----	30.1	7.0	3.5	0.9	4.3	52.4	84.3	50.9	20.8	9.4	2.4	*	29.7
1992-----	26.1	7.4	2.7	0.6	3.8	46.4	73.7	40.8	20.7	8.1	2.2	*	25.8
1991-----	22.2	6.6	2.6	0.5	3.9	40.8	61.4	37.0	15.9	6.3	2.4	*	22.2
1990-----	18.9	7.8	2.4	0.7	3.1	37.7	52.4	26.1	13.3	4.6	*	*	18.8
1989-----	17.2	8.1	1.9	*	3.4	35.2	47.9	23.6	10.6	4.0	*	*	17.1
1988-----	13.5	6.1	1.9	0.3	2.9	29.2	36.3	18.0	8.5	2.8	*	*	13.5
1987-----	10.8	6.9	1.7	*	2.6	24.0	28.7	14.0	6.5	1.5	*	*	10.9
ALL OTHER MALE													
1998-----	20.9	*	*	*	1.5	26.5	53.5	50.5	26.3	12.4	4.5	*	20.9
1997-----	26.1	*	*	0.9	2.0	36.4	69.3	57.2	31.2	15.1	5.2	*	26.2
1996-----	46.2	*	2.9	1.1	3.2	68.2	128.3	95.2	49.7	20.4	7.8	*	46.3
1995-----	59.2	*	3.1	1.2	4.6	92.5	169.7	119.7	56.0	21.6	6.4	*	59.7
1994-----	57.2	*	3.3	0.9	5.4	94.4	162.0	112.9	53.0	22.0	5.3	*	58.0
1993-----	49.1	5.9	3.7	0.8	5.1	83.4	142.0	92.9	39.8	17.7	*	*	49.8
1992-----	43.1	7.0	3.1	0.7	5.2	74.6	125.1	75.9	38.7	16.3	*	*	43.8
1991-----	37.0	5.4	2.5	*	5.1	65.7	108.5	67.2	28.9	12.8	*	*	38.0
1990-----	31.4	5.5	2.8	0.8	4.3	61.6	91.0	48.1	26.1	7.8	*	*	32.0
1989-----	29.1	6.7	2.1	*	5.2	57.9	85.7	44.4	20.8	7.7	*	*	29.8
1988-----	23.1	6.6	2.2	*	4.6	48.5	65.8	34.4	16.5	5.9	*	*	23.9
1987-----	18.5	5.5	1.8	*	4.2	40.3	52.8	27.4	13.2	*	*	*	19.3
ALL OTHER FEMALE													
1998-----	8.1	*	*	*	2.0	13.8	20.6	12.9	6.1	2.5	*	*	7.7
1997-----	9.4	*	1.3	0.5	2.4	15.6	24.1	15.2	6.3	3.1	*	*	9.0
1996-----	14.7	*	2.5	1.0	2.7	25.6	39.5	21.8	9.2	3.4	*	*	14.0
1995-----	17.7	*	3.7	1.2	4.7	33.1	44.3	24.9	11.8	6.4	*	*	17.1
1994-----	16.1	8.1	3.3	1.2	4.2	28.8	42.4	21.7	9.9	4.5	*	*	15.5
1993-----	12.7	8.0	3.2	1.0	3.4	24.2	33.7	15.3	5.9	3.5	*	*	12.2
1992-----	10.5	7.7	2.3	0.6	2.5	20.5	28.5	10.8	6.5	2.2	*	*	10.0
1991-----	8.7	7.8	2.6	*	2.7	18.1	20.3	11.2	5.8	*	*	*	8.5
1990-----	7.5	10.1	2.0	0.6	2.0	15.9	18.7	7.2	3.4	2.3	*	*	7.2
1989-----	6.3	9.6	1.7	*	1.7	14.6	15.1	5.8	2.5	*	*	*	6.1
1988-----	4.7	5.7	1.5	*	1.3	11.7	10.9	4.0	2.1	*	*	*	4.6
1987-----	3.7	8.5	1.6	*	1.1	9.3	7.9	2.6	*	*	*	*	3.5

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
BLACK, BOTH SEXES													
1998-----	19.1	*	*	0.5	2.4	27.3	49.2	41.8	20.3	8.9	3.2	*	18.9
1997-----	23.3	*	1.4	0.9	2.9	35.1	61.3	47.7	23.3	10.7	3.9	*	23.1
1996-----	39.5	3.8	3.5	1.5	3.9	62.6	109.1	75.8	36.1	13.5	5.0	*	39.2
1995-----	49.2	4.5	4.5	1.6	6.1	82.1	137.2	92.6	40.9	16.4	3.7	*	49.2
1994-----	46.6	7.9	4.2	1.4	6.3	79.4	131.5	85.4	37.7	15.0	4.0	*	46.8
1993-----	39.1	8.8	4.5	1.1	5.6	69.4	112.3	67.8	27.2	11.9	3.0	*	39.3
1992-----	33.9	9.8	3.5	0.8	5.1	61.3	98.6	54.4	26.7	10.1	2.8	*	34.2
1991-----	28.6	8.9	3.2	0.6	5.0	53.2	81.7	49.0	20.2	7.7	2.5	*	29.2
1990-----	24.1	10.0	3.1	0.9	4.0	49.1	69.4	33.9	16.7	5.4	*	*	24.5
1989-----	21.8	10.4	2.5	*	4.3	45.5	63.4	30.3	12.9	4.8	*	*	22.2
1988-----	17.0	7.8	2.4	*	3.7	37.4	47.8	23.0	10.1	3.3	*	*	17.4
1987-----	13.4	8.8	2.1	*	3.3	30.8	37.5	17.5	7.9	1.4	*	*	13.9
BLACK MALE													
1998-----	28.1	*	*	*	2.0	36.2	73.2	70.6	36.3	16.6	6.1	*	28.7
1997-----	35.1	*	*	1.2	2.6	50.1	93.6	80.0	42.9	20.1	6.9	*	35.9
1996-----	61.5	*	3.9	1.5	4.2	93.2	172.6	131.1	67.2	26.2	10.3	*	62.8
1995-----	77.7	*	4.1	1.6	6.0	123.8	225.9	163.6	74.2	28.0	8.0	*	80.0
1994-----	74.8	*	4.3	1.2	6.9	125.2	216.6	153.2	69.7	28.0	*	*	77.4
1993-----	64.1	7.5	4.9	0.9	6.7	110.9	189.3	125.2	52.4	22.9	*	*	66.3
1992-----	56.3	9.3	4.0	0.9	6.8	99.1	167.9	102.6	50.5	20.7	*	*	58.5
1991-----	47.9	7.3	3.1	*	6.6	86.1	144.8	90.2	36.8	15.7	*	*	50.2
1990-----	40.3	7.1	3.5	1.0	5.5	80.8	121.0	63.1	33.0	9.3	*	*	42.0
1989-----	37.1	8.6	2.7	*	6.6	75.3	113.8	57.7	25.9	9.5	*	*	39.0
1988-----	29.1	8.4	2.8	*	5.7	62.4	86.7	44.7	19.8	7.0	*	*	30.8
1987-----	23.3	7.0	2.1	*	5.2	52.0	69.3	34.8	16.2	*	*	*	24.8
BLACK FEMALE													
1998-----	11.0	*	*	*	2.7	19.3	28.1	17.9	8.1	3.3	*	*	10.6
1997-----	12.7	*	1.7	0.7	3.2	21.6	32.8	20.9	8.3	4.0	*	*	12.3
1996-----	19.6	*	3.2	1.4	3.6	35.0	53.4	30.0	12.2	4.4	*	*	19.0
1995-----	23.4	*	4.9	1.5	6.2	44.6	59.6	33.8	15.3	8.2	*	*	22.9
1994-----	21.2	10.2	4.1	1.6	5.6	38.3	57.3	29.3	13.0	5.8	*	*	20.7
1993-----	16.6	10.0	4.1	1.2	4.5	32.2	45.3	20.3	7.7	4.1	*	*	16.2
1992-----	13.8	10.2	3.0	0.8	3.3	27.3	38.4	14.4	8.3	2.6	*	*	13.4
1991-----	11.4	10.5	3.3	*	3.4	23.9	27.3	14.9	7.3	*	*	*	11.2
1990-----	9.6	13.0	2.6	0.8	2.6	20.9	24.9	9.5	4.1	2.7	*	*	9.4
1989-----	8.0	12.3	2.3	*	2.1	19.0	20.1	7.5	2.8	*	*	*	7.8
1988-----	6.0	7.2	1.9	*	1.7	15.2	14.5	5.1	2.5	*	*	*	5.9
1987-----	4.6	10.7	2.1	*	1.3	11.9	10.5	3.2	*	*	*	*	4.5



(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR WITH SPECIFIED INFECTIONS (*042.0)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
TOTAL, BOTH SEXES													
1998-----	0.7	*	*	*	0.1	1.3	1.8	1.1	0.5	0.2	*	*	0.7
1997-----	0.9	*	*	*	0.2	1.6	2.2	1.3	0.6	0.2	*	*	0.8
1996-----	1.6	*	*	*	0.2	3.2	4.2	2.3	1.1	0.3	*	*	1.5
1995-----	2.3	*	*	0.1	0.3	4.5	5.9	3.6	1.4	0.5	*	*	2.2
1994-----	2.5	0.6	0.2	*	0.4	4.7	6.6	3.6	1.5	0.4	*	*	2.3
1993-----	2.3	0.6	*	*	0.3	4.6	6.0	3.6	1.1	0.4	*	*	2.2
1992-----	2.3	0.5	*	*	0.3	4.4	6.0	3.4	1.6	0.4	*	*	2.2
1991-----	2.2	0.6	*	*	0.4	4.3	5.7	3.4	1.5	0.5	*	*	2.1
1990-----	2.3	1.1	*	*	0.4	4.5	6.0	3.5	1.5	0.5	*	*	2.2
1989-----	2.4	1.5	0.1	*	0.5	4.9	6.1	3.4	1.5	0.4	*	*	2.3
1988-----	2.0	0.6	*	*	0.5	4.2	4.9	3.1	1.2	0.5	*	*	2.0
1987-----	1.8	0.8	*	*	0.5	3.8	4.3	2.5	1.2	0.4	*	*	1.7
TOTAL, MALE													
1998-----	1.1	*	*	*	*	1.9	2.9	1.9	0.9	0.3	*	*	1.0
1997-----	1.4	*	*	*	0.2	2.4	3.5	2.3	1.2	0.4	*	*	1.3
1996-----	2.7	*	*	*	0.2	5.1	7.0	4.0	2.0	0.6	*	*	2.5
1995-----	4.0	*	*	*	0.4	7.5	10.1	6.5	2.5	0.9	*	*	3.7
1994-----	4.3	*	*	*	0.5	7.8	11.7	6.7	2.8	0.7	*	*	4.1
1993-----	4.1	*	*	*	0.4	8.0	10.7	6.6	2.0	0.7	*	*	3.8
1992-----	4.1	*	*	*	0.5	7.6	10.7	6.5	2.9	0.7	*	*	3.9
1991-----	4.0	*	*	*	0.6	7.5	10.5	6.3	2.9	1.0	*	*	3.8
1990-----	4.2	1.0	*	*	0.6	7.8	11.1	6.6	2.8	0.9	*	*	4.0
1989-----	4.4	1.4	*	*	0.8	8.7	11.2	6.6	2.8	0.7	*	*	4.2
1988-----	3.7	*	*	*	0.8	7.5	9.2	5.9	2.4	0.8	*	*	3.6
1987-----	3.3	*	*	*	0.8	6.7	8.2	5.0	2.4	0.7	*	*	3.2
TOTAL, FEMALE													
1998-----	0.3	*	*	*	*	0.7	0.7	0.4	*	*	*	*	0.3
1997-----	0.3	*	*	*	0.1	0.7	0.9	0.4	*	*	*	*	0.3
1996-----	0.6	*	*	*	0.2	1.2	1.4	0.6	0.3	*	*	*	0.5
1995-----	0.7	*	*	*	0.3	1.4	1.7	0.9	0.4	*	*	*	0.7
1994-----	0.7	*	*	*	0.3	1.7	1.7	0.8	0.3	*	*	*	0.7
1993-----	0.6	*	*	*	0.2	1.3	1.4	0.7	0.3	*	*	*	0.6
1992-----	0.6	*	*	*	0.2	1.2	1.5	0.5	0.4	*	*	*	0.6
1991-----	0.5	*	*	*	0.2	1.2	1.0	0.6	0.3	*	*	*	0.5
1990-----	0.5	1.2	*	*	0.2	1.2	1.1	0.5	0.3	*	*	*	0.5
1989-----	0.5	1.6	*	*	0.2	1.2	1.1	0.3	0.2	*	*	*	0.5
1988-----	0.4	*	*	*	0.2	1.0	0.7	0.4	0.2	*	*	*	0.4
1987-----	0.3	*	*	*	0.1	0.8	0.5	0.2	*	*	*	*	0.3

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR WITH SPECIFIED INFECTIONS (*042.0)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
WHITE, BOTH SEXES													
1998-----	0.4	*	*	*	*	0.8	1.1	0.6	0.4	*	*	*	0.4
1997-----	0.5	*	*	*	0.1	1.0	1.3	0.8	0.3	*	*	*	0.5
1996-----	1.1	*	*	*	0.1	2.2	2.9	1.6	0.7	0.2	*	*	1.0
1995-----	1.7	*	*	*	0.2	3.4	4.5	2.7	1.1	0.4	*	*	1.6
1994-----	1.9	*	*	*	0.2	3.8	5.1	2.9	1.1	0.2	*	*	1.8
1993-----	1.8	*	*	*	0.2	3.6	4.6	2.8	0.9	0.3	*	*	1.7
1992-----	1.8	*	*	*	0.2	3.5	4.7	2.8	1.2	0.3	*	*	1.7
1991-----	1.8	*	*	*	0.2	3.5	4.5	2.8	1.2	0.4	*	*	1.7
1990-----	1.8	*	*	*	0.3	3.5	4.8	3.0	1.2	0.4	*	*	1.8
1989-----	1.9	0.9	*	*	0.4	3.9	4.8	2.9	1.3	0.3	*	*	1.9
1988-----	1.6	*	*	*	0.4	3.3	4.0	2.7	1.1	0.4	*	*	1.6
1987-----	1.5	*	*	*	0.4	3.0	3.7	2.3	1.1	0.4	*	*	1.5
WHITE MALE													
1998-----	0.8	*	*	*	*	1.2	2.0	1.2	0.7	*	*	*	0.7
1997-----	0.9	*	*	*	*	1.7	2.3	1.4	0.6	*	*	*	0.8
1996-----	2.0	*	*	*	0.1	3.8	5.2	2.9	1.4	0.4	*	*	1.8
1995-----	3.1	*	*	*	0.2	5.9	8.0	5.0	2.0	0.7	*	*	2.9
1994-----	3.5	*	*	*	0.4	6.5	9.4	5.3	2.1	0.4	*	*	3.3
1993-----	3.3	*	*	*	0.3	6.5	8.7	5.4	1.5	0.6	*	*	3.1
1992-----	3.3	*	*	*	0.3	6.2	8.6	5.4	2.2	0.6	*	*	3.1
1991-----	3.3	*	*	*	0.4	6.3	8.4	5.3	2.4	0.7	*	*	3.1
1990-----	3.5	*	*	*	0.4	6.3	9.1	5.8	2.3	0.8	*	*	3.3
1989-----	3.6	*	*	*	0.6	7.2	9.1	5.8	2.5	0.5	*	*	3.5
1988-----	3.1	*	*	*	0.6	6.1	7.7	5.2	2.1	0.8	*	*	3.0
1987-----	2.9	*	*	*	0.7	5.6	7.1	4.5	2.2	0.7	*	*	2.8
WHITE FEMALE													
1998-----	0.1	*	*	*	*	0.3	0.3	*	*	*	*	*	0.1
1997-----	0.2	*	*	*	*	0.3	0.4	0.2	*	*	*	*	0.2
1996-----	0.3	*	*	*	*	0.5	0.7	0.4	*	*	*	*	0.3
1995-----	0.4	*	*	*	*	0.8	0.9	0.5	0.2	*	*	*	0.4
1994-----	0.4	*	*	*	*	1.0	0.8	0.5	*	*	*	*	0.4
1993-----	0.3	*	*	*	*	0.7	0.6	0.4	0.2	*	*	*	0.3
1992-----	0.3	*	*	*	*	0.7	0.8	0.2	*	*	*	*	0.3
1991-----	0.3	*	*	*	*	0.6	0.5	0.4	*	*	*	*	0.3
1990-----	0.3	*	*	*	*	0.7	0.5	0.3	0.2	*	*	*	0.3
1989-----	0.3	*	*	*	0.1	0.6	0.5	0.2	*	*	*	*	0.3
1988-----	0.2	*	*	*	0.2	0.5	0.4	0.3	*	*	*	*	0.2
1987-----	0.2	*	*	*	*	0.4	0.3	*	*	*	*	*	0.2

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR WITH SPECIFIED INFECTIONS (*042.0)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
ALL OTHER, BOTH SEXES													
1998-----	2.0	*	*	*	0.3	3.7	4.9	3.8	1.5	0.9	*	*	2.0
1997-----	2.4	*	*	*	0.5	4.0	6.1	4.6	2.2	*	*	*	2.4
1996-----	3.9	*	*	*	0.5	7.3	10.5	6.1	3.6	1.1	*	*	3.8
1995-----	5.0	*	*	*	0.9	9.2	12.9	9.2	3.4	1.7	*	*	4.9
1994-----	5.2	*	*	*	1.0	9.1	14.4	8.4	4.1	1.7	*	*	5.1
1993-----	4.8	2.5	*	*	0.7	9.5	12.9	8.0	2.8	1.2	*	*	4.8
1992-----	4.8	*	*	*	0.9	8.9	13.0	7.5	4.5	1.1	*	*	4.8
1991-----	4.6	*	*	*	1.1	8.5	12.3	7.1	3.4	1.6	*	*	4.5
1990-----	4.7	3.4	*	*	0.9	9.4	12.7	6.6	3.3	1.2	*	*	4.6
1989-----	4.9	3.8	*	*	1.2	10.0	13.3	6.4	2.9	1.1	*	*	4.8
1988-----	4.0	*	*	*	1.1	8.8	10.0	5.7	2.4	*	*	*	4.0
1987-----	3.2	*	*	*	0.8	7.6	8.1	4.2	2.2	*	*	*	3.3
ALL OTHER MALE													
1998-----	3.0	*	*	*	*	4.9	7.6	6.3	2.7	*	*	*	2.9
1997-----	3.8	*	*	*	0.6	5.7	9.5	8.1	4.8	*	*	*	3.8
1996-----	6.1	*	*	*	*	10.8	16.8	11.0	6.4	*	*	*	6.1
1995-----	8.0	*	*	*	0.9	14.8	21.3	15.9	6.0	2.8	*	*	8.1
1994-----	8.4	*	*	*	1.1	14.0	24.3	15.5	7.7	3.1	*	*	8.5
1993-----	7.9	*	*	*	0.9	15.4	21.6	14.7	5.2	*	*	*	8.0
1992-----	7.9	*	*	*	1.2	14.6	21.9	13.8	8.3	*	*	*	8.0
1991-----	7.6	*	*	*	1.4	13.5	22.6	12.7	6.1	3.6	*	*	7.8
1990-----	7.9	*	*	*	1.2	15.5	23.0	12.1	6.2	*	*	*	8.0
1989-----	8.2	*	*	*	1.7	16.5	23.7	12.6	5.7	*	*	*	8.4
1988-----	6.9	*	*	*	1.7	15.0	18.7	10.7	4.9	*	*	*	7.1
1987-----	5.7	*	*	*	1.2	13.1	15.5	8.5	4.4	*	*	*	6.0
ALL OTHER FEMALE													
1998-----	1.1	*	*	*	*	2.5	2.4	1.7	*	*	*	*	1.1
1997-----	1.2	*	*	*	*	2.3	3.2	1.7	*	*	*	*	1.1
1996-----	1.9	*	*	*	*	4.2	4.9	1.9	1.4	*	*	*	1.9
1995-----	2.2	*	*	*	0.8	4.0	5.5	3.5	1.4	*	*	*	2.2
1994-----	2.3	*	*	*	0.9	4.6	5.6	2.4	1.3	*	*	*	2.2
1993-----	2.0	*	*	*	0.6	4.0	5.3	2.4	*	*	*	*	1.9
1992-----	2.0	*	*	*	0.6	3.6	5.3	2.2	1.5	*	*	*	1.9
1991-----	1.8	*	*	*	0.7	4.0	3.4	2.2	*	*	*	*	1.7
1990-----	1.7	*	*	*	*	3.9	3.7	1.9	*	*	*	*	1.7
1989-----	1.8	*	*	*	0.7	4.0	4.3	*	*	*	*	*	1.7
1988-----	1.3	*	*	*	*	3.2	2.3	1.5	*	*	*	*	1.2
1987-----	1.0	*	*	*	*	2.7	1.7	*	*	*	*	*	0.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
WITH SPECIFIED INFECTIONS (*042.0)													
BLACK, BOTH SEXES													
1998-----	2.7	*	*	*	0.4	5.0	6.5	5.3	2.0	1.2	*	*	2.7
1997-----	3.3	*	*	*	0.7	5.5	8.2	6.3	3.0	*	*	*	3.2
1996-----	5.2	*	*	*	0.7	9.9	13.9	8.2	4.8	1.3	*	*	5.1
1995-----	6.5	*	*	*	1.2	12.0	17.0	12.3	4.6	2.2	*	*	6.5
1994-----	6.7	*	*	*	1.3	11.7	19.0	11.0	5.2	2.3	*	*	6.7
1993-----	6.3	*	*	*	1.0	12.5	17.1	10.6	3.7	1.5	*	*	6.3
1992-----	6.2	*	*	*	1.2	11.7	17.1	10.0	5.7	1.3	*	*	6.3
1991-----	5.8	*	*	*	1.4	11.1	16.3	9.2	4.3	2.0	*	*	5.9
1990-----	5.9	4.4	*	*	1.1	12.3	16.7	8.6	4.1	1.5	*	*	6.0
1989-----	6.1	4.8	*	*	1.5	12.7	17.5	8.0	3.5	1.3	*	*	6.2
1988-----	4.9	*	*	*	1.3	11.3	13.0	7.2	2.8	*	*	*	5.1
1987-----	4.0	*	*	*	1.0	9.8	10.5	5.1	2.6	*	*	*	4.1
BLACK MALE													
1998-----	3.9	*	*	*	*	6.7	10.2	8.8	3.8	*	*	*	4.0
1997-----	5.1	*	*	*	0.8	7.9	12.7	11.1	6.5	*	*	*	5.2
1996-----	8.1	*	*	*	*	14.6	22.3	14.9	8.8	*	*	*	8.2
1995-----	10.4	*	*	*	1.2	19.4	28.0	21.5	8.1	3.7	*	*	10.7
1994-----	10.8	*	*	*	1.4	18.0	32.0	20.4	9.8	4.1	*	*	11.1
1993-----	10.3	*	*	*	1.2	20.4	28.5	19.4	6.8	*	*	*	10.6
1992-----	10.2	*	*	*	1.6	19.3	28.7	18.7	10.8	*	*	*	10.6
1991-----	9.8	*	*	*	1.9	17.7	29.9	16.8	7.8	4.4	*	*	10.3
1990-----	10.1	*	*	*	1.6	20.3	30.4	16.0	7.6	*	*	*	10.6
1989-----	10.4	*	*	*	2.2	21.2	31.2	16.0	6.8	*	*	*	10.9
1988-----	8.6	*	*	*	2.1	19.2	24.5	13.7	5.6	*	*	*	9.1
1987-----	7.2	*	*	*	1.5	17.0	20.3	10.8	5.3	*	*	*	7.7
BLACK FEMALE													
1998-----	1.5	*	*	*	*	3.5	3.2	2.4	*	*	*	*	1.5
1997-----	1.6	*	*	*	*	3.3	4.3	2.2	*	*	*	*	1.6
1996-----	2.6	*	*	*	*	5.7	6.6	2.7	1.8	*	*	*	2.5
1995-----	3.0	*	*	*	1.1	5.4	7.5	4.7	1.8	*	*	*	2.9
1994-----	3.0	*	*	*	1.3	6.1	7.6	3.1	*	*	*	*	2.9
1993-----	2.7	*	*	*	0.8	5.3	7.1	3.2	*	*	*	*	2.6
1992-----	2.6	*	*	*	0.7	4.9	7.1	2.9	1.8	*	*	*	2.5
1991-----	2.3	*	*	*	1.0	5.3	4.5	2.9	*	*	*	*	2.3
1990-----	2.2	*	*	*	*	5.1	4.9	2.5	*	*	*	*	2.2
1989-----	2.2	*	*	*	0.8	5.1	5.7	*	*	*	*	*	2.2
1988-----	1.6	*	*	*	*	4.2	3.1	1.8	*	*	*	*	1.6
1987-----	1.2	*	*	*	*	3.4	2.2	*	*	*	*	*	1.1

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR CAUSING OTHER SPECIFIED INFECTIONS (*042.1)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
TOTAL, BOTH SEXES													
1998-----	1.0	*	*	*	0.1	1.5	2.7	1.9	0.9	0.4	*	*	1.0
1997-----	1.2	*	*	*	0.2	2.0	3.2	2.2	1.0	0.4	*	*	1.2
1996-----	2.3	*	0.2	0.1	0.2	3.7	6.3	3.8	1.5	0.5	*	*	2.1
1995-----	3.2	*	0.3	0.1	0.3	5.6	8.7	5.1	2.1	0.7	*	*	3.0
1994-----	3.2	0.6	0.2	0.1	0.3	5.7	8.7	4.9	2.0	0.6	*	*	3.0
1993-----	2.8	*	0.2	0.1	0.4	5.2	7.4	4.2	1.6	0.6	*	*	2.6
1992-----	2.7	0.7	0.2	0.1	0.3	5.0	7.3	4.1	1.6	0.5	0.2	*	2.6
1991-----	2.4	0.7	0.2	*	0.3	4.5	6.5	3.6	1.5	0.6	*	*	2.3
1990-----	2.1	0.6	0.2	0.1	0.3	4.0	5.6	3.0	1.3	0.4	*	*	2.0
1989-----	1.9	0.6	0.2	*	0.3	3.8	5.1	2.6	1.2	0.4	*	*	1.8
1988-----	1.2	0.6	0.1	*	0.2	2.6	3.0	1.7	0.7	0.4	*	*	1.2
1987-----	0.9	*	0.1	*	0.2	2.0	2.3	1.2	0.7	0.3	*	*	0.9
TOTAL, MALE													
1998-----	1.6	*	*	*	*	2.1	4.2	3.1	1.6	0.6	*	*	1.5
1997-----	1.9	*	*	*	0.2	2.9	4.8	3.6	1.8	0.8	*	*	1.8
1996-----	3.8	*	*	*	0.3	5.7	10.3	6.6	2.7	0.9	*	*	3.5
1995-----	5.4	*	0.2	*	0.4	9.0	14.8	9.1	3.8	1.2	*	*	5.1
1994-----	5.5	*	*	0.1	0.4	9.6	14.8	9.0	3.7	1.2	*	*	5.1
1993-----	4.8	*	*	*	0.5	8.7	12.9	7.7	3.0	1.1	*	*	4.5
1992-----	4.8	*	*	*	0.4	8.6	13.1	7.7	3.1	1.0	*	*	4.5
1991-----	4.3	*	*	*	0.4	7.7	11.6	6.7	2.8	1.0	*	*	4.0
1990-----	3.7	*	*	*	0.5	6.9	10.2	5.6	2.6	0.6	*	*	3.6
1989-----	3.5	*	*	*	0.5	6.7	9.5	4.9	2.3	0.7	*	*	3.3
1988-----	2.2	*	*	*	0.4	4.5	5.5	3.2	1.4	0.7	*	*	2.1
1987-----	1.7	*	*	*	0.3	3.6	4.3	2.3	1.3	0.6	*	*	1.7
TOTAL, FEMALE													
1998-----	0.5	*	*	*	0.1	0.9	1.2	0.7	0.3	*	*	*	0.5
1997-----	0.6	*	*	*	0.2	1.1	1.5	0.9	0.3	*	*	*	0.6
1996-----	0.9	*	*	*	0.2	1.8	2.3	1.0	0.5	*	*	*	0.9
1995-----	1.1	*	0.3	*	0.3	2.2	2.7	1.3	0.5	0.4	*	*	1.0
1994-----	1.0	*	*	*	0.3	1.9	2.6	1.0	0.4	*	*	*	0.9
1993-----	0.8	*	0.3	*	0.2	1.6	2.0	1.0	0.4	0.3	*	*	0.8
1992-----	0.7	*	*	*	0.2	1.4	1.7	0.7	0.3	*	*	*	0.7
1991-----	0.6	*	*	*	0.2	1.3	1.5	0.6	0.3	*	*	*	0.6
1990-----	0.5	*	*	*	0.2	1.1	1.1	0.5	0.3	*	*	*	0.5
1989-----	0.4	*	*	*	0.1	0.8	0.8	0.5	0.2	*	*	*	0.4
1988-----	0.2	*	*	*	*	0.6	0.5	0.2	*	*	*	*	0.2
1987-----	0.2	*	*	*	*	0.4	0.3	*	*	*	*	*	0.1

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR CAUSING OTHER SPECIFIED INFECTIONS (*042.1)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
WHITE, BOTH SEXES													
1998-----	0.6	*	*	*	*	0.8	1.5	1.0	0.5	0.2	*	*	0.5
1997-----	0.7	*	*	*	0.1	1.1	1.8	1.2	0.5	0.2	*	*	0.6
1996-----	1.5	*	*	*	0.2	2.5	4.1	2.3	0.9	0.3	*	*	1.4
1995-----	2.3	*	*	*	0.2	4.2	6.3	3.6	1.4	0.5	*	*	2.2
1994-----	2.3	*	*	0.1	0.2	4.4	6.4	3.6	1.4	0.4	*	*	2.2
1993-----	2.1	*	*	*	0.2	4.0	5.6	3.3	1.2	0.5	*	*	2.0
1992-----	2.1	*	*	*	0.2	3.9	5.7	3.3	1.3	0.4	*	*	2.0
1991-----	1.9	*	*	*	0.2	3.6	5.0	2.8	1.1	0.4	*	*	1.8
1990-----	1.7	*	*	*	0.2	3.1	4.6	2.6	1.1	0.3	*	*	1.6
1989-----	1.5	*	*	*	0.2	3.0	4.0	2.2	1.0	0.4	*	*	1.5
1988-----	1.0	*	*	*	0.2	2.0	2.5	1.4	0.6	0.3	*	*	1.0
1987-----	0.7	*	*	*	0.1	1.6	1.8	1.0	0.6	0.3	*	*	0.7
WHITE MALE													
1998-----	0.9	*	*	*	*	1.2	2.5	1.8	0.8	*	*	*	0.8
1997-----	1.2	*	*	*	*	1.9	3.0	2.1	1.0	0.4	*	*	1.1
1996-----	2.6	*	*	*	0.2	4.2	7.1	4.3	1.7	0.6	*	*	2.4
1995-----	4.2	*	*	*	0.3	7.2	11.3	6.6	2.7	0.9	*	*	3.9
1994-----	4.3	*	*	*	0.3	7.7	11.7	6.8	2.7	0.8	*	*	4.0
1993-----	3.9	*	*	*	0.3	7.1	10.3	6.1	2.3	0.9	*	*	3.6
1992-----	3.9	*	*	*	0.3	7.1	10.6	6.2	2.4	0.8	*	*	3.7
1991-----	3.5	*	*	*	0.3	6.4	9.4	5.5	2.3	0.8	*	*	3.3
1990-----	3.2	*	*	*	0.4	5.7	8.8	5.0	2.1	0.5	*	*	3.0
1989-----	2.9	*	*	*	0.3	5.5	7.7	4.3	2.0	0.6	*	*	2.7
1988-----	1.8	*	*	*	0.3	3.6	4.7	2.7	1.2	0.6	*	*	1.8
1987-----	1.4	*	*	*	0.3	2.9	3.5	1.9	1.1	0.6	*	*	1.4
WHITE FEMALE													
1998-----	0.2	*	*	*	*	0.3	0.4	0.2	*	*	*	*	0.1
1997-----	0.2	*	*	*	*	0.4	0.5	0.3	*	*	*	*	0.2
1996-----	0.4	*	*	*	*	0.8	0.9	0.4	0.3	*	*	*	0.4
1995-----	0.5	*	*	*	*	1.1	1.2	0.6	*	*	*	*	0.5
1994-----	0.4	*	*	*	*	1.0	1.1	0.4	*	*	*	*	0.4
1993-----	0.4	*	*	*	*	0.8	1.0	0.6	*	*	*	*	0.4
1992-----	0.3	*	*	*	0.1	0.7	0.8	0.5	*	*	*	*	0.3
1991-----	0.3	*	*	*	*	0.7	0.7	0.3	*	*	*	*	0.3
1990-----	0.2	*	*	*	*	0.6	0.5	0.3	*	*	*	*	0.3
1989-----	0.2	*	*	*	*	0.3	0.3	0.2	*	*	*	*	0.2
1988-----	0.1	*	*	*	*	0.3	0.2	*	*	*	*	*	0.1
1987-----	0.1	*	*	*	*	0.2	*	*	*	*	*	*	0.1

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR CAUSING OTHER SPECIFIED INFECTIONS (*042.1)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
ALL OTHER, BOTH SEXES													
1998-----	3.3	*	*	*	0.4	4.5	8.4	6.7	3.7	1.9	*	*	3.2
1997-----	3.9	*	*	*	0.5	5.4	10.0	8.1	4.1	1.9	*	*	3.8
1996-----	6.2	*	0.7	*	0.6	9.1	17.1	12.1	5.4	2.0	*	*	6.0
1995-----	7.6	*	1.1	*	0.8	12.0	20.8	14.2	6.3	2.7	*	*	7.4
1994-----	7.2	*	0.7	*	0.9	12.0	20.0	13.0	5.8	2.4	*	*	7.1
1993-----	6.1	*	0.7	*	1.0	10.7	16.5	10.1	4.4	2.0	*	*	6.0
1992-----	5.6	3.1	0.7	*	0.6	10.0	15.8	9.0	4.2	1.8	*	*	5.6
1991-----	5.1	2.4	*	*	0.8	9.1	14.3	8.1	3.9	1.7	*	*	5.1
1990-----	4.1	*	*	*	0.7	8.2	11.2	5.4	3.1	1.1	*	*	4.1
1989-----	3.9	*	*	*	0.7	7.8	11.2	5.3	2.7	*	*	*	3.9
1988-----	2.5	*	*	*	0.5	5.6	6.0	3.4	1.8	*	*	*	2.5
1987-----	2.0	*	*	*	0.4	4.3	5.4	2.4	1.5	*	*	*	2.0
ALL OTHER MALE													
1998-----	4.8	*	*	*	*	5.8	12.5	11.0	6.8	3.7	*	*	4.8
1997-----	5.6	*	*	*	*	7.4	14.3	13.0	7.3	3.6	*	*	5.7
1996-----	9.5	*	*	*	0.6	12.7	26.7	21.4	9.9	3.6	*	*	9.5
1995-----	11.7	*	*	*	0.7	17.8	33.4	24.8	11.2	3.8	*	*	11.8
1994-----	11.4	*	*	*	1.0	18.6	31.8	23.0	10.8	4.7	*	*	11.5
1993-----	9.7	*	*	*	1.4	16.9	27.4	18.1	7.8	3.0	*	*	9.8
1992-----	9.4	*	*	*	0.8	16.3	27.0	17.3	8.1	3.2	*	*	9.5
1991-----	8.2	*	*	*	1.0	14.4	24.2	14.5	6.8	3.3	*	*	8.4
1990-----	6.6	*	*	*	0.9	13.0	18.8	9.8	6.0	*	*	*	6.7
1989-----	6.7	*	*	*	1.2	13.0	20.4	9.1	5.3	*	*	*	6.8
1988-----	4.2	*	*	*	0.9	9.2	10.5	6.7	3.5	*	*	*	4.4
1987-----	3.4	*	*	*	0.8	7.3	9.9	4.8	3.0	*	*	*	3.6
ALL OTHER FEMALE													
1998-----	1.9	*	*	*	*	3.3	4.7	3.1	1.3	*	*	*	1.8
1997-----	2.3	*	*	*	0.5	3.7	6.1	4.0	1.6	*	*	*	2.2
1996-----	3.2	*	*	*	0.6	5.8	8.6	4.3	1.8	*	*	*	3.0
1995-----	3.8	*	*	*	0.9	6.7	9.7	5.3	2.4	1.9	*	*	3.7
1994-----	3.4	*	*	*	0.8	5.9	9.7	4.5	1.8	*	*	*	3.3
1993-----	2.7	*	*	*	0.7	5.0	7.0	3.2	1.7	*	*	*	2.6
1992-----	2.3	*	*	*	*	4.3	6.1	2.0	*	*	*	*	2.1
1991-----	2.2	*	*	*	*	4.3	5.6	2.6	1.6	*	*	*	2.1
1990-----	1.8	*	*	*	*	3.8	4.5	1.6	*	*	*	*	1.7
1989-----	1.4	*	*	*	*	3.1	3.1	2.0	*	*	*	*	1.4
1988-----	0.9	*	*	*	*	2.4	2.1	*	*	*	*	*	0.9
1987-----	0.7	*	*	*	*	1.7	1.6	*	*	*	*	*	0.7

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR CAUSING OTHER SPECIFIED INFECTIONS (*042.1)	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
BLACK, BOTH SEXES													
1998-----	4.4	*	*	*	0.5	6.2	11.4	9.4	5.1	2.5	*	*	4.4
1997-----	5.2	*	*	*	0.6	7.4	13.4	11.3	5.6	2.5	*	*	5.2
1996-----	8.2	*	0.9	*	0.8	12.5	23.0	16.5	7.0	2.6	*	*	8.1
1995-----	9.9	*	1.4	*	1.0	16.0	27.6	19.2	8.2	3.5	*	*	9.9
1994-----	9.4	*	0.8	*	1.2	15.8	26.6	17.6	7.6	2.9	*	*	9.5
1993-----	7.9	*	0.9	*	1.4	14.1	22.1	13.3	5.8	2.5	*	*	7.9
1992-----	7.3	4.1	0.9	*	0.7	13.2	21.3	12.0	5.5	2.2	*	*	7.4
1991-----	6.5	3.2	*	*	1.0	11.9	19.0	10.8	4.8	2.0	*	*	6.6
1990-----	5.3	*	*	*	0.9	10.7	14.9	7.1	3.9	*	*	*	5.3
1989-----	5.0	*	*	*	0.9	10.1	14.8	6.8	3.4	*	*	*	5.1
1988-----	3.1	*	*	*	0.6	7.2	7.9	4.3	2.1	*	*	*	3.2
1987-----	2.5	*	*	*	0.6	5.5	7.0	3.0	1.8	*	*	*	2.6
BLACK MALE													
1998-----	6.5	*	*	*	*	8.1	17.1	15.4	9.5	5.0	*	*	6.6
1997-----	7.5	*	*	*	*	10.0	19.1	18.3	10.1	4.8	*	*	7.7
1996-----	12.6	*	*	*	0.8	17.4	36.0	29.2	13.1	4.8	*	*	12.9
1995-----	15.3	*	*	*	0.9	23.7	44.2	33.8	14.9	4.9	*	*	15.8
1994-----	14.9	*	*	*	1.3	24.6	42.4	31.5	14.4	5.7	*	*	15.4
1993-----	12.7	*	*	*	1.8	22.3	36.7	24.2	10.3	4.0	*	*	13.1
1992-----	12.2	*	*	*	1.0	21.5	36.3	23.3	10.7	4.0	*	*	12.7
1991-----	10.6	*	*	*	1.2	18.9	32.3	19.7	8.4	4.0	*	*	11.1
1990-----	8.5	*	*	*	1.2	17.1	25.2	13.0	7.7	*	*	*	8.9
1989-----	8.5	*	*	*	1.5	16.9	27.2	11.8	6.7	*	*	*	8.9
1988-----	5.3	*	*	*	1.2	11.8	13.9	8.6	4.3	*	*	*	5.6
1987-----	4.3	*	*	*	1.0	9.3	12.7	6.2	3.7	*	*	*	4.6
BLACK FEMALE													
1998-----	2.6	*	*	*	*	4.6	6.4	4.4	1.8	*	*	*	2.5
1997-----	3.1	*	*	*	0.7	5.1	8.4	5.5	2.1	*	*	*	3.0
1996-----	4.3	*	*	*	0.8	8.0	11.6	5.9	2.4	*	*	*	4.1
1995-----	5.0	*	*	*	1.2	9.1	13.1	7.1	3.0	2.4	*	*	4.9
1994-----	4.5	*	*	*	1.1	7.9	12.9	6.1	2.4	*	*	*	4.4
1993-----	3.5	*	*	*	0.9	6.7	9.3	4.2	2.2	*	*	*	3.4
1992-----	2.9	*	*	*	*	5.7	8.2	2.7	*	*	*	*	2.8
1991-----	2.9	*	*	*	*	5.7	7.5	3.5	2.0	*	*	*	2.8
1990-----	2.3	*	*	*	*	5.0	6.1	2.1	*	*	*	*	2.3
1989-----	1.8	*	*	*	*	4.0	4.1	2.7	*	*	*	*	1.8
1988-----	1.1	*	*	*	*	3.1	2.7	*	*	*	*	*	1.1
1987-----	0.8	*	*	*	*	2.2	2.1	*	*	*	*	*	0.8











(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
TOTAL, BOTH SEXES													
1998-----	2.6	*	*	0.1	0.3	3.6	6.7	4.9	2.3	0.9	0.3	*	2.4
1997-----	3.3	*	0.2	0.2	0.3	5.1	8.7	5.6	2.7	1.0	0.3	*	3.1
1996-----	6.6	0.6	0.6	0.3	0.6	10.7	17.5	11.3	4.9	1.6	0.5	*	6.2
1995-----	9.2	0.6	0.8	0.3	1.0	15.7	25.1	15.1	6.5	2.1	0.4	*	8.7
1994-----	8.7	0.9	0.7	0.3	0.9	15.2	23.7	14.1	5.9	1.9	0.6	*	8.3
1993-----	7.7	0.9	0.8	0.2	0.9	13.7	20.8	12.4	5.1	1.7	0.4	*	7.3
1992-----	6.5	0.8	0.6	0.2	0.8	11.7	17.7	10.2	4.3	1.6	0.4	*	6.2
1991-----	5.5	0.7	0.6	0.1	0.8	10.1	14.6	9.0	3.5	1.1	0.5	*	5.3
1990-----	4.4	0.6	0.5	0.1	0.6	8.4	11.9	6.7	2.7	0.9	0.3	*	4.2
1989-----	3.6	0.9	0.4	0.1	0.6	7.1	9.4	5.7	2.2	0.8	0.3	*	3.5
1988-----	2.8	0.8	0.4	0.1	0.5	5.7	7.4	4.0	1.6	0.7	0.4	*	2.7
1987-----	2.3	0.9	0.4	0.1	0.5	4.8	5.9	3.3	1.3	0.5	0.4	*	2.3
TOTAL, MALE													
1998-----	4.0	*	*	*	0.3	5.0	10.2	8.2	3.9	1.6	0.6	*	3.7
1997-----	5.2	*	*	0.2	0.3	7.4	13.7	9.3	4.5	1.8	0.5	*	4.8
1996-----	10.7	*	0.6	0.3	0.7	16.4	28.2	19.1	8.7	3.1	0.9	*	9.9
1995-----	15.4	*	0.7	0.3	1.1	24.6	42.2	26.5	11.8	3.8	0.7	*	14.4
1994-----	14.8	*	0.6	0.3	1.1	24.6	40.4	25.2	10.7	3.4	0.9	*	13.9
1993-----	13.4	*	0.8	0.2	1.1	22.9	35.9	22.7	9.7	3.1	0.8	*	12.6
1992-----	11.5	1.1	0.7	0.2	1.1	19.5	31.3	19.0	7.9	3.0	0.7	*	10.8
1991-----	9.9	*	0.5	0.2	1.2	17.3	26.5	16.7	6.6	2.0	0.9	*	9.4
1990-----	7.9	*	0.5	0.1	0.9	14.5	21.5	12.8	5.2	1.6	*	*	7.6
1989-----	6.5	*	0.3	*	1.1	12.1	17.2	10.9	4.3	1.5	*	*	6.3
1988-----	5.0	*	0.5	*	0.8	9.7	13.3	7.6	3.1	1.1	0.8	*	4.8
1987-----	4.1	*	0.3	0.1	0.8	8.1	10.8	6.4	2.5	1.0	0.6	*	4.0
TOTAL, FEMALE													
1998-----	1.2	*	*	*	0.3	2.2	3.3	1.8	0.9	0.3	*	*	1.2
1997-----	1.5	*	*	0.1	0.4	2.8	3.7	2.1	1.0	0.3	*	*	1.4
1996-----	2.6	*	0.6	0.3	0.5	4.9	6.8	3.7	1.6	0.4	*	*	2.5
1995-----	3.2	*	0.8	0.3	0.8	6.8	8.2	4.2	1.7	0.8	*	*	3.2
1994-----	2.9	1.1	0.8	0.3	0.7	5.8	7.4	3.5	1.6	0.6	0.4	*	2.8
1993-----	2.2	1.0	0.8	0.2	0.7	4.6	6.0	2.5	1.0	0.5	*	*	2.2
1992-----	1.7	*	0.4	*	0.5	3.8	4.4	1.9	1.0	0.4	*	*	1.7
1991-----	1.4	*	0.6	0.1	0.4	3.0	3.0	1.6	0.7	0.4	*	*	1.3
1990-----	1.0	*	0.5	*	0.3	2.3	2.6	0.8	0.4	0.4	*	*	1.0
1989-----	0.9	*	0.4	*	0.2	2.2	1.8	0.7	0.3	0.3	*	*	0.8
1988-----	0.7	*	0.3	*	0.2	1.7	1.6	0.5	0.3	0.3	*	*	0.7
1987-----	0.6	*	0.4	*	0.2	1.4	1.1	0.4	0.2	0.2	*	*	0.6

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
WHITE, BOTH SEXES													
1998-----	1.4	*	*	*	0.1	1.9	3.7	2.5	1.2	0.5	*	*	1.3
1997-----	1.8	*	*	0.1	0.1	2.9	4.9	3.0	1.4	0.4	*	*	1.7
1996-----	4.1	*	0.3	0.2	0.3	6.9	10.7	7.0	2.9	0.9	0.2	*	3.8
1995-----	6.2	*	0.4	0.1	0.5	10.8	17.0	10.3	4.3	1.3	0.2	*	5.9
1994-----	6.0	*	0.3	0.2	0.5	10.6	16.5	9.8	4.0	1.1	0.4	*	5.7
1993-----	5.6	*	0.4	0.1	0.5	10.2	14.9	9.2	3.9	1.1	0.3	*	5.3
1992-----	4.9	*	0.2	0.1	0.4	8.8	13.0	8.2	3.2	1.1	0.3	*	4.6
1991-----	4.3	*	0.3	0.1	0.5	7.9	11.3	7.0	2.9	0.9	0.4	*	4.1
1990-----	3.4	*	0.2	*	0.4	6.4	9.3	5.7	2.1	0.8	0.3	*	3.3
1989-----	2.8	*	0.2	0.1	0.5	5.3	7.2	4.8	1.8	0.7	0.3	*	2.7
1988-----	2.1	*	0.2	*	0.4	4.1	5.4	3.2	1.3	0.6	0.4	*	2.0
1987-----	1.8	*	0.2	0.1	0.3	3.5	4.5	2.7	1.1	0.5	0.4	*	1.7
WHITE MALE													
1998-----	2.3	*	*	*	0.1	3.0	6.2	4.3	2.1	0.9	*	*	2.1
1997-----	3.1	*	*	0.1	0.2	4.5	8.4	5.3	2.5	0.9	*	*	2.8
1996-----	7.1	*	*	0.2	0.4	11.2	18.5	12.5	5.2	1.7	*	*	6.5
1995-----	11.1	*	0.4	0.2	0.6	18.2	30.1	18.7	8.1	2.5	*	*	10.3
1994-----	10.9	*	*	0.2	0.6	18.1	29.5	18.3	7.5	2.2	0.6	*	10.1
1993-----	10.3	*	0.3	0.2	0.7	18.0	26.7	17.4	7.4	2.1	0.5	*	9.6
1992-----	9.1	*	0.3	*	0.7	15.5	24.2	15.4	6.1	2.2	0.6	*	8.5
1991-----	8.0	*	*	*	0.9	14.1	21.2	13.4	5.5	1.6	0.7	*	7.5
1990-----	6.6	*	*	*	0.7	11.7	17.6	11.1	4.1	1.4	*	*	6.2
1989-----	5.3	*	*	*	0.8	9.5	13.7	9.3	3.6	1.2	*	*	5.1
1988-----	3.9	*	*	*	0.6	7.4	10.1	6.4	2.5	1.0	0.8	*	3.8
1987-----	3.3	*	*	*	0.6	6.2	8.4	5.3	2.1	1.0	0.6	*	3.2
WHITE FEMALE													
1998-----	0.4	*	*	*	*	0.8	1.2	0.6	0.3	*	*	*	0.4
1997-----	0.6	*	*	*	*	1.2	1.4	0.7	0.4	*	*	*	0.6
1996-----	1.2	*	*	0.1	0.2	2.5	2.8	1.5	0.8	*	*	*	1.1
1995-----	1.5	*	0.5	*	0.3	3.2	3.9	2.0	0.7	0.4	*	*	1.5
1994-----	1.3	*	0.4	0.1	0.3	3.0	3.4	1.6	0.7	0.3	*	*	1.3
1993-----	1.1	*	0.4	*	0.3	2.2	2.9	1.2	0.6	0.3	*	*	1.1
1992-----	0.8	*	*	*	0.2	1.9	1.9	1.1	0.5	0.3	*	*	0.8
1991-----	0.7	*	0.3	*	0.2	1.5	1.4	0.8	0.4	0.4	*	*	0.7
1990-----	0.5	*	*	*	0.1	1.1	1.0	0.3	0.3	0.3	*	*	0.4
1989-----	0.4	*	*	*	*	1.1	0.8	0.3	0.2	0.3	*	*	0.4
1988-----	0.3	*	*	*	*	0.8	0.7	0.2	0.2	0.3	*	*	0.3
1987-----	0.3	*	*	*	*	0.7	0.5	0.2	0.2	*	*	*	0.3

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
ALL OTHER, BOTH SEXES													
1998-----	8.3	*	*	0.3	1.0	10.7	21.0	18.5	9.6	3.8	*	*	8.1
1997-----	10.3	*	0.6	0.4	1.1	14.6	27.2	20.6	10.5	5.1	2.1	*	10.0
1996-----	18.6	*	1.7	0.8	1.7	27.3	50.7	35.9	17.5	7.2	3.1	*	18.1
1995-----	23.6	*	2.1	0.9	2.8	37.4	65.3	43.6	21.0	8.3	2.1	*	23.2
1994-----	21.9	2.8	2.1	0.7	2.7	36.1	60.3	39.7	18.5	7.6	2.7	*	21.6
1993-----	18.0	3.0	2.6	0.5	2.4	29.9	51.2	31.4	13.1	6.2	*	*	17.8
1992-----	14.6	2.9	1.8	0.4	2.3	25.2	41.8	22.9	11.6	5.0	*	*	14.4
1991-----	11.7	2.4	1.7	0.3	2.0	21.0	32.5	20.8	8.2	2.9	*	*	11.8
1990-----	9.3	*	1.7	0.4	1.5	17.9	26.3	13.1	6.5	2.2	*	*	9.2
1989-----	7.8	*	1.0	*	1.4	16.0	21.6	11.4	4.7	2.1	*	*	7.8
1988-----	6.5	2.7	1.1	*	1.2	13.6	18.7	8.5	4.1	1.3	*	*	6.6
1987-----	5.2	3.6	0.9	*	1.3	11.4	14.3	7.1	2.6	*	*	*	5.3
ALL OTHER MALE													
1998-----	12.0	*	*	*	0.9	13.9	30.1	31.0	16.5	7.1	*	*	12.0
1997-----	15.4	*	*	0.5	0.9	20.7	41.8	34.0	18.3	9.4	*	*	15.4
1996-----	28.7	*	2.0	0.9	1.9	40.6	79.3	60.4	32.0	14.4	5.6	*	28.8
1995-----	37.0	*	2.0	0.9	2.7	54.6	107.2	76.5	37.5	14.7	*	*	37.4
1994-----	34.8	*	2.0	0.6	3.1	56.1	98.8	69.7	33.4	13.9	*	*	35.3
1993-----	29.3	*	2.7	*	2.7	46.5	86.0	57.3	25.8	12.2	*	*	29.8
1992-----	23.9	*	2.2	*	3.0	39.3	70.5	42.2	21.6	10.8	*	*	24.3
1991-----	19.5	*	1.9	*	2.5	33.6	57.1	37.8	15.1	5.8	*	*	20.1
1990-----	15.2	*	2.1	*	2.0	28.8	44.7	24.1	13.1	3.0	*	*	15.6
1989-----	13.0	*	*	*	2.1	25.4	37.8	21.5	9.4	4.2	*	*	13.4
1988-----	10.9	*	1.4	*	1.7	22.1	33.0	16.2	7.7	*	*	*	11.3
1987-----	8.8	*	*	*	2.0	18.7	25.8	13.5	5.4	*	*	*	9.2
ALL OTHER FEMALE													
1998-----	4.9	*	*	*	1.2	7.8	12.8	7.9	4.1	*	*	*	4.7
1997-----	5.6	*	*	*	1.3	9.2	14.2	9.3	4.2	2.0	*	*	5.4
1996-----	9.3	*	1.4	0.8	1.5	15.1	25.3	15.2	6.0	2.1	*	*	8.9
1995-----	11.4	*	2.1	0.9	2.9	21.7	28.4	15.9	7.9	3.7	*	*	11.0
1994-----	10.1	*	2.3	0.8	2.4	17.9	26.4	14.4	6.7	3.1	*	*	9.8
1993-----	7.7	*	2.4	0.6	2.1	14.7	20.5	9.5	3.1	1.9	*	*	7.4
1992-----	6.2	*	1.3	*	1.6	12.4	16.7	6.6	3.6	*	*	*	5.9
1991-----	4.7	*	1.5	*	1.4	9.6	11.1	6.3	2.8	*	*	*	4.6
1990-----	3.9	*	1.4	*	1.0	8.0	10.3	3.6	1.4	*	*	*	3.7
1989-----	3.1	*	*	*	0.7	7.4	7.5	2.7	*	*	*	*	2.9
1988-----	2.5	*	*	*	0.7	5.9	6.4	1.9	*	*	*	*	2.4
1987-----	2.0	*	*	*	0.6	4.8	4.4	1.7	*	*	*	*	1.9

(RATES PER 100,000 POPULATION IN SPECIFIED GROUP. NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	AGE ADJ.
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
BLACK, BOTH SEXES													
1998-----	11.2	*	*	0.3	1.4	14.7	28.7	25.6	12.9	5.1	*	*	11.0
1997-----	13.8	*	0.9	0.6	1.5	20.2	36.9	28.6	14.1	6.7	2.7	*	13.7
1996-----	24.8	*	2.3	1.1	2.3	37.3	68.5	49.4	23.4	9.4	3.9	*	24.6
1995-----	31.1	*	2.7	1.2	3.7	50.4	87.4	59.5	27.4	10.6	2.5	*	31.2
1994-----	28.7	3.6	2.8	0.9	3.5	48.2	81.0	53.8	24.2	9.7	3.1	*	28.9
1993-----	23.6	3.8	3.4	0.6	3.1	39.8	68.5	42.4	17.1	7.8	*	*	23.7
1992-----	19.1	3.8	2.3	0.5	3.1	33.6	56.4	30.8	15.0	6.3	*	*	19.3
1991-----	15.2	3.2	2.1	0.4	2.5	27.5	43.6	27.6	10.5	3.6	*	*	15.5
1990-----	11.9	*	2.2	0.5	1.9	23.5	35.1	17.1	8.2	2.6	*	*	12.1
1989-----	10.0	*	1.3	*	1.8	20.9	28.7	14.7	5.8	2.5	*	*	10.2
1988-----	8.3	3.4	1.4	*	1.5	17.5	24.9	11.0	4.9	1.5	*	*	8.5
1987-----	6.6	4.6	1.2	*	1.6	14.7	18.9	9.0	3.3	*	*	*	6.8
BLACK MALE													
1998-----	16.2	*	*	*	1.2	18.9	41.3	43.2	22.6	9.6	*	*	16.6
1997-----	20.8	*	*	0.7	1.2	28.5	56.8	47.7	25.2	12.5	*	*	21.2
1996-----	38.4	*	2.7	1.1	2.5	55.6	107.4	83.9	43.7	18.6	7.4	*	39.3
1995-----	48.9	*	2.6	1.2	3.6	73.9	143.8	105.0	49.5	19.0	*	*	50.4
1994-----	45.8	*	2.5	0.8	3.8	75.3	132.7	95.2	44.1	17.8	*	*	47.4
1993-----	38.5	*	3.6	*	3.4	62.4	115.3	78.2	34.1	15.7	*	*	39.9
1992-----	31.4	*	2.9	*	4.1	52.7	95.4	57.3	28.2	13.7	*	*	32.7
1991-----	25.3	*	2.3	*	3.3	44.1	76.6	50.9	19.4	7.1	*	*	26.6
1990-----	19.7	*	2.7	*	2.5	38.1	59.9	31.8	16.6	3.6	*	*	20.6
1989-----	16.7	*	*	*	2.7	33.5	50.5	28.3	11.8	5.1	*	*	17.6
1988-----	13.9	*	1.8	*	2.1	28.5	44.1	21.4	9.4	*	*	*	14.8
1987-----	11.1	*	*	*	2.5	24.2	34.2	17.2	6.6	*	*	*	11.9
BLACK FEMALE													
1998-----	6.6	*	*	*	1.6	10.9	17.5	11.0	5.5	*	*	*	6.4
1997-----	7.6	*	*	*	1.8	12.6	19.3	12.8	5.6	2.6	*	*	7.3
1996-----	12.5	*	1.9	1.0	2.0	20.7	34.3	20.9	7.9	2.7	*	*	12.1
1995-----	15.1	*	2.8	1.2	3.8	29.3	38.1	21.8	10.4	4.7	*	*	14.8
1994-----	13.4	*	3.1	1.1	3.2	23.8	35.8	19.5	8.9	4.0	*	*	13.1
1993-----	10.1	*	3.2	0.7	2.8	19.6	27.8	12.7	4.0	2.2	*	*	9.9
1992-----	8.1	*	1.7	*	2.1	16.4	22.5	8.9	4.8	*	*	*	7.9
1991-----	6.1	*	1.9	*	1.8	12.6	15.0	8.4	3.6	*	*	*	6.0
1990-----	5.0	*	1.8	*	1.3	10.5	13.7	4.8	*	*	*	*	4.9
1989-----	3.9	*	*	*	0.8	9.7	10.0	3.5	*	*	*	*	3.8
1988-----	3.2	*	*	*	0.9	7.7	8.6	2.4	*	*	*	*	3.2
1987-----	2.5	*	*	*	0.7	6.2	5.9	2.2	*	*	*	*	2.5

















































































