

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)											
TOTAL, BOTH SEXES											
1998.....	228	5	2	2	1	5	10	4	4	10	7
1997.....	227	3	1	2	-	-	4	6	7	9	2
1996.....	224	6	1	2	3	4	3	11	6	8	5
1995.....	204	4	2	-	-	4	5	2	5	13	7
1994.....	215	2	3	1	1	2	3	8	3	8	4
1993.....	233	5	4	1	1	2	4	4	3	4	12
1992.....	217	4	3	-	1	3	3	5	8	6	12
1991.....	208	5	4	2	2	-	5	4	1	9	4
1990.....	220	12	5	3	1	2	4	7	10	4	9
1989.....	219	10	3	-	3	2	4	8	8	8	8
1988.....	232	5	6	-	2	1	2	8	1	8	9
1987.....	214	7	2	2	-	1	5	5	4	9	8
1986.....	248	8	3	3	1	1	3	3	4	6	6
1985.....	199	7	1	2	-	2	4	6	8	9	7
1984.....	238	13	7	2	-	-	2	4	4	3	7
1983.....	251	14	2	3	-	1	4	5	4	5	8
1982.....	246	12	7	4	3	3	6	4	3	9	6
1981.....	254	12	9	1	-	3	9	5	9	4	10
1980.....	255	19	5	1	3	1	5	2	4	7	8
1979.....	279	15	5	2	2	2	2	4	7	11	10
TOTAL, MALE											
1998.....	78	3	-	-	1	2	3	2	4	5	1
1997.....	96	2	1	2	-	-	3	3	2	2	2
1996.....	71	4	-	1	2	4	1	5	-	4	2
1995.....	77	3	2	-	-	2	3	1	3	4	5
1994.....	79	-	1	1	-	-	3	2	-	3	1
1993.....	100	3	3	1	1	-	2	3	3	4	5
1992.....	82	1	2	-	-	-	1	2	4	2	8
1991.....	76	3	3	1	-	-	4	3	-	4	2
1990.....	92	7	2	3	1	2	3	3	4	2	2
1989.....	83	2	1	-	1	-	2	5	5	3	3
1988.....	96	4	-	-	-	-	1	5	1	6	4
1987.....	88	5	1	2	-	-	1	3	1	4	1
1986.....	99	4	2	1	1	1	1	-	1	5	1
1985.....	93	4	1	1	-	2	4	4	4	3	3
1984.....	88	6	3	1	-	-	-	2	2	1	4
1983.....	95	7	1	3	-	-	2	3	-	3	1
1982.....	102	4	4	2	3	1	2	1	2	5	4
1981.....	110	8	8	1	-	2	4	3	3	1	4
1980.....	89	13	3	-	1	-	2	1	-	1	3
1979.....	114	9	2	2	1	-	2	2	5	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)											
TOTAL, FEMALE											
1998.....	150	2	2	2	-	3	7	2	-	5	6
1997.....	131	1	-	-	-	-	1	3	5	7	-
1996.....	153	2	1	1	1	-	2	6	6	4	3
1995.....	127	1	-	-	-	2	2	1	2	9	2
1994.....	136	2	2	-	1	2	-	6	3	5	3
1993.....	133	2	1	-	-	2	2	1	-	-	7
1992.....	135	3	1	-	1	3	2	3	4	4	4
1991.....	132	2	1	1	2	-	1	1	1	5	2
1990.....	128	5	3	-	-	-	1	4	6	2	7
1989.....	136	8	2	-	2	2	2	3	3	5	5
1988.....	136	1	6	-	2	1	1	3	-	2	5
1987.....	126	2	1	-	-	1	4	2	3	5	7
1986.....	149	4	1	2	-	-	2	3	3	1	5
1985.....	106	3	-	1	-	-	-	2	4	6	4
1984.....	150	7	4	1	-	-	2	2	2	2	3
1983.....	156	7	1	-	-	1	2	2	4	2	7
1982.....	144	8	3	2	-	2	4	3	1	4	2
1981.....	144	4	1	-	-	1	5	2	6	3	6
1980.....	166	6	2	1	2	1	3	1	4	6	5
1979.....	165	6	3	-	1	2	-	2	2	7	6
WHITE, BOTH SEXES											
1998.....	201	4	2	2	1	3	7	4	3	8	5
1997.....	193	2	1	2	-	-	4	5	4	5	1
1996.....	203	4	1	1	2	4	3	10	6	8	4
1995.....	179	4	1	-	-	2	4	2	5	8	5
1994.....	193	2	2	1	1	2	3	8	3	6	4
1993.....	203	4	2	1	1	2	4	4	2	3	10
1992.....	200	3	3	-	1	3	3	4	7	5	10
1991.....	177	3	3	2	2	-	3	3	1	4	2
1990.....	188	8	5	3	1	2	4	5	10	2	9
1989.....	193	5	3	-	2	2	3	8	8	5	4
1988.....	196	4	4	-	1	-	1	8	1	6	7
1987.....	187	4	-	2	-	1	3	5	3	8	7
1986.....	204	7	1	3	1	1	2	1	3	6	4
1985.....	173	5	1	2	-	2	3	5	6	7	6
1984.....	207	9	6	2	-	-	2	4	3	3	6
1983.....	219	13	1	3	-	-	3	2	4	3	8
1982.....	211	6	5	4	3	2	4	4	2	6	5
1981.....	230	10	7	1	-	3	8	4	8	4	9
1980.....	225	13	4	1	3	1	5	2	3	5	5
1979.....	252	14	4	2	2	2	2	4	6	9	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DISORDERS OF ADRENAL GLANDS (255)												
WHITE MALE												
1998.....	67	3	-	-	1	1	2	2	3	4	1	
1997.....	80	1	1	2	-	-	3	3	2	1	1	
1996.....	60	2	-	1	1	4	1	5	-	4	1	
1995.....	66	3	1	-	-	1	3	1	3	3	4	
1994.....	67	-	-	1	-	-	3	2	-	3	1	
1993.....	85	3	2	1	1	-	2	3	2	3	5	
1992.....	72	1	2	-	-	-	1	2	3	1	8	
1991.....	58	2	2	1	-	-	2	2	-	1	1	
1990.....	75	5	2	3	1	2	3	2	4	1	2	
1989.....	69	-	1	-	1	-	1	5	5	2	1	
1988.....	79	3	-	-	-	-	-	5	1	4	4	
1987.....	75	3	-	2	-	-	1	3	1	3	1	
1986.....	80	3	-	1	1	1	1	-	-	5	1	
1985.....	81	3	1	1	-	2	3	4	4	2	3	
1984.....	74	5	3	1	-	-	-	2	2	1	3	
1983.....	80	7	-	3	-	-	1	-	-	3	1	
1982.....	84	1	4	2	3	-	1	1	1	3	3	
1981.....	95	6	7	1	-	2	4	3	2	1	3	
1980.....	76	8	3	-	1	-	2	1	-	-	2	
1979.....	99	8	2	2	1	-	2	2	4	3	2	
WHITE FEMALE												
1998.....	134	1	2	2	-	2	5	2	-	4	4	
1997.....	113	1	-	-	-	-	1	2	2	4	-	
1996.....	143	2	1	-	1	-	2	5	6	4	3	
1995.....	113	1	-	-	-	1	1	1	2	5	1	
1994.....	126	2	2	-	1	2	-	6	3	3	3	
1993.....	118	1	-	-	-	2	2	1	-	-	5	
1992.....	128	2	1	-	1	3	2	2	4	4	2	
1991.....	119	1	1	1	2	-	1	1	1	3	1	
1990.....	113	3	3	-	-	-	1	3	6	1	7	
1989.....	124	5	2	-	1	2	2	3	3	3	3	
1988.....	117	1	4	-	1	-	1	3	-	2	3	
1987.....	112	1	-	-	-	1	2	2	2	5	6	
1986.....	124	4	1	2	-	-	1	1	3	1	3	
1985.....	92	2	-	1	-	-	-	1	2	5	3	
1984.....	133	4	3	1	-	-	2	2	1	2	3	
1983.....	139	6	1	-	-	-	2	2	4	-	7	
1982.....	127	5	1	2	-	2	3	3	1	3	2	
1981.....	135	4	-	-	-	1	4	1	6	3	6	
1980.....	149	5	1	1	2	1	3	1	3	5	3	
1979.....	153	6	2	-	1	2	-	2	2	6	6	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF ADRENAL GLANDS (255)											
ALL OTHER, BOTH SEXES											
1998.....	27	1	-	-	-	2	3	-	1	2	2
1997.....	34	1	-	-	-	-	-	1	3	4	1
1996.....	21	2	-	1	1	-	-	1	-	-	1
1995.....	25	-	1	-	-	2	1	-	-	5	2
1994.....	22	-	1	-	-	-	-	-	-	2	-
1993.....	30	1	2	-	-	-	-	-	1	1	2
1992.....	17	1	-	-	-	-	-	1	1	1	2
1991.....	31	2	1	-	-	-	2	1	-	5	2
1990.....	32	4	-	-	-	-	-	2	-	2	-
1989.....	26	5	-	-	1	-	1	-	-	3	4
1988.....	36	1	2	-	1	1	1	-	-	2	2
1987.....	27	3	2	-	-	-	2	-	1	1	1
1986.....	44	1	2	-	-	-	1	2	1	-	2
1985.....	26	2	-	-	-	-	1	1	2	2	1
1984.....	31	4	1	-	-	-	-	-	1	-	1
1983.....	32	1	1	-	-	1	1	3	-	2	-
1982.....	35	6	2	-	-	1	2	-	1	3	1
1981.....	24	2	2	-	-	-	1	1	1	-	1
1980.....	30	6	1	-	-	-	-	-	1	2	3
1979.....	27	1	1	-	-	-	-	-	1	2	2
ALL OTHER MALE											
1998.....	11	-	-	-	-	1	1	-	1	1	-
1997.....	16	1	-	-	-	-	-	-	-	1	1
1996.....	11	2	-	-	1	-	-	-	-	-	1
1995.....	11	-	1	-	-	1	-	-	-	1	1
1994.....	12	-	1	-	-	-	-	-	-	-	-
1993.....	15	-	1	-	-	-	-	-	1	1	-
1992.....	10	-	-	-	-	-	-	-	1	1	-
1991.....	18	1	1	-	-	-	2	1	-	3	1
1990.....	17	2	-	-	-	-	-	1	-	1	-
1989.....	14	2	-	-	-	-	1	-	-	1	2
1988.....	17	1	-	-	-	-	1	-	-	2	-
1987.....	13	2	1	-	-	-	-	-	-	1	-
1986.....	19	1	2	-	-	-	-	-	1	-	-
1985.....	12	1	-	-	-	-	1	-	-	1	-
1984.....	14	1	-	-	-	-	-	-	-	-	1
1983.....	15	-	1	-	-	-	1	3	-	-	-
1982.....	18	3	-	-	-	1	1	-	1	2	1
1981.....	15	2	1	-	-	-	-	-	1	-	1
1980.....	13	5	-	-	-	-	-	-	-	1	1
1979.....	15	1	-	-	-	-	-	-	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DISORDERS OF ADRENAL GLANDS (255)												
ALL OTHER FEMALE												
1998.....	16	1	-	-	-	1	2	-	-	1	2	
1997.....	18	-	-	-	-	-	-	1	3	3	-	
1996.....	10	-	-	1	-	-	-	1	-	-	-	
1995.....	14	-	-	-	-	1	1	-	-	4	1	
1994.....	10	-	-	-	-	-	-	-	-	2	-	
1993.....	15	1	1	-	-	-	-	-	-	-	2	
1992.....	7	1	-	-	-	-	-	1	-	-	2	
1991.....	13	1	-	-	-	-	-	-	-	2	1	
1990.....	15	2	-	-	-	-	-	1	-	1	-	
1989.....	12	3	-	-	1	-	-	-	-	2	2	
1988.....	19	-	2	-	1	1	-	-	-	-	2	
1987.....	14	1	1	-	-	-	2	-	1	-	1	
1986.....	25	-	-	-	-	-	1	2	-	-	2	
1985.....	14	1	-	-	-	-	-	1	2	1	1	
1984.....	17	3	1	-	-	-	-	-	1	-	-	
1983.....	17	1	-	-	-	1	-	-	-	2	-	
1982.....	17	3	2	-	-	-	1	-	-	1	-	
1981.....	9	-	1	-	-	-	1	1	-	-	-	
1980.....	17	1	1	-	-	-	-	-	1	1	2	
1979.....	12	-	1	-	-	-	-	-	-	1	-	
BLACK, BOTH SEXES												
1998.....	22	1	-	-	-	2	2	-	1	2	1	
1997.....	28	1	-	-	-	-	-	-	3	3	1	
1996.....	16	1	-	-	1	-	-	1	-	-	1	
1995.....	19	-	-	-	-	1	1	-	-	5	1	
1994.....	17	-	-	-	-	-	-	-	-	2	-	
1993.....	23	1	2	-	-	-	-	-	1	1	1	
1992.....	11	1	-	-	-	-	-	-	1	-	-	
1991.....	25	2	-	-	-	-	2	1	-	5	1	
1990.....	26	4	-	-	-	-	-	2	-	2	-	
1989.....	24	4	-	-	1	-	1	-	-	3	4	
1988.....	33	1	2	-	1	-	1	-	-	2	2	
1987.....	24	3	1	-	-	-	1	-	1	1	-	
1986.....	37	1	2	-	-	-	1	2	1	-	1	
1985.....	23	2	-	-	-	-	1	1	1	2	-	
1984.....	29	3	1	-	-	-	-	-	1	-	1	
1983.....	27	1	1	-	-	1	1	3	-	2	-	
1982.....	27	5	1	-	-	1	2	-	1	3	1	
1981.....	21	1	2	-	-	-	1	1	1	-	1	
1980.....	24	5	1	-	-	-	-	-	1	1	3	
1979.....	26	1	1	-	-	-	-	-	1	2	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CYSTIC FIBROSIS (277.0)											
TOTAL, BOTH SEXES											
1998.....	451	12	3	14	30	72	88	63	51	50	31
1997.....	468	10	5	19	35	82	94	66	45	40	33
1996.....	430	8	8	23	45	69	67	64	56	41	24
1995.....	444	8	7	22	41	75	91	69	52	33	15
1994.....	453	9	8	22	40	68	85	86	64	30	19
1993.....	405	7	10	15	40	54	88	73	52	30	13
1992.....	397	8	10	16	42	51	79	69	60	27	13
1991.....	424	13	6	35	40	74	69	69	43	33	19
1990.....	414	9	9	46	50	73	81	57	33	24	12
1989.....	428	15	11	44	57	72	68	82	32	25	8
1988.....	356	10	12	54	37	60	62	60	32	12	5
1987.....	381	17	11	47	34	69	68	44	44	30	9
1986.....	395	16	16	48	51	71	72	57	35	16	5
1985.....	457	17	22	51	67	79	80	64	39	19	6
1984.....	501	28	23	66	83	80	89	63	31	20	5
1983.....	543	28	36	80	92	119	89	51	28	10	2
1982.....	512	34	23	80	87	99	97	54	20	11	1
1981.....	539	22	34	86	105	110	96	43	29	8	3
1980.....	543	40	33	112	95	107	82	42	11	10	1
1979.....	524	38	38	82	89	110	87	55	13	2	2
TOTAL, MALE											
1998.....	240	9	2	4	12	32	46	36	31	24	22
1997.....	242	4	3	9	14	38	48	32	26	22	20
1996.....	225	5	7	10	16	31	35	36	33	23	15
1995.....	229	2	5	8	15	39	41	36	32	20	9
1994.....	239	4	6	11	16	32	48	48	31	17	11
1993.....	210	3	6	5	11	24	43	49	31	17	8
1992.....	197	5	3	5	15	24	38	38	29	19	10
1991.....	222	8	5	14	18	31	38	40	21	20	12
1990.....	189	5	3	21	15	33	42	26	16	17	4
1989.....	222	8	2	19	33	35	34	44	18	16	5
1988.....	152	7	3	14	15	25	27	31	14	4	4
1987.....	185	13	5	18	14	26	33	22	28	17	6
1986.....	203	10	8	18	25	29	40	37	20	10	2
1985.....	232	6	9	23	31	36	47	37	22	10	4
1984.....	232	16	9	28	34	33	44	36	16	9	2
1983.....	256	10	14	34	41	58	45	28	15	8	-
1982.....	239	11	13	33	30	47	45	38	11	6	1
1981.....	274	14	18	43	47	52	52	22	19	5	2
1980.....	239	21	13	43	44	36	38	23	9	6	1
1979.....	249	18	16	32	42	49	48	35	6	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CYSTIC FIBROSIS (277.0)											
TOTAL, FEMALE											
1998.....	211	3	1	10	18	40	42	27	20	26	9
1997.....	226	6	2	10	21	44	46	34	19	18	13
1996.....	205	3	1	13	29	38	32	28	23	18	9
1995.....	215	6	2	14	26	36	50	33	20	13	6
1994.....	214	5	2	11	24	36	37	38	33	13	8
1993.....	195	4	4	10	29	30	45	24	21	13	5
1992.....	200	3	7	11	27	27	41	31	31	8	3
1991.....	202	5	1	21	22	43	31	29	22	13	7
1990.....	225	4	6	25	35	40	39	31	17	7	8
1989.....	206	7	9	25	24	37	34	38	14	9	3
1988.....	204	3	9	40	22	35	35	29	18	8	1
1987.....	196	4	6	29	20	43	35	22	16	13	3
1986.....	192	6	8	30	26	42	32	20	15	6	3
1985.....	225	11	13	28	36	43	33	27	17	9	2
1984.....	269	12	14	38	49	47	45	27	15	11	3
1983.....	287	18	22	46	51	61	44	23	13	2	2
1982.....	273	23	10	47	57	52	52	16	9	5	-
1981.....	265	8	16	43	58	58	44	21	10	3	1
1980.....	304	19	20	69	51	71	44	19	2	4	-
1979.....	275	20	22	50	47	61	39	20	7	1	2
WHITE, BOTH SEXES											
1998.....	431	11	2	14	27	71	86	59	48	48	29
1997.....	438	8	5	19	32	73	89	63	41	39	32
1996.....	413	7	6	22	42	64	66	63	55	40	24
1995.....	420	5	6	21	38	72	85	68	49	32	13
1994.....	437	7	7	20	40	66	83	85	63	29	18
1993.....	391	5	7	15	40	53	86	72	49	30	12
1992.....	386	8	10	15	42	50	74	67	60	25	13
1991.....	410	13	6	34	37	72	67	66	43	33	19
1990.....	397	6	9	44	45	71	78	56	33	23	12
1989.....	404	11	10	41	52	66	66	80	32	25	8
1988.....	343	9	10	54	33	57	62	60	31	11	5
1987.....	366	15	8	47	34	67	67	44	43	27	8
1986.....	380	14	16	46	51	68	68	56	34	16	5
1985.....	449	17	20	50	66	79	79	63	38	19	5
1984.....	487	26	22	61	81	80	88	62	31	20	5
1983.....	527	25	33	78	91	118	87	50	27	10	2
1982.....	498	30	23	79	86	96	95	54	19	11	1
1981.....	526	21	32	85	102	104	96	43	29	8	3
1980.....	533	38	33	109	95	107	80	40	11	9	1
1979.....	510	35	34	82	89	108	85	54	13	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CYSTIC FIBROSIS (277.0)											
WHITE MALE											
1998.....	230	8	1	4	12	32	45	34	29	24	20
1997.....	226	3	3	9	14	33	45	30	24	22	19
1996.....	219	4	5	10	15	30	35	36	32	23	15
1995.....	218	1	4	8	14	37	39	35	31	19	8
1994.....	227	3	5	9	16	31	47	47	31	16	10
1993.....	202	2	4	5	11	23	41	49	30	17	7
1992.....	191	5	3	5	15	23	35	37	29	18	10
1991.....	213	8	5	14	17	30	37	37	21	20	12
1990.....	182	4	3	20	13	32	40	26	16	17	4
1989.....	212	6	2	19	31	31	34	43	18	16	5
1988.....	146	6	3	14	14	23	27	31	13	4	4
1987.....	178	11	4	18	14	26	32	22	27	16	6
1986.....	192	9	8	17	25	26	37	36	20	10	2
1985.....	227	6	7	23	31	36	46	36	22	10	3
1984.....	224	15	9	25	32	33	44	35	16	9	2
1983.....	252	9	14	34	41	58	44	27	15	8	-
1982.....	233	9	13	33	30	47	43	38	11	6	1
1981.....	264	13	16	42	46	47	52	22	19	5	2
1980.....	235	20	13	42	44	36	37	22	9	6	1
1979.....	240	15	13	32	42	49	46	35	6	-	-
WHITE FEMALE											
1998.....	201	3	1	10	15	39	41	25	19	24	9
1997.....	212	5	2	10	18	40	44	33	17	17	13
1996.....	194	3	1	12	27	34	31	27	23	17	9
1995.....	202	4	2	13	24	35	46	33	18	13	5
1994.....	210	4	2	11	24	35	36	38	32	13	8
1993.....	189	3	3	10	29	30	45	23	19	13	5
1992.....	195	3	7	10	27	27	39	30	31	7	3
1991.....	197	5	1	20	20	42	30	29	22	13	7
1990.....	215	2	6	24	32	39	38	30	17	6	8
1989.....	192	5	8	22	21	35	32	37	14	9	3
1988.....	197	3	7	40	19	34	35	29	18	7	1
1987.....	188	4	4	29	20	41	35	22	16	11	2
1986.....	188	5	8	29	26	42	31	20	14	6	3
1985.....	222	11	13	27	35	43	33	27	16	9	2
1984.....	263	11	13	36	49	47	44	27	15	11	3
1983.....	275	16	19	44	50	60	43	23	12	2	2
1982.....	265	21	10	46	56	49	52	16	8	5	-
1981.....	262	8	16	43	56	57	44	21	10	3	1
1980.....	298	18	20	67	51	71	43	18	2	3	-
1979.....	270	20	21	50	47	59	39	19	7	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CYSTIC FIBROSIS (277.0)											
ALL OTHER, BOTH SEXES											
1998.....	20	1	1	-	3	1	2	4	3	2	2
1997.....	30	2	-	-	3	9	5	3	4	1	1
1996.....	17	1	2	1	3	5	1	1	1	1	-
1995.....	24	3	1	1	3	3	6	1	3	1	2
1994.....	16	2	1	2	-	2	2	1	1	1	1
1993.....	14	2	3	-	-	1	2	1	3	-	1
1992.....	11	-	-	1	-	1	5	2	-	2	-
1991.....	14	-	-	1	3	2	2	3	-	-	-
1990.....	17	3	-	2	5	2	3	1	-	1	-
1989.....	24	4	1	3	5	6	2	2	-	-	-
1988.....	13	1	2	-	4	3	-	-	1	1	-
1987.....	15	2	3	-	-	2	1	-	1	3	1
1986.....	15	2	-	2	-	3	4	1	1	-	-
1985.....	8	-	2	1	1	-	1	1	1	-	1
1984.....	14	2	1	5	2	-	1	1	-	-	-
1983.....	16	3	3	2	1	1	2	1	1	-	-
1982.....	14	4	-	1	1	3	2	-	1	-	-
1981.....	13	1	2	1	3	6	-	-	-	-	-
1980.....	10	2	-	3	-	-	2	2	-	1	-
1979.....	14	3	4	-	-	2	2	1	-	1	-
ALL OTHER MALE											
1998.....	10	1	1	-	-	-	1	2	2	-	2
1997.....	16	1	-	-	-	5	3	2	2	-	1
1996.....	6	1	2	-	1	1	-	-	1	-	-
1995.....	11	1	1	-	1	2	2	1	1	1	1
1994.....	12	1	1	2	-	1	1	1	-	1	1
1993.....	8	1	2	-	-	1	2	-	1	-	1
1992.....	6	-	-	-	-	1	3	1	-	1	-
1991.....	9	-	-	-	1	1	1	3	-	-	-
1990.....	7	1	-	1	2	1	2	-	-	-	-
1989.....	10	2	-	-	2	4	-	1	-	-	-
1988.....	6	1	-	-	1	2	-	-	1	-	-
1987.....	7	2	1	-	-	-	1	-	1	1	-
1986.....	11	1	-	1	-	3	3	1	-	-	-
1985.....	5	-	2	-	-	-	1	1	-	-	1
1984.....	8	1	-	3	2	-	-	1	-	-	-
1983.....	4	1	-	-	-	-	1	1	-	-	-
1982.....	6	2	-	-	-	-	2	-	-	-	-
1981.....	10	1	2	1	1	5	-	-	-	-	-
1980.....	4	1	-	1	-	-	1	1	-	-	-
1979.....	9	3	3	-	-	-	2	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CYSTIC FIBROSIS (277.0)											
ALL OTHER FEMALE											
1998.....	10	-	-	-	3	1	1	2	1	2	-
1997.....	14	1	-	-	3	4	2	1	2	1	-
1996.....	11	-	-	1	2	4	1	1	-	1	-
1995.....	13	2	-	1	2	1	4	-	2	-	1
1994.....	4	1	-	-	-	1	1	-	1	-	-
1993.....	6	1	1	-	-	-	-	1	2	-	-
1992.....	5	-	-	1	-	-	2	1	-	1	-
1991.....	5	-	-	1	2	1	1	-	-	-	-
1990.....	10	2	-	1	3	1	1	1	-	1	-
1989.....	14	2	1	3	3	2	2	1	-	-	-
1988.....	7	-	2	-	3	1	-	-	-	1	-
1987.....	8	-	2	-	-	2	-	-	-	2	1
1986.....	4	1	-	1	-	-	1	-	1	-	-
1985.....	3	-	-	1	1	-	-	-	1	-	-
1984.....	6	1	1	2	-	-	1	-	-	-	-
1983.....	12	2	3	2	1	1	1	-	1	-	-
1982.....	8	2	-	1	1	3	-	-	1	-	-
1981.....	3	-	-	-	2	1	-	-	-	-	-
1980.....	6	1	-	2	-	-	1	1	-	1	-
1979.....	5	-	1	-	-	2	-	1	-	-	-
BLACK, BOTH SEXES											
1998.....	17	1	1	-	2	1	2	2	3	2	2
1997.....	27	2	-	-	3	8	5	2	3	1	1
1996.....	15	1	1	1	2	5	1	1	1	1	-
1995.....	22	2	1	1	2	3	6	1	3	1	2
1994.....	15	1	1	2	-	2	2	1	1	1	1
1993.....	11	2	2	-	-	-	1	1	3	-	1
1992.....	11	-	-	1	-	1	5	2	-	2	-
1991.....	13	-	-	1	3	2	2	2	-	-	-
1990.....	13	3	-	1	4	1	2	1	-	1	-
1989.....	23	4	-	3	5	6	2	2	-	-	-
1988.....	12	1	2	-	3	3	-	-	1	1	-
1987.....	11	2	1	-	-	2	1	-	-	2	1
1986.....	12	2	-	1	-	2	3	1	1	-	-
1985.....	7	-	1	1	1	-	1	1	1	-	1
1984.....	13	2	1	4	2	-	1	1	-	-	-
1983.....	12	2	2	1	1	1	2	1	1	-	-
1982.....	13	4	-	1	1	3	1	-	1	-	-
1981.....	8	1	-	1	1	5	-	-	-	-	-
1980.....	9	2	-	3	-	-	1	2	-	1	-
1979.....	13	2	4	-	-	2	2	1	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CYSTIC FIBROSIS (277.0)											
BLACK MALE											
1998.....	10	1	1	-	-	-	1	2	2	-	2
1997.....	14	1	-	-	-	4	3	1	2	-	1
1996.....	5	1	1	-	1	1	-	-	1	-	-
1995.....	11	1	1	-	1	2	2	1	1	1	1
1994.....	12	1	1	2	-	1	1	1	-	1	1
1993.....	5	1	1	-	-	-	1	-	1	-	1
1992.....	6	-	-	-	-	1	3	1	-	1	-
1991.....	8	-	-	-	1	1	1	2	-	-	-
1990.....	6	1	-	-	2	1	2	-	-	-	-
1989.....	10	2	-	-	2	4	-	1	-	-	-
1988.....	6	1	-	-	1	2	-	-	1	-	-
1987.....	4	2	-	-	-	-	1	-	-	-	-
1986.....	9	1	-	-	-	2	3	1	-	-	-
1985.....	4	-	1	-	-	-	1	1	-	-	1
1984.....	7	1	-	2	2	-	-	1	-	-	-
1983.....	4	1	-	-	-	-	1	1	-	-	-
1982.....	5	2	-	-	-	-	1	-	-	-	-
1981.....	7	1	-	1	-	5	-	-	-	-	-
1980.....	4	1	-	1	-	-	1	1	-	-	-
1979.....	8	2	3	-	-	-	2	-	-	1	-
BLACK FEMALE											
1998.....	7	-	-	-	2	1	1	-	1	2	-
1997.....	13	1	-	-	3	4	2	1	1	1	-
1996.....	10	-	-	1	1	4	1	1	-	1	-
1995.....	11	1	-	1	1	1	4	-	2	-	1
1994.....	3	-	-	-	-	1	1	-	1	-	-
1993.....	6	1	1	-	-	-	-	1	2	-	-
1992.....	5	-	-	1	-	-	2	1	-	1	-
1991.....	5	-	-	1	2	1	1	-	-	-	-
1990.....	7	2	-	1	2	-	-	1	-	1	-
1989.....	13	2	-	3	3	2	2	1	-	-	-
1988.....	6	-	2	-	2	1	-	-	-	1	-
1987.....	7	-	1	-	-	2	-	-	-	2	1
1986.....	3	1	-	1	-	-	-	-	1	-	-
1985.....	3	-	-	1	1	-	-	-	1	-	-
1984.....	6	1	1	2	-	-	1	-	-	-	-
1983.....	8	1	2	1	1	1	1	-	1	-	-
1982.....	8	2	-	1	1	3	-	-	1	-	-
1981.....	1	-	-	-	1	-	-	-	-	-	-
1980.....	5	1	-	2	-	-	-	1	-	1	-
1979.....	5	-	1	-	-	2	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBESITY (278.0)											
TOTAL, BOTH SEXES											
1998.....	2,274	-	1	1	-	17	27	66	118	173	232
1997.....	2,116	-	-	1	1	8	24	63	114	142	209
1996.....	1,983	-	-	2	1	5	26	48	79	141	182
1995.....	1,855	-	-	1	-	12	30	60	87	130	174
1994.....	1,739	-	-	1	2	11	26	52	89	110	176
1993.....	1,646	-	1	-	-	7	23	42	81	109	161
1992.....	1,488	-	-	-	3	5	26	51	78	112	136
1991.....	1,388	-	2	1	2	5	17	46	65	105	132
1990.....	1,285	2	1	1	-	7	21	23	50	82	102
1989.....	1,339	-	-	-	1	2	10	28	63	76	108
1988.....	1,135	-	-	2	2	5	9	19	52	81	90
1987.....	1,024	-	-	-	-	2	13	25	51	70	81
1986.....	1,050	-	-	1	2	4	12	24	47	75	70
1985.....	1,042	-	-	-	4	11	12	28	60	70	68
1984.....	951	-	1	-	1	5	10	32	37	49	72
1983.....	995	-	-	-	-	8	10	25	42	56	70
1982.....	938	-	-	1	-	4	13	16	47	44	84
1981.....	1,012	-	1	-	2	4	12	45	50	76	65
1980.....	1,120	-	-	-	1	5	15	39	61	62	80
1979.....	1,024	-	2	-	1	6	18	38	59	59	55
TOTAL, MALE											
1998.....	1,061	-	1	1	-	10	19	35	65	90	129
1997.....	975	-	-	1	1	3	13	39	62	81	111
1996.....	910	-	-	1	-	5	14	28	46	72	109
1995.....	849	-	-	1	-	5	25	38	57	70	94
1994.....	782	-	-	-	2	4	12	31	50	65	91
1993.....	750	-	-	-	-	4	13	27	44	57	84
1992.....	705	-	-	-	2	3	16	25	45	70	76
1991.....	611	-	1	-	1	3	7	31	33	59	76
1990.....	552	1	-	1	-	4	12	14	32	53	45
1989.....	578	-	-	-	1	1	7	18	38	38	53
1988.....	504	-	-	2	1	3	5	11	34	44	50
1987.....	408	-	-	-	-	1	6	19	25	33	34
1986.....	433	-	-	1	-	2	5	15	30	31	38
1985.....	426	-	-	-	1	8	6	13	32	36	40
1984.....	359	-	-	-	1	-	5	9	22	20	33
1983.....	376	-	-	-	-	4	3	12	20	25	28
1982.....	389	-	-	1	-	1	3	8	21	22	48
1981.....	365	-	-	-	2	3	4	19	23	27	26
1980.....	406	-	-	-	-	1	7	12	25	28	35
1979.....	399	-	2	-	1	5	6	14	22	27	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBESITY (278.0)											
TOTAL, FEMALE											
1998.....	1,213	-	-	-	-	7	8	31	53	83	103
1997.....	1,141	-	-	-	-	5	11	24	52	61	98
1996.....	1,073	-	-	1	1	-	12	20	33	69	73
1995.....	1,006	-	-	-	-	7	5	22	30	60	80
1994.....	957	-	-	1	-	7	14	21	39	45	85
1993.....	896	-	1	-	-	3	10	15	37	52	77
1992.....	783	-	-	-	1	2	10	26	33	42	60
1991.....	777	-	1	1	1	2	10	15	32	46	56
1990.....	733	1	1	-	-	3	9	9	18	29	57
1989.....	761	-	-	-	-	1	3	10	25	38	55
1988.....	631	-	-	-	1	2	4	8	18	37	40
1987.....	616	-	-	-	-	1	7	6	26	37	47
1986.....	617	-	-	-	2	2	7	9	17	44	32
1985.....	616	-	-	-	3	3	6	15	28	34	28
1984.....	592	-	1	-	-	5	5	23	15	29	39
1983.....	619	-	-	-	-	4	7	13	22	31	42
1982.....	549	-	-	-	-	3	10	8	26	22	36
1981.....	647	-	1	-	-	1	8	26	27	49	39
1980.....	714	-	-	-	1	4	8	27	36	34	45
1979.....	625	-	-	-	-	1	12	24	37	32	35
WHITE, BOTH SEXES											
1998.....	1,743	-	1	-	-	9	17	33	74	121	161
1997.....	1,623	-	-	1	-	4	12	31	72	96	154
1996.....	1,533	-	-	1	1	3	12	31	55	97	126
1995.....	1,443	-	-	-	-	6	17	35	59	94	128
1994.....	1,334	-	-	1	-	5	16	30	57	74	136
1993.....	1,253	-	1	-	-	5	12	21	54	73	123
1992.....	1,127	-	-	-	2	1	11	27	58	77	100
1991.....	1,064	-	1	1	1	2	6	29	45	72	100
1990.....	985	2	-	-	-	2	12	14	36	55	72
1989.....	1,030	-	-	-	-	2	6	17	40	48	73
1988.....	862	-	-	2	-	4	7	13	36	51	57
1987.....	787	-	-	-	-	2	4	20	38	50	61
1986.....	807	-	-	1	2	2	4	16	28	52	51
1985.....	820	-	-	-	2	7	8	21	36	49	51
1984.....	736	-	-	-	1	5	6	18	26	37	56
1983.....	785	-	-	-	-	5	10	17	29	39	54
1982.....	749	-	-	1	-	3	7	11	37	32	65
1981.....	805	-	1	-	-	4	6	30	37	58	53
1980.....	889	-	-	-	-	3	9	27	41	45	52
1979.....	834	-	2	-	1	4	11	26	43	43	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBESITY (278.0)											
WHITE MALE											
1998.....	846	-	1	-	-	5	13	20	43	67	95
1997.....	787	-	-	1	-	3	7	22	35	63	91
1996.....	748	-	-	1	-	3	7	20	31	53	80
1995.....	704	-	-	-	-	3	15	26	43	56	75
1994.....	660	-	-	-	-	2	8	19	35	52	79
1993.....	627	-	-	-	-	3	9	15	34	44	68
1992.....	576	-	-	-	1	1	6	15	38	56	63
1991.....	509	-	1	-	1	2	1	21	25	47	63
1990.....	455	1	-	-	-	2	8	11	24	40	40
1989.....	476	-	-	-	-	1	4	11	27	25	41
1988.....	396	-	-	2	-	3	3	7	25	31	31
1987.....	343	-	-	-	-	1	1	15	20	26	27
1986.....	356	-	-	1	-	1	2	10	18	26	31
1985.....	361	-	-	-	-	6	4	11	23	29	34
1984.....	290	-	-	-	1	-	3	6	16	16	26
1983.....	325	-	-	-	-	2	3	10	14	18	25
1982.....	335	-	-	1	-	-	3	5	17	19	41
1981.....	318	-	-	-	-	3	3	15	21	23	23
1980.....	359	-	-	-	-	1	6	9	16	23	27
1979.....	358	-	2	-	1	3	4	10	17	21	17
WHITE FEMALE											
1998.....	897	-	-	-	-	4	4	13	31	54	66
1997.....	836	-	-	-	-	1	5	9	37	33	63
1996.....	785	-	-	-	1	-	5	11	24	44	46
1995.....	739	-	-	-	-	3	2	9	16	38	53
1994.....	674	-	-	1	-	3	8	11	22	22	57
1993.....	626	-	1	-	-	2	3	6	20	29	55
1992.....	551	-	-	-	1	-	5	12	20	21	37
1991.....	555	-	-	1	-	-	5	8	20	25	37
1990.....	530	1	-	-	-	-	4	3	12	15	32
1989.....	554	-	-	-	-	1	2	6	13	23	32
1988.....	466	-	-	-	-	1	4	6	11	20	26
1987.....	444	-	-	-	-	1	3	5	18	24	34
1986.....	451	-	-	-	2	1	2	6	10	26	20
1985.....	459	-	-	-	2	1	4	10	13	20	17
1984.....	446	-	-	-	-	5	3	12	10	21	30
1983.....	460	-	-	-	-	3	7	7	15	21	29
1982.....	414	-	-	-	-	3	4	6	20	13	24
1981.....	487	-	1	-	-	1	3	15	16	35	30
1980.....	530	-	-	-	-	2	3	18	25	22	25
1979.....	476	-	-	-	-	1	7	16	26	22	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBESITY (278.0)											
ALL OTHER, BOTH SEXES											
1998.....	531	-	-	1	-	8	10	33	44	52	71
1997.....	493	-	-	-	1	4	12	32	42	46	55
1996.....	450	-	-	1	-	2	14	17	24	44	56
1995.....	412	-	-	1	-	6	13	25	28	36	46
1994.....	405	-	-	-	2	6	10	22	32	36	40
1993.....	393	-	-	-	-	2	11	21	27	36	38
1992.....	361	-	-	-	1	4	15	24	20	35	36
1991.....	324	-	1	-	1	3	11	17	20	33	32
1990.....	300	-	1	1	-	5	9	9	14	27	30
1989.....	309	-	-	-	1	-	4	11	23	28	35
1988.....	273	-	-	-	2	1	2	6	16	30	33
1987.....	237	-	-	-	-	-	9	5	13	20	20
1986.....	243	-	-	-	-	2	8	8	19	23	19
1985.....	222	-	-	-	2	4	4	7	24	21	17
1984.....	215	-	1	-	-	-	4	14	11	12	16
1983.....	210	-	-	-	-	3	-	8	13	17	16
1982.....	189	-	-	-	-	1	6	5	10	12	19
1981.....	207	-	-	-	2	-	6	15	13	18	12
1980.....	231	-	-	-	1	2	6	12	20	17	28
1979.....	190	-	-	-	-	2	7	12	16	16	10
ALL OTHER MALE											
1998.....	215	-	-	1	-	5	6	15	22	23	34
1997.....	188	-	-	-	1	-	6	17	27	18	20
1996.....	162	-	-	-	-	2	7	8	15	19	29
1995.....	145	-	-	1	-	2	10	12	14	14	19
1994.....	122	-	-	-	2	2	4	12	15	13	12
1993.....	123	-	-	-	-	1	4	12	10	13	16
1992.....	129	-	-	-	1	2	10	10	7	14	13
1991.....	102	-	-	-	-	1	6	10	8	12	13
1990.....	97	-	-	1	-	2	4	3	8	13	5
1989.....	102	-	-	-	1	-	3	7	11	13	12
1988.....	108	-	-	-	1	-	2	4	9	13	19
1987.....	65	-	-	-	-	-	5	4	5	7	7
1986.....	77	-	-	-	-	1	3	5	12	5	7
1985.....	65	-	-	-	1	2	2	2	9	7	6
1984.....	69	-	-	-	-	-	2	3	6	4	7
1983.....	51	-	-	-	-	2	-	2	6	7	3
1982.....	54	-	-	-	-	1	-	3	4	3	7
1981.....	47	-	-	-	2	-	1	4	2	4	3
1980.....	47	-	-	-	-	-	1	3	9	5	8
1979.....	41	-	-	-	-	2	2	4	5	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBESITY (278.0)											
ALL OTHER FEMALE											
1998.....	316	-	-	-	-	3	4	18	22	29	37
1997.....	305	-	-	-	-	4	6	15	15	28	35
1996.....	288	-	-	1	-	-	7	9	9	25	27
1995.....	267	-	-	-	-	4	3	13	14	22	27
1994.....	283	-	-	-	-	4	6	10	17	23	28
1993.....	270	-	-	-	-	1	7	9	17	23	22
1992.....	232	-	-	-	-	2	5	14	13	21	23
1991.....	222	-	1	-	1	2	5	7	12	21	19
1990.....	203	-	1	-	-	3	5	6	6	14	25
1989.....	207	-	-	-	-	-	1	4	12	15	23
1988.....	165	-	-	-	1	1	-	2	7	17	14
1987.....	172	-	-	-	-	-	4	1	8	13	13
1986.....	166	-	-	-	-	1	5	3	7	18	12
1985.....	157	-	-	-	1	2	2	5	15	14	11
1984.....	146	-	1	-	-	-	2	11	5	8	9
1983.....	159	-	-	-	-	1	-	6	7	10	13
1982.....	135	-	-	-	-	-	6	2	6	9	12
1981.....	160	-	-	-	-	-	5	11	11	14	9
1980.....	184	-	-	-	1	2	5	9	11	12	20
1979.....	149	-	-	-	-	-	5	8	11	10	7
BLACK, BOTH SEXES											
1998.....	507	-	-	-	-	8	10	30	42	51	68
1997.....	472	-	-	-	1	4	11	28	38	44	53
1996.....	427	-	-	1	-	2	12	17	22	41	53
1995.....	393	-	-	1	-	5	11	24	25	34	43
1994.....	393	-	-	-	2	6	10	21	32	36	36
1993.....	381	-	-	-	-	2	11	19	26	34	36
1992.....	348	-	-	-	1	4	15	23	19	31	36
1991.....	307	-	1	-	1	2	10	15	18	31	31
1990.....	291	-	1	1	-	5	9	9	13	27	28
1989.....	296	-	-	-	1	-	3	11	21	27	34
1988.....	265	-	-	-	1	1	2	6	16	30	32
1987.....	233	-	-	-	-	-	9	5	13	19	19
1986.....	237	-	-	-	-	2	7	7	19	23	18
1985.....	217	-	-	-	2	3	4	7	24	19	17
1984.....	203	-	1	-	-	-	4	13	9	10	13
1983.....	194	-	-	-	-	3	-	8	13	15	15
1982.....	186	-	-	-	-	1	6	5	10	12	18
1981.....	201	-	-	-	2	-	6	14	13	17	12
1980.....	227	-	-	-	1	2	4	12	20	17	28
1979.....	188	-	-	-	-	2	7	12	16	16	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OBESITY (278.0)											
BLACK MALE											
1998.....	200	-	-	-	-	5	6	14	21	22	33
1997.....	174	-	-	-	1	-	5	14	24	17	18
1996.....	150	-	-	-	-	2	7	8	14	18	26
1995.....	133	-	-	1	-	1	8	11	13	13	17
1994.....	116	-	-	-	2	2	4	11	15	13	10
1993.....	115	-	-	-	-	1	4	10	9	12	15
1992.....	123	-	-	-	1	2	10	9	7	10	13
1991.....	90	-	-	-	-	-	5	8	7	11	12
1990.....	93	-	-	1	-	2	4	3	7	13	5
1989.....	96	-	-	-	1	-	2	7	9	12	12
1988.....	101	-	-	-	-	-	2	4	9	13	18
1987.....	64	-	-	-	-	-	5	4	5	7	7
1986.....	72	-	-	-	-	1	3	4	12	5	6
1985.....	62	-	-	-	1	1	2	2	9	5	6
1984.....	62	-	-	-	-	-	2	3	4	2	6
1983.....	46	-	-	-	-	2	-	2	6	6	3
1982.....	53	-	-	-	-	1	-	3	4	3	7
1981.....	46	-	-	-	2	-	1	4	2	4	3
1980.....	46	-	-	-	-	-	-	3	9	5	8
1979.....	41	-	-	-	-	2	2	4	5	6	3
BLACK FEMALE											
1998.....	307	-	-	-	-	3	4	16	21	29	35
1997.....	298	-	-	-	-	4	6	14	14	27	35
1996.....	277	-	-	1	-	-	5	9	8	23	27
1995.....	260	-	-	-	-	4	3	13	12	21	26
1994.....	277	-	-	-	-	4	6	10	17	23	26
1993.....	266	-	-	-	-	1	7	9	17	22	21
1992.....	225	-	-	-	-	2	5	14	12	21	23
1991.....	217	-	1	-	1	2	5	7	11	20	19
1990.....	198	-	1	-	-	3	5	6	6	14	23
1989.....	200	-	-	-	-	-	1	4	12	15	22
1988.....	164	-	-	-	1	1	-	2	7	17	14
1987.....	169	-	-	-	-	-	4	1	8	12	12
1986.....	165	-	-	-	-	1	4	3	7	18	12
1985.....	155	-	-	-	1	2	2	5	15	14	11
1984.....	141	-	1	-	-	-	2	10	5	8	7
1983.....	148	-	-	-	-	1	-	6	7	9	12
1982.....	133	-	-	-	-	-	6	2	6	9	11
1981.....	155	-	-	-	-	-	5	10	11	13	9
1980.....	181	-	-	-	1	2	4	9	11	12	20
1979.....	147	-	-	-	-	-	5	8	11	10	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)											
TOTAL, BOTH SEXES											
1998.....	14,654	265	93	47	48	47	49	85	127	215	271
1997.....	13,971	304	102	52	48	41	57	65	126	211	266
1996.....	13,132	275	124	45	47	24	42	100	185	279	339
1995.....	12,764	295	115	42	64	51	55	103	238	304	338
1994.....	12,185	273	118	56	37	52	57	108	237	310	354
1993.....	11,686	256	122	69	46	47	71	126	225	304	296
1992.....	10,955	297	146	62	45	42	48	128	227	255	326
1991.....	10,630	339	107	64	46	36	63	98	217	274	301
1990.....	9,814	313	121	53	48	43	46	99	172	216	231
1989.....	9,726	325	105	59	48	54	61	92	174	205	252
1988.....	9,271	340	127	48	38	35	62	91	143	206	204
1987.....	8,394	305	112	42	33	51	56	97	148	176	176
1986.....	13,893	324	146	50	55	58	232	835	1,495	1,459	987
1985.....	10,816	327	162	61	38	51	142	545	834	792	579
1984.....	8,564	343	119	44	36	51	116	279	409	425	303
1983.....	7,275	318	111	52	40	51	64	149	207	189	210
1982.....	6,393	338	107	41	36	37	51	65	99	100	128
1981.....	6,095	344	121	33	34	39	48	51	73	84	100
1980.....	6,181	331	116	55	35	43	35	47	78	75	110
1979.....	5,549	333	114	40	46	43	52	43	62	98	96
TOTAL, MALE											
1998.....	6,333	139	43	25	29	23	27	46	75	127	175
1997.....	6,188	164	55	29	32	28	29	32	74	144	171
1996.....	5,926	154	74	26	26	13	23	68	130	202	235
1995.....	5,723	169	65	25	31	35	31	61	176	211	247
1994.....	5,586	160	66	30	23	28	36	67	163	222	252
1993.....	5,392	123	70	39	31	28	44	92	169	213	209
1992.....	5,118	162	67	37	25	32	28	91	167	192	245
1991.....	5,030	182	53	35	27	18	36	68	170	199	226
1990.....	4,579	184	66	36	33	21	29	75	131	162	165
1989.....	4,542	168	55	32	31	33	36	65	126	154	167
1988.....	4,222	175	68	19	15	19	35	57	114	149	140
1987.....	3,994	173	55	21	19	34	36	64	112	126	115
1986.....	9,006	162	86	29	37	34	193	714	1,293	1,296	897
1985.....	6,400	182	90	21	22	25	103	459	718	703	508
1984.....	4,618	178	76	29	27	34	89	226	340	360	257
1983.....	3,677	175	71	26	21	32	35	118	164	144	161
1982.....	3,088	189	55	26	24	20	32	46	61	64	66
1981.....	2,858	186	64	21	21	21	23	41	37	44	55
1980.....	3,006	182	67	28	22	19	24	28	41	45	67
1979.....	2,691	183	71	15	25	22	23	23	34	47	57

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)											
TOTAL, FEMALE											
1998.....	8,321	126	50	22	19	24	22	39	52	88	96
1997.....	7,783	140	47	23	16	13	28	33	52	67	95
1996.....	7,206	121	50	19	21	11	19	32	55	77	104
1995.....	7,041	126	50	17	33	16	24	42	62	93	91
1994.....	6,599	113	52	26	14	24	21	41	74	88	102
1993.....	6,294	133	52	30	15	19	27	34	56	91	87
1992.....	5,837	135	79	25	20	10	20	37	60	63	81
1991.....	5,600	157	54	29	19	18	27	30	47	75	75
1990.....	5,235	129	55	17	15	22	17	24	41	54	66
1989.....	5,184	157	50	27	17	21	25	27	48	51	85
1988.....	5,049	165	59	29	23	16	27	34	29	57	64
1987.....	4,400	132	57	21	14	17	20	33	36	50	61
1986.....	4,887	162	60	21	18	24	39	121	202	163	90
1985.....	4,416	145	72	40	16	26	39	86	116	89	71
1984.....	3,946	165	43	15	9	17	27	53	69	65	46
1983.....	3,598	143	40	26	19	19	29	31	43	45	49
1982.....	3,305	149	52	15	12	17	19	19	38	36	62
1981.....	3,237	158	57	12	13	18	25	10	36	40	45
1980.....	3,175	149	49	27	13	24	11	19	37	30	43
1979.....	2,858	150	43	25	21	21	29	20	28	51	39
WHITE, BOTH SEXES											
1998.....	12,611	183	65	38	35	39	34	56	85	155	177
1997.....	12,006	212	80	40	39	34	40	44	69	149	186
1996.....	11,109	196	85	34	39	21	33	61	106	178	227
1995.....	10,782	209	90	34	56	39	41	58	153	176	224
1994.....	10,173	189	94	40	29	41	43	63	148	190	234
1993.....	9,764	158	89	52	41	35	53	75	141	194	199
1992.....	9,151	201	116	47	35	32	31	87	144	178	231
1991.....	8,815	221	85	47	42	32	51	64	141	194	228
1990.....	8,109	213	85	47	40	31	34	57	119	146	172
1989.....	8,008	232	90	47	40	42	49	59	121	131	173
1988.....	7,650	225	98	43	31	30	45	62	93	134	152
1987.....	6,830	218	84	35	28	41	43	68	98	123	126
1986.....	10,683	226	92	47	41	46	135	564	970	1,032	738
1985.....	8,488	226	110	46	34	43	81	353	549	556	414
1984.....	6,852	212	83	34	30	41	80	189	258	300	242
1983.....	5,855	210	83	40	36	39	47	94	137	132	160
1982.....	5,253	244	89	31	30	32	34	48	81	76	97
1981.....	4,962	233	93	29	28	26	43	37	48	57	71
1980.....	5,049	232	90	46	31	36	29	34	61	52	88
1979.....	4,467	233	94	33	39	38	42	30	44	65	72

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)											
WHITE MALE											
1998.....	5,368	91	29	22	19	19	18	31	55	93	119
1997.....	5,258	117	45	25	26	23	19	24	42	105	116
1996.....	4,932	114	57	20	22	13	18	45	75	134	161
1995.....	4,691	124	53	19	28	26	21	36	110	127	169
1994.....	4,540	112	52	21	18	23	24	45	106	139	173
1993.....	4,416	78	48	32	30	21	32	56	111	140	136
1992.....	4,188	115	53	29	20	25	17	62	110	143	182
1991.....	4,143	120	46	25	24	17	28	43	109	143	174
1990.....	3,712	124	48	32	28	16	21	45	94	111	123
1989.....	3,690	129	45	25	25	25	31	42	91	103	121
1988.....	3,446	122	52	18	14	16	25	40	74	101	106
1987.....	3,219	118	43	17	15	26	29	45	78	93	86
1986.....	6,811	108	55	27	29	25	116	498	883	948	689
1985.....	4,930	131	64	17	18	18	57	313	491	507	370
1984.....	3,643	110	51	21	24	25	61	159	226	255	209
1983.....	2,907	113	54	19	19	23	26	75	108	106	121
1982.....	2,530	136	44	22	19	18	21	36	47	47	50
1981.....	2,300	127	49	20	17	13	20	32	25	31	40
1980.....	2,419	121	56	22	18	16	20	22	31	30	51
1979.....	2,151	134	59	13	21	19	17	17	27	34	41
WHITE FEMALE											
1998.....	7,243	92	36	16	16	20	16	25	30	62	58
1997.....	6,748	95	35	15	13	11	21	20	27	44	70
1996.....	6,177	82	28	14	17	8	15	16	31	44	66
1995.....	6,091	85	37	15	28	13	20	22	43	49	55
1994.....	5,633	77	42	19	11	18	19	18	42	51	61
1993.....	5,348	80	41	20	11	14	21	19	30	54	63
1992.....	4,963	86	63	18	15	7	14	25	34	35	49
1991.....	4,672	101	39	22	18	15	23	21	32	51	54
1990.....	4,397	89	37	15	12	15	13	12	25	35	49
1989.....	4,318	103	45	22	15	17	18	17	30	28	52
1988.....	4,204	103	46	25	17	14	20	22	19	33	46
1987.....	3,611	100	41	18	13	15	14	23	20	30	40
1986.....	3,872	118	37	20	12	21	19	66	87	84	49
1985.....	3,558	95	46	29	16	25	24	40	58	49	44
1984.....	3,209	102	32	13	6	16	19	30	32	45	33
1983.....	2,948	97	29	21	17	16	21	19	29	26	39
1982.....	2,723	108	45	9	11	14	13	12	34	29	47
1981.....	2,662	106	44	9	11	13	23	5	23	26	31
1980.....	2,630	111	34	24	13	20	9	12	30	22	37
1979.....	2,316	99	35	20	18	19	25	13	17	31	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)											
ALL OTHER, BOTH SEXES											
1998.....	2,043	82	28	9	13	8	15	29	42	60	94
1997.....	1,965	92	22	12	9	7	17	21	57	62	80
1996.....	2,023	79	39	11	8	3	9	39	79	101	112
1995.....	1,982	86	25	8	8	12	14	45	85	128	114
1994.....	2,012	84	24	16	8	11	14	45	89	120	120
1993.....	1,922	98	33	17	5	12	18	51	84	110	97
1992.....	1,804	96	30	15	10	10	17	41	83	77	95
1991.....	1,815	118	22	17	4	4	12	34	76	80	73
1990.....	1,705	100	36	6	8	12	12	42	53	70	59
1989.....	1,718	93	15	12	8	12	12	33	53	74	79
1988.....	1,621	115	29	5	7	5	17	29	50	72	52
1987.....	1,564	87	28	7	5	10	13	29	50	53	50
1986.....	3,210	98	54	3	14	12	97	271	525	427	249
1985.....	2,328	101	52	15	4	8	61	192	285	236	165
1984.....	1,712	131	36	10	6	10	36	90	151	125	61
1983.....	1,420	108	28	12	4	12	17	55	70	57	50
1982.....	1,140	94	18	10	6	5	17	17	18	24	31
1981.....	1,133	111	28	4	6	13	5	14	25	27	29
1980.....	1,132	99	26	9	4	7	6	13	17	23	22
1979.....	1,082	100	20	7	7	5	10	13	18	33	24
ALL OTHER MALE											
1998.....	965	48	14	3	10	4	9	15	20	34	56
1997.....	930	47	10	4	6	5	10	8	32	39	55
1996.....	994	40	17	6	4	-	5	23	55	68	74
1995.....	1,032	45	12	6	3	9	10	25	66	84	78
1994.....	1,046	48	14	9	5	5	12	22	57	83	79
1993.....	976	45	22	7	1	7	12	36	58	73	73
1992.....	930	47	14	8	5	7	11	29	57	49	63
1991.....	887	62	7	10	3	1	8	25	61	56	52
1990.....	867	60	18	4	5	5	8	30	37	51	42
1989.....	852	39	10	7	6	8	5	23	35	51	46
1988.....	776	53	16	1	1	3	10	17	40	48	34
1987.....	775	55	12	4	4	8	7	19	34	33	29
1986.....	2,195	54	31	2	8	9	77	216	410	348	208
1985.....	1,470	51	26	4	4	7	46	146	227	196	138
1984.....	975	68	25	8	3	9	28	67	114	105	48
1983.....	770	62	17	7	2	9	9	43	56	38	40
1982.....	558	53	11	4	5	2	11	10	14	17	16
1981.....	558	59	15	1	4	8	3	9	12	13	15
1980.....	587	61	11	6	4	3	4	6	10	15	16
1979.....	540	49	12	2	4	3	6	6	7	13	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)											
ALL OTHER FEMALE											
1998.....	1,078	34	14	6	3	4	6	14	22	26	38
1997.....	1,035	45	12	8	3	2	7	13	25	23	25
1996.....	1,029	39	22	5	4	3	4	16	24	33	38
1995.....	950	41	13	2	5	3	4	20	19	44	36
1994.....	966	36	10	7	3	6	2	23	32	37	41
1993.....	946	53	11	10	4	5	6	15	26	37	24
1992.....	874	49	16	7	5	3	6	12	26	28	32
1991.....	928	56	15	7	1	3	4	9	15	24	21
1990.....	838	40	18	2	3	7	4	12	16	19	17
1989.....	866	54	5	5	2	4	7	10	18	23	33
1988.....	845	62	13	4	6	2	7	12	10	24	18
1987.....	789	32	16	3	1	2	6	10	16	20	21
1986.....	1,015	44	23	1	6	3	20	55	115	79	41
1985.....	858	50	26	11	-	1	15	46	58	40	27
1984.....	737	63	11	2	3	1	8	23	37	20	13
1983.....	650	46	11	5	2	3	8	12	14	19	10
1982.....	582	41	7	6	1	3	6	7	4	7	15
1981.....	575	52	13	3	2	5	2	5	13	14	14
1980.....	545	38	15	3	-	4	2	7	7	8	6
1979.....	542	51	8	5	3	2	4	7	11	20	8
BLACK, BOTH SEXES											
1998.....	1,808	70	21	6	13	6	12	26	38	54	86
1997.....	1,767	76	15	10	9	4	15	21	56	57	76
1996.....	1,858	67	31	11	7	2	9	37	77	99	108
1995.....	1,790	70	18	6	7	11	9	45	83	125	109
1994.....	1,846	74	20	14	4	9	13	40	86	119	117
1993.....	1,756	91	26	14	5	10	17	49	79	105	88
1992.....	1,664	84	28	12	7	7	16	41	80	76	90
1991.....	1,676	106	16	14	2	4	12	32	72	75	68
1990.....	1,585	90	29	5	6	12	9	40	53	67	57
1989.....	1,601	80	12	7	7	11	11	30	52	69	74
1988.....	1,512	97	25	4	6	4	16	26	49	70	50
1987.....	1,470	75	25	5	5	9	12	28	45	51	45
1986.....	3,086	90	51	3	9	11	94	269	519	423	244
1985.....	2,223	88	48	14	3	6	57	187	280	232	163
1984.....	1,622	114	33	10	6	10	36	90	147	119	60
1983.....	1,345	92	25	11	3	11	17	54	70	53	47
1982.....	1,066	83	15	9	5	4	15	17	18	21	30
1981.....	1,061	100	25	4	4	11	4	12	25	25	27
1980.....	1,075	90	23	8	4	7	6	12	15	23	19
1979.....	1,014	89	18	6	4	5	10	9	17	29	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)											
BLACK MALE											
1998.....	854	41	11	2	10	4	8	13	19	32	50
1997.....	820	38	6	4	6	4	8	8	32	34	51
1996.....	908	35	14	6	4	-	5	22	54	67	72
1995.....	936	37	10	4	3	8	8	25	64	81	75
1994.....	952	41	11	8	2	4	11	20	55	83	77
1993.....	898	43	18	5	1	6	12	34	53	70	68
1992.....	865	40	14	7	3	5	11	29	55	49	62
1991.....	816	56	5	8	2	1	8	23	57	52	50
1990.....	798	53	11	4	3	5	5	29	37	49	41
1989.....	781	32	8	5	5	7	5	21	34	48	43
1988.....	722	44	15	1	1	2	9	14	39	46	32
1987.....	721	50	10	3	4	8	6	18	30	32	24
1986.....	2,118	46	29	2	5	8	75	214	405	346	204
1985.....	1,403	41	24	3	3	5	44	143	223	192	138
1984.....	932	63	22	8	3	9	28	67	112	102	47
1983.....	725	54	15	6	1	8	9	43	56	35	37
1982.....	528	47	10	4	4	2	9	10	14	16	15
1981.....	520	55	13	1	2	6	3	9	12	12	15
1980.....	555	55	10	5	4	3	4	5	9	15	13
1979.....	496	43	10	2	2	3	6	3	7	10	16
BLACK FEMALE											
1998.....	954	29	10	4	3	2	4	13	19	22	36
1997.....	947	38	9	6	3	-	7	13	24	23	25
1996.....	950	32	17	5	3	2	4	15	23	32	36
1995.....	854	33	8	2	4	3	1	20	19	44	34
1994.....	894	33	9	6	2	5	2	20	31	36	40
1993.....	858	48	8	9	4	4	5	15	26	35	20
1992.....	799	44	14	5	4	2	5	12	25	27	28
1991.....	860	50	11	6	-	3	4	9	15	23	18
1990.....	787	37	18	1	3	7	4	11	16	18	16
1989.....	820	48	4	2	2	4	6	9	18	21	31
1988.....	790	53	10	3	5	2	7	12	10	24	18
1987.....	749	25	15	2	1	1	6	10	15	19	21
1986.....	968	44	22	1	4	3	19	55	114	77	40
1985.....	820	47	24	11	-	1	13	44	57	40	25
1984.....	690	51	11	2	3	1	8	23	35	17	13
1983.....	620	38	10	5	2	3	8	11	14	18	10
1982.....	538	36	5	5	1	2	6	7	4	5	15
1981.....	541	45	12	3	2	5	1	3	13	13	12
1980.....	520	35	13	3	-	4	2	7	6	8	6
1979.....	518	46	8	4	2	2	4	6	10	19	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
TOTAL, BOTH SEXES											
1998.....	4,077	11	5	-	3	4	3	6	6	18	25
1997.....	3,928	11	1	3	1	1	5	5	6	18	30
1996.....	3,706	12	3	2	1	2	4	9	6	11	15
1995.....	3,584	7	6	2	2	1	5	6	10	17	15
1994.....	3,451	19	3	1	-	5	6	3	15	12	18
1993.....	3,451	23	6	-	-	-	4	8	11	22	18
1992.....	3,135	22	5	6	-	4	3	11	11	13	20
1991.....	2,991	22	3	-	1	1	7	8	11	14	10
1990.....	3,017	16	4	-	1	4	5	2	12	20	11
1989.....	3,046	14	3	3	1	4	4	7	10	13	24
1988.....	2,985	27	4	4	-	2	3	8	11	17	23
1987.....	2,889	25	8	4	2	4	5	10	11	14	11
1986.....	2,862	24	-	2	1	1	5	8	9	10	24
1985.....	2,874	30	3	2	2	4	3	5	7	14	14
1984.....	2,600	18	7	2	2	-	2	8	11	5	15
1983.....	2,656	34	5	3	2	5	2	3	9	11	12
1982.....	2,430	31	9	2	1	5	2	7	8	8	11
1981.....	2,331	28	10	-	4	2	4	6	8	12	22
1980.....	2,364	29	9	1	2	1	8	9	9	11	15
1979.....	2,210	45	2	1	-	1	7	8	11	12	20
TOTAL, MALE											
1998.....	1,278	6	2	-	1	3	2	2	4	12	13
1997.....	1,213	5	1	-	1	-	1	1	-	5	15
1996.....	1,225	7	2	1	1	1	1	4	1	4	8
1995.....	1,193	3	6	2	1	-	4	5	6	13	8
1994.....	1,186	14	-	-	-	2	3	3	8	8	11
1993.....	1,257	16	4	-	-	-	1	3	6	11	7
1992.....	1,089	11	3	5	-	3	1	5	7	8	9
1991.....	1,085	15	1	-	1	1	4	1	7	5	6
1990.....	1,108	10	3	-	1	2	1	1	6	13	3
1989.....	1,098	9	1	2	-	2	1	4	5	7	11
1988.....	1,096	13	2	1	-	1	3	3	9	13	11
1987.....	1,107	16	6	2	1	4	3	3	6	5	6
1986.....	1,088	7	-	1	-	1	1	3	6	6	15
1985.....	1,086	14	1	1	-	3	1	2	4	9	8
1984.....	977	13	5	2	1	-	2	2	8	1	5
1983.....	1,065	18	1	1	2	4	1	3	6	6	6
1982.....	994	16	2	1	1	1	1	2	5	3	8
1981.....	941	19	5	-	3	1	3	3	3	3	8
1980.....	962	16	2	1	1	1	6	7	5	5	8
1979.....	927	34	1	1	-	1	2	5	6	8	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
TOTAL, FEMALE											
1998.....	2,799	5	3	-	2	1	1	4	2	6	12
1997.....	2,715	6	-	3	-	1	4	4	6	13	15
1996.....	2,481	5	1	1	-	1	3	5	5	7	7
1995.....	2,391	4	-	-	1	1	1	1	4	4	7
1994.....	2,265	5	3	1	-	3	3	-	7	4	7
1993.....	2,194	7	2	-	-	-	3	5	5	11	11
1992.....	2,046	11	2	1	-	1	2	6	4	5	11
1991.....	1,906	7	2	-	-	-	3	7	4	9	4
1990.....	1,909	6	1	-	-	2	4	1	6	7	8
1989.....	1,948	5	2	1	1	2	3	3	5	6	13
1988.....	1,889	14	2	3	-	1	-	5	2	4	12
1987.....	1,782	9	2	2	1	-	2	7	5	9	5
1986.....	1,774	17	-	1	1	-	4	5	3	4	9
1985.....	1,788	16	2	1	2	1	2	3	3	5	6
1984.....	1,623	5	2	-	1	-	-	6	3	4	10
1983.....	1,591	16	4	2	-	1	1	-	3	5	6
1982.....	1,436	15	7	1	-	4	1	5	3	5	3
1981.....	1,390	9	5	-	1	1	1	3	5	9	14
1980.....	1,402	13	7	-	1	-	2	2	4	6	7
1979.....	1,283	11	1	-	-	-	5	3	5	4	11
WHITE, BOTH SEXES											
1998.....	3,539	7	2	-	2	4	3	6	6	14	16
1997.....	3,447	5	1	3	1	-	4	2	4	13	21
1996.....	3,255	7	1	2	1	1	3	6	4	7	11
1995.....	3,118	4	4	2	2	1	3	4	6	16	10
1994.....	3,007	8	2	-	-	2	5	1	10	6	8
1993.....	2,986	9	2	-	-	-	3	3	6	13	14
1992.....	2,642	12	2	3	-	2	2	6	10	9	14
1991.....	2,558	15	2	-	1	1	6	6	9	12	9
1990.....	2,546	11	4	-	1	3	4	2	9	12	7
1989.....	2,571	8	2	2	1	1	4	6	4	7	20
1988.....	2,526	15	1	2	-	1	2	5	8	12	13
1987.....	2,478	11	4	2	1	3	2	8	5	8	6
1986.....	2,438	12	-	2	1	1	4	4	6	7	17
1985.....	2,490	20	1	1	2	4	3	3	4	8	8
1984.....	2,231	12	5	2	1	-	2	7	9	4	9
1983.....	2,252	16	2	2	1	2	1	1	6	8	10
1982.....	2,049	19	4	1	-	4	1	7	7	6	7
1981.....	1,989	14	5	-	4	1	2	6	8	10	17
1980.....	2,008	9	4	1	-	1	6	7	6	7	10
1979.....	1,862	21	2	-	-	-	7	6	9	9	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
WHITE MALE											
1998.....	1,067	5	1	-	1	3	2	2	4	10	6
1997.....	1,003	1	1	-	1	-	1	-	-	3	9
1996.....	1,035	4	1	1	1	1	1	3	1	4	7
1995.....	999	2	4	2	1	-	3	3	3	12	4
1994.....	995	5	-	-	-	1	3	1	6	3	4
1993.....	1,046	6	2	-	-	-	-	1	3	8	5
1992.....	872	7	1	3	-	2	1	1	7	6	5
1991.....	868	10	1	-	1	1	3	1	5	3	5
1990.....	903	7	3	-	1	2	1	1	5	7	1
1989.....	895	6	1	2	-	-	1	3	3	5	8
1988.....	884	7	1	-	-	1	2	2	6	9	5
1987.....	901	8	2	1	1	3	1	3	3	3	2
1986.....	883	4	-	1	-	1	1	-	4	3	12
1985.....	916	9	1	1	-	3	1	-	3	6	6
1984.....	799	8	4	2	-	-	2	2	6	1	2
1983.....	853	9	-	-	1	1	1	1	3	4	5
1982.....	818	10	1	-	-	1	1	2	4	2	5
1981.....	786	9	4	-	3	-	2	3	3	2	6
1980.....	779	4	2	1	-	1	5	6	4	3	4
1979.....	750	15	1	-	-	-	2	4	5	6	5
WHITE FEMALE											
1998.....	2,472	2	1	-	1	1	1	4	2	4	10
1997.....	2,444	4	-	3	-	-	3	2	4	10	12
1996.....	2,220	3	-	1	-	-	2	3	3	3	4
1995.....	2,119	2	-	-	1	1	-	1	3	4	6
1994.....	2,012	3	2	-	-	1	2	-	4	3	4
1993.....	1,940	3	-	-	-	-	3	2	3	5	9
1992.....	1,770	5	1	-	-	-	1	5	3	3	9
1991.....	1,690	5	1	-	-	-	3	5	4	9	4
1990.....	1,643	4	1	-	-	1	3	1	4	5	6
1989.....	1,676	2	1	-	1	1	3	3	1	2	12
1988.....	1,642	8	-	2	-	-	-	3	2	3	8
1987.....	1,577	3	2	1	-	-	1	5	2	5	4
1986.....	1,555	8	-	1	1	-	3	4	2	4	5
1985.....	1,574	11	-	-	2	1	2	3	1	2	2
1984.....	1,432	4	1	-	1	-	-	5	3	3	7
1983.....	1,399	7	2	2	-	1	-	-	3	4	5
1982.....	1,231	9	3	1	-	3	-	5	3	4	2
1981.....	1,203	5	1	-	1	1	-	3	5	8	11
1980.....	1,229	5	2	-	-	-	1	1	2	4	6
1979.....	1,112	6	1	-	-	-	5	2	4	3	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
NUTRITIONAL DEFICIENCIES (260-269)												
ALL OTHER, BOTH SEXES												
1998.....	538	4	3	-	1	-	-	-	-	4	9	
1997.....	481	6	-	-	-	1	1	3	2	5	9	
1996.....	451	5	2	-	-	1	1	3	2	4	4	
1995.....	466	3	2	-	-	-	2	2	4	1	5	
1994.....	444	11	1	1	-	3	1	2	5	6	10	
1993.....	465	14	4	-	-	-	1	5	5	9	4	
1992.....	493	10	3	3	-	2	1	5	1	4	6	
1991.....	433	7	1	-	-	-	1	2	2	2	1	
1990.....	471	5	-	-	-	1	1	-	3	8	4	
1989.....	475	6	1	1	-	3	-	1	6	6	4	
1988.....	459	12	3	2	-	1	1	3	3	5	10	
1987.....	411	14	4	2	1	1	3	2	6	6	5	
1986.....	424	12	-	-	-	-	1	4	3	3	7	
1985.....	384	10	2	1	-	-	-	2	3	6	6	
1984.....	369	6	2	-	1	-	-	1	2	1	6	
1983.....	404	18	3	1	1	3	1	2	3	3	2	
1982.....	381	12	5	1	1	1	1	-	1	2	4	
1981.....	342	14	5	-	-	1	2	-	-	2	5	
1980.....	356	20	5	-	2	-	2	2	3	4	5	
1979.....	348	24	-	1	-	1	-	2	2	3	9	
ALL OTHER MALE												
1998.....	211	1	1	-	-	-	-	-	-	2	7	
1997.....	210	4	-	-	-	-	-	1	-	2	6	
1996.....	190	3	1	-	-	-	-	1	-	-	1	
1995.....	194	1	2	-	-	-	1	2	3	1	4	
1994.....	191	9	-	-	-	1	-	2	2	5	7	
1993.....	211	10	2	-	-	-	1	2	3	3	2	
1992.....	217	4	2	2	-	1	-	4	-	2	4	
1991.....	217	5	-	-	-	-	1	-	2	2	1	
1990.....	205	3	-	-	-	-	-	-	1	6	2	
1989.....	203	3	-	-	-	2	-	1	2	2	3	
1988.....	212	6	1	1	-	-	1	1	3	4	6	
1987.....	206	8	4	1	-	1	2	-	3	2	4	
1986.....	205	3	-	-	-	-	-	3	2	3	3	
1985.....	170	5	-	-	-	-	-	2	1	3	2	
1984.....	178	5	1	-	1	-	-	-	2	-	3	
1983.....	212	9	1	1	1	3	-	2	3	2	1	
1982.....	176	6	1	1	1	-	-	-	1	1	3	
1981.....	155	10	1	-	-	1	1	-	-	1	2	
1980.....	183	12	-	-	1	-	1	1	1	2	4	
1979.....	177	19	-	1	-	1	-	1	1	2	4	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
ALL OTHER FEMALE											
1998.....	327	3	2	-	1	-	-	-	-	2	2
1997.....	271	2	-	-	-	1	1	2	2	3	3
1996.....	261	2	1	-	-	1	1	2	2	4	3
1995.....	272	2	-	-	-	-	1	-	1	-	1
1994.....	253	2	1	1	-	2	1	-	3	1	3
1993.....	254	4	2	-	-	-	-	3	2	6	2
1992.....	276	6	1	1	-	1	1	1	1	2	2
1991.....	216	2	1	-	-	-	-	2	-	-	-
1990.....	266	2	-	-	-	1	1	-	2	2	2
1989.....	272	3	1	1	-	1	-	-	4	4	1
1988.....	247	6	2	1	-	1	-	2	-	1	4
1987.....	205	6	-	1	1	-	1	2	3	4	1
1986.....	219	9	-	-	-	-	1	1	1	-	4
1985.....	214	5	2	1	-	-	-	-	2	3	4
1984.....	191	1	1	-	-	-	1	1	-	1	3
1983.....	192	9	2	-	-	-	1	-	-	1	1
1982.....	205	6	4	-	-	1	1	-	-	1	1
1981.....	187	4	4	-	-	-	1	-	-	1	3
1980.....	173	8	5	-	1	-	1	1	2	2	1
1979.....	171	5	-	-	-	-	-	1	1	1	5
BLACK, BOTH SEXES											
1998.....	480	4	3	-	1	-	-	-	-	4	9
1997.....	429	6	-	-	-	1	1	3	2	4	8
1996.....	396	5	2	-	-	1	1	3	2	3	4
1995.....	418	3	2	-	-	-	2	2	4	1	5
1994.....	411	10	1	-	-	3	1	2	5	6	10
1993.....	424	13	4	-	-	-	1	5	4	9	4
1992.....	445	10	3	3	-	2	1	5	1	4	6
1991.....	393	7	1	-	-	-	1	2	2	2	1
1990.....	433	5	-	-	-	1	-	-	2	7	4
1989.....	443	6	1	-	-	3	-	1	6	6	4
1988.....	420	11	3	1	-	1	-	3	2	5	9
1987.....	383	14	4	2	1	1	3	2	6	6	5
1986.....	392	12	-	-	-	-	1	4	3	3	7
1985.....	349	10	2	1	-	-	-	2	3	6	6
1984.....	338	6	1	-	1	-	-	1	2	1	6
1983.....	372	16	3	1	1	3	1	2	3	3	2
1982.....	346	11	4	1	-	1	1	-	1	2	4
1981.....	310	14	5	-	-	-	-	2	-	2	5
1980.....	333	20	5	-	1	-	2	2	3	4	5
1979.....	325	23	-	1	-	-	-	1	2	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
NUTRITIONAL DEFICIENCIES (260-269)											
BLACK MALE											
1998.....	188	1	1	-	-	-	-	-	-	2	7
1997.....	185	4	-	-	-	-	-	1	-	1	5
1996.....	167	3	1	-	-	-	-	1	-	-	1
1995.....	176	1	2	-	-	-	1	2	3	1	4
1994.....	177	8	-	-	-	1	-	2	2	5	7
1993.....	193	9	2	-	-	-	1	2	3	3	2
1992.....	195	4	2	2	-	1	-	4	-	2	4
1991.....	193	5	-	-	-	-	1	-	2	2	1
1990.....	189	3	-	-	-	-	-	-	1	5	2
1989.....	188	3	-	-	-	2	-	1	2	2	3
1988.....	195	6	1	-	-	-	-	1	2	4	5
1987.....	194	8	4	1	-	1	2	-	3	2	4
1986.....	190	3	-	-	-	-	-	3	2	3	3
1985.....	149	5	-	-	-	-	-	2	1	3	2
1984.....	161	5	1	-	1	-	-	-	2	-	3
1983.....	199	8	1	1	1	3	-	2	3	2	1
1982.....	159	6	1	1	-	-	-	-	1	1	3
1981.....	137	10	1	-	-	-	1	-	-	1	2
1980.....	172	12	-	-	1	-	1	1	1	2	4
1979.....	165	18	-	1	-	-	-	-	1	2	3
BLACK FEMALE											
1998.....	292	3	2	-	1	-	-	-	-	2	2
1997.....	244	2	-	-	-	1	1	2	2	3	3
1996.....	229	2	1	-	-	1	1	2	2	3	3
1995.....	242	2	-	-	-	-	1	-	1	-	1
1994.....	234	2	1	-	-	2	1	-	3	1	3
1993.....	231	4	2	-	-	-	-	3	1	6	2
1992.....	250	6	1	1	-	1	1	1	1	2	2
1991.....	200	2	1	-	-	-	-	2	-	-	-
1990.....	244	2	-	-	-	1	-	-	1	2	2
1989.....	255	3	1	-	-	1	-	-	4	4	1
1988.....	225	5	2	1	-	1	-	2	-	1	4
1987.....	189	6	-	1	1	-	1	2	3	4	1
1986.....	202	9	-	-	-	-	1	1	1	-	4
1985.....	200	5	2	1	-	-	-	-	2	3	4
1984.....	177	1	-	-	-	-	-	1	-	1	3
1983.....	173	8	2	-	-	-	1	-	-	1	1
1982.....	187	5	3	-	-	1	1	-	-	1	1
1981.....	173	4	4	-	-	-	1	-	-	1	3
1980.....	161	8	5	-	-	-	1	1	2	2	1
1979.....	160	5	-	-	-	-	-	1	1	1	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 NUTRITIONAL MARASMUS (261)												
TOTAL, BOTH SEXES												
1998.....	228	3	-	-	-	1	1	-	1	7	5	
1997.....	310	1	-	-	-	-	1	1	1	2	4	
1996.....	243	3	-	-	-	-	-	-	1	2	3	
1995.....	228	1	1	1	-	-	-	1	4	7	2	
1994.....	262	4	-	-	-	1	2	3	2	3	8	
1993.....	272	2	1	-	-	-	1	3	2	6	-	
1992.....	237	1	-	1	-	1	-	2	2	1	1	
1991.....	229	1	-	-	1	-	-	-	1	2	3	
1990.....	251	6	1	-	-	1	1	-	2	6	1	
1989.....	308	2	1	1	-	1	-	1	2	3	8	
1988.....	296	3	-	1	-	1	-	2	2	6	7	
1987.....	297	3	1	2	-	-	2	1	-	4	2	
1986.....	298	3	-	1	-	-	2	2	1	-	1	
1985.....	279	3	-	-	1	1	-	3	2	5	1	
1984.....	254	2	-	1	1	-	1	1	1	1	4	
1983.....	307	6	-	2	-	2	-	-	2	3	1	
1982.....	232	10	1	-	-	-	-	1	-	1	-	
1981.....	228	4	1	-	2	-	-	1	2	-	2	
1980.....	293	8	1	1	1	-	3	4	1	5	4	
1979.....	274	11	1	1	-	1	1	1	3	2	5	
TOTAL, MALE												
1998.....	78	2	-	-	-	1	1	-	1	3	2	
1997.....	109	1	-	-	-	-	1	1	-	-	2	
1996.....	97	1	-	-	-	-	-	-	-	1	2	
1995.....	103	-	1	1	-	-	-	-	2	5	1	
1994.....	114	4	-	-	-	1	1	3	1	2	5	
1993.....	112	1	1	-	-	-	-	-	1	3	-	
1992.....	86	1	-	1	-	1	-	1	1	1	-	
1991.....	95	1	-	-	1	-	-	-	1	1	3	
1990.....	107	3	1	-	-	-	-	-	-	4	1	
1989.....	142	2	-	1	-	1	-	-	2	1	2	
1988.....	127	2	-	-	-	1	-	1	1	6	4	
1987.....	135	2	-	1	-	-	1	-	-	3	-	
1986.....	139	1	-	1	-	-	1	1	1	-	1	
1985.....	120	2	-	-	-	1	-	1	1	4	1	
1984.....	111	2	-	1	-	-	1	1	1	1	2	
1983.....	139	3	-	1	-	2	-	-	2	1	1	
1982.....	104	8	1	-	-	-	-	-	-	-	-	
1981.....	108	4	1	-	1	-	-	-	1	-	1	
1980.....	135	5	-	1	-	-	2	4	1	1	-	
1979.....	118	8	1	1	-	1	-	1	2	-	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 NUTRITIONAL MARASMUS (261)												
TOTAL, FEMALE												
1998.....	150	1	-	-	-	-	-	-	-	4	3	
1997.....	201	-	-	-	-	-	-	-	1	2	2	
1996.....	146	2	-	-	-	-	-	-	1	1	1	
1995.....	125	1	-	-	-	-	-	1	2	2	1	
1994.....	148	-	-	-	-	-	1	-	1	1	3	
1993.....	160	1	-	-	-	-	1	3	1	3	-	
1992.....	151	-	-	-	-	-	-	1	1	-	1	
1991.....	134	-	-	-	-	-	-	-	-	1	-	
1990.....	144	3	-	-	-	1	1	-	2	2	-	
1989.....	166	-	1	-	-	-	-	1	-	2	6	
1988.....	169	1	-	1	-	-	-	1	1	-	3	
1987.....	162	1	1	1	-	-	1	1	-	1	2	
1986.....	159	2	-	-	-	-	1	1	-	-	-	
1985.....	159	1	-	-	1	-	-	2	1	1	-	
1984.....	143	-	-	-	1	-	-	-	-	-	2	
1983.....	168	3	-	1	-	-	-	-	-	2	-	
1982.....	128	2	-	-	-	-	-	1	-	1	-	
1981.....	120	-	-	-	1	-	-	1	1	-	1	
1980.....	158	3	1	-	1	-	1	-	-	4	4	
1979.....	156	3	-	-	-	-	1	-	1	2	3	
WHITE, BOTH SEXES												
1998.....	183	2	-	-	-	1	1	-	1	5	4	
1997.....	250	-	-	-	-	-	1	-	-	1	3	
1996.....	204	1	-	-	-	-	-	-	-	1	3	
1995.....	190	-	1	1	-	-	-	1	3	6	2	
1994.....	206	1	-	-	-	-	2	1	-	1	3	
1993.....	220	1	-	-	1	-	1	2	1	3	-	
1992.....	184	1	-	1	-	-	-	2	2	1	1	
1991.....	191	-	-	-	1	-	-	-	1	2	2	
1990.....	205	4	1	-	-	-	-	-	2	3	-	
1989.....	238	-	-	1	-	-	-	1	2	1	6	
1988.....	229	3	-	-	-	1	-	-	1	3	3	
1987.....	234	1	1	2	-	-	1	1	-	3	2	
1986.....	239	-	-	1	-	-	2	1	1	-	1	
1985.....	231	2	-	-	1	1	-	2	1	3	-	
1984.....	207	-	-	1	1	-	1	1	-	1	2	
1983.....	249	1	-	1	-	-	-	-	1	2	1	
1982.....	179	5	1	-	-	-	-	1	-	1	-	
1981.....	182	1	1	-	2	-	-	1	2	-	2	
1980.....	228	4	-	1	-	-	2	4	1	4	3	
1979.....	225	5	1	-	-	-	1	1	3	2	3	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 NUTRITIONAL MARASMUS (261)												
WHITE MALE												
1998.....	55	2	-	-	-	1	1	-	1	2	1	
1997.....	79	-	-	-	-	-	1	-	-	-	2	
1996.....	83	-	-	-	-	-	-	-	-	1	2	
1995.....	79	-	1	1	-	-	-	-	1	4	1	
1994.....	83	1	-	-	-	-	1	1	-	-	2	
1993.....	81	-	-	-	-	-	-	-	-	2	-	
1992.....	63	1	-	1	-	-	-	1	1	1	-	
1991.....	72	-	-	-	1	-	-	-	1	1	2	
1990.....	85	2	1	-	-	-	-	-	-	1	-	
1989.....	108	-	-	1	-	-	-	-	2	1	1	
1988.....	99	2	-	-	-	1	-	-	-	3	3	
1987.....	102	1	-	1	-	-	1	-	-	2	-	
1986.....	106	-	-	1	-	-	1	-	1	-	1	
1985.....	98	1	-	-	-	1	-	-	1	2	-	
1984.....	86	-	-	1	-	-	1	1	-	1	1	
1983.....	105	1	-	-	-	-	-	-	1	-	1	
1982.....	77	4	1	-	-	-	-	-	-	-	-	
1981.....	84	1	1	-	1	-	-	-	1	-	1	
1980.....	95	2	-	1	-	-	2	4	1	1	-	
1979.....	98	4	1	-	-	-	-	1	2	-	1	
WHITE FEMALE												
1998.....	128	-	-	-	-	-	-	-	-	3	3	
1997.....	171	-	-	-	-	-	-	-	-	1	1	
1996.....	121	1	-	-	-	-	-	-	-	-	1	
1995.....	111	-	-	-	-	-	-	1	2	2	1	
1994.....	123	-	-	-	-	-	1	-	-	1	1	
1993.....	139	1	-	-	-	-	1	2	1	1	-	
1992.....	121	-	-	-	-	-	-	1	1	-	1	
1991.....	119	-	-	-	-	-	-	-	-	1	-	
1990.....	120	2	-	-	-	-	-	-	2	2	-	
1989.....	130	-	-	-	-	-	-	1	-	-	5	
1988.....	130	1	-	-	-	-	-	-	1	-	-	
1987.....	132	-	1	1	-	-	-	1	-	1	2	
1986.....	133	-	-	-	-	-	1	1	-	-	-	
1985.....	133	1	-	-	1	-	-	2	-	1	-	
1984.....	121	-	-	-	1	-	-	-	-	-	1	
1983.....	144	-	-	1	-	-	-	-	-	2	-	
1982.....	102	1	-	-	-	-	-	1	-	1	-	
1981.....	98	-	-	-	1	-	-	1	1	-	1	
1980.....	133	2	-	-	-	-	-	-	-	3	3	
1979.....	127	1	-	-	-	-	1	-	1	2	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NUTRITIONAL MARASMUS (261)											
ALL OTHER, BOTH SEXES											
1998.....	45	1	-	-	-	-	-	-	-	2	1
1997.....	60	1	-	-	-	-	-	1	1	1	1
1996.....	39	2	-	-	-	-	-	-	1	1	-
1995.....	38	1	-	-	-	-	-	-	1	1	-
1994.....	56	3	-	-	-	1	-	2	2	2	5
1993.....	52	1	1	-	-	-	-	1	1	3	-
1992.....	53	-	-	-	-	1	-	-	-	-	-
1991.....	38	1	-	-	-	-	-	-	-	-	1
1990.....	46	2	-	-	-	1	1	-	-	3	1
1989.....	70	2	1	-	-	1	-	-	-	2	2
1988.....	67	-	-	1	-	-	-	2	1	3	4
1987.....	63	2	-	-	-	-	1	-	-	1	-
1986.....	59	3	-	-	-	-	-	1	-	-	-
1985.....	48	1	-	-	-	-	-	1	1	2	1
1984.....	47	2	-	-	-	-	-	-	1	-	2
1983.....	58	5	-	1	-	2	-	-	1	1	-
1982.....	53	5	-	-	-	-	-	-	-	-	-
1981.....	46	3	-	-	-	-	-	-	-	-	-
1980.....	65	4	1	-	1	-	1	-	-	1	1
1979.....	49	6	-	1	-	1	-	-	-	-	2
ALL OTHER MALE											
1998.....	23	-	-	-	-	-	-	-	-	1	1
1997.....	30	1	-	-	-	-	-	1	-	-	-
1996.....	14	1	-	-	-	-	-	-	-	-	-
1995.....	24	-	-	-	-	-	-	-	1	1	-
1994.....	31	3	-	-	-	1	-	2	1	2	3
1993.....	31	1	1	-	-	-	-	-	1	1	-
1992.....	23	-	-	-	-	1	-	-	-	-	-
1991.....	23	1	-	-	-	-	-	-	-	-	1
1990.....	22	1	-	-	-	-	-	-	-	3	1
1989.....	34	2	-	-	-	1	-	-	-	-	1
1988.....	28	-	-	-	-	-	-	1	1	3	1
1987.....	33	1	-	-	-	-	-	-	-	1	-
1986.....	33	1	-	-	-	-	-	1	-	-	-
1985.....	22	1	-	-	-	-	-	1	-	2	1
1984.....	25	2	-	-	-	-	-	-	1	-	1
1983.....	34	2	-	1	-	2	-	-	1	1	-
1982.....	27	4	-	-	-	-	-	-	-	-	-
1981.....	24	3	-	-	-	-	-	-	-	-	-
1980.....	40	3	-	-	-	-	-	-	-	-	-
1979.....	20	4	-	1	-	1	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NUTRITIONAL MARASMUS (261)											
ALL OTHER FEMALE											
1998.....	22	1	-	-	-	-	-	-	-	1	-
1997.....	30	-	-	-	-	-	-	-	1	1	1
1996.....	25	1	-	-	-	-	-	-	1	1	-
1995.....	14	1	-	-	-	-	-	-	-	-	-
1994.....	25	-	-	-	-	-	-	-	1	-	2
1993.....	21	-	-	-	-	-	-	1	-	2	-
1992.....	30	-	-	-	-	-	-	-	-	-	-
1991.....	15	-	-	-	-	-	-	-	-	-	-
1990.....	24	1	-	-	-	1	1	-	-	-	-
1989.....	36	-	1	-	-	-	-	-	-	2	1
1988.....	39	-	-	1	-	-	-	1	-	-	3
1987.....	30	1	-	-	-	-	1	-	-	-	-
1986.....	26	2	-	-	-	-	-	-	-	-	-
1985.....	26	-	-	-	-	-	-	-	1	-	-
1984.....	22	-	-	-	-	-	-	-	-	-	1
1983.....	24	3	-	-	-	-	-	-	-	-	-
1982.....	26	1	-	-	-	-	-	-	-	-	-
1981.....	22	-	-	-	-	-	-	-	-	-	-
1980.....	25	1	1	-	1	-	1	-	-	1	1
1979.....	29	2	-	-	-	-	-	-	-	-	1
BLACK, BOTH SEXES											
1998.....	41	1	-	-	-	-	-	-	-	2	1
1997.....	50	1	-	-	-	-	-	1	1	1	1
1996.....	33	2	-	-	-	-	-	-	1	-	-
1995.....	32	1	-	-	-	-	-	-	1	1	-
1994.....	53	3	-	-	-	1	-	2	2	2	5
1993.....	47	1	1	-	-	-	-	1	1	3	-
1992.....	49	-	-	-	-	1	-	-	-	-	-
1991.....	35	1	-	-	-	-	-	-	-	-	1
1990.....	44	2	-	-	-	1	-	-	-	3	1
1989.....	65	2	1	-	-	1	-	-	-	2	2
1988.....	64	-	-	1	-	-	-	2	1	3	4
1987.....	60	2	-	-	-	-	1	-	-	1	-
1986.....	57	3	-	-	-	-	-	1	-	-	-
1985.....	44	1	-	-	-	-	-	1	1	2	1
1984.....	41	2	-	-	-	-	-	-	1	-	2
1983.....	53	3	-	1	-	2	-	-	1	1	-
1982.....	48	4	-	-	-	-	-	-	-	-	-
1981.....	42	3	-	-	-	-	-	-	-	-	-
1980.....	59	4	1	-	-	-	1	-	-	1	1
1979.....	43	5	-	1	-	-	-	-	-	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)											
TOTAL, BOTH SEXES											
1998.....	3,529	7	3	-	3	1	2	3	3	10	16
1997.....	3,318	7	1	3	-	1	3	3	4	13	20
1996.....	3,177	3	1	1	1	1	4	4	3	6	8
1995.....	3,146	5	4	-	1	-	2	4	3	10	12
1994.....	2,895	10	3	1	-	1	2	-	9	7	8
1993.....	2,921	18	5	-	-	-	3	5	7	14	14
1992.....	2,681	17	3	3	-	1	1	7	6	11	15
1991.....	2,548	17	3	-	-	1	4	5	8	9	6
1990.....	2,545	9	2	-	1	1	3	2	7	13	8
1989.....	2,525	10	2	1	1	2	3	4	7	8	14
1988.....	2,502	21	3	2	-	1	3	6	8	10	15
1987.....	2,402	18	6	2	1	3	3	6	10	10	5
1986.....	2,356	18	-	1	1	1	2	5	8	9	18
1985.....	2,398	20	3	1	1	3	-	1	4	8	7
1984.....	2,180	12	4	1	1	-	1	6	9	4	9
1983.....	2,168	21	2	1	2	2	2	1	4	6	9
1982.....	2,062	17	7	2	1	4	2	4	6	5	11
1981.....	1,956	20	8	-	2	1	4	4	6	8	17
1980.....	1,961	17	8	-	1	1	4	3	8	6	9
1979.....	1,805	32	1	-	-	-	5	4	2	7	12
TOTAL, MALE											
1998.....	1,106	4	1	-	1	1	1	1	2	8	9
1997.....	1,017	4	1	-	-	-	-	-	-	5	10
1996.....	1,010	2	-	1	1	-	1	2	1	2	5
1995.....	1,007	2	4	-	1	-	2	4	2	8	6
1994.....	956	6	-	-	-	-	1	-	6	4	5
1993.....	1,035	13	3	-	-	-	1	3	3	6	6
1992.....	920	10	2	2	-	-	-	4	4	6	8
1991.....	905	11	1	-	-	1	2	1	5	2	3
1990.....	918	7	2	-	1	-	1	1	4	9	2
1989.....	876	6	1	-	-	1	1	3	3	6	7
1988.....	896	9	1	1	-	-	3	2	7	6	7
1987.....	903	11	5	1	-	3	2	1	5	2	5
1986.....	868	5	-	-	-	1	-	2	5	5	12
1985.....	878	8	1	1	-	2	-	-	2	5	3
1984.....	797	8	3	1	1	-	1	1	6	-	3
1983.....	841	11	-	-	2	1	1	1	4	4	4
1982.....	831	5	1	1	1	-	1	2	4	2	8
1981.....	771	12	3	-	2	1	3	3	2	2	6
1980.....	788	8	2	-	1	1	3	1	4	4	6
1979.....	742	24	-	-	-	-	2	2	-	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
TOTAL, FEMALE												
1998.....	2,423	3	2	-	2	-	1	2	1	2	7	
1997.....	2,301	3	-	3	-	1	3	3	4	8	10	
1996.....	2,167	1	1	-	-	1	3	2	2	4	3	
1995.....	2,139	3	-	-	-	-	-	-	1	2	6	
1994.....	1,939	4	3	1	-	1	1	-	3	3	3	
1993.....	1,886	5	2	-	-	-	2	2	4	8	8	
1992.....	1,761	7	1	1	-	1	1	3	2	5	7	
1991.....	1,643	6	2	-	-	-	2	4	3	7	3	
1990.....	1,627	2	-	-	-	1	2	1	3	4	6	
1989.....	1,649	4	1	1	1	1	2	1	4	2	7	
1988.....	1,606	12	2	1	-	1	-	4	1	4	8	
1987.....	1,499	7	1	1	1	-	1	5	5	8	-	
1986.....	1,488	13	-	1	1	-	2	3	3	4	6	
1985.....	1,520	12	2	-	1	1	-	1	2	3	4	
1984.....	1,383	4	1	-	-	-	-	5	3	4	6	
1983.....	1,327	10	2	1	-	1	1	-	-	2	5	
1982.....	1,231	12	6	1	-	4	1	2	2	3	3	
1981.....	1,185	8	5	-	-	-	1	1	4	6	11	
1980.....	1,173	9	6	-	-	-	1	2	4	2	3	
1979.....	1,063	8	1	-	-	-	3	2	2	2	7	
WHITE, BOTH SEXES												
1998.....	3,071	4	1	-	2	1	2	3	3	8	11	
1997.....	2,932	3	1	3	-	-	2	1	4	10	12	
1996.....	2,806	2	-	1	1	-	3	2	3	4	6	
1995.....	2,746	4	2	-	1	-	2	2	-	10	8	
1994.....	2,551	5	2	-	-	-	2	-	9	4	4	
1993.....	2,549	7	2	-	-	-	2	1	4	8	11	
1992.....	2,280	9	1	-	-	-	1	2	6	7	10	
1991.....	2,181	12	2	-	-	1	3	4	7	8	6	
1990.....	2,150	6	2	-	1	1	3	2	5	8	5	
1989.....	2,157	6	2	-	1	1	3	4	2	6	12	
1988.....	2,134	10	-	1	-	-	2	5	6	8	9	
1987.....	2,077	9	2	-	-	2	1	4	4	5	2	
1986.....	2,022	10	-	1	1	1	1	2	5	6	12	
1985.....	2,096	16	1	1	1	3	-	1	2	5	5	
1984.....	1,872	8	3	1	-	-	1	5	8	3	6	
1983.....	1,850	10	-	1	1	2	1	-	2	4	7	
1982.....	1,747	10	2	1	-	3	1	4	5	3	7	
1981.....	1,686	9	4	-	2	-	2	4	6	8	12	
1980.....	1,690	5	4	-	-	1	3	1	5	3	6	
1979.....	1,520	15	1	-	-	-	5	3	1	4	5	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)											
WHITE MALE											
1998.....	935	3	1	-	1	1	1	1	2	7	5
1997.....	849	1	1	-	-	-	-	-	-	3	4
1996.....	854	2	-	1	1	-	1	1	1	2	4
1995.....	851	2	2	-	1	-	2	2	-	8	3
1994.....	813	3	-	-	-	-	1	-	6	2	2
1993.....	874	5	2	-	-	-	-	1	2	4	4
1992.....	743	6	1	-	-	-	-	-	4	4	4
1991.....	722	7	1	-	-	1	1	1	4	1	3
1990.....	751	5	2	-	1	-	1	1	4	6	1
1989.....	721	5	1	-	-	-	1	3	1	4	5
1988.....	723	4	-	-	-	-	2	2	5	5	2
1987.....	741	7	1	-	-	2	-	1	2	1	2
1986.....	707	3	-	-	-	1	-	-	3	2	9
1985.....	750	7	1	1	-	2	-	-	1	4	3
1984.....	654	5	3	1	-	-	1	1	5	-	1
1983.....	681	5	-	-	1	1	1	-	2	3	3
1982.....	686	3	-	-	-	-	1	2	3	1	5
1981.....	649	5	3	-	2	-	2	3	2	2	4
1980.....	655	2	2	-	-	1	2	-	3	2	3
1979.....	593	10	-	-	-	-	2	1	-	3	2
WHITE FEMALE											
1998.....	2,136	1	-	-	1	-	1	2	1	1	6
1997.....	2,083	2	-	3	-	-	2	1	4	7	8
1996.....	1,952	-	-	-	-	-	2	1	2	2	2
1995.....	1,895	2	-	-	-	-	-	-	-	2	5
1994.....	1,738	2	2	-	-	-	1	-	3	2	2
1993.....	1,675	2	-	-	-	-	2	-	2	4	7
1992.....	1,537	3	-	-	-	-	1	2	2	3	6
1991.....	1,459	5	1	-	-	-	2	3	3	7	3
1990.....	1,399	1	-	-	-	1	2	1	1	2	4
1989.....	1,436	1	1	-	1	1	2	1	1	2	7
1988.....	1,411	6	-	1	-	-	-	3	1	3	7
1987.....	1,336	2	1	-	-	-	1	3	2	4	-
1986.....	1,315	7	-	1	1	-	1	2	2	4	3
1985.....	1,346	9	-	-	1	1	-	1	1	1	2
1984.....	1,218	3	-	-	-	-	-	4	3	3	5
1983.....	1,169	5	-	1	-	1	-	-	-	1	4
1982.....	1,061	7	2	1	-	3	-	2	2	2	2
1981.....	1,037	4	1	-	-	-	-	1	4	6	8
1980.....	1,035	3	2	-	-	-	1	1	2	1	3
1979.....	927	5	1	-	-	-	3	2	1	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)											
ALL OTHER, BOTH SEXES											
1998.....	458	3	2	-	1	-	-	-	-	2	5
1997.....	386	4	-	-	-	1	1	2	-	3	8
1996.....	371	1	1	-	-	1	1	2	-	2	2
1995.....	400	1	2	-	-	-	-	2	3	-	4
1994.....	344	5	1	1	-	1	-	-	-	3	4
1993.....	372	11	3	-	-	-	1	4	3	6	3
1992.....	401	8	2	3	-	1	-	5	-	4	5
1991.....	367	5	1	-	-	-	1	1	1	1	-
1990.....	395	3	-	-	-	-	-	-	2	5	3
1989.....	368	4	-	1	-	1	-	-	5	2	2
1988.....	368	11	3	1	-	1	1	1	2	2	6
1987.....	325	9	4	2	1	1	2	2	6	5	3
1986.....	334	8	-	-	-	-	1	3	3	3	6
1985.....	302	4	2	-	-	-	-	-	2	3	2
1984.....	308	4	1	-	1	-	-	1	1	1	3
1983.....	318	11	2	-	1	-	1	1	2	2	2
1982.....	315	7	5	1	1	1	1	-	1	2	4
1981.....	270	11	4	-	-	1	2	-	-	-	5
1980.....	271	12	4	-	1	-	1	2	3	3	3
1979.....	285	17	-	-	-	-	-	1	1	3	7
ALL OTHER MALE											
1998.....	171	1	-	-	-	-	-	-	-	1	4
1997.....	168	3	-	-	-	-	-	-	-	2	6
1996.....	156	-	-	-	-	-	-	1	-	-	1
1995.....	156	-	2	-	-	-	-	2	2	-	3
1994.....	143	3	-	-	-	-	-	-	-	2	3
1993.....	161	8	1	-	-	-	1	2	1	2	2
1992.....	177	4	1	2	-	-	-	4	-	2	4
1991.....	183	4	-	-	-	-	1	-	1	1	-
1990.....	167	2	-	-	-	-	-	-	-	3	1
1989.....	155	1	-	-	-	1	-	-	2	2	2
1988.....	173	5	1	1	-	-	1	-	2	1	5
1987.....	162	4	4	1	-	1	2	-	3	1	3
1986.....	161	2	-	-	-	-	-	2	2	3	3
1985.....	128	1	-	-	-	-	-	-	1	1	-
1984.....	143	3	-	-	1	-	-	-	1	-	2
1983.....	160	6	-	-	1	-	-	1	2	1	1
1982.....	145	2	1	1	1	-	-	-	1	1	3
1981.....	122	7	-	-	-	1	1	-	-	-	2
1980.....	133	6	-	-	1	-	1	1	1	2	3
1979.....	149	14	-	-	-	-	-	1	-	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)											
ALL OTHER FEMALE											
1998.....	287	2	2	-	1	-	-	-	-	1	1
1997.....	218	1	-	-	-	1	1	2	-	1	2
1996.....	215	1	1	-	-	1	1	1	-	2	1
1995.....	244	1	-	-	-	-	-	-	1	-	1
1994.....	201	2	1	1	-	1	-	-	-	1	1
1993.....	211	3	2	-	-	-	-	2	2	4	1
1992.....	224	4	1	1	-	1	-	1	-	2	1
1991.....	184	1	1	-	-	-	-	1	-	-	-
1990.....	228	1	-	-	-	-	-	-	2	2	2
1989.....	213	3	-	1	-	-	-	-	3	-	-
1988.....	195	6	2	-	-	1	-	1	-	1	1
1987.....	163	5	-	1	1	-	-	2	3	4	-
1986.....	173	6	-	-	-	-	1	1	1	-	3
1985.....	174	3	2	-	-	-	-	-	1	2	2
1984.....	165	1	1	-	-	-	-	1	-	1	1
1983.....	158	5	2	-	-	-	1	-	-	1	1
1982.....	170	5	4	-	-	1	1	-	-	1	1
1981.....	148	4	4	-	-	-	1	-	-	-	3
1980.....	138	6	4	-	-	-	-	1	2	1	-
1979.....	136	3	-	-	-	-	-	-	1	1	4
BLACK, BOTH SEXES											
1998.....	408	3	2	-	1	-	-	-	-	2	5
1997.....	347	4	-	-	-	1	1	2	-	2	7
1996.....	324	1	1	-	-	1	1	2	-	2	2
1995.....	359	1	2	-	-	-	-	2	3	-	4
1994.....	315	4	1	-	-	1	-	-	-	3	4
1993.....	338	11	3	-	-	-	1	4	2	6	3
1992.....	360	8	2	3	-	1	-	5	-	4	5
1991.....	330	5	1	-	-	-	1	1	1	1	-
1990.....	361	3	-	-	-	-	-	-	1	4	3
1989.....	345	4	-	-	-	1	-	-	5	2	2
1988.....	335	10	3	-	-	1	-	1	1	2	5
1987.....	302	9	4	2	1	1	2	2	6	5	3
1986.....	305	8	-	-	-	-	1	3	3	3	6
1985.....	274	4	2	-	-	-	-	-	2	3	2
1984.....	283	4	-	-	1	-	-	1	1	1	3
1983.....	292	11	2	-	1	-	1	1	2	2	2
1982.....	287	7	4	1	-	1	1	-	1	2	4
1981.....	245	11	4	-	-	-	-	-	-	-	5
1980.....	257	12	4	-	1	-	1	2	3	3	3
1979.....	270	17	-	-	-	-	-	-	1	3	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)											
BLACK MALE											
1998.....	150	1	-	-	-	-	-	-	-	1	4
1997.....	150	3	-	-	-	-	-	-	-	1	5
1996.....	138	-	-	-	-	-	-	1	-	-	1
1995.....	142	-	2	-	-	-	-	2	2	-	3
1994.....	130	2	-	-	-	-	-	-	-	2	3
1993.....	146	8	1	-	-	-	1	2	1	2	2
1992.....	157	4	1	2	-	-	-	4	-	2	4
1991.....	161	4	-	-	-	-	1	-	1	1	-
1990.....	152	2	-	-	-	-	-	-	-	2	1
1989.....	143	1	-	-	-	1	-	-	2	2	2
1988.....	159	5	1	-	-	-	-	-	1	1	4
1987.....	152	4	4	1	-	1	2	-	3	1	3
1986.....	149	2	-	-	-	-	-	2	2	3	3
1985.....	111	1	-	-	-	-	-	-	1	1	-
1984.....	131	3	-	-	1	-	-	-	1	-	2
1983.....	149	6	-	-	1	-	-	1	2	1	1
1982.....	130	2	1	1	-	-	-	-	1	1	3
1981.....	107	7	-	-	-	-	1	-	-	-	2
1980.....	126	6	-	-	1	-	1	1	1	2	3
1979.....	142	14	-	-	-	-	-	-	-	2	2
BLACK FEMALE											
1998.....	258	2	2	-	1	-	-	-	-	1	1
1997.....	197	1	-	-	-	1	1	2	-	1	2
1996.....	186	1	1	-	-	1	1	1	-	2	1
1995.....	217	1	-	-	-	-	-	-	1	-	1
1994.....	185	2	1	-	-	1	-	-	-	1	1
1993.....	192	3	2	-	-	-	-	2	1	4	1
1992.....	203	4	1	1	-	1	-	1	-	2	1
1991.....	169	1	1	-	-	-	-	1	-	-	-
1990.....	209	1	-	-	-	-	-	-	1	2	2
1989.....	202	3	-	-	-	-	-	-	3	-	-
1988.....	176	5	2	-	-	1	-	1	-	1	1
1987.....	150	5	-	1	1	-	-	2	3	4	-
1986.....	156	6	-	-	-	-	1	1	1	-	3
1985.....	163	3	2	-	-	-	-	-	1	2	2
1984.....	152	1	-	-	-	-	-	1	-	1	1
1983.....	143	5	2	-	-	-	1	-	-	1	1
1982.....	157	5	3	-	-	1	1	-	-	1	1
1981.....	138	4	4	-	-	-	1	-	-	-	3
1980.....	131	6	4	-	-	-	-	1	2	1	-
1979.....	128	3	-	-	-	-	-	-	1	1	4

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)											
TOTAL, BOTH SEXES											
1998.....	320	1	2	-	-	2	-	3	2	1	4
1997.....	300	3	-	-	1	-	1	1	1	3	6
1996.....	286	6	2	1	-	1	-	5	2	3	4
1995.....	210	1	1	1	1	1	3	1	3	-	1
1994.....	294	5	-	-	-	3	2	-	4	2	2
1993.....	258	3	-	-	-	-	-	-	2	2	4
1992.....	217	4	2	2	-	2	2	2	3	1	4
1991.....	214	4	-	-	-	-	3	3	2	3	1
1990.....	221	1	1	-	-	2	1	-	3	1	2
1989.....	213	2	-	1	-	1	1	2	1	2	2
1988.....	187	3	1	1	-	-	-	-	1	1	1
1987.....	190	4	1	-	1	1	-	3	1	-	4
1986.....	208	3	-	-	-	-	1	1	-	1	5
1985.....	197	7	-	1	-	-	3	1	1	1	6
1984.....	166	4	3	-	-	-	-	1	1	-	2
1983.....	181	7	3	-	-	1	-	2	3	2	2
1982.....	136	4	1	-	-	1	-	2	2	2	-
1981.....	147	4	1	-	-	1	-	1	-	4	3
1980.....	110	4	-	-	-	-	1	2	-	-	2
1979.....	131	2	-	-	-	-	1	3	6	3	3
TOTAL, MALE											
1998.....	94	-	1	-	-	1	-	1	1	1	2
1997.....	87	-	-	-	1	-	-	-	-	-	3
1996.....	118	4	2	-	-	1	-	2	-	1	1
1995.....	83	1	1	1	-	-	2	1	2	-	1
1994.....	116	4	-	-	-	1	1	-	1	2	1
1993.....	110	2	-	-	-	-	-	-	2	2	1
1992.....	83	-	1	2	-	2	1	-	2	1	1
1991.....	85	3	-	-	-	-	2	-	1	2	-
1990.....	83	-	-	-	-	2	-	-	2	-	-
1989.....	80	1	-	1	-	-	-	1	-	-	2
1988.....	73	2	1	-	-	-	-	-	1	1	-
1987.....	69	3	1	-	1	1	-	2	1	-	1
1986.....	81	1	-	-	-	-	-	-	-	1	2
1985.....	88	4	-	-	-	-	1	1	1	-	4
1984.....	69	3	2	-	-	-	-	-	1	-	-
1983.....	85	4	1	-	-	1	-	2	-	1	1
1982.....	59	3	-	-	-	1	-	-	1	1	-
1981.....	62	3	1	-	-	-	-	-	-	1	1
1980.....	39	3	-	-	-	-	1	2	-	-	2
1979.....	67	2	-	-	-	-	-	2	4	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)											
TOTAL, FEMALE											
1998.....	226	1	1	-	-	1	-	2	1	-	2
1997.....	213	3	-	-	-	-	1	1	1	3	3
1996.....	168	2	-	1	-	-	-	3	2	2	3
1995.....	127	-	-	-	1	1	1	-	1	-	-
1994.....	178	1	-	-	-	2	1	-	3	-	1
1993.....	148	1	-	-	-	-	-	-	-	-	3
1992.....	134	4	1	-	-	-	1	2	1	-	3
1991.....	129	1	-	-	-	-	1	3	1	1	1
1990.....	138	1	1	-	-	-	1	-	1	1	2
1989.....	133	1	-	-	-	1	1	1	1	2	-
1988.....	114	1	-	1	-	-	-	-	-	-	1
1987.....	121	1	-	-	-	-	-	1	-	-	3
1986.....	127	2	-	-	-	-	1	1	-	-	3
1985.....	109	3	-	1	-	-	2	-	-	1	2
1984.....	97	1	1	-	-	-	-	1	-	-	2
1983.....	96	3	2	-	-	-	-	-	3	1	1
1982.....	77	1	1	-	-	-	-	2	1	1	-
1981.....	85	1	-	-	-	1	-	1	-	3	2
1980.....	71	1	-	-	-	-	-	-	-	-	-
1979.....	64	-	-	-	-	-	1	1	2	-	1
WHITE, BOTH SEXES											
1998.....	285	1	1	-	-	2	-	3	2	1	1
1997.....	265	2	-	-	1	-	1	1	-	2	6
1996.....	245	4	1	1	-	1	-	4	1	2	2
1995.....	182	-	1	1	1	1	1	1	3	-	-
1994.....	250	2	-	-	-	2	1	-	1	1	1
1993.....	217	1	-	-	-	-	-	-	1	2	3
1992.....	178	2	1	2	-	2	1	2	2	1	3
1991.....	186	3	-	-	-	-	3	2	1	2	1
1990.....	191	1	1	-	-	2	1	-	2	1	2
1989.....	176	2	-	1	-	-	1	1	-	-	2
1988.....	163	2	1	1	-	-	-	-	1	1	1
1987.....	167	1	1	-	1	1	-	3	1	-	2
1986.....	177	2	-	-	-	-	1	1	-	1	4
1985.....	163	2	-	-	-	-	3	-	1	-	3
1984.....	152	4	2	-	-	-	-	1	1	-	1
1983.....	153	5	2	-	-	-	-	1	3	2	2
1982.....	123	4	1	-	-	1	-	2	2	2	-
1981.....	121	4	-	-	-	1	-	1	-	2	3
1980.....	90	-	-	-	-	-	1	2	-	-	1
1979.....	117	1	-	-	-	-	1	2	5	3	3

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)											
WHITE MALE											
1998.....	77	-	-	-	-	1	-	1	1	1	-
1997.....	75	-	-	-	1	-	-	-	-	-	3
1996.....	98	2	1	-	-	1	-	2	-	1	1
1995.....	69	-	1	1	-	-	1	1	2	-	-
1994.....	99	1	-	-	-	1	1	-	-	1	-
1993.....	91	1	-	-	-	-	-	-	1	2	1
1992.....	66	-	-	2	-	2	1	-	2	1	1
1991.....	74	3	-	-	-	-	2	-	-	1	-
1990.....	67	-	-	-	-	2	-	-	1	-	-
1989.....	66	1	-	1	-	-	-	-	-	-	2
1988.....	62	1	1	-	-	-	-	-	1	1	-
1987.....	58	-	1	-	1	1	-	2	1	-	-
1986.....	70	1	-	-	-	-	-	-	-	1	2
1985.....	68	1	-	-	-	-	1	-	1	-	3
1984.....	59	3	1	-	-	-	-	-	1	-	-
1983.....	67	3	-	-	-	-	-	1	-	1	1
1982.....	55	3	-	-	-	1	-	-	1	1	-
1981.....	53	3	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	1	2	-	-	1
1979.....	59	1	-	-	-	-	-	2	3	3	2
WHITE FEMALE											
1998.....	208	1	1	-	-	1	-	2	1	-	1
1997.....	190	2	-	-	-	-	1	1	-	2	3
1996.....	147	2	-	1	-	-	-	2	1	1	1
1995.....	113	-	-	-	1	1	-	-	1	-	-
1994.....	151	1	-	-	-	1	-	-	1	-	1
1993.....	126	-	-	-	-	-	-	-	-	-	2
1992.....	112	2	1	-	-	-	-	2	-	-	2
1991.....	112	-	-	-	-	-	1	2	1	1	1
1990.....	124	1	1	-	-	-	1	-	1	1	2
1989.....	110	1	-	-	-	-	1	1	-	-	-
1988.....	101	1	-	1	-	-	-	-	-	-	1
1987.....	109	1	-	-	-	-	-	1	-	-	2
1986.....	107	1	-	-	-	-	1	1	-	-	2
1985.....	95	1	-	-	-	-	2	-	-	-	-
1984.....	93	1	1	-	-	-	-	1	-	-	1
1983.....	86	2	2	-	-	-	-	-	3	1	1
1982.....	68	1	1	-	-	-	-	2	1	1	-
1981.....	68	1	-	-	-	1	-	1	-	2	2
1980.....	61	-	-	-	-	-	-	-	-	-	-
1979.....	58	-	-	-	-	-	1	-	2	-	1

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)											
ALL OTHER, BOTH SEXES											
1998.....	35	-	1	-	-	-	-	-	-	-	3
1997.....	35	1	-	-	-	-	-	-	1	1	-
1996.....	41	2	1	-	-	-	-	1	1	1	2
1995.....	28	1	-	-	-	-	2	-	-	-	1
1994.....	44	3	-	-	-	1	1	-	3	1	1
1993.....	41	2	-	-	-	-	-	-	1	-	1
1992.....	39	2	1	-	-	-	1	-	1	-	1
1991.....	28	1	-	-	-	-	-	1	1	1	-
1990.....	30	-	-	-	-	-	-	-	1	-	-
1989.....	37	-	-	-	-	1	-	1	1	2	-
1988.....	24	1	-	-	-	-	-	-	-	-	-
1987.....	23	3	-	-	-	-	-	-	-	-	2
1986.....	31	1	-	-	-	-	-	-	-	-	1
1985.....	34	5	-	1	-	-	-	1	-	1	3
1984.....	14	-	1	-	-	-	-	-	-	-	1
1983.....	28	2	1	-	-	1	-	1	-	-	-
1982.....	13	-	-	-	-	-	-	-	-	-	-
1981.....	26	-	1	-	-	-	-	-	-	2	-
1980.....	20	4	-	-	-	-	-	-	-	-	1
1979.....	14	1	-	-	-	-	-	1	1	-	-
ALL OTHER MALE											
1998.....	17	-	1	-	-	-	-	-	-	-	2
1997.....	12	-	-	-	-	-	-	-	-	-	-
1996.....	20	2	1	-	-	-	-	-	-	-	-
1995.....	14	1	-	-	-	-	1	-	-	-	1
1994.....	17	3	-	-	-	-	-	-	1	1	1
1993.....	19	1	-	-	-	-	-	-	1	-	-
1992.....	17	-	1	-	-	-	-	-	-	-	-
1991.....	11	-	-	-	-	-	-	-	1	1	-
1990.....	16	-	-	-	-	-	-	-	1	-	-
1989.....	14	-	-	-	-	-	-	1	-	-	-
1988.....	11	1	-	-	-	-	-	-	-	-	-
1987.....	11	3	-	-	-	-	-	-	-	-	1
1986.....	11	-	-	-	-	-	-	-	-	-	-
1985.....	20	3	-	-	-	-	-	1	-	-	1
1984.....	10	-	1	-	-	-	-	-	-	-	-
1983.....	18	1	1	-	-	1	-	1	-	-	-
1982.....	4	-	-	-	-	-	-	-	-	-	-
1981.....	9	-	1	-	-	-	-	-	-	1	-
1980.....	10	3	-	-	-	-	-	-	-	-	1
1979.....	8	1	-	-	-	-	-	-	1	-	-

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)											
ALL OTHER FEMALE											
1998.....	18	-	-	-	-	-	-	-	-	-	1
1997.....	23	1	-	-	-	-	-	-	1	1	-
1996.....	21	-	-	-	-	-	-	1	1	1	2
1995.....	14	-	-	-	-	-	1	-	-	-	-
1994.....	27	-	-	-	-	1	1	-	2	-	-
1993.....	22	1	-	-	-	-	-	-	-	-	1
1992.....	22	2	-	-	-	-	1	-	1	-	1
1991.....	17	1	-	-	-	-	-	1	-	-	-
1990.....	14	-	-	-	-	-	-	-	-	-	-
1989.....	23	-	-	-	-	1	-	-	1	2	-
1988.....	13	-	-	-	-	-	-	-	-	-	-
1987.....	12	-	-	-	-	-	-	-	-	-	1
1986.....	20	1	-	-	-	-	-	-	-	-	1
1985.....	14	2	-	1	-	-	-	-	-	1	2
1984.....	4	-	-	-	-	-	-	-	-	-	1
1983.....	10	1	-	-	-	-	-	-	-	-	-
1982.....	9	-	-	-	-	-	-	-	-	-	-
1981.....	17	-	-	-	-	-	-	-	-	1	-
1980.....	10	1	-	-	-	-	-	-	-	-	-
1979.....	6	-	-	-	-	-	-	1	-	-	-
BLACK, BOTH SEXES											
1998.....	31	-	1	-	-	-	-	-	-	-	3
1997.....	32	1	-	-	-	-	-	-	1	1	-
1996.....	39	2	1	-	-	-	-	1	1	1	2
1995.....	27	1	-	-	-	-	2	-	-	-	1
1994.....	43	3	-	-	-	1	1	-	3	1	1
1993.....	39	1	-	-	-	-	-	-	1	-	1
1992.....	36	2	1	-	-	-	1	-	1	-	1
1991.....	28	1	-	-	-	-	-	1	1	1	-
1990.....	28	-	-	-	-	-	-	-	1	-	-
1989.....	33	-	-	-	-	1	-	1	1	2	-
1988.....	21	1	-	-	-	-	-	-	-	-	-
1987.....	21	3	-	-	-	-	-	-	-	-	2
1986.....	30	1	-	-	-	-	-	-	-	-	1
1985.....	31	5	-	1	-	-	-	1	-	1	3
1984.....	14	-	1	-	-	-	-	-	-	-	1
1983.....	27	2	1	-	-	1	-	1	-	-	-
1982.....	11	-	-	-	-	-	-	-	-	-	-
1981.....	23	-	1	-	-	-	-	-	-	2	-
1980.....	17	4	-	-	-	-	-	-	-	-	1
1979.....	12	1	-	-	-	-	-	1	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)											
BLACK MALE											
1998.....	16	-	1	-	-	-	-	-	-	-	2
1997.....	10	-	-	-	-	-	-	-	-	-	-
1996.....	19	2	1	-	-	-	-	-	-	-	-
1995.....	13	1	-	-	-	-	1	-	-	-	1
1994.....	17	3	-	-	-	-	-	-	1	1	1
1993.....	18	-	-	-	-	-	-	-	1	-	-
1992.....	16	-	1	-	-	-	-	-	-	-	-
1991.....	11	-	-	-	-	-	-	-	1	1	-
1990.....	15	-	-	-	-	-	-	-	1	-	-
1989.....	12	-	-	-	-	-	-	1	-	-	-
1988.....	9	1	-	-	-	-	-	-	-	-	-
1987.....	10	3	-	-	-	-	-	-	-	-	1
1986.....	10	-	-	-	-	-	-	-	-	-	-
1985.....	19	3	-	-	-	-	-	1	-	-	1
1984.....	10	-	1	-	-	-	-	-	-	-	-
1983.....	17	1	1	-	-	1	-	1	-	-	-
1982.....	4	-	-	-	-	-	-	-	-	-	-
1981.....	8	-	1	-	-	-	-	-	-	1	-
1980.....	9	3	-	-	-	-	-	-	-	-	1
1979.....	6	1	-	-	-	-	-	-	1	-	-
BLACK FEMALE											
1998.....	15	-	-	-	-	-	-	-	-	-	1
1997.....	22	1	-	-	-	-	-	-	1	1	-
1996.....	20	-	-	-	-	-	-	1	1	1	2
1995.....	14	-	-	-	-	-	1	-	-	-	-
1994.....	26	-	-	-	-	1	1	-	2	-	-
1993.....	21	1	-	-	-	-	-	-	-	-	1
1992.....	20	2	-	-	-	-	1	-	1	-	1
1991.....	17	1	-	-	-	-	-	1	-	-	-
1990.....	13	-	-	-	-	-	-	-	-	-	-
1989.....	21	-	-	-	-	1	-	-	1	2	-
1988.....	12	-	-	-	-	-	-	-	-	-	-
1987.....	11	-	-	-	-	-	-	-	-	-	1
1986.....	20	1	-	-	-	-	-	-	-	-	1
1985.....	12	2	-	1	-	-	-	-	-	1	2
1984.....	4	-	-	-	-	-	-	-	-	-	1
1983.....	10	1	-	-	-	-	-	-	-	-	-
1982.....	7	-	-	-	-	-	-	-	-	-	-
1981.....	15	-	-	-	-	-	-	-	-	1	-
1980.....	8	1	-	-	-	-	-	-	-	-	-
1979.....	6	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)											
TOTAL, BOTH SEXES											
1998.....	10,637	94	59	34	39	50	100	113	144	201	224
1997.....	10,251	81	62	55	39	55	69	124	127	189	226
1996.....	10,013	79	65	41	40	61	97	104	167	196	229
1995.....	10,197	79	69	45	52	63	122	129	146	235	258
1994.....	9,712	69	72	57	45	62	101	129	208	216	253
1993.....	9,709	104	77	32	46	65	102	147	186	221	209
1992.....	9,447	112	100	45	52	70	120	143	189	208	217
1991.....	9,313	100	78	39	53	53	81	142	183	180	231
1990.....	9,027	83	77	43	39	72	108	138	184	223	189
1989.....	8,590	90	77	45	39	62	99	133	177	210	195
1988.....	8,315	75	64	37	35	65	96	111	141	169	154
1987.....	8,117	63	65	48	29	62	91	125	190	154	151
1986.....	7,777	65	86	49	34	72	100	116	152	161	145
1985.....	7,691	77	81	40	54	63	80	123	130	144	141
1984.....	7,305	87	87	53	44	84	106	99	100	122	138
1983.....	7,162	91	84	55	57	72	100	130	107	122	127
1982.....	6,562	88	97	40	40	89	93	101	99	113	108
1981.....	6,367	76	73	43	57	74	103	94	92	107	124
1980.....	6,376	97	89	69	45	60	128	117	124	106	101
1979.....	6,201	122	103	43	67	87	122	110	110	104	119
TOTAL, MALE											
1998.....	5,001	53	28	16	20	25	60	61	81	96	112
1997.....	4,777	40	34	24	21	24	37	67	73	100	131
1996.....	4,799	43	38	26	23	36	45	57	87	103	138
1995.....	4,797	37	36	23	27	27	71	74	79	126	137
1994.....	4,692	40	34	32	20	39	51	74	106	132	144
1993.....	4,610	62	46	19	26	37	59	95	102	115	119
1992.....	4,563	57	62	22	35	34	75	86	102	118	126
1991.....	4,470	58	40	15	32	39	46	79	97	108	132
1990.....	4,454	47	48	25	21	39	61	81	102	122	117
1989.....	4,152	51	49	16	20	39	56	65	104	115	116
1988.....	3,971	47	37	24	11	34	55	62	90	91	91
1987.....	3,896	30	41	23	14	34	37	78	109	96	81
1986.....	3,739	34	48	29	21	42	54	75	80	91	85
1985.....	3,714	48	43	21	29	35	42	68	78	79	74
1984.....	3,497	42	51	24	19	47	54	52	53	63	62
1983.....	3,466	51	47	29	32	32	63	61	62	69	74
1982.....	3,107	49	44	22	25	53	52	55	53	55	52
1981.....	3,117	44	41	25	36	40	59	47	54	49	58
1980.....	3,009	54	54	40	18	35	65	55	66	54	48
1979.....	3,060	72	59	25	41	53	68	57	50	59	61

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)											
TOTAL, FEMALE											
1998.....	5,636	41	31	18	19	25	40	52	63	105	112
1997.....	5,474	41	28	31	18	31	32	57	54	89	95
1996.....	5,214	36	27	15	17	25	52	47	80	93	91
1995.....	5,400	42	33	22	25	36	51	55	67	109	121
1994.....	5,020	29	38	25	25	23	50	55	102	84	109
1993.....	5,099	42	31	13	20	28	43	52	84	106	90
1992.....	4,884	55	38	23	17	36	45	57	87	90	91
1991.....	4,843	42	38	24	21	14	35	63	86	72	99
1990.....	4,573	36	29	18	18	33	47	57	82	101	72
1989.....	4,438	39	28	29	19	23	43	68	73	95	79
1988.....	4,344	28	27	13	24	31	41	49	51	78	63
1987.....	4,221	33	24	25	15	28	54	47	81	58	70
1986.....	4,038	31	38	20	13	30	46	41	72	70	60
1985.....	3,977	29	38	19	25	28	38	55	52	65	67
1984.....	3,808	45	36	29	25	37	52	47	47	59	76
1983.....	3,696	40	37	26	25	40	37	69	45	53	53
1982.....	3,455	39	53	18	15	36	41	46	46	58	56
1981.....	3,250	32	32	18	21	34	44	47	38	58	66
1980.....	3,367	43	35	29	27	25	63	29	58	52	53
1979.....	3,141	50	44	18	26	34	54	53	60	45	58
WHITE, BOTH SEXES											
1998.....	8,809	55	35	18	26	24	42	32	57	85	115
1997.....	8,519	52	24	27	18	28	25	48	62	79	116
1996.....	8,309	51	27	27	27	28	47	36	74	74	115
1995.....	8,411	45	31	21	23	23	42	45	65	121	146
1994.....	8,008	41	35	32	25	30	42	51	86	101	127
1993.....	8,020	70	38	21	25	32	37	66	85	99	102
1992.....	7,824	68	49	25	26	38	43	56	81	99	121
1991.....	7,723	66	37	24	35	16	27	64	73	86	128
1990.....	7,433	50	34	25	18	29	49	57	71	101	108
1989.....	7,067	48	41	29	24	33	40	64	75	107	109
1988.....	6,964	47	22	19	21	31	39	57	73	75	98
1987.....	6,835	40	34	24	14	31	39	55	81	71	88
1986.....	6,518	28	43	26	23	38	44	42	58	89	90
1985.....	6,415	46	29	23	28	33	31	57	61	77	82
1984.....	6,149	60	40	31	27	51	47	45	36	59	88
1983.....	6,017	53	32	33	34	30	43	55	55	74	77
1982.....	5,484	52	48	25	24	48	35	40	50	57	71
1981.....	5,336	45	38	25	37	44	44	41	37	40	76
1980.....	5,288	59	43	50	27	35	65	47	56	53	52
1979.....	5,151	81	51	30	41	54	57	56	60	55	65

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)											
WHITE MALE											
1998.....	4,138	28	15	8	12	13	27	18	34	42	60
1997.....	3,969	30	8	13	10	10	13	26	41	38	77
1996.....	3,979	31	16	17	15	17	24	20	40	40	67
1995.....	3,974	21	14	11	11	9	27	26	33	70	82
1994.....	3,876	25	18	17	11	22	24	31	47	64	76
1993.....	3,826	40	22	13	18	19	22	47	51	52	65
1992.....	3,771	34	28	10	19	19	26	36	50	65	70
1991.....	3,697	38	20	11	23	10	19	37	42	55	76
1990.....	3,606	28	21	11	10	14	27	34	43	57	70
1989.....	3,403	27	27	14	12	24	23	29	43	63	66
1988.....	3,325	35	12	12	6	20	25	30	47	41	58
1987.....	3,234	19	22	12	7	20	11	32	40	43	46
1986.....	3,140	16	24	16	14	25	19	28	37	56	52
1985.....	3,092	28	18	11	15	13	14	34	37	46	48
1984.....	2,922	30	21	13	11	30	22	19	23	31	35
1983.....	2,889	27	21	19	20	16	25	26	31	45	45
1982.....	2,591	30	17	14	16	30	18	25	25	29	31
1981.....	2,600	30	23	18	24	26	26	19	21	17	33
1980.....	2,463	35	27	26	10	21	26	19	30	28	19
1979.....	2,552	48	25	17	25	35	31	30	26	32	34
WHITE FEMALE											
1998.....	4,671	27	20	10	14	11	15	14	23	43	55
1997.....	4,550	22	16	14	8	18	12	22	21	41	39
1996.....	4,330	20	11	10	12	11	23	16	34	34	48
1995.....	4,437	24	17	10	12	14	15	19	32	51	64
1994.....	4,132	16	17	15	14	8	18	20	39	37	51
1993.....	4,194	30	16	8	7	13	15	19	34	47	37
1992.....	4,053	34	21	15	7	19	17	20	31	34	51
1991.....	4,026	28	17	13	12	6	8	27	31	31	52
1990.....	3,827	22	13	14	8	15	22	23	28	44	38
1989.....	3,664	21	14	15	12	9	17	35	32	44	43
1988.....	3,639	12	10	7	15	11	14	27	26	34	40
1987.....	3,601	21	12	12	7	11	28	23	41	28	42
1986.....	3,378	12	19	10	9	13	25	14	21	33	38
1985.....	3,323	18	11	12	13	20	17	23	24	31	34
1984.....	3,227	30	19	18	16	21	25	26	13	28	53
1983.....	3,128	26	11	14	14	14	18	29	24	29	32
1982.....	2,893	22	31	11	8	18	17	15	25	28	40
1981.....	2,736	15	15	7	13	18	18	22	16	23	43
1980.....	2,825	24	16	24	17	14	39	28	26	25	33
1979.....	2,599	33	26	13	16	19	26	26	34	23	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)											
ALL OTHER, BOTH SEXES											
1998.....	1,828	39	24	16	13	26	58	81	87	116	109
1997.....	1,732	29	38	28	21	27	44	76	65	110	110
1996.....	1,704	28	38	14	13	33	50	68	93	122	114
1995.....	1,786	34	38	24	29	40	80	84	81	114	112
1994.....	1,704	28	37	25	20	32	59	78	122	115	126
1993.....	1,689	34	39	11	21	33	65	81	101	122	107
1992.....	1,623	44	51	20	26	32	77	87	108	109	96
1991.....	1,590	34	41	15	18	37	54	78	110	94	103
1990.....	1,594	33	43	18	21	43	59	81	113	122	81
1989.....	1,523	42	36	16	15	29	59	69	102	103	86
1988.....	1,351	28	42	18	14	34	57	54	68	94	56
1987.....	1,282	23	31	24	15	31	52	70	109	83	63
1986.....	1,259	37	43	23	11	34	56	74	94	72	55
1985.....	1,276	31	52	17	26	30	49	66	69	67	59
1984.....	1,156	27	47	22	17	33	59	54	64	63	50
1983.....	1,145	38	52	22	23	42	57	75	52	48	50
1982.....	1,078	36	49	15	16	41	58	61	49	56	37
1981.....	1,031	31	35	18	20	30	59	53	55	67	48
1980.....	1,088	38	46	19	18	25	63	70	68	53	49
1979.....	1,050	41	52	13	26	33	65	54	50	49	54
ALL OTHER MALE											
1998.....	863	25	13	8	8	12	33	43	47	54	52
1997.....	808	10	26	11	11	14	24	41	32	62	54
1996.....	820	12	22	9	8	19	21	37	47	63	71
1995.....	823	16	22	12	16	18	44	48	46	56	55
1994.....	816	15	16	15	9	17	27	43	59	68	68
1993.....	784	22	24	6	8	18	37	48	51	63	54
1992.....	792	23	34	12	16	15	49	50	52	53	56
1991.....	773	20	20	4	9	29	27	42	55	53	56
1990.....	848	19	27	14	11	25	34	47	59	65	47
1989.....	749	24	22	2	8	15	33	36	61	52	50
1988.....	646	12	25	12	5	14	30	32	43	50	33
1987.....	662	11	19	11	7	14	26	46	69	53	35
1986.....	599	18	24	13	7	17	35	47	43	35	33
1985.....	622	20	25	10	14	22	28	34	41	33	26
1984.....	575	12	30	11	8	17	32	33	30	32	27
1983.....	577	24	26	10	12	16	38	35	31	24	29
1982.....	516	19	27	8	9	23	34	30	28	26	21
1981.....	517	14	18	7	12	14	33	28	33	32	25
1980.....	546	19	27	14	8	14	39	36	36	26	29
1979.....	508	24	34	8	16	18	37	27	24	27	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)											
ALL OTHER FEMALE											
1998.....	965	14	11	8	5	14	25	38	40	62	57
1997.....	924	19	12	17	10	13	20	35	33	48	56
1996.....	884	16	16	5	5	14	29	31	46	59	43
1995.....	963	18	16	12	13	22	36	36	35	58	57
1994.....	888	13	21	10	11	15	32	35	63	47	58
1993.....	905	12	15	5	13	15	28	33	50	59	53
1992.....	831	21	17	8	10	17	28	37	56	56	40
1991.....	817	14	21	11	9	8	27	36	55	41	47
1990.....	746	14	16	4	10	18	25	34	54	57	34
1989.....	774	18	14	14	7	14	26	33	41	51	36
1988.....	705	16	17	6	9	20	27	22	25	44	23
1987.....	620	12	12	13	8	17	26	24	40	30	28
1986.....	660	19	19	10	4	17	21	27	51	37	22
1985.....	654	11	27	7	12	8	21	32	28	34	33
1984.....	581	15	17	11	9	16	27	21	34	31	23
1983.....	568	14	26	12	11	26	19	40	21	24	21
1982.....	562	17	22	7	7	18	24	31	21	30	16
1981.....	514	17	17	11	8	16	26	25	22	35	23
1980.....	542	19	19	5	10	11	24	34	32	27	20
1979.....	542	17	18	5	10	15	28	27	26	22	27
BLACK, BOTH SEXES											
1998.....	1,619	31	22	14	11	21	57	79	84	110	101
1997.....	1,547	22	36	27	18	24	42	72	64	105	105
1996.....	1,529	19	35	14	13	32	46	67	90	115	111
1995.....	1,615	23	36	21	28	40	77	82	77	111	109
1994.....	1,563	18	36	22	19	32	58	76	116	110	124
1993.....	1,532	25	36	11	21	30	61	80	99	120	102
1992.....	1,481	35	48	19	24	29	70	86	101	102	93
1991.....	1,448	28	38	15	18	33	49	73	106	88	97
1990.....	1,454	24	38	17	20	39	58	80	112	117	79
1989.....	1,401	33	32	11	14	28	57	67	100	99	84
1988.....	1,234	19	39	17	12	31	55	52	65	92	52
1987.....	1,185	18	30	24	14	27	49	63	107	81	63
1986.....	1,148	28	40	19	10	32	55	73	94	67	52
1985.....	1,180	27	50	16	25	28	48	64	65	64	56
1984.....	1,059	19	43	19	17	32	57	53	61	59	49
1983.....	1,076	30	50	21	20	40	56	73	52	48	48
1982.....	1,005	32	48	15	16	36	55	58	48	53	35
1981.....	964	27	35	18	18	27	56	51	53	65	41
1980.....	1,025	35	44	18	17	24	62	70	64	51	48
1979.....	986	34	52	11	22	32	65	51	49	49	52

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)											
BLACK MALE											
1998.....	749	20	12	6	7	9	32	42	45	52	46
1997.....	724	7	25	11	9	12	23	38	31	59	50
1996.....	736	8	21	9	8	19	18	37	44	59	68
1995.....	731	9	21	10	15	18	44	47	46	54	54
1994.....	751	12	16	14	9	17	27	43	58	65	67
1993.....	699	18	21	6	8	15	35	47	49	61	53
1992.....	730	20	33	12	15	14	45	50	48	52	55
1991.....	693	17	19	4	9	25	23	38	53	49	53
1990.....	767	14	23	13	10	24	33	46	59	64	46
1989.....	695	19	19	2	8	14	32	35	61	51	50
1988.....	579	9	22	11	4	12	29	31	40	49	31
1987.....	611	9	19	11	7	12	26	43	68	51	35
1986.....	544	14	22	9	6	16	34	46	43	33	32
1985.....	581	17	25	9	14	21	27	33	38	32	26
1984.....	517	9	26	11	8	17	31	32	27	31	26
1983.....	538	20	26	9	10	15	37	34	31	24	28
1982.....	474	16	27	8	9	19	32	28	28	26	20
1981.....	481	12	18	7	10	13	31	27	32	32	22
1980.....	506	18	25	14	8	13	38	36	33	25	28
1979.....	476	22	34	6	13	17	37	25	23	27	27
BLACK FEMALE											
1998.....	870	11	10	8	4	12	25	37	39	58	55
1997.....	823	15	11	16	9	12	19	34	33	46	55
1996.....	793	11	14	5	5	13	28	30	46	56	43
1995.....	884	14	15	11	13	22	33	35	31	57	55
1994.....	812	6	20	8	10	15	31	33	58	45	57
1993.....	833	7	15	5	13	15	26	33	50	59	49
1992.....	751	15	15	7	9	15	25	36	53	50	38
1991.....	755	11	19	11	9	8	26	35	53	39	44
1990.....	687	10	15	4	10	15	25	34	53	53	33
1989.....	706	14	13	9	6	14	25	32	39	48	34
1988.....	655	10	17	6	8	19	26	21	25	43	21
1987.....	574	9	11	13	7	15	23	20	39	30	28
1986.....	604	14	18	10	4	16	21	27	51	34	20
1985.....	599	10	25	7	11	7	21	31	27	32	30
1984.....	542	10	17	8	9	15	26	21	34	28	23
1983.....	538	10	24	12	10	25	19	39	21	24	20
1982.....	531	16	21	7	7	17	23	30	20	27	15
1981.....	483	15	17	11	8	14	25	24	21	33	19
1980.....	519	17	19	4	9	11	24	34	31	26	20
1979.....	510	12	18	5	9	15	28	26	26	22	25

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
TOTAL, BOTH SEXES											
1998.....	4,544	23	31	20	26	30	63	84	84	109	111
1997.....	4,471	25	40	38	25	34	51	71	63	103	101
1996.....	4,332	31	40	29	25	35	57	75	90	97	107
1995.....	4,556	34	48	31	43	46	87	80	79	112	106
1994.....	4,380	28	48	38	27	39	62	97	132	117	121
1993.....	4,315	44	44	22	31	46	72	89	97	126	86
1992.....	4,246	48	65	30	32	42	85	87	112	112	110
1991.....	4,121	29	47	23	33	41	53	89	108	86	88
1990.....	4,092	29	51	28	23	47	77	84	103	111	84
1989.....	3,993	38	50	26	21	43	69	76	99	110	74
1988.....	3,816	27	43	27	27	41	69	66	78	83	62
1987.....	3,813	19	46	41	21	43	60	78	121	85	66
1986.....	3,708	21	61	38	22	41	73	74	102	71	47
1985.....	3,694	17	60	32	41	45	59	81	74	60	66
1984.....	3,527	33	65	36	36	49	73	69	59	65	49
1983.....	3,487	38	58	36	45	50	76	79	67	56	52
1982.....	3,292	35	69	31	30	56	71	73	61	59	58
1981.....	3,300	25	48	35	40	54	67	58	58	64	64
1980.....	3,238	24	63	45	34	45	88	83	74	50	48
1979.....	3,171	35	73	32	51	58	87	70	62	55	64
TOTAL, MALE											
1998.....	1,873	13	15	9	16	15	37	43	48	51	49
1997.....	1,805	11	25	19	14	15	27	38	32	57	53
1996.....	1,820	15	23	15	16	19	26	43	44	44	51
1995.....	1,855	18	25	15	19	19	52	46	47	56	52
1994.....	1,909	15	27	21	12	24	29	56	66	73	60
1993.....	1,789	28	23	14	15	25	39	53	54	63	41
1992.....	1,825	18	39	17	20	20	52	50	59	65	59
1991.....	1,758	19	25	8	19	32	30	42	57	49	46
1990.....	1,770	21	31	16	11	30	46	49	57	53	48
1989.....	1,688	22	30	8	10	27	38	41	54	56	41
1988.....	1,614	15	25	17	8	22	41	35	48	42	36
1987.....	1,670	9	27	19	9	20	30	53	68	51	37
1986.....	1,633	8	32	21	13	25	43	47	47	33	27
1985.....	1,633	13	29	17	21	25	34	47	45	30	34
1984.....	1,545	16	34	14	15	27	41	41	29	33	19
1983.....	1,571	18	30	20	28	22	49	37	39	32	29
1982.....	1,452	20	30	17	18	34	41	43	33	23	29
1981.....	1,519	14	26	17	25	31	38	31	34	26	37
1980.....	1,421	13	34	27	14	30	48	40	40	24	22
1979.....	1,475	24	40	18	29	34	47	38	26	31	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
TOTAL, FEMALE											
1998.....	2,671	10	16	11	10	15	26	41	36	58	62
1997.....	2,666	14	15	19	11	19	24	33	31	46	48
1996.....	2,512	16	17	14	9	16	31	32	46	53	56
1995.....	2,701	16	23	16	24	27	35	34	32	56	54
1994.....	2,471	13	21	17	15	15	33	41	66	44	61
1993.....	2,526	16	21	8	16	21	33	36	43	63	45
1992.....	2,421	30	26	13	12	22	33	37	53	47	51
1991.....	2,363	10	22	15	14	9	23	47	51	37	42
1990.....	2,322	8	20	12	12	17	31	35	46	58	36
1989.....	2,305	16	20	18	11	16	31	35	45	54	33
1988.....	2,202	12	18	10	19	19	28	31	30	41	26
1987.....	2,143	10	19	22	12	23	30	25	53	34	29
1986.....	2,075	13	29	17	9	16	30	27	55	38	20
1985.....	2,061	4	31	15	20	20	25	34	29	30	32
1984.....	1,982	17	31	22	21	22	32	28	30	32	30
1983.....	1,916	20	28	16	17	28	27	42	28	24	23
1982.....	1,840	15	39	14	12	22	30	30	28	36	29
1981.....	1,781	11	22	18	15	23	29	27	24	38	27
1980.....	1,817	11	29	18	20	15	40	43	34	26	26
1979.....	1,696	11	33	14	22	24	40	32	36	24	32
WHITE, BOTH SEXES											
1998.....	3,503	11	13	11	15	8	14	13	13	25	33
1997.....	3,473	8	11	15	7	13	13	9	17	16	28
1996.....	3,340	15	11	16	15	9	16	13	19	19	33
1995.....	3,461	17	15	13	19	10	19	11	18	29	34
1994.....	3,332	13	16	19	14	12	12	26	34	31	41
1993.....	3,308	21	15	12	13	17	21	20	24	38	19
1992.....	3,241	20	25	13	15	16	20	17	26	30	39
1991.....	3,180	16	15	10	19	11	9	22	30	26	35
1990.....	3,136	16	17	10	9	12	23	16	20	29	34
1989.....	3,089	15	20	12	12	16	18	20	21	41	24
1988.....	3,034	10	8	12	14	16	24	21	24	23	27
1987.....	3,027	8	18	17	8	15	15	17	34	25	27
1986.....	2,949	6	23	18	13	18	22	12	23	25	18
1985.....	2,931	7	14	17	19	20	16	26	26	20	28
1984.....	2,844	17	23	21	21	19	27	23	13	25	27
1983.....	2,786	18	13	16	25	16	25	19	27	27	28
1982.....	2,620	16	25	18	17	24	22	23	18	23	31
1981.....	2,658	11	18	17	24	30	20	15	17	17	30
1980.....	2,550	7	26	29	19	23	36	22	20	16	19
1979.....	2,504	19	28	23	25	29	30	27	23	21	32

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
WHITE MALE											
1998.....	1,391	5	5	5	9	5	9	6	9	11	16
1997.....	1,353	4	3	9	4	4	6	5	7	8	19
1996.....	1,372	8	6	7	10	5	8	9	8	6	14
1995.....	1,362	9	6	6	8	3	13	6	11	15	15
1994.....	1,423	9	12	9	5	9	5	16	17	23	24
1993.....	1,336	12	7	8	8	9	11	13	15	18	11
1992.....	1,349	5	14	6	11	9	11	10	17	19	17
1991.....	1,305	11	8	5	12	7	6	8	15	14	17
1990.....	1,274	12	9	2	3	7	14	9	12	16	22
1989.....	1,267	6	14	6	6	14	10	8	8	22	16
1988.....	1,247	8	7	7	3	11	16	7	13	12	18
1987.....	1,269	4	10	8	4	8	4	9	15	16	15
1986.....	1,272	4	10	11	7	13	10	5	12	12	11
1985.....	1,264	4	8	9	9	7	8	17	17	11	17
1984.....	1,203	9	9	9	7	10	12	11	7	11	7
1983.....	1,217	6	7	11	16	9	15	8	14	16	16
1982.....	1,132	9	7	10	10	14	10	17	7	10	14
1981.....	1,193	7	10	10	16	20	11	6	8	5	17
1980.....	1,085	3	15	15	7	16	14	9	10	7	5
1979.....	1,163	14	13	13	13	18	14	15	8	12	18
WHITE FEMALE											
1998.....	2,112	6	8	6	6	3	5	7	4	14	17
1997.....	2,120	4	8	6	3	9	7	4	10	8	9
1996.....	1,968	7	5	9	5	4	8	4	11	13	19
1995.....	2,099	8	9	7	11	7	6	5	7	14	19
1994.....	1,909	4	4	10	9	3	7	10	17	8	17
1993.....	1,972	9	8	4	5	8	10	7	9	20	8
1992.....	1,892	15	11	7	4	7	9	7	9	11	22
1991.....	1,875	5	7	5	7	4	3	14	15	12	18
1990.....	1,862	4	8	8	6	5	9	7	8	13	12
1989.....	1,822	9	6	6	6	2	8	12	13	19	8
1988.....	1,787	2	1	5	11	5	8	14	11	11	9
1987.....	1,758	4	8	9	4	7	11	8	19	9	12
1986.....	1,677	2	13	7	6	5	12	7	11	13	7
1985.....	1,667	3	6	8	10	13	8	9	9	9	11
1984.....	1,641	8	14	12	14	9	15	12	6	14	20
1983.....	1,569	12	6	5	9	7	10	11	13	11	12
1982.....	1,488	7	18	8	7	10	12	6	11	13	17
1981.....	1,465	4	8	7	8	10	9	9	9	12	13
1980.....	1,465	4	11	14	12	7	22	13	10	9	14
1979.....	1,341	5	15	10	12	11	16	12	15	9	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
ALL OTHER, BOTH SEXES											
1998.....	1,041	12	18	9	11	22	49	71	71	84	78
1997.....	998	17	29	23	18	21	38	62	46	87	73
1996.....	992	16	29	13	10	26	41	62	71	78	74
1995.....	1,095	17	33	18	24	36	68	69	61	83	72
1994.....	1,048	15	32	19	13	27	50	71	98	86	80
1993.....	1,007	23	29	10	18	29	51	69	73	88	67
1992.....	1,005	28	40	17	17	26	65	70	86	82	71
1991.....	941	13	32	13	14	30	44	67	78	60	53
1990.....	956	13	34	18	14	35	54	68	83	82	50
1989.....	904	23	30	14	9	27	51	56	78	69	50
1988.....	782	17	35	15	13	25	45	45	54	60	35
1987.....	786	11	28	24	13	28	45	61	87	60	39
1986.....	759	15	38	20	9	23	51	62	79	46	29
1985.....	763	10	46	15	22	25	43	55	48	40	38
1984.....	683	16	42	15	15	30	46	46	46	40	22
1983.....	701	20	45	20	20	34	51	60	40	29	24
1982.....	672	19	44	13	13	32	49	50	43	36	27
1981.....	642	14	30	18	16	24	47	43	41	47	34
1980.....	688	17	37	16	15	22	52	61	54	34	29
1979.....	667	16	45	9	26	29	57	43	39	34	32
ALL OTHER MALE											
1998.....	482	8	10	4	7	10	28	37	39	40	33
1997.....	452	7	22	10	10	11	21	33	25	49	34
1996.....	448	7	17	8	6	14	18	34	36	38	37
1995.....	493	9	19	9	11	16	39	40	36	41	37
1994.....	486	6	15	12	7	15	24	40	49	50	36
1993.....	453	16	16	6	7	16	28	40	39	45	30
1992.....	476	13	25	11	9	11	41	40	42	46	42
1991.....	453	8	17	3	7	25	24	34	42	35	29
1990.....	496	9	22	14	8	23	32	40	45	37	26
1989.....	421	16	16	2	4	13	28	33	46	34	25
1988.....	367	7	18	10	5	11	25	28	35	30	18
1987.....	401	5	17	11	5	12	26	44	53	35	22
1986.....	361	4	22	10	6	12	33	42	35	21	16
1985.....	369	9	21	8	12	18	26	30	28	19	17
1984.....	342	7	25	5	8	17	29	30	22	22	12
1983.....	354	12	23	9	12	13	34	29	25	16	13
1982.....	320	11	23	7	8	20	31	26	26	13	15
1981.....	326	7	16	7	9	11	27	25	26	21	20
1980.....	336	10	19	12	7	14	34	31	30	17	17
1979.....	312	10	27	5	16	16	33	23	18	19	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
ALL OTHER FEMALE											
1998.....	559	4	8	5	4	12	21	34	32	44	45
1997.....	546	10	7	13	8	10	17	29	21	38	39
1996.....	544	9	12	5	4	12	23	28	35	40	37
1995.....	602	8	14	9	13	20	29	29	25	42	35
1994.....	562	9	17	7	6	12	26	31	49	36	44
1993.....	554	7	13	4	11	13	23	29	34	43	37
1992.....	529	15	15	6	8	15	24	30	44	36	29
1991.....	488	5	15	10	7	5	20	33	36	25	24
1990.....	460	4	12	4	6	12	22	28	38	45	24
1989.....	483	7	14	12	5	14	23	23	32	35	25
1988.....	415	10	17	5	8	14	20	17	19	30	17
1987.....	385	6	11	13	8	16	19	17	34	25	17
1986.....	398	11	16	10	3	11	18	20	44	25	13
1985.....	394	1	25	7	10	7	17	25	20	21	21
1984.....	341	9	17	10	7	13	17	16	24	18	10
1983.....	347	8	22	11	8	21	17	31	15	13	11
1982.....	352	8	21	6	5	12	18	24	17	23	12
1981.....	316	7	14	11	7	13	20	18	15	26	14
1980.....	352	7	18	4	8	8	18	30	24	17	12
1979.....	355	6	18	4	10	13	24	20	21	15	18
BLACK, BOTH SEXES											
1998.....	953	6	17	9	9	20	48	70	69	83	76
1997.....	927	11	28	23	17	18	36	59	45	85	72
1996.....	929	8	28	13	10	26	39	61	70	77	74
1995.....	1,014	8	31	17	23	36	67	68	59	82	72
1994.....	991	7	32	18	12	27	50	70	96	85	79
1993.....	947	15	28	10	18	26	50	69	73	87	66
1992.....	947	21	40	16	17	25	61	69	83	79	71
1991.....	883	10	31	13	14	26	40	64	77	57	52
1990.....	887	6	30	17	13	32	53	67	82	79	49
1989.....	852	17	29	9	9	27	51	55	76	69	49
1988.....	731	9	34	15	11	23	44	43	53	59	34
1987.....	739	8	28	24	12	24	43	59	86	60	39
1986.....	706	8	36	17	9	22	50	61	79	44	28
1985.....	717	7	45	14	21	24	42	53	47	39	37
1984.....	640	11	39	12	15	30	45	45	44	40	22
1983.....	665	14	44	19	17	34	50	59	40	29	23
1982.....	632	16	43	13	13	27	47	49	43	36	26
1981.....	615	12	30	18	14	23	46	43	41	46	30
1980.....	660	15	36	15	14	21	52	61	53	33	29
1979.....	637	10	45	9	22	28	57	41	38	34	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANEMIAS (280-285)											
BLACK MALE											
1998.....	429	4	9	4	6	8	27	37	38	39	32
1997.....	423	5	21	10	9	9	20	30	24	48	33
1996.....	419	4	17	8	6	14	16	34	35	38	37
1995.....	450	2	18	9	10	16	39	39	36	40	37
1994.....	461	3	15	12	7	15	24	40	48	49	36
1993.....	424	12	15	6	7	13	28	40	39	44	30
1992.....	450	11	25	11	9	11	39	40	41	45	42
1991.....	420	8	16	3	7	21	20	32	42	32	29
1990.....	460	5	19	13	7	22	31	39	45	37	26
1989.....	401	13	16	2	4	13	28	32	46	34	25
1988.....	337	4	17	10	4	10	24	27	34	30	17
1987.....	378	4	17	11	5	10	26	42	53	35	22
1986.....	334	2	21	7	6	12	32	41	35	20	15
1985.....	345	7	21	7	12	18	25	29	27	19	17
1984.....	315	5	22	5	8	17	28	29	20	22	12
1983.....	334	9	23	8	10	13	33	29	25	16	12
1982.....	296	9	23	7	8	16	30	25	26	13	14
1981.....	308	5	16	7	7	10	26	25	26	21	18
1980.....	321	9	18	12	7	13	34	31	29	17	17
1979.....	298	8	27	5	13	15	33	22	17	19	14
BLACK FEMALE											
1998.....	524	2	8	5	3	12	21	33	31	44	44
1997.....	504	6	7	13	8	9	16	29	21	37	39
1996.....	510	4	11	5	4	12	23	27	35	39	37
1995.....	564	6	13	8	13	20	28	29	23	42	35
1994.....	530	4	17	6	5	12	26	30	48	36	43
1993.....	523	3	13	4	11	13	22	29	34	43	36
1992.....	497	10	15	5	8	14	22	29	42	34	29
1991.....	463	2	15	10	7	5	20	32	35	25	23
1990.....	427	1	11	4	6	10	22	28	37	42	23
1989.....	451	4	13	7	5	14	23	23	30	35	24
1988.....	394	5	17	5	7	13	20	16	19	29	17
1987.....	361	4	11	13	7	14	17	17	33	25	17
1986.....	372	6	15	10	3	10	18	20	44	24	13
1985.....	372	-	24	7	9	6	17	24	20	20	20
1984.....	325	6	17	7	7	13	17	16	24	18	10
1983.....	331	5	21	11	7	21	17	30	15	13	11
1982.....	336	7	20	6	5	11	17	24	17	23	12
1981.....	307	7	14	11	7	13	20	18	15	25	12
1980.....	339	6	18	3	7	8	18	30	24	16	12
1979.....	339	2	18	4	9	13	24	19	21	15	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DEFICIENCY ANEMIAS (280-281)											
TOTAL, BOTH SEXES											
1998.....	281	-	1	-	-	-	-	-	-	-	3
1997.....	291	-	-	-	-	-	-	-	-	2	2
1996.....	279	1	-	-	-	-	-	-	-	-	-
1995.....	281	-	2	-	-	1	-	-	-	1	1
1994.....	265	2	1	-	2	-	-	-	-	-	3
1993.....	282	1	-	-	-	-	-	-	2	1	-
1992.....	273	1	-	-	-	-	-	-	-	2	-
1991.....	298	1	-	-	-	-	1	-	-	1	4
1990.....	277	-	-	-	-	-	-	-	1	1	1
1989.....	273	1	1	-	-	-	-	-	-	2	-
1988.....	289	-	-	-	-	-	1	-	1	-	3
1987.....	270	-	3	2	-	-	1	-	-	3	1
1986.....	259	-	1	-	-	-	-	-	2	1	-
1985.....	280	1	-	-	-	-	1	-	1	1	1
1984.....	272	1	2	1	-	-	1	1	1	-	1
1983.....	287	1	-	-	-	-	-	-	2	-	1
1982.....	269	1	1	-	1	1	-	-	2	1	-
1981.....	299	1	-	-	-	-	-	1	1	-	4
1980.....	294	2	-	1	2	-	-	3	1	-	-
1979.....	318	2	-	-	-	-	1	3	1	1	1
TOTAL, MALE											
1998.....	97	-	-	-	-	-	-	-	-	-	-
1997.....	91	-	-	-	-	-	-	-	-	1	2
1996.....	92	-	-	-	-	-	-	-	-	-	-
1995.....	94	-	1	-	-	1	-	-	-	-	1
1994.....	95	2	-	-	-	-	-	-	-	-	2
1993.....	104	1	-	-	-	-	-	-	1	1	-
1992.....	84	-	-	-	-	-	-	-	-	1	-
1991.....	111	1	-	-	-	-	1	-	-	1	1
1990.....	102	-	-	-	-	-	-	-	1	-	-
1989.....	90	1	1	-	-	-	-	-	-	1	-
1988.....	104	-	-	-	-	-	1	-	-	-	2
1987.....	89	-	1	-	-	-	-	-	-	2	-
1986.....	101	-	1	-	-	-	-	-	-	1	-
1985.....	113	1	-	-	-	-	-	-	1	-	1
1984.....	102	1	-	-	-	-	1	-	-	-	-
1983.....	95	-	-	-	-	-	-	-	-	-	-
1982.....	105	-	-	-	-	-	-	-	1	-	-
1981.....	117	1	-	-	-	-	-	1	-	-	3
1980.....	96	1	-	1	1	-	-	-	1	-	-
1979.....	121	2	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DEFICIENCY ANEMIAS (280-281)											
TOTAL, FEMALE											
1998.....	184	-	1	-	-	-	-	-	-	-	3
1997.....	200	-	-	-	-	-	-	-	-	1	-
1996.....	187	1	-	-	-	-	-	-	-	-	-
1995.....	187	-	1	-	-	-	-	-	-	1	-
1994.....	170	-	1	-	2	-	-	-	-	-	1
1993.....	178	-	-	-	-	-	-	-	1	-	-
1992.....	189	1	-	-	-	-	-	-	-	1	-
1991.....	187	-	-	-	-	-	-	-	-	-	3
1990.....	175	-	-	-	-	-	-	-	-	1	1
1989.....	183	-	-	-	-	-	-	-	-	1	-
1988.....	185	-	-	-	-	-	-	-	1	-	1
1987.....	181	-	2	2	-	-	1	-	-	1	1
1986.....	158	-	-	-	-	-	-	-	2	-	-
1985.....	167	-	-	-	-	-	1	-	-	1	-
1984.....	170	-	2	1	-	-	-	1	1	-	1
1983.....	192	1	-	-	-	-	-	-	2	-	1
1982.....	164	1	1	-	1	1	-	-	1	1	-
1981.....	182	-	-	-	-	-	-	-	1	-	1
1980.....	198	1	-	-	1	-	-	3	-	-	-
1979.....	197	-	-	-	-	-	1	3	-	-	1
WHITE, BOTH SEXES											
1998.....	243	-	1	-	-	-	-	-	-	-	1
1997.....	265	-	-	-	-	-	-	-	-	1	2
1996.....	263	1	-	-	-	-	-	-	-	-	-
1995.....	243	-	-	-	-	1	-	-	-	1	-
1994.....	230	2	-	-	2	-	-	-	-	-	1
1993.....	251	-	-	-	-	-	-	-	2	1	-
1992.....	254	1	-	-	-	-	-	-	-	2	-
1991.....	259	1	-	-	-	-	-	-	-	-	3
1990.....	236	-	-	-	-	-	-	-	1	1	1
1989.....	239	-	-	-	-	-	-	-	-	2	-
1988.....	259	-	-	-	-	-	1	-	-	-	3
1987.....	238	-	1	1	-	-	1	-	-	1	1
1986.....	242	-	1	-	-	-	-	-	2	-	-
1985.....	250	1	-	-	-	-	1	-	-	-	1
1984.....	242	1	2	-	-	-	1	-	-	-	-
1983.....	260	1	-	-	-	-	-	-	1	-	1
1982.....	238	1	1	-	1	1	-	-	2	1	-
1981.....	274	1	-	-	-	-	-	-	1	-	3
1980.....	253	-	-	-	2	-	-	-	1	-	-
1979.....	291	2	-	-	-	-	-	2	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DEFICIENCY ANEMIAS (280-281)												
WHITE MALE												
1998.....	80	-	-	-	-	-	-	-	-	-	-	
1997.....	80	-	-	-	-	-	-	-	-	1	2	
1996.....	86	-	-	-	-	-	-	-	-	-	-	
1995.....	78	-	-	-	-	1	-	-	-	-	-	
1994.....	80	2	-	-	-	-	-	-	-	-	-	
1993.....	90	-	-	-	-	-	-	-	1	1	-	
1992.....	75	-	-	-	-	-	-	-	-	1	-	
1991.....	95	1	-	-	-	-	-	-	-	-	1	
1990.....	81	-	-	-	-	-	-	-	1	-	-	
1989.....	73	-	-	-	-	-	-	-	-	1	-	
1988.....	92	-	-	-	-	-	1	-	-	-	2	
1987.....	75	-	1	-	-	-	-	-	-	1	-	
1986.....	95	-	1	-	-	-	-	-	-	-	-	
1985.....	97	1	-	-	-	-	-	-	-	-	1	
1984.....	88	1	-	-	-	-	1	-	-	-	-	
1983.....	85	-	-	-	-	-	-	-	-	-	-	
1982.....	94	-	-	-	-	-	-	-	1	-	-	
1981.....	105	1	-	-	-	-	-	-	-	-	2	
1980.....	83	-	-	-	1	-	-	-	1	-	-	
1979.....	109	2	-	-	-	-	-	-	-	1	-	
WHITE FEMALE												
1998.....	163	-	1	-	-	-	-	-	-	-	1	
1997.....	185	-	-	-	-	-	-	-	-	-	-	
1996.....	177	1	-	-	-	-	-	-	-	-	-	
1995.....	165	-	-	-	-	-	-	-	-	1	-	
1994.....	150	-	-	-	2	-	-	-	-	-	1	
1993.....	161	-	-	-	-	-	-	-	1	-	-	
1992.....	179	1	-	-	-	-	-	-	-	1	-	
1991.....	164	-	-	-	-	-	-	-	-	-	2	
1990.....	155	-	-	-	-	-	-	-	-	1	1	
1989.....	166	-	-	-	-	-	-	-	-	1	-	
1988.....	167	-	-	-	-	-	-	-	-	-	1	
1987.....	163	-	-	1	-	-	1	-	-	-	1	
1986.....	147	-	-	-	-	-	-	-	2	-	-	
1985.....	153	-	-	-	-	-	1	-	-	-	-	
1984.....	154	-	2	-	-	-	-	-	-	-	-	
1983.....	175	1	-	-	-	-	-	-	1	-	1	
1982.....	144	1	1	-	1	1	-	-	1	1	-	
1981.....	169	-	-	-	-	-	-	-	1	-	1	
1980.....	170	-	-	-	1	-	-	-	-	-	-	
1979.....	182	-	-	-	-	-	-	2	-	-	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DEFICIENCY ANEMIAS (280-281)											
ALL OTHER, BOTH SEXES											
1998.....	38	-	-	-	-	-	-	-	-	-	2
1997.....	26	-	-	-	-	-	-	-	-	1	-
1996.....	16	-	-	-	-	-	-	-	-	-	-
1995.....	38	-	2	-	-	-	-	-	-	-	1
1994.....	35	-	1	-	-	-	-	-	-	-	2
1993.....	31	1	-	-	-	-	-	-	-	-	-
1992.....	19	-	-	-	-	-	-	-	-	-	-
1991.....	39	-	-	-	-	-	1	-	-	1	1
1990.....	41	-	-	-	-	-	-	-	-	-	-
1989.....	34	1	1	-	-	-	-	-	-	-	-
1988.....	30	-	-	-	-	-	-	-	1	-	-
1987.....	32	-	2	1	-	-	-	-	-	2	-
1986.....	17	-	-	-	-	-	-	-	-	1	-
1985.....	30	-	-	-	-	-	-	-	1	1	-
1984.....	30	-	-	1	-	-	-	1	1	-	1
1983.....	27	-	-	-	-	-	-	-	1	-	-
1982.....	31	-	-	-	-	-	-	-	-	-	-
1981.....	25	-	-	-	-	-	-	1	-	-	1
1980.....	41	2	-	1	-	-	-	3	-	-	-
1979.....	27	-	-	-	-	-	1	1	1	-	-
ALL OTHER MALE											
1998.....	17	-	-	-	-	-	-	-	-	-	-
1997.....	11	-	-	-	-	-	-	-	-	-	-
1996.....	6	-	-	-	-	-	-	-	-	-	-
1995.....	16	-	1	-	-	-	-	-	-	-	1
1994.....	15	-	-	-	-	-	-	-	-	-	2
1993.....	14	1	-	-	-	-	-	-	-	-	-
1992.....	9	-	-	-	-	-	-	-	-	-	-
1991.....	16	-	-	-	-	-	1	-	-	1	-
1990.....	21	-	-	-	-	-	-	-	-	-	-
1989.....	17	1	1	-	-	-	-	-	-	-	-
1988.....	12	-	-	-	-	-	-	-	-	-	-
1987.....	14	-	-	-	-	-	-	-	-	1	-
1986.....	6	-	-	-	-	-	-	-	-	1	-
1985.....	16	-	-	-	-	-	-	-	1	-	-
1984.....	14	-	-	-	-	-	-	-	-	-	-
1983.....	10	-	-	-	-	-	-	-	-	-	-
1982.....	11	-	-	-	-	-	-	-	-	-	-
1981.....	12	-	-	-	-	-	-	1	-	-	1
1980.....	13	1	-	1	-	-	-	-	-	-	-
1979.....	12	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DEFICIENCY ANEMIAS (280-281)											
ALL OTHER FEMALE											
1998.....	21	-	-	-	-	-	-	-	-	-	2
1997.....	15	-	-	-	-	-	-	-	-	1	-
1996.....	10	-	-	-	-	-	-	-	-	-	-
1995.....	22	-	1	-	-	-	-	-	-	-	-
1994.....	20	-	1	-	-	-	-	-	-	-	-
1993.....	17	-	-	-	-	-	-	-	-	-	-
1992.....	10	-	-	-	-	-	-	-	-	-	-
1991.....	23	-	-	-	-	-	-	-	-	-	1
1990.....	20	-	-	-	-	-	-	-	-	-	-
1989.....	17	-	-	-	-	-	-	-	-	-	-
1988.....	18	-	-	-	-	-	-	-	1	-	-
1987.....	18	-	2	1	-	-	-	-	-	1	-
1986.....	11	-	-	-	-	-	-	-	-	-	-
1985.....	14	-	-	-	-	-	-	-	-	1	-
1984.....	16	-	-	1	-	-	-	1	1	-	1
1983.....	17	-	-	-	-	-	-	-	1	-	-
1982.....	20	-	-	-	-	-	-	-	-	-	-
1981.....	13	-	-	-	-	-	-	-	-	-	-
1980.....	28	1	-	-	-	-	-	3	-	-	-
1979.....	15	-	-	-	-	-	1	1	-	-	-
BLACK, BOTH SEXES											
1998.....	32	-	-	-	-	-	-	-	-	-	2
1997.....	23	-	-	-	-	-	-	-	-	-	-
1996.....	14	-	-	-	-	-	-	-	-	-	-
1995.....	35	-	2	-	-	-	-	-	-	-	1
1994.....	33	-	1	-	-	-	-	-	-	-	2
1993.....	27	1	-	-	-	-	-	-	-	-	-
1992.....	16	-	-	-	-	-	-	-	-	-	-
1991.....	38	-	-	-	-	-	1	-	-	1	1
1990.....	39	-	-	-	-	-	-	-	-	-	-
1989.....	32	1	1	-	-	-	-	-	-	-	-
1988.....	29	-	-	-	-	-	-	-	1	-	-
1987.....	30	-	2	1	-	-	-	-	-	2	-
1986.....	16	-	-	-	-	-	-	-	-	1	-
1985.....	26	-	-	-	-	-	-	-	1	1	-
1984.....	29	-	-	-	-	-	-	1	1	-	1
1983.....	24	-	-	-	-	-	-	-	1	-	-
1982.....	29	-	-	-	-	-	-	-	-	-	-
1981.....	25	-	-	-	-	-	-	1	-	-	1
1980.....	40	2	-	1	-	-	-	3	-	-	-
1979.....	25	-	-	-	-	-	1	1	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DEFICIENCY ANEMIAS (280-281)												
BLACK MALE												
1998.....	14	-	-	-	-	-	-	-	-	-	-	
1997.....	10	-	-	-	-	-	-	-	-	-	-	
1996.....	5	-	-	-	-	-	-	-	-	-	-	
1995.....	14	-	1	-	-	-	-	-	-	-	1	
1994.....	14	-	-	-	-	-	-	-	-	-	2	
1993.....	12	1	-	-	-	-	-	-	-	-	-	
1992.....	6	-	-	-	-	-	-	-	-	-	-	
1991.....	16	-	-	-	-	-	1	-	-	1	-	
1990.....	20	-	-	-	-	-	-	-	-	-	-	
1989.....	16	1	1	-	-	-	-	-	-	-	-	
1988.....	11	-	-	-	-	-	-	-	-	-	-	
1987.....	13	-	-	-	-	-	-	-	-	1	-	
1986.....	6	-	-	-	-	-	-	-	-	1	-	
1985.....	15	-	-	-	-	-	-	-	1	-	-	
1984.....	14	-	-	-	-	-	-	-	-	-	-	
1983.....	9	-	-	-	-	-	-	-	-	-	-	
1982.....	10	-	-	-	-	-	-	-	-	-	-	
1981.....	12	-	-	-	-	-	-	1	-	-	1	
1980.....	13	1	-	1	-	-	-	-	-	-	-	
1979.....	11	-	-	-	-	-	-	-	1	-	-	
BLACK FEMALE												
1998.....	18	-	-	-	-	-	-	-	-	-	2	
1997.....	13	-	-	-	-	-	-	-	-	-	-	
1996.....	9	-	-	-	-	-	-	-	-	-	-	
1995.....	21	-	1	-	-	-	-	-	-	-	-	
1994.....	19	-	1	-	-	-	-	-	-	-	-	
1993.....	15	-	-	-	-	-	-	-	-	-	-	
1992.....	10	-	-	-	-	-	-	-	-	-	-	
1991.....	22	-	-	-	-	-	-	-	-	-	1	
1990.....	19	-	-	-	-	-	-	-	-	-	-	
1989.....	16	-	-	-	-	-	-	-	-	-	-	
1988.....	18	-	-	-	-	-	-	-	1	-	-	
1987.....	17	-	2	1	-	-	-	-	-	1	-	
1986.....	10	-	-	-	-	-	-	-	-	-	-	
1985.....	11	-	-	-	-	-	-	-	-	1	-	
1984.....	15	-	-	-	-	-	-	1	1	-	1	
1983.....	15	-	-	-	-	-	-	-	1	-	-	
1982.....	19	-	-	-	-	-	-	-	-	-	-	
1981.....	13	-	-	-	-	-	-	-	-	-	-	
1980.....	27	1	-	-	-	-	-	3	-	-	-	
1979.....	14	-	-	-	-	-	1	1	-	-	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMOLYTIC ANEMIAS (282-283)											
TOTAL, BOTH SEXES											
1998.....	865	19	24	10	12	20	50	69	73	88	74
1997.....	825	21	37	21	13	22	44	60	46	79	65
1996.....	860	19	34	13	17	27	40	63	73	70	74
1995.....	916	26	33	19	27	37	71	64	59	83	69
1994.....	901	20	37	21	14	26	50	71	103	73	74
1993.....	861	35	37	13	16	27	52	66	74	88	55
1992.....	921	37	56	16	15	31	66	64	81	74	69
1991.....	826	23	38	16	10	26	41	73	72	59	50
1990.....	817	22	38	18	12	32	55	67	75	69	50
1989.....	810	27	38	12	7	29	55	54	70	72	41
1988.....	696	23	39	7	10	26	45	42	49	60	33
1987.....	770	16	32	21	10	27	41	66	86	53	41
1986.....	759	13	46	17	8	25	55	55	77	49	24
1985.....	729	13	48	15	24	26	46	53	52	35	33
1984.....	687	16	40	9	15	27	48	48	40	38	19
1983.....	710	27	42	17	17	30	54	54	47	33	24
1982.....	670	20	48	12	12	25	52	55	43	33	26
1981.....	657	16	34	19	11	26	49	43	43	41	28
1980.....	659	17	48	19	11	17	54	62	51	32	24
1979.....	657	23	52	15	18	28	58	46	40	32	29
TOTAL, MALE											
1998.....	402	11	13	4	7	10	28	36	41	41	31
1997.....	382	8	24	10	7	10	24	31	23	46	33
1996.....	378	9	20	8	10	15	18	33	37	34	35
1995.....	414	15	19	11	12	14	41	37	35	41	33
1994.....	412	10	20	11	7	17	21	42	52	41	32
1993.....	393	21	21	8	6	13	31	39	42	43	26
1992.....	435	15	33	12	9	13	41	35	42	44	39
1991.....	389	15	20	6	6	21	19	35	37	30	26
1990.....	388	17	22	13	6	22	33	39	41	29	25
1989.....	362	14	22	5	3	17	28	28	38	33	19
1988.....	328	11	22	5	3	12	27	26	29	31	16
1987.....	368	8	19	11	4	12	22	45	49	32	23
1986.....	361	3	26	8	5	15	32	37	34	24	16
1985.....	354	10	23	8	11	15	27	31	32	18	16
1984.....	312	7	21	4	7	14	28	30	21	19	9
1983.....	340	14	23	7	10	10	37	29	30	20	16
1982.....	304	10	23	6	6	16	32	33	26	13	12
1981.....	297	9	19	9	4	13	28	25	27	17	16
1980.....	314	12	21	13	5	10	33	31	28	17	12
1979.....	327	14	29	9	10	18	31	27	16	20	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMOLYTIC ANEMIAS (282-283)											
TOTAL, FEMALE											
1998.....	463	8	11	6	5	10	22	33	32	47	43
1997.....	443	13	13	11	6	12	20	29	23	33	32
1996.....	482	10	14	5	7	12	22	30	36	36	39
1995.....	502	11	14	8	15	23	30	27	24	42	36
1994.....	489	10	17	10	7	9	29	29	51	32	42
1993.....	468	14	16	5	10	14	21	27	32	45	29
1992.....	486	22	23	4	6	18	25	29	39	30	30
1991.....	437	8	18	10	4	5	22	38	35	29	24
1990.....	429	5	16	5	6	10	22	28	34	40	25
1989.....	448	13	16	7	4	12	27	26	32	39	22
1988.....	368	12	17	2	7	14	18	16	20	29	17
1987.....	402	8	13	10	6	15	19	21	37	21	18
1986.....	398	10	20	9	3	10	23	18	43	25	8
1985.....	375	3	25	7	13	11	19	22	20	17	17
1984.....	375	9	19	5	8	13	20	18	19	19	10
1983.....	370	13	19	10	7	20	17	25	17	13	8
1982.....	366	10	25	6	6	9	20	22	17	20	14
1981.....	360	7	15	10	7	13	21	18	16	24	12
1980.....	345	5	27	6	6	7	21	31	23	15	12
1979.....	330	9	23	6	8	10	27	19	24	12	16
WHITE, BOTH SEXES											
1998.....	342	7	6	2	4	2	5	5	7	12	10
1997.....	318	7	8	2	1	4	8	6	4	1	6
1996.....	331	5	6	3	7	2	3	8	7	2	10
1995.....	350	10	5	5	4	4	7	4	3	6	8
1994.....	352	7	8	4	3	2	3	7	13	5	9
1993.....	342	17	10	3	2	4	5	4	7	12	2
1992.....	376	13	17	3	3	6	7	6	6	8	8
1991.....	353	12	10	5	2	-	3	9	5	8	9
1990.....	337	12	8	3	1	3	5	3	7	6	7
1989.....	358	9	9	5	-	7	5	6	4	13	3
1988.....	314	6	5	1	1	3	6	3	6	8	7
1987.....	350	6	8	4	2	4	3	7	10	3	8
1986.....	370	2	11	2	1	6	7	2	4	10	4
1985.....	338	4	4	3	8	6	4	5	7	3	5
1984.....	348	5	6	2	2	3	8	5	4	4	4
1983.....	344	7	3	1	3	5	9	4	12	8	4
1982.....	325	6	8	3	3	2	8	10	5	3	7
1981.....	320	5	7	4	2	9	7	3	6	2	5
1980.....	305	3	16	6	2	6	8	9	5	4	5
1979.....	307	10	11	8	4	5	7	6	6	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HEMOLYTIC ANEMIAS (282-283)												
WHITE MALE												
1998.....	142	3	3	-	2	2	2	1	5	5	3	
1997.....	123	3	2	1	-	-	4	3	1	1	4	
1996.....	120	3	3	1	4	2	2	5	4	-	3	
1995.....	126	7	3	2	2	-	5	1	1	3	3	
1994.....	147	4	5	1	1	2	-	3	7	3	6	
1993.....	126	10	6	2	-	1	4	3	4	4	-	
1992.....	140	3	8	2	2	2	3	1	3	7	2	
1991.....	143	9	5	3	1	-	1	3	1	1	2	
1990.....	133	10	3	1	-	2	4	2	4	2	5	
1989.....	143	2	7	3	-	5	1	1	-	6	2	
1988.....	124	4	4	1	-	2	4	-	2	2	3	
1987.....	131	3	4	2	1	2	-	3	3	2	5	
1986.....	153	1	4	1	-	4	1	-	2	5	4	
1985.....	144	2	2	1	5	1	1	4	5	2	2	
1984.....	136	3	2	-	-	1	3	2	3	3	-	
1983.....	145	2	1	-	2	3	7	3	7	5	4	
1982.....	120	3	-	2	1	1	3	8	1	2	3	
1981.....	124	4	4	2	1	5	4	2	3	-	2	
1980.....	125	3	7	3	1	4	2	4	2	2	1	
1979.....	144	7	3	5	2	4	2	5	2	3	2	
WHITE FEMALE												
1998.....	200	4	3	2	2	-	3	4	2	7	7	
1997.....	195	4	6	1	1	4	4	3	3	-	2	
1996.....	211	2	3	2	3	-	1	3	3	2	7	
1995.....	224	3	2	3	2	4	2	3	2	3	5	
1994.....	205	3	3	3	2	-	3	4	6	2	3	
1993.....	216	7	4	1	2	3	1	1	3	8	2	
1992.....	236	10	9	1	1	4	4	5	3	1	6	
1991.....	210	3	5	2	1	-	2	6	4	7	7	
1990.....	204	2	5	2	1	1	1	1	3	4	2	
1989.....	215	7	2	2	-	2	4	5	4	7	1	
1988.....	190	2	1	-	1	1	2	3	4	6	4	
1987.....	219	3	4	2	1	2	3	4	7	1	3	
1986.....	217	1	7	1	1	2	6	2	2	5	-	
1985.....	194	2	2	2	3	5	3	1	2	1	3	
1984.....	212	2	4	2	2	2	5	3	1	1	4	
1983.....	199	5	2	1	1	2	2	1	5	3	-	
1982.....	205	3	8	1	2	1	5	2	4	1	4	
1981.....	196	1	3	2	1	4	3	1	3	2	3	
1980.....	180	-	9	3	1	2	6	5	3	2	4	
1979.....	163	3	8	3	2	1	5	1	4	1	3	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMOLYTIC ANEMIAS (282-283)											
ALL OTHER, BOTH SEXES											
1998.....	523	12	18	8	8	18	45	64	66	76	64
1997.....	507	14	29	19	12	18	36	54	42	78	59
1996.....	529	14	28	10	10	25	37	55	66	68	64
1995.....	566	16	28	14	23	33	64	60	56	77	61
1994.....	549	13	29	17	11	24	47	64	90	68	65
1993.....	519	18	27	10	14	23	47	62	67	76	53
1992.....	545	24	39	13	12	25	59	58	75	66	61
1991.....	473	11	28	11	8	26	38	64	67	51	41
1990.....	480	10	30	15	11	29	50	64	68	63	43
1989.....	452	18	29	7	7	22	50	48	66	59	38
1988.....	382	17	34	6	9	23	39	39	43	52	26
1987.....	420	10	24	17	8	23	38	59	76	50	33
1986.....	389	11	35	15	7	19	48	53	73	39	20
1985.....	391	9	44	12	16	20	42	48	45	32	28
1984.....	339	11	34	7	13	24	40	43	36	34	15
1983.....	366	20	39	16	14	25	45	50	35	25	20
1982.....	345	14	40	9	9	23	44	45	38	30	19
1981.....	337	11	27	15	9	17	42	40	37	39	23
1980.....	354	14	32	13	9	11	46	53	46	28	19
1979.....	350	13	41	7	14	23	51	40	34	28	24
ALL OTHER MALE											
1998.....	260	8	10	4	5	8	26	35	36	36	28
1997.....	259	5	22	9	7	10	20	28	22	45	29
1996.....	258	6	17	7	6	13	16	28	33	34	32
1995.....	288	8	16	9	10	14	36	36	34	38	30
1994.....	265	6	15	10	6	15	21	39	45	38	26
1993.....	267	11	15	6	6	12	27	36	38	39	26
1992.....	295	12	25	10	7	11	38	34	39	37	37
1991.....	246	6	15	3	5	21	18	32	36	29	24
1990.....	255	7	19	12	6	20	29	37	37	27	20
1989.....	219	12	15	2	3	12	27	27	38	27	17
1988.....	204	7	18	4	3	10	23	26	27	29	13
1987.....	237	5	15	9	3	10	22	42	46	30	18
1986.....	208	2	22	7	5	11	31	37	32	19	12
1985.....	210	8	21	7	6	14	26	27	27	16	14
1984.....	176	4	19	4	7	13	25	28	18	16	9
1983.....	195	12	22	7	8	7	30	26	23	15	12
1982.....	184	7	23	4	5	15	29	25	25	11	9
1981.....	173	5	15	7	3	8	24	23	24	17	14
1980.....	189	9	14	10	4	6	31	27	26	15	11
1979.....	183	7	26	4	8	14	29	22	14	17	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMOLYTIC ANEMIAS (282-283)											
ALL OTHER FEMALE											
1998.....	263	4	8	4	3	10	19	29	30	40	36
1997.....	248	9	7	10	5	8	16	26	20	33	30
1996.....	271	8	11	3	4	12	21	27	33	34	32
1995.....	278	8	12	5	13	19	28	24	22	39	31
1994.....	284	7	14	7	5	9	26	25	45	30	39
1993.....	252	7	12	4	8	11	20	26	29	37	27
1992.....	250	12	14	3	5	14	21	24	36	29	24
1991.....	227	5	13	8	3	5	20	32	31	22	17
1990.....	225	3	11	3	5	9	21	27	31	36	23
1989.....	233	6	14	5	4	10	23	21	28	32	21
1988.....	178	10	16	2	6	13	16	13	16	23	13
1987.....	183	5	9	8	5	13	16	17	30	20	15
1986.....	181	9	13	8	2	8	17	16	41	20	8
1985.....	181	1	23	5	10	6	16	21	18	16	14
1984.....	163	7	15	3	6	11	15	15	18	18	6
1983.....	171	8	17	9	6	18	15	24	12	10	8
1982.....	161	7	17	5	4	8	15	20	13	19	10
1981.....	164	6	12	8	6	9	18	17	13	22	9
1980.....	165	5	18	3	5	5	15	26	20	13	8
1979.....	167	6	15	3	6	9	22	18	20	11	13
BLACK, BOTH SEXES											
1998.....	504	6	17	8	7	17	45	63	64	75	64
1997.....	486	8	28	19	12	15	34	53	42	77	59
1996.....	511	6	27	10	10	25	36	54	65	68	64
1995.....	548	7	27	14	23	33	63	59	55	76	61
1994.....	537	5	29	16	11	24	47	64	90	68	65
1993.....	504	11	26	10	14	23	47	62	67	75	53
1992.....	530	19	39	13	12	24	57	58	74	65	61
1991.....	463	8	27	11	8	25	36	64	67	50	41
1990.....	463	4	28	14	10	28	49	64	68	62	43
1989.....	438	13	28	6	7	22	50	47	66	59	38
1988.....	364	9	33	6	9	21	38	39	43	52	26
1987.....	408	7	24	17	8	23	37	58	76	50	33
1986.....	375	4	34	15	7	19	48	53	73	37	20
1985.....	379	6	44	11	15	19	41	47	44	32	28
1984.....	332	7	34	7	13	24	40	43	35	34	15
1983.....	355	14	39	16	14	25	44	50	35	25	19
1982.....	335	11	39	9	9	21	43	45	38	30	19
1981.....	331	9	27	15	8	17	42	40	37	38	22
1980.....	348	12	32	12	8	11	46	53	45	28	19
1979.....	342	8	41	7	14	22	51	40	34	28	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEMOLYTIC ANEMIAS (282-283)											
BLACK MALE											
1998.....	249	4	9	4	4	7	26	35	35	35	28
1997.....	249	3	21	9	7	8	19	27	22	44	29
1996.....	250	3	17	7	6	13	15	28	32	34	32
1995.....	277	1	16	9	10	14	36	35	34	37	30
1994.....	262	3	15	10	6	15	21	39	45	38	26
1993.....	258	8	14	6	6	12	27	36	38	38	26
1992.....	290	11	25	10	7	11	36	34	39	37	37
1991.....	240	6	14	3	5	20	16	32	36	28	24
1990.....	246	3	17	11	5	20	28	37	37	27	20
1989.....	214	10	15	2	3	12	27	26	38	27	17
1988.....	194	4	17	4	3	9	22	26	27	29	13
1987.....	231	4	15	9	3	10	22	41	46	30	18
1986.....	202	-	21	7	5	11	31	37	32	18	12
1985.....	201	6	21	6	6	14	25	26	26	16	14
1984.....	173	3	19	4	7	13	25	28	17	16	9
1983.....	189	9	22	7	8	7	29	26	23	15	11
1982.....	178	5	23	4	5	13	28	25	25	11	9
1981.....	170	3	15	7	2	8	24	23	24	17	14
1980.....	186	8	14	10	4	6	31	27	25	15	11
1979.....	180	6	26	4	8	13	29	22	14	17	11
BLACK FEMALE											
1998.....	255	2	8	4	3	10	19	28	29	40	36
1997.....	237	5	7	10	5	7	15	26	20	33	30
1996.....	261	3	10	3	4	12	21	26	33	34	32
1995.....	271	6	11	5	13	19	27	24	21	39	31
1994.....	275	2	14	6	5	9	26	25	45	30	39
1993.....	246	3	12	4	8	11	20	26	29	37	27
1992.....	240	8	14	3	5	13	21	24	35	28	24
1991.....	223	2	13	8	3	5	20	32	31	22	17
1990.....	217	1	11	3	5	8	21	27	31	35	23
1989.....	224	3	13	4	4	10	23	21	28	32	21
1988.....	170	5	16	2	6	12	16	13	16	23	13
1987.....	177	3	9	8	5	13	15	17	30	20	15
1986.....	173	4	13	8	2	8	17	16	41	19	8
1985.....	178	-	23	5	9	5	16	21	18	16	14
1984.....	159	4	15	3	6	11	15	15	18	18	6
1983.....	166	5	17	9	6	18	15	24	12	10	8
1982.....	157	6	16	5	4	8	15	20	13	19	10
1981.....	161	6	12	8	6	9	18	17	13	21	8
1980.....	162	4	18	2	4	5	15	26	20	13	8
1979.....	162	2	15	3	6	9	22	18	20	11	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APLASTIC ANEMIA (284)											
TOTAL, BOTH SEXES											
1998.....	1,337	1	6	10	13	7	9	14	8	13	20
1997.....	1,323	1	3	16	12	12	7	6	12	11	15
1996.....	1,317	8	6	13	8	7	13	8	13	11	16
1995.....	1,370	5	10	10	16	7	14	11	13	18	18
1994.....	1,327	4	8	16	9	11	11	17	25	25	22
1993.....	1,318	2	5	9	15	15	18	14	12	23	18
1992.....	1,299	7	8	12	16	9	18	20	25	24	26
1991.....	1,258	3	4	7	22	14	10	14	22	17	21
1990.....	1,294	2	12	10	10	13	21	14	14	26	22
1989.....	1,282	5	10	14	13	12	13	15	16	20	21
1988.....	1,302	3	3	20	15	12	22	21	23	12	18
1987.....	1,269	2	10	18	11	15	16	10	23	24	18
1986.....	1,254	5	10	20	14	15	14	16	15	15	13
1985.....	1,273	1	12	16	14	18	12	21	18	17	17
1984.....	1,295	6	18	26	21	20	22	16	16	17	25
1983.....	1,268	5	15	16	28	19	20	22	13	19	24
1982.....	1,179	7	16	17	15	30	16	16	11	17	19
1981.....	1,138	2	10	16	29	28	15	13	11	13	20
1980.....	1,133	3	11	25	20	27	29	16	14	15	16
1979.....	1,123	3	17	16	29	27	26	17	19	14	22
TOTAL, MALE											
1998.....	642	-	2	5	8	3	6	7	6	4	12
1997.....	629	1	1	8	7	5	3	4	6	5	8
1996.....	618	4	3	6	6	3	6	6	5	3	6
1995.....	618	2	4	2	7	3	10	7	7	10	10
1994.....	667	2	6	9	3	5	8	10	12	19	13
1993.....	606	2	1	6	9	10	7	9	5	12	9
1992.....	618	3	5	5	11	6	11	14	15	14	11
1991.....	589	2	3	2	12	10	9	6	11	11	9
1990.....	607	-	8	3	5	7	13	9	7	19	15
1989.....	614	3	7	3	7	9	9	8	10	11	14
1988.....	614	3	3	12	5	8	12	8	15	7	13
1987.....	617	1	6	8	5	7	7	8	12	14	10
1986.....	590	3	5	12	8	9	8	8	10	7	8
1985.....	615	1	6	9	9	10	7	11	11	9	9
1984.....	607	3	10	10	8	11	11	9	7	8	9
1983.....	632	2	6	11	18	12	12	5	7	10	12
1982.....	572	6	7	9	10	18	8	10	4	7	8
1981.....	573	1	5	8	21	18	8	4	5	4	10
1980.....	549	-	9	13	8	20	13	9	8	5	6
1979.....	580	3	8	8	17	15	15	9	8	6	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APLASTIC ANEMIA (284)											
TOTAL, FEMALE											
1998.....	695	1	4	5	5	4	3	7	2	9	8
1997.....	694	-	2	8	5	7	4	2	6	6	7
1996.....	699	4	3	7	2	4	7	2	8	8	10
1995.....	752	3	6	8	9	4	4	4	6	8	8
1994.....	660	2	2	7	6	6	3	7	13	6	9
1993.....	712	-	4	3	6	5	11	5	7	11	9
1992.....	681	4	3	7	5	3	7	6	10	10	15
1991.....	669	1	1	5	10	4	1	8	11	6	12
1990.....	687	2	4	7	5	6	8	5	7	7	7
1989.....	668	2	3	11	6	3	4	7	6	9	7
1988.....	688	-	-	8	10	4	10	13	8	5	5
1987.....	652	1	4	10	6	8	9	2	11	10	8
1986.....	664	2	5	8	6	6	6	8	5	8	5
1985.....	658	-	6	7	5	8	5	10	7	8	8
1984.....	688	3	8	16	13	9	11	7	9	9	16
1983.....	636	3	9	5	10	7	8	17	6	9	12
1982.....	607	1	9	8	5	12	8	6	7	10	11
1981.....	565	1	5	8	8	10	7	9	6	9	10
1980.....	584	3	2	12	12	7	16	7	6	10	10
1979.....	543	-	9	8	12	12	11	8	11	8	7
WHITE, BOTH SEXES											
1998.....	1,188	1	6	9	11	4	5	7	5	8	15
1997.....	1,169	-	3	12	6	9	5	2	11	9	9
1996.....	1,191	6	5	12	8	6	9	3	10	8	13
1995.....	1,211	4	9	6	15	4	10	6	10	14	14
1994.....	1,196	3	7	14	7	8	8	13	20	18	18
1993.....	1,179	1	4	9	11	11	15	11	10	17	9
1992.....	1,152	5	7	10	11	8	13	10	17	15	21
1991.....	1,097	1	3	5	16	10	6	11	15	13	15
1990.....	1,144	1	9	7	7	9	17	12	7	18	17
1989.....	1,144	4	10	7	11	8	12	12	9	15	16
1988.....	1,171	3	3	11	12	10	16	17	16	10	14
1987.....	1,140	2	8	12	6	10	10	8	16	20	14
1986.....	1,132	3	8	16	12	12	11	8	11	13	9
1985.....	1,150	1	10	13	9	13	11	15	16	13	14
1984.....	1,165	1	11	19	19	14	16	15	9	14	21
1983.....	1,147	5	9	13	22	11	16	12	12	17	21
1982.....	1,071	5	14	14	12	21	11	13	8	15	16
1981.....	1,040	1	8	13	22	21	12	12	9	9	17
1980.....	1,026	3	9	23	14	17	24	11	10	12	12
1979.....	1,030	2	14	14	19	22	21	15	15	12	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APLASTIC ANEMIA (284)											
WHITE MALE											
1998.....	565	-	2	5	7	2	4	5	3	3	9
1997.....	558	-	1	7	4	4	2	1	5	4	6
1996.....	566	3	3	6	6	2	4	2	4	2	5
1995.....	549	1	3	2	6	1	7	5	6	8	8
1994.....	596	2	6	7	2	5	5	10	9	13	10
1993.....	544	1	1	6	8	7	6	7	5	7	5
1992.....	556	2	5	4	9	6	8	8	12	9	9
1991.....	515	-	3	2	10	6	5	4	7	8	8
1990.....	521	-	6	1	3	5	10	7	4	13	11
1989.....	543	3	7	3	6	8	8	5	5	7	10
1988.....	554	3	3	6	3	7	10	6	9	6	11
1987.....	553	1	4	6	3	5	4	6	8	12	7
1986.....	529	2	5	10	7	9	6	4	7	7	5
1985.....	556	1	6	8	4	6	7	9	11	7	9
1984.....	538	-	4	9	7	7	7	8	4	5	7
1983.....	564	2	5	9	14	6	8	2	6	10	11
1982.....	524	5	7	7	8	13	6	9	4	7	6
1981.....	525	1	5	8	15	15	6	4	4	3	10
1980.....	492	-	7	12	5	12	11	5	5	5	3
1979.....	535	2	8	7	10	13	11	8	5	6	12
WHITE FEMALE											
1998.....	623	1	4	4	4	2	1	2	2	5	6
1997.....	611	-	2	5	2	5	3	1	6	5	3
1996.....	625	3	2	6	2	4	5	1	6	6	8
1995.....	662	3	6	4	9	3	3	1	4	6	6
1994.....	600	1	1	7	5	3	3	3	11	5	8
1993.....	635	-	3	3	3	4	9	4	5	10	4
1992.....	596	3	2	6	2	2	5	2	5	6	12
1991.....	582	1	-	3	6	4	1	7	8	5	7
1990.....	623	1	3	6	4	4	7	5	3	5	6
1989.....	601	1	3	4	5	-	4	7	4	8	6
1988.....	617	-	-	5	9	3	6	11	7	4	3
1987.....	587	1	4	6	3	5	6	2	8	8	7
1986.....	603	1	3	6	5	3	5	4	4	6	4
1985.....	594	-	4	5	5	7	4	6	5	6	5
1984.....	627	1	7	10	12	7	9	7	5	9	14
1983.....	583	3	4	4	8	5	8	10	6	7	10
1982.....	547	-	7	7	4	8	5	4	4	8	10
1981.....	515	-	3	5	7	6	6	8	5	6	7
1980.....	534	3	2	11	9	5	13	6	5	7	9
1979.....	495	-	6	7	9	9	10	7	10	6	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APLASTIC ANEMIA (284)											
ALL OTHER, BOTH SEXES											
1998.....	149	-	-	1	2	3	4	7	3	5	5
1997.....	154	1	-	4	6	3	2	4	1	2	6
1996.....	126	2	1	1	-	1	4	5	3	3	3
1995.....	159	1	1	4	1	3	4	5	3	4	4
1994.....	131	1	1	2	2	3	3	4	5	7	4
1993.....	139	1	1	-	4	4	3	3	2	6	9
1992.....	147	2	1	2	5	1	5	10	8	9	5
1991.....	161	2	1	2	6	4	4	3	7	4	6
1990.....	150	1	3	3	3	4	4	2	7	8	5
1989.....	138	1	-	7	2	4	1	3	7	5	5
1988.....	131	-	-	9	3	2	6	4	7	2	4
1987.....	129	-	2	6	5	5	6	2	7	4	4
1986.....	122	2	2	4	2	3	3	8	4	2	4
1985.....	123	-	2	3	5	5	1	6	2	4	3
1984.....	130	5	7	7	2	6	6	1	7	3	4
1983.....	121	-	6	3	6	8	4	10	1	2	3
1982.....	108	2	2	3	3	9	5	3	3	2	3
1981.....	98	1	2	3	7	7	3	1	2	4	3
1980.....	107	-	2	2	6	10	5	5	4	3	4
1979.....	93	1	3	2	10	5	5	2	4	2	4
ALL OTHER MALE											
1998.....	77	-	-	-	1	1	2	2	3	1	3
1997.....	71	1	-	1	3	1	1	3	1	1	2
1996.....	52	1	-	-	-	1	2	4	1	1	1
1995.....	69	1	1	-	1	2	3	2	1	2	2
1994.....	71	-	-	2	1	-	3	-	3	6	3
1993.....	62	1	-	-	1	3	1	2	-	5	4
1992.....	62	1	-	1	2	-	3	6	3	5	2
1991.....	74	2	-	-	2	4	4	2	4	3	1
1990.....	86	-	2	2	2	2	3	2	3	6	4
1989.....	71	-	-	-	1	1	1	3	5	4	4
1988.....	60	-	-	6	2	1	2	2	6	1	2
1987.....	64	-	2	2	2	2	3	2	4	2	3
1986.....	61	1	-	2	1	-	2	4	3	-	3
1985.....	59	-	-	1	5	4	-	2	-	2	-
1984.....	69	3	6	1	1	4	4	1	3	3	2
1983.....	68	-	1	2	4	6	4	3	1	-	1
1982.....	48	1	-	2	2	5	2	1	-	-	2
1981.....	48	-	-	-	6	3	2	-	1	1	-
1980.....	57	-	2	1	3	8	2	4	3	-	3
1979.....	45	1	-	1	7	2	4	1	3	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APLASTIC ANEMIA (284)											
ALL OTHER FEMALE											
1998.....	72	-	-	1	1	2	2	5	-	4	2
1997.....	83	-	-	3	3	2	1	1	-	1	4
1996.....	74	1	1	1	-	-	2	1	2	2	2
1995.....	90	-	-	4	-	1	1	3	2	2	2
1994.....	60	1	1	-	1	3	-	4	2	1	1
1993.....	77	-	1	-	3	1	2	1	2	1	5
1992.....	85	1	1	1	3	1	2	4	5	4	3
1991.....	87	-	1	2	4	-	-	1	3	1	5
1990.....	64	1	1	1	1	2	1	-	4	2	1
1989.....	67	1	-	7	1	3	-	-	2	1	1
1988.....	71	-	-	3	1	1	4	2	1	1	2
1987.....	65	-	-	4	3	3	3	-	3	2	1
1986.....	61	1	2	2	1	3	1	4	1	2	1
1985.....	64	-	2	2	-	1	1	4	2	2	3
1984.....	61	2	1	6	1	2	2	-	4	-	2
1983.....	53	-	5	1	2	2	-	7	-	2	2
1982.....	60	1	2	1	1	4	3	2	3	2	1
1981.....	50	1	2	3	1	4	1	1	1	3	3
1980.....	50	-	-	1	3	2	3	1	1	3	1
1979.....	48	-	3	1	3	3	1	1	1	2	1
BLACK, BOTH SEXES											
1998.....	113	-	-	1	1	2	3	7	3	5	3
1997.....	127	1	-	4	5	3	2	2	-	2	5
1996.....	105	2	1	1	-	1	3	5	3	2	3
1995.....	121	1	-	3	-	3	4	5	2	4	4
1994.....	109	1	1	2	1	3	3	3	4	7	3
1993.....	113	-	1	-	4	2	2	3	2	6	8
1992.....	118	-	1	1	5	1	3	9	6	7	5
1991.....	126	2	1	2	6	1	2	-	6	2	5
1990.....	118	-	1	3	3	3	4	1	6	7	4
1989.....	114	1	-	3	2	4	1	3	5	5	4
1988.....	115	-	-	9	1	2	6	2	6	1	3
1987.....	109	-	2	6	4	1	5	1	6	4	4
1986.....	102	2	2	2	2	2	2	7	4	2	3
1985.....	107	-	1	3	5	5	1	5	2	4	2
1984.....	101	4	4	5	2	6	5	-	6	3	4
1983.....	106	-	5	2	3	8	4	9	1	2	3
1982.....	89	2	2	3	3	6	4	2	3	2	2
1981.....	84	1	2	3	6	6	2	1	2	4	2
1980.....	94	-	1	2	6	9	5	5	4	2	4
1979.....	83	-	3	2	8	5	5	-	3	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
APLASTIC ANEMIA (284)											
BLACK MALE											
1998.....	49	-	-	-	1	-	1	2	3	1	2
1997.....	57	1	-	1	2	1	1	1	-	1	1
1996.....	43	1	-	-	-	1	1	4	1	1	1
1995.....	50	1	-	-	-	2	3	2	1	2	2
1994.....	57	-	-	2	1	-	3	-	2	6	3
1993.....	52	-	-	-	1	1	1	2	-	5	4
1992.....	49	-	-	1	2	-	3	6	2	4	2
1991.....	55	2	-	-	2	1	2	-	4	1	1
1990.....	71	-	1	2	2	2	3	1	3	6	4
1989.....	63	-	-	-	1	1	1	3	5	4	4
1988.....	49	-	-	6	1	1	2	1	5	1	1
1987.....	57	-	2	2	2	-	3	1	4	2	3
1986.....	47	1	-	-	1	-	1	3	3	-	2
1985.....	51	-	-	1	5	4	-	2	-	2	-
1984.....	49	2	3	1	1	4	3	-	2	3	2
1983.....	59	-	1	1	2	6	4	3	1	-	1
1982.....	37	1	-	2	2	3	2	-	-	-	1
1981.....	39	-	-	-	5	2	1	-	1	1	-
1980.....	50	-	1	1	3	7	2	4	3	-	3
1979.....	37	-	-	1	5	2	4	-	2	-	3
BLACK FEMALE											
1998.....	64	-	-	1	-	2	2	5	-	4	1
1997.....	70	-	-	3	3	2	1	1	-	1	4
1996.....	62	1	1	1	-	-	2	1	2	1	2
1995.....	71	-	-	3	-	1	1	3	1	2	2
1994.....	52	1	1	-	-	3	-	3	2	1	-
1993.....	61	-	1	-	3	1	1	1	2	1	4
1992.....	69	-	1	-	3	1	-	3	4	3	3
1991.....	71	-	1	2	4	-	-	-	2	1	4
1990.....	47	-	-	1	1	1	1	-	3	1	-
1989.....	51	1	-	3	1	3	-	-	-	1	-
1988.....	66	-	-	3	-	1	4	1	1	-	2
1987.....	52	-	-	4	2	1	2	-	2	2	1
1986.....	55	1	2	2	1	2	1	4	1	2	1
1985.....	56	-	1	2	-	1	1	3	2	2	2
1984.....	52	2	1	4	1	2	2	-	4	-	2
1983.....	47	-	4	1	1	2	-	6	-	2	2
1982.....	52	1	2	1	1	3	2	2	3	2	1
1981.....	45	1	2	3	1	4	1	1	1	3	2
1980.....	44	-	-	1	3	2	3	1	1	2	1
1979.....	46	-	3	1	3	3	1	-	1	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)											
TOTAL, BOTH SEXES											
1998.....	2,061	3	-	-	1	3	4	1	3	8	14
1997.....	2,032	3	-	1	-	-	-	5	5	11	19
1996.....	1,876	3	-	3	-	1	4	4	4	16	17
1995.....	1,989	3	3	2	-	1	2	5	7	10	18
1994.....	1,887	2	2	1	2	2	1	9	4	19	22
1993.....	1,854	6	2	-	-	4	2	9	9	14	13
1992.....	1,753	3	1	2	1	2	1	3	6	12	15
1991.....	1,739	2	5	-	1	1	1	2	14	9	13
1990.....	1,704	5	1	-	1	2	1	3	13	15	11
1989.....	1,628	5	1	-	1	2	1	7	13	16	12
1988.....	1,529	1	1	-	2	3	1	3	5	11	8
1987.....	1,504	1	1	-	-	1	2	2	12	5	6
1986.....	1,436	3	4	1	-	1	4	3	8	6	10
1985.....	1,412	2	-	1	3	1	-	7	3	7	15
1984.....	1,273	10	5	-	-	2	2	4	2	10	4
1983.....	1,222	5	1	3	-	1	2	3	5	4	3
1982.....	1,174	7	4	2	2	-	3	2	5	8	13
1981.....	1,206	6	4	-	-	-	3	1	3	10	12
1980.....	1,152	2	4	-	1	2	5	2	8	3	8
1979.....	1,073	7	4	1	4	3	2	4	2	8	12
TOTAL, MALE											
1998.....	732	2	-	-	1	2	3	-	1	6	6
1997.....	703	2	-	1	-	-	-	3	3	5	10
1996.....	732	2	-	1	-	1	2	4	2	7	10
1995.....	729	1	1	2	-	1	1	2	5	5	8
1994.....	735	1	1	1	2	2	-	4	2	13	13
1993.....	686	4	1	-	-	2	1	5	6	7	6
1992.....	688	-	1	-	-	1	-	1	2	6	9
1991.....	669	1	2	-	1	1	1	1	9	7	10
1990.....	673	4	1	-	-	1	-	1	8	5	8
1989.....	622	4	-	-	-	1	1	5	6	11	8
1988.....	568	1	-	-	-	2	1	1	4	4	5
1987.....	596	-	1	-	-	1	1	-	7	3	4
1986.....	581	2	-	1	-	1	3	2	3	1	3
1985.....	551	1	-	-	1	-	-	5	1	3	8
1984.....	524	5	3	-	-	2	1	2	1	6	1
1983.....	504	2	1	2	-	-	-	3	2	2	1
1982.....	471	4	-	2	2	-	1	-	2	3	9
1981.....	532	3	2	-	-	-	2	1	2	5	8
1980.....	462	-	4	-	-	-	2	-	3	2	4
1979.....	447	5	3	1	2	1	1	2	1	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)											
TOTAL, FEMALE											
1998.....	1,329	1	-	-	-	1	1	1	2	2	8
1997.....	1,329	1	-	-	-	-	-	2	2	6	9
1996.....	1,144	1	-	2	-	-	2	-	2	9	7
1995.....	1,260	2	2	-	-	-	1	3	2	5	10
1994.....	1,152	1	1	-	-	-	1	5	2	6	9
1993.....	1,168	2	1	-	-	2	1	4	3	7	7
1992.....	1,065	3	-	2	1	1	1	2	4	6	6
1991.....	1,070	1	3	-	-	-	-	1	5	2	3
1990.....	1,031	1	-	-	1	1	1	2	5	10	3
1989.....	1,006	1	1	-	1	1	-	2	7	5	4
1988.....	961	-	1	-	2	1	-	2	1	7	3
1987.....	908	1	-	-	-	-	1	2	5	2	2
1986.....	855	1	4	-	-	-	1	1	5	5	7
1985.....	861	1	-	1	2	1	-	2	2	4	7
1984.....	749	5	2	-	-	-	1	2	1	4	3
1983.....	718	3	-	1	-	1	2	-	3	2	2
1982.....	703	3	4	-	-	-	2	2	3	5	4
1981.....	674	3	2	-	-	-	1	-	1	5	4
1980.....	690	2	-	-	1	1	3	2	5	1	4
1979.....	626	2	1	-	2	2	1	2	1	4	8
WHITE, BOTH SEXES											
1998.....	1,730	3	-	-	-	2	4	1	1	5	7
1997.....	1,721	1	-	1	-	-	-	1	2	5	11
1996.....	1,555	3	-	1	-	1	4	2	2	9	10
1995.....	1,657	3	1	2	-	1	2	1	5	8	12
1994.....	1,554	1	1	1	2	2	1	6	1	8	13
1993.....	1,536	3	1	-	-	2	1	5	5	8	8
1992.....	1,459	1	1	-	1	2	-	1	3	5	10
1991.....	1,471	2	2	-	1	1	-	2	10	5	8
1990.....	1,419	3	-	-	1	-	1	1	5	4	9
1989.....	1,348	2	1	-	1	1	1	2	8	11	5
1988.....	1,290	1	-	-	1	3	1	1	2	5	3
1987.....	1,299	-	1	-	-	1	1	2	8	1	4
1986.....	1,205	1	3	-	-	-	4	2	6	2	5
1985.....	1,193	1	-	1	2	1	-	6	3	4	8
1984.....	1,089	10	4	-	-	2	2	3	-	7	2
1983.....	1,035	5	1	2	-	-	-	3	2	2	2
1982.....	986	4	2	1	1	-	3	-	3	4	8
1981.....	1,024	4	3	-	-	-	1	-	1	6	5
1980.....	966	1	1	-	1	-	4	2	4	-	2
1979.....	876	5	3	1	2	2	2	4	2	4	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)											
WHITE MALE											
1998.....	604	2	-	-	-	1	3	-	1	3	4
1997.....	592	1	-	1	-	-	-	1	1	2	7
1996.....	600	2	-	-	-	1	2	2	-	4	6
1995.....	609	1	-	2	-	1	1	-	4	4	4
1994.....	600	1	1	1	2	2	-	3	1	7	8
1993.....	576	1	-	-	-	1	1	3	5	6	6
1992.....	578	-	1	-	-	1	-	1	2	2	6
1991.....	552	1	-	-	1	1	-	1	7	5	6
1990.....	539	2	-	-	-	-	-	-	3	1	6
1989.....	508	1	-	-	-	1	1	2	3	8	4
1988.....	477	1	-	-	-	2	1	1	2	4	2
1987.....	510	-	1	-	-	1	-	-	4	1	3
1986.....	495	1	-	-	-	-	3	1	3	-	2
1985.....	467	-	-	-	-	-	-	4	1	2	5
1984.....	441	5	3	-	-	2	1	1	-	3	-
1983.....	423	2	1	2	-	-	-	3	1	1	1
1982.....	394	1	-	1	1	-	1	-	1	1	5
1981.....	439	1	1	-	-	-	1	-	1	2	3
1980.....	385	-	1	-	-	-	1	-	2	-	1
1979.....	375	3	2	1	1	1	1	2	1	2	4
WHITE FEMALE											
1998.....	1,126	1	-	-	-	1	1	1	-	2	3
1997.....	1,129	-	-	-	-	-	-	-	1	3	4
1996.....	955	1	-	1	-	-	2	-	2	5	4
1995.....	1,048	2	1	-	-	-	1	1	1	4	8
1994.....	954	-	-	-	-	-	1	3	-	1	5
1993.....	960	2	1	-	-	1	-	2	-	2	2
1992.....	881	1	-	-	1	1	-	-	1	3	4
1991.....	919	1	2	-	-	-	-	1	3	-	2
1990.....	880	1	-	-	1	-	1	1	2	3	3
1989.....	840	1	1	-	1	-	-	-	5	3	1
1988.....	813	-	-	-	1	1	-	-	-	1	1
1987.....	789	-	-	-	-	-	1	2	4	-	1
1986.....	710	-	3	-	-	-	1	1	3	2	3
1985.....	726	1	-	1	2	1	-	2	2	2	3
1984.....	648	5	1	-	-	-	1	2	-	4	2
1983.....	612	3	-	-	-	-	-	-	1	1	1
1982.....	592	3	2	-	-	-	2	-	2	3	3
1981.....	585	3	2	-	-	-	-	-	-	4	2
1980.....	581	1	-	-	1	-	3	2	2	-	1
1979.....	501	2	1	-	1	1	1	2	1	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)											
ALL OTHER, BOTH SEXES											
1998.....	331	-	-	-	1	1	-	-	2	3	7
1997.....	311	2	-	-	-	-	-	4	3	6	8
1996.....	321	-	-	2	-	-	-	2	2	7	7
1995.....	332	-	2	-	-	-	-	4	2	2	6
1994.....	333	1	1	-	-	-	-	3	3	11	9
1993.....	318	3	1	-	-	2	1	4	4	6	5
1992.....	294	2	-	2	-	-	1	2	3	7	5
1991.....	268	-	3	-	-	-	1	-	4	4	5
1990.....	285	2	1	-	-	2	-	2	8	11	2
1989.....	280	3	-	-	-	1	-	5	5	5	7
1988.....	239	-	1	-	1	-	-	2	3	6	5
1987.....	205	1	-	-	-	-	1	-	4	4	2
1986.....	231	2	1	1	-	1	-	1	2	4	5
1985.....	219	1	-	-	1	-	-	1	-	3	7
1984.....	184	-	1	-	-	-	-	1	2	3	2
1983.....	187	-	-	1	-	1	2	-	3	2	1
1982.....	188	3	2	1	1	-	-	2	2	4	5
1981.....	182	2	1	-	-	-	2	1	2	4	7
1980.....	186	1	3	-	-	1	1	-	4	3	6
1979.....	197	2	1	-	2	1	-	-	-	4	4
ALL OTHER MALE											
1998.....	128	-	-	-	1	1	-	-	-	3	2
1997.....	111	1	-	-	-	-	-	2	2	3	3
1996.....	132	-	-	1	-	-	-	2	2	3	4
1995.....	120	-	1	-	-	-	-	2	1	1	4
1994.....	135	-	-	-	-	-	-	1	1	6	5
1993.....	110	3	1	-	-	1	-	2	1	1	-
1992.....	110	-	-	-	-	-	-	-	-	4	3
1991.....	117	-	2	-	-	-	1	-	2	2	4
1990.....	134	2	1	-	-	1	-	1	5	4	2
1989.....	114	3	-	-	-	-	-	3	3	3	4
1988.....	91	-	-	-	-	-	-	-	2	-	3
1987.....	86	-	-	-	-	-	1	-	3	2	1
1986.....	86	1	-	1	-	1	-	1	-	1	1
1985.....	84	1	-	-	1	-	-	1	-	1	3
1984.....	83	-	-	-	-	-	-	1	1	3	1
1983.....	81	-	-	-	-	-	-	-	1	1	-
1982.....	77	3	-	1	1	-	-	-	1	2	4
1981.....	93	2	1	-	-	-	1	1	1	3	5
1980.....	77	-	3	-	-	-	1	-	1	2	3
1979.....	72	2	1	-	1	-	-	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)											
ALL OTHER FEMALE											
1998.....	203	-	-	-	-	-	-	-	2	-	5
1997.....	200	1	-	-	-	-	-	2	1	3	5
1996.....	189	-	-	1	-	-	-	-	-	4	3
1995.....	212	-	1	-	-	-	-	2	1	1	2
1994.....	198	1	1	-	-	-	-	2	2	5	4
1993.....	208	-	-	-	-	1	1	2	3	5	5
1992.....	184	2	-	2	-	-	1	2	3	3	2
1991.....	151	-	1	-	-	-	-	-	2	2	1
1990.....	151	-	-	-	-	1	-	1	3	7	-
1989.....	166	-	-	-	-	1	-	2	2	2	3
1988.....	148	-	1	-	1	-	-	2	1	6	2
1987.....	119	1	-	-	-	-	-	-	1	2	1
1986.....	145	1	1	-	-	-	-	-	2	3	4
1985.....	135	-	-	-	-	-	-	-	-	2	4
1984.....	101	-	1	-	-	-	-	-	1	-	1
1983.....	106	-	-	1	-	1	2	-	2	1	1
1982.....	111	-	2	-	-	-	-	2	1	2	1
1981.....	89	-	-	-	-	-	1	-	1	1	2
1980.....	109	1	-	-	-	1	-	-	3	1	3
1979.....	125	-	-	-	1	1	-	-	-	2	4
BLACK, BOTH SEXES											
1998.....	304	-	-	-	1	1	-	-	2	3	7
1997.....	291	2	-	-	-	-	-	4	3	6	8
1996.....	299	-	-	2	-	-	-	2	2	7	7
1995.....	310	-	2	-	-	-	-	4	2	2	6
1994.....	312	1	1	-	-	-	-	3	2	10	9
1993.....	303	3	1	-	-	1	1	4	4	6	5
1992.....	283	2	-	2	-	-	1	2	3	7	5
1991.....	256	-	3	-	-	-	1	-	4	4	5
1990.....	267	2	1	-	-	1	-	2	8	10	2
1989.....	268	2	-	-	-	1	-	5	5	5	7
1988.....	223	-	1	-	1	-	-	2	3	6	5
1987.....	192	1	-	-	-	-	1	-	4	4	2
1986.....	213	2	-	-	-	1	-	1	2	4	5
1985.....	205	1	-	-	1	-	-	1	-	2	7
1984.....	178	-	1	-	-	-	-	1	2	3	2
1983.....	180	-	-	1	-	1	2	-	3	2	1
1982.....	179	3	2	1	1	-	-	2	2	4	5
1981.....	175	2	1	-	-	-	2	1	2	4	5
1980.....	178	1	3	-	-	1	1	-	4	3	6
1979.....	187	2	1	-	-	1	-	-	-	4	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED ANEMIAS (285)											
BLACK MALE											
1998.....	117	-	-	-	1	1	-	-	-	3	2
1997.....	107	1	-	-	-	-	-	2	2	3	3
1996.....	121	-	-	1	-	-	-	2	2	3	4
1995.....	109	-	1	-	-	-	-	2	1	1	4
1994.....	128	-	-	-	-	-	-	1	1	5	5
1993.....	102	3	1	-	-	-	-	2	1	1	-
1992.....	105	-	-	-	-	-	-	-	-	4	3
1991.....	109	-	2	-	-	-	1	-	2	2	4
1990.....	123	2	1	-	-	-	-	1	5	4	2
1989.....	108	2	-	-	-	-	-	3	3	3	4
1988.....	83	-	-	-	-	-	-	-	2	-	3
1987.....	77	-	-	-	-	-	1	-	3	2	1
1986.....	79	1	-	-	-	1	-	1	-	1	1
1985.....	78	1	-	-	1	-	-	1	-	1	3
1984.....	79	-	-	-	-	-	-	1	1	3	1
1983.....	77	-	-	-	-	-	-	-	1	1	-
1982.....	71	3	-	1	1	-	-	-	1	2	4
1981.....	87	2	1	-	-	-	1	1	1	3	3
1980.....	72	-	3	-	-	-	1	-	1	2	3
1979.....	70	2	1	-	-	-	-	-	-	2	-
BLACK FEMALE											
1998.....	187	-	-	-	-	-	-	-	2	-	5
1997.....	184	1	-	-	-	-	-	2	1	3	5
1996.....	178	-	-	1	-	-	-	-	-	4	3
1995.....	201	-	1	-	-	-	-	2	1	1	2
1994.....	184	1	1	-	-	-	-	2	1	5	4
1993.....	201	-	-	-	-	1	1	2	3	5	5
1992.....	178	2	-	2	-	-	1	2	3	3	2
1991.....	147	-	1	-	-	-	-	-	2	2	1
1990.....	144	-	-	-	-	1	-	1	3	6	-
1989.....	160	-	-	-	-	1	-	2	2	2	3
1988.....	140	-	1	-	1	-	-	2	1	6	2
1987.....	115	1	-	-	-	-	-	-	1	2	1
1986.....	134	1	-	-	-	-	-	-	2	3	4
1985.....	127	-	-	-	-	-	-	-	-	1	4
1984.....	99	-	1	-	-	-	-	-	1	-	1
1983.....	103	-	-	1	-	1	2	-	2	1	1
1982.....	108	-	2	-	-	-	-	2	1	2	1
1981.....	88	-	-	-	-	-	1	-	1	1	2
1980.....	106	1	-	-	-	1	-	-	3	1	3
1979.....	117	-	-	-	-	1	-	-	-	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)											
TOTAL, BOTH SEXES											
1998.....	966	14	4	3	1	2	7	8	14	25	23
1997.....	840	10	2	1	3	4	1	15	19	11	14
1996.....	801	8	3	2	3	1	8	7	12	22	15
1995.....	871	8	3	2	1	5	11	8	17	34	33
1994.....	860	2	3	3	4	4	9	10	16	19	25
1993.....	852	17	4	1	3	7	7	11	21	19	21
1992.....	812	12	6	3	2	7	7	8	15	28	19
1991.....	800	16	5	3	1	2	4	15	23	23	35
1990.....	776	12	4	5	5	5	5	13	20	20	18
1989.....	754	8	3	4	3	4	4	15	15	18	26
1988.....	709	5	5	3	3	8	12	10	13	18	13
1987.....	766	9	2	2	1	6	10	13	13	14	19
1986.....	745	16	6	2	2	10	8	8	14	15	23
1985.....	716	9	3	1	5	7	7	6	11	10	15
1984.....	729	10	4	3	2	11	11	3	4	7	21
1983.....	734	10	3	7	1	7	4	8	7	16	19
1982.....	675	8	4	2	2	9	5	8	9	14	9
1981.....	650	17	5	-	6	9	7	6	9	8	21
1980.....	687	20	7	6	2	4	10	10	15	8	11
1979.....	669	27	9	4	3	9	10	10	16	14	19
TOTAL, MALE											
1998.....	446	9	2	1	-	1	3	4	8	12	14
1997.....	377	6	1	-	-	1	1	6	10	5	9
1996.....	355	5	1	2	2	1	3	3	6	13	11
1995.....	395	4	2	2	1	3	4	3	10	17	15
1994.....	413	2	1	2	2	2	4	5	7	13	17
1993.....	396	10	2	-	1	4	4	11	13	9	12
1992.....	357	7	5	-	2	3	3	1	11	18	11
1991.....	342	10	1	-	1	-	2	9	13	13	22
1990.....	377	7	4	4	2	1	3	7	10	7	14
1989.....	361	3	3	1	1	2	2	6	9	8	13
1988.....	308	3	2	3	1	3	7	4	7	7	6
1987.....	330	4	1	-	1	2	1	8	5	6	11
1986.....	350	11	3	1	1	5	3	6	7	9	17
1985.....	323	5	2	-	4	5	2	2	7	5	7
1984.....	316	5	4	1	1	9	2	-	1	4	9
1983.....	339	6	2	4	-	3	1	2	4	8	10
1982.....	306	6	1	2	1	6	3	-	3	6	2
1981.....	297	12	1	-	3	3	4	1	3	6	7
1980.....	283	9	6	3	-	1	3	1	5	4	5
1979.....	304	15	5	2	2	6	4	2	6	8	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)											
TOTAL, FEMALE											
1998.....	520	5	2	2	1	1	4	4	6	13	9
1997.....	463	4	1	1	3	3	-	9	9	6	5
1996.....	446	3	2	-	1	-	5	4	6	9	4
1995.....	476	4	1	-	-	2	7	5	7	17	18
1994.....	447	-	2	1	2	2	5	5	9	6	8
1993.....	456	7	2	1	2	3	3	-	8	10	9
1992.....	455	5	1	3	-	4	4	7	4	10	8
1991.....	458	6	4	3	-	2	2	6	10	10	13
1990.....	399	5	-	1	3	4	2	6	10	13	4
1989.....	393	5	-	3	2	2	2	9	6	10	13
1988.....	401	2	3	-	2	5	5	6	6	11	7
1987.....	436	5	1	2	-	4	9	5	8	8	8
1986.....	395	5	3	1	1	5	5	2	7	6	6
1985.....	393	4	1	1	1	2	5	4	4	5	8
1984.....	413	5	-	2	1	2	9	3	3	3	12
1983.....	395	4	1	3	1	4	3	6	3	8	9
1982.....	369	2	3	-	1	3	2	8	6	8	7
1981.....	353	5	4	-	3	6	3	5	6	2	14
1980.....	404	11	1	3	2	3	7	9	10	4	6
1979.....	365	12	4	2	1	3	6	8	10	6	11
WHITE, BOTH SEXES											
1998.....	829	7	4	2	1	2	7	5	7	17	16
1997.....	702	10	-	-	2	3	-	11	12	7	9
1996.....	689	4	2	2	3	1	6	6	9	11	8
1995.....	755	6	3	1	-	3	9	4	13	27	24
1994.....	737	2	1	3	3	2	4	8	9	11	17
1993.....	729	16	3	-	1	6	3	9	14	12	13
1992.....	704	9	4	3	1	6	4	4	11	18	15
1991.....	688	9	4	3	1	1	2	13	12	15	22
1990.....	668	8	3	5	4	4	4	6	16	13	13
1989.....	631	4	2	3	2	4	2	12	9	8	20
1988.....	623	3	4	2	3	6	8	7	9	8	11
1987.....	684	7	1	2	1	4	6	12	7	11	16
1986.....	647	6	5	2	1	6	8	7	11	11	17
1985.....	637	7	3	1	4	4	6	4	8	7	14
1984.....	651	9	4	2	1	11	4	3	1	5	15
1983.....	641	6	3	7	1	5	3	5	5	12	12
1982.....	602	4	4	2	2	6	3	4	8	8	9
1981.....	570	12	3	-	5	5	4	3	5	4	17
1980.....	596	14	4	4	1	4	9	7	8	5	5
1979.....	574	16	8	3	3	7	8	5	12	9	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)											
WHITE MALE											
1998.....	382	4	2	1	-	1	3	3	4	9	9
1997.....	312	6	-	-	-	1	-	3	7	3	7
1996.....	304	2	1	2	2	1	2	2	5	6	5
1995.....	353	2	2	1	-	2	4	2	9	14	12
1994.....	352	2	1	2	1	1	2	4	3	8	11
1993.....	349	10	1	-	-	3	3	9	11	5	9
1992.....	315	5	3	-	1	2	1	-	10	15	11
1991.....	292	6	1	-	1	-	2	7	9	11	13
1990.....	325	4	3	4	2	1	3	3	8	5	11
1989.....	307	2	2	1	1	2	1	5	5	4	9
1988.....	273	3	1	2	1	3	6	2	4	3	4
1987.....	299	3	-	-	1	1	1	8	3	4	9
1986.....	310	4	3	1	1	2	3	6	6	8	12
1985.....	296	4	2	-	3	3	2	2	6	3	7
1984.....	292	5	4	-	1	9	1	-	1	4	6
1983.....	298	3	2	4	-	3	1	1	3	8	6
1982.....	279	3	1	2	1	4	2	-	3	3	2
1981.....	266	9	1	-	3	1	2	-	2	3	4
1980.....	244	7	4	2	-	1	3	-	4	2	2
1979.....	269	10	4	2	2	6	4	1	4	6	4
WHITE FEMALE											
1998.....	447	3	2	1	1	1	4	2	3	8	7
1997.....	390	4	-	-	2	2	-	8	5	4	2
1996.....	385	2	1	-	1	-	4	4	4	5	3
1995.....	402	4	1	-	-	1	5	2	4	13	12
1994.....	385	-	-	1	2	1	2	4	6	3	6
1993.....	380	6	2	-	1	3	-	-	3	7	4
1992.....	389	4	1	3	-	4	3	4	1	3	4
1991.....	396	3	3	3	-	1	-	6	3	4	9
1990.....	343	4	-	1	2	3	1	3	8	8	2
1989.....	324	2	-	2	1	2	1	7	4	4	11
1988.....	350	-	3	-	2	3	2	5	5	5	7
1987.....	385	4	1	2	-	3	5	4	4	7	7
1986.....	337	2	2	1	-	4	5	1	5	3	5
1985.....	341	3	1	1	1	1	4	2	2	4	7
1984.....	359	4	-	2	-	2	3	3	-	1	9
1983.....	343	3	1	3	1	2	2	4	2	4	6
1982.....	323	1	3	-	1	2	1	4	5	5	7
1981.....	304	3	2	-	2	4	2	3	3	1	13
1980.....	352	7	-	2	1	3	6	7	4	3	3
1979.....	305	6	4	1	1	1	4	4	8	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)											
ALL OTHER, BOTH SEXES											
1998.....	137	7	-	1	-	-	-	3	7	8	7
1997.....	138	-	2	1	1	1	1	4	7	4	5
1996.....	112	4	1	-	-	-	2	1	3	11	7
1995.....	116	2	-	1	1	2	2	4	4	7	9
1994.....	123	-	2	-	1	2	5	2	7	8	8
1993.....	123	1	1	1	2	1	4	2	7	7	8
1992.....	108	3	2	-	1	1	3	4	4	10	4
1991.....	112	7	1	-	-	1	2	2	11	8	13
1990.....	108	4	1	-	1	1	1	7	4	7	5
1989.....	123	4	1	1	1	-	2	3	6	10	6
1988.....	86	2	1	1	-	2	4	3	4	10	2
1987.....	82	2	1	-	-	2	4	1	6	3	3
1986.....	98	10	1	-	1	4	-	1	3	4	6
1985.....	79	2	-	-	1	3	1	2	3	3	1
1984.....	78	1	-	1	1	-	7	-	3	2	6
1983.....	93	4	-	-	-	2	1	3	2	4	7
1982.....	73	4	-	-	-	3	2	4	1	6	-
1981.....	80	5	2	-	1	4	3	3	4	4	4
1980.....	91	6	3	2	1	-	1	3	7	3	6
1979.....	95	11	1	1	-	2	2	5	4	5	7
ALL OTHER MALE											
1998.....	64	5	-	-	-	-	-	1	4	3	5
1997.....	65	-	1	-	-	-	1	3	3	2	2
1996.....	51	3	-	-	-	-	1	1	1	7	6
1995.....	42	2	-	1	1	1	-	1	1	3	3
1994.....	61	-	-	-	1	1	2	1	4	5	6
1993.....	47	-	1	-	1	1	1	2	2	4	3
1992.....	42	2	2	-	1	1	2	1	1	3	-
1991.....	50	4	-	-	-	-	-	2	4	2	9
1990.....	52	3	1	-	-	-	-	4	2	2	3
1989.....	54	1	1	-	-	-	1	1	4	4	4
1988.....	35	-	1	1	-	-	1	2	3	4	2
1987.....	31	1	1	-	-	1	-	-	2	2	2
1986.....	40	7	-	-	-	3	-	-	1	1	5
1985.....	27	1	-	-	-	2	-	-	1	2	-
1984.....	24	-	-	1	-	-	1	-	-	-	3
1983.....	41	3	-	-	-	-	-	1	1	-	4
1982.....	27	3	-	-	-	2	1	-	-	3	-
1981.....	31	3	-	-	-	2	2	1	1	3	3
1980.....	39	2	2	1	-	-	-	1	1	2	3
1979.....	35	5	1	-	-	-	-	1	2	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)											
ALL OTHER FEMALE											
1998.....	73	2	-	1	-	-	-	2	3	5	2
1997.....	73	-	1	1	1	1	-	1	4	2	3
1996.....	61	1	1	-	-	-	1	-	2	4	1
1995.....	74	-	-	-	-	1	2	3	3	4	6
1994.....	62	-	2	-	-	1	3	1	3	3	2
1993.....	76	1	-	1	1	-	3	-	5	3	5
1992.....	66	1	-	-	-	1	1	3	3	7	4
1991.....	62	3	1	-	-	1	2	-	7	6	4
1990.....	56	1	-	-	1	1	1	3	2	5	2
1989.....	69	3	-	1	1	-	1	2	2	6	2
1988.....	51	2	-	-	-	2	3	1	1	6	-
1987.....	51	1	-	-	-	1	4	1	4	1	1
1986.....	58	3	1	-	1	1	-	1	2	3	1
1985.....	52	1	-	-	-	1	1	2	2	1	1
1984.....	54	1	-	-	1	-	6	-	3	2	3
1983.....	52	1	-	-	-	2	1	2	1	4	3
1982.....	46	1	-	-	-	1	1	4	1	3	-
1981.....	49	2	2	-	1	2	1	2	3	1	1
1980.....	52	4	1	1	1	-	1	2	6	1	3
1979.....	60	6	-	1	-	2	2	4	2	3	3
BLACK, BOTH SEXES											
1998.....	113	7	-	1	-	-	-	2	6	7	6
1997.....	121	-	2	1	1	1	1	4	7	3	5
1996.....	101	4	1	-	-	-	2	1	3	9	6
1995.....	98	2	-	-	1	2	1	4	3	7	8
1994.....	106	-	1	-	1	2	5	2	6	7	8
1993.....	104	-	1	1	2	1	4	2	6	6	7
1992.....	92	3	2	-	-	1	2	4	3	9	4
1991.....	96	6	1	-	-	1	1	2	10	7	11
1990.....	96	4	-	-	1	1	1	7	4	7	5
1989.....	100	3	1	1	-	-	1	3	6	8	6
1988.....	78	2	1	1	-	2	3	3	4	10	2
1987.....	72	2	1	-	-	2	3	-	6	3	3
1986.....	83	9	1	-	1	3	-	1	3	3	6
1985.....	69	2	-	-	1	2	1	2	2	3	-
1984.....	73	1	-	1	1	-	6	-	3	1	6
1983.....	84	4	-	-	-	1	1	2	2	4	7
1982.....	66	3	-	-	-	3	1	4	1	5	-
1981.....	70	4	2	-	1	3	2	2	4	4	4
1980.....	83	6	2	2	1	-	1	3	7	3	6
1979.....	91	10	1	1	-	2	2	5	4	5	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)											
BLACK MALE											
1998.....	54	5	-	-	-	-	-	-	3	3	4
1997.....	55	-	1	-	-	-	1	3	3	1	2
1996.....	46	3	-	-	-	-	1	1	1	5	5
1995.....	37	2	-	-	1	1	-	1	1	3	3
1994.....	53	-	-	-	1	1	2	1	4	4	6
1993.....	38	-	1	-	1	1	1	2	1	3	3
1992.....	33	2	2	-	-	1	1	1	-	3	-
1991.....	40	3	-	-	-	-	-	2	3	2	7
1990.....	44	3	-	-	-	-	-	4	2	2	3
1989.....	46	-	1	-	-	-	1	1	4	4	4
1988.....	32	-	1	1	-	-	1	2	3	4	2
1987.....	26	1	1	-	-	1	-	-	2	2	2
1986.....	34	6	-	-	-	2	-	-	1	1	5
1985.....	25	1	-	-	1	1	-	-	1	2	-
1984.....	24	-	-	1	-	-	1	-	-	-	3
1983.....	34	3	-	-	-	-	-	-	1	-	4
1982.....	23	2	-	-	-	2	-	-	-	3	-
1981.....	27	3	-	-	-	2	1	-	1	3	3
1980.....	33	2	1	1	-	-	-	1	1	2	3
1979.....	35	5	1	-	-	-	-	1	2	2	4
BLACK FEMALE											
1998.....	59	2	-	1	-	-	-	2	3	4	2
1997.....	66	-	1	1	1	1	-	1	4	2	3
1996.....	55	1	1	-	-	-	1	-	2	4	1
1995.....	61	-	-	-	-	1	1	3	2	4	5
1994.....	53	-	1	-	-	1	3	1	2	3	2
1993.....	66	-	-	1	1	-	3	-	5	3	4
1992.....	59	1	-	-	-	-	1	3	3	6	4
1991.....	56	3	1	-	-	1	1	-	7	5	4
1990.....	52	1	-	-	1	1	1	3	2	5	2
1989.....	54	3	-	1	-	-	-	2	2	4	2
1988.....	46	2	-	-	-	2	2	1	1	6	-
1987.....	46	1	-	-	-	1	3	-	4	1	1
1986.....	49	3	1	-	1	1	-	1	2	2	1
1985.....	44	1	-	-	-	1	1	2	1	1	-
1984.....	49	1	-	-	1	-	5	-	3	1	3
1983.....	50	1	-	-	-	1	1	2	1	4	3
1982.....	43	1	-	-	-	1	1	4	1	2	-
1981.....	43	1	2	-	1	1	1	2	3	1	1
1980.....	50	4	1	1	1	-	1	2	6	1	3
1979.....	56	5	-	1	-	2	2	4	2	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)											
TOTAL, BOTH SEXES											
1998.....	5,127	57	24	11	12	18	30	21	46	67	90
1997.....	4,940	46	20	16	11	17	17	38	45	75	111
1996.....	4,880	40	22	10	12	25	32	22	65	77	107
1995.....	4,770	37	18	12	8	12	24	41	50	89	119
1994.....	4,472	39	21	16	14	19	30	22	60	80	107
1993.....	4,542	43	29	9	12	12	23	47	68	76	102
1992.....	4,389	52	29	12	18	21	28	48	62	68	88
1991.....	4,392	55	26	13	19	10	24	38	52	71	108
1990.....	4,159	42	22	10	11	20	26	41	61	92	87
1989.....	3,843	44	24	15	15	15	26	42	63	82	95
1988.....	3,790	43	16	7	5	16	15	35	50	68	79
1987.....	3,538	35	17	5	7	13	21	34	56	55	66
1986.....	3,324	28	19	9	10	21	19	34	36	75	75
1985.....	3,281	51	18	7	8	11	14	36	45	74	60
1984.....	3,049	44	18	14	6	24	22	27	37	50	68
1983.....	2,941	43	23	12	11	15	20	43	33	50	56
1982.....	2,595	45	24	7	8	24	17	20	29	40	41
1981.....	2,417	34	20	8	11	11	29	30	25	35	39
1980.....	2,451	53	19	18	9	11	30	24	35	48	42
1979.....	2,361	60	21	7	13	20	25	30	32	35	36
TOTAL, MALE											
1998.....	2,682	31	11	6	4	9	20	14	25	33	49
1997.....	2,595	23	8	5	7	8	9	23	31	38	69
1996.....	2,624	23	14	9	5	16	16	11	37	46	76
1995.....	2,547	15	9	6	7	5	15	25	22	53	70
1994.....	2,370	23	6	9	6	13	18	13	33	46	67
1993.....	2,425	24	21	5	10	8	16	31	35	43	66
1992.....	2,381	32	18	5	13	11	20	35	32	35	56
1991.....	2,370	29	14	7	12	7	14	28	27	46	64
1990.....	2,307	19	13	5	8	8	12	25	35	62	55
1989.....	2,103	26	16	7	9	10	16	18	41	51	62
1988.....	2,049	29	10	4	2	9	7	23	35	42	49
1987.....	1,896	17	13	4	4	12	6	17	36	39	33
1986.....	1,756	15	13	7	7	12	8	22	26	49	41
1985.....	1,758	30	12	4	4	5	6	19	26	44	33
1984.....	1,636	21	13	9	3	11	11	11	23	26	34
1983.....	1,556	27	15	5	4	7	13	22	19	29	35
1982.....	1,349	23	13	3	6	13	8	12	17	26	21
1981.....	1,301	18	14	8	8	6	17	15	17	17	14
1980.....	1,305	32	14	10	4	4	14	14	21	26	21
1979.....	1,281	33	14	5	10	13	17	17	18	20	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)											
TOTAL, FEMALE											
1998.....	2,445	26	13	5	8	9	10	7	21	34	41
1997.....	2,345	23	12	11	4	9	8	15	14	37	42
1996.....	2,256	17	8	1	7	9	16	11	28	31	31
1995.....	2,223	22	9	6	1	7	9	16	28	36	49
1994.....	2,102	16	15	7	8	6	12	9	27	34	40
1993.....	2,117	19	8	4	2	4	7	16	33	33	36
1992.....	2,008	20	11	7	5	10	8	13	30	33	32
1991.....	2,022	26	12	6	7	3	10	10	25	25	44
1990.....	1,852	23	9	5	3	12	14	16	26	30	32
1989.....	1,740	18	8	8	6	5	10	24	22	31	33
1988.....	1,741	14	6	3	3	7	8	12	15	26	30
1987.....	1,642	18	4	1	3	1	15	17	20	16	33
1986.....	1,568	13	6	2	3	9	11	12	10	26	34
1985.....	1,523	21	6	3	4	6	8	17	19	30	27
1984.....	1,413	23	5	5	3	13	11	16	14	24	34
1983.....	1,385	16	8	7	7	8	7	21	14	21	21
1982.....	1,246	22	11	4	2	11	9	8	12	14	20
1981.....	1,116	16	6	-	3	5	12	15	8	18	25
1980.....	1,146	21	5	8	5	7	16	10	14	22	21
1979.....	1,080	27	7	2	3	7	8	13	14	15	15
WHITE, BOTH SEXES											
1998.....	4,477	37	18	5	10	14	21	14	37	43	66
1997.....	4,344	34	13	12	9	12	12	28	33	56	79
1996.....	4,280	32	14	9	9	18	25	17	46	44	74
1995.....	4,195	22	13	7	4	10	14	30	34	65	88
1994.....	3,939	26	18	10	8	16	26	17	43	59	69
1993.....	3,983	33	20	9	11	9	13	37	47	49	70
1992.....	3,879	39	20	9	10	16	19	35	44	51	67
1991.....	3,855	41	18	11	15	4	16	29	31	45	71
1990.....	3,629	26	14	10	5	13	22	35	35	59	61
1989.....	3,347	29	19	14	10	13	20	32	45	58	65
1988.....	3,307	34	10	5	4	9	7	29	40	44	60
1987.....	3,124	25	15	5	5	12	18	26	40	35	45
1986.....	2,922	16	15	6	9	14	14	23	24	53	55
1985.....	2,847	32	12	5	5	9	9	27	27	50	40
1984.....	2,654	34	13	8	5	21	16	19	22	29	46
1983.....	2,590	29	16	10	8	9	15	31	23	35	37
1982.....	2,262	32	19	5	5	18	10	13	24	26	31
1981.....	2,108	22	17	8	8	9	20	23	15	19	29
1980.....	2,142	38	13	17	7	8	20	18	28	32	28
1979.....	2,073	46	15	4	13	18	19	24	25	25	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)											
WHITE MALE											
1998.....	2,365	19	8	2	3	7	15	9	21	22	35
1997.....	2,304	20	5	4	6	5	7	18	27	27	51
1996.....	2,303	21	9	8	3	11	14	9	27	28	48
1995.....	2,259	10	6	4	3	4	10	18	13	41	55
1994.....	2,101	14	5	6	5	12	17	11	27	33	41
1993.....	2,141	18	14	5	10	7	8	25	25	29	45
1992.....	2,107	24	11	4	7	8	14	26	23	31	42
1991.....	2,100	21	11	6	10	3	11	22	18	30	46
1990.....	2,007	12	9	5	5	6	10	22	23	36	37
1989.....	1,829	19	11	7	5	8	12	16	30	37	41
1988.....	1,805	24	4	3	2	6	3	21	30	26	36
1987.....	1,666	12	12	4	2	11	6	15	22	23	22
1986.....	1,558	8	11	4	6	10	6	17	19	36	29
1985.....	1,532	20	8	2	3	3	4	15	14	32	24
1984.....	1,427	16	8	4	3	11	9	8	15	16	22
1983.....	1,374	18	12	4	4	4	9	17	14	21	23
1982.....	1,180	18	9	2	5	12	6	8	15	16	15
1981.....	1,141	14	12	8	5	5	13	13	11	9	12
1980.....	1,134	25	8	9	3	4	9	10	16	19	12
1979.....	1,120	24	8	2	10	11	13	14	14	14	12
WHITE FEMALE											
1998.....	2,112	18	10	3	7	7	6	5	16	21	31
1997.....	2,040	14	8	8	3	7	5	10	6	29	28
1996.....	1,977	11	5	1	6	7	11	8	19	16	26
1995.....	1,936	12	7	3	1	6	4	12	21	24	33
1994.....	1,838	12	13	4	3	4	9	6	16	26	28
1993.....	1,842	15	6	4	1	2	5	12	22	20	25
1992.....	1,772	15	9	5	3	8	5	9	21	20	25
1991.....	1,755	20	7	5	5	1	5	7	13	15	25
1990.....	1,622	14	5	5	-	7	12	13	12	23	24
1989.....	1,518	10	8	7	5	5	8	16	15	21	24
1988.....	1,502	10	6	2	2	3	4	8	10	18	24
1987.....	1,458	13	3	1	3	1	12	11	18	12	23
1986.....	1,364	8	4	2	3	4	8	6	5	17	26
1985.....	1,315	12	4	3	2	6	5	12	13	18	16
1984.....	1,227	18	5	4	2	10	7	11	7	13	24
1983.....	1,216	11	4	6	4	5	6	14	9	14	14
1982.....	1,082	14	10	3	-	6	4	5	9	10	16
1981.....	967	8	5	-	3	4	7	10	4	10	17
1980.....	1,008	13	5	8	4	4	11	8	12	13	16
1979.....	953	22	7	2	3	7	6	10	11	11	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)											
ALL OTHER, BOTH SEXES											
1998.....	650	20	6	6	2	4	9	7	9	24	24
1997.....	596	12	7	4	2	5	5	10	12	19	32
1996.....	600	8	8	1	3	7	7	5	19	33	33
1995.....	575	15	5	5	4	2	10	11	16	24	31
1994.....	533	13	3	6	6	3	4	5	17	21	38
1993.....	559	10	9	-	1	3	10	10	21	27	32
1992.....	510	13	9	3	8	5	9	13	18	17	21
1991.....	537	14	8	2	4	6	8	9	21	26	37
1990.....	530	16	8	-	6	7	4	6	26	33	26
1989.....	496	15	5	1	5	2	6	10	18	24	30
1988.....	483	9	6	2	1	7	8	6	10	24	19
1987.....	414	10	2	-	2	1	3	8	16	20	21
1986.....	402	12	4	3	1	7	5	11	12	22	20
1985.....	434	19	6	2	3	2	5	9	18	24	20
1984.....	395	10	5	6	1	3	6	8	15	21	22
1983.....	351	14	7	2	3	6	5	12	10	15	19
1982.....	333	13	5	2	3	6	7	7	5	14	10
1981.....	309	12	3	-	3	2	9	7	10	16	10
1980.....	309	15	6	1	2	3	10	6	7	16	14
1979.....	288	14	6	3	-	2	6	6	7	10	15
ALL OTHER MALE											
1998.....	317	12	3	4	1	2	5	5	4	11	14
1997.....	291	3	3	1	1	3	2	5	4	11	18
1996.....	321	2	5	1	2	5	2	2	10	18	28
1995.....	288	5	3	2	4	1	5	7	9	12	15
1994.....	269	9	1	3	1	1	1	2	6	13	26
1993.....	284	6	7	-	-	1	8	6	10	14	21
1992.....	274	8	7	1	6	3	6	9	9	4	14
1991.....	270	8	3	1	2	4	3	6	9	16	18
1990.....	300	7	4	-	3	2	2	3	12	26	18
1989.....	274	7	5	-	4	2	4	2	11	14	21
1988.....	244	5	6	1	-	3	4	2	5	16	13
1987.....	230	5	1	-	2	1	-	2	14	16	11
1986.....	198	7	2	3	1	2	2	5	7	13	12
1985.....	226	10	4	2	1	2	2	4	12	12	9
1984.....	209	5	5	5	-	-	2	3	8	10	12
1983.....	182	9	3	1	-	3	4	5	5	8	12
1982.....	169	5	4	1	1	1	2	4	2	10	6
1981.....	160	4	2	-	3	1	4	2	6	8	2
1980.....	171	7	6	1	1	-	5	4	5	7	9
1979.....	161	9	6	3	-	2	4	3	4	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)											
ALL OTHER FEMALE											
1998.....	333	8	3	2	1	2	4	2	5	13	10
1997.....	305	9	4	3	1	2	3	5	8	8	14
1996.....	279	6	3	-	1	2	5	3	9	15	5
1995.....	287	10	2	3	-	1	5	4	7	12	16
1994.....	264	4	2	3	5	2	3	3	11	8	12
1993.....	275	4	2	-	1	2	2	4	11	13	11
1992.....	236	5	2	2	2	2	3	4	9	13	7
1991.....	267	6	5	1	2	2	5	3	12	10	19
1990.....	230	9	4	-	3	5	2	3	14	7	8
1989.....	222	8	-	1	1	-	2	8	7	10	9
1988.....	239	4	-	1	1	4	4	4	5	8	6
1987.....	184	5	1	-	-	-	3	6	2	4	10
1986.....	204	5	2	-	-	5	3	6	5	9	8
1985.....	208	9	2	-	2	-	3	5	6	12	11
1984.....	186	5	-	1	1	3	4	5	7	11	10
1983.....	169	5	4	1	3	3	1	7	5	7	7
1982.....	164	8	1	1	2	5	5	3	3	4	4
1981.....	149	8	1	-	-	1	5	5	4	8	8
1980.....	138	8	-	-	1	3	5	2	2	9	5
1979.....	127	5	-	-	-	-	2	3	3	4	6
BLACK, BOTH SEXES											
1998.....	553	18	5	4	2	1	9	7	9	20	19
1997.....	499	11	6	3	-	5	5	9	12	17	28
1996.....	499	7	6	1	3	6	5	5	17	29	31
1995.....	503	13	5	4	4	2	9	10	15	22	29
1994.....	466	11	3	4	6	3	3	4	14	18	37
1993.....	481	10	7	-	1	3	7	9	20	27	29
1992.....	442	11	6	3	7	3	7	13	15	14	18
1991.....	469	12	6	2	4	6	8	7	19	24	34
1990.....	471	14	8	-	6	6	4	6	26	31	25
1989.....	449	13	2	1	5	1	5	9	18	22	29
1988.....	425	8	4	1	1	6	8	6	8	23	16
1987.....	374	8	1	-	2	1	3	4	15	18	21
1986.....	359	11	3	2	-	7	5	11	12	20	18
1985.....	394	18	5	2	3	2	5	9	16	22	19
1984.....	346	7	4	6	1	2	6	8	14	18	21
1983.....	327	12	6	2	3	5	5	12	10	15	18
1982.....	307	13	5	2	3	6	7	5	4	12	9
1981.....	279	11	3	-	3	1	8	6	8	15	7
1980.....	282	14	6	1	2	3	9	6	4	15	13
1979.....	258	14	6	1	-	2	6	5	7	10	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

BLACK MALE

1998.....	266	11	3	2	1	1	5	5	4	10	10
1997.....	246	2	3	1	-	3	2	5	4	10	15
1996.....	271	1	4	1	2	5	1	2	8	16	26
1995.....	244	5	3	1	4	1	5	7	9	11	14
1994.....	237	9	1	2	1	1	1	2	6	12	25
1993.....	237	6	5	-	-	1	6	5	9	14	20
1992.....	247	7	6	1	6	2	5	9	7	4	13
1991.....	233	6	3	1	2	4	3	4	8	15	17
1990.....	263	6	4	-	3	2	2	3	12	25	17
1989.....	248	6	2	-	4	1	3	2	11	13	21
1988.....	210	5	4	-	-	2	4	2	3	15	12
1987.....	207	4	1	-	2	1	-	1	13	14	11
1986.....	176	6	1	2	-	2	2	5	7	12	12
1985.....	211	9	4	2	1	2	2	4	10	11	9
1984.....	178	4	4	5	-	-	2	3	7	9	11
1983.....	170	8	3	1	-	2	4	5	5	8	12
1982.....	155	5	4	1	1	1	2	3	2	10	6
1981.....	146	4	2	-	3	1	4	2	5	8	1
1980.....	152	7	6	1	1	-	4	4	3	6	8
1979.....	143	9	6	1	-	2	4	2	4	6	9

BLACK FEMALE

1998.....	287	7	2	2	1	-	4	2	5	10	9
1997.....	253	9	3	2	-	2	3	4	8	7	13
1996.....	228	6	2	-	1	1	4	3	9	13	5
1995.....	259	8	2	3	-	1	4	3	6	11	15
1994.....	229	2	2	2	5	2	2	2	8	6	12
1993.....	244	4	2	-	1	2	1	4	11	13	9
1992.....	195	4	-	2	1	1	2	4	8	10	5
1991.....	236	6	3	1	2	2	5	3	11	9	17
1990.....	208	8	4	-	3	4	2	3	14	6	8
1989.....	201	7	-	1	1	-	2	7	7	9	8
1988.....	215	3	-	1	1	4	4	4	5	8	4
1987.....	167	4	-	-	-	-	3	3	2	4	10
1986.....	183	5	2	-	-	5	3	6	5	8	6
1985.....	183	9	1	-	2	-	3	5	6	11	10
1984.....	168	3	-	1	1	2	4	5	7	9	10
1983.....	157	4	3	1	3	3	1	7	5	7	6
1982.....	152	8	1	1	2	5	5	2	2	2	3
1981.....	133	7	1	-	-	-	4	4	3	7	6
1980.....	130	7	-	-	1	3	5	2	1	9	5
1979.....	115	5	-	-	-	-	2	3	3	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
V. MENTAL DISORDERS (290-319)											
TOTAL, BOTH SEXES											
1998.....	52,819	7	10	15	21	67	134	206	471	916	1,278
1997.....	47,481	9	10	11	14	56	130	231	501	887	1,250
1996.....	44,010	5	8	9	21	59	127	280	544	967	1,234
1995.....	40,718	9	10	9	27	60	103	224	560	930	1,270
1994.....	37,003	5	19	15	25	56	123	250	536	903	1,168
1993.....	33,516	13	16	25	31	53	134	263	583	938	1,159
1992.....	29,007	7	26	15	23	46	130	290	562	969	1,082
1991.....	27,149	12	18	23	32	55	126	285	529	883	1,009
1990.....	25,856	13	17	24	30	76	137	336	623	901	901
1989.....	25,192	6	28	30	36	65	135	359	745	1,003	889
1988.....	24,018	9	23	31	24	83	179	406	820	1,128	925
1987.....	21,374	13	28	24	26	75	169	420	843	1,042	834
1986.....	19,663	13	38	26	29	84	212	506	920	982	786
1985.....	18,598	10	25	36	36	76	200	467	888	841	716
1984.....	16,595	10	34	25	40	92	192	408	661	608	697
1983.....	15,917	11	37	39	37	90	219	466	633	582	578
1982.....	14,476	18	36	23	35	101	225	449	552	540	571
1981.....	14,573	20	37	37	47	102	215	439	560	524	605
1980.....	14,026	20	40	32	48	99	274	464	494	547	568
1979.....	12,704	17	34	53	38	126	254	419	466	466	633
TOTAL, MALE											
1998.....	20,150	5	7	10	10	41	105	152	334	660	924
1997.....	18,595	5	7	5	6	41	108	164	342	643	918
1996.....	17,755	2	3	5	15	42	86	197	387	673	931
1995.....	16,952	2	6	6	18	45	79	161	422	673	954
1994.....	15,720	3	9	3	7	42	84	184	390	676	913
1993.....	14,791	7	7	11	16	39	95	177	398	702	880
1992.....	13,330	3	12	8	10	33	82	212	405	746	854
1991.....	12,532	8	11	13	21	38	89	200	378	643	782
1990.....	12,245	5	10	15	17	58	98	238	439	672	700
1989.....	12,102	4	17	17	19	48	94	235	560	788	678
1988.....	11,970	5	17	18	13	56	140	274	611	878	748
1987.....	10,735	9	13	15	15	48	122	291	636	800	641
1986.....	10,143	5	18	13	19	48	155	356	715	779	623
1985.....	9,721	4	16	19	19	44	143	336	667	668	559
1984.....	8,641	6	18	17	24	65	139	284	495	448	527
1983.....	8,564	6	21	21	20	55	147	324	496	432	422
1982.....	7,967	9	23	10	18	68	151	352	430	410	442
1981.....	8,204	7	20	20	29	65	148	316	421	391	454
1980.....	8,104	12	27	11	24	75	201	366	369	411	410
1979.....	7,482	8	17	31	18	99	199	307	357	339	472

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
V. MENTAL DISORDERS (290-319)											
TOTAL, FEMALE											
1998.....	32,669	2	3	5	11	26	29	54	137	256	354
1997.....	28,886	4	3	6	8	15	22	67	159	244	332
1996.....	26,255	3	5	4	6	17	41	83	157	294	303
1995.....	23,766	7	4	3	9	15	24	63	138	257	316
1994.....	21,283	2	10	12	18	14	39	66	146	227	255
1993.....	18,725	6	9	14	15	14	39	86	185	236	279
1992.....	15,677	4	14	7	13	13	48	78	157	223	228
1991.....	14,617	4	7	10	11	17	37	85	151	240	227
1990.....	13,611	8	7	9	13	18	39	98	184	229	201
1989.....	13,090	2	11	13	17	17	41	124	185	215	211
1988.....	12,048	4	6	13	11	27	39	132	209	250	177
1987.....	10,639	4	15	9	11	27	47	129	207	242	193
1986.....	9,520	8	20	13	10	36	57	150	205	203	163
1985.....	8,877	6	9	17	17	32	57	131	221	173	157
1984.....	7,954	4	16	8	16	27	53	124	166	160	170
1983.....	7,353	5	16	18	17	35	72	142	137	150	156
1982.....	6,509	9	13	13	17	33	74	97	122	130	129
1981.....	6,369	13	17	17	18	37	67	123	139	133	151
1980.....	5,922	8	13	21	24	24	73	98	125	136	158
1979.....	5,222	9	17	22	20	27	55	112	109	127	161
WHITE, BOTH SEXES											
1998.....	47,766	5	6	12	16	57	114	174	345	706	963
1997.....	42,905	3	9	10	9	50	107	179	373	656	935
1996.....	39,377	3	4	6	17	42	103	216	409	709	872
1995.....	36,035	5	6	8	19	48	80	163	410	642	854
1994.....	32,615	4	13	12	19	43	97	184	393	657	773
1993.....	29,301	10	11	19	23	39	97	196	407	623	767
1992.....	25,077	5	17	11	20	39	104	210	401	673	719
1991.....	23,373	6	12	17	26	40	99	204	359	573	634
1990.....	21,970	9	14	17	22	62	104	229	401	561	528
1989.....	21,146	4	22	26	28	54	113	252	440	584	532
1988.....	19,869	6	18	25	15	66	128	274	489	612	533
1987.....	17,593	10	21	17	16	56	128	284	490	551	474
1986.....	16,048	9	23	19	25	66	161	332	518	553	445
1985.....	15,064	4	16	29	30	55	137	297	451	474	383
1984.....	13,462	8	29	16	34	71	141	254	352	325	379
1983.....	12,875	8	26	27	27	77	165	266	329	322	322
1982.....	11,615	12	29	17	30	82	167	253	270	280	325
1981.....	11,669	16	27	26	36	83	156	235	273	266	355
1980.....	11,019	18	30	26	33	77	185	262	266	255	322
1979.....	10,133	15	28	44	29	111	192	249	252	236	353

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
V. MENTAL DISORDERS (290-319)											
WHITE MALE											
1998.....	17,583	4	5	7	8	37	91	128	256	519	709
1997.....	16,134	1	6	5	3	36	91	127	267	490	703
1996.....	15,178	2	2	3	12	30	67	153	301	514	663
1995.....	14,283	1	4	5	14	36	60	124	312	486	674
1994.....	13,201	2	7	3	6	36	69	140	304	508	604
1993.....	12,293	5	5	9	11	29	69	138	290	478	599
1992.....	10,964	2	6	7	8	29	68	161	299	538	595
1991.....	10,196	5	8	9	18	27	72	149	266	431	507
1990.....	9,787	3	7	11	15	46	72	160	296	443	408
1989.....	9,532	2	13	15	16	38	78	181	346	466	412
1988.....	9,191	3	13	14	7	45	98	190	384	495	419
1987.....	8,265	7	10	11	9	37	95	213	394	457	372
1986.....	7,706	3	13	10	18	41	118	247	414	448	362
1985.....	7,346	1	11	14	18	35	100	225	348	383	294
1984.....	6,586	6	14	11	21	53	105	189	275	246	284
1983.....	6,539	5	15	14	14	47	119	196	266	246	234
1982.....	6,023	6	19	8	15	55	114	207	221	209	247
1981.....	6,237	7	11	15	22	53	106	175	209	204	268
1980.....	6,063	11	20	8	17	57	141	220	204	193	242
1979.....	5,713	8	15	24	14	86	153	187	198	177	266
WHITE FEMALE											
1998.....	30,183	1	1	5	8	20	23	46	89	187	254
1997.....	26,771	2	3	5	6	14	16	52	106	166	232
1996.....	24,199	1	2	3	5	12	36	63	108	195	209
1995.....	21,752	4	2	3	5	12	20	39	98	156	180
1994.....	19,414	2	6	9	13	7	28	44	89	149	169
1993.....	17,008	5	6	10	12	10	28	58	117	145	168
1992.....	14,113	3	11	4	12	10	36	49	102	135	124
1991.....	13,177	1	4	8	8	13	27	55	93	142	127
1990.....	12,183	6	7	6	7	16	32	69	105	118	120
1989.....	11,614	2	9	11	12	16	35	71	94	118	120
1988.....	10,678	3	5	11	8	21	30	84	105	117	114
1987.....	9,328	3	11	6	7	19	33	71	96	94	102
1986.....	8,342	6	10	9	7	25	43	85	104	105	83
1985.....	7,718	3	5	15	12	20	37	72	103	91	89
1984.....	6,876	2	15	5	13	18	36	65	77	79	95
1983.....	6,336	3	11	13	13	30	46	70	63	76	88
1982.....	5,592	6	10	9	15	27	53	46	49	71	78
1981.....	5,432	9	16	11	14	30	50	60	64	62	87
1980.....	4,956	7	10	18	16	20	44	42	62	62	80
1979.....	4,420	7	13	20	15	25	39	62	54	59	87

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 V. MENTAL DISORDERS (290-319)											
ALL OTHER, BOTH SEXES											
1998.....	5,053	2	4	3	5	10	20	32	126	210	315
1997.....	4,576	6	1	1	5	6	23	52	128	231	315
1996.....	4,633	2	4	3	4	17	24	64	135	258	362
1995.....	4,683	4	4	1	8	12	23	61	150	288	416
1994.....	4,388	1	6	3	6	13	26	66	143	246	395
1993.....	4,215	3	5	6	8	14	37	67	176	315	392
1992.....	3,930	2	9	4	3	7	26	80	161	296	363
1991.....	3,776	6	6	6	6	15	27	81	170	310	375
1990.....	3,886	4	3	7	8	14	33	107	222	340	373
1989.....	4,046	2	6	4	8	11	22	107	305	419	357
1988.....	4,149	3	5	6	9	17	51	132	331	516	392
1987.....	3,781	3	7	7	10	19	41	136	353	491	360
1986.....	3,615	4	15	7	4	18	51	174	402	429	341
1985.....	3,534	6	9	7	6	21	63	170	437	367	333
1984.....	3,133	2	5	9	6	21	51	154	309	283	318
1983.....	3,042	3	11	12	10	13	54	200	304	260	256
1982.....	2,861	6	7	6	5	19	58	196	282	260	246
1981.....	2,904	4	10	11	11	19	59	204	287	258	250
1980.....	3,007	2	10	6	15	22	89	202	228	292	246
1979.....	2,571	2	6	9	9	15	62	170	214	230	280
ALL OTHER MALE											
1998.....	2,567	1	2	3	2	4	14	24	78	141	215
1997.....	2,461	4	1	-	3	5	17	37	75	153	215
1996.....	2,577	-	1	2	3	12	19	44	86	159	268
1995.....	2,669	1	2	1	4	9	19	37	110	187	280
1994.....	2,519	1	2	-	1	6	15	44	86	168	309
1993.....	2,498	2	2	2	5	10	26	39	108	224	281
1992.....	2,366	1	6	1	2	4	14	51	106	208	259
1991.....	2,336	3	3	4	3	11	17	51	112	212	275
1990.....	2,458	2	3	4	2	12	26	78	143	229	292
1989.....	2,570	2	4	2	3	10	16	54	214	322	266
1988.....	2,779	2	4	4	6	11	42	84	227	383	329
1987.....	2,470	2	3	4	6	11	27	78	242	343	269
1986.....	2,437	2	5	3	1	7	37	109	301	331	261
1985.....	2,375	3	5	5	1	9	43	111	319	285	265
1984.....	2,055	-	4	6	3	12	34	95	220	202	243
1983.....	2,025	1	6	7	6	8	28	128	230	186	188
1982.....	1,944	3	4	2	3	13	37	145	209	201	195
1981.....	1,967	-	9	5	7	12	42	141	212	187	186
1980.....	2,041	1	7	3	7	18	60	146	165	218	168
1979.....	1,769	-	2	7	4	13	46	120	159	162	206

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
V. MENTAL DISORDERS (290-319)											
ALL OTHER FEMALE											
1998.....	2,486	1	2	-	3	6	6	8	48	69	100
1997.....	2,115	2	-	1	2	1	6	15	53	78	100
1996.....	2,056	2	3	1	1	5	5	20	49	99	94
1995.....	2,014	3	2	-	4	3	4	24	40	101	136
1994.....	1,869	-	4	3	5	7	11	22	57	78	86
1993.....	1,717	1	3	4	3	4	11	28	68	91	111
1992.....	1,564	1	3	3	1	3	12	29	55	88	104
1991.....	1,440	3	3	2	3	4	10	30	58	98	100
1990.....	1,428	2	-	3	6	2	7	29	79	111	81
1989.....	1,476	-	2	2	5	1	6	53	91	97	91
1988.....	1,370	1	1	2	3	6	9	48	104	133	63
1987.....	1,311	1	4	3	4	8	14	58	111	148	91
1986.....	1,178	2	10	4	3	11	14	65	101	98	80
1985.....	1,159	3	4	2	5	12	20	59	118	82	68
1984.....	1,078	2	1	3	3	9	17	59	89	81	75
1983.....	1,017	2	5	5	4	5	26	72	74	74	68
1982.....	917	3	3	4	2	6	21	51	73	59	51
1981.....	937	4	1	6	4	7	17	63	75	71	64
1980.....	966	1	3	3	8	4	29	56	63	74	78
1979.....	802	2	4	2	5	2	16	50	55	68	74
BLACK, BOTH SEXES											
1998.....	4,376	2	4	3	3	4	15	27	104	170	286
1997.....	4,005	5	-	-	4	4	17	43	95	183	284
1996.....	4,055	2	3	3	2	13	22	50	106	226	319
1995.....	4,163	4	4	1	7	9	20	51	128	250	371
1994.....	3,908	1	4	2	5	11	20	49	121	205	356
1993.....	3,771	3	3	6	6	9	26	53	155	281	350
1992.....	3,515	2	8	3	2	4	19	69	127	273	325
1991.....	3,448	6	6	6	6	10	21	64	152	274	348
1990.....	3,559	4	3	6	8	12	24	93	200	311	342
1989.....	3,694	1	6	3	8	8	17	94	275	383	334
1988.....	3,834	2	4	6	8	13	44	118	311	488	373
1987.....	3,515	2	7	6	9	16	35	125	332	467	345
1986.....	3,376	4	13	5	3	11	45	160	388	405	324
1985.....	3,294	4	9	6	5	17	56	154	416	355	314
1984.....	2,882	2	5	8	6	16	42	141	285	261	295
1983.....	2,808	2	10	11	8	5	45	182	290	243	240
1982.....	2,646	6	7	4	4	17	47	181	266	243	226
1981.....	2,669	3	7	10	10	13	48	190	268	234	226
1980.....	2,768	2	9	5	14	15	78	188	207	276	228
1979.....	2,346	2	5	7	9	10	51	151	193	210	257

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
V. MENTAL DISORDERS (290-319)											
BLACK MALE											
1998.....	2,220	1	2	3	1	1	10	19	66	115	194
1997.....	2,135	3	-	-	2	3	14	30	60	117	191
1996.....	2,255	-	1	2	1	9	18	34	67	140	238
1995.....	2,360	1	2	1	3	7	16	33	93	161	247
1994.....	2,249	1	2	-	1	4	11	31	73	143	280
1993.....	2,243	2	2	2	4	6	16	31	95	197	258
1992.....	2,114	1	6	1	2	3	11	43	82	190	231
1991.....	2,126	3	3	4	3	6	11	37	101	187	253
1990.....	2,258	2	3	3	2	10	19	66	128	210	272
1989.....	2,353	1	4	2	3	7	12	45	193	291	250
1988.....	2,566	1	3	4	5	9	36	76	215	363	315
1987.....	2,309	1	3	3	6	9	22	72	224	328	262
1986.....	2,283	2	4	3	1	3	32	99	289	315	248
1985.....	2,230	2	5	4	1	6	36	103	306	279	249
1984.....	1,895	-	4	5	3	10	26	88	202	188	227
1983.....	1,873	1	6	6	4	3	23	118	218	175	178
1982.....	1,789	3	4	1	2	12	26	132	196	188	178
1981.....	1,802	-	6	4	6	7	31	132	201	169	170
1980.....	1,880	1	6	3	7	12	51	138	149	208	159
1979.....	1,610	-	2	5	4	8	37	108	147	147	189
BLACK FEMALE											
1998.....	2,156	1	2	-	2	3	5	8	38	55	92
1997.....	1,870	2	-	-	2	1	3	13	35	66	93
1996.....	1,800	2	2	1	1	4	4	16	39	86	81
1995.....	1,803	3	2	-	4	2	4	18	35	89	124
1994.....	1,659	-	2	2	4	7	9	18	48	62	76
1993.....	1,528	1	1	4	2	3	10	22	60	84	92
1992.....	1,401	1	2	2	-	1	8	26	45	83	94
1991.....	1,322	3	3	2	3	4	10	27	51	87	95
1990.....	1,301	2	-	3	6	2	5	27	72	101	70
1989.....	1,341	-	2	1	5	1	5	49	82	92	84
1988.....	1,268	1	1	2	3	4	8	42	96	125	58
1987.....	1,206	1	4	3	3	7	13	53	108	139	83
1986.....	1,093	2	9	2	2	8	13	61	99	90	76
1985.....	1,064	2	4	2	4	11	20	51	110	76	65
1984.....	987	2	1	3	3	6	16	53	83	73	68
1983.....	935	1	4	5	4	2	22	64	72	68	62
1982.....	857	3	3	3	2	5	21	49	70	55	48
1981.....	867	3	1	6	4	6	17	58	67	65	56
1980.....	888	1	3	2	7	3	27	50	58	68	69
1979.....	736	2	3	2	5	2	14	43	46	63	68

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOLIC PSYCHOSES (291)											
TOTAL, BOTH SEXES											
1998.....	405	-	-	-	-	1	-	2	5	17	35
1997.....	381	-	-	-	-	-	-	4	7	18	21
1996.....	399	-	-	-	-	-	-	1	9	15	32
1995.....	445	-	-	-	-	1	3	1	13	24	39
1994.....	401	-	-	-	-	-	-	7	15	24	27
1993.....	386	-	-	-	-	1	1	3	15	24	28
1992.....	384	-	-	-	-	-	-	3	10	31	29
1991.....	360	-	-	-	-	-	-	2	8	29	26
1990.....	433	-	-	-	-	-	1	9	17	20	31
1989.....	403	-	-	-	-	-	-	6	21	25	32
1988.....	372	-	-	-	-	2	1	8	18	28	37
1987.....	382	-	-	-	-	-	1	6	14	27	44
1986.....	347	-	-	-	-	-	1	10	8	26	29
1985.....	368	-	-	-	-	-	1	7	23	36	31
1984.....	350	-	1	-	-	-	-	8	19	24	36
1983.....	346	-	-	-	-	-	-	9	12	27	20
1982.....	389	-	-	-	-	-	1	12	10	21	26
1981.....	453	-	-	-	1	-	-	16	24	26	33
1980.....	454	-	-	-	-	-	8	9	20	38	41
1979.....	412	-	-	-	-	-	3	10	15	26	36
TOTAL, MALE											
1998.....	329	-	-	-	-	1	-	2	3	15	28
1997.....	305	-	-	-	-	-	-	3	5	9	18
1996.....	332	-	-	-	-	-	-	1	9	12	27
1995.....	372	-	-	-	-	1	1	1	11	18	34
1994.....	325	-	-	-	-	-	-	6	12	17	22
1993.....	334	-	-	-	-	1	1	2	12	20	24
1992.....	321	-	-	-	-	-	-	2	6	26	24
1991.....	307	-	-	-	-	-	-	1	7	24	23
1990.....	359	-	-	-	-	-	1	6	13	12	25
1989.....	342	-	-	-	-	-	-	6	17	24	24
1988.....	318	-	-	-	-	2	1	6	13	26	29
1987.....	302	-	-	-	-	-	1	5	10	20	37
1986.....	298	-	-	-	-	-	-	6	5	24	24
1985.....	312	-	-	-	-	-	-	4	19	31	23
1984.....	299	-	-	-	-	-	1	6	12	16	27
1983.....	290	-	-	-	-	-	-	5	9	22	15
1982.....	333	-	-	-	-	-	-	10	8	13	22
1981.....	378	-	-	-	-	-	-	8	19	20	22
1980.....	380	-	-	-	-	-	6	8	12	29	33
1979.....	347	-	-	-	-	-	3	10	11	21	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALCOHOLIC PSYCHOSES (291)												
TOTAL, FEMALE												
1998.....	76	-	-	-	-	-	-	-	2	2	7	
1997.....	76	-	-	-	-	-	-	1	2	9	3	
1996.....	67	-	-	-	-	-	-	-	-	3	5	
1995.....	73	-	-	-	-	-	2	-	2	6	5	
1994.....	76	-	-	-	-	-	-	1	3	7	5	
1993.....	52	-	-	-	-	-	-	1	3	4	4	
1992.....	63	-	-	-	-	-	-	1	4	5	5	
1991.....	53	-	-	-	-	-	-	1	1	5	3	
1990.....	74	-	-	-	-	-	-	3	4	8	6	
1989.....	61	-	-	-	-	-	-	-	4	1	8	
1988.....	54	-	-	-	-	-	-	2	5	2	8	
1987.....	80	-	-	-	-	-	-	1	4	7	7	
1986.....	49	-	-	-	-	-	1	4	3	2	5	
1985.....	56	-	-	-	-	-	1	3	4	5	8	
1984.....	51	-	1	-	-	-	-	2	7	8	9	
1983.....	56	-	-	-	-	-	-	4	3	5	5	
1982.....	56	-	-	-	-	-	1	2	2	8	4	
1981.....	75	-	-	-	1	-	-	8	5	6	11	
1980.....	74	-	-	-	-	-	2	1	8	9	8	
1979.....	65	-	-	-	-	-	-	-	4	5	7	
WHITE, BOTH SEXES												
1998.....	331	-	-	-	-	1	-	1	4	13	27	
1997.....	308	-	-	-	-	-	-	3	6	12	14	
1996.....	323	-	-	-	-	-	-	1	6	12	18	
1995.....	352	-	-	-	-	1	3	1	8	17	31	
1994.....	316	-	-	-	-	-	-	3	13	19	19	
1993.....	290	-	-	-	-	1	1	3	12	13	17	
1992.....	293	-	-	-	-	-	-	1	8	19	20	
1991.....	262	-	-	-	-	-	-	-	4	19	15	
1990.....	312	-	-	-	-	-	-	3	8	9	19	
1989.....	276	-	-	-	-	-	-	4	13	8	16	
1988.....	240	-	-	-	-	2	-	4	8	15	21	
1987.....	274	-	-	-	-	-	-	3	10	14	19	
1986.....	239	-	-	-	-	-	-	2	2	13	18	
1985.....	255	-	-	-	-	-	-	2	9	19	17	
1984.....	235	-	1	-	-	-	1	1	10	7	16	
1983.....	227	-	-	-	-	-	-	-	2	12	14	
1982.....	271	-	-	-	-	-	-	4	4	9	12	
1981.....	312	-	-	-	1	-	-	4	10	11	13	
1980.....	294	-	-	-	-	-	3	5	4	12	19	
1979.....	286	-	-	-	-	-	1	3	5	6	22	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOLIC PSYCHOSES (291)											
WHITE MALE											
1998.....	264	-	-	-	-	1	-	1	2	11	22
1997.....	247	-	-	-	-	-	-	2	5	6	12
1996.....	261	-	-	-	-	-	-	1	6	9	14
1995.....	294	-	-	-	-	1	1	1	8	14	26
1994.....	254	-	-	-	-	-	-	3	11	12	16
1993.....	251	-	-	-	-	1	1	2	9	11	14
1992.....	247	-	-	-	-	-	-	1	5	17	17
1991.....	222	-	-	-	-	-	-	-	4	16	14
1990.....	264	-	-	-	-	-	-	2	5	6	15
1989.....	235	-	-	-	-	-	-	4	11	8	12
1988.....	203	-	-	-	-	2	-	4	4	15	15
1987.....	213	-	-	-	-	-	-	3	8	12	16
1986.....	210	-	-	-	-	-	-	2	2	12	17
1985.....	220	-	-	-	-	-	-	-	8	17	14
1984.....	207	-	-	-	-	-	1	1	6	6	13
1983.....	192	-	-	-	-	-	-	-	2	11	11
1982.....	241	-	-	-	-	-	-	4	4	5	10
1981.....	269	-	-	-	-	-	-	3	8	9	10
1980.....	255	-	-	-	-	-	2	5	4	12	17
1979.....	245	-	-	-	-	-	1	3	4	6	17
WHITE FEMALE											
1998.....	67	-	-	-	-	-	-	-	2	2	5
1997.....	61	-	-	-	-	-	-	1	1	6	2
1996.....	62	-	-	-	-	-	-	-	-	3	4
1995.....	58	-	-	-	-	-	2	-	-	3	5
1994.....	62	-	-	-	-	-	-	-	2	7	3
1993.....	39	-	-	-	-	-	-	1	3	2	3
1992.....	46	-	-	-	-	-	-	-	3	2	3
1991.....	40	-	-	-	-	-	-	-	-	3	1
1990.....	48	-	-	-	-	-	-	1	3	3	4
1989.....	41	-	-	-	-	-	-	-	2	-	4
1988.....	37	-	-	-	-	-	-	-	4	-	6
1987.....	61	-	-	-	-	-	-	-	2	2	3
1986.....	29	-	-	-	-	-	-	-	-	1	1
1985.....	35	-	-	-	-	-	-	2	1	2	3
1984.....	28	-	1	-	-	-	-	-	4	1	3
1983.....	35	-	-	-	-	-	-	-	-	1	3
1982.....	30	-	-	-	-	-	-	-	-	4	2
1981.....	43	-	-	-	1	-	-	1	2	2	3
1980.....	39	-	-	-	-	-	1	-	-	-	2
1979.....	41	-	-	-	-	-	-	-	1	-	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOLIC PSYCHOSES (291)											
ALL OTHER, BOTH SEXES											
1998.....	74	-	-	-	-	-	-	1	1	4	8
1997.....	73	-	-	-	-	-	-	1	1	6	7
1996.....	76	-	-	-	-	-	-	-	3	3	14
1995.....	93	-	-	-	-	-	-	-	5	7	8
1994.....	85	-	-	-	-	-	-	4	2	5	8
1993.....	96	-	-	-	-	-	-	-	3	11	11
1992.....	91	-	-	-	-	-	-	2	2	12	9
1991.....	98	-	-	-	-	-	-	2	4	10	11
1990.....	121	-	-	-	-	-	1	6	9	11	12
1989.....	127	-	-	-	-	-	-	2	8	17	16
1988.....	132	-	-	-	-	-	1	4	10	13	16
1987.....	108	-	-	-	-	-	1	3	4	13	25
1986.....	108	-	-	-	-	-	1	8	6	13	11
1985.....	113	-	-	-	-	-	1	5	14	17	14
1984.....	115	-	-	-	-	-	-	7	9	17	20
1983.....	119	-	-	-	-	-	-	9	10	15	6
1982.....	118	-	-	-	-	-	1	8	6	12	14
1981.....	141	-	-	-	-	-	-	12	14	15	20
1980.....	160	-	-	-	-	-	5	4	16	26	22
1979.....	126	-	-	-	-	-	2	7	10	20	14
ALL OTHER MALE											
1998.....	65	-	-	-	-	-	-	1	1	4	6
1997.....	58	-	-	-	-	-	-	1	-	3	6
1996.....	71	-	-	-	-	-	-	-	3	3	13
1995.....	78	-	-	-	-	-	-	-	3	4	8
1994.....	71	-	-	-	-	-	-	3	1	5	6
1993.....	83	-	-	-	-	-	-	-	3	9	10
1992.....	74	-	-	-	-	-	-	1	1	9	7
1991.....	85	-	-	-	-	-	-	1	3	8	9
1990.....	95	-	-	-	-	-	1	4	8	6	10
1989.....	107	-	-	-	-	-	-	2	6	16	12
1988.....	115	-	-	-	-	-	1	2	9	11	14
1987.....	89	-	-	-	-	-	1	2	2	8	21
1986.....	88	-	-	-	-	-	-	4	3	12	7
1985.....	92	-	-	-	-	-	-	4	11	14	9
1984.....	92	-	-	-	-	-	-	5	6	10	14
1983.....	98	-	-	-	-	-	-	5	7	11	4
1982.....	92	-	-	-	-	-	-	6	4	8	12
1981.....	109	-	-	-	-	-	-	5	11	11	12
1980.....	125	-	-	-	-	-	4	3	8	17	16
1979.....	102	-	-	-	-	-	2	7	7	15	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOLIC PSYCHOSES (291)											
ALL OTHER FEMALE											
1998.....	9	-	-	-	-	-	-	-	-	-	2
1997.....	15	-	-	-	-	-	-	-	1	3	1
1996.....	5	-	-	-	-	-	-	-	-	-	1
1995.....	15	-	-	-	-	-	-	-	2	3	-
1994.....	14	-	-	-	-	-	-	1	1	-	2
1993.....	13	-	-	-	-	-	-	-	-	2	1
1992.....	17	-	-	-	-	-	-	1	1	3	2
1991.....	13	-	-	-	-	-	-	1	1	2	2
1990.....	26	-	-	-	-	-	-	2	1	5	2
1989.....	20	-	-	-	-	-	-	-	2	1	4
1988.....	17	-	-	-	-	-	-	2	1	2	2
1987.....	19	-	-	-	-	-	-	1	2	5	4
1986.....	20	-	-	-	-	-	1	4	3	1	4
1985.....	21	-	-	-	-	-	1	1	3	3	5
1984.....	23	-	-	-	-	-	-	2	3	7	6
1983.....	21	-	-	-	-	-	-	4	3	4	2
1982.....	26	-	-	-	-	-	1	2	2	4	2
1981.....	32	-	-	-	-	-	-	7	3	4	8
1980.....	35	-	-	-	-	-	1	1	8	9	6
1979.....	24	-	-	-	-	-	-	-	3	5	2
BLACK, BOTH SEXES											
1998.....	66	-	-	-	-	-	-	1	1	3	8
1997.....	62	-	-	-	-	-	-	-	1	5	6
1996.....	69	-	-	-	-	-	-	-	3	3	12
1995.....	84	-	-	-	-	-	-	-	5	6	7
1994.....	75	-	-	-	-	-	-	2	2	5	6
1993.....	89	-	-	-	-	-	-	-	2	10	9
1992.....	81	-	-	-	-	-	-	1	2	11	6
1991.....	91	-	-	-	-	-	-	1	3	10	11
1990.....	112	-	-	-	-	-	-	4	9	10	9
1989.....	113	-	-	-	-	-	-	1	6	16	13
1988.....	124	-	-	-	-	-	-	3	9	13	15
1987.....	98	-	-	-	-	-	-	1	4	12	24
1986.....	103	-	-	-	-	-	1	8	6	12	10
1985.....	108	-	-	-	-	-	1	4	13	17	14
1984.....	103	-	-	-	-	-	-	6	7	13	20
1983.....	110	-	-	-	-	-	-	9	9	13	5
1982.....	109	-	-	-	-	-	1	6	6	10	14
1981.....	137	-	-	-	-	-	-	12	14	15	18
1980.....	156	-	-	-	-	-	5	3	15	26	22
1979.....	120	-	-	-	-	-	2	6	9	17	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOLIC PSYCHOSES (291)											
BLACK MALE											
1998.....	58	-	-	-	-	-	-	1	1	3	6
1997.....	48	-	-	-	-	-	-	-	-	2	5
1996.....	64	-	-	-	-	-	-	-	3	3	11
1995.....	70	-	-	-	-	-	-	-	3	3	7
1994.....	64	-	-	-	-	-	-	2	1	5	5
1993.....	77	-	-	-	-	-	-	-	2	8	8
1992.....	66	-	-	-	-	-	-	1	1	8	4
1991.....	81	-	-	-	-	-	-	1	3	8	9
1990.....	89	-	-	-	-	-	-	2	8	6	8
1989.....	96	-	-	-	-	-	-	1	5	15	10
1988.....	109	-	-	-	-	-	-	2	8	11	13
1987.....	84	-	-	-	-	-	-	1	2	8	20
1986.....	83	-	-	-	-	-	-	4	3	11	6
1985.....	89	-	-	-	-	-	-	3	11	14	9
1984.....	80	-	-	-	-	-	-	4	4	6	14
1983.....	90	-	-	-	-	-	-	5	6	10	3
1982.....	85	-	-	-	-	-	-	4	4	7	12
1981.....	105	-	-	-	-	-	-	5	11	11	10
1980.....	121	-	-	-	-	-	4	2	7	17	16
1979.....	96	-	-	-	-	-	2	6	6	12	12
BLACK FEMALE											
1998.....	8	-	-	-	-	-	-	-	-	-	2
1997.....	14	-	-	-	-	-	-	-	1	3	1
1996.....	5	-	-	-	-	-	-	-	-	-	1
1995.....	14	-	-	-	-	-	-	-	2	3	-
1994.....	11	-	-	-	-	-	-	-	1	-	1
1993.....	12	-	-	-	-	-	-	-	-	2	1
1992.....	15	-	-	-	-	-	-	-	1	3	2
1991.....	10	-	-	-	-	-	-	-	-	2	2
1990.....	23	-	-	-	-	-	-	2	1	4	1
1989.....	17	-	-	-	-	-	-	-	1	1	3
1988.....	15	-	-	-	-	-	-	1	1	2	2
1987.....	14	-	-	-	-	-	-	-	2	4	4
1986.....	20	-	-	-	-	-	1	4	3	1	4
1985.....	19	-	-	-	-	-	1	1	2	3	5
1984.....	23	-	-	-	-	-	-	2	3	7	6
1983.....	20	-	-	-	-	-	-	4	3	3	2
1982.....	24	-	-	-	-	-	1	2	2	3	2
1981.....	32	-	-	-	-	-	-	7	3	4	8
1980.....	35	-	-	-	-	-	1	1	8	9	6
1979.....	24	-	-	-	-	-	-	-	3	5	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER PSYCHOSES (292-299)											
TOTAL, BOTH SEXES											
1998.....	15,952	1	-	1	1	2	3	-	8	16	21
1997.....	13,231	-	-	-	1	1	1	4	9	15	18
1996.....	11,374	-	-	-	-	3	3	8	10	13	17
1995.....	9,719	1	-	1	-	-	3	6	15	24	17
1994.....	8,502	1	1	-	-	1	3	9	11	17	17
1993.....	7,094	-	-	-	1	-	5	7	14	16	19
1992.....	5,532	1	-	-	1	-	2	5	12	16	11
1991.....	4,712	-	-	1	-	2	3	6	9	18	12
1990.....	3,992	-	-	-	-	-	1	8	8	12	10
1989.....	3,668	-	1	2	-	1	-	4	13	11	17
1988.....	3,284	-	-	-	-	-	6	7	11	17	10
1987.....	2,602	1	-	-	-	1	-	7	8	12	9
1986.....	2,077	1	-	-	-	2	2	7	6	11	13
1985.....	1,695	-	-	-	-	1	5	9	4	12	8
1984.....	1,367	-	-	-	2	-	3	3	3	5	6
1983.....	1,072	-	-	-	-	2	2	4	10	7	12
1982.....	884	-	-	-	-	1	2	8	9	9	6
1981.....	735	-	-	-	-	1	4	8	10	6	5
1980.....	705	1	2	1	1	-	1	9	6	6	9
1979.....	585	-	-	-	-	-	4	6	9	5	12
TOTAL, MALE											
1998.....	5,040	1	-	-	1	1	3	-	6	9	16
1997.....	4,308	-	-	-	1	-	-	4	7	10	14
1996.....	3,641	-	-	-	-	2	2	6	8	7	14
1995.....	3,202	1	-	-	-	-	1	3	11	14	10
1994.....	2,838	-	1	-	-	1	3	7	7	11	12
1993.....	2,539	-	-	-	1	-	4	4	12	10	14
1992.....	1,964	1	-	-	1	-	1	5	9	12	7
1991.....	1,675	-	-	-	-	1	2	3	8	11	6
1990.....	1,457	-	-	-	-	-	1	5	4	7	8
1989.....	1,401	-	1	2	-	1	-	2	11	8	14
1988.....	1,319	-	-	-	-	-	6	6	7	14	5
1987.....	1,039	1	-	-	-	-	-	3	5	7	5
1986.....	848	-	-	-	-	1	2	5	5	8	9
1985.....	719	-	-	-	-	1	3	7	3	7	7
1984.....	538	-	-	-	1	-	3	2	2	4	4
1983.....	469	-	-	-	-	1	1	4	7	4	5
1982.....	396	-	-	-	-	1	1	6	6	5	4
1981.....	327	-	-	-	-	1	4	5	5	4	2
1980.....	339	-	2	-	1	-	-	5	5	5	5
1979.....	279	-	-	-	-	-	3	5	7	3	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	10,912	-	-	1	-	1	-	-	2	7	5
1997.....	8,923	-	-	-	-	1	1	-	2	5	4
1996.....	7,733	-	-	-	-	1	1	2	2	6	3
1995.....	6,517	-	-	1	-	-	2	3	4	10	7
1994.....	5,664	1	-	-	-	-	-	2	4	6	5
1993.....	4,555	-	-	-	-	-	1	3	2	6	5
1992.....	3,568	-	-	-	-	-	1	-	3	4	4
1991.....	3,037	-	-	1	-	1	1	3	1	7	6
1990.....	2,535	-	-	-	-	-	-	3	4	5	2
1989.....	2,267	-	-	-	-	-	-	2	2	3	3
1988.....	1,965	-	-	-	-	-	-	1	4	3	5
1987.....	1,563	-	-	-	-	1	-	4	3	5	4
1986.....	1,229	1	-	-	-	1	-	2	1	3	4
1985.....	976	-	-	-	-	-	2	2	1	5	1
1984.....	829	-	-	-	1	-	-	1	1	1	2
1983.....	603	-	-	-	-	1	1	-	3	3	7
1982.....	488	-	-	-	-	-	1	2	3	4	2
1981.....	408	-	-	-	-	-	-	3	5	2	3
1980.....	366	1	-	1	-	-	1	4	1	1	4
1979.....	306	-	-	-	-	-	1	1	2	2	7
WHITE, BOTH SEXES											
1998.....	14,726	1	-	1	1	1	2	-	5	12	16
1997.....	12,261	-	-	-	1	1	1	3	4	12	15
1996.....	10,508	-	-	-	-	3	1	7	7	8	14
1995.....	8,955	1	-	1	-	-	1	3	10	16	13
1994.....	7,848	1	1	-	-	1	1	6	7	16	13
1993.....	6,495	-	-	-	-	-	5	4	10	10	15
1992.....	5,025	1	-	-	1	-	2	3	7	13	6
1991.....	4,291	-	-	-	-	1	2	5	5	13	7
1990.....	3,587	-	-	-	-	-	-	7	3	9	6
1989.....	3,309	-	1	2	-	1	-	3	9	9	15
1988.....	2,937	-	-	-	-	-	4	3	7	13	6
1987.....	2,303	1	-	-	-	1	-	6	5	7	6
1986.....	1,830	1	-	-	-	2	1	2	4	7	11
1985.....	1,490	-	-	-	-	-	-	6	2	10	4
1984.....	1,195	-	-	-	2	-	2	3	3	5	5
1983.....	943	-	-	-	-	2	2	3	9	5	10
1982.....	764	-	-	-	-	1	2	4	6	6	3
1981.....	648	-	-	-	-	1	4	5	9	4	4
1980.....	621	1	2	1	1	-	1	7	4	4	7
1979.....	511	-	-	-	-	-	4	1	6	5	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER PSYCHOSES (292-299)											
WHITE MALE											
1998.....	4,598	1	-	-	1	1	2	-	3	7	14
1997.....	3,928	-	-	-	1	-	-	3	4	10	12
1996.....	3,303	-	-	-	-	2	-	5	5	5	11
1995.....	2,888	1	-	-	-	-	1	2	6	11	7
1994.....	2,590	-	1	-	-	1	1	4	4	11	9
1993.....	2,297	-	-	-	-	-	4	2	9	5	11
1992.....	1,761	1	-	-	1	-	1	3	6	10	6
1991.....	1,489	-	-	-	-	1	1	2	5	9	5
1990.....	1,280	-	-	-	-	-	-	4	2	5	4
1989.....	1,235	-	1	2	-	1	-	2	7	7	13
1988.....	1,138	-	-	-	-	-	4	2	4	10	2
1987.....	880	1	-	-	-	-	-	2	3	4	4
1986.....	725	-	-	-	-	1	1	1	3	5	7
1985.....	619	-	-	-	-	-	-	4	1	7	3
1984.....	469	-	-	-	1	-	2	2	2	4	3
1983.....	398	-	-	-	-	1	1	3	7	3	5
1982.....	331	-	-	-	-	1	1	3	3	3	2
1981.....	284	-	-	-	-	1	4	3	4	2	1
1980.....	299	-	2	-	1	-	-	5	4	4	4
1979.....	238	-	-	-	-	-	3	1	4	3	3
WHITE FEMALE											
1998.....	10,128	-	-	1	-	-	-	-	2	5	2
1997.....	8,333	-	-	-	-	1	1	-	-	2	3
1996.....	7,205	-	-	-	-	1	1	2	2	3	3
1995.....	6,067	-	-	1	-	-	-	1	4	5	6
1994.....	5,258	1	-	-	-	-	-	2	3	5	4
1993.....	4,198	-	-	-	-	-	1	2	1	5	4
1992.....	3,264	-	-	-	-	-	1	-	1	3	-
1991.....	2,802	-	-	-	-	-	1	3	-	4	2
1990.....	2,307	-	-	-	-	-	-	3	1	4	2
1989.....	2,074	-	-	-	-	-	-	1	2	2	2
1988.....	1,799	-	-	-	-	-	-	1	3	3	4
1987.....	1,423	-	-	-	-	1	-	4	2	3	2
1986.....	1,105	1	-	-	-	1	-	1	1	2	4
1985.....	871	-	-	-	-	-	-	2	1	3	1
1984.....	726	-	-	-	1	-	-	1	1	1	2
1983.....	545	-	-	-	-	1	1	-	2	2	5
1982.....	433	-	-	-	-	-	1	1	3	3	1
1981.....	364	-	-	-	-	-	-	2	5	2	3
1980.....	322	1	-	1	-	-	1	2	-	-	3
1979.....	273	-	-	-	-	-	1	-	2	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER PSYCHOSES (292-299)											
ALL OTHER, BOTH SEXES											
1998.....	1,226	-	-	-	-	1	1	-	3	4	5
1997.....	970	-	-	-	-	-	-	1	5	3	3
1996.....	866	-	-	-	-	-	2	1	3	5	3
1995.....	764	-	-	-	-	-	2	3	5	8	4
1994.....	654	-	-	-	-	-	2	3	4	1	4
1993.....	599	-	-	-	1	-	-	3	4	6	4
1992.....	507	-	-	-	-	-	-	2	5	3	5
1991.....	421	-	-	1	-	1	1	1	4	5	5
1990.....	405	-	-	-	-	-	1	1	5	3	4
1989.....	359	-	-	-	-	-	-	1	4	2	2
1988.....	347	-	-	-	-	-	2	4	4	4	4
1987.....	299	-	-	-	-	-	-	1	3	5	3
1986.....	247	-	-	-	-	-	1	5	2	4	2
1985.....	205	-	-	-	-	1	5	3	2	2	4
1984.....	172	-	-	-	-	-	1	-	-	-	1
1983.....	129	-	-	-	-	-	-	1	1	2	2
1982.....	120	-	-	-	-	-	-	4	3	3	3
1981.....	87	-	-	-	-	-	-	3	1	2	1
1980.....	84	-	-	-	-	-	-	2	2	2	2
1979.....	74	-	-	-	-	-	-	5	3	-	5
ALL OTHER MALE											
1998.....	442	-	-	-	-	-	1	-	3	2	2
1997.....	380	-	-	-	-	-	-	1	3	-	2
1996.....	338	-	-	-	-	-	2	1	3	2	3
1995.....	314	-	-	-	-	-	-	1	5	3	3
1994.....	248	-	-	-	-	-	2	3	3	-	3
1993.....	242	-	-	-	1	-	-	2	3	5	3
1992.....	203	-	-	-	-	-	-	2	3	2	1
1991.....	186	-	-	-	-	-	1	1	3	2	1
1990.....	177	-	-	-	-	-	1	1	2	2	4
1989.....	166	-	-	-	-	-	-	-	4	1	1
1988.....	181	-	-	-	-	-	2	4	3	4	3
1987.....	159	-	-	-	-	-	-	1	2	3	1
1986.....	123	-	-	-	-	-	1	4	2	3	2
1985.....	100	-	-	-	-	1	3	3	2	-	4
1984.....	69	-	-	-	-	-	1	-	-	-	1
1983.....	71	-	-	-	-	-	-	1	-	1	-
1982.....	65	-	-	-	-	-	-	3	3	2	2
1981.....	43	-	-	-	-	-	-	2	1	2	1
1980.....	40	-	-	-	-	-	-	-	1	1	1
1979.....	41	-	-	-	-	-	-	4	3	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER PSYCHOSES (292-299)											
ALL OTHER FEMALE											
1998.....	784	-	-	-	-	1	-	-	-	2	3
1997.....	590	-	-	-	-	-	-	-	2	3	1
1996.....	528	-	-	-	-	-	-	-	-	3	-
1995.....	450	-	-	-	-	-	2	2	-	5	1
1994.....	406	-	-	-	-	-	-	-	1	1	1
1993.....	357	-	-	-	-	-	-	1	1	1	1
1992.....	304	-	-	-	-	-	-	-	2	1	4
1991.....	235	-	-	1	-	1	-	-	1	3	4
1990.....	228	-	-	-	-	-	-	-	3	1	-
1989.....	193	-	-	-	-	-	-	1	-	1	1
1988.....	166	-	-	-	-	-	-	-	1	-	1
1987.....	140	-	-	-	-	-	-	-	1	2	2
1986.....	124	-	-	-	-	-	-	1	-	1	-
1985.....	105	-	-	-	-	-	2	-	-	2	-
1984.....	103	-	-	-	-	-	-	-	-	-	-
1983.....	58	-	-	-	-	-	-	-	1	1	2
1982.....	55	-	-	-	-	-	-	1	-	1	1
1981.....	44	-	-	-	-	-	-	1	-	-	-
1980.....	44	-	-	-	-	-	-	2	1	1	1
1979.....	33	-	-	-	-	-	-	1	-	-	3
BLACK, BOTH SEXES											
1998.....	1,076	-	-	-	-	1	1	-	3	4	4
1997.....	871	-	-	-	-	-	-	1	5	3	3
1996.....	758	-	-	-	-	-	2	1	3	5	2
1995.....	675	-	-	-	-	-	2	2	4	7	2
1994.....	595	-	-	-	-	-	2	3	4	1	2
1993.....	539	-	-	-	-	-	-	3	4	6	4
1992.....	466	-	-	-	-	-	-	2	5	3	5
1991.....	382	-	-	1	-	1	1	1	4	4	5
1990.....	370	-	-	-	-	-	1	1	4	3	4
1989.....	320	-	-	-	-	-	-	-	4	2	2
1988.....	309	-	-	-	-	-	2	4	4	3	3
1987.....	275	-	-	-	-	-	-	1	3	4	3
1986.....	226	-	-	-	-	-	1	5	2	4	2
1985.....	190	-	-	-	-	1	5	3	2	2	4
1984.....	158	-	-	-	-	-	1	-	-	-	1
1983.....	120	-	-	-	-	-	-	1	1	1	2
1982.....	109	-	-	-	-	-	-	4	2	2	3
1981.....	81	-	-	-	-	-	-	3	1	2	1
1980.....	80	-	-	-	-	-	-	2	2	1	2
1979.....	70	-	-	-	-	-	-	5	3	-	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER PSYCHOSES (292-299)											
BLACK MALE											
1998.....	381	-	-	-	-	-	1	-	3	2	2
1997.....	336	-	-	-	-	-	-	1	3	-	2
1996.....	300	-	-	-	-	-	2	1	3	2	2
1995.....	275	-	-	-	-	-	-	1	4	2	2
1994.....	230	-	-	-	-	-	2	3	3	-	2
1993.....	214	-	-	-	-	-	-	2	3	5	3
1992.....	183	-	-	-	-	-	-	2	3	2	1
1991.....	165	-	-	-	-	-	1	1	3	1	1
1990.....	161	-	-	-	-	-	1	1	2	2	4
1989.....	149	-	-	-	-	-	-	-	4	1	1
1988.....	158	-	-	-	-	-	2	4	3	3	3
1987.....	145	-	-	-	-	-	-	1	2	3	1
1986.....	114	-	-	-	-	-	1	4	2	3	2
1985.....	91	-	-	-	-	1	3	3	2	-	4
1984.....	63	-	-	-	-	-	1	-	-	-	1
1983.....	66	-	-	-	-	-	-	1	-	-	-
1982.....	60	-	-	-	-	-	-	3	2	1	2
1981.....	39	-	-	-	-	-	-	2	1	2	1
1980.....	38	-	-	-	-	-	-	-	1	-	1
1979.....	37	-	-	-	-	-	-	4	3	-	2
BLACK FEMALE											
1998.....	695	-	-	-	-	1	-	-	-	2	2
1997.....	535	-	-	-	-	-	-	-	2	3	1
1996.....	458	-	-	-	-	-	-	-	-	3	-
1995.....	400	-	-	-	-	-	2	1	-	5	-
1994.....	365	-	-	-	-	-	-	-	1	1	-
1993.....	325	-	-	-	-	-	-	1	1	1	1
1992.....	283	-	-	-	-	-	-	-	2	1	4
1991.....	217	-	-	1	-	1	-	-	1	3	4
1990.....	209	-	-	-	-	-	-	-	2	1	-
1989.....	171	-	-	-	-	-	-	-	-	1	1
1988.....	151	-	-	-	-	-	-	-	1	-	-
1987.....	130	-	-	-	-	-	-	-	1	1	2
1986.....	112	-	-	-	-	-	-	1	-	1	-
1985.....	99	-	-	-	-	-	2	-	-	2	-
1984.....	95	-	-	-	-	-	-	-	-	-	-
1983.....	54	-	-	-	-	-	-	-	1	1	2
1982.....	49	-	-	-	-	-	-	1	-	1	1
1981.....	42	-	-	-	-	-	-	1	-	-	-
1980.....	42	-	-	-	-	-	-	2	1	1	1
1979.....	33	-	-	-	-	-	-	1	-	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALCOHOL DEPENDENCE SYNDROME (303)												
TOTAL, BOTH SEXES												
1998.....	5,266	-	1	-	1	-	12	45	151	411	645	
1997.....	5,204	1	-	-	-	5	8	45	183	401	644	
1996.....	5,264	-	-	-	-	2	9	71	179	421	633	
1995.....	5,466	-	-	-	-	-	7	40	193	403	705	
1994.....	5,365	1	-	-	-	3	11	63	186	432	676	
1993.....	5,346	1	-	-	-	-	15	71	217	476	641	
1992.....	5,217	-	-	-	-	1	13	86	222	493	665	
1991.....	5,046	-	-	-	-	4	20	74	210	414	634	
1990.....	5,223	-	-	1	-	3	27	108	262	449	547	
1989.....	4,936	-	-	-	-	3	8	82	250	420	491	
1988.....	4,718	-	-	-	-	8	18	79	214	425	473	
1987.....	4,262	1	-	-	-	7	16	83	215	379	430	
1986.....	4,118	-	-	-	-	2	24	79	197	334	406	
1985.....	4,188	-	-	-	-	7	18	73	211	324	396	
1984.....	3,970	-	-	-	1	7	23	84	163	257	405	
1983.....	4,002	-	-	-	2	7	28	93	171	256	348	
1982.....	3,914	1	2	-	-	8	31	68	136	239	358	
1981.....	4,207	-	-	-	-	13	25	68	182	271	385	
1980.....	4,350	-	-	-	1	9	34	88	155	291	380	
1979.....	4,105	-	1	-	-	18	35	88	184	263	437	
TOTAL, MALE												
1998.....	4,061	-	-	-	1	-	10	34	114	298	477	
1997.....	4,021	-	-	-	-	5	5	34	119	295	483	
1996.....	4,085	-	-	-	-	2	7	56	135	297	495	
1995.....	4,301	-	-	-	-	-	7	28	144	288	545	
1994.....	4,189	-	-	-	-	1	10	47	146	320	548	
1993.....	4,146	1	-	-	-	-	13	56	146	355	487	
1992.....	4,094	-	-	-	-	1	10	61	164	390	530	
1991.....	3,932	-	-	-	-	4	19	54	152	323	493	
1990.....	4,082	-	-	-	-	3	21	79	190	348	437	
1989.....	3,831	-	-	-	-	2	4	52	195	329	380	
1988.....	3,709	-	-	-	-	5	16	43	157	351	389	
1987.....	3,354	1	-	-	-	6	8	66	163	292	329	
1986.....	3,220	-	-	-	-	2	15	56	160	268	311	
1985.....	3,225	-	-	-	-	6	14	49	157	248	316	
1984.....	3,058	-	-	-	1	5	19	57	124	187	305	
1983.....	3,105	-	-	-	2	6	22	58	141	192	254	
1982.....	3,027	-	2	-	-	7	28	49	99	193	276	
1981.....	3,252	-	-	-	-	12	20	49	137	195	298	
1980.....	3,368	-	-	-	1	7	28	68	117	218	276	
1979.....	3,154	-	-	-	-	15	32	67	134	195	329	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)											
TOTAL, FEMALE											
1998.....	1,205	-	1	-	-	-	2	11	37	113	168
1997.....	1,183	1	-	-	-	-	3	11	64	106	161
1996.....	1,179	-	-	-	-	-	2	15	44	124	138
1995.....	1,165	-	-	-	-	-	-	12	49	115	160
1994.....	1,176	1	-	-	-	2	1	16	40	112	128
1993.....	1,200	-	-	-	-	-	2	15	71	121	154
1992.....	1,123	-	-	-	-	-	3	25	58	103	135
1991.....	1,114	-	-	-	-	-	1	20	58	91	141
1990.....	1,141	-	-	1	-	-	6	29	72	101	110
1989.....	1,105	-	-	-	-	1	4	30	55	91	111
1988.....	1,009	-	-	-	-	3	2	36	57	74	84
1987.....	908	-	-	-	-	1	8	17	52	87	101
1986.....	898	-	-	-	-	-	9	23	37	66	95
1985.....	963	-	-	-	-	1	4	24	54	76	80
1984.....	912	-	-	-	-	2	4	27	39	70	100
1983.....	897	-	-	-	-	1	6	35	30	64	94
1982.....	887	1	-	-	-	1	3	19	37	46	82
1981.....	955	-	-	-	-	1	5	19	45	76	87
1980.....	982	-	-	-	-	2	6	20	38	73	104
1979.....	951	-	1	-	-	3	3	21	50	68	108
WHITE, BOTH SEXES											
1998.....	4,099	-	1	-	1	-	10	35	110	327	504
1997.....	4,057	1	-	-	-	5	5	37	138	304	517
1996.....	3,984	-	-	-	-	1	8	55	131	315	463
1995.....	4,016	-	-	-	-	-	5	27	143	274	485
1994.....	3,946	1	-	-	-	1	9	48	136	319	436
1993.....	3,884	1	-	-	-	-	9	52	152	311	456
1992.....	3,724	-	-	-	-	1	11	63	154	350	456
1991.....	3,608	-	-	-	-	2	19	45	139	271	410
1990.....	3,606	-	-	1	-	2	15	64	158	290	304
1989.....	3,352	-	-	-	-	3	4	51	139	253	307
1988.....	3,183	-	-	-	-	8	8	47	113	238	272
1987.....	2,904	1	-	-	-	6	9	45	125	206	250
1986.....	2,835	-	-	-	-	1	13	49	95	188	229
1985.....	2,866	-	-	-	-	5	10	37	117	192	211
1984.....	2,755	-	-	-	-	4	14	48	88	146	229
1983.....	2,776	-	-	-	1	6	19	47	96	137	185
1982.....	2,728	-	1	-	-	5	21	37	66	123	194
1981.....	2,908	-	-	-	-	8	17	36	91	138	221
1980.....	2,921	-	-	-	1	4	16	37	77	133	207
1979.....	2,772	-	-	-	-	15	25	35	74	128	227

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)											
WHITE MALE											
1998.....	3,181	-	-	-	1	-	9	26	89	243	387
1997.....	3,121	-	-	-	-	5	4	27	95	230	391
1996.....	3,078	-	-	-	-	1	6	44	102	229	363
1995.....	3,190	-	-	-	-	-	5	23	107	206	395
1994.....	3,102	-	-	-	-	1	8	38	115	247	356
1993.....	3,039	1	-	-	-	-	8	42	106	241	362
1992.....	2,958	-	-	-	-	1	9	48	119	289	378
1991.....	2,815	-	-	-	-	2	18	35	103	215	328
1990.....	2,845	-	-	-	-	2	12	48	119	243	248
1989.....	2,597	-	-	-	-	2	2	33	111	198	243
1988.....	2,521	-	-	-	-	5	8	30	88	204	223
1987.....	2,302	1	-	-	-	6	5	41	99	168	203
1986.....	2,205	-	-	-	-	1	9	36	75	157	184
1985.....	2,206	-	-	-	-	5	9	29	90	154	165
1984.....	2,133	-	-	-	-	4	13	38	71	111	169
1983.....	2,167	-	-	-	1	5	16	33	81	111	143
1982.....	2,124	-	1	-	-	4	20	31	51	99	152
1981.....	2,264	-	-	-	-	7	14	27	76	104	173
1980.....	2,306	-	-	-	1	4	15	33	61	101	157
1979.....	2,158	-	-	-	-	12	23	28	63	99	173
WHITE FEMALE											
1998.....	918	-	1	-	-	-	1	9	21	84	117
1997.....	936	1	-	-	-	-	1	10	43	74	126
1996.....	906	-	-	-	-	-	2	11	29	86	100
1995.....	826	-	-	-	-	-	-	4	36	68	90
1994.....	844	1	-	-	-	-	1	10	21	72	80
1993.....	845	-	-	-	-	-	1	10	46	70	94
1992.....	766	-	-	-	-	-	2	15	35	61	78
1991.....	793	-	-	-	-	-	1	10	36	56	82
1990.....	761	-	-	1	-	-	3	16	39	47	56
1989.....	755	-	-	-	-	1	2	18	28	55	64
1988.....	662	-	-	-	-	3	-	17	25	34	49
1987.....	602	-	-	-	-	-	4	4	26	38	47
1986.....	630	-	-	-	-	-	4	13	20	31	45
1985.....	660	-	-	-	-	-	1	8	27	38	46
1984.....	622	-	-	-	-	-	1	10	17	35	60
1983.....	609	-	-	-	-	1	3	14	15	26	42
1982.....	604	-	-	-	-	1	1	6	15	24	42
1981.....	644	-	-	-	-	1	3	9	15	34	48
1980.....	615	-	-	-	-	-	1	4	16	32	50
1979.....	614	-	-	-	-	3	2	7	11	29	54

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)											
ALL OTHER, BOTH SEXES											
1998.....	1,167	-	-	-	-	-	2	10	41	84	141
1997.....	1,147	-	-	-	-	-	3	8	45	97	127
1996.....	1,280	-	-	-	-	1	1	16	48	106	170
1995.....	1,450	-	-	-	-	-	2	13	50	129	220
1994.....	1,419	-	-	-	-	2	2	15	50	113	240
1993.....	1,462	-	-	-	-	-	6	19	65	165	185
1992.....	1,493	-	-	-	-	-	2	23	68	143	209
1991.....	1,438	-	-	-	-	2	1	29	71	143	224
1990.....	1,617	-	-	-	-	1	12	44	104	159	243
1989.....	1,584	-	-	-	-	-	4	31	111	167	184
1988.....	1,535	-	-	-	-	-	10	32	101	187	201
1987.....	1,358	-	-	-	-	1	7	38	90	173	180
1986.....	1,283	-	-	-	-	1	11	30	102	146	177
1985.....	1,322	-	-	-	-	2	8	36	94	132	185
1984.....	1,215	-	-	-	1	3	9	36	75	111	176
1983.....	1,226	-	-	-	1	1	9	46	75	119	163
1982.....	1,186	1	1	-	-	3	10	31	70	116	164
1981.....	1,299	-	-	-	-	5	8	32	91	133	164
1980.....	1,429	-	-	-	-	5	18	51	78	158	173
1979.....	1,333	-	1	-	-	3	10	53	110	135	210
ALL OTHER MALE											
1998.....	880	-	-	-	-	-	1	8	25	55	90
1997.....	900	-	-	-	-	-	1	7	24	65	92
1996.....	1,007	-	-	-	-	1	1	12	33	68	132
1995.....	1,111	-	-	-	-	-	2	5	37	82	150
1994.....	1,087	-	-	-	-	-	2	9	31	73	192
1993.....	1,107	-	-	-	-	-	5	14	40	114	125
1992.....	1,136	-	-	-	-	-	1	13	45	101	152
1991.....	1,117	-	-	-	-	2	1	19	49	108	165
1990.....	1,237	-	-	-	-	1	9	31	71	105	189
1989.....	1,234	-	-	-	-	-	2	19	84	131	137
1988.....	1,188	-	-	-	-	-	8	13	69	147	166
1987.....	1,052	-	-	-	-	-	3	25	64	124	126
1986.....	1,015	-	-	-	-	1	6	20	85	111	127
1985.....	1,019	-	-	-	-	1	5	20	67	94	151
1984.....	925	-	-	-	1	1	6	19	53	76	136
1983.....	938	-	-	-	1	1	6	25	60	81	111
1982.....	903	-	1	-	-	3	8	18	48	94	124
1981.....	988	-	-	-	-	5	6	22	61	91	125
1980.....	1,062	-	-	-	-	3	13	35	56	117	119
1979.....	996	-	-	-	-	3	9	39	71	96	156

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALCOHOL DEPENDENCE SYNDROME (303)											
ALL OTHER FEMALE											
1998.....	287	-	-	-	-	-	1	2	16	29	51
1997.....	247	-	-	-	-	-	2	1	21	32	35
1996.....	273	-	-	-	-	-	-	4	15	38	38
1995.....	339	-	-	-	-	-	-	8	13	47	70
1994.....	332	-	-	-	-	2	-	6	19	40	48
1993.....	355	-	-	-	-	-	1	5	25	51	60
1992.....	357	-	-	-	-	-	1	10	23	42	57
1991.....	321	-	-	-	-	-	-	10	22	35	59
1990.....	380	-	-	-	-	-	3	13	33	54	54
1989.....	350	-	-	-	-	-	2	12	27	36	47
1988.....	347	-	-	-	-	-	2	19	32	40	35
1987.....	306	-	-	-	-	1	4	13	26	49	54
1986.....	268	-	-	-	-	-	5	10	17	35	50
1985.....	303	-	-	-	-	1	3	16	27	38	34
1984.....	290	-	-	-	-	2	3	17	22	35	40
1983.....	288	-	-	-	-	-	3	21	15	38	52
1982.....	283	1	-	-	-	-	2	13	22	22	40
1981.....	311	-	-	-	-	-	2	10	30	42	39
1980.....	367	-	-	-	-	2	5	16	22	41	54
1979.....	337	-	1	-	-	-	1	14	39	39	54
BLACK, BOTH SEXES											
1998.....	986	-	-	-	-	-	2	8	24	61	120
1997.....	984	-	-	-	-	-	1	6	28	68	106
1996.....	1,095	-	-	-	-	1	1	7	33	88	143
1995.....	1,267	-	-	-	-	-	2	10	39	103	190
1994.....	1,243	-	-	-	-	2	1	11	39	83	210
1993.....	1,283	-	-	-	-	-	2	14	53	140	159
1992.....	1,337	-	-	-	-	-	1	20	53	130	184
1991.....	1,320	-	-	-	-	1	1	22	64	118	205
1990.....	1,476	-	-	-	-	1	7	38	90	141	223
1989.....	1,448	-	-	-	-	-	2	27	95	141	173
1988.....	1,397	-	-	-	-	-	9	26	91	170	187
1987.....	1,260	-	-	-	-	1	7	35	77	161	169
1986.....	1,198	-	-	-	-	1	10	26	94	133	167
1985.....	1,219	-	-	-	-	1	7	29	84	123	173
1984.....	1,112	-	-	-	1	1	6	28	64	100	160
1983.....	1,129	-	-	-	-	-	8	36	69	108	152
1982.....	1,083	1	1	-	-	2	6	25	62	105	151
1981.....	1,183	-	-	-	-	3	5	25	79	118	147
1980.....	1,295	-	-	-	-	2	10	42	63	146	157
1979.....	1,185	-	1	-	-	1	5	39	97	120	190

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ALCOHOL DEPENDENCE SYNDROME (303)												
BLACK MALE												
1998.....	753	-	-	-	-	-	1	6	17	41	75	
1997.....	785	-	-	-	-	-	-	6	19	44	75	
1996.....	871	-	-	-	-	1	1	6	22	58	113	
1995.....	976	-	-	-	-	-	2	5	29	66	126	
1994.....	966	-	-	-	-	-	1	6	24	56	168	
1993.....	991	-	-	-	-	-	1	10	32	95	112	
1992.....	1,025	-	-	-	-	-	-	11	32	92	135	
1991.....	1,025	-	-	-	-	1	1	12	45	91	151	
1990.....	1,142	-	-	-	-	1	6	25	62	94	176	
1989.....	1,129	-	-	-	-	-	1	16	72	109	129	
1988.....	1,085	-	-	-	-	-	7	12	64	134	155	
1987.....	984	-	-	-	-	-	3	23	51	117	121	
1986.....	949	-	-	-	-	1	6	16	78	102	120	
1985.....	953	-	-	-	-	-	4	18	60	90	140	
1984.....	853	-	-	-	1	1	3	16	43	70	124	
1983.....	866	-	-	-	-	-	5	18	55	73	106	
1982.....	820	-	1	-	-	2	4	13	42	84	114	
1981.....	904	-	-	-	-	3	3	18	55	80	114	
1980.....	967	-	-	-	-	1	7	31	45	111	110	
1979.....	892	-	-	-	-	1	5	31	66	86	142	
BLACK FEMALE												
1998.....	233	-	-	-	-	-	1	2	7	20	45	
1997.....	199	-	-	-	-	-	1	-	9	24	31	
1996.....	224	-	-	-	-	-	-	1	11	30	30	
1995.....	291	-	-	-	-	-	-	5	10	37	64	
1994.....	277	-	-	-	-	2	-	5	15	27	42	
1993.....	292	-	-	-	-	-	1	4	21	45	47	
1992.....	312	-	-	-	-	-	1	9	21	38	49	
1991.....	295	-	-	-	-	-	-	10	19	27	54	
1990.....	334	-	-	-	-	-	1	13	28	47	47	
1989.....	319	-	-	-	-	-	1	11	23	32	44	
1988.....	312	-	-	-	-	-	2	14	27	36	32	
1987.....	276	-	-	-	-	1	4	12	26	44	48	
1986.....	249	-	-	-	-	-	4	10	16	31	47	
1985.....	266	-	-	-	-	1	3	11	24	33	33	
1984.....	259	-	-	-	-	-	3	12	21	30	36	
1983.....	263	-	-	-	-	-	3	18	14	35	46	
1982.....	263	1	-	-	-	-	2	12	20	21	37	
1981.....	279	-	-	-	-	-	2	7	24	38	33	
1980.....	328	-	-	-	-	1	3	11	18	35	47	
1979.....	293	-	1	-	-	-	-	8	31	34	48	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	264	-	-	-	-	4	8	16	32	50	61
1997.....	273	-	-	-	-	1	15	20	37	55	69
1996.....	335	-	-	-	1	4	13	28	47	74	82
1995.....	306	1	-	-	-	2	6	21	46	73	80
1994.....	267	-	-	-	1	2	12	18	44	62	62
1993.....	333	-	-	-	-	3	13	22	57	73	80
1992.....	309	-	-	-	1	1	11	23	61	72	64
1991.....	281	1	-	-	-	1	7	36	56	70	52
1990.....	351	1	-	-	-	2	18	38	80	91	51
1989.....	515	-	-	-	-	1	19	56	114	156	91
1988.....	952	-	-	1	1	6	34	94	236	281	148
1987.....	1,070	-	-	-	1	6	36	126	278	319	147
1986.....	1,449	-	-	-	2	12	57	224	431	358	173
1985.....	1,165	-	-	-	-	8	61	200	378	283	118
1984.....	808	-	-	-	1	4	52	137	234	158	100
1983.....	776	-	-	-	-	5	68	171	248	135	65
1982.....	675	-	-	-	1	8	61	180	190	103	53
1981.....	621	-	-	-	-	6	54	176	165	97	47
1980.....	629	-	-	1	2	8	100	197	144	81	37
1979.....	518	-	-	-	-	13	86	162	120	52	37
TOTAL, MALE											
1998.....	196	-	-	-	-	3	7	13	22	34	45
1997.....	213	-	-	-	-	1	12	14	24	44	56
1996.....	240	-	-	-	1	3	8	22	33	51	64
1995.....	238	-	-	-	-	1	4	19	36	55	65
1994.....	211	-	-	-	1	2	11	11	31	51	49
1993.....	255	-	-	-	-	3	9	13	40	61	63
1992.....	243	-	-	-	-	-	8	19	49	53	56
1991.....	217	1	-	-	-	1	2	28	42	55	43
1990.....	270	-	-	-	-	2	12	32	64	67	41
1989.....	388	-	-	-	-	1	15	39	77	129	75
1988.....	738	-	-	-	-	3	29	60	180	212	127
1987.....	841	-	-	-	1	4	30	84	219	254	116
1986.....	1,138	-	-	-	1	7	38	168	333	290	147
1985.....	908	-	-	-	-	1	48	151	286	232	100
1984.....	615	-	-	-	1	2	38	96	175	125	86
1983.....	588	-	-	-	-	3	44	120	197	104	60
1982.....	542	-	-	-	-	5	45	141	154	85	48
1981.....	490	-	-	-	-	2	40	143	135	82	38
1980.....	518	-	-	-	1	7	77	166	124	69	28
1979.....	405	-	-	-	-	13	64	129	102	36	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	68	-	-	-	-	1	1	3	10	16	16
1997.....	60	-	-	-	-	-	3	6	13	11	13
1996.....	95	-	-	-	-	1	5	6	14	23	18
1995.....	68	1	-	-	-	1	2	2	10	18	15
1994.....	56	-	-	-	-	-	1	7	13	11	13
1993.....	78	-	-	-	-	-	4	9	17	12	17
1992.....	66	-	-	-	1	1	3	4	12	19	8
1991.....	64	-	-	-	-	-	5	8	14	15	9
1990.....	81	1	-	-	-	-	6	6	16	24	10
1989.....	127	-	-	-	-	-	4	17	37	27	16
1988.....	214	-	-	1	1	3	5	34	56	69	21
1987.....	229	-	-	-	-	2	6	42	59	65	31
1986.....	311	-	-	-	1	5	19	56	98	68	26
1985.....	257	-	-	-	-	7	13	49	92	51	18
1984.....	193	-	-	-	-	2	14	41	59	33	14
1983.....	188	-	-	-	-	2	24	51	51	31	5
1982.....	133	-	-	-	1	3	16	39	36	18	5
1981.....	131	-	-	-	-	4	14	33	30	15	9
1980.....	111	-	-	1	1	1	23	31	20	12	9
1979.....	113	-	-	-	-	-	22	33	18	16	5
WHITE, BOTH SEXES											
1998.....	204	-	-	-	-	4	6	15	21	41	51
1997.....	209	-	-	-	-	-	15	15	31	43	50
1996.....	274	-	-	-	1	4	13	25	45	62	59
1995.....	231	-	-	-	-	2	6	20	35	59	63
1994.....	212	-	-	-	1	2	11	17	38	50	50
1993.....	250	-	-	-	-	3	10	18	46	58	49
1992.....	222	-	-	-	-	1	10	19	47	50	45
1991.....	196	-	-	-	-	-	6	31	45	46	26
1990.....	257	1	-	-	-	2	16	30	63	67	35
1989.....	326	-	-	-	-	1	18	39	66	97	50
1988.....	527	-	-	-	1	5	30	69	142	137	73
1987.....	576	-	-	-	1	5	31	91	157	154	69
1986.....	802	-	-	-	2	12	50	152	239	191	76
1985.....	581	-	-	-	-	6	44	120	181	128	49
1984.....	386	-	-	-	1	4	40	82	113	63	38
1983.....	386	-	-	-	-	4	52	90	116	66	25
1982.....	352	-	-	-	1	7	47	103	90	42	31
1981.....	304	-	-	-	-	5	41	95	77	37	22
1980.....	322	-	-	-	2	7	63	108	72	32	15
1979.....	299	-	-	-	-	12	65	103	64	23	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	157	-	-	-	-	3	5	13	17	29	38
1997.....	164	-	-	-	-	-	12	11	20	34	41
1996.....	204	-	-	-	1	3	8	20	33	42	52
1995.....	184	-	-	-	-	1	4	18	27	44	53
1994.....	166	-	-	-	1	2	10	11	26	43	38
1993.....	199	-	-	-	-	3	8	13	33	48	39
1992.....	179	-	-	-	-	-	8	15	39	37	42
1991.....	156	-	-	-	-	-	2	25	35	38	26
1990.....	204	-	-	-	-	2	12	27	52	52	28
1989.....	256	-	-	-	-	1	14	33	48	85	41
1988.....	415	-	-	-	-	2	25	45	117	110	60
1987.....	482	-	-	-	1	3	27	65	138	141	53
1986.....	644	-	-	-	1	7	33	119	194	160	69
1985.....	463	-	-	-	-	1	35	96	146	107	43
1984.....	303	-	-	-	1	2	31	62	89	54	33
1983.....	310	-	-	-	-	2	38	69	99	56	24
1982.....	285	-	-	-	-	4	35	83	79	35	28
1981.....	247	-	-	-	-	2	32	79	66	34	18
1980.....	271	-	-	-	1	6	48	97	63	28	14
1979.....	239	-	-	-	-	12	50	86	54	17	13
WHITE FEMALE											
1998.....	47	-	-	-	-	1	1	2	4	12	13
1997.....	45	-	-	-	-	-	3	4	11	9	9
1996.....	70	-	-	-	-	1	5	5	12	20	7
1995.....	47	-	-	-	-	1	2	2	8	15	10
1994.....	46	-	-	-	-	-	1	6	12	7	12
1993.....	51	-	-	-	-	-	2	5	13	10	10
1992.....	43	-	-	-	-	1	2	4	8	13	3
1991.....	40	-	-	-	-	-	4	6	10	8	-
1990.....	53	1	-	-	-	-	4	3	11	15	7
1989.....	70	-	-	-	-	-	4	6	18	12	9
1988.....	112	-	-	-	1	3	5	24	25	27	13
1987.....	94	-	-	-	-	2	4	26	19	13	16
1986.....	158	-	-	-	1	5	17	33	45	31	7
1985.....	118	-	-	-	-	5	9	24	35	21	6
1984.....	83	-	-	-	-	2	9	20	24	9	5
1983.....	76	-	-	-	-	2	14	21	17	10	1
1982.....	67	-	-	-	1	3	12	20	11	7	3
1981.....	57	-	-	-	-	3	9	16	11	3	4
1980.....	51	-	-	-	1	1	15	11	9	4	1
1979.....	60	-	-	-	-	-	15	17	10	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	60	-	-	-	-	-	2	1	11	9	10
1997.....	64	-	-	-	-	1	-	5	6	12	19
1996.....	61	-	-	-	-	-	-	3	2	12	23
1995.....	75	1	-	-	-	-	-	1	11	14	17
1994.....	55	-	-	-	-	-	1	1	6	12	12
1993.....	83	-	-	-	-	-	3	4	11	15	31
1992.....	87	-	-	-	1	-	1	4	14	22	19
1991.....	85	1	-	-	-	1	1	5	11	24	26
1990.....	94	-	-	-	-	-	2	8	17	24	16
1989.....	189	-	-	-	-	-	1	17	48	59	41
1988.....	425	-	-	1	-	1	4	25	94	144	75
1987.....	494	-	-	-	-	1	5	35	121	165	78
1986.....	647	-	-	-	-	-	7	72	192	167	97
1985.....	584	-	-	-	-	2	17	80	197	155	69
1984.....	422	-	-	-	-	-	12	55	121	95	62
1983.....	390	-	-	-	-	1	16	81	132	69	40
1982.....	323	-	-	-	-	1	14	77	100	61	22
1981.....	317	-	-	-	-	1	13	81	88	60	25
1980.....	307	-	-	1	-	1	37	89	72	49	22
1979.....	219	-	-	-	-	1	21	59	56	29	22
ALL OTHER MALE											
1998.....	39	-	-	-	-	-	2	-	5	5	7
1997.....	49	-	-	-	-	1	-	3	4	10	15
1996.....	36	-	-	-	-	-	-	2	-	9	12
1995.....	54	-	-	-	-	-	-	1	9	11	12
1994.....	45	-	-	-	-	-	1	-	5	8	11
1993.....	56	-	-	-	-	-	1	-	7	13	24
1992.....	64	-	-	-	-	-	-	4	10	16	14
1991.....	61	1	-	-	-	1	-	3	7	17	17
1990.....	66	-	-	-	-	-	-	5	12	15	13
1989.....	132	-	-	-	-	-	1	6	29	44	34
1988.....	323	-	-	-	-	1	4	15	63	102	67
1987.....	359	-	-	-	-	1	3	19	81	113	63
1986.....	494	-	-	-	-	-	5	49	139	130	78
1985.....	445	-	-	-	-	-	13	55	140	125	57
1984.....	312	-	-	-	-	-	7	34	86	71	53
1983.....	278	-	-	-	-	1	6	51	98	48	36
1982.....	257	-	-	-	-	1	10	58	75	50	20
1981.....	243	-	-	-	-	-	8	64	69	48	20
1980.....	247	-	-	-	-	1	29	69	61	41	14
1979.....	166	-	-	-	-	1	14	43	48	19	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR DRUG DEPENDENCE (304)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	21	-	-	-	-	-	-	1	6	4	3
1997.....	15	-	-	-	-	-	-	2	2	2	4
1996.....	25	-	-	-	-	-	-	1	2	3	11
1995.....	21	1	-	-	-	-	-	-	2	3	5
1994.....	10	-	-	-	-	-	-	1	1	4	1
1993.....	27	-	-	-	-	-	2	4	4	2	7
1992.....	23	-	-	-	1	-	1	-	4	6	5
1991.....	24	-	-	-	-	-	1	2	4	7	9
1990.....	28	-	-	-	-	-	2	3	5	9	3
1989.....	57	-	-	-	-	-	-	11	19	15	7
1988.....	102	-	-	1	-	-	-	10	31	42	8
1987.....	135	-	-	-	-	-	2	16	40	52	15
1986.....	153	-	-	-	-	-	2	23	53	37	19
1985.....	139	-	-	-	-	2	4	25	57	30	12
1984.....	110	-	-	-	-	-	5	21	35	24	9
1983.....	112	-	-	-	-	-	10	30	34	21	4
1982.....	66	-	-	-	-	-	4	19	25	11	2
1981.....	74	-	-	-	-	1	5	17	19	12	5
1980.....	60	-	-	1	-	-	8	20	11	8	8
1979.....	53	-	-	-	-	-	7	16	8	10	3
BLACK, BOTH SEXES											
1998.....	53	-	-	-	-	-	1	1	10	8	10
1997.....	56	-	-	-	-	1	-	5	3	10	18
1996.....	52	-	-	-	-	-	-	1	1	9	23
1995.....	71	1	-	-	-	-	-	1	9	14	17
1994.....	50	-	-	-	-	-	1	1	6	10	12
1993.....	75	-	-	-	-	-	2	1	10	14	30
1992.....	78	-	-	-	-	-	1	4	9	22	18
1991.....	81	1	-	-	-	1	1	4	10	23	25
1990.....	90	-	-	-	-	-	2	7	17	22	15
1989.....	183	-	-	-	-	-	1	16	46	59	40
1988.....	423	-	-	1	-	1	4	25	94	143	75
1987.....	484	-	-	-	-	-	5	33	117	163	78
1986.....	637	-	-	-	-	-	7	68	191	165	95
1985.....	578	-	-	-	-	2	17	79	195	155	67
1984.....	417	-	-	-	-	-	12	54	120	94	61
1983.....	388	-	-	-	-	1	16	80	132	69	40
1982.....	321	-	-	-	-	1	13	76	100	61	22
1981.....	316	-	-	-	-	1	13	80	88	60	25
1980.....	301	-	-	1	-	1	35	88	71	49	21
1979.....	219	-	-	-	-	1	21	59	56	29	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	33	-	-	-	-	-	1	-	4	4	7
1997.....	41	-	-	-	-	1	-	3	1	8	14
1996.....	29	-	-	-	-	-	-	-	-	7	12
1995.....	51	-	-	-	-	-	-	1	7	11	12
1994.....	41	-	-	-	-	-	1	-	5	6	11
1993.....	53	-	-	-	-	-	1	-	7	12	23
1992.....	59	-	-	-	-	-	-	4	8	16	13
1991.....	58	1	-	-	-	1	-	2	6	17	16
1990.....	63	-	-	-	-	-	-	5	12	13	12
1989.....	129	-	-	-	-	-	1	6	28	44	33
1988.....	321	-	-	-	-	1	4	15	63	101	67
1987.....	352	-	-	-	-	-	3	19	78	111	63
1986.....	487	-	-	-	-	-	5	46	138	129	77
1985.....	441	-	-	-	-	-	13	54	139	125	56
1984.....	309	-	-	-	-	-	7	33	86	71	52
1983.....	277	-	-	-	-	1	6	50	98	48	36
1982.....	255	-	-	-	-	1	9	57	75	50	20
1981.....	242	-	-	-	-	-	8	63	69	48	20
1980.....	242	-	-	-	-	1	27	68	60	41	14
1979.....	166	-	-	-	-	1	14	43	48	19	19
BLACK FEMALE											
1998.....	20	-	-	-	-	-	-	1	6	4	3
1997.....	15	-	-	-	-	-	-	2	2	2	4
1996.....	23	-	-	-	-	-	-	1	1	2	11
1995.....	20	1	-	-	-	-	-	-	2	3	5
1994.....	9	-	-	-	-	-	-	1	1	4	1
1993.....	22	-	-	-	-	-	1	1	3	2	7
1992.....	19	-	-	-	-	-	1	-	1	6	5
1991.....	23	-	-	-	-	-	1	2	4	6	9
1990.....	27	-	-	-	-	-	2	2	5	9	3
1989.....	54	-	-	-	-	-	-	10	18	15	7
1988.....	102	-	-	1	-	-	-	10	31	42	8
1987.....	132	-	-	-	-	-	2	14	39	52	15
1986.....	150	-	-	-	-	-	2	22	53	36	18
1985.....	137	-	-	-	-	2	4	25	56	30	11
1984.....	108	-	-	-	-	-	5	21	34	23	9
1983.....	111	-	-	-	-	-	10	30	34	21	4
1982.....	66	-	-	-	-	-	4	19	25	11	2
1981.....	74	-	-	-	-	1	5	17	19	12	5
1980.....	59	-	-	1	-	-	8	20	11	8	7
1979.....	53	-	-	-	-	-	7	16	8	10	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)											
TOTAL, BOTH SEXES											
1998.....	6,017	5	3	1	5	48	97	120	246	390	481
1997.....	5,906	8	3	3	4	35	85	136	233	367	459
1996.....	6,256	5	4	3	6	34	75	151	276	417	432
1995.....	6,254	6	5	1	9	39	66	130	257	370	391
1994.....	6,254	2	9	7	4	32	73	127	259	339	348
1993.....	6,256	11	9	7	8	27	72	123	248	320	359
1992.....	6,040	4	13	3	6	27	75	147	227	322	280
1991.....	6,244	4	6	8	12	31	73	136	210	314	256
1990.....	6,575	7	6	6	9	44	65	145	230	309	232
1989.....	7,173	3	7	8	8	42	79	183	319	351	237
1988.....	7,572	6	11	10	9	44	83	195	318	348	232
1987.....	7,128	6	6	8	7	35	90	173	300	276	189
1986.....	6,934	4	11	8	7	47	93	156	252	233	149
1985.....	7,012	5	11	11	10	36	78	145	239	166	137
1984.....	6,619	5	9	8	8	44	69	151	221	147	134
1983.....	6,655	8	12	10	9	49	87	156	169	138	119
1982.....	5,979	8	10	4	7	40	94	156	184	142	112
1981.....	6,091	12	10	13	11	52	101	135	155	101	118
1980.....	5,789	12	8	11	12	47	82	133	139	120	83
1979.....	5,175	7	7	15	10	50	83	121	109	96	89
TOTAL, MALE											
1998.....	2,873	4	2	1	2	30	76	88	170	285	339
1997.....	2,759	5	1	1	2	25	76	96	169	268	326
1996.....	2,943	2	2	3	5	25	52	99	193	293	311
1995.....	2,898	-	4	-	5	30	52	94	196	282	274
1994.....	2,821	2	5	2	1	27	50	95	180	260	257
1993.....	2,783	5	5	4	5	22	51	84	172	234	275
1992.....	2,689	2	7	2	3	17	49	109	160	247	220
1991.....	2,681	2	4	7	9	25	57	101	148	207	203
1990.....	2,832	4	5	3	6	36	51	101	155	225	171
1989.....	3,104	2	4	2	5	32	58	117	243	276	173
1988.....	3,275	3	8	6	4	33	64	142	239	257	184
1987.....	3,108	4	5	4	5	28	68	121	223	214	144
1986.....	2,941	2	7	2	6	30	76	105	201	177	118
1985.....	2,998	2	7	4	5	25	56	108	188	137	101
1984.....	2,838	2	2	4	5	35	50	110	170	109	96
1983.....	2,928	5	6	6	6	31	61	119	131	100	82
1982.....	2,654	5	7	3	3	32	60	129	146	104	87
1981.....	2,765	3	4	9	10	40	68	94	114	71	82
1980.....	2,654	5	6	5	5	37	65	104	96	88	54
1979.....	2,469	4	4	9	5	42	67	74	83	68	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)											
TOTAL, FEMALE											
1998.....	3,144	1	1	-	3	18	21	32	76	105	142
1997.....	3,147	3	2	2	2	10	9	40	64	99	133
1996.....	3,313	3	2	-	1	9	23	52	83	124	121
1995.....	3,356	6	1	1	4	9	14	36	61	88	117
1994.....	3,433	-	4	5	3	5	23	32	79	79	91
1993.....	3,473	6	4	3	3	5	21	39	76	86	84
1992.....	3,351	2	6	1	3	10	26	38	67	75	60
1991.....	3,563	2	2	1	3	6	16	35	62	107	53
1990.....	3,743	3	1	3	3	8	14	44	75	84	61
1989.....	4,069	1	3	6	3	10	21	66	76	75	64
1988.....	4,297	3	3	4	5	11	19	53	79	91	48
1987.....	4,020	2	1	4	2	7	22	52	77	62	45
1986.....	3,993	2	4	6	1	17	17	51	51	56	31
1985.....	4,014	3	4	7	5	11	22	37	51	29	36
1984.....	3,781	3	7	4	3	9	19	41	51	38	38
1983.....	3,727	3	6	4	3	18	26	37	38	38	37
1982.....	3,325	3	3	1	4	8	34	27	38	38	25
1981.....	3,326	9	6	4	1	12	33	41	41	30	36
1980.....	3,135	7	2	6	7	10	17	29	43	32	29
1979.....	2,706	3	3	6	5	8	16	47	26	28	26
WHITE, BOTH SEXES											
1998.....	5,097	3	2	1	5	40	84	103	179	290	339
1997.....	4,990	2	3	3	3	31	69	103	172	262	306
1996.....	5,277	3	1	2	5	21	60	109	201	295	287
1995.....	5,207	4	4	1	5	32	54	94	185	245	230
1994.....	5,252	1	6	6	3	26	56	91	184	227	223
1993.....	5,302	8	5	6	7	20	53	88	160	208	202
1992.....	5,141	3	8	2	4	22	59	106	159	212	163
1991.....	5,323	2	3	7	11	22	55	100	136	193	151
1990.....	5,643	4	4	4	8	35	51	106	148	169	141
1989.....	6,038	1	6	7	7	34	65	132	195	186	126
1988.....	6,408	4	7	10	5	35	60	131	197	188	139
1987.....	6,081	5	4	6	7	27	68	119	168	146	119
1986.....	5,973	3	7	6	7	37	77	107	156	134	99
1985.....	6,031	2	7	11	9	30	59	104	118	109	79
1984.....	5,683	4	8	6	8	37	49	100	119	88	80
1983.....	5,746	7	6	8	7	41	65	99	85	83	78
1982.....	5,094	6	8	4	5	36	68	86	85	78	70
1981.....	5,234	8	8	10	9	42	69	67	64	57	82
1980.....	4,967	10	4	10	9	38	62	88	84	64	58
1979.....	4,506	6	6	13	10	43	60	79	80	54	66

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)											
WHITE MALE											
1998.....	2,315	3	2	1	2	26	67	76	128	214	235
1997.....	2,208	1	1	1	1	21	62	73	130	198	229
1996.....	2,339	2	1	2	4	15	40	71	146	219	207
1995.....	2,265	-	3	-	4	24	41	70	144	198	170
1994.....	2,225	1	4	2	1	24	41	71	139	178	163
1993.....	2,204	3	3	4	5	16	38	63	118	156	157
1992.....	2,159	1	3	1	1	14	38	83	115	168	136
1991.....	2,140	2	3	6	9	17	44	78	99	135	123
1990.....	2,252	2	3	2	6	28	39	72	107	125	99
1989.....	2,459	-	4	2	4	25	47	93	156	150	92
1988.....	2,565	2	5	6	1	27	45	95	157	142	108
1987.....	2,495	3	4	4	5	22	52	93	131	122	88
1986.....	2,391	1	4	2	6	26	63	78	130	102	75
1985.....	2,430	1	6	4	5	23	42	81	94	89	57
1984.....	2,306	2	2	3	5	31	38	75	96	65	59
1983.....	2,416	5	5	4	4	26	48	75	66	55	49
1982.....	2,128	3	5	3	2	29	44	73	69	58	51
1981.....	2,272	3	2	6	8	34	45	49	44	39	57
1980.....	2,171	4	3	5	4	28	53	71	58	46	38
1979.....	2,082	4	3	7	5	36	51	50	58	39	49
WHITE FEMALE											
1998.....	2,782	-	-	-	3	14	17	27	51	76	104
1997.....	2,782	1	2	2	2	10	7	30	42	64	77
1996.....	2,938	1	-	-	1	6	20	38	55	76	80
1995.....	2,942	4	1	1	1	8	13	24	41	47	60
1994.....	3,027	-	2	4	2	2	15	20	45	49	60
1993.....	3,098	5	2	2	2	4	15	25	42	52	45
1992.....	2,982	2	5	1	3	8	21	23	44	44	27
1991.....	3,183	-	-	1	2	5	11	22	37	58	28
1990.....	3,391	2	1	2	2	7	12	34	41	44	42
1989.....	3,579	1	2	5	3	9	18	39	39	36	34
1988.....	3,843	2	2	4	4	8	15	36	40	46	31
1987.....	3,586	2	-	2	2	5	16	26	37	24	31
1986.....	3,582	2	3	4	1	11	14	29	26	32	24
1985.....	3,601	1	1	7	4	7	17	23	24	20	22
1984.....	3,377	2	6	3	3	6	11	25	23	23	21
1983.....	3,330	2	1	4	3	15	17	24	19	28	29
1982.....	2,966	3	3	1	3	7	24	13	16	20	19
1981.....	2,962	5	6	4	1	8	24	18	20	18	25
1980.....	2,796	6	1	5	5	10	9	17	26	18	20
1979.....	2,424	2	3	6	5	7	9	29	22	15	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)											
ALL OTHER, BOTH SEXES											
1998.....	920	2	1	-	-	8	13	17	67	100	142
1997.....	916	6	-	-	1	4	16	33	61	105	153
1996.....	979	2	3	1	1	13	15	42	75	122	145
1995.....	1,047	2	1	-	4	7	12	36	72	125	161
1994.....	1,002	1	3	1	1	6	17	36	75	112	125
1993.....	954	3	4	1	1	7	19	35	88	112	157
1992.....	899	1	5	1	2	5	16	41	68	110	117
1991.....	921	2	3	1	1	9	18	36	74	121	105
1990.....	932	3	2	2	1	9	14	39	82	140	91
1989.....	1,135	2	1	1	1	8	14	51	124	165	111
1988.....	1,164	2	4	-	4	9	23	64	121	160	93
1987.....	1,047	1	2	2	-	8	22	54	132	130	70
1986.....	961	1	4	2	-	10	16	49	96	99	50
1985.....	981	3	4	-	1	6	19	41	121	57	58
1984.....	936	1	1	2	-	7	20	51	102	59	54
1983.....	909	1	6	2	2	8	22	57	84	55	41
1982.....	885	2	2	-	2	4	26	70	99	64	42
1981.....	857	4	2	3	2	10	32	68	91	44	36
1980.....	822	2	4	1	3	9	20	45	55	56	25
1979.....	669	1	1	2	-	7	23	42	29	42	23
ALL OTHER MALE											
1998.....	558	1	-	-	-	4	9	12	42	71	104
1997.....	551	4	-	-	1	4	14	23	39	70	97
1996.....	604	-	1	1	1	10	12	28	47	74	104
1995.....	633	-	1	-	1	6	11	24	52	84	104
1994.....	596	1	1	-	-	3	9	24	41	82	94
1993.....	579	2	2	-	-	6	13	21	54	78	118
1992.....	530	1	4	1	2	3	11	26	45	79	84
1991.....	541	-	1	1	-	8	13	23	49	72	80
1990.....	580	2	2	1	-	8	12	29	48	100	72
1989.....	645	2	-	-	1	7	11	24	87	126	81
1988.....	710	1	3	-	3	6	19	47	82	115	76
1987.....	613	1	1	-	-	6	16	28	92	92	56
1986.....	550	1	3	-	-	4	13	27	71	75	43
1985.....	568	1	1	-	-	2	14	27	94	48	44
1984.....	532	-	-	1	-	4	12	35	74	44	37
1983.....	512	-	1	2	2	5	13	44	65	45	33
1982.....	526	2	2	-	1	3	16	56	77	46	36
1981.....	493	-	2	3	2	6	23	45	70	32	25
1980.....	483	1	3	-	1	9	12	33	38	42	16
1979.....	387	-	1	2	-	6	16	24	25	29	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)											
ALL OTHER FEMALE											
1998.....	362	1	1	-	-	4	4	5	25	29	38
1997.....	365	2	-	-	-	-	2	10	22	35	56
1996.....	375	2	2	-	-	3	3	14	28	48	41
1995.....	414	2	-	-	3	1	1	12	20	41	57
1994.....	406	-	2	1	1	3	8	12	34	30	31
1993.....	375	1	2	1	1	1	6	14	34	34	39
1992.....	369	-	1	-	-	2	5	15	23	31	33
1991.....	380	2	2	-	1	1	5	13	25	49	25
1990.....	352	1	-	1	1	1	2	10	34	40	19
1989.....	490	-	1	1	-	1	3	27	37	39	30
1988.....	454	1	1	-	1	3	4	17	39	45	17
1987.....	434	-	1	2	-	2	6	26	40	38	14
1986.....	411	-	1	2	-	6	3	22	25	24	7
1985.....	413	2	3	-	1	4	5	14	27	9	14
1984.....	404	1	1	1	-	3	8	16	28	15	17
1983.....	397	1	5	-	-	3	9	13	19	10	8
1982.....	359	-	-	-	1	1	10	14	22	18	6
1981.....	364	4	-	-	-	4	9	23	21	12	11
1980.....	339	1	1	1	2	-	8	12	17	14	9
1979.....	282	1	-	-	-	1	7	18	4	13	9
BLACK, BOTH SEXES											
1998.....	822	2	1	-	-	2	11	15	63	85	135
1997.....	818	5	-	-	1	2	13	27	50	89	145
1996.....	878	2	3	1	-	9	13	39	62	111	133
1995.....	951	2	1	-	3	4	10	31	65	115	150
1994.....	895	1	2	1	1	5	14	26	66	104	120
1993.....	867	3	2	1	1	3	14	29	81	105	144
1992.....	794	1	4	1	2	3	11	34	56	101	108
1991.....	833	2	3	1	1	5	13	30	66	112	98
1990.....	864	3	2	2	1	7	11	35	75	133	84
1989.....	1,042	1	1	1	1	5	11	47	115	156	104
1988.....	1,089	1	3	-	3	6	19	58	112	152	90
1987.....	968	1	2	2	-	6	17	51	128	124	67
1986.....	882	1	4	2	-	4	13	44	91	91	46
1985.....	900	2	4	-	1	4	13	35	115	55	53
1984.....	854	1	1	1	-	5	15	48	93	53	49
1983.....	821	1	5	1	2	2	15	50	77	52	38
1982.....	814	2	2	-	1	3	20	64	93	62	35
1981.....	769	3	2	2	1	6	24	63	85	35	31
1980.....	750	2	4	1	2	5	19	42	52	53	24
1979.....	615	1	1	-	-	5	17	38	22	40	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)											
BLACK MALE											
1998.....	503	1	-	-	-	1	7	10	39	61	98
1997.....	489	3	-	-	1	2	12	18	33	58	92
1996.....	543	-	1	1	-	7	11	26	39	67	96
1995.....	576	-	1	-	-	4	9	21	46	76	97
1994.....	530	1	1	-	-	2	7	16	36	76	91
1993.....	528	2	2	-	-	3	8	17	50	72	111
1992.....	463	1	4	1	2	3	9	20	37	71	77
1991.....	481	-	1	1	-	4	8	19	43	65	73
1990.....	535	2	2	1	-	6	9	25	42	94	68
1989.....	595	1	-	-	1	4	8	21	80	118	76
1988.....	659	-	2	-	2	4	15	41	76	111	74
1987.....	570	1	1	-	-	5	12	26	90	88	55
1986.....	502	1	3	-	-	1	10	25	67	70	39
1985.....	518	1	1	-	-	-	8	23	90	47	40
1984.....	483	-	-	-	-	3	8	33	69	40	34
1983.....	460	-	1	1	2	1	9	42	59	44	30
1982.....	477	2	2	-	-	3	10	51	72	45	29
1981.....	435	-	2	2	1	3	15	42	65	25	22
1980.....	437	1	3	-	1	5	11	31	35	39	16
1979.....	347	-	1	-	-	4	11	21	19	27	12
BLACK FEMALE											
1998.....	319	1	1	-	-	1	4	5	24	24	37
1997.....	329	2	-	-	-	-	1	9	17	31	53
1996.....	335	2	2	-	-	2	2	13	23	44	37
1995.....	375	2	-	-	3	-	1	10	19	39	53
1994.....	365	-	1	1	1	3	7	10	30	28	29
1993.....	339	1	-	1	1	-	6	12	31	33	33
1992.....	331	-	-	-	-	-	2	14	19	30	31
1991.....	352	2	2	-	1	1	5	11	23	47	25
1990.....	329	1	-	1	1	1	2	10	33	39	16
1989.....	447	-	1	1	-	1	3	26	35	38	28
1988.....	430	1	1	-	1	2	4	17	36	41	16
1987.....	398	-	1	2	-	1	5	25	38	36	12
1986.....	380	-	1	2	-	3	3	19	24	21	7
1985.....	382	1	3	-	1	4	5	12	25	8	13
1984.....	371	1	1	1	-	2	7	15	24	13	15
1983.....	361	1	4	-	-	1	6	8	18	8	8
1982.....	337	-	-	-	1	-	10	13	21	17	6
1981.....	334	3	-	-	-	3	9	21	20	10	9
1980.....	313	1	1	1	1	-	8	11	17	14	8
1979.....	268	1	-	-	-	1	6	17	3	13	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENTAL RETARDATION (317-319)											
TOTAL, BOTH SEXES											
1998.....	437	1	6	13	14	12	14	22	29	29	31
1997.....	420	-	7	8	9	14	21	22	31	29	35
1996.....	404	-	4	6	14	16	27	21	23	26	36
1995.....	439	1	5	7	18	18	18	26	35	35	36
1994.....	430	1	9	8	20	18	24	25	21	28	37
1993.....	426	1	7	18	22	22	28	37	32	28	32
1992.....	395	2	13	12	15	17	29	26	30	32	32
1991.....	395	7	12	14	20	17	23	30	36	37	28
1990.....	380	5	11	17	21	27	25	28	25	19	29
1989.....	396	3	20	20	28	18	29	28	28	39	19
1988.....	386	3	12	20	14	23	37	23	23	27	24
1987.....	358	5	22	16	18	26	26	25	28	29	15
1986.....	368	8	27	18	20	21	35	30	26	19	13
1985.....	360	5	14	25	26	24	37	33	33	20	26
1984.....	351	5	24	17	28	37	44	25	21	16	16
1983.....	389	3	25	29	26	27	34	33	23	18	14
1982.....	363	9	24	19	27	44	36	25	23	26	15
1981.....	382	8	27	24	35	30	31	36	24	22	16
1980.....	386	7	30	19	32	35	49	28	30	11	17
1979.....	406	10	26	38	28	45	43	32	29	22	19
TOTAL, MALE											
1998.....	244	-	5	9	6	6	9	14	19	16	16
1997.....	245	-	6	4	3	10	15	13	17	16	20
1996.....	231	-	1	2	9	10	17	13	9	12	19
1995.....	269	1	2	6	13	13	14	16	23	16	24
1994.....	218	1	3	1	5	11	10	17	14	16	24
1993.....	219	1	2	7	10	13	17	18	16	21	17
1992.....	210	-	5	6	6	15	14	16	17	17	16
1991.....	218	5	7	6	12	7	9	13	21	23	14
1990.....	217	1	5	12	11	17	12	15	12	12	17
1989.....	243	2	12	13	14	12	17	19	17	22	10
1988.....	225	2	9	12	9	13	24	17	15	16	14
1987.....	188	3	8	11	9	10	15	12	16	13	10
1986.....	196	3	11	11	12	8	24	16	11	11	11
1985.....	191	2	9	15	14	11	22	17	14	13	12
1984.....	198	4	16	13	16	23	28	13	12	7	9
1983.....	213	1	15	15	12	14	19	18	11	10	6
1982.....	191	4	14	7	15	23	17	17	17	10	4
1981.....	205	4	16	11	19	10	16	17	11	18	11
1980.....	196	7	19	6	16	24	25	15	15	2	13
1979.....	236	4	13	22	13	29	30	22	20	14	12

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENTAL RETARDATION (317-319)											
TOTAL, FEMALE											
1998.....	193	1	1	4	8	6	5	8	10	13	15
1997.....	175	-	1	4	6	4	6	9	14	13	15
1996.....	173	-	3	4	5	6	10	8	14	14	17
1995.....	170	-	3	1	5	5	4	10	12	19	12
1994.....	212	-	6	7	15	7	14	8	7	12	13
1993.....	207	-	5	11	12	9	11	19	16	7	15
1992.....	185	2	8	6	9	2	15	10	13	15	16
1991.....	177	2	5	8	8	10	14	17	15	14	14
1990.....	163	4	6	5	10	10	13	13	13	7	12
1989.....	153	1	8	7	14	6	12	9	11	17	9
1988.....	161	1	3	8	5	10	13	6	8	11	10
1987.....	170	2	14	5	9	16	11	13	12	16	5
1986.....	172	5	16	7	8	13	11	14	15	8	2
1985.....	169	3	5	10	12	13	15	16	19	7	14
1984.....	153	1	8	4	12	14	16	12	9	9	7
1983.....	176	2	10	14	14	13	15	15	12	8	8
1982.....	172	5	10	12	12	21	19	8	6	16	11
1981.....	177	4	11	13	16	20	15	19	13	4	5
1980.....	190	-	11	13	16	11	24	13	15	9	4
1979.....	170	6	13	16	15	16	13	10	9	8	7
WHITE, BOTH SEXES											
1998.....	381	1	3	10	9	11	12	19	26	20	23
1997.....	364	-	6	7	5	13	17	18	22	21	30
1996.....	343	-	3	4	11	13	21	19	19	17	29
1995.....	374	-	2	6	14	13	11	18	28	30	30
1994.....	368	1	6	6	15	13	20	18	15	25	31
1993.....	364	1	6	13	16	15	19	31	27	22	28
1992.....	334	1	9	9	15	15	22	18	26	27	28
1991.....	340	4	9	10	15	15	17	23	30	30	25
1990.....	326	4	10	12	14	23	22	19	21	16	23
1989.....	341	3	15	17	21	15	26	23	18	30	17
1988.....	328	2	11	15	9	16	26	20	22	21	21
1987.....	290	3	17	11	8	17	20	20	25	24	11
1986.....	292	5	16	13	16	14	20	20	22	19	10
1985.....	291	2	9	18	21	14	24	28	24	16	23
1984.....	288	4	20	10	23	26	35	20	19	15	11
1983.....	327	1	20	19	19	24	27	27	21	18	10
1982.....	302	6	20	13	24	33	29	19	19	22	14
1981.....	316	8	19	16	26	27	25	28	22	18	12
1980.....	316	7	24	15	20	28	40	17	25	10	15
1979.....	347	9	22	31	19	41	37	28	23	18	14

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENTAL RETARDATION (317-319)											
WHITE MALE											
1998.....	210	-	3	6	4	6	8	11	17	12	11
1997.....	217	-	5	4	1	10	13	11	13	11	18
1996.....	202	-	1	1	7	9	13	12	9	10	15
1995.....	228	-	1	5	10	10	8	10	19	13	21
1994.....	186	1	2	1	4	8	9	12	9	16	21
1993.....	188	1	2	5	6	9	10	16	15	16	16
1992.....	183	-	3	6	6	14	12	11	15	16	15
1991.....	188	3	5	3	9	7	7	9	20	18	11
1990.....	187	1	4	9	9	14	9	7	11	11	14
1989.....	216	2	8	11	12	9	15	16	13	18	10
1988.....	188	1	8	8	6	9	16	14	14	14	11
1987.....	151	2	6	7	3	6	11	9	15	10	8
1986.....	158	2	9	8	11	6	12	11	10	11	8
1985.....	151	-	5	10	13	6	14	15	9	9	12
1984.....	160	4	12	8	14	16	20	11	11	6	7
1983.....	179	-	10	10	9	13	16	16	11	10	2
1982.....	163	3	13	5	13	17	14	13	15	9	3
1981.....	170	4	9	9	14	9	11	14	11	15	8
1980.....	165	7	15	3	10	19	23	9	14	2	11
1979.....	200	4	12	17	9	26	25	19	15	11	10
WHITE FEMALE											
1998.....	171	1	-	4	5	5	4	8	9	8	12
1997.....	147	-	1	3	4	3	4	7	9	10	12
1996.....	141	-	2	3	4	4	8	7	10	7	14
1995.....	146	-	1	1	4	3	3	8	9	17	9
1994.....	182	-	4	5	11	5	11	6	6	9	10
1993.....	176	-	4	8	10	6	9	15	12	6	12
1992.....	151	1	6	3	9	1	10	7	11	11	13
1991.....	152	1	4	7	6	8	10	14	10	12	14
1990.....	139	3	6	3	5	9	13	12	10	5	9
1989.....	125	1	7	6	9	6	11	7	5	12	7
1988.....	140	1	3	7	3	7	10	6	8	7	10
1987.....	139	1	11	4	5	11	9	11	10	14	3
1986.....	134	3	7	5	5	8	8	9	12	8	2
1985.....	140	2	4	8	8	8	10	13	15	7	11
1984.....	128	-	8	2	9	10	15	9	8	9	4
1983.....	148	1	10	9	10	11	11	11	10	8	8
1982.....	139	3	7	8	11	16	15	6	4	13	11
1981.....	146	4	10	7	12	18	14	14	11	3	4
1980.....	151	-	9	12	10	9	17	8	11	8	4
1979.....	147	5	10	14	10	15	12	9	8	7	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENTAL RETARDATION (317-319)											
ALL OTHER, BOTH SEXES											
1998.....	56	-	3	3	5	1	2	3	3	9	8
1997.....	56	-	1	1	4	1	4	4	9	8	5
1996.....	61	-	1	2	3	3	6	2	4	9	7
1995.....	65	1	3	1	4	5	7	8	7	5	6
1994.....	62	-	3	2	5	5	4	7	6	3	6
1993.....	62	-	1	5	6	7	9	6	5	6	4
1992.....	61	1	4	3	-	2	7	8	4	5	4
1991.....	55	3	3	4	5	2	6	7	6	7	3
1990.....	54	1	1	5	7	4	3	9	4	3	6
1989.....	55	-	5	3	7	3	3	5	10	9	2
1988.....	58	1	1	5	5	7	11	3	1	6	3
1987.....	68	2	5	5	10	9	6	5	3	5	4
1986.....	76	3	11	5	4	7	15	10	4	-	3
1985.....	69	3	5	7	5	10	13	5	9	4	3
1984.....	63	1	4	7	5	11	9	5	2	1	5
1983.....	62	2	5	10	7	3	7	6	2	-	4
1982.....	61	3	4	6	3	11	7	6	4	4	1
1981.....	66	-	8	8	9	3	6	8	2	4	4
1980.....	70	-	6	4	12	7	9	11	5	1	2
1979.....	59	1	4	7	9	4	6	4	6	4	5
ALL OTHER MALE											
1998.....	34	-	2	3	2	-	1	3	2	4	5
1997.....	28	-	1	-	2	-	2	2	4	5	2
1996.....	29	-	-	1	2	1	4	1	-	2	4
1995.....	41	1	1	1	3	3	6	6	4	3	3
1994.....	32	-	1	-	1	3	1	5	5	-	3
1993.....	31	-	-	2	4	4	7	2	1	5	1
1992.....	27	-	2	-	-	1	2	5	2	1	1
1991.....	30	2	2	3	3	-	2	4	1	5	3
1990.....	30	-	1	3	2	3	3	8	1	1	3
1989.....	27	-	4	2	2	3	2	3	4	4	-
1988.....	37	1	1	4	3	4	8	3	1	2	3
1987.....	37	1	2	4	6	4	4	3	1	3	2
1986.....	38	1	2	3	1	2	12	5	1	-	3
1985.....	40	2	4	5	1	5	8	2	5	4	-
1984.....	38	-	4	5	2	7	8	2	1	1	2
1983.....	34	1	5	5	3	1	3	2	-	-	4
1982.....	28	1	1	2	2	6	3	4	2	1	1
1981.....	35	-	7	2	5	1	5	3	-	3	3
1980.....	31	-	4	3	6	5	2	6	1	-	2
1979.....	36	-	1	5	4	3	5	3	5	3	2

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENTAL RETARDATION (317-319)											
ALL OTHER FEMALE											
1998.....	22	-	1	-	3	1	1	-	1	5	3
1997.....	28	-	-	1	2	1	2	2	5	3	3
1996.....	32	-	1	1	1	2	2	1	4	7	3
1995.....	24	-	2	-	1	2	1	2	3	2	3
1994.....	30	-	2	2	4	2	3	2	1	3	3
1993.....	31	-	1	3	2	3	2	4	4	1	3
1992.....	34	1	2	3	-	1	5	3	2	4	3
1991.....	25	1	1	1	2	2	4	3	5	2	-
1990.....	24	1	-	2	5	1	-	1	3	2	3
1989.....	28	-	1	1	5	-	1	2	6	5	2
1988.....	21	-	-	1	2	3	3	-	-	4	-
1987.....	31	1	3	1	4	5	2	2	2	2	2
1986.....	38	2	9	2	3	5	3	5	3	-	-
1985.....	29	1	1	2	4	5	5	3	4	-	3
1984.....	25	1	-	2	3	4	1	3	1	-	3
1983.....	28	1	-	5	4	2	4	4	2	-	-
1982.....	33	2	3	4	1	5	4	2	2	3	-
1981.....	31	-	1	6	4	2	1	5	2	1	1
1980.....	39	-	2	1	6	2	7	5	4	1	-
1979.....	23	1	3	2	5	1	1	1	1	1	3
BLACK, BOTH SEXES											
1998.....	48	-	3	3	3	1	-	2	3	9	8
1997.....	50	-	-	-	3	1	3	4	8	8	5
1996.....	57	-	-	2	2	3	6	2	4	9	6
1995.....	60	1	3	1	4	5	6	7	6	5	5
1994.....	51	-	2	1	4	4	2	6	4	2	6
1993.....	57	-	1	5	5	6	8	6	5	6	4
1992.....	55	1	4	2	-	1	6	8	2	5	4
1991.....	50	3	3	4	5	2	5	5	5	7	3
1990.....	51	1	1	4	7	4	3	8	4	2	6
1989.....	48	-	5	2	7	3	3	3	9	9	1
1988.....	52	1	1	5	5	6	10	2	1	5	3
1987.....	61	1	5	4	9	9	6	4	3	3	4
1986.....	67	3	9	3	3	6	13	9	4	-	3
1985.....	60	2	5	6	4	9	13	4	7	3	3
1984.....	58	1	4	7	5	10	8	5	1	1	4
1983.....	55	1	5	10	6	2	6	6	2	-	3
1982.....	56	3	4	4	3	11	7	6	3	3	1
1981.....	60	-	5	8	9	3	6	7	1	4	4
1980.....	66	-	5	3	12	7	9	11	4	1	2
1979.....	56	1	3	7	9	3	6	4	6	4	5

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

MENTAL RETARDATION (317-319)

BLACK MALE

1998.....	29	-	2	3	1	-	-	2	2	4	5
1997.....	25	-	-	-	1	-	2	2	4	5	2
1996.....	28	-	-	1	1	1	4	1	-	2	4
1995.....	39	1	1	1	3	3	5	5	4	3	3
1994.....	27	-	1	-	1	2	-	4	4	-	3
1993.....	29	-	-	2	4	3	6	2	1	5	1
1992.....	25	-	2	-	-	-	2	5	1	1	1
1991.....	27	2	2	3	3	-	1	2	1	5	3
1990.....	29	-	1	2	2	3	3	8	1	1	3
1989.....	24	-	4	2	2	3	2	1	4	4	-
1988.....	35	1	1	4	3	4	8	2	1	1	3
1987.....	32	-	2	3	6	4	4	2	1	1	2
1986.....	33	1	1	3	1	1	10	4	1	-	3
1985.....	35	1	4	4	1	5	8	2	4	3	-
1984.....	34	-	4	5	2	6	7	2	-	1	2
1983.....	31	1	5	5	2	1	3	2	-	-	3
1982.....	25	1	1	1	2	6	3	4	1	1	1
1981.....	31	-	4	2	5	1	5	2	-	3	3
1980.....	30	-	3	3	6	5	2	6	1	-	2
1979.....	35	-	1	5	4	2	5	3	5	3	2

BLACK FEMALE

1998.....	19	-	1	-	2	1	-	-	1	5	3
1997.....	25	-	-	-	2	1	1	2	4	3	3
1996.....	29	-	-	1	1	2	2	1	4	7	2
1995.....	21	-	2	-	1	2	1	2	2	2	2
1994.....	24	-	1	1	3	2	2	2	-	2	3
1993.....	28	-	1	3	1	3	2	4	4	1	3
1992.....	30	1	2	2	-	1	4	3	1	4	3
1991.....	23	1	1	1	2	2	4	3	4	2	-
1990.....	22	1	-	2	5	1	-	-	3	1	3
1989.....	24	-	1	-	5	-	1	2	5	5	1
1988.....	17	-	-	1	2	2	2	-	-	4	-
1987.....	29	1	3	1	3	5	2	2	2	2	2
1986.....	34	2	8	-	2	5	3	5	3	-	-
1985.....	25	1	1	2	3	4	5	2	3	-	3
1984.....	24	1	-	2	3	4	1	3	1	-	2
1983.....	24	-	-	5	4	1	3	4	2	-	-
1982.....	31	2	3	3	1	5	4	2	2	2	-
1981.....	29	-	1	6	4	2	1	5	1	1	1
1980.....	36	-	2	-	6	2	7	5	3	1	-
1979.....	21	1	2	2	5	1	1	1	1	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
TOTAL, BOTH SEXES											
1998.....	57,762	447	401	271	272	375	335	373	469	630	936
1997.....	56,245	431	396	267	288	370	380	399	485	663	926
1996.....	53,821	474	413	280	249	378	355	375	463	676	899
1995.....	51,240	476	454	279	308	375	396	352	485	695	871
1994.....	47,900	494	440	274	289	362	364	381	531	685	839
1993.....	45,004	534	497	292	311	364	351	390	505	681	847
1992.....	40,443	530	430	280	277	347	372	404	496	687	817
1991.....	40,009	637	458	289	289	347	400	391	510	634	760
1990.....	39,368	659	494	288	269	375	344	423	524	642	729
1989.....	38,486	721	537	258	269	391	434	436	527	598	722
1988.....	37,018	659	538	261	262	369	373	443	531	599	674
1987.....	35,905	672	520	265	233	388	404	476	502	627	632
1986.....	32,965	640	558	231	268	382	455	444	499	557	628
1985.....	30,957	722	579	262	263	354	409	425	481	548	560
1984.....	28,306	718	597	280	286	370	483	413	484	542	561
1983.....	26,030	827	664	262	263	429	463	429	469	495	565
1982.....	22,934	785	637	283	290	467	481	461	480	494	515
1981.....	22,571	948	665	299	299	490	508	513	508	489	589
1980.....	21,744	979	697	340	349	499	554	437	486	513	525
1979.....	20,534	981	620	351	314	490	522	484	502	484	559
TOTAL, MALE											
1998.....	25,510	242	213	151	176	253	224	214	272	365	508
1997.....	24,853	223	219	139	181	250	237	243	286	371	530
1996.....	24,268	282	225	176	140	258	233	242	281	410	498
1995.....	23,275	256	253	152	173	251	275	214	280	414	465
1994.....	22,044	268	228	169	176	255	237	243	330	392	452
1993.....	20,904	303	263	178	185	246	245	230	308	385	484
1992.....	19,153	301	225	157	161	248	251	257	289	404	468
1991.....	18,908	364	248	151	170	240	262	257	307	354	414
1990.....	18,748	367	298	170	151	265	232	259	316	391	411
1989.....	18,650	403	322	138	158	271	283	285	336	354	426
1988.....	18,031	368	299	134	153	265	261	273	327	351	403
1987.....	17,686	370	295	146	135	279	276	295	313	362	368
1986.....	16,414	346	327	131	156	266	309	277	300	339	360
1985.....	15,604	404	320	145	181	258	264	272	286	315	336
1984.....	14,584	432	321	141	176	242	327	239	297	317	340
1983.....	13,568	461	371	154	139	300	322	265	264	275	333
1982.....	12,012	464	352	162	185	324	322	279	292	286	265
1981.....	11,934	558	373	162	156	332	335	307	290	279	324
1980.....	11,622	549	399	187	194	362	371	270	292	298	283
1979.....	11,024	581	338	184	175	364	329	289	279	265	300

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
TOTAL, FEMALE											
1998.....	32,252	205	188	120	96	122	111	159	197	265	428
1997.....	31,392	208	177	128	107	120	143	156	199	292	396
1996.....	29,553	192	188	104	109	120	122	133	182	266	401
1995.....	27,965	220	201	127	135	124	121	138	205	281	406
1994.....	25,856	226	212	105	113	107	127	138	201	293	387
1993.....	24,100	231	234	114	126	118	106	160	197	296	363
1992.....	21,290	229	205	123	116	99	121	147	207	283	349
1991.....	21,101	273	210	138	119	107	138	134	203	280	346
1990.....	20,620	292	196	118	118	110	112	164	208	251	318
1989.....	19,836	318	215	120	111	120	151	151	191	244	296
1988.....	18,987	291	239	127	109	104	112	170	204	248	271
1987.....	18,219	302	225	119	98	109	128	181	189	265	264
1986.....	16,551	294	231	100	112	116	146	167	199	218	268
1985.....	15,353	318	259	117	82	96	145	153	195	233	224
1984.....	13,722	286	276	139	110	128	156	174	187	225	221
1983.....	12,462	366	293	108	124	129	141	164	205	220	232
1982.....	10,922	321	285	121	105	143	159	182	188	208	250
1981.....	10,637	390	292	137	143	158	173	206	218	210	265
1980.....	10,122	430	298	153	155	137	183	167	194	215	242
1979.....	9,510	400	282	167	139	126	193	195	223	219	259
WHITE, BOTH SEXES											
1998.....	52,652	334	311	201	203	295	253	268	337	494	723
1997.....	51,345	318	291	191	217	277	283	285	368	522	745
1996.....	49,224	339	304	215	185	317	258	285	341	503	691
1995.....	46,694	335	328	207	246	308	295	278	371	524	695
1994.....	43,675	354	325	204	208	277	280	282	405	540	654
1993.....	40,924	390	355	227	233	281	272	296	389	519	662
1992.....	36,705	387	316	206	215	279	290	313	376	521	619
1991.....	36,283	453	326	225	218	259	320	286	387	468	622
1990.....	35,495	468	382	217	208	311	279	323	369	498	559
1989.....	34,558	491	402	199	207	304	347	343	378	451	569
1988.....	33,373	469	403	193	193	299	298	339	400	448	535
1987.....	32,410	470	401	203	184	311	310	373	362	460	491
1986.....	29,626	455	416	171	210	314	371	346	364	435	476
1985.....	27,754	502	431	197	205	286	320	327	360	421	438
1984.....	25,266	520	443	214	222	303	380	302	341	407	446
1983.....	23,056	607	509	212	199	356	367	317	371	378	435
1982.....	20,216	553	492	237	236	383	387	353	355	376	400
1981.....	19,742	673	519	238	238	412	416	390	381	358	457
1980.....	18,875	691	525	268	283	429	430	330	382	360	388
1979.....	17,762	672	442	285	258	406	415	372	392	359	416

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
WHITE MALE											
1998.....	23,128	176	168	113	130	201	169	157	194	286	385
1997.....	22,498	158	163	103	135	194	177	178	221	301	422
1996.....	22,113	208	169	136	105	221	179	192	213	302	384
1995.....	21,085	189	190	115	142	210	211	170	222	314	370
1994.....	19,980	188	178	133	126	203	192	187	259	313	357
1993.....	18,829	219	198	142	142	190	197	182	242	294	371
1992.....	17,258	221	169	115	128	208	197	200	224	309	348
1991.....	17,027	260	176	123	126	187	223	190	236	262	334
1990.....	16,726	276	227	132	116	219	184	203	221	307	303
1989.....	16,603	287	232	113	122	219	229	226	241	266	339
1988.....	16,080	261	223	99	118	218	212	211	244	262	319
1987.....	15,811	260	229	113	107	226	223	229	223	267	279
1986.....	14,630	250	250	99	121	223	260	215	218	267	265
1985.....	13,839	282	241	109	144	213	217	215	212	232	259
1984.....	12,945	321	248	114	139	204	265	179	210	236	273
1983.....	11,946	342	278	128	112	256	261	196	218	202	253
1982.....	10,483	331	271	135	149	267	267	210	218	214	198
1981.....	10,359	400	287	126	129	286	288	229	209	196	250
1980.....	9,944	394	294	139	158	311	291	211	217	202	208
1979.....	9,396	396	246	155	149	304	262	220	208	193	214
WHITE FEMALE											
1998.....	29,524	158	143	88	73	94	84	111	143	208	338
1997.....	28,847	160	128	88	82	83	106	107	147	221	323
1996.....	27,111	131	135	79	80	96	79	93	128	201	307
1995.....	25,609	146	138	92	104	98	84	108	149	210	325
1994.....	23,695	166	147	71	82	74	88	95	146	227	297
1993.....	22,095	171	157	85	91	91	75	114	147	225	291
1992.....	19,447	166	147	91	87	71	93	113	152	212	271
1991.....	19,256	193	150	102	92	72	97	96	151	206	288
1990.....	18,769	192	155	85	92	92	95	120	148	191	256
1989.....	17,955	204	170	86	85	85	118	117	137	185	230
1988.....	17,293	208	180	94	75	81	86	128	156	186	216
1987.....	16,599	210	172	90	77	85	87	144	139	193	212
1986.....	14,996	205	166	72	89	91	111	131	146	168	211
1985.....	13,915	220	190	88	61	73	103	112	148	189	179
1984.....	12,321	199	195	100	83	99	115	123	131	171	173
1983.....	11,110	265	231	84	87	100	106	121	153	176	182
1982.....	9,733	222	221	102	87	116	120	143	137	162	202
1981.....	9,383	273	232	112	109	126	128	161	172	162	207
1980.....	8,931	297	231	129	125	118	139	119	165	158	180
1979.....	8,366	276	196	130	109	102	153	152	184	166	202

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
ALL OTHER, BOTH SEXES											
1998.....	5,110	113	90	70	69	80	82	105	132	136	213
1997.....	4,900	113	105	76	71	93	97	114	117	141	181
1996.....	4,597	135	109	65	64	61	97	90	122	173	208
1995.....	4,546	141	126	72	62	67	101	74	114	171	176
1994.....	4,225	140	115	70	81	85	84	99	126	145	185
1993.....	4,080	144	142	65	78	83	79	94	116	162	185
1992.....	3,738	143	114	74	62	68	82	91	120	166	198
1991.....	3,726	184	132	64	71	88	80	105	123	166	138
1990.....	3,873	191	112	71	61	64	65	100	155	144	170
1989.....	3,928	230	135	59	62	87	87	93	149	147	153
1988.....	3,645	190	135	68	69	70	75	104	131	151	139
1987.....	3,495	202	119	62	49	77	94	103	140	167	141
1986.....	3,339	185	142	60	58	68	84	98	135	122	152
1985.....	3,203	220	148	65	58	68	89	98	121	127	122
1984.....	3,040	198	154	66	64	67	103	111	143	135	115
1983.....	2,974	220	155	50	64	73	96	112	98	117	130
1982.....	2,718	232	145	46	54	84	94	108	125	118	115
1981.....	2,829	275	146	61	61	78	92	123	127	131	132
1980.....	2,869	288	172	72	66	70	124	107	104	153	137
1979.....	2,772	309	178	66	56	84	107	112	110	125	143
ALL OTHER MALE											
1998.....	2,382	66	45	38	46	52	55	57	78	79	123
1997.....	2,355	65	56	36	46	56	60	65	65	70	108
1996.....	2,155	74	56	40	35	37	54	50	68	108	114
1995.....	2,190	67	63	37	31	41	64	44	58	100	95
1994.....	2,064	80	50	36	50	52	45	56	71	79	95
1993.....	2,075	84	65	36	43	56	48	48	66	91	113
1992.....	1,895	80	56	42	33	40	54	57	65	95	120
1991.....	1,881	104	72	28	44	53	39	67	71	92	80
1990.....	2,022	91	71	38	35	46	48	56	95	84	108
1989.....	2,047	116	90	25	36	52	54	59	95	88	87
1988.....	1,951	107	76	35	35	47	49	62	83	89	84
1987.....	1,875	110	66	33	28	53	53	66	90	95	89
1986.....	1,784	96	77	32	35	43	49	62	82	72	95
1985.....	1,765	122	79	36	37	45	47	57	74	83	77
1984.....	1,639	111	73	27	37	38	62	60	87	81	67
1983.....	1,622	119	93	26	27	44	61	69	46	73	80
1982.....	1,529	133	81	27	36	57	55	69	74	72	67
1981.....	1,575	158	86	36	27	46	47	78	81	83	74
1980.....	1,678	155	105	48	36	51	80	59	75	96	75
1979.....	1,628	185	92	29	26	60	67	69	71	72	86

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
ALL OTHER FEMALE											
1998.....	2,728	47	45	32	23	28	27	48	54	57	90
1997.....	2,545	48	49	40	25	37	37	49	52	71	73
1996.....	2,442	61	53	25	29	24	43	40	54	65	94
1995.....	2,356	74	63	35	31	26	37	30	56	71	81
1994.....	2,161	60	65	34	31	33	39	43	55	66	90
1993.....	2,005	60	77	29	35	27	31	46	50	71	72
1992.....	1,843	63	58	32	29	28	28	34	55	71	78
1991.....	1,845	80	60	36	27	35	41	38	52	74	58
1990.....	1,851	100	41	33	26	18	17	44	60	60	62
1989.....	1,881	114	45	34	26	35	33	34	54	59	66
1988.....	1,694	83	59	33	34	23	26	42	48	62	55
1987.....	1,620	92	53	29	21	24	41	37	50	72	52
1986.....	1,555	89	65	28	23	25	35	36	53	50	57
1985.....	1,438	98	69	29	21	23	42	41	47	44	45
1984.....	1,401	87	81	39	27	29	41	51	56	54	48
1983.....	1,352	101	62	24	37	29	35	43	52	44	50
1982.....	1,189	99	64	19	18	27	39	39	51	46	48
1981.....	1,254	117	60	25	34	32	45	45	46	48	58
1980.....	1,191	133	67	24	30	19	44	48	29	57	62
1979.....	1,144	124	86	37	30	24	40	43	39	53	57
BLACK, BOTH SEXES											
1998.....	4,404	103	74	62	53	70	68	93	117	119	194
1997.....	4,226	89	90	65	55	78	82	99	107	128	168
1996.....	3,991	119	89	55	56	53	77	77	110	152	193
1995.....	3,977	122	103	67	55	54	87	72	103	158	159
1994.....	3,714	125	102	59	68	75	77	88	115	132	168
1993.....	3,600	129	118	56	67	68	67	82	106	148	172
1992.....	3,320	114	100	62	49	58	72	84	108	163	182
1991.....	3,352	161	116	55	56	76	73	99	117	159	124
1990.....	3,477	165	100	60	51	55	58	91	145	137	158
1989.....	3,550	196	112	53	57	78	83	86	138	134	145
1988.....	3,306	166	121	60	63	66	68	96	126	142	129
1987.....	3,130	168	102	52	39	68	88	94	133	160	129
1986.....	3,022	164	130	51	53	63	74	91	128	120	141
1985.....	2,903	187	131	55	55	61	80	90	109	123	115
1984.....	2,768	157	137	61	55	60	99	105	139	131	109
1983.....	2,701	196	138	43	58	66	93	105	91	110	128
1982.....	2,501	200	128	39	54	73	88	100	116	108	111
1981.....	2,610	252	130	57	56	71	88	117	120	126	122
1980.....	2,668	266	156	64	59	64	118	104	95	147	128
1979.....	2,533	272	162	58	54	78	99	107	104	122	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)											
BLACK MALE											
1998.....	2,015	63	37	34	34	45	48	49	65	67	111
1997.....	1,985	52	49	32	35	48	48	55	58	61	101
1996.....	1,818	65	44	34	29	29	44	44	63	92	103
1995.....	1,882	61	50	36	27	32	55	43	51	93	83
1994.....	1,791	70	43	33	42	47	39	48	66	71	87
1993.....	1,788	73	54	31	40	45	42	40	61	82	103
1992.....	1,653	61	47	38	24	33	47	52	59	93	112
1991.....	1,673	93	62	25	33	46	34	62	66	88	72
1990.....	1,786	78	63	35	30	37	42	52	90	81	99
1989.....	1,845	98	73	22	33	45	51	55	88	80	81
1988.....	1,766	95	72	30	34	44	46	56	82	82	76
1987.....	1,666	91	59	26	24	45	49	60	84	92	81
1986.....	1,605	86	69	25	35	39	43	59	78	71	88
1985.....	1,598	105	70	30	34	40	41	54	69	80	72
1984.....	1,493	87	68	24	32	33	59	57	87	79	65
1983.....	1,468	107	84	22	24	39	58	64	44	69	79
1982.....	1,400	118	72	23	36	48	52	66	68	64	66
1981.....	1,447	142	78	33	24	41	44	74	78	80	69
1980.....	1,558	144	95	43	31	45	75	59	68	91	70
1979.....	1,481	162	84	26	25	54	62	66	67	70	84
BLACK FEMALE											
1998.....	2,389	40	37	28	19	25	20	44	52	52	83
1997.....	2,241	37	41	33	20	30	34	44	49	67	67
1996.....	2,173	54	45	21	27	24	33	33	47	60	90
1995.....	2,095	61	53	31	28	22	32	29	52	65	76
1994.....	1,923	55	59	26	26	28	38	40	49	61	81
1993.....	1,812	56	64	25	27	23	25	42	45	66	69
1992.....	1,667	53	53	24	25	25	25	32	49	70	70
1991.....	1,679	68	54	30	23	30	39	37	51	71	52
1990.....	1,691	87	37	25	21	18	16	39	55	56	59
1989.....	1,705	98	39	31	24	33	32	31	50	54	64
1988.....	1,540	71	49	30	29	22	22	40	44	60	53
1987.....	1,464	77	43	26	15	23	39	34	49	68	48
1986.....	1,417	78	61	26	18	24	31	32	50	49	53
1985.....	1,305	82	61	25	21	21	39	36	40	43	43
1984.....	1,275	70	69	37	23	27	40	48	52	52	44
1983.....	1,233	89	54	21	34	27	35	41	47	41	49
1982.....	1,101	82	56	16	18	25	36	34	48	44	45
1981.....	1,163	110	52	24	32	30	44	43	42	46	53
1980.....	1,110	122	61	21	28	19	43	45	27	56	58
1979.....	1,052	110	78	32	29	24	37	41	37	52	50

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)											
TOTAL, BOTH SEXES											
1998.....	57,658	440	398	270	272	374	335	372	467	625	934
1997.....	56,140	424	391	266	286	368	377	397	483	659	924
1996.....	53,734	464	409	280	249	378	353	373	461	672	896
1995.....	51,161	473	454	278	307	373	394	349	484	693	868
1994.....	47,803	487	434	273	287	362	364	375	530	682	837
1993.....	44,893	520	493	290	311	363	350	389	503	676	844
1992.....	40,353	520	428	279	277	347	370	401	496	681	814
1991.....	39,919	624	455	288	287	346	398	391	507	633	758
1990.....	39,251	643	490	287	267	375	342	420	521	638	726
1989.....	38,381	709	533	257	267	391	434	433	526	596	720
1988.....	36,921	650	533	259	261	369	373	440	530	597	672
1987.....	35,804	658	515	265	230	388	402	476	499	623	631
1986.....	32,851	626	556	231	267	380	453	442	493	556	627
1985.....	30,853	706	573	261	263	352	408	423	480	546	559
1984.....	28,186	712	591	279	286	365	480	410	482	539	560
1983.....	25,908	812	658	260	263	428	460	427	466	490	560
1982.....	22,808	773	630	280	289	463	479	459	478	493	511
1981.....	22,431	936	661	294	298	487	505	510	506	485	585
1980.....	21,593	967	688	340	348	495	546	434	480	512	521
1979.....	20,406	969	616	349	313	486	515	481	498	479	558
TOTAL, MALE											
1998.....	25,464	238	211	150	176	252	224	213	270	360	508
1997.....	24,809	218	216	139	180	248	235	242	285	368	528
1996.....	24,223	274	223	176	140	258	231	242	280	408	496
1995.....	23,231	253	253	152	173	250	274	213	279	412	462
1994.....	22,002	265	223	168	176	255	237	241	329	390	452
1993.....	20,858	298	259	177	185	245	244	229	307	381	481
1992.....	19,103	294	225	156	161	248	250	255	289	400	465
1991.....	18,864	356	247	150	169	239	261	257	306	354	413
1990.....	18,693	359	294	169	150	265	232	257	313	389	410
1989.....	18,610	398	321	138	157	271	283	282	336	353	424
1988.....	17,987	364	296	132	152	265	261	271	327	350	401
1987.....	17,628	360	290	146	133	279	274	295	311	360	368
1986.....	16,357	336	326	131	156	265	308	276	296	338	359
1985.....	15,546	392	316	145	181	256	263	271	285	315	335
1984.....	14,527	427	319	141	176	239	326	237	296	316	339
1983.....	13,506	452	367	152	139	299	319	263	262	272	329
1982.....	11,953	455	346	160	184	321	322	278	291	285	263
1981.....	11,872	555	371	159	156	331	333	305	288	276	322
1980.....	11,555	541	395	187	194	359	366	269	288	298	281
1979.....	10,957	573	335	183	174	361	326	286	276	263	299

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)											
TOTAL, FEMALE											
1998.....	32,194	202	187	120	96	122	111	159	197	265	426
1997.....	31,331	206	175	127	106	120	142	155	198	291	396
1996.....	29,511	190	186	104	109	120	122	131	181	264	400
1995.....	27,930	220	201	126	134	123	120	136	205	281	406
1994.....	25,801	222	211	105	111	107	127	134	201	292	385
1993.....	24,035	222	234	113	126	118	106	160	196	295	363
1992.....	21,250	226	203	123	116	99	120	146	207	281	349
1991.....	21,055	268	208	138	118	107	137	134	201	279	345
1990.....	20,558	284	196	118	117	110	110	163	208	249	316
1989.....	19,771	311	212	119	110	120	151	151	190	243	296
1988.....	18,934	286	237	127	109	104	112	169	203	247	271
1987.....	18,176	298	225	119	97	109	128	181	188	263	263
1986.....	16,494	290	230	100	111	115	145	166	197	218	268
1985.....	15,307	314	257	116	82	96	145	152	195	231	224
1984.....	13,659	285	272	138	110	126	154	173	186	223	221
1983.....	12,402	360	291	108	124	129	141	164	204	218	231
1982.....	10,855	318	284	120	105	142	157	181	187	208	248
1981.....	10,559	381	290	135	142	156	172	205	218	209	263
1980.....	10,038	426	293	153	154	136	180	165	192	214	240
1979.....	9,449	396	281	166	139	125	189	195	222	216	259
WHITE, BOTH SEXES											
1998.....	52,569	328	309	201	203	294	253	267	335	490	723
1997.....	51,255	311	288	190	215	275	280	283	366	520	743
1996.....	49,153	335	301	215	185	317	257	284	339	499	688
1995.....	46,624	333	328	206	245	306	293	275	370	522	693
1994.....	43,591	349	320	203	206	277	280	277	404	538	653
1993.....	40,836	379	352	225	233	280	272	295	388	515	661
1992.....	36,630	378	315	205	215	279	289	311	376	516	618
1991.....	36,208	445	324	224	216	258	318	286	385	467	621
1990.....	35,409	458	380	216	207	311	277	322	366	496	557
1989.....	34,475	483	398	199	206	304	347	341	378	449	568
1988.....	33,295	464	400	191	192	299	298	336	399	447	534
1987.....	32,331	462	398	203	182	311	308	373	361	458	491
1986.....	29,529	444	415	171	209	312	369	344	360	434	475
1985.....	27,661	491	425	196	205	284	320	326	359	419	437
1984.....	25,173	515	440	213	222	302	378	300	339	405	445
1983.....	22,956	597	505	210	199	355	364	316	368	374	433
1982.....	20,120	548	486	234	235	379	385	351	354	375	397
1981.....	19,625	662	516	235	237	409	413	387	380	357	453
1980.....	18,752	683	519	268	283	425	425	327	376	359	384
1979.....	17,658	665	440	283	257	403	411	371	388	357	416

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)											
WHITE MALE											
1998.....	23,093	173	167	113	130	200	169	156	192	282	385
1997.....	22,459	153	161	103	134	192	175	177	220	299	420
1996.....	22,076	205	167	136	105	221	178	192	212	300	382
1995.....	21,047	187	190	115	142	209	210	169	221	312	368
1994.....	19,945	186	174	132	126	203	192	185	258	312	357
1993.....	18,793	215	195	141	142	189	197	181	242	291	370
1992.....	17,217	215	169	114	128	208	197	199	224	305	347
1991.....	16,989	254	175	122	125	186	222	190	235	262	334
1990.....	16,684	271	225	131	116	219	184	202	218	306	303
1989.....	16,572	284	231	113	122	219	229	224	241	265	338
1988.....	16,045	258	221	97	117	218	212	209	244	261	318
1987.....	15,765	254	226	113	106	226	221	229	222	267	279
1986.....	14,581	242	249	99	121	222	259	214	216	266	264
1985.....	13,786	272	237	109	144	211	217	214	211	232	258
1984.....	12,898	317	246	114	139	203	264	178	209	235	272
1983.....	11,899	336	275	126	112	255	258	195	216	200	251
1982.....	10,444	327	266	133	148	264	267	209	218	213	197
1981.....	10,310	397	286	124	129	285	286	227	208	195	248
1980.....	9,889	388	292	139	158	308	288	210	213	202	206
1979.....	9,343	390	244	154	148	302	260	219	205	192	214
WHITE FEMALE											
1998.....	29,476	155	142	88	73	94	84	111	143	208	338
1997.....	28,796	158	127	87	81	83	105	106	146	221	323
1996.....	27,077	130	134	79	80	96	79	92	127	199	306
1995.....	25,577	146	138	91	103	97	83	106	149	210	325
1994.....	23,646	163	146	71	80	74	88	92	146	226	296
1993.....	22,043	164	157	84	91	91	75	114	146	224	291
1992.....	19,413	163	146	91	87	71	92	112	152	211	271
1991.....	19,219	191	149	102	91	72	96	96	150	205	287
1990.....	18,725	187	155	85	91	92	93	120	148	190	254
1989.....	17,903	199	167	86	84	85	118	117	137	184	230
1988.....	17,250	206	179	94	75	81	86	127	155	186	216
1987.....	16,566	208	172	90	76	85	87	144	139	191	212
1986.....	14,948	202	166	72	88	90	110	130	144	168	211
1985.....	13,875	219	188	87	61	73	103	112	148	187	179
1984.....	12,275	198	194	99	83	99	114	122	130	170	173
1983.....	11,057	261	230	84	87	100	106	121	152	174	182
1982.....	9,676	221	220	101	87	115	118	142	136	162	200
1981.....	9,315	265	230	111	108	124	127	160	172	162	205
1980.....	8,863	295	227	129	125	117	137	117	163	157	178
1979.....	8,315	275	196	129	109	101	151	152	183	165	202

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)											
ALL OTHER, BOTH SEXES											
1998.....	5,089	112	89	69	69	80	82	105	132	135	211
1997.....	4,885	113	103	76	71	93	97	114	117	139	181
1996.....	4,581	129	108	65	64	61	96	89	122	173	208
1995.....	4,537	140	126	72	62	67	101	74	114	171	175
1994.....	4,212	138	114	70	81	85	84	98	126	144	184
1993.....	4,057	141	141	65	78	83	78	94	115	161	183
1992.....	3,723	142	113	74	62	68	81	90	120	165	196
1991.....	3,711	179	131	64	71	88	80	105	122	166	137
1990.....	3,842	185	110	71	60	64	65	98	155	142	169
1989.....	3,906	226	135	58	61	87	87	92	148	147	152
1988.....	3,626	186	133	68	69	70	75	104	131	150	138
1987.....	3,473	196	117	62	48	77	94	103	138	165	140
1986.....	3,322	182	141	60	58	68	84	98	133	122	152
1985.....	3,192	215	148	65	58	68	88	97	121	127	122
1984.....	3,013	197	151	66	64	63	102	110	143	134	115
1983.....	2,952	215	153	50	64	73	96	111	98	116	127
1982.....	2,688	225	144	46	54	84	94	108	124	118	114
1981.....	2,806	274	145	59	61	78	92	123	126	128	132
1980.....	2,841	284	169	72	65	70	121	107	104	153	137
1979.....	2,748	304	176	66	56	83	104	110	110	122	142
ALL OTHER MALE											
1998.....	2,371	65	44	37	46	52	55	57	78	78	123
1997.....	2,350	65	55	36	46	56	60	65	65	69	108
1996.....	2,147	69	56	40	35	37	53	50	68	108	114
1995.....	2,184	66	63	37	31	41	64	44	58	100	94
1994.....	2,057	79	49	36	50	52	45	56	71	78	95
1993.....	2,065	83	64	36	43	56	47	48	65	90	111
1992.....	1,886	79	56	42	33	40	53	56	65	95	118
1991.....	1,875	102	72	28	44	53	39	67	71	92	79
1990.....	2,009	88	69	38	34	46	48	55	95	83	107
1989.....	2,038	114	90	25	35	52	54	58	95	88	86
1988.....	1,942	106	75	35	35	47	49	62	83	89	83
1987.....	1,863	106	64	33	27	53	53	66	89	93	89
1986.....	1,776	94	77	32	35	43	49	62	80	72	95
1985.....	1,760	120	79	36	37	45	46	57	74	83	77
1984.....	1,629	110	73	27	37	36	62	59	87	81	67
1983.....	1,607	116	92	26	27	44	61	68	46	72	78
1982.....	1,509	128	80	27	36	57	55	69	73	72	66
1981.....	1,562	158	85	35	27	46	47	78	80	81	74
1980.....	1,666	153	103	48	36	51	78	59	75	96	75
1979.....	1,614	183	91	29	26	59	66	67	71	71	85

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)											
ALL OTHER FEMALE											
1998.....	2,718	47	45	32	23	28	27	48	54	57	88
1997.....	2,535	48	48	40	25	37	37	49	52	70	73
1996.....	2,434	60	52	25	29	24	43	39	54	65	94
1995.....	2,353	74	63	35	31	26	37	30	56	71	81
1994.....	2,155	59	65	34	31	33	39	42	55	66	89
1993.....	1,992	58	77	29	35	27	31	46	50	71	72
1992.....	1,837	63	57	32	29	28	28	34	55	70	78
1991.....	1,836	77	59	36	27	35	41	38	51	74	58
1990.....	1,833	97	41	33	26	18	17	43	60	59	62
1989.....	1,868	112	45	33	26	35	33	34	53	59	66
1988.....	1,684	80	58	33	34	23	26	42	48	61	55
1987.....	1,610	90	53	29	21	24	41	37	49	72	51
1986.....	1,546	88	64	28	23	25	35	36	53	50	57
1985.....	1,432	95	69	29	21	23	42	40	47	44	45
1984.....	1,384	87	78	39	27	27	40	51	56	53	48
1983.....	1,345	99	61	24	37	29	35	43	52	44	49
1982.....	1,179	97	64	19	18	27	39	39	51	46	48
1981.....	1,244	116	60	24	34	32	45	45	46	47	58
1980.....	1,175	131	66	24	29	19	43	48	29	57	62
1979.....	1,134	121	85	37	30	24	38	43	39	51	57
BLACK, BOTH SEXES											
1998.....	4,386	102	73	61	53	70	68	93	117	118	192
1997.....	4,212	89	88	65	55	78	82	99	107	126	168
1996.....	3,977	113	88	55	56	53	76	77	110	152	193
1995.....	3,969	121	103	67	55	54	87	72	103	158	158
1994.....	3,703	124	101	59	68	75	77	88	115	131	167
1993.....	3,578	127	117	56	67	68	66	82	105	147	170
1992.....	3,305	113	99	62	49	58	71	83	108	162	180
1991.....	3,338	157	115	55	56	76	73	99	116	159	123
1990.....	3,448	159	98	60	50	55	58	89	145	135	157
1989.....	3,532	194	112	52	56	78	83	86	137	134	144
1988.....	3,288	162	120	60	63	66	68	96	126	141	128
1987.....	3,111	163	100	52	39	68	88	94	131	158	128
1986.....	3,006	161	129	51	53	63	74	91	127	120	141
1985.....	2,895	185	131	55	55	61	79	89	109	123	115
1984.....	2,744	156	135	61	55	57	98	104	139	130	109
1983.....	2,681	191	137	43	58	66	93	104	91	109	125
1982.....	2,475	193	127	39	54	73	88	100	115	108	110
1981.....	2,589	251	129	55	56	71	88	117	119	123	122
1980.....	2,641	262	153	64	58	64	116	104	95	147	128
1979.....	2,514	269	160	58	54	78	96	106	104	119	133

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE NERVOUS SYSTEM (320-359)											
BLACK MALE											
1998.....	2,006	62	36	33	34	45	48	49	65	66	111
1997.....	1,980	52	48	32	35	48	48	55	58	60	101
1996.....	1,811	60	44	34	29	29	43	44	63	92	103
1995.....	1,877	60	50	36	27	32	55	43	51	93	82
1994.....	1,785	70	42	33	42	47	39	48	66	70	87
1993.....	1,778	72	53	31	40	45	41	40	60	81	101
1992.....	1,644	60	47	38	24	33	46	51	59	93	110
1991.....	1,668	92	62	25	33	46	34	62	66	88	71
1990.....	1,773	75	61	35	29	37	42	51	90	80	98
1989.....	1,839	98	73	22	32	45	51	55	88	80	80
1988.....	1,757	94	71	30	34	44	46	56	82	82	75
1987.....	1,656	88	57	26	24	45	49	60	83	90	81
1986.....	1,598	84	69	25	35	39	43	59	77	71	88
1985.....	1,594	104	70	30	34	40	40	54	69	80	72
1984.....	1,484	86	68	24	32	31	59	56	87	79	65
1983.....	1,455	104	84	22	24	39	58	63	44	68	77
1982.....	1,383	113	71	23	36	48	52	66	67	64	65
1981.....	1,435	142	77	32	24	41	44	74	77	78	69
1980.....	1,547	142	93	43	31	45	74	59	68	91	70
1979.....	1,471	161	83	26	25	54	61	65	67	69	83
BLACK FEMALE											
1998.....	2,380	40	37	28	19	25	20	44	52	52	81
1997.....	2,232	37	40	33	20	30	34	44	49	66	67
1996.....	2,166	53	44	21	27	24	33	33	47	60	90
1995.....	2,092	61	53	31	28	22	32	29	52	65	76
1994.....	1,918	54	59	26	26	28	38	40	49	61	80
1993.....	1,800	55	64	25	27	23	25	42	45	66	69
1992.....	1,661	53	52	24	25	25	25	32	49	69	70
1991.....	1,670	65	53	30	23	30	39	37	50	71	52
1990.....	1,675	84	37	25	21	18	16	38	55	55	59
1989.....	1,693	96	39	30	24	33	32	31	49	54	64
1988.....	1,531	68	49	30	29	22	22	40	44	59	53
1987.....	1,455	75	43	26	15	23	39	34	48	68	47
1986.....	1,408	77	60	26	18	24	31	32	50	49	53
1985.....	1,301	81	61	25	21	21	39	35	40	43	43
1984.....	1,260	70	67	37	23	26	39	48	52	51	44
1983.....	1,226	87	53	21	34	27	35	41	47	41	48
1982.....	1,092	80	56	16	18	25	36	34	48	44	45
1981.....	1,154	109	52	23	32	30	44	43	42	45	53
1980.....	1,094	120	60	21	27	19	42	45	27	56	58
1979.....	1,043	108	77	32	29	24	35	41	37	50	50

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	768	107	48	23	11	18	20	13	24	39	52
1997.....	781	97	44	15	18	12	11	27	29	41	44
1996.....	758	103	38	21	10	13	12	18	23	36	44
1995.....	761	121	37	15	13	16	22	22	26	35	33
1994.....	770	107	47	17	15	13	17	18	28	33	37
1993.....	788	107	39	16	15	13	16	30	27	32	39
1992.....	798	126	32	25	7	16	15	20	21	42	42
1991.....	887	128	39	19	16	11	18	19	35	46	36
1990.....	1,017	197	81	23	14	14	15	24	29	45	43
1989.....	1,068	229	99	12	9	13	11	22	43	44	47
1988.....	1,156	205	129	25	28	16	17	32	30	24	22
1987.....	1,161	214	139	25	12	10	11	33	41	49	34
1986.....	1,160	220	144	14	13	6	19	30	32	27	35
1985.....	1,206	257	159	21	20	13	14	31	35	22	25
1984.....	1,194	268	174	24	22	16	20	19	38	22	21
1983.....	1,287	318	197	24	15	11	22	25	25	25	32
1982.....	1,282	331	187	25	21	13	16	28	26	26	30
1981.....	1,405	422	165	30	18	21	18	35	33	26	27
1980.....	1,415	443	223	30	21	21	28	20	19	22	28
1979.....	1,393	441	183	36	20	12	15	17	33	33	32
TOTAL, MALE											
1998.....	424	61	29	13	10	11	10	4	15	24	29
1997.....	403	40	20	11	8	7	4	12	15	25	27
1996.....	423	61	21	13	6	9	5	8	15	23	27
1995.....	408	63	23	10	9	9	13	14	17	20	22
1994.....	418	61	29	14	8	8	9	12	19	24	24
1993.....	420	62	20	11	10	7	10	18	16	19	24
1992.....	402	61	17	12	3	7	8	14	11	25	28
1991.....	442	68	23	9	9	6	9	13	24	26	25
1990.....	545	108	52	15	6	6	9	15	21	39	29
1989.....	588	126	69	6	6	8	7	11	29	31	37
1988.....	601	110	76	13	10	8	11	25	20	18	19
1987.....	645	120	78	16	8	6	9	22	32	30	24
1986.....	624	123	100	9	8	5	13	16	23	18	23
1985.....	634	142	101	6	13	10	9	24	23	12	16
1984.....	650	155	105	9	11	6	13	15	27	14	14
1983.....	670	177	108	15	7	6	16	18	16	15	19
1982.....	700	194	114	17	18	8	9	9	18	20	18
1981.....	776	253	97	18	9	13	13	22	20	13	21
1980.....	796	251	145	16	9	11	21	11	7	11	15
1979.....	765	252	107	18	8	8	12	9	19	17	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	344	46	19	10	1	7	10	9	9	15	23
1997.....	378	57	24	4	10	5	7	15	14	16	17
1996.....	335	42	17	8	4	4	7	10	8	13	17
1995.....	353	58	14	5	4	7	9	8	9	15	11
1994.....	352	46	18	3	7	5	8	6	9	9	13
1993.....	368	45	19	5	5	6	6	12	11	13	15
1992.....	396	65	15	13	4	9	7	6	10	17	14
1991.....	445	60	16	10	7	5	9	6	11	20	11
1990.....	472	89	29	8	8	8	6	9	8	6	14
1989.....	480	103	30	6	3	5	4	11	14	13	10
1988.....	555	95	53	12	18	8	6	7	10	6	3
1987.....	516	94	61	9	4	4	2	11	9	19	10
1986.....	536	97	44	5	5	1	6	14	9	9	12
1985.....	572	115	58	15	7	3	5	7	12	10	9
1984.....	544	113	69	15	11	10	7	4	11	8	7
1983.....	617	141	89	9	8	5	6	7	9	10	13
1982.....	582	137	73	8	3	5	7	19	8	6	12
1981.....	629	169	68	12	9	8	5	13	13	13	6
1980.....	619	192	78	14	12	10	7	9	12	11	13
1979.....	628	189	76	18	12	4	3	8	14	16	9
WHITE, BOTH SEXES											
1998.....	545	66	39	16	8	10	11	6	15	22	35
1997.....	546	62	24	10	12	5	3	17	18	27	26
1996.....	529	57	27	16	5	9	4	9	11	19	31
1995.....	541	62	33	12	12	11	13	14	19	21	23
1994.....	542	57	31	12	11	9	10	9	17	25	22
1993.....	547	57	26	13	10	9	11	21	14	15	26
1992.....	569	80	21	18	5	11	8	14	15	26	17
1991.....	618	71	26	17	13	8	12	8	20	22	20
1990.....	705	111	56	20	8	10	8	17	20	28	26
1989.....	703	128	71	8	6	10	5	15	27	25	24
1988.....	808	135	89	20	17	10	16	20	20	14	10
1987.....	812	132	107	20	8	6	7	24	26	22	18
1986.....	827	135	104	11	8	6	14	23	22	16	16
1985.....	871	155	117	14	16	8	8	19	22	16	16
1984.....	846	172	124	18	14	11	13	12	27	16	12
1983.....	935	203	151	21	13	8	17	14	18	13	21
1982.....	912	207	146	20	17	9	9	18	12	11	24
1981.....	987	270	134	15	14	16	15	23	21	17	15
1980.....	1,020	294	170	25	19	12	22	16	13	12	18
1979.....	951	273	131	25	14	4	12	15	25	20	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	297	36	25	10	8	5	6	2	8	15	21
1997.....	275	21	9	7	5	4	2	8	10	18	12
1996.....	294	37	15	9	2	6	2	5	5	12	21
1995.....	290	35	22	7	9	5	7	10	12	11	14
1994.....	285	34	21	10	5	5	5	7	12	17	14
1993.....	286	31	16	10	7	4	7	14	8	10	14
1992.....	280	44	10	9	1	4	3	10	8	16	13
1991.....	306	39	16	8	7	5	6	6	12	14	14
1990.....	371	65	36	12	3	4	5	12	14	25	17
1989.....	383	74	49	5	3	6	3	7	17	17	18
1988.....	402	74	49	10	8	6	10	14	12	9	7
1987.....	460	80	58	14	5	5	6	14	20	18	12
1986.....	445	77	77	7	5	5	9	14	14	10	9
1985.....	451	86	76	4	11	6	6	13	13	9	9
1984.....	472	107	80	8	9	3	9	9	20	11	9
1983.....	486	116	83	13	6	5	13	9	10	9	12
1982.....	492	125	90	13	14	5	6	6	7	10	15
1981.....	547	167	81	8	7	10	11	12	13	8	11
1980.....	577	171	109	13	8	5	16	10	4	5	11
1979.....	521	157	79	16	7	2	9	8	14	10	11
WHITE FEMALE											
1998.....	248	30	14	6	-	5	5	4	7	7	14
1997.....	271	41	15	3	7	1	1	9	8	9	14
1996.....	235	20	12	7	3	3	2	4	6	7	10
1995.....	251	27	11	5	3	6	6	4	7	10	9
1994.....	257	23	10	2	6	4	5	2	5	8	8
1993.....	261	26	10	3	3	5	4	7	6	5	12
1992.....	289	36	11	9	4	7	5	4	7	10	4
1991.....	312	32	10	9	6	3	6	2	8	8	6
1990.....	334	46	20	8	5	6	3	5	6	3	9
1989.....	320	54	22	3	3	4	2	8	10	8	6
1988.....	406	61	40	10	9	4	6	6	8	5	3
1987.....	352	52	49	6	3	1	1	10	6	4	6
1986.....	382	58	27	4	3	1	5	9	8	6	7
1985.....	420	69	41	10	5	2	2	6	9	7	7
1984.....	374	65	44	10	5	8	4	3	7	5	3
1983.....	449	87	68	8	7	3	4	5	8	4	9
1982.....	420	82	56	7	3	4	3	12	5	1	9
1981.....	440	103	53	7	7	6	4	11	8	9	4
1980.....	443	123	61	12	11	7	6	6	9	7	7
1979.....	430	116	52	9	7	2	3	7	11	10	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	223	41	9	7	3	8	9	7	9	17	17
1997.....	235	35	20	5	6	7	8	10	11	14	18
1996.....	229	46	11	5	5	4	8	9	12	17	13
1995.....	220	59	4	3	1	5	9	8	7	14	10
1994.....	228	50	16	5	4	4	7	9	11	8	15
1993.....	241	50	13	3	5	4	5	9	13	17	13
1992.....	229	46	11	7	2	5	7	6	6	16	25
1991.....	269	57	13	2	3	3	6	11	15	24	16
1990.....	312	86	25	3	6	4	7	7	9	17	17
1989.....	365	101	28	4	3	3	6	7	16	19	23
1988.....	348	70	40	5	11	6	1	12	10	10	12
1987.....	349	82	32	5	4	4	4	9	15	27	16
1986.....	333	85	40	3	5	-	5	7	10	11	19
1985.....	335	102	42	7	4	5	6	12	13	6	9
1984.....	348	96	50	6	8	5	7	7	11	6	9
1983.....	352	115	46	3	2	3	5	11	7	12	11
1982.....	370	124	41	5	4	4	7	10	14	15	6
1981.....	418	152	31	15	4	5	3	12	12	9	12
1980.....	395	149	53	5	2	9	6	4	6	10	10
1979.....	442	168	52	11	6	8	3	2	8	13	15
ALL OTHER MALE											
1998.....	127	25	4	3	2	6	4	2	7	9	8
1997.....	128	19	11	4	3	3	2	4	5	7	15
1996.....	129	24	6	4	4	3	3	3	10	11	6
1995.....	118	28	1	3	-	4	6	4	5	9	8
1994.....	133	27	8	4	3	3	4	5	7	7	10
1993.....	134	31	4	1	3	3	3	4	8	9	10
1992.....	122	17	7	3	2	3	5	4	3	9	15
1991.....	136	29	7	1	2	1	3	7	12	12	11
1990.....	174	43	16	3	3	2	4	3	7	14	12
1989.....	205	52	20	1	3	2	4	4	12	14	19
1988.....	199	36	27	3	2	2	1	11	8	9	12
1987.....	185	40	20	2	3	1	3	8	12	12	12
1986.....	179	46	23	2	3	-	4	2	9	8	14
1985.....	183	56	25	2	2	4	3	11	10	3	7
1984.....	178	48	25	1	2	3	4	6	7	3	5
1983.....	184	61	25	2	1	1	3	9	6	6	7
1982.....	208	69	24	4	4	3	3	3	11	10	3
1981.....	229	86	16	10	2	3	2	10	7	5	10
1980.....	219	80	36	3	1	6	5	1	3	6	4
1979.....	244	95	28	2	1	6	3	1	5	7	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	96	16	5	4	1	2	5	5	2	8	9
1997.....	107	16	9	1	3	4	6	6	6	7	3
1996.....	100	22	5	1	1	1	5	6	2	6	7
1995.....	102	31	3	-	1	1	3	4	2	5	2
1994.....	95	23	8	1	1	1	3	4	4	1	5
1993.....	107	19	9	2	2	1	2	5	5	8	3
1992.....	107	29	4	4	-	2	2	2	3	7	10
1991.....	133	28	6	1	1	2	3	4	3	12	5
1990.....	138	43	9	-	3	2	3	4	2	3	5
1989.....	160	49	8	3	-	1	2	3	4	5	4
1988.....	149	34	13	2	9	4	-	1	2	1	-
1987.....	164	42	12	3	1	3	1	1	3	15	4
1986.....	154	39	17	1	2	-	1	5	1	3	5
1985.....	152	46	17	5	2	1	3	1	3	3	2
1984.....	170	48	25	5	6	2	3	1	4	3	4
1983.....	168	54	21	1	1	2	2	2	1	6	4
1982.....	162	55	17	1	-	1	4	7	3	5	3
1981.....	189	66	15	5	2	2	1	2	5	4	2
1980.....	176	69	17	2	1	3	1	3	3	4	6
1979.....	198	73	24	9	5	2	-	1	3	6	3
BLACK, BOTH SEXES											
1998.....	195	38	5	5	2	8	7	7	7	16	14
1997.....	204	27	17	5	6	5	8	9	11	13	16
1996.....	211	44	11	5	4	4	6	8	12	16	13
1995.....	197	53	3	3	1	5	7	8	7	13	8
1994.....	210	48	16	3	3	3	7	9	10	7	15
1993.....	216	49	9	3	5	4	5	7	12	17	10
1992.....	204	39	8	6	1	5	7	4	5	16	23
1991.....	245	49	13	2	3	2	4	10	15	23	14
1990.....	284	74	24	3	6	3	7	5	9	16	17
1989.....	331	87	25	4	2	2	6	7	16	18	22
1988.....	326	62	40	4	11	6	1	11	10	9	11
1987.....	319	69	30	4	4	4	4	9	14	26	14
1986.....	305	74	39	2	5	-	4	6	10	11	19
1985.....	301	87	38	5	4	5	6	10	11	6	9
1984.....	319	79	46	5	8	5	7	6	11	6	9
1983.....	332	106	44	2	2	3	5	10	7	12	11
1982.....	339	109	36	5	4	3	7	10	13	13	6
1981.....	380	140	29	15	4	4	2	11	10	9	10
1980.....	369	138	49	5	2	8	6	3	6	9	10
1979.....	404	151	48	11	5	8	3	2	7	13	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MENINGITIS (320-322)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	114	24	2	2	1	6	3	2	5	8	7
1997.....	112	15	11	4	3	2	2	4	5	6	13
1996.....	119	24	6	4	3	3	2	2	10	10	6
1995.....	106	26	1	3	-	4	5	4	5	8	6
1994.....	122	26	8	2	2	3	4	5	6	6	10
1993.....	119	30	2	1	3	3	3	3	7	9	7
1992.....	107	15	5	2	1	3	5	3	2	9	14
1991.....	123	27	7	1	2	1	2	6	12	12	10
1990.....	159	37	16	3	3	1	4	2	7	13	12
1989.....	186	44	17	1	2	2	4	4	12	13	19
1988.....	185	34	27	2	2	2	1	10	8	8	11
1987.....	169	34	18	2	3	1	3	8	11	12	10
1986.....	165	40	22	1	3	-	3	2	9	8	14
1985.....	163	47	22	2	2	4	3	10	8	3	7
1984.....	164	39	24	1	2	3	4	6	7	3	5
1983.....	175	56	25	1	1	1	3	8	6	6	7
1982.....	196	63	22	4	4	3	3	3	10	9	3
1981.....	204	79	14	10	2	2	2	9	6	5	8
1980.....	203	75	32	3	1	5	5	1	3	5	4
1979.....	222	82	26	2	1	6	3	1	4	7	12
BLACK FEMALE											
1998.....	81	14	3	3	1	2	4	5	2	8	7
1997.....	92	12	6	1	3	3	6	5	6	7	3
1996.....	92	20	5	1	1	1	4	6	2	6	7
1995.....	91	27	2	-	1	1	2	4	2	5	2
1994.....	88	22	8	1	1	-	3	4	4	1	5
1993.....	97	19	7	2	1	1	2	4	5	8	3
1992.....	97	24	3	4	-	2	2	1	3	7	9
1991.....	122	22	6	1	1	1	2	4	3	11	4
1990.....	125	37	8	-	3	2	3	3	2	3	5
1989.....	145	43	8	3	-	-	2	3	4	5	3
1988.....	141	28	13	2	9	4	-	1	2	1	-
1987.....	150	35	12	2	1	3	1	1	3	14	4
1986.....	140	34	17	1	2	-	1	4	1	3	5
1985.....	138	40	16	3	2	1	3	-	3	3	2
1984.....	155	40	22	4	6	2	3	-	4	3	4
1983.....	157	50	19	1	1	2	2	2	1	6	4
1982.....	143	46	14	1	-	-	4	7	3	4	3
1981.....	176	61	15	5	2	2	-	2	4	4	2
1980.....	166	63	17	2	1	3	1	2	3	4	6
1979.....	182	69	22	9	4	2	-	1	3	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)											
TOTAL, BOTH SEXES											
1998.....	30,144	151	128	57	59	45	50	38	78	129	214
1997.....	29,647	148	99	62	54	36	42	41	88	141	203
1996.....	28,548	155	130	60	43	60	32	38	90	139	221
1995.....	27,378	149	145	65	55	32	32	54	88	129	201
1994.....	25,178	156	128	57	51	39	40	38	84	120	172
1993.....	23,229	169	160	61	51	40	37	47	72	141	185
1992.....	20,826	183	135	58	49	42	45	60	92	121	165
1991.....	20,549	218	132	72	59	38	47	56	81	128	169
1990.....	19,948	169	140	65	65	40	36	50	82	111	139
1989.....	19,193	198	153	72	52	50	59	53	73	87	154
1988.....	18,386	188	135	57	49	57	51	56	79	98	153
1987.....	17,392	168	125	71	60	53	42	53	73	90	157
1986.....	15,376	181	147	64	63	43	48	42	65	105	127
1985.....	14,066	212	150	68	60	44	45	39	74	87	104
1984.....	12,072	205	146	76	71	52	39	45	63	82	124
1983.....	10,333	206	172	80	65	52	40	49	46	89	101
1982.....	8,157	201	177	102	71	62	37	43	68	58	104
1981.....	7,410	229	188	111	73	55	43	47	58	64	126
1980.....	6,974	251	183	122	103	49	57	55	60	66	117
1979.....	6,361	258	176	141	106	60	54	55	57	67	89
TOTAL, MALE											
1998.....	10,793	85	65	35	37	24	24	26	52	77	117
1997.....	10,772	77	46	34	40	21	18	24	57	96	131
1996.....	10,593	89	63	34	20	30	21	27	53	98	125
1995.....	10,425	79	75	36	25	18	21	33	56	85	122
1994.....	9,733	85	66	30	31	28	18	21	50	74	104
1993.....	9,139	97	75	40	30	21	24	25	43	90	114
1992.....	8,416	108	68	28	30	24	34	32	60	82	103
1991.....	8,405	126	68	36	38	19	25	33	57	77	102
1990.....	8,145	104	78	37	39	22	18	23	49	67	82
1989.....	8,135	110	84	46	31	26	26	31	42	55	104
1988.....	7,941	104	68	30	28	32	34	31	50	69	99
1987.....	7,675	85	61	45	31	30	28	34	42	56	90
1986.....	6,927	90	74	33	40	29	30	27	40	61	77
1985.....	6,517	112	72	40	35	25	21	22	41	48	62
1984.....	5,756	118	78	33	43	23	22	20	40	53	79
1983.....	5,059	100	91	46	34	27	21	29	28	51	56
1982.....	3,966	115	91	49	41	33	21	29	36	36	53
1981.....	3,800	138	102	54	38	29	27	27	35	41	63
1980.....	3,540	131	87	62	42	21	34	35	38	38	60
1979.....	3,282	153	84	73	51	37	33	36	24	30	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)											
TOTAL, FEMALE											
1998.....	19,351	66	63	22	22	21	26	12	26	52	97
1997.....	18,875	71	53	28	14	15	24	17	31	45	72
1996.....	17,955	66	67	26	23	30	11	11	37	41	96
1995.....	16,953	70	70	29	30	14	11	21	32	44	79
1994.....	15,445	71	62	27	20	11	22	17	34	46	68
1993.....	14,090	72	85	21	21	19	13	22	29	51	71
1992.....	12,410	75	67	30	19	18	11	28	32	39	62
1991.....	12,144	92	64	36	21	19	22	23	24	51	67
1990.....	11,803	65	62	28	26	18	18	27	33	44	57
1989.....	11,058	88	69	26	21	24	33	22	31	32	50
1988.....	10,445	84	67	27	21	25	17	25	29	29	54
1987.....	9,717	83	64	26	29	23	14	19	31	34	67
1986.....	8,449	91	73	31	23	14	18	15	25	44	50
1985.....	7,549	100	78	28	25	19	24	17	33	39	42
1984.....	6,316	87	68	43	28	29	17	25	23	29	45
1983.....	5,274	106	81	34	31	25	19	20	18	38	45
1982.....	4,191	86	86	53	30	29	16	14	32	22	51
1981.....	3,610	91	86	57	35	26	16	20	23	23	63
1980.....	3,434	120	96	60	61	28	23	20	22	28	57
1979.....	3,079	105	92	68	55	23	21	19	33	37	38
WHITE, BOTH SEXES											
1998.....	28,166	123	101	43	50	39	44	30	67	110	190
1997.....	27,771	123	79	51	44	25	33	27	70	126	176
1996.....	26,765	139	101	47	35	57	25	35	71	117	182
1995.....	25,566	117	112	49	48	28	26	46	65	105	172
1994.....	23,623	127	105	45	43	32	33	31	75	107	148
1993.....	21,740	150	121	54	38	31	29	31	64	121	155
1992.....	19,462	150	99	47	40	36	39	49	78	107	132
1991.....	19,289	183	93	63	48	29	40	43	68	104	146
1990.....	18,657	136	116	49	52	36	33	38	62	99	116
1989.....	17,976	156	121	58	44	42	49	46	65	79	139
1988.....	17,313	141	111	46	41	49	42	46	66	88	141
1987.....	16,349	132	95	56	49	42	34	44	60	79	144
1986.....	14,448	146	123	48	54	35	41	36	51	91	110
1985.....	13,199	166	112	59	49	35	37	35	60	75	87
1984.....	11,331	167	114	57	57	48	29	35	55	68	108
1983.....	9,660	171	138	68	57	46	32	41	40	75	93
1982.....	7,589	160	137	89	62	53	33	39	52	53	91
1981.....	6,827	180	145	97	62	47	33	33	52	57	114
1980.....	6,371	186	140	101	90	45	44	39	52	50	100
1979.....	5,776	195	124	123	95	46	42	45	54	56	77

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)											
WHITE MALE											
1998.....	10,068	68	54	27	30	21	21	22	44	68	104
1997.....	10,015	63	39	31	33	15	14	15	47	87	112
1996.....	9,898	80	50	27	17	29	16	25	44	84	106
1995.....	9,690	62	58	29	24	16	18	28	42	74	105
1994.....	9,079	66	56	25	27	22	16	17	44	67	90
1993.....	8,480	87	57	38	26	17	19	19	41	77	96
1992.....	7,803	85	48	24	27	21	29	25	50	71	79
1991.....	7,838	110	48	34	31	12	24	25	49	64	92
1990.....	7,541	89	62	29	32	19	16	18	37	60	66
1989.....	7,575	88	63	38	26	22	20	26	37	48	95
1988.....	7,433	75	59	23	24	26	26	26	42	62	91
1987.....	7,159	62	47	34	24	22	24	27	32	51	82
1986.....	6,472	71	64	25	35	23	26	23	33	52	64
1985.....	6,098	85	57	36	29	22	20	19	33	42	50
1984.....	5,382	98	62	25	32	21	17	15	35	45	71
1983.....	4,718	82	72	41	31	24	18	24	27	45	53
1982.....	3,672	93	67	41	33	29	17	25	29	32	48
1981.....	3,484	108	79	45	30	26	22	21	31	35	59
1980.....	3,216	100	67	49	38	18	29	27	31	32	51
1979.....	2,932	113	59	64	45	25	25	28	24	25	45
WHITE FEMALE											
1998.....	18,098	55	47	16	20	18	23	8	23	42	86
1997.....	17,756	60	40	20	11	10	19	12	23	39	64
1996.....	16,867	59	51	20	18	28	9	10	27	33	76
1995.....	15,876	55	54	20	24	12	8	18	23	31	67
1994.....	14,544	61	49	20	16	10	17	14	31	40	58
1993.....	13,260	63	64	16	12	14	10	12	23	44	59
1992.....	11,659	65	51	23	13	15	10	24	28	36	53
1991.....	11,451	73	45	29	17	17	16	18	19	40	54
1990.....	11,116	47	54	20	20	17	17	20	25	39	50
1989.....	10,401	68	58	20	18	20	29	20	28	31	44
1988.....	9,880	66	52	23	17	23	16	20	24	26	50
1987.....	9,190	70	48	22	25	20	10	17	28	28	62
1986.....	7,976	75	59	23	19	12	15	13	18	39	46
1985.....	7,101	81	55	23	20	13	17	16	27	33	37
1984.....	5,949	69	52	32	25	27	12	20	20	23	37
1983.....	4,942	89	66	27	26	22	14	17	13	30	40
1982.....	3,917	67	70	48	29	24	16	14	23	21	43
1981.....	3,343	72	66	52	32	21	11	12	21	22	55
1980.....	3,155	86	73	52	52	27	15	12	21	18	49
1979.....	2,844	82	65	59	50	21	17	17	30	31	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)											
ALL OTHER, BOTH SEXES											
1998.....	1,978	28	27	14	9	6	6	8	11	19	24
1997.....	1,876	25	20	11	10	11	9	14	18	15	27
1996.....	1,783	16	29	13	8	3	7	3	19	22	39
1995.....	1,812	32	33	16	7	4	6	8	23	24	29
1994.....	1,555	29	23	12	8	7	7	7	9	13	24
1993.....	1,489	19	39	7	13	9	8	16	8	20	30
1992.....	1,364	33	36	11	9	6	6	11	14	14	33
1991.....	1,260	35	39	9	11	9	7	13	13	24	23
1990.....	1,291	33	24	16	13	4	3	12	20	12	23
1989.....	1,217	42	32	14	8	8	10	7	8	8	15
1988.....	1,073	47	24	11	8	8	9	10	13	10	12
1987.....	1,043	36	30	15	11	11	8	9	13	11	13
1986.....	928	35	24	16	9	8	7	6	14	14	17
1985.....	867	46	38	9	11	9	8	4	14	12	17
1984.....	741	38	32	19	14	4	10	10	8	14	16
1983.....	673	35	34	12	8	6	8	8	6	14	8
1982.....	568	41	40	13	9	9	4	4	16	5	13
1981.....	583	49	43	14	11	8	10	14	6	7	12
1980.....	603	65	43	21	13	4	13	16	8	16	17
1979.....	585	63	52	18	11	14	12	10	3	11	12
ALL OTHER MALE											
1998.....	725	17	11	8	7	3	3	4	8	9	13
1997.....	757	14	7	3	7	6	4	9	10	9	19
1996.....	695	9	13	7	3	1	5	2	9	14	19
1995.....	735	17	17	7	1	2	3	5	14	11	17
1994.....	654	19	10	5	4	6	2	4	6	7	14
1993.....	659	10	18	2	4	4	5	6	2	13	18
1992.....	613	23	20	4	3	3	5	7	10	11	24
1991.....	567	16	20	2	7	7	1	8	8	13	10
1990.....	604	15	16	8	7	3	2	5	12	7	16
1989.....	560	22	21	8	5	4	6	5	5	7	9
1988.....	508	29	9	7	4	6	8	5	8	7	8
1987.....	516	23	14	11	7	8	4	7	10	5	8
1986.....	455	19	10	8	5	6	4	4	7	9	13
1985.....	419	27	15	4	6	3	1	3	8	6	12
1984.....	374	20	16	8	11	2	5	5	5	8	8
1983.....	341	18	19	5	3	3	3	5	1	6	3
1982.....	294	22	24	8	8	4	4	4	7	4	5
1981.....	316	30	23	9	8	3	5	6	4	6	4
1980.....	324	31	20	13	4	3	5	8	7	6	9
1979.....	350	40	25	9	6	12	8	8	-	5	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)											
ALL OTHER FEMALE											
1998.....	1,253	11	16	6	2	3	3	4	3	10	11
1997.....	1,119	11	13	8	3	5	5	5	8	6	8
1996.....	1,088	7	16	6	5	2	2	1	10	8	20
1995.....	1,077	15	16	9	6	2	3	3	9	13	12
1994.....	901	10	13	7	4	1	5	3	3	6	10
1993.....	830	9	21	5	9	5	3	10	6	7	12
1992.....	751	10	16	7	6	3	1	4	4	3	9
1991.....	693	19	19	7	4	2	6	5	5	11	13
1990.....	687	18	8	8	6	1	1	7	8	5	7
1989.....	657	20	11	6	3	4	4	2	3	1	6
1988.....	565	18	15	4	4	2	1	5	5	3	4
1987.....	527	13	16	4	4	3	4	2	3	6	5
1986.....	473	16	14	8	4	2	3	2	7	5	4
1985.....	448	19	23	5	5	6	7	1	6	6	5
1984.....	367	18	16	11	3	2	5	5	3	6	8
1983.....	332	17	15	7	5	3	5	3	5	8	5
1982.....	274	19	16	5	1	5	-	-	9	1	8
1981.....	267	19	20	5	3	5	5	8	2	1	8
1980.....	279	34	23	8	9	1	8	8	1	10	8
1979.....	235	23	27	9	5	2	4	2	3	6	6
BLACK, BOTH SEXES											
1998.....	1,720	27	24	12	8	6	4	8	11	18	22
1997.....	1,626	17	16	10	9	9	8	14	16	14	25
1996.....	1,562	12	22	9	7	3	6	3	19	19	37
1995.....	1,594	25	25	12	5	4	6	8	20	20	24
1994.....	1,350	22	20	8	6	7	7	6	8	11	21
1993.....	1,314	14	35	5	11	8	8	16	7	18	29
1992.....	1,220	22	29	8	7	6	6	10	13	14	31
1991.....	1,140	29	34	9	6	9	6	13	12	22	22
1990.....	1,158	29	19	11	8	2	3	11	18	11	20
1989.....	1,096	34	25	12	7	8	10	6	7	8	13
1988.....	963	38	22	10	7	8	8	10	11	7	11
1987.....	923	25	27	12	10	11	8	7	13	9	12
1986.....	827	32	21	14	7	8	7	6	14	14	15
1985.....	775	40	31	8	11	8	7	4	11	11	16
1984.....	652	25	27	19	11	3	10	10	8	13	13
1983.....	592	29	30	9	7	5	8	8	5	12	7
1982.....	521	35	35	12	9	7	4	4	14	4	13
1981.....	512	42	35	12	9	7	10	13	6	7	10
1980.....	555	59	36	18	11	4	13	16	8	15	16
1979.....	509	54	45	12	10	13	9	10	2	11	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

BLACK MALE

1998.....	611	16	10	7	6	3	3	4	8	9	12
1997.....	646	10	5	3	7	4	4	9	8	8	18
1996.....	579	7	9	5	2	1	4	2	9	12	18
1995.....	628	16	12	6	1	2	3	5	13	9	13
1994.....	555	14	8	5	3	6	2	4	5	6	12
1993.....	569	6	18	2	3	4	5	6	2	12	17
1992.....	538	16	15	4	3	3	5	6	10	11	22
1991.....	510	14	16	2	3	7	1	8	7	11	10
1990.....	523	13	11	7	4	1	2	5	11	6	14
1989.....	505	20	16	6	4	4	6	4	4	7	7
1988.....	447	23	9	6	3	6	7	5	8	6	7
1987.....	450	17	14	8	7	8	4	5	10	4	7
1986.....	401	17	8	7	5	6	4	4	7	9	12
1985.....	370	24	13	3	6	2	1	3	6	6	11
1984.....	323	12	15	8	8	1	5	5	5	8	8
1983.....	298	17	16	3	3	3	3	5	1	5	3
1982.....	263	21	20	7	8	3	4	4	6	3	5
1981.....	275	24	19	7	7	3	5	6	4	6	3
1980.....	299	30	17	11	4	3	5	8	7	5	9
1979.....	304	36	22	6	5	11	5	8	-	5	6

BLACK FEMALE

1998.....	1,109	11	14	5	2	3	1	4	3	9	10
1997.....	980	7	11	7	2	5	4	5	8	6	7
1996.....	983	5	13	4	5	2	2	1	10	7	19
1995.....	966	9	13	6	4	2	3	3	7	11	11
1994.....	795	8	12	3	3	1	5	2	3	5	9
1993.....	745	8	17	3	8	4	3	10	5	6	12
1992.....	682	6	14	4	4	3	1	4	3	3	9
1991.....	630	15	18	7	3	2	5	5	5	11	12
1990.....	635	16	8	4	4	1	1	6	7	5	6
1989.....	591	14	9	6	3	4	4	2	3	1	6
1988.....	516	15	13	4	4	2	1	5	3	1	4
1987.....	473	8	13	4	3	3	4	2	3	5	5
1986.....	426	15	13	7	2	2	3	2	7	5	3
1985.....	405	16	18	5	5	6	6	1	5	5	5
1984.....	329	13	12	11	3	2	5	5	3	5	5
1983.....	294	12	14	6	4	2	5	3	4	7	4
1982.....	258	14	15	5	1	4	-	-	8	1	8
1981.....	237	18	16	5	2	4	5	7	2	1	7
1980.....	256	29	19	7	7	1	8	8	1	10	7
1979.....	205	18	23	6	5	2	4	2	2	6	4

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MULTIPLE SCLEROSIS (340)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	2,468	-	-	-	1	2	5	20	39	90	177
1997.....	2,465	-	-	-	-	-	6	20	51	103	179
1996.....	2,292	-	-	-	1	1	7	22	38	97	180
1995.....	2,180	-	-	-	2	-	6	18	49	102	213
1994.....	2,046	-	-	1	1	4	8	24	46	103	190
1993.....	1,962	-	2	1	-	2	4	20	47	103	174
1992.....	1,900	-	-	1	1	4	7	9	60	114	177
1991.....	1,808	-	-	-	-	2	8	17	46	89	177
1990.....	1,647	1	-	2	-	2	5	15	52	106	150
1989.....	1,679	-	-	-	3	2	8	12	56	94	176
1988.....	1,635	-	-	-	1	1	4	26	58	97	132
1987.....	1,662	-	-	-	-	4	10	25	53	116	143
1986.....	1,508	-	-	-	-	4	10	23	55	96	119
1985.....	1,531	-	-	-	-	5	17	29	61	90	123
1984.....	1,432	-	-	1	1	1	8	26	52	106	118
1983.....	1,385	-	-	-	-	4	9	23	64	92	132
1982.....	1,395	-	-	-	1	2	13	31	48	100	108
1981.....	1,491	-	-	1	1	3	17	34	64	84	131
1980.....	1,435	-	-	1	-	6	13	36	53	89	105
1979.....	1,361	-	-	-	-	7	16	32	64	95	112
TOTAL, MALE											
1998.....	832	-	-	-	1	1	2	6	13	27	60
1997.....	885	-	-	-	-	-	4	4	20	42	63
1996.....	780	-	-	-	-	-	2	7	17	29	65
1995.....	789	-	-	-	2	-	3	6	18	41	63
1994.....	721	-	-	1	-	2	4	8	18	31	61
1993.....	687	-	1	1	-	2	3	4	20	28	53
1992.....	713	-	-	-	1	3	3	2	17	41	61
1991.....	654	-	-	-	-	-	2	7	18	27	64
1990.....	594	-	-	2	-	2	2	5	14	43	52
1989.....	633	-	-	-	2	1	2	5	22	33	65
1988.....	646	-	-	-	-	1	-	5	27	35	58
1987.....	622	-	-	-	-	2	5	11	22	43	61
1986.....	596	-	-	-	-	3	3	5	17	42	51
1985.....	582	-	-	-	-	4	6	9	22	38	55
1984.....	542	-	-	1	1	-	3	4	18	41	54
1983.....	515	-	-	-	-	3	6	8	21	35	59
1982.....	536	-	-	-	-	1	9	14	11	47	37
1981.....	564	-	-	1	1	2	4	11	20	32	61
1980.....	544	-	-	-	-	4	5	9	20	41	47
1979.....	512	-	-	-	-	4	4	12	14	39	33

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MULTIPLE SCLEROSIS (340)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,636	-	-	-	-	1	3	14	26	63	117
1997.....	1,580	-	-	-	-	-	2	16	31	61	116
1996.....	1,512	-	-	-	1	1	5	15	21	68	115
1995.....	1,391	-	-	-	-	-	3	12	31	61	150
1994.....	1,325	-	-	-	1	2	4	16	28	72	129
1993.....	1,275	-	1	-	-	-	1	16	27	75	121
1992.....	1,187	-	-	1	-	1	4	7	43	73	116
1991.....	1,154	-	-	-	-	2	6	10	28	62	113
1990.....	1,053	1	-	-	-	-	3	10	38	63	98
1989.....	1,046	-	-	-	1	1	6	7	34	61	111
1988.....	989	-	-	-	1	-	4	21	31	62	74
1987.....	1,040	-	-	-	-	2	5	14	31	73	82
1986.....	912	-	-	-	-	1	7	18	38	54	68
1985.....	949	-	-	-	-	1	11	20	39	52	68
1984.....	890	-	-	-	-	1	5	22	34	65	64
1983.....	870	-	-	-	-	1	3	15	43	57	73
1982.....	859	-	-	-	1	1	4	17	37	53	71
1981.....	927	-	-	-	-	1	13	23	44	52	70
1980.....	891	-	-	1	-	2	8	27	33	48	58
1979.....	849	-	-	-	-	3	12	20	50	56	79
WHITE, BOTH SEXES											
1998.....	2,212	-	-	-	-	-	2	15	26	76	147
1997.....	2,249	-	-	-	-	-	3	13	39	86	157
1996.....	2,066	-	-	-	1	1	4	16	32	78	150
1995.....	1,980	-	-	-	1	-	3	13	38	86	188
1994.....	1,849	-	-	-	-	2	5	16	32	81	164
1993.....	1,785	-	1	1	-	2	2	14	39	85	148
1992.....	1,705	-	-	-	1	2	3	6	42	89	149
1991.....	1,630	-	-	-	-	1	5	11	34	76	160
1990.....	1,504	1	-	2	-	2	5	13	39	90	129
1989.....	1,509	-	-	-	-	2	4	7	41	71	152
1988.....	1,502	-	-	-	1	1	1	14	47	90	122
1987.....	1,517	-	-	-	-	2	7	20	38	97	123
1986.....	1,363	-	-	-	-	3	7	17	41	80	100
1985.....	1,373	-	-	-	-	4	9	17	49	76	102
1984.....	1,293	-	-	1	1	1	6	20	39	82	99
1983.....	1,259	-	-	-	-	3	6	14	50	79	115
1982.....	1,272	-	-	-	-	1	9	25	42	87	92
1981.....	1,364	-	-	-	-	2	13	27	59	70	116
1980.....	1,309	-	-	1	-	5	10	25	47	75	92
1979.....	1,250	-	-	-	-	4	13	23	55	84	97

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MULTIPLE SCLEROSIS (340)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	742	-	-	-	-	-	-	5	8	21	49
1997.....	803	-	-	-	-	-	2	4	14	36	55
1996.....	708	-	-	-	-	-	-	5	15	23	56
1995.....	726	-	-	-	1	-	3	4	15	35	58
1994.....	663	-	-	-	-	1	4	5	13	26	57
1993.....	630	-	-	1	-	2	2	3	18	21	41
1992.....	645	-	-	-	1	1	1	2	13	32	53
1991.....	589	-	-	-	-	-	1	4	13	23	58
1990.....	549	-	-	2	-	2	2	4	9	36	45
1989.....	580	-	-	-	-	1	2	3	17	28	60
1988.....	603	-	-	-	-	1	-	2	22	35	54
1987.....	566	-	-	-	-	2	4	9	13	37	52
1986.....	545	-	-	-	-	2	2	4	13	35	46
1985.....	522	-	-	-	-	3	5	5	16	31	47
1984.....	497	-	-	1	1	-	3	2	16	30	47
1983.....	476	-	-	-	-	3	4	6	18	29	55
1982.....	493	-	-	-	-	-	5	12	11	41	32
1981.....	515	-	-	-	-	2	3	9	18	26	57
1980.....	501	-	-	-	-	4	3	8	17	34	42
1979.....	462	-	-	-	-	1	3	8	13	35	26
WHITE FEMALE											
1998.....	1,470	-	-	-	-	-	2	10	18	55	98
1997.....	1,446	-	-	-	-	-	1	9	25	50	102
1996.....	1,358	-	-	-	1	1	4	11	17	55	94
1995.....	1,254	-	-	-	-	-	-	9	23	51	130
1994.....	1,186	-	-	-	-	1	1	11	19	55	107
1993.....	1,155	-	1	-	-	-	-	11	21	64	107
1992.....	1,060	-	-	-	-	1	2	4	29	57	96
1991.....	1,041	-	-	-	-	1	4	7	21	53	102
1990.....	955	1	-	-	-	-	3	9	30	54	84
1989.....	929	-	-	-	-	1	2	4	24	43	92
1988.....	899	-	-	-	1	-	1	12	25	55	68
1987.....	951	-	-	-	-	-	3	11	25	60	71
1986.....	818	-	-	-	-	1	5	13	28	45	54
1985.....	851	-	-	-	-	1	4	12	33	45	55
1984.....	796	-	-	-	-	1	3	18	23	52	52
1983.....	783	-	-	-	-	-	2	8	32	50	60
1982.....	779	-	-	-	-	1	4	13	31	46	60
1981.....	849	-	-	-	-	-	10	18	41	44	59
1980.....	808	-	-	1	-	1	7	17	30	41	50
1979.....	788	-	-	-	-	3	10	15	42	49	71

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MULTIPLE SCLEROSIS (340)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	256	-	-	-	1	2	3	5	13	14	30
1997.....	216	-	-	-	-	-	3	7	12	17	22
1996.....	226	-	-	-	-	-	3	6	6	19	30
1995.....	200	-	-	-	1	-	3	5	11	16	25
1994.....	197	-	-	1	1	2	3	8	14	22	26
1993.....	177	-	1	-	-	-	2	6	8	18	26
1992.....	195	-	-	1	-	2	4	3	18	25	28
1991.....	178	-	-	-	-	1	3	6	12	13	17
1990.....	143	-	-	-	-	-	-	2	13	16	21
1989.....	170	-	-	-	3	-	4	5	15	23	24
1988.....	133	-	-	-	-	-	3	12	11	7	10
1987.....	145	-	-	-	-	2	3	5	15	19	20
1986.....	145	-	-	-	-	1	3	6	14	16	19
1985.....	158	-	-	-	-	1	8	12	12	14	21
1984.....	139	-	-	-	-	-	2	6	13	24	19
1983.....	126	-	-	-	-	1	3	9	14	13	17
1982.....	123	-	-	-	1	1	4	6	6	13	16
1981.....	127	-	-	1	1	1	4	7	5	14	15
1980.....	126	-	-	-	-	1	3	11	6	14	13
1979.....	111	-	-	-	-	3	3	9	9	11	15
ALL OTHER MALE											
1998.....	90	-	-	-	1	1	2	1	5	6	11
1997.....	82	-	-	-	-	-	2	-	6	6	8
1996.....	72	-	-	-	-	-	2	2	2	6	9
1995.....	63	-	-	-	1	-	-	2	3	6	5
1994.....	58	-	-	1	-	1	-	3	5	5	4
1993.....	57	-	1	-	-	-	1	1	2	7	12
1992.....	68	-	-	-	-	2	2	-	4	9	8
1991.....	65	-	-	-	-	-	1	3	5	4	6
1990.....	45	-	-	-	-	-	-	1	5	7	7
1989.....	53	-	-	-	2	-	-	2	5	5	5
1988.....	43	-	-	-	-	-	-	3	5	-	4
1987.....	56	-	-	-	-	-	1	2	9	6	9
1986.....	51	-	-	-	-	1	1	1	4	7	5
1985.....	60	-	-	-	-	1	1	4	6	7	8
1984.....	45	-	-	-	-	-	-	2	2	11	7
1983.....	39	-	-	-	-	-	2	2	3	6	4
1982.....	43	-	-	-	-	1	4	2	-	6	5
1981.....	49	-	-	1	1	-	1	2	2	6	4
1980.....	43	-	-	-	-	-	2	1	3	7	5
1979.....	50	-	-	-	-	3	1	4	1	4	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MULTIPLE SCLEROSIS (340)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	166	-	-	-	-	1	1	4	8	8	19
1997.....	134	-	-	-	-	-	1	7	6	11	14
1996.....	154	-	-	-	-	-	1	4	4	13	21
1995.....	137	-	-	-	-	-	3	3	8	10	20
1994.....	139	-	-	-	1	1	3	5	9	17	22
1993.....	120	-	-	-	-	-	1	5	6	11	14
1992.....	127	-	-	1	-	-	2	3	14	16	20
1991.....	113	-	-	-	-	1	2	3	7	9	11
1990.....	98	-	-	-	-	-	-	1	8	9	14
1989.....	117	-	-	-	1	-	4	3	10	18	19
1988.....	90	-	-	-	-	-	3	9	6	7	6
1987.....	89	-	-	-	-	2	2	3	6	13	11
1986.....	94	-	-	-	-	-	2	5	10	9	14
1985.....	98	-	-	-	-	-	7	8	6	7	13
1984.....	94	-	-	-	-	-	2	4	11	13	12
1983.....	87	-	-	-	-	1	1	7	11	7	13
1982.....	80	-	-	-	1	-	-	4	6	7	11
1981.....	78	-	-	-	-	1	3	5	3	8	11
1980.....	83	-	-	-	-	1	1	10	3	7	8
1979.....	61	-	-	-	-	-	2	5	8	7	8
BLACK, BOTH SEXES											
1998.....	247	-	-	-	1	2	3	5	13	14	28
1997.....	207	-	-	-	-	-	3	6	11	17	21
1996.....	214	-	-	-	-	-	2	6	6	18	30
1995.....	191	-	-	-	1	-	3	5	9	15	25
1994.....	191	-	-	1	1	2	3	8	14	21	24
1993.....	173	-	1	-	-	-	2	6	8	18	26
1992.....	185	-	-	-	-	2	4	3	18	25	28
1991.....	172	-	-	-	-	1	3	6	12	13	17
1990.....	139	-	-	-	-	-	-	2	11	16	19
1989.....	162	-	-	-	3	-	4	5	13	21	24
1988.....	124	-	-	-	-	-	3	12	11	7	10
1987.....	141	-	-	-	-	2	3	5	15	18	20
1986.....	139	-	-	-	-	-	3	4	14	16	18
1985.....	150	-	-	-	-	1	7	11	12	14	21
1984.....	136	-	-	-	-	-	2	6	12	24	19
1983.....	124	-	-	-	-	1	3	9	14	13	17
1982.....	115	-	-	-	1	1	4	6	6	13	15
1981.....	126	-	-	1	1	1	4	7	5	14	15
1980.....	118	-	-	-	-	1	3	10	5	14	12
1979.....	109	-	-	-	-	3	3	9	9	11	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MULTIPLE SCLEROSIS (340)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	86	-	-	-	1	1	2	1	5	6	11
1997.....	77	-	-	-	-	-	2	-	5	6	8
1996.....	69	-	-	-	-	-	1	2	2	6	9
1995.....	59	-	-	-	1	-	-	2	2	5	5
1994.....	58	-	-	1	-	1	-	3	5	5	4
1993.....	56	-	1	-	-	-	1	1	2	7	12
1992.....	65	-	-	-	-	2	2	-	4	9	8
1991.....	63	-	-	-	-	-	1	3	5	4	6
1990.....	43	-	-	-	-	-	-	1	5	7	5
1989.....	51	-	-	-	2	-	-	2	5	5	5
1988.....	40	-	-	-	-	-	-	3	5	-	4
1987.....	54	-	-	-	-	-	1	2	9	5	9
1986.....	49	-	-	-	-	-	1	-	4	7	5
1985.....	58	-	-	-	-	1	1	4	6	7	8
1984.....	45	-	-	-	-	-	-	2	2	11	7
1983.....	38	-	-	-	-	-	2	2	3	6	4
1982.....	42	-	-	-	-	1	4	2	-	6	5
1981.....	49	-	-	1	1	-	1	2	2	6	4
1980.....	40	-	-	-	-	-	2	1	3	7	4
1979.....	48	-	-	-	-	3	1	4	1	4	7
BLACK FEMALE											
1998.....	161	-	-	-	-	1	1	4	8	8	17
1997.....	130	-	-	-	-	-	1	6	6	11	13
1996.....	145	-	-	-	-	-	1	4	4	12	21
1995.....	132	-	-	-	-	-	3	3	7	10	20
1994.....	133	-	-	-	1	1	3	5	9	16	20
1993.....	117	-	-	-	-	-	1	5	6	11	14
1992.....	120	-	-	-	-	-	2	3	14	16	20
1991.....	109	-	-	-	-	1	2	3	7	9	11
1990.....	96	-	-	-	-	-	-	1	6	9	14
1989.....	111	-	-	-	1	-	4	3	8	16	19
1988.....	84	-	-	-	-	-	3	9	6	7	6
1987.....	87	-	-	-	-	2	2	3	6	13	11
1986.....	90	-	-	-	-	-	2	4	10	9	13
1985.....	92	-	-	-	-	-	6	7	6	7	13
1984.....	91	-	-	-	-	-	2	4	10	13	12
1983.....	86	-	-	-	-	1	1	7	11	7	13
1982.....	73	-	-	-	1	-	-	4	6	7	10
1981.....	77	-	-	-	-	1	3	5	3	8	11
1980.....	78	-	-	-	-	1	1	9	2	7	8
1979.....	61	-	-	-	-	-	2	5	8	7	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFANTILE CEREBRAL PALSY (343)											
TOTAL, BOTH SEXES											
1998.....	989	15	91	89	102	121	71	57	52	50	55
1997.....	1,008	23	98	104	111	114	94	66	66	44	47
1996.....	916	23	84	117	100	106	86	56	34	52	46
1995.....	941	26	100	110	128	113	88	51	47	37	37
1994.....	962	30	114	105	125	102	86	65	46	52	36
1993.....	919	28	114	121	136	110	68	48	46	32	42
1992.....	821	37	101	98	104	82	67	54	40	41	28
1991.....	824	51	98	109	100	89	65	37	35	35	38
1990.....	773	42	102	101	100	89	49	36	41	33	24
1989.....	755	51	102	95	92	88	50	54	35	35	27
1988.....	659	31	102	88	85	70	51	32	30	29	21
1987.....	641	48	96	89	60	61	52	51	24	24	13
1986.....	648	38	96	75	83	67	46	41	30	33	21
1985.....	518	37	81	73	62	48	32	29	16	30	23
1984.....	580	43	82	83	74	60	54	28	29	20	19
1983.....	561	58	105	67	62	59	29	37	18	24	20
1982.....	596	57	88	67	71	72	49	26	40	30	17
1981.....	605	78	111	72	56	75	46	46	23	17	14
1980.....	622	78	94	74	59	59	59	23	33	24	20
1979.....	567	84	104	68	59	42	47	31	22	23	12
TOTAL, MALE											
1998.....	567	9	49	48	61	79	40	31	27	29	32
1997.....	572	16	63	52	64	62	53	47	40	21	24
1996.....	558	15	43	71	59	66	56	39	17	36	29
1995.....	541	18	59	61	65	61	58	31	25	20	17
1994.....	550	17	56	67	79	55	53	36	28	23	17
1993.....	521	17	62	71	75	57	39	32	24	16	24
1992.....	454	19	50	57	55	56	39	32	22	18	13
1991.....	479	36	55	56	57	54	37	25	18	22	14
1990.....	439	21	68	63	45	55	30	16	23	14	17
1989.....	417	24	65	44	46	51	27	31	20	20	17
1988.....	361	16	51	39	49	40	31	18	20	22	11
1987.....	350	34	57	39	30	35	37	23	12	13	10
1986.....	373	25	54	45	40	34	28	26	20	23	9
1985.....	305	19	45	42	44	26	20	14	10	15	12
1984.....	312	25	43	44	39	30	34	15	18	10	7
1983.....	312	40	60	37	25	31	14	19	10	18	11
1982.....	330	30	46	46	39	33	26	20	22	17	9
1981.....	329	45	63	38	27	43	25	23	11	8	7
1980.....	372	47	57	45	31	37	38	16	17	12	10
1979.....	321	50	66	32	32	20	29	16	10	13	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFANTILE CEREBRAL PALSY (343)											
TOTAL, FEMALE											
1998.....	422	6	42	41	41	42	31	26	25	21	23
1997.....	436	7	35	52	47	52	41	19	26	23	23
1996.....	358	8	41	46	41	40	30	17	17	16	17
1995.....	400	8	41	49	63	52	30	20	22	17	20
1994.....	412	13	58	38	46	47	33	29	18	29	19
1993.....	398	11	52	50	61	53	29	16	22	16	18
1992.....	367	18	51	41	49	26	28	22	18	23	15
1991.....	345	15	43	53	43	35	28	12	17	13	24
1990.....	334	21	34	38	55	34	19	20	18	19	7
1989.....	338	27	37	51	46	37	23	23	15	15	10
1988.....	298	15	51	49	36	30	20	14	10	7	10
1987.....	291	14	39	50	30	26	15	28	12	11	3
1986.....	275	13	42	30	43	33	18	15	10	10	12
1985.....	213	18	36	31	18	22	12	15	6	15	11
1984.....	268	18	39	39	35	30	20	13	11	10	12
1983.....	249	18	45	30	37	28	15	18	8	6	9
1982.....	266	27	42	21	32	39	23	6	18	13	8
1981.....	276	33	48	34	29	32	21	23	12	9	7
1980.....	250	31	37	29	28	22	21	7	16	12	10
1979.....	246	34	38	36	27	22	18	15	12	10	5
WHITE, BOTH SEXES											
1998.....	775	8	64	61	75	81	53	41	36	43	46
1997.....	776	11	66	69	87	80	75	48	47	33	42
1996.....	711	11	58	89	75	79	59	37	30	43	39
1995.....	735	20	62	76	97	92	62	39	40	30	30
1994.....	732	23	78	75	77	74	64	47	40	44	30
1993.....	705	18	71	89	97	81	47	42	36	25	40
1992.....	636	24	70	65	80	63	51	40	30	34	25
1991.....	642	31	66	75	76	69	50	26	29	27	36
1990.....	617	31	75	76	75	71	43	27	30	28	22
1989.....	588	36	72	68	67	61	42	43	31	31	23
1988.....	503	22	76	58	53	52	40	26	22	24	19
1987.....	498	37	69	65	41	41	42	41	16	21	12
1986.....	505	28	61	51	61	48	36	39	24	31	20
1985.....	406	24	53	54	45	35	26	24	16	27	23
1984.....	463	31	60	64	52	45	45	23	27	20	16
1983.....	437	41	69	54	40	46	25	33	14	21	18
1982.....	497	42	67	59	55	60	41	22	33	26	15
1981.....	477	47	80	60	44	60	37	38	21	14	13
1980.....	482	52	63	54	40	49	48	18	29	18	20
1979.....	461	59	74	55	44	38	37	29	21	23	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFANTILE CEREBRAL PALSY (343)											
WHITE MALE											
1998.....	441	4	36	32	46	54	28	22	17	25	23
1997.....	439	6	46	33	51	45	38	32	29	17	22
1996.....	440	8	28	56	46	51	43	26	14	29	25
1995.....	437	13	40	44	51	53	42	24	22	16	16
1994.....	421	12	42	50	49	44	39	26	26	17	12
1993.....	407	11	43	54	51	40	27	29	19	14	23
1992.....	364	12	39	36	44	44	34	25	18	17	12
1991.....	373	20	37	39	41	45	32	16	14	17	12
1990.....	354	17	53	49	32	42	26	11	16	13	15
1989.....	337	18	45	35	36	39	23	25	17	18	16
1988.....	279	12	40	25	29	33	23	15	15	17	11
1987.....	277	26	42	31	21	24	31	17	8	13	9
1986.....	294	20	36	30	28	25	23	25	17	21	8
1985.....	243	13	30	31	33	18	16	12	10	13	12
1984.....	254	17	32	36	29	25	29	12	17	10	7
1983.....	253	31	37	31	20	26	12	17	9	16	10
1982.....	277	18	36	40	33	29	23	17	18	16	7
1981.....	264	27	46	34	20	37	22	17	10	7	7
1980.....	286	34	34	30	22	31	32	13	15	8	10
1979.....	267	36	47	28	24	20	24	15	10	13	7
WHITE FEMALE											
1998.....	334	4	28	29	29	27	25	19	19	18	23
1997.....	337	5	20	36	36	35	37	16	18	16	20
1996.....	271	3	30	33	29	28	16	11	16	14	14
1995.....	298	7	22	32	46	39	20	15	18	14	14
1994.....	311	11	36	25	28	30	25	21	14	27	18
1993.....	298	7	28	35	46	41	20	13	17	11	17
1992.....	272	12	31	29	36	19	17	15	12	17	13
1991.....	269	11	29	36	35	24	18	10	15	10	24
1990.....	263	14	22	27	43	29	17	16	14	15	7
1989.....	251	18	27	33	31	22	19	18	14	13	7
1988.....	224	10	36	33	24	19	17	11	7	7	8
1987.....	221	11	27	34	20	17	11	24	8	8	3
1986.....	211	8	25	21	33	23	13	14	7	10	12
1985.....	163	11	23	23	12	17	10	12	6	14	11
1984.....	209	14	28	28	23	20	16	11	10	10	9
1983.....	184	10	32	23	20	20	13	16	5	5	8
1982.....	220	24	31	19	22	31	18	5	15	10	8
1981.....	213	20	34	26	24	23	15	21	11	7	6
1980.....	196	18	29	24	18	18	16	5	14	10	10
1979.....	194	23	27	27	20	18	13	14	11	10	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFANTILE CEREBRAL PALSY (343)											
ALL OTHER, BOTH SEXES											
1998.....	214	7	27	28	27	40	18	16	16	7	9
1997.....	232	12	32	35	24	34	19	18	19	11	5
1996.....	205	12	26	28	25	27	27	19	4	9	7
1995.....	206	6	38	34	31	21	26	12	7	7	7
1994.....	230	7	36	30	48	28	22	18	6	8	6
1993.....	214	10	43	32	39	29	21	6	10	7	2
1992.....	185	13	31	33	24	19	16	14	10	7	3
1991.....	182	20	32	34	24	20	15	11	6	8	2
1990.....	156	11	27	25	25	18	6	9	11	5	2
1989.....	167	15	30	27	25	27	8	11	4	4	4
1988.....	156	9	26	30	32	18	11	6	8	5	2
1987.....	143	11	27	24	19	20	10	10	8	3	1
1986.....	143	10	35	24	22	19	10	2	6	2	1
1985.....	112	13	28	19	17	13	6	5	-	3	-
1984.....	117	12	22	19	22	15	9	5	2	-	3
1983.....	124	17	36	13	22	13	4	4	4	3	2
1982.....	99	15	21	8	16	12	8	4	7	4	2
1981.....	128	31	31	12	12	15	9	8	2	3	1
1980.....	140	26	31	20	19	10	11	5	4	6	-
1979.....	106	25	30	13	15	4	10	2	1	-	-
ALL OTHER MALE											
1998.....	126	5	13	16	15	25	12	9	10	4	9
1997.....	133	10	17	19	13	17	15	15	11	4	2
1996.....	118	7	15	15	13	15	13	13	3	7	4
1995.....	104	5	19	17	14	8	16	7	3	4	1
1994.....	129	5	14	17	30	11	14	10	2	6	5
1993.....	114	6	19	17	24	17	12	3	5	2	1
1992.....	90	7	11	21	11	12	5	7	4	1	1
1991.....	106	16	18	17	16	9	5	9	4	5	2
1990.....	85	4	15	14	13	13	4	5	7	1	2
1989.....	80	6	20	9	10	12	4	6	3	2	1
1988.....	82	4	11	14	20	7	8	3	5	5	-
1987.....	73	8	15	8	9	11	6	6	4	-	1
1986.....	79	5	18	15	12	9	5	1	3	2	1
1985.....	62	6	15	11	11	8	4	2	-	2	-
1984.....	58	8	11	8	10	5	5	3	1	-	-
1983.....	59	9	23	6	5	5	2	2	1	2	1
1982.....	53	12	10	6	6	4	3	3	4	1	2
1981.....	65	18	17	4	7	6	3	6	1	1	-
1980.....	86	13	23	15	9	6	6	3	2	4	-
1979.....	54	14	19	4	8	-	5	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFANTILE CEREBRAL PALSY (343)											
ALL OTHER FEMALE											
1998.....	88	2	14	12	12	15	6	7	6	3	-
1997.....	99	2	15	16	11	17	4	3	8	7	3
1996.....	87	5	11	13	12	12	14	6	1	2	3
1995.....	102	1	19	17	17	13	10	5	4	3	6
1994.....	101	2	22	13	18	17	8	8	4	2	1
1993.....	100	4	24	15	15	12	9	3	5	5	1
1992.....	95	6	20	12	13	7	11	7	6	6	2
1991.....	76	4	14	17	8	11	10	2	2	3	-
1990.....	71	7	12	11	12	5	2	4	4	4	-
1989.....	87	9	10	18	15	15	4	5	1	2	3
1988.....	74	5	15	16	12	11	3	3	3	-	2
1987.....	70	3	12	16	10	9	4	4	4	3	-
1986.....	64	5	17	9	10	10	5	1	3	-	-
1985.....	50	7	13	8	6	5	2	3	-	1	-
1984.....	59	4	11	11	12	10	4	2	1	-	3
1983.....	65	8	13	7	17	8	2	2	3	1	1
1982.....	46	3	11	2	10	8	5	1	3	3	-
1981.....	63	13	14	8	5	9	6	2	1	2	1
1980.....	54	13	8	5	10	4	5	2	2	2	-
1979.....	52	11	11	9	7	4	5	1	1	-	-
BLACK, BOTH SEXES											
1998.....	192	7	24	27	24	33	14	14	14	7	9
1997.....	202	11	29	32	19	28	16	15	19	10	5
1996.....	182	11	24	27	21	24	21	18	2	8	6
1995.....	185	3	34	33	28	18	23	12	6	7	5
1994.....	208	7	32	28	41	26	21	17	5	7	5
1993.....	189	10	38	29	36	24	16	5	9	6	2
1992.....	164	13	28	31	18	18	13	14	8	6	1
1991.....	168	20	29	31	21	20	15	10	6	7	2
1990.....	147	10	24	23	24	17	6	9	11	4	2
1989.....	151	13	28	23	23	26	8	10	3	3	4
1988.....	141	9	22	26	29	16	11	6	8	4	2
1987.....	125	10	20	21	16	19	10	10	8	2	-
1986.....	130	9	33	19	20	18	10	2	6	2	1
1985.....	102	11	26	16	16	13	4	5	-	3	-
1984.....	106	9	21	18	18	15	8	5	2	-	3
1983.....	114	15	32	12	22	11	4	4	4	2	2
1982.....	96	14	20	7	16	12	8	4	7	4	2
1981.....	123	30	29	12	12	15	9	7	2	3	1
1980.....	135	25	30	19	19	8	11	5	4	6	-
1979.....	94	18	27	13	15	4	9	2	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFANTILE CEREBRAL PALSY (343)											
BLACK MALE											
1998.....	111	5	11	15	13	21	9	8	8	4	9
1997.....	118	9	16	19	8	16	13	12	11	4	2
1996.....	101	6	14	15	10	12	10	12	1	6	3
1995.....	93	3	16	17	12	7	14	7	2	4	1
1994.....	115	5	12	16	25	10	13	9	2	5	4
1993.....	100	6	16	16	23	13	10	2	4	2	1
1992.....	78	7	10	19	6	12	4	7	4	-	-
1991.....	97	16	17	17	13	9	5	8	4	4	2
1990.....	81	3	14	13	13	12	4	5	7	1	2
1989.....	73	5	18	8	10	12	4	6	2	1	1
1988.....	78	4	11	13	20	6	8	3	5	4	-
1987.....	64	7	12	6	8	11	6	6	4	-	-
1986.....	72	5	17	11	12	8	5	1	3	2	1
1985.....	56	6	14	9	10	8	2	2	-	2	-
1984.....	52	6	10	7	9	5	5	3	1	-	-
1983.....	54	8	21	6	5	4	2	2	1	1	1
1982.....	51	11	10	5	6	4	3	3	4	1	2
1981.....	63	17	17	4	7	6	3	6	1	1	-
1980.....	82	12	22	15	9	4	6	3	2	4	-
1979.....	45	10	16	4	8	-	4	1	-	-	-
BLACK FEMALE											
1998.....	81	2	13	12	11	12	5	6	6	3	-
1997.....	84	2	13	13	11	12	3	3	8	6	3
1996.....	81	5	10	12	11	12	11	6	1	2	3
1995.....	92	-	18	16	16	11	9	5	4	3	4
1994.....	93	2	20	12	16	16	8	8	3	2	1
1993.....	89	4	22	13	13	11	6	3	5	4	1
1992.....	86	6	18	12	12	6	9	7	4	6	1
1991.....	71	4	12	14	8	11	10	2	2	3	-
1990.....	66	7	10	10	11	5	2	4	4	3	-
1989.....	78	8	10	15	13	14	4	4	1	2	3
1988.....	63	5	11	13	9	10	3	3	3	-	2
1987.....	61	3	8	15	8	8	4	4	4	2	-
1986.....	58	4	16	8	8	10	5	1	3	-	-
1985.....	46	5	12	7	6	5	2	3	-	1	-
1984.....	54	3	11	11	9	10	3	2	1	-	3
1983.....	60	7	11	6	17	7	2	2	3	1	1
1982.....	45	3	10	2	10	8	5	1	3	3	-
1981.....	60	13	12	8	5	9	6	1	1	2	1
1980.....	53	13	8	4	10	4	5	2	2	2	-
1979.....	49	8	11	9	7	4	5	1	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EPILEPSY (345)											
TOTAL, BOTH SEXES											
1998.....	1,348	15	19	25	18	35	54	90	94	119	130
1997.....	1,378	4	19	19	13	42	75	95	99	118	142
1996.....	1,331	7	26	18	12	27	52	96	98	141	113
1995.....	1,373	11	21	22	20	42	71	80	104	134	98
1994.....	1,381	9	22	10	26	37	61	96	130	152	111
1993.....	1,337	15	24	18	27	29	51	84	111	142	120
1992.....	1,391	6	25	24	22	36	75	88	119	157	132
1991.....	1,476	10	25	11	18	37	88	105	151	148	97
1990.....	1,627	17	19	20	12	46	74	145	135	131	140
1989.....	1,595	18	25	19	23	46	104	118	142	135	110
1988.....	1,619	14	31	21	18	42	92	111	149	150	127
1987.....	1,578	13	19	19	17	44	105	134	123	137	101
1986.....	1,627	11	25	11	27	61	103	136	139	120	129
1985.....	1,643	9	30	28	25	45	104	123	142	154	119
1984.....	1,619	11	24	16	26	65	135	139	137	146	106
1983.....	1,653	18	36	14	33	71	127	141	163	121	115
1982.....	1,553	8	32	17	28	74	140	167	158	130	107
1981.....	1,731	21	29	23	34	70	152	171	197	146	125
1980.....	1,693	10	27	25	38	88	188	145	167	156	112
1979.....	1,653	15	27	23	27	81	150	172	182	142	132
TOTAL, MALE											
1998.....	728	8	11	11	12	13	32	57	57	73	86
1997.....	764	2	11	13	5	25	41	58	64	76	95
1996.....	724	3	11	14	4	17	25	60	67	94	64
1995.....	763	5	10	11	14	23	42	45	66	80	63
1994.....	794	6	8	6	15	25	29	67	90	101	74
1993.....	742	6	15	10	16	13	28	47	73	89	76
1992.....	781	3	12	14	12	21	45	54	69	100	86
1991.....	818	5	16	6	5	23	52	68	92	95	66
1990.....	907	9	9	10	9	22	44	89	77	87	81
1989.....	897	10	10	9	13	25	56	75	102	82	72
1988.....	925	10	17	12	10	26	58	64	91	88	75
1987.....	888	8	13	8	12	25	58	74	79	90	66
1986.....	886	6	15	8	11	28	62	87	89	75	71
1985.....	964	4	14	6	12	27	62	84	88	100	81
1984.....	972	6	12	10	16	36	82	82	92	95	79
1983.....	978	7	21	6	17	40	78	90	98	77	80
1982.....	938	5	20	10	16	43	80	95	108	87	64
1981.....	1,029	14	14	15	15	38	87	107	117	99	81
1980.....	1,051	6	16	19	20	56	118	85	112	105	71
1979.....	1,010	5	13	12	16	52	74	104	122	94	91

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EPILEPSY (345)											
TOTAL, FEMALE											
1998.....	620	7	8	14	6	22	22	33	37	46	44
1997.....	614	2	8	6	8	17	34	37	35	42	47
1996.....	607	4	15	4	8	10	27	36	31	47	49
1995.....	610	6	11	11	6	19	29	35	38	54	35
1994.....	587	3	14	4	11	12	32	29	40	51	37
1993.....	595	9	9	8	11	16	23	37	38	53	44
1992.....	610	3	13	10	10	15	30	34	50	57	46
1991.....	658	5	9	5	13	14	36	37	59	53	31
1990.....	720	8	10	10	3	24	30	56	58	44	59
1989.....	698	8	15	10	10	21	48	43	40	53	38
1988.....	694	4	14	9	8	16	34	47	58	62	52
1987.....	690	5	6	11	5	19	47	60	44	47	35
1986.....	741	5	10	3	16	33	41	49	50	45	58
1985.....	679	5	16	22	13	18	42	39	54	54	38
1984.....	647	5	12	6	10	29	53	57	45	51	27
1983.....	675	11	15	8	16	31	49	51	65	44	35
1982.....	615	3	12	7	12	31	60	72	50	43	43
1981.....	702	7	15	8	19	32	65	64	80	47	44
1980.....	642	4	11	6	18	32	70	60	55	51	41
1979.....	643	10	14	11	11	29	76	68	60	48	41
WHITE, BOTH SEXES											
1998.....	1,003	15	18	22	12	30	35	66	66	95	98
1997.....	1,016	3	17	12	8	32	53	67	76	92	108
1996.....	1,004	6	20	16	5	22	37	73	71	104	83
1995.....	1,013	5	16	18	15	29	50	62	81	102	72
1994.....	1,023	6	18	7	21	25	51	69	90	115	78
1993.....	982	10	17	14	21	25	37	64	80	108	85
1992.....	1,019	4	18	18	14	26	58	63	91	119	91
1991.....	1,110	9	21	8	9	23	67	77	111	109	71
1990.....	1,178	13	16	12	10	31	57	102	91	94	103
1989.....	1,139	12	18	15	18	29	81	92	105	91	77
1988.....	1,175	8	23	14	9	31	69	88	113	107	76
1987.....	1,152	10	19	16	14	32	68	105	91	92	65
1986.....	1,211	10	19	6	23	43	85	101	98	93	89
1985.....	1,168	9	27	23	18	33	82	95	100	103	77
1984.....	1,152	9	17	10	21	46	101	94	86	104	74
1983.....	1,185	14	30	11	22	54	93	98	129	85	75
1982.....	1,132	5	27	12	21	54	109	130	114	94	65
1981.....	1,236	13	24	17	20	58	120	125	132	100	81
1980.....	1,152	8	19	16	28	69	136	101	121	93	62
1979.....	1,159	11	22	18	19	67	115	124	120	87	83

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EPILEPSY (345)											
WHITE MALE											
1998.....	512	8	10	10	8	11	19	40	39	54	63
1997.....	555	1	9	9	1	18	27	42	51	60	74
1996.....	541	3	11	13	1	13	20	47	48	69	45
1995.....	539	3	8	10	11	16	27	32	51	63	42
1994.....	585	3	7	4	11	17	27	50	63	82	54
1993.....	532	4	11	7	14	10	21	34	52	67	52
1992.....	547	1	7	10	8	17	33	34	54	70	58
1991.....	600	4	14	4	4	11	39	47	67	70	46
1990.....	636	6	7	7	8	12	33	64	49	64	57
1989.....	613	8	6	8	11	14	42	57	74	52	49
1988.....	645	5	11	9	5	18	43	50	65	65	44
1987.....	622	5	13	6	10	14	40	56	57	58	39
1986.....	629	5	10	4	8	16	50	62	61	55	43
1985.....	644	4	13	5	8	18	47	65	63	63	52
1984.....	667	6	8	6	14	24	58	54	61	66	51
1983.....	663	4	16	4	13	29	53	61	79	51	49
1982.....	659	3	15	8	11	29	63	68	79	60	37
1981.....	702	8	10	11	10	30	69	74	71	67	52
1980.....	677	5	13	11	14	44	82	58	76	59	40
1979.....	675	4	11	8	13	42	53	74	76	55	59
WHITE FEMALE											
1998.....	491	7	8	12	4	19	16	26	27	41	35
1997.....	461	2	8	3	7	14	26	25	25	32	34
1996.....	463	3	9	3	4	9	17	26	23	35	38
1995.....	474	2	8	8	4	13	23	30	30	39	30
1994.....	438	3	11	3	10	8	24	19	27	33	24
1993.....	450	6	6	7	7	15	16	30	28	41	33
1992.....	472	3	11	8	6	9	25	29	37	49	33
1991.....	510	5	7	4	5	12	28	30	44	39	25
1990.....	542	7	9	5	2	19	24	38	42	30	46
1989.....	526	4	12	7	7	15	39	35	31	39	28
1988.....	530	3	12	5	4	13	26	38	48	42	32
1987.....	530	5	6	10	4	18	28	49	34	34	26
1986.....	582	5	9	2	15	27	35	39	37	38	46
1985.....	524	5	14	18	10	15	35	30	37	40	25
1984.....	485	3	9	4	7	22	43	40	25	38	23
1983.....	522	10	14	7	9	25	40	37	50	34	26
1982.....	473	2	12	4	10	25	46	62	35	34	28
1981.....	534	5	14	6	10	28	51	51	61	33	29
1980.....	475	3	6	5	14	25	54	43	45	34	22
1979.....	484	7	11	10	6	25	62	50	44	32	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EPILEPSY (345)											
ALL OTHER, BOTH SEXES											
1998.....	345	-	1	3	6	5	19	24	28	24	32
1997.....	362	1	2	7	5	10	22	28	23	26	34
1996.....	327	1	6	2	7	5	15	23	27	37	30
1995.....	360	6	5	4	5	13	21	18	23	32	26
1994.....	358	3	4	3	5	12	10	27	40	37	33
1993.....	355	5	7	4	6	4	14	20	31	34	35
1992.....	372	2	7	6	8	10	17	25	28	38	41
1991.....	366	1	4	3	9	14	21	28	40	39	26
1990.....	449	4	3	8	2	15	17	43	44	37	37
1989.....	456	6	7	4	5	17	23	26	37	44	33
1988.....	444	6	8	7	9	11	23	23	36	43	51
1987.....	426	3	-	3	3	12	37	29	32	45	36
1986.....	416	1	6	5	4	18	18	35	41	27	40
1985.....	475	-	3	5	7	12	22	28	42	51	42
1984.....	467	2	7	6	5	19	34	45	51	42	32
1983.....	468	4	6	3	11	17	34	43	34	36	40
1982.....	421	3	5	5	7	20	31	37	44	36	42
1981.....	495	8	5	6	14	12	32	46	65	46	44
1980.....	541	2	8	9	10	19	52	44	46	63	50
1979.....	494	4	5	5	8	14	35	48	62	55	49
ALL OTHER MALE											
1998.....	216	-	1	1	4	2	13	17	18	19	23
1997.....	209	1	2	4	4	7	14	16	13	16	21
1996.....	183	-	-	1	3	4	5	13	19	25	19
1995.....	224	2	2	1	3	7	15	13	15	17	21
1994.....	209	3	1	2	4	8	2	17	27	19	20
1993.....	210	2	4	3	2	3	7	13	21	22	24
1992.....	234	2	5	4	4	4	12	20	15	30	28
1991.....	218	1	2	2	1	12	13	21	25	25	20
1990.....	271	3	2	3	1	10	11	25	28	23	24
1989.....	284	2	4	1	2	11	14	18	28	30	23
1988.....	280	5	6	3	5	8	15	14	26	23	31
1987.....	266	3	-	2	2	11	18	18	22	32	27
1986.....	257	1	5	4	3	12	12	25	28	20	28
1985.....	320	-	1	1	4	9	15	19	25	37	29
1984.....	305	-	4	4	2	12	24	28	31	29	28
1983.....	315	3	5	2	4	11	25	29	19	26	31
1982.....	279	2	5	2	5	14	17	27	29	27	27
1981.....	327	6	4	4	5	8	18	33	46	32	29
1980.....	374	1	3	8	6	12	36	27	36	46	31
1979.....	335	1	2	4	3	10	21	30	46	39	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EPILEPSY (345)											
ALL OTHER FEMALE											
1998.....	129	-	-	2	2	3	6	7	10	5	9
1997.....	153	-	-	3	1	3	8	12	10	10	13
1996.....	144	1	6	1	4	1	10	10	8	12	11
1995.....	136	4	3	3	2	6	6	5	8	15	5
1994.....	149	-	3	1	1	4	8	10	13	18	13
1993.....	145	3	3	1	4	1	7	7	10	12	11
1992.....	138	-	2	2	4	6	5	5	13	8	13
1991.....	148	-	2	1	8	2	8	7	15	14	6
1990.....	178	1	1	5	1	5	6	18	16	14	13
1989.....	172	4	3	3	3	6	9	8	9	14	10
1988.....	164	1	2	4	4	3	8	9	10	20	20
1987.....	160	-	-	1	1	1	19	11	10	13	9
1986.....	159	-	1	1	1	6	6	10	13	7	12
1985.....	155	-	2	4	3	3	7	9	17	14	13
1984.....	162	2	3	2	3	7	10	17	20	13	4
1983.....	153	1	1	1	7	6	9	14	15	10	9
1982.....	142	1	-	3	2	6	14	10	15	9	15
1981.....	168	2	1	2	9	4	14	13	19	14	15
1980.....	167	1	5	1	4	7	16	17	10	17	19
1979.....	159	3	3	1	5	4	14	18	16	16	17
BLACK, BOTH SEXES											
1998.....	316	-	1	3	5	4	16	22	24	20	31
1997.....	328	1	1	4	4	9	18	25	21	22	30
1996.....	294	1	4	1	7	4	11	17	25	32	26
1995.....	334	5	4	4	4	13	19	18	22	29	24
1994.....	329	3	3	3	4	9	10	24	38	33	31
1993.....	330	5	5	4	3	3	13	17	29	29	33
1992.....	353	2	6	5	7	9	15	25	24	38	40
1991.....	340	1	4	1	8	11	19	27	37	38	20
1990.....	427	4	3	6	2	15	15	41	42	36	34
1989.....	428	5	7	4	5	17	20	25	34	38	31
1988.....	424	4	6	7	8	10	20	22	34	43	49
1987.....	404	2	-	3	2	9	33	27	29	44	34
1986.....	389	1	4	4	4	17	14	33	38	27	35
1985.....	454	-	3	5	7	11	19	26	38	50	40
1984.....	453	2	6	4	5	18	34	43	50	42	31
1983.....	449	4	6	3	9	17	33	39	31	34	40
1982.....	405	3	4	5	7	18	31	36	43	35	39
1981.....	476	8	5	5	13	11	32	45	64	43	41
1980.....	522	1	8	8	9	18	49	43	43	61	50
1979.....	476	4	5	5	8	13	33	47	60	53	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EPILEPSY (345)											
BLACK MALE											
1998.....	197	-	1	1	3	1	12	15	14	16	23
1997.....	184	1	1	1	4	7	11	14	11	13	18
1996.....	165	-	-	-	3	3	4	10	18	21	16
1995.....	205	2	2	1	2	7	13	13	14	16	20
1994.....	195	3	-	2	4	6	2	14	27	17	19
1993.....	196	2	3	3	2	2	6	12	20	17	23
1992.....	223	2	4	4	3	4	10	20	14	30	28
1991.....	200	1	2	1	1	9	11	20	22	25	15
1990.....	257	3	2	3	1	10	10	23	26	22	22
1989.....	267	2	4	1	2	11	12	18	25	25	22
1988.....	269	4	5	3	5	7	13	13	26	23	29
1987.....	250	2	-	2	1	8	15	17	19	31	25
1986.....	239	1	3	3	3	11	9	23	27	20	24
1985.....	311	-	1	1	4	9	13	18	25	36	27
1984.....	296	-	4	2	2	11	24	27	31	29	27
1983.....	302	3	5	2	3	11	24	25	18	24	31
1982.....	267	2	4	2	5	12	17	26	28	26	26
1981.....	316	6	4	3	4	7	18	32	46	30	28
1980.....	360	-	3	7	5	11	34	27	33	45	31
1979.....	324	1	2	4	3	9	21	30	44	38	30
BLACK FEMALE											
1998.....	119	-	-	2	2	3	4	7	10	4	8
1997.....	144	-	-	3	-	2	7	11	10	9	12
1996.....	129	1	4	1	4	1	7	7	7	11	10
1995.....	129	3	2	3	2	6	6	5	8	13	4
1994.....	134	-	3	1	-	3	8	10	11	16	12
1993.....	134	3	2	1	1	1	7	5	9	12	10
1992.....	130	-	2	1	4	5	5	5	10	8	12
1991.....	140	-	2	-	7	2	8	7	15	13	5
1990.....	170	1	1	3	1	5	5	18	16	14	12
1989.....	161	3	3	3	3	6	8	7	9	13	9
1988.....	155	-	1	4	3	3	7	9	8	20	20
1987.....	154	-	-	1	1	1	18	10	10	13	9
1986.....	150	-	1	1	1	6	5	10	11	7	11
1985.....	143	-	2	4	3	2	6	8	13	14	13
1984.....	157	2	2	2	3	7	10	16	19	13	4
1983.....	147	1	1	1	6	6	9	14	13	10	9
1982.....	138	1	-	3	2	6	14	10	15	9	13
1981.....	160	2	1	2	9	4	14	13	18	13	13
1980.....	162	1	5	1	4	7	15	16	10	16	19
1979.....	152	3	3	1	5	4	12	17	16	15	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)											
TOTAL, BOTH SEXES											
1998.....	8,774	152	112	76	81	153	135	152	180	198	304
1997.....	8,500	150	131	66	90	164	149	147	150	211	305
1996.....	8,044	176	131	64	83	171	164	143	178	207	291
1995.....	7,708	166	151	66	89	169	174	124	168	253	280
1994.....	7,509	185	123	83	69	167	152	134	195	222	289
1993.....	7,551	201	154	73	82	169	174	160	200	225	281
1992.....	6,848	168	134	73	94	167	160	170	163	204	268
1991.....	6,920	217	161	77	94	169	172	157	158	185	237
1990.....	6,985	217	148	76	76	184	163	150	181	212	227
1989.....	7,107	213	154	59	88	192	202	172	176	201	205
1988.....	7,069	212	136	68	80	182	158	183	183	198	210
1987.....	7,082	215	136	61	81	216	181	180	185	206	182
1986.....	6,953	175	144	67	81	199	227	169	170	175	196
1985.....	6,716	191	152	71	96	197	196	172	152	162	162
1984.....	6,352	185	165	78	92	171	224	152	163	160	171
1983.....	6,122	212	148	73	88	231	233	152	149	139	158
1982.....	5,719	176	146	68	97	240	224	164	138	149	144
1981.....	5,841	185	168	57	115	263	229	176	131	146	161
1980.....	5,684	185	161	87	127	272	201	155	148	154	138
1979.....	5,561	171	126	81	101	284	233	174	140	119	178
TOTAL, MALE											
1998.....	4,626	75	57	43	55	124	116	87	106	130	183
1997.....	4,389	81	76	29	63	133	115	96	89	108	185
1996.....	4,237	106	85	44	51	136	122	101	111	128	185
1995.....	4,128	88	86	34	58	138	136	84	97	163	171
1994.....	3,979	96	64	50	43	137	124	97	124	137	170
1993.....	4,021	116	86	44	54	145	140	103	131	138	189
1992.....	3,796	103	78	45	60	137	120	121	109	132	173
1991.....	3,706	121	85	43	60	137	136	111	97	105	141
1990.....	3,819	117	87	42	51	158	129	109	129	139	149
1989.....	3,944	128	93	33	59	160	165	128	120	132	129
1988.....	3,852	124	84	38	55	157	127	128	119	118	133
1987.....	3,826	113	81	38	52	181	137	131	124	128	116
1986.....	3,766	92	83	36	57	166	172	115	105	119	128
1985.....	3,659	115	84	51	77	164	145	118	101	102	107
1984.....	3,513	123	81	43	66	144	172	100	101	100	106
1983.....	3,370	128	87	46	56	192	184	99	88	76	103
1982.....	3,163	111	75	37	70	203	177	111	96	78	81
1981.....	3,170	105	95	33	65	206	177	114	85	83	89
1980.....	3,158	106	90	44	92	230	150	113	94	90	77
1979.....	3,144	113	65	48	67	240	174	109	87	70	93

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)											
TOTAL, FEMALE											
1998.....	4,148	77	55	33	26	29	19	65	74	68	121
1997.....	4,111	69	55	37	27	31	34	51	61	103	120
1996.....	3,807	70	46	20	32	35	42	42	67	79	106
1995.....	3,580	78	65	32	31	31	38	40	71	90	109
1994.....	3,530	89	59	33	26	30	28	37	71	85	119
1993.....	3,530	85	68	29	28	24	34	57	69	87	92
1992.....	3,052	65	56	28	34	30	40	49	54	72	95
1991.....	3,214	96	76	34	34	32	36	46	61	80	96
1990.....	3,166	100	61	34	25	26	34	41	52	73	78
1989.....	3,163	85	61	26	29	32	37	44	56	69	76
1988.....	3,217	88	52	30	25	25	31	55	64	80	77
1987.....	3,256	102	55	23	29	35	44	49	61	78	66
1986.....	3,187	83	61	31	24	33	55	54	65	56	68
1985.....	3,057	76	68	20	19	33	51	54	51	60	55
1984.....	2,839	62	84	35	26	27	52	52	62	60	65
1983.....	2,752	84	61	27	32	39	49	53	61	63	55
1982.....	2,556	65	71	31	27	37	47	53	42	71	63
1981.....	2,671	80	73	24	50	57	52	62	46	63	72
1980.....	2,526	79	71	43	35	42	51	42	54	64	61
1979.....	2,417	58	61	33	34	44	59	65	53	49	85
WHITE, BOTH SEXES											
1998.....	7,312	116	87	59	58	134	108	109	125	144	205
1997.....	7,059	111	102	48	64	133	113	110	116	155	230
1996.....	6,727	122	95	47	64	149	128	114	124	138	202
1995.....	6,440	129	105	51	72	145	138	101	126	177	206
1994.....	6,308	136	88	64	54	135	117	105	150	166	209
1993.....	6,354	144	116	54	67	132	146	123	155	160	204
1992.....	5,805	120	106	57	75	141	129	139	119	141	202
1991.....	5,794	151	118	61	70	128	144	121	122	128	184
1990.....	5,830	166	117	57	62	161	131	125	123	157	158
1989.....	5,908	151	116	50	71	160	166	137	108	152	152
1988.....	5,876	158	101	53	71	155	130	142	130	123	159
1987.....	5,979	151	108	46	70	188	149	139	130	146	128
1986.....	5,825	124	108	55	63	177	186	127	122	123	140
1985.....	5,670	137	115	46	77	169	158	136	112	122	129
1984.....	5,363	136	125	62	77	151	184	115	105	113	135
1983.....	5,133	168	117	54	67	198	191	116	116	101	109
1982.....	4,775	134	109	53	80	202	184	117	101	104	109
1981.....	4,929	151	133	46	97	226	195	140	95	97	113
1980.....	4,792	143	127	70	106	245	165	128	114	110	91
1979.....	4,700	127	89	62	85	244	192	135	113	87	127

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)											
WHITE MALE											
1998.....	3,878	57	42	34	38	109	95	65	76	99	124
1997.....	3,665	61	58	23	44	110	92	75	69	81	142
1996.....	3,575	77	63	31	39	122	97	84	86	83	128
1995.....	3,459	74	62	25	46	118	112	71	79	112	132
1994.....	3,384	71	48	43	34	114	101	80	100	103	128
1993.....	3,378	82	68	31	44	116	121	82	104	101	143
1992.....	3,240	73	65	35	47	121	96	103	80	99	131
1991.....	3,116	81	60	37	42	113	120	92	80	73	111
1990.....	3,191	94	67	32	41	140	102	93	93	108	103
1989.....	3,289	96	68	27	46	137	139	105	78	102	100
1988.....	3,189	92	62	30	51	133	110	102	88	73	105
1987.....	3,225	81	66	28	46	159	116	106	92	90	84
1986.....	3,166	69	62	33	45	151	149	86	76	93	94
1985.....	3,062	84	61	33	63	144	123	100	76	74	86
1984.....	2,965	89	64	37	54	130	148	85	60	71	87
1983.....	2,832	103	67	35	42	168	158	78	72	50	71
1982.....	2,630	88	58	30	57	172	153	81	74	54	57
1981.....	2,676	87	70	26	62	180	159	93	65	52	62
1980.....	2,627	78	69	35	76	206	126	94	70	63	51
1979.....	2,649	80	48	38	59	212	146	86	68	54	65
WHITE FEMALE											
1998.....	3,434	59	45	25	20	25	13	44	49	45	81
1997.....	3,394	50	44	25	20	23	21	35	47	74	88
1996.....	3,152	45	32	16	25	27	31	30	38	55	74
1995.....	2,981	55	43	26	26	27	26	30	47	65	74
1994.....	2,924	65	40	21	20	21	16	25	50	63	81
1993.....	2,976	62	48	23	23	16	25	41	51	59	61
1992.....	2,565	47	41	22	28	20	33	36	39	42	71
1991.....	2,678	70	58	24	28	15	24	29	42	55	73
1990.....	2,639	72	50	25	21	21	29	32	30	49	55
1989.....	2,619	55	48	23	25	23	27	32	30	50	52
1988.....	2,687	66	39	23	20	22	20	40	42	50	54
1987.....	2,754	70	42	18	24	29	33	33	38	56	44
1986.....	2,659	55	46	22	18	26	37	41	46	30	46
1985.....	2,608	53	54	13	14	25	35	36	36	48	43
1984.....	2,398	47	61	25	23	21	36	30	45	42	48
1983.....	2,301	65	50	19	25	30	33	38	44	51	38
1982.....	2,145	46	51	23	23	30	31	36	27	50	52
1981.....	2,253	64	63	20	35	46	36	47	30	45	51
1980.....	2,165	65	58	35	30	39	39	34	44	47	40
1979.....	2,051	47	41	24	26	32	46	49	45	33	62

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)											
ALL OTHER, BOTH SEXES											
1998.....	1,462	36	25	17	23	19	27	43	55	54	99
1997.....	1,441	39	29	18	26	31	36	37	34	56	75
1996.....	1,317	54	36	17	19	22	36	29	54	69	89
1995.....	1,268	37	46	15	17	24	36	23	42	76	74
1994.....	1,201	49	35	19	15	32	35	29	45	56	80
1993.....	1,197	57	38	19	15	37	28	37	45	65	77
1992.....	1,043	48	28	16	19	26	31	31	44	63	66
1991.....	1,126	66	43	16	24	41	28	36	36	57	53
1990.....	1,155	51	31	19	14	23	32	25	58	55	69
1989.....	1,199	62	38	9	17	32	36	35	68	49	53
1988.....	1,193	54	35	15	9	27	28	41	53	75	51
1987.....	1,103	64	28	15	11	28	32	41	55	60	54
1986.....	1,128	51	36	12	18	22	41	42	48	52	56
1985.....	1,046	54	37	25	19	28	38	36	40	40	33
1984.....	989	49	40	16	15	20	40	37	58	47	36
1983.....	989	44	31	19	21	33	42	36	33	38	49
1982.....	944	42	37	15	17	38	40	47	37	45	35
1981.....	912	34	35	11	18	37	34	36	36	49	48
1980.....	892	42	34	17	21	27	36	27	34	44	47
1979.....	861	44	37	19	16	40	41	39	27	32	51
ALL OTHER MALE											
1998.....	748	18	15	9	17	15	21	22	30	31	59
1997.....	724	20	18	6	19	23	23	21	20	27	43
1996.....	662	29	22	13	12	14	25	17	25	45	57
1995.....	669	14	24	9	12	20	24	13	18	51	39
1994.....	595	25	16	7	9	23	23	17	24	34	42
1993.....	643	34	18	13	10	29	19	21	27	37	46
1992.....	556	30	13	10	13	16	24	18	29	33	42
1991.....	590	40	25	6	18	24	16	19	17	32	30
1990.....	628	23	20	10	10	18	27	16	36	31	46
1989.....	655	32	25	6	13	23	26	23	42	30	29
1988.....	663	32	22	8	4	24	17	26	31	45	28
1987.....	601	32	15	10	6	22	21	25	32	38	32
1986.....	600	23	21	3	12	15	23	29	29	26	34
1985.....	597	31	23	18	14	20	22	18	25	28	21
1984.....	548	34	17	6	12	14	24	15	41	29	19
1983.....	538	25	20	11	14	24	26	21	16	26	32
1982.....	533	23	17	7	13	31	24	30	22	24	24
1981.....	494	18	25	7	3	26	18	21	20	31	27
1980.....	531	28	21	9	16	24	24	19	24	27	26
1979.....	495	33	17	10	8	28	28	23	19	16	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)											
ALL OTHER FEMALE											
1998.....	714	18	10	8	6	4	6	21	25	23	40
1997.....	717	19	11	12	7	8	13	16	14	29	32
1996.....	655	25	14	4	7	8	11	12	29	24	32
1995.....	599	23	22	6	5	4	12	10	24	25	35
1994.....	606	24	19	12	6	9	12	12	21	22	38
1993.....	554	23	20	6	5	8	9	16	18	28	31
1992.....	487	18	15	6	6	10	7	13	15	30	24
1991.....	536	26	18	10	6	17	12	17	19	25	23
1990.....	527	28	11	9	4	5	5	9	22	24	23
1989.....	544	30	13	3	4	9	10	12	26	19	24
1988.....	530	22	13	7	5	3	11	15	22	30	23
1987.....	502	32	13	5	5	6	11	16	23	22	22
1986.....	528	28	15	9	6	7	18	13	19	26	22
1985.....	449	23	14	7	5	8	16	18	15	12	12
1984.....	441	15	23	10	3	6	16	22	17	18	17
1983.....	451	19	11	8	7	9	16	15	17	12	17
1982.....	411	19	20	8	4	7	16	17	15	21	11
1981.....	418	16	10	4	15	11	16	15	16	18	21
1980.....	361	14	13	8	5	3	12	8	10	17	21
1979.....	366	11	20	9	8	12	13	16	8	16	23
BLACK, BOTH SEXES											
1998.....	1,262	30	19	14	13	17	24	36	48	43	88
1997.....	1,276	32	25	14	17	27	29	30	29	50	71
1996.....	1,144	45	27	13	17	18	30	25	46	59	81
1995.....	1,119	35	37	15	16	14	29	21	38	72	68
1994.....	1,073	44	30	16	13	28	29	24	39	52	71
1993.....	1,065	49	29	15	12	29	22	31	40	59	70
1992.....	927	37	28	12	16	18	26	27	40	61	57
1991.....	1,015	58	35	12	18	33	26	33	34	55	48
1990.....	1,048	42	28	17	10	18	27	21	54	52	65
1989.....	1,099	55	27	9	16	25	35	32	64	46	50
1988.....	1,094	49	30	13	8	26	25	35	52	71	45
1987.....	999	57	23	12	7	23	30	36	52	59	48
1986.....	1,032	45	32	12	17	20	36	40	45	50	53
1985.....	955	47	33	21	17	23	36	33	37	38	29
1984.....	912	41	35	15	13	16	37	34	56	44	34
1983.....	894	37	25	17	18	29	40	34	30	36	48
1982.....	858	32	32	10	17	32	34	40	32	39	35
1981.....	847	31	31	10	17	33	31	34	32	47	45
1980.....	819	39	30	14	17	25	34	27	29	42	40
1979.....	803	42	35	17	16	37	39	36	25	31	48

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)											
BLACK MALE											
1998.....	636	17	12	8	10	13	19	18	25	23	49
1997.....	628	16	15	5	13	19	16	16	18	23	42
1996.....	569	23	15	10	11	10	22	16	23	37	51
1995.....	584	13	19	9	11	12	20	12	15	49	34
1994.....	530	22	14	7	8	21	18	13	21	31	38
1993.....	553	28	13	9	9	23	16	16	25	34	41
1992.....	484	20	13	9	11	9	20	15	25	32	38
1991.....	530	34	20	4	14	20	14	17	16	31	28
1990.....	564	19	18	9	8	13	22	15	34	31	43
1989.....	599	27	18	6	12	16	25	21	40	29	26
1988.....	609	29	19	6	4	23	17	22	30	41	24
1987.....	543	28	13	8	5	17	20	22	30	38	30
1986.....	551	21	19	3	12	14	21	29	27	25	32
1985.....	545	27	20	15	12	16	20	17	24	26	19
1984.....	508	29	15	6	11	11	21	13	41	27	18
1983.....	486	20	17	10	12	20	24	21	15	26	31
1982.....	481	16	15	5	13	25	21	28	19	19	24
1981.....	454	16	23	7	3	23	15	19	18	30	26
1980.....	485	25	19	7	12	22	22	19	20	25	22
1979.....	463	32	17	10	8	25	27	21	18	15	28
BLACK FEMALE											
1998.....	626	13	7	6	3	4	5	18	23	20	39
1997.....	648	16	10	9	4	8	13	14	11	27	29
1996.....	575	22	12	3	6	8	8	9	23	22	30
1995.....	535	22	18	6	5	2	9	9	23	23	34
1994.....	543	22	16	9	5	7	11	11	18	21	33
1993.....	512	21	16	6	3	6	6	15	15	25	29
1992.....	443	17	15	3	5	9	6	12	15	29	19
1991.....	485	24	15	8	4	13	12	16	18	24	20
1990.....	484	23	10	8	2	5	5	6	20	21	22
1989.....	500	28	9	3	4	9	10	11	24	17	24
1988.....	485	20	11	7	4	3	8	13	22	30	21
1987.....	456	29	10	4	2	6	10	14	22	21	18
1986.....	481	24	13	9	5	6	15	11	18	25	21
1985.....	410	20	13	6	5	7	16	16	13	12	10
1984.....	404	12	20	9	2	5	16	21	15	17	16
1983.....	408	17	8	7	6	9	16	13	15	10	17
1982.....	377	16	17	5	4	7	13	12	13	20	11
1981.....	393	15	8	3	14	10	16	15	14	17	19
1980.....	334	14	11	7	5	3	12	8	9	17	18
1979.....	340	10	18	7	8	12	12	15	7	16	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)											
TOTAL, BOTH SEXES											
1998.....	67	5	3	-	-	-	-	1	1	4	1
1997.....	65	6	5	-	2	1	2	2	1	4	2
1996.....	57	10	3	-	-	-	2	1	2	4	1
1995.....	50	1	-	1	1	2	2	1	1	1	2
1994.....	61	5	5	1	1	-	-	5	1	2	2
1993.....	80	14	4	1	-	1	-	1	2	5	2
1992.....	61	8	1	1	-	-	2	2	-	3	3
1991.....	71	12	3	1	2	1	2	-	3	1	2
1990.....	76	14	4	1	2	-	2	3	2	4	2
1989.....	71	11	3	1	1	-	-	1	1	2	2
1988.....	70	9	5	2	1	-	-	3	1	1	2
1987.....	77	12	5	-	3	-	2	-	3	4	1
1986.....	77	12	2	-	1	2	2	2	4	1	-
1985.....	81	14	6	1	-	2	1	2	-	2	1
1984.....	89	4	6	1	-	3	3	2	2	3	1
1983.....	85	13	4	2	-	1	3	2	1	5	2
1982.....	93	11	5	2	1	3	1	1	2	1	3
1981.....	105	10	4	4	1	2	3	2	2	3	4
1980.....	112	12	9	-	1	3	7	3	5	1	3
1979.....	103	12	4	2	1	4	7	3	4	5	1
TOTAL, MALE											
1998.....	28	2	2	-	-	-	-	1	1	4	-
1997.....	30	4	3	-	1	1	2	1	1	3	2
1996.....	31	8	1	-	-	-	2	-	1	2	1
1995.....	31	1	-	-	-	1	1	1	1	1	2
1994.....	31	2	5	1	-	-	-	2	1	1	-
1993.....	40	5	4	1	-	1	-	1	1	4	2
1992.....	37	6	-	1	-	-	1	1	-	2	3
1991.....	32	7	1	1	1	1	1	-	1	-	1
1990.....	43	7	4	1	1	-	-	2	2	2	1
1989.....	28	4	1	-	1	-	-	1	-	1	2
1988.....	34	4	3	2	1	-	-	2	-	1	2
1987.....	49	9	5	-	2	-	2	-	2	2	-
1986.....	43	10	1	-	-	1	1	1	3	1	-
1985.....	46	11	4	-	-	2	1	1	-	-	1
1984.....	43	3	2	-	-	3	1	2	1	1	1
1983.....	43	7	2	2	-	1	3	2	-	3	1
1982.....	51	8	5	2	1	3	-	1	1	1	1
1981.....	51	3	2	3	-	1	2	1	2	2	2
1980.....	56	8	4	-	-	2	5	1	3	-	1
1979.....	55	8	3	1	1	3	3	3	3	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)											
TOTAL, FEMALE											
1998.....	39	3	1	-	-	-	-	-	-	-	1
1997.....	35	2	2	-	1	-	-	1	-	1	-
1996.....	26	2	2	-	-	-	-	1	1	2	-
1995.....	19	-	-	1	1	1	1	-	-	-	-
1994.....	30	3	-	-	1	-	-	3	-	1	2
1993.....	40	9	-	-	-	-	-	-	1	1	-
1992.....	24	2	1	-	-	-	1	1	-	1	-
1991.....	39	5	2	-	1	-	1	-	2	1	1
1990.....	33	7	-	-	1	-	2	1	-	2	1
1989.....	43	7	2	1	-	-	-	-	1	1	-
1988.....	36	5	2	-	-	-	-	1	1	-	-
1987.....	28	3	-	-	1	-	-	-	1	2	1
1986.....	34	2	1	-	1	1	1	1	1	-	-
1985.....	35	3	2	1	-	-	-	1	-	2	-
1984.....	46	1	4	1	-	-	2	-	1	2	-
1983.....	42	6	2	-	-	-	-	-	1	2	1
1982.....	42	3	-	-	-	-	1	-	1	-	2
1981.....	54	7	2	1	1	1	1	1	-	1	2
1980.....	56	4	5	-	1	1	2	2	2	1	2
1979.....	48	4	1	1	-	1	4	-	1	3	-
WHITE, BOTH SEXES											
1998.....	57	4	2	-	-	-	-	1	1	3	-
1997.....	53	6	3	-	2	1	2	2	1	2	2
1996.....	43	4	2	-	-	-	1	1	2	4	1
1995.....	44	-	-	1	1	2	2	1	1	1	2
1994.....	50	3	4	1	1	-	-	4	1	2	1
1993.....	61	11	3	1	-	1	-	1	1	4	1
1992.....	51	7	1	1	-	-	1	2	-	3	1
1991.....	60	8	2	1	2	1	2	-	2	1	1
1990.....	56	10	2	1	1	-	2	1	2	2	1
1989.....	52	7	3	-	-	-	-	-	-	2	1
1988.....	58	5	3	2	1	-	-	3	1	1	1
1987.....	56	6	3	-	2	-	2	-	1	2	-
1986.....	64	9	1	-	1	2	2	2	3	1	-
1985.....	74	11	6	1	-	2	-	1	-	2	1
1984.....	68	3	3	1	-	1	2	1	2	2	1
1983.....	70	8	3	2	-	1	3	1	1	4	1
1982.....	66	4	4	2	1	3	1	1	1	1	2
1981.....	89	9	3	2	1	2	3	2	1	1	4
1980.....	89	8	6	-	-	3	4	3	5	1	3
1979.....	81	7	2	2	1	3	4	1	4	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

WHITE MALE

1998.....	24	1	1	-	-	-	-	1	1	3	-
1997.....	26	4	2	-	1	1	2	1	1	2	2
1996.....	23	3	1	-	-	-	1	-	1	2	1
1995.....	27	-	-	-	-	1	1	1	1	1	2
1994.....	26	1	4	1	-	-	-	2	1	1	-
1993.....	32	4	3	1	-	1	-	1	-	3	1
1992.....	30	5	-	1	-	-	-	1	-	2	1
1991.....	29	6	1	1	1	1	1	-	1	-	-
1990.....	32	5	2	1	-	-	-	1	2	1	-
1989.....	19	2	1	-	-	-	-	-	-	1	1
1988.....	30	3	2	2	1	-	-	2	-	1	1
1987.....	37	5	3	-	1	-	2	-	1	-	-
1986.....	38	8	1	-	-	1	1	1	2	1	-
1985.....	44	10	4	-	-	2	-	1	-	-	1
1984.....	35	2	2	-	-	1	1	1	1	1	1
1983.....	34	4	2	2	-	1	3	1	-	2	1
1982.....	32	3	4	2	1	3	-	1	-	1	-
1981.....	43	3	1	2	-	1	2	1	1	1	2
1980.....	45	6	2	-	-	2	3	1	3	-	1
1979.....	42	6	2	1	1	2	2	1	3	1	-

WHITE FEMALE

1998.....	33	3	1	-	-	-	-	-	-	-	-
1997.....	27	2	1	-	1	-	-	1	-	-	-
1996.....	20	1	1	-	-	-	-	1	1	2	-
1995.....	17	-	-	1	1	1	1	-	-	-	-
1994.....	24	2	-	-	1	-	-	2	-	1	1
1993.....	29	7	-	-	-	-	-	-	1	1	-
1992.....	21	2	1	-	-	-	1	1	-	1	-
1991.....	31	2	1	-	1	-	1	-	1	1	1
1990.....	24	5	-	-	1	-	2	-	-	1	1
1989.....	33	5	2	-	-	-	-	-	-	1	-
1988.....	28	2	1	-	-	-	-	1	1	-	-
1987.....	19	1	-	-	1	-	-	-	-	2	-
1986.....	26	1	-	-	1	1	1	1	1	-	-
1985.....	30	1	2	1	-	-	-	-	-	2	-
1984.....	33	1	1	1	-	-	1	-	1	1	-
1983.....	36	4	1	-	-	-	-	-	1	2	-
1982.....	34	1	-	-	-	-	1	-	1	-	2
1981.....	46	6	2	-	1	1	1	1	-	-	2
1980.....	44	2	4	-	-	1	1	2	2	1	2
1979.....	39	1	-	1	-	1	2	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)											
ALL OTHER, BOTH SEXES											
1998.....	10	1	1	-	-	-	-	-	-	1	1
1997.....	12	-	2	-	-	-	-	-	-	2	-
1996.....	14	6	1	-	-	-	1	-	-	-	-
1995.....	6	1	-	-	-	-	-	-	-	-	-
1994.....	11	2	1	-	-	-	-	1	-	-	1
1993.....	19	3	1	-	-	-	-	-	1	1	1
1992.....	10	1	-	-	-	-	1	-	-	-	2
1991.....	11	4	1	-	-	-	-	-	1	-	1
1990.....	20	4	2	-	1	-	-	2	-	2	1
1989.....	19	4	-	1	1	-	-	1	1	-	1
1988.....	12	4	2	-	-	-	-	-	-	-	1
1987.....	21	6	2	-	1	-	-	-	2	2	1
1986.....	13	3	1	-	-	-	-	-	1	-	-
1985.....	7	3	-	-	-	-	1	1	-	-	-
1984.....	21	1	3	-	-	2	1	1	-	1	-
1983.....	15	5	1	-	-	-	-	1	-	1	1
1982.....	27	7	1	-	-	-	-	-	1	-	1
1981.....	16	1	1	2	-	-	-	-	1	2	-
1980.....	23	4	3	-	1	-	3	-	-	-	-
1979.....	22	5	2	-	-	1	3	2	-	3	1
ALL OTHER MALE											
1998.....	4	1	1	-	-	-	-	-	-	1	-
1997.....	4	-	1	-	-	-	-	-	-	1	-
1996.....	8	5	-	-	-	-	1	-	-	-	-
1995.....	4	1	-	-	-	-	-	-	-	-	-
1994.....	5	1	1	-	-	-	-	-	-	-	-
1993.....	8	1	1	-	-	-	-	-	1	1	1
1992.....	7	1	-	-	-	-	1	-	-	-	2
1991.....	3	1	-	-	-	-	-	-	-	-	1
1990.....	11	2	2	-	1	-	-	1	-	1	1
1989.....	9	2	-	-	1	-	-	1	-	-	1
1988.....	4	1	1	-	-	-	-	-	-	-	1
1987.....	12	4	2	-	1	-	-	-	1	2	-
1986.....	5	2	-	-	-	-	-	-	1	-	-
1985.....	2	1	-	-	-	-	1	-	-	-	-
1984.....	8	1	-	-	-	2	-	1	-	-	-
1983.....	9	3	-	-	-	-	-	1	-	1	-
1982.....	19	5	1	-	-	-	-	-	1	-	1
1981.....	8	-	1	1	-	-	-	-	1	1	-
1980.....	11	2	2	-	-	-	2	-	-	-	-
1979.....	13	2	1	-	-	1	1	2	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	6	-	-	-	-	-	-	-	-	-	1
1997.....	8	-	1	-	-	-	-	-	-	1	-
1996.....	6	1	1	-	-	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	6	1	-	-	-	-	-	1	-	-	1
1993.....	11	2	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	-	-
1991.....	8	3	1	-	-	-	-	-	1	-	-
1990.....	9	2	-	-	-	-	-	1	-	1	-
1989.....	10	2	-	1	-	-	-	-	1	-	-
1988.....	8	3	1	-	-	-	-	-	-	-	-
1987.....	9	2	-	-	-	-	-	-	1	-	1
1986.....	8	1	1	-	-	-	-	-	-	-	-
1985.....	5	2	-	-	-	-	-	1	-	-	-
1984.....	13	-	3	-	-	-	1	-	-	1	-
1983.....	6	2	1	-	-	-	-	-	-	-	1
1982.....	8	2	-	-	-	-	-	-	-	-	-
1981.....	8	1	-	1	-	-	-	-	-	1	-
1980.....	12	2	1	-	1	-	1	-	-	-	-
1979.....	9	3	1	-	-	-	2	-	-	2	-
BLACK, BOTH SEXES											
1998.....	9	1	1	-	-	-	-	-	-	1	1
1997.....	11	-	2	-	-	-	-	-	-	2	-
1996.....	13	6	1	-	-	-	1	-	-	-	-
1995.....	5	1	-	-	-	-	-	-	-	-	-
1994.....	9	1	1	-	-	-	-	-	-	-	1
1993.....	18	2	1	-	-	-	-	-	1	1	1
1992.....	10	1	-	-	-	-	1	-	-	-	2
1991.....	10	3	1	-	-	-	-	-	1	-	1
1990.....	18	4	2	-	1	-	-	2	-	2	1
1989.....	16	2	-	1	1	-	-	-	1	-	1
1988.....	11	4	1	-	-	-	-	-	-	-	1
1987.....	19	5	2	-	-	-	-	-	2	2	1
1986.....	13	3	1	-	-	-	-	-	1	-	-
1985.....	4	-	-	-	-	-	1	1	-	-	-
1984.....	19	1	2	-	-	2	1	1	-	1	-
1983.....	15	5	1	-	-	-	-	1	-	1	1
1982.....	23	7	1	-	-	-	-	-	1	-	1
1981.....	14	1	1	2	-	-	-	-	1	2	-
1980.....	22	4	3	-	1	-	2	-	-	-	-
1979.....	17	3	2	-	-	-	3	1	-	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

BLACK MALE

1998.....	4	1	1	-	-	-	-	-	-	1	-
1997.....	4	-	1	-	-	-	-	-	-	1	-
1996.....	7	5	-	-	-	-	1	-	-	-	-
1995.....	3	1	-	-	-	-	-	-	-	-	-
1994.....	4	-	1	-	-	-	-	-	-	-	-
1993.....	8	1	1	-	-	-	-	-	1	1	1
1992.....	7	1	-	-	-	-	1	-	-	-	2
1991.....	2	-	-	-	-	-	-	-	-	-	1
1990.....	11	2	2	-	1	-	-	1	-	1	1
1989.....	6	-	-	-	1	-	-	-	-	-	1
1988.....	4	1	1	-	-	-	-	-	-	-	1
1987.....	10	3	2	-	-	-	-	-	1	2	-
1986.....	5	2	-	-	-	-	-	-	1	-	-
1985.....	1	-	-	-	-	-	1	-	-	-	-
1984.....	7	1	-	-	-	2	-	1	-	-	-
1983.....	9	3	-	-	-	-	-	1	-	1	-
1982.....	16	5	1	-	-	-	-	-	1	-	1
1981.....	7	-	1	1	-	-	-	-	1	1	-
1980.....	10	2	2	-	-	-	1	-	-	-	-
1979.....	9	1	1	-	-	-	1	1	-	1	1

BLACK FEMALE

1998.....	5	-	-	-	-	-	-	-	-	-	1
1997.....	7	-	1	-	-	-	-	-	-	1	-
1996.....	6	1	1	-	-	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	5	1	-	-	-	-	-	-	-	-	1
1993.....	10	1	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	-	-
1991.....	8	3	1	-	-	-	-	-	1	-	-
1990.....	7	2	-	-	-	-	-	1	-	1	-
1989.....	10	2	-	1	-	-	-	-	1	-	-
1988.....	7	3	-	-	-	-	-	-	-	-	-
1987.....	9	2	-	-	-	-	-	-	1	-	1
1986.....	8	1	1	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	1	-	-	-
1984.....	12	-	2	-	-	-	1	-	-	1	-
1983.....	6	2	1	-	-	-	-	-	-	-	1
1982.....	7	2	-	-	-	-	-	-	-	-	-
1981.....	7	1	-	1	-	-	-	-	-	1	-
1980.....	12	2	1	-	1	-	1	-	-	-	-
1979.....	8	2	1	-	-	-	2	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)											
TOTAL, BOTH SEXES											
1998.....	944,962	993	283	200	234	510	823	1,466	2,785	6,132	11,182
1997.....	948,412	958	282	168	255	526	879	1,418	2,926	6,040	11,035
1996.....	954,407	945	278	182	262	502	740	1,419	2,984	6,173	10,823
1995.....	955,591	967	327	165	226	496	831	1,403	3,162	6,416	11,057
1994.....	944,775	952	359	168	261	465	817	1,518	3,173	6,307	10,641
1993.....	952,210	945	361	178	238	478	819	1,521	3,198	6,084	10,589
1992.....	917,908	944	357	163	206	436	847	1,509	3,097	5,715	10,530
1991.....	920,482	939	408	175	217	476	843	1,588	3,033	5,667	10,156
1990.....	920,245	1,019	342	166	243	454	807	1,550	3,029	5,357	9,617
1989.....	936,157	966	341	166	237	444	834	1,582	3,146	5,462	9,536
1988.....	973,969	1,070	415	187	233	515	952	1,720	3,197	5,697	9,568
1987.....	968,434	1,137	393	195	231	493	933	1,769	3,196	5,679	9,742
1986.....	972,917	1,153	422	184	227	521	971	1,773	3,222	5,816	9,654
1985.....	982,739	1,153	370	181	251	558	983	1,720	2,961	5,572	9,519
1984.....	978,171	1,136	417	228	250	522	1,024	1,666	2,922	5,320	9,480
1983.....	986,132	1,156	417	208	237	584	964	1,691	2,866	5,194	9,164
1982.....	972,552	961	374	227	276	550	993	1,697	2,808	5,117	9,078
1981.....	977,694	964	399	197	242	549	1,027	1,682	2,933	5,129	9,209
1980.....	993,348	1,041	415	200	263	685	1,128	1,638	2,754	5,014	9,291
1979.....	963,037	919	330	177	249	582	1,079	1,615	2,709	5,004	9,333
TOTAL, MALE											
1998.....	443,221	535	146	120	131	333	492	878	1,739	4,049	7,717
1997.....	447,687	534	163	89	145	322	519	834	1,856	4,036	7,641
1996.....	450,761	513	141	88	151	301	468	858	1,887	4,124	7,499
1995.....	452,452	520	183	95	129	308	500	862	2,060	4,316	7,808
1994.....	449,100	523	195	81	149	291	493	901	1,970	4,246	7,446
1993.....	454,352	523	199	85	135	306	477	980	2,028	4,071	7,486
1992.....	441,233	534	186	95	118	286	527	899	2,003	3,923	7,494
1991.....	443,673	528	217	92	116	300	511	984	1,905	3,897	7,230
1990.....	444,763	571	168	88	130	293	485	940	1,942	3,744	6,942
1989.....	453,057	540	193	88	120	260	500	973	2,068	3,835	6,836
1988.....	473,119	594	210	94	147	333	580	1,032	2,177	4,002	6,877
1987.....	472,445	655	208	115	119	303	568	1,052	2,099	4,004	7,064
1986.....	477,968	661	220	96	121	327	578	1,058	2,158	4,138	6,988
1985.....	487,453	668	194	82	122	348	574	1,080	1,972	3,950	6,807
1984.....	487,461	618	223	125	125	302	610	1,021	1,958	3,753	6,833
1983.....	494,841	658	231	106	129	358	558	1,056	1,936	3,684	6,557
1982.....	491,564	568	210	111	142	345	561	1,066	1,852	3,597	6,506
1981.....	496,590	532	207	105	129	314	611	1,026	1,890	3,573	6,592
1980.....	506,154	595	222	95	139	408	695	976	1,787	3,498	6,633
1979.....	496,676	535	174	89	136	346	632	1,002	1,763	3,459	6,669

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)											
TOTAL, FEMALE											
1998.....	501,741	458	137	80	103	177	331	588	1,046	2,083	3,465
1997.....	500,725	424	119	79	110	204	360	584	1,070	2,004	3,394
1996.....	503,646	432	137	94	111	201	272	561	1,097	2,049	3,324
1995.....	503,139	447	144	70	97	188	331	541	1,102	2,100	3,249
1994.....	495,675	429	164	87	112	174	324	617	1,203	2,061	3,195
1993.....	497,858	422	162	93	103	172	342	541	1,170	2,013	3,103
1992.....	476,675	410	171	68	88	150	320	610	1,094	1,792	3,036
1991.....	476,809	411	191	83	101	176	332	604	1,128	1,770	2,926
1990.....	475,482	448	174	78	113	161	322	610	1,087	1,613	2,675
1989.....	483,100	426	148	78	117	184	334	609	1,078	1,627	2,700
1988.....	500,850	476	205	93	86	182	372	688	1,020	1,695	2,691
1987.....	495,989	482	185	80	112	190	365	717	1,097	1,675	2,678
1986.....	494,949	492	202	88	106	194	393	715	1,064	1,678	2,666
1985.....	495,286	485	176	99	129	210	409	640	989	1,622	2,712
1984.....	490,710	518	194	103	125	220	414	645	964	1,567	2,647
1983.....	491,291	498	186	102	108	226	406	635	930	1,510	2,607
1982.....	480,988	393	164	116	134	205	432	631	956	1,520	2,572
1981.....	481,104	432	192	92	113	235	416	656	1,043	1,556	2,617
1980.....	487,194	446	193	105	124	277	433	662	967	1,516	2,658
1979.....	466,361	384	156	88	113	236	447	613	946	1,545	2,664
WHITE, BOTH SEXES											
1998.....	825,421	662	177	138	163	338	544	958	1,860	4,262	7,821
1997.....	830,975	670	188	113	186	380	552	922	2,034	4,176	7,747
1996.....	836,914	640	179	140	176	325	486	940	2,000	4,286	7,621
1995.....	837,810	669	201	120	149	319	503	918	2,166	4,459	7,809
1994.....	829,834	630	226	129	185	313	530	994	2,110	4,292	7,427
1993.....	836,486	633	239	120	173	337	526	980	2,170	4,151	7,449
1992.....	807,311	629	234	111	142	290	570	970	2,068	3,882	7,454
1991.....	809,736	617	257	125	154	339	555	1,055	2,032	3,803	7,295
1990.....	811,199	649	224	126	173	320	524	1,057	1,989	3,595	6,928
1989.....	824,384	647	222	117	160	301	563	1,075	2,108	3,694	6,895
1988.....	860,154	719	288	141	173	355	666	1,140	2,119	3,878	6,996
1987.....	857,461	803	263	146	166	351	632	1,202	2,122	3,906	7,246
1986.....	862,732	795	283	137	167	378	652	1,177	2,110	4,138	7,132
1985.....	873,192	800	241	135	178	385	688	1,161	1,972	3,984	7,088
1984.....	871,412	797	288	175	179	381	705	1,116	1,979	3,825	7,124
1983.....	879,320	790	302	155	173	420	668	1,155	1,952	3,801	6,899
1982.....	869,691	665	262	170	215	403	705	1,152	1,930	3,769	6,854
1981.....	874,304	678	284	159	173	395	711	1,103	2,051	3,764	6,929
1980.....	887,618	722	283	149	192	479	775	1,094	1,847	3,607	6,955
1979.....	862,872	608	226	144	189	434	767	1,067	1,909	3,650	7,061

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)											
WHITE MALE											
1998.....	386,119	365	87	89	91	219	328	582	1,207	2,924	5,710
1997.....	391,286	382	98	67	108	241	322	549	1,329	2,926	5,649
1996.....	394,482	349	101	69	100	200	305	605	1,320	3,021	5,591
1995.....	395,427	363	111	69	86	207	298	577	1,440	3,142	5,787
1994.....	393,643	355	124	64	102	205	325	599	1,371	3,018	5,480
1993.....	398,432	360	136	53	100	217	301	648	1,411	2,934	5,506
1992.....	387,392	362	119	68	77	187	356	587	1,401	2,786	5,606
1991.....	389,460	351	129	64	82	218	340	670	1,327	2,708	5,435
1990.....	391,468	362	105	71	100	213	328	654	1,338	2,624	5,225
1989.....	398,403	377	124	61	89	186	347	702	1,437	2,704	5,170
1988.....	417,074	409	142	66	114	236	402	701	1,479	2,852	5,261
1987.....	417,344	469	141	95	81	219	393	731	1,453	2,826	5,445
1986.....	423,196	465	147	74	92	244	399	719	1,465	3,093	5,327
1985.....	432,761	469	130	60	91	244	415	749	1,344	2,910	5,292
1984.....	433,972	436	154	91	90	224	422	697	1,369	2,815	5,350
1983.....	441,182	451	166	80	92	260	400	744	1,362	2,831	5,126
1982.....	439,273	409	148	83	110	262	413	747	1,329	2,744	5,117
1981.....	444,095	375	146	83	98	231	424	698	1,335	2,714	5,168
1980.....	452,139	426	147	74	104	289	479	681	1,236	2,603	5,189
1979.....	444,886	362	118	77	108	262	467	698	1,293	2,615	5,244
WHITE FEMALE											
1998.....	439,302	297	90	49	72	119	216	376	653	1,338	2,111
1997.....	439,689	288	90	46	78	139	230	373	705	1,250	2,098
1996.....	442,432	291	78	71	76	125	181	335	680	1,265	2,030
1995.....	442,383	306	90	51	63	112	205	341	726	1,317	2,022
1994.....	436,191	275	102	65	83	108	205	395	739	1,274	1,947
1993.....	438,054	273	103	67	73	120	225	332	759	1,217	1,943
1992.....	419,919	267	115	43	65	103	214	383	667	1,096	1,848
1991.....	420,276	266	128	61	72	121	215	385	705	1,095	1,860
1990.....	419,731	287	119	55	73	107	196	403	651	971	1,703
1989.....	425,981	270	98	56	71	115	216	373	671	990	1,725
1988.....	443,080	310	146	75	59	119	264	439	640	1,026	1,735
1987.....	440,117	334	122	51	85	132	239	471	669	1,080	1,801
1986.....	439,536	330	136	63	75	134	253	458	645	1,045	1,805
1985.....	440,431	331	111	75	87	141	273	412	628	1,074	1,796
1984.....	437,440	361	134	84	89	157	283	419	610	1,010	1,774
1983.....	438,138	339	136	75	81	160	268	411	590	970	1,773
1982.....	430,418	256	114	87	105	141	292	405	601	1,025	1,737
1981.....	430,209	303	138	76	75	164	287	405	716	1,050	1,761
1980.....	435,479	296	136	75	88	190	296	413	611	1,004	1,766
1979.....	417,986	246	108	67	81	172	300	369	616	1,035	1,817

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)											
ALL OTHER, BOTH SEXES											
1998.....	119,541	331	106	62	71	172	279	508	925	1,870	3,361
1997.....	117,437	288	94	55	69	146	327	496	892	1,864	3,288
1996.....	117,493	305	99	42	86	177	254	479	984	1,887	3,202
1995.....	117,781	298	126	45	77	177	328	485	996	1,957	3,248
1994.....	114,941	322	133	39	76	152	287	524	1,063	2,015	3,214
1993.....	115,724	312	122	58	65	141	293	541	1,028	1,933	3,140
1992.....	110,597	315	123	52	64	146	277	539	1,029	1,833	3,076
1991.....	110,746	322	151	50	63	137	288	533	1,001	1,864	2,861
1990.....	109,046	370	118	40	70	134	283	493	1,040	1,762	2,689
1989.....	111,773	319	119	49	77	143	271	507	1,038	1,768	2,641
1988.....	113,815	351	127	46	60	160	286	580	1,078	1,819	2,572
1987.....	110,973	334	130	49	65	142	301	567	1,074	1,773	2,496
1986.....	110,185	358	139	47	60	143	319	596	1,112	1,678	2,522
1985.....	109,547	353	129	46	73	173	295	559	989	1,588	2,431
1984.....	106,759	339	129	53	71	141	319	550	943	1,495	2,356
1983.....	106,812	366	115	53	64	164	296	536	914	1,393	2,265
1982.....	102,861	296	112	57	61	147	288	545	878	1,348	2,224
1981.....	103,390	286	115	38	69	154	316	579	882	1,365	2,280
1980.....	105,730	319	132	51	71	206	353	544	907	1,407	2,336
1979.....	100,165	311	104	33	60	148	312	548	800	1,354	2,272
ALL OTHER MALE											
1998.....	57,102	170	59	31	40	114	164	296	532	1,125	2,007
1997.....	56,401	152	65	22	37	81	197	285	527	1,110	1,992
1996.....	56,279	164	40	19	51	101	163	253	567	1,103	1,908
1995.....	57,025	157	72	26	43	101	202	285	620	1,174	2,021
1994.....	55,457	168	71	17	47	86	168	302	599	1,228	1,966
1993.....	55,920	163	63	32	35	89	176	332	617	1,137	1,980
1992.....	53,841	172	67	27	41	99	171	312	602	1,137	1,888
1991.....	54,213	177	88	28	34	82	171	314	578	1,189	1,795
1990.....	53,295	209	63	17	30	80	157	286	604	1,120	1,717
1989.....	54,654	163	69	27	31	74	153	271	631	1,131	1,666
1988.....	56,045	185	68	28	33	97	178	331	698	1,150	1,616
1987.....	55,101	186	67	20	38	84	175	321	646	1,178	1,619
1986.....	54,772	196	73	22	29	83	179	339	693	1,045	1,661
1985.....	54,692	199	64	22	31	104	159	331	628	1,040	1,515
1984.....	53,489	182	69	34	35	78	188	324	589	938	1,483
1983.....	53,659	207	65	26	37	98	158	312	574	853	1,431
1982.....	52,291	159	62	28	32	83	148	319	523	853	1,389
1981.....	52,495	157	61	22	31	83	187	328	555	859	1,424
1980.....	54,015	169	75	21	35	119	216	295	551	895	1,444
1979.....	51,790	173	56	12	28	84	165	304	470	844	1,425

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)											
ALL OTHER FEMALE											
1998.....	62,439	161	47	31	31	58	115	212	393	745	1,354
1997.....	61,036	136	29	33	32	65	130	211	365	754	1,296
1996.....	61,214	141	59	23	35	76	91	226	417	784	1,294
1995.....	60,756	141	54	19	34	76	126	200	376	783	1,227
1994.....	59,484	154	62	22	29	66	119	222	464	787	1,248
1993.....	59,804	149	59	26	30	52	117	209	411	796	1,160
1992.....	56,756	143	56	25	23	47	106	227	427	696	1,188
1991.....	56,533	145	63	22	29	55	117	219	423	675	1,066
1990.....	55,751	161	55	23	40	54	126	207	436	642	972
1989.....	57,119	156	50	22	46	69	118	236	407	637	975
1988.....	57,770	166	59	18	27	63	108	249	380	669	956
1987.....	55,872	148	63	29	27	58	126	246	428	595	877
1986.....	55,413	162	66	25	31	60	140	257	419	633	861
1985.....	54,855	154	65	24	42	69	136	228	361	548	916
1984.....	53,270	157	60	19	36	63	131	226	354	557	873
1983.....	53,153	159	50	27	27	66	138	224	340	540	834
1982.....	50,570	137	50	29	29	64	140	226	355	495	835
1981.....	50,895	129	54	16	38	71	129	251	327	506	856
1980.....	51,715	150	57	30	36	87	137	249	356	512	892
1979.....	48,375	138	48	21	32	64	147	244	330	510	847
BLACK, BOTH SEXES											
1998.....	104,203	285	88	55	63	153	244	465	845	1,693	3,095
1997.....	102,676	248	86	51	62	130	288	445	797	1,687	2,993
1996.....	103,245	265	83	36	73	163	230	440	896	1,715	2,922
1995.....	104,197	262	113	37	67	161	290	436	913	1,791	2,998
1994.....	101,853	285	120	33	66	135	252	481	971	1,846	2,939
1993.....	103,333	262	100	46	57	124	273	493	946	1,782	2,868
1992.....	98,925	286	110	43	55	132	247	495	940	1,699	2,838
1991.....	99,700	290	134	45	56	120	259	493	933	1,726	2,656
1990.....	98,734	322	104	32	61	123	260	446	963	1,625	2,488
1989.....	101,596	283	101	41	66	128	253	468	983	1,653	2,445
1988.....	104,161	310	110	41	53	154	267	540	1,014	1,711	2,399
1987.....	101,719	291	116	40	58	135	272	516	1,004	1,646	2,316
1986.....	101,610	325	121	39	54	128	288	552	1,045	1,567	2,368
1985.....	101,051	313	118	38	64	159	272	535	927	1,467	2,274
1984.....	98,849	309	110	48	62	135	285	516	872	1,399	2,204
1983.....	99,262	331	98	44	53	154	272	494	863	1,293	2,101
1982.....	95,782	250	102	50	55	129	276	507	813	1,266	2,077
1981.....	96,961	254	98	35	66	141	293	542	828	1,286	2,147
1980.....	99,189	293	117	45	61	191	326	513	862	1,316	2,200
1979.....	94,051	280	93	32	55	140	283	514	742	1,268	2,157

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)											
BLACK MALE											
1998.....	48,708	149	51	28	35	104	144	267	477	993	1,809
1997.....	48,279	132	62	22	36	75	174	254	460	992	1,801
1996.....	48,477	143	35	15	43	94	147	230	504	980	1,704
1995.....	49,514	140	68	20	39	92	174	254	562	1,053	1,844
1994.....	48,149	148	62	14	41	76	147	264	537	1,122	1,773
1993.....	48,970	131	50	24	32	78	162	298	558	1,032	1,787
1992.....	47,264	159	61	21	36	88	148	284	545	1,049	1,718
1991.....	47,963	155	78	25	30	71	153	292	532	1,091	1,656
1990.....	47,557	181	57	14	27	70	142	253	554	1,019	1,575
1989.....	48,847	141	59	24	27	67	143	252	594	1,060	1,525
1988.....	50,471	162	57	25	30	91	164	306	654	1,080	1,491
1987.....	49,605	158	63	17	35	79	158	282	598	1,080	1,495
1986.....	49,763	180	65	18	25	76	160	307	645	970	1,551
1985.....	49,763	175	58	17	28	99	144	312	584	964	1,414
1984.....	48,849	166	59	30	30	74	163	303	541	882	1,374
1983.....	49,212	184	56	23	32	90	147	281	535	784	1,310
1982.....	48,001	135	54	24	29	74	141	295	482	797	1,280
1981.....	48,653	139	53	21	30	77	173	305	522	805	1,341
1980.....	49,979	155	68	19	33	107	199	278	525	829	1,347
1979.....	48,033	154	50	12	27	81	146	288	432	785	1,349
BLACK FEMALE											
1998.....	55,495	136	37	27	28	49	100	198	368	700	1,286
1997.....	54,397	116	24	29	26	55	114	191	337	695	1,192
1996.....	54,768	122	48	21	30	69	83	210	392	735	1,218
1995.....	54,683	122	45	17	28	69	116	182	351	738	1,154
1994.....	53,704	137	58	19	25	59	105	217	434	724	1,166
1993.....	54,363	131	50	22	25	46	111	195	388	750	1,081
1992.....	51,661	127	49	22	19	44	99	211	395	650	1,120
1991.....	51,737	135	56	20	26	49	106	201	401	635	1,000
1990.....	51,177	141	47	18	34	53	118	193	409	606	913
1989.....	52,749	142	42	17	39	61	110	216	389	593	920
1988.....	53,690	148	53	16	23	63	103	234	360	631	908
1987.....	52,114	133	53	23	23	56	114	234	406	566	821
1986.....	51,847	145	56	21	29	52	128	245	400	597	817
1985.....	51,288	138	60	21	36	60	128	223	343	503	860
1984.....	50,000	143	51	18	32	61	122	213	331	517	830
1983.....	50,050	147	42	21	21	64	125	213	328	509	791
1982.....	47,781	115	48	26	26	55	135	212	331	469	797
1981.....	48,308	115	45	14	36	64	120	237	306	481	806
1980.....	49,210	138	49	26	28	84	127	235	337	487	853
1979.....	46,018	126	43	20	28	59	137	226	310	483	808

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
TOTAL, BOTH SEXES											
1998.....	4,792	2	1	1	3	8	25	38	44	78	117
1997.....	5,014	3	4	-	5	16	27	30	63	98	112
1996.....	5,006	9	7	2	2	16	16	37	44	92	117
1995.....	5,147	5	4	1	2	13	15	27	60	102	117
1994.....	5,415	6	6	7	15	13	20	29	73	85	119
1993.....	5,743	4	5	2	5	13	14	35	69	101	121
1992.....	5,702	2	7	2	4	13	23	41	60	86	136
1991.....	5,951	6	4	3	1	8	15	42	62	86	135
1990.....	6,018	7	2	4	4	16	19	36	66	109	144
1989.....	6,087	4	6	6	4	11	24	36	72	91	164
1988.....	6,421	6	4	2	8	16	38	40	70	111	111
1987.....	6,389	5	8	4	4	9	32	65	90	116	107
1986.....	6,441	5	2	2	4	14	38	53	85	103	145
1985.....	6,593	7	6	4	10	15	46	74	75	107	153
1984.....	6,912	5	9	4	8	23	48	51	90	99	179
1983.....	6,895	7	4	4	9	21	32	74	71	112	175
1982.....	7,053	6	7	8	7	24	39	63	77	98	163
1981.....	7,378	7	1	3	16	16	34	70	95	125	185
1980.....	7,836	4	6	6	17	31	55	61	92	136	205
1979.....	7,795	5	2	4	7	29	54	70	83	130	224
TOTAL, MALE											
1998.....	1,422	2	1	1	1	4	8	15	18	34	43
1997.....	1,553	-	3	-	2	12	12	14	33	32	40
1996.....	1,482	7	4	-	-	6	8	15	15	35	51
1995.....	1,534	3	3	1	1	5	6	9	29	43	48
1994.....	1,679	3	3	5	6	6	5	10	34	37	48
1993.....	1,790	2	3	-	1	6	8	18	31	44	52
1992.....	1,714	2	5	1	3	2	12	16	26	38	57
1991.....	1,786	1	3	3	1	4	8	16	22	32	69
1990.....	1,830	2	-	1	2	8	8	15	35	56	60
1989.....	1,877	2	3	4	1	3	7	16	35	32	77
1988.....	1,945	3	2	2	5	9	23	18	28	42	46
1987.....	1,934	3	2	4	3	5	10	25	41	58	44
1986.....	2,054	5	1	2	1	6	18	25	39	51	68
1985.....	2,142	4	6	2	4	9	23	35	38	43	65
1984.....	2,279	3	3	-	5	12	20	15	48	50	75
1983.....	2,199	5	3	1	7	15	15	40	35	48	71
1982.....	2,336	5	5	4	4	14	19	31	37	43	65
1981.....	2,469	2	1	1	7	9	22	27	39	48	79
1980.....	2,660	2	1	1	10	18	34	24	45	57	91
1979.....	2,651	3	1	1	6	19	29	31	38	58	102

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
TOTAL, FEMALE											
1998.....	3,370	-	-	-	2	4	17	23	26	44	74
1997.....	3,461	3	1	-	3	4	15	16	30	66	72
1996.....	3,524	2	3	2	2	10	8	22	29	57	66
1995.....	3,613	2	1	-	1	8	9	18	31	59	69
1994.....	3,736	3	3	2	9	7	15	19	39	48	71
1993.....	3,953	2	2	2	4	7	6	17	38	57	69
1992.....	3,988	-	2	1	1	11	11	25	34	48	79
1991.....	4,165	5	1	-	-	4	7	26	40	54	66
1990.....	4,188	5	2	3	2	8	11	21	31	53	84
1989.....	4,210	2	3	2	3	8	17	20	37	59	87
1988.....	4,476	3	2	-	3	7	15	22	42	69	65
1987.....	4,455	2	6	-	1	4	22	40	49	58	63
1986.....	4,387	-	1	-	3	8	20	28	46	52	77
1985.....	4,451	3	-	2	6	6	23	39	37	64	88
1984.....	4,633	2	6	4	3	11	28	36	42	49	104
1983.....	4,696	2	1	3	2	6	17	34	36	64	104
1982.....	4,717	1	2	4	3	10	20	32	40	55	98
1981.....	4,909	5	-	2	9	7	12	43	56	77	106
1980.....	5,176	2	5	5	7	13	21	37	47	79	114
1979.....	5,144	2	1	3	1	10	25	39	45	72	122
WHITE, BOTH SEXES											
1998.....	4,334	2	-	1	3	6	21	29	33	55	83
1997.....	4,547	3	4	-	2	13	14	18	50	64	73
1996.....	4,534	8	5	2	2	10	13	29	35	52	86
1995.....	4,661	4	1	1	-	8	12	19	38	70	85
1994.....	4,923	5	6	5	10	11	13	21	48	56	80
1993.....	5,231	4	3	1	5	9	11	23	43	68	83
1992.....	5,161	2	6	-	3	10	18	28	47	59	92
1991.....	5,426	5	3	3	-	5	9	31	52	56	99
1990.....	5,483	6	2	4	2	10	12	24	48	72	96
1989.....	5,523	4	6	6	1	9	17	27	47	58	114
1988.....	5,874	5	3	1	3	13	27	28	47	65	79
1987.....	5,875	5	5	2	-	7	18	43	59	80	76
1986.....	5,872	3	2	1	-	5	18	32	56	64	99
1985.....	6,026	6	4	3	7	8	31	49	48	71	115
1984.....	6,355	3	8	4	5	16	34	22	62	67	134
1983.....	6,341	3	4	3	6	12	17	44	47	88	126
1982.....	6,504	5	7	4	4	14	26	39	50	75	131
1981.....	6,798	4	1	1	12	8	22	43	69	97	144
1980.....	7,203	3	5	4	6	15	28	33	59	105	160
1979.....	7,195	5	2	2	5	14	35	37	60	98	181

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
WHITE MALE											
1998.....	1,288	2	-	1	1	2	6	11	16	26	33
1997.....	1,389	-	3	-	1	10	5	9	30	19	24
1996.....	1,331	6	4	-	-	2	7	12	11	27	38
1995.....	1,375	2	1	1	-	4	3	5	19	30	31
1994.....	1,513	3	3	4	4	6	4	8	17	23	35
1993.....	1,621	2	1	-	1	4	6	11	17	34	35
1992.....	1,537	2	4	-	3	1	9	10	21	29	43
1991.....	1,607	1	2	3	-	3	5	12	19	26	54
1990.....	1,655	2	-	1	1	4	6	11	27	39	43
1989.....	1,674	2	3	4	-	2	5	11	21	16	51
1988.....	1,746	2	2	1	1	8	14	10	19	26	33
1987.....	1,767	3	2	2	-	5	6	18	28	42	31
1986.....	1,842	3	1	1	-	4	10	14	24	33	47
1985.....	1,934	4	4	2	3	5	18	24	25	29	50
1984.....	2,087	3	3	-	3	7	17	5	33	34	58
1983.....	1,996	1	3	-	5	8	9	25	21	38	54
1982.....	2,133	5	5	2	3	9	11	21	24	34	54
1981.....	2,254	2	1	-	6	3	13	17	30	39	62
1980.....	2,424	2	1	1	6	9	15	12	35	46	71
1979.....	2,414	3	1	1	4	10	19	18	26	38	82
WHITE FEMALE											
1998.....	3,046	-	-	-	2	4	15	18	17	29	50
1997.....	3,158	3	1	-	1	3	9	9	20	45	49
1996.....	3,203	2	1	2	2	8	6	17	24	25	48
1995.....	3,286	2	-	-	-	4	9	14	19	40	54
1994.....	3,410	2	3	1	6	5	9	13	31	33	45
1993.....	3,610	2	2	1	4	5	5	12	26	34	48
1992.....	3,624	-	2	-	-	9	9	18	26	30	49
1991.....	3,819	4	1	-	-	2	4	19	33	30	45
1990.....	3,828	4	2	3	1	6	6	13	21	33	53
1989.....	3,849	2	3	2	1	7	12	16	26	42	63
1988.....	4,128	3	1	-	2	5	13	18	28	39	46
1987.....	4,108	2	3	-	-	2	12	25	31	38	45
1986.....	4,030	-	1	-	-	1	8	18	32	31	52
1985.....	4,092	2	-	1	4	3	13	25	23	42	65
1984.....	4,268	-	5	4	2	9	17	17	29	33	76
1983.....	4,345	2	1	3	1	4	8	19	26	50	72
1982.....	4,371	-	2	2	1	5	15	18	26	41	77
1981.....	4,544	2	-	1	6	5	9	26	39	58	82
1980.....	4,779	1	4	3	-	6	13	21	24	59	89
1979.....	4,781	2	1	1	1	4	16	19	34	60	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
ALL OTHER, BOTH SEXES											
1998.....	458	-	1	-	-	2	4	9	11	23	34
1997.....	467	-	-	-	3	3	13	12	13	34	39
1996.....	472	1	2	-	-	6	3	8	9	40	31
1995.....	486	1	3	-	2	5	3	8	22	32	32
1994.....	492	1	-	2	5	2	7	8	25	29	39
1993.....	512	-	2	1	-	4	3	12	26	33	38
1992.....	541	-	1	2	1	3	5	13	13	27	44
1991.....	525	1	1	-	1	3	6	11	10	30	36
1990.....	535	1	-	-	2	6	7	12	18	37	48
1989.....	564	-	-	-	3	2	7	9	25	33	50
1988.....	547	1	1	1	5	3	11	12	23	46	32
1987.....	514	-	3	2	4	2	14	22	31	36	31
1986.....	569	2	-	1	4	9	20	21	29	39	46
1985.....	567	1	2	1	3	7	15	25	27	36	38
1984.....	557	2	1	-	3	7	14	29	28	32	45
1983.....	554	4	-	1	3	9	15	30	24	24	49
1982.....	549	1	-	4	3	10	13	24	27	23	32
1981.....	580	3	-	2	4	8	12	27	26	28	41
1980.....	633	1	1	2	11	16	27	28	33	31	45
1979.....	600	-	-	2	2	15	19	33	23	32	43
ALL OTHER MALE											
1998.....	134	-	1	-	-	2	2	4	2	8	10
1997.....	164	-	-	-	1	2	7	5	3	13	16
1996.....	151	1	-	-	-	4	1	3	4	8	13
1995.....	159	1	2	-	1	1	3	4	10	13	17
1994.....	166	-	-	1	2	-	1	2	17	14	13
1993.....	169	-	2	-	-	2	2	7	14	10	17
1992.....	177	-	1	1	-	1	3	6	5	9	14
1991.....	179	-	1	-	1	1	3	4	3	6	15
1990.....	175	-	-	-	1	4	2	4	8	17	17
1989.....	203	-	-	-	1	1	2	5	14	16	26
1988.....	199	1	-	1	4	1	9	8	9	16	13
1987.....	167	-	-	2	3	-	4	7	13	16	13
1986.....	212	2	-	1	1	2	8	11	15	18	21
1985.....	208	-	2	-	1	4	5	11	13	14	15
1984.....	192	-	-	-	2	5	3	10	15	16	17
1983.....	203	4	-	1	2	7	6	15	14	10	17
1982.....	203	-	-	2	1	5	8	10	13	9	11
1981.....	215	-	-	1	1	6	9	10	9	9	17
1980.....	236	-	-	-	4	9	19	12	10	11	20
1979.....	237	-	-	-	2	9	10	13	12	20	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
ALL OTHER FEMALE											
1998.....	324	-	-	-	-	-	2	5	9	15	24
1997.....	303	-	-	-	2	1	6	7	10	21	23
1996.....	321	-	2	-	-	2	2	5	5	32	18
1995.....	327	-	1	-	1	4	-	4	12	19	15
1994.....	326	1	-	1	3	2	6	6	8	15	26
1993.....	343	-	-	1	-	2	1	5	12	23	21
1992.....	364	-	-	1	1	2	2	7	8	18	30
1991.....	346	1	-	-	-	2	3	7	7	24	21
1990.....	360	1	-	-	1	2	5	8	10	20	31
1989.....	361	-	-	-	2	1	5	4	11	17	24
1988.....	348	-	1	-	1	2	2	4	14	30	19
1987.....	347	-	3	-	1	2	10	15	18	20	18
1986.....	357	-	-	-	3	7	12	10	14	21	25
1985.....	359	1	-	1	2	3	10	14	14	22	23
1984.....	365	2	1	-	1	2	11	19	13	16	28
1983.....	351	-	-	-	1	2	9	15	10	14	32
1982.....	346	1	-	2	2	5	5	14	14	14	21
1981.....	365	3	-	1	3	2	3	17	17	19	24
1980.....	397	1	1	2	7	7	8	16	23	20	25
1979.....	363	-	-	2	-	6	9	20	11	12	23
BLACK, BOTH SEXES											
1998.....	356	-	-	-	-	2	4	8	11	20	28
1997.....	353	-	-	-	2	3	8	11	9	25	31
1996.....	355	1	2	-	-	6	3	6	8	33	28
1995.....	368	1	2	-	2	5	2	6	21	28	25
1994.....	370	1	-	2	5	1	3	7	19	23	28
1993.....	410	-	2	1	-	4	3	12	25	25	33
1992.....	431	-	-	2	1	3	4	11	11	24	37
1991.....	413	1	1	-	-	3	6	10	10	26	28
1990.....	436	1	-	-	2	5	6	7	16	34	40
1989.....	448	-	-	-	3	1	4	7	20	28	42
1988.....	426	-	1	1	3	3	8	10	17	37	27
1987.....	412	-	3	2	2	1	10	21	29	34	23
1986.....	470	2	-	1	3	8	15	18	21	33	42
1985.....	472	1	2	1	3	6	12	21	23	32	31
1984.....	458	2	-	-	2	7	11	26	25	26	34
1983.....	465	4	-	1	2	8	13	24	21	18	43
1982.....	458	-	-	4	2	7	9	20	21	16	26
1981.....	479	3	-	1	4	4	6	23	22	23	36
1980.....	556	1	1	2	9	14	22	23	27	27	37
1979.....	531	-	-	1	2	14	17	28	19	27	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)											
BLACK MALE											
1998.....	101	-	-	-	-	2	2	4	2	8	8
1997.....	124	-	-	-	1	2	5	5	2	10	13
1996.....	106	1	-	-	-	4	1	3	3	6	10
1995.....	123	1	2	-	1	1	2	3	10	12	12
1994.....	131	-	-	1	2	-	1	1	13	12	10
1993.....	133	-	2	-	-	2	2	7	13	7	14
1992.....	131	-	-	1	-	1	2	5	4	9	12
1991.....	138	-	1	-	-	1	3	3	3	5	11
1990.....	146	-	-	-	1	3	1	3	7	14	14
1989.....	168	-	-	-	1	1	-	4	12	14	22
1988.....	154	-	-	1	3	1	6	6	4	15	10
1987.....	132	-	-	2	2	-	3	7	12	16	11
1986.....	177	2	-	1	-	2	7	10	12	14	20
1985.....	174	-	2	-	1	4	3	10	12	12	13
1984.....	157	-	-	-	1	5	2	9	15	14	13
1983.....	166	4	-	1	1	6	6	11	13	7	15
1982.....	158	-	-	2	-	3	6	8	10	6	8
1981.....	173	-	-	1	1	4	4	8	9	6	16
1980.....	206	-	-	-	2	8	17	11	9	11	15
1979.....	211	-	-	-	2	9	8	11	9	17	18
BLACK FEMALE											
1998.....	255	-	-	-	-	-	2	4	9	12	20
1997.....	229	-	-	-	1	1	3	6	7	15	18
1996.....	249	-	2	-	-	2	2	3	5	27	18
1995.....	245	-	-	-	1	4	-	3	11	16	13
1994.....	239	1	-	1	3	1	2	6	6	11	18
1993.....	277	-	-	1	-	2	1	5	12	18	19
1992.....	300	-	-	1	1	2	2	6	7	15	25
1991.....	275	1	-	-	-	2	3	7	7	21	17
1990.....	290	1	-	-	1	2	5	4	9	20	26
1989.....	280	-	-	-	2	-	4	3	8	14	20
1988.....	272	-	1	-	-	2	2	4	13	22	17
1987.....	280	-	3	-	-	1	7	14	17	18	12
1986.....	293	-	-	-	3	6	8	8	9	19	22
1985.....	298	1	-	1	2	2	9	11	11	20	18
1984.....	301	2	-	-	1	2	9	17	10	12	21
1983.....	299	-	-	-	1	2	7	13	8	11	28
1982.....	300	-	-	2	2	4	3	12	11	10	18
1981.....	306	3	-	-	3	-	2	15	13	17	20
1980.....	350	1	1	2	7	6	5	12	18	16	22
1979.....	320	-	-	1	-	5	9	17	10	10	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE RHEUMATIC FEVER (390-392)											
TOTAL, BOTH SEXES											
1998.....	95	1	-	-	-	1	1	2	2	2	4
1997.....	85	-	-	-	1	-	2	1	3	2	6
1996.....	114	1	-	1	-	1	-	2	-	3	3
1995.....	159	2	-	-	1	2	-	3	2	6	4
1994.....	191	-	2	2	3	2	1	-	7	2	4
1993.....	153	-	1	1	1	1	1	4	5	7	4
1992.....	100	-	1	1	-	-	1	2	1	1	5
1991.....	89	1	-	-	-	-	-	-	1	2	3
1990.....	66	-	-	1	1	1	3	2	3	5	2
1989.....	70	-	-	-	2	2	2	2	2	5	6
1988.....	76	-	-	-	1	-	3	-	1	5	5
1987.....	42	-	-	-	-	-	1	-	-	1	1
1986.....	60	-	-	1	-	-	3	1	1	2	5
1985.....	56	2	1	-	-	-	1	3	-	1	2
1984.....	70	-	-	-	-	-	-	1	-	-	2
1983.....	87	-	-	-	1	2	3	1	3	3	4
1982.....	77	-	1	1	-	-	2	1	2	1	4
1981.....	96	-	-	1	3	1	-	3	-	3	5
1980.....	109	-	1	-	3	1	2	1	5	1	6
1979.....	114	1	-	1	-	2	2	2	1	2	5
TOTAL, MALE											
1998.....	37	1	-	-	-	-	-	-	1	2	1
1997.....	36	-	-	-	-	-	1	1	2	1	2
1996.....	49	1	-	-	-	-	-	1	-	1	2
1995.....	64	2	-	-	-	-	-	1	1	4	2
1994.....	98	-	2	2	2	2	1	-	5	2	1
1993.....	70	-	1	-	-	-	-	3	2	1	3
1992.....	49	-	1	-	-	-	1	2	-	1	3
1991.....	40	-	-	-	-	-	-	-	1	1	2
1990.....	32	-	-	-	-	-	3	2	2	2	-
1989.....	26	-	-	-	-	-	-	2	1	2	2
1988.....	36	-	-	-	1	-	2	-	1	4	3
1987.....	24	-	-	-	-	-	1	-	-	1	1
1986.....	33	-	-	1	-	-	1	-	-	2	5
1985.....	33	1	1	-	-	-	1	2	-	-	1
1984.....	31	-	-	-	-	-	-	-	-	-	1
1983.....	30	-	-	-	1	2	2	-	3	1	-
1982.....	40	-	1	1	-	-	1	-	1	-	1
1981.....	53	-	-	1	2	-	-	2	-	1	3
1980.....	65	-	1	-	2	1	2	-	4	1	6
1979.....	57	-	-	1	-	2	2	-	1	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE RHEUMATIC FEVER (390-392)											
TOTAL, FEMALE											
1998.....	58	-	-	-	-	1	1	2	1	-	3
1997.....	49	-	-	-	1	-	1	-	1	1	4
1996.....	65	-	-	1	-	1	-	1	-	2	1
1995.....	95	-	-	-	1	2	-	2	1	2	2
1994.....	93	-	-	-	1	-	-	-	2	-	3
1993.....	83	-	-	1	1	1	1	1	3	6	1
1992.....	51	-	-	1	-	-	-	-	1	-	2
1991.....	49	1	-	-	-	-	-	-	-	1	1
1990.....	34	-	-	1	1	1	-	-	1	3	2
1989.....	44	-	-	-	2	2	2	-	1	3	4
1988.....	40	-	-	-	-	-	1	-	-	1	2
1987.....	18	-	-	-	-	-	-	-	-	-	-
1986.....	27	-	-	-	-	-	2	1	1	-	-
1985.....	23	1	-	-	-	-	-	1	-	1	1
1984.....	39	-	-	-	-	-	-	1	-	-	1
1983.....	57	-	-	-	-	-	1	1	-	2	4
1982.....	37	-	-	-	-	-	1	1	1	1	3
1981.....	43	-	-	-	1	1	-	1	-	2	2
1980.....	44	-	-	-	1	-	-	1	1	-	-
1979.....	57	1	-	-	-	-	-	2	-	2	2
WHITE, BOTH SEXES											
1998.....	84	1	-	-	-	1	1	2	2	2	3
1997.....	69	-	-	-	-	-	1	1	2	2	1
1996.....	97	1	-	1	-	1	-	1	-	1	2
1995.....	131	2	-	-	-	1	-	3	1	5	2
1994.....	161	-	2	1	1	2	1	-	2	-	3
1993.....	134	-	-	1	1	-	1	1	4	6	2
1992.....	84	-	-	-	-	-	-	2	-	1	3
1991.....	78	1	-	-	-	-	-	-	1	-	2
1990.....	52	-	-	1	-	-	3	2	2	3	1
1989.....	61	-	-	-	1	1	1	2	2	2	4
1988.....	63	-	-	-	-	-	2	-	1	3	3
1987.....	39	-	-	-	-	-	1	-	-	1	1
1986.....	44	-	-	-	-	-	1	1	1	-	1
1985.....	46	1	-	-	-	-	1	2	-	1	1
1984.....	64	-	-	-	-	-	-	-	-	-	2
1983.....	73	-	-	-	1	1	2	1	1	2	3
1982.....	69	-	1	-	-	-	2	1	2	1	2
1981.....	83	-	-	-	3	1	-	2	-	3	3
1980.....	91	-	1	-	1	-	1	-	5	-	3
1979.....	99	1	-	1	-	2	2	1	1	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE RHEUMATIC FEVER (390-392)											
WHITE MALE											
1998.....	33	1	-	-	-	-	-	-	1	2	1
1997.....	33	-	-	-	-	-	1	1	2	1	1
1996.....	42	1	-	-	-	-	-	1	-	1	2
1995.....	53	2	-	-	-	-	-	1	-	3	1
1994.....	80	-	2	1	1	2	1	-	1	-	1
1993.....	60	-	-	-	-	-	-	1	1	1	2
1992.....	41	-	-	-	-	-	-	2	-	1	2
1991.....	35	-	-	-	-	-	-	-	1	-	1
1990.....	26	-	-	-	-	-	3	2	2	1	-
1989.....	24	-	-	-	-	-	-	2	1	1	1
1988.....	29	-	-	-	-	-	1	-	1	3	2
1987.....	23	-	-	-	-	-	1	-	-	1	1
1986.....	20	-	-	-	-	-	-	-	-	-	1
1985.....	29	1	-	-	-	-	1	2	-	-	1
1984.....	29	-	-	-	-	-	-	-	-	-	1
1983.....	24	-	-	-	1	1	2	-	1	1	-
1982.....	35	-	1	-	-	-	1	-	1	-	-
1981.....	43	-	-	-	2	-	-	2	-	1	2
1980.....	52	-	1	-	1	-	1	-	4	-	3
1979.....	48	-	-	1	-	2	2	-	1	-	3
WHITE FEMALE											
1998.....	51	-	-	-	-	1	1	2	1	-	2
1997.....	36	-	-	-	-	-	-	-	-	1	-
1996.....	55	-	-	1	-	1	-	-	-	-	-
1995.....	78	-	-	-	-	1	-	2	1	2	1
1994.....	81	-	-	-	-	-	-	-	1	-	2
1993.....	74	-	-	1	1	-	1	-	3	5	-
1992.....	43	-	-	-	-	-	-	-	-	-	1
1991.....	43	1	-	-	-	-	-	-	-	-	1
1990.....	26	-	-	1	-	-	-	-	-	2	1
1989.....	37	-	-	-	1	1	1	-	1	1	3
1988.....	34	-	-	-	-	-	1	-	-	-	1
1987.....	16	-	-	-	-	-	-	-	-	-	-
1986.....	24	-	-	-	-	-	1	1	1	-	-
1985.....	17	-	-	-	-	-	-	-	-	1	-
1984.....	35	-	-	-	-	-	-	-	-	-	1
1983.....	49	-	-	-	-	-	-	1	-	1	3
1982.....	34	-	-	-	-	-	1	1	1	1	2
1981.....	40	-	-	-	1	1	-	-	-	2	1
1980.....	39	-	-	-	-	-	-	-	1	-	-
1979.....	51	1	-	-	-	-	-	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ACUTE RHEUMATIC FEVER (390-392)												
ALL OTHER FEMALE												
1998.....	7	-	-	-	-	-	-	-	-	-	1	
1997.....	13	-	-	-	1	-	1	-	1	-	4	
1996.....	10	-	-	-	-	-	-	1	-	2	1	
1995.....	17	-	-	-	1	1	-	-	-	-	1	
1994.....	12	-	-	-	1	-	-	-	1	-	1	
1993.....	9	-	-	-	-	1	-	1	-	1	1	
1992.....	8	-	-	1	-	-	-	-	1	-	1	
1991.....	6	-	-	-	-	-	-	-	-	1	-	
1990.....	8	-	-	-	1	1	-	-	1	1	1	
1989.....	7	-	-	-	1	1	1	-	-	2	1	
1988.....	6	-	-	-	-	-	-	-	-	1	1	
1987.....	2	-	-	-	-	-	-	-	-	-	-	
1986.....	3	-	-	-	-	-	1	-	-	-	-	
1985.....	6	1	-	-	-	-	-	1	-	-	1	
1984.....	4	-	-	-	-	-	-	1	-	-	-	
1983.....	8	-	-	-	-	-	1	-	-	1	1	
1982.....	3	-	-	-	-	-	-	-	-	-	1	
1981.....	3	-	-	-	-	-	-	1	-	-	1	
1980.....	5	-	-	-	1	-	-	1	-	-	-	
1979.....	6	-	-	-	-	-	-	1	-	1	1	
BLACK, BOTH SEXES												
1998.....	8	-	-	-	-	-	-	-	-	-	1	
1997.....	13	-	-	-	-	-	-	-	1	-	5	
1996.....	13	-	-	-	-	-	-	-	-	2	1	
1995.....	28	-	-	-	1	1	-	-	1	1	2	
1994.....	26	-	-	1	2	-	-	-	5	2	-	
1993.....	18	-	1	-	-	1	-	3	1	1	2	
1992.....	14	-	-	1	-	-	1	-	1	-	2	
1991.....	11	-	-	-	-	-	-	-	-	2	1	
1990.....	14	-	-	-	1	1	-	-	1	2	1	
1989.....	8	-	-	-	1	-	1	-	-	3	2	
1988.....	11	-	-	-	-	-	1	-	-	2	2	
1987.....	3	-	-	-	-	-	-	-	-	-	-	
1986.....	15	-	-	1	-	-	2	-	-	2	4	
1985.....	10	1	1	-	-	-	-	1	-	-	1	
1984.....	4	-	-	-	-	-	-	1	-	-	-	
1983.....	13	-	-	-	-	1	-	-	2	1	1	
1982.....	7	-	-	1	-	-	-	-	-	-	2	
1981.....	10	-	-	1	-	-	-	1	-	-	2	
1980.....	15	-	-	-	1	1	1	1	-	1	2	
1979.....	15	-	-	-	-	-	-	1	-	1	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE RHEUMATIC FEVER (390-392)											
BLACK MALE											
1998.....	4	-	-	-	-	-	-	-	-	-	-
1997.....	3	-	-	-	-	-	-	-	-	-	1
1996.....	5	-	-	-	-	-	-	-	-	-	-
1995.....	11	-	-	-	-	-	-	-	1	1	1
1994.....	17	-	-	1	1	-	-	-	4	2	-
1993.....	9	-	1	-	-	-	-	2	1	-	1
1992.....	6	-	-	-	-	-	1	-	-	-	1
1991.....	5	-	-	-	-	-	-	-	-	1	1
1990.....	6	-	-	-	-	-	-	-	-	1	-
1989.....	2	-	-	-	-	-	-	-	-	1	1
1988.....	5	-	-	-	-	-	1	-	-	1	1
1987.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	12	-	-	1	-	-	1	-	-	2	4
1985.....	4	-	1	-	-	-	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	6	-	-	-	-	1	-	-	2	-	-
1982.....	4	-	-	1	-	-	-	-	-	-	1
1981.....	7	-	-	1	-	-	-	-	-	-	1
1980.....	11	-	-	-	-	1	1	-	-	1	2
1979.....	9	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1998.....	4	-	-	-	-	-	-	-	-	-	1
1997.....	10	-	-	-	-	-	-	-	1	-	4
1996.....	8	-	-	-	-	-	-	-	-	2	1
1995.....	17	-	-	-	1	1	-	-	-	-	1
1994.....	9	-	-	-	1	-	-	-	1	-	-
1993.....	9	-	-	-	-	1	-	1	-	1	1
1992.....	8	-	-	1	-	-	-	-	1	-	1
1991.....	6	-	-	-	-	-	-	-	-	1	-
1990.....	8	-	-	-	1	1	-	-	1	1	1
1989.....	6	-	-	-	1	-	1	-	-	2	1
1988.....	6	-	-	-	-	-	-	-	-	1	1
1987.....	2	-	-	-	-	-	-	-	-	-	-
1986.....	3	-	-	-	-	-	1	-	-	-	-
1985.....	6	1	-	-	-	-	-	1	-	-	1
1984.....	2	-	-	-	-	-	-	1	-	-	-
1983.....	7	-	-	-	-	-	-	-	-	1	1
1982.....	3	-	-	-	-	-	-	-	-	-	1
1981.....	3	-	-	-	-	-	-	1	-	-	1
1980.....	4	-	-	-	1	-	-	1	-	-	-
1979.....	6	-	-	-	-	-	-	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)											
TOTAL, BOTH SEXES											
1998.....	4,697	1	1	1	3	7	24	36	42	76	113
1997.....	4,929	3	4	-	4	16	25	29	60	96	106
1996.....	4,892	8	7	1	2	15	16	35	44	89	114
1995.....	4,988	3	4	1	1	11	15	24	58	96	113
1994.....	5,224	6	4	5	12	11	19	29	66	83	115
1993.....	5,590	4	4	1	4	12	13	31	64	94	117
1992.....	5,602	2	6	1	4	13	22	39	59	85	131
1991.....	5,862	5	4	3	1	8	15	42	61	84	132
1990.....	5,952	7	2	3	3	15	16	34	63	104	142
1989.....	6,017	4	6	6	2	9	22	34	70	86	158
1988.....	6,345	6	4	2	7	16	35	40	69	106	106
1987.....	6,347	5	8	4	4	9	31	65	90	115	106
1986.....	6,381	5	2	1	4	14	35	52	84	101	140
1985.....	6,537	5	5	4	10	15	45	71	75	106	151
1984.....	6,842	5	9	4	8	23	48	50	90	99	177
1983.....	6,808	7	4	4	8	19	29	73	68	109	171
1982.....	6,976	6	6	7	7	24	37	62	75	97	159
1981.....	7,282	7	1	2	13	15	34	67	95	122	180
1980.....	7,727	4	5	6	14	30	53	60	87	135	199
1979.....	7,681	4	2	3	7	27	52	68	82	128	219
TOTAL, MALE											
1998.....	1,385	1	1	1	1	4	8	15	17	32	42
1997.....	1,517	-	3	-	2	12	11	13	31	31	38
1996.....	1,433	6	4	-	-	6	8	14	15	34	49
1995.....	1,470	1	3	1	1	5	6	8	28	39	46
1994.....	1,581	3	1	3	4	4	4	10	29	35	47
1993.....	1,720	2	2	-	1	6	8	15	29	43	49
1992.....	1,665	2	4	1	3	2	11	14	26	37	54
1991.....	1,746	1	3	3	1	4	8	16	21	31	67
1990.....	1,798	2	-	1	2	8	5	13	33	54	60
1989.....	1,851	2	3	4	1	3	7	14	34	30	75
1988.....	1,909	3	2	2	4	9	21	18	27	38	43
1987.....	1,910	3	2	4	3	5	9	25	41	57	43
1986.....	2,021	5	1	1	1	6	17	25	39	49	63
1985.....	2,109	3	5	2	4	9	22	33	38	43	64
1984.....	2,248	3	3	-	5	12	20	15	48	50	74
1983.....	2,169	5	3	1	6	13	13	40	32	47	71
1982.....	2,296	5	4	3	4	14	18	31	36	43	64
1981.....	2,416	2	1	-	5	9	22	25	39	47	76
1980.....	2,595	2	-	1	8	17	32	24	41	56	85
1979.....	2,594	3	1	-	6	17	27	31	37	58	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)											
TOTAL, FEMALE											
1998.....	3,312	-	-	-	2	3	16	21	25	44	71
1997.....	3,412	3	1	-	2	4	14	16	29	65	68
1996.....	3,459	2	3	1	2	9	8	21	29	55	65
1995.....	3,518	2	1	-	-	6	9	16	30	57	67
1994.....	3,643	3	3	2	8	7	15	19	37	48	68
1993.....	3,870	2	2	1	3	6	5	16	35	51	68
1992.....	3,937	-	2	-	1	11	11	25	33	48	77
1991.....	4,116	4	1	-	-	4	7	26	40	53	65
1990.....	4,154	5	2	2	1	7	11	21	30	50	82
1989.....	4,166	2	3	2	1	6	15	20	36	56	83
1988.....	4,436	3	2	-	3	7	14	22	42	68	63
1987.....	4,437	2	6	-	1	4	22	40	49	58	63
1986.....	4,360	-	1	-	3	8	18	27	45	52	77
1985.....	4,428	2	-	2	6	6	23	38	37	63	87
1984.....	4,594	2	6	4	3	11	28	35	42	49	103
1983.....	4,639	2	1	3	2	6	16	33	36	62	100
1982.....	4,680	1	2	4	3	10	19	31	39	54	95
1981.....	4,866	5	-	2	8	6	12	42	56	75	104
1980.....	5,132	2	5	5	6	13	21	36	46	79	114
1979.....	5,087	1	1	3	1	10	25	37	45	70	120
WHITE, BOTH SEXES											
1998.....	4,250	1	-	1	3	5	20	27	31	53	80
1997.....	4,478	3	4	-	2	13	13	17	48	62	72
1996.....	4,437	7	5	1	2	9	13	28	35	51	84
1995.....	4,530	2	1	1	-	7	12	16	37	65	83
1994.....	4,762	5	4	4	9	9	12	21	46	56	77
1993.....	5,097	4	3	-	4	9	10	22	39	62	81
1992.....	5,077	2	6	-	3	10	18	26	47	58	89
1991.....	5,348	4	3	3	-	5	9	31	51	56	97
1990.....	5,431	6	2	3	2	10	9	22	46	69	95
1989.....	5,462	4	6	6	2	8	16	25	45	56	110
1988.....	5,811	5	3	1	3	13	25	28	46	62	76
1987.....	5,836	5	5	2	-	7	17	43	59	79	75
1986.....	5,828	3	2	1	-	5	17	31	55	64	98
1985.....	5,980	5	4	3	7	8	30	47	48	70	114
1984.....	6,291	3	8	4	5	16	34	22	62	67	132
1983.....	6,268	3	4	3	5	11	15	43	46	86	123
1982.....	6,435	5	6	4	4	14	24	38	48	74	129
1981.....	6,715	4	1	1	9	7	22	41	69	94	141
1980.....	7,112	3	4	4	5	15	27	33	54	105	157
1979.....	7,096	4	2	1	5	12	33	36	59	97	177

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)											
WHITE MALE											
1998.....	1,255	1	-	1	1	2	6	11	15	24	32
1997.....	1,356	-	3	-	1	10	4	8	28	18	23
1996.....	1,289	5	4	-	-	2	7	11	11	26	36
1995.....	1,322	-	1	1	-	4	3	4	19	27	30
1994.....	1,433	3	1	3	3	4	3	8	16	23	34
1993.....	1,561	2	1	-	1	4	6	10	16	33	33
1992.....	1,496	2	4	-	3	1	9	8	21	28	41
1991.....	1,572	1	2	3	-	3	5	12	18	26	53
1990.....	1,629	2	-	1	1	4	3	9	25	38	43
1989.....	1,650	2	3	4	-	2	5	9	20	15	50
1988.....	1,717	2	2	1	1	8	13	10	18	23	31
1987.....	1,744	3	2	2	-	5	5	18	28	41	30
1986.....	1,822	3	1	1	-	4	10	14	24	33	46
1985.....	1,905	3	4	2	3	5	17	22	25	29	49
1984.....	2,058	3	3	-	3	7	17	5	33	34	57
1983.....	1,972	1	3	-	4	7	7	25	20	37	54
1982.....	2,098	5	4	2	3	9	10	21	23	34	54
1981.....	2,211	2	1	-	4	3	13	15	30	38	60
1980.....	2,372	2	-	1	5	9	14	12	31	46	68
1979.....	2,366	3	1	-	4	8	17	18	25	38	79
WHITE FEMALE											
1998.....	2,995	-	-	-	2	3	14	16	16	29	48
1997.....	3,122	3	1	-	1	3	9	9	20	44	49
1996.....	3,148	2	1	1	2	7	6	17	24	25	48
1995.....	3,208	2	-	-	-	3	9	12	18	38	53
1994.....	3,329	2	3	1	6	5	9	13	30	33	43
1993.....	3,536	2	2	-	3	5	4	12	23	29	48
1992.....	3,581	-	2	-	-	9	9	18	26	30	48
1991.....	3,776	3	1	-	-	2	4	19	33	30	44
1990.....	3,802	4	2	2	1	6	6	13	21	31	52
1989.....	3,812	2	3	2	-	6	11	16	25	41	60
1988.....	4,094	3	1	-	2	5	12	18	28	39	45
1987.....	4,092	2	3	-	-	2	12	25	31	38	45
1986.....	4,006	-	1	-	-	1	7	17	31	31	52
1985.....	4,075	2	-	1	4	3	13	25	23	41	65
1984.....	4,233	-	5	4	2	9	17	17	29	33	75
1983.....	4,296	2	1	3	1	4	8	18	26	49	69
1982.....	4,337	-	2	2	1	5	14	17	25	40	75
1981.....	4,504	2	-	1	5	4	9	26	39	56	81
1980.....	4,740	1	4	3	-	6	13	21	23	59	89
1979.....	4,730	1	1	1	1	4	16	18	34	59	98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)											
ALL OTHER, BOTH SEXES											
1998.....	447	-	1	-	-	2	4	9	11	23	33
1997.....	451	-	-	-	2	3	12	12	12	34	34
1996.....	455	1	2	-	-	6	3	7	9	38	30
1995.....	458	1	3	-	1	4	3	8	21	31	30
1994.....	462	1	-	1	3	2	7	8	20	27	38
1993.....	493	-	1	1	-	3	3	9	25	32	36
1992.....	525	-	-	1	1	3	4	13	12	27	42
1991.....	514	1	1	-	1	3	6	11	10	28	35
1990.....	521	1	-	-	1	5	7	12	17	35	47
1989.....	555	-	-	-	2	1	6	9	25	30	48
1988.....	534	1	1	1	4	3	10	12	23	44	30
1987.....	511	-	3	2	4	2	14	22	31	36	31
1986.....	553	2	-	-	4	9	18	21	29	37	42
1985.....	557	-	1	1	3	7	15	24	27	36	37
1984.....	551	2	1	-	3	7	14	28	28	32	45
1983.....	540	4	-	1	3	8	14	30	22	23	48
1982.....	541	1	-	3	3	10	13	24	27	23	30
1981.....	567	3	-	1	4	8	12	26	26	28	39
1980.....	615	1	1	2	9	15	26	27	33	30	42
1979.....	585	-	-	2	2	15	19	32	23	31	42
ALL OTHER MALE											
1998.....	130	-	1	-	-	2	2	4	2	8	10
1997.....	161	-	-	-	1	2	7	5	3	13	15
1996.....	144	1	-	-	-	4	1	3	4	8	13
1995.....	148	1	2	-	1	1	3	4	9	12	16
1994.....	148	-	-	-	1	-	1	2	13	12	13
1993.....	159	-	1	-	-	2	2	5	13	10	16
1992.....	169	-	-	1	-	1	2	6	5	9	13
1991.....	174	-	1	-	1	1	3	4	3	5	14
1990.....	169	-	-	-	1	4	2	4	8	16	17
1989.....	201	-	-	-	1	1	2	5	14	15	25
1988.....	192	1	-	1	3	1	8	8	9	15	12
1987.....	166	-	-	2	3	-	4	7	13	16	13
1986.....	199	2	-	-	1	2	7	11	15	16	17
1985.....	204	-	1	-	1	4	5	11	13	14	15
1984.....	190	-	-	-	2	5	3	10	15	16	17
1983.....	197	4	-	1	2	6	6	15	12	10	17
1982.....	198	-	-	1	1	5	8	10	13	9	10
1981.....	205	-	-	-	1	6	9	10	9	9	16
1980.....	223	-	-	-	3	8	18	12	10	10	17
1979.....	228	-	-	-	2	9	10	13	12	20	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)											
ALL OTHER FEMALE											
1998.....	317	-	-	-	-	-	2	5	9	15	23
1997.....	290	-	-	-	1	1	5	7	9	21	19
1996.....	311	-	2	-	-	2	2	4	5	30	17
1995.....	310	-	1	-	-	3	-	4	12	19	14
1994.....	314	1	-	1	2	2	6	6	7	15	25
1993.....	334	-	-	1	-	1	1	4	12	22	20
1992.....	356	-	-	-	1	2	2	7	7	18	29
1991.....	340	1	-	-	-	2	3	7	7	23	21
1990.....	352	1	-	-	-	1	5	8	9	19	30
1989.....	354	-	-	-	1	-	4	4	11	15	23
1988.....	342	-	1	-	1	2	2	4	14	29	18
1987.....	345	-	3	-	1	2	10	15	18	20	18
1986.....	354	-	-	-	3	7	11	10	14	21	25
1985.....	353	-	-	1	2	3	10	13	14	22	22
1984.....	361	2	1	-	1	2	11	18	13	16	28
1983.....	343	-	-	-	1	2	8	15	10	13	31
1982.....	343	1	-	2	2	5	5	14	14	14	20
1981.....	362	3	-	1	3	2	3	16	17	19	23
1980.....	392	1	1	2	6	7	8	15	23	20	25
1979.....	357	-	-	2	-	6	9	19	11	11	22
BLACK, BOTH SEXES											
1998.....	348	-	-	-	-	2	4	8	11	20	27
1997.....	340	-	-	-	2	3	8	11	8	25	26
1996.....	342	1	2	-	-	6	3	6	8	31	27
1995.....	340	1	2	-	1	4	2	6	20	27	23
1994.....	344	1	-	1	3	1	3	7	14	21	28
1993.....	392	-	1	1	-	3	3	9	24	24	31
1992.....	417	-	-	1	1	3	3	11	10	24	35
1991.....	402	1	1	-	-	3	6	10	10	24	27
1990.....	422	1	-	-	1	4	6	7	15	32	39
1989.....	440	-	-	-	2	1	3	7	20	25	40
1988.....	415	-	1	1	3	3	7	10	17	35	25
1987.....	409	-	3	2	2	1	10	21	29	34	23
1986.....	455	2	-	-	3	8	13	18	21	31	38
1985.....	462	-	1	1	3	6	12	20	23	32	30
1984.....	454	2	-	-	2	7	11	25	25	26	34
1983.....	452	4	-	1	2	7	13	24	19	17	42
1982.....	451	-	-	3	2	7	9	20	21	16	24
1981.....	469	3	-	-	4	4	6	22	22	23	34
1980.....	541	1	1	2	8	13	21	22	27	26	35
1979.....	516	-	-	1	2	14	17	27	19	26	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)											
BLACK MALE											
1998.....	97	-	-	-	-	2	2	4	2	8	8
1997.....	121	-	-	-	1	2	5	5	2	10	12
1996.....	101	1	-	-	-	4	1	3	3	6	10
1995.....	112	1	2	-	1	1	2	3	9	11	11
1994.....	114	-	-	-	1	-	1	1	9	10	10
1993.....	124	-	1	-	-	2	2	5	12	7	13
1992.....	125	-	-	1	-	1	1	5	4	9	11
1991.....	133	-	1	-	-	1	3	3	3	4	10
1990.....	140	-	-	-	1	3	1	3	7	13	14
1989.....	166	-	-	-	1	1	-	4	12	13	21
1988.....	149	-	-	1	3	1	5	6	4	14	9
1987.....	131	-	-	2	2	-	3	7	12	16	11
1986.....	165	2	-	-	-	2	6	10	12	12	16
1985.....	170	-	1	-	1	4	3	10	12	12	13
1984.....	155	-	-	-	1	5	2	9	15	14	13
1983.....	160	4	-	1	1	5	6	11	11	7	15
1982.....	154	-	-	1	-	3	6	8	10	6	7
1981.....	166	-	-	-	1	4	4	8	9	6	15
1980.....	195	-	-	-	2	7	16	11	9	10	13
1979.....	202	-	-	-	2	9	8	11	9	17	18
BLACK FEMALE											
1998.....	251	-	-	-	-	-	2	4	9	12	19
1997.....	219	-	-	-	1	1	3	6	6	15	14
1996.....	241	-	2	-	-	2	2	3	5	25	17
1995.....	228	-	-	-	-	3	-	3	11	16	12
1994.....	230	1	-	1	2	1	2	6	5	11	18
1993.....	268	-	-	1	-	1	1	4	12	17	18
1992.....	292	-	-	-	1	2	2	6	6	15	24
1991.....	269	1	-	-	-	2	3	7	7	20	17
1990.....	282	1	-	-	-	1	5	4	8	19	25
1989.....	274	-	-	-	1	-	3	3	8	12	19
1988.....	266	-	1	-	-	2	2	4	13	21	16
1987.....	278	-	3	-	-	1	7	14	17	18	12
1986.....	290	-	-	-	3	6	7	8	9	19	22
1985.....	292	-	-	1	2	2	9	10	11	20	17
1984.....	299	2	-	-	1	2	9	16	10	12	21
1983.....	292	-	-	-	1	2	7	13	8	10	27
1982.....	297	-	-	2	2	4	3	12	11	10	17
1981.....	303	3	-	-	3	-	2	14	13	17	19
1980.....	346	1	1	2	6	6	5	11	18	16	22
1979.....	314	-	-	1	-	5	9	16	10	9	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DISEASES OF MITRAL VALVE (394)												
TOTAL, BOTH SEXES												
1998.....	2,486	1	1	1	2	4	21	32	32	50	78	
1997.....	2,530	1	4	-	3	13	17	25	51	66	67	
1996.....	2,347	6	4	1	2	12	13	25	35	57	84	
1995.....	2,458	2	3	-	1	9	11	21	41	66	74	
1994.....	2,560	5	1	5	8	8	17	17	49	62	70	
1993.....	2,686	3	2	1	4	7	11	24	49	58	77	
1992.....	2,668	-	3	1	1	11	19	32	36	56	71	
1991.....	2,690	3	4	1	-	2	9	29	41	49	74	
1990.....	2,690	3	1	3	2	7	13	23	39	58	64	
1989.....	2,748	1	4	6	2	6	15	19	46	45	80	
1988.....	2,974	2	3	-	6	13	18	27	45	53	54	
1987.....	2,943	4	4	2	2	6	20	34	53	56	54	
1986.....	2,868	1	-	-	-	8	23	30	45	54	55	
1985.....	2,935	1	5	2	6	8	26	41	38	54	81	
1984.....	3,037	3	5	4	3	13	30	31	43	47	95	
1983.....	2,994	2	4	2	4	10	12	35	33	52	76	
1982.....	2,928	2	4	5	4	13	23	30	33	47	71	
1981.....	2,925	2	-	1	6	11	12	32	48	52	72	
1980.....	3,078	1	-	3	8	14	25	18	39	57	85	
1979.....	2,934	2	-	3	3	10	16	29	32	53	94	
TOTAL, MALE												
1998.....	726	1	1	1	-	1	6	13	11	21	23	
1997.....	772	-	3	-	2	10	5	11	25	17	20	
1996.....	662	6	2	-	-	5	6	9	11	21	33	
1995.....	702	-	2	-	1	3	3	6	19	22	24	
1994.....	778	2	-	3	4	3	3	4	16	26	24	
1993.....	797	2	1	-	1	2	7	10	18	24	28	
1992.....	749	-	1	1	1	1	9	9	12	21	22	
1991.....	754	1	3	1	-	1	5	9	12	16	31	
1990.....	740	1	-	1	1	3	2	6	20	26	27	
1989.....	791	-	3	4	1	2	4	6	22	9	30	
1988.....	837	1	2	-	3	7	7	10	13	20	18	
1987.....	780	2	1	2	1	4	3	13	15	24	15	
1986.....	825	1	-	-	-	4	11	11	17	23	20	
1985.....	909	1	5	2	2	4	10	15	15	21	30	
1984.....	918	1	2	-	-	6	9	7	20	19	31	
1983.....	846	1	3	-	2	5	3	12	10	17	30	
1982.....	879	2	2	2	2	7	7	10	11	12	25	
1981.....	843	-	-	-	1	5	6	10	16	9	24	
1980.....	919	-	-	1	4	6	12	4	16	19	27	
1979.....	858	1	-	-	3	4	4	8	10	23	33	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DISEASES OF MITRAL VALVE (394)												
TOTAL, FEMALE												
1998.....	1,760	-	-	-	2	3	15	19	21	29	55	
1997.....	1,758	1	1	-	1	3	12	14	26	49	47	
1996.....	1,685	-	2	1	2	7	7	16	24	36	51	
1995.....	1,756	2	1	-	-	6	8	15	22	44	50	
1994.....	1,782	3	1	2	4	5	14	13	33	36	46	
1993.....	1,889	1	1	1	3	5	4	14	31	34	49	
1992.....	1,919	-	2	-	-	10	10	23	24	35	49	
1991.....	1,936	2	1	-	-	1	4	20	29	33	43	
1990.....	1,950	2	1	2	1	4	11	17	19	32	37	
1989.....	1,957	1	1	2	1	4	11	13	24	36	50	
1988.....	2,137	1	1	-	3	6	11	17	32	33	36	
1987.....	2,163	2	3	-	1	2	17	21	38	32	39	
1986.....	2,043	-	-	-	-	4	12	19	28	31	35	
1985.....	2,026	-	-	-	4	4	16	26	23	33	51	
1984.....	2,119	2	3	4	2	7	21	24	23	28	64	
1983.....	2,148	1	1	2	2	5	9	23	23	35	46	
1982.....	2,049	-	2	3	2	6	16	20	22	35	46	
1981.....	2,082	2	-	1	5	6	6	22	32	43	48	
1980.....	2,159	1	-	2	4	8	13	14	23	38	58	
1979.....	2,076	1	-	3	-	6	12	21	22	30	61	
WHITE, BOTH SEXES												
1998.....	2,246	1	-	1	2	3	17	24	23	40	58	
1997.....	2,300	1	4	-	2	10	10	15	41	51	53	
1996.....	2,127	5	3	1	2	7	11	20	28	39	65	
1995.....	2,221	2	1	-	-	6	11	16	29	48	58	
1994.....	2,328	4	1	4	6	7	11	12	38	46	51	
1993.....	2,420	3	1	-	4	6	10	18	32	41	61	
1992.....	2,432	-	3	-	1	9	17	21	34	43	52	
1991.....	2,473	2	3	1	-	1	7	24	35	36	60	
1990.....	2,443	3	1	3	2	5	8	16	32	40	45	
1989.....	2,502	1	4	6	-	6	12	16	36	32	57	
1988.....	2,741	2	2	-	3	11	15	20	34	38	43	
1987.....	2,733	4	2	1	-	6	11	26	37	38	42	
1986.....	2,603	1	-	-	-	4	11	21	33	37	38	
1985.....	2,698	1	4	2	5	5	21	32	26	36	61	
1984.....	2,792	1	4	4	1	12	22	14	33	35	69	
1983.....	2,758	1	4	2	3	8	7	25	29	42	57	
1982.....	2,690	2	4	2	2	9	14	20	24	31	58	
1981.....	2,702	1	-	1	4	4	9	23	39	37	58	
1980.....	2,850	1	-	3	3	6	15	10	26	43	73	
1979.....	2,720	2	-	1	2	4	13	17	28	41	76	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DISEASES OF MITRAL VALVE (394)												
WHITE MALE												
1998.....	658	1	-	1	-	-	4	10	9	17	18	
1997.....	691	-	3	-	1	8	2	8	22	11	15	
1996.....	597	5	2	-	-	2	5	7	8	19	25	
1995.....	641	-	1	-	-	3	3	4	14	17	18	
1994.....	706	2	-	3	3	3	3	3	10	19	18	
1993.....	719	2	-	-	1	2	6	8	12	22	22	
1992.....	683	-	1	-	1	1	8	5	12	16	17	
1991.....	703	1	2	1	-	-	4	7	11	15	28	
1990.....	675	1	-	1	1	1	2	4	17	19	21	
1989.....	710	-	3	4	-	2	4	4	16	5	21	
1988.....	769	1	2	-	1	7	6	5	10	16	14	
1987.....	726	2	1	1	-	4	1	10	12	16	12	
1986.....	740	1	-	-	-	3	6	7	12	17	13	
1985.....	828	1	4	2	2	2	10	12	9	15	22	
1984.....	844	1	2	-	-	5	8	2	14	16	23	
1983.....	778	-	3	-	2	5	2	10	7	12	25	
1982.....	804	2	2	1	1	6	3	7	10	8	21	
1981.....	773	-	-	-	1	-	4	5	13	8	20	
1980.....	844	-	-	1	3	3	6	2	14	13	23	
1979.....	779	1	-	-	2	1	3	4	9	15	23	
WHITE FEMALE												
1998.....	1,588	-	-	-	2	3	13	14	14	23	40	
1997.....	1,609	1	1	-	1	2	8	7	19	40	38	
1996.....	1,530	-	1	1	2	5	6	13	20	20	40	
1995.....	1,580	2	-	-	-	3	8	12	15	31	40	
1994.....	1,622	2	1	1	3	4	8	9	28	27	33	
1993.....	1,701	1	1	-	3	4	4	10	20	19	39	
1992.....	1,749	-	2	-	-	8	9	16	22	27	35	
1991.....	1,770	1	1	-	-	1	3	17	24	21	32	
1990.....	1,768	2	1	2	1	4	6	12	15	21	24	
1989.....	1,792	1	1	2	-	4	8	12	20	27	36	
1988.....	1,972	1	-	-	2	4	9	15	24	22	29	
1987.....	2,007	2	1	-	-	2	10	16	25	22	30	
1986.....	1,863	-	-	-	-	1	5	14	21	20	25	
1985.....	1,870	-	-	-	3	3	11	20	17	21	39	
1984.....	1,948	-	2	4	1	7	14	12	19	19	46	
1983.....	1,980	1	1	2	1	3	5	15	22	30	32	
1982.....	1,886	-	2	1	1	3	11	13	14	23	37	
1981.....	1,929	1	-	1	3	4	5	18	26	29	38	
1980.....	2,006	1	-	2	-	3	9	8	12	30	50	
1979.....	1,941	1	-	1	-	3	10	13	19	26	53	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL VALVE (394)											
ALL OTHER, BOTH SEXES											
1998.....	240	-	1	-	-	1	4	8	9	10	20
1997.....	230	-	-	-	1	3	7	10	10	15	14
1996.....	220	1	1	-	-	5	2	5	7	18	19
1995.....	237	-	2	-	1	3	-	5	12	18	16
1994.....	232	1	-	1	2	1	6	5	11	16	19
1993.....	266	-	1	1	-	1	1	6	17	17	16
1992.....	236	-	-	1	-	2	2	11	2	13	19
1991.....	217	1	1	-	-	1	2	5	6	13	14
1990.....	247	-	-	-	-	2	5	7	7	18	19
1989.....	246	-	-	-	2	-	3	3	10	13	23
1988.....	233	-	1	-	3	2	3	7	11	15	11
1987.....	210	-	2	1	2	-	9	8	16	18	12
1986.....	265	-	-	-	-	4	12	9	12	17	17
1985.....	237	-	1	-	1	3	5	9	12	18	20
1984.....	245	2	1	-	1	1	8	17	10	12	26
1983.....	236	1	-	-	1	2	5	10	4	10	19
1982.....	238	-	-	3	2	4	9	10	9	16	13
1981.....	223	1	-	-	2	7	3	9	9	15	14
1980.....	228	-	-	-	5	8	10	8	13	14	12
1979.....	214	-	-	2	1	6	3	12	4	12	18
ALL OTHER MALE											
1998.....	68	-	1	-	-	1	2	3	2	4	5
1997.....	81	-	-	-	1	2	3	3	3	6	5
1996.....	65	1	-	-	-	3	1	2	3	2	8
1995.....	61	-	1	-	1	-	-	2	5	5	6
1994.....	72	-	-	-	1	-	-	1	6	7	6
1993.....	78	-	1	-	-	-	1	2	6	2	6
1992.....	66	-	-	1	-	-	1	4	-	5	5
1991.....	51	-	1	-	-	1	1	2	1	1	3
1990.....	65	-	-	-	-	2	-	2	3	7	6
1989.....	81	-	-	-	1	-	-	2	6	4	9
1988.....	68	-	-	-	2	-	1	5	3	4	4
1987.....	54	-	-	1	1	-	2	3	3	8	3
1986.....	85	-	-	-	-	1	5	4	5	6	7
1985.....	81	-	1	-	-	2	-	3	6	6	8
1984.....	74	-	-	-	-	1	1	5	6	3	8
1983.....	68	1	-	-	-	-	1	2	3	5	5
1982.....	75	-	-	1	1	1	4	3	1	4	4
1981.....	70	-	-	-	-	5	2	5	3	1	4
1980.....	75	-	-	-	1	3	6	2	2	6	4
1979.....	79	-	-	-	1	3	1	4	1	8	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL VALVE (394)											
ALL OTHER FEMALE											
1998.....	172	-	-	-	-	-	2	5	7	6	15
1997.....	149	-	-	-	-	1	4	7	7	9	9
1996.....	155	-	1	-	-	2	1	3	4	16	11
1995.....	176	-	1	-	-	3	-	3	7	13	10
1994.....	160	1	-	1	1	1	6	4	5	9	13
1993.....	188	-	-	1	-	1	-	4	11	15	10
1992.....	170	-	-	-	-	2	1	7	2	8	14
1991.....	166	1	-	-	-	-	1	3	5	12	11
1990.....	182	-	-	-	-	-	5	5	4	11	13
1989.....	165	-	-	-	1	-	3	1	4	9	14
1988.....	165	-	1	-	1	2	2	2	8	11	7
1987.....	156	-	2	-	1	-	7	5	13	10	9
1986.....	180	-	-	-	-	3	7	5	7	11	10
1985.....	156	-	-	-	1	1	5	6	6	12	12
1984.....	171	2	1	-	1	-	7	12	4	9	18
1983.....	168	-	-	-	1	2	4	8	1	5	14
1982.....	163	-	-	2	1	3	5	7	8	12	9
1981.....	153	1	-	-	2	2	1	4	6	14	10
1980.....	153	-	-	-	4	5	4	6	11	8	8
1979.....	135	-	-	2	-	3	2	8	3	4	8
BLACK, BOTH SEXES											
1998.....	193	-	-	-	-	1	4	7	9	9	19
1997.....	173	-	-	-	1	3	6	9	8	13	12
1996.....	172	1	1	-	-	5	2	5	6	15	19
1995.....	170	-	1	-	1	3	-	4	11	16	13
1994.....	171	1	-	1	2	1	2	4	8	13	14
1993.....	209	-	1	1	-	1	1	6	16	12	14
1992.....	189	-	-	1	-	2	2	9	2	12	16
1991.....	173	1	1	-	-	1	2	5	6	12	10
1990.....	190	-	-	-	-	2	5	3	6	17	17
1989.....	180	-	-	-	2	-	3	3	6	11	17
1988.....	188	-	1	-	2	2	3	6	8	12	10
1987.....	165	-	2	1	1	-	5	8	15	16	7
1986.....	214	-	-	-	-	3	7	9	10	13	17
1985.....	189	-	1	-	1	2	4	6	12	15	16
1984.....	196	2	-	-	1	1	5	14	9	9	21
1983.....	191	1	-	-	1	2	5	7	3	8	16
1982.....	190	-	-	3	1	3	6	8	7	10	11
1981.....	180	1	-	-	2	3	2	7	7	12	11
1980.....	197	-	-	-	5	6	8	6	11	13	10
1979.....	187	-	-	1	1	6	3	10	3	11	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL VALVE (394)											
BLACK MALE											
1998.....	57	-	-	-	-	1	2	3	2	4	5
1997.....	63	-	-	-	1	2	3	3	2	5	5
1996.....	51	1	-	-	-	3	1	2	2	1	8
1995.....	46	-	1	-	1	-	-	2	5	5	4
1994.....	56	-	-	-	1	-	-	-	5	7	5
1993.....	57	-	1	-	-	-	1	2	5	1	5
1992.....	48	-	-	1	-	-	1	3	-	5	4
1991.....	43	-	1	-	-	1	1	2	1	-	2
1990.....	52	-	-	-	-	2	-	1	2	6	5
1989.....	66	-	-	-	1	-	-	2	4	3	7
1988.....	55	-	-	-	2	-	1	4	1	4	3
1987.....	44	-	-	1	1	-	1	3	3	8	3
1986.....	70	-	-	-	-	1	4	4	5	4	7
1985.....	66	-	1	-	-	2	-	3	6	4	7
1984.....	60	-	-	-	-	1	-	4	6	3	7
1983.....	53	1	-	-	-	-	1	1	2	3	5
1982.....	55	-	-	1	-	1	3	2	1	2	3
1981.....	57	-	-	-	-	3	1	4	3	-	4
1980.....	64	-	-	-	1	2	5	2	2	6	3
1979.....	70	-	-	-	1	3	1	3	-	7	8
BLACK FEMALE											
1998.....	136	-	-	-	-	-	2	4	7	5	14
1997.....	110	-	-	-	-	1	3	6	6	8	7
1996.....	121	-	1	-	-	2	1	3	4	14	11
1995.....	124	-	-	-	-	3	-	2	6	11	9
1994.....	115	1	-	1	1	1	2	4	3	6	9
1993.....	152	-	-	1	-	1	-	4	11	11	9
1992.....	141	-	-	-	-	2	1	6	2	7	12
1991.....	130	1	-	-	-	-	1	3	5	12	8
1990.....	138	-	-	-	-	-	5	2	4	11	12
1989.....	114	-	-	-	1	-	3	1	2	8	10
1988.....	133	-	1	-	-	2	2	2	7	8	7
1987.....	121	-	2	-	-	-	4	5	12	8	4
1986.....	144	-	-	-	-	2	3	5	5	9	10
1985.....	123	-	-	-	1	-	4	3	6	11	9
1984.....	136	2	-	-	1	-	5	10	3	6	14
1983.....	138	-	-	-	1	2	4	6	1	5	11
1982.....	135	-	-	2	1	2	3	6	6	8	8
1981.....	123	1	-	-	2	-	1	3	4	12	7
1980.....	133	-	-	-	4	4	3	4	9	7	7
1979.....	117	-	-	1	-	3	2	7	3	4	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF AORTIC VALVE (395)											
TOTAL, BOTH SEXES											
1998.....	128	-	-	-	-	-	-	-	-	-	3
1997.....	164	-	-	-	-	-	-	-	1	2	6
1996.....	197	-	-	-	-	-	-	1	-	2	3
1995.....	173	-	-	-	-	-	1	-	-	4	2
1994.....	177	-	-	-	1	-	1	1	-	1	3
1993.....	189	-	-	-	-	-	-	-	2	3	1
1992.....	187	-	-	-	-	-	-	-	2	2	8
1991.....	161	-	-	-	-	1	-	-	3	2	5
1990.....	173	-	-	-	-	1	-	1	4	2	5
1989.....	209	-	-	-	-	-	-	-	-	7	13
1988.....	223	-	-	-	-	-	2	-	3	9	4
1987.....	206	-	-	-	-	1	2	1	3	5	2
1986.....	224	-	-	-	-	2	1	5	3	3	9
1985.....	229	-	-	-	-	2	3	4	3	4	3
1984.....	301	-	-	-	-	-	1	3	4	8	13
1983.....	315	-	-	-	-	-	4	3	5	4	15
1982.....	337	-	-	-	-	-	1	5	3	3	10
1981.....	365	-	-	-	1	1	1	3	6	5	11
1980.....	431	-	-	-	-	3	3	8	10	6	10
1979.....	473	-	-	-	1	1	4	2	4	7	15
TOTAL, MALE											
1998.....	51	-	-	-	-	-	-	-	-	-	2
1997.....	60	-	-	-	-	-	-	-	1	1	5
1996.....	68	-	-	-	-	-	-	-	-	1	2
1995.....	60	-	-	-	-	-	-	-	-	3	1
1994.....	74	-	-	-	-	-	-	1	-	-	2
1993.....	83	-	-	-	-	-	-	-	2	2	1
1992.....	80	-	-	-	-	-	-	-	2	2	6
1991.....	70	-	-	-	-	1	-	-	-	-	5
1990.....	77	-	-	-	-	1	-	1	4	-	4
1989.....	96	-	-	-	-	-	-	-	-	6	8
1988.....	113	-	-	-	-	-	2	-	3	6	4
1987.....	108	-	-	-	-	-	2	1	2	4	2
1986.....	115	-	-	-	-	2	1	5	3	2	6
1985.....	126	-	-	-	-	-	3	3	2	2	2
1984.....	163	-	-	-	-	-	1	1	4	5	9
1983.....	161	-	-	-	-	-	4	2	2	4	11
1982.....	160	-	-	-	-	-	1	4	3	2	6
1981.....	200	-	-	-	1	1	1	2	6	3	7
1980.....	251	-	-	-	-	2	3	5	8	4	9
1979.....	243	-	-	-	1	1	4	2	3	5	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF AORTIC VALVE (395)											
TOTAL, FEMALE											
1998.....	77	-	-	-	-	-	-	-	-	-	1
1997.....	104	-	-	-	-	-	-	-	-	1	1
1996.....	129	-	-	-	-	-	-	1	-	1	1
1995.....	113	-	-	-	-	-	1	-	-	1	1
1994.....	103	-	-	-	1	-	1	-	-	1	1
1993.....	106	-	-	-	-	-	-	-	-	1	-
1992.....	107	-	-	-	-	-	-	-	-	-	2
1991.....	91	-	-	-	-	-	-	-	3	2	-
1990.....	96	-	-	-	-	-	-	-	-	2	1
1989.....	113	-	-	-	-	-	-	-	-	1	5
1988.....	110	-	-	-	-	-	-	-	-	3	-
1987.....	98	-	-	-	-	1	-	-	1	1	-
1986.....	109	-	-	-	-	-	-	-	-	1	3
1985.....	103	-	-	-	-	2	-	1	1	2	1
1984.....	138	-	-	-	-	-	-	2	-	3	4
1983.....	154	-	-	-	-	-	-	1	3	-	4
1982.....	177	-	-	-	-	-	-	1	-	1	4
1981.....	165	-	-	-	-	-	-	1	-	2	4
1980.....	180	-	-	-	-	1	-	3	2	2	1
1979.....	230	-	-	-	-	-	-	-	1	2	5
WHITE, BOTH SEXES											
1998.....	116	-	-	-	-	-	-	-	-	-	-
1997.....	156	-	-	-	-	-	-	-	1	-	3
1996.....	181	-	-	-	-	-	-	-	-	2	2
1995.....	161	-	-	-	-	-	1	-	-	2	1
1994.....	169	-	-	-	1	-	1	-	-	1	2
1993.....	171	-	-	-	-	-	-	-	1	1	-
1992.....	167	-	-	-	-	-	-	-	1	-	7
1991.....	150	-	-	-	-	1	-	-	3	1	5
1990.....	158	-	-	-	-	1	-	1	2	1	5
1989.....	188	-	-	-	-	-	-	-	-	5	10
1988.....	200	-	-	-	-	-	1	-	2	5	3
1987.....	192	-	-	-	-	-	2	1	1	5	1
1986.....	206	-	-	-	-	1	1	3	2	3	7
1985.....	210	-	-	-	-	-	2	3	2	4	3
1984.....	281	-	-	-	-	-	1	2	4	5	12
1983.....	290	-	-	-	-	-	3	2	3	4	13
1982.....	314	-	-	-	-	-	1	4	2	3	8
1981.....	345	-	-	-	1	1	-	2	5	5	7
1980.....	404	-	-	-	-	2	3	6	9	5	8
1979.....	442	-	-	-	1	1	3	2	4	5	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 DISEASES OF AORTIC VALVE (395)												
WHITE MALE												
1998.....	45	-	-	-	-	-	-	-	-	-	-	
1997.....	55	-	-	-	-	-	-	-	1	-	3	
1996.....	63	-	-	-	-	-	-	-	-	1	1	
1995.....	54	-	-	-	-	-	-	-	-	2	-	
1994.....	70	-	-	-	-	-	-	1	-	-	1	
1993.....	76	-	-	-	-	-	-	-	1	1	-	
1992.....	69	-	-	-	-	-	-	-	1	-	5	
1991.....	63	-	-	-	-	1	-	-	-	-	5	
1990.....	66	-	-	-	-	1	-	1	2	-	4	
1989.....	89	-	-	-	-	-	-	-	-	5	8	
1988.....	98	-	-	-	-	-	1	-	2	3	3	
1987.....	102	-	-	-	-	-	2	1	1	4	1	
1986.....	103	-	-	-	-	1	1	3	2	2	5	
1985.....	115	-	-	-	-	-	2	2	2	2	2	
1984.....	151	-	-	-	-	-	1	1	4	2	8	
1983.....	150	-	-	-	-	-	3	2	2	4	10	
1982.....	149	-	-	-	-	-	1	3	2	2	5	
1981.....	187	-	-	-	1	1	-	2	5	3	6	
1980.....	238	-	-	-	-	1	3	4	8	4	8	
1979.....	229	-	-	-	1	1	3	2	3	3	10	
WHITE FEMALE												
1998.....	71	-	-	-	-	-	-	-	-	-	-	
1997.....	101	-	-	-	-	-	-	-	-	-	-	
1996.....	118	-	-	-	-	-	-	-	-	1	1	
1995.....	107	-	-	-	-	-	1	-	-	-	1	
1994.....	99	-	-	-	1	-	1	-	-	1	1	
1993.....	95	-	-	-	-	-	-	-	-	-	-	
1992.....	98	-	-	-	-	-	-	-	-	-	2	
1991.....	87	-	-	-	-	-	-	-	3	1	-	
1990.....	92	-	-	-	-	-	-	-	-	1	1	
1989.....	99	-	-	-	-	-	-	-	-	-	2	
1988.....	102	-	-	-	-	-	-	-	-	2	-	
1987.....	90	-	-	-	-	-	-	-	-	1	-	
1986.....	103	-	-	-	-	-	-	-	-	1	2	
1985.....	95	-	-	-	-	-	-	1	-	2	1	
1984.....	130	-	-	-	-	-	-	1	-	3	4	
1983.....	140	-	-	-	-	-	-	-	1	-	3	
1982.....	165	-	-	-	-	-	-	1	-	1	3	
1981.....	158	-	-	-	-	-	-	-	-	2	1	
1980.....	166	-	-	-	-	1	-	2	1	1	-	
1979.....	213	-	-	-	-	-	-	-	1	2	3	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF AORTIC VALVE (395)											
ALL OTHER, BOTH SEXES											
1998.....	12	-	-	-	-	-	-	-	-	-	3
1997.....	8	-	-	-	-	-	-	-	-	2	3
1996.....	16	-	-	-	-	-	-	1	-	-	1
1995.....	12	-	-	-	-	-	-	-	-	2	1
1994.....	8	-	-	-	-	-	-	-	-	-	1
1993.....	18	-	-	-	-	-	-	-	1	2	1
1992.....	20	-	-	-	-	-	-	-	1	2	1
1991.....	11	-	-	-	-	-	-	-	-	1	-
1990.....	15	-	-	-	-	-	-	-	2	1	-
1989.....	21	-	-	-	-	-	-	-	-	2	3
1988.....	23	-	-	-	-	-	1	-	1	4	1
1987.....	14	-	-	-	-	1	-	-	2	-	1
1986.....	18	-	-	-	-	1	-	2	1	-	2
1985.....	19	-	-	-	-	2	1	1	1	-	-
1984.....	20	-	-	-	-	-	-	1	-	3	1
1983.....	25	-	-	-	-	-	1	1	2	-	2
1982.....	23	-	-	-	-	-	-	1	1	-	2
1981.....	20	-	-	-	-	-	1	1	1	-	4
1980.....	27	-	-	-	-	1	-	2	1	1	2
1979.....	31	-	-	-	-	-	1	-	-	2	2
ALL OTHER MALE											
1998.....	6	-	-	-	-	-	-	-	-	-	2
1997.....	5	-	-	-	-	-	-	-	-	1	2
1996.....	5	-	-	-	-	-	-	-	-	-	1
1995.....	6	-	-	-	-	-	-	-	-	1	1
1994.....	4	-	-	-	-	-	-	-	-	-	1
1993.....	7	-	-	-	-	-	-	-	1	1	1
1992.....	11	-	-	-	-	-	-	-	1	2	1
1991.....	7	-	-	-	-	-	-	-	-	-	-
1990.....	11	-	-	-	-	-	-	-	2	-	-
1989.....	7	-	-	-	-	-	-	-	-	1	-
1988.....	15	-	-	-	-	-	1	-	1	3	1
1987.....	6	-	-	-	-	-	-	-	1	-	1
1986.....	12	-	-	-	-	1	-	2	1	-	1
1985.....	11	-	-	-	-	-	-	1	-	-	-
1984.....	12	-	-	-	-	-	-	-	-	3	1
1983.....	11	-	-	-	-	-	1	-	-	-	1
1982.....	11	-	-	-	-	-	-	1	1	-	1
1981.....	13	-	-	-	-	-	1	-	1	-	1
1980.....	13	-	-	-	-	1	-	1	-	-	1
1979.....	14	-	-	-	-	-	1	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF AORTIC VALVE (395)											
ALL OTHER FEMALE											
1998.....	6	-	-	-	-	-	-	-	-	-	1
1997.....	3	-	-	-	-	-	-	-	-	1	1
1996.....	11	-	-	-	-	-	-	1	-	-	-
1995.....	6	-	-	-	-	-	-	-	-	1	-
1994.....	4	-	-	-	-	-	-	-	-	-	-
1993.....	11	-	-	-	-	-	-	-	-	1	-
1992.....	9	-	-	-	-	-	-	-	-	-	-
1991.....	4	-	-	-	-	-	-	-	-	1	-
1990.....	4	-	-	-	-	-	-	-	-	1	-
1989.....	14	-	-	-	-	-	-	-	-	1	3
1988.....	8	-	-	-	-	-	-	-	-	1	-
1987.....	8	-	-	-	-	1	-	-	1	-	-
1986.....	6	-	-	-	-	-	-	-	-	-	1
1985.....	8	-	-	-	-	2	-	-	1	-	-
1984.....	8	-	-	-	-	-	-	1	-	-	-
1983.....	14	-	-	-	-	-	-	1	2	-	1
1982.....	12	-	-	-	-	-	-	-	-	-	1
1981.....	7	-	-	-	-	-	-	1	-	-	3
1980.....	14	-	-	-	-	-	-	1	1	1	1
1979.....	17	-	-	-	-	-	-	-	-	-	2
BLACK, BOTH SEXES											
1998.....	9	-	-	-	-	-	-	-	-	-	1
1997.....	6	-	-	-	-	-	-	-	-	1	2
1996.....	12	-	-	-	-	-	-	-	-	-	-
1995.....	9	-	-	-	-	-	-	-	-	1	1
1994.....	7	-	-	-	-	-	-	-	-	-	1
1993.....	15	-	-	-	-	-	-	-	1	1	1
1992.....	19	-	-	-	-	-	-	-	1	2	1
1991.....	8	-	-	-	-	-	-	-	-	1	-
1990.....	15	-	-	-	-	-	-	-	2	1	-
1989.....	18	-	-	-	-	-	-	-	-	2	3
1988.....	17	-	-	-	-	-	-	-	1	4	-
1987.....	11	-	-	-	-	-	-	-	2	-	-
1986.....	16	-	-	-	-	1	-	2	1	-	2
1985.....	15	-	-	-	-	2	1	1	1	-	-
1984.....	16	-	-	-	-	-	-	1	-	3	-
1983.....	20	-	-	-	-	-	1	1	2	-	2
1982.....	21	-	-	-	-	-	-	-	1	-	2
1981.....	15	-	-	-	-	-	-	1	1	-	3
1980.....	25	-	-	-	-	1	-	1	1	1	2
1979.....	29	-	-	-	-	-	1	-	-	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)											
TOTAL, BOTH SEXES											
1998.....	893	-	-	-	1	2	1	3	6	9	12
1997.....	924	-	-	-	-	2	3	1	1	9	14
1996.....	907	-	2	-	-	-	2	5	2	6	10
1995.....	871	-	-	-	-	1	1	1	6	5	10
1994.....	887	1	1	-	-	-	1	3	6	2	7
1993.....	992	-	1	-	-	-	1	1	3	16	14
1992.....	977	-	2	-	1	-	1	3	7	11	13
1991.....	1,016	-	-	1	-	2	4	4	2	8	18
1990.....	1,105	2	1	-	1	1	1	3	8	13	19
1989.....	1,041	2	2	-	-	2	1	3	4	8	23
1988.....	1,057	3	-	1	-	1	3	4	9	12	11
1987.....	1,014	1	1	1	-	1	3	7	14	17	14
1986.....	1,010	2	-	1	1	1	5	6	9	23	26
1985.....	957	3	-	-	2	2	5	9	9	13	13
1984.....	997	1	2	-	3	3	6	6	11	12	27
1983.....	976	2	-	1	1	3	6	12	7	15	20
1982.....	916	2	1	1	-	3	4	9	6	10	18
1981.....	993	1	-	-	2	1	9	7	9	19	24
1980.....	990	-	2	-	3	3	6	7	6	24	26
1979.....	992	-	2	-	-	5	10	5	13	20	29
TOTAL, MALE											
1998.....	301	-	-	-	1	2	1	2	4	4	7
1997.....	299	-	-	-	-	1	2	1	-	5	8
1996.....	322	-	2	-	-	-	2	4	1	2	7
1995.....	290	-	-	-	-	1	1	1	3	4	7
1994.....	272	1	-	-	-	-	1	2	6	-	5
1993.....	369	-	1	-	-	-	-	1	2	12	7
1992.....	352	-	2	-	1	-	1	2	6	6	8
1991.....	364	-	-	1	-	2	2	3	2	4	13
1990.....	389	1	-	-	1	1	1	2	6	6	12
1989.....	369	1	-	-	-	-	1	3	3	3	12
1988.....	387	1	-	1	-	-	3	2	6	6	7
1987.....	376	1	-	1	-	-	2	3	9	8	8
1986.....	366	2	-	1	-	-	2	3	5	14	9
1985.....	358	1	-	-	-	2	4	5	6	4	8
1984.....	381	1	-	-	3	1	3	2	6	7	15
1983.....	374	2	-	-	1	3	2	10	5	7	9
1982.....	349	2	1	1	-	2	4	5	4	6	8
1981.....	377	1	-	-	-	1	5	3	5	11	10
1980.....	396	-	-	-	3	3	5	5	5	10	16
1979.....	409	-	1	-	-	5	5	2	7	9	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)											
TOTAL, FEMALE											
1998.....	592	-	-	-	-	-	-	1	2	5	5
1997.....	625	-	-	-	-	1	1	-	1	4	6
1996.....	585	-	-	-	-	-	-	1	1	4	3
1995.....	581	-	-	-	-	-	-	-	3	1	3
1994.....	615	-	1	-	-	-	-	1	-	2	2
1993.....	623	-	-	-	-	-	1	-	1	4	7
1992.....	625	-	-	-	-	-	-	1	1	5	5
1991.....	652	-	-	-	-	-	2	1	-	4	5
1990.....	716	1	1	-	-	-	-	1	2	7	7
1989.....	672	1	2	-	-	2	-	-	1	5	11
1988.....	670	2	-	-	-	1	-	2	3	6	4
1987.....	638	-	1	-	-	1	1	4	5	9	6
1986.....	644	-	-	-	1	1	3	3	4	9	17
1985.....	599	2	-	-	2	-	1	4	3	9	5
1984.....	616	-	2	-	-	2	3	4	5	5	12
1983.....	602	-	-	1	-	-	4	2	2	8	11
1982.....	567	-	-	-	-	1	-	4	2	4	10
1981.....	616	-	-	-	2	-	4	4	4	8	14
1980.....	594	-	2	-	-	-	1	2	1	14	10
1979.....	583	-	1	-	-	-	5	3	6	11	15
WHITE, BOTH SEXES											
1998.....	831	-	-	-	1	1	1	2	5	5	7
1997.....	848	-	-	-	-	2	2	-	-	6	7
1996.....	833	-	2	-	-	-	2	5	2	1	5
1995.....	792	-	-	-	-	-	-	-	3	4	4
1994.....	824	1	1	-	-	-	-	3	2	1	6
1993.....	916	-	1	-	-	-	-	1	2	9	6
1992.....	879	-	2	-	1	-	-	3	5	6	9
1991.....	920	-	-	1	-	2	2	3	2	5	10
1990.....	1,018	2	1	-	-	1	1	1	5	7	11
1989.....	927	2	2	-	-	2	-	3	3	3	17
1988.....	967	3	-	1	-	1	1	3	5	5	8
1987.....	934	1	1	1	-	-	2	5	10	13	11
1986.....	921	1	-	1	-	-	3	2	4	13	20
1985.....	872	3	-	-	1	2	3	6	7	8	10
1984.....	897	1	2	-	2	1	3	1	7	8	21
1983.....	896	1	-	1	1	2	5	5	3	15	11
1982.....	845	2	1	1	-	1	3	6	4	9	15
1981.....	900	1	-	-	2	-	6	4	6	16	20
1980.....	905	-	2	-	1	2	1	4	3	21	20
1979.....	905	-	2	-	-	3	4	3	8	16	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)											
WHITE MALE											
1998.....	281	-	-	-	1	1	1	1	4	2	6
1997.....	271	-	-	-	-	1	1	-	-	4	4
1996.....	291	-	2	-	-	-	2	4	1	1	3
1995.....	257	-	-	-	-	-	-	-	1	4	3
1994.....	248	1	-	-	-	-	-	2	2	-	4
1993.....	337	-	1	-	-	-	-	1	1	7	3
1992.....	312	-	2	-	1	-	-	2	5	4	7
1991.....	314	-	-	1	-	2	1	3	2	3	7
1990.....	353	1	-	-	-	1	1	1	4	4	6
1989.....	318	1	-	-	-	-	-	3	2	-	8
1988.....	345	1	-	1	-	-	1	2	4	2	5
1987.....	341	1	-	1	-	-	2	2	7	7	7
1986.....	327	1	-	1	-	-	1	2	2	8	6
1985.....	321	1	-	-	-	2	2	3	5	4	6
1984.....	342	1	-	-	2	1	2	1	4	5	11
1983.....	337	1	-	-	1	2	2	5	2	7	4
1982.....	323	2	1	1	-	1	3	4	3	5	7
1981.....	337	1	-	-	-	-	3	2	3	8	9
1980.....	355	-	-	-	1	2	1	2	3	10	12
1979.....	376	-	1	-	-	3	3	1	4	8	12
WHITE FEMALE											
1998.....	550	-	-	-	-	-	-	1	1	3	1
1997.....	577	-	-	-	-	1	1	-	-	2	3
1996.....	542	-	-	-	-	-	-	1	1	-	2
1995.....	535	-	-	-	-	-	-	-	2	-	1
1994.....	576	-	1	-	-	-	-	1	-	1	2
1993.....	579	-	-	-	-	-	-	-	1	2	3
1992.....	567	-	-	-	-	-	-	1	-	2	2
1991.....	606	-	-	-	-	-	1	-	-	2	3
1990.....	665	1	1	-	-	-	-	-	1	3	5
1989.....	609	1	2	-	-	2	-	-	1	3	9
1988.....	622	2	-	-	-	1	-	1	1	3	3
1987.....	593	-	1	-	-	-	-	3	3	6	4
1986.....	594	-	-	-	-	-	2	-	2	5	14
1985.....	551	2	-	-	1	-	1	3	2	4	4
1984.....	555	-	2	-	-	-	1	-	3	3	10
1983.....	559	-	-	1	-	-	3	-	1	8	7
1982.....	522	-	-	-	-	-	-	2	1	4	8
1981.....	563	-	-	-	2	-	-	2	3	8	11
1980.....	550	-	2	-	-	-	-	2	-	11	8
1979.....	529	-	1	-	-	-	1	2	4	8	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)											
ALL OTHER, BOTH SEXES											
1998.....	62	-	-	-	-	1	-	1	1	4	5
1997.....	76	-	-	-	-	-	1	1	1	3	7
1996.....	74	-	-	-	-	-	-	-	-	5	5
1995.....	79	-	-	-	-	1	1	1	3	1	6
1994.....	63	-	-	-	-	-	1	-	4	1	1
1993.....	76	-	-	-	-	-	1	-	1	7	8
1992.....	98	-	-	-	-	-	1	-	2	5	4
1991.....	96	-	-	-	-	-	2	1	-	3	8
1990.....	87	-	-	-	1	-	-	2	3	6	8
1989.....	114	-	-	-	-	-	1	-	1	5	6
1988.....	90	-	-	-	-	-	2	1	4	7	3
1987.....	80	-	-	-	-	1	1	2	4	4	3
1986.....	89	1	-	-	1	1	2	4	5	10	6
1985.....	85	-	-	-	1	-	2	3	2	5	3
1984.....	100	-	-	-	1	2	3	5	4	4	6
1983.....	80	1	-	-	-	1	1	7	4	-	9
1982.....	71	-	-	-	-	2	1	3	2	1	3
1981.....	93	-	-	-	-	1	3	3	3	3	4
1980.....	85	-	-	-	2	1	5	3	3	3	6
1979.....	87	-	-	-	-	2	6	2	5	4	7
ALL OTHER MALE											
1998.....	20	-	-	-	-	1	-	1	-	2	1
1997.....	28	-	-	-	-	-	1	1	-	1	4
1996.....	31	-	-	-	-	-	-	-	-	1	4
1995.....	33	-	-	-	-	1	1	1	2	-	4
1994.....	24	-	-	-	-	-	1	-	4	-	1
1993.....	32	-	-	-	-	-	-	-	1	5	4
1992.....	40	-	-	-	-	-	1	-	1	2	1
1991.....	50	-	-	-	-	-	1	-	-	1	6
1990.....	36	-	-	-	1	-	-	1	2	2	6
1989.....	51	-	-	-	-	-	1	-	1	3	4
1988.....	42	-	-	-	-	-	2	-	2	4	2
1987.....	35	-	-	-	-	-	-	1	2	1	1
1986.....	39	1	-	-	-	-	1	1	3	6	3
1985.....	37	-	-	-	-	-	2	2	1	-	2
1984.....	39	-	-	-	1	-	1	1	2	2	4
1983.....	37	1	-	-	-	1	-	5	3	-	5
1982.....	26	-	-	-	-	1	1	1	1	1	1
1981.....	40	-	-	-	-	1	2	1	2	3	1
1980.....	41	-	-	-	2	1	4	3	2	-	4
1979.....	33	-	-	-	-	2	2	1	3	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)											
ALL OTHER FEMALE											
1998.....	42	-	-	-	-	-	-	-	1	2	4
1997.....	48	-	-	-	-	-	-	-	1	2	3
1996.....	43	-	-	-	-	-	-	-	-	4	1
1995.....	46	-	-	-	-	-	-	-	1	1	2
1994.....	39	-	-	-	-	-	-	-	-	1	-
1993.....	44	-	-	-	-	-	1	-	-	2	4
1992.....	58	-	-	-	-	-	-	-	1	3	3
1991.....	46	-	-	-	-	-	1	1	-	2	2
1990.....	51	-	-	-	-	-	-	1	1	4	2
1989.....	63	-	-	-	-	-	-	-	-	2	2
1988.....	48	-	-	-	-	-	-	1	2	3	1
1987.....	45	-	-	-	-	1	1	1	2	3	2
1986.....	50	-	-	-	1	1	1	3	2	4	3
1985.....	48	-	-	-	1	-	-	1	1	5	1
1984.....	61	-	-	-	-	2	2	4	2	2	2
1983.....	43	-	-	-	-	-	1	2	1	-	4
1982.....	45	-	-	-	-	1	-	2	1	-	2
1981.....	53	-	-	-	-	-	1	2	1	-	3
1980.....	44	-	-	-	-	-	1	-	1	3	2
1979.....	54	-	-	-	-	-	4	1	2	3	5
BLACK, BOTH SEXES											
1998.....	49	-	-	-	-	1	-	1	1	3	4
1997.....	54	-	-	-	-	-	1	1	-	2	4
1996.....	49	-	-	-	-	-	-	-	-	5	3
1995.....	61	-	-	-	-	1	-	-	3	1	4
1994.....	49	-	-	-	-	-	1	-	3	1	1
1993.....	62	-	-	-	-	-	1	-	1	5	6
1992.....	77	-	-	-	-	-	-	-	2	4	4
1991.....	79	-	-	-	-	-	2	1	-	3	7
1990.....	78	-	-	-	1	-	-	2	3	5	8
1989.....	98	-	-	-	-	-	-	-	1	4	5
1988.....	71	-	-	-	-	-	-	1	4	6	3
1987.....	67	-	-	-	-	1	1	2	4	4	2
1986.....	74	1	-	-	1	1	2	1	2	9	5
1985.....	71	-	-	-	1	-	1	3	1	4	3
1984.....	86	-	-	-	-	2	3	5	3	4	5
1983.....	68	1	-	-	-	1	-	5	4	-	8
1982.....	67	-	-	-	-	2	1	3	2	-	2
1981.....	81	-	-	-	-	1	3	2	3	3	4
1980.....	74	-	-	-	1	1	4	3	2	3	4
1979.....	79	-	-	-	-	2	6	1	4	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISEASES OF MITRAL AND AORTIC VALVES (396)											
BLACK MALE											
1998.....	14	-	-	-	-	1	-	1	-	2	1
1997.....	20	-	-	-	-	-	1	1	-	-	3
1996.....	18	-	-	-	-	-	-	-	-	1	2
1995.....	23	-	-	-	-	1	-	-	2	-	2
1994.....	20	-	-	-	-	-	1	-	3	-	1
1993.....	26	-	-	-	-	-	-	-	1	4	3
1992.....	30	-	-	-	-	-	-	-	1	2	1
1991.....	39	-	-	-	-	-	1	-	-	1	5
1990.....	32	-	-	-	1	-	-	1	2	1	6
1989.....	41	-	-	-	-	-	-	-	1	3	3
1988.....	31	-	-	-	-	-	-	-	2	3	2
1987.....	30	-	-	-	-	-	-	1	2	1	1
1986.....	32	1	-	-	-	-	1	-	2	5	2
1985.....	32	-	-	-	-	-	1	2	1	-	2
1984.....	32	-	-	-	-	-	1	1	2	2	3
1983.....	31	1	-	-	-	1	-	3	3	-	4
1982.....	23	-	-	-	-	1	1	1	1	-	1
1981.....	31	-	-	-	-	1	2	1	2	3	1
1980.....	35	-	-	-	1	1	4	3	2	-	3
1979.....	31	-	-	-	-	2	2	-	3	1	2
BLACK FEMALE											
1998.....	35	-	-	-	-	-	-	-	1	1	3
1997.....	34	-	-	-	-	-	-	-	-	2	1
1996.....	31	-	-	-	-	-	-	-	-	4	1
1995.....	38	-	-	-	-	-	-	-	1	1	2
1994.....	29	-	-	-	-	-	-	-	-	1	-
1993.....	36	-	-	-	-	-	1	-	-	1	3
1992.....	47	-	-	-	-	-	-	-	1	2	3
1991.....	40	-	-	-	-	-	1	1	-	2	2
1990.....	46	-	-	-	-	-	-	1	1	4	2
1989.....	57	-	-	-	-	-	-	-	-	1	2
1988.....	40	-	-	-	-	-	-	1	2	3	1
1987.....	37	-	-	-	-	1	1	1	2	3	1
1986.....	42	-	-	-	1	1	1	1	-	4	3
1985.....	39	-	-	-	1	-	-	1	-	4	1
1984.....	54	-	-	-	-	2	2	4	1	2	2
1983.....	37	-	-	-	-	-	-	2	1	-	4
1982.....	44	-	-	-	-	1	-	2	1	-	1
1981.....	50	-	-	-	-	-	1	1	1	-	3
1980.....	39	-	-	-	-	-	-	-	-	3	1
1979.....	48	-	-	-	-	-	4	1	1	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)											
TOTAL, BOTH SEXES											
1998.....	1,190	-	-	-	-	1	2	1	4	17	20
1997.....	1,311	2	-	-	1	1	5	3	7	19	19
1996.....	1,441	2	1	-	-	3	1	4	7	24	17
1995.....	1,486	1	1	1	-	1	2	2	11	21	27
1994.....	1,600	-	2	-	3	3	-	8	11	18	35
1993.....	1,723	1	1	-	-	5	1	6	10	17	25
1992.....	1,770	2	1	-	2	2	2	4	14	16	39
1991.....	1,995	2	-	1	1	3	2	9	15	25	35
1990.....	1,984	2	-	-	-	6	2	7	12	31	54
1989.....	2,019	1	-	-	-	1	6	12	20	26	42
1988.....	2,091	1	1	1	1	2	12	9	12	32	37
1987.....	2,184	-	3	1	2	1	6	23	20	37	36
1986.....	2,279	2	2	-	3	3	6	11	27	21	50
1985.....	2,416	1	-	2	2	3	11	17	25	35	54
1984.....	2,507	1	2	-	3	7	11	10	32	32	42
1983.....	2,523	3	-	1	3	6	7	23	23	38	60
1982.....	2,795	2	1	1	3	8	9	18	33	37	60
1981.....	2,999	4	1	1	4	2	12	25	32	46	73
1980.....	3,228	3	3	3	3	10	19	27	32	48	78
1979.....	3,282	2	-	-	3	11	22	32	33	48	81
TOTAL, MALE											
1998.....	307	-	-	-	-	1	1	-	2	7	10
1997.....	386	-	-	-	-	1	4	1	5	8	5
1996.....	381	-	-	-	-	1	-	1	3	10	7
1995.....	418	1	1	1	-	1	2	1	6	10	14
1994.....	457	-	1	-	-	1	-	3	7	9	16
1993.....	471	-	-	-	-	4	1	4	7	5	13
1992.....	484	2	1	-	1	1	1	3	6	8	18
1991.....	558	-	-	1	1	-	1	4	7	11	18
1990.....	592	-	-	-	-	3	2	4	3	22	17
1989.....	595	1	-	-	-	1	2	5	9	12	25
1988.....	572	1	-	1	1	2	9	6	5	6	14
1987.....	646	-	1	1	2	1	2	8	15	21	18
1986.....	715	2	1	-	1	-	3	6	14	10	28
1985.....	716	1	-	-	2	3	5	10	15	16	24
1984.....	786	1	1	-	2	5	7	5	18	19	19
1983.....	788	2	-	1	3	5	4	16	15	19	21
1982.....	908	1	1	-	2	5	6	12	18	23	25
1981.....	996	1	1	-	3	2	10	10	12	24	35
1980.....	1,029	2	-	-	1	6	12	10	12	23	33
1979.....	1,084	2	-	-	2	7	14	19	17	21	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)											
TOTAL, FEMALE											
1998.....	883	-	-	-	-	-	1	1	2	10	10
1997.....	925	2	-	-	1	-	1	2	2	11	14
1996.....	1,060	2	1	-	-	2	1	3	4	14	10
1995.....	1,068	-	-	-	-	-	-	1	5	11	13
1994.....	1,143	-	1	-	3	2	-	5	4	9	19
1993.....	1,252	1	1	-	-	1	-	2	3	12	12
1992.....	1,286	-	-	-	1	1	1	1	8	8	21
1991.....	1,437	2	-	-	-	3	1	5	8	14	17
1990.....	1,392	2	-	-	-	3	-	3	9	9	37
1989.....	1,424	-	-	-	-	-	4	7	11	14	17
1988.....	1,519	-	1	-	-	-	3	3	7	26	23
1987.....	1,538	-	2	-	-	-	4	15	5	16	18
1986.....	1,564	-	1	-	2	3	3	5	13	11	22
1985.....	1,700	-	-	2	-	-	6	7	10	19	30
1984.....	1,721	-	1	-	1	2	4	5	14	13	23
1983.....	1,735	1	-	-	-	1	3	7	8	19	39
1982.....	1,887	1	-	1	1	3	3	6	15	14	35
1981.....	2,003	3	-	1	1	-	2	15	20	22	38
1980.....	2,199	1	3	3	2	4	7	17	20	25	45
1979.....	2,198	-	-	-	1	4	8	13	16	27	39
WHITE, BOTH SEXES											
1998.....	1,057	-	-	-	-	1	2	1	3	8	15
1997.....	1,174	2	-	-	-	1	1	2	6	5	9
1996.....	1,296	2	-	-	-	2	-	3	5	9	12
1995.....	1,356	-	-	1	-	1	-	-	5	11	20
1994.....	1,441	-	2	-	2	2	-	5	6	8	18
1993.....	1,590	1	1	-	-	3	-	3	4	11	14
1992.....	1,599	2	1	-	1	1	1	2	7	9	21
1991.....	1,805	2	-	1	-	1	-	4	11	14	22
1990.....	1,812	1	-	-	-	3	-	4	7	21	34
1989.....	1,845	1	-	-	-	-	4	6	6	16	26
1988.....	1,903	-	1	-	-	1	8	5	5	14	22
1987.....	1,977	-	2	-	-	1	2	11	11	23	21
1986.....	2,098	1	2	-	-	-	2	5	16	11	33
1985.....	2,200	1	-	1	1	1	4	6	13	22	40
1984.....	2,321	1	2	-	2	3	8	5	18	19	30
1983.....	2,324	1	-	-	1	1	-	11	11	25	42
1982.....	2,586	1	1	1	2	4	6	8	18	31	48
1981.....	2,768	2	1	-	2	2	7	12	19	36	56
1980.....	2,953	2	2	1	1	5	8	13	16	36	56
1979.....	3,029	2	-	-	2	4	13	14	19	35	66

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)											
WHITE MALE											
1998.....	271	-	-	-	-	1	1	-	2	5	8
1997.....	339	-	-	-	-	1	1	-	5	3	1
1996.....	338	-	-	-	-	-	-	-	2	5	7
1995.....	370	-	-	1	-	1	-	-	4	4	9
1994.....	409	-	1	-	-	1	-	2	4	4	11
1993.....	429	-	-	-	-	2	-	1	2	3	8
1992.....	432	2	1	-	1	-	1	1	3	8	12
1991.....	492	-	-	1	-	-	-	2	5	8	13
1990.....	535	-	-	-	-	1	-	3	2	15	12
1989.....	533	1	-	-	-	-	1	2	2	5	13
1988.....	505	-	-	-	-	1	5	3	2	2	9
1987.....	575	-	1	-	-	1	-	5	8	14	10
1986.....	652	1	1	-	-	-	2	2	8	6	22
1985.....	641	1	-	-	1	1	3	5	9	8	19
1984.....	721	1	1	-	1	1	6	1	11	11	15
1983.....	707	-	-	-	1	-	-	8	9	14	15
1982.....	822	1	1	-	2	2	3	7	8	19	21
1981.....	914	1	1	-	2	2	6	6	9	19	25
1980.....	935	2	-	-	1	3	4	4	6	19	25
1979.....	982	2	-	-	1	3	8	11	9	12	34
WHITE FEMALE											
1998.....	786	-	-	-	-	-	1	1	1	3	7
1997.....	835	2	-	-	-	-	-	2	1	2	8
1996.....	958	2	-	-	-	2	-	3	3	4	5
1995.....	986	-	-	-	-	-	-	-	1	7	11
1994.....	1,032	-	1	-	2	1	-	3	2	4	7
1993.....	1,161	1	1	-	-	1	-	2	2	8	6
1992.....	1,167	-	-	-	-	1	-	1	4	1	9
1991.....	1,313	2	-	-	-	1	-	2	6	6	9
1990.....	1,277	1	-	-	-	2	-	1	5	6	22
1989.....	1,312	-	-	-	-	-	3	4	4	11	13
1988.....	1,398	-	1	-	-	-	3	2	3	12	13
1987.....	1,402	-	1	-	-	-	2	6	3	9	11
1986.....	1,446	-	1	-	-	-	-	3	8	5	11
1985.....	1,559	-	-	1	-	-	1	1	4	14	21
1984.....	1,600	-	1	-	1	2	2	4	7	8	15
1983.....	1,617	1	-	-	-	1	-	3	2	11	27
1982.....	1,764	-	-	1	-	2	3	1	10	12	27
1981.....	1,854	1	-	-	-	-	1	6	10	17	31
1980.....	2,018	-	2	1	-	2	4	9	10	17	31
1979.....	2,047	-	-	-	1	1	5	3	10	23	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)											
ALL OTHER, BOTH SEXES											
1998.....	133	-	-	-	-	-	-	-	1	9	5
1997.....	137	-	-	-	1	-	4	1	1	14	10
1996.....	145	-	1	-	-	-	1	1	2	15	5
1995.....	130	1	1	-	-	-	2	2	6	10	7
1994.....	159	-	-	-	1	1	-	3	5	10	17
1993.....	133	-	-	-	-	2	1	3	6	6	11
1992.....	171	-	-	-	1	1	1	2	7	7	18
1991.....	190	-	-	-	1	2	2	5	4	11	13
1990.....	172	1	-	-	-	3	2	3	5	10	20
1989.....	174	-	-	-	-	1	2	6	14	10	16
1988.....	188	1	-	1	1	1	4	4	7	18	15
1987.....	207	-	1	1	2	-	4	12	9	14	15
1986.....	181	1	-	-	3	3	4	6	11	10	17
1985.....	216	-	-	1	1	2	7	11	12	13	14
1984.....	186	-	-	-	1	4	3	5	14	13	12
1983.....	199	2	-	1	2	5	7	12	12	13	18
1982.....	209	1	-	-	1	4	3	10	15	6	12
1981.....	231	2	-	1	2	-	5	13	13	10	17
1980.....	275	1	1	2	2	5	11	14	16	12	22
1979.....	253	-	-	-	1	7	9	18	14	13	15
ALL OTHER MALE											
1998.....	36	-	-	-	-	-	-	-	-	2	2
1997.....	47	-	-	-	-	-	3	1	-	5	4
1996.....	43	-	-	-	-	1	-	1	1	5	-
1995.....	48	1	1	-	-	-	2	1	2	6	5
1994.....	48	-	-	-	-	-	-	1	3	5	5
1993.....	42	-	-	-	-	2	1	3	5	2	5
1992.....	52	-	-	-	-	1	-	2	3	-	6
1991.....	66	-	-	-	1	-	1	2	2	3	5
1990.....	57	-	-	-	-	2	2	1	1	7	5
1989.....	62	-	-	-	-	1	1	3	7	7	12
1988.....	67	1	-	1	1	1	4	3	3	4	5
1987.....	71	-	-	1	2	-	2	3	7	7	8
1986.....	63	1	-	-	1	-	1	4	6	4	6
1985.....	75	-	-	-	1	2	2	5	6	8	5
1984.....	65	-	-	-	1	4	1	4	7	8	4
1983.....	81	2	-	1	2	5	4	8	6	5	6
1982.....	86	-	-	-	-	3	3	5	10	4	4
1981.....	82	-	-	-	1	-	4	4	3	5	10
1980.....	94	-	-	-	-	3	8	6	6	4	8
1979.....	102	-	-	-	1	4	6	8	8	9	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)											
ALL OTHER FEMALE											
1998.....	97	-	-	-	-	-	-	-	1	7	3
1997.....	90	-	-	-	1	-	1	-	1	9	6
1996.....	102	-	1	-	-	-	1	-	1	10	5
1995.....	82	-	-	-	-	-	-	1	4	4	2
1994.....	111	-	-	-	1	1	-	2	2	5	12
1993.....	91	-	-	-	-	-	-	-	1	4	6
1992.....	119	-	-	-	1	-	1	-	4	7	12
1991.....	124	-	-	-	-	2	1	3	2	8	8
1990.....	115	1	-	-	-	1	-	2	4	3	15
1989.....	112	-	-	-	-	-	1	3	7	3	4
1988.....	121	-	-	-	-	-	-	1	4	14	10
1987.....	136	-	1	-	-	-	2	9	2	7	7
1986.....	118	-	-	-	2	3	3	2	5	6	11
1985.....	141	-	-	1	-	-	5	6	6	5	9
1984.....	121	-	-	-	-	-	2	1	7	5	8
1983.....	118	-	-	-	-	-	3	4	6	8	12
1982.....	123	1	-	-	1	1	-	5	5	2	8
1981.....	149	2	-	1	1	-	1	9	10	5	7
1980.....	181	1	1	2	2	2	3	8	10	8	14
1979.....	151	-	-	-	-	3	3	10	6	4	7
BLACK, BOTH SEXES											
1998.....	97	-	-	-	-	-	-	-	1	8	3
1997.....	107	-	-	-	1	-	1	1	-	9	8
1996.....	109	-	1	-	-	1	1	1	2	11	5
1995.....	100	1	1	-	-	-	2	2	6	9	5
1994.....	117	-	-	-	1	-	-	3	3	7	12
1993.....	106	-	-	-	-	2	1	3	6	6	10
1992.....	132	-	-	-	1	1	1	2	5	6	14
1991.....	142	-	-	-	-	2	2	4	4	8	10
1990.....	139	1	-	-	-	2	1	2	4	9	14
1989.....	144	-	-	-	-	1	-	4	13	8	15
1988.....	139	-	-	1	1	1	4	3	4	13	12
1987.....	166	-	1	1	1	-	4	11	8	14	14
1986.....	151	1	-	-	2	3	4	6	8	9	14
1985.....	187	-	-	1	1	2	6	10	9	13	11
1984.....	156	-	-	-	1	4	3	5	13	10	8
1983.....	173	2	-	1	1	4	7	11	10	9	16
1982.....	173	-	-	-	1	2	2	9	11	6	9
1981.....	193	2	-	-	2	-	1	12	11	8	16
1980.....	245	1	1	2	2	5	9	12	13	9	19
1979.....	221	-	-	-	1	6	7	16	12	10	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)											
BLACK MALE											
1998.....	22	-	-	-	-	-	-	-	-	2	1
1997.....	34	-	-	-	-	-	1	1	1	4	3
1996.....	30	-	-	-	-	1	-	1	-	4	-
1995.....	38	1	1	-	-	-	2	1	2	6	4
1994.....	35	-	-	-	-	-	-	1	1	3	3
1993.....	35	-	-	-	-	2	1	3	5	2	4
1992.....	37	-	-	-	-	1	-	2	2	-	5
1991.....	45	-	-	-	-	-	1	1	2	3	3
1990.....	45	-	-	-	-	1	1	1	1	6	3
1989.....	55	-	-	-	-	1	-	2	7	6	11
1988.....	53	-	-	1	1	1	4	2	-	4	4
1987.....	53	-	-	1	1	-	2	3	6	7	7
1986.....	53	1	-	-	-	-	1	4	4	3	6
1985.....	65	-	-	-	1	2	1	4	5	8	4
1984.....	54	-	-	-	1	4	1	4	7	6	3
1983.....	68	2	-	1	1	4	4	7	6	4	5
1982.....	66	-	-	-	-	1	2	5	7	4	2
1981.....	68	-	-	-	1	-	1	3	3	3	9
1980.....	83	-	-	-	-	3	7	5	5	4	6
1979.....	88	-	-	-	1	4	4	8	6	8	8
BLACK FEMALE											
1998.....	75	-	-	-	-	-	-	-	1	6	2
1997.....	73	-	-	-	1	-	-	-	-	5	5
1996.....	79	-	1	-	-	-	1	-	1	7	5
1995.....	62	-	-	-	-	-	-	1	4	3	1
1994.....	82	-	-	-	1	-	-	2	2	4	9
1993.....	71	-	-	-	-	-	-	-	1	4	6
1992.....	95	-	-	-	1	-	1	-	3	6	9
1991.....	97	-	-	-	-	2	1	3	2	5	7
1990.....	94	1	-	-	-	1	-	1	3	3	11
1989.....	89	-	-	-	-	-	-	2	6	2	4
1988.....	86	-	-	-	-	-	-	1	4	9	8
1987.....	113	-	1	-	-	-	2	8	2	7	7
1986.....	98	-	-	-	2	3	3	2	4	6	8
1985.....	122	-	-	1	-	-	5	6	4	5	7
1984.....	102	-	-	-	-	-	2	1	6	4	5
1983.....	105	-	-	-	-	-	3	4	4	5	11
1982.....	107	-	-	-	1	1	-	4	4	2	7
1981.....	125	2	-	-	1	-	-	9	8	5	7
1980.....	162	1	1	2	2	2	2	7	8	5	13
1979.....	133	-	-	-	-	2	3	8	6	2	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HYPERTENSIVE DISEASE (401-404)											
TOTAL, BOTH SEXES											
1998.....	44,435	13	1	1	3	9	26	100	182	458	838
1997.....	42,565	7	1	2	5	7	32	73	186	443	799
1996.....	41,634	8	-	2	2	11	38	82	189	394	755
1995.....	39,981	5	1	-	3	7	29	70	184	396	774
1994.....	38,202	9	4	-	3	6	33	90	211	421	686
1993.....	36,744	6	3	1	1	7	33	77	182	386	659
1992.....	34,610	4	2	2	1	7	32	67	178	307	634
1991.....	33,334	3	4	4	2	6	28	78	146	326	577
1990.....	32,618	6	2	2	2	6	27	61	154	299	545
1989.....	32,114	5	5	3	4	6	26	69	162	297	493
1988.....	31,694	3	2	2	1	10	33	63	158	289	446
1987.....	31,338	3	1	2	1	5	26	64	112	293	459
1986.....	30,989	6	3	-	1	4	24	60	139	256	436
1985.....	31,433	5	-	-	3	7	28	64	122	256	420
1984.....	31,341	1	2	4	1	8	14	57	118	223	434
1983.....	31,796	5	3	2	-	4	17	63	131	240	405
1982.....	31,378	9	1	4	1	9	25	72	134	217	368
1981.....	31,727	3	2	3	1	11	21	71	144	204	444
1980.....	32,633	5	2	4	4	9	31	68	126	239	428
1979.....	31,916	5	5	2	6	6	23	80	130	231	448
TOTAL, MALE											
1998.....	18,459	7	-	-	1	5	20	66	122	315	572
1997.....	17,856	3	1	2	1	2	21	45	118	329	551
1996.....	17,291	3	-	-	2	6	29	51	132	273	484
1995.....	16,660	3	1	-	2	6	22	49	126	261	521
1994.....	15,915	4	3	-	1	2	18	61	135	287	466
1993.....	15,306	4	1	-	1	3	23	51	125	259	438
1992.....	14,520	4	2	1	1	7	18	43	121	213	433
1991.....	13,947	2	2	4	2	4	22	52	92	210	379
1990.....	13,614	2	-	1	-	3	18	38	106	208	369
1989.....	13,648	5	2	2	1	3	18	51	117	201	320
1988.....	13,399	1	2	1	1	3	21	43	106	193	278
1987.....	13,382	1	-	1	-	4	15	44	69	210	308
1986.....	13,034	2	1	-	1	3	20	35	109	162	273
1985.....	13,507	4	-	-	1	6	16	46	90	176	279
1984.....	13,478	1	2	3	1	5	11	40	91	150	288
1983.....	13,803	3	3	1	-	3	13	46	102	169	265
1982.....	13,550	4	-	1	-	5	14	47	96	145	235
1981.....	13,822	1	-	3	1	8	12	44	102	123	270
1980.....	13,943	4	1	1	2	6	14	39	79	150	261
1979.....	13,786	3	2	1	1	3	17	52	73	146	290

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HYPERTENSIVE DISEASE (401-404)											
TOTAL, FEMALE											
1998.....	25,976	6	1	1	2	4	6	34	60	143	266
1997.....	24,709	4	-	-	4	5	11	28	68	114	248
1996.....	24,343	5	-	2	-	5	9	31	57	121	271
1995.....	23,321	2	-	-	1	1	7	21	58	135	253
1994.....	22,287	5	1	-	2	4	15	29	76	134	220
1993.....	21,438	2	2	1	-	4	10	26	57	127	221
1992.....	20,090	-	-	1	-	-	14	24	57	94	201
1991.....	19,387	1	2	-	-	2	6	26	54	116	198
1990.....	19,004	4	2	1	2	3	9	23	48	91	176
1989.....	18,466	-	3	1	3	3	8	18	45	96	173
1988.....	18,295	2	-	1	-	7	12	20	52	96	168
1987.....	17,956	2	1	1	1	1	11	20	43	83	151
1986.....	17,955	4	2	-	-	1	4	25	30	94	163
1985.....	17,926	1	-	-	2	1	12	18	32	80	141
1984.....	17,863	-	-	1	-	3	3	17	27	73	146
1983.....	17,993	2	-	1	-	1	4	17	29	71	140
1982.....	17,828	5	1	3	1	4	11	25	38	72	133
1981.....	17,905	2	2	-	-	3	9	27	42	81	174
1980.....	18,690	1	1	3	2	3	17	29	47	89	167
1979.....	18,130	2	3	1	5	3	6	28	57	85	158
WHITE, BOTH SEXES											
1998.....	32,513	7	-	1	1	5	11	34	71	214	379
1997.....	31,475	7	-	1	3	4	8	30	85	221	360
1996.....	30,809	5	-	2	-	5	12	28	84	190	340
1995.....	29,383	2	1	-	2	4	5	33	75	178	362
1994.....	28,054	7	3	-	3	4	14	41	95	173	309
1993.....	26,803	5	2	1	1	4	10	29	80	170	293
1992.....	25,178	2	2	2	-	3	13	28	62	132	267
1991.....	24,283	-	2	2	1	5	12	33	64	125	249
1990.....	23,773	4	-	2	2	2	6	21	63	103	246
1989.....	23,354	4	5	2	3	1	14	32	74	111	215
1988.....	23,105	2	1	-	1	5	13	22	62	116	200
1987.....	23,197	3	1	2	1	2	13	30	46	115	212
1986.....	22,984	5	3	-	1	2	14	21	66	98	183
1985.....	23,314	4	-	-	1	4	11	26	55	102	182
1984.....	23,400	-	2	2	-	3	9	32	51	83	179
1983.....	23,920	3	2	1	-	2	9	26	57	104	166
1982.....	23,752	4	1	3	1	5	12	25	48	88	164
1981.....	24,010	2	1	3	-	8	9	31	63	80	178
1980.....	24,721	5	-	3	2	4	14	32	49	88	171
1979.....	24,111	3	2	2	5	2	13	25	45	89	189

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HYPERTENSIVE DISEASE (401-404)											
WHITE MALE											
1998.....	12,997	3	-	-	1	3	9	26	52	172	291
1997.....	12,695	3	-	1	-	2	6	17	65	175	275
1996.....	12,229	2	-	-	-	4	9	20	63	146	240
1995.....	11,771	1	1	-	1	4	4	26	60	132	271
1994.....	11,287	4	2	-	1	2	7	29	72	130	244
1993.....	10,839	4	1	-	1	2	9	23	62	135	215
1992.....	10,241	2	2	1	-	3	7	21	49	105	207
1991.....	9,838	-	2	2	1	3	8	23	48	91	176
1990.....	9,587	1	-	1	-	1	5	17	50	83	183
1989.....	9,559	4	2	1	-	1	10	25	59	88	154
1988.....	9,550	1	1	-	1	2	8	16	45	79	147
1987.....	9,622	1	-	1	-	1	6	21	32	91	157
1986.....	9,403	2	1	-	1	1	13	13	54	69	136
1985.....	9,773	3	-	-	1	3	8	21	38	73	139
1984.....	9,806	-	2	2	-	1	8	24	44	61	130
1983.....	10,105	1	2	1	-	1	6	22	46	84	116
1982.....	10,029	1	-	-	-	2	8	18	37	63	103
1981.....	10,239	1	-	3	-	5	5	22	45	52	122
1980.....	10,374	4	-	1	1	3	7	23	32	61	113
1979.....	10,149	2	-	1	1	1	10	19	29	64	131
WHITE FEMALE											
1998.....	19,516	4	-	1	-	2	2	8	19	42	88
1997.....	18,780	4	-	-	3	2	2	13	20	46	85
1996.....	18,580	3	-	2	-	1	3	8	21	44	100
1995.....	17,612	1	-	-	1	-	1	7	15	46	91
1994.....	16,767	3	1	-	2	2	7	12	23	43	65
1993.....	15,964	1	1	1	-	2	1	6	18	35	78
1992.....	14,937	-	-	1	-	-	6	7	13	27	60
1991.....	14,445	-	-	-	-	2	4	10	16	34	73
1990.....	14,186	3	-	1	2	1	1	4	13	20	63
1989.....	13,795	-	3	1	3	-	4	7	15	23	61
1988.....	13,555	1	-	-	-	3	5	6	17	37	53
1987.....	13,575	2	1	1	1	1	7	9	14	24	55
1986.....	13,581	3	2	-	-	1	1	8	12	29	47
1985.....	13,541	1	-	-	-	1	3	5	17	29	43
1984.....	13,594	-	-	-	-	2	1	8	7	22	49
1983.....	13,815	2	-	-	-	1	3	4	11	20	50
1982.....	13,723	3	1	3	1	3	4	7	11	25	61
1981.....	13,771	1	1	-	-	3	4	9	18	28	56
1980.....	14,347	1	-	2	1	1	7	9	17	27	58
1979.....	13,962	1	2	1	4	1	3	6	16	25	58

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HYPERTENSIVE DISEASE (401-404)											
ALL OTHER, BOTH SEXES											
1998.....	11,922	6	1	-	2	4	15	66	111	244	459
1997.....	11,090	-	1	1	2	3	24	43	101	222	439
1996.....	10,825	3	-	-	2	6	26	54	105	204	415
1995.....	10,598	3	-	-	1	3	24	37	109	218	412
1994.....	10,148	2	1	-	-	2	19	49	116	248	377
1993.....	9,941	1	1	-	-	3	23	48	102	216	366
1992.....	9,432	2	-	-	1	4	19	39	116	175	367
1991.....	9,051	3	2	2	1	1	16	45	82	201	328
1990.....	8,845	2	2	-	-	4	21	40	91	196	299
1989.....	8,760	1	-	1	1	5	12	37	88	186	278
1988.....	8,589	1	1	2	-	5	20	41	96	173	246
1987.....	8,141	-	-	-	-	3	13	34	66	178	247
1986.....	8,005	1	-	-	-	2	10	39	73	158	253
1985.....	8,119	1	-	-	2	3	17	38	67	154	238
1984.....	7,941	1	-	2	1	5	5	25	67	140	255
1983.....	7,876	2	1	1	-	2	8	37	74	136	239
1982.....	7,626	5	-	1	-	4	13	47	86	129	204
1981.....	7,717	1	1	-	1	3	12	40	81	124	266
1980.....	7,912	-	2	1	2	5	17	36	77	151	257
1979.....	7,805	2	3	-	1	4	10	55	85	142	259
ALL OTHER MALE											
1998.....	5,462	4	-	-	-	2	11	40	70	143	281
1997.....	5,161	-	1	1	1	-	15	28	53	154	276
1996.....	5,062	1	-	-	2	2	20	31	69	127	244
1995.....	4,889	2	-	-	1	2	18	23	66	129	250
1994.....	4,628	-	1	-	-	-	11	32	63	157	222
1993.....	4,467	-	-	-	-	1	14	28	63	124	223
1992.....	4,279	2	-	-	1	4	11	22	72	108	226
1991.....	4,109	2	-	2	1	1	14	29	44	119	203
1990.....	4,027	1	-	-	-	2	13	21	56	125	186
1989.....	4,089	1	-	1	1	2	8	26	58	113	166
1988.....	3,849	-	1	1	-	1	13	27	61	114	131
1987.....	3,760	-	-	-	-	3	9	23	37	119	151
1986.....	3,631	-	-	-	-	2	7	22	55	93	137
1985.....	3,734	1	-	-	-	3	8	25	52	103	140
1984.....	3,672	1	-	1	1	4	3	16	47	89	158
1983.....	3,698	2	1	-	-	2	7	24	56	85	149
1982.....	3,521	3	-	1	-	3	6	29	59	82	132
1981.....	3,583	-	-	-	1	3	7	22	57	71	148
1980.....	3,569	-	1	-	1	3	7	16	47	89	148
1979.....	3,637	1	2	-	-	2	7	33	44	82	159

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HYPERTENSIVE DISEASE (401-404)											
ALL OTHER FEMALE											
1998.....	6,460	2	1	-	2	2	4	26	41	101	178
1997.....	5,929	-	-	-	1	3	9	15	48	68	163
1996.....	5,763	2	-	-	-	4	6	23	36	77	171
1995.....	5,709	1	-	-	-	1	6	14	43	89	162
1994.....	5,520	2	-	-	-	2	8	17	53	91	155
1993.....	5,474	1	1	-	-	2	9	20	39	92	143
1992.....	5,153	-	-	-	-	-	8	17	44	67	141
1991.....	4,942	1	2	-	-	-	2	16	38	82	125
1990.....	4,818	1	2	-	-	2	8	19	35	71	113
1989.....	4,671	-	-	-	-	3	4	11	30	73	112
1988.....	4,740	1	-	1	-	4	7	14	35	59	115
1987.....	4,381	-	-	-	-	-	4	11	29	59	96
1986.....	4,374	1	-	-	-	-	3	17	18	65	116
1985.....	4,385	-	-	-	2	-	9	13	15	51	98
1984.....	4,269	-	-	1	-	1	2	9	20	51	97
1983.....	4,178	-	-	1	-	-	1	13	18	51	90
1982.....	4,105	2	-	-	-	1	7	18	27	47	72
1981.....	4,134	1	1	-	-	-	5	18	24	53	118
1980.....	4,343	-	1	1	1	2	10	20	30	62	109
1979.....	4,168	1	1	-	1	2	3	22	41	60	100
BLACK, BOTH SEXES											
1998.....	11,037	6	1	-	2	3	15	61	102	231	440
1997.....	10,280	-	1	1	2	2	24	41	99	211	421
1996.....	10,098	3	-	-	2	5	24	53	98	194	400
1995.....	9,884	3	-	-	1	3	24	36	102	209	402
1994.....	9,493	2	1	-	-	2	17	48	114	235	365
1993.....	9,362	1	1	-	-	3	23	45	97	213	357
1992.....	8,888	2	-	-	1	4	19	38	112	171	361
1991.....	8,558	3	2	2	1	1	14	43	81	198	319
1990.....	8,452	1	2	-	-	4	21	40	88	189	291
1989.....	8,333	1	-	1	1	5	12	34	85	184	272
1988.....	8,210	1	1	2	-	5	19	41	94	171	242
1987.....	7,742	-	-	-	-	3	12	33	64	174	240
1986.....	7,678	1	-	-	-	2	10	37	71	152	247
1985.....	7,774	-	-	-	1	3	16	38	66	149	235
1984.....	7,652	1	-	2	1	4	5	25	66	140	244
1983.....	7,607	1	1	1	-	2	8	36	73	130	233
1982.....	7,339	5	-	1	-	4	12	47	84	121	200
1981.....	7,476	-	1	-	1	3	12	39	80	122	259
1980.....	7,632	-	2	-	2	5	17	35	75	148	249
1979.....	7,568	2	2	-	1	4	7	54	84	137	255

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
HYPERTENSIVE DISEASE (401-404)											
BLACK MALE											
1998.....	5,032	4	-	-	-	2	11	36	62	133	266
1997.....	4,734	-	1	1	1	-	15	27	53	144	262
1996.....	4,691	1	-	-	2	2	18	30	63	120	231
1995.....	4,529	2	-	-	1	2	18	22	62	123	245
1994.....	4,296	-	1	-	-	-	10	32	62	148	214
1993.....	4,186	-	-	-	-	1	14	26	60	121	218
1992.....	3,987	2	-	-	1	4	11	21	69	105	221
1991.....	3,878	2	-	2	1	1	13	28	44	116	197
1990.....	3,827	1	-	-	-	2	13	21	54	120	179
1989.....	3,860	1	-	1	1	2	8	25	56	113	163
1988.....	3,631	-	1	1	-	1	12	27	60	113	127
1987.....	3,559	-	-	-	-	3	8	23	37	115	147
1986.....	3,463	-	-	-	-	2	7	20	54	88	132
1985.....	3,553	-	-	-	-	3	8	25	51	99	137
1984.....	3,511	1	-	1	1	3	3	16	46	89	153
1983.....	3,554	1	1	-	-	2	7	23	55	81	144
1982.....	3,365	3	-	1	-	3	5	29	58	76	128
1981.....	3,451	-	-	-	1	3	7	22	56	70	145
1980.....	3,421	-	1	-	1	3	7	15	47	87	141
1979.....	3,505	1	1	-	-	2	5	32	44	78	156
BLACK FEMALE											
1998.....	6,005	2	1	-	2	1	4	25	40	98	174
1997.....	5,546	-	-	-	1	2	9	14	46	67	159
1996.....	5,407	2	-	-	-	3	6	23	35	74	169
1995.....	5,355	1	-	-	-	1	6	14	40	86	157
1994.....	5,197	2	-	-	-	2	7	16	52	87	151
1993.....	5,176	1	1	-	-	2	9	19	37	92	139
1992.....	4,901	-	-	-	-	-	8	17	43	66	140
1991.....	4,680	1	2	-	-	-	1	15	37	82	122
1990.....	4,625	-	2	-	-	2	8	19	34	69	112
1989.....	4,473	-	-	-	-	3	4	9	29	71	109
1988.....	4,579	1	-	1	-	4	7	14	34	58	115
1987.....	4,183	-	-	-	-	-	4	10	27	59	93
1986.....	4,215	1	-	-	-	-	3	17	17	64	115
1985.....	4,221	-	-	-	1	-	8	13	15	50	98
1984.....	4,141	-	-	1	-	1	2	9	20	51	91
1983.....	4,053	-	-	1	-	-	1	13	18	49	89
1982.....	3,974	2	-	-	-	1	7	18	26	45	72
1981.....	4,025	-	1	-	-	-	5	17	24	52	114
1980.....	4,211	-	1	-	1	2	10	20	28	61	108
1979.....	4,063	1	1	-	1	2	2	22	40	59	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 ESSENTIAL HYPERTENSION (401)												
TOTAL, BOTH SEXES												
1998.....	8,263	9	-	-	2	2	1	8	14	59	89	
1997.....	7,774	4	1	1	3	-	2	8	18	48	95	
1996.....	7,303	7	-	1	-	5	4	8	15	34	85	
1995.....	6,973	2	1	-	-	1	1	11	19	40	98	
1994.....	6,417	6	2	-	1	-	2	10	14	48	76	
1993.....	6,125	3	1	1	-	1	8	13	24	49	87	
1992.....	5,232	3	2	2	-	2	3	3	13	32	71	
1991.....	4,928	2	3	2	-	3	4	11	14	33	66	
1990.....	4,618	2	1	2	-	1	3	4	19	33	65	
1989.....	4,392	3	2	2	1	1	4	15	19	32	60	
1988.....	4,287	1	1	-	-	2	-	8	11	41	48	
1987.....	4,060	2	1	1	-	2	4	3	16	33	59	
1986.....	3,960	4	1	-	-	-	3	4	15	30	46	
1985.....	3,635	2	-	-	-	1	4	10	13	36	35	
1984.....	3,462	1	1	1	-	-	1	6	11	20	45	
1983.....	3,245	3	1	-	-	2	4	9	10	25	44	
1982.....	3,040	4	-	1	1	2	3	9	12	21	34	
1981.....	2,981	1	-	-	-	4	5	10	16	21	49	
1980.....	2,840	3	-	1	4	1	5	11	19	30	54	
1979.....	2,515	3	3	1	2	1	4	13	9	26	44	
TOTAL, MALE												
1998.....	2,939	5	-	-	1	-	-	5	10	41	54	
1997.....	2,915	1	1	1	-	-	1	4	10	34	62	
1996.....	2,715	3	-	-	-	2	2	4	8	17	51	
1995.....	2,616	1	1	-	-	1	1	8	16	25	63	
1994.....	2,464	3	2	-	-	-	2	7	9	27	56	
1993.....	2,329	2	-	-	-	-	5	7	16	31	61	
1992.....	2,025	3	2	1	-	2	1	2	7	15	49	
1991.....	1,949	2	1	2	-	2	2	9	11	19	40	
1990.....	1,812	2	-	1	-	-	2	3	13	23	40	
1989.....	1,761	3	-	2	-	1	2	10	13	20	38	
1988.....	1,731	-	1	-	-	-	-	3	8	24	29	
1987.....	1,679	1	-	-	-	2	-	3	10	24	38	
1986.....	1,602	2	-	-	-	-	2	3	11	16	27	
1985.....	1,519	2	-	-	-	1	2	6	5	23	18	
1984.....	1,445	1	1	1	-	-	1	3	6	13	27	
1983.....	1,374	2	1	-	-	1	2	7	8	18	26	
1982.....	1,280	2	-	-	-	-	2	6	10	14	21	
1981.....	1,226	-	-	-	-	3	2	4	7	13	32	
1980.....	1,216	3	-	1	2	1	4	7	13	17	31	
1979.....	1,074	2	1	-	-	-	4	12	6	14	23	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ESSENTIAL HYPERTENSION (401)											
TOTAL, FEMALE											
1998.....	5,324	4	-	-	1	2	1	3	4	18	35
1997.....	4,859	3	-	-	3	-	1	4	8	14	33
1996.....	4,588	4	-	1	-	3	2	4	7	17	34
1995.....	4,357	1	-	-	-	-	-	3	3	15	35
1994.....	3,953	3	-	-	1	-	-	3	5	21	20
1993.....	3,796	1	1	1	-	1	3	6	8	18	26
1992.....	3,207	-	-	1	-	-	2	1	6	17	22
1991.....	2,979	-	2	-	-	1	2	2	3	14	26
1990.....	2,806	-	1	1	-	1	1	1	6	10	25
1989.....	2,631	-	2	-	1	-	2	5	6	12	22
1988.....	2,556	1	-	-	-	2	-	5	3	17	19
1987.....	2,381	1	1	1	-	-	4	-	6	9	21
1986.....	2,358	2	1	-	-	-	1	1	4	14	19
1985.....	2,116	-	-	-	-	-	2	4	8	13	17
1984.....	2,017	-	-	-	-	-	-	3	5	7	18
1983.....	1,871	1	-	-	-	1	2	2	2	7	18
1982.....	1,760	2	-	1	1	2	1	3	2	7	13
1981.....	1,755	1	-	-	-	1	3	6	9	8	17
1980.....	1,624	-	-	-	2	-	1	4	6	13	23
1979.....	1,441	1	2	1	2	1	-	1	3	12	21
WHITE, BOTH SEXES											
1998.....	6,508	5	-	-	1	2	-	4	3	34	44
1997.....	6,163	4	-	1	2	-	-	3	7	23	47
1996.....	5,760	5	-	1	-	1	4	4	7	18	39
1995.....	5,467	1	1	-	-	1	-	6	10	23	50
1994.....	4,991	5	1	-	1	-	-	3	7	21	36
1993.....	4,786	3	1	1	-	1	3	5	13	29	45
1992.....	4,083	2	2	2	-	1	2	2	6	16	41
1991.....	3,821	-	1	2	-	2	2	5	7	16	33
1990.....	3,598	1	-	2	-	1	-	2	9	14	29
1989.....	3,389	3	2	1	1	1	3	5	10	18	27
1988.....	3,345	-	1	-	-	2	-	3	3	26	27
1987.....	3,161	2	1	1	-	1	3	-	9	15	33
1986.....	3,109	3	1	-	-	-	1	-	8	10	23
1985.....	2,789	1	-	-	-	1	1	4	4	13	16
1984.....	2,654	-	1	-	-	-	-	1	2	10	23
1983.....	2,559	2	1	-	-	1	3	6	3	14	24
1982.....	2,428	-	-	1	1	2	2	2	7	13	17
1981.....	2,290	-	-	-	-	3	1	5	6	12	21
1980.....	2,178	3	-	1	2	1	3	6	13	14	26
1979.....	1,972	1	1	1	2	1	4	4	3	10	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ESSENTIAL HYPERTENSION (401)											
WHITE MALE											
1998.....	2,230	2	-	-	1	-	-	3	3	26	31
1997.....	2,212	1	-	1	-	-	-	1	5	19	37
1996.....	2,068	2	-	-	-	-	2	2	2	11	23
1995.....	1,951	1	1	-	-	1	-	5	9	16	33
1994.....	1,815	3	1	-	-	-	-	2	5	10	29
1993.....	1,764	2	-	-	-	-	3	2	9	22	35
1992.....	1,572	2	2	1	-	1	1	2	4	12	34
1991.....	1,468	-	1	2	-	1	1	4	6	9	18
1990.....	1,360	1	-	1	-	-	-	1	7	12	15
1989.....	1,316	3	-	1	-	1	1	3	9	14	18
1988.....	1,354	-	1	-	-	-	-	2	3	14	17
1987.....	1,285	1	-	-	-	1	-	-	6	14	24
1986.....	1,253	2	-	-	-	-	1	-	6	7	15
1985.....	1,143	1	-	-	-	1	1	2	2	8	10
1984.....	1,096	-	1	-	-	-	-	-	1	6	17
1983.....	1,063	1	1	-	-	-	2	6	3	11	15
1982.....	1,019	-	-	-	-	-	1	2	5	9	9
1981.....	933	-	-	-	-	2	-	2	3	8	16
1980.....	940	3	-	1	1	1	2	5	9	10	16
1979.....	822	1	-	-	-	-	4	4	2	6	13
WHITE FEMALE											
1998.....	4,278	3	-	-	-	2	-	1	-	8	13
1997.....	3,951	3	-	-	2	-	-	2	2	4	10
1996.....	3,692	3	-	1	-	1	2	2	5	7	16
1995.....	3,516	-	-	-	-	-	-	1	1	7	17
1994.....	3,176	2	-	-	1	-	-	1	2	11	7
1993.....	3,022	1	1	1	-	1	-	3	4	7	10
1992.....	2,511	-	-	1	-	-	1	-	2	4	7
1991.....	2,353	-	-	-	-	1	1	1	1	7	15
1990.....	2,238	-	-	1	-	1	-	1	2	2	14
1989.....	2,073	-	2	-	1	-	2	2	1	4	9
1988.....	1,991	-	-	-	-	2	-	1	-	12	10
1987.....	1,876	1	1	1	-	-	3	-	3	1	9
1986.....	1,856	1	1	-	-	-	-	-	2	3	8
1985.....	1,646	-	-	-	-	-	-	2	2	5	6
1984.....	1,558	-	-	-	-	-	-	1	1	4	6
1983.....	1,496	1	-	-	-	1	1	-	-	3	9
1982.....	1,409	-	-	1	1	2	1	-	2	4	8
1981.....	1,357	-	-	-	-	1	1	3	3	4	5
1980.....	1,238	-	-	-	1	-	1	1	4	4	10
1979.....	1,150	-	1	1	2	1	-	-	1	4	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ESSENTIAL HYPERTENSION (401)											
ALL OTHER, BOTH SEXES											
1998.....	1,755	4	-	-	1	-	1	4	11	25	45
1997.....	1,611	-	1	-	1	-	2	5	11	25	48
1996.....	1,543	2	-	-	-	4	-	4	8	16	46
1995.....	1,506	1	-	-	-	-	1	5	9	17	48
1994.....	1,426	1	1	-	-	-	2	7	7	27	40
1993.....	1,339	-	-	-	-	-	5	8	11	20	42
1992.....	1,149	1	-	-	-	1	1	1	7	16	30
1991.....	1,107	2	2	-	-	1	2	6	7	17	33
1990.....	1,020	1	1	-	-	-	3	2	10	19	36
1989.....	1,003	-	-	1	-	-	1	10	9	14	33
1988.....	942	1	-	-	-	-	-	5	8	15	21
1987.....	899	-	-	-	-	1	1	3	7	18	26
1986.....	851	1	-	-	-	-	2	4	7	20	23
1985.....	846	1	-	-	-	-	3	6	9	23	19
1984.....	808	1	-	1	-	-	1	5	9	10	22
1983.....	686	1	-	-	-	1	1	3	7	11	20
1982.....	612	4	-	-	-	-	1	7	5	8	17
1981.....	691	1	-	-	-	1	4	5	10	9	28
1980.....	662	-	-	-	2	-	2	5	6	16	28
1979.....	543	2	2	-	-	-	-	9	6	16	20
ALL OTHER MALE											
1998.....	709	3	-	-	-	-	-	2	7	15	23
1997.....	703	-	1	-	-	-	1	3	5	15	25
1996.....	647	1	-	-	-	2	-	2	6	6	28
1995.....	665	-	-	-	-	-	1	3	7	9	30
1994.....	649	-	1	-	-	-	2	5	4	17	27
1993.....	565	-	-	-	-	-	2	5	7	9	26
1992.....	453	1	-	-	-	1	-	-	3	3	15
1991.....	481	2	-	-	-	1	1	5	5	10	22
1990.....	452	1	-	-	-	-	2	2	6	11	25
1989.....	445	-	-	1	-	-	1	7	4	6	20
1988.....	377	-	-	-	-	-	-	1	5	10	12
1987.....	394	-	-	-	-	1	-	3	4	10	14
1986.....	349	-	-	-	-	-	1	3	5	9	12
1985.....	376	1	-	-	-	-	1	4	3	15	8
1984.....	349	1	-	1	-	-	1	3	5	7	10
1983.....	311	1	-	-	-	1	-	1	5	7	11
1982.....	261	2	-	-	-	-	1	4	5	5	12
1981.....	293	-	-	-	-	1	2	2	4	5	16
1980.....	276	-	-	-	1	-	2	2	4	7	15
1979.....	252	1	1	-	-	-	-	8	4	8	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ESSENTIAL HYPERTENSION (401)											
ALL OTHER FEMALE											
1998.....	1,046	1	-	-	1	-	1	2	4	10	22
1997.....	908	-	-	-	1	-	1	2	6	10	23
1996.....	896	1	-	-	-	2	-	2	2	10	18
1995.....	841	1	-	-	-	-	-	2	2	8	18
1994.....	777	1	-	-	-	-	-	2	3	10	13
1993.....	774	-	-	-	-	-	3	3	4	11	16
1992.....	696	-	-	-	-	-	1	1	4	13	15
1991.....	626	-	2	-	-	-	1	1	2	7	11
1990.....	568	-	1	-	-	-	1	-	4	8	11
1989.....	558	-	-	-	-	-	-	3	5	8	13
1988.....	565	1	-	-	-	-	-	4	3	5	9
1987.....	505	-	-	-	-	-	1	-	3	8	12
1986.....	502	1	-	-	-	-	1	1	2	11	11
1985.....	470	-	-	-	-	-	2	2	6	8	11
1984.....	459	-	-	-	-	-	-	2	4	3	12
1983.....	375	-	-	-	-	-	1	2	2	4	9
1982.....	351	2	-	-	-	-	-	3	-	3	5
1981.....	398	1	-	-	-	-	2	3	6	4	12
1980.....	386	-	-	-	1	-	-	3	2	9	13
1979.....	291	1	1	-	-	-	-	1	2	8	10
BLACK, BOTH SEXES											
1998.....	1,587	4	-	-	1	-	1	4	10	23	43
1997.....	1,484	-	1	-	1	-	2	5	11	23	43
1996.....	1,437	2	-	-	-	4	-	4	6	16	44
1995.....	1,397	1	-	-	-	-	1	5	9	17	47
1994.....	1,325	1	1	-	-	-	2	7	7	25	37
1993.....	1,250	-	-	-	-	-	5	8	11	19	42
1992.....	1,067	1	-	-	-	1	1	1	7	16	28
1991.....	1,042	2	2	-	-	1	2	6	7	17	28
1990.....	975	1	1	-	-	-	3	2	9	18	33
1989.....	952	-	-	1	-	-	1	9	9	14	33
1988.....	896	1	-	-	-	-	-	5	8	15	21
1987.....	859	-	-	-	-	1	1	3	7	18	23
1986.....	816	1	-	-	-	-	2	4	6	20	22
1985.....	816	-	-	-	-	-	2	6	9	23	18
1984.....	785	1	-	1	-	-	1	5	9	10	21
1983.....	659	1	-	-	-	1	1	3	6	10	20
1982.....	579	4	-	-	-	-	-	7	5	7	15
1981.....	666	-	-	-	-	1	4	4	10	9	28
1980.....	633	-	-	-	2	-	2	5	6	15	27
1979.....	520	2	1	-	-	-	-	9	6	14	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ESSENTIAL HYPERTENSION (401)											
BLACK MALE											
1998.....	630	3	-	-	-	-	-	2	6	13	22
1997.....	639	-	1	-	-	-	1	3	5	13	21
1996.....	594	1	-	-	-	2	-	2	4	6	26
1995.....	614	-	-	-	-	-	1	3	7	9	30
1994.....	600	-	1	-	-	-	2	5	4	15	25
1993.....	528	-	-	-	-	-	2	5	7	8	26
1992.....	418	1	-	-	-	1	-	-	3	3	13
1991.....	441	2	-	-	-	1	1	5	5	10	18
1990.....	427	1	-	-	-	-	2	2	6	10	22
1989.....	420	-	-	1	-	-	1	7	4	6	20
1988.....	350	-	-	-	-	-	-	1	5	10	12
1987.....	377	-	-	-	-	1	-	3	4	10	12
1986.....	330	-	-	-	-	-	1	3	4	9	11
1985.....	366	-	-	-	-	-	1	4	3	15	7
1984.....	337	1	-	1	-	-	1	3	5	7	10
1983.....	299	1	-	-	-	1	-	1	4	7	11
1982.....	239	2	-	-	-	-	-	4	5	4	10
1981.....	280	-	-	-	-	1	2	2	4	5	16
1980.....	262	-	-	-	1	-	2	2	4	7	14
1979.....	238	1	-	-	-	-	-	8	4	7	9
BLACK FEMALE											
1998.....	957	1	-	-	1	-	1	2	4	10	21
1997.....	845	-	-	-	1	-	1	2	6	10	22
1996.....	843	1	-	-	-	2	-	2	2	10	18
1995.....	783	1	-	-	-	-	-	2	2	8	17
1994.....	725	1	-	-	-	-	-	2	3	10	12
1993.....	722	-	-	-	-	-	3	3	4	11	16
1992.....	649	-	-	-	-	-	1	1	4	13	15
1991.....	601	-	2	-	-	-	1	1	2	7	10
1990.....	548	-	1	-	-	-	1	-	3	8	11
1989.....	532	-	-	-	-	-	-	2	5	8	13
1988.....	546	1	-	-	-	-	-	4	3	5	9
1987.....	482	-	-	-	-	-	1	-	3	8	11
1986.....	486	1	-	-	-	-	1	1	2	11	11
1985.....	450	-	-	-	-	-	1	2	6	8	11
1984.....	448	-	-	-	-	-	-	2	4	3	11
1983.....	360	-	-	-	-	-	1	2	2	3	9
1982.....	340	2	-	-	-	-	-	3	-	3	5
1981.....	386	-	-	-	-	-	2	2	6	4	12
1980.....	371	-	-	-	1	-	-	3	2	8	13
1979.....	282	1	1	-	-	-	-	1	2	7	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART DISEASE (402)											
TOTAL, BOTH SEXES											
1998.....	27,715	1	1	-	-	5	19	68	137	350	653
1997.....	26,607	2	-	-	1	5	23	39	139	345	608
1996.....	26,188	-	-	-	1	3	23	55	141	299	584
1995.....	25,014	1	-	-	-	5	14	41	134	289	578
1994.....	23,943	-	-	-	2	5	15	56	153	318	519
1993.....	23,037	2	1	-	1	2	14	45	125	263	488
1992.....	21,853	1	-	-	1	2	18	45	121	234	478
1991.....	21,365	1	1	2	2	1	17	48	99	232	432
1990.....	21,072	-	1	-	2	2	14	42	106	205	403
1989.....	20,963	2	2	-	2	3	8	34	110	212	374
1988.....	20,788	1	1	1	-	3	22	37	109	193	340
1987.....	20,678	1	-	1	-	1	13	42	69	207	336
1986.....	20,509	1	2	-	-	2	17	31	88	184	344
1985.....	20,882	1	-	-	1	5	17	44	85	184	331
1984.....	20,712	-	1	1	-	5	11	33	80	170	336
1983.....	20,984	1	2	-	-	1	6	38	97	182	303
1982.....	20,779	3	1	1	-	6	13	46	85	156	295
1981.....	20,793	-	-	2	1	2	12	36	93	148	326
1980.....	21,095	1	-	1	-	3	17	34	82	168	317
1979.....	20,992	1	-	-	1	4	10	53	91	159	326
TOTAL, MALE											
1998.....	11,937	-	-	-	-	3	16	47	97	244	458
1997.....	11,386	1	-	-	1	2	16	25	90	259	427
1996.....	11,129	-	-	-	1	2	20	37	101	209	390
1995.....	10,638	-	-	-	-	4	13	26	91	197	403
1994.....	10,055	-	-	-	1	2	10	44	103	221	351
1993.....	9,771	1	1	-	1	1	8	32	93	187	319
1992.....	9,211	1	-	-	1	2	10	26	82	170	339
1991.....	8,995	-	1	2	2	1	15	32	61	151	289
1990.....	8,822	-	-	-	-	2	11	28	75	139	279
1989.....	8,923	2	1	-	1	1	6	27	76	145	247
1988.....	8,850	1	1	-	-	2	17	27	75	134	212
1987.....	8,855	-	-	1	-	-	10	30	46	148	231
1986.....	8,614	-	1	-	-	1	14	16	70	120	220
1985.....	8,970	-	-	-	-	5	12	34	68	130	228
1984.....	8,892	-	1	1	-	4	8	25	61	115	229
1983.....	9,106	-	2	-	-	1	5	30	78	126	205
1982.....	8,896	1	-	-	-	5	6	32	57	102	190
1981.....	8,994	-	-	2	1	2	10	25	73	93	198
1980.....	8,870	1	-	-	-	2	8	22	54	110	194
1979.....	8,902	-	-	-	-	3	6	31	49	107	215

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART DISEASE (402)											
TOTAL, FEMALE											
1998.....	15,778	1	1	-	-	2	3	21	40	106	195
1997.....	15,221	1	-	-	-	3	7	14	49	86	181
1996.....	15,059	-	-	-	-	1	3	18	40	90	194
1995.....	14,376	1	-	-	-	1	1	15	43	92	175
1994.....	13,888	-	-	-	1	3	5	12	50	97	168
1993.....	13,266	1	-	-	-	1	6	13	32	76	169
1992.....	12,642	-	-	-	-	-	8	19	39	64	139
1991.....	12,370	1	-	-	-	-	2	16	38	81	143
1990.....	12,250	-	1	-	2	-	3	14	31	66	124
1989.....	12,040	-	1	-	1	2	2	7	34	67	127
1988.....	11,938	-	-	1	-	1	5	10	34	59	128
1987.....	11,823	1	-	-	-	1	3	12	23	59	105
1986.....	11,895	1	1	-	-	1	3	15	18	64	124
1985.....	11,912	1	-	-	1	-	5	10	17	54	103
1984.....	11,820	-	-	-	-	1	3	8	19	55	107
1983.....	11,878	1	-	-	-	-	1	8	19	56	98
1982.....	11,883	2	1	1	-	1	7	14	28	54	105
1981.....	11,799	-	-	-	-	-	2	11	20	55	128
1980.....	12,225	-	-	1	-	1	9	12	28	58	123
1979.....	12,090	1	-	-	1	1	4	22	42	52	111
WHITE, BOTH SEXES											
1998.....	20,047	1	-	-	-	1	9	23	53	164	307
1997.....	19,377	2	-	-	-	3	6	15	69	183	289
1996.....	19,197	-	-	-	-	2	6	22	66	148	274
1995.....	18,166	1	-	-	-	2	2	17	56	131	279
1994.....	17,395	-	-	-	2	3	10	25	72	137	240
1993.....	16,620	1	1	-	1	-	3	21	58	121	227
1992.....	15,685	-	-	-	-	1	8	22	45	104	210
1991.....	15,409	-	1	-	1	1	6	22	45	92	190
1990.....	15,165	-	-	-	2	1	4	16	45	77	195
1989.....	15,012	1	2	-	1	-	4	18	51	79	169
1988.....	14,901	1	-	-	-	2	7	10	45	74	152
1987.....	15,119	1	-	1	-	1	6	18	29	82	157
1986.....	14,982	1	2	-	-	2	11	11	45	73	149
1985.....	15,303	1	-	-	-	2	6	20	41	77	149
1984.....	15,237	-	1	1	-	-	7	20	38	63	135
1983.....	15,463	1	1	-	-	1	2	15	40	81	121
1982.....	15,392	2	1	1	-	3	6	15	29	60	133
1981.....	15,474	-	-	2	-	2	5	11	44	58	134
1980.....	15,682	1	-	-	-	-	8	12	28	57	128
1979.....	15,518	1	-	-	1	1	3	18	32	58	138

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART DISEASE (402)											
WHITE MALE											
1998.....	8,223	-	-	-	-	1	8	21	41	135	241
1997.....	7,916	1	-	-	-	2	5	10	54	149	223
1996.....	7,735	-	-	-	-	2	6	17	53	115	203
1995.....	7,371	-	-	-	-	2	2	14	45	105	221
1994.....	6,996	-	-	-	1	2	6	20	60	110	191
1993.....	6,742	1	1	-	1	-	2	18	49	99	168
1992.....	6,312	-	-	-	-	1	4	15	35	85	165
1991.....	6,218	-	1	-	1	1	5	14	36	73	144
1990.....	6,077	-	-	-	-	1	4	15	36	62	152
1989.....	6,082	1	1	-	-	-	4	16	38	62	127
1988.....	6,099	1	-	-	-	2	6	8	35	56	116
1987.....	6,245	-	-	1	-	-	4	13	23	64	121
1986.....	6,043	-	1	-	-	1	10	7	38	52	115
1985.....	6,322	-	-	-	-	2	6	18	30	59	120
1984.....	6,302	-	1	1	-	-	6	17	33	47	101
1983.....	6,458	-	1	-	-	1	1	13	34	65	92
1982.....	6,341	-	-	-	-	2	4	12	21	42	85
1981.....	6,462	-	-	2	-	2	5	10	36	39	92
1980.....	6,386	1	-	-	-	-	4	10	20	41	88
1979.....	6,325	-	-	-	-	1	2	12	21	47	99
WHITE FEMALE											
1998.....	11,824	1	-	-	-	-	1	2	12	29	66
1997.....	11,461	1	-	-	-	1	1	5	15	34	66
1996.....	11,462	-	-	-	-	-	-	5	13	33	71
1995.....	10,795	1	-	-	-	-	-	3	11	26	58
1994.....	10,399	-	-	-	1	1	4	5	12	27	49
1993.....	9,878	-	-	-	-	-	1	3	9	22	59
1992.....	9,373	-	-	-	-	-	4	7	10	19	45
1991.....	9,191	-	-	-	-	-	1	8	9	19	46
1990.....	9,088	-	-	-	2	-	-	1	9	15	43
1989.....	8,930	-	1	-	1	-	-	2	13	17	42
1988.....	8,802	-	-	-	-	-	1	2	10	18	36
1987.....	8,874	1	-	-	-	1	2	5	6	18	36
1986.....	8,939	1	1	-	-	1	1	4	7	21	34
1985.....	8,981	1	-	-	-	-	-	2	11	18	29
1984.....	8,935	-	-	-	-	-	1	3	5	16	34
1983.....	9,005	1	-	-	-	-	1	2	6	16	29
1982.....	9,051	2	1	1	-	1	2	3	8	18	48
1981.....	9,012	-	-	-	-	-	-	1	8	19	42
1980.....	9,296	-	-	-	-	-	4	2	8	16	40
1979.....	9,193	1	-	-	1	-	1	6	11	11	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART DISEASE (402)											
ALL OTHER, BOTH SEXES											
1998.....	7,668	-	1	-	-	4	10	45	84	186	346
1997.....	7,230	-	-	-	1	2	17	24	70	162	319
1996.....	6,991	-	-	-	1	1	17	33	75	151	310
1995.....	6,848	-	-	-	-	3	12	24	78	158	299
1994.....	6,548	-	-	-	-	2	5	31	81	181	279
1993.....	6,417	1	-	-	-	2	11	24	67	142	261
1992.....	6,168	1	-	-	1	1	10	23	76	130	268
1991.....	5,956	1	-	2	1	-	11	26	54	140	242
1990.....	5,907	-	1	-	-	1	10	26	61	128	208
1989.....	5,951	1	-	-	1	3	4	16	59	133	205
1988.....	5,887	-	1	1	-	1	15	27	64	119	188
1987.....	5,559	-	-	-	-	-	7	24	40	125	179
1986.....	5,527	-	-	-	-	-	6	20	43	111	195
1985.....	5,579	-	-	-	1	3	11	24	44	107	182
1984.....	5,475	-	-	-	-	5	4	13	42	107	201
1983.....	5,521	-	1	-	-	-	4	23	57	101	182
1982.....	5,387	1	-	-	-	3	7	31	56	96	162
1981.....	5,319	-	-	-	1	-	7	25	49	90	192
1980.....	5,413	-	-	1	-	3	9	22	54	111	189
1979.....	5,474	-	-	-	-	3	7	35	59	101	188
ALL OTHER MALE											
1998.....	3,714	-	-	-	-	2	8	26	56	109	217
1997.....	3,470	-	-	-	1	-	11	15	36	110	204
1996.....	3,394	-	-	-	1	-	14	20	48	94	187
1995.....	3,267	-	-	-	-	2	11	12	46	92	182
1994.....	3,059	-	-	-	-	-	4	24	43	111	160
1993.....	3,029	-	-	-	-	1	6	14	44	88	151
1992.....	2,899	1	-	-	1	1	6	11	47	85	174
1991.....	2,777	-	-	2	1	-	10	18	25	78	145
1990.....	2,745	-	-	-	-	1	7	13	39	77	127
1989.....	2,841	1	-	-	1	1	2	11	38	83	120
1988.....	2,751	-	1	-	-	-	11	19	40	78	96
1987.....	2,610	-	-	-	-	-	6	17	23	84	110
1986.....	2,571	-	-	-	-	-	4	9	32	68	105
1985.....	2,648	-	-	-	-	3	6	16	38	71	108
1984.....	2,590	-	-	-	-	4	2	8	28	68	128
1983.....	2,648	-	1	-	-	-	4	17	44	61	113
1982.....	2,555	1	-	-	-	3	2	20	36	60	105
1981.....	2,532	-	-	-	1	-	5	15	37	54	106
1980.....	2,484	-	-	-	-	2	4	12	34	69	106
1979.....	2,577	-	-	-	-	2	4	19	28	60	116

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART DISEASE (402)											
ALL OTHER FEMALE											
1998.....	3,954	-	1	-	-	2	2	19	28	77	129
1997.....	3,760	-	-	-	-	2	6	9	34	52	115
1996.....	3,597	-	-	-	-	1	3	13	27	57	123
1995.....	3,581	-	-	-	-	1	1	12	32	66	117
1994.....	3,489	-	-	-	-	2	1	7	38	70	119
1993.....	3,388	1	-	-	-	1	5	10	23	54	110
1992.....	3,269	-	-	-	-	-	4	12	29	45	94
1991.....	3,179	1	-	-	-	-	1	8	29	62	97
1990.....	3,162	-	1	-	-	-	3	13	22	51	81
1989.....	3,110	-	-	-	-	2	2	5	21	50	85
1988.....	3,136	-	-	1	-	1	4	8	24	41	92
1987.....	2,949	-	-	-	-	-	1	7	17	41	69
1986.....	2,956	-	-	-	-	-	2	11	11	43	90
1985.....	2,931	-	-	-	1	-	5	8	6	36	74
1984.....	2,885	-	-	-	-	1	2	5	14	39	73
1983.....	2,873	-	-	-	-	-	-	6	13	40	69
1982.....	2,832	-	-	-	-	-	5	11	20	36	57
1981.....	2,787	-	-	-	-	-	2	10	12	36	86
1980.....	2,929	-	-	1	-	1	5	10	20	42	83
1979.....	2,897	-	-	-	-	1	3	16	31	41	72
BLACK, BOTH SEXES											
1998.....	7,158	-	1	-	-	3	10	41	76	178	332
1997.....	6,708	-	-	-	1	2	17	24	68	153	308
1996.....	6,564	-	-	-	1	-	16	33	70	145	299
1995.....	6,408	-	-	-	-	3	12	24	74	151	293
1994.....	6,160	-	-	-	-	2	4	31	79	170	271
1993.....	6,057	1	-	-	-	2	11	22	62	141	254
1992.....	5,854	1	-	-	1	1	10	22	73	126	264
1991.....	5,639	1	-	2	1	-	10	25	53	138	239
1990.....	5,636	-	1	-	-	1	10	26	60	124	203
1989.....	5,680	1	-	-	1	3	4	15	56	133	201
1988.....	5,626	-	1	1	-	1	14	27	62	117	184
1987.....	5,276	-	-	-	-	-	6	24	39	122	175
1986.....	5,312	-	-	-	-	-	6	19	43	108	192
1985.....	5,342	-	-	-	1	3	11	24	43	104	181
1984.....	5,276	-	-	-	-	4	4	13	41	107	192
1983.....	5,339	-	1	-	-	-	4	22	57	97	176
1982.....	5,197	1	-	-	-	3	7	31	56	91	160
1981.....	5,160	-	-	-	1	-	7	25	48	88	188
1980.....	5,228	-	-	-	-	3	9	21	52	109	182
1979.....	5,311	-	-	-	-	3	5	34	58	98	186

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART DISEASE (402)											
BLACK MALE											
1998.....	3,463	-	-	-	-	2	8	23	49	102	206
1997.....	3,190	-	-	-	1	-	11	15	36	102	195
1996.....	3,160	-	-	-	1	-	13	20	44	91	178
1995.....	3,039	-	-	-	-	2	11	12	43	88	178
1994.....	2,855	-	-	-	-	-	3	24	42	104	154
1993.....	2,843	-	-	-	-	1	6	13	41	87	147
1992.....	2,724	1	-	-	1	1	6	10	44	82	171
1991.....	2,635	-	-	2	1	-	10	17	25	76	143
1990.....	2,608	-	-	-	-	1	7	13	38	75	123
1989.....	2,688	1	-	-	1	1	2	11	36	83	118
1988.....	2,607	-	1	-	-	-	10	19	39	77	92
1987.....	2,465	-	-	-	-	-	5	17	23	81	108
1986.....	2,465	-	-	-	-	-	4	8	32	65	102
1985.....	2,515	-	-	-	-	3	6	16	37	68	107
1984.....	2,474	-	-	-	-	3	2	8	27	68	124
1983.....	2,546	-	1	-	-	-	4	16	44	58	108
1982.....	2,449	1	-	-	-	3	2	20	36	57	103
1981.....	2,444	-	-	-	1	-	5	15	36	53	104
1980.....	2,388	-	-	-	-	2	4	11	34	67	100
1979.....	2,482	-	-	-	-	2	3	18	28	57	114
BLACK FEMALE											
1998.....	3,695	-	1	-	-	1	2	18	27	76	126
1997.....	3,518	-	-	-	-	2	6	9	32	51	113
1996.....	3,404	-	-	-	-	-	3	13	26	54	121
1995.....	3,369	-	-	-	-	1	1	12	31	63	115
1994.....	3,305	-	-	-	-	2	1	7	37	66	117
1993.....	3,214	1	-	-	-	1	5	9	21	54	107
1992.....	3,130	-	-	-	-	-	4	12	29	44	93
1991.....	3,004	1	-	-	-	-	-	8	28	62	96
1990.....	3,028	-	1	-	-	-	3	13	22	49	80
1989.....	2,992	-	-	-	-	2	2	4	20	50	83
1988.....	3,019	-	-	1	-	1	4	8	23	40	92
1987.....	2,811	-	-	-	-	-	1	7	16	41	67
1986.....	2,847	-	-	-	-	-	2	11	11	43	90
1985.....	2,827	-	-	-	1	-	5	8	6	36	74
1984.....	2,802	-	-	-	-	1	2	5	14	39	68
1983.....	2,793	-	-	-	-	-	-	6	13	39	68
1982.....	2,748	-	-	-	-	-	5	11	20	34	57
1981.....	2,716	-	-	-	-	-	2	10	12	35	84
1980.....	2,840	-	-	-	-	1	5	10	18	42	82
1979.....	2,829	-	-	-	-	1	2	16	30	41	72

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)											
TOTAL, BOTH SEXES											
1998.....	6,045	3	-	1	1	1	3	18	15	36	54
1997.....	5,760	1	-	-	-	2	4	19	14	30	67
1996.....	5,642	1	-	1	1	-	10	11	22	41	54
1995.....	5,510	2	-	-	3	1	9	10	23	44	72
1994.....	5,348	2	2	-	-	1	13	13	30	37	63
1993.....	5,118	1	1	-	-	3	4	10	19	55	55
1992.....	5,033	-	-	-	-	3	8	17	34	32	51
1991.....	4,596	-	-	-	-	2	4	13	18	39	55
1990.....	4,551	3	-	-	-	3	3	9	14	42	41
1989.....	4,374	-	1	1	1	2	9	13	23	40	42
1988.....	4,169	-	-	-	1	2	5	16	27	31	39
1987.....	4,079	-	-	-	-	1	8	13	15	25	39
1986.....	4,024	1	-	-	1	2	2	16	19	24	23
1985.....	4,116	2	-	-	2	1	3	6	15	25	41
1984.....	4,312	-	-	1	1	3	2	10	21	22	37
1983.....	4,494	1	-	2	-	1	3	10	17	18	44
1982.....	4,531	1	-	2	-	1	5	7	21	30	25
1981.....	4,606	2	1	1	-	3	1	17	20	26	43
1980.....	4,987	1	1	2	-	4	8	17	17	31	36
1979.....	4,760	1	2	1	1	-	6	10	17	33	46
TOTAL, MALE											
1998.....	2,587	2	-	-	-	1	2	11	8	25	32
1997.....	2,504	1	-	-	-	-	1	10	7	21	43
1996.....	2,445	-	-	-	1	-	7	5	14	29	25
1995.....	2,409	2	-	-	2	1	4	9	14	27	42
1994.....	2,330	1	1	-	-	-	4	4	17	23	40
1993.....	2,183	1	-	-	-	1	4	4	9	31	36
1992.....	2,260	-	-	-	-	3	4	14	26	21	26
1991.....	2,007	-	-	-	-	1	3	7	12	23	33
1990.....	2,021	-	-	-	-	1	1	6	11	31	28
1989.....	2,010	-	1	-	-	1	6	10	21	25	25
1988.....	1,824	-	-	-	1	-	2	11	15	18	25
1987.....	1,851	-	-	-	-	1	4	7	8	16	25
1986.....	1,801	-	-	-	1	2	2	7	16	14	13
1985.....	1,866	2	-	-	1	-	1	3	11	16	25
1984.....	1,990	-	-	1	1	1	2	7	19	14	23
1983.....	2,102	1	-	1	-	1	2	7	12	14	26
1982.....	2,152	1	-	1	-	-	3	5	16	21	15
1981.....	2,251	1	-	1	-	1	-	10	12	13	22
1980.....	2,365	-	-	-	-	2	2	7	10	16	25
1979.....	2,303	1	1	1	-	-	4	6	11	20	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)											
TOTAL, FEMALE											
1998.....	3,458	1	-	1	1	-	1	7	7	11	22
1997.....	3,256	-	-	-	-	2	3	9	7	9	24
1996.....	3,197	1	-	1	-	-	3	6	8	12	29
1995.....	3,101	-	-	-	1	-	5	1	9	17	30
1994.....	3,018	1	1	-	-	1	9	9	13	14	23
1993.....	2,935	-	1	-	-	2	-	6	10	24	19
1992.....	2,773	-	-	-	-	-	4	3	8	11	25
1991.....	2,589	-	-	-	-	1	1	6	6	16	22
1990.....	2,530	3	-	-	-	2	2	3	3	11	13
1989.....	2,364	-	-	1	1	1	3	3	2	15	17
1988.....	2,345	-	-	-	-	2	3	5	12	13	14
1987.....	2,228	-	-	-	-	-	4	6	7	9	14
1986.....	2,223	1	-	-	-	-	-	9	3	10	10
1985.....	2,250	-	-	-	1	1	2	3	4	9	16
1984.....	2,322	-	-	-	-	2	-	3	2	8	14
1983.....	2,392	-	-	1	-	-	1	3	5	4	18
1982.....	2,379	-	-	1	-	1	2	2	5	9	10
1981.....	2,355	1	1	-	-	2	1	7	8	13	21
1980.....	2,622	1	1	2	-	2	6	10	7	15	11
1979.....	2,457	-	1	-	1	-	2	4	6	13	16
WHITE, BOTH SEXES											
1998.....	4,310	1	-	1	-	1	2	6	8	13	19
1997.....	4,213	1	-	-	-	1	1	10	4	9	17
1996.....	4,104	-	-	1	-	-	2	2	9	17	20
1995.....	3,985	-	-	-	2	1	2	5	8	16	23
1994.....	3,911	1	2	-	-	1	3	5	12	9	24
1993.....	3,652	1	-	-	-	2	1	1	4	18	17
1992.....	3,667	-	-	-	-	1	2	4	10	11	12
1991.....	3,339	-	-	-	-	2	2	3	7	10	17
1990.....	3,362	2	-	-	-	-	-	2	4	10	14
1989.....	3,260	-	1	1	1	-	4	6	10	10	15
1988.....	3,088	-	-	-	1	-	3	8	11	14	16
1987.....	3,089	-	-	-	-	-	3	9	6	8	13
1986.....	3,062	1	-	-	1	-	1	6	7	8	6
1985.....	3,133	2	-	-	1	1	1	2	7	7	14
1984.....	3,344	-	-	1	-	3	2	6	8	4	16
1983.....	3,533	-	-	1	-	-	3	4	9	5	16
1982.....	3,578	1	-	1	-	-	3	6	6	11	12
1981.....	3,604	2	1	1	-	2	1	10	8	7	14
1980.....	3,952	1	-	2	-	3	3	9	6	12	11
1979.....	3,741	1	1	1	1	-	4	2	4	16	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)											
WHITE MALE											
1998.....	1,875	1	-	-	-	1	1	2	4	10	12
1997.....	1,826	1	-	-	-	-	-	4	1	3	10
1996.....	1,746	-	-	-	-	-	1	1	7	13	9
1995.....	1,746	-	-	-	1	1	1	4	5	6	13
1994.....	1,732	1	1	-	-	-	-	2	6	5	16
1993.....	1,606	1	-	-	-	1	1	1	3	13	10
1992.....	1,656	-	-	-	-	1	1	4	9	8	6
1991.....	1,470	-	-	-	-	1	1	3	4	4	8
1990.....	1,502	-	-	-	-	-	-	1	4	8	10
1989.....	1,503	-	1	-	-	-	3	4	9	8	6
1988.....	1,395	-	-	-	1	-	1	5	4	7	11
1987.....	1,407	-	-	-	-	-	1	5	2	5	7
1986.....	1,386	-	-	-	1	-	1	2	6	7	3
1985.....	1,445	2	-	-	1	-	1	1	4	3	7
1984.....	1,555	-	-	1	-	1	2	3	8	4	9
1983.....	1,661	-	-	1	-	-	2	3	6	5	7
1982.....	1,721	1	-	-	-	-	2	4	6	8	8
1981.....	1,785	1	-	1	-	-	-	6	3	3	7
1980.....	1,873	-	-	-	-	2	1	5	3	7	7
1979.....	1,823	1	-	1	-	-	2	2	3	10	10
WHITE FEMALE											
1998.....	2,435	-	-	1	-	-	1	4	4	3	7
1997.....	2,387	-	-	-	-	1	1	6	3	6	7
1996.....	2,358	-	-	1	-	-	1	1	2	4	11
1995.....	2,239	-	-	-	1	-	1	1	3	10	10
1994.....	2,179	-	1	-	-	1	3	3	6	4	8
1993.....	2,046	-	-	-	-	1	-	-	1	5	7
1992.....	2,011	-	-	-	-	-	1	-	1	3	6
1991.....	1,869	-	-	-	-	1	1	-	3	6	9
1990.....	1,860	2	-	-	-	-	-	1	-	2	4
1989.....	1,757	-	-	1	1	-	1	2	1	2	9
1988.....	1,693	-	-	-	-	-	2	3	7	7	5
1987.....	1,682	-	-	-	-	-	2	4	4	3	6
1986.....	1,676	1	-	-	-	-	-	4	1	1	3
1985.....	1,688	-	-	-	-	1	-	1	3	4	7
1984.....	1,789	-	-	-	-	2	-	3	-	-	7
1983.....	1,872	-	-	-	-	-	1	1	3	-	9
1982.....	1,857	-	-	1	-	-	1	2	-	3	4
1981.....	1,819	1	1	-	-	2	1	4	5	4	7
1980.....	2,079	1	-	2	-	1	2	4	3	5	4
1979.....	1,918	-	1	-	1	-	2	-	1	6	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)											
ALL OTHER, BOTH SEXES											
1998.....	1,735	2	-	-	1	-	1	12	7	23	35
1997.....	1,547	-	-	-	-	1	3	9	10	21	50
1996.....	1,538	1	-	-	1	-	8	9	13	24	34
1995.....	1,525	2	-	-	1	-	7	5	15	28	49
1994.....	1,437	1	-	-	-	-	10	8	18	28	39
1993.....	1,466	-	1	-	-	1	3	9	15	37	38
1992.....	1,366	-	-	-	-	2	6	13	24	21	39
1991.....	1,257	-	-	-	-	-	2	10	11	29	38
1990.....	1,189	1	-	-	-	3	3	7	10	32	27
1989.....	1,114	-	-	-	-	2	5	7	13	30	27
1988.....	1,081	-	-	-	-	2	2	8	16	17	23
1987.....	990	-	-	-	-	1	5	4	9	17	26
1986.....	962	-	-	-	-	2	1	10	12	16	17
1985.....	983	-	-	-	1	-	2	4	8	18	27
1984.....	968	-	-	-	1	-	-	4	13	18	21
1983.....	961	1	-	1	-	1	-	6	8	13	28
1982.....	953	-	-	1	-	1	2	1	15	19	13
1981.....	1,002	-	-	-	-	1	-	7	12	19	29
1980.....	1,035	-	1	-	-	1	5	8	11	19	25
1979.....	1,019	-	1	-	-	-	2	8	13	17	29
ALL OTHER MALE											
1998.....	712	1	-	-	-	-	1	9	4	15	20
1997.....	678	-	-	-	-	-	1	6	6	18	33
1996.....	699	-	-	-	1	-	6	4	7	16	16
1995.....	663	2	-	-	1	-	3	5	9	21	29
1994.....	598	-	-	-	-	-	4	2	11	18	24
1993.....	577	-	-	-	-	-	3	3	6	18	26
1992.....	604	-	-	-	-	2	3	10	17	13	20
1991.....	537	-	-	-	-	-	2	4	8	19	25
1990.....	519	-	-	-	-	1	1	5	7	23	18
1989.....	507	-	-	-	-	1	3	6	12	17	19
1988.....	429	-	-	-	-	-	1	6	11	11	14
1987.....	444	-	-	-	-	1	3	2	6	11	18
1986.....	415	-	-	-	-	2	1	5	10	7	10
1985.....	421	-	-	-	-	-	-	2	7	13	18
1984.....	435	-	-	-	1	-	-	4	11	10	14
1983.....	441	1	-	-	-	1	-	4	6	9	19
1982.....	431	-	-	1	-	-	1	1	10	13	7
1981.....	466	-	-	-	-	1	-	4	9	10	15
1980.....	492	-	-	-	-	-	1	2	7	9	18
1979.....	480	-	1	-	-	-	2	4	8	10	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)											
ALL OTHER FEMALE											
1998.....	1,023	1	-	-	1	-	-	3	3	8	15
1997.....	869	-	-	-	-	1	2	3	4	3	17
1996.....	839	1	-	-	-	-	2	5	6	8	18
1995.....	862	-	-	-	-	-	4	-	6	7	20
1994.....	839	1	-	-	-	-	6	6	7	10	15
1993.....	889	-	1	-	-	1	-	6	9	19	12
1992.....	762	-	-	-	-	-	3	3	7	8	19
1991.....	720	-	-	-	-	-	-	6	3	10	13
1990.....	670	1	-	-	-	2	2	2	3	9	9
1989.....	607	-	-	-	-	1	2	1	1	13	8
1988.....	652	-	-	-	-	2	1	2	5	6	9
1987.....	546	-	-	-	-	-	2	2	3	6	8
1986.....	547	-	-	-	-	-	-	5	2	9	7
1985.....	562	-	-	-	1	-	2	2	1	5	9
1984.....	533	-	-	-	-	-	-	-	2	8	7
1983.....	520	-	-	1	-	-	-	2	2	4	9
1982.....	522	-	-	-	-	1	1	-	5	6	6
1981.....	536	-	-	-	-	-	-	3	3	9	14
1980.....	543	-	1	-	-	1	4	6	4	10	7
1979.....	539	-	-	-	-	-	-	4	5	7	9
BLACK, BOTH SEXES											
1998.....	1,592	2	-	-	1	-	1	11	7	20	34
1997.....	1,435	-	-	-	-	-	3	7	10	21	48
1996.....	1,408	1	-	-	1	-	7	9	13	21	33
1995.....	1,407	2	-	-	1	-	7	4	13	26	46
1994.....	1,329	1	-	-	-	-	9	8	18	28	38
1993.....	1,372	-	1	-	-	1	3	9	15	37	37
1992.....	1,260	-	-	-	-	2	6	13	23	21	39
1991.....	1,182	-	-	-	-	-	1	10	11	29	37
1990.....	1,134	-	-	-	-	3	3	7	9	30	27
1989.....	1,045	-	-	-	-	2	5	6	13	29	26
1988.....	1,030	-	-	-	-	2	2	8	16	17	23
1987.....	945	-	-	-	-	1	5	3	9	16	26
1986.....	916	-	-	-	-	2	1	9	11	14	17
1985.....	941	-	-	-	-	-	2	4	8	17	26
1984.....	926	-	-	-	1	-	-	4	13	18	20
1983.....	923	-	-	1	-	1	-	6	8	12	28
1982.....	910	-	-	1	-	1	2	1	13	17	13
1981.....	967	-	-	-	-	1	-	7	12	19	28
1980.....	994	-	1	-	-	1	5	8	11	19	25
1979.....	989	-	1	-	-	-	2	8	13	17	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE RENAL DISEASE (403)											
BLACK MALE											
1998.....	646	1	-	-	-	-	1	8	4	14	19
1997.....	618	-	-	-	-	-	1	5	6	18	32
1996.....	639	-	-	-	1	-	5	4	7	13	15
1995.....	602	2	-	-	1	-	3	4	8	19	28
1994.....	547	-	-	-	-	-	4	2	11	18	24
1993.....	539	-	-	-	-	-	3	3	6	18	26
1992.....	551	-	-	-	-	2	3	10	17	13	20
1991.....	504	-	-	-	-	-	1	4	8	19	25
1990.....	492	-	-	-	-	1	1	5	6	21	18
1989.....	472	-	-	-	-	1	3	5	12	17	18
1988.....	397	-	-	-	-	-	1	6	11	11	14
1987.....	418	-	-	-	-	1	3	2	6	10	18
1986.....	389	-	-	-	-	2	1	4	10	6	10
1985.....	398	-	-	-	-	-	-	2	7	12	17
1984.....	413	-	-	-	1	-	-	4	11	10	13
1983.....	420	-	-	-	-	1	-	4	6	8	19
1982.....	411	-	-	1	-	-	1	1	9	11	7
1981.....	447	-	-	-	-	1	-	4	9	10	14
1980.....	466	-	-	-	-	-	1	2	7	9	18
1979.....	467	-	1	-	-	-	2	4	8	10	20
BLACK FEMALE											
1998.....	946	1	-	-	1	-	-	3	3	6	15
1997.....	817	-	-	-	-	-	2	2	4	3	16
1996.....	769	1	-	-	-	-	2	5	6	8	18
1995.....	805	-	-	-	-	-	4	-	5	7	18
1994.....	782	1	-	-	-	-	5	6	7	10	14
1993.....	833	-	1	-	-	1	-	6	9	19	11
1992.....	709	-	-	-	-	-	3	3	6	8	19
1991.....	678	-	-	-	-	-	-	6	3	10	12
1990.....	642	-	-	-	-	2	2	2	3	9	9
1989.....	573	-	-	-	-	1	2	1	1	12	8
1988.....	633	-	-	-	-	2	1	2	5	6	9
1987.....	527	-	-	-	-	-	2	1	3	6	8
1986.....	527	-	-	-	-	-	-	5	1	8	7
1985.....	543	-	-	-	-	-	2	2	1	5	9
1984.....	513	-	-	-	-	-	-	-	2	8	7
1983.....	503	-	-	1	-	-	-	2	2	4	9
1982.....	499	-	-	-	-	1	-	-	4	6	6
1981.....	520	-	-	-	-	-	-	3	3	9	14
1980.....	528	-	1	-	-	1	4	6	4	10	7
1979.....	522	-	-	-	-	-	-	4	5	7	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
TOTAL, BOTH SEXES											
1998.....	2,412	-	-	-	-	1	3	6	16	13	42
1997.....	2,424	-	-	1	1	-	3	7	15	20	29
1996.....	2,501	-	-	-	-	3	1	8	11	20	32
1995.....	2,484	-	-	-	-	-	5	8	8	23	26
1994.....	2,494	1	-	-	-	-	3	11	14	18	28
1993.....	2,464	-	-	-	-	1	7	9	14	19	29
1992.....	2,492	-	-	-	-	-	3	2	10	9	34
1991.....	2,445	-	-	-	-	-	3	6	15	22	24
1990.....	2,377	1	-	-	-	-	7	6	15	19	36
1989.....	2,385	-	-	-	-	-	5	7	10	13	17
1988.....	2,450	1	-	1	-	3	6	2	11	24	19
1987.....	2,521	-	-	-	1	1	1	6	12	28	25
1986.....	2,496	-	-	-	-	-	2	9	17	18	23
1985.....	2,800	-	-	-	-	-	4	4	9	11	13
1984.....	2,855	-	-	1	-	-	-	8	6	11	16
1983.....	3,073	-	-	-	-	-	4	6	7	15	14
1982.....	3,028	1	-	-	-	-	4	10	16	10	14
1981.....	3,347	-	1	-	-	2	3	8	15	9	26
1980.....	3,711	-	1	-	-	1	1	6	8	10	21
1979.....	3,649	-	-	-	2	1	3	4	13	13	32
TOTAL, MALE											
1998.....	996	-	-	-	-	1	2	3	7	5	28
1997.....	1,051	-	-	1	-	-	3	6	11	15	19
1996.....	1,002	-	-	-	-	2	-	5	9	18	18
1995.....	997	-	-	-	-	-	4	6	5	12	13
1994.....	1,066	-	-	-	-	-	2	6	6	16	19
1993.....	1,023	-	-	-	-	1	6	8	7	10	22
1992.....	1,024	-	-	-	-	-	3	1	6	7	19
1991.....	996	-	-	-	-	-	2	4	8	17	17
1990.....	959	-	-	-	-	-	4	1	7	15	22
1989.....	954	-	-	-	-	-	4	4	7	11	10
1988.....	994	-	-	1	-	1	2	2	8	17	12
1987.....	997	-	-	-	-	1	1	4	5	22	14
1986.....	1,017	-	-	-	-	-	2	9	12	12	13
1985.....	1,152	-	-	-	-	-	1	3	6	7	8
1984.....	1,151	-	-	-	-	-	-	5	5	8	9
1983.....	1,221	-	-	-	-	-	4	2	4	11	8
1982.....	1,222	-	-	-	-	-	3	4	13	8	9
1981.....	1,351	-	-	-	-	2	-	5	10	4	18
1980.....	1,492	-	1	-	-	1	-	3	2	7	11
1979.....	1,507	-	-	-	1	-	3	3	7	5	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
TOTAL, FEMALE											
1998.....	1,416	-	-	-	-	-	1	3	9	8	14
1997.....	1,373	-	-	-	1	-	-	1	4	5	10
1996.....	1,499	-	-	-	-	1	1	3	2	2	14
1995.....	1,487	-	-	-	-	-	1	2	3	11	13
1994.....	1,428	1	-	-	-	-	1	5	8	2	9
1993.....	1,441	-	-	-	-	-	1	1	7	9	7
1992.....	1,468	-	-	-	-	-	-	1	4	2	15
1991.....	1,449	-	-	-	-	-	1	2	7	5	7
1990.....	1,418	1	-	-	-	-	3	5	8	4	14
1989.....	1,431	-	-	-	-	-	1	3	3	2	7
1988.....	1,456	1	-	-	-	2	4	-	3	7	7
1987.....	1,524	-	-	-	1	-	-	2	7	6	11
1986.....	1,479	-	-	-	-	-	-	-	5	6	10
1985.....	1,648	-	-	-	-	-	3	1	3	4	5
1984.....	1,704	-	-	1	-	-	-	3	1	3	7
1983.....	1,852	-	-	-	-	-	-	4	3	4	6
1982.....	1,806	1	-	-	-	-	1	6	3	2	5
1981.....	1,996	-	1	-	-	-	3	3	5	5	8
1980.....	2,219	-	-	-	-	-	1	3	6	3	10
1979.....	2,142	-	-	-	1	1	-	1	6	8	10
WHITE, BOTH SEXES											
1998.....	1,648	-	-	-	-	1	-	1	7	3	9
1997.....	1,722	-	-	-	1	-	1	2	5	6	7
1996.....	1,748	-	-	-	-	2	-	-	2	7	7
1995.....	1,765	-	-	-	-	-	1	5	1	8	10
1994.....	1,757	1	-	-	-	-	1	8	4	6	9
1993.....	1,745	-	-	-	-	1	3	2	5	2	4
1992.....	1,743	-	-	-	-	-	1	-	1	1	4
1991.....	1,714	-	-	-	-	-	2	3	5	7	9
1990.....	1,648	1	-	-	-	-	2	1	5	2	8
1989.....	1,693	-	-	-	-	-	3	3	3	4	4
1988.....	1,771	1	-	-	-	1	3	1	3	2	5
1987.....	1,828	-	-	-	1	-	1	3	2	10	9
1986.....	1,831	-	-	-	-	-	1	4	6	7	5
1985.....	2,089	-	-	-	-	-	3	-	3	5	3
1984.....	2,165	-	-	-	-	-	-	5	3	6	5
1983.....	2,365	-	-	-	-	-	1	1	5	4	5
1982.....	2,354	1	-	-	-	-	1	2	6	4	2
1981.....	2,642	-	-	-	-	1	2	5	5	3	9
1980.....	2,909	-	-	-	-	-	-	5	2	5	6
1979.....	2,880	-	-	-	1	-	2	1	6	5	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
WHITE MALE											
1998.....	669	-	-	-	-	1	-	-	4	1	7
1997.....	741	-	-	-	-	-	1	2	5	4	5
1996.....	680	-	-	-	-	2	-	-	1	7	5
1995.....	703	-	-	-	-	-	1	3	1	5	4
1994.....	744	-	-	-	-	-	1	5	1	5	8
1993.....	727	-	-	-	-	1	3	2	1	1	2
1992.....	701	-	-	-	-	-	1	-	1	-	2
1991.....	682	-	-	-	-	-	1	2	2	5	6
1990.....	648	-	-	-	-	-	1	-	3	1	6
1989.....	658	-	-	-	-	-	2	2	3	4	3
1988.....	702	-	-	-	-	-	1	1	3	2	3
1987.....	685	-	-	-	-	-	1	3	1	8	5
1986.....	721	-	-	-	-	-	1	4	4	3	3
1985.....	863	-	-	-	-	-	-	-	2	3	2
1984.....	853	-	-	-	-	-	-	4	2	4	3
1983.....	923	-	-	-	-	-	1	-	3	3	2
1982.....	948	-	-	-	-	-	1	-	5	4	1
1981.....	1,059	-	-	-	-	1	-	4	3	2	7
1980.....	1,175	-	-	-	-	-	-	3	-	3	2
1979.....	1,179	-	-	-	1	-	2	1	3	1	9
WHITE FEMALE											
1998.....	979	-	-	-	-	-	-	1	3	2	2
1997.....	981	-	-	-	1	-	-	-	-	2	2
1996.....	1,068	-	-	-	-	-	-	-	1	-	2
1995.....	1,062	-	-	-	-	-	-	2	-	3	6
1994.....	1,013	1	-	-	-	-	-	3	3	1	1
1993.....	1,018	-	-	-	-	-	-	-	4	1	2
1992.....	1,042	-	-	-	-	-	-	-	-	1	2
1991.....	1,032	-	-	-	-	-	1	1	3	2	3
1990.....	1,000	1	-	-	-	-	1	1	2	1	2
1989.....	1,035	-	-	-	-	-	1	1	-	-	1
1988.....	1,069	1	-	-	-	1	2	-	-	-	2
1987.....	1,143	-	-	-	1	-	-	-	1	2	4
1986.....	1,110	-	-	-	-	-	-	-	2	4	2
1985.....	1,226	-	-	-	-	-	3	-	1	2	1
1984.....	1,312	-	-	-	-	-	-	1	1	2	2
1983.....	1,442	-	-	-	-	-	-	1	2	1	3
1982.....	1,406	1	-	-	-	-	-	2	1	-	1
1981.....	1,583	-	-	-	-	-	2	1	2	1	2
1980.....	1,734	-	-	-	-	-	-	2	2	2	4
1979.....	1,701	-	-	-	-	-	-	-	3	4	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
ALL OTHER, BOTH SEXES											
1998.....	764	-	-	-	-	-	3	5	9	10	33
1997.....	702	-	-	1	-	-	2	5	10	14	22
1996.....	753	-	-	-	-	1	1	8	9	13	25
1995.....	719	-	-	-	-	-	4	3	7	15	16
1994.....	737	-	-	-	-	-	2	3	10	12	19
1993.....	719	-	-	-	-	-	4	7	9	17	25
1992.....	749	-	-	-	-	-	2	2	9	8	30
1991.....	731	-	-	-	-	-	1	3	10	15	15
1990.....	729	-	-	-	-	-	5	5	10	17	28
1989.....	692	-	-	-	-	-	2	4	7	9	13
1988.....	679	-	-	1	-	2	3	1	8	22	14
1987.....	693	-	-	-	-	1	-	3	10	18	16
1986.....	665	-	-	-	-	-	1	5	11	11	18
1985.....	711	-	-	-	-	-	1	4	6	6	10
1984.....	690	-	-	1	-	-	-	3	3	5	11
1983.....	708	-	-	-	-	-	3	5	2	11	9
1982.....	674	-	-	-	-	-	3	8	10	6	12
1981.....	705	-	1	-	-	1	1	3	10	6	17
1980.....	802	-	1	-	-	1	1	1	6	5	15
1979.....	769	-	-	-	1	1	1	3	7	8	22
ALL OTHER MALE											
1998.....	327	-	-	-	-	-	2	3	3	4	21
1997.....	310	-	-	1	-	-	2	4	6	11	14
1996.....	322	-	-	-	-	-	-	5	8	11	13
1995.....	294	-	-	-	-	-	3	3	4	7	9
1994.....	322	-	-	-	-	-	1	1	5	11	11
1993.....	296	-	-	-	-	-	3	6	6	9	20
1992.....	323	-	-	-	-	-	2	1	5	7	17
1991.....	314	-	-	-	-	-	1	2	6	12	11
1990.....	311	-	-	-	-	-	3	1	4	14	16
1989.....	296	-	-	-	-	-	2	2	4	7	7
1988.....	292	-	-	1	-	1	1	1	5	15	9
1987.....	312	-	-	-	-	1	-	1	4	14	9
1986.....	296	-	-	-	-	-	1	5	8	9	10
1985.....	289	-	-	-	-	-	1	3	4	4	6
1984.....	298	-	-	-	-	-	-	1	3	4	6
1983.....	298	-	-	-	-	-	3	2	1	8	6
1982.....	274	-	-	-	-	-	2	4	8	4	8
1981.....	292	-	-	-	-	1	-	1	7	2	11
1980.....	317	-	1	-	-	1	-	-	2	4	9
1979.....	328	-	-	-	-	-	1	2	4	4	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)											
ALL OTHER FEMALE											
1998.....	437	-	-	-	-	-	1	2	6	6	12
1997.....	392	-	-	-	-	-	-	1	4	3	8
1996.....	431	-	-	-	-	1	1	3	1	2	12
1995.....	425	-	-	-	-	-	1	-	3	8	7
1994.....	415	-	-	-	-	-	1	2	5	1	8
1993.....	423	-	-	-	-	-	1	1	3	8	5
1992.....	426	-	-	-	-	-	-	1	4	1	13
1991.....	417	-	-	-	-	-	-	1	4	3	4
1990.....	418	-	-	-	-	-	2	4	6	3	12
1989.....	396	-	-	-	-	-	-	2	3	2	6
1988.....	387	-	-	-	-	1	2	-	3	7	5
1987.....	381	-	-	-	-	-	-	2	6	4	7
1986.....	369	-	-	-	-	-	-	-	3	2	8
1985.....	422	-	-	-	-	-	-	1	2	2	4
1984.....	392	-	-	1	-	-	-	2	-	1	5
1983.....	410	-	-	-	-	-	-	3	1	3	3
1982.....	400	-	-	-	-	-	1	4	2	2	4
1981.....	413	-	1	-	-	-	1	2	3	4	6
1980.....	485	-	-	-	-	-	1	1	4	1	6
1979.....	441	-	-	-	1	1	-	1	3	4	9
BLACK, BOTH SEXES											
1998.....	700	-	-	-	-	-	3	5	9	10	31
1997.....	653	-	-	1	-	-	2	5	10	14	22
1996.....	689	-	-	-	-	1	1	7	9	12	24
1995.....	672	-	-	-	-	-	4	3	6	15	16
1994.....	679	-	-	-	-	-	2	2	10	12	19
1993.....	683	-	-	-	-	-	4	6	9	16	24
1992.....	707	-	-	-	-	-	2	2	9	8	30
1991.....	695	-	-	-	-	-	1	2	10	14	15
1990.....	707	-	-	-	-	-	5	5	10	17	28
1989.....	656	-	-	-	-	-	2	4	7	8	12
1988.....	658	-	-	1	-	2	3	1	8	22	14
1987.....	662	-	-	-	-	1	-	3	9	18	16
1986.....	634	-	-	-	-	-	1	5	11	10	16
1985.....	675	-	-	-	-	-	1	4	6	5	10
1984.....	665	-	-	1	-	-	-	3	3	5	11
1983.....	686	-	-	-	-	-	3	5	2	11	9
1982.....	653	-	-	-	-	-	3	8	10	6	12
1981.....	683	-	1	-	-	1	1	3	10	6	15
1980.....	777	-	1	-	-	1	1	1	6	5	15
1979.....	748	-	-	-	1	1	-	3	7	8	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
BLACK MALE												
1998.....	293	-	-	-	-	-	2	3	3	4	19	
1997.....	287	-	-	1	-	-	2	4	6	11	14	
1996.....	298	-	-	-	-	-	-	4	8	10	12	
1995.....	274	-	-	-	-	-	3	3	4	7	9	
1994.....	294	-	-	-	-	-	1	1	5	11	11	
1993.....	276	-	-	-	-	-	3	5	6	8	19	
1992.....	294	-	-	-	-	-	2	1	5	7	17	
1991.....	298	-	-	-	-	-	1	2	6	11	11	
1990.....	300	-	-	-	-	-	3	1	4	14	16	
1989.....	280	-	-	-	-	-	2	2	4	7	7	
1988.....	277	-	-	1	-	1	1	1	5	15	9	
1987.....	299	-	-	-	-	1	-	1	4	14	9	
1986.....	279	-	-	-	-	-	1	5	8	8	9	
1985.....	274	-	-	-	-	-	1	3	4	4	6	
1984.....	287	-	-	-	-	-	-	1	3	4	6	
1983.....	289	-	-	-	-	-	3	2	1	8	6	
1982.....	266	-	-	-	-	-	2	4	8	4	8	
1981.....	280	-	-	-	-	1	-	1	7	2	11	
1980.....	305	-	1	-	-	1	-	-	2	4	9	
1979.....	318	-	-	-	-	-	-	2	4	4	13	
BLACK FEMALE												
1998.....	407	-	-	-	-	-	1	2	6	6	12	
1997.....	366	-	-	-	-	-	-	1	4	3	8	
1996.....	391	-	-	-	-	1	1	3	1	2	12	
1995.....	398	-	-	-	-	-	1	-	2	8	7	
1994.....	385	-	-	-	-	-	1	1	5	1	8	
1993.....	407	-	-	-	-	-	1	1	3	8	5	
1992.....	413	-	-	-	-	-	-	1	4	1	13	
1991.....	397	-	-	-	-	-	-	-	4	3	4	
1990.....	407	-	-	-	-	-	2	4	6	3	12	
1989.....	376	-	-	-	-	-	-	2	3	1	5	
1988.....	381	-	-	-	-	1	2	-	3	7	5	
1987.....	363	-	-	-	-	-	-	2	5	4	7	
1986.....	355	-	-	-	-	-	-	-	3	2	7	
1985.....	401	-	-	-	-	-	-	1	2	1	4	
1984.....	378	-	-	1	-	-	-	2	-	1	5	
1983.....	397	-	-	-	-	-	-	3	1	3	3	
1982.....	387	-	-	-	-	-	1	4	2	2	4	
1981.....	403	-	1	-	-	-	1	2	3	4	4	
1980.....	472	-	-	-	-	-	1	1	4	1	6	
1979.....	430	-	-	-	1	1	-	1	3	4	9	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ISCHEMIC HEART DISEASE (410-414)											
TOTAL, BOTH SEXES											
1998.....	459,841	19	7	9	14	41	70	234	702	2,062	4,473
1997.....	466,101	21	4	7	12	39	84	249	757	2,042	4,384
1996.....	476,124	24	5	5	14	42	71	234	803	2,230	4,520
1995.....	481,287	21	6	4	6	34	86	263	820	2,237	4,655
1994.....	481,458	26	11	5	8	23	89	258	790	2,223	4,498
1993.....	490,063	29	12	4	7	33	88	263	858	2,122	4,658
1992.....	480,051	21	9	8	7	22	83	277	822	2,068	4,721
1991.....	485,438	20	14	6	9	34	92	290	807	2,092	4,623
1990.....	489,171	26	9	5	14	25	88	271	792	1,993	4,482
1989.....	498,021	33	5	2	10	28	83	274	867	2,003	4,550
1988.....	509,592	29	12	5	9	26	99	307	858	2,186	4,607
1987.....	512,138	26	11	8	7	29	101	305	907	2,254	4,870
1986.....	520,729	23	8	7	9	35	84	322	950	2,457	4,961
1985.....	536,805	21	10	6	8	32	106	353	923	2,422	4,991
1984.....	541,288	33	15	36	5	32	114	308	859	2,372	4,946
1983.....	552,492	38	24	29	11	36	80	316	925	2,315	4,987
1982.....	552,786	30	21	32	14	33	98	384	911	2,398	5,058
1981.....	555,158	26	9	32	10	33	111	319	919	2,389	5,073
1980.....	565,755	29	16	11	6	38	107	298	905	2,305	5,167
1979.....	551,365	23	9	5	8	38	108	310	979	2,410	5,158
TOTAL, MALE											
1998.....	233,374	12	3	8	7	33	48	170	488	1,585	3,452
1997.....	237,332	10	4	4	7	27	60	172	557	1,560	3,443
1996.....	242,036	8	1	1	10	33	50	170	601	1,698	3,508
1995.....	244,819	10	3	2	3	26	57	181	610	1,715	3,694
1994.....	245,350	14	2	2	5	12	60	178	582	1,747	3,537
1993.....	250,362	16	5	3	4	31	60	198	632	1,642	3,707
1992.....	246,913	12	5	3	6	11	58	197	626	1,634	3,740
1991.....	249,736	10	11	2	3	26	62	224	595	1,668	3,728
1990.....	252,597	15	3	1	9	16	62	202	611	1,598	3,671
1989.....	257,524	17	5	2	5	17	58	206	663	1,636	3,681
1988.....	264,505	15	4	2	6	21	76	218	681	1,789	3,719
1987.....	267,757	13	9	-	3	22	71	226	715	1,837	3,964
1986.....	274,184	14	3	4	9	24	57	249	747	2,025	4,033
1985.....	286,181	10	9	2	5	21	73	265	735	1,993	4,058
1984.....	289,461	16	9	27	3	20	77	237	699	1,941	4,024
1983.....	297,522	28	14	15	6	25	52	239	757	1,934	4,037
1982.....	300,820	18	10	16	7	23	71	314	746	1,963	4,090
1981.....	303,929	19	5	20	6	17	81	250	737	1,980	4,150
1980.....	310,774	17	11	3	2	29	85	229	738	1,920	4,201
1979.....	307,286	14	4	3	7	26	71	256	792	1,960	4,198

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ISCHEMIC HEART DISEASE (410-414)											
TOTAL, FEMALE											
1998.....	226,467	7	4	1	7	8	22	64	214	477	1,021
1997.....	228,769	11	-	3	5	12	24	77	200	482	941
1996.....	234,088	16	4	4	4	9	21	64	202	532	1,012
1995.....	236,468	11	3	2	3	8	29	82	210	522	961
1994.....	236,108	12	9	3	3	11	29	80	208	476	961
1993.....	239,701	13	7	1	3	2	28	65	226	480	951
1992.....	233,138	9	4	5	1	11	25	80	196	434	981
1991.....	235,702	10	3	4	6	8	30	66	212	424	895
1990.....	236,574	11	6	4	5	9	26	69	181	395	811
1989.....	240,497	16	-	-	5	11	25	68	204	367	869
1988.....	245,087	14	8	3	3	5	23	89	177	397	888
1987.....	244,381	13	2	8	4	7	30	79	192	417	906
1986.....	246,545	9	5	3	-	11	27	73	203	432	928
1985.....	250,624	11	1	4	3	11	33	88	188	429	933
1984.....	251,827	17	6	9	2	12	37	71	160	431	922
1983.....	254,970	10	10	14	5	11	28	77	168	381	950
1982.....	251,966	12	11	16	7	10	27	70	165	435	968
1981.....	251,229	7	4	12	4	16	30	69	182	409	923
1980.....	254,981	12	5	8	4	9	22	69	167	385	966
1979.....	244,079	9	5	2	1	12	37	54	187	450	960
WHITE, BOTH SEXES											
1998.....	412,351	8	6	6	10	30	47	175	544	1,614	3,542
1997.....	418,541	14	3	6	8	29	63	175	598	1,582	3,476
1996.....	428,458	18	4	4	12	31	50	171	627	1,760	3,590
1995.....	433,329	14	5	3	4	29	54	199	646	1,764	3,720
1994.....	434,399	16	8	5	7	13	59	180	620	1,734	3,529
1993.....	442,336	26	10	3	6	24	53	202	654	1,638	3,668
1992.....	434,078	14	6	6	5	14	63	206	628	1,620	3,798
1991.....	439,156	13	10	4	5	22	64	214	609	1,616	3,737
1990.....	443,859	18	6	2	12	18	62	203	603	1,553	3,697
1989.....	451,808	18	4	2	9	17	55	210	661	1,567	3,720
1988.....	463,674	21	9	4	8	13	68	225	662	1,726	3,803
1987.....	466,690	21	9	6	7	19	77	228	694	1,794	4,035
1986.....	475,398	19	5	7	8	19	63	247	715	2,010	4,075
1985.....	490,515	15	9	5	7	23	73	256	713	1,947	4,132
1984.....	495,457	20	13	32	5	26	87	229	657	1,936	4,104
1983.....	505,927	27	20	22	7	30	64	239	718	1,933	4,123
1982.....	507,177	20	16	24	13	22	69	286	702	1,963	4,223
1981.....	509,351	18	6	26	10	20	79	228	715	1,960	4,221
1980.....	519,059	26	12	9	5	26	77	219	684	1,875	4,280
1979.....	506,933	16	5	4	6	30	78	225	755	1,980	4,295

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ISCHEMIC HEART DISEASE (410-414)											
WHITE MALE											
1998.....	210,056	5	2	5	6	23	33	134	383	1,272	2,822
1997.....	213,934	8	3	3	5	20	45	122	442	1,253	2,819
1996.....	218,811	8	1	1	9	24	36	127	476	1,373	2,874
1995.....	221,072	6	2	1	3	22	33	137	483	1,398	3,045
1994.....	222,143	8	2	2	4	8	43	128	468	1,402	2,879
1993.....	226,807	14	5	2	3	22	36	152	489	1,306	3,016
1992.....	224,109	9	4	2	4	9	42	146	487	1,321	3,101
1991.....	226,684	8	8	1	1	15	41	170	463	1,319	3,101
1990.....	229,937	10	2	1	8	13	42	154	473	1,285	3,108
1989.....	234,365	9	4	2	5	11	41	162	522	1,317	3,096
1988.....	241,284	11	3	1	6	9	51	159	529	1,462	3,145
1987.....	244,461	11	8	-	3	14	54	170	557	1,498	3,348
1986.....	251,111	12	2	4	8	13	41	191	583	1,700	3,375
1985.....	262,139	8	8	1	5	13	47	196	584	1,637	3,437
1984.....	265,597	10	9	23	3	15	58	173	545	1,634	3,431
1983.....	273,246	19	11	11	4	19	44	192	604	1,667	3,441
1982.....	276,601	13	7	11	6	14	49	239	592	1,649	3,508
1981.....	279,602	14	4	18	6	10	56	184	581	1,652	3,539
1980.....	285,771	15	8	3	2	19	59	170	574	1,609	3,580
1979.....	283,168	10	2	2	5	22	54	194	634	1,649	3,601
WHITE FEMALE											
1998.....	202,295	3	4	1	4	7	14	41	161	342	720
1997.....	204,607	6	-	3	3	9	18	53	156	329	657
1996.....	209,647	10	3	3	3	7	14	44	151	387	716
1995.....	212,257	8	3	2	1	7	21	62	163	366	675
1994.....	212,256	8	6	3	3	5	16	52	152	332	650
1993.....	215,529	12	5	1	3	2	17	50	165	332	652
1992.....	209,969	5	2	4	1	5	21	60	141	299	697
1991.....	212,472	5	2	3	4	7	23	44	146	297	636
1990.....	213,922	8	4	1	4	5	20	49	130	268	589
1989.....	217,443	9	-	-	4	6	14	48	139	250	624
1988.....	222,390	10	6	3	2	4	17	66	133	264	658
1987.....	222,229	10	1	6	4	5	23	58	137	296	687
1986.....	224,287	7	3	3	-	6	22	56	132	310	700
1985.....	228,376	7	1	4	2	10	26	60	129	310	695
1984.....	229,860	10	4	9	2	11	29	56	112	302	673
1983.....	232,681	8	9	11	3	11	20	47	114	266	682
1982.....	230,576	7	9	13	7	8	20	47	110	314	715
1981.....	229,749	4	2	8	4	10	23	44	134	308	682
1980.....	233,288	11	4	6	3	7	18	49	110	266	700
1979.....	223,765	6	3	2	1	8	24	31	121	331	694

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ISCHEMIC HEART DISEASE (410-414)											
ALL OTHER, BOTH SEXES											
1998.....	47,490	11	1	3	4	11	23	59	158	448	931
1997.....	47,560	7	1	1	4	10	21	74	159	460	908
1996.....	47,666	6	1	1	2	11	21	63	176	470	930
1995.....	47,958	7	1	1	2	5	32	64	174	473	935
1994.....	47,059	10	3	-	1	10	30	78	170	489	969
1993.....	47,727	3	2	1	1	9	35	61	204	484	990
1992.....	45,973	7	3	2	2	8	20	71	194	448	923
1991.....	46,282	7	4	2	4	12	28	76	198	476	886
1990.....	45,312	8	3	3	2	7	26	68	189	440	785
1989.....	46,213	15	1	-	1	11	28	64	206	436	830
1988.....	45,918	8	3	1	1	13	31	82	196	460	804
1987.....	45,448	5	2	2	-	10	24	77	213	460	835
1986.....	45,331	4	3	-	1	16	21	75	235	447	886
1985.....	46,290	6	1	1	1	9	33	97	210	475	859
1984.....	45,831	13	2	4	-	6	27	79	202	436	842
1983.....	46,565	11	4	7	4	6	16	77	207	382	864
1982.....	45,609	10	5	8	1	11	29	98	209	435	835
1981.....	45,807	8	3	6	-	13	32	91	204	429	852
1980.....	46,696	3	4	2	1	12	30	79	221	430	887
1979.....	44,432	7	4	1	2	8	30	85	224	430	863
ALL OTHER MALE											
1998.....	23,318	7	1	3	1	10	15	36	105	313	630
1997.....	23,398	2	1	1	2	7	15	50	115	307	624
1996.....	23,225	-	-	-	1	9	14	43	125	325	634
1995.....	23,747	4	1	1	-	4	24	44	127	317	649
1994.....	23,207	6	-	-	1	4	17	50	114	345	658
1993.....	23,555	2	-	1	1	9	24	46	143	336	691
1992.....	22,804	3	1	1	2	2	16	51	139	313	639
1991.....	23,052	2	3	1	2	11	21	54	132	349	627
1990.....	22,660	5	1	-	1	3	20	48	138	313	563
1989.....	23,159	8	1	-	-	6	17	44	141	319	585
1988.....	23,221	4	1	1	-	12	25	59	152	327	574
1987.....	23,296	2	1	-	-	8	17	56	158	339	616
1986.....	23,073	2	1	-	1	11	16	58	164	325	658
1985.....	24,042	2	1	1	-	8	26	69	151	356	621
1984.....	23,864	6	-	4	-	5	19	64	154	307	593
1983.....	24,276	9	3	4	2	6	8	47	153	267	596
1982.....	24,219	5	3	5	1	9	22	75	154	314	582
1981.....	24,327	5	1	2	-	7	25	66	156	328	611
1980.....	25,003	2	3	-	-	10	26	59	164	311	621
1979.....	24,118	4	2	1	2	4	17	62	158	311	597

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ISCHEMIC HEART DISEASE (410-414)											
ALL OTHER FEMALE											
1998.....	24,172	4	-	-	3	1	8	23	53	135	301
1997.....	24,162	5	-	-	2	3	6	24	44	153	284
1996.....	24,441	6	1	1	1	2	7	20	51	145	296
1995.....	24,211	3	-	-	2	1	8	20	47	156	286
1994.....	23,852	4	3	-	-	6	13	28	56	144	311
1993.....	24,172	1	2	-	-	-	11	15	61	148	299
1992.....	23,169	4	2	1	-	6	4	20	55	135	284
1991.....	23,230	5	1	1	2	1	7	22	66	127	259
1990.....	22,652	3	2	3	1	4	6	20	51	127	222
1989.....	23,054	7	-	-	1	5	11	20	65	117	245
1988.....	22,697	4	2	-	1	1	6	23	44	133	230
1987.....	22,152	3	1	2	-	2	7	21	55	121	219
1986.....	22,258	2	2	-	-	5	5	17	71	122	228
1985.....	22,248	4	-	-	1	1	7	28	59	119	238
1984.....	21,967	7	2	-	-	1	8	15	48	129	249
1983.....	22,289	2	1	3	2	-	8	30	54	115	268
1982.....	21,390	5	2	3	-	2	7	23	55	121	253
1981.....	21,480	3	2	4	-	6	7	25	48	101	241
1980.....	21,693	1	1	2	1	2	4	20	57	119	266
1979.....	20,314	3	2	-	-	4	13	23	66	119	266
BLACK, BOTH SEXES											
1998.....	40,597	9	1	3	4	11	21	56	146	395	838
1997.....	40,986	7	1	1	4	8	21	64	138	413	803
1996.....	41,292	5	1	1	2	10	18	58	156	411	828
1995.....	41,842	7	1	1	2	4	24	54	153	424	843
1994.....	41,089	10	3	-	1	10	26	70	146	434	869
1993.....	42,052	2	2	1	1	8	35	54	183	436	871
1992.....	40,397	7	2	2	2	8	18	65	168	412	824
1991.....	41,154	6	4	2	3	11	22	72	180	431	785
1990.....	40,571	6	2	2	2	7	24	62	172	397	712
1989.....	41,376	13	1	-	1	9	27	63	196	397	758
1988.....	41,419	8	2	-	1	12	30	71	183	431	741
1987.....	41,070	5	2	2	-	10	21	69	192	410	760
1986.....	41,201	4	3	-	1	12	18	64	216	415	814
1985.....	42,161	6	1	1	1	9	31	94	194	430	787
1984.....	41,862	9	2	3	-	6	27	74	184	409	773
1983.....	42,751	7	2	6	4	4	16	72	191	344	786
1982.....	41,912	5	4	6	1	7	29	87	185	407	767
1981.....	42,481	4	2	5	-	13	29	83	186	393	791
1980.....	43,365	2	3	1	1	11	27	77	207	392	822
1979.....	41,229	6	2	1	2	8	28	81	199	401	811

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ISCHEMIC HEART DISEASE (410-414)											
BLACK MALE											
1998.....	19,307	7	1	3	1	10	14	33	96	265	546
1997.....	19,493	2	1	1	2	5	15	41	95	275	549
1996.....	19,482	-	-	-	1	8	11	39	109	275	543
1995.....	20,122	4	1	1	-	3	19	36	110	274	575
1994.....	19,678	6	-	-	1	4	14	43	96	297	575
1993.....	20,130	1	-	1	1	8	24	40	125	297	591
1992.....	19,507	3	1	1	2	2	14	47	117	282	556
1991.....	19,966	2	3	1	1	10	17	52	116	314	547
1990.....	19,858	4	-	-	1	3	18	42	123	282	498
1989.....	20,243	7	1	-	-	4	17	43	132	287	524
1988.....	20,430	4	1	-	-	11	24	49	141	303	520
1987.....	20,521	2	1	-	-	8	14	48	142	298	552
1986.....	20,498	2	1	-	1	8	13	48	146	296	597
1985.....	21,425	2	1	1	-	8	24	66	137	319	564
1984.....	21,374	4	-	3	-	5	19	60	137	287	532
1983.....	21,911	5	1	3	2	4	8	43	139	237	529
1982.....	21,802	3	2	3	1	6	22	66	136	292	522
1981.....	22,184	2	1	2	-	7	23	60	140	296	562
1980.....	22,760	1	2	-	-	9	23	57	153	277	567
1979.....	21,978	3	1	1	2	4	15	59	138	290	554
BLACK FEMALE											
1998.....	21,290	2	-	-	3	1	7	23	50	130	292
1997.....	21,493	5	-	-	2	3	6	23	43	138	254
1996.....	21,810	5	1	1	1	2	7	19	47	136	285
1995.....	21,720	3	-	-	2	1	5	18	43	150	268
1994.....	21,411	4	3	-	-	6	12	27	50	137	294
1993.....	21,922	1	2	-	-	-	11	14	58	139	280
1992.....	20,890	4	1	1	-	6	4	18	51	130	268
1991.....	21,188	4	1	1	2	1	5	20	64	117	238
1990.....	20,713	2	2	2	1	4	6	20	49	115	214
1989.....	21,133	6	-	-	1	5	10	20	64	110	234
1988.....	20,989	4	1	-	1	1	6	22	42	128	221
1987.....	20,549	3	1	2	-	2	7	21	50	112	208
1986.....	20,703	2	2	-	-	4	5	16	70	119	217
1985.....	20,736	4	-	-	1	1	7	28	57	111	223
1984.....	20,488	5	2	-	-	1	8	14	47	122	241
1983.....	20,840	2	1	3	2	-	8	29	52	107	257
1982.....	20,110	2	2	3	-	1	7	21	49	115	245
1981.....	20,297	2	1	3	-	6	6	23	46	97	229
1980.....	20,605	1	1	1	1	2	4	20	54	115	255
1979.....	19,251	3	1	-	-	4	13	22	61	111	257

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE MYOCARDIAL INFARCTION (410)											
TOTAL, BOTH SEXES											
1998.....	203,551	12	6	6	7	21	36	128	360	1,035	2,454
1997.....	206,212	13	2	4	9	19	47	131	383	1,078	2,345
1996.....	213,532	13	3	1	8	22	37	113	441	1,157	2,468
1995.....	218,229	11	2	1	3	18	51	137	433	1,184	2,589
1994.....	222,399	16	4	4	7	12	51	148	444	1,238	2,500
1993.....	227,456	12	5	-	6	18	45	135	450	1,183	2,605
1992.....	229,383	19	7	4	3	14	45	158	466	1,154	2,714
1991.....	235,255	8	7	1	4	19	54	151	464	1,144	2,698
1990.....	239,008	16	5	2	8	14	57	161	446	1,148	2,597
1989.....	246,950	19	3	1	5	17	57	144	497	1,135	2,675
1988.....	247,950	17	4	1	4	12	66	169	486	1,260	2,765
1987.....	253,542	16	7	4	5	14	59	186	516	1,334	2,874
1986.....	261,002	16	4	4	6	19	43	194	560	1,451	3,028
1985.....	274,199	14	4	4	5	22	66	222	560	1,492	3,107
1984.....	279,122	21	5	17	3	19	68	178	539	1,420	3,187
1983.....	286,300	26	14	13	8	22	53	204	581	1,477	3,196
1982.....	291,031	20	11	16	10	20	70	241	575	1,548	3,359
1981.....	292,504	14	4	16	3	22	82	195	618	1,575	3,419
1980.....	299,584	20	13	6	5	25	71	193	587	1,529	3,489
1979.....	300,462	13	5	3	7	23	74	220	657	1,705	3,605
TOTAL, MALE											
1998.....	106,995	7	2	5	4	17	24	95	241	803	1,916
1997.....	109,171	7	2	2	6	12	31	86	280	811	1,827
1996.....	112,739	6	1	-	5	17	20	77	316	872	1,939
1995.....	115,987	3	-	-	1	13	32	90	309	916	2,067
1994.....	118,294	9	1	1	4	4	30	101	323	959	1,960
1993.....	121,732	6	3	-	4	17	30	100	316	913	2,084
1992.....	123,121	12	4	3	2	4	30	109	352	902	2,146
1991.....	126,144	3	4	-	3	14	35	117	332	892	2,179
1990.....	129,483	9	2	-	5	9	34	117	339	889	2,135
1989.....	134,298	11	3	1	3	11	41	110	381	936	2,151
1988.....	135,884	10	1	-	1	9	48	113	378	1,028	2,217
1987.....	140,252	8	5	-	3	12	39	135	393	1,076	2,356
1986.....	145,795	11	2	1	6	11	33	147	439	1,206	2,450
1985.....	155,860	7	4	2	2	14	44	168	450	1,225	2,513
1984.....	159,934	11	4	13	2	13	43	139	431	1,170	2,600
1983.....	165,679	19	6	6	4	16	30	150	471	1,228	2,582
1982.....	170,372	13	3	10	5	13	49	196	462	1,266	2,724
1981.....	172,898	10	1	11	2	10	61	146	498	1,310	2,846
1980.....	178,485	12	10	1	1	20	59	148	468	1,285	2,872
1979.....	181,054	6	2	2	7	14	53	179	535	1,397	2,958

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
ACUTE MYOCARDIAL INFARCTION (410)												
TOTAL, FEMALE												
1998.....	96,556	5	4	1	3	4	12	33	119	232	538	
1997.....	97,041	6	-	2	3	7	16	45	103	267	518	
1996.....	100,793	7	2	1	3	5	17	36	125	285	529	
1995.....	102,242	8	2	1	2	5	19	47	124	268	522	
1994.....	104,105	7	3	3	3	8	21	47	121	279	540	
1993.....	105,724	6	2	-	2	1	15	35	134	270	521	
1992.....	106,262	7	3	1	1	10	15	49	114	252	568	
1991.....	109,111	5	3	1	1	5	19	34	132	252	519	
1990.....	109,525	7	3	2	3	5	23	44	107	259	462	
1989.....	112,652	8	-	-	2	6	16	34	116	199	524	
1988.....	112,066	7	3	1	3	3	18	56	108	232	548	
1987.....	113,290	8	2	4	2	2	20	51	123	258	518	
1986.....	115,207	5	2	3	-	8	10	47	121	245	578	
1985.....	118,339	7	-	2	3	8	22	54	110	267	594	
1984.....	119,188	10	1	4	1	6	25	39	108	250	587	
1983.....	120,621	7	8	7	4	6	23	54	110	249	614	
1982.....	120,659	7	8	6	5	7	21	45	113	282	635	
1981.....	119,606	4	3	5	1	12	21	49	120	265	573	
1980.....	121,099	8	3	5	4	5	12	45	119	244	617	
1979.....	119,408	7	3	1	-	9	21	41	122	308	647	
WHITE, BOTH SEXES												
1998.....	181,298	6	5	4	7	15	22	93	276	811	1,969	
1997.....	184,132	10	2	3	7	15	37	91	296	836	1,876	
1996.....	191,235	9	3	1	6	15	29	81	337	933	2,011	
1995.....	195,726	9	2	1	2	15	33	109	351	934	2,093	
1994.....	199,856	10	3	4	7	6	34	102	346	990	2,007	
1993.....	204,386	10	4	-	5	15	28	103	336	918	2,082	
1992.....	206,629	13	5	3	2	7	33	115	357	904	2,228	
1991.....	212,058	7	5	-	2	13	38	115	348	881	2,204	
1990.....	216,252	12	3	1	8	11	40	118	343	905	2,166	
1989.....	223,228	9	2	1	5	11	35	111	385	895	2,236	
1988.....	225,262	11	4	1	3	7	48	123	381	998	2,322	
1987.....	230,809	13	6	3	5	8	46	136	404	1,077	2,431	
1986.....	238,218	12	3	4	5	10	28	151	424	1,214	2,541	
1985.....	250,527	10	4	3	4	16	46	157	449	1,225	2,627	
1984.....	255,496	14	5	15	3	16	48	125	416	1,184	2,686	
1983.....	262,549	18	13	9	4	19	41	148	458	1,249	2,689	
1982.....	267,971	13	8	13	9	13	47	179	453	1,290	2,864	
1981.....	269,389	11	3	13	3	13	56	145	498	1,325	2,921	
1980.....	275,957	19	10	4	4	17	51	145	452	1,269	2,944	
1979.....	277,070	8	3	2	5	18	50	161	509	1,432	3,059	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE MYOCARDIAL INFARCTION (410)											
WHITE MALE											
1998.....	95,921	3	1	3	4	11	15	73	191	653	1,582
1997.....	98,238	5	2	1	5	10	24	61	216	654	1,516
1996.....	101,698	6	1	-	4	12	17	57	246	717	1,619
1995.....	104,716	2	-	-	1	11	18	72	250	750	1,722
1994.....	106,943	6	1	1	4	4	23	73	255	789	1,632
1993.....	110,131	5	3	-	3	14	20	77	244	727	1,713
1992.....	111,528	9	3	2	1	3	22	79	274	727	1,815
1991.....	114,431	3	3	-	1	9	24	91	262	701	1,838
1990.....	117,850	6	1	-	5	8	23	85	267	726	1,824
1989.....	122,228	6	2	1	3	6	27	83	309	757	1,845
1988.....	124,278	8	1	-	1	5	36	81	300	844	1,913
1987.....	128,433	7	5	-	3	7	31	101	313	885	2,035
1986.....	133,960	9	2	1	5	6	22	114	342	1,026	2,088
1985.....	143,311	5	4	1	2	9	29	125	366	1,029	2,180
1984.....	147,255	8	4	11	2	10	28	93	338	1,004	2,239
1983.....	152,898	13	6	4	2	13	25	115	385	1,072	2,241
1982.....	157,748	9	2	8	4	7	32	149	372	1,090	2,390
1981.....	160,102	9	1	10	2	5	41	112	406	1,119	2,484
1980.....	165,470	11	7	1	1	13	41	114	374	1,103	2,485
1979.....	167,890	4	1	1	5	11	36	137	425	1,206	2,580
WHITE FEMALE											
1998.....	85,377	3	4	1	3	4	7	20	85	158	387
1997.....	85,894	5	-	2	2	5	13	30	80	182	360
1996.....	89,537	3	2	1	2	3	12	24	91	216	392
1995.....	91,010	7	2	1	1	4	15	37	101	184	371
1994.....	92,913	4	2	3	3	2	11	29	91	201	375
1993.....	94,255	5	1	-	2	1	8	26	92	191	369
1992.....	95,101	4	2	1	1	4	11	36	83	177	413
1991.....	97,627	4	2	-	1	4	14	24	86	180	366
1990.....	98,402	6	2	1	3	3	17	33	76	179	342
1989.....	101,000	3	-	-	2	5	8	28	76	138	391
1988.....	100,984	3	3	1	2	2	12	42	81	154	409
1987.....	102,376	6	1	3	2	1	15	35	91	192	396
1986.....	104,258	3	1	3	-	4	6	37	82	188	453
1985.....	107,216	5	-	2	2	7	17	32	83	196	447
1984.....	108,241	6	1	4	1	6	20	32	78	180	447
1983.....	109,651	5	7	5	2	6	16	33	73	177	448
1982.....	110,223	4	6	5	5	6	15	30	81	200	474
1981.....	109,287	2	2	3	1	8	15	33	92	206	437
1980.....	110,487	8	3	3	3	4	10	31	78	166	459
1979.....	109,180	4	2	1	-	7	14	24	84	226	479

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE MYOCARDIAL INFARCTION (410)											
ALL OTHER, BOTH SEXES											
1998.....	22,253	6	1	2	-	6	14	35	84	224	485
1997.....	22,080	3	-	1	2	4	10	40	87	242	469
1996.....	22,297	4	-	-	2	7	8	32	104	224	457
1995.....	22,503	2	-	-	1	3	18	28	82	250	496
1994.....	22,543	6	1	-	-	6	17	46	98	248	493
1993.....	23,070	2	1	-	1	3	17	32	114	265	523
1992.....	22,754	6	2	1	1	7	12	43	109	250	486
1991.....	23,197	1	2	1	2	6	16	36	116	263	494
1990.....	22,756	4	2	1	-	3	17	43	103	243	431
1989.....	23,722	10	1	-	-	6	22	33	112	240	439
1988.....	22,688	6	-	-	1	5	18	46	105	262	443
1987.....	22,733	3	1	1	-	6	13	50	112	257	443
1986.....	22,784	4	1	-	1	9	15	43	136	237	487
1985.....	23,672	4	-	1	1	6	20	65	111	267	480
1984.....	23,626	7	-	2	-	3	20	53	123	236	501
1983.....	23,751	8	1	4	4	3	12	56	123	228	507
1982.....	23,060	7	3	3	1	7	23	62	122	258	495
1981.....	23,115	3	1	3	-	9	26	50	120	250	498
1980.....	23,627	1	3	2	1	8	20	48	135	260	545
1979.....	23,392	5	2	1	2	5	24	59	148	273	546
ALL OTHER MALE											
1998.....	11,074	4	1	2	-	6	9	22	50	150	334
1997.....	10,933	2	-	1	1	2	7	25	64	157	311
1996.....	11,041	-	-	-	1	5	3	20	70	155	320
1995.....	11,271	1	-	-	-	2	14	18	59	166	345
1994.....	11,351	3	-	-	-	-	7	28	68	170	328
1993.....	11,601	1	-	-	1	3	10	23	72	186	371
1992.....	11,593	3	1	1	1	1	8	30	78	175	331
1991.....	11,713	-	1	-	2	5	11	26	70	191	341
1990.....	11,633	3	1	-	-	1	11	32	72	163	311
1989.....	12,070	5	1	-	-	5	14	27	72	179	306
1988.....	11,606	2	-	-	-	4	12	32	78	184	304
1987.....	11,819	1	-	-	-	5	8	34	80	191	321
1986.....	11,835	2	-	-	1	5	11	33	97	180	362
1985.....	12,549	2	-	1	-	5	15	43	84	196	333
1984.....	12,679	3	-	2	-	3	15	46	93	166	361
1983.....	12,781	6	-	2	2	3	5	35	86	156	341
1982.....	12,624	4	1	2	1	6	17	47	90	176	334
1981.....	12,796	1	-	1	-	5	20	34	92	191	362
1980.....	13,015	1	3	-	-	7	18	34	94	182	387
1979.....	13,164	2	1	1	2	3	17	42	110	191	378

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE MYOCARDIAL INFARCTION (410)											
ALL OTHER FEMALE											
1998.....	11,179	2	-	-	-	-	5	13	34	74	151
1997.....	11,147	1	-	-	1	2	3	15	23	85	158
1996.....	11,256	4	-	-	1	2	5	12	34	69	137
1995.....	11,232	1	-	-	1	1	4	10	23	84	151
1994.....	11,192	3	1	-	-	6	10	18	30	78	165
1993.....	11,469	1	1	-	-	-	7	9	42	79	152
1992.....	11,161	3	1	-	-	6	4	13	31	75	155
1991.....	11,484	1	1	1	-	1	5	10	46	72	153
1990.....	11,123	1	1	1	-	2	6	11	31	80	120
1989.....	11,652	5	-	-	-	1	8	6	40	61	133
1988.....	11,082	4	-	-	1	1	6	14	27	78	139
1987.....	10,914	2	1	1	-	1	5	16	32	66	122
1986.....	10,949	2	1	-	-	4	4	10	39	57	125
1985.....	11,123	2	-	-	1	1	5	22	27	71	147
1984.....	10,947	4	-	-	-	-	5	7	30	70	140
1983.....	10,970	2	1	2	2	-	7	21	37	72	166
1982.....	10,436	3	2	1	-	1	6	15	32	82	161
1981.....	10,319	2	1	2	-	4	6	16	28	59	136
1980.....	10,612	-	-	2	1	1	2	14	41	78	158
1979.....	10,228	3	1	-	-	2	7	17	38	82	168
BLACK, BOTH SEXES											
1998.....	19,198	5	1	2	-	6	13	34	78	202	431
1997.....	19,244	3	-	1	2	4	10	34	78	216	422
1996.....	19,492	3	-	-	2	7	6	31	92	196	400
1995.....	19,766	2	-	-	1	2	15	23	76	227	441
1994.....	19,811	6	1	-	-	6	15	42	85	224	440
1993.....	20,399	2	1	-	1	3	17	28	104	246	461
1992.....	20,104	6	1	1	1	7	11	38	99	231	433
1991.....	20,654	-	2	1	1	5	12	35	106	242	436
1990.....	20,436	2	1	-	-	3	16	41	98	218	384
1989.....	21,198	9	1	-	-	4	21	32	106	215	401
1988.....	20,393	6	-	-	1	5	18	40	97	245	407
1987.....	20,453	3	1	1	-	6	13	45	102	234	396
1986.....	20,684	4	1	-	1	7	14	37	129	224	445
1985.....	21,447	4	-	1	1	6	20	63	103	237	437
1984.....	21,498	5	-	2	-	3	20	51	111	220	449
1983.....	21,775	5	1	4	4	2	12	54	115	206	460
1982.....	21,099	3	2	2	1	4	23	56	106	244	455
1981.....	21,363	2	-	3	-	9	24	47	112	225	461
1980.....	21,892	1	2	1	1	7	17	48	127	241	502
1979.....	21,714	4	2	1	2	5	22	57	134	255	515

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE MYOCARDIAL INFARCTION (410)											
BLACK MALE											
1998.....	9,273	4	1	2	-	6	8	21	46	131	285
1997.....	9,215	2	-	1	1	2	7	20	55	143	281
1996.....	9,357	-	-	-	1	5	1	20	61	130	269
1995.....	9,594	1	-	-	-	1	12	14	54	145	298
1994.....	9,736	3	-	-	-	-	6	25	58	150	286
1993.....	9,933	1	-	-	1	3	10	20	63	169	318
1992.....	9,970	3	1	1	1	1	7	27	68	159	289
1991.....	10,158	-	1	-	1	4	9	26	62	175	292
1990.....	10,260	2	-	-	-	1	10	30	69	149	269
1989.....	10,545	5	1	-	-	3	14	26	66	157	273
1988.....	10,197	2	-	-	-	4	12	26	72	170	273
1987.....	10,344	1	-	-	-	5	8	29	72	173	282
1986.....	10,525	2	-	-	1	4	10	28	91	168	328
1985.....	11,103	2	-	1	-	5	15	41	77	171	302
1984.....	11,321	2	-	2	-	3	15	44	82	154	316
1983.....	11,529	3	-	2	2	2	5	33	80	140	302
1982.....	11,345	2	-	1	1	4	17	42	78	166	299
1981.....	11,638	1	-	1	-	5	19	31	85	170	332
1980.....	11,834	1	2	-	-	6	15	34	88	167	351
1979.....	12,016	1	1	1	2	3	15	41	100	180	350
BLACK FEMALE											
1998.....	9,925	1	-	-	-	-	5	13	32	71	146
1997.....	10,029	1	-	-	1	2	3	14	23	73	141
1996.....	10,135	3	-	-	1	2	5	11	31	66	131
1995.....	10,172	1	-	-	1	1	3	9	22	82	143
1994.....	10,075	3	1	-	-	6	9	17	27	74	154
1993.....	10,466	1	1	-	-	-	7	8	41	77	143
1992.....	10,134	3	-	-	-	6	4	11	31	72	144
1991.....	10,496	-	1	1	-	1	3	9	44	67	144
1990.....	10,176	-	1	-	-	2	6	11	29	69	115
1989.....	10,653	4	-	-	-	1	7	6	40	58	128
1988.....	10,196	4	-	-	1	1	6	14	25	75	134
1987.....	10,109	2	1	1	-	1	5	16	30	61	114
1986.....	10,159	2	1	-	-	3	4	9	38	56	117
1985.....	10,344	2	-	-	1	1	5	22	26	66	135
1984.....	10,177	3	-	-	-	-	5	7	29	66	133
1983.....	10,246	2	1	2	2	-	7	21	35	66	158
1982.....	9,754	1	2	1	-	-	6	14	28	78	156
1981.....	9,725	1	-	2	-	4	5	16	27	55	129
1980.....	10,058	-	-	1	1	1	2	14	39	74	151
1979.....	9,698	3	1	-	-	2	7	16	34	75	165

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
TOTAL, BOTH SEXES											
1998.....	2,907	1	-	-	-	1	4	3	10	42	58
1997.....	3,046	-	-	-	-	3	1	3	13	34	65
1996.....	2,889	1	-	-	-	-	3	7	12	34	84
1995.....	2,740	3	-	-	-	1	-	1	14	30	54
1994.....	2,862	1	-	-	-	-	3	4	13	34	73
1993.....	2,968	-	-	-	-	2	1	9	17	40	80
1992.....	3,179	-	-	-	-	-	3	3	12	46	87
1991.....	3,300	1	1	-	-	3	3	6	20	44	81
1990.....	3,333	-	-	-	-	1	2	6	16	33	77
1989.....	3,376	2	-	-	-	-	5	9	15	28	68
1988.....	3,408	4	1	-	-	1	4	8	18	38	71
1987.....	3,532	1	-	-	-	-	2	6	21	27	77
1986.....	3,856	-	-	1	-	2	5	6	21	55	85
1985.....	3,969	-	1	-	-	1	5	11	15	29	75
1984.....	4,034	1	1	1	-	1	3	6	15	44	81
1983.....	4,059	1	1	1	-	2	-	7	11	36	86
1982.....	4,120	-	-	-	-	3	3	12	19	48	84
1981.....	4,549	2	-	-	-	2	2	11	16	58	84
1980.....	4,773	-	-	-	-	2	3	10	24	45	88
1979.....	4,762	3	-	-	-	2	5	8	25	45	79
TOTAL, MALE											
1998.....	1,563	1	-	-	-	1	4	2	9	30	46
1997.....	1,691	-	-	-	-	1	1	3	12	25	51
1996.....	1,591	-	-	-	-	-	3	5	8	30	66
1995.....	1,517	2	-	-	-	1	-	-	11	23	39
1994.....	1,562	1	-	-	-	-	3	3	10	25	52
1993.....	1,662	-	-	-	-	2	-	7	14	29	61
1992.....	1,770	-	-	-	-	-	3	3	6	37	75
1991.....	1,941	1	1	-	-	3	3	5	16	37	73
1990.....	1,968	-	-	-	-	1	2	4	12	22	65
1989.....	1,902	1	-	-	-	-	4	8	12	19	53
1988.....	1,955	3	-	-	-	1	3	4	15	35	60
1987.....	2,073	1	-	-	-	-	1	6	16	20	54
1986.....	2,352	-	-	1	-	2	3	5	15	42	72
1985.....	2,381	-	1	-	-	1	4	6	12	24	58
1984.....	2,459	1	1	1	-	1	2	4	14	33	70
1983.....	2,501	1	1	-	-	1	-	5	7	27	65
1982.....	2,611	-	-	-	-	3	3	11	17	42	66
1981.....	2,801	2	-	-	-	1	1	7	11	48	57
1980.....	2,975	-	-	-	-	2	2	5	21	42	69
1979.....	2,992	3	-	-	-	1	2	7	21	35	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
TOTAL, FEMALE											
1998.....	1,344	-	-	-	-	-	-	1	1	12	12
1997.....	1,355	-	-	-	-	2	-	-	1	9	14
1996.....	1,298	1	-	-	-	-	-	2	4	4	18
1995.....	1,223	1	-	-	-	-	-	1	3	7	15
1994.....	1,300	-	-	-	-	-	-	1	3	9	21
1993.....	1,306	-	-	-	-	-	1	2	3	11	19
1992.....	1,409	-	-	-	-	-	-	-	6	9	12
1991.....	1,359	-	-	-	-	-	-	1	4	7	8
1990.....	1,365	-	-	-	-	-	-	2	4	11	12
1989.....	1,474	1	-	-	-	-	1	1	3	9	15
1988.....	1,453	1	1	-	-	-	1	4	3	3	11
1987.....	1,459	-	-	-	-	-	1	-	5	7	23
1986.....	1,504	-	-	-	-	-	2	1	6	13	13
1985.....	1,588	-	-	-	-	-	1	5	3	5	17
1984.....	1,575	-	-	-	-	-	1	2	1	11	11
1983.....	1,558	-	-	1	-	1	-	2	4	9	21
1982.....	1,509	-	-	-	-	-	-	1	2	6	18
1981.....	1,748	-	-	-	-	1	1	4	5	10	27
1980.....	1,798	-	-	-	-	-	1	5	3	3	19
1979.....	1,770	-	-	-	-	1	3	1	4	10	10
WHITE, BOTH SEXES											
1998.....	2,448	1	-	-	-	1	2	2	8	31	43
1997.....	2,596	-	-	-	-	3	1	3	11	25	56
1996.....	2,454	1	-	-	-	-	2	6	10	27	65
1995.....	2,356	-	-	-	-	1	-	1	9	23	37
1994.....	2,442	-	-	-	-	-	1	2	11	31	53
1993.....	2,541	-	-	-	-	1	-	7	11	32	56
1992.....	2,699	-	-	-	-	-	2	3	5	36	72
1991.....	2,807	-	1	-	-	1	2	5	16	34	57
1990.....	2,807	-	-	-	-	-	1	4	11	26	55
1989.....	2,843	-	-	-	-	-	2	7	10	24	57
1988.....	2,915	3	1	-	-	1	1	5	10	28	55
1987.....	3,007	-	-	-	-	-	1	3	14	19	59
1986.....	3,296	-	-	1	-	1	5	4	15	42	67
1985.....	3,394	-	-	-	-	-	1	8	9	19	55
1984.....	3,387	1	1	1	-	1	3	5	9	28	62
1983.....	3,405	1	1	1	-	2	-	5	9	30	64
1982.....	3,488	-	-	-	-	2	3	10	12	40	63
1981.....	3,835	1	-	-	-	2	2	9	14	45	59
1980.....	4,048	-	-	-	-	2	3	6	13	38	69
1979.....	4,020	3	-	-	-	2	4	4	17	33	67

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
WHITE MALE											
1998.....	1,293	1	-	-	-	1	2	1	7	22	36
1997.....	1,447	-	-	-	-	1	1	3	10	18	45
1996.....	1,342	-	-	-	-	-	2	4	7	23	51
1995.....	1,308	-	-	-	-	1	-	-	9	19	26
1994.....	1,331	-	-	-	-	-	1	2	9	24	42
1993.....	1,417	-	-	-	-	1	-	6	10	24	46
1992.....	1,495	-	-	-	-	-	2	3	3	28	63
1991.....	1,654	-	1	-	-	1	2	4	12	30	52
1990.....	1,667	-	-	-	-	-	1	3	8	19	49
1989.....	1,608	-	-	-	-	-	2	7	7	17	48
1988.....	1,661	2	-	-	-	1	-	3	9	26	47
1987.....	1,750	-	-	-	-	-	1	3	11	14	42
1986.....	2,014	-	-	1	-	1	3	3	12	36	56
1985.....	2,060	-	-	-	-	-	1	3	7	17	45
1984.....	2,081	1	1	1	-	1	2	4	8	23	56
1983.....	2,132	1	1	-	-	1	-	4	5	23	50
1982.....	2,230	-	-	-	-	2	3	10	11	35	50
1981.....	2,383	1	-	-	-	1	1	6	9	39	43
1980.....	2,522	-	-	-	-	2	2	2	12	35	55
1979.....	2,532	3	-	-	-	1	2	4	15	25	60
WHITE FEMALE											
1998.....	1,155	-	-	-	-	-	-	1	1	9	7
1997.....	1,149	-	-	-	-	2	-	-	1	7	11
1996.....	1,112	1	-	-	-	-	-	2	3	4	14
1995.....	1,048	-	-	-	-	-	-	1	-	4	11
1994.....	1,111	-	-	-	-	-	-	-	2	7	11
1993.....	1,124	-	-	-	-	-	-	1	1	8	10
1992.....	1,204	-	-	-	-	-	-	-	2	8	9
1991.....	1,153	-	-	-	-	-	-	1	4	4	5
1990.....	1,140	-	-	-	-	-	-	1	3	7	6
1989.....	1,235	-	-	-	-	-	-	-	3	7	9
1988.....	1,254	1	1	-	-	-	1	2	1	2	8
1987.....	1,257	-	-	-	-	-	-	-	3	5	17
1986.....	1,282	-	-	-	-	-	2	1	3	6	11
1985.....	1,334	-	-	-	-	-	-	5	2	2	10
1984.....	1,306	-	-	-	-	-	1	1	1	5	6
1983.....	1,273	-	-	1	-	1	-	1	4	7	14
1982.....	1,258	-	-	-	-	-	-	-	1	5	13
1981.....	1,452	-	-	-	-	1	1	3	5	6	16
1980.....	1,526	-	-	-	-	-	1	4	1	3	14
1979.....	1,488	-	-	-	-	1	2	-	2	8	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
ALL OTHER, BOTH SEXES											
1998.....	459	-	-	-	-	-	2	1	2	11	15
1997.....	450	-	-	-	-	-	-	-	2	9	9
1996.....	435	-	-	-	-	-	1	1	2	7	19
1995.....	384	3	-	-	-	-	-	-	5	7	17
1994.....	420	1	-	-	-	-	2	2	2	3	20
1993.....	427	-	-	-	-	1	1	2	6	8	24
1992.....	480	-	-	-	-	-	1	-	7	10	15
1991.....	493	1	-	-	-	2	1	1	4	10	24
1990.....	526	-	-	-	-	1	1	2	5	7	22
1989.....	533	2	-	-	-	-	3	2	5	4	11
1988.....	493	1	-	-	-	-	3	3	8	10	16
1987.....	525	1	-	-	-	-	1	3	7	8	18
1986.....	560	-	-	-	-	1	-	2	6	13	18
1985.....	575	-	1	-	-	1	4	3	6	10	20
1984.....	647	-	-	-	-	-	-	1	6	16	19
1983.....	654	-	-	-	-	-	-	2	2	6	22
1982.....	632	-	-	-	-	1	-	2	7	8	21
1981.....	714	1	-	-	-	-	-	2	2	13	25
1980.....	725	-	-	-	-	-	-	4	11	7	19
1979.....	742	-	-	-	-	-	1	4	8	12	12
ALL OTHER MALE											
1998.....	270	-	-	-	-	-	2	1	2	8	10
1997.....	244	-	-	-	-	-	-	-	2	7	6
1996.....	249	-	-	-	-	-	1	1	1	7	15
1995.....	209	2	-	-	-	-	-	-	2	4	13
1994.....	231	1	-	-	-	-	2	1	1	1	10
1993.....	245	-	-	-	-	1	-	1	4	5	15
1992.....	275	-	-	-	-	-	1	-	3	9	12
1991.....	287	1	-	-	-	2	1	1	4	7	21
1990.....	301	-	-	-	-	1	1	1	4	3	16
1989.....	294	1	-	-	-	-	2	1	5	2	5
1988.....	294	1	-	-	-	-	3	1	6	9	13
1987.....	323	1	-	-	-	-	-	3	5	6	12
1986.....	338	-	-	-	-	1	-	2	3	6	16
1985.....	321	-	1	-	-	1	3	3	5	7	13
1984.....	378	-	-	-	-	-	-	-	6	10	14
1983.....	369	-	-	-	-	-	-	1	2	4	15
1982.....	381	-	-	-	-	1	-	1	6	7	16
1981.....	418	1	-	-	-	-	-	1	2	9	14
1980.....	453	-	-	-	-	-	-	3	9	7	14
1979.....	460	-	-	-	-	-	-	3	6	10	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
ALL OTHER FEMALE											
1998.....	189	-	-	-	-	-	-	-	-	3	5
1997.....	206	-	-	-	-	-	-	-	-	2	3
1996.....	186	-	-	-	-	-	-	-	1	-	4
1995.....	175	1	-	-	-	-	-	-	3	3	4
1994.....	189	-	-	-	-	-	-	1	1	2	10
1993.....	182	-	-	-	-	-	1	1	2	3	9
1992.....	205	-	-	-	-	-	-	-	4	1	3
1991.....	206	-	-	-	-	-	-	-	-	3	3
1990.....	225	-	-	-	-	-	-	1	1	4	6
1989.....	239	1	-	-	-	-	1	1	-	2	6
1988.....	199	-	-	-	-	-	-	2	2	1	3
1987.....	202	-	-	-	-	-	1	-	2	2	6
1986.....	222	-	-	-	-	-	-	-	3	7	2
1985.....	254	-	-	-	-	-	1	-	1	3	7
1984.....	269	-	-	-	-	-	-	1	-	6	5
1983.....	285	-	-	-	-	-	-	1	-	2	7
1982.....	251	-	-	-	-	-	-	1	1	1	5
1981.....	296	-	-	-	-	-	-	1	-	4	11
1980.....	272	-	-	-	-	-	-	1	2	-	5
1979.....	282	-	-	-	-	-	1	1	2	2	3
BLACK, BOTH SEXES											
1998.....	407	-	-	-	-	-	2	1	2	11	14
1997.....	396	-	-	-	-	-	-	-	2	8	6
1996.....	398	-	-	-	-	-	1	1	2	7	17
1995.....	351	3	-	-	-	-	-	-	4	7	17
1994.....	361	1	-	-	-	-	2	2	2	3	18
1993.....	386	-	-	-	-	1	1	2	6	7	22
1992.....	428	-	-	-	-	-	1	-	5	8	12
1991.....	450	1	-	-	-	2	1	1	2	7	24
1990.....	479	-	-	-	-	1	-	2	4	6	20
1989.....	496	2	-	-	-	-	3	2	5	3	11
1988.....	465	1	-	-	-	-	3	3	6	10	14
1987.....	482	1	-	-	-	-	1	3	5	7	15
1986.....	517	-	-	-	-	1	-	1	6	11	17
1985.....	549	-	1	-	-	1	3	3	6	9	19
1984.....	615	-	-	-	-	-	-	1	4	15	18
1983.....	624	-	-	-	-	-	-	2	2	6	18
1982.....	598	-	-	-	-	1	-	2	7	7	20
1981.....	673	-	-	-	-	-	-	1	2	13	23
1980.....	685	-	-	-	-	-	-	4	11	6	18
1979.....	709	-	-	-	-	-	1	4	7	11	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)											
BLACK MALE											
1998.....	234	-	-	-	-	-	2	1	2	8	9
1997.....	210	-	-	-	-	-	-	-	2	6	3
1996.....	230	-	-	-	-	-	1	1	1	7	14
1995.....	190	2	-	-	-	-	-	-	1	4	13
1994.....	196	1	-	-	-	-	2	1	1	1	9
1993.....	216	-	-	-	-	1	-	1	4	4	14
1992.....	237	-	-	-	-	-	1	-	2	7	9
1991.....	259	1	-	-	-	2	1	1	2	5	21
1990.....	272	-	-	-	-	1	-	1	3	2	14
1989.....	271	1	-	-	-	-	2	1	5	2	5
1988.....	274	1	-	-	-	-	3	1	4	9	11
1987.....	290	1	-	-	-	-	-	3	4	5	10
1986.....	307	-	-	-	-	1	-	1	3	5	15
1985.....	304	-	1	-	-	1	2	3	5	6	12
1984.....	354	-	-	-	-	-	-	-	4	10	13
1983.....	350	-	-	-	-	-	-	1	2	4	12
1982.....	356	-	-	-	-	1	-	1	6	6	15
1981.....	394	-	-	-	-	-	-	1	2	9	12
1980.....	420	-	-	-	-	-	-	3	9	6	13
1979.....	435	-	-	-	-	-	-	3	5	9	8
BLACK FEMALE											
1998.....	173	-	-	-	-	-	-	-	-	3	5
1997.....	186	-	-	-	-	-	-	-	-	2	3
1996.....	168	-	-	-	-	-	-	-	1	-	3
1995.....	161	1	-	-	-	-	-	-	3	3	4
1994.....	165	-	-	-	-	-	-	1	1	2	9
1993.....	170	-	-	-	-	-	1	1	2	3	8
1992.....	191	-	-	-	-	-	-	-	3	1	3
1991.....	191	-	-	-	-	-	-	-	-	2	3
1990.....	207	-	-	-	-	-	-	1	1	4	6
1989.....	225	1	-	-	-	-	1	1	-	1	6
1988.....	191	-	-	-	-	-	-	2	2	1	3
1987.....	192	-	-	-	-	-	1	-	1	2	5
1986.....	210	-	-	-	-	-	-	-	3	6	2
1985.....	245	-	-	-	-	-	1	-	1	3	7
1984.....	261	-	-	-	-	-	-	1	-	5	5
1983.....	274	-	-	-	-	-	-	1	-	2	6
1982.....	242	-	-	-	-	-	-	1	1	1	5
1981.....	279	-	-	-	-	-	-	-	-	4	11
1980.....	265	-	-	-	-	-	-	1	2	-	5
1979.....	274	-	-	-	-	-	1	1	2	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANGINA PECTORIS (413)											
TOTAL, BOTH SEXES											
1998.....	650	-	-	-	-	-	-	1	1	-	9
1997.....	735	-	-	-	-	-	-	-	1	1	4
1996.....	829	-	-	-	-	-	1	1	1	10	8
1995.....	840	-	-	-	-	-	1	1	2	3	7
1994.....	913	-	-	-	-	-	1	-	1	4	12
1993.....	984	-	-	-	-	-	1	-	3	6	11
1992.....	1,003	-	-	1	-	1	-	3	-	4	6
1991.....	1,064	-	-	-	-	-	-	-	1	3	9
1990.....	1,070	-	-	1	-	-	1	-	4	3	14
1989.....	1,066	-	-	-	-	-	-	-	1	3	6
1988.....	1,021	-	-	-	-	-	-	1	-	3	3
1987.....	1,032	-	-	-	-	-	-	-	1	7	6
1986.....	990	1	-	-	-	-	1	1	1	4	13
1985.....	928	-	1	-	-	-	-	2	-	4	5
1984.....	841	1	-	-	-	-	-	1	-	3	11
1983.....	744	-	-	-	-	-	1	2	2	4	5
1982.....	605	-	-	-	-	-	1	3	2	4	3
1981.....	569	-	-	-	-	-	-	-	-	5	7
1980.....	561	-	-	-	-	-	-	1	2	5	10
1979.....	500	1	-	-	-	-	1	1	2	2	11
TOTAL, MALE											
1998.....	273	-	-	-	-	-	-	1	-	-	6
1997.....	298	-	-	-	-	-	-	-	1	-	-
1996.....	360	-	-	-	-	-	1	-	1	6	3
1995.....	338	-	-	-	-	-	-	-	2	3	6
1994.....	393	-	-	-	-	-	1	-	1	4	5
1993.....	393	-	-	-	-	-	1	-	2	4	6
1992.....	433	-	-	-	-	1	-	-	-	3	5
1991.....	440	-	-	-	-	-	-	-	-	2	8
1990.....	443	-	-	-	-	-	1	-	2	3	10
1989.....	474	-	-	-	-	-	-	-	1	3	4
1988.....	455	-	-	-	-	-	-	-	-	2	2
1987.....	472	-	-	-	-	-	-	-	1	5	2
1986.....	445	-	-	-	-	-	-	1	1	2	9
1985.....	436	-	-	-	-	-	-	2	-	2	4
1984.....	438	-	-	-	-	-	-	-	-	3	8
1983.....	376	-	-	-	-	-	1	1	2	3	3
1982.....	311	-	-	-	-	-	1	2	2	1	1
1981.....	301	-	-	-	-	-	-	-	-	3	4
1980.....	303	-	-	-	-	-	-	1	2	4	8
1979.....	262	1	-	-	-	-	1	1	1	1	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ANGINA PECTORIS (413)											
TOTAL, FEMALE											
1998.....	377	-	-	-	-	-	-	-	1	-	3
1997.....	437	-	-	-	-	-	-	-	-	1	4
1996.....	469	-	-	-	-	-	-	1	-	4	5
1995.....	502	-	-	-	-	-	1	1	-	-	1
1994.....	520	-	-	-	-	-	-	-	-	-	7
1993.....	591	-	-	-	-	-	-	-	1	2	5
1992.....	570	-	-	1	-	-	-	3	-	1	1
1991.....	624	-	-	-	-	-	-	-	1	1	1
1990.....	627	-	-	1	-	-	-	-	2	-	4
1989.....	592	-	-	-	-	-	-	-	-	-	2
1988.....	566	-	-	-	-	-	-	1	-	1	1
1987.....	560	-	-	-	-	-	-	-	-	2	4
1986.....	545	1	-	-	-	-	1	-	-	2	4
1985.....	492	-	1	-	-	-	-	-	-	2	1
1984.....	403	1	-	-	-	-	-	1	-	-	3
1983.....	368	-	-	-	-	-	-	1	-	1	2
1982.....	294	-	-	-	-	-	-	1	-	3	2
1981.....	268	-	-	-	-	-	-	-	-	2	3
1980.....	258	-	-	-	-	-	-	-	-	1	2
1979.....	238	-	-	-	-	-	-	-	1	1	4
WHITE, BOTH SEXES											
1998.....	579	-	-	-	-	-	-	-	1	-	5
1997.....	663	-	-	-	-	-	-	-	1	1	2
1996.....	744	-	-	-	-	-	1	1	1	7	6
1995.....	765	-	-	-	-	-	-	-	1	3	6
1994.....	828	-	-	-	-	-	1	-	1	3	7
1993.....	894	-	-	-	-	-	-	-	3	4	8
1992.....	912	-	-	1	-	1	-	1	-	3	5
1991.....	956	-	-	-	-	-	-	-	1	2	8
1990.....	959	-	-	-	-	-	1	-	2	2	10
1989.....	958	-	-	-	-	-	-	-	1	3	6
1988.....	927	-	-	-	-	-	-	1	-	2	2
1987.....	919	-	-	-	-	-	-	-	1	7	4
1986.....	882	1	-	-	-	-	1	1	1	3	9
1985.....	839	-	1	-	-	-	-	2	-	3	5
1984.....	763	1	-	-	-	-	-	1	-	3	8
1983.....	667	-	-	-	-	-	1	1	1	3	4
1982.....	563	-	-	-	-	-	1	3	2	4	2
1981.....	515	-	-	-	-	-	-	-	-	4	5
1980.....	510	-	-	-	-	-	-	1	2	5	8
1979.....	446	1	-	-	-	-	1	1	1	1	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
TOTAL, BOTH SEXES											
1998.....	252,733	6	1	3	7	19	30	102	331	985	1,952
1997.....	256,108	8	2	3	3	17	36	115	360	929	1,970
1996.....	258,874	10	2	4	6	20	30	113	349	1,029	1,960
1995.....	259,478	7	4	3	3	15	34	124	371	1,020	2,005
1994.....	255,284	9	7	1	1	11	34	106	332	947	1,913
1993.....	258,655	17	7	4	1	13	41	119	388	893	1,962
1992.....	246,486	2	2	3	4	7	35	113	344	864	1,914
1991.....	245,819	11	6	5	5	12	35	133	322	901	1,835
1990.....	245,760	10	4	2	6	10	28	104	326	809	1,794
1989.....	246,629	12	2	1	5	11	21	121	354	837	1,801
1988.....	257,213	8	7	4	5	13	29	129	354	885	1,768
1987.....	254,032	9	4	4	2	15	40	113	369	886	1,913
1986.....	254,881	6	4	2	3	14	35	121	368	947	1,835
1985.....	257,709	7	4	2	3	9	35	118	348	897	1,804
1984.....	257,291	10	9	18	2	12	43	123	305	905	1,667
1983.....	261,389	11	9	15	3	12	26	103	331	798	1,700
1982.....	257,030	10	10	16	4	10	24	128	315	798	1,612
1981.....	257,536	10	5	16	7	9	27	113	285	751	1,563
1980.....	260,837	9	3	5	1	11	33	94	292	726	1,580
1979.....	245,641	6	4	2	1	13	28	81	295	658	1,463
TOTAL, MALE											
1998.....	124,543	4	1	3	3	15	20	72	238	752	1,484
1997.....	126,172	3	2	2	1	14	28	83	264	724	1,565
1996.....	127,346	2	-	1	5	16	26	88	276	790	1,500
1995.....	126,977	5	3	2	2	12	25	91	288	773	1,582
1994.....	125,101	4	1	1	1	8	26	74	248	759	1,520
1993.....	126,575	10	2	3	-	12	29	91	300	696	1,556
1992.....	121,589	-	1	-	4	6	25	85	268	692	1,514
1991.....	121,211	6	6	2	-	9	24	102	247	737	1,468
1990.....	120,703	6	1	1	4	6	25	81	258	684	1,461
1989.....	120,850	5	2	1	2	6	13	88	269	678	1,473
1988.....	126,211	2	3	2	5	11	25	101	288	724	1,440
1987.....	124,960	4	4	-	-	10	31	85	305	736	1,552
1986.....	125,592	3	1	2	3	11	21	96	292	775	1,502
1985.....	127,504	3	4	-	3	6	25	89	273	742	1,483
1984.....	126,630	4	4	13	1	6	32	94	254	735	1,346
1983.....	128,966	8	7	9	2	8	21	83	277	676	1,387
1982.....	127,526	5	7	6	2	7	18	105	265	654	1,299
1981.....	127,929	7	4	9	4	6	19	97	228	619	1,243
1980.....	129,011	5	1	2	1	7	24	75	247	589	1,252
1979.....	122,978	4	2	1	-	11	15	69	235	527	1,164

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
TOTAL, FEMALE											
1998.....	128,190	2	-	-	4	4	10	30	93	233	468
1997.....	129,936	5	-	1	2	3	8	32	96	205	405
1996.....	131,528	8	2	3	1	4	4	25	73	239	460
1995.....	132,501	2	1	1	1	3	9	33	83	247	423
1994.....	130,183	5	6	-	-	3	8	32	84	188	393
1993.....	132,080	7	5	1	1	1	12	28	88	197	406
1992.....	124,897	2	1	3	-	1	10	28	76	172	400
1991.....	124,608	5	-	3	5	3	11	31	75	164	367
1990.....	125,057	4	3	1	2	4	3	23	68	125	333
1989.....	125,779	7	-	-	3	5	8	33	85	159	328
1988.....	131,002	6	4	2	-	2	4	28	66	161	328
1987.....	129,072	5	-	4	2	5	9	28	64	150	361
1986.....	129,289	3	3	-	-	3	14	25	76	172	333
1985.....	130,205	4	-	2	-	3	10	29	75	155	321
1984.....	130,661	6	5	5	1	6	11	29	51	170	321
1983.....	132,423	3	2	6	1	4	5	20	54	122	313
1982.....	129,504	5	3	10	2	3	6	23	50	144	313
1981.....	129,607	3	1	7	3	3	8	16	57	132	320
1980.....	131,826	4	2	3	-	4	9	19	45	137	328
1979.....	122,663	2	2	1	1	2	13	12	60	131	299
WHITE, BOTH SEXES											
1998.....	228,026	1	1	2	3	14	23	80	259	772	1,525
1997.....	231,150	4	1	3	1	11	25	81	290	720	1,542
1996.....	234,025	8	1	3	6	16	18	83	279	793	1,508
1995.....	234,482	5	3	2	2	13	21	89	285	804	1,584
1994.....	231,273	6	5	1	-	7	23	76	262	710	1,462
1993.....	234,515	16	6	3	1	8	25	92	304	684	1,522
1992.....	223,838	1	1	2	3	6	28	87	266	677	1,493
1991.....	223,335	6	4	4	3	8	24	94	244	699	1,468
1990.....	223,841	6	3	1	4	7	20	81	247	620	1,466
1989.....	224,779	9	2	1	4	6	18	92	265	645	1,421
1988.....	234,570	7	4	3	5	5	19	96	271	698	1,424
1987.....	231,955	8	3	3	2	11	30	89	275	691	1,541
1986.....	233,002	6	2	2	3	8	29	91	275	751	1,458
1985.....	235,755	5	4	2	3	7	26	89	255	700	1,445
1984.....	235,811	4	7	16	2	9	36	98	232	721	1,348
1983.....	239,306	8	6	12	3	9	22	85	250	651	1,366
1982.....	235,155	7	8	11	4	7	18	94	235	629	1,294
1981.....	235,612	6	3	13	7	5	21	74	203	586	1,236
1980.....	238,544	7	2	5	1	7	23	67	217	563	1,259
1979.....	225,397	4	2	2	1	10	23	59	228	514	1,160

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
WHITE MALE											
1998.....	112,606	1	1	2	2	11	16	60	185	597	1,200
1997.....	113,986	3	1	2	-	9	20	58	215	581	1,258
1996.....	115,449	2	-	1	5	12	16	66	222	630	1,201
1995.....	114,742	4	2	1	2	10	15	65	223	626	1,292
1994.....	113,512	2	1	1	-	4	18	53	203	586	1,202
1993.....	114,897	9	2	2	-	7	16	69	233	552	1,253
1992.....	110,692	-	1	-	3	5	18	64	210	563	1,218
1991.....	110,197	5	4	1	-	5	15	75	189	587	1,204
1990.....	110,029	4	1	1	3	5	17	66	197	538	1,227
1989.....	110,105	3	2	1	2	5	12	72	205	540	1,199
1988.....	114,932	1	2	1	5	3	15	75	220	591	1,183
1987.....	113,849	4	3	-	-	7	22	66	232	594	1,269
1986.....	114,738	3	-	2	3	6	16	73	228	636	1,225
1985.....	116,366	3	4	-	3	4	17	66	211	590	1,208
1984.....	115,863	1	4	11	1	4	28	76	199	604	1,131
1983.....	117,877	5	4	7	2	5	18	73	213	569	1,148
1982.....	116,328	4	5	3	2	5	13	78	207	523	1,067
1981.....	116,846	4	3	8	4	4	14	66	166	492	1,009
1980.....	117,498	4	1	2	1	4	16	53	186	467	1,034
1979.....	112,505	2	1	1	-	10	15	52	193	418	955
WHITE FEMALE											
1998.....	115,420	-	-	-	1	3	7	20	74	175	325
1997.....	117,164	1	-	1	1	2	5	23	75	139	284
1996.....	118,576	6	1	2	1	4	2	17	57	163	307
1995.....	119,740	1	1	1	-	3	6	24	62	178	292
1994.....	117,761	4	4	-	-	3	5	23	59	124	260
1993.....	119,618	7	4	1	1	1	9	23	71	132	269
1992.....	113,146	1	-	2	-	1	10	23	56	114	275
1991.....	113,138	1	-	3	3	3	9	19	55	112	264
1990.....	113,812	2	2	-	1	2	3	15	50	82	239
1989.....	114,674	6	-	-	2	1	6	20	60	105	222
1988.....	119,638	6	2	2	-	2	4	21	51	107	241
1987.....	118,106	4	-	3	2	4	8	23	43	97	272
1986.....	118,264	3	2	-	-	2	13	18	47	115	233
1985.....	119,389	2	-	2	-	3	9	23	44	110	237
1984.....	119,948	3	3	5	1	5	8	22	33	117	217
1983.....	121,429	3	2	5	1	4	4	12	37	82	218
1982.....	118,827	3	3	8	2	2	5	16	28	106	227
1981.....	118,766	2	-	5	3	1	7	8	37	94	227
1980.....	121,046	3	1	3	-	3	7	14	31	96	225
1979.....	112,892	2	1	1	1	-	8	7	35	96	205

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
ALL OTHER, BOTH SEXES											
1998.....	24,707	5	-	1	4	5	7	22	72	213	427
1997.....	24,958	4	1	-	2	6	11	34	70	209	428
1996.....	24,849	2	1	1	-	4	12	30	70	236	452
1995.....	24,996	2	1	1	1	2	13	35	86	216	421
1994.....	24,011	3	2	-	1	4	11	30	70	237	451
1993.....	24,140	1	1	1	-	5	16	27	84	209	440
1992.....	22,648	1	1	1	1	1	7	26	78	187	421
1991.....	22,484	5	2	1	2	4	11	39	78	202	367
1990.....	21,919	4	1	1	2	3	8	23	79	189	328
1989.....	21,850	3	-	-	1	5	3	29	89	192	380
1988.....	22,643	1	3	1	-	8	10	33	83	187	344
1987.....	22,077	1	1	1	-	4	10	24	94	195	372
1986.....	21,879	-	2	-	-	6	6	30	93	196	377
1985.....	21,954	2	-	-	-	2	9	29	93	197	359
1984.....	21,480	6	2	2	-	3	7	25	73	184	319
1983.....	22,083	3	3	3	-	3	4	18	81	147	334
1982.....	21,875	3	2	5	-	3	6	34	80	169	318
1981.....	21,924	4	2	3	-	4	6	39	82	165	327
1980.....	22,293	2	1	-	-	4	10	27	75	163	321
1979.....	20,244	2	2	-	-	3	5	22	67	144	303
ALL OTHER MALE											
1998.....	11,937	3	-	1	1	4	4	12	53	155	284
1997.....	12,186	-	1	-	1	5	8	25	49	143	307
1996.....	11,897	-	-	-	-	4	10	22	54	160	299
1995.....	12,235	1	1	1	-	2	10	26	65	147	290
1994.....	11,589	2	-	-	1	4	8	21	45	173	318
1993.....	11,678	1	-	1	-	5	13	22	67	144	303
1992.....	10,897	-	-	-	1	1	7	21	58	129	296
1991.....	11,014	1	2	1	-	4	9	27	58	150	264
1990.....	10,674	2	-	-	1	1	8	15	61	146	234
1989.....	10,745	2	-	-	-	1	1	16	64	138	274
1988.....	11,279	1	1	1	-	8	10	26	68	133	257
1987.....	11,111	-	1	-	-	3	9	19	73	142	283
1986.....	10,854	-	1	-	-	5	5	23	64	139	277
1985.....	11,138	-	-	-	-	2	8	23	62	152	275
1984.....	10,767	3	-	2	-	2	4	18	55	131	215
1983.....	11,089	3	3	2	-	3	3	10	64	107	239
1982.....	11,198	1	2	3	-	2	5	27	58	131	232
1981.....	11,083	3	1	1	-	2	5	31	62	127	234
1980.....	11,513	1	-	-	-	3	8	22	61	122	218
1979.....	10,473	2	1	-	-	1	-	17	42	109	209

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
ALL OTHER FEMALE											
1998.....	12,770	2	-	-	3	1	3	10	19	58	143
1997.....	12,772	4	-	-	1	1	3	9	21	66	121
1996.....	12,952	2	1	1	-	-	2	8	16	76	153
1995.....	12,761	1	-	-	1	-	3	9	21	69	131
1994.....	12,422	1	2	-	-	-	3	9	25	64	133
1993.....	12,462	-	1	-	-	-	3	5	17	65	137
1992.....	11,751	1	1	1	-	-	-	5	20	58	125
1991.....	11,470	4	-	-	2	-	2	12	20	52	103
1990.....	11,245	2	1	1	1	2	-	8	18	43	94
1989.....	11,105	1	-	-	1	4	2	13	25	54	106
1988.....	11,364	-	2	-	-	-	-	7	15	54	87
1987.....	10,966	1	-	1	-	1	1	5	21	53	89
1986.....	11,025	-	1	-	-	1	1	7	29	57	100
1985.....	10,816	2	-	-	-	-	1	6	31	45	84
1984.....	10,713	3	2	-	-	1	3	7	18	53	104
1983.....	10,994	-	-	1	-	-	1	8	17	40	95
1982.....	10,677	2	-	2	-	1	1	7	22	38	86
1981.....	10,841	1	1	2	-	2	1	8	20	38	93
1980.....	10,780	1	1	-	-	1	2	5	14	41	103
1979.....	9,771	-	1	-	-	2	5	5	25	35	94
BLACK, BOTH SEXES											
1998.....	20,931	4	-	1	4	5	6	21	66	182	389
1997.....	21,280	4	1	-	2	4	11	30	58	189	373
1996.....	21,322	2	1	1	-	3	11	26	62	205	409
1995.....	21,656	2	1	1	1	2	8	30	72	190	384
1994.....	20,838	3	2	-	1	4	9	26	59	206	406
1993.....	21,187	-	1	1	-	4	16	24	73	181	385
1992.....	19,783	1	1	1	1	1	6	25	64	172	378
1991.....	19,952	5	2	1	2	4	9	36	72	181	324
1990.....	19,553	4	1	1	2	3	8	19	68	172	304
1989.....	19,586	2	-	-	1	5	3	29	85	179	346
1988.....	20,470	1	2	-	-	7	9	28	80	175	319
1987.....	20,028	1	1	1	-	4	7	21	85	169	347
1986.....	19,899	-	2	-	-	4	4	26	81	179	348
1985.....	20,080	2	-	-	-	2	8	28	85	183	331
1984.....	19,676	4	2	1	-	3	7	22	69	174	303
1983.....	20,282	2	1	2	-	2	4	15	73	132	307
1982.....	20,177	2	2	4	-	2	6	29	72	156	291
1981.....	20,394	2	2	2	-	4	5	35	72	155	305
1980.....	20,743	1	1	-	-	4	10	25	69	145	300
1979.....	18,756	2	-	-	-	3	5	20	58	134	283

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)											
BLACK MALE											
1998.....	9,768	3	-	1	1	4	4	11	48	126	250
1997.....	10,039	-	1	-	1	3	8	21	38	126	265
1996.....	9,859	-	-	-	-	3	9	18	47	135	260
1995.....	10,308	1	1	1	-	2	7	22	54	125	263
1994.....	9,714	2	-	-	1	4	6	17	37	145	278
1993.....	9,951	-	-	1	-	4	13	19	58	123	257
1992.....	9,265	-	-	-	1	1	6	20	47	116	258
1991.....	9,517	1	2	1	-	4	7	25	52	133	233
1990.....	9,278	2	-	-	1	1	8	11	50	130	213
1989.....	9,383	1	-	-	-	1	1	16	61	128	246
1988.....	9,918	1	1	-	-	7	9	22	65	123	236
1987.....	9,847	-	1	-	-	3	6	16	66	120	260
1986.....	9,623	-	1	-	-	3	3	19	52	123	251
1985.....	9,985	-	-	-	-	2	7	22	55	141	250
1984.....	9,662	2	-	1	-	2	4	16	51	123	200
1983.....	10,000	2	1	1	-	2	3	8	56	93	214
1982.....	10,088	1	2	2	-	1	5	23	52	120	208
1981.....	10,125	1	1	1	-	2	4	28	53	117	217
1980.....	10,487	-	-	-	-	3	8	20	56	104	201
1979.....	9,508	2	-	-	-	1	-	15	33	100	195
BLACK FEMALE											
1998.....	11,163	1	-	-	3	1	2	10	18	56	139
1997.....	11,241	4	-	-	1	1	3	9	20	63	108
1996.....	11,463	2	1	1	-	-	2	8	15	70	149
1995.....	11,348	1	-	-	1	-	1	8	18	65	121
1994.....	11,124	1	2	-	-	-	3	9	22	61	128
1993.....	11,236	-	1	-	-	-	3	5	15	58	128
1992.....	10,518	1	1	1	-	-	-	5	17	56	120
1991.....	10,435	4	-	-	2	-	2	11	20	48	91
1990.....	10,275	2	1	1	1	2	-	8	18	42	91
1989.....	10,203	1	-	-	1	4	2	13	24	51	100
1988.....	10,552	-	1	-	-	-	-	6	15	52	83
1987.....	10,181	1	-	1	-	1	1	5	19	49	87
1986.....	10,276	-	1	-	-	1	1	7	29	56	97
1985.....	10,095	2	-	-	-	-	1	6	30	42	81
1984.....	10,014	2	2	-	-	1	3	6	18	51	103
1983.....	10,282	-	-	1	-	-	1	7	17	39	93
1982.....	10,089	1	-	2	-	1	1	6	20	36	83
1981.....	10,269	1	1	1	-	2	1	7	19	38	88
1980.....	10,256	1	1	-	-	1	2	5	13	41	99
1979.....	9,248	-	-	-	-	2	5	5	25	34	88

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)											
TOTAL, BOTH SEXES											
1998.....	12,622	183	21	15	26	52	70	132	206	311	402
1997.....	12,002	186	18	12	16	50	99	127	201	298	399
1996.....	12,137	199	26	10	14	48	78	122	186	269	387
1995.....	11,978	208	34	11	14	48	102	138	215	319	422
1994.....	11,452	190	32	10	13	41	81	139	195	315	378
1993.....	11,727	177	34	19	22	43	79	112	225	296	374
1992.....	11,932	179	30	13	15	33	87	132	192	262	347
1991.....	11,901	178	25	12	12	35	75	122	181	271	340
1990.....	11,848	182	24	12	21	44	80	112	183	265	302
1989.....	11,966	168	21	13	11	36	81	135	165	227	321
1988.....	12,936	151	26	9	10	38	77	128	173	257	278
1987.....	12,600	147	19	12	19	42	85	131	200	227	262
1986.....	12,610	170	24	11	9	38	91	137	195	230	265
1985.....	12,397	150	11	11	10	48	78	126	175	244	257
1984.....	11,931	140	27	9	19	49	90	125	165	206	286
1983.....	12,014	115	30	10	7	46	66	114	163	211	259
1982.....	11,612	78	28	15	13	33	105	129	166	172	248
1981.....	11,499	85	20	5	10	42	71	123	171	187	204
1980.....	12,090	65	23	13	15	61	83	118	139	184	214
1979.....	11,432	64	19	13	17	40	99	110	131	166	231
TOTAL, MALE											
1998.....	5,185	82	8	10	8	24	23	38	87	143	190
1997.....	5,040	109	6	6	8	15	35	53	88	136	199
1996.....	5,066	108	12	3	7	17	27	52	72	123	188
1995.....	5,286	106	18	7	8	21	41	54	108	151	222
1994.....	5,019	99	12	5	5	12	26	46	85	151	194
1993.....	5,124	92	16	6	11	18	25	41	107	118	192
1992.....	5,264	90	11	10	7	18	30	51	78	135	166
1991.....	5,293	79	13	5	5	14	22	61	76	134	162
1990.....	5,382	99	10	6	7	20	27	47	81	132	152
1989.....	5,433	92	12	4	5	13	26	60	87	93	160
1988.....	6,025	86	13	6	4	14	30	45	86	125	136
1987.....	5,813	89	5	7	7	19	39	63	96	112	132
1986.....	5,836	93	12	5	2	17	26	58	96	120	128
1985.....	5,885	87	5	5	4	18	31	62	77	122	125
1984.....	5,666	85	14	3	7	14	31	55	88	101	138
1983.....	5,731	63	13	6	3	15	23	47	67	101	131
1982.....	5,523	44	23	8	2	12	37	48	77	70	122
1981.....	5,538	51	10	1	6	13	24	48	81	91	84
1980.....	5,755	35	14	5	4	26	27	49	68	78	88
1979.....	5,553	37	9	3	11	15	32	44	50	65	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)											
TOTAL, FEMALE											
1998.....	7,437	101	13	5	18	28	47	94	119	168	212
1997.....	6,962	77	12	6	8	35	64	74	113	162	200
1996.....	7,071	91	14	7	7	31	51	70	114	146	199
1995.....	6,692	102	16	4	6	27	61	84	107	168	200
1994.....	6,433	91	20	5	8	29	55	93	110	164	184
1993.....	6,603	85	18	13	11	25	54	71	118	178	182
1992.....	6,668	89	19	3	8	15	57	81	114	127	181
1991.....	6,608	99	12	7	7	21	53	61	105	137	178
1990.....	6,466	83	14	6	14	24	53	65	102	133	150
1989.....	6,533	76	9	9	6	23	55	75	78	134	161
1988.....	6,911	65	13	3	6	24	47	83	87	132	142
1987.....	6,787	58	14	5	12	23	46	68	104	115	130
1986.....	6,774	77	12	6	7	21	65	79	99	110	137
1985.....	6,512	63	6	6	6	30	47	64	98	122	132
1984.....	6,265	55	13	6	12	35	59	70	77	105	148
1983.....	6,283	52	17	4	4	31	43	67	96	110	128
1982.....	6,089	34	5	7	11	21	68	81	89	102	126
1981.....	5,961	34	10	4	4	29	47	75	90	96	120
1980.....	6,335	30	9	8	11	35	56	69	71	106	126
1979.....	5,879	27	10	10	6	25	67	66	81	101	132
WHITE, BOTH SEXES											
1998.....	10,337	130	18	11	21	29	49	94	133	196	267
1997.....	9,818	136	13	9	14	35	60	69	127	193	265
1996.....	9,895	134	18	6	10	30	47	82	104	165	244
1995.....	9,719	152	22	10	10	32	60	92	130	199	288
1994.....	9,373	134	25	7	12	27	52	86	121	215	267
1993.....	9,637	111	26	14	17	32	49	69	154	200	269
1992.....	9,795	131	20	12	12	22	59	81	125	165	240
1991.....	9,733	117	21	8	9	20	44	80	119	176	235
1990.....	9,787	128	18	11	16	28	45	68	118	175	209
1989.....	9,889	106	17	9	8	23	56	90	105	151	224
1988.....	10,670	94	24	9	8	24	54	79	106	167	182
1987.....	10,404	102	11	9	15	26	58	88	127	162	188
1986.....	10,512	126	17	11	7	28	51	88	131	169	189
1985.....	10,236	118	11	9	7	31	54	84	105	161	176
1984.....	9,933	101	17	5	17	30	57	80	122	137	204
1983.....	10,015	82	24	8	7	26	45	79	108	141	180
1982.....	9,747	55	18	14	9	23	70	89	112	111	173
1981.....	9,578	66	14	4	7	32	43	81	112	123	136
1980.....	10,128	48	16	9	11	43	51	72	104	119	143
1979.....	9,560	46	12	11	15	29	63	73	80	112	164

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)											
WHITE MALE											
1998.....	4,250	64	7	7	7	13	16	29	56	94	136
1997.....	4,119	81	3	5	8	11	19	29	54	93	144
1996.....	4,119	69	9	2	5	12	15	38	39	81	130
1995.....	4,306	83	12	7	5	16	26	34	66	88	159
1994.....	4,126	69	10	3	4	9	17	26	58	110	141
1993.....	4,223	62	14	4	9	13	15	23	76	86	147
1992.....	4,327	69	7	9	5	13	17	29	54	84	126
1991.....	4,308	52	11	3	3	9	12	37	46	95	114
1990.....	4,438	69	10	6	7	12	14	24	59	86	113
1989.....	4,490	63	10	4	4	10	17	44	56	67	111
1988.....	4,947	51	12	6	4	8	21	23	57	87	93
1987.....	4,777	60	2	7	5	13	29	44	62	84	104
1986.....	4,850	72	9	5	2	15	12	34	67	94	89
1985.....	4,833	69	5	3	2	13	24	41	46	82	93
1984.....	4,683	63	9	2	6	10	21	32	62	74	104
1983.....	4,769	44	11	5	3	10	18	32	46	68	95
1982.....	4,572	29	15	7	2	8	27	28	55	54	86
1981.....	4,617	39	7	1	5	11	16	32	53	61	58
1980.....	4,799	28	10	2	2	21	16	36	51	47	63
1979.....	4,666	28	7	1	9	12	22	33	30	46	71
WHITE FEMALE											
1998.....	6,087	66	11	4	14	16	33	65	77	102	131
1997.....	5,699	55	10	4	6	24	41	40	73	100	121
1996.....	5,776	65	9	4	5	18	32	44	65	84	114
1995.....	5,413	69	10	3	5	16	34	58	64	111	129
1994.....	5,247	65	15	4	8	18	35	60	63	105	126
1993.....	5,414	49	12	10	8	19	34	46	78	114	122
1992.....	5,468	62	13	3	7	9	42	52	71	81	114
1991.....	5,425	65	10	5	6	11	32	43	73	81	121
1990.....	5,349	59	8	5	9	16	31	44	59	89	96
1989.....	5,399	43	7	5	4	13	39	46	49	84	113
1988.....	5,723	43	12	3	4	16	33	56	49	80	89
1987.....	5,627	42	9	2	10	13	29	44	65	78	84
1986.....	5,662	54	8	6	5	13	39	54	64	75	100
1985.....	5,403	49	6	6	5	18	30	43	59	79	83
1984.....	5,250	38	8	3	11	20	36	48	60	63	100
1983.....	5,246	38	13	3	4	16	27	47	62	73	85
1982.....	5,175	26	3	7	7	15	43	61	57	57	87
1981.....	4,961	27	7	3	2	21	27	49	59	62	78
1980.....	5,329	20	6	7	9	22	35	36	53	72	80
1979.....	4,894	18	5	10	6	17	41	40	50	66	93

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)											
ALL OTHER, BOTH SEXES											
1998.....	2,285	53	3	4	5	23	21	38	73	115	135
1997.....	2,184	50	5	3	2	15	39	58	74	105	134
1996.....	2,242	65	8	4	4	18	31	40	82	104	143
1995.....	2,259	56	12	1	4	16	42	46	85	120	134
1994.....	2,079	56	7	3	1	14	29	53	74	100	111
1993.....	2,090	66	8	5	5	11	30	43	71	96	105
1992.....	2,137	48	10	1	3	11	28	51	67	97	107
1991.....	2,168	61	4	4	3	15	31	42	62	95	105
1990.....	2,061	54	6	1	5	16	35	44	65	90	93
1989.....	2,077	62	4	4	3	13	25	45	60	76	97
1988.....	2,266	57	2	-	2	14	23	49	67	90	96
1987.....	2,196	45	8	3	4	16	27	43	73	65	74
1986.....	2,098	44	7	-	2	10	40	49	64	61	76
1985.....	2,161	32	-	2	3	17	24	42	70	83	81
1984.....	1,998	39	10	4	2	19	33	45	43	69	82
1983.....	1,999	33	6	2	-	20	21	35	55	70	79
1982.....	1,865	23	10	1	4	10	35	40	54	61	75
1981.....	1,921	19	6	1	3	10	28	42	59	64	68
1980.....	1,962	17	7	4	4	18	32	46	35	65	71
1979.....	1,872	18	7	2	2	11	36	37	51	54	67
ALL OTHER MALE											
1998.....	935	18	1	3	1	11	7	9	31	49	54
1997.....	921	28	3	1	-	4	16	24	34	43	55
1996.....	947	39	3	1	2	5	12	14	33	42	58
1995.....	980	23	6	-	3	5	15	20	42	63	63
1994.....	893	30	2	2	1	3	9	20	27	41	53
1993.....	901	30	2	2	2	5	10	18	31	32	45
1992.....	937	21	4	1	2	5	13	22	24	51	40
1991.....	985	27	2	2	2	5	10	24	30	39	48
1990.....	944	30	-	-	-	8	13	23	22	46	39
1989.....	943	29	2	-	1	3	9	16	31	26	49
1988.....	1,078	35	1	-	-	6	9	22	29	38	43
1987.....	1,036	29	3	-	2	6	10	19	34	28	28
1986.....	986	21	3	-	-	2	14	24	29	26	39
1985.....	1,052	18	-	2	2	5	7	21	31	40	32
1984.....	983	22	5	1	1	4	10	23	26	27	34
1983.....	962	19	2	1	-	5	5	15	21	33	36
1982.....	951	15	8	1	-	4	10	20	22	16	36
1981.....	921	12	3	-	1	2	8	16	28	30	26
1980.....	956	7	4	3	2	5	11	13	17	31	25
1979.....	887	9	2	2	2	3	10	11	20	19	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)											
ALL OTHER FEMALE											
1998.....	1,350	35	2	1	4	12	14	29	42	66	81
1997.....	1,263	22	2	2	2	11	23	34	40	62	79
1996.....	1,295	26	5	3	2	13	19	26	49	62	85
1995.....	1,279	33	6	1	1	11	27	26	43	57	71
1994.....	1,186	26	5	1	-	11	20	33	47	59	58
1993.....	1,189	36	6	3	3	6	20	25	40	64	60
1992.....	1,200	27	6	-	1	6	15	29	43	46	67
1991.....	1,183	34	2	2	1	10	21	18	32	56	57
1990.....	1,117	24	6	1	5	8	22	21	43	44	54
1989.....	1,134	33	2	4	2	10	16	29	29	50	48
1988.....	1,188	22	1	-	2	8	14	27	38	52	53
1987.....	1,160	16	5	3	2	10	17	24	39	37	46
1986.....	1,112	23	4	-	2	8	26	25	35	35	37
1985.....	1,109	14	-	-	1	12	17	21	39	43	49
1984.....	1,015	17	5	3	1	15	23	22	17	42	48
1983.....	1,037	14	4	1	-	15	16	20	34	37	43
1982.....	914	8	2	-	4	6	25	20	32	45	39
1981.....	1,000	7	3	1	2	8	20	26	31	34	42
1980.....	1,006	10	3	1	2	13	21	33	18	34	46
1979.....	985	9	5	-	-	8	26	26	31	35	39
BLACK, BOTH SEXES											
1998.....	2,141	46	3	4	4	20	21	35	70	108	128
1997.....	2,057	45	5	1	2	15	37	56	66	102	129
1996.....	2,096	53	6	4	3	16	29	39	79	97	131
1995.....	2,124	44	10	1	4	14	36	43	82	114	127
1994.....	1,966	44	7	3	1	12	27	53	72	91	104
1993.....	1,977	57	7	3	5	10	28	39	69	92	97
1992.....	2,017	38	10	-	1	10	20	50	62	89	102
1991.....	2,066	56	3	4	3	13	30	41	59	89	99
1990.....	1,951	45	6	1	4	15	33	39	65	85	88
1989.....	1,974	57	2	3	2	12	23	43	56	70	92
1988.....	2,165	49	2	-	2	14	21	48	63	83	93
1987.....	2,118	40	7	3	4	16	26	41	69	64	72
1986.....	2,011	39	5	-	2	10	39	48	62	59	74
1985.....	2,080	26	-	1	3	16	22	42	64	77	79
1984.....	1,928	33	9	4	2	18	33	43	42	66	79
1983.....	1,914	32	5	1	-	20	19	30	53	67	76
1982.....	1,796	16	8	1	4	8	33	40	54	57	71
1981.....	1,863	15	6	1	3	9	28	40	57	61	66
1980.....	1,883	17	6	3	2	17	29	45	32	64	70
1979.....	1,796	16	7	2	2	11	33	35	47	50	65

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF PULMONARY CIRCULATION (415-417)											
BLACK MALE											
1998.....	877	16	1	3	1	10	7	9	29	47	51
1997.....	863	25	3	1	-	4	16	24	29	41	52
1996.....	889	34	2	1	2	4	11	14	33	39	53
1995.....	938	21	6	-	3	5	12	19	41	59	62
1994.....	844	25	2	2	1	2	9	20	26	41	50
1993.....	848	23	1	1	2	5	9	16	31	30	45
1992.....	883	18	4	-	1	5	9	21	22	49	40
1991.....	934	25	1	2	2	4	10	24	30	35	46
1990.....	889	26	-	-	-	7	12	20	22	42	37
1989.....	885	25	1	-	1	3	8	15	30	23	47
1988.....	1,029	29	1	-	-	6	8	22	27	34	43
1987.....	993	26	3	-	2	6	10	18	32	27	28
1986.....	944	18	3	-	-	2	14	23	28	25	37
1985.....	1,015	15	-	1	2	5	7	21	30	39	31
1984.....	946	19	4	1	1	3	10	22	25	27	32
1983.....	918	18	2	1	-	5	5	12	19	32	33
1982.....	916	11	6	1	-	3	9	20	22	16	34
1981.....	889	8	3	-	1	2	8	16	28	28	25
1980.....	917	7	3	2	2	4	11	13	15	31	24
1979.....	851	7	2	2	2	3	8	11	17	16	28
BLACK FEMALE											
1998.....	1,264	30	2	1	3	10	14	26	41	61	77
1997.....	1,194	20	2	-	2	11	21	32	37	61	77
1996.....	1,207	19	4	3	1	12	18	25	46	58	78
1995.....	1,186	23	4	1	1	9	24	24	41	55	65
1994.....	1,122	19	5	1	-	10	18	33	46	50	54
1993.....	1,129	34	6	2	3	5	19	23	38	62	52
1992.....	1,134	20	6	-	-	5	11	29	40	40	62
1991.....	1,132	31	2	2	1	9	20	17	29	54	53
1990.....	1,062	19	6	1	4	8	21	19	43	43	51
1989.....	1,089	32	1	3	1	9	15	28	26	47	45
1988.....	1,136	20	1	-	2	8	13	26	36	49	50
1987.....	1,125	14	4	3	2	10	16	23	37	37	44
1986.....	1,067	21	2	-	2	8	25	25	34	34	37
1985.....	1,065	11	-	-	1	11	15	21	34	38	48
1984.....	982	14	5	3	1	15	23	21	17	39	47
1983.....	996	14	3	-	-	15	14	18	34	35	43
1982.....	880	5	2	-	4	5	24	20	32	41	37
1981.....	974	7	3	1	2	7	20	24	29	33	41
1980.....	966	10	3	1	-	13	18	32	17	33	46
1979.....	945	9	5	-	-	8	25	24	30	34	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER FORMS OF HEART DISEASE (420-429)											
TOTAL, BOTH SEXES											
1998.....	217,477	404	184	131	127	308	455	608	1,016	1,886	3,206
1997.....	214,826	410	186	108	150	307	445	624	1,035	1,857	3,035
1996.....	211,405	393	179	112	174	295	373	616	1,093	1,829	2,838
1995.....	211,653	423	207	114	142	299	418	590	1,157	1,933	2,902
1994.....	207,647	462	236	107	160	294	408	662	1,140	1,950	2,792
1993.....	210,426	451	244	104	139	274	413	662	1,122	1,857	2,793
1992.....	195,676	513	240	107	127	263	421	622	1,099	1,691	2,632
1991.....	193,762	499	288	105	129	281	429	651	1,102	1,634	2,506
1990.....	189,572	578	246	103	143	257	365	622	1,039	1,477	2,320
1989.....	194,445	569	247	103	144	265	394	655	1,097	1,609	2,201
1988.....	212,969	683	309	128	151	308	454	716	1,124	1,616	2,328
1987.....	206,027	771	284	124	144	309	439	718	1,107	1,531	2,259
1986.....	202,705	783	330	130	138	302	473	722	1,082	1,531	2,154
1985.....	191,692	741	278	118	154	310	452	648	939	1,378	1,993
1984.....	181,416	775	294	117	140	261	466	625	964	1,284	1,902
1983.....	174,974	794	289	102	146	306	470	622	895	1,182	1,783
1982.....	160,334	651	254	110	160	298	459	570	766	1,159	1,679
1981.....	155,709	645	307	102	142	292	461	595	813	1,091	1,665
1980.....	150,598	707	292	111	150	353	473	585	752	1,069	1,637
1979.....	138,002	600	235	97	135	283	448	542	654	969	1,562
TOTAL, MALE											
1998.....	100,983	216	102	80	76	208	302	416	685	1,264	2,279
1997.....	100,236	229	106	56	95	202	290	395	701	1,270	2,169
1996.....	99,360	212	94	55	104	191	260	409	735	1,288	2,018
1995.....	99,440	225	112	65	76	199	283	394	808	1,372	2,077
1994.....	98,107	253	129	52	93	214	282	431	746	1,332	1,979
1993.....	99,409	256	139	47	76	189	274	448	742	1,297	1,986
1992.....	93,419	278	130	59	70	198	282	402	763	1,197	1,953
1991.....	93,008	306	150	56	72	194	293	437	747	1,164	1,783
1990.....	91,198	326	128	57	86	187	243	413	705	1,068	1,709
1989.....	93,491	312	140	58	71	178	277	430	751	1,157	1,593
1988.....	103,083	381	156	69	100	222	292	472	805	1,154	1,686
1987.....	99,861	440	151	73	81	200	295	445	768	1,100	1,643
1986.....	99,207	451	172	69	78	209	322	455	742	1,090	1,569
1985.....	93,878	423	136	56	78	209	302	430	651	978	1,377
1984.....	89,648	420	156	61	71	175	314	415	664	900	1,373
1983.....	86,948	442	158	53	84	205	301	419	596	825	1,259
1982.....	79,773	385	137	56	81	204	293	371	505	801	1,177
1981.....	78,254	343	158	53	83	191	301	399	521	740	1,161
1980.....	76,110	405	156	56	89	225	327	385	468	750	1,130
1979.....	70,473	352	124	50	68	187	304	347	420	649	1,086

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER FORMS OF HEART DISEASE (420-429)											
TOTAL, FEMALE											
1998.....	116,494	188	82	51	51	100	153	192	331	622	927
1997.....	114,590	181	80	52	55	105	155	229	334	587	866
1996.....	112,045	181	85	57	70	104	113	207	358	541	820
1995.....	112,213	198	95	49	66	100	135	196	349	561	825
1994.....	109,540	209	107	55	67	80	126	231	394	618	813
1993.....	111,017	195	105	57	63	85	139	214	380	560	807
1992.....	102,257	235	110	48	57	65	139	220	336	494	679
1991.....	100,754	193	138	49	57	87	136	214	355	470	723
1990.....	98,374	252	118	46	57	70	122	209	334	409	611
1989.....	100,954	257	107	45	73	87	117	225	346	452	608
1988.....	109,886	302	153	59	51	86	162	244	319	462	642
1987.....	106,166	331	133	51	63	109	144	273	339	431	616
1986.....	103,498	332	158	61	60	93	151	267	340	441	585
1985.....	97,814	318	142	62	76	101	150	218	288	400	616
1984.....	91,768	355	138	56	69	86	152	210	300	384	529
1983.....	88,026	352	131	49	62	101	169	203	299	357	524
1982.....	80,561	266	117	54	79	94	166	199	261	358	502
1981.....	77,455	302	149	49	59	101	160	196	292	351	504
1980.....	74,488	302	136	55	61	128	146	200	284	319	507
1979.....	67,529	248	111	47	67	96	144	195	234	320	476
WHITE, BOTH SEXES											
1998.....	186,832	264	112	90	82	201	299	381	665	1,271	2,191
1997.....	185,220	287	120	71	110	213	281	406	702	1,269	2,125
1996.....	181,682	259	108	82	108	184	235	397	704	1,248	1,946
1995.....	181,449	279	125	78	90	181	248	365	770	1,295	1,975
1994.....	178,209	285	134	78	111	196	255	424	715	1,292	1,896
1993.....	179,796	290	150	67	101	184	266	407	736	1,211	1,864
1992.....	167,025	330	147	69	81	166	267	381	709	1,086	1,731
1991.....	165,367	328	175	72	88	204	282	424	710	1,031	1,691
1990.....	161,422	348	155	78	99	184	237	410	648	937	1,530
1989.....	164,941	388	150	70	91	184	263	427	704	1,035	1,452
1988.....	181,636	472	206	94	113	215	307	461	736	1,034	1,565
1987.....	175,816	547	181	92	97	218	296	482	685	955	1,541
1986.....	172,768	542	217	89	99	227	324	473	643	988	1,471
1985.....	163,983	502	168	85	101	215	314	420	585	921	1,357
1984.....	155,364	544	203	88	99	189	317	403	616	845	1,319
1983.....	149,638	537	195	72	108	213	320	407	581	788	1,244
1982.....	137,663	460	172	78	122	222	331	394	504	803	1,139
1981.....	133,606	458	218	81	97	209	320	379	555	730	1,145
1980.....	128,366	478	191	81	116	242	328	386	465	674	1,096
1979.....	118,068	391	159	81	97	217	325	373	468	636	1,057

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER FORMS OF HEART DISEASE (420-429)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	85,466	144	61	61	48	137	194	256	467	866	1,642
1997.....	85,217	167	62	42	71	147	181	264	479	910	1,565
1996.....	84,213	139	64	41	60	122	164	277	506	932	1,460
1995.....	83,924	145	67	42	47	126	169	254	543	962	1,473
1994.....	83,021	162	75	40	61	146	178	279	481	901	1,407
1993.....	83,682	172	89	28	58	130	179	279	494	879	1,382
1992.....	78,497	183	74	42	42	120	184	247	513	802	1,374
1991.....	78,143	204	86	38	49	142	192	291	495	730	1,273
1990.....	76,607	199	77	45	63	134	166	275	450	699	1,151
1989.....	78,128	223	84	38	51	128	187	299	484	760	1,099
1988.....	86,741	274	100	48	75	158	201	322	532	766	1,173
1987.....	84,128	314	96	61	52	143	201	305	490	686	1,157
1986.....	83,400	320	111	50	56	160	223	309	451	730	1,088
1985.....	79,283	290	86	39	52	144	218	285	398	666	961
1984.....	75,932	299	108	44	52	125	209	268	438	607	983
1983.....	73,559	305	102	38	61	140	212	276	389	570	887
1982.....	67,713	286	94	43	61	155	221	264	337	565	826
1981.....	66,392	239	111	38	59	142	209	254	353	510	822
1980.....	64,124	289	97	46	71	153	229	255	290	473	785
1979.....	59,626	237	83	47	52	141	223	241	306	446	760
WHITE FEMALE											
1998.....	101,366	120	51	29	34	64	105	125	198	405	549
1997.....	100,003	120	58	29	39	66	100	142	223	359	560
1996.....	97,469	120	44	41	48	62	71	120	198	316	486
1995.....	97,525	134	58	36	43	55	79	111	227	333	502
1994.....	95,188	123	59	38	50	50	77	145	234	391	489
1993.....	96,114	118	61	39	43	54	87	128	242	332	482
1992.....	88,528	147	73	27	39	46	83	134	196	284	357
1991.....	87,224	124	89	34	39	62	90	133	215	301	418
1990.....	84,815	149	78	33	36	50	71	135	198	238	379
1989.....	86,813	165	66	32	40	56	76	128	220	275	353
1988.....	94,895	198	106	46	38	57	106	139	204	268	392
1987.....	91,688	233	85	31	45	75	95	177	195	269	384
1986.....	89,368	222	106	39	43	67	101	164	192	258	383
1985.....	84,700	212	82	46	49	71	96	135	187	255	396
1984.....	79,432	245	95	44	47	64	108	135	178	238	336
1983.....	76,079	232	93	34	47	73	108	131	192	218	357
1982.....	69,950	174	78	35	61	67	110	130	167	238	313
1981.....	67,214	219	107	43	38	67	111	125	202	220	323
1980.....	64,242	189	94	35	45	89	99	131	175	201	311
1979.....	58,442	154	76	34	45	76	102	132	162	190	297

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER FORMS OF HEART DISEASE (420-429)											
ALL OTHER, BOTH SEXES											
1998.....	30,645	140	72	41	45	107	156	227	351	615	1,015
1997.....	29,606	123	66	37	40	94	164	218	333	588	910
1996.....	29,723	134	71	30	66	111	138	219	389	581	892
1995.....	30,204	144	82	36	52	118	170	225	387	638	927
1994.....	29,438	177	102	29	49	98	153	238	425	658	896
1993.....	30,630	161	94	37	38	90	147	255	386	646	929
1992.....	28,651	183	93	38	46	97	154	241	390	605	901
1991.....	28,395	171	113	33	41	77	147	227	392	603	815
1990.....	28,150	230	91	25	44	73	128	212	391	540	790
1989.....	29,504	181	97	33	53	81	131	228	393	574	749
1988.....	31,333	211	103	34	38	93	147	255	388	582	763
1987.....	30,211	224	103	32	47	91	143	236	422	576	718
1986.....	29,937	241	113	41	39	75	149	249	439	543	683
1985.....	27,709	239	110	33	53	95	138	228	354	457	636
1984.....	26,052	231	91	29	41	72	149	222	348	439	583
1983.....	25,336	257	94	30	38	93	150	215	314	394	539
1982.....	22,671	191	82	32	38	76	128	176	262	356	540
1981.....	22,103	187	89	21	45	83	141	216	258	361	520
1980.....	22,232	229	101	30	34	111	145	199	287	395	541
1979.....	19,934	209	76	16	38	66	123	169	186	333	505
ALL OTHER MALE											
1998.....	15,517	72	41	19	28	71	108	160	218	398	637
1997.....	15,019	62	44	14	24	55	109	131	222	360	604
1996.....	15,147	73	30	14	44	69	96	132	229	356	558
1995.....	15,516	80	45	23	29	73	114	140	265	410	604
1994.....	15,086	91	54	12	32	68	104	152	265	431	572
1993.....	15,727	84	50	19	18	59	95	169	248	418	604
1992.....	14,922	95	56	17	28	78	98	155	250	395	579
1991.....	14,865	102	64	18	23	52	101	146	252	434	510
1990.....	14,591	127	51	12	23	53	77	138	255	369	558
1989.....	15,363	89	56	20	20	50	90	131	267	397	494
1988.....	16,342	107	56	21	25	64	91	150	273	388	513
1987.....	15,733	126	55	12	29	57	94	140	278	414	486
1986.....	15,807	131	61	19	22	49	99	146	291	360	481
1985.....	14,595	133	50	17	26	65	84	145	253	312	416
1984.....	13,716	121	48	17	19	50	105	147	226	293	390
1983.....	13,389	137	56	15	23	65	89	143	207	255	372
1982.....	12,060	99	43	13	20	49	72	107	168	236	351
1981.....	11,862	104	47	15	24	49	92	145	168	230	339
1980.....	11,986	116	59	10	18	72	98	130	178	277	345
1979.....	10,847	115	41	3	16	46	81	106	114	203	326

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER FORMS OF HEART DISEASE (420-429)											
ALL OTHER FEMALE											
1998.....	15,128	68	31	22	17	36	48	67	133	217	378
1997.....	14,587	61	22	23	16	39	55	87	111	228	306
1996.....	14,576	61	41	16	22	42	42	87	160	225	334
1995.....	14,688	64	37	13	23	45	56	85	122	228	323
1994.....	14,352	86	48	17	17	30	49	86	160	227	324
1993.....	14,903	77	44	18	20	31	52	86	138	228	325
1992.....	13,729	88	37	21	18	19	56	86	140	210	322
1991.....	13,530	69	49	15	18	25	46	81	140	169	305
1990.....	13,559	103	40	13	21	20	51	74	136	171	232
1989.....	14,141	92	41	13	33	31	41	97	126	177	255
1988.....	14,991	104	47	13	13	29	56	105	115	194	250
1987.....	14,478	98	48	20	18	34	49	96	144	162	232
1986.....	14,130	110	52	22	17	26	50	103	148	183	202
1985.....	13,114	106	60	16	27	30	54	83	101	145	220
1984.....	12,336	110	43	12	22	22	44	75	122	146	193
1983.....	11,947	120	38	15	15	28	61	72	107	139	167
1982.....	10,611	92	39	19	18	27	56	69	94	120	189
1981.....	10,241	83	42	6	21	34	49	71	90	131	181
1980.....	10,246	113	42	20	16	39	47	69	109	118	196
1979.....	9,087	94	35	13	22	20	42	63	72	130	179
BLACK, BOTH SEXES											
1998.....	27,342	111	59	34	40	98	132	203	326	553	940
1997.....	26,417	104	59	35	36	84	142	195	297	528	835
1996.....	26,645	120	58	25	56	102	126	203	354	537	820
1995.....	27,229	128	75	30	45	111	156	200	361	583	873
1994.....	26,588	159	94	24	41	88	134	217	388	616	833
1993.....	27,832	136	76	32	34	80	135	230	354	608	858
1992.....	26,194	169	83	32	41	88	141	222	358	560	834
1991.....	26,047	154	103	28	37	67	133	208	366	558	789
1990.....	25,810	202	81	21	38	67	117	195	367	497	731
1989.....	27,297	158	86	28	44	73	126	207	378	546	704
1988.....	29,172	189	90	31	34	88	140	242	367	548	717
1987.....	28,209	190	91	24	44	87	135	211	401	535	672
1986.....	28,098	220	101	34	35	68	139	234	415	512	648
1985.....	25,954	212	100	28	47	88	129	215	333	425	604
1984.....	24,509	215	81	27	38	69	131	207	320	413	556
1983.....	23,853	234	83	24	31	87	140	200	297	375	507
1982.....	21,452	169	75	29	34	68	123	163	244	341	502
1981.....	21,031	169	76	21	43	79	137	207	241	343	493
1980.....	21,147	211	92	29	30	101	133	182	280	369	513
1979.....	18,964	186	69	16	34	63	114	155	176	310	480

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OTHER FORMS OF HEART DISEASE (420-429)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	13,621	59	36	16	24	66	91	141	201	350	584
1997.....	13,255	53	41	14	23	51	93	116	193	313	553
1996.....	13,400	65	26	11	36	64	89	119	202	323	511
1995.....	13,893	70	42	18	26	68	101	125	247	372	568
1994.....	13,439	79	48	10	27	61	88	132	240	407	523
1993.....	14,127	67	39	15	17	51	87	150	223	389	549
1992.....	13,501	90	51	14	25	70	86	140	231	368	527
1991.....	13,483	88	58	15	21	45	91	134	232	400	494
1990.....	13,237	111	47	11	21	47	69	124	237	334	514
1989.....	14,057	75	51	18	17	46	85	121	256	380	456
1988.....	15,087	96	48	20	23	59	87	145	258	364	479
1987.....	14,524	104	52	10	28	53	89	120	261	380	452
1986.....	14,713	122	54	15	20	46	89	136	273	340	456
1985.....	13,579	117	45	13	23	61	76	133	236	293	393
1984.....	12,796	112	43	16	18	48	90	136	204	277	369
1983.....	12,481	125	50	13	19	60	84	129	193	239	347
1982.....	11,334	88	38	13	19	46	69	99	157	224	324
1981.....	11,218	96	41	15	23	48	89	137	158	219	323
1980.....	11,301	107	55	10	18	64	89	118	174	254	328
1979.....	10,282	101	38	3	15	44	75	99	109	185	310
BLACK FEMALE											
1998.....	13,721	52	23	18	16	32	41	62	125	203	356
1997.....	13,162	51	18	21	13	33	49	79	104	215	282
1996.....	13,245	55	32	14	20	38	37	84	152	214	309
1995.....	13,336	58	33	12	19	43	55	75	114	211	305
1994.....	13,149	80	46	14	14	27	46	85	148	209	310
1993.....	13,705	69	37	17	17	29	48	80	131	219	309
1992.....	12,693	79	32	18	16	18	55	82	127	192	307
1991.....	12,564	66	45	13	16	22	42	74	134	158	295
1990.....	12,573	91	34	10	17	20	48	71	130	163	217
1989.....	13,240	83	35	10	27	27	41	86	122	166	248
1988.....	14,085	93	42	11	11	29	53	97	109	184	238
1987.....	13,685	86	39	14	16	34	46	91	140	155	220
1986.....	13,385	98	47	19	15	22	50	98	142	172	192
1985.....	12,375	95	55	15	24	27	53	82	97	132	211
1984.....	11,713	103	38	11	20	21	41	71	116	136	187
1983.....	11,372	109	33	11	12	27	56	71	104	136	160
1982.....	10,118	81	37	16	15	22	54	64	87	117	178
1981.....	9,813	73	35	6	20	31	48	70	83	124	170
1980.....	9,846	104	37	19	12	37	44	64	106	115	185
1979.....	8,682	85	31	13	19	19	39	56	67	125	170

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE AND SUBACUTE ENDOCARDITIS (421)											
TOTAL, BOTH SEXES											
1998.....	1,055	3	-	1	-	3	5	12	28	44	61
1997.....	981	4	1	1	1	3	7	16	21	49	69
1996.....	843	5	4	-	2	4	5	11	19	43	66
1995.....	979	4	1	1	-	-	10	5	32	46	78
1994.....	820	2	-	-	-	3	5	15	26	65	60
1993.....	892	5	1	-	2	4	9	15	31	45	57
1992.....	886	2	-	1	-	4	9	13	37	51	54
1991.....	871	4	-	-	-	2	6	11	26	45	60
1990.....	921	7	-	1	4	2	11	27	35	37	58
1989.....	955	7	2	1	4	3	11	28	61	71	55
1988.....	962	3	4	2	1	7	15	26	52	60	63
1987.....	876	5	-	3	4	4	8	30	41	48	41
1986.....	886	2	1	-	-	5	10	30	57	38	47
1985.....	927	1	-	1	2	7	17	22	46	46	36
1984.....	883	4	-	2	1	7	13	27	41	34	44
1983.....	815	5	2	1	4	8	16	22	34	33	29
1982.....	861	6	-	1	4	9	18	34	41	31	36
1981.....	765	1	1	2	1	10	22	28	30	29	30
1980.....	743	2	5	-	5	12	15	23	32	28	28
1979.....	769	4	4	1	2	6	26	29	28	35	24
TOTAL, MALE											
1998.....	604	-	-	1	-	2	4	9	15	30	46
1997.....	550	3	1	1	1	2	4	9	10	30	55
1996.....	480	4	4	-	2	3	2	6	12	26	48
1995.....	552	3	1	1	-	-	4	5	20	30	58
1994.....	458	2	-	-	-	2	1	9	13	35	38
1993.....	471	3	1	-	-	2	3	8	19	28	36
1992.....	512	1	-	-	-	2	5	8	20	34	37
1991.....	502	3	-	-	-	-	4	6	17	30	47
1990.....	541	4	-	1	3	-	2	12	25	26	48
1989.....	535	4	2	1	2	-	7	19	35	46	40
1988.....	565	1	2	-	1	6	12	15	37	45	46
1987.....	519	3	-	2	3	2	3	14	27	39	29
1986.....	527	1	-	-	-	1	3	13	40	29	34
1985.....	555	-	-	-	1	3	7	15	36	36	23
1984.....	510	3	-	2	-	2	7	18	30	28	29
1983.....	490	3	2	-	-	4	6	21	24	25	20
1982.....	528	5	-	1	2	6	13	24	26	23	27
1981.....	459	-	1	2	-	5	12	25	20	21	17
1980.....	439	1	4	-	3	8	8	11	17	17	19
1979.....	485	4	3	1	2	4	16	21	20	24	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE AND SUBACUTE ENDOCARDITIS (421)											
TOTAL, FEMALE											
1998.....	451	3	-	-	-	1	1	3	13	14	15
1997.....	431	1	-	-	-	1	3	7	11	19	14
1996.....	363	1	-	-	-	1	3	5	7	17	18
1995.....	427	1	-	-	-	-	6	-	12	16	20
1994.....	362	-	-	-	-	1	4	6	13	30	22
1993.....	421	2	-	-	2	2	6	7	12	17	21
1992.....	374	1	-	1	-	2	4	5	17	17	17
1991.....	369	1	-	-	-	2	2	5	9	15	13
1990.....	380	3	-	-	1	2	9	15	10	11	10
1989.....	420	3	-	-	2	3	4	9	26	25	15
1988.....	397	2	2	2	-	1	3	11	15	15	17
1987.....	357	2	-	1	1	2	5	16	14	9	12
1986.....	359	1	1	-	-	4	7	17	17	9	13
1985.....	372	1	-	1	1	4	10	7	10	10	13
1984.....	373	1	-	-	1	5	6	9	11	6	15
1983.....	325	2	-	1	4	4	10	1	10	8	9
1982.....	333	1	-	-	2	3	5	10	15	8	9
1981.....	306	1	-	-	1	5	10	3	10	8	13
1980.....	304	1	1	-	2	4	7	12	15	11	9
1979.....	284	-	1	-	-	2	10	8	8	11	11
WHITE, BOTH SEXES											
1998.....	827	2	-	1	-	2	4	8	20	29	41
1997.....	795	4	1	1	1	3	5	10	16	36	41
1996.....	659	5	3	-	1	1	4	10	14	28	45
1995.....	798	3	1	-	-	-	6	4	25	31	50
1994.....	655	1	-	-	-	2	4	10	16	40	38
1993.....	702	3	1	-	2	3	5	11	20	19	31
1992.....	699	1	-	1	-	3	7	12	23	29	31
1991.....	695	2	-	-	-	1	4	6	17	23	38
1990.....	724	4	-	1	2	1	5	20	22	18	28
1989.....	717	3	-	-	3	2	6	19	35	28	25
1988.....	744	2	2	1	1	4	9	14	24	35	38
1987.....	692	4	-	3	3	2	6	21	24	24	20
1986.....	710	2	1	-	-	3	5	19	31	20	27
1985.....	746	1	-	1	1	5	10	13	18	27	20
1984.....	714	2	-	2	1	5	8	16	20	15	27
1983.....	648	5	2	1	4	5	6	10	19	19	15
1982.....	698	5	-	1	4	6	13	22	26	19	21
1981.....	627	-	1	2	1	7	16	14	17	19	22
1980.....	628	1	4	-	5	12	8	11	21	19	17
1979.....	626	3	3	1	2	5	20	16	19	20	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE AND SUBACUTE ENDOCARDITIS (421)											
WHITE MALE											
1998.....	467	-	-	1	-	1	3	5	10	20	31
1997.....	448	3	1	1	1	2	3	5	8	23	31
1996.....	382	4	3	-	1	1	1	5	11	17	35
1995.....	432	2	1	-	-	-	2	4	15	21	36
1994.....	370	1	-	-	-	2	1	7	8	22	29
1993.....	362	1	1	-	-	1	2	6	11	13	19
1992.....	399	1	-	-	-	1	4	8	11	21	22
1991.....	400	1	-	-	-	-	2	3	9	13	28
1990.....	431	3	-	1	2	-	1	8	16	15	24
1989.....	393	1	-	-	2	-	2	13	24	20	18
1988.....	418	1	-	-	1	3	7	8	17	27	30
1987.....	403	2	-	2	2	1	1	10	19	20	12
1986.....	419	1	-	-	-	-	2	10	19	15	20
1985.....	438	-	-	-	-	3	7	9	14	24	12
1984.....	397	1	-	2	-	2	6	8	15	12	16
1983.....	387	3	2	-	-	2	3	9	13	14	9
1982.....	421	5	-	1	2	4	10	16	16	13	15
1981.....	370	-	1	2	-	3	10	13	12	15	12
1980.....	363	-	3	-	3	8	5	4	13	12	10
1979.....	386	3	2	1	2	4	13	12	14	13	7
WHITE FEMALE											
1998.....	360	2	-	-	-	1	1	3	10	9	10
1997.....	347	1	-	-	-	1	2	5	8	13	10
1996.....	277	1	-	-	-	-	3	5	3	11	10
1995.....	366	1	-	-	-	-	4	-	10	10	14
1994.....	285	-	-	-	-	-	3	3	8	18	9
1993.....	340	2	-	-	2	2	3	5	9	6	12
1992.....	300	-	-	1	-	2	3	4	12	8	9
1991.....	295	1	-	-	-	1	2	3	8	10	10
1990.....	293	1	-	-	-	1	4	12	6	3	4
1989.....	324	2	-	-	1	2	4	6	11	8	7
1988.....	326	1	2	1	-	1	2	6	7	8	8
1987.....	289	2	-	1	1	1	5	11	5	4	8
1986.....	291	1	1	-	-	3	3	9	12	5	7
1985.....	308	1	-	1	1	2	3	4	4	3	8
1984.....	317	1	-	-	1	3	2	8	5	3	11
1983.....	261	2	-	1	4	3	3	1	6	5	6
1982.....	277	-	-	-	2	2	3	6	10	6	6
1981.....	257	-	-	-	1	4	6	1	5	4	10
1980.....	265	1	1	-	2	4	3	7	8	7	7
1979.....	240	-	1	-	-	1	7	4	5	7	7

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE AND SUBACUTE ENDOCARDITIS (421)											
ALL OTHER, BOTH SEXES											
1998.....	228	1	-	-	-	1	1	4	8	15	20
1997.....	186	-	-	-	-	-	2	6	5	13	28
1996.....	184	-	1	-	-	3	1	1	5	15	21
1995.....	181	1	-	1	-	-	4	1	7	15	28
1994.....	165	1	-	-	-	1	1	5	10	25	22
1993.....	190	2	-	-	-	1	4	4	11	26	26
1992.....	187	1	-	-	-	1	2	1	14	22	23
1991.....	176	2	-	-	-	1	2	5	9	22	22
1990.....	197	3	-	-	2	1	6	7	13	19	30
1989.....	238	4	2	1	1	1	5	9	26	43	30
1988.....	218	1	2	1	-	3	6	12	28	25	25
1987.....	184	1	-	-	1	2	2	9	17	24	21
1986.....	176	-	-	-	-	2	5	11	26	18	20
1985.....	181	-	-	-	1	2	7	9	28	19	16
1984.....	169	2	-	-	-	2	5	11	21	19	17
1983.....	167	-	-	-	-	3	10	12	15	14	14
1982.....	163	1	-	-	-	3	5	12	15	12	15
1981.....	138	1	-	-	-	3	6	14	13	10	8
1980.....	115	1	1	-	-	-	7	12	11	9	11
1979.....	143	1	1	-	-	1	6	13	9	15	10
ALL OTHER MALE											
1998.....	137	-	-	-	-	1	1	4	5	10	15
1997.....	102	-	-	-	-	-	1	4	2	7	24
1996.....	98	-	1	-	1	2	1	1	1	9	13
1995.....	120	1	-	1	-	-	2	1	5	9	22
1994.....	88	1	-	-	-	-	-	2	5	13	9
1993.....	109	2	-	-	-	1	1	2	8	15	17
1992.....	113	-	-	-	-	1	1	-	9	13	15
1991.....	102	2	-	-	-	-	2	3	8	17	19
1990.....	110	1	-	-	1	-	1	4	9	11	24
1989.....	142	3	2	1	-	-	5	6	11	26	22
1988.....	147	-	2	-	-	3	5	7	20	18	16
1987.....	116	1	-	-	1	1	2	4	8	19	17
1986.....	108	-	-	-	-	1	1	3	21	14	14
1985.....	117	-	-	-	1	-	-	6	22	12	11
1984.....	113	2	-	-	-	-	1	10	15	16	13
1983.....	103	-	-	-	-	2	3	12	11	11	11
1982.....	107	-	-	-	-	2	3	8	10	10	12
1981.....	89	-	-	-	-	2	2	12	8	6	5
1980.....	76	1	1	-	-	-	3	7	4	5	9
1979.....	99	1	1	-	-	-	3	9	6	11	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE AND SUBACUTE ENDOCARDITIS (421)											
ALL OTHER FEMALE											
1998.....	91	1	-	-	-	-	-	-	3	5	5
1997.....	84	-	-	-	-	-	1	2	3	6	4
1996.....	86	-	-	-	-	1	-	-	4	6	8
1995.....	61	-	-	-	-	-	2	-	2	6	6
1994.....	77	-	-	-	-	1	1	3	5	12	13
1993.....	81	-	-	-	-	-	3	2	3	11	9
1992.....	74	1	-	-	-	-	1	1	5	9	8
1991.....	74	-	-	-	-	1	-	2	1	5	3
1990.....	87	2	-	-	1	1	5	3	4	8	6
1989.....	96	1	-	-	1	1	-	3	15	17	8
1988.....	71	1	-	1	-	-	1	5	8	7	9
1987.....	68	-	-	-	-	1	-	5	9	5	4
1986.....	68	-	-	-	-	1	4	8	5	4	6
1985.....	64	-	-	-	-	2	7	3	6	7	5
1984.....	56	-	-	-	-	2	4	1	6	3	4
1983.....	64	-	-	-	-	1	7	-	4	3	3
1982.....	56	1	-	-	-	1	2	4	5	2	3
1981.....	49	1	-	-	-	1	4	2	5	4	3
1980.....	39	-	-	-	-	-	4	5	7	4	2
1979.....	44	-	-	-	-	1	3	4	3	4	4
BLACK, BOTH SEXES											
1998.....	214	1	-	-	-	1	-	4	8	13	20
1997.....	165	-	-	-	-	-	2	6	5	11	24
1996.....	165	-	1	-	1	2	-	1	5	14	20
1995.....	162	1	-	1	-	-	4	1	7	14	27
1994.....	138	1	-	-	-	1	1	4	8	23	21
1993.....	173	2	-	-	-	1	3	3	11	24	24
1992.....	181	1	-	-	-	1	2	1	13	22	22
1991.....	160	2	-	-	-	1	1	4	9	22	22
1990.....	183	3	-	-	2	1	5	5	12	17	29
1989.....	220	4	2	1	-	-	5	7	23	42	29
1988.....	205	1	1	1	-	3	6	11	26	24	24
1987.....	174	1	-	-	1	2	2	9	17	22	20
1986.....	170	-	-	-	-	2	5	11	24	18	20
1985.....	169	-	-	-	1	2	7	7	27	18	16
1984.....	156	1	-	-	-	1	4	11	19	19	17
1983.....	153	-	-	-	-	2	8	11	15	13	12
1982.....	153	1	-	-	-	3	5	12	15	12	13
1981.....	133	1	-	-	-	3	6	14	12	10	8
1980.....	101	-	1	-	-	-	6	10	11	9	11
1979.....	131	-	1	-	-	1	6	13	8	13	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE AND SUBACUTE ENDOCARDITIS (421)											
BLACK MALE											
1998.....	128	-	-	-	-	1	-	4	5	8	15
1997.....	92	-	-	-	-	-	1	4	2	6	21
1996.....	87	-	1	-	1	2	-	1	1	8	13
1995.....	107	1	-	1	-	-	2	1	5	8	21
1994.....	76	1	-	-	-	-	-	1	4	12	9
1993.....	96	2	-	-	-	1	-	2	8	14	15
1992.....	110	-	-	-	-	1	1	-	9	13	14
1991.....	94	2	-	-	-	-	1	2	8	17	19
1990.....	102	1	-	-	1	-	1	2	8	9	23
1989.....	132	3	2	1	-	-	5	5	9	26	21
1988.....	138	-	1	-	-	3	5	7	20	17	15
1987.....	110	1	-	-	1	1	2	4	8	18	16
1986.....	102	-	-	-	-	1	1	3	19	14	14
1985.....	108	-	-	-	1	-	-	4	21	11	11
1984.....	108	1	-	-	-	-	1	10	13	16	13
1983.....	95	-	-	-	-	1	3	11	11	10	9
1982.....	101	-	-	-	-	2	3	8	10	10	10
1981.....	86	-	-	-	-	2	2	12	8	6	5
1980.....	64	-	1	-	-	-	2	5	4	5	9
1979.....	89	-	1	-	-	-	3	9	5	9	6
BLACK FEMALE											
1998.....	86	1	-	-	-	-	-	-	3	5	5
1997.....	73	-	-	-	-	-	1	2	3	5	3
1996.....	78	-	-	-	-	-	-	-	4	6	7
1995.....	55	-	-	-	-	-	2	-	2	6	6
1994.....	62	-	-	-	-	1	1	3	4	11	12
1993.....	77	-	-	-	-	-	3	1	3	10	9
1992.....	71	1	-	-	-	-	1	1	4	9	8
1991.....	66	-	-	-	-	1	-	2	1	5	3
1990.....	81	2	-	-	1	1	4	3	4	8	6
1989.....	88	1	-	-	-	-	-	2	14	16	8
1988.....	67	1	-	1	-	-	1	4	6	7	9
1987.....	64	-	-	-	-	1	-	5	9	4	4
1986.....	68	-	-	-	-	1	4	8	5	4	6
1985.....	61	-	-	-	-	2	7	3	6	7	5
1984.....	48	-	-	-	-	1	3	1	6	3	4
1983.....	58	-	-	-	-	1	5	-	4	3	3
1982.....	52	1	-	-	-	1	2	4	5	2	3
1981.....	47	1	-	-	-	1	4	2	4	4	3
1980.....	37	-	-	-	-	-	4	5	7	4	2
1979.....	42	-	-	-	-	1	3	4	3	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)											
TOTAL, BOTH SEXES											
1998.....	818	34	27	14	7	24	25	21	30	40	44
1997.....	854	32	19	18	11	15	23	29	35	54	55
1996.....	726	24	18	11	13	12	14	18	24	44	39
1995.....	770	35	24	16	11	18	13	27	33	35	40
1994.....	785	45	25	12	11	9	21	30	42	42	46
1993.....	847	26	18	23	12	14	27	33	42	39	45
1992.....	811	39	37	10	8	17	18	18	44	56	40
1991.....	775	35	31	12	10	18	18	26	40	41	41
1990.....	815	46	30	8	11	15	22	29	46	40	41
1989.....	828	38	21	10	14	22	18	26	35	41	38
1988.....	847	38	31	9	6	19	23	30	41	38	45
1987.....	899	47	26	10	10	23	24	36	39	26	44
1986.....	966	45	23	19	13	22	29	37	41	46	41
1985.....	878	36	28	10	9	13	26	37	39	38	39
1984.....	929	41	29	7	13	11	25	53	44	38	42
1983.....	783	29	25	6	9	16	24	30	29	29	28
1982.....	803	31	27	11	12	20	27	36	33	28	37
1981.....	858	50	28	8	10	20	24	20	38	27	27
1980.....	876	40	25	13	11	24	31	39	33	38	36
1979.....	744	35	25	8	9	23	24	33	28	36	40
TOTAL, MALE											
1998.....	405	13	15	6	4	15	12	13	15	17	27
1997.....	452	15	11	8	4	5	14	14	16	26	32
1996.....	383	15	6	5	6	9	8	13	14	25	24
1995.....	389	10	8	8	3	13	6	14	20	22	24
1994.....	404	20	12	5	7	5	15	16	21	27	19
1993.....	416	14	9	10	4	6	17	20	22	20	22
1992.....	444	19	19	5	3	14	12	11	28	37	24
1991.....	411	26	17	4	5	12	10	13	16	22	23
1990.....	449	24	14	3	6	11	11	15	22	22	23
1989.....	447	16	11	4	7	12	12	13	22	23	23
1988.....	447	16	17	5	4	14	10	16	27	22	23
1987.....	488	26	13	5	6	17	13	24	26	13	24
1986.....	505	17	9	10	5	12	17	24	26	29	24
1985.....	471	21	15	5	4	7	20	19	29	20	18
1984.....	472	16	15	4	6	7	16	28	15	17	26
1983.....	433	16	12	3	4	11	15	19	15	21	16
1982.....	453	16	16	2	8	12	18	22	20	14	24
1981.....	456	26	14	3	7	12	11	11	21	15	17
1980.....	491	18	11	4	6	17	22	23	17	17	24
1979.....	398	24	10	2	2	14	11	22	17	21	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)											
TOTAL, FEMALE											
1998.....	413	21	12	8	3	9	13	8	15	23	17
1997.....	402	17	8	10	7	10	9	15	19	28	23
1996.....	343	9	12	6	7	3	6	5	10	19	15
1995.....	381	25	16	8	8	5	7	13	13	13	16
1994.....	381	25	13	7	4	4	6	14	21	15	27
1993.....	431	12	9	13	8	8	10	13	20	19	23
1992.....	367	20	18	5	5	3	6	7	16	19	16
1991.....	364	9	14	8	5	6	8	13	24	19	18
1990.....	366	22	16	5	5	4	11	14	24	18	18
1989.....	381	22	10	6	7	10	6	13	13	18	15
1988.....	400	22	14	4	2	5	13	14	14	16	22
1987.....	411	21	13	5	4	6	11	12	13	13	20
1986.....	461	28	14	9	8	10	12	13	15	17	17
1985.....	407	15	13	5	5	6	6	18	10	18	21
1984.....	457	25	14	3	7	4	9	25	29	21	16
1983.....	350	13	13	3	5	5	9	11	14	8	12
1982.....	350	15	11	9	4	8	9	14	13	14	13
1981.....	402	24	14	5	3	8	13	9	17	12	10
1980.....	385	22	14	9	5	7	9	16	16	21	12
1979.....	346	11	15	6	7	9	13	11	11	15	21
WHITE, BOTH SEXES											
1998.....	641	19	13	10	5	12	15	15	24	29	29
1997.....	694	18	8	11	8	11	14	20	25	40	43
1996.....	586	13	12	9	5	7	14	11	17	31	27
1995.....	594	19	11	10	8	11	5	16	21	28	31
1994.....	617	19	15	6	6	6	13	22	29	33	24
1993.....	660	16	11	17	9	8	17	28	27	22	34
1992.....	616	23	18	6	4	7	10	12	29	35	31
1991.....	587	16	17	6	5	12	12	17	30	26	29
1990.....	638	23	16	5	9	9	14	22	29	28	27
1989.....	651	21	10	7	7	13	16	18	24	31	24
1988.....	679	26	24	9	5	10	16	21	36	25	29
1987.....	719	31	13	6	6	20	16	24	27	16	33
1986.....	754	21	15	14	10	18	16	27	28	33	32
1985.....	678	17	14	4	5	11	20	18	23	31	34
1984.....	724	24	18	6	12	8	19	30	27	25	28
1983.....	621	16	17	4	5	11	18	20	17	19	25
1982.....	637	20	20	4	6	13	21	26	27	19	25
1981.....	694	33	22	6	5	14	16	15	31	21	18
1980.....	679	24	13	10	6	16	22	27	23	28	25
1979.....	591	23	16	8	7	15	20	24	23	27	24

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)											
WHITE MALE											
1998.....	314	6	7	4	4	9	6	8	12	14	19
1997.....	371	7	3	5	3	4	9	10	13	20	26
1996.....	314	8	5	5	1	6	8	9	10	17	17
1995.....	298	8	3	4	2	10	3	9	11	17	19
1994.....	325	10	9	3	4	3	10	13	15	24	8
1993.....	320	9	5	6	4	2	8	15	15	10	17
1992.....	339	12	8	4	1	6	8	9	19	22	20
1991.....	317	11	11	3	3	8	7	10	12	12	19
1990.....	357	15	5	2	5	8	8	13	13	14	15
1989.....	350	10	5	2	2	8	11	9	14	16	14
1988.....	360	14	11	5	3	7	8	10	23	14	15
1987.....	390	18	5	5	4	14	10	15	18	8	18
1986.....	408	9	6	7	5	11	11	17	19	21	21
1985.....	369	11	5	4	2	6	17	10	16	18	17
1984.....	367	9	9	3	6	4	11	14	10	11	18
1983.....	348	9	8	2	3	9	11	15	8	14	14
1982.....	367	10	15	-	4	8	16	17	18	10	19
1981.....	366	17	10	2	3	8	6	9	17	13	11
1980.....	370	12	6	4	4	11	15	15	11	11	19
1979.....	303	16	6	2	1	11	9	16	13	14	9
WHITE FEMALE											
1998.....	327	13	6	6	1	3	9	7	12	15	10
1997.....	323	11	5	6	5	7	5	10	12	20	17
1996.....	272	5	7	4	4	1	6	2	7	14	10
1995.....	296	11	8	6	6	1	2	7	10	11	12
1994.....	292	9	6	3	2	3	3	9	14	9	16
1993.....	340	7	6	11	5	6	9	13	12	12	17
1992.....	277	11	10	2	3	1	2	3	10	13	11
1991.....	270	5	6	3	2	4	5	7	18	14	10
1990.....	281	8	11	3	4	1	6	9	16	14	12
1989.....	301	11	5	5	5	5	5	9	10	15	10
1988.....	319	12	13	4	2	3	8	11	13	11	14
1987.....	329	13	8	1	2	6	6	9	9	8	15
1986.....	346	12	9	7	5	7	5	10	9	12	11
1985.....	309	6	9	-	3	5	3	8	7	13	17
1984.....	357	15	9	3	6	4	8	16	17	14	10
1983.....	273	7	9	2	2	2	7	5	9	5	11
1982.....	270	10	5	4	2	5	5	9	9	9	6
1981.....	328	16	12	4	2	6	10	6	14	8	7
1980.....	309	12	7	6	2	5	7	12	12	17	6
1979.....	288	7	10	6	6	4	11	8	10	13	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)											
ALL OTHER, BOTH SEXES											
1998.....	177	15	14	4	2	12	10	6	6	11	15
1997.....	160	14	11	7	3	4	9	9	10	14	12
1996.....	140	11	6	2	8	5	-	7	7	13	12
1995.....	176	16	13	6	3	7	8	11	12	7	9
1994.....	168	26	10	6	5	3	8	8	13	9	22
1993.....	187	10	7	6	3	6	10	5	15	17	11
1992.....	195	16	19	4	4	10	8	6	15	21	9
1991.....	188	19	14	6	5	6	6	9	10	15	12
1990.....	177	23	14	3	2	6	8	7	17	12	14
1989.....	177	17	11	3	7	9	2	8	11	10	14
1988.....	168	12	7	-	1	9	7	9	5	13	16
1987.....	180	16	13	4	4	3	8	12	12	10	11
1986.....	212	24	8	5	3	4	13	10	13	13	9
1985.....	200	19	14	6	4	2	6	19	16	7	5
1984.....	205	17	11	1	1	3	6	23	17	13	14
1983.....	162	13	8	2	4	5	6	10	12	10	3
1982.....	166	11	7	7	6	7	6	10	6	9	12
1981.....	164	17	6	2	5	6	8	5	7	6	9
1980.....	197	16	12	3	5	8	9	12	10	10	11
1979.....	153	12	9	-	2	8	4	9	5	9	16
ALL OTHER MALE											
1998.....	91	7	8	2	-	6	6	5	3	3	8
1997.....	81	8	8	3	1	1	5	4	3	6	6
1996.....	69	7	1	-	5	3	-	4	4	8	7
1995.....	91	2	5	4	1	3	3	5	9	5	5
1994.....	79	10	3	2	3	2	5	3	6	3	11
1993.....	96	5	4	4	-	4	9	5	7	10	5
1992.....	105	7	11	1	2	8	4	2	9	15	4
1991.....	94	15	6	1	2	4	3	3	4	10	4
1990.....	92	9	9	1	1	3	3	2	9	8	8
1989.....	97	6	6	2	5	4	1	4	8	7	9
1988.....	87	2	6	-	1	7	2	6	4	8	8
1987.....	98	8	8	-	2	3	3	9	8	5	6
1986.....	97	8	3	3	-	1	6	7	7	8	3
1985.....	102	10	10	1	2	1	3	9	13	2	1
1984.....	105	7	6	1	-	3	5	14	5	6	8
1983.....	85	7	4	1	1	2	4	4	7	7	2
1982.....	86	6	1	2	4	4	2	5	2	4	5
1981.....	90	9	4	1	4	4	5	2	4	2	6
1980.....	121	6	5	-	2	6	7	8	6	6	5
1979.....	95	8	4	-	1	3	2	6	4	7	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)											
ALL OTHER FEMALE											
1998.....	86	8	6	2	2	6	4	1	3	8	7
1997.....	79	6	3	4	2	3	4	5	7	8	6
1996.....	71	4	5	2	3	2	-	3	3	5	5
1995.....	85	14	8	2	2	4	5	6	3	2	4
1994.....	89	16	7	4	2	1	3	5	7	6	11
1993.....	91	5	3	2	3	2	1	-	8	7	6
1992.....	90	9	8	3	2	2	4	4	6	6	5
1991.....	94	4	8	5	3	2	3	6	6	5	8
1990.....	85	14	5	2	1	3	5	5	8	4	6
1989.....	80	11	5	1	2	5	1	4	3	3	5
1988.....	81	10	1	-	-	2	5	3	1	5	8
1987.....	82	8	5	4	2	-	5	3	4	5	5
1986.....	115	16	5	2	3	3	7	3	6	5	6
1985.....	98	9	4	5	2	1	3	10	3	5	4
1984.....	100	10	5	-	1	-	1	9	12	7	6
1983.....	77	6	4	1	3	3	2	6	5	3	1
1982.....	80	5	6	5	2	3	4	5	4	5	7
1981.....	74	8	2	1	1	2	3	3	3	4	3
1980.....	76	10	7	3	3	2	2	4	4	4	6
1979.....	58	4	5	-	1	5	2	3	1	2	6
BLACK, BOTH SEXES											
1998.....	158	13	12	3	2	12	9	6	6	11	12
1997.....	144	12	10	7	2	3	8	9	8	14	11
1996.....	119	9	3	2	7	3	-	6	7	13	9
1995.....	151	16	13	4	1	5	6	9	12	6	8
1994.....	147	24	10	6	3	1	5	7	11	8	21
1993.....	155	9	4	5	3	4	9	3	13	13	10
1992.....	171	14	16	3	4	10	8	6	15	16	8
1991.....	169	17	13	5	5	4	4	9	8	15	12
1990.....	156	17	12	3	2	5	8	5	15	11	14
1989.....	166	14	10	3	7	9	2	7	11	9	14
1988.....	154	10	7	-	1	9	7	8	4	9	16
1987.....	153	13	11	3	3	2	7	11	11	8	9
1986.....	193	23	7	5	2	3	11	9	12	11	7
1985.....	183	18	11	5	2	2	6	19	15	6	5
1984.....	188	16	10	1	1	2	6	20	17	12	10
1983.....	147	12	6	1	3	5	5	9	11	10	3
1982.....	153	9	7	6	5	6	6	9	6	9	11
1981.....	151	15	5	2	5	6	7	5	7	6	7
1980.....	178	16	9	3	5	7	8	12	9	9	10
1979.....	141	11	9	-	2	8	3	8	4	9	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)											
BLACK MALE											
1998.....	77	6	7	1	-	6	5	5	3	3	6
1997.....	75	7	7	3	1	1	4	4	2	6	6
1996.....	58	5	1	-	4	1	-	3	4	8	7
1995.....	75	2	5	2	-	2	1	3	9	5	5
1994.....	67	8	3	2	2	-	3	2	5	3	11
1993.....	76	4	2	3	-	3	8	3	6	6	5
1992.....	93	6	10	1	2	8	4	2	9	13	4
1991.....	86	13	6	1	2	4	3	3	3	10	4
1990.....	79	6	8	1	1	2	3	1	8	7	8
1989.....	91	4	6	2	5	4	1	4	8	6	9
1988.....	80	2	6	-	1	7	2	6	4	4	8
1987.....	87	5	8	-	2	2	3	8	8	3	6
1986.....	87	8	3	3	-	1	4	6	6	7	2
1985.....	92	9	8	-	1	1	3	9	12	2	1
1984.....	98	7	6	1	-	2	5	14	5	6	4
1983.....	78	6	3	1	1	2	4	3	6	7	2
1982.....	77	5	1	2	3	4	2	4	2	4	4
1981.....	83	7	4	1	4	4	4	2	4	2	5
1980.....	110	6	4	-	2	5	6	8	5	6	5
1979.....	87	8	4	-	1	3	2	5	3	7	9
BLACK FEMALE											
1998.....	81	7	5	2	2	6	4	1	3	8	6
1997.....	69	5	3	4	1	2	4	5	6	8	5
1996.....	61	4	2	2	3	2	-	3	3	5	2
1995.....	76	14	8	2	1	3	5	6	3	1	3
1994.....	80	16	7	4	1	1	2	5	6	5	10
1993.....	79	5	2	2	3	1	1	-	7	7	5
1992.....	78	8	6	2	2	2	4	4	6	3	4
1991.....	83	4	7	4	3	-	1	6	5	5	8
1990.....	77	11	4	2	1	3	5	4	7	4	6
1989.....	75	10	4	1	2	5	1	3	3	3	5
1988.....	74	8	1	-	-	2	5	2	-	5	8
1987.....	66	8	3	3	1	-	4	3	3	5	3
1986.....	106	15	4	2	2	2	7	3	6	4	5
1985.....	91	9	3	5	1	1	3	10	3	4	4
1984.....	90	9	4	-	1	-	1	6	12	6	6
1983.....	69	6	3	-	2	3	1	6	5	3	1
1982.....	76	4	6	4	2	2	4	5	4	5	7
1981.....	68	8	1	1	1	2	3	3	3	4	2
1980.....	68	10	5	3	3	2	2	4	4	3	5
1979.....	54	3	5	-	1	5	1	3	1	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
TOTAL, BOTH SEXES											
1998.....	18,520	19	5	2	6	14	24	34	62	115	210
1997.....	17,661	5	12	3	11	14	30	33	78	121	176
1996.....	17,181	7	5	3	6	12	12	34	63	123	146
1995.....	16,241	10	4	4	5	12	23	34	67	130	146
1994.....	15,417	7	3	5	7	14	28	23	73	124	140
1993.....	15,200	14	5	1	6	17	16	47	82	132	143
1992.....	14,359	10	8	10	9	17	21	33	53	95	161
1991.....	13,727	22	10	5	4	11	29	50	76	113	134
1990.....	13,004	17	7	5	9	13	21	39	80	84	140
1989.....	12,185	19	7	7	9	11	26	54	100	121	122
1988.....	11,731	16	8	1	7	12	18	54	75	107	127
1987.....	10,952	17	15	4	7	11	28	57	67	106	123
1986.....	10,130	13	7	4	6	16	27	54	64	86	106
1985.....	9,510	24	5	5	8	18	34	58	80	97	102
1984.....	8,722	17	7	4	11	20	22	46	62	76	83
1983.....	8,372	24	9	5	10	17	21	34	56	71	91
1982.....	7,793	16	10	3	9	14	31	44	56	73	73
1981.....	7,346	14	7	5	10	18	24	44	53	63	83
1980.....	7,164	8	2	6	5	28	41	48	50	71	80
1979.....	6,492	12	6	7	6	19	34	41	47	60	94
TOTAL, MALE											
1998.....	7,326	11	3	1	5	12	17	19	32	62	146
1997.....	7,035	4	5	2	9	11	16	17	43	74	113
1996.....	6,889	3	2	3	1	9	10	21	35	77	96
1995.....	6,575	5	1	2	2	5	15	22	37	86	98
1994.....	6,278	3	-	3	2	12	15	11	46	83	91
1993.....	6,203	5	2	1	4	11	13	33	47	91	89
1992.....	6,051	7	4	4	6	12	16	16	39	64	119
1991.....	5,829	11	1	3	3	7	18	28	54	72	88
1990.....	5,500	8	3	-	6	7	16	25	50	57	88
1989.....	5,300	15	5	3	6	9	14	31	64	88	92
1988.....	5,185	11	2	-	4	7	10	29	46	70	85
1987.....	4,986	9	10	2	3	7	16	28	48	72	84
1986.....	4,586	8	4	2	3	10	15	24	46	51	81
1985.....	4,420	15	3	4	5	9	18	44	46	64	68
1984.....	4,118	13	3	3	6	13	13	34	44	56	55
1983.....	4,073	15	3	2	6	13	13	21	40	40	50
1982.....	3,730	11	7	2	5	8	17	29	39	47	45
1981.....	3,654	5	5	1	5	14	16	28	33	37	62
1980.....	3,693	5	1	5	5	19	22	30	34	47	46
1979.....	3,395	10	2	6	4	15	26	31	28	37	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
TOTAL, FEMALE											
1998.....	11,194	8	2	1	1	2	7	15	30	53	64
1997.....	10,626	1	7	1	2	3	14	16	35	47	63
1996.....	10,292	4	3	-	5	3	2	13	28	46	50
1995.....	9,666	5	3	2	3	7	8	12	30	44	48
1994.....	9,139	4	3	2	5	2	13	12	27	41	49
1993.....	8,997	9	3	-	2	6	3	14	35	41	54
1992.....	8,308	3	4	6	3	5	5	17	14	31	42
1991.....	7,898	11	9	2	1	4	11	22	22	41	46
1990.....	7,504	9	4	5	3	6	5	14	30	27	52
1989.....	6,885	4	2	4	3	2	12	23	36	33	30
1988.....	6,546	5	6	1	3	5	8	25	29	37	42
1987.....	5,966	8	5	2	4	4	12	29	19	34	39
1986.....	5,544	5	3	2	3	6	12	30	18	35	25
1985.....	5,090	9	2	1	3	9	16	14	34	33	34
1984.....	4,604	4	4	1	5	7	9	12	18	20	28
1983.....	4,299	9	6	3	4	4	8	13	16	31	41
1982.....	4,063	5	3	1	4	6	14	15	17	26	28
1981.....	3,692	9	2	4	5	4	8	16	20	26	21
1980.....	3,471	3	1	1	-	9	19	18	16	24	34
1979.....	3,097	2	4	1	2	4	8	10	19	23	31
WHITE, BOTH SEXES											
1998.....	17,120	11	4	1	5	7	20	27	39	72	136
1997.....	16,323	5	11	2	9	13	22	24	59	91	131
1996.....	15,890	5	5	1	5	10	11	24	45	78	103
1995.....	14,995	6	3	4	5	8	16	28	48	98	101
1994.....	14,280	5	3	5	4	12	20	18	53	83	91
1993.....	14,007	13	3	1	5	13	12	36	59	94	96
1992.....	13,251	9	6	7	6	14	16	21	40	61	114
1991.....	12,746	14	8	4	4	9	22	38	54	79	87
1990.....	11,951	15	6	3	6	11	16	27	56	54	95
1989.....	11,206	16	7	6	5	7	22	36	71	91	77
1988.....	10,687	12	6	1	6	11	13	36	53	63	90
1987.....	9,971	12	13	4	6	5	20	43	46	62	80
1986.....	9,283	10	7	3	6	15	16	36	43	54	76
1985.....	8,632	21	4	2	8	13	23	38	50	66	74
1984.....	7,918	11	7	3	9	17	17	34	52	56	57
1983.....	7,675	22	7	4	6	13	13	28	37	60	65
1982.....	7,065	14	7	2	6	10	20	31	38	61	52
1981.....	6,648	11	6	5	7	15	17	28	35	50	64
1980.....	6,499	8	2	6	5	18	31	29	40	54	68
1979.....	5,846	10	3	6	4	16	24	31	38	45	76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
WHITE MALE											
1998.....	6,704	6	3	1	4	5	14	15	18	38	99
1997.....	6,454	4	5	1	9	11	11	13	31	59	86
1996.....	6,314	1	2	1	1	7	10	14	27	57	67
1995.....	6,036	2	1	2	2	2	10	19	29	65	71
1994.....	5,739	2	-	3	2	10	12	9	38	52	59
1993.....	5,708	5	1	1	4	9	11	26	38	67	62
1992.....	5,512	6	3	2	4	9	11	9	32	44	84
1991.....	5,361	5	1	2	3	6	15	24	39	47	62
1990.....	5,023	6	3	-	3	5	12	18	34	36	60
1989.....	4,833	14	5	2	3	7	13	23	44	68	59
1988.....	4,680	8	2	-	4	6	7	22	31	43	62
1987.....	4,524	7	9	2	3	4	14	21	33	40	57
1986.....	4,176	7	4	2	3	9	8	18	32	32	60
1985.....	3,981	13	3	1	5	8	11	31	33	45	51
1984.....	3,725	7	3	2	6	12	11	26	40	41	39
1983.....	3,722	15	2	1	4	10	8	17	26	36	37
1982.....	3,368	9	5	1	3	7	13	22	27	41	32
1981.....	3,291	4	4	1	5	12	12	17	22	30	49
1980.....	3,334	5	1	5	5	12	18	21	25	38	40
1979.....	3,057	8	1	6	3	13	16	24	23	27	55
WHITE FEMALE											
1998.....	10,416	5	1	-	1	2	6	12	21	34	37
1997.....	9,869	1	6	1	-	2	11	11	28	32	45
1996.....	9,576	4	3	-	4	3	1	10	18	21	36
1995.....	8,959	4	2	2	3	6	6	9	19	33	30
1994.....	8,541	3	3	2	2	2	8	9	15	31	32
1993.....	8,299	8	2	-	1	4	1	10	21	27	34
1992.....	7,739	3	3	5	2	5	5	12	8	17	30
1991.....	7,385	9	7	2	1	3	7	14	15	32	25
1990.....	6,928	9	3	3	3	6	4	9	22	18	35
1989.....	6,373	2	2	4	2	-	9	13	27	23	18
1988.....	6,007	4	4	1	2	5	6	14	22	20	28
1987.....	5,447	5	4	2	3	1	6	22	13	22	23
1986.....	5,107	3	3	1	3	6	8	18	11	22	16
1985.....	4,651	8	1	1	3	5	12	7	17	21	23
1984.....	4,193	4	4	1	3	5	6	8	12	15	18
1983.....	3,953	7	5	3	2	3	5	11	11	24	28
1982.....	3,697	5	2	1	3	3	7	9	11	20	20
1981.....	3,357	7	2	4	2	3	5	11	13	20	15
1980.....	3,165	3	1	1	-	6	13	8	15	16	28
1979.....	2,789	2	2	-	1	3	8	7	15	18	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
ALL OTHER, BOTH SEXES											
1998.....	1,400	8	1	1	1	7	4	7	23	43	74
1997.....	1,338	-	1	1	2	1	8	9	19	30	45
1996.....	1,291	2	-	2	1	2	1	10	18	45	43
1995.....	1,246	4	1	-	-	4	7	6	19	32	45
1994.....	1,137	2	-	-	3	2	8	5	20	41	49
1993.....	1,193	1	2	-	1	4	4	11	23	38	47
1992.....	1,108	1	2	3	3	3	5	12	13	34	47
1991.....	981	8	2	1	-	2	7	12	22	34	47
1990.....	1,053	2	1	2	3	2	5	12	24	30	45
1989.....	979	3	-	1	4	4	4	18	29	30	45
1988.....	1,044	4	2	-	1	1	5	18	22	44	37
1987.....	981	5	2	-	1	6	8	14	21	44	43
1986.....	847	3	-	1	-	1	11	18	21	32	30
1985.....	878	3	1	3	-	5	11	20	30	31	28
1984.....	804	6	-	1	2	3	5	12	10	20	26
1983.....	697	2	2	1	4	4	8	6	19	11	26
1982.....	728	2	3	1	3	4	11	13	18	12	21
1981.....	698	3	1	-	3	3	7	16	18	13	19
1980.....	665	-	-	-	-	10	10	19	10	17	12
1979.....	646	2	3	1	2	3	10	10	9	15	18
ALL OTHER MALE											
1998.....	622	5	-	-	1	7	3	4	14	24	47
1997.....	581	-	-	1	-	-	5	4	12	15	27
1996.....	575	2	-	2	-	2	-	7	8	20	29
1995.....	539	3	-	-	-	3	5	3	8	21	27
1994.....	539	1	-	-	-	2	3	2	8	31	32
1993.....	495	-	1	-	-	2	2	7	9	24	27
1992.....	539	1	1	2	2	3	5	7	7	20	35
1991.....	468	6	-	1	-	1	3	4	15	25	26
1990.....	477	2	-	-	3	2	4	7	16	21	28
1989.....	467	1	-	1	3	2	1	8	20	20	33
1988.....	505	3	-	-	-	1	3	7	15	27	23
1987.....	462	2	1	-	-	3	2	7	15	32	27
1986.....	410	1	-	-	-	1	7	6	14	19	21
1985.....	439	2	-	3	-	1	7	13	13	19	17
1984.....	393	6	-	1	-	1	2	8	4	15	16
1983.....	351	-	1	1	2	3	5	4	14	4	13
1982.....	362	2	2	1	2	1	4	7	12	6	13
1981.....	363	1	1	-	-	2	4	11	11	7	13
1980.....	359	-	-	-	-	7	4	9	9	9	6
1979.....	338	2	1	-	1	2	10	7	5	10	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
ALL OTHER FEMALE											
1998.....	778	3	1	1	-	-	1	3	9	19	27
1997.....	757	-	1	-	2	1	3	5	7	15	18
1996.....	716	-	-	-	1	-	1	3	10	25	14
1995.....	707	1	1	-	-	1	2	3	11	11	18
1994.....	598	1	-	-	3	-	5	3	12	10	17
1993.....	698	1	1	-	1	2	2	4	14	14	20
1992.....	569	-	1	1	1	-	-	5	6	14	12
1991.....	513	2	2	-	-	1	4	8	7	9	21
1990.....	576	-	1	2	-	-	1	5	8	9	17
1989.....	512	2	-	-	1	2	3	10	9	10	12
1988.....	539	1	2	-	1	-	2	11	7	17	14
1987.....	519	3	1	-	1	3	6	7	6	12	16
1986.....	437	2	-	1	-	-	4	12	7	13	9
1985.....	439	1	1	-	-	4	4	7	17	12	11
1984.....	411	-	-	-	2	2	3	4	6	5	10
1983.....	346	2	1	-	2	1	3	2	5	7	13
1982.....	366	-	1	-	1	3	7	6	6	6	8
1981.....	335	2	-	-	3	1	3	5	7	6	6
1980.....	306	-	-	-	-	3	6	10	1	8	6
1979.....	308	-	2	1	1	1	-	3	4	5	10
BLACK, BOTH SEXES											
1998.....	1,149	5	1	1	1	4	3	6	19	35	66
1997.....	1,111	-	1	1	1	-	8	9	19	26	44
1996.....	1,088	2	-	2	1	2	1	8	15	43	41
1995.....	1,033	3	1	-	-	4	7	4	18	29	42
1994.....	943	2	-	-	3	2	7	4	17	37	44
1993.....	1,004	1	2	-	1	4	4	9	21	36	42
1992.....	984	1	2	3	2	3	4	10	11	32	46
1991.....	858	8	2	1	-	1	7	12	20	31	47
1990.....	924	2	1	2	3	2	5	12	22	29	44
1989.....	860	1	-	1	4	3	4	17	28	26	41
1988.....	904	4	1	-	1	1	2	16	21	43	33
1987.....	887	4	2	-	1	6	8	12	20	42	38
1986.....	754	2	-	1	-	1	10	17	19	29	30
1985.....	794	3	1	1	-	3	10	19	29	29	27
1984.....	717	5	-	1	2	3	5	11	9	20	24
1983.....	613	2	1	-	4	3	7	6	18	10	22
1982.....	654	-	3	1	3	4	10	13	14	12	18
1981.....	632	3	1	-	3	3	6	14	18	13	17
1980.....	591	-	-	-	-	9	9	14	10	17	11
1979.....	588	2	3	1	2	2	7	10	8	13	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF ENDOCARDIUM (424)											
BLACK MALE											
1998.....	489	2	-	-	1	4	2	3	12	19	41
1997.....	464	-	-	1	-	-	5	4	12	13	26
1996.....	472	2	-	2	-	2	-	6	6	19	28
1995.....	434	2	-	-	-	3	5	3	8	19	25
1994.....	433	1	-	-	-	2	3	1	7	29	29
1993.....	397	-	1	-	-	2	2	6	9	22	22
1992.....	467	1	1	2	1	3	4	5	7	18	34
1991.....	398	6	-	1	-	-	3	4	14	22	26
1990.....	414	2	-	-	3	2	4	7	15	20	27
1989.....	402	-	-	1	3	1	1	8	20	19	31
1988.....	428	3	-	-	-	1	2	6	14	26	21
1987.....	414	1	1	-	-	3	2	6	14	30	22
1986.....	356	1	-	-	-	1	6	5	14	17	21
1985.....	390	2	-	1	-	1	6	12	12	17	17
1984.....	353	5	-	1	-	1	2	7	4	15	14
1983.....	300	-	1	-	2	2	5	4	14	4	9
1982.....	320	-	2	1	2	1	4	7	10	6	11
1981.....	326	1	1	-	-	2	3	9	11	7	12
1980.....	315	-	-	-	-	6	4	7	9	9	6
1979.....	300	2	1	-	1	1	7	7	5	8	7
BLACK FEMALE											
1998.....	660	3	1	1	-	-	1	3	7	16	25
1997.....	647	-	1	-	1	-	3	5	7	13	18
1996.....	616	-	-	-	1	-	1	2	9	24	13
1995.....	599	1	1	-	-	1	2	1	10	10	17
1994.....	510	1	-	-	3	-	4	3	10	8	15
1993.....	607	1	1	-	1	2	2	3	12	14	20
1992.....	517	-	1	1	1	-	-	5	4	14	12
1991.....	460	2	2	-	-	1	4	8	6	9	21
1990.....	510	-	1	2	-	-	1	5	7	9	17
1989.....	458	1	-	-	1	2	3	9	8	7	10
1988.....	476	1	1	-	1	-	-	10	7	17	12
1987.....	473	3	1	-	1	3	6	6	6	12	16
1986.....	398	1	-	1	-	-	4	12	5	12	9
1985.....	404	1	1	-	-	2	4	7	17	12	10
1984.....	364	-	-	-	2	2	3	4	5	5	10
1983.....	313	2	-	-	2	1	2	2	4	6	13
1982.....	334	-	1	-	1	3	6	6	4	6	7
1981.....	306	2	-	-	3	1	3	5	7	6	5
1980.....	276	-	-	-	-	3	5	7	1	8	5
1979.....	288	-	2	1	1	1	-	3	3	5	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MITRAL VALVE DISORDERS (424.0)											
TOTAL, BOTH SEXES											
1998.....	2,503	7	-	-	2	2	6	6	16	20	26
1997.....	2,508	-	2	1	3	6	9	7	17	26	26
1996.....	2,287	-	2	-	-	3	2	3	14	28	34
1995.....	2,333	5	-	3	-	3	7	7	15	30	16
1994.....	2,194	1	-	-	4	7	5	8	12	20	20
1993.....	2,248	4	2	-	1	7	4	11	21	25	22
1992.....	2,171	2	2	1	2	6	1	5	11	13	27
1991.....	2,158	2	2	2	-	2	7	9	10	15	19
1990.....	2,044	3	2	2	2	4	3	11	19	15	21
1989.....	1,848	2	2	2	1	2	4	15	13	17	17
1988.....	1,801	4	4	1	2	2	6	5	14	22	13
1987.....	1,796	2	2	-	-	2	9	12	13	17	12
1986.....	1,632	-	1	1	2	3	6	10	11	15	10
1985.....	1,506	3	-	2	2	4	9	15	16	13	12
1984.....	1,361	1	1	-	3	6	8	9	15	11	13
1983.....	1,362	1	3	1	3	3	4	9	5	12	26
1982.....	1,282	2	1	1	1	5	5	12	11	16	14
1981.....	1,239	-	1	2	4	5	4	10	9	9	11
1980.....	1,192	-	-	1	-	9	21	13	15	17	14
1979.....	1,098	3	2	3	1	5	9	7	13	14	17
TOTAL, MALE											
1998.....	839	5	-	-	1	2	3	3	6	8	11
1997.....	916	-	-	-	3	4	4	2	7	15	17
1996.....	761	-	1	-	-	2	2	1	9	9	16
1995.....	836	3	-	2	-	2	7	3	7	15	8
1994.....	826	-	-	-	1	6	2	3	8	13	13
1993.....	789	1	-	-	1	5	3	8	9	14	8
1992.....	768	1	-	1	1	5	-	-	9	5	18
1991.....	757	-	-	-	-	1	1	2	7	4	10
1990.....	736	1	1	-	-	2	2	5	10	7	10
1989.....	664	2	1	-	-	1	1	7	6	10	10
1988.....	679	2	1	-	-	-	3	3	5	8	6
1987.....	681	-	2	-	-	1	4	4	5	9	6
1986.....	611	-	-	-	-	-	2	1	6	7	8
1985.....	571	2	-	1	-	1	4	8	6	7	6
1984.....	517	1	1	-	1	2	3	5	5	4	4
1983.....	532	1	1	-	2	2	2	4	2	4	9
1982.....	494	1	-	-	-	3	3	6	7	6	1
1981.....	496	-	1	1	2	2	3	4	3	4	7
1980.....	477	-	-	-	-	4	7	4	7	11	6
1979.....	453	3	-	3	-	2	5	4	4	1	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MITRAL VALVE DISORDERS (424.0)											
TOTAL, FEMALE											
1998.....	1,664	2	-	-	1	-	3	3	10	12	15
1997.....	1,592	-	2	1	-	2	5	5	10	11	9
1996.....	1,526	-	1	-	-	1	-	2	5	19	18
1995.....	1,497	2	-	1	-	1	-	4	8	15	8
1994.....	1,368	1	-	-	3	1	3	5	4	7	7
1993.....	1,459	3	2	-	-	2	1	3	12	11	14
1992.....	1,403	1	2	-	1	1	1	5	2	8	9
1991.....	1,401	2	2	2	-	1	6	7	3	11	9
1990.....	1,308	2	1	2	2	2	1	6	9	8	11
1989.....	1,184	-	1	2	1	1	3	8	7	7	7
1988.....	1,122	2	3	1	2	2	3	2	9	14	7
1987.....	1,115	2	-	-	-	1	5	8	8	8	6
1986.....	1,021	-	1	1	2	3	4	9	5	8	2
1985.....	935	1	-	1	2	3	5	7	10	6	6
1984.....	844	-	-	-	2	4	5	4	10	7	9
1983.....	830	-	2	1	1	1	2	5	3	8	17
1982.....	788	1	1	1	1	2	2	6	4	10	13
1981.....	743	-	-	1	2	3	1	6	6	5	4
1980.....	715	-	-	1	-	5	14	9	8	6	8
1979.....	645	-	2	-	1	3	4	3	9	13	11
WHITE, BOTH SEXES											
1998.....	2,282	3	-	-	2	-	4	2	8	13	17
1997.....	2,284	-	2	1	3	6	5	4	14	22	19
1996.....	2,085	-	2	-	-	3	2	3	9	17	28
1995.....	2,134	1	-	3	-	1	5	6	14	22	13
1994.....	2,007	-	-	-	2	5	4	6	10	13	14
1993.....	2,067	3	1	-	1	5	4	9	14	19	16
1992.....	1,998	2	1	-	1	5	1	4	7	6	22
1991.....	2,006	2	2	2	-	2	7	6	7	11	16
1990.....	1,886	3	2	1	2	3	2	9	16	13	16
1989.....	1,688	2	2	2	1	1	4	10	10	15	9
1988.....	1,641	1	3	1	2	2	5	3	12	12	10
1987.....	1,649	2	2	-	-	2	8	9	9	10	9
1986.....	1,515	-	1	1	2	3	3	6	10	12	8
1985.....	1,382	3	-	1	2	4	6	9	10	12	11
1984.....	1,232	1	1	-	2	3	5	8	13	10	10
1983.....	1,247	1	1	1	1	1	3	8	4	11	17
1982.....	1,177	2	-	1	1	3	3	9	6	15	11
1981.....	1,114	-	-	2	2	4	4	6	6	8	8
1980.....	1,080	-	-	1	-	5	16	9	13	13	12
1979.....	983	2	2	3	-	5	6	3	12	10	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MITRAL VALVE DISORDERS (424.0)											
WHITE MALE											
1998.....	763	3	-	-	1	-	2	2	1	4	9
1997.....	819	-	-	-	3	4	2	1	5	12	14
1996.....	697	-	1	-	-	2	2	1	5	6	14
1995.....	755	-	-	2	-	-	5	2	6	12	7
1994.....	753	-	-	-	1	4	2	3	7	9	9
1993.....	726	1	-	-	1	4	3	6	5	12	5
1992.....	706	1	-	-	1	4	-	-	7	2	14
1991.....	695	-	-	-	-	1	1	1	4	2	8
1990.....	691	1	1	-	-	1	1	4	9	7	8
1989.....	604	2	1	-	-	1	1	4	4	9	6
1988.....	612	-	1	-	-	-	2	2	4	5	4
1987.....	628	-	2	-	-	1	4	2	4	5	5
1986.....	562	-	-	-	-	-	-	1	5	5	7
1985.....	522	2	-	-	-	1	2	4	5	6	5
1984.....	482	1	1	-	1	1	2	4	5	3	4
1983.....	491	1	-	-	1	1	2	4	1	4	5
1982.....	456	1	-	-	-	3	2	3	4	6	1
1981.....	450	-	-	1	2	2	3	2	2	4	4
1980.....	424	-	-	-	-	2	6	4	5	8	6
1979.....	413	2	-	3	-	2	2	2	4	1	6
WHITE FEMALE											
1998.....	1,519	-	-	-	1	-	2	-	7	9	8
1997.....	1,465	-	2	1	-	2	3	3	9	10	5
1996.....	1,388	-	1	-	-	1	-	2	4	11	14
1995.....	1,379	1	-	1	-	1	-	4	8	10	6
1994.....	1,254	-	-	-	1	1	2	3	3	4	5
1993.....	1,341	2	1	-	-	1	1	3	9	7	11
1992.....	1,292	1	1	-	-	1	1	4	-	4	8
1991.....	1,311	2	2	2	-	1	6	5	3	9	8
1990.....	1,195	2	1	1	2	2	1	5	7	6	8
1989.....	1,084	-	1	2	1	-	3	6	6	6	3
1988.....	1,029	1	2	1	2	2	3	1	8	7	6
1987.....	1,021	2	-	-	-	1	4	7	5	5	4
1986.....	953	-	1	1	2	3	3	5	5	7	1
1985.....	860	1	-	1	2	3	4	5	5	6	6
1984.....	750	-	-	-	1	2	3	4	8	7	6
1983.....	756	-	1	1	-	-	1	4	3	7	12
1982.....	721	1	-	1	1	-	1	6	2	9	10
1981.....	664	-	-	1	-	2	1	4	4	4	4
1980.....	656	-	-	1	-	3	10	5	8	5	6
1979.....	570	-	2	-	-	3	4	1	8	9	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MITRAL VALVE DISORDERS (424.0)											
ALL OTHER, BOTH SEXES											
1998.....	221	4	-	-	-	2	2	4	8	7	9
1997.....	224	-	-	-	-	-	4	3	3	4	7
1996.....	202	-	-	-	-	-	-	-	5	11	6
1995.....	199	4	-	-	-	2	2	1	1	8	3
1994.....	187	1	-	-	2	2	1	2	2	7	6
1993.....	181	1	1	-	-	2	-	2	7	6	6
1992.....	173	-	1	1	1	1	-	1	4	7	5
1991.....	152	-	-	-	-	-	-	3	3	4	3
1990.....	158	-	-	1	-	1	1	2	3	2	5
1989.....	160	-	-	-	-	1	-	5	3	2	8
1988.....	160	3	1	-	-	-	1	2	2	10	3
1987.....	147	-	-	-	-	-	1	3	4	7	3
1986.....	117	-	-	-	-	-	3	4	1	3	2
1985.....	124	-	-	1	-	-	3	6	6	1	1
1984.....	129	-	-	-	1	3	3	1	2	1	3
1983.....	115	-	2	-	2	2	1	1	1	1	9
1982.....	105	-	1	-	-	2	2	3	5	1	3
1981.....	125	-	1	-	2	1	-	4	3	1	3
1980.....	112	-	-	-	-	4	5	4	2	4	2
1979.....	115	1	-	-	1	-	3	4	1	4	5
ALL OTHER MALE											
1998.....	76	2	-	-	-	2	1	1	5	4	2
1997.....	97	-	-	-	-	-	2	1	2	3	3
1996.....	64	-	-	-	-	-	-	-	4	3	2
1995.....	81	3	-	-	-	2	2	1	1	3	1
1994.....	73	-	-	-	-	2	-	-	1	4	4
1993.....	63	-	-	-	-	1	-	2	4	2	3
1992.....	62	-	-	1	-	1	-	-	2	3	4
1991.....	62	-	-	-	-	-	-	1	3	2	2
1990.....	45	-	-	-	-	1	1	1	1	-	2
1989.....	60	-	-	-	-	-	-	3	2	1	4
1988.....	67	2	-	-	-	-	1	1	1	3	2
1987.....	53	-	-	-	-	-	-	2	1	4	1
1986.....	49	-	-	-	-	-	2	-	1	2	1
1985.....	49	-	-	1	-	-	2	4	1	1	1
1984.....	35	-	-	-	-	1	1	1	-	1	-
1983.....	41	-	1	-	1	1	-	-	1	-	4
1982.....	38	-	-	-	-	-	1	3	3	-	-
1981.....	46	-	1	-	-	-	-	2	1	-	3
1980.....	53	-	-	-	-	2	1	-	2	3	-
1979.....	40	1	-	-	-	-	3	2	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MITRAL VALVE DISORDERS (424.0)											
ALL OTHER FEMALE											
1998.....	145	2	-	-	-	-	1	3	3	3	7
1997.....	127	-	-	-	-	-	2	2	1	1	4
1996.....	138	-	-	-	-	-	-	-	1	8	4
1995.....	118	1	-	-	-	-	-	-	-	5	2
1994.....	114	1	-	-	2	-	1	2	1	3	2
1993.....	118	1	1	-	-	1	-	-	3	4	3
1992.....	111	-	1	-	1	-	-	1	2	4	1
1991.....	90	-	-	-	-	-	-	2	-	2	1
1990.....	113	-	-	1	-	-	-	1	2	2	3
1989.....	100	-	-	-	-	1	-	2	1	1	4
1988.....	93	1	1	-	-	-	-	1	1	7	1
1987.....	94	-	-	-	-	-	1	1	3	3	2
1986.....	68	-	-	-	-	-	1	4	-	1	1
1985.....	75	-	-	-	-	-	1	2	5	-	-
1984.....	94	-	-	-	1	2	2	-	2	-	3
1983.....	74	-	1	-	1	1	1	1	-	1	5
1982.....	67	-	1	-	-	2	1	-	2	1	3
1981.....	79	-	-	-	2	1	-	2	2	1	-
1980.....	59	-	-	-	-	2	4	4	-	1	2
1979.....	75	-	-	-	1	-	-	2	1	4	5
BLACK, BOTH SEXES											
1998.....	171	4	-	-	-	2	1	4	7	7	8
1997.....	183	-	-	-	-	-	4	3	3	3	7
1996.....	162	-	-	-	-	-	-	-	5	10	6
1995.....	157	3	-	-	-	2	2	1	1	8	2
1994.....	148	1	-	-	2	2	-	2	2	5	5
1993.....	148	1	1	-	-	2	-	2	6	6	6
1992.....	149	-	1	1	1	1	-	1	3	6	5
1991.....	123	-	-	-	-	-	-	3	3	3	3
1990.....	136	-	-	1	-	1	1	2	3	2	5
1989.....	142	-	-	-	-	1	-	5	3	1	7
1988.....	140	3	-	-	-	-	-	2	2	10	2
1987.....	128	-	-	-	-	-	1	2	3	7	3
1986.....	102	-	-	-	-	-	3	4	1	3	2
1985.....	113	-	-	1	-	-	3	6	6	1	1
1984.....	111	-	-	-	1	3	3	1	1	1	3
1983.....	99	-	1	-	2	1	1	1	1	1	8
1982.....	91	-	1	-	-	2	2	3	4	1	3
1981.....	107	-	1	-	2	1	-	3	3	1	3
1980.....	98	-	-	-	-	4	4	4	2	4	1
1979.....	104	1	-	-	1	-	2	4	1	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MITRAL VALVE DISORDERS (424.0)											
BLACK MALE											
1998.....	56	2	-	-	-	2	-	1	4	4	2
1997.....	75	-	-	-	-	-	2	1	2	2	3
1996.....	50	-	-	-	-	-	-	-	4	3	2
1995.....	60	2	-	-	-	2	2	1	1	3	1
1994.....	49	-	-	-	-	2	-	-	1	3	3
1993.....	49	-	-	-	-	1	-	2	4	2	3
1992.....	52	-	-	1	-	1	-	-	2	2	4
1991.....	45	-	-	-	-	-	-	1	3	1	2
1990.....	39	-	-	-	-	1	1	1	1	-	2
1989.....	49	-	-	-	-	-	-	3	2	-	4
1988.....	56	2	-	-	-	-	-	1	1	3	1
1987.....	43	-	-	-	-	-	-	1	-	4	1
1986.....	42	-	-	-	-	-	2	-	1	2	1
1985.....	45	-	-	1	-	-	2	4	1	1	1
1984.....	30	-	-	-	-	1	1	1	-	1	-
1983.....	34	-	1	-	1	-	-	-	1	-	3
1982.....	31	-	-	-	-	-	1	3	3	-	-
1981.....	38	-	1	-	-	-	-	1	1	-	3
1980.....	44	-	-	-	-	2	1	-	2	3	-
1979.....	32	1	-	-	-	-	2	2	-	-	-
BLACK FEMALE											
1998.....	115	2	-	-	-	-	1	3	3	3	6
1997.....	108	-	-	-	-	-	2	2	1	1	4
1996.....	112	-	-	-	-	-	-	-	1	7	4
1995.....	97	1	-	-	-	-	-	-	-	5	1
1994.....	99	1	-	-	2	-	-	2	1	2	2
1993.....	99	1	1	-	-	1	-	-	2	4	3
1992.....	97	-	1	-	1	-	-	1	1	4	1
1991.....	78	-	-	-	-	-	-	2	-	2	1
1990.....	97	-	-	1	-	-	-	1	2	2	3
1989.....	93	-	-	-	-	1	-	2	1	1	3
1988.....	84	1	-	-	-	-	-	1	1	7	1
1987.....	85	-	-	-	-	-	1	1	3	3	2
1986.....	60	-	-	-	-	-	1	4	-	1	1
1985.....	68	-	-	-	-	-	1	2	5	-	-
1984.....	81	-	-	-	1	2	2	-	1	-	3
1983.....	65	-	-	-	1	1	1	1	-	1	5
1982.....	60	-	1	-	-	2	1	-	1	1	3
1981.....	69	-	-	-	2	1	-	2	2	1	-
1980.....	54	-	-	-	-	2	3	4	-	1	1
1979.....	72	-	-	-	1	-	-	2	1	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AORTIC VALVE DISORDERS (424.1)											
TOTAL, BOTH SEXES											
1998.....	11,609	4	2	2	2	8	8	11	19	34	88
1997.....	11,140	1	5	2	3	4	10	15	32	47	85
1996.....	10,891	5	2	2	6	8	4	16	21	48	63
1995.....	10,263	2	2	-	4	7	4	11	24	59	59
1994.....	9,685	4	-	5	3	4	16	7	28	62	61
1993.....	9,534	5	3	-	4	6	7	19	28	46	52
1992.....	8,935	4	5	7	4	6	13	11	20	42	78
1991.....	8,544	12	6	2	3	8	15	21	34	45	47
1990.....	7,966	12	3	2	6	6	7	18	28	34	67
1989.....	7,677	13	1	3	4	6	11	18	49	58	63
1988.....	7,313	8	1	-	5	7	4	26	33	39	63
1987.....	6,919	12	10	4	5	7	12	26	28	50	65
1986.....	6,466	10	5	2	4	9	13	20	31	44	62
1985.....	6,105	16	2	-	4	11	10	25	38	55	60
1984.....	5,665	11	4	4	8	12	10	23	29	46	44
1983.....	5,452	16	4	3	5	13	11	17	32	46	42
1982.....	5,115	11	4	2	5	4	22	23	32	45	36
1981.....	4,774	7	2	3	5	11	15	23	30	37	43
1980.....	4,721	7	1	5	4	13	17	20	18	34	42
1979.....	4,263	6	2	3	2	9	16	21	26	35	57
TOTAL, MALE											
1998.....	4,778	3	1	1	2	7	6	8	13	22	68
1997.....	4,583	1	3	2	3	4	7	11	20	31	58
1996.....	4,588	1	1	2	1	6	3	10	15	38	51
1995.....	4,275	1	1	-	2	3	3	8	17	44	48
1994.....	4,118	2	-	3	1	3	10	4	22	47	45
1993.....	4,094	2	2	-	3	3	7	15	21	36	37
1992.....	4,008	3	3	1	4	4	10	7	15	34	61
1991.....	3,850	5	1	2	2	5	13	17	29	36	33
1990.....	3,593	6	2	-	5	4	6	15	23	28	52
1989.....	3,577	10	1	2	3	6	8	13	36	44	54
1988.....	3,463	7	-	-	4	6	3	14	24	32	45
1987.....	3,378	9	7	2	2	5	9	16	24	32	48
1986.....	3,155	6	3	2	3	7	10	14	23	30	49
1985.....	3,066	11	-	-	4	7	8	22	29	37	41
1984.....	2,896	8	1	3	5	10	8	20	24	36	32
1983.....	2,880	10	1	2	4	10	8	11	25	30	25
1982.....	2,650	8	3	2	4	2	13	17	22	36	30
1981.....	2,615	3	2	-	3	10	11	18	24	26	39
1980.....	2,654	5	1	5	4	12	15	17	16	28	27
1979.....	2,427	6	1	2	2	8	14	17	22	28	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AORTIC VALVE DISORDERS (424.1)											
TOTAL, FEMALE											
1998.....	6,831	1	1	1	-	1	2	3	6	12	20
1997.....	6,557	-	2	-	-	-	3	4	12	16	27
1996.....	6,303	4	1	-	5	2	1	6	6	10	12
1995.....	5,988	1	1	-	2	4	1	3	7	15	11
1994.....	5,567	2	-	2	2	1	6	3	6	15	16
1993.....	5,440	3	1	-	1	3	-	4	7	10	15
1992.....	4,927	1	2	6	-	2	3	4	5	8	17
1991.....	4,694	7	5	-	1	3	2	4	5	9	14
1990.....	4,373	6	1	2	1	2	1	3	5	6	15
1989.....	4,100	3	-	1	1	-	3	5	13	14	9
1988.....	3,850	1	1	-	1	1	1	12	9	7	18
1987.....	3,541	3	3	2	3	2	3	10	4	18	17
1986.....	3,311	4	2	-	1	2	3	6	8	14	13
1985.....	3,039	5	2	-	-	4	2	3	9	18	19
1984.....	2,769	3	3	1	3	2	2	3	5	10	12
1983.....	2,572	6	3	1	1	3	3	6	7	16	17
1982.....	2,465	3	1	-	1	2	9	6	10	9	6
1981.....	2,159	4	-	3	2	1	4	5	6	11	4
1980.....	2,067	2	-	-	-	1	2	3	2	6	15
1979.....	1,836	-	1	1	-	1	2	4	4	7	12
WHITE, BOTH SEXES											
1998.....	10,927	2	1	1	2	5	6	10	14	24	68
1997.....	10,442	1	5	1	3	4	7	11	25	33	71
1996.....	10,193	5	2	1	5	7	4	13	15	36	47
1995.....	9,585	2	2	-	4	5	4	9	18	48	42
1994.....	9,071	3	-	5	2	4	13	6	24	44	44
1993.....	8,873	5	2	-	3	5	6	13	21	36	38
1992.....	8,378	4	4	6	3	6	10	9	17	29	63
1991.....	8,034	10	5	1	3	6	11	19	28	35	31
1990.....	7,402	10	3	1	3	6	6	11	18	27	47
1989.....	7,139	12	1	2	1	4	11	14	38	50	43
1988.....	6,746	8	1	-	4	6	4	21	27	28	52
1987.....	6,369	10	8	4	4	3	9	20	22	35	45
1986.....	5,973	9	5	2	4	9	9	18	27	27	46
1985.....	5,597	15	1	-	4	9	7	18	29	41	49
1984.....	5,182	9	4	3	7	12	9	18	23	33	32
1983.....	5,034	16	4	2	4	11	8	13	21	40	30
1982.....	4,650	10	2	1	3	3	15	18	22	36	24
1981.....	4,362	7	2	3	5	10	9	16	22	30	34
1980.....	4,331	7	1	5	4	10	14	13	13	28	39
1979.....	3,867	5	-	2	1	7	13	19	21	26	48

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AORTIC VALVE DISORDERS (424.1)											
WHITE MALE											
1998.....	4,457	2	1	1	2	4	4	7	9	15	55
1997.....	4,277	1	3	1	3	4	5	8	16	25	46
1996.....	4,256	1	1	1	1	5	3	8	12	32	38
1995.....	3,991	1	1	-	2	2	3	8	14	37	36
1994.....	3,809	1	-	3	1	3	10	3	21	31	31
1993.....	3,806	2	1	-	3	3	6	10	18	30	29
1992.....	3,699	3	2	1	3	4	7	5	14	24	50
1991.....	3,607	4	1	1	2	4	11	15	24	27	25
1990.....	3,311	4	2	-	2	4	5	10	15	21	37
1989.....	3,299	10	1	1	1	4	8	11	27	39	37
1988.....	3,155	7	-	-	4	5	3	12	18	23	39
1987.....	3,107	7	6	2	2	3	8	12	19	23	35
1986.....	2,911	6	3	2	3	7	7	12	21	20	40
1985.....	2,801	11	-	-	4	7	6	16	22	30	35
1984.....	2,635	6	1	2	5	10	7	16	21	26	24
1983.....	2,642	10	1	1	3	8	6	7	18	28	19
1982.....	2,396	7	1	1	2	2	10	16	16	31	19
1981.....	2,366	3	2	-	3	9	7	12	18	20	31
1980.....	2,429	5	1	5	4	9	12	11	11	25	26
1979.....	2,201	5	-	2	1	7	11	16	18	20	39
WHITE FEMALE											
1998.....	6,470	-	-	-	-	1	2	3	5	9	13
1997.....	6,165	-	2	-	-	-	2	3	9	8	25
1996.....	5,937	4	1	-	4	2	1	5	3	4	9
1995.....	5,594	1	1	-	2	3	1	1	4	11	6
1994.....	5,262	2	-	2	1	1	3	3	3	13	13
1993.....	5,067	3	1	-	-	2	-	3	3	6	9
1992.....	4,679	1	2	5	-	2	3	4	3	5	13
1991.....	4,427	6	4	-	1	2	-	4	4	8	6
1990.....	4,091	6	1	1	1	2	1	1	3	6	10
1989.....	3,840	2	-	1	-	-	3	3	11	11	6
1988.....	3,591	1	1	-	-	1	1	9	9	5	13
1987.....	3,262	3	2	2	2	-	1	8	3	12	10
1986.....	3,062	3	2	-	1	2	2	6	6	7	6
1985.....	2,796	4	1	-	-	2	1	2	7	11	14
1984.....	2,547	3	3	1	2	2	2	2	2	7	8
1983.....	2,392	6	3	1	1	3	2	6	3	12	11
1982.....	2,254	3	1	-	1	1	5	2	6	5	5
1981.....	1,996	4	-	3	2	1	2	4	4	10	3
1980.....	1,902	2	-	-	-	1	2	2	2	3	13
1979.....	1,666	-	-	-	-	-	2	3	3	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AORTIC VALVE DISORDERS (424.1)											
ALL OTHER, BOTH SEXES											
1998.....	682	2	1	1	-	3	2	1	5	10	20
1997.....	698	-	-	1	-	-	3	4	7	14	14
1996.....	698	-	-	1	1	1	-	3	6	12	16
1995.....	678	-	-	-	-	2	-	2	6	11	17
1994.....	614	1	-	-	1	-	3	1	4	18	17
1993.....	661	-	1	-	1	1	1	6	7	10	14
1992.....	557	-	1	1	1	-	3	2	3	13	15
1991.....	510	2	1	1	-	2	4	2	6	10	16
1990.....	564	2	-	1	3	-	1	7	10	7	20
1989.....	538	1	-	1	3	2	-	4	11	8	20
1988.....	567	-	-	-	1	1	-	5	6	11	11
1987.....	550	2	2	-	1	4	3	6	6	15	20
1986.....	493	1	-	-	-	-	4	2	4	17	16
1985.....	508	1	1	-	-	2	3	7	9	14	11
1984.....	483	2	-	1	1	-	1	5	6	13	12
1983.....	418	-	-	1	1	2	3	4	11	6	12
1982.....	465	1	2	1	2	1	7	5	10	9	12
1981.....	412	-	-	-	-	1	6	7	8	7	9
1980.....	390	-	-	-	-	3	3	7	5	6	3
1979.....	396	1	2	1	1	2	3	2	5	9	9
ALL OTHER MALE											
1998.....	321	1	-	-	-	3	2	1	4	7	13
1997.....	306	-	-	1	-	-	2	3	4	6	12
1996.....	332	-	-	1	-	1	-	2	3	6	13
1995.....	284	-	-	-	-	1	-	-	3	7	12
1994.....	309	1	-	-	-	-	-	1	1	16	14
1993.....	288	-	1	-	-	-	1	5	3	6	8
1992.....	309	-	1	-	1	-	3	2	1	10	11
1991.....	243	1	-	1	-	1	2	2	5	9	8
1990.....	282	2	-	-	3	-	1	5	8	7	15
1989.....	278	-	-	1	2	2	-	2	9	5	17
1988.....	308	-	-	-	-	1	-	2	6	9	6
1987.....	271	2	1	-	-	2	1	4	5	9	13
1986.....	244	-	-	-	-	-	3	2	2	10	9
1985.....	265	-	-	-	-	-	2	6	7	7	6
1984.....	261	2	-	1	-	-	1	4	3	10	8
1983.....	238	-	-	1	1	2	2	4	7	2	6
1982.....	254	1	2	1	2	-	3	1	6	5	11
1981.....	249	-	-	-	-	1	4	6	6	6	8
1980.....	225	-	-	-	-	3	3	6	5	3	1
1979.....	226	1	1	-	1	1	3	1	4	8	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AORTIC VALVE DISORDERS (424.1)											
ALL OTHER FEMALE											
1998.....	361	1	1	1	-	-	-	-	1	3	7
1997.....	392	-	-	-	-	-	1	1	3	8	2
1996.....	366	-	-	-	1	-	-	1	3	6	3
1995.....	394	-	-	-	-	1	-	2	3	4	5
1994.....	305	-	-	-	1	-	3	-	3	2	3
1993.....	373	-	-	-	1	1	-	1	4	4	6
1992.....	248	-	-	1	-	-	-	-	2	3	4
1991.....	267	1	1	-	-	1	2	-	1	1	8
1990.....	282	-	-	1	-	-	-	2	2	-	5
1989.....	260	1	-	-	1	-	-	2	2	3	3
1988.....	259	-	-	-	1	-	-	3	-	2	5
1987.....	279	-	1	-	1	2	2	2	1	6	7
1986.....	249	1	-	-	-	-	1	-	2	7	7
1985.....	243	1	1	-	-	2	1	1	2	7	5
1984.....	222	-	-	-	1	-	-	1	3	3	4
1983.....	180	-	-	-	-	-	1	-	4	4	6
1982.....	211	-	-	-	-	1	4	4	4	4	1
1981.....	163	-	-	-	-	-	2	1	2	1	1
1980.....	165	-	-	-	-	-	-	1	-	3	2
1979.....	170	-	1	1	-	1	-	1	1	1	3
BLACK, BOTH SEXES											
1998.....	557	1	1	1	-	1	2	1	3	7	16
1997.....	575	-	-	1	-	-	3	4	7	12	13
1996.....	587	-	-	1	1	1	-	2	4	12	15
1995.....	563	-	-	-	-	2	-	1	6	9	16
1994.....	504	1	-	-	1	-	3	1	3	18	14
1993.....	544	-	1	-	1	1	1	5	6	8	10
1992.....	488	-	1	1	-	-	2	-	3	13	14
1991.....	445	2	1	1	-	1	4	2	6	9	16
1990.....	500	2	-	1	3	-	1	7	10	6	20
1989.....	468	-	-	1	3	1	-	3	11	7	18
1988.....	489	-	-	-	1	1	-	5	6	10	10
1987.....	497	1	2	-	1	4	3	5	6	15	17
1986.....	436	1	-	-	-	-	3	2	4	15	16
1985.....	458	1	1	-	-	1	2	6	9	14	10
1984.....	435	1	-	1	1	-	1	4	6	13	10
1983.....	365	-	-	-	1	2	3	4	10	5	10
1982.....	422	-	2	1	2	1	6	5	7	9	11
1981.....	376	-	-	-	-	1	5	6	8	7	8
1980.....	350	-	-	-	-	3	3	5	5	6	3
1979.....	358	1	2	1	1	1	2	2	5	8	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 AORTIC VALVE DISORDERS (424.1)											
BLACK MALE											
1998.....	244	-	-	-	-	1	2	1	3	4	10
1997.....	239	-	-	1	-	-	2	3	4	5	11
1996.....	269	-	-	1	-	1	-	2	1	6	12
1995.....	228	-	-	-	-	1	-	-	3	6	11
1994.....	247	1	-	-	-	-	-	1	1	16	12
1993.....	221	-	1	-	-	-	1	4	3	4	4
1992.....	262	-	1	-	-	-	2	-	1	10	10
1991.....	206	1	-	1	-	-	2	2	5	8	8
1990.....	245	2	-	-	3	-	1	5	8	6	15
1989.....	236	-	-	1	2	1	-	2	9	5	15
1988.....	261	-	-	-	-	1	-	2	6	8	6
1987.....	243	1	1	-	-	2	1	4	5	9	10
1986.....	210	-	-	-	-	-	2	2	2	9	9
1985.....	237	-	-	-	-	-	1	5	7	7	6
1984.....	238	1	-	1	-	-	1	3	3	10	6
1983.....	202	-	-	-	1	2	2	4	7	2	4
1982.....	227	-	2	1	2	-	3	1	4	5	10
1981.....	223	-	-	-	-	1	3	5	6	6	7
1980.....	199	-	-	-	-	3	3	5	5	3	1
1979.....	203	1	1	-	1	-	2	1	4	7	5
BLACK FEMALE											
1998.....	313	1	1	1	-	-	-	-	-	3	6
1997.....	336	-	-	-	-	-	1	1	3	7	2
1996.....	318	-	-	-	1	-	-	-	3	6	3
1995.....	335	-	-	-	-	1	-	1	3	3	5
1994.....	257	-	-	-	1	-	3	-	2	2	2
1993.....	323	-	-	-	1	1	-	1	3	4	6
1992.....	226	-	-	1	-	-	-	-	2	3	4
1991.....	239	1	1	-	-	1	2	-	1	1	8
1990.....	255	-	-	1	-	-	-	2	2	-	5
1989.....	232	-	-	-	1	-	-	1	2	2	3
1988.....	228	-	-	-	1	-	-	3	-	2	4
1987.....	254	-	1	-	1	2	2	1	1	6	7
1986.....	226	1	-	-	-	-	1	-	2	6	7
1985.....	221	1	1	-	-	1	1	1	2	7	4
1984.....	197	-	-	-	1	-	-	1	3	3	4
1983.....	163	-	-	-	-	-	1	-	3	3	6
1982.....	195	-	-	-	-	1	3	4	3	4	1
1981.....	153	-	-	-	-	-	2	1	2	1	1
1980.....	151	-	-	-	-	-	-	-	-	3	2
1979.....	155	-	1	1	-	1	-	1	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)											
TOTAL, BOTH SEXES											
1998.....	4,408	8	3	-	2	4	10	17	27	61	96
1997.....	4,013	4	5	-	5	4	11	11	29	48	65
1996.....	4,003	2	1	1	-	1	6	15	28	47	49
1995.....	3,645	3	2	1	1	2	12	16	28	41	71
1994.....	3,538	2	3	-	-	3	7	8	33	42	59
1993.....	3,418	5	-	1	1	4	5	17	33	61	69
1992.....	3,253	4	1	2	3	5	7	17	22	40	56
1991.....	3,025	8	2	1	1	1	7	20	32	53	68
1990.....	2,994	2	2	1	1	3	11	10	33	35	52
1989.....	2,660	4	4	2	4	3	11	21	38	46	42
1988.....	2,617	4	3	-	-	3	8	23	28	46	51
1987.....	2,237	3	3	-	2	2	7	19	26	39	46
1986.....	2,032	3	1	1	-	4	8	24	22	27	34
1985.....	1,899	5	3	3	2	3	15	18	26	29	30
1984.....	1,696	5	2	-	-	2	4	14	18	19	26
1983.....	1,558	7	2	1	2	1	6	8	19	13	23
1982.....	1,396	3	5	-	3	5	4	9	13	12	23
1981.....	1,333	7	4	-	1	2	5	11	14	17	29
1980.....	1,251	1	1	-	1	6	3	15	17	20	24
1979.....	1,131	3	2	1	3	5	9	13	8	11	20
TOTAL, MALE											
1998.....	1,709	3	2	-	2	3	8	8	13	32	67
1997.....	1,536	3	2	-	3	3	5	4	16	28	38
1996.....	1,540	2	-	1	-	1	5	10	11	30	29
1995.....	1,464	1	-	-	-	-	5	11	13	27	42
1994.....	1,334	1	-	-	-	3	3	4	16	23	33
1993.....	1,320	2	-	1	-	3	3	10	17	41	44
1992.....	1,275	3	1	2	1	3	6	9	15	25	40
1991.....	1,222	6	-	1	1	1	4	9	18	32	45
1990.....	1,171	1	-	-	1	1	8	5	17	22	26
1989.....	1,059	3	3	1	3	2	5	11	22	34	28
1988.....	1,043	2	1	-	-	1	4	12	17	30	34
1987.....	927	-	1	-	1	1	3	8	19	31	30
1986.....	820	2	1	-	-	3	3	9	17	14	24
1985.....	783	2	3	3	1	1	6	14	11	20	21
1984.....	705	4	1	-	-	1	2	9	15	16	19
1983.....	661	4	1	-	-	1	3	6	13	6	16
1982.....	586	2	4	-	1	3	1	6	10	5	14
1981.....	543	2	2	-	-	2	2	6	6	7	16
1980.....	562	-	-	-	1	3	-	9	11	8	13
1979.....	515	1	1	1	2	5	7	10	2	8	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)											
TOTAL, FEMALE											
1998.....	2,699	5	1	-	-	1	2	9	14	29	29
1997.....	2,477	1	3	-	2	1	6	7	13	20	27
1996.....	2,463	-	1	-	-	-	1	5	17	17	20
1995.....	2,181	2	2	1	1	2	7	5	15	14	29
1994.....	2,204	1	3	-	-	-	4	4	17	19	26
1993.....	2,098	3	-	-	1	1	2	7	16	20	25
1992.....	1,978	1	-	-	2	2	1	8	7	15	16
1991.....	1,803	2	2	-	-	-	3	11	14	21	23
1990.....	1,823	1	2	1	-	2	3	5	16	13	26
1989.....	1,601	1	1	1	1	1	6	10	16	12	14
1988.....	1,574	2	2	-	-	2	4	11	11	16	17
1987.....	1,310	3	2	-	1	1	4	11	7	8	16
1986.....	1,212	1	-	1	-	1	5	15	5	13	10
1985.....	1,116	3	-	-	1	2	9	4	15	9	9
1984.....	991	1	1	-	-	1	2	5	3	3	7
1983.....	897	3	1	1	2	-	3	2	6	7	7
1982.....	810	1	1	-	2	2	3	3	3	7	9
1981.....	790	5	2	-	1	-	3	5	8	10	13
1980.....	689	1	1	-	-	3	3	6	6	12	11
1979.....	616	2	1	-	1	-	2	3	6	3	8
WHITE, BOTH SEXES											
1998.....	3,911	6	3	-	1	2	10	15	17	35	51
1997.....	3,597	4	4	-	3	3	10	9	20	36	41
1996.....	3,612	-	1	-	-	-	5	8	21	25	28
1995.....	3,276	3	1	1	1	2	7	13	16	28	46
1994.....	3,202	2	3	-	-	3	3	6	19	26	33
1993.....	3,067	5	-	1	1	3	2	14	24	39	42
1992.....	2,875	3	1	1	2	3	5	8	16	26	29
1991.....	2,706	2	1	1	1	1	4	13	19	33	40
1990.....	2,663	2	1	1	1	2	8	7	22	14	32
1989.....	2,379	2	4	2	3	2	7	12	23	26	25
1988.....	2,300	3	2	-	-	3	4	12	14	23	28
1987.....	1,953	-	3	-	2	-	3	14	15	17	26
1986.....	1,795	1	1	-	-	3	4	12	6	15	22
1985.....	1,653	3	3	1	2	-	10	11	11	13	14
1984.....	1,504	1	2	-	-	2	3	8	16	13	15
1983.....	1,394	5	2	1	1	1	2	7	12	9	18
1982.....	1,238	2	5	-	2	4	2	4	10	10	17
1981.....	1,172	4	4	-	-	1	4	6	7	12	22
1980.....	1,088	1	1	-	1	3	1	7	14	13	17
1979.....	996	3	1	1	3	4	5	9	5	9	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)											
WHITE MALE											
1998.....	1,484	1	2	-	1	1	8	6	8	19	35
1997.....	1,358	3	2	-	3	3	4	4	10	22	26
1996.....	1,361	-	-	-	-	-	5	5	10	19	15
1995.....	1,290	1	-	-	-	-	2	9	9	16	28
1994.....	1,177	1	-	-	-	3	-	3	10	12	19
1993.....	1,176	2	-	1	-	2	2	10	15	25	28
1992.....	1,107	2	1	1	-	1	4	4	11	18	20
1991.....	1,059	1	-	1	1	1	3	8	11	18	29
1990.....	1,021	1	-	-	1	-	6	4	10	8	15
1989.....	930	2	3	1	2	2	4	8	13	20	16
1988.....	913	1	1	-	-	1	2	8	9	15	19
1987.....	789	-	1	-	1	-	2	7	10	12	17
1986.....	703	1	1	-	-	2	1	5	6	7	13
1985.....	658	-	3	1	1	-	3	11	6	9	11
1984.....	608	-	1	-	-	1	2	6	14	12	11
1983.....	589	4	1	-	-	1	-	6	7	4	13
1982.....	516	1	4	-	1	2	1	3	7	4	12
1981.....	475	1	2	-	-	1	2	3	2	6	14
1980.....	481	-	-	-	1	1	-	6	9	5	8
1979.....	443	1	1	1	2	4	3	6	1	6	10
WHITE FEMALE											
1998.....	2,427	5	1	-	-	1	2	9	9	16	16
1997.....	2,239	1	2	-	-	-	6	5	10	14	15
1996.....	2,251	-	1	-	-	-	-	3	11	6	13
1995.....	1,986	2	1	1	1	2	5	4	7	12	18
1994.....	2,025	1	3	-	-	-	3	3	9	14	14
1993.....	1,891	3	-	-	1	1	-	4	9	14	14
1992.....	1,768	1	-	-	2	2	1	4	5	8	9
1991.....	1,647	1	1	-	-	-	1	5	8	15	11
1990.....	1,642	1	1	1	-	2	2	3	12	6	17
1989.....	1,449	-	1	1	1	-	3	4	10	6	9
1988.....	1,387	2	1	-	-	2	2	4	5	8	9
1987.....	1,164	-	2	-	1	-	1	7	5	5	9
1986.....	1,092	-	-	-	-	1	3	7	-	8	9
1985.....	995	3	-	-	1	-	7	-	5	4	3
1984.....	896	1	1	-	-	1	1	2	2	1	4
1983.....	805	1	1	1	1	-	2	1	5	5	5
1982.....	722	1	1	-	1	2	1	1	3	6	5
1981.....	697	3	2	-	-	-	2	3	5	6	8
1980.....	607	1	1	-	-	2	1	1	5	8	9
1979.....	553	2	-	-	1	-	2	3	4	3	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)											
ALL OTHER, BOTH SEXES											
1998.....	497	2	-	-	1	2	-	2	10	26	45
1997.....	416	-	1	-	2	1	1	2	9	12	24
1996.....	391	2	-	1	-	1	1	7	7	22	21
1995.....	369	-	1	-	-	-	5	3	12	13	25
1994.....	336	-	-	-	-	-	4	2	14	16	26
1993.....	351	-	-	-	-	1	3	3	9	22	27
1992.....	378	1	-	1	1	2	2	9	6	14	27
1991.....	319	6	1	-	-	-	3	7	13	20	28
1990.....	331	-	1	-	-	1	3	3	11	21	20
1989.....	281	2	-	-	1	1	4	9	15	20	17
1988.....	317	1	1	-	-	-	4	11	14	23	23
1987.....	284	3	-	-	-	2	4	5	11	22	20
1986.....	237	2	-	1	-	1	4	12	16	12	12
1985.....	246	2	-	2	-	3	5	7	15	16	16
1984.....	192	4	-	-	-	-	1	6	2	6	11
1983.....	164	2	-	-	1	-	4	1	7	4	5
1982.....	158	1	-	-	1	1	2	5	3	2	6
1981.....	161	3	-	-	1	1	1	5	7	5	7
1980.....	163	-	-	-	-	3	2	8	3	7	7
1979.....	135	-	1	-	-	1	4	4	3	2	4
ALL OTHER MALE											
1998.....	225	2	-	-	1	2	-	2	5	13	32
1997.....	178	-	-	-	-	-	1	-	6	6	12
1996.....	179	2	-	1	-	1	-	5	1	11	14
1995.....	174	-	-	-	-	-	3	2	4	11	14
1994.....	157	-	-	-	-	-	3	1	6	11	14
1993.....	144	-	-	-	-	1	1	-	2	16	16
1992.....	168	1	-	1	1	2	2	5	4	7	20
1991.....	163	5	-	-	-	-	1	1	7	14	16
1990.....	150	-	-	-	-	1	2	1	7	14	11
1989.....	129	1	-	-	-	-	1	3	9	14	12
1988.....	130	1	-	-	-	-	2	4	8	15	15
1987.....	138	-	-	-	-	1	1	1	9	19	13
1986.....	117	1	-	-	-	1	2	4	11	7	11
1985.....	125	2	-	2	-	1	3	3	5	11	10
1984.....	97	4	-	-	-	-	-	3	1	4	8
1983.....	72	-	-	-	-	-	3	-	6	2	3
1982.....	70	1	-	-	-	1	-	3	3	1	2
1981.....	68	1	-	-	-	1	-	3	4	1	2
1980.....	81	-	-	-	-	2	-	3	2	3	5
1979.....	72	-	-	-	-	1	4	4	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)											
ALL OTHER FEMALE											
1998.....	272	-	-	-	-	-	-	-	5	13	13
1997.....	238	-	1	-	2	1	-	2	3	6	12
1996.....	212	-	-	-	-	-	1	2	6	11	7
1995.....	195	-	1	-	-	-	2	1	8	2	11
1994.....	179	-	-	-	-	-	1	1	8	5	12
1993.....	207	-	-	-	-	-	2	3	7	6	11
1992.....	210	-	-	-	-	-	-	4	2	7	7
1991.....	156	1	1	-	-	-	2	6	6	6	12
1990.....	181	-	1	-	-	-	1	2	4	7	9
1989.....	152	1	-	-	-	1	3	6	6	6	5
1988.....	187	-	1	-	-	-	2	7	6	8	8
1987.....	146	3	-	-	-	1	3	4	2	3	7
1986.....	120	1	-	1	-	-	2	8	5	5	1
1985.....	121	-	-	-	-	2	2	4	10	5	6
1984.....	95	-	-	-	-	-	1	3	1	2	3
1983.....	92	2	-	-	1	-	1	1	1	2	2
1982.....	88	-	-	-	1	-	2	2	-	1	4
1981.....	93	2	-	-	1	-	1	2	3	4	5
1980.....	82	-	-	-	-	1	2	5	1	4	2
1979.....	63	-	1	-	-	-	-	-	2	-	2
BLACK, BOTH SEXES											
1998.....	421	-	-	-	1	1	-	1	9	21	42
1997.....	353	-	1	-	1	-	1	2	9	11	24
1996.....	339	2	-	1	-	1	1	6	6	21	20
1995.....	313	-	1	-	-	-	5	2	11	12	24
1994.....	291	-	-	-	-	-	4	1	12	14	25
1993.....	312	-	-	-	-	1	3	2	9	22	26
1992.....	347	1	-	1	1	2	2	9	5	13	27
1991.....	290	6	1	-	-	-	3	7	11	19	28
1990.....	288	-	1	-	-	1	3	3	9	21	19
1989.....	250	1	-	-	1	1	4	9	14	18	16
1988.....	275	1	1	-	-	-	2	9	13	23	21
1987.....	262	3	-	-	-	2	4	5	11	20	18
1986.....	216	1	-	1	-	1	4	11	14	11	12
1985.....	223	2	-	-	-	2	5	7	14	14	16
1984.....	171	4	-	-	-	-	1	6	2	6	11
1983.....	149	2	-	-	1	-	3	1	7	4	4
1982.....	141	-	-	-	1	1	2	5	3	2	4
1981.....	149	3	-	-	1	1	1	5	7	5	6
1980.....	143	-	-	-	-	2	2	5	3	7	7
1979.....	126	-	1	-	-	1	3	4	2	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)											
BLACK MALE											
1998.....	189	-	-	-	1	1	-	1	5	11	29
1997.....	150	-	-	-	-	-	1	-	6	6	12
1996.....	153	2	-	1	-	1	-	4	1	10	14
1995.....	146	-	-	-	-	-	3	2	4	10	13
1994.....	137	-	-	-	-	-	3	-	5	10	14
1993.....	127	-	-	-	-	1	1	-	2	16	15
1992.....	153	1	-	1	1	2	2	5	4	6	20
1991.....	147	5	-	-	-	-	1	1	6	13	16
1990.....	130	-	-	-	-	1	2	1	6	14	10
1989.....	117	-	-	-	1	-	1	3	9	14	12
1988.....	111	1	-	-	-	-	2	3	7	15	14
1987.....	128	-	-	-	-	1	1	1	9	17	11
1986.....	104	1	-	-	-	1	2	3	11	6	11
1985.....	108	2	-	-	-	1	3	3	4	9	10
1984.....	85	4	-	-	-	-	-	3	1	4	8
1983.....	64	-	-	-	-	-	3	-	6	2	2
1982.....	62	-	-	-	-	1	-	3	3	1	1
1981.....	65	1	-	-	-	1	-	3	4	1	2
1980.....	72	-	-	-	-	1	-	2	2	3	5
1979.....	65	-	-	-	-	1	3	4	1	1	2
BLACK FEMALE											
1998.....	232	-	-	-	-	-	-	-	4	10	13
1997.....	203	-	1	-	1	-	-	2	3	5	12
1996.....	186	-	-	-	-	-	1	2	5	11	6
1995.....	167	-	1	-	-	-	2	-	7	2	11
1994.....	154	-	-	-	-	-	1	1	7	4	11
1993.....	185	-	-	-	-	-	2	2	7	6	11
1992.....	194	-	-	-	-	-	-	4	1	7	7
1991.....	143	1	1	-	-	-	2	6	5	6	12
1990.....	158	-	1	-	-	-	1	2	3	7	9
1989.....	133	1	-	-	-	1	3	6	5	4	4
1988.....	164	-	1	-	-	-	-	6	6	8	7
1987.....	134	3	-	-	-	1	3	4	2	3	7
1986.....	112	-	-	1	-	-	2	8	3	5	1
1985.....	115	-	-	-	-	1	2	4	10	5	6
1984.....	86	-	-	-	-	-	1	3	1	2	3
1983.....	85	2	-	-	1	-	-	1	1	2	2
1982.....	79	-	-	-	1	-	2	2	-	1	3
1981.....	84	2	-	-	1	-	1	2	3	4	4
1980.....	71	-	-	-	-	1	2	3	1	4	2
1979.....	61	-	1	-	-	-	-	-	1	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEART FAILURE (428)											
TOTAL, BOTH SEXES											
1998.....	50,228	24	8	6	4	11	17	16	42	78	152
1997.....	48,930	34	10	-	6	19	11	28	43	82	166
1996.....	47,230	30	14	7	5	11	15	30	59	81	132
1995.....	46,484	26	13	8	7	9	18	21	48	77	137
1994.....	45,155	32	18	5	6	10	17	32	56	83	143
1993.....	45,613	33	21	2	7	19	17	26	50	88	144
1992.....	40,097	29	13	9	7	13	26	26	41	75	125
1991.....	39,206	45	23	1	11	11	14	33	48	75	139
1990.....	37,927	39	17	9	8	9	13	26	38	74	119
1989.....	38,817	43	20	2	6	13	17	25	40	75	113
1988.....	42,940	42	13	13	8	12	21	36	56	97	139
1987.....	41,210	47	20	8	5	14	22	41	61	92	125
1986.....	40,330	53	18	8	9	19	17	37	50	84	152
1985.....	37,747	63	11	9	5	16	18	43	58	80	141
1984.....	35,355	78	19	7	8	11	15	35	47	82	150
1983.....	33,227	63	19	5	9	17	28	33	54	86	125
1982.....	30,657	58	31	12	7	15	22	31	46	88	114
1981.....	28,972	57	22	4	14	16	29	43	57	95	122
1980.....	27,415	72	31	5	12	15	20	46	52	86	137
1979.....	25,074	60	19	6	9	16	24	40	50	74	136
TOTAL, MALE											
1998.....	19,074	15	6	2	1	3	10	11	26	45	98
1997.....	18,621	15	6	-	4	9	7	19	32	48	126
1996.....	18,224	13	8	2	3	4	8	14	29	56	84
1995.....	17,752	16	7	4	3	4	10	9	30	41	84
1994.....	17,319	20	8	3	2	9	12	27	24	62	91
1993.....	17,586	14	6	2	2	11	8	11	28	55	88
1992.....	15,646	12	7	5	3	7	13	12	30	39	88
1991.....	15,348	18	10	-	6	7	11	24	22	51	84
1990.....	15,089	27	12	6	3	8	8	15	21	48	72
1989.....	15,556	22	9	1	2	9	8	13	26	48	68
1988.....	17,612	29	8	6	5	10	11	23	38	63	85
1987.....	16,941	30	9	8	5	7	16	18	42	66	76
1986.....	16,955	28	6	4	6	13	9	22	31	58	98
1985.....	15,860	34	5	6	2	13	11	29	40	54	78
1984.....	15,227	27	7	5	4	6	8	31	28	56	101
1983.....	14,515	33	9	5	4	12	16	18	30	57	77
1982.....	13,590	31	13	6	4	7	10	19	30	57	74
1981.....	13,049	29	14	1	10	9	22	30	38	60	75
1980.....	12,599	44	17	3	10	8	12	29	31	56	83
1979.....	11,664	36	8	2	6	11	15	25	31	49	82

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEART FAILURE (428)											
TOTAL, FEMALE											
1998.....	31,154	9	2	4	3	8	7	5	16	33	54
1997.....	30,309	19	4	-	2	10	4	9	11	34	40
1996.....	29,006	17	6	5	2	7	7	16	30	25	48
1995.....	28,732	10	6	4	4	5	8	12	18	36	53
1994.....	27,836	12	10	2	4	1	5	5	32	21	52
1993.....	28,027	19	15	-	5	8	9	15	22	33	56
1992.....	24,451	17	6	4	4	6	13	14	11	36	37
1991.....	23,858	27	13	1	5	4	3	9	26	24	55
1990.....	22,838	12	5	3	5	1	5	11	17	26	47
1989.....	23,261	21	11	1	4	4	9	12	14	27	45
1988.....	25,328	13	5	7	3	2	10	13	18	34	54
1987.....	24,269	17	11	-	-	7	6	23	19	26	49
1986.....	23,375	25	12	4	3	6	8	15	19	26	54
1985.....	21,887	29	6	3	3	3	7	14	18	26	63
1984.....	20,128	51	12	2	4	5	7	4	19	26	49
1983.....	18,712	30	10	-	5	5	12	15	24	29	48
1982.....	17,067	27	18	6	3	8	12	12	16	31	40
1981.....	15,923	28	8	3	4	7	7	13	19	35	47
1980.....	14,816	28	14	2	2	7	8	17	21	30	54
1979.....	13,410	24	11	4	3	5	9	15	19	25	54
WHITE, BOTH SEXES											
1998.....	45,260	17	6	6	2	6	13	10	24	49	95
1997.....	44,148	26	9	-	6	12	5	16	31	49	117
1996.....	42,563	22	9	4	4	8	11	20	34	60	81
1995.....	41,907	18	10	4	5	6	9	12	29	45	80
1994.....	40,729	16	12	5	4	8	12	20	41	46	87
1993.....	40,967	21	9	1	6	16	14	15	31	53	99
1992.....	35,953	16	7	7	4	12	12	17	25	45	72
1991.....	35,055	34	13	1	9	7	10	19	35	49	92
1990.....	33,802	22	11	7	6	4	9	10	27	49	90
1989.....	34,408	27	12	2	4	10	15	13	22	45	67
1988.....	38,237	33	11	10	7	11	16	22	40	59	89
1987.....	36,746	36	12	7	4	8	10	29	38	61	90
1986.....	35,712	35	12	4	5	15	10	21	26	55	94
1985.....	33,400	48	7	8	2	11	10	25	35	62	77
1984.....	31,308	55	17	6	5	9	7	25	28	56	95
1983.....	29,428	42	14	1	6	13	18	20	35	52	88
1982.....	27,162	42	20	10	5	10	17	22	35	57	75
1981.....	25,592	47	19	3	13	10	15	35	40	53	95
1980.....	24,009	49	20	4	8	13	14	35	31	51	86
1979.....	21,948	45	13	6	7	10	16	27	34	52	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEART FAILURE (428)											
WHITE MALE											
1998.....	17,035	12	4	2	1	2	7	6	15	28	64
1997.....	16,715	11	5	-	4	7	3	11	22	32	92
1996.....	16,317	9	6	1	2	3	7	11	18	45	52
1995.....	15,872	10	5	3	3	3	6	5	21	26	49
1994.....	15,481	9	5	3	1	7	8	16	17	35	58
1993.....	15,660	12	4	1	2	11	7	8	19	36	62
1992.....	13,921	4	4	4	1	7	6	9	19	24	54
1991.....	13,622	15	5	-	4	5	8	13	18	34	55
1990.....	13,314	15	6	5	1	4	6	7	16	33	53
1989.....	13,678	18	5	1	1	6	8	8	15	30	38
1988.....	15,570	26	8	4	5	9	9	16	28	37	57
1987.....	14,955	22	5	7	4	4	9	16	27	46	63
1986.....	14,932	17	4	2	3	11	6	12	20	37	57
1985.....	13,911	27	4	5	2	8	6	17	23	42	43
1984.....	13,396	21	7	4	3	6	5	21	16	42	69
1983.....	12,755	21	7	1	2	8	12	9	20	36	57
1982.....	11,967	24	7	5	4	5	9	12	21	35	48
1981.....	11,449	27	13	1	9	6	11	26	26	35	59
1980.....	10,965	31	9	2	8	6	7	23	20	34	57
1979.....	10,181	29	5	2	5	7	10	16	23	37	65
WHITE FEMALE											
1998.....	28,225	5	2	4	1	4	6	4	9	21	31
1997.....	27,433	15	4	-	2	5	2	5	9	17	25
1996.....	26,246	13	3	3	2	5	4	9	16	15	29
1995.....	26,035	8	5	1	2	3	3	7	8	19	31
1994.....	25,248	7	7	2	3	1	4	4	24	11	29
1993.....	25,307	9	5	-	4	5	7	7	12	17	37
1992.....	22,032	12	3	3	3	5	6	8	6	21	18
1991.....	21,433	19	8	1	5	2	2	6	17	15	37
1990.....	20,488	7	5	2	5	-	3	3	11	16	37
1989.....	20,730	9	7	1	3	4	7	5	7	15	29
1988.....	22,667	7	3	6	2	2	7	6	12	22	32
1987.....	21,791	14	7	-	-	4	1	13	11	15	27
1986.....	20,780	18	8	2	2	4	4	9	6	18	37
1985.....	19,489	21	3	3	-	3	4	8	12	20	34
1984.....	17,912	34	10	2	2	3	2	4	12	14	26
1983.....	16,673	21	7	-	4	5	6	11	15	16	31
1982.....	15,195	18	13	5	1	5	8	10	14	22	27
1981.....	14,143	20	6	2	4	4	4	9	14	18	36
1980.....	13,044	18	11	2	-	7	7	12	11	17	29
1979.....	11,767	16	8	4	2	3	6	11	11	15	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEART FAILURE (428)											
ALL OTHER, BOTH SEXES											
1998.....	4,968	7	2	-	2	5	4	6	18	29	57
1997.....	4,782	8	1	-	-	7	6	12	12	33	49
1996.....	4,667	8	5	3	1	3	4	10	25	21	51
1995.....	4,577	8	3	4	2	3	9	9	19	32	57
1994.....	4,426	16	6	-	2	2	5	12	15	37	56
1993.....	4,646	12	12	1	1	3	3	11	19	35	45
1992.....	4,144	13	6	2	3	1	14	9	16	30	53
1991.....	4,151	11	10	-	2	4	4	14	13	26	47
1990.....	4,125	17	6	2	2	5	4	16	11	25	29
1989.....	4,409	16	8	-	2	3	2	12	18	30	46
1988.....	4,703	9	2	3	1	1	5	14	16	38	50
1987.....	4,464	11	8	1	1	6	12	12	23	31	35
1986.....	4,618	18	6	4	4	4	7	16	24	29	58
1985.....	4,347	15	4	1	3	5	8	18	23	18	64
1984.....	4,047	23	2	1	3	2	8	10	19	26	55
1983.....	3,799	21	5	4	3	4	10	13	19	34	37
1982.....	3,495	16	11	2	2	5	5	9	11	31	39
1981.....	3,380	10	3	1	1	6	14	8	17	42	27
1980.....	3,406	23	11	1	4	2	6	11	21	35	51
1979.....	3,126	15	6	-	2	6	8	13	16	22	37
ALL OTHER MALE											
1998.....	2,039	3	2	-	-	1	3	5	11	17	34
1997.....	1,906	4	1	-	-	2	4	8	10	16	34
1996.....	1,907	4	2	1	1	1	1	3	11	11	32
1995.....	1,880	6	2	1	-	1	4	4	9	15	35
1994.....	1,838	11	3	-	1	2	4	11	7	27	33
1993.....	1,926	2	2	1	-	-	1	3	9	19	26
1992.....	1,725	8	3	1	2	-	7	3	11	15	34
1991.....	1,726	3	5	-	2	2	3	11	4	17	29
1990.....	1,775	12	6	1	2	4	2	8	5	15	19
1989.....	1,878	4	4	-	1	3	-	5	11	18	30
1988.....	2,042	3	-	2	-	1	2	7	10	26	28
1987.....	1,986	8	4	1	1	3	7	2	15	20	13
1986.....	2,023	11	2	2	3	2	3	10	11	21	41
1985.....	1,949	7	1	1	-	5	5	12	17	12	35
1984.....	1,831	6	-	1	1	-	3	10	12	14	32
1983.....	1,760	12	2	4	2	4	4	9	10	21	20
1982.....	1,623	7	6	1	-	2	1	7	9	22	26
1981.....	1,600	2	1	-	1	3	11	4	12	25	16
1980.....	1,634	13	8	1	2	2	5	6	11	22	26
1979.....	1,483	7	3	-	1	4	5	9	8	12	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEART FAILURE (428)											
ALL OTHER FEMALE											
1998.....	2,929	4	-	-	2	4	1	1	7	12	23
1997.....	2,876	4	-	-	-	5	2	4	2	17	15
1996.....	2,760	4	3	2	-	2	3	7	14	10	19
1995.....	2,697	2	1	3	2	2	5	5	10	17	22
1994.....	2,588	5	3	-	1	-	1	1	8	10	23
1993.....	2,720	10	10	-	1	3	2	8	10	16	19
1992.....	2,419	5	3	1	1	1	7	6	5	15	19
1991.....	2,425	8	5	-	-	2	1	3	9	9	18
1990.....	2,350	5	-	1	-	1	2	8	6	10	10
1989.....	2,531	12	4	-	1	-	2	7	7	12	16
1988.....	2,661	6	2	1	1	-	3	7	6	12	22
1987.....	2,478	3	4	-	-	3	5	10	8	11	22
1986.....	2,595	7	4	2	1	2	4	6	13	8	17
1985.....	2,398	8	3	-	3	-	3	6	6	6	29
1984.....	2,216	17	2	-	2	2	5	-	7	12	23
1983.....	2,039	9	3	-	1	-	6	4	9	13	17
1982.....	1,872	9	5	1	2	3	4	2	2	9	13
1981.....	1,780	8	2	1	-	3	3	4	5	17	11
1980.....	1,772	10	3	-	2	-	1	5	10	13	25
1979.....	1,643	8	3	-	1	2	3	4	8	10	20
BLACK, BOTH SEXES											
1998.....	4,493	4	2	-	2	5	3	5	17	29	56
1997.....	4,292	6	1	-	-	7	6	10	9	29	45
1996.....	4,217	7	5	3	1	3	4	10	25	20	46
1995.....	4,156	6	3	4	2	3	9	8	19	29	56
1994.....	4,016	14	6	-	2	2	5	11	13	36	55
1993.....	4,247	10	9	-	1	3	2	10	18	34	44
1992.....	3,783	12	5	2	3	1	13	7	15	28	51
1991.....	3,800	11	9	-	2	4	3	11	13	24	46
1990.....	3,797	16	5	1	2	4	4	16	11	22	27
1989.....	4,082	16	8	-	2	3	2	12	18	30	45
1988.....	4,372	8	1	3	1	1	5	14	15	38	48
1987.....	4,164	9	8	1	1	6	12	12	23	28	34
1986.....	4,324	18	5	4	4	4	7	16	23	27	58
1985.....	4,077	12	3	1	3	3	8	17	21	16	62
1984.....	3,810	22	2	1	3	2	8	9	19	24	52
1983.....	3,561	19	5	4	2	3	9	12	19	33	36
1982.....	3,279	14	10	1	2	5	5	8	10	31	36
1981.....	3,183	9	2	1	1	6	13	8	15	40	24
1980.....	3,216	23	11	1	4	2	5	10	20	31	51
1979.....	2,949	13	5	-	2	6	7	13	15	21	35

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEART FAILURE (428)											
BLACK MALE											
1998.....	1,817	2	2	-	-	1	2	4	10	17	34
1997.....	1,694	4	1	-	-	2	4	7	7	12	31
1996.....	1,707	3	2	1	1	1	1	3	11	10	29
1995.....	1,702	4	2	1	-	1	4	4	9	14	34
1994.....	1,654	9	3	-	1	2	4	10	6	26	32
1993.....	1,729	2	1	-	-	-	-	3	8	19	25
1992.....	1,555	8	3	1	2	-	6	2	10	13	33
1991.....	1,565	3	5	-	2	2	2	8	4	16	29
1990.....	1,631	11	5	1	2	3	2	8	5	12	19
1989.....	1,711	4	4	-	1	3	-	5	11	18	29
1988.....	1,889	3	-	2	-	1	2	7	9	26	27
1987.....	1,834	6	4	1	1	3	7	2	15	17	13
1986.....	1,869	11	2	2	3	2	3	10	11	20	41
1985.....	1,825	5	1	1	-	3	5	11	15	11	33
1984.....	1,706	6	-	1	1	-	3	9	12	13	31
1983.....	1,649	11	2	4	1	3	4	8	10	20	20
1982.....	1,509	6	6	1	-	2	1	6	8	22	24
1981.....	1,497	2	1	-	1	3	10	4	11	23	14
1980.....	1,522	13	8	1	2	2	4	6	11	19	26
1979.....	1,400	7	2	-	1	4	5	9	8	12	15
BLACK FEMALE											
1998.....	2,676	2	-	-	2	4	1	1	7	12	22
1997.....	2,598	2	-	-	-	5	2	3	2	17	14
1996.....	2,510	4	3	2	-	2	3	7	14	10	17
1995.....	2,454	2	1	3	2	2	5	4	10	15	22
1994.....	2,362	5	3	-	1	-	1	1	7	10	23
1993.....	2,518	8	8	-	1	3	2	7	10	15	19
1992.....	2,228	4	2	1	1	1	7	5	5	15	18
1991.....	2,235	8	4	-	-	2	1	3	9	8	17
1990.....	2,166	5	-	-	-	1	2	8	6	10	8
1989.....	2,371	12	4	-	1	-	2	7	7	12	16
1988.....	2,483	5	1	1	1	-	3	7	6	12	21
1987.....	2,330	3	4	-	-	3	5	10	8	11	21
1986.....	2,455	7	3	2	1	2	4	6	12	7	17
1985.....	2,252	7	2	-	3	-	3	6	6	5	29
1984.....	2,104	16	2	-	2	2	5	-	7	11	21
1983.....	1,912	8	3	-	1	-	5	4	9	13	16
1982.....	1,770	8	4	-	2	3	4	2	2	9	12
1981.....	1,686	7	1	1	-	3	3	4	4	17	10
1980.....	1,694	10	3	-	2	-	1	4	9	12	25
1979.....	1,549	6	3	-	1	2	2	4	7	9	20

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)											
TOTAL, BOTH SEXES											
1998.....	731	27	26	15	10	24	32	37	44	43	51
1997.....	722	21	15	11	12	19	24	30	41	60	50
1996.....	720	20	23	12	9	21	19	32	32	45	36
1995.....	791	23	26	8	13	18	22	35	52	43	42
1994.....	892	25	25	9	8	27	24	41	48	62	46
1993.....	818	33	26	8	9	12	19	33	35	39	51
1992.....	807	31	21	4	8	21	21	35	41	35	36
1991.....	902	21	35	7	12	22	21	22	56	43	52
1990.....	1,079	33	20	7	15	17	28	24	46	45	45
1989.....	1,352	27	22	8	13	15	16	36	47	64	57
1988.....	1,445	34	25	7	12	21	31	31	44	45	37
1987.....	1,518	31	28	8	12	16	27	30	36	47	35
1986.....	1,686	26	34	7	8	21	36	32	41	56	55
1985.....	1,736	32	20	6	11	20	30	46	34	47	37
1984.....	1,866	26	29	8	4	23	27	30	48	40	52
1983.....	2,035	26	17	3	10	22	26	37	36	45	39
1982.....	2,028	25	18	3	8	24	45	44	28	33	35
1981.....	2,303	24	17	7	12	23	29	23	37	38	36
1980.....	2,593	32	23	16	20	26	29	38	40	39	53
1979.....	2,667	21	15	11	14	21	41	33	31	44	38
TOTAL, MALE											
1998.....	363	13	9	9	6	16	23	26	22	16	25
1997.....	343	12	6	5	5	10	10	14	24	30	26
1996.....	340	10	8	6	5	14	11	19	19	22	16
1995.....	383	14	16	6	8	8	14	18	36	24	28
1994.....	462	15	14	3	5	19	18	26	23	35	30
1993.....	378	14	17	4	2	7	13	18	20	22	27
1992.....	395	19	13	-	3	13	11	21	26	18	20
1991.....	471	8	17	5	7	17	17	16	36	22	29
1990.....	530	13	9	3	8	13	18	16	24	25	22
1989.....	674	11	14	5	4	7	10	20	30	31	28
1988.....	740	17	13	2	5	14	20	19	28	29	29
1987.....	736	16	16	6	5	10	15	17	23	25	23
1986.....	850	12	17	4	3	12	26	18	28	35	37
1985.....	806	12	8	2	6	14	15	32	18	29	23
1984.....	899	11	16	3	2	13	18	20	31	19	36
1983.....	924	14	8	1	9	13	17	21	19	31	26
1982.....	915	14	6	1	4	15	29	23	18	20	21
1981.....	1,024	9	9	5	7	16	17	15	25	22	24
1980.....	1,175	17	10	5	6	14	20	29	25	21	29
1979.....	1,232	9	5	6	3	12	27	21	17	30	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)											
TOTAL, FEMALE											
1998.....	368	14	17	6	4	8	9	11	22	27	26
1997.....	379	9	9	6	7	9	14	16	17	30	24
1996.....	380	10	15	6	4	7	8	13	13	23	20
1995.....	408	9	10	2	5	10	8	17	16	19	14
1994.....	430	10	11	6	3	8	6	15	25	27	16
1993.....	440	19	9	4	7	5	6	15	15	17	24
1992.....	412	12	8	4	5	8	10	14	15	17	16
1991.....	431	13	18	2	5	5	4	6	20	21	23
1990.....	549	20	11	4	7	4	10	8	22	20	23
1989.....	678	16	8	3	9	8	6	16	17	33	29
1988.....	705	17	12	5	7	7	11	12	16	16	8
1987.....	782	15	12	2	7	6	12	13	13	22	12
1986.....	836	14	17	3	5	9	10	14	13	21	18
1985.....	930	20	12	4	5	6	15	14	16	18	14
1984.....	967	15	13	5	2	10	9	10	17	21	16
1983.....	1,111	12	9	2	1	9	9	16	17	14	13
1982.....	1,113	11	12	2	4	9	16	21	10	13	14
1981.....	1,279	15	8	2	5	7	12	8	12	16	12
1980.....	1,418	15	13	11	14	12	9	9	15	18	24
1979.....	1,435	12	10	5	11	9	14	12	14	14	18
WHITE, BOTH SEXES											
1998.....	564	14	9	9	6	18	24	22	31	29	43
1997.....	578	8	8	10	9	15	16	25	28	46	38
1996.....	584	11	17	8	5	13	14	17	19	33	26
1995.....	629	10	9	6	10	12	15	23	36	27	30
1994.....	710	13	13	5	5	22	16	31	28	40	35
1993.....	646	11	19	8	6	6	8	18	25	29	37
1992.....	652	14	12	2	5	11	14	21	34	22	24
1991.....	741	10	20	6	7	16	17	16	38	28	43
1990.....	845	11	8	5	8	14	21	18	27	32	28
1989.....	1,091	15	13	1	6	12	9	23	34	49	45
1988.....	1,194	17	12	6	8	15	21	25	34	32	28
1987.....	1,255	11	13	4	6	12	21	25	25	33	20
1986.....	1,419	11	18	5	6	15	29	23	22	37	40
1985.....	1,486	21	9	4	8	12	21	31	21	30	25
1984.....	1,583	16	12	4	3	18	19	18	32	26	36
1983.....	1,823	18	14	3	7	17	23	30	17	28	27
1982.....	1,810	18	9	2	5	18	38	34	18	23	24
1981.....	2,048	15	11	6	6	18	25	21	29	32	24
1980.....	2,307	23	16	10	18	16	23	29	22	20	44
1979.....	2,364	10	11	8	8	14	35	24	23	32	27

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)											
WHITE MALE											
1998.....	281	7	4	6	4	14	17	15	18	10	23
1997.....	274	5	2	4	4	9	5	13	14	26	18
1996.....	272	5	6	5	4	9	7	8	12	17	14
1995.....	294	6	4	5	6	8	10	13	25	15	22
1994.....	353	8	6	2	3	16	13	21	10	22	21
1993.....	296	6	12	4	1	3	7	10	14	18	18
1992.....	314	9	5	-	2	6	8	13	24	11	15
1991.....	380	2	9	4	5	12	13	11	27	14	24
1990.....	424	5	5	3	7	10	14	12	16	17	15
1989.....	545	7	10	-	4	6	6	13	19	24	27
1988.....	594	11	5	2	2	10	13	17	24	21	20
1987.....	603	5	7	3	1	7	11	15	18	17	14
1986.....	698	5	7	2	2	8	19	15	16	26	26
1985.....	667	5	4	1	5	9	10	21	12	19	15
1984.....	736	7	6	1	2	9	11	12	19	13	25
1983.....	816	8	5	1	7	10	14	19	10	20	18
1982.....	805	12	3	-	2	12	24	19	10	14	16
1981.....	894	5	8	4	5	12	15	14	19	19	17
1980.....	1,030	13	4	5	6	8	16	20	14	10	25
1979.....	1,078	6	4	4	3	7	25	17	11	23	14
WHITE FEMALE											
1998.....	283	7	5	3	2	4	7	7	13	19	20
1997.....	304	3	6	6	5	6	11	12	14	20	20
1996.....	312	6	11	3	1	4	7	9	7	16	12
1995.....	335	4	5	1	4	4	5	10	11	12	8
1994.....	357	5	7	3	2	6	3	10	18	18	14
1993.....	350	5	7	4	5	3	1	8	11	11	19
1992.....	338	5	7	2	3	5	6	8	10	11	9
1991.....	361	8	11	2	2	4	4	5	11	14	19
1990.....	421	6	3	2	1	4	7	6	11	15	13
1989.....	546	8	3	1	2	6	3	10	15	25	18
1988.....	600	6	7	4	6	5	8	8	10	11	8
1987.....	652	6	6	1	5	5	10	10	7	16	6
1986.....	721	6	11	3	4	7	10	8	6	11	14
1985.....	819	16	5	3	3	3	11	10	9	11	10
1984.....	847	9	6	3	1	9	8	6	13	13	11
1983.....	1,007	10	9	2	-	7	9	11	7	8	9
1982.....	1,005	6	6	2	3	6	14	15	8	9	8
1981.....	1,154	10	3	2	1	6	10	7	10	13	7
1980.....	1,277	10	12	5	12	8	7	9	8	10	19
1979.....	1,286	4	7	4	5	7	10	7	12	9	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)											
ALL OTHER, BOTH SEXES											
1998.....	167	13	17	6	4	6	8	15	13	14	8
1997.....	144	13	7	1	3	4	8	5	13	14	12
1996.....	136	9	6	4	4	8	5	15	13	12	10
1995.....	162	13	17	2	3	6	7	12	16	16	12
1994.....	182	12	12	4	3	5	8	10	20	22	11
1993.....	172	22	7	-	3	6	11	15	10	10	14
1992.....	155	17	9	2	3	10	7	14	7	13	12
1991.....	161	11	15	1	5	6	4	6	18	15	9
1990.....	234	22	12	2	7	3	7	6	19	13	17
1989.....	261	12	9	7	7	3	7	13	13	15	12
1988.....	251	17	13	1	4	6	10	6	10	13	9
1987.....	263	20	15	4	6	4	6	5	11	14	15
1986.....	267	15	16	2	2	6	7	9	19	19	15
1985.....	250	11	11	2	3	8	9	15	13	17	12
1984.....	283	10	17	4	1	5	8	12	16	14	16
1983.....	212	8	3	-	3	5	3	7	19	17	12
1982.....	218	7	9	1	3	6	7	10	10	10	11
1981.....	255	9	6	1	6	5	4	2	8	6	12
1980.....	286	9	7	6	2	10	6	9	18	19	9
1979.....	303	11	4	3	6	7	6	9	8	12	11
ALL OTHER MALE											
1998.....	82	6	5	3	2	2	6	11	4	6	2
1997.....	69	7	4	1	1	1	5	1	10	4	8
1996.....	68	5	2	1	1	5	4	11	7	5	2
1995.....	89	8	12	1	2	-	4	5	11	9	6
1994.....	109	7	8	1	2	3	5	5	13	13	9
1993.....	82	8	5	-	1	4	6	8	6	4	9
1992.....	81	10	8	-	1	7	3	8	2	7	5
1991.....	91	6	8	1	2	5	4	5	9	8	5
1990.....	106	8	4	-	1	3	4	4	8	8	7
1989.....	129	4	4	5	-	1	4	7	11	7	1
1988.....	146	6	8	-	3	4	7	2	4	8	9
1987.....	133	11	9	3	4	3	4	2	5	8	9
1986.....	152	7	10	2	1	4	7	3	12	9	11
1985.....	139	7	4	1	1	5	5	11	6	10	8
1984.....	163	4	10	2	-	4	7	8	12	6	11
1983.....	108	6	3	-	2	3	3	2	9	11	8
1982.....	110	2	3	1	2	3	5	4	8	6	5
1981.....	130	4	1	1	2	4	2	1	6	3	7
1980.....	145	4	6	-	-	6	4	9	11	11	4
1979.....	154	3	1	2	-	5	2	4	6	7	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)											
ALL OTHER FEMALE											
1998.....	85	7	12	3	2	4	2	4	9	8	6
1997.....	75	6	3	-	2	3	3	4	3	10	4
1996.....	68	4	4	3	3	3	1	4	6	7	8
1995.....	73	5	5	1	1	6	3	7	5	7	6
1994.....	73	5	4	3	1	2	3	5	7	9	2
1993.....	90	14	2	-	2	2	5	7	4	6	5
1992.....	74	7	1	2	2	3	4	6	5	6	7
1991.....	70	5	7	-	3	1	-	1	9	7	4
1990.....	128	14	8	2	6	-	3	2	11	5	10
1989.....	132	8	5	2	7	2	3	6	2	8	11
1988.....	105	11	5	1	1	2	3	4	6	5	-
1987.....	130	9	6	1	2	1	2	3	6	6	6
1986.....	115	8	6	-	1	2	-	6	7	10	4
1985.....	111	4	7	1	2	3	4	4	7	7	4
1984.....	120	6	7	2	1	1	1	4	4	8	5
1983.....	104	2	-	-	1	2	-	5	10	6	4
1982.....	108	5	6	-	1	3	2	6	2	4	6
1981.....	125	5	5	-	4	1	2	1	2	3	5
1980.....	141	5	1	6	2	4	2	-	7	8	5
1979.....	149	8	3	1	6	2	4	5	2	5	5
BLACK, BOTH SEXES											
1998.....	148	13	13	4	3	5	8	13	13	12	8
1997.....	128	12	7	1	3	2	6	5	12	11	12
1996.....	121	8	5	4	3	7	4	14	13	10	9
1995.....	144	11	14	2	3	6	7	10	14	12	12
1994.....	164	12	12	4	2	4	4	8	17	20	11
1993.....	153	19	7	-	2	6	8	12	8	10	11
1992.....	142	16	8	2	3	9	5	11	6	11	12
1991.....	149	11	14	1	5	5	4	4	17	12	9
1990.....	219	21	11	2	7	3	7	6	19	11	16
1989.....	239	11	9	5	5	3	7	11	11	12	12
1988.....	235	15	12	1	4	6	10	5	9	13	9
1987.....	246	19	15	4	5	3	6	5	11	13	13
1986.....	238	15	13	1	1	6	6	5	17	16	14
1985.....	229	11	10	2	3	8	8	13	11	13	12
1984.....	256	10	17	3	1	5	8	9	15	9	15
1983.....	195	8	2	-	2	5	2	7	16	15	10
1982.....	197	6	9	1	3	3	6	8	9	10	11
1981.....	246	9	6	1	6	5	4	2	8	6	11
1980.....	265	8	7	5	2	8	5	5	17	16	8
1979.....	272	9	2	3	5	7	6	7	7	11	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)											
BLACK MALE											
1998.....	76	6	5	2	1	2	6	10	4	5	2
1997.....	63	7	4	1	1	1	4	1	10	3	8
1996.....	61	5	1	1	-	5	4	10	7	4	2
1995.....	81	6	10	1	2	-	4	5	11	6	6
1994.....	99	7	8	1	2	3	1	4	11	12	9
1993.....	70	6	5	-	1	4	5	5	4	4	7
1992.....	75	10	7	-	1	7	2	6	2	6	5
1991.....	83	6	7	1	2	4	4	4	8	6	5
1990.....	99	7	4	-	1	3	4	4	8	7	6
1989.....	117	3	4	4	-	1	4	5	9	6	1
1988.....	140	6	7	-	3	4	7	2	4	8	9
1987.....	126	11	9	3	3	2	4	2	5	7	8
1986.....	138	7	9	1	1	4	6	1	10	8	10
1985.....	126	7	3	1	1	5	4	10	4	8	8
1984.....	148	4	10	2	-	4	7	6	11	3	11
1983.....	94	6	2	-	1	3	2	2	6	10	6
1982.....	97	2	3	1	2	2	5	3	7	6	5
1981.....	126	4	1	1	2	4	2	1	6	3	7
1980.....	132	4	6	-	-	6	4	5	10	8	4
1979.....	135	2	1	2	-	5	2	3	5	6	3
BLACK FEMALE											
1998.....	72	7	8	2	2	3	2	3	9	7	6
1997.....	65	5	3	-	2	1	2	4	2	8	4
1996.....	60	3	4	3	3	2	-	4	6	6	7
1995.....	63	5	4	1	1	6	3	5	3	6	6
1994.....	65	5	4	3	-	1	3	4	6	8	2
1993.....	83	13	2	-	1	2	3	7	4	6	4
1992.....	67	6	1	2	2	2	3	5	4	5	7
1991.....	66	5	7	-	3	1	-	-	9	6	4
1990.....	120	14	7	2	6	-	3	2	11	4	10
1989.....	122	8	5	1	5	2	3	6	2	6	11
1988.....	95	9	5	1	1	2	3	3	5	5	-
1987.....	120	8	6	1	2	1	2	3	6	6	5
1986.....	100	8	4	-	-	2	-	4	7	8	4
1985.....	103	4	7	1	2	3	4	3	7	5	4
1984.....	108	6	7	1	1	1	1	3	4	6	4
1983.....	101	2	-	-	1	2	-	5	10	5	4
1982.....	100	4	6	-	1	1	1	5	2	4	6
1981.....	120	5	5	-	4	1	2	1	2	3	4
1980.....	133	4	1	5	2	2	1	-	7	8	4
1979.....	137	7	1	1	5	2	4	4	2	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)											
TOTAL, BOTH SEXES											
1998.....	146,125	297	118	93	100	232	352	488	810	1,566	2,688
1997.....	145,678	314	129	75	109	237	350	488	817	1,491	2,519
1996.....	144,705	307	115	79	139	235	308	491	896	1,493	2,419
1995.....	146,388	325	139	77	106	242	332	468	925	1,602	2,459
1994.....	144,578	351	165	76	128	231	313	521	895	1,574	2,357
1993.....	147,056	340	173	70	103	208	325	508	882	1,514	2,353
1992.....	138,716	402	161	73	95	191	326	497	883	1,379	2,216
1991.....	138,281	372	189	80	92	217	341	509	856	1,317	2,080
1990.....	135,826	436	172	73	96	201	270	477	794	1,197	1,917
1989.....	140,308	435	175	75	98	201	306	486	814	1,237	1,816
1988.....	155,044	550	228	96	117	237	346	539	856	1,269	1,917
1987.....	150,572	624	195	91	106	241	330	524	863	1,212	1,891
1986.....	148,707	644	247	92	102	219	354	532	829	1,221	1,753
1985.....	140,894	585	214	87	119	236	327	442	682	1,070	1,638
1984.....	133,661	609	210	89	103	189	364	434	722	1,014	1,531
1983.....	129,742	647	217	82	104	226	355	466	686	918	1,471
1982.....	118,192	515	168	80	120	216	316	381	562	906	1,384
1981.....	115,465	499	232	76	95	205	333	437	598	839	1,367
1980.....	111,807	553	206	71	97	248	337	391	545	807	1,303
1979.....	102,256	468	166	64	95	198	299	366	470	720	1,230
TOTAL, MALE											
1998.....	73,211	164	69	61	60	160	236	338	575	1,094	1,937
1997.....	73,235	180	77	40	72	165	239	322	576	1,062	1,817
1996.....	73,044	167	66	39	87	152	221	336	626	1,082	1,750
1995.....	73,789	177	79	44	60	169	234	326	665	1,169	1,785
1994.....	73,186	193	95	38	77	167	221	342	619	1,090	1,710
1993.....	74,355	206	104	30	64	152	220	358	606	1,081	1,724
1992.....	70,371	220	87	45	55	150	225	334	620	1,005	1,665
1991.....	70,447	240	105	44	51	151	233	350	602	967	1,512
1990.....	69,089	250	90	44	60	148	188	330	563	890	1,456
1989.....	70,979	244	99	44	50	141	226	334	574	921	1,342
1988.....	78,534	307	114	56	81	171	229	370	629	925	1,418
1987.....	76,191	356	103	50	59	157	232	344	602	885	1,407
1986.....	75,784	385	136	49	61	161	252	354	571	888	1,295
1985.....	71,766	341	105	39	60	163	231	291	482	775	1,167
1984.....	68,422	350	115	44	53	134	252	284	516	724	1,126
1983.....	66,513	361	124	42	61	152	234	319	468	651	1,070
1982.....	60,557	308	95	44	58	156	206	254	372	640	986
1981.....	59,612	274	115	41	54	135	223	290	384	585	966
1980.....	57,713	320	113	39	59	159	243	263	344	592	929
1979.....	53,299	269	96	33	51	131	209	227	307	488	889

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)											
TOTAL, FEMALE											
1998.....	72,914	133	49	32	40	72	116	150	235	472	751
1997.....	72,443	134	52	35	37	72	111	166	241	429	702
1996.....	71,661	140	49	40	52	83	87	155	270	411	669
1995.....	72,599	148	60	33	46	73	98	142	260	433	674
1994.....	71,392	158	70	38	51	64	92	179	276	484	647
1993.....	72,701	134	69	40	39	56	105	150	276	433	629
1992.....	68,345	182	74	28	40	41	101	163	263	374	551
1991.....	67,834	132	84	36	41	66	108	159	254	350	568
1990.....	66,737	186	82	29	36	53	82	147	231	307	461
1989.....	69,329	191	76	31	48	60	80	152	240	316	474
1988.....	76,510	243	114	40	36	66	117	169	227	344	499
1987.....	74,381	268	92	41	47	84	98	180	261	327	484
1986.....	72,923	259	111	43	41	58	102	178	258	333	458
1985.....	69,128	244	109	48	59	73	96	151	200	295	471
1984.....	65,239	259	95	45	50	55	112	150	206	290	405
1983.....	63,229	286	93	40	43	74	121	147	218	267	401
1982.....	57,635	207	73	36	62	60	110	127	190	266	398
1981.....	55,853	225	117	35	41	70	110	147	214	254	401
1980.....	54,094	233	93	32	38	89	94	128	201	215	374
1979.....	48,957	199	70	31	44	67	90	139	163	232	341
WHITE, BOTH SEXES											
1998.....	122,420	201	80	63	64	156	223	299	527	1,063	1,847
1997.....	122,682	226	83	47	77	159	219	311	543	1,007	1,755
1996.....	121,400	203	62	60	88	145	181	315	575	1,018	1,664
1995.....	122,526	223	91	54	62	144	197	282	611	1,066	1,683
1994.....	121,218	231	91	57	92	146	190	323	548	1,050	1,621
1993.....	122,814	226	107	40	73	138	210	299	574	994	1,567
1992.....	115,854	267	104	46	62	119	208	298	558	894	1,459
1991.....	115,543	252	117	55	63	159	217	328	536	826	1,402
1990.....	113,462	273	114	57	68	145	172	313	487	756	1,262
1989.....	116,868	306	108	54	66	140	195	318	518	791	1,214
1988.....	130,095	382	151	67	86	164	232	343	549	820	1,291
1987.....	126,433	453	130	68	72	171	223	340	525	759	1,298
1986.....	124,890	463	164	63	72	161	248	347	493	789	1,202
1985.....	119,041	394	134	66	77	163	230	295	438	705	1,127
1984.....	113,117	436	149	67	69	132	247	280	457	667	1,076
1983.....	109,443	434	141	59	80	154	242	299	456	610	1,024
1982.....	100,291	361	116	59	96	165	222	259	360	624	942
1981.....	97,997	352	159	59	65	145	231	266	403	555	922
1980.....	94,244	373	136	51	74	167	230	255	328	502	856
1979.....	86,693	300	113	52	69	157	210	251	331	460	817

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)											
WHITE MALE											
1998.....	60,665	113	43	47	35	106	147	207	394	756	1,406
1997.....	60,955	137	46	31	50	114	150	212	391	750	1,312
1996.....	60,614	112	42	29	51	96	131	230	428	779	1,275
1995.....	60,992	117	53	28	34	103	138	204	442	818	1,276
1994.....	60,753	132	55	29	51	108	134	213	393	746	1,232
1993.....	61,336	139	66	16	47	104	144	214	397	735	1,204
1992.....	58,012	151	54	32	34	91	147	199	408	680	1,179
1991.....	58,063	170	60	29	34	111	147	230	390	610	1,085
1990.....	57,058	155	58	34	45	107	125	217	355	584	984
1989.....	58,329	173	59	33	39	101	147	233	368	602	943
1988.....	65,119	214	74	37	60	123	157	249	409	624	989
1987.....	63,253	260	70	42	38	113	156	228	375	555	993
1986.....	62,767	281	90	37	43	121	177	237	345	599	904
1985.....	59,917	234	70	28	38	110	167	197	300	518	823
1984.....	57,311	254	83	32	35	92	165	187	338	488	816
1983.....	55,531	249	78	33	45	101	164	207	312	450	752
1982.....	50,785	226	64	36	46	119	149	178	245	452	696
1981.....	50,022	186	75	28	37	101	155	175	257	398	674
1980.....	48,062	228	74	30	45	108	168	172	207	368	634
1979.....	44,621	175	65	32	38	99	150	156	222	332	610
WHITE FEMALE											
1998.....	61,755	88	37	16	29	50	76	92	133	307	441
1997.....	61,727	89	37	16	27	45	69	99	152	257	443
1996.....	60,786	91	20	31	37	49	50	85	147	239	389
1995.....	61,534	106	38	26	28	41	59	78	169	248	407
1994.....	60,465	99	36	28	41	38	56	110	155	304	389
1993.....	61,478	87	41	24	26	34	66	85	177	259	363
1992.....	57,842	116	50	14	28	28	61	99	150	214	280
1991.....	57,480	82	57	26	29	48	70	98	146	216	317
1990.....	56,404	118	56	23	23	38	47	96	132	172	278
1989.....	58,539	133	49	21	27	39	48	85	150	189	271
1988.....	64,976	168	77	30	26	41	75	94	140	196	302
1987.....	63,180	193	60	26	34	58	67	112	150	204	305
1986.....	62,123	182	74	26	29	40	71	110	148	190	298
1985.....	59,124	160	64	38	39	53	63	98	138	187	304
1984.....	55,806	182	66	35	34	40	82	93	119	179	260
1983.....	53,912	185	63	26	35	53	78	92	144	160	272
1982.....	49,506	135	52	23	50	46	73	81	115	172	246
1981.....	47,975	166	84	31	28	44	76	91	146	157	248
1980.....	46,182	145	62	21	29	59	62	83	121	134	222
1979.....	42,072	125	48	20	31	58	60	95	109	128	207

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)											
ALL OTHER, BOTH SEXES											
1998.....	23,705	96	38	30	36	76	129	189	283	503	841
1997.....	22,996	88	46	28	32	78	131	177	274	484	764
1996.....	23,305	104	53	19	51	90	127	176	321	475	755
1995.....	23,862	102	48	23	44	98	135	186	314	536	776
1994.....	23,360	120	74	19	36	85	123	198	347	524	736
1993.....	24,242	114	66	30	30	70	115	209	308	520	786
1992.....	22,862	135	57	27	33	72	118	199	325	485	757
1991.....	22,738	120	72	25	29	58	124	181	320	491	678
1990.....	22,364	163	58	16	28	56	98	164	307	441	655
1989.....	23,440	129	67	21	32	61	111	168	296	446	602
1988.....	24,949	168	77	29	31	73	114	196	307	449	626
1987.....	24,139	171	65	23	34	70	107	184	338	453	593
1986.....	23,817	181	83	29	30	58	106	185	336	432	551
1985.....	21,853	191	80	21	42	73	97	147	244	365	511
1984.....	20,544	173	61	22	34	57	117	154	265	347	455
1983.....	20,299	213	76	23	24	72	113	167	230	308	447
1982.....	17,901	154	52	21	24	51	94	122	202	282	442
1981.....	17,468	147	73	17	30	60	102	171	195	284	445
1980.....	17,563	180	70	20	23	81	107	136	217	305	447
1979.....	15,563	168	53	12	26	41	89	115	139	260	413
ALL OTHER MALE											
1998.....	12,546	51	26	14	25	54	89	131	181	338	531
1997.....	12,280	43	31	9	22	51	89	110	185	312	505
1996.....	12,430	55	24	10	36	56	90	106	198	303	475
1995.....	12,797	60	26	16	26	66	96	122	223	351	509
1994.....	12,433	61	40	9	26	59	87	129	226	344	478
1993.....	13,019	67	38	14	17	48	76	144	209	346	520
1992.....	12,359	69	33	13	21	59	78	135	212	325	486
1991.....	12,384	70	45	15	17	40	86	120	212	357	427
1990.....	12,031	95	32	10	15	41	63	113	208	306	472
1989.....	12,650	71	40	11	11	40	79	101	206	319	399
1988.....	13,415	93	40	19	21	48	72	121	220	301	429
1987.....	12,938	96	33	8	21	44	76	116	227	330	414
1986.....	13,017	104	46	12	18	40	75	117	226	289	391
1985.....	11,849	107	35	11	22	53	64	94	182	257	344
1984.....	11,111	96	32	12	18	42	87	97	178	236	310
1983.....	10,982	112	46	9	16	51	70	112	156	201	318
1982.....	9,772	82	31	8	12	37	57	76	127	188	290
1981.....	9,590	88	40	13	17	34	68	115	127	187	292
1980.....	9,651	92	39	9	14	51	75	91	137	224	295
1979.....	8,678	94	31	1	13	32	59	71	85	156	279

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)											
ALL OTHER FEMALE											
1998.....	11,159	45	12	16	11	22	40	58	102	165	310
1997.....	10,716	45	15	19	10	27	42	67	89	172	259
1996.....	10,875	49	29	9	15	34	37	70	123	172	280
1995.....	11,065	42	22	7	18	32	39	64	91	185	267
1994.....	10,927	59	34	10	10	26	36	69	121	180	258
1993.....	11,223	47	28	16	13	22	39	65	99	174	266
1992.....	10,503	66	24	14	12	13	40	64	113	160	271
1991.....	10,354	50	27	10	12	18	38	61	108	134	251
1990.....	10,333	68	26	6	13	15	35	51	99	135	183
1989.....	10,790	58	27	10	21	21	32	67	90	127	203
1988.....	11,534	75	37	10	10	25	42	75	87	148	197
1987.....	11,201	75	32	15	13	26	31	68	111	123	179
1986.....	10,800	77	37	17	12	18	31	68	110	143	160
1985.....	10,004	84	45	10	20	20	33	53	62	108	167
1984.....	9,433	77	29	10	16	15	30	57	87	111	145
1983.....	9,317	101	30	14	8	21	43	55	74	107	129
1982.....	8,129	72	21	13	12	14	37	46	75	94	152
1981.....	7,878	59	33	4	13	26	34	56	68	97	153
1980.....	7,912	88	31	11	9	30	32	45	80	81	152
1979.....	6,885	74	22	11	13	9	30	44	54	104	134
BLACK, BOTH SEXES											
1998.....	21,180	75	31	26	32	71	109	169	263	453	778
1997.....	20,577	74	40	26	30	72	112	156	244	437	699
1996.....	20,935	94	44	14	43	85	117	164	289	437	695
1995.....	21,583	91	44	19	39	93	123	168	291	493	728
1994.....	21,180	106	66	14	31	78	112	183	322	492	681
1993.....	22,100	95	54	27	27	62	109	193	283	491	727
1992.....	20,933	125	52	22	29	64	109	187	298	451	695
1991.....	20,911	105	65	21	25	52	114	168	299	454	653
1990.....	20,531	143	52	13	22	52	88	151	288	407	601
1989.....	21,730	112	57	18	26	55	106	153	287	427	563
1988.....	23,302	151	68	26	27	68	110	188	292	421	587
1987.....	22,585	144	55	16	33	68	100	162	319	422	558
1986.....	22,419	162	76	23	28	52	100	176	320	411	519
1985.....	20,502	168	75	19	38	70	90	140	230	343	482
1984.....	19,382	161	52	21	31	56	100	147	241	329	438
1983.....	19,184	193	69	19	20	69	109	155	218	294	424
1982.....	17,016	139	46	20	21	47	91	113	190	267	413
1981.....	16,686	132	62	17	28	56	101	164	181	268	426
1980.....	16,796	164	64	20	19	75	100	131	213	287	422
1979.....	14,883	151	49	12	23	39	85	104	134	243	397

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)											
BLACK MALE											
1998.....	11,034	43	22	13	22	52	76	115	167	298	486
1997.....	10,867	35	29	9	21	47	75	96	160	273	461
1996.....	11,015	50	21	7	30	53	84	96	173	274	432
1995.....	11,494	55	25	13	24	62	85	109	205	320	477
1994.....	11,110	53	34	7	22	54	77	114	207	325	433
1993.....	11,759	53	30	12	16	41	72	131	188	324	475
1992.....	11,201	65	30	10	19	51	69	125	194	305	437
1991.....	11,257	58	40	12	15	35	78	113	195	329	411
1990.....	10,912	84	30	9	13	37	55	102	193	279	431
1989.....	11,604	61	35	10	8	37	74	94	199	305	365
1988.....	12,412	82	34	18	19	43	69	117	207	283	399
1987.....	11,953	80	30	6	21	42	71	98	211	305	387
1986.....	12,161	95	40	9	16	37	69	111	213	274	368
1985.....	11,038	94	33	10	20	51	58	87	172	244	323
1984.....	10,383	89	27	11	17	41	72	90	159	224	296
1983.....	10,265	102	42	8	14	49	66	101	146	188	301
1982.....	9,230	75	26	8	12	35	54	71	120	176	270
1981.....	9,100	82	34	13	16	33	68	109	118	178	280
1980.....	9,158	84	36	9	14	45	69	87	135	207	278
1979.....	8,271	82	29	1	12	31	56	66	83	143	270
BLACK FEMALE											
1998.....	10,146	32	9	13	10	19	33	54	96	155	292
1997.....	9,710	39	11	17	9	25	37	60	84	164	238
1996.....	9,920	44	23	7	13	32	33	68	116	163	263
1995.....	10,089	36	19	6	15	31	38	59	86	173	251
1994.....	10,070	53	32	7	9	24	35	69	115	167	248
1993.....	10,341	42	24	15	11	21	37	62	95	167	252
1992.....	9,732	60	22	12	10	13	40	62	104	146	258
1991.....	9,654	47	25	9	10	17	36	55	104	125	242
1990.....	9,619	59	22	4	9	15	33	49	95	128	170
1989.....	10,126	51	22	8	18	18	32	59	88	122	198
1988.....	10,890	69	34	8	8	25	41	71	85	138	188
1987.....	10,632	64	25	10	12	26	29	64	108	117	171
1986.....	10,258	67	36	14	12	15	31	65	107	137	151
1985.....	9,464	74	42	9	18	19	32	53	58	99	159
1984.....	8,999	72	25	10	14	15	28	57	82	105	142
1983.....	8,919	91	27	11	6	20	43	54	72	106	123
1982.....	7,786	64	20	12	9	12	37	42	70	91	143
1981.....	7,586	50	28	4	12	23	33	55	63	90	146
1980.....	7,638	80	28	11	5	30	31	44	78	80	144
1979.....	6,612	69	20	11	11	8	29	38	51	100	127

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CEREBROVASCULAR DISEASES (430-438)											
TOTAL, BOTH SEXES											
1998.....	158,448	296	57	35	47	65	113	233	437	979	1,671
1997.....	159,791	264	56	25	51	71	117	203	475	981	1,806
1996.....	159,942	233	49	42	42	61	106	220	500	1,029	1,693
1995.....	157,991	223	57	28	42	54	118	204	516	1,098	1,674
1994.....	153,306	197	54	28	46	63	120	235	567	1,019	1,698
1993.....	150,108	214	49	33	46	74	134	247	550	993	1,526
1992.....	143,769	166	50	27	37	67	130	253	543	996	1,595
1991.....	143,481	159	57	34	52	78	141	275	538	981	1,549
1990.....	144,088	148	45	33	40	74	160	334	603	957	1,458
1989.....	145,551	127	40	32	51	66	166	310	603	948	1,406
1988.....	150,517	152	55	32	40	78	188	342	627	964	1,459
1987.....	149,835	127	54	31	42	74	170	361	606	982	1,428
1986.....	149,643	109	37	25	48	81	182	362	598	984	1,367
1985.....	153,050	135	48	31	51	96	211	330	572	906	1,366
1984.....	154,327	111	53	47	59	113	216	361	562	902	1,392
1983.....	155,598	144	49	47	44	114	222	364	514	894	1,258
1982.....	157,710	133	43	42	68	107	188	362	581	866	1,291
1981.....	163,504	132	44	42	50	116	253	389	625	916	1,315
1980.....	170,225	155	59	44	51	141	277	390	575	861	1,328
1979.....	169,488	156	40	44	60	120	259	372	575	890	1,387
TOTAL, MALE											
1998.....	61,145	174	25	17	31	45	64	107	220	485	891
1997.....	62,564	147	36	17	27	41	65	103	232	498	921
1996.....	62,475	125	24	26	22	32	64	107	244	515	930
1995.....	61,563	125	36	16	26	33	64	115	263	566	919
1994.....	60,225	115	36	13	29	29	69	111	267	515	952
1993.....	59,048	119	28	21	27	37	57	146	274	541	824
1992.....	56,645	109	23	19	21	36	82	129	271	523	843
1991.....	56,714	84	32	17	28	37	68	126	261	536	839
1990.....	56,697	88	22	18	18	45	83	155	300	503	757
1989.....	57,321	71	19	15	33	32	83	159	299	531	741
1988.....	59,759	83	28	10	20	45	99	174	347	523	789
1987.....	59,061	75	33	22	20	36	84	180	309	529	744
1986.....	59,164	64	20	12	23	43	99	176	314	533	729
1985.....	60,780	87	26	12	24	58	92	171	296	480	675
1984.....	61,697	65	27	24	31	57	118	186	280	467	713
1983.....	62,847	87	30	24	18	61	115	190	280	457	611
1982.....	63,855	82	24	20	40	63	89	197	290	438	636
1981.....	66,429	81	22	23	22	57	130	193	318	463	650
1980.....	69,973	90	28	22	24	79	161	189	293	418	677
1979.....	70,439	86	23	25	33	62	136	202	287	460	706

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CEREBROVASCULAR DISEASES (430-438)											
TOTAL, FEMALE											
1998.....	97,303	122	32	18	16	20	49	126	217	494	780
1997.....	97,227	117	20	8	24	30	52	100	243	483	885
1996.....	97,467	108	25	16	20	29	42	113	256	514	763
1995.....	96,428	98	21	12	16	21	54	89	253	532	755
1994.....	93,081	82	18	15	17	34	51	124	300	504	746
1993.....	91,060	95	21	12	19	37	77	101	276	452	702
1992.....	87,124	57	27	8	16	31	48	124	272	473	752
1991.....	86,767	75	25	17	24	41	73	149	277	445	710
1990.....	87,391	60	23	15	22	29	77	179	303	454	701
1989.....	88,230	56	21	17	18	34	83	151	304	417	665
1988.....	90,758	69	27	22	20	33	89	168	280	441	670
1987.....	90,774	52	21	9	22	38	86	181	297	453	684
1986.....	90,479	45	17	13	25	38	83	186	284	451	638
1985.....	92,270	48	22	19	27	38	119	159	276	426	691
1984.....	92,630	46	26	23	28	56	98	175	282	435	679
1983.....	92,751	57	19	23	26	53	107	174	234	437	647
1982.....	93,855	51	19	22	28	44	99	165	291	428	655
1981.....	97,075	51	22	19	28	59	123	196	307	453	665
1980.....	100,252	65	31	22	27	62	116	201	282	443	651
1979.....	99,049	70	17	19	27	58	123	170	288	430	681
WHITE, BOTH SEXES											
1998.....	136,855	198	34	24	34	47	81	161	284	664	1,034
1997.....	138,324	179	36	17	37	60	76	145	323	633	1,093
1996.....	138,296	160	34	36	32	49	84	160	334	658	1,049
1995.....	136,481	161	34	23	32	40	79	141	358	701	1,010
1994.....	132,497	140	39	25	32	45	88	161	372	615	1,022
1993.....	129,992	154	35	22	31	57	102	168	378	640	954
1992.....	124,371	104	38	20	30	51	96	170	355	607	981
1991.....	123,720	103	37	25	41	59	103	181	347	601	990
1990.....	124,526	89	33	24	31	58	113	247	375	576	900
1989.....	125,516	84	27	24	38	44	116	211	386	571	879
1988.....	130,075	93	39	26	29	57	150	239	374	585	933
1987.....	130,047	86	42	23	33	60	118	247	388	608	945
1986.....	130,006	66	24	20	38	65	129	234	387	634	876
1985.....	133,032	90	33	26	44	64	156	233	364	591	878
1984.....	134,404	77	35	35	38	90	146	246	354	594	934
1983.....	135,596	99	40	39	30	90	156	260	339	583	834
1982.....	137,641	84	31	34	54	79	139	242	385	584	821
1981.....	142,765	83	35	35	38	88	183	257	427	628	870
1980.....	148,734	103	44	36	36	111	192	267	371	584	886
1979.....	148,416	97	31	35	50	95	191	256	391	574	931

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CEREBROVASCULAR DISEASES (430-438)											
WHITE MALE											
1998.....	51,766	117	13	11	22	31	54	79	151	332	575
1997.....	53,158	99	21	12	19	35	42	69	167	334	586
1996.....	53,016	89	18	22	20	28	49	89	164	329	609
1995.....	52,045	93	22	15	21	24	43	84	187	363	565
1994.....	51,009	86	26	12	21	22	51	80	188	324	574
1993.....	50,220	84	20	13	18	30	38	109	201	366	516
1992.....	48,073	67	19	14	16	29	61	94	191	314	522
1991.....	47,839	55	18	12	23	31	57	85	175	330	528
1990.....	48,024	49	13	13	15	38	61	117	202	309	472
1989.....	48,563	45	12	11	26	23	61	116	201	313	463
1988.....	50,692	50	20	7	17	36	80	126	205	309	513
1987.....	50,237	56	27	16	16	29	61	123	209	312	481
1986.....	50,365	39	14	10	19	33	73	119	208	350	452
1985.....	51,965	57	16	11	22	43	67	125	196	305	434
1984.....	52,833	40	16	14	19	51	81	139	182	303	475
1983.....	53,968	62	27	20	12	53	82	137	190	301	399
1982.....	54,726	54	18	15	31	51	67	136	204	280	401
1981.....	57,000	51	17	20	18	44	93	136	214	309	417
1980.....	60,095	57	21	18	14	64	113	136	187	271	445
1979.....	60,613	52	18	20	29	49	106	149	195	279	454
WHITE FEMALE											
1998.....	85,089	81	21	13	12	16	27	82	133	332	459
1997.....	85,166	80	15	5	18	25	34	76	156	299	507
1996.....	85,280	71	16	14	12	21	35	71	170	329	440
1995.....	84,436	68	12	8	11	16	36	57	171	338	445
1994.....	81,488	54	13	13	11	23	37	81	184	291	448
1993.....	79,772	70	15	9	13	27	64	59	177	274	438
1992.....	76,298	37	19	6	14	22	35	76	164	293	459
1991.....	75,881	48	19	13	18	28	46	96	172	271	462
1990.....	76,502	40	20	11	16	20	52	130	173	267	428
1989.....	76,953	39	15	13	12	21	55	95	185	258	416
1988.....	79,383	43	19	19	12	21	70	113	169	276	420
1987.....	79,810	30	15	7	17	31	57	124	179	296	464
1986.....	79,641	27	10	10	19	32	56	115	179	284	424
1985.....	81,067	33	17	15	22	21	89	108	168	286	444
1984.....	81,571	37	19	21	19	39	65	107	172	291	459
1983.....	81,628	37	13	19	18	37	74	123	149	282	435
1982.....	82,915	30	13	19	23	28	72	106	181	304	420
1981.....	85,765	32	18	15	20	44	90	121	213	319	453
1980.....	88,639	46	23	18	22	47	79	131	184	313	441
1979.....	87,803	45	13	15	21	46	85	107	196	295	477

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CEREBROVASCULAR DISEASES (430-438)											
ALL OTHER, BOTH SEXES											
1998.....	21,593	98	23	11	13	18	32	72	153	315	637
1997.....	21,467	85	20	8	14	11	41	58	152	348	713
1996.....	21,646	73	15	6	10	12	22	60	166	371	644
1995.....	21,510	62	23	5	10	14	39	63	158	397	664
1994.....	20,809	57	15	3	14	18	32	74	195	404	676
1993.....	20,116	60	14	11	15	17	32	79	172	353	572
1992.....	19,398	62	12	7	7	16	34	83	188	389	614
1991.....	19,761	56	20	9	11	19	38	94	191	380	559
1990.....	19,562	59	12	9	9	16	47	87	228	381	558
1989.....	20,035	43	13	8	13	22	50	99	217	377	527
1988.....	20,442	59	16	6	11	21	38	103	253	379	526
1987.....	19,788	41	12	8	9	14	52	114	218	374	483
1986.....	19,637	43	13	5	10	16	53	128	211	350	491
1985.....	20,018	45	15	5	7	32	55	97	208	315	488
1984.....	19,923	34	18	12	21	23	70	115	208	308	458
1983.....	20,002	45	9	8	14	24	66	104	175	311	424
1982.....	20,069	49	12	8	14	28	49	120	196	282	470
1981.....	20,739	49	9	7	12	28	70	132	198	288	445
1980.....	21,491	52	15	8	15	30	85	123	204	277	442
1979.....	21,072	59	9	9	10	25	68	116	184	316	456
ALL OTHER MALE											
1998.....	9,379	57	12	6	9	14	10	28	69	153	316
1997.....	9,406	48	15	5	8	6	23	34	65	164	335
1996.....	9,459	36	6	4	2	4	15	18	80	186	321
1995.....	9,518	32	14	1	5	9	21	31	76	203	354
1994.....	9,216	29	10	1	8	7	18	31	79	191	378
1993.....	8,828	35	8	8	9	7	19	37	73	175	308
1992.....	8,572	42	4	5	5	7	21	35	80	209	321
1991.....	8,875	29	14	5	5	6	11	41	86	206	311
1990.....	8,673	39	9	5	3	7	22	38	98	194	285
1989.....	8,758	26	7	4	7	9	22	43	98	218	278
1988.....	9,067	33	8	3	3	9	19	48	142	214	276
1987.....	8,824	19	6	6	4	7	23	57	100	217	263
1986.....	8,799	25	6	2	4	10	26	57	106	183	277
1985.....	8,815	30	10	1	2	15	25	46	100	175	241
1984.....	8,864	25	11	10	12	6	37	47	98	164	238
1983.....	8,879	25	3	4	6	8	33	53	90	156	212
1982.....	9,129	28	6	5	9	12	22	61	86	158	235
1981.....	9,429	30	5	3	4	13	37	57	104	154	233
1980.....	9,878	33	7	4	10	15	48	53	106	147	232
1979.....	9,826	34	5	5	4	13	30	53	92	181	252

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CEREBROVASCULAR DISEASES (430-438)											
ALL OTHER FEMALE											
1998.....	12,214	41	11	5	4	4	22	44	84	162	321
1997.....	12,061	37	5	3	6	5	18	24	87	184	378
1996.....	12,187	37	9	2	8	8	7	42	86	185	323
1995.....	11,992	30	9	4	5	5	18	32	82	194	310
1994.....	11,593	28	5	2	6	11	14	43	116	213	298
1993.....	11,288	25	6	3	6	10	13	42	99	178	264
1992.....	10,826	20	8	2	2	9	13	48	108	180	293
1991.....	10,886	27	6	4	6	13	27	53	105	174	248
1990.....	10,889	20	3	4	6	9	25	49	130	187	273
1989.....	11,277	17	6	4	6	13	28	56	119	159	249
1988.....	11,375	26	8	3	8	12	19	55	111	165	250
1987.....	10,964	22	6	2	5	7	29	57	118	157	220
1986.....	10,838	18	7	3	6	6	27	71	105	167	214
1985.....	11,203	15	5	4	5	17	30	51	108	140	247
1984.....	11,059	9	7	2	9	17	33	68	110	144	220
1983.....	11,123	20	6	4	8	16	33	51	85	155	212
1982.....	10,940	21	6	3	5	16	27	59	110	124	235
1981.....	11,310	19	4	4	8	15	33	75	94	134	212
1980.....	11,613	19	8	4	5	15	37	70	98	130	210
1979.....	11,246	25	4	4	6	12	38	63	92	135	204
BLACK, BOTH SEXES											
1998.....	18,237	90	20	11	11	15	26	67	130	283	582
1997.....	18,131	73	19	8	13	8	35	49	133	304	639
1996.....	18,481	63	14	5	9	12	18	50	151	334	582
1995.....	18,537	57	21	4	7	10	32	58	139	361	597
1994.....	18,022	53	11	3	13	16	28	65	179	366	612
1993.....	17,557	48	11	9	11	13	27	75	155	316	533
1992.....	17,044	59	11	5	6	13	30	73	172	356	573
1991.....	17,362	49	17	9	11	16	33	82	179	347	513
1990.....	17,407	52	10	6	9	13	42	74	206	353	516
1989.....	17,979	38	9	7	12	20	44	91	203	347	472
1988.....	18,479	52	14	5	10	21	34	94	236	354	479
1987.....	17,907	39	11	7	7	12	43	102	202	351	449
1986.....	17,952	38	10	4	9	15	44	117	204	324	461
1985.....	18,341	43	14	5	6	28	50	94	198	290	452
1984.....	18,369	32	14	10	17	23	60	106	191	280	431
1983.....	18,562	41	7	7	12	24	61	98	168	288	389
1982.....	18,698	42	12	7	13	27	49	115	187	264	447
1981.....	19,416	45	7	7	11	24	66	124	187	275	419
1980.....	20,135	47	11	7	14	29	81	118	192	262	420
1979.....	19,837	56	9	9	10	22	62	110	171	299	433

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
CEREBROVASCULAR DISEASES (430-438)											
BLACK MALE											
1998.....	7,765	51	10	6	8	13	9	26	55	134	283
1997.....	7,794	41	15	5	8	6	19	30	57	142	294
1996.....	7,972	30	6	3	2	4	12	15	70	163	284
1995.....	8,011	30	14	1	4	7	16	28	63	178	307
1994.....	7,826	28	8	1	8	6	17	24	71	171	342
1993.....	7,599	30	7	7	7	6	15	34	64	152	290
1992.....	7,421	39	4	3	5	5	19	33	72	186	301
1991.....	7,685	25	12	5	5	5	8	35	81	186	286
1990.....	7,653	33	9	3	3	5	20	30	89	178	267
1989.....	7,739	24	4	4	6	8	20	38	89	204	248
1988.....	8,098	28	6	2	3	9	16	43	132	199	250
1987.....	7,852	17	5	5	3	6	19	48	90	205	246
1986.....	7,938	23	6	2	3	9	22	50	102	169	264
1985.....	8,000	28	9	1	2	14	22	44	94	164	228
1984.....	8,093	23	9	8	9	6	28	43	92	151	226
1983.....	8,139	21	2	4	6	8	31	48	85	143	196
1982.....	8,414	23	6	4	8	12	22	57	82	146	226
1981.....	8,760	27	4	3	4	10	34	53	99	150	222
1980.....	9,194	30	6	4	10	14	45	52	99	141	220
1979.....	9,186	33	5	5	4	12	27	52	85	173	244
BLACK FEMALE											
1998.....	10,472	39	10	5	3	2	17	41	75	149	299
1997.....	10,337	32	4	3	5	2	16	19	76	162	345
1996.....	10,509	33	8	2	7	8	6	35	81	171	298
1995.....	10,526	27	7	3	3	3	16	30	76	183	290
1994.....	10,196	25	3	2	5	10	11	41	108	195	270
1993.....	9,958	18	4	2	4	7	12	41	91	164	243
1992.....	9,623	20	7	2	1	8	11	40	100	170	272
1991.....	9,677	24	5	4	6	11	25	47	98	161	227
1990.....	9,754	19	1	3	6	8	22	44	117	175	249
1989.....	10,240	14	5	3	6	12	24	53	114	143	224
1988.....	10,381	24	8	3	7	12	18	51	104	155	229
1987.....	10,055	22	6	2	4	6	24	54	112	146	203
1986.....	10,014	15	4	2	6	6	22	67	102	155	197
1985.....	10,341	15	5	4	4	14	28	50	104	126	224
1984.....	10,276	9	5	2	8	17	32	63	99	129	205
1983.....	10,423	20	5	3	6	16	30	50	83	145	193
1982.....	10,284	19	6	3	5	15	27	58	105	118	221
1981.....	10,656	18	3	4	7	14	32	71	88	125	197
1980.....	10,941	17	5	3	4	15	36	66	93	121	200
1979.....	10,651	23	4	4	6	10	35	58	86	126	189

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUBARACHNOID HEMORRHAGE (430)											
TOTAL, BOTH SEXES											
1998.....	6,858	3	4	3	13	13	50	87	175	379	566
1997.....	6,942	3	2	4	12	14	45	81	172	362	599
1996.....	6,891	3	2	4	11	21	43	97	202	394	550
1995.....	6,972	1	2	9	11	15	36	84	211	454	557
1994.....	6,855	5	5	7	11	19	45	104	245	387	578
1993.....	6,687	2	7	5	12	26	57	103	258	381	518
1992.....	6,903	7	4	6	12	28	51	114	232	405	547
1991.....	6,782	6	5	4	16	25	56	118	265	375	541
1990.....	6,815	9	5	5	16	20	73	161	288	393	492
1989.....	6,809	10	5	3	15	19	74	148	292	378	527
1988.....	6,781	11	6	5	14	29	98	158	264	382	524
1987.....	6,737	11	3	3	10	30	76	176	283	413	511
1986.....	6,634	7	4	5	15	30	69	171	268	418	471
1985.....	6,490	10	7	5	17	35	95	164	239	384	481
1984.....	6,534	9	8	8	13	43	92	192	245	386	474
1983.....	6,397	7	6	8	16	48	84	171	209	368	462
1982.....	6,414	13	9	5	21	42	76	168	251	373	478
1981.....	6,593	11	5	7	13	39	115	196	301	400	456
1980.....	6,678	16	10	15	14	50	134	190	280	367	470
1979.....	6,877	9	5	9	20	49	118	179	273	380	480
TOTAL, MALE											
1998.....	2,363	3	1	-	9	12	33	34	75	166	235
1997.....	2,389	1	1	2	8	10	20	42	74	147	245
1996.....	2,373	3	1	3	9	9	28	42	84	157	257
1995.....	2,454	-	2	4	8	13	23	42	102	218	239
1994.....	2,370	4	3	5	9	9	29	47	104	156	252
1993.....	2,379	-	4	5	10	12	23	59	125	175	217
1992.....	2,437	6	3	5	7	19	29	56	104	181	227
1991.....	2,328	3	3	2	8	11	33	48	116	165	233
1990.....	2,379	6	3	2	7	11	42	67	127	161	199
1989.....	2,348	8	-	2	7	7	33	69	129	166	218
1988.....	2,472	5	4	3	8	12	48	78	121	185	232
1987.....	2,378	6	2	2	3	12	38	80	125	186	219
1986.....	2,366	5	3	4	10	16	39	84	127	188	194
1985.....	2,314	7	3	1	12	30	40	73	113	167	195
1984.....	2,350	8	4	6	7	25	48	99	110	160	179
1983.....	2,400	4	5	5	7	27	49	85	107	173	178
1982.....	2,308	6	5	1	12	20	36	80	108	152	201
1981.....	2,406	7	3	5	10	21	59	90	133	183	194
1980.....	2,493	12	4	8	6	26	74	91	135	144	204
1979.....	2,649	5	2	6	12	26	61	102	133	166	202

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUBARACHNOID HEMORRHAGE (430)											
TOTAL, FEMALE											
1998.....	4,495	-	3	3	4	1	17	53	100	213	331
1997.....	4,553	2	1	2	4	4	25	39	98	215	354
1996.....	4,518	-	1	1	2	12	15	55	118	237	293
1995.....	4,518	1	-	5	3	2	13	42	109	236	318
1994.....	4,485	1	2	2	2	10	16	57	141	231	326
1993.....	4,308	2	3	-	2	14	34	44	133	206	301
1992.....	4,466	1	1	1	5	9	22	58	128	224	320
1991.....	4,454	3	2	2	8	14	23	70	149	210	308
1990.....	4,436	3	2	3	9	9	31	94	161	232	293
1989.....	4,461	2	5	1	8	12	41	79	163	212	309
1988.....	4,309	6	2	2	6	17	50	80	143	197	292
1987.....	4,359	5	1	1	7	18	38	96	158	227	292
1986.....	4,268	2	1	1	5	14	30	87	141	230	277
1985.....	4,176	3	4	4	5	5	55	91	126	217	286
1984.....	4,184	1	4	2	6	18	44	93	135	226	295
1983.....	3,997	3	1	3	9	21	35	86	102	195	284
1982.....	4,106	7	4	4	9	22	40	88	143	221	277
1981.....	4,187	4	2	2	3	18	56	106	168	217	262
1980.....	4,185	4	6	7	8	24	60	99	145	223	266
1979.....	4,228	4	3	3	8	23	57	77	140	214	278
WHITE, BOTH SEXES											
1998.....	5,616	1	4	3	9	10	42	66	131	291	388
1997.....	5,676	-	1	2	11	13	30	64	120	264	423
1996.....	5,694	-	2	3	10	17	35	68	149	287	402
1995.....	5,727	-	-	9	8	12	21	63	146	341	397
1994.....	5,517	3	5	7	9	14	37	74	166	274	427
1993.....	5,505	2	7	4	10	17	40	69	201	268	376
1992.....	5,666	6	3	3	8	22	38	82	159	267	389
1991.....	5,565	3	4	2	14	16	46	90	186	267	406
1990.....	5,556	4	3	3	12	16	56	126	182	260	351
1989.....	5,550	8	4	3	12	13	54	102	207	265	382
1988.....	5,612	8	6	4	11	18	78	112	181	271	404
1987.....	5,567	8	3	2	9	24	52	124	200	310	394
1986.....	5,489	5	2	5	12	24	47	124	183	297	373
1985.....	5,430	6	4	5	16	24	71	121	166	287	381
1984.....	5,468	5	4	6	8	37	63	142	160	284	371
1983.....	5,361	6	6	8	13	35	60	120	147	277	360
1982.....	5,384	10	6	4	17	34	53	121	179	289	360
1981.....	5,545	9	3	7	11	27	90	135	229	309	373
1980.....	5,626	8	8	13	12	37	100	139	202	286	382
1979.....	5,846	5	4	5	18	40	90	143	209	287	383

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUBARACHNOID HEMORRHAGE (430)											
WHITE MALE											
1998.....	1,978	1	1	-	6	9	28	27	62	129	183
1997.....	1,990	-	-	1	7	9	13	31	61	116	185
1996.....	1,975	-	1	2	9	8	24	35	61	119	203
1995.....	2,017	-	-	4	6	10	14	34	72	165	175
1994.....	1,937	3	3	5	8	7	23	37	78	121	196
1993.....	1,977	-	4	4	9	9	15	41	102	132	166
1992.....	2,013	6	2	3	4	16	22	43	85	121	164
1991.....	1,923	2	2	1	8	7	29	41	83	120	182
1990.....	1,971	3	1	1	6	9	32	56	92	123	152
1989.....	1,967	7	-	2	7	6	27	53	105	119	165
1988.....	2,068	3	4	2	8	9	40	58	89	133	190
1987.....	1,988	6	2	2	3	11	26	60	96	137	177
1986.....	1,958	4	1	4	8	12	27	60	94	141	155
1985.....	1,942	5	2	1	11	24	29	58	82	132	163
1984.....	1,989	5	3	4	3	23	35	79	79	124	148
1983.....	2,054	3	5	5	6	22	36	64	83	133	148
1982.....	1,944	6	3	-	10	17	27	62	88	117	159
1981.....	2,033	6	2	5	8	13	46	72	108	141	165
1980.....	2,099	4	3	7	4	20	60	70	101	118	169
1979.....	2,238	2	2	4	11	23	50	82	103	130	163
WHITE FEMALE											
1998.....	3,638	-	3	3	3	1	14	39	69	162	205
1997.....	3,686	-	1	1	4	4	17	33	59	148	238
1996.....	3,719	-	1	1	1	9	11	33	88	168	199
1995.....	3,710	-	-	5	2	2	7	29	74	176	222
1994.....	3,580	-	2	2	1	7	14	37	88	153	231
1993.....	3,528	2	3	-	1	8	25	28	99	136	210
1992.....	3,653	-	1	-	4	6	16	39	74	146	225
1991.....	3,642	1	2	1	6	9	17	49	103	147	224
1990.....	3,585	1	2	2	6	7	24	70	90	137	199
1989.....	3,583	1	4	1	5	7	27	49	102	146	217
1988.....	3,544	5	2	2	3	9	38	54	92	138	214
1987.....	3,579	2	1	-	6	13	26	64	104	173	217
1986.....	3,531	1	1	1	4	12	20	64	89	156	218
1985.....	3,488	1	2	4	5	-	42	63	84	155	218
1984.....	3,479	-	1	2	5	14	28	63	81	160	223
1983.....	3,307	3	1	3	7	13	24	56	64	144	212
1982.....	3,440	4	3	4	7	17	26	59	91	172	201
1981.....	3,512	3	1	2	3	14	44	63	121	168	208
1980.....	3,527	4	5	6	8	17	40	69	101	168	213
1979.....	3,608	3	2	1	7	17	40	61	106	157	220

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUBARACHNOID HEMORRHAGE (430)											
ALL OTHER, BOTH SEXES											
1998.....	1,242	2	-	-	4	3	8	21	44	88	178
1997.....	1,266	3	1	2	1	1	15	17	52	98	176
1996.....	1,197	3	-	1	1	4	8	29	53	107	148
1995.....	1,245	1	2	-	3	3	15	21	65	113	160
1994.....	1,338	2	-	-	2	5	8	30	79	113	151
1993.....	1,182	-	-	1	2	9	17	34	57	113	142
1992.....	1,237	1	1	3	4	6	13	32	73	138	158
1991.....	1,217	3	1	2	2	9	10	28	79	108	135
1990.....	1,259	5	2	2	4	4	17	35	106	133	141
1989.....	1,259	2	1	-	3	6	20	46	85	113	145
1988.....	1,169	3	-	1	3	11	20	46	83	111	120
1987.....	1,170	3	-	1	1	6	24	52	83	103	117
1986.....	1,145	2	2	-	3	6	22	47	85	121	98
1985.....	1,060	4	3	-	1	11	24	43	73	97	100
1984.....	1,066	4	4	2	5	6	29	50	85	102	103
1983.....	1,036	1	-	-	3	13	24	51	62	91	102
1982.....	1,030	3	3	1	4	8	23	47	72	84	118
1981.....	1,048	2	2	-	2	12	25	61	72	91	83
1980.....	1,052	8	2	2	2	13	34	51	78	81	88
1979.....	1,031	4	1	4	2	9	28	36	64	93	97
ALL OTHER MALE											
1998.....	385	2	-	-	3	3	5	7	13	37	52
1997.....	399	1	1	1	1	1	7	11	13	31	60
1996.....	398	3	-	1	-	1	4	7	23	38	54
1995.....	437	-	2	-	2	3	9	8	30	53	64
1994.....	433	1	-	-	1	2	6	10	26	35	56
1993.....	402	-	-	1	1	3	8	18	23	43	51
1992.....	424	-	1	2	3	3	7	13	19	60	63
1991.....	405	1	1	1	-	4	4	7	33	45	51
1990.....	408	3	2	1	1	2	10	11	35	38	47
1989.....	381	1	-	-	-	1	6	16	24	47	53
1988.....	404	2	-	1	-	3	8	20	32	52	42
1987.....	390	-	-	-	-	1	12	20	29	49	42
1986.....	408	1	2	-	2	4	12	24	33	47	39
1985.....	372	2	1	-	1	6	11	15	31	35	32
1984.....	361	3	1	2	4	2	13	20	31	36	31
1983.....	346	1	-	-	1	5	13	21	24	40	30
1982.....	364	-	2	1	2	3	9	18	20	35	42
1981.....	373	1	1	-	2	8	13	18	25	42	29
1980.....	394	8	1	1	2	6	14	21	34	26	35
1979.....	411	3	-	2	1	3	11	20	30	36	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUBARACHNOID HEMORRHAGE (430)											
ALL OTHER FEMALE											
1998.....	857	-	-	-	1	-	3	14	31	51	126
1997.....	867	2	-	1	-	-	8	6	39	67	116
1996.....	799	-	-	-	1	3	4	22	30	69	94
1995.....	808	1	-	-	1	-	6	13	35	60	96
1994.....	905	1	-	-	1	3	2	20	53	78	95
1993.....	780	-	-	-	1	6	9	16	34	70	91
1992.....	813	1	-	1	1	3	6	19	54	78	95
1991.....	812	2	-	1	2	5	6	21	46	63	84
1990.....	851	2	-	1	3	2	7	24	71	95	94
1989.....	878	1	1	-	3	5	14	30	61	66	92
1988.....	765	1	-	-	3	8	12	26	51	59	78
1987.....	780	3	-	1	1	5	12	32	54	54	75
1986.....	737	1	-	-	1	2	10	23	52	74	59
1985.....	688	2	2	-	-	5	13	28	42	62	68
1984.....	705	1	3	-	1	4	16	30	54	66	72
1983.....	690	-	-	-	2	8	11	30	38	51	72
1982.....	666	3	1	-	2	5	14	29	52	49	76
1981.....	675	1	1	-	-	4	12	43	47	49	54
1980.....	658	-	1	1	-	7	20	30	44	55	53
1979.....	620	1	1	2	1	6	17	16	34	57	58
BLACK, BOTH SEXES											
1998.....	976	2	-	-	4	3	7	19	36	81	157
1997.....	973	3	1	2	1	1	12	15	43	83	151
1996.....	933	3	-	-	1	4	6	22	46	94	129
1995.....	993	1	2	-	3	2	12	18	57	102	140
1994.....	1,061	2	-	-	2	5	7	28	73	102	129
1993.....	961	-	-	1	2	8	15	31	49	97	126
1992.....	1,002	1	1	3	4	5	12	29	66	123	146
1991.....	1,002	1	1	2	2	6	10	26	72	96	119
1990.....	1,042	3	2	1	4	4	16	30	95	118	125
1989.....	1,056	2	-	-	3	6	19	41	78	102	124
1988.....	987	3	-	1	3	11	17	41	77	96	105
1987.....	982	3	-	1	1	6	19	46	75	96	102
1986.....	986	2	2	-	2	6	20	42	82	106	85
1985.....	907	4	3	-	1	8	21	41	69	87	82
1984.....	907	4	3	1	3	6	23	48	76	89	88
1983.....	910	1	-	-	3	13	20	49	61	81	87
1982.....	912	3	3	-	4	7	23	45	70	74	106
1981.....	945	2	1	-	2	10	22	58	67	84	76
1980.....	946	8	-	2	2	13	32	48	72	75	80
1979.....	924	4	1	4	2	8	24	33	56	86	88

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SUBARACHNOID HEMORRHAGE (430)											
BLACK MALE											
1998.....	303	2	-	-	3	3	4	6	11	34	44
1997.....	306	1	1	1	1	1	5	9	9	26	49
1996.....	300	3	-	-	-	1	2	6	19	34	42
1995.....	336	-	2	-	2	2	6	6	24	45	51
1994.....	334	1	-	-	1	2	5	8	25	31	48
1993.....	324	-	-	1	1	3	7	15	19	35	47
1992.....	345	-	1	2	3	2	7	13	17	52	58
1991.....	327	-	1	1	-	3	4	5	32	38	42
1990.....	345	1	2	1	1	2	9	9	32	30	42
1989.....	320	1	-	-	-	1	6	14	20	44	44
1988.....	342	2	-	1	-	3	6	19	30	41	36
1987.....	310	-	-	-	-	1	9	15	25	45	34
1986.....	358	1	2	-	1	4	11	20	32	41	35
1985.....	324	2	1	-	1	5	9	14	28	33	27
1984.....	300	3	1	1	2	2	7	19	28	31	25
1983.....	297	1	-	-	1	5	12	19	24	34	25
1982.....	310	-	2	-	2	3	9	16	19	28	38
1981.....	341	1	1	-	2	7	11	17	23	41	28
1980.....	362	8	-	1	2	6	13	20	31	26	33
1979.....	372	3	-	2	1	3	9	19	25	35	37
BLACK FEMALE											
1998.....	673	-	-	-	1	-	3	13	25	47	113
1997.....	667	2	-	1	-	-	7	6	34	57	102
1996.....	633	-	-	-	1	3	4	16	27	60	87
1995.....	657	1	-	-	1	-	6	12	33	57	89
1994.....	727	1	-	-	1	3	2	20	48	71	81
1993.....	637	-	-	-	1	5	8	16	30	62	79
1992.....	657	1	-	1	1	3	5	16	49	71	88
1991.....	675	1	-	1	2	3	6	21	40	58	77
1990.....	697	2	-	-	3	2	7	21	63	88	83
1989.....	736	1	-	-	3	5	13	27	58	58	80
1988.....	645	1	-	-	3	8	11	22	47	55	69
1987.....	672	3	-	1	1	5	10	31	50	51	68
1986.....	628	1	-	-	1	2	9	22	50	65	50
1985.....	583	2	2	-	-	3	12	27	41	54	55
1984.....	607	1	2	-	1	4	16	29	48	58	63
1983.....	613	-	-	-	2	8	8	30	37	47	62
1982.....	602	3	1	-	2	4	14	29	51	46	68
1981.....	604	1	-	-	-	3	11	41	44	43	48
1980.....	584	-	-	1	-	7	19	28	41	49	47
1979.....	552	1	1	2	1	5	15	14	31	51	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
TOTAL, BOTH SEXES											
1998.....	26,230	37	15	13	15	27	41	89	159	362	694
1997.....	25,858	30	10	12	18	33	41	73	192	379	762
1996.....	23,573	36	10	20	14	24	37	67	177	379	680
1995.....	22,645	40	16	9	19	21	49	65	189	392	698
1994.....	21,807	49	12	6	23	24	36	67	201	411	692
1993.....	21,449	58	11	13	23	27	37	82	184	377	618
1992.....	21,118	41	19	12	14	31	47	92	184	379	637
1991.....	20,681	41	13	16	24	29	49	106	166	390	598
1990.....	20,575	61	12	8	11	31	52	118	197	341	575
1989.....	20,679	50	12	17	20	33	60	109	211	369	530
1988.....	21,242	53	19	15	16	30	61	122	221	369	540
1987.....	20,673	51	21	13	20	22	58	109	200	370	553
1986.....	20,479	52	10	11	21	37	69	126	198	368	524
1985.....	20,728	68	15	16	23	36	70	113	199	348	511
1984.....	20,192	67	19	18	34	35	82	109	203	323	517
1983.....	19,407	94	18	16	15	46	80	128	189	309	471
1982.....	19,895	86	14	17	34	44	65	134	199	302	453
1981.....	20,188	86	13	22	23	48	92	137	197	312	483
1980.....	20,772	93	22	19	30	58	85	125	170	288	495
1979.....	21,755	109	13	21	21	49	90	105	184	297	482
TOTAL, MALE											
1998.....	12,044	26	5	10	11	19	21	47	91	200	425
1997.....	11,940	17	7	8	9	18	25	39	102	224	430
1996.....	10,802	21	5	10	6	13	26	39	100	229	408
1995.....	10,374	21	12	5	10	11	23	44	101	219	430
1994.....	10,094	27	10	-	13	12	21	41	109	249	437
1993.....	9,947	37	7	7	12	14	19	50	107	235	379
1992.....	9,639	30	7	9	10	11	33	49	110	225	400
1991.....	9,430	26	9	8	12	18	18	54	88	241	358
1990.....	9,227	37	6	5	6	22	22	62	113	212	338
1989.....	9,471	28	7	9	14	19	32	63	122	239	317
1988.....	9,736	29	9	6	8	22	40	74	139	225	324
1987.....	9,378	29	14	11	11	11	29	59	115	234	317
1986.....	9,122	30	5	5	9	22	36	67	113	226	317
1985.....	9,351	47	8	6	8	16	34	69	116	208	283
1984.....	9,018	38	11	7	14	18	45	59	106	191	312
1983.....	8,717	58	7	10	6	24	41	75	111	164	266
1982.....	9,071	54	6	11	20	26	33	82	118	181	252
1981.....	9,037	46	6	10	6	21	52	77	112	169	265
1980.....	9,427	51	13	11	14	33	49	62	101	161	265
1979.....	9,933	59	9	10	12	25	51	53	95	187	272

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
TOTAL, FEMALE											
1998.....	14,186	11	10	3	4	8	20	42	68	162	269
1997.....	13,918	13	3	4	9	15	16	34	90	155	332
1996.....	12,771	15	5	10	8	11	11	28	77	150	272
1995.....	12,271	19	4	4	9	10	26	21	88	173	268
1994.....	11,713	22	2	6	10	12	15	26	92	162	255
1993.....	11,502	21	4	6	11	13	18	32	77	142	239
1992.....	11,479	11	12	3	4	20	14	43	74	154	237
1991.....	11,251	15	4	8	12	11	31	52	78	149	240
1990.....	11,348	24	6	3	5	9	30	56	84	129	237
1989.....	11,208	22	5	8	6	14	28	46	89	130	213
1988.....	11,506	24	10	9	8	8	21	48	82	144	216
1987.....	11,295	22	7	2	9	11	29	50	85	136	236
1986.....	11,357	22	5	6	12	15	33	59	85	142	207
1985.....	11,377	21	7	10	15	20	36	44	83	140	228
1984.....	11,174	29	8	11	20	17	37	50	97	132	205
1983.....	10,690	36	11	6	9	22	39	53	78	145	205
1982.....	10,824	32	8	6	14	18	32	52	81	121	201
1981.....	11,151	40	7	12	17	27	40	60	85	143	218
1980.....	11,345	42	9	8	16	25	36	63	69	127	230
1979.....	11,822	50	4	11	9	24	39	52	89	110	210
WHITE, BOTH SEXES											
1998.....	21,553	16	7	10	12	17	27	56	93	214	389
1997.....	21,202	17	7	10	13	29	27	48	124	215	397
1996.....	19,256	20	6	18	13	20	27	53	114	211	366
1995.....	18,452	22	9	6	14	16	34	40	130	201	353
1994.....	17,696	32	9	6	15	17	29	45	122	206	349
1993.....	17,542	45	6	7	18	22	27	59	104	216	335
1992.....	17,325	18	14	9	12	25	33	63	115	211	342
1991.....	16,768	22	8	12	18	25	31	59	99	196	341
1990.....	16,776	32	9	5	9	27	31	78	116	190	304
1989.....	16,818	28	9	11	13	21	38	71	122	194	289
1988.....	17,288	26	18	13	12	24	50	83	125	198	293
1987.....	16,922	31	18	9	15	19	42	77	109	189	319
1986.....	16,816	27	4	7	18	28	50	72	118	210	279
1985.....	17,041	40	11	13	20	23	50	73	115	192	264
1984.....	16,682	43	14	14	25	25	55	69	120	177	325
1983.....	15,999	64	12	12	9	40	57	101	114	175	269
1982.....	16,519	52	11	16	26	32	51	82	125	172	252
1981.....	16,824	49	12	18	18	40	61	80	115	193	271
1980.....	17,165	65	19	15	20	48	54	76	90	171	275
1979.....	18,091	68	12	19	15	35	66	60	110	168	285

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
WHITE MALE											
1998.....	9,694	12	2	8	9	11	18	32	59	126	249
1997.....	9,516	12	5	7	6	17	16	26	66	135	240
1996.....	8,589	12	5	10	6	11	18	32	68	126	228
1995.....	8,209	12	7	5	8	8	15	30	74	111	228
1994.....	7,983	20	8	-	7	9	17	28	70	133	227
1993.....	7,891	29	2	4	8	10	13	41	69	143	204
1992.....	7,682	13	6	7	9	10	22	37	70	125	222
1991.....	7,421	15	5	6	8	18	14	31	57	123	205
1990.....	7,252	16	5	4	5	20	15	40	67	114	172
1989.....	7,485	17	6	6	9	13	19	44	67	124	174
1988.....	7,687	15	8	5	7	18	31	51	76	114	183
1987.....	7,423	19	13	7	8	9	23	43	67	114	178
1986.....	7,280	17	3	3	9	17	29	42	65	128	165
1985.....	7,473	27	4	5	8	11	24	48	71	108	143
1984.....	7,269	21	8	4	11	17	30	40	64	99	195
1983.....	7,017	41	4	7	4	23	29	59	66	91	146
1982.....	7,323	34	6	11	15	23	25	53	72	94	136
1981.....	7,293	26	6	9	4	18	34	44	61	97	133
1980.....	7,584	35	12	9	8	28	30	41	50	85	136
1979.....	8,029	37	9	8	9	15	37	34	55	93	151
WHITE FEMALE											
1998.....	11,859	4	5	2	3	6	9	24	34	88	140
1997.....	11,686	5	2	3	7	12	11	22	58	80	157
1996.....	10,667	8	1	8	7	9	9	21	46	85	138
1995.....	10,243	10	2	1	6	8	19	10	56	90	125
1994.....	9,713	12	1	6	8	8	12	17	52	73	122
1993.....	9,651	16	4	3	10	12	14	18	35	73	131
1992.....	9,643	5	8	2	3	15	11	26	45	86	120
1991.....	9,347	7	3	6	10	7	17	28	42	73	136
1990.....	9,524	16	4	1	4	7	16	38	49	76	132
1989.....	9,333	11	3	5	4	8	19	27	55	70	115
1988.....	9,601	11	10	8	5	6	19	32	49	84	110
1987.....	9,499	12	5	2	7	10	19	34	42	75	141
1986.....	9,536	10	1	4	9	11	21	30	53	82	114
1985.....	9,568	13	7	8	12	12	26	25	44	84	121
1984.....	9,413	22	6	10	14	8	25	29	56	78	130
1983.....	8,982	23	8	5	5	17	28	42	48	84	123
1982.....	9,196	18	5	5	11	9	26	29	53	78	116
1981.....	9,531	23	6	9	14	22	27	36	54	96	138
1980.....	9,581	30	7	6	12	20	24	35	40	86	139
1979.....	10,062	31	3	11	6	20	29	26	55	75	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
ALL OTHER, BOTH SEXES											
1998.....	4,677	21	8	3	3	10	14	33	66	148	305
1997.....	4,656	13	3	2	5	4	14	25	68	164	365
1996.....	4,317	16	4	2	1	4	10	14	63	168	314
1995.....	4,193	18	7	3	5	5	15	25	59	191	345
1994.....	4,111	17	3	-	8	7	7	22	79	205	343
1993.....	3,907	13	5	6	5	5	10	23	80	161	283
1992.....	3,793	23	5	3	2	6	14	29	69	168	295
1991.....	3,913	19	5	4	6	4	18	47	67	194	257
1990.....	3,799	29	3	3	2	4	21	40	81	151	271
1989.....	3,861	22	3	6	7	12	22	38	89	175	241
1988.....	3,954	27	1	2	4	6	11	39	96	171	247
1987.....	3,751	20	3	4	5	3	16	32	91	181	234
1986.....	3,663	25	6	4	3	9	19	54	80	158	245
1985.....	3,687	28	4	3	3	13	20	40	84	156	247
1984.....	3,510	24	5	4	9	10	27	40	83	146	192
1983.....	3,408	30	6	4	6	6	23	27	75	134	202
1982.....	3,376	34	3	1	8	12	14	52	74	130	201
1981.....	3,364	37	1	4	5	8	31	57	82	119	212
1980.....	3,607	28	3	4	10	10	31	49	80	117	220
1979.....	3,664	41	1	2	6	14	24	45	74	129	197
ALL OTHER MALE											
1998.....	2,350	14	3	2	2	8	3	15	32	74	176
1997.....	2,424	5	2	1	3	1	9	13	36	89	190
1996.....	2,213	9	-	-	-	2	8	7	32	103	180
1995.....	2,165	9	5	-	2	3	8	14	27	108	202
1994.....	2,111	7	2	-	6	3	4	13	39	116	210
1993.....	2,056	8	5	3	4	4	6	9	38	92	175
1992.....	1,957	17	1	2	1	1	11	12	40	100	178
1991.....	2,009	11	4	2	4	-	4	23	31	118	153
1990.....	1,975	21	1	1	1	2	7	22	46	98	166
1989.....	1,986	11	1	3	5	6	13	19	55	115	143
1988.....	2,049	14	1	1	1	4	9	23	63	111	141
1987.....	1,955	10	1	4	3	2	6	16	48	120	139
1986.....	1,842	13	2	2	-	5	7	25	48	98	152
1985.....	1,878	20	4	1	-	5	10	21	45	100	140
1984.....	1,749	17	3	3	3	1	15	19	42	92	117
1983.....	1,700	17	3	3	2	1	12	16	45	73	120
1982.....	1,748	20	-	-	5	3	8	29	46	87	116
1981.....	1,744	20	-	1	2	3	18	33	51	72	132
1980.....	1,843	16	1	2	6	5	19	21	51	76	129
1979.....	1,904	22	-	2	3	10	14	19	40	94	121

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
ALL OTHER FEMALE											
1998.....	2,327	7	5	1	1	2	11	18	34	74	129
1997.....	2,232	8	1	1	2	3	5	12	32	75	175
1996.....	2,104	7	4	2	1	2	2	7	31	65	134
1995.....	2,028	9	2	3	3	2	7	11	32	83	143
1994.....	2,000	10	1	-	2	4	3	9	40	89	133
1993.....	1,851	5	-	3	1	1	4	14	42	69	108
1992.....	1,836	6	4	1	1	5	3	17	29	68	117
1991.....	1,904	8	1	2	2	4	14	24	36	76	104
1990.....	1,824	8	2	2	1	2	14	18	35	53	105
1989.....	1,875	11	2	3	2	6	9	19	34	60	98
1988.....	1,905	13	-	1	3	2	2	16	33	60	106
1987.....	1,796	10	2	-	2	1	10	16	43	61	95
1986.....	1,821	12	4	2	3	4	12	29	32	60	93
1985.....	1,809	8	-	2	3	8	10	19	39	56	107
1984.....	1,761	7	2	1	6	9	12	21	41	54	75
1983.....	1,708	13	3	1	4	5	11	11	30	61	82
1982.....	1,628	14	3	1	3	9	6	23	28	43	85
1981.....	1,620	17	1	3	3	5	13	24	31	47	80
1980.....	1,764	12	2	2	4	5	12	28	29	41	91
1979.....	1,760	19	1	-	3	4	10	26	34	35	76
BLACK, BOTH SEXES											
1998.....	3,694	18	7	3	1	9	11	30	55	131	287
1997.....	3,712	12	3	2	4	2	14	19	61	142	335
1996.....	3,477	14	4	2	1	4	8	12	57	149	289
1995.....	3,379	17	5	2	3	5	12	24	53	175	308
1994.....	3,382	16	2	-	7	6	6	18	70	184	311
1993.....	3,235	10	5	4	5	4	9	23	72	146	265
1992.....	3,139	22	5	2	1	5	13	25	63	155	275
1991.....	3,242	17	4	4	6	4	15	39	62	180	240
1990.....	3,227	26	1	2	2	3	18	33	72	140	255
1989.....	3,324	17	3	5	6	10	18	37	84	164	220
1988.....	3,450	24	1	1	3	6	11	36	90	165	231
1987.....	3,238	20	3	3	4	2	15	29	86	169	222
1986.....	3,220	22	4	4	3	8	15	52	76	151	232
1985.....	3,258	27	3	3	2	12	19	39	81	146	234
1984.....	3,155	23	4	4	7	10	24	35	77	136	189
1983.....	3,069	27	5	4	4	6	23	25	70	127	188
1982.....	3,087	32	3	1	7	12	14	49	69	128	191
1981.....	3,053	34	1	4	4	6	30	54	80	117	201
1980.....	3,315	27	3	4	9	10	31	47	75	112	210
1979.....	3,400	41	1	2	6	12	23	44	71	123	188

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)											
BLACK MALE											
1998.....	1,862	11	3	2	1	7	3	14	24	62	162
1997.....	1,934	5	2	1	3	1	9	11	33	75	172
1996.....	1,793	7	-	-	-	2	7	5	28	88	166
1995.....	1,729	8	5	-	2	3	7	13	22	97	176
1994.....	1,714	7	1	-	6	2	4	9	32	103	188
1993.....	1,694	7	5	2	4	3	5	9	34	82	165
1992.....	1,627	16	1	1	1	1	10	11	36	89	167
1991.....	1,654	10	4	2	4	-	2	21	27	109	144
1990.....	1,665	19	1	-	1	1	7	16	41	92	158
1989.....	1,712	9	1	3	4	5	11	18	50	107	132
1988.....	1,787	12	1	-	1	4	9	20	57	107	130
1987.....	1,684	10	1	3	3	2	6	14	45	114	132
1986.....	1,594	12	2	2	-	4	5	24	45	92	146
1985.....	1,657	19	3	1	-	5	9	20	42	94	133
1984.....	1,564	16	3	3	2	1	12	16	39	86	115
1983.....	1,515	14	2	3	2	1	12	14	40	68	114
1982.....	1,571	19	-	-	4	3	8	27	44	85	111
1981.....	1,579	18	-	1	2	1	17	31	51	72	127
1980.....	1,684	15	1	2	6	5	19	21	47	72	122
1979.....	1,763	22	-	2	3	9	14	19	38	89	119
BLACK FEMALE											
1998.....	1,832	7	4	1	-	2	8	16	31	69	125
1997.....	1,778	7	1	1	1	1	5	8	28	67	163
1996.....	1,684	7	4	2	1	2	1	7	29	61	123
1995.....	1,650	9	-	2	1	2	5	11	31	78	132
1994.....	1,668	9	1	-	1	4	2	9	38	81	123
1993.....	1,541	3	-	2	1	1	4	14	38	64	100
1992.....	1,512	6	4	1	-	4	3	14	27	66	108
1991.....	1,588	7	-	2	2	4	13	18	35	71	96
1990.....	1,562	7	-	2	1	2	11	17	31	48	97
1989.....	1,612	8	2	2	2	5	7	19	34	57	88
1988.....	1,663	12	-	1	2	2	2	16	33	58	101
1987.....	1,554	10	2	-	1	-	9	15	41	55	90
1986.....	1,626	10	2	2	3	4	10	28	31	59	86
1985.....	1,601	8	-	2	2	7	10	19	39	52	101
1984.....	1,591	7	1	1	5	9	12	19	38	50	74
1983.....	1,554	13	3	1	2	5	11	11	30	59	74
1982.....	1,516	13	3	1	3	9	6	22	25	43	80
1981.....	1,474	16	1	3	2	5	13	23	29	45	74
1980.....	1,631	12	2	2	3	5	12	26	28	40	88
1979.....	1,637	19	1	-	3	3	9	25	33	34	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)											
TOTAL, BOTH SEXES											
1998.....	1,347	-	-	-	-	-	-	2	5	13	16
1997.....	1,340	-	2	-	1	1	1	2	4	8	26
1996.....	1,430	-	-	1	-	1	-	2	4	14	29
1995.....	1,353	-	1	-	-	-	3	1	2	15	23
1994.....	1,360	-	-	-	-	2	3	3	13	12	17
1993.....	1,189	-	-	-	-	1	5	6	5	9	19
1992.....	1,320	1	-	-	1	-	7	1	8	9	18
1991.....	1,194	-	-	-	1	-	1	-	5	11	16
1990.....	1,256	1	1	-	-	1	4	3	7	13	15
1989.....	1,243	-	-	1	1	-	1	3	5	6	15
1988.....	1,236	-	2	-	-	-	1	4	3	9	14
1987.....	1,314	-	-	-	-	-	1	4	7	13	13
1986.....	1,335	-	-	1	2	1	1	3	5	7	18
1985.....	1,514	-	-	1	1	-	3	1	11	12	14
1984.....	1,581	-	-	-	-	2	5	6	6	11	14
1983.....	1,515	-	-	-	-	1	4	4	7	14	19
1982.....	1,596	-	-	-	1	1	3	5	7	10	18
1981.....	1,821	-	1	-	-	4	3	4	6	11	22
1980.....	1,739	-	-	1	-	1	4	3	6	15	18
1979.....	1,842	-	-	-	2	5	4	5	8	15	23
TOTAL, MALE											
1998.....	716	-	-	-	-	-	-	2	2	11	9
1997.....	710	-	1	-	-	1	1	2	2	5	12
1996.....	786	-	-	1	-	-	-	1	1	8	17
1995.....	723	-	1	-	-	-	1	1	1	7	17
1994.....	746	-	-	-	-	1	1	1	6	6	9
1993.....	664	-	-	-	-	1	4	4	3	4	11
1992.....	685	1	-	-	-	-	5	-	3	6	7
1991.....	629	-	-	-	-	-	1	-	2	5	8
1990.....	697	-	1	-	-	1	2	1	2	10	7
1989.....	658	-	-	-	1	-	1	1	2	4	8
1988.....	652	-	2	-	-	-	-	-	1	5	9
1987.....	661	-	-	-	-	-	1	3	3	9	9
1986.....	678	-	-	1	1	-	1	1	3	6	11
1985.....	833	-	-	1	1	-	3	-	5	10	10
1984.....	816	-	-	-	-	2	1	4	3	6	10
1983.....	813	-	-	-	-	1	2	3	3	9	12
1982.....	865	-	-	-	1	1	2	1	4	7	5
1981.....	1,004	-	1	-	-	3	1	1	3	4	12
1980.....	903	-	-	-	-	-	3	2	3	10	13
1979.....	1,011	-	-	-	1	2	-	2	3	7	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)											
TOTAL, FEMALE											
1998.....	631	-	-	-	-	-	-	-	3	2	7
1997.....	630	-	1	-	1	-	-	-	2	3	14
1996.....	644	-	-	-	-	1	-	1	3	6	12
1995.....	630	-	-	-	-	-	2	-	1	8	6
1994.....	614	-	-	-	-	1	2	2	7	6	8
1993.....	525	-	-	-	-	-	1	2	2	5	8
1992.....	635	-	-	-	1	-	2	1	5	3	11
1991.....	565	-	-	-	1	-	-	-	3	6	8
1990.....	559	1	-	-	-	-	2	2	5	3	8
1989.....	585	-	-	1	-	-	-	2	3	2	7
1988.....	584	-	-	-	-	-	1	4	2	4	5
1987.....	653	-	-	-	-	-	-	1	4	4	4
1986.....	657	-	-	-	1	1	-	2	2	1	7
1985.....	681	-	-	-	-	-	-	1	6	2	4
1984.....	765	-	-	-	-	-	4	2	3	5	4
1983.....	702	-	-	-	-	-	2	1	4	5	7
1982.....	731	-	-	-	-	-	1	4	3	3	13
1981.....	817	-	-	-	-	1	2	3	3	7	10
1980.....	836	-	-	1	-	1	1	1	3	5	5
1979.....	831	-	-	-	1	3	4	3	5	8	6
WHITE, BOTH SEXES											
1998.....	1,206	-	-	-	-	-	-	2	5	12	13
1997.....	1,208	-	1	-	1	1	1	2	2	8	19
1996.....	1,299	-	-	1	-	1	-	1	3	11	20
1995.....	1,206	-	1	-	-	-	3	1	2	10	18
1994.....	1,254	-	-	-	-	2	1	3	11	11	15
1993.....	1,082	-	-	-	-	1	3	6	4	5	14
1992.....	1,206	1	-	-	1	-	6	-	7	6	16
1991.....	1,091	-	-	-	-	-	1	-	3	8	12
1990.....	1,154	1	1	-	-	-	2	2	6	10	12
1989.....	1,130	-	-	1	1	-	1	3	4	4	15
1988.....	1,120	-	2	-	-	-	1	4	2	7	14
1987.....	1,185	-	-	-	-	-	-	3	5	6	12
1986.....	1,206	-	-	1	2	1	-	3	3	7	13
1985.....	1,386	-	-	1	-	-	3	1	8	10	12
1984.....	1,453	-	-	-	-	2	5	5	5	10	8
1983.....	1,393	-	-	-	-	1	2	4	5	14	17
1982.....	1,477	-	-	-	1	1	2	2	6	8	15
1981.....	1,666	-	1	-	-	3	3	4	4	8	16
1980.....	1,593	-	-	1	-	1	4	3	5	11	14
1979.....	1,688	-	-	-	2	4	2	4	7	11	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)											
WHITE MALE											
1998.....	637	-	-	-	-	-	-	2	2	10	8
1997.....	644	-	-	-	-	1	1	2	1	5	10
1996.....	715	-	-	1	-	-	-	-	1	7	13
1995.....	648	-	1	-	-	-	1	1	1	4	15
1994.....	693	-	-	-	-	1	1	1	6	5	8
1993.....	616	-	-	-	-	1	2	4	3	3	9
1992.....	634	1	-	-	-	-	4	-	3	4	7
1991.....	578	-	-	-	-	-	1	-	2	4	6
1990.....	651	-	1	-	-	-	-	1	1	8	7
1989.....	606	-	-	-	1	-	1	1	2	3	8
1988.....	578	-	2	-	-	-	-	-	1	3	9
1987.....	583	-	-	-	-	-	-	2	1	4	8
1986.....	611	-	-	1	1	-	-	1	3	6	9
1985.....	764	-	-	1	-	-	3	-	2	8	8
1984.....	743	-	-	-	-	2	1	4	3	5	7
1983.....	746	-	-	-	-	1	-	3	3	9	10
1982.....	814	-	-	-	1	1	1	1	4	6	4
1981.....	912	-	1	-	-	3	1	1	3	4	8
1980.....	826	-	-	-	-	-	3	2	3	8	11
1979.....	933	-	-	-	1	2	-	2	3	5	13
WHITE FEMALE											
1998.....	569	-	-	-	-	-	-	-	3	2	5
1997.....	564	-	1	-	1	-	-	-	1	3	9
1996.....	584	-	-	-	-	1	-	1	2	4	7
1995.....	558	-	-	-	-	-	2	-	1	6	3
1994.....	561	-	-	-	-	1	-	2	5	6	7
1993.....	466	-	-	-	-	-	1	2	1	2	5
1992.....	572	-	-	-	1	-	2	-	4	2	9
1991.....	513	-	-	-	-	-	-	-	1	4	6
1990.....	503	1	-	-	-	-	2	1	5	2	5
1989.....	524	-	-	1	-	-	-	2	2	1	7
1988.....	542	-	-	-	-	-	1	4	1	4	5
1987.....	602	-	-	-	-	-	-	1	4	2	4
1986.....	595	-	-	-	1	1	-	2	-	1	4
1985.....	622	-	-	-	-	-	-	1	6	2	4
1984.....	710	-	-	-	-	-	4	1	2	5	1
1983.....	647	-	-	-	-	-	2	1	2	5	7
1982.....	663	-	-	-	-	-	1	1	2	2	11
1981.....	754	-	-	-	-	-	2	3	1	4	8
1980.....	767	-	-	1	-	1	1	1	2	3	3
1979.....	755	-	-	-	1	2	2	2	4	6	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
ALL OTHER FEMALE												
1998.....	62	-	-	-	-	-	-	-	-	-	2	
1997.....	66	-	-	-	-	-	-	-	1	-	5	
1996.....	60	-	-	-	-	-	-	-	1	2	5	
1995.....	72	-	-	-	-	-	-	-	-	2	3	
1994.....	53	-	-	-	-	-	2	-	2	-	1	
1993.....	59	-	-	-	-	-	-	-	1	3	3	
1992.....	63	-	-	-	-	-	-	1	1	1	2	
1991.....	52	-	-	-	1	-	-	-	2	2	2	
1990.....	56	-	-	-	-	-	-	1	-	1	3	
1989.....	61	-	-	-	-	-	-	-	1	1	-	
1988.....	42	-	-	-	-	-	-	-	1	-	-	
1987.....	51	-	-	-	-	-	-	-	-	2	-	
1986.....	62	-	-	-	-	-	-	-	2	-	3	
1985.....	59	-	-	-	-	-	-	-	-	-	-	
1984.....	55	-	-	-	-	-	-	1	1	-	3	
1983.....	55	-	-	-	-	-	-	-	2	-	-	
1982.....	68	-	-	-	-	-	-	3	1	1	2	
1981.....	63	-	-	-	-	1	-	-	2	3	2	
1980.....	69	-	-	-	-	-	-	-	1	2	2	
1979.....	76	-	-	-	-	1	2	1	1	2	1	
BLACK, BOTH SEXES												
1998.....	121	-	-	-	-	-	-	-	-	1	3	
1997.....	104	-	1	-	-	-	-	-	1	-	7	
1996.....	110	-	-	-	-	-	-	1	1	3	9	
1995.....	125	-	-	-	-	-	-	-	-	4	5	
1994.....	90	-	-	-	-	-	1	-	2	1	2	
1993.....	94	-	-	-	-	-	2	-	1	4	5	
1992.....	100	-	-	-	-	-	1	1	1	3	2	
1991.....	93	-	-	-	1	-	-	-	2	1	4	
1990.....	92	-	-	-	-	1	2	1	1	3	2	
1989.....	100	-	-	-	-	-	-	-	1	2	-	
1988.....	106	-	-	-	-	-	-	-	1	2	-	
1987.....	115	-	-	-	-	-	-	1	1	6	1	
1986.....	115	-	-	-	-	-	-	-	2	-	5	
1985.....	114	-	-	-	1	-	-	-	3	2	2	
1984.....	116	-	-	-	-	-	-	1	1	1	6	
1983.....	112	-	-	-	-	-	2	-	2	-	2	
1982.....	112	-	-	-	-	-	1	3	1	2	3	
1981.....	146	-	-	-	-	1	-	-	2	3	6	
1980.....	140	-	-	-	-	-	-	-	1	4	4	
1979.....	140	-	-	-	-	1	2	1	1	4	3	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)											
BLACK MALE											
1998.....	65	-	-	-	-	-	-	-	-	1	1
1997.....	48	-	1	-	-	-	-	-	1	-	2
1996.....	58	-	-	-	-	-	-	1	-	1	4
1995.....	58	-	-	-	-	-	-	-	-	2	2
1994.....	43	-	-	-	-	-	-	-	-	1	1
1993.....	41	-	-	-	-	-	2	-	-	1	2
1992.....	45	-	-	-	-	-	1	-	-	2	-
1991.....	44	-	-	-	-	-	-	-	-	-	2
1990.....	43	-	-	-	-	1	2	-	1	2	-
1989.....	45	-	-	-	-	-	-	-	-	1	-
1988.....	68	-	-	-	-	-	-	-	-	2	-
1987.....	70	-	-	-	-	-	-	1	1	5	1
1986.....	57	-	-	-	-	-	-	-	-	-	2
1985.....	60	-	-	-	1	-	-	-	3	2	2
1984.....	64	-	-	-	-	-	-	-	-	1	3
1983.....	60	-	-	-	-	-	2	-	-	-	2
1982.....	47	-	-	-	-	-	1	-	-	1	1
1981.....	86	-	-	-	-	-	-	-	-	-	4
1980.....	73	-	-	-	-	-	-	-	-	2	2
1979.....	69	-	-	-	-	-	-	-	-	2	2
BLACK FEMALE											
1998.....	56	-	-	-	-	-	-	-	-	-	2
1997.....	56	-	-	-	-	-	-	-	-	-	5
1996.....	52	-	-	-	-	-	-	-	1	2	5
1995.....	67	-	-	-	-	-	-	-	-	2	3
1994.....	47	-	-	-	-	-	1	-	2	-	1
1993.....	53	-	-	-	-	-	-	-	1	3	3
1992.....	55	-	-	-	-	-	-	1	1	1	2
1991.....	49	-	-	-	1	-	-	-	2	1	2
1990.....	49	-	-	-	-	-	-	1	-	1	2
1989.....	55	-	-	-	-	-	-	-	1	1	-
1988.....	38	-	-	-	-	-	-	-	1	-	-
1987.....	45	-	-	-	-	-	-	-	-	1	-
1986.....	58	-	-	-	-	-	-	-	2	-	3
1985.....	54	-	-	-	-	-	-	-	-	-	-
1984.....	52	-	-	-	-	-	-	1	1	-	3
1983.....	52	-	-	-	-	-	-	-	2	-	-
1982.....	65	-	-	-	-	-	-	3	1	1	2
1981.....	60	-	-	-	-	1	-	-	2	3	2
1980.....	67	-	-	-	-	-	-	-	1	2	2
1979.....	71	-	-	-	-	1	2	1	1	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)											
TOTAL, BOTH SEXES											
1998.....	10,958	25	1	4	6	6	6	14	18	48	87
1997.....	12,045	25	8	1	3	5	7	11	24	58	80
1996.....	13,022	17	5	2	3	4	7	7	28	47	80
1995.....	13,901	22	6	1	1	5	12	13	25	50	88
1994.....	14,629	29	10	2	3	7	15	15	20	43	82
1993.....	15,236	25	9	3	2	5	15	15	25	52	76
1992.....	15,583	21	5	1	2	3	6	14	27	49	92
1991.....	16,699	21	11	3	4	9	16	11	24	59	84
1990.....	18,261	15	7	8	3	6	14	17	30	62	99
1989.....	19,799	16	8	4	6	6	14	13	25	51	68
1988.....	21,265	30	10	2	3	6	9	18	48	51	85
1987.....	22,405	17	5	3	4	10	12	19	38	55	67
1986.....	23,467	13	6	5	3	2	16	20	35	49	86
1985.....	24,519	17	4	4	2	10	15	18	38	46	90
1984.....	25,284	16	9	6	6	14	8	14	34	53	111
1983.....	26,435	11	10	6	6	3	17	13	32	68	69
1982.....	28,361	12	6	6	4	7	16	12	36	40	82
1981.....	31,013	14	3	1	6	11	12	15	36	54	82
1980.....	34,048	15	12	2	1	9	19	20	38	52	81
1979.....	35,717	11	12	3	6	7	14	30	24	52	97
TOTAL, MALE											
1998.....	4,160	13	1	-	3	3	3	9	9	21	49
1997.....	4,619	15	5	1	-	3	3	4	12	35	44
1996.....	5,065	6	2	2	2	3	3	3	15	25	49
1995.....	5,300	10	4	1	-	3	5	7	14	25	51
1994.....	5,711	17	5	1	1	2	8	7	5	18	52
1993.....	5,980	15	6	2	1	2	5	12	9	28	37
1992.....	6,061	10	3	1	1	2	4	9	11	25	54
1991.....	6,577	8	5	1	2	2	7	4	13	43	51
1990.....	7,032	9	3	3	1	3	8	8	20	33	50
1989.....	7,656	9	5	1	4	1	8	6	13	35	39
1988.....	8,303	16	3	-	-	3	2	8	32	35	55
1987.....	8,752	11	3	2	2	6	5	12	24	23	39
1986.....	9,206	9	4	2	-	1	10	7	20	30	50
1985.....	9,531	9	2	3	-	5	3	12	19	26	54
1984.....	10,082	8	2	4	6	4	3	10	17	34	59
1983.....	10,583	6	6	3	2	1	7	6	20	35	38
1982.....	11,295	6	4	3	1	5	6	7	16	19	49
1981.....	12,346	10	2	-	2	4	8	5	19	29	46
1980.....	13,747	11	4	1	-	8	13	10	22	30	47
1979.....	14,541	4	5	2	4	3	8	14	7	26	52

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)											
TOTAL, FEMALE											
1998.....	6,798	12	-	4	3	3	3	5	9	27	38
1997.....	7,426	10	3	-	3	2	4	7	12	23	36
1996.....	7,957	11	3	-	1	1	4	4	13	22	31
1995.....	8,601	12	2	-	1	2	7	6	11	25	37
1994.....	8,918	12	5	1	2	5	7	8	15	25	30
1993.....	9,256	10	3	1	1	3	10	3	16	24	39
1992.....	9,522	11	2	-	1	1	2	5	16	24	38
1991.....	10,122	13	6	2	2	7	9	7	11	16	33
1990.....	11,229	6	4	5	2	3	6	9	10	29	49
1989.....	12,143	7	3	3	2	5	6	7	12	16	29
1988.....	12,962	14	7	2	3	3	7	10	16	16	30
1987.....	13,653	6	2	1	2	4	7	7	14	32	28
1986.....	14,261	4	2	3	3	1	6	13	15	19	36
1985.....	14,988	8	2	1	2	5	12	6	19	20	36
1984.....	15,202	8	7	2	-	10	5	4	17	19	52
1983.....	15,852	5	4	3	4	2	10	7	12	33	31
1982.....	17,066	6	2	3	3	2	10	5	20	21	33
1981.....	18,667	4	1	1	4	7	4	10	17	25	36
1980.....	20,301	4	8	1	1	1	6	10	16	22	34
1979.....	21,176	7	7	1	2	4	6	16	17	26	45
WHITE, BOTH SEXES											
1998.....	9,511	20	-	2	5	5	4	10	11	34	62
1997.....	10,495	18	6	-	2	4	4	8	17	38	54
1996.....	11,399	10	4	2	1	3	6	5	14	35	46
1995.....	12,089	17	4	-	1	4	10	9	20	33	61
1994.....	12,748	23	8	2	2	5	10	8	13	32	51
1993.....	13,353	19	5	2	1	5	14	9	19	37	47
1992.....	13,615	14	5	1	2	1	4	9	14	29	53
1991.....	14,656	16	8	2	3	5	13	6	15	39	56
1990.....	16,079	10	6	6	3	3	10	14	21	39	61
1989.....	17,495	12	4	4	4	4	11	12	17	34	44
1988.....	18,825	20	6	1	2	3	8	12	24	27	61
1987.....	19,966	13	3	2	3	8	8	13	32	34	47
1986.....	20,878	8	6	5	2	2	9	12	22	34	53
1985.....	21,785	13	4	3	1	8	11	15	26	29	56
1984.....	22,609	14	6	3	2	12	7	8	26	43	72
1983.....	23,541	6	9	4	4	2	15	8	21	45	46
1982.....	25,434	8	4	5	4	5	14	8	25	29	52
1981.....	27,795	12	2	1	4	7	9	13	24	34	54
1980.....	30,404	10	6	1	-	6	14	14	26	37	51
1979.....	32,046	8	9	2	6	7	9	19	20	33	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)											
WHITE MALE											
1998.....	3,544	10	-	-	2	2	3	7	6	17	35
1997.....	3,955	12	4	-	-	2	2	1	9	21	31
1996.....	4,352	2	2	2	1	3	2	3	6	22	28
1995.....	4,528	8	3	-	-	2	4	4	12	19	34
1994.....	4,853	14	4	1	1	2	4	4	3	15	34
1993.....	5,173	12	4	1	-	2	4	9	6	20	23
1992.....	5,199	6	3	1	1	1	2	6	5	15	35
1991.....	5,638	5	2	-	2	1	6	1	7	29	34
1990.....	6,087	6	2	2	1	2	6	7	16	22	37
1989.....	6,673	5	2	1	3	-	6	6	9	24	27
1988.....	7,237	12	2	-	-	1	2	5	15	17	38
1987.....	7,638	9	1	1	2	4	3	7	20	12	26
1986.....	8,086	5	4	2	-	1	7	6	11	25	29
1985.....	8,350	6	2	3	-	3	3	10	12	18	33
1984.....	8,867	6	-	2	2	4	2	5	12	26	37
1983.....	9,311	4	6	3	1	1	7	2	13	24	27
1982.....	9,971	4	3	2	1	4	5	3	12	14	29
1981.....	10,907	9	2	-	2	3	5	5	9	18	30
1980.....	12,113	7	2	-	-	5	10	7	16	19	31
1979.....	12,811	3	3	2	4	3	6	10	6	14	33
WHITE FEMALE											
1998.....	5,967	10	-	2	3	3	1	3	5	17	27
1997.....	6,540	6	2	-	2	2	2	7	8	17	23
1996.....	7,047	8	2	-	-	-	4	2	8	13	18
1995.....	7,561	9	1	-	1	2	6	5	8	14	27
1994.....	7,895	9	4	1	1	3	6	4	10	17	17
1993.....	8,180	7	1	1	1	3	10	-	13	17	24
1992.....	8,416	8	2	-	1	-	2	3	9	14	18
1991.....	9,018	11	6	2	1	4	7	5	8	10	22
1990.....	9,992	4	4	4	2	1	4	7	5	17	24
1989.....	10,822	7	2	3	1	4	5	6	8	10	17
1988.....	11,588	8	4	1	2	2	6	7	9	10	23
1987.....	12,328	4	2	1	1	4	5	6	12	22	21
1986.....	12,792	3	2	3	2	1	2	6	11	9	24
1985.....	13,435	7	2	-	1	5	8	5	14	11	23
1984.....	13,742	8	6	1	-	8	5	3	14	17	35
1983.....	14,230	2	3	1	3	1	8	6	8	21	19
1982.....	15,463	4	1	3	3	1	9	5	13	15	23
1981.....	16,888	3	-	1	2	4	4	8	15	16	24
1980.....	18,291	3	4	1	-	1	4	7	10	18	20
1979.....	19,235	5	6	-	2	4	3	9	14	19	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)											
ALL OTHER, BOTH SEXES											
1998.....	1,447	5	1	2	1	1	2	4	7	14	25
1997.....	1,550	7	2	1	1	1	3	3	7	20	26
1996.....	1,623	7	1	-	2	1	1	2	14	12	34
1995.....	1,812	5	2	1	-	1	2	4	5	17	27
1994.....	1,881	6	2	-	1	2	5	7	7	11	31
1993.....	1,883	6	4	1	1	-	1	6	6	15	29
1992.....	1,968	7	-	-	-	2	2	5	13	20	39
1991.....	2,043	5	3	1	1	4	3	5	9	20	28
1990.....	2,182	5	1	2	-	3	4	3	9	23	38
1989.....	2,304	4	4	-	2	2	3	1	8	17	24
1988.....	2,440	10	4	1	1	3	1	6	24	24	24
1987.....	2,439	4	2	1	1	2	4	6	6	21	20
1986.....	2,589	5	-	-	1	-	7	8	13	15	33
1985.....	2,734	4	-	1	1	2	4	3	12	17	34
1984.....	2,675	2	3	3	4	2	1	6	8	10	39
1983.....	2,894	5	1	2	2	1	2	5	11	23	23
1982.....	2,927	4	2	1	-	2	2	4	11	11	30
1981.....	3,218	2	1	-	2	4	3	2	12	20	28
1980.....	3,644	5	6	1	1	3	5	6	12	15	30
1979.....	3,671	3	3	1	-	-	5	11	4	19	34
ALL OTHER MALE											
1998.....	616	3	1	-	1	1	-	2	3	4	14
1997.....	664	3	1	1	-	1	1	3	3	14	13
1996.....	713	4	-	-	1	-	1	-	9	3	21
1995.....	772	2	1	1	-	1	1	3	2	6	17
1994.....	858	3	1	-	-	-	4	3	2	3	18
1993.....	807	3	2	1	1	-	1	3	3	8	14
1992.....	862	4	-	-	-	1	2	3	6	10	19
1991.....	939	3	3	1	-	1	1	3	6	14	17
1990.....	945	3	1	1	-	1	2	1	4	11	13
1989.....	983	4	3	-	1	1	2	-	4	11	12
1988.....	1,066	4	1	-	-	2	-	3	17	18	17
1987.....	1,114	2	2	1	-	2	2	5	4	11	13
1986.....	1,120	4	-	-	-	-	3	1	9	5	21
1985.....	1,181	3	-	-	-	2	-	2	7	8	21
1984.....	1,215	2	2	2	4	-	1	5	5	8	22
1983.....	1,272	2	-	-	1	-	-	4	7	11	11
1982.....	1,324	2	1	1	-	1	1	4	4	5	20
1981.....	1,439	1	-	-	-	1	3	-	10	11	16
1980.....	1,634	4	2	1	-	3	3	3	6	11	16
1979.....	1,730	1	2	-	-	-	2	4	1	12	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	831	2	-	2	-	-	2	2	4	10	11
1997.....	886	4	1	-	1	-	2	-	4	6	13
1996.....	910	3	1	-	1	1	-	2	5	9	13
1995.....	1,040	3	1	-	-	-	1	1	3	11	10
1994.....	1,023	3	1	-	1	2	1	4	5	8	13
1993.....	1,076	3	2	-	-	-	-	3	3	7	15
1992.....	1,106	3	-	-	-	1	-	2	7	10	20
1991.....	1,104	2	-	-	1	3	2	2	3	6	11
1990.....	1,237	2	-	1	-	2	2	2	5	12	25
1989.....	1,321	-	1	-	1	1	1	1	4	6	12
1988.....	1,374	6	3	1	1	1	1	3	7	6	7
1987.....	1,325	2	-	-	1	-	2	1	2	10	7
1986.....	1,469	1	-	-	1	-	4	7	4	10	12
1985.....	1,553	1	-	1	1	1	4	1	5	9	13
1984.....	1,460	-	1	1	-	2	-	1	3	2	17
1983.....	1,622	3	1	2	1	1	2	1	4	12	12
1982.....	1,603	2	1	-	-	1	1	-	7	6	10
1981.....	1,779	1	1	-	2	3	-	2	2	9	12
1980.....	2,010	1	4	-	1	-	2	3	6	4	14
1979.....	1,941	2	1	1	-	-	3	7	3	7	15
BLACK, BOTH SEXES											
1998.....	1,259	4	-	2	1	1	2	4	6	13	24
1997.....	1,353	4	2	1	1	1	2	3	6	19	25
1996.....	1,404	7	-	-	1	1	1	2	14	12	31
1995.....	1,600	4	2	1	-	1	2	4	4	17	26
1994.....	1,652	5	-	-	1	2	4	5	6	11	28
1993.....	1,665	6	2	1	-	-	-	5	6	15	29
1992.....	1,760	7	-	-	-	2	1	4	11	20	38
1991.....	1,846	4	1	1	1	4	2	5	9	19	27
1990.....	1,977	4	1	2	-	3	3	3	7	23	35
1989.....	2,109	4	3	-	2	2	3	1	8	16	23
1988.....	2,233	9	4	1	1	3	1	6	22	24	18
1987.....	2,241	3	2	1	1	1	4	5	6	21	19
1986.....	2,385	5	-	-	1	-	6	7	13	15	33
1985.....	2,537	4	-	1	1	2	4	3	12	13	34
1984.....	2,501	1	1	2	4	2	1	6	7	10	38
1983.....	2,705	5	1	1	2	1	2	5	11	21	21
1982.....	2,726	2	2	1	-	2	2	4	10	10	30
1981.....	3,018	2	1	-	2	4	3	2	10	19	27
1980.....	3,425	3	5	1	1	2	4	6	12	15	30
1979.....	3,447	2	3	1	-	-	5	10	4	17	32

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)

BLACK MALE

1998.....	528	3	-	-	1	1	-	2	2	4	14
1997.....	573	1	1	1	-	1	-	3	2	13	12
1996.....	607	4	-	-	1	-	1	-	9	3	19
1995.....	667	2	1	1	-	1	1	3	2	6	16
1994.....	737	3	-	-	-	-	4	3	2	3	16
1993.....	699	3	1	1	-	-	-	3	3	8	14
1992.....	753	4	-	-	-	1	1	3	5	10	19
1991.....	831	2	1	1	-	1	1	3	6	14	16
1990.....	851	2	1	1	-	1	1	1	3	11	12
1989.....	882	4	2	-	1	1	2	-	4	11	11
1988.....	965	4	1	-	-	2	-	3	17	18	14
1987.....	999	1	2	1	-	1	2	4	4	11	12
1986.....	1,023	4	-	-	-	-	3	1	9	5	21
1985.....	1,074	3	-	-	-	2	-	2	7	5	21
1984.....	1,115	1	-	1	4	-	1	5	5	8	22
1983.....	1,168	2	-	-	1	-	-	4	7	11	9
1982.....	1,230	-	1	1	-	1	1	4	3	5	20
1981.....	1,328	1	-	-	-	1	3	-	8	11	15
1980.....	1,522	2	2	1	-	2	2	3	6	11	16
1979.....	1,614	1	2	-	-	-	2	4	1	11	17

BLACK FEMALE

1998.....	731	1	-	2	-	-	2	2	4	9	10
1997.....	780	3	1	-	1	-	2	-	4	6	13
1996.....	797	3	-	-	-	1	-	2	5	9	12
1995.....	933	2	1	-	-	-	1	1	2	11	10
1994.....	915	2	-	-	1	2	-	2	4	8	12
1993.....	966	3	1	-	-	-	-	2	3	7	15
1992.....	1,007	3	-	-	-	1	-	1	6	10	19
1991.....	1,015	2	-	-	1	3	1	2	3	5	11
1990.....	1,126	2	-	1	-	2	2	2	4	12	23
1989.....	1,227	-	1	-	1	1	1	1	4	5	12
1988.....	1,268	5	3	1	1	1	1	3	5	6	4
1987.....	1,242	2	-	-	1	-	2	1	2	10	7
1986.....	1,362	1	-	-	1	-	3	6	4	10	12
1985.....	1,463	1	-	1	1	-	4	1	5	8	13
1984.....	1,386	-	1	1	-	2	-	1	2	2	16
1983.....	1,537	3	1	1	1	1	2	1	4	10	12
1982.....	1,496	2	1	-	-	1	1	-	7	5	10
1981.....	1,690	1	1	-	2	3	-	2	2	8	12
1980.....	1,903	1	3	-	1	-	2	3	6	4	14
1979.....	1,833	1	1	1	-	-	3	6	3	6	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL EMBOLISM (434.1)											
TOTAL, BOTH SEXES											
1998.....	570	-	-	-	-	-	1	-	1	3	7
1997.....	617	-	-	-	-	-	-	3	5	5	4
1996.....	672	1	-	-	-	-	1	3	2	4	3
1995.....	627	-	1	-	-	-	-	-	2	4	2
1994.....	708	-	-	-	-	-	-	4	2	6	7
1993.....	643	1	-	-	-	2	-	3	2	7	5
1992.....	630	-	-	-	-	-	-	1	4	7	4
1991.....	633	-	-	1	1	1	2	1	3	4	6
1990.....	651	-	-	-	-	-	-	-	6	2	2
1989.....	681	-	2	-	-	1	-	1	-	2	7
1988.....	741	1	-	-	-	-	-	3	1	5	6
1987.....	739	-	-	-	-	1	1	2	5	4	4
1986.....	784	1	1	1	1	2	1	2	3	2	7
1985.....	786	-	-	1	-	1	2	-	4	2	3
1984.....	774	-	1	-	1	1	2	-	3	4	8
1983.....	746	-	-	2	-	-	1	4	3	2	6
1982.....	759	-	-	-	-	-	4	1	4	2	6
1981.....	806	-	-	-	-	-	1	4	2	4	4
1980.....	795	1	-	-	1	3	-	5	6	5	10
1979.....	850	-	-	-	-	1	2	1	7	6	5
TOTAL, MALE											
1998.....	228	-	-	-	-	-	-	-	-	2	4
1997.....	227	-	-	-	-	-	-	1	2	2	1
1996.....	263	-	-	-	-	-	1	1	2	2	1
1995.....	263	-	1	-	-	-	-	-	2	2	-
1994.....	265	-	-	-	-	-	-	-	1	4	4
1993.....	258	-	-	-	-	1	-	1	2	4	4
1992.....	233	-	-	-	-	-	-	1	3	1	2
1991.....	229	-	-	1	1	-	-	1	1	3	2
1990.....	263	-	-	-	-	-	-	-	2	2	2
1989.....	257	-	2	-	-	-	-	-	-	1	7
1988.....	309	1	-	-	-	-	-	2	-	3	4
1987.....	305	-	-	-	-	-	1	1	5	3	2
1986.....	314	1	1	-	1	-	-	1	2	1	5
1985.....	331	-	-	-	-	1	1	-	3	-	2
1984.....	316	-	-	-	1	-	1	-	1	3	2
1983.....	296	-	-	-	-	-	-	2	2	1	5
1982.....	308	-	-	-	-	-	2	-	3	-	1
1981.....	328	-	-	-	-	-	-	3	1	3	-
1980.....	335	-	-	-	-	1	-	1	1	2	4
1979.....	316	-	-	-	-	1	-	1	4	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
TOTAL, FEMALE												
1998.....	342	-	-	-	-	-	1	-	1	1	3	
1997.....	390	-	-	-	-	-	-	2	3	3	3	
1996.....	409	1	-	-	-	-	-	2	-	2	2	
1995.....	364	-	-	-	-	-	-	-	-	2	2	
1994.....	443	-	-	-	-	-	-	4	1	2	3	
1993.....	385	1	-	-	-	1	-	2	-	3	1	
1992.....	397	-	-	-	-	-	-	-	1	6	2	
1991.....	404	-	-	-	-	1	2	-	2	1	4	
1990.....	388	-	-	-	-	-	-	-	4	-	-	
1989.....	424	-	-	-	-	1	-	1	-	1	-	
1988.....	432	-	-	-	-	-	-	1	1	2	2	
1987.....	434	-	-	-	-	1	-	1	-	1	2	
1986.....	470	-	-	1	-	2	1	1	1	1	2	
1985.....	455	-	-	1	-	-	1	-	1	2	1	
1984.....	458	-	1	-	-	1	1	-	2	1	6	
1983.....	450	-	-	2	-	-	1	2	1	1	1	
1982.....	451	-	-	-	-	-	2	1	1	2	5	
1981.....	478	-	-	-	-	-	1	1	1	1	4	
1980.....	460	1	-	-	1	2	-	4	5	3	6	
1979.....	534	-	-	-	-	-	2	-	3	3	3	
WHITE, BOTH SEXES												
1998.....	519	-	-	-	-	-	-	-	1	1	5	
1997.....	561	-	-	-	-	-	-	2	4	4	4	
1996.....	612	1	-	-	-	-	1	3	1	4	3	
1995.....	570	-	1	-	-	-	-	-	2	3	1	
1994.....	643	-	-	-	-	-	-	3	2	5	4	
1993.....	595	1	-	-	-	1	-	3	2	6	4	
1992.....	562	-	-	-	-	-	-	-	3	7	2	
1991.....	573	-	-	1	1	1	2	1	2	3	4	
1990.....	604	-	-	-	-	-	-	-	3	1	2	
1989.....	615	-	-	-	-	1	-	1	-	2	4	
1988.....	682	1	-	-	-	-	-	3	-	3	5	
1987.....	671	-	-	-	-	-	1	2	5	2	1	
1986.....	713	1	1	1	1	2	1	1	3	1	5	
1985.....	725	-	-	1	-	-	2	-	3	2	3	
1984.....	705	-	-	-	-	1	1	-	2	3	7	
1983.....	680	-	-	2	-	-	1	3	2	1	5	
1982.....	702	-	-	-	-	-	3	1	2	2	3	
1981.....	739	-	-	-	-	-	1	2	1	3	3	
1980.....	705	-	-	-	1	3	-	4	5	2	6	
1979.....	779	-	-	-	-	1	1	1	7	6	4	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
WHITE MALE												
1998.....	206	-	-	-	-	-	-	-	-	-	3	
1997.....	204	-	-	-	-	-	-	-	1	2	1	
1996.....	241	-	-	-	-	-	1	1	1	2	1	
1995.....	238	-	1	-	-	-	-	-	2	1	-	
1994.....	239	-	-	-	-	-	-	-	1	3	2	
1993.....	244	-	-	-	-	1	-	1	2	4	4	
1992.....	207	-	-	-	-	-	-	-	2	1	1	
1991.....	204	-	-	1	1	-	-	1	1	2	1	
1990.....	240	-	-	-	-	-	-	-	2	1	2	
1989.....	221	-	-	-	-	-	-	-	-	1	4	
1988.....	280	1	-	-	-	-	-	2	-	2	4	
1987.....	278	-	-	-	-	-	1	1	5	2	1	
1986.....	284	1	1	-	1	-	-	1	2	-	4	
1985.....	302	-	-	-	-	-	1	-	3	-	2	
1984.....	291	-	-	-	-	-	1	-	-	2	2	
1983.....	267	-	-	-	-	-	-	2	1	-	4	
1982.....	286	-	-	-	-	-	1	-	1	-	1	
1981.....	294	-	-	-	-	-	-	1	1	3	-	
1980.....	290	-	-	-	-	1	-	-	1	-	3	
1979.....	284	-	-	-	-	1	-	1	4	3	2	
WHITE FEMALE												
1998.....	313	-	-	-	-	-	-	-	1	1	2	
1997.....	357	-	-	-	-	-	-	2	3	2	3	
1996.....	371	1	-	-	-	-	-	2	-	2	2	
1995.....	332	-	-	-	-	-	-	-	-	2	1	
1994.....	404	-	-	-	-	-	-	3	1	2	2	
1993.....	351	1	-	-	-	-	-	2	-	2	-	
1992.....	355	-	-	-	-	-	-	-	1	6	1	
1991.....	369	-	-	-	-	1	2	-	1	1	3	
1990.....	364	-	-	-	-	-	-	-	1	-	-	
1989.....	394	-	-	-	-	1	-	1	-	1	-	
1988.....	402	-	-	-	-	-	-	1	-	1	1	
1987.....	393	-	-	-	-	-	-	1	-	-	-	
1986.....	429	-	-	1	-	2	1	-	1	1	1	
1985.....	423	-	-	1	-	-	1	-	-	2	1	
1984.....	414	-	-	-	-	1	-	-	2	1	5	
1983.....	413	-	-	2	-	-	1	1	1	1	1	
1982.....	416	-	-	-	-	-	2	1	1	2	2	
1981.....	445	-	-	-	-	-	1	1	-	-	3	
1980.....	415	-	-	-	1	2	-	4	4	2	3	
1979.....	495	-	-	-	-	-	1	-	3	3	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CEREBRAL EMBOLISM (434.1)												
ALL OTHER FEMALE												
1998.....	29	-	-	-	-	-	1	-	-	-	1	
1997.....	33	-	-	-	-	-	-	-	-	1	-	
1996.....	38	-	-	-	-	-	-	-	-	-	-	
1995.....	32	-	-	-	-	-	-	-	-	-	1	
1994.....	39	-	-	-	-	-	-	1	-	-	1	
1993.....	34	-	-	-	-	1	-	-	-	1	1	
1992.....	42	-	-	-	-	-	-	-	-	-	1	
1991.....	35	-	-	-	-	-	-	-	1	-	1	
1990.....	24	-	-	-	-	-	-	-	3	-	-	
1989.....	30	-	-	-	-	-	-	-	-	-	-	
1988.....	30	-	-	-	-	-	-	-	1	1	1	
1987.....	41	-	-	-	-	1	-	-	-	1	2	
1986.....	41	-	-	-	-	-	-	1	-	-	1	
1985.....	32	-	-	-	-	-	-	-	1	-	-	
1984.....	44	-	1	-	-	-	1	-	-	-	1	
1983.....	37	-	-	-	-	-	-	1	-	-	-	
1982.....	35	-	-	-	-	-	-	-	-	-	3	
1981.....	33	-	-	-	-	-	-	-	1	1	1	
1980.....	45	1	-	-	-	-	-	-	1	1	3	
1979.....	39	-	-	-	-	-	1	-	-	-	1	
BLACK, BOTH SEXES												
1998.....	38	-	-	-	-	-	-	-	-	1	1	
1997.....	36	-	-	-	-	-	-	1	1	-	-	
1996.....	47	-	-	-	-	-	-	-	-	-	-	
1995.....	43	-	-	-	-	-	-	-	-	-	1	
1994.....	54	-	-	-	-	-	-	1	-	1	3	
1993.....	39	-	-	-	-	-	-	-	-	1	1	
1992.....	56	-	-	-	-	-	-	1	1	-	2	
1991.....	53	-	-	-	-	-	-	-	1	1	2	
1990.....	39	-	-	-	-	-	-	-	3	1	-	
1989.....	57	-	1	-	-	-	-	-	-	-	3	
1988.....	49	-	-	-	-	-	-	-	1	2	1	
1987.....	61	-	-	-	-	1	-	-	-	2	2	
1986.....	64	-	-	-	-	-	-	1	-	1	2	
1985.....	53	-	-	-	-	1	-	-	-	-	-	
1984.....	66	-	1	-	1	-	1	-	1	1	1	
1983.....	62	-	-	-	-	-	-	1	1	1	1	
1982.....	52	-	-	-	-	-	1	-	2	-	2	
1981.....	66	-	-	-	-	-	-	2	1	1	1	
1980.....	80	-	-	-	-	-	-	1	-	2	4	
1979.....	67	-	-	-	-	-	1	-	-	-	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CEREBRAL EMBOLISM (434.1)											
BLACK MALE											
1998.....	16	-	-	-	-	-	-	-	-	1	-
1997.....	15	-	-	-	-	-	-	1	1	-	-
1996.....	17	-	-	-	-	-	-	-	-	-	-
1995.....	18	-	-	-	-	-	-	-	-	-	-
1994.....	21	-	-	-	-	-	-	-	-	1	2
1993.....	12	-	-	-	-	-	-	-	-	-	-
1992.....	19	-	-	-	-	-	-	1	1	-	1
1991.....	23	-	-	-	-	-	-	-	-	1	1
1990.....	20	-	-	-	-	-	-	-	-	1	-
1989.....	29	-	1	-	-	-	-	-	-	-	3
1988.....	23	-	-	-	-	-	-	-	-	1	-
1987.....	24	-	-	-	-	-	-	-	-	1	1
1986.....	28	-	-	-	-	-	-	-	-	1	1
1985.....	25	-	-	-	-	1	-	-	-	-	-
1984.....	24	-	-	-	1	-	-	-	1	1	-
1983.....	27	-	-	-	-	-	-	-	1	1	1
1982.....	19	-	-	-	-	-	1	-	2	-	-
1981.....	33	-	-	-	-	-	-	2	-	-	-
1980.....	40	-	-	-	-	-	-	1	-	2	1
1979.....	30	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1998.....	22	-	-	-	-	-	-	-	-	-	1
1997.....	21	-	-	-	-	-	-	-	-	-	-
1996.....	30	-	-	-	-	-	-	-	-	-	-
1995.....	25	-	-	-	-	-	-	-	-	-	1
1994.....	33	-	-	-	-	-	-	1	-	-	1
1993.....	27	-	-	-	-	-	-	-	-	1	1
1992.....	37	-	-	-	-	-	-	-	-	-	1
1991.....	30	-	-	-	-	-	-	-	1	-	1
1990.....	19	-	-	-	-	-	-	-	3	-	-
1989.....	28	-	-	-	-	-	-	-	-	-	-
1988.....	26	-	-	-	-	-	-	-	1	1	1
1987.....	37	-	-	-	-	1	-	-	-	1	1
1986.....	36	-	-	-	-	-	-	1	-	-	1
1985.....	28	-	-	-	-	-	-	-	-	-	-
1984.....	42	-	1	-	-	-	1	-	-	-	1
1983.....	35	-	-	-	-	-	-	1	-	-	-
1982.....	33	-	-	-	-	-	-	-	-	-	2
1981.....	33	-	-	-	-	-	-	-	1	1	1
1980.....	40	-	-	-	-	-	-	-	-	-	3
1979.....	37	-	-	-	-	-	1	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)											
TOTAL, BOTH SEXES											
1998.....	90,090	3	2	-	2	9	8	27	60	115	221
1997.....	91,017	2	2	1	2	3	13	19	51	113	267
1996.....	92,625	1	6	5	5	2	13	21	61	142	266
1995.....	91,553	4	3	2	3	5	12	23	60	134	235
1994.....	88,176	5	3	4	1	8	12	31	59	111	247
1993.....	86,151	2	3	3	3	6	12	32	44	123	215
1992.....	81,367	2	3	1	3	4	11	18	58	102	238
1991.....	80,997	2	3	4	1	5	10	27	46	105	248
1990.....	80,745	2	4	3	3	9	9	19	55	110	201
1989.....	80,012	7	1	2	5	2	11	21	49	96	203
1988.....	82,450	4	5	4	4	5	8	20	61	108	240
1987.....	81,477	2	4	4	1	5	10	31	43	98	225
1986.....	80,402	1	3	2	2	4	16	24	55	107	209
1985.....	81,712	4	5	3	3	4	16	17	55	85	213
1984.....	81,760	3	3	7	3	6	13	21	49	95	214
1983.....	81,823	4	6	10	3	6	24	21	49	97	181
1982.....	81,371	2	7	11	3	5	12	22	56	97	207
1981.....	82,520	3	7	10	4	10	14	17	56	100	209
1980.....	84,423	2	6	1	4	7	16	29	47	93	203
1979.....	81,337	6	3	3	5	3	12	28	49	103	220
TOTAL, MALE											
1998.....	33,089	2	-	-	2	7	2	9	32	58	128
1997.....	34,138	1	2	1	1	3	8	8	29	58	152
1996.....	34,708	-	1	3	2	2	6	10	29	74	149
1995.....	34,381	2	2	2	3	2	8	9	30	65	138
1994.....	33,472	4	2	3	1	5	4	11	29	56	150
1993.....	32,689	-	2	2	1	4	3	16	13	70	131
1992.....	31,146	1	-	-	1	3	7	9	27	61	126
1991.....	31,188	1	2	2	1	2	4	11	29	63	154
1990.....	31,073	2	1	2	1	4	3	10	27	65	121
1989.....	30,764	3	1	1	4	1	6	12	26	67	122
1988.....	32,036	1	3	-	3	3	1	6	41	53	142
1987.....	31,439	2	2	2	1	2	3	17	25	59	127
1986.....	31,198	-	1	-	-	2	9	10	26	65	124
1985.....	31,987	4	2	-	1	1	7	7	29	52	102
1984.....	32,259	2	2	3	2	2	9	8	30	54	122
1983.....	32,589	4	4	3	2	2	9	8	25	53	90
1982.....	32,769	-	5	3	3	4	5	14	31	53	109
1981.....	33,457	3	2	7	1	4	7	6	32	57	106
1980.....	34,695	-	4	-	3	4	10	16	17	48	113
1979.....	33,797	1	2	2	3	1	5	15	29	48	124

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)											
TOTAL, FEMALE											
1998.....	57,001	1	2	-	-	2	6	18	28	57	93
1997.....	56,879	1	-	-	1	-	5	11	22	55	115
1996.....	57,917	1	5	2	3	-	7	11	32	68	117
1995.....	57,172	2	1	-	-	3	4	14	30	69	97
1994.....	54,704	1	1	1	-	3	8	20	30	55	97
1993.....	53,462	2	1	1	2	2	9	16	31	53	84
1992.....	50,221	1	3	1	2	1	4	9	31	41	112
1991.....	49,809	1	1	2	-	3	6	16	17	42	94
1990.....	49,672	-	3	1	2	5	6	9	28	45	80
1989.....	49,248	4	-	1	1	1	5	9	23	29	81
1988.....	50,414	3	2	4	1	2	7	14	20	55	98
1987.....	50,038	-	2	2	-	3	7	14	18	39	98
1986.....	49,204	1	2	2	2	2	7	14	29	42	85
1985.....	49,725	-	3	3	2	3	9	10	26	33	111
1984.....	49,501	1	1	4	1	4	4	13	19	41	92
1983.....	49,234	-	2	7	1	4	15	13	24	44	91
1982.....	48,602	2	2	8	-	1	7	8	25	44	98
1981.....	49,063	-	5	3	3	6	7	11	24	43	103
1980.....	49,728	2	2	1	1	3	6	13	30	45	90
1979.....	47,540	5	1	1	2	2	7	13	20	55	96
WHITE, BOTH SEXES											
1998.....	78,916	1	2	-	2	7	4	19	30	75	126
1997.....	79,962	2	1	1	2	2	8	11	35	69	160
1996.....	81,039	-	4	4	2	2	11	13	37	79	153
1995.....	80,228	3	2	2	2	3	8	13	40	78	134
1994.....	77,323	3	1	4	-	4	6	18	37	53	132
1993.....	75,492	2	3	3	1	5	11	19	26	76	129
1992.....	71,322	1	3	1	3	2	9	9	38	56	143
1991.....	70,655	1	2	3	1	4	4	18	23	59	135
1990.....	70,417	1	4	3	2	7	7	14	36	54	114
1989.....	69,504	5	1	1	5	1	8	14	23	46	109
1988.....	71,735	3	1	3	2	5	3	13	28	54	128
1987.....	71,120	-	3	4	1	3	5	16	21	52	137
1986.....	70,153	1	1	1	1	3	14	13	31	69	112
1985.....	71,222	3	2	2	3	2	11	12	28	55	124
1984.....	71,213	1	2	7	2	5	6	9	27	60	115
1983.....	71,292	3	5	9	1	4	13	11	31	45	104
1982.....	70,648	1	4	8	2	1	7	13	28	53	110
1981.....	71,551	-	5	7	2	7	11	11	37	61	120
1980.....	73,497	2	4	1	2	7	8	18	24	54	118
1979.....	70,680	2	1	2	4	3	11	14	18	44	119

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)											
WHITE MALE											
1998.....	28,401	1	-	-	2	5	2	7	15	33	72
1997.....	29,490	1	1	1	1	2	5	4	21	38	98
1996.....	29,849	-	-	2	2	2	4	9	17	40	98
1995.....	29,529	1	2	2	2	1	6	5	16	42	85
1994.....	28,782	2	1	3	-	3	2	6	19	25	78
1993.....	28,203	-	2	2	-	4	2	10	9	46	80
1992.....	26,846	-	-	-	1	1	7	5	18	33	79
1991.....	26,690	1	1	1	1	2	3	6	17	39	79
1990.....	26,616	1	1	2	-	3	3	7	18	29	73
1989.....	26,295	1	1	-	4	1	5	9	14	31	68
1988.....	27,467	1	-	-	2	3	-	5	17	28	76
1987.....	26,936	-	1	2	1	-	1	7	15	34	71
1986.....	26,696	-	-	-	-	1	7	5	13	42	69
1985.....	27,487	3	1	-	1	1	4	3	17	30	65
1984.....	27,601	1	1	3	2	1	4	5	14	36	68
1983.....	27,973	3	4	3	1	1	4	2	16	26	51
1982.....	27,942	-	3	1	2	1	4	8	18	31	61
1981.....	28,563	-	1	5	1	3	5	4	20	34	66
1980.....	29,693	-	3	-	1	4	5	11	8	29	70
1979.....	28,895	-	1	1	3	1	5	9	12	17	62
WHITE FEMALE											
1998.....	50,515	-	2	-	-	2	2	12	15	42	54
1997.....	50,472	1	-	-	1	-	3	7	14	31	62
1996.....	51,190	-	4	2	-	-	7	4	20	39	55
1995.....	50,699	2	-	-	-	2	2	8	24	36	49
1994.....	48,541	1	-	1	-	1	4	12	18	28	54
1993.....	47,289	2	1	1	1	1	9	9	17	30	49
1992.....	44,476	1	3	1	2	1	2	4	20	23	64
1991.....	43,965	-	1	2	-	2	1	12	6	20	56
1990.....	43,801	-	3	1	2	4	4	7	18	25	41
1989.....	43,209	4	-	1	1	-	3	5	9	15	41
1988.....	44,268	2	1	3	-	2	3	8	11	26	52
1987.....	44,184	-	2	2	-	3	4	9	6	18	66
1986.....	43,457	1	1	1	1	2	7	8	18	27	43
1985.....	43,735	-	1	2	2	1	7	9	11	25	59
1984.....	43,612	-	1	4	-	4	2	4	13	24	47
1983.....	43,319	-	1	6	-	3	9	9	15	19	53
1982.....	42,706	1	1	7	-	-	3	5	10	22	49
1981.....	42,988	-	4	2	1	4	6	7	17	27	54
1980.....	43,804	2	1	1	1	3	3	7	16	25	48
1979.....	41,785	2	-	1	1	2	6	5	6	27	57

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)											
ALL OTHER, BOTH SEXES											
1998.....	11,174	2	-	-	-	2	4	8	30	40	95
1997.....	11,055	-	1	-	-	1	5	8	16	44	107
1996.....	11,586	1	2	1	3	-	2	8	24	63	113
1995.....	11,325	1	1	-	1	2	4	10	20	56	101
1994.....	10,853	2	2	-	1	4	6	13	22	58	115
1993.....	10,659	-	-	-	2	1	1	13	18	47	86
1992.....	10,045	1	-	-	-	2	2	9	20	46	95
1991.....	10,342	1	1	1	-	1	6	9	23	46	113
1990.....	10,328	1	-	-	1	2	2	5	19	56	87
1989.....	10,508	2	-	1	-	1	3	7	26	50	94
1988.....	10,715	1	4	1	2	-	5	7	33	54	112
1987.....	10,357	2	1	-	-	2	5	15	22	46	88
1986.....	10,249	-	2	1	1	1	2	11	24	38	97
1985.....	10,490	1	3	1	-	2	5	5	27	30	89
1984.....	10,547	2	1	-	1	1	7	12	22	35	99
1983.....	10,531	1	1	1	2	2	11	10	18	52	77
1982.....	10,723	1	3	3	1	4	5	9	28	44	97
1981.....	10,969	3	2	3	2	3	3	6	19	39	89
1980.....	10,926	-	2	-	2	-	8	11	23	39	85
1979.....	10,657	4	2	1	1	-	1	14	31	59	101
ALL OTHER MALE											
1998.....	4,688	1	-	-	-	2	-	2	17	25	56
1997.....	4,648	-	1	-	-	1	3	4	8	20	54
1996.....	4,859	-	1	1	-	-	2	1	12	34	51
1995.....	4,852	1	-	-	1	1	2	4	14	23	53
1994.....	4,690	2	1	-	1	2	2	5	10	31	72
1993.....	4,486	-	-	-	1	-	1	6	4	24	51
1992.....	4,300	1	-	-	-	2	-	4	9	28	47
1991.....	4,498	-	1	1	-	-	1	5	12	24	75
1990.....	4,457	1	-	-	1	1	-	3	9	36	48
1989.....	4,469	2	-	1	-	-	1	3	12	36	54
1988.....	4,569	-	3	-	1	-	1	1	24	25	66
1987.....	4,503	2	1	-	-	2	2	10	10	25	56
1986.....	4,502	-	1	-	-	1	2	5	13	23	55
1985.....	4,500	1	1	-	-	-	3	4	12	22	37
1984.....	4,658	1	1	-	-	1	5	3	16	18	54
1983.....	4,616	1	-	-	1	1	5	6	9	27	39
1982.....	4,827	-	2	2	1	3	1	6	13	22	48
1981.....	4,894	3	1	2	-	1	2	2	12	23	40
1980.....	5,002	-	1	-	2	-	5	5	9	19	43
1979.....	4,902	1	1	1	-	-	-	6	17	31	62

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)											
ALL OTHER FEMALE											
1998.....	6,486	1	-	-	-	-	4	6	13	15	39
1997.....	6,407	-	-	-	-	-	2	4	8	24	53
1996.....	6,727	1	1	-	3	-	-	7	12	29	62
1995.....	6,473	-	1	-	-	1	2	6	6	33	48
1994.....	6,163	-	1	-	-	2	4	8	12	27	43
1993.....	6,173	-	-	-	1	1	-	7	14	23	35
1992.....	5,745	-	-	-	-	-	2	5	11	18	48
1991.....	5,844	1	-	-	-	1	5	4	11	22	38
1990.....	5,871	-	-	-	-	1	2	2	10	20	39
1989.....	6,039	-	-	-	-	1	2	4	14	14	40
1988.....	6,146	1	1	1	1	-	4	6	9	29	46
1987.....	5,854	-	-	-	-	-	3	5	12	21	32
1986.....	5,747	-	1	1	1	-	-	6	11	15	42
1985.....	5,990	-	2	1	-	2	2	1	15	8	52
1984.....	5,889	1	-	-	1	-	2	9	6	17	45
1983.....	5,915	-	1	1	1	1	6	4	9	25	38
1982.....	5,896	1	1	1	-	1	4	3	15	22	49
1981.....	6,075	-	1	1	2	2	1	4	7	16	49
1980.....	5,924	-	1	-	-	-	3	6	14	20	42
1979.....	5,755	3	1	-	1	-	1	8	14	28	39
BLACK, BOTH SEXES											
1998.....	9,676	2	-	-	-	2	3	8	28	37	85
1997.....	9,625	-	1	-	-	1	3	7	16	39	95
1996.....	10,190	-	2	1	3	-	2	7	23	59	101
1995.....	10,037	1	1	-	-	1	4	9	18	52	95
1994.....	9,653	2	1	-	1	3	6	12	22	55	111
1993.....	9,544	-	-	-	2	1	-	13	18	41	84
1992.....	9,091	1	-	-	-	1	1	9	19	41	89
1991.....	9,287	1	1	1	-	1	5	8	23	44	103
1990.....	9,406	1	-	-	1	-	2	5	19	54	84
1989.....	9,625	2	-	1	-	1	3	6	25	44	86
1988.....	9,876	1	3	1	2	-	5	6	32	51	106
1987.....	9,550	2	-	-	-	2	4	15	21	43	83
1986.....	9,549	-	2	-	1	1	2	9	24	37	93
1985.....	9,768	-	3	1	-	2	5	5	26	30	84
1984.....	9,847	2	1	-	1	1	7	10	21	32	91
1983.....	9,905	1	-	1	2	2	10	9	17	50	75
1982.....	10,089	-	3	3	1	4	5	9	27	42	97
1981.....	10,387	2	2	3	2	3	3	5	19	37	84
1980.....	10,336	-	1	-	2	-	8	11	23	37	81
1979.....	10,148	2	2	1	1	-	1	13	29	58	100

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)											
BLACK MALE											
1998.....	3,941	1	-	-	-	2	-	2	15	23	49
1997.....	3,943	-	1	-	-	1	2	4	8	18	47
1996.....	4,222	-	1	1	-	-	2	1	11	31	45
1995.....	4,207	1	-	-	-	-	2	4	12	22	48
1994.....	4,111	2	1	-	1	2	2	4	10	30	70
1993.....	3,971	-	-	-	1	-	-	6	4	19	49
1992.....	3,825	1	-	-	-	1	-	4	8	24	44
1991.....	3,971	-	1	1	-	-	-	4	12	22	70
1990.....	4,013	1	-	-	1	-	-	3	9	34	47
1989.....	4,017	2	-	1	-	-	1	2	12	33	48
1988.....	4,140	-	2	-	1	-	1	-	23	25	62
1987.....	4,094	2	-	-	-	2	2	10	9	23	55
1986.....	4,126	-	1	-	-	1	2	4	13	23	52
1985.....	4,147	-	1	-	-	-	3	4	12	22	36
1984.....	4,304	1	1	-	-	1	5	3	16	17	50
1983.....	4,295	1	-	-	1	1	4	5	9	25	37
1982.....	4,502	-	2	2	1	3	1	6	13	21	48
1981.....	4,593	2	1	2	-	1	2	1	12	21	38
1980.....	4,705	-	1	-	2	-	5	5	9	18	40
1979.....	4,616	-	1	1	-	-	-	6	17	30	62
BLACK FEMALE											
1998.....	5,735	1	-	-	-	-	3	6	13	14	36
1997.....	5,682	-	-	-	-	-	1	3	8	21	48
1996.....	5,968	-	1	-	3	-	-	6	12	28	56
1995.....	5,830	-	1	-	-	1	2	5	6	30	47
1994.....	5,542	-	-	-	-	1	4	8	12	25	41
1993.....	5,573	-	-	-	1	1	-	7	14	22	35
1992.....	5,266	-	-	-	-	-	1	5	11	17	45
1991.....	5,316	1	-	-	-	1	5	4	11	22	33
1990.....	5,393	-	-	-	-	-	2	2	10	20	37
1989.....	5,608	-	-	-	-	1	2	4	13	11	38
1988.....	5,736	1	1	1	1	-	4	6	9	26	44
1987.....	5,456	-	-	-	-	-	2	5	12	20	28
1986.....	5,423	-	1	-	1	-	-	5	11	14	41
1985.....	5,621	-	2	1	-	2	2	1	14	8	48
1984.....	5,543	1	-	-	1	-	2	7	5	15	41
1983.....	5,610	-	-	1	1	1	6	4	8	25	38
1982.....	5,587	-	1	1	-	1	4	3	14	21	49
1981.....	5,794	-	1	1	2	2	1	4	7	16	46
1980.....	5,631	-	-	-	-	-	3	6	14	19	41
1979.....	5,532	2	1	-	1	-	1	7	12	28	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)											
TOTAL, BOTH SEXES											
1998.....	22,395	228	35	15	11	10	7	14	19	59	80
1997.....	21,972	204	32	7	15	15	10	14	27	56	68
1996.....	21,729	175	26	10	9	9	5	23	26	49	85
1995.....	20,940	156	28	7	8	8	6	18	27	49	71
1994.....	19,771	109	24	9	8	3	9	11	27	49	75
1993.....	18,753	126	19	9	6	7	8	6	32	44	75
1992.....	16,848	94	19	7	5	1	8	13	30	45	59
1991.....	16,495	89	25	6	5	9	7	12	29	37	56
1990.....	15,785	60	16	9	7	7	8	16	20	36	74
1989.....	16,328	44	12	5	4	5	6	15	21	46	56
1988.....	16,802	53	13	6	3	8	11	17	29	40	50
1987.....	16,490	46	21	8	7	6	12	20	30	29	55
1986.....	16,542	35	13	-	4	5	10	16	34	33	52
1985.....	17,301	36	17	1	5	10	10	17	26	29	54
1984.....	18,202	16	13	8	2	12	14	19	22	30	54
1983.....	19,275	28	9	5	4	10	12	23	25	36	50
1982.....	19,314	20	7	3	5	8	12	20	28	42	47
1981.....	20,563	18	15	2	4	4	16	16	27	35	59
1980.....	21,770	28	9	6	1	13	19	18	28	41	51
1979.....	21,110	21	7	8	6	6	19	24	30	37	80
TOTAL, MALE											
1998.....	8,545	130	18	7	6	4	5	6	11	27	41
1997.....	8,541	113	20	5	9	6	8	7	11	27	37
1996.....	8,478	95	15	7	3	5	-	11	13	20	49
1995.....	8,068	92	14	4	5	4	4	12	13	30	44
1994.....	7,567	63	16	4	5	-	6	4	13	26	48
1993.....	7,131	67	9	5	3	3	3	4	15	25	45
1992.....	6,444	61	10	4	2	1	4	5	13	24	27
1991.....	6,333	46	13	3	4	4	5	8	12	16	33
1990.....	6,026	34	8	6	3	4	6	7	9	20	40
1989.....	6,167	23	4	2	3	4	3	8	7	19	30
1988.....	6,251	31	7	1	1	5	8	6	13	17	23
1987.....	6,148	27	12	5	3	5	7	8	12	15	31
1986.....	6,280	19	6	-	2	2	4	6	23	17	28
1985.....	6,433	20	11	1	2	5	4	10	11	17	29
1984.....	6,856	9	8	4	1	6	11	6	13	19	29
1983.....	7,449	15	8	3	1	6	7	11	12	22	22
1982.....	7,239	16	4	2	3	7	5	13	10	26	19
1981.....	7,851	15	8	1	3	4	3	11	18	18	27
1980.....	8,373	16	3	2	1	7	12	7	14	23	31
1979.....	8,192	17	5	5	1	4	11	15	16	23	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)											
TOTAL, FEMALE											
1998.....	13,850	98	17	8	5	6	2	8	8	32	39
1997.....	13,431	91	12	2	6	9	2	7	16	29	31
1996.....	13,251	80	11	3	6	4	5	12	13	29	36
1995.....	12,872	64	14	3	3	4	2	6	14	19	27
1994.....	12,204	46	8	5	3	3	3	7	14	23	27
1993.....	11,622	59	10	4	3	4	5	2	17	19	30
1992.....	10,404	33	9	3	3	-	4	8	17	21	32
1991.....	10,162	43	12	3	1	5	2	4	17	21	23
1990.....	9,759	26	8	3	4	3	2	9	11	16	34
1989.....	10,161	21	8	3	1	1	3	7	14	27	26
1988.....	10,551	22	6	5	2	3	3	11	16	23	27
1987.....	10,342	19	9	3	4	1	5	12	18	14	24
1986.....	10,262	16	7	-	2	3	6	10	11	16	24
1985.....	10,868	16	6	-	3	5	6	7	15	12	25
1984.....	11,346	7	5	4	1	6	3	13	9	11	25
1983.....	11,826	13	1	2	3	4	5	12	13	14	28
1982.....	12,075	4	3	1	2	1	7	7	18	16	28
1981.....	12,712	3	7	1	1	-	13	5	9	17	32
1980.....	13,397	12	6	4	-	6	7	11	14	18	20
1979.....	12,918	4	2	3	5	2	8	9	14	14	43
WHITE, BOTH SEXES											
1998.....	19,534	160	21	9	6	8	4	8	13	37	51
1997.....	19,220	142	20	4	8	11	6	10	21	35	36
1996.....	18,997	129	18	8	6	6	4	17	16	31	59
1995.....	18,209	119	17	6	7	5	3	15	18	35	46
1994.....	17,316	79	16	6	6	3	5	10	21	34	44
1993.....	16,423	85	14	6	1	6	7	3	22	32	49
1992.....	14,675	64	13	6	4	1	6	7	19	31	36
1991.....	14,412	61	15	5	4	8	6	7	19	29	36
1990.....	13,940	41	10	7	5	5	7	13	11	22	56
1989.....	14,404	31	9	4	3	4	4	8	13	26	36
1988.....	14,813	35	6	5	2	7	10	12	14	25	28
1987.....	14,616	34	15	6	5	6	10	12	16	15	35
1986.....	14,751	24	10	-	2	5	8	9	27	16	41
1985.....	15,443	28	12	1	4	7	8	11	18	16	38
1984.....	16,274	14	9	5	1	8	9	13	14	17	36
1983.....	17,330	20	8	4	3	8	8	13	19	26	33
1982.....	17,477	13	6	1	4	6	9	15	20	31	29
1981.....	18,645	13	12	2	3	4	8	12	17	20	33
1980.....	19,744	18	7	5	1	9	12	13	19	23	40
1979.....	19,286	14	5	7	5	5	12	15	20	25	59

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)											
WHITE MALE											
1998.....	7,306	93	10	3	3	4	3	4	7	17	25
1997.....	7,359	74	11	3	5	4	5	5	8	17	21
1996.....	7,295	75	10	5	2	4	-	9	10	13	38
1995.....	6,876	72	8	4	5	3	3	10	10	21	28
1994.....	6,522	47	10	3	5	-	4	4	11	22	29
1993.....	6,116	43	8	2	1	3	2	3	10	18	30
1992.....	5,492	41	8	3	1	1	4	3	8	15	14
1991.....	5,385	32	8	3	3	3	4	5	8	13	21
1990.....	5,207	23	3	4	3	4	5	6	6	12	29
1989.....	5,316	15	3	2	2	3	3	3	4	11	17
1988.....	5,375	18	4	-	-	5	7	5	7	12	13
1987.....	5,391	22	10	4	2	5	7	3	5	9	20
1986.....	5,450	12	5	-	-	2	3	4	20	8	21
1985.....	5,647	16	7	1	2	4	3	6	9	9	20
1984.....	6,073	7	4	1	1	4	8	6	10	11	18
1983.....	6,600	11	8	2	-	5	6	5	8	18	13
1982.....	6,446	10	3	1	2	5	4	9	9	18	11
1981.....	6,998	10	5	1	3	4	2	9	12	12	15
1980.....	7,490	11	1	2	1	6	5	5	8	12	25
1979.....	7,423	10	3	5	1	4	8	11	12	17	30
WHITE FEMALE											
1998.....	12,228	67	11	6	3	4	1	4	6	20	26
1997.....	11,861	68	9	1	3	7	1	5	13	18	15
1996.....	11,702	54	8	3	4	2	4	8	6	18	21
1995.....	11,333	47	9	2	2	2	-	5	8	14	18
1994.....	10,794	32	6	3	1	3	1	6	10	12	15
1993.....	10,307	42	6	4	-	3	5	-	12	14	19
1992.....	9,183	23	5	3	3	-	2	4	11	16	22
1991.....	9,027	29	7	2	1	5	2	2	11	16	15
1990.....	8,733	18	7	3	2	1	2	7	5	10	27
1989.....	9,088	16	6	2	1	1	1	5	9	15	19
1988.....	9,438	17	2	5	2	2	3	7	7	13	15
1987.....	9,225	12	5	2	3	1	3	9	11	6	15
1986.....	9,301	12	5	-	2	3	5	5	7	8	20
1985.....	9,796	12	5	-	2	3	5	5	9	7	18
1984.....	10,201	7	5	4	-	4	1	7	4	6	18
1983.....	10,730	9	-	2	3	3	2	8	11	8	20
1982.....	11,031	3	3	-	2	1	5	6	11	13	18
1981.....	11,647	3	7	1	-	-	6	3	5	8	18
1980.....	12,254	7	6	3	-	3	7	8	11	11	15
1979.....	11,863	4	2	2	4	1	4	4	8	8	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)											
ALL OTHER, BOTH SEXES											
1998.....	2,861	68	14	6	5	2	3	6	6	22	29
1997.....	2,752	62	12	3	7	4	4	4	6	21	32
1996.....	2,732	46	8	2	3	3	1	6	10	18	26
1995.....	2,731	37	11	1	1	3	3	3	9	14	25
1994.....	2,455	30	8	3	2	-	4	1	6	15	31
1993.....	2,330	41	5	3	5	1	1	3	10	12	26
1992.....	2,173	30	6	1	1	-	2	6	11	14	23
1991.....	2,083	28	10	1	1	1	1	5	10	8	20
1990.....	1,845	19	6	2	2	2	1	3	9	14	18
1989.....	1,924	13	3	1	1	1	2	7	8	20	20
1988.....	1,989	18	7	1	1	1	1	5	15	15	22
1987.....	1,874	12	6	2	2	-	2	8	14	14	20
1986.....	1,791	11	3	-	2	-	2	7	7	17	11
1985.....	1,858	8	5	-	1	3	2	6	8	13	16
1984.....	1,928	2	4	3	1	4	5	6	8	13	18
1983.....	1,945	8	1	1	1	2	4	10	6	10	17
1982.....	1,837	7	1	2	1	2	3	5	8	11	18
1981.....	1,918	5	3	-	1	-	8	4	10	15	26
1980.....	2,026	10	2	1	-	4	7	5	9	18	11
1979.....	1,824	7	2	1	1	1	7	9	10	12	21
ALL OTHER MALE											
1998.....	1,239	37	8	4	3	-	2	2	4	10	16
1997.....	1,182	39	9	2	4	2	3	2	3	10	16
1996.....	1,183	20	5	2	1	1	-	2	3	7	11
1995.....	1,192	20	6	-	-	1	1	2	3	9	16
1994.....	1,045	16	6	1	-	-	2	-	2	4	19
1993.....	1,015	24	1	3	2	-	1	1	5	7	15
1992.....	952	20	2	1	1	-	-	2	5	9	13
1991.....	948	14	5	-	1	1	1	3	4	3	12
1990.....	819	11	5	2	-	-	1	1	3	8	11
1989.....	851	8	1	-	1	1	-	5	3	8	13
1988.....	876	13	3	1	1	-	1	1	6	5	10
1987.....	757	5	2	1	1	-	-	5	7	6	11
1986.....	830	7	1	-	2	-	1	2	3	9	7
1985.....	786	4	4	-	-	1	1	4	2	8	9
1984.....	783	2	4	3	-	2	3	-	3	8	11
1983.....	849	4	-	1	1	1	1	6	4	4	9
1982.....	793	6	1	1	1	2	1	4	1	8	8
1981.....	853	5	3	-	-	-	1	2	6	6	12
1980.....	883	5	2	-	-	1	7	2	6	11	6
1979.....	769	7	2	-	-	-	3	4	4	6	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)											
ALL OTHER FEMALE											
1998.....	1,622	31	6	2	2	2	1	4	2	12	13
1997.....	1,570	23	3	1	3	2	1	2	3	11	16
1996.....	1,549	26	3	-	2	2	1	4	7	11	15
1995.....	1,539	17	5	1	1	2	2	1	6	5	9
1994.....	1,410	14	2	2	2	-	2	1	4	11	12
1993.....	1,315	17	4	-	3	1	-	2	5	5	11
1992.....	1,221	10	4	-	-	-	2	4	6	5	10
1991.....	1,135	14	5	1	-	-	-	2	6	5	8
1990.....	1,026	8	1	-	2	2	-	2	6	6	7
1989.....	1,073	5	2	1	-	-	2	2	5	12	7
1988.....	1,113	5	4	-	-	1	-	4	9	10	12
1987.....	1,117	7	4	1	1	-	2	3	7	8	9
1986.....	961	4	2	-	-	-	1	5	4	8	4
1985.....	1,072	4	1	-	1	2	1	2	6	5	7
1984.....	1,145	-	-	-	1	2	2	6	5	5	7
1983.....	1,096	4	1	-	-	1	3	4	2	6	8
1982.....	1,044	1	-	1	-	-	2	1	7	3	10
1981.....	1,065	-	-	-	1	-	7	2	4	9	14
1980.....	1,143	5	-	1	-	3	-	3	3	7	5
1979.....	1,055	-	-	1	1	1	4	5	6	6	14
BLACK, BOTH SEXES											
1998.....	2,473	64	13	6	5	-	3	6	5	19	25
1997.....	2,328	54	11	3	7	3	4	4	5	21	26
1996.....	2,320	39	8	2	3	3	1	6	10	17	23
1995.....	2,360	34	11	1	1	1	2	3	7	11	22
1994.....	2,130	28	8	3	2	-	4	1	6	12	28
1993.....	2,019	32	4	3	2	-	1	3	9	12	23
1992.....	1,896	28	5	-	1	-	2	4	11	14	21
1991.....	1,839	26	10	1	1	1	1	4	10	6	18
1990.....	1,624	18	6	1	2	2	1	2	9	14	15
1989.....	1,708	13	2	1	1	1	1	6	7	19	16
1988.....	1,778	15	6	1	1	1	-	5	13	14	18
1987.....	1,720	11	6	2	1	-	1	6	13	14	20
1986.....	1,633	9	2	-	2	-	1	6	7	14	11
1985.....	1,704	8	5	-	1	3	1	6	7	12	16
1984.....	1,777	2	4	3	1	4	4	6	8	11	18
1983.....	1,799	7	1	1	1	2	4	9	6	8	15
1982.....	1,720	5	1	2	1	2	3	5	8	8	18
1981.....	1,801	5	2	-	1	-	8	3	8	14	24
1980.....	1,893	9	2	-	-	4	6	5	9	17	11
1979.....	1,711	7	2	1	1	1	6	9	10	11	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)											
BLACK MALE											
1998.....	1,050	34	7	4	3	-	2	2	3	9	13
1997.....	975	34	9	2	4	2	3	2	3	10	12
1996.....	975	16	5	2	1	1	-	2	3	6	8
1995.....	996	19	6	-	-	1	-	2	3	6	14
1994.....	866	15	6	1	-	-	2	-	2	2	17
1993.....	858	20	1	3	1	-	1	1	4	7	13
1992.....	807	18	2	-	1	-	-	1	5	9	12
1991.....	835	13	5	-	1	1	1	2	4	2	11
1990.....	716	10	5	1	-	-	1	1	3	8	8
1989.....	734	8	-	-	1	1	-	4	3	8	10
1988.....	773	10	2	1	1	-	-	1	5	5	8
1987.....	671	4	2	1	-	-	-	4	6	6	11
1986.....	752	6	1	-	2	-	1	1	3	7	7
1985.....	713	4	4	-	-	1	1	4	2	8	9
1984.....	722	2	4	3	-	2	3	-	3	7	11
1983.....	777	3	-	1	1	1	1	6	4	4	8
1982.....	735	4	1	1	1	2	1	4	1	6	8
1981.....	800	5	2	-	-	-	1	2	5	5	10
1980.....	808	5	2	-	-	1	6	2	6	10	6
1979.....	722	7	2	-	-	-	2	4	4	6	7
BLACK FEMALE											
1998.....	1,423	30	6	2	2	-	1	4	2	10	12
1997.....	1,353	20	2	1	3	1	1	2	2	11	14
1996.....	1,345	23	3	-	2	2	1	4	7	11	15
1995.....	1,364	15	5	1	1	-	2	1	4	5	8
1994.....	1,264	13	2	2	2	-	2	1	4	10	11
1993.....	1,161	12	3	-	1	-	-	2	5	5	10
1992.....	1,089	10	3	-	-	-	2	3	6	5	9
1991.....	1,004	13	5	1	-	-	-	2	6	4	7
1990.....	908	8	1	-	2	2	-	1	6	6	7
1989.....	974	5	2	1	-	-	1	2	4	11	6
1988.....	1,005	5	4	-	-	1	-	4	8	9	10
1987.....	1,049	7	4	1	1	-	1	2	7	8	9
1986.....	881	3	1	-	-	-	-	5	4	7	4
1985.....	991	4	1	-	1	2	-	2	5	4	7
1984.....	1,055	-	-	-	1	2	1	6	5	4	7
1983.....	1,022	4	1	-	-	1	3	3	2	4	7
1982.....	985	1	-	1	-	-	2	1	7	2	10
1981.....	1,001	-	-	-	1	-	7	1	3	9	14
1980.....	1,085	4	-	-	-	3	-	3	3	7	5
1979.....	989	-	-	1	1	1	4	5	6	5	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)											
TOTAL, BOTH SEXES											
1998.....	42,950	15	6	5	12	18	48	88	141	248	347
1997.....	43,849	12	8	9	11	30	49	75	143	233	348
1996.....	43,916	15	6	3	13	21	40	69	118	228	358
1995.....	43,369	16	6	6	15	29	42	74	155	226	379
1994.....	43,213	12	8	7	13	19	48	71	136	197	330
1993.....	43,277	12	3	12	14	25	42	86	124	212	318
1992.....	42,168	12	9	1	12	24	51	76	135	197	324
1991.....	42,475	16	5	4	11	24	40	89	135	171	288
1990.....	42,692	16	7	3	15	18	45	79	128	168	241
1989.....	43,654	18	8	5	8	22	40	79	120	201	272
1988.....	45,271	9	4	3	10	30	39	82	114	169	234
1987.....	45,284	15	6	9	9	18	55	78	118	162	226
1986.....	45,123	20	11	4	14	34	52	64	103	161	204
1985.....	45,909	26	10	8	12	36	38	72	94	164	201
1984.....	46,203	19	11	7	14	23	50	88	92	148	216
1983.....	47,329	16	8	9	12	43	48	82	96	139	176
1982.....	46,995	15	10	12	9	29	47	66	102	122	154
1981.....	48,017	18	10	7	7	30	49	73	94	132	197
1980.....	49,408	19	9	3	15	31	60	68	104	119	187
1979.....	48,284	19	11	9	10	42	55	72	101	122	180
TOTAL, MALE											
1998.....	20,710	8	3	3	6	9	20	47	89	159	223
1997.....	21,128	7	6	2	4	19	24	39	87	154	230
1996.....	21,138	10	2	-	6	11	23	40	62	138	228
1995.....	21,221	10	6	4	12	14	20	42	89	148	246
1994.....	20,938	5	6	3	8	12	25	45	85	118	187
1993.....	21,373	8	1	8	12	16	24	53	74	110	204
1992.....	20,832	6	4	1	8	12	30	38	77	118	211
1991.....	21,205	11	2	3	5	15	24	50	79	100	185
1990.....	21,419	9	2	2	7	10	28	48	68	115	147
1989.....	21,701	11	6	2	3	12	24	39	81	131	178
1988.....	22,141	7	2	1	8	15	25	43	75	110	157
1987.....	22,268	8	3	5	5	12	37	44	73	90	143
1986.....	22,112	10	8	2	7	18	24	35	71	98	109
1985.....	22,682	16	7	3	6	19	25	44	46	102	129
1984.....	22,790	8	8	3	6	12	28	46	49	88	151
1983.....	23,285	7	4	4	7	26	25	48	59	89	114
1982.....	23,322	11	5	6	6	19	25	35	63	77	104
1981.....	23,763	13	6	3	3	18	25	42	50	75	124
1980.....	24,534	13	5	2	7	15	29	42	59	71	115
1979.....	24,046	13	7	6	4	24	25	37	68	67	110

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)											
TOTAL, FEMALE											
1998.....	22,240	7	3	2	6	9	28	41	52	89	124
1997.....	22,721	5	2	7	7	11	25	36	56	79	118
1996.....	22,778	5	4	3	7	10	17	29	56	90	130
1995.....	22,148	6	-	2	3	15	22	32	66	78	133
1994.....	22,275	7	2	4	5	7	23	26	51	79	143
1993.....	21,904	4	2	4	2	9	18	33	50	102	114
1992.....	21,336	6	5	-	4	12	21	38	58	79	113
1991.....	21,270	5	3	1	6	9	16	39	56	71	103
1990.....	21,273	7	5	1	8	8	17	31	60	53	94
1989.....	21,953	7	2	3	5	10	16	40	39	70	94
1988.....	23,130	2	2	2	2	15	14	39	39	59	77
1987.....	23,016	7	3	4	4	6	18	34	45	72	83
1986.....	23,011	10	3	2	7	16	28	29	32	63	95
1985.....	23,227	10	3	5	6	17	13	28	48	62	72
1984.....	23,413	11	3	4	8	11	22	42	43	60	65
1983.....	24,044	9	4	5	5	17	23	34	37	50	62
1982.....	23,673	4	5	6	3	10	22	31	39	45	50
1981.....	24,254	5	4	4	4	12	24	31	44	57	73
1980.....	24,874	6	4	1	8	16	31	26	45	48	72
1979.....	24,238	6	4	3	6	18	30	35	33	55	70
WHITE, BOTH SEXES											
1998.....	38,614	11	4	3	11	15	28	66	98	181	249
1997.....	39,541	6	7	6	8	23	36	56	112	161	238
1996.....	39,687	12	6	2	11	12	35	52	80	150	255
1995.....	39,344	10	3	5	10	20	34	50	111	178	279
1994.....	39,023	9	7	5	9	13	37	57	104	145	231
1993.....	39,239	11	3	9	8	21	26	61	88	144	219
1992.....	38,388	9	8	-	10	19	41	58	102	145	246
1991.....	38,617	9	3	4	9	18	28	65	89	130	192
1990.....	38,838	13	4	3	8	12	33	59	97	118	171
1989.....	39,779	15	5	3	7	15	30	62	92	141	204
1988.....	41,333	7	3	3	8	24	32	60	85	124	165
1987.....	41,451	11	6	7	9	13	37	54	91	117	169
1986.....	41,280	12	9	4	10	22	40	47	77	115	152
1985.....	42,042	18	10	6	10	31	30	54	66	129	155
1984.....	42,484	14	7	6	12	18	38	70	71	112	166
1983.....	43,640	11	7	5	7	37	37	65	66	98	131
1982.....	43,278	11	9	11	8	25	39	47	82	90	119
1981.....	44,198	16	7	7	4	24	38	56	61	90	143
1980.....	45,329	17	7	2	12	23	51	51	74	90	138
1979.....	44,554	16	8	7	6	27	39	42	74	98	137

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)											
WHITE MALE											
1998.....	18,697	6	3	3	5	7	12	37	63	117	168
1997.....	19,166	3	5	2	3	14	19	32	70	110	165
1996.....	19,179	8	2	-	6	7	20	32	44	96	171
1995.....	19,369	5	3	3	9	10	17	28	63	125	183
1994.....	19,038	3	5	2	6	9	19	37	68	88	141
1993.....	19,452	7	1	6	7	12	14	38	51	84	143
1992.....	19,019	5	4	-	6	10	26	28	61	88	166
1991.....	19,389	5	1	3	5	11	17	40	58	81	127
1990.....	19,576	8	1	2	5	7	23	41	52	81	106
1989.....	19,931	10	4	1	3	9	21	36	69	101	135
1988.....	20,262	6	1	1	7	14	18	36	57	84	111
1987.....	20,414	7	3	5	5	10	25	34	57	66	113
1986.....	20,259	6	7	2	6	13	19	24	54	77	83
1985.....	20,851	12	7	3	6	17	22	36	34	80	111
1984.....	20,979	6	5	3	6	10	22	41	41	68	119
1983.....	21,463	4	4	3	3	23	20	44	44	64	83
1982.....	21,507	9	5	5	5	19	21	25	54	58	84
1981.....	21,962	12	4	3	3	15	20	38	32	54	91
1980.....	22,535	13	4	1	7	11	24	35	41	59	86
1979.....	22,206	10	4	5	3	18	18	25	51	55	86
WHITE FEMALE											
1998.....	19,917	5	1	-	6	8	16	29	35	64	81
1997.....	20,375	3	2	4	5	9	17	24	42	51	73
1996.....	20,508	4	4	2	5	5	15	20	36	54	84
1995.....	19,975	5	-	2	1	10	17	22	48	53	96
1994.....	19,985	6	2	3	3	4	18	20	36	57	90
1993.....	19,787	4	2	3	1	9	12	23	37	60	76
1992.....	19,369	4	4	-	4	9	15	30	41	57	80
1991.....	19,228	4	2	1	4	7	11	25	31	49	65
1990.....	19,262	5	3	1	3	5	10	18	45	37	65
1989.....	19,848	5	1	2	4	6	9	26	23	40	69
1988.....	21,071	1	2	2	1	10	14	24	28	40	54
1987.....	21,037	4	3	2	4	3	12	20	34	51	56
1986.....	21,021	6	2	2	4	9	21	23	23	38	69
1985.....	21,191	6	3	3	4	14	8	18	32	49	44
1984.....	21,505	8	2	3	6	8	16	29	30	44	47
1983.....	22,177	7	3	2	4	14	17	21	22	34	48
1982.....	21,771	2	4	6	3	6	18	22	28	32	35
1981.....	22,236	4	3	4	1	9	18	18	29	36	52
1980.....	22,794	4	3	1	5	12	27	16	33	31	52
1979.....	22,348	6	4	2	3	9	21	17	23	43	51

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)											
ALL OTHER, BOTH SEXES											
1998.....	4,336	4	2	2	1	3	20	22	43	67	98
1997.....	4,308	6	1	3	3	7	13	19	31	72	110
1996.....	4,229	3	-	1	2	9	5	17	38	78	103
1995.....	4,025	6	3	1	5	9	8	24	44	48	100
1994.....	4,190	3	1	2	4	6	11	14	32	52	99
1993.....	4,038	1	-	3	6	4	16	25	36	68	99
1992.....	3,780	3	1	1	2	5	10	18	33	52	78
1991.....	3,858	7	2	-	2	6	12	24	46	41	96
1990.....	3,854	3	3	-	7	6	12	20	31	50	70
1989.....	3,875	3	3	2	1	7	10	17	28	60	68
1988.....	3,938	2	1	-	2	6	7	22	29	45	69
1987.....	3,833	4	-	2	-	5	18	24	27	45	57
1986.....	3,843	8	2	-	4	12	12	17	26	46	52
1985.....	3,867	8	-	2	2	5	8	18	28	35	46
1984.....	3,719	5	4	1	2	5	12	18	21	36	50
1983.....	3,689	5	1	4	5	6	11	17	30	41	45
1982.....	3,717	4	1	1	1	4	8	19	20	32	35
1981.....	3,819	2	3	-	3	6	11	17	33	42	54
1980.....	4,079	2	2	1	3	8	9	17	30	29	49
1979.....	3,730	3	3	2	4	15	16	30	27	24	43
ALL OTHER MALE											
1998.....	2,013	2	-	-	1	2	8	10	26	42	55
1997.....	1,962	4	1	-	1	5	5	7	17	44	65
1996.....	1,959	2	-	-	-	4	3	8	18	42	57
1995.....	1,852	5	3	1	3	4	3	14	26	23	63
1994.....	1,900	2	1	1	2	3	6	8	17	30	46
1993.....	1,921	1	-	2	5	4	10	15	23	26	61
1992.....	1,813	1	-	1	2	2	4	10	16	30	45
1991.....	1,816	6	1	-	-	4	7	10	21	19	58
1990.....	1,843	1	1	-	2	3	5	7	16	34	41
1989.....	1,770	1	2	1	-	3	3	3	12	30	43
1988.....	1,879	1	1	-	1	1	7	7	18	26	46
1987.....	1,854	1	-	-	-	2	12	10	16	24	30
1986.....	1,853	4	1	-	1	5	5	11	17	21	26
1985.....	1,831	4	-	-	-	2	3	8	12	22	18
1984.....	1,811	2	3	-	-	2	6	5	8	20	32
1983.....	1,822	3	-	1	4	3	5	4	15	25	31
1982.....	1,815	2	-	1	1	-	4	10	9	19	20
1981.....	1,801	1	2	-	-	3	5	4	18	21	33
1980.....	1,999	-	1	1	-	4	5	7	18	12	29
1979.....	1,840	3	3	1	1	6	7	12	17	12	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)											
ALL OTHER FEMALE											
1998.....	2,323	2	2	2	-	1	12	12	17	25	43
1997.....	2,346	2	-	3	2	2	8	12	14	28	45
1996.....	2,270	1	-	1	2	5	2	9	20	36	46
1995.....	2,173	1	-	-	2	5	5	10	18	25	37
1994.....	2,290	1	-	1	2	3	5	6	15	22	53
1993.....	2,117	-	-	1	1	-	6	10	13	42	38
1992.....	1,967	2	1	-	-	3	6	8	17	22	33
1991.....	2,042	1	1	-	2	2	5	14	25	22	38
1990.....	2,011	2	2	-	5	3	7	13	15	16	29
1989.....	2,105	2	1	1	1	4	7	14	16	30	25
1988.....	2,059	1	-	-	1	5	-	15	11	19	23
1987.....	1,979	3	-	2	-	3	6	14	11	21	27
1986.....	1,990	4	1	-	3	7	7	6	9	25	26
1985.....	2,036	4	-	2	2	3	5	10	16	13	28
1984.....	1,908	3	1	1	2	3	6	13	13	16	18
1983.....	1,867	2	1	3	1	3	6	13	15	16	14
1982.....	1,902	2	1	-	-	4	4	9	11	13	15
1981.....	2,018	1	1	-	3	3	6	13	15	21	21
1980.....	2,080	2	1	-	3	4	4	10	12	17	20
1979.....	1,890	-	-	1	3	9	9	18	10	12	19
BLACK, BOTH SEXES											
1998.....	3,748	4	1	2	1	2	18	22	35	62	89
1997.....	3,757	6	1	3	2	7	10	15	27	69	102
1996.....	3,655	3	-	1	1	8	4	15	31	71	89
1995.....	3,541	6	2	-	5	7	7	21	38	42	92
1994.....	3,662	2	-	1	3	4	11	12	29	47	88
1993.....	3,539	-	-	-	6	3	15	21	32	60	85
1992.....	3,324	3	1	1	1	4	9	16	30	49	68
1991.....	3,443	7	-	-	1	5	11	23	39	41	91
1990.....	3,441	2	2	-	5	6	12	19	26	44	66
1989.....	3,494	3	2	2	1	7	9	15	25	56	65
1988.....	3,555	1	-	-	2	6	6	19	28	43	65
1987.....	3,463	3	-	2	-	5	15	23	25	41	52
1986.....	3,481	7	2	-	4	10	12	16	21	41	49
1985.....	3,512	6	-	-	1	5	7	18	25	33	41
1984.....	3,381	5	1	1	1	4	10	18	19	32	47
1983.....	3,368	4	-	4	4	5	8	16	27	37	41
1982.....	3,424	3	1	-	1	4	8	16	18	30	32
1981.....	3,547	2	3	-	3	6	7	15	32	42	52
1980.....	3,784	2	2	1	2	8	9	17	29	26	47
1979.....	3,444	2	2	2	3	14	13	29	26	21	40

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)

BLACK MALE

1998.....	1,688	2	-	-	1	1	7	10	21	38	49
1997.....	1,680	4	1	-	1	5	4	5	14	42	62
1996.....	1,644	2	-	-	-	4	3	7	15	38	49
1995.....	1,567	5	2	-	3	3	2	12	21	20	58
1994.....	1,610	1	-	-	1	2	6	6	14	28	40
1993.....	1,633	-	-	-	5	3	9	14	20	22	53
1992.....	1,536	1	-	1	1	1	3	8	14	29	40
1991.....	1,570	6	-	-	-	3	7	10	17	19	55
1990.....	1,599	-	-	-	1	3	5	6	14	29	40
1989.....	1,556	1	1	1	-	3	3	3	9	27	41
1988.....	1,658	1	-	-	1	1	6	5	18	25	43
1987.....	1,620	1	-	-	-	2	9	10	15	20	27
1986.....	1,642	3	1	-	1	5	5	10	14	19	23
1985.....	1,629	3	-	-	-	2	3	8	9	20	16
1984.....	1,614	2	1	-	-	2	6	5	8	17	29
1983.....	1,643	3	-	1	4	3	3	4	14	23	28
1982.....	1,643	1	-	-	1	-	4	9	8	18	17
1981.....	1,640	1	2	-	-	3	4	3	17	21	32
1980.....	1,811	-	1	1	-	4	5	7	17	11	28
1979.....	1,652	2	2	1	1	6	6	11	17	10	21

BLACK FEMALE

1998.....	2,060	2	1	2	-	1	11	12	14	24	40
1997.....	2,077	2	-	3	1	2	6	10	13	27	40
1996.....	2,011	1	-	1	1	4	1	8	16	33	40
1995.....	1,974	1	-	-	2	4	5	9	17	22	34
1994.....	2,052	1	-	1	2	2	5	6	15	19	48
1993.....	1,906	-	-	-	1	-	6	7	12	38	32
1992.....	1,788	2	1	-	-	3	6	8	16	20	28
1991.....	1,873	1	-	-	1	2	4	13	22	22	36
1990.....	1,842	2	2	-	4	3	7	13	12	15	26
1989.....	1,938	2	1	1	1	4	6	12	16	29	24
1988.....	1,897	-	-	-	1	5	-	14	10	18	22
1987.....	1,843	2	-	2	-	3	6	13	10	21	25
1986.....	1,839	4	1	-	3	5	7	6	7	22	26
1985.....	1,883	3	-	-	1	3	4	10	16	13	25
1984.....	1,767	3	-	1	1	2	4	13	11	15	18
1983.....	1,725	1	-	3	-	2	5	12	13	14	13
1982.....	1,781	2	1	-	-	4	4	7	10	12	15
1981.....	1,907	1	1	-	3	3	3	12	15	21	20
1980.....	1,973	2	1	-	2	4	4	10	12	15	19
1979.....	1,792	-	-	1	2	8	7	18	9	11	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ATHEROSCLEROSIS (440)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	15,279	1	1	-	-	-	2	4	6	16	25
1997.....	16,057	-	1	-	-	-	-	2	3	17	32
1996.....	16,740	2	-	-	-	-	1	2	8	17	43
1995.....	16,723	-	-	1	-	-	-	2	3	14	28
1994.....	17,116	-	-	1	-	-	1	2	5	21	37
1993.....	17,272	-	-	2	-	-	2	6	7	13	33
1992.....	16,831	-	-	-	-	-	1	3	6	18	30
1991.....	17,420	1	-	-	-	1	1	2	6	14	27
1990.....	18,047	1	-	-	1	-	1	3	11	11	22
1989.....	19,357	1	1	1	-	1	1	1	4	13	31
1988.....	22,086	1	1	-	-	2	-	3	4	20	34
1987.....	22,474	1	-	-	-	-	2	3	8	13	29
1986.....	22,706	-	-	-	-	-	1	2	8	12	28
1985.....	23,926	-	-	-	-	1	1	3	4	16	32
1984.....	24,462	-	3	3	-	-	3	-	5	10	34
1983.....	26,371	1	1	1	-	1	2	3	1	10	22
1982.....	26,823	1	3	4	-	-	2	2	7	17	25
1981.....	28,004	-	2	-	-	-	2	1	4	17	42
1980.....	29,449	2	-	-	-	1	1	1	8	13	31
1979.....	28,801	3	-	-	-	1	-	2	3	10	27
TOTAL, MALE											
1998.....	5,719	-	-	-	-	-	-	2	4	12	18
1997.....	6,019	-	1	-	-	-	-	1	3	12	22
1996.....	6,281	2	-	-	-	-	1	1	3	8	28
1995.....	6,404	-	-	1	-	-	-	1	3	12	22
1994.....	6,420	-	-	-	-	-	1	1	5	13	26
1993.....	6,410	-	-	1	-	-	1	6	3	8	25
1992.....	6,328	-	-	-	-	-	-	2	5	8	21
1991.....	6,636	1	-	-	-	-	1	2	3	9	20
1990.....	6,859	1	-	-	-	-	1	3	8	7	13
1989.....	7,254	-	1	1	-	-	1	1	3	11	24
1988.....	8,327	-	1	-	-	1	-	2	2	16	25
1987.....	8,428	-	-	-	-	-	2	2	4	10	19
1986.....	8,587	-	-	-	-	-	-	2	7	9	17
1985.....	9,062	-	-	-	-	-	1	2	3	10	25
1984.....	9,240	-	2	1	-	-	3	-	4	6	25
1983.....	10,042	-	-	1	-	-	1	2	-	10	14
1982.....	10,583	1	-	1	-	-	1	1	6	11	18
1981.....	10,969	-	-	-	-	-	1	1	3	11	29
1980.....	11,601	1	-	-	-	1	1	1	5	6	24
1979.....	11,426	2	-	-	-	-	-	-	3	7	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ATHEROSCLEROSIS (440)											
TOTAL, FEMALE											
1998.....	9,560	1	1	-	-	-	2	2	2	4	7
1997.....	10,038	-	-	-	-	-	-	1	-	5	10
1996.....	10,459	-	-	-	-	-	-	1	5	9	15
1995.....	10,319	-	-	-	-	-	-	1	-	2	6
1994.....	10,696	-	-	1	-	-	-	1	-	8	11
1993.....	10,862	-	-	1	-	-	1	-	4	5	8
1992.....	10,503	-	-	-	-	-	1	1	1	10	9
1991.....	10,784	-	-	-	-	1	-	-	3	5	7
1990.....	11,188	-	-	-	1	-	-	-	3	4	9
1989.....	12,103	1	-	-	-	1	-	-	1	2	7
1988.....	13,759	1	-	-	-	1	-	1	2	4	9
1987.....	14,046	1	-	-	-	-	-	1	4	3	10
1986.....	14,119	-	-	-	-	-	1	-	1	3	11
1985.....	14,864	-	-	-	-	1	-	1	1	6	7
1984.....	15,222	-	1	2	-	-	-	-	1	4	9
1983.....	16,329	1	1	-	-	1	1	1	1	-	8
1982.....	16,240	-	3	3	-	-	1	1	1	6	7
1981.....	17,035	-	2	-	-	-	1	-	1	6	13
1980.....	17,848	1	-	-	-	-	-	-	3	7	7
1979.....	17,375	1	-	-	-	1	-	2	-	3	8
WHITE, BOTH SEXES											
1998.....	14,050	-	-	-	-	-	2	2	3	12	22
1997.....	14,750	-	1	-	-	-	-	1	2	11	25
1996.....	15,379	2	-	-	-	-	1	2	6	9	35
1995.....	15,378	-	-	1	-	-	-	-	-	13	26
1994.....	15,660	-	-	-	-	-	-	2	3	20	25
1993.....	15,905	-	-	2	-	-	-	2	7	11	18
1992.....	15,493	-	-	-	-	-	1	3	5	15	24
1991.....	15,981	1	-	-	-	1	1	2	4	12	20
1990.....	16,547	1	-	-	-	-	1	3	9	9	18
1989.....	17,791	1	-	-	-	1	1	1	4	12	24
1988.....	20,261	1	1	-	-	2	-	2	3	16	29
1987.....	20,726	1	-	-	-	-	2	3	7	11	26
1986.....	20,858	-	-	-	-	-	-	1	7	9	25
1985.....	22,021	-	-	-	-	-	1	3	4	13	24
1984.....	22,645	-	1	3	-	-	2	-	5	9	26
1983.....	24,451	1	-	1	-	-	1	3	1	9	18
1982.....	24,789	-	3	4	-	-	2	2	7	14	18
1981.....	25,824	-	2	-	-	-	2	-	4	10	32
1980.....	27,069	2	-	-	-	1	1	1	5	10	21
1979.....	26,602	3	-	-	-	-	-	2	2	9	24

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ATHEROSCLEROSIS (440)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	5,213	-	-	-	-	-	-	1	3	8	16
1997.....	5,506	-	1	-	-	-	-	-	2	9	18
1996.....	5,746	2	-	-	-	-	1	1	2	6	23
1995.....	5,840	-	-	1	-	-	-	-	-	11	21
1994.....	5,838	-	-	-	-	-	-	1	3	12	19
1993.....	5,853	-	-	1	-	-	-	2	3	7	15
1992.....	5,756	-	-	-	-	-	-	2	4	7	17
1991.....	6,033	1	-	-	-	-	1	2	3	8	14
1990.....	6,232	1	-	-	-	-	1	3	7	5	11
1989.....	6,652	-	-	-	-	-	1	1	3	10	19
1988.....	7,529	-	1	-	-	1	-	1	1	12	22
1987.....	7,686	-	-	-	-	-	2	2	4	9	18
1986.....	7,767	-	-	-	-	-	-	1	6	7	15
1985.....	8,251	-	-	-	-	-	1	2	3	9	20
1984.....	8,447	-	-	1	-	-	2	-	4	6	21
1983.....	9,165	-	-	1	-	-	-	2	-	9	11
1982.....	9,689	-	-	1	-	-	1	1	6	10	15
1981.....	10,028	-	-	-	-	-	1	-	3	8	25
1980.....	10,543	1	-	-	-	1	1	1	4	5	17
1979.....	10,460	2	-	-	-	-	-	-	2	6	17
WHITE FEMALE											
1998.....	8,837	-	-	-	-	-	2	1	-	4	6
1997.....	9,244	-	-	-	-	-	-	1	-	2	7
1996.....	9,633	-	-	-	-	-	-	1	4	3	12
1995.....	9,538	-	-	-	-	-	-	-	-	2	5
1994.....	9,822	-	-	-	-	-	-	1	-	8	6
1993.....	10,052	-	-	1	-	-	-	-	4	4	3
1992.....	9,737	-	-	-	-	-	1	1	1	8	7
1991.....	9,948	-	-	-	-	1	-	-	1	4	6
1990.....	10,315	-	-	-	-	-	-	-	2	4	7
1989.....	11,139	1	-	-	-	1	-	-	1	2	5
1988.....	12,732	1	-	-	-	1	-	1	2	4	7
1987.....	13,040	1	-	-	-	-	-	1	3	2	8
1986.....	13,091	-	-	-	-	-	-	-	1	2	10
1985.....	13,770	-	-	-	-	-	-	1	1	4	4
1984.....	14,198	-	1	2	-	-	-	-	1	3	5
1983.....	15,286	1	-	-	-	-	1	1	1	-	7
1982.....	15,100	-	3	3	-	-	1	1	1	4	3
1981.....	15,796	-	2	-	-	-	1	-	1	2	7
1980.....	16,526	1	-	-	-	-	-	-	1	5	4
1979.....	16,142	1	-	-	-	-	-	2	-	3	7

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ATHEROSCLEROSIS (440)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	1,229	1	1	-	-	-	-	2	3	4	3
1997.....	1,307	-	-	-	-	-	-	1	1	6	7
1996.....	1,361	-	-	-	-	-	-	-	2	8	8
1995.....	1,345	-	-	-	-	-	-	2	3	1	2
1994.....	1,456	-	-	1	-	-	1	-	2	1	12
1993.....	1,367	-	-	-	-	-	2	4	-	2	15
1992.....	1,338	-	-	-	-	-	-	-	1	3	6
1991.....	1,439	-	-	-	-	-	-	-	2	2	7
1990.....	1,500	-	-	-	1	-	-	-	2	2	4
1989.....	1,566	-	1	1	-	-	-	-	-	1	7
1988.....	1,825	-	-	-	-	-	-	1	1	4	5
1987.....	1,748	-	-	-	-	-	-	-	1	2	3
1986.....	1,848	-	-	-	-	-	1	1	1	3	3
1985.....	1,905	-	-	-	-	1	-	-	-	3	8
1984.....	1,817	-	2	-	-	-	1	-	-	1	8
1983.....	1,920	-	1	-	-	1	1	-	-	1	4
1982.....	2,034	1	-	-	-	-	-	-	-	3	7
1981.....	2,180	-	-	-	-	-	-	1	-	7	10
1980.....	2,380	-	-	-	-	-	-	-	3	3	10
1979.....	2,199	-	-	-	-	1	-	-	1	1	3
ALL OTHER MALE											
1998.....	506	-	-	-	-	-	-	1	1	4	2
1997.....	513	-	-	-	-	-	-	1	1	3	4
1996.....	535	-	-	-	-	-	-	-	1	2	5
1995.....	564	-	-	-	-	-	-	1	3	1	1
1994.....	582	-	-	-	-	-	1	-	2	1	7
1993.....	557	-	-	-	-	-	1	4	-	1	10
1992.....	572	-	-	-	-	-	-	-	1	1	4
1991.....	603	-	-	-	-	-	-	-	-	1	6
1990.....	627	-	-	-	-	-	-	-	1	2	2
1989.....	602	-	1	1	-	-	-	-	-	1	5
1988.....	798	-	-	-	-	-	-	1	1	4	3
1987.....	742	-	-	-	-	-	-	-	-	1	1
1986.....	820	-	-	-	-	-	-	1	1	2	2
1985.....	811	-	-	-	-	-	-	-	-	1	5
1984.....	793	-	2	-	-	-	1	-	-	-	4
1983.....	877	-	-	-	-	-	1	-	-	1	3
1982.....	894	1	-	-	-	-	-	-	-	1	3
1981.....	941	-	-	-	-	-	-	1	-	3	4
1980.....	1,058	-	-	-	-	-	-	-	1	1	7
1979.....	966	-	-	-	-	-	-	-	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ATHEROSCLEROSIS (440)											
ALL OTHER FEMALE											
1998.....	723	1	1	-	-	-	-	1	2	-	1
1997.....	794	-	-	-	-	-	-	-	-	3	3
1996.....	826	-	-	-	-	-	-	-	1	6	3
1995.....	781	-	-	-	-	-	-	1	-	-	1
1994.....	874	-	-	1	-	-	-	-	-	-	5
1993.....	810	-	-	-	-	-	1	-	-	1	5
1992.....	766	-	-	-	-	-	-	-	-	2	2
1991.....	836	-	-	-	-	-	-	-	2	1	1
1990.....	873	-	-	-	1	-	-	-	1	-	2
1989.....	964	-	-	-	-	-	-	-	-	-	2
1988.....	1,027	-	-	-	-	-	-	-	-	-	2
1987.....	1,006	-	-	-	-	-	-	-	1	1	2
1986.....	1,028	-	-	-	-	-	1	-	-	1	1
1985.....	1,094	-	-	-	-	1	-	-	-	2	3
1984.....	1,024	-	-	-	-	-	-	-	-	1	4
1983.....	1,043	-	1	-	-	1	-	-	-	-	1
1982.....	1,140	-	-	-	-	-	-	-	-	2	4
1981.....	1,239	-	-	-	-	-	-	-	-	4	6
1980.....	1,322	-	-	-	-	-	-	-	2	2	3
1979.....	1,233	-	-	-	-	1	-	-	-	-	1
BLACK, BOTH SEXES											
1998.....	1,082	1	1	-	-	-	-	2	2	3	3
1997.....	1,171	-	-	-	-	-	-	-	-	6	7
1996.....	1,200	-	-	-	-	-	-	-	2	7	7
1995.....	1,199	-	-	-	-	-	-	1	3	1	2
1994.....	1,299	-	-	1	-	-	1	-	2	1	10
1993.....	1,238	-	-	-	-	-	2	3	-	1	14
1992.....	1,209	-	-	-	-	-	-	-	1	3	5
1991.....	1,306	-	-	-	-	-	-	-	1	2	7
1990.....	1,380	-	-	-	1	-	-	-	2	2	4
1989.....	1,436	-	-	1	-	-	-	-	-	1	6
1988.....	1,694	-	-	-	-	-	-	1	1	4	4
1987.....	1,622	-	-	-	-	-	-	-	1	2	3
1986.....	1,720	-	-	-	-	-	1	1	1	3	3
1985.....	1,780	-	-	-	-	1	-	-	-	3	7
1984.....	1,684	-	1	-	-	-	1	-	-	1	7
1983.....	1,807	-	-	-	-	1	1	-	-	1	3
1982.....	1,898	-	-	-	-	-	-	-	-	3	7
1981.....	2,062	-	-	-	-	-	-	1	-	7	10
1980.....	2,252	-	-	-	-	-	-	-	3	3	9
1979.....	2,057	-	-	-	-	-	-	-	1	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
AORTIC ANEURYSM (441)											
TOTAL, BOTH SEXES											
1998.....	16,237	2	-	-	5	10	17	43	74	122	178
1997.....	16,724	-	1	1	3	11	22	38	79	117	193
1996.....	16,387	-	2	-	4	8	19	31	48	110	173
1995.....	16,440	1	1	3	8	15	15	42	82	130	197
1994.....	16,123	1	1	1	6	7	20	32	80	89	167
1993.....	16,475	1	1	2	8	12	27	44	61	104	143
1992.....	16,220	1	1	-	4	13	16	33	67	99	149
1991.....	16,696	-	-	1	5	11	17	35	70	84	138
1990.....	16,402	2	1	1	4	9	15	38	56	88	123
1989.....	16,229	2	-	2	2	10	18	31	56	98	141
1988.....	15,719	1	1	1	2	16	16	39	60	86	108
1987.....	15,637	2	1	2	4	9	29	38	65	77	114
1986.....	15,267	2	3	1	5	13	24	32	53	82	73
1985.....	15,112	6	-	3	6	19	20	32	37	85	78
1984.....	15,139	4	2	1	4	9	19	45	41	76	98
1983.....	14,576	1	1	3	6	19	19	35	44	61	78
1982.....	14,125	1	1	4	6	16	17	29	38	57	59
1981.....	14,082	2	1	2	3	15	21	36	40	48	75
1980.....	14,181	-	-	-	5	5	22	27	44	53	81
1979.....	14,031	3	2	-	4	16	18	29	41	52	75
TOTAL, MALE											
1998.....	10,013	-	-	-	4	7	11	32	57	96	140
1997.....	10,311	-	-	1	3	10	15	27	62	97	147
1996.....	10,117	-	1	-	3	5	12	22	28	82	129
1995.....	10,328	1	1	2	7	9	13	28	53	96	152
1994.....	10,146	1	1	1	4	6	14	26	61	63	110
1993.....	10,664	1	-	2	8	8	17	31	49	69	108
1992.....	10,407	1	1	-	3	7	13	20	44	76	118
1991.....	10,776	-	-	-	3	9	14	23	48	64	109
1990.....	10,806	1	-	-	3	7	14	28	39	71	91
1989.....	10,708	1	-	1	2	8	14	22	51	75	107
1988.....	10,429	1	-	-	2	9	10	28	53	70	84
1987.....	10,383	1	-	2	2	6	21	24	50	51	88
1986.....	10,171	1	2	1	3	9	13	23	43	55	48
1985.....	10,208	2	-	1	5	11	16	25	24	62	64
1984.....	10,337	1	1	1	2	8	15	30	27	55	83
1983.....	10,024	-	-	1	5	11	16	24	31	47	57
1982.....	9,676	1	1	2	5	13	12	19	31	43	48
1981.....	9,779	1	-	1	2	13	15	28	27	35	55
1980.....	10,005	-	-	-	4	3	15	23	36	38	57
1979.....	9,779	2	1	-	2	14	7	21	35	37	58

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
AORTIC ANEURYSM (441)											
TOTAL, FEMALE											
1998.....	6,224	2	-	-	1	3	6	11	17	26	38
1997.....	6,413	-	1	-	-	1	7	11	17	20	46
1996.....	6,270	-	1	-	1	3	7	9	20	28	44
1995.....	6,112	-	-	1	1	6	2	14	29	34	45
1994.....	5,977	-	-	-	2	1	6	6	19	26	57
1993.....	5,811	-	1	-	-	4	10	13	12	35	35
1992.....	5,813	-	-	-	1	6	3	13	23	23	31
1991.....	5,920	-	-	1	2	2	3	12	22	20	29
1990.....	5,596	1	1	1	1	2	1	10	17	17	32
1989.....	5,521	1	-	1	-	2	4	9	5	23	34
1988.....	5,290	-	1	1	-	7	6	11	7	16	24
1987.....	5,254	1	1	-	2	3	8	14	15	26	26
1986.....	5,096	1	1	-	2	4	11	9	10	27	25
1985.....	4,904	4	-	2	1	8	4	7	13	23	14
1984.....	4,802	3	1	-	2	1	4	15	14	21	15
1983.....	4,552	1	1	2	1	8	3	11	13	14	21
1982.....	4,449	-	-	2	1	3	5	10	7	14	11
1981.....	4,303	1	1	1	1	2	6	8	13	13	20
1980.....	4,176	-	-	-	1	2	7	4	8	15	24
1979.....	4,252	1	1	-	2	2	11	8	6	15	17
WHITE, BOTH SEXES											
1998.....	14,775	2	-	-	5	9	13	35	57	94	136
1997.....	15,281	-	1	1	2	9	20	33	67	85	129
1996.....	14,956	-	2	-	4	3	17	25	37	77	125
1995.....	15,063	1	1	3	6	11	13	33	69	109	138
1994.....	14,798	1	1	1	4	4	16	25	66	67	117
1993.....	15,123	1	1	2	4	12	18	37	46	86	105
1992.....	14,955	1	1	-	4	12	15	29	53	74	111
1991.....	15,380	-	-	1	4	9	12	31	52	67	91
1990.....	15,119	-	1	1	3	7	15	30	44	61	85
1989.....	14,959	2	-	2	2	8	14	27	48	74	103
1988.....	14,528	-	1	1	2	13	14	34	52	71	73
1987.....	14,467	1	1	2	4	7	21	33	52	59	84
1986.....	14,177	1	2	1	3	10	21	27	42	64	55
1985.....	13,984	4	-	2	6	19	16	26	31	63	63
1984.....	14,034	3	1	1	4	8	17	40	32	57	77
1983.....	13,566	1	1	-	4	18	16	32	33	42	56
1982.....	13,166	1	1	4	6	16	15	23	29	41	44
1981.....	13,103	2	-	2	3	12	18	33	30	34	50
1980.....	13,165	-	-	-	5	4	22	22	34	43	58
1979.....	13,088	2	1	-	2	13	16	22	29	39	56

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
AORTIC ANEURYSM (441)											
WHITE MALE											
1998.....	9,208	-	-	-	4	6	10	26	41	77	109
1997.....	9,518	-	-	1	2	8	14	23	51	70	99
1996.....	9,316	-	1	-	3	2	10	18	23	60	98
1995.....	9,560	1	1	2	5	6	11	21	44	82	107
1994.....	9,417	1	1	1	3	4	11	21	53	49	87
1993.....	9,891	1	-	2	4	8	11	26	35	58	79
1992.....	9,677	1	1	-	3	7	12	17	36	57	90
1991.....	10,030	-	-	-	3	7	10	20	34	52	73
1990.....	10,068	-	-	-	2	5	14	24	30	48	62
1989.....	9,998	1	-	1	2	7	11	20	45	60	80
1988.....	9,758	-	-	-	2	8	8	25	46	56	57
1987.....	9,720	1	-	2	2	6	15	21	41	38	68
1986.....	9,559	-	2	1	2	8	13	18	34	46	34
1985.....	9,580	1	-	1	5	11	15	21	20	46	55
1984.....	9,685	1	-	1	2	7	13	28	23	42	64
1983.....	9,451	-	-	-	3	10	13	24	24	31	41
1982.....	9,111	1	1	2	5	13	10	14	24	31	38
1981.....	9,231	1	-	1	2	10	14	28	19	28	38
1980.....	9,418	-	-	-	4	2	15	19	28	32	41
1979.....	9,211	1	-	-	2	12	7	17	27	27	44
WHITE FEMALE											
1998.....	5,567	2	-	-	1	3	3	9	16	17	27
1997.....	5,763	-	1	-	-	1	6	10	16	15	30
1996.....	5,640	-	1	-	1	1	7	7	14	17	27
1995.....	5,503	-	-	1	1	5	2	12	25	27	31
1994.....	5,381	-	-	-	1	-	5	4	13	18	30
1993.....	5,232	-	1	-	-	4	7	11	11	28	26
1992.....	5,278	-	-	-	1	5	3	12	17	17	21
1991.....	5,350	-	-	1	1	2	2	11	18	15	18
1990.....	5,051	-	1	1	1	2	1	6	14	13	23
1989.....	4,961	1	-	1	-	1	3	7	3	14	23
1988.....	4,770	-	1	1	-	5	6	9	6	15	16
1987.....	4,747	-	1	-	2	1	6	12	11	21	16
1986.....	4,618	1	-	-	1	2	8	9	8	18	21
1985.....	4,404	3	-	1	1	8	1	5	11	17	8
1984.....	4,349	2	1	-	2	1	4	12	9	15	13
1983.....	4,115	1	1	-	1	8	3	8	9	11	15
1982.....	4,055	-	-	2	1	3	5	9	5	10	6
1981.....	3,872	1	-	1	1	2	4	5	11	6	12
1980.....	3,747	-	-	-	1	2	7	3	6	11	17
1979.....	3,877	1	1	-	-	1	9	5	2	12	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
AORTIC ANEURYSM (441)											
ALL OTHER, BOTH SEXES											
1998.....	1,462	-	-	-	-	1	4	8	17	28	42
1997.....	1,443	-	-	-	1	2	2	5	12	32	64
1996.....	1,431	-	-	-	-	5	2	6	11	33	48
1995.....	1,377	-	-	-	2	4	2	9	13	21	59
1994.....	1,325	-	-	-	2	3	4	7	14	22	50
1993.....	1,352	-	-	-	4	-	9	7	15	18	38
1992.....	1,265	-	-	-	-	1	1	4	14	25	38
1991.....	1,316	-	-	-	1	2	5	4	18	17	47
1990.....	1,283	2	-	-	1	2	-	8	12	27	38
1989.....	1,270	-	-	-	-	2	4	4	8	24	38
1988.....	1,191	1	-	-	-	3	2	5	8	15	35
1987.....	1,170	1	-	-	-	2	8	5	13	18	30
1986.....	1,090	1	1	-	2	3	3	5	11	18	18
1985.....	1,128	2	-	1	-	-	4	6	6	22	15
1984.....	1,105	1	1	-	-	1	2	5	9	19	21
1983.....	1,010	-	-	3	2	1	3	3	11	19	22
1982.....	959	-	-	-	-	-	2	6	9	16	15
1981.....	979	-	1	-	-	3	3	3	10	14	25
1980.....	1,016	-	-	-	-	1	-	5	10	10	23
1979.....	943	1	1	-	2	3	2	7	12	13	19
ALL OTHER MALE											
1998.....	805	-	-	-	-	1	1	6	16	19	31
1997.....	793	-	-	-	1	2	1	4	11	27	48
1996.....	801	-	-	-	-	3	2	4	5	22	31
1995.....	768	-	-	-	2	3	2	7	9	14	45
1994.....	729	-	-	-	1	2	3	5	8	14	23
1993.....	773	-	-	-	4	-	6	5	14	11	29
1992.....	730	-	-	-	-	-	1	3	8	19	28
1991.....	746	-	-	-	-	2	4	3	14	12	36
1990.....	738	1	-	-	1	2	-	4	9	23	29
1989.....	710	-	-	-	-	1	3	2	6	15	27
1988.....	671	1	-	-	-	1	2	3	7	14	27
1987.....	663	-	-	-	-	-	6	3	9	13	20
1986.....	612	1	-	-	1	1	-	5	9	9	14
1985.....	628	1	-	-	-	-	1	4	4	16	9
1984.....	652	-	1	-	-	1	2	2	4	13	19
1983.....	573	-	-	1	2	1	3	-	7	16	16
1982.....	565	-	-	-	-	-	2	5	7	12	10
1981.....	548	-	-	-	-	3	1	-	8	7	17
1980.....	587	-	-	-	-	1	-	4	8	6	16
1979.....	568	1	1	-	-	2	-	4	8	10	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
AORTIC ANEURYSM (441)											
ALL OTHER FEMALE											
1998.....	657	-	-	-	-	-	3	2	1	9	11
1997.....	650	-	-	-	-	-	1	1	1	5	16
1996.....	630	-	-	-	-	2	-	2	6	11	17
1995.....	609	-	-	-	-	1	-	2	4	7	14
1994.....	596	-	-	-	1	1	1	2	6	8	27
1993.....	579	-	-	-	-	-	3	2	1	7	9
1992.....	535	-	-	-	-	1	-	1	6	6	10
1991.....	570	-	-	-	1	-	1	1	4	5	11
1990.....	545	1	-	-	-	-	-	4	3	4	9
1989.....	560	-	-	-	-	1	1	2	2	9	11
1988.....	520	-	-	-	-	2	-	2	1	1	8
1987.....	507	1	-	-	-	2	2	2	4	5	10
1986.....	478	-	1	-	1	2	3	-	2	9	4
1985.....	500	1	-	1	-	-	3	2	2	6	6
1984.....	453	1	-	-	-	-	-	3	5	6	2
1983.....	437	-	-	2	-	-	-	3	4	3	6
1982.....	394	-	-	-	-	-	-	1	2	4	5
1981.....	431	-	1	-	-	-	2	3	2	7	8
1980.....	429	-	-	-	-	-	-	1	2	4	7
1979.....	375	-	-	-	2	1	2	3	4	3	5
BLACK, BOTH SEXES											
1998.....	1,184	-	-	-	-	1	3	8	12	24	38
1997.....	1,183	-	-	-	1	2	2	4	10	29	59
1996.....	1,140	-	-	-	-	5	2	5	8	30	42
1995.....	1,146	-	-	-	2	2	1	8	9	17	54
1994.....	1,087	-	-	-	1	1	4	6	13	22	44
1993.....	1,107	-	-	-	4	-	8	7	15	14	30
1992.....	1,030	-	-	-	-	1	-	3	13	23	31
1991.....	1,104	-	-	-	1	1	5	4	16	17	45
1990.....	1,068	1	-	-	1	2	-	7	9	23	36
1989.....	1,085	-	-	-	-	2	4	4	7	22	36
1988.....	1,006	1	-	-	-	3	2	3	8	15	33
1987.....	985	-	-	-	-	2	6	5	11	16	26
1986.....	916	1	1	-	2	3	3	4	8	18	16
1985.....	954	2	-	-	-	-	3	6	4	20	14
1984.....	954	1	-	-	-	1	2	5	8	17	20
1983.....	863	-	-	3	2	1	1	3	9	17	19
1982.....	845	-	-	-	-	-	2	5	8	15	13
1981.....	866	-	1	-	-	3	1	2	10	14	24
1980.....	882	-	-	-	-	1	-	5	9	9	22
1979.....	823	1	1	-	1	3	1	6	11	11	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
AORTIC ANEURYSM (441)											
BLACK MALE											
1998.....	620	-	-	-	-	1	1	6	12	16	28
1997.....	628	-	-	-	1	2	1	3	9	25	45
1996.....	616	-	-	-	-	3	2	3	3	19	27
1995.....	610	-	-	-	2	2	1	6	6	12	41
1994.....	571	-	-	-	-	1	3	4	7	14	20
1993.....	608	-	-	-	4	-	5	5	14	8	21
1992.....	564	-	-	-	-	-	-	2	7	18	23
1991.....	597	-	-	-	-	1	4	3	12	12	34
1990.....	589	-	-	-	1	2	-	3	7	19	28
1989.....	592	-	-	-	-	1	3	2	5	13	25
1988.....	545	1	-	-	-	1	2	2	7	14	25
1987.....	529	-	-	-	-	-	4	3	8	11	17
1986.....	494	1	-	-	1	1	-	4	7	9	12
1985.....	506	1	-	-	-	-	1	4	2	14	8
1984.....	550	-	-	-	-	1	2	2	4	12	18
1983.....	476	-	-	1	2	1	1	-	6	14	14
1982.....	488	-	-	-	-	-	2	5	6	12	8
1981.....	469	-	-	-	-	3	1	-	8	7	17
1980.....	485	-	-	-	-	1	-	4	7	5	15
1979.....	474	1	1	-	-	2	-	3	8	8	11
BLACK FEMALE											
1998.....	564	-	-	-	-	-	2	2	-	8	10
1997.....	555	-	-	-	-	-	1	1	1	4	14
1996.....	524	-	-	-	-	2	-	2	5	11	15
1995.....	536	-	-	-	-	-	-	2	3	5	13
1994.....	516	-	-	-	1	-	1	2	6	8	24
1993.....	499	-	-	-	-	-	3	2	1	6	9
1992.....	466	-	-	-	-	1	-	1	6	5	8
1991.....	507	-	-	-	1	-	1	1	4	5	11
1990.....	479	1	-	-	-	-	-	4	2	4	8
1989.....	493	-	-	-	-	1	1	2	2	9	11
1988.....	461	-	-	-	-	2	-	1	1	1	8
1987.....	456	-	-	-	-	2	2	2	3	5	9
1986.....	422	-	1	-	1	2	3	-	1	9	4
1985.....	448	1	-	-	-	-	2	2	2	6	6
1984.....	404	1	-	-	-	-	-	3	4	5	2
1983.....	387	-	-	2	-	-	-	3	3	3	5
1982.....	357	-	-	-	-	-	-	-	2	3	5
1981.....	397	-	1	-	-	-	-	2	2	7	7
1980.....	397	-	-	-	-	-	-	1	2	4	7
1979.....	349	-	-	-	1	1	1	3	3	3	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)											
TOTAL, BOTH SEXES											
1998.....	11,434	12	5	5	7	8	29	41	61	110	144
1997.....	11,068	12	6	8	8	19	27	35	61	99	123
1996.....	10,789	13	4	3	9	13	20	36	62	101	142
1995.....	10,206	15	5	2	7	14	27	30	70	82	154
1994.....	9,974	11	7	5	7	12	27	37	51	87	126
1993.....	9,530	11	2	8	6	13	13	36	56	95	142
1992.....	9,117	11	8	1	8	11	34	40	62	80	145
1991.....	8,359	15	5	3	6	12	22	52	59	73	123
1990.....	8,243	13	6	2	10	9	29	38	61	69	96
1989.....	8,068	15	7	2	6	11	21	47	60	90	100
1988.....	7,466	7	2	2	8	12	23	40	50	63	92
1987.....	7,173	12	5	7	5	9	24	37	45	72	83
1986.....	7,150	18	8	3	9	21	27	30	42	67	103
1985.....	6,871	20	10	5	6	16	17	37	53	63	91
1984.....	6,602	15	6	3	10	14	28	43	46	62	84
1983.....	6,382	14	6	5	6	23	27	44	51	68	76
1982.....	6,047	13	6	4	3	13	28	35	57	48	70
1981.....	5,931	16	7	5	4	15	26	36	50	67	80
1980.....	5,778	17	9	3	10	25	37	40	52	53	75
1979.....	5,452	13	9	9	6	25	37	41	57	60	78
TOTAL, MALE											
1998.....	4,978	8	3	3	2	2	9	13	28	51	65
1997.....	4,798	7	5	1	1	9	9	11	22	45	61
1996.....	4,740	8	1	-	3	6	10	17	31	48	71
1995.....	4,489	9	5	1	5	5	7	13	33	40	72
1994.....	4,372	4	5	2	4	6	10	18	19	42	51
1993.....	4,299	7	1	5	4	8	6	16	22	33	71
1992.....	4,097	5	3	1	5	5	17	16	28	34	72
1991.....	3,793	10	2	3	2	6	9	25	28	27	56
1990.....	3,754	7	2	2	4	3	13	17	21	37	43
1989.....	3,739	10	5	-	1	4	9	16	27	45	47
1988.....	3,385	6	1	1	6	5	15	13	20	24	48
1987.....	3,457	7	3	3	3	6	14	18	19	29	36
1986.....	3,354	9	6	1	4	9	11	10	21	34	44
1985.....	3,412	14	7	2	1	8	8	17	19	30	40
1984.....	3,213	7	5	1	4	4	10	16	18	27	43
1983.....	3,219	7	4	2	2	15	8	22	28	32	43
1982.....	3,063	9	4	3	1	6	12	15	26	23	38
1981.....	3,015	12	6	2	1	5	9	13	20	29	40
1980.....	2,928	12	5	2	3	11	13	18	18	27	34
1979.....	2,841	9	6	6	2	10	18	16	30	23	33

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)											
TOTAL, FEMALE											
1998.....	6,456	4	2	2	5	6	20	28	33	59	79
1997.....	6,270	5	1	7	7	10	18	24	39	54	62
1996.....	6,049	5	3	3	6	7	10	19	31	53	71
1995.....	5,717	6	-	1	2	9	20	17	37	42	82
1994.....	5,602	7	2	3	3	6	17	19	32	45	75
1993.....	5,231	4	1	3	2	5	7	20	34	62	71
1992.....	5,020	6	5	-	3	6	17	24	34	46	73
1991.....	4,566	5	3	-	4	6	13	27	31	46	67
1990.....	4,489	6	4	-	6	6	16	21	40	32	53
1989.....	4,329	5	2	2	5	7	12	31	33	45	53
1988.....	4,081	1	1	1	2	7	8	27	30	39	44
1987.....	3,716	5	2	4	2	3	10	19	26	43	47
1986.....	3,796	9	2	2	5	12	16	20	21	33	59
1985.....	3,459	6	3	3	5	8	9	20	34	33	51
1984.....	3,389	8	1	2	6	10	18	27	28	35	41
1983.....	3,163	7	2	3	4	8	19	22	23	36	33
1982.....	2,984	4	2	1	2	7	16	20	31	25	32
1981.....	2,916	4	1	3	3	10	17	23	30	38	40
1980.....	2,850	5	4	1	7	14	24	22	34	26	41
1979.....	2,611	4	3	3	4	15	19	25	27	37	45
WHITE, BOTH SEXES											
1998.....	9,789	9	4	3	6	6	13	29	38	75	91
1997.....	9,510	6	5	5	6	14	16	22	43	65	84
1996.....	9,352	10	4	2	7	9	17	25	37	64	95
1995.....	8,903	9	2	1	4	9	21	17	42	56	115
1994.....	8,565	8	6	4	5	9	21	30	35	58	89
1993.....	8,211	10	2	5	4	9	8	22	35	47	96
1992.....	7,940	8	7	-	6	7	25	26	44	56	111
1991.....	7,256	8	3	3	5	8	15	32	33	51	81
1990.....	7,172	12	3	2	5	5	17	26	44	48	68
1989.....	7,029	12	5	1	5	6	15	34	40	55	77
1988.....	6,544	6	1	2	6	9	18	24	30	37	63
1987.....	6,258	9	5	5	5	6	14	18	32	47	59
1986.....	6,245	11	7	3	7	12	19	19	28	42	72
1985.....	6,037	14	10	4	4	12	13	25	31	53	68
1984.....	5,805	11	5	2	8	10	19	30	34	46	63
1983.....	5,623	9	6	4	3	19	20	30	32	47	57
1982.....	5,323	10	5	3	2	9	22	22	46	35	57
1981.....	5,271	14	5	5	1	12	18	23	27	46	61
1980.....	5,095	15	7	2	7	18	28	28	35	37	59
1979.....	4,864	11	7	7	4	14	23	18	43	50	57

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)											
WHITE MALE											
1998.....	4,276	6	3	3	1	1	2	10	19	32	43
1997.....	4,142	3	4	1	1	6	5	9	17	31	48
1996.....	4,117	6	1	-	3	5	9	13	19	30	50
1995.....	3,969	4	2	-	4	4	6	7	19	32	55
1994.....	3,783	2	4	1	3	5	8	15	12	27	35
1993.....	3,708	6	1	3	3	4	3	10	13	19	49
1992.....	3,586	4	3	-	3	3	14	9	21	24	59
1991.....	3,326	4	1	3	2	4	6	18	21	21	40
1990.....	3,276	7	1	2	3	2	8	14	15	28	33
1989.....	3,281	9	4	-	1	2	9	15	21	31	36
1988.....	2,975	6	-	1	5	5	10	10	10	16	32
1987.....	3,008	6	3	3	3	4	8	11	12	19	27
1986.....	2,933	6	5	1	4	5	6	5	14	24	34
1985.....	3,020	11	7	2	1	6	6	13	11	25	36
1984.....	2,847	5	5	1	4	3	7	13	14	20	34
1983.....	2,847	4	4	2	-	13	7	18	20	24	31
1982.....	2,707	8	4	2	-	6	10	10	24	17	31
1981.....	2,703	11	4	2	1	5	5	10	10	18	28
1980.....	2,574	12	4	1	3	8	8	15	9	22	28
1979.....	2,535	7	4	5	1	6	11	8	22	22	25
WHITE FEMALE											
1998.....	5,513	3	1	-	5	5	11	19	19	43	48
1997.....	5,368	3	1	4	5	8	11	13	26	34	36
1996.....	5,235	4	3	2	4	4	8	12	18	34	45
1995.....	4,934	5	-	1	-	5	15	10	23	24	60
1994.....	4,782	6	2	3	2	4	13	15	23	31	54
1993.....	4,503	4	1	2	1	5	5	12	22	28	47
1992.....	4,354	4	4	-	3	4	11	17	23	32	52
1991.....	3,930	4	2	-	3	4	9	14	12	30	41
1990.....	3,896	5	2	-	2	3	9	12	29	20	35
1989.....	3,748	3	1	1	4	4	6	19	19	24	41
1988.....	3,569	-	1	1	1	4	8	14	20	21	31
1987.....	3,250	3	2	2	2	2	6	7	20	28	32
1986.....	3,312	5	2	2	3	7	13	14	14	18	38
1985.....	3,017	3	3	2	3	6	7	12	20	28	32
1984.....	2,958	6	-	1	4	7	12	17	20	26	29
1983.....	2,776	5	2	2	3	6	13	12	12	23	26
1982.....	2,616	2	1	1	2	3	12	12	22	18	26
1981.....	2,568	3	1	3	-	7	13	13	17	28	33
1980.....	2,521	3	3	1	4	10	20	13	26	15	31
1979.....	2,329	4	3	2	3	8	12	10	21	28	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)											
ALL OTHER, BOTH SEXES											
1998.....	1,645	3	1	2	1	2	16	12	23	35	53
1997.....	1,558	6	1	3	2	5	11	13	18	34	39
1996.....	1,437	3	-	1	2	4	3	11	25	37	47
1995.....	1,303	6	3	1	3	5	6	13	28	26	39
1994.....	1,409	3	1	1	2	3	6	7	16	29	37
1993.....	1,319	1	-	3	2	4	5	14	21	48	46
1992.....	1,177	3	1	1	2	4	9	14	18	24	34
1991.....	1,103	7	2	-	1	4	7	20	26	22	42
1990.....	1,071	1	3	-	5	4	12	12	17	21	28
1989.....	1,039	3	2	1	1	5	6	13	20	35	23
1988.....	922	1	1	-	2	3	5	16	20	26	29
1987.....	915	3	-	2	-	3	10	19	13	25	24
1986.....	905	7	1	-	2	9	8	11	14	25	31
1985.....	834	6	-	1	2	4	4	12	22	10	23
1984.....	797	4	1	1	2	4	9	13	12	16	21
1983.....	759	5	-	1	3	4	7	14	19	21	19
1982.....	724	3	1	1	1	4	6	13	11	13	13
1981.....	660	2	2	-	3	3	8	13	23	21	19
1980.....	683	2	2	1	3	7	9	12	17	16	16
1979.....	588	2	2	2	2	11	14	23	14	10	21
ALL OTHER MALE											
1998.....	702	2	-	-	1	1	7	3	9	19	22
1997.....	656	4	1	-	-	3	4	2	5	14	13
1996.....	623	2	-	-	-	1	1	4	12	18	21
1995.....	520	5	3	1	1	1	1	6	14	8	17
1994.....	589	2	1	1	1	1	2	3	7	15	16
1993.....	591	1	-	2	1	4	3	6	9	14	22
1992.....	511	1	-	1	2	2	3	7	7	10	13
1991.....	467	6	1	-	-	2	3	7	7	6	16
1990.....	478	-	1	-	1	1	5	3	6	9	10
1989.....	458	1	1	-	-	2	-	1	6	14	11
1988.....	410	-	1	-	1	-	5	3	10	8	16
1987.....	449	1	-	-	-	2	6	7	7	10	9
1986.....	421	3	1	-	-	4	5	5	7	10	10
1985.....	392	3	-	-	-	2	2	4	8	5	4
1984.....	366	2	-	-	-	1	3	3	4	7	9
1983.....	372	3	-	-	2	2	1	4	8	8	12
1982.....	356	1	-	1	1	-	2	5	2	6	7
1981.....	312	1	2	-	-	-	4	3	10	11	12
1980.....	354	-	1	1	-	3	5	3	9	5	6
1979.....	306	2	2	1	1	4	7	8	8	1	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)											
ALL OTHER FEMALE											
1998.....	943	1	1	2	-	1	9	9	14	16	31
1997.....	902	2	-	3	2	2	7	11	13	20	26
1996.....	814	1	-	1	2	3	2	7	13	19	26
1995.....	783	1	-	-	2	4	5	7	14	18	22
1994.....	820	1	-	-	1	2	4	4	9	14	21
1993.....	728	-	-	1	1	-	2	8	12	34	24
1992.....	666	2	1	-	-	2	6	7	11	14	21
1991.....	636	1	1	-	1	2	4	13	19	16	26
1990.....	593	1	2	-	4	3	7	9	11	12	18
1989.....	581	2	1	1	1	3	6	12	14	21	12
1988.....	512	1	-	-	1	3	-	13	10	18	13
1987.....	466	2	-	2	-	1	4	12	6	15	15
1986.....	484	4	-	-	2	5	3	6	7	15	21
1985.....	442	3	-	1	2	2	2	8	14	5	19
1984.....	431	2	1	1	2	3	6	10	8	9	12
1983.....	387	2	-	1	1	2	6	10	11	13	7
1982.....	368	2	1	-	-	4	4	8	9	7	6
1981.....	348	1	-	-	3	3	4	10	13	10	7
1980.....	329	2	1	-	3	4	4	9	8	11	10
1979.....	282	-	-	1	1	7	7	15	6	9	13
BLACK, BOTH SEXES											
1998.....	1,482	3	-	2	1	1	15	12	21	35	48
1997.....	1,403	6	1	3	1	5	8	11	17	34	36
1996.....	1,315	3	-	1	1	3	2	10	21	34	40
1995.....	1,196	6	2	-	3	5	6	12	26	24	36
1994.....	1,276	2	-	-	2	3	6	6	14	24	34
1993.....	1,194	-	-	-	2	3	5	11	17	45	41
1992.....	1,085	3	1	1	1	3	9	13	16	23	32
1991.....	1,033	7	-	-	-	4	6	19	22	22	39
1990.....	993	1	2	-	3	4	12	12	15	19	26
1989.....	973	3	2	1	1	5	5	11	18	33	23
1988.....	855	-	-	-	2	3	4	15	19	24	28
1987.....	856	3	-	2	-	3	9	18	13	23	23
1986.....	845	6	1	-	2	7	8	11	12	20	30
1985.....	778	4	-	-	1	4	4	12	21	10	20
1984.....	743	4	-	1	1	3	7	13	11	14	20
1983.....	698	4	-	1	2	3	6	13	18	19	19
1982.....	681	3	1	-	1	4	6	11	10	12	12
1981.....	619	2	2	-	3	3	6	12	22	21	18
1980.....	650	2	2	1	2	7	9	12	17	14	16
1979.....	564	1	1	2	2	11	12	23	14	9	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)											
BLACK MALE											
1998.....	632	2	-	-	1	-	6	3	9	19	19
1997.....	601	4	1	-	-	3	3	2	5	14	13
1996.....	570	2	-	-	-	1	1	4	11	17	18
1995.....	468	5	2	-	1	1	1	6	12	7	16
1994.....	532	1	-	-	1	1	2	2	5	13	15
1993.....	535	-	-	-	1	3	3	6	6	13	22
1992.....	468	1	-	1	1	1	3	6	6	10	13
1991.....	430	6	-	-	-	2	3	7	5	6	15
1990.....	447	-	-	-	-	1	5	3	6	8	10
1989.....	417	1	1	-	-	2	-	1	4	13	11
1988.....	374	-	-	-	1	-	4	2	10	7	16
1987.....	411	1	-	-	-	2	5	7	7	8	9
1986.....	392	2	1	-	-	4	5	5	6	8	9
1985.....	365	2	-	-	-	2	2	4	7	5	4
1984.....	344	2	-	-	-	1	3	3	4	5	8
1983.....	344	3	-	-	2	2	1	4	8	8	12
1982.....	329	1	-	-	1	-	2	4	2	5	6
1981.....	291	1	2	-	-	-	3	2	9	11	11
1980.....	336	-	1	1	-	3	5	3	9	5	6
1979.....	290	1	1	1	1	4	6	8	8	1	8
BLACK FEMALE											
1998.....	850	1	-	2	-	1	9	9	12	16	29
1997.....	802	2	-	3	1	2	5	9	12	20	23
1996.....	745	1	-	1	1	2	1	6	10	17	22
1995.....	728	1	-	-	2	4	5	6	14	17	20
1994.....	744	1	-	-	1	2	4	4	9	11	19
1993.....	659	-	-	-	1	-	2	5	11	32	19
1992.....	617	2	1	-	-	2	6	7	10	13	19
1991.....	603	1	-	-	-	2	3	12	17	16	24
1990.....	546	1	2	-	3	3	7	9	9	11	16
1989.....	556	2	1	1	1	3	5	10	14	20	12
1988.....	481	-	-	-	1	3	-	13	9	17	12
1987.....	445	2	-	2	-	1	4	11	6	15	14
1986.....	453	4	-	-	2	3	3	6	6	12	21
1985.....	413	2	-	-	1	2	2	8	14	5	16
1984.....	399	2	-	1	1	2	4	10	7	9	12
1983.....	354	1	-	1	-	1	5	9	10	11	7
1982.....	352	2	1	-	-	4	4	7	8	7	6
1981.....	328	1	-	-	3	3	3	10	13	10	7
1980.....	314	2	1	-	2	4	4	9	8	9	10
1979.....	274	-	-	1	1	7	6	15	6	8	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)											
TOTAL, BOTH SEXES											
1998.....	4,397	61	6	3	2	9	16	33	57	110	128
1997.....	4,264	55	5	5	5	6	26	37	66	88	152
1996.....	4,243	64	6	6	1	8	18	39	51	102	155
1995.....	4,185	66	12	1	2	12	21	37	55	105	134
1994.....	4,082	50	8	4	3	6	18	34	61	97	140
1993.....	4,122	52	11	3	4	9	16	39	68	117	140
1992.....	4,000	47	10	3	3	7	20	41	68	108	141
1991.....	4,140	58	11	7	1	10	23	41	62	106	138
1990.....	4,238	56	7	4	4	14	23	35	64	89	125
1989.....	4,319	42	9	2	5	10	20	24	60	86	129
1988.....	4,569	37	3	6	4	9	24	42	73	105	105
1987.....	4,823	43	10	5	5	7	25	47	56	114	131
1986.....	4,677	37	7	5	4	13	27	53	70	94	122
1985.....	4,860	68	7	3	3	14	24	53	61	95	138
1984.....	4,753	52	6	4	4	13	26	51	72	86	125
1983.....	5,034	37	10	5	8	14	29	56	71	101	121
1982.....	4,684	39	10	4	4	17	32	51	71	85	117
1981.....	4,702	48	6	3	6	9	27	42	72	85	126
1980.....	4,803	57	8	8	5	21	42	50	61	101	125
1979.....	4,755	47	9	3	6	24	33	59	56	86	143
TOTAL, MALE											
1998.....	1,943	34	4	1	1	5	7	19	30	64	67
1997.....	1,978	29	1	2	1	4	12	13	40	57	88
1996.....	1,913	40	4	3	-	5	7	14	26	54	92
1995.....	1,929	38	4	-	1	4	7	18	27	60	81
1994.....	1,867	30	4	1	2	4	8	19	36	59	83
1993.....	1,940	26	6	-	3	6	6	25	43	60	83
1992.....	1,926	33	6	1	2	2	15	23	41	65	91
1991.....	1,984	35	4	2	-	6	12	18	33	53	85
1990.....	2,026	30	3	2	1	4	16	22	36	64	77
1989.....	2,062	30	6	1	1	2	7	12	35	54	86
1988.....	2,262	18	3	3	3	4	14	19	49	66	66
1987.....	2,369	26	5	3	-	5	17	25	28	68	86
1986.....	2,377	22	3	2	-	7	12	25	40	59	79
1985.....	2,398	37	5	2	-	8	12	27	39	56	99
1984.....	2,442	20	4	4	1	7	11	27	39	56	71
1983.....	2,506	23	6	2	4	8	14	27	40	61	69
1982.....	2,385	19	6	-	2	5	13	23	38	60	77
1981.....	2,386	22	5	1	1	1	16	23	42	53	74
1980.....	2,405	29	6	5	1	10	18	19	37	54	70
1979.....	2,442	27	4	-	6	10	18	33	35	54	78

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

TOTAL, FEMALE											
1998.....	2,454	27	2	2	1	4	9	14	27	46	61
1997.....	2,286	26	4	3	4	2	14	24	26	31	64
1996.....	2,330	24	2	3	1	3	11	25	25	48	63
1995.....	2,256	28	8	1	1	8	14	19	28	45	53
1994.....	2,215	20	4	3	1	2	10	15	25	38	57
1993.....	2,182	26	5	3	1	3	10	14	25	57	57
1992.....	2,074	14	4	2	1	5	5	18	27	43	50
1991.....	2,156	23	7	5	1	4	11	23	29	53	53
1990.....	2,212	26	4	2	3	10	7	13	28	25	48
1989.....	2,257	12	3	1	4	8	13	12	25	32	43
1988.....	2,307	19	-	3	1	5	10	23	24	39	39
1987.....	2,454	17	5	2	5	2	8	22	28	46	45
1986.....	2,300	15	4	3	4	6	15	28	30	35	43
1985.....	2,462	31	2	1	3	6	12	26	22	39	39
1984.....	2,311	32	2	-	3	6	15	24	33	30	54
1983.....	2,528	14	4	3	4	6	15	29	31	40	52
1982.....	2,299	20	4	4	2	12	19	28	33	25	40
1981.....	2,316	26	1	2	5	8	11	19	30	32	52
1980.....	2,398	28	2	3	4	11	24	31	24	47	55
1979.....	2,313	20	5	3	-	14	15	26	21	32	65
WHITE, BOTH SEXES											
1998.....	3,585	42	3	2	1	5	8	18	32	67	76
1997.....	3,509	38	5	3	4	3	14	23	37	53	117
1996.....	3,553	44	4	6	1	4	10	21	32	63	111
1995.....	3,444	47	10	-	1	5	11	19	38	74	90
1994.....	3,356	34	4	4	1	4	12	24	35	62	93
1993.....	3,452	32	10	3	4	6	9	21	37	80	99
1992.....	3,315	37	7	2	1	5	13	18	40	68	99
1991.....	3,434	42	6	7	1	6	13	27	42	68	102
1990.....	3,511	43	6	2	3	8	16	25	37	61	79
1989.....	3,574	28	8	1	3	8	12	16	39	60	87
1988.....	3,787	25	3	4	3	4	15	26	47	61	69
1987.....	3,981	28	8	5	4	6	15	30	32	75	80
1986.....	3,912	22	6	5	4	10	13	35	35	60	87
1985.....	4,044	47	6	1	1	9	19	39	36	62	93
1984.....	4,015	38	3	3	3	9	17	34	46	51	84
1983.....	4,243	28	10	5	8	10	20	35	36	66	95
1982.....	3,929	26	8	2	4	13	19	30	47	55	84
1981.....	3,998	31	2	2	5	6	17	28	49	56	92
1980.....	4,078	42	8	5	4	15	34	34	41	72	81
1979.....	4,035	34	7	2	5	20	23	36	36	63	107

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

WHITE MALE

1998.....	1,599	24	1	1	1	3	4	10	19	45	43
1997.....	1,608	21	1	2	1	2	5	7	22	32	71
1996.....	1,584	28	3	3	-	1	5	10	17	37	69
1995.....	1,565	28	3	-	-	1	3	9	19	44	60
1994.....	1,506	20	1	1	1	3	6	12	19	40	59
1993.....	1,588	15	5	-	3	4	4	13	21	44	52
1992.....	1,589	25	5	-	1	2	10	12	25	43	67
1991.....	1,652	26	1	2	-	4	8	12	23	36	62
1990.....	1,644	24	2	2	1	4	11	15	25	42	49
1989.....	1,693	21	5	-	-	2	5	9	25	42	61
1988.....	1,852	14	3	2	3	1	9	9	35	39	46
1987.....	1,938	17	3	3	-	4	11	16	18	47	54
1986.....	1,966	11	2	2	-	5	8	15	24	40	57
1985.....	1,983	26	4	1	-	6	11	21	23	38	67
1984.....	2,055	15	2	3	1	5	6	15	24	34	50
1983.....	2,076	15	6	2	4	6	9	16	22	39	51
1982.....	1,992	12	4	-	2	4	9	16	26	41	55
1981.....	2,029	17	2	-	1	1	12	15	27	37	57
1980.....	2,017	18	6	2	1	9	16	14	26	37	46
1979.....	2,044	20	3	-	5	9	15	19	22	38	59

WHITE FEMALE

1998.....	1,986	18	2	1	-	2	4	8	13	22	33
1997.....	1,901	17	4	1	3	1	9	16	15	21	46
1996.....	1,969	16	1	3	1	3	5	11	15	26	42
1995.....	1,879	19	7	-	1	4	8	10	19	30	30
1994.....	1,850	14	3	3	-	1	6	12	16	22	34
1993.....	1,864	17	5	3	1	2	5	8	16	36	47
1992.....	1,726	12	2	2	-	3	3	6	15	25	32
1991.....	1,782	16	5	5	1	2	5	15	19	32	40
1990.....	1,867	19	4	-	2	4	5	10	12	19	30
1989.....	1,881	7	3	1	3	6	7	7	14	18	26
1988.....	1,935	11	-	2	-	3	6	17	12	22	23
1987.....	2,043	11	5	2	4	2	4	14	14	28	26
1986.....	1,946	11	4	3	4	5	5	20	11	20	30
1985.....	2,061	21	2	-	1	3	8	18	13	24	26
1984.....	1,960	23	1	-	2	4	11	19	22	17	34
1983.....	2,167	13	4	3	4	4	11	19	14	27	44
1982.....	1,937	14	4	2	2	9	10	14	21	14	29
1981.....	1,969	14	-	2	4	5	5	13	22	19	35
1980.....	2,061	24	2	3	3	6	18	20	15	35	35
1979.....	1,991	14	4	2	-	11	8	17	14	25	48

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)											
ALL OTHER, BOTH SEXES											
1998.....	812	19	3	1	1	4	8	15	25	43	52
1997.....	755	17	-	2	1	3	12	14	29	35	35
1996.....	690	20	2	-	-	4	8	18	19	39	44
1995.....	741	19	2	1	1	7	10	18	17	31	44
1994.....	726	16	4	-	2	2	6	10	26	35	47
1993.....	670	20	1	-	-	3	7	18	31	37	41
1992.....	685	10	3	1	2	2	7	23	28	40	42
1991.....	706	16	5	-	-	4	10	14	20	38	36
1990.....	727	13	1	2	1	6	7	10	27	28	46
1989.....	745	14	1	1	2	2	8	8	21	26	42
1988.....	782	12	-	2	1	5	9	16	26	44	36
1987.....	842	15	2	-	1	1	10	17	24	39	51
1986.....	765	15	1	-	-	3	14	18	35	34	35
1985.....	816	21	1	2	2	5	5	14	25	33	45
1984.....	738	14	3	1	1	4	9	17	26	35	41
1983.....	791	9	-	-	-	4	9	21	35	35	26
1982.....	755	13	2	2	-	4	13	21	24	30	33
1981.....	704	17	4	1	1	3	10	14	23	29	34
1980.....	725	15	-	3	1	6	8	16	20	29	44
1979.....	720	13	2	1	1	4	10	23	20	23	36
ALL OTHER MALE											
1998.....	344	10	3	-	-	2	3	9	11	19	24
1997.....	370	8	-	-	-	2	7	6	18	25	17
1996.....	329	12	1	-	-	4	2	4	9	17	23
1995.....	364	10	1	-	1	3	4	9	8	16	21
1994.....	361	10	3	-	1	1	2	7	17	19	24
1993.....	352	11	1	-	-	2	2	12	22	16	31
1992.....	337	8	1	1	1	-	5	11	16	22	24
1991.....	332	9	3	-	-	2	4	6	10	17	23
1990.....	382	6	1	-	-	-	5	7	11	22	28
1989.....	369	9	1	1	1	-	2	3	10	12	25
1988.....	410	4	-	1	-	3	5	10	14	27	20
1987.....	431	9	2	-	-	1	6	9	10	21	32
1986.....	411	11	1	-	-	2	4	10	16	19	22
1985.....	415	11	1	1	-	2	1	6	16	18	32
1984.....	387	5	2	1	-	2	5	12	15	22	21
1983.....	430	8	-	-	-	2	5	11	18	22	18
1982.....	393	7	2	-	-	1	4	7	12	19	22
1981.....	357	5	3	1	-	-	4	8	15	16	17
1980.....	388	11	-	3	-	1	2	5	11	17	24
1979.....	398	7	1	-	1	1	3	14	13	16	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)											
ALL OTHER FEMALE											
1998.....	468	9	-	1	1	2	5	6	14	24	28
1997.....	385	9	-	2	1	1	5	8	11	10	18
1996.....	361	8	1	-	-	-	6	14	10	22	21
1995.....	377	9	1	1	-	4	6	9	9	15	23
1994.....	365	6	1	-	1	1	4	3	9	16	23
1993.....	318	9	-	-	-	1	5	6	9	21	10
1992.....	348	2	2	-	1	2	2	12	12	18	18
1991.....	374	7	2	-	-	2	6	8	10	21	13
1990.....	345	7	-	2	1	6	2	3	16	6	18
1989.....	376	5	-	-	1	2	6	5	11	14	17
1988.....	372	8	-	1	1	2	4	6	12	17	16
1987.....	411	6	-	-	1	-	4	8	14	18	19
1986.....	354	4	-	-	-	1	10	8	19	15	13
1985.....	401	10	-	1	2	3	4	8	9	15	13
1984.....	351	9	1	-	1	2	4	5	11	13	20
1983.....	361	1	-	-	-	2	4	10	17	13	8
1982.....	362	6	-	2	-	3	9	14	12	11	11
1981.....	347	12	1	-	1	3	6	6	8	13	17
1980.....	337	4	-	-	1	5	6	11	9	12	20
1979.....	322	6	1	1	-	3	7	9	7	7	17
BLACK, BOTH SEXES											
1998.....	745	19	3	1	1	2	7	13	25	41	50
1997.....	695	13	-	2	1	3	11	14	28	35	33
1996.....	623	17	2	-	-	4	8	16	19	38	44
1995.....	672	16	2	1	1	7	9	18	17	30	39
1994.....	663	14	4	-	2	2	6	9	24	34	40
1993.....	604	18	1	-	-	3	7	17	31	32	34
1992.....	630	8	3	1	2	2	6	20	27	38	39
1991.....	657	14	4	-	-	4	10	14	19	36	32
1990.....	666	13	1	2	1	6	5	10	23	26	44
1989.....	695	13	1	-	2	1	8	8	20	25	40
1988.....	735	10	-	2	1	5	9	15	26	44	35
1987.....	798	14	2	-	1	1	10	16	22	37	48
1986.....	719	14	-	-	-	3	11	18	35	31	33
1985.....	757	19	1	2	2	4	5	13	24	31	45
1984.....	690	12	3	1	1	4	8	17	25	33	40
1983.....	742	8	-	-	-	4	7	18	33	34	26
1982.....	703	10	2	2	-	4	13	19	20	30	32
1981.....	668	16	3	-	1	3	8	11	23	27	31
1980.....	687	13	-	2	1	6	8	16	20	28	42
1979.....	682	12	2	1	1	4	9	22	20	23	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)											
BLACK MALE											
1998.....	317	10	3	-	-	-	3	8	11	18	22
1997.....	336	7	-	-	-	2	7	6	17	25	16
1996.....	293	10	1	-	-	4	2	3	9	16	23
1995.....	331	7	1	-	1	3	4	9	8	15	17
1994.....	325	9	3	-	1	1	2	6	15	18	19
1993.....	314	10	1	-	-	2	2	11	22	14	27
1992.....	298	6	1	1	1	-	4	9	16	21	21
1991.....	309	7	3	-	-	2	4	6	9	16	20
1990.....	348	6	1	-	-	-	4	7	8	20	26
1989.....	339	8	1	-	1	-	2	3	10	12	24
1988.....	384	4	-	1	-	3	5	9	14	27	19
1987.....	404	8	2	-	-	1	6	8	9	19	32
1986.....	388	10	-	-	-	2	3	10	16	19	22
1985.....	388	10	1	1	-	2	1	5	15	18	32
1984.....	358	5	2	1	-	2	5	12	14	20	20
1983.....	400	7	-	-	-	2	3	11	17	22	18
1982.....	369	6	2	-	-	1	4	7	9	19	21
1981.....	338	5	2	-	-	-	4	6	15	15	16
1980.....	369	10	-	2	-	1	2	5	11	17	24
1979.....	368	7	1	-	1	1	2	13	13	16	18
BLACK FEMALE											
1998.....	428	9	-	1	1	2	4	5	14	23	28
1997.....	359	6	-	2	1	1	4	8	11	10	17
1996.....	330	7	1	-	-	-	6	13	10	22	21
1995.....	341	9	1	1	-	4	5	9	9	15	22
1994.....	338	5	1	-	1	1	4	3	9	16	21
1993.....	290	8	-	-	-	1	5	6	9	18	7
1992.....	332	2	2	-	1	2	2	11	11	17	18
1991.....	348	7	1	-	-	2	6	8	10	20	12
1990.....	318	7	-	2	1	6	1	3	15	6	18
1989.....	356	5	-	-	1	1	6	5	10	13	16
1988.....	351	6	-	1	1	2	4	6	12	17	16
1987.....	394	6	-	-	1	-	4	8	13	18	16
1986.....	331	4	-	-	-	1	8	8	19	12	11
1985.....	369	9	-	1	2	2	4	8	9	13	13
1984.....	332	7	1	-	1	2	3	5	11	13	20
1983.....	342	1	-	-	-	2	4	7	16	12	8
1982.....	334	4	-	2	-	3	9	12	11	11	11
1981.....	330	11	1	-	1	3	4	5	8	12	15
1980.....	318	3	-	-	1	5	6	11	9	11	18
1979.....	314	5	1	1	-	3	7	9	7	7	16

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

TOTAL, BOTH SEXES											
1998.....	1,565	5	2	1	-	5	11	16	39	61	67
1997.....	1,724	5	1	1	-	4	24	29	44	53	76
1996.....	1,709	8	1	1	1	5	16	27	38	64	79
1995.....	1,742	8	3	-	1	6	17	30	35	63	67
1994.....	1,619	6	3	2	-	4	14	28	43	52	73
1993.....	1,706	8	5	1	1	1	10	28	41	60	76
1992.....	1,707	9	2	2	-	2	13	29	48	52	81
1991.....	1,716	7	2	2	1	7	21	29	38	52	72
1990.....	1,793	7	1	1	2	5	16	19	30	40	64
1989.....	1,907	6	3	-	3	5	15	18	39	43	62
1988.....	1,888	4	-	1	1	5	18	27	35	42	47
1987.....	1,990	4	-	-	2	4	18	29	31	62	56
1986.....	2,007	3	-	1	1	4	20	34	39	42	56
1985.....	2,116	9	1	1	-	8	9	33	36	42	68
1984.....	2,160	6	1	1	1	8	18	29	36	48	55
1983.....	2,372	3	3	1	3	9	18	38	43	61	62
1982.....	2,243	5	2	1	2	10	23	33	35	43	70
1981.....	2,359	9	1	-	-	5	14	23	35	35	69
1980.....	2,563	5	-	-	1	12	29	32	33	62	67
1979.....	2,706	8	-	2	2	16	17	40	31	52	76
TOTAL, MALE											
1998.....	621	-	1	-	-	2	5	9	22	31	37
1997.....	725	3	-	-	-	3	10	10	30	30	33
1996.....	720	5	1	1	-	4	5	7	20	32	34
1995.....	735	6	1	-	1	3	6	14	12	30	37
1994.....	668	3	1	-	-	3	7	15	26	27	35
1993.....	775	5	2	-	1	1	3	19	24	26	39
1992.....	793	6	-	1	-	-	9	15	31	30	44
1991.....	751	6	-	-	-	4	11	13	21	23	37
1990.....	814	5	1	-	1	-	10	10	14	26	28
1989.....	848	5	1	-	-	1	6	9	22	22	35
1988.....	853	2	-	-	1	2	10	12	23	25	22
1987.....	891	3	-	-	-	2	12	16	18	37	30
1986.....	930	2	-	-	-	2	10	14	17	23	29
1985.....	954	6	1	1	-	6	3	16	23	20	46
1984.....	1,018	1	-	1	-	5	8	13	15	33	26
1983.....	1,068	2	2	1	2	6	9	18	24	33	31
1982.....	1,068	5	-	-	1	1	10	14	19	30	43
1981.....	1,046	4	-	-	-	-	9	10	18	21	40
1980.....	1,159	1	-	-	-	5	12	9	19	33	31
1979.....	1,299	6	-	-	2	8	10	22	15	32	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)											
TOTAL, FEMALE											
1998.....	944	5	1	1	-	3	6	7	17	30	30
1997.....	999	2	1	1	-	1	14	19	14	23	43
1996.....	989	3	-	-	1	1	11	20	18	32	45
1995.....	1,007	2	2	-	-	3	11	16	23	33	30
1994.....	951	3	2	2	-	1	7	13	17	25	38
1993.....	931	3	3	1	-	-	7	9	17	34	37
1992.....	914	3	2	1	-	2	4	14	17	22	37
1991.....	965	1	2	2	1	3	10	16	17	29	35
1990.....	979	2	-	1	1	5	6	9	16	14	36
1989.....	1,059	1	2	-	3	4	9	9	17	21	27
1988.....	1,035	2	-	1	-	3	8	15	12	17	25
1987.....	1,099	1	-	-	2	2	6	13	13	25	26
1986.....	1,077	1	-	1	1	2	10	20	22	19	27
1985.....	1,162	3	-	-	-	2	6	17	13	22	22
1984.....	1,142	5	1	-	-	3	10	16	21	15	29
1983.....	1,304	1	1	-	1	3	9	20	19	28	31
1982.....	1,175	-	2	1	1	9	13	19	16	13	27
1981.....	1,313	5	1	-	-	5	5	13	17	14	29
1980.....	1,404	4	-	-	1	7	17	23	14	29	36
1979.....	1,407	2	-	2	-	8	7	18	16	20	37
WHITE, BOTH SEXES											
1998.....	1,263	4	1	1	-	3	5	10	22	35	38
1997.....	1,407	3	1	-	-	2	12	17	23	30	53
1996.....	1,415	6	1	1	1	2	8	15	24	38	55
1995.....	1,423	8	3	-	-	1	8	15	25	43	45
1994.....	1,333	5	2	2	-	3	9	18	24	37	50
1993.....	1,426	4	5	1	1	-	5	14	25	38	57
1992.....	1,426	8	-	1	-	1	7	12	26	33	64
1991.....	1,449	5	2	2	1	3	11	17	28	38	61
1990.....	1,492	5	1	-	1	1	11	13	17	23	36
1989.....	1,589	3	3	-	3	4	9	11	28	29	45
1988.....	1,611	4	-	1	1	2	9	15	27	33	26
1987.....	1,663	1	-	-	1	3	9	20	16	40	37
1986.....	1,717	-	-	1	1	2	7	20	20	28	44
1985.....	1,812	7	-	1	-	5	5	26	16	31	52
1984.....	1,830	5	-	1	-	5	9	18	24	27	38
1983.....	2,023	2	3	1	3	7	12	24	21	44	49
1982.....	1,911	5	2	-	2	7	14	18	21	27	54
1981.....	2,029	6	-	-	-	2	10	14	26	26	54
1980.....	2,234	3	-	-	1	9	25	22	26	48	45
1979.....	2,346	6	-	1	1	13	12	26	19	39	60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)											
WHITE MALE											
1998.....	497	-	-	-	-	1	3	5	13	21	24
1997.....	564	2	-	-	-	2	3	5	15	15	24
1996.....	596	5	1	1	-	1	3	5	13	20	26
1995.....	581	6	1	-	-	-	2	6	9	21	26
1994.....	533	2	-	-	-	3	5	8	13	18	28
1993.....	620	2	2	-	1	-	2	8	12	16	23
1992.....	662	5	-	-	-	-	4	8	18	22	37
1991.....	633	4	-	-	-	2	7	8	16	18	31
1990.....	666	4	1	-	1	-	7	6	10	15	14
1989.....	699	2	1	-	-	1	4	6	16	18	28
1988.....	716	2	-	-	1	-	5	5	19	20	13
1987.....	737	1	-	-	-	1	7	11	10	27	21
1986.....	782	-	-	-	-	1	6	6	12	19	21
1985.....	811	4	-	1	-	4	2	12	11	14	37
1984.....	850	1	-	1	-	3	3	6	10	20	20
1983.....	887	1	2	1	2	5	7	11	13	24	22
1982.....	892	5	-	-	1	-	7	8	12	21	34
1981.....	875	2	-	-	-	-	7	6	12	15	32
1980.....	1,001	-	-	-	-	5	12	7	17	26	20
1979.....	1,106	5	-	-	1	8	8	13	8	24	30
WHITE FEMALE											
1998.....	766	4	1	1	-	2	2	5	9	14	14
1997.....	843	1	1	-	-	-	9	12	8	15	29
1996.....	819	1	-	-	1	1	5	10	11	18	29
1995.....	842	2	2	-	-	1	6	9	16	22	19
1994.....	800	3	2	2	-	-	4	10	11	19	22
1993.....	806	2	3	1	-	-	3	6	13	22	34
1992.....	764	3	-	1	-	1	3	4	8	11	27
1991.....	816	1	2	2	1	1	4	9	12	20	30
1990.....	826	1	-	-	-	1	4	7	7	8	22
1989.....	890	1	2	-	3	3	5	5	12	11	17
1988.....	895	2	-	1	-	2	4	10	8	13	13
1987.....	926	-	-	-	1	2	2	9	6	13	16
1986.....	935	-	-	1	1	1	1	14	8	9	23
1985.....	1,001	3	-	-	-	1	3	14	5	17	15
1984.....	980	4	-	-	-	2	6	12	14	7	18
1983.....	1,136	1	1	-	1	2	5	13	8	20	27
1982.....	1,019	-	2	-	1	7	7	10	9	6	20
1981.....	1,154	4	-	-	-	2	3	8	14	11	22
1980.....	1,233	3	-	-	1	4	13	15	9	22	25
1979.....	1,240	1	-	1	-	5	4	13	11	15	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)											
ALL OTHER, BOTH SEXES											
1998.....	302	1	1	-	-	2	6	6	17	26	29
1997.....	317	2	-	1	-	2	12	12	21	23	23
1996.....	294	2	-	-	-	3	8	12	14	26	24
1995.....	319	-	-	-	1	5	9	15	10	20	22
1994.....	286	1	1	-	-	1	5	10	19	15	23
1993.....	280	4	-	-	-	1	5	14	16	22	19
1992.....	281	1	2	1	-	1	6	17	22	19	17
1991.....	267	2	-	-	-	4	10	12	10	14	11
1990.....	301	2	-	1	1	4	5	6	13	17	28
1989.....	318	3	-	-	-	1	6	7	11	14	17
1988.....	277	-	-	-	-	3	9	12	8	9	21
1987.....	327	3	-	-	1	1	9	9	15	22	19
1986.....	290	3	-	-	-	2	13	14	19	14	12
1985.....	304	2	1	-	-	3	4	7	20	11	16
1984.....	330	1	1	-	-	3	9	11	12	21	17
1983.....	349	1	-	-	-	2	6	14	22	17	13
1982.....	332	-	-	1	-	3	9	15	14	16	16
1981.....	330	3	1	-	-	3	4	9	9	9	15
1980.....	329	2	-	-	-	3	4	10	7	14	22
1979.....	360	2	-	1	1	3	5	14	12	13	16
ALL OTHER MALE											
1998.....	124	-	1	-	-	1	2	4	9	10	13
1997.....	161	1	-	-	-	1	7	5	15	15	9
1996.....	124	-	-	-	-	3	2	2	7	12	8
1995.....	154	-	-	-	1	3	4	8	3	9	11
1994.....	135	1	1	-	-	-	2	7	13	9	7
1993.....	155	3	-	-	-	1	1	11	12	10	16
1992.....	131	1	-	1	-	-	5	7	13	8	7
1991.....	118	2	-	-	-	2	4	5	5	5	6
1990.....	148	1	-	-	-	-	3	4	4	11	14
1989.....	149	3	-	-	-	-	2	3	6	4	7
1988.....	137	-	-	-	-	2	5	7	4	5	9
1987.....	154	2	-	-	-	1	5	5	8	10	9
1986.....	148	2	-	-	-	1	4	8	5	4	8
1985.....	143	2	1	-	-	2	1	4	12	6	9
1984.....	168	-	-	-	-	2	5	7	5	13	6
1983.....	181	1	-	-	-	1	2	7	11	9	9
1982.....	176	-	-	-	-	1	3	6	7	9	9
1981.....	171	2	-	-	-	-	2	4	6	6	8
1980.....	158	1	-	-	-	-	-	2	2	7	11
1979.....	193	1	-	-	1	-	2	9	7	8	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)											
ALL OTHER FEMALE											
1998.....	178	1	-	-	-	1	4	2	8	16	16
1997.....	156	1	-	1	-	1	5	7	6	8	14
1996.....	170	2	-	-	-	-	6	10	7	14	16
1995.....	165	-	-	-	-	2	5	7	7	11	11
1994.....	151	-	-	-	-	1	3	3	6	6	16
1993.....	125	1	-	-	-	-	4	3	4	12	3
1992.....	150	-	2	-	-	1	1	10	9	11	10
1991.....	149	-	-	-	-	2	6	7	5	9	5
1990.....	153	1	-	1	1	4	2	2	9	6	14
1989.....	169	-	-	-	-	1	4	4	5	10	10
1988.....	140	-	-	-	-	1	4	5	4	4	12
1987.....	173	1	-	-	1	-	4	4	7	12	10
1986.....	142	1	-	-	-	1	9	6	14	10	4
1985.....	161	-	-	-	-	1	3	3	8	5	7
1984.....	162	1	1	-	-	1	4	4	7	8	11
1983.....	168	-	-	-	-	1	4	7	11	8	4
1982.....	156	-	-	1	-	2	6	9	7	7	7
1981.....	159	1	1	-	-	3	2	5	3	3	7
1980.....	171	1	-	-	-	3	4	8	5	7	11
1979.....	167	1	-	1	-	3	3	5	5	5	7
BLACK, BOTH SEXES											
1998.....	286	1	1	-	-	1	5	6	17	26	29
1997.....	300	1	-	1	-	2	11	12	20	23	22
1996.....	279	2	-	-	-	3	8	10	14	25	24
1995.....	301	-	-	-	1	5	8	15	10	20	19
1994.....	266	1	1	-	-	1	5	9	18	14	21
1993.....	256	3	-	-	-	1	5	13	16	17	16
1992.....	271	1	2	1	-	1	5	17	22	18	17
1991.....	258	2	-	-	-	4	10	12	10	14	10
1990.....	283	2	-	1	1	4	4	6	11	16	27
1989.....	306	3	-	-	-	1	6	7	11	14	16
1988.....	269	-	-	-	-	3	9	11	8	9	21
1987.....	313	3	-	-	1	1	9	8	15	22	19
1986.....	274	3	-	-	-	2	10	14	19	13	11
1985.....	294	2	1	-	-	2	4	7	20	11	16
1984.....	316	-	1	-	-	3	8	11	12	20	17
1983.....	338	1	-	-	-	2	6	12	22	16	13
1982.....	318	-	-	1	-	3	9	13	12	16	16
1981.....	317	2	1	-	-	3	3	7	9	8	15
1980.....	319	2	-	-	-	3	4	10	7	13	21
1979.....	347	2	-	1	1	3	4	13	12	13	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)

BLACK MALE

1998.....	119	-	1	-	-	-	2	4	9	10	13
1997.....	152	1	-	-	-	1	7	5	14	15	9
1996.....	117	-	-	-	-	3	2	1	7	11	8
1995.....	146	-	-	-	1	3	4	8	3	9	8
1994.....	123	1	1	-	-	-	2	6	12	8	5
1993.....	142	2	-	-	-	1	1	10	12	8	14
1992.....	127	1	-	1	-	-	4	7	13	8	7
1991.....	113	2	-	-	-	2	4	5	5	5	6
1990.....	141	1	-	-	-	-	3	4	3	10	13
1989.....	144	3	-	-	-	-	2	3	6	4	6
1988.....	133	-	-	-	-	2	5	6	4	5	9
1987.....	146	2	-	-	-	1	5	4	8	10	9
1986.....	144	2	-	-	-	1	3	8	5	4	8
1985.....	140	2	1	-	-	2	1	4	12	6	9
1984.....	162	-	-	-	-	2	5	7	5	12	6
1983.....	178	1	-	-	-	1	2	7	11	9	9
1982.....	168	-	-	-	-	1	3	6	5	9	9
1981.....	165	2	-	-	-	-	2	3	6	5	8
1980.....	155	1	-	-	-	-	-	2	2	7	11
1979.....	184	1	-	-	1	-	1	8	7	8	9

BLACK FEMALE

1998.....	167	1	-	-	-	1	3	2	8	16	16
1997.....	148	-	-	1	-	1	4	7	6	8	13
1996.....	162	2	-	-	-	-	6	9	7	14	16
1995.....	155	-	-	-	-	2	4	7	7	11	11
1994.....	143	-	-	-	-	1	3	3	6	6	16
1993.....	114	1	-	-	-	-	4	3	4	9	2
1992.....	144	-	2	-	-	1	1	10	9	10	10
1991.....	145	-	-	-	-	2	6	7	5	9	4
1990.....	142	1	-	1	1	4	1	2	8	6	14
1989.....	162	-	-	-	-	1	4	4	5	10	10
1988.....	136	-	-	-	-	1	4	5	4	4	12
1987.....	167	1	-	-	1	-	4	4	7	12	10
1986.....	130	1	-	-	-	1	7	6	14	9	3
1985.....	154	-	-	-	-	-	3	3	8	5	7
1984.....	154	-	1	-	-	1	3	4	7	8	11
1983.....	160	-	-	-	-	1	4	5	11	7	4
1982.....	150	-	-	1	-	2	6	7	7	7	7
1981.....	152	-	1	-	-	3	1	4	3	3	7
1980.....	164	1	-	-	-	3	4	8	5	6	10
1979.....	163	1	-	1	-	3	3	5	5	5	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)											
TOTAL, BOTH SEXES											
1998.....	2,832	56	4	2	2	4	5	17	18	49	61
1997.....	2,540	50	4	4	5	2	2	8	22	35	76
1996.....	2,534	56	5	5	-	3	2	12	13	38	76
1995.....	2,443	58	9	1	1	6	4	7	20	42	67
1994.....	2,463	44	5	2	3	2	4	6	18	45	67
1993.....	2,416	44	6	2	3	8	6	11	27	57	64
1992.....	2,293	38	8	1	3	5	7	12	20	56	60
1991.....	2,424	51	9	5	-	3	2	12	24	54	66
1990.....	2,445	49	6	3	2	9	7	16	34	49	61
1989.....	2,412	36	6	2	2	5	5	6	21	43	67
1988.....	2,681	33	3	5	3	4	6	15	38	63	58
1987.....	2,833	39	10	5	3	3	7	18	25	52	75
1986.....	2,670	34	7	4	3	9	7	19	31	52	66
1985.....	2,744	59	6	2	3	6	15	20	25	53	70
1984.....	2,593	46	5	3	4	5	8	22	36	38	70
1983.....	2,662	34	7	4	5	5	11	18	28	40	59
1982.....	2,441	34	8	3	2	7	9	18	36	42	47
1981.....	2,343	39	5	3	6	4	13	19	37	50	57
1980.....	2,240	52	8	8	4	9	13	18	28	39	58
1979.....	2,049	39	9	1	4	8	16	19	25	34	67
TOTAL, MALE											
1998.....	1,322	34	3	1	1	3	2	10	8	33	30
1997.....	1,253	26	1	2	1	1	2	3	10	27	55
1996.....	1,193	35	3	2	-	1	2	7	6	22	58
1995.....	1,194	32	3	-	-	1	1	4	15	30	44
1994.....	1,199	27	3	1	2	1	1	4	10	32	48
1993.....	1,165	21	4	-	2	5	3	6	19	34	44
1992.....	1,133	27	6	-	2	2	6	8	10	35	47
1991.....	1,233	29	4	2	-	2	1	5	12	30	48
1990.....	1,212	25	2	2	-	4	6	12	22	38	49
1989.....	1,214	25	5	1	1	1	1	3	13	32	51
1988.....	1,409	16	3	3	2	2	4	7	26	41	44
1987.....	1,478	23	5	3	-	3	5	9	10	31	56
1986.....	1,447	20	3	2	-	5	2	11	23	36	50
1985.....	1,444	31	4	1	-	2	9	11	16	36	53
1984.....	1,424	19	4	3	1	2	3	14	24	23	45
1983.....	1,438	21	4	1	2	2	5	9	16	28	38
1982.....	1,317	14	6	-	1	4	3	9	19	30	34
1981.....	1,340	18	5	1	1	1	7	13	24	32	34
1980.....	1,246	28	6	5	1	5	6	10	18	21	39
1979.....	1,143	21	4	-	4	2	8	11	20	22	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)											
TOTAL, FEMALE											
1998.....	1,510	22	1	1	1	1	3	7	10	16	31
1997.....	1,287	24	3	2	4	1	-	5	12	8	21
1996.....	1,341	21	2	3	-	2	-	5	7	16	18
1995.....	1,249	26	6	1	1	5	3	3	5	12	23
1994.....	1,264	17	2	1	1	1	3	2	8	13	19
1993.....	1,251	23	2	2	1	3	3	5	8	23	20
1992.....	1,160	11	2	1	1	3	1	4	10	21	13
1991.....	1,191	22	5	3	-	1	1	7	12	24	18
1990.....	1,233	24	4	1	2	5	1	4	12	11	12
1989.....	1,198	11	1	1	1	4	4	3	8	11	16
1988.....	1,272	17	-	2	1	2	2	8	12	22	14
1987.....	1,355	16	5	2	3	-	2	9	15	21	19
1986.....	1,223	14	4	2	3	4	5	8	8	16	16
1985.....	1,300	28	2	1	3	4	6	9	9	17	17
1984.....	1,169	27	1	-	3	3	5	8	12	15	25
1983.....	1,224	13	3	3	3	3	6	9	12	12	21
1982.....	1,124	20	2	3	1	3	6	9	17	12	13
1981.....	1,003	21	-	2	5	3	6	6	13	18	23
1980.....	994	24	2	3	3	4	7	8	10	18	19
1979.....	906	18	5	1	-	6	8	8	5	12	28
WHITE, BOTH SEXES											
1998.....	2,322	38	2	1	1	2	3	8	10	32	38
1997.....	2,102	35	4	3	4	1	2	6	14	23	64
1996.....	2,138	38	3	5	-	2	2	6	8	25	56
1995.....	2,021	39	7	-	1	4	3	4	13	31	45
1994.....	2,023	29	2	2	1	1	3	6	11	25	43
1993.....	2,026	28	5	2	3	6	4	7	12	42	42
1992.....	1,889	29	7	1	1	4	6	6	14	35	35
1991.....	1,985	37	4	5	-	3	2	10	14	30	41
1990.....	2,019	38	5	2	2	7	5	12	20	38	43
1989.....	1,985	25	5	1	-	4	3	5	11	31	42
1988.....	2,176	21	3	3	2	2	6	11	20	28	43
1987.....	2,318	27	8	5	3	3	6	10	16	35	43
1986.....	2,195	22	6	4	3	8	6	15	15	32	43
1985.....	2,232	40	6	-	1	4	14	13	20	31	41
1984.....	2,185	33	3	2	3	4	8	16	22	24	46
1983.....	2,220	26	7	4	5	3	8	11	15	22	46
1982.....	2,018	21	6	2	2	6	5	12	26	28	30
1981.....	1,969	25	2	2	5	4	7	14	23	30	38
1980.....	1,844	39	8	5	3	6	9	12	15	24	36
1979.....	1,689	28	7	1	4	7	11	10	17	24	47

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)											
WHITE MALE											
1998.....	1,102	24	1	1	1	2	1	5	6	24	19
1997.....	1,044	19	1	2	1	-	2	2	7	17	47
1996.....	988	23	2	2	-	-	2	5	4	17	43
1995.....	984	22	2	-	-	1	1	3	10	23	34
1994.....	973	18	1	1	1	-	1	4	6	22	31
1993.....	968	13	3	-	2	4	2	5	9	28	29
1992.....	927	20	5	-	1	2	6	4	7	21	30
1991.....	1,019	22	1	2	-	2	1	4	7	18	31
1990.....	978	20	1	2	-	4	4	9	15	27	35
1989.....	994	19	4	-	-	1	1	3	9	24	33
1988.....	1,136	12	3	2	2	1	4	4	16	19	33
1987.....	1,201	16	3	3	-	3	4	5	8	20	33
1986.....	1,184	11	2	2	-	4	2	9	12	21	36
1985.....	1,172	22	4	-	-	2	9	9	12	24	30
1984.....	1,205	14	2	2	1	2	3	9	14	14	30
1983.....	1,189	14	4	1	2	1	2	5	9	15	29
1982.....	1,100	7	4	-	1	4	2	8	14	20	21
1981.....	1,154	15	2	-	1	1	5	9	15	22	25
1980.....	1,016	18	6	2	1	4	4	7	9	11	26
1979.....	938	15	3	-	4	1	7	6	14	14	29
WHITE FEMALE											
1998.....	1,220	14	1	-	-	-	2	3	4	8	19
1997.....	1,058	16	3	1	3	1	-	4	7	6	17
1996.....	1,150	15	1	3	-	2	-	1	4	8	13
1995.....	1,037	17	5	-	1	3	2	1	3	8	11
1994.....	1,050	11	1	1	-	1	2	2	5	3	12
1993.....	1,058	15	2	2	1	2	2	2	3	14	13
1992.....	962	9	2	1	-	2	-	2	7	14	5
1991.....	966	15	3	3	-	1	1	6	7	12	10
1990.....	1,041	18	4	-	2	3	1	3	5	11	8
1989.....	991	6	1	1	-	3	2	2	2	7	9
1988.....	1,040	9	-	1	-	1	2	7	4	9	10
1987.....	1,117	11	5	2	3	-	2	5	8	15	10
1986.....	1,011	11	4	2	3	4	4	6	3	11	7
1985.....	1,060	18	2	-	1	2	5	4	8	7	11
1984.....	980	19	1	-	2	2	5	7	8	10	16
1983.....	1,031	12	3	3	3	2	6	6	6	7	17
1982.....	918	14	2	2	1	2	3	4	12	8	9
1981.....	815	10	-	2	4	3	2	5	8	8	13
1980.....	828	21	2	3	2	2	5	5	6	13	10
1979.....	751	13	4	1	-	6	4	4	3	10	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)											
ALL OTHER, BOTH SEXES											
1998.....	510	18	2	1	1	2	2	9	8	17	23
1997.....	438	15	-	1	1	1	-	2	8	12	12
1996.....	396	18	2	-	-	1	-	6	5	13	20
1995.....	422	19	2	1	-	2	1	3	7	11	22
1994.....	440	15	3	-	2	1	1	-	7	20	24
1993.....	390	16	1	-	-	2	2	4	15	15	22
1992.....	404	9	1	-	2	1	1	6	6	21	25
1991.....	439	14	5	-	-	-	-	2	10	24	25
1990.....	426	11	1	1	-	2	2	4	14	11	18
1989.....	427	11	1	1	2	1	2	1	10	12	25
1988.....	505	12	-	2	1	2	-	4	18	35	15
1987.....	515	12	2	-	-	-	1	8	9	17	32
1986.....	475	12	1	-	-	1	1	4	16	20	23
1985.....	512	19	-	2	2	2	1	7	5	22	29
1984.....	408	13	2	1	1	1	-	6	14	14	24
1983.....	442	8	-	-	-	2	3	7	13	18	13
1982.....	423	13	2	1	-	1	4	6	10	14	17
1981.....	374	14	3	1	1	-	6	5	14	20	19
1980.....	396	13	-	3	1	3	4	6	13	15	22
1979.....	360	11	2	-	-	1	5	9	8	10	20
ALL OTHER MALE											
1998.....	220	10	2	-	-	1	1	5	2	9	11
1997.....	209	7	-	-	-	1	-	1	3	10	8
1996.....	205	12	1	-	-	1	-	2	2	5	15
1995.....	210	10	1	-	-	-	-	1	5	7	10
1994.....	226	9	2	-	1	1	-	-	4	10	17
1993.....	197	8	1	-	-	1	1	1	10	6	15
1992.....	206	7	1	-	1	-	-	4	3	14	17
1991.....	214	7	3	-	-	-	-	1	5	12	17
1990.....	234	5	1	-	-	-	2	3	7	11	14
1989.....	220	6	1	1	1	-	-	-	4	8	18
1988.....	273	4	-	1	-	1	-	3	10	22	11
1987.....	277	7	2	-	-	-	1	4	2	11	23
1986.....	263	9	1	-	-	1	-	2	11	15	14
1985.....	272	9	-	1	-	-	-	2	4	12	23
1984.....	219	5	2	1	-	-	-	5	10	9	15
1983.....	249	7	-	-	-	1	3	4	7	13	9
1982.....	217	7	2	-	-	-	1	1	5	10	13
1981.....	186	3	3	1	-	-	2	4	9	10	9
1980.....	230	10	-	3	-	1	2	3	9	10	13
1979.....	205	6	1	-	-	1	1	5	6	8	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)											
ALL OTHER FEMALE											
1998.....	290	8	-	1	1	1	1	4	6	8	12
1997.....	229	8	-	1	1	-	-	1	5	2	4
1996.....	191	6	1	-	-	-	-	4	3	8	5
1995.....	212	9	1	1	-	2	1	2	2	4	12
1994.....	214	6	1	-	1	-	1	-	3	10	7
1993.....	193	8	-	-	-	1	1	3	5	9	7
1992.....	198	2	-	-	1	1	1	2	3	7	8
1991.....	225	7	2	-	-	-	-	1	5	12	8
1990.....	192	6	-	1	-	2	-	1	7	-	4
1989.....	207	5	-	-	1	1	2	1	6	4	7
1988.....	232	8	-	1	1	1	-	1	8	13	4
1987.....	238	5	-	-	-	-	-	4	7	6	9
1986.....	212	3	-	-	-	-	1	2	5	5	9
1985.....	240	10	-	1	2	2	1	5	1	10	6
1984.....	189	8	-	-	1	1	-	1	4	5	9
1983.....	193	1	-	-	-	1	-	3	6	5	4
1982.....	206	6	-	1	-	1	3	5	5	4	4
1981.....	188	11	-	-	1	-	4	1	5	10	10
1980.....	166	3	-	-	1	2	2	3	4	5	9
1979.....	155	5	1	-	-	-	4	4	2	2	10
BLACK, BOTH SEXES											
1998.....	459	18	2	1	1	1	2	7	8	15	21
1997.....	395	12	-	1	1	1	-	2	8	12	11
1996.....	344	15	2	-	-	1	-	6	5	13	20
1995.....	371	16	2	1	-	2	1	3	7	10	20
1994.....	397	13	3	-	2	1	1	-	6	20	19
1993.....	348	15	1	-	-	2	2	4	15	15	18
1992.....	359	7	1	-	2	1	1	3	5	20	22
1991.....	399	12	4	-	-	-	-	2	9	22	22
1990.....	383	11	1	1	-	2	1	4	12	10	17
1989.....	389	10	1	-	2	-	2	1	9	11	24
1988.....	466	10	-	2	1	2	-	4	18	35	14
1987.....	485	11	2	-	-	-	1	8	7	15	29
1986.....	445	11	-	-	-	1	1	4	16	18	22
1985.....	463	17	-	2	2	2	1	6	4	20	29
1984.....	374	12	2	1	1	1	-	6	13	13	23
1983.....	404	7	-	-	-	2	1	6	11	18	13
1982.....	385	10	2	1	-	1	4	6	8	14	16
1981.....	351	14	2	-	1	-	5	4	14	19	16
1980.....	368	11	-	2	1	3	4	6	13	15	21
1979.....	335	10	2	-	-	1	5	9	8	10	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)											
BLACK MALE											
1998.....	198	10	2	-	-	-	1	4	2	8	9
1997.....	184	6	-	-	-	1	-	1	3	10	7
1996.....	176	10	1	-	-	1	-	2	2	5	15
1995.....	185	7	1	-	-	-	-	1	5	6	9
1994.....	202	8	2	-	1	1	-	-	3	10	14
1993.....	172	8	1	-	-	1	1	1	10	6	13
1992.....	171	5	1	-	1	-	-	2	3	13	14
1991.....	196	5	3	-	-	-	-	1	4	11	14
1990.....	207	5	1	-	-	-	1	3	5	10	13
1989.....	195	5	1	-	1	-	-	-	4	8	18
1988.....	251	4	-	1	-	1	-	3	10	22	10
1987.....	258	6	2	-	-	-	1	4	1	9	23
1986.....	244	8	-	-	-	1	-	2	11	15	14
1985.....	248	8	-	1	-	-	-	1	3	12	23
1984.....	196	5	2	1	-	-	-	5	9	8	14
1983.....	222	6	-	-	-	1	1	4	6	13	9
1982.....	201	6	2	-	-	-	1	1	4	10	12
1981.....	173	3	2	-	-	-	2	3	9	10	8
1980.....	214	9	-	2	-	1	2	3	9	10	13
1979.....	184	6	1	-	-	1	1	5	6	8	9
BLACK FEMALE											
1998.....	261	8	-	1	1	1	1	3	6	7	12
1997.....	211	6	-	1	1	-	-	1	5	2	4
1996.....	168	5	1	-	-	-	-	4	3	8	5
1995.....	186	9	1	1	-	2	1	2	2	4	11
1994.....	195	5	1	-	1	-	1	-	3	10	5
1993.....	176	7	-	-	-	1	1	3	5	9	5
1992.....	188	2	-	-	1	1	1	1	2	7	8
1991.....	203	7	1	-	-	-	-	1	5	11	8
1990.....	176	6	-	1	-	2	-	1	7	-	4
1989.....	194	5	-	-	1	-	2	1	5	3	6
1988.....	215	6	-	1	1	1	-	1	8	13	4
1987.....	227	5	-	-	-	-	-	4	6	6	6
1986.....	201	3	-	-	-	-	1	2	5	3	8
1985.....	215	9	-	1	2	2	1	5	1	8	6
1984.....	178	7	-	-	1	1	-	1	4	5	9
1983.....	182	1	-	-	-	1	-	2	5	5	4
1982.....	184	4	-	1	-	1	3	5	4	4	4
1981.....	178	11	-	-	1	-	3	1	5	9	8
1980.....	154	2	-	-	1	2	2	3	4	5	8
1979.....	151	4	1	-	-	-	4	4	2	2	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)											
TOTAL, BOTH SEXES											
1998.....	238,999	818	313	181	193	227	360	445	666	1,134	1,816
1997.....	227,942	813	345	173	187	251	319	465	707	1,144	1,764
1996.....	220,368	869	359	175	222	260	316	482	726	1,154	1,762
1995.....	215,081	876	335	147	207	277	339	471	827	1,233	1,695
1994.....	211,523	987	357	148	180	267	325	476	855	1,247	1,619
1993.....	212,020	1,053	374	173	214	254	374	500	826	1,236	1,700
1992.....	194,312	1,116	392	148	175	252	330	466	800	1,173	1,516
1991.....	195,433	1,122	416	165	192	256	360	554	881	1,247	1,536
1990.....	192,205	1,171	391	167	201	221	343	569	872	1,164	1,488
1989.....	187,008	1,157	436	167	177	275	376	620	999	1,222	1,477
1988.....	187,006	1,219	403	154	181	243	402	604	963	1,172	1,417
1987.....	172,834	1,232	430	151	174	276	379	570	871	1,124	1,289
1986.....	170,938	1,298	405	155	192	296	366	547	848	1,089	1,261
1985.....	166,189	1,339	465	171	177	247	409	496	760	921	1,137
1984.....	149,686	1,320	457	181	197	261	365	525	742	826	1,087
1983.....	142,835	1,456	496	145	171	302	372	534	668	792	1,009
1982.....	127,754	1,393	489	158	182	316	422	481	657	710	952
1981.....	131,329	1,514	508	181	205	290	425	535	624	786	1,009
1980.....	128,828	1,726	514	191	205	328	437	533	621	751	1,038
1979.....	111,547	1,889	584	213	185	321	397	492	534	730	973
TOTAL, MALE											
1998.....	115,606	467	177	82	118	120	207	253	380	617	979
1997.....	111,916	501	192	95	95	162	173	250	402	636	956
1996.....	108,156	523	195	99	117	145	169	251	391	661	993
1995.....	106,867	505	165	82	114	155	181	255	478	713	915
1994.....	105,902	610	214	95	107	147	188	265	513	691	949
1993.....	106,962	621	212	91	122	144	206	274	464	740	1,018
1992.....	99,976	680	206	85	93	137	183	285	478	692	920
1991.....	100,920	635	242	93	116	143	194	321	535	768	913
1990.....	100,075	686	209	95	107	111	180	317	527	722	927
1989.....	97,837	708	234	98	104	152	204	340	576	762	903
1988.....	99,987	716	215	92	98	143	224	340	575	724	865
1987.....	94,304	700	233	83	104	146	203	342	559	699	784
1986.....	94,866	797	228	73	113	173	213	312	521	689	770
1985.....	93,082	777	245	92	87	147	239	305	449	576	664
1984.....	85,717	769	233	90	111	158	214	302	448	495	640
1983.....	82,974	840	284	76	97	164	215	309	405	460	583
1982.....	76,189	809	269	83	99	182	252	269	397	424	560
1981.....	78,020	895	297	99	101	175	244	310	345	460	608
1980.....	77,191	1,012	295	97	109	164	248	319	358	429	612
1979.....	69,237	1,062	316	112	104	173	225	287	334	427	574

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
		TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)											
TOTAL, FEMALE											
1998.....	123,393	351	136	99	75	107	153	192	286	517	837
1997.....	116,026	312	153	78	92	89	146	215	305	508	808
1996.....	112,212	346	164	76	105	115	147	231	335	493	769
1995.....	108,214	371	170	65	93	122	158	216	349	520	780
1994.....	105,621	377	143	53	73	120	137	211	342	556	670
1993.....	105,058	432	162	82	92	110	168	226	362	496	682
1992.....	94,336	436	186	63	82	115	147	181	322	481	596
1991.....	94,513	487	174	72	76	113	166	233	346	479	623
1990.....	92,130	485	182	72	94	110	163	252	345	442	561
1989.....	89,171	449	202	69	73	123	172	280	423	460	574
1988.....	87,019	503	188	62	83	100	178	264	388	448	552
1987.....	78,530	532	197	68	70	130	176	228	312	425	505
1986.....	76,072	501	177	82	79	123	153	235	327	400	491
1985.....	73,107	562	220	79	90	100	170	191	311	345	473
1984.....	63,969	551	224	91	86	103	151	223	294	331	447
1983.....	59,861	616	212	69	74	138	157	225	263	332	426
1982.....	51,565	584	220	75	83	134	170	212	260	286	392
1981.....	53,309	619	211	82	104	115	181	225	279	326	401
1980.....	51,637	714	219	94	96	164	189	214	263	322	426
1979.....	42,310	827	268	101	81	148	172	205	200	303	399
WHITE, BOTH SEXES											
1998.....	216,346	502	194	117	119	138	230	271	415	750	1,225
1997.....	206,455	511	226	109	119	171	215	290	457	736	1,223
1996.....	199,165	540	228	117	131	158	198	303	460	745	1,163
1995.....	194,582	558	204	91	127	187	211	311	548	807	1,146
1994.....	191,680	623	214	98	109	170	223	278	571	788	1,053
1993.....	192,129	640	230	122	149	180	240	324	530	804	1,096
1992.....	176,073	678	242	99	119	167	214	306	511	735	992
1991.....	176,838	695	258	122	130	176	231	359	544	751	1,027
1990.....	173,634	720	254	119	133	151	216	354	507	716	953
1989.....	168,333	713	270	119	122	197	243	403	605	715	932
1988.....	169,308	746	290	104	121	167	267	394	572	706	938
1987.....	156,437	775	298	112	107	185	250	393	506	674	854
1986.....	154,778	828	281	105	140	201	253	364	540	663	844
1985.....	150,688	856	321	114	111	175	291	331	458	584	743
1984.....	135,672	858	315	142	148	181	267	333	454	510	721
1983.....	129,732	937	347	106	117	213	279	354	406	522	653
1982.....	115,778	862	325	115	121	232	278	311	406	455	626
1981.....	119,082	966	355	144	152	217	311	357	404	484	657
1980.....	116,332	1,067	374	132	153	247	292	365	391	490	680
1979.....	100,753	1,197	419	170	146	245	290	328	327	437	636

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)											
WHITE MALE											
1998.....	103,588	284	113	53	70	74	140	155	238	409	658
1997.....	100,353	319	120	60	63	114	115	161	269	404	676
1996.....	96,601	331	118	64	72	88	107	155	242	423	660
1995.....	95,649	327	103	49	63	103	118	163	311	478	622
1994.....	94,910	385	129	64	62	89	128	151	350	447	638
1993.....	95,800	382	134	67	77	101	131	186	311	487	667
1992.....	89,584	425	130	57	55	94	116	182	309	442	592
1991.....	90,326	402	144	69	79	99	121	212	331	470	616
1990.....	89,293	419	136	66	68	75	118	196	311	453	590
1989.....	86,912	446	146	67	74	112	126	218	368	433	558
1988.....	89,396	448	155	66	67	97	148	219	339	431	566
1987.....	84,419	446	156	55	61	100	141	232	325	407	523
1986.....	84,961	517	158	48	79	126	147	212	345	417	511
1985.....	83,607	498	164	64	52	109	168	204	274	359	404
1984.....	77,038	507	163	70	78	120	161	199	285	297	415
1983.....	74,662	534	196	54	65	110	175	210	240	290	359
1982.....	68,652	516	178	59	65	133	171	177	246	262	350
1981.....	70,173	575	208	76	74	124	183	212	219	265	384
1980.....	69,203	637	219	67	81	128	164	219	222	260	384
1979.....	62,242	690	228	86	81	133	170	204	202	237	357
WHITE FEMALE											
1998.....	112,758	218	81	64	49	64	90	116	177	341	567
1997.....	106,102	192	106	49	56	57	100	129	188	332	547
1996.....	102,564	209	110	53	59	70	91	148	218	322	503
1995.....	98,933	231	101	42	64	84	93	148	237	329	524
1994.....	96,770	238	85	34	47	81	95	127	221	341	415
1993.....	96,329	258	96	55	72	79	109	138	219	317	429
1992.....	86,489	253	112	42	64	73	98	124	202	293	400
1991.....	86,512	293	114	53	51	77	110	147	213	281	411
1990.....	84,341	301	118	53	65	76	98	158	196	263	363
1989.....	81,421	267	124	52	48	85	117	185	237	282	374
1988.....	79,912	298	135	38	54	70	119	175	233	275	372
1987.....	72,018	329	142	57	46	85	109	161	181	267	331
1986.....	69,817	311	123	57	61	75	106	152	195	246	333
1985.....	67,081	358	157	50	59	66	123	127	184	225	339
1984.....	58,634	351	152	72	70	61	106	134	169	213	306
1983.....	55,070	403	151	52	52	103	104	144	166	232	294
1982.....	47,126	346	147	56	56	99	107	134	160	193	276
1981.....	48,909	391	147	68	78	93	128	145	185	219	273
1980.....	47,129	430	155	65	72	119	128	146	169	230	296
1979.....	38,511	507	191	84	65	112	120	124	125	200	279

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)											
ALL OTHER, BOTH SEXES											
1998.....	22,653	316	119	64	74	89	130	174	251	384	591
1997.....	21,487	302	119	64	68	80	104	175	250	408	541
1996.....	21,203	329	131	58	91	102	118	179	266	409	599
1995.....	20,499	318	131	56	80	90	128	160	279	426	549
1994.....	19,843	364	143	50	71	97	102	198	284	459	566
1993.....	19,891	413	144	51	65	74	134	176	296	432	604
1992.....	18,239	438	150	49	56	85	116	160	289	438	524
1991.....	18,595	427	158	43	62	80	129	195	337	496	509
1990.....	18,571	451	137	48	68	70	127	215	365	448	535
1989.....	18,675	444	166	48	55	78	133	217	394	507	545
1988.....	17,698	473	113	50	60	76	135	210	391	466	479
1987.....	16,397	457	132	39	67	91	129	177	365	450	435
1986.....	16,160	470	124	50	52	95	113	183	308	426	417
1985.....	15,501	483	144	57	66	72	118	165	302	337	394
1984.....	14,014	462	142	39	49	80	98	192	288	316	366
1983.....	13,103	519	149	39	54	89	93	180	262	270	356
1982.....	11,976	531	164	43	61	84	144	170	251	255	326
1981.....	12,247	548	153	37	53	73	114	178	220	302	352
1980.....	12,496	659	140	59	52	81	145	168	230	261	358
1979.....	10,794	692	165	43	39	76	107	164	207	293	337
ALL OTHER MALE											
1998.....	12,018	183	64	29	48	46	67	98	142	208	321
1997.....	11,563	182	72	35	32	48	58	89	133	232	280
1996.....	11,555	192	77	35	45	57	62	96	149	238	333
1995.....	11,218	178	62	33	51	52	63	92	167	235	293
1994.....	10,992	225	85	31	45	58	60	114	163	244	311
1993.....	11,162	239	78	24	45	43	75	88	153	253	351
1992.....	10,392	255	76	28	38	43	67	103	169	250	328
1991.....	10,594	233	98	24	37	44	73	109	204	298	297
1990.....	10,782	267	73	29	39	36	62	121	216	269	337
1989.....	10,925	262	88	31	30	40	78	122	208	329	345
1988.....	10,591	268	60	26	31	46	76	121	236	293	299
1987.....	9,885	254	77	28	43	46	62	110	234	292	261
1986.....	9,905	280	70	25	34	47	66	100	176	272	259
1985.....	9,475	279	81	28	35	38	71	101	175	217	260
1984.....	8,679	262	70	20	33	38	53	103	163	198	225
1983.....	8,312	306	88	22	32	54	40	99	165	170	224
1982.....	7,537	293	91	24	34	49	81	92	151	162	210
1981.....	7,847	320	89	23	27	51	61	98	126	195	224
1980.....	7,988	375	76	30	28	36	84	100	136	169	228
1979.....	6,995	372	88	26	23	40	55	83	132	190	217

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)											
ALL OTHER FEMALE											
1998.....	10,635	133	55	35	26	43	63	76	109	176	270
1997.....	9,924	120	47	29	36	32	46	86	117	176	261
1996.....	9,648	137	54	23	46	45	56	83	117	171	266
1995.....	9,281	140	69	23	29	38	65	68	112	191	256
1994.....	8,851	139	58	19	26	39	42	84	121	215	255
1993.....	8,729	174	66	27	20	31	59	88	143	179	253
1992.....	7,847	183	74	21	18	42	49	57	120	188	196
1991.....	8,001	194	60	19	25	36	56	86	133	198	212
1990.....	7,789	184	64	19	29	34	65	94	149	179	198
1989.....	7,750	182	78	17	25	38	55	95	186	178	200
1988.....	7,107	205	53	24	29	30	59	89	155	173	180
1987.....	6,512	203	55	11	24	45	67	67	131	158	174
1986.....	6,255	190	54	25	18	48	47	83	132	154	158
1985.....	6,026	204	63	29	31	34	47	64	127	120	134
1984.....	5,335	200	72	19	16	42	45	89	125	118	141
1983.....	4,791	213	61	17	22	35	53	81	97	100	132
1982.....	4,439	238	73	19	27	35	63	78	100	93	116
1981.....	4,400	228	64	14	26	22	53	80	94	107	128
1980.....	4,508	284	64	29	24	45	61	68	94	92	130
1979.....	3,799	320	77	17	16	36	52	81	75	103	120
BLACK, BOTH SEXES											
1998.....	18,848	259	106	56	61	80	116	152	216	356	543
1997.....	17,930	268	104	53	65	63	93	154	229	378	493
1996.....	17,902	287	115	49	79	96	105	158	237	375	553
1995.....	17,345	278	112	53	73	79	121	151	253	392	498
1994.....	16,912	317	120	46	62	85	82	178	256	433	523
1993.....	17,002	365	128	45	60	68	126	156	283	398	554
1992.....	15,775	395	125	44	49	82	104	147	274	403	493
1991.....	16,073	390	143	41	60	75	115	185	310	466	466
1990.....	16,183	408	112	43	61	59	121	200	345	420	498
1989.....	16,386	390	144	40	51	73	124	206	378	475	515
1988.....	15,721	412	101	43	51	69	123	198	380	450	451
1987.....	14,512	399	113	35	63	84	120	162	355	432	411
1986.....	14,453	425	109	44	51	84	108	175	291	402	390
1985.....	13,866	441	128	52	59	68	112	154	285	322	369
1984.....	12,502	420	127	37	42	73	90	182	274	295	341
1983.....	11,760	470	132	33	49	82	83	171	251	253	330
1982.....	10,811	483	148	34	55	74	131	164	235	240	311
1981.....	11,149	501	129	34	49	69	101	171	204	289	334
1980.....	11,355	618	125	53	52	73	129	157	212	247	334
1979.....	9,844	645	152	40	36	68	96	151	191	277	319

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)											
BLACK MALE											
1998.....	9,886	154	56	26	40	41	63	85	122	192	294
1997.....	9,523	156	64	30	31	38	51	76	121	214	255
1996.....	9,644	167	66	30	40	55	54	81	134	218	310
1995.....	9,403	153	51	32	46	43	58	85	157	214	266
1994.....	9,271	197	70	30	42	48	50	104	148	224	284
1993.....	9,441	211	68	20	41	40	70	80	147	237	320
1992.....	8,914	230	65	25	32	41	59	95	159	228	311
1991.....	9,121	210	90	22	36	41	63	103	187	279	274
1990.....	9,365	238	60	27	36	31	61	115	207	256	313
1989.....	9,502	229	75	27	27	37	71	116	203	306	324
1988.....	9,399	234	55	23	26	43	68	115	231	287	282
1987.....	8,752	222	64	24	39	42	59	100	227	282	248
1986.....	8,809	251	63	22	34	42	62	93	163	254	244
1985.....	8,463	252	72	24	31	35	67	94	163	208	247
1984.....	7,722	237	65	20	29	34	48	100	155	189	205
1983.....	7,467	279	79	20	29	49	35	95	160	159	208
1982.....	6,800	268	80	20	31	45	73	87	142	157	202
1981.....	7,141	288	76	20	23	47	53	94	117	187	218
1980.....	7,244	349	69	25	28	33	73	92	125	157	213
1979.....	6,394	346	85	24	20	33	51	76	124	181	206
BLACK FEMALE											
1998.....	8,962	105	50	30	21	39	53	67	94	164	249
1997.....	8,407	112	40	23	34	25	42	78	108	164	238
1996.....	8,258	120	49	19	39	41	51	77	103	157	243
1995.....	7,942	125	61	21	27	36	63	66	96	178	232
1994.....	7,641	120	50	16	20	37	32	74	108	209	239
1993.....	7,561	154	60	25	19	28	56	76	136	161	234
1992.....	6,861	165	60	19	17	41	45	52	115	175	182
1991.....	6,952	180	53	19	24	34	52	82	123	187	192
1990.....	6,818	170	52	16	25	28	60	85	138	164	185
1989.....	6,884	161	69	13	24	36	53	90	175	169	191
1988.....	6,322	178	46	20	25	26	55	83	149	163	169
1987.....	5,760	177	49	11	24	42	61	62	128	150	163
1986.....	5,644	174	46	22	17	42	46	82	128	148	146
1985.....	5,403	189	56	28	28	33	45	60	122	114	122
1984.....	4,780	183	62	17	13	39	42	82	119	106	136
1983.....	4,293	191	53	13	20	33	48	76	91	94	122
1982.....	4,011	215	68	14	24	29	58	77	93	83	109
1981.....	4,008	213	53	14	26	22	48	77	87	102	116
1980.....	4,111	269	56	28	24	40	56	65	87	90	121
1979.....	3,450	299	67	16	16	35	45	75	67	96	113

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)											
TOTAL, BOTH SEXES											
1998.....	597	15	22	7	6	10	9	8	17	10	15
1997.....	521	13	28	1	6	8	8	7	12	14	9
1996.....	540	24	23	11	3	9	4	8	12	16	17
1995.....	548	25	17	6	8	7	8	8	8	11	14
1994.....	506	20	17	8	12	5	7	9	9	15	21
1993.....	587	59	22	4	6	7	10	8	13	15	27
1992.....	608	68	28	7	6	9	8	10	19	17	18
1991.....	619	47	20	8	10	4	9	15	17	18	16
1990.....	592	42	27	6	10	6	11	6	10	15	13
1989.....	614	43	31	14	8	9	10	17	14	18	14
1988.....	634	54	35	13	4	10	8	13	22	19	19
1987.....	619	38	45	17	4	4	5	5	11	15	6
1986.....	611	61	31	7	10	9	8	13	15	21	11
1985.....	688	68	64	17	3	8	15	16	9	14	9
1984.....	691	74	66	10	12	8	7	12	15	18	15
1983.....	667	73	71	11	8	12	16	12	13	14	17
1982.....	609	58	59	16	7	4	9	13	8	21	10
1981.....	790	79	88	21	9	8	17	18	25	13	20
1980.....	792	94	73	18	8	20	11	16	17	22	34
1979.....	794	117	105	25	11	10	16	19	14	19	18
TOTAL, MALE											
1998.....	292	7	9	2	4	4	6	5	13	9	10
1997.....	276	8	18	-	4	7	5	5	10	10	5
1996.....	278	17	9	11	2	8	3	6	6	11	12
1995.....	271	16	10	3	4	5	6	6	5	10	7
1994.....	253	11	12	6	9	4	6	5	5	9	11
1993.....	296	39	16	4	4	2	6	3	7	11	18
1992.....	313	45	14	3	4	6	7	8	10	11	12
1991.....	313	29	9	4	6	3	8	8	10	14	11
1990.....	289	24	12	5	4	4	8	5	6	11	9
1989.....	314	31	23	10	4	7	4	12	8	13	11
1988.....	302	30	22	6	3	7	6	8	16	12	10
1987.....	309	23	25	9	2	1	5	2	8	9	4
1986.....	312	38	19	6	7	7	6	10	9	15	7
1985.....	354	39	38	10	2	5	10	9	7	10	8
1984.....	371	50	43	5	6	6	4	10	11	7	13
1983.....	373	44	46	6	3	10	5	5	12	10	13
1982.....	326	32	32	8	3	3	7	8	6	14	7
1981.....	410	57	50	14	3	4	10	13	12	8	8
1980.....	417	48	43	10	6	11	7	12	11	16	20
1979.....	439	71	68	16	8	7	10	14	10	9	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	305	8	13	5	2	6	3	3	4	1	5
1997.....	245	5	10	1	2	1	3	2	2	4	4
1996.....	262	7	14	-	1	1	1	2	6	5	5
1995.....	277	9	7	3	4	2	2	2	3	1	7
1994.....	253	9	5	2	3	1	1	4	4	6	10
1993.....	291	20	6	-	2	5	4	5	6	4	9
1992.....	295	23	14	4	2	3	1	2	9	6	6
1991.....	306	18	11	4	4	1	1	7	7	4	5
1990.....	303	18	15	1	6	2	3	1	4	4	4
1989.....	300	12	8	4	4	2	6	5	6	5	3
1988.....	332	24	13	7	1	3	2	5	6	7	9
1987.....	310	15	20	8	2	3	-	3	3	6	2
1986.....	299	23	12	1	3	2	2	3	6	6	4
1985.....	334	29	26	7	1	3	5	7	2	4	1
1984.....	320	24	23	5	6	2	3	2	4	11	2
1983.....	294	29	25	5	5	2	11	7	1	4	4
1982.....	283	26	27	8	4	1	2	5	2	7	3
1981.....	380	22	38	7	6	4	7	5	13	5	12
1980.....	375	46	30	8	2	9	4	4	6	6	14
1979.....	355	46	37	9	3	3	6	5	4	10	8
WHITE, BOTH SEXES											
1998.....	497	13	14	5	2	9	5	5	12	8	10
1997.....	428	10	22	1	5	5	4	7	11	9	4
1996.....	454	16	16	8	3	6	4	5	9	7	12
1995.....	462	17	12	6	6	6	5	5	7	6	12
1994.....	429	13	12	6	8	4	6	5	6	9	17
1993.....	481	42	15	3	5	7	5	6	9	9	16
1992.....	500	48	21	5	4	5	7	9	14	10	14
1991.....	516	35	11	6	8	4	7	10	11	10	13
1990.....	506	35	20	6	8	5	4	4	7	9	8
1989.....	501	32	17	9	5	7	8	13	11	12	13
1988.....	519	28	24	9	4	8	5	7	13	11	16
1987.....	522	22	34	14	4	1	4	5	10	8	5
1986.....	496	41	22	4	9	4	5	4	7	18	7
1985.....	553	40	51	13	1	5	8	11	5	10	7
1984.....	556	44	48	8	7	7	6	9	11	10	9
1983.....	554	53	61	10	5	7	10	11	7	11	12
1982.....	486	32	47	13	6	1	3	8	4	15	7
1981.....	665	49	76	16	6	8	12	15	19	10	12
1980.....	631	53	60	12	6	16	7	11	16	15	20
1979.....	614	72	87	21	8	8	11	13	8	12	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

WHITE MALE

1998.....	235	6	6	2	2	3	4	3	10	8	6
1997.....	217	6	13	-	3	4	2	5	10	7	3
1996.....	229	11	5	8	2	5	3	4	6	4	9
1995.....	228	13	7	3	3	4	4	4	4	5	6
1994.....	214	7	8	5	6	3	5	2	3	5	10
1993.....	237	28	9	3	3	2	4	2	5	7	13
1992.....	247	32	10	3	2	3	6	7	7	6	9
1991.....	260	21	3	3	4	3	6	6	7	10	9
1990.....	247	19	9	5	4	4	3	3	4	7	7
1989.....	252	23	13	7	3	5	3	8	8	7	11
1988.....	236	16	14	5	3	5	4	4	10	7	8
1987.....	259	16	19	7	2	-	4	2	8	4	3
1986.....	245	26	12	3	6	3	4	4	4	13	4
1985.....	273	22	29	8	1	3	6	6	4	6	7
1984.....	292	32	33	4	3	6	3	7	7	3	8
1983.....	304	31	39	5	1	6	4	4	7	8	9
1982.....	257	19	26	7	3	1	3	5	2	9	4
1981.....	345	35	45	10	1	4	8	10	10	6	7
1980.....	329	28	38	7	4	9	4	10	10	12	11
1979.....	337	46	55	12	5	6	7	11	6	6	7

WHITE FEMALE

1998.....	262	7	8	3	-	6	1	2	2	-	4
1997.....	211	4	9	1	2	1	2	2	1	2	1
1996.....	225	5	11	-	1	1	1	1	3	3	3
1995.....	234	4	5	3	3	2	1	1	3	1	6
1994.....	215	6	4	1	2	1	1	3	3	4	7
1993.....	244	14	6	-	2	5	1	4	4	2	3
1992.....	253	16	11	2	2	2	1	2	7	4	5
1991.....	256	14	8	3	4	1	1	4	4	-	4
1990.....	259	16	11	1	4	1	1	1	3	2	1
1989.....	249	9	4	2	2	2	5	5	3	5	2
1988.....	283	12	10	4	1	3	1	3	3	4	8
1987.....	263	6	15	7	2	1	-	3	2	4	2
1986.....	251	15	10	1	3	1	1	-	3	5	3
1985.....	280	18	22	5	-	2	2	5	1	4	-
1984.....	264	12	15	4	4	1	3	2	4	7	1
1983.....	250	22	22	5	4	1	6	7	-	3	3
1982.....	229	13	21	6	3	-	-	3	2	6	3
1981.....	320	14	31	6	5	4	4	5	9	4	5
1980.....	302	25	22	5	2	7	3	1	6	3	9
1979.....	277	26	32	9	3	2	4	2	2	6	3

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

ALL OTHER, BOTH SEXES

1998.....	100	2	8	2	4	1	4	3	5	2	5
1997.....	93	3	6	-	1	3	4	-	1	5	5
1996.....	86	8	7	3	-	3	-	3	3	9	5
1995.....	86	8	5	-	2	1	3	3	1	5	2
1994.....	77	7	5	2	4	1	1	4	3	6	4
1993.....	106	17	7	1	1	-	5	2	4	6	11
1992.....	108	20	7	2	2	4	1	1	5	7	4
1991.....	103	12	9	2	2	-	2	5	6	8	3
1990.....	86	7	7	-	2	1	7	2	3	6	5
1989.....	113	11	14	5	3	2	2	4	3	6	1
1988.....	115	26	11	4	-	2	3	6	9	8	3
1987.....	97	16	11	3	-	3	1	-	1	7	1
1986.....	115	20	9	3	1	5	3	9	8	3	4
1985.....	135	28	13	4	2	3	7	5	4	4	2
1984.....	135	30	18	2	5	1	1	3	4	8	6
1983.....	113	20	10	1	3	5	6	1	6	3	5
1982.....	123	26	12	3	1	3	6	5	4	6	3
1981.....	125	30	12	5	3	-	5	3	6	3	8
1980.....	161	41	13	6	2	4	4	5	1	7	14
1979.....	180	45	18	4	3	2	5	6	6	7	8

ALL OTHER MALE

1998.....	57	1	3	-	2	1	2	2	3	1	4
1997.....	59	2	5	-	1	3	3	-	-	3	2
1996.....	49	6	4	3	-	3	-	2	-	7	3
1995.....	43	3	3	-	1	1	2	2	1	5	1
1994.....	39	4	4	1	3	1	1	3	2	4	1
1993.....	59	11	7	1	1	-	2	1	2	4	5
1992.....	66	13	4	-	2	3	1	1	3	5	3
1991.....	53	8	6	1	2	-	2	2	3	4	2
1990.....	42	5	3	-	-	-	5	2	2	4	2
1989.....	62	8	10	3	1	2	1	4	-	6	-
1988.....	66	14	8	1	-	2	2	4	6	5	2
1987.....	50	7	6	2	-	1	1	-	-	5	1
1986.....	67	12	7	3	1	4	2	6	5	2	3
1985.....	81	17	9	2	1	2	4	3	3	4	1
1984.....	79	18	10	1	3	-	1	3	4	4	5
1983.....	69	13	7	1	2	4	1	1	5	2	4
1982.....	69	13	6	1	-	2	4	3	4	5	3
1981.....	65	22	5	4	2	-	2	3	2	2	1
1980.....	88	20	5	3	2	2	3	2	1	4	9
1979.....	102	25	13	4	3	1	3	3	4	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	43	1	5	2	2	-	2	1	2	1	1
1997.....	34	1	1	-	-	-	1	-	1	2	3
1996.....	37	2	3	-	-	-	-	1	3	2	2
1995.....	43	5	2	-	1	-	1	1	-	-	1
1994.....	38	3	1	1	1	-	-	1	1	2	3
1993.....	47	6	-	-	-	-	3	1	2	2	6
1992.....	42	7	3	2	-	1	-	-	2	2	1
1991.....	50	4	3	1	-	-	-	3	3	4	1
1990.....	44	2	4	-	2	1	2	-	1	2	3
1989.....	51	3	4	2	2	-	1	-	3	-	1
1988.....	49	12	3	3	-	-	1	2	3	3	1
1987.....	47	9	5	1	-	2	-	-	1	2	-
1986.....	48	8	2	-	-	1	1	3	3	1	1
1985.....	54	11	4	2	1	1	3	2	1	-	1
1984.....	56	12	8	1	2	1	-	-	-	4	1
1983.....	44	7	3	-	1	1	5	-	1	1	1
1982.....	54	13	6	2	1	1	2	2	-	1	-
1981.....	60	8	7	1	1	-	3	-	4	1	7
1980.....	73	21	8	3	-	2	1	3	-	3	5
1979.....	78	20	5	-	-	1	2	3	2	4	5
BLACK, BOTH SEXES											
1998.....	80	2	5	2	3	1	3	2	5	2	5
1997.....	79	3	5	-	1	3	4	-	-	5	4
1996.....	77	8	5	3	-	3	-	3	3	9	4
1995.....	72	5	5	-	1	1	3	2	-	5	2
1994.....	64	5	5	2	3	-	1	3	3	6	4
1993.....	93	15	7	1	1	-	5	1	4	6	10
1992.....	93	20	7	2	2	3	1	1	4	6	3
1991.....	93	11	9	2	2	-	1	5	6	5	3
1990.....	74	5	4	-	2	1	7	2	3	5	4
1989.....	96	9	12	5	3	2	2	4	1	6	1
1988.....	106	22	10	4	-	2	3	5	9	8	3
1987.....	83	14	9	3	-	3	1	-	1	6	1
1986.....	101	17	8	3	1	5	2	9	7	3	4
1985.....	123	27	11	4	2	3	6	5	3	4	1
1984.....	124	28	18	2	5	1	1	3	4	8	5
1983.....	101	19	8	1	3	4	6	1	5	3	5
1982.....	110	22	12	2	1	3	5	5	3	6	2
1981.....	112	27	11	4	3	-	4	3	6	3	8
1980.....	150	38	11	6	2	4	3	5	1	7	13
1979.....	168	44	16	3	3	2	5	5	5	7	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

BLACK MALE

1998.....	44	1	2	-	2	1	2	1	3	1	4
1997.....	49	2	4	-	1	3	3	-	-	3	2
1996.....	46	6	3	3	-	3	-	2	-	7	3
1995.....	35	1	3	-	-	1	2	1	-	5	1
1994.....	32	3	4	1	3	-	1	2	2	4	1
1993.....	55	10	7	1	1	-	2	-	2	4	5
1992.....	59	13	4	-	2	2	1	1	2	4	3
1991.....	46	7	6	1	2	-	1	2	3	2	2
1990.....	37	5	2	-	-	-	5	2	2	3	1
1989.....	51	6	8	3	1	2	1	4	-	6	-
1988.....	62	13	7	1	-	2	2	4	6	5	2
1987.....	42	6	5	2	-	1	1	-	-	5	1
1986.....	60	11	6	3	1	4	1	6	5	2	3
1985.....	73	16	7	2	1	2	4	3	2	4	-
1984.....	72	17	10	1	3	-	1	3	4	4	4
1983.....	62	13	5	1	2	3	1	1	4	2	4
1982.....	62	11	6	1	-	2	3	3	3	5	2
1981.....	57	19	5	3	2	-	1	3	2	2	1
1980.....	83	18	4	3	2	2	3	2	1	4	8
1979.....	93	24	12	3	3	1	3	3	4	3	3

BLACK FEMALE

1998.....	36	1	3	2	1	-	1	1	2	1	1
1997.....	30	1	1	-	-	-	1	-	-	2	2
1996.....	31	2	2	-	-	-	-	1	3	2	1
1995.....	37	4	2	-	1	-	1	1	-	-	1
1994.....	32	2	1	1	-	-	-	1	1	2	3
1993.....	38	5	-	-	-	-	3	1	2	2	5
1992.....	34	7	3	2	-	1	-	-	2	2	-
1991.....	47	4	3	1	-	-	-	3	3	3	1
1990.....	37	-	2	-	2	1	2	-	1	2	3
1989.....	45	3	4	2	2	-	1	-	1	-	1
1988.....	44	9	3	3	-	-	1	1	3	3	1
1987.....	41	8	4	1	-	2	-	-	1	1	-
1986.....	41	6	2	-	-	1	1	3	2	1	1
1985.....	50	11	4	2	1	1	2	2	1	-	1
1984.....	52	11	8	1	2	1	-	-	-	4	1
1983.....	39	6	3	-	1	1	5	-	1	1	1
1982.....	48	11	6	1	1	1	2	2	-	1	-
1981.....	55	8	6	1	1	-	3	-	4	1	7
1980.....	67	20	7	3	-	2	-	3	-	3	5
1979.....	75	20	4	-	-	1	2	2	1	4	5

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)											
TOTAL, BOTH SEXES											
1998.....	243	9	15	4	2	6	2	3	6	4	5
1997.....	196	12	20	-	2	6	3	3	3	3	4
1996.....	214	18	15	6	2	3	2	3	3	11	8
1995.....	211	15	13	6	5	2	2	4	4	2	8
1994.....	227	17	12	7	8	2	2	3	1	6	8
1993.....	266	51	14	2	2	3	2	3	6	4	6
1992.....	283	60	18	4	2	4	6	3	6	4	8
1991.....	273	44	9	5	6	1	4	4	9	9	6
1990.....	264	33	14	5	5	3	5	3	6	4	6
1989.....	276	34	22	8	6	4	2	9	5	5	5
1988.....	314	43	29	8	2	4	3	5	7	9	8
1987.....	294	28	38	16	1	4	2	-	8	2	3
1986.....	322	45	29	3	8	3	4	5	11	10	4
1985.....	355	57	51	14	2	4	7	9	4	5	4
1984.....	331	56	52	9	7	3	2	4	5	6	7
1983.....	365	62	60	11	4	6	6	6	8	5	9
1982.....	319	52	49	12	3	2	4	5	3	13	1
1981.....	394	64	67	16	6	2	4	2	10	6	8
1980.....	392	78	53	14	3	7	3	7	5	12	17
1979.....	397	94	91	20	6	1	4	11	1	7	2
TOTAL, MALE											
1998.....	99	3	5	2	2	2	-	1	4	4	3
1997.....	92	8	14	-	2	5	1	3	2	2	1
1996.....	99	14	6	6	1	3	1	2	-	7	8
1995.....	91	8	8	3	3	2	1	2	2	2	5
1994.....	109	10	8	6	6	2	2	2	-	4	6
1993.....	121	32	10	2	1	-	1	1	4	4	3
1992.....	139	40	7	1	2	1	5	2	5	4	6
1991.....	115	27	3	2	2	1	4	-	6	6	5
1990.....	117	18	7	4	2	1	5	2	3	3	3
1989.....	140	25	17	5	2	2	1	7	3	5	4
1988.....	134	25	18	3	1	3	2	2	6	7	4
1987.....	134	18	21	8	1	1	2	-	7	2	2
1986.....	159	31	18	2	5	2	3	4	6	7	2
1985.....	159	31	31	7	1	2	6	4	3	3	3
1984.....	176	36	36	4	4	2	-	4	3	2	6
1983.....	192	36	37	6	2	5	1	3	7	5	6
1982.....	154	29	28	7	-	1	3	3	3	8	1
1981.....	203	47	41	9	2	-	4	2	5	2	2
1980.....	198	38	30	8	2	4	2	5	3	10	12
1979.....	222	57	58	14	4	1	2	10	-	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)											
TOTAL, FEMALE											
1998.....	144	6	10	2	-	4	2	2	2	-	2
1997.....	104	4	6	-	-	1	2	-	1	1	3
1996.....	115	4	9	-	1	-	1	1	3	4	-
1995.....	120	7	5	3	2	-	1	2	2	-	3
1994.....	118	7	4	1	2	-	-	1	1	2	2
1993.....	145	19	4	-	1	3	1	2	2	-	3
1992.....	144	20	11	3	-	3	1	1	1	-	2
1991.....	158	17	6	3	4	-	-	4	3	3	1
1990.....	147	15	7	1	3	2	-	1	3	1	3
1989.....	136	9	5	3	4	2	1	2	2	-	1
1988.....	180	18	11	5	1	1	1	3	1	2	4
1987.....	160	10	17	8	-	3	-	-	1	-	1
1986.....	163	14	11	1	3	1	1	1	5	3	2
1985.....	196	26	20	7	1	2	1	5	1	2	1
1984.....	155	20	16	5	3	1	2	-	2	4	1
1983.....	173	26	23	5	2	1	5	3	1	-	3
1982.....	165	23	21	5	3	1	1	2	-	5	-
1981.....	191	17	26	7	4	2	-	-	5	4	6
1980.....	194	40	23	6	1	3	1	2	2	2	5
1979.....	175	37	33	6	2	-	2	1	1	4	1
WHITE, BOTH SEXES											
1998.....	211	8	12	3	1	6	1	2	1	4	2
1997.....	168	9	15	-	2	4	3	3	3	1	1
1996.....	190	14	12	5	2	1	2	3	1	6	6
1995.....	182	11	9	6	3	2	2	2	4	-	7
1994.....	196	12	11	5	5	2	2	1	-	3	7
1993.....	232	41	12	2	2	3	1	3	6	2	4
1992.....	234	44	15	3	1	3	5	3	3	2	5
1991.....	231	34	7	3	6	1	3	2	6	3	4
1990.....	230	28	12	5	4	2	2	3	5	2	2
1989.....	231	29	12	7	4	4	2	7	4	4	4
1988.....	260	24	22	6	2	2	1	3	4	2	7
1987.....	251	17	31	14	1	1	2	-	8	1	3
1986.....	262	31	22	1	8	3	2	1	5	7	4
1985.....	285	33	44	11	1	3	4	8	3	3	2
1984.....	276	35	40	7	5	3	2	3	5	3	5
1983.....	313	46	54	10	3	4	5	5	4	4	7
1982.....	254	28	42	10	2	-	1	2	1	9	-
1981.....	329	38	58	13	3	2	4	2	6	6	5
1980.....	314	43	47	10	3	7	-	5	5	8	12
1979.....	316	58	78	16	6	1	3	7	1	3	1

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)											
WHITE MALE											
1998.....	82	3	5	2	1	2	-	1	1	4	1
1997.....	74	6	10	-	2	3	1	3	2	1	-
1996.....	82	10	3	5	1	1	1	2	-	3	6
1995.....	79	7	6	3	2	2	1	1	2	-	4
1994.....	93	7	7	5	4	2	2	-	-	3	6
1993.....	104	27	8	2	1	-	1	1	4	2	3
1992.....	109	30	6	1	1	3	4	2	2	2	3
1991.....	96	21	1	1	2	1	3	-	5	3	4
1990.....	102	15	6	4	2	1	2	2	2	2	2
1989.....	116	21	9	5	2	2	1	5	3	4	4
1988.....	100	14	14	3	1	1	1	-	3	2	3
1987.....	117	14	17	7	1	-	2	-	7	1	2
1986.....	125	22	12	-	5	2	2	1	3	5	2
1985.....	118	18	26	6	1	1	3	3	2	1	2
1984.....	142	25	28	3	2	2	-	3	3	-	4
1983.....	162	26	34	5	1	3	1	2	4	4	5
1982.....	118	17	24	6	-	-	1	1	1	5	-
1981.....	170	28	36	7	-	-	4	2	3	2	2
1980.....	156	20	29	6	2	4	-	4	3	7	8
1979.....	173	37	49	10	4	1	1	7	-	1	1
WHITE FEMALE											
1998.....	129	5	7	1	-	4	1	1	-	-	1
1997.....	94	3	5	-	-	1	2	-	1	-	1
1996.....	108	4	9	-	1	-	1	1	1	3	-
1995.....	103	4	3	3	1	-	1	1	2	-	3
1994.....	103	5	4	-	1	-	-	1	-	-	1
1993.....	128	14	4	-	1	3	-	2	2	-	1
1992.....	125	14	9	2	-	2	1	1	1	-	2
1991.....	135	13	6	2	4	-	-	2	1	-	-
1990.....	128	13	6	1	2	1	-	1	3	-	-
1989.....	115	8	3	2	2	2	1	2	1	-	-
1988.....	160	10	8	3	1	1	-	3	1	-	4
1987.....	134	3	14	7	-	1	-	-	1	-	1
1986.....	137	9	10	1	3	1	-	-	2	2	2
1985.....	167	15	18	5	-	2	1	5	1	2	-
1984.....	134	10	12	4	3	1	2	-	2	3	1
1983.....	151	20	20	5	2	1	4	3	-	-	2
1982.....	136	11	18	4	2	-	-	1	-	4	-
1981.....	159	10	22	6	3	2	-	-	3	4	3
1980.....	158	23	18	4	1	3	-	1	2	1	4
1979.....	143	21	29	6	2	-	2	-	1	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)											
ALL OTHER, BOTH SEXES											
1998.....	32	1	3	1	1	-	1	1	5	-	3
1997.....	28	3	5	-	-	2	-	-	-	2	3
1996.....	24	4	3	1	-	2	-	-	2	5	2
1995.....	29	4	4	-	2	-	-	2	-	2	1
1994.....	31	5	1	2	3	-	-	2	1	3	1
1993.....	34	10	2	-	-	-	1	-	-	2	2
1992.....	49	16	3	1	1	1	1	-	3	2	3
1991.....	42	10	2	2	-	-	1	2	3	6	2
1990.....	34	5	2	-	1	1	3	-	1	2	4
1989.....	45	5	10	1	2	-	-	2	1	1	1
1988.....	54	19	7	2	-	2	2	2	3	7	1
1987.....	43	11	7	2	-	3	-	-	-	1	-
1986.....	60	14	7	2	-	-	2	4	6	3	-
1985.....	70	24	7	3	1	1	3	1	1	2	2
1984.....	55	21	12	2	2	-	-	1	-	3	2
1983.....	52	16	6	1	1	2	1	1	4	1	2
1982.....	65	24	7	2	1	2	3	3	2	4	1
1981.....	65	26	9	3	3	-	-	-	4	-	3
1980.....	78	35	6	4	-	-	3	2	-	4	5
1979.....	81	36	13	4	-	-	1	4	-	4	1
ALL OTHER MALE											
1998.....	17	-	-	-	1	-	-	-	3	-	2
1997.....	18	2	4	-	-	2	-	-	-	1	1
1996.....	17	4	3	1	-	2	-	-	-	4	2
1995.....	12	1	2	-	1	-	-	1	-	2	1
1994.....	16	3	1	1	2	-	-	2	-	1	-
1993.....	17	5	2	-	-	-	-	-	-	2	-
1992.....	30	10	1	-	1	-	1	-	3	2	3
1991.....	19	6	2	1	-	-	1	-	1	3	1
1990.....	15	3	1	-	-	-	3	-	1	1	1
1989.....	24	4	8	-	-	-	-	2	-	1	-
1988.....	34	11	4	-	-	2	1	2	3	5	1
1987.....	17	4	4	1	-	1	-	-	-	1	-
1986.....	34	9	6	2	-	-	1	3	3	2	-
1985.....	41	13	5	1	-	1	3	1	1	2	1
1984.....	34	11	8	1	2	-	-	1	-	2	2
1983.....	30	10	3	1	1	2	-	1	3	1	1
1982.....	36	12	4	1	-	1	2	2	2	3	1
1981.....	33	19	5	2	2	-	-	-	2	-	-
1980.....	42	18	1	2	-	-	2	1	-	3	4
1979.....	49	20	9	4	-	-	1	3	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)											
ALL OTHER FEMALE											
1998.....	15	1	3	1	-	-	1	1	2	-	1
1997.....	10	1	1	-	-	-	-	-	-	1	2
1996.....	7	-	-	-	-	-	-	-	2	1	-
1995.....	17	3	2	-	1	-	-	1	-	-	-
1994.....	15	2	-	1	1	-	-	-	1	2	1
1993.....	17	5	-	-	-	-	1	-	-	-	2
1992.....	19	6	2	1	6	1	-	-	-	-	-
1991.....	23	4	-	1	-	-	-	2	2	3	1
1990.....	19	2	1	-	1	1	-	-	-	1	3
1989.....	21	1	2	1	2	-	-	-	1	-	1
1988.....	20	8	3	2	-	-	1	-	-	2	-
1987.....	26	7	3	1	-	2	-	-	-	-	-
1986.....	26	5	1	-	-	-	1	1	3	1	-
1985.....	29	11	2	2	1	-	-	-	-	-	1
1984.....	21	10	4	1	-	-	-	-	-	1	-
1983.....	22	6	3	-	-	-	1	-	1	-	1
1982.....	29	12	3	1	1	1	1	1	-	1	-
1981.....	32	7	4	1	1	-	-	-	2	-	3
1980.....	36	17	5	2	-	-	1	1	-	1	1
1979.....	32	16	4	-	-	-	-	1	-	2	1
BLACK, BOTH SEXES											
1998.....	25	1	1	1	1	-	-	1	5	-	3
1997.....	22	3	4	-	-	2	-	-	-	2	2
1996.....	23	4	2	1	-	2	-	-	2	5	2
1995.....	22	2	4	-	1	-	-	1	-	2	1
1994.....	26	4	1	2	2	-	-	1	1	3	1
1993.....	29	9	2	-	-	-	1	-	-	2	2
1992.....	44	16	3	1	1	1	1	-	2	2	3
1991.....	38	9	2	2	-	-	-	2	3	4	2
1990.....	30	3	1	-	1	1	3	-	1	2	4
1989.....	38	4	8	1	2	-	-	2	1	1	1
1988.....	49	16	6	2	-	2	2	2	3	7	1
1987.....	37	9	6	2	-	3	-	-	-	1	-
1986.....	51	11	6	2	-	-	2	4	5	3	-
1985.....	65	23	5	3	1	1	3	1	1	2	1
1984.....	50	19	12	2	2	-	-	1	-	3	1
1983.....	44	15	5	1	1	1	1	1	3	1	2
1982.....	57	20	7	1	1	2	2	3	1	4	1
1981.....	56	23	9	2	3	-	-	-	4	-	3
1980.....	73	32	6	4	-	-	2	2	-	4	4
1979.....	76	36	11	3	-	-	1	3	-	4	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)											
TOTAL, BOTH SEXES											
1998.....	354	6	7	3	4	4	7	5	11	6	10
1997.....	325	1	8	1	4	2	5	4	9	11	5
1996.....	326	6	8	5	1	6	2	5	9	5	9
1995.....	337	10	4	-	3	5	6	4	4	9	6
1994.....	279	3	5	1	4	3	5	6	8	9	13
1993.....	321	8	8	2	4	4	8	5	7	11	21
1992.....	325	8	10	3	4	5	2	7	13	13	10
1991.....	346	3	11	3	4	3	5	11	8	9	10
1990.....	328	9	13	1	5	3	6	3	4	11	7
1989.....	338	9	9	6	2	5	8	8	9	13	9
1988.....	320	11	6	5	2	6	5	8	15	10	11
1987.....	325	10	7	1	3	-	3	5	3	13	3
1986.....	289	16	2	4	2	6	4	8	4	11	7
1985.....	333	11	13	3	1	4	8	7	5	9	5
1984.....	360	18	14	1	5	5	5	8	10	12	8
1983.....	302	11	11	-	4	6	10	6	5	9	8
1982.....	290	6	10	4	4	2	5	8	5	8	9
1981.....	396	15	21	5	3	6	13	16	15	7	12
1980.....	400	16	20	4	5	13	8	9	12	10	17
1979.....	397	23	14	5	5	9	12	8	13	12	16
TOTAL, MALE											
1998.....	193	4	4	-	2	2	6	4	9	5	7
1997.....	184	-	4	-	2	2	4	2	8	8	4
1996.....	179	3	3	5	1	5	2	4	6	4	4
1995.....	180	8	2	-	1	3	5	4	3	8	2
1994.....	144	1	4	-	3	2	4	3	5	5	5
1993.....	175	7	6	2	3	2	5	2	3	7	15
1992.....	174	5	7	2	2	5	2	6	5	7	6
1991.....	198	2	6	2	4	2	4	8	4	8	6
1990.....	172	6	5	1	2	3	3	3	3	8	6
1989.....	174	6	6	5	2	5	3	5	5	8	7
1988.....	168	5	4	3	2	4	4	6	10	5	6
1987.....	175	5	4	1	1	-	3	2	1	7	2
1986.....	153	7	1	4	2	5	3	6	3	8	5
1985.....	195	8	7	3	1	3	4	5	4	7	5
1984.....	195	14	7	1	2	4	4	6	8	5	7
1983.....	181	8	9	-	1	5	4	2	5	5	7
1982.....	172	3	4	1	3	2	4	5	3	6	6
1981.....	207	10	9	5	1	4	6	11	7	6	6
1980.....	219	10	13	2	4	7	5	7	8	6	8
1979.....	217	14	10	2	4	6	8	4	10	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)											
TOTAL, FEMALE											
1998.....	161	2	3	3	2	2	1	1	2	1	3
1997.....	141	1	4	1	2	-	1	2	1	3	1
1996.....	147	3	5	-	1	-	-	1	3	1	5
1995.....	157	2	2	-	2	2	1	-	1	1	4
1994.....	135	2	1	1	1	1	1	3	3	4	8
1993.....	146	1	2	-	1	2	3	3	4	4	6
1992.....	151	3	3	1	2	-	-	1	8	6	4
1991.....	148	1	5	1	-	1	1	3	4	1	4
1990.....	156	3	8	-	3	-	3	-	1	3	1
1989.....	164	3	3	1	-	-	5	3	4	5	2
1988.....	152	6	2	2	-	2	1	2	5	5	5
1987.....	150	5	3	-	2	-	-	3	2	6	1
1986.....	136	9	1	-	-	1	1	2	1	3	2
1985.....	138	3	6	-	-	1	4	2	1	2	-
1984.....	165	4	7	-	3	1	1	2	2	7	1
1983.....	121	3	2	-	3	1	6	4	-	4	1
1982.....	118	3	6	3	1	-	1	3	2	2	3
1981.....	189	5	12	-	2	2	7	5	8	1	6
1980.....	181	6	7	2	1	6	3	2	4	4	9
1979.....	180	9	4	3	1	3	4	4	3	6	7
WHITE, BOTH SEXES											
1998.....	286	5	2	2	1	3	4	3	11	4	8
1997.....	260	1	7	1	3	1	1	4	8	8	3
1996.....	264	2	4	3	1	5	2	2	8	1	6
1995.....	280	6	3	-	3	4	3	3	3	6	5
1994.....	233	1	1	1	3	2	4	4	6	6	10
1993.....	249	1	3	1	3	4	4	3	3	7	12
1992.....	266	4	6	2	3	2	2	6	11	8	9
1991.....	285	1	4	3	2	3	4	8	5	7	9
1990.....	276	7	8	1	4	3	2	1	2	7	6
1989.....	270	3	5	2	1	3	6	6	7	8	9
1988.....	259	4	2	3	2	6	4	4	9	9	9
1987.....	271	5	3	-	3	-	2	5	2	7	2
1986.....	234	10	-	3	1	1	3	3	2	11	3
1985.....	268	7	7	2	-	2	4	3	2	7	5
1984.....	280	9	8	1	2	4	4	6	6	7	4
1983.....	241	7	7	-	2	3	5	6	3	7	5
1982.....	232	4	5	3	4	1	2	6	3	6	7
1981.....	336	11	18	3	3	6	8	13	13	4	7
1980.....	317	10	13	2	3	9	7	6	11	7	8
1979.....	298	14	9	5	2	7	8	6	7	9	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)											
WHITE MALE											
1998.....	153	3	1	-	1	1	4	2	9	4	5
1997.....	143	-	3	-	1	1	1	2	8	6	3
1996.....	147	1	2	3	1	4	2	2	6	1	3
1995.....	149	6	1	-	1	2	3	3	2	5	2
1994.....	121	-	1	-	2	1	3	2	3	2	4
1993.....	133	1	1	1	2	2	3	1	1	5	10
1992.....	138	2	4	2	1	2	2	5	5	4	6
1991.....	164	-	2	2	2	2	3	6	2	7	5
1990.....	145	4	3	1	2	3	1	1	2	5	5
1989.....	136	2	4	2	1	3	2	3	5	3	7
1988.....	136	2	-	2	2	4	3	4	7	5	5
1987.....	142	2	2	-	1	-	2	2	1	3	1
1986.....	120	4	-	3	1	1	2	3	1	8	2
1985.....	155	4	3	2	-	2	3	3	2	5	5
1984.....	150	7	5	1	1	4	3	4	4	3	4
1983.....	142	5	5	-	-	3	3	2	3	4	4
1982.....	139	2	2	1	3	1	2	4	1	4	4
1981.....	175	7	9	3	1	4	4	8	7	4	5
1980.....	173	8	9	1	2	5	4	6	7	5	3
1979.....	164	9	6	2	1	5	6	4	6	5	6
WHITE FEMALE											
1998.....	133	2	1	2	-	2	-	1	2	-	3
1997.....	117	1	4	1	2	-	-	2	-	2	-
1996.....	117	1	2	-	-	1	-	-	2	-	3
1995.....	131	-	2	-	2	2	-	-	1	1	3
1994.....	112	1	-	1	1	1	1	2	3	4	6
1993.....	116	-	2	-	1	2	1	2	2	2	2
1992.....	128	2	2	-	2	-	-	1	6	4	3
1991.....	121	1	2	1	-	1	1	2	3	-	4
1990.....	131	3	5	-	2	-	1	-	-	2	1
1989.....	134	1	1	-	-	-	4	3	2	5	2
1988.....	123	2	2	1	-	2	1	-	2	4	4
1987.....	129	3	1	-	2	-	-	3	1	4	1
1986.....	114	6	-	-	-	-	1	-	1	3	1
1985.....	113	3	4	-	-	-	1	-	-	2	-
1984.....	130	2	3	-	1	-	1	2	2	4	-
1983.....	99	2	2	-	2	-	2	4	-	3	1
1982.....	93	2	3	2	1	-	-	2	2	2	3
1981.....	161	4	9	-	2	2	4	5	6	-	2
1980.....	144	2	4	1	1	4	3	-	4	2	5
1979.....	134	5	3	3	1	2	2	2	1	4	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)											
ALL OTHER, BOTH SEXES											
1998.....	68	1	5	1	3	1	3	2	-	2	2
1997.....	65	-	1	-	1	1	4	-	1	3	2
1996.....	62	4	4	2	-	1	-	3	1	4	3
1995.....	57	4	1	-	-	1	3	1	1	3	1
1994.....	46	2	4	-	1	1	1	2	2	3	3
1993.....	72	7	5	1	1	-	4	2	4	4	9
1992.....	59	4	4	1	1	3	-	1	2	5	1
1991.....	61	2	7	-	2	-	1	3	3	2	1
1990.....	52	2	5	-	1	-	4	2	2	4	1
1989.....	68	6	4	4	1	2	2	2	2	5	-
1988.....	61	7	4	2	-	7	1	4	6	1	2
1987.....	54	5	4	1	-	-	1	-	1	6	1
1986.....	55	6	2	1	1	5	1	5	2	-	4
1985.....	65	4	6	1	1	2	4	4	3	2	-
1984.....	80	9	6	-	3	1	1	2	4	5	4
1983.....	61	4	4	-	2	3	5	-	2	2	3
1982.....	58	2	5	1	-	1	3	2	2	2	2
1981.....	60	4	3	2	-	-	5	3	2	3	5
1980.....	83	6	7	2	2	4	1	3	1	3	9
1979.....	99	9	5	-	3	2	4	2	6	3	7
ALL OTHER MALE											
1998.....	40	1	3	-	1	1	2	2	-	1	2
1997.....	41	-	1	-	1	1	3	-	-	2	1
1996.....	32	2	1	2	-	1	-	2	-	3	1
1995.....	31	2	1	-	-	1	2	1	1	3	-
1994.....	23	1	3	-	1	1	1	1	2	3	1
1993.....	42	6	5	1	1	-	2	1	2	2	5
1992.....	36	3	3	-	1	3	-	1	-	3	-
1991.....	34	2	4	-	2	-	1	2	2	1	1
1990.....	27	2	2	-	-	-	2	2	1	3	1
1989.....	38	4	2	3	1	2	1	2	-	5	-
1988.....	32	3	4	1	-	-	1	2	3	-	1
1987.....	33	3	2	1	-	-	1	-	-	4	1
1986.....	33	3	1	1	1	4	1	3	2	-	3
1985.....	40	4	4	1	1	1	1	2	2	2	-
1984.....	45	7	2	-	1	-	1	2	4	2	3
1983.....	39	3	4	-	1	2	1	-	2	1	3
1982.....	33	1	2	-	-	1	2	1	2	2	2
1981.....	32	3	-	2	-	-	2	3	-	2	1
1980.....	46	2	4	1	2	2	1	1	1	1	5
1979.....	53	5	4	-	3	1	2	-	4	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)											
ALL OTHER FEMALE											
1998.....	28	-	2	1	2	-	1	-	-	1	-
1997.....	24	-	-	-	-	-	1	-	1	1	1
1996.....	30	2	3	-	-	-	-	1	1	1	2
1995.....	26	2	-	-	-	-	1	-	-	-	1
1994.....	23	1	1	-	-	-	-	1	-	-	2
1993.....	30	1	-	-	-	-	2	1	2	2	4
1992.....	23	1	1	1	-	-	-	-	2	2	1
1991.....	27	-	3	-	-	-	-	1	1	1	-
1990.....	25	-	3	-	1	-	2	-	1	1	-
1989.....	30	2	2	1	-	-	1	-	2	-	-
1988.....	29	4	-	1	-	-	-	2	3	1	1
1987.....	21	2	2	-	-	-	-	-	1	2	-
1986.....	22	3	1	-	-	1	-	2	-	-	1
1985.....	25	-	2	-	-	1	3	2	1	-	-
1984.....	35	2	4	-	2	1	-	-	-	3	1
1983.....	22	1	-	-	1	1	4	-	-	1	-
1982.....	25	1	3	1	-	-	1	1	-	-	-
1981.....	28	1	3	-	-	-	3	-	2	1	4
1980.....	37	4	3	1	-	2	-	2	-	2	4
1979.....	46	4	1	-	-	1	2	2	2	2	4
BLACK, BOTH SEXES											
1998.....	55	1	4	1	2	1	3	1	-	2	2
1997.....	57	-	1	-	1	1	4	-	-	3	2
1996.....	54	4	3	2	-	1	-	3	1	4	2
1995.....	50	3	1	-	-	1	3	1	-	3	1
1994.....	38	1	4	-	1	-	1	2	2	3	3
1993.....	64	6	5	1	1	-	4	1	4	4	8
1992.....	49	4	4	1	1	2	-	1	2	4	-
1991.....	55	2	7	-	2	-	1	3	3	1	1
1990.....	44	2	3	-	1	-	4	2	2	3	-
1989.....	58	5	4	4	1	2	2	2	-	5	-
1988.....	57	6	4	2	-	-	1	3	6	1	2
1987.....	46	5	3	1	-	-	1	-	1	5	1
1986.....	50	6	2	1	1	5	-	5	2	-	4
1985.....	58	4	6	1	1	2	3	4	2	2	-
1984.....	74	9	6	-	3	1	1	2	4	5	4
1983.....	57	4	3	-	2	3	5	-	2	2	3
1982.....	53	2	5	1	-	1	3	2	2	2	1
1981.....	56	4	2	2	-	-	4	3	2	3	5
1980.....	77	6	5	2	2	4	1	3	1	3	9
1979.....	92	8	5	-	3	2	4	2	5	3	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)											
BLACK MALE											
1998.....	31	1	2	-	1	1	2	1	-	1	2
1997.....	35	-	1	-	1	1	3	-	-	2	1
1996.....	30	2	1	2	-	1	-	2	-	3	1
1995.....	26	1	1	-	-	1	2	1	-	3	-
1994.....	19	-	3	-	1	-	1	1	2	3	1
1993.....	41	6	5	1	1	-	2	-	2	2	5
1992.....	31	3	3	-	1	2	-	1	-	2	-
1991.....	30	2	4	-	2	-	1	2	2	-	1
1990.....	22	2	1	-	-	-	2	2	1	2	-
1989.....	32	3	2	3	1	2	1	2	-	5	-
1988.....	29	2	4	1	-	-	1	2	3	-	1
1987.....	28	3	2	1	-	-	1	-	-	4	1
1986.....	28	3	1	1	1	4	-	3	2	-	3
1985.....	36	4	4	1	1	1	1	2	1	2	-
1984.....	42	7	2	-	1	-	1	2	4	2	3
1983.....	35	3	3	-	1	2	1	-	2	1	3
1982.....	30	1	2	-	-	1	2	1	2	2	1
1981.....	29	3	-	2	-	-	1	3	-	2	1
1980.....	44	2	3	1	2	2	1	1	1	1	5
1979.....	47	4	4	-	3	1	2	-	4	1	3
BLACK FEMALE											
1998.....	24	-	2	1	1	-	1	-	-	1	-
1997.....	22	-	-	-	-	-	1	-	-	1	1
1996.....	24	2	2	-	-	-	-	1	1	1	1
1995.....	24	2	-	-	-	-	1	-	-	-	1
1994.....	19	1	1	-	-	-	-	1	-	-	2
1993.....	23	-	-	-	-	-	2	1	2	2	3
1992.....	18	1	1	1	-	-	-	-	2	2	-
1991.....	25	-	3	-	-	-	-	1	1	1	-
1990.....	22	-	2	-	1	-	2	-	1	1	-
1989.....	26	2	2	1	-	-	1	-	-	-	-
1988.....	28	4	-	1	-	-	-	1	3	1	1
1987.....	18	2	1	-	-	-	-	-	1	1	-
1986.....	22	3	1	-	-	1	-	2	-	-	1
1985.....	22	-	2	-	-	1	2	2	1	-	-
1984.....	32	2	4	-	2	1	-	-	-	3	1
1983.....	22	1	-	-	1	1	4	-	-	1	-
1982.....	23	1	3	1	-	-	1	1	-	-	-
1981.....	27	1	2	-	-	-	3	-	2	1	4
1980.....	33	4	2	1	-	2	-	2	-	2	4
1979.....	45	4	1	-	-	1	2	2	1	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)											
TOTAL, BOTH SEXES											
1998.....	238,402	803	291	174	187	217	351	437	649	1,124	1,801
1997.....	227,421	800	317	172	181	243	311	458	695	1,130	1,755
1996.....	219,828	845	336	164	219	251	312	474	714	1,138	1,745
1995.....	214,533	851	318	141	199	270	331	463	819	1,222	1,681
1994.....	211,017	967	340	140	168	262	318	467	846	1,232	1,598
1993.....	211,433	994	352	169	208	247	364	492	813	1,221	1,673
1992.....	193,704	1,048	364	141	169	243	322	456	781	1,156	1,498
1991.....	194,814	1,075	396	157	182	252	351	539	864	1,229	1,520
1990.....	191,613	1,129	364	161	191	215	332	563	862	1,149	1,475
1989.....	186,394	1,114	405	153	169	266	366	603	985	1,204	1,463
1988.....	186,372	1,165	368	141	177	233	394	591	941	1,153	1,398
1987.....	172,215	1,194	385	134	170	272	374	565	860	1,109	1,283
1986.....	170,327	1,237	374	148	182	287	358	534	833	1,068	1,250
1985.....	165,501	1,271	401	154	174	239	394	480	751	907	1,128
1984.....	148,995	1,246	391	171	185	253	358	513	727	808	1,072
1983.....	142,168	1,383	425	134	163	290	356	522	655	778	992
1982.....	127,145	1,335	430	142	175	312	413	468	649	689	942
1981.....	130,539	1,435	420	160	196	282	408	517	599	773	989
1980.....	128,036	1,632	441	173	197	308	426	517	604	729	1,004
1979.....	110,753	1,772	479	188	174	311	381	473	520	711	955
TOTAL, MALE											
1998.....	115,314	460	168	80	114	116	201	248	367	608	969
1997.....	111,640	493	174	95	91	155	168	245	392	626	951
1996.....	107,878	506	186	88	115	137	166	245	385	650	981
1995.....	106,596	489	155	79	110	150	175	249	473	703	908
1994.....	105,649	599	202	89	98	143	182	260	508	682	938
1993.....	106,666	582	196	87	118	142	200	271	457	729	1,000
1992.....	99,663	635	192	82	89	131	176	277	468	681	908
1991.....	100,607	606	233	89	110	140	186	313	525	754	902
1990.....	99,786	662	197	90	103	107	172	312	521	711	918
1989.....	97,523	677	211	88	100	145	200	328	568	749	892
1988.....	99,685	686	193	86	95	136	218	332	559	712	855
1987.....	93,995	677	208	74	102	145	198	340	551	690	780
1986.....	94,554	759	209	67	106	166	207	302	512	674	763
1985.....	92,728	738	207	82	85	142	229	296	442	566	656
1984.....	85,346	719	190	85	105	152	210	292	437	488	627
1983.....	82,601	796	238	70	94	154	210	304	393	450	570
1982.....	75,863	777	237	75	96	179	245	261	391	410	553
1981.....	77,610	838	247	85	98	171	234	297	333	452	600
1980.....	76,774	964	252	87	103	153	241	307	347	413	592
1979.....	68,798	991	248	96	96	166	215	273	324	418	564

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)											
TOTAL, FEMALE											
1998.....	123,088	343	123	94	73	101	150	189	282	516	832
1997.....	115,781	307	143	77	90	88	143	213	303	504	804
1996.....	111,950	339	150	76	104	114	146	229	329	488	764
1995.....	107,937	362	163	62	89	120	156	214	346	519	773
1994.....	105,368	368	138	51	70	119	136	207	338	550	660
1993.....	104,767	412	156	82	90	105	164	221	356	492	673
1992.....	94,041	413	172	59	80	112	146	179	313	475	590
1991.....	94,207	469	163	68	72	112	165	226	339	475	618
1990.....	91,827	467	167	71	88	108	160	251	341	438	557
1989.....	88,871	437	194	65	69	121	166	275	417	455	571
1988.....	86,687	479	175	55	82	97	176	259	382	441	543
1987.....	78,220	517	177	60	68	127	176	225	309	419	503
1986.....	75,773	478	165	81	76	121	151	232	321	394	487
1985.....	72,773	533	194	72	89	97	165	184	309	341	472
1984.....	63,649	527	201	86	80	101	148	221	290	320	445
1983.....	59,567	587	187	64	69	136	146	218	262	328	422
1982.....	51,282	558	193	67	79	133	168	207	258	279	389
1981.....	52,929	597	173	75	98	111	174	220	266	321	389
1980.....	51,262	668	189	86	94	155	185	210	257	316	412
1979.....	41,955	781	231	92	78	145	166	200	196	293	391
WHITE, BOTH SEXES											
1998.....	215,849	489	180	112	117	129	225	266	403	742	1,215
1997.....	206,027	501	204	108	114	166	211	283	446	727	1,219
1996.....	198,711	524	212	109	128	152	194	298	451	738	1,151
1995.....	194,120	541	192	85	121	181	206	306	541	801	1,134
1994.....	191,251	610	202	92	101	166	217	273	565	779	1,036
1993.....	191,648	598	215	119	144	173	235	318	521	795	1,080
1992.....	175,573	630	221	94	115	162	207	297	497	725	978
1991.....	176,322	660	247	116	122	172	224	349	533	741	1,014
1990.....	173,128	685	234	113	125	146	212	350	500	707	945
1989.....	167,832	681	253	110	117	190	235	390	594	703	919
1988.....	168,789	718	266	95	117	159	262	387	559	695	922
1987.....	155,915	753	264	98	103	184	246	388	496	666	849
1986.....	154,282	787	259	101	131	197	248	360	533	645	837
1985.....	150,135	816	270	101	110	170	283	320	453	574	736
1984.....	135,116	814	267	134	141	174	261	324	443	500	712
1983.....	129,178	884	286	96	112	206	269	343	399	511	641
1982.....	115,292	830	278	102	115	231	275	303	402	440	619
1981.....	118,417	917	279	128	146	209	299	342	385	474	645
1980.....	115,701	1,014	314	120	147	231	285	354	375	475	660
1979.....	100,139	1,125	332	149	138	237	279	315	319	425	626

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)											
WHITE MALE											
1998.....	103,353	278	107	51	68	71	136	152	228	401	652
1997.....	100,136	313	107	60	60	110	113	156	259	397	673
1996.....	96,372	320	113	56	70	83	104	151	236	419	651
1995.....	95,421	314	96	46	60	99	114	159	307	473	616
1994.....	94,696	378	121	59	56	86	123	149	347	442	628
1993.....	95,563	354	125	64	74	99	127	184	306	480	654
1992.....	89,337	393	120	54	53	91	110	175	302	436	583
1991.....	90,066	381	141	66	75	96	115	206	324	460	607
1990.....	89,046	400	127	61	64	71	115	193	307	446	583
1989.....	86,660	423	133	60	71	107	123	210	360	426	547
1988.....	89,160	432	141	61	64	92	144	215	329	424	558
1987.....	84,160	430	137	48	59	100	137	230	317	403	520
1986.....	84,716	491	146	45	73	123	143	208	341	404	507
1985.....	83,334	476	135	56	51	106	162	198	270	353	397
1984.....	76,746	475	130	66	75	114	158	192	278	294	407
1983.....	74,358	503	157	49	64	104	171	206	233	282	350
1982.....	68,395	497	152	52	62	132	168	172	244	253	346
1981.....	69,828	540	163	66	73	120	175	202	209	259	377
1980.....	68,874	609	181	60	77	119	160	209	212	248	373
1979.....	61,905	644	173	74	76	127	163	193	196	231	350
WHITE FEMALE											
1998.....	112,496	211	73	61	49	58	89	114	175	341	563
1997.....	105,891	188	97	48	54	56	98	127	187	330	546
1996.....	102,339	204	99	53	58	69	90	147	215	319	500
1995.....	98,699	227	96	39	61	82	92	147	234	328	518
1994.....	96,555	232	81	33	45	80	94	124	218	337	408
1993.....	96,085	244	90	55	70	74	108	134	215	315	426
1992.....	86,236	237	101	40	62	71	97	122	195	289	395
1991.....	86,256	279	106	50	47	76	109	143	209	281	407
1990.....	84,082	285	107	52	61	75	97	157	193	261	362
1989.....	81,172	258	120	50	46	83	112	180	234	277	372
1988.....	79,629	286	125	34	53	67	118	172	230	271	364
1987.....	71,755	323	127	50	44	84	109	158	179	263	329
1986.....	69,566	296	113	56	58	74	105	152	192	241	330
1985.....	66,801	340	135	45	59	64	121	122	183	221	339
1984.....	58,370	339	137	68	66	60	103	132	165	206	305
1983.....	54,820	381	129	47	48	102	98	137	166	229	291
1982.....	46,897	333	126	50	53	99	107	131	158	187	273
1981.....	48,589	377	116	62	73	89	124	140	176	215	268
1980.....	46,827	405	133	60	70	112	125	145	163	227	287
1979.....	38,234	481	159	75	62	110	116	122	123	194	276

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)											
ALL OTHER, BOTH SEXES											
1998.....	22,553	314	111	62	70	88	126	171	246	382	586
1997.....	21,394	299	113	64	67	77	100	175	249	403	536
1996.....	21,117	321	124	55	91	99	118	176	263	400	594
1995.....	20,413	310	126	56	78	89	125	157	278	421	547
1994.....	19,766	357	138	48	67	96	101	194	281	453	562
1993.....	19,785	396	137	50	64	74	129	174	292	426	593
1992.....	18,131	418	143	47	54	81	115	159	284	431	520
1991.....	18,492	415	149	41	60	80	127	190	331	488	506
1990.....	18,485	444	130	48	66	69	120	213	362	442	530
1989.....	18,562	433	152	43	52	76	131	213	391	501	544
1988.....	17,583	447	102	46	60	74	132	204	382	458	476
1987.....	16,300	441	121	36	67	88	128	177	364	443	434
1986.....	16,045	450	115	47	51	90	110	174	300	423	413
1985.....	15,366	455	131	53	64	69	111	160	298	333	392
1984.....	13,879	432	124	37	44	79	97	189	284	308	360
1983.....	12,990	499	139	38	51	84	87	179	256	267	351
1982.....	11,853	505	152	40	60	81	138	165	247	249	323
1981.....	12,122	518	141	32	50	73	109	175	214	299	344
1980.....	12,335	618	127	53	50	77	141	163	229	254	344
1979.....	10,614	647	147	39	36	74	102	158	201	286	329
ALL OTHER MALE											
1998.....	11,961	182	61	29	46	45	65	96	139	207	317
1997.....	11,504	180	67	35	31	45	55	89	133	229	278
1996.....	11,506	186	73	32	45	54	62	94	149	231	330
1995.....	11,175	175	59	33	50	51	61	90	166	230	292
1994.....	10,953	221	81	30	42	57	59	111	161	240	310
1993.....	11,103	228	71	23	44	43	73	87	151	249	346
1992.....	10,326	242	72	28	36	40	66	102	166	245	325
1991.....	10,541	225	92	23	35	44	71	107	201	294	295
1990.....	10,740	262	70	29	39	36	57	119	214	265	335
1989.....	10,863	254	78	28	29	38	77	118	208	323	345
1988.....	10,525	254	52	25	31	44	74	117	230	288	297
1987.....	9,835	247	71	26	43	45	61	110	234	287	260
1986.....	9,838	268	63	22	33	43	64	94	171	270	256
1985.....	9,394	262	72	26	34	36	67	98	172	213	259
1984.....	8,600	244	60	19	30	38	52	100	159	194	220
1983.....	8,243	293	81	21	30	50	39	98	160	168	220
1982.....	7,468	280	85	23	34	47	77	89	147	157	207
1981.....	7,782	298	84	19	25	51	59	95	124	193	223
1980.....	7,900	355	71	27	26	34	81	98	135	165	219
1979.....	6,893	347	75	22	20	39	52	80	128	187	214

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)											
ALL OTHER FEMALE											
1998.....	10,592	132	50	33	24	43	61	75	107	175	269
1997.....	9,890	119	46	29	36	32	45	86	116	174	258
1996.....	9,611	135	51	23	46	45	56	82	114	169	264
1995.....	9,238	135	67	23	28	38	64	67	112	191	255
1994.....	8,813	136	57	18	25	39	42	83	120	213	252
1993.....	8,682	168	66	27	20	31	56	87	141	177	247
1992.....	7,805	176	71	19	18	41	49	57	118	186	195
1991.....	7,951	190	57	18	25	36	56	83	130	194	211
1990.....	7,745	182	60	19	27	33	63	94	148	177	195
1989.....	7,699	179	74	15	23	38	54	95	183	178	199
1988.....	7,058	193	50	21	29	30	58	87	152	170	179
1987.....	6,465	194	50	10	24	43	67	67	130	156	174
1986.....	6,207	182	52	25	18	47	46	80	129	153	157
1985.....	5,972	193	59	27	30	33	44	62	126	120	133
1984.....	5,279	188	64	18	14	41	45	89	125	114	140
1983.....	4,747	206	58	17	21	34	48	81	96	99	131
1982.....	4,385	225	67	17	26	34	61	76	100	92	116
1981.....	4,340	220	57	13	25	22	50	80	90	106	121
1980.....	4,435	263	56	26	24	43	60	65	94	89	125
1979.....	3,721	300	72	17	16	35	50	78	73	99	115
BLACK, BOTH SEXES											
1998.....	18,768	257	101	54	58	79	113	150	211	354	538
1997.....	17,851	265	99	53	64	60	89	154	229	373	489
1996.....	17,825	279	110	46	79	93	105	155	234	366	549
1995.....	17,273	273	107	53	72	78	118	149	253	387	496
1994.....	16,848	312	115	44	59	85	81	175	253	427	519
1993.....	16,909	350	121	44	59	68	121	155	279	392	544
1992.....	15,682	375	118	42	47	79	103	146	270	397	490
1991.....	15,980	379	134	39	58	75	114	180	304	461	463
1990.....	16,109	403	108	43	59	58	114	198	342	415	494
1989.....	16,290	381	132	35	48	71	122	202	377	469	514
1988.....	15,615	390	91	39	51	67	120	193	371	442	448
1987.....	14,429	385	104	32	63	81	119	162	354	426	410
1986.....	14,352	408	101	41	50	79	106	166	284	399	386
1985.....	13,743	414	117	48	57	65	106	149	282	318	368
1984.....	12,378	392	109	35	37	72	89	179	270	287	336
1983.....	11,659	451	124	32	46	78	77	170	246	250	325
1982.....	10,701	461	136	32	54	71	126	159	232	234	309
1981.....	11,037	474	118	30	46	69	97	168	198	286	326
1980.....	11,205	580	114	47	50	69	126	152	211	240	321
1979.....	9,676	601	136	37	33	66	91	146	186	270	311

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)											
BLACK MALE											
1998.....	9,842	153	54	26	38	40	61	84	119	191	290
1997.....	9,474	154	60	30	30	35	48	76	121	211	253
1996.....	9,598	161	63	27	40	52	54	79	134	211	307
1995.....	9,368	152	48	32	46	42	56	84	157	209	265
1994.....	9,239	194	66	29	39	48	49	102	146	220	283
1993.....	9,386	201	61	19	40	40	68	80	145	233	315
1992.....	8,855	217	61	25	30	39	58	94	157	224	308
1991.....	9,075	203	84	21	34	41	62	101	184	277	272
1990.....	9,328	233	58	27	36	31	56	113	205	253	312
1989.....	9,451	223	67	24	26	35	70	112	203	300	324
1988.....	9,337	221	48	22	26	41	66	111	225	282	280
1987.....	8,710	216	59	22	39	41	58	100	227	277	247
1986.....	8,749	240	57	19	33	38	61	87	158	252	241
1985.....	8,390	236	65	22	30	33	63	91	161	204	247
1984.....	7,650	220	55	19	26	34	47	97	151	185	201
1983.....	7,405	266	74	19	27	46	34	94	156	157	204
1982.....	6,738	257	74	19	31	43	70	84	139	152	200
1981.....	7,084	269	71	17	21	47	52	91	115	185	217
1980.....	7,161	331	65	22	26	31	70	90	124	153	205
1979.....	6,301	322	73	21	17	32	48	73	120	178	203
BLACK FEMALE											
1998.....	8,926	104	47	28	20	39	52	66	92	163	248
1997.....	8,377	111	39	23	34	25	41	78	108	162	236
1996.....	8,227	118	47	19	39	41	51	76	100	155	242
1995.....	7,905	121	59	21	26	36	62	65	96	178	231
1994.....	7,609	118	49	15	20	37	32	73	107	207	236
1993.....	7,523	149	60	25	19	28	53	75	134	159	229
1992.....	6,827	158	57	17	17	40	45	52	113	173	182
1991.....	6,905	176	50	18	24	34	52	79	120	184	191
1990.....	6,781	170	50	16	23	27	58	85	137	162	182
1989.....	6,839	158	65	11	22	36	52	90	174	169	190
1988.....	6,278	169	43	17	25	26	54	82	146	160	168
1987.....	5,719	169	45	10	24	40	61	62	127	149	163
1986.....	5,603	168	44	22	17	41	45	79	126	147	145
1985.....	5,353	178	52	26	27	32	43	58	121	114	121
1984.....	4,728	172	54	16	11	38	42	82	119	102	135
1983.....	4,254	185	50	13	19	32	43	76	90	93	121
1982.....	3,963	204	62	13	23	28	56	75	93	82	109
1981.....	3,953	205	47	13	25	22	45	77	83	101	109
1980.....	4,044	249	49	25	24	38	56	62	87	87	116
1979.....	3,375	279	63	16	16	34	43	73	66	92	108

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
TOTAL, BOTH SEXES											
1998.....	452	44	18	1	1	1	5	2	4	4	5
1997.....	465	67	20	5	3	-	1	1	1	9	7
1996.....	486	65	25	2	4	-	1	-	4	2	4
1995.....	532	71	25	2	1	2	-	5	1	4	4
1994.....	578	84	24	3	1	-	-	1	-	5	6
1993.....	662	75	14	3	3	3	3	5	5	6	5
1992.....	577	92	16	5	2	-	1	6	9	4	10
1991.....	633	68	18	2	3	1	3	4	5	2	6
1990.....	633	75	18	3	3	4	1	3	2	7	10
1989.....	633	73	21	2	2	1	2	4	6	6	1
1988.....	635	72	22	4	1	1	4	1	7	5	6
1987.....	548	63	20	6	4	2	1	2	5	8	7
1986.....	588	59	14	3	2	1	5	-	4	5	5
1985.....	600	64	17	1	2	3	3	1	4	4	5
1984.....	544	57	24	2	2	5	3	3	5	5	8
1983.....	552	87	14	3	1	3	4	6	1	9	7
1982.....	503	74	27	4	2	3	5	7	9	4	8
1981.....	573	86	22	5	5	2	3	4	3	3	10
1980.....	642	87	34	6	1	7	7	9	4	4	5
1979.....	554	94	34	7	3	4	3	11	5	1	9
TOTAL, MALE											
1998.....	194	29	14	-	-	-	1	1	3	2	1
1997.....	194	40	10	3	-	-	1	1	1	3	3
1996.....	205	40	14	1	2	-	-	-	4	1	4
1995.....	224	40	12	1	1	1	-	4	1	2	1
1994.....	243	53	18	1	1	-	-	-	-	1	4
1993.....	286	45	8	-	2	3	2	5	3	6	2
1992.....	282	61	8	5	2	-	1	4	7	4	7
1991.....	288	45	12	1	-	1	-	3	3	2	5
1990.....	269	44	6	2	2	2	1	-	1	5	4
1989.....	288	48	10	1	1	1	2	3	3	2	-
1988.....	281	47	14	1	1	-	2	1	5	2	4
1987.....	267	39	9	4	1	2	1	2	4	4	5
1986.....	280	38	6	1	1	1	3	-	2	5	2
1985.....	303	44	10	1	1	3	2	1	2	2	4
1984.....	260	35	10	1	2	4	2	3	3	4	3
1983.....	273	57	6	2	1	2	2	2	-	6	2
1982.....	250	47	19	1	2	2	4	4	7	3	3
1981.....	277	52	8	1	2	1	2	4	1	2	5
1980.....	299	52	24	3	1	5	4	5	2	3	3
1979.....	283	57	15	4	2	3	2	6	2	-	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
TOTAL, FEMALE											
1998.....	258	15	4	1	1	1	4	1	1	2	4
1997.....	271	27	10	2	3	-	-	-	-	6	4
1996.....	281	25	11	1	2	-	1	-	-	1	-
1995.....	308	31	13	1	-	1	-	1	-	2	3
1994.....	335	31	6	2	-	-	-	1	-	4	2
1993.....	376	30	6	3	1	-	1	-	2	-	3
1992.....	295	31	8	-	-	-	-	2	2	-	3
1991.....	345	23	6	1	3	-	3	1	2	-	1
1990.....	364	31	12	1	1	2	-	3	1	2	6
1989.....	345	25	11	1	1	-	-	1	3	4	1
1988.....	354	25	8	3	-	1	2	-	2	3	2
1987.....	281	24	11	2	3	-	-	-	1	4	2
1986.....	308	21	8	2	1	-	2	-	2	-	3
1985.....	297	20	7	-	1	-	1	-	2	2	1
1984.....	284	22	14	1	-	1	1	-	2	1	5
1983.....	279	30	8	1	-	1	2	4	1	3	5
1982.....	253	27	8	3	-	1	1	3	2	1	5
1981.....	296	34	14	4	3	1	1	-	2	1	5
1980.....	343	35	10	3	-	2	3	4	2	1	2
1979.....	271	37	19	3	1	1	1	5	3	1	4
WHITE, BOTH SEXES											
1998.....	400	28	8	1	1	-	4	2	3	2	2
1997.....	404	46	14	3	2	-	-	1	1	6	6
1996.....	418	38	14	2	1	-	1	-	4	1	4
1995.....	477	44	16	2	1	2	-	5	1	3	4
1994.....	497	48	16	2	1	-	-	1	-	3	5
1993.....	583	49	7	3	3	3	3	5	4	6	3
1992.....	500	58	8	5	2	-	1	6	8	2	8
1991.....	560	53	10	2	2	1	2	3	4	2	6
1990.....	559	39	11	2	3	2	1	2	2	4	9
1989.....	544	37	13	1	2	1	1	3	4	4	1
1988.....	564	44	18	1	1	1	3	1	5	5	5
1987.....	485	37	14	6	4	2	1	1	3	5	4
1986.....	537	43	11	2	1	1	4	-	4	5	5
1985.....	532	49	8	-	1	3	2	1	2	4	4
1984.....	482	35	18	2	2	4	2	3	3	4	6
1983.....	481	56	11	2	-	3	4	4	1	6	7
1982.....	433	49	17	4	1	3	4	6	6	4	8
1981.....	507	57	12	5	5	2	3	4	3	2	10
1980.....	568	64	23	4	1	6	7	9	2	4	2
1979.....	482	63	24	6	3	3	3	10	2	1	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
WHITE MALE											
1998.....	164	19	6	-	-	-	1	1	3	1	-
1997.....	161	28	8	2	-	-	-	1	1	2	3
1996.....	176	27	12	1	1	-	-	-	4	-	4
1995.....	197	27	8	1	1	1	-	4	1	2	1
1994.....	199	31	12	-	1	-	-	-	-	1	3
1993.....	242	31	4	-	2	3	2	5	2	6	1
1992.....	239	39	5	5	2	-	1	4	7	2	5
1991.....	248	35	7	1	-	1	-	3	3	2	5
1990.....	233	21	4	2	2	-	1	-	1	3	4
1989.....	241	24	7	1	1	1	1	2	2	2	-
1988.....	246	29	11	-	1	-	2	1	4	2	4
1987.....	236	26	7	4	1	2	1	1	2	3	3
1986.....	251	27	5	1	1	1	2	-	2	5	2
1985.....	258	33	4	-	1	3	1	1	1	2	4
1984.....	230	25	8	1	2	4	1	3	2	4	2
1983.....	229	38	4	2	-	2	2	1	-	3	2
1982.....	205	29	12	1	1	2	4	3	5	3	3
1981.....	242	34	5	1	2	1	2	4	1	1	5
1980.....	255	37	17	2	1	4	4	5	1	3	1
1979.....	243	40	10	3	2	2	2	5	1	-	5
WHITE FEMALE											
1998.....	236	9	2	1	1	-	3	1	-	1	2
1997.....	243	18	6	1	2	-	-	-	-	4	3
1996.....	242	11	2	1	-	-	1	-	-	1	-
1995.....	280	17	8	1	-	1	-	1	-	1	3
1994.....	298	17	4	2	-	-	-	1	-	2	2
1993.....	341	18	3	3	1	-	1	-	2	-	2
1992.....	261	19	3	-	-	-	-	2	1	-	3
1991.....	312	18	3	1	2	-	2	-	1	-	1
1990.....	326	18	7	-	1	2	-	2	1	1	5
1989.....	303	13	6	-	1	-	-	1	2	2	1
1988.....	318	15	7	1	-	1	1	-	1	3	1
1987.....	249	11	7	2	3	-	-	-	1	2	1
1986.....	286	16	6	1	-	-	2	-	2	-	3
1985.....	274	16	4	-	-	-	1	-	1	2	-
1984.....	252	10	10	1	-	-	1	-	1	-	4
1983.....	252	18	7	-	-	1	2	3	1	3	5
1982.....	228	20	5	3	-	1	-	3	1	1	5
1981.....	265	23	7	4	3	1	1	-	2	1	5
1980.....	313	27	6	2	-	2	3	4	1	1	1
1979.....	239	23	14	3	1	1	1	5	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
ALL OTHER, BOTH SEXES											
1998.....	52	16	10	-	-	1	1	-	1	2	3
1997.....	61	21	6	2	1	-	1	-	-	3	1
1996.....	68	27	11	-	3	-	-	-	-	1	-
1995.....	55	27	9	-	-	-	-	-	-	1	-
1994.....	81	36	8	1	-	-	-	-	-	2	1
1993.....	79	26	7	-	-	-	-	-	1	-	2
1992.....	77	34	8	-	-	-	-	-	1	2	2
1991.....	73	15	8	-	1	-	1	1	1	-	-
1990.....	74	36	7	1	-	2	-	1	-	3	1
1989.....	89	36	8	1	-	-	1	1	2	2	-
1988.....	71	28	4	3	-	-	1	-	2	-	1
1987.....	63	26	6	-	-	-	-	1	2	3	3
1986.....	51	16	3	1	1	-	1	-	-	-	-
1985.....	68	15	9	1	1	-	1	-	2	-	1
1984.....	62	22	6	-	-	1	1	-	2	1	2
1983.....	71	31	3	1	1	-	-	2	-	3	-
1982.....	70	25	10	-	1	-	1	1	3	-	-
1981.....	66	29	10	-	-	-	-	-	-	1	-
1980.....	74	23	11	2	-	1	-	-	2	-	3
1979.....	72	31	10	1	-	1	-	1	3	-	2
ALL OTHER MALE											
1998.....	30	10	8	-	-	-	-	-	-	1	1
1997.....	33	12	2	1	-	-	1	-	-	1	-
1996.....	29	13	2	-	1	-	-	-	-	1	-
1995.....	27	13	4	-	-	-	-	-	-	-	-
1994.....	44	22	6	1	-	-	-	-	-	-	1
1993.....	44	14	4	-	-	-	-	-	1	-	1
1992.....	43	22	3	-	-	-	-	-	-	2	2
1991.....	40	10	5	-	-	-	-	-	-	-	-
1990.....	36	23	2	-	-	2	-	-	-	2	-
1989.....	47	24	3	-	-	-	1	1	1	-	-
1988.....	35	18	3	1	-	-	-	-	1	-	-
1987.....	31	13	2	-	-	-	-	1	2	1	2
1986.....	29	11	1	-	-	-	1	-	-	-	-
1985.....	45	11	6	1	-	-	1	-	1	-	-
1984.....	30	10	2	-	-	-	1	-	1	-	1
1983.....	44	19	2	-	1	-	-	1	-	3	-
1982.....	45	18	7	-	1	-	-	1	2	-	-
1981.....	35	18	3	-	-	-	-	-	-	1	-
1980.....	44	15	7	1	-	1	-	-	1	-	2
1979.....	40	17	5	1	-	1	-	1	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
ALL OTHER FEMALE											
1998.....	22	6	2	-	-	1	1	-	1	1	2
1997.....	28	9	4	1	1	-	-	-	-	2	1
1996.....	39	14	9	-	2	-	-	-	-	-	-
1995.....	28	14	5	-	-	-	-	-	-	1	-
1994.....	37	14	2	-	-	-	-	-	-	2	-
1993.....	35	12	3	-	-	-	-	-	-	-	1
1992.....	34	12	5	-	-	-	-	-	1	-	-
1991.....	33	5	3	-	1	-	1	1	1	-	-
1990.....	38	13	5	1	-	-	-	1	-	1	1
1989.....	42	12	5	1	-	-	-	-	1	2	-
1988.....	36	10	1	2	-	-	1	-	1	-	1
1987.....	32	13	4	-	-	-	-	-	-	2	1
1986.....	22	5	2	1	1	-	-	-	-	-	-
1985.....	23	4	3	-	1	-	-	-	1	-	1
1984.....	32	12	4	-	-	1	-	-	1	1	1
1983.....	27	12	1	1	-	-	-	1	-	-	-
1982.....	25	7	3	-	-	-	1	-	1	-	-
1981.....	31	11	7	-	-	-	-	-	-	-	-
1980.....	30	8	4	1	-	-	-	-	1	-	1
1979.....	32	14	5	-	-	-	-	-	2	-	2
BLACK, BOTH SEXES											
1998.....	46	12	10	-	-	1	1	-	1	2	3
1997.....	53	18	6	1	1	-	1	-	-	3	1
1996.....	55	22	9	-	3	-	-	-	-	1	-
1995.....	49	25	7	-	-	-	-	-	-	1	-
1994.....	77	32	8	1	-	-	-	-	-	2	1
1993.....	69	25	7	-	-	-	-	-	1	-	1
1992.....	71	32	8	-	-	-	-	-	1	2	2
1991.....	57	11	6	-	1	-	1	1	1	-	-
1990.....	64	32	6	1	-	2	-	1	-	2	1
1989.....	79	30	8	1	-	-	1	1	2	1	-
1988.....	62	23	3	3	-	-	1	-	2	-	1
1987.....	56	22	6	-	-	-	-	1	1	3	3
1986.....	47	15	3	1	1	-	1	-	-	-	-
1985.....	63	15	8	1	1	-	1	-	2	-	1
1984.....	56	22	5	-	-	-	1	-	2	1	2
1983.....	59	25	2	1	1	-	-	2	-	3	-
1982.....	59	21	7	-	1	-	1	1	3	-	-
1981.....	56	25	7	-	-	-	-	-	-	1	-
1980.....	64	21	10	2	-	1	-	-	-	-	2
1979.....	69	30	9	1	-	1	-	1	3	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)											
BLACK MALE											
1998.....	27	8	8	-	-	-	-	-	-	1	1
1997.....	27	9	2	1	-	-	1	-	-	1	-
1996.....	24	12	1	-	1	-	-	-	-	1	-
1995.....	24	12	3	-	-	-	-	-	-	-	-
1994.....	41	19	6	1	-	-	-	-	-	-	1
1993.....	39	14	4	-	-	-	-	-	1	-	-
1992.....	38	21	3	-	-	-	-	-	-	2	2
1991.....	31	6	5	-	-	-	-	-	-	-	-
1990.....	33	20	2	-	-	2	-	-	-	2	-
1989.....	39	19	3	-	-	-	1	1	1	-	-
1988.....	32	16	2	1	-	-	-	-	1	-	-
1987.....	27	11	2	-	-	-	-	1	1	1	2
1986.....	27	10	1	-	-	-	1	-	-	-	-
1985.....	41	11	5	1	-	-	1	-	1	-	-
1984.....	28	10	2	-	-	-	1	-	1	-	1
1983.....	34	14	2	-	1	-	-	1	-	3	-
1982.....	36	15	5	-	1	-	-	1	2	-	-
1981.....	28	15	1	-	-	-	-	-	-	1	-
1980.....	35	13	6	1	-	1	-	-	-	-	1
1979.....	39	17	5	1	-	1	-	1	1	-	-
BLACK FEMALE											
1998.....	19	4	2	-	-	1	1	-	1	1	2
1997.....	26	9	4	-	1	-	-	-	-	2	1
1996.....	31	10	8	-	2	-	-	-	-	-	-
1995.....	25	13	4	-	-	-	-	-	-	1	-
1994.....	36	13	2	-	-	-	-	-	-	2	-
1993.....	30	11	3	-	-	-	-	-	-	-	1
1992.....	33	11	5	-	-	-	-	-	1	-	-
1991.....	26	5	1	-	1	-	1	1	1	-	-
1990.....	31	12	4	1	-	-	-	1	-	-	1
1989.....	40	11	5	1	-	-	-	-	1	1	-
1988.....	30	7	1	2	-	-	1	-	1	-	1
1987.....	29	11	4	-	-	-	-	-	-	2	1
1986.....	20	5	2	1	1	-	-	-	-	-	-
1985.....	22	4	3	-	1	-	-	-	1	-	1
1984.....	28	12	3	-	-	-	-	-	1	1	1
1983.....	25	11	-	1	-	-	-	1	-	-	-
1982.....	23	6	2	-	-	-	1	-	1	-	-
1981.....	28	10	6	-	-	-	-	-	-	-	-
1980.....	29	8	4	1	-	-	-	-	-	-	1
1979.....	30	13	4	-	-	-	-	-	2	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
TOTAL, BOTH SEXES											
1998.....	90,147	435	143	66	41	69	136	182	348	530	853
1997.....	85,729	409	170	70	58	91	125	200	327	564	812
1996.....	82,982	481	165	67	61	83	112	202	358	584	863
1995.....	82,317	485	149	67	54	79	122	203	418	656	810
1994.....	80,244	553	171	56	44	86	130	196	443	672	816
1993.....	81,776	520	168	66	56	92	151	246	470	667	865
1992.....	74,713	592	182	51	48	82	139	222	425	596	735
1991.....	76,723	591	192	64	60	84	162	273	471	697	726
1990.....	77,415	627	161	69	53	82	144	279	477	677	725
1989.....	74,957	624	220	56	52	99	156	317	549	654	730
1988.....	75,719	635	177	63	59	89	169	289	545	646	686
1987.....	68,593	666	193	52	41	101	161	286	465	573	588
1986.....	67,974	656	191	71	62	109	158	265	459	564	613
1985.....	65,561	698	213	71	52	86	158	221	401	491	541
1984.....	57,798	680	206	90	70	99	141	251	385	419	492
1983.....	54,423	763	224	68	59	112	151	243	325	367	435
1982.....	48,159	748	226	64	73	125	181	231	313	339	423
1981.....	50,725	796	232	80	69	124	185	246	294	395	450
1980.....	51,917	1,000	255	98	86	132	204	254	296	387	488
1979.....	44,426	1,120	250	112	92	149	183	230	286	361	446
TOTAL, MALE											
1998.....	40,395	237	71	26	25	36	69	104	204	304	501
1997.....	39,013	250	84	34	31	54	63	114	195	345	494
1996.....	37,722	290	90	32	33	44	57	111	204	372	541
1995.....	37,565	275	65	30	23	52	65	115	261	414	508
1994.....	36,913	335	96	36	21	42	70	123	289	403	513
1993.....	37,607	304	86	36	28	47	75	140	279	432	568
1992.....	35,127	350	93	31	22	42	80	138	269	378	489
1991.....	35,781	316	116	38	27	54	92	173	305	460	474
1990.....	36,099	360	86	34	29	39	77	162	321	455	491
1989.....	35,151	377	117	31	26	53	87	183	336	433	484
1988.....	36,161	378	84	38	35	49	90	174	341	431	457
1987.....	33,310	374	107	23	22	54	92	179	317	395	392
1986.....	33,527	382	105	26	36	67	94	148	300	382	399
1985.....	32,422	409	108	33	27	52	93	142	251	328	336
1984.....	29,024	399	103	48	31	61	76	147	249	274	312
1983.....	27,464	439	119	32	32	53	94	145	212	234	290
1982.....	25,030	422	125	40	40	72	110	136	205	203	275
1981.....	25,954	459	133	41	33	76	105	143	180	252	291
1980.....	26,581	591	138	50	39	57	105	154	172	241	308
1979.....	23,493	624	133	58	46	83	102	131	183	239	277

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
TOTAL, FEMALE											
1998.....	49,752	198	72	40	16	33	67	78	144	226	352
1997.....	46,716	159	86	36	27	37	62	86	132	219	318
1996.....	45,260	191	75	35	28	39	55	91	154	212	322
1995.....	44,752	210	84	37	31	27	57	88	157	242	302
1994.....	43,331	218	75	20	23	44	60	73	154	269	303
1993.....	44,169	216	82	30	28	45	76	106	191	235	297
1992.....	39,586	242	89	20	26	40	59	84	156	218	246
1991.....	40,942	275	76	26	33	30	70	100	166	237	252
1990.....	41,316	267	75	35	24	43	67	117	156	222	234
1989.....	39,806	247	103	25	26	46	69	134	213	221	246
1988.....	39,558	257	93	25	24	40	79	115	204	215	229
1987.....	35,283	292	86	29	19	47	69	107	148	178	196
1986.....	34,447	274	86	45	26	42	64	117	159	182	214
1985.....	33,139	289	105	38	25	34	65	79	150	163	205
1984.....	28,774	281	103	42	39	38	65	104	136	145	180
1983.....	26,959	324	105	36	27	59	57	98	113	133	145
1982.....	23,129	326	101	24	33	53	71	95	108	136	148
1981.....	24,771	337	99	39	36	48	80	103	114	143	159
1980.....	25,336	409	117	48	47	75	99	100	124	146	180
1979.....	20,933	496	117	54	46	66	81	99	103	122	169
WHITE, BOTH SEXES											
1998.....	79,992	251	96	45	32	41	90	117	223	351	562
1997.....	76,194	254	112	50	44	67	84	125	207	382	563
1996.....	73,499	300	106	50	44	56	73	131	237	371	557
1995.....	73,075	299	82	45	39	63	85	130	281	433	542
1994.....	71,428	339	111	38	32	63	93	117	289	423	514
1993.....	72,728	317	105	52	46	66	95	168	297	423	569
1992.....	66,502	350	111	40	35	60	96	137	267	376	451
1991.....	68,207	334	122	57	48	61	116	183	295	420	458
1990.....	68,807	368	110	52	39	62	89	173	267	404	448
1989.....	66,344	386	130	45	38	69	100	201	314	358	445
1988.....	67,705	384	128	46	44	60	115	186	318	388	445
1987.....	61,216	407	129	43	26	79	107	191	258	333	357
1986.....	60,569	415	128	51	53	88	111	175	290	318	374
1985.....	58,561	439	145	48	37	65	128	146	237	288	340
1984.....	51,473	439	132	73	62	69	102	151	223	250	303
1983.....	48,616	460	155	51	48	88	119	153	187	236	271
1982.....	42,829	453	147	45	54	91	129	140	186	212	256
1981.....	45,079	498	162	70	56	104	139	167	193	220	264
1980.....	45,774	586	184	73	69	101	139	167	193	254	297
1979.....	39,253	699	164	90	73	121	130	153	170	212	267

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
WHITE MALE											
1998.....	35,235	137	51	18	19	23	53	68	130	197	323
1997.....	34,135	162	53	25	24	39	45	75	128	231	344
1996.....	32,678	184	53	23	23	32	37	69	128	227	357
1995.....	32,742	168	37	20	16	45	50	70	174	280	339
1994.....	32,252	201	64	22	15	30	53	76	199	254	333
1993.....	32,785	182	55	28	21	33	48	100	185	276	377
1992.....	30,637	212	54	23	14	32	57	85	171	236	297
1991.....	31,187	187	71	34	24	40	65	116	193	281	308
1990.....	31,350	209	61	24	21	31	52	102	179	275	296
1989.....	30,379	241	69	25	19	40	54	119	206	233	292
1988.....	31,622	237	62	29	26	34	60	113	204	257	295
1987.....	29,048	231	71	17	14	42	65	119	183	224	239
1986.....	29,247	246	74	20	32	56	63	102	194	212	237
1985.....	28,347	255	72	21	19	43	77	93	148	194	193
1984.....	25,289	253	71	40	26	47	57	93	151	154	190
1983.....	23,943	256	83	22	26	40	81	91	114	140	168
1982.....	21,827	260	83	29	29	53	80	83	123	115	160
1981.....	22,498	290	90	35	28	63	80	100	116	128	168
1980.....	22,859	346	102	36	33	44	70	96	105	152	180
1979.....	20,340	392	88	48	36	69	76	97	109	128	158
WHITE FEMALE											
1998.....	44,757	114	45	27	13	18	37	49	93	154	239
1997.....	42,059	92	59	25	20	28	39	50	79	151	219
1996.....	40,821	116	53	27	21	24	36	62	109	144	200
1995.....	40,333	131	45	25	23	18	35	60	107	153	203
1994.....	39,176	138	47	16	17	33	40	41	90	169	181
1993.....	39,943	135	50	24	25	33	47	68	112	147	192
1992.....	35,865	138	57	17	21	28	39	52	96	140	154
1991.....	37,020	147	51	23	24	21	51	67	102	139	150
1990.....	37,457	159	49	28	18	31	37	71	88	129	152
1989.....	35,965	145	61	20	19	29	46	82	108	125	153
1988.....	36,083	147	66	17	18	26	55	73	114	131	150
1987.....	32,168	176	58	26	12	37	42	72	75	109	118
1986.....	31,322	169	54	31	21	32	48	73	96	106	137
1985.....	30,214	184	73	27	18	22	51	53	89	94	147
1984.....	26,184	186	61	33	36	22	45	58	72	96	113
1983.....	24,673	204	72	29	22	48	38	62	73	96	103
1982.....	21,002	193	64	16	25	38	49	57	63	97	96
1981.....	22,581	208	72	35	28	41	59	67	77	92	96
1980.....	22,915	240	82	37	36	57	69	71	88	102	117
1979.....	18,913	307	76	42	37	52	54	56	61	84	109

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
ALL OTHER, BOTH SEXES											
1998.....	10,155	184	47	21	9	28	46	65	125	179	291
1997.....	9,535	155	58	20	14	24	41	75	120	182	249
1996.....	9,483	181	59	17	17	27	39	71	121	213	306
1995.....	9,242	186	67	22	15	16	37	73	137	223	268
1994.....	8,816	214	60	18	12	23	37	79	154	249	302
1993.....	9,048	203	63	14	10	26	56	78	173	244	296
1992.....	8,211	242	71	11	13	22	43	85	158	220	284
1991.....	8,516	257	70	7	12	23	46	90	176	277	268
1990.....	8,608	259	51	17	14	20	55	106	210	273	277
1989.....	8,613	238	90	11	14	30	56	116	235	296	285
1988.....	8,014	251	49	17	15	29	54	103	227	258	241
1987.....	7,377	259	64	9	15	22	54	95	207	240	231
1986.....	7,405	241	63	20	9	21	47	90	169	246	239
1985.....	7,000	259	68	23	15	21	30	75	164	203	201
1984.....	6,325	241	74	17	8	30	39	100	162	169	189
1983.....	5,807	303	69	17	11	24	32	90	138	131	164
1982.....	5,330	295	79	19	19	34	52	91	127	127	167
1981.....	5,646	298	70	10	13	20	46	79	101	175	186
1980.....	6,143	414	71	25	17	31	65	87	103	133	191
1979.....	5,173	421	86	22	19	28	53	77	116	149	179
ALL OTHER MALE											
1998.....	5,160	100	20	8	6	13	16	36	74	107	178
1997.....	4,878	88	31	9	7	15	18	39	67	114	150
1996.....	5,044	106	37	9	10	12	20	42	76	145	184
1995.....	4,823	107	28	10	7	7	15	45	87	134	169
1994.....	4,661	134	32	14	6	12	17	47	90	149	180
1993.....	4,822	122	31	8	7	14	27	40	94	156	191
1992.....	4,490	138	39	8	8	10	23	53	98	142	192
1991.....	4,594	129	45	4	3	14	27	57	112	179	166
1990.....	4,749	151	25	10	8	8	25	60	142	180	195
1989.....	4,772	136	48	6	7	13	33	64	130	200	192
1988.....	4,539	141	22	9	9	15	30	61	137	174	162
1987.....	4,262	143	36	6	8	12	27	60	134	171	153
1986.....	4,280	136	31	6	4	11	31	46	106	170	162
1985.....	4,075	154	36	12	8	9	16	49	103	134	143
1984.....	3,735	146	32	8	5	14	19	54	98	120	122
1983.....	3,521	183	36	10	6	13	13	54	98	94	122
1982.....	3,203	162	42	11	11	19	30	53	82	88	115
1981.....	3,456	169	43	6	5	13	25	43	64	124	123
1980.....	3,722	245	36	14	6	13	35	58	67	89	128
1979.....	3,153	232	45	10	10	14	26	34	74	111	119

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
ALL OTHER FEMALE											
1998.....	4,995	84	27	13	3	15	30	29	51	72	113
1997.....	4,657	67	27	11	7	9	23	36	53	68	99
1996.....	4,439	75	22	8	7	15	19	29	45	68	122
1995.....	4,419	79	39	12	8	9	22	28	50	89	99
1994.....	4,155	80	28	4	6	11	20	32	64	100	122
1993.....	4,226	81	32	6	3	12	29	38	79	88	105
1992.....	3,721	104	32	3	5	12	20	32	60	78	92
1991.....	3,922	128	25	3	9	9	19	33	64	98	102
1990.....	3,859	108	26	7	6	12	30	46	68	93	82
1989.....	3,841	102	42	5	7	17	23	52	105	96	93
1988.....	3,475	110	27	8	6	14	24	42	90	84	79
1987.....	3,115	116	28	3	7	10	27	35	73	69	78
1986.....	3,125	105	32	14	5	10	16	44	63	76	77
1985.....	2,925	105	32	11	7	12	14	26	61	69	58
1984.....	2,590	95	42	9	3	16	20	46	64	49	67
1983.....	2,286	120	33	7	5	11	19	36	40	37	42
1982.....	2,127	133	37	8	8	15	22	38	45	39	52
1981.....	2,190	129	27	4	8	7	21	36	37	51	63
1980.....	2,421	169	35	11	11	18	30	29	36	44	63
1979.....	2,020	189	41	12	9	14	27	43	42	38	60
BLACK, BOTH SEXES											
1998.....	8,293	147	43	18	9	22	38	55	106	163	268
1997.....	7,894	139	48	18	14	19	37	65	110	169	231
1996.....	7,929	156	53	12	15	26	36	62	109	191	286
1995.....	7,772	163	58	21	13	10	36	71	121	210	242
1994.....	7,433	186	48	16	10	20	28	71	136	229	279
1993.....	7,677	173	52	9	9	22	52	65	168	230	269
1992.....	7,034	216	56	8	11	21	36	78	150	202	268
1991.....	7,320	230	67	7	12	22	42	87	164	268	246
1990.....	7,473	235	38	13	12	14	53	96	197	257	260
1989.....	7,521	208	74	9	14	28	52	112	230	282	271
1988.....	7,122	222	42	14	12	25	50	102	224	249	229
1987.....	6,543	226	52	7	14	19	51	89	204	232	217
1986.....	6,631	222	55	17	8	20	44	87	161	235	223
1985.....	6,247	235	61	21	14	20	29	70	154	190	189
1984.....	5,626	218	66	16	6	26	36	98	155	162	175
1983.....	5,194	278	60	15	9	22	29	84	132	122	150
1982.....	4,772	266	71	14	15	27	47	87	119	119	158
1981.....	5,130	272	59	8	11	19	42	77	95	168	179
1980.....	5,560	386	63	23	17	31	58	80	94	124	181
1979.....	4,697	391	83	21	17	25	46	68	109	139	168

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA (480-486)											
BLACK MALE											
1998.....	4,165	82	19	8	6	9	13	29	61	98	165
1997.....	3,965	74	26	8	7	13	15	33	60	107	137
1996.....	4,156	88	34	7	9	11	19	34	69	132	174
1995.....	4,008	94	22	9	6	2	15	43	80	125	156
1994.....	3,884	117	26	13	6	10	15	43	78	132	165
1993.....	4,028	103	26	4	6	12	24	36	93	149	172
1992.....	3,804	124	31	5	6	10	19	49	92	131	180
1991.....	3,915	114	42	4	3	14	24	56	105	172	154
1990.....	4,115	136	19	8	6	7	24	55	134	171	185
1989.....	4,141	120	39	5	7	12	31	63	128	190	182
1988.....	4,019	123	20	8	8	13	29	61	136	171	155
1987.....	3,785	126	29	4	7	10	26	56	132	166	144
1986.....	3,812	123	29	5	4	10	29	43	98	160	153
1985.....	3,616	140	33	10	8	8	15	47	95	126	138
1984.....	3,314	131	30	8	4	12	18	54	93	116	111
1983.....	3,171	171	31	9	5	12	11	52	95	87	112
1982.....	2,869	148	37	8	9	16	25	49	78	87	110
1981.....	3,137	154	36	4	3	12	22	41	62	120	120
1980.....	3,349	228	34	12	6	13	30	53	60	81	121
1979.....	2,862	216	44	10	8	12	23	29	70	106	114
BLACK FEMALE											
1998.....	4,128	65	24	10	3	13	25	26	45	65	103
1997.....	3,929	65	22	10	7	6	22	32	50	62	94
1996.....	3,773	68	19	5	6	15	17	28	40	59	112
1995.....	3,764	69	36	12	7	8	21	28	41	85	86
1994.....	3,549	69	22	3	4	10	13	28	58	97	114
1993.....	3,649	70	26	5	3	10	28	29	75	81	97
1992.....	3,230	92	25	3	5	11	17	29	58	71	88
1991.....	3,405	116	25	3	9	8	18	31	59	96	92
1990.....	3,358	99	19	5	6	7	29	41	63	86	75
1989.....	3,380	88	35	4	7	16	21	49	102	92	89
1988.....	3,103	99	22	6	4	12	21	41	88	78	74
1987.....	2,758	100	23	3	7	9	25	33	72	66	73
1986.....	2,819	99	26	12	4	10	15	44	63	75	70
1985.....	2,631	95	28	11	6	12	14	23	59	64	51
1984.....	2,312	87	36	8	2	14	18	44	62	46	64
1983.....	2,023	107	29	6	4	10	18	32	37	35	38
1982.....	1,903	118	34	6	6	11	22	38	41	32	48
1981.....	1,993	118	23	4	8	7	20	36	33	48	59
1980.....	2,211	158	29	11	11	18	28	27	34	43	60
1979.....	1,835	175	39	11	9	13	23	39	39	33	54

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIRAL PNEUMONIA (480)											
TOTAL, BOTH SEXES											
1998.....	527	88	27	5	2	2	1	6	3	8	10
1997.....	432	86	32	4	5	2	5	4	4	4	10
1996.....	451	96	31	3	4	3	5	5	5	6	6
1995.....	437	85	21	3	2	2	6	3	2	9	8
1994.....	578	134	30	4	2	5	7	3	11	4	19
1993.....	541	118	25	2	-	4	3	4	12	6	8
1992.....	523	130	21	4	3	6	3	2	9	14	12
1991.....	637	129	29	3	2	2	6	7	10	17	14
1990.....	720	106	21	4	1	9	7	10	10	9	13
1989.....	690	124	25	2	3	5	14	11	15	10	15
1988.....	682	104	20	2	4	4	6	7	11	6	15
1987.....	580	110	21	3	1	4	3	11	9	11	7
1986.....	672	89	21	3	2	7	8	13	13	7	13
1985.....	698	83	22	1	6	4	9	7	7	10	17
1984.....	558	64	19	10	2	5	5	8	11	6	12
1983.....	681	113	17	4	1	6	10	13	10	5	10
1982.....	563	93	13	3	2	6	4	12	5	9	5
1981.....	800	86	23	8	7	9	16	11	17	12	8
1980.....	970	135	18	10	4	10	15	16	14	21	18
1979.....	689	132	31	5	8	7	15	11	11	14	14
TOTAL, MALE											
1998.....	216	40	14	2	1	-	-	4	2	5	4
1997.....	201	55	11	2	1	1	-	2	1	4	2
1996.....	215	50	13	1	2	-	-	3	3	4	4
1995.....	204	48	7	2	-	1	3	1	1	4	3
1994.....	275	87	15	3	2	4	2	1	5	1	8
1993.....	256	71	12	2	-	1	2	2	4	2	5
1992.....	235	71	13	4	-	1	-	-	5	5	6
1991.....	306	73	17	1	1	1	2	3	4	13	9
1990.....	342	67	13	2	1	4	4	5	4	4	6
1989.....	291	76	13	2	2	1	2	3	4	5	8
1988.....	308	68	10	1	3	3	2	4	5	3	4
1987.....	281	64	12	1	1	1	1	3	6	7	4
1986.....	292	50	8	2	-	4	3	8	6	6	8
1985.....	321	48	13	-	4	1	5	2	2	4	9
1984.....	252	36	9	5	-	3	3	4	4	4	4
1983.....	296	66	10	2	1	3	6	4	5	2	6
1982.....	274	52	4	3	1	3	4	5	3	3	4
1981.....	333	49	14	5	2	4	5	6	9	7	4
1980.....	433	77	10	6	1	4	4	3	7	8	7
1979.....	302	76	20	2	3	3	5	4	4	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIRAL PNEUMONIA (480)											
TOTAL, FEMALE											
1998.....	311	48	13	3	1	2	1	2	1	3	6
1997.....	231	31	21	2	4	1	5	2	3	-	8
1996.....	236	46	18	2	2	3	5	2	2	2	2
1995.....	233	37	14	1	2	1	3	2	1	5	5
1994.....	303	47	15	1	-	1	5	2	6	3	11
1993.....	285	47	13	-	-	3	1	2	8	4	3
1992.....	288	59	8	-	3	5	3	2	4	9	6
1991.....	331	56	12	2	1	1	4	4	6	4	5
1990.....	378	39	8	2	-	5	3	5	6	5	7
1989.....	399	48	12	-	1	4	12	8	11	5	7
1988.....	374	36	10	1	1	1	4	3	6	3	11
1987.....	299	46	9	2	-	3	2	8	3	4	3
1986.....	380	39	13	1	2	3	5	5	7	1	5
1985.....	377	35	9	1	2	3	4	5	5	6	8
1984.....	306	28	10	5	2	2	2	4	7	2	8
1983.....	385	47	7	2	-	3	4	9	5	3	4
1982.....	289	41	9	-	1	3	-	7	2	6	1
1981.....	467	37	9	3	5	5	11	5	8	5	4
1980.....	537	58	8	4	3	6	11	13	7	13	11
1979.....	387	56	11	3	5	4	10	7	7	8	12
WHITE, BOTH SEXES											
1998.....	455	54	20	3	2	2	1	2	2	5	8
1997.....	365	57	22	4	5	2	4	3	3	2	8
1996.....	368	63	22	2	3	2	2	2	1	3	3
1995.....	369	58	12	2	1	1	3	3	1	8	7
1994.....	483	87	20	4	2	5	3	1	8	3	13
1993.....	450	65	19	2	-	3	1	3	9	5	7
1992.....	446	89	16	2	3	6	1	2	7	12	7
1991.....	529	82	21	3	2	1	4	3	9	12	8
1990.....	635	69	14	4	1	7	6	9	7	8	8
1989.....	598	90	18	2	1	4	11	10	9	6	13
1988.....	605	63	17	2	4	2	6	6	8	6	13
1987.....	495	65	15	3	1	3	1	9	8	11	5
1986.....	573	55	12	2	1	7	5	10	10	3	7
1985.....	617	60	14	-	5	3	7	5	7	8	15
1984.....	489	45	12	9	2	4	4	3	8	6	9
1983.....	610	78	13	4	1	6	8	11	8	5	6
1982.....	499	68	10	2	2	5	3	7	3	9	4
1981.....	720	62	19	7	5	7	11	11	15	7	6
1980.....	847	90	14	6	3	10	10	12	10	16	13
1979.....	602	95	19	4	8	5	12	9	9	10	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIRAL PNEUMONIA (480)											
WHITE MALE											
1998.....	183	24	11	2	1	-	-	1	2	5	2
1997.....	164	36	6	2	1	1	-	2	1	2	2
1996.....	175	33	9	1	1	-	-	1	-	1	2
1995.....	168	29	4	1	-	1	2	1	-	4	3
1994.....	223	54	12	3	2	4	1	-	4	-	5
1993.....	208	36	12	2	-	1	1	1	3	2	4
1992.....	193	47	9	2	-	1	-	-	4	4	3
1991.....	257	50	12	1	1	1	2	1	4	9	5
1990.....	295	42	9	2	1	4	4	5	4	4	3
1989.....	242	55	9	2	1	-	1	3	2	2	7
1988.....	268	39	9	1	3	2	2	3	4	3	4
1987.....	236	36	9	1	1	1	-	3	5	7	3
1986.....	246	31	6	2	-	4	1	7	5	3	4
1985.....	279	32	8	-	3	1	5	2	2	3	8
1984.....	216	23	7	5	-	3	3	1	1	4	3
1983.....	262	47	9	2	1	3	6	3	4	2	4
1982.....	238	34	4	2	1	2	3	2	2	3	3
1981.....	293	36	11	4	1	3	4	6	7	4	2
1980.....	364	51	7	3	-	4	3	2	4	5	6
1979.....	257	54	10	2	3	2	5	4	4	5	2
WHITE FEMALE											
1998.....	272	30	9	1	1	2	1	1	-	-	6
1997.....	201	21	16	2	4	1	4	1	2	-	6
1996.....	193	30	13	1	2	2	2	1	1	2	1
1995.....	201	29	8	1	1	-	1	2	1	4	4
1994.....	260	33	8	1	-	1	2	1	4	3	8
1993.....	242	29	7	-	-	2	-	2	6	3	3
1992.....	253	42	7	-	3	5	1	2	3	8	4
1991.....	272	32	9	2	1	-	2	2	5	3	3
1990.....	340	27	5	2	-	3	2	4	3	4	5
1989.....	356	35	9	-	-	4	10	7	7	4	6
1988.....	337	24	8	1	1	-	4	3	4	3	9
1987.....	259	29	6	2	-	2	1	6	3	4	2
1986.....	327	24	6	-	1	3	4	3	5	-	3
1985.....	338	28	6	-	2	2	2	3	5	5	7
1984.....	273	22	5	4	2	1	1	2	7	2	6
1983.....	348	31	4	2	-	3	2	8	4	3	2
1982.....	261	34	6	-	1	3	-	5	1	6	1
1981.....	427	26	8	3	4	4	7	5	8	3	4
1980.....	483	39	7	3	3	6	7	10	6	11	7
1979.....	345	41	9	2	5	3	7	5	5	5	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIRAL PNEUMONIA (480)											
ALL OTHER, BOTH SEXES											
1998.....	72	34	7	2	-	-	-	4	1	3	2
1997.....	67	29	10	-	-	-	1	1	1	2	2
1996.....	83	33	9	1	1	1	3	3	4	3	3
1995.....	68	27	9	1	1	1	3	-	1	1	1
1994.....	95	47	10	-	-	-	4	2	3	1	6
1993.....	91	53	6	-	-	1	2	1	3	1	1
1992.....	77	41	5	2	-	-	2	-	2	2	5
1991.....	108	47	8	-	-	1	2	4	1	5	6
1990.....	85	37	7	-	-	2	1	1	3	1	5
1989.....	92	34	7	-	2	1	3	1	6	4	2
1988.....	77	41	3	-	-	2	-	1	3	-	2
1987.....	85	45	6	-	-	1	2	2	1	-	2
1986.....	99	34	9	1	1	-	3	3	3	4	6
1985.....	81	23	8	1	1	1	2	2	-	2	2
1984.....	69	19	7	1	-	1	1	5	3	-	3
1983.....	71	35	4	-	-	-	2	2	2	-	4
1982.....	64	25	3	1	-	1	1	5	2	-	1
1981.....	80	24	4	1	2	2	5	-	2	5	2
1980.....	123	45	4	4	1	-	5	4	4	5	5
1979.....	87	37	12	1	-	2	3	2	2	4	1
ALL OTHER MALE											
1998.....	33	16	3	-	-	-	-	3	-	-	2
1997.....	37	19	5	-	-	-	-	-	-	2	-
1996.....	40	17	4	-	1	-	-	2	3	3	2
1995.....	36	19	3	1	-	-	1	-	1	-	-
1994.....	52	33	3	-	-	-	1	1	1	1	3
1993.....	48	35	-	-	-	-	1	1	1	-	1
1992.....	42	24	4	2	-	-	-	-	1	1	3
1991.....	49	23	5	-	-	-	-	2	-	4	4
1990.....	47	25	4	-	-	-	-	-	-	-	3
1989.....	49	21	4	-	1	1	1	-	2	3	1
1988.....	40	29	1	-	-	1	-	1	1	-	-
1987.....	45	28	3	-	-	-	1	-	1	-	1
1986.....	46	19	2	-	-	-	2	1	1	3	4
1985.....	42	16	5	-	1	-	-	-	-	1	1
1984.....	36	13	2	-	-	-	-	3	3	-	1
1983.....	34	19	1	-	-	-	-	1	1	-	2
1982.....	36	18	-	1	-	1	1	3	1	-	1
1981.....	40	13	3	1	1	1	1	-	2	3	2
1980.....	69	26	3	3	1	-	1	1	3	3	1
1979.....	45	22	10	-	-	1	-	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIRAL PNEUMONIA (480)											
ALL OTHER FEMALE											
1998.....	39	18	4	2	-	-	-	1	1	3	-
1997.....	30	10	5	-	-	-	1	1	1	-	2
1996.....	43	16	5	1	-	-	3	1	1	-	1
1995.....	32	8	6	-	1	1	2	-	-	1	1
1994.....	43	14	7	-	-	-	3	1	2	-	3
1993.....	43	18	6	-	-	1	1	-	2	1	-
1992.....	35	17	1	-	-	-	2	-	1	1	2
1991.....	59	24	3	-	-	1	2	2	1	1	2
1990.....	38	12	3	-	-	2	1	1	3	1	2
1989.....	43	13	3	-	1	-	2	1	4	1	1
1988.....	37	12	2	-	-	1	-	-	2	-	2
1987.....	40	17	3	-	-	1	1	2	-	-	1
1986.....	53	15	7	1	1	-	1	2	2	1	2
1985.....	39	7	3	1	-	1	2	2	-	1	1
1984.....	33	6	5	1	-	1	1	2	-	-	2
1983.....	37	16	3	-	-	-	2	1	1	-	2
1982.....	28	7	3	-	-	-	-	2	1	-	-
1981.....	40	11	1	-	1	1	4	-	-	2	-
1980.....	54	19	1	1	-	-	4	3	1	2	4
1979.....	42	15	2	1	-	1	3	2	2	3	1
BLACK, BOTH SEXES											
1998.....	48	24	7	1	-	-	-	2	1	3	1
1997.....	56	28	8	-	-	-	1	1	1	2	1
1996.....	68	29	9	1	1	1	3	2	4	3	2
1995.....	52	22	7	1	1	1	3	-	1	1	1
1994.....	75	38	9	-	-	-	1	2	3	-	5
1993.....	72	45	6	-	-	-	1	1	2	1	1
1992.....	63	35	4	2	-	-	2	-	2	2	4
1991.....	87	40	8	-	-	-	2	4	1	2	6
1990.....	69	34	4	-	-	1	1	1	1	1	4
1989.....	67	25	4	-	2	1	2	-	6	4	1
1988.....	59	34	2	-	-	2	-	1	2	-	1
1987.....	69	35	6	-	-	1	2	2	1	-	2
1986.....	85	29	8	1	1	-	3	3	2	3	6
1985.....	71	23	7	1	1	1	2	2	-	1	1
1984.....	65	19	7	1	-	1	1	5	3	-	3
1983.....	59	30	3	-	-	-	2	2	2	-	4
1982.....	54	23	3	1	-	-	1	5	1	-	1
1981.....	70	20	4	-	1	2	5	-	2	4	2
1980.....	111	39	4	4	1	-	5	4	3	4	5
1979.....	76	33	11	1	-	2	3	1	2	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 VIRAL PNEUMONIA (480)											
BLACK MALE											
1998.....	22	12	3	-	-	-	-	1	-	-	1
1997.....	31	18	4	-	-	-	-	-	-	2	-
1996.....	32	14	4	-	1	-	-	1	3	3	1
1995.....	27	15	2	1	-	-	1	-	1	-	-
1994.....	41	26	3	-	-	-	1	1	1	-	2
1993.....	40	31	-	-	-	-	-	1	1	-	1
1992.....	33	20	3	2	-	-	-	-	1	1	2
1991.....	40	20	5	-	-	-	-	2	-	2	4
1990.....	39	22	2	-	-	-	-	-	-	-	3
1989.....	32	14	1	-	1	1	1	-	2	3	-
1988.....	30	23	-	-	-	1	-	1	-	-	-
1987.....	39	23	3	-	-	-	1	-	1	-	1
1986.....	37	15	2	-	-	-	2	1	-	2	4
1985.....	36	16	5	-	1	-	-	-	-	-	-
1984.....	34	13	2	-	-	-	-	3	3	-	1
1983.....	30	19	1	-	-	-	-	1	1	-	2
1982.....	32	17	-	1	-	-	1	3	-	-	1
1981.....	34	10	3	-	-	1	1	-	2	3	2
1980.....	61	23	3	3	1	-	1	1	2	2	1
1979.....	41	19	10	-	-	1	-	-	-	1	-
BLACK FEMALE											
1998.....	26	12	4	1	-	-	-	1	1	3	-
1997.....	25	10	4	-	-	-	1	1	1	-	1
1996.....	36	15	5	1	-	1	3	1	1	-	1
1995.....	25	7	5	-	1	1	2	-	-	1	1
1994.....	34	12	6	-	-	-	-	1	2	-	3
1993.....	32	14	6	-	-	-	1	-	1	1	-
1992.....	30	15	1	-	-	-	2	-	1	1	2
1991.....	47	20	3	-	-	-	2	2	1	-	2
1990.....	30	12	2	-	-	1	1	1	1	1	1
1989.....	35	11	3	-	1	-	1	-	4	1	1
1988.....	29	11	2	-	-	1	-	-	2	-	1
1987.....	30	12	3	-	-	1	1	2	-	-	1
1986.....	48	14	6	1	1	-	1	2	2	1	2
1985.....	35	7	2	1	-	1	2	2	-	1	1
1984.....	31	6	5	1	-	1	1	2	-	-	2
1983.....	29	11	2	-	-	-	2	1	1	-	2
1982.....	22	6	3	-	-	-	-	2	1	-	-
1981.....	36	10	1	-	1	1	4	-	-	1	-
1980.....	50	16	1	1	-	-	4	3	1	2	4
1979.....	35	14	1	1	-	1	3	1	2	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)											
TOTAL, BOTH SEXES											
1998.....	5,933	55	22	9	3	5	12	32	65	126	183
1997.....	5,724	51	30	6	9	15	14	39	61	115	172
1996.....	5,703	53	22	6	7	13	21	31	69	109	166
1995.....	5,737	64	23	7	5	12	22	32	82	147	145
1994.....	5,752	69	21	9	5	9	19	33	61	118	159
1993.....	6,107	57	20	11	6	11	19	48	80	138	192
1992.....	5,645	54	27	6	5	14	21	32	86	121	159
1991.....	5,987	54	31	6	7	13	26	44	83	143	146
1990.....	6,227	73	17	4	4	7	15	43	93	143	142
1989.....	6,074	58	25	5	7	10	11	58	97	144	148
1988.....	6,099	66	17	6	4	9	28	43	85	123	130
1987.....	5,818	73	13	4	4	14	28	38	76	90	113
1986.....	6,112	75	19	6	11	14	20	40	76	106	119
1985.....	5,878	91	26	7	5	12	18	30	65	90	85
1984.....	5,489	74	17	8	6	11	19	44	62	86	92
1983.....	5,026	72	17	8	4	15	18	46	43	63	80
1982.....	4,655	60	22	7	4	10	22	38	51	63	72
1981.....	5,192	75	20	5	6	15	30	38	52	73	108
1980.....	5,622	115	25	15	6	21	31	44	48	73	103
1979.....	4,765	118	33	16	15	15	29	37	47	70	94
TOTAL, MALE											
1998.....	3,108	33	12	3	2	-	5	18	32	75	115
1997.....	2,944	34	15	4	7	11	8	15	36	65	101
1996.....	2,840	35	17	4	4	6	11	21	38	63	101
1995.....	2,946	40	13	3	1	7	13	19	44	95	82
1994.....	2,902	40	13	5	1	4	8	21	37	61	100
1993.....	3,135	31	13	8	4	6	7	19	53	89	120
1992.....	2,890	22	16	4	1	9	7	19	51	81	108
1991.....	3,088	35	15	4	2	11	7	24	46	105	93
1990.....	3,226	47	10	3	2	3	10	21	64	99	95
1989.....	3,179	36	13	3	4	6	6	32	52	87	100
1988.....	3,225	39	10	3	3	5	16	25	46	72	94
1987.....	3,086	37	7	3	2	6	14	25	48	56	70
1986.....	3,366	46	12	3	7	10	11	18	48	73	81
1985.....	3,206	57	15	4	2	8	10	21	43	56	51
1984.....	3,020	45	10	6	2	7	8	20	40	53	54
1983.....	2,765	36	10	2	1	8	12	24	27	41	62
1982.....	2,634	35	14	4	2	5	13	24	38	44	39
1981.....	2,990	43	11	3	4	11	20	21	36	46	73
1980.....	3,167	76	15	6	4	9	18	30	27	49	71
1979.....	2,748	59	17	6	6	6	18	21	31	47	68

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)											
TOTAL, FEMALE											
1998.....	2,825	22	10	6	1	5	7	14	33	51	68
1997.....	2,780	17	15	2	2	4	6	24	25	50	71
1996.....	2,863	18	5	2	3	7	10	10	31	46	65
1995.....	2,791	24	10	4	4	5	9	13	38	52	63
1994.....	2,850	29	8	4	4	5	11	12	24	57	59
1993.....	2,972	26	7	3	2	5	12	29	27	49	72
1992.....	2,755	32	11	2	4	5	14	13	35	40	51
1991.....	2,899	19	16	2	5	2	19	20	37	38	53
1990.....	3,001	26	7	1	2	4	5	22	29	44	47
1989.....	2,895	22	12	2	3	4	5	26	45	57	48
1988.....	2,874	27	7	3	1	4	12	18	39	51	36
1987.....	2,732	36	6	1	2	8	14	13	28	34	43
1986.....	2,746	29	7	3	4	4	9	22	28	33	38
1985.....	2,672	34	11	3	3	4	8	9	22	34	34
1984.....	2,469	29	7	2	4	4	11	24	22	33	38
1983.....	2,261	36	7	6	3	7	6	22	16	22	18
1982.....	2,021	25	8	3	2	5	9	14	13	19	33
1981.....	2,202	32	9	2	2	4	10	17	16	27	35
1980.....	2,455	39	10	9	2	12	13	14	21	24	32
1979.....	2,017	59	16	10	9	9	11	16	16	23	26
WHITE, BOTH SEXES											
1998.....	5,000	38	15	5	1	4	9	21	49	89	115
1997.....	4,795	35	20	4	7	12	9	22	39	83	116
1996.....	4,747	30	12	4	5	9	14	16	42	69	105
1995.....	4,815	40	14	4	2	10	15	22	57	98	98
1994.....	4,842	48	10	6	2	6	16	20	36	73	99
1993.....	5,052	35	11	7	4	5	14	35	54	84	122
1992.....	4,736	25	13	3	4	9	20	16	53	73	96
1991.....	5,000	35	21	5	6	9	19	28	51	79	90
1990.....	5,219	38	12	3	3	6	9	27	48	76	84
1989.....	5,083	36	12	2	3	6	6	36	63	75	81
1988.....	5,135	39	11	4	3	4	21	19	45	72	77
1987.....	4,922	47	9	3	2	8	17	24	44	42	63
1986.....	5,195	53	12	5	10	14	14	22	49	64	78
1985.....	5,015	62	15	7	3	8	17	20	31	49	42
1984.....	4,677	50	9	6	6	8	11	29	38	48	58
1983.....	4,278	47	10	5	2	9	12	30	21	34	45
1982.....	3,967	36	12	5	3	8	10	20	28	37	35
1981.....	4,414	50	15	5	6	13	24	25	30	31	65
1980.....	4,665	69	19	11	6	14	21	18	26	39	49
1979.....	3,992	76	22	13	13	10	16	19	23	35	44

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)											
WHITE MALE											
1998.....	2,591	23	9	2	-	-	5	11	24	51	68
1997.....	2,450	25	9	4	6	10	6	10	23	47	67
1996.....	2,299	20	9	2	3	4	7	10	22	37	65
1995.....	2,430	22	9	1	-	6	11	14	31	67	60
1994.....	2,369	27	7	2	-	4	7	12	22	36	65
1993.....	2,532	20	7	5	2	3	7	14	40	53	78
1992.....	2,394	11	6	2	1	6	7	9	29	46	66
1991.....	2,529	24	11	4	2	7	5	16	29	58	59
1990.....	2,649	25	9	2	2	3	8	13	30	53	56
1989.....	2,577	23	4	1	1	3	3	16	38	43	53
1988.....	2,641	24	6	1	2	1	10	11	25	43	58
1987.....	2,552	25	4	2	-	2	10	16	27	26	42
1986.....	2,794	31	6	3	6	10	9	9	27	45	53
1985.....	2,698	40	9	4	1	6	9	15	21	28	26
1984.....	2,518	29	6	4	2	5	4	12	26	27	33
1983.....	2,287	18	7	1	-	5	9	17	10	18	34
1982.....	2,186	20	7	3	2	5	5	11	21	21	20
1981.....	2,489	30	10	3	4	9	15	14	21	17	48
1980.....	2,555	44	12	4	4	7	11	11	14	24	32
1979.....	2,259	39	13	5	5	4	11	12	13	22	30
WHITE FEMALE											
1998.....	2,409	15	6	3	1	4	4	10	25	38	47
1997.....	2,345	10	11	-	1	2	3	12	16	36	49
1996.....	2,448	10	3	2	2	5	7	6	20	32	40
1995.....	2,385	18	5	3	2	4	4	8	26	31	38
1994.....	2,473	21	3	4	2	2	9	8	14	37	34
1993.....	2,520	15	4	2	2	2	7	21	14	31	44
1992.....	2,342	14	7	1	3	3	13	7	24	27	30
1991.....	2,471	11	10	1	4	2	14	12	22	21	31
1990.....	2,570	13	3	1	1	3	1	14	18	23	28
1989.....	2,506	13	8	1	2	3	3	20	25	32	28
1988.....	2,494	15	5	3	1	3	11	8	20	29	19
1987.....	2,370	22	5	1	2	6	7	8	17	16	21
1986.....	2,401	22	6	2	4	4	5	13	22	19	25
1985.....	2,317	22	6	3	2	2	8	5	10	21	16
1984.....	2,159	21	3	2	4	3	7	17	12	21	25
1983.....	1,991	29	3	4	2	4	3	13	11	16	11
1982.....	1,781	16	5	2	1	3	5	9	7	16	15
1981.....	1,925	20	5	2	2	4	9	11	9	14	17
1980.....	2,110	25	7	7	2	7	10	7	12	15	17
1979.....	1,733	37	9	8	8	6	5	7	10	13	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)											
ALL OTHER, BOTH SEXES											
1998.....	933	17	7	4	2	1	3	11	16	37	68
1997.....	929	16	10	2	2	3	5	17	22	32	56
1996.....	956	23	10	2	2	4	7	15	27	40	61
1995.....	922	24	9	3	3	2	7	10	25	49	47
1994.....	910	21	11	3	3	3	3	13	25	45	60
1993.....	1,055	22	9	4	2	6	5	13	26	54	70
1992.....	909	29	14	3	1	5	1	16	33	48	63
1991.....	987	19	10	1	1	4	7	16	32	64	56
1990.....	1,008	35	5	1	1	1	6	16	45	67	58
1989.....	991	22	13	3	4	4	5	22	34	69	67
1988.....	964	27	6	2	1	5	7	24	40	51	53
1987.....	896	26	4	1	2	6	11	14	32	48	50
1986.....	917	22	7	1	1	-	6	18	27	42	41
1985.....	863	29	11	-	2	4	1	10	34	41	43
1984.....	812	24	8	2	-	3	8	15	24	38	34
1983.....	748	25	7	3	2	6	6	16	22	29	35
1982.....	688	24	10	2	1	2	12	18	23	26	37
1981.....	778	25	5	-	-	2	6	13	22	42	43
1980.....	957	46	6	4	-	7	10	26	22	34	54
1979.....	773	42	11	3	2	5	13	18	24	35	50
ALL OTHER MALE											
1998.....	517	10	3	1	2	-	-	7	8	24	47
1997.....	494	9	6	-	1	1	2	5	13	18	34
1996.....	541	15	8	2	1	2	4	11	16	26	36
1995.....	516	18	4	2	1	1	2	5	13	28	22
1994.....	533	13	6	3	1	-	1	9	15	25	35
1993.....	603	11	6	3	2	3	-	5	13	36	42
1992.....	496	11	10	2	-	3	-	10	22	35	42
1991.....	559	11	4	-	-	4	2	8	17	47	34
1990.....	577	22	1	1	-	-	2	8	34	46	39
1989.....	602	13	9	2	3	3	3	16	14	44	47
1988.....	584	15	4	2	1	4	6	14	21	29	36
1987.....	534	12	3	1	2	4	4	9	21	30	28
1986.....	572	15	6	-	1	-	2	9	21	28	28
1985.....	508	17	6	-	1	2	1	6	22	28	25
1984.....	502	16	4	2	-	2	4	8	14	26	21
1983.....	478	18	3	1	1	3	3	7	17	23	28
1982.....	448	15	7	1	-	-	8	13	17	23	19
1981.....	501	13	1	-	-	2	5	7	15	29	25
1980.....	612	32	3	2	-	2	7	19	13	25	39
1979.....	489	20	4	1	1	2	7	9	18	25	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)											
ALL OTHER FEMALE											
1998.....	416	7	4	3	-	1	3	4	8	13	21
1997.....	435	7	4	2	1	2	3	12	9	14	22
1996.....	415	8	2	-	1	2	3	4	11	14	25
1995.....	406	6	5	1	2	1	5	5	12	21	25
1994.....	377	8	5	-	2	3	2	4	10	20	25
1993.....	452	11	3	1	-	3	5	8	13	18	28
1992.....	413	18	4	1	1	2	1	6	11	13	21
1991.....	428	8	6	1	1	-	5	8	15	17	22
1990.....	431	13	4	-	1	1	4	8	11	21	19
1989.....	389	9	4	1	1	1	2	6	20	25	20
1988.....	380	12	2	-	-	1	1	10	19	22	17
1987.....	362	14	1	-	-	2	7	5	11	18	22
1986.....	345	7	1	1	-	-	4	9	6	14	13
1985.....	355	12	5	-	1	2	-	4	12	13	18
1984.....	310	8	4	-	-	1	4	7	10	12	13
1983.....	270	7	4	2	1	3	3	9	5	6	7
1982.....	240	9	3	1	1	2	4	5	6	3	18
1981.....	277	12	4	-	-	-	1	6	7	13	18
1980.....	345	14	3	2	-	5	3	7	9	9	15
1979.....	284	22	7	2	1	3	6	9	6	10	12
BLACK, BOTH SEXES											
1998.....	787	13	6	4	2	1	3	8	11	31	63
1997.....	789	14	8	2	2	2	4	14	20	28	48
1996.....	816	22	7	-	2	4	7	11	24	36	56
1995.....	764	19	7	2	3	1	6	10	21	43	41
1994.....	793	20	8	2	3	3	2	11	25	41	56
1993.....	939	18	8	3	1	6	4	12	26	51	67
1992.....	798	24	10	2	1	5	1	15	32	45	58
1991.....	854	14	10	1	1	4	7	15	27	62	50
1990.....	903	32	4	-	1	1	5	14	41	66	56
1989.....	885	19	12	3	4	4	4	22	33	65	61
1988.....	850	23	4	1	1	5	7	24	38	46	51
1987.....	797	24	3	1	2	4	11	13	31	44	44
1986.....	812	17	7	1	1	-	5	17	25	38	37
1985.....	790	26	11	-	2	3	1	10	32	39	42
1984.....	706	18	7	2	-	3	7	14	23	38	33
1983.....	666	23	7	2	1	4	4	14	20	26	27
1982.....	611	22	9	1	-	2	10	16	20	25	36
1981.....	719	24	4	-	-	2	5	12	21	41	40
1980.....	871	44	6	3	-	7	8	21	19	32	50
1979.....	709	41	11	3	2	5	10	17	22	33	48

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)											
BLACK MALE											
1998.....	415	8	2	1	2	-	-	6	4	19	42
1997.....	424	9	5	-	1	1	2	4	11	15	27
1996.....	449	14	6	-	1	2	4	7	14	24	34
1995.....	419	15	2	1	1	-	2	5	12	23	20
1994.....	455	13	6	2	1	-	1	7	15	22	31
1993.....	538	8	6	2	1	3	-	5	13	35	40
1992.....	436	10	8	1	-	3	-	10	21	33	37
1991.....	480	9	4	-	-	4	2	8	14	45	32
1990.....	512	20	-	-	-	-	1	7	30	46	38
1989.....	529	10	8	2	3	3	2	16	14	41	43
1988.....	520	12	4	1	1	4	6	14	21	28	35
1987.....	471	11	2	1	2	2	4	9	21	28	23
1986.....	500	12	6	-	1	-	1	8	19	24	27
1985.....	466	16	6	-	1	1	1	6	20	27	25
1984.....	437	12	4	2	-	2	4	8	14	26	20
1983.....	426	17	3	1	-	2	2	7	16	20	22
1982.....	393	15	6	-	-	-	6	11	15	22	18
1981.....	465	12	1	-	-	2	4	6	14	28	23
1980.....	554	30	3	1	-	2	6	15	11	23	37
1979.....	446	20	4	1	1	2	5	9	17	24	36
BLACK FEMALE											
1998.....	372	5	4	3	-	1	3	2	7	12	21
1997.....	365	5	3	2	1	1	2	10	9	13	21
1996.....	367	8	1	-	1	2	3	4	10	12	22
1995.....	345	4	5	1	2	1	4	5	9	20	21
1994.....	338	7	2	-	2	3	1	4	10	19	25
1993.....	401	10	2	1	-	3	4	7	13	16	27
1992.....	362	14	2	1	1	2	1	5	11	12	21
1991.....	374	5	6	1	1	-	5	7	13	17	18
1990.....	391	12	4	-	1	1	4	7	11	20	18
1989.....	356	9	4	1	1	1	2	6	19	24	18
1988.....	330	11	-	-	-	1	1	10	17	18	16
1987.....	326	13	1	-	-	2	7	4	10	16	21
1986.....	312	5	1	1	-	-	4	9	6	14	10
1985.....	324	10	5	-	1	2	-	4	12	12	17
1984.....	269	6	3	-	-	1	3	6	9	12	13
1983.....	240	6	4	1	1	2	2	7	4	6	5
1982.....	218	7	3	1	-	2	4	5	5	3	18
1981.....	254	12	3	-	-	-	1	6	7	13	17
1980.....	317	14	3	2	-	5	2	6	8	9	13
1979.....	263	21	7	2	1	3	5	8	5	9	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)											
TOTAL, BOTH SEXES											
1998.....	3,500	122	31	11	8	11	15	22	46	68	106
1997.....	3,649	103	23	14	13	9	12	25	45	79	97
1996.....	3,913	153	37	9	8	16	13	29	58	81	117
1995.....	4,256	139	40	8	2	10	14	26	45	73	123
1994.....	4,502	163	38	6	4	7	15	24	67	83	89
1993.....	5,061	137	43	10	7	12	13	36	62	102	120
1992.....	5,146	194	50	7	12	9	22	26	61	84	108
1991.....	5,682	187	53	15	7	12	22	39	65	107	109
1990.....	6,376	193	43	12	9	6	31	43	74	118	109
1989.....	6,902	188	62	10	10	12	25	65	98	96	107
1988.....	7,728	202	50	17	11	16	32	44	141	153	134
1987.....	7,779	193	50	11	10	17	29	64	127	125	118
1986.....	8,828	205	61	18	15	22	32	70	128	138	140
1985.....	9,853	214	57	17	16	22	36	79	123	143	123
1984.....	9,592	222	62	23	16	33	48	74	121	129	141
1983.....	9,914	240	76	11	12	28	48	82	117	121	104
1982.....	9,728	247	77	21	21	30	46	89	122	105	124
1981.....	11,129	261	59	19	11	29	59	74	88	126	123
1980.....	12,791	285	94	27	29	44	61	86	103	121	138
1979.....	12,116	347	82	31	24	47	61	72	106	117	140
TOTAL, MALE											
1998.....	1,618	68	19	5	5	8	9	13	25	41	71
1997.....	1,716	64	15	7	6	4	5	17	32	49	57
1996.....	1,794	97	22	6	2	6	8	13	35	50	76
1995.....	1,973	74	18	5	-	6	7	18	28	44	86
1994.....	2,050	99	23	3	1	4	10	18	45	49	61
1993.....	2,424	88	19	5	4	6	6	23	35	63	76
1992.....	2,500	119	25	6	7	4	13	18	38	50	71
1991.....	2,711	107	39	10	1	8	15	29	47	66	78
1990.....	3,037	109	26	9	4	3	21	31	59	78	75
1989.....	3,312	115	41	4	2	6	14	35	56	64	76
1988.....	3,755	135	24	11	4	6	19	19	82	107	92
1987.....	3,879	124	33	3	6	9	17	39	92	90	79
1986.....	4,313	120	32	4	9	12	18	39	79	93	88
1985.....	4,831	119	28	9	9	14	19	52	77	96	82
1984.....	4,854	137	31	14	7	19	23	48	86	93	98
1983.....	4,991	134	41	6	4	15	32	49	85	72	69
1982.....	4,999	129	42	12	12	16	27	55	80	67	88
1981.....	5,672	155	35	9	6	16	33	49	54	90	75
1980.....	6,566	174	48	15	12	18	30	58	64	82	99
1979.....	6,407	196	40	15	16	25	36	43	73	77	87

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)											
TOTAL, FEMALE											
1998.....	1,882	54	12	6	3	3	6	9	21	27	35
1997.....	1,933	39	8	7	7	5	7	8	13	30	40
1996.....	2,119	56	15	3	6	10	5	16	23	31	41
1995.....	2,283	65	22	3	2	4	7	8	17	29	37
1994.....	2,452	64	15	3	3	3	5	6	22	34	28
1993.....	2,637	49	24	5	3	6	7	13	27	39	44
1992.....	2,646	75	25	1	5	5	9	8	23	34	37
1991.....	2,971	80	14	5	6	4	7	10	18	41	31
1990.....	3,339	84	17	3	5	3	10	12	15	40	34
1989.....	3,590	73	21	6	8	6	11	30	42	32	31
1988.....	3,973	67	26	6	7	10	13	25	59	46	42
1987.....	3,900	69	17	8	4	8	12	25	35	35	39
1986.....	4,515	85	29	14	6	10	14	31	49	45	52
1985.....	5,022	95	29	8	7	8	17	27	46	47	41
1984.....	4,738	85	31	9	9	14	25	26	35	36	43
1983.....	4,923	106	35	5	8	13	16	33	32	49	35
1982.....	4,729	118	35	9	9	14	19	34	42	38	36
1981.....	5,457	106	24	10	5	13	26	25	34	36	48
1980.....	6,225	111	46	12	17	26	31	28	39	39	39
1979.....	5,709	151	42	16	8	22	25	29	33	40	53
WHITE, BOTH SEXES											
1998.....	2,988	61	19	5	5	8	9	16	31	46	76
1997.....	3,154	54	14	8	9	6	4	14	29	53	65
1996.....	3,356	95	21	5	7	10	9	18	38	51	80
1995.....	3,614	78	19	5	2	5	9	19	28	44	85
1994.....	3,944	88	23	4	2	5	9	15	48	53	51
1993.....	4,414	83	28	8	7	7	9	26	39	66	72
1992.....	4,430	102	27	6	8	5	13	17	37	49	65
1991.....	4,952	97	22	14	5	8	16	27	43	65	67
1990.....	5,549	101	27	9	4	5	21	25	36	72	61
1989.....	5,996	102	29	10	8	5	11	39	47	51	71
1988.....	6,731	116	33	12	6	11	21	28	75	84	82
1987.....	6,776	121	28	8	7	13	17	43	58	77	59
1986.....	7,742	129	40	9	10	14	16	48	71	78	73
1985.....	8,674	128	35	10	11	15	24	48	60	75	84
1984.....	8,392	135	39	18	10	22	29	44	55	63	73
1983.....	8,773	125	46	9	10	19	38	53	55	83	66
1982.....	8,619	134	50	17	14	21	37	57	72	56	76
1981.....	9,824	153	32	19	7	25	38	43	59	67	67
1980.....	11,294	158	67	17	21	29	46	57	64	78	80
1979.....	10,702	198	58	23	19	38	43	50	54	69	82

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)											
WHITE MALE											
1998.....	1,333	33	14	1	3	7	8	8	18	28	51
1997.....	1,435	36	11	3	5	3	3	12	20	30	40
1996.....	1,464	64	11	3	1	4	5	8	20	31	52
1995.....	1,627	43	5	4	-	3	6	13	18	29	56
1994.....	1,704	49	15	3	-	3	6	10	34	27	31
1993.....	2,041	51	9	4	4	3	4	18	23	42	48
1992.....	2,077	69	12	5	4	3	9	11	23	31	39
1991.....	2,266	59	15	9	1	5	10	20	29	41	51
1990.....	2,535	58	16	6	3	3	14	17	29	47	42
1989.....	2,780	62	20	4	2	3	7	21	29	37	54
1988.....	3,148	82	17	10	2	6	12	11	46	54	50
1987.....	3,245	77	21	1	5	7	12	28	44	55	34
1986.....	3,696	83	22	2	7	10	11	30	45	51	48
1985.....	4,119	72	17	3	7	12	13	32	38	57	50
1984.....	4,099	81	22	12	4	14	16	26	45	41	52
1983.....	4,272	67	22	4	4	11	26	32	38	47	40
1982.....	4,337	78	26	10	7	11	25	37	47	32	51
1981.....	4,856	97	17	9	4	14	23	30	38	45	38
1980.....	5,637	100	36	11	10	12	23	36	38	53	57
1979.....	5,537	108	29	12	13	20	26	34	38	43	48
WHITE FEMALE											
1998.....	1,655	28	5	4	2	1	1	8	13	18	25
1997.....	1,719	18	3	5	4	3	1	2	9	23	25
1996.....	1,892	31	10	2	6	6	4	10	18	20	28
1995.....	1,987	35	14	1	2	2	3	6	10	15	29
1994.....	2,240	39	8	1	2	2	3	5	14	26	20
1993.....	2,373	32	19	4	3	4	5	8	16	24	24
1992.....	2,353	33	15	1	4	2	4	6	14	18	26
1991.....	2,686	38	7	5	4	3	6	7	14	24	16
1990.....	3,014	43	11	3	1	2	7	8	7	25	19
1989.....	3,216	40	9	6	6	2	4	18	18	14	17
1988.....	3,583	34	16	2	4	5	9	17	29	30	32
1987.....	3,531	44	7	7	2	6	5	15	14	22	25
1986.....	4,046	46	18	7	3	4	5	18	26	27	25
1985.....	4,555	56	18	7	4	3	11	16	22	18	34
1984.....	4,293	54	17	6	6	8	13	18	10	22	21
1983.....	4,501	58	24	5	6	8	12	21	17	36	26
1982.....	4,282	56	24	7	7	10	12	20	25	24	25
1981.....	4,968	56	15	10	3	11	15	13	21	22	29
1980.....	5,657	58	31	6	11	17	23	21	26	25	23
1979.....	5,165	90	29	11	6	18	17	16	16	26	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)											
ALL OTHER, BOTH SEXES											
1998.....	512	61	12	6	3	3	6	6	15	22	30
1997.....	495	49	9	6	4	3	8	11	16	26	32
1996.....	557	58	16	4	1	6	4	11	20	30	37
1995.....	642	61	21	3	-	5	5	7	17	29	38
1994.....	558	75	15	2	2	2	6	9	19	30	38
1993.....	647	54	15	2	-	5	4	10	23	36	48
1992.....	716	92	23	1	4	4	9	9	24	35	43
1991.....	730	90	31	1	2	4	6	12	22	42	42
1990.....	827	92	16	3	5	1	10	18	38	46	48
1989.....	906	86	33	-	2	7	14	26	51	45	36
1988.....	997	86	17	5	5	5	11	16	66	69	52
1987.....	1,003	72	22	3	3	4	12	21	69	48	59
1986.....	1,086	76	21	9	5	8	16	22	57	60	67
1985.....	1,179	86	22	7	5	7	12	31	63	68	39
1984.....	1,200	87	23	5	6	11	19	30	66	66	68
1983.....	1,141	115	30	2	2	9	10	29	62	38	38
1982.....	1,109	113	27	4	7	9	9	32	50	49	48
1981.....	1,305	108	27	-	4	4	21	31	29	59	56
1980.....	1,497	127	27	10	8	15	15	29	39	43	58
1979.....	1,414	149	24	8	5	9	18	22	52	48	58
ALL OTHER MALE											
1998.....	285	35	5	4	2	1	1	5	7	13	20
1997.....	281	28	4	4	1	1	2	5	12	19	17
1996.....	330	33	11	3	1	2	3	5	15	19	24
1995.....	346	31	13	1	-	3	1	5	10	15	30
1994.....	346	50	8	-	1	1	4	8	11	22	30
1993.....	383	37	10	1	-	3	2	5	12	21	28
1992.....	423	50	13	1	3	1	4	7	15	19	32
1991.....	445	48	24	1	-	3	5	9	18	25	27
1990.....	502	51	10	3	1	-	7	14	30	31	33
1989.....	532	53	21	-	-	3	7	14	27	27	22
1988.....	607	53	7	1	2	-	7	8	36	53	42
1987.....	634	47	12	2	1	2	5	11	48	35	45
1986.....	617	37	10	2	2	2	7	9	34	42	40
1985.....	712	47	11	6	2	2	6	20	39	39	32
1984.....	755	56	9	2	3	5	7	22	41	52	46
1983.....	719	67	19	2	-	4	6	17	47	25	29
1982.....	662	51	16	2	5	5	2	18	33	35	37
1981.....	816	58	18	-	2	2	10	19	16	45	37
1980.....	929	74	12	4	2	6	7	22	26	29	42
1979.....	870	88	11	3	3	5	10	9	35	34	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)											
ALL OTHER FEMALE											
1998.....	227	26	7	2	1	2	5	1	8	9	10
1997.....	214	21	5	2	3	2	6	6	4	7	15
1996.....	227	25	5	1	-	4	1	6	5	11	13
1995.....	296	30	8	2	-	2	4	2	7	14	8
1994.....	212	25	7	2	1	1	2	1	8	8	8
1993.....	264	17	5	1	-	2	2	5	11	15	20
1992.....	293	42	10	-	1	3	5	2	9	16	11
1991.....	285	42	7	-	2	1	1	3	4	17	15
1990.....	325	41	6	-	4	1	3	4	8	15	15
1989.....	374	33	12	-	2	4	7	12	24	18	14
1988.....	390	33	10	4	3	5	4	8	30	16	10
1987.....	369	25	10	1	2	2	7	10	21	13	14
1986.....	469	39	11	7	3	6	9	13	23	18	27
1985.....	467	39	11	1	3	5	6	11	24	29	7
1984.....	445	31	14	3	3	6	12	8	25	14	22
1983.....	422	48	11	-	2	5	4	12	15	13	9
1982.....	447	62	11	2	2	4	7	14	17	14	11
1981.....	489	50	9	-	2	2	11	12	13	14	19
1980.....	568	53	15	6	6	9	8	7	13	14	16
1979.....	544	61	13	5	2	4	8	13	17	14	19
BLACK, BOTH SEXES											
1998.....	448	56	11	6	3	2	6	5	14	20	26
1997.....	433	44	8	6	4	3	8	11	15	25	30
1996.....	487	49	15	4	1	6	3	11	17	26	34
1995.....	555	57	21	3	-	1	5	7	15	27	34
1994.....	486	67	12	2	1	2	4	9	17	29	35
1993.....	567	47	12	1	-	5	4	8	23	34	44
1992.....	635	83	22	1	3	4	7	8	23	31	41
1991.....	654	83	31	1	2	4	5	12	21	41	39
1990.....	725	82	15	2	4	-	10	16	35	42	46
1989.....	807	80	27	-	2	6	14	25	49	42	35
1988.....	914	82	15	3	4	5	11	15	66	69	51
1987.....	897	64	18	3	2	4	11	19	68	48	58
1986.....	997	71	19	8	4	7	14	21	56	58	63
1985.....	1,071	78	18	6	5	7	11	29	58	62	38
1984.....	1,101	80	22	5	4	10	18	30	63	63	61
1983.....	1,041	106	26	2	1	9	10	29	60	37	37
1982.....	1,019	102	26	3	6	9	9	32	49	48	44
1981.....	1,188	102	23	-	3	4	18	31	27	56	54
1980.....	1,379	121	23	10	8	15	14	29	37	42	53
1979.....	1,316	140	23	7	4	9	15	21	50	44	56

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)											
BLACK MALE											
1998.....	255	31	5	4	2	-	1	4	7	12	18
1997.....	246	23	4	4	1	1	2	5	11	18	15
1996.....	282	26	10	3	1	2	2	5	12	17	23
1995.....	300	28	13	1	-	-	1	5	9	14	28
1994.....	303	44	7	-	1	1	3	8	9	21	28
1993.....	335	32	8	-	-	3	2	4	12	19	26
1992.....	375	47	12	1	2	1	4	6	14	18	30
1991.....	397	43	24	1	-	3	4	9	17	25	25
1990.....	450	46	9	2	-	-	7	12	28	30	33
1989.....	471	51	18	-	-	3	7	13	26	25	21
1988.....	562	50	6	1	2	-	7	8	36	53	42
1987.....	576	42	11	2	-	2	5	10	47	35	45
1986.....	557	34	10	1	2	1	6	8	33	40	37
1985.....	647	42	9	5	2	2	5	19	35	36	32
1984.....	696	50	8	2	2	5	7	22	39	50	39
1983.....	665	62	16	2	-	4	6	17	46	25	28
1982.....	608	47	15	2	4	5	2	18	33	35	36
1981.....	744	57	15	-	1	2	8	19	16	43	37
1980.....	844	70	10	4	2	6	6	22	25	28	38
1979.....	811	83	11	3	2	5	9	8	33	33	39
BLACK FEMALE											
1998.....	193	25	6	2	1	2	5	1	7	8	8
1997.....	187	21	4	2	3	2	6	6	4	7	15
1996.....	205	23	5	1	-	4	1	6	5	9	11
1995.....	255	29	8	2	-	1	4	2	6	13	6
1994.....	183	23	5	2	-	1	1	1	8	8	7
1993.....	232	15	4	1	-	2	2	4	11	15	18
1992.....	260	36	10	-	1	3	3	2	9	13	11
1991.....	257	40	7	-	2	1	1	3	4	16	14
1990.....	275	36	6	-	4	-	3	4	7	12	13
1989.....	336	29	9	-	2	3	7	12	23	17	14
1988.....	352	32	9	2	2	5	4	7	30	16	9
1987.....	321	22	7	1	2	2	6	9	21	13	13
1986.....	440	37	9	7	2	6	8	13	23	18	26
1985.....	424	36	9	1	3	5	6	10	23	26	6
1984.....	405	30	14	3	2	5	11	8	24	13	22
1983.....	376	44	10	-	1	5	4	12	14	12	9
1982.....	411	55	11	1	2	4	7	14	16	13	8
1981.....	444	45	8	-	2	2	10	12	11	13	17
1980.....	535	51	13	6	6	9	8	7	12	14	15
1979.....	505	57	12	4	2	4	6	13	17	11	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
TOTAL, BOTH SEXES											
1998.....	80,187	170	63	41	28	51	108	122	234	328	554
1997.....	75,924	169	85	46	31	65	94	132	217	366	533
1996.....	72,915	179	75	49	42	51	73	137	226	388	574
1995.....	71,887	197	65	49	45	55	80	142	289	427	534
1994.....	69,412	187	82	37	33	65	89	136	304	467	549
1993.....	70,067	208	80	43	43	65	116	158	316	421	545
1992.....	63,399	214	84	34	28	53	93	162	269	377	456
1991.....	64,417	221	79	40	44	57	108	183	313	430	457
1990.....	64,092	255	80	49	39	60	91	183	300	407	461
1989.....	61,291	254	108	39	32	72	106	183	339	404	460
1988.....	61,210	263	90	38	40	60	103	195	308	364	407
1987.....	54,416	290	109	34	26	66	101	173	253	347	350
1986.....	52,362	287	90	44	34	66	98	142	242	313	341
1985.....	49,132	310	108	46	25	48	95	105	206	248	316
1984.....	42,159	320	108	49	46	50	69	125	191	198	247
1983.....	38,802	338	114	45	42	63	75	102	155	178	241
1982.....	33,213	348	114	33	46	79	109	92	135	162	222
1981.....	33,604	374	130	48	45	71	80	123	137	184	211
1980.....	32,534	465	118	46	47	57	97	108	131	172	229
1979.....	26,856	523	104	60	45	80	78	110	122	160	198
TOTAL, MALE											
1998.....	35,453	96	26	16	17	28	55	69	145	183	311
1997.....	34,152	97	43	21	17	38	50	80	126	227	334
1996.....	32,873	108	38	21	25	32	38	74	128	255	360
1995.....	32,442	113	27	20	22	38	42	77	188	271	337
1994.....	31,686	109	45	25	17	30	50	83	202	292	344
1993.....	31,792	114	42	21	20	34	60	96	187	278	367
1992.....	29,502	138	39	17	14	28	60	101	175	242	304
1991.....	29,676	101	45	23	23	34	68	117	208	276	294
1990.....	29,494	137	37	20	22	29	42	105	194	274	315
1989.....	28,369	150	50	22	18	40	65	113	224	277	300
1988.....	28,873	136	40	23	25	35	53	126	208	249	267
1987.....	26,064	149	55	16	13	38	60	112	171	242	239
1986.....	25,556	166	53	17	20	41	62	83	167	210	222
1985.....	24,064	185	52	20	12	29	59	67	129	172	194
1984.....	20,898	181	53	23	22	32	42	75	119	124	156
1983.....	19,412	203	58	22	26	27	44	68	95	119	153
1982.....	17,123	206	65	21	25	48	66	52	84	89	144
1981.....	16,959	212	73	24	21	45	47	67	81	109	139
1980.....	16,415	264	65	23	22	26	53	63	74	102	131
1979.....	14,036	293	56	35	21	49	43	63	75	109	120

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
TOTAL, FEMALE											
1998.....	44,734	74	37	25	11	23	53	53	89	145	243
1997.....	41,772	72	42	25	14	27	44	52	91	139	199
1996.....	40,042	71	37	28	17	19	35	63	98	133	214
1995.....	39,445	84	38	29	23	17	38	65	101	156	197
1994.....	37,726	78	37	12	16	35	39	53	102	175	205
1993.....	38,275	94	38	22	23	31	56	62	129	143	178
1992.....	33,897	76	45	17	14	25	33	61	94	135	152
1991.....	34,741	120	34	17	21	23	40	66	105	154	163
1990.....	34,598	118	43	29	17	31	49	78	106	133	146
1989.....	32,922	104	58	17	14	32	41	70	115	127	160
1988.....	32,337	127	50	15	15	25	50	69	100	115	140
1987.....	28,352	141	54	18	13	28	41	61	82	105	111
1986.....	26,806	121	37	27	14	25	36	59	75	103	119
1985.....	25,068	125	56	26	13	19	36	38	77	76	122
1984.....	21,261	139	55	26	24	18	27	50	72	74	91
1983.....	19,390	135	56	23	16	36	31	34	60	59	88
1982.....	16,090	142	49	12	21	31	43	40	51	73	78
1981.....	16,645	162	57	24	24	26	33	56	56	75	72
1980.....	16,119	201	53	23	25	31	44	45	57	70	98
1979.....	12,820	230	48	25	24	31	35	47	47	51	78
WHITE, BOTH SEXES											
1998.....	71,549	98	42	32	24	27	71	78	141	211	363
1997.....	67,880	108	56	34	23	47	67	86	136	244	374
1996.....	65,028	112	51	39	29	35	48	95	156	248	369
1995.....	64,277	123	37	34	34	47	58	86	195	283	352
1994.....	62,159	116	58	24	26	47	65	81	197	294	351
1993.....	62,812	134	47	35	35	51	71	104	195	268	368
1992.....	56,890	134	55	29	20	40	62	102	170	242	283
1991.....	57,726	120	58	35	35	43	77	125	192	264	293
1990.....	57,404	160	57	36	31	44	53	112	176	248	295
1989.....	54,667	158	71	31	26	54	72	116	195	226	280
1988.....	55,234	166	67	28	31	43	67	133	190	226	273
1987.....	49,023	174	77	29	16	55	72	115	148	203	230
1986.....	47,059	178	64	35	32	53	76	95	160	173	216
1985.....	44,255	189	81	31	18	39	80	73	139	156	199
1984.....	37,915	209	72	40	44	35	58	75	122	133	163
1983.....	34,955	210	86	33	35	54	61	59	103	114	154
1982.....	29,744	215	75	21	35	57	79	56	83	110	141
1981.....	30,121	233	96	39	38	59	66	88	89	115	126
1980.....	28,968	269	84	39	39	48	62	80	93	121	155
1979.....	23,957	330	65	50	33	68	59	75	84	98	128

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
WHITE MALE											
1998.....	31,128	57	17	13	15	16	40	48	86	113	202
1997.....	30,086	65	27	16	12	25	36	51	84	152	235
1996.....	28,740	67	24	17	18	24	25	50	86	158	238
1995.....	28,517	74	19	14	16	35	31	42	125	180	220
1994.....	27,956	71	30	14	13	19	39	54	139	191	232
1993.....	28,004	75	27	17	15	26	36	67	119	179	247
1992.....	25,973	85	27	14	9	22	41	65	115	155	189
1991.....	26,135	54	33	20	20	27	48	79	131	173	193
1990.....	25,871	84	27	14	15	21	26	67	116	171	195
1989.....	24,780	101	36	18	15	34	43	79	137	151	178
1988.....	25,565	92	30	17	19	25	36	88	129	157	183
1987.....	23,015	93	37	13	8	32	43	72	107	136	160
1986.....	22,511	101	40	13	19	32	42	56	117	113	132
1985.....	21,251	111	38	14	8	24	50	44	87	106	109
1984.....	18,456	120	36	19	20	25	34	54	79	82	102
1983.....	17,122	124	45	15	21	21	40	39	62	73	90
1982.....	15,066	128	46	14	19	35	47	33	53	59	86
1981.....	14,860	127	52	19	19	37	38	50	50	62	80
1980.....	14,303	151	47	18	19	21	33	47	49	70	85
1979.....	12,287	191	36	29	15	43	34	47	54	58	78
WHITE FEMALE											
1998.....	40,421	41	25	19	9	11	31	30	55	98	161
1997.....	37,794	43	29	18	11	22	31	35	52	92	139
1996.....	36,288	45	27	22	11	11	23	45	70	90	131
1995.....	35,760	49	18	20	18	12	27	44	70	103	132
1994.....	34,203	45	28	10	13	28	26	27	58	103	119
1993.....	34,808	59	20	18	20	25	35	37	76	89	121
1992.....	30,917	49	28	15	11	18	21	37	55	87	94
1991.....	31,591	66	25	15	15	16	29	46	61	91	100
1990.....	31,533	76	30	22	16	23	27	45	60	77	100
1989.....	29,887	57	35	13	11	20	29	37	58	75	102
1988.....	29,669	74	37	11	12	18	31	45	61	69	90
1987.....	26,008	81	40	16	8	23	29	43	41	67	70
1986.....	24,548	77	24	22	13	21	34	39	43	60	84
1985.....	23,004	78	43	17	10	15	30	29	52	50	90
1984.....	19,459	89	36	21	24	10	24	21	43	51	61
1983.....	17,833	86	41	18	14	33	21	20	41	41	64
1982.....	14,678	87	29	7	16	22	32	23	30	51	55
1981.....	15,261	106	44	20	19	22	28	38	39	53	46
1980.....	14,665	118	37	21	20	27	29	33	44	51	70
1979.....	11,670	139	29	21	18	25	25	28	30	40	50

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
ALL OTHER, BOTH SEXES											
1998.....	8,638	72	21	9	4	24	37	44	93	117	191
1997.....	8,044	61	29	12	8	18	27	46	81	122	159
1996.....	7,887	67	24	10	13	16	25	42	70	140	205
1995.....	7,610	74	28	15	11	8	22	56	94	144	182
1994.....	7,253	71	24	13	7	18	24	55	107	173	198
1993.....	7,255	74	33	8	8	14	45	54	121	153	177
1992.....	6,509	80	29	5	8	13	31	60	99	135	173
1991.....	6,691	101	21	5	9	14	31	58	121	166	164
1990.....	6,688	95	23	13	8	16	38	71	124	159	166
1989.....	6,624	96	37	8	6	18	34	67	144	178	180
1988.....	5,976	97	23	10	9	17	36	62	118	138	134
1987.....	5,393	116	32	5	10	11	29	58	105	144	120
1986.....	5,303	109	26	9	2	13	22	47	82	140	125
1985.....	4,877	121	27	15	7	9	15	32	67	92	117
1984.....	4,244	111	36	9	2	15	11	50	69	65	84
1983.....	3,847	128	28	12	7	9	14	43	52	64	87
1982.....	3,469	133	39	12	11	22	30	36	52	52	81
1981.....	3,483	141	34	9	7	12	14	35	48	69	85
1980.....	3,566	196	34	7	8	9	35	28	38	51	74
1979.....	2,899	193	39	10	12	12	19	35	38	62	70
ALL OTHER MALE											
1998.....	4,325	39	9	3	2	12	15	21	59	70	109
1997.....	4,066	32	16	5	5	13	14	29	42	75	99
1996.....	4,133	41	14	4	7	8	13	24	42	97	122
1995.....	3,925	39	8	6	6	3	11	35	63	91	117
1994.....	3,730	38	15	11	4	11	11	29	63	101	112
1993.....	3,788	39	15	4	5	8	24	29	68	99	120
1992.....	3,529	53	12	3	5	6	19	36	60	87	115
1991.....	3,541	47	12	3	3	7	20	38	77	103	101
1990.....	3,623	53	10	6	7	8	16	38	78	103	120
1989.....	3,589	49	14	4	3	6	22	34	87	126	122
1988.....	3,308	44	10	6	6	10	17	38	79	92	84
1987.....	3,049	56	18	3	5	6	17	40	64	106	79
1986.....	3,045	65	13	4	1	9	20	27	50	97	90
1985.....	2,813	74	14	6	4	5	9	23	42	66	85
1984.....	2,442	61	17	4	2	7	8	21	40	42	54
1983.....	2,290	79	13	7	5	6	4	29	33	46	63
1982.....	2,057	78	19	7	6	13	19	19	31	30	58
1981.....	2,099	85	21	5	2	8	9	17	31	47	59
1980.....	2,112	113	18	5	3	5	20	16	25	32	46
1979.....	1,749	102	20	6	6	6	9	16	21	51	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
ALL OTHER FEMALE											
1998.....	4,313	33	12	6	2	12	22	23	34	47	82
1997.....	3,978	29	13	7	3	5	13	17	39	47	60
1996.....	3,754	26	10	6	6	8	12	18	28	43	83
1995.....	3,685	35	20	9	5	5	11	21	31	53	65
1994.....	3,523	33	9	2	3	7	13	26	44	72	86
1993.....	3,467	35	18	4	3	6	21	25	53	54	57
1992.....	2,980	27	17	2	3	7	12	24	39	48	58
1991.....	3,150	54	9	2	6	7	11	20	44	63	63
1990.....	3,065	42	13	7	1	8	22	33	46	56	46
1989.....	3,035	47	23	4	3	12	12	33	57	52	58
1988.....	2,668	53	13	4	3	7	19	24	39	46	50
1987.....	2,344	60	14	2	5	5	12	18	41	38	41
1986.....	2,258	44	13	5	1	4	2	20	32	43	35
1985.....	2,064	47	13	9	3	4	6	9	25	26	32
1984.....	1,802	50	19	5	-	8	3	29	29	23	30
1983.....	1,557	49	15	5	2	3	10	14	19	18	24
1982.....	1,412	55	20	5	5	9	11	17	21	22	23
1981.....	1,384	56	13	4	5	4	5	18	17	22	26
1980.....	1,454	83	16	2	5	4	15	12	13	19	28
1979.....	1,150	91	19	4	6	6	10	19	17	11	28
BLACK, BOTH SEXES											
1998.....	7,010	54	19	7	4	19	29	40	80	109	178
1997.....	6,616	53	24	10	8	14	24	39	74	114	152
1996.....	6,558	56	22	7	11	15	23	38	64	126	194
1995.....	6,401	65	23	15	9	7	22	54	84	139	166
1994.....	6,079	61	19	12	6	15	21	49	91	159	183
1993.....	6,099	63	26	5	8	11	43	44	117	144	157
1992.....	5,538	74	20	3	7	12	26	55	93	124	165
1991.....	5,725	93	18	5	9	14	28	56	115	163	151
1990.....	5,776	87	15	11	7	12	37	65	120	148	154
1989.....	5,762	84	31	6	6	17	32	65	142	171	174
1988.....	5,299	83	21	10	7	13	32	62	118	134	126
1987.....	4,780	103	25	3	10	10	27	55	104	140	113
1986.....	4,737	105	21	7	2	13	22	46	78	136	117
1985.....	4,315	108	25	14	6	9	15	29	64	88	108
1984.....	3,754	101	30	8	2	12	10	49	66	61	78
1983.....	3,428	119	24	11	7	9	13	39	50	59	82
1982.....	3,088	119	33	9	9	16	27	34	49	46	77
1981.....	3,153	126	28	8	7	11	14	34	45	67	83
1980.....	3,199	182	30	6	8	9	31	26	35	46	73
1979.....	2,596	177	38	10	11	9	18	29	35	59	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)											
BLACK MALE											
1998.....	3,473	31	9	3	2	9	12	18	50	67	104
1997.....	3,264	24	13	4	5	11	11	24	38	72	95
1996.....	3,393	34	14	4	6	7	13	21	40	88	116
1995.....	3,262	36	5	6	5	2	11	33	58	88	108
1994.....	3,085	34	10	11	4	9	10	27	53	89	104
1993.....	3,115	32	12	2	5	6	22	26	67	95	105
1992.....	2,960	47	8	1	4	6	15	33	56	79	111
1991.....	2,998	42	9	3	3	7	18	37	74	100	93
1990.....	3,114	48	8	6	6	7	16	36	76	95	111
1989.....	3,109	45	12	3	3	5	21	34	86	121	118
1988.....	2,907	38	10	6	5	8	16	38	79	90	78
1987.....	2,699	50	13	1	5	6	16	37	63	103	75
1986.....	2,718	62	11	4	1	9	20	26	46	94	85
1985.....	2,467	66	13	5	4	5	9	22	40	63	81
1984.....	2,147	56	16	4	2	5	7	21	37	40	51
1983.....	2,050	73	11	6	5	6	3	27	32	42	60
1982.....	1,836	69	16	5	5	11	16	17	30	30	55
1981.....	1,894	75	17	4	2	7	9	16	30	46	58
1980.....	1,890	105	18	4	3	5	17	15	22	28	45
1979.....	1,564	94	19	6	5	4	9	12	20	48	39
BLACK FEMALE											
1998.....	3,537	23	10	4	2	10	17	22	30	42	74
1997.....	3,352	29	11	6	3	3	13	15	36	42	57
1996.....	3,165	22	8	3	5	8	10	17	24	38	78
1995.....	3,139	29	18	9	4	5	11	21	26	51	58
1994.....	2,994	27	9	1	2	6	11	22	38	70	79
1993.....	2,984	31	14	3	3	5	21	18	50	49	52
1992.....	2,578	27	12	2	3	6	11	22	37	45	54
1991.....	2,727	51	9	2	6	7	10	19	41	63	58
1990.....	2,662	39	7	5	1	5	21	29	44	53	43
1989.....	2,653	39	19	3	3	12	11	31	56	50	56
1988.....	2,392	45	11	4	2	5	16	24	39	44	48
1987.....	2,081	53	12	2	5	4	11	18	41	37	38
1986.....	2,019	43	10	3	1	4	2	20	32	42	32
1985.....	1,848	42	12	9	2	4	6	7	24	25	27
1984.....	1,607	45	14	4	-	7	3	28	29	21	27
1983.....	1,378	46	13	5	2	3	10	12	18	17	22
1982.....	1,252	50	17	4	4	5	11	17	19	16	22
1981.....	1,259	51	11	4	5	4	5	18	15	21	25
1980.....	1,309	77	12	2	5	4	14	11	13	18	28
1979.....	1,032	83	19	4	6	5	9	17	15	11	24

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
TOTAL, BOTH SEXES											
1998.....	1,724	6	3	4	10	6	4	1	-	8	9
1997.....	720	12	10	6	7	3	1	3	4	11	7
1996.....	745	15	3	5	3	6	2	2	6	9	5
1995.....	606	7	7	6	1	4	2	-	1	8	6
1994.....	1,229	6	7	1	2	3	2	3	5	6	14
1993.....	1,044	10	14	6	7	3	5	4	4	11	8
1992.....	1,006	8	6	2	3	3	5	1	6	11	8
1991.....	1,137	16	15	4	7	7	3	6	9	9	12
1990.....	2,098	7	10	7	5	3	2	6	-	10	4
1989.....	1,593	12	8	7	7	5	11	7	8	17	14
1988.....	1,943	6	9	3	2	3	5	5	6	11	5
1987.....	632	8	6	1	-	3	3	5	3	12	4
1986.....	1,838	7	8	5	9	8	1	4	8	10	13
1985.....	2,054	7	6	5	2	3	4	3	5	5	10
1984.....	1,096	5	5	4	7	5	6	6	8	5	7
1983.....	1,431	6	8	1	2	6	1	5	4	6	8
1982.....	727	8	4	2	3	2	2	3	4	4	9
1981.....	3,006	13	8	4	8	9	9	14	17	9	10
1980.....	2,702	12	12	3	7	5	7	7	6	17	12
1979.....	604	9	8	3	5	6	3	5	3	3	3
TOTAL, MALE											
1998.....	584	2	2	1	5	2	2	-	-	3	2
1997.....	271	7	5	4	2	1	1	1	3	8	4
1996.....	269	9	1	3	1	3	2	1	1	2	1
1995.....	222	5	4	4	1	2	-	-	1	3	-
1994.....	426	4	2	-	1	2	1	1	4	3	5
1993.....	389	6	7	3	5	1	4	1	2	7	5
1992.....	338	6	2	1	-	2	2	1	3	7	6
1991.....	433	12	9	-	4	3	2	4	7	5	7
1990.....	799	5	2	6	2	2	1	2	-	3	1
1989.....	550	6	2	4	3	3	4	3	1	7	7
1988.....	673	3	7	1	1	2	3	3	2	3	3
1987.....	252	7	2	-	-	2	1	3	-	9	3
1986.....	676	5	5	4	5	3	1	1	4	2	3
1985.....	737	3	3	3	1	3	2	2	4	3	7
1984.....	416	1	2	-	6	4	4	3	6	4	4
1983.....	543	3	5	1	-	1	-	2	1	2	2
1982.....	295	3	3	2	1	-	1	1	1	2	5
1981.....	1,105	9	3	4	2	7	7	9	5	3	4
1980.....	993	7	6	1	6	4	5	3	3	7	6
1979.....	232	4	5	3	3	4	1	5	2	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
TOTAL, FEMALE											
1998.....	1,140	4	1	3	5	4	2	1	-	5	7
1997.....	449	5	5	2	5	2	-	2	1	3	3
1996.....	476	6	2	2	2	3	-	1	5	7	4
1995.....	384	2	3	2	-	2	2	-	-	5	6
1994.....	803	2	5	1	1	1	1	2	1	3	9
1993.....	655	4	7	3	2	2	1	3	2	4	3
1992.....	668	2	4	1	3	1	3	-	3	4	2
1991.....	704	4	6	4	3	4	1	2	2	4	5
1990.....	1,299	2	8	1	3	1	1	4	-	7	3
1989.....	1,043	6	6	3	4	2	7	4	7	10	7
1988.....	1,270	3	2	2	1	1	2	2	4	8	2
1987.....	380	1	4	1	-	1	2	2	3	3	1
1986.....	1,162	2	3	1	4	5	-	3	4	8	10
1985.....	1,317	4	3	2	1	-	2	1	1	2	3
1984.....	680	4	3	4	1	1	2	3	2	1	3
1983.....	888	3	3	-	2	5	1	3	3	4	6
1982.....	432	5	1	-	2	2	1	2	3	2	4
1981.....	1,901	4	5	-	6	2	2	5	12	6	6
1980.....	1,709	5	6	2	1	1	2	4	3	10	6
1979.....	372	5	3	-	2	2	2	-	1	1	1
WHITE, BOTH SEXES											
1998.....	1,667	4	2	3	9	4	4	1	-	7	9
1997.....	681	10	8	4	7	2	1	1	4	9	4
1996.....	695	10	3	5	2	3	2	2	4	8	4
1995.....	566	3	7	4	1	3	2	-	1	7	4
1994.....	1,177	3	7	1	2	2	2	3	5	5	14
1993.....	992	6	12	5	6	3	4	3	4	10	8
1992.....	954	7	5	2	3	3	5	1	4	7	7
1991.....	1,069	12	12	3	4	6	2	6	7	5	10
1990.....	1,999	7	8	6	3	2	1	4	-	9	3
1989.....	1,509	10	7	6	6	5	11	6	6	15	12
1988.....	1,865	3	6	3	2	3	5	2	3	9	4
1987.....	595	5	6	1	-	2	3	5	3	12	4
1986.....	1,754	6	5	4	9	6	-	1	7	9	11
1985.....	1,947	4	4	4	2	3	4	3	4	5	7
1984.....	1,041	2	3	3	6	5	6	6	8	4	4
1983.....	1,380	5	6	-	1	5	1	4	3	4	8
1982.....	686	5	3	2	2	2	2	3	4	3	8
1981.....	2,840	9	5	3	8	7	8	12	13	6	9
1980.....	2,595	7	11	2	7	3	3	6	6	16	10
1979.....	550	4	8	2	5	6	3	4	3	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
WHITE MALE											
1998.....	560	1	1	1	5	1	2	-	-	2	2
1997.....	251	6	3	3	2	1	1	-	3	6	2
1996.....	246	6	1	3	1	2	2	1	1	2	-
1995.....	206	2	4	3	1	1	-	-	1	3	-
1994.....	406	2	2	-	1	1	1	1	4	2	5
1993.....	366	4	6	3	4	1	3	1	2	6	5
1992.....	314	6	2	1	-	2	2	1	2	4	5
1991.....	402	9	8	-	2	2	2	4	5	4	5
1990.....	751	5	1	5	1	2	-	1	-	3	-
1989.....	513	5	1	3	3	3	4	2	1	7	6
1988.....	640	2	4	1	1	2	3	-	1	3	2
1987.....	236	4	2	-	-	1	1	3	-	9	3
1986.....	644	5	3	3	5	3	-	-	4	2	3
1985.....	681	1	2	3	1	3	2	2	3	3	5
1984.....	388	1	1	-	5	4	4	3	6	4	3
1983.....	520	2	4	-	-	1	-	1	1	2	2
1982.....	273	3	2	2	1	-	1	1	1	2	4
1981.....	1,033	6	2	3	2	5	6	8	3	1	4
1980.....	951	4	6	1	6	2	1	2	3	7	5
1979.....	204	2	5	2	3	4	1	4	2	-	2
WHITE FEMALE											
1998.....	1,107	3	1	2	4	3	2	1	-	5	7
1997.....	430	4	5	1	5	1	-	1	1	3	2
1996.....	449	4	2	2	1	1	-	1	3	6	4
1995.....	360	1	3	1	-	2	2	-	-	4	4
1994.....	771	1	5	1	1	1	1	2	1	3	9
1993.....	626	2	6	2	2	2	1	2	2	4	3
1992.....	640	1	3	1	3	1	3	-	2	3	2
1991.....	667	3	4	3	2	4	-	2	2	1	5
1990.....	1,248	2	7	1	2	-	1	3	-	6	3
1989.....	996	5	6	3	3	2	7	4	5	8	6
1988.....	1,225	1	2	2	1	1	2	2	2	6	2
1987.....	359	1	4	1	-	1	2	2	3	3	1
1986.....	1,110	1	2	1	4	3	-	1	3	7	8
1985.....	1,266	3	2	1	1	-	2	1	1	2	2
1984.....	653	1	2	3	1	1	2	3	2	-	1
1983.....	860	3	2	-	1	4	1	3	2	2	6
1982.....	413	2	1	-	1	2	1	2	3	1	4
1981.....	1,807	3	3	-	6	2	2	4	10	5	5
1980.....	1,644	3	5	1	1	1	2	4	3	9	5
1979.....	346	2	3	-	2	2	2	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
ALL OTHER, BOTH SEXES											
1998.....	57	2	1	1	1	2	-	-	-	1	-
1997.....	39	2	2	2	-	1	-	2	-	2	3
1996.....	50	5	-	-	1	3	-	-	2	1	1
1995.....	40	4	-	2	-	1	-	-	-	1	2
1994.....	52	3	-	-	-	1	-	-	-	1	-
1993.....	52	4	2	1	1	-	1	1	-	1	-
1992.....	52	1	1	-	-	-	-	-	2	4	1
1991.....	68	4	3	1	3	1	1	-	2	4	2
1990.....	99	-	2	1	2	1	1	2	-	1	1
1989.....	84	2	1	1	1	-	-	1	2	2	2
1988.....	78	3	3	-	-	-	-	3	3	2	1
1987.....	37	3	-	-	-	1	-	-	-	-	-
1986.....	84	1	3	1	-	2	1	3	1	1	2
1985.....	107	3	2	1	-	-	-	-	1	-	3
1984.....	55	3	2	1	1	-	-	-	-	1	3
1983.....	51	1	2	1	1	1	-	1	1	2	-
1982.....	41	3	1	-	1	-	-	-	-	1	1
1981.....	166	4	3	1	-	2	1	2	4	3	1
1980.....	107	5	1	1	-	2	4	1	-	1	2
1979.....	54	5	-	1	-	-	-	1	-	3	1
ALL OTHER MALE											
1998.....	24	1	1	-	-	1	-	-	-	1	-
1997.....	20	1	2	1	-	-	-	1	-	2	2
1996.....	23	3	-	-	-	1	-	-	-	-	1
1995.....	16	3	-	1	-	1	-	-	-	-	-
1994.....	20	2	-	-	-	1	-	-	-	1	-
1993.....	23	2	1	-	1	-	1	-	-	1	-
1992.....	24	-	-	-	-	-	-	-	1	3	1
1991.....	31	3	1	-	2	1	-	-	2	1	2
1990.....	48	-	1	1	1	-	1	1	-	-	1
1989.....	37	1	1	1	-	-	-	1	-	-	1
1988.....	33	1	3	-	-	-	-	3	1	-	1
1987.....	16	3	-	-	-	1	-	-	-	-	-
1986.....	32	-	2	1	-	-	1	1	-	-	-
1985.....	56	2	1	-	-	-	-	-	1	-	2
1984.....	28	-	1	-	1	-	-	-	-	-	1
1983.....	23	1	1	1	-	-	-	1	-	-	-
1982.....	22	-	1	-	-	-	-	-	-	-	1
1981.....	72	3	1	1	-	2	1	1	2	2	-
1980.....	42	3	-	-	-	2	4	1	-	-	1
1979.....	28	2	-	1	-	-	-	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INFLUENZA (487)											
ALL OTHER FEMALE											
1998.....	33	1	-	1	1	1	-	-	-	-	-
1997.....	19	1	-	1	-	1	-	1	-	-	1
1996.....	27	2	-	-	1	2	-	-	2	1	-
1995.....	24	1	-	1	-	-	-	-	-	1	2
1994.....	32	1	-	-	-	-	-	-	-	-	-
1993.....	29	2	1	1	-	-	-	1	-	-	-
1992.....	28	1	1	-	-	-	-	1	1	1	-
1991.....	37	1	2	1	1	-	1	-	-	3	-
1990.....	51	-	1	-	1	1	-	1	-	1	-
1989.....	47	1	-	-	1	-	-	-	2	2	1
1988.....	45	2	-	-	-	-	-	-	2	2	-
1987.....	21	-	-	-	-	-	-	-	-	-	-
1986.....	52	1	1	-	-	2	-	2	1	1	2
1985.....	51	1	1	1	-	-	-	-	-	-	1
1984.....	27	3	1	1	-	-	-	-	-	1	2
1983.....	28	-	1	-	1	1	-	-	1	2	-
1982.....	19	3	-	-	1	-	-	-	-	1	-
1981.....	94	1	2	-	-	-	-	1	2	1	1
1980.....	65	2	1	1	-	-	-	1	-	1	1
1979.....	26	3	-	-	-	-	-	-	-	1	1
BLACK, BOTH SEXES											
1998.....	33	1	1	1	-	2	-	-	-	1	-
1997.....	26	2	2	-	-	-	-	2	-	1	3
1996.....	34	3	-	-	-	2	-	-	1	1	1
1995.....	31	3	-	2	-	1	-	-	-	1	2
1994.....	39	3	-	-	-	-	-	-	-	1	-
1993.....	47	3	2	1	1	-	1	1	-	1	-
1992.....	40	-	-	-	-	-	-	-	2	4	1
1991.....	52	4	1	1	3	1	1	-	-	2	2
1990.....	90	-	2	1	2	1	1	2	-	1	1
1989.....	64	2	1	1	1	-	-	-	2	1	2
1988.....	69	2	3	-	-	-	-	3	3	2	1
1987.....	22	1	-	-	-	1	-	-	-	-	-
1986.....	69	1	2	1	-	2	-	3	1	1	2
1985.....	91	2	2	1	-	-	-	-	1	-	3
1984.....	43	2	2	1	-	-	-	-	-	-	3
1983.....	40	1	2	1	1	1	-	1	1	2	-
1982.....	27	2	-	-	1	-	-	-	-	1	1
1981.....	146	2	3	1	-	2	1	1	4	3	1
1980.....	88	5	1	1	-	1	4	1	-	1	2
1979.....	43	4	-	1	-	-	-	1	-	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
TOTAL, BOTH SEXES											
1998.....	112,584	39	49	54	98	98	141	155	173	337	547
1997.....	109,029	50	41	50	79	96	105	156	201	315	571
1996.....	106,027	38	51	55	110	111	126	162	189	307	548
1995.....	102,899	43	37	38	105	132	114	141	233	312	519
1994.....	101,628	54	44	41	86	120	112	158	206	304	433
1993.....	101,077	53	51	43	95	91	115	126	170	283	450
1992.....	91,938	45	63	38	62	90	99	103	175	269	432
1991.....	90,650	59	51	44	78	103	106	139	192	250	437
1990.....	86,679	55	55	34	81	82	96	133	167	222	386
1989.....	84,344	48	55	43	70	86	90	127	191	243	389
1988.....	82,853	55	44	32	71	75	103	137	163	236	394
1987.....	78,380	53	49	31	88	109	100	109	155	243	390
1986.....	76,559	60	34	29	77	95	96	116	131	205	337
1985.....	74,662	52	36	37	78	73	107	98	135	200	294
1984.....	69,100	56	46	36	58	64	96	106	121	180	313
1983.....	66,246	52	58	32	61	96	88	113	123	183	302
1982.....	59,869	61	59	35	52	92	109	94	129	169	278
1981.....	58,832	61	43	36	61	64	85	102	111	167	273
1980.....	56,050	57	47	25	60	63	78	91	111	142	269
1979.....	49,933	66	61	24	33	62	70	87	89	151	274
TOTAL, MALE											
1998.....	57,018	24	33	26	62	56	93	87	89	169	259
1997.....	55,984	32	27	30	41	67	68	79	111	150	265
1996.....	54,485	25	34	36	61	64	67	76	84	143	258
1995.....	53,938	28	20	29	69	69	64	74	117	157	210
1994.....	53,729	34	26	26	56	75	68	82	106	151	221
1993.....	54,371	31	33	23	56	56	72	62	74	132	223
1992.....	50,465	34	35	20	35	51	55	61	97	134	224
1991.....	50,485	32	34	23	52	59	58	77	97	125	232
1990.....	49,416	32	40	24	47	43	48	70	85	120	202
1989.....	48,178	35	28	27	43	49	47	67	102	128	206
1988.....	48,939	33	25	24	39	42	57	70	87	124	205
1987.....	47,039	34	25	19	59	60	57	60	79	127	206
1986.....	47,058	43	19	15	43	60	54	64	55	107	183
1985.....	46,596	37	19	23	34	37	54	50	68	106	151
1984.....	44,013	35	19	17	43	35	55	54	51	92	161
1983.....	43,119	33	42	19	37	49	44	56	60	92	143
1982.....	39,702	40	29	19	23	54	66	50	74	92	132
1981.....	39,773	38	31	22	36	40	48	59	54	74	146
1980.....	38,625	34	30	12	30	34	44	49	57	70	144
1979.....	35,295	40	33	12	23	30	37	43	49	72	148

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
TOTAL, FEMALE											
1998.....	55,566	15	16	28	36	42	48	68	84	168	288
1997.....	53,045	18	14	20	38	29	37	77	90	165	306
1996.....	51,542	13	17	19	49	47	59	86	105	164	290
1995.....	48,961	15	17	9	36	63	50	67	116	155	309
1994.....	47,899	20	18	15	30	45	44	76	100	153	212
1993.....	46,706	22	18	20	39	35	43	64	96	151	227
1992.....	41,473	11	28	18	27	39	44	42	78	135	208
1991.....	40,165	27	17	21	26	44	48	62	95	125	205
1990.....	37,263	23	15	10	34	39	48	63	82	102	184
1989.....	36,166	13	27	16	27	37	43	60	89	115	183
1988.....	33,914	22	19	8	32	33	46	67	76	112	189
1987.....	31,341	19	24	12	29	49	43	49	76	116	184
1986.....	29,501	17	15	14	34	35	42	52	76	98	154
1985.....	28,066	15	17	14	44	36	53	48	67	94	143
1984.....	25,087	21	27	19	15	29	41	52	70	88	152
1983.....	23,127	19	16	13	24	47	44	57	63	91	159
1982.....	20,167	21	30	16	29	38	43	44	55	77	146
1981.....	19,059	23	12	14	25	24	37	43	57	93	127
1980.....	17,425	23	17	13	30	29	34	42	54	72	125
1979.....	14,638	26	28	12	10	32	33	44	40	79	126
WHITE, BOTH SEXES											
1998.....	104,061	20	23	29	49	50	79	82	86	207	371
1997.....	100,770	29	17	20	40	56	69	87	115	191	400
1996.....	97,889	19	22	26	50	56	67	97	102	200	365
1995.....	95,077	29	24	16	51	77	61	84	149	192	351
1994.....	94,073	36	21	20	42	63	69	76	130	189	281
1993.....	93,615	35	24	22	51	53	67	68	102	180	272
1992.....	85,231	22	32	16	34	54	53	62	106	168	307
1991.....	83,951	34	26	20	45	60	58	83	113	145	304
1990.....	80,179	38	31	17	42	51	57	80	94	137	265
1989.....	77,881	33	36	21	41	59	53	68	119	146	251
1988.....	76,673	35	27	16	37	43	57	86	89	136	270
1987.....	72,668	39	31	17	42	64	58	68	90	152	292
1986.....	71,122	38	24	15	45	48	60	76	80	134	245
1985.....	69,438	37	21	18	40	39	60	60	78	139	216
1984.....	64,276	31	33	26	31	32	68	63	76	113	217
1983.....	61,709	38	31	18	30	54	60	70	63	120	209
1982.....	55,887	39	34	24	28	59	65	61	81	109	193
1981.....	54,982	45	25	25	38	35	57	63	70	110	204
1980.....	52,375	36	26	14	35	39	45	53	64	87	194
1979.....	46,692	50	48	17	25	39	46	51	53	96	205

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
WHITE MALE											
1998.....	52,172	14	16	12	29	30	49	44	43	109	177
1997.....	51,184	18	9	11	23	43	41	41	62	84	197
1996.....	49,822	12	14	18	31	29	34	43	44	93	170
1995.....	49,320	20	11	12	28	35	31	41	70	97	146
1994.....	49,226	21	11	15	26	39	37	34	59	101	147
1993.....	49,812	20	17	15	24	31	40	31	48	86	134
1992.....	46,355	19	22	8	18	29	25	32	60	90	160
1991.....	46,316	19	16	11	30	33	27	46	58	71	158
1990.....	45,234	21	21	13	20	22	28	42	49	78	135
1989.....	44,046	25	18	11	27	31	24	32	61	76	122
1988.....	44,827	23	19	13	21	21	28	39	44	71	137
1987.....	43,290	24	14	7	26	35	34	33	46	74	157
1986.....	43,341	28	12	6	21	32	33	42	33	71	129
1985.....	43,074	30	10	16	13	18	24	26	37	70	103
1984.....	40,728	20	11	12	23	18	39	32	37	60	114
1983.....	39,978	22	22	10	17	26	30	34	29	59	99
1982.....	36,970	27	17	13	11	33	39	34	44	60	87
1981.....	36,991	29	15	17	23	17	30	39	30	50	108
1980.....	35,977	20	17	7	14	20	26	31	35	37	99
1979.....	32,942	29	27	8	18	21	25	26	32	44	106
WHITE FEMALE											
1998.....	51,889	6	7	17	20	20	30	38	43	98	194
1997.....	49,586	11	8	9	17	13	28	46	53	107	203
1996.....	48,067	7	8	8	19	27	33	54	58	107	195
1995.....	45,757	9	13	4	23	42	30	43	79	95	205
1994.....	44,847	15	10	5	16	24	32	42	71	88	134
1993.....	43,803	15	7	7	27	22	27	37	54	94	138
1992.....	38,876	3	10	8	16	25	28	30	46	78	147
1991.....	37,635	15	10	9	15	27	31	37	55	74	146
1990.....	34,945	17	10	4	22	29	29	38	45	59	130
1989.....	33,835	8	18	10	14	28	29	36	58	70	129
1988.....	31,846	12	8	3	16	22	29	47	45	65	133
1987.....	29,378	15	17	10	16	29	24	35	44	78	135
1986.....	27,781	10	12	9	24	16	27	34	47	63	116
1985.....	26,364	7	11	2	27	21	36	34	41	69	113
1984.....	23,548	11	22	14	8	14	29	31	39	53	103
1983.....	21,731	16	9	8	13	28	30	36	34	61	110
1982.....	18,917	12	17	11	17	26	26	27	37	49	106
1981.....	17,991	16	10	8	15	18	27	24	40	60	96
1980.....	16,398	16	9	7	21	19	19	22	29	50	95
1979.....	13,750	21	21	9	7	18	21	25	21	52	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
ALL OTHER, BOTH SEXES											
1998.....	8,523	19	26	25	49	48	62	73	87	130	176
1997.....	8,259	21	24	30	39	40	36	69	86	124	171
1996.....	8,138	19	29	29	60	55	59	65	87	107	183
1995.....	7,822	14	13	22	54	55	53	57	84	120	168
1994.....	7,555	18	23	21	44	57	43	82	76	115	152
1993.....	7,462	18	27	21	44	38	48	58	68	103	178
1992.....	6,707	23	31	22	28	36	46	41	69	101	125
1991.....	6,699	25	25	24	33	43	48	56	79	105	133
1990.....	6,500	17	24	17	39	31	39	53	73	85	121
1989.....	6,463	15	19	22	29	27	37	59	72	97	138
1988.....	6,180	20	17	16	34	32	46	51	74	100	124
1987.....	5,712	14	18	14	46	45	42	41	65	91	98
1986.....	5,437	22	10	14	32	47	36	40	51	71	92
1985.....	5,224	15	15	19	38	34	47	38	57	61	78
1984.....	4,824	25	13	10	27	32	28	43	45	67	96
1983.....	4,537	14	27	14	31	42	28	43	60	63	93
1982.....	3,982	22	25	11	24	33	44	33	48	60	85
1981.....	3,850	16	18	11	23	29	28	39	41	57	69
1980.....	3,675	21	21	11	25	24	33	38	47	55	75
1979.....	3,241	16	13	7	8	23	24	36	36	55	69
ALL OTHER MALE											
1998.....	4,846	10	17	14	33	26	44	43	46	60	82
1997.....	4,800	14	18	19	18	24	27	38	49	66	68
1996.....	4,663	13	20	18	30	35	33	33	40	50	88
1995.....	4,618	8	9	17	41	34	33	33	47	60	64
1994.....	4,503	13	15	11	30	36	31	48	47	50	74
1993.....	4,559	11	16	8	32	25	32	31	26	46	89
1992.....	4,110	15	13	12	17	22	30	29	37	44	64
1991.....	4,169	13	18	12	22	26	31	31	39	54	74
1990.....	4,182	11	19	11	27	21	20	28	36	42	67
1989.....	4,132	10	10	16	16	18	23	35	41	52	84
1988.....	4,112	10	6	11	18	21	29	31	43	53	68
1987.....	3,749	10	11	12	33	25	23	27	33	53	49
1986.....	3,717	15	7	9	22	28	21	22	22	36	54
1985.....	3,522	7	9	7	21	19	30	24	31	36	48
1984.....	3,285	15	8	5	20	17	16	22	14	32	47
1983.....	3,141	11	20	9	20	23	14	22	31	33	44
1982.....	2,732	13	12	6	12	21	27	16	30	32	45
1981.....	2,782	9	16	5	13	23	18	20	24	24	38
1980.....	2,648	14	13	5	16	14	18	18	22	33	45
1979.....	2,353	11	6	4	5	9	12	17	17	28	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
ALL OTHER FEMALE											
1998.....	3,677	9	9	11	16	22	18	30	41	70	94
1997.....	3,459	7	6	11	21	16	9	31	37	58	103
1996.....	3,475	6	9	11	30	20	26	32	47	57	95
1995.....	3,204	6	4	5	13	21	20	24	37	60	104
1994.....	3,052	5	8	10	14	21	12	34	29	65	78
1993.....	2,903	7	11	13	12	13	16	27	42	57	89
1992.....	2,597	8	18	10	11	14	16	12	32	57	61
1991.....	2,530	12	7	12	11	17	17	25	40	51	59
1990.....	2,318	6	5	6	12	10	19	25	37	43	54
1989.....	2,331	5	9	6	13	9	14	24	31	45	54
1988.....	2,068	10	11	5	16	11	17	20	31	47	56
1987.....	1,963	4	7	2	13	20	19	14	32	38	49
1986.....	1,720	7	3	5	10	19	15	18	29	35	38
1985.....	1,702	8	6	12	17	15	17	14	26	25	30
1984.....	1,539	10	5	5	7	15	12	21	31	35	49
1983.....	1,396	3	7	5	11	19	14	21	29	30	49
1982.....	1,250	9	13	5	12	12	17	17	18	28	40
1981.....	1,068	7	2	6	10	6	10	19	17	33	31
1980.....	1,027	7	8	6	9	10	15	20	25	22	30
1979.....	888	5	7	3	3	14	12	19	19	27	27
BLACK, BOTH SEXES											
1998.....	7,205	16	24	23	41	47	58	68	75	126	160
1997.....	6,908	18	22	27	37	33	32	63	80	114	153
1996.....	6,924	17	25	25	53	52	52	59	77	102	168
1995.....	6,667	14	12	21	51	53	51	54	80	104	151
1994.....	6,511	16	20	20	41	52	38	76	72	113	139
1993.....	6,435	16	23	21	41	37	45	53	63	92	168
1992.....	5,857	21	28	21	26	35	45	37	63	92	119
1991.....	5,816	25	24	22	32	40	42	51	73	95	120
1990.....	5,655	15	22	16	37	27	36	49	69	80	111
1989.....	5,671	12	18	18	27	25	35	54	68	89	125
1988.....	5,476	18	16	13	31	29	40	45	70	97	116
1987.....	5,052	12	18	13	43	42	39	38	64	85	95
1986.....	4,856	19	9	14	32	40	36	38	46	64	85
1985.....	4,659	13	13	17	36	31	45	35	55	60	74
1984.....	4,293	23	12	9	25	31	27	37	44	60	90
1983.....	4,068	11	25	11	28	40	25	42	56	60	84
1982.....	3,631	21	24	10	24	31	40	33	44	57	82
1981.....	3,517	16	18	11	22	26	25	38	35	54	64
1980.....	3,380	20	18	11	25	22	32	35	44	52	71
1979.....	2,957	14	11	7	8	22	22	34	34	53	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)											
BLACK MALE											
1998.....	4,039	8	15	12	27	26	43	40	40	57	73
1997.....	3,966	12	18	16	17	18	24	34	44	61	61
1996.....	3,928	13	16	15	26	34	28	28	36	47	82
1995.....	3,917	8	8	17	38	33	31	31	47	51	54
1994.....	3,857	12	12	11	28	31	26	45	46	49	67
1993.....	3,913	9	12	8	30	24	31	29	24	42	81
1992.....	3,569	14	13	12	16	21	29	27	34	40	63
1991.....	3,621	13	17	10	21	24	25	28	36	47	69
1990.....	3,628	9	17	11	26	18	20	27	35	42	62
1989.....	3,593	9	9	14	14	17	21	32	39	47	75
1988.....	3,644	9	6	9	15	20	24	27	40	52	65
1987.....	3,319	8	11	11	30	23	23	26	32	48	47
1986.....	3,302	12	6	9	22	24	21	21	20	33	50
1985.....	3,154	6	9	5	20	17	29	21	30	36	46
1984.....	2,922	15	8	5	19	16	15	19	14	31	42
1983.....	2,813	8	19	8	18	22	13	21	30	32	41
1982.....	2,489	12	12	6	12	21	27	16	28	31	44
1981.....	2,545	9	16	5	12	20	16	20	20	22	38
1980.....	2,429	13	11	5	16	13	17	16	22	30	42
1979.....	2,166	10	6	4	5	8	11	16	17	27	37
BLACK FEMALE											
1998.....	3,166	8	9	11	14	21	15	28	35	69	87
1997.....	2,942	6	4	11	20	15	8	29	36	53	92
1996.....	2,996	4	9	10	27	18	24	31	41	55	86
1995.....	2,750	6	4	4	13	20	20	23	33	53	97
1994.....	2,654	4	8	9	13	21	12	31	26	64	72
1993.....	2,522	7	11	13	11	13	14	24	39	50	87
1992.....	2,288	7	15	9	10	14	16	10	29	52	56
1991.....	2,195	12	7	12	11	16	17	23	37	48	51
1990.....	2,027	6	5	5	11	9	16	22	34	38	49
1989.....	2,078	3	9	4	13	8	14	22	29	42	50
1988.....	1,832	9	10	4	16	9	16	18	30	45	51
1987.....	1,733	4	7	2	13	19	16	12	32	37	48
1986.....	1,554	7	3	5	10	16	15	17	26	31	35
1985.....	1,505	7	4	12	16	14	16	14	25	24	28
1984.....	1,371	8	4	4	6	15	12	18	30	29	48
1983.....	1,255	3	6	3	10	18	12	21	26	28	43
1982.....	1,142	9	12	4	12	10	13	17	16	26	38
1981.....	972	7	2	6	10	6	9	18	15	32	26
1980.....	951	7	7	6	9	9	15	19	22	22	29
1979.....	791	4	5	3	3	14	11	18	17	26	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)											
TOTAL, BOTH SEXES											
1998.....	26,025	35	45	48	94	95	133	142	160	258	352
1997.....	26,007	46	40	49	77	89	97	146	176	247	372
1996.....	26,104	37	46	53	108	107	117	156	169	240	375
1995.....	25,897	40	35	35	101	130	110	133	199	256	346
1994.....	26,281	48	40	39	85	115	108	152	175	248	293
1993.....	26,530	48	45	42	94	89	110	117	149	221	289
1992.....	24,991	43	60	37	58	88	93	95	160	207	281
1991.....	25,269	52	49	42	76	97	101	130	175	194	293
1990.....	24,125	51	48	31	78	78	90	121	148	179	262
1989.....	24,095	43	53	41	65	78	82	119	161	184	255
1988.....	23,830	53	37	28	69	71	97	128	141	190	262
1987.....	22,424	48	43	28	87	103	94	98	134	192	253
1986.....	22,176	57	29	25	73	87	90	103	117	159	188
1985.....	21,645	48	33	34	76	66	103	83	125	157	163
1984.....	20,372	54	35	28	58	58	89	90	103	131	199
1983.....	20,432	47	52	24	58	84	78	101	109	137	192
1982.....	19,442	51	50	27	49	86	98	82	110	115	164
1981.....	20,108	49	37	31	56	60	72	92	91	124	165
1980.....	20,496	53	42	21	54	51	72	75	90	92	164
1979.....	19,817	64	58	23	31	57	60	77	70	106	171
TOTAL, MALE											
1998.....	12,815	23	31	22	62	55	87	80	80	120	145
1997.....	12,943	31	26	30	40	64	62	74	97	111	152
1996.....	13,071	25	30	35	61	61	63	72	73	105	162
1995.....	13,090	27	20	27	66	67	61	68	97	122	126
1994.....	13,486	31	22	25	55	72	66	77	94	121	132
1993.....	13,730	27	28	23	55	54	68	53	62	96	131
1992.....	13,110	33	34	20	34	51	51	56	89	99	137
1991.....	13,415	28	33	21	50	57	53	72	84	86	152
1990.....	13,171	30	33	22	46	40	44	61	77	93	126
1989.....	13,098	31	27	25	40	44	45	62	85	91	119
1988.....	13,500	32	22	21	38	42	56	65	74	95	121
1987.....	12,796	31	23	17	58	56	53	53	67	95	121
1986.....	13,059	40	17	13	41	53	49	60	47	79	93
1985.....	12,967	34	18	21	33	33	52	38	63	78	70
1984.....	12,422	33	13	15	43	33	50	43	39	63	98
1983.....	12,797	30	39	15	35	42	38	48	53	64	86
1982.....	12,477	32	26	15	23	50	58	40	63	58	68
1981.....	13,223	32	28	18	33	39	38	52	41	50	84
1980.....	13,805	32	27	11	28	28	42	38	45	40	79
1979.....	13,709	38	32	12	21	27	33	40	38	46	85

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)											
TOTAL, FEMALE											
1998.....	13,210	12	14	26	32	40	46	62	80	138	207
1997.....	13,064	15	14	19	37	25	35	72	79	136	220
1996.....	13,033	12	16	18	47	46	54	84	96	135	213
1995.....	12,807	13	15	8	35	63	49	65	102	134	220
1994.....	12,795	17	18	14	30	43	42	75	81	127	161
1993.....	12,800	21	17	19	39	35	42	64	87	125	158
1992.....	11,881	10	26	17	24	37	42	39	71	108	144
1991.....	11,854	24	16	21	26	40	48	58	91	108	141
1990.....	10,954	21	15	9	32	38	46	60	71	86	136
1989.....	10,997	12	26	16	25	34	37	57	76	93	136
1988.....	10,330	21	15	7	31	29	41	63	67	95	141
1987.....	9,628	17	20	11	29	47	41	45	67	97	132
1986.....	9,117	17	12	12	32	34	41	43	70	80	95
1985.....	8,678	14	15	13	43	33	51	45	62	79	93
1984.....	7,950	21	22	13	15	25	39	47	64	68	101
1983.....	7,635	17	13	9	23	42	40	53	56	73	106
1982.....	6,965	19	24	12	26	36	40	42	47	57	96
1981.....	6,885	17	9	13	23	21	34	40	50	74	81
1980.....	6,691	21	15	10	26	23	30	37	45	52	85
1979.....	6,108	26	26	11	10	30	27	37	32	60	86
WHITE, BOTH SEXES											
1998.....	23,275	17	21	25	48	47	73	71	79	147	224
1997.....	23,323	28	17	19	39	50	62	79	97	142	246
1996.....	23,256	18	19	25	49	53	60	95	88	143	225
1995.....	23,189	27	22	13	49	75	57	79	125	157	213
1994.....	23,680	32	19	18	41	59	66	70	104	149	177
1993.....	23,946	31	19	21	51	51	63	60	84	128	160
1992.....	22,615	22	30	15	30	52	49	57	92	128	199
1991.....	22,913	30	25	19	43	55	55	76	99	106	197
1990.....	21,889	34	26	14	41	48	51	70	81	107	176
1989.....	21,873	32	35	20	38	53	48	66	99	110	159
1988.....	21,553	34	22	13	35	40	53	80	72	106	167
1987.....	20,369	36	28	15	41	59	52	59	78	117	180
1986.....	20,254	36	20	12	41	40	55	67	71	99	132
1985.....	19,792	34	20	15	40	34	56	49	72	100	118
1984.....	18,685	30	25	18	31	28	62	53	63	78	129
1983.....	18,703	34	26	10	29	46	52	62	52	86	123
1982.....	17,916	34	27	17	25	55	55	50	65	70	105
1981.....	18,595	35	20	22	34	32	48	55	55	74	119
1980.....	18,998	35	22	11	31	30	41	45	47	60	113
1979.....	18,434	48	47	16	23	35	38	44	42	67	122

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)											
WHITE MALE											
1998.....	11,409	13	15	10	29	29	44	38	38	69	90
1997.....	11,527	18	9	11	22	40	36	36	51	58	108
1996.....	11,611	12	12	18	31	26	30	41	36	60	91
1995.....	11,619	19	11	10	26	33	28	37	54	74	73
1994.....	12,062	19	9	14	25	37	35	29	49	76	80
1993.....	12,320	17	13	15	24	29	36	23	37	54	73
1992.....	11,792	19	21	8	17	29	23	29	52	69	96
1991.....	12,093	17	15	10	28	31	24	42	48	46	102
1990.....	11,853	19	16	11	19	20	24	35	45	58	82
1989.....	11,840	24	18	10	26	27	22	31	51	52	70
1988.....	12,102	22	16	11	20	21	27	35	33	52	76
1987.....	11,576	23	13	6	25	31	30	27	41	52	87
1986.....	11,890	26	11	4	19	25	29	40	28	51	65
1985.....	11,835	28	10	14	13	15	22	18	33	45	46
1984.....	11,387	19	7	10	23	17	35	24	26	38	68
1983.....	11,732	20	19	6	16	21	26	27	24	39	58
1982.....	11,526	22	15	9	11	30	32	25	35	36	41
1981.....	12,196	24	13	14	20	16	23	33	21	28	61
1980.....	12,826	20	14	7	12	15	25	26	26	22	52
1979.....	12,798	27	27	8	16	19	22	24	26	28	58
WHITE FEMALE											
1998.....	11,866	4	6	15	19	18	29	33	41	78	134
1997.....	11,796	10	8	8	17	10	26	43	46	84	138
1996.....	11,645	6	7	7	18	27	30	54	52	83	134
1995.....	11,570	8	11	3	23	42	29	42	71	83	140
1994.....	11,618	13	10	4	16	22	31	41	55	73	97
1993.....	11,626	14	6	6	27	22	27	37	47	74	87
1992.....	10,823	3	9	7	13	23	26	28	40	59	103
1991.....	10,820	13	10	9	15	24	31	34	51	60	95
1990.....	10,036	15	10	3	22	28	27	35	36	49	94
1989.....	10,033	8	17	10	12	26	26	35	48	58	89
1988.....	9,451	12	6	2	15	19	26	45	39	54	91
1987.....	8,793	13	15	9	16	28	22	32	37	65	93
1986.....	8,364	10	9	8	22	15	26	27	43	48	67
1985.....	7,957	6	10	1	27	19	34	31	39	55	72
1984.....	7,298	11	18	8	8	11	27	29	37	40	61
1983.....	6,971	14	7	4	13	25	26	35	28	47	65
1982.....	6,390	12	12	8	14	25	23	25	30	34	64
1981.....	6,399	11	7	8	14	16	25	22	34	46	58
1980.....	6,172	15	8	4	19	15	16	19	21	38	61
1979.....	5,636	21	20	8	7	16	16	20	16	39	64

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)											
ALL OTHER, BOTH SEXES											
1998.....	2,750	18	24	23	46	48	60	71	81	111	128
1997.....	2,684	18	23	30	38	39	35	67	79	105	126
1996.....	2,848	19	27	28	59	54	57	61	81	97	150
1995.....	2,708	13	13	22	52	55	53	54	74	99	133
1994.....	2,601	16	21	21	44	56	42	82	71	99	116
1993.....	2,584	17	26	21	43	38	47	57	65	93	129
1992.....	2,376	21	30	22	28	36	44	38	68	79	82
1991.....	2,356	22	24	23	33	42	46	54	76	88	96
1990.....	2,236	17	22	17	37	30	39	51	67	72	86
1989.....	2,222	11	18	21	27	25	34	53	62	74	96
1988.....	2,277	19	15	15	34	31	44	48	69	84	95
1987.....	2,055	12	15	13	46	44	42	39	56	75	73
1986.....	1,922	21	9	13	32	47	35	36	46	60	56
1985.....	1,853	14	13	19	36	32	47	34	53	57	45
1984.....	1,687	24	10	10	27	30	27	37	40	53	70
1983.....	1,729	13	26	14	29	38	26	39	57	51	69
1982.....	1,526	17	23	10	24	31	43	32	45	45	59
1981.....	1,513	14	17	9	22	28	24	37	36	50	46
1980.....	1,498	18	20	10	23	21	31	30	43	32	51
1979.....	1,383	16	11	7	8	22	22	33	28	39	49
ALL OTHER MALE											
1998.....	1,406	10	16	12	33	26	43	42	42	51	55
1997.....	1,416	13	17	19	18	24	26	38	46	53	44
1996.....	1,460	13	18	17	30	35	33	31	37	45	71
1995.....	1,471	8	9	17	40	34	33	31	43	48	53
1994.....	1,424	12	13	11	30	35	31	48	45	45	52
1993.....	1,410	10	15	8	31	25	32	30	25	42	58
1992.....	1,318	14	13	12	17	22	28	27	37	30	41
1991.....	1,322	11	18	11	22	26	29	30	36	40	50
1990.....	1,318	11	17	11	27	20	20	26	32	35	44
1989.....	1,258	7	9	15	14	17	23	31	34	39	49
1988.....	1,398	10	6	10	18	21	29	30	41	43	45
1987.....	1,220	8	10	11	33	25	23	26	26	43	34
1986.....	1,169	14	6	9	22	28	20	20	19	28	28
1985.....	1,132	6	8	7	20	18	30	20	30	33	24
1984.....	1,035	14	6	5	20	16	15	19	13	25	30
1983.....	1,065	10	20	9	19	21	12	21	29	25	28
1982.....	951	10	11	6	12	20	26	15	28	22	27
1981.....	1,027	8	15	4	13	23	15	19	20	22	23
1980.....	979	12	13	4	16	13	17	12	19	18	27
1979.....	911	11	5	4	5	8	11	16	12	18	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)											
ALL OTHER FEMALE											
1998.....	1,344	8	8	11	13	22	17	29	39	60	73
1997.....	1,268	5	6	11	20	15	9	29	33	52	82
1996.....	1,388	6	9	11	29	19	24	30	44	52	79
1995.....	1,237	5	4	5	12	21	20	23	31	51	80
1994.....	1,177	4	8	10	14	21	11	34	26	54	64
1993.....	1,174	7	11	13	12	13	15	27	40	51	71
1992.....	1,058	7	17	10	11	14	16	11	31	49	41
1991.....	1,034	11	6	12	11	16	17	24	40	48	46
1990.....	918	6	5	6	10	10	19	25	35	37	42
1989.....	964	4	9	6	13	8	11	22	28	35	47
1988.....	879	9	9	5	16	10	15	18	28	41	50
1987.....	835	4	5	2	13	19	19	13	30	32	39
1986.....	753	7	3	4	10	19	15	16	27	32	28
1985.....	721	8	5	12	16	14	17	14	23	24	21
1984.....	652	10	4	5	7	14	12	18	27	28	40
1983.....	664	3	6	5	10	17	14	18	28	26	41
1982.....	575	7	12	4	12	11	17	17	17	23	32
1981.....	486	6	2	5	9	5	9	18	16	28	23
1980.....	519	6	7	6	7	8	14	18	24	14	24
1979.....	472	5	6	3	3	14	11	17	16	21	22
BLACK, BOTH SEXES											
1998.....	2,345	16	22	22	39	47	56	66	70	108	118
1997.....	2,243	15	21	27	36	32	32	62	73	95	111
1996.....	2,421	17	23	24	52	51	50	55	72	93	135
1995.....	2,324	13	12	21	49	53	51	53	70	88	118
1994.....	2,253	14	19	20	41	52	37	76	69	97	106
1993.....	2,222	15	22	21	40	37	44	52	61	84	121
1992.....	2,071	19	27	21	26	35	43	34	63	72	78
1991.....	2,039	22	23	22	32	39	42	49	71	80	87
1990.....	1,939	15	20	16	35	26	36	47	64	67	80
1989.....	1,956	9	17	17	25	23	32	49	58	69	87
1988.....	2,021	17	14	12	31	28	39	42	66	81	87
1987.....	1,808	10	15	13	43	41	39	37	55	71	72
1986.....	1,716	18	8	13	32	40	35	35	42	55	53
1985.....	1,632	12	12	17	34	29	45	32	51	56	43
1984.....	1,494	22	9	9	25	29	27	33	39	48	65
1983.....	1,536	10	24	11	26	37	24	38	55	49	62
1982.....	1,389	16	22	9	24	29	39	32	41	43	57
1981.....	1,397	14	17	9	21	25	23	36	30	47	43
1980.....	1,377	17	18	10	23	20	30	28	40	31	49
1979.....	1,271	14	10	7	8	22	20	32	28	38	43

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)											
BLACK MALE											
1998.....	1,173	8	14	11	27	26	42	39	37	49	52
1997.....	1,168	11	17	16	17	18	24	34	41	48	39
1996.....	1,224	13	14	14	26	34	28	26	33	43	65
1995.....	1,243	8	8	17	37	33	31	30	43	44	43
1994.....	1,210	11	11	11	28	31	26	45	45	44	47
1993.....	1,188	8	11	8	29	24	31	28	24	38	52
1992.....	1,133	13	13	12	16	21	27	25	34	27	40
1991.....	1,143	11	17	10	21	24	25	27	34	34	46
1990.....	1,137	9	15	11	26	17	20	25	31	35	41
1989.....	1,094	7	8	13	12	16	21	29	32	36	42
1988.....	1,229	9	6	8	15	20	24	26	38	42	42
1987.....	1,071	6	10	11	30	23	23	25	25	39	33
1986.....	1,034	11	5	9	22	24	20	20	17	26	27
1985.....	987	5	8	5	19	16	29	18	29	33	23
1984.....	897	14	6	5	19	15	15	16	13	24	26
1983.....	940	7	19	8	17	20	12	20	29	25	25
1982.....	857	9	11	6	12	20	26	15	26	22	26
1981.....	945	8	15	4	12	20	14	19	16	20	23
1980.....	900	11	11	4	16	13	16	11	19	17	26
1979.....	837	10	5	4	5	8	10	16	12	17	22
BLACK FEMALE											
1998.....	1,172	8	8	11	12	21	14	27	33	59	66
1997.....	1,075	4	4	11	19	14	8	28	32	47	72
1996.....	1,197	4	9	10	26	17	22	29	39	50	70
1995.....	1,081	5	4	4	12	20	20	23	27	44	75
1994.....	1,043	3	8	9	13	21	11	31	24	53	59
1993.....	1,034	7	11	13	11	13	13	24	37	46	69
1992.....	938	6	14	9	10	14	16	9	29	45	38
1991.....	896	11	6	12	11	15	17	22	37	46	41
1990.....	802	6	5	5	9	9	16	22	33	32	39
1989.....	862	2	9	4	13	7	11	20	26	33	45
1988.....	792	8	8	4	16	8	15	16	28	39	45
1987.....	737	4	5	2	13	18	16	12	30	32	39
1986.....	682	7	3	4	10	16	15	15	25	29	26
1985.....	645	7	4	12	15	13	16	14	22	23	20
1984.....	597	8	3	4	6	14	12	17	26	24	39
1983.....	596	3	5	3	9	17	12	18	26	24	37
1982.....	532	7	11	3	12	9	13	17	15	21	31
1981.....	452	6	2	5	9	5	9	17	14	27	20
1980.....	477	6	7	6	7	7	14	17	21	14	23
1979.....	434	4	5	3	3	14	10	16	16	21	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)											
TOTAL, BOTH SEXES											
1998.....	592	11	9	5	3	2	4	2	2	6	5
1997.....	551	20	8	1	3	2	1	2	2	6	6
1996.....	574	13	9	3	2	2	1	1	4	6	9
1995.....	625	11	8	-	1	5	1	6	4	8	7
1994.....	676	24	10	1	1	2	-	2	2	6	10
1993.....	676	30	6	4	5	3	2	3	3	5	7
1992.....	609	20	15	3	1	3	2	-	3	5	7
1991.....	658	31	7	3	2	4	2	8	3	5	4
1990.....	615	20	9	2	1	2	1	5	3	5	7
1989.....	705	23	15	3	3	1	3	3	4	5	6
1988.....	657	30	9	1	2	-	1	3	6	8	4
1987.....	641	19	15	6	1	2	9	4	5	3	7
1986.....	627	24	6	2	-	1	1	2	4	7	6
1985.....	579	25	5	4	2	3	1	2	4	7	2
1984.....	547	23	10	1	1	2	4	4	3	2	9
1983.....	513	26	14	2	1	2	2	4	2	2	5
1982.....	463	24	17	1	1	5	5	2	4	10	4
1981.....	513	22	16	2	6	-	3	5	3	6	2
1980.....	459	26	13	5	2	2	3	4	4	2	4
1979.....	387	38	24	8	4	2	6	7	1	5	5
TOTAL, MALE											
1998.....	231	5	6	2	1	1	3	1	1	3	4
1997.....	219	16	4	-	2	1	1	2	-	3	4
1996.....	245	11	7	1	2	2	1	-	2	2	4
1995.....	259	10	4	-	1	4	1	2	2	3	2
1994.....	275	15	3	1	-	-	-	1	-	6	7
1993.....	278	18	4	3	2	3	2	2	2	3	4
1992.....	232	14	9	2	1	1	-	-	2	3	4
1991.....	267	13	5	1	1	3	-	5	2	2	3
1990.....	246	11	6	1	-	1	-	3	1	2	1
1989.....	290	16	7	3	3	1	2	2	2	5	4
1988.....	273	16	4	1	1	-	1	2	4	4	3
1987.....	263	9	6	6	1	2	4	2	3	2	6
1986.....	260	17	2	-	-	-	1	1	-	5	4
1985.....	255	18	3	3	-	2	-	1	2	2	-
1984.....	224	12	3	-	1	1	3	2	2	2	5
1983.....	236	16	11	1	-	-	1	2	-	-	4
1982.....	205	15	7	1	-	3	4	1	2	3	1
1981.....	263	14	11	-	5	-	2	4	1	5	2
1980.....	226	15	8	4	2	1	1	2	1	2	1
1979.....	203	23	15	4	3	2	3	5	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)											
TOTAL, FEMALE											
1998.....	361	6	3	3	2	1	1	1	1	3	1
1997.....	332	4	4	1	1	1	-	-	2	3	2
1996.....	329	2	2	2	-	-	-	1	2	4	5
1995.....	366	1	4	-	-	1	-	4	2	5	5
1994.....	401	9	7	-	1	2	-	1	2	-	3
1993.....	398	12	2	1	3	-	-	1	1	2	3
1992.....	377	6	6	1	-	2	2	-	1	2	3
1991.....	391	18	2	2	1	1	2	3	1	3	1
1990.....	369	9	3	1	1	1	1	2	2	3	6
1989.....	415	7	8	-	-	-	1	1	2	-	2
1988.....	384	14	5	-	1	-	-	1	2	4	1
1987.....	378	10	9	-	-	-	5	2	2	1	1
1986.....	367	7	4	2	-	1	-	1	4	2	2
1985.....	324	7	2	1	2	1	1	1	2	5	2
1984.....	323	11	7	1	-	1	1	2	1	-	4
1983.....	277	10	3	1	1	2	1	2	2	2	1
1982.....	258	9	10	-	1	2	1	1	2	7	3
1981.....	250	8	5	2	1	-	1	1	2	1	-
1980.....	233	11	5	1	-	1	2	2	3	-	3
1979.....	184	15	9	4	1	-	3	2	-	4	4
WHITE, BOTH SEXES											
1998.....	530	6	6	5	2	1	4	2	2	3	4
1997.....	489	12	7	-	1	2	1	2	2	3	4
1996.....	517	8	7	2	1	2	1	1	2	4	4
1995.....	555	9	6	-	1	4	1	3	3	5	5
1994.....	610	15	8	-	1	2	-	1	1	5	6
1993.....	610	18	3	2	4	3	1	2	1	2	6
1992.....	548	9	8	3	-	3	2	-	2	2	4
1991.....	584	16	5	3	-	3	2	5	3	3	2
1990.....	561	16	7	-	1	1	1	3	3	4	6
1989.....	640	18	12	2	1	1	3	3	4	3	5
1988.....	601	23	7	1	1	-	-	1	4	5	2
1987.....	595	12	14	5	1	2	5	1	4	2	6
1986.....	586	18	4	2	-	-	1	2	4	6	6
1985.....	541	18	5	1	2	2	1	2	3	6	1
1984.....	503	14	9	1	1	2	4	4	2	1	6
1983.....	456	17	12	1	1	1	2	4	-	1	4
1982.....	426	16	14	1	1	3	5	2	4	8	2
1981.....	470	18	9	2	4	-	2	4	3	5	2
1980.....	420	16	8	5	2	1	3	4	4	2	3
1979.....	346	30	20	7	4	2	5	6	1	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)											
WHITE MALE											
1998.....	201	4	3	2	1	1	3	1	1	2	3
1997.....	186	10	4	-	1	1	1	2	-	2	2
1996.....	215	6	6	1	1	2	1	-	1	2	1
1995.....	228	8	2	-	1	4	1	-	2	1	2
1994.....	240	8	2	-	-	-	-	1	-	5	4
1993.....	241	10	3	2	1	3	1	1	1	1	4
1992.....	203	8	5	2	-	1	-	-	1	2	2
1991.....	230	7	5	1	-	2	-	3	2	1	2
1990.....	216	8	4	-	-	-	-	2	1	2	1
1989.....	260	14	7	2	1	1	2	2	2	3	3
1988.....	239	13	4	1	-	-	-	1	2	3	1
1987.....	240	5	5	5	1	2	3	-	2	1	5
1986.....	239	12	2	-	-	-	1	1	-	4	4
1985.....	241	15	3	1	-	2	-	1	1	2	-
1984.....	201	8	2	-	1	1	3	2	1	1	4
1983.....	203	9	9	1	-	-	1	2	-	-	3
1982.....	185	9	5	1	-	2	4	1	2	2	1
1981.....	233	10	5	-	3	-	1	3	1	4	2
1980.....	202	9	5	4	2	-	1	2	1	2	1
1979.....	179	17	13	3	3	2	3	5	1	1	-
WHITE FEMALE											
1998.....	329	2	3	3	1	-	1	1	1	1	1
1997.....	303	2	3	-	-	1	-	-	2	1	2
1996.....	302	2	1	1	-	-	-	1	1	2	3
1995.....	327	1	4	-	-	-	-	3	1	4	3
1994.....	370	7	6	-	1	2	-	-	1	-	2
1993.....	369	8	-	-	3	-	-	1	-	1	2
1992.....	345	1	3	1	-	2	2	-	1	-	2
1991.....	354	9	-	2	-	1	2	2	1	2	-
1990.....	345	8	3	-	1	1	1	1	2	2	5
1989.....	380	4	5	-	-	-	1	1	2	-	2
1988.....	362	10	3	-	1	-	-	-	2	2	1
1987.....	355	7	9	-	-	-	2	1	2	1	1
1986.....	347	6	2	2	-	-	-	1	4	2	2
1985.....	300	3	2	-	2	-	1	1	2	4	1
1984.....	302	6	7	1	-	1	1	2	1	-	2
1983.....	253	8	3	-	1	1	1	2	-	1	1
1982.....	241	7	9	-	1	1	1	1	2	6	1
1981.....	237	8	4	2	1	-	1	1	2	1	-
1980.....	218	7	3	1	-	1	2	2	3	-	2
1979.....	167	13	7	4	1	-	2	1	-	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)											
ALL OTHER, BOTH SEXES											
1998.....	62	5	3	-	1	1	-	-	-	3	1
1997.....	62	8	1	1	2	-	-	-	-	3	2
1996.....	57	5	2	1	1	-	-	-	2	2	5
1995.....	70	2	2	-	-	1	-	3	1	3	2
1994.....	66	9	2	1	-	-	-	1	1	1	4
1993.....	66	12	3	2	1	-	1	1	2	3	1
1992.....	61	11	7	-	1	-	-	-	1	3	3
1991.....	74	15	2	-	2	1	-	3	-	2	2
1990.....	54	4	2	2	-	1	-	2	-	1	1
1989.....	65	5	3	1	2	-	-	-	-	2	1
1988.....	56	7	2	-	1	-	1	2	2	3	2
1987.....	46	7	1	1	-	-	4	3	1	1	1
1986.....	41	6	2	-	-	1	-	-	-	1	-
1985.....	38	7	-	3	-	1	-	-	1	1	1
1984.....	44	9	1	-	4	-	-	-	1	1	3
1983.....	57	9	2	1	-	1	-	-	2	1	1
1982.....	37	8	3	-	-	2	-	-	-	2	2
1981.....	43	4	7	-	2	-	1	1	-	1	-
1980.....	39	10	5	-	-	1	-	-	-	-	1
1979.....	41	8	4	1	-	-	1	1	-	1	1
ALL OTHER MALE											
1998.....	30	1	3	-	-	-	-	-	-	1	1
1997.....	33	6	-	-	1	-	-	-	-	1	2
1996.....	30	5	1	-	1	-	-	-	1	-	3
1995.....	31	2	2	-	-	-	-	2	-	2	-
1994.....	35	7	1	1	-	-	-	-	-	1	3
1993.....	37	8	1	1	1	-	1	1	1	2	-
1992.....	29	6	4	-	1	-	-	-	1	1	2
1991.....	37	6	-	-	1	1	-	2	-	1	1
1990.....	30	3	2	1	-	1	-	1	-	-	-
1989.....	30	2	-	1	2	-	-	-	-	2	1
1988.....	34	3	-	-	1	-	1	1	2	1	2
1987.....	23	4	1	1	-	-	1	2	1	1	1
1986.....	21	5	-	-	-	-	-	-	-	1	-
1985.....	14	3	-	2	-	-	-	-	1	-	-
1984.....	23	4	1	-	-	-	-	-	1	1	1
1983.....	33	7	2	-	-	-	-	-	-	-	1
1982.....	20	6	2	-	-	1	-	-	-	1	-
1981.....	30	4	6	-	2	-	1	1	-	1	-
1980.....	24	6	3	-	-	1	-	-	-	-	-
1979.....	24	6	2	1	-	-	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)											
ALL OTHER FEMALE											
1998.....	32	4	-	-	1	1	-	-	-	2	-
1997.....	29	2	1	1	1	-	-	-	-	2	-
1996.....	27	-	1	1	-	-	-	-	1	2	2
1995.....	39	-	-	-	-	1	-	1	1	1	2
1994.....	31	2	1	-	-	-	-	1	1	-	1
1993.....	29	4	2	1	-	-	-	-	1	1	1
1992.....	32	5	3	-	-	-	-	-	-	2	1
1991.....	37	9	2	-	1	-	-	1	-	1	1
1990.....	24	1	-	1	-	-	-	1	-	1	1
1989.....	35	3	3	-	-	-	-	-	-	-	-
1988.....	22	4	2	-	-	-	-	1	-	2	-
1987.....	23	3	-	-	-	-	3	1	-	-	-
1986.....	20	1	2	-	-	1	-	-	-	-	-
1985.....	24	4	-	1	-	1	-	-	-	1	1
1984.....	21	5	-	-	-	-	-	-	-	-	2
1983.....	24	2	-	1	-	1	-	-	2	1	-
1982.....	17	2	1	-	-	1	-	-	-	1	2
1981.....	13	-	1	-	-	-	-	-	-	-	-
1980.....	15	4	2	-	-	-	-	-	-	-	1
1979.....	17	2	2	-	-	-	1	1	-	1	-
BLACK, BOTH SEXES											
1998.....	49	4	3	-	1	1	-	-	-	2	1
1997.....	46	6	-	1	2	-	-	-	-	3	2
1996.....	54	5	2	1	-	-	-	-	2	2	4
1995.....	58	2	1	-	-	1	-	2	-	2	2
1994.....	60	8	2	1	-	-	-	1	1	1	4
1993.....	58	11	2	2	1	-	1	-	2	3	1
1992.....	56	10	5	-	1	-	-	-	1	2	3
1991.....	61	15	2	-	2	1	-	2	-	2	1
1990.....	43	4	2	2	-	-	-	2	-	1	1
1989.....	54	3	3	1	1	-	-	-	-	1	1
1988.....	47	7	2	-	1	-	1	1	1	3	2
1987.....	38	5	1	1	-	-	3	2	1	1	1
1986.....	37	5	2	-	-	1	-	-	-	1	-
1985.....	30	5	-	1	-	1	-	-	1	1	1
1984.....	42	9	1	-	-	-	-	-	1	1	3
1983.....	46	8	2	1	-	1	-	-	2	1	-
1982.....	35	8	3	-	-	2	-	-	-	2	2
1981.....	41	4	7	-	2	-	1	1	-	1	-
1980.....	35	10	4	-	-	1	-	-	-	-	1
1979.....	33	6	3	1	-	-	1	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)											
BLACK MALE											
1998.....	22	-	3	-	-	-	-	-	-	-	1
1997.....	26	5	-	-	1	-	-	-	-	1	2
1996.....	28	5	1	-	-	-	-	-	1	-	3
1995.....	28	2	1	-	-	-	-	1	-	2	-
1994.....	32	6	1	1	-	-	-	-	-	1	3
1993.....	31	7	-	1	1	-	1	-	1	2	-
1992.....	29	6	4	-	1	-	-	-	1	1	2
1991.....	31	6	-	-	1	1	-	1	-	1	1
1990.....	25	3	2	1	-	-	-	1	-	-	-
1989.....	24	2	-	1	1	-	-	-	-	1	1
1988.....	28	3	-	-	1	-	1	-	1	1	2
1987.....	19	2	1	1	-	-	1	2	1	1	1
1986.....	19	4	-	-	-	-	-	-	-	1	-
1985.....	10	2	-	-	-	-	-	-	1	-	-
1984.....	22	4	1	-	-	-	-	-	1	1	1
1983.....	28	6	2	-	-	-	-	-	-	-	-
1982.....	18	6	2	-	-	1	-	-	-	1	-
1981.....	30	4	6	-	2	-	1	1	-	1	-
1980.....	22	6	2	-	-	1	-	-	-	-	-
1979.....	21	5	2	1	-	-	-	-	-	-	-
BLACK FEMALE											
1998.....	27	4	-	-	1	1	-	-	-	2	-
1997.....	20	1	-	1	1	-	-	-	-	2	-
1996.....	26	-	1	1	-	-	-	-	1	2	1
1995.....	30	-	-	-	-	1	-	1	-	-	2
1994.....	28	2	1	-	-	-	-	1	1	-	1
1993.....	27	4	2	1	-	-	-	-	1	1	1
1992.....	27	4	1	-	-	-	-	-	-	1	1
1991.....	30	9	2	-	1	-	-	1	-	1	-
1990.....	18	1	-	1	-	-	-	1	-	1	1
1989.....	30	1	3	-	-	-	-	-	-	-	-
1988.....	19	4	2	-	-	-	-	1	-	2	-
1987.....	19	3	-	-	-	-	2	-	-	-	-
1986.....	18	1	2	-	-	1	-	-	-	-	-
1985.....	20	3	-	1	-	1	-	-	-	1	1
1984.....	20	5	-	-	-	-	-	-	-	-	2
1983.....	18	2	-	1	-	1	-	-	2	1	-
1982.....	17	2	1	-	-	1	-	-	-	1	2
1981.....	11	-	1	-	-	-	-	-	-	-	-
1980.....	13	4	2	-	-	-	-	-	-	-	1
1979.....	12	1	1	-	-	-	1	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC BRONCHITIS (491)											
TOTAL, BOTH SEXES											
1998.....	2,440	16	3	-	3	1	3	3	6	16	14
1997.....	2,504	19	2	1	1	6	3	5	4	7	20
1996.....	2,577	14	2	2	5	3	3	9	14	11	23
1995.....	2,708	15	5	-	5	6	3	5	7	7	16
1994.....	2,903	17	6	1	2	3	1	3	6	11	13
1993.....	3,101	11	6	4	2	-	4	5	6	12	22
1992.....	3,055	13	5	1	2	3	2	3	9	14	14
1991.....	3,069	14	12	4	3	-	8	2	4	12	18
1990.....	2,985	19	14	1	3	-	4	6	5	8	18
1989.....	3,054	7	11	1	3	-	5	5	5	12	7
1988.....	3,063	13	9	1	1	3	3	6	7	7	16
1987.....	2,940	17	8	4	3	2	3	5	5	8	8
1986.....	3,123	16	6	-	3	2	5	2	4	7	13
1985.....	3,036	15	7	1	3	4	1	2	6	7	8
1984.....	2,998	15	7	1	3	2	3	4	6	13	12
1983.....	3,065	10	9	1	-	6	3	2	2	7	11
1982.....	3,032	17	7	2	2	2	5	2	6	8	11
1981.....	3,172	22	8	3	3	3	8	3	3	7	12
1980.....	3,269	16	8	2	3	5	2	2	6	10	19
1979.....	3,263	19	13	2	-	3	3	5	4	4	13
TOTAL, MALE											
1998.....	1,251	13	3	-	1	-	1	2	3	7	10
1997.....	1,241	11	2	1	-	4	2	2	3	1	11
1996.....	1,329	7	2	1	-	1	-	6	5	5	16
1995.....	1,408	12	1	-	1	3	2	3	2	5	7
1994.....	1,488	11	5	1	2	2	1	1	3	7	5
1993.....	1,610	6	4	1	2	-	2	2	4	6	10
1992.....	1,587	10	5	1	2	2	2	1	5	6	11
1991.....	1,690	10	9	2	1	-	5	2	2	5	10
1990.....	1,632	12	8	1	3	-	1	4	3	3	10
1989.....	1,666	6	9	-	-	-	2	2	5	8	5
1988.....	1,719	10	6	1	-	-	2	2	2	2	9
1987.....	1,621	13	5	1	3	1	2	3	2	5	5
1986.....	1,819	10	5	-	2	2	4	1	3	3	10
1985.....	1,786	10	3	1	-	2	1	1	5	3	6
1984.....	1,805	13	1	1	2	2	3	1	3	6	5
1983.....	1,903	6	5	1	-	4	2	2	2	3	6
1982.....	1,921	9	2	1	1	1	4	2	4	4	3
1981.....	2,081	17	7	1	2	1	5	2	3	3	5
1980.....	2,154	10	7	1	1	4	1	-	3	7	13
1979.....	2,202	11	7	2	-	2	2	3	3	2	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC BRONCHITIS (491)											
TOTAL, FEMALE											
1998.....	1,189	3	-	-	2	1	2	1	3	9	4
1997.....	1,263	8	-	-	1	2	1	3	1	6	9
1996.....	1,248	7	-	1	5	2	3	3	9	6	7
1995.....	1,300	3	4	-	4	3	1	2	5	2	9
1994.....	1,415	6	1	-	-	1	-	2	3	4	8
1993.....	1,491	5	2	3	-	-	2	3	2	6	12
1992.....	1,468	3	-	-	-	1	-	2	4	8	3
1991.....	1,379	4	3	2	2	-	3	-	2	7	8
1990.....	1,353	7	6	-	-	-	3	2	2	5	8
1989.....	1,388	1	2	1	3	-	3	3	-	4	2
1988.....	1,344	3	3	-	-	1	1	4	5	5	7
1987.....	1,319	4	3	3	-	1	1	2	3	3	3
1986.....	1,304	6	1	-	1	-	1	1	1	4	3
1985.....	1,250	5	4	-	3	2	-	1	1	4	2
1984.....	1,193	2	6	-	1	-	-	3	3	7	7
1983.....	1,162	4	4	-	-	2	1	-	-	4	5
1982.....	1,111	8	5	1	1	1	1	-	2	4	8
1981.....	1,091	5	1	2	1	2	3	1	-	4	7
1980.....	1,115	6	1	1	2	1	1	2	3	3	6
1979.....	1,061	8	6	-	-	1	1	2	1	2	6
WHITE, BOTH SEXES											
1998.....	2,287	9	2	-	3	1	3	2	4	13	11
1997.....	2,316	13	-	-	1	3	2	4	3	4	15
1996.....	2,372	8	2	1	3	2	2	8	9	7	18
1995.....	2,498	9	2	-	4	3	3	2	6	5	8
1994.....	2,713	12	3	1	2	2	1	2	4	8	12
1993.....	2,892	8	4	2	1	-	3	3	5	9	14
1992.....	2,873	8	5	1	2	3	2	2	8	11	12
1991.....	2,875	10	8	2	-	-	7	1	1	9	13
1990.....	2,804	11	7	-	1	-	2	4	5	7	14
1989.....	2,882	3	8	1	1	-	4	3	5	9	5
1988.....	2,890	6	5	1	-	-	3	4	5	4	12
1987.....	2,784	15	5	3	1	-	3	4	3	8	8
1986.....	2,945	9	5	-	2	1	5	1	2	7	10
1985.....	2,872	10	3	1	3	2	1	1	4	6	6
1984.....	2,856	7	6	1	1	1	3	2	5	12	8
1983.....	2,908	7	2	1	-	5	3	2	1	6	8
1982.....	2,885	12	2	2	2	2	4	2	6	4	7
1981.....	3,016	15	7	3	3	2	8	2	3	5	12
1980.....	3,093	11	4	1	3	5	1	1	5	7	14
1979.....	3,106	11	10	2	-	3	3	5	3	3	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC BRONCHITIS (491)											
WHITE MALE											
1998.....	1,158	7	2	-	1	-	1	1	2	5	7
1997.....	1,135	7	-	-	-	2	1	1	2	-	7
1996.....	1,220	4	2	1	-	-	-	5	4	3	13
1995.....	1,281	7	-	-	1	1	2	-	1	4	3
1994.....	1,378	8	3	1	2	1	1	1	3	6	5
1993.....	1,493	4	3	1	1	-	2	1	3	5	8
1992.....	1,482	6	5	1	2	2	2	1	5	5	9
1991.....	1,571	8	5	1	-	-	4	1	1	4	7
1990.....	1,510	7	4	-	1	-	1	3	3	3	6
1989.....	1,563	3	6	-	-	-	1	2	5	5	3
1988.....	1,611	6	4	1	-	-	2	1	1	1	8
1987.....	1,526	12	3	-	1	-	2	3	2	5	5
1986.....	1,692	7	4	-	1	1	4	1	1	3	7
1985.....	1,688	8	2	1	-	1	1	-	4	3	4
1984.....	1,711	6	1	1	-	1	3	-	2	5	2
1983.....	1,792	4	1	1	-	4	2	2	1	3	4
1982.....	1,825	7	1	1	1	1	3	2	4	2	1
1981.....	1,960	13	6	1	2	-	5	2	3	2	5
1980.....	2,029	7	4	1	1	4	1	-	2	4	10
1979.....	2,096	6	6	2	-	2	2	3	3	2	5
WHITE FEMALE											
1998.....	1,129	2	-	-	2	1	2	1	2	8	4
1997.....	1,181	6	-	-	1	1	1	3	1	4	8
1996.....	1,152	4	-	-	3	2	2	3	5	4	5
1995.....	1,217	2	2	-	3	2	1	2	5	1	5
1994.....	1,335	4	-	-	-	1	-	1	1	2	7
1993.....	1,399	4	1	1	-	-	1	2	2	4	6
1992.....	1,391	2	-	-	-	1	-	1	3	6	3
1991.....	1,304	2	3	1	-	-	3	-	-	5	6
1990.....	1,294	4	3	-	-	-	1	1	2	4	8
1989.....	1,319	-	2	1	1	-	3	1	-	4	2
1988.....	1,279	-	1	-	-	-	1	3	4	3	4
1987.....	1,258	3	2	3	-	-	1	1	1	3	3
1986.....	1,253	2	1	-	1	-	1	-	1	4	3
1985.....	1,184	2	1	-	3	1	-	1	-	3	2
1984.....	1,145	1	5	-	1	-	-	2	3	7	6
1983.....	1,116	3	1	-	-	1	1	-	-	3	4
1982.....	1,060	5	1	1	1	1	1	-	2	2	6
1981.....	1,056	2	1	2	1	2	3	-	-	3	7
1980.....	1,064	4	-	-	2	1	-	1	3	3	4
1979.....	1,010	5	4	-	-	1	1	2	-	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC BRONCHITIS (491)											
ALL OTHER FEMALE											
1998.....	60	1	-	-	-	-	-	-	1	1	-
1997.....	82	2	-	-	-	1	-	-	-	2	1
1996.....	96	3	-	1	2	-	1	-	4	2	2
1995.....	83	1	2	-	1	1	-	-	-	1	4
1994.....	80	2	1	-	-	-	-	1	2	2	1
1993.....	92	1	1	2	-	-	1	1	-	2	6
1992.....	77	1	-	-	-	-	-	1	1	2	-
1991.....	75	2	-	1	2	-	-	-	2	2	2
1990.....	59	3	3	-	-	-	2	1	-	1	-
1989.....	69	1	-	-	2	-	-	2	-	-	-
1988.....	65	3	2	-	-	1	-	1	1	2	3
1987.....	61	1	1	-	-	1	-	1	2	-	-
1986.....	51	4	-	-	-	-	-	1	-	-	-
1985.....	66	3	3	-	-	1	-	-	1	1	-
1984.....	48	1	1	-	-	-	-	1	-	-	1
1983.....	46	1	3	-	-	1	-	-	-	1	1
1982.....	51	3	4	-	-	-	-	-	-	2	2
1981.....	35	3	-	-	-	-	-	1	-	1	-
1980.....	51	2	1	1	-	-	1	1	-	-	2
1979.....	51	3	2	-	-	-	-	-	1	1	2
BLACK, BOTH SEXES											
1998.....	116	6	1	-	-	-	-	1	1	3	3
1997.....	150	6	2	1	-	2	1	-	1	2	4
1996.....	160	5	-	1	1	-	1	1	5	4	5
1995.....	164	6	3	-	1	3	-	3	1	2	7
1994.....	149	4	2	-	-	-	-	1	1	3	1
1993.....	164	2	1	2	1	-	-	2	1	2	8
1992.....	148	4	-	-	-	-	-	1	1	3	2
1991.....	163	4	4	1	3	-	1	1	3	2	5
1990.....	147	6	6	1	2	-	1	2	-	1	3
1989.....	153	4	3	-	2	-	1	2	-	3	1
1988.....	146	7	3	-	-	1	-	1	2	3	3
1987.....	131	2	3	1	2	2	-	1	2	-	-
1986.....	147	6	1	-	1	1	-	1	1	-	3
1985.....	137	5	3	-	-	2	-	1	2	1	1
1984.....	124	7	1	-	2	1	-	2	1	1	3
1983.....	134	1	6	-	-	1	-	-	1	1	3
1982.....	128	4	5	-	-	-	1	-	-	4	3
1981.....	137	7	1	-	-	1	-	1	-	2	-
1980.....	160	4	4	1	-	-	1	1	1	3	5
1979.....	137	8	3	-	-	-	-	-	1	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CHRONIC BRONCHITIS (491)												
BLACK MALE												
1998.....	72	5	1	-	-	-	-	1	-	2	3	
1997.....	82	4	2	1	-	1	1	-	1	-	3	
1996.....	80	3	-	-	-	-	-	1	1	2	3	
1995.....	99	5	1	-	-	2	-	3	1	1	4	
1994.....	86	3	1	-	-	-	-	-	-	1	-	
1993.....	91	1	-	-	1	-	-	1	1	1	2	
1992.....	86	3	-	-	-	-	-	-	-	1	2	
1991.....	104	2	4	-	1	-	1	1	1	-	3	
1990.....	100	3	3	1	2	-	-	1	-	-	3	
1989.....	89	3	3	-	-	-	1	-	-	3	1	
1988.....	93	4	2	-	-	-	-	1	1	1	1	
1987.....	81	1	2	1	2	1	-	-	-	-	-	
1986.....	102	2	1	-	1	1	-	-	1	-	3	
1985.....	83	2	1	-	-	1	-	1	1	-	1	
1984.....	83	7	-	-	2	1	-	1	1	1	2	
1983.....	92	-	3	-	-	-	-	-	1	-	2	
1982.....	84	1	1	-	-	-	1	-	-	2	2	
1981.....	103	4	1	-	-	1	-	-	-	1	-	
1980.....	114	2	3	-	-	-	-	-	1	3	3	
1979.....	96	5	1	-	-	-	-	-	-	-	2	
BLACK FEMALE												
1998.....	44	1	-	-	-	-	-	-	1	1	-	
1997.....	68	2	-	-	-	1	-	-	-	2	1	
1996.....	80	2	-	1	1	-	1	-	4	2	2	
1995.....	65	1	2	-	1	1	-	-	-	1	3	
1994.....	63	1	1	-	-	-	-	1	1	2	1	
1993.....	73	1	1	2	-	-	-	1	-	1	6	
1992.....	62	1	-	-	-	-	-	1	1	2	-	
1991.....	59	2	-	1	2	-	-	-	2	2	2	
1990.....	47	3	3	-	-	-	1	1	-	1	-	
1989.....	64	1	-	-	2	-	-	2	-	-	-	
1988.....	53	3	1	-	-	1	-	-	1	2	2	
1987.....	50	1	1	-	-	1	-	1	2	-	-	
1986.....	45	4	-	-	-	-	-	1	-	-	-	
1985.....	54	3	2	-	-	1	-	-	1	1	-	
1984.....	41	-	1	-	-	-	-	1	-	-	1	
1983.....	42	1	3	-	-	1	-	-	-	1	1	
1982.....	44	3	4	-	-	-	-	-	-	2	1	
1981.....	34	3	-	-	-	-	-	1	-	1	-	
1980.....	46	2	1	1	-	-	1	1	-	-	2	
1979.....	41	3	2	-	-	-	-	-	1	1	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
TOTAL, BOTH SEXES											
1998.....	17,555	1	-	-	-	-	4	4	8	22	60
1997.....	17,518	2	-	1	-	-	-	2	9	23	68
1996.....	17,286	2	1	-	-	-	1	5	4	17	53
1995.....	16,927	1	1	-	-	-	1	3	9	17	49
1994.....	17,215	2	-	-	1	1	1	7	3	24	56
1993.....	17,586	1	1	2	1	3	1	2	7	15	44
1992.....	16,363	1	2	-	-	1	2	-	8	20	55
1991.....	16,436	2	-	-	-	-	1	3	5	20	42
1990.....	15,706	-	1	-	-	-	1	3	10	14	57
1989.....	15,467	7	1	-	1	2	1	2	5	14	49
1988.....	15,513	3	-	-	-	-	1	6	10	23	51
1987.....	14,483	8	1	-	-	-	-	4	10	24	54
1986.....	14,471	4	-	-	1	-	2	5	6	15	48
1985.....	14,150	2	-	1	1	-	4	5	7	21	44
1984.....	13,263	6	1	1	-	-	4	9	8	15	52
1983.....	13,293	6	1	-	-	-	5	6	8	28	45
1982.....	12,793	2	-	-	-	3	2	2	7	19	51
1981.....	13,369	2	1	1	-	2	4	6	8	20	64
1980.....	13,877	3	-	-	2	3	3	5	14	18	58
1979.....	13,569	2	2	-	1	1	3	8	11	25	68
TOTAL, MALE											
1998.....	9,333	-	-	-	-	-	3	3	4	10	42
1997.....	9,497	1	-	1	-	-	-	-	4	12	45
1996.....	9,422	-	1	-	-	-	1	2	2	11	35
1995.....	9,344	-	-	-	-	-	-	2	7	10	25
1994.....	9,622	-	-	-	1	-	1	6	2	15	34
1993.....	9,914	1	-	1	-	2	1	2	5	9	32
1992.....	9,422	1	1	-	-	-	2	-	7	15	37
1991.....	9,531	-	-	-	-	-	-	3	3	12	27
1990.....	9,408	-	1	-	-	-	-	2	7	13	38
1989.....	9,294	3	-	-	1	1	1	1	4	9	33
1988.....	9,686	2	-	-	-	-	1	3	8	17	34
1987.....	9,182	7	-	-	-	-	-	2	9	19	34
1986.....	9,396	2	-	-	1	-	1	5	4	13	33
1985.....	9,375	2	-	1	-	-	4	3	3	15	26
1984.....	8,926	3	-	1	-	-	3	5	3	12	35
1983.....	9,203	3	-	-	-	-	4	4	6	17	28
1982.....	9,037	1	-	-	-	2	2	2	5	14	28
1981.....	9,592	-	1	1	-	2	3	6	3	12	40
1980.....	10,133	1	-	-	2	2	3	3	13	10	38
1979.....	10,171	-	1	-	1	-	2	7	8	19	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
TOTAL, FEMALE											
1998.....	8,222	1	-	-	-	-	1	1	4	12	18
1997.....	8,021	1	-	-	-	-	-	2	5	11	23
1996.....	7,864	2	-	-	-	-	-	3	2	6	18
1995.....	7,583	1	1	-	-	-	1	1	2	7	24
1994.....	7,593	2	-	-	-	1	-	1	1	9	22
1993.....	7,672	-	1	1	1	1	-	-	2	6	12
1992.....	6,941	-	1	-	-	1	-	-	1	5	18
1991.....	6,905	2	-	-	-	-	1	-	2	8	15
1990.....	6,298	-	-	-	-	-	1	1	3	1	19
1989.....	6,173	4	1	-	-	1	-	1	1	5	16
1988.....	5,827	1	-	-	-	-	-	3	2	6	17
1987.....	5,301	1	1	-	-	-	-	2	1	5	20
1986.....	5,075	2	-	-	-	-	1	-	2	2	15
1985.....	4,775	-	-	-	1	-	-	2	4	6	18
1984.....	4,337	3	1	-	-	-	1	4	5	3	17
1983.....	4,090	3	1	-	-	-	1	2	2	11	17
1982.....	3,756	1	-	-	-	1	-	-	2	5	23
1981.....	3,777	2	-	-	-	-	1	-	5	8	24
1980.....	3,744	2	-	-	-	1	-	2	1	8	20
1979.....	3,398	2	1	-	-	1	1	1	3	6	31
WHITE, BOTH SEXES											
1998.....	16,511	-	-	-	-	-	3	2	5	17	41
1997.....	16,516	2	-	1	-	-	-	2	4	16	63
1996.....	16,257	-	-	-	-	-	-	4	4	11	36
1995.....	15,928	-	1	-	-	-	1	2	5	8	35
1994.....	16,223	2	-	-	1	1	1	1	2	13	40
1993.....	16,534	1	-	1	-	2	-	1	4	10	22
1992.....	15,405	1	2	-	-	1	1	-	6	13	44
1991.....	15,539	2	-	-	-	-	1	2	4	15	37
1990.....	14,828	-	1	-	-	-	1	-	7	11	49
1989.....	14,590	7	1	-	-	1	-	1	2	13	34
1988.....	14,589	1	-	-	-	-	1	4	2	14	39
1987.....	13,663	5	1	-	-	-	-	3	8	15	42
1986.....	13,687	2	-	-	-	-	2	5	4	8	39
1985.....	13,353	2	-	1	1	-	3	2	5	16	40
1984.....	12,547	5	-	1	-	-	2	4	8	11	41
1983.....	12,588	5	-	-	-	-	5	4	3	17	35
1982.....	12,155	1	-	-	-	2	1	2	6	15	42
1981.....	12,683	1	1	1	-	1	2	4	6	10	51
1980.....	13,194	3	-	-	1	2	3	3	8	11	45
1979.....	12,887	2	2	-	-	-	3	7	8	16	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
WHITE MALE											
1998.....	8,684	-	-	-	-	-	2	1	3	6	29
1997.....	8,823	1	-	1	-	-	-	-	3	9	42
1996.....	8,750	-	-	-	-	-	-	2	2	8	21
1995.....	8,656	-	-	-	-	-	-	1	4	4	17
1994.....	8,952	-	-	-	1	-	1	-	1	8	23
1993.....	9,202	1	-	1	-	1	-	1	3	6	17
1992.....	8,745	1	1	-	-	-	1	-	5	11	29
1991.....	8,904	-	-	-	-	-	-	2	2	8	23
1990.....	8,769	-	1	-	-	-	-	-	4	10	33
1989.....	8,665	3	-	-	-	-	-	1	1	8	22
1988.....	8,953	1	-	-	-	-	1	2	1	9	23
1987.....	8,566	4	-	-	-	-	-	1	7	10	24
1986.....	8,781	1	-	-	-	-	1	5	2	6	26
1985.....	8,766	2	-	1	-	-	3	-	2	12	22
1984.....	8,369	2	-	1	-	-	2	3	3	9	25
1983.....	8,653	2	-	-	-	-	4	2	2	10	20
1982.....	8,533	1	-	-	-	1	1	2	4	11	21
1981.....	9,026	-	1	1	-	1	1	4	1	5	31
1980.....	9,587	1	-	-	1	1	3	3	7	4	28
1979.....	9,625	-	1	-	-	-	2	7	6	11	28
WHITE FEMALE											
1998.....	7,827	-	-	-	-	-	1	1	2	11	12
1997.....	7,693	1	-	-	-	-	-	2	1	7	21
1996.....	7,507	-	-	-	-	-	-	2	2	3	15
1995.....	7,272	-	1	-	-	-	1	1	1	4	18
1994.....	7,271	2	-	-	-	1	-	1	1	5	17
1993.....	7,332	-	-	-	-	1	-	-	1	4	5
1992.....	6,660	-	1	-	-	1	-	-	1	2	15
1991.....	6,635	2	-	-	-	-	1	-	2	7	14
1990.....	6,059	-	-	-	-	-	1	-	3	1	16
1989.....	5,925	4	1	-	-	1	-	-	1	5	12
1988.....	5,636	-	-	-	-	-	-	2	1	5	16
1987.....	5,097	1	1	-	-	-	-	2	1	5	18
1986.....	4,906	1	-	-	-	-	1	-	2	2	13
1985.....	4,587	-	-	-	1	-	-	2	3	4	18
1984.....	4,178	3	-	-	-	-	-	1	5	2	16
1983.....	3,935	3	-	-	-	-	1	2	1	7	15
1982.....	3,622	-	-	-	-	1	-	-	2	4	21
1981.....	3,657	1	-	-	-	-	1	-	5	5	20
1980.....	3,607	2	-	-	-	1	-	-	1	7	17
1979.....	3,262	2	1	-	-	-	1	-	2	5	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
ALL OTHER, BOTH SEXES											
1998.....	1,044	1	-	-	-	-	1	2	3	5	19
1997.....	1,002	-	-	-	-	-	-	-	5	7	5
1996.....	1,029	2	1	-	-	-	1	1	-	6	17
1995.....	999	1	-	-	-	-	-	1	4	9	14
1994.....	992	-	-	-	-	-	-	6	1	11	16
1993.....	1,052	-	1	1	1	1	1	1	3	5	22
1992.....	958	-	-	-	-	-	1	-	2	7	11
1991.....	897	-	-	-	-	-	-	1	1	5	5
1990.....	878	-	-	-	-	-	-	3	3	3	8
1989.....	877	-	-	-	1	1	1	1	3	1	15
1988.....	924	2	-	-	-	-	-	2	8	9	12
1987.....	820	3	-	-	-	-	-	1	2	9	12
1986.....	784	2	-	-	1	-	-	-	2	7	9
1985.....	797	-	-	-	-	-	1	3	2	5	4
1984.....	716	1	1	-	-	-	2	5	-	4	11
1983.....	705	1	1	-	-	-	-	2	5	11	10
1982.....	638	1	-	-	-	1	1	-	1	4	9
1981.....	686	1	-	-	-	1	2	2	2	10	13
1980.....	683	-	-	-	1	1	-	2	6	7	13
1979.....	682	-	-	-	1	1	-	1	3	9	13
ALL OTHER MALE											
1998.....	649	-	-	-	-	-	1	2	1	4	13
1997.....	674	-	-	-	-	-	-	-	1	3	3
1996.....	672	-	1	-	-	-	1	-	-	3	14
1995.....	688	-	-	-	-	-	-	1	3	6	8
1994.....	670	-	-	-	-	-	-	6	1	7	11
1993.....	712	-	-	-	-	1	1	1	2	3	15
1992.....	677	-	-	-	-	-	1	-	2	4	8
1991.....	627	-	-	-	-	-	-	1	1	4	4
1990.....	639	-	-	-	-	-	-	2	3	3	5
1989.....	629	-	-	-	1	1	1	-	3	1	11
1988.....	733	1	-	-	-	-	-	1	7	8	11
1987.....	616	3	-	-	-	-	-	1	2	9	10
1986.....	615	1	-	-	1	-	-	-	2	7	7
1985.....	609	-	-	-	-	-	1	3	1	3	4
1984.....	557	1	-	-	-	-	1	2	-	3	10
1983.....	550	1	-	-	-	-	-	2	4	7	8
1982.....	504	-	-	-	-	1	1	-	1	3	7
1981.....	566	-	-	-	-	1	2	2	2	7	9
1980.....	546	-	-	-	1	1	-	-	6	6	10
1979.....	546	-	-	-	1	-	-	-	2	8	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
ALL OTHER FEMALE											
1998.....	395	1	-	-	-	-	-	-	2	1	6
1997.....	328	-	-	-	-	-	-	-	4	4	2
1996.....	357	2	-	-	-	-	-	1	-	3	3
1995.....	311	1	-	-	-	-	-	-	1	3	6
1994.....	322	-	-	-	-	-	-	-	-	4	5
1993.....	340	-	1	1	1	-	-	-	1	2	7
1992.....	281	-	-	-	-	-	-	-	-	3	3
1991.....	270	-	-	-	-	-	-	-	-	1	1
1990.....	239	-	-	-	-	-	-	1	-	-	3
1989.....	248	-	-	-	-	-	-	1	-	-	4
1988.....	191	1	-	-	-	-	-	1	1	1	1
1987.....	204	-	-	-	-	-	-	-	-	-	2
1986.....	169	1	-	-	-	-	-	-	-	-	2
1985.....	188	-	-	-	-	-	-	-	1	2	-
1984.....	159	-	1	-	-	-	1	3	-	1	1
1983.....	155	-	1	-	-	-	-	-	1	4	2
1982.....	134	1	-	-	-	-	-	-	-	1	2
1981.....	120	1	-	-	-	-	-	-	-	3	4
1980.....	137	-	-	-	-	-	-	2	-	1	3
1979.....	136	-	-	-	-	1	-	1	1	1	4
BLACK, BOTH SEXES											
1998.....	890	1	-	-	-	-	1	2	3	5	18
1997.....	847	-	-	-	-	-	-	-	5	5	5
1996.....	882	1	1	-	-	-	1	1	-	6	17
1995.....	855	1	-	-	-	-	-	1	4	9	13
1994.....	858	-	-	-	-	-	-	5	1	11	15
1993.....	888	-	1	1	1	1	1	1	3	5	22
1992.....	831	-	-	-	-	-	1	-	1	7	11
1991.....	772	-	-	-	-	-	-	1	1	4	5
1990.....	763	-	-	-	-	-	-	3	3	3	7
1989.....	765	-	-	-	1	1	1	1	3	1	14
1988.....	816	2	-	-	-	-	-	1	8	8	12
1987.....	719	3	-	-	-	-	-	1	2	8	12
1986.....	704	2	-	-	1	-	-	-	2	7	8
1985.....	687	-	-	-	-	-	1	3	2	5	4
1984.....	627	1	1	-	-	-	2	4	-	4	10
1983.....	624	1	1	-	-	-	-	2	4	11	10
1982.....	579	1	-	-	-	1	1	-	1	4	9
1981.....	643	1	-	-	-	1	1	2	1	10	12
1980.....	625	-	-	-	1	1	-	2	6	7	13
1979.....	631	-	-	-	1	1	-	1	3	9	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPHYSEMA (492)											
BLACK MALE											
1998.....	543	-	-	-	-	-	1	2	1	4	12
1997.....	562	-	-	-	-	-	-	-	1	2	3
1996.....	576	-	1	-	-	-	1	-	-	3	14
1995.....	578	-	-	-	-	-	-	1	3	6	7
1994.....	567	-	-	-	-	-	-	5	1	7	10
1993.....	601	-	-	-	-	1	1	1	2	3	15
1992.....	585	-	-	-	-	-	1	-	1	4	8
1991.....	536	-	-	-	-	-	-	1	1	3	4
1990.....	552	-	-	-	-	-	-	2	3	3	4
1989.....	547	-	-	-	1	1	1	-	3	1	10
1988.....	648	1	-	-	-	-	-	-	7	7	11
1987.....	543	3	-	-	-	-	-	1	2	8	10
1986.....	553	1	-	-	1	-	-	-	2	7	6
1985.....	523	-	-	-	-	-	1	3	1	3	4
1984.....	480	1	-	-	-	-	1	2	-	3	9
1983.....	484	1	-	-	-	-	-	2	4	7	8
1982.....	454	-	-	-	-	1	1	-	1	3	7
1981.....	531	-	-	-	-	1	1	2	1	7	9
1980.....	504	-	-	-	1	1	-	-	6	6	10
1979.....	506	-	-	-	1	-	-	-	2	8	9
BLACK FEMALE											
1998.....	347	1	-	-	-	-	-	-	2	1	6
1997.....	285	-	-	-	-	-	-	-	4	3	2
1996.....	306	1	-	-	-	-	-	1	-	3	3
1995.....	277	1	-	-	-	-	-	-	1	3	6
1994.....	291	-	-	-	-	-	-	-	-	4	5
1993.....	287	-	1	1	1	-	-	-	1	2	7
1992.....	246	-	-	-	-	-	-	-	-	3	3
1991.....	236	-	-	-	-	-	-	-	-	1	1
1990.....	211	-	-	-	-	-	-	1	-	-	3
1989.....	218	-	-	-	-	-	-	1	-	-	4
1988.....	168	1	-	-	-	-	-	1	1	1	1
1987.....	176	-	-	-	-	-	-	-	-	-	2
1986.....	151	1	-	-	-	-	-	-	-	-	2
1985.....	164	-	-	-	-	-	-	-	1	2	-
1984.....	147	-	1	-	-	-	1	2	-	1	1
1983.....	140	-	1	-	-	-	-	-	-	4	2
1982.....	125	1	-	-	-	-	-	-	-	1	2
1981.....	112	1	-	-	-	-	-	-	-	3	3
1980.....	121	-	-	-	-	-	-	2	-	1	3
1979.....	125	-	-	-	-	1	-	1	1	1	4

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
TOTAL, BOTH SEXES											
1998.....	5,438	7	33	43	88	92	122	133	144	214	273
1997.....	5,434	5	30	46	73	81	93	137	161	211	278
1996.....	5,667	8	34	48	101	102	112	141	147	206	290
1995.....	5,637	13	21	35	95	119	105	119	179	224	274
1994.....	5,487	5	24	37	81	109	106	140	164	207	214
1993.....	5,167	6	32	32	86	83	103	107	133	189	216
1992.....	4,964	9	38	33	55	81	87	92	140	168	205
1991.....	5,106	5	30	35	71	93	90	117	163	157	229
1990.....	4,819	12	24	28	74	76	84	107	130	152	180
1989.....	4,869	6	26	37	58	75	73	109	147	153	193
1988.....	4,597	7	19	26	67	70	92	113	118	152	191
1987.....	4,360	4	19	18	83	99	82	85	114	157	184
1986.....	3,955	13	17	23	69	84	82	94	103	130	121
1985.....	3,880	6	21	28	70	59	97	74	108	122	109
1984.....	3,564	10	17	25	54	54	78	73	86	101	126
1983.....	3,561	5	28	21	57	76	68	89	97	100	131
1982.....	3,154	8	26	24	46	76	86	76	93	78	98
1981.....	3,054	3	12	25	47	55	57	78	77	91	87
1980.....	2,891	8	21	14	47	41	64	64	66	62	83
1979.....	2,598	5	19	13	26	51	48	57	54	72	85
TOTAL, MALE											
1998.....	2,000	5	22	20	60	54	80	74	72	100	89
1997.....	1,986	3	20	28	38	59	59	70	90	95	92
1996.....	2,075	7	20	33	59	58	61	64	64	87	107
1995.....	2,079	5	15	27	64	60	58	61	86	104	92
1994.....	2,101	5	14	23	52	70	64	69	89	93	86
1993.....	1,928	2	20	18	51	49	63	47	51	78	85
1992.....	1,869	8	19	17	31	48	47	55	75	75	85
1991.....	1,927	5	19	18	48	54	48	62	77	67	112
1990.....	1,885	7	18	20	43	39	43	52	66	75	77
1989.....	1,848	6	11	22	36	42	40	57	74	69	77
1988.....	1,822	4	12	19	37	42	52	58	60	72	75
1987.....	1,730	2	12	10	54	53	47	46	53	69	76
1986.....	1,584	11	10	13	38	51	43	53	40	58	46
1985.....	1,551	4	12	16	33	29	47	33	53	58	38
1984.....	1,467	5	9	13	40	30	41	35	31	43	53
1983.....	1,455	5	23	13	35	38	31	40	45	44	48
1982.....	1,314	7	17	13	22	44	48	35	52	37	36
1981.....	1,287	1	9	16	26	36	28	40	34	30	37
1980.....	1,292	6	12	6	23	21	37	33	28	21	27
1979.....	1,133	4	9	6	17	23	26	25	26	24	40

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
TOTAL, FEMALE											
1998.....	3,438	2	11	23	28	38	42	59	72	114	184
1997.....	3,448	2	10	18	35	22	34	67	71	116	186
1996.....	3,592	1	14	15	42	44	51	77	83	119	183
1995.....	3,558	8	6	8	31	59	47	58	93	120	182
1994.....	3,386	-	10	14	29	39	42	71	75	114	128
1993.....	3,239	4	12	14	35	34	40	60	82	111	131
1992.....	3,095	1	19	16	24	33	40	37	65	93	120
1991.....	3,179	-	11	17	23	39	42	55	86	90	117
1990.....	2,934	5	6	8	31	37	41	55	64	77	103
1989.....	3,021	-	15	15	22	33	33	52	73	84	116
1988.....	2,775	3	7	7	30	28	40	55	58	80	116
1987.....	2,630	2	7	8	29	46	35	39	61	88	108
1986.....	2,371	2	7	10	31	33	39	41	63	72	75
1985.....	2,329	2	9	12	37	30	50	41	55	64	71
1984.....	2,097	5	8	12	14	24	37	38	55	58	73
1983.....	2,106	-	5	8	22	38	37	49	52	56	83
1982.....	1,840	1	9	11	24	32	38	41	41	41	62
1981.....	1,767	2	3	9	21	19	29	38	43	61	50
1980.....	1,599	2	9	8	24	20	27	31	38	41	56
1979.....	1,465	1	10	7	9	28	22	32	28	48	45
WHITE, BOTH SEXES											
1998.....	3,947	2	13	20	43	45	63	65	68	114	168
1997.....	4,002	1	10	18	37	45	59	71	88	119	164
1996.....	4,110	2	10	22	45	49	57	82	73	121	167
1995.....	4,208	9	13	13	44	68	52	72	111	139	165
1994.....	4,134	3	8	17	37	54	64	66	97	123	119
1993.....	3,910	4	12	16	46	46	59	54	74	107	118
1992.....	3,789	4	15	11	28	45	44	55	76	102	139
1991.....	3,915	2	12	14	43	52	45	68	91	79	145
1990.....	3,696	7	11	14	39	47	47	63	66	85	107
1989.....	3,761	4	14	17	36	51	41	59	88	85	115
1988.....	3,473	4	10	11	34	40	49	71	61	83	114
1987.....	3,327	4	8	7	39	57	44	51	63	92	124
1986.....	3,036	7	11	10	39	39	47	59	61	78	77
1985.....	3,026	4	12	12	34	30	51	44	60	72	71
1984.....	2,779	4	10	15	29	25	53	43	48	54	74
1983.....	2,751	5	12	8	28	40	42	52	48	62	76
1982.....	2,450	5	11	14	22	48	45	44	49	43	54
1981.....	2,426	1	3	16	27	29	36	45	43	54	54
1980.....	2,291	5	10	5	25	22	34	37	30	40	51
1979.....	2,095	5	15	7	19	30	27	26	30	44	54

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
WHITE MALE											
1998.....	1,366	2	10	8	27	28	38	35	32	56	51
1997.....	1,383	-	5	10	21	37	34	33	46	47	57
1996.....	1,426	2	4	16	30	24	29	34	29	47	56
1995.....	1,454	4	9	10	24	28	25	36	47	65	51
1994.....	1,492	3	4	13	22	36	33	27	45	57	48
1993.....	1,384	2	7	11	22	25	33	20	30	42	44
1992.....	1,362	4	10	5	15	26	20	28	41	51	56
1991.....	1,388	2	5	8	28	29	20	36	43	33	70
1990.....	1,358	4	7	11	18	20	23	30	37	43	42
1989.....	1,352	4	5	8	25	26	19	26	43	36	42
1988.....	1,299	2	8	9	20	21	24	31	29	39	44
1987.....	1,244	2	5	1	23	29	25	23	30	36	53
1986.....	1,178	6	5	4	18	24	23	33	25	38	28
1985.....	1,140	3	5	11	13	12	18	17	26	28	20
1984.....	1,106	3	4	8	22	15	27	19	20	23	37
1983.....	1,084	5	9	4	16	17	19	21	21	26	31
1982.....	983	5	9	7	10	26	24	20	25	21	18
1981.....	977	1	1	12	15	15	16	24	16	17	23
1980.....	1,008	3	5	2	8	10	20	21	16	12	13
1979.....	898	4	7	3	13	15	15	9	16	14	25
WHITE FEMALE											
1998.....	2,581	-	3	12	16	17	25	30	36	58	117
1997.....	2,619	1	5	8	16	8	25	38	42	72	107
1996.....	2,684	-	6	6	15	25	28	48	44	74	111
1995.....	2,754	5	4	3	20	40	27	36	64	74	114
1994.....	2,642	-	4	4	15	18	31	39	52	66	71
1993.....	2,526	2	5	5	24	21	26	34	44	65	74
1992.....	2,427	-	5	6	13	19	24	27	35	51	83
1991.....	2,527	-	7	6	15	23	25	32	48	46	75
1990.....	2,338	3	4	3	21	27	24	33	29	42	65
1989.....	2,409	-	9	9	11	25	22	33	45	49	73
1988.....	2,174	2	2	2	14	19	25	40	32	44	70
1987.....	2,083	2	3	6	16	28	19	28	33	56	71
1986.....	1,858	1	6	6	21	15	24	26	36	40	49
1985.....	1,886	1	7	1	21	18	33	27	34	44	51
1984.....	1,673	1	6	7	7	10	26	24	28	31	37
1983.....	1,667	-	3	4	12	23	23	31	27	36	45
1982.....	1,467	-	2	7	12	22	21	24	24	22	36
1981.....	1,449	-	2	4	12	14	20	21	27	37	31
1980.....	1,283	2	5	3	17	12	14	16	14	28	38
1979.....	1,197	1	8	4	6	15	12	17	14	30	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
ALL OTHER, BOTH SEXES											
1998.....	1,491	5	20	23	45	47	59	68	76	100	105
1997.....	1,432	4	20	28	36	36	34	66	73	92	114
1996.....	1,557	6	24	26	56	53	55	59	74	85	123
1995.....	1,429	4	8	22	51	51	53	47	68	85	109
1994.....	1,353	2	16	20	44	55	42	74	67	84	95
1993.....	1,257	2	20	16	40	37	44	53	59	82	98
1992.....	1,175	5	23	22	27	36	43	37	64	66	66
1991.....	1,191	3	18	21	28	41	45	49	72	78	84
1990.....	1,123	5	13	14	35	29	37	44	64	67	73
1989.....	1,108	2	12	20	22	24	32	50	59	68	78
1988.....	1,124	3	9	15	33	30	43	42	57	69	77
1987.....	1,033	-	11	11	44	42	38	34	51	65	60
1986.....	919	6	6	13	30	45	35	35	42	52	44
1985.....	854	2	9	16	36	29	46	30	48	50	38
1984.....	785	6	7	10	25	29	25	30	38	47	52
1983.....	810	-	16	13	29	36	26	37	49	38	55
1982.....	704	3	15	10	24	28	41	32	44	35	44
1981.....	628	2	9	9	20	26	21	33	34	37	33
1980.....	600	3	11	9	22	19	30	27	36	22	32
1979.....	503	-	4	6	7	21	21	31	24	28	31
ALL OTHER MALE											
1998.....	634	3	12	12	33	26	42	39	40	44	38
1997.....	603	3	15	18	17	22	25	37	44	48	35
1996.....	649	5	16	17	29	34	32	30	35	40	51
1995.....	625	1	6	17	40	32	33	25	39	39	41
1994.....	609	2	10	10	30	34	31	42	44	36	38
1993.....	544	-	13	7	29	24	30	27	21	36	41
1992.....	507	4	9	12	16	22	27	27	34	24	29
1991.....	539	3	14	10	20	25	28	26	34	34	42
1990.....	527	3	11	9	25	19	20	22	29	32	35
1989.....	496	2	6	14	11	16	21	31	31	33	35
1988.....	523	2	4	10	17	21	28	27	31	33	31
1987.....	486	-	7	9	31	24	22	23	23	33	23
1986.....	406	5	5	9	20	27	20	20	15	20	18
1985.....	411	1	7	5	20	17	29	16	27	30	18
1984.....	361	2	5	5	18	15	14	16	11	20	16
1983.....	371	-	14	9	19	21	12	19	24	18	17
1982.....	331	2	8	6	12	18	24	15	27	16	18
1981.....	310	-	8	4	11	21	12	16	18	13	14
1980.....	284	3	7	4	15	11	17	12	12	9	14
1979.....	235	-	2	3	4	8	11	16	10	10	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
ALL OTHER FEMALE											
1998.....	857	2	8	11	12	21	17	29	36	56	67
1997.....	829	1	5	10	19	14	9	29	29	44	79
1996.....	908	1	8	9	27	19	23	29	39	45	72
1995.....	804	3	2	5	11	19	20	22	29	46	68
1994.....	744	-	6	10	14	21	11	32	23	48	57
1993.....	713	2	7	9	11	13	14	26	38	46	57
1992.....	668	1	14	10	11	14	16	10	30	42	37
1991.....	652	-	4	11	8	16	17	23	38	44	42
1990.....	596	2	2	5	10	10	17	22	35	35	38
1989.....	612	-	6	6	11	8	11	19	28	35	43
1988.....	601	1	5	5	16	9	15	15	26	36	46
1987.....	547	-	4	2	13	18	16	11	28	32	37
1986.....	513	1	1	4	10	18	15	15	27	32	26
1985.....	443	1	2	11	16	12	17	14	21	20	20
1984.....	424	4	2	5	7	14	11	14	27	27	36
1983.....	439	-	2	4	10	15	14	18	25	20	38
1982.....	373	1	7	4	12	10	17	17	17	19	26
1981.....	318	2	1	5	9	5	9	17	16	24	19
1980.....	316	-	4	5	7	8	13	15	24	13	18
1979.....	268	-	2	3	3	13	10	15	14	18	16
BLACK, BOTH SEXES											
1998.....	1,290	5	18	22	38	46	55	63	66	98	96
1997.....	1,200	3	19	25	34	30	31	62	67	85	100
1996.....	1,325	6	20	22	51	51	48	53	65	81	109
1995.....	1,247	4	8	21	48	49	51	47	65	75	96
1994.....	1,186	2	15	19	41	52	37	69	66	82	86
1993.....	1,112	2	18	16	37	36	42	49	55	74	90
1992.....	1,036	5	22	21	25	35	42	33	60	60	62
1991.....	1,043	3	17	21	27	38	41	45	67	72	76
1990.....	986	5	12	13	33	26	35	40	61	62	69
1989.....	984	2	11	16	21	22	30	46	55	64	71
1988.....	1,012	1	9	12	30	27	38	39	55	67	70
1987.....	920	-	11	11	41	39	36	33	50	62	59
1986.....	828	5	5	13	30	38	35	34	39	47	42
1985.....	778	2	9	16	34	26	44	28	46	49	37
1984.....	701	5	6	9	23	28	25	27	37	42	49
1983.....	732	-	15	10	26	35	24	36	48	36	49
1982.....	647	3	14	9	24	26	37	32	40	33	43
1981.....	576	2	9	9	19	23	21	32	29	34	31
1980.....	557	3	10	9	22	18	29	25	33	21	30
1979.....	470	-	4	6	7	21	19	31	24	27	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ASTHMA (493)											
BLACK MALE											
1998.....	536	3	10	11	27	26	41	36	36	43	36
1997.....	498	2	15	15	16	17	23	34	39	45	31
1996.....	540	5	12	14	26	34	27	25	31	38	45
1995.....	538	1	6	17	37	31	31	25	39	35	32
1994.....	525	2	9	10	28	31	26	40	44	35	34
1993.....	465	-	11	7	27	23	29	26	20	32	35
1992.....	433	4	9	12	15	21	26	25	32	21	28
1991.....	472	3	13	10	19	23	24	24	32	30	38
1990.....	460	3	10	9	24	17	20	21	28	32	34
1989.....	434	2	5	12	10	15	19	29	29	31	30
1988.....	460	1	4	8	14	20	23	25	29	33	28
1987.....	428	-	7	9	28	22	22	22	22	30	22
1986.....	360	4	4	9	20	23	20	20	14	18	18
1985.....	371	1	7	5	19	15	28	14	26	30	18
1984.....	312	2	5	5	17	14	14	13	11	19	14
1983.....	336	-	14	8	17	20	12	18	24	18	15
1982.....	301	2	8	6	12	18	24	15	25	16	17
1981.....	281	-	8	4	10	18	12	16	15	11	14
1980.....	260	3	6	4	15	11	16	11	12	8	13
1979.....	214	-	2	3	4	8	10	16	10	9	11
BLACK FEMALE											
1998.....	754	2	8	11	11	20	14	27	30	55	60
1997.....	702	1	4	10	18	13	8	28	28	40	69
1996.....	785	1	8	8	25	17	21	28	34	43	64
1995.....	709	3	2	4	11	18	20	22	26	40	64
1994.....	661	-	6	9	13	21	11	29	22	47	52
1993.....	647	2	7	9	10	13	13	23	35	42	55
1992.....	603	1	13	9	10	14	16	8	28	39	34
1991.....	571	-	4	11	8	15	17	21	35	42	38
1990.....	526	2	2	4	9	9	15	19	33	30	35
1989.....	550	-	6	4	11	7	11	17	26	33	41
1988.....	552	-	5	4	16	7	15	14	26	34	42
1987.....	492	-	4	2	13	17	14	11	28	32	37
1986.....	468	1	1	4	10	15	15	14	25	29	24
1985.....	407	1	2	11	15	11	16	14	20	19	19
1984.....	389	3	1	4	6	14	11	14	26	23	35
1983.....	396	-	1	2	9	15	12	18	24	18	34
1982.....	346	1	6	3	12	8	13	17	15	17	26
1981.....	295	2	1	5	9	5	9	16	14	23	17
1980.....	297	-	4	5	7	7	13	14	21	13	17
1979.....	256	-	2	3	3	13	9	15	14	18	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)											
TOTAL, BOTH SEXES											
1998.....	1,177	-	1	2	3	-	3	5	3	9	10
1997.....	1,129	2	-	-	1	2	3	1	4	5	7
1996.....	1,167	-	2	-	1	1	2	1	4	9	9
1995.....	1,094	1	-	1	1	-	1	4	5	5	8
1994.....	1,095	3	2	-	1	2	-	3	11	6	10
1993.....	1,052	1	1	-	1	-	1	2	3	8	9
1992.....	950	-	-	-	2	1	-	4	3	11	8
1991.....	945	-	-	-	-	2	2	-	8	8	10
1990.....	955	-	-	-	-	1	2	5	7	2	11
1989.....	920	1	1	-	2	1	1	2	6	8	11
1988.....	901	-	1	1	1	1	2	3	7	8	5
1987.....	927	-	-	2	1	3	3	2	5	10	13
1986.....	870	1	-	1	1	1	2	2	5	11	11
1985.....	860	-	1	-	-	3	-	5	4	9	10
1984.....	829	-	-	-	-	-	3	7	7	11	10
1983.....	796	2	2	-	1	3	4	9	4	6	12
1982.....	702	-	2	-	1	1	2	2	6	15	17
1981.....	789	2	-	1	2	-	6	4	7	9	18
1980.....	811	-	2	2	3	4	5	4	7	13	12
1979.....	713	-	1	1	1	2	6	5	8	9	15
TOTAL, MALE											
1998.....	414	-	-	1	-	-	2	2	1	6	7
1997.....	387	-	-	-	1	1	2	1	1	3	2
1996.....	368	-	1	-	-	1	1	1	2	4	5
1995.....	384	-	-	-	1	-	1	2	2	3	2
1994.....	381	1	2	-	1	-	-	2	2	2	5
1993.....	374	-	1	-	1	-	1	2	1	4	5
1992.....	358	-	-	-	-	-	-	2	1	4	3
1991.....	390	-	-	-	-	-	2	-	6	5	7
1990.....	350	-	-	-	-	-	1	5	3	2	5
1989.....	363	1	-	-	2	1	1	2	2	6	9
1988.....	348	-	-	-	1	-	1	1	5	4	-
1987.....	373	-	-	1	1	2	2	1	3	7	8
1986.....	367	1	-	1	1	1	2	1	4	6	8
1985.....	331	-	1	-	-	1	-	4	3	4	4
1984.....	336	-	-	-	-	-	2	3	5	5	3
1983.....	329	1	1	-	-	2	1	6	3	3	6
1982.....	297	-	-	-	-	-	1	1	3	6	10
1981.....	329	1	-	1	1	-	4	3	4	3	6
1980.....	362	-	1	-	1	1	2	3	3	8	6
1979.....	344	-	-	-	1	2	1	1	5	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)											
TOTAL, FEMALE											
1998.....	763	-	1	1	3	-	1	3	2	3	3
1997.....	742	2	-	-	-	1	1	-	3	2	5
1996.....	799	-	1	-	1	-	1	-	2	5	4
1995.....	710	1	-	1	-	-	-	2	3	2	6
1994.....	714	2	-	-	-	2	-	1	9	4	5
1993.....	678	1	-	-	-	-	-	-	2	4	4
1992.....	592	-	-	-	2	1	-	2	2	7	5
1991.....	555	-	-	-	-	2	-	-	2	3	3
1990.....	605	-	-	-	-	1	1	-	4	-	6
1989.....	557	-	1	-	-	-	-	-	4	2	2
1988.....	553	-	1	1	-	1	1	2	2	4	5
1987.....	554	-	-	1	-	1	1	1	2	3	5
1986.....	503	-	-	-	-	-	-	1	1	5	3
1985.....	529	-	-	-	-	2	-	1	1	5	6
1984.....	493	-	-	-	-	-	1	4	2	6	7
1983.....	467	1	1	-	1	1	3	3	1	3	6
1982.....	405	-	2	-	1	1	1	1	3	9	7
1981.....	460	1	-	-	1	-	2	1	3	6	12
1980.....	449	-	1	2	2	3	3	1	4	5	6
1979.....	369	-	1	1	-	-	5	4	3	6	7
WHITE, BOTH SEXES											
1998.....	1,096	-	-	2	-	-	2	5	2	7	7
1997.....	1,045	1	-	-	1	2	2	1	2	4	4
1996.....	1,084	-	2	-	-	1	1	1	3	7	6
1995.....	1,005	1	-	1	-	-	1	2	4	4	5
1994.....	1,020	2	1	-	1	2	-	3	10	6	9
1993.....	976	1	1	-	-	-	1	2	3	7	4
1992.....	880	-	-	-	2	1	-	3	3	10	7
1991.....	863	-	-	-	-	1	-	-	5	3	5
1990.....	897	-	-	-	-	1	2	3	5	2	8
1989.....	859	-	1	-	1	1	1	1	4	5	7
1988.....	817	-	-	1	1	1	1	2	6	5	5
1987.....	851	-	-	2	1	2	3	2	3	9	9
1986.....	798	1	-	1	1	1	2	2	2	8	7
1985.....	808	-	-	-	-	1	-	4	4	9	7
1984.....	762	-	-	-	-	-	2	3	6	7	9
1983.....	729	2	2	-	-	1	3	6	3	5	11
1982.....	652	-	2	-	1	1	2	2	6	10	14
1981.....	727	1	-	-	1	-	3	4	6	7	12
1980.....	742	-	1	2	1	2	3	1	6	8	10
1979.....	646	-	-	1	1	1	4	3	4	7	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)											
WHITE MALE											
1998.....	380	-	-	1	-	-	2	2	1	6	4
1997.....	342	-	-	-	1	1	1	1	1	2	-
1996.....	337	-	1	-	-	1	1	1	2	2	4
1995.....	339	-	-	-	-	-	1	1	1	2	2
1994.....	343	1	1	-	1	-	-	2	2	2	4
1993.....	340	-	1	-	-	-	1	2	1	4	2
1992.....	317	-	-	-	-	-	-	2	1	4	3
1991.....	344	-	-	-	-	-	-	-	3	-	3
1990.....	319	-	-	-	-	-	1	3	2	2	4
1989.....	323	-	-	-	1	1	1	1	1	4	6
1988.....	303	-	-	-	1	-	1	1	5	1	-
1987.....	333	-	-	1	1	2	2	1	2	6	6
1986.....	325	1	-	1	1	1	2	1	2	4	5
1985.....	310	-	-	-	-	-	-	3	3	4	3
1984.....	298	-	-	-	-	-	1	2	5	2	2
1983.....	292	1	1	-	-	-	-	5	3	2	5
1982.....	267	-	-	-	-	-	1	1	3	2	8
1981.....	292	1	-	-	1	-	2	3	3	3	3
1980.....	319	-	1	-	1	1	1	1	2	4	5
1979.....	301	-	-	-	1	1	-	-	3	3	6
WHITE FEMALE											
1998.....	716	-	-	1	-	-	-	3	1	1	3
1997.....	703	1	-	-	-	1	1	-	1	2	4
1996.....	747	-	1	-	-	-	-	-	1	5	2
1995.....	666	1	-	1	-	-	-	1	3	2	3
1994.....	677	1	-	-	-	2	-	1	8	4	5
1993.....	636	1	-	-	-	-	-	-	2	3	2
1992.....	563	-	-	-	2	1	-	1	2	6	4
1991.....	519	-	-	-	-	1	-	-	2	3	2
1990.....	578	-	-	-	-	1	1	-	3	-	4
1989.....	536	-	1	-	-	-	-	-	3	1	1
1988.....	514	-	-	1	-	1	-	1	1	4	5
1987.....	518	-	-	1	-	-	1	1	1	3	3
1986.....	473	-	-	-	-	-	-	1	-	4	2
1985.....	498	-	-	-	-	1	-	1	1	5	4
1984.....	464	-	-	-	-	-	1	1	1	5	7
1983.....	437	1	1	-	-	1	3	1	-	3	6
1982.....	385	-	2	-	1	1	1	1	3	8	6
1981.....	435	-	-	-	-	-	1	1	3	4	9
1980.....	423	-	-	2	-	1	2	-	4	4	5
1979.....	345	-	-	1	-	-	4	3	1	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)											
ALL OTHER, BOTH SEXES											
1998.....	81	-	1	-	3	-	1	-	1	2	3
1997.....	84	1	-	-	-	-	1	-	2	1	3
1996.....	83	-	-	-	1	-	1	-	1	2	3
1995.....	89	-	-	-	1	-	-	2	1	1	3
1994.....	75	1	1	-	-	-	-	-	1	-	1
1993.....	76	-	-	-	1	-	-	-	-	1	5
1992.....	70	-	-	-	-	-	-	1	-	1	1
1991.....	82	-	-	-	-	1	2	-	3	5	5
1990.....	58	-	-	-	-	-	-	2	2	-	3
1989.....	61	1	-	-	1	-	-	1	2	3	4
1988.....	84	-	1	-	-	-	1	1	1	3	-
1987.....	76	-	-	-	-	1	-	-	2	1	4
1986.....	72	-	-	-	-	-	-	-	3	3	4
1985.....	52	-	1	-	-	2	-	1	-	-	3
1984.....	67	-	-	-	-	-	1	4	1	4	1
1983.....	67	-	-	-	1	2	1	3	1	1	1
1982.....	50	-	-	-	-	-	-	-	-	5	3
1981.....	62	1	-	1	1	-	3	-	1	2	6
1980.....	69	-	1	-	2	2	2	3	1	5	2
1979.....	67	-	1	-	-	1	2	2	4	2	3
ALL OTHER MALE											
1998.....	34	-	-	-	-	-	-	-	-	-	3
1997.....	45	-	-	-	-	-	1	-	-	1	2
1996.....	31	-	-	-	-	-	-	-	-	2	1
1995.....	45	-	-	-	1	-	-	1	1	1	-
1994.....	38	-	1	-	-	-	-	-	-	-	1
1993.....	34	-	-	-	1	-	-	-	-	-	3
1992.....	41	-	-	-	-	-	-	-	-	-	-
1991.....	46	-	-	-	-	-	2	-	3	5	4
1990.....	31	-	-	-	-	-	-	2	1	-	1
1989.....	40	1	-	-	1	-	-	1	1	2	3
1988.....	45	-	-	-	-	-	-	-	-	3	-
1987.....	40	-	-	-	-	-	-	-	1	1	2
1986.....	42	-	-	-	-	-	-	-	2	2	3
1985.....	21	-	1	-	-	1	-	1	-	-	1
1984.....	38	-	-	-	-	-	1	1	-	3	1
1983.....	37	-	-	-	-	2	1	1	-	1	1
1982.....	30	-	-	-	-	-	-	-	-	4	2
1981.....	37	-	-	1	-	-	2	-	1	-	3
1980.....	43	-	-	-	-	-	1	2	1	4	1
1979.....	43	-	-	-	-	1	1	1	2	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)											
ALL OTHER FEMALE											
1998.....	47	-	1	-	3	-	1	-	1	2	-
1997.....	39	1	-	-	-	-	-	-	2	-	1
1996.....	52	-	-	-	1	-	1	-	1	-	2
1995.....	44	-	-	-	-	-	-	1	-	-	3
1994.....	37	1	-	-	-	-	-	-	1	-	-
1993.....	42	-	-	-	-	-	-	-	-	1	2
1992.....	29	-	-	-	-	-	-	1	-	1	1
1991.....	36	-	-	-	-	1	-	-	-	-	1
1990.....	27	-	-	-	-	-	-	-	1	-	2
1989.....	21	-	-	-	-	-	-	-	1	1	1
1988.....	39	-	1	-	-	-	1	1	1	-	-
1987.....	36	-	-	-	-	1	-	-	1	-	2
1986.....	30	-	-	-	-	-	-	-	1	1	1
1985.....	31	-	-	-	-	1	-	-	-	-	2
1984.....	29	-	-	-	-	-	-	3	1	1	-
1983.....	30	-	-	-	1	-	-	2	1	-	-
1982.....	20	-	-	-	-	-	-	-	-	1	1
1981.....	25	1	-	-	1	-	1	-	-	2	3
1980.....	26	-	1	-	2	2	1	1	-	1	1
1979.....	24	-	1	-	-	-	1	1	2	2	1
BLACK, BOTH SEXES											
1998.....	41	-	1	-	2	-	1	-	1	2	2
1997.....	47	1	-	-	-	-	-	-	2	1	3
1996.....	43	-	-	-	1	-	1	-	1	1	3
1995.....	47	-	-	-	1	-	-	-	1	-	3
1994.....	44	1	-	-	-	-	-	-	1	-	1
1993.....	38	-	-	-	1	-	-	-	-	-	5
1992.....	41	-	-	-	-	-	-	1	-	1	1
1991.....	47	-	-	-	-	1	-	-	2	5	3
1990.....	37	-	-	-	-	-	-	2	1	-	2
1989.....	38	-	-	-	1	-	-	1	2	1	3
1988.....	46	-	1	-	-	-	-	1	-	3	-
1987.....	47	-	-	-	-	1	-	-	2	1	3
1986.....	36	-	-	-	-	-	-	-	2	2	3
1985.....	37	-	1	-	-	2	-	1	-	-	2
1984.....	43	-	-	-	-	-	-	2	1	3	1
1983.....	50	-	-	-	1	2	-	3	-	-	1
1982.....	39	-	-	-	-	-	-	-	-	4	2
1981.....	41	1	-	1	1	-	1	-	1	2	5
1980.....	55	-	-	-	2	2	2	3	1	3	2
1979.....	45	-	-	-	-	-	2	1	3	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)											
BLACK MALE											
1998.....	16	-	-	-	-	-	-	-	-	-	2
1997.....	28	-	-	-	-	-	-	-	-	1	2
1996.....	20	-	-	-	-	-	-	-	-	1	1
1995.....	24	-	-	-	1	-	-	-	1	-	-
1994.....	27	-	-	-	-	-	-	-	-	-	1
1993.....	20	-	-	-	1	-	-	-	-	-	3
1992.....	26	-	-	-	-	-	-	-	-	-	-
1991.....	28	-	-	-	-	-	-	-	2	5	3
1990.....	24	-	-	-	-	-	-	2	1	-	1
1989.....	28	-	-	-	1	-	-	1	1	1	2
1988.....	29	-	-	-	-	-	-	-	-	3	-
1987.....	27	-	-	-	-	-	-	-	1	1	2
1986.....	27	-	-	-	-	-	-	-	2	2	2
1985.....	15	-	1	-	-	1	-	1	-	-	-
1984.....	31	-	-	-	-	-	-	1	-	3	1
1983.....	27	-	-	-	-	2	-	1	-	-	1
1982.....	25	-	-	-	-	-	-	-	-	3	2
1981.....	27	-	-	1	-	-	1	-	1	-	3
1980.....	35	-	-	-	-	-	1	2	1	2	1
1979.....	34	-	-	-	-	-	1	-	2	-	2
BLACK FEMALE											
1998.....	25	-	1	-	2	-	1	-	1	2	-
1997.....	19	1	-	-	-	-	-	-	2	-	1
1996.....	23	-	-	-	1	-	1	-	1	-	2
1995.....	23	-	-	-	-	-	-	-	-	-	3
1994.....	17	1	-	-	-	-	-	-	1	-	-
1993.....	18	-	-	-	-	-	-	-	-	-	2
1992.....	15	-	-	-	-	-	-	1	-	1	1
1991.....	19	-	-	-	-	1	-	-	-	-	-
1990.....	13	-	-	-	-	-	-	-	-	-	1
1989.....	10	-	-	-	-	-	-	-	1	-	1
1988.....	17	-	1	-	-	-	-	1	-	-	-
1987.....	20	-	-	-	-	1	-	-	1	-	1
1986.....	9	-	-	-	-	-	-	-	-	-	1
1985.....	22	-	-	-	-	1	-	-	-	-	2
1984.....	12	-	-	-	-	-	-	1	1	-	-
1983.....	23	-	-	-	1	-	-	2	-	-	-
1982.....	14	-	-	-	-	-	-	-	-	1	-
1981.....	14	1	-	-	1	-	-	-	-	2	2
1980.....	20	-	-	-	2	2	1	1	-	1	1
1979.....	11	-	-	-	-	-	1	1	1	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)											
TOTAL, BOTH SEXES											
1998.....	85,382	4	3	4	1	3	5	8	10	70	185
1997.....	81,893	2	1	1	1	5	5	9	21	63	192
1996.....	78,756	1	3	2	1	3	7	5	16	58	164
1995.....	75,908	2	2	2	3	2	3	4	29	51	165
1994.....	74,252	3	2	2	-	3	4	3	20	50	130
1993.....	73,495	4	5	1	-	2	4	7	18	54	152
1992.....	65,997	2	3	1	2	1	6	4	12	51	143
1991.....	64,436	7	2	2	2	4	3	9	9	48	134
1990.....	61,599	4	7	3	3	3	4	7	12	41	113
1989.....	59,329	4	1	2	3	7	7	6	24	51	123
1988.....	58,122	2	6	3	1	3	4	6	15	38	127
1987.....	55,029	5	6	1	-	3	3	9	16	41	124
1986.....	53,513	2	5	3	3	7	4	11	9	35	138
1985.....	52,157	4	2	3	2	4	4	10	6	34	121
1984.....	47,899	2	11	8	-	6	4	9	11	38	104
1983.....	45,018	3	4	8	2	9	6	3	10	40	98
1982.....	39,725	10	7	8	2	5	9	10	13	39	97
1981.....	37,935	10	6	4	3	4	7	6	13	34	90
1980.....	34,743	4	3	2	3	8	1	12	14	37	93
1979.....	29,403	2	2	-	1	3	4	5	11	36	88
TOTAL, MALE											
1998.....	43,789	1	2	3	-	1	4	5	8	43	107
1997.....	42,654	1	1	-	-	2	4	4	13	36	111
1996.....	41,046	-	3	1	-	2	3	3	9	34	91
1995.....	40,464	1	-	2	2	2	2	4	18	32	82
1994.....	39,862	2	2	1	-	3	2	3	10	28	84
1993.....	40,267	4	4	-	-	2	3	7	11	32	87
1992.....	36,997	1	1	-	1	-	4	3	7	31	84
1991.....	36,680	4	1	2	2	2	3	5	7	34	73
1990.....	35,895	2	7	2	1	3	3	4	5	25	71
1989.....	34,717	3	1	2	1	4	1	3	15	31	78
1988.....	35,091	1	3	3	-	-	-	4	8	25	84
1987.....	33,870	3	2	1	-	2	2	6	9	25	77
1986.....	33,632	2	2	1	1	6	3	3	4	22	82
1985.....	33,298	3	-	2	1	3	2	8	2	24	77
1984.....	31,255	2	6	2	-	2	3	8	7	24	60
1983.....	29,993	2	2	4	2	5	5	2	4	25	51
1982.....	26,928	8	3	4	-	4	7	9	8	28	54
1981.....	26,221	5	3	3	2	1	6	4	9	21	56
1980.....	24,458	2	2	1	1	5	-	8	9	22	59
1979.....	21,242	2	1	-	1	1	3	2	6	23	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)											
TOTAL, FEMALE											
1998.....	41,593	3	1	1	1	2	1	3	2	27	78
1997.....	39,239	1	-	1	1	3	1	5	8	27	81
1996.....	37,710	1	-	1	1	1	4	2	7	24	73
1995.....	35,444	1	2	-	1	-	1	-	11	19	83
1994.....	34,390	1	-	1	-	-	2	-	10	22	46
1993.....	33,228	-	1	1	-	-	1	-	7	22	65
1992.....	29,000	1	2	1	1	1	2	1	5	20	59
1991.....	27,756	3	1	-	-	2	-	4	2	14	61
1990.....	25,704	2	-	1	2	-	1	3	7	16	42
1989.....	24,612	1	-	-	2	3	6	3	9	20	45
1988.....	23,031	1	3	-	1	3	4	2	7	13	43
1987.....	21,159	2	4	-	-	1	1	3	7	16	47
1986.....	19,881	-	3	2	2	1	1	8	5	13	56
1985.....	18,859	1	2	1	1	1	2	2	4	10	44
1984.....	16,644	-	5	6	-	4	1	1	4	14	44
1983.....	15,025	1	2	4	-	4	1	1	6	15	47
1982.....	12,797	2	4	4	2	1	2	1	5	11	43
1981.....	11,714	5	3	1	1	3	1	2	4	13	34
1980.....	10,285	2	1	1	2	3	1	4	5	15	34
1979.....	8,161	-	1	-	-	2	1	3	5	13	33
WHITE, BOTH SEXES											
1998.....	79,690	3	2	2	1	3	4	6	5	53	140
1997.....	76,402	-	-	1	-	4	5	7	16	45	150
1996.....	73,549	1	1	1	1	2	6	1	11	50	134
1995.....	70,883	1	2	2	2	2	3	3	20	31	133
1994.....	69,373	2	1	2	-	2	3	3	16	34	95
1993.....	68,693	3	4	1	-	2	3	6	15	45	108
1992.....	61,736	-	2	1	2	1	4	2	11	30	101
1991.....	60,175	4	1	1	2	4	3	7	9	36	102
1990.....	57,393	4	5	3	1	2	4	7	8	28	81
1989.....	55,149	1	-	1	2	5	4	1	16	31	85
1988.....	54,303	1	5	2	1	2	3	4	11	25	98
1987.....	51,448	3	3	-	-	3	3	7	9	26	103
1986.....	50,070	1	4	2	3	7	3	7	7	27	106
1985.....	48,838	3	1	3	-	4	4	7	2	30	91
1984.....	44,829	1	8	8	-	4	4	7	7	28	79
1983.....	42,277	2	3	8	1	7	5	2	8	29	75
1982.....	37,319	5	5	7	2	3	8	9	10	29	74
1981.....	35,660	9	5	3	3	3	6	4	9	29	73
1980.....	32,635	1	3	1	3	7	1	7	11	19	71
1979.....	27,612	2	1	-	1	3	4	4	7	22	71

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)											
WHITE MALE											
1998.....	40,383	1	1	1	-	1	3	4	4	34	83
1997.....	39,315	-	-	-	-	2	4	4	10	24	89
1996.....	37,874	-	1	-	-	2	3	1	6	31	75
1995.....	37,362	1	-	2	2	2	2	3	15	21	71
1994.....	36,821	1	1	1	-	2	2	3	8	23	63
1993.....	37,152	3	3	-	-	2	3	6	10	28	59
1992.....	34,246	-	1	-	1	-	2	1	7	17	61
1991.....	33,879	2	1	1	2	2	3	4	7	25	53
1990.....	33,062	2	5	2	1	2	3	4	2	18	49
1989.....	31,883	1	-	1	-	3	1	-	9	20	46
1988.....	32,422	1	3	2	-	-	-	3	6	18	61
1987.....	31,381	1	1	-	-	2	2	5	3	16	64
1986.....	31,126	1	1	1	1	6	2	1	3	16	59
1985.....	30,929	2	-	2	-	3	2	5	1	21	54
1984.....	29,043	1	4	2	-	1	3	6	6	20	44
1983.....	27,954	1	2	4	1	5	4	2	2	18	36
1982.....	25,177	5	2	4	-	3	6	8	6	22	38
1981.....	24,503	4	2	3	2	1	5	3	6	19	44
1980.....	22,832	-	2	-	1	4	-	4	7	11	42
1979.....	19,843	2	-	-	1	1	3	2	3	13	42
WHITE FEMALE											
1998.....	39,307	2	1	1	1	2	1	2	1	19	57
1997.....	37,087	-	-	1	-	2	1	3	6	21	61
1996.....	35,675	1	-	1	1	-	3	-	5	19	59
1995.....	33,521	-	2	-	-	-	1	-	5	10	62
1994.....	32,552	1	-	1	-	-	1	-	8	11	32
1993.....	31,541	-	1	1	-	-	-	-	5	17	49
1992.....	27,490	-	1	1	1	1	2	1	4	13	40
1991.....	26,296	2	-	-	-	2	-	3	2	11	49
1990.....	24,331	2	-	1	-	-	1	3	6	10	32
1989.....	23,266	-	-	-	2	2	3	1	7	11	39
1988.....	21,881	-	2	-	1	2	3	1	5	7	37
1987.....	20,067	2	2	-	-	1	1	2	6	10	39
1986.....	18,944	-	3	1	2	1	1	6	4	11	47
1985.....	17,909	1	1	1	2	1	2	2	1	9	37
1984.....	15,786	-	4	6	-	3	1	1	1	8	35
1983.....	14,323	1	1	4	-	2	1	-	6	11	39
1982.....	12,142	-	3	3	2	-	2	1	4	7	36
1981.....	11,157	5	3	-	1	2	1	1	3	10	29
1980.....	9,803	1	1	1	2	3	1	3	4	8	29
1979.....	7,769	-	1	-	-	2	1	2	4	9	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)											
ALL OTHER, BOTH SEXES											
1998.....	5,692	1	1	2	-	-	1	2	5	17	45
1997.....	5,491	2	1	-	1	1	-	2	5	18	42
1996.....	5,207	-	2	1	-	1	1	4	5	8	30
1995.....	5,025	1	-	-	1	-	-	1	9	20	32
1994.....	4,879	1	1	-	-	1	1	-	4	16	35
1993.....	4,802	1	1	-	-	-	1	1	3	9	44
1992.....	4,261	2	1	-	-	-	2	2	1	21	42
1991.....	4,261	3	1	1	-	-	-	2	-	12	32
1990.....	4,206	-	2	-	2	1	-	-	4	13	32
1989.....	4,180	3	1	1	1	2	3	5	8	20	38
1988.....	3,819	1	1	1	-	1	1	2	4	13	29
1987.....	3,581	2	3	1	-	-	-	2	7	15	21
1986.....	3,443	1	1	1	-	-	1	4	2	8	32
1985.....	3,319	1	1	-	2	-	-	3	4	4	30
1984.....	3,070	1	3	-	-	2	-	2	4	10	25
1983.....	2,741	1	1	-	1	2	1	1	2	11	23
1982.....	2,406	5	2	1	-	2	1	1	3	10	23
1981.....	2,275	1	1	1	-	1	1	2	4	5	17
1980.....	2,108	3	-	1	-	1	-	5	3	18	22
1979.....	1,791	-	1	-	-	-	-	1	4	14	17
ALL OTHER MALE											
1998.....	3,406	-	1	2	-	-	1	1	4	9	24
1997.....	3,339	1	1	-	-	-	-	-	3	12	22
1996.....	3,172	-	2	1	-	-	-	2	3	3	16
1995.....	3,102	-	-	-	-	-	-	1	3	11	11
1994.....	3,041	1	1	-	-	1	-	-	2	5	21
1993.....	3,115	1	1	-	-	-	-	1	1	4	28
1992.....	2,751	1	-	-	-	-	2	2	-	14	23
1991.....	2,801	2	-	1	-	-	-	1	-	9	20
1990.....	2,833	-	2	-	-	1	-	-	3	7	22
1989.....	2,834	2	1	1	1	1	-	3	6	11	32
1988.....	2,669	-	-	1	-	-	-	1	2	7	23
1987.....	2,489	2	1	1	-	-	-	1	6	9	13
1986.....	2,506	1	1	-	-	-	1	2	1	6	23
1985.....	2,369	1	-	-	1	-	-	3	1	3	23
1984.....	2,212	1	2	-	-	1	-	2	1	4	16
1983.....	2,039	1	-	-	1	-	1	-	2	7	15
1982.....	1,751	3	1	-	-	1	1	1	2	6	16
1981.....	1,718	1	1	-	-	-	1	1	3	2	12
1980.....	1,626	2	-	1	-	1	-	4	2	11	17
1979.....	1,399	-	1	-	-	-	-	-	3	10	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)											
ALL OTHER FEMALE											
1998.....	2,286	1	-	-	-	-	-	1	1	8	21
1997.....	2,152	1	-	-	1	1	-	2	2	6	20
1996.....	2,035	-	-	-	-	1	1	2	2	5	14
1995.....	1,923	1	-	-	1	-	-	-	6	9	21
1994.....	1,838	-	-	-	-	-	1	-	2	11	14
1993.....	1,687	-	-	-	-	-	1	-	2	5	16
1992.....	1,510	1	1	-	-	-	-	-	1	7	19
1991.....	1,460	1	1	-	-	-	-	1	-	3	12
1990.....	1,373	-	-	-	2	-	-	-	1	6	10
1989.....	1,346	1	-	-	-	1	3	2	2	9	6
1988.....	1,150	1	1	-	-	1	1	1	2	6	6
1987.....	1,092	-	2	-	-	-	-	1	1	6	8
1986.....	937	-	-	1	-	-	-	2	1	2	9
1985.....	950	-	1	-	1	-	-	-	3	1	7
1984.....	858	-	1	-	-	1	-	-	3	6	9
1983.....	702	-	1	-	-	2	-	1	-	4	8
1982.....	655	2	1	1	-	1	-	-	1	4	7
1981.....	557	-	-	1	-	1	-	1	1	3	5
1980.....	482	1	-	-	-	-	-	1	1	7	5
1979.....	392	-	-	-	-	-	-	1	1	4	4
BLACK, BOTH SEXES											
1998.....	4,819	-	1	1	-	-	1	2	4	16	40
1997.....	4,618	2	1	-	1	1	-	1	5	18	39
1996.....	4,460	-	2	1	-	1	1	4	4	8	30
1995.....	4,296	1	-	-	1	-	-	1	9	16	30
1994.....	4,214	1	1	-	-	-	1	-	2	16	32
1993.....	4,175	1	1	-	-	-	1	1	2	8	42
1992.....	3,745	2	1	-	-	-	2	2	-	19	40
1991.....	3,730	3	1	-	-	-	-	2	-	10	30
1990.....	3,679	-	2	-	2	1	-	-	4	13	29
1989.....	3,677	3	1	1	1	2	3	4	8	19	35
1988.....	3,409	1	1	1	-	1	1	2	4	13	29
1987.....	3,197	2	3	-	-	-	-	1	7	13	20
1986.....	3,104	1	1	1	-	-	1	3	2	7	29
1985.....	2,990	1	-	-	2	-	-	2	4	4	29
1984.....	2,756	1	3	-	-	2	-	2	4	9	24
1983.....	2,482	1	1	-	1	1	1	1	1	11	21
1982.....	2,203	5	2	1	-	2	1	1	3	10	23
1981.....	2,079	1	1	1	-	1	1	2	4	5	16
1980.....	1,948	3	-	1	-	-	-	4	3	18	20
1979.....	1,641	-	1	-	-	-	-	1	3	13	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)											
BLACK MALE											
1998.....	2,850	-	1	1	-	-	1	1	3	8	19
1997.....	2,770	1	1	-	-	-	-	-	3	12	20
1996.....	2,684	-	2	1	-	-	-	2	3	3	16
1995.....	2,650	-	-	-	-	-	-	1	3	7	11
1994.....	2,620	1	1	-	-	-	-	-	1	5	19
1993.....	2,705	1	1	-	-	-	-	1	-	4	26
1992.....	2,410	1	-	-	-	-	2	2	-	13	23
1991.....	2,450	2	-	-	-	-	-	1	-	8	20
1990.....	2,467	-	2	-	-	1	-	-	3	7	20
1989.....	2,471	2	1	1	1	1	-	2	6	10	31
1988.....	2,386	-	-	1	-	-	-	1	2	7	23
1987.....	2,221	2	1	-	-	-	-	1	6	8	12
1986.....	2,241	1	1	-	-	-	1	1	1	5	21
1985.....	2,152	1	-	-	1	-	-	2	1	3	23
1984.....	1,994	1	2	-	-	1	-	2	1	4	15
1983.....	1,846	1	-	-	1	-	1	-	1	7	15
1982.....	1,607	3	1	-	-	1	1	1	2	6	16
1981.....	1,573	1	1	-	-	-	1	1	3	2	12
1980.....	1,494	2	-	1	-	-	-	3	2	11	15
1979.....	1,295	-	1	-	-	-	-	-	3	10	13
BLACK FEMALE											
1998.....	1,969	-	-	-	-	-	-	1	1	8	21
1997.....	1,848	1	-	-	1	1	-	1	2	6	19
1996.....	1,776	-	-	-	-	1	1	2	1	5	14
1995.....	1,646	1	-	-	1	-	-	-	6	9	19
1994.....	1,594	-	-	-	-	-	1	-	1	11	13
1993.....	1,470	-	-	-	-	-	1	-	2	4	16
1992.....	1,335	1	1	-	-	-	-	-	-	6	17
1991.....	1,280	1	1	-	-	-	-	1	-	2	10
1990.....	1,212	-	-	-	2	-	-	-	1	6	9
1989.....	1,206	1	-	-	-	1	3	2	2	9	4
1988.....	1,023	1	1	-	-	1	1	1	2	6	6
1987.....	976	-	2	-	-	-	-	-	1	5	8
1986.....	863	-	-	1	-	-	-	2	1	2	8
1985.....	838	-	-	-	1	-	-	-	3	1	6
1984.....	762	-	1	-	-	1	-	-	3	5	9
1983.....	636	-	1	-	-	1	-	1	-	4	6
1982.....	596	2	1	1	-	1	-	-	1	4	7
1981.....	506	-	-	1	-	1	-	1	1	3	4
1980.....	454	1	-	-	-	-	-	1	1	7	5
1979.....	346	-	-	-	-	-	-	1	-	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)											
TOTAL, BOTH SEXES											
1998.....	13,826	11	9	8	8	11	12	25	28	50	69
1997.....	12,594	23	14	9	7	5	10	18	30	51	57
1996.....	11,479	16	14	7	6	5	21	24	35	46	61
1995.....	10,777	17	15	4	5	11	17	29	30	37	59
1994.....	10,115	19	16	5	9	8	25	29	36	43	60
1993.....	9,907	27	20	10	8	12	17	26	26	46	57
1992.....	9,378	20	17	9	5	11	14	21	33	60	46
1991.....	9,358	32	20	9	7	12	12	23	40	31	42
1990.....	9,108	20	20	10	12	7	18	21	29	38	46
1989.....	9,035	22	10	10	5	12	21	22	32	44	51
1988.....	9,032	39	15	9	3	11	17	25	38	36	50
1987.....	8,670	30	18	7	9	10	18	22	32	37	45
1986.....	8,153	38	21	7	6	10	13	20	26	39	45
1985.....	7,649	40	21	11	7	18	17	27	29	39	43
1984.....	6,844	45	32	6	5	15	17	20	26	30	42
1983.....	6,000	39	20	5	6	10	19	27	38	38	40
1982.....	5,471	43	28	6	11	14	14	18	29	32	45
1981.....	5,299	50	33	6	10	20	22	22	22	28	45
1980.....	4,996	57	19	8	7	10	23	23	25	41	35
1979.....	4,441	68	22	9	3	11	23	28	25	39	51
TOTAL, MALE											
1998.....	7,287	5	7	4	4	5	6	13	18	26	37
1997.....	6,727	14	9	5	5	2	4	6	15	29	38
1996.....	6,098	10	7	3	3	1	15	12	19	30	34
1995.....	5,961	8	10	2	3	7	7	15	17	23	40
1994.....	5,602	11	12	4	6	3	16	17	21	24	40
1993.....	5,428	15	14	2	4	9	11	18	21	32	38
1992.....	5,172	11	11	4	3	6	8	11	17	37	28
1991.....	5,259	18	12	4	4	6	5	11	24	19	21
1990.....	5,132	9	12	4	8	5	11	11	19	20	34
1989.....	5,146	14	6	5	4	8	10	16	17	26	38
1988.....	5,167	22	8	4	1	10	10	13	25	24	32
1987.....	5,014	10	11	2	5	5	9	16	20	21	30
1986.....	4,941	26	9	2	3	2	10	12	18	29	31
1985.....	4,615	19	12	7	4	12	11	19	17	25	24
1984.....	4,314	30	16	3	4	9	11	12	10	14	34
1983.....	3,937	19	12	-	5	5	10	18	26	25	21
1982.....	3,692	24	14	1	9	7	4	12	19	22	31
1981.....	3,740	30	18	2	7	12	12	9	12	17	33
1980.....	3,504	25	11	4	4	4	14	16	16	19	22
1979.....	3,239	41	11	4	2	8	12	18	16	22	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)											
TOTAL, FEMALE											
1998.....	6,539	6	2	4	4	6	6	12	10	24	32
1997.....	5,867	9	5	4	2	3	6	12	15	22	19
1996.....	5,381	6	7	4	3	4	6	12	16	16	27
1995.....	4,816	9	5	2	2	4	10	14	13	14	19
1994.....	4,513	8	4	1	3	5	9	12	15	19	20
1993.....	4,479	12	6	8	4	3	6	8	5	14	19
1992.....	4,206	9	6	5	2	5	6	10	16	23	18
1991.....	4,099	14	8	5	3	6	7	12	16	12	21
1990.....	3,976	11	8	6	4	2	7	10	10	18	12
1989.....	3,889	8	4	5	1	4	11	6	15	18	13
1988.....	3,865	17	7	5	2	1	7	12	13	12	18
1987.....	3,656	20	7	5	4	5	9	6	12	16	15
1986.....	3,212	12	12	5	3	8	3	8	8	10	14
1985.....	3,034	21	9	4	3	6	6	8	12	14	19
1984.....	2,530	15	16	3	1	6	6	8	16	16	8
1983.....	2,063	20	8	5	1	5	9	9	12	13	19
1982.....	1,779	19	14	5	2	7	10	6	10	10	14
1981.....	1,559	20	15	4	3	8	10	13	10	11	12
1980.....	1,492	32	8	4	3	6	9	7	9	22	13
1979.....	1,202	27	11	5	1	3	11	10	9	17	19
WHITE, BOTH SEXES											
1998.....	12,274	6	7	6	6	8	10	14	20	39	51
1997.....	11,206	11	9	8	4	3	10	11	24	30	42
1996.....	10,182	10	10	3	6	4	17	14	26	29	45
1995.....	9,518	13	11	2	2	4	11	26	19	29	40
1994.....	8,909	16	8	5	7	6	19	23	28	29	47
1993.....	8,796	17	14	8	8	11	12	17	18	34	42
1992.....	8,291	11	10	8	3	7	10	12	22	38	32
1991.....	8,247	19	12	9	3	8	8	15	23	24	34
1990.....	7,992	8	15	8	9	5	16	14	25	30	28
1989.....	7,892	14	6	10	4	11	15	18	20	25	32
1988.....	7,932	22	10	7	1	9	12	20	25	23	28
1987.....	7,592	25	12	4	8	5	15	17	20	22	26
1986.....	7,098	26	16	5	5	7	10	17	18	23	29
1985.....	6,718	33	17	8	6	14	13	23	24	28	23
1984.....	6,008	28	23	5	3	13	13	13	19	22	28
1983.....	5,241	29	14	2	4	10	13	20	31	28	20
1982.....	4,769	23	19	5	7	12	8	13	26	19	25
1981.....	4,639	34	21	4	8	14	17	15	14	21	30
1980.....	4,344	37	13	6	4	6	18	21	11	28	25
1979.....	3,892	37	16	5	3	8	18	18	17	26	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)											
WHITE MALE											
1998.....	6,488	4	5	3	3	4	6	10	12	20	28
1997.....	5,995	6	7	4	3	1	4	4	14	16	29
1996.....	5,401	6	5	1	3	1	12	7	14	20	27
1995.....	5,274	6	7	1	2	4	4	13	12	19	25
1994.....	4,940	9	5	4	5	3	12	13	17	15	31
1993.....	4,806	10	11	2	4	8	7	14	14	22	28
1992.....	4,561	9	6	3	2	4	6	3	11	24	19
1991.....	4,630	10	8	4	1	4	5	6	14	15	17
1990.....	4,493	2	9	3	7	4	10	5	17	15	20
1989.....	4,468	10	5	5	4	7	8	15	12	13	22
1988.....	4,520	13	5	4	1	8	8	11	14	16	15
1987.....	4,378	8	7	1	5	3	9	12	9	14	17
1986.....	4,318	19	7	2	3	2	8	10	14	17	21
1985.....	4,050	17	9	5	3	10	7	16	15	18	9
1984.....	3,782	18	11	2	2	8	8	9	9	9	21
1983.....	3,433	15	8	-	3	5	7	14	22	18	9
1982.....	3,235	15	8	-	6	6	1	10	18	14	15
1981.....	3,310	19	11	-	5	9	11	7	8	13	21
1980.....	3,080	19	7	3	1	3	12	14	7	12	15
1979.....	2,861	23	8	2	2	6	9	12	10	14	18
WHITE FEMALE											
1998.....	5,786	2	2	3	3	4	4	4	8	19	23
1997.....	5,211	5	2	4	1	2	6	7	10	14	13
1996.....	4,781	4	5	2	3	3	5	7	12	9	18
1995.....	4,244	7	4	1	-	-	7	13	7	10	15
1994.....	3,969	7	3	1	2	3	7	10	11	14	16
1993.....	3,990	7	3	6	4	3	5	3	4	12	14
1992.....	3,730	2	4	5	1	3	4	9	11	14	13
1991.....	3,617	9	4	5	2	4	3	9	9	9	17
1990.....	3,499	6	6	5	2	1	6	9	8	15	8
1989.....	3,424	4	1	5	-	4	7	3	8	12	10
1988.....	3,412	9	5	3	-	1	4	9	11	7	13
1987.....	3,214	17	5	3	3	2	6	5	11	8	9
1986.....	2,780	7	9	3	2	5	2	7	4	6	8
1985.....	2,668	16	8	3	3	4	6	7	9	10	14
1984.....	2,226	10	12	3	1	5	5	4	10	13	7
1983.....	1,808	14	6	2	1	5	6	6	9	10	11
1982.....	1,534	8	11	5	1	6	7	3	8	5	10
1981.....	1,329	15	10	4	3	5	6	8	6	8	9
1980.....	1,264	18	6	3	3	3	6	7	4	16	10
1979.....	1,031	14	8	3	1	2	9	6	7	12	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)											
ALL OTHER, BOTH SEXES											
1998.....	1,552	5	2	2	2	3	2	11	8	11	18
1997.....	1,388	12	5	1	3	2	-	7	6	21	15
1996.....	1,297	6	4	4	-	1	4	10	9	17	16
1995.....	1,259	4	4	2	3	7	6	3	11	8	19
1994.....	1,206	3	8	-	2	2	6	6	8	14	13
1993.....	1,111	10	6	2	-	1	5	9	8	12	15
1992.....	1,087	9	7	1	2	4	4	9	11	22	14
1991.....	1,111	13	8	-	4	4	4	8	17	7	8
1990.....	1,116	12	5	2	3	2	2	7	4	8	18
1989.....	1,143	8	4	-	1	1	6	4	12	19	19
1988.....	1,100	17	5	2	2	2	5	5	13	13	22
1987.....	1,078	5	6	3	1	5	3	5	12	15	19
1986.....	1,055	12	5	2	1	3	3	3	8	16	16
1985.....	931	7	4	3	1	4	4	4	5	11	20
1984.....	836	17	9	1	2	2	4	7	7	8	14
1983.....	759	10	6	3	2	-	6	7	7	10	20
1982.....	702	20	9	1	4	2	6	5	3	13	20
1981.....	660	16	12	2	2	6	5	7	8	7	15
1980.....	652	20	6	2	3	4	5	2	14	13	10
1979.....	549	31	6	4	-	3	5	10	8	13	19
ALL OTHER MALE											
1998.....	799	1	2	1	1	1	-	3	6	6	9
1997.....	732	8	2	1	2	1	-	2	1	13	9
1996.....	697	4	2	2	-	-	3	5	5	10	7
1995.....	687	2	3	1	1	3	3	2	5	4	15
1994.....	662	2	7	-	1	-	4	4	4	9	9
1993.....	622	5	3	-	-	1	4	4	7	10	10
1992.....	611	2	5	1	1	2	2	8	6	13	9
1991.....	629	8	4	-	3	2	-	5	10	4	4
1990.....	639	7	3	1	1	1	1	6	2	5	14
1989.....	678	4	1	-	-	1	2	1	5	13	16
1988.....	647	9	3	-	-	2	2	2	11	8	17
1987.....	636	2	4	1	-	2	-	4	11	7	13
1986.....	623	7	2	-	-	-	2	2	4	12	10
1985.....	565	2	3	2	1	2	4	3	2	7	15
1984.....	532	12	5	1	2	1	3	3	1	5	13
1983.....	504	4	4	-	2	-	3	4	4	7	12
1982.....	457	9	6	1	3	1	3	2	1	8	16
1981.....	430	11	7	2	2	3	1	2	4	4	12
1980.....	424	6	4	1	3	1	2	2	9	7	7
1979.....	378	18	3	2	-	2	3	6	6	8	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)											
ALL OTHER FEMALE											
1998.....	753	4	-	1	1	2	2	8	2	5	9
1997.....	656	4	3	-	1	1	-	5	5	8	6
1996.....	600	2	2	2	-	1	1	5	4	7	9
1995.....	572	2	1	1	2	4	3	1	6	4	4
1994.....	544	1	1	-	1	2	2	2	4	5	4
1993.....	489	5	3	2	-	-	1	5	1	2	5
1992.....	476	7	2	-	1	2	2	1	5	9	5
1991.....	482	5	4	-	1	2	4	3	7	3	4
1990.....	477	5	2	1	2	1	1	1	2	3	4
1989.....	465	4	3	-	1	-	4	3	7	6	3
1988.....	453	8	2	2	2	-	3	3	2	5	5
1987.....	442	3	2	2	1	3	3	1	1	8	6
1986.....	432	5	3	2	1	3	1	1	4	4	6
1985.....	366	5	1	1	-	2	-	1	3	4	5
1984.....	304	5	4	-	-	1	1	4	6	3	1
1983.....	255	6	2	3	-	-	3	3	3	3	8
1982.....	245	11	3	-	1	1	3	3	2	5	4
1981.....	230	5	5	-	-	3	4	5	4	3	3
1980.....	228	14	2	1	-	3	3	-	5	6	3
1979.....	171	13	3	2	-	1	2	4	2	5	5
BLACK, BOTH SEXES											
1998.....	1,373	5	1	2	2	3	1	9	7	7	17
1997.....	1,222	12	5	1	3	1	-	6	4	19	13
1996.....	1,134	5	4	4	-	-	2	9	7	17	11
1995.....	1,106	3	2	1	3	7	5	3	11	8	17
1994.....	1,071	2	6	-	2	2	4	5	6	14	13
1993.....	981	10	6	2	-	1	4	8	8	12	13
1992.....	986	8	6	1	2	4	4	8	11	22	13
1991.....	977	13	6	-	4	4	4	7	15	7	8
1990.....	1,006	10	5	2	3	2	2	7	4	7	15
1989.....	1,038	8	2	-	1	1	6	4	11	18	18
1988.....	998	14	5	1	2	2	5	4	13	12	21
1987.....	973	3	5	3	1	5	2	4	11	15	19
1986.....	952	12	5	1	1	2	3	3	8	14	15
1985.....	864	6	3	3	-	4	4	4	5	11	19
1984.....	762	14	8	1	1	2	2	6	6	8	14
1983.....	706	9	5	2	2	-	6	7	7	10	20
1982.....	633	19	8	1	4	2	6	4	2	10	20
1981.....	608	16	7	2	2	6	3	5	7	5	15
1980.....	603	20	6	2	3	4	2	1	14	13	10
1979.....	517	29	6	4	-	2	4	10	6	13	19

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)

BLACK MALE

1998.....	705	1	1	1	1	1	-	3	6	3	8
1997.....	634	8	2	1	2	1	-	2	1	11	8
1996.....	606	3	2	2	-	-	2	4	4	10	5
1995.....	587	2	1	1	1	3	2	2	5	4	14
1994.....	581	2	6	-	1	-	3	3	4	9	9
1993.....	536	5	3	-	-	1	3	3	7	10	10
1992.....	546	2	4	1	1	2	2	7	6	13	8
1991.....	555	8	3	-	3	2	-	4	8	4	4
1990.....	574	5	3	1	1	1	1	6	2	4	12
1989.....	603	4	-	-	-	1	2	1	4	12	15
1988.....	585	8	3	-	-	2	2	1	11	8	16
1987.....	576	1	3	1	-	2	-	3	10	7	13
1986.....	549	7	2	-	-	-	2	2	4	10	9
1985.....	524	1	2	2	-	2	4	3	2	7	14
1984.....	481	10	4	1	1	1	1	3	-	5	13
1983.....	469	3	3	-	2	-	3	4	4	7	12
1982.....	412	8	5	1	3	1	3	1	-	6	16
1981.....	393	11	4	2	2	3	1	1	3	3	12
1980.....	397	6	4	1	3	1	-	1	9	7	7
1979.....	355	16	3	2	-	1	3	6	5	8	14

BLACK FEMALE

1998.....	668	4	-	1	1	2	1	6	1	4	9
1997.....	588	4	3	-	1	-	-	4	3	8	5
1996.....	528	2	2	2	-	-	-	5	3	7	6
1995.....	519	1	1	-	2	4	3	1	6	4	3
1994.....	490	-	-	-	1	2	1	2	2	5	4
1993.....	445	5	3	2	-	-	1	5	1	2	3
1992.....	440	6	2	-	1	2	2	1	5	9	5
1991.....	422	5	3	-	1	2	4	3	7	3	4
1990.....	432	5	2	1	2	1	1	1	2	3	3
1989.....	435	4	2	-	1	-	4	3	7	6	3
1988.....	413	6	2	1	2	-	3	3	2	4	5
1987.....	397	2	2	2	1	3	2	1	1	8	6
1986.....	403	5	3	1	1	2	1	1	4	4	6
1985.....	340	5	1	1	-	2	-	1	3	4	5
1984.....	281	4	4	-	-	1	1	3	6	3	1
1983.....	237	6	2	2	-	-	3	3	3	3	8
1982.....	221	11	3	-	1	1	3	3	2	4	4
1981.....	215	5	3	-	-	3	2	4	4	2	3
1980.....	206	14	2	1	-	3	2	-	5	6	3
1979.....	162	13	3	2	-	1	1	4	1	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)											
TOTAL, BOTH SEXES											
1998.....	674	3	-	1	-	4	6	7	12	27	33
1997.....	661	10	4	-	2	2	6	4	10	19	37
1996.....	612	7	3	-	4	2	2	5	6	14	21
1995.....	645	1	3	1	-	5	5	9	13	18	33
1994.....	638	7	3	1	2	1	3	7	13	24	24
1993.....	685	10	-	1	4	3	6	8	12	15	33
1992.....	735	3	1	-	1	3	3	10	10	27	31
1991.....	777	3	2	-	3	1	3	12	14	21	41
1990.....	809	6	7	1	1	3	7	8	20	23	33
1989.....	934	5	6	1	-	3	6	17	23	35	29
1988.....	1,050	7	-	1	5	1	11	21	17	43	32
1987.....	1,134	4	3	2	-	5	7	18	21	45	31
1986.....	1,060	6	1	-	-	8	4	12	25	37	27
1985.....	1,183	5	5	-	3	6	10	18	27	26	43
1984.....	1,083	3	3	3	2	6	20	17	24	32	30
1983.....	1,123	10	5	4	1	4	8	17	16	30	40
1982.....	1,110	7	4	2	1	2	13	15	28	24	42
1981.....	1,144	7	5	3	8	8	18	24	23	29	35
1980.....	1,245	5	2	1	2	18	18	21	21	24	33
1979.....	1,135	7	6	1	5	8	17	25	13	29	40
TOTAL, MALE											
1998.....	440	3	-	-	-	2	2	4	9	21	23
1997.....	431	7	2	-	-	1	3	3	8	11	25
1996.....	398	5	3	-	1	2	2	3	3	9	18
1995.....	405	-	-	1	-	1	5	5	10	11	22
1994.....	419	6	3	1	2	-	3	4	9	14	18
1993.....	453	6	-	-	3	3	2	3	7	11	25
1992.....	482	2	-	-	1	1	2	7	9	21	24
1991.....	513	2	2	-	3	-	3	7	11	15	28
1990.....	532	4	5	1	-	1	5	7	14	15	21
1989.....	607	2	4	1	-	3	3	11	14	26	21
1988.....	676	5	-	1	3	-	7	13	13	31	22
1987.....	753	1	2	2	-	2	3	9	16	32	27
1986.....	730	4	-	-	-	4	3	7	17	25	21
1985.....	795	1	2	-	1	5	9	12	16	15	33
1984.....	721	1	1	3	1	5	15	12	17	24	17
1983.....	751	4	3	3	1	3	7	14	14	17	29
1982.....	752	2	2	2	1	1	10	4	15	19	32
1981.....	797	4	4	-	2	6	9	17	17	21	27
1980.....	884	3	2	1	2	11	13	14	15	20	22
1979.....	797	4	3	-	3	5	13	17	10	20	33

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)											
TOTAL, FEMALE											
1998.....	234	-	-	1	-	2	4	3	3	6	10
1997.....	230	3	2	-	2	1	3	1	2	8	12
1996.....	214	2	-	-	3	-	-	2	3	5	3
1995.....	240	1	3	-	-	4	-	4	3	7	11
1994.....	219	1	-	-	-	1	-	3	4	10	6
1993.....	232	4	-	1	1	-	4	5	5	4	8
1992.....	253	1	1	-	-	2	1	3	1	6	7
1991.....	264	1	-	-	-	1	-	5	3	6	13
1990.....	277	2	2	-	1	2	2	1	6	8	12
1989.....	327	3	2	-	-	-	3	6	9	9	8
1988.....	374	2	-	-	2	1	4	8	4	12	10
1987.....	381	3	1	-	-	3	4	9	5	13	4
1986.....	330	2	1	-	-	4	1	5	8	12	6
1985.....	388	4	3	-	2	1	1	6	11	11	10
1984.....	362	2	2	-	1	1	5	5	7	8	13
1983.....	372	6	2	1	-	1	1	3	2	13	11
1982.....	358	5	2	-	-	1	3	11	13	5	10
1981.....	347	3	1	3	6	2	9	7	6	8	8
1980.....	361	2	-	-	-	7	5	7	6	4	11
1979.....	338	3	3	1	2	3	4	8	3	9	7
WHITE, BOTH SEXES											
1998.....	546	2	-	1	-	2	4	6	9	17	27
1997.....	541	4	2	-	2	2	6	4	8	7	23
1996.....	483	5	3	-	3	-	-	-	4	9	12
1995.....	511	1	-	1	-	5	4	8	7	10	27
1994.....	506	5	1	1	1	-	2	3	11	13	15
1993.....	546	6	-	-	3	3	4	4	8	10	19
1992.....	600	1	-	-	1	1	3	7	7	17	19
1991.....	598	2	1	-	2	1	2	6	9	12	21
1990.....	613	3	4	-	1	3	3	6	10	11	19
1989.....	718	3	3	1	-	2	4	12	13	20	19
1988.....	815	4	-	1	1	1	9	11	11	21	18
1987.....	895	2	1	-	-	4	6	13	11	19	18
1986.....	824	3	1	-	-	6	4	8	14	22	18
1985.....	910	4	4	-	1	5	6	9	12	14	26
1984.....	856	3	3	2	2	5	15	11	16	18	21
1983.....	867	8	3	4	1	1	6	10	9	18	19
1982.....	828	5	2	1	-	1	9	9	11	17	24
1981.....	863	6	4	2	6	5	11	12	9	14	14
1980.....	946	3	2	-	2	15	12	13	11	12	17
1979.....	832	5	4	1	3	7	13	19	2	10	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)											
WHITE MALE											
1998.....	355	2	-	-	-	1	1	4	6	12	18
1997.....	358	2	1	-	-	1	3	3	7	5	15
1996.....	309	4	3	-	1	-	-	-	1	7	11
1995.....	321	-	-	1	-	1	4	4	4	6	19
1994.....	320	4	1	1	1	-	2	1	8	8	9
1993.....	362	3	-	-	2	3	2	-	4	6	14
1992.....	386	1	-	-	1	-	2	5	6	14	14
1991.....	387	1	1	-	2	-	2	3	7	8	14
1990.....	391	2	3	-	-	1	2	5	6	8	12
1989.....	457	1	2	1	-	2	2	6	8	15	12
1988.....	525	3	-	1	-	-	6	7	8	15	12
1987.....	578	-	-	-	-	2	3	7	6	13	15
1986.....	557	2	-	-	-	3	3	5	10	14	15
1985.....	595	1	1	-	-	4	5	7	8	7	20
1984.....	567	1	1	2	1	4	13	7	11	13	12
1983.....	556	4	1	3	1	-	6	8	8	8	12
1982.....	538	2	-	1	-	1	8	2	5	12	15
1981.....	585	4	3	-	1	4	6	7	4	8	11
1980.....	654	2	2	-	2	10	8	9	7	8	9
1979.....	564	2	3	-	1	4	9	11	1	6	17
WHITE FEMALE											
1998.....	191	-	-	1	-	1	3	2	3	5	9
1997.....	183	2	1	-	2	1	3	1	1	2	8
1996.....	174	1	-	-	2	-	-	-	3	2	1
1995.....	190	1	-	-	-	4	-	4	3	4	8
1994.....	186	1	-	-	-	-	-	2	3	5	6
1993.....	184	3	-	-	1	-	2	4	4	4	5
1992.....	214	-	-	-	-	1	1	2	1	3	5
1991.....	211	1	-	-	-	1	-	3	2	4	7
1990.....	222	1	1	-	1	2	1	1	4	3	7
1989.....	261	2	1	-	-	-	2	6	5	5	7
1988.....	290	1	-	-	1	1	3	4	3	6	6
1987.....	317	2	1	-	-	2	3	6	5	6	3
1986.....	267	1	1	-	-	3	1	3	4	8	3
1985.....	315	3	3	-	1	1	1	2	4	7	6
1984.....	289	2	2	-	1	1	2	4	5	5	9
1983.....	311	4	2	1	-	1	-	2	1	10	7
1982.....	290	3	2	-	-	-	1	7	6	5	9
1981.....	278	2	1	2	5	1	5	5	5	6	3
1980.....	292	1	-	-	-	5	4	4	4	4	8
1979.....	268	3	1	1	2	3	4	8	1	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)											
ALL OTHER, BOTH SEXES											
1998.....	128	1	-	-	-	2	2	1	3	10	6
1997.....	120	6	2	-	-	-	-	-	2	12	14
1996.....	129	2	-	-	-	1	2	5	2	5	9
1995.....	134	-	3	-	-	-	1	1	6	8	6
1994.....	132	2	2	-	1	1	1	4	2	11	9
1993.....	139	4	-	1	1	-	2	4	4	5	14
1992.....	135	2	1	-	-	2	-	3	3	10	12
1991.....	179	1	1	-	1	-	1	6	5	9	20
1990.....	196	3	3	1	-	-	4	2	10	12	14
1989.....	216	2	3	-	-	1	2	5	10	15	10
1988.....	235	3	-	-	4	-	2	10	6	22	14
1987.....	239	2	2	2	-	1	1	5	10	26	13
1986.....	236	3	-	-	-	2	-	4	11	15	9
1985.....	273	1	1	-	2	1	4	9	15	12	17
1984.....	227	-	-	1	-	1	5	6	8	14	9
1983.....	256	2	2	-	-	3	2	7	7	12	21
1982.....	282	2	2	1	1	1	4	6	17	7	18
1981.....	281	1	1	1	2	3	7	12	14	15	21
1980.....	299	2	-	1	-	3	6	8	10	12	16
1979.....	303	2	2	-	2	1	4	6	11	19	21
ALL OTHER MALE											
1998.....	85	1	-	-	-	1	1	-	3	9	5
1997.....	73	5	1	-	-	-	-	-	1	6	10
1996.....	89	1	-	-	-	2	2	3	2	2	7
1995.....	84	-	-	-	-	-	1	1	6	5	3
1994.....	99	2	2	-	1	-	1	3	1	6	9
1993.....	91	3	-	-	-	1	-	3	3	5	11
1992.....	96	1	-	-	-	1	-	2	3	7	10
1991.....	126	1	1	-	1	-	1	4	4	7	14
1990.....	141	2	2	1	-	-	3	2	8	7	9
1989.....	150	1	2	-	-	1	1	5	6	11	9
1988.....	151	2	-	-	3	-	1	6	5	16	10
1987.....	175	1	2	2	-	-	-	2	10	19	12
1986.....	173	2	-	-	-	1	-	2	7	11	6
1985.....	200	-	1	-	1	1	4	5	8	8	13
1984.....	154	-	-	1	-	1	2	5	6	11	5
1983.....	195	-	2	-	-	3	1	6	6	9	17
1982.....	214	-	2	1	1	-	2	2	10	7	17
1981.....	212	-	1	-	1	2	3	10	13	13	16
1980.....	230	1	-	1	-	1	5	5	8	12	13
1979.....	233	2	-	-	2	1	4	6	9	14	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)											
ALL OTHER FEMALE											
1998.....	43	-	-	-	-	1	1	1	-	1	1
1997.....	47	1	1	-	-	-	-	-	1	6	4
1996.....	40	1	-	-	1	-	-	2	-	3	2
1995.....	50	-	3	-	-	-	-	-	-	3	3
1994.....	33	-	-	-	-	1	-	1	1	5	-
1993.....	48	1	-	1	-	-	2	1	1	-	3
1992.....	39	1	1	-	-	1	-	1	-	3	2
1991.....	53	-	-	-	-	-	-	2	1	2	6
1990.....	55	1	1	-	-	-	1	-	2	5	5
1989.....	66	1	1	-	-	-	1	-	4	4	1
1988.....	84	1	-	-	1	-	1	4	1	6	4
1987.....	64	1	-	-	-	1	1	3	-	7	1
1986.....	63	1	-	-	-	1	-	2	4	4	3
1985.....	73	1	-	-	1	-	-	4	7	4	4
1984.....	73	-	-	-	-	-	3	1	2	3	4
1983.....	61	2	-	-	-	-	1	1	1	3	4
1982.....	68	2	-	-	-	1	2	4	7	-	1
1981.....	69	1	-	1	1	1	4	2	1	2	5
1980.....	69	1	-	-	-	2	1	3	2	-	3
1979.....	70	-	2	-	-	-	-	-	2	5	5
BLACK, BOTH SEXES											
1998.....	115	1	-	-	-	1	2	1	3	9	6
1997.....	113	5	2	-	-	-	-	-	2	12	14
1996.....	112	2	-	-	1	2	1	3	2	4	8
1995.....	121	-	3	-	-	-	1	1	5	5	6
1994.....	122	1	2	-	1	1	-	4	2	10	9
1993.....	122	3	-	-	1	-	2	4	4	5	13
1992.....	122	2	1	-	-	2	-	3	3	7	11
1991.....	162	1	1	-	1	-	1	5	4	7	17
1990.....	180	2	2	1	-	-	4	2	10	12	13
1989.....	201	2	3	-	-	1	1	5	9	14	10
1988.....	217	2	-	-	3	-	2	9	6	21	12
1987.....	231	2	2	2	-	1	1	5	10	25	12
1986.....	218	3	-	-	-	2	-	4	11	14	9
1985.....	257	1	1	-	1	1	4	8	15	12	17
1984.....	217	-	-	1	-	1	5	6	8	14	8
1983.....	240	2	2	-	-	3	2	7	7	12	19
1982.....	270	2	1	-	1	1	4	6	17	7	18
1981.....	260	-	1	1	2	3	6	12	13	15	20
1980.....	278	2	-	-	-	2	4	8	10	12	14
1979.....	289	2	2	-	1	1	4	6	10	19	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)											
BLACK MALE											
1998.....	77	1	-	-	-	1	1	-	3	8	5
1997.....	69	4	1	-	-	-	-	-	1	6	10
1996.....	78	1	-	-	-	2	1	2	2	1	6
1995.....	76	-	-	-	-	-	1	1	5	3	3
1994.....	90	1	2	-	1	-	-	3	1	5	9
1993.....	78	2	-	-	1	-	-	3	3	5	10
1992.....	85	1	-	-	-	1	-	2	3	4	9
1991.....	111	1	1	-	1	-	1	3	3	5	11
1990.....	129	1	2	1	-	-	3	2	8	7	8
1989.....	139	1	2	-	-	1	-	5	6	10	9
1988.....	141	1	-	-	2	-	1	6	5	16	8
1987.....	169	1	2	2	-	-	-	2	10	19	12
1986.....	158	2	-	-	-	1	-	2	7	10	6
1985.....	189	-	1	-	-	1	4	5	8	8	13
1984.....	147	-	-	1	-	1	2	5	6	11	5
1983.....	181	-	2	-	-	3	1	6	6	9	15
1982.....	202	-	1	-	1	-	2	2	10	7	17
1981.....	198	-	1	-	1	2	2	10	12	13	15
1980.....	215	1	-	-	-	1	3	5	8	12	12
1979.....	224	2	-	-	1	1	4	6	9	14	15
BLACK FEMALE											
1998.....	38	-	-	-	-	-	1	1	-	1	1
1997.....	44	1	1	-	-	-	-	-	1	6	4
1996.....	34	1	-	-	1	-	-	1	-	3	2
1995.....	45	-	3	-	-	-	-	-	-	2	3
1994.....	32	-	-	-	-	1	-	1	1	5	-
1993.....	44	1	-	-	-	-	2	1	1	-	3
1992.....	37	1	1	-	-	1	-	1	-	3	2
1991.....	51	-	-	-	-	-	-	2	1	2	6
1990.....	51	1	-	-	-	-	1	-	2	5	5
1989.....	62	1	1	-	-	-	1	-	3	4	1
1988.....	76	1	-	-	1	-	1	3	1	5	4
1987.....	62	1	-	-	-	1	1	3	-	6	-
1986.....	60	1	-	-	-	1	-	2	4	4	3
1985.....	68	1	-	-	1	-	-	3	7	4	4
1984.....	70	-	-	-	-	-	3	1	2	3	3
1983.....	59	2	-	-	-	-	1	1	1	3	4
1982.....	68	2	-	-	-	1	2	4	7	-	1
1981.....	62	-	-	1	1	1	4	2	1	2	5
1980.....	63	1	-	-	-	1	1	3	2	-	2
1979.....	65	-	2	-	-	-	-	-	1	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PLEURISY (511)											
TOTAL, BOTH SEXES											
1998.....	960	6	1	2	1	1	-	1	4	2	10
1997.....	893	3	1	1	-	3	1	-	4	5	4
1996.....	856	4	-	-	-	1	-	1	3	6	7
1995.....	851	3	1	-	3	1	4	4	6	6	7
1994.....	831	1	-	-	-	1	1	2	7	7	9
1993.....	832	5	1	1	4	-	3	1	7	5	5
1992.....	806	6	1	-	-	-	1	1	5	6	5
1991.....	907	5	1	1	-	-	4	3	6	11	10
1990.....	877	4	-	-	3	1	-	6	5	11	15
1989.....	830	6	-	-	1	1	4	2	9	11	6
1988.....	880	4	-	-	-	-	3	3	3	5	11
1987.....	829	9	2	2	-	-	3	1	6	6	10
1986.....	838	5	-	-	2	2	1	4	8	10	8
1985.....	784	4	1	1	-	1	3	4	9	7	11
1984.....	687	9	-	2	-	1	2	1	10	4	10
1983.....	684	11	-	1	3	6	2	3	2	5	6
1982.....	626	7	2	1	-	1	2	5	6	7	11
1981.....	622	8	3	1	-	1	2	4	6	6	10
1980.....	560	3	1	-	2	2	3	3	5	4	6
1979.....	528	7	1	-	1	1	2	2	7	6	9
TOTAL, MALE											
1998.....	420	1	1	2	1	-	-	1	2	1	6
1997.....	378	1	-	1	-	2	1	-	1	3	3
1996.....	384	2	-	-	-	-	-	1	1	4	6
1995.....	359	1	-	-	1	1	3	-	2	2	2
1994.....	378	-	-	-	-	-	-	2	3	6	4
1993.....	358	3	1	1	2	-	3	1	5	1	4
1992.....	362	5	1	-	-	-	1	-	2	4	4
1991.....	377	3	1	1	-	-	1	1	6	8	5
1990.....	402	3	-	-	1	1	-	3	3	4	10
1989.....	365	5	-	-	1	1	3	-	4	7	3
1988.....	410	2	-	-	-	-	3	3	2	3	5
1987.....	365	6	-	2	-	-	1	-	4	4	4
1986.....	382	3	-	-	2	1	1	-	6	7	5
1985.....	346	2	1	-	-	1	2	-	6	3	6
1984.....	304	2	-	-	-	-	1	1	7	2	4
1983.....	326	3	-	-	3	4	1	2	-	3	4
1982.....	298	4	2	1	-	-	1	1	3	4	8
1981.....	295	3	2	-	-	-	2	2	2	3	6
1980.....	294	-	1	-	1	1	2	1	2	3	3
1979.....	253	5	-	-	1	-	-	-	1	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PLEURISY (511)											
TOTAL, FEMALE											
1998.....	540	5	-	-	-	1	-	-	2	1	4
1997.....	515	2	1	-	-	1	-	-	3	2	1
1996.....	472	2	-	-	-	1	-	-	2	2	1
1995.....	492	2	1	-	2	-	1	4	4	4	5
1994.....	453	1	-	-	-	1	1	-	4	1	5
1993.....	474	2	-	-	2	-	-	-	2	4	1
1992.....	444	1	-	-	-	-	-	1	3	2	1
1991.....	530	2	-	-	-	-	3	2	-	3	5
1990.....	475	1	-	-	2	-	-	3	2	7	5
1989.....	465	1	-	-	-	-	1	2	5	4	3
1988.....	470	2	-	-	-	-	-	-	1	2	6
1987.....	464	3	2	-	-	-	2	1	2	2	6
1986.....	456	2	-	-	-	1	-	4	2	3	3
1985.....	438	2	-	1	-	-	1	4	3	4	5
1984.....	383	7	-	2	-	1	1	-	3	2	6
1983.....	358	8	-	1	-	2	1	1	2	2	2
1982.....	328	3	-	-	-	1	1	4	3	3	3
1981.....	327	5	1	1	-	1	-	2	4	3	4
1980.....	266	3	-	-	1	1	1	2	3	1	3
1979.....	275	2	1	-	-	1	2	2	6	1	6
WHITE, BOTH SEXES											
1998.....	841	4	1	1	1	1	-	1	3	1	8
1997.....	779	2	1	1	-	2	1	-	2	2	3
1996.....	740	1	-	-	-	-	-	1	3	4	3
1995.....	741	2	1	-	2	1	2	2	4	5	2
1994.....	701	1	-	-	-	-	-	1	3	1	6
1993.....	721	1	1	1	2	-	1	-	6	3	4
1992.....	701	6	1	-	-	-	1	1	4	4	3
1991.....	781	3	-	-	-	-	1	3	3	4	10
1990.....	743	3	-	-	2	-	-	3	2	6	11
1989.....	706	3	-	-	-	1	2	2	6	7	3
1988.....	745	4	-	-	-	-	2	2	3	3	5
1987.....	707	5	-	2	-	-	2	-	3	4	5
1986.....	719	4	-	-	1	2	1	3	5	7	6
1985.....	672	4	-	1	-	-	2	3	6	4	6
1984.....	583	8	-	1	-	-	2	1	6	4	6
1983.....	595	8	-	1	3	6	2	2	1	3	4
1982.....	533	4	2	-	-	1	-	4	3	4	8
1981.....	535	7	1	1	-	1	1	4	4	4	7
1980.....	488	1	1	-	1	1	2	3	5	2	6
1979.....	441	5	1	-	-	1	1	1	5	4	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PLEURISY (511)											
WHITE MALE											
1998.....	368	-	1	1	1	-	-	1	2	-	4
1997.....	326	1	-	1	-	2	1	-	-	1	2
1996.....	333	-	-	-	-	-	-	1	1	3	3
1995.....	309	-	-	-	1	1	2	-	1	2	-
1994.....	318	-	-	-	-	-	-	1	2	1	4
1993.....	308	1	1	1	1	-	1	-	4	1	4
1992.....	313	5	1	-	-	-	1	-	1	4	2
1991.....	316	2	-	-	-	-	-	1	3	2	5
1990.....	339	3	-	-	1	-	-	2	2	2	7
1989.....	308	3	-	-	-	1	2	-	3	5	1
1988.....	341	2	-	-	-	-	2	2	2	1	2
1987.....	308	4	-	2	-	-	1	-	2	2	3
1986.....	322	3	-	-	1	1	1	-	5	5	3
1985.....	293	2	-	-	-	-	2	-	4	1	3
1984.....	251	2	-	-	-	-	1	1	3	2	-
1983.....	276	3	-	-	3	4	1	1	-	1	2
1982.....	247	3	2	-	-	-	-	1	2	1	5
1981.....	244	2	1	-	-	-	1	2	2	1	4
1980.....	254	-	1	-	1	1	1	1	2	2	3
1979.....	206	3	-	-	-	-	-	-	1	3	3
WHITE FEMALE											
1998.....	473	4	-	-	-	1	-	-	1	1	4
1997.....	453	1	1	-	-	-	-	-	2	1	1
1996.....	407	1	-	-	-	-	-	-	2	1	-
1995.....	432	2	1	-	1	-	-	2	3	3	2
1994.....	383	1	-	-	-	-	-	-	1	-	2
1993.....	413	-	-	-	1	-	-	-	2	2	-
1992.....	388	1	-	-	-	-	-	1	3	-	1
1991.....	465	1	-	-	-	-	1	2	-	2	5
1990.....	404	-	-	-	1	-	-	1	-	4	4
1989.....	398	-	-	-	-	-	-	2	3	2	2
1988.....	404	2	-	-	-	-	-	-	1	2	3
1987.....	399	1	-	-	-	-	1	-	1	2	2
1986.....	397	1	-	-	-	1	-	3	-	2	3
1985.....	379	2	-	1	-	-	-	3	2	3	3
1984.....	332	6	-	1	-	-	1	-	3	2	6
1983.....	319	5	-	1	-	2	1	1	1	2	2
1982.....	286	1	-	-	-	1	-	3	1	3	3
1981.....	291	5	-	1	-	1	-	2	2	3	3
1980.....	234	1	-	-	-	-	1	2	3	-	3
1979.....	235	2	1	-	-	1	1	1	4	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PLEURISY (511)											
ALL OTHER, BOTH SEXES											
1998.....	119	2	-	1	-	-	-	-	1	1	2
1997.....	114	1	-	-	-	1	-	-	2	3	1
1996.....	116	3	-	-	-	1	-	-	-	2	4
1995.....	110	1	-	-	1	-	2	2	2	1	5
1994.....	130	-	-	-	-	1	1	1	4	6	3
1993.....	111	4	-	-	2	-	2	1	1	2	1
1992.....	105	-	-	-	-	-	-	-	1	2	2
1991.....	126	2	1	1	-	-	3	-	3	7	-
1990.....	134	1	-	-	1	1	-	3	3	5	4
1989.....	124	3	-	-	1	-	2	-	3	4	3
1988.....	135	-	-	-	-	-	1	1	-	2	6
1987.....	122	4	2	-	-	-	1	1	3	2	5
1986.....	119	1	-	-	1	-	-	1	3	3	2
1985.....	112	-	1	-	-	1	1	1	3	3	5
1984.....	104	1	-	1	-	1	-	-	4	-	4
1983.....	89	3	-	-	-	-	-	1	1	2	2
1982.....	93	3	-	1	-	-	2	1	3	3	3
1981.....	87	1	2	-	-	-	1	-	2	2	3
1980.....	72	2	-	-	1	1	1	-	-	2	-
1979.....	87	2	-	-	1	-	1	1	2	2	2
ALL OTHER MALE											
1998.....	52	1	-	1	-	-	-	-	-	1	2
1997.....	52	-	-	-	-	-	-	-	1	2	1
1996.....	51	2	-	-	-	-	-	-	-	1	3
1995.....	50	1	-	-	-	-	1	-	1	-	2
1994.....	60	-	-	-	-	-	-	1	1	5	-
1993.....	50	2	-	-	1	-	2	1	1	-	-
1992.....	49	-	-	-	-	-	-	-	1	-	2
1991.....	61	1	1	1	-	-	1	-	3	6	-
1990.....	63	-	-	-	-	1	-	1	1	2	3
1989.....	57	2	-	-	1	-	1	-	1	2	2
1988.....	69	-	-	-	-	-	1	1	-	2	3
1987.....	57	2	-	-	-	-	-	-	2	2	1
1986.....	60	-	-	-	1	-	-	-	1	2	2
1985.....	53	-	1	-	-	1	-	-	2	2	3
1984.....	53	-	-	-	-	-	-	-	4	-	4
1983.....	50	-	-	-	-	-	-	1	-	2	2
1982.....	51	1	-	1	-	-	1	-	1	3	3
1981.....	51	1	1	-	-	-	1	-	-	2	2
1980.....	40	-	-	-	-	-	1	-	-	1	-
1979.....	47	2	-	-	1	-	-	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PLEURISY (511)											
ALL OTHER FEMALE											
1998.....	67	1	-	-	-	-	-	-	1	-	-
1997.....	62	1	-	-	-	1	-	-	1	1	-
1996.....	65	1	-	-	-	1	-	-	-	1	1
1995.....	60	-	-	-	1	-	1	2	1	1	3
1994.....	70	-	-	-	-	1	1	-	3	1	3
1993.....	61	2	-	-	1	-	-	-	-	2	1
1992.....	56	-	-	-	-	-	-	-	-	2	-
1991.....	65	1	-	-	-	-	2	-	-	1	-
1990.....	71	1	-	-	1	-	-	2	2	3	1
1989.....	67	1	-	-	-	-	1	-	2	2	1
1988.....	66	-	-	-	-	-	-	-	-	-	3
1987.....	65	2	2	-	-	-	1	1	1	-	4
1986.....	59	1	-	-	-	-	-	1	2	1	-
1985.....	59	-	-	-	-	-	1	1	1	1	2
1984.....	51	1	-	1	-	1	-	-	-	-	-
1983.....	39	3	-	-	-	-	-	-	1	-	-
1982.....	42	2	-	-	-	-	1	1	2	-	-
1981.....	36	-	1	-	-	-	-	-	2	-	1
1980.....	32	2	-	-	1	1	-	-	-	1	-
1979.....	40	-	-	-	-	-	1	1	2	-	2
BLACK, BOTH SEXES											
1998.....	105	1	-	1	-	-	-	-	1	1	1
1997.....	102	1	-	-	-	1	-	-	2	3	1
1996.....	105	3	-	-	-	1	-	-	-	2	4
1995.....	99	1	-	-	1	-	2	2	2	1	5
1994.....	112	-	-	-	-	1	1	1	2	5	3
1993.....	99	3	-	-	2	-	2	1	1	2	1
1992.....	92	-	-	-	-	-	-	-	1	2	2
1991.....	109	1	1	1	-	-	3	-	2	7	-
1990.....	120	1	-	-	-	1	-	2	3	3	4
1989.....	115	3	-	-	-	-	2	-	3	4	3
1988.....	121	-	-	-	-	-	1	1	-	2	6
1987.....	113	3	2	-	-	-	1	1	3	2	4
1986.....	109	1	-	-	1	-	-	1	3	3	2
1985.....	106	-	1	-	-	1	1	1	3	3	5
1984.....	96	1	-	1	-	1	-	-	4	-	4
1983.....	84	3	-	-	-	-	-	1	1	2	2
1982.....	87	2	-	1	-	-	2	1	3	2	3
1981.....	80	1	2	-	-	-	1	-	2	2	3
1980.....	66	2	-	-	1	1	1	-	-	2	-
1979.....	85	2	-	-	1	-	1	1	2	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PLEURISY (511)											
BLACK MALE											
1998.....	45	1	-	1	-	-	-	-	-	1	1
1997.....	47	-	-	-	-	-	-	-	1	2	1
1996.....	44	2	-	-	-	-	-	-	-	1	3
1995.....	43	1	-	-	-	-	1	-	1	-	2
1994.....	48	-	-	-	-	-	-	1	-	4	-
1993.....	42	2	-	-	1	-	2	1	1	-	-
1992.....	41	-	-	-	-	-	-	-	1	-	2
1991.....	55	1	1	1	-	-	1	-	2	6	-
1990.....	56	-	-	-	-	1	-	1	1	1	3
1989.....	54	2	-	-	-	-	1	-	1	2	2
1988.....	62	-	-	-	-	-	1	1	-	2	3
1987.....	52	1	-	-	-	-	-	-	2	2	1
1986.....	56	-	-	-	1	-	-	-	1	2	2
1985.....	50	-	1	-	-	1	-	-	2	2	3
1984.....	48	-	-	-	-	-	-	-	4	-	4
1983.....	49	-	-	-	-	-	-	1	-	2	2
1982.....	46	-	-	1	-	-	1	-	1	2	3
1981.....	45	1	1	-	-	-	1	-	-	2	2
1980.....	36	-	-	-	-	-	1	-	-	1	-
1979.....	46	2	-	-	1	-	-	-	-	2	-
BLACK FEMALE											
1998.....	60	-	-	-	-	-	-	-	1	-	-
1997.....	55	1	-	-	-	1	-	-	1	1	-
1996.....	61	1	-	-	-	1	-	-	-	1	1
1995.....	56	-	-	-	1	-	1	2	1	1	3
1994.....	64	-	-	-	-	1	1	-	2	1	3
1993.....	57	1	-	-	1	-	-	-	-	2	1
1992.....	51	-	-	-	-	-	-	-	-	2	-
1991.....	54	-	-	-	-	-	2	-	-	1	-
1990.....	64	1	-	-	-	-	-	1	2	2	1
1989.....	61	1	-	-	-	-	1	-	2	2	1
1988.....	59	-	-	-	-	-	-	-	-	-	3
1987.....	61	2	2	-	-	-	1	1	1	-	3
1986.....	53	1	-	-	-	-	-	1	2	1	-
1985.....	56	-	-	-	-	-	1	1	1	1	2
1984.....	48	1	-	1	-	1	-	-	-	-	-
1983.....	35	3	-	-	-	-	-	-	1	-	-
1982.....	41	2	-	-	-	-	1	1	2	-	-
1981.....	35	-	1	-	-	-	-	-	2	-	1
1980.....	30	2	-	-	1	1	-	-	-	1	-
1979.....	39	-	-	-	-	-	1	1	2	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)											
TOTAL, BOTH SEXES											
1998.....	18,035	259	68	38	28	27	47	64	80	166	275
1997.....	17,330	226	57	31	25	43	62	76	118	156	260
1996.....	16,641	219	75	28	31	43	48	78	113	170	236
1995.....	15,906	224	81	23	30	36	67	72	117	181	243
1994.....	15,754	243	75	33	24	43	45	71	136	171	236
1993.....	15,450	294	84	39	31	43	64	76	119	188	250
1992.....	14,551	282	78	36	48	54	60	92	118	183	231
1991.....	14,629	301	97	33	24	44	58	79	127	208	246
1990.....	13,994	335	93	37	33	33	64	107	162	161	256
1989.....	14,068	324	85	34	32	59	76	107	167	194	243
1988.....	14,260	347	101	29	36	53	82	110	162	171	214
1987.....	13,429	361	94	33	28	42	81	122	173	185	208
1986.....	13,317	406	105	33	24	54	80	113	172	198	202
1985.....	13,008	401	102	28	30	49	92	108	141	135	181
1984.....	11,843	391	75	28	41	58	73	109	148	133	170
1983.....	11,709	415	96	20	30	53	83	108	146	140	154
1982.....	10,680	387	80	28	33	73	87	95	131	110	126
1981.....	10,338	414	74	25	35	54	84	101	123	136	156
1980.....	9,924	411	71	32	32	71	86	109	136	110	156
1979.....	9,132	401	97	32	32	70	80	85	92	121	123
TOTAL, MALE											
1998.....	8,976	159	40	21	17	15	28	38	42	82	140
1997.....	8,642	142	37	18	12	28	27	41	58	77	119
1996.....	8,317	125	37	13	14	23	23	41	69	89	119
1995.....	7,922	132	44	12	12	17	31	36	64	91	125
1994.....	7,939	156	45	21	11	21	24	31	76	80	133
1993.....	7,774	172	47	22	18	23	31	41	66	108	135
1992.....	7,435	166	42	21	26	29	27	55	64	96	126
1991.....	7,471	178	47	22	20	17	25	37	72	120	130
1990.....	7,137	205	46	19	14	14	29	57	78	89	155
1989.....	7,238	190	44	19	22	27	44	45	91	120	133
1988.....	7,378	196	55	17	15	33	46	55	84	94	127
1987.....	6,995	206	52	22	15	20	34	71	111	98	113
1986.....	6,960	258	65	19	16	28	41	70	110	117	119
1985.....	6,914	223	52	15	17	29	56	70	78	84	95
1984.....	6,294	216	39	13	18	34	46	60	94	74	92
1983.....	6,188	238	51	13	15	37	52	65	80	71	79
1982.....	5,844	235	43	9	20	43	49	53	67	65	67
1981.....	5,669	243	48	15	16	29	49	54	62	80	88
1980.....	5,594	252	40	16	20	37	54	65	80	50	84
1979.....	5,206	216	48	15	16	33	48	53	61	58	64

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)											
TOTAL, FEMALE											
1998.....	9,059	100	28	17	11	12	19	26	38	84	135
1997.....	8,688	84	20	13	13	15	35	35	60	79	141
1996.....	8,324	94	38	15	17	20	25	37	44	81	117
1995.....	7,984	92	37	11	18	19	36	36	53	90	118
1994.....	7,815	87	30	12	13	22	21	40	60	91	103
1993.....	7,676	122	37	17	13	20	33	35	53	80	115
1992.....	7,116	116	36	15	22	25	33	37	54	87	105
1991.....	7,158	123	50	11	4	27	33	42	55	88	116
1990.....	6,857	130	47	18	19	19	35	50	84	72	101
1989.....	6,830	134	41	15	10	32	32	62	76	74	110
1988.....	6,882	151	46	12	21	20	36	55	78	77	87
1987.....	6,434	155	42	11	13	22	47	51	62	87	95
1986.....	6,357	148	40	14	8	26	39	43	62	81	83
1985.....	6,094	178	50	13	13	20	36	38	63	51	86
1984.....	5,549	175	36	15	23	24	27	49	54	59	78
1983.....	5,521	177	45	7	15	16	31	43	66	69	75
1982.....	4,836	152	37	19	13	30	38	42	64	45	59
1981.....	4,669	171	26	10	19	25	35	47	61	56	68
1980.....	4,330	159	31	16	12	34	32	44	56	60	72
1979.....	3,926	185	49	17	16	37	32	32	31	63	59
WHITE, BOTH SEXES											
1998.....	16,068	174	43	26	19	23	34	43	59	118	185
1997.....	15,452	145	41	22	15	34	40	54	85	100	178
1996.....	14,805	141	54	23	22	33	34	53	71	116	161
1995.....	14,155	150	51	15	25	26	41	51	79	122	164
1994.....	13,960	162	38	25	16	32	32	49	99	116	154
1993.....	13,667	167	52	28	25	34	49	53	82	129	163
1992.....	12,794	175	54	23	37	37	38	71	79	113	151
1991.....	12,909	203	64	25	18	35	35	50	79	129	171
1990.....	12,236	219	55	28	26	21	45	68	100	106	162
1989.....	12,238	195	58	26	26	42	49	80	112	128	156
1988.....	12,490	222	77	21	31	42	59	79	105	110	147
1987.....	11,757	233	71	25	23	28	54	93	108	119	143
1986.....	11,659	252	74	24	17	39	58	80	115	127	149
1985.....	11,357	246	71	22	23	41	68	75	90	92	114
1984.....	10,397	268	55	22	35	46	53	76	92	85	127
1983.....	10,289	280	66	18	25	39	64	80	104	96	103
1982.....	9,327	252	54	21	23	62	58	67	85	72	97
1981.....	8,972	261	49	18	25	41	63	65	79	97	107
1980.....	8,611	280	54	21	28	60	59	82	83	72	109
1979.....	7,997	262	67	28	26	52	65	59	67	76	87

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)											
WHITE MALE											
1998.....	8,011	101	27	16	11	12	24	24	32	60	100
1997.....	7,726	90	26	14	8	23	18	32	44	52	81
1996.....	7,407	81	25	10	10	19	19	30	43	67	79
1995.....	7,052	91	29	8	11	11	23	27	44	64	86
1994.....	7,035	110	26	17	7	13	18	23	58	60	96
1993.....	6,882	103	31	15	16	20	24	33	47	77	91
1992.....	6,532	102	30	14	16	24	16	45	44	62	81
1991.....	6,580	118	30	16	16	16	14	27	41	77	95
1990.....	6,255	137	28	14	12	11	22	36	53	62	109
1989.....	6,248	114	31	14	17	22	28	34	67	75	92
1988.....	6,439	123	40	13	14	27	35	42	52	59	91
1987.....	6,086	133	36	17	13	15	23	55	69	64	83
1986.....	6,036	161	45	13	10	25	33	49	79	78	97
1985.....	6,036	137	37	11	14	25	44	53	54	58	60
1984.....	5,511	155	27	9	16	29	35	44	59	48	65
1983.....	5,423	163	35	12	14	26	44	56	59	51	56
1982.....	5,100	158	28	6	14	37	35	38	46	46	57
1981.....	4,925	156	36	10	12	21	39	35	45	57	56
1980.....	4,844	181	29	11	19	35	38	51	52	27	61
1979.....	4,545	153	32	11	14	21	41	38	40	36	41
WHITE FEMALE											
1998.....	8,057	73	16	10	8	11	10	19	27	58	85
1997.....	7,726	55	15	8	7	11	22	22	41	48	97
1996.....	7,398	60	29	13	12	14	15	23	28	49	82
1995.....	7,103	59	22	7	14	15	18	24	35	58	78
1994.....	6,925	52	12	8	9	19	14	26	41	56	58
1993.....	6,785	64	21	13	9	14	25	20	35	52	72
1992.....	6,262	73	24	9	21	13	22	26	35	51	70
1991.....	6,329	85	34	9	2	19	21	23	38	52	76
1990.....	5,981	82	27	14	14	10	23	32	47	44	53
1989.....	5,990	81	27	12	9	20	21	46	45	53	64
1988.....	6,051	99	37	8	17	15	24	37	53	51	56
1987.....	5,671	100	35	8	10	13	31	38	39	55	60
1986.....	5,623	91	29	11	7	14	25	31	36	49	52
1985.....	5,321	109	34	11	9	16	24	22	36	34	54
1984.....	4,886	113	28	13	19	17	18	32	33	37	62
1983.....	4,866	117	31	6	11	13	20	24	45	45	47
1982.....	4,227	94	26	15	9	25	23	29	39	26	40
1981.....	4,047	105	13	8	13	20	24	30	34	40	51
1980.....	3,767	99	25	10	9	25	21	31	31	45	48
1979.....	3,452	109	35	17	12	31	24	21	27	40	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)											
ALL OTHER, BOTH SEXES											
1998.....	1,967	85	25	12	9	4	13	21	21	48	90
1997.....	1,878	81	16	9	10	9	22	22	33	56	82
1996.....	1,836	78	21	5	9	10	14	25	42	54	75
1995.....	1,751	74	30	8	5	10	26	21	38	59	79
1994.....	1,794	81	37	8	8	11	13	22	37	55	82
1993.....	1,783	127	32	11	6	9	15	23	37	59	87
1992.....	1,757	107	24	13	11	17	22	21	39	70	80
1991.....	1,720	98	33	8	6	9	23	29	48	79	75
1990.....	1,758	116	38	9	7	12	19	39	62	55	94
1989.....	1,830	129	27	8	6	17	27	27	55	66	87
1988.....	1,770	125	24	8	5	11	23	31	57	61	67
1987.....	1,672	128	23	8	5	14	27	29	65	66	65
1986.....	1,658	154	31	9	7	15	22	33	57	71	53
1985.....	1,651	155	31	6	7	8	24	33	51	43	67
1984.....	1,446	123	20	6	6	12	20	33	56	48	43
1983.....	1,420	135	30	2	5	14	19	28	42	44	51
1982.....	1,353	135	26	7	10	11	29	28	46	38	29
1981.....	1,366	153	25	7	10	13	21	36	44	39	49
1980.....	1,313	131	17	11	4	11	27	27	53	38	47
1979.....	1,135	139	30	4	6	18	15	26	25	45	36
ALL OTHER MALE											
1998.....	965	58	13	5	6	3	4	14	10	22	40
1997.....	916	52	11	4	4	5	9	9	14	25	38
1996.....	910	44	12	3	4	4	4	11	26	22	40
1995.....	870	41	15	4	1	6	8	9	20	27	39
1994.....	904	46	19	4	4	8	6	8	18	20	37
1993.....	892	69	16	7	2	3	7	8	19	31	44
1992.....	903	64	12	7	10	5	11	10	20	34	45
1991.....	891	60	17	6	4	1	11	10	31	43	35
1990.....	882	68	18	5	2	3	7	21	25	27	46
1989.....	990	76	13	5	5	5	16	11	24	45	41
1988.....	939	73	15	4	1	6	11	13	32	35	36
1987.....	909	73	16	5	2	5	11	16	42	34	30
1986.....	924	97	20	6	6	3	8	21	31	39	22
1985.....	878	86	15	4	3	4	12	17	24	26	35
1984.....	783	61	12	4	2	5	11	16	35	26	27
1983.....	765	75	16	1	1	11	8	9	21	20	23
1982.....	744	77	15	3	6	6	14	15	21	19	10
1981.....	744	87	12	5	4	8	10	19	17	23	32
1980.....	750	71	11	5	1	2	16	14	28	23	23
1979.....	661	63	16	4	2	12	7	15	21	22	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)											
ALL OTHER FEMALE											
1998.....	1,002	27	12	7	3	1	9	7	11	26	50
1997.....	962	29	5	5	6	4	13	13	19	31	44
1996.....	926	34	9	2	5	6	10	14	16	32	35
1995.....	881	33	15	4	4	4	18	12	18	32	40
1994.....	890	35	18	4	4	3	7	14	19	35	45
1993.....	891	58	16	4	4	6	8	15	18	28	43
1992.....	854	43	12	6	1	12	11	11	19	36	35
1991.....	829	38	16	2	2	8	12	19	17	36	40
1990.....	876	48	20	4	5	9	12	18	37	28	48
1989.....	840	53	14	3	1	12	11	16	31	21	46
1988.....	831	52	9	4	4	5	12	18	25	26	31
1987.....	763	55	7	3	3	9	16	13	23	32	35
1986.....	734	57	11	3	1	12	14	12	26	32	31
1985.....	773	69	16	2	4	4	12	16	27	17	32
1984.....	663	62	8	2	4	7	9	17	21	22	16
1983.....	655	60	14	1	4	3	11	19	21	24	28
1982.....	609	58	11	4	4	5	15	13	25	19	19
1981.....	622	66	13	2	6	5	11	17	27	16	17
1980.....	563	60	6	6	3	9	11	13	25	15	24
1979.....	474	76	14	-	4	6	8	11	4	23	13
BLACK, BOTH SEXES											
1998.....	1,598	74	22	9	6	3	13	17	18	45	83
1997.....	1,533	70	14	6	9	6	19	18	31	52	73
1996.....	1,532	71	19	5	7	10	14	22	38	48	71
1995.....	1,428	64	25	8	4	7	23	18	34	57	73
1994.....	1,483	72	31	7	5	9	10	18	35	53	75
1993.....	1,479	117	31	11	5	8	15	23	34	50	79
1992.....	1,480	96	19	12	8	17	18	20	39	66	74
1991.....	1,487	94	28	8	5	8	20	29	45	75	70
1990.....	1,521	108	33	9	5	11	18	39	59	53	89
1989.....	1,601	116	26	6	5	16	25	26	52	60	85
1988.....	1,550	109	22	8	3	11	21	29	53	59	62
1987.....	1,439	116	19	7	5	13	25	24	61	64	60
1986.....	1,470	135	27	7	7	13	22	30	54	68	50
1985.....	1,456	142	28	5	5	8	22	31	47	42	60
1984.....	1,285	112	16	6	5	11	18	32	51	42	40
1983.....	1,268	122	28	2	5	12	15	26	42	39	50
1982.....	1,222	128	25	6	8	10	26	27	44	38	27
1981.....	1,240	142	21	7	9	13	19	35	42	38	44
1980.....	1,166	124	16	8	4	7	25	27	49	36	41
1979.....	1,019	129	25	3	6	15	14	25	22	41	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)											
BLACK MALE											
1998.....	771	51	10	4	4	2	4	12	9	22	37
1997.....	753	46	9	4	4	3	8	6	14	22	34
1996.....	748	41	10	3	4	4	4	11	23	19	36
1995.....	702	33	14	4	1	3	6	7	19	26	36
1994.....	723	41	14	4	3	7	5	7	17	20	32
1993.....	727	64	15	7	1	3	7	8	16	26	42
1992.....	754	55	10	7	7	5	8	9	20	31	43
1991.....	764	57	15	6	4	-	11	10	30	42	32
1990.....	747	62	14	5	2	2	7	21	25	26	41
1989.....	855	67	13	4	5	4	14	10	24	39	40
1988.....	826	64	14	4	1	6	9	12	31	33	32
1987.....	772	67	12	4	2	5	9	12	40	34	28
1986.....	821	86	17	4	6	3	8	18	28	37	21
1985.....	768	77	13	4	2	4	10	15	22	25	31
1984.....	688	54	10	4	2	4	10	16	33	22	24
1983.....	669	69	16	1	1	9	6	8	21	17	22
1982.....	669	74	14	3	5	5	12	15	20	19	9
1981.....	674	78	11	5	3	8	9	19	16	22	30
1980.....	663	67	10	3	1	1	15	14	25	22	21
1979.....	587	57	15	3	2	9	7	14	18	19	23
BLACK FEMALE											
1998.....	827	23	12	5	2	1	9	5	9	23	46
1997.....	780	24	5	2	5	3	11	12	17	30	39
1996.....	784	30	9	2	3	6	10	11	15	29	35
1995.....	726	31	11	4	3	4	17	11	15	31	37
1994.....	760	31	17	3	2	2	5	11	18	33	43
1993.....	752	53	16	4	4	5	8	15	18	24	37
1992.....	726	41	9	5	1	12	10	11	19	35	31
1991.....	723	37	13	2	1	8	9	19	15	33	38
1990.....	774	46	19	4	3	9	11	18	34	27	48
1989.....	746	49	13	2	-	12	11	16	28	21	45
1988.....	724	45	8	4	2	5	12	17	22	26	30
1987.....	667	49	7	3	3	8	16	12	21	30	32
1986.....	649	49	10	3	1	10	14	12	26	31	29
1985.....	688	65	15	1	3	4	12	16	25	17	29
1984.....	597	58	6	2	3	7	8	16	18	20	16
1983.....	599	53	12	1	4	3	9	18	21	22	28
1982.....	553	54	11	3	3	5	14	12	24	19	18
1981.....	566	64	10	2	6	5	10	16	26	16	14
1980.....	503	57	6	5	3	6	10	13	24	14	20
1979.....	432	72	10	-	4	6	7	11	4	22	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)											
TOTAL, BOTH SEXES											
1998.....	79,357	330	130	53	59	81	137	290	755	1,798	3,390
1997.....	79,069	340	130	57	53	96	142	256	771	1,912	3,493
1996.....	77,429	353	154	87	49	79	148	319	819	1,984	3,426
1995.....	76,861	327	145	67	73	86	135	333	825	2,089	3,470
1994.....	77,432	358	155	52	69	85	148	338	1,025	2,106	3,368
1993.....	76,746	344	173	58	70	83	139	381	958	2,217	3,328
1992.....	75,996	375	158	55	49	97	145	401	1,018	2,206	3,183
1991.....	75,558	390	163	46	55	79	154	445	1,113	2,197	3,178
1990.....	75,177	398	141	65	42	75	163	441	1,117	2,266	2,991
1989.....	76,121	359	143	61	62	93	182	477	1,204	2,269	2,936
1988.....	76,355	381	143	60	53	89	178	543	1,241	2,294	2,876
1987.....	75,451	385	161	71	37	98	210	515	1,359	2,207	2,710
1986.....	74,348	395	140	64	44	112	195	532	1,389	2,111	2,604
1985.....	74,805	410	154	51	42	106	210	535	1,401	2,093	2,514
1984.....	73,813	432	152	64	64	113	214	579	1,281	1,929	2,600
1983.....	72,621	459	162	56	57	111	209	602	1,291	1,765	2,521
1982.....	72,642	488	173	76	68	99	241	652	1,206	1,840	2,473
1981.....	74,103	485	156	73	78	122	274	662	1,228	1,948	2,682
1980.....	75,202	566	151	67	72	175	293	689	1,403	2,047	2,892
1979.....	72,135	653	170	60	73	131	284	725	1,265	2,008	2,895
TOTAL, MALE											
1998.....	39,450	185	73	35	27	48	72	178	463	1,136	2,348
1997.....	39,346	213	68	34	33	48	81	154	489	1,230	2,402
1996.....	38,834	203	85	50	30	51	81	199	502	1,304	2,463
1995.....	38,996	186	87	49	38	57	84	207	553	1,411	2,504
1994.....	39,303	209	89	32	42	44	79	213	669	1,434	2,419
1993.....	38,705	213	93	27	37	49	74	235	598	1,485	2,394
1992.....	38,501	213	92	38	28	55	80	246	667	1,517	2,302
1991.....	38,356	243	80	24	28	53	82	282	706	1,509	2,257
1990.....	38,223	239	88	41	21	42	91	265	720	1,583	2,135
1989.....	39,265	220	81	25	36	49	108	289	817	1,638	2,122
1988.....	39,645	216	79	35	33	50	96	310	847	1,652	2,028
1987.....	39,192	220	98	37	25	64	124	311	889	1,546	1,876
1986.....	38,639	242	71	30	23	68	113	321	921	1,510	1,733
1985.....	39,378	228	83	33	20	51	127	329	930	1,419	1,764
1984.....	38,970	273	75	40	31	65	116	351	885	1,354	1,733
1983.....	38,885	246	92	34	30	58	121	369	865	1,192	1,699
1982.....	38,802	295	90	37	47	53	137	400	825	1,258	1,633
1981.....	39,908	282	88	39	34	65	150	406	822	1,307	1,802
1980.....	41,101	333	81	37	43	90	151	432	900	1,341	1,875
1979.....	39,705	384	96	29	33	56	161	456	844	1,325	1,896

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)											
TOTAL, FEMALE											
1998.....	39,907	145	57	18	32	33	65	112	292	662	1,042
1997.....	39,723	127	62	23	20	48	61	102	282	682	1,091
1996.....	38,595	150	69	37	19	28	67	120	317	680	963
1995.....	37,865	141	58	18	35	29	51	126	272	678	966
1994.....	38,129	149	66	20	27	41	69	125	356	672	949
1993.....	38,041	131	80	31	33	34	65	146	360	732	934
1992.....	37,495	162	66	17	21	42	65	155	351	689	881
1991.....	37,202	147	83	22	27	26	72	163	407	688	921
1990.....	36,954	159	53	24	21	33	72	176	397	683	856
1989.....	36,856	139	62	36	26	44	74	188	387	631	814
1988.....	36,710	165	64	25	20	39	82	233	394	642	848
1987.....	36,259	165	63	34	12	34	86	204	470	661	834
1986.....	35,709	153	69	34	21	44	82	211	468	601	871
1985.....	35,427	182	71	18	22	55	83	206	471	674	750
1984.....	34,843	159	77	24	33	48	98	228	396	575	867
1983.....	33,736	213	70	22	27	53	88	233	426	573	822
1982.....	33,840	193	83	39	21	46	104	252	381	582	840
1981.....	34,195	203	68	34	44	57	124	256	406	641	880
1980.....	34,101	233	70	30	29	85	142	257	503	706	1,017
1979.....	32,430	269	74	31	40	75	123	269	421	683	999
WHITE, BOTH SEXES											
1998.....	68,959	211	86	40	42	51	97	211	566	1,378	2,694
1997.....	68,646	228	93	40	38	67	95	180	568	1,470	2,780
1996.....	66,947	238	105	61	39	55	97	230	622	1,468	2,622
1995.....	66,510	213	107	46	59	64	85	249	612	1,551	2,642
1994.....	66,862	227	100	35	52	65	95	223	740	1,560	2,548
1993.....	66,247	222	117	39	44	61	90	267	696	1,606	2,462
1992.....	65,452	231	109	35	37	72	98	270	711	1,619	2,354
1991.....	65,038	242	110	36	43	52	96	309	759	1,600	2,294
1990.....	64,529	258	101	50	30	56	112	292	744	1,552	2,119
1989.....	65,175	201	103	36	44	59	119	309	789	1,532	2,075
1988.....	65,463	241	105	34	39	58	110	361	822	1,549	2,049
1987.....	64,841	225	119	51	24	80	134	357	860	1,476	1,902
1986.....	63,934	259	107	50	31	82	137	339	872	1,416	1,827
1985.....	64,173	261	106	37	34	82	153	331	877	1,379	1,746
1984.....	63,775	275	109	52	41	89	160	368	818	1,272	1,843
1983.....	62,834	309	126	43	41	74	138	407	792	1,167	1,820
1982.....	62,999	313	136	61	53	70	170	390	777	1,226	1,780
1981.....	63,689	309	105	54	56	92	191	434	737	1,261	1,873
1980.....	64,389	358	108	47	57	127	193	416	848	1,334	1,993
1979.....	61,840	428	127	43	51	99	200	442	752	1,291	2,047

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)											
WHITE MALE											
1998.....	33,909	124	46	30	19	31	56	128	362	899	1,919
1997.....	33,765	141	50	26	25	33	53	115	373	983	1,957
1996.....	33,207	137	61	35	23	34	58	141	390	992	1,944
1995.....	33,297	119	64	34	31	44	51	158	420	1,062	1,949
1994.....	33,507	133	56	21	32	34	50	156	503	1,108	1,856
1993.....	32,918	138	65	17	24	36	48	174	454	1,128	1,815
1992.....	32,707	132	64	23	23	40	53	174	485	1,153	1,735
1991.....	32,631	146	54	19	22	33	50	199	510	1,153	1,663
1990.....	32,304	154	67	31	16	33	67	176	498	1,118	1,562
1989.....	33,187	127	61	15	28	32	73	200	570	1,141	1,538
1988.....	33,536	134	60	22	25	36	61	223	574	1,151	1,477
1987.....	33,195	121	70	24	17	52	82	223	581	1,058	1,341
1986.....	32,781	157	57	26	15	47	85	210	601	1,039	1,224
1985.....	33,319	141	55	25	16	40	91	210	611	967	1,223
1984.....	33,280	178	56	35	19	55	94	232	596	908	1,252
1983.....	33,320	170	68	27	22	44	81	265	558	811	1,248
1982.....	33,248	183	69	28	37	39	99	258	548	867	1,197
1981.....	33,943	182	63	28	26	48	108	273	521	877	1,254
1980.....	34,810	216	60	27	35	68	105	283	560	884	1,307
1979.....	33,660	259	74	22	27	44	111	291	507	878	1,355
WHITE FEMALE											
1998.....	35,050	87	40	10	23	20	41	83	204	479	775
1997.....	34,881	87	43	14	13	34	42	65	195	487	823
1996.....	33,740	101	44	26	16	21	39	89	232	476	678
1995.....	33,213	94	43	12	28	20	34	91	192	489	693
1994.....	33,355	94	44	14	20	31	45	67	237	452	692
1993.....	33,329	84	52	22	20	25	42	93	242	478	647
1992.....	32,745	99	45	12	14	32	45	96	226	466	619
1991.....	32,407	96	56	17	21	19	46	110	249	447	631
1990.....	32,225	104	34	19	14	23	45	116	246	434	557
1989.....	31,988	74	42	21	16	27	46	109	219	391	537
1988.....	31,927	107	45	12	14	22	49	138	248	398	572
1987.....	31,646	104	49	27	7	28	52	134	279	418	561
1986.....	31,153	102	50	24	16	35	52	129	271	377	603
1985.....	30,854	120	51	12	18	42	62	121	266	412	523
1984.....	30,495	97	53	17	22	34	66	136	222	364	591
1983.....	29,514	139	58	16	19	30	57	142	234	356	572
1982.....	29,751	130	67	33	16	31	71	132	229	359	583
1981.....	29,746	127	42	26	30	44	83	161	216	384	619
1980.....	29,579	142	48	20	22	59	88	133	288	450	686
1979.....	28,180	169	53	21	24	55	89	151	245	413	692

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)											
ALL OTHER, BOTH SEXES											
1998.....	10,398	119	44	13	17	30	40	79	189	420	696
1997.....	10,423	112	37	17	15	29	47	76	203	442	713
1996.....	10,482	115	49	26	10	24	51	89	197	516	804
1995.....	10,351	114	38	21	14	22	50	84	213	538	828
1994.....	10,570	131	55	17	17	20	53	115	285	546	820
1993.....	10,499	122	56	19	26	22	49	114	262	611	866
1992.....	10,544	144	49	20	12	25	47	131	307	587	829
1991.....	10,520	148	53	10	12	27	58	136	354	597	884
1990.....	10,648	140	40	15	12	19	51	149	373	714	872
1989.....	10,946	158	40	25	18	34	63	168	415	737	861
1988.....	10,892	140	38	26	14	31	68	182	419	745	827
1987.....	10,610	160	42	20	13	18	76	158	499	731	808
1986.....	10,414	136	33	14	13	30	58	193	517	695	777
1985.....	10,632	149	48	14	8	24	57	204	524	714	768
1984.....	10,038	157	43	12	23	24	54	211	463	657	757
1983.....	9,787	150	36	13	16	37	71	195	499	598	701
1982.....	9,643	175	37	15	15	29	71	262	429	614	693
1981.....	10,414	176	51	19	22	30	83	228	491	687	809
1980.....	10,813	208	43	20	15	48	100	273	555	713	899
1979.....	10,295	225	43	17	22	32	84	283	513	717	848
ALL OTHER MALE											
1998.....	5,541	61	27	5	8	17	16	50	101	237	429
1997.....	5,581	72	18	8	8	15	28	39	116	247	445
1996.....	5,627	66	24	15	7	17	23	58	112	312	519
1995.....	5,699	67	23	15	7	13	33	49	133	349	555
1994.....	5,796	76	33	11	10	10	29	57	166	326	563
1993.....	5,787	75	28	10	13	13	26	61	144	357	579
1992.....	5,794	81	28	15	5	15	27	72	182	364	567
1991.....	5,725	97	26	5	6	20	32	83	196	356	594
1990.....	5,919	85	21	10	5	9	24	89	222	465	573
1989.....	6,078	93	20	10	8	17	35	89	247	497	584
1988.....	6,109	82	19	13	8	14	35	87	273	501	551
1987.....	5,997	99	28	13	8	12	42	88	308	488	535
1986.....	5,858	85	14	4	8	21	28	111	320	471	509
1985.....	6,059	87	28	8	4	11	36	119	319	452	541
1984.....	5,690	95	19	5	12	10	22	119	289	446	481
1983.....	5,565	76	24	7	8	14	40	104	307	381	451
1982.....	5,554	112	21	9	10	14	38	142	277	391	436
1981.....	5,965	100	25	11	8	17	42	133	301	430	548
1980.....	6,291	117	21	10	8	22	46	149	340	457	568
1979.....	6,045	125	22	7	6	12	50	165	337	447	541

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)											
ALL OTHER FEMALE											
1998.....	4,857	58	17	8	9	13	24	29	88	183	267
1997.....	4,842	40	19	9	7	14	19	37	87	195	268
1996.....	4,855	49	25	11	3	7	28	31	85	204	285
1995.....	4,652	47	15	6	7	9	17	35	80	189	273
1994.....	4,774	55	22	6	7	10	24	58	119	220	257
1993.....	4,712	47	28	9	13	9	23	53	118	254	287
1992.....	4,750	63	21	5	7	10	20	59	125	223	262
1991.....	4,795	51	27	5	6	7	26	53	158	241	290
1990.....	4,729	55	19	5	7	10	27	60	151	249	299
1989.....	4,868	65	20	15	10	17	28	79	168	240	277
1988.....	4,783	58	19	13	6	17	33	95	146	244	276
1987.....	4,613	61	14	7	5	6	34	70	191	243	273
1986.....	4,556	51	19	10	5	9	30	82	197	224	268
1985.....	4,573	62	20	6	4	13	21	85	205	262	227
1984.....	4,348	62	24	7	11	14	32	92	174	211	276
1983.....	4,222	74	12	6	8	23	31	91	192	217	250
1982.....	4,089	63	16	6	5	15	33	120	152	223	257
1981.....	4,449	76	26	8	14	13	41	95	190	257	261
1980.....	4,522	91	22	10	7	26	54	124	215	256	331
1979.....	4,250	100	21	10	16	20	34	118	176	270	307
BLACK, BOTH SEXES											
1998.....	8,707	106	39	11	14	26	32	62	142	339	572
1997.....	8,782	98	30	17	11	24	40	64	150	363	604
1996.....	8,933	101	37	18	9	24	46	70	156	431	688
1995.....	8,812	98	32	20	12	21	43	68	173	450	703
1994.....	9,046	111	46	15	14	19	47	96	222	462	726
1993.....	9,037	113	51	18	23	16	40	95	221	517	755
1992.....	9,127	132	42	19	10	22	37	105	255	505	748
1991.....	9,235	140	42	9	9	27	54	116	313	532	794
1990.....	9,380	128	37	12	12	18	43	129	327	646	786
1989.....	9,646	147	33	20	17	26	58	151	361	661	770
1988.....	9,636	130	31	23	12	27	63	158	385	671	752
1987.....	9,502	145	34	15	12	16	63	142	465	688	744
1986.....	9,361	119	29	12	11	28	53	176	472	631	713
1985.....	9,572	129	41	13	8	17	52	185	475	654	693
1984.....	8,996	139	37	10	19	22	48	185	418	592	674
1983.....	8,806	133	29	12	13	34	65	173	447	555	632
1982.....	8,728	161	31	14	15	28	64	235	386	560	636
1981.....	9,446	155	46	17	22	25	72	202	445	623	736
1980.....	9,778	184	37	19	14	45	93	252	492	639	810
1979.....	9,349	197	35	16	20	28	78	251	451	661	759

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)											
BLACK MALE											
1998.....	4,600	55	25	4	6	15	12	41	70	188	360
1997.....	4,677	63	15	8	6	11	25	33	88	199	380
1996.....	4,801	56	18	12	6	17	22	48	82	263	446
1995.....	4,841	57	21	14	6	13	27	39	105	289	469
1994.....	4,956	65	27	10	9	9	28	51	134	279	503
1993.....	4,984	70	27	9	12	9	23	50	120	304	509
1992.....	4,999	71	24	14	4	12	24	58	154	311	509
1991.....	4,996	92	22	4	5	20	30	70	173	319	533
1990.....	5,202	77	19	8	5	8	21	79	201	420	514
1989.....	5,332	87	17	9	7	12	31	81	218	450	525
1988.....	5,382	76	17	11	7	12	33	78	256	456	501
1987.....	5,375	88	24	9	7	12	36	78	286	459	495
1986.....	5,256	76	13	4	7	19	24	99	297	431	473
1985.....	5,433	76	24	7	4	9	33	107	292	420	491
1984.....	5,063	82	19	4	10	10	17	101	262	409	437
1983.....	4,987	67	18	6	6	14	39	90	273	357	407
1982.....	5,021	105	18	8	10	14	33	127	248	359	404
1981.....	5,423	88	24	11	8	13	40	125	271	392	502
1980.....	5,684	110	18	9	7	19	43	135	309	413	517
1979.....	5,479	110	19	7	5	11	46	146	307	419	484
BLACK FEMALE											
1998.....	4,107	51	14	7	8	11	20	21	72	151	212
1997.....	4,105	35	15	9	5	13	15	31	62	164	224
1996.....	4,132	45	19	6	3	7	24	22	74	168	242
1995.....	3,971	41	11	6	6	8	16	29	68	161	234
1994.....	4,090	46	19	5	5	10	19	45	88	183	223
1993.....	4,053	43	24	9	11	7	17	45	101	213	246
1992.....	4,128	61	18	5	6	10	13	47	101	194	239
1991.....	4,239	48	20	5	4	7	24	46	140	213	261
1990.....	4,178	51	18	4	7	10	22	50	126	226	272
1989.....	4,314	60	16	11	10	14	27	70	143	211	245
1988.....	4,254	54	14	12	5	15	30	80	129	215	251
1987.....	4,127	57	10	6	5	4	27	64	179	229	249
1986.....	4,105	43	16	8	4	9	29	77	175	200	240
1985.....	4,139	53	17	6	4	8	19	78	183	234	202
1984.....	3,933	57	18	6	9	12	31	84	156	183	237
1983.....	3,819	66	11	6	7	20	26	83	174	198	225
1982.....	3,707	56	13	6	5	14	31	108	138	201	232
1981.....	4,023	67	22	6	14	12	32	77	174	231	234
1980.....	4,094	74	19	10	7	26	50	117	183	226	293
1979.....	3,870	87	16	9	15	17	32	105	144	242	275

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)											
TOTAL, BOTH SEXES											
1998.....	128	-	-	1	-	1	-	-	3	4	4
1997.....	89	1	-	-	-	-	-	1	2	1	3
1996.....	89	-	1	-	-	1	-	-	-	2	2
1995.....	105	2	1	-	-	1	2	-	1	5	4
1994.....	92	2	-	-	-	-	2	2	3	3	4
1993.....	82	3	-	-	-	-	2	1	1	4	1
1992.....	98	2	1	2	-	-	1	1	2	4	4
1991.....	94	1	-	-	-	-	-	4	2	3	4
1990.....	101	1	-	-	-	-	2	2	4	2	1
1989.....	92	-	-	1	-	-	-	1	3	-	5
1988.....	99	3	-	-	-	-	1	3	1	4	-
1987.....	120	2	1	-	-	1	2	-	1	3	1
1986.....	78	1	-	-	-	2	1	3	1	2	3
1985.....	103	3	-	-	-	-	1	-	-	4	2
1984.....	73	-	-	1	-	-	1	1	2	3	4
1983.....	82	1	1	1	-	-	2	1	2	3	2
1982.....	81	3	-	-	-	-	1	5	1	2	1
1981.....	94	3	1	1	-	-	2	5	-	3	2
1980.....	72	1	-	-	-	-	2	2	2	1	1
1979.....	96	1	2	1	-	1	-	2	1	-	2
TOTAL, MALE											
1998.....	58	-	-	1	-	1	-	-	1	2	4
1997.....	41	-	-	-	-	-	-	1	2	1	1
1996.....	39	-	-	-	-	1	-	-	-	1	2
1995.....	40	-	-	-	-	1	1	-	1	3	1
1994.....	46	1	-	-	-	-	2	2	2	2	1
1993.....	36	1	-	-	-	-	1	1	1	2	1
1992.....	37	2	-	2	-	-	-	-	2	1	1
1991.....	40	1	-	-	-	-	-	2	1	2	2
1990.....	57	1	-	-	-	-	1	2	3	-	1
1989.....	45	-	-	-	-	-	-	-	3	-	5
1988.....	39	1	-	-	-	-	-	3	1	2	-
1987.....	46	1	-	-	-	-	1	-	1	3	1
1986.....	35	1	-	-	-	1	-	3	1	2	2
1985.....	51	2	-	-	-	-	1	-	-	3	2
1984.....	33	-	-	1	-	-	-	1	2	1	2
1983.....	36	1	-	-	-	-	2	-	1	1	1
1982.....	42	1	-	-	-	-	1	3	1	1	1
1981.....	53	3	1	1	-	-	2	5	-	2	2
1980.....	26	1	-	-	-	-	1	2	-	-	1
1979.....	51	1	2	-	-	1	-	2	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	70	-	-	-	-	-	-	-	2	2	-
1997.....	48	1	-	-	-	-	-	-	-	-	2
1996.....	50	-	1	-	-	-	-	-	-	1	-
1995.....	65	2	1	-	-	-	1	-	-	2	3
1994.....	46	1	-	-	-	-	-	-	1	1	3
1993.....	46	2	-	-	-	-	1	-	-	2	-
1992.....	61	-	1	-	-	-	1	1	-	3	3
1991.....	54	-	-	-	-	-	-	2	1	1	2
1990.....	44	-	-	-	-	-	1	-	1	2	-
1989.....	47	-	-	1	-	-	-	1	-	-	-
1988.....	60	2	-	-	-	-	1	-	-	2	-
1987.....	74	1	1	-	-	1	1	-	-	-	-
1986.....	43	-	-	-	-	1	1	-	-	-	1
1985.....	52	1	-	-	-	-	-	-	-	1	-
1984.....	40	-	-	-	-	-	1	-	-	2	2
1983.....	46	-	1	1	-	-	-	1	1	2	1
1982.....	39	2	-	-	-	-	-	2	-	1	-
1981.....	41	-	-	-	-	-	-	-	-	1	-
1980.....	46	-	-	-	-	-	1	-	2	1	-
1979.....	45	-	-	1	-	-	-	-	1	-	1
WHITE, BOTH SEXES											
1998.....	112	-	-	1	-	1	-	-	2	2	4
1997.....	75	1	-	-	-	-	-	1	1	1	2
1996.....	79	-	1	-	-	-	-	-	-	2	1
1995.....	83	-	-	-	-	1	-	-	-	5	1
1994.....	80	2	-	-	-	-	2	1	2	2	4
1993.....	67	1	-	-	-	-	1	1	1	2	1
1992.....	87	2	1	2	-	-	1	1	2	3	2
1991.....	82	1	-	-	-	-	-	2	1	2	2
1990.....	82	1	-	-	-	-	1	2	1	2	1
1989.....	72	-	-	1	-	-	-	1	2	-	2
1988.....	75	2	-	-	-	-	1	-	1	3	-
1987.....	107	2	1	-	-	1	1	-	1	-	1
1986.....	69	-	-	-	-	2	1	3	1	-	2
1985.....	83	2	-	-	-	-	1	-	-	3	-
1984.....	55	-	-	1	-	-	1	-	1	1	-
1983.....	77	1	1	1	-	-	2	1	1	3	2
1982.....	71	2	-	-	-	-	1	2	1	2	-
1981.....	75	2	1	-	-	-	2	2	-	1	-
1980.....	62	-	-	-	-	-	1	1	1	1	-
1979.....	77	1	1	-	-	-	-	2	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

WHITE MALE											
1998.....	48	-	-	1	-	1	-	-	1	1	4
1997.....	35	-	-	-	-	-	-	1	1	1	-
1996.....	32	-	-	-	-	-	-	-	-	1	1
1995.....	32	-	-	-	-	1	-	-	-	3	-
1994.....	35	1	-	-	-	-	2	1	1	1	1
1993.....	29	-	-	-	-	-	1	1	1	-	1
1992.....	29	2	-	2	-	-	-	-	2	-	-
1991.....	34	1	-	-	-	-	-	1	1	1	1
1990.....	45	1	-	-	-	-	-	2	1	-	1
1989.....	34	-	-	-	-	-	-	-	2	-	2
1988.....	26	1	-	-	-	-	-	-	1	1	-
1987.....	40	1	-	-	-	-	1	-	1	-	1
1986.....	28	-	-	-	-	1	-	3	1	-	1
1985.....	34	1	-	-	-	-	1	-	-	2	-
1984.....	22	-	-	1	-	-	-	-	1	-	-
1983.....	32	1	-	-	-	-	2	-	-	1	1
1982.....	35	1	-	-	-	-	1	2	1	1	-
1981.....	37	2	1	-	-	-	2	2	-	-	-
1980.....	19	-	-	-	-	-	-	1	-	-	-
1979.....	41	1	1	-	-	-	-	2	-	-	-
WHITE FEMALE											
1998.....	64	-	-	-	-	-	-	-	1	1	-
1997.....	40	1	-	-	-	-	-	-	-	-	2
1996.....	47	-	1	-	-	-	-	-	-	1	-
1995.....	51	-	-	-	-	-	-	-	-	2	1
1994.....	45	1	-	-	-	-	-	-	1	1	3
1993.....	38	1	-	-	-	-	-	-	-	2	-
1992.....	58	-	1	-	-	-	1	1	-	3	2
1991.....	48	-	-	-	-	-	-	1	-	1	1
1990.....	37	-	-	-	-	-	1	-	-	2	-
1989.....	38	-	-	1	-	-	-	1	-	-	-
1988.....	49	1	-	-	-	-	1	-	-	2	-
1987.....	67	1	1	-	-	1	-	-	-	-	-
1986.....	41	-	-	-	-	1	1	-	-	-	1
1985.....	49	1	-	-	-	-	-	-	-	1	-
1984.....	33	-	-	-	-	-	1	-	-	1	-
1983.....	45	-	1	1	-	-	-	1	1	2	1
1982.....	36	1	-	-	-	-	-	-	-	1	-
1981.....	38	-	-	-	-	-	-	-	-	1	-
1980.....	43	-	-	-	-	-	1	-	1	1	-
1979.....	36	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)											
ALL OTHER, BOTH SEXES											
1998.....	16	-	-	-	-	-	-	-	1	2	-
1997.....	14	-	-	-	-	-	-	-	1	-	1
1996.....	10	-	-	-	-	1	-	-	-	-	1
1995.....	22	2	1	-	-	-	2	-	1	-	3
1994.....	12	-	-	-	-	-	-	1	1	1	-
1993.....	15	2	-	-	-	-	1	-	-	2	-
1992.....	11	-	-	-	-	-	-	-	-	1	2
1991.....	12	-	-	-	-	-	-	2	1	1	2
1990.....	19	-	-	-	-	-	1	-	3	-	-
1989.....	20	-	-	-	-	-	-	-	1	-	3
1988.....	24	1	-	-	-	-	-	3	-	1	-
1987.....	13	-	-	-	-	-	1	-	-	3	-
1986.....	9	1	-	-	-	-	-	-	-	2	1
1985.....	20	1	-	-	-	-	-	-	-	1	2
1984.....	18	-	-	-	-	-	-	1	1	2	4
1983.....	5	-	-	-	-	-	-	-	1	-	-
1982.....	10	1	-	-	-	-	-	3	-	-	1
1981.....	19	1	-	1	-	-	-	3	-	2	2
1980.....	10	1	-	-	-	-	1	1	1	-	1
1979.....	19	-	1	1	-	1	-	-	-	-	2
ALL OTHER MALE											
1998.....	10	-	-	-	-	-	-	-	-	1	-
1997.....	6	-	-	-	-	-	-	-	1	-	1
1996.....	7	-	-	-	-	1	-	-	-	-	1
1995.....	8	-	-	-	-	-	1	-	1	-	1
1994.....	11	-	-	-	-	-	-	1	1	1	-
1993.....	7	1	-	-	-	-	-	-	-	2	-
1992.....	8	-	-	-	-	-	-	-	-	1	1
1991.....	6	-	-	-	-	-	-	1	-	1	1
1990.....	12	-	-	-	-	-	1	-	2	-	-
1989.....	11	-	-	-	-	-	-	-	1	-	3
1988.....	13	-	-	-	-	-	-	3	-	1	-
1987.....	6	-	-	-	-	-	-	-	-	3	-
1986.....	7	1	-	-	-	-	-	-	-	2	1
1985.....	17	1	-	-	-	-	-	-	-	1	2
1984.....	11	-	-	-	-	-	-	1	1	1	2
1983.....	4	-	-	-	-	-	-	-	1	-	-
1982.....	7	-	-	-	-	-	-	1	-	-	1
1981.....	16	1	-	1	-	-	-	3	-	2	2
1980.....	7	1	-	-	-	-	1	1	-	-	1
1979.....	10	-	1	-	-	1	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)											
ALL OTHER FEMALE											
1998.....	6	-	-	-	-	-	-	-	1	1	-
1997.....	8	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	14	2	1	-	-	-	1	-	-	-	2
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	8	1	-	-	-	-	1	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	-	1
1991.....	6	-	-	-	-	-	-	1	1	-	1
1990.....	7	-	-	-	-	-	-	-	1	-	-
1989.....	9	-	-	-	-	-	-	-	-	-	-
1988.....	11	1	-	-	-	-	-	-	-	-	-
1987.....	7	-	-	-	-	-	1	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	-
1984.....	7	-	-	-	-	-	-	-	-	1	2
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	3	1	-	-	-	-	-	2	-	-	-
1981.....	3	-	-	-	-	-	-	-	-	-	-
1980.....	3	-	-	-	-	-	-	-	1	-	-
1979.....	9	-	-	1	-	-	-	-	-	-	1
BLACK, BOTH SEXES											
1998.....	13	-	-	-	-	-	-	-	1	2	-
1997.....	13	-	-	-	-	-	-	-	1	-	1
1996.....	9	-	-	-	-	1	-	-	-	-	1
1995.....	21	2	1	-	-	-	2	-	1	-	3
1994.....	10	-	-	-	-	-	-	1	1	1	-
1993.....	11	2	-	-	-	-	-	-	-	2	-
1992.....	9	-	-	-	-	-	-	-	-	-	2
1991.....	11	-	-	-	-	-	-	2	-	1	2
1990.....	14	-	-	-	-	-	1	-	2	-	-
1989.....	18	-	-	-	-	-	-	-	1	-	2
1988.....	23	1	-	-	-	-	-	3	-	1	-
1987.....	12	-	-	-	-	-	1	-	-	3	-
1986.....	9	1	-	-	-	-	-	-	-	2	1
1985.....	18	1	-	-	-	-	-	-	-	1	2
1984.....	15	-	-	-	-	-	-	1	1	2	4
1983.....	5	-	-	-	-	-	-	-	1	-	-
1982.....	8	-	-	-	-	-	-	3	-	-	1
1981.....	19	1	-	1	-	-	-	3	-	2	2
1980.....	9	1	-	-	-	-	1	1	1	-	1
1979.....	18	-	1	1	-	1	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS (520-529)

BLACK MALE

1998.....	8	-	-	-	-	-	-	-	-	1	-
1997.....	6	-	-	-	-	-	-	-	1	-	1
1996.....	7	-	-	-	-	1	-	-	-	-	1
1995.....	8	-	-	-	-	-	1	-	1	-	1
1994.....	9	-	-	-	-	-	-	1	1	1	-
1993.....	6	1	-	-	-	-	-	-	-	2	-
1992.....	7	-	-	-	-	-	-	-	-	-	1
1991.....	6	-	-	-	-	-	-	1	-	1	1
1990.....	11	-	-	-	-	-	1	-	2	-	-
1989.....	10	-	-	-	-	-	-	-	1	-	2
1988.....	13	-	-	-	-	-	-	3	-	1	-
1987.....	6	-	-	-	-	-	-	-	-	3	-
1986.....	7	1	-	-	-	-	-	-	-	2	1
1985.....	16	1	-	-	-	-	-	-	-	1	2
1984.....	10	-	-	-	-	-	-	1	1	1	2
1983.....	4	-	-	-	-	-	-	-	1	-	-
1982.....	6	-	-	-	-	-	-	1	-	-	1
1981.....	16	1	-	1	-	-	-	3	-	2	2
1980.....	6	1	-	-	-	-	1	1	-	-	1
1979.....	10	-	1	-	-	1	-	-	-	-	1

BLACK FEMALE

1998.....	5	-	-	-	-	-	-	-	1	1	-
1997.....	7	-	-	-	-	-	-	-	-	-	-
1996.....	2	-	-	-	-	-	-	-	-	-	-
1995.....	13	2	1	-	-	-	1	-	-	-	2
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	5	1	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	1
1991.....	5	-	-	-	-	-	-	1	-	-	1
1990.....	3	-	-	-	-	-	-	-	-	-	-
1989.....	8	-	-	-	-	-	-	-	-	-	-
1988.....	10	1	-	-	-	-	-	-	-	-	-
1987.....	6	-	-	-	-	-	1	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	-	-	-	-
1984.....	5	-	-	-	-	-	-	-	-	1	2
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	2	-	-	-	-	-	-	2	-	-	-
1981.....	3	-	-	-	-	-	-	-	-	-	-
1980.....	3	-	-	-	-	-	-	-	1	-	-
1979.....	8	-	-	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)											
TOTAL, BOTH SEXES											
1998.....	79,229	330	130	52	59	80	137	290	752	1,794	3,386
1997.....	78,980	339	130	57	53	96	142	255	769	1,911	3,490
1996.....	77,340	353	153	87	49	78	148	319	819	1,982	3,424
1995.....	76,756	325	144	67	73	85	133	333	824	2,084	3,466
1994.....	77,340	356	155	52	69	85	146	336	1,022	2,103	3,364
1993.....	76,664	341	173	58	70	83	137	380	957	2,213	3,327
1992.....	75,898	373	157	53	49	97	144	400	1,016	2,202	3,179
1991.....	75,464	389	163	46	55	79	154	441	1,111	2,194	3,174
1990.....	75,076	397	141	65	42	75	161	439	1,113	2,264	2,990
1989.....	76,029	359	143	60	62	93	182	476	1,201	2,269	2,931
1988.....	76,256	378	143	60	53	89	177	540	1,240	2,290	2,876
1987.....	75,331	383	160	71	37	97	208	515	1,358	2,204	2,709
1986.....	74,270	394	140	64	44	110	194	529	1,388	2,109	2,601
1985.....	74,702	407	154	51	42	106	209	535	1,401	2,089	2,512
1984.....	73,740	432	152	63	64	113	213	578	1,279	1,926	2,596
1983.....	72,539	458	161	55	57	111	207	601	1,289	1,762	2,519
1982.....	72,561	485	173	76	68	99	240	647	1,205	1,838	2,472
1981.....	74,009	482	155	72	78	122	272	657	1,228	1,945	2,680
1980.....	75,130	565	151	67	72	175	291	687	1,401	2,046	2,891
1979.....	72,039	652	168	59	73	130	284	723	1,264	2,008	2,893
TOTAL, MALE											
1998.....	39,392	185	73	34	27	47	72	178	462	1,134	2,344
1997.....	39,305	213	68	34	33	48	81	153	487	1,229	2,401
1996.....	38,795	203	85	50	30	50	81	199	502	1,303	2,461
1995.....	38,956	186	87	49	38	56	83	207	552	1,408	2,503
1994.....	39,257	208	89	32	42	44	77	211	667	1,432	2,418
1993.....	38,669	212	93	27	37	49	73	234	597	1,483	2,393
1992.....	38,464	211	92	36	28	55	80	246	665	1,516	2,301
1991.....	38,316	242	80	24	28	53	82	280	705	1,507	2,255
1990.....	38,166	238	88	41	21	42	90	263	717	1,583	2,134
1989.....	39,220	220	81	25	36	49	108	289	814	1,638	2,117
1988.....	39,606	215	79	35	33	50	96	307	846	1,650	2,028
1987.....	39,146	219	98	37	25	64	123	311	888	1,543	1,875
1986.....	38,604	241	71	30	23	67	113	318	920	1,508	1,731
1985.....	39,327	226	83	33	20	51	126	329	930	1,416	1,762
1984.....	38,937	273	75	39	31	65	116	350	883	1,353	1,731
1983.....	38,849	245	92	34	30	58	119	369	864	1,191	1,698
1982.....	38,760	294	90	37	47	53	136	397	824	1,257	1,632
1981.....	39,855	279	87	38	34	65	148	401	822	1,305	1,800
1980.....	41,075	332	81	37	43	90	150	430	900	1,341	1,874
1979.....	39,654	383	94	29	33	55	161	454	844	1,325	1,895

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)											
TOTAL, FEMALE											
1998.....	39,837	145	57	18	32	33	65	112	290	660	1,042
1997.....	39,675	126	62	23	20	48	61	102	282	682	1,089
1996.....	38,545	150	68	37	19	28	67	120	317	679	963
1995.....	37,800	139	57	18	35	29	50	126	272	676	963
1994.....	38,083	148	66	20	27	41	69	125	355	671	946
1993.....	37,995	129	80	31	33	34	64	146	360	730	934
1992.....	37,434	162	65	17	21	42	64	154	351	686	878
1991.....	37,148	147	83	22	27	26	72	161	406	687	919
1990.....	36,910	159	53	24	21	33	71	176	396	681	856
1989.....	36,809	139	62	35	26	44	74	187	387	631	814
1988.....	36,650	163	64	25	20	39	81	233	394	640	848
1987.....	36,185	164	62	34	12	33	85	204	470	661	834
1986.....	35,666	153	69	34	21	43	81	211	468	601	870
1985.....	35,375	181	71	18	22	55	83	206	471	673	750
1984.....	34,803	159	77	24	33	48	97	228	396	573	865
1983.....	33,690	213	69	21	27	53	88	232	425	571	821
1982.....	33,801	191	83	39	21	46	104	250	381	581	840
1981.....	34,154	203	68	34	44	57	124	256	406	640	880
1980.....	34,055	233	70	30	29	85	141	257	501	705	1,017
1979.....	32,385	269	74	30	40	75	123	269	420	683	998
WHITE, BOTH SEXES											
1998.....	68,847	211	86	39	42	50	97	211	564	1,376	2,690
1997.....	68,571	227	93	40	38	67	95	179	567	1,469	2,778
1996.....	66,868	238	104	61	39	55	97	230	622	1,466	2,621
1995.....	66,427	213	107	46	59	63	85	249	612	1,546	2,641
1994.....	66,782	225	100	35	52	65	93	222	738	1,558	2,544
1993.....	66,180	221	117	39	44	61	89	266	695	1,604	2,461
1992.....	65,365	229	108	33	37	72	97	269	709	1,616	2,352
1991.....	64,956	241	110	36	43	52	96	307	758	1,598	2,292
1990.....	64,447	257	101	50	30	56	111	290	743	1,550	2,118
1989.....	65,103	201	103	35	44	59	119	308	787	1,532	2,073
1988.....	65,388	239	105	34	39	58	109	361	821	1,546	2,049
1987.....	64,734	223	118	51	24	79	133	357	859	1,476	1,901
1986.....	63,865	259	107	50	31	80	136	336	871	1,416	1,825
1985.....	64,090	259	106	37	34	82	152	331	877	1,376	1,746
1984.....	63,720	275	109	51	41	89	159	368	817	1,271	1,843
1983.....	62,757	308	125	42	41	74	136	406	791	1,164	1,818
1982.....	62,928	311	136	61	53	70	169	388	776	1,224	1,780
1981.....	63,614	307	104	54	56	92	189	432	737	1,260	1,873
1980.....	64,327	358	108	47	57	127	192	415	847	1,333	1,993
1979.....	61,763	427	126	43	51	99	200	440	751	1,291	2,047

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)											
WHITE MALE											
1998.....	33,861	124	46	29	19	30	56	128	361	898	1,915
1997.....	33,730	141	50	26	25	33	53	114	372	982	1,957
1996.....	33,175	137	61	35	23	34	58	141	390	991	1,943
1995.....	33,265	119	64	34	31	43	51	158	420	1,059	1,949
1994.....	33,472	132	56	21	32	34	48	155	502	1,107	1,855
1993.....	32,889	138	65	17	24	36	47	173	453	1,128	1,814
1992.....	32,678	130	64	21	23	40	53	174	483	1,153	1,735
1991.....	32,597	145	54	19	22	33	50	198	509	1,152	1,662
1990.....	32,259	153	67	31	16	33	67	174	497	1,118	1,561
1989.....	33,153	127	61	15	28	32	73	200	568	1,141	1,536
1988.....	33,510	133	60	22	25	36	61	223	573	1,150	1,477
1987.....	33,155	120	70	24	17	52	81	223	580	1,058	1,340
1986.....	32,753	157	57	26	15	46	85	207	600	1,039	1,223
1985.....	33,285	140	55	25	16	40	90	210	611	965	1,223
1984.....	33,258	178	56	34	19	55	94	232	595	908	1,252
1983.....	33,288	169	68	27	22	44	79	265	558	810	1,247
1982.....	33,213	182	69	28	37	39	98	256	547	866	1,197
1981.....	33,906	180	62	28	26	48	106	271	521	877	1,254
1980.....	34,791	216	60	27	35	68	105	282	560	884	1,307
1979.....	33,619	258	73	22	27	44	111	289	507	878	1,355
WHITE FEMALE											
1998.....	34,986	87	40	10	23	20	41	83	203	478	775
1997.....	34,841	86	43	14	13	34	42	65	195	487	821
1996.....	33,693	101	43	26	16	21	39	89	232	475	678
1995.....	33,162	94	43	12	28	20	34	91	192	487	692
1994.....	33,310	93	44	14	20	31	45	67	236	451	689
1993.....	33,291	83	52	22	20	25	42	93	242	476	647
1992.....	32,687	99	44	12	14	32	44	95	226	463	617
1991.....	32,359	96	56	17	21	19	46	109	249	446	630
1990.....	32,188	104	34	19	14	23	44	116	246	432	557
1989.....	31,950	74	42	20	16	27	46	108	219	391	537
1988.....	31,878	106	45	12	14	22	48	138	248	396	572
1987.....	31,579	103	48	27	7	27	52	134	279	418	561
1986.....	31,112	102	50	24	16	34	51	129	271	377	602
1985.....	30,805	119	51	12	18	42	62	121	266	411	523
1984.....	30,462	97	53	17	22	34	65	136	222	363	591
1983.....	29,469	139	57	15	19	30	57	141	233	354	571
1982.....	29,715	129	67	33	16	31	71	132	229	358	583
1981.....	29,708	127	42	26	30	44	83	161	216	383	619
1980.....	29,536	142	48	20	22	59	87	133	287	449	686
1979.....	28,144	169	53	21	24	55	89	151	244	413	692

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)											
ALL OTHER, BOTH SEXES											
1998.....	10,382	119	44	13	17	30	40	79	188	418	696
1997.....	10,409	112	37	17	15	29	47	76	202	442	712
1996.....	10,472	115	49	26	10	23	51	89	197	516	803
1995.....	10,329	112	37	21	14	22	48	84	212	538	825
1994.....	10,558	131	55	17	17	20	53	114	284	545	820
1993.....	10,484	120	56	19	26	22	48	114	262	609	866
1992.....	10,533	144	49	20	12	25	47	131	307	586	827
1991.....	10,508	148	53	10	12	27	58	134	353	596	882
1990.....	10,629	140	40	15	12	19	50	149	370	714	872
1989.....	10,926	158	40	25	18	34	63	168	414	737	858
1988.....	10,868	139	38	26	14	31	68	179	419	744	827
1987.....	10,597	160	42	20	13	18	75	158	499	728	808
1986.....	10,405	135	33	14	13	30	58	193	517	693	776
1985.....	10,612	148	48	14	8	24	57	204	524	713	766
1984.....	10,020	157	43	12	23	24	54	210	462	655	753
1983.....	9,782	150	36	13	16	37	71	195	498	598	701
1982.....	9,633	174	37	15	15	29	71	259	429	614	692
1981.....	10,395	175	51	18	22	30	83	225	491	685	807
1980.....	10,803	207	43	20	15	48	99	272	554	713	898
1979.....	10,276	225	42	16	22	31	84	283	513	717	846
ALL OTHER MALE											
1998.....	5,531	61	27	5	8	17	16	50	101	236	429
1997.....	5,575	72	18	8	8	15	28	39	115	247	444
1996.....	5,620	66	24	15	7	16	23	58	112	312	518
1995.....	5,691	67	23	15	7	13	32	49	132	349	554
1994.....	5,785	76	33	11	10	10	29	56	165	325	563
1993.....	5,780	74	28	10	13	13	26	61	144	355	579
1992.....	5,786	81	28	15	5	15	27	72	182	363	566
1991.....	5,719	97	26	5	6	20	32	82	196	355	593
1990.....	5,907	85	21	10	5	9	23	89	220	465	573
1989.....	6,067	93	20	10	8	17	35	89	246	497	581
1988.....	6,096	82	19	13	8	14	35	84	273	500	551
1987.....	5,991	99	28	13	8	12	42	88	308	485	535
1986.....	5,851	84	14	4	8	21	28	111	320	469	508
1985.....	6,042	86	28	8	4	11	36	119	319	451	539
1984.....	5,679	95	19	5	12	10	22	118	288	445	479
1983.....	5,561	76	24	7	8	14	40	104	306	381	451
1982.....	5,547	112	21	9	10	14	38	141	277	391	435
1981.....	5,949	99	25	10	8	17	42	130	301	428	546
1980.....	6,284	116	21	10	8	22	45	148	340	457	567
1979.....	6,035	125	21	7	6	11	50	165	337	447	540

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

ALL OTHER FEMALE	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
1998.....	4,851	58	17	8	9	13	24	29	87	182	267
1997.....	4,834	40	19	9	7	14	19	37	87	195	268
1996.....	4,852	49	25	11	3	7	28	31	85	204	285
1995.....	4,638	45	14	6	7	9	16	35	80	189	271
1994.....	4,773	55	22	6	7	10	24	58	119	220	257
1993.....	4,704	46	28	9	13	9	22	53	118	254	287
1992.....	4,747	63	21	5	7	10	20	59	125	223	261
1991.....	4,789	51	27	5	6	7	26	52	157	241	289
1990.....	4,722	55	19	5	7	10	27	60	150	249	299
1989.....	4,859	65	20	15	10	17	28	79	168	240	277
1988.....	4,772	57	19	13	6	17	33	95	146	244	276
1987.....	4,606	61	14	7	5	6	33	70	191	243	273
1986.....	4,554	51	19	10	5	9	30	82	197	224	268
1985.....	4,570	62	20	6	4	13	21	85	205	262	227
1984.....	4,341	62	24	7	11	14	32	92	174	210	274
1983.....	4,221	74	12	6	8	23	31	91	192	217	250
1982.....	4,086	62	16	6	5	15	33	118	152	223	257
1981.....	4,446	76	26	8	14	13	41	95	190	257	261
1980.....	4,519	91	22	10	7	26	54	124	214	256	331
1979.....	4,241	100	21	9	16	20	34	118	176	270	306
BLACK, BOTH SEXES											
1998.....	8,694	106	39	11	14	26	32	62	141	337	572
1997.....	8,769	98	30	17	11	24	40	64	149	363	603
1996.....	8,924	101	37	18	9	23	46	70	156	431	687
1995.....	8,791	96	31	20	12	21	41	68	172	450	700
1994.....	9,036	111	46	15	14	19	47	95	221	461	726
1993.....	9,026	111	51	18	23	16	40	95	221	515	755
1992.....	9,118	132	42	19	10	22	37	105	255	505	746
1991.....	9,224	140	42	9	9	27	54	114	313	531	792
1990.....	9,366	128	37	12	12	18	42	129	325	646	786
1989.....	9,628	147	33	20	17	26	58	151	360	661	768
1988.....	9,613	129	31	23	12	27	63	155	385	670	752
1987.....	9,490	145	34	15	12	16	62	142	465	685	744
1986.....	9,352	118	29	12	11	28	53	176	472	629	712
1985.....	9,554	128	41	13	8	17	52	185	475	653	691
1984.....	8,981	139	37	10	19	22	48	184	417	590	670
1983.....	8,801	133	29	12	13	34	65	173	446	555	632
1982.....	8,720	161	31	14	15	28	64	232	386	560	635
1981.....	9,427	154	46	16	22	25	72	199	445	621	734
1980.....	9,769	183	37	19	14	45	92	251	491	639	809
1979.....	9,331	197	34	15	20	27	78	251	451	661	758

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)

BLACK MALE

1998.....	4,592	55	25	4	6	15	12	41	70	187	360
1997.....	4,671	63	15	8	6	11	25	33	87	199	379
1996.....	4,794	56	18	12	6	16	22	48	82	263	445
1995.....	4,833	57	21	14	6	13	26	39	104	289	468
1994.....	4,947	65	27	10	9	9	28	50	133	278	503
1993.....	4,978	69	27	9	12	9	23	50	120	302	509
1992.....	4,992	71	24	14	4	12	24	58	154	311	508
1991.....	4,990	92	22	4	5	20	30	69	173	318	532
1990.....	5,191	77	19	8	5	8	20	79	199	420	514
1989.....	5,322	87	17	9	7	12	31	81	217	450	523
1988.....	5,369	76	17	11	7	12	33	75	256	455	501
1987.....	5,369	88	24	9	7	12	36	78	286	456	495
1986.....	5,249	75	13	4	7	19	24	99	297	429	472
1985.....	5,417	75	24	7	4	9	33	107	292	419	489
1984.....	5,053	82	19	4	10	10	17	100	261	408	435
1983.....	4,983	67	18	6	6	14	39	90	272	357	407
1982.....	5,015	105	18	8	10	14	33	126	248	359	403
1981.....	5,407	87	24	10	8	13	40	122	271	390	500
1980.....	5,678	109	18	9	7	19	42	134	309	413	516
1979.....	5,469	110	18	7	5	10	46	146	307	419	483

BLACK FEMALE

1998.....	4,102	51	14	7	8	11	20	21	71	150	212
1997.....	4,098	35	15	9	5	13	15	31	62	164	224
1996.....	4,130	45	19	6	3	7	24	22	74	168	242
1995.....	3,958	39	10	6	6	8	15	29	68	161	232
1994.....	4,089	46	19	5	5	10	19	45	88	183	223
1993.....	4,048	42	24	9	11	7	17	45	101	213	246
1992.....	4,126	61	18	5	6	10	13	47	101	194	238
1991.....	4,234	48	20	5	4	7	24	45	140	213	260
1990.....	4,175	51	18	4	7	10	22	50	126	226	272
1989.....	4,306	60	16	11	10	14	27	70	143	211	245
1988.....	4,244	53	14	12	5	15	30	80	129	215	251
1987.....	4,121	57	10	6	5	4	26	64	179	229	249
1986.....	4,103	43	16	8	4	9	29	77	175	200	240
1985.....	4,137	53	17	6	4	8	19	78	183	234	202
1984.....	3,928	57	18	6	9	12	31	84	156	182	235
1983.....	3,818	66	11	6	7	20	26	83	174	198	225
1982.....	3,705	56	13	6	5	14	31	106	138	201	232
1981.....	4,020	67	22	6	14	12	32	77	174	231	234
1980.....	4,091	74	19	10	7	26	50	117	182	226	293
1979.....	3,862	87	16	8	15	17	32	105	144	242	275

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)											
TOTAL, BOTH SEXES											
1998.....	4,695	4	2	1	2	3	5	12	23	32	77
1997.....	5,115	8	-	3	2	3	8	7	17	41	92
1996.....	5,105	12	4	2	3	4	4	9	20	54	85
1995.....	5,464	7	1	3	3	6	6	11	24	55	82
1994.....	6,088	8	2	2	3	6	10	21	29	56	88
1993.....	5,945	5	5	3	-	3	10	9	25	57	94
1992.....	6,128	7	3	2	2	4	5	11	34	61	84
1991.....	6,117	6	5	-	2	-	6	13	26	57	94
1990.....	6,186	9	3	2	2	3	8	24	33	50	76
1989.....	6,455	12	3	3	1	5	6	19	21	59	84
1988.....	6,435	16	3	1	4	7	10	16	32	66	78
1987.....	6,358	10	5	2	3	3	4	22	36	49	82
1986.....	6,477	9	1	1	2	4	11	16	41	66	76
1985.....	6,645	12	5	-	1	3	9	19	20	53	69
1984.....	6,570	11	2	1	3	6	9	14	35	50	78
1983.....	6,369	11	3	1	3	3	9	16	29	45	78
1982.....	6,738	13	2	3	4	5	11	31	39	46	83
1981.....	6,489	14	5	3	2	8	15	24	39	62	72
1980.....	6,115	11	10	2	9	13	12	17	44	58	85
1979.....	5,902	16	3	1	2	7	22	25	36	61	102
TOTAL, MALE											
1998.....	2,235	2	-	1	-	2	3	6	18	18	57
1997.....	2,379	4	-	3	1	1	7	6	12	30	60
1996.....	2,404	5	2	2	2	2	1	8	9	38	67
1995.....	2,624	6	1	2	1	6	2	11	15	34	60
1994.....	2,928	5	1	2	2	5	8	18	24	41	57
1993.....	2,824	4	5	3	-	3	4	6	15	39	57
1992.....	2,924	6	1	1	1	2	3	9	29	40	63
1991.....	2,928	4	2	-	1	-	3	9	18	38	63
1990.....	2,973	3	2	2	1	2	5	17	25	39	53
1989.....	3,145	7	2	1	1	4	4	13	16	42	63
1988.....	3,182	8	2	1	3	5	6	13	26	49	52
1987.....	3,192	5	2	1	3	2	2	16	22	39	55
1986.....	3,108	6	1	1	1	3	5	8	25	51	48
1985.....	3,330	6	1	-	-	1	6	14	17	42	49
1984.....	3,227	5	-	1	1	4	6	7	26	36	43
1983.....	3,260	8	2	-	2	1	9	10	18	29	55
1982.....	3,422	6	1	2	3	2	9	16	23	31	55
1981.....	3,432	9	4	2	1	6	11	15	26	45	49
1980.....	3,405	7	5	1	6	9	6	7	24	44	58
1979.....	3,246	10	2	-	1	2	13	13	26	42	67

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)											
TOTAL, FEMALE											
1998.....	2,460	2	2	-	2	1	2	6	5	14	20
1997.....	2,736	4	-	-	1	2	1	1	5	11	32
1996.....	2,701	7	2	-	1	2	3	1	11	16	18
1995.....	2,840	1	-	1	2	-	4	-	9	21	22
1994.....	3,160	3	1	-	1	1	2	3	5	15	31
1993.....	3,121	1	-	-	-	-	6	3	10	18	37
1992.....	3,204	1	2	1	1	2	2	2	5	21	21
1991.....	3,189	2	3	-	1	-	3	4	8	19	31
1990.....	3,213	6	1	-	1	1	3	7	8	11	23
1989.....	3,310	5	1	2	-	1	2	6	5	17	21
1988.....	3,253	8	1	-	1	2	4	3	6	17	26
1987.....	3,166	5	3	1	-	1	2	6	14	10	27
1986.....	3,369	3	-	-	1	1	6	8	16	15	28
1985.....	3,315	6	4	-	1	2	3	5	3	11	20
1984.....	3,343	6	2	-	2	2	3	7	9	14	35
1983.....	3,109	3	1	1	1	2	-	6	11	16	23
1982.....	3,316	7	1	1	1	3	2	15	16	15	28
1981.....	3,057	5	1	1	1	2	4	9	13	17	23
1980.....	2,710	4	5	1	3	4	6	10	20	14	27
1979.....	2,656	6	1	1	1	5	9	12	10	19	35
WHITE, BOTH SEXES											
1998.....	4,162	2	2	1	2	1	4	9	17	22	57
1997.....	4,484	4	-	1	-	2	4	4	10	28	67
1996.....	4,460	8	3	-	2	2	1	2	12	30	62
1995.....	4,840	6	-	3	3	4	5	4	16	34	53
1994.....	5,366	2	2	2	1	6	8	13	19	29	64
1993.....	5,264	3	5	2	-	2	6	6	17	39	68
1992.....	5,452	3	1	2	2	3	5	6	20	35	60
1991.....	5,456	5	4	-	2	-	4	8	16	39	68
1990.....	5,517	8	2	2	2	2	3	15	16	32	48
1989.....	5,664	6	1	2	1	4	2	11	11	42	50
1988.....	5,787	9	2	1	4	6	4	11	17	42	56
1987.....	5,740	4	3	2	-	2	2	15	24	30	57
1986.....	5,794	7	1	1	2	3	10	11	25	45	55
1985.....	5,984	9	3	-	1	2	8	7	12	39	51
1984.....	5,933	6	1	1	2	6	6	10	21	32	56
1983.....	5,752	8	2	1	3	1	7	15	15	35	58
1982.....	6,063	5	2	3	4	4	8	21	29	34	67
1981.....	5,834	7	3	3	1	5	12	19	20	45	52
1980.....	5,543	5	9	2	7	9	9	11	31	39	59
1979.....	5,331	7	3	1	1	5	16	18	21	43	83

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)											
WHITE MALE											
1998.....	1,960	1	-	1	-	1	3	5	14	15	41
1997.....	2,025	2	-	1	-	1	4	4	6	22	44
1996.....	2,052	3	2	-	2	1	-	2	4	23	49
1995.....	2,269	5	-	2	1	4	2	4	9	19	34
1994.....	2,528	1	1	2	-	5	6	10	14	22	38
1993.....	2,431	3	5	2	-	2	3	4	10	24	39
1992.....	2,539	2	1	1	1	1	3	4	19	21	40
1991.....	2,558	4	1	-	1	-	2	6	12	23	40
1990.....	2,594	2	2	2	1	1	2	10	11	24	35
1989.....	2,701	4	1	1	1	3	1	8	8	28	38
1988.....	2,807	5	1	1	3	5	2	8	12	27	38
1987.....	2,828	3	1	1	-	1	1	11	13	23	34
1986.....	2,726	4	1	1	1	2	5	5	16	34	35
1985.....	2,947	5	1	-	-	1	5	5	10	29	37
1984.....	2,865	3	-	1	-	4	4	4	15	21	30
1983.....	2,885	5	1	-	2	-	7	10	9	22	41
1982.....	3,032	3	1	2	3	2	7	9	17	23	42
1981.....	3,035	5	3	2	1	4	9	13	13	29	33
1980.....	3,036	2	5	1	4	7	5	4	15	29	38
1979.....	2,882	6	2	-	1	1	10	8	13	26	52
WHITE FEMALE											
1998.....	2,202	1	2	-	2	-	1	4	3	7	16
1997.....	2,459	2	-	-	-	1	-	-	4	6	23
1996.....	2,408	5	1	-	-	1	1	-	8	7	13
1995.....	2,571	1	-	1	2	-	3	-	7	15	19
1994.....	2,838	1	1	-	1	1	2	3	5	7	26
1993.....	2,833	-	-	-	-	-	3	2	7	15	29
1992.....	2,913	1	-	1	1	2	2	2	1	14	20
1991.....	2,898	1	3	-	1	-	2	2	4	16	28
1990.....	2,923	6	-	-	1	1	1	5	5	8	13
1989.....	2,963	2	-	1	-	1	1	3	3	14	12
1988.....	2,980	4	1	-	1	1	2	3	5	15	18
1987.....	2,912	1	2	1	-	1	1	4	11	7	23
1986.....	3,068	3	-	-	1	1	5	6	9	11	20
1985.....	3,037	4	2	-	1	1	3	2	2	10	14
1984.....	3,068	3	1	-	2	2	2	6	6	11	26
1983.....	2,867	3	1	1	1	1	-	5	6	13	17
1982.....	3,031	2	1	1	1	2	1	12	12	11	25
1981.....	2,799	2	-	1	-	1	3	6	7	16	19
1980.....	2,507	3	4	1	3	2	4	7	16	10	21
1979.....	2,449	1	1	1	-	4	6	10	8	17	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)											
ALL OTHER, BOTH SEXES											
1998.....	533	2	-	-	-	2	1	3	6	10	20
1997.....	631	4	-	2	2	1	4	3	7	13	25
1996.....	645	4	1	2	1	2	3	7	8	24	23
1995.....	624	1	1	-	-	2	1	7	8	21	29
1994.....	722	6	-	-	2	-	2	8	10	27	24
1993.....	681	2	-	1	-	1	4	3	8	18	26
1992.....	676	4	2	-	-	1	-	5	14	26	24
1991.....	661	1	1	-	-	-	2	5	10	18	26
1990.....	669	1	1	-	-	1	5	9	17	18	28
1989.....	791	6	2	1	-	1	4	8	10	17	34
1988.....	648	7	1	-	-	1	6	5	15	24	22
1987.....	618	6	2	-	3	1	2	7	12	19	25
1986.....	683	2	-	-	-	1	1	5	16	21	21
1985.....	661	3	2	-	-	1	1	12	8	14	18
1984.....	637	5	1	-	1	-	3	4	14	18	22
1983.....	617	3	1	-	-	2	2	1	14	10	20
1982.....	675	8	-	-	-	1	3	10	10	12	16
1981.....	655	7	2	-	1	3	3	5	19	17	20
1980.....	572	6	1	-	2	4	3	6	13	19	26
1979.....	571	9	-	-	1	2	6	7	15	18	19
ALL OTHER MALE											
1998.....	275	1	-	-	-	1	-	1	4	3	16
1997.....	354	2	-	2	1	-	3	2	6	8	16
1996.....	352	2	-	2	-	1	1	6	5	15	18
1995.....	355	1	1	-	-	2	-	7	6	15	26
1994.....	400	4	-	-	2	-	2	8	10	19	19
1993.....	393	1	-	1	-	1	1	2	5	15	18
1992.....	385	4	-	-	-	1	-	5	10	19	23
1991.....	370	-	1	-	-	-	1	3	6	15	23
1990.....	379	1	-	-	-	1	3	7	14	15	18
1989.....	444	3	1	-	-	1	3	5	8	14	25
1988.....	375	3	1	-	-	-	4	5	14	22	14
1987.....	364	2	1	-	3	1	1	5	9	16	21
1986.....	382	2	-	-	-	1	-	3	9	17	13
1985.....	383	1	-	-	-	-	1	9	7	13	12
1984.....	362	2	-	-	1	-	2	3	11	15	13
1983.....	375	3	1	-	-	1	2	-	9	7	14
1982.....	390	3	-	-	-	-	2	7	6	8	13
1981.....	397	4	1	-	-	2	2	2	13	16	16
1980.....	369	5	-	-	2	2	1	3	9	15	20
1979.....	364	4	-	-	-	1	3	5	13	16	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)											
ALL OTHER FEMALE											
1998.....	258	1	-	-	-	1	1	2	2	7	4
1997.....	277	2	-	-	1	1	1	1	1	5	9
1996.....	293	2	1	-	1	1	2	1	3	9	5
1995.....	269	-	-	-	-	-	1	-	2	6	3
1994.....	322	2	-	-	-	-	-	-	-	8	5
1993.....	288	1	-	-	-	-	3	1	3	3	8
1992.....	291	-	2	-	-	-	-	-	4	7	1
1991.....	291	1	-	-	-	-	1	2	4	3	3
1990.....	290	-	1	-	-	-	2	2	3	3	10
1989.....	347	3	1	1	-	-	1	3	2	3	9
1988.....	273	4	-	-	-	1	2	-	1	2	8
1987.....	254	4	1	-	-	-	1	2	3	3	4
1986.....	301	-	-	-	-	-	1	2	7	4	8
1985.....	278	2	2	-	-	1	-	3	1	1	6
1984.....	275	3	1	-	-	-	1	1	3	3	9
1983.....	242	-	-	-	-	1	-	1	5	3	6
1982.....	285	5	-	-	-	1	1	3	4	4	3
1981.....	258	3	1	-	1	1	1	3	6	1	4
1980.....	203	1	1	-	-	2	2	3	4	4	6
1979.....	207	5	-	-	1	1	3	2	2	2	4
BLACK, BOTH SEXES											
1998.....	411	1	-	-	-	2	1	3	4	9	17
1997.....	492	4	-	2	-	1	4	3	6	12	22
1996.....	520	3	1	1	1	2	3	6	7	20	22
1995.....	518	1	-	-	-	2	1	6	8	20	27
1994.....	577	5	-	-	2	-	2	7	8	27	23
1993.....	561	2	-	1	-	-	4	2	8	16	26
1992.....	568	4	-	-	-	-	-	5	13	26	22
1991.....	547	1	-	-	-	-	2	5	10	16	24
1990.....	582	1	1	-	-	1	5	8	15	17	25
1989.....	665	6	1	1	-	1	4	8	10	15	28
1988.....	560	7	1	-	-	1	6	5	15	22	21
1987.....	543	6	1	-	2	1	1	7	12	19	25
1986.....	600	2	-	-	-	1	1	4	16	20	20
1985.....	571	2	2	-	-	1	1	11	6	13	16
1984.....	562	5	-	-	1	-	1	4	14	17	21
1983.....	547	3	-	-	-	2	2	1	13	9	19
1982.....	593	7	-	-	-	1	3	10	10	11	15
1981.....	593	7	1	-	1	3	3	5	19	16	19
1980.....	511	5	1	-	1	4	3	6	12	19	25
1979.....	504	8	-	-	1	2	5	7	13	16	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ULCER OF STOMACH AND DUODENUM (531-533)											
BLACK MALE											
1998.....	204	1	-	-	-	1	-	1	3	2	13
1997.....	275	2	-	2	-	-	3	2	5	8	13
1996.....	280	1	-	1	-	1	1	5	5	13	17
1995.....	289	1	-	-	-	2	-	6	6	14	25
1994.....	313	3	-	-	2	-	2	7	8	19	18
1993.....	317	1	-	1	-	-	1	1	5	14	18
1992.....	323	4	-	-	-	-	-	5	9	19	21
1991.....	302	-	-	-	-	-	1	3	6	13	21
1990.....	332	1	-	-	-	1	3	6	12	14	18
1989.....	362	3	1	-	-	1	3	5	8	13	20
1988.....	324	3	1	-	-	-	4	5	14	20	13
1987.....	316	2	1	-	2	1	1	5	9	16	21
1986.....	333	2	-	-	-	1	-	2	9	16	12
1985.....	328	1	-	-	-	-	1	9	6	12	11
1984.....	313	2	-	-	1	-	1	3	11	14	12
1983.....	327	3	-	-	-	1	2	-	9	7	14
1982.....	339	3	-	-	-	-	2	7	6	8	12
1981.....	357	4	1	-	-	2	2	2	13	15	16
1980.....	331	4	-	-	1	2	1	3	9	15	19
1979.....	316	3	-	-	-	1	2	5	12	14	12
BLACK FEMALE											
1998.....	207	-	-	-	-	1	1	2	1	7	4
1997.....	217	2	-	-	-	1	1	1	1	4	9
1996.....	240	2	1	-	1	1	2	1	2	7	5
1995.....	229	-	-	-	-	-	1	-	2	6	2
1994.....	264	2	-	-	-	-	-	-	-	8	5
1993.....	244	1	-	-	-	-	3	1	3	2	8
1992.....	245	-	-	-	-	-	-	-	4	7	1
1991.....	245	1	-	-	-	-	1	2	4	3	3
1990.....	250	-	1	-	-	-	2	2	3	3	7
1989.....	303	3	-	1	-	-	1	3	2	2	8
1988.....	236	4	-	-	-	1	2	-	1	2	8
1987.....	227	4	-	-	-	-	-	2	3	3	4
1986.....	267	-	-	-	-	-	1	2	7	4	8
1985.....	243	1	2	-	-	1	-	2	-	1	5
1984.....	249	3	-	-	-	-	-	1	3	3	9
1983.....	220	-	-	-	-	1	-	1	4	2	5
1982.....	254	4	-	-	-	1	1	3	4	3	3
1981.....	236	3	-	-	1	1	1	3	6	1	3
1980.....	180	1	1	-	-	2	2	3	3	4	6
1979.....	188	5	-	-	1	1	3	2	1	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRIC ULCER (531)											
TOTAL, BOTH SEXES											
1998.....	1,455	4	1	1	1	3	2	7	9	8	38
1997.....	1,572	7	-	1	-	1	5	4	7	17	44
1996.....	1,546	10	3	2	2	2	1	1	7	26	29
1995.....	1,591	5	1	1	2	2	3	2	6	24	28
1994.....	1,757	6	-	1	2	2	6	8	8	25	36
1993.....	1,822	4	3	2	-	-	4	3	11	22	34
1992.....	1,855	3	1	1	1	2	1	4	14	30	35
1991.....	1,837	4	3	-	2	-	1	6	5	18	35
1990.....	1,886	6	3	2	1	2	5	8	9	17	31
1989.....	1,980	5	3	1	1	2	3	8	5	20	34
1988.....	2,009	13	-	1	1	3	3	5	14	21	29
1987.....	2,053	7	1	-	2	2	2	4	17	20	25
1986.....	2,162	5	-	-	-	3	3	10	20	23	28
1985.....	2,115	7	4	-	-	2	5	8	5	20	25
1984.....	2,242	7	1	-	2	2	5	4	15	21	37
1983.....	2,090	9	1	1	2	2	4	4	9	16	29
1982.....	2,267	9	2	-	3	3	4	15	15	14	33
1981.....	2,223	9	4	3	1	3	6	7	13	21	27
1980.....	2,078	7	6	2	5	7	8	10	19	24	34
1979.....	2,049	9	1	1	-	5	9	11	16	22	42
TOTAL, MALE											
1998.....	651	2	-	1	-	2	1	4	7	4	27
1997.....	702	3	-	1	-	-	4	3	5	9	29
1996.....	687	3	2	2	1	1	-	-	4	15	24
1995.....	736	5	1	-	-	2	1	2	2	15	19
1994.....	792	5	-	1	2	2	4	5	6	18	22
1993.....	833	4	3	2	-	-	1	1	5	14	20
1992.....	845	2	-	-	-	-	-	3	11	18	26
1991.....	795	2	2	-	1	-	-	3	2	16	20
1990.....	857	2	2	2	1	1	3	3	6	13	21
1989.....	889	1	2	-	1	1	2	4	5	14	23
1988.....	921	7	-	1	1	1	1	3	12	16	20
1987.....	942	2	1	-	2	1	1	2	7	16	13
1986.....	917	2	-	-	-	2	1	5	11	15	17
1985.....	979	4	1	-	-	1	5	5	4	15	15
1984.....	998	4	-	-	-	1	3	2	10	15	19
1983.....	944	6	-	-	1	-	4	2	4	9	19
1982.....	998	5	1	-	2	2	4	4	7	8	19
1981.....	1,080	7	3	2	1	2	3	5	5	14	19
1980.....	1,051	4	3	1	3	6	3	4	7	17	20
1979.....	1,059	4	1	-	-	1	5	3	9	16	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRIC ULCER (531)											
TOTAL, FEMALE											
1998.....	804	2	1	-	1	1	1	3	2	4	11
1997.....	870	4	-	-	-	1	1	1	2	8	15
1996.....	859	7	1	-	1	1	1	1	3	11	5
1995.....	855	-	-	1	2	-	2	-	4	9	9
1994.....	965	1	-	-	-	-	2	3	2	7	14
1993.....	989	-	-	-	-	-	3	2	6	8	14
1992.....	1,010	1	1	1	1	2	1	1	3	12	9
1991.....	1,042	2	1	-	1	-	1	3	3	2	15
1990.....	1,029	4	1	-	-	1	2	5	3	4	10
1989.....	1,091	4	1	1	-	1	1	4	-	6	11
1988.....	1,088	6	-	-	-	2	2	2	2	5	9
1987.....	1,111	5	-	-	-	1	1	2	10	4	12
1986.....	1,245	3	-	-	-	1	2	5	9	8	11
1985.....	1,136	3	3	-	-	1	-	3	1	5	10
1984.....	1,244	3	1	-	2	1	2	2	5	6	18
1983.....	1,146	3	1	1	1	2	-	2	5	7	10
1982.....	1,269	4	1	-	1	1	-	11	8	6	14
1981.....	1,143	2	1	1	-	1	3	2	8	7	8
1980.....	1,027	3	3	1	2	1	5	6	12	7	14
1979.....	990	5	-	1	-	4	4	8	7	6	17
WHITE, BOTH SEXES											
1998.....	1,259	2	1	1	1	1	2	6	8	2	29
1997.....	1,333	4	-	1	-	-	2	2	2	12	30
1996.....	1,334	7	2	-	1	1	1	-	3	13	22
1995.....	1,365	4	-	1	2	2	3	-	6	15	17
1994.....	1,504	2	-	1	-	2	6	6	4	13	26
1993.....	1,561	3	3	1	-	-	2	3	9	13	25
1992.....	1,590	2	-	1	1	2	1	2	7	20	25
1991.....	1,587	3	2	-	2	-	-	3	3	11	24
1990.....	1,643	5	2	2	1	2	2	6	5	14	16
1989.....	1,687	1	1	-	1	2	1	6	4	16	24
1988.....	1,750	7	-	1	1	2	1	4	6	13	22
1987.....	1,819	2	1	-	-	2	1	3	12	10	18
1986.....	1,885	4	-	-	-	3	3	8	10	16	17
1985.....	1,866	6	3	-	-	2	4	4	3	14	15
1984.....	1,989	3	1	-	2	2	4	3	9	17	28
1983.....	1,859	6	1	1	2	1	4	4	4	13	19
1982.....	1,978	3	2	-	3	3	3	13	12	12	27
1981.....	1,975	4	2	3	1	1	5	7	7	15	20
1980.....	1,854	2	6	2	4	5	7	7	16	14	21
1979.....	1,817	1	1	1	-	5	7	10	10	15	33

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRIC ULCER (531)											
WHITE MALE											
1998.....	548	1	-	1	-	1	1	4	7	1	20
1997.....	561	2	-	1	-	-	2	2	1	7	17
1996.....	562	2	2	-	1	-	-	-	1	9	18
1995.....	618	4	-	-	-	2	1	-	2	10	10
1994.....	656	1	-	1	-	2	4	3	2	10	15
1993.....	688	3	3	1	-	-	1	1	4	7	13
1992.....	694	1	-	-	-	-	-	1	6	11	17
1991.....	669	2	1	-	1	-	-	2	1	9	10
1990.....	713	1	2	2	1	1	1	2	3	10	11
1989.....	725	-	1	-	1	1	1	3	4	11	18
1988.....	768	4	-	1	1	1	-	2	5	8	14
1987.....	807	1	1	-	-	1	-	1	5	8	7
1986.....	779	1	-	-	-	2	1	3	7	11	12
1985.....	834	3	1	-	-	1	4	3	2	10	10
1984.....	863	2	-	-	-	1	3	2	6	11	14
1983.....	811	3	-	-	1	-	4	2	2	8	13
1982.....	840	3	1	-	2	2	3	3	5	7	14
1981.....	938	4	2	2	1	1	3	5	3	8	15
1980.....	905	-	3	1	2	5	3	3	5	9	10
1979.....	908	1	1	-	-	1	4	2	4	10	18
WHITE FEMALE											
1998.....	711	1	1	-	1	-	1	2	1	1	9
1997.....	772	2	-	-	-	-	-	-	1	5	13
1996.....	772	5	-	-	-	1	1	-	2	4	4
1995.....	747	-	-	1	2	-	2	-	4	5	7
1994.....	848	1	-	-	-	-	2	3	2	3	11
1993.....	873	-	-	-	-	-	1	2	5	6	12
1992.....	896	1	-	1	1	2	1	1	1	9	8
1991.....	918	1	1	-	1	-	-	1	2	2	14
1990.....	930	4	-	-	-	1	1	4	2	4	5
1989.....	962	1	-	-	-	1	-	3	-	5	6
1988.....	982	3	-	-	-	1	1	2	1	5	8
1987.....	1,012	1	-	-	-	1	1	2	7	2	11
1986.....	1,106	3	-	-	-	1	2	5	3	5	5
1985.....	1,032	3	2	-	-	1	-	1	1	4	5
1984.....	1,126	1	1	-	2	1	1	1	3	6	14
1983.....	1,048	3	1	1	1	1	-	2	2	5	6
1982.....	1,138	-	1	-	1	1	-	10	7	5	13
1981.....	1,037	-	-	1	-	-	2	2	4	7	5
1980.....	949	2	3	1	2	-	4	4	11	5	11
1979.....	909	-	-	1	-	4	3	8	6	5	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRIC ULCER (531)											
ALL OTHER, BOTH SEXES											
1998.....	196	2	-	-	-	2	-	1	1	6	9
1997.....	239	3	-	-	-	1	3	2	5	5	14
1996.....	212	3	1	2	1	1	-	1	4	13	7
1995.....	226	1	1	-	-	-	-	2	-	9	11
1994.....	253	4	-	-	2	-	-	2	4	12	10
1993.....	261	1	-	1	-	-	2	-	2	9	9
1992.....	265	1	1	-	-	-	-	2	7	10	10
1991.....	250	1	1	-	-	-	1	3	2	7	11
1990.....	243	1	1	-	-	-	3	2	4	3	15
1989.....	293	4	2	1	-	-	2	2	1	4	10
1988.....	259	6	-	-	-	1	2	1	8	8	7
1987.....	234	5	-	-	2	-	1	1	5	10	7
1986.....	277	1	-	-	-	-	-	2	10	7	11
1985.....	249	1	1	-	-	-	1	4	2	6	10
1984.....	253	4	-	-	-	-	1	1	6	4	9
1983.....	231	3	-	-	-	1	-	-	5	3	10
1982.....	289	6	-	-	-	-	1	2	3	2	6
1981.....	248	5	2	-	-	2	1	-	6	6	7
1980.....	224	5	-	-	1	2	1	3	3	10	13
1979.....	232	8	-	-	-	-	2	1	6	7	9
ALL OTHER MALE											
1998.....	103	1	-	-	-	1	-	-	-	3	7
1997.....	141	1	-	-	-	-	2	1	4	2	12
1996.....	125	1	-	2	-	1	-	-	3	6	6
1995.....	118	1	1	-	-	-	-	2	-	5	9
1994.....	136	4	-	-	2	-	-	2	4	8	7
1993.....	145	1	-	1	-	-	-	-	1	7	7
1992.....	151	1	-	-	-	-	-	2	5	7	9
1991.....	126	-	1	-	-	-	-	1	1	7	10
1990.....	144	1	-	-	-	-	2	1	3	3	10
1989.....	164	1	1	-	-	-	1	1	1	3	5
1988.....	153	3	-	-	-	-	1	1	7	8	6
1987.....	135	1	-	-	2	-	1	1	2	8	6
1986.....	138	1	-	-	-	-	-	2	4	4	5
1985.....	145	1	-	-	-	-	1	2	2	5	5
1984.....	135	2	-	-	-	-	-	-	4	4	5
1983.....	133	3	-	-	-	-	-	-	2	1	6
1982.....	158	2	-	-	-	-	1	1	2	1	5
1981.....	142	3	1	-	-	1	-	-	2	6	4
1980.....	146	4	-	-	1	1	-	1	2	8	10
1979.....	151	3	-	-	-	-	1	1	5	6	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRIC ULCER (531)											
ALL OTHER FEMALE											
1998.....	93	1	-	-	-	1	-	1	1	3	2
1997.....	98	2	-	-	-	1	1	1	1	3	2
1996.....	87	2	1	-	1	-	-	1	1	7	1
1995.....	108	-	-	-	-	-	-	-	-	4	2
1994.....	117	-	-	-	-	-	-	-	-	4	3
1993.....	116	-	-	-	-	-	2	-	1	2	2
1992.....	114	-	1	-	-	-	-	-	2	3	1
1991.....	124	1	-	-	-	-	1	2	1	-	1
1990.....	99	-	1	-	-	-	1	1	1	-	5
1989.....	129	3	1	1	-	-	1	1	-	1	5
1988.....	106	3	-	-	-	1	1	-	1	-	1
1987.....	99	4	-	-	-	-	-	-	3	2	1
1986.....	139	-	-	-	-	-	-	-	6	3	6
1985.....	104	-	1	-	-	-	-	2	-	1	5
1984.....	118	2	-	-	-	-	1	1	2	-	4
1983.....	98	-	-	-	-	1	-	-	3	2	4
1982.....	131	4	-	-	-	-	-	1	1	1	1
1981.....	106	2	1	-	-	1	1	-	4	-	3
1980.....	78	1	-	-	-	1	1	2	1	2	3
1979.....	81	5	-	-	-	-	1	-	1	1	2
BLACK, BOTH SEXES											
1998.....	153	1	-	-	-	2	-	1	-	5	8
1997.....	191	3	-	-	-	1	3	2	4	4	12
1996.....	170	2	1	1	1	1	-	1	3	10	6
1995.....	196	1	-	-	-	-	-	2	-	8	11
1994.....	206	3	-	-	2	-	-	2	3	12	9
1993.....	215	1	-	1	-	-	2	-	2	8	9
1992.....	224	1	-	-	-	-	-	2	7	10	9
1991.....	206	1	-	-	-	-	1	3	2	5	10
1990.....	206	1	1	-	-	-	3	1	3	3	13
1989.....	246	4	1	1	-	-	2	2	1	3	8
1988.....	221	6	-	-	-	1	2	1	8	7	7
1987.....	202	5	-	-	1	-	1	1	5	10	7
1986.....	247	1	-	-	-	-	-	1	10	7	10
1985.....	217	1	1	-	-	-	1	3	1	6	9
1984.....	224	4	-	-	-	-	-	1	6	4	8
1983.....	200	3	-	-	-	1	-	-	4	2	10
1982.....	257	5	-	-	-	-	1	2	3	2	5
1981.....	221	5	1	-	-	2	1	-	6	5	6
1980.....	199	5	-	-	-	2	1	3	2	10	12
1979.....	193	8	-	-	-	-	1	1	5	6	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRIC ULCER (531)											
BLACK MALE											
1998.....	78	1	-	-	-	1	-	-	-	2	6
1997.....	116	1	-	-	-	-	2	1	3	2	10
1996.....	99	-	-	1	-	1	-	-	3	5	5
1995.....	99	1	-	-	-	-	-	2	-	4	9
1994.....	113	3	-	-	2	-	-	2	3	8	6
1993.....	117	1	-	1	-	-	-	-	1	7	7
1992.....	127	1	-	-	-	-	-	2	5	7	8
1991.....	102	-	-	-	-	-	-	1	1	5	9
1990.....	121	1	-	-	-	-	2	-	2	3	10
1989.....	136	1	1	-	-	-	1	1	1	3	4
1988.....	134	3	-	-	-	-	1	1	7	7	6
1987.....	114	1	-	-	1	-	1	1	2	8	6
1986.....	123	1	-	-	-	-	-	1	4	4	4
1985.....	127	1	-	-	-	-	1	2	1	5	5
1984.....	114	2	-	-	-	-	-	-	4	4	4
1983.....	112	3	-	-	-	-	-	-	2	1	6
1982.....	140	2	-	-	-	-	1	1	2	1	4
1981.....	125	3	1	-	-	1	-	-	2	5	4
1980.....	132	4	-	-	-	1	-	1	2	8	9
1979.....	124	3	-	-	-	-	-	1	4	5	6
BLACK FEMALE											
1998.....	75	-	-	-	-	1	-	1	-	3	2
1997.....	75	2	-	-	-	1	1	1	1	2	2
1996.....	71	2	1	-	1	-	-	1	-	5	1
1995.....	97	-	-	-	-	-	-	-	-	4	2
1994.....	93	-	-	-	-	-	-	-	-	4	3
1993.....	98	-	-	-	-	-	2	-	1	1	2
1992.....	97	-	-	-	-	-	-	-	2	3	1
1991.....	104	1	-	-	-	-	1	2	1	-	1
1990.....	85	-	1	-	-	-	1	1	1	-	3
1989.....	110	3	-	1	-	-	1	1	-	-	4
1988.....	87	3	-	-	-	1	1	-	1	-	1
1987.....	88	4	-	-	-	-	-	-	3	2	1
1986.....	124	-	-	-	-	-	-	-	6	3	6
1985.....	90	-	1	-	-	-	-	1	-	1	4
1984.....	110	2	-	-	-	-	-	1	2	-	4
1983.....	88	-	-	-	-	1	-	-	2	1	4
1982.....	117	3	-	-	-	-	-	1	1	1	1
1981.....	96	2	-	-	-	1	1	-	4	-	2
1980.....	67	1	-	-	-	1	1	2	-	2	3
1979.....	69	5	-	-	-	-	1	-	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DUODENAL ULCER (532)											
TOTAL, BOTH SEXES											
1998.....	1,486	-	1	-	1	-	3	3	9	14	21
1997.....	1,610	1	-	2	2	-	2	1	4	18	25
1996.....	1,600	2	1	-	1	1	2	4	10	20	41
1995.....	1,749	2	-	2	1	2	-	6	12	18	29
1994.....	1,993	2	2	1	1	3	2	7	13	14	38
1993.....	1,912	1	2	1	-	2	4	2	5	25	27
1992.....	2,001	4	2	1	1	-	3	3	14	24	25
1991.....	2,018	-	2	-	-	-	2	3	13	27	40
1990.....	1,998	3	-	-	-	1	1	11	18	20	22
1989.....	2,228	6	-	2	-	-	2	10	7	27	33
1988.....	2,177	3	1	-	2	3	7	7	11	25	29
1987.....	2,156	3	4	1	-	1	2	9	12	19	37
1986.....	2,171	3	1	1	2	-	4	4	11	30	25
1985.....	2,279	5	1	-	1	1	3	7	9	21	26
1984.....	2,242	1	1	1	-	1	4	5	12	21	30
1983.....	2,200	1	2	-	-	1	3	9	10	16	28
1982.....	2,325	4	-	2	-	2	4	10	16	15	30
1981.....	2,269	5	-	-	-	3	7	11	19	27	25
1980.....	2,136	3	3	-	3	2	2	3	15	22	27
1979.....	2,123	5	2	-	-	2	8	7	10	24	32
TOTAL, MALE											
1998.....	761	-	-	-	-	-	2	1	6	7	17
1997.....	797	1	-	2	1	-	2	1	1	16	16
1996.....	834	2	-	-	1	-	1	4	5	16	31
1995.....	933	1	-	2	1	2	-	6	9	15	20
1994.....	1,074	-	1	1	-	2	2	7	12	13	28
1993.....	978	-	2	1	-	2	1	1	2	17	16
1992.....	1,037	4	1	1	1	-	2	3	12	17	19
1991.....	1,062	-	-	-	-	-	2	3	10	15	27
1990.....	1,043	1	-	-	-	1	1	10	15	19	17
1989.....	1,167	5	-	1	-	-	2	8	7	21	27
1988.....	1,155	1	1	-	1	3	5	6	8	18	19
1987.....	1,178	3	1	-	-	1	1	7	9	15	27
1986.....	1,150	3	1	1	1	-	2	5	26	17	
1985.....	1,223	2	-	-	-	-	1	6	8	18	18
1984.....	1,182	-	-	1	-	-	3	2	10	16	17
1983.....	1,261	1	2	-	-	1	3	8	7	14	23
1982.....	1,301	1	-	2	-	-	3	7	11	11	21
1981.....	1,292	2	-	-	-	3	6	6	16	22	19
1980.....	1,295	2	2	-	2	1	2	2	10	18	23
1979.....	1,244	4	1	-	-	1	5	6	9	15	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DUODENAL ULCER (532)											
TOTAL, FEMALE											
1998.....	725	-	1	-	1	-	1	2	3	7	4
1997.....	813	-	-	-	1	-	-	-	3	2	9
1996.....	766	-	1	-	-	-	1	-	5	4	10
1995.....	816	1	-	-	-	-	-	-	3	3	9
1994.....	919	2	1	-	1	1	-	-	1	1	10
1993.....	934	1	-	-	-	-	3	1	3	8	11
1992.....	964	-	1	-	-	-	1	-	2	7	6
1991.....	956	-	2	-	-	-	-	-	3	12	13
1990.....	955	2	-	-	-	-	-	1	3	1	5
1989.....	1,061	1	-	1	-	-	-	2	-	6	6
1988.....	1,022	2	-	-	1	-	2	1	3	7	10
1987.....	978	-	3	1	-	-	1	2	3	4	10
1986.....	1,021	-	-	-	1	-	2	2	6	4	8
1985.....	1,056	3	1	-	1	1	2	1	1	3	8
1984.....	1,060	1	1	-	-	1	1	3	2	5	13
1983.....	939	-	-	-	-	-	-	1	3	2	5
1982.....	1,024	3	-	-	-	2	1	3	5	4	9
1981.....	977	3	-	-	-	-	1	5	3	5	6
1980.....	841	1	1	-	1	1	-	1	5	4	4
1979.....	879	1	1	-	-	1	3	1	1	9	11
WHITE, BOTH SEXES											
1998.....	1,336	-	1	-	1	-	2	1	6	10	16
1997.....	1,427	-	-	-	-	-	1	1	4	12	20
1996.....	1,386	1	1	-	1	-	-	1	8	11	30
1995.....	1,560	2	-	2	1	-	-	3	6	9	17
1994.....	1,780	-	2	1	1	3	1	3	9	9	28
1993.....	1,721	-	2	1	-	1	3	-	1	17	19
1992.....	1,804	1	1	1	1	-	3	1	7	12	15
1991.....	1,817	-	2	-	-	-	1	1	7	20	30
1990.....	1,801	3	-	-	-	-	-	6	8	9	15
1989.....	1,985	4	-	2	-	-	-	4	1	17	16
1988.....	1,997	2	1	-	2	3	3	4	8	14	21
1987.....	1,975	2	2	1	-	-	1	7	8	14	26
1986.....	1,961	2	1	1	2	-	3	2	9	22	19
1985.....	2,058	3	-	-	1	-	3	1	5	15	21
1984.....	2,053	-	-	1	-	1	2	4	7	12	20
1983.....	2,007	1	1	-	-	-	1	9	4	12	24
1982.....	2,138	2	-	2	-	1	2	4	13	12	25
1981.....	2,059	3	-	-	-	2	6	7	10	19	16
1980.....	1,959	3	3	-	2	1	1	1	10	17	20
1979.....	1,946	4	2	-	-	-	5	3	6	19	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DUODENAL ULCER (532)											
WHITE MALE											
1998.....	686	-	-	-	-	-	2	-	4	7	13
1997.....	695	-	-	-	-	-	1	1	1	11	15
1996.....	716	1	-	-	1	-	-	1	3	9	23
1995.....	817	1	-	2	1	-	-	3	4	6	9
1994.....	938	-	1	1	-	2	1	3	8	8	19
1993.....	855	-	2	1	-	1	-	-	-	10	11
1992.....	915	1	1	1	1	-	2	1	7	8	9
1991.....	934	-	-	-	-	-	1	1	6	10	19
1990.....	927	1	-	-	-	-	-	5	6	9	12
1989.....	1,019	3	-	1	-	-	-	4	1	12	12
1988.....	1,047	1	1	-	1	3	2	3	5	8	14
1987.....	1,063	2	-	-	-	-	1	6	5	11	17
1986.....	1,023	2	1	1	1	-	2	1	4	18	12
1985.....	1,091	2	-	-	-	-	1	1	5	12	13
1984.....	1,071	-	-	1	-	-	1	1	5	8	12
1983.....	1,128	1	1	-	-	-	1	8	3	10	19
1982.....	1,194	-	-	2	-	-	2	2	9	10	16
1981.....	1,153	1	-	-	-	2	5	4	8	15	10
1980.....	1,179	2	2	-	1	1	1	-	6	14	17
1979.....	1,132	3	1	-	-	-	3	3	5	10	17
WHITE FEMALE											
1998.....	650	-	1	-	1	-	-	1	2	3	3
1997.....	732	-	-	-	-	-	-	-	3	1	5
1996.....	670	-	1	-	-	-	-	-	5	2	7
1995.....	743	1	-	-	-	-	-	-	2	3	8
1994.....	842	-	1	-	1	1	-	-	1	1	9
1993.....	866	-	-	-	-	-	2	-	1	7	8
1992.....	889	-	-	-	-	-	1	-	-	4	6
1991.....	883	-	2	-	-	-	-	-	1	10	11
1990.....	874	2	-	-	-	-	-	1	2	-	3
1989.....	966	1	-	1	-	-	-	-	-	5	4
1988.....	950	1	-	-	1	-	1	1	3	6	7
1987.....	912	-	2	1	-	-	-	1	3	3	9
1986.....	938	-	-	-	1	-	1	1	5	4	7
1985.....	967	1	-	-	1	-	2	-	-	3	8
1984.....	982	-	-	-	-	1	1	3	2	4	8
1983.....	879	-	-	-	-	-	-	1	1	2	5
1982.....	944	2	-	-	-	1	-	2	4	2	9
1981.....	906	2	-	-	-	-	1	3	2	4	6
1980.....	780	1	1	-	1	-	-	1	4	3	3
1979.....	814	1	1	-	-	-	2	-	1	9	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DUODENAL ULCER (532)											
ALL OTHER, BOTH SEXES											
1998.....	150	-	-	-	-	-	1	2	3	4	5
1997.....	183	1	-	2	2	-	1	-	-	6	5
1996.....	214	1	-	-	-	1	2	3	2	9	11
1995.....	189	-	-	-	-	2	-	3	6	9	12
1994.....	213	2	-	-	-	-	1	4	4	5	10
1993.....	191	1	-	-	-	1	1	2	4	8	8
1992.....	197	3	1	-	-	-	-	2	7	12	10
1991.....	201	-	-	-	-	-	1	2	6	7	10
1990.....	197	-	-	-	-	1	1	5	10	11	7
1989.....	243	2	-	-	-	-	2	6	6	10	17
1988.....	180	1	-	-	-	-	4	3	3	11	8
1987.....	181	1	2	-	-	1	1	2	4	5	11
1986.....	210	1	-	-	-	-	1	2	2	8	6
1985.....	221	2	1	-	-	1	-	6	4	6	5
1984.....	189	1	1	-	-	-	2	1	5	9	10
1983.....	193	-	1	-	-	1	2	-	6	4	4
1982.....	187	2	-	-	-	1	2	6	3	3	5
1981.....	210	2	-	-	-	1	1	4	9	8	9
1980.....	177	-	-	-	1	1	1	2	5	5	7
1979.....	177	1	-	-	-	2	3	4	4	5	5
ALL OTHER MALE											
1998.....	75	-	-	-	-	-	-	1	2	-	4
1997.....	102	1	-	2	1	-	1	-	-	5	1
1996.....	118	1	-	-	-	-	1	3	2	7	8
1995.....	116	-	-	-	-	2	-	3	5	9	11
1994.....	136	-	-	-	-	-	1	4	4	5	9
1993.....	123	-	-	-	-	1	-	1	2	7	5
1992.....	122	3	-	-	-	-	-	2	5	9	10
1991.....	128	-	-	-	-	-	1	2	4	5	8
1990.....	116	-	-	-	-	1	1	5	9	10	5
1989.....	148	2	-	-	-	-	2	4	6	9	15
1988.....	108	-	-	-	-	-	3	3	3	10	5
1987.....	115	1	1	-	-	1	-	1	4	4	10
1986.....	127	1	-	-	-	-	-	1	1	8	5
1985.....	132	-	-	-	-	-	-	5	3	6	5
1984.....	111	-	-	-	-	-	2	1	5	8	5
1983.....	133	-	1	-	-	1	2	-	4	4	4
1982.....	107	1	-	-	-	-	1	5	2	1	5
1981.....	139	1	-	-	-	1	1	2	8	7	9
1980.....	116	-	-	-	1	-	1	2	4	4	6
1979.....	112	1	-	-	-	1	2	3	4	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DUODENAL ULCER (532)											
ALL OTHER FEMALE											
1998.....	75	-	-	-	-	-	1	1	1	4	1
1997.....	81	-	-	-	1	-	-	-	-	1	4
1996.....	96	-	-	-	-	1	1	-	-	2	3
1995.....	73	-	-	-	-	-	-	-	1	-	1
1994.....	77	2	-	-	-	-	-	-	-	-	1
1993.....	68	1	-	-	-	-	1	1	2	1	3
1992.....	75	-	1	-	-	-	-	-	2	3	-
1991.....	73	-	-	-	-	-	-	-	2	2	2
1990.....	81	-	-	-	-	-	-	-	1	1	2
1989.....	95	-	-	-	-	-	-	2	-	1	2
1988.....	72	1	-	-	-	-	1	-	-	1	3
1987.....	66	-	1	-	-	-	1	1	-	1	1
1986.....	83	-	-	-	-	-	1	1	1	-	1
1985.....	89	2	1	-	-	1	-	1	1	-	-
1984.....	78	1	1	-	-	-	-	-	-	1	5
1983.....	60	-	-	-	-	-	-	-	2	-	-
1982.....	80	1	-	-	-	1	1	1	1	2	-
1981.....	71	1	-	-	-	-	-	2	1	1	-
1980.....	61	-	-	-	-	1	-	-	1	1	1
1979.....	65	-	-	-	-	1	1	1	-	-	1
BLACK, BOTH SEXES											
1998.....	112	-	-	-	-	-	1	2	3	4	5
1997.....	131	1	-	2	-	-	1	-	-	6	4
1996.....	167	1	-	-	-	1	2	2	2	8	11
1995.....	150	-	-	-	-	2	-	2	6	9	11
1994.....	165	2	-	-	-	-	1	4	3	5	10
1993.....	160	1	-	-	-	-	1	1	4	8	8
1992.....	159	3	-	-	-	-	-	2	6	12	9
1991.....	163	-	-	-	-	-	1	2	6	7	9
1990.....	168	-	-	-	-	1	1	5	9	10	6
1989.....	205	2	-	-	-	-	2	6	6	9	14
1988.....	156	1	-	-	-	-	4	3	3	10	7
1987.....	164	1	1	-	-	1	-	2	4	5	11
1986.....	180	1	-	-	-	-	1	2	2	7	6
1985.....	185	1	1	-	-	1	-	6	3	5	4
1984.....	168	1	-	-	-	-	1	1	5	8	10
1983.....	172	-	-	-	-	1	2	-	6	4	4
1982.....	164	2	-	-	-	1	2	6	3	3	5
1981.....	196	2	-	-	-	1	1	4	9	8	9
1980.....	155	-	-	-	1	1	1	2	5	5	7
1979.....	160	-	-	-	-	2	3	4	4	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DUODENAL ULCER (532)											
BLACK MALE											
1998.....	55	-	-	-	-	-	-	1	2	-	4
1997.....	70	1	-	2	-	-	1	-	-	5	-
1996.....	90	1	-	-	-	-	1	2	2	6	8
1995.....	92	-	-	-	-	2	-	2	5	9	11
1994.....	103	-	-	-	-	-	1	4	3	5	9
1993.....	101	-	-	-	-	-	-	-	2	7	5
1992.....	100	3	-	-	-	-	-	2	4	9	9
1991.....	103	-	-	-	-	-	1	2	4	5	7
1990.....	102	-	-	-	-	1	1	5	8	9	5
1989.....	119	2	-	-	-	-	2	4	6	8	12
1988.....	91	-	-	-	-	-	3	3	3	9	4
1987.....	104	1	1	-	-	1	-	1	4	4	10
1986.....	105	1	-	-	-	-	-	1	1	7	5
1985.....	111	-	-	-	-	-	-	5	3	5	4
1984.....	101	-	-	-	-	-	1	1	5	7	5
1983.....	116	-	-	-	-	1	2	-	4	4	4
1982.....	94	1	-	-	-	-	1	5	2	1	5
1981.....	130	1	-	-	-	1	1	2	8	7	9
1980.....	101	-	-	-	1	-	1	2	4	4	6
1979.....	100	-	-	-	-	1	2	3	4	5	2
BLACK FEMALE											
1998.....	57	-	-	-	-	-	1	1	1	4	1
1997.....	61	-	-	-	-	-	-	-	-	1	4
1996.....	77	-	-	-	-	1	1	-	-	2	3
1995.....	58	-	-	-	-	-	-	-	1	-	-
1994.....	62	2	-	-	-	-	-	-	-	-	1
1993.....	59	1	-	-	-	-	1	1	2	1	3
1992.....	59	-	-	-	-	-	-	-	2	3	-
1991.....	60	-	-	-	-	-	-	-	2	2	2
1990.....	66	-	-	-	-	-	-	-	1	1	1
1989.....	86	-	-	-	-	-	-	2	-	1	2
1988.....	65	1	-	-	-	-	1	-	-	1	3
1987.....	60	-	-	-	-	-	-	1	-	1	1
1986.....	75	-	-	-	-	-	1	1	1	-	1
1985.....	74	1	1	-	-	1	-	1	-	-	-
1984.....	67	1	-	-	-	-	-	-	-	1	5
1983.....	56	-	-	-	-	-	-	-	2	-	-
1982.....	70	1	-	-	-	1	1	1	1	2	-
1981.....	66	1	-	-	-	-	-	2	1	1	-
1980.....	54	-	-	-	-	1	-	-	1	1	1
1979.....	60	-	-	-	-	1	1	1	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)											
TOTAL, BOTH SEXES											
1998.....	1,754	-	-	-	-	-	-	2	5	10	18
1997.....	1,933	-	-	-	-	2	1	2	6	6	23
1996.....	1,959	-	-	-	-	1	1	4	3	8	15
1995.....	2,124	-	-	-	-	2	3	3	6	13	25
1994.....	2,338	-	-	-	-	1	2	6	8	17	14
1993.....	2,211	-	-	-	-	1	2	4	9	10	33
1992.....	2,272	-	-	-	-	2	1	4	6	7	24
1991.....	2,262	2	-	-	-	-	3	4	8	12	19
1990.....	2,302	-	-	-	1	-	2	5	6	13	23
1989.....	2,247	1	-	-	-	3	1	1	9	12	17
1988.....	2,249	-	2	-	1	1	-	4	7	20	20
1987.....	2,149	-	-	1	1	-	-	9	7	10	20
1986.....	2,144	1	-	-	-	1	4	2	10	13	23
1985.....	2,251	-	-	-	-	-	1	4	6	12	18
1984.....	2,086	3	-	-	1	3	-	5	8	8	11
1983.....	2,079	1	-	-	1	-	2	3	10	13	21
1982.....	2,146	-	-	1	1	-	3	6	8	17	20
1981.....	1,997	-	1	-	1	2	2	6	7	14	20
1980.....	1,901	1	1	-	1	4	2	4	10	12	24
1979.....	1,730	2	-	-	2	-	5	7	10	15	28
TOTAL, MALE											
1998.....	823	-	-	-	-	-	-	1	5	7	13
1997.....	880	-	-	-	-	1	1	2	6	5	15
1996.....	883	-	-	-	-	1	-	4	-	7	12
1995.....	955	-	-	-	-	2	1	3	4	4	21
1994.....	1,062	-	-	-	-	1	2	6	6	10	7
1993.....	1,013	-	-	-	-	1	2	4	8	8	21
1992.....	1,042	-	-	-	-	2	1	3	6	5	18
1991.....	1,071	2	-	-	-	-	1	3	6	7	16
1990.....	1,073	-	-	-	-	-	1	4	4	7	15
1989.....	1,089	1	-	-	-	3	-	1	4	7	13
1988.....	1,106	-	1	-	1	1	-	4	6	15	13
1987.....	1,072	-	-	1	1	-	-	7	6	8	15
1986.....	1,041	1	-	-	-	1	2	1	9	10	14
1985.....	1,128	-	-	-	-	-	-	3	5	9	16
1984.....	1,047	1	-	-	1	3	-	3	6	5	7
1983.....	1,055	1	-	-	1	-	2	-	7	6	13
1982.....	1,123	-	-	-	1	-	2	5	5	12	15
1981.....	1,060	-	1	-	-	1	2	4	5	9	11
1980.....	1,059	1	-	-	1	2	1	1	7	9	15
1979.....	943	2	-	-	1	-	3	4	8	11	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)											
TOTAL, FEMALE											
1998.....	931	-	-	-	-	-	-	1	-	3	5
1997.....	1,053	-	-	-	-	1	-	-	-	1	8
1996.....	1,076	-	-	-	-	-	1	-	3	1	3
1995.....	1,169	-	-	-	-	-	2	-	2	9	4
1994.....	1,276	-	-	-	-	-	-	-	2	7	7
1993.....	1,198	-	-	-	-	-	-	-	1	2	12
1992.....	1,230	-	-	-	-	-	-	1	-	2	6
1991.....	1,191	-	-	-	-	-	2	1	2	5	3
1990.....	1,229	-	-	-	1	-	1	1	2	6	8
1989.....	1,158	-	-	-	-	-	1	-	5	5	4
1988.....	1,143	-	1	-	-	-	-	-	1	5	7
1987.....	1,077	-	-	-	-	-	-	2	1	2	5
1986.....	1,103	-	-	-	-	-	2	1	1	3	9
1985.....	1,123	-	-	-	-	-	1	1	1	3	2
1984.....	1,039	2	-	-	-	-	-	2	2	3	4
1983.....	1,024	-	-	-	-	-	-	3	3	7	8
1982.....	1,023	-	-	1	-	-	1	1	3	5	5
1981.....	937	-	-	-	1	1	-	2	2	5	9
1980.....	842	-	1	-	-	2	1	3	3	3	9
1979.....	787	-	-	-	1	-	2	3	2	4	7
WHITE, BOTH SEXES											
1998.....	1,567	-	-	-	-	-	-	2	3	10	12
1997.....	1,724	-	-	-	-	2	1	1	4	4	17
1996.....	1,740	-	-	-	-	1	-	1	1	6	10
1995.....	1,915	-	-	-	-	2	2	1	4	10	19
1994.....	2,082	-	-	-	-	1	1	4	6	7	10
1993.....	1,982	-	-	-	-	1	1	3	7	9	24
1992.....	2,058	-	-	-	-	1	1	3	6	3	20
1991.....	2,052	2	-	-	-	-	3	4	6	8	14
1990.....	2,073	-	-	-	1	-	1	3	3	9	17
1989.....	1,992	1	-	-	-	2	1	1	6	9	10
1988.....	2,040	-	1	-	1	1	-	3	3	15	13
1987.....	1,946	-	-	1	-	-	-	5	4	6	13
1986.....	1,948	1	-	-	-	-	4	1	6	7	19
1985.....	2,060	-	-	-	-	-	1	2	4	10	15
1984.....	1,891	3	-	-	-	3	-	3	5	3	8
1983.....	1,886	1	-	-	1	-	2	2	7	10	15
1982.....	1,947	-	-	1	1	-	3	4	4	10	15
1981.....	1,800	-	1	-	-	2	1	5	3	11	16
1980.....	1,730	-	-	-	1	3	1	3	5	8	18
1979.....	1,568	2	-	-	1	-	4	5	5	9	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)											
WHITE MALE											
1998.....	726	-	-	-	-	-	-	1	3	7	8
1997.....	769	-	-	-	-	1	1	1	4	4	12
1996.....	774	-	-	-	-	1	-	1	-	5	8
1995.....	834	-	-	-	-	2	1	1	3	3	15
1994.....	934	-	-	-	-	1	1	4	4	4	4
1993.....	888	-	-	-	-	1	1	3	6	7	15
1992.....	930	-	-	-	-	1	1	2	6	2	14
1991.....	955	2	-	-	-	-	1	3	5	4	11
1990.....	954	-	-	-	-	-	1	3	2	5	12
1989.....	957	1	-	-	-	2	-	1	3	5	8
1988.....	992	-	-	-	1	1	-	3	2	11	10
1987.....	958	-	-	1	-	-	-	4	3	4	10
1986.....	924	1	-	-	-	-	2	1	5	5	11
1985.....	1,022	-	-	-	-	-	-	1	3	7	14
1984.....	931	1	-	-	-	3	-	1	4	2	4
1983.....	946	1	-	-	1	-	2	-	4	4	9
1982.....	998	-	-	-	1	-	2	4	3	6	12
1981.....	944	-	1	-	-	1	1	4	2	6	8
1980.....	952	-	-	-	1	1	1	1	4	6	11
1979.....	842	2	-	-	1	-	3	3	4	6	17
WHITE FEMALE											
1998.....	841	-	-	-	-	-	-	1	-	3	4
1997.....	955	-	-	-	-	1	-	-	-	-	5
1996.....	966	-	-	-	-	-	-	-	1	1	2
1995.....	1,081	-	-	-	-	-	1	-	1	7	4
1994.....	1,148	-	-	-	-	-	-	-	2	3	6
1993.....	1,094	-	-	-	-	-	-	-	1	2	9
1992.....	1,128	-	-	-	-	-	-	1	-	1	6
1991.....	1,097	-	-	-	-	-	2	1	1	4	3
1990.....	1,119	-	-	-	1	-	-	-	1	4	5
1989.....	1,035	-	-	-	-	-	1	-	3	4	2
1988.....	1,048	-	1	-	-	-	-	-	1	4	3
1987.....	988	-	-	-	-	-	-	1	1	2	3
1986.....	1,024	-	-	-	-	-	2	-	1	2	8
1985.....	1,038	-	-	-	-	-	1	1	1	3	1
1984.....	960	2	-	-	-	-	-	2	1	1	4
1983.....	940	-	-	-	-	-	-	2	3	6	6
1982.....	949	-	-	1	-	-	1	-	1	4	3
1981.....	856	-	-	-	-	1	-	1	1	5	8
1980.....	778	-	-	-	-	2	-	2	1	2	7
1979.....	726	-	-	-	-	-	1	2	1	3	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)											
ALL OTHER, BOTH SEXES											
1998.....	187	-	-	-	-	-	-	-	2	-	6
1997.....	209	-	-	-	-	-	-	1	2	2	6
1996.....	219	-	-	-	-	-	1	3	2	2	5
1995.....	209	-	-	-	-	-	1	2	2	3	6
1994.....	256	-	-	-	-	-	1	2	2	10	4
1993.....	229	-	-	-	-	-	1	1	2	1	9
1992.....	214	-	-	-	-	1	-	1	-	4	4
1991.....	210	-	-	-	-	-	-	-	2	4	5
1990.....	229	-	-	-	-	-	1	2	3	4	6
1989.....	255	-	-	-	-	1	-	-	3	3	7
1988.....	209	-	1	-	-	-	-	1	4	5	7
1987.....	203	-	-	-	1	-	-	4	3	4	7
1986.....	196	-	-	-	-	1	-	1	4	6	4
1985.....	191	-	-	-	-	-	-	2	2	2	3
1984.....	195	-	-	-	1	-	-	2	3	5	3
1983.....	193	-	-	-	-	-	-	1	3	3	6
1982.....	199	-	-	-	-	-	-	2	4	7	5
1981.....	197	-	-	-	1	-	1	1	4	3	4
1980.....	171	1	1	-	-	1	1	1	5	4	6
1979.....	162	-	-	-	1	-	1	2	5	6	5
ALL OTHER MALE											
1998.....	97	-	-	-	-	-	-	-	2	-	5
1997.....	111	-	-	-	-	-	-	1	2	1	3
1996.....	109	-	-	-	-	-	-	3	-	2	4
1995.....	121	-	-	-	-	-	-	2	1	1	6
1994.....	128	-	-	-	-	-	1	2	2	6	3
1993.....	125	-	-	-	-	-	1	1	2	1	6
1992.....	112	-	-	-	-	1	-	1	-	3	4
1991.....	116	-	-	-	-	-	-	-	1	3	5
1990.....	119	-	-	-	-	-	-	1	2	2	3
1989.....	132	-	-	-	-	1	-	-	1	2	5
1988.....	114	-	1	-	-	-	-	1	4	4	3
1987.....	114	-	-	-	1	-	-	3	3	4	5
1986.....	117	-	-	-	-	1	-	-	4	5	3
1985.....	106	-	-	-	-	-	-	2	2	2	2
1984.....	116	-	-	-	1	-	-	2	2	3	3
1983.....	109	-	-	-	-	-	-	-	3	2	4
1982.....	125	-	-	-	-	-	-	1	2	6	3
1981.....	116	-	-	-	-	-	1	-	3	3	3
1980.....	107	1	-	-	-	1	-	-	3	3	4
1979.....	101	-	-	-	-	-	-	1	4	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)											
ALL OTHER FEMALE											
1998.....	90	-	-	-	-	-	-	-	-	-	1
1997.....	98	-	-	-	-	-	-	-	-	1	3
1996.....	110	-	-	-	-	-	1	-	2	-	1
1995.....	88	-	-	-	-	-	1	-	1	2	-
1994.....	128	-	-	-	-	-	-	-	-	4	1
1993.....	104	-	-	-	-	-	-	-	-	-	3
1992.....	102	-	-	-	-	-	-	-	-	1	-
1991.....	94	-	-	-	-	-	-	-	1	1	-
1990.....	110	-	-	-	-	-	1	1	1	2	3
1989.....	123	-	-	-	-	-	-	-	2	1	2
1988.....	95	-	-	-	-	-	-	-	-	1	4
1987.....	89	-	-	-	-	-	-	1	-	-	2
1986.....	79	-	-	-	-	-	-	1	-	1	1
1985.....	85	-	-	-	-	-	-	-	-	-	1
1984.....	79	-	-	-	-	-	-	-	1	2	-
1983.....	84	-	-	-	-	-	-	1	-	1	2
1982.....	74	-	-	-	-	-	-	1	2	1	2
1981.....	81	-	-	-	1	-	-	1	1	-	1
1980.....	64	-	1	-	-	-	1	1	2	1	2
1979.....	61	-	-	-	1	-	1	1	1	1	1
BLACK, BOTH SEXES											
1998.....	146	-	-	-	-	-	-	-	1	-	4
1997.....	170	-	-	-	-	-	-	1	2	2	6
1996.....	183	-	-	-	-	-	1	3	2	2	5
1995.....	172	-	-	-	-	-	1	2	2	3	5
1994.....	206	-	-	-	-	-	1	1	2	10	4
1993.....	186	-	-	-	-	-	1	1	2	-	9
1992.....	185	-	-	-	-	-	-	1	-	4	4
1991.....	178	-	-	-	-	-	-	-	2	4	5
1990.....	208	-	-	-	-	-	1	2	3	4	6
1989.....	214	-	-	-	-	1	-	-	3	3	6
1988.....	183	-	1	-	-	-	-	1	4	5	7
1987.....	177	-	-	-	1	-	-	4	3	4	7
1986.....	173	-	-	-	-	1	-	1	4	6	4
1985.....	169	-	-	-	-	-	-	2	2	2	3
1984.....	170	-	-	-	1	-	-	2	3	5	3
1983.....	175	-	-	-	-	-	-	1	3	3	5
1982.....	172	-	-	-	-	-	-	2	4	6	5
1981.....	176	-	-	-	1	-	-	1	4	3	4
1980.....	157	-	1	-	-	1	1	1	5	4	6
1979.....	151	-	-	-	1	-	1	2	4	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 PEPTIC ULCER, SITE UNSPECIFIED (533)											
BLACK MALE											
1998.....	71	-	-	-	-	-	-	-	1	-	3
1997.....	89	-	-	-	-	-	-	1	2	1	3
1996.....	91	-	-	-	-	-	-	3	-	2	4
1995.....	98	-	-	-	-	-	-	2	1	1	5
1994.....	97	-	-	-	-	-	1	1	2	6	3
1993.....	99	-	-	-	-	-	1	1	2	-	6
1992.....	96	-	-	-	-	-	-	1	-	3	4
1991.....	97	-	-	-	-	-	-	-	1	3	5
1990.....	109	-	-	-	-	-	-	1	2	2	3
1989.....	107	-	-	-	-	1	-	-	1	2	4
1988.....	99	-	1	-	-	-	-	1	4	4	3
1987.....	98	-	-	-	1	-	-	3	3	4	5
1986.....	105	-	-	-	-	1	-	-	4	5	3
1985.....	90	-	-	-	-	-	-	2	2	2	2
1984.....	98	-	-	-	1	-	-	2	2	3	3
1983.....	99	-	-	-	-	-	-	-	3	2	4
1982.....	105	-	-	-	-	-	-	1	2	6	3
1981.....	102	-	-	-	-	-	1	-	3	3	3
1980.....	98	-	-	-	-	1	-	-	3	3	4
1979.....	92	-	-	-	-	-	-	1	4	4	4
BLACK FEMALE											
1998.....	75	-	-	-	-	-	-	-	-	-	1
1997.....	81	-	-	-	-	-	-	-	-	1	3
1996.....	92	-	-	-	-	-	1	-	2	-	1
1995.....	74	-	-	-	-	-	1	-	1	2	-
1994.....	109	-	-	-	-	-	-	-	-	4	1
1993.....	87	-	-	-	-	-	-	-	-	-	3
1992.....	89	-	-	-	-	-	-	-	-	1	-
1991.....	81	-	-	-	-	-	-	-	1	1	-
1990.....	99	-	-	-	-	-	1	1	1	2	3
1989.....	107	-	-	-	-	-	-	-	2	1	2
1988.....	84	-	-	-	-	-	-	-	-	1	4
1987.....	79	-	-	-	-	-	-	1	-	-	2
1986.....	68	-	-	-	-	-	-	1	-	1	1
1985.....	79	-	-	-	-	-	-	-	-	-	1
1984.....	72	-	-	-	-	-	-	-	1	2	-
1983.....	76	-	-	-	-	-	-	1	-	1	1
1982.....	67	-	-	-	-	-	-	1	2	-	2
1981.....	74	-	-	-	1	-	-	1	1	-	1
1980.....	59	-	1	-	-	-	1	1	2	1	2
1979.....	59	-	-	-	1	-	1	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRITIS AND DUODENITIS (535)											
TOTAL, BOTH SEXES											
1998.....	474	1	-	-	-	-	1	2	8	11	9
1997.....	499	-	1	-	-	3	2	3	4	15	21
1996.....	495	-	-	-	-	1	1	1	5	11	16
1995.....	561	-	2	-	2	2	2	5	1	14	25
1994.....	618	1	2	-	-	1	2	4	8	15	22
1993.....	594	1	-	2	-	2	1	5	8	12	22
1992.....	641	1	-	-	1	3	-	5	7	17	22
1991.....	695	2	-	1	-	1	1	5	15	19	27
1990.....	690	1	-	1	-	1	6	8	17	15	23
1989.....	679	1	-	-	-	-	6	7	13	16	23
1988.....	654	-	1	-	1	3	1	5	14	15	28
1987.....	703	3	-	1	1	1	5	5	17	20	22
1986.....	675	-	-	1	1	1	3	5	10	21	24
1985.....	641	2	1	-	-	2	2	4	9	16	10
1984.....	659	-	1	2	-	3	4	9	9	19	23
1983.....	674	5	1	-	2	4	5	9	16	20	22
1982.....	657	1	2	1	-	-	6	9	16	25	23
1981.....	689	2	1	1	1	6	8	11	9	24	25
1980.....	695	4	2	-	-	2	7	9	14	15	24
1979.....	658	2	-	1	1	6	3	4	10	25	20
TOTAL, MALE											
1998.....	231	1	-	-	-	-	1	2	5	7	6
1997.....	247	-	1	-	-	2	1	2	2	12	17
1996.....	240	-	-	-	-	1	1	-	3	8	13
1995.....	280	-	2	-	2	-	2	3	1	8	19
1994.....	312	-	2	-	-	1	1	3	8	12	17
1993.....	299	1	-	-	-	2	1	4	6	7	17
1992.....	328	-	-	-	-	2	-	3	7	12	13
1991.....	359	2	-	-	-	1	-	5	6	12	18
1990.....	347	1	-	1	-	-	5	6	13	10	14
1989.....	339	1	-	-	-	-	5	4	11	9	21
1988.....	366	-	1	-	-	2	1	5	10	10	23
1987.....	380	1	-	1	1	1	4	3	13	18	18
1986.....	350	-	-	1	-	1	3	2	5	20	17
1985.....	349	2	1	-	-	-	1	4	6	12	6
1984.....	385	-	-	1	-	3	3	7	7	11	17
1983.....	362	1	-	-	1	2	3	8	9	13	14
1982.....	378	-	-	-	-	-	4	6	15	21	17
1981.....	396	2	1	-	-	4	6	8	6	19	19
1980.....	413	3	-	-	-	1	4	7	8	12	20
1979.....	398	-	-	-	1	4	2	4	8	20	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRITIS AND DUODENITIS (535)											
TOTAL, FEMALE											
1998.....	243	-	-	-	-	-	-	-	3	4	3
1997.....	252	-	-	-	-	1	1	1	2	3	4
1996.....	255	-	-	-	-	-	-	1	2	3	3
1995.....	281	-	-	-	-	2	-	2	-	6	6
1994.....	306	1	-	-	-	-	1	1	-	3	5
1993.....	295	-	-	2	-	-	-	1	2	5	5
1992.....	313	1	-	-	1	1	-	2	-	5	9
1991.....	336	-	-	1	-	-	1	-	9	7	9
1990.....	343	-	-	-	-	1	1	2	4	5	9
1989.....	340	-	-	-	-	-	1	3	2	7	2
1988.....	288	-	-	-	1	1	-	-	4	5	5
1987.....	323	2	-	-	-	-	1	2	4	2	4
1986.....	325	-	-	-	1	-	-	3	5	1	7
1985.....	292	-	-	-	-	2	1	-	3	4	4
1984.....	274	-	1	1	-	-	1	2	2	8	6
1983.....	312	4	1	-	1	2	2	1	7	7	8
1982.....	279	1	2	1	-	-	2	3	1	4	6
1981.....	293	-	-	1	1	2	2	3	3	5	6
1980.....	282	1	2	-	-	1	3	2	6	3	4
1979.....	260	2	-	1	-	2	1	-	2	5	4
WHITE, BOTH SEXES											
1998.....	404	1	-	-	-	-	1	2	5	7	6
1997.....	433	-	-	-	-	1	1	3	3	12	17
1996.....	426	-	-	-	-	-	1	1	3	8	15
1995.....	493	-	1	-	2	2	2	4	1	11	18
1994.....	528	-	1	-	-	1	1	2	7	11	19
1993.....	517	-	-	2	-	2	-	5	5	9	18
1992.....	549	1	-	-	-	3	-	3	5	15	15
1991.....	607	1	-	1	-	1	1	4	13	14	19
1990.....	606	-	-	-	-	-	6	7	11	13	15
1989.....	579	1	-	-	-	-	5	5	12	12	18
1988.....	560	-	1	-	1	2	1	5	13	6	18
1987.....	621	-	-	1	1	1	4	3	12	17	18
1986.....	573	-	-	1	-	-	1	4	5	10	15
1985.....	555	1	1	-	-	2	2	2	6	11	5
1984.....	585	-	1	2	-	1	3	6	7	13	16
1983.....	576	4	-	-	2	2	4	6	10	11	13
1982.....	572	1	2	1	-	-	6	6	13	19	16
1981.....	584	2	-	1	1	6	4	6	5	13	17
1980.....	595	2	1	-	-	2	6	5	9	12	19
1979.....	570	-	-	-	1	5	3	3	7	16	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRITIS AND DUODENITIS (535)											
WHITE MALE											
1998.....	191	1	-	-	-	-	1	2	4	5	6
1997.....	213	-	-	-	-	-	-	2	2	11	15
1996.....	204	-	-	-	-	-	1	-	1	5	12
1995.....	247	-	1	-	2	-	2	2	1	7	16
1994.....	270	-	1	-	-	1	-	2	7	11	14
1993.....	258	-	-	-	-	2	-	4	5	6	14
1992.....	273	-	-	-	-	2	-	2	5	11	11
1991.....	306	1	-	-	-	1	-	4	4	8	14
1990.....	300	-	-	-	-	-	5	5	8	9	10
1989.....	280	1	-	-	-	-	4	3	10	7	16
1988.....	309	-	1	-	-	2	1	5	9	4	15
1987.....	329	-	-	1	1	1	4	2	8	16	15
1986.....	287	-	-	1	-	-	1	1	4	10	10
1985.....	292	1	1	-	-	-	1	2	4	8	4
1984.....	330	-	-	1	-	1	2	5	5	8	10
1983.....	309	1	-	-	1	1	2	6	6	7	9
1982.....	322	-	-	-	-	-	4	4	12	17	12
1981.....	323	2	-	-	-	4	2	4	2	11	13
1980.....	346	2	-	-	-	1	4	4	5	10	15
1979.....	342	-	-	-	1	3	2	3	5	13	12
WHITE FEMALE											
1998.....	213	-	-	-	-	-	-	-	1	2	-
1997.....	220	-	-	-	-	1	1	1	1	1	2
1996.....	222	-	-	-	-	-	-	1	2	3	3
1995.....	246	-	-	-	-	2	-	2	-	4	2
1994.....	258	-	-	-	-	-	1	-	-	-	5
1993.....	259	-	-	2	-	-	-	1	-	3	4
1992.....	276	1	-	-	-	1	-	1	-	4	4
1991.....	301	-	-	1	-	-	1	-	9	6	5
1990.....	306	-	-	-	-	-	1	2	3	4	5
1989.....	299	-	-	-	-	-	1	2	2	5	2
1988.....	251	-	-	-	1	-	-	-	4	2	3
1987.....	292	-	-	-	-	-	-	1	4	1	3
1986.....	286	-	-	-	-	-	-	3	1	-	5
1985.....	263	-	-	-	-	2	1	-	2	3	1
1984.....	255	-	1	1	-	-	1	1	2	5	6
1983.....	267	3	-	-	1	1	2	-	4	4	4
1982.....	250	1	2	1	-	-	2	2	1	2	4
1981.....	261	-	-	1	1	2	2	2	3	2	4
1980.....	249	-	1	-	-	1	2	1	4	2	4
1979.....	228	-	-	-	-	2	1	-	2	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRITIS AND DUODENITIS (535)											
ALL OTHER, BOTH SEXES											
1998.....	70	-	-	-	-	-	-	-	3	4	3
1997.....	66	-	1	-	-	2	1	-	1	3	4
1996.....	69	-	-	-	-	1	-	-	2	3	1
1995.....	68	-	1	-	-	-	-	1	-	3	7
1994.....	90	1	1	-	-	-	1	2	1	4	3
1993.....	77	1	-	-	-	-	1	-	3	3	4
1992.....	92	-	-	-	1	-	-	2	2	2	7
1991.....	88	1	-	-	-	-	-	1	2	5	8
1990.....	84	1	-	1	-	1	-	1	6	2	8
1989.....	100	-	-	-	-	-	1	2	1	4	5
1988.....	94	-	-	-	-	1	-	-	1	9	10
1987.....	82	3	-	-	-	-	1	2	5	3	4
1986.....	102	-	-	-	1	1	2	1	5	11	9
1985.....	86	1	-	-	-	-	-	2	3	5	5
1984.....	74	-	-	-	-	2	1	3	2	6	7
1983.....	98	1	1	-	-	2	1	3	6	9	9
1982.....	85	-	-	-	-	-	-	3	3	6	7
1981.....	105	-	1	-	-	-	4	5	4	11	8
1980.....	100	2	1	-	-	-	1	4	5	3	5
1979.....	88	2	-	1	-	1	-	1	3	9	6
ALL OTHER MALE											
1998.....	40	-	-	-	-	-	-	-	1	2	-
1997.....	34	-	1	-	-	2	1	-	-	1	2
1996.....	36	-	-	-	-	1	-	-	2	3	1
1995.....	33	-	1	-	-	-	-	1	-	1	3
1994.....	42	-	1	-	-	-	1	1	1	1	3
1993.....	41	1	-	-	-	-	1	-	1	1	3
1992.....	55	-	-	-	-	-	-	1	2	1	2
1991.....	53	1	-	-	-	-	-	1	2	4	4
1990.....	47	1	-	1	-	-	-	1	5	1	4
1989.....	59	-	-	-	-	-	1	1	1	2	5
1988.....	57	-	-	-	-	-	-	-	1	6	8
1987.....	51	1	-	-	-	-	-	1	5	2	3
1986.....	63	-	-	-	-	1	2	1	1	10	7
1985.....	57	1	-	-	-	-	-	2	2	4	2
1984.....	55	-	-	-	-	2	1	2	2	3	7
1983.....	53	-	-	-	-	1	1	2	3	6	5
1982.....	56	-	-	-	-	-	-	2	3	4	5
1981.....	73	-	1	-	-	-	4	4	4	8	6
1980.....	67	1	-	-	-	-	-	3	3	2	5
1979.....	56	-	-	-	-	1	-	1	3	7	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRITIS AND DUODENITIS (535)											
ALL OTHER FEMALE											
1998.....	30	-	-	-	-	-	-	-	2	2	3
1997.....	32	-	-	-	-	-	-	-	1	2	2
1996.....	33	-	-	-	-	-	-	-	-	-	-
1995.....	35	-	-	-	-	-	-	-	-	2	4
1994.....	48	1	-	-	-	-	-	1	-	3	-
1993.....	36	-	-	-	-	-	-	-	2	2	1
1992.....	37	-	-	-	1	-	-	1	-	1	5
1991.....	35	-	-	-	-	-	-	-	-	1	4
1990.....	37	-	-	-	-	1	-	-	1	1	4
1989.....	41	-	-	-	-	-	-	1	-	2	-
1988.....	37	-	-	-	-	1	-	-	-	3	2
1987.....	31	2	-	-	-	-	1	1	-	1	1
1986.....	39	-	-	-	1	-	-	-	4	1	2
1985.....	29	-	-	-	-	-	-	-	1	1	3
1984.....	19	-	-	-	-	-	-	1	-	3	-
1983.....	45	1	1	-	-	1	-	1	3	3	4
1982.....	29	-	-	-	-	-	-	1	-	2	2
1981.....	32	-	-	-	-	-	-	1	-	3	2
1980.....	33	1	1	-	-	-	1	1	2	1	-
1979.....	32	2	-	1	-	-	-	-	-	2	2
BLACK, BOTH SEXES											
1998.....	54	-	-	-	-	-	-	-	3	2	2
1997.....	50	-	1	-	-	2	1	-	-	1	4
1996.....	58	-	-	-	-	1	-	-	2	3	-
1995.....	55	-	1	-	-	-	-	1	-	3	5
1994.....	82	1	-	-	-	-	1	2	1	4	3
1993.....	61	1	-	-	-	1	-	1	-	3	3
1992.....	79	-	-	-	1	-	-	2	2	1	6
1991.....	77	1	-	-	-	-	-	-	2	4	7
1990.....	77	1	-	1	-	1	-	-	6	2	6
1989.....	89	-	-	-	-	-	-	2	1	4	5
1988.....	83	-	-	-	-	1	-	-	1	8	7
1987.....	72	3	-	-	-	-	1	2	5	3	4
1986.....	93	-	-	-	1	1	2	1	5	8	9
1985.....	74	1	-	-	-	-	-	2	3	4	5
1984.....	69	-	-	-	-	2	1	2	2	6	6
1983.....	83	1	1	-	-	2	1	3	6	8	9
1982.....	74	-	-	-	-	-	-	3	2	5	7
1981.....	96	-	1	-	-	-	4	5	4	11	8
1980.....	87	2	1	-	-	-	1	2	4	1	4
1979.....	77	2	-	1	-	1	-	-	2	7	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GASTRITIS AND DUODENITIS (535)											
BLACK MALE											
1998.....	31	-	-	-	-	-	-	-	1	1	-
1997.....	28	-	1	-	-	2	1	-	-	-	2
1996.....	26	-	-	-	-	1	-	-	2	3	-
1995.....	26	-	1	-	-	-	-	1	-	1	2
1994.....	38	-	-	-	-	-	1	1	1	1	3
1993.....	32	1	-	-	-	-	1	-	-	1	2
1992.....	45	-	-	-	-	-	-	1	2	-	2
1991.....	47	1	-	-	-	-	-	-	2	4	4
1990.....	41	1	-	1	-	-	-	-	5	1	2
1989.....	48	-	-	-	-	-	-	1	1	2	5
1988.....	48	-	-	-	-	-	-	-	1	5	6
1987.....	46	1	-	-	-	-	-	1	5	2	3
1986.....	56	-	-	-	-	1	2	1	1	7	7
1985.....	47	1	-	-	-	-	-	2	2	3	2
1984.....	52	-	-	-	-	2	1	1	2	3	6
1983.....	49	-	-	-	-	1	1	2	3	6	5
1982.....	51	-	-	-	-	-	-	2	2	4	5
1981.....	70	-	1	-	-	-	4	4	4	8	6
1980.....	58	1	-	-	-	-	-	2	3	1	4
1979.....	46	-	-	-	-	1	-	-	2	6	3
BLACK FEMALE											
1998.....	23	-	-	-	-	-	-	-	2	1	2
1997.....	22	-	-	-	-	-	-	-	-	1	2
1996.....	32	-	-	-	-	-	-	-	-	-	-
1995.....	29	-	-	-	-	-	-	-	-	2	3
1994.....	44	1	-	-	-	-	-	1	-	3	-
1993.....	29	-	-	-	-	-	-	-	1	2	1
1992.....	34	-	-	-	1	-	-	1	-	1	4
1991.....	30	-	-	-	-	-	-	-	-	-	3
1990.....	36	-	-	-	-	1	-	-	1	1	4
1989.....	41	-	-	-	-	-	-	1	-	2	-
1988.....	35	-	-	-	-	1	-	-	-	3	1
1987.....	26	2	-	-	-	-	1	1	-	1	1
1986.....	37	-	-	-	1	-	-	-	4	1	2
1985.....	27	-	-	-	-	-	-	-	1	1	3
1984.....	17	-	-	-	-	-	-	1	-	3	-
1983.....	34	1	1	-	-	1	-	1	3	2	4
1982.....	23	-	-	-	-	-	-	1	-	1	2
1981.....	26	-	-	-	-	-	-	1	-	3	2
1980.....	29	1	1	-	-	-	1	-	1	-	-
1979.....	31	2	-	1	-	-	-	-	-	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	439	9	5	5	10	5	7	5	6	16	13
1997.....	395	3	2	10	8	3	6	5	10	10	14
1996.....	424	1	2	11	14	11	7	5	6	19	9
1995.....	398	4	3	7	7	3	3	5	4	5	13
1994.....	380	1	5	5	5	9	6	6	8	18	5
1993.....	367	6	8	3	7	6	5	2	10	11	15
1992.....	413	4	2	6	3	10	6	9	8	11	14
1991.....	389	2	5	4	6	10	5	7	4	11	16
1990.....	438	5	7	6	7	5	6	5	7	8	22
1989.....	451	2	-	6	10	10	8	9	8	5	8
1988.....	473	3	7	6	13	4	3	6	7	12	11
1987.....	481	1	1	11	4	7	4	1	10	11	12
1986.....	512	6	6	14	3	10	6	5	10	6	10
1985.....	501	6	8	7	3	5	8	7	7	8	7
1984.....	493	3	8	8	10	2	8	8	7	6	11
1983.....	526	2	7	8	8	9	10	4	8	8	9
1982.....	529	7	9	10	19	9	3	4	5	10	11
1981.....	589	3	5	3	14	10	12	14	7	13	15
1980.....	701	10	12	11	12	14	14	8	14	11	14
1979.....	682	6	7	11	18	10	16	10	7	11	12
TOTAL, MALE											
1998.....	256	5	3	3	6	4	5	4	5	10	9
1997.....	228	1	-	5	4	2	3	5	9	7	10
1996.....	240	1	1	7	7	7	6	3	5	11	3
1995.....	229	3	1	4	5	3	3	5	2	3	9
1994.....	220	1	2	3	3	7	3	4	3	10	3
1993.....	217	6	6	2	4	3	3	2	6	7	10
1992.....	244	3	2	6	3	5	6	6	2	8	9
1991.....	207	2	2	1	4	9	3	4	4	10	9
1990.....	257	3	5	3	3	4	5	3	3	5	14
1989.....	237	1	-	6	6	6	5	7	7	4	4
1988.....	241	3	3	3	9	2	1	2	3	9	7
1987.....	255	-	1	6	4	7	2	1	5	8	10
1986.....	280	4	3	5	2	5	4	5	6	3	5
1985.....	276	4	4	4	2	3	6	4	6	6	6
1984.....	265	2	2	3	7	2	6	3	3	4	5
1983.....	292	1	6	8	5	7	6	3	6	3	6
1982.....	303	3	6	7	14	6	1	2	3	7	7
1981.....	329	1	3	1	9	4	10	10	3	10	11
1980.....	383	4	6	6	5	8	7	4	8	6	8
1979.....	373	4	2	8	10	6	10	6	5	7	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	183	4	2	2	4	1	2	1	1	6	4
1997.....	167	2	2	5	4	1	3	-	1	3	4
1996.....	184	-	1	4	7	4	1	2	1	8	6
1995.....	169	1	2	3	2	-	-	-	2	2	4
1994.....	160	-	3	2	2	2	3	2	5	8	2
1993.....	150	-	2	1	3	3	2	-	4	4	5
1992.....	169	1	-	-	-	5	-	3	6	3	5
1991.....	182	-	3	3	2	1	2	3	-	1	7
1990.....	181	2	2	3	4	1	1	2	4	3	8
1989.....	214	1	-	-	4	4	3	2	1	1	4
1988.....	232	-	4	3	4	2	2	4	4	3	4
1987.....	226	1	-	5	-	-	2	-	5	3	2
1986.....	232	2	3	9	1	5	2	-	4	3	5
1985.....	225	2	4	3	1	2	2	3	1	2	1
1984.....	228	1	6	5	3	-	2	5	4	2	6
1983.....	234	1	1	-	3	2	4	1	2	5	3
1982.....	226	4	3	3	5	3	2	2	2	3	4
1981.....	260	2	2	2	5	6	2	4	4	3	4
1980.....	318	6	6	5	7	6	7	4	6	5	6
1979.....	309	2	5	3	8	4	6	4	2	4	4
WHITE, BOTH SEXES											
1998.....	356	4	4	3	8	3	5	4	5	11	11
1997.....	309	3	1	7	5	3	4	3	7	7	7
1996.....	352	1	2	8	13	7	4	3	5	14	7
1995.....	313	3	3	5	7	2	2	4	4	3	5
1994.....	305	-	3	2	4	7	5	5	4	9	4
1993.....	283	4	5	3	4	4	3	2	8	5	11
1992.....	326	3	2	5	2	9	2	4	2	7	11
1991.....	321	2	2	4	5	5	3	5	3	8	12
1990.....	357	5	7	4	6	3	4	3	5	7	16
1989.....	354	1	-	4	4	5	6	8	4	4	5
1988.....	368	3	5	1	11	1	3	5	6	10	7
1987.....	378	1	-	8	3	6	2	1	6	8	11
1986.....	394	5	2	9	2	5	3	4	6	3	6
1985.....	396	6	4	2	2	5	7	4	3	4	4
1984.....	403	2	7	6	6	1	7	6	4	3	8
1983.....	428	2	6	6	7	7	7	4	6	5	6
1982.....	413	6	8	8	14	7	3	2	5	7	7
1981.....	466	2	4	3	11	6	11	13	5	9	14
1980.....	566	7	11	8	9	7	12	5	13	8	9
1979.....	539	5	5	9	14	9	9	6	3	9	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	201	3	2	2	5	2	3	3	4	7	8
1997.....	167	1	-	4	2	2	1	3	6	6	4
1996.....	191	1	1	6	6	3	4	1	4	8	3
1995.....	168	2	1	3	5	2	2	4	2	2	3
1994.....	168	-	2	-	2	5	3	3	-	4	3
1993.....	159	4	4	2	2	2	1	2	5	4	7
1992.....	196	3	2	5	2	5	2	3	-	5	8
1991.....	163	2	1	1	3	4	2	2	3	8	7
1990.....	212	3	5	3	2	3	3	3	3	5	11
1989.....	185	1	-	4	2	2	4	6	4	3	2
1988.....	181	3	2	1	8	1	1	2	2	7	3
1987.....	203	-	-	4	3	6	1	1	4	5	9
1986.....	215	3	1	3	1	3	3	4	4	1	5
1985.....	217	4	2	1	2	3	5	2	3	3	4
1984.....	220	1	2	3	4	1	5	2	2	2	3
1983.....	238	1	5	6	4	5	5	3	6	2	5
1982.....	236	2	5	6	10	5	1	1	3	7	3
1981.....	260	-	2	1	7	3	9	9	3	7	10
1980.....	308	3	6	4	3	5	6	3	7	4	5
1979.....	292	3	1	7	10	6	5	4	2	6	6
WHITE FEMALE											
1998.....	155	1	2	1	3	1	2	1	1	4	3
1997.....	142	2	1	3	3	1	3	-	1	1	3
1996.....	161	-	1	2	7	4	-	2	1	6	4
1995.....	145	1	2	2	2	-	-	-	2	1	2
1994.....	137	-	1	2	2	2	2	2	4	5	1
1993.....	124	-	1	1	2	2	2	-	3	1	4
1992.....	130	-	-	-	-	4	-	1	2	2	3
1991.....	158	-	1	3	2	1	1	3	-	-	5
1990.....	145	2	2	1	4	-	1	-	2	2	5
1989.....	169	-	-	-	2	3	2	2	-	1	3
1988.....	187	-	3	-	3	-	2	3	4	3	4
1987.....	175	1	-	4	-	-	1	-	2	3	2
1986.....	179	2	1	6	1	2	-	-	2	2	1
1985.....	179	2	2	1	-	2	2	2	-	1	-
1984.....	183	1	5	3	2	-	2	4	2	1	5
1983.....	190	1	1	-	3	2	2	1	-	3	1
1982.....	177	4	3	2	4	2	2	1	2	-	4
1981.....	206	2	2	2	4	3	2	4	2	2	4
1980.....	258	4	5	4	6	2	6	2	6	4	4
1979.....	247	2	4	2	4	3	4	2	1	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	83	5	1	2	2	2	2	1	1	5	2
1997.....	86	-	1	3	3	-	2	2	3	3	7
1996.....	72	-	-	3	1	4	3	2	1	5	2
1995.....	85	1	-	2	-	1	1	1	-	2	8
1994.....	75	1	2	3	1	2	1	1	4	9	1
1993.....	84	2	3	-	3	2	2	-	2	6	4
1992.....	87	1	-	1	1	1	4	5	6	4	3
1991.....	68	-	3	-	1	5	2	2	1	3	4
1990.....	81	-	-	2	1	2	2	2	2	1	6
1989.....	97	1	-	2	6	5	2	1	4	1	3
1988.....	105	-	2	5	2	3	-	1	1	2	4
1987.....	103	-	1	3	1	1	2	-	4	3	1
1986.....	118	1	4	5	1	5	3	1	4	3	4
1985.....	105	-	4	5	1	-	1	3	4	4	3
1984.....	90	1	1	2	4	1	1	2	3	3	3
1983.....	98	-	1	2	1	2	3	-	2	3	3
1982.....	116	1	1	2	5	2	-	2	-	3	4
1981.....	123	1	1	-	3	4	1	1	2	4	1
1980.....	135	3	1	3	3	7	2	3	1	3	5
1979.....	143	1	2	2	4	1	7	4	4	2	5
ALL OTHER MALE											
1998.....	55	2	1	1	1	2	2	1	1	3	1
1997.....	61	-	-	1	2	-	2	2	3	1	6
1996.....	49	-	-	1	1	4	2	2	1	3	-
1995.....	61	1	-	1	-	1	1	1	-	1	6
1994.....	52	1	-	3	1	2	-	1	3	6	-
1993.....	58	2	2	-	2	1	2	-	1	3	3
1992.....	48	-	-	1	1	-	4	3	2	3	1
1991.....	44	-	1	-	1	5	1	2	1	2	2
1990.....	45	-	-	-	1	1	2	-	-	-	3
1989.....	52	-	-	2	4	4	1	1	3	1	2
1988.....	60	-	1	2	1	1	-	-	1	2	4
1987.....	52	-	1	2	1	1	1	-	1	3	1
1986.....	65	1	2	2	1	2	1	1	2	2	-
1985.....	59	-	2	3	-	-	1	2	3	3	2
1984.....	45	1	-	-	3	1	1	1	1	2	2
1983.....	54	-	1	2	1	2	1	-	-	1	1
1982.....	67	1	1	1	4	1	-	1	-	-	4
1981.....	69	1	1	-	2	1	1	1	-	3	1
1980.....	75	1	-	2	2	3	1	1	1	2	3
1979.....	81	1	1	1	-	-	5	2	3	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	28	3	-	1	1	-	-	-	-	2	1
1997.....	25	-	1	2	1	-	-	-	-	2	1
1996.....	23	-	-	2	-	-	1	-	-	2	2
1995.....	24	-	-	1	-	-	-	-	-	1	2
1994.....	23	-	2	-	-	-	1	-	1	3	1
1993.....	26	-	1	-	1	1	-	-	1	3	1
1992.....	39	1	-	-	-	1	-	2	4	1	2
1991.....	24	-	2	-	-	-	1	-	-	1	2
1990.....	36	-	-	2	-	1	-	2	2	1	3
1989.....	45	1	-	-	2	1	1	-	1	-	1
1988.....	45	-	1	3	1	2	-	1	-	-	-
1987.....	51	-	-	1	-	-	1	-	3	-	-
1986.....	53	-	2	3	-	3	2	-	2	1	4
1985.....	46	-	2	2	1	-	-	1	1	1	1
1984.....	45	-	1	2	1	-	-	1	2	1	1
1983.....	44	-	-	-	-	-	2	-	2	2	2
1982.....	49	-	-	1	1	1	-	1	-	3	-
1981.....	54	-	-	-	1	3	-	-	2	1	-
1980.....	60	2	1	1	1	4	1	2	-	1	2
1979.....	62	-	1	1	4	1	2	2	1	1	3
BLACK, BOTH SEXES											
1998.....	66	2	1	1	1	2	1	-	1	4	2
1997.....	76	-	-	3	3	-	2	2	3	3	7
1996.....	66	-	-	3	1	4	2	2	1	5	2
1995.....	79	1	-	2	-	1	1	1	-	2	8
1994.....	68	1	2	2	1	2	1	1	3	7	1
1993.....	71	2	2	-	3	2	1	-	2	6	4
1992.....	76	1	-	1	1	1	3	4	5	3	3
1991.....	65	-	2	-	1	5	2	2	1	3	4
1990.....	71	-	-	1	1	2	1	2	2	1	6
1989.....	89	1	-	2	5	4	2	1	3	1	3
1988.....	99	-	2	5	1	3	-	1	1	2	4
1987.....	95	-	1	2	1	1	2	-	4	3	1
1986.....	109	1	4	4	1	5	3	1	4	3	4
1985.....	99	-	4	5	1	-	1	3	4	4	2
1984.....	84	1	1	2	3	1	1	2	3	2	3
1983.....	91	-	1	2	-	2	3	-	-	2	3
1982.....	108	1	1	2	5	2	-	2	-	3	4
1981.....	117	1	1	-	3	4	1	1	2	4	1
1980.....	130	3	1	3	3	6	2	3	1	3	5
1979.....	136	1	1	2	4	1	7	3	4	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR APPENDICITIS (540-543)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	46	1	1	-	-	2	1	-	1	2	1
1997.....	56	-	-	1	2	-	2	2	3	1	6
1996.....	44	-	-	1	1	4	1	2	1	3	-
1995.....	57	1	-	1	-	1	1	1	-	1	6
1994.....	46	1	-	2	1	2	-	1	2	5	-
1993.....	48	2	1	-	2	1	1	-	1	3	3
1992.....	41	-	-	1	1	-	3	2	1	3	1
1991.....	42	-	-	-	1	5	1	2	1	2	2
1990.....	39	-	-	-	1	1	1	-	-	-	3
1989.....	47	-	-	2	3	3	1	1	3	1	2
1988.....	57	-	1	2	1	1	-	-	1	2	4
1987.....	47	-	1	1	1	1	1	-	1	3	1
1986.....	59	1	2	2	1	2	1	1	2	2	-
1985.....	57	-	2	3	-	-	1	2	3	3	1
1984.....	40	1	-	-	2	1	1	1	1	1	2
1983.....	51	-	1	2	-	2	1	-	-	1	1
1982.....	62	1	1	1	4	1	-	1	-	-	4
1981.....	64	1	1	-	2	1	1	1	-	3	1
1980.....	72	1	-	2	2	2	1	1	1	2	3
1979.....	75	1	-	1	-	-	5	1	3	1	2
BLACK FEMALE											
1998.....	20	1	-	1	1	-	-	-	-	2	1
1997.....	20	-	-	2	1	-	-	-	-	2	1
1996.....	22	-	-	2	-	-	1	-	-	2	2
1995.....	22	-	-	1	-	-	-	-	-	1	2
1994.....	22	-	2	-	-	-	1	-	1	2	1
1993.....	23	-	1	-	1	1	-	-	1	3	1
1992.....	35	1	-	-	-	1	-	2	4	-	2
1991.....	23	-	2	-	-	-	1	-	-	1	2
1990.....	32	-	-	1	-	1	-	2	2	1	3
1989.....	42	1	-	-	2	1	1	-	-	-	1
1988.....	42	-	1	3	-	2	-	1	-	-	-
1987.....	48	-	-	1	-	-	1	-	3	-	-
1986.....	50	-	2	2	-	3	2	-	2	1	4
1985.....	42	-	2	2	1	-	-	1	1	1	1
1984.....	44	-	1	2	1	-	-	1	2	1	1
1983.....	40	-	-	-	-	-	2	-	-	1	2
1982.....	46	-	-	1	1	1	-	1	-	3	-
1981.....	53	-	-	-	1	3	-	-	2	1	-
1980.....	58	2	1	1	1	4	1	2	-	1	2
1979.....	61	-	1	1	4	1	2	2	1	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)											
TOTAL, BOTH SEXES											
1998.....	6,635	69	20	12	7	9	15	17	16	35	60
1997.....	6,498	77	15	7	10	10	10	15	22	43	61
1996.....	6,476	69	24	15	7	9	15	21	29	41	63
1995.....	6,188	74	25	12	12	15	8	22	23	53	51
1994.....	6,142	62	21	11	11	9	11	12	31	33	50
1993.....	5,919	69	26	8	15	13	4	17	26	34	44
1992.....	6,073	77	21	13	9	12	15	24	25	45	45
1991.....	6,106	88	31	6	4	11	9	25	23	44	46
1990.....	5,838	87	23	17	10	7	15	17	15	43	54
1989.....	5,530	88	26	12	12	9	5	24	30	49	46
1988.....	5,599	77	25	11	8	6	13	13	26	32	43
1987.....	5,547	94	33	13	4	11	14	23	34	40	35
1986.....	5,445	104	31	17	8	15	12	14	25	27	45
1985.....	5,361	81	23	14	7	8	16	20	28	37	37
1984.....	5,300	105	21	8	9	13	20	18	25	37	34
1983.....	5,094	105	28	11	10	9	15	17	25	29	43
1982.....	5,054	130	29	6	9	17	21	19	24	35	39
1981.....	5,282	126	30	18	11	8	21	20	19	29	47
1980.....	5,415	131	27	15	10	23	24	20	30	43	60
1979.....	5,349	171	25	14	6	14	32	26	34	36	49
TOTAL, MALE											
1998.....	2,350	40	12	12	4	4	9	8	10	21	34
1997.....	2,420	49	8	6	6	8	6	9	14	23	31
1996.....	2,400	36	15	10	4	8	7	13	15	19	31
1995.....	2,280	39	15	11	11	10	5	13	15	31	25
1994.....	2,284	37	17	4	4	5	7	10	20	23	30
1993.....	2,197	47	16	4	7	10	4	9	15	15	30
1992.....	2,241	40	15	10	3	7	8	17	15	30	21
1991.....	2,244	61	21	4	3	9	6	14	17	24	25
1990.....	2,132	59	16	10	7	5	10	11	8	22	29
1989.....	2,047	57	16	7	9	7	4	10	18	23	21
1988.....	2,041	36	15	9	4	4	7	5	15	23	25
1987.....	2,091	58	22	7	4	8	7	9	18	25	20
1986.....	2,072	65	20	7	5	9	8	8	16	9	27
1985.....	2,040	43	15	8	2	6	12	10	14	25	20
1984.....	2,029	72	10	5	3	9	7	11	14	20	23
1983.....	2,091	62	21	7	7	5	10	10	16	21	22
1982.....	1,965	82	21	4	6	10	12	12	12	22	21
1981.....	2,079	80	18	11	5	5	11	13	7	16	24
1980.....	2,147	78	16	9	7	11	15	12	12	19	24
1979.....	2,146	104	14	7	5	5	20	17	23	17	27