

**2005Table 5-1. Unspecified and other pneumoconioses: Number of deaths by sex, race, and age, and median age at death, U.S. residents age 15 and over, 1993–2002**

Year	No. of Deaths	Underlying Cause (%)	Sex		Race			Age Group (yrs)								Median Age (yrs)
			Male	Female	White	Black	Other	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85+	
1993	358	31.8	349	9	336	19	3	-	1	3	2	23	105	161	63	77.0
1994	384	33.1	375	9	363	21	-	-	-	-	1	29	88	189	77	78.0
1995	353	30.6	344	9	339	13	1	-	-	-	10	27	86	158	72	78.0
1996	349	34.1	338	11	326	18	5	-	-	3	6	28	81	147	84	78.0
1997	287	32.1	277	10	270	16	1	-	-	1	3	18	57	130	78	80.0
1998	329	37.4	317	12	311	15	3	-	1	1	6	24	70	151	76	79.0
1999	318	36.2	311	7	300	16	2	-	-	2	4	19	70	138	85	79.0
2000	297	39.4	290	7	277	19	1	-	-	4	2	12	58	114	107	82.0
2001	267	38.2	256	11	250	17	-	-	-	1	9	6	58	101	92	81.0
2002	255	44.3	241	14	235	19	1	-	-	-	3	17	52	105	78	80.0
<b>TOTAL</b>	<b>3,197</b>	<b>35.3</b>	<b>3,098</b>	<b>99</b>	<b>3,007</b>	<b>173</b>	<b>17</b>	<b>-</b>	<b>2</b>	<b>15</b>	<b>46</b>	<b>203</b>	<b>725</b>	<b>1,394</b>	<b>812</b>	<b>79.0</b>

– indicates no deaths listed.

NOTE: Slight variations in numbers may exist when compared to previous WoRLD Surveillance Reports. See appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data.