Asbestosis: Number of deaths, death rates (per million population), and years of potential life lost (YPLL) by state, U.S. residents age 15 and over, 1993–2002

	No. of		Crude Death Rate		Age-Adjusted Death Rate		YPLL to Life Expectancy			
State	Deaths	Rank	Rate	Rank	Rate	Rank	Total	Rank	YPLL/death	Rank
Alabama	423	10	12.23	7	12.17	8	5,011	11	11.8	19
Alaska	23	47	5.06	24	12.82	6	259	47	11.3	29
Arizona	140	26	3.88	31	3.76	34	1,559	26	11.1	33
Arkansas	83	32	4.15	29	3.75	35	986	32	11.9	16
California	1,058	1	4.21	28	4.79	25	11,732	1	11.1	33
Colorado	99	30	3.18	39	3.97	33	1,134	30	11.5	24
Connecticut	142	25	5.44	22	4.92	23	1,647	25	11.6	23
Delaware	126	27	21.21	1	21.96	1	1,432	27	11.4	26
District of Columbia	7	50	1.61	50	1.57	50	69	50	9.8	51
Florida	732	5	6.13	19	4.49	30	8,244	5	11.3	29
Georgia	154	23	2.59	47	3.28	37	1,886	23	12.2	8
Hawaii	25	46	2.65	46	2.64	46	311	46	12.5	3
Idaho	46	42	4.87	25	5.30	22	478	42	10.4	44
Illinois	255	17	2.72	45	2.75	45	2,932	17	11.5	24
Indiana	76	33	1.63	49	1.66	49	924	33	12.2	8
Iowa	65	35	2.85	44	2.43	47	711	36	10.9	38
Kansas	69	34	3.35	36	3.18	39	850	34	12.3	5
Kentucky	92	31	2.94	43	3.04	43	1,099	31	12.0	12
Louisiana	247	18	7.27	13	7.94	14	3,080	16	12.5	3
Maine	124	28	12.31	6	11.64	9	1,381	29	11.1	33
Maryland	451	9	11.12	8	12.41	7	5,406	8	12.0	12
Massachusetts	378	12	7.68	12	7.08	16	4,010	13	10.6	42
Michigan	242	19	3.14	40	3.21	38	2,882	18	11.9	16
Minnesota	168	21	4.55	27	4.62	26	2,001	22	11.9	16
Mississippi	309	14	14.49	3	15.00	3	3,945	14	12.8	1
Missouri	144	24	3.36	35	3.14	42	1,724	24	12.0	12
Montana	48	41	6.85	15	6.54	19	515	41	10.7	40
Nebraska	45	43	3.46	34	3.16	41	457	43	10.2	48
Nevada	55	38	4.07	30	4.56	28	691	37	12.6	2
New Hampshire	60	37	6.40	18	6.91	17	668	38	11.1	33
New Jersey	895	4	13.90	4	13.19	5	9,478	4	10.6	42
New Mexico	40	44	3.03	41	3.38	36	417	44	10.4	44
New York	474	8	3.30	38	3.18	39	5,287	9	11.2	31
North Carolina	351	13	5.91	20	6.04	20	4,234	12	12.1	11
North Dakota	27	45	5.32	23	4.82	24	325	45	12.0	12
Ohio	420	11	4.74	26	4.58	27	5,184	10	12.3	5
Oklahoma	63	36	2.40	48	2.28	48	772	35	12.3	5
Oregon	269	16	10.33	10	9.95	11	2,768	19	10.3	46
Pennsylvania	1,009	2	10.46	9	8.67	12	11,224	3	11.1	33
Rhode Island	52	39	6.59	16	5.54	21	584	39	11.2	31
South Carolina	209	20	6.87	14	7.35	15	2,475	20	11.8	19
South Dakota	5	51	0.87	51	0.78	51	54	51	10.7	40
Tennessee	168	21	3.88	31	4.02	32	2,041	21	12.2	8
Texas	988	3	6.56	17	8.03	13	11,555	2	11.7	22
Utah	51	40	3.35	36	4.55	29	524	40	10.3	46
Vermont	18	49	3.78	33	4.33	31	195	49	10.3	39
Virginia			9.22			10	5,722			
Washington	500	7		11 5	10.67 14.98	4		7 6	11.4 10.1	26 49
	609	6	13.61 20.25	2			6,154			
West Virginia	301	15 28	3.01	42	17.95 2.91	2 44	3,542 1,420	15 28	11.8 11.4	19 26
Wisconsin Wyoming	22									
vv youning		48	5.82	21	6.65	18	218	48	9.9	50

⁻ indicates no deaths listed.

NOTE: Slight variations in numbers may exist when compared to previous WoRLD Surveillance Reports. See appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data. Population estimates from U.S. Bureau of the Census.