

**NORA manufacturing sector and byssinosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999**

Bureau of Census Industry/Occupation		Number of Deaths*	PMR	95% Confidence Interval	
				LCL	UCL
<b>CIC</b>	<b>Industry</b>				
142	Yarn, thread, and fabric mills	39	22.3	15.8	30.4
	All other industries within this sector	11			
	<b>TOTAL</b>	<b>50</b>			
<b>COC</b>	<b>Occupation</b>				
749	Miscellaneous textile machine operators	11	36.0	18.0	64.4
518	Industrial machinery repairers	7	30.8	12.4	63.4
738	Winding and twisting machine operators	8	27.5	11.9	54.2
	All other occupations within this sector	23			
	Occupation not reported within this sector	1			
	<b>TOTAL</b>	<b>50</b>			

NORA - National Occupational Research Agenda    CIC - Census Industry Code    COC - Census Occupation Code

n.e.c. - not elsewhere classified    LCL - lower confidence limit    UCL - upper confidence limit

\* The total number of byssinosis deaths was 81 in these same selected states and years, and the comparable number of byssinosis deaths in the entire United States for this same time period was 125.

NOTE: See appendices for source description, methods, ICD codes, industry and occupation codes, industrial sector groupings, and list of selected states and years.

SOURCE: National Center for Health Statistics multiple cause-of-death data.