

CDC's EMERGING INFECTIONS PROGRAM

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)
FoodNet 2002 Final Report

Population in Bacterial Catchment Areas:	Percent
California*.....	3,228,717 8.5%
Colorado*.....	2,507,484 6.6%
Connecticut.....	3,460,503 9.1%
Georgia.....	8,560,310 22.5%
Maryland*.....	5,458,137 14.4%
Minnesota.....	5,019,720 13.2%
New York*.....	3,330,456 8.8%
Oregon.....	3,521,515 9.3%
Tennessee*.....	2,874,846 7.6%
Total.....	37,961,688 100.0%

Population in Parasitic Catchment Areas:	Percent
California*.....	5,615,424 13.9%
Colorado*.....	2,507,484 6.2%
Connecticut.....	3,460,503 8.6%
Georgia.....	8,560,310 21.2%
Maryland*.....	5,458,137 13.5%
Minnesota.....	5,019,720 12.4%
New York*.....	3,330,456 8.3%
Oregon.....	3,521,515 8.7%
Tennessee*.....	2,874,846 7.1%
Total.....	40,348,395 100.0%

United States Population: 281,421,906

* Selected Counties

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 1a - Percent Site by Pathogen

		Site									Total
		Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Pathogen											
CAMPYLOBACTER	Cases	1018	347	542	664	374	941	431	562	180	5059
	Percent	20.1	6.9	10.7	13.1	7.4	18.6	8.5	11.1	3.6	100.0
CRYPTOSPORIDIUM	Cases	55	20	19	118	20	206	43	37	13	531
	Percent	10.4	3.8	3.6	22.2	3.8	38.8	8.1	7.0	2.4	100.0
CYCLOSPORA	Cases	3	-	7	22	2	-	7	-	1	42
	Percent	7.1	-	16.7	52.4	4.8	-	16.7	-	2.4	100.0
E. COLI 0157	Cases	45	58	45	45	27	160	56	177	25	638
	Percent	7.1	9.1	7.1	7.1	4.2	25.1	8.8	27.7	3.9	100.0
LISTERIA	Cases	12	3	16	16	21	4	15	8	3	98
	Percent	12.2	3.1	16.3	16.3	21.4	4.1	15.3	8.2	3.1	100.0
SALMONELLA	Cases	521	323	457	1901	943	593	531	327	554	6150
	Percent	8.5	5.3	7.4	30.9	15.3	9.6	8.6	5.3	9.0	100.0
SHIGELLA	Cases	367	136	104	1831	1167	222	50	90	146	4113
	Percent	8.9	3.3	2.5	44.5	28.4	5.4	1.2	2.2	3.5	100.0
STEC NON0157	Cases	-	-	15	4	-	12	-	4	-	35
	Percent	-	-	42.9	11.4	-	34.3	-	11.4	-	100.0
STEC O AG UNDET	Cases	-	2	2	3	-	16	-	-	-	23
	Percent	-	8.7	8.7	13.0	-	69.6	-	-	-	100.0
VIBRIO	Cases	11	3	11	27	20	5	4	16	7	104
	Percent	10.6	2.9	10.6	26.0	19.2	4.8	3.8	15.4	6.7	100.0
YERSINIA	Cases	17	3	16	47	15	19	21	16	15	169
	Percent	10.1	1.8	9.5	27.8	8.9	11.2	12.4	9.5	8.9	100.0
Total	Cases	2049	895	1234	4678	2589	2178	1158	1237	944	16962
	Percent	12.1	5.3	7.3	27.6	15.3	12.8	6.8	7.3	5.6	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 1b - Percent Pathogen by Site

		Pathogen											Total
		CAMPY- LOBAC- TER	CRYPT- OSPOR- IDIUM	CYCLO- SPORA	E. COLI 0157	LISTE- RIA	SALMO- NELLA	SHIGE- LLA	STEC NONO1- 57	STEC 0 AG UNDET	VIBRIO	YERSI- NIA	
Site													
Ca.	Cases	1018	55	3	45	12	521	367	-	-	11	17	2049
	Percent	49.7	2.7	0.1	2.2	0.6	25.4	17.9	-	-	0.5	0.8	100.0
Co.	Cases	347	20	-	58	3	323	136	-	2	3	3	895
	Percent	38.8	2.2	-	6.5	0.3	36.1	15.2	-	0.2	0.3	0.3	100.0
Ct.	Cases	542	19	7	45	16	457	104	15	2	11	16	1234
	Percent	43.9	1.5	0.6	3.6	1.3	37.0	8.4	1.2	0.2	0.9	1.3	100.0
Ga.	Cases	664	118	22	45	16	1901	1831	4	3	27	47	4678
	Percent	14.2	2.5	0.5	1.0	0.3	40.6	39.1	0.1	0.1	0.6	1.0	100.0
Md.	Cases	374	20	2	27	21	943	1167	-	-	20	15	2589
	Percent	14.4	0.8	0.1	1.0	0.8	36.4	45.1	-	-	0.8	0.6	100.0
Mn.	Cases	941	206	-	160	4	593	222	12	16	5	19	2178
	Percent	43.2	9.5	-	7.3	0.2	27.2	10.2	0.6	0.7	0.2	0.9	100.0
NY.	Cases	431	43	7	56	15	531	50	-	-	4	21	1158
	Percent	37.2	3.7	0.6	4.8	1.3	45.9	4.3	-	-	0.3	1.8	100.0
Or.	Cases	562	37	-	177	8	327	90	4	-	16	16	1237
	Percent	45.4	3.0	-	14.3	0.6	26.4	7.3	0.3	-	1.3	1.3	100.0
Tn.	Cases	180	13	1	25	3	554	146	-	-	7	15	944
	Percent	19.1	1.4	0.1	2.6	0.3	58.7	15.5	-	-	0.7	1.6	100.0
Total	Cases	5059	531	42	638	98	6150	4113	35	23	104	169	16962
	Percent	29.8	3.1	0.2	3.8	0.6	36.3	24.2	0.2	0.1	0.6	1.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 2a - Cases per 100,000 by Pathogen for All Sites

	Cases per 100,000	Total Cases
Pathogen		
CAMPYLOBACTER	13.33	5059
CRYPTOSPORIDIUM	1.32	531
CYCLOSPORA	0.10	42
E. COLI O157	1.68	638
LISTERIA	0.26	98
SALMONELLA	16.20	6150
SHIGELLA	10.83	4113
STEC NONO157	0.09	35
STEC O AG UNDET	0.06	23
VIBRIO	0.27	104
YERSINIA	0.45	169
Total	44.59	16962

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 2b - Cases per 100,000 by Pathogen by Site

	Cases per 100,000								
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.
Pathogen									
CAMPYLOBACTER	31.53	13.84	15.66	7.76	6.85	18.75	12.94	15.96	6.26
CRYPTOSPORIDIUM	0.98	0.80	0.55	1.38	0.37	4.10	1.29	1.05	0.45
CYCLOSPORA	0.05	-	0.20	0.26	0.04	-	0.21	-	0.03
E. COLI O157	1.39	2.31	1.30	0.53	0.49	3.19	1.68	5.03	0.87
LISTERIA	0.37	0.12	0.46	0.19	0.38	0.08	0.45	0.23	0.10
SALMONELLA	16.14	12.88	13.21	22.21	17.28	11.81	15.94	9.29	19.27
SHIGELLA	11.37	5.42	3.01	21.39	21.38	4.42	1.50	2.56	5.08
STEC NONO157	-	-	0.43	0.05	-	0.24	-	0.11	-
STEC O AG UNDET	-	0.08	0.06	0.04	-	0.32	-	-	-
VIBRIO	0.34	0.12	0.32	0.32	0.37	0.10	0.12	0.45	0.24
YERSINIA	0.53	0.12	0.46	0.55	0.27	0.38	0.63	0.45	0.52
Total	62.70	35.69	35.66	54.65	47.43	43.39	34.77	35.13	32.84

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 3 - Cases per 100,000 by Month by Pathogen for All Sites

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.90	0.58	0.78	0.89	1.16	1.52	1.74	1.58	1.27	1.18	0.94	0.78
CRYPTOSPORIDIUM	0.08	0.07	0.05	0.08	0.07	0.07	0.13	0.29	0.18	0.15	0.09	0.05
CYCLOSPORA	0.00	0.01	0.01	0.01	0.01	0.01	0.05	0.00	0.00	0.00	0.00	0.00
E. COLI O157	0.04	0.03	0.04	0.08	0.10	0.15	0.26	0.43	0.28	0.13	0.06	0.07
LISTERIA	0.02	0.01	0.01	0.01	0.01	0.03	0.03	0.03	0.03	0.04	0.02	0.02
SALMONELLA	0.82	0.71	0.81	1.04	1.26	1.68	2.12	2.24	1.87	1.66	1.05	0.92
SHIGELLA	0.55	0.45	0.56	0.63	0.80	0.85	1.08	1.11	1.01	1.49	1.30	1.01
STEC NONO157	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.03	0.01	0.01	0.00	0.00
STEC O AG UNDET	0.00	0.00	0.01	0.00	0.01	0.01	0.02	0.01	0.01	0.01	0.00	0.00
VIBRIO	0.01	0.01	0.00	0.02	0.02	0.02	0.07	0.06	0.02	0.02	0.01	0.01
YERSINIA	0.08	0.03	0.01	0.03	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.06

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3a: Site = California

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.19	0.12	0.18	0.18	0.30	0.26	0.30	0.26	0.26	0.26	0.19	0.18
CRYPTOSPORIDIUM	0.02	0.00	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.03	0.02	0.00
CYCLOSPORA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E. COLI 0157	0.00	0.00	0.00	0.01	0.00	0.01	0.02	0.01	0.01	0.02	0.01	0.03
LISTERIA	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01
SALMONELLA	0.10	0.08	0.07	0.11	0.11	0.16	0.13	0.17	0.11	0.16	0.08	0.09
SHIGELLA	0.08	0.06	0.08	0.06	0.04	0.09	0.12	0.19	0.07	0.08	0.07	0.05
VIBRIO	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
YERSINIA	0.01	0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3c: Site = Connecticut

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.08	0.04	0.08	0.09	0.09	0.18	0.21	0.15	0.14	0.14	0.11	0.09
CRYPTOSPORIDIUM	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00
CYCLOSPORA	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E. COLI O157	0.01	0.01	0.00	0.00	0.02	0.02	0.02	0.02	0.01	0.01	0.00	0.00
LISTERIA	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.00	0.01
SALMONELLA	0.07	0.06	0.08	0.07	0.09	0.09	0.14	0.17	0.13	0.14	0.09	0.06
SHIGELLA	0.01	0.01	0.02	0.01	0.01	0.01	0.06	0.04	0.02	0.03	0.04	0.02
STEC NONO157	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.02	0.00	0.01	0.00	0.00
STEC O AG UNDET	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
VIBRIO	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00
YERSINIA	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3d: Site = Georgia

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.10	0.08	0.12	0.12	0.18	0.17	0.18	0.22	0.16	0.14	0.16	0.12
CRYPTOSPORIDIUM	0.02	0.03	0.01	0.02	0.02	0.02	0.03	0.04	0.02	0.04	0.02	0.01
CYCLOSPORA	0.00	0.01	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00
E. COLI O157	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.00	0.01	0.01	0.01
LISTERIA	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.00
SALMONELLA	0.22	0.13	0.22	0.22	0.37	0.40	0.71	0.73	0.75	0.63	0.36	0.27
SHIGELLA	0.26	0.20	0.23	0.27	0.34	0.32	0.31	0.32	0.51	0.90	0.63	0.55
STEC NONO157	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STEC O AG UNDET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VIBRIO	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.00	0.01
YERSINIA	0.04	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.03

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3e: Site = Maryland

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.07	0.04	0.06	0.06	0.06	0.17	0.16	0.10	0.08	0.06	0.08	0.06
CRYPTOSPORIDIUM	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.00
CYCLOSPORA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E. COLI 0157	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.01	0.00	0.01	0.00
LISTERIA	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00
SALMONELLA	0.11	0.10	0.13	0.12	0.22	0.23	0.40	0.40	0.21	0.25	0.15	0.16
SHIGELLA	0.09	0.12	0.14	0.20	0.28	0.30	0.45	0.39	0.26	0.25	0.33	0.25
VIBRIO	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.01	0.00	0.00	0.00	0.00
YERSINIA	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.01

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3f: Site = Minnesota

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.17	0.10	0.11	0.18	0.20	0.31	0.36	0.30	0.28	0.22	0.12	0.13
CRYPTOSPORIDIUM	0.01	0.01	0.01	0.02	0.02	0.02	0.04	0.18	0.09	0.06	0.03	0.01
E. COLI O157	0.01	0.01	0.02	0.02	0.01	0.04	0.09	0.09	0.09	0.02	0.02	0.01
LISTERIA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
SALMONELLA	0.09	0.10	0.10	0.14	0.10	0.14	0.17	0.21	0.14	0.12	0.15	0.10
SHIGELLA	0.04	0.03	0.04	0.03	0.11	0.07	0.05	0.06	0.03	0.07	0.04	0.03
STEC NONO157	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.00	0.00	0.00
STEC O AG UNDET	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.00
VIBRIO	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
YERSINIA	0.00	0.01	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.00

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3g: Site = New York

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.08	0.04	0.06	0.07	0.10	0.13	0.17	0.13	0.11	0.11	0.08	0.05
CRYPTOSPORIDIUM	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.02	0.02	0.01	0.01	0.01
CYCLOSPORA	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00
E. COLI 0157	0.01	0.01	0.01	0.00	0.01	0.01	0.02	0.03	0.03	0.01	0.01	0.01
LISTERIA	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
SALMONELLA	0.04	0.09	0.10	0.11	0.09	0.31	0.14	0.16	0.19	0.08	0.05	0.05
SHIGELLA	0.00	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02
VIBRIO	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
YERSINIA	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.01

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3h: Site = Oregon

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.11	0.09	0.09	0.12	0.12	0.17	0.18	0.20	0.12	0.09	0.11	0.08
CRYPTOSPORIDIUM	0.01	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.02	0.00	0.00	0.00
E. COLI O157	0.00	0.00	0.01	0.03	0.02	0.02	0.02	0.22	0.09	0.04	0.01	0.01
LISTERIA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
SALMONELLA	0.06	0.06	0.04	0.12	0.11	0.08	0.07	0.08	0.08	0.07	0.04	0.04
SHIGELLA	0.04	0.01	0.00	0.01	0.01	0.01	0.03	0.03	0.02	0.03	0.03	0.01
STEC NONO157	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
VIBRIO	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.00
YERSINIA	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.00

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 3a through 3i - Cases per 100,000 by Month by Pathogen by Site

Table 3i: Site = Tennessee

Cases per 100,000	Month											
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02
Pathogen												
CAMPYLOBACTER	0.03	0.02	0.02	0.03	0.06	0.05	0.06	0.06	0.05	0.05	0.03	0.02
CRYPTOSPORIDIUM	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CYCLOSPORA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
E. COLI 0157	0.01	0.00	0.00	0.00	0.01	0.00	0.02	0.01	0.00	0.01	0.00	0.01
LISTERIA	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
SALMONELLA	0.09	0.04	0.04	0.06	0.10	0.19	0.25	0.21	0.16	0.13	0.08	0.10
SHIGELLA	0.02	0.01	0.01	0.01	0.01	0.03	0.02	0.03	0.04	0.04	0.11	0.06
VIBRIO	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00
YERSINIA	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 4 - Pathogen by Month Collected for All Sites

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	341	220	297	337	442	578	662	598	483	448	356	297	5059
CRYPTOSPORIDIUM	32	27	21	31	29	29	53	119	71	60	38	21	531
CYCLOSPORA	0	4	4	4	4	5	19	2	0	0	0	0	42
E. COLI O157	17	11	15	30	39	58	99	164	105	51	21	28	638
LISTERIA	7	5	5	4	3	11	11	13	10	14	9	6	98
SALMONELLA	312	270	309	396	480	639	806	852	709	631	397	349	6150
SHIGELLA	209	170	211	238	305	321	411	420	385	566	495	382	4113
STEC NONO157	3	1	0	1	3	3	4	13	2	3	1	1	35
STEC O AG UNDET	1	0	2	0	3	3	6	2	4	2	0	0	23
VIBRIO	2	2	1	9	8	9	28	22	8	8	3	4	104
YERSINIA	30	12	3	10	14	14	14	16	12	10	10	24	169
Total	954	722	868	1060	1330	1670	2113	2221	1789	1793	1330	1112	16962

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4a: Site = California

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	71	46	70	68	113	97	113	99	99	100	72	70	1018
CRYPTOSPORIDIUM	7	2	4	6	1	5	2	5	3	11	7	2	55
CYCLOSPORA	-	-	2	-	-	1	-	-	-	-	-	-	3
E. COLI 0157	1	1	-	2	1	3	6	5	5	8	3	10	45
LISTERIA	1	-	1	-	1	2	1	-	-	3	1	2	12
SALMONELLA	37	29	26	42	43	60	51	63	43	60	31	36	521
SHIGELLA	31	22	29	21	16	33	44	71	28	29	25	18	367
STEC NON0157	-	-	-	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO	-	-	-	1	-	1	2	2	2	2	1	-	11
YERSINIA	4	2	-	2	1	1	-	2	2	2	-	1	17
Total	152	102	132	142	176	203	219	247	182	215	140	139	2049

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4b: Site = Colorado

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	27	12	21	14	21	33	53	59	29	38	23	17	347
CRYPTOSPORIDIUM	2	-	1	-	3	2	6	2	2	2	-	-	20
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI 0157	1	-	-	4	3	12	16	6	10	5	1	-	58
LISTERIA	1	-	-	-	-	-	-	-	1	-	-	1	3
SALMONELLA	22	15	8	35	26	29	46	43	33	28	19	19	323
SHIGELLA	6	4	7	6	2	8	13	16	19	31	18	6	136
STEC NON0157	-	-	-	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	1	-	-	-	1	-	-	2
VIBRIO	-	-	-	1	-	-	1	-	-	1	-	-	3
YERSINIA	-	-	-	2	-	-	1	-	-	-	-	-	3
Total	59	31	37	62	55	85	136	126	94	106	61	43	895

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4c: Site = Connecticut

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	32	17	32	34	36	68	80	58	54	54	41	36	542
CRYPTOSPORIDIUM	2	1	-	-	1	1	3	6	2	-	1	2	19
CYCLOSPORA	-	-	-	2	3	1	1	-	-	-	-	-	7
E. COLI 0157	3	2	1	1	8	6	8	6	5	4	1	-	45
LISTERIA	1	1	-	-	-	3	3	2	1	2	1	2	16
SALMONELLA	27	24	32	27	35	35	54	65	49	55	33	21	457
SHIGELLA	2	2	9	5	2	3	22	17	6	12	17	7	104
STEC NON0157	-	-	-	-	3	1	2	6	-	2	-	1	15
STEC O AG UNDET	-	-	-	-	-	-	2	-	-	-	-	-	2
VIBRIO	-	-	-	1	1	-	7	1	-	1	-	-	11
YERSINIA	1	-	1	-	4	3	2	2	-	-	1	2	16
Total	68	47	75	70	93	121	184	163	117	130	95	71	1234

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4d: Site = Georgia

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	38	31	45	47	67	65	68	83	61	53	62	44	664
CRYPTOSPORIDIUM	10	12	4	8	9	7	13	18	7	15	10	5	118
CYCLOSPORA	-	4	2	1	1	1	11	2	-	-	-	-	22
E. COLI 0157	3	2	2	3	7	6	6	6	1	3	2	4	45
LISTERIA	1	1	-	2	1	2	1	1	1	3	3	-	16
SALMONELLA	82	51	84	84	141	150	268	277	285	240	136	103	1901
SHIGELLA	98	76	86	103	128	122	119	121	193	340	238	207	1831
STEC NON0157	3	-	-	-	-	-	-	-	-	-	1	-	4
STEC O AG UNDET	-	-	-	-	1	1	1	-	-	-	-	-	3
VIBRIO	-	-	-	2	2	2	5	8	3	1	1	3	27
YERSINIA	14	5	-	1	1	1	5	2	2	2	4	10	47
Total	249	182	223	251	358	357	497	518	553	657	457	376	4678

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4e: Site = Maryland

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	26	14	23	22	22	65	60	37	30	24	29	22	374
CRYPTOSPORIDIUM	-	2	1	1	1	3	2	4	4	1	-	1	20
CYCLOSPORA	-	-	-	-	-	2	-	-	-	-	-	-	2
E. COLI 0157	-	-	1	1	2	3	5	7	5	1	2	-	27
LISTERIA	1	1	1	1	1	3	3	2	2	4	2	-	21
SALMONELLA	42	39	51	45	85	87	151	152	81	94	56	60	943
SHIGELLA	36	46	55	76	107	113	170	147	100	96	126	95	1167
STEC NON0157	-	-	-	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO	-	-	-	1	2	3	8	3	1	1	-	1	20
YERSINIA	2	-	1	1	1	2	-	1	2	1	1	3	15
Total	107	102	133	148	221	281	399	353	225	222	216	182	2589

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4f: Site = Minnesota

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	63	39	41	69	76	119	135	114	106	84	47	48	941
CRYPTOSPORIDIUM	5	6	6	9	7	8	17	71	36	24	13	4	206
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI 0157	5	2	6	6	4	16	33	34	33	9	7	5	160
LISTERIA	-	-	-	-	-	-	-	-	1	-	2	1	4
SALMONELLA	33	39	38	54	38	55	63	81	52	46	56	38	593
SHIGELLA	15	10	15	13	41	25	20	21	11	25	15	11	222
STEC NON0157	-	1	-	-	-	-	2	6	2	1	-	-	12
STEC O AG UNDET	1	-	2	-	2	1	3	2	4	1	-	-	16
VIBRIO	-	1	-	2	-	-	1	1	-	-	-	-	5
YERSINIA	1	3	-	1	2	2	2	3	1	2	1	1	19
Total	123	101	108	154	170	226	276	333	246	192	141	108	2178

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4g: Site = New York

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	31	17	24	28	38	49	63	49	40	42	30	20	431
CRYPTOSPORIDIUM	-	-	3	1	1	1	5	10	9	3	4	6	43
CYCLOSPORA	-	-	-	-	-	-	7	-	-	-	-	-	7
E. COLI 0157	2	3	2	-	3	4	8	13	11	3	2	5	56
LISTERIA	1	1	2	-	-	1	2	3	4	1	-	-	15
SALMONELLA	14	35	38	41	33	118	52	60	72	32	18	18	531
SHIGELLA	1	2	4	7	2	2	5	5	5	3	5	9	50
STEC NON0157	-	-	-	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO	-	1	1	-	-	1	-	1	-	-	-	-	4
YERSINIA	-	1	-	2	1	3	2	4	1	1	2	4	21
Total	49	60	74	79	78	179	144	145	142	85	61	62	1158

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4h: Site = Oregon

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	41	35	33	45	47	64	68	76	46	35	41	31	562
CRYPTOSPORIDIUM	5	1	2	3	6	2	3	3	7	2	2	1	37
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI 0157	-	1	2	12	8	8	9	82	35	15	3	2	177
LISTERIA	1	-	1	1	-	-	1	3	-	1	-	-	8
SALMONELLA	22	22	17	45	40	31	27	32	32	26	17	16	327
SHIGELLA	14	5	1	2	3	4	12	12	9	13	10	5	90
STEC NON0157	-	-	-	1	-	2	-	1	-	-	-	-	4
STEC O AG UNDET	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO	2	-	-	1	1	1	4	3	1	2	1	-	16
YERSINIA	1	-	1	1	3	1	2	2	2	1	1	1	16
Total	86	64	57	111	108	113	126	214	132	95	75	56	1237

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 4a through 4i - Pathogen by Month Collected by Site

Table 4i: Site = Tennessee

Cases	Month												Total
	JAN02	FEB02	MAR02	APR02	MAY02	JUN02	JUL02	AUG02	SEP02	OCT02	NOV02	DEC02	
Pathogen													
CAMPYLOBACTER	12	9	8	10	22	18	22	23	18	18	11	9	180
CRYPTOSPORIDIUM	1	3	-	3	-	-	2	-	1	2	1	-	13
CYCLOSPORA	-	-	-	1	-	-	-	-	-	-	-	-	1
E. COLI 0157	2	-	1	1	3	-	8	5	-	3	-	2	25
LISTERIA	-	1	-	-	-	-	-	2	-	-	-	-	3
SALMONELLA	33	16	15	23	39	74	94	79	62	50	31	38	554
SHIGELLA	6	3	5	5	4	11	6	10	14	17	41	24	146
STEC NON0157	-	-	-	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBRIO	-	-	-	-	2	1	-	3	1	-	-	-	7
YERSINIA	7	1	-	-	1	1	-	-	2	1	-	2	15
Total	61	33	29	43	71	105	132	122	98	91	84	75	944

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 5 - Age Distribution by Pathogen for All Sites

		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
	CAMPYLOBACTER	Cases	144	726	430	726	858	896	623	631	25
	Percent	2.8	14.4	8.5	14.4	17.0	17.7	12.3	12.5	0.5	100.0
CRYPTOSPORIDIUM	Cases	15	157	50	74	114	63	32	25	1	531
	Percent	2.8	29.6	9.4	13.9	21.5	11.9	6.0	4.7	0.2	100.0
CYCLOSPORA	Cases	0	2	3	5	9	11	6	6	0	42
	Percent	0	4.8	7.1	11.9	21.4	26.2	14.3	14.3	0	100.0
E. COLI O157	Cases	12	274	123	49	29	42	53	55	1	638
	Percent	1.9	42.9	19.3	7.7	4.5	6.6	8.3	8.6	0.2	100.0
LISTERIA	Cases	9	0	1	6	5	9	13	55	0	98
	Percent	9.2	0	1.0	6.1	5.1	9.2	13.3	56.1	0	100.0
SALMONELLA	Cases	740	1690	590	643	708	618	447	635	79	6150
	Percent	12.0	27.5	9.6	10.5	11.5	10.0	7.3	10.3	1.3	100.0
SHIGELLA	Cases	74	2330	382	410	424	252	111	92	38	4113
	Percent	1.8	56.6	9.3	10.0	10.3	6.1	2.7	2.2	0.9	100.0
STEC NONO157	Cases	0	14	9	3	3	0	1	5	0	35
	Percent	0	40.0	25.7	8.6	8.6	0	2.9	14.3	0	100.0
STEC O AG UNDET	Cases	2	12	2	1	1	3	0	2	0	23
	Percent	8.7	52.2	8.7	4.3	4.3	13.0	0	8.7	0	100.0
VIBRIO	Cases	0	9	4	8	12	24	17	30	0	104
	Percent	0	8.7	3.8	7.7	11.5	23.1	16.3	28.8	0	100.0
YERSINIA	Cases	60	29	9	10	9	13	12	26	1	169
	Percent	35.5	17.2	5.3	5.9	5.3	7.7	7.1	15.4	0.6	100.0
Total	Cases	1056	5243	1603	1935	2172	1931	1315	1562	145	16962
	Percent	6.2	30.9	9.5	11.4	12.8	11.4	7.8	9.2	0.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5a: Site = California		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	17	159	78	159	221	162	103	118	1	1018
	Percent	1.7	15.6	7.7	15.6	21.7	15.9	10.1	11.6	0.1	100.0
CRYPTOSPORIDIUM	Cases	1	12	-	3	17	15	5	2	-	55
	Percent	1.8	21.8	-	5.5	30.9	27.3	9.1	3.6	-	100.0
CYCLOSPORA	Cases	-	-	-	-	3	-	-	-	-	3
	Percent	-	-	-	-	100.0	-	-	-	-	100.0
E. COLI O157	Cases	-	28	7	1	-	2	3	4	-	45
	Percent	-	62.2	15.6	2.2	-	4.4	6.7	8.9	-	100.0
LISTERIA	Cases	-	-	1	2	-	2	3	4	-	12
	Percent	-	-	8.3	16.7	-	16.7	25.0	33.3	-	100.0
SALMONELLA	Cases	36	158	52	58	70	46	41	60	-	521
	Percent	6.9	30.3	10.0	11.1	13.4	8.8	7.9	11.5	-	100.0
SHIGELLA	Cases	3	97	15	45	97	79	16	15	-	367
	Percent	0.8	26.4	4.1	12.3	26.4	21.5	4.4	4.1	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	2	3	2	1	3	-	11
	Percent	-	-	-	18.2	27.3	18.2	9.1	27.3	-	100.0
YERSINIA	Cases	4	4	1	2	1	1	4	-	-	17
	Percent	23.5	23.5	5.9	11.8	5.9	5.9	23.5	-	-	100.0
Total	Cases	61	458	154	272	412	309	176	206	1	2049
	Percent	3.0	22.4	7.5	13.3	20.1	15.1	8.6	10.1	0.0	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5b: Site = Colorado		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	9	41	33	62	79	61	37	23	2	347
	Percent	2.6	11.8	9.5	17.9	22.8	17.6	10.7	6.6	0.6	100.0
CRYPTOSPORIDIUM	Cases	-	3	-	2	10	2	2	1	-	20
	Percent	-	15.0	-	10.0	50.0	10.0	10.0	5.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
E. COLI O157	Cases	1	18	14	5	5	4	5	6	-	58
	Percent	1.7	31.0	24.1	8.6	8.6	6.9	8.6	10.3	-	100.0
LISTERIA	Cases	1	-	-	-	-	-	-	2	-	3
	Percent	33.3	-	-	-	-	-	-	66.7	-	100.0
SALMONELLA	Cases	32	53	37	60	39	36	32	32	2	323
	Percent	9.9	16.4	11.5	18.6	12.1	11.1	9.9	9.9	0.6	100.0
SHIGELLA	Cases	3	55	8	22	20	20	6	2	-	136
	Percent	2.2	40.4	5.9	16.2	14.7	14.7	4.4	1.5	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	1	1	-	-	-	-	-	-	2
	Percent	-	50.0	50.0	-	-	-	-	-	-	100.0
VIBRIO	Cases	-	-	-	-	-	-	3	-	-	3
	Percent	-	-	-	-	-	-	100.0	-	-	100.0
YERSINIA	Cases	1	1	-	-	-	1	-	-	-	3
	Percent	33.3	33.3	-	-	-	33.3	-	-	-	100.0
Total	Cases	47	172	93	151	153	124	85	66	4	895
	Percent	5.3	19.2	10.4	16.9	17.1	13.9	9.5	7.4	0.4	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5c: Site = Connecticut		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	15	59	30	60	81	114	72	111	-	542
	Percent	2.8	10.9	5.5	11.1	14.9	21.0	13.3	20.5	-	100.0
CRYPTOSPORIDIUM	Cases	1	3	2	-	4	5	2	2	-	19
	Percent	5.3	15.8	10.5	-	21.1	26.3	10.5	10.5	-	100.0
CYCLOSPORA	Cases	-	-	1	-	1	2	2	1	-	7
	Percent	-	-	14.3	-	14.3	28.6	28.6	14.3	-	100.0
E. COLI O157	Cases	1	18	10	1	-	3	8	4	-	45
	Percent	2.2	40.0	22.2	2.2	-	6.7	17.8	8.9	-	100.0
LISTERIA	Cases	1	-	-	1	-	2	2	10	-	16
	Percent	6.3	-	-	6.3	-	12.5	12.5	62.5	-	100.0
SALMONELLA	Cases	35	107	41	49	64	60	38	63	-	457
	Percent	7.7	23.4	9.0	10.7	14.0	13.1	8.3	13.8	-	100.0
SHIGELLA	Cases	1	46	8	14	14	11	8	2	-	104
	Percent	1.0	44.2	7.7	13.5	13.5	10.6	7.7	1.9	-	100.0
STEC NONO157	Cases	-	4	5	2	-	-	-	4	-	15
	Percent	-	26.7	33.3	13.3	-	-	-	26.7	-	100.0
STEC O AG UNDET	Cases	-	2	-	-	-	-	-	-	-	2
	Percent	-	100.0	-	-	-	-	-	-	-	100.0
VIBRIO	Cases	-	-	2	1	-	3	2	3	-	11
	Percent	-	-	18.2	9.1	-	27.3	18.2	27.3	-	100.0
YERSINIA	Cases	2	3	1	-	1	3	-	6	-	16
	Percent	12.5	18.8	6.3	-	6.3	18.8	-	37.5	-	100.0
Total	Cases	56	242	100	128	165	203	134	206	-	1234
	Percent	4.5	19.6	8.1	10.4	13.4	16.5	10.9	16.7	-	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5d: Site = Georgia		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	35	111	69	90	104	117	76	55	7	664
	Percent	5.3	16.7	10.4	13.6	15.7	17.6	11.4	8.3	1.1	100.0
CRYPTOSPORIDIUM	Cases	2	18	9	25	35	14	8	7	-	118
	Percent	1.7	15.3	7.6	21.2	29.7	11.9	6.8	5.9	-	100.0
CYCLOSPORA	Cases	-	2	2	4	4	6	1	3	-	22
	Percent	-	9.1	9.1	18.2	18.2	27.3	4.5	13.6	-	100.0
E. COLI O157	Cases	-	23	7	3	3	4	2	3	-	45
	Percent	-	51.1	15.6	6.7	6.7	8.9	4.4	6.7	-	100.0
LISTERIA	Cases	2	-	-	2	1	1	4	6	-	16
	Percent	12.5	-	-	12.5	6.3	6.3	25.0	37.5	-	100.0
SALMONELLA	Cases	383	664	135	129	157	137	106	144	46	1901
	Percent	20.1	34.9	7.1	6.8	8.3	7.2	5.6	7.6	2.4	100.0
SHIGELLA	Cases	42	1167	161	183	166	53	21	19	19	1831
	Percent	2.3	63.7	8.8	10.0	9.1	2.9	1.1	1.0	1.0	100.0
STEC NONO157	Cases	-	2	2	-	-	-	-	-	-	4
	Percent	-	50.0	50.0	-	-	-	-	-	-	100.0
STEC O AG UNDET	Cases	-	3	-	-	-	-	-	-	-	3
	Percent	-	100.0	-	-	-	-	-	-	-	100.0
VIBRIO	Cases	-	3	-	3	3	4	2	12	-	27
	Percent	-	11.1	-	11.1	11.1	14.8	7.4	44.4	-	100.0
YERSINIA	Cases	25	8	1	1	3	3	1	5	-	47
	Percent	53.2	17.0	2.1	2.1	6.4	6.4	2.1	10.6	-	100.0
Total	Cases	489	2001	386	440	476	339	221	254	72	4678
	Percent	10.5	42.8	8.3	9.4	10.2	7.2	4.7	5.4	1.5	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5e: Site = Maryland		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	8	63	30	57	59	57	49	40	11	374
	Percent	2.1	16.8	8.0	15.2	15.8	15.2	13.1	10.7	2.9	100.0
CRYPTOSPORIDIUM	Cases	-	4	-	3	7	4	1	1	-	20
	Percent	-	20.0	-	15.0	35.0	20.0	5.0	5.0	-	100.0
CYCLOSPORA	Cases	-	-	-	1	-	-	1	-	-	2
	Percent	-	-	-	50.0	-	-	50.0	-	-	100.0
E. COLI O157	Cases	-	11	7	-	1	4	1	2	1	27
	Percent	-	40.7	25.9	-	3.7	14.8	3.7	7.4	3.7	100.0
LISTERIA	Cases	2	-	-	-	2	2	1	14	-	21
	Percent	9.5	-	-	-	9.5	9.5	4.8	66.7	-	100.0
SALMONELLA	Cases	91	274	108	87	114	96	57	93	23	943
	Percent	9.7	29.1	11.5	9.2	12.1	10.2	6.0	9.9	2.4	100.0
SHIGELLA	Cases	18	703	143	87	83	56	32	28	17	1167
	Percent	1.5	60.2	12.3	7.5	7.1	4.8	2.7	2.4	1.5	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	3	2	-	4	4	2	5	-	20
	Percent	-	15.0	10.0	-	20.0	20.0	10.0	25.0	-	100.0
YERSINIA	Cases	7	3	-	1	-	-	1	2	1	15
	Percent	46.7	20.0	-	6.7	-	-	6.7	13.3	6.7	100.0
Total	Cases	126	1061	290	236	270	223	145	185	53	2589
	Percent	4.9	41.0	11.2	9.1	10.4	8.6	5.6	7.1	2.0	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5f: Site = Minnesota		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	19	135	81	147	147	178	115	119	-	941
	Percent	2.0	14.3	8.6	15.6	15.6	18.9	12.2	12.6	-	100.0
CRYPTOSPORIDIUM	Cases	8	92	30	26	22	13	6	8	1	206
	Percent	3.9	44.7	14.6	12.6	10.7	6.3	2.9	3.9	0.5	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
E. COLI O157	Cases	3	53	34	17	8	14	12	19	-	160
	Percent	1.9	33.1	21.3	10.6	5.0	8.8	7.5	11.9	-	100.0
LISTERIA	Cases	-	-	-	-	-	1	-	3	-	4
	Percent	-	-	-	-	-	25.0	-	75.0	-	100.0
SALMONELLA	Cases	36	111	78	104	86	76	43	59	-	593
	Percent	6.1	18.7	13.2	17.5	14.5	12.8	7.3	9.9	-	100.0
SHIGELLA	Cases	1	106	23	28	26	19	13	6	-	222
	Percent	0.5	47.7	10.4	12.6	11.7	8.6	5.9	2.7	-	100.0
STEC NONO157	Cases	-	6	2	1	1	-	1	1	-	12
	Percent	-	50.0	16.7	8.3	8.3	-	8.3	8.3	-	100.0
STEC O AG UNDET	Cases	2	6	1	1	1	3	-	2	-	16
	Percent	12.5	37.5	6.3	6.3	6.3	18.8	-	12.5	-	100.0
VIBRIO	Cases	-	2	-	1	-	2	-	-	-	5
	Percent	-	40.0	-	20.0	-	40.0	-	-	-	100.0
YERSINIA	Cases	4	5	-	2	1	-	3	4	-	19
	Percent	21.1	26.3	-	10.5	5.3	-	15.8	21.1	-	100.0
Total	Cases	73	516	249	327	292	306	193	221	1	2178
	Percent	3.4	23.7	11.4	15.0	13.4	14.0	8.9	10.1	0.0	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5g: Site = New York		Age Specific Strata									Total	
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN		
Pathogen												
	CAMPYLOBACTER	Cases	12	39	39	54	57	84	77	69	-	431
		Percent	2.8	9.0	9.0	12.5	13.2	19.5	17.9	16.0	-	100.0
CRYPTOSPORIDIUM	Cases	3	15	6	6	4	5	3	1	1	-	43
		Percent	7.0	34.9	14.0	14.0	9.3	11.6	7.0	2.3	-	100.0
CYCLOSPORA	Cases	-	-	-	-	1	2	2	2	2	-	7
		Percent	-	-	-	-	14.3	28.6	28.6	28.6	-	100.0
E. COLI O157	Cases	1	23	12	5	3	1	6	5	5	-	56
		Percent	1.8	41.1	21.4	8.9	5.4	1.8	10.7	8.9	-	100.0
LISTERIA	Cases	2	-	-	-	1	-	2	10	10	-	15
		Percent	13.3	-	-	-	6.7	-	13.3	66.7	-	100.0
SALMONELLA	Cases	27	70	54	70	74	94	61	81	81	-	531
		Percent	5.1	13.2	10.2	13.2	13.9	17.7	11.5	15.3	-	100.0
SHIGELLA	Cases	1	20	3	8	4	4	3	7	7	-	50
		Percent	2.0	40.0	6.0	16.0	8.0	8.0	6.0	14.0	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-	-	-
		Percent	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-	-	-
		Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	2	-	2	2	-	4
		Percent	-	-	-	-	-	50.0	-	50.0	-	100.0
YERSINIA	Cases	5	3	2	1	2	3	1	4	4	-	21
		Percent	23.8	14.3	9.5	4.8	9.5	14.3	4.8	19.0	-	100.0
Total	Cases	51	170	116	144	146	195	155	181	181	-	1158
		Percent	4.4	14.7	10.0	12.4	12.6	16.8	13.4	15.6	-	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5h: Site = Oregon		Age Specific Strata									Total	
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN		
Pathogen												
	CAMPYLOBACTER	Cases	16	85	50	76	92	90	73	80	-	562
		Percent	2.8	15.1	8.9	13.5	16.4	16.0	13.0	14.2	-	100.0
CRYPTOSPORIDIUM	Cases	-	5	3	9	10	3	5	2	-	37	
		Percent	-	13.5	8.1	24.3	27.0	8.1	13.5	5.4	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-	
		Percent	-	-	-	-	-	-	-	-	-	-
E. COLI O157	Cases	4	95	25	17	6	7	13	10	-	177	
		Percent	2.3	53.7	14.1	9.6	3.4	4.0	7.3	5.6	-	100.0
LISTERIA	Cases	1	-	-	1	-	-	1	5	-	8	
		Percent	12.5	-	-	12.5	-	-	12.5	62.5	-	100.0
SALMONELLA	Cases	14	76	33	42	45	31	36	50	-	327	
		Percent	4.3	23.2	10.1	12.8	13.8	9.5	11.0	15.3	-	100.0
SHIGELLA	Cases	1	36	8	14	9	6	9	7	-	90	
		Percent	1.1	40.0	8.9	15.6	10.0	6.7	10.0	7.8	-	100.0
STEC NONO157	Cases	-	2	-	-	2	-	-	-	-	4	
		Percent	-	50.0	-	-	50.0	-	-	-	-	100.0
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-	-	
		Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	1	-	-	2	5	4	4	-	16	
		Percent	-	6.3	-	-	12.5	31.3	25.0	25.0	-	100.0
YERSINIA	Cases	2	2	2	3	1	2	2	2	-	16	
		Percent	12.5	12.5	12.5	18.8	6.3	12.5	12.5	12.5	-	100.0
Total	Cases	38	302	121	162	167	144	143	160	-	1237	
		Percent	3.1	24.4	9.8	13.1	13.5	11.6	11.6	12.9	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 5a through 5i - Age Distribution by Pathogen by Site

Table 5i: Site = Tennessee		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	13	34	20	21	18	33	21	16	4	180
	Percent	7.2	18.9	11.1	11.7	10.0	18.3	11.7	8.9	2.2	100.0
CRYPTOSPORIDIUM	Cases	-	5	-	-	5	2	-	1	-	13
	Percent	-	38.5	-	-	38.5	15.4	-	7.7	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	1	-	-	-	1
	Percent	-	-	-	-	-	100.0	-	-	-	100.0
E. COLI O157	Cases	2	5	7	-	3	3	3	2	-	25
	Percent	8.0	20.0	28.0	-	12.0	12.0	12.0	8.0	-	100.0
LISTERIA	Cases	-	-	-	-	1	1	-	1	-	3
	Percent	-	-	-	-	33.3	33.3	-	33.3	-	100.0
SALMONELLA	Cases	86	177	52	44	59	42	33	53	8	554
	Percent	15.5	31.9	9.4	7.9	10.6	7.6	6.0	9.6	1.4	100.0
SHIGELLA	Cases	4	100	13	9	5	4	3	6	2	146
	Percent	2.7	68.5	8.9	6.2	3.4	2.7	2.1	4.1	1.4	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	1	-	2	3	1	-	7
	Percent	-	-	-	14.3	-	28.6	42.9	14.3	-	100.0
YERSINIA	Cases	10	-	2	-	-	-	-	3	-	15
	Percent	66.7	-	13.3	-	-	-	-	20.0	-	100.0
Total	Cases	115	321	94	75	91	88	63	83	14	944
	Percent	12.2	34.0	10.0	7.9	9.6	9.3	6.7	8.8	1.5	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Table 6 - Cases per 100,000 by Age Distribution by Pathogen for All Sites

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	27.13	15.67	7.96	14.29	14.46	14.86	13.68	10.88
CRYPTOSPORIDIUM	2.63	3.19	0.88	1.37	1.79	0.98	0.66	0.41
CYCLOSPORA	0.00	0.04	0.05	0.09	0.14	0.17	0.12	0.10
E. COLI O157	2.26	5.91	2.28	0.96	0.49	0.70	1.16	0.95
LISTERIA	1.70	0.00	0.02	0.12	0.08	0.15	0.29	0.95
SALMONELLA	139.40	36.47	10.92	12.66	11.94	10.25	9.81	10.95
SHIGELLA	13.94	50.29	7.07	8.07	7.15	4.18	2.44	1.59
STEC NONO157	0.00	0.30	0.17	0.06	0.05	0.00	0.02	0.09
STEC O AG UNDET	0.38	0.26	0.04	0.02	0.02	0.05	0.00	0.03
VIBRIO	0.00	0.19	0.07	0.16	0.20	0.40	0.37	0.52
YERSINIA	11.30	0.63	0.17	0.20	0.15	0.22	0.26	0.45

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6a: Site = California

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	37.97	43.32	19.45	35.78	38.93	31.32	26.04	24.03
CRYPTOSPORIDIUM	1.20	1.81	-	0.40	1.72	1.66	0.74	0.24
CYCLOSPORA	-	-	-	-	0.30	-	-	-
E. COLI O157	-	7.63	1.75	0.23	-	0.39	0.76	0.81
LISTERIA	-	-	0.25	0.45	-	0.39	0.76	0.81
SALMONELLA	80.41	43.05	12.97	13.05	12.33	8.89	10.37	12.22
SHIGELLA	6.70	26.43	3.74	10.13	17.09	15.27	4.05	3.05
STEC NONO157	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-
VIBRIO	-	-	-	0.45	0.53	0.39	0.25	0.61
YERSINIA	8.93	1.09	0.25	0.45	0.18	0.19	1.01	-

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6b: Site = Colorado

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	23.28	12.82	9.52	17.07	18.93	14.81	12.33	7.42
CRYPTOSPORIDIUM	-	0.94	-	0.55	2.40	0.49	0.67	0.32
CYCLOSPORA	-	-	-	-	-	-	-	-
E. COLI O157	2.59	5.63	4.04	1.38	1.20	0.97	1.67	1.94
LISTERIA	2.59	-	-	-	-	-	-	0.65
SALMONELLA	82.79	16.58	10.67	16.52	9.35	8.74	10.66	10.33
SHIGELLA	7.76	17.20	2.31	6.06	4.79	4.86	2.00	0.65
STEC NONO157	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	0.31	0.29	-	-	-	-	-
VIBRIO	-	-	-	-	-	-	1.00	-
YERSINIA	2.59	0.31	-	-	-	0.24	-	-

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6c: Site = Connecticut

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	34.76	13.85	6.11	15.59	15.75	20.32	16.88	18.09
CRYPTOSPORIDIUM	2.32	0.70	0.41	-	0.78	0.89	0.47	0.33
CYCLOSPORA	-	-	0.20	-	0.19	0.36	0.47	0.16
E. COLI O157	2.32	4.23	2.04	0.26	-	0.53	1.88	0.65
LISTERIA	2.32	-	-	0.26	-	0.36	0.47	1.63
SALMONELLA	81.12	25.12	8.35	12.73	12.44	10.69	8.91	10.27
SHIGELLA	2.32	10.80	1.63	3.64	2.72	1.96	1.88	0.33
STEC NONO157	-	0.94	1.02	0.52	-	-	-	0.65
STEC O AG UNDET	-	0.47	-	-	-	-	-	-
VIBRIO	-	-	0.41	0.26	-	0.53	0.47	0.49
YERSINIA	4.64	0.70	0.20	-	0.19	0.53	-	0.98

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6d: Site = Georgia

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	25.31	9.87	5.53	7.17	7.40	8.98	7.91	4.89
CRYPTOSPORIDIUM	1.45	1.60	0.72	1.99	2.49	1.07	0.83	0.62
CYCLOSPORA	-	0.18	0.16	0.32	0.28	0.46	0.10	0.27
E. COLI O157	-	2.05	0.56	0.24	0.21	0.31	0.21	0.27
LISTERIA	1.45	-	-	0.16	0.07	0.08	0.42	0.53
SALMONELLA	276.97	59.05	10.82	10.27	11.17	10.51	11.03	12.80
SHIGELLA	30.37	103.78	12.91	14.57	11.81	4.07	2.19	1.69
STEC NONO157	-	0.18	0.16	-	-	-	-	-
STEC O AG UNDET	-	0.27	-	-	-	-	-	-
VIBRIO	-	0.27	-	0.24	0.21	0.31	0.21	1.07
YERSINIA	18.08	0.71	0.08	0.08	0.21	0.23	0.10	0.44

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6e: Site = Maryland

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	10.49	9.49	3.80	8.51	6.84	6.40	7.31	4.79
CRYPTOSPORIDIUM	-	0.60	-	0.45	0.81	0.45	0.15	0.12
CYCLOSPORA	-	-	-	0.15	-	-	0.15	-
E. COLI O157	-	1.66	0.89	-	0.12	0.45	0.15	0.24
LISTERIA	2.62	-	-	-	0.23	0.22	0.15	1.68
SALMONELLA	119.34	41.27	13.70	13.00	13.21	10.78	8.50	11.13
SHIGELLA	23.61	105.89	18.14	13.00	9.62	6.29	4.77	3.35
STEC NONO157	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-
VIBRIO	-	0.45	0.25	-	0.46	0.45	0.30	0.60
YERSINIA	9.18	0.45	-	0.15	-	-	0.15	0.24

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6f: Site = Minnesota

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	30.41	22.73	10.84	21.91	19.66	21.85	19.60	14.95
CRYPTOSPORIDIUM	12.80	15.49	4.01	3.88	2.94	1.60	1.02	1.00
CYCLOSPORA	-	-	-	-	-	-	-	-
E. COLI O157	4.80	8.93	4.55	2.53	1.07	1.72	2.04	2.39
LISTERIA	-	-	-	-	-	0.12	-	0.38
SALMONELLA	57.61	18.69	10.44	15.50	11.50	9.33	7.33	7.41
SHIGELLA	1.60	17.85	3.08	4.17	3.48	2.33	2.22	0.75
STEC NONO157	-	1.01	0.27	0.15	0.13	-	0.17	0.13
STEC O AG UNDET	3.20	1.01	0.13	0.15	0.13	0.37	-	0.25
VIBRIO	-	0.34	-	0.15	-	0.25	-	-
YERSINIA	6.40	0.84	-	0.30	0.13	-	0.51	0.50

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6g: Site = New York

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	30.68	10.54	8.11	13.13	12.15	15.91	18.48	11.21
CRYPTOSPORIDIUM	7.67	4.05	1.25	1.46	0.85	0.95	0.72	0.16
CYCLOSPORA	-	-	-	-	0.21	0.38	0.48	0.32
E. COLI O157	2.56	6.22	2.49	1.22	0.64	0.19	1.44	0.81
LISTERIA	5.11	-	-	-	0.21	-	0.48	1.62
SALMONELLA	69.02	18.92	11.23	17.03	15.78	17.81	14.64	13.16
SHIGELLA	2.56	5.41	0.62	1.95	0.85	0.76	0.72	1.14
STEC NONO157	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-
VIBRIO	-	-	-	-	-	0.38	-	0.32
YERSINIA	12.78	0.81	0.42	0.24	0.43	0.57	0.24	0.65

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6h: Site = Oregon

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	35.41	20.59	10.09	16.02	18.38	16.44	16.04	13.54
CRYPTOSPORIDIUM	-	1.21	0.61	1.90	2.00	0.55	1.10	0.34
CYCLOSPORA	-	-	-	-	-	-	-	-
E. COLI O157	8.85	23.02	5.05	3.58	1.20	1.28	2.86	1.69
LISTERIA	2.21	-	-	0.21	-	-	0.22	0.85
SALMONELLA	30.98	18.41	6.66	8.85	8.99	5.66	7.91	8.46
SHIGELLA	2.21	8.72	1.61	2.95	1.80	1.10	1.98	1.18
STEC NONO157	-	0.48	-	-	0.40	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-
VIBRIO	-	0.24	-	-	0.40	0.91	0.88	0.68
YERSINIA	4.43	0.48	0.40	0.63	0.20	0.37	0.44	0.34

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report

Tables 6a through 6i - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6i: Site = Tennessee

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	30.27	9.56	4.94	5.19	4.03	7.23	6.12	3.81
CRYPTOSPORIDIUM	-	1.41	-	-	1.12	0.44	-	0.24
CYCLOSPORA	-	-	-	-	-	0.22	-	-
E. COLI O157	4.66	1.41	1.73	-	0.67	0.66	0.87	0.48
LISTERIA	-	-	-	-	0.22	0.22	-	0.24
SALMONELLA	200.22	49.75	12.84	10.88	13.20	9.20	9.61	12.63
SHIGELLA	9.31	28.11	3.21	2.23	1.12	0.88	0.87	1.43
STEC NONO157	-	-	-	-	-	-	-	-
STEC O AG UNDET	-	-	-	-	-	-	-	-
VIBRIO	-	-	-	0.25	-	0.44	0.87	0.24
YERSINIA	23.28	-	0.49	-	-	-	-	0.71

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 7 - Sex Distribution by Pathogen for All Sites

		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	2222	2819	5041
	Percent	44.1	55.9	100.0
CRYPTOSPORIDIUM	Cases	208	323	531
	Percent	39.2	60.8	100.0
CYCLOSPORA	Cases	19	23	42
	Percent	45.2	54.8	100.0
E. COLI 0157	Cases	335	302	637
	Percent	52.6	47.4	100.0
LISTERIA	Cases	45	53	98
	Percent	45.9	54.1	100.0
SALMONELLA	Cases	3086	3009	6095
	Percent	50.6	49.4	100.0
SHIGELLA	Cases	2110	1986	4096
	Percent	51.5	48.5	100.0
STEC NON0157	Cases	18	17	35
	Percent	51.4	48.6	100.0
STEC O AG UNDET	Cases	14	9	23
	Percent	60.9	39.1	100.0
VIBRIO	Cases	41	63	104
	Percent	39.4	60.6	100.0
YERSINIA	Cases	87	82	169
	Percent	51.5	48.5	100.0
Total	Cases	8185	8686	16871
	Percent	48.5	51.5	100.0

There are 91 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7a: Site = California		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	431	587	1018
	Percent	42.3	57.7	100.0
CRYPTOSPORIDIUM	Cases	10	45	55
	Percent	18.2	81.8	100.0
CYCLOSPORA	Cases	2	1	3
	Percent	66.7	33.3	100.0
E. COLI 0157	Cases	23	22	45
	Percent	51.1	48.9	100.0
LISTERIA	Cases	6	6	12
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	251	270	521
	Percent	48.2	51.8	100.0
SHIGELLA	Cases	140	227	367
	Percent	38.1	61.9	100.0
VIBRIO	Cases	7	4	11
	Percent	63.6	36.4	100.0
YERSINIA	Cases	8	9	17
	Percent	47.1	52.9	100.0
Total	Cases	878	1171	2049
	Percent	42.9	57.1	100.0

There are no cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7b: Site = Colorado		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	154	193	347
	Percent	44.4	55.6	100.0
CRYPTOSPORIDIUM	Cases	6	14	20
	Percent	30.0	70.0	100.0
E. COLI 0157	Cases	29	29	58
	Percent	50.0	50.0	100.0
LISTERIA	Cases	0	3	3
	Percent	0	100.0	100.0
SALMONELLA	Cases	176	144	320
	Percent	55.0	45.0	100.0
SHIGELLA	Cases	68	68	136
	Percent	50.0	50.0	100.0
STEC 0 AG UNDET	Cases	1	1	2
	Percent	50.0	50.0	100.0
VIBRIO	Cases	2	1	3
	Percent	66.7	33.3	100.0
YERSINIA	Cases	1	2	3
	Percent	33.3	66.7	100.0
Total	Cases	437	455	892
	Percent	49.0	51.0	100.0

There are 3 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7c: Site = Connecticut		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	245	297	542
	Percent	45.2	54.8	100.0
CRYPTOSPORIDIUM	Cases	7	12	19
	Percent	36.8	63.2	100.0
CYCLOSPORA	Cases	4	3	7
	Percent	57.1	42.9	100.0
E. COLI 0157	Cases	22	23	45
	Percent	48.9	51.1	100.0
LISTERIA	Cases	8	8	16
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	254	203	457
	Percent	55.6	44.4	100.0
SHIGELLA	Cases	61	43	104
	Percent	58.7	41.3	100.0
STEC NON0157	Cases	9	6	15
	Percent	60.0	40.0	100.0
STEC O AG UNDET	Cases	1	1	2
	Percent	50.0	50.0	100.0
VIBRIO	Cases	7	4	11
	Percent	63.6	36.4	100.0
YERSINIA	Cases	7	9	16
	Percent	43.8	56.3	100.0
Total	Cases	625	609	1234
	Percent	50.6	49.4	100.0

There are no cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7d: Site = Georgia		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	282	374	656
	Percent	43.0	57.0	100.0
CRYPTOSPORIDIUM	Cases	41	77	118
	Percent	34.7	65.3	100.0
CYCLOSPORA	Cases	12	10	22
	Percent	54.5	45.5	100.0
E. COLI 0157	Cases	26	19	45
	Percent	57.8	42.2	100.0
LISTERIA	Cases	6	10	16
	Percent	37.5	62.5	100.0
SALMONELLA	Cases	882	992	1874
	Percent	47.1	52.9	100.0
SHIGELLA	Cases	949	872	1821
	Percent	52.1	47.9	100.0
STEC NON0157	Cases	1	3	4
	Percent	25.0	75.0	100.0
STEC O AG UNDET	Cases	1	2	3
	Percent	33.3	66.7	100.0
VIBRIO	Cases	10	17	27
	Percent	37.0	63.0	100.0
YERSINIA	Cases	24	23	47
	Percent	51.1	48.9	100.0
Total	Cases	2234	2399	4633
	Percent	48.2	51.8	100.0

There are 3 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7e: Site = Maryland		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	175	199	374
	Percent	46.8	53.2	100.0
CRYPTOSPORIDIUM	Cases	4	16	20
	Percent	20.0	80.0	100.0
CYCLOSPORA	Cases	0	2	2
	Percent	0	100.0	100.0
E. COLI 0157	Cases	10	17	27
	Percent	37.0	63.0	100.0
LISTERIA	Cases	10	11	21
	Percent	47.6	52.4	100.0
SALMONELLA	Cases	511	427	938
	Percent	54.5	45.5	100.0
SHIGELLA	Cases	641	526	1167
	Percent	54.9	45.1	100.0
VIBRIO	Cases	4	16	20
	Percent	20.0	80.0	100.0
YERSINIA	Cases	10	5	15
	Percent	66.7	33.3	100.0
Total	Cases	1365	1219	2584
	Percent	52.8	47.2	100.0

There are 5 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7f: Site = Minnesota		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	398	543	941
	Percent	42.3	57.7	100.0
CRYPTOSPORIDIUM	Cases	103	103	206
	Percent	50.0	50.0	100.0
E. COLI 0157	Cases	82	78	160
	Percent	51.3	48.8	100.0
LISTERIA	Cases	2	2	4
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	309	284	593
	Percent	52.1	47.9	100.0
SHIGELLA	Cases	105	117	222
	Percent	47.3	52.7	100.0
STEC NONO157	Cases	5	7	12
	Percent	41.7	58.3	100.0
STEC O AG UNDET	Cases	11	5	16
	Percent	68.8	31.3	100.0
VIBRIO	Cases	2	3	5
	Percent	40.0	60.0	100.0
YERSINIA	Cases	9	10	19
	Percent	47.4	52.6	100.0
Total	Cases	1026	1152	2178
	Percent	47.1	52.9	100.0

There are no cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7g: Site = New York		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	194	237	431
	Percent	45.0	55.0	100.0
CRYPTOSPORIDIUM	Cases	17	26	43
	Percent	39.5	60.5	100.0
CYCLOSPORA	Cases	0	7	7
	Percent	0	100.0	100.0
E. COLI 0157	Cases	28	28	56
	Percent	50.0	50.0	100.0
LISTERIA	Cases	7	8	15
	Percent	46.7	53.3	100.0
SALMONELLA	Cases	262	269	531
	Percent	49.3	50.7	100.0
SHIGELLA	Cases	23	27	50
	Percent	46.0	54.0	100.0
VIBRIO	Cases	1	3	4
	Percent	25.0	75.0	100.0
YERSINIA	Cases	10	11	21
	Percent	47.6	52.4	100.0
Total	Cases	542	616	1158
	Percent	46.8	53.2	100.0

There are no cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7h: Site = Oregon		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	270	285	555
	Percent	48.6	51.4	100.0
CRYPTOSPORIDIUM	Cases	18	19	37
	Percent	48.6	51.4	100.0
E. COLI O157	Cases	100	77	177
	Percent	56.5	43.5	100.0
LISTERIA	Cases	4	4	8
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	181	146	327
	Percent	55.4	44.6	100.0
SHIGELLA	Cases	48	42	90
	Percent	53.3	46.7	100.0
STEC NONO157	Cases	3	1	4
	Percent	75.0	25.0	100.0
VIBRIO	Cases	5	11	16
	Percent	31.3	68.8	100.0
YERSINIA	Cases	9	7	16
	Percent	56.3	43.8	100.0
Total	Cases	638	592	1230
	Percent	51.9	48.1	100.0

There are 7 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 7a through 7i - Sex Distribution by Pathogen by Site

Table 7i: Site = Tennessee		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	73	104	177
	Percent	41.2	58.8	100.0
CRYPTOSPORIDIUM	Cases	2	11	13
	Percent	15.4	84.6	100.0
CYCLOSPORA	Cases	1	0	1
	Percent	100.0	0	100.0
E. COLI 0157	Cases	15	9	24
	Percent	62.5	37.5	100.0
LISTERIA	Cases	2	1	3
	Percent	66.7	33.3	100.0
SALMONELLA	Cases	260	274	534
	Percent	48.7	51.3	100.0
SHIGELLA	Cases	75	64	139
	Percent	54.0	46.0	100.0
VIBRIO	Cases	3	4	7
	Percent	42.9	57.1	100.0
YERSINIA	Cases	9	6	15
	Percent	60.0	40.0	100.0
Total	Cases	440	473	913
	Percent	48.2	51.8	100.0

There are 31 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 8 - Race by Pathogen for All Sites

		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	167	225	31	2944	1692	5059
	Percent	3.3	4.4	0.6	58.2	33.4	100.0
CRYPTOSPORIDIUM	Cases	12	84	2	314	119	531
	Percent	2.3	15.8	0.4	59.1	22.4	100.0
CYCLOSPORA	Cases	0	2	0	31	9	42
	Percent	0	4.8	0	73.8	21.4	100.0
E. COLI O157	Cases	17	17	1	526	77	638
	Percent	2.7	2.7	0.2	82.4	12.1	100.0
LISTERIA	Cases	7	20	0	63	8	98
	Percent	7.1	20.4	0	64.3	8.2	100.0
SALMONELLA	Cases	232	1031	26	3534	1327	6150
	Percent	3.8	16.8	0.4	57.5	21.6	100.0
SHIGELLA	Cases	34	1865	28	1376	810	4113
	Percent	0.8	45.3	0.7	33.5	19.7	100.0
STEC NONO157	Cases	0	1	0	25	9	35
	Percent	0	2.9	0	71.4	25.7	100.0
STEC O AG UNDET	Cases	1	0	0	16	6	23
	Percent	4.3	0	0	69.6	26.1	100.0
VIBRIO	Cases	6	15	0	59	24	104
	Percent	5.8	14.4	0	56.7	23.1	100.0
YERSINIA	Cases	15	56	0	68	30	169
	Percent	8.9	33.1	0	40.2	17.8	100.0
Total	Cases	491	3316	88	8956	4111	16962
	Percent	2.9	19.5	0.5	52.8	24.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8a: Site = California		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	101	26	6	356	529	1018
	Percent	9.9	2.6	0.6	35.0	52.0	100.0
CRYPTOSPORIDIUM	Cases	2	6	-	22	25	55
	Percent	3.6	10.9	-	40.0	45.5	100.0
CYCLOSPORA	Cases	-	-	-	3	-	3
	Percent	-	-	-	100.0	-	100.0
E. COLI O157	Cases	4	5	-	30	6	45
	Percent	8.9	11.1	-	66.7	13.3	100.0
LISTERIA	Cases	3	2	-	6	1	12
	Percent	25.0	16.7	-	50.0	8.3	100.0
SALMONELLA	Cases	121	38	-	194	168	521
	Percent	23.2	7.3	-	37.2	32.2	100.0
SHIGELLA	Cases	12	40	3	182	130	367
	Percent	3.3	10.9	0.8	49.6	35.4	100.0
STEC NONO157	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
VIBRIO	Cases	1	-	-	5	5	11
	Percent	9.1	-	-	45.5	45.5	100.0
YERSINIA	Cases	3	4	-	4	6	17
	Percent	17.6	23.5	-	23.5	35.3	100.0
Total	Cases	247	121	9	802	870	2049
	Percent	12.1	5.9	0.4	39.1	42.5	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8b: Site = Colorado		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	3	7	1	241	95	347
	Percent	0.9	2.0	0.3	69.5	27.4	100.0
CRYPTOSPORIDIUM	Cases	1	-	-	12	7	20
	Percent	5.0	-	-	60.0	35.0	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
E. COLI O157	Cases	-	1	-	33	24	58
	Percent	-	1.7	-	56.9	41.4	100.0
LISTERIA	Cases	-	-	-	2	1	3
	Percent	-	-	-	66.7	33.3	100.0
SALMONELLA	Cases	8	13	1	195	106	323
	Percent	2.5	4.0	0.3	60.4	32.8	100.0
SHIGELLA	Cases	1	5	1	82	47	136
	Percent	0.7	3.7	0.7	60.3	34.6	100.0
STEC NONO157	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	2	-	2
	Percent	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	-	-	2	1	3
	Percent	-	-	-	66.7	33.3	100.0
YERSINIA	Cases	1	-	-	-	2	3
	Percent	33.3	-	-	-	66.7	100.0
Total	Cases	14	26	3	569	283	895
	Percent	1.6	2.9	0.3	63.6	31.6	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8c: Site = Connecticut		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	4	11	1	178	348	542
	Percent	0.7	2.0	0.2	32.8	64.2	100.0
CRYPTOSPORIDIUM	Cases	-	3	-	8	8	19
	Percent	-	15.8	-	42.1	42.1	100.0
CYCLOSPORA	Cases	-	-	-	4	3	7
	Percent	-	-	-	57.1	42.9	100.0
E. COLI O157	Cases	1	-	-	41	3	45
	Percent	2.2	-	-	91.1	6.7	100.0
LISTERIA	Cases	-	1	-	14	1	16
	Percent	-	6.3	-	87.5	6.3	100.0
SALMONELLA	Cases	16	20	1	206	214	457
	Percent	3.5	4.4	0.2	45.1	46.8	100.0
SHIGELLA	Cases	-	12	-	17	75	104
	Percent	-	11.5	-	16.3	72.1	100.0
STEC NONO157	Cases	-	-	-	12	3	15
	Percent	-	-	-	80.0	20.0	100.0
STEC O AG UNDET	Cases	-	-	-	2	-	2
	Percent	-	-	-	100.0	-	100.0
VIBRIO	Cases	1	-	-	6	4	11
	Percent	9.1	-	-	54.5	36.4	100.0
YERSINIA	Cases	1	-	-	7	8	16
	Percent	6.3	-	-	43.8	50.0	100.0
Total	Cases	23	47	2	495	667	1234
	Percent	1.9	3.8	0.2	40.1	54.1	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8d: Site = Georgia		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	5	86	-	405	168	664
	Percent	0.8	13.0	-	61.0	25.3	100.0
CRYPTOSPORIDIUM	Cases	1	53	-	35	29	118
	Percent	0.8	44.9	-	29.7	24.6	100.0
CYCLOSPORA	Cases	-	2	-	14	6	22
	Percent	-	9.1	-	63.6	27.3	100.0
E. COLI O157	Cases	1	3	-	37	4	45
	Percent	2.2	6.7	-	82.2	8.9	100.0
LISTERIA	Cases	1	8	-	6	1	16
	Percent	6.3	50.0	-	37.5	6.3	100.0
SALMONELLA	Cases	21	436	1	1019	424	1901
	Percent	1.1	22.9	0.1	53.6	22.3	100.0
SHIGELLA	Cases	5	796	-	645	385	1831
	Percent	0.3	43.5	-	35.2	21.0	100.0
STEC NONO157	Cases	-	-	-	1	3	4
	Percent	-	-	-	25.0	75.0	100.0
STEC O AG UNDET	Cases	-	-	-	3	-	3
	Percent	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	7	-	15	5	27
	Percent	-	25.9	-	55.6	18.5	100.0
YERSINIA	Cases	4	26	-	14	3	47
	Percent	8.5	55.3	-	29.8	6.4	100.0
Total	Cases	38	1417	1	2194	1028	4678
	Percent	0.8	30.3	0.0	46.9	22.0	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8e: Site = Maryland		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	11	49	1	250	63	374
	Percent	2.9	13.1	0.3	66.8	16.8	100.0
CRYPTOSPORIDIUM	Cases	1	9	-	6	4	20
	Percent	5.0	45.0	-	30.0	20.0	100.0
CYCLOSPORA	Cases	-	-	-	2	-	2
	Percent	-	-	-	100.0	-	100.0
E. COLI O157	Cases	-	2	-	24	1	27
	Percent	-	7.4	-	88.9	3.7	100.0
LISTERIA	Cases	1	4	-	15	1	21
	Percent	4.8	19.0	-	71.4	4.8	100.0
SALMONELLA	Cases	18	334	-	479	112	943
	Percent	1.9	35.4	-	50.8	11.9	100.0
SHIGELLA	Cases	4	899	-	212	52	1167
	Percent	0.3	77.0	-	18.2	4.5	100.0
STEC NONO157	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
VIBRIO	Cases	1	7	-	11	1	20
	Percent	5.0	35.0	-	55.0	5.0	100.0
YERSINIA	Cases	1	11	-	2	1	15
	Percent	6.7	73.3	-	13.3	6.7	100.0
Total	Cases	37	1315	1	1001	235	2589
	Percent	1.4	50.8	0.0	38.7	9.1	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8f: Site = Minnesota		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	22	22	10	690	197	941
	Percent	2.3	2.3	1.1	73.3	20.9	100.0
CRYPTOSPORIDIUM	Cases	5	6	1	173	21	206
	Percent	2.4	2.9	0.5	84.0	10.2	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
E. COLI O157	Cases	4	2	-	144	10	160
	Percent	2.5	1.3	-	90.0	6.3	100.0
LISTERIA	Cases	-	-	-	3	1	4
	Percent	-	-	-	75.0	25.0	100.0
SALMONELLA	Cases	26	31	13	449	74	593
	Percent	4.4	5.2	2.2	75.7	12.5	100.0
SHIGELLA	Cases	5	37	22	115	43	222
	Percent	2.3	16.7	9.9	51.8	19.4	100.0
STEC NONO157	Cases	-	1	-	10	1	12
	Percent	-	8.3	-	83.3	8.3	100.0
STEC O AG UNDET	Cases	1	-	-	9	6	16
	Percent	6.3	-	-	56.3	37.5	100.0
VIBRIO	Cases	1	-	-	3	1	5
	Percent	20.0	-	-	60.0	20.0	100.0
YERSINIA	Cases	2	1	-	15	1	19
	Percent	10.5	5.3	-	78.9	5.3	100.0
Total	Cases	66	100	46	1611	355	2178
	Percent	3.0	4.6	2.1	74.0	16.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8g: Site = New York		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	8	14	1	388	20	431
	Percent	1.9	3.2	0.2	90.0	4.6	100.0
CRYPTOSPORIDIUM	Cases	-	3	-	39	1	43
	Percent	-	7.0	-	90.7	2.3	100.0
CYCLOSPORA	Cases	-	-	-	7	-	7
	Percent	-	-	-	100.0	-	100.0
E. COLI O157	Cases	-	1	-	55	-	56
	Percent	-	1.8	-	98.2	-	100.0
LISTERIA	Cases	-	4	-	11	-	15
	Percent	-	26.7	-	73.3	-	100.0
SALMONELLA	Cases	9	43	3	455	21	531
	Percent	1.7	8.1	0.6	85.7	4.0	100.0
SHIGELLA	Cases	2	13	-	30	5	50
	Percent	4.0	26.0	-	60.0	10.0	100.0
STEC NONO157	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	4	-	4
	Percent	-	-	-	100.0	-	100.0
YERSINIA	Cases	1	5	-	15	-	21
	Percent	4.8	23.8	-	71.4	-	100.0
Total	Cases	20	83	4	1004	47	1158
	Percent	1.7	7.2	0.3	86.7	4.1	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 8a through 8i - Race by Pathogen by Site

Table 8h: Site = Oregon		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	10	1	7	333	211	562
	Percent	1.8	0.2	1.2	59.3	37.5	100.0
CRYPTOSPORIDIUM	Cases	1	-	1	13	22	37
	Percent	2.7	-	2.7	35.1	59.5	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
E. COLI O157	Cases	7	2	1	145	22	177
	Percent	4.0	1.1	0.6	81.9	12.4	100.0
LISTERIA	Cases	2	-	-	4	2	8
	Percent	25.0	-	-	50.0	25.0	100.0
SALMONELLA	Cases	9	5	4	258	51	327
	Percent	2.8	1.5	1.2	78.9	15.6	100.0
SHIGELLA	Cases	3	2	1	56	28	90
	Percent	3.3	2.2	1.1	62.2	31.1	100.0
STEC NONO157	Cases	-	-	-	2	2	4
	Percent	-	-	-	50.0	50.0	100.0
STEC O AG UNDET	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
VIBRIO	Cases	1	-	-	10	5	16
	Percent	6.3	-	-	62.5	31.3	100.0
YERSINIA	Cases	2	-	-	10	4	16
	Percent	12.5	-	-	62.5	25.0	100.0
Total	Cases	35	10	14	831	347	1237
	Percent	2.8	0.8	1.1	67.2	28.1	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 8a through 8i - Race by Pathogen by Site

Table 8i: Site = Tennessee		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	3	9	4	103	61	180
	Percent	1.7	5.0	2.2	57.2	33.9	100.0
CRYPTOSPORIDIUM	Cases	1	4	-	6	2	13
	Percent	7.7	30.8	-	46.2	15.4	100.0
CYCLOSPORA	Cases	-	-	-	1	-	1
	Percent	-	-	-	100.0	-	100.0
E. COLI O157	Cases	-	1	-	17	7	25
	Percent	-	4.0	-	68.0	28.0	100.0
LISTERIA	Cases	-	1	-	2	-	3
	Percent	-	33.3	-	66.7	-	100.0
SALMONELLA	Cases	4	111	3	279	157	554
	Percent	0.7	20.0	0.5	50.4	28.3	100.0
SHIGELLA	Cases	2	61	1	37	45	146
	Percent	1.4	41.8	0.7	25.3	30.8	100.0
STEC NONO157	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
VIBRIO	Cases	1	1	-	3	2	7
	Percent	14.3	14.3	-	42.9	28.6	100.0
YERSINIA	Cases	-	9	-	1	5	15
	Percent	-	60.0	-	6.7	33.3	100.0
Total	Cases	11	197	8	449	279	944
	Percent	1.2	20.9	0.8	47.6	29.6	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 9 - Ethnicity by Pathogen for All Sites

		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	270	2721	2068	5059
	Percent	5.3	53.8	40.9	100.0
CRYPTOSPORIDIUM	Cases	19	368	144	531
	Percent	3.6	69.3	27.1	100.0
CYCLOSPORA	Cases	2	29	11	42
	Percent	4.8	69.0	26.2	100.0
E. COLI 0157	Cases	43	499	96	638
	Percent	6.7	78.2	15.0	100.0
LISTERIA	Cases	4	69	25	98
	Percent	4.1	70.4	25.5	100.0
SALMONELLA	Cases	395	3817	1938	6150
	Percent	6.4	62.1	31.5	100.0
SHIGELLA	Cases	345	2669	1099	4113
	Percent	8.4	64.9	26.7	100.0
STEC NON0157	Cases	3	25	7	35
	Percent	8.6	71.4	20.0	100.0
STEC O AG UNDET	Cases	2	14	7	23
	Percent	8.7	60.9	30.4	100.0
VIBRIO	Cases	5	73	26	104
	Percent	4.8	70.2	25.0	100.0
YERSINIA	Cases	9	113	47	169
	Percent	5.3	66.9	27.8	100.0
Total	Cases	1097	10397	5468	16962
	Percent	6.5	61.3	32.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9a: Site = California		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	77	365	576	1018
	Percent	7.6	35.9	56.6	100.0
CRYPTOSPORIDIUM	Cases	5	26	24	55
	Percent	9.1	47.3	43.6	100.0
CYCLOSPORA	Cases	-	2	1	3
	Percent	-	66.7	33.3	100.0
E. COLI 0157	Cases	4	33	8	45
	Percent	8.9	73.3	17.8	100.0
LISTERIA	Cases	2	9	1	12
	Percent	16.7	75.0	8.3	100.0
SALMONELLA	Cases	80	217	224	521
	Percent	15.4	41.7	43.0	100.0
SHIGELLA	Cases	82	183	102	367
	Percent	22.3	49.9	27.8	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	1	6	4	11
	Percent	9.1	54.5	36.4	100.0
YERSINIA	Cases	1	8	8	17
	Percent	5.9	47.1	47.1	100.0
Total	Cases	252	849	948	2049
	Percent	12.3	41.4	46.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9b: Site = Colorado		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	43	190	114	347
	Percent	12.4	54.8	32.9	100.0
CRYPTOSPORIDIUM	Cases	3	9	8	20
	Percent	15.0	45.0	40.0	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	3	27	28	58
	Percent	5.2	46.6	48.3	100.0
LISTERIA	Cases	1	1	1	3
	Percent	33.3	33.3	33.3	100.0
SALMONELLA	Cases	51	170	102	323
	Percent	15.8	52.6	31.6	100.0
SHIGELLA	Cases	61	38	37	136
	Percent	44.9	27.9	27.2	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC 0 AG UNDET	Cases	1	1	-	2
	Percent	50.0	50.0	-	100.0
VIBRIO	Cases	-	1	2	3
	Percent	-	33.3	66.7	100.0
YERSINIA	Cases	-	-	3	3
	Percent	-	-	100.0	100.0
Total	Cases	163	437	295	895
	Percent	18.2	48.8	33.0	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9c: Site = Connecticut		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	24	95	423	542
	Percent	4.4	17.5	78.0	100.0
CRYPTOSPORIDIUM	Cases	1	7	11	19
	Percent	5.3	36.8	57.9	100.0
CYCLOSPORA	Cases	-	4	3	7
	Percent	-	57.1	42.9	100.0
E. COLI 0157	Cases	2	39	4	45
	Percent	4.4	86.7	8.9	100.0
LISTERIA	Cases	-	14	2	16
	Percent	-	87.5	12.5	100.0
SALMONELLA	Cases	42	167	248	457
	Percent	9.2	36.5	54.3	100.0
SHIGELLA	Cases	24	13	67	104
	Percent	23.1	12.5	64.4	100.0
STEC NON0157	Cases	1	11	3	15
	Percent	6.7	73.3	20.0	100.0
STEC O AG UNDET	Cases	-	2	-	2
	Percent	-	100.0	-	100.0
VIBRIO	Cases	2	7	2	11
	Percent	18.2	63.6	18.2	100.0
YERSINIA	Cases	1	3	12	16
	Percent	6.3	18.8	75.0	100.0
Total	Cases	97	362	775	1234
	Percent	7.9	29.3	62.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9d: Site = Georgia		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	23	339	302	664
	Percent	3.5	51.1	45.5	100.0
CRYPTOSPORIDIUM	Cases	4	63	51	118
	Percent	3.4	53.4	43.2	100.0
CYCLOSPORA	Cases	2	13	7	22
	Percent	9.1	59.1	31.8	100.0
E. COLI 0157	Cases	6	29	10	45
	Percent	13.3	64.4	22.2	100.0
LISTERIA	Cases	-	8	8	16
	Percent	-	50.0	50.0	100.0
SALMONELLA	Cases	80	1078	743	1901
	Percent	4.2	56.7	39.1	100.0
SHIGELLA	Cases	67	1138	626	1831
	Percent	3.7	62.2	34.2	100.0
STEC NON0157	Cases	1	1	2	4
	Percent	25.0	25.0	50.0	100.0
STEC O AG UNDET	Cases	-	2	1	3
	Percent	-	66.7	33.3	100.0
VIBRIO	Cases	1	20	6	27
	Percent	3.7	74.1	22.2	100.0
YERSINIA	Cases	1	38	8	47
	Percent	2.1	80.9	17.0	100.0
Total	Cases	185	2729	1764	4678
	Percent	4.0	58.3	37.7	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9e: Site = Maryland		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	13	253	108	374
	Percent	3.5	67.6	28.9	100.0
CRYPTOSPORIDIUM	Cases	-	14	6	20
	Percent	-	70.0	30.0	100.0
CYCLOSPORA	Cases	-	2	-	2
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	1	24	2	27
	Percent	3.7	88.9	7.4	100.0
LISTERIA	Cases	-	11	10	21
	Percent	-	52.4	47.6	100.0
SALMONELLA	Cases	39	686	218	943
	Percent	4.1	72.7	23.1	100.0
SHIGELLA	Cases	43	1013	111	1167
	Percent	3.7	86.8	9.5	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC 0 AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	1	16	3	20
	Percent	5.0	80.0	15.0	100.0
YERSINIA	Cases	-	11	4	15
	Percent	-	73.3	26.7	100.0
Total	Cases	97	2030	462	2589
	Percent	3.7	78.4	17.8	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9f: Site = Minnesota		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	25	646	270	941
	Percent	2.7	68.7	28.7	100.0
CRYPTOSPORIDIUM	Cases	4	169	33	206
	Percent	1.9	82.0	16.0	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	2	145	13	160
	Percent	1.3	90.6	8.1	100.0
LISTERIA	Cases	-	3	1	4
	Percent	-	75.0	25.0	100.0
SALMONELLA	Cases	26	491	76	593
	Percent	4.4	82.8	12.8	100.0
SHIGELLA	Cases	21	154	47	222
	Percent	9.5	69.4	21.2	100.0
STEC NON0157	Cases	-	11	1	12
	Percent	-	91.7	8.3	100.0
STEC O AG UNDET	Cases	1	9	6	16
	Percent	6.3	56.3	37.5	100.0
VIBRIO	Cases	-	4	1	5
	Percent	-	80.0	20.0	100.0
YERSINIA	Cases	-	16	3	19
	Percent	-	84.2	15.8	100.0
Total	Cases	79	1648	451	2178
	Percent	3.6	75.7	20.7	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9g: Site = New York		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	17	387	27	431
	Percent	3.9	89.8	6.3	100.0
CRYPTOSPORIDIUM	Cases	1	41	1	43
	Percent	2.3	95.3	2.3	100.0
CYCLOSPORA	Cases	-	7	-	7
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	-	56	-	56
	Percent	-	100.0	-	100.0
LISTERIA	Cases	1	14	-	15
	Percent	6.7	93.3	-	100.0
SALMONELLA	Cases	17	496	18	531
	Percent	3.2	93.4	3.4	100.0
SHIGELLA	Cases	5	39	6	50
	Percent	10.0	78.0	12.0	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	-	4	-	4
	Percent	-	100.0	-	100.0
YERSINIA	Cases	3	18	-	21
	Percent	14.3	85.7	-	100.0
Total	Cases	44	1062	52	1158
	Percent	3.8	91.7	4.5	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9h: Site = Oregon		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	41	355	166	562
	Percent	7.3	63.2	29.5	100.0
CRYPTOSPORIDIUM	Cases	1	31	5	37
	Percent	2.7	83.8	13.5	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	25	136	16	177
	Percent	14.1	76.8	9.0	100.0
LISTERIA	Cases	-	6	2	8
	Percent	-	75.0	25.0	100.0
SALMONELLA	Cases	48	233	46	327
	Percent	14.7	71.3	14.1	100.0
SHIGELLA	Cases	38	34	18	90
	Percent	42.2	37.8	20.0	100.0
STEC NON0157	Cases	1	2	1	4
	Percent	25.0	50.0	25.0	100.0
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	-	11	5	16
	Percent	-	68.8	31.3	100.0
YERSINIA	Cases	2	10	4	16
	Percent	12.5	62.5	25.0	100.0
Total	Cases	156	818	263	1237
	Percent	12.6	66.1	21.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 9a through 9i - Ethnicity by Pathogen by Site

Table 9i: Site = Tennessee		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	7	91	82	180
	Percent	3.9	50.6	45.6	100.0
CRYPTOSPORIDIUM	Cases	-	8	5	13
	Percent	-	61.5	38.5	100.0
CYCLOSPORA	Cases	-	1	-	1
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	-	10	15	25
	Percent	-	40.0	60.0	100.0
LISTERIA	Cases	-	3	-	3
	Percent	-	100.0	-	100.0
SALMONELLA	Cases	12	279	263	554
	Percent	2.2	50.4	47.5	100.0
SHIGELLA	Cases	4	57	85	146
	Percent	2.7	39.0	58.2	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	-	4	3	7
	Percent	-	57.1	42.9	100.0
YERSINIA	Cases	1	9	5	15
	Percent	6.7	60.0	33.3	100.0
Total	Cases	24	462	458	944
	Percent	2.5	48.9	48.5	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
AARHUS	0	0	0	0	11	0	0	0	2	13
ABADINA	0	0	0	0	0	0	0	0	2	2
ABONY	1	0	0	1	0	0	0	0	0	2
ADELAIDE	2	0	1	0	1	2	1	0	0	7
AGONA	5	6	2	5	4	9	1	4	2	38
AGOUEVE	0	0	0	0	1	0	0	0	0	1
ALABAMA	0	0	0	4	0	0	0	0	0	4
ALACHUA	2	0	0	0	0	0	1	0	0	3
ALBANY	0	0	0	0	0	0	0	1	0	1
ANATUM	4	0	1	8	2	7	1	2	9	34
APAPA	0	0	0	0	0	0	0	1	0	1
BAILDON	0	0	0	3	0	1	0	0	1	5
BARDO	0	0	0	1	26	2	1	0	0	30
BAREILLY	2	0	1	10	2	1	0	0	7	23
BERTA	7	4	4	13	12	3	7	0	0	50
BLOCKLEY	0	2	0	2	0	6	0	0	1	11
BONARIENSIS	0	0	0	0	1	0	0	0	0	1
BOURNEMOUTH	0	0	0	1	0	0	0	0	0	1
BOVISMORBIFICANS	7	5	0	0	0	2	2	0	0	16
BRACKNELL	0	0	0	1	0	0	0	0	0	1
BRAENDERUP	3	4	5	16	8	4	3	4	3	50
BRANDBURG	3	0	0	7	3	2	3	1	1	20
BREDENEY	2	0	0	1	0	2	0	1	0	6
BSILLA	0	0	0	1	0	0	0	0	0	1
CANNSTATT	0	0	0	0	0	1	0	0	0	1
CARACAS	0	0	0	0	0	1	0	0	0	1
CARMEL	0	0	1	0	0	0	0	1	0	2

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
CARRAU	0	0	1	1	0	0	0	0	0	2
CERRO	2	1	0	8	0	0	0	0	1	12
CHANDANS	0	0	0	0	0	1	0	0	1	2
CHOLERAESUIS	2	0	0	1	1	0	1	0	0	5
CLACKAMAS	0	0	0	0	0	0	0	4	0	4
COELN	0	0	0	1	0	0	0	0	0	1
COLINDALE	0	0	0	0	0	0	0	1	0	1
CUBANA	1	0	0	0	1	0	0	0	0	2
DERBY	10	0	2	31	5	4	1	0	3	56
DUBLIN	6	0	1	0	0	0	2	1	0	10
EALING	0	0	0	0	0	0	1	0	0	1
EASTBOURNE	0	1	0	0	0	1	0	0	0	2
ELOMRANE	0	1	0	0	0	0	0	0	0	1
EMEK	0	0	0	0	0	0	0	0	1	1
ENTERITIDIS	69	63	88	84	219	109	162	51	37	882
FLUNTERN	0	0	0	0	1	0	0	0	0	1
GAMINARA	1	0	0	1	2	0	0	0	0	4
GIVE	1	0	1	1	1	0	0	0	0	4
GLOSTRUP	0	0	0	1	0	0	0	0	0	1
HADAR	7	3	7	11	1	10	6	9	0	54
HAIFA	0	2	0	1	0	0	0	0	0	3
HARTFORD	0	3	6	8	3	1	0	1	3	25
HAVANA	0	2	0	0	1	0	0	0	0	3
HEIDELBERG	33	14	21	71	34	34	25	27	19	278
HVITTINGFOSS	0	0	0	2	2	1	0	2	1	8
IBADAN	0	0	0	0	0	0	0	0	2	2
INDIANA	0	0	0	0	0	1	0	2	0	3

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
INFANTIS	24	5	10	6	12	13	9	1	5	85
INVERNESS	0	0	0	6	0	0	0	0	0	6
ISTANBUL	0	0	1	0	4	3	0	0	0	8
ITURI	0	0	0	0	0	1	0	0	0	1
JAVIANA	2	5	3	259	29	7	6	3	32	346
JOHANNESBURG	0	0	0	3	0	1	0	0	1	5
KANDE	2	0	0	0	0	0	0	0	0	2
KENTUCKY	1	0	2	4	1	1	2	0	0	11
KIAMBU	5	0	2	2	1	1	1	0	0	12
KINGABWA	3	0	0	1	0	2	0	0	0	6
KINONDONI	0	0	0	0	1	0	0	0	0	1
KINTAMBO	0	0	0	1	1	1	0	0	0	3
KOTTBUS	0	0	0	0	0	0	0	0	1	1
LAROCHELLE	0	0	0	0	0	1	0	0	0	1
LINDERN	0	0	0	1	0	0	0	0	0	1
LITCHFIELD	4	1	3	4	0	2	1	0	1	16
LIVINGSTONE	0	0	0	0	0	0	0	1	0	1
LOMALINDA	0	0	0	0	0	1	0	0	0	1
LOMITA	0	0	0	0	0	1	0	0	0	1
LONDON	0	0	0	0	0	0	1	0	1	2
MADELIA	0	1	0	0	0	0	0	0	0	1
MANHATTAN	2	0	0	3	2	0	1	1	0	9
MARACAIBO	0	0	0	0	1	0	0	0	0	1
MBANDAKA	1	1	1	14	6	8	3	0	0	34
MELEAGRIDIS	0	0	0	0	0	1	0	0	0	1
MIAMI	0	1	1	13	0	0	0	0	36	51
MIKAWASIMA	0	1	0	0	0	0	0	0	0	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
MINNESOTA	1	0	0	2	0	0	0	0	0	3
MISSISSIPPI	0	0	1	65	3	0	0	0	8	77
MONSCHAUI	0	0	1	0	0	0	0	0	0	1
MONTEVIDEO	13	5	15	33	11	9	8	17	3	114
MUENCHEN	5	10	4	72	5	10	8	10	4	128
MUENSTER	1	0	0	2	2	2	1	0	0	8
NEWPORT	48	40	51	340	91	56	106	31	69	832
NGILI	0	0	0	0	1	0	0	0	0	1
NIMA	0	0	0	0	0	1	0	0	1	2
NORWICH	0	0	0	3	6	0	0	0	5	14
NOT SEROTYPED	8	13	4	203	36	8	20	6	69	367
NOTTINGHAM	0	0	0	0	0	0	0	0	1	1
OHIO	2	1	0	2	1	1	0	0	2	9
ORANIENBURG	11	10	8	13	10	16	10	12	9	99
OSLO	0	0	1	0	0	0	1	0	1	3
OTHER	1	0	0	2	11	2	0	0	2	18
OTHMARSCHEN	0	0	0	0	1	0	0	0	0	1
PANAMA	3	2	2	1	9	4	0	2	3	26
PARATYPHI A	5	3	3	6	2	2	4	1	2	28
PARATYPHI B	1	4	6	0	3	1	4	0	0	19
PATIENCE	0	0	0	0	0	1	0	0	0	1
PENSACOLA	0	0	2	1	0	0	0	0	0	3
POMONA	0	0	2	1	1	1	0	0	0	5
POONA	4	8	10	3	4	1	0	7	2	39
POTSDAM	0	0	1	0	0	0	0	2	0	3
PUTTEN	0	0	0	0	0	0	0	0	1	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
Paratyphi B var. L(+) tartrate+	2	4	1	17	7	16	0	8	12	67
READING	1	0	0	1	0	3	0	3	0	8
RICHMOND	1	0	0	1	0	1	0	0	0	3
RISSEN	1	0	0	0	0	1	0	0	0	2
RUBISLAW	0	0	0	12	1	0	0	0	0	13
S. I 11:e,h:-	0	0	0	1	0	0	0	0	0	1
S. I 3,10:e,h:-	0	0	1	0	0	0	0	1	0	2
S. I 4,12:-:1,2	0	0	0	1	0	0	0	0	0	1
S. I 4,12:d:-	0	0	0	0	0	0	0	1	0	1
S. I 4,12:i:-	0	0	3	2	0	0	0	0	0	5
S. I 4,12:nonmotile	0	0	0	0	0	0	0	1	0	1
S. I 4,5,12,27:i:-	0	0	0	1	0	0	0	0	0	1
S. I 4,5,12:b:-	0	0	2	0	0	0	6	0	0	8
S. I 4,5,12:i:-	1	0	5	36	0	0	5	0	21	68
S. I 4,[5],12:b:-	2	0	0	0	0	0	1	0	0	3
S. I 4,[5],12:i:-	1	0	0	0	0	0	0	0	0	1
S. I 6,7:-:1,5	0	0	0	0	0	0	5	0	0	5
S. I 6,7:k:-	0	0	0	0	0	0	1	0	0	1
S. I 6,8:d:-	0	0	0	1	0	0	0	0	0	1
S. I 8:d:-	0	0	0	1	0	0	0	0	0	1
S. I 9,12:-:1,5	1	0	0	2	0	0	0	0	0	3
S. I 9,12:l,v:-	0	0	1	0	0	0	0	0	0	1
S. I 9,12:l,z28:-	0	0	1	5	0	0	0	0	0	6
S. I 9,12:nonmotile	0	0	1	1	0	0	0	0	0	2
S. I Rough:nonmotile	0	0	0	0	0	0	0	1	0	1
S. I Rough:z:1,6	0	0	0	0	0	0	0	1	0	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
S. II 47:d:z39	0	0	0	2	0	1	0	0	0	3
S. II 48:d:z6	0	1	0	0	0	0	0	0	0	1
S. II 50:b:z6	0	0	0	1	0	0	0	0	0	1
S. IIIa 18:z4, z23:-	3	0	0	0	0	0	0	0	0	3
S. IIIa 40:z4, z24:-	1	0	0	0	0	0	0	0	0	1
S. IIIa 48:g, z51:-	0	0	0	1	0	0	0	0	0	1
S. IIIa 48:z4, z23:-	0	0	0	0	0	0	0	1	0	1
S. IIIa 48:z4, z24:-	0	0	0	1	0	0	0	0	0	1
S. IIIa 51:z4, z23:-	0	0	0	1	0	0	0	0	0	1
S. IIIa Rough:z4, z23:-	1	0	0	0	0	0	0	0	0	1
S. IIIb 16:z10:e, n, x, z15	0	0	0	0	0	0	0	1	0	1
S. IIIb 50:k:z	0	0	0	0	0	0	0	1	0	1
S. IIIb 61:c:z35	0	0	0	0	0	0	0	1	0	1
S. IIIb 65:(k):z	1	0	0	0	0	0	0	0	0	1
S. IIIb Rough:z52:z53	0	0	0	0	0	0	0	1	0	1
S. IV 16:z4, z32:-	0	0	0	0	0	0	1	0	0	1
S. IV 44:z4, z23:-	0	0	0	0	0	0	0	1	1	2
S. IV 50:g, z51:-	1	0	0	1	1	0	0	0	4	7
S. IV 50:z4, z23:-	0	0	0	2	1	0	0	0	0	3
S. IV 6,7:z4, z24:-	0	1	0	2	5	0	0	0	3	11
SAINTPAUL	15	8	10	27	8	8	9	18	4	107
SANDIEGO	3	0	2	3	4	4	4	1	0	21
SAPHRA	1	0	0	0	0	0	0	0	0	1
SCHWARZENGRUND	2	1	1	1	1	2	1	1	2	12
SENFENBERG	0	3	0	5	1	4	0	2	0	15

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
SHUBRA	0	0	0	0	1	0	0	0	0	1
STANLEY	7	3	4	8	0	5	2	4	1	34
STANLEYVILLE	0	0	1	2	1	0	0	0	0	4
SUNDSVALL	0	0	0	0	0	1	0	0	0	1
Subspecies I	0	0	1	0	0	4	0	0	1	6
Subspecies I, Group A	1	0	0	1	1	1	0	0	0	4
Subspecies I, Group B	15	1	4	23	110	4	1	0	7	165
Subspecies I, Group C1	2	0	0	6	7	1	1	0	3	20
Subspecies I, Group C2	0	0	0	9	4	2	3	0	3	21
Subspecies I, Group D1	0	0	0	0	19	0	1	0	0	20
Subspecies I, Group E1	0	0	0	0	1	0	0	0	0	1
Subspecies II	0	0	1	0	0	0	0	0	0	1
Subspecies III, Group 0	0	0	1	0	0	0	0	0	1	2
Subspecies IIIa/IIIb	0	0	0	4	0	0	0	0	0	4
Subspecies IIIb	0	0	0	0	0	5	0	0	0	5
Subspecies IV	0	0	1	0	0	1	0	0	0	2
Subspecies IV, Group F	0	0	1	0	0	0	0	0	0	1
Subspecies IV, Group Z	0	0	1	0	0	0	0	0	0	1
TELELKEBIR	0	0	0	1	0	0	0	1	0	2
TENNESSEE	1	1	0	2	0	3	2	1	1	11
THOMPSON	19	5	10	3	6	7	5	1	2	58
TORNOW	0	0	0	1	0	0	0	0	0	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site									Total
	Ca.	Co.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype										
TOUCRA	0	0	1	0	1	0	0	0	0	2
TYPHI	10	3	8	4	11	4	2	0	1	43
TYPHIMURIUM	100	68	113	248	147	148	74	67	130	1095
Typhimurium var. 5-	0	0	0	91	0	0	0	0	0	91
UGANDA	5	0	1	2	0	0	3	0	1	12
URBANA	0	1	0	0	1	1	0	0	0	3
VIRCHOW	3	1	2	1	5	1	0	1	1	15
VIRGINIA	0	0	0	2	0	1	0	0	0	3
WANDSWORTH	0	0	0	1	0	0	0	0	0	1
WELTEVREDEN	3	0	3	0	0	0	0	0	0	6
WORTHINGTON	0	0	0	1	2	0	0	1	0	4
Total	521	323	457	1901	943	593	531	327	554	6150

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 11 - Percent Shigella Species by Site

		Species					Total
		BOYDII	DYSENTERIA	FLEXNERI	SONNEI	UNKNOWN	
Site							
California	Cases	7	3	100	238	19	367
	Percent	1.9	0.8	27.2	64.9	5.2	100.0
Colorado	Cases	1	-	35	95	5	136
	Percent	0.7	-	25.7	69.9	3.7	100.0
Connecticut	Cases	-	1	17	84	2	104
	Percent	-	1.0	16.3	80.8	1.9	100.0
Georgia	Cases	2	-	77	1552	200	1831
	Percent	0.1	-	4.2	84.8	10.9	100.0
Maryland	Cases	2	1	28	1116	20	1167
	Percent	0.2	0.1	2.4	95.6	1.7	100.0
Minnesota	Cases	2	1	32	179	8	222
	Percent	0.9	0.5	14.4	80.6	3.6	100.0
New York	Cases	1	-	5	44	-	50
	Percent	2.0	-	10.0	88.0	-	100.0
Oregon	Cases	1	-	23	64	2	90
	Percent	1.1	-	25.6	71.1	2.2	100.0
Tennessee	Cases	-	-	16	115	15	146
	Percent	-	-	11.0	78.8	10.3	100.0
Total	Cases	16	6	333	3487	271	4113
	Percent	0.4	0.1	8.1	84.8	6.6	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 12 - Source of Specimen by Pathogen for All Sites

		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	2	43	0	0	144	0	4869	1	5059
	Percent	0.0	0.8	0	0	2.8	0	96.2	0.0	100.0
CRYPTOSPORIDIUM	Cases	0	0	0	0	20	0	511	0	531
	Percent	0	0	0	0	3.8	0	96.2	0	100.0
CYCLOSPORA	Cases	0	0	0	0	2	0	40	0	42
	Percent	0	0	0	0	4.8	0	95.2	0	100.0
E. COLI 0157	Cases	0	0	0	0	9	0	629	0	638
	Percent	0	0	0	0	1.4	0	98.6	0	100.0
LISTERIA	Cases	0	77	14	0	5	1	1	0	98
	Percent	0	78.6	14.3	0	5.1	1.0	1.0	0	100.0
SALMONELLA	Cases	12	332	3	1	156	11	5385	250	6150
	Percent	0.2	5.4	0.0	0.0	2.5	0.2	87.6	4.1	100.0
SHIGELLA	Cases	0	19	0	0	113	1	3941	39	4113
	Percent	0	0.5	0	0	2.7	0.0	95.8	0.9	100.0
STEC NONO157	Cases	0	0	0	0	1	0	34	0	35
	Percent	0	0	0	0	2.9	0	97.1	0	100.0
STEC O AG UNDET	Cases	0	0	0	0	0	0	23	0	23
	Percent	0	0	0	0	0	0	100.0	0	100.0
VIBRIO	Cases	0	20	0	0	15	0	67	2	104
	Percent	0	19.2	0	0	14.4	0	64.4	1.9	100.0
YERSINIA	Cases	1	10	0	0	3	2	144	9	169
	Percent	0.6	5.9	0	0	1.8	1.2	85.2	5.3	100.0
Total	Cases	15	501	17	1	468	15	15644	301	16962
	Percent	0.1	3.0	0.1	0.0	2.8	0.1	92.2	1.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12a: Site = California		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	7	-	-	34	-	977	-	1018
	Percent	-	0.7	-	-	3.3	-	96.0	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	1	-	54	-	55
	Percent	-	-	-	-	1.8	-	98.2	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	3	-	3
	Percent	-	-	-	-	-	-	100.0	-	100.0
E. COLI 0157	Cases	-	-	-	-	2	-	43	-	45
	Percent	-	-	-	-	4.4	-	95.6	-	100.0
LISTERIA	Cases	-	8	2	-	2	-	-	-	12
	Percent	-	66.7	16.7	-	16.7	-	-	-	100.0
SALMONELLA	Cases	1	43	1	-	18	2	438	18	521
	Percent	0.2	8.3	0.2	-	3.5	0.4	84.1	3.5	100.0
SHIGELLA	Cases	-	-	-	-	17	-	348	2	367
	Percent	-	-	-	-	4.6	-	94.8	0.5	100.0
STEC NON0157	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	11	-	11
	Percent	-	-	-	-	-	-	100.0	-	100.0
YERSINIA	Cases	-	1	-	-	1	-	15	-	17
	Percent	-	5.9	-	-	5.9	-	88.2	-	100.0
Total	Cases	1	59	3	-	75	2	1889	20	2049
	Percent	0.0	2.9	0.1	-	3.7	0.1	92.2	1.0	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12b: Site = Colorado		Source of Specimen								Total
		ABCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	3	-	-	58	-	286	-	347
	Percent	-	0.9	-	-	16.7	-	82.4	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	4	-	16	-	20
	Percent	-	-	-	-	20.0	-	80.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
E. COLI 0157	Cases	-	-	-	-	2	-	56	-	58
	Percent	-	-	-	-	3.4	-	96.6	-	100.0
LISTERIA	Cases	-	3	-	-	-	-	-	-	3
	Percent	-	100.0	-	-	-	-	-	-	100.0
SALMONELLA	Cases	-	13	-	-	17	1	273	19	323
	Percent	-	4.0	-	-	5.3	0.3	84.5	5.9	100.0
SHIGELLA	Cases	-	-	-	-	7	-	127	2	136
	Percent	-	-	-	-	5.1	-	93.4	1.5	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	2	-	2
	Percent	-	-	-	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	1	-	-	-	-	2	-	3
	Percent	-	33.3	-	-	-	-	66.7	-	100.0
YERSINIA	Cases	-	-	-	-	-	-	3	-	3
	Percent	-	-	-	-	-	-	100.0	-	100.0
Total	Cases	-	20	-	-	88	1	765	21	895
	Percent	-	2.2	-	-	9.8	0.1	85.5	2.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12c: Site = Connecticut		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	6	-	-	1	-	535	-	542
	Percent	-	1.1	-	-	0.2	-	98.7	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	1	-	18	-	19
	Percent	-	-	-	-	5.3	-	94.7	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	7	-	7
	Percent	-	-	-	-	-	-	100.0	-	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	45	-	45
	Percent	-	-	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	15	1	-	-	-	-	-	16
	Percent	-	93.8	6.3	-	-	-	-	-	100.0
SALMONELLA	Cases	1	28	1	-	3	3	394	27	457
	Percent	0.2	6.1	0.2	-	0.7	0.7	86.2	5.9	100.0
SHIGELLA	Cases	-	-	-	-	-	1	103	-	104
	Percent	-	-	-	-	-	1.0	99.0	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	15	-	15
	Percent	-	-	-	-	-	-	100.0	-	100.0
STEC O AG UNDET	Cases	-	-	-	-	-	-	2	-	2
	Percent	-	-	-	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	-	-	-	2	-	9	-	11
	Percent	-	-	-	-	18.2	-	81.8	-	100.0
YERSINIA	Cases	-	1	-	-	-	1	14	-	16
	Percent	-	6.3	-	-	-	6.3	87.5	-	100.0
Total	Cases	1	50	2	-	7	5	1142	27	1234
	Percent	0.1	4.1	0.2	-	0.6	0.4	92.5	2.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12d: Site = Georgia		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	5	-	-	18	-	641	-	664
	Percent	-	0.8	-	-	2.7	-	96.5	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	9	-	109	-	118
	Percent	-	-	-	-	7.6	-	92.4	-	100.0
CYCLOSPORA	Cases	-	-	-	-	1	-	21	-	22
	Percent	-	-	-	-	4.5	-	95.5	-	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	45	-	45
	Percent	-	-	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	10	3	-	2	-	1	-	16
	Percent	-	62.5	18.8	-	12.5	-	6.3	-	100.0
SALMONELLA	Cases	5	73	-	1	65	2	1699	56	1901
	Percent	0.3	3.8	-	0.1	3.4	0.1	89.4	2.9	100.0
SHIGELLA	Cases	-	5	-	-	61	-	1745	20	1831
	Percent	-	0.3	-	-	3.3	-	95.3	1.1	100.0
STEC NONO157	Cases	-	-	-	-	1	-	3	-	4
	Percent	-	-	-	-	25.0	-	75.0	-	100.0
STEC O AG UNDET	Cases	-	-	-	-	-	-	3	-	3
	Percent	-	-	-	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	7	-	-	5	-	14	1	27
	Percent	-	25.9	-	-	18.5	-	51.9	3.7	100.0
YERSINIA	Cases	1	5	-	-	1	-	35	5	47
	Percent	2.1	10.6	-	-	2.1	-	74.5	10.6	100.0
Total	Cases	6	105	3	1	163	2	4316	82	4678
	Percent	0.1	2.2	0.1	0.0	3.5	0.0	92.3	1.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12e: Site = Maryland		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	8	-	-	2	-	363	1	374
	Percent	-	2.1	-	-	0.5	-	97.1	0.3	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	20	-	20
	Percent	-	-	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	2	-	2
	Percent	-	-	-	-	-	-	100.0	-	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	27	-	27
	Percent	-	-	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	18	3	-	-	-	-	-	21
	Percent	-	85.7	14.3	-	-	-	-	-	100.0
SALMONELLA	Cases	-	81	-	-	9	-	821	32	943
	Percent	-	8.6	-	-	1.0	-	87.1	3.4	100.0
SHIGELLA	Cases	-	12	-	-	20	-	1125	10	1167
	Percent	-	1.0	-	-	1.7	-	96.4	0.9	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	7	-	-	4	-	8	1	20
	Percent	-	35.0	-	-	20.0	-	40.0	5.0	100.0
YERSINIA	Cases	-	1	-	-	1	-	12	1	15
	Percent	-	6.7	-	-	6.7	-	80.0	6.7	100.0
Total	Cases	-	127	3	-	36	-	2378	45	2589
	Percent	-	4.9	0.1	-	1.4	-	91.9	1.7	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12f: Site = Minnesota		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	1	3	-	-	1	-	936	-	941
	Percent	0.1	0.3	-	-	0.1	-	99.5	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	3	-	203	-	206
	Percent	-	-	-	-	1.5	-	98.5	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
E. COLI 0157	Cases	-	-	-	-	-	-	160	-	160
	Percent	-	-	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	4	-	-	-	-	-	-	4
	Percent	-	100.0	-	-	-	-	-	-	100.0
SALMONELLA	Cases	1	32	1	-	4	-	527	28	593
	Percent	0.2	5.4	0.2	-	0.7	-	88.9	4.7	100.0
SHIGELLA	Cases	-	-	-	-	2	-	220	-	222
	Percent	-	-	-	-	0.9	-	99.1	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	12	-	12
	Percent	-	-	-	-	-	-	100.0	-	100.0
STEC O AG UNDET	Cases	-	-	-	-	-	-	16	-	16
	Percent	-	-	-	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	-	-	-	3	-	2	-	5
	Percent	-	-	-	-	60.0	-	40.0	-	100.0
YERSINIA	Cases	-	-	-	-	-	-	18	1	19
	Percent	-	-	-	-	-	-	94.7	5.3	100.0
Total	Cases	2	39	1	-	13	-	2094	29	2178
	Percent	0.1	1.8	0.0	-	0.6	-	96.1	1.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12g: Site = New York		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	6	-	-	1	-	424	-	431
	Percent	-	1.4	-	-	0.2	-	98.4	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	43	-	43
	Percent	-	-	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	7	-	7
	Percent	-	-	-	-	-	-	100.0	-	100.0
E. COLI 0157	Cases	-	-	-	-	-	-	56	-	56
	Percent	-	-	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	12	3	-	-	-	-	-	15
	Percent	-	80.0	20.0	-	-	-	-	-	100.0
SALMONELLA	Cases	2	17	-	-	4	1	479	28	531
	Percent	0.4	3.2	-	-	0.8	0.2	90.2	5.3	100.0
SHIGELLA	Cases	-	-	-	-	-	-	50	-	50
	Percent	-	-	-	-	-	-	100.0	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	4	-	4
	Percent	-	-	-	-	-	-	100.0	-	100.0
YERSINIA	Cases	-	-	-	-	-	-	21	-	21
	Percent	-	-	-	-	-	-	100.0	-	100.0
Total	Cases	2	35	3	-	5	1	1084	28	1158
	Percent	0.2	3.0	0.3	-	0.4	0.1	93.6	2.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12h: Site = Oregon		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	-	5	-	-	7	-	550	-	562
	Percent	-	0.9	-	-	1.2	-	97.9	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	1	-	36	-	37
	Percent	-	-	-	-	2.7	-	97.3	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
E. COLI 0157	Cases	-	-	-	-	-	-	177	-	177
	Percent	-	-	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	5	1	-	1	1	-	-	8
	Percent	-	62.5	12.5	-	12.5	12.5	-	-	100.0
SALMONELLA	Cases	-	14	-	-	7	-	285	21	327
	Percent	-	4.3	-	-	2.1	-	87.2	6.4	100.0
SHIGELLA	Cases	-	-	-	-	-	-	90	-	90
	Percent	-	-	-	-	-	-	100.0	-	100.0
STEC NONO157	Cases	-	-	-	-	-	-	4	-	4
	Percent	-	-	-	-	-	-	100.0	-	100.0
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	1	-	-	1	-	14	-	16
	Percent	-	6.3	-	-	6.3	-	87.5	-	100.0
YERSINIA	Cases	-	1	-	-	-	-	15	-	16
	Percent	-	6.3	-	-	-	-	93.8	-	100.0
Total	Cases	-	26	1	-	17	1	1171	21	1237
	Percent	-	2.1	0.1	-	1.4	0.1	94.7	1.7	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 12a through 12i - Source of Specimen by Pathogen by Site

Table 12i: Site = Tennessee		Source of Specimen								Total
		ABSCESS	BLOOD	CSF	ORTHO	OTHER	OTHER STERILE SITE	STOOL	URINE	
Pathogen										
CAMPYLOBACTER	Cases	1	-	-	-	22	-	157	-	180
	Percent	0.6	-	-	-	12.2	-	87.2	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	1	-	12	-	13
	Percent	-	-	-	-	7.7	-	92.3	-	100.0
CYCLOSPORA	Cases	-	-	-	-	1	-	-	-	1
	Percent	-	-	-	-	100.0	-	-	-	100.0
E. COLI 0157	Cases	-	-	-	-	5	-	20	-	25
	Percent	-	-	-	-	20.0	-	80.0	-	100.0
LISTERIA	Cases	-	2	1	-	-	-	-	-	3
	Percent	-	66.7	33.3	-	-	-	-	-	100.0
SALMONELLA	Cases	2	31	-	-	29	2	469	21	554
	Percent	0.4	5.6	-	-	5.2	0.4	84.7	3.8	100.0
SHIGELLA	Cases	-	2	-	-	6	-	133	5	146
	Percent	-	1.4	-	-	4.1	-	91.1	3.4	100.0
STEC NONO157	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	4	-	-	-	-	3	-	7
	Percent	-	57.1	-	-	-	-	42.9	-	100.0
YERSINIA	Cases	-	1	-	-	-	1	11	2	15
	Percent	-	6.7	-	-	-	6.7	73.3	13.3	100.0
Total	Cases	3	40	1	-	64	3	805	28	944
	Percent	0.3	4.2	0.1	-	6.8	0.3	85.3	3.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Table 13 - Patient Status by Pathogen for All Sites

		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	666	4086	307	5059
	Percent	13.2	80.8	6.1	100.0
CRYPTOSPORIDIUM	Cases	102	399	30	531
	Percent	19.2	75.1	5.6	100.0
CYCLOSPORA	Cases	0	39	3	42
	Percent	0	92.9	7.1	100.0
E. COLI 0157	Cases	249	366	23	638
	Percent	39.0	57.4	3.6	100.0
LISTERIA	Cases	85	5	8	98
	Percent	86.7	5.1	8.2	100.0
SALMONELLA	Cases	1363	4434	353	6150
	Percent	22.2	72.1	5.7	100.0
SHIGELLA	Cases	637	3307	169	4113
	Percent	15.5	80.4	4.1	100.0
STEC NON0157	Cases	2	30	3	35
	Percent	5.7	85.7	8.6	100.0
STEC O AG UNDET	Cases	2	16	5	23
	Percent	8.7	69.6	21.7	100.0
VIBRIO	Cases	36	64	4	104
	Percent	34.6	61.5	3.8	100.0
YERSINIA	Cases	41	119	9	169
	Percent	24.3	70.4	5.3	100.0
Total	Cases	3183	12865	914	16962
	Percent	18.8	75.8	5.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13a: Site = California		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	76	835	107	1018
	Percent	7.5	82.0	10.5	100.0
CRYPTOSPORIDIUM	Cases	13	29	13	55
	Percent	23.6	52.7	23.6	100.0
CYCLOSPORA	Cases	-	3	-	3
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	18	25	2	45
	Percent	40.0	55.6	4.4	100.0
LISTERIA	Cases	11	1	-	12
	Percent	91.7	8.3	-	100.0
SALMONELLA	Cases	89	397	35	521
	Percent	17.1	76.2	6.7	100.0
SHIGELLA	Cases	53	296	18	367
	Percent	14.4	80.7	4.9	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	-	11	-	11
	Percent	-	100.0	-	100.0
YERSINIA	Cases	4	11	2	17
	Percent	23.5	64.7	11.8	100.0
Total	Cases	264	1608	177	2049
	Percent	12.9	78.5	8.6	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13b: Site = Colorado		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	45	229	73	347
	Percent	13.0	66.0	21.0	100.0
CRYPTOSPORIDIUM	Cases	6	9	5	20
	Percent	30.0	45.0	25.0	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	21	25	12	58
	Percent	36.2	43.1	20.7	100.0
LISTERIA	Cases	3	-	-	3
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	54	199	70	323
	Percent	16.7	61.6	21.7	100.0
SHIGELLA	Cases	21	86	29	136
	Percent	15.4	63.2	21.3	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	1	1	2
	Percent	-	50.0	50.0	100.0
VIBRIO	Cases	2	-	1	3
	Percent	66.7	-	33.3	100.0
YERSINIA	Cases	-	2	1	3
	Percent	-	66.7	33.3	100.0
Total	Cases	152	551	192	895
	Percent	17.0	61.6	21.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13c: Site = Connecticut		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	76	455	11	542
	Percent	14.0	83.9	2.0	100.0
CRYPTOSPORIDIUM	Cases	5	12	2	19
	Percent	26.3	63.2	10.5	100.0
CYCLOSPORA	Cases	-	6	1	7
	Percent	-	85.7	14.3	100.0
E. COLI 0157	Cases	24	21	-	45
	Percent	53.3	46.7	-	100.0
LISTERIA	Cases	15	1	-	16
	Percent	93.8	6.3	-	100.0
SALMONELLA	Cases	109	342	6	457
	Percent	23.9	74.8	1.3	100.0
SHIGELLA	Cases	15	87	2	104
	Percent	14.4	83.7	1.9	100.0
STEC NON0157	Cases	1	14	-	15
	Percent	6.7	93.3	-	100.0
STEC O AG UNDET	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
VIBRIO	Cases	1	10	-	11
	Percent	9.1	90.9	-	100.0
YERSINIA	Cases	5	11	-	16
	Percent	31.3	68.8	-	100.0
Total	Cases	253	959	22	1234
	Percent	20.5	77.7	1.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13d: Site = Georgia		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	125	482	57	664
	Percent	18.8	72.6	8.6	100.0
CRYPTOSPORIDIUM	Cases	25	86	7	118
	Percent	21.2	72.9	5.9	100.0
CYCLOSPORA	Cases	-	20	2	22
	Percent	-	90.9	9.1	100.0
E. COLI 0157	Cases	21	23	1	45
	Percent	46.7	51.1	2.2	100.0
LISTERIA	Cases	14	1	1	16
	Percent	87.5	6.3	6.3	100.0
SALMONELLA	Cases	431	1323	147	1901
	Percent	22.7	69.6	7.7	100.0
SHIGELLA	Cases	298	1458	75	1831
	Percent	16.3	79.6	4.1	100.0
STEC NON0157	Cases	-	4	-	4
	Percent	-	100.0	-	100.0
STEC O AG UNDET	Cases	-	2	1	3
	Percent	-	66.7	33.3	100.0
VIBRIO	Cases	13	12	2	27
	Percent	48.1	44.4	7.4	100.0
YERSINIA	Cases	15	32	-	47
	Percent	31.9	68.1	-	100.0
Total	Cases	942	3443	293	4678
	Percent	20.1	73.6	6.3	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13e: Site = Maryland		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	64	273	37	374
	Percent	17.1	73.0	9.9	100.0
CRYPTOSPORIDIUM	Cases	10	8	2	20
	Percent	50.0	40.0	10.0	100.0
CYCLOSPORA	Cases	-	2	-	2
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	14	6	7	27
	Percent	51.9	22.2	25.9	100.0
LISTERIA	Cases	13	2	6	21
	Percent	61.9	9.5	28.6	100.0
SALMONELLA	Cases	229	652	62	943
	Percent	24.3	69.1	6.6	100.0
SHIGELLA	Cases	164	968	35	1167
	Percent	14.1	82.9	3.0	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	12	8	-	20
	Percent	60.0	40.0	-	100.0
YERSINIA	Cases	4	8	3	15
	Percent	26.7	53.3	20.0	100.0
Total	Cases	510	1927	152	2589
	Percent	19.7	74.4	5.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13f: Site = Minnesota		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	128	813	-	941
	Percent	13.6	86.4	-	100.0
CRYPTOSPORIDIUM	Cases	29	177	-	206
	Percent	14.1	85.9	-	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	62	98	-	160
	Percent	38.8	61.3	-	100.0
LISTERIA	Cases	4	-	-	4
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	138	455	-	593
	Percent	23.3	76.7	-	100.0
SHIGELLA	Cases	32	190	-	222
	Percent	14.4	85.6	-	100.0
STEC NON0157	Cases	1	8	3	12
	Percent	8.3	66.7	25.0	100.0
STEC O AG UNDET	Cases	-	13	3	16
	Percent	-	81.3	18.8	100.0
VIBRIO	Cases	1	4	-	5
	Percent	20.0	80.0	-	100.0
YERSINIA	Cases	3	16	-	19
	Percent	15.8	84.2	-	100.0
Total	Cases	398	1774	6	2178
	Percent	18.3	81.5	0.3	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13g: Site = New York		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	58	373	-	431
	Percent	13.5	86.5	-	100.0
CRYPTOSPORIDIUM	Cases	6	37	-	43
	Percent	14.0	86.0	-	100.0
CYCLOSPORA	Cases	-	7	-	7
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	25	31	-	56
	Percent	44.6	55.4	-	100.0
LISTERIA	Cases	15	-	-	15
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	91	440	-	531
	Percent	17.1	82.9	-	100.0
SHIGELLA	Cases	11	39	-	50
	Percent	22.0	78.0	-	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	-	4	-	4
	Percent	-	100.0	-	100.0
YERSINIA	Cases	2	19	-	21
	Percent	9.5	90.5	-	100.0
Total	Cases	208	950	-	1158
	Percent	18.0	82.0	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2002 Final Report
 Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13h: Site = Oregon		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	56	496	10	562
	Percent	10.0	88.3	1.8	100.0
CRYPTOSPORIDIUM	Cases	2	34	1	37
	Percent	5.4	91.9	2.7	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI 0157	Cases	50	127	-	177
	Percent	28.2	71.8	-	100.0
LISTERIA	Cases	7	-	1	8
	Percent	87.5	-	12.5	100.0
SALMONELLA	Cases	66	258	3	327
	Percent	20.2	78.9	0.9	100.0
SHIGELLA	Cases	14	71	5	90
	Percent	15.6	78.9	5.6	100.0
STEC NON0157	Cases	-	4	-	4
	Percent	-	100.0	-	100.0
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	3	12	1	16
	Percent	18.8	75.0	6.3	100.0
YERSINIA	Cases	2	13	1	16
	Percent	12.5	81.3	6.3	100.0
Total	Cases	200	1015	22	1237
	Percent	16.2	82.1	1.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 13a through 13i - Patient Status by Pathogen by Site

Table 13i: Site = Tennessee		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	38	130	12	180
	Percent	21.1	72.2	6.7	100.0
CRYPTOSPORIDIUM	Cases	6	7	-	13
	Percent	46.2	53.8	-	100.0
CYCLOSPORA	Cases	-	1	-	1
	Percent	-	100.0	-	100.0
E. COLI 0157	Cases	14	10	1	25
	Percent	56.0	40.0	4.0	100.0
LISTERIA	Cases	3	-	-	3
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	156	368	30	554
	Percent	28.2	66.4	5.4	100.0
SHIGELLA	Cases	29	112	5	146
	Percent	19.9	76.7	3.4	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	4	3	-	7
	Percent	57.1	42.9	-	100.0
YERSINIA	Cases	6	7	2	15
	Percent	40.0	46.7	13.3	100.0
Total	Cases	256	638	50	944
	Percent	27.1	67.6	5.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Table 14 - Patient Outcome by Pathogen for All Sites

		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	3597	11	1451	5059
	Percent	71.1	0.2	28.7	100.0
CRYPTOSPORIDIUM	Cases	461	2	68	531
	Percent	86.8	0.4	12.8	100.0
CYCLOSPORA	Cases	37	0	5	42
	Percent	88.1	0	11.9	100.0
E. COLI O157	Cases	585	4	49	638
	Percent	91.7	0.6	7.7	100.0
LISTERIA	Cases	76	18	4	98
	Percent	77.6	18.4	4.1	100.0
SALMONELLA	Cases	5150	28	972	6150
	Percent	83.7	0.5	15.8	100.0
SHIGELLA	Cases	3292	7	814	4113
	Percent	80.0	0.2	19.8	100.0
STEC NONO157	Cases	35	0	0	35
	Percent	100.0	0	0	100.0
STEC O AG UNDET	Cases	20	0	3	23
	Percent	87.0	0	13.0	100.0
VIBRIO	Cases	77	13	14	104
	Percent	74.0	12.5	13.5	100.0
YERSINIA	Cases	132	1	36	169
	Percent	78.1	0.6	21.3	100.0
Total	Cases	13462	84	3416	16962
	Percent	79.4	0.5	20.1	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14a: Site = California		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	277	1	740	1018
	Percent	27.2	0.1	72.7	100.0
CRYPTOSPORIDIUM	Cases	27	-	28	55
	Percent	49.1	-	50.9	100.0
CYCLOSPORA	Cases	3	-	-	3
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	36	-	9	45
	Percent	80.0	-	20.0	100.0
LISTERIA	Cases	8	3	1	12
	Percent	66.7	25.0	8.3	100.0
SALMONELLA	Cases	288	1	232	521
	Percent	55.3	0.2	44.5	100.0
SHIGELLA	Cases	188	-	179	367
	Percent	51.2	-	48.8	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC 0 AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	5	-	6	11
	Percent	45.5	-	54.5	100.0
YERSINIA	Cases	7	-	10	17
	Percent	41.2	-	58.8	100.0
Total	Cases	839	5	1205	2049
	Percent	40.9	0.2	58.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14b: Site = Colorado		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	198	-	149	347
	Percent	57.1	-	42.9	100.0
CRYPTOSPORIDIUM	Cases	18	-	2	20
	Percent	90.0	-	10.0	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI O157	Cases	39	2	17	58
	Percent	67.2	3.4	29.3	100.0
LISTERIA	Cases	1	1	1	3
	Percent	33.3	33.3	33.3	100.0
SALMONELLA	Cases	212	3	108	323
	Percent	65.6	0.9	33.4	100.0
SHIGELLA	Cases	102	-	34	136
	Percent	75.0	-	25.0	100.0
STEC NONO157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	2	2
	Percent	-	-	100.0	100.0
VIBRIO	Cases	2	-	1	3
	Percent	66.7	-	33.3	100.0
YERSINIA	Cases	2	-	1	3
	Percent	66.7	-	33.3	100.0
Total	Cases	574	6	315	895
	Percent	64.1	0.7	35.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14c: Site = Connecticut		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	233	1	308	542
	Percent	43.0	0.2	56.8	100.0
CRYPTOSPORIDIUM	Cases	9	-	10	19
	Percent	47.4	-	52.6	100.0
CYCLOSPORA	Cases	5	-	2	7
	Percent	71.4	-	28.6	100.0
E. COLI O157	Cases	44	1	-	45
	Percent	97.8	2.2	-	100.0
LISTERIA	Cases	14	2	-	16
	Percent	87.5	12.5	-	100.0
SALMONELLA	Cases	307	4	146	457
	Percent	67.2	0.9	31.9	100.0
SHIGELLA	Cases	56	-	48	104
	Percent	53.8	-	46.2	100.0
STEC NONO157	Cases	15	-	-	15
	Percent	100.0	-	-	100.0
STEC O AG UNDET	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
VIBRIO	Cases	11	-	-	11
	Percent	100.0	-	-	100.0
YERSINIA	Cases	8	1	7	16
	Percent	50.0	6.3	43.8	100.0
Total	Cases	704	9	521	1234
	Percent	57.1	0.7	42.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14d: Site = Georgia		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	470	5	189	664
	Percent	70.8	0.8	28.5	100.0
CRYPTOSPORIDIUM	Cases	99	-	19	118
	Percent	83.9	-	16.1	100.0
CYCLOSPORA	Cases	19	-	3	22
	Percent	86.4	-	13.6	100.0
E. COLI 0157	Cases	32	-	13	45
	Percent	71.1	-	28.9	100.0
LISTERIA	Cases	11	3	2	16
	Percent	68.8	18.8	12.5	100.0
SALMONELLA	Cases	1475	6	420	1901
	Percent	77.6	0.3	22.1	100.0
SHIGELLA	Cases	1294	4	533	1831
	Percent	70.7	0.2	29.1	100.0
STEC NON0157	Cases	4	-	-	4
	Percent	100.0	-	-	100.0
STEC O AG UNDET	Cases	2	-	1	3
	Percent	66.7	-	33.3	100.0
VIBRIO	Cases	16	5	6	27
	Percent	59.3	18.5	22.2	100.0
YERSINIA	Cases	34	-	13	47
	Percent	72.3	-	27.7	100.0
Total	Cases	3456	23	1199	4678
	Percent	73.9	0.5	25.6	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14e: Site = Maryland		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	370	-	4	374
	Percent	98.9	-	1.1	100.0
CRYPTOSPORIDIUM	Cases	19	-	1	20
	Percent	95.0	-	5.0	100.0
CYCLOSPORA	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	27	-	-	27
	Percent	100.0	-	-	100.0
LISTERIA	Cases	20	1	-	21
	Percent	95.2	4.8	-	100.0
SALMONELLA	Cases	936	4	3	943
	Percent	99.3	0.4	0.3	100.0
SHIGELLA	Cases	1165	1	1	1167
	Percent	99.8	0.1	0.1	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	16	4	-	20
	Percent	80.0	20.0	-	100.0
YERSINIA	Cases	14	-	1	15
	Percent	93.3	-	6.7	100.0
Total	Cases	2569	10	10	2589
	Percent	99.2	0.4	0.4	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14f: Site = Minnesota		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	941	-	-	941
	Percent	100.0	-	-	100.0
CRYPTOSPORIDIUM	Cases	206	-	-	206
	Percent	100.0	-	-	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI O157	Cases	159	1	-	160
	Percent	99.4	0.6	-	100.0
LISTERIA	Cases	3	1	-	4
	Percent	75.0	25.0	-	100.0
SALMONELLA	Cases	587	6	-	593
	Percent	99.0	1.0	-	100.0
SHIGELLA	Cases	222	-	-	222
	Percent	100.0	-	-	100.0
STEC NONO157	Cases	12	-	-	12
	Percent	100.0	-	-	100.0
STEC O AG UNDET	Cases	16	-	-	16
	Percent	100.0	-	-	100.0
VIBRIO	Cases	5	-	-	5
	Percent	100.0	-	-	100.0
YERSINIA	Cases	19	-	-	19
	Percent	100.0	-	-	100.0
Total	Cases	2170	8	-	2178
	Percent	99.6	0.4	-	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14g: Site = New York		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	426	3	2	431
	Percent	98.8	0.7	0.5	100.0
CRYPTOSPORIDIUM	Cases	43	-	-	43
	Percent	100.0	-	-	100.0
CYCLOSPORA	Cases	7	-	-	7
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	56	-	-	56
	Percent	100.0	-	-	100.0
LISTERIA	Cases	10	5	-	15
	Percent	66.7	33.3	-	100.0
SALMONELLA	Cases	528	2	1	531
	Percent	99.4	0.4	0.2	100.0
SHIGELLA	Cases	50	-	-	50
	Percent	100.0	-	-	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	4	-	-	4
	Percent	100.0	-	-	100.0
YERSINIA	Cases	21	-	-	21
	Percent	100.0	-	-	100.0
Total	Cases	1145	10	3	1158
	Percent	98.9	0.9	0.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site

Table 14h: Site = Oregon		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	531	-	31	562
	Percent	94.5	-	5.5	100.0
CRYPTOSPORIDIUM	Cases	31	1	5	37
	Percent	83.8	2.7	13.5	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
E. COLI O157	Cases	170	-	7	177
	Percent	96.0	-	4.0	100.0
LISTERIA	Cases	7	1	-	8
	Percent	87.5	12.5	-	100.0
SALMONELLA	Cases	314	1	12	327
	Percent	96.0	0.3	3.7	100.0
SHIGELLA	Cases	82	-	8	90
	Percent	91.1	-	8.9	100.0
STEC NONO157	Cases	4	-	-	4
	Percent	100.0	-	-	100.0
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	15	-	1	16
	Percent	93.8	-	6.3	100.0
YERSINIA	Cases	15	-	1	16
	Percent	93.8	-	6.3	100.0
Total	Cases	1169	3	65	1237
	Percent	94.5	0.2	5.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2002 Final Report
Tables 14a through 14i - Patient Outcome by Pathogen by Site


Table 14i: Site = Tennessee		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	151	1	28	180
	Percent	83.9	0.6	15.6	100.0
CRYPTOSPORIDIUM	Cases	9	1	3	13
	Percent	69.2	7.7	23.1	100.0
CYCLOSPORA	Cases	1	-	-	1
	Percent	100.0	-	-	100.0
E. COLI 0157	Cases	22	-	3	25
	Percent	88.0	-	12.0	100.0
LISTERIA	Cases	2	1	-	3
	Percent	66.7	33.3	-	100.0
SALMONELLA	Cases	503	1	50	554
	Percent	90.8	0.2	9.0	100.0
SHIGELLA	Cases	133	2	11	146
	Percent	91.1	1.4	7.5	100.0
STEC NON0157	Cases	-	-	-	-
	Percent	-	-	-	-
STEC O AG UNDET	Cases	-	-	-	-
	Percent	-	-	-	-
VIBRIO	Cases	3	4	-	7
	Percent	42.9	57.1	-	100.0
YERSINIA	Cases	12	-	3	15
	Percent	80.0	-	20.0	100.0
Total	Cases	836	10	98	944
	Percent	88.6	1.1	10.4	100.0

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CAMPYLOBACTER



Month Specimen Collected


SITE California Colorado Connecticut Georgia Maryland

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CAMPYLOBACTER




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CRYPTOSPORIDIUM



Month Specimen Collected


SITE ◆ California ■ Colorado ○ Connecticut ▲ Georgia ▲ Maryland

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CRYPTOSPORIDIUM




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CYCLOSPORA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = CYCLOSPORA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = E. COLI O157



Month Specimen Collected


SITE — California — Colorado — Connecticut — Georgia — Maryland

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = E. COLI O157




GRAPH1

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = STEC NONO157




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = STEC NONO157




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = STEC O AG UNDET




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = STEC O AG UNDET




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = LISTERIA



Month Specimen Collected


SITE — California — Colorado — Connecticut — Georgia — Maryland

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = LISTERIA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = ENTERITIDIS




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = ENTERITIDIS




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = TYPHIMURIUM




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = TYPHIMURIUM




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = HEIDELBERG



Month Specimen Collected


SITE — California — Colorado — Connecticut — Georgia — Maryland

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = HEIDELBERG




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = NEWPORT




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = NEWPORT




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = MONTEVIDEO




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = MONTEVIDEO




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = AGONA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SALMONELLA Serotype/Species = AGONA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = SONNEI




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = SONNEI




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = FLEXNERI




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = FLEXNERI




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = DYSENTERIA



Month Specimen Collected


SITE — California — Colorado — Connecticut — Georgia — Maryland

CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = SHIGELLA Serotype/Species = DYSENTERIA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = VIBRIO




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = VIBRIO




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = YERSINIA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Rate per 100,000 per Month Postcensal Population Estimates

Pathogen = YERSINIA



Month Specimen Collected

SITE — Minnesota — New York — Oregon — Tennessee


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= CAMPYLOBACTER




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= CRYPTOSPORIDIUM



GRAPH2


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= CYCLOSPORA



GRAPH2


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= E. COLI O157



GRAPH


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= LISTERIA



GRAPH 2


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= SALMONELLA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= SHIGELLA




CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= STEC NONO157



GRAPH 2


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= STEC O AG UNDET



GRAPH2


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= VIBRIO



GRAPH2


CDC's Emerging Infections Program

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)

Cases per 100,000 Postcensal Population Estimates Age Distribution by Pathogen for All Sites

FoodNet 2002 Final Report

Pathogen= YERSINIA



GRAPH2