
Vital and Health Statistics

Current Estimates From the National Health Interview Survey, 1989

**Series 10:
Data From the National Health Survey
No. 176**

Includes estimates on incidence of acute conditions, episodes of persons injured, disability days, physician contacts, prevalence of chronic conditions, limitation of activity, hospitalizations, and assessed health status.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Centers for Disease Control
National Center for Health Statistics

Hyattsville, Maryland
October 1990
DHHS Publication No. (PHS) 90-1504

Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested citation

Adams PF, Benson V. Current estimates from the National Health Interview Survey, 1989. National Center for Health Statistics. Vital Health Stat 10(176). 1990.

National Center for Health Statistics

Manning Feinleib, M.D., Dr.P.H., *Director*

Robert A. Israel, *Deputy Director*

Jacob J. Feldman, Ph.D., *Associate Director for Analysis and Epidemiology*

Gail F. Fisher, Ph.D., *Associate Director for Planning and Extramural Programs*

Peter L. Hurley, *Associate Director for Vital and Health Statistics Systems*

Stephen E. Nieberding, *Associate Director for Management*

Charles J. Rothwell, *Associate Director for Data Processing and Services*

Monroe G. Sirken, Ph.D., *Associate Director for Research and Methodology*

David L. Larson, *Assistant Director, Atlanta*

Division of Health Interview Statistics

Owen T. Thornberry, Jr., Ph.D., *Director*

Deborah M. Winn, Ph.D., *Deputy Director*

Gerry E. Hendershot, Ph.D., *Chief, Illness and Disability Statistics Branch*

Nelma B. Keen, *Chief, Systems and Programming Branch*

Stewart C. Rice, Jr., *Chief, Survey Planning and Development Branch*

Robert A. Wright, *Chief, Utilization and Expenditure Statistics Branch*

Cooperation of the U.S. Bureau of the Census

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Center for Health Statistics, the U.S. Bureau of the Census, under a contractual arrangement, participated in planning the survey and collecting the data.

Contents

| | |
|--|----|
| Introduction | 1 |
| Source and limitations of data | 3 |
| Highlights for 1989 | 4 |
| Acute conditions: Incidence, medical attention, and associated restriction in activity | 5 |
| Episodes of persons injured | 7 |
| Restricted activity associated with injury and impairment due to injury | 7 |
| Prevalence of reported chronic conditions | 7 |
| Limitation of activity due to chronic conditions | 7 |
| Restricted activity due to acute and chronic conditions | 8 |
| Respondent-assessed health status | 8 |
| Physician contacts: Rate and interval since last contact | 8 |
| Hospitalization: Episodes and days for persons; discharges and average length of stay | 8 |
| References | 10 |
| List of detailed tables | 11 |

Appendices

| | |
|--|-----|
| I. Technical notes on methods | 132 |
| II. Definitions of certain terms used in this report | 139 |
| III. Questionnaires and flashcards | 144 |

List of text tables

| | |
|--|---|
| A. Acute conditions measures: United States, 1987-89 | 4 |
| B. Episodes of persons injured and associated restrictions in activity: United States, 1987-89 | 5 |
| C. Health status measures: United States, 1987-89 | 5 |
| D. Health care utilization: United States, 1987-89 | 6 |

Symbols

- - - Data not available
 - . . . Category not applicable
 - Quantity zero
 - 0.0 Quantity more than zero but less than 0.05
 - Z Quantity more than zero but less than 500 where numbers are rounded to thousands
 - * Figure does not meet standard of reliability or precision
 - # Figure suppressed to comply with confidentiality requirements
-

Current Estimates From the National Health Interview Survey

by Patricia F. Adams and Veronica Benson,
Division of Health Interview Statistics

Introduction

This report on the 1989 civilian noninstitutionalized population residing in the United States presents estimates of acute conditions, episodes of persons injured, restriction in activity, prevalence of chronic conditions, limitation of activity due to chronic conditions, respondent-assessed health status, and the use of medical services—including physician contacts and short-stay hospitalization.

Estimates of these health characteristics are presented in detailed tables for various groups in the population, including those defined by age, sex, race, and family income (each shown for specific age groups), and by geographic region and place of residence. Estimates for other characteristics of special relevance to particular health measures are also included. For instance, estimates of physician contacts are shown by the place where the contact occurred.

The text includes a brief definition of each of the health characteristics included in the detailed tables and reports the 1989 estimate for each characteristic. Text tables include the corresponding 1987 and 1988 estimates for each of the major health characteristics. Various technical matters associated with the National Health Interview Survey (NHIS) data collection procedures and with the presentation of results are described in the remainder of the report.

In 1982, the NHIS questionnaire and data preparation procedures of the survey were extensively revised. The basic concepts of NHIS changed in some cases, and in other cases the concepts were measured in a different way. Comparisons with earlier results should not be undertaken without having carefully examined the nature of these changes. Further explanation of these changes can be found in appendix IV of Series 10, No. 150 (1).

In 1985 a new sample for NHIS and a different method of presenting sampling errors were introduced. Therefore, the technical material is of unusual importance to readers accustomed to using data from NHIS prior to 1985.

Although published reports are the primary vehicle for disseminating estimates from NHIS, data also are

available in the form of standardized microdata tapes that include the regular characteristics of each year's survey from 1969 through 1989. Questions pertaining to the cost and availability of these tapes should be directed to the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161. Public use tapes also are available for special topics included in NHIS from 1973 through 1989. The special topics studied in 1989 covered eight areas: (a) health care coverage (including type of coverage from public and private sources, special service coverage, and loss of health insurance through loss of job); (b) adult immunization (including questions on shots for influenza, pneumonia, and tetanus); (c) severe and persistent mental illness (including diagnoses, resultant limitations in work and school roles, effects on physical and social functioning, use of psychotropic medications, and receipt of disability payments); (d) dental health (including visits, reasons for not visiting dentist, edentulousness, fluoride rinses, dental sealants, participation in fluoride mouth rinse programs at school, and time lost for dental problem); (e) diabetes (including diagnoses and treatment, use of insulin, diet, eye problems, cigarette smoking, self-care, and prevalence of diabetes risk factors for diabetics and nondiabetics); (f) orofacial pain (including toothache; mouth sores; burning sensation in mouth; pain in jaw joint, face, or cheek); doctor, dentist, or health professional contacts; and pain control methods; (g) digestive disorders (including gallstones, ulcers, diverticulitis, irritable bowel syndrome, and repeated abdominal pain); information on onset of condition; physician diagnosis and diagnostic tests administered; location, cause, and severity of abdominal pain; and questions on normative bowel functions; and (h) knowledge and attitudes about acquired immunodeficiency syndrome (AIDS), including sources of AIDS information, self-assessed level of AIDS knowledge, basic facts about the AIDS virus and how it is transmitted, blood donation experience, awareness of and experience with the blood test for the AIDS virus, perceived effectiveness of selected preventive measures, self-assessed chances of getting the AIDS virus, personal acquaintance with persons with

AIDS or the AIDS virus, willingness to take part in a proposed national seroprevalence survey, and a general question on AIDS risk behaviors. Information on tapes relating to special topics is available from the National

Center for Health Statistics, Division of Health Interview Statistics, Systems and Programming Branch, 6525 Belcrest Road, Hyattsville, MD 20782.

Source and limitations of data

The information from the National Health Interview Survey (NHIS) presented in this report is based on data collected in a continuing nationwide survey by household interview. Each week a probability sample of the civilian noninstitutionalized population of the United States is interviewed by personnel of the U.S. Bureau of the Census. Information is obtained about the health and other characteristics of each member of the household.

The 1989 NHIS was conducted with a full sample. The interviewed sample for 1989 was composed of 45,711 households containing 116,929 persons. The total noninterview rate was 5.1 percent: 3.0 percent was the result of respondent refusal, and the remainder was primarily the result of failure to locate an eligible respondent at home after repeated calls.

In 1985, although several new sample design features were adopted for NHIS, conceptually, the sampling plan remained the same. The major changes included (a) reducing the number of primary sampling locations from 376 to 198 for sampling efficiency, (b) oversampling the black population to improve the precision of the statistics, (c) subdividing the NHIS sample into four separate representative panels to facilitate linkage to other National Center for Health Statistics (NCHS) surveys, and (d) using an all-area frame not based on the decennial census to facilitate NCHS survey linkage and to conduct NHIS followback surveys. A description of the survey design, the methods used in estimation, and general qualifications of the data obtained from the survey are presented in appendix I.

Because the estimates presented in this report are based on a sample of the population, they are subject to sampling errors. Therefore, readers should pay particular attention to the section of appendix I entitled "Reliability of the estimates," which presents formulas for calculating standard errors and instructions for their use.

All information collected in the survey results from reports by responsible family members residing in the household. When possible, all adult family members participate in the interview. However, proxy responses are accepted for family members who are not at home, and are required for all children and for family members who are physically or mentally incapable of responding for themselves. Although a considerable effort is made to ensure accurate reporting, the information from both proxy respondents and self-respondents may be inaccurate because the respondent is unaware of relevant information, has forgotten it, does not wish to reveal it to an interviewer, or because the respondent does not understand the intended meaning of a question.

The major concepts for which estimates are shown in this report are defined in appendix II. Appendix III includes a copy of the questionnaires and flashcards used in the interview. Illnesses and injuries are coded using a slight modification of the ninth revision of the International Classification of Diseases (2). The Division of Health Interview Statistics of NCHS should be contacted for information about coding and editing procedures used to produce the final data file from which the estimates shown in this report are derived.

Highlights for 1989

In the following sections, each of the health-related characteristics included in this report is defined, and the 1989 estimate is compared with the 1987 and 1988 estimates (3,4) for the same characteristic. The comparisons are highlighted in text tables, which also include the standard error for each of the 1989 estimates. The reader who wants some idea of how much difference there must be between the 1987, 1988, and 1989 estimates to constitute a statistically significant difference may use the standard errors to calculate a confidence interval or a critical value for the *t*-test. Of these two methods, the *t*-test (with a 95-percent level of significance) has been used in the following discussion as a basis for making statements

about the difference or lack of difference between the 1987, 1988, and 1989 estimates.

Because the text compares only the overall rates or percents of health-related characteristics between 1987 and 1989, and the age distribution of the civilian noninstitutionalized population does not change greatly over a 3-year period, the possible effect of differing age distributions is not discussed in the text. Tables A-D include age-standardized as well as unstandardized figures, and the 3-year trends are similar.

Readers using the detailed tables who wish to make comparisons of subgroups of the population may want to consider the possible effect of age in comparing

Table A. Acute conditions measures: United States, 1987–89

| Acute condition measure | Unstandardized | | | | Age standardized | | |
|---|----------------|-------|----------|----------------|------------------|-------|-------|
| | 1989 | | | | 1987 | 1988 | 1989 |
| | 1987 | 1988 | Estimate | Standard error | | | |
| Annual Incidence of acute conditions | | | | | | | |
| All acute conditions | 172.7 | 175.3 | 181.3 | 3.5 | 174.3 | 177.2 | 183.4 |
| Infective and parasitic diseases | 23.2 | 22.3 | 20.1 | 0.8 | 23.8 | 23.0 | 20.7 |
| Respiratory conditions ¹ | 80.1 | 86.9 | 95.2 | 2.2 | 81.1 | 88.0 | 96.6 |
| Common cold | 25.9 | 28.5 | 29.1 | 1.0 | 26.1 | 28.9 | 29.4 |
| Influenza | 38.2 | 42.8 | 50.4 | 1.4 | 38.6 | 43.3 | 51.2 |
| Digestive system conditions | 6.3 | 6.3 | 5.9 | 0.4 | 6.4 | 6.3 | 5.9 |
| Injuries | 27.0 | 24.6 | 24.3 | 0.9 | 27.2 | 24.8 | 24.4 |
| Other acute conditions | 36.1 | 35.2 | 35.8 | 1.1 | 35.9 | 35.1 | 35.8 |
| Acute conditions medically attended | | | | | | | |
| All acute conditions | 61.8 | 62.8 | 61.6 | 0.8 | 61.4 | 61.6 | 60.6 |
| Restricted activity associated with acute conditions | | | | | | | |
| Number of days per 100 persons per year | | | | | | | |
| All restricted-activity days | 679.9 | 699.5 | 749.1 | 18.7 | 679.2 | 699.8 | 748.4 |
| Bed days | 297.6 | 303.7 | 344.1 | 10.5 | 297.3 | 305.1 | 345.4 |
| Work-loss days ² | 310.0 | 311.4 | 336.5 | 11.6 | 301.5 | 302.0 | 343.4 |
| School-loss days ³ | 338.9 | 405.9 | 463.5 | 20.3 | — | — | — |
| Quarterly incidence of acute conditions | | | | | | | |
| Number per 100 persons per quarter | | | | | | | |
| January 1–March 31 | 53.3 | 60.2 | 65.9 | 1.7 | — | — | — |
| April 1–June 30 | 35.7 | 36.9 | 33.3 | 1.1 | — | — | — |
| July 1–September 30 | 33.5 | 30.2 | 31.0 | 1.0 | — | — | — |
| October 1–December 31 | 50.2 | 48.0 | 51.1 | 1.4 | — | — | — |

¹Includes other acute respiratory conditions.

²For currently employed persons 18 years of age and over.

³For youths 5–17 years of age.

NOTE: Detailed tables show the 1989 estimates by age, sex, race, family income, geographic region, and place of residence.

Table B. Episodes of persons injured and associated restrictions in activity: United States, 1987-89

| Episodes of persons injured and associated restricted activities | Unstandardized | | | | Age standardized | | |
|---|---------------------------------|-------|----------|----------------|------------------|-------|-------|
| | 1989 | | | | | | |
| | 1987 | 1988 | Estimate | Standard error | 1987 | 1988 | 1989 |
| Episodes of persons injured | Number per 100 persons per year | | | | | | |
| All types of injury | 26.0 | 24.0 | 23.8 | 1.0 | 26.2 | 24.2 | 23.9 |
| Restriction in activity associated with episodes of persons injured | | | | | | | |
| All restricted-activity days ¹ | 260.4 | 251.7 | 258.7 | 8.6 | 255.8 | 245.8 | 250.8 |
| Bed days | 81.4 | 72.6 | 78.9 | 4.2 | 79.0 | 70.1 | 76.3 |

¹Includes work-loss and school-loss days as well as bed days.

NOTE: Detailed tables show the 1989 estimates by age, sex, race, family income, geographic region, and place of residence.

Table C. Health status measures: United States, 1987-89

| Health status measure | Unstandardized | | | | Age standardized | | |
|---|------------------------------------|-------|----------|----------------|------------------|-------|-------|
| | 1989 | | | | | | |
| | 1987 | 1988 | Estimate | Standard error | 1987 | 1988 | 1989 |
| Restricted activity due to acute and chronic conditions | Number of days per person per year | | | | | | |
| All restricted-activity days | 14.5 | 14.7 | 15.2 | 0.3 | 14.2 | 14.4 | 14.9 |
| Bed days | 6.2 | 6.3 | 6.5 | 0.2 | 6.1 | 6.2 | 6.4 |
| Work-loss days ¹ | 5.4 | 5.3 | 5.6 | 0.2 | - - - | - - - | - - - |
| School-loss days ² | 4.4 | 4.9 | 5.7 | 0.2 | - - - | - - - | - - - |
| Limitation in activity due to chronic conditions | Percent | | | | | | |
| All persons limited in activity | 13.5 | 13.7 | 14.1 | 0.2 | 13.3 | 13.4 | 13.7 |
| Persons limited in major activity | 9.2 | 9.4 | 9.6 | 0.1 | 9.1 | 9.3 | 9.4 |
| Respondent-assessed health status | Percent distribution | | | | | | |
| All health statuses ³ | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Excellent | 39.3 | 39.1 | 39.7 | 0.3 | 39.6 | 39.5 | 40.1 |
| Very good | 27.9 | 27.8 | 28.1 | 0.3 | 27.8 | 27.8 | 28.0 |
| Good | 22.9 | 23.2 | 22.6 | 0.2 | 22.8 | 23.0 | 22.4 |
| Fair | 7.3 | 7.2 | 7.0 | 0.1 | 7.1 | 7.1 | 6.8 |
| Poor | 2.7 | 2.7 | 2.6 | 0.1 | 2.7 | 2.6 | 2.5 |

¹For currently employed persons 18 years of age and over.

²For youths 5-17 years of age.

³Excludes a small number with unknown health status.

NOTE: Detailed tables show the 1989 estimates by age, sex, race, family income, geographic region, and place of residence.

subgroups. For those sociodemographic characteristics for which the age distribution of the subgroups differs to a significant degree (such as for sex, age, and family income), the results are shown for specific age groups. However, in the case of geographic region and place of residence, there is little difference in the age distributions of the subgroups; therefore, these results are not shown for specific age groups.

The detailed results for health characteristics are shown in tables 1-77. Table 78 shows the population used to calculate the unstandardized rates used in this report. The age-standardized data presented in text tables A-D employ the 1980 civilian noninstitutionalized population of the United States as a standard population. Age-specific rates for six age groups (0-4, 5-17, 18-24, 25-44, 45-64, and 65 years and over) were directly standardized to produce these estimates.

Acute conditions: Incidence, medical attention, and associated restriction in activity

An acute condition is defined for the National Health Interview Survey (NHIS) as a type of illness or injury that ordinarily lasts less than 3 months, was first noticed less than 3 months before the reference date of the interview, and was serious enough to have had an impact on behavior. Only two types of impact are considered: first, whether the illness or injury caused the person to cut down for at least half a day on the things he or she usually does or, second, whether a physician was contacted regarding the illness or injury.

Table D. Health care utilization: United States, 1987-89

| Health care utilization | Unstandardized | | | | Age standardized | | |
|--|----------------|------|----------|----------------|------------------|------|------|
| | 1989 | | | | | | |
| | 1987 | 1988 | Estimate | Standard error | 1987 | 1988 | 1989 |
| Physician contact | | | | | | | |
| Contacts per person per year | 5.4 | 5.4 | 5.4 | 0.1 | 5.3 | 5.3 | 5.3 |
| Hospitalization | | | | | | | |
| Persons with 1 hospital episode or more in past year | 76.2 | 76.7 | 77.4 | 0.5 | 76.0 | 76.6 | 77.1 |
| Hospital days per person hospitalized in past year | | | | | | | |
| Hospital days per person hospitalized in past year | 8.2 | 8.0 | 8.0 | 0.2 | 7.5 | 7.3 | 7.2 |
| Discharges per 100 persons per year | 11.5 | 11.2 | 11.3 | 0.2 | 11.3 | 11.0 | 11.0 |
| Average length of stay per discharge in days | 6.4 | 6.3 | 6.5 | 0.3 | 5.9 | 5.7 | 5.9 |

¹Revision of previously published estimate.

NOTE: Detailed tables show the 1989 estimates by age, sex, race, family income, geographic region, and place of residence.

Incidence

Tables 1-5 show the incidence rate and tables 6-10 the incidence of acute conditions by type of condition and sociodemographic characteristics. The 1989 rate of 181.3 acute conditions per 100 persons per year (table A) was not significantly different from the rates in 1987 or 1988 (172.7 and 175.3, respectively).

For broad types of acute conditions, the 1989 incidence rates per 100 persons per year ranked as follows: respiratory conditions (95.2), injuries (24.3), infective and parasitic diseases (20.1), and digestive system conditions (5.9). The rate for digestive system conditions was similar to rates observed in 1987 and 1988. The rates for injuries and infective and parasitic diseases were similar to those for 1988, but showed a decrease from the corresponding rates for 1987 (27.0 and 23.2, respectively). The 1989 estimate for respiratory conditions (95.2) was considerably higher than in either 1987 (80.1) or 1988 (86.9), primarily because of an increase in the incidence rate of influenza (from 38.2 and 42.8 in 1987 and 1988, respectively, to 50.4 in 1989).

Medical attention

Tables 11-15 show estimates of the percent of acute conditions that were medically attended. The 1989 estimate of 61.6 percent (table A) was similar to the rates observed in 1987 (61.8) and 1988 (62.8).

Restricted activity associated with acute conditions

Four types of restricted activity resulting from illness, injury, or impairment are measured in NHIS: days lost from work for currently employed persons 18 years of age and over, school days missed by youths 5-17 years of age, days spent in bed (which may overlap either of the preceding types), and other days on which a person cut

down on the things he or she usually does. Estimates of "cut-down" days are not presented separately but are included in the generic concept of "restricted-activity days." The other three types of restricted activity also included in the generic concept "restricted activity" are usually shown separately in reports from NHIS.

A person may restrict his or her activity on a given day as a result of more than one condition, and these conditions may be acute or chronic. "Restricted activity associated with acute conditions" includes days on which only one acute condition or more caused the activity restriction; it also includes days on which one acute condition or more and one chronic condition or more caused the activity restriction. In the latter case, because the restriction in activity was the result of both acute and chronic conditions, the cause cannot be attributed solely to an acute condition. For this reason, the words "associated with" rather than "caused by" are used to describe this type of estimate.

Tables 16-20 show the incidence rate and tables 21-25 show the incidence of restricted activity associated with acute conditions by type of condition and sociodemographic characteristics. The 1989 rate per year of restricted-activity days (749.1) was higher than in 1987 (679.9), but was not significantly different than the rate for 1988 (699.5) (table A). The 1989 rate per year of bed days (344.1) increased significantly from 1987 (297.6) and 1988 (303.7). Although the 1989 rate of work-loss days for currently employed persons 18 years of age and over (336.5) appeared higher than in 1987 (310.0) and in 1988 (311.4), there were no statistically significant differences. The rate of school-loss days for youths 5-17 years of age was considerably higher in 1989 (463.5) than the corresponding rates for 1987 (338.9) and 1988 (405.9). Tables 26-49 show the detailed rates and frequencies for bed days (tables 26-35), work-loss days (tables 36-45), and school-loss days (tables 46-49).

Incidence by quarter

The 1989 incidence rate and incidence of acute conditions by quarter are shown in table 50. As may be noted in table A, the estimated rate for the first quarter of 1989 (65.9) was higher than the comparable rates for 1987 (53.3) and 1988 (60.2). This was primarily the result of excess influenza during the first quarter of 1989. For the second quarter, the 1989 rate (33.3) was slightly lower than the 1988 rate (36.9) but similar to the 1987 rate (35.7). For the third and fourth quarters, the rates for 1987, 1988, and 1989 were similar, the differences not exceeding what might be expected from sampling variability. This pattern follows trends in reported pneumonia and influenza deaths for those time periods (5).

Episodes of persons injured

Injury data may be analyzed in three possible units: (a) the number of injuries sustained in a particular episode involving injury, (b) the number of episodes involving injury during a given period of time, or (c) the number of persons involved in one episode or more in which injury occurred during a period of time. The estimates of injuries included in tables 1-50 are of the number of injuries that occurred during 1989. This section considers the number of episodes that occurred during 1989 that involved one injury or more. Because of the short reference period used to collect injury data in NHIS (2 weeks), the data cannot be used to estimate the number of persons involved in one episode or more of persons injured during any given year.

Table 51 shows the incidence rate of episodes of persons injured and table 52 the incidence of such episodes by sociodemographic characteristics, by whether a moving motor vehicle was involved (and if so, whether this occurred in traffic), by where the episode occurred, and, for persons 18 years of age and over, by whether they were working at a job or business at the time the episode occurred. The 1989 rate of episodes of persons injured per 100 persons per year (23.8) was similar to the 1987 rate of 26.0 and the 1988 rate of 24.0 (table B).

Restricted activity associated with injury and impairment due to injury

An injury may have health-related effects for many years after its occurrence, or, for that matter, even for a lifetime. (This might be the case, for instance, for a person who suffered a dislocated back due to an accident.) The estimates of activity restriction in tables 53 and 54 and of bed days in tables 55 and 56 are based on the present effects of injuries no matter when they occurred. Thus, these estimates include the days shown in earlier tables for acute injuries and also include days of restricted activity during 1989 that are attributable to the effects of injuries suffered prior to 1989. In many cases these old injuries have become impairments, and any restricted activity during 1989 that was caused by an injury-related impairment is also included.

The 1989 rate for restricted-activity days associated with episodes of persons injured (258.7 per 100 persons per year) was similar to the rates found in 1987 (260.4) and 1988 (251.7) (table B). The 1989 rate for bed days associated with episodes of persons injured (78.9) was also similar to the rates for 1987 (81.4) and 1988 (72.6).

Prevalence of reported chronic conditions

Chronic conditions are defined as conditions that either (a) were first noticed 3 months or more before the reference date of the interview or (b) belong to a group of conditions (including heart disease and diabetes) that are considered chronic regardless of when they began. For the purpose of estimating the prevalence of reported chronic conditions, the NHIS sample is divided into six representative subsamples; respondents in each subsample are administered one of six checklists of types of chronic conditions. Respondents are asked to indicate the presence or absence of each condition specified on the particular list administered to them. Because the presence or absence of many types of chronic conditions is often difficult to ascertain, several "impact" questions are asked about each condition reported. Information is elicited on whether the person has been hospitalized for the condition and the number of days he or she stayed in bed because of the condition during the 12 months prior to the interview.

Totals for all chronic conditions are not shown because NHIS does not measure the total number of chronic conditions for each person. It also should be noted that a person may have more than one chronic condition; therefore, the sum of conditions that are counted may exceed the sum of persons having those conditions.

Tables 57-61 show the prevalence rate and tables 62-66 the prevalence of selected chronic conditions. As may be noted in table 57, the reported conditions with the highest prevalence rates were sinusitis, arthritis, deformity or orthopedic impairment, and hypertension (with rates per 1,000 persons of 138.3, 127.3, 114.9, and 113.6, respectively).

Limitation of activity due to chronic conditions

The concept of limitation of activity used in this report refers to long-term reduction in activity resulting from chronic disease or impairment. The measurement of this concept in NHIS permits one to distinguish among (a) persons unable to carry on their usual activity, (b) persons limited in the amount or kind of their usual activity, (c) persons limited but not in their usual activity, and (d) persons not limited. The category of persons limited in their major activity includes those in the first two groups, that is, those unable to carry on the usual activity for their age-sex group, whether it is working, keeping house, going to school, or living independently, and those restricted in

the amount or kind of usual activity for their age-sex group. Persons limited, but not in their major activity, include persons restricted in other activities such as civic, church, or recreational activities.

The 1989 estimate of the percent of persons limited in activity due to chronic conditions (14.1) was not statistically different from the 1988 estimate of 13.7 but was statistically different from the 1987 estimate of 13.5 (table C). Likewise, the 1989 estimate of persons limited in their major activity (9.6) (categories (a) and (b) discussed in the previous paragraph) was similar to 1988 (9.4) but slightly higher than 1987 (9.2).

The detailed percent distributions and frequencies for limitation in activity are shown by sociodemographic characteristics in tables 67-68.

Restricted activity due to acute and chronic conditions

Earlier in this report estimates of restricted-activity days associated with acute conditions were shown (tables 16-49) and the relationship between the types of restricted-activity days was discussed. The estimates shown in table 69 are for person days of restricted activity caused by acute or chronic conditions, or both.

As may be noted in table C, the 1989 rate per person per year of restricted-activity days (15.2) was similar to the corresponding rates for the two previous years. The 1989 rates for bed days (6.5) and work-loss days (5.6) were also similar to those for 1987 and 1988. The 1989 rate for school-loss days for youths 5-17 years of age (5.7) was higher than the corresponding rates for 1987 and 1988 (4.4 and 4.9, respectively).

The detailed estimates for each type of restricted-activity day are shown by sociodemographic characteristics in table 69.

Respondent-assessed health status

Data on assessed health status result from simply asking respondents to assess their own health or that of family members living in the same household as excellent, very good, good, fair, or poor. Table 70 shows the percent distribution for these categories according to sociodemographic characteristics. The health of most persons in the civilian noninstitutionalized population was assessed as "excellent" (39.7 percent) or "very good" (28.1 percent). Only 2.6 percent were assessed as "poor" (table C). Overall, the 1989 estimates for the health status categories show respondents assessing health the same way they did in 1987 and 1988.

Physician contacts: Rate and interval since last contact

A contact is defined as a consultation with a physician, in person or by telephone, for examination, diagno-

sis, treatment, or advice. The visit is considered a physician contact if the service is provided by the physician or by another person working under the physician's supervision.

Annual rate

Table D shows the rates of physician contacts reported for 1987-89. The 1989 rate of 5.4 doctor visits per person per year was essentially identical to the rates for 1987 (5.4) and 1988 (5.4).

Aside from the sociodemographic characteristics, the rates and frequencies also are shown by the place of contact in table 71. The rate was highest for doctor's office (3.2 per person per year) and was less than one contact per person per year for each of the other places mentioned (telephone, hospital, and other).

Interval since last contact

Table 72 shows the percent distribution and number of persons by interval of time since the person last had a physician contact. Whereas the estimates for the rate of physician contacts do not include contacts while a person was an overnight patient in a hospital, such contacts are included in the definitions of the interval since a person last saw or talked to a physician or a physician's assistant.

Table D indicates that during 1989 an estimated 77.4 percent of the civilian noninstitutionalized population had contact with a physician during the year preceding interview. This estimate was similar to the 1987 and 1988 estimates (76.2 and 76.7, respectively).

Other estimates of ambulatory medical care services by physicians are provided by data from the National Ambulatory Medical Care Survey, a probability sample survey conducted periodically by the Division of Health Care Statistics of the National Center for Health Statistics. A summary of 1985 survey results, the most recent available, is found in Advance data from vital and health statistics, No. 128 (6).

Hospitalization: Episodes and days for persons; discharges and average length of stay

Respondents in NHIS are asked to describe any hospitalizations during the year preceding the interview that involved at least a 1-night stay. Two of the measures obtained through this series of questions are the number of times and number of days spent in short-stay hospitals in the 12 months prior to interview. Because persons who died or were institutionalized in a given reference period are not included in NHIS, the rates and frequencies shown in this report will vary from those based on all overnight patients who entered a short-stay hospital during any given period of time. The difference will be especially great for older persons.

Estimates on hospitalization are presented in two forms: episode estimates and discharge estimates. Episode estimates focus on the person's hospital experience during

the 12 months preceding interview. The tables showing these estimates classify people on the basis of whether they were hospitalized during the reference period and, if so, the number of times they were hospitalized. Discharge estimates focus on hospital stays as the unit of analysis rather than on persons.

Hospital episodes and days

Tables 73 (percent distribution) and 74 (frequency) show the distribution of short-stay hospital episodes including and excluding deliveries by the number of times a person was hospitalized during the year preceding interview and sociodemographic characteristics. The category "delivery" is based on the reason the woman entered the hospital or whether surgery related to delivery was performed. The percent of persons in 1989 with one hospital episode or more during the year preceding interview was 8.1 percent (table D). This was similar to the estimates for 1987 (8.4) and 1988 (8.2). The 1989 rate was about 21 percent lower than the 1982 estimate of 10.3 percent (1).

Associated with the number of times a person was a patient in a short-stay hospital during the year preceding interview is the total number of days (strictly speaking, nights) the person spent as a patient in the hospital. Table D shows that in 1989 persons with one hospitalization or more spent an average of 8.0 days in the hospital in the year preceding interview. This was almost the same as the 1987 rate of 8.2 and the 1988 rate of 8.0. Tables 75 and 76 show the estimated rate and number of hospital days by the number of times people were hospitalized (including and excluding deliveries) and sociodemographic characteristics.

Hospital discharges and average length of stay

Table 77 shows the rate and number of hospital discharges, the average length of stay, and the number of

hospital discharge days by sociodemographic characteristics and by whether a delivery was involved in the hospitalization. Based on data collected during 1989, there were 11.3 discharges per 100 persons, and the average length of stay per discharge was 6.5 days. Both of these rates were similar to the 1987 and 1988 estimates of discharges per 100 persons (11.5 and 11.2, respectively) and days per discharge (6.4 and 6.3, respectively).

Examining longer term trends, the 1989 hospital discharge rate of 11.3 was 20 percent lower than the rate estimated by NHIS in 1981 (14.2), and the average length of stay was about 12 percent lower than in 1981 (7.4) (7).

This finding probably reflects the following two phenomena: (a) some medical procedures, once performed as inpatient hospital care, are now handled in outpatient medical facilities, and (b) the Health Care Financing Administration (which operates the Medicare program), some States, and some third-party payers now reimburse hospitals for inpatient care using a preestablished payment schedule based on patients' diagnosis-related groups.

Information also is collected on hospital discharges from hospital records through the National Hospital Discharge Survey (NHDS) conducted by the National Center for Health Statistics. Estimates from NHDS, published in Series 13 of *Vital and Health Statistics*, are somewhat higher than those presented here because of differences in collection procedures, population sampled, and definitions used. NHDS has experienced a recent decline in its hospital discharge rates, and NHDS estimates of average length of stay for older persons also are declining. Thus, the data from the two surveys are consistent. The most recent national estimates of short-stay hospitalization based on NHDS are summarized in Advance data from vital and health statistics, No. 185 (8).

References

1. National Center for Health Statistics. Current estimates from the National Health Interview Survey: United States, 1982. *Vital Health Stat* 10(150). 1985.
2. World Health Organization. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, based on the recommendations of the Ninth Revision Conference, 1975. Geneva: World Health Organization. 1977.
3. Schoenborn CA, Marano M. Current estimates from the National Health Interview Survey: United States, 1987. National Center for Health Statistics. *Vital Health Stat* 10(166). 1988.
4. Adams PF, Hardy AM. Current estimates from the National Health Interview Survey, 1988. National Center for Health Statistics. *Vital Health Stat* 10(173). 1989.
5. Centers for Disease Control. Update: Influenza—United States, 1989–90. *MMWR*; vol 39 no 10, p 158. Washington: U.S. Public Health Service. 1990.
6. McLemore T, DeLozier J. 1985 summary, National Ambulatory Medical Care Survey. Advance data from vital and health statistics; no 128. Hyattsville, Maryland: National Center for Health Statistics. 1987.
7. Bloom B. Current estimates from the National Health Interview Survey: United States, 1981. National Center for Health Statistics. *Vital Health Stat* 10(141). 1982.
8. Graves EJ. 1988 Summary: National Hospital Discharge Survey. Advance data from vital and health statistics; no 185. Hyattsville, Maryland: National Center for Health Statistics. 1990.
9. Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985–94. National Center for Health Statistics. *Vital Health Stat* 2(110). 1989.
10. Kovar MG, Poe GS. The National Health Interview Survey design, 1973–84, and procedures, 1975–83. National Center for Health Statistics. *Vital Health Stat* 1(18). 1985.
11. Koons DA. Quality control and measurement of nonsampling error in the Health Interview Survey. National Center for Health Statistics. *Vital Health Stat* 2(54). 1973.
12. Balamuth E, Shapiro S. Health interview responses compared with medical records. National Center for Health Statistics. *Vital Health Stat* 2(7). 1965.
13. Cannell CF, Fowler FJ Jr. Comparison of hospitalization reporting in three survey procedures. National Center for Health Statistics. *Vital Health Stat* 2(8). 1965.
14. Madow WG. Interview data on chronic conditions compared with information derived from medical records. National Center for Health Statistics. *Vital Health Stat* 2(23). 1967.
15. Cannell CF, Fowler FJ Jr., Marquis KH. The influence of interviewer and respondent psychological and behavioral variables on the reporting in household interviews. National Center for Health Statistics. *Vital Health Stat* 2(26). 1968.
16. National Center for Health Statistics. Reporting of hospitalization in the Health Interview Survey. *Vital Health Stat* 2(6). 1965.
17. U.S. Bureau of the Census. National Health Interview Survey Interviewer's Manual. HIS-100. U.S. Department of Commerce acting as a collecting agent for the U.S. Public Health Service. 1989.

List of detailed tables

Incidence of acute conditions

Rates

1. Number of acute conditions per 100 persons per year, by age and type of condition: United States, 1989
2. Number of acute conditions per 100 persons per year, by sex, age, and type of condition: United States, 1989
3. Number of acute conditions per 100 persons per year, by race, age, and type of condition: United States, 1989
4. Number of acute conditions per 100 persons per year, by family income, age, and type of condition: United States, 1989.....
5. Number of acute conditions per 100 persons per year, by geographic region, place of residence, and type of condition: United States, 1989.....

Frequencies

6. Number of acute conditions, by age and type of condition: United States, 1989.....
7. Number of acute conditions, by sex, age, and type of condition: United States, 1989.....
8. Number of acute conditions, by race, age, and type of condition: United States, 1989.....
9. Number of acute conditions, by family income, age, and type of condition: United States, 1989.....
10. Number of acute conditions, by geographic region, place of residence, and type of condition: United States, 1989

Percent of acute conditions medically attended

11. Percent of acute conditions medically attended, by age and type of condition: United States, 1989
12. Percent of acute conditions medically attended, by sex, age, and type of condition: United States, 1989.....
13. Percent of acute conditions medically attended, by race, age, and type of condition: United States, 1989 .
14. Percent of acute conditions medically attended, by family income, age, and type of condition: United States, 1989
15. Percent of acute conditions medically attended, by geographic region, place of residence, and type of condition: United States, 1989.....

Restricted activity associated with acute conditions

Restricted-activity days: Rates

14. Number of restricted-activity days associated with acute conditions per 100 persons per year, by age and type of condition: United States, 1989.....
15. Number of restricted-activity days associated with acute conditions per 100 persons per year, by sex, age, and type of condition: United States, 1989.....
16. Number of restricted-activity days associated with acute conditions per 100 persons per year, by race, age, and type of condition: United States, 1989.....
17. Number of restricted-activity days associated with acute conditions per 100 persons per year, by family income, age, and type of condition: United States, 1989.....
18. Number of restricted-activity days associated with acute conditions per 100 persons per year, by geographic region, place of residence, and type of condition: United States, 1989.....
19. Number of restricted-activity days associated with acute conditions per 100 persons per year, by age and type of condition: United States, 1989
20. Number of restricted-activity days associated with acute conditions per 100 persons per year, by sex, age, and type of condition: United States, 1989.....
21. Number of restricted-activity days associated with acute conditions per 100 persons per year, by race, age, and type of condition: United States, 1989.....
22. Number of restricted-activity days associated with acute conditions, by age and type of condition: United States, 1989

Restricted-activity days: Frequencies

23. Number of restricted-activity days associated with acute conditions, by sex, age, and type of condition: United States, 1989.....
24. Number of restricted-activity days associated with acute conditions, by race, age, and type of condition: United States, 1989.....
25. Number of restricted-activity days associated with acute conditions, by family income, age, and type of condition: United States, 1989
26. Number of restricted-activity days associated with acute conditions, by geographic region, place of residence, and type of condition: United States, 1989

Bed days: Rates

27. Number of bed days associated with acute conditions per 100 persons per year, by age and type of condition: United States, 1989.....
28. Number of bed days associated with acute conditions, by sex, age, and type of condition: United States, 1989
29. Number of bed days associated with acute conditions, by race, age, and type of condition: United States, 1989
30. Number of bed days associated with acute conditions, by family income, age, and type of condition: United States, 1989
31. Number of bed days associated with acute conditions, by geographic region, place of residence, and type of condition: United States, 1989

| | | | |
|---|----|---|----|
| 27. Number of bed days associated with acute conditions per 100 persons per year, by sex, age, and type of condition: United States, 1989..... | 45 | 42. Number of work-loss days associated with acute conditions for currently employed persons 18 years of age and over, by sex, age, and type of condition: United States, 1989..... | 62 |
| 28. Number of bed days associated with acute conditions per 100 persons per year, by race, age, and type of condition: United States, 1989..... | 46 | 43. Number of work-loss days associated with acute conditions for currently employed persons 18 years of age and over, by race, age, and type of condition: United States, 1989..... | 63 |
| 29. Number of bed days associated with acute conditions per 100 persons per year, by family income, age, and type of condition: United States, 1989..... | 47 | 44. Number of work-loss days associated with acute conditions for currently employed persons 18 years of age and over, by family income, age, and type of condition: United States, 1989..... | 64 |
| 30. Number of bed days associated with acute conditions per 100 persons per year, by geographic region, place of residence, and type of condition: United States, 1989 | 49 | 45. Number of work-loss days associated with acute conditions for currently employed persons 18 years of age and over, by geographic region, place of residence, and type of condition: United States, 1989..... | 65 |
| Bed days: Frequencies | | School-loss days: Rates | |
| 31. Number of bed days associated with acute conditions, by age and type of condition: United States, 1989 | 50 | 46. Number of school-loss days associated with acute conditions per 100 youths 5-17 years of age, by sex, race, family income, and type of condition: United States, 1989..... | 66 |
| 32. Number of bed days associated with acute conditions, by sex, age, and type of condition: United States, 1989 | 51 | 47. Number of school-loss days associated with acute conditions per 100 youths 5-17 years of age, by geographic region, place of residence, and type of condition: United States, 1989..... | 67 |
| 33. Number of bed days associated with acute conditions, by race, age, and type of condition: United States, 1989 | 52 | School-loss days: Frequencies | |
| 34. Number of bed days associated with acute conditions, by family income, age, and type of condition: United States, 1989..... | 53 | 48. Number of school-loss days associated with acute conditions for youths 5-17 years of age, by sex, race, family income, and type of condition: United States, 1989 | 68 |
| 35. Number of bed days associated with acute conditions, by geographic region, place of residence, and type of condition: United States, 1989..... | 55 | 49. Number of school-loss days associated with acute conditions for youths 5-17 years of age, by geographic region, place of residence, and type of condition: United States, 1989..... | 69 |
| Work-loss days: Rates | | Incidence of acute conditions by quarter | |
| 36. Number of work-loss days associated with acute conditions per 100 currently employed persons 18 years of age and over, by age and type of condition: United States, 1989..... | 56 | 50. Number of acute conditions per 100 persons per year and number of acute conditions, by quarter and type of condition: United States, 1989 | 70 |
| 37. Number of work-loss days associated with acute conditions per 100 currently employed persons 18 years of age and over, by sex, age, and type of condition: United States, 1989..... | 57 | Episodes of persons injured and associated restriction of activity | |
| 38. Number of work-loss days associated with acute conditions per 100 currently employed persons 18 years of age and over, by race, age, and type of condition: United States, 1989..... | 58 | 51. Number of episodes of persons injured per 100 persons per year, by whether in moving motor vehicle, whether at work, place of accident, and sociodemographic characteristics: United States, 1989..... | 71 |
| 39. Number of work-loss days associated with acute conditions per 100 currently employed persons 18 years of age and over, by family income, age, and type of condition: United States, 1989..... | 59 | 52. Number of episodes of persons injured, by whether in moving motor vehicle, whether at work, place of accident, and sociodemographic characteristics: United States, 1989..... | 73 |
| 40. Number of work-loss days associated with acute conditions per 100 currently employed persons 18 years of age and over, by geographic region, place of residence, and type of condition: United States, 1989 | 60 | 53. Number of restricted-activity days associated with episodes of persons injured per 100 persons per year, by whether in moving motor vehicle, whether at work, place of accident, and sociodemographic characteristics: United States, 1989..... | 75 |
| Work-loss days: Frequencies | | | |
| 41. Number of work-loss days associated with acute conditions for currently employed persons 18 years of age and over, by age and type of condition: United States, 1989 | 61 | | |

| | | |
|---|-----|--|
| 54. Number of restricted-activity days associated with episodes of persons injured, by whether in moving motor vehicle, whether at work, place of accident, and sociodemographic characteristics: United States, 1989..... | 77 | Restricted activity associated with acute and chronic conditions |
| 55. Number of bed days associated with episodes of persons injured per 100 persons per year, by whether in moving motor vehicle, whether at work, place of accident, and sociodemographic characteristics: United States, 1989..... | 79 | 69. Number of days per person per year and number of days of activity restriction due to acute and chronic conditions, by type of restriction and sociodemographic characteristics: United States, 1989 |
| 56. Number of bed days associated with episodes of persons injured, by whether in moving motor vehicle, whether at work, place of accident, and sociodemographic characteristics: United States, 1989..... | 81 | 111 |
| Prevalence of chronic conditions | | Respondent-assessed health status |
| Rates | | 70. Number of persons and percent distribution by respondent-assessed health status, according to socio-demographic characteristics: United States, 1989..... |
| 57. Number of selected reported chronic conditions per 1,000 persons, by age: United States, 1989 | 83 | 113 |
| 58. Number of selected reported chronic conditions per 1,000 persons, by sex and age: United States, 1989 | 85 | |
| 59. Number of selected reported chronic conditions per 1,000 persons, by race and age: United States, 1989.... | 87 | Physician contacts |
| 60. Number of selected reported chronic conditions per 1,000 persons, by family income and age: United States, 1989..... | 89 | 71. Number per person per year and number of physician contacts, by place of contact and sociodemographic characteristics: United States, 1989 |
| 61. Number of selected reported chronic conditions per 1,000 persons, by geographic region and place of residence: United States, 1989..... | 93 | 115 |
| Frequencies | | 72. Percent distribution and number of persons by interval since last physician contact, according to socio-demographic characteristics: United States, 1989..... |
| 62. Number of selected reported chronic conditions, by age: United States, 1989 | 95 | 117 |
| 63. Number of selected reported chronic conditions, by sex and age: United States, 1989..... | 97 | Hospitalization |
| 64. Number of selected reported chronic conditions, by race and age: United States, 1989 | 99 | 73. Percent distribution of living persons by number of short-stay hospital episodes during the year preceding interview for all causes and excluding deliveries, according to sociodemographic characteristics: United States, 1989..... |
| 65. Number of selected reported chronic conditions, by family income and age: United States, 1989 | 101 | 119 |
| 66. Number of selected reported chronic conditions, by geographic region and place of residence: United States, 1989..... | 105 | 74. Number of living persons, by number of short-stay hospital episodes during the year preceding interview for all causes and excluding deliveries and by socio-demographic characteristics: United States, 1989..... |
| Limitation of activity due to chronic conditions | | 121 |
| 67. Percent distribution of persons by degree of activity limitation due to chronic conditions according to sociodemographic characteristics: United States, 1989... | 107 | 75. Number of short-stay hospital days during the year preceding interview per living person hospitalized for all causes and excluding deliveries, by number of episodes and sociodemographic characteristics: United States, 1989..... |
| 68. Number of persons by degree of activity limitation due to chronic conditions and sociodemographic characteristics: United States, 1989..... | 109 | 123 |
| | | 76. Number of short-stay hospital days during the year preceding interview for living persons hospitalized for all causes and excluding deliveries, by number of episodes and sociodemographic characteristics: United States, 1989..... |
| | | 125 |
| | | 77. Number per 100 persons per year and annual number of short-stay hospital discharges, average length of stay and annual number of hospital days for living persons hospitalized for all causes and excluding deliveries, by sociodemographic characteristics: United States, 1989 |
| | | 127 |
| | | Population |
| | | 78. Number of persons of all ages and number of currently employed persons 18 years of age and over, by socio-demographic characteristics: United States, 1989..... |
| | | 129 |

TABLE 1. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | TOTAL | 45 YEARS AND OVER | |
|--|----------|---------------|------------|-------------|-------------|-------|-------------------|-------------------|
| | | | | | | | 45-64 YEARS | 65 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 181.3 | 369.5 | 252.5 | 180.8 | 165.4 | 108.4 | 113.6 | 100.2 |
| INFECTIVE AND PARASITIC DISEASES..... | 20.1 | 53.2 | 41.3 | 15.4 | 13.5 | 7.6 | 8.6 | 5.9 |
| COMMON CHILDHOOD DISEASES..... | 1.6 | 9.4 | 4.6 | *0.2 | *0.1 | *0.1 | ** | *0.2 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 4.6 | 9.2 | 7.9 | 4.0 | 4.0 | 2.2 | 2.8 | *1.4 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 5.9 | 15.5 | 10.9 | 4.6 | 3.8 | 3.1 | 3.3 | 2.8 |
| OTHER..... | 8.0 | 19.2 | 18.0 | 6.6 | 5.6 | 2.2 | 2.5 | *1.6 |
| RESPIRATORY CONDITIONS..... | 95.2 | 175.8 | 138.7 | 100.0 | 89.7 | 53.1 | 60.1 | 42.0 |
| COMMON COLD..... | 29.1 | 73.1 | 34.4 | 34.2 | 26.2 | 16.2 | 17.4 | 14.4 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8.9 | 23.1 | 13.7 | 12.6 | 7.0 | 3.2 | 4.1 | *1.9 |
| INFLUENZA..... | 50.4 | 61.8 | 81.2 | 48.3 | 51.1 | 28.9 | 34.7 | 19.9 |
| ACUTE BRONCHITIS..... | 3.6 | 9.8 | 4.8 | 3.2 | 3.1 | 2.0 | 1.7 | *2.5 |
| PNEUMONIA..... | 1.5 | *2.9 | *1.6 | *0.4 | 1.1 | 1.8 | *1.2 | 2.6 |
| OTHER RESPIRATORY CONDITIONS..... | 1.8 | 5.2 | 3.0 | *1.2 | 1.2 | *0.9 | *1.1 | *0.7 |
| DIGESTIVE SYSTEM CONDITIONS..... | 5.9 | 11.0 | 6.3 | 6.5 | 4.5 | 5.5 | 4.1 | 7.6 |
| DENTAL CONDITIONS..... | 1.3 | 4.1 | *0.9 | *1.6 | 1.1 | 1.0 | *0.9 | *1.2 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2.5 | *2.9 | 4.7 | 3.5 | 1.5 | 1.9 | *1.6 | *2.5 |
| OTHER DIGESTIVE CONDITIONS..... | 2.0 | *4.0 | *0.7 | *1.4 | 2.0 | 2.5 | *1.6 | 4.0 |
| INJURIES..... | 24.3 | 22.7 | 28.9 | 28.0 | 28.4 | 16.4 | 16.2 | 16.8 |
| FRACTURES AND DISLOCATIONS..... | 3.0 | *1.2 | 4.7 | 4.3 | 2.8 | 2.3 | 2.1 | 2.6 |
| SPRAINS AND STRAINS..... | 5.3 | *1.5 | 6.2 | 7.1 | 7.7 | 2.8 | 2.7 | 2.9 |
| OPEN WOUNDS AND LACERATIONS..... | 5.5 | 8.4 | 7.6 | 5.3 | 6.2 | 3.0 | 3.2 | *2.6 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 4.2 | *3.9 | 5.1 | 3.7 | 4.4 | 3.5 | 3.4 | 3.8 |
| OTHER CURRENT INJURIES..... | 6.3 | 7.8 | 5.3 | 7.7 | 7.4 | 4.9 | 4.8 | 5.0 |
| SELECTED OTHER ACUTE CONDITIONS..... | 25.8 | 86.1 | 28.8 | 23.5 | 20.3 | 15.6 | 15.2 | 16.1 |
| EYE CONDITIONS..... | 1.2 | 4.0 | *1.0 | *0.8 | *0.7 | 1.4 | *1.2 | *1.7 |
| ACUTE EAR INFECTIONS..... | 8.7 | 62.1 | 11.9 | 3.6 | 2.9 | 1.3 | 1.8 | *0.5 |
| OTHER EAR CONDITIONS..... | 1.7 | 4.5 | 2.8 | *0.8 | 1.1 | 1.4 | *1.3 | *1.7 |
| ACUTE URINARY CONDITIONS..... | 2.6 | *0.7 | 1.7 | *2.8 | 2.5 | 3.6 | 2.5 | 5.3 |
| DISORDERS OF MENSTRUATION..... | 0.6 | *** | *1.0 | *1.1 | *0.7 | *0.1 | *0.2 | * |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 0.8 | ** | *0.1 | *2.6 | 1.2 | *0.5 | *0.8 | * |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 2.0 | *** | *0.2 | 6.0 | 4.1 | ** | ** | ** |
| SKIN CONDITIONS..... | 2.3 | 6.3 | 3.3 | *1.7 | 1.2 | 2.1 | 2.4 | *1.6 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 2.7 | *0.4 | *1.5 | *2.7 | 3.0 | 3.7 | 3.7 | 3.7 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1.7 | *0.3 | 2.3 | *1.1 | 2.2 | 1.3 | *1.3 | *1.1 |
| FEVER, UNSPECIFIED..... | 1.6 | 7.8 | 3.0 | *0.5 | *0.8 | *0.3 | *0.1 | *0.6 |
| ALL OTHER ACUTE CONDITIONS..... | 10.0 | 20.8 | 8.5 | 7.4 | 8.9 | 10.3 | 9.4 | 11.7 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 6 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 2. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | | | FEMALE | | | | |
|--|----------|---------------|------------|-------------|-------------------|----------|---------------|------------|-------------|-------------------|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 170.3 | 398.8 | 251.8 | 143.4 | 91.1 | 191.6 | 338.8 | 253.4 | 193.8 | 122.8 |
| INFECTIVE AND PARASITIC DISEASES..... | 18.3 | 58.1 | 36.4 | 10.7 | 6.1 | 21.8 | 48.1 | 46.5 | 17.0 | 8.8 |
| COMMON CHILDHOOD DISEASES..... | 2.0 | 10.3 | 5.7 | *0.1 | — | 1.3 | 8.4 | *3.4 | *0.1 | *0.1 |
| INTESTINAL VIRUS, UNSPECIFIED.. | 4.2 | 7.9 | 7.6 | 3.3 | 2.3 | 4.9 | 10.5 | 8.3 | 4.7 | 2.2 |
| VIRAL INFECTIONS, UNSPECIFIED.. | 5.4 | 19.3 | 9.4 | 3.2 | *2.2 | 6.3 | 11.5 | 12.4 | 4.7 | 3.8 |
| OTHER..... | 6.6 | 20.6 | 13.7 | 4.1 | *1.6 | 9.3 | 17.6 | 22.4 | 7.5 | 2.7 |
| RESPIRATORY CONDITIONS..... | 89.5 | 181.3 | 136.9 | 80.8 | 44.8 | 100.5 | 170.1 | 140.7 | 103.3 | 59.9 |
| COMMON COLD..... | 27.6 | 76.3 | 32.3 | 26.5 | 12.4 | 30.5 | 69.6 | 36.7 | 29.7 | 19.3 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8.0 | 30.2 | 11.4 | 6.1 | 2.4 | 9.8 | 15.6 | 16.1 | 10.7 | 3.9 |
| INFLUENZA..... | 48.0 | 56.4 | 85.3 | 44.5 | 25.7 | 52.6 | 67.6 | 76.8 | 56.1 | 31.6 |
| ACUTE BRONCHITIS..... | 2.9 | 9.8 | 4.2 | 1.8 | *1.9 | 4.2 | 9.8 | 5.5 | 4.4 | 2.1 |
| PNEUMONIA..... | 1.3 | *2.2 | *1.4 | *1.1 | *1.5 | 1.6 | *3.6 | *1.8 | *0.8 | 2.0 |
| OTHER RESPIRATORY CONDITIONS.... | 1.6 | *6.4 | *2.3 | *0.8 | *0.9 | 1.9 | *3.9 | 3.7 | 1.6 | *1.0 |
| DIGESTIVE SYSTEM CONDITIONS.... | 5.8 | 12.7 | 7.1 | 4.6 | 4.7 | 5.9 | 9.2 | 5.4 | 5.5 | 6.1 |
| DENTAL CONDITIONS..... | 1.2 | *4.5 | *1.1 | *1.2 | *0.3 | 1.4 | *3.7 | *0.7 | *1.2 | *1.6 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2.7 | *2.7 | 5.4 | 2.0 | *1.7 | 2.4 | *3.1 | 4.1 | 1.9 | 2.1 |
| OTHER DIGESTIVE CONDITIONS.... | 1.9 | *5.4 | *0.7 | *1.4 | 2.7 | 2.1 | *2.5 | *0.7 | 2.3 | 2.4 |
| INJURIES..... | 27.2 | 25.7 | 34.7 | 31.9 | 15.6 | 21.6 | 19.4 | 22.8 | 24.9 | 17.1 |
| FRACTURES AND DISLOCATIONS.... | 3.3 | *0.6 | 5.7 | 3.9 | *1.7 | 2.7 | *1.8 | 3.7 | 2.4 | 2.8 |
| SPRAINS AND STRAINS..... | 5.8 | *2.4 | 6.2 | 8.6 | 2.3 | 4.9 | *0.5 | 6.1 | 6.4 | 3.1 |
| OPEN WOUNDS AND LACERATIONS.... | 7.4 | 9.6 | 10.4 | 8.1 | 3.8 | 3.7 | *7.1 | 4.6 | 3.9 | 2.3 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 4.4 | *5.7 | 5.2 | 4.3 | 3.5 | 4.0 | *1.9 | 5.1 | 4.2 | 3.6 |
| OTHER CURRENT INJURIES..... | 6.3 | *7.4 | 7.2 | 6.9 | 4.4 | 6.3 | *8.1 | *3.4 | 8.0 | 5.2 |
| SELECTED OTHER ACUTE CONDITIONS..... | 20.8 | 95.3 | 29.4 | 9.4 | 11.0 | 30.6 | 76.4 | 28.1 | 32.4 | 19.4 |
| EYE CONDITIONS..... | 1.0 | *4.7 | *1.3 | *0.4 | *0.8 | 1.4 | *3.3 | *0.8 | *1.0 | 1.9 |
| ACUTE EAR INFECTIONS..... | 9.4 | 67.8 | 13.7 | 2.2 | *0.8 | 8.1 | 56.1 | 10.1 | 3.9 | *1.6 |
| OTHER EAR CONDITIONS..... | 1.9 | *5.7 | *2.8 | *1.0 | *1.5 | 1.6 | *3.3 | *2.8 | *1.0 | *1.4 |
| ACUTE URINARY CONDITIONS.... | 1.4 | — | *1.6 | *0.6 | 2.8 | 3.6 | *1.3 | *1.7 | 4.4 | 4.2 |
| DISORDERS OF MENSTRUATION.... | ... | ... | ... | ... | ... | 1.1 | ... | *2.0 | 1.5 | *0.3 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | ... | ... | ... | ... | ... | 1.6 | — | *0.1 | 3.0 | *0.9 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | ... | ... | ... | ... | ... | ... | ... | *0.4 | 8.9 | — |
| SKIN CONDITIONS..... | 2.3 | *7.6 | 4.0 | *0.8 | *1.9 | 2.3 | *4.9 | *2.6 | 1.8 | 2.2 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 2.1 | — | *0.8 | 2.9 | 2.3 | 3.3 | *0.8 | *2.3 | 3.0 | 4.8 |
| HEADACHE, EXCLUDING MIGRAINE.... | 1.0 | *0.5 | *2.4 | *0.7 | *0.7 | 2.2 | — | *2.2 | 3.1 | *1.7 |
| FEVER, UNSPECIFIED..... | 1.6 | 9.0 | *2.8 | *0.7 | *0.1 | 1.5 | *6.6 | *3.2 | *0.8 | *0.4 |
| ALL OTHER ACUTE CONDITIONS.... | 8.7 | 25.8 | 7.3 | 6.0 | 8.9 | 11.2 | 15.5 | 9.8 | 10.9 | 11.4 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 7 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 3. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|--|----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 187.2 | 307.0 | 175.6 | 109.3 | 146.9 | 199.5 | 135.8 | 93.8 |
| INFECTIVE AND PARASITIC DISEASES..... | 21.2 | 49.2 | 15.1 | 7.4 | 14.3 | 24.9 | 8.8 | *9.6 |
| COMMON CHILDHOOD DISEASES..... | 1.6 | 6.3 | *0.1 | *0.1 | *1.6 | *4.9 | -- | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 4.9 | 9.4 | 4.4 | 2.1 | 3.3 | *4.0 | *2.3 | *4.2 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 6.2 | 13.5 | 4.3 | 3.0 | 5.0 | 8.3 | *3.3 | *3.7 |
| OTHER..... | 8.4 | 20.1 | 6.3 | 2.2 | 4.3 | 7.6 | *3.2 | *1.7 |
| RESPIRATORY CONDITIONS..... | 99.1 | 160.6 | 97.1 | 53.9 | 71.3 | 109.2 | 59.6 | 39.3 |
| COMMON COLD..... | 29.4 | 45.9 | 29.4 | 16.7 | 27.9 | 49.6 | 20.2 | 11.5 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 9.7 | 18.7 | 9.3 | 3.3 | 4.7 | *6.9 | *4.5 | *2.1 |
| INFLUENZA..... | 52.9 | 83.3 | 52.8 | 29.2 | 33.3 | 43.4 | 31.5 | 22.3 |
| ACUTE BRONCHITIS..... | 3.7 | 6.7 | 3.3 | 2.0 | 2.7 | *4.2 | *2.0 | *1.8 |
| PNEUMONIA..... | 1.5 | 2.0 | 1.0 | 1.7 | *1.3 | *2.2 | *0.5 | *1.4 |
| OTHER RESPIRATORY CONDITIONS..... | 1.8 | 4.0 | 1.2 | *1.0 | *1.4 | *2.9 | *0.8 | *0.2 |
| DIGESTIVE SYSTEM CONDITIONS..... | 5.5 | 7.0 | 4.7 | 5.5 | 7.8 | 9.7 | 7.6 | *5.3 |
| DENTAL CONDITIONS..... | 1.1 | *1.3 | 1.0 | *1.0 | *2.4 | *3.4 | *2.4 | *1.1 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2.5 | 4.1 | 2.0 | 2.1 | *2.5 | *3.9 | *2.3 | *0.8 |
| OTHER DIGESTIVE CONDITIONS..... | 1.9 | 1.6 | 1.7 | 2.4 | 2.9 | *2.4 | *2.9 | *3.4 |
| INJURIES..... | 24.8 | 29.1 | 28.5 | 16.5 | 23.8 | 18.8 | 32.5 | 15.5 |
| FRACTURES AND DISLOCATIONS..... | 3.4 | 4.4 | 3.6 | 2.4 | *0.8 | *0.5 | *1.0 | *0.7 |
| SPRAINS AND STRAINS..... | 5.3 | 4.7 | 7.6 | 2.6 | 6.7 | *6.1 | 8.3 | *4.5 |
| OPEN WOUNDS AND LACERATIONS..... | 5.7 | 9.0 | 5.6 | 3.1 | 4.9 | *2.4 | 8.3 | *2.3 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 4.3 | 5.2 | 4.4 | 3.6 | 4.0 | *4.0 | *4.1 | *3.9 |
| OTHER CURRENT INJURIES..... | 6.1 | 5.9 | 7.3 | 4.7 | 7.5 | *5.8 | 10.8 | *4.1 |
| SELECTED OTHER ACUTE CONDITIONS..... | 26.3 | 48.4 | 21.2 | 15.7 | 22.7 | 29.2 | 22.0 | 14.8 |
| EYE CONDITIONS..... | 1.2 | 2.0 | *0.7 | 1.3 | *1.0 | *1.5 | *0.6 | *1.1 |
| ACUTE EAR INFECTIONS..... | 9.3 | 29.6 | 3.5 | 1.3 | 4.0 | 10.2 | *0.9 | *1.1 |
| OTHER EAR CONDITIONS..... | 1.8 | 3.5 | 1.1 | 1.5 | *1.1 | *1.6 | *0.9 | *0.7 |
| ACUTE URINARY CONDITIONS..... | 2.6 | *0.9 | 2.6 | 3.8 | 3.0 | *4.0 | *2.4 | *2.6 |
| DISORDERS OF MENSTRUATION..... | 0.4 | *0.4 | *0.7 | *0.0 | *1.8 | *2.3 | *1.7 | *1.2 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 0.8 | -- | 1.3 | *0.6 | *1.3 | *0.3 | *2.9 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 1.9 | -- | 4.4 | -- | 2.7 | *0.3 | 6.1 | -- |
| SKIN CONDITIONS..... | 2.2 | 4.4 | 1.3 | 1.9 | 2.8 | *3.6 | *1.7 | *3.5 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 2.9 | *1.1 | 3.2 | 3.9 | *1.6 | *1.7 | *1.0 | *2.7 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1.5 | 1.8 | 1.7 | 1.1 | *2.0 | *0.4 | *3.2 | *2.0 |
| FEVER, UNSPECIFIED..... | 1.6 | 4.7 | *0.8 | *0.3 | *1.4 | *3.4 | *0.6 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 10.3 | 12.6 | 9.0 | 10.3 | 7.0 | 7.7 | *5.2 | *9.3 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 8 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 4. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 208.1 | 283.9 | 226.3 | 125.3 | 166.3 | 249.0 | 177.2 | 93.7 |
| INFECTIVE AND PARASITIC DISEASES..... | 14.9 | 29.3 | 13.0 | *5.0 | 19.4 | 46.9 | 13.0 | 6.1 |
| COMMON CHILDHOOD DISEASES..... | *2.3 | *8.2 | *- | -- | *1.4 | *5.3 | -- | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 3.7 | *5.6 | *3.4 | *2.4 | 3.4 | 7.7 | *2.5 | *1.4 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 3.7 | *7.1 | *3.2 | *1.6 | 6.6 | 14.0 | *4.6 | *3.3 |
| OTHER..... | 5.1 | *8.3 | *6.4 | *1.0 | 7.9 | 19.9 | 5.9 | *1.4 |
| RESPIRATORY CONDITIONS..... | 109.9 | 158.9 | 117.5 | 61.0 | 83.5 | 126.9 | 95.7 | 38.4 |
| COMMON COLD..... | 40.3 | 68.9 | 39.0 | 17.8 | 25.8 | 35.8 | 31.1 | 12.5 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8.3 | 12.4 | 10.6 | *2.4 | 7.6 | 13.3 | 9.6 | *1.2 |
| INFLUENZA..... | 53.0 | 62.1 | 61.3 | 36.4 | 44.7 | 70.6 | 49.5 | 20.4 |
| ACUTE BRONCHITIS..... | 3.3 | *5.3 | *2.7 | *2.3 | 3.0 | *3.7 | *4.0 | *1.3 |
| PNEUMONIA..... | *2.6 | *5.4 | *1.0 | *1.9 | *1.6 | *1.0 | *1.0 | *2.6 |
| OTHER RESPIRATORY CONDITIONS..... | *2.4 | *4.7 | *2.8 | *0.2 | *0.9 | *2.4 | *0.4 | *0.3 |
| DIGESTIVE SYSTEM CONDITIONS..... | 8.9 | 10.3 | *7.7 | 9.1 | 7.7 | 8.6 | 7.1 | 7.8 |
| DENTAL CONDITIONS..... | *1.1 | *1.0 | *0.8 | *1.7 | 2.0 | *3.7 | *1.8 | *0.9 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 3.1 | *5.7 | *1.9 | *2.4 | 3.0 | *4.0 | *2.7 | *2.8 |
| OTHER DIGESTIVE CONDITIONS..... | 4.6 | *3.7 | *5.0 | *5.0 | 2.7 | *0.9 | *2.7 | *4.1 |
| INJURIES..... | 29.3 | 25.0 | 39.9 | 21.2 | 23.9 | 20.3 | 32.7 | 16.9 |
| FRACTURES AND DISLOCATIONS..... | *2.3 | *1.9 | *2.8 | *1.9 | 2.4 | *1.2 | *3.3 | *2.2 |
| SPRAINS AND STRAINS..... | 8.7 | *7.3 | 14.3 | *3.7 | 4.5 | *2.9 | 6.6 | *3.5 |
| OPEN WOUNDS AND LACERATIONS..... | 5.1 | *6.1 | *5.9 | *3.5 | 5.8 | 7.1 | 6.9 | *3.6 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 5.8 | *4.3 | *4.9 | *7.9 | 4.7 | *4.7 | 5.9 | *3.3 |
| OTHER CURRENT INJURIES..... | 7.4 | *5.5 | 12.0 | *4.1 | 6.5 | *4.3 | 9.9 | *4.3 |
| SELECTED OTHER ACUTE CONDITIONS..... | 32.1 | 41.7 | 38.1 | 17.8 | 22.9 | 37.4 | 21.5 | 14.0 |
| EYE CONDITIONS..... | *1.1 | *0.6 | *1.0 | *1.5 | *1.7 | *2.7 | *0.8 | *1.8 |
| ACUTE EAR INFECTIONS..... | 9.2 | 24.2 | *4.5 | *1.9 | 5.8 | 17.7 | *1.8 | *1.6 |
| OTHER EAR CONDITIONS..... | *2.7 | *5.7 | *1.1 | *2.0 | *1.3 | *1.9 | *1.6 | *0.7 |
| ACUTE URINARY CONDITIONS..... | 3.7 | *1.6 | *4.3 | *4.9 | 3.1 | *2.0 | *2.8 | *4.3 |
| DISORDERS OF MENSTRUATION..... | *1.7 | *1.6 | *2.8 | *0.6 | *0.8 | *1.4 | *1.2 | -- |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *1.5 | -- | *4.0 | -- | *0.3 | -- | *0.5 | *0.4 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 3.8 | -- | 10.1 | -- | 2.7 | *0.8 | 6.4 | -- |
| SKIN CONDITIONS..... | 3.3 | *4.3 | *1.8 | *4.2 | *1.7 | *3.2 | *0.7 | *1.6 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *2.1 | -- | *3.8 | *2.1 | 2.1 | *1.4 | *2.1 | *2.7 |
| HEADACHE, EXCLUDING MIGRAINE..... | *1.9 | *1.2 | *3.6 | *0.6 | *1.5 | *0.9 | *2.8 | *0.6 |
| FEVER, UNSPECIFIED..... | *1.1 | *2.5 | *1.1 | -- | *1.7 | *5.3 | *0.7 | *0.3 |
| ALL OTHER ACUTE CONDITIONS..... | 13.0 | 18.8 | 10.1 | 11.3 | 8.9 | 8.9 | 7.3 | 10.7 |

SEE NOTES AT END OF TABLE.

TABLE 4. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION:
UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 197.0 | 306.3 | 179.7 | 112.2 | 183.9 | 305.9 | 155.5 | 110.9 |
| INFECTIVE AND PARASITIC DISEASES..... | 22.4 | 47.4 | 16.0 | 7.1 | 22.0 | 49.6 | 14.1 | 8.3 |
| COMMON CHILDHOOD DISEASES..... | 1.5 | 5.1 | *0.2 | -- | 1.9 | 7.0 | *0.1 | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 6.1 | 10.4 | 5.6 | *2.7 | 5.3 | 9.2 | 4.4 | *2.9 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 5.3 | 10.8 | 3.4 | *2.8 | 6.0 | 13.7 | 3.5 | *2.6 |
| OTHER..... | 9.4 | 21.2 | 6.8 | *1.6 | 8.8 | 19.6 | 6.0 | *2.8 |
| RESPIRATORY CONDITIONS..... | 102.9 | 161.7 | 93.7 | 57.1 | 97.8 | 148.9 | 90.2 | 59.7 |
| COMMON COLD..... | 30.2 | 50.6 | 24.8 | 18.3 | 28.4 | 39.5 | 28.1 | 17.8 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8.0 | 13.5 | 7.7 | *3.0 | 11.5 | 22.0 | 9.1 | 5.1 |
| INFLUENZA..... | 57.5 | 86.1 | 56.4 | 29.5 | 50.5 | 74.5 | 46.9 | 32.8 |
| ACUTE BRONCHITIS..... | 4.2 | 7.5 | *2.9 | *2.9 | 4.3 | 6.5 | 3.9 | *2.6 |
| PNEUMONIA..... | *1.0 | *1.4 | *0.4 | *1.7 | 1.1 | *1.9 | *1.2 | *0.3 |
| OTHER RESPIRATORY CONDITIONS..... | 1.9 | *2.6 | *1.6 | *1.6 | 2.0 | 4.4 | *1.1 | *1.2 |
| DIGESTIVE SYSTEM CONDITIONS..... | 5.2 | 6.5 | 5.0 | *4.0 | 4.9 | 8.9 | 3.3 | 3.6 |
| DENTAL CONDITIONS..... | 1.4 | *1.9 | *1.6 | *0.3 | *0.9 | *1.6 | *0.7 | *0.7 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2.4 | *2.9 | *2.1 | *2.3 | 2.7 | 5.9 | *1.8 | *0.9 |
| OTHER DIGESTIVE CONDITIONS..... | 1.4 | *1.7 | *1.3 | *1.3 | 1.3 | *1.4 | *0.8 | *2.0 |
| INJURIES..... | 27.7 | 32.3 | 30.9 | 17.2 | 23.6 | 31.5 | 22.9 | 16.8 |
| FRACTURES AND DISLOCATIONS..... | 3.7 | *4.4 | 3.2 | *3.9 | 3.3 | 5.5 | 2.8 | *1.8 |
| SPRAINS AND STRAINS..... | 6.2 | *4.8 | 9.4 | *2.3 | 4.5 | 4.8 | 5.6 | *2.4 |
| OPEN WOUNDS AND LACERATIONS..... | 6.7 | 9.8 | 7.9 | *1.5 | 5.7 | 9.0 | 4.7 | 4.1 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 4.2 | 6.6 | 3.2 | *3.4 | 4.0 | 4.7 | 4.4 | *2.8 |
| OTHER CURRENT INJURIES..... | 6.8 | 6.8 | 7.2 | 6.1 | 6.0 | 7.5 | 5.5 | 5.6 |
| SELECTED OTHER ACUTE CONDITIONS..... | 28.3 | 47.1 | 23.8 | 16.4 | 26.0 | 52.1 | 17.6 | 14.3 |
| EYE CONDITIONS..... | *0.7 | *1.4 | *0.2 | *1.0 | 1.5 | *2.4 | *1.1 | *1.3 |
| ACUTE EAR INFECTIONS..... | 9.8 | 27.2 | 4.3 | *1.2 | 11.2 | 34.7 | 3.5 | *1.3 |
| OTHER EAR CONDITIONS..... | 1.8 | *4.1 | *0.4 | *1.6 | 1.7 | *2.7 | *1.5 | *1.0 |
| ACUTE URINARY CONDITIONS..... | 2.8 | *0.7 | 3.6 | *3.5 | 1.9 | *1.2 | *1.8 | *2.6 |
| DISORDERS OF MENSTRUATION..... | *0.3 | *0.4 | *0.3 | *0.2 | *0.2 | *0.3 | *0.3 | *0.1 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *0.9 | *0.2 | *1.6 | *0.4 | *0.9 | -- | *1.3 | *1.0 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 1.8 | -- | 4.0 | -- | 1.4 | -- | 2.9 | -- |
| SKIN CONDITIONS..... | 2.6 | *4.7 | *1.3 | *2.8 | 2.0 | 3.7 | *1.1 | *1.7 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 3.1 | *1.4 | 4.0 | *3.2 | 2.5 | *0.8 | 2.8 | 3.8 |
| HEADACHE, EXCLUDING MIGRAINE..... | 2.6 | *2.8 | 3.2 | *1.4 | 1.3 | *1.9 | *0.7 | *1.5 |
| FEVER, UNSPECIFIED..... | 1.9 | *4.2 | *0.9 | *1.1 | 1.5 | 4.5 | *0.6 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 10.6 | 11.3 | 10.3 | 10.4 | 9.7 | 14.9 | 7.5 | 8.2 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS I AND X OF TABLE II, THE FREQUENCIES OF TABLES 9 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 5. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | PLACE OF RESIDENCE | | | | | | | |
|---|--------------------|---------|-------|-------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 144.6 | 185.1 | 176.4 | 219.2 | 179.7 | 176.7 | 181.7 | 186.7 |
| INFECTIVE AND PARASITIC DISEASES..... | 19.1 | 15.7 | 26.1 | 16.4 | 19.3 | 17.6 | 20.3 | 23.0 |
| COMMON CHILDHOOD DISEASES..... | *1.1 | 1.7 | 1.7 | 2.0 | 1.7 | 1.9 | 1.6 | *1.3 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 5.6 | 1.6 | 8.5 | *0.8 | 4.6 | 4.6 | 4.2 | 5.2 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 5.4 | 5.3 | 8.6 | 2.7 | 5.2 | 4.1 | 5.9 | 8.4 |
| OTHER..... | 7.0 | 7.1 | 7.3 | 10.9 | 8.0 | 7.0 | 8.6 | 8.1 |
| RESPIRATORY CONDITIONS..... | 73.6 | 100.1 | 82.8 | 129.8 | 95.6 | 93.2 | 97.1 | 94.0 |
| COMMON COLD..... | 29.0 | 24.9 | 26.0 | 38.7 | 29.7 | 30.1 | 29.5 | 26.7 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 5.9 | 10.7 | 10.2 | 7.7 | 8.7 | 8.0 | 9.2 | 9.6 |
| INFLUENZA..... | 32.6 | 58.0 | 38.7 | 77.0 | 50.3 | 47.2 | 52.2 | 50.7 |
| ACUTE BRONCHITIS..... | 3.7 | 3.3 | 3.8 | 3.5 | 3.7 | 4.1 | 3.4 | 3.4 |
| PNEUMONIA..... | *0.6 | 1.5 | 1.9 | 1.5 | 1.5 | 1.3 | 1.6 | 1.5 |
| OTHER RESPIRATORY CONDITIONS..... | 1.7 | 1.7 | 2.0 | 1.5 | 1.7 | 2.3 | 1.3 | 2.0 |
| DIGESTIVE SYSTEM CONDITIONS..... | 4.1 | 5.2 | 6.7 | 6.9 | 5.8 | 6.9 | 5.0 | 6.2 |
| DENTAL CONDITIONS..... | *0.8 | *1.1 | 1.5 | 1.6 | 1.3 | 1.8 | 1.0 | *1.2 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1.6 | 2.0 | 3.1 | 3.1 | 2.6 | 2.8 | 2.4 | 2.5 |
| OTHER DIGESTIVE CONDITIONS..... | 1.7 | 2.1 | 2.0 | 2.2 | 1.9 | 2.2 | 1.7 | 2.4 |
| INJURIES..... | 19.9 | 26.8 | 25.1 | 24.3 | 23.5 | 23.3 | 23.6 | 27.3 |
| FRACTURES AND DISLOCATIONS..... | 2.5 | 3.4 | 3.0 | 3.1 | 2.9 | 2.8 | 3.0 | 3.3 |
| SPRAINS AND STRAINS..... | 3.7 | 5.5 | 6.2 | 5.3 | 5.1 | 5.3 | 4.9 | 6.2 |
| OPEN WOUNDS AND LACERATIONS..... | 5.3 | 5.8 | 5.2 | 6.0 | 5.5 | 5.1 | 5.7 | 5.6 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 3.6 | 4.6 | 4.4 | 3.8 | 4.1 | 4.0 | 4.2 | 4.4 |
| OTHER CURRENT INJURIES..... | 4.8 | 7.5 | 6.3 | 6.2 | 5.9 | 6.1 | 5.7 | 7.8 |
| SELECTED OTHER ACUTE CONDITIONS..... | 19.2 | 28.1 | 26.0 | 29.3 | 25.9 | 25.8 | 25.9 | 25.6 |
| EYE CONDITIONS..... | *0.8 | *1.2 | *0.9 | 2.3 | 1.4 | 1.4 | 1.3 | *0.7 |
| ACUTE EAR INFECTIONS..... | 6.2 | 10.3 | 7.8 | 10.7 | 8.7 | 8.0 | 9.1 | 8.8 |
| OTHER EAR CONDITIONS..... | 1.6 | 1.4 | 1.3 | 2.9 | 1.6 | 1.1 | 2.0 | 2.2 |
| ACUTE URINARY CONDITIONS..... | *1.3 | 2.9 | 3.2 | 2.3 | 2.4 | 2.2 | 2.5 | 3.2 |
| DISORDERS OF MENSTRUATION..... | *0.2 | *0.9 | *0.7 | *0.2 | 0.6 | *0.8 | *0.5 | *0.5 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *0.5 | *0.6 | 1.3 | *0.6 | 0.8 | *1.0 | 0.8 | *0.7 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND Puerperium..... | *1.2 | 2.2 | 2.4 | 1.9 | 2.0 | 2.2 | 1.8 | 2.0 |
| SKIN CONDITIONS..... | 2.4 | 2.1 | 2.6 | 1.9 | 2.5 | 2.4 | 2.5 | 1.6 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 2.3 | 2.9 | 2.7 | 3.0 | 2.6 | 2.9 | 2.4 | 3.0 |
| HEADACHE, EXCLUDING MIGRAINE..... | *1.3 | 2.1 | 1.5 | 1.8 | 1.7 | 1.6 | 1.8 | 1.4 |
| FEVER, UNSPECIFIED..... | *1.4 | 1.4 | 1.7 | 1.7 | 1.6 | 2.1 | 1.3 | *1.3 |
| ALL OTHER ACUTE CONDITIONS..... | 8.6 | 9.2 | 9.8 | 12.5 | 9.8 | 9.9 | 9.7 | 10.7 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS I AND X OF TABLE II, THE FREQUENCIES OF TABLES 10 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 6. NUMBER OF ACUTE CONDITIONS, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1969

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | 45 YEARS AND OVER | | |
|---|----------|---------------|------------|-------------|-------------|-------------------|-------------|-------------------|
| | | | | | | TOTAL | 45-64 YEARS | 55 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 441,463 | 69,351 | 114,234 | 45,929 | 130,295 | 81,654 | 52,366 | 29,288 |
| INFECTIVE AND PARASITIC DISEASES..... | 48,897 | 9,987 | 18,691 | 3,907 | 10,608 | 5,704 | 3,977 | 1,727 |
| COMMON CHILDHOOD DISEASES..... | 3,978 | 1,762 | 2,066 | 52 | 53 | 45 | - | 45 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 11,153 | 1,722 | 3,592 | 1,013 | 3,141 | 1,686 | 1,288 | 398 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 16,325 | 2,908 | 4,908 | 1,156 | 3,021 | 2,331 | 1,526 | 805 |
| OTHER..... | 19,442 | 3,595 | 8,125 | 1,687 | 4,392 | 1,642 | 1,163 | 480 |
| RESPIRATORY CONDITIONS..... | 231,854 | 32,997 | 62,760 | 25,411 | 70,711 | 39,974 | 27,704 | 12,270 |
| COMMON COLD..... | 70,809 | 13,713 | 15,583 | 8,695 | 20,619 | 12,199 | 8,003 | 4,196 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 21,725 | 4,333 | 6,195 | 3,212 | 5,555 | 2,429 | 1,881 | 548 |
| INFLUENZA..... | 122,657 | 11,604 | 36,716 | 12,268 | 40,264 | 21,805 | 15,984 | 5,822 |
| ACUTE BRONCHITIS..... | 8,789 | 1,842 | 2,184 | 822 | 2,441 | 1,501 | 776 | 724 |
| PNEUMONIA..... | 3,567 | 536 | 717 | 101 | 880 | 1,333 | 570 | 764 |
| OTHER RESPIRATORY CONDITIONS..... | 4,307 | 969 | 1,365 | 314 | 953 | 706 | 490 | 217 |
| DIGESTIVE SYSTEM CONDITIONS..... | 14,265 | 2,060 | 2,853 | 1,639 | 3,583 | 4,129 | 1,897 | 2,231 |
| DENTAL CONDITIONS..... | 3,190 | 772 | 393 | 402 | 853 | 770 | 432 | 339 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 6,180 | 540 | 2,148 | 890 | 1,147 | 1,456 | 729 | 727 |
| OTHER DIGESTIVE CONDITIONS..... | 4,895 | 749 | 313 | 348 | 1,583 | 1,902 | 737 | 1,166 |
| INJURIES..... | 59,177 | 4,252 | 13,060 | 7,122 | 22,383 | 12,361 | 7,449 | 4,911 |
| FRACTURES AND DISLOCATIONS..... | 7,312 | 220 | 2,118 | 1,091 | 2,168 | 1,714 | 950 | 765 |
| SPRAINS AND STRAINS..... | 12,959 | 275 | 2,784 | 1,795 | 6,029 | 2,075 | 1,229 | 846 |
| OPEN WOUNDS AND LACERATIONS..... | 13,449 | 1,576 | 3,424 | 1,335 | 4,869 | 2,245 | 1,497 | 748 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 10,147 | 726 | 2,327 | 934 | 3,499 | 2,662 | 1,561 | 1,100 |
| OTHER CURRENT INJURIES..... | 15,310 | 1,456 | 2,406 | 1,966 | 5,818 | 3,664 | 2,212 | 1,452 |
| SELECTED OTHER ACUTE CONDITIONS..... | 62,913 | 16,152 | 13,013 | 5,978 | 16,030 | 11,739 | 7,022 | 4,717 |
| EYE CONDITIONS..... | 2,995 | 760 | 459 | 208 | 530 | 1,039 | 541 | 498 |
| ACUTE EAR INFECTIONS..... | 21,238 | 11,651 | 5,397 | 924 | 2,319 | 947 | 815 | 132 |
| OTHER EAR CONDITIONS..... | 4,260 | 849 | 1,266 | 200 | 864 | 1,081 | 591 | 490 |
| ACUTE URINARY CONDITIONS..... | 6,236 | 123 | 762 | 717 | 1,931 | 2,702 | 1,144 | 1,558 |
| DISORDERS OF MENSTRUATION..... | 1,355 | *** | 435 | 274 | 538 | 108 | 108 | - |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 1,986 | - | 27 | 648 | 940 | 370 | 370 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 4,810 | *** | 87 | 1,522 | 3,202 | - | - | *** |
| SKIN CONDITIONS..... | 5,559 | 1,177 | 1,492 | 422 | 912 | 1,555 | 1,101 | 454 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 6,613 | 73 | 692 | 675 | 2,401 | 2,772 | 1,687 | 1,085 |
| HEADACHE, EXCLUDING MIGRAINE..... | 4,050 | 48 | 1,047 | 267 | 1,735 | 953 | 616 | 336 |
| FEVER, UNSPECIFIED..... | 3,810 | 1,472 | 1,348 | 121 | 657 | 213 | 48 | 165 |
| ALL OTHER ACUTE CONDITIONS..... | 24,356 | 3,903 | 3,858 | 1,870 | 6,979 | 7,746 | 4,316 | 3,431 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.9 MILLION HAS A 10-PERCENT RSE; OF 1.7 MILLION, A 20-PERCENT RSE; AND OF 755,000, A 30-PERCENT RSE.

TABLE 7. NUMBER OF ACUTE CONDITIONS, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | | | FEMALE | | | | |
|--|----------|---------------|------------|-------------|-------------------|----------|---------------|------------|-------------|-------------------|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS IN THOUSANDS | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 200,958 | 38,311 | 58,272 | 73,203 | 31,172 | 240,505 | 31,040 | 55,963 | 103,021 | 50,481 |
| INFECTIVE AND PARASITIC DISEASES..... | 21,569 | 5,581 | 8,419 | 5,486 | 2,082 | 27,329 | 4,406 | 10,272 | 9,029 | 3,622 |
| COMMON CHILDHOOD DISEASES..... | 2,358 | 991 | 1,315 | 52 | - | 1,620 | 771 | 751 | 53 | 45 |
| INTESTINAL VIRUS, UNSPECIFIED.. | 4,986 | 757 | 1,764 | 1,665 | 799 | 6,167 | 964 | 1,827 | 2,489 | 887 |
| VIRAL INFECTIONS, UNSPECIFIED.. | 6,428 | 1,853 | 2,172 | 1,655 | 748 | 7,896 | 1,055 | 2,736 | 2,522 | 1,583 |
| OTHER..... | 7,796 | 1,980 | 3,168 | 2,114 | 535 | 11,645 | 1,616 | 4,958 | 3,965 | 1,107 |
| RESPIRATORY CONDITIONS..... | 105,660 | 17,414 | 31,678 | 41,242 | 15,326 | 126,194 | 15,583 | 31,082 | 54,881 | 24,648 |
| COMMON COLD..... | 32,578 | 7,333 | 7,472 | 13,520 | 4,253 | 38,231 | 6,380 | 8,111 | 15,794 | 7,946 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 9,446 | 2,903 | 2,628 | 3,105 | 810 | 12,278 | 1,430 | 3,567 | 5,661 | 1,619 |
| INFLUENZA..... | 56,689 | 5,414 | 19,751 | 22,721 | 8,803 | 65,969 | 6,190 | 16,965 | 29,811 | 13,003 |
| ACUTE BRONCHITIS..... | 3,476 | 943 | 969 | 929 | 636 | 5,313 | 899 | 1,215 | 2,334 | 865 |
| PNEUMONIA..... | 1,592 | 210 | 316 | 541 | 526 | 1,975 | 326 | 402 | 440 | 808 |
| OTHER RESPIRATORY CONDITIONS.... | 1,878 | 611 | 543 | 425 | 299 | 2,429 | 357 | 822 | 841 | 408 |
| DIGESTIVE SYSTEM CONDITIONS.... | 6,798 | 1,216 | 1,652 | 2,323 | 1,607 | 7,466 | 844 | 1,201 | 2,900 | 2,521 |
| DENTAL CONDITIONS..... | 1,376 | 436 | 247 | 594 | 100 | 1,813 | 336 | 146 | 661 | 671 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 3,144 | 260 | 1,252 | 1,037 | 595 | 3,036 | 280 | 895 | 1,000 | 861 |
| OTHER DIGESTIVE CONDITIONS.... | 2,278 | 520 | 153 | 692 | 913 | 2,617 | 229 | 160 | 1,239 | 990 |
| INJURIES..... | 32,120 | 2,470 | 8,025 | 16,280 | 5,344 | 27,058 | 1,782 | 5,034 | 13,225 | 7,017 |
| FRACTURES AND DISLOCATIONS.... | 3,940 | 58 | 1,310 | 2,003 | 569 | 3,371 | 162 | 808 | 1,256 | 1,146 |
| SPRAINS AND STRAINS..... | 6,857 | 226 | 1,445 | 4,405 | 782 | 6,102 | 49 | 1,340 | 3,420 | 1,293 |
| OPEN WOUNDS AND LACERATIONS.... | 8,781 | 925 | 2,414 | 4,156 | 1,286 | 4,668 | 651 | 1,010 | 2,048 | 959 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 5,155 | 550 | 1,200 | 2,204 | 1,201 | 4,993 | 176 | 1,127 | 2,229 | 1,460 |
| OTHER CURRENT INJURIES..... | 7,386 | 711 | 1,656 | 3,513 | 1,506 | 7,924 | 744 | 750 | 4,271 | 2,158 |
| SELECTED OTHER ACUTE CONDITIONS..... | 24,508 | 9,150 | 6,813 | 4,791 | 3,753 | 38,405 | 7,002 | 6,199 | 17,218 | 7,987 |
| EYE CONDITIONS..... | 1,226 | 456 | 291 | 207 | 273 | 1,769 | 304 | 168 | 531 | 766 |
| ACUTE EAR INFECTIONS..... | 11,104 | 6,512 | 3,174 | 1,146 | 272 | 10,133 | 5,139 | 2,222 | 2,098 | 675 |
| OTHER EAR CONDITIONS..... | 2,223 | 543 | 651 | 509 | 520 | 2,036 | 305 | 615 | 554 | 561 |
| ACUTE URINARY CONDITIONS..... | 1,676 | - | 378 | 326 | 971 | 4,560 | 123 | 384 | 2,322 | 1,731 |
| DISORDERS OF MENSTRUATION..... | *** | *** | *** | *** | *** | 1,355 | *** | 435 | 812 | 108 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *** | *** | *** | *** | *** | 1,986 | - | 27 | 1,588 | 370 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *** | *** | *** | *** | *** | 4,810 | *** | 87 | 4,724 | - |
| SKIN CONDITIONS..... | 2,685 | 729 | 928 | 396 | 633 | 2,874 | 448 | 564 | 939 | 922 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 2,451 | - | 181 | 1,488 | 782 | 4,162 | 73 | 511 | 1,588 | 1,990 |
| HEADACHE, EXCLUDING MIGRAINE.... | 1,230 | 48 | 566 | 364 | 252 | 2,820 | - | 481 | 1,638 | 701 |
| FEVER, UNSPECIFIED..... | 1,912 | 863 | 644 | 355 | 50 | 1,898 | 609 | 704 | 422 | 163 |
| ALL OTHER ACUTE CONDITIONS.... | 10,304 | 2,479 | 1,685 | 3,080 | 3,059 | 14,052 | 1,423 | 2,173 | 5,769 | 4,687 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.9 MILLION HAS A 10-PERCENT RSE; OF 1.7 MILLION, A 20-PERCENT RSE; AND OF 755,000, A 30-PERCENT RSE.

TABLE 8. NUMBER OF ACUTE CONDITIONS, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|--|----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 384,287 | 158,244 | 153,542 | 72,502 | 43,921 | 19,869 | 17,331 | 6,721 |
| INFECTIVE AND PARASITIC DISEASES..... | 43,466 | 25,370 | 13,186 | 4,910 | 4,286 | 2,475 | 1,124 | 687 |
| COMMON CHILDHOOD DISEASES..... | 3,379 | 3,229 | 105 | 45 | 492 | 492 | - | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 10,102 | 4,863 | 3,857 | 1,383 | 1,001 | 401 | 297 | 303 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 12,712 | 6,942 | 3,758 | 2,012 | 1,506 | 826 | 419 | 262 |
| OTHER..... | 17,272 | 10,337 | 5,465 | 1,470 | 1,287 | 756 | 409 | 122 |
| RESPIRATORY CONDITIONS..... | 203,414 | 82,778 | 84,861 | 35,775 | 21,298 | 10,877 | 7,604 | 2,817 |
| COMMON COLD..... | 60,457 | 23,686 | 25,710 | 11,061 | 8,341 | 4,937 | 2,581 | 823 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 19,932 | 9,622 | 8,090 | 2,221 | 1,411 | 690 | 570 | 151 |
| INFLUENZA..... | 108,509 | 42,949 | 46,205 | 19,855 | 9,940 | 4,323 | 4,021 | 1,596 |
| ACUTE BRONCHITIS..... | 7,647 | 3,446 | 2,891 | 1,309 | 803 | 417 | 254 | 132 |
| PNEUMONIA..... | 3,080 | 1,032 | 910 | 1,137 | 390 | 221 | 70 | 99 |
| OTHER RESPIRATORY CONDITIONS..... | 3,790 | 2,043 | 1,055 | 692 | 414 | 291 | 108 | 14 |
| DIGESTIVE SYSTEM CONDITIONS..... | 11,327 | 3,604 | 4,095 | 3,628 | 2,324 | 970 | 975 | 379 |
| DENTAL CONDITIONS..... | 2,212 | 682 | 892 | 638 | 725 | 340 | 306 | 79 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 5,225 | 2,100 | 1,744 | 1,281 | 741 | 391 | 293 | 57 |
| OTHER DIGESTIVE CONDITIONS..... | 3,890 | 823 | 1,459 | 1,609 | 858 | 239 | 376 | 243 |
| INJURIES..... | 50,852 | 15,016 | 24,923 | 10,913 | 7,126 | 1,868 | 4,147 | 1,112 |
| FRACTURES AND DISLOCATIONS..... | 6,985 | 2,244 | 3,130 | 1,611 | 226 | 46 | 129 | 52 |
| SPRAINS AND STRAINS..... | 10,811 | 2,448 | 6,658 | 1,705 | 1,991 | 611 | 1,061 | 319 |
| OPEN WOUNDS AND LACERATIONS..... | 11,641 | 4,625 | 4,939 | 2,077 | 1,469 | 239 | 1,062 | 168 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 8,883 | 2,658 | 3,841 | 2,385 | 1,194 | 395 | 522 | 277 |
| OTHER CURRENT INJURIES..... | 12,532 | 3,041 | 6,356 | 3,136 | 2,246 | 577 | 1,373 | 296 |
| SELECTED OTHER ACUTE CONDITIONS..... | 53,988 | 24,967 | 18,574 | 10,446 | 6,780 | 2,908 | 2,810 | 1,062 |
| EYE CONDITIONS..... | 2,479 | 1,024 | 608 | 846 | 305 | 150 | 75 | 80 |
| ACUTE EAR INFECTIONS..... | 19,172 | 15,279 | 3,025 | 868 | 1,208 | 1,017 | 112 | 79 |
| OTHER EAR CONDITIONS..... | 3,769 | 1,789 | 952 | 1,028 | 328 | 163 | 112 | 53 |
| ACUTE URINARY CONDITIONS..... | 5,294 | 489 | 2,286 | 2,519 | 890 | 397 | 310 | 183 |
| DISORDERS OF MENSTRUATION..... | 829 | 210 | 596 | 24 | 526 | 225 | 217 | 84 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 1,540 | - | 1,170 | 370 | 395 | 27 | 368 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 3,843 | - | 3,843 | - | 811 | 31 | 780 | - |
| SKIN CONDITIONS..... | 4,618 | 2,262 | 1,114 | 1,242 | 825 | 355 | 221 | 249 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 5,969 | 552 | 2,836 | 2,582 | 490 | 166 | 133 | 190 |
| HEADACHE, EXCLUDING MIGRAINE..... | 3,124 | 926 | 1,443 | 756 | 586 | 38 | 405 | 143 |
| FEVER, UNSPECIFIED..... | 3,351 | 2,437 | 702 | 213 | 415 | 339 | 76 | - |
| ALL OTHER ACUTE CONDITIONS..... | 21,240 | 6,507 | 7,903 | 6,830 | 2,106 | 771 | 670 | 666 |

¹ TOTALS FOR WHITE AND BLACK DO NOT SUM TO TOTAL ACUTE CONDITIONS BECAUSE OTHER RACES ARE NOT INCLUDED.

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.9 MILLION HAS A 10-PERCENT RSE; OF 1.7 MILLION, A 20-PERCENT RSE; AND OF 755,000, A 30-PERCENT RSE.

TABLE 9. NUMBER OF ACUTE CONDITIONS, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 54,485 | 21,142 | 22,094 | 11,249 | 68,269 | 26,490 | 28,199 | 13,579 |
| INFECTIVE AND PARASITIC DISEASES..... | 3,894 | 2,182 | 1,265 | 446 | 7,944 | 4,994 | 2,063 | 887 |
| COMMON CHILDHOOD DISEASES..... | 613 | 613 | - | - | 569 | 569 | - | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 962 | 419 | 330 | 213 | 1,407 | 815 | 391 | 201 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 981 | 531 | 310 | 140 | 2,709 | 1,494 | 733 | 483 |
| OTHER..... | 1,338 | 620 | 625 | 94 | 3,259 | 2,116 | 940 | 203 |
| RESPIRATORY CONDITIONS..... | 28,775 | 11,831 | 11,473 | 5,472 | 34,277 | 13,500 | 15,223 | 5,555 |
| COMMON COLD..... | 10,540 | 5,133 | 3,811 | 1,596 | 10,575 | 3,810 | 4,951 | 1,814 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 2,180 | 923 | 1,037 | 219 | 3,111 | 1,413 | 1,528 | 170 |
| INFLUENZA..... | 13,875 | 4,623 | 5,983 | 3,269 | 18,349 | 7,516 | 7,678 | 2,955 |
| ACUTE BRONCHITIS..... | 869 | 395 | 268 | 206 | 1,226 | 394 | 639 | 193 |
| PNEUMONIA..... | 672 | 404 | 101 | 167 | 650 | 108 | 167 | 375 |
| OTHER RESPIRATORY CONDITIONS..... | 639 | 353 | 272 | 14 | 366 | 257 | 61 | 49 |
| DIGESTIVE SYSTEM CONDITIONS..... | 2,334 | 767 | 747 | 820 | 3,163 | 912 | 1,126 | 1,125 |
| DENTAL CONDITIONS..... | 300 | 73 | 75 | 152 | 804 | 393 | 279 | 132 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 820 | 421 | 181 | 219 | 1,248 | 423 | 425 | 400 |
| OTHER DIGESTIVE CONDITIONS..... | 1,213 | 273 | 492 | 449 | 1,111 | 96 | 423 | 593 |
| INJURIES..... | 7,665 | 1,862 | 3,900 | 1,903 | 9,811 | 2,157 | 5,209 | 2,444 |
| FRACTURES AND DISLOCATIONS..... | 593 | 143 | 276 | 174 | 983 | 131 | 531 | 321 |
| SPRAINS AND STRAINS..... | 2,276 | 563 | 1,399 | 335 | 1,867 | 307 | 1,057 | 503 |
| OPEN WOUNDS AND LACERATIONS..... | 1,340 | 451 | 577 | 312 | 2,374 | 759 | 1,099 | 516 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 1,511 | 319 | 481 | 711 | 1,924 | 504 | 942 | 478 |
| OTHER CURRENT INJURIES..... | 1,945 | 407 | 1,167 | 371 | 2,664 | 456 | 1,580 | 627 |
| SELECTED OTHER ACUTE CONDITIONS..... | 8,416 | 3,102 | 3,720 | 1,594 | 9,415 | 3,975 | 3,418 | 2,022 |
| EYE CONDITIONS..... | 281 | 45 | 102 | 134 | 683 | 292 | 126 | 265 |
| ACUTE EAR INFECTIONS..... | 2,413 | 1,801 | 442 | 169 | 2,391 | 1,878 | 285 | 228 |
| OTHER EAR CONDITIONS..... | 710 | 424 | 103 | 183 | 552 | 198 | 258 | 97 |
| ACUTE URINARY CONDITIONS..... | 979 | 117 | 424 | 438 | 1,290 | 217 | 447 | 627 |
| DISORDERS OF MENSTRUATION..... | 445 | 117 | 271 | 57 | 345 | 152 | 193 | - |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 386 | - | 386 | - | 129 | - | 76 | 53 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 990 | - | 990 | - | 1,112 | 87 | 1,025 | - |
| SKIN CONDITIONS..... | 875 | 322 | 175 | 378 | 694 | 343 | 119 | 232 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 552 | - | 367 | 185 | 869 | 148 | 335 | 386 |
| HEADACHE, EXCLUDING MIGRAINE..... | 493 | 90 | 353 | 50 | 634 | 101 | 446 | 87 |
| FEVER, UNSPECIFIED..... | 293 | 186 | 107 | - | 716 | 560 | 108 | 48 |
| ALL OTHER ACUTE CONDITIONS..... | 3,400 | 1,398 | 989 | 1,013 | 3,658 | 952 | 1,159 | 1,546 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 9. NUMBER OF ACUTE CONDITIONS, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989—CON.
 (DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF ACUTE CONDITIONS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 111,713 | 48,321 | 46,470 | 16,921 | 147,510 | 65,735 | 58,035 | 23,740 |
| INFECTIVE AND PARASITIC DISEASES..... | 12,678 | 7,478 | 4,131 | 1,070 | 17,679 | 10,656 | 5,249 | 1,774 |
| COMMON CHILDHOOD DISEASES..... | 850 | 798 | 52 | — | 1,560 | 1,507 | 53 | — |
| INTESTINAL VIRUS, UNSPECIFIED..... | 3,479 | 1,633 | 1,441 | 406 | 4,237 | 1,982 | 1,631 | 624 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 3,015 | 1,707 | 882 | 426 | 4,829 | 2,954 | 1,321 | 554 |
| OTHER..... | 5,333 | 3,340 | 1,755 | 238 | 7,054 | 4,213 | 2,244 | 597 |
| RESPIRATORY CONDITIONS..... | 58,348 | 25,502 | 24,238 | 8,609 | 78,437 | 31,992 | 33,661 | 12,783 |
| COMMON COLD..... | 17,141 | 7,977 | 6,400 | 2,763 | 22,775 | 8,496 | 10,474 | 3,805 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 4,565 | 2,125 | 1,990 | 451 | 9,197 | 4,731 | 3,377 | 1,089 |
| INFLUENZA..... | 32,617 | 13,589 | 14,585 | 4,443 | 40,537 | 16,004 | 17,505 | 7,027 |
| ACUTE BRONCHITIS..... | 2,365 | 1,181 | 740 | 444 | 3,411 | 1,407 | 1,049 | 555 |
| PNEUMONIA..... | 594 | 221 | 110 | 263 | 918 | 413 | 448 | 58 |
| OTHER RESPIRATORY CONDITIONS..... | 1,067 | 410 | 413 | 244 | 1,599 | 941 | 409 | 249 |
| DIGESTIVE SYSTEM CONDITIONS..... | 2,922 | 1,030 | 1,292 | 600 | 3,916 | 1,914 | 1,229 | 774 |
| DENTAL CONDITIONS..... | 770 | 303 | 415 | 52 | 750 | 344 | 257 | 149 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1,344 | 462 | 534 | 348 | 2,141 | 1,271 | 671 | 199 |
| OTHER DIGESTIVE CONDITIONS..... | 808 | 266 | 343 | 199 | 1,026 | 299 | 301 | 426 |
| INJURIES..... | 15,685 | 5,094 | 7,991 | 2,600 | 18,896 | 6,777 | 8,531 | 3,588 |
| FRACTURES AND DISLOCATIONS..... | 2,103 | 693 | 826 | 584 | 2,612 | 1,187 | 1,045 | 381 |
| SPRAINS AND STRAINS..... | 3,522 | 751 | 2,420 | 351 | 3,642 | 1,041 | 2,085 | 516 |
| OPEN WOUNDS AND LACERATIONS..... | 3,828 | 1,541 | 2,054 | 233 | 4,560 | 1,931 | 1,241 | 888 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 2,396 | 1,038 | 840 | 518 | 3,236 | 1,011 | 1,623 | 602 |
| OTHER CURRENT INJURIES..... | 3,836 | 1,072 | 1,850 | 914 | 4,845 | 1,606 | 2,038 | 1,201 |
| SELECTED OTHER ACUTE CONDITIONS..... | 16,059 | 7,431 | 6,159 | 2,470 | 20,819 | 11,200 | 6,555 | 3,064 |
| EYE CONDITIONS..... | 423 | 216 | 50 | 158 | 1,195 | 510 | 406 | 279 |
| ACUTE EAR INFECTIONS..... | 5,579 | 4,290 | 1,112 | 177 | 9,021 | 7,459 | 1,290 | 272 |
| OTHER EAR CONDITIONS..... | 1,006 | 654 | 109 | 242 | 1,346 | 576 | 561 | 209 |
| ACUTE URINARY CONDITIONS..... | 1,582 | 117 | 935 | 530 | 1,506 | 258 | 686 | 562 |
| DISORDERS OF MENSTRUATION..... | 165 | 64 | 73 | 27 | 189 | 54 | 111 | 24 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 503 | 27 | 420 | 56 | 688 | — | 474 | 214 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 1,034 | — | 1,034 | — | 1,086 | — | 1,086 | — |
| SKIN CONDITIONS..... | 1,498 | 746 | 335 | 417 | 1,573 | 786 | 421 | 366 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 1,742 | 217 | 1,039 | 486 | 2,019 | 166 | 1,034 | 819 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1,469 | 443 | 815 | 211 | 1,008 | 415 | 275 | 318 |
| FEVER, UNSPECIFIED..... | 1,058 | 657 | 236 | 165 | 1,187 | 976 | 210 | — |
| ALL OTHER ACUTE CONDITIONS..... | 6,019 | 1,786 | 2,660 | 1,573 | 7,763 | 3,196 | 2,810 | 1,758 |

¹TOTALS FOR INCOME CATEGORIES DO NOT SUM TO TOTAL ACUTE CONDITIONS BECAUSE PERSONS WITH UNKNOWN FAMILY INCOME ARE NOT INCLUDED.

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.9 MILLION HAS A 10-PERCENT RSE; OF 1.7 MILLION, A 20-PERCENT RSE; AND OF 755,000, A 30-PERCENT RSE.

TABLE 10. NUMBER OF ACUTE CONDITIONS, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | GEOGRAPHIC REGION | | | | PLACE OF RESIDENCE | | | |
|---|-------------------|---------|---------|---------|--------------------|--------------|------------------|---------|
| | | | | | MSA | | NOT MSA | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF ACUTE CONDITIONS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 70,764 | 110,221 | 146,691 | 113,787 | 341,263 | 131,517 | 209,746 | 100,199 |
| INFECTIVE AND PARASITIC DISEASES..... | 9,343 | 9,339 | 21,686 | 8,530 | 36,552 | 13,118 | 23,434 | 12,345 |
| COMMON CHILDHOOD DISEASES..... | 537 | 1,024 | 1,382 | 1,035 | 3,278 | 1,386 | 1,892 | 700 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 2,726 | 943 | 7,078 | 407 | 8,345 | 3,448 | 4,897 | 2,808 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 2,652 | 3,131 | 7,122 | 1,419 | 9,820 | 3,057 | 6,763 | 4,505 |
| OTHER..... | 3,429 | 4,241 | 6,104 | 5,668 | 15,109 | 5,228 | 9,881 | 4,333 |
| RESPIRATORY CONDITIONS..... | 36,029 | 59,629 | 68,811 | 67,385 | 181,423 | 69,318 | 112,105 | 50,431 |
| COMMON COLD..... | 14,208 | 14,854 | 21,636 | 20,111 | 56,452 | 22,415 | 34,037 | 14,357 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 2,879 | 6,366 | 8,501 | 3,979 | 16,554 | 5,982 | 10,572 | 5,171 |
| INFLUENZA..... | 15,953 | 34,537 | 32,214 | 39,953 | 95,424 | 35,142 | 60,282 | 27,233 |
| ACUTE BRONCHITIS..... | 1,825 | 1,983 | 3,169 | 1,812 | 6,968 | 3,082 | 3,887 | 1,821 |
| PNEUMONIA..... | 310 | 883 | 1,610 | 765 | 2,767 | 971 | 1,796 | 800 |
| OTHER RESPIRATORY CONDITIONS..... | 854 | 1,008 | 1,681 | 764 | 3,258 | 1,727 | 1,531 | 1,049 |
| DIGESTIVE SYSTEM CONDITIONS..... | 2,024 | 3,109 | 5,549 | 3,583 | 10,949 | 5,128 | 5,821 | 3,316 |
| DENTAL CONDITIONS..... | 415 | 674 | 1,272 | 828 | 2,521 | 1,359 | 1,162 | 669 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 799 | 1,196 | 2,596 | 1,588 | 4,844 | 2,101 | 2,743 | 1,336 |
| OTHER DIGESTIVE CONDITIONS..... | 809 | 1,238 | 1,680 | 1,167 | 3,584 | 1,668 | 1,915 | 1,311 |
| INJURIES..... | 9,755 | 15,957 | 20,845 | 12,621 | 44,541 | 17,351 | 27,191 | 14,636 |
| FRACTURES AND DISLOCATIONS..... | 1,213 | 2,022 | 2,490 | 1,587 | 5,542 | 2,086 | 3,457 | 1,769 |
| SPRAINS AND STRAINS..... | 1,825 | 3,256 | 5,138 | 2,740 | 9,624 | 3,945 | 5,679 | 3,335 |
| OPEN WOUNDS AND LACERATIONS..... | 2,609 | 3,437 | 4,292 | 3,112 | 10,423 | 3,795 | 6,629 | 3,026 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 1,746 | 2,766 | 3,678 | 1,958 | 7,813 | 2,987 | 4,826 | 2,335 |
| OTHER CURRENT INJURIES..... | 2,363 | 4,476 | 5,247 | 3,224 | 11,139 | 4,539 | 6,600 | 4,171 |
| SELECTED OTHER ACUTE CONDITIONS..... | 9,384 | 16,716 | 21,628 | 15,185 | 49,189 | 19,232 | 29,957 | 13,724 |
| EYE CONDITIONS..... | 383 | 726 | 716 | 1,171 | 2,611 | 1,054 | 1,557 | 384 |
| ACUTE EAR INFECTIONS..... | 3,051 | 6,139 | 6,471 | 5,576 | 16,492 | 5,957 | 10,535 | 4,746 |
| OTHER EAR CONDITIONS..... | 783 | 850 | 1,109 | 1,518 | 3,096 | 842 | 2,254 | 1,164 |
| ACUTE URINARY CONDITIONS..... | 660 | 1,748 | 2,652 | 1,176 | 4,502 | 1,647 | 2,855 | 1,734 |
| DISORDERS OF MENSTRUATION..... | 119 | 517 | 609 | 110 | 1,099 | 573 | 526 | 257 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 258 | 369 | 1,072 | 287 | 1,610 | 723 | 886 | 376 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 575 | 1,299 | 1,968 | 969 | 3,744 | 1,655 | 2,089 | 1,066 |
| SKIN CONDITIONS..... | 1,151 | 1,265 | 2,143 | 1,000 | 4,676 | 1,815 | 2,861 | 883 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 1,111 | 1,698 | 2,255 | 1,550 | 4,989 | 2,167 | 2,822 | 1,625 |
| HEADACHE, EXCLUDING MIGRAINE..... | 616 | 1,252 | 1,238 | 944 | 3,277 | 1,224 | 2,053 | 773 |
| FEVER, UNSPECIFIED..... | 676 | 854 | 1,395 | 885 | 3,093 | 1,574 | 1,519 | 717 |
| ALL OTHER ACUTE CONDITIONS..... | 4,230 | 5,471 | 8,172 | 6,483 | 18,609 | 7,371 | 11,238 | 5,747 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.9 MILLION HAS A 10-PERCENT RSE; OF 1.7 MILLION, A 20-PERCENT RSE; AND OF 755,000, A 30-PERCENT RSE.

TABLE 11. PERCENT OF ACUTE CONDITIONS MEDICALLY ATTENDED, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | TOTAL | 45 YEARS AND OVER | |
|--|----------|---------------|------------|-------------|-------------|--------|-------------------|-------------------|
| | | | | | | | 45-64 YEARS | 65 YEARS AND OVER |
| PERCENT | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 61.6 | 82.1 | 54.7 | 53.6 | 56.9 | 65.9 | 61.7 | 73.4 |
| INFECTIVE AND PARASITIC DISEASES..... | 60.5 | 78.9 | 58.9 | 55.7 | 50.3 | 55.8 | 53.0 | 62.4 |
| COMMON CHILDHOOD DISEASES..... | 55.3 | 63.1 | 45.4 | *100.0 | *100.0 | *100.0 | ** | *100.0 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 31.7 | 61.4 | 31.6 | *17.3 | *20.1 | *32.2 | *30.4 | *37.9 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 42.2 | 77.8 | 31.0 | *32.3 | *24.2 | 49.7 | 49.7 | *49.8 |
| OTHER..... | 91.6 | 96.0 | 91.3 | 93.4 | 89.3 | 87.5 | 82.3 | *100.0 |
| RESPIRATORY CONDITIONS..... | 44.3 | 72.8 | 40.0 | 33.7 | 37.0 | 47.2 | 42.6 | 57.8 |
| COMMON COLD..... | 40.3 | 68.2 | 32.3 | 29.5 | 27.0 | 49.3 | 44.2 | 58.9 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 71.5 | 98.0 | 57.8 | 51.7 | 79.6 | 67.3 | 63.6 | *79.9 |
| INFLUENZA..... | 35.6 | 61.7 | 34.2 | 28.3 | 30.9 | 36.8 | 34.4 | 43.5 |
| ACUTE BRONCHITIS..... | 89.4 | 95.1 | 91.1 | *78.1 | 88.0 | 88.4 | *84.4 | *92.7 |
| PNEUMONIA..... | 93.9 | *100.0 | *100.0 | *47.5 | *81.4 | 100.0 | *100.0 | 100.0 |
| OTHER RESPIRATORY CONDITIONS..... | 87.9 | 100.0 | 88.9 | *58.0 | 90.0 | *79.3 | *70.2 | *100.0 |
| DIGESTIVE SYSTEM CONDITIONS..... | 64.4 | 83.7 | 50.3 | 49.0 | 58.5 | 75.8 | 69.0 | 81.6 |
| DENTAL CONDITIONS..... | 52.2 | *63.0 | *65.4 | *21.1 | *41.5 | *62.6 | *73.4 | *48.7 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 47.9 | *90.7 | 43.1 | *47.1 | *33.3 | *51.2 | *35.0 | *67.5 |
| OTHER DIGESTIVE CONDITIONS..... | 93.2 | *100.0 | *80.8 | *85.9 | 85.8 | 100.0 | *100.0 | 100.0 |
| INJURIES..... | 91.8 | 94.5 | 94.4 | 92.9 | 92.3 | 86.6 | 89.4 | 82.3 |
| FRACTURES AND DISLOCATIONS..... | 97.4 | *100.0 | 100.0 | 100.0 | 97.2 | 92.4 | 94.4 | *89.8 |
| SPRAINS AND STRAINS..... | 86.7 | *100.0 | 90.5 | 94.5 | 86.1 | 75.0 | 77.9 | *70.9 |
| OPEN WOUNDS AND LACERATIONS..... | 98.3 | 100.0 | 96.0 | 100.0 | 99.1 | 97.9 | 96.9 | *100.0 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 91.4 | *100.0 | 91.9 | 83.7 | 95.5 | 85.8 | 93.7 | 74.6 |
| OTHER CURRENT INJURIES..... | 87.9 | 83.8 | 93.9 | 87.0 | 89.2 | 84.0 | 85.5 | 81.8 |
| SELECTED OTHER ACUTE CONDITIONS..... | 88.2 | 95.5 | 76.7 | 86.0 | 87.0 | 93.6 | 94.7 | 91.9 |
| EYE CONDITIONS..... | 90.7 | *93.8 | *60.3 | *76.4 | *100.0 | 100.0 | *100.0 | *100.0 |
| ACUTE EAR INFECTIONS..... | 96.9 | 97.4 | 97.7 | 94.2 | 92.6 | 100.0 | 100.0 | *100.0 |
| OTHER EAR CONDITIONS..... | 81.8 | 100.0 | 67.1 | *73.5 | *74.5 | 92.3 | *94.1 | *90.2 |
| ACUTE URINARY CONDITIONS..... | 100.0 | *100.0 | 100.0 | *100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| DISORDERS OF MENSTRUATION..... | 61.9 | *** | *30.1 | *63.1 | *79.6 | *100.0 | *100.0 | * |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 100.0 | -- | *100.0 | *100.0 | 100.0 | *100.0 | *100.0 | * |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND | | | | | | | | |
| PUERPERIUM..... | 96.8 | *** | *100.0 | 100.0 | 95.1 | -- | -- | -- |
| SKIN CONDITIONS..... | 97.8 | 100.0 | 98.1 | *88.6 | 100.0 | 97.0 | 100.0 | *89.6 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 90.0 | *100.0 | *85.5 | *71.9 | 91.7 | 93.8 | 95.9 | 90.7 |
| HEADACHE, EXCLUDING MIGRAINE..... | 41.8 | -- | *13.5 | *17.6 | 57.7 | *52.6 | *57.0 | *44.6 |
| FEVER, UNSPECIFIED..... | 50.0 | 77.8 | *28.6 | -- | *24.7 | *100.0 | *100.0 | *100.0 |
| ALL OTHER ACUTE CONDITIONS..... | 84.7 | 100.0 | 67.9 | 70.0 | 84.7 | 89.0 | 87.3 | 91.1 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 6 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 12. PERCENT OF ACUTE CONDITIONS MEDICALLY ATTENDED, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| TYPE OF ACUTE CONDITION | MALE | | | | | FEMALE | | | | |
|--|----------|---------------|------------|-------------|-------------------|----------|---------------|------------|-------------|-------------------|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| PERCENT | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 60.4 | 84.1 | 54.2 | 51.5 | 64.0 | 62.6 | 79.8 | 55.2 | 59.2 | 67.0 |
| INFECTIVE AND PARASITIC DISEASES..... | 59.0 | 85.0 | 57.1 | 41.7 | 42.9 | 61.7 | 71.2 | 60.4 | 57.9 | 63.3 |
| COMMON CHILDHOOD DISEASES..... | 55.0 | *63.6 | *46.8 | *100.0 | — | 55.6 | *62.5 | *42.7 | *100.0 | *100.0 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 35.6 | *65.4 | *39.3 | *22.6 | *26.3 | 28.6 | *58.4 | *24.1 | *17.2 | *37.5 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 39.8 | 88.6 | *24.4 | *11.1 | *27.1 | 44.2 | *58.8 | 36.3 | 36.5 | 60.3 |
| OTHER..... | 91.1 | 100.0 | 93.8 | 79.1 | *89.7 | 91.9 | 91.0 | 89.7 | 96.5 | 86.4 |
| RESPIRATORY CONDITIONS..... | 42.6 | 74.0 | 38.0 | 32.3 | 44.5 | 45.7 | 71.4 | 42.0 | 39.0 | 49.0 |
| COMMON COLD..... | 40.9 | 69.4 | 31.9 | 27.0 | 51.4 | 39.8 | 66.9 | 32.6 | 28.4 | 48.1 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 71.7 | 97.0 | 56.2 | 65.9 | *53.7 | 71.4 | 100.0 | 59.0 | 71.3 | 74.1 |
| INFLUENZA..... | 33.2 | 59.6 | 32.3 | 27.7 | 33.1 | 37.6 | 63.5 | 36.4 | 32.3 | 39.3 |
| ACUTE BRONCHITIS..... | 87.7 | 100.0 | 95.0 | *72.8 | *79.9 | 90.5 | 90.0 | 88.0 | 90.6 | 94.7 |
| PNEUMONIA..... | 89.6 | *100.0 | *100.0 | *69.7 | *100.0 | 97.4 | *100.0 | *100.0 | *88.0 | 100.0 |
| OTHER RESPIRATORY CONDITIONS..... | 88.6 | *100.0 | *100.0 | *61.4 | *83.3 | 87.2 | *100.0 | *81.6 | 92.6 | *76.2 |
| DIGESTIVE SYSTEM CONDITIONS.... | 55.7 | 83.4 | *45.6 | *29.7 | 82.5 | 72.4 | *84.2 | *56.8 | 76.2 | 71.6 |
| DENTAL CONDITIONS..... | *48.2 | *65.1 | *64.8 | *29.1 | *47.0 | 55.3 | *60.4 | *66.4 | *40.4 | *64.8 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 32.4 | *80.8 | *35.2 | — | *61.7 | 64.0 | *100.0 | *54.2 | 80.1 | *43.9 |
| OTHER DIGESTIVE CONDITIONS..... | 92.3 | *100.0 | *100.0 | *74.7 | 100.0 | 94.0 | *100.0 | *62.5 | 92.1 | 100.0 |
| INJURIES..... | 92.6 | 96.6 | 94.2 | 93.0 | 87.3 | 90.7 | 91.5 | 94.6 | 91.7 | 86.0 |
| FRACTURES AND DISLOCATIONS..... | 98.7 | *100.0 | 100.0 | 100.0 | *90.7 | 95.9 | *100.0 | 100.0 | 95.2 | 93.1 |
| SPRAINS AND STRAINS..... | 87.3 | *100.0 | 88.4 | 87.6 | *80.3 | 86.1 | *100.0 | 92.8 | 88.6 | 71.8 |
| OPEN WOUNDS AND LACERATIONS..... | 98.5 | 100.0 | 96.4 | 100.0 | 96.3 | 98.0 | *100.0 | 95.2 | 97.8 | 100.0 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 93.0 | *100.0 | 90.9 | 93.0 | 91.8 | 89.7 | *100.0 | 92.9 | 93.1 | 80.9 |
| OTHER CURRENT INJURIES..... | 87.3 | *88.2 | 94.1 | 87.7 | 78.4 | 88.5 | *79.7 | *93.3 | 89.4 | 88.0 |
| SELECTED OTHER ACUTE CONDITIONS..... | 87.1 | 95.0 | 78.0 | 79.3 | 94.7 | 88.9 | 96.3 | 75.4 | 88.8 | 93.1 |
| EYE CONDITIONS..... | 83.2 | *89.7 | *45.4 | *100.0 | *100.0 | 95.9 | *100.0 | *86.3 | *91.0 | 100.0 |
| ACUTE EAR INFECTIONS..... | 98.2 | 97.7 | 100.0 | 95.2 | *100.0 | 95.5 | 97.0 | 94.4 | 91.8 | *100.0 |
| OTHER EAR CONDITIONS..... | 74.0 | *100.0 | *52.7 | *55.8 | *91.0 | 90.5 | *100.0 | *82.3 | *91.3 | *93.8 |
| ACUTE URINARY CONDITIONS..... | 100.0 | — | *100.0 | *100.0 | 100.0 | 100.0 | *100.0 | *100.0 | 100.0 | 100.0 |
| DISORDERS OF MENSTRUATION..... | *** | *** | *** | *** | *** | 61.9 | *** | *30.1 | *74.0 | *100.0 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *** | *** | *** | *** | *** | 100.0 | — | *100.0 | 100.0 | *100.0 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *** | *** | *** | *** | *** | 100.0 | — | *100.0 | 100.0 | *100.0 |
| SKIN CONDITIONS..... | 98.2 | *100.0 | 100.0 | *87.6 | *100.0 | 97.4 | *100.0 | *** | *100.0 | 96.7 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 90.5 | — | *71.8 | 87.8 | 100.0 | 89.7 | *100.0 | *90.4 | 86.9 | 91.4 |
| HEADACHE, EXCLUDING MIGRAINE..... | *26.7 | * | *8.1 | *50.3 | *39.7 | 48.3 | — | *19.8 | 52.9 | *57.2 |
| FEVER, UNSPECIFIED..... | 48.6 | *74.6 | *28.0 | *15.8 | *100.0 | 51.4 | *82.3 | *29.3 | *25.1 | *100.0 |
| ALL OTHER ACUTE CONDITIONS.... | 85.0 | 100.0 | 66.2 | 79.9 | 88.4 | 84.5 | 100.0 | 69.2 | 82.5 | 89.4 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 7 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 13. PERCENT OF ACUTE CONDITIONS MEDICALLY ATTENDED, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|--|----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| PERCENT | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 60.6 | 64.4 | 54.7 | 65.0 | 68.1 | 66.9 | 66.0 | 77.2 |
| INFECTIVE AND PARASITIC DISEASES..... | 60.0 | 66.1 | 50.6 | 53.6 | 58.7 | 55.7 | *56.6 | *73.1 |
| COMMON CHILDHOOD DISEASES..... | 56.9 | 54.9 | *100.0 | *100.0 | *34.1 | *34.1 | -- | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 31.0 | 41.1 | *19.3 | *28.5 | *35.7 | *36.4 | *20.9 | *49.2 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 42.0 | 50.1 | 25.0 | 46.1 | *46.7 | *37.3 | *39.4 | *88.2 |
| OTHER..... | 90.8 | 92.2 | 89.4 | 86.1 | 100.0 | 100.0 | *100.0 | *100.0 |
| RESPIRATORY CONDITIONS..... | 42.9 | 49.8 | 35.0 | 45.8 | 54.3 | 59.8 | 42.8 | 64.3 |
| COMMON COLD..... | 39.1 | 48.6 | 26.4 | 48.4 | 46.1 | 51.9 | *28.4 | *66.5 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 70.7 | 74.3 | 68.2 | 64.2 | 79.9 | *68.1 | *88.9 | *100.0 |
| INFLUENZA..... | 33.7 | 38.4 | 28.9 | 35.0 | 50.3 | 58.9 | 39.3 | 54.3 |
| ACUTE BRONCHITIS..... | 87.8 | 91.8 | 83.7 | 86.8 | 100.0 | *100.0 | *100.0 | *100.0 |
| PNEUMONIA..... | 93.0 | 100.0 | *76.2 | 100.0 | *100.0 | *100.0 | *100.0 | *100.0 |
| OTHER RESPIRATORY CONDITIONS..... | 87.5 | 92.6 | 83.1 | *78.9 | *100.0 | *100.0 | *100.0 | *100.0 |
| DIGESTIVE SYSTEM CONDITIONS..... | 66.8 | 69.6 | 55.1 | 77.1 | 56.9 | *47.5 | *61.2 | *69.7 |
| DENTAL CONDITIONS..... | 64.5 | *78.2 | *46.1 | *75.5 | *20.0 | *34.1 | *9.2 | -- |
| INDIGESTION, NAUSEA, AND VOMITING..... | 47.2 | 54.9 | *34.9 | *51.2 | *51.1 | *42.2 | *65.9 | *36.8 |
| OTHER DIGESTIVE CONDITIONS..... | 94.3 | 100.0 | 84.7 | 100.0 | 93.0 | *74.9 | *100.0 | *100.0 |
| INJURIES..... | 91.8 | 94.4 | 92.6 | 86.3 | 92.4 | 92.8 | 91.7 | 94.5 |
| FRACTURES AND DISLOCATIONS..... | 97.3 | 100.0 | 98.1 | 91.9 | *100.0 | *100.0 | *100.0 | *100.0 |
| SPRAINS AND STRAINS..... | 85.3 | 89.2 | 87.1 | 72.6 | 96.2 | *100.0 | 92.7 | *100.0 |
| OPEN WOUNDS AND LACERATIONS..... | 98.4 | 97.1 | 100.0 | 97.7 | 100.0 | *100.0 | 100.0 | *100.0 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 92.6 | 96.5 | 93.5 | 86.7 | 81.8 | *75.4 | *88.7 | *78.0 |
| OTHER CURRENT INJURIES..... | 87.6 | 88.6 | 89.4 | 83.0 | 89.0 | *93.8 | 84.7 | *100.0 |
| SELECTED OTHER ACUTE CONDITIONS..... | 88.5 | 87.4 | 86.3 | 94.7 | 86.1 | 84.1 | 88.2 | 85.9 |
| EYE CONDITIONS..... | 89.8 | 79.9 | *92.1 | 100.0 | *92.5 | *84.0 | *100.0 | *100.0 |
| ACUTE EAR INFECTIONS..... | 96.7 | 97.3 | 92.5 | 100.0 | 100.0 | 100.0 | *100.0 | *100.0 |
| OTHER EAR CONDITIONS..... | 80.4 | 76.7 | *71.2 | 95.4 | *89.0 | *100.0 | *100.0 | *34.0 |
| ACUTE URINARY CONDITIONS..... | 100.0 | *100.0 | 100.0 | 100.0 | 100.0 | *100.0 | *100.0 | *100.0 |
| DISORDERS OF MENSTRUATION..... | *55.0 | *22.9 | *64.4 | *100.0 | *73.0 | *36.9 | *100.0 | *100.0 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 100.0 | -- | 100.0 | *100.0 | *100.0 | *100.0 | *100.0 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND Puerperium..... | 95.9 | -- | 95.9 | -- | 100.0 | *100.0 | 100.0 | -- |
| SKIN CONDITIONS..... | 97.3 | 98.8 | 95.6 | 96.1 | 100.0 | *100.0 | *100.0 | *100.0 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 91.2 | *81.7 | 90.1 | 94.3 | *72.7 | *100.0 | *18.0 | *86.8 |
| HEADACHE, EXCLUDING MIGRAINE..... | 41.0 | *15.2 | *47.9 | *59.1 | *53.4 | -- | *64.0 | *37.8 |
| FEVER, UNSPECIFIED..... | 53.1 | 57.7 | *23.1 | *100.0 | *19.8 | *24.2 | -- | -- |
| ALL OTHER ACUTE CONDITIONS..... | 82.9 | 81.9 | 79.4 | 87.8 | 98.4 | 97.9 | *100.0 | *97.1 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 8 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 14. PERCENT OF ACUTE CONDITIONS MEDICALLY ATTENDED, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|---|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| PERCENT | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 65.0 | 67.0 | 61.6 | 68.1 | 60.4 | 63.9 | 53.0 | 69.2 |
| INFECTIVE AND PARASITIC DISEASES..... | 52.5 | 49.0 | *52.0 | *70.6 | 57.3 | 64.7 | 43.6 | *47.2 |
| COMMON CHILDHOOD DISEASES..... | *27.6 | *27.6 | * | * | *47.6 | *47.6 | * | * |
| INTESTINAL VIRUS, UNSPECIFIED..... | *27.8 | *15.5 | *36.7 | *38.0 | *36.3 | *43.8 | *11.8 | *53.7 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *52.2 | *64.0 | *10.6 | *100.0 | 28.5 | *40.8 | *7.4 | *22.6 |
| OTHER..... | 81.8 | *80.2 | *80.8 | *100.0 | 92.1 | 94.4 | 85.2 | *100.0 |
| RESPIRATORY CONDITIONS..... | 49.7 | 59.9 | 40.8 | 46.4 | 43.2 | 52.1 | 33.5 | 48.5 |
| COMMON COLD..... | 50.5 | 55.0 | 46.2 | *46.7 | 34.2 | 45.0 | 20.1 | 49.9 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 61.9 | *71.4 | *55.7 | *51.1 | 68.5 | 76.9 | 61.1 | *64.7 |
| INFLUENZA..... | 40.0 | 53.2 | 30.1 | 39.5 | 38.8 | 46.8 | 31.6 | 37.5 |
| ACUTE BRONCHITIS..... | 100.0 | *100.0 | *100.0 | *100.0 | 89.7 | *100.0 | *80.1 | *100.0 |
| PNEUMONIA..... | *92.1 | *100.0 | *47.5 | *100.0 | *90.6 | *100.0 | *63.5 | *100.0 |
| OTHER RESPIRATORY CONDITIONS..... | *92.3 | *100.0 | *82.0 | *100.0 | *73.0 | *80.5 | *100.0 | * |
| DIGESTIVE SYSTEM CONDITIONS..... | 73.8 | *63.1 | *69.9 | *87.3 | 60.6 | *53.0 | *42.0 | 85.3 |
| DENTAL CONDITIONS..... | *50.7 | * | * | *100.0 | *41.5 | *37.9 | *40.9 | *53.8 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *62.7 | *64.4 | *70.7 | *52.5 | *42.9 | *56.5 | * | *74.0 |
| OTHER DIGESTIVE CONDITIONS..... | 87.1 | *78.0 | *80.1 | *100.0 | 94.2 | *100.0 | *84.6 | *100.0 |
| INJURIES..... | 90.5 | 88.9 | 94.3 | 84.0 | 89.0 | 92.9 | 91.0 | 81.5 |
| FRACTURES AND DISLOCATIONS..... | *86.8 | *100.0 | *100.0 | *55.2 | 94.6 | *100.0 | *100.0 | *83.5 |
| SPRAINS AND STRAINS..... | 92.9 | *90.4 | 92.1 | *100.0 | 78.9 | *81.4 | 85.0 | *64.6 |
| OPEN WOUNDS AND LACERATIONS..... | 100.0 | *100.0 | *100.0 | *100.0 | 100.0 | 100.0 | 100.0 | *100.0 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 86.6 | *89.3 | *89.0 | *83.8 | 83.3 | *90.9 | 83.3 | *75.3 |
| OTHER CURRENT INJURIES..... | 85.1 | *70.3 | 95.0 | *70.1 | 88.5 | *89.0 | 90.3 | *83.6 |
| SELECTED OTHER ACUTE CONDITIONS..... | 88.7 | 85.3 | 88.6 | 95.5 | 86.8 | 84.0 | 86.4 | 93.0 |
| EYE CONDITIONS..... | *100.0 | *100.0 | *100.0 | *100.0 | *93.1 | *83.9 | *100.0 | *100.0 |
| ACUTE EAR INFECTIONS..... | 96.4 | 96.3 | *95.5 | *100.0 | 93.8 | 94.6 | *83.2 | *100.0 |
| OTHER EAR CONDITIONS..... | *78.3 | *63.7 | *100.0 | *100.0 | *61.1 | *70.2 | *39.1 | *100.0 |
| ACUTE URINARY CONDITIONS..... | 100.0 | *100.0 | *100.0 | *100.0 | 100.0 | *100.0 | *100.0 | *100.0 |
| DISORDERS OF MENSTRUATION..... | *50.8 | * | *62.4 | *100.0 | *71.6 | *35.5 | *100.0 | * |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *100.0 | * | *100.0 | * | *100.0 | * | *100.0 | *100.0 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 94.8 | * | 94.8 | * | 100.0 | *100.0 | 100.0 | * |
| SKIN CONDITIONS..... | 94.5 | *100.0 | *100.0 | *87.6 | *100.0 | *100.0 | *100.0 | *100.0 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *89.3 | * | *90.5 | *86.5 | 88.1 | *100.0 | *85.7 | *85.8 |
| HEADACHE, EXCLUDING MIGRAINE..... | *70.4 | *57.8 | *69.4 | *100.0 | *46.4 | * | *65.9 | * |
| FEVER, UNSPECIFIED..... | *35.8 | *56.5 | * | * | *59.1 | *58.4 | *44.4 | *100.0 |
| ALL OTHER ACUTE CONDITIONS..... | 87.4 | 87.8 | 78.8 | 95.3 | 83.8 | 88.7 | 66.7 | 93.5 |

SEE NOTES AT END OF TABLE.

TABLE 14. PERCENT OF ACUTE CONDITIONS MEDICALLY ATTENDED, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989—CON.
 (DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| PERCENT | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 60.7 | 63.9 | 55.8 | 65.1 | 61.5 | 67.6 | 55.9 | 58.4 |
| INFECTIVE AND PARASITIC DISEASES..... | 59.9 | 63.8 | 53.7 | *56.5 | 64.1 | 72.1 | 53.3 | 48.0 |
| COMMON CHILDHOOD DISEASES..... | *67.5 | *65.4 | *100.0 | -- | 61.4 | 60.1 | *100.0 | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 22.9 | *28.2 | *15.2 | *29.1 | 34.5 | 53.8 | *15.5 | *23.1 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 42.9 | *38.7 | *39.7 | *66.7 | 48.4 | 55.7 | *31.0 | *50.7 |
| OTHER..... | 92.4 | 93.6 | 90.9 | *85.3 | 93.3 | 96.6 | 92.8 | *71.4 |
| RESPIRATORY CONDITIONS..... | 43.4 | 50.4 | 34.7 | 47.2 | 42.5 | 50.0 | 36.9 | 38.6 |
| COMMON COLD..... | 42.0 | 52.3 | 27.9 | 45.1 | 35.2 | 46.8 | 24.4 | 39.3 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 78.5 | 86.1 | 70.5 | *78.0 | 74.6 | 74.9 | 78.4 | *61.6 |
| INFLUENZA..... | 33.2 | 38.2 | 27.9 | 35.1 | 33.0 | 37.1 | 30.3 | 30.3 |
| ACUTE BRONCHITIS..... | 93.4 | 92.0 | *91.6 | *100.0 | 81.0 | 86.5 | 80.4 | *68.8 |
| PNEUMONIA..... | *100.0 | *100.0 | *100.0 | *100.0 | 100.0 | *100.0 | *100.0 | *100.0 |
| OTHER RESPIRATORY CONDITIONS..... | 84.8 | *87.8 | *85.0 | *79.9 | 86.6 | 94.7 | *71.9 | *80.7 |
| DIGESTIVE SYSTEM CONDITIONS..... | 55.8 | *57.2 | *49.1 | *67.8 | 65.2 | 71.9 | *57.2 | *61.1 |
| DENTAL CONDITIONS..... | *36.4 | *65.7 | *7.0 | *100.0 | *80.5 | *100.0 | *82.9 | *31.5 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *44.6 | *27.1 | *59.7 | *44.8 | 45.5 | *57.7 | *36.1 | -- |
| OTHER DIGESTIVE CONDITIONS..... | *92.9 | *100.0 | *83.7 | *100.0 | 94.7 | *100.0 | *82.1 | *100.0 |
| INJURIES..... | 93.6 | 99.1 | 92.4 | 86.5 | 94.2 | 95.6 | 93.8 | 92.3 |
| FRACTURES AND DISLOCATIONS..... | 100.0 | *100.0 | 100.0 | *100.0 | 97.7 | 100.0 | 94.3 | *100.0 |
| SPRAINS AND STRAINS..... | 84.5 | *100.0 | 81.6 | *71.2 | 92.6 | 90.1 | 94.7 | *89.1 |
| OPEN WOUNDS AND LACERATIONS..... | 98.9 | 97.1 | 100.0 | *100.0 | 96.9 | 97.6 | 97.4 | 94.6 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 95.8 | 100.0 | 100.0 | *80.9 | 97.0 | 100.0 | 94.0 | *100.0 |
| OTHER CURRENT INJURIES..... | 91.8 | 100.0 | 91.2 | 83.4 | 89.0 | 90.9 | 89.5 | 85.7 |
| SELECTED OTHER ACUTE CONDITIONS..... | 85.4 | 84.0 | 84.2 | 92.5 | 90.9 | 90.7 | 90.9 | 91.6 |
| EYE CONDITIONS..... | *100.0 | *100.0 | *100.0 | *100.0 | 82.7 | *68.8 | *88.2 | *100.0 |
| ACUTE EAR INFECTIONS..... | 94.6 | 95.4 | 90.3 | *100.0 | 99.4 | 99.3 | 100.0 | *100.0 |
| OTHER EAR CONDITIONS..... | 76.0 | *76.0 | *100.0 | *65.7 | 87.8 | *91.7 | *79.1 | *100.0 |
| ACUTE URINARY CONDITIONS..... | 100.0 | *100.0 | 100.0 | *100.0 | 100.0 | *100.0 | *100.0 | *100.0 |
| DISORDERS OF MENSTRUATION..... | *61.2 | -- | *100.0 | *100.0 | *86.2 | *51.9 | *100.0 | *100.0 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *100.0 | *100.0 | *100.0 | *100.0 | *100.0 | -- | *100.0 | *100.0 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND Puerperium..... | 100.0 | -- | 100.0 | -- | 95.7 | -- | 95.7 | -- |
| SKIN CONDITIONS..... | 94.9 | *96.1 | *85.4 | *100.0 | 100.0 | 100.0 | *100.0 | *100.0 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 87.5 | *53.5 | 88.6 | *100.0 | 92.1 | *100.0 | 89.0 | 94.4 |
| HEADACHE, EXCLUDING MIGRAINE..... | *30.5 | *10.4 | *36.0 | *51.7 | *30.8 | *10.4 | *58.2 | *33.6 |
| FEVER, UNSPECIFIED..... | *60.1 | *62.9 | *24.6 | *100.0 | *53.9 | *59.9 | *26.7 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 80.9 | 76.0 | 78.9 | 89.7 | 87.5 | 86.3 | 90.5 | 84.8 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 9 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 15. PERCENT OF ACUTE CONDITIONS MEDICALLY ATTENDED, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | GEOGRAPHIC REGION | | | | PLACE OF RESIDENCE | | | |
|---|-------------------|---------|-------|--------|--------------------|--------------|------------------|---------|
| | NORTHEAST | MIDWEST | SOUTH | WEST | MSA | | | |
| | | | | | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| PERCENT | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 63.8 | 62.1 | 63.5 | 57.2 | 61.7 | 62.9 | 60.9 | 61.3 |
| INFECTIVE AND PARASITIC DISEASES..... | 64.3 | 76.3 | 44.7 | 79.3 | 65.1 | 65.5 | 64.9 | 46.8 |
| COMMON CHILDHOOD DISEASES..... | *67.0 | *53.8 | *43.8 | *66.0 | 58.7 | *53.8 | 62.2 | *39.4 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 41.0 | *43.9 | 26.2 | *38.3 | 34.8 | 35.5 | 34.2 | *22.8 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 41.5 | 66.7 | 27.2 | 64.9 | 51.4 | 53.4 | 50.5 | 22.1 |
| OTHER..... | 100.0 | 96.1 | 86.6 | 88.3 | 92.2 | 95.4 | 90.6 | 89.2 |
| RESPIRATORY CONDITIONS..... | 45.9 | 41.9 | 51.5 | 38.2 | 43.6 | 45.9 | 42.2 | 46.6 |
| COMMON COLD..... | 43.2 | 41.8 | 44.0 | 33.1 | 39.3 | 39.5 | 39.2 | 44.1 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 71.2 | 76.9 | 68.1 | 70.6 | 69.4 | 63.1 | 73.0 | 78.3 |
| INFLUENZA..... | 34.7 | 30.2 | 44.2 | 33.7 | 35.5 | 40.2 | 32.7 | 36.0 |
| ACUTE BRONCHITIS..... | 94.6 | 89.5 | 92.7 | 78.4 | 88.7 | 88.2 | 89.0 | 92.3 |
| PNEUMONIA..... | *100.0 | 100.0 | 89.8 | *93.1 | 94.4 | 89.4 | 97.0 | *92.4 |
| OTHER RESPIRATORY CONDITIONS..... | 91.9 | 79.1 | 91.4 | *87.2 | 88.3 | 86.6 | 90.2 | 86.5 |
| DIGESTIVE SYSTEM CONDITIONS..... | 73.4 | 69.1 | 56.7 | 67.3 | 66.5 | 63.2 | 69.4 | 57.5 |
| DENTAL CONDITIONS..... | *81.0 | *58.9 | *36.2 | *56.9 | 53.7 | *38.6 | 71.3 | *46.6 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *42.7 | *52.4 | 38.6 | 62.5 | 53.2 | 57.8 | 49.7 | *28.9 |
| OTHER DIGESTIVE CONDITIONS..... | 100.0 | 90.9 | 100.0 | 81.2 | 93.6 | 90.1 | 96.7 | 92.2 |
| INJURIES..... | 95.7 | 92.2 | 90.0 | 91.1 | 91.6 | 90.9 | 92.0 | 92.3 |
| FRACTURES AND DISLOCATIONS..... | 100.0 | 97.4 | 98.7 | 93.4 | 98.1 | 94.9 | 100.0 | 95.1 |
| SPRAINS AND STRAINS..... | 88.7 | 90.6 | 86.0 | 82.1 | 85.4 | 86.5 | 84.7 | 90.5 |
| OPEN WOUNDS AND LACERATIONS..... | 98.3 | 98.6 | 97.8 | 98.6 | 98.3 | 97.5 | 98.7 | 98.4 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 97.2 | 91.6 | 88.7 | 90.6 | 90.9 | 93.0 | 89.6 | 93.0 |
| OTHER CURRENT INJURIES..... | 95.1 | 86.3 | 84.2 | 90.8 | 87.9 | 85.8 | 89.3 | 87.8 |
| SELECTED OTHER ACUTE CONDITIONS..... | 87.4 | 89.3 | 88.6 | 86.9 | 88.7 | 88.8 | 88.6 | 86.5 |
| EYE CONDITIONS..... | *100.0 | *100.0 | *90.1 | 82.2 | 91.2 | 97.8 | 86.7 | *87.8 |
| ACUTE EAR INFECTIONS..... | 99.6 | 99.1 | 97.1 | 92.8 | 97.5 | 97.3 | 97.6 | 95.0 |
| OTHER EAR CONDITIONS..... | *87.7 | *86.9 | *62.6 | 90.0 | 87.9 | *88.1 | 87.8 | 65.7 |
| ACUTE URINARY CONDITIONS..... | *100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| DISORDERS OF MENSTRUATION..... | *63.9 | *60.2 | *74.4 | -- | *57.0 | *57.4 | *56.5 | *83.3 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *100.0 | *100.0 | 100.0 | *100.0 | 100.0 | *100.0 | 100.0 | *100.0 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *100.0 | 96.4 | 97.1 | 94.6 | 95.8 | 93.4 | 97.7 | 100.0 |
| Skin conditions..... | 100.0 | 96.1 | 96.5 | 100.0 | 100.0 | 100.0 | 100.0 | 85.8 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 87.4 | 95.0 | 90.9 | 85.2 | 89.6 | 98.8 | 82.5 | 91.3 |
| HEADACHE, EXCLUDING MIGRAINE..... | *25.8 | *41.5 | *44.4 | *49.0 | 41.0 | *37.8 | 42.9 | *45.0 |
| FEVER, UNSPECIFIED..... | *36.1 | *41.5 | 55.8 | *59.9 | 52.4 | 53.7 | 51.2 | *39.6 |
| ALL OTHER ACUTE CONDITIONS..... | 85.5 | 84.0 | 84.9 | 84.7 | 85.1 | 85.0 | 85.2 | 83.6 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 10 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 16. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | TOTAL | 45 YEARS AND OVER | |
|--|----------|---------------|------------|-------------|-------------|-------|-------------------|-------------------|
| | | | | | | | 45-64 YEARS | 65 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 749.1 | 955.9 | 793.7 | 749.6 | 705.6 | 716.2 | 593.7 | 909.5 |
| INFECTIVE AND PARASITIC DISEASES..... | 70.4 | 168.3 | 152.7 | 50.5 | 37.9 | 37.2 | 29.9 | 48.8 |
| COMMON CHILDHOOD DISEASES..... | 11.2 | 49.8 | 33.7 | *3.9 | *1.5 | *0.7 | --- | *1.7 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 9.9 | *18.0 | 21.3 | *5.2 | 7.9 | *4.6 | *5.1 | *3.8 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 18.9 | 45.7 | 28.4 | *14.4 | 13.1 | 14.2 | 13.1 | *15.8 |
| OTHER..... | 30.4 | 54.8 | 69.4 | 27.0 | 15.4 | 17.8 | 11.7 | 27.4 |
| RESPIRATORY CONDITIONS..... | 331.7 | 543.2 | 431.1 | 313.2 | 287.5 | 271.6 | 255.3 | 297.4 |
| COMMON COLD..... | 77.5 | 176.6 | 78.7 | 87.7 | 68.3 | 58.4 | 60.1 | 55.7 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 24.0 | 60.9 | 29.9 | 32.3 | 22.1 | 10.3 | *10.5 | *9.9 |
| INFLUENZA..... | 184.3 | 240.4 | 274.8 | 160.7 | 163.8 | 145.3 | 148.9 | 139.6 |
| ACUTE BRONCHITIS..... | 18.6 | 40.0 | 22.8 | 21.3 | 13.2 | 15.6 | 12.6 | 20.4 |
| PNEUMONIA..... | 18.4 | *13.7 | 13.3 | *8.2 | 14.6 | 29.8 | 14.0 | 54.7 |
| OTHER RESPIRATORY CONDITIONS..... | 8.9 | *11.7 | *11.6 | *3.0 | *5.5 | 12.2 | *9.0 | *17.1 |
| DIGESTIVE SYSTEM CONDITIONS..... | 24.6 | *12.7 | 20.3 | *13.7 | 17.0 | 41.8 | 31.8 | 57.6 |
| DENTAL CONDITIONS..... | 5.2 | *9.4 | *3.3 | *5.4 | *4.8 | *5.6 | *7.2 | *3.0 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 5.8 | *1.7 | *8.9 | *3.9 | *3.2 | 8.2 | *6.0 | *11.6 |
| OTHER DIGESTIVE CONDITIONS..... | 13.7 | *1.6 | *8.0 | *4.4 | 9.0 | 28.1 | 18.6 | 43.0 |
| INJURIES..... | 152.0 | 34.3 | 81.6 | 175.2 | 184.8 | 181.6 | 149.4 | 232.4 |
| FRACTURES AND DISLOCATIONS..... | 45.3 | *7.5 | 34.6 | 33.1 | 40.8 | 69.9 | 56.3 | 91.5 |
| SPRAINS AND STRAINS..... | 38.8 | *1.2 | 13.8 | 63.9 | 64.4 | 27.9 | 32.4 | 20.9 |
| OPEN WOUNDS AND LACERATIONS..... | 15.8 | *10.2 | 13.1 | 22.7 | 23.0 | 9.0 | *10.0 | *7.5 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 20.8 | *5.1 | *9.0 | 24.0 | 22.7 | 28.6 | 21.0 | 40.7 |
| OTHER CURRENT INJURIES..... | 31.3 | *10.3 | *11.1 | 31.6 | 33.9 | 46.1 | 29.8 | 71.8 |
| SELECTED OTHER ACUTE CONDITIONS..... | 117.5 | 160.0 | 79.1 | 157.5 | 144.3 | 88.4 | 65.6 | 124.3 |
| EYE CONDITIONS..... | *2.1 | *3.0 | *0.4 | *0.6 | *3.3 | *2.3 | *0.7 | *4.7 |
| ACUTE EAR INFECTIONS..... | 21.8 | 138.8 | 37.0 | *7.6 | *5.9 | *5.1 | *5.9 | *3.9 |
| OTHER EAR CONDITIONS..... | 2.5 | *3.7 | *3.4 | *0.9 | *1.8 | *3.0 | *0.9 | *6.4 |
| ACUTE URINARY CONDITIONS..... | 10.3 | -- | *3.7 | *8.6 | *5.8 | 22.0 | *8.8 | 43.0 |
| DISORDERS OF MENSTRUATION..... | *1.7 | ** | *1.6 | *5.5 | *2.0 | *0.4 | *0.6 | -- |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 4.3 | -- | *1.2 | *10.4 | 7.0 | *2.2 | *3.6 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 35.4 | ** | *5.5 | 100.2 | 73.8 | -- | -- | -- |
| SKIN CONDITIONS..... | 5.4 | -- | *3.1 | *3.5 | *6.2 | 7.9 | *8.7 | *6.6 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 26.1 | -- | 12.8 | *18.4 | 31.4 | 37.5 | 32.5 | 45.4 |
| HEADACHE, EXCLUDING MIGRAINE..... | 4.7 | *1.2 | *3.2 | *1.3 | *5.9 | *6.3 | *2.4 | *12.4 |
| FEVER, UNSPECIFIED..... | 3.3 | *13.3 | *7.3 | *0.5 | *1.2 | *1.6 | *1.5 | *1.9 |
| ALL OTHER ACUTE CONDITIONS..... | 52.9 | 37.5 | 28.9 | 39.5 | 34.1 | 95.5 | 61.6 | 149.0 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 21 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 17. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | | | | FEMALE | | | | | |
|--|---|---------------|------------|-------------|-------------------|----------|---------------|------------|-------------|-------------------|--|--|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | | |
| | NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 662.6 | 1062.9 | 773.7 | 570.8 | 612.1 | 830.4 | 843.7 | 814.7 | 856.1 | 802.8 | | |
| INFECTIVE AND PARASITIC DISEASES..... | 64.8 | 176.8 | 146.1 | 34.3 | 23.7 | 75.6 | 159.3 | 159.6 | 47.4 | 48.5 | | |
| COMMON CHILDHOOD DISEASES..... | 13.1 | *49.9 | 39.9 | *2.8 | -- | 9.4 | *49.6 | 27.1 | *1.4 | *1.2 | | |
| INTESTINAL VIRUS, UNSPECIFIED..... | 9.7 | *15.0 | 24.3 | *6.3 | *3.3 | 10.0 | *21.2 | *18.1 | *8.1 | *5.7 | | |
| VIRAL INFECTIONS, UNSPECIFIED..... | 17.8 | 71.1 | 24.3 | *9.2 | *11.2 | 20.0 | *19.0 | 32.7 | 17.5 | 16.6 | | |
| OTHER..... | 24.2 | *40.9 | 57.6 | 16.0 | *9.3 | 36.3 | 69.4 | 81.7 | 20.4 | 25.0 | | |
| RESPIRATORY CONDITIONS..... | 307.3 | 628.0 | 420.7 | 234.7 | 248.8 | 354.6 | 454.2 | 442.1 | 350.6 | 290.6 | | |
| COMMON COLD..... | 78.5 | 232.7 | 73.1 | 69.2 | 52.6 | 76.7 | 117.8 | 84.5 | 76.7 | 63.2 | | |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 17.1 | 63.3 | *21.7 | 12.3 | *8.2 | 30.4 | 58.3 | 38.5 | 36.4 | *12.1 | | |
| INFLUENZA..... | 169.1 | 240.9 | 285.9 | 129.5 | 129.1 | 198.5 | 239.8 | 263.2 | 195.3 | 158.8 | | |
| ACUTE BRONCHITIS..... | 16.7 | 57.1 | *22.7 | *8.9 | *12.8 | 20.5 | *22.0 | *22.9 | 21.2 | 18.0 | | |
| PNEUMONIA..... | 17.1 | *15.3 | *6.5 | 11.0 | 33.7 | 19.6 | *11.9 | *20.5 | 15.0 | 26.6 | | |
| OTHER RESPIRATORY CONDITIONS..... | 8.9 | *18.7 | *10.7 | *3.6 | *12.5 | 8.9 | *4.4 | *12.5 | *6.0 | *11.9 | | |
| DIGESTIVE SYSTEM CONDITIONS.... | 26.3 | *16.1 | *21.5 | 13.9 | 50.9 | 23.0 | *9.2 | *19.0 | 18.4 | 34.3 | | |
| DENTAL CONDITIONS..... | *4.2 | *10.8 | *4.3 | *4.8 | *1.4 | 6.1 | *7.9 | *2.3 | *5.1 | *9.1 | | |
| INDIGESTION, NAUSEA, AND VOMITING..... | 4.5 | *2.1 | *8.1 | *2.3 | *6.1 | 7.0 | *1.2 | *9.8 | *4.5 | *10.0 | | |
| OTHER DIGESTIVE CONDITIONS.... | 17.6 | *3.2 | *9.1 | *6.9 | 43.4 | 10.0 | -- | *6.9 | *8.9 | 15.3 | | |
| INJURIES..... | 161.7 | *32.8 | 85.2 | 232.3 | 144.2 | 143.0 | *35.9 | 77.9 | 134.5 | 212.7 | | |
| FRACTURES AND DISLOCATIONS.... | 45.7 | *7.4 | 40.1 | 54.5 | 47.3 | 44.9 | *7.7 | 28.9 | 24.0 | 88.8 | | |
| SPRAINS AND STRAINS..... | 45.5 | *1.4 | *8.6 | 81.8 | 28.7 | 32.5 | *1.1 | *19.3 | 47.5 | 27.3 | | |
| OPEN WOUNDS AND LACERATIONS.... | 21.0 | *7.8 | *14.9 | 34.5 | *8.6 | 11.0 | *12.7 | *11.2 | 11.9 | *9.4 | | |
| CONTUSIONS, AND SUPERFICIAL INJURIES..... | 20.9 | *2.6 | *7.9 | 26.3 | 26.9 | 20.6 | *7.6 | *10.2 | 19.8 | 30.1 | | |
| OTHER CURRENT INJURIES..... | 28.6 | *13.6 | *13.7 | 35.3 | 32.7 | 34.0 | *6.8 | *8.3 | 31.3 | 57.2 | | |
| SELECTED OTHER ACUTE CONDITIONS..... | 65.9 | 198.4 | 74.3 | 36.7 | 66.7 | 165.9 | 119.6 | 84.2 | 254.0 | 106.4 | | |
| EYE CONDITIONS..... | *2.0 | *5.8 | *0.7 | *1.8 | *2.2 | *2.2 | -- | *0.1 | *3.4 | *2.3 | | |
| ACUTE EAR INFECTIONS..... | 24.8 | 171.2 | 51.1 | *1.3 | *0.8 | 19.1 | 104.8 | *22.1 | 11.1 | *8.7 | | |
| OTHER EAR CONDITIONS..... | *3.7 | *6.3 | *4.3 | *1.7 | *5.6 | *1.4 | *1.0 | *2.4 | *1.4 | *0.9 | | |
| ACUTE URINARY CONDITIONS.... | 6.3 | -- | *2.6 | *2.6 | 16.1 | 14.0 | -- | *4.8 | 10.3 | 27.0 | | |
| DISORDERS OF MENSTRUATION..... | --- | --- | --- | --- | --- | *3.2 | --- | *3.3 | *5.7 | *0.7 | | |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | --- | --- | --- | --- | --- | 8.2 | -- | *2.4 | 15.4 | *4.0 | | |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | --- | --- | --- | --- | --- | 68.6 | --- | *11.4 | 157.3 | -- | | |
| SKIN CONDITIONS..... | *3.0 | -- | *2.3 | *3.6 | *3.6 | 7.6 | -- | *3.8 | *7.4 | *11.5 | | |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 19.7 | -- | *3.7 | 23.8 | 30.0 | 32.1 | -- | *22.3 | 32.5 | 43.8 | | |
| HEADACHE, EXCLUDING MIGRAINE.... | *3.4 | *2.3 | *3.9 | *1.1 | *6.9 | 5.8 | -- | *2.4 | *6.3 | *5.7 | | |
| FEVER, UNSPECIFIED..... | *2.9 | *12.7 | *5.7 | *0.8 | *1.3 | *3.7 | *13.8 | *9.0 | *1.2 | *1.9 | | |
| ALL OTHER ACUTE CONDITIONS.... | 36.7 | *10.7 | 26.0 | 18.8 | 77.8 | 68.2 | 65.5 | 31.9 | 51.3 | 110.3 | | |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 22 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 18. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|--|----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 752.1 | 886.9 | 702.0 | 713.4 | 764.3 | 679.6 | 838.6 | 749.7 |
| INFECTIVE AND PARASITIC DISEASES..... | 72.5 | 168.5 | 41.3 | 38.9 | 61.1 | 110.5 | *41.2 | *28.2 |
| COMMON CHILDHOOD DISEASES..... | 10.3 | 38.4 | *1.1 | *0.7 | *15.9 | *39.9 | *6.1 | --- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 10.3 | 21.8 | 8.1 | *4.2 | *8.8 | *15.5 | *3.3 | *9.3 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 18.7 | 33.0 | 13.8 | 14.2 | 23.4 | *39.7 | *15.1 | *15.5 |
| OTHER..... | 33.1 | 75.5 | 18.3 | 19.7 | *13.0 | *15.3 | *16.7 | *3.4 |
| RESPIRATORY CONDITIONS..... | 338.5 | 492.1 | 300.4 | 269.3 | 303.7 | 381.2 | 251.0 | 290.0 |
| COMMON COLD..... | 77.7 | 108.1 | 74.4 | 58.5 | 80.2 | 115.3 | 65.3 | *58.2 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 24.9 | 41.8 | 25.8 | 10.5 | 22.7 | *32.8 | *22.5 | *9.1 |
| INFLUENZA..... | 186.9 | 281.9 | 166.7 | 139.8 | 172.1 | 211.7 | 133.8 | 185.3 |
| ACUTE BRONCHITIS..... | 20.4 | 31.5 | 16.3 | 17.3 | *8.1 | *9.6 | *10.2 | *2.5 |
| PNEUMONIA..... | 18.8 | 14.7 | 12.9 | 29.7 | 18.9 | *10.4 | *18.0 | *32.1 |
| OTHER RESPIRATORY CONDITIONS..... | 9.7 | 14.2 | *4.3 | 13.5 | *1.7 | *1.4 | *1.2 | *2.8 |
| DIGESTIVE SYSTEM CONDITIONS..... | 22.9 | 15.9 | 14.5 | 39.3 | 30.4 | *29.2 | *27.6 | *36.9 |
| DENTAL CONDITIONS..... | 4.7 | *4.1 | *4.1 | *5.8 | *9.0 | *9.0 | *11.7 | *4.4 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 5.8 | *6.7 | *3.4 | 8.3 | *6.5 | *7.0 | *4.5 | *9.5 |
| OTHER DIGESTIVE CONDITIONS..... | 12.4 | *5.1 | 7.0 | 25.3 | *14.8 | *13.2 | *11.5 | *22.9 |
| INJURIES..... | 151.7 | 75.4 | 172.8 | 183.2 | 178.5 | *44.5 | 276.4 | 190.2 |
| FRACTURES AND DISLOCATIONS..... | 48.4 | 29.9 | 38.8 | 75.3 | 34.4 | *16.8 | 46.3 | *37.9 |
| SPRAINS AND STRAINS..... | 37.3 | 10.5 | 60.3 | 27.6 | 56.6 | *10.7 | 105.7 | *32.9 |
| OPEN WOUNDS AND LACERATIONS..... | 15.2 | 13.6 | 20.3 | 9.6 | 23.4 | *7.3 | 45.7 | *5.9 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 19.2 | *8.2 | 19.3 | 27.6 | 30.5 | *7.9 | *40.2 | *44.9 |
| OTHER CURRENT INJURIES..... | 31.7 | 13.1 | 34.0 | 43.0 | 33.5 | *1.9 | *38.6 | *68.5 |
| SELECTED OTHER ACUTE CONDITIONS..... | 112.8 | 103.7 | 137.1 | 87.9 | 136.9 | 81.3 | 204.1 | 94.3 |
| EYE CONDITIONS..... | *2.3 | *1.0 | *3.0 | *2.5 | *1.0 | *1.1 | *1.2 | *0.6 |
| ACUTE EAR INFECTIONS..... | 22.3 | 69.7 | 7.3 | *5.3 | 17.9 | *49.4 | *0.6 | *4.9 |
| OTHER EAR CONDITIONS..... | 2.8 | *4.1 | *1.7 | *3.1 | *1.3 | --- | *1.0 | *3.5 |
| ACUTE URINARY CONDITIONS..... | 10.8 | *1.3 | 7.4 | 22.7 | *7.8 | *5.3 | *2.2 | *21.5 |
| DISORDERS OF MENSTRUATION..... | *1.3 | *0.9 | *2.6 | *0.0 | *4.3 | *2.6 | *6.1 | *3.5 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 3.4 | *0.3 | *5.9 | *2.5 | *9.8 | *4.0 | *19.7 | --- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 29.6 | *1.5 | 68.7 | --- | 63.4 | *9.4 | 141.1 | --- |
| SKIN CONDITIONS..... | 4.7 | *2.5 | *5.0 | *5.9 | *11.6 | --- | *10.9 | *28.8 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 27.5 | *10.2 | 30.1 | 37.5 | *12.7 | *3.0 | *11.6 | *28.3 |
| HEADACHE, EXCLUDING MIGRAINE..... | 4.6 | *2.7 | *4.3 | *6.6 | *4.8 | *0.4 | *9.1 | *3.2 |
| FEVER, UNSPECIFIED..... | 3.5 | *9.5 | *1.1 | *1.9 | *2.3 | *6.2 | *0.6 | --- |
| ALL OTHER ACUTE CONDITIONS..... | 53.7 | 31.2 | 35.9 | 94.7 | 53.7 | *32.9 | *38.2 | 110.2 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 23 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 19. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|---|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 1063.8 | 893.4 | 1135.5 | 1127.1 | 806.5 | 802.5 | 887.7 | 720.2 |
| INFECTIVE AND PARASITIC DISEASES..... | 63.5 | 106.6 | *45.4 | *47.3 | 69.4 | 151.8 | 47.0 | *33.6 |
| COMMON CHILDHOOD DISEASES..... | *14.6 | *51.3 | -- | -- | *8.9 | *27.0 | *4.9 | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | *8.6 | *15.9 | *4.0 | *7.6 | *8.1 | *18.7 | *5.3 | *3.4 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *12.7 | *15.9 | *14.1 | *8.6 | 21.7 | *46.6 | *16.5 | *9.0 |
| OTHER..... | 27.5 | *23.5 | *27.2 | *31.2 | 30.8 | 59.4 | *20.3 | *21.3 |
| RESPIRATORY CONDITIONS..... | 455.4 | 518.2 | 438.6 | 421.6 | 315.0 | 431.4 | 318.7 | 225.4 |
| COMMON COLD..... | 113.7 | 147.1 | 112.2 | 87.7 | 77.3 | 91.9 | 101.4 | 40.1 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 21.1 | *31.4 | *18.5 | *15.3 | 18.6 | *32.6 | *24.1 | *2.5 |
| INFLUENZA..... | 259.5 | 297.6 | 247.2 | 241.1 | 169.5 | 244.7 | 160.0 | 124.7 |
| ACUTE BRONCHITIS..... | 22.6 | *6.6 | *27.5 | *30.5 | 22.9 | 51.3 | *17.9 | *7.4 |
| PNEUMONIA..... | 26.3 | *32.1 | *15.9 | *32.9 | 18.9 | *0.9 | *15.0 | *36.5 |
| OTHER RESPIRATORY CONDITIONS..... | *12.2 | *3.3 | *17.2 | *14.0 | *7.8 | *10.2 | *0.4 | *14.2 |
| DIGESTIVE SYSTEM CONDITIONS..... | 40.7 | *28.3 | *28.6 | 64.2 | 41.8 | *20.4 | *22.9 | 78.2 |
| DENTAL CONDITIONS..... | *7.6 | *2.6 | *5.6 | *13.8 | *7.7 | *9.3 | *6.2 | *8.0 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *10.8 | *16.2 | *1.2 | *16.9 | *8.3 | *4.7 | *4.0 | *15.7 |
| OTHER DIGESTIVE CONDITIONS..... | 22.3 | *9.6 | *21.7 | *33.6 | 25.8 | *6.4 | *12.7 | 54.4 |
| INJURIES..... | 212.4 | 78.0 | 261.4 | 270.7 | 168.3 | *36.0 | 251.7 | 173.8 |
| FRACTURES AND DISLOCATIONS..... | 75.3 | *32.6 | 64.1 | 122.8 | 50.0 | *12.2 | 52.3 | 75.3 |
| SPRAINS AND STRAINS..... | 45.1 | *12.9 | 93.5 | *19.1 | 44.7 | *8.1 | 89.2 | *22.6 |
| OPEN WOUNDS AND LACERATIONS..... | *20.2 | *12.0 | *18.4 | *29.0 | 18.8 | *6.6 | 40.3 | *4.2 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 33.6 | *10.0 | *32.7 | *54.0 | 23.0 | *3.8 | *32.4 | *26.8 |
| OTHER CURRENT INJURIES..... | 38.3 | *10.4 | *52.7 | *45.8 | 31.8 | *5.3 | 37.5 | 44.9 |
| SELECTED OTHER ACUTE CONDITIONS..... | 190.4 | 131.3 | 296.9 | 123.6 | 152.1 | 138.2 | 191.3 | 119.2 |
| EYE CONDITIONS..... | *3.3 | *1.4 | *7.4 | *0.5 | *5.7 | *3.9 | *6.2 | *6.6 |
| ACUTE EAR INFECTIONS..... | 22.6 | *47.7 | *13.3 | *11.9 | 20.1 | 76.6 | *0.7 | -- |
| OTHER EAR CONDITIONS..... | *3.6 | *7.9 | *3.7 | -- | *2.2 | *5.4 | *2.0 | -- |
| ACUTE URINARY CONDITIONS..... | 32.6 | *6.1 | *18.0 | 70.4 | 22.3 | *9.9 | *8.1 | 47.0 |
| DISORDERS OF MENSTRUATION..... | *3.5 | *1.9 | *6.3 | *1.9 | *3.4 | *2.4 | *7.2 | -- |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *5.7 | *5.4 | *11.2 | -- | *3.5 | -- | *9.0 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 74.8 | *10.2 | 193.0 | -- | 43.1 | *16.4 | 100.1 | -- |
| SKIN CONDITIONS..... | *11.2 | *5.8 | *2.9 | *24.5 | *8.1 | *2.7 | *0.7 | *10.3 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 23.0 | *27.9 | *27.4 | *14.3 | 31.5 | *11.5 | 36.7 | 40.6 |
| HEADACHE, EXCLUDING MIGRAINE..... | *4.7 | *1.9 | *11.1 | -- | *9.1 | *1.4 | *11.3 | *12.3 |
| FEVER, UNSPECIFIED..... | *5.3 | *15.1 | *2.7 | -- | *3.0 | *8.0 | *0.4 | *2.3 |
| ALL OTHER ACUTE CONDITIONS..... | 101.4 | *31.1 | 64.6 | 199.7 | 59.9 | *24.7 | 56.1 | 90.1 |

SEE NOTES AT END OF TABLE.

TABLE 19. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|---|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 759.8 | 866.6 | 744.9 | 673.8 | 601.9 | 812.6 | 534.5 | 507.9 |
| INFECTIVE AND PARASITIC DISEASES..... | 73.4 | 168.5 | 44.1 | *24.2 | 69.8 | 171.4 | 35.7 | 27.2 |
| COMMON CHILDHOOD DISEASES..... | *8.0 | *27.6 | *0.8 | *- | 16.0 | 54.1 | *3.2 | *- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 12.4 | *22.6 | *10.7 | *4.6 | 11.1 | *22.0 | *8.1 | *5.4 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 15.8 | *27.9 | *10.3 | *12.7 | 19.2 | 37.1 | *11.2 | *15.0 |
| OTHER..... | 37.2 | 90.4 | 22.3 | *6.9 | 23.5 | 58.2 | *13.1 | *6.8 |
| RESPIRATORY CONDITIONS..... | 361.2 | 501.2 | 303.8 | 313.2 | 291.3 | 421.2 | 251.9 | 229.6 |
| COMMON COLD..... | 82.9 | 122.1 | 64.1 | 74.2 | 71.0 | 86.3 | 68.6 | 60.1 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 27.9 | 40.8 | 31.6 | *8.2 | 25.1 | 45.1 | 17.8 | *17.6 |
| INFLUENZA..... | 208.6 | 293.9 | 181.3 | 166.2 | 154.3 | 234.4 | 132.5 | 111.9 |
| ACUTE BRONCHITIS..... | 12.9 | *20.6 | *10.4 | *9.2 | 19.7 | *22.3 | 17.6 | *20.8 |
| PNEUMONIA..... | 20.1 | *11.0 | *13.3 | 41.4 | 13.5 | *19.4 | *11.4 | *11.3 |
| OTHER RESPIRATORY CONDITIONS..... | *8.7 | *12.8 | *3.1 | *13.9 | 7.7 | *13.7 | *4.0 | *8.0 |
| DIGESTIVE SYSTEM CONDITIONS..... | 26.0 | *23.7 | *19.0 | 40.6 | 9.6 | *12.5 | *8.9 | *8.1 |
| DENTAL CONDITIONS..... | *5.9 | *6.8 | *6.1 | *4.8 | *2.7 | *3.6 | *3.1 | *1.3 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *4.2 | *7.6 | *3.9 | *1.3 | *3.2 | *5.8 | *2.6 | *1.6 |
| OTHER DIGESTIVE CONDITIONS..... | 15.9 | *9.3 | *9.0 | *34.5 | *3.7 | *3.1 | *3.2 | *5.2 |
| INJURIES..... | 161.3 | 58.9 | 208.1 | 188.3 | 103.1 | 84.4 | 98.3 | 130.4 |
| FRACTURES AND DISLOCATIONS..... | 40.2 | *17.4 | 42.6 | 59.8 | 35.7 | 41.0 | 23.9 | 50.9 |
| SPRAINS AND STRAINS..... | 47.4 | *7.6 | 74.1 | 43.3 | 27.9 | *13.2 | 35.7 | 29.2 |
| OPEN WOUNDS AND LACERATIONS..... | 24.7 | *18.4 | 39.3 | *6.2 | 8.5 | *8.0 | *9.2 | *7.7 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 20.8 | *6.6 | 21.0 | 35.3 | 11.7 | *10.2 | 14.4 | *8.4 |
| OTHER CURRENT INJURIES..... | 28.2 | *8.9 | 31.0 | 43.7 | 19.4 | *12.0 | 15.1 | 34.2 |
| SELECTED OTHER ACUTE CONDITIONS..... | 106.1 | 87.3 | 143.8 | 61.2 | 88.1 | 85.0 | 115.8 | 42.7 |
| EYE CONDITIONS..... | *0.4 | *0.3 | * | *1.0 | *1.6 | *0.7 | *2.8 | *0.5 |
| ACUTE EAR INFECTIONS..... | 21.3 | 64.6 | *4.6 | *4.8 | 23.1 | 65.3 | *10.0 | *3.7 |
| OTHER EAR CONDITIONS..... | *2.8 | *5.3 | * | *4.8 | *1.5 | *1.1 | *2.2 | *0.8 |
| ACUTE URINARY CONDITIONS..... | *5.7 | *0.5 | *8.2 | *6.9 | *1.9 | * | *3.3 | *1.3 |
| DISORDERS OF MENSTRUATION..... | *0.3 | *0.4 | * | *0.5 | *0.2 | *0.4 | *0.2 | *0.1 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 9.3 | *0.9 | *14.0 | *10.3 | *1.5 | * | *3.1 | *0.4 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 32.7 | * | 71.7 | * | 31.6 | * | 67.9 | * |
| SKIN CONDITIONS..... | *4.4 | *1.6 | *7.2 | *2.5 | *2.6 | *0.9 | *1.4 | *6.3 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 21.5 | *0.9 | 33.4 | *22.8 | 19.3 | *6.1 | 21.7 | 28.4 |
| HEADACHE, EXCLUDING MIGRAINE..... | *4.1 | *5.2 | *3.6 | *3.9 | *2.1 | *2.4 | *2.4 | *1.2 |
| FEVER, UNSPECIFIED..... | *3.6 | *7.7 | *1.1 | *3.7 | *2.6 | *8.1 | *0.9 | * |
| ALL OTHER ACUTE CONDITIONS..... | 31.8 | *27.1 | 26.2 | 46.3 | 40.0 | 38.0 | 24.0 | 69.8 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 24 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 20. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|-------|-------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 638.3 | 680.4 | 806.4 | 840.7 | 742.4 | 756.4 | 733.3 | 773.0 |
| INFECTIVE AND PARASITIC DISEASES..... | 62.1 | 58.2 | 84.8 | 69.0 | 67.8 | 66.6 | 68.6 | 79.4 |
| COMMON CHILDHOOD DISEASES..... | *8.1 | 9.3 | 10.1 | 17.9 | 11.6 | 12.6 | 10.9 | 9.9 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 14.8 | *4.4 | 16.0 | *1.6 | 9.6 | 10.5 | 9.1 | 10.6 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 16.1 | 14.8 | 28.4 | 11.1 | 17.1 | 16.8 | 17.3 | 25.3 |
| OTHER..... | 23.1 | 29.7 | 30.3 | 38.4 | 29.5 | 26.8 | 31.3 | 33.6 |
| RESPIRATORY CONDITIONS..... | 283.2 | 290.9 | 315.3 | 450.3 | 333.7 | 331.1 | 335.3 | 324.6 |
| COMMON COLD..... | 80.3 | 62.7 | 65.4 | 111.5 | 78.0 | 76.5 | 79.0 | 75.8 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS | 18.1 | 25.9 | 28.0 | 20.8 | 23.4 | 21.8 | 24.5 | 25.8 |
| INFLUENZA..... | 138.3 | 160.4 | 172.9 | 273.1 | 183.0 | 189.9 | 178.6 | 188.6 |
| ACUTE BRONCHITIS..... | 21.3 | 17.4 | 16.8 | 20.5 | 20.1 | 15.0 | 23.4 | 13.4 |
| PNEUMONIA..... | 12.9 | 16.7 | 20.5 | 21.8 | 19.6 | 16.4 | 21.7 | 13.8 |
| OTHER RESPIRATORY CONDITIONS..... | 12.3 | *7.8 | 11.7 | *2.6 | 9.4 | 11.4 | 8.2 | *7.1 |
| DIGESTIVE SYSTEM CONDITIONS..... | *9.5 | 24.6 | 30.9 | 28.8 | 21.8 | 23.6 | 20.7 | 34.5 |
| DENTAL CONDITIONS..... | *1.6 | *6.4 | *5.7 | *6.3 | 5.0 | *6.6 | *4.0 | *5.8 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *2.3 | *4.5 | 8.6 | *5.9 | 5.5 | *5.4 | 5.6 | *6.8 |
| OTHER DIGESTIVE CONDITIONS..... | *5.6 | 13.7 | 16.6 | 16.6 | 11.3 | 11.6 | 11.2 | 22.0 |
| INJURIES..... | 124.8 | 150.0 | 183.1 | 130.3 | 150.9 | 163.6 | 142.8 | 156.0 |
| FRACTURES AND DISLOCATIONS..... | 39.7 | 45.8 | 56.4 | 32.2 | 45.4 | 51.4 | 41.6 | 44.9 |
| SPRAINS AND STRAINS..... | 33.3 | 38.8 | 45.8 | 32.9 | 38.8 | 44.3 | 35.2 | 38.9 |
| OPEN WOUNDS AND LACERATIONS..... | 14.2 | 15.7 | 18.9 | 12.7 | 14.8 | 14.3 | 15.1 | 19.4 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 15.7 | 18.4 | 26.8 | 18.5 | 21.6 | 23.4 | 20.5 | 17.7 |
| OTHER CURRENT INJURIES..... | 21.9 | 31.2 | 35.2 | 34.1 | 30.3 | 30.2 | 30.3 | 35.2 |
| SELECTED OTHER ACUTE CONDITIONS..... | 110.9 | 101.5 | 132.7 | 117.5 | 116.2 | 122.8 | 112.0 | 121.8 |
| EYE CONDITIONS..... | *1.6 | *1.4 | *3.2 | *1.8 | *2.3 | *2.4 | *2.2 | *1.6 |
| ACUTE EAR INFECTIONS..... | 13.8 | 22.0 | 22.2 | 28.6 | 21.5 | 17.0 | 24.5 | 22.8 |
| OTHER EAR CONDITIONS..... | *2.6 | *3.2 | *2.3 | *2.1 | *2.1 | *0.8 | *3.0 | *3.9 |
| ACUTE URINARY CONDITIONS..... | *7.4 | *7.7 | 14.0 | *10.0 | 9.6 | 7.1 | 11.2 | 12.6 |
| DISORDERS OF MENSTRUATION..... | *0.6 | *2.1 | *2.5 | *0.7 | *1.9 | *1.9 | *1.9 | *0.9 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT | *5.0 | *2.9 | *6.0 | *2.3 | 4.0 | *6.2 | *2.7 | *5.0 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 32.6 | 27.7 | 43.3 | 34.1 | 36.0 | 41.4 | 32.5 | 33.0 |
| SKIN CONDITIONS..... | *6.9 | *4.7 | *4.8 | *5.7 | 5.8 | 9.4 | *3.5 | *3.9 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 34.9 | 21.1 | 24.9 | 25.3 | 24.0 | 27.3 | 21.8 | 33.4 |
| HEADACHE, EXCLUDING MIGRAINE..... | *1.4 | *6.2 | *5.8 | *4.1 | 5.3 | *4.3 | 5.9 | *2.6 |
| FEVER, UNSPECIFIED..... | *4.0 | *2.6 | *3.7 | *2.9 | 3.7 | *5.1 | *2.7 | *2.0 |
| ALL OTHER ACUTE CONDITIONS..... | 47.7 | 55.2 | 59.5 | 44.7 | 51.9 | 48.7 | 53.9 | 56.7 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 25 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 21. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | TOTAL | 45 YEARS AND OVER | |
|---|-----------|---------------|------------|-------------|-------------|---------|-------------------|-------------------|
| | | | | | | | 45-64 YEARS | 65 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 1,824,335 | 179,395 | 359,047 | 190,397 | 555,976 | 539,521 | 273,783 | 265,738 |
| INFECTIVE AND PARASITIC DISEASES..... | 171,400 | 31,579 | 69,069 | 12,820 | 29,872 | 28,059 | 13,809 | 14,250 |
| COMMON CHILDHOOD DISEASES..... | 27,248 | 9,342 | 15,227 | 986 | 1,199 | 493 | - | 493 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 23,998 | 3,383 | 9,623 | 1,325 | 6,201 | 3,466 | 2,355 | 1,111 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 46,069 | 8,573 | 12,847 | 3,652 | 10,326 | 10,669 | 6,044 | 4,626 |
| OTHER..... | 74,085 | 10,281 | 31,372 | 6,856 | 12,145 | 13,430 | 5,410 | 8,020 |
| RESPIRATORY CONDITIONS..... | 807,715 | 101,941 | 195,023 | 79,565 | 226,563 | 204,623 | 117,728 | 86,895 |
| COMMON COLD..... | 188,840 | 33,142 | 35,594 | 22,278 | 53,831 | 43,994 | 27,733 | 16,262 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 58,341 | 11,424 | 13,541 | 8,204 | 17,417 | 7,754 | 4,862 | 2,893 |
| INFLUENZA..... | 448,750 | 45,114 | 124,299 | 40,825 | 129,046 | 109,465 | 68,676 | 40,789 |
| ACUTE BRONCHITIS..... | 45,398 | 7,501 | 10,314 | 5,399 | 10,404 | 11,780 | 5,824 | 5,956 |
| PNEUMONIA..... | 44,689 | 2,562 | 6,034 | 2,086 | 11,541 | 22,466 | 6,478 | 15,987 |
| OTHER RESPIRATORY CONDITIONS..... | 21,698 | 2,197 | 5,241 | 774 | 4,323 | 9,163 | 4,155 | 5,008 |
| DIGESTIVE SYSTEM CONDITIONS..... | 59,968 | 2,384 | 9,169 | 3,479 | 13,416 | 31,520 | 14,681 | 16,840 |
| DENTAL CONDITIONS..... | 12,606 | 1,761 | 1,510 | 1,364 | 3,767 | 4,205 | 3,330 | 875 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 14,083 | 317 | 4,041 | 996 | 2,554 | 6,174 | 2,781 | 3,393 |
| OTHER DIGESTIVE CONDITIONS..... | 33,280 | 306 | 3,618 | 1,120 | 7,095 | 21,141 | 8,569 | 12,571 |
| INJURIES..... | 370,274 | 6,436 | 36,934 | 44,514 | 145,587 | 136,803 | 68,899 | 67,904 |
| FRACTURES AND DISLOCATIONS..... | 110,312 | 1,413 | 15,663 | 8,407 | 32,139 | 52,690 | 25,952 | 26,738 |
| SPRAINS AND STRAINS..... | 94,521 | 230 | 6,262 | 16,241 | 50,741 | 21,048 | 14,948 | 6,100 |
| OPEN WOUNDS AND LACERATIONS..... | 38,554 | 1,914 | 5,934 | 5,767 | 18,143 | 6,797 | 4,600 | 2,197 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 50,557 | 952 | 4,072 | 6,084 | 17,890 | 21,560 | 9,675 | 11,885 |
| OTHER CURRENT INJURIES..... | 76,329 | 1,927 | 5,004 | 8,015 | 26,673 | 34,709 | 13,725 | 20,984 |
| SELECTED OTHER ACUTE CONDITIONS..... | 286,064 | 30,023 | 35,785 | 39,995 | 113,702 | 66,559 | 30,243 | 36,316 |
| EYE CONDITIONS..... | 5,183 | 561 | 183 | 150 | 2,593 | 1,696 | 315 | 1,381 |
| ACUTE EAR INFECTIONS..... | 53,169 | 26,048 | 16,722 | 1,929 | 4,615 | 3,855 | 2,709 | 1,146 |
| OTHER EAR CONDITIONS..... | 6,139 | 701 | 1,542 | 226 | 1,382 | 2,288 | 413 | 1,875 |
| ACUTE URINARY CONDITIONS..... | 25,037 | - | 1,669 | 2,175 | 4,602 | 16,591 | 4,039 | 12,552 |
| DISORDERS OF MENSTRUATION..... | 4,027 | *** | 737 | 1,407 | 1,606 | 276 | 276 | - |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 10,355 | - | 535 | 2,636 | 5,529 | 1,655 | 1,655 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 86,092 | *** | 2,510 | 25,453 | 58,129 | - | - | *** |
| SKIN CONDITIONS..... | 13,118 | - | 1,385 | 880 | 4,900 | 5,953 | 4,027 | 1,925 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 63,496 | - | 5,780 | 4,683 | 24,755 | 28,278 | 15,007 | 13,272 |
| HEADACHE, EXCLUDING MIGRAINE..... | 11,382 | 224 | 1,431 | 334 | 4,667 | 4,726 | 1,114 | 3,612 |
| FEVER, UNSPECIFIED..... | 8,067 | 2,489 | 3,290 | 121 | 924 | 1,242 | 688 | 554 |
| ALL OTHER ACUTE CONDITIONS..... | 128,913 | 7,031 | 13,066 | 10,023 | 26,836 | 71,957 | 28,423 | 43,534 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 22. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY SEX, AGE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | | | FEMALE | | | | |
|--|----------|---------------|------------|-------------|-------------------|-----------|---------------|------------|-------------|-------------------|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 781,958 | 102,099 | 179,081 | 291,362 | 209,417 | 1,042,377 | 77,296 | 179,966 | 455,011 | 330,104 |
| INFECTIVE AND PARASITIC DISEASES..... | 76,445 | 16,988 | 33,814 | 17,518 | 8,125 | 94,954 | 14,591 | 35,255 | 25,175 | 19,934 |
| COMMON CHILDHOOD DISEASES..... | 15,479 | 4,795 | 9,241 | 1,443 | - | 11,769 | 4,547 | 5,986 | 742 | 493 |
| INTESTINAL VIRUS, UNSPECIFIED.. | 11,403 | 1,437 | 5,618 | 3,229 | 1,118 | 12,596 | 1,945 | 4,005 | 4,297 | 2,347 |
| VIRAL INFECTIONS, UNSPECIFIED.. | 20,984 | 6,830 | 5,621 | 4,692 | 3,841 | 25,085 | 1,744 | 7,226 | 9,287 | 6,828 |
| OTHER..... | 28,580 | 3,926 | 13,334 | 8,153 | 3,166 | 45,505 | 6,355 | 18,037 | 10,848 | 10,264 |
| RESPIRATORY CONDITIONS..... | 362,630 | 60,326 | 97,366 | 119,801 | 85,137 | 445,086 | 41,615 | 97,658 | 186,327 | 119,486 |
| COMMON COLD..... | 92,603 | 22,349 | 16,924 | 35,329 | 18,001 | 96,237 | 10,794 | 18,671 | 40,779 | 25,993 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 20,169 | 6,084 | 5,027 | 6,265 | 2,793 | 38,172 | 5,340 | 8,514 | 19,356 | 4,962 |
| INFLUENZA..... | 199,552 | 23,144 | 66,169 | 66,084 | 44,155 | 249,198 | 21,970 | 58,130 | 103,788 | 65,311 |
| ACUTE BRONCHITIS..... | 19,693 | 5,484 | 5,260 | 4,559 | 4,390 | 25,705 | 2,017 | 5,055 | 11,244 | 7,390 |
| PNEUMONIA..... | 20,122 | 1,468 | 1,503 | 5,631 | 11,520 | 24,567 | 1,094 | 4,531 | 7,996 | 10,946 |
| OTHER RESPIRATORY CONDITIONS.... | 10,492 | 1,797 | 2,483 | 1,933 | 4,279 | 11,206 | 400 | 2,758 | 3,164 | 4,884 |
| DIGESTIVE SYSTEM CONDITIONS.... | 31,049 | 1,545 | 4,977 | 7,118 | 17,410 | 28,919 | 839 | 4,191 | 9,778 | 14,110 |
| DENTAL CONDITIONS..... | 4,943 | 1,034 | 997 | 2,438 | 474 | 7,663 | 727 | 512 | 2,692 | 3,731 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 5,340 | 205 | 1,876 | 1,183 | 2,076 | 8,743 | 112 | 2,165 | 2,367 | 4,099 |
| OTHER DIGESTIVE CONDITIONS.... | 20,767 | 306 | 2,104 | 3,497 | 14,860 | 12,513 | - | 1,514 | 4,718 | 6,280 |
| INJURIES..... | 190,791 | 3,149 | 19,721 | 118,599 | 49,321 | 179,483 | 3,287 | 17,213 | 71,501 | 87,482 |
| FRACTURES AND DISLOCATIONS.... | 53,975 | 707 | 9,288 | 27,805 | 16,174 | 56,337 | 706 | 6,375 | 12,741 | 36,515 |
| SPRAINS AND STRAINS..... | 53,696 | 132 | 1,992 | 41,753 | 9,819 | 40,825 | 98 | 4,270 | 25,229 | 11,228 |
| OPEN WOUNDS AND LACERATIONS.... | 24,728 | 754 | 3,451 | 17,588 | 2,936 | 13,826 | 1,160 | 2,483 | 6,322 | 3,861 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 24,694 | 252 | 1,826 | 13,424 | 9,192 | 25,863 | 700 | 2,245 | 10,550 | 12,368 |
| OTHER CURRENT INJURIES..... | 33,697 | 1,304 | 3,163 | 18,030 | 11,200 | 42,632 | 623 | 1,841 | 16,659 | 23,509 |
| SELECTED OTHER ACUTE CONDITIONS..... | 77,779 | 19,061 | 17,186 | 18,716 | 22,816 | 208,286 | 10,962 | 18,600 | 134,981 | 43,743 |
| EYE CONDITIONS..... | 2,410 | 561 | 159 | 921 | 769 | 2,773 | - | 24 | 1,822 | 927 |
| ACUTE EAR INFECTIONS..... | 29,212 | 16,445 | 11,836 | 651 | 280 | 23,957 | 9,602 | 4,886 | 5,894 | 3,575 |
| OTHER EAR CONDITIONS..... | 4,420 | 609 | 1,002 | 875 | 1,933 | 1,719 | 92 | 540 | 733 | 354 |
| ACUTE URINARY CONDITIONS..... | 7,425 | - | 600 | 1,318 | 5,507 | 17,612 | - | 1,070 | 5,459 | 11,084 |
| DISORDERS OF MENSTRUATION..... | *** | *** | *** | *** | *** | 4,027 | *** | 737 | 3,014 | 276 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *** | *** | *** | *** | *** | 10,355 | - | 535 | 8,165 | 1,655 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *** | *** | *** | *** | *** | 86,092 | *** | 2,510 | 83,582 | - |
| SKIN CONDITIONS..... | 3,593 | - | 537 | 1,621 | 1,234 | 9,525 | - | 848 | 3,959 | 4,718 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 23,264 | - | 845 | 12,154 | 10,265 | 40,231 | - | 4,935 | 17,284 | 18,013 |
| HEADACHE, EXCLUDING MIGRAINE... | 4,065 | 224 | 898 | 569 | 2,375 | 7,316 | - | 533 | 4,432 | 2,351 |
| FEVER, UNSPECIFIED..... | 3,391 | 1,222 | 1,308 | 408 | 453 | 4,677 | 1,267 | 1,982 | 638 | 789 |
| ALL OTHER ACUTE CONDITIONS.... | 43,264 | 1,029 | 6,017 | 9,610 | 26,607 | 85,649 | 6,002 | 7,049 | 27,249 | 45,350 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 23. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY RACE, AGE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|---|-----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 1,544,098 | 457,194 | 613,711 | 473,193 | 228,463 | 67,684 | 107,054 | 53,724 |
| INFECTIVE AND PARASITIC DISEASES..... | 148,756 | 86,882 | 36,099 | 25,775 | 18,276 | 11,002 | 5,256 | 2,018 |
| COMMON CHILDHOOD DISEASES..... | 21,230 | 19,785 | 951 | 493 | 4,754 | 3,977 | 777 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 21,127 | 11,215 | 7,110 | 2,803 | 2,624 | 1,544 | 417 | 663 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 38,476 | 16,988 | 12,048 | 9,440 | 7,003 | 3,958 | 1,931 | 1,113 |
| OTHER..... | 67,923 | 38,894 | 15,991 | 13,038 | 3,895 | 1,522 | 2,131 | 242 |
| RESPIRATORY CONDITIONS..... | 694,990 | 253,690 | 262,652 | 178,647 | 90,789 | 37,962 | 32,048 | 20,779 |
| COMMON COLD..... | 159,593 | 55,725 | 65,073 | 38,795 | 23,985 | 11,479 | 8,338 | 4,168 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 51,142 | 21,562 | 22,593 | 6,988 | 6,798 | 3,270 | 2,876 | 652 |
| INFLUENZA..... | 383,773 | 145,317 | 145,719 | 92,737 | 51,444 | 21,085 | 17,078 | 13,282 |
| ACUTE BRONCHITIS..... | 41,922 | 16,227 | 14,209 | 11,486 | 2,426 | 954 | 1,296 | 176 |
| PNEUMONIA..... | 38,564 | 7,563 | 11,322 | 19,679 | 5,639 | 1,034 | 2,304 | 2,301 |
| OTHER RESPIRATORY CONDITIONS..... | 19,995 | 7,296 | 3,736 | 8,963 | 498 | 141 | 156 | 200 |
| DIGESTIVE SYSTEM CONDITIONS..... | 46,944 | 8,195 | 12,654 | 26,095 | 9,078 | 2,911 | 3,524 | 2,643 |
| DENTAL CONDITIONS..... | 9,553 | 2,134 | 3,586 | 3,834 | 2,702 | 896 | 1,488 | 318 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 11,928 | 3,452 | 2,981 | 5,494 | 1,948 | 699 | 569 | 680 |
| OTHER DIGESTIVE CONDITIONS..... | 25,463 | 2,609 | 6,087 | 16,767 | 4,428 | 1,315 | 1,468 | 1,644 |
| INJURIES..... | 311,460 | 38,846 | 151,090 | 121,524 | 53,348 | 4,433 | 35,287 | 13,628 |
| FRACTURES AND DISLOCATIONS..... | 99,316 | 15,405 | 33,937 | 49,974 | 10,292 | 1,671 | 5,906 | 2,715 |
| SPRAINS AND STRAINS..... | 76,522 | 5,427 | 52,763 | 18,332 | 16,911 | 1,065 | 13,491 | 2,355 |
| OPEN WOUNDS AND LACERATIONS..... | 31,126 | 7,029 | 17,724 | 6,372 | 6,989 | 727 | 5,837 | 425 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 39,482 | 4,237 | 16,904 | 18,340 | 9,131 | 786 | 5,126 | 3,220 |
| OTHER CURRENT INJURIES..... | 65,014 | 6,747 | 29,761 | 28,506 | 10,025 | 185 | 4,927 | 4,912 |
| SELECTED OTHER ACUTE CONDITIONS..... | 231,658 | 53,472 | 119,865 | 58,321 | 40,917 | 8,100 | 26,059 | 6,758 |
| EYE CONDITIONS..... | 4,778 | 536 | 2,593 | 1,650 | 302 | 105 | 151 | 46 |
| ACUTE EAR INFECTIONS..... | 45,826 | 35,911 | 6,411 | 3,504 | 5,346 | 4,917 | 78 | 351 |
| OTHER EAR CONDITIONS..... | 5,648 | 2,133 | 1,477 | 2,038 | 381 | - | 131 | 250 |
| ACUTE URINARY CONDITIONS..... | 22,217 | 663 | 6,502 | 15,052 | 2,343 | 530 | 275 | 1,538 |
| DISORDERS OF MENSTRUATION..... | 2,741 | 484 | 2,234 | 24 | 1,286 | 254 | 780 | 253 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 6,969 | 136 | 5,178 | 1,655 | 2,921 | 400 | 2,521 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 60,873 | 795 | 60,078 | - | 18,951 | 937 | 18,014 | - |
| SKIN CONDITIONS..... | 9,560 | 1,283 | 4,390 | 3,888 | 3,456 | - | 1,391 | 2,065 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 56,422 | 5,243 | 26,300 | 24,879 | 3,811 | 298 | 1,486 | 2,027 |
| HEADACHE, EXCLUDING MIGRAINE..... | 9,519 | 1,398 | 3,732 | 4,390 | 1,423 | 38 | 1,157 | 228 |
| FEVER, UNSPECIFIED..... | 7,104 | 4,892 | 970 | 1,242 | 698 | 622 | 76 | - |
| ALL OTHER ACUTE CONDITIONS..... | 110,290 | 16,109 | 31,351 | 62,829 | 16,055 | 3,277 | 4,880 | 7,898 |

¹TOTALS FOR WHITE AND BLACK DO NOT SUM TO TOTAL RESTRICTED-ACTIVITY DAYS BECAUSE OTHER RACES ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 24. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|---|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 278,549 | 66,534 | 110,856 | 101,160 | 330,988 | 85,381 | 141,280 | 104,327 |
| INFECTIVE AND PARASITIC DISEASES..... | 16,615 | 7,938 | 4,429 | 4,248 | 28,496 | 16,147 | 7,477 | 4,872 |
| COMMON CHILDHOOD DISEASES..... | 3,819 | 3,819 | - | - | 3,652 | 2,875 | 777 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 2,255 | 1,186 | 391 | 678 | 3,320 | 1,994 | 838 | 488 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 3,333 | 1,187 | 1,378 | 769 | 8,886 | 4,959 | 2,626 | 1,300 |
| OTHER..... | 7,207 | 1,747 | 2,660 | 2,801 | 12,637 | 6,318 | 3,235 | 3,084 |
| RESPIRATORY CONDITIONS..... | 119,243 | 38,590 | 42,816 | 37,837 | 129,277 | 45,902 | 50,727 | 32,648 |
| COMMON COLD..... | 29,785 | 10,957 | 10,954 | 7,874 | 31,720 | 9,774 | 16,132 | 5,814 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 5,526 | 2,340 | 1,811 | 1,376 | 7,653 | 3,466 | 3,832 | 355 |
| INFLUENZA..... | 67,940 | 22,164 | 24,138 | 21,638 | 69,552 | 26,032 | 25,459 | 18,060 |
| ACUTE BRONCHITIS..... | 5,922 | 494 | 2,687 | 2,741 | 9,384 | 5,458 | 2,852 | 1,074 |
| PNEUMONIA..... | 6,887 | 2,389 | 1,550 | 2,949 | 7,765 | 91 | 2,392 | 5,283 |
| OTHER RESPIRATORY CONDITIONS..... | 3,183 | 247 | 1,677 | 1,260 | 3,203 | 1,080 | 61 | 2,062 |
| DIGESTIVE SYSTEM CONDITIONS..... | 10,668 | 2,107 | 2,795 | 5,766 | 17,147 | 2,172 | 3,649 | 11,326 |
| DENTAL CONDITIONS..... | 1,978 | 190 | 551 | 1,237 | 3,141 | 993 | 983 | 1,165 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2,839 | 1,203 | 122 | 1,515 | 3,411 | 498 | 638 | 2,274 |
| OTHER DIGESTIVE CONDITIONS..... | 5,851 | 714 | 2,122 | 3,014 | 10,595 | 681 | 2,028 | 7,887 |
| INJURIES..... | 55,628 | 5,808 | 25,524 | 24,297 | 69,065 | 3,826 | 40,062 | 25,177 |
| FRACTURES AND DISLOCATIONS..... | 19,709 | 2,431 | 6,258 | 11,020 | 20,528 | 1,299 | 8,317 | 10,912 |
| SPRAINS AND STRAINS..... | 11,808 | 962 | 9,130 | 1,717 | 18,331 | 862 | 14,189 | 3,280 |
| OPEN WOUNDS AND LACERATIONS..... | 5,295 | 895 | 1,796 | 2,605 | 7,718 | 698 | 6,418 | 602 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 8,787 | 747 | 3,195 | 4,845 | 9,449 | 407 | 5,161 | 3,881 |
| OTHER CURRENT INJURIES..... | 10,028 | 773 | 5,144 | 4,111 | 13,039 | 560 | 5,976 | 6,503 |
| SELECTED OTHER ACUTE CONDITIONS..... | 49,857 | 9,776 | 28,989 | 11,091 | 62,405 | 14,701 | 30,445 | 17,260 |
| EYE CONDITIONS..... | 866 | 103 | 718 | 46 | 2,350 | 415 | 986 | 950 |
| ACUTE EAR INFECTIONS..... | 5,922 | 3,552 | 1,301 | 1,069 | 8,255 | 8,150 | 105 | - |
| OTHER EAR CONDITIONS..... | 951 | 591 | 360 | - | 885 | 571 | 314 | - |
| ACUTE URINARY CONDITIONS..... | 8,528 | 453 | 1,753 | 6,322 | 9,143 | 1,052 | 1,282 | 6,809 |
| DISORDERS OF MENSTRUATION..... | 929 | 141 | 617 | 171 | 1,401 | 258 | 1,143 | - |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 1,493 | 400 | 1,093 | - | 1,435 | - | 1,435 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 19,599 | 761 | 18,838 | - | 17,682 | 1,749 | 15,933 | - |
| SKIN CONDITIONS..... | 2,925 | 435 | 288 | 2,203 | 3,328 | 283 | 1,549 | 1,496 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 6,030 | 2,075 | 2,675 | 1,280 | 12,944 | 1,224 | 5,834 | 5,886 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1,221 | 141 | 1,079 | - | 3,732 | 144 | 1,804 | 1,784 |
| FEVER, UNSPECIFIED..... | 1,393 | 1,125 | 268 | - | 1,249 | 854 | 59 | 336 |
| ALL OTHER ACUTE CONDITIONS..... | 26,539 | 2,315 | 6,303 | 17,921 | 24,597 | 2,633 | 8,921 | 13,044 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 24. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION:
UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|---|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 430,961 | 136,722 | 192,596 | 101,643 | 482,754 | 174,609 | 199,436 | 108,709 |
| INFECTIVE AND PARASITIC DISEASES..... | 41,634 | 26,579 | 11,405 | 3,650 | 55,972 | 36,831 | 13,310 | 5,831 |
| COMMON CHILDHOOD DISEASES..... | 4,558 | 4,349 | 209 | - | 12,834 | 11,635 | 1,199 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 7,021 | 3,559 | 2,762 | 701 | 8,903 | 4,725 | 3,022 | 1,156 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 8,981 | 4,402 | 2,670 | 1,909 | 15,378 | 7,963 | 4,195 | 3,220 |
| OTHER..... | 21,074 | 14,269 | 5,765 | 1,040 | 18,857 | 12,508 | 4,894 | 1,455 |
| RESPIRATORY CONDITIONS..... | 204,869 | 79,072 | 78,546 | 47,251 | 233,644 | 90,515 | 93,976 | 49,154 |
| COMMON COLD..... | 47,024 | 19,264 | 16,561 | 11,199 | 56,971 | 18,534 | 25,578 | 12,858 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 15,850 | 6,438 | 8,169 | 1,243 | 20,114 | 9,698 | 6,657 | 3,759 |
| INFLUENZA..... | 118,310 | 46,359 | 46,883 | 25,068 | 123,755 | 50,373 | 49,431 | 23,951 |
| ACUTE BRONCHITIS..... | 7,333 | 3,246 | 2,694 | 1,394 | 15,805 | 4,787 | 6,573 | 4,445 |
| PNEUMONIA..... | 11,427 | 1,740 | 3,440 | 6,268 | 10,853 | 4,174 | 4,255 | 2,423 |
| OTHER RESPIRATORY CONDITIONS..... | 4,924 | 2,026 | 799 | 2,099 | 6,147 | 2,948 | 1,482 | 1,717 |
| DIGESTIVE SYSTEM CONDITIONS..... | 14,763 | 3,733 | 4,904 | 6,126 | 7,738 | 2,695 | 3,312 | 1,731 |
| DENTAL CONDITIONS..... | 3,361 | 1,069 | 1,565 | 727 | 2,192 | 775 | 1,140 | 278 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2,410 | 1,200 | 1,018 | 192 | 2,553 | 1,249 | 961 | 343 |
| OTHER DIGESTIVE CONDITIONS..... | 8,991 | 1,464 | 2,321 | 5,206 | 2,993 | 672 | 1,212 | 1,110 |
| INJURIES..... | 91,486 | 9,293 | 53,795 | 28,398 | 82,718 | 18,137 | 36,672 | 27,909 |
| FRACTURES AND DISLOCATIONS..... | 22,790 | 2,764 | 11,023 | 9,023 | 28,622 | 8,817 | 8,908 | 10,897 |
| SPRAINS AND STRAINS..... | 26,891 | 1,203 | 19,151 | 6,538 | 22,393 | 2,840 | 13,310 | 6,243 |
| OPEN WOUNDS AND LACERATIONS..... | 14,003 | 2,902 | 10,166 | 934 | 6,796 | 1,719 | 3,438 | 1,639 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 11,786 | 1,038 | 5,430 | 5,318 | 9,363 | 2,188 | 5,367 | 1,807 |
| OTHER CURRENT INJURIES..... | 16,017 | 1,406 | 8,025 | 6,586 | 15,544 | 2,574 | 5,647 | 7,323 |
| SELECTED OTHER ACUTE CONDITIONS..... | 60,171 | 13,765 | 37,169 | 9,237 | 70,622 | 18,269 | 43,203 | 9,150 |
| EYE CONDITIONS..... | 202 | 43 | - | 158 | 1,310 | 159 | 1,040 | 111 |
| ACUTE EAR INFECTIONS..... | 12,097 | 10,187 | 1,194 | 717 | 18,557 | 14,027 | 3,741 | 788 |
| OTHER EAR CONDITIONS..... | 1,565 | 840 | - | 725 | 1,207 | 241 | 803 | 163 |
| ACUTE URINARY CONDITIONS..... | 3,230 | 77 | 2,119 | 1,034 | 1,488 | - | 1,214 | 274 |
| DISORDERS OF MENSTRUATION..... | 146 | 64 | - | 82 | 166 | 82 | 60 | 24 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 5,303 | 136 | 3,608 | 1,559 | 1,236 | - | 1,140 | 96 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 18,538 | - | 18,538 | - | 25,336 | - | 25,336 | - |
| SKIN CONDITIONS..... | 2,679 | 245 | 1,862 | 372 | 2,074 | 191 | 540 | 1,343 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 12,220 | 145 | 8,629 | 3,446 | 15,509 | 1,311 | 8,113 | 6,084 |
| HEADACHE, EXCLUDING MIGRAINE..... | 2,344 | 815 | 938 | 591 | 1,669 | 507 | 896 | 267 |
| FEVER, UNSPECIFIED..... | 2,049 | 1,214 | 281 | 554 | 2,070 | 1,750 | 320 | - |
| ALL OTHER ACUTE CONDITIONS..... | 18,037 | 4,281 | 6,776 | 6,981 | 32,059 | 8,162 | 8,962 | 14,934 |

¹TOTALS FOR INCOME CATEGORIES DO NOT SUM TO TOTAL RESTRICTED-ACTIVITY DAYS BECAUSE PERSONS WITH UNKNOWN FAMILY INCOME ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 25. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|---------|---------|-----------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 312,301 | 405,096 | 670,513 | 436,425 | 1,409,475 | 562,854 | 846,621 | 414,860 |
| INFECTIVE AND PARASITIC DISEASES..... | 30,386 | 34,626 | 70,551 | 35,836 | 128,786 | 49,592 | 79,194 | 42,613 |
| COMMON CHILDHOOD DISEASES..... | 3,981 | 5,542 | 8,419 | 9,306 | 21,941 | 9,375 | 12,566 | 5,307 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 7,255 | 2,611 | 13,296 | 836 | 18,307 | 7,797 | 10,511 | 5,691 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 7,871 | 8,809 | 23,607 | 5,781 | 32,491 | 12,491 | 20,001 | 13,577 |
| OTHER..... | 11,279 | 17,663 | 25,229 | 19,914 | 56,047 | 19,930 | 36,117 | 18,038 |
| RESPIRATORY CONDITIONS..... | 138,572 | 173,200 | 262,179 | 233,764 | 633,519 | 246,364 | 387,156 | 174,196 |
| COMMON COLD..... | 39,270 | 37,304 | 54,381 | 57,885 | 148,155 | 56,942 | 91,213 | 40,685 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS | 8,865 | 15,416 | 23,276 | 10,785 | 44,469 | 16,197 | 28,272 | 13,872 |
| INFLUENZA..... | 67,687 | 95,497 | 143,789 | 141,777 | 347,522 | 141,322 | 206,199 | 101,228 |
| ACUTE BRONCHITIS..... | 10,409 | 10,374 | 13,968 | 10,647 | 38,203 | 11,198 | 27,005 | 7,195 |
| PNEUMONIA..... | 6,331 | 9,970 | 17,057 | 11,330 | 37,278 | 12,222 | 25,055 | 7,411 |
| OTHER RESPIRATORY CONDITIONS..... | 6,010 | 4,640 | 9,708 | 1,340 | 17,893 | 8,482 | 9,411 | 3,805 |
| DIGESTIVE SYSTEM CONDITIONS..... | 4,646 | 14,661 | 25,716 | 14,945 | 41,444 | 17,557 | 23,887 | 18,524 |
| DENTAL CONDITIONS..... | 774 | 3,820 | 4,748 | 3,264 | 9,506 | 4,932 | 4,574 | 3,100 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1,147 | 2,689 | 7,170 | 3,076 | 10,445 | 4,008 | 6,436 | 3,638 |
| OTHER DIGESTIVE CONDITIONS..... | 2,725 | 8,152 | 13,798 | 8,605 | 21,493 | 8,617 | 12,876 | 11,787 |
| INJURIES..... | 61,083 | 89,313 | 152,236 | 67,641 | 286,530 | 121,698 | 164,832 | 83,743 |
| FRACTURES AND DISLOCATIONS..... | 19,418 | 27,299 | 46,897 | 16,698 | 86,201 | 38,230 | 47,971 | 24,111 |
| SPRAINS AND STRAINS..... | 16,272 | 23,121 | 38,070 | 17,059 | 73,651 | 32,964 | 40,687 | 20,870 |
| OPEN WOUNDS AND LACERATIONS..... | 6,959 | 9,322 | 15,676 | 6,597 | 28,159 | 10,673 | 17,487 | 10,395 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 7,696 | 10,984 | 22,297 | 9,580 | 41,060 | 17,388 | 23,673 | 9,497 |
| OTHER CURRENT INJURIES..... | 10,738 | 18,588 | 29,296 | 17,707 | 57,458 | 22,443 | 35,015 | 18,871 |
| SELECTED OTHER ACUTE CONDITIONS..... | 54,280 | 60,440 | 110,329 | 61,015 | 220,712 | 91,398 | 129,314 | 65,353 |
| EYE CONDITIONS..... | 795 | 810 | 2,637 | 940 | 4,324 | 1,785 | 2,539 | 859 |
| ACUTE EAR INFECTIONS..... | 6,749 | 13,120 | 18,470 | 14,830 | 40,908 | 12,625 | 28,283 | 12,261 |
| OTHER EAR CONDITIONS..... | 1,290 | 1,877 | 1,907 | 1,065 | 4,024 | 584 | 3,440 | 2,115 |
| ACUTE URINARY CONDITIONS..... | 3,626 | 4,564 | 11,649 | 5,197 | 18,275 | 5,313 | 12,961 | 6,763 |
| DISORDERS OF MENSTRUATION..... | 300 | 1,257 | 2,082 | 388 | 3,553 | 1,377 | 2,176 | 474 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT | 2,453 | 1,718 | 4,997 | 1,187 | 7,686 | 4,596 | 3,090 | 2,669 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 15,955 | 16,464 | 35,965 | 17,707 | 68,376 | 30,800 | 37,576 | 17,716 |
| SKIN CONDITIONS..... | 3,363 | 2,786 | 4,017 | 2,952 | 11,044 | 6,984 | 4,060 | 2,074 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 17,072 | 12,586 | 20,715 | 13,123 | 45,556 | 20,336 | 25,220 | 17,940 |
| HEADACHE, EXCLUDING MIGRAINE..... | 707 | 3,690 | 4,847 | 2,138 | 9,999 | 3,189 | 6,811 | 1,382 |
| FEVER, UNSPECIFIED..... | 1,969 | 1,566 | 3,044 | 1,488 | 6,967 | 3,809 | 3,157 | 1,100 |
| ALL OTHER ACUTE CONDITIONS..... | 23,334 | 32,856 | 49,501 | 23,223 | 98,484 | 36,245 | 62,238 | 30,430 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 26. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | 45 YEARS AND OVER | | |
|--|----------|---------------|------------|-------------|-------------|-------------------|-------------|-------------------|
| | | | | | | TOTAL | 45-64 YEARS | 65 YEARS AND OVER |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 344.1 | 447.7 | 409.7 | 321.7 | 300.3 | 332.2 | 279.2 | 415.7 |
| INFECTIVE AND PARASITIC DISEASES..... | 35.3 | 77.8 | 78.9 | 31.2 | 21.1 | 14.8 | 13.3 | *17.1 |
| COMMON CHILDHOOD DISEASES..... | 4.2 | *23.2 | *10.9 | *0.4 | *0.7 | *0.4 | --- | *1.1 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 5.5 | *6.9 | 13.0 | *3.3 | *4.0 | *2.8 | *3.5 | *1.7 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 9.2 | *24.9 | 16.1 | *8.2 | 6.9 | *3.9 | *3.3 | *4.7 |
| OTHER..... | 16.4 | *22.8 | 38.9 | *19.3 | 9.4 | 7.7 | *6.5 | *9.6 |
| RESPIRATORY CONDITIONS..... | 172.3 | 252.0 | 251.5 | 159.2 | 148.8 | 134.0 | 132.1 | 137.1 |
| COMMON COLD..... | 29.5 | 68.1 | 34.5 | 36.4 | 26.7 | 17.6 | 20.7 | *12.7 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 9.7 | *18.3 | 15.2 | *13.3 | 10.0 | *2.6 | *3.0 | *1.9 |
| INFLUENZA..... | 107.9 | 137.5 | 176.6 | 91.0 | 92.7 | 81.0 | 87.4 | 70.9 |
| ACUTE BRONCHITIS..... | 8.0 | *12.6 | *8.8 | *12.8 | 7.5 | *5.1 | *5.9 | *3.8 |
| PNEUMONIA..... | 12.6 | *10.4 | *9.0 | *4.0 | 8.5 | 22.4 | *9.7 | 42.4 |
| OTHER RESPIRATORY CONDITIONS..... | 4.7 | *5.1 | *7.3 | *1.7 | *3.4 | *5.4 | *5.3 | *5.5 |
| DIGESTIVE SYSTEM CONDITIONS..... | 13.0 | *3.5 | *10.9 | *6.1 | 9.1 | 23.0 | 18.2 | 30.6 |
| DENTAL CONDITIONS..... | *1.8 | *1.7 | *2.0 | *1.8 | *1.9 | *1.7 | *2.6 | *0.3 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2.9 | *0.6 | *4.3 | *2.2 | *1.5 | *4.2 | *2.0 | *7.7 |
| OTHER DIGESTIVE CONDITIONS..... | 8.3 | *1.2 | *4.6 | *2.1 | *5.7 | 17.1 | 13.6 | 22.5 |
| INJURIES..... | 51.0 | *19.9 | 21.3 | 45.2 | 57.1 | 72.2 | 60.2 | 91.1 |
| FRACTURES AND DISLOCATIONS..... | 13.8 | *3.0 | *5.1 | *8.9 | 12.4 | 24.7 | 16.7 | 37.5 |
| SPRAINS AND STRAINS..... | 10.9 | *1.0 | *4.0 | *12.0 | 19.9 | 7.7 | *10.8 | *3.0 |
| OPEN WOUNDS AND LACERATIONS..... | 5.2 | *6.4 | *4.1 | *5.6 | *5.6 | *4.9 | *6.4 | *2.6 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 6.4 | *1.8 | *2.3 | *8.8 | 7.2 | 8.4 | *6.9 | *10.7 |
| OTHER CURRENT INJURIES..... | 14.7 | *7.7 | *5.7 | *9.9 | 12.0 | 26.4 | 19.5 | 37.3 |
| SELECTED OTHER ACUTE CONDITIONS..... | 49.0 | 68.9 | 33.4 | 59.0 | 53.5 | 45.4 | 32.7 | 65.6 |
| EYE CONDITIONS..... | *0.4 | *0.8 | --- | --- | *0.5 | *0.7 | --- | *1.8 |
| ACUTE EAR INFECTIONS..... | 9.2 | 57.7 | 15.3 | *1.7 | *2.0 | *3.5 | *3.7 | *3.2 |
| OTHER EAR CONDITIONS..... | *1.3 | *2.5 | *1.6 | *0.2 | *0.4 | *2.2 | *0.5 | *4.8 |
| ACUTE URINARY CONDITIONS..... | 5.9 | --- | *1.6 | *4.5 | *2.0 | 14.6 | *6.7 | 27.0 |
| DISORDERS OF MENSTRUATION..... | *1.3 | --- | *0.9 | *4.7 | *1.8 | *0.3 | *0.5 | --- |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 2.2 | --- | *0.4 | *2.2 | *5.7 | *0.1 | *0.2 | --- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 12.9 | --- | *2.3 | 38.3 | 26.1 | --- | --- | --- |
| SKIN CONDITIONS..... | 2.5 | --- | *1.4 | --- | *2.9 | *4.3 | *4.9 | *3.2 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 8.6 | --- | *2.3 | *6.5 | 9.5 | 14.4 | 13.1 | *16.3 |
| HEADACHE, EXCLUDING MIGRAINE..... | 2.4 | *0.7 | *1.7 | *0.4 | *1.8 | *4.5 | *1.7 | *8.9 |
| FEVER, UNSPECIFIED..... | 2.2 | *7.2 | *6.0 | *0.5 | *0.8 | *0.8 | *1.1 | *0.3 |
| ALL OTHER ACUTE CONDITIONS..... | 23.4 | *25.6 | 13.6 | 20.9 | 10.7 | 42.8 | 22.8 | 74.3 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II. THE FREQUENCIES OF TABLE 31 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 27. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | | | FEMALE | | | | |
|---|----------|---------------|------------|-------------|-------------------|----------|---------------|------------|-------------|-------------------|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 294.5 | 439.7 | 382.2 | 219.8 | 305.7 | 390.7 | 456.2 | 438.5 | 387.9 | 354.2 |
| INFECTIVE AND PARASITIC DISEASES..... | 32.7 | 84.8 | 74.9 | 20.2 | *8.2 | 37.7 | 70.5 | 83.1 | 26.8 | 20.2 |
| COMMON CHILDHOOD DISEASES..... | *3.6 | *16.0 | *9.9 | *0.9 | -- | 4.8 | *30.8 | *12.0 | *0.4 | *0.8 |
| INTESTINAL VIRUS, UNSPECIFIED.. | 5.7 | *6.7 | *15.7 | *3.6 | *1.7 | 5.3 | *7.1 | *10.1 | *4.1 | *3.8 |
| VIRAL INFECTIONS, UNSPECIFIED.. | 9.8 | *42.2 | *17.0 | *5.3 | *2.5 | 8.6 | *6.8 | *15.2 | *9.1 | *4.9 |
| OTHER..... | 13.6 | *19.9 | 32.3 | 10.4 | *4.0 | 19.1 | *26.0 | 45.7 | 13.2 | *10.8 |
| RESPIRATORY CONDITIONS..... | 152.4 | 254.7 | 229.7 | 115.9 | 125.9 | 191.1 | 249.2 | 274.3 | 185.4 | 140.8 |
| COMMON COLD..... | 27.1 | 75.8 | 31.0 | 25.7 | *12.8 | 31.8 | 60.0 | 38.2 | 32.3 | 21.6 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 7.2 | *26.9 | *11.9 | *5.6 | *0.9 | 11.9 | *9.2 | *18.7 | 15.8 | *4.0 |
| INFLUENZA..... | 96.2 | 123.2 | 170.9 | 71.4 | 75.2 | 118.9 | 152.5 | 182.6 | 112.4 | 85.8 |
| ACUTE BRONCHITIS..... | 6.2 | *9.8 | *8.3 | *5.5 | *4.7 | 9.6 | *15.6 | *9.3 | 12.0 | *5.4 |
| PNEUMONIA..... | 11.9 | *12.1 | *2.6 | *5.5 | 27.7 | 13.2 | *8.6 | *15.6 | *9.2 | 18.0 |
| OTHER RESPIRATORY CONDITIONS.... | *3.8 | *6.7 | *5.0 | *2.1 | *4.6 | 5.6 | *3.4 | *9.8 | *3.8 | *6.0 |
| DIGESTIVE SYSTEM CONDITIONS.... | 13.8 | *4.0 | *12.9 | *5.9 | 29.0 | 12.2 | *2.9 | *8.9 | 10.7 | 18.0 |
| DENTAL CONDITIONS..... | *1.3 | *1.7 | *2.0 | *1.8 | -- | *2.3 | *1.7 | *2.1 | *1.9 | *3.1 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *2.0 | -- | *4.0 | *1.2 | *2.5 | *3.7 | *1.2 | *4.5 | *2.1 | *5.7 |
| OTHER DIGESTIVE CONDITIONS.... | 10.5 | *2.3 | *6.9 | *2.9 | 26.5 | 6.2 | -- | *2.3 | *6.7 | *9.2 |
| INJURIES..... | 49.3 | *15.8 | *22.7 | 58.8 | 62.4 | 52.7 | *24.2 | *19.8 | 49.9 | 80.3 |
| FRACTURES AND DISLOCATIONS.... | 13.3 | -- | *8.6 | 13.7 | 19.6 | 14.2 | *6.2 | *1.5 | *9.4 | 29.0 |
| SPRAINS AND STRAINS..... | 12.5 | *1.4 | *3.5 | 19.6 | *11.2 | 9.4 | *0.5 | *4.5 | 16.4 | *4.8 |
| OPEN WOUNDS AND LACERATIONS.... | 6.0 | *3.5 | *4.3 | *8.2 | *4.5 | 4.4 | *9.4 | *4.0 | *3.1 | *5.2 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 5.5 | *1.1 | *1.8 | *7.1 | *6.7 | 7.3 | *2.5 | *2.9 | *8.1 | *9.8 |
| OTHER CURRENT INJURIES..... | 12.0 | *9.8 | *4.5 | *10.1 | 20.4 | 17.4 | *5.5 | *6.9 | 12.9 | 31.4 |
| SELECTED OTHER ACUTE CONDITIONS..... | 26.2 | 72.0 | 29.7 | *10.1 | 35.0 | 70.5 | 65.7 | 37.3 | 97.9 | 54.2 |
| EYE CONDITIONS..... | *0.9 | *1.5 | -- | *0.7 | *1.5 | -- | -- | -- | -- | -- |
| ACUTE EAR INFECTIONS..... | 8.8 | 55.8 | *19.4 | *0.7 | *0.4 | 9.6 | 59.6 | *11.0 | *3.1 | *6.1 |
| OTHER EAR CONDITIONS..... | *2.2 | *5.0 | *1.7 | *0.6 | *4.1 | *0.5 | -- | *1.4 | *0.1 | *0.6 |
| ACUTE URINARY CONDITIONS.... | *4.2 | -- | *1.3 | *0.9 | *12.4 | 7.6 | -- | *2.0 | *4.3 | 16.5 |
| DISORDERS OF MENSTRUATION.... | --- | --- | --- | --- | --- | *2.6 | --- | *1.8 | *5.0 | *0.6 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | --- | --- | --- | --- | --- | 4.3 | -- | *0.7 | *9.5 | *0.3 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM.... | --- | --- | --- | --- | --- | 24.9 | --- | *4.6 | 57.0 | -- |
| SKIN CONDITIONS..... | *1.1 | -- | *0.8 | *1.3 | *1.2 | *3.9 | -- | *2.0 | *3.0 | *6.8 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *4.4 | -- | *0.2 | *4.4 | *8.4 | 12.6 | -- | *4.6 | 13.0 | 19.3 |
| HEADACHE, EXCLUDING MIGRAINE.... | *2.7 | *1.4 | *2.0 | *0.9 | *6.2 | *2.1 | -- | *1.3 | *2.0 | *3.1 |
| FEVER, UNSPECIFIED..... | *2.0 | *8.3 | *4.2 | *0.6 | *0.8 | *2.5 | *6.1 | *7.9 | *0.9 | *0.8 |
| ALL OTHER ACUTE CONDITIONS.... | 20.1 | *8.4 | *12.4 | *9.0 | 45.2 | 26.5 | *43.6 | *15.0 | 17.3 | 40.7 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 32 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 28. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY RACE, AGE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|--|----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 339.1 | 438.9 | 295.0 | 319.6 | 377.1 | 342.6 | 374.5 | 429.9 |
| INFECTIVE AND PARASITIC DISEASES..... | 35.6 | 82.4 | 23.5 | 15.1 | 32.1 | 58.5 | *22.2 | *12.9 |
| COMMON CHILDHOOD DISEASES..... | 3.2 | 11.7 | *0.4 | *0.5 | *8.2 | *24.7 | -- | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 5.7 | 12.4 | *4.4 | *2.3 | *5.1 | *7.8 | *1.2 | *8.3 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 9.3 | 19.6 | 7.3 | *3.8 | *9.8 | *15.2 | *8.6 | *4.6 |
| OTHER..... | 17.3 | 38.7 | 11.4 | 8.5 | *8.9 | *10.8 | *12.4 | -- |
| RESPIRATORY CONDITIONS..... | 174.0 | 267.5 | 152.5 | 129.8 | 164.2 | 199.0 | 137.8 | 162.9 |
| COMMON COLD..... | 28.1 | 41.7 | 29.1 | 16.5 | 38.1 | 57.2 | *30.8 | *24.8 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 9.9 | 17.8 | 10.6 | *2.8 | *10.4 | *10.6 | *15.3 | *1.6 |
| INFLUENZA..... | 109.9 | 178.4 | 93.9 | 77.7 | 96.9 | 120.2 | 74.8 | 103.8 |
| ACUTE BRONCHITIS..... | 8.6 | 11.2 | 9.5 | *5.4 | *3.3 | *2.4 | *5.1 | *1.5 |
| PNEUMONIA..... | 12.5 | *10.0 | 7.1 | 23.4 | *15.0 | *8.6 | *11.3 | *30.7 |
| OTHER RESPIRATORY CONDITIONS..... | 5.0 | *8.3 | *2.2 | *6.0 | *0.4 | -- | *0.6 | *0.6 |
| DIGESTIVE SYSTEM CONDITIONS..... | 11.7 | *8.1 | 7.5 | 20.2 | *17.1 | *12.6 | *14.7 | *27.7 |
| DENTAL CONDITIONS..... | *1.6 | *1.0 | *1.8 | *1.9 | *3.2 | *5.7 | *3.1 | -- |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2.9 | *3.6 | *1.8 | *3.9 | *3.0 | *1.4 | *1.5 | *8.0 |
| OTHER DIGESTIVE CONDITIONS..... | 7.2 | *3.4 | *4.0 | 14.3 | *10.9 | *5.5 | *10.2 | *19.7 |
| INJURIES..... | 47.9 | 21.5 | 48.9 | 67.2 | 74.7 | *22.8 | 89.6 | 120.3 |
| FRACTURES AND DISLOCATIONS..... | 13.2 | *3.8 | 10.2 | 24.5 | 19.0 | *9.3 | *18.6 | *33.1 |
| SPRAINS AND STRAINS..... | 10.6 | *3.1 | 17.2 | *7.7 | *15.6 | *4.0 | *27.6 | *10.1 |
| OPEN WOUNDS AND LACERATIONS..... | 4.6 | *4.9 | *4.3 | *6.9 | *9.5 | *5.4 | *14.6 | *5.9 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 5.2 | *2.0 | *5.3 | *7.4 | *12.7 | *3.5 | *16.1 | *19.5 |
| OTHER CURRENT INJURIES..... | 14.3 | *7.7 | 11.9 | 22.6 | 17.9 | *0.6 | *12.5 | *51.7 |
| SELECTED OTHER ACUTE CONDITIONS..... | 46.9 | 43.2 | 49.7 | 46.0 | 60.8 | *28.6 | 91.2 | *51.5 |
| EYE CONDITIONS..... | *0.4 | *0.1 | *0.4 | *0.8 | -- | -- | -- | -- |
| ACUTE EAR INFECTIONS..... | 9.1 | 27.8 | *2.3 | *3.5 | *7.2 | *18.0 | -- | *4.9 |
| OTHER EAR CONDITIONS..... | *1.4 | *2.1 | *0.4 | *2.1 | *0.8 | -- | -- | *3.5 |
| ACUTE URINARY CONDITIONS..... | 6.5 | *0.6 | *3.0 | 15.6 | *3.3 | *1.9 | *0.9 | *9.5 |
| DISORDERS OF MENSTRUATION..... | *1.0 | *0.4 | *2.1 | *0.0 | *4.0 | *2.0 | *6.1 | *3.1 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *1.9 | *0.1 | *4.2 | *0.2 | *3.5 | *1.1 | *7.2 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 10.6 | *1.3 | 24.2 | -- | 25.9 | *0.6 | 60.2 | -- |
| SKIN CONDITIONS..... | *2.0 | *1.2 | *1.6 | *3.3 | *6.4 | -- | *6.9 | *14.2 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 9.3 | *1.7 | 9.8 | 14.7 | *5.4 | *1.1 | *3.9 | *14.2 |
| HEADACHE, EXCLUDING MIGRAINE..... | *2.3 | *1.3 | *0.9 | *6.9 | *2.8 | -- | *8.4 | *2.1 |
| FEVER, UNSPECIFIED..... | *2.3 | *6.7 | *0.8 | *0.9 | *1.5 | *3.8 | *0.6 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 22.9 | 16.2 | 12.9 | 41.4 | 28.2 | *21.1 | *19.0 | *54.5 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 33 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 29. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 494.2 | 465.7 | 493.3 | 518.8 | 378.2 | 378.6 | 392.8 | 361.6 |
| INFECTIVE AND PARASITIC DISEASES..... | 36.1 | *56.9 | *27.1 | *28.8 | 35.7 | 78.5 | *26.9 | *14.1 |
| COMMON CHILDHOOD DISEASES..... | *7.6 | *26.6 | -- | -- | *4.4 | *17.1 | -- | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | *6.1 | *11.5 | *4.0 | *4.0 | *4.6 | *9.4 | *2.8 | *3.0 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *5.4 | *5.8 | *8.6 | *1.7 | *9.5 | *20.4 | *8.9 | *2.2 |
| OTHER..... | *17.0 | *12.9 | *14.5 | *23.1 | 17.2 | *31.6 | *15.1 | *8.8 |
| RESPIRATORY CONDITIONS..... | 240.8 | 312.9 | 220.9 | 202.5 | 166.5 | 209.5 | 171.7 | 129.3 |
| COMMON COLD..... | 52.1 | 82.9 | *47.3 | *31.7 | 33.9 | *42.0 | 41.5 | *19.6 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | *7.9 | *14.5 | *7.9 | *2.4 | *5.8 | *10.3 | *6.3 | *2.0 |
| INFLUENZA..... | 150.8 | 187.7 | 128.8 | 144.1 | 100.9 | 141.0 | 104.6 | 67.3 |
| ACUTE BRONCHITIS..... | *8.3 | -- | *19.3 | *3.1 | *7.9 | *15.4 | *8.6 | *1.5 |
| PNEUMONIA..... | *16.0 | *25.8 | *4.1 | *20.7 | 14.6 | *0.4 | *10.7 | *29.4 |
| OTHER RESPIRATORY CONDITIONS..... | *5.8 | *2.0 | *13.5 | *0.5 | *3.5 | *0.5 | -- | *9.5 |
| DIGESTIVE SYSTEM CONDITIONS..... | 20.5 | *9.4 | *19.8 | *30.4 | 26.5 | *9.9 | *16.6 | 49.5 |
| DENTAL CONDITIONS..... | *2.0 | *1.6 | *3.2 | *1.0 | *4.6 | *5.0 | *2.2 | *6.9 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *7.0 | *5.2 | *1.2 | *14.8 | *3.2 | *2.0 | *2.4 | *4.8 |
| OTHER DIGESTIVE CONDITIONS..... | *11.5 | *2.6 | *15.3 | *14.6 | 18.7 | *2.9 | *12.0 | 37.7 |
| INJURIES..... | 77.4 | *31.6 | 89.4 | 102.2 | 49.8 | *7.3 | 68.1 | 61.0 |
| FRACTURES AND DISLOCATIONS..... | 25.1 | *14.8 | *16.4 | *43.1 | 14.8 | *2.2 | *13.6 | *25.4 |
| SPRAINS AND STRAINS..... | *13.7 | *6.8 | *27.4 | *4.6 | *8.5 | *0.8 | *20.4 | *0.9 |
| OPEN WOUNDS AND LACERATIONS..... | *9.8 | -- | *6.4 | *21.6 | *7.4 | *2.1 | *14.6 | *3.2 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | *10.8 | *4.7 | *12.8 | *13.6 | *5.1 | *0.5 | *5.7 | *7.7 |
| OTHER CURRENT INJURIES..... | *18.0 | *5.3 | *26.5 | *19.4 | 14.1 | *1.8 | *13.7 | *23.7 |
| SELECTED OTHER ACUTE CONDITIONS..... | 83.4 | *48.8 | 119.5 | 73.0 | 73.0 | 54.1 | 87.2 | 71.3 |
| EYE CONDITIONS..... | *1.8 | *1.4 | *3.7 | -- | *1.3 | -- | -- | *3.6 |
| ACUTE EAR INFECTIONS..... | *8.8 | *18.7 | *5.1 | *4.5 | *7.3 | *28.0 | -- | -- |
| OTHER EAR CONDITIONS..... | *1.5 | *3.8 | *1.2 | -- | *1.2 | *2.8 | *1.3 | -- |
| ACUTE URINARY CONDITIONS..... | 23.1 | *1.5 | *10.3 | *55.1 | 16.7 | *5.2 | *5.8 | 37.2 |
| DISORDERS OF MENSTRUATION..... | *3.0 | *1.2 | *5.3 | *1.9 | *2.5 | *1.0 | *5.8 | -- |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *4.4 | *1.5 | *10.6 | -- | *2.7 | -- | *7.0 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 25.3 | -- | 67.8 | -- | 20.7 | *9.6 | 46.9 | -- |
| SKIN CONDITIONS..... | *5.6 | *2.0 | *2.9 | *11.5 | *5.8 | *1.6 | *6.5 | *8.1 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *5.6 | *4.6 | *11.5 | -- | *9.6 | *1.1 | *10.4 | *14.9 |
| HEADACHE, EXCLUDING MIGRAINE..... | *0.4 | *1.4 | -- | -- | *3.3 | *0.8 | *3.1 | *5.3 |
| FEVER, UNSPECIFIED..... | *4.0 | *12.6 | *1.1 | -- | *2.0 | *3.9 | *0.4 | *2.3 |
| ALL OTHER ACUTE CONDITIONS..... | 36.0 | *6.2 | *16.6 | 82.0 | 26.6 | *19.3 | *22.4 | 36.6 |

SEE NOTES AT END OF TABLE.

TABLE 29. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 341.0 | 457.7 | 287.0 | 311.5 | 266.7 | 386.7 | 236.8 | 198.3 |
| INFECTIVE AND PARASITIC DISEASES..... | 39.0 | 88.3 | 27.4 | *7.3 | 30.7 | 72.2 | 20.6 | *6.6 |
| COMMON CHILDHOOD DISEASES..... | *2.4 | *7.8 | *0.4 | -- | *4.7 | *15.1 | *1.5 | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | *6.5 | *13.0 | *4.6 | *3.1 | *6.2 | *11.4 | *5.0 | *3.0 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *7.9 | *19.3 | *4.4 | *2.0 | 9.3 | *19.8 | *7.1 | *2.6 |
| OTHER..... | 22.2 | 48.1 | *18.0 | *2.2 | 10.5 | 25.9 | *7.0 | *1.1 |
| RESPIRATORY CONDITIONS..... | 182.7 | 274.7 | 140.9 | 158.1 | 150.4 | 232.6 | 133.0 | 98.2 |
| COMMON COLD..... | 26.9 | 48.0 | *18.7 | *18.9 | 26.0 | 30.8 | 30.2 | *13.7 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 11.6 | *18.9 | *12.2 | *2.9 | 11.0 | *20.0 | *9.9 | *3.9 |
| INFLUENZA..... | 118.1 | 185.3 | 97.0 | 84.1 | 91.5 | 149.9 | 73.1 | 64.8 |
| ACUTE BRONCHITIS..... | *5.4 | *5.7 | *5.1 | *5.6 | 10.2 | *10.9 | *11.0 | *8.0 |
| PNEUMONIA..... | 15.1 | *6.0 | *6.3 | 39.6 | 7.6 | *14.5 | *6.2 | *3.1 |
| OTHER RESPIRATORY CONDITIONS..... | *5.6 | *10.9 | *1.6 | *6.9 | *4.2 | *6.5 | *2.6 | *4.8 |
| DIGESTIVE SYSTEM CONDITIONS..... | 13.4 | *14.1 | *6.9 | *23.8 | *3.5 | *4.1 | *3.5 | *3.2 |
| DENTAL CONDITIONS..... | *1.7 | *2.8 | *1.9 | -- | *0.4 | -- | *0.6 | *0.5 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *2.3 | *4.4 | *1.8 | *1.0 | *1.5 | *2.5 | *1.5 | *0.6 |
| OTHER DIGESTIVE CONDITIONS..... | 9.4 | *7.0 | *3.1 | *22.8 | *1.7 | *1.5 | *1.4 | *2.2 |
| INJURIES..... | 54.7 | *19.8 | 61.8 | 79.2 | 31.4 | *18.5 | 28.8 | 48.8 |
| FRACTURES AND DISLOCATIONS..... | 12.3 | *3.7 | *13.4 | *19.6 | 9.3 | *3.1 | *8.9 | *16.3 |
| SPRAINS AND STRAINS..... | 15.1 | *1.2 | 23.4 | *15.2 | 8.3 | *3.6 | *9.9 | *10.3 |
| OPEN WOUNDS AND LACERATIONS..... | *6.5 | *9.5 | *7.0 | *2.5 | *1.0 | *1.5 | *1.1 | *0.5 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | *6.9 | *1.6 | *7.9 | *10.6 | *2.9 | *2.4 | *3.9 | *1.9 |
| OTHER CURRENT INJURIES..... | 14.0 | *3.8 | *10.1 | *31.3 | 9.8 | *8.0 | *5.0 | *19.8 |
| SELECTED OTHER ACUTE CONDITIONS..... | 39.1 | 43.7 | 40.9 | *31.4 | 30.5 | 35.0 | 39.2 | *10.6 |
| EYE CONDITIONS..... | *0.1 | *0.3 | -- | -- | -- | -- | -- | -- |
| ACUTE EAR INFECTIONS..... | 10.4 | *29.6 | *2.0 | *4.8 | 8.5 | 25.0 | *2.1 | *3.1 |
| OTHER EAR CONDITIONS..... | *1.3 | *3.2 | -- | *1.7 | *0.2 | *0.5 | *0.1 | -- |
| ACUTE URINARY CONDITIONS..... | *2.1 | *0.5 | *2.1 | *3.9 | *0.3 | -- | *0.4 | *0.5 |
| DISORDERS OF MENSTRUATION..... | *0.2 | *0.4 | -- | *0.4 | *0.2 | *0.4 | *0.2 | *0.1 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *2.5 | *0.3 | *4.9 | *0.7 | *1.0 | -- | *2.1 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 9.9 | -- | 21.7 | -- | 11.4 | -- | 24.5 | -- |
| SKIN CONDITIONS..... | *1.0 | *0.2 | *0.6 | *2.5 | *0.4 | *0.4 | -- | *0.9 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *6.6 | *0.6 | *6.0 | *14.0 | *5.9 | *1.6 | *8.6 | *5.6 |
| HEADACHE, EXCLUDING MIGRAINE..... | *2.6 | *2.8 | *2.4 | *2.9 | *0.7 | *1.2 | *0.6 | *0.5 |
| FEVER, UNSPECIFIED..... | *2.3 | *5.8 | *1.1 | *0.7 | *1.8 | *5.9 | *0.6 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 12.0 | *17.1 | *9.1 | *11.7 | 20.2 | *24.2 | *11.7 | 30.8 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 34 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 30. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 PERSONS PER YEAR, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|-------|-------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 278.9 | 282.7 | 387.9 | 405.7 | 342.3 | 361.7 | 329.8 | 350.4 |
| INFECTIVE AND PARASITIC DISEASES..... | 29.5 | 25.9 | 44.9 | 36.2 | 34.7 | 33.1 | 35.7 | 37.6 |
| COMMON CHILDHOOD DISEASES..... | *2.6 | *2.1 | *4.9 | *7.1 | 4.7 | *5.3 | *4.4 | *2.4 |
| INTESTINAL VIRUS, UNSPECIFIED..... | *7.5 | *1.7 | 9.7 | *1.0 | 5.4 | *5.3 | 5.5 | *5.6 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *8.1 | *6.9 | 13.1 | *6.7 | 9.1 | 8.9 | 9.2 | *9.5 |
| OTHER..... | 11.3 | 15.2 | 17.2 | 21.4 | 15.4 | 13.6 | 16.5 | 20.1 |
| RESPIRATORY CONDITIONS..... | 138.2 | 139.4 | 173.9 | 239.8 | 174.5 | 180.5 | 170.6 | 164.7 |
| COMMON COLO..... | 34.2 | 20.0 | 24.5 | 44.2 | 30.1 | 36.1 | 26.3 | 27.5 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | *8.1 | 9.0 | 11.9 | *8.3 | 10.1 | 7.9 | 11.6 | *7.9 |
| INFLUENZA..... | 73.3 | 86.6 | 108.2 | 164.7 | 106.4 | 113.5 | 101.9 | 113.2 |
| ACUTE BRONCHITIS..... | *6.0 | *5.6 | 8.3 | *10.1 | 8.9 | *5.7 | 11.0 | *4.6 |
| PNEUMONIA..... | *7.9 | 13.3 | 15.7 | 11.2 | 13.8 | 11.6 | 15.3 | *8.0 |
| OTHER RESPIRATORY CONDITIONS..... | *6.8 | *5.0 | *5.3 | *1.3 | 5.1 | *5.7 | 4.6 | *3.4 |
| DIGESTIVE SYSTEM CONDITIONS..... | *5.4 | 11.6 | 16.2 | 16.5 | 12.1 | 12.2 | 12.0 | 16.3 |
| DENTAL CONDITIONS..... | *0.6 | *2.5 | *1.9 | *2.0 | *1.7 | *2.0 | *1.5 | *2.3 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *1.2 | *1.2 | *6.2 | *4.3 | *2.6 | *1.9 | *3.1 | *3.6 |
| OTHER DIGESTIVE CONDITIONS..... | *3.6 | *7.9 | 10.1 | 10.3 | 7.7 | 8.4 | 7.3 | 10.3 |
| INJURIES..... | 42.6 | 41.6 | 67.4 | 43.5 | 50.3 | 62.5 | 42.4 | 53.7 |
| FRACTURES AND DISLOCATIONS..... | 12.3 | 10.8 | 18.0 | 11.8 | 13.1 | 20.7 | 8.1 | 16.2 |
| SPRAINS AND STRAINS..... | *8.1 | 12.4 | 16.4 | *6.2 | 11.2 | 13.6 | 9.6 | 9.9 |
| OPEN WOUNDS AND LACERATIONS..... | *5.1 | *2.7 | 7.3 | *4.7 | 4.1 | *5.3 | *3.4 | *8.9 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | *6.5 | *5.4 | 9.0 | *3.4 | 6.8 | *6.3 | 7.1 | *5.0 |
| OTHER CURRENT INJURIES..... | *10.7 | 10.3 | 18.7 | 17.4 | 15.0 | 16.6 | 14.0 | 13.7 |
| SELECTED OTHER ACUTE CONDITIONS..... | 41.8 | 36.8 | 59.8 | 52.7 | 48.0 | 51.3 | 45.9 | 52.7 |
| EYE CONDITIONS..... | -- | -- | *1.1 | *0.2 | *0.3 | *0.2 | *0.4 | *0.7 |
| ACUTE EAR INFECTIONS..... | *6.5 | *6.8 | 8.4 | 15.7 | 9.1 | 9.5 | 8.9 | *9.4 |
| OTHER EAR CONDITIONS..... | *1.0 | *2.8 | *0.9 | *0.7 | *1.2 | *0.2 | *1.9 | *1.7 |
| ACUTE URINARY CONDITIONS..... | *4.5 | *3.2 | 8.7 | *6.1 | 5.5 | *4.6 | 6.1 | *7.4 |
| DISORDERS OF MENSTRUATION..... | *0.4 | *1.8 | *2.2 | *0.3 | *1.7 | *1.7 | *1.7 | *0.2 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *1.5 | *1.6 | *3.0 | *2.2 | *2.4 | *3.1 | *2.0 | *1.5 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *8.4 | 9.0 | 17.6 | 13.8 | 12.5 | 13.9 | 11.6 | 14.1 |
| SKIN CONDITIONS..... | *4.3 | *1.7 | *2.2 | *2.3 | *2.7 | *5.0 | *1.2 | *1.7 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *10.3 | *4.8 | 11.3 | *7.1 | 7.2 | 8.3 | 6.5 | 13.8 |
| HEADACHE, EXCLUDING MIGRAINE..... | *1.1 | *3.4 | *2.6 | *1.9 | 2.9 | *1.8 | *3.7 | *0.4 |
| FEVER, UNSPECIFIED..... | *3.7 | *1.7 | *1.7 | *2.3 | *2.4 | *3.0 | *1.9 | *1.8 |
| ALL OTHER ACUTE CONDITIONS..... | 21.3 | 27.4 | 25.8 | 16.9 | 22.8 | 22.0 | 23.3 | 25.5 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 35 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 31. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-24 YEARS | 25-44 YEARS | 45 YEARS AND OVER | | |
|---|----------|---------------|------------|-------------|-------------|-------------------|-------------|-------------------|
| | | | | | | TOTAL | 45-64 YEARS | 65 YEARS AND OVER |
| NUMBER OF BED DAYS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 837,957 | 84,033 | 185,319 | 81,718 | 236,655 | 250,231 | 128,766 | 121,466 |
| INFECTIVE AND PARASITIC DISEASES..... | 85,963 | 14,605 | 35,699 | 7,933 | 16,599 | 11,128 | 6,146 | 4,982 |
| COMMON CHILDHOOD DISEASES..... | 10,277 | 4,354 | 4,937 | 105 | 567 | 314 | - | 314 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 13,309 | 1,288 | 5,877 | 849 | 3,159 | 2,136 | 1,626 | 510 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 22,387 | 4,677 | 7,296 | 2,081 | 5,429 | 2,904 | 1,539 | 1,365 |
| OTHER..... | 39,991 | 4,287 | 17,589 | 4,898 | 7,443 | 5,774 | 2,981 | 2,793 |
| RESPIRATORY CONDITIONS..... | 419,716 | 47,302 | 113,757 | 40,449 | 117,244 | 100,964 | 60,896 | 40,068 |
| COMMON COLD..... | 71,938 | 12,779 | 15,618 | 9,249 | 21,034 | 13,258 | 9,534 | 3,725 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 23,503 | 3,430 | 6,866 | 3,378 | 7,877 | 1,952 | 1,406 | 546 |
| INFLUENZA..... | 262,880 | 25,810 | 79,903 | 23,114 | 73,044 | 61,009 | 40,301 | 20,707 |
| ACUTE BRONCHITIS..... | 19,370 | 2,371 | 3,990 | 3,262 | 5,913 | 3,834 | 2,732 | 1,102 |
| PNEUMONIA..... | 30,587 | 1,952 | 4,068 | 1,024 | 6,663 | 16,879 | 4,495 | 12,384 |
| OTHER RESPIRATORY CONDITIONS..... | 11,438 | 960 | 3,312 | 423 | 2,712 | 4,031 | 2,428 | 1,603 |
| DIGESTIVE SYSTEM CONDITIONS..... | 31,634 | 653 | 4,948 | 1,549 | 7,169 | 17,314 | 8,387 | 8,927 |
| DENTAL CONDITIONS..... | 4,448 | 319 | 923 | 453 | 1,469 | 1,284 | 1,186 | 98 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 6,957 | 112 | 1,925 | 553 | 1,182 | 3,185 | 940 | 2,245 |
| OTHER DIGESTIVE CONDITIONS..... | 20,229 | 222 | 2,101 | 543 | 4,517 | 12,845 | 6,260 | 6,585 |
| INJURIES..... | 124,268 | 3,737 | 9,628 | 11,493 | 45,031 | 54,380 | 27,769 | 26,611 |
| FRACTURES AND DISLOCATIONS..... | 33,551 | 570 | 2,329 | 2,268 | 9,740 | 18,644 | 7,684 | 10,960 |
| SPRAINS AND STRAINS..... | 26,541 | 181 | 1,800 | 3,054 | 15,680 | 5,826 | 4,962 | 865 |
| OPEN WOUNDS AND LACERATIONS..... | 12,620 | 1,195 | 1,877 | 1,417 | 4,445 | 3,687 | 2,938 | 749 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 15,637 | 340 | 1,045 | 2,240 | 5,682 | 6,329 | 3,194 | 3,135 |
| OTHER CURRENT INJURIES..... | 35,919 | 1,451 | 2,576 | 2,515 | 9,484 | 19,894 | 8,991 | 10,903 |
| SELECTED OTHER ACUTE CONDITIONS..... | 119,438 | 12,934 | 15,113 | 14,991 | 42,161 | 34,238 | 15,061 | 19,176 |
| EYE CONDITIONS..... | 1,021 | 146 | - | - | 359 | 516 | - | 516 |
| ACUTE EAR INFECTIONS..... | 22,417 | 10,820 | 6,922 | 441 | 1,570 | 2,663 | 1,714 | 949 |
| OTHER EAR CONDITIONS..... | 3,212 | 476 | 708 | 53 | 325 | 1,650 | 250 | 1,400 |
| ACUTE URINARY CONDITIONS..... | 14,488 | - | 740 | 1,144 | 1,597 | 11,007 | 3,105 | 7,902 |
| DISORDERS OF MENSTRUATION..... | 3,284 | --- | 395 | 1,192 | 1,449 | 249 | 249 | - |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 5,343 | - | 159 | 557 | 4,915 | 112 | 112 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 31,305 | --- | 1,025 | 9,724 | 20,556 | - | - | --- |
| SKIN CONDITIONS..... | 6,083 | - | 626 | - | 2,251 | 3,206 | 2,272 | 935 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 21,035 | - | 1,059 | 1,648 | 7,500 | 10,828 | 6,056 | 4,772 |
| HEADACHE, EXCLUDING MIGRAINE..... | 5,785 | 138 | 759 | 113 | 1,383 | 3,393 | 792 | 2,601 |
| FEVER, UNSPECIFIED..... | 5,463 | 1,354 | 2,719 | 121 | 656 | 612 | 512 | 100 |
| ALL OTHER ACUTE CONDITIONS..... | 56,938 | 4,801 | 6,174 | 5,303 | 8,452 | 32,208 | 10,506 | 21,702 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 32. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| TYPE OF ACUTE CONDITION | MALE | | | | | FEMALE | | | | |
|--|----------|---------------|------------|-------------|-------------------|----------|---------------|------------|-------------|-------------------|
| | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 5 YEARS | 5-17 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS IN THOUSANDS | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 347,497 | 42,234 | 88,460 | 112,199 | 104,605 | 490,459 | 41,799 | 96,859 | 206,174 | 145,627 |
| INFECTIVE AND PARASITIC DISEASES..... | 38,596 | 8,142 | 17,335 | 10,309 | 2,810 | 47,367 | 6,463 | 18,364 | 14,222 | 8,318 |
| COMMON CHILDHOOD DISEASES..... | 4,276 | 1,534 | 2,283 | 460 | - | 6,000 | 2,820 | 2,654 | 212 | 314 |
| INTESTINAL VIRUS, UNSPECIFIED.. | 6,693 | 641 | 3,637 | 1,826 | 589 | 6,616 | 647 | 2,240 | 2,182 | 1,547 |
| VIRAL INFECTIONS, UNSPECIFIED.. | 11,555 | 4,058 | 3,930 | 2,698 | 869 | 10,832 | 619 | 3,366 | 4,813 | 2,035 |
| OTHER..... | 16,072 | 1,909 | 7,485 | 5,326 | 1,352 | 23,919 | 2,378 | 10,104 | 7,015 | 4,422 |
| RESPIRATORY CONDITIONS..... | 179,858 | 24,465 | 53,165 | 59,145 | 43,083 | 239,858 | 22,836 | 60,593 | 98,548 | 57,881 |
| COMMON COLD..... | 31,961 | 7,286 | 7,171 | 13,121 | 4,384 | 39,977 | 5,494 | 8,446 | 17,162 | 8,875 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8,538 | 2,588 | 2,745 | 2,880 | 324 | 14,965 | 842 | 4,121 | 8,374 | 1,628 |
| INFLUENZA..... | 113,573 | 11,837 | 39,562 | 36,438 | 25,736 | 149,307 | 13,973 | 40,341 | 59,720 | 35,273 |
| ACUTE BRONCHITIS..... | 7,305 | 945 | 1,927 | 2,818 | 1,615 | 12,066 | 1,426 | 2,063 | 6,357 | 2,219 |
| PNEUMONIA..... | 14,034 | 1,163 | 613 | 2,791 | 9,466 | 16,553 | 789 | 3,455 | 4,896 | 7,613 |
| OTHER RESPIRATORY CONDITIONS... | 4,447 | 647 | 1,146 | 1,096 | 1,958 | 8,990 | 313 | 2,165 | 2,038 | 2,474 |
| DIGESTIVE SYSTEM CONDITIONS.... | 16,295 | 385 | 2,975 | 3,010 | 9,922 | 15,340 | 266 | 1,974 | 5,708 | 7,392 |
| DENTAL CONDITIONS..... | 1,519 | 166 | 456 | 897 | - | 2,929 | 153 | 466 | 1,025 | 1,284 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2,370 | - | 920 | 608 | 842 | 4,587 | 112 | 1,004 | 1,127 | 2,343 |
| OTHER DIGESTIVE CONDITIONS.... | 12,406 | 222 | 1,598 | 1,505 | 9,080 | 7,823 | - | 503 | 3,555 | 3,765 |
| INJURIES..... | 58,142 | 1,519 | 5,256 | 30,013 | 21,355 | 66,125 | 2,218 | 4,371 | 26,511 | 33,025 |
| FRACTURES AND DISLOCATIONS.... | 15,734 | - | 1,995 | 7,018 | 6,720 | 17,817 | 570 | 334 | 4,929 | 11,924 |
| SPRAINS AND STRAINS..... | 14,794 | 132 | 809 | 10,018 | 3,835 | 11,747 | 49 | 991 | 8,716 | 1,991 |
| OPEN WOUNDS AND LACERATIONS.... | 7,062 | 334 | 996 | 4,193 | 1,539 | 5,558 | 861 | 881 | 1,668 | 2,147 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 6,439 | 110 | 407 | 3,643 | 2,279 | 9,198 | 230 | 638 | 4,280 | 4,050 |
| OTHER CURRENT INJURIES..... | 14,113 | 943 | 1,049 | 5,140 | 6,981 | 21,806 | 508 | 1,527 | 6,858 | 12,913 |
| SELECTED OTHER ACUTE CONDITIONS..... | 30,882 | 6,916 | 6,863 | 5,138 | 11,965 | 88,556 | 6,019 | 8,250 | 52,014 | 22,273 |
| EYE CONDITIONS..... | 1,021 | 146 | - | 359 | 516 | - | - | - | - | - |
| ACUTE EAR INFECTIONS..... | 10,338 | 5,357 | 4,490 | 347 | 144 | 12,079 | 5,463 | 2,433 | 1,664 | 2,519 |
| OTHER EAR CONDITIONS..... | 2,609 | 476 | 403 | 330 | 1,400 | 603 | - | 305 | 48 | 250 |
| ACUTE URINARY CONDITIONS.... | 4,985 | - | 295 | 460 | 4,230 | 9,503 | - | 446 | 2,281 | 6,777 |
| DISORDERS OF MENSTRUATION..... | *** | *** | *** | *** | *** | 3,284 | *** | 395 | 2,640 | 249 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *** | *** | *** | *** | *** | 5,343 | - | 159 | 5,071 | 112 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM... | *** | *** | *** | *** | *** | 31,305 | *** | 1,025 | 30,280 | - |
| SKIN CONDITIONS..... | 1,245 | - | 185 | 650 | 409 | 4,839 | - | 441 | 1,601 | 2,797 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 5,167 | - | 44 | 2,251 | 2,872 | 15,868 | - | 1,015 | 6,897 | 7,956 |
| HEADACHE, EXCLUDING MIGRAINE.. | 3,164 | 138 | 472 | 436 | 2,117 | 2,622 | - | 287 | 1,059 | 1,276 |
| FEVER, UNSPECIFIED..... | 2,353 | 799 | 974 | 303 | 277 | 3,110 | 556 | 1,745 | 474 | 336 |
| ALL OTHER ACUTE CONDITIONS.... | 23,724 | 804 | 2,867 | 4,584 | 15,469 | 33,214 | 3,997 | 3,307 | 9,171 | 16,739 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE OF 12 MILLION, A 20-PERCENT RSE OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 33. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | | BLACK | | | |
|--|----------|----------------|-------------|-------------------|----------|----------------|-------------|-------------------|
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 696,160 | 226,250 | 257,904 | 212,006 | 112,733 | 34,116 | 47,812 | 30,805 |
| INFECTIVE AND PARASITIC DISEASES..... | 73,044 | 42,487 | 20,562 | 9,995 | 9,583 | 5,823 | 2,835 | 925 |
| COMMON CHILDHOOD DISEASES..... | 6,656 | 6,025 | 317 | 314 | 2,458 | 2,458 | - | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 11,782 | 6,389 | 3,853 | 1,540 | 1,527 | 776 | 155 | 596 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 19,048 | 10,122 | 6,409 | 2,517 | 2,944 | 1,513 | 1,101 | 329 |
| OTHER..... | 35,558 | 19,951 | 9,983 | 5,624 | 2,654 | 1,075 | 1,579 | - |
| RESPIRATORY CONDITIONS..... | 357,302 | 137,871 | 133,331 | 86,100 | 49,085 | 19,818 | 17,591 | 11,676 |
| COMMON COLD..... | 57,788 | 21,476 | 25,399 | 10,913 | 11,402 | 5,698 | 3,929 | 1,775 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 20,341 | 9,195 | 9,307 | 1,838 | 3,114 | 1,052 | 1,947 | 114 |
| INFLUENZA..... | 225,672 | 91,985 | 82,133 | 51,554 | 28,965 | 11,970 | 9,554 | 7,440 |
| ACUTE BRONCHITIS..... | 17,675 | 5,777 | 8,289 | 3,609 | 1,000 | 243 | 649 | 107 |
| PNEUMONIA..... | 25,613 | 5,166 | 6,249 | 14,197 | 4,488 | 854 | 1,438 | 2,197 |
| OTHER RESPIRATORY CONDITIONS..... | 10,214 | 4,272 | 1,953 | 3,989 | 117 | - | 74 | 43 |
| DIGESTIVE SYSTEM CONDITIONS..... | 24,078 | 4,153 | 6,556 | 13,369 | 5,125 | 1,258 | 1,882 | 1,985 |
| DENTAL CONDITIONS..... | 3,342 | 525 | 1,532 | 1,284 | 960 | 570 | 390 | - |
| INDIGESTION, NAUSEA, AND VOMITING..... | 6,009 | 1,850 | 1,547 | 2,613 | 904 | 143 | 189 | .572 |
| OTHER DIGESTIVE CONDITIONS..... | 14,727 | 1,778 | 3,476 | 9,472 | 3,261 | 545 | 1,303 | 1,413 |
| INJURIES..... | 98,391 | 11,095 | 42,721 | 44,575 | 22,323 | 2,269 | 11,433 | 8,620 |
| FRACTURES AND DISLOCATIONS..... | 27,174 | 1,974 | 8,928 | 16,272 | 5,674 | 925 | 2,376 | 2,372 |
| SPRAINS AND STRAINS..... | 21,723 | 1,580 | 15,038 | 5,105 | 4,651 | 401 | 3,528 | 722 |
| OPEN WOUNDS AND LACERATIONS..... | 9,528 | 2,533 | 3,734 | 3,261 | 2,834 | 539 | 1,869 | 425 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 10,589 | 1,038 | 4,621 | 4,930 | 3,807 | 348 | 2,060 | 1,399 |
| OTHER CURRENT INJURIES..... | 29,378 | 3,971 | 10,399 | 15,007 | 5,357 | 56 | 1,599 | 3,702 |
| SELECTED OTHER ACUTE CONDITIONS..... | 96,235 | 22,291 | 43,451 | 30,493 | 18,185 | 2,845 | 11,648 | 3,691 |
| EYE CONDITIONS..... | 919 | 43 | 359 | 516 | - | - | - | - |
| ACUTE EAR INFECTIONS..... | 18,673 | 14,349 | 2,011 | 2,312 | 2,142 | 1,791 | - | 351 |
| OTHER EAR CONDITIONS..... | 2,852 | 1,073 | 378 | 1,400 | 250 | - | - | 250 |
| ACUTE URINARY CONDITIONS..... | 13,265 | 311 | 2,627 | 10,327 | 985 | 191 | 114 | 680 |
| DISORDERS OF MENSTRUATION..... | 2,075 | 191 | 1,860 | 24 | 1,209 | 204 | 780 | 225 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 3,839 | 45 | 3,682 | 112 | 1,039 | 114 | 925 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 21,808 | 685 | 21,123 | - | 7,749 | 62 | 7,687 | - |
| SKIN CONDITIONS..... | 4,182 | 626 | 1,369 | 2,187 | 1,901 | - | 882 | 1,019 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 19,153 | 859 | 8,534 | 9,760 | 1,615 | 105 | 495 | 1,015 |
| HEADACHE, EXCLUDING MIGRAINE..... | 4,726 | 678 | 806 | 3,242 | 840 | - | 689 | 150 |
| FEVER, UNSPECIFIED..... | 4,744 | 3,430 | 701 | 612 | 455 | 379 | 76 | - |
| ALL OTHER ACUTE CONDITIONS..... | 47,110 | 8,353 | 11,284 | 27,473 | 8,432 | 2,101 | 2,424 | 3,907 |

¹TOTALS FOR WHITE AND BLACK DO NOT SUM TO TOTAL BED DAYS BECAUSE OTHER RACES ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 34. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989
 (DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|--------------------|----------------|-------------|-------------------|-------------------|----------------|-------------|-------------------|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 129,405 | 34,677 | 48,163 | 46,565 | 155,193 | 40,288 | 62,522 | 52,383 |
| INFECTIVE AND PARASITIC DISEASES..... | 9,461 | 4,237 | 2,643 | 2,581 | 14,666 | 8,356 | 4,274 | 2,036 |
| COMMON CHILDHOOD DISEASES..... | 1,981 | 1,981 | - | - | 1,820 | 1,820 | - | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 1,607 | 860 | 391 | 357 | 1,884 | 999 | 446 | 439 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 1,423 | 435 | 837 | 151 | 3,913 | 2,171 | 1,417 | 324 |
| OTHER..... | 4,449 | 960 | 1,415 | 2,074 | 7,050 | 3,366 | 2,411 | 1,273 |
| RESPIRATORY CONDITIONS..... | 63,042 | 23,299 | 21,570 | 18,173 | 68,342 | 22,296 | 27,319 | 18,728 |
| COMMON COLD..... | 13,640 | 6,177 | 4,617 | 2,847 | 13,916 | 4,464 | 6,610 | 2,842 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 2,069 | 1,080 | 774 | 216 | 2,391 | 1,096 | 1,000 | 295 |
| INFLUENZA..... | 39,482 | 13,978 | 12,574 | 12,930 | 41,395 | 15,003 | 16,648 | 9,745 |
| ACUTE BRONCHITIS..... | 2,162 | - | 1,882 | 280 | 3,222 | 1,639 | 1,367 | 217 |
| PNEUMONIA..... | 4,179 | 1,918 | 403 | 1,858 | 5,994 | 45 | 1,695 | 4,254 |
| OTHER RESPIRATORY CONDITIONS..... | 1,511 | 147 | 1,321 | 43 | 1,424 | 48 | - | 1,376 |
| DIGESTIVE SYSTEM CONDITIONS..... | 5,359 | 697 | 1,931 | 2,732 | 10,860 | 1,050 | 2,644 | 7,165 |
| DENTAL CONDITIONS..... | 522 | 117 | 313 | 92 | 1,875 | 532 | 343 | 1,000 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1,836 | 385 | 122 | 1,329 | 1,301 | 213 | 386 | 702 |
| OTHER DIGESTIVE CONDITIONS..... | 3,002 | 195 | 1,496 | 1,311 | 7,684 | 305 | 1,915 | 5,463 |
| INJURIES..... | 20,259 | 2,352 | 8,731 | 9,175 | 20,447 | 779 | 10,839 | 8,829 |
| FRACTURES AND DISLOCATIONS..... | 6,567 | 1,103 | 1,599 | 3,865 | 6,080 | 230 | 2,167 | 3,682 |
| SPRAINS AND STRAINS..... | 3,591 | 507 | 2,674 | 411 | 3,469 | 88 | 3,248 | 133 |
| OPEN WOUNDS AND LACERATIONS..... | 2,561 | - | 622 | 1,939 | 3,018 | 223 | 2,329 | 466 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 2,817 | 347 | 1,250 | 1,220 | 2,074 | 51 | 915 | 1,109 |
| OTHER CURRENT INJURIES..... | 4,722 | 397 | 2,585 | 1,740 | 5,805 | 187 | 2,180 | 3,439 |
| SELECTED OTHER ACUTE CONDITIONS..... | 21,848 | 3,633 | 11,666 | 6,548 | 29,953 | 5,752 | 13,876 | 10,324 |
| EYE CONDITIONS..... | 462 | 103 | 359 | - | 516 | - | - | 516 |
| ACUTE EAR INFECTIONS..... | 2,295 | 1,396 | 496 | 402 | 2,980 | 2,980 | - | - |
| OTHER EAR CONDITIONS..... | 403 | 283 | 120 | - | 504 | 293 | 210 | - |
| ACUTE URINARY CONDITIONS..... | 6,057 | 114 | 1,001 | 4,942 | 6,854 | 549 | 922 | 5,383 |
| DISORDERS OF MENSTRUATION..... | 781 | 91 | 519 | 171 | 1,036 | 109 | 927 | - |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 1,148 | 114 | 1,034 | - | 1,115 | - | 1,115 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 6,620 | - | 6,620 | - | 8,483 | 1,025 | 7,458 | - |
| SKIN CONDITIONS..... | 1,467 | 146 | 288 | 1,033 | 2,378 | 171 | 1,040 | 1,167 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 1,466 | 345 | 1,121 | - | 3,927 | 116 | 1,658 | 2,153 |
| HEADACHE, EXCLUDING MIGRAINE..... | 104 | 104 | - | - | 1,344 | 87 | 487 | 770 |
| FEVER, UNSPECIFIED..... | 1,047 | 938 | 109 | - | 815 | 420 | 59 | 336 |
| ALL OTHER ACUTE CONDITIONS..... | 9,436 | 459 | 1,622 | 7,356 | 10,926 | 2,055 | 3,570 | 5,300 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 34. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | |
|--|-------------------|----------------|-------------|-------------------|------------------|----------------|-------------|-------------------|
| | \$20,000-\$34,999 | | | | \$35,000 OR MORE | | | |
| | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES | UNDER 18 YEARS | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF BED DAYS IN THOUSANDS ¹ | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 193,384 | 72,203 | 74,198 | 46,983 | 213,867 | 83,089 | 88,335 | 42,444 |
| INFECTIVE AND PARASITIC DISEASES..... | 22,101 | 13,925 | 7,082 | 1,094 | 24,613 | 15,525 | 7,668 | 1,420 |
| COMMON CHILDHOOD DISEASES..... | 1,339 | 1,235 | 105 | - | 3,808 | 3,240 | 567 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 3,707 | 2,046 | 1,194 | 467 | 4,962 | 2,458 | 1,864 | 640 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 4,470 | 3,049 | 1,126 | 295 | 7,446 | 4,260 | 2,633 | 553 |
| OTHER..... | 12,585 | 7,596 | 4,657 | 332 | 8,397 | 5,567 | 2,603 | 227 |
| RESPIRATORY CONDITIONS..... | 103,624 | 43,339 | 36,438 | 23,847 | 120,622 | 49,976 | 49,627 | 21,019 |
| COMMON COLD..... | 15,270 | 7,571 | 4,847 | 2,853 | 20,820 | 6,612 | 11,278 | 2,929 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 6,561 | 2,975 | 3,143 | 442 | 6,815 | 4,297 | 3,686 | 833 |
| INFLUENZA..... | 67,007 | 29,226 | 25,086 | 12,694 | 73,361 | 32,209 | 27,286 | 13,867 |
| ACUTE BRONCHITIS..... | 3,064 | 901 | 1,313 | 849 | 8,144 | 2,349 | 4,093 | 1,702 |
| PNEUMONIA..... | 8,554 | 943 | 1,640 | 5,971 | 6,074 | 3,114 | 2,305 | 655 |
| OTHER RESPIRATORY CONDITIONS..... | 3,168 | 1,722 | 409 | 1,037 | 3,407 | 1,396 | 979 | 1,032 |
| DIGESTIVE SYSTEM CONDITIONS..... | 7,597 | 2,230 | 1,779 | 3,589 | 2,847 | 874 | 1,288 | .684 |
| DENTAL CONDITIONS..... | 941 | 443 | 498 | - | 314 | - | 216 | 98 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1,303 | 689 | 471 | 144 | 1,203 | 541 | 542 | 120 |
| OTHER DIGESTIVE CONDITIONS..... | 5,352 | 1,097 | 810 | 3,445 | 1,330 | 333 | 530 | 467 |
| INJURIES..... | 31,049 | 3,126 | 15,969 | 11,953 | 25,177 | 3,978 | 10,750 | 10,449 |
| FRACTURES AND DISLOCATIONS..... | 7,000 | 581 | 3,468 | 2,952 | 7,450 | 659 | 3,302 | 3,489 |
| SPRAINS AND STRAINS..... | 8,538 | 196 | 6,043 | 2,299 | 6,691 | 775 | 3,708 | 2,209 |
| OPEN WOUNDS AND LACERATIONS..... | 3,694 | 1,500 | 1,815 | 378 | 838 | 314 | 423 | 101 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 3,892 | 253 | 2,039 | 1,599 | 2,360 | 505 | 1,449 | 406 |
| OTHER CURRENT INJURIES..... | 7,925 | 596 | 2,604 | 4,724 | 7,837 | 1,726 | 1,868 | 4,242 |
| SELECTED OTHER ACUTE CONDITIONS..... | 22,202 | 6,891 | 10,579 | 4,732 | 24,443 | 7,529 | 14,636 | 2,277 |
| EYE CONDITIONS..... | 43 | 43 | - | - | - | - | - | - |
| ACUTE EAR INFECTIONS..... | 5,905 | 4,676 | 513 | 717 | 6,815 | 5,365 | 798 | 653 |
| OTHER EAR CONDITIONS..... | 759 | 509 | - | 250 | 147 | 99 | 48 | - |
| ACUTE URINARY CONDITIONS..... | 1,205 | 77 | 546 | 582 | 258 | - | 157 | 101 |
| DISORDERS OF MENSTRUATION..... | 118 | 64 | - | 54 | 166 | 82 | 60 | 24 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 1,427 | 45 | 1,270 | 112 | 779 | - | 779 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 5,623 | - | 5,623 | - | 9,156 | - | 9,156 | - |
| SKIN CONDITIONS..... | 568 | 29 | 167 | 372 | 296 | 95 | - | 200 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 3,757 | 93 | 1,554 | 2,110 | 4,762 | 352 | 3,215 | 1,196 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1,501 | 441 | 625 | 435 | 583 | 265 | 214 | 104 |
| FEVER, UNSPECIFIED..... | 1,296 | 914 | 281 | 100 | 1,481 | 1,271 | 210 | - |
| ALL OTHER ACUTE CONDITIONS..... | 6,811 | 2,691 | 2,351 | 1,769 | 16,165 | 5,206 | 4,365 | 6,594 |

¹TOTALS FOR INCOME CATEGORIES DO NOT SUM TO TOTAL BED DAYS BECAUSE PERSONS WITH UNKNOWN FAMILY INCOME ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 35. NUMBER OF BED DAYS ASSOCIATED WITH ACUTE CONDITIONS, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | GEOGRAPHIC REGION | | | | PLACE OF RESIDENCE | | | |
|---|-------------------|---------|---------|---------|--------------------|--------------|------------------|---------|
| | | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF BED DAYS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 136,448 | 168,317 | 322,572 | 210,620 | 649,885 | 269,115 | 380,770 | 188,071 |
| INFECTIVE AND PARASITIC DISEASES..... | 14,437 | 15,419 | 37,292 | 18,816 | 65,806 | 24,645 | 41,162 | 20,157 |
| COMMON CHILDHOOD DISEASES..... | 1,251 | 1,275 | 4,057 | 3,694 | 8,972 | 3,920 | 5,052 | 1,305 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 3,682 | 983 | 8,106 | 537 | 10,300 | 3,938 | 6,362 | 3,008 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 3,976 | 4,097 | 10,856 | 3,459 | 17,308 | 6,644 | 10,664 | 5,079 |
| OTHER..... | 5,528 | 9,064 | 14,273 | 11,126 | 29,226 | 10,143 | 19,083 | 10,765 |
| RESPIRATORY CONDITIONS..... | 67,634 | 83,019 | 144,574 | 124,489 | 331,343 | 134,329 | 197,015 | 88,372 |
| COMMON COLD..... | 16,728 | 11,918 | 20,351 | 22,941 | 57,200 | 26,836 | 30,365 | 14,738 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 3,961 | 5,348 | 9,863 | 4,331 | 19,236 | 5,895 | 13,342 | 4,266 |
| INFLUENZA..... | 35,867 | 51,550 | 89,985 | 85,478 | 202,100 | 84,488 | 117,611 | 60,780 |
| ACUTE BRONCHITIS..... | 3,897 | 3,318 | 6,893 | 5,263 | 16,912 | 4,235 | 12,676 | 2,459 |
| PNEUMONIA..... | 3,850 | 7,914 | 13,033 | 5,789 | 26,295 | 8,620 | 17,675 | 4,292 |
| OTHER RESPIRATORY CONDITIONS..... | 3,332 | 2,971 | 4,448 | 687 | 9,601 | 4,255 | 5,346 | 1,837 |
| DIGESTIVE SYSTEM CONDITIONS..... | 2,645 | 6,916 | 13,484 | 8,590 | 22,894 | 9,096 | 13,798 | 8,740 |
| DENTAL CONDITIONS..... | 293 | 1,503 | 1,612 | 1,041 | 3,196 | 1,481 | 1,716 | 1,252 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 576 | 690 | 3,475 | 2,217 | 5,010 | 1,381 | 3,628 | 1,947 |
| OTHER DIGESTIVE CONDITIONS..... | 1,777 | 4,723 | 8,398 | 5,332 | 14,688 | 6,234 | 8,454 | 5,541 |
| INJURIES..... | 20,847 | 24,743 | 56,073 | 22,604 | 95,438 | 46,540 | 48,898 | 28,830 |
| FRACTURES AND DISLOCATIONS..... | 6,022 | 6,408 | 14,971 | 6,150 | 24,838 | 15,435 | 9,403 | 8,712 |
| SPRAINS AND STRAINS..... | 3,944 | 7,393 | 11,979 | 3,225 | 21,230 | 10,090 | 11,140 | 5,311 |
| OPEN WOUNDS AND LACERATIONS..... | 2,484 | 1,608 | 6,079 | 2,449 | 7,865 | 3,922 | 3,943 | 4,755 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 3,171 | 3,218 | 7,501 | 1,746 | 12,948 | 4,711 | 8,237 | 2,689 |
| OTHER CURRENT INJURIES..... | 5,227 | 6,116 | 15,544 | 9,033 | 28,556 | 12,382 | 16,174 | 7,363 |
| SELECTED OTHER ACUTE CONDITIONS..... | 20,439 | 21,908 | 49,726 | 27,365 | 91,152 | 38,172 | 52,980 | 28,286 |
| EYE CONDITIONS..... | - | - | 919 | 103 | 663 | 146 | 516 | 359 |
| ACUTE EAR INFECTIONS..... | 3,184 | 4,078 | 7,011 | 8,144 | 17,355 | 7,092 | 10,262 | 5,062 |
| OTHER EAR CONDITIONS..... | 489 | 1,643 | 716 | 365 | 2,318 | 168 | 2,150 | 895 |
| ACUTE URINARY CONDITIONS..... | 2,219 | 1,897 | 7,215 | 3,158 | 10,505 | 3,405 | 7,100 | 3,983 |
| DISORDERS OF MENSTRUATION..... | 205 | 1,082 | 1,833 | 165 | 3,165 | 1,247 | 1,918 | 119 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 717 | 941 | 2,517 | 1,168 | 4,556 | 2,273 | 2,283 | 787 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 4,121 | 5,344 | 14,669 | 7,171 | 23,734 | 10,370 | 13,364 | 7,571 |
| SKIN CONDITIONS..... | 2,087 | 996 | 1,796 | 1,204 | 5,175 | 3,743 | 1,633 | 908 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 5,040 | 2,886 | 9,424 | 3,685 | 13,609 | 6,147 | 7,463 | 7,425 |
| HEADACHE, EXCLUDING MIGRAINE..... | 553 | 2,044 | 2,176 | 1,012 | 5,590 | 1,315 | 4,275 | 195 |
| FEVER, UNSPECIFIED..... | 1,823 | 998 | 1,451 | 1,191 | 4,483 | 2,265 | 2,218 | 981 |
| ALL OTHER ACUTE CONDITIONS..... | 10,446 | 16,313 | 21,422 | 8,756 | 43,251 | 16,334 | 26,917 | 13,687 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 36. NUMBER OF WORK-LGSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | | 45 YEARS AND OVER | |
|---|----------------------------------|-------------|----------------|-------------------|-------|
| | | TOTAL | 18-24 YEARS | 25-44 YEARS | TOTAL |
| NUMBER OF WORK-LOSS DAYS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR | | | | | |
| ALL ACUTE CONDITIONS..... | 336.5 | 364.3 | 392.7 | 356.6 | 271.9 |
| INFECTIVE AND PARASITIC DISEASES..... | 20.0 | 24.3 | 41.2 | 19.6 | *10.0 |
| COMMON CHILDHOOD DISEASES..... | *1.6 | *2.2 | *5.6 | *1.3 | *- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 3.9 | *4.0 | *6.0 | *3.5 | *3.7 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 5.8 | 6.4 | *7.7 | *6.1 | *4.4 |
| OTHER..... | 8.7 | 11.6 | *21.9 | 8.8 | *1.9 |
| RESPIRATORY CONDITIONS..... | 126.3 | 135.1 | 139.3 | 134.0 | 105.8 |
| COMMON COLD..... | 22.7 | 24.0 | *18.9 | 25.4 | 19.7 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8.9 | 10.8 | *14.3 | 9.9 | *4.5 |
| INFLUENZA..... | 75.7 | 83.0 | 90.8 | 80.8 | 59.0 |
| ACUTE BRONCHITIS..... | 7.2 | 7.7 | *11.7 | 6.6 | *6.2 |
| PNEUMONIA..... | 9.2 | 7.3 | *2.3 | 8.6 | 13.9 |
| OTHER RESPIRATORY CONDITIONS..... | *2.5 | *2.4 | *1.3 | *2.7 | *2.6 |
| DIGESTIVE SYSTEM CONDITIONS..... | 10.5 | 10.0 | *10.7 | 9.8 | 11.8 |
| DENTAL CONDITIONS..... | *2.7 | *3.2 | *4.3 | *2.9 | *1.6 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *2.0 | *2.2 | *2.6 | *2.1 | *1.7 |
| OTHER DIGESTIVE CONDITIONS..... | 5.8 | *4.6 | *3.8 | *4.8 | *8.5 |
| INJURIES..... | 106.5 | 120.3 | 131.4 | 117.3 | 74.3 |
| FRACTURES AND DISLOCATIONS..... | 22.5 | 24.6 | *20.8 | 25.7 | 17.5 |
| SPRAINS AND STRAINS..... | 33.3 | 40.9 | 43.6 | 40.2 | 15.6 |
| OPEN WOUNDS AND LACERATIONS..... | 13.7 | 17.5 | *21.8 | 16.3 | *4.9 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 14.3 | 14.5 | 24.8 | 11.6 | 13.9 |
| OTHER CURRENT INJURIES..... | 22.7 | 22.8 | *20.4 | 23.5 | 22.4 |
| SELECTED OTHER ACUTE CONDITIONS..... | 53.6 | 59.6 | 50.5 | 62.1 | 39.6 |
| EYE CONDITIONS..... | *0.4 | *0.2 | *0.3 | *0.2 | *0.8 |
| ACUTE EAR INFECTIONS..... | 4.1 | *4.1 | *9.3 | *2.7 | *3.9 |
| OTHER EAR CONDITIONS..... | *2.0 | *1.0 | *0.3 | *1.2 | *4.4 |
| ACUTE URINARY CONDITIONS..... | *2.2 | *2.2 | *4.5 | *1.5 | *2.1 |
| DISORDERS OF MENSTRUATION..... | *0.8 | *1.0 | *4.2 | *0.1 | *0.3 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *2.0 | *2.8 | *1.8 | *3.0 | *0.2 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 19.4 | 27.8 | *19.6 | 30.0 | * |
| SKIN CONDITIONS..... | 3.5 | *3.5 | * | *4.5 | *3.4 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 16.1 | 14.8 | *9.9 | 16.2 | 18.9 |
| HEADACHE, EXCLUDING MIGRAINE..... | *2.6 | *1.6 | *0.3 | *2.0 | *5.0 |
| FEVER, UNSPECIFIED..... | *0.6 | *0.6 | *0.3 | *0.7 | *0.6 |
| ALL OTHER ACUTE CONDITIONS..... | 19.6 | 15.1 | *19.5 | 13.8 | 30.3 |
| | | | | | 25.3 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 41 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 37. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | FEMALE | | |
|--|---|----------------|----------------------|----------------------------------|----------------|----------------------|
| | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER |
| | NUMBER OF WORK-LOSS DAYS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR | | | | | |
| ALL ACUTE CONDITIONS..... | 291.7 | 309.1 | 252.3 | 391.0 | 430.6 | 296.6 |
| INFECTIVE AND PARASITIC DISEASES..... | 16.8 | 21.5 | *6.1 | 23.8 | 27.6 | *14.9 |
| COMMON CHILDHOOD DISEASES..... | *2.1 | *3.0 | -- | *0.9 | *1.3 | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | *2.4 | *2.7 | *1.9 | *5.7 | *5.6 | *6.0 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *4.8 | *6.0 | *2.3 | *7.0 | *7.0 | *7.0 |
| OTHER..... | 7.4 | 9.9 | *1.9 | 10.2 | 13.7 | *1.9 |
| RESPIRATORY CONDITIONS..... | 160.2 | 105.3 | 88.7 | 158.1 | 170.9 | 127.3 |
| COMMON COLD..... | 18.3 | 19.1 | *16.4 | 28.0 | 29.9 | *23.7 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | *6.2 | *7.5 | *3.4 | 12.2 | 14.9 | *5.9 |
| INFLUENZA..... | 61.4 | 66.7 | 49.4 | 93.2 | 102.5 | 71.1 |
| ACUTE BRONCHITIS..... | *5.8 | *6.8 | *3.6 | 8.9 | *8.7 | *9.4 |
| PNEUMONIA..... | 7.2 | *3.9 | *14.5 | 11.8 | 11.2 | *13.1 |
| OTHER RESPIRATORY CONDITIONS..... | *1.3 | *1.3 | *1.4 | *3.9 | *3.8 | *4.2 |
| DIGESTIVE SYSTEM CONDITIONS..... | 9.2 | *7.1 | *14.0 | 12.1 | 13.4 | *9.0 |
| DENTAL CONDITIONS..... | *2.2 | *3.1 | *0.3 | *3.3 | *3.4 | *3.2 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *1.6 | *1.7 | *1.2 | *2.6 | *2.7 | *2.3 |
| OTHER DIGESTIVE CONDITIONS..... | *5.4 | *2.3 | *12.6 | *6.2 | *7.3 | *3.4 |
| INJURIES..... | 126.2 | 143.9 | 85.9 | 82.5 | 92.1 | 59.8 |
| FRACTURES AND DISLOCATIONS..... | 28.1 | 33.9 | *14.9 | 15.7 | 13.6 | *20.8 |
| SPRAINS AND STRAINS..... | 40.2 | 47.3 | 24.0 | 25.0 | 33.3 | *5.1 |
| OPEN WOUNDS AND LACERATIONS..... | 21.2 | 28.4 | *4.8 | *4.6 | *4.3 | *5.1 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 15.4 | 13.7 | *19.3 | 13.0 | 15.4 | *7.1 |
| OTHER CURRENT INJURIES..... | 21.3 | 20.6 | 22.9 | 24.3 | 25.5 | *21.7 |
| SELECTED OTHER ACUTE CONDITIONS..... | 24.0 | 21.9 | 28.7 | 89.6 | 104.8 | 53.3 |
| EYE CONDITIONS..... | -- | -- | -- | *0.9 | *0.5 | *1.7 |
| ACUTE EAR INFECTIONS..... | *1.2 | *1.5 | *0.5 | 7.6 | *7.4 | *8.1 |
| OTHER EAR CONDITIONS..... | *3.5 | *1.8 | *7.4 | *0.2 | -- | *0.7 |
| ACUTE URINARY CONDITIONS..... | *0.9 | *1.3 | *0.2 | *3.6 | *3.3 | *4.5 |
| DISORDERS OF MENSTRUATION..... | --- | --- | --- | *1.7 | *2.2 | *0.7 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | --- | --- | --- | *4.4 | *6.1 | *0.4 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | --- | --- | --- | 43.0 | 61.0 | -- |
| SKIN CONDITIONS..... | *2.8 | *3.3 | *1.7 | *4.2 | *3.7 | *5.5 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 12.0 | 12.8 | *10.3 | 20.9 | 17.3 | 29.7 |
| HEADACHE, EXCLUDING MIGRAINE..... | *2.7 | *0.7 | *7.4 | *2.5 | *2.7 | *2.1 |
| FEVER, UNSPECIFIED..... | *0.7 | *0.5 | *1.2 | *0.5 | *0.7 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 15.3 | 9.4 | 28.8 | 24.9 | 21.8 | 32.2 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 42 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 38. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | BLACK | | |
|---|----------------------------------|----------------|----------------------|----------------------------------|----------------|----------------------|
| | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER |
| NUMBER OF WORK-LOSS DAYS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR | | | | | | |
| ALL ACUTE CONDITIONS..... | 316.1 | 343.3 | 254.5 | 480.8 | 526.2 | 355.0 |
| INFECTIVE AND PARASITIC DISEASES..... | 19.0 | 23.6 | *8.6 | *24.6 | *25.9 | *20.8 |
| COMMON CHILDHOOD DISEASES..... | *0.7 | *1.0 | -- | *6.3 | *8.6 | -- |
| INTESTINAL VIRUS, UNSPECIFIED..... | 4.0 | *4.2 | *3.7 | *4.4 | *4.1 | *5.2 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 5.6 | 6.7 | *3.2 | *8.7 | *6.3 | *15.5 |
| OTHER..... | 8.7 | 11.8 | *1.7 | *5.1 | *7.0 | -- |
| RESPIRATORY CONDITIONS..... | 125.5 | 136.5 | 100.5 | 130.2 | 126.8 | 139.6 |
| COMMON COLD..... | 22.6 | 23.9 | 19.4 | *28.4 | *29.2 | *26.3 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 9.0 | 10.9 | *4.7 | *10.0 | *13.4 | *0.8 |
| INFLUENZA..... | 76.0 | 85.8 | 53.8 | 71.0 | 62.1 | *95.9 |
| ACUTE BRONCHITIS..... | 7.4 | 7.8 | *6.6 | *5.3 | *5.7 | *4.3 |
| PNEUMONIA..... | 8.4 | 6.4 | 12.9 | *18.2 | *16.3 | *12.3 |
| OTHER RESPIRATORY CONDITIONS..... | *2.1 | *1.7 | *3.0 | *0.2 | *0.2 | -- |
| DIGESTIVE SYSTEM CONDITIONS..... | 8.2 | 8.4 | *7.9 | *18.8 | *24.8 | *2.2 |
| DENTAL CONDITIONS..... | *2.5 | *2.9 | *1.6 | *4.6 | *6.2 | -- |
| INDIGESTION, NAUSEA, AND VOMITING..... | *1.8 | *1.9 | *1.7 | *4.1 | *4.8 | *2.2 |
| OTHER DIGESTIVE CONDITIONS..... | *3.9 | *3.6 | *4.6 | *10.1 | *13.8 | -- |
| INJURIES..... | 94.4 | 105.3 | 69.9 | 210.0 | 245.3 | *112.0 |
| FRACTURES AND DISLOCATIONS..... | 21.4 | 22.5 | 18.8 | 33.3 | *41.2 | *11.3 |
| SPRAINS AND STRAINS..... | 28.5 | 34.2 | 15.7 | 79.1 | 100.3 | *20.4 |
| OPEN WOUNDS AND LACERATIONS..... | 11.9 | 14.7 | *5.5 | *30.8 | *41.4 | *1.3 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 11.4 | 11.0 | *12.4 | 32.8 | *33.1 | *31.9 |
| OTHER CURRENT INJURIES..... | 21.3 | 22.9 | 17.5 | 34.0 | *29.3 | *47.1 |
| SELECTED OTHER ACUTE CONDITIONS..... | 49.2 | 53.6 | 39.5 | 76.1 | 89.3 | *39.5 |
| EYE CONDITIONS..... | *0.3 | *0.1 | *0.9 | *1.2 | *1.7 | -- |
| ACUTE EAR INFECTIONS..... | 4.6 | *4.7 | *4.4 | *0.6 | *0.9 | -- |
| OTHER EAR CONDITIONS..... | *2.3 | *1.1 | *5.0 | *0.5 | *0.7 | -- |
| ACUTE URINARY CONDITIONS..... | *2.3 | *2.2 | *2.4 | *1.6 | *2.2 | -- |
| DISORDERS OF MENSTRUATION..... | *0.8 | *1.1 | *0.1 | *1.2 | *0.7 | *2.5 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *1.5 | *2.1 | *0.2 | *4.4 | *6.0 | -- |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 15.9 | 23.0 | -- | 39.0 | 53.0 | -- |
| SKIN CONDITIONS..... | *3.1 | *3.2 | *2.8 | *7.9 | *7.0 | *10.5 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 15.2 | 14.4 | 17.2 | *15.1 | *11.0 | *26.5 |
| HEADACHE, EXCLUDING MIGRAINE..... | *2.6 | *1.2 | *5.7 | *3.9 | *5.2 | -- |
| FEVER, UNSPECIFIED..... | *0.7 | *0.6 | *0.7 | *0.6 | *0.8 | -- |
| ALL OTHER ACUTE CONDITIONS..... | 19.6 | 15.8 | 28.3 | *21.2 | *14.1 | *40.8 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 43 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 39. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | | | |
|--|----------------------------------|----------------|----------------------|----------------------------------|----------------|----------------------|----------------------------------|----------------|----------------------|--|
| | LESS THAN \$10,000 | | | \$10,000-\$24,999 | | | \$25,000 OR MORE | | | |
| | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | |
| NUMBER OF WORK-LOSS DAYS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR | | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 513.3 | 592.2 | *254.8 | 388.5 | 435.0 | 264.1 | 284.3 | 305.5 | 235.7 | |
| INFECTIVE AND PARASITIC DISEASES..... | *29.4 | *33.0 | *17.6 | 24.6 | 28.1 | *15.3 | 18.9 | 23.2 | *9.0 | |
| COMMON CHILDHOOD DISEASES..... | -- | -- | -- | *3.9 | *5.3 | -- | *1.2 | *1.8 | -- | |
| INTESTINAL VIRUS, UNSPECIFIED..... | *9.6 | *7.2 | *17.6 | *2.8 | *3.4 | *1.4 | *4.6 | *4.5 | *4.7 | |
| VIRAL INFECTIONS, UNSPECIFIED..... | *4.8 | *6.3 | -- | *7.9 | *6.7 | *11.0 | *5.4 | *6.4 | *3.2 | |
| OTHER..... | *15.0 | *19.5 | -- | *10.0 | *12.7 | *2.9 | 7.6 | 10.5 | *1.1 | |
| RESPIRATORY CONDITIONS..... | 174.1 | 189.5 | *123.6 | 124.2 | 136.7 | 91.0 | 119.5 | 126.3 | 103.9 | |
| COMMON COLD..... | *18.6 | *19.0 | *17.3 | 24.1 | 24.7 | *22.4 | 23.6 | 25.6 | *19.2 | |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | *6.9 | *7.9 | *3.7 | *6.6 | *8.5 | *1.6 | 9.6 | 11.5 | *5.3 | |
| INFLUENZA..... | 126.6 | 133.9 | *102.6 | 76.9 | 88.9 | *44.8 | 68.6 | 72.0 | 61.0 | |
| ACUTE BRONCHITIS..... | *3.8 | *5.0 | -- | *8.7 | *7.0 | *13.1 | 8.1 | 9.0 | *6.2 | |
| PNEUMONIA..... | *3.4 | *4.5 | -- | *8.0 | *7.6 | *9.1 | 7.3 | *7.0 | *8.1 | |
| OTHER RESPIRATORY CONDITIONS..... | *14.7 | *19.2 | -- | -- | -- | -- | *2.1 | *1.3 | *4.1 | |
| DIGESTIVE SYSTEM CONDITIONS..... | *12.9 | *14.6 | *7.3 | 21.2 | *14.8 | *38.4 | 7.5 | *8.2 | *6.0 | |
| DENTAL CONDITIONS..... | *1.7 | -- | *7.3 | *3.5 | *3.7 | *3.1 | *2.3 | *2.9 | *0.7 | |
| INDIGESTION, NAUSEA, AND VOMITING..... | *0.8 | *1.1 | -- | *3.1 | *3.0 | *3.4 | *2.0 | *2.3 | *1.4 | |
| OTHER DIGESTIVE CONDITIONS..... | *10.3 | *13.5 | -- | *14.6 | *8.1 | *31.9 | *3.3 | *3.0 | *3.9 | |
| INJURIES..... | 193.8 | 226.1 | *88.0 | 146.4 | 171.8 | 78.3 | 76.4 | 80.8 | 66.5 | |
| FRACTURES AND DISLOCATIONS..... | *47.2 | *61.6 | -- | 26.0 | 32.8 | *7.8 | 18.6 | 17.6 | 20.7 | |
| SPRAINS AND STRAINS..... | *44.9 | *52.8 | *18.8 | 56.8 | 69.9 | *21.8 | 23.4 | 26.7 | *15.8 | |
| OPEN WOUNDS AND LACERATIONS..... | *29.8 | *23.7 | *49.7 | 23.9 | 29.1 | *10.0 | 9.7 | 13.7 | *0.5 | |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | *29.1 | *32.0 | *19.4 | 15.9 | *17.0 | *12.7 | 8.7 | 8.9 | *8.3 | |
| OTHER CURRENT INJURIES..... | *42.9 | *56.0 | -- | 23.8 | 23.0 | *26.0 | 16.1 | 13.9 | 21.1 | |
| SELECTED OTHER ACUTE CONDITIONS..... | 91.7 | 114.1 | *18.3 | 45.7 | 55.7 | *19.1 | 48.0 | 56.8 | 27.7 | |
| EYE CONDITIONS..... | -- | -- | -- | *0.8 | *0.3 | *2.3 | *0.4 | *0.3 | *0.5 | |
| ACUTE EAR INFECTIONS..... | *3.8 | *4.9 | -- | *1.3 | *1.8 | -- | *6.7 | *5.8 | *2.1 | |
| OTHER EAR CONDITIONS..... | *5.8 | *7.6 | -- | *1.2 | *1.7 | -- | *0.3 | *0.1 | *0.8 | |
| ACUTE URINARY CONDITIONS..... | *6.8 | *8.8 | -- | *2.9 | *1.4 | *6.9 | *1.5 | *1.7 | *1.1 | |
| DISORDERS OF MENSTRUATION..... | *2.7 | *3.5 | -- | *0.2 | *0.3 | -- | *0.2 | *0.1 | *0.5 | |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *3.4 | *4.5 | -- | *1.6 | *2.2 | -- | *2.1 | *2.9 | *0.3 | |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *52.3 | *68.3 | -- | 16.5 | 22.6 | -- | 21.2 | 30.5 | -- | |
| SKIN CONDITIONS..... | -- | -- | -- | *2.1 | *2.5 | *1.1 | *3.3 | *2.3 | *5.5 | |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *11.3 | *9.2 | *18.3 | 15.9 | *19.1 | *7.3 | 12.8 | 11.7 | *15.3 | |
| HEADACHE, EXCLUDING MIGRAINE..... | *2.9 | *3.8 | -- | *2.0 | *2.4 | *0.7 | *1.2 | *1.1 | *1.6 | |
| FEVER, UNSPECIFIED..... | *2.7 | *3.5 | -- | *1.1 | *1.3 | *0.7 | *0.2 | *0.2 | -- | |
| ALL OTHER ACUTE CONDITIONS..... | *11.4 | *14.9 | -- | 26.3 | 27.9 | *22.0 | 14.0 | 10.2 | 22.6 | |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 44 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 40. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| TYPE OF ACUTE CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|-------|-------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF WORK-LOSS DAYS PER 100 CURRENTLY EMPLOYED PERSONS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 303.8 | 315.3 | 363.4 | 351.2 | 335.3 | 383.1 | 306.8 | 341.5 |
| INFECTIVE AND PARASITIC DISEASES..... | 19.1 | 19.4 | 23.8 | *15.5 | 19.1 | 21.8 | 17.5 | 23.5 |
| COMMON CHILDHOOD DISEASES..... | *2.0 | *2.7 | *0.5 | *1.4 | *2.0 | *3.3 | *1.2 | * |
| INTESTINAL VIRUS, UNSPECIFIED..... | *4.6 | *1.1 | *7.8 | *0.6 | *3.3 | *4.2 | *2.8 | *6.3 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *5.6 | *2.5 | 10.5 | *2.7 | 5.7 | *6.4 | *5.3 | *6.3 |
| OTHER..... | *7.0 | *13.2 | *5.0 | *10.8 | 8.1 | *7.9 | 8.2 | *10.9 |
| RESPIRATORY CONDITIONS..... | 111.8 | 114.4 | 118.1 | 167.3 | 130.7 | 132.8 | 129.5 | 109.4 |
| COMMON COLD..... | 30.8 | 17.1 | 16.7 | 30.8 | 24.4 | 24.5 | 24.4 | *16.0 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | *9.7 | *9.2 | 10.5 | *5.4 | 8.9 | *8.7 | 9.1 | *8.8 |
| INFLUENZA..... | 56.3 | 72.4 | 64.2 | 116.6 | 78.1 | 87.2 | 72.7 | 66.6 |
| ACUTE BRONCHITIS..... | *11.3 | *2.6 | *9.1 | *5.7 | 7.1 | *5.9 | 7.9 | *7.5 |
| PNEUMONIA..... | *1.4 | *9.2 | 14.6 | *8.5 | 9.9 | *5.2 | 12.7 | *6.6 |
| OTHER RESPIRATORY CONDITIONS..... | *2.3 | *3.8 | *3.0 | *0.4 | *2.1 | *1.3 | *2.6 | *3.9 |
| DIGESTIVE SYSTEM CONDITIONS..... | *8.3 | *7.8 | 11.1 | *15.0 | 11.1 | 14.5 | 9.1 | *8.2 |
| DENTAL CONDITIONS..... | *1.8 | *2.6 | *3.8 | *2.1 | *2.4 | *3.5 | *1.8 | *3.9 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *1.2 | *1.7 | *3.4 | *1.0 | *2.1 | *2.4 | *2.0 | *1.5 |
| OTHER DIGESTIVE CONDITIONS..... | *5.3 | *3.4 | *3.9 | *11.9 | 6.5 | *8.6 | *5.3 | *2.8 |
| INJURIES..... | 90.1 | 94.8 | 145.1 | 75.8 | 98.5 | 122.4 | 84.3 | 137.2 |
| FRACTURES AND DISLOCATIONS..... | 17.9 | 25.9 | 28.0 | *14.3 | 21.9 | 29.0 | 17.7 | 24.7 |
| SPRAINS AND STRAINS..... | 24.6 | 29.3 | 46.0 | 26.7 | 31.8 | 44.1 | 24.5 | 39.3 |
| OPEN WOUNDS AND LACERATIONS..... | 19.7 | *9.1 | 16.2 | *9.3 | 12.0 | 12.0 | 12.0 | 20.1 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | *8.2 | *13.1 | 24.2 | *6.1 | 13.7 | 17.2 | 11.5 | 16.6 |
| OTHER CURRENT INJURIES..... | 19.6 | 17.4 | 30.6 | 19.3 | 19.1 | 20.0 | 18.5 | 36.5 |
| SELECTED OTHER ACUTE CONDITIONS..... | 47.6 | 61.9 | 45.0 | 63.0 | 57.1 | 71.4 | 48.7 | 39.9 |
| EYE CONDITIONS..... | --- | *0.5 | *0.2 | *1.0 | *0.5 | *0.8 | *0.4 | * |
| ACUTE EAR INFECTIONS..... | *0.2 | *6.1 | *5.5 | *3.0 | 4.6 | *4.9 | *4.4 | *2.0 |
| OTHER EAR CONDITIONS..... | *1.1 | *4.8 | *0.5 | *2.1 | *2.4 | *1.5 | *3.0 | *0.4 |
| ACUTE URINARY CONDITIONS..... | *0.2 | *2.8 | *1.7 | *4.0 | *2.1 | *2.2 | *2.0 | *2.4 |
| DISORDERS OF MENSTRUATION..... | *0.1 | *2.1 | *0.4 | *0.5 | *0.9 | *0.8 | *0.9 | *0.5 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *1.3 | *1.8 | *3.1 | *1.2 | *2.2 | *3.0 | *1.7 | *1.2 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *16.4 | 14.9 | 20.1 | 26.5 | 20.9 | 27.3 | 17.1 | *13.6 |
| SKIN CONDITIONS..... | *2.7 | *4.2 | *2.5 | *4.9 | *4.2 | *6.9 | *2.6 | *0.5 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 25.4 | 17.8 | *8.5 | 16.7 | 15.3 | 20.7 | 12.1 | 18.9 |
| HEADACHE, EXCLUDING MIGRAINE..... | *0.2 | *6.0 | *2.0 | *2.2 | *3.3 | *2.2 | *3.9 | *0.2 |
| FEVER, UNSPECIFIED..... | --- | *1.0 | *0.6 | *0.8 | *0.7 | *1.0 | *0.6 | *0.2 |
| ALL OTHER ACUTE CONDITIONS..... | 26.9 | 17.0 | 20.2 | *14.7 | 18.7 | 20.2 | 17.8 | 23.3 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 45 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 41. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY AGE AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | | | 45 YEARS AND OVER | |
|--|----------------------------------|-------------|---------------------------------------|----------------|-------------------|----------------|
| | | TOTAL | 18-24 YEARS | 25-44 YEARS | TOTAL | 45-64 YEARS |
| | | | NUMBER OF WORK-LOSS DAYS IN THOUSANDS | | | |
| ALL ACUTE CONDITIONS..... | 394,518 | 298,620 | 69,319 | 229,301 | 95,898 | 80,015 |
| INFECTIVE AND PARASITIC DISEASES..... | 23,416 | 19,876 | 7,276 | 12,600 | 3,539 | 2,962 |
| COMMON CHILDHOOD DISEASES..... | 1,819 | 1,819 | 986 | 833 | - | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 4,611 | 3,293 | 1,060 | 2,233 | 1,312 | 1,317 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 6,804 | 5,264 | 1,368 | 3,897 | 1,540 | 1,098 |
| OTHER..... | 10,182 | 9,500 | 3,862 | 5,638 | 682 | 546 |
| RESPIRATORY CONDITIONS..... | 148,092 | 110,765 | 24,588 | 86,177 | 37,328 | 31,490 |
| COMMON COLD..... | 26,603 | 19,671 | 3,334 | 16,336 | 6,932 | 5,672 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 10,463 | 8,876 | 2,518 | 6,358 | 1,587 | 1,220 |
| INFLUENZA..... | 88,797 | 67,991 | 16,033 | 51,958 | 20,806 | 19,402 |
| ACUTE BRONCHITIS..... | 8,659 | 6,279 | 2,059 | 4,221 | 2,180 | 2,180 |
| PNEUMONIA..... | 10,840 | 5,949 | 413 | 5,537 | 4,891 | 2,084 |
| OTHER RESPIRATORY CONDITIONS..... | 2,929 | 1,998 | 231 | 1,767 | 932 | 932 |
| DIGESTIVE SYSTEM CONDITIONS..... | 12,343 | 8,183 | 1,893 | 6,290 | 4,161 | 4,161 |
| DENTAL CONDITIONS..... | 3,198 | 2,637 | 764 | 1,873 | 562 | 562 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2,371 | 1,780 | 459 | 1,322 | 591 | 591 |
| OTHER DIGESTIVE CONDITIONS..... | 6,774 | 3,766 | 670 | 3,095 | 3,009 | 3,009 |
| INJURIES..... | 124,830 | 98,624 | 23,205 | 75,419 | 26,206 | 23,493 |
| FRACTURES AND DISLOCATIONS..... | 26,377 | 20,200 | 3,675 | 16,525 | 6,177 | 6,126 |
| SPRAINS AND STRAINS..... | 39,070 | 33,556 | 7,695 | 25,861 | 5,514 | 5,193 |
| OPEN WOUNDS AND LACERATIONS..... | 16,061 | 14,325 | 3,853 | 10,472 | 1,736 | 1,736 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 16,740 | 11,849 | 4,387 | 7,462 | 4,890 | 4,173 |
| OTHER CURRENT INJURIES..... | 26,583 | 18,693 | 3,594 | 15,099 | 7,889 | 6,263 |
| SELECTED OTHER ACUTE CONDITIONS..... | 62,811 | 48,831 | 8,908 | 39,923 | 13,980 | 9,961 |
| EYE CONDITIONS..... | 468 | 199 | 48 | 151 | 269 | 269 |
| ACUTE EAR INFECTIONS..... | 4,759 | 3,392 | 1,639 | 1,753 | 1,367 | 1,367 |
| OTHER EAR CONDITIONS..... | 2,370 | 807 | 53 | 754 | 1,563 | 163 |
| ACUTE URINARY CONDITIONS..... | 2,526 | 1,774 | 791 | 982 | 753 | 704 |
| DISORDERS OF MENSTRUATION..... | 910 | 804 | 744 | 60 | 105 | 105 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 2,312 | 2,256 | 311 | 1,945 | 56 | 56 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 22,746 | 22,746 | 3,461 | 19,285 | - | - |
| SKIN CONDITIONS..... | 4,069 | 2,864 | - | 2,864 | 1,205 | 1,205 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 18,824 | 12,165 | 1,750 | 10,415 | 6,660 | 5,539 |
| HEADACHE, EXCLUDING MIGRAINE..... | 3,092 | 1,317 | 51 | 1,265 | 1,775 | 375 |
| FEVER, UNSPECIFIED..... | 734 | 507 | 59 | 448 | 226 | 176 |
| ALL OTHER ACUTE CONDITIONS..... | 23,026 | 12,341 | 3,449 | 8,892 | 10,685 | 7,949 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE; 8.9 MILLION, A 20-PERCENT RSE; AND OF 4 MILLION, A 30-PERCENT RSE.

TABLE 42. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY SEX, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | MALE | | | FEMALE | | |
|--|---------------------------------------|----------------|----------------------|----------------------------------|----------------|----------------------|
| | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER |
| | NUMBER OF WORK-LOSS DAYS IN THOUSANDS | | | | | |
| ALL ACUTE CONDITIONS..... | 187,645 | 138,150 | 49,495 | 206,873 | 160,470 | 46,403 |
| INFECTIVE AND PARASITIC DISEASES..... | 10,809 | 9,605 | 1,204 | 12,607 | 10,272 | 2,335 |
| COMMON CHILDHOOD DISEASES..... | 1,342 | 1,342 | - | 477 | 477 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 1,574 | 1,200 | 375 | 3,037 | 2,094 | 943 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 3,110 | 2,660 | 450 | 3,695 | 2,605 | 1,090 |
| OTHER..... | 4,783 | 4,404 | 379 | 5,398 | 5,096 | 303 |
| RESPIRATORY CONDITIONS..... | 64,465 | 47,064 | 17,401 | 83,627 | 63,701 | 19,926 |
| COMMON COLD..... | 11,766 | 8,540 | 3,226 | 14,837 | 11,131 | 3,706 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 3,994 | 3,333 | 661 | 6,469 | 5,544 | 925 |
| INFLUENZA..... | 39,483 | 29,796 | 9,687 | 49,314 | 38,195 | 11,119 |
| ACUTE BRONCHITIS..... | 3,753 | 3,044 | 709 | 4,706 | 3,235 | 1,471 |
| PNEUMONIA..... | 4,601 | 1,759 | 2,642 | 6,239 | 4,190 | 2,048 |
| OTHER RESPIRATORY CONDITIONS..... | 867 | 592 | 275 | 2,062 | 1,405 | 657 |
| DIGESTIVE SYSTEM CONDITIONS..... | 5,936 | 3,185 | 2,751 | 6,407 | 4,997 | 1,410 |
| DENTAL CONDITIONS..... | 1,430 | 1,377 | 53 | 1,768 | 1,260 | 508 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1,004 | 776 | 228 | 1,367 | 1,005 | 363 |
| OTHER DIGESTIVE CONDITIONS..... | 3,503 | 1,033 | 2,469 | 3,272 | 2,733 | 539 |
| INJURIES..... | 81,157 | 64,304 | 16,853 | 43,673 | 34,320 | 9,353 |
| FRACTURES AND DISLOCATIONS..... | 18,067 | 15,137 | 2,929 | 8,310 | 5,063 | 3,247 |
| SPRAINS AND STRAINS..... | 25,855 | 21,146 | 4,709 | 13,215 | 12,411 | 805 |
| OPEN WOUNDS AND LACERATIONS..... | 13,652 | 12,709 | 942 | 2,409 | 1,615 | 794 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 9,880 | 6,102 | 3,778 | 6,860 | 5,748 | 1,112 |
| OTHER CURRENT INJURIES..... | 13,704 | 9,209 | 4,495 | 12,878 | 9,484 | 3,394 |
| SELECTED OTHER ACUTE CONDITIONS..... | 15,410 | 9,778 | 5,632 | 47,401 | 39,054 | 8,347 |
| EYE CONDITIONS..... | - | - | - | 468 | 199 | 269 |
| ACUTE EAR INFECTIONS..... | 743 | 651 | 93 | 4,016 | 2,742 | 1,274 |
| OTHER EAR CONDITIONS..... | 2,266 | 807 | 1,459 | 104 | - | 104 |
| ACUTE URINARY CONDITIONS..... | 609 | 560 | 48 | 1,918 | 1,213 | 704 |
| DISORDERS OF MENSTRUATION..... | *** | *** | *** | 910 | 804 | 105 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *** | *** | *** | 2,312 | 2,256 | 56 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | *** | *** | *** | 22,746 | 22,746 | - |
| SKIN CONDITIONS..... | 1,827 | 1,487 | 339 | 2,242 | 1,377 | 865 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 7,743 | 5,728 | 2,015 | 11,081 | 6,437 | 4,645 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1,754 | 302 | 1,452 | 1,338 | 1,014 | 323 |
| FEVER, UNSPECIFIED..... | 468 | 242 | 226 | 266 | 266 | - |
| ALL OTHER ACUTE CONDITIONS..... | 9,868 | 4,214 | 5,654 | 13,158 | 8,127 | 5,031 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE; 8.9 MILLION, A 20-PERCENT RSE; AND OF 4 MILLION, A 30-PERCENT RSE.

TABLE 43. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY RACE, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | WHITE | | | BLACK | | |
|--|--|----------------|----------------------|----------------------------------|----------------|----------------------|
| | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER |
| | NUMBER OF WORK-LOSS DAYS IN THOUSANDS ¹ | | | | | |
| ALL ACUTE CONDITIONS..... | 319,399 | 240,535 | 78,864 | 58,901 | 47,384 | 11,517 |
| INFECTIVE AND PARASITIC DISEASES..... | 19,225 | 16,567 | 2,657 | 3,010 | 2,336 | 674 |
| COMMON CHILDHOOD DISEASES..... | 686 | 686 | - | 777 | 777 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 4,076 | 2,929 | 1,147 | 535 | 365 | 170 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 5,675 | 4,697 | 978 | 1,071 | 567 | 504 |
| OTHER..... | 8,787 | 8,255 | 532 | 627 | 627 | - |
| RESPIRATORY CONDITIONS..... | 126,802 | 95,671 | 31,131 | 15,949 | 11,419 | 4,530 |
| COMMON COLD..... | 22,793 | 16,768 | 6,024 | 3,480 | 2,627 | 852 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 9,118 | 7,673 | 1,445 | 1,231 | 1,204 | 27 |
| INFLUENZA..... | 76,776 | 60,094 | 16,682 | 8,701 | 5,589 | 3,112 |
| ACUTE BRONCHITIS..... | 7,508 | 5,669 | 2,040 | 654 | 513 | 140 |
| PNEUMONIA..... | 8,493 | 4,685 | 4,008 | 1,861 | 1,464 | 398 |
| OTHER RESPIRATORY CONDITIONS..... | 2,114 | 1,182 | 932 | 21 | 21 | - |
| DIGESTIVE SYSTEM CONDITIONS..... | 8,336 | 5,895 | 2,441 | 2,302 | 2,230 | 72 |
| DENTAL CONDITIONS..... | 2,530 | 2,022 | 508 | 558 | 558 | - |
| INDIGESTION, NAUSEA, AND VOMITING..... | 1,866 | 1,348 | 518 | 505 | 433 | 72 |
| OTHER DIGESTIVE CONDITIONS..... | 3,940 | 2,526 | 1,414 | 1,239 | 1,239 | - |
| INJURIES..... | 95,438 | 73,796 | 21,643 | 25,722 | 22,089 | 3,633 |
| FRACTURES AND DISLOCATIONS..... | 21,595 | 15,784 | 5,810 | 4,079 | 3,713 | 366 |
| SPRAINS AND STRAINS..... | 28,825 | 23,974 | 4,851 | 9,693 | 9,030 | 663 |
| OPEN WOUNDS AND LACERATIONS..... | 11,986 | 10,291 | 1,694 | 3,772 | 3,730 | 42 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 11,546 | 7,691 | 3,855 | 4,012 | 2,977 | 1,035 |
| OTHER CURRENT INJURIES..... | 21,487 | 16,055 | 5,432 | 4,165 | 2,639 | 1,527 |
| SELECTED OTHER ACUTE CONDITIONS..... | 49,763 | 37,537 | 12,226 | 9,319 | 8,037 | 1,283 |
| EYE CONDITIONS..... | 318 | 48 | 269 | 151 | 151 | - |
| ACUTE EAR INFECTIONS..... | 4,682 | 3,314 | 1,367 | 78 | 78 | - |
| OTHER EAR CONDITIONS..... | 2,305 | 742 | 1,563 | 65 | 65 | - |
| ACUTE URINARY CONDITIONS..... | 2,329 | 1,576 | 753 | 198 | 198 | - |
| DISORDERS OF MENSTRUATION..... | 764 | 740 | 24 | 146 | 64 | 82 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 1,496 | 1,440 | 56 | 537 | 537 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 16,087 | 16,087 | - | 4,776 | 4,776 | - |
| SKIN CONDITIONS..... | 3,098 | 2,234 | 864 | 971 | 630 | 341 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 15,408 | 10,079 | 5,328 | 1,851 | 991 | 860 |
| HEADACHE, EXCLUDING MIGRAINE..... | 2,620 | 844 | 1,775 | 472 | 472 | - |
| FEVER, UNSPECIFIED..... | 658 | 431 | 226 | 76 | 76 | - |
| ALL OTHER ACUTE CONDITIONS..... | 19,836 | 11,068 | 8,767 | 2,598 | 1,273 | 1,325 |

¹TOTALS FOR WHITE AND BLACK DO NOT SUM TO TOTAL WORK-LOSS DAYS BECAUSE OTHER RACES ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE; 8.9 MILLION, A 20-PERCENT RSE; AND 4 MILLION, A 30-PERCENT RSE.

TABLE 44. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY FAMILY INCOME, AGE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | FAMILY INCOME | | | | | | | | | |
|---|--|----------------|----------------------|----------------------------------|----------------|----------------------|----------------------------------|----------------|----------------------|--|
| | LESS THAN \$10,000 | | | \$10,000-\$24,999 | | | \$25,000 OR MORE | | | |
| | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | ALL AGES 18 YEARS AND OVER | 18-44 YEARS | 45 YEARS AND OVER | |
| | NUMBER OF WORK-LOSS DAYS IN THOUSANDS ¹ | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 31,719 | 28,034 | 3,684 | 99,068 | 80,741 | 18,327 | 191,748 | 143,349 | 48,400 | |
| INFECTIVE AND PARASITIC DISEASES..... | 1,816 | 1,561 | 255 | 6,279 | 5,217 | 1,062 | 12,725 | 10,873 | 1,852 | |
| COMMON CHILDHOOD DISEASES..... | - | - | - | 986 | 986 | - | 833 | 833 | - | |
| INTESTINAL VIRUS, UNSPECIFIED..... | 594 | 339 | 255 | 720 | 623 | 97 | 3,089 | 2,124 | 965 | |
| VIRAL INFECTIONS, UNSPECIFIED..... | 296 | 296 | - | 2,010 | 1,244 | 766 | 3,644 | 2,980 | 664 | |
| OTHER..... | 925 | 925 | - | 2,563 | 2,363 | 200 | 5,160 | 4,937 | 223 | |
| RESPIRATORY CONDITIONS..... | 10,757 | 8,970 | 1,787 | 31,687 | 25,369 | 6,318 | 80,599 | 59,269 | 21,329 | |
| COMMON COLD..... | 1,152 | 901 | 250 | 6,143 | 4,588 | 1,555 | 15,935 | 11,997 | 3,938 | |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 427 | 374 | 53 | 1,682 | 1,571 | 112 | 6,500 | 5,406 | 1,094 | |
| INFLUENZA..... | 7,823 | 6,340 | 1,483 | 19,615 | 16,507 | 3,109 | 46,294 | 33,761 | 12,533 | |
| ACUTE BRONCHITIS..... | 237 | 237 | - | 2,208 | 1,296 | 911 | 5,489 | 4,220 | 1,269 | |
| PNEUMONIA..... | 211 | 211 | - | 2,038 | 1,407 | 631 | 4,933 | 3,276 | 1,657 | |
| OTHER RESPIRATORY CONDITIONS..... | 908 | 908 | - | - | - | - | 1,448 | 609 | 839 | |
| DIGESTIVE SYSTEM CONDITIONS..... | 796 | 689 | 106 | 5,410 | 2,747 | 2,663 | 5,068 | 3,840 | 1,228 | |
| DENTAL CONDITIONS..... | 106 | - | 106 | 893 | 680 | 213 | 1,518 | 1,374 | 144 | |
| INDIGESTION, NAUSEA, AND VOMITING..... | 52 | 52 | - | 791 | 557 | 234 | 1,348 | 1,056 | 291 | |
| OTHER DIGESTIVE CONDITIONS..... | 637 | 637 | - | 3,726 | 1,510 | 2,216 | 2,202 | 1,409 | 793 | |
| INJURIES..... | 11,977 | 10,705 | 1,272 | 37,327 | 31,896 | 5,432 | 51,560 | 37,902 | 13,658 | |
| FRACTURES AND DISLOCATIONS..... | 2,916 | 2,916 | - | 6,628 | 6,085 | 543 | 12,525 | 8,264 | 4,261 | |
| SPRAINS AND STRAINS..... | 2,772 | 2,500 | 272 | 14,486 | 12,976 | 1,510 | 15,778 | 12,525 | 3,253 | |
| OPEN WOUNDS AND LACERATIONS..... | 1,842 | 1,123 | 718 | 6,104 | 5,408 | 695 | 6,552 | 6,446 | 106 | |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 1,798 | 1,517 | 281 | 4,046 | 3,163 | 883 | 5,861 | 4,161 | 1,700 | |
| OTHER CURRENT INJURIES..... | 2,649 | 2,649 | - | 6,064 | 4,263 | 1,801 | 10,843 | 6,506 | 4,337 | |
| SELECTED OTHER ACUTE CONDITIONS..... | 5,667 | 5,403 | 264 | 11,658 | 10,332 | 1,326 | 32,355 | 26,670 | 5,685 | |
| EYE CONDITIONS..... | - | - | - | 214 | 55 | 158 | 254 | 143 | 111 | |
| ACUTE EAR INFECTIONS..... | 234 | 234 | - | 333 | 333 | - | 3,150 | 2,723 | 427 | |
| OTHER EAR CONDITIONS..... | 360 | 360 | - | 314 | 314 | - | 231 | 68 | 163 | |
| ACUTE URINARY CONDITIONS..... | 418 | 418 | - | 749 | 269 | 480 | 1,013 | 792 | 221 | |
| DISORDERS OF MENSTRUATION..... | 166 | 166 | - | 54 | 54 | - | 166 | 60 | 105 | |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 213 | 213 | - | 412 | 412 | - | 1,428 | 1,372 | 56 | |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 3,231 | 3,231 | - | 4,204 | 4,204 | - | 14,299 | 14,299 | - | |
| SKIN CONDITIONS..... | - | - | - | 540 | 462 | 77 | 2,223 | 1,096 | 1,127 | |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 700 | 436 | 264 | 4,049 | 3,540 | 508 | 8,645 | 5,494 | 3,151 | |
| HEADACHE, EXCLUDING MIGRAINE..... | 179 | 179 | - | 502 | 450 | 52 | 840 | 517 | 323 | |
| FEVER, UNSPECIFIED..... | 164 | 164 | - | 287 | 237 | 50 | 106 | 106 | - | |
| ALL OTHER ACUTE CONDITIONS..... | 706 | 706 | - | 6,707 | 5,181 | 1,526 | 9,442 | 4,795 | 4,646 | |

¹TOTALS FOR INCOME CATEGORIES DO NOT SUM TO TOTAL WORK-LOSS DAYS BECAUSE PERSONS WITH UNKNOWN FAMILY INCOME ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE; OF 8.9 MILLION, A 20-PERCENT RSE; AND OF 4 MILLION, A 30-PERCENT RSE.

TABLE 45. NUMBER OF WORK-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | GEOGRAPHIC REGION | | | | PLACE OF RESIDENCE | | | |
|---|-------------------|---------|---------|--------|--------------------|--------------|------------------|---------|
| | | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF WORK-LOSS DAYS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 73,428 | 92,098 | 141,556 | 87,436 | 311,919 | 132,912 | 179,007 | 82,599 |
| INFECTIVE AND PARASITIC DISEASES..... | 4,611 | 5,655 | 9,288 | 3,862 | 17,739 | 7,553 | 10,187 | 5,676 |
| COMMON CHILDHOOD DISEASES..... | 477 | 777 | 209 | 355 | 1,819 | 1,133 | 686 | - |
| INTESTINAL VIRUS, UNSPECIFIED..... | 1,111 | 311 | 3,037 | 152 | 3,086 | 1,454 | 1,632 | 1,525 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 1,344 | 718 | 4,079 | 664 | 5,285 | 2,212 | 3,072 | 1,520 |
| OTHER..... | 1,680 | 3,849 | 1,962 | 2,690 | 7,550 | 2,754 | 4,796 | 2,631 |
| RESPIRATORY CONDITIONS..... | 27,022 | 33,412 | 46,009 | 41,650 | 121,642 | 46,078 | 75,564 | 26,450 |
| COMMON COLD..... | 7,449 | 5,000 | 6,491 | 7,663 | 22,745 | 8,505 | 14,240 | 3,858 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 2,342 | 2,697 | 4,076 | 1,348 | 8,327 | 3,030 | 5,297 | 2,137 |
| INFLUENZA..... | 13,597 | 21,161 | 25,012 | 29,027 | 72,693 | 30,248 | 42,444 | 16,104 |
| ACUTE BRONCHITIS..... | 2,741 | 768 | 3,544 | 1,407 | 6,648 | 2,038 | 4,610 | 1,811 |
| PNEUMONIA..... | 344 | 2,685 | 5,702 | 2,109 | 9,246 | 1,817 | 7,429 | 1,594 |
| OTHER RESPIRATORY CONDITIONS..... | 549 | 1,100 | 1,184 | 96 | 1,984 | 440 | 1,544 | 946 |
| DIGESTIVE SYSTEM CONDITIONS..... | 2,010 | 2,274 | 4,338 | 3,722 | 10,350 | 5,019 | 5,331 | 1,993 |
| DENTAL CONDITIONS..... | 435 | 267 | 1,473 | 522 | 2,259 | 1,211 | 1,048 | 939 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 288 | 503 | 1,337 | 243 | 1,998 | 835 | 1,162 | 373 |
| OTHER DIGESTIVE CONDITIONS..... | 1,287 | 1,003 | 1,528 | 2,956 | 6,094 | 2,973 | 3,120 | 681 |
| INJURIES..... | 21,773 | 27,687 | 56,505 | 18,865 | 91,635 | 42,469 | 49,166 | 33,194 |
| FRACTURES AND DISLOCATIONS..... | 4,332 | 7,565 | 10,920 | 3,560 | 20,397 | 10,057 | 10,340 | 5,980 |
| SPRAINS AND STRAINS..... | 5,942 | 8,551 | 17,918 | 6,658 | 29,574 | 15,299 | 14,276 | 9,496 |
| OPEN WOUNDS AND LACERATIONS..... | 4,766 | 2,663 | 6,310 | 2,322 | 11,194 | 4,179 | 7,015 | 4,667 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 1,994 | 3,814 | 9,423 | 1,508 | 12,714 | 5,981 | 6,733 | 4,026 |
| OTHER CURRENT INJURIES..... | 4,738 | 5,095 | 11,934 | 4,816 | 17,757 | 6,954 | 10,802 | 8,826 |
| SELECTED OTHER ACUTE CONDITIONS..... | 11,507 | 18,092 | 17,535 | 15,678 | 53,171 | 24,785 | 28,386 | 9,640 |
| EYE CONDITIONS..... | - | 151 | 59 | 259 | 468 | 262 | 207 | - |
| ACUTE EAR INFECTIONS..... | 58 | 1,792 | 2,158 | 751 | 4,284 | 1,707 | 2,578 | 475 |
| OTHER EAR CONDITIONS..... | 262 | 1,400 | 186 | 522 | 2,266 | 536 | 1,730 | 105 |
| ACUTE URINARY CONDITIONS..... | 48 | 808 | 674 | 996 | 1,953 | 760 | 1,193 | 574 |
| DISORDERS OF MENSTRUATION..... | 24 | 605 | 166 | 115 | 791 | 267 | 523 | 119 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 309 | 515 | 1,190 | 298 | 2,022 | 1,053 | 969 | 290 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 3,959 | 4,356 | 7,823 | 6,608 | 19,463 | 9,482 | 9,981 | 3,283 |
| SKIN CONDITIONS..... | 646 | 1,219 | 975 | 1,229 | 3,942 | 2,403 | 1,539 | 126 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 6,151 | 5,204 | 3,307 | 4,162 | 14,258 | 7,186 | 7,072 | 4,566 |
| HEADACHE, EXCLUDING MIGRAINE..... | 49 | 1,745 | 761 | 536 | 3,040 | 780 | 2,260 | 52 |
| FEVER, UNSPECIFIED..... | - | 296 | 236 | 202 | 683 | 349 | 334 | 51 |
| ALL OTHER ACUTE CONDITIONS..... | 6,506 | 4,979 | 7,881 | 3,660 | 17,381 | 7,008 | 10,374 | 5,644 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE; 8.9 MILLION, A 20-PERCENT RSE; AND OF 4 MILLION, A 30-PERCENT RSE.

TABLE 46. NUMBER OF SCHOOL-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 YOUTHS 5-17 YEARS OF AGE, BY SEX, RACE, FAMILY INCOME, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX IX)

| TYPE OF ACUTE CONDITION | ALL AGES 5-17 YEARS | SEX | | RACE | | FAMILY INCOME | | | |
|---|---------------------------|-------|--------|-------|-------|-----------------------|-----------------------|-----------------------|---------------------|
| | | MALE | FEMALE | WHITE | BLACK | LESS THAN \$10,000 | \$10,000- \$19,999 | \$20,000- \$34,999 | \$35,000 OR MORE |
| NUMBER OF SCHOOL-LOSS DAYS PER 100 YOUTHS PER YEAR | | | | | | | | | |
| ALL ACUTE CONDITIONS----- | 463.5 | 460.1 | 467.0 | 489.4 | 373.5 | 516.6 | 466.0 | 484.0 | 413.0 |
| INFECTIVE AND PARASITIC DISEASES----- | 95.7 | 95.0 | 96.4 | 102.6 | 71.3 | 86.4 | 100.7 | 108.9 | 95.8 |
| COMMON CHILDHOOD DISEASES----- | 25.6 | 29.9 | 21.0 | 24.3 | *30.8 | *47.1 | *13.2 | *24.7 | 31.9 |
| INTESTINAL VIRUS, UNSPECIFIED----- | 14.1 | *15.1 | *12.9 | 14.8 | *13.7 | *5.4 | *14.0 | *21.0 | *12.2 |
| VIRAL INFECTIONS, UNSPECIFIED----- | 16.4 | *16.6 | *16.2 | 17.2 | *16.0 | *8.4 | *19.8 | *14.0 | *19.6 |
| OTHER----- | 39.7 | 33.4 | 46.3 | 46.3 | *10.7 | *25.6 | *53.7 | 49.2 | 32.1 |
| RESPIRATORY CONDITIONS----- | 280.9 | 269.4 | 293.1 | 305.6 | 198.6 | 295.0 | 266.6 | 302.5 | 250.4 |
| COMMON COLD----- | 49.6 | 45.3 | 54.1 | 50.0 | *51.9 | 91.5 | *43.3 | 51.6 | 32.6 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS----- | 19.7 | *13.5 | 26.2 | 23.3 | *4.6 | *14.7 | *16.1 | *11.5 | *24.2 |
| INFLUENZA----- | 184.4 | 188.6 | 179.9 | 201.1 | 128.3 | 166.7 | 194.3 | 218.6 | 156.6 |
| ACUTE BRONCHITIS----- | 10.8 | *10.7 | *11.0 | 12.1 | *6.9 | *5.1 | *10.1 | *5.8 | *12.2 |
| PNEUMONIA----- | *8.1 | *3.9 | *12.5 | *8.9 | *5.9 | *15.9 | *- | *4.1 | *14.0 |
| OTHER RESPIRATORY CONDITIONS----- | *8.3 | *7.4 | *9.4 | *10.2 | *1.1 | *1.0 | *2.8 | *10.9 | *10.8 |
| DIGESTIVE SYSTEM CONDITIONS----- | 12.3 | *12.6 | *12.0 | *10.6 | *19.3 | *21.8 | *16.1 | *16.6 | *6.3 |
| DENTAL CONDITIONS----- | *2.1 | *2.3 | *1.9 | *1.7 | *1.4 | * | *5.3 | *2.2 | *1.4 |
| INDIGESTION, NAUSEA, AND VOMITING----- | *5.7 | *4.6 | *6.9 | *5.5 | *7.1 | *14.9 | *4.9 | *7.7 | *3.4 |
| OTHER DIGESTIVE CONDITIONS----- | *4.5 | *5.7 | *3.2 | *3.5 | *10.7 | *6.9 | *5.9 | *6.7 | *1.4 |
| INJURIES----- | 22.0 | 28.5 | *15.1 | 21.9 | *27.8 | *58.6 | *4.4 | *14.1 | *18.7 |
| FRACTURES AND DISLOCATIONS----- | *6.5 | *10.0 | *2.8 | *5.7 | *12.0 | *27.9 | *1.3 | *2.1 | *7.2 |
| SPRAINS AND STRAINS----- | *2.9 | *3.3 | *2.5 | *2.9 | *3.9 | *7.9 | *1.8 | *1.8 | *2.5 |
| OPEN WOUNDS AND LACERATIONS----- | *6.1 | *8.7 | *3.3 | *6.5 | *5.3 | *11.2 | * | *3.9 | *3.7 |
| CONTUSIONS AND SUPERFICIAL INJURIES----- | *2.6 | *1.9 | *3.4 | *2.1 | *5.8 | *7.0 | *1.3 | *1.3 | *2.5 |
| OTHER CURRENT INJURIES----- | *3.9 | *4.6 | *3.1 | *4.7 | *0.8 | *4.5 | * | *5.0 | *2.8 |
| SELECTED OTHER ACUTE CONDITIONS----- | 37.4 | 37.9 | 36.8 | 34.2 | *41.9 | *43.7 | *54.2 | *30.1 | 27.9 |
| EYE CONDITIONS----- | *0.4 | *0.7 | *0.1 | *0.4 | *0.3 | * | * | * | *1.0 |
| ACUTE EAR INFECTIONS----- | 18.6 | 24.7 | *12.3 | 18.3 | *24.3 | *14.2 | *13.4 | *16.7 | *17.7 |
| OTHER EAR CONDITIONS----- | *2.3 | *3.0 | *1.6 | *2.6 | * | *4.0 | *2.1 | *5.1 | *0.9 |
| ACUTE URINARY CONDITIONS----- | *2.6 | *1.3 | *4.1 | *1.0 | *5.1 | *5.7 | *11.5 | *0.7 | * |
| DISORDERS OF MENSTRUATION----- | *1.4 | *** | *2.8 | *1.1 | *3.2 | *2.8 | *3.5 | *0.6 | *0.4 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT----- | *0.6 | *** | *1.2 | *0.1 | *3.2 | *4.6 | * | *0.4 | * |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM----- | *2.1 | *** | *4.4 | *1.1 | * | * | *13.3 | * | * |
| SKIN CONDITIONS----- | *2.5 | *2.1 | *2.9 | *3.1 | * | *6.8 | *3.9 | *0.8 | *1.2 |
| ACUTE MUSCULOSKELETAL CONDITIONS----- | *1.3 | *0.4 | *2.3 | *1.1 | *1.5 | * | *1.6 | *1.3 | *0.9 |
| HEADACHE, EXCLUDING MIGRAINE----- | *2.3 | *2.6 | *2.0 | *2.2 | *0.5 | *1.8 | *2.0 | *2.3 | *3.2 |
| FEVER, UNSPECIFIED----- | *3.2 | *3.2 | *3.1 | *3.2 | *3.7 | *3.8 | *2.8 | *2.1 | *2.6 |
| ALL OTHER ACUTE CONDITIONS----- | 15.2 | *16.7 | *13.6 | 14.6 | *14.6 | *11.1 | *23.9 | *11.8 | *13.9 |

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR COLUMNS 1-5 CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II, THE FREQUENCIES OF TABLE 48 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 6-9 CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II. THE FREQUENCIES OF TABLES 48 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 47. NUMBER OF SCHOOL-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS PER 100 YOUTHS 5-17 YEARS OF AGE, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | GEOGRAPHIC REGION | | | | PLACE OF RESIDENCE | | | |
|--|-------------------|---------|-------|-------|--------------------|--------------|------------------|---------|
| | NORTHEAST | MIDWEST | SOUTH | WEST | MSA | | | |
| | | | | | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF SCHOOL-LOSS DAYS PER 100 YOUTHS PER YEAR | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 346.9 | 435.0 | 486.3 | 552.5 | 468.6 | 437.5 | 487.7 | 446.3 |
| INFECTIVE AND PARASITIC DISEASES..... | 96.1 | 77.5 | 114.4 | 86.2 | 94.3 | 84.5 | 100.3 | 100.3 |
| COMMON CHILDHOOD DISEASES..... | *24.3 | *24.8 | *24.8 | *28.7 | 26.5 | *26.0 | 26.8 | *22.4 |
| INTESTINAL VIRUS, UNSPECIFIED..... | *14.0 | *5.6 | 28.1 | *1.4 | 15.0 | *16.4 | *14.1 | *11.0 |
| VIRAL INFECTIONS, UNSPECIFIED..... | *10.2 | *12.7 | 27.5 | *8.0 | 12.8 | *4.9 | *17.7 | *28.2 |
| OTHER..... | *47.6 | *34.5 | 34.1 | 48.0 | 40.0 | 37.1 | 41.7 | 38.7 |
| RESPIRATORY CONDITIONS..... | 199.9 | 270.7 | 266.1 | 380.5 | 284.7 | 273.3 | 291.7 | 268.4 |
| COMMON COLD..... | 52.0 | 39.5 | 51.0 | 56.9 | 50.4 | 57.7 | 45.9 | 47.2 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | *17.3 | *22.7 | *20.5 | *17.0 | 20.2 | *13.7 | 24.3 | *17.9 |
| INFLUENZA..... | 110.0 | 172.2 | 166.4 | 285.7 | 183.7 | 179.7 | 186.1 | 186.7 |
| ACUTE BRONCHITIS..... | *8.5 | *15.5 | *8.4 | *11.1 | *11.2 | *5.4 | *14.8 | *9.4 |
| PNEUMONIA..... | *2.5 | *14.2 | *7.2 | *7.1 | *9.8 | *6.8 | *11.7 | *2.2 |
| OTHER RESPIRATORY CONDITIONS..... | *9.5 | *6.5 | *12.6 | *2.8 | *9.3 | *10.0 | *8.9 | *5.1 |
| DIGESTIVE SYSTEM CONDITIONS..... | *6.3 | *11.4 | *13.3 | *16.6 | *11.4 | *13.1 | *10.3 | *15.5 |
| DENTAL CONDITIONS..... | *0.7 | *1.3 | *0.4 | *6.8 | *1.7 | *2.2 | *1.4 | *3.4 |
| INDIGESTION, NAUSEA, AND VOMITING..... | *3.5 | *5.1 | *5.0 | *9.3 | *5.5 | *6.1 | *5.1 | *6.6 |
| OTHER DIGESTIVE CONDITIONS..... | *2.0 | *5.0 | *7.9 | *0.5 | *4.1 | *4.8 | *3.8 | *5.5 |
| INJURIES..... | *15.8 | *17.8 | 26.8 | *24.0 | 24.6 | 31.3 | 20.6 | *13.1 |
| FRACTURES AND DISLOCATIONS..... | *1.9 | *9.6 | *9.7 | *1.6 | *8.2 | *11.7 | *6.0 | *0.9 |
| SPRAINS AND STRAINS..... | *6.8 | *2.7 | *1.8 | *1.9 | *3.0 | *3.2 | *2.8 | *2.8 |
| OPEN WOUNDS AND LACERATIONS..... | *5.8 | *2.6 | *7.9 | *7.2 | *6.7 | *9.8 | *4.8 | *4.0 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | *- | *1.8 | *3.7 | *3.9 | *2.7 | *3.8 | *2.0 | *2.4 |
| OTHER CURRENT INJURIES..... | *1.3 | *1.2 | *3.6 | *9.4 | *4.2 | *2.7 | *5.0 | *2.9 |
| SELECTED OTHER ACUTE CONDITIONS..... | *25.2 | 45.7 | 43.6 | *28.0 | 37.9 | *29.7 | 42.9 | *35.8 |
| EYE CONDITIONS..... | - | -- | *0.2 | *1.6 | *0.5 | *0.2 | *0.7 | - |
| ACUTE EAR INFECTIONS..... | *9.4 | *19.5 | *22.5 | *18.9 | 21.5 | *12.7 | 26.9 | *9.0 |
| OTHER EAR CONDITIONS..... | *1.1 | *3.0 | *3.0 | *1.4 | *1.5 | *0.4 | *2.1 | *5.2 |
| ACUTE URINARY CONDITIONS..... | - | *4.9 | *3.4 | *1.0 | *1.8 | *0.6 | *2.5 | *5.5 |
| DISORDERS OF MENSTRUATION..... | *0.8 | *2.1 | *2.0 | - | *1.5 | *1.9 | *1.3 | *0.9 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *0.6 | - | *1.4 | - | *0.8 | - | *1.3 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | - | *8.6 | - | - | *1.6 | *4.2 | - | *3.9 |
| SKIN CONDITIONS..... | *7.1 | *1.7 | *2.3 | - | *2.1 | *2.7 | *1.8 | *3.7 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | *1.2 | *0.4 | *2.3 | *1.0 | *1.6 | *1.5 | *1.7 | *0.4 |
| HEADACHE, EXCLUDING MIGRAINE..... | *1.9 | *4.3 | *1.5 | *1.7 | *2.2 | *1.4 | *2.7 | *2.6 |
| FEVER, UNSPECIFIED..... | *3.1 | *1.3 | *5.0 | *2.4 | *2.7 | *4.0 | *2.0 | *4.5 |
| ALL OTHER ACUTE CONDITIONS..... | *3.6 | *11.8 | *22.0 | *17.3 | 15.7 | *5.7 | 21.9 | *13.2 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 49 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 48. NUMBER OF SCHOOL-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR YOUTHS 5-17 YEARS OF AGE, BY SEX, RACE, FAMILY INCOME, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | ALL AGES ¹ 5-17 YEARS | SEX | | RACE | | FAMILY INCOME | | | |
|---|--|---------|---------|---------|--------|-----------------------|-------------------|-------------------|---------------------|
| | | MALE | FEMALE | WHITE | BLACK | LESS THAN \$10,000 | \$10,000-\$19,999 | \$20,000-\$34,999 | \$35,000 OR MORE |
| NUMBER OF SCHOOL-LOSS DAYS IN THOUSANDS | | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 209,650 | 106,499 | 103,150 | 178,322 | 26,434 | 25,680 | 33,884 | 53,003 | 65,290 |
| INFECTIVE AND PARASITIC DISEASES..... | 43,287 | 21,989 | 21,298 | 37,381 | 5,046 | 4,295 | 7,326 | 11,922 | 15,143 |
| COMMON CHILDHOOD DISEASES..... | 11,565 | 6,930 | 4,635 | 8,842 | 2,183 | 2,339 | 962 | 2,709 | 5,048 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 6,358 | 3,903 | 2,855 | 5,384 | 973 | 266 | 1,021 | 2,295 | 1,922 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 7,414 | 3,837 | 3,577 | 6,282 | 1,132 | 416 | 1,438 | 1,535 | 3,095 |
| OTHER..... | 17,951 | 7,719 | 10,232 | 16,874 | 758 | 1,274 | 3,905 | 5,384 | 5,078 |
| RESPIRATORY CONDITIONS..... | 127,085 | 62,348 | 64,737 | 111,348 | 14,056 | 14,662 | 19,386 | 33,135 | 39,592 |
| COMMON COLD..... | 22,455 | 10,495 | 11,961 | 18,231 | 3,675 | 4,550 | 3,149 | 5,655 | 5,156 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 8,911 | 3,128 | 5,783 | 8,505 | 323 | 730 | 1,169 | 1,256 | 3,824 |
| INFLUENZA..... | 83,399 | 43,656 | 39,743 | 73,271 | 9,079 | 8,287 | 14,131 | 23,943 | 24,764 |
| ACUTE BRONCHITIS..... | 4,892 | 2,471 | 2,421 | 4,405 | 487 | 255 | 734 | 638 | 1,925 |
| PNEUMONIA..... | 3,651 | 893 | 2,758 | 3,237 | 415 | 790 | - | 449 | 2,209 |
| OTHER RESPIRATORY CONDITIONS..... | 3,777 | 1,706 | 2,070 | 3,700 | 77 | 51 | 202 | 1,194 | 1,714 |
| DIGESTIVE SYSTEM CONDITIONS..... | 5,566 | 2,919 | 2,647 | 3,864 | 1,363 | 1,083 | 1,170 | 1,818 | 909 |
| DENTAL CONDITIONS..... | 954 | 532 | 422 | 611 | 102 | - | 386 | 243 | 223 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 2,595 | 1,073 | 1,523 | 1,994 | 503 | 742 | 355 | 843 | 545 |
| OTHER DIGESTIVE CONDITIONS..... | 2,016 | 1,315 | 701 | 1,259 | 757 | 341 | 429 | 733 | 221 |
| INJURIES..... | 9,937 | 6,606 | 3,331 | 7,969 | 1,967 | 2,914 | 322 | 1,540 | 2,957 |
| FRACTURES AND DISLOCATIONS..... | 2,933 | 2,322 | 612 | 2,085 | 849 | 1,388 | 91 | 227 | 1,135 |
| SPRAINS AND STRAINS..... | 1,323 | 773 | 550 | 1,047 | 276 | 395 | 134 | 197 | 400 |
| OPEN WOUNDS AND LACERATIONS..... | 2,739 | 2,015 | 724 | 2,363 | 376 | 558 | - | 427 | 581 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 1,185 | 435 | 750 | 774 | 411 | 347 | 97 | 143 | 392 |
| OTHER CURRENT INJURIES..... | 1,756 | 1,061 | 695 | 1,700 | 56 | 226 | - | 545 | 449 |
| SELECTED OTHER ACUTE CONDITIONS..... | 16,916 | 8,779 | 8,138 | 12,455 | 2,967 | 2,172 | 3,939 | 3,294 | 4,414 |
| EYE CONDITIONS..... | 183 | 159 | 24 | 159 | 24 | - | - | - | 159 |
| ACUTE EAR INFECTIONS..... | 8,425 | 5,707 | 2,718 | 6,668 | 1,721 | 706 | 976 | 1,831 | 2,800 |
| OTHER EAR CONDITIONS..... | 1,056 | 703 | 352 | 945 | - | 201 | 153 | 560 | 142 |
| ACUTE URINARY CONDITIONS..... | 1,193 | 295 | 898 | 357 | 359 | 282 | 834 | 77 | - |
| DISORDERS OF MENSTRUATION..... | 616 | *** | 616 | 388 | 228 | 141 | 258 | 64 | 57 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 274 | *** | 274 | 45 | 228 | 228 | - | 45 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | 967 | *** | 967 | 411 | - | - | 967 | - | - |
| SKIN CONDITIONS..... | 1,129 | 400 | 648 | 1,129 | - | 337 | 283 | 86 | 191 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 604 | 96 | 509 | 404 | 105 | - | 116 | 145 | 143 |
| HEADACHE, EXCLUDING MIGRAINE..... | 1,041 | 605 | 436 | 784 | 38 | 90 | 144 | 254 | 507 |
| FEVER, UNSPECIFIED..... | 1,429 | 734 | 695 | 1,164 | 265 | 187 | 207 | 233 | 415 |
| ALL OTHER ACUTE CONDITIONS..... | 6,859 | 3,858 | 3,000 | 5,304 | 1,034 | 554 | 1,741 | 1,294 | 2,195 |

¹ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE¹ OF 8.9 MILLION; A 20-PERCENT RSE¹ AND OF 4 MILLION; A 30-PERCENT RSE.

TABLE 49. NUMBER OF SCHOOL-LOSS DAYS ASSOCIATED WITH ACUTE CONDITIONS FOR YOUTHS 5-17 YEARS OF AGE, BY GEOGRAPHIC REGION, PLACE OF RESIDENCE, AND TYPE OF CONDITION: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|--------|--------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| NUMBER OF SCHOOL-LOSS DAYS IN THOUSANDS | | | | | | | | |
| ALL ACUTE CONDITIONS..... | 27,914 | 48,981 | 77,082 | 55,673 | 162,848 | 57,654 | 105,194 | 46,802 |
| INFECTIVE AND PARASITIC DISEASES..... | 7,734 | 8,732 | 18,141 | 8,681 | 32,771 | 11,132 | 21,639 | 10,517 |
| COMMON CHILDHOOD DISEASES..... | 1,955 | 2,789 | 3,933 | 2,888 | 9,219 | 3,431 | 5,788 | 2,346 |
| INTESTINAL VIRUS, UNSPECIFIED..... | 1,128 | 630 | 4,454 | 146 | 5,203 | 2,165 | 3,038 | 1,155 |
| VIRAL INFECTIONS, UNSPECIFIED..... | 622 | 1,430 | 4,352 | 810 | 4,460 | 648 | 3,812 | 2,954 |
| OTHER..... | 3,829 | 3,883 | 5,402 | 4,837 | 13,889 | 4,887 | 9,002 | 4,062 |
| RESPIRATORY CONDITIONS..... | 16,086 | 30,477 | 42,184 | 38,339 | 98,936 | 36,015 | 62,922 | 28,149 |
| COMMON COLD..... | 4,186 | 4,453 | 8,082 | 5,735 | 17,507 | 7,606 | 9,901 | 4,949 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 1,391 | 2,558 | 3,246 | 1,715 | 7,033 | 1,799 | 5,233 | 1,878 |
| INFLUENZA..... | 8,948 | 19,387 | 26,382 | 28,783 | 63,621 | 23,681 | 40,140 | 19,578 |
| ACUTE BRONCHITIS..... | 688 | 1,750 | 1,339 | 1,114 | 3,907 | 710 | 3,198 | 985 |
| PNEUMONIA..... | 205 | 1,594 | 1,140 | 713 | 3,422 | 901 | 2,522 | 229 |
| OTHER RESPIRATORY CONDITIONS..... | 768 | 734 | 1,995 | 279 | 3,246 | 1,318 | 1,928 | 530 |
| DIGESTIVE SYSTEM CONDITIONS..... | 504 | 1,287 | 2,107 | 1,668 | 3,945 | 1,721 | 2,223 | 1,621 |
| DENTAL CONDITIONS..... | 58 | 147 | 63 | 685 | 599 | 287 | 312 | 356 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 284 | 577 | 798 | 937 | 1,905 | 807 | 1,098 | 690 |
| OTHER DIGESTIVE CONDITIONS..... | 162 | 563 | 1,246 | 46 | 1,441 | 627 | 813 | 575 |
| INJURIES..... | 1,272 | 2,009 | 4,242 | 2,414 | 8,561 | 4,121 | 4,440 | 1,376 |
| FRACTURES AND DISLOCATIONS..... | 151 | 1,077 | 1,544 | 161 | 2,836 | 1,541 | 1,295 | 97 |
| SPRAINS AND STRAINS..... | 550 | 299 | 288 | 187 | 1,027 | 426 | 601 | 296 |
| OPEN WOUNDS AND LACERATIONS..... | 468 | 289 | 1,257 | 726 | 2,319 | 1,291 | 1,028 | 420 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | - | 206 | 588 | 392 | 932 | 503 | 429 | 253 |
| OTHER CURRENT INJURIES..... | 103 | 139 | 565 | 949 | 1,447 | 360 | 1,087 | 309 |
| SELECTED OTHER ACUTE CONDITIONS..... | 2,030 | 5,143 | 6,916 | 2,826 | 13,163 | 3,911 | 9,252 | 3,753 |
| EYE CONDITIONS..... | - | - | 24 | 159 | 183 | 24 | 159 | - |
| ACUTE EAR INFECTIONS..... | 755 | 2,192 | 3,572 | 1,906 | 7,484 | 1,674 | 5,810 | 941 |
| OTHER EAR CONDITIONS..... | 92 | 338 | 480 | 146 | 507 | 48 | 459 | 548 |
| ACUTE URINARY CONDITIONS..... | - | 553 | 539 | 100 | 616 | 77 | 539 | 577 |
| DISORDERS OF MENSTRUATION..... | 67 | 238 | 311 | - | 522 | 252 | 270 | 94 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | 45 | - | 228 | - | 274 | - | 274 | - |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND PUERPERIUM..... | - | 967 | - | - | 556 | 556 | - | 411 |
| SKIN CONDITIONS..... | 569 | 191 | 369 | - | 739 | 361 | 378 | 390 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 96 | 44 | 368 | 96 | 560 | 200 | 360 | 44 |
| HEADACHE, EXCLUDING MIGRAINE..... | 154 | 479 | 233 | 176 | 768 | 190 | 578 | 273 |
| FEVER, UNSPECIFIED..... | 251 | 142 | 792 | 245 | 955 | 530 | 425 | 475 |
| ALL OTHER ACUTE CONDITIONS..... | 289 | 1,332 | 3,493 | 1,745 | 5,472 | 754 | 4,719 | 1,386 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 36.3 MILLION HAS A 10-PERCENT RSE; 8.9 MILLION, A 20-PERCENT RSE; AND OF 4 MILLION, A 30-PERCENT RSE.

TABLE 50. NUMBER OF ACUTE CONDITIONS PER 100 PERSONS PER YEAR AND NUMBER OF ACUTE CONDITIONS, BY QUARTER AND TYPE OF CONDITION:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF ACUTE CONDITION | QUARTER | | | | | | | |
|--|--|------|------|------|--|--------|--------|---------|
| | JAN.-MARCH APRIL-JUNE JULY-SEPT. OCT.-DEC. | | | | JAN.-MARCH APRIL-JUNE JULY-SEPT. OCT.-DEC. | | | |
| | NUMBER PER 100 PERSONS PER YEAR | | | | NUMBER IN THOUSANDS | | | |
| ALL ACUTE CONDITIONS..... | 65.9 | 33.3 | 31.0 | 51.1 | 159,954 | 80,913 | 75,605 | 124,990 |
| INFECTIVE AND PARASITIC DISEASES..... | 6.1 | 4.4 | 3.8 | 5.8 | 14,766 | 10,737 | 9,320 | 14,074 |
| COMMON CHILDHOOD DISEASES..... | 0.6 | 0.6 | *0.1 | *0.3 | 1,538 | 1,533 | 270 | 637 |
| INTESTINAL VIRUS, UNSPECIFIED.. | 1.2 | 0.9 | 0.8 | 1.6 | 2,822 | 2,287 | 2,026 | 4,018 |
| VIRAL INFECTIONS, UNSPECIFIED.. | 1.9 | 1.2 | 1.5 | 1.4 | 4,559 | 2,823 | 3,538 | 3,404 |
| OTHER..... | 2.4 | 1.7 | 1.4 | 2.5 | 5,846 | 4,093 | 3,486 | 6,016 |
| RESPIRATORY CONDITIONS..... | 41.0 | 12.4 | 12.2 | 29.6 | 99,412 | 30,201 | 29,831 | 72,411 |
| COMMON COLD..... | 10.9 | 3.7 | 3.9 | 10.5 | 26,514 | 9,094 | 9,491 | 25,710 |
| OTHER ACUTE UPPER RESPIRATORY INFECTIONS..... | 2.7 | 1.6 | 1.8 | 2.8 | 6,665 | 3,776 | 4,487 | 6,796 |
| INFLUENZA..... | 25.2 | 6.0 | 5.5 | 13.7 | 61,256 | 14,592 | 13,424 | 33,385 |
| ACUTE BRONCHITIS..... | 0.9 | 0.4 | 0.5 | 1.7 | 2,193 | 1,055 | 1,336 | 4,204 |
| PNEUMONIA..... | 0.6 | 0.3 | *0.2 | 0.4 | 1,337 | 775 | 427 | 1,028 |
| OTHER RESPIRATORY CONDITIONS... | 0.6 | 0.4 | *0.3 | 0.5 | 1,447 | 908 | 666 | 1,287 |
| DIGESTIVE SYSTEM CONDITIONS.... | 1.6 | 1.5 | 1.3 | 1.5 | 4,003 | 3,568 | 3,118 | 3,576 |
| DENTAL CONDITIONS..... | *0.3 | 0.4 | *0.2 | 0.4 | 721 | 903 | 548 | 1,018 |
| INDIGESTION, NAUSEA, AND VOMITING..... | 0.7 | 0.7 | 0.5 | 0.6 | 1,760 | 1,732 | 1,210 | 1,478 |
| OTHER DIGESTIVE CONDITIONS.... | 0.6 | 0.4 | 0.6 | 0.4 | 1,522 | 932 | 1,360 | 1,081 |
| INJURIES..... | 5.6 | 6.5 | 6.4 | 5.8 | 13,548 | 15,857 | 15,539 | 14,233 |
| FRACTURES AND DISLOCATIONS.... | 0.6 | 0.8 | 0.8 | 0.7 | 1,567 | 1,991 | 2,039 | 1,714 |
| SPRAINS AND STRAINS..... | 1.5 | 1.3 | 1.5 | 1.0 | 3,760 | 3,281 | 3,542 | 2,376 |
| OPEN WOUNDS AND LACERATIONS.... | 1.0 | 1.9 | 1.3 | 1.3 | 2,522 | 4,570 | 3,197 | 3,159 |
| CONTUSIONS AND SUPERFICIAL INJURIES..... | 0.8 | 1.0 | 1.3 | 1.1 | 1,903 | 2,447 | 3,048 | 2,750 |
| OTHER CURRENT INJURIES..... | 1.6 | 1.5 | 1.5 | 1.7 | 3,796 | 3,567 | 3,713 | 4,234 |
| SELECTED OTHER ACUTE CONDITIONS..... | 8.4 | 6.1 | 5.1 | 6.4 | 20,328 | 14,713 | 12,318 | 15,554 |
| EYE CONDITIONS..... | 0.6 | *0.2 | *0.2 | *0.2 | 1,433 | 529 | 577 | 457 |
| ACUTE EAR INFECTIONS..... | 3.0 | 2.1 | 1.5 | 2.2 | 7,257 | 5,067 | 3,590 | 5,324 |
| OTHER EAR CONDITIONS..... | 0.6 | 0.5 | 0.4 | *0.3 | 1,390 | 1,260 | 951 | 659 |
| ACUTE URINARY CONDITIONS..... | 0.6 | 0.8 | 0.5 | 0.7 | 1,412 | 1,920 | 1,288 | 1,616 |
| DISORDERS OF MENSTRUATION..... | *0.2 | *0.1 | *0.1 | *0.1 | 558 | 314 | 128 | 355 |
| OTHER DISORDERS OF FEMALE GENITAL TRACT..... | *0.2 | *0.2 | *0.2 | *0.2 | 523 | 476 | 463 | 524 |
| DELIVERY AND OTHER CONDITIONS OF PREGNANCY AND Puerperium..... | 0.5 | 0.5 | 0.4 | 0.6 | 1,096 | 1,195 | 1,012 | 1,508 |
| SKIN CONDITIONS..... | 0.7 | 0.5 | 0.4 | 0.6 | 1,720 | 1,324 | 957 | 1,558 |
| ACUTE MUSCULOSKELETAL CONDITIONS..... | 0.9 | 0.5 | 0.7 | 0.6 | 2,279 | 1,311 | 1,648 | 1,375 |
| HEADACHE, EXCLUDING MIGRAINE..... | 0.4 | 0.4 | 0.4 | 0.4 | 1,050 | 916 | 1,036 | 1,047 |
| FEVER, UNSPECIFIED..... | 0.7 | *0.2 | *0.3 | 0.5 | 1,610 | 401 | 668 | 1,132 |
| ALL OTHER ACUTE CONDITIONS..... | 3.3 | 2.4 | 2.2 | 2.1 | 7,896 | 5,838 | 5,479 | 5,143 |

NOTES: EXCLUDED FROM THESE ESTIMATES ARE CONDITIONS INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION.

THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR COLUMNS 1-4 CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II, THE FREQUENCIES OF TABLE 50 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 5-8 CAN BE COMPUTED BY USING PARAMETER SET I OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.9 MILLION HAS A 10-PERCENT RSE; OF 1.7 MILLION, A 20-PERCENT RSE; AND OF 755,000, A 30-PERCENT RSE. RATES FOR WHICH THE NUMERATOR HAS AN RSE OF 30 PERCENT OR MORE ARE INDICATED BY AN ASTERISK.

TABLE 51. NUMBER OF EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | |
|--|---------------------------|-----------------------|---------|------|------|-----------------------|------|---------|-------------------|-------------------|-------|
| | | YES | | NO | | AT WORK? ² | | AT HOME | | STREET OR HIGHWAY | |
| | | TOTAL | TRAFFIC | YES | NO | YES | NO | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER |
| NUMBER OF EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR | | | | | | | | | | | |
| ALL PERSONS ³ | 23.8 | 2.2 | 1.9 | 21.5 | 6.1 | 12.8 | 7.2 | 3.4 | 3.4 | 5.9 | |
| AGE | | | | | | | | | | | |
| UNDER 5 YEARS..... | 22.2 | *1.1 | *1.1 | 20.8 | ... | ... | 11.7 | *1.7 | *0.3 | *2.0 | |
| 5-17 YEARS..... | 28.4 | 2.2 | 1.9 | 26.2 | ... | ... | 7.6 | 4.7 | *0.3 | 12.3 | |
| 18-24 YEARS..... | 27.3 | 4.8 | 4.6 | 22.0 | 5.8 | 18.6 | 3.7 | 5.3 | 5.5 | 10.1 | |
| 25-44 YEARS..... | 27.8 | 2.7 | 2.3 | 25.1 | 10.1 | 13.4 | 6.7 | 3.8 | 7.5 | 5.7 | |
| 45-64 YEARS..... | 15.9 | *1.3 | *0.8 | 14.7 | 3.0 | 9.3 | 7.1 | 1.5 | 1.6 | 2.2 | |
| 65 YEARS AND OVER..... | 16.5 | *0.9 | *0.9 | 15.6 | *0.6 | 11.4 | 8.4 | 2.7 | *0.2 | *0.9 | |
| SEX AND AGE | | | | | | | | | | | |
| MALE | | | | | | | | | | | |
| ALL AGES..... | 26.9 | 2.1 | 1.7 | 24.7 | 9.1 | 13.2 | 7.8 | 3.6 | 5.1 | 7.3 | |
| UNDER 18 YEARS..... | 31.8 | *1.8 | *1.6 | 30.0 | ... | ... | 10.7 | 5.2 | *0.3 | 11.3 | |
| 18-44 YEARS..... | 31.6 | 3.0 | 2.3 | 28.5 | 12.9 | 16.2 | 6.7 | 3.4 | 10.6 | 8.2 | |
| 45 YEARS AND OVER..... | 15.1 | *1.3 | *0.9 | 13.9 | 3.6 | 8.8 | 6.7 | 2.3 | *1.5 | *2.0 | |
| FEMALE | | | | | | | | | | | |
| ALL AGES..... | 20.9 | 2.2 | 2.1 | 18.6 | 3.3 | 12.3 | 6.7 | 3.2 | 1.8 | 4.5 | |
| UNDER 18 YEARS..... | 21.0 | *1.9 | *1.7 | 19.0 | ... | ... | 6.8 | 2.4 | *0.3 | 7.2 | |
| 18-44 YEARS..... | 23.9 | 3.4 | 3.4 | 20.3 | 5.3 | 13.2 | 5.2 | 4.9 | 3.6 | 5.4 | |
| 45 YEARS AND OVER..... | 16.9 | *1.0 | *0.8 | 16.0 | *0.8 | 11.2 | 8.4 | 1.7 | *0.7 | *1.4 | |
| RACE AND AGE | | | | | | | | | | | |
| WHITE | | | | | | | | | | | |
| ALL AGES..... | 24.3 | 2.1 | 1.8 | 22.2 | 6.2 | 12.7 | 7.5 | 3.2 | 3.4 | 6.2 | |
| UNDER 18 YEARS..... | 28.6 | 2.0 | 1.7 | 26.6 | ... | ... | 9.6 | 4.1 | *0.4 | 10.4 | |
| 18-44 YEARS..... | 26.0 | 2.8 | 2.4 | 25.1 | 9.4 | 14.5 | 6.1 | 3.6 | 7.0 | 7.1 | |
| 45 YEARS AND OVER..... | 16.1 | 1.2 | *0.9 | 15.0 | 2.1 | 10.4 | 7.8 | 2.1 | *1.0 | 1.8 | |
| BLACK | | | | | | | | | | | |
| ALL AGES..... | 23.2 | 3.4 | 3.1 | 19.7 | 6.3 | 15.2 | 6.1 | 4.8 | 4.0 | 4.3 | |
| UNDER 18 YEARS..... | 18.1 | *1.7 | *1.7 | 16.4 | ... | ... | *6.1 | *3.4 | * | *4.4 | |
| 18-44 YEARS..... | 31.5 | 6.3 | 5.7 | 25.0 | 9.1 | 18.2 | 5.6 | 7.6 | 8.5 | 6.2 | |
| 45 YEARS AND OVER..... | 15.5 | *0.7 | *0.4 | 14.8 | *1.3 | 9.7 | *6.9 | *1.9 | *1.5 | *0.7 | |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 51. NUMBER OF EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | |
|------------------------------|---------------------------|-----------------------|---------|------|------|-----------------------|------------------|-------------------|------|------|
| | | YES | | NO | | AT WORK? ² | | STREET OR HIGHWAY | | |
| | | TOTAL | TRAFFIC | YES | NO | AT HOME | INDUSTRIAL PLACE | OTHER | | |
| FAMILY INCOME AND AGE | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | |
| ALL AGES----- | 28.4 | 3.3 | 3.3 | 24.8 | *3.3 | 21.3 | 9.0 | 5.2 | *2.3 | 7.3 |
| UNDER 18 YEARS----- | 24.1 | *2.4 | *2.4 | 21.7 | *** | *** | *8.4 | *5.3 | *0.7 | *6.5 |
| 18-44 YEARS----- | 38.8 | *5.9 | *5.9 | 32.0 | *5.9 | 26.1 | *6.7 | 8.1 | *4.7 | 13.2 |
| 45 YEARS AND OVER----- | 20.7 | *1.1 | *1.1 | 19.6 | *0.6 | 16.1 | 12.0 | *1.9 | *1.1 | *1.6 |
| \$10,000-\$19,999 | | | | | | | | | | |
| ALL AGES----- | 23.2 | *1.4 | *1.4 | 21.8 | 7.8 | 11.5 | 7.3 | 2.4 | 4.0 | 5.7 |
| UNDER 18 YEARS----- | 19.8 | *1.4 | *1.4 | 18.3 | *** | *** | 6.6 | *1.4 | ** | 9.5 |
| 18-44 YEARS----- | 31.7 | *1.8 | *1.8 | 29.9 | 14.0 | 11.5 | 6.9 | *2.6 | 9.6 | 7.4 |
| 45 YEARS AND OVER----- | 16.5 | *0.9 | *0.9 | 15.6 | *1.1 | 11.5 | 8.2 | *2.9 | *0.7 | *1.1 |
| \$20,000-\$34,999 | | | | | | | | | | |
| ALL AGES----- | 27.2 | 2.8 | 2.3 | 24.3 | 8.0 | 14.2 | 8.9 | 4.0 | 4.8 | 5.2 |
| UNDER 18 YEARS----- | 31.7 | *2.8 | *2.8 | 28.7 | *** | *** | 10.8 | 5.4 | ** | 9.4 |
| 18-44 YEARS----- | 30.6 | 3.3 | *2.7 | 27.0 | 11.1 | 15.9 | 7.5 | 4.3 | 9.8 | 4.8 |
| 45 YEARS AND OVER----- | 16.9 | *1.8 | *1.2 | 15.1 | *2.7 | 11.2 | 9.2 | *2.3 | *1.3 | *1.4 |
| \$35,000 OR MORE | | | | | | | | | | |
| ALL AGES----- | 23.2 | 1.9 | 1.5 | 21.3 | 5.8 | 10.8 | 6.3 | 3.2 | 3.0 | 6.7 |
| UNDER 18 YEARS----- | 31.0 | *1.7 | *1.2 | 29.3 | *** | *** | 10.4 | 4.1 | *0.6 | 10.7 |
| 18-44 YEARS----- | 22.4 | 2.5 | 2.2 | 19.9 | 7.2 | 11.9 | 3.9 | 3.6 | 5.5 | 6.3 |
| 45 YEARS AND OVER----- | 16.8 | *0.9 | *0.7 | 15.8 | 3.5 | 8.9 | 6.4 | *1.5 | *1.3 | *3.2 |
| GEOGRAPHIC REGION | | | | | | | | | | |
| NORTHEAST----- | 19.7 | *1.4 | *1.2 | 18.1 | 5.4 | 10.1 | 5.4 | 2.4 | 3.5 | 5.3 |
| MIDWEST----- | 26.2 | 2.2 | 1.9 | 23.9 | 6.7 | 12.8 | 7.7 | 3.8 | 3.5 | 6.7 |
| SOUTH----- | 24.2 | 2.7 | 2.5 | 21.5 | 5.3 | 14.8 | 8.0 | 3.8 | 3.4 | 5.0 |
| WEST----- | 24.3 | 2.1 | 1.6 | 22.2 | 7.4 | 12.2 | 7.1 | 3.2 | 3.1 | 6.8 |
| PLACE OF RESIDENCE | | | | | | | | | | |
| MSA----- | 23.0 | 2.3 | 2.0 | 20.6 | 5.3 | 13.2 | 7.2 | 3.6 | 3.2 | 5.5 |
| CENTRAL CITY----- | 22.9 | 2.0 | 1.8 | 20.7 | 5.6 | 14.1 | 6.6 | 3.4 | 3.4 | 4.9 |
| NOT CENTRAL CITY----- | 23.0 | 2.4 | 2.2 | 20.5 | 5.1 | 12.6 | 7.6 | 3.7 | 3.0 | 5.8 |
| NOT MSA----- | 26.8 | 1.9 | 1.4 | 24.9 | 9.0 | 11.2 | 7.3 | 2.8 | 4.3 | 7.2 |

¹ INCLUDES UNKNOWNS FOR EACH CHARACTERISTIC.

² FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER ONLY.

³ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: INJURIES CODED 800-999 IN THE 9TH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, AND IMPAIRMENTS RESULTING FROM AN ACCIDENT ARE INCLUDED. INJURIES INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION ARE EXCLUDED.

THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE CAN BE COMPUTED BY USING PARAMETER SET IV OF TABLE II, THE FREQUENCIES OF TABLE S2 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE CAN BE COMPUTED BY USING PARAMETER SETS IV AND X OF TABLE II, THE FREQUENCIES OF TABLES S2 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 52. NUMBER OF EPISODES OF PERSONS INJURED, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | |
|--|---------------------------|-----------------------|---------|--------|----------------------|-------------------|-------------------|-------------------|------------------|--------|
| | | YES | | NO | AT WORK ² | | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER |
| | | TOTAL | TRAFFIC | YES | NO | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER | |
| NUMBER OF EPISODES OF PERSONS INJURED IN THOUSANDS | | | | | | | | | | |
| ALL PERSONS ³ | 57,999 | 5,353 | 4,648 | 52,445 | 10,947 | 22,932 | 17,569 | 8,258 | 8,283 | 14,247 |
| AGE | | | | | | | | | | |
| UNDER 5 YEARS..... | 4,166 | 208 | 208 | 3,908 | ... | ... | 2,204 | 313 | 48 | 382 |
| 5-17 YEARS..... | 12,827 | 974 | 854 | 11,853 | ... | ... | 3,425 | 2,127 | 139 | 5,543 |
| 18-24 YEARS..... | 6,929 | 1,215 | 1,156 | 5,594 | 1,471 | 4,721 | 933 | 1,348 | 1,402 | 2,561 |
| 25-44 YEARS..... | 21,929 | 2,125 | 1,790 | 19,773 | 7,930 | 10,588 | 5,274 | 2,971 | 5,895 | 4,475 |
| 45-64 YEARS..... | 7,339 | 581 | 390 | 6,758 | 1,381 | 4,284 | 3,286 | 713 | 749 | 1,017 |
| 65 YEARS AND OVER..... | 4,809 | 250 | 250 | 4,560 | 166 | 3,339 | 2,447 | 785 | 50 | 269 |
| SEX AND AGE | | | | | | | | | | |
| MALE | | | | | | | | | | |
| ALL AGES..... | 31,743 | 2,537 | 1,989 | 29,142 | 7,794 | 11,295 | 9,220 | 4,201 | 6,019 | 8,573 |
| UNDER 18 YEARS..... | 10,431 | 593 | 519 | 9,838 | ... | ... | 3,501 | 1,703 | 95 | 3,688 |
| 18-44 YEARS..... | 16,133 | 1,511 | 1,164 | 14,558 | 6,579 | 8,273 | 3,435 | 1,711 | 5,401 | 4,189 |
| 45 YEARS AND OVER..... | 5,179 | 433 | 307 | 4,746 | 1,215 | 3,022 | 2,284 | 788 | 524 | 695 |
| FEMALE | | | | | | | | | | |
| ALL AGES..... | 26,256 | 2,816 | 2,658 | 23,303 | 3,154 | 11,637 | 8,349 | 4,057 | 2,264 | 5,674 |
| UNDER 18 YEARS..... | 6,562 | 590 | 544 | 5,923 | ... | ... | 2,128 | 738 | 92 | 2,236 |
| 18-44 YEARS..... | 12,725 | 1,829 | 1,782 | 10,808 | 2,822 | 7,037 | 2,771 | 2,608 | 1,896 | 2,847 |
| 45 YEARS AND OVER..... | 6,969 | 397 | 333 | 6,572 | 332 | 4,601 | 3,449 | 711 | 276 | 591 |
| RACE AND AGE | | | | | | | | | | |
| WHITE | | | | | | | | | | |
| ALL AGES..... | 49,916 | 4,222 | 3,614 | 45,524 | 9,577 | 19,533 | 15,440 | 6,657 | 7,026 | 12,775 |
| UNDER 18 YEARS..... | 14,762 | 1,015 | 895 | 13,697 | ... | ... | 4,928 | 2,101 | 187 | 5,348 |
| 18-44 YEARS..... | 24,453 | 2,426 | 2,106 | 21,907 | 8,177 | 12,659 | 5,325 | 3,191 | 6,150 | 6,246 |
| 45 YEARS AND OVER..... | 10,701 | 781 | 613 | 9,919 | 1,400 | 6,874 | 5,187 | 1,365 | 689 | 1,181 |
| BLACK | | | | | | | | | | |
| ALL AGES..... | 6,940 | 1,019 | 922 | 5,889 | 1,263 | 3,022 | 1,817 | 1,445 | 1,201 | 1,284 |
| UNDER 18 YEARS..... | 1,804 | 167 | 167 | 1,636 | ... | ... | 609 | 340 | - | 440 |
| 18-44 YEARS..... | 4,925 | 803 | 728 | 3,191 | 1,168 | 2,326 | 714 | 971 | 1,091 | 790 |
| 45 YEARS AND OVER..... | 1,112 | 50 | 26 | 1,062 | 95 | 697 | 494 | 134 | 110 | 53 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 52. NUMBER OF EPISODES OF PERSONS INJURED, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | | |
|------------------------------|---------------------------|-----------------------|---------|--------|-----------------------|-------------------|-------------------|------------------|-------------------|------------------|-------|--|
| | | YES | | NO | AT WORK? ² | | AT HOME | | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER | |
| | | TOTAL | TRAFFIC | YES | NO | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER | | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| ALL AGES----- | 7,439 | 853 | 853 | 6,499 | 624 | 3,995 | 2,354 | 1,352 | 614 | 1,915 | | |
| UNDER 18 YEARS----- | 1,798 | 180 | 180 | 1,617 | --- | --- | 626 | 397 | 51 | 483 | | |
| 18-44 YEARS----- | 3,785 | 577 | 577 | 3,121 | 574 | 2,550 | 654 | 786 | 460 | 1,284 | | |
| 45 YEARS AND OVER----- | 1,856 | 95 | 95 | 1,761 | 50 | 1,444 | 1,074 | 169 | 103 | 148 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES----- | 9,532 | 565 | 565 | 8,966 | 2,386 | 3,502 | 2,978 | 989 | 1,633 | 2,346 | | |
| UNDER 18 YEARS----- | 2,102 | 152 | 152 | 1,950 | --- | --- | 699 | 152 | - | 1,009 | | |
| 18-44 YEARS----- | 5,039 | 284 | 284 | 4,755 | 2,233 | 1,830 | 1,095 | 420 | 1,531 | 1,171 | | |
| 45 YEARS AND OVER----- | 2,390 | 130 | 130 | 2,260 | 153 | 1,672 | 1,184 | 418 | 102 | 166 | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| ALL AGES----- | 15,452 | 1,560 | 1,310 | 13,779 | 3,271 | 5,801 | 5,038 | 2,291 | 2,722 | 2,923 | | |
| UNDER 18 YEARS----- | 5,008 | 435 | 435 | 4,523 | --- | --- | 1,706 | 851 | - | 1,479 | | |
| 18-44 YEARS----- | 7,901 | 860 | 688 | 6,977 | 2,871 | 4,112 | 1,939 | 1,099 | 2,528 | 1,229 | | |
| 45 YEARS AND OVER----- | 2,543 | 265 | 186 | 2,278 | 400 | 1,689 | 1,394 | 341 | 194 | 215 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES----- | 18,627 | 1,514 | 1,229 | 17,113 | 3,427 | 6,334 | 5,054 | 2,556 | 2,446 | 5,345 | | |
| UNDER 18 YEARS----- | 6,664 | 371 | 250 | 6,293 | --- | --- | 2,228 | 879 | 136 | 2,294 | | |
| 18-44 YEARS----- | 8,375 | 947 | 830 | 7,428 | 2,679 | 4,428 | 1,464 | 1,352 | 2,035 | 2,359 | | |
| 45 YEARS AND OVER----- | 3,588 | 196 | 148 | 3,392 | 747 | 1,906 | 1,362 | 325 | 275 | 692 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST----- | 9,642 | 682 | 608 | 8,840 | 2,028 | 3,798 | 2,635 | 1,170 | 1,730 | 2,581 | | |
| MIDWEST----- | 15,583 | 1,329 | 1,145 | 14,254 | 2,943 | 5,612 | 4,611 | 2,275 | 2,083 | 4,005 | | |
| SOUTH----- | 20,153 | 2,229 | 2,053 | 17,844 | 3,225 | 8,969 | 6,626 | 3,166 | 2,836 | 4,132 | | |
| WEST----- | 12,621 | 1,114 | 842 | 11,507 | 2,752 | 4,552 | 3,697 | 1,648 | 1,634 | 3,529 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA----- | 43,603 | 4,335 | 3,883 | 39,068 | 7,407 | 18,524 | 13,653 | 6,753 | 6,000 | 10,399 | | |
| CENTRAL CITY----- | 17,033 | 1,515 | 1,353 | 15,381 | 3,085 | 7,770 | 4,878 | 2,519 | 2,561 | 3,674 | | |
| NOT CENTRAL CITY----- | 26,570 | 2,819 | 2,530 | 23,687 | 4,322 | 10,754 | 8,775 | 4,233 | 3,439 | 6,725 | | |
| NOT MSA----- | 14,396 | 1,019 | 764 | 13,377 | 3,540 | 4,409 | 3,916 | 1,506 | 2,283 | 3,848 | | |

¹ INCLUDES UNKNOWNS FOR EACH CHARACTERISTIC.

² FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER ONLY.

³ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: INJURIES CODED 800-999 IN THE 9TH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, AND IMPAIRMENTS RESULTING FROM AN ACCIDENT ARE INCLUDED. INJURIES INVOLVING NEITHER MEDICAL ATTENTION NOR ACTIVITY RESTRICTION ARE EXCLUDED.

THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET IV OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 6.7 MILLION HAS A 10-PERCENT RSE⁴ OF 1.6 MILLION, A 20-PERCENT RSE⁵ AND OF 696,000, A 30-PERCENT RSE.

TABLE 53. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | |
|---|---------------------------|-----------------------|---------|-------|-----------------------|-------------------|---------|-------------------|------------------|-------|
| | | YES | | NO | AT WORK? ² | | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER |
| | | TOTAL | TRAFFIC | NO | YES | NO | | | | |
| NUMBER OF RESTRICTED-ACTIVITY DAYS PER 100 PERSONS PER YEAR | | | | | | | | | | |
| ALL PERSONS ³ | 258.7 | 50.4 | 43.3 | 207.2 | 106.7 | 174.4 | 66.1 | 56.8 | 61.7 | 51.0 |
| AGE | | | | | | | | | | |
| UNDER 5 YEARS..... | 35.0 | *3.5 | *3.5 | 31.6 | --- | --- | *16.5 | *3.8 | *- | *7.8 |
| 5-17 YEARS..... | 93.5 | 18.9 | 17.1 | 74.6 | --- | --- | 23.9 | 22.5 | *2.7 | 41.5 |
| 18-24 YEARS..... | 212.4 | 65.1 | 57.1 | 146.5 | 62.1 | 109.6 | 22.2 | 62.4 | 59.9 | 50.8 |
| 25-44 YEARS..... | 306.7 | 62.5 | 57.0 | 243.5 | 134.4 | 137.8 | 47.6 | 69.0 | 101.5 | 64.0 |
| 45-64 YEARS..... | 345.6 | 72.0 | 53.5 | 271.2 | 134.8 | 172.1 | 80.3 | 77.5 | 102.7 | 56.9 |
| 65 YEARS AND OVER..... | 431.6 | 50.0 | 44.4 | 379.3 | 26.4 | 333.0 | 228.5 | 73.7 | 22.0 | 49.2 |
| SEX AND AGE | | | | | | | | | | |
| MALE | | | | | | | | | | |
| ALL AGES..... | 276.4 | 49.5 | 36.5 | 226.3 | 163.0 | 142.2 | 57.0 | 47.9 | 89.6 | 60.1 |
| UNDER 18 YEARS..... | 85.5 | *14.1 | *11.7 | 71.4 | --- | --- | 25.9 | 17.5 | *1.4 | 37.0 |
| 18-44 YEARS..... | 352.9 | 55.3 | 43.5 | 296.3 | 171.7 | 135.2 | 46.7 | 57.3 | 133.5 | 85.8 |
| 45 YEARS AND OVER..... | 344.9 | 74.7 | 50.0 | 270.2 | 150.2 | 152.6 | 102.3 | 62.9 | 108.7 | 43.8 |
| FEMALE | | | | | | | | | | |
| ALL AGES..... | 242.0 | 51.3 | 49.7 | 189.2 | 55.7 | 203.5 | 74.6 | 65.2 | 35.4 | 42.4 |
| UNDER 18 YEARS..... | 66.8 | *14.7 | *14.7 | 52.1 | --- | --- | 17.4 | *16.4 | *2.4 | 25.9 |
| 18-44 YEARS..... | 217.3 | 70.6 | 70.0 | 146.4 | 64.1 | 126.7 | 36.5 | 77.1 | 51.0 | 36.7 |
| 45 YEARS AND OVER..... | 407.3 | 54.1 | 50.0 | 348.9 | 44.9 | 302.7 | 167.3 | 87.0 | 40.4 | 62.3 |
| RACE AND AGE | | | | | | | | | | |
| WHITE | | | | | | | | | | |
| ALL AGES..... | 258.9 | 47.2 | 41.9 | 210.9 | 103.5 | 175.3 | 68.4 | 55.1 | 59.5 | 53.0 |
| UNDER 18 YEARS..... | 82.3 | 14.0 | 12.5 | 68.3 | --- | --- | 23.7 | 17.3 | *1.6 | 34.9 |
| 18-44 YEARS..... | 281.6 | 59.6 | 54.7 | 221.0 | 116.1 | 131.3 | 41.8 | 65.1 | 88.4 | 61.6 |
| 45 YEARS AND OVER..... | 366.1 | 56.5 | 47.9 | 308.6 | 86.8 | 233.3 | 138.1 | 71.5 | 66.4 | 55.8 |
| BLACK | | | | | | | | | | |
| ALL AGES..... | 290.3 | 71.6 | 54.0 | 215.1 | 155.1 | 179.6 | 56.7 | 70.6 | 90.1 | 45.5 |
| UNDER 18 YEARS..... | 63.5 | *19.8 | *19.8 | *43.8 | --- | --- | *16.1 | *19.8 | *3.7 | *22.2 |
| 18-44 YEARS..... | 345.5 | 101.2 | 85.3 | 244.3 | 151.1 | 141.6 | *38.0 | 92.9 | 133.9 | 64.4 |
| 45 YEARS AND OVER..... | 507.3 | 90.8 | *45.7 | 401.1 | 162.2 | 247.1 | 146.6 | 101.5 | 132.1 | *44.1 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 53. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | |
|------------------------------|---------------------------|-----------------------|---------|-------|-------|-----------------------|-------|-------------------|-------|-------|--|
| | | YES | | NO | | AT WORK? ² | | STREET OR HIGHWAY | | | |
| | | TOTAL | TRAFFIC | YES | NO | AT HOME | 292.4 | 120.0 | 49.6 | 78.4 | |
| FAMILY INCOME AND AGE | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | |
| ALL AGES..... | 404.9 | 97.5 | 90.0 | 304.2 | 88.4 | 385.0 | 133.7 | 120.0 | 49.6 | 78.4 | |
| UNDER 18 YEARS..... | 87.1 | *20.3 | *19.6 | *66.8 | ... | ... | *34.4 | *21.4 | *1.4 | *27.2 | |
| 18-44 YEARS..... | 408.0 | 115.4 | 105.7 | 290.8 | 100.3 | 266.6 | 63.4 | 125.0 | 85.6 | 114.8 | |
| 45 YEARS AND OVER..... | 665.2 | 142.0 | 131.3 | 515.7 | 75.4 | 513.7 | 292.4 | 196.2 | *50.4 | 81.3 | |
| \$10,000-\$19,999 | | | | | | | | | | | |
| ALL AGES..... | 343.1 | 72.9 | 61.8 | 268.7 | 169.0 | 221.2 | 92.4 | 70.1 | 103.0 | 55.4 | |
| UNDER 18 YEARS..... | 54.2 | *19.9 | *19.9 | *34.2 | ... | ... | *18.1 | *19.9 | * | *14.4 | |
| 18-44 YEARS..... | 429.8 | 92.2 | 90.7 | 333.7 | 192.5 | 184.7 | 64.7 | 101.0 | 148.2 | 88.4 | |
| 45 YEARS AND OVER..... | 460.1 | 90.5 | 60.8 | 369.6 | 143.2 | 261.3 | 177.4 | 72.9 | 129.1 | 49.2 | |
| \$20,000-\$34,999 | | | | | | | | | | | |
| ALL AGES..... | 250.8 | 49.3 | 41.7 | 200.6 | 131.8 | 157.4 | 48.8 | 56.6 | 69.8 | 49.5 | |
| UNDER 18 YEARS..... | 58.3 | *6.2 | *6.2 | 52.2 | ... | ... | *10.5 | *8.5 | * | *32.7 | |
| 18-44 YEARS..... | 302.6 | 74.1 | 64.0 | 228.2 | 135.6 | 131.3 | 41.8 | 77.7 | 100.5 | 49.9 | |
| 45 YEARS AND OVER..... | 363.3 | 52.0 | 40.8 | 308.5 | 125.2 | 202.1 | 101.0 | 70.5 | 90.0 | 66.4 | |
| \$35,000 OR MORE | | | | | | | | | | | |
| ALL AGES..... | 151.9 | 25.7 | 21.5 | 126.2 | 63.0 | 86.4 | 41.7 | 27.0 | 33.6 | 37.7 | |
| UNDER 18 YEARS..... | 91.7 | *12.4 | *8.9 | 79.3 | ... | ... | 28.8 | *13.3 | *5.1 | 42.1 | |
| 18-44 YEARS..... | 157.3 | 28.3 | 23.4 | 129.1 | 69.1 | 70.2 | 28.7 | 28.3 | 48.5 | 43.6 | |
| 45 YEARS AND OVER..... | 202.9 | 34.4 | 30.7 | 168.5 | 52.5 | 114.7 | 77.1 | 38.6 | 36.2 | *22.9 | |
| GEOGRAPHIC REGION | | | | | | | | | | | |
| NORTHEAST..... | 228.1 | 25.3 | 19.8 | 202.3 | 92.8 | 156.7 | 63.3 | 43.2 | 66.4 | 42.7 | |
| MIDWEST..... | 225.9 | 38.2 | 31.9 | 187.1 | 91.9 | 143.8 | 59.2 | 44.1 | 39.9 | 60.6 | |
| SOUTH..... | 296.5 | 69.3 | 59.7 | 225.5 | 125.3 | 201.0 | 74.1 | 70.7 | 78.7 | 47.6 | |
| WEST..... | 264.6 | 57.8 | 52.3 | 205.5 | 107.6 | 184.8 | 63.7 | 62.0 | 55.0 | 53.3 | |
| PLACE OF RESIDENCE | | | | | | | | | | | |
| MSA..... | 260.0 | 49.1 | 41.8 | 209.5 | 105.9 | 176.7 | 66.4 | 57.1 | 65.1 | 49.5 | |
| CENTRAL CITY..... | 286.0 | 57.5 | 48.1 | 225.9 | 117.2 | 197.3 | 74.4 | 66.7 | 72.6 | 50.8 | |
| NOT CENTRAL CITY..... | 243.2 | 43.7 | 37.7 | 198.9 | 98.5 | 163.3 | 61.2 | 50.9 | 60.3 | 48.7 | |
| NOT MSA..... | 254.0 | 55.0 | 48.6 | 199.0 | 109.7 | 166.2 | 64.9 | 55.8 | 49.5 | 56.2 | |

¹ INCLUDES UNKNOWNS FOR EACH CHARACTERISTIC.

² FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER ONLY.

³ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 54 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 54 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 54. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | | | |
|---|---------------------------|---------|---------|---------|-----------------------|---------|---------|-------------------|------------|---------|------------------|-------|
| | ALL EPISODES ¹ | YES | | NO | AT WORK? ² | | AT HOME | STREET OR HIGHWAY | | | INDUSTRIAL PLACE | OTHER |
| | | TOTAL | TRAFFIC | NO | YES | NO | | HIGHWAY | INDUSTRIAL | | | |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS | | | | | | | | | | | | |
| ALL PERSONS ³ | 629,962 | 122,748 | 105,451 | 504,578 | 191,544 | 313,061 | 160,895 | 138,357 | 150,209 | 124,174 | | |
| AGE | | | | | | | | | | | | |
| UNDER 5 YEARS..... | 6,575 | 651 | 651 | 5,924 | --- | --- | 3,092 | 707 | - | 1,458 | | |
| 5-17 YEARS..... | 42,289 | 8,549 | 7,757 | 33,740 | --- | --- | 10,833 | 10,160 | 1,203 | 18,755 | | |
| 18-24 YEARS..... | 53,959 | 16,525 | 14,509 | 37,202 | 15,767 | 27,829 | 5,648 | 15,853 | 15,216 | 12,907 | | |
| 25-44 YEARS..... | 241,666 | 49,209 | 44,880 | 191,830 | 105,908 | 108,562 | 37,545 | 54,377 | 80,002 | 50,439 | | |
| 45-64 YEARS..... | 159,368 | 33,206 | 24,690 | 125,059 | 62,154 | 79,360 | 37,017 | 35,734 | 47,360 | 26,248 | | |
| 65 YEARS AND OVER..... | 126,104 | 14,607 | 12,965 | 110,822 | 7,715 | 97,311 | 66,760 | 21,527 | 6,428 | 14,368 | | |
| SEX AND AGE | | | | | | | | | | | | |
| MALE | | | | | | | | | | | | |
| ALL AGES..... | 326,146 | 58,402 | 43,121 | 267,053 | 139,003 | 121,222 | 67,290 | 56,491 | 105,780 | 70,946 | | |
| UNDER 18 YEARS..... | 27,997 | 4,617 | 3,824 | 23,381 | --- | --- | 8,473 | 5,745 | 466 | 12,132 | | |
| 18-44 YEARS..... | 180,145 | 28,212 | 22,203 | 151,243 | 87,618 | 69,026 | 23,818 | 29,240 | 68,136 | 43,818 | | |
| 45 YEARS AND OVER..... | 118,003 | 25,574 | 17,094 | 92,430 | 51,385 | 52,195 | 34,999 | 21,506 | 37,178 | 14,997 | | |
| FEMALE | | | | | | | | | | | | |
| ALL AGES..... | 303,817 | 64,345 | 62,330 | 237,525 | 52,541 | 191,839 | 93,605 | 81,866 | 44,430 | 53,228 | | |
| UNDER 18 YEARS..... | 20,867 | 4,584 | 4,584 | 16,283 | --- | --- | 5,453 | 5,122 | 737 | 8,081 | | |
| 18-44 YEARS..... | 115,480 | 37,522 | 37,185 | 77,790 | 34,057 | 67,364 | 19,374 | 40,989 | 27,082 | 19,528 | | |
| 45 YEARS AND OVER..... | 167,469 | 22,239 | 20,561 | 143,452 | 18,483 | 124,475 | 68,778 | 35,754 | 16,610 | 25,619 | | |
| RACE AND AGE | | | | | | | | | | | | |
| WHITE | | | | | | | | | | | | |
| ALL AGES..... | 531,471 | 96,841 | 86,018 | 433,101 | 159,091 | 269,555 | 140,397 | 113,169 | 122,192 | 108,891 | | |
| UNDER 18 YEARS..... | 42,445 | 7,230 | 6,438 | 35,215 | --- | --- | 12,232 | 8,897 | 839 | 18,006 | | |
| 18-44 YEARS..... | 246,173 | 52,111 | 47,791 | 193,203 | 101,483 | 114,829 | 36,540 | 56,875 | 77,304 | 53,894 | | |
| 45 YEARS AND OVER..... | 242,852 | 37,499 | 31,789 | 204,682 | 57,608 | 154,726 | 91,626 | 47,397 | 44,048 | 36,990 | | |
| BLACK | | | | | | | | | | | | |
| ALL AGES..... | 86,786 | 21,393 | 16,135 | 64,286 | 30,910 | 35,791 | 16,959 | 21,096 | 26,929 | 13,587 | | |
| UNDER 18 YEARS..... | 6,328 | 1,970 | 1,970 | 4,358 | --- | --- | 1,603 | 1,970 | 364 | 2,206 | | |
| 18-44 YEARS..... | 44,105 | 12,918 | 10,892 | 31,188 | 19,284 | 18,083 | 4,848 | 11,856 | 17,099 | 8,222 | | |
| 45 YEARS AND OVER..... | 36,353 | 6,505 | 3,273 | 28,740 | 11,626 | 17,708 | 10,508 | 7,270 | 9,465 | 3,159 | | |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 54. NUMBER OF RESTRICTED-ACTIVITY DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | | |
|---|---------------------------|-----------------------|---------|---------|---------|-----------------------|---------|-------------------|---------|------------------|-------|--|
| | | YES | | NO | | AT WORK? ² | | STREET OR HIGHWAY | | INDUSTRIAL PLACE | | |
| | | TOTAL | TRAFFIC | YES | NO | AT HOME | OTHER | HOME | HIGHWAY | INDUSTRIAL | PLACE | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| NUMBER OF RESTRICTED-ACTIVITY DAYS IN THOUSANDS | | | | | | | | | | | | |
| ALL AGES..... | 106,026 | 25,526 | 23,571 | 79,656 | 16,561 | 72,138 | 35,000 | 31,413 | 12,978 | 20,526 | | |
| UNDER 18 YEARS..... | 6,487 | 1,510 | 1,463 | 4,977 | *** | *** | 2,563 | 1,595 | 102 | 2,026 | | |
| 18-44 YEARS..... | 39,832 | 11,269 | 10,323 | 28,395 | 9,791 | 26,030 | 6,193 | 12,204 | 8,354 | 11,208 | | |
| 45 YEARS AND OVER..... | 59,706 | 12,747 | 11,786 | 46,284 | 6,771 | 46,107 | 26,244 | 17,613 | 4,522 | 7,293 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 140,813 | 29,902 | 25,364 | 110,284 | 51,389 | 67,234 | 37,921 | 28,761 | 42,286 | 22,737 | | |
| UNDER 18 YEARS..... | 5,763 | 2,120 | 2,120 | 3,643 | *** | *** | 1,923 | 2,120 | - | 1,534 | | |
| 18-44 YEARS..... | 68,409 | 14,681 | 14,439 | 53,101 | 30,643 | 29,388 | 10,302 | 16,080 | 23,583 | 14,075 | | |
| 45 YEARS AND OVER..... | 66,641 | 13,102 | 8,806 | 53,539 | 20,747 | 37,845 | 25,696 | 10,562 | 18,703 | 7,128 | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| ALL AGES..... | 142,249 | 27,980 | 23,671 | 113,773 | 53,947 | 64,429 | 27,705 | 32,080 | 39,564 | 28,097 | | |
| UNDER 18 YEARS..... | 9,205 | 975 | 975 | 8,230 | *** | *** | 1,660 | 1,347 | - | 5,160 | | |
| 18-44 YEARS..... | 78,233 | 19,160 | 16,547 | 59,009 | 35,067 | 33,947 | 10,808 | 20,102 | 25,987 | 12,914 | | |
| 45 YEARS AND OVER..... | 54,811 | 7,845 | 6,148 | 46,533 | 18,880 | 30,482 | 15,237 | 10,631 | 13,577 | 10,023 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 121,830 | 20,579 | 17,209 | 101,250 | 37,000 | 50,747 | 33,407 | 21,670 | 26,953 | 30,207 | | |
| UNDER 18 YEARS..... | 19,695 | 2,665 | 1,920 | 17,030 | *** | *** | 6,197 | 2,854 | 1,101 | 9,046 | | |
| 18-44 YEARS..... | 58,705 | 10,543 | 8,721 | 48,163 | 25,769 | 26,197 | 10,714 | 10,554 | 18,108 | 16,267 | | |
| 45 YEARS AND OVER..... | 43,429 | 7,372 | 6,568 | 36,057 | 11,230 | 24,550 | 16,496 | 8,263 | 7,744 | 4,894 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 111,604 | 12,374 | 9,671 | 98,998 | 34,900 | 58,915 | 30,980 | 21,140 | 32,479 | 20,877 | | |
| MIDWEST..... | 134,507 | 22,742 | 18,971 | 111,418 | 40,233 | 62,909 | 35,248 | 26,270 | 23,754 | 36,064 | | |
| SOUTH..... | 246,499 | 57,642 | 49,642 | 187,469 | 76,109 | 122,055 | 61,595 | 58,749 | 65,448 | 39,558 | | |
| WEST..... | 137,352 | 29,989 | 27,168 | 106,692 | 40,301 | 69,183 | 33,072 | 32,198 | 28,528 | 27,675 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA..... | 493,656 | 93,238 | 79,373 | 397,782 | 148,491 | 247,831 | 126,041 | 108,413 | 123,629 | 94,021 | | |
| CENTRAL CITY..... | 212,842 | 42,817 | 35,824 | 168,122 | 64,702 | 108,935 | 55,344 | 49,600 | 54,037 | 37,815 | | |
| NOT CENTRAL CITY..... | 280,814 | 50,421 | 43,548 | 229,659 | 83,789 | 138,897 | 70,697 | 58,813 | 69,592 | 56,206 | | |
| NOT MSA..... | 136,306 | 29,510 | 26,079 | 106,796 | 43,052 | 65,229 | 34,854 | 29,944 | 26,580 | 30,153 | | |

¹INCLUDES UNKNOWNS FOR EACH CHARACTERISTIC.

²FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER ONLY.

³INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE¹ OF 12 MILLION, A 20-PERCENT RSE¹ AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 55. NUMBER OF BED DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | | PLACE OF ACCIDENT | | | | | |
|---|---------------------------|-----------------------|---------|-------|-------|-----------------------|-------------------|---------|-------------------|-------------------|-------|------------------|
| | | YES | | NO | | AT WORK? ² | | AT HOME | | STREET OR HIGHWAY | | INDUSTRIAL PLACE |
| | | TOTAL | TRAFFIC | YES | NO | YES | NO | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER | |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | | | | | |
| ALL PERSONS ³ | 78.9 | 15.6 | 13.6 | 62.9 | 28.3 | 53.9 | 23.6 | 18.2 | 16.3 | 11.2 | | |
| AGE | | | | | | | | | | | | |
| UNDER 5 YEARS..... | *20.7 | *3.5 | *3.5 | *17.2 | *** | *** | *7.1 | *3.5 | *- | *5.3 | | |
| 5-17 YEARS..... | 24.7 | *7.6 | *7.3 | 17.1 | *** | *** | *7.8 | *8.7 | *0.4 | *7.1 | | |
| 18-24 YEARS..... | 50.7 | *20.5 | *19.4 | 30.3 | *12.2 | 26.0 | *6.0 | *19.8 | *11.8 | *8.3 | | |
| 25-44 YEARS..... | 84.4 | 16.8 | 15.1 | 67.2 | 34.2 | 38.8 | 15.6 | 18.7 | 24.9 | 17.0 | | |
| 45-64 YEARS..... | 115.6 | 21.7 | 18.1 | 93.9 | 42.6 | 56.2 | 30.4 | 29.1 | 32.7 | *11.2 | | |
| 65 YEARS AND OVER..... | 151.9 | 18.5 | *14.2 | 131.2 | *4.0 | 115.0 | 84.8 | 22.5 | *6.1 | *8.3 | | |
| SEX AND AGE | | | | | | | | | | | | |
| MALE | | | | | | | | | | | | |
| ALL AGES..... | 78.8 | 15.6 | 12.3 | 63.0 | 39.6 | 43.3 | 20.4 | 15.5 | 22.8 | 11.8 | | |
| UNDER 18 YEARS..... | 26.7 | *5.7 | *5.3 | 21.0 | *** | *** | *9.8 | *6.9 | *0.6 | *7.4 | | |
| 18-44 YEARS..... | 84.2 | 15.2 | 12.3 | 68.4 | 37.3 | 32.4 | 13.9 | 15.6 | 29.5 | 15.8 | | |
| 45 YEARS AND OVER..... | 120.6 | 25.4 | 19.1 | 95.1 | 43.0 | 59.6 | 40.2 | 23.7 | 34.0 | *9.9 | | |
| FEMALE | | | | | | | | | | | | |
| ALL AGES..... | 79.0 | 15.6 | 14.9 | 62.9 | 18.2 | 63.4 | 26.6 | 20.7 | 10.2 | 10.7 | | |
| UNDER 18 YEARS..... | 20.1 | *7.1 | *7.1 | *13.1 | *** | *** | *5.3 | *7.5 | *- | *5.7 | | |
| 18-44 YEARS..... | 68.5 | 20.1 | 19.8 | 48.4 | 20.7 | 38.8 | 12.7 | 22.2 | 14.3 | 14.0 | | |
| 45 YEARS AND OVER..... | 137.3 | 16.3 | 14.5 | 119.4 | 14.9 | 95.2 | 60.8 | 28.9 | *12.7 | *10.2 | | |
| RACE AND AGE | | | | | | | | | | | | |
| WHITE | | | | | | | | | | | | |
| ALL AGES..... | 75.4 | 14.9 | 13.4 | 60.4 | 28.1 | 52.1 | 23.5 | 16.9 | 16.0 | 10.4 | | |
| UNDER 18 YEARS..... | 23.0 | *5.0 | *4.7 | 18.0 | *** | *** | *8.0 | *6.0 | *- | *6.8 | | |
| 18-44 YEARS..... | 70.9 | 15.8 | 14.8 | 54.8 | 28.1 | 34.3 | 13.6 | 16.7 | 20.6 | 12.9 | | |
| 45 YEARS AND OVER..... | 122.0 | 21.3 | 18.2 | 100.7 | 28.1 | 75.5 | 48.5 | 25.7 | 22.3 | 10.0 | | |
| BLACK | | | | | | | | | | | | |
| ALL AGES..... | 109.4 | 19.9 | *17.3 | 87.2 | 38.1 | 71.5 | 27.6 | 27.5 | 22.8 | *16.0 | | |
| UNDER 18 YEARS..... | *31.9 | *15.2 | *15.2 | *16.7 | *** | *** | *7.3 | *15.2 | *1.8 | *7.1 | | |
| 18-44 YEARS..... | 117.2 | *33.0 | *27.2 | 84.3 | 42.6 | 44.9 | *12.8 | *31.5 | *36.0 | *25.5 | | |
| 45 YEARS AND OVER..... | 203.0 | *3.3 | *2.6 | 190.3 | *30.1 | 119.0 | 82.2 | *37.6 | *28.3 | *11.6 | | |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 55. NUMBER OF BED DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED PER 100 PERSONS PER YEAR, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | | |
|---|---------------------------|-----------------------|---------|-------|-----------------------|-------------------|-------------------|------------------|-------------------|------------------|-------|--|
| | | YES | | NO | AT WORK? ² | | AT HOME | | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER | |
| | | TOTAL | TRAFFIC | YES | NO | AT HOME | STREET OR HIGHWAY | INDUSTRIAL PLACE | OTHER | | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| NUMBER OF BED DAYS PER 100 PERSONS PER YEAR | | | | | | | | | | | | |
| ALL AGES..... | 134.1 | 38.5 | 35.3 | 92.9 | 28.6 | 126.5 | 36.2 | 48.5 | *14.4 | 26.6 | | |
| UNDER 18 YEARS..... | *36.1 | *19.1 | *19.1 | *17.1 | *** | *** | *9.0 | *19.1 | **- | *6.4 | | |
| 18-44 YEARS..... | 116.4 | *28.5 | *27.0 | 87.9 | *29.5 | 70.3 | *16.6 | *30.6 | *15.5 | *50.2 | | |
| 45 YEARS AND OVER..... | 234.5 | 65.6 | *57.8 | 161.4 | *27.6 | 187.6 | 80.3 | 92.5 | *25.1 | *17.7 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 99.9 | 17.9 | 16.3 | 81.3 | 41.7 | 61.1 | 30.0 | 20.7 | 20.6 | 16.6 | | |
| UNDER 18 YEARS..... | *16.7 | *0.9 | *0.9 | *15.9 | *** | *** | *4.2 | *0.9 | **- | *9.9 | | |
| 18-44 YEARS..... | 122.5 | *26.9 | *26.1 | 93.9 | 42.1 | 55.1 | *27.5 | *30.6 | *24.9 | *26.8 | | |
| 45 YEARS AND OVER..... | 136.1 | *20.7 | *17.0 | 115.4 | 41.3 | 67.7 | 51.7 | *24.6 | *31.0 | *10.2 | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| ALL AGES..... | 73.3 | 15.3 | 13.3 | 58.0 | 31.0 | 51.6 | 19.9 | 17.7 | 20.3 | *6.2 | | |
| UNDER 18 YEARS..... | *15.2 | *5.1 | *5.1 | *10.2 | *** | *** | *1.9 | *5.7 | **- | *6.4 | | |
| 18-44 YEARS..... | 76.5 | 21.3 | *19.0 | 55.2 | 28.4 | 37.8 | *12.4 | 24.7 | 23.5 | *6.2 | | |
| 45 YEARS AND OVER..... | 128.4 | *15.7 | *12.1 | 112.7 | 35.5 | 75.4 | 51.5 | *18.1 | 36.0 | *6.0 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 43.1 | *4.6 | *4.0 | 38.5 | 19.9 | 22.4 | 15.3 | *5.0 | 10.1 | 8.0 | | |
| UNDER 18 YEARS..... | *21.9 | *1.3 | *0.6 | *20.6 | *** | *** | *11.2 | *2.0 | *0.8 | *6.5 | | |
| 18-44 YEARS..... | 41.0 | *4.8 | *4.5 | 36.3 | 18.7 | 16.7 | *10.6 | *5.3 | 14.5 | *7.9 | | |
| 45 YEARS AND OVER..... | 68.0 | *7.7 | *6.6 | 60.3 | *21.8 | 32.3 | 27.5 | *7.6 | *11.8 | *9.8 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 65.7 | *9.8 | *6.6 | 55.9 | 20.4 | 49.5 | 23.3 | 13.2 | 13.9 | *7.5 | | |
| MIDWEST..... | 57.6 | 10.8 | 9.6 | 46.8 | 24.9 | 32.6 | 16.3 | 11.9 | 11.0 | 11.7 | | |
| SOUTH..... | 102.5 | 21.8 | 19.4 | 79.6 | 37.3 | 71.1 | 30.1 | 23.7 | 22.1 | 15.0 | | |
| WEST..... | 77.9 | 16.5 | 15.8 | 61.4 | 25.7 | 55.2 | 21.9 | 21.2 | 15.3 | *8.2 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA..... | 78.6 | 14.7 | 12.8 | 63.4 | 28.0 | 54.3 | 23.8 | 18.4 | 17.2 | 10.3 | | |
| CENTRAL CITY..... | 95.5 | 17.3 | 15.1 | 77.0 | 33.7 | 66.5 | 29.6 | 22.9 | 17.9 | 14.4 | | |
| NOT CENTRAL CITY..... | 67.7 | 13.0 | 11.3 | 54.7 | 24.3 | 46.3 | 20.0 | 15.5 | 16.7 | 7.7 | | |
| NOT MSA..... | 79.9 | 18.8 | 16.7 | 61.2 | 29.3 | 52.5 | 23.0 | 17.6 | 13.1 | 14.3 | | |

¹INCLUDES UNKNOWNS FOR EACH CHARACTERISTIC.

²FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER ONLY.

³INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE FOR COLUMNS 1-4 AND 7-10 CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 56 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 5 AND 6 CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 56 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 56 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 56. NUMBER OF BED DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | MOVING MOTOR VEHICLE? | | | | | | PLACE OF ACCIDENT | | | |
|---------------------------------|---------------------------|--------|---------|---------|-----------------------|--------|-------------------|-------------------|--------|--------|
| | ALL EPISODES ¹ | YES | | NO | AT WORK? ² | | AT HOME | STREET OR HIGHWAY | | |
| | | TOTAL | TRAFFIC | | YES | NO | | INDUSTRIAL PLACE | OTHER | |
| NUMBER OF BED DAYS IN THOUSANDS | | | | | | | | | | |
| ALL PERSONS ³ | 192,116 | 37,946 | 33,230 | 153,214 | 50,851 | 96,703 | 57,463 | 44,313 | 39,676 | 27,331 |
| AGE | | | | | | | | | | |
| UNDER 5 YEARS..... | 3,876 | 651 | 651 | 3,225 | --- | --- | 1,339 | 651 | - | 1,001 |
| 5-17 YEARS..... | 11,167 | 3,439 | 3,290 | 7,728 | --- | --- | 3,517 | 3,937 | 182 | 3,232 |
| 18-24 YEARS..... | 12,888 | 5,197 | 4,925 | 7,691 | 3,087 | 6,595 | 1,513 | 5,022 | 3,004 | 2,116 |
| 25-44 YEARS..... | 66,469 | 13,245 | 11,872 | 52,943 | 26,943 | 30,558 | 12,308 | 14,736 | 19,626 | 13,394 |
| 45-64 YEARS..... | 53,324 | 10,020 | 8,339 | 43,304 | 19,665 | 25,939 | 14,008 | 13,402 | 15,076 | 5,156 |
| 65 YEARS AND OVER..... | 44,393 | 5,394 | 4,153 | 38,324 | 1,156 | 33,611 | 24,777 | 6,564 | 1,788 | 2,432 |
| SEX AND AGE | | | | | | | | | | |
| MALE | | | | | | | | | | |
| ALL AGES..... | 92,955 | 18,363 | 14,530 | 74,312 | 33,729 | 36,908 | 24,073 | 18,305 | 26,865 | 13,880 |
| UNDER 18 YEARS..... | 8,747 | 1,880 | 1,731 | 6,867 | --- | --- | 3,213 | 2,245 | 182 | 2,437 |
| 18-44 YEARS..... | 42,960 | 7,780 | 6,256 | 34,899 | 19,019 | 16,513 | 7,093 | 7,961 | 15,053 | 8,068 |
| 45 YEARS AND OVER..... | 41,248 | 8,703 | 6,544 | 32,546 | 14,710 | 20,396 | 13,767 | 8,098 | 11,631 | 3,375 |
| FEMALE | | | | | | | | | | |
| ALL AGES..... | 99,161 | 19,584 | 18,699 | 78,902 | 17,122 | 59,795 | 33,390 | 26,008 | 12,811 | 13,451 |
| UNDER 18 YEARS..... | 6,296 | 2,211 | 2,211 | 4,085 | --- | --- | 1,643 | 2,343 | - | 1,796 |
| 18-44 YEARS..... | 36,397 | 10,662 | 10,541 | 25,735 | 11,010 | 20,641 | 6,729 | 11,797 | 7,577 | 7,442 |
| 45 YEARS AND OVER..... | 56,469 | 6,711 | 5,948 | 49,082 | 6,111 | 39,154 | 25,018 | 11,668 | 5,233 | 4,213 |
| RACE AND AGE | | | | | | | | | | |
| WHITE | | | | | | | | | | |
| ALL AGES..... | 154,785 | 30,539 | 27,418 | 123,965 | 43,189 | 80,117 | 48,232 | 34,731 | 32,847 | 21,429 |
| UNDER 18 YEARS..... | 11,866 | 2,581 | 2,432 | 9,285 | --- | --- | 4,131 | 3,079 | - | 3,528 |
| 18-44 YEARS..... | 61,973 | 13,806 | 12,905 | 47,887 | 24,542 | 30,015 | 11,904 | 14,602 | 18,028 | 11,253 |
| 45 YEARS AND OVER..... | 80,946 | 14,153 | 12,082 | 66,793 | 18,646 | 50,102 | 32,197 | 17,050 | 14,819 | 6,648 |
| BLACK | | | | | | | | | | |
| ALL AGES..... | 32,687 | 5,955 | 5,164 | 26,057 | 7,598 | 14,256 | 8,251 | 8,232 | 6,812 | 4,788 |
| UNDER 18 YEARS..... | 3,177 | 1,510 | 1,510 | 1,667 | --- | --- | 725 | 1,510 | 182 | 705 |
| 18-44 YEARS..... | 14,967 | 4,210 | 3,466 | 10,756 | 5,440 | 5,729 | 1,637 | 4,027 | 4,602 | 3,250 |
| 45 YEARS AND OVER..... | 14,544 | 235 | 188 | 13,634 | 2,158 | 8,527 | 5,890 | 2,695 | 2,028 | 834 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 56. NUMBER OF BED DAYS ASSOCIATED WITH EPISODES OF PERSONS INJURED, BY WHETHER IN MOVING MOTOR VEHICLE, WHETHER AT WORK, PLACE OF ACCIDENT, AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL EPISODES ¹ | MOVING MOTOR VEHICLE? | | | | PLACE OF ACCIDENT | | | | | | |
|------------------------------|---------------------------|-----------------------|---------|---------|-----------------------|-------------------|---------|--------|-------------------|--------|------------------|--|
| | | YES | | NO | AT WORK? ² | | AT HOME | | STREET OR HIGHWAY | | INDUSTRIAL PLACE | |
| | | TOTAL | TRAFFIC | | YES | NO | | | | | OTHER | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| ALL AGES..... | 35,102 | 10,090 | 9,240 | 24,337 | 5,357 | 23,697 | 9,491 | 12,710 | 3,774 | 6,969 | | |
| UNDER 18 YEARS..... | 2,690 | 1,419 | 1,419 | 1,271 | --- | --- | 670 | 1,419 | - | 473 | | |
| 18-44 YEARS..... | 11,366 | 2,787 | 2,635 | 8,579 | 2,884 | 6,859 | 1,618 | 2,987 | 1,518 | 4,903 | | |
| 45 YEARS AND OVER..... | 21,046 | 5,884 | 5,185 | 14,487 | 2,473 | 16,838 | 7,204 | 8,304 | 2,256 | 1,593 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 40,996 | 7,363 | 6,700 | 33,352 | 12,678 | 18,566 | 12,303 | 8,514 | 8,453 | 6,806 | | |
| UNDER 18 YEARS..... | 1,779 | 91 | 91 | 1,689 | --- | --- | 445 | 91 | - | 1,058 | | |
| 18-44 YEARS..... | 19,497 | 4,274 | 4,153 | 14,942 | 6,696 | 8,764 | 4,376 | 4,863 | 3,963 | 4,270 | | |
| 45 YEARS AND OVER..... | 19,720 | 2,999 | 2,456 | 16,721 | 5,982 | 9,802 | 7,482 | 3,561 | 4,490 | 1,478 | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| ALL AGES..... | 41,555 | 8,677 | 7,553 | 32,878 | 12,693 | 21,128 | 11,265 | 10,011 | 11,491 | 3,510 | | |
| UNDER 18 YEARS..... | 2,402 | 801 | 801 | 1,602 | --- | --- | 293 | 899 | - | 1,003 | | |
| 18-44 YEARS..... | 19,784 | 5,515 | 4,922 | 14,269 | 7,344 | 9,761 | 3,200 | 6,387 | 6,064 | 1,609 | | |
| 45 YEARS AND OVER..... | 19,369 | 2,362 | 1,831 | 17,007 | 5,349 | 11,367 | 7,772 | 2,725 | 5,427 | .898 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 34,557 | 3,708 | 3,203 | 30,849 | 11,657 | 13,163 | 12,249 | 4,043 | 8,100 | 6,443 | | |
| UNDER 18 YEARS..... | 4,699 | 280 | 131 | 4,420 | --- | --- | 2,416 | 424 | 182 | 1,388 | | |
| 18-44 YEARS..... | 15,307 | 1,776 | 1,661 | 13,531 | 6,992 | 6,249 | 3,942 | 1,994 | 5,393 | 2,954 | | |
| 45 YEARS AND OVER..... | 14,550 | 1,652 | 1,411 | 12,898 | 4,665 | 6,914 | 5,892 | 1,625 | 2,524 | 2,100 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 32,151 | 4,792 | 3,233 | 27,359 | 7,679 | 18,629 | 11,390 | 6,471 | 6,815 | 3,682 | | |
| MIDWEST..... | 34,268 | 6,422 | 5,727 | 27,846 | 10,884 | 14,247 | 9,725 | 7,115 | 6,520 | 6,937 | | |
| SOUTH..... | 85,267 | 18,166 | 16,093 | 66,145 | 22,657 | 43,162 | 24,986 | 19,727 | 18,397 | 12,445 | | |
| WEST..... | 40,430 | 8,566 | 8,177 | 31,864 | 9,632 | 20,664 | 11,362 | 10,999 | 7,943 | 4,267 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA..... | 149,206 | 27,881 | 24,241 | 120,369 | 39,336 | 76,110 | 45,127 | 34,888 | 32,626 | 19,631 | | |
| CENTRAL CITY..... | 71,086 | 12,859 | 11,233 | 57,271 | 18,625 | 36,706 | 22,028 | 17,035 | 13,327 | 10,710 | | |
| NOT CENTRAL CITY..... | 78,120 | 15,022 | 13,008 | 63,098 | 20,710 | 39,403 | 23,099 | 17,853 | 19,299 | 8,920 | | |
| NOT MSA..... | 42,910 | 10,065 | 8,988 | 32,845 | 11,515 | 20,593 | 12,336 | 9,424 | 7,050 | 7,700 | | |

¹ INCLUDES UNKNOWNS FOR EACH CHARACTERISTIC.

² FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER ONLY.

³ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 49.3 MILLION HAS A 10-PERCENT RSE; OF 12 MILLION, A 20-PERCENT RSE; AND OF 5.3 MILLION, A 30-PERCENT RSE.

TABLE 57. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | ALL AGES | UNDER 45 YEARS | | | | 65 YEARS AND OVER | | |
|--|----------|----------------|----------------|-------------|-------------|-------------------|-------------|-------------------|
| | | TOTAL | UNDER 18 YEARS | 18-44 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER |
| | | | | | | | | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | |
| ARTHRITIS..... | 127.3 | 30.8 | *1.4 | 48.9 | 253.8 | 483.0 | 437.3 | 554.5 |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 8.5 | 1.6 | *- | 2.6 | 21.0 | 28.4 | 28.8 | 27.7 |
| INTERVERTEBRAL DISC DISORDERS..... | 18.0 | 11.7 | *- | 18.9 | 33.7 | 29.2 | 33.3 | 22.7 |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 8.2 | 5.4 | *0.5 | 8.4 | 15.4 | 12.5 | 13.2 | *11.4 |
| DISORDERS OF BONE OR CARTILAGE..... | 5.3 | 2.5 | *1.9 | 2.9 | 4.7 | 22.7 | 18.5 | 29.3 |
| TRouble WITH BUNIONS..... | 11.4 | 4.7 | *0.2 | 7.4 | 17.9 | 40.0 | 37.1 | 44.5 |
| BURSITIS, UNCLASSIFIED..... | 18.1 | 9.8 | *0.9 | 15.3 | 36.1 | 37.7 | 35.4 | 41.3 |
| SEBACEOUS SKIN CYST..... | 6.9 | 6.4 | *2.0 | 9.0 | 9.2 | 6.2 | 7.9 | *3.5 |
| TRouble WITH ACNE..... | 16.5 | 22.5 | 21.1 | 23.4 | 3.9 | *1.7 | *1.4 | *2.2 |
| PSORIASIS..... | 9.2 | 7.5 | 3.6 | 9.8 | 13.0 | 13.0 | 14.4 | *11.0 |
| DERMATITIS..... | 34.6 | 35.9 | 35.7 | 36.0 | 30.6 | 33.3 | 33.5 | 32.9 |
| TRouble WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 17.6 | 14.3 | 9.9 | 17.1 | 22.9 | 28.1 | 23.4 | 35.5 |
| TRouble WITH INGROWN NAILS..... | 23.5 | 18.1 | 9.1 | 23.7 | 28.1 | 47.3 | 36.1 | 64.8 |
| TRouble WITH CORNS AND CALLUSES..... | 17.8 | 9.1 | *0.2 | 14.6 | 31.5 | 46.2 | 41.0 | 54.3 |
| IMPAIRMENTS | | | | | | | | |
| VISUAL IMPAIRMENT..... | 32.4 | 20.3 | 9.0 | 27.2 | 45.1 | 81.9 | 69.3 | 101.7 |
| COLOR BLINDNESS..... | 9.6 | 8.0 | 2.7 | 11.2 | 14.0 | 12.5 | 12.7 | 12.2 |
| CATARACTS..... | 23.4 | 2.2 | *0.2 | 3.5 | 16.1 | 156.8 | 107.4 | 234.3 |
| GLAUCOMA..... | 9.4 | 1.2 | *0.3 | 1.8 | 11.1 | 54.1 | 42.3 | 72.7 |
| HEARING IMPAIRMENT..... | 83.1 | 35.6 | 15.6 | 47.8 | 127.7 | 286.5 | 239.4 | 360.3 |
| TINNITUS..... | 24.1 | 9.6 | *1.7 | 14.4 | 45.8 | 73.5 | 76.4 | 68.9 |
| SPEECH IMPAIRMENT..... | 9.3 | 9.9 | 17.1 | 5.5 | 6.2 | 10.7 | 7.6 | 15.5 |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 6.3 | 3.4 | *0.6 | 5.2 | 9.5 | 17.6 | 19.9 | 14.1 |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 5.1 | 2.4 | 2.9 | 2.1 | 7.1 | 17.7 | 11.2 | 27.7 |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 114.9 | 96.8 | 29.3 | 138.3 | 155.5 | 155.2 | 141.4 | 177.0 |
| BACK..... | 68.3 | 57.8 | 11.3 | 86.3 | 97.7 | 81.9 | 78.9 | 86.6 |
| UPPER EXTREMITIES..... | 18.4 | 9.9 | *2.0 | 14.8 | 24.0 | 24.6 | 19.2 | 33.1 |
| LOWER EXTREMITIES..... | 45.4 | 38.2 | 18.9 | 51.3 | 55.6 | 71.0 | 68.8 | 74.4 |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | |
| ULCER..... | 17.1 | 12.5 | *0.9 | 19.6 | 25.1 | 30.7 | 28.4 | 34.2 |
| HERNIA OF ABDOMINAL CAVITY..... | 18.8 | 7.5 | 4.1 | 9.6 | 36.9 | 55.2 | 57.3 | 52.0 |
| GASTRITIS OR DUODENITIS..... | 12.1 | 7.9 | 3.3 | 10.8 | 21.1 | 21.8 | 22.8 | 20.1 |
| FREQUENT INDIGESTION..... | 22.2 | 15.9 | *1.9 | 24.5 | 35.5 | 38.0 | 34.9 | 42.8 |
| ENTERITIS OR COLITIS..... | 9.8 | 6.4 | *2.0 | 9.1 | 15.4 | 20.9 | 21.1 | 20.5 |
| SPASTIC COLON..... | 5.6 | 3.1 | *0.5 | 4.7 | 14.0 | 6.6 | *6.3 | *7.2 |
| DIVERTICULA OF INTESTINES..... | 8.2 | 0.8 | *0.2 | *1.2 | 16.9 | 36.9 | 33.8 | 41.9 |
| FREQUENT CONSTIPATION..... | 18.6 | 10.5 | 8.2 | 11.9 | 20.9 | 61.7 | 42.2 | 92.2 |

SEE NOTES AT END OF TABLE.

TABLE 57. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY AGE: UNITED STATES: 1989--CON.
 (DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | ALL AGES | UNDER 45 YEARS | | | 65 YEARS AND OVER | | | |
|---|----------|----------------|----------------|-------------|-------------------|-------|-------------|-------|
| | | TOTAL | UNDER 18 YEARS | 18-44 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS PER 1,000 PERSONS | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | 13.2 | 5.2 | *0.5 | 8.1 | 31.2 | 31.1 | 33.2 | 27.8 |
| DIABETES..... | 26.6 | 7.3 | *1.8 | 10.7 | 58.2 | 88.2 | 89.7 | 85.7 |
| ANEMIAS..... | 16.0 | 15.3 | 10.2 | 18.5 | 15.0 | 21.4 | 21.0 | 22.0 |
| EPILEPSY..... | 4.2 | 4.8 | 3.5 | 5.6 | 3.4 | *1.8 | *1.9 | *1.8 |
| MIGRAINE HEADACHE..... | 41.0 | 41.3 | 15.5 | 57.2 | 51.2 | 22.8 | 29.8 | *11.8 |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 2.6 | 0.9 | *- | 1.5 | 5.9 | 6.7 | *6.6 | *6.8 |
| KIDNEY TROUBLE..... | 13.9 | 10.3 | *1.8 | 15.6 | 18.2 | 27.3 | 32.6 | 19.1 |
| BLADDER DISORDERS..... | 14.6 | 10.2 | 3.1 | 14.5 | 19.9 | 32.0 | 24.8 | 43.2 |
| DISEASES OF PROSTATE..... | 6.2 | 1.0 | *- | 1.5 | 12.6 | 26.5 | 20.0 | 36.7 |
| DISEASE OF FEMALE GENITAL ORGANS..... | 19.2 | 20.8 | 3.2 | 31.6 | 19.1 | 10.3 | 9.7 | *11.1 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | 6.9 | 4.4 | *0.7 | 6.6 | 13.3 | 11.6 | 12.8 | *9.8 |
| HEART DISEASE..... | 75.9 | 28.9 | 17.1 | 36.1 | 118.9 | 278.9 | 231.6 | 353.0 |
| ISCHEMIC HEART DISEASE..... | 28.5 | 2.7 | *0.4 | 4.1 | 54.5 | 136.2 | 112.7 | 173.0 |
| HEART RHYTHM DISORDERS..... | 30.4 | 20.2 | 11.9 | 25.3 | 40.1 | 73.7 | 63.8 | 89.1 |
| TACHYCARDIA OR RAPID HEART..... | 8.1 | 3.6 | *0.9 | 5.3 | 14.9 | 22.9 | 19.5 | 28.1 |
| HEART MURMURS..... | 16.1 | 14.6 | 10.6 | 17.1 | 16.4 | 23.9 | 19.2 | .31.1 |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 6.3 | 2.0 | *0.4 | 2.9 | 8.8 | 26.9 | 25.1 | 29.9 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | 17.0 | 6.0 | 4.9 | 6.7 | 24.3 | 69.0 | 55.1 | 90.9 |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 113.6 | 35.5 | 2.2 | 56.0 | 229.1 | 380.6 | 383.8 | 375.6 |
| CEREBROVASCULAR DISEASE..... | 10.8 | 1.5 | *0.8 | 1.9 | 15.3 | 57.0 | 43.1 | 78.8 |
| HARDENING OF THE ARTERIES..... | 9.0 | *0.6 | *- | *1.0 | 16.1 | 46.2 | 28.9 | 73.3 |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | 30.9 | 15.4 | *- | 24.8 | 57.8 | 78.1 | 72.6 | 86.6 |
| HEMORRHOIDS..... | 47.2 | 35.7 | *0.7 | 57.2 | 74.9 | 69.6 | 77.4 | 57.5 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | |
| CHRONIC BRONCHITIS..... | 49.2 | 46.8 | 50.5 | 44.5 | 53.7 | 55.5 | 54.2 | 57.6 |
| ASTHMA..... | 47.7 | 48.8 | 61.0 | 41.3 | 41.5 | 51.5 | 57.3 | 42.3 |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA..... | 86.9 | 90.1 | 59.7 | 108.8 | 87.4 | 67.9 | 69.4 | 65.5 |
| CHRONIC SINUSITIS..... | 138.3 | 126.0 | 68.9 | 161.1 | 173.5 | 153.4 | 151.8 | 155.8 |
| DEVIATED NASAL SEPTUM..... | 5.4 | 4.1 | *0.7 | 6.2 | 8.5 | 8.0 | 8.8 | *6.8 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 12.6 | 16.5 | 28.0 | 9.4 | 5.7 | *1.5 | *1.8 | *1.0 |
| EMPHYSEMA..... | 8.2 | *0.8 | *0.2 | *1.2 | 17.2 | 36.3 | 32.4 | 42.5 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II, THE FREQUENCIES OF TABLE 62 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 58. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY SEX AND AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | MALE | | | | | | FEMALE | | | | | |
|--|----------------------|----------------|-------|-------------------------|----------------------------|----------------------|----------------|-------|----------------|----------------------------|--|--|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | | | |
| ARTHRITIS..... | 24.7 | 202.5 | 392.4 | 337.1 | 496.7 | 36.9 | 300.9 | 547.4 | 517.6 | 588.5 | | |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 2.7 | 38.0 | 46.0 | 43.5 | 50.6 | *0.6 | *5.4 | 15.9 | 17.2 | *14.2 | | |
| INTERVERTEBRAL DISC DISORDERS..... | 16.1 | 36.7 | 27.5 | 30.9 | *20.9 | 7.4 | 31.0 | 30.5 | 35.2 | 23.8 | | |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 4.8 | 12.3 | 13.3 | *15.0 | *10.0 | 6.0 | 18.3 | 12.1 | *11.8 | *12.3 | | |
| DISORDERS OF BONE OR CARTILAGE..... | *1.2 | *4.1 | *5.8 | *5.5 | *6.2 | 3.8 | *5.3 | 34.8 | 28.9 | 42.9 | | |
| TRouble WITH BUNIONS..... | 1.7 | 8.3 | 14.7 | *15.2 | *13.5 | 7.6 | 26.6 | 58.0 | 54.6 | 62.6 | | |
| BURSITIS, UNCLASSIFIED..... | 6.1 | 35.6 | 29.2 | 23.1 | 40.6 | 13.6 | 36.5 | 43.8 | 45.3 | 41.8 | | |
| SEBACEOUS SKIN CYST..... | 5.4 | 10.4 | 4.1 | *5.4 | *1.7 | 7.3 | 8.1 | *7.6 | *9.8 | *4.6 | | |
| TRouble WITH ACNE..... | 20.3 | *3.4 | *4.0 | *3.2 | *5.9 | 24.7 | *4.3 | * | * | * | | |
| PSORIASIS..... | 8.5 | 14.6 | 15.3 | *12.1 | *21.4 | 6.4 | 11.5 | 11.4 | 16.2 | *4.9 | | |
| DERMATITIS..... | 30.8 | 19.3 | 41.3 | 36.9 | 49.4 | 40.9 | 40.9 | 27.5 | 30.6 | 23.2 | | |
| TRouble WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 13.0 | 26.4 | 28.2 | 23.4 | 37.1 | 15.7 | 19.6 | 28.1 | 23.3 | 34.7 | | |
| TRouble WITH INGROWN NAILS..... | 15.7 | 17.3 | 38.5 | 21.0 | 71.8 | 20.6 | 37.9 | 53.5 | 48.1 | 60.7 | | |
| TRouble WITH CORNS AND CALLUSES..... | 6.9 | 20.0 | 32.6 | 29.2 | 39.0 | 11.4 | 42.1 | 55.9 | 50.4 | 63.3 | | |
| IMPAIRMENTS | | | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 27.1 | 63.2 | 92.2 | 74.9 | 124.8 | 13.5 | 28.5 | 74.5 | 64.7 | 88.0 | | |
| COLOR BLINDNESS..... | 15.0 | 22.7 | 18.0 | 17.8 | *18.3 | *1.0 | 5.9 | 8.6 | *8.5 | *8.8 | | |
| CATARACTS..... | 2.4 | 14.6 | 113.0 | 76.0 | 182.7 | 2.1 | 17.5 | 188.0 | 132.4 | 264.5 | | |
| GLAUCOMA..... | *1.0 | 7.1 | 43.2 | 35.2 | 58.2 | *1.4 | 14.9 | 62.0 | 48.0 | 81.0 | | |
| HEARING IMPAIRMENT..... | 44.8 | 168.7 | 341.1 | 308.6 | 402.1 | 26.4 | 90.2 | 247.7 | 183.8 | 335.8 | | |
| TINNITUS..... | 9.8 | 49.3 | 78.9 | 84.8 | 67.7 | 9.3 | 42.5 | 69.6 | 69.6 | 69.6 | | |
| SPEECH IMPAIRMENT..... | 12.6 | 9.2 | 13.2 | *9.7 | *19.7 | 7.2 | *3.5 | 9.0 | *6.0 | *13.1 | | |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 5.5 | 15.4 | 32.4 | 35.2 | *27.3 | *1.4 | *4.2 | *7.1 | *7.7 | *6.4 | | |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 3.5 | 10.9 | 24.5 | *12.0 | 48.0 | *1.4 | *3.6 | 12.8 | *10.6 | *15.9 | | |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 98.3 | 159.5 | 136.5 | 139.9 | 130.5 | 95.4 | 151.7 | 168.5 | 142.5 | 204.4 | | |
| BACK..... | 50.4 | 89.5 | 61.4 | 67.4 | *50.4 | 65.1 | 105.3 | 96.5 | 88.1 | 107.9 | | |
| UPPER EXTREMITIES..... | 13.4 | 29.5 | 23.2 | 19.8 | *29.7 | 6.5 | 19.0 | 25.7 | 18.8 | 35.1 | | |
| LOWER EXTREMITIES..... | 44.8 | 58.9 | 69.8 | 71.6 | 66.5 | 31.7 | 52.6 | 71.9 | 66.6 | 79.1 | | |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | | | |
| ULCER..... | 9.9 | 19.0 | 25.1 | 22.9 | *29.2 | 15.0 | 30.7 | 34.6 | 32.8 | 37.2 | | |
| HERNIA OF ABDOMINAL CAVITY..... | 7.9 | 43.5 | 46.2 | 46.6 | 45.4 | 7.1 | 30.9 | 61.6 | 65.7 | 55.8 | | |
| GASTRITIS OR DUODENITIS..... | 6.1 | 11.4 | 13.3 | 17.8 | *5.0 | 9.8 | 29.9 | 27.8 | 26.9 | 29.0 | | |
| FREQUENT INDIGESTION..... | 16.9 | 42.6 | 30.2 | 27.7 | 34.9 | 14.9 | 28.9 | 43.6 | 40.6 | 47.6 | | |
| ENTERITIS OR COLITIS..... | 3.2 | 10.1 | 17.6 | 17.3 | *18.3 | 9.5 | 20.3 | 23.2 | 24.3 | 21.9 | | |
| SPASTIC COLON..... | 1.9 | *5.3 | *2.2 | *1.6 | *3.6 | 4.4 | 21.9 | 9.8 | *10.1 | *9.3 | | |
| DIVERTICULA OF INTESTINES..... | *0.5 | 10.6 | 27.1 | 25.6 | *29.9 | *1.1 | 22.7 | 43.9 | 40.3 | 49.0 | | |
| FREQUENT CONSTIPATION..... | 5.7 | 8.3 | 38.2 | 29.9 | 54.2 | 15.3 | 32.4 | 78.4 | 52.1 | 114.6 | | |

SEE NOTES AT END OF TABLE.

TABLE 58. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY SEX AND AGE: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | MALE | | | | | | FEMALE | | | | | |
|---|-------------------|----------------|-------|-------------------|----------------------|-------------------|----------------|-------|----------------|----------------------|--|--|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | | | | | | | | | | | | |
| DIABETES..... | *1.6 | 9.0 | 19.4 | 19.9 | *18.1 | 8.9 | 51.4 | 39.5 | 43.8 | 33.6 | | |
| ANEMIAS..... | 5.5 | 64.9 | 73.9 | 74.0 | 73.9 | 9.0 | 52.1 | 98.3 | 102.5 | 92.6 | | |
| EPILEPSY..... | 5.6 | *3.7 | 17.6 | 19.2 | *14.7 | 25.0 | 25.4 | 24.1 | 22.5 | 26.3 | | |
| MIGRAINE HEADACHE..... | 4.4 | *2.7 | *0.8 | **- | *2.4 | 5.2 | *4.2 | *2.6 | *3.4 | *1.5 | | |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 23.6 | 24.8 | 17.5 | 20.2 | *12.4 | 58.9 | 75.5 | 26.5 | 37.6 | *11.4 | | |
| KIDNEY TROUBLE..... | *0.5 | *4.7 | *3.0 | *3.4 | *2.1 | *1.4 | 7.1 | 9.3 | *9.1 | *9.6 | | |
| BLADDER DISORDERS..... | 6.0 | 21.3 | 24.9 | 25.5 | *23.8 | 14.7 | 15.3 | 29.0 | 38.3 | *16.3 | | |
| DISEASES OF PROSTATE..... | *1.4 | 6.9 | 16.6 | *7.1 | 34.7 | 18.9 | 31.9 | 42.9 | 39.1 | 48.2 | | |
| DISEASE OF FEMALE GENITAL ORGANS..... | 1.9 | 26.3 | 63.7 | 44.9 | 99.3 | *** | *** | *** | *** | *** | | |
| | *** | *** | *** | *** | *** | 41.5 | 36.7 | 17.6 | 17.5 | *17.7 | | |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | | | | | | | | | | | | |
| HEART DISEASE..... | 2.9 | 11.9 | *3.3 | *3.8 | *2.4 | 5.8 | 14.6 | 17.6 | 20.0 | *14.2 | | |
| ISCHEMIC HEART DISEASE..... | 24.0 | 139.8 | 298.3 | 259.7 | 371.0 | 33.8 | 99.7 | 265.2 | 209.1 | 342.5 | | |
| HEART RHYTHM DISORDERS..... | 3.5 | 85.9 | 168.9 | 146.8 | 210.8 | 2.0 | 25.6 | 113.0 | 85.4 | 151.1 | | |
| TACHYCARDIA OR RAPID HEART..... | 16.2 | 29.7 | 66.5 | 56.7 | 84.8 | 24.2 | 49.7 | 78.7 | 69.4 | 91.6 | | |
| HEART MURMURS..... | 2.9 | 11.0 | 12.0 | *10.0 | *15.9 | 4.3 | 18.5 | 30.6 | 27.2 | 35.2 | | |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 11.5 | 12.4 | 26.7 | 19.5 | 40.2 | 17.7 | 20.1 | 21.8 | 18.9 | 25.9 | | |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | 1.7 | 6.3 | 27.8 | 27.2 | *28.8 | 2.2 | 11.2 | 26.4 | 23.2 | 30.5 | | |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 4.4 | 24.3 | 62.8 | 56.2 | 75.3 | 7.6 | 24.3 | 73.5 | 54.3 | 99.8 | | |
| CEREBROVASCULAR DISEASE..... | 35.0 | 220.3 | 309.6 | 317.6 | 294.7 | 36.0 | 237.2 | 431.1 | 437.0 | 423.1 | | |
| HARDENING OF THE ARTERIES..... | *1.1 | 14.6 | 61.4 | 52.9 | 77.5 | 1.9 | 15.9 | 53.9 | 35.2 | 79.6 | | |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | *0.8 | 22.8 | 50.4 | 42.3 | 65.6 | *0.4 | 10.0 | 43.3 | 18.2 | 77.8 | | |
| HEMORRHOIDS..... | 4.6 | 21.1 | 51.4 | 51.9 | 50.6 | 26.1 | 91.5 | 97.1 | 89.3 | 107.8 | | |
| | 30.5 | 76.0 | 57.6 | 67.0 | 40.2 | 40.8 | 74.0 | 78.1 | 85.7 | 67.7 | | |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | | | |
| CHRONIC BRONCHITIS..... | | | | | | | | | | | | |
| ASTHMA..... | 51.2 | 34.9 | 43.6 | 47.3 | 36.8 | 46.3 | 47.6 | 57.0 | 65.4 | 45.5 | | |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA..... | 89.5 | 82.8 | 61.4 | 62.3 | 59.9 | 90.6 | 91.7 | 72.6 | 75.2 | 68.9 | | |
| CHRONIC SINUSITIS..... | 109.1 | 156.7 | 132.9 | 150.9 | 99.1 | 142.8 | 189.0 | 167.9 | 152.4 | 189.1 | | |
| DEVIATED NASAL SEPTUM..... | 3.4 | 8.4 | *10.5 | *13.5 | *5.0 | 4.8 | 8.5 | *6.3 | *5.0 | *7.9 | | |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 13.2 | *4.6 | *0.9 | *1.4 | **- | 19.8 | 6.7 | *1.9 | *2.0 | *1.5 | | |
| EMPHYSEMA..... | *0.7 | 22.6 | 56.7 | 44.1 | 80.6 | *0.9 | 12.4 | 21.8 | 23.0 | 20.2 | | |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II, THE FREQUENCIES OF TABLE 63 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 59. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY RACE AND AGE: UNITED STATES, 1969

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | WHITE | | | | | | BLACK | | | | |
|---|-------------------|----------------|-------|-------------------|----------------------|-------------------|----------------|-------|----------------|----------------------|--|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS PER 1,000 PERSONS | | | | | | | | | | | |
| ARTHROSIS..... | 32.1 | 247.7 | 483.2 | 431.7 | 562.8 | 26.2 | 320.7 | 522.6 | 520.4 | 525.3 | |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 1.7 | 19.4 | 26.1 | 25.7 | 26.8 | *1.5 | 35.4 | 57.9 | *66.7 | *43.0 | |
| INTERVERTEBRAL DISC DISORDERS..... | 12.3 | 35.7 | 31.7 | 36.2 | 24.7 | 9.7 | *24.4 | *8.2 | *9.7 | *5.5 | |
| BONE SPUR OR TENDINITIS, | | | | | | | | | | | |
| UNSPECIFIED..... | 5.8 | 17.5 | 13.3 | 14.8 | *11.0 | *3.2 | *1.9 | *6.5 | * | *17.6 | |
| DISORDERS OF BONE OR CARTILAGE..... | 2.7 | 5.1 | 24.9 | 20.6 | 31.4 | *0.9 | * | *4.1 | * | *11.0 | |
| TRouble WITH BUNIONS..... | 4.4 | 16.1 | 41.0 | 38.4 | 45.0 | 7.8 | 38.4 | *31.0 | *22.0 | *46.3 | |
| BURSITIS, UNCLASSIFIED..... | 11.1 | 36.8 | 39.7 | 37.3 | 43.3 | *4.4 | 34.8 | *23.2 | *22.0 | *26.4 | |
| SEBACEOUS SKIN CYST..... | 6.9 | 9.6 | 6.8 | 8.8 | *3.9 | *3.7 | *5.5 | * | * | * | |
| TRouble WITH ACNE..... | 24.2 | 4.1 | *1.9 | *1.6 | *2.4 | 15.4 | *3.2 | * | * | * | |
| PSORIASIS..... | 8.2 | 14.7 | 14.0 | 15.2 | *12.1 | *4.0 | *2.5 | * | * | * | |
| DERMATITIS..... | 36.4 | 31.9 | 35.8 | 37.0 | 34.1 | 33.9 | *19.7 | *11.8 | *3.9 | *25.3 | |
| TRouble WITH DRY (ITCHING) SKIN, | | | | | | | | | | | |
| UNCLASSIFIED..... | 15.2 | 22.9 | 28.2 | 23.7 | 35.1 | 9.6 | *22.3 | *32.6 | *24.6 | *46.3 | |
| TRouble WITH INGROWN NAILS..... | 20.0 | 29.9 | 47.2 | 35.3 | 65.7 | 11.9 | *18.5 | *44.8 | *43.4 | *47.4 | |
| TRouble WITH CORNS AND CALLUSES..... | 8.3 | 29.9 | 42.9 | 37.5 | 51.1 | 14.3 | 54.5 | 81.5 | *71.2 | *100.2 | |
| IMPAIRMENTS | | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 21.8 | 45.5 | 81.1 | 66.7 | 103.4 | 14.8 | 54.5 | 77.0 | *84.1 | *65.0 | |
| COLOR BLINDNESS..... | 9.1 | 15.4 | 13.8 | 14.0 | 13.5 | *2.6 | *5.1 | * | * | * | |
| CATARACTS..... | 2.3 | 16.6 | 160.7 | 107.7 | 242.8 | *2.4 | *14.6 | 139.8 | 117.8 | 177.3 | |
| GLAUCOMA..... | 1.4 | 10.4 | 49.8 | 38.7 | 67.0 | *0.7 | *20.8 | 110.9 | *88.0 | *149.8 | |
| HEARING IMPAIRMENT..... | 38.0 | 136.7 | 297.4 | 247.4 | 374.6 | 23.8 | 64.5 | 174.5 | 178.0 | 168.5 | |
| TINNITUS..... | 9.6 | 47.2 | 77.0 | 80.0 | 72.4 | 9.2 | 32.7 | *38.3 | *45.3 | *26.4 | |
| SPEECH IMPAIRMENT..... | 8.4 | 6.3 | 9.8 | *7.1 | 13.9 | 21.5 | *7.2 | *17.5 | *14.2 | *23.1 | |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 3.5 | 8.5 | 17.0 | 18.8 | 14.1 | *4.2 | *16.6 | *27.7 | *34.3 | *16.5 | |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 2.6 | 6.6 | 16.4 | 10.9 | 24.8 | *1.4 | *13.2 | *24.9 | *16.2 | *39.6 | |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 103.8 | 160.3 | 156.2 | 141.6 | 178.7 | 59.1 | 131.6 | 150.8 | 159.9 | *135.5 | |
| BACK..... | 62.8 | 102.0 | 84.6 | 81.6 | 89.2 | 28.1 | 77.7 | 59.1 | *66.0 | *47.4 | |
| UPPER EXTREMITIES..... | 10.5 | 25.1 | 23.7 | 17.9 | 32.7 | 7.7 | *15.9 | *29.8 | *37.5 | *17.6 | |
| LOWER EXTREMITIES..... | 41.2 | 55.8 | 68.8 | 67.6 | 70.7 | 24.5 | 56.5 | 88.5 | 88.7 | *88.1 | |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | | |
| ULCER..... | 13.1 | 23.5 | 31.9 | 29.8 | 35.1 | 9.5 | 40.5 | *22.8 | *18.8 | *29.7 | |
| HERNIA OF ABDOMINAL CAVITY..... | 8.0 | 38.2 | 59.2 | 61.3 | 56.0 | 6.0 | 34.2 | *17.5 | *18.1 | *16.5 | |
| GASTRITIS OR DUODENITIS..... | 7.6 | 22.9 | 20.9 | 22.6 | 18.4 | 7.3 | *9.3 | *29.8 | *21.4 | *43.0 | |
| FREQUENT INDIGESTION..... | 17.5 | 34.6 | 33.3 | 31.2 | 36.5 | 8.5 | 37.4 | 76.2 | *68.6 | *88.1 | |
| ENTERITIS OR COLITIS..... | 7.4 | 16.3 | 22.7 | 22.6 | 22.7 | *1.8 | *7.0 | *6.1 | *9.7 | * | |
| SPASTIC COLON..... | 3.7 | 15.6 | 6.1 | *5.9 | *6.4 | * | *0.6 | *9.0 | *3.9 | *17.6 | |
| DIVERTICULA OF INTESTINES..... | 1.0 | 19.0 | 40.4 | 37.7 | 44.7 | * | *4.5 | *6.5 | * | *17.6 | |
| FREQUENT CONSTIPATION..... | 10.1 | 19.5 | 60.6 | 42.0 | 89.3 | 14.0 | 29.9 | 75.0 | *42.7 | *130.0 | |

SEE NOTES AT END OF TABLE.

TABLE 59. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY RACE AND AGE: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | WHITE | | | | | | BLACK | | | | | |
|---|-------------------|----------------|-------|----------------------------|----------------------------|-------------------|----------------|-------|----------------|----------------------------|-------------------|----------------|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | | | | | | | | | | | | |
| DIABETES..... | 5.4 | 32.4 | 31.9 | 34.7 | 27.5 | *4.7 | *27.0 | *28.5 | *23.3 | *37.4 | | |
| ANEMIAS..... | 7.0 | 52.6 | 80.2 | 82.0 | 77.3 | 8.3 | 100.2 | 165.9 | 148.2 | 196.0 | | |
| EPILEPSY..... | 14.1 | 13.4 | 20.5 | 19.4 | 22.4 | 20.5 | 30.1 | *34.7 | *42.1 | *22.0 | | |
| MIGRAINE HEADACHE..... | 4.8 | *3.1 | *2.1 | *2.1 | *1.9 | 6.0 | *6.4 | ** | ** | ** | | |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 42.9 | 52.3 | 21.9 | 28.5 | *11.8 | 35.3 | 46.7 | *22.8 | *36.2 | ** | | |
| KIDNEY TROUBLE..... | *0.9 | 5.7 | 6.2 | *5.3 | *7.6 | *1.3 | *9.8 | *7.3 | *11.7 | ** | | |
| BLADDER DISORDERS..... | 10.8 | 20.4 | 25.6 | 31.0 | 17.1 | 6.2 | *4.0 | *40.8 | *38.8 | *44.1 | | |
| DISEASES OF PROSTATE..... | 10.5 | 22.2 | 34.1 | 26.7 | 45.5 | 9.0 | *6.2 | *15.9 | *10.4 | *24.2 | | |
| DISEASE OF FEMALE GENITAL ORGANS..... | *0.9 | 14.0 | 27.9 | 22.3 | 36.6 | *1.7 | *2.1 | *16.3 | ** | *44.1 | | |
| | 20.9 | 19.3 | 10.3 | 9.3 | *11.7 | 20.9 | *18.0 | *12.2 | *16.2 | *5.5 | | |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | | | | | | | | | | | | |
| HEART DISEASE..... | 4.5 | 14.8 | 11.6 | 12.0 | *10.8 | *4.3 | *4.7 | *14.7 | *23.3 | ** | | |
| ISCHEMIC HEART DISEASE..... | 29.8 | 119.8 | 286.5 | 234.7 | 366.7 | 30.2 | 128.2 | 220.5 | 207.8 | 242.3 | | |
| HEART RHYTHM DISORDERS..... | 2.7 | 57.1 | 141.5 | 115.4 | 182.0 | *3.9 | 38.6 | 86.4 | *78.3 | *100.2 | | |
| TACHYCARDIA OR RAPID HEART..... | 21.0 | 40.0 | 79.8 | 68.5 | 97.2 | 19.5 | 52.8 | *16.7 | *19.4 | *12.1 | | |
| HEART MURMURS..... | 4.1 | 14.8 | 24.9 | 21.0 | 31.0 | *1.1 | *20.4 | *5.3 | *8.4 | ** | | |
| OTHER AND UNSPECIFIED HEART..... | 14.6 | 15.3 | 26.2 | 21.4 | 33.6 | 18.0 | 30.6 | *2.9 | ** | *7.7 | | |
| RHYTHM DISORDERS..... | 2.3 | 10.0 | 28.7 | 26.2 | 32.6 | *0.4 | *1.7 | *8.6 | *11.0 | *4.4 | | |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | 6.2 | 22.7 | 65.2 | 50.9 | 87.4 | 6.8 | 36.9 | 117.4 | 110.0 | *128.9 | | |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 32.8 | 213.0 | 367.4 | 367.8 | 366.9 | 55.5 | 383.5 | 517.7 | 534.0 | 490.1 | | |
| CEREBROVASCULAR DISEASE..... | 1.7 | 13.6 | 56.3 | 42.0 | 78.4 | *0.8 | *27.8 | 70.9 | *55.7 | *96.9 | | |
| HARDENING OF THE ARTERIES..... | *0.7 | 18.2 | 46.6 | 26.9 | .77.0 | *0.4 | ** | *51.4 | *55.7 | *44.1 | | |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | 16.9 | 61.2 | 80.3 | 72.9 | 91.8 | 9.2 | 43.5 | 64.0 | *76.4 | *41.9 | | |
| HEMORRHOIDS..... | 36.7 | 79.7 | 70.6 | 78.3 | 58.8 | 33.2 | 49.9 | 62.0 | *68.0 | *52.9 | | |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | | | |
| CHRONIC BRONCHITIS..... | | | | | | | | | | | | |
| ASTHMA..... | 49.6 | 56.8 | 58.5 | 56.9 | 60.9 | 33.4 | 32.5 | *33.8 | *36.2 | *29.7 | | |
| MAY FEVER OR ALLERGIC RHINITIS | 47.6 | 43.6 | 49.9 | 53.0 | 45.1 | 57.4 | *23.8 | 69.3 | 106.8 | *5.5 | | |
| WITHOUT ASTHMA..... | 95.1 | 92.2 | 68.8 | 70.6 | 66.0 | 60.7 | 48.2 | *51.8 | *48.5 | *57.3 | | |
| CHRONIC SINUSITIS..... | 131.0 | 178.3 | 157.1 | 155.4 | 159.6 | 119.4 | 163.4 | 125.2 | 124.3 | *127.8 | | |
| DEVIATED NASAL SEPTUM..... | 4.7 | 9.5 | 8.6 | 9.2 | *7.6 | ** | *2.1 | *4.1 | *6.5 | ** | | |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 17.8 | 5.5 | *1.6 | *2.0 | *1.1 | 7.9 | *6.4 | ** | ** | ** | | |
| EMPHYSEMA..... | *0.9 | 18.6 | 38.8 | 35.4 | 44.1 | *0.2 | *11.0 | *16.7 | *7.8 | *33.0 | | |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II, THE FREQUENCIES OF TABLE 64 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 60. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | | | |
|--|----------------------|----------------|-------|-------------------------------|----------------------------|----------------------|-------------------|-------|-------------------------------|----------------------------|--|--|
| | LESS THAN \$10,000 | | | | | | \$10,000-\$19,999 | | | | | |
| | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | | | |
| ARTHROSIS..... | | | | | | | | | | | | |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 40.8 | 375.3 | 606.7 | 558.0 | 658.2 | 31.5 | 331.0 | 434.8 | 418.4 | 461.4 | | |
| INTERVERTEBRAL DISC DISORDERS..... | *3.4 | *22.3 | 33.3 | *37.3 | *29.2 | *1.9 | 31.8 | 31.6 | *27.0 | *38.7 | | |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 12.4 | 53.2 | 31.7 | *38.7 | *24.4 | 11.3 | 25.0 | 27.6 | 27.9 | *27.2 | | |
| DISORDERS OF BONE OR CARTILAGE..... | *3.1 | *13.4 | *21.9 | *31.7 | *11.7 | 7.9 | *15.9 | *5.5 | *2.2 | *10.8 | | |
| TROUBLE WITH BUNIONS..... | *4.4 | *6.5 | 25.8 | *15.0 | *37.2 | *2.7 | *7.1 | *14.6 | *15.9 | *12.5 | | |
| BURSITIS, UNCLASSIFIED..... | *2.4 | *26.2 | 47.8 | *37.3 | 59.1 | 8.3 | *16.4 | 39.5 | 39.6 | *39.4 | | |
| SEBACEOUS SKIN CYST..... | 12.7 | 42.8 | 46.7 | *46.3 | *47.1 | 7.8 | 28.2 | 23.5 | *26.0 | *19.4 | | |
| TROUBLE WITH ACNE..... | 12.4 | *19.0 | *5.0 | *9.8 | ** | 5.2 | *6.9 | *3.5 | *4.2 | *2.3 | | |
| PSORIASIS..... | 18.2 | ** | *2.0 | *3.8 | ** | 20.2 | *7.4 | *1.4 | ** | *3.6 | | |
| DERMATITIS..... | *4.4 | *5.4 | *19.4 | *23.7 | *15.0 | 5.3 | *13.1 | *15.7 | *15.5 | *16.1 | | |
| TROUBLE WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 36.0 | *32.7 | 25.1 | *33.1 | *16.8 | 35.8 | *17.4 | 26.9 | 30.5 | *20.7 | | |
| TROUBLE WITH INGROWN NAILS..... | 23.1 | 64.2 | 69.1 | 56.8 | 82.1 | 21.2 | 42.1 | 46.2 | 40.4 | 55.5 | | |
| TROUBLE WITH CORNS AND CALLUSES..... | 13.5 | 80.3 | 56.7 | 51.9 | 61.7 | 11.7 | 33.2 | 42.0 | 41.2 | *43.3 | | |
| IMPAIRMENTS | | | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 19.1 | 92.8 | 123.3 | 106.2 | 141.2 | 25.8 | 48.7 | 90.7 | 73.9 | 118.1 | | |
| COLOR BLINDNESS..... | *4.0 | *8.0 | *8.2 | *7.7 | *8.8 | 7.8 | *11.4 | *14.7 | *12.5 | *18.4 | | |
| CATARACTS..... | *2.1 | *28.8 | 175.3 | 107.6 | 246.3 | *2.9 | 33.3 | 163.6 | 134.6 | 211.0 | | |
| GLAUCOMA..... | ** | *23.8 | 54.7 | *34.8 | 75.5 | *1.7 | *11.3 | 51.1 | 48.8 | 54.5 | | |
| HEARING IMPAIRMENT..... | 42.4 | 190.0 | 275.5 | 225.0 | 328.3 | 42.4 | 141.9 | 342.3 | 294.0 | 421.1 | | |
| TINNITUS..... | 10.7 | 81.8 | 69.5 | 60.6 | 78.8 | 14.8 | 70.3 | 96.0 | 97.5 | 93.5 | | |
| SPEECH IMPAIRMENT..... | 21.9 | *21.4 | *14.1 | *15.0 | *13.1 | 17.4 | *10.6 | *8.9 | *5.0 | *15.4 | | |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | *2.2 | *12.8 | *15.3 | *21.2 | *9.1 | *4.3 | *13.7 | 30.0 | 29.3 | *31.2 | | |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | *1.3 | *19.0 | *19.2 | *16.7 | *21.5 | 6.0 | *9.7 | *16.1 | *11.9 | *22.6 | | |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 104.9 | 263.2 | 207.8 | 183.2 | 233.5 | 104.9 | 202.2 | 160.7 | 149.9 | 178.2 | | |
| BACK..... | 63.0 | 148.7 | 119.0 | 123.3 | 114.6 | 62.8 | 125.9 | 85.1 | 90.4 | 76.5 | | |
| UPPER EXTREMITIES..... | 10.1 | 42.8 | 38.7 | *24.0 | 54.0 | 16.2 | 26.7 | 23.0 | *21.8 | *24.9 | | |
| LOWER EXTREMITIES..... | 39.9 | 113.9 | 76.1 | 65.5 | 87.2 | 42.0 | 79.4 | 71.5 | 58.5 | 92.6 | | |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | | | |
| ULCER..... | 17.4 | 69.0 | 39.4 | *36.2 | *42.7 | 14.9 | 42.3 | 35.5 | 32.7 | *39.7 | | |
| HERNIA OF ABDOMINAL CAVITY..... | 13.0 | 70.5 | 69.7 | 73.5 | 65.7 | 6.3 | 47.7 | 49.0 | 43.4 | 58.1 | | |
| GASTRITIS OR DUODENITIS..... | 10.2 | 41.3 | 25.3 | *28.9 | *21.5 | 8.7 | 27.8 | *14.0 | *18.0 | *7.2 | | |
| FREQUENT INDIGESTION..... | 26.1 | 74.9 | 67.7 | 77.3 | 57.6 | 18.1 | 46.6 | 37.2 | 41.0 | *31.2 | | |
| ENTERITIS OR COLITIS..... | *4.6 | *29.4 | *18.4 | *27.9 | *8.4 | 8.0 | *16.7 | 21.0 | *21.2 | *20.7 | | |
| SPASTIC COLON..... | *2.7 | *22.3 | *3.2 | *7.3 | ** | *1.4 | *11.4 | *6.4 | *7.5 | *4.9 | | |
| DIVERTICULA OF INTESTINES..... | ** | *23.5 | 40.3 | *35.2 | *45.6 | ** | *16.4 | 44.4 | 48.2 | *37.7 | | |
| FREQUENT CONSTIPATION..... | 12.5 | 52.0 | 105.7 | 89.5 | 122.6 | 10.6 | 26.4 | 48.2 | *25.6 | 85.0 | | |

SEE NOTES AT END OF TABLE.

TABLE 60. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989--CON.
 (DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | | | |
|---|--------------------|----------------|-------|-------------------------------|----------------------------|-------------------|----------------|-------|-------------------------------|----------------------------|--|--|
| | LESS THAN \$10,000 | | | | \$10,000-\$19,999 | | | | 65 YEARS AND OVER | | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | | | | | | | | | | | | |
| DIABETES..... | *4.5 | *37.2 | 52.4 | 66.5 | *37.6 | *3.6 | 29.9 | 23.9 | *19.2 | *31.5 | | |
| ANEMIAS..... | 8.9 | 135.9 | 136.1 | 171.4 | 99.2 | 8.6 | 73.1 | 63.2 | 60.5 | 67.6 | | |
| EPILEPSY..... | 26.0 | 54.7 | 39.4 | *41.1 | *37.6 | 17.0 | *16.2 | *13.2 | *16.3 | *8.2 | | |
| MIGRAINE HEADACHE..... | 10.5 | *13.7 | *3.6 | *7.0 | * | 6.8 | *5.1 | * | * | * | | |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 43.5 | 108.5 | 41.5 | 58.9 | *23.3 | 43.1 | 38.9 | 22.1 | 32.9 | *4.3 | | |
| KIDNEY TROUBLE..... | *1.6 | *4.2 | *5.7 | *3.8 | *7.7 | *2.1 | *9.7 | *12.4 | *15.9 | *6.6 | | |
| BLADDER DISORDERS..... | 20.2 | 48.8 | 44.0 | 68.3 | *18.6 | 8.5 | *20.2 | 26.4 | 33.3 | *15.1 | | |
| DISEASES OF PROSTATE..... | 11.6 | *39.8 | 33.7 | *18.8 | *49.3 | 7.6 | *15.3 | 30.1 | 29.9 | *30.5 | | |
| DISEASE OF FEMALE GENITAL ORGANS..... | - | *24.4 | *23.5 | *8.7 | *39.0 | *1.4 | *11.6 | 29.4 | *23.4 | *39.4 | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | 22.6 | *29.7 | *12.7 | *16.4 | *8.8 | 26.4 | 25.1 | *14.2 | *14.3 | *14.4 | | |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | | | | | | | | | | | | |
| HEART DISEASE..... | *0.7 | *21.1 | 25.3 | *19.9 | *31.0 | 7.4 | *11.1 | *9.1 | *11.3 | *5.6 | | |
| ISCHEMIC HEART DISEASE..... | 30.2 | 263.5 | 344.3 | 281.4 | 410.1 | 36.3 | 129.7 | 300.8 | 276.5 | 340.3 | | |
| HEART RHYTHM DISORDERS..... | *3.0 | 84.4 | 150.9 | 124.7 | 178.4 | *4.2 | 67.1 | 167.8 | 151.2 | 194.9 | | |
| TACHYCARDIA OR RAPID HEART..... | 20.5 | 114.2 | 77.5 | 52.9 | 103.2 | 27.1 | 38.9 | 78.1 | 80.3 | 74.8 | | |
| HEART MURMURS..... | *2.8 | 47.0 | 28.7 | *25.1 | *32.5 | *4.4 | *17.6 | 23.1 | *20.0 | *27.9 | | |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 14.9 | 43.7 | *14.4 | *3.5 | *25.9 | 20.3 | *7.4 | 27.9 | *23.0 | *35.8 | | |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | *2.7 | *23.2 | 34.4 | *24.4 | *44.9 | *2.4 | *13.9 | 27.2 | 37.1 | *11.2 | | |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | *6.7 | 65.1 | 115.8 | 103.8 | 128.4 | *5.0 | 23.8 | 54.9 | 45.2 | 70.6 | | |
| CEREBROVASCULAR DISEASE..... | 50.1 | 370.5 | 418.7 | 394.6 | 444.0 | 35.5 | 258.1 | 416.1 | 441.6 | 374.8 | | |
| HARDENING OF THE ARTERIES..... | *3.6 | 61.8 | 62.9 | *42.8 | 84.3 | *2.0 | 33.8 | 49.9 | 44.6 | 58.4 | | |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | *1.2 | *29.1 | 59.7 | *33.1 | 87.2 | *1.5 | *19.3 | 63.9 | 41.0 | 101.4 | | |
| HEMORRHOIDS..... | 13.0 | 148.4 | 113.3 | 105.2 | 121.9 | 21.6 | 71.7 | 92.2 | 92.4 | 92.2 | | |
| SELECTED RESPIRATORY CONDITIONS | 29.9 | 158.8 | 93.7 | 92.3 | 95.6 | 29.4 | 75.4 | 93.9 | 107.4 | 72.2 | | |
| CHRONIC BRONCHITIS..... | 58.9 | 83.0 | 85.2 | 102.8 | 66.8 | 43.0 | 72.0 | 54.6 | 57.7 | 49.6 | | |
| ASTHMA..... | 59.2 | 83.0 | 71.1 | 70.4 | 71.9 | 52.5 | 43.7 | 49.4 | 59.5 | *32.8 | | |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA..... | 72.3 | 68.7 | 48.6 | *45.3 | 52.2 | 77.4 | 65.4 | 82.6 | 84.4 | 79.8 | | |
| CHRONIC SINUSITIS..... | 141.5 | 213.5 | 213.6 | 226.8 | 200.3 | 120.2 | 163.5 | 183.2 | 165.1 | 212.7 | | |
| DEVIATED NASAL SEPTUM..... | *2.6 | *8.0 | *5.9 | *4.2 | *7.7 | *3.7 | *3.5 | *7.1 | *9.7 | *3.0 | | |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 19.6 | *23.2 | *3.7 | *3.5 | *4.0 | 20.2 | *3.7 | *2.7 | *4.4 | * | | |
| EMPHYSEMA..... | *0.9 | 65.7 | 51.9 | 57.5 | *46.0 | *2.1 | 34.1 | 44.1 | 37.3 | 55.1 | | |

SEE NOTES AT END OF TABLE.

TABLE 60. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | | | |
|---|-------------------|-------|-------------------------------|----------------------------|----------------------|----------------|-------------------|-------------------------------|----------------------------|----------------------|----------------|-------|
| | \$20,000-\$34,999 | | | | | | \$35,000 OR MORE | | | | | |
| | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | |
| UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | | | |
| ARTHRITIS..... | 30.9 | 266.1 | 423.3 | 385.3 | 508.9 | 31.0 | 207.6 | 456.7 | 391.1 | 622.2 | | |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | *0.6 | 19.8 | 26.7 | *29.8 | *19.7 | *1.8 | 19.0 | *27.6 | *28.5 | *24.2 | | |
| INTERVERTEBRAL DISC DISORDERS..... | 12.7 | 38.7 | 25.9 | *34.2 | *7.4 | 11.6 | 31.2 | *18.9 | *22.1 | *11.1 | | |
| BONE SPUR OR TENDINITIS, | | | | | | | | | | | | |
| UNSPECIFIED..... | 4.3 | *11.4 | *4.8 | *3.0 | *8.6 | 6.5 | 18.4 | *29.0 | *29.3 | *28.3 | | |
| DISORDERS OF BONE OR CARTILAGE..... | *3.3 | *4.8 | *25.8 | *19.3 | *39.5 | *1.8 | *6.1 | *23.2 | *22.1 | *26.3 | | |
| TRouble WITH BUNIONS..... | 3.5 | *13.5 | 27.1 | *22.4 | *37.0 | 5.3 | 19.7 | *31.3 | *24.1 | *49.5 | | |
| BURSITIS, UNCLASSIFIED..... | 9.6 | 44.1 | 48.5 | 46.7 | *52.4 | 9.5 | 34.7 | 53.1 | *29.3 | *113.1 | | |
| SEBACEOUS SKIN CYST..... | 6.6 | 16.5 | *4.8 | *3.6 | *7.4 | 5.9 | *6.1 | *12.9 | *18.1 | ** | | |
| TRouble WITH ACNE..... | 22.1 | *3.8 | ** | ** | 29.0 | *2.8 | *8.0 | *5.2 | *14.1 | | | |
| PSORIASIS..... | 6.3 | *8.7 | *13.9 | *13.8 | *14.2 | 9.5 | 17.4 | ** | ** | ** | | |
| DERMATITIS..... | 38.1 | 31.0 | 50.9 | *30.4 | 96.9 | 39.2 | 35.7 | 49.9 | *51.7 | *45.5 | | |
| TRouble WITH DRY (ITCHING) SKIN, | | | | | | | | | | | | |
| UNCLASSIFIED..... | 15.4 | 19.0 | 32.6 | *31.8 | *34.5 | 15.6 | 21.5 | *16.6 | *9.2 | *35.4 | | |
| TRouble WITH INGROWN NAILS..... | 17.8 | 38.7 | 42.4 | 39.8 | *48.1 | 17.8 | 15.5 | 52.5 | *24.1 | *124.2 | | |
| TRouble WITH CORNS AND CALLUSES..... | 8.3 | 41.1 | 46.4 | 37.8 | *65.4 | 8.5 | 26.4 | 42.8 | *38.5 | *53.5 | | |
| IMPAIRMENTS | | | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 24.9 | 46.4 | 66.2 | 57.7 | 85.7 | 15.5 | 37.8 | 60.6 | *43.7 | *103.0 | | |
| COLOR BLINDNESS..... | 8.1 | 15.7 | *11.3 | *13.0 | *8.0 | 10.4 | 18.9 | *20.4 | *24.1 | *11.1 | | |
| CATARACTS..... | 3.4 | 15.2 | 126.7 | 99.4 | 187.5 | *1.7 | *6.4 | 120.3 | *44.5 | 311.1 | | |
| GLAUCOMA..... | *1.4 | *7.0 | 55.3 | 41.7 | 85.7 | *1.5 | 12.2 | 51.4 | *28.1 | *110.1 | | |
| HEARING IMPAIRMENT..... | 43.0 | 146.8 | 286.7 | 232.0 | 409.0 | 30.6 | 110.7 | 246.0 | 216.2 | 321.2 | | |
| TINNITUS..... | 11.2 | 47.5 | 86.8 | 87.5 | 85.1 | 7.4 | 38.1 | 58.8 | 68.6 | *34.3 | | |
| SPEECH IMPAIRMENT..... | 8.2 | *6.0 | *12.6 | *8.3 | *22.2 | 5.7 | *2.6 | *8.3 | ** | *29.3 | | |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 4.9 | *12.7 | *18.9 | *21.8 | *12.3 | 2.6 | *5.2 | *2.9 | *4.0 | ** | | |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | *1.4 | *5.5 | *17.4 | *6.9 | *40.7 | *2.1 | *2.2 | *23.0 | *4.4 | *69.7 | | |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | | | | | | | | | | | | |
| BACK..... | 104.7 | 159.3 | 158.5 | 163.8 | 146.8 | 95.3 | 120.5 | 127.7 | 107.1 | 179.8 | | |
| UPPER EXTREMITIES..... | 62.0 | 90.6 | 78.0 | 85.3 | *61.7 | 55.4 | 79.0 | 73.2 | *43.7 | 147.5 | | |
| LOWER EXTREMITIES..... | 10.8 | 27.7 | *15.6 | *13.8 | *19.7 | 7.2 | 16.1 | *12.3 | *13.6 | *10.1 | | |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | | | |
| ULCER..... | 12.6 | 21.3 | *16.6 | *14.1 | *22.2 | 9.6 | 14.7 | *28.4 | *26.5 | *33.3 | | |
| HERNIA OF ABDOMINAL CAVITY..... | 6.5 | 35.3 | 59.7 | 65.7 | *46.3 | 6.9 | 28.6 | 42.5 | *37.7 | *54.5 | | |
| GASTRITIS OR DUODENITIS..... | 8.6 | 19.5 | *19.3 | *16.8 | *24.1 | 6.5 | 17.8 | *21.2 | *20.5 | *22.2 | | |
| FREQUENT INDIGESTION..... | 15.1 | 31.1 | 31.1 | *27.3 | *39.5 | 14.9 | 28.3 | *6.9 | ** | *24.2 | | |
| ENTERITIS OR COLITIS..... | 5.2 | *12.8 | 34.9 | *30.4 | *45.0 | 7.5 | 16.7 | *16.4 | *10.8 | *30.3 | | |
| SPASTIC COLON..... | 4.2 | 21.8 | *5.2 | ** | *16.7 | 4.0 | 12.8 | *7.2 | ** | *25.3 | | |
| DIVERTICULA OF INTESTINES..... | *0.6 | 17.1 | *15.6 | *12.4 | *23.4 | *1.4 | 19.1 | 39.3 | *22.5 | *81.8 | | |
| FREQUENT CONSTIPATION..... | 9.6 | 20.2 | 54.9 | 47.2 | *72.2 | 10.9 | 15.7 | *23.0 | *16.4 | *39.4 | | |

SEE NOTES AT END OF TABLE.

TABLE 60. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | |
|---|-------------------|-------|-------------------------|-------------------------|-------------------|-------------------|-------|----------------|-------------------------|--------|
| | \$20,000-\$34,999 | | | | | \$35,000 OR MORE | | | | |
| | 65 YEARS AND OVER | | | | | 65 YEARS AND OVER | | | | |
| UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | | | | | | | | | | |
| DIABETES..... | 6.5 | 24.8 | 40.4 | 46.4 | *27.1 | 5.3 | 36.5 | *29.0 | *25.7 | *37.4 |
| ANEMIAS..... | 8.4 | 48.8 | 87.9 | 72.6 | 122.1 | 5.8 | 44.6 | 68.9 | 81.8 | *36.4 |
| EPILEPSY..... | 16.3 | *13.3 | *12.6 | *6.9 | *25.3 | 11.4 | 8.6 | *22.4 | *26.1 | *14.1 |
| MIGRAINE HEADACHE..... | 5.8 | *4.6 | *2.1 | — | *6.8 | *1.8 | *2.0 | *4.0 | *5.6 | — |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 43.5 | 53.6 | *9.0 | *13.0 | — | 40.7 | 51.9 | *29.0 | *30.1 | *26.3 |
| KIDNEY TROUBLE..... | *0.3 | *4.8 | *4.4 | *3.3 | *6.8 | *0.6 | *6.7 | *11.8 | *6.0 | *26.3 |
| BLADDER DISORDERS..... | 13.6 | 21.2 | *18.5 | *20.7 | *13.6 | 7.5 | 15.2 | *18.9 | *20.5 | *15.2 |
| DISEASES OF PROSTATE..... | 10.9 | 16.5 | 31.9 | *25.7 | *45.0 | 10.3 | 21.9 | *25.5 | *24.1 | *30.3 |
| DISEASE OF FEMALE GENITAL ORGANS..... | *1.0 | *7.0 | 35.9 | *25.4 | *59.2 | *1.4 | 16.6 | *29.0 | *34.5 | *15.2 |
| | 17.4 | 16.8 | *4.4 | *6.4 | — | 21.6 | 16.3 | *19.2 | *10.4 | *41.4 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | | | | | | | | | | |
| HEART DISEASE..... | 4.5 | *11.7 | *4.6 | *6.6 | — | 4.8 | 9.9 | *10.0 | *14.0 | — |
| ISCHEMIC HEART DISEASE..... | 29.6 | 104.0 | 229.7 | 204.9 | 284.4 | 28.5 | 101.0 | 202.1 | 142.4 | 351.5 |
| HEART RHYTHM DISORDERS..... | 3.7 | 50.0 | 114.5 | 106.0 | 133.3 | *2.2 | 47.1 | 85.0 | 55.0 | 160.6 |
| TACHYCARDIA OR RAPID HEART..... | 22.0 | 34.4 | 67.3 | 48.3 | 109.2 | 18.3 | 32.1 | 64.6 | 58.2 | *80.8 |
| HEART MURMURS..... | 4.1 | 14.2 | *21.4 | *6.9 | *53.7 | 3.8 | 12.2 | *7.5 | *10.4 | — |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 16.2 | *13.8 | *25.8 | *23.2 | *31.5 | 12.5 | 14.7 | *25.8 | *15.2 | *52.5 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | *1.7 | *6.5 | *20.0 | *18.2 | *24.1 | *1.9 | *5.3 | *31.3 | *32.5 | *28.3 |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 4.0 | 19.5 | 47.9 | 50.3 | *41.9 | 8.1 | 21.7 | 52.5 | *29.7 | *110.1 |
| CEREBROVASCULAR DISEASE..... | 45.1 | 261.4 | 360.4 | 361.0 | 359.0 | 28.4 | 179.5 | 267.5 | 249.1 | 315.2 |
| HARDENING OF THE ARTERIES..... | *1.2 | *6.3 | 56.7 | 43.1 | 87.6 | *0.7 | *5.1 | 39.3 | *27.3 | *69.7 |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | *0.3 | 19.0 | 39.3 | *35.3 | *48.1 | *0.4 | 13.8 | *21.0 | *19.3 | *25.3 |
| HEMORRHOIDS..... | 17.8 | 46.9 | 54.6 | 59.1 | *44.4 | 14.9 | 48.4 | 41.9 | *49.3 | *23.2 |
| | 45.6 | 69.1 | 64.9 | 82.9 | *24.7 | 38.9 | 73.1 | 61.1 | 75.8 | *23.2 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | |
| CHRONIC BRONCHITIS..... | | | | | | | | | | |
| ASTHMA..... | 49.0 | 52.6 | 46.2 | *37.0 | *66.6 | 46.8 | 43.5 | 65.4 | 69.4 | *55.6 |
| HAY FEVER OR ALLERGIC RHINITIS | 44.6 | 38.5 | 53.4 | 70.4 | *16.0 | 48.2 | 40.6 | 45.9 | 54.6 | *23.2 |
| WITHOUT ASTHMA..... | 91.8 | 89.8 | 77.1 | 89.2 | *50.0 | 112.0 | 103.5 | 82.1 | 87.0 | *68.7 |
| CHRONIC SINUSITIS..... | 134.4 | 191.2 | 138.3 | 144.7 | 124.0 | 124.5 | 172.8 | 88.4 | 109.5 | *35.4 |
| DEVIATED NASAL SEPTUM..... | *2.3 | *6.3 | *6.3 | *6.1 | *6.8 | 6.2 | 11.9 | *11.8 | *9.6 | *17.2 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 18.0 | *1.3 | — | — | — | 14.3 | *5.7 | — | — | — |
| EMPHYSEMA..... | *0.4 | *12.9 | 28.6 | *26.8 | *32.7 | *0.6 | *5.7 | *20.4 | *12.4 | *40.4 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II, THE FREQUENCIES OF TABLES 65 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 61. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY GEOGRAPHIC REGION AND PLACE OF RESIDENCE:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|-------|-------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | |
| ARTHRITIS..... | 125.8 | 135.8 | 132.9 | 110.0 | 118.7 | 120.4 | 117.6 | 157.7 |
| GOOT, INCLUDING GOUTY ARTHRITIS..... | 6.5 | 10.1 | 9.5 | 7.0 | 8.2 | 6.3 | 9.4 | 9.6 |
| INTERVERTEBRAL DISC DISORDERS..... | 17.8 | 19.9 | 17.5 | 16.8 | 17.7 | 12.4 | 21.1 | 19.1 |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 6.2 | 9.3 | 8.5 | 8.2 | 7.6 | 7.4 | 7.7 | 10.2 |
| DISORDERS OF BONE OR CARTILAGE..... | 4.7 | 6.7 | 4.8 | 5.2 | 4.6 | 4.0 | 4.9 | 8.0 |
| TROUBLE WITH BUNIONS..... | 16.1 | 9.7 | 10.8 | 9.9 | 11.8 | 13.2 | 11.0 | 9.8 |
| BURSITIS, UNCLASSIFIED..... | 18.9 | 17.2 | 19.2 | 16.8 | 17.0 | 16.1 | 17.6 | 22.2 |
| SEBACEOUS SKIN CYST..... | 4.7 | 7.3 | 7.3 | 7.6 | 7.1 | 6.8 | 7.3 | 6.1 |
| TROUBLE WITH ACNE..... | 15.0 | 17.2 | 16.4 | 17.3 | 17.5 | 16.7 | 17.9 | 13.1 |
| PSORIASIS..... | 11.0 | 9.1 | 8.5 | 8.7 | 9.3 | 8.5 | 9.8 | 8.8 |
| DERMATITIS..... | 33.4 | 39.5 | 28.7 | 39.6 | 35.4 | 35.1 | 35.5 | 31.8 |
| TROUBLE WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 18.1 | 17.3 | 16.8 | 18.9 | 17.4 | 16.2 | 18.2 | 18.3 |
| TROUBLE WITH INGROWN NAILS..... | 19.1 | 21.8 | 28.3 | 21.9 | 21.9 | 21.1 | 22.3 | 29.4 |
| TROUBLE WITH CORNS AND CALLUSES..... | 20.6 | 16.8 | 17.5 | 16.9 | 17.6 | 19.2 | 16.5 | 18.8 |
| IMPAIRMENTS | | | | | | | | |
| VISUAL IMPAIRMENT..... | 30.8 | 32.5 | 35.1 | 29.3 | 30.1 | 28.9 | 30.9 | 40.4 |
| COLOR BLINDNESS..... | 9.4 | 9.2 | 9.1 | 11.4 | 9.5 | 5.8 | 11.9 | 10.2 |
| CATARACTS..... | 21.0 | 24.7 | 26.4 | 19.4 | 20.6 | 24.1 | 18.3 | 33.4 |
| GLAUCOMA..... | 13.5 | 7.2 | 9.8 | 7.6 | 9.4 | 12.1 | 7.6 | 9.7 |
| HEARING IMPAIRMENT..... | 77.1 | 86.7 | 81.0 | 88.2 | 74.8 | 72.7 | 76.2 | 112.6 |
| TINNITUS..... | 20.5 | 28.9 | 22.1 | 25.1 | 21.8 | 19.6 | 23.2 | 32.2 |
| SPEECH IMPAIRMENT..... | 7.6 | 8.0 | 11.5 | 8.8 | 8.3 | 10.4 | 6.9 | 12.9 |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 6.0 | 6.0 | 7.8 | 4.6 | 5.6 | 5.9 | 5.5 | 8.6 |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 4.5 | 5.3 | 5.9 | 4.4 | 4.9 | 4.9 | 4.9 | 6.0 |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 104.5 | 115.7 | 105.7 | 138.9 | 111.7 | 110.5 | 112.5 | 126.5 |
| BACK..... | 56.4 | 69.2 | 59.4 | 92.5 | 66.4 | 63.5 | 68.2 | 75.0 |
| UPPER EXTREMITIES..... | 14.5 | 15.6 | 12.2 | 16.1 | 14.3 | 14.1 | 14.5 | 14.4 |
| LOWER EXTREMITIES..... | 45.5 | 45.4 | 44.1 | 47.6 | 44.4 | 47.5 | 42.4 | 49.2 |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | |
| ULCER..... | 15.7 | 18.2 | 19.8 | 12.7 | 16.2 | 20.1 | 13.7 | 20.0 |
| HERNIA OF ABDOMINAL CAVITY..... | 16.0 | 18.5 | 21.7 | 17.1 | 17.0 | 16.1 | 17.5 | 25.2 |
| GASTRITIS OR DUODENITIS..... | 11.3 | 12.9 | 13.2 | 10.2 | 12.6 | 16.7 | 10.0 | 10.3 |
| FREQUENT INDIGESTION..... | 20.2 | 20.7 | 27.8 | 17.0 | 20.9 | 21.8 | 20.3 | 27.1 |
| ENTERITIS OR COLITIS..... | 7.3 | 10.3 | 11.4 | 9.1 | 9.6 | 9.0 | 9.9 | 10.8 |
| SPASTIC COLON..... | 3.6 | 5.2 | 7.0 | 5.7 | 5.5 | 5.1 | 5.8 | 5.9 |
| DIVERTICULA OF INTESTINES..... | 7.1 | 9.3 | 10.3 | 4.7 | 7.6 | 6.8 | 8.1 | 10.3 |
| FREQUENT CONSTIPATION..... | 13.7 | 17.5 | 24.3 | 15.3 | 17.4 | 20.3 | 15.5 | 23.0 |

SEE NOTES AT END OF TABLE.

TABLE 61. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS PER 1,000 PERSONS, BY GEOGRAPHIC REGION AND PLACE OF RESIDENCE:
UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | PLACE OF RESIDENCE | | | | | | | |
|---|--------------------|---------|-------|------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS PER 1,000 PERSONS | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | 15.1 | 10.6 | 15.7 | 10.6 | 13.5 | 13.1 | 13.7 | 12.4 |
| DIABETES..... | 25.2 | 25.9 | 29.8 | 23.9 | 23.9 | 28.3 | 21.1 | 36.2 |
| ANEMIAS..... | 15.8 | 14.9 | 17.3 | 15.4 | 16.3 | 18.3 | 15.1 | 14.8 |
| EPILEPSY..... | 4.4 | 4.6 | 4.3 | 3.3 | 3.7 | 4.0 | 3.5 | 6.0 |
| MIGRAINE HEADACHE..... | 36.9 | 40.4 | 41.0 | 45.4 | 42.4 | 42.4 | 42.3 | 36.1 |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | *1.5 | *1.6 | 3.2 | 3.6 | 2.5 | *1.8 | 2.9 | 2.9 |
| KIDNEY TROUBLE..... | 11.1 | 10.8 | 19.7 | 10.6 | 12.3 | 11.7 | 12.7 | 19.5 |
| BLADDER DISORDERS..... | 8.7 | 17.4 | 15.5 | 15.6 | 14.0 | 14.9 | 13.4 | 16.8 |
| DISEASES OF PROSTATE..... | 4.7 | 5.2 | 9.0 | 4.4 | 4.6 | 4.1 | 4.9 | 11.9 |
| DISEASE OF FEMALE GENITAL ORGANS..... | 15.6 | 16.1 | 21.1 | 23.3 | 18.7 | 17.7 | 19.3 | 21.2 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE | | | | | | | | |
| HEART DISEASE..... | 5.7 | 10.0 | 6.1 | 5.9 | 6.8 | 7.2 | 6.5 | 7.6 |
| HEART DISEASE..... | 72.2 | 82.0 | 79.9 | 66.2 | 71.2 | 73.6 | 69.7 | 92.6 |
| ISCHEMIC HEART DISEASE..... | 31.3 | 28.4 | 29.9 | 23.9 | 26.2 | 23.6 | 27.9 | 36.7 |
| HEART RHYTHM DISORDERS..... | 28.8 | 35.3 | 30.4 | 26.2 | 28.8 | 31.5 | 27.1 | 35.9 |
| TACHYCARDIA OR RAPID HEART..... | 8.1 | 9.9 | 8.2 | 5.7 | 7.3 | 7.7 | 7.1 | 10.6 |
| HEART MURMURS..... | 16.8 | 19.7 | 14.7 | 13.3 | 15.8 | 17.8 | 14.4 | 17.1 |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 3.9 | 5.7 | 7.5 | 7.2 | 5.7 | 6.0 | 5.5 | 8.2 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | 12.1 | 18.3 | 19.5 | 16.2 | 16.2 | 18.5 | 14.7 | 19.9 |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 102.1 | 113.9 | 133.5 | 92.2 | 109.2 | 119.7 | 102.5 | 129.0 |
| CEREBROVASCULAR DISEASE..... | 12.4 | 9.9 | 10.6 | 10.6 | 11.2 | 13.4 | 9.8 | 9.1 |
| HARDENING OF THE ARTERIES..... | 6.0 | 8.4 | 10.6 | 10.1 | 8.7 | 8.2 | 9.1 | 10.1 |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | 29.3 | 35.1 | 29.0 | 30.9 | 30.4 | 29.6 | 30.8 | 33.0 |
| HEMORRHOIDS..... | 44.1 | 50.0 | 50.0 | 42.2 | 46.8 | 46.0 | 47.3 | 48.6 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | |
| CHRONIC BRONCHITIS..... | 44.8 | 51.4 | 52.9 | 44.7 | 47.5 | 40.8 | 51.8 | 55.2 |
| ASTHMA..... | 41.8 | 41.7 | 57.0 | 45.3 | 47.7 | 50.4 | 45.9 | 48.0 |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA..... | 71.3 | 83.0 | 91.3 | 99.1 | 87.0 | 81.9 | 90.3 | 86.6 |
| CHRONIC SINUSITIS..... | 92.8 | 159.7 | 179.0 | 91.5 | 129.7 | 123.9 | 133.4 | 168.9 |
| DEVIATED NASAL SEPTUM..... | 10.5 | 4.3 | 4.6 | 3.1 | 5.8 | 4.2 | 6.9 | 3.9 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 8.3 | 12.0 | 14.5 | 14.4 | 12.4 | 12.0 | 12.7 | 13.3 |
| EMPHYSEMA..... | 8.8 | 5.7 | 10.4 | 6.9 | 6.7 | 6.4 | 6.9 | 13.5 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II, THE FREQUENCIES OF TABLES 66 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 62. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | ALL AGES | UNDER 45 YEARS | | | 65 YEARS AND OVER | | | |
|--|----------|----------------|--|-------------|-------------------|--------|-------------|-------|
| | | TOTAL | UNDER 18 YEARS | 18-44 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | |
| | | | NUMBER OF CHRONIC CONDITIONS IN THOUSANDS | | | | | |
| ARTHROSIS..... | 30,999 | 5,182 | 88 | 5,094 | 11,703 | 14,113 | 7,797 | 6,316 |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 2,069 | 271 | - | 271 | 969 | 830 | 514 | 315 |
| INTERVERTEBRAL DISC DISORDERS..... | 4,381 | 1,972 | - | 1,972 | 1,556 | 853 | 594 | 259 |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 1,988 | 910 | 33 | 878 | 711 | 366 | 236 | 130 |
| DISORDERS OF BONE OR CARTILAGE..... | 1,300 | 418 | 119 | 299 | 218 | 664 | 330 | 334 |
| TRouble WITH BUNIONS..... | 2,776 | 785 | 10 | 774 | 824 | 1,168 | 661 | 507 |
| BURSITIS, UNCLASSIFIED..... | 4,420 | 1,655 | 59 | 1,596 | 1,663 | 1,102 | 631 | 471 |
| SEBACEOUS SKIN CYST..... | 1,673 | 1,070 | 131 | 939 | 423 | 180 | 140 | 40 |
| TRouble WITH ACNE..... | 4,019 | 3,790 | 1,348 | 2,442 | 179 | 49 | 25 | 25 |
| PSORIASIS..... | 2,235 | 1,254 | 228 | 1,026 | 600 | 381 | 256 | 125 |
| DERMATITIS..... | 8,420 | 6,038 | 2,284 | 3,753 | 1,411 | 972 | 597 | 375 |
| TRouble WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 4,289 | 2,413 | 632 | 1,782 | 1,054 | 821 | 417 | 404 |
| TRouble WITH INGROWN NAILS..... | 5,726 | 3,051 | 581 | 2,470 | 1,294 | 1,381 | 643 | 738 |
| TRouble WITH CORNS AND CALLUSES..... | 4,342 | 1,538 | 14 | 1,524 | 1,454 | 1,350 | 731 | 619 |
| IMPAIRMENTS | | | | | | | | |
| VISUAL IMPAIRMENT..... | 7,881 | 3,409 | 573 | 2,836 | 2,080 | 2,392 | 1,235 | 1,158 |
| COLOR BLINDNESS..... | 2,350 | 1,340 | 172 | 1,168 | 645 | 365 | 226 | 139 |
| CATARACTS..... | 5,698 | 372 | 12 | 360 | 743 | 4,583 | 1,914 | 2,669 |
| GLAUCOMA..... | 2,299 | 204 | 21 | 183 | 513 | 1,582 | 755 | 828 |
| HEARING IMPAIRMENT..... | 20,266 | 5,982 | 1,001 | 4,982 | 5,891 | 8,372 | 4,268 | 4,104 |
| TINNITUS..... | 5,867 | 1,610 | 107 | 1,503 | 2,110 | 2,147 | 1,362 | 785 |
| SPEECH IMPAIRMENT..... | 2,261 | 1,663 | 1,093 | 570 | 285 | 313 | 136 | 177 |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 1,535 | 579 | 40 | 539 | 440 | 515 | 354 | 161 |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 1,254 | 412 | 188 | 224 | 326 | 516 | 200 | 316 |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 27,993 | 16,288 | 1,873 | 14,415 | 7,169 | 4,536 | 2,520 | 2,016 |
| BACK..... | 16,623 | 9,723 | 725 | 8,997 | 4,506 | 2,394 | 1,407 | 987 |
| UPPER EXTREMITIES..... | 3,496 | 1,668 | 125 | 1,543 | 1,108 | 720 | 343 | 377 |
| LOWER EXTREMITIES..... | 11,066 | 6,425 | 1,082 | 5,342 | 2,566 | 2,075 | 1,227 | 848 |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | |
| ULCER..... | 4,154 | 2,101 | 59 | 2,042 | 1,157 | 896 | 506 | 390 |
| HERNIA OF ABDOMINAL CAVITY..... | 4,576 | 1,261 | 260 | 1,001 | 1,702 | 1,613 | 1,021 | 592 |
| GASTRITIS OR DUODENITIS..... | 2,943 | 1,335 | 213 | 1,122 | 972 | 636 | 407 | 229 |
| FREQUENT INDIGESTION..... | 5,418 | 2,673 | 122 | 2,550 | 1,635 | 1,110 | 622 | 488 |
| ENTERITIS OR COLITIS..... | 2,394 | 1,073 | 130 | 943 | 710 | 611 | 377 | 234 |
| SPASTIC COLON..... | 1,362 | 524 | 34 | 490 | 644 | 194 | 112 | 82 |
| DIVERTICULA OF INTESTINES..... | 1,996 | 137 | 12 | 124 | 780 | 1,079 | 602 | 477 |
| FREQUENT CONSTIPATION..... | 4,529 | 1,762 | 523 | 1,240 | 964 | 1,802 | 752 | 1,050 |

SEE NOTES AT END OF TABLE.

TABLE 62. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY AGE: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | ALL AGES | UNDER 45 YEARS | | | 65 YEARS AND OVER | | | |
|---|----------|----------------|----------------|-------------|-------------------|--------|-------------|-------|
| | | TOTAL | UNDER 18 YEARS | 18-44 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS IN THOUSANDS | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | 3,223 | 878 | 31 | 847 | 1,437 | 908 | 591 | 317 |
| DIABETES..... | 6,489 | 1,228 | 118 | 1,110 | 2,686 | 2,576 | 1,600 | 976 |
| ANEMIAS..... | 3,896 | 2,578 | 656 | 1,923 | 692 | 625 | 375 | 251 |
| EPILEPSY..... | 1,019 | 806 | 225 | 581 | 159 | 54 | 34 | 20 |
| MIGRAINE HEADACHE..... | 9,978 | 6,949 | 994 | 5,955 | 2,363 | 666 | 532 | 134 |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 625 | 156 | — | 156 | 274 | 195 | 117 | 78 |
| KIDNEY TROUBLE..... | 3,375 | 1,740 | 118 | 1,622 | 837 | 798 | 581 | 217 |
| BLADDER DISORDERS..... | 3,563 | 1,709 | 198 | 1,511 | 919 | 935 | 443 | 492 |
| DISEASES OF PROSTATE..... | 1,515 | 161 | — | 161 | 580 | 773 | 356 | 418 |
| DISEASE OF FEMALE GENITAL ORGANS..... | 4,686 | 3,503 | 208 | 3,295 | 883 | 300 | 173 | 127 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | 1,689 | 734 | 43 | 691 | 615 | 340 | 228 | 112 |
| HEART DISEASE..... | 18,493 | 4,861 | 1,097 | 3,764 | 5,482 | 8,150 | 4,129 | 4,021 |
| ISCHEMIC HEART DISEASE..... | 6,949 | 457 | 25 | 432 | 2,511 | 3,981 | 2,009 | 1,971 |
| HEART RHYTHM DISORDERS..... | 7,397 | 3,395 | 759 | 2,636 | 1,850 | 2,152 | 1,137 | 1,015 |
| TACHYCARDIA OR RAPID HEART..... | 1,962 | 607 | 55 | 552 | 687 | 668 | 348 | 320 |
| HEART MURMURS..... | 3,913 | 2,459 | 677 | 1,782 | 756 | 697 | 342 | 354 |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 1,523 | 328 | 27 | 301 | 407 | 787 | 447 | 341 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | 4,147 | 1,010 | 314 | 696 | 1,120 | 2,017 | 983 | 1,035 |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 27,664 | 5,977 | 138 | 5,838 | 10,565 | 11,122 | 6,843 | 4,279 |
| CEREBROVASCULAR DISEASE..... | 2,626 | 254 | 53 | 200 | 706 | 1,666 | 768 | 898 |
| HARDENING OF THE ARTERIES..... | 2,200 | 105 | — | 105 | 744 | 1,351 | 516 | 835 |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | 7,536 | 2,588 | — | 2,588 | 2,666 | 2,282 | 1,295 | 987 |
| HEMORRHOIDS..... | 11,489 | 5,998 | 43 | 5,956 | 3,456 | 2,034 | 1,380 | 655 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | |
| CHRONIC BRONCHITIS..... | 11,974 | 7,876 | 3,235 | 4,641 | 2,476 | 1,622 | 966 | 656 |
| ASTHMA..... | 11,621 | 8,203 | 3,901 | 4,302 | 1,914 | 1,504 | 1,022 | 482 |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA..... | 21,166 | 15,150 | 3,818 | 11,332 | 4,032 | 1,984 | 1,238 | 746 |
| CHRONIC SINUSITIS..... | 33,683 | 21,199 | 4,409 | 16,790 | 8,003 | 4,481 | 2,706 | 1,775 |
| DEVIATED NASAL SEPTUM..... | 1,316 | 690 | 47 | 643 | 391 | 235 | 157 | 78 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 3,076 | 2,771 | 1,795 | 976 | 262 | 43 | 32 | 11 |
| EMPHYSEMA..... | 1,993 | 156 | 13 | 123 | 795 | 1,062 | 577 | 484 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 1.2 MILLION HAS A 10-PERCENT RSE; OF 306,000, A 20-PERCENT RSE; AND OF 136,000, A 30-PERCENT RSE.

TABLE 63. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY SEX AND AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | MALE | | | | | | FEMALE | | | | | |
|--|-------------------|----------------|-------|-------------------|----------------------|-------------------|----------------|-------|----------------|----------------------|--|--|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS IN THOUSANDS | | | | | | | | | | | | |
| ARTHRITIS..... | 2,069 | 4,469 | 4,765 | 2,675 | 2,090 | 3,113 | 7,235 | 9,348 | 5,121 | 4,227 | | |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 224 | 838 | 558 | 345 | 213 | 47 | 131 | 272 | 170 | 102 | | |
| INTERVERTEBRAL DISC DISORDERS..... | 1,349 | 811 | 334 | 245 | 88 | 622 | 746 | 520 | 348 | 171 | | |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 401 | 272 | 161 | 119 | 42 | 509 | 440 | 206 | 117 | 86 | | |
| DISORDERS OF BONE OR CARTILAGE..... | 100 | 91 | 70 | 44 | 26 | 318 | 127 | 594 | 286 | 308 | | |
| TRouble WITH BUNIONS..... | 140 | 184 | 178 | 121 | 57 | 645 | 640 | 990 | 540 | 450 | | |
| BURSITIS, UNCLASSIFIED..... | 507 | 786 | 354 | 183 | 171 | 1,148 | 878 | 748 | 448 | 300 | | |
| SEBACEOUS SKIN CYST..... | 456 | 229 | 50 | 43 | 7 | 614 | 194 | 130 | 97 | 33 | | |
| TRouble WITH ACNE..... | 1,703 | 76 | 49 | 25 | 25 | 2,087 | 103 | — | — | — | | |
| PSORIASIS..... | 710 | 323 | 186 | 96 | 90 | 544 | 277 | 195 | 160 | 35 | | |
| DERMATITIS..... | 2,585 | 427 | 502 | 293 | 208 | 3,453 | 984 | 470 | 303 | 167 | | |
| TRouble WITH DRY (ITCHING) -SKIN, UNCLASSIFIED..... | 1,092 | 583 | 342 | 186 | 156 | 1,321 | 471 | 479 | 231 | 249 | | |
| TRouble WITH INGROWN NAILS..... | 1,312 | 382 | 468 | 167 | 302 | 1,739 | 912 | 913 | 476 | 436 | | |
| TRouble WITH CORNS AND CALLUSES..... | 577 | 442 | 396 | 232 | 164 | 961 | 1,012 | 954 | 499 | 455 | | |
| IMPAIRMENTS | | | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 2,273 | 1,395 | 1,120 | 594 | 525 | 1,136 | 685 | 1,273 | 640 | 632 | | |
| COLOR BLINDNESS..... | 1,257 | 502 | 218 | 141 | 77 | 83 | 143 | 147 | 84 | 63 | | |
| CATARACTS..... | 197 | 323 | 1,372 | 603 | 769 | 175 | 420 | 3,211 | 1,310 | 1,900 | | |
| GLAUCOMA..... | 83 | 156 | 524 | 279 | 245 | 121 | 358 | 1,058 | 475 | 582 | | |
| HEARING IMPAIRMENT..... | 3,753 | 3,723 | 4,142 | 2,449 | 1,692 | 2,230 | 2,169 | 4,230 | 1,818 | 2,412 | | |
| TINNITUS..... | 824 | 1,089 | 958 | 673 | 285 | 786 | 1,021 | 1,189 | 689 | 500 | | |
| SPEECH IMPAIRMENT..... | 1,055 | 202 | 160 | 77 | 83 | 608 | 83 | 154 | 59 | 94 | | |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 459 | 340 | 394 | 279 | 115 | 120 | 100 | 121 | 76 | 46 | | |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 296 | 240 | 297 | 95 | 202 | 116 | 86 | 219 | 105 | 114 | | |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 8,239 | 3,520 | 1,658 | 1,110 | 549 | 8,049 | 3,648 | 2,878 | 1,410 | 1,468 | | |
| BACK..... | 4,225 | 1,975 | 746 | 535 | 212 | 5,497 | 2,531 | 1,648 | 872 | 775 | | |
| UPPER EXTREMITIES..... | 1,119 | 652 | 282 | 157 | 125 | 548 | 456 | 438 | 186 | 252 | | |
| LOWER EXTREMITIES..... | 3,752 | 1,301 | 848 | 568 | 280 | 2,672 | 1,265 | 1,228 | 659 | 568 | | |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | | | |
| ULCER..... | 832 | 419 | 305 | 182 | 123 | 1,270 | 738 | 591 | 324 | 267 | | |
| HERNIA OF ABDOMINAL CAVITY..... | 660 | 960 | 561 | 370 | 191 | 601 | 742 | 1,052 | 650 | 401 | | |
| GASTRITIS OR DUODENITIS..... | 508 | 252 | 162 | 141 | 21 | 827 | 720 | 474 | 266 | 208 | | |
| FREQUENT INDIGESTION..... | 1,415 | 941 | 367 | 220 | 147 | 1,258 | 694 | 744 | 402 | 342 | | |
| ENTERITIS OR COLITIS..... | 267 | 223 | 214 | 137 | 77 | 806 | 487 | 397 | 240 | 157 | | |
| SPASTIC COLON..... | 156 | 117 | 27 | 13 | 15 | 368 | 527 | 167 | 100 | 67 | | |
| DIVERTICULA OF INTESTINES..... | 40 | 234 | 329 | 203 | 126 | 97 | 546 | 750 | 399 | 352 | | |
| FREQUENT CONSTIPATION..... | 474 | 184 | 464 | 237 | 228 | 1,289 | 780 | 1,338 | 515 | 823 | | |

SEE NOTES AT END OF TABLE.

TABLE 63. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY SEX AND AGE: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | MALE | | | | | | FEMALE | | | | | |
|---|----------------------|----------------|-------------------|----------------|----------------------------|----------------------|----------------|-------|-------------------|----------------------------|--|--|
| | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS IN THOUSANDS | | | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID | | | | | | | | | | | | |
| DIABETES | 130 | 199 | 235 | 158 | 76 | 748 | 1,237 | 674 | 433 | 241 | | |
| ANEMIAS | 465 | 1,433 | 897 | 587 | 311 | 762 | 1,252 | 1,679 | 1,014 | 665 | | |
| EPILEPSY | 472 | 82 | 214 | 152 | 62 | 2,107 | 610 | 411 | 223 | 189 | | |
| MIGRAINE HEADACHE | 366 | 59 | 10 | — | 10 | 440 | 100 | 44 | 34 | 11 | | |
| NEURALGIA OR NEURITIS, UNSPECIFIED | 1,976 | 547 | 213 | 160 | 52 | 4,973 | 1,816 | 453 | 372 | 82 | | |
| KIDNEY TROUBLE | 40 | 104 | 36 | 27 | 9 | 117 | 170 | 159 | 90 | 69 | | |
| BLADDER DISORDERS | 501 | 469 | 302 | 202 | 100 | 1,239 | 368 | 496 | 379 | 117 | | |
| DISEASES OF PROSTATE | 117 | 153 | 202 | 56 | 146 | 1,592 | 766 | 733 | 387 | 346 | | |
| DISEASE OF FEMALE GENITAL ORGANS | 161 | 580 | 773 | 356 | 418 | *** | *** | 300 | 173 | 127 | | |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE | | | | | | | | | | | | |
| HEART DISEASE | 245 | 263 | 40 | 30 | 10 | 488 | 352 | 300 | 198 | 102 | | |
| HEART DISEASE | 2,012 | 3,086 | 3,622 | 2,061 | 1,561 | 2,849 | 2,396 | 4,528 | 2,069 | 2,460 | | |
| ISCHEMIC HEART DISEASE | 290 | 1,896 | 2,051 | 1,165 | 887 | 167 | 615 | 1,929 | 845 | 1,085 | | |
| HEART RHYTHM DISORDERS | 1,356 | 655 | 808 | 450 | 357 | 2,039 | 1,196 | 1,344 | 687 | 658 | | |
| TACHYCARDIA OR RAPID HEART | 247 | 243 | 146 | 79 | 67 | 360 | 444 | 522 | 269 | 253 | | |
| HEART MURMURS | 967 | 274 | 324 | 155 | 169 | 1,492 | 483 | 373 | 187 | 186 | | |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS | 142 | 138 | 338 | 216 | 121 | 186 | 269 | 450 | 230 | 219 | | |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION | 366 | 536 | 763 | 446 | 317 | 644 | 585 | 1,255 | 537 | 717 | | |
| HIGH BLOOD PRESSURE (HYPERTENSION) | | | | | | | | | | | | |
| CEREBROVASCULAR DISEASE | 2,936 | 4,861 | 3,760 | 2,520 | 1,240 | 3,041 | 5,704 | 7,362 | 4,323 | 3,039 | | |
| HARDENING OF THE ARTERIES | 90 | 323 | 746 | 420 | 326 | 164 | 383 | 920 | 348 | 572 | | |
| VARICOSE VEINS OF LOWER EXTREMITIES | 68 | 504 | 612 | 336 | 276 | 37 | 241 | 740 | 180 | 559 | | |
| HEMORRHOIDS | 385 | 465 | 624 | 412 | 213 | 2,203 | 2,201 | 1,658 | 883 | 774 | | |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | | | |
| CHRONIC BRONCHITIS | 2,935 | 918 | 593 | 419 | 174 | 4,941 | 1,559 | 1,028 | 547 | 482 | | |
| ASTHMA | 4,293 | 770 | 530 | 375 | 155 | 3,910 | 1,144 | 974 | 647 | 327 | | |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA | 7,500 | 1,828 | 745 | 494 | 252 | 7,650 | 2,204 | 1,239 | 744 | 495 | | |
| CHRONIC SINUSITIS | 9,144 | 3,458 | 1,614 | 1,197 | 417 | 12,054 | 4,545 | 2,867 | 1,508 | 1,358 | | |
| DEVIATED NASAL SEPTUM | 281 | 186 | 128 | 107 | 21 | 408 | 205 | 107 | 49 | 57 | | |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS | 1,102 | 101 | 11 | 11 | — | 1,669 | 161 | 32 | 20 | 11 | | |
| EMPHYSEMA | 57 | 498 | 689 | 350 | 339 | 79 | 297 | 373 | 228 | 145 | | |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 1.2 MILLION HAS A 10-PERCENT RSE OF 306,000, A 20-PERCENT RSE; AND OF 136,000, A 30-PERCENT RSE.

TABLE 64. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY RACE AND AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | WHITE | | | | | | BLACK | | | | | |
|--|-------------------|----------------|--------|-------------------|----------------------------|-------------------|----------------|-------|----------------|----------------------------|--|--|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | | | |
| ARTHRITIS..... | 4,459 | 9,913 | 12,974 | 6,901 | 5,813 | 595 | 1,511 | 1,282 | 804 | 477 | | |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 236 | 778 | 688 | 411 | 277 | 34 | 167 | 142 | 103 | 39 | | |
| INTERVERTEBRAL DISC DISORDERS..... | 1,715 | 1,430 | 833 | 578 | 255 | 220 | 115 | 20 | 15 | 5 | | |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 809 | 702 | 350 | 236 | 114 | 72 | 9 | 16 | - | 16 | | |
| DISORDERS OF BONE OR CARTILAGE..... | 381 | 206 | 654 | 330 | 324 | 21 | - | 10 | - | 10 | | |
| TRouble WITH BUNIONS..... | 607 | 643 | 1,078 | 614 | 465 | 178 | 181 | 76 | 34 | 42 | | |
| BURSITIS, UNCLASSIFIED..... | 1,545 | 1,474 | 1,045 | 597 | 447 | 99 | 164 | 57 | 34 | 24 | | |
| SEBACEOUS SKIN CYST..... | 963 | 385 | 180 | 140 | 40 | 83 | 26 | - | - | - | | |
| TRouble WITH ACNE..... | 3,369 | 164 | 49 | 25 | 25 | 350 | 15 | - | - | - | | |
| PSORIASIS..... | 1,139 | 588 | 368 | 243 | 125 | 92 | 12 | - | - | - | | |
| DERMATITIS..... | 5,054 | 1,276 | 943 | 591 | 352 | 770 | 93 | 29 | 6 | 23 | | |
| TRouble WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 2,106 | 918 | 741 | 379 | 362 | 218 | 105 | 80 | 38 | 42 | | |
| TRouble WITH INGROWN NAILS..... | 2,781 | 1,195 | 1,243 | 564 | 679 | 270 | 87 | 110 | 67 | 43 | | |
| TRouble WITH CORNS AND CALLUSES..... | 1,156 | 1,197 | 1,129 | 600 | 528 | 326 | 257 | 200 | 110 | 91 | | |
| IMPAIRMENTS | | | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 3,024 | 1,821 | 2,134 | 1,066 | 1,068 | 336 | 257 | 189 | 130 | 59 | | |
| COLOR BLINDNESS..... | 1,265 | 618 | 362 | 223 | 139 | 59 | 24 | - | - | - | | |
| CATARACTS..... | 318 | 664 | 4,229 | 1,721 | 2,508 | 54 | 69 | 343 | 182 | 161 | | |
| GLAUCOMA..... | 188 | 415 | 1,311 | 619 | 692 | 15 | 98 | 272 | 136 | 136 | | |
| HEARING IMPAIRMENT..... | 5,285 | 5,473 | 7,824 | 3,955 | 3,869 | 540 | 304 | 428 | 275 | 153 | | |
| TINNITUS..... | 1,341 | 1,891 | 2,025 | 1,278 | 748 | 210 | 154 | 94 | 70 | 24 | | |
| SPEECH IMPAIRMENT..... | 1,166 | 251 | 258 | 114 | 144 | 489 | 34 | 43 | 22 | 21 | | |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 484 | 339 | 447 | 301 | 146 | 95 | 78 | 68 | 53 | 15 | | |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 357 | 264 | 431 | 174 | 256 | 32 | 62 | 61 | 25 | 36 | | |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 14,432 | 6,417 | 4,109 | 2,263 | 1,846 | 1,344 | 620 | 370 | 247 | 123 | | |
| BACK..... | 8,733 | 4,084 | 2,226 | 1,305 | 921 | 639 | 366 | 145 | 102 | 43 | | |
| UPPER EXTREMITIES..... | 1,466 | 1,004 | 624 | 286 | 338 | 176 | 75 | 73 | 58 | 16 | | |
| LOWER EXTREMITIES..... | 5,719 | 2,234 | 1,810 | 1,080 | 730 | 556 | 266 | 217 | 137 | 80 | | |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | | | |
| ULCER..... | 1,826 | 939 | 840 | 477 | 363 | 215 | 191 | 56 | 29 | 27 | | |
| HERNIA OF ABDOMINAL CAVITY..... | 1,114 | 1,530 | 1,558 | 980 | 578 | 136 | 161 | 43 | 28 | 15 | | |
| GASTRITIS OR DUODENITIS..... | 1,060 | 918 | 551 | 361 | 190 | 165 | 44 | 73 | 33 | 39 | | |
| FREQUENT INDIGESTION..... | 2,430 | 1,383 | 875 | 498 | 377 | 194 | 176 | 187 | 106 | 80 | | |
| ENTERITIS OR COLITIS..... | 1,031 | 654 | 596 | 362 | 234 | 41 | 33 | 15 | 15 | - | | |
| SPASTIC COLON..... | 512 | 625 | 160 | 94 | 66 | - | 3 | 22 | 6 | 16 | | |
| DIVERTICULA OF INTESTINES..... | 137 | 760 | 1,063 | 602 | 462 | - | 21 | 16 | - | 16 | | |
| FREQUENT CONSTIPATION..... | 1,404 | 782 | 1,594 | 672 | 922 | 319 | 141 | 184 | 66 | 118 | | |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 64. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY RACE AND AGE: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | WHITE | | | | | | BLACK | | | | | |
|---|-------------------|----------------|-------|-------------------|----------------------------|----------------------|----------------|-------|----------------|----------------------------|--|--|
| | | | | 65 YEARS AND OVER | | | | | | 65 YEARS AND OVER | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | | |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS IN THOUSANDS ¹ | | | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID | | | | | | | | | | | | |
| DIABETES | 749 | 1,297 | 839 | 555 | 284 | 107 | 127 | 70 | 36 | 34 | | |
| ANEMIAS | 972 | 2,106 | 2,109 | 1,311 | 798 | 188 | 472 | 407 | 229 | 178 | | |
| EPILEPSY | 1,964 | 538 | 540 | 310 | 231 | 465 | 142 | 85 | 65 | 20 | | |
| MIGRAINE HEADACHE | 669 | 124 | 54 | 34 | 20 | 137 | 30 | — | — | — | | |
| NEURALGIA OR NEURITIS, UNSPECIFIED | 5,962 | 2,095 | 577 | 455 | 122 | 803 | 220 | 56 | 56 | — | | |
| KIDNEY TROUBLE | 1,27 | 228 | 163 | 85 | 78 | 29 | 46 | 18 | 18 | — | | |
| BLADDER DISORDERS | 1,503 | 818 | 673 | 496 | 177 | 141 | 19 | 100 | 60 | 40 | | |
| DISEASES OF PROSTATE | 1,466 | 890 | 896 | 426 | 470 | 204 | 29 | 39 | 16 | 22 | | |
| DISEASE OF FEMALE GENITAL ORGANS | 123 | 559 | 734 | 356 | 378 | 38 | 10 | 40 | — | 40 | | |
| | 2,911 | 773 | 270 | 148 | 121 | 475 | 85 | 30 | 25 | 5 | | |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE | | | | | | | | | | | | |
| HEART DISEASE | 624 | 593 | 304 | 192 | 112 | 98 | 22 | 36 | 36 | — | | |
| ISCHEMIC HEART DISEASE | 4,136 | 4,794 | 7,539 | 3,752 | 3,787 | 686 | 604 | 541 | 321 | 220 | | |
| HEART RHYTHM DISORDERS | 369 | 2,285 | 3,724 | 1,844 | 1,880 | 88 | 182 | 212 | 121 | 91 | | |
| TACHYCARDIA OR RAPID HEART | 2,913 | 1,602 | 2,099 | 1,095 | 1,004 | 443 | 249 | 41 | 30 | 11 | | |
| HEART MURMURS | 570 | 591 | 655 | 335 | 320 | 24 | 96 | 13 | 13 | — | | |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS | 2,024 | 612 | 689 | 342 | 347 | 409 | 144 | 7 | — | 7 | | |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION | 318 | 399 | 755 | 418 | 337 | 10 | 8 | 21 | 17 | 4 | | |
| HIGH BLOOD PRESSURE (HYPERTENSION) | 855 | 907 | 1,716 | 813 | 903 | 155 | 174 | 288 | 170 | 117 | | |
| CEREBROVASCULAR DISEASE | 4,561 | 8,524 | 9,668 | 5,879 | 3,789 | 1,262 | 1,807 | 1,270 | 825 | 445 | | |
| HARDENING OF THE ARTERIES | 236 | 545 | 1,482 | 672 | 810 | 18 | 131 | 174 | 86 | 88 | | |
| VARICOSE VEINS OF LOWER EXTREMITIES | 96 | 728 | 1,225 | 430 | 795 | 9 | — | 126 | 86 | 40 | | |
| HEMORRHOIDS | 2,352 | 2,449 | 2,113 | 1,165 | 948 | 209 | 205 | 157 | 118 | 38 | | |
| | 5,104 | 3,191 | 1,858 | 1,251 | 607 | 755 | 235 | 152 | 105 | 48 | | |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | | | |
| CHRONIC BRONCHITIS | | | | | | | | | | | | |
| ASTHMA | 6,891 | 2,275 | 1,539 | 910 | 629 | 760 | 153 | 83 | 56 | 27 | | |
| HAY FEVER OR ALLERGIC RHINITIS | 6,619 | 1,743 | 1,313 | 847 | 466 | 1,304 | 112 | 170 | 165 | 5 | | |
| WITHOUT ASTHMA | 13,215 | 3,689 | 1,811 | 1,129 | 682 | 1,379 | 227 | 127 | 75 | 52 | | |
| CHRONIC SINUSITIS | 18,212 | 7,134 | 4,133 | 2,484 | 1,648 | 2,714 | 770 | 307 | 192 | 116 | | |
| DEVIATED NASAL SEPTUM | 653 | 382 | 225 | 147 | 78 | — | 10 | 10 | 10 | — | | |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS | 2,471 | 219 | 43 | 32 | 11 | 180 | 30 | — | — | — | | |
| EMPHYSEMA | 132 | 743 | 1,021 | 566 | 455 | 4 | 52 | 41 | 12 | 30 | | |

¹TOTALS FOR WHITE AND BLACK DO NOT SUM TO TOTAL CHRONIC CONDITIONS BECAUSE OTHER RACES ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 1.2 MILLION HAS A 10-PERCENT RSE; OF 306,000, A 20-PERCENT RSE; AND OF 136,000, A 30-PERCENT RSE.

TABLE 65. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | |
|--|--------------------|----------------|-------|----------------------------|----------------------------|-------------------|----------------|-------|----------------|----------------------------|
| | LESS THAN \$10,000 | | | \$10,000-\$19,999 | | | | | | |
| | 65 YEARS AND OVER | | | 65 YEARS AND OVER | | | | | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS IN THOUSANDS ¹ | | | | | | | | | | |
| ARTHROSIS..... | 702 | 1,262 | 3,405 | 1,602 | 1,804 | 836 | 2,146 | 3,479 | 2,073 | 1,406 |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 59 | 75 | 187 | 107 | 80 | 51 | 206 | 253 | 134 | 118 |
| INTERVERTEBRAL DISC DISORDERS..... | 214 | 179 | 178 | 111 | 67 | 299 | 162 | 221 | 138 | 83 |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 53 | 45 | 123 | 91 | 32 | 211 | 103 | 44 | 11 | 33 |
| DISORDERS OF BONE OR CARTILAGE..... | 76 | 22 | 145 | 43 | 102 | 73 | 46 | 117 | 79 | 38 |
| TRouble WITH BUNIONS..... | 42 | 88 | 268 | 107 | 162 | 221 | 106 | 316 | 196 | 120 |
| BURSITIS, UNCLASSIFIED..... | 219 | 144 | 262 | 133 | 129 | 207 | 183 | 188 | 129 | 59 |
| SEBACEOUS SKIN CYST..... | 213 | 64 | 28 | 28 | — | 137 | 45 | 28 | 21 | 7 |
| TRouble WITH ACNE..... | 314 | — | 11 | 11 | — | 537 | 48 | 11 | — | 11 |
| PSORIASIS..... | 75 | 18 | 109 | 68 | 41 | 141 | 85 | 126 | 77 | 49 |
| DERMATITIS..... | 619 | 110 | 141 | 95 | 46 | 950 | 113 | 215 | 151 | 63 |
| TRouble WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 261 | 98 | 171 | 66 | 104 | 381 | 240 | 271 | 166 | 105 |
| TRouble WITH INGROWN NAILS..... | 398 | 216 | 388 | 163 | 225 | 562 | 273 | 370 | 200 | 169 |
| TRouble WITH CORNS AND CALLUSES..... | 233 | 270 | 318 | 149 | 169 | 311 | 215 | 336 | 204 | 132 |
| IMPAIRMENTS | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 329 | 312 | 692 | 305 | 387 | 686 | 316 | 726 | 366 | 360 |
| COLOR BLINDNESS..... | 68 | 27 | 46 | 22 | 24 | 207 | 74 | 118 | 62 | 56 |
| CATARACTS..... | 37 | 97 | 984 | 309 | 675 | 77 | 216 | 1,309 | 667 | 643 |
| GLAUCOMA..... | — | 80 | 307 | 100 | 207 | 45 | 73 | 409 | 242 | 166 |
| HEARING IMPAIRMENT..... | 729 | 639 | 1,546 | 646 | 900 | 1,127 | 920 | 2,739 | 1,457 | 1,283 |
| TINNITUS..... | 185 | 275 | 390 | 174 | 216 | 392 | 456 | 768 | 483 | 285 |
| SPEECH IMPAIRMENT..... | 377 | 72 | 79 | 43 | 36 | 461 | 69 | 71 | 25 | 47 |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 38 | 43 | 86 | 61 | 25 | 115 | 89 | 240 | 145 | 95 |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 22 | 64 | 108 | 48 | 59 | 160 | 63 | 129 | 59 | 69 |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 1,805 | 885 | 1,166 | 526 | 640 | 2,786 | 1,311 | 1,286 | 743 | 543 |
| BACK..... | 1,085 | 500 | 668 | 354 | 314 | 1,667 | 816 | 681 | 448 | 233 |
| UPPER EXTREMITIES..... | 174 | 144 | 217 | 69 | 148 | 429 | 173 | 184 | 108 | 76 |
| LOWER EXTREMITIES..... | 687 | 383 | 427 | 188 | 239 | 1,114 | 515 | 572 | 290 | 282 |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | |
| ULCER..... | 300 | 232 | 221 | 104 | 117 | 396 | 274 | 284 | 162 | 121 |
| HERNIA OF ABDOMINAL CAVITY..... | 223 | 237 | 391 | 211 | 180 | 166 | 309 | 392 | 215 | 177 |
| GASTRITIS OR DUODENITIS..... | 175 | 139 | 142 | 83 | 59 | 232 | 180 | 112 | 89 | 22 |
| FREQUENT INDIGESTION..... | 450 | 252 | 380 | 222 | 158 | 480 | 302 | 298 | 203 | 95 |
| ENTERITIS OR COLITIS..... | 79 | 99 | 103 | 80 | 23 | 213 | 108 | 168 | 105 | 63 |
| SPASTIC COLON..... | 47 | 75 | 21 | 21 | — | 36 | 74 | 51 | 37 | 15 |
| DIVERTICULA OF INTESTINES..... | — | 79 | 226 | 101 | 125 | — | 106 | 355 | 239 | 115 |
| FREQUENT CONSTIPATION..... | 215 | 175 | 593 | 257 | 336 | 281 | 171 | 386 | 127 | 259 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 65. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | |
|---|--------------------|----------------|-------|-------------------|----------------------------|----------------------|-------------------|-------|----------------|----------------------------|
| | LESS THAN \$10,000 | | | \$10,000-\$19,999 | | | 65 YEARS AND OVER | | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID | | | | | | | | | | |
| DIABETES | 77 | 125 | 294 | 191 | 103 | 96 | 194 | 191 | 95 | 96 |
| DIABETES | 153 | 457 | 764 | 492 | 272 | 229 | 474 | 506 | 300 | 206 |
| ANEMIAS | 448 | 184 | 221 | 118 | 103 | 452 | 105 | 106 | 81 | 25 |
| EPILEPSY | 180 | 46 | 20 | 20 | - | 181 | 33 | - | - | - |
| MIGRAINE HEADACHE | 749 | 365 | 233 | 169 | 64 | 1,145 | 252 | 177 | 163 | 13 |
| NEURALGIA OR NEURITIS, UNSPECIFIED | 27 | 14 | 32 | 11 | 21 | 55 | 63 | 99 | 79 | 20 |
| KIDNEY TROUBLE | 347 | 164 | 247 | 196 | 51 | 226 | 131 | 211 | 165 | 46 |
| BLADDER DISORDERS | 200 | 134 | 189 | 54 | 135 | 202 | 99 | 241 | 148 | 93 |
| DISEASES OF PROSTATE | - | 82 | 132 | 25 | 107 | 37 | 75 | 235 | 116 | 120 |
| DISEASE OF FEMALE GENITAL ORGANS | 389 | 100 | 71 | 47 | 24 | 700 | 163 | 114 | 71 | 44 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE | | | | | | | | | | |
| HEART DISEASE | 12 | 71 | 142 | 57 | 85 | 197 | 72 | 73 | 56 | 17 |
| HEART DISEASE | 519 | 886 | 1,932 | 808 | 1,124 | 964 | 841 | 2,467 | 1,370 | 1,037 |
| ISCHEMIC HEART DISEASE | 51 | 284 | 847 | 358 | 489 | 112 | 435 | 1,343 | 749 | 594 |
| HEART RHYTHM DISORDERS | 352 | 384 | 435 | 152 | 283 | 720 | 252 | 625 | 398 | 228 |
| TACHYCARDIA OR RAPID HEART | 48 | 158 | 161 | 72 | 89 | 116 | 114 | 185 | 99 | 85 |
| HEART MURMURS | 257 | 147 | 81 | 10 | 71 | 540 | 48 | 223 | 114 | 109 |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS | 47 | 78 | 193 | 70 | 123 | 63 | 90 | 218 | 184 | 34 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION | 116 | 219 | 650 | 298 | 352 | 132 | 154 | 439 | 224 | 215 |
| HIGH BLOOD PRESSURE (HYPERTENSION) | 862 | 1,246 | 2,350 | 1,133 | 1,217 | 944 | 1,673 | 3,330 | 2,188 | 1,142 |
| CEREBROVASCULAR DISEASE | 62 | 208 | 353 | 123 | 231 | 52 | 219 | 399 | 221 | 178 |
| HARDENING OF THE ARTERIES | 20 | 98 | 335 | 95 | 239 | 39 | 125 | 511 | 203 | 309 |
| VARICOSE VEINS OF LOWER EXTREMITIES | 223 | 499 | 636 | 302 | 334 | 574 | 465 | 738 | 458 | 281 |
| HEMORRHOIDS | 515 | 534 | 526 | 265 | 262 | 780 | 489 | 751 | 532 | 220 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | |
| CHRONIC BRONCHITIS | | | | | | | | | | |
| CHRONIC BRONCHITIS | 1,013 | 279 | 478 | 295 | 183 | 1,143 | 467 | 437 | 286 | 151 |
| ASTHMA | 1,019 | 279 | 399 | 202 | 197 | 1,395 | 283 | 395 | 295 | 100 |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA | 1,245 | 231 | 273 | 130 | 143 | 2,056 | 424 | 661 | 418 | 243 |
| CHRONIC SINUSITIS | 2,436 | 718 | 1,199 | 651 | 549 | 3,192 | 1,060 | 1,466 | 818 | 648 |
| DEVIATED NASAL SEPTUM | 45 | 27 | 33 | 12 | 21 | 99 | 23 | 57 | 48 | 9 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS | 337 | 78 | 21 | 10 | 11 | 537 | 24 | 22 | 22 | - |
| EMPHYSEMA | 15 | 221 | 291 | 165 | 126 | 56 | 221 | 353 | 185 | 168 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 65. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | |
|--|--|----------------|-------|-------------------|----------------------|-------------------|------------------|-------|----------------|----------------------|
| | \$20,000-\$34,999 | | | 65 YEARS AND OVER | | | \$35,000 OR MORE | | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS AND OVER |
| | NUMBER OF CHRONIC CONDITIONS IN THOUSANDS ¹ | | | | | | | | | |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | | | |
| ARTHRITIS..... | 1,288 | 2,619 | 2,219 | 1,395 | 825 | 1,824 | 3,721 | 1,591 | 975 | 616 |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 23 | 195 | 140 | 108 | 32 | 107 | 340 | 96 | 71 | 24 |
| INTERVERTEBRAL DISC DISORDERS..... | 529 | 381 | 136 | 124 | 12 | 683 | 559 | 66 | 55 | 11 |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 178 | 112 | 25 | 11 | 14 | 383 | 329 | 101 | 73 | 28 |
| DISORDERS OF BONE OR CARTILAGE..... | 136 | 47 | 135 | 70 | 64 | 104 | 73 | 81 | 55 | 26 |
| TROUBLE WITH BUNIONS..... | 145 | 133 | 142 | 81 | 60 | 310 | 353 | 109 | 60 | 49 |
| BURSITIS, UNCLASSIFIED..... | 401 | 434 | 254 | 169 | 85 | 561 | 621 | 185 | 73 | 112 |
| SEBACEOUS SKIN CYST..... | 273 | 162 | 25 | 13 | 12 | 347 | 109 | 45 | 45 | - |
| TROUBLE WITH ACNE..... | 921 | 37 | - | - | - | 1,707 | 50 | 28 | 13 | 14 |
| PSORIASIS..... | 263 | 86 | 73 | 50 | 23 | 560 | 312 | - | - | - |
| DERMATITIS..... | 1,587 | 305 | 267 | 110 | 157 | 2,307 | 639 | 174 | 129 | 45 |
| TROUBLE WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 641 | 187 | 171 | 115 | 56 | 919 | 385 | 58 | 23 | 35 |
| TROUBLE WITH INGROWN NAILS..... | 740 | 381 | 222 | 144 | 78 | 1,047 | 278 | 183 | 60 | 123 |
| TROUBLE WITH CORNS AND CALLUSES..... | 347 | 405 | 243 | 137 | 106 | 498 | 474 | 149 | 96 | 53 |
| IMPAIRMENTS | | | | | | | | | | |
| VISUAL IMPAIRMENT..... | 1,037 | 457 | 347 | 209 | 139 | 912 | 678 | 211 | 109 | 102 |
| COLOR BLINDNESS..... | 339 | 155 | 59 | 47 | 13 | 611 | 338 | 71 | 60 | 11 |
| CATARACTS..... | 142 | 150 | 664 | 360 | 304 | 98 | 114 | 419 | 111 | .308 |
| GLAUCOMA..... | 58 | 69 | 290 | 151 | 139 | 87 | 218 | 179 | 70 | 109 |
| HEARING IMPAIRMENT..... | 1,789 | 1,445 | 1,503 | 840 | 663 | 1,802 | 1,984 | 857 | 539 | 318 |
| TINNITUS..... | 465 | 468 | 455 | 317 | 138 | 436 | 683 | 205 | 171 | 34 |
| SPEECH IMPAIRMENT..... | 343 | 59 | 66 | 30 | 36 | 338 | 47 | 29 | - | 29 |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 202 | 125 | 99 | 79 | 20 | 155 | 94 | 10 | 10 | - |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 58 | 54 | 91 | 25 | 66 | 123 | 39 | 80 | 11 | 69 |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 4,358 | 1,568 | 831 | 593 | 238 | 5,604 | 2,160 | 445 | 267 | 178 |
| BACK..... | 2,582 | 892 | 409 | 309 | 100 | 3,256 | 1,415 | 255 | 109 | 146 |
| UPPER EXTREMITIES..... | 448 | 273 | 82 | 50 | 32 | 423 | 288 | 43 | 34 | 10 |
| LOWER EXTREMITIES..... | 1,698 | 611 | 481 | 343 | 139 | 2,408 | 702 | 250 | 207 | 44 |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | | | |
| ULCER..... | 524 | 210 | 87 | 51 | 36 | 565 | 264 | 99 | 66 | 33 |
| HERNIA OF ABDOMINAL CAVITY..... | 272 | 347 | 313 | 238 | 75 | 407 | 513 | 148 | 94 | 54 |
| GASTRITIS OR DUODENITIS..... | 357 | 192 | 101 | 61 | 39 | 385 | 319 | 74 | 51 | 22 |
| FREQUENT INDIGESTION..... | 628 | 306 | 163 | 99 | 64 | 877 | 507 | 24 | - | 24 |
| ENTERITIS OR COLITIS..... | 217 | 126 | 183 | 110 | 73 | 440 | 300 | 57 | 27 | 30 |
| SPASTIC COLON..... | 175 | 215 | 27 | - | 27 | 233 | 229 | 25 | - | 25 |
| DIVERTICULA OF INTESTINES..... | 26 | 168 | 82 | 45 | 38 | 83 | 343 | 137 | 56 | 81 |
| FREQUENT CONSTIPATION..... | 400 | 199 | 288 | 171 | 117 | 640 | 282 | 80 | 41 | 39 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 65. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY FAMILY INCOME AND AGE: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | FAMILY INCOME | | | | | | | | | |
|---|-------------------|----------------|-------|-------------------------|-------------|-------------------|------------------|-------|----------------|-------------|
| | \$20,000-\$34,999 | | | 65 YEARS AND OVER | | | \$35,000 OR MORE | | | |
| | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS AND OVER | 75 YEARS | UNDER 45 YEARS | 45-64 YEARS | TOTAL | 65-74 YEARS | 75 YEARS |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID..... | | | | | | | | | | |
| DIABETES..... | 270 | 244 | 212 | 168 | 44 | 311 | 655 | 101 | 64 | 37 |
| ANEMIAS..... | 349 | 480 | 461 | 263 | 198 | 341 | 800 | 240 | 204 | 36 |
| EPILEPSY..... | 678 | 131 | 66 | 25 | 41 | 672 | 154 | 78 | 65 | 14 |
| MIGRAINE HEADACHE..... | 240 | 45 | 11 | - | 11 | 107 | 35 | 14 | 14 | - |
| NEURALGIA OR NEURITIS, UNSPECIFIED..... | 1,809 | 528 | 47 | 47 | - | 2,396 | 930 | 101 | 75 | 26 |
| KIDNEY TROUBLE..... | 13 | 47 | 23 | 12 | 11 | 34 | 120 | 41 | 15 | 26 |
| BLADDER DISORDERS..... | 568 | 209 | 97 | 75 | 22 | 441 | 272 | 66 | 51 | 15 |
| DISEASES OF PROSTATE..... | 454 | 162 | 167 | 93 | 73 | 606 | 392 | 69 | 60 | 30 |
| DISEASE OF FEMALE GENITAL ORGANS..... | 41 | 69 | 188 | 92 | 96 | 84 | 297 | 101 | 86 | 15 |
| | 723 | 165 | 23 | 23 | - | 1,268 | 292 | 67 | 26 | 41 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE..... | | | | | | | | | | |
| HEART DISEASE..... | 187 | 115 | 24 | 24 | - | 281 | 178 | 35 | 35 | - |
| ISCHEMIC HEART DISEASE..... | 1,234 | 1,024 | 1,204 | 742 | 461 | 1,678 | 1,810 | 704 | 355 | 348 |
| HEART RHYTHM DISORDERS..... | 152 | 492 | 600 | 384 | 216 | 128 | 844 | 296 | 137 | 159 |
| TACHYCARDIA OR RAPID HEART..... | 915 | 339 | 353 | 175 | 177 | 1,074 | 576 | 225 | 145 | 80 |
| HEART MURMURS..... | 171 | 140 | 112 | 25 | 87 | 225 | 219 | 26 | 26 | - |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS..... | 675 | 136 | 135 | 84 | 51 | 736 | 263 | 90 | 38 | 52 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION..... | 69 | 64 | 105 | 66 | 39 | 114 | 95 | 109 | 81 | 28 |
| HIGH BLOOD PRESSURE (HYPERTENSION)..... | 167 | 192 | 251 | 182 | 68 | 475 | 389 | 183 | 74 | 109 |
| CEREBROVASCULAR DISEASE..... | 1,879 | 2,573 | 1,889 | 1,307 | 582 | 1,672 | 3,217 | 932 | 621 | 312 |
| HARDENING OF THE ARTERIES..... | 49 | 62 | 297 | 156 | 142 | 42 | 91 | 137 | 68 | 69 |
| VARICOSE VEINS OF LOWER EXTREMITIES..... | 11 | 187 | 206 | 128 | 78 | 23 | 247 | 73 | 48 | 25 |
| HEMORRHOIDS..... | 739 | 462 | 286 | 214 | 72 | 875 | 868 | 146 | 123 | 23 |
| | 1,899 | 680 | 340 | 300 | 40 | 2,285 | 1,310 | 213 | 189 | 23 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | | | |
| CHRONIC BRONCHITIS..... | | | | | | | | | | |
| ASTHMA..... | 2,041 | 518 | 242 | 134 | 108 | 2,753 | 780 | 228 | 173 | 55 |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA..... | 1,857 | 379 | 280 | 255 | 26 | 2,834 | 727 | 160 | 136 | 23 |
| CHRONIC SINUSITIS..... | 3,822 | 884 | 404 | 323 | 81 | 6,585 | 1,854 | 286 | 217 | 68 |
| DEVIATED NASAL SEPTUM..... | 5,597 | 1,882 | 725 | 524 | 201 | 7,321 | 3,097 | 308 | 273 | 35 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS..... | 95 | 62 | 33 | 22 | 11 | 363 | 214 | 41 | 24 | 17 |
| EMPHYSEMA..... | 748 | 13 | - | - | - | 839 | 103 | - | - | - |
| | 17 | 127 | 150 | 97 | 53 | 37 | 102 | 71 | 31 | 40 |

¹TOTALS FOR INCOME CATEGORIES DO NOT SUM TO TOTAL CHRONIC CONDITIONS BECAUSE PERSONS WITH UNKNOWN FAMILY INCOME ARE NOT INCLUDED.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 1.2 MILLION HAS A 10-PERCENT RSE; OF 306,000, A 20-PERCENT RSE; AND OF 136,000, A 30-PERCENT RSE.

TABLE 66. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY GEOGRAPHIC REGION AND PLACE OF RESIDENCE: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | PLACE OF RESIDENCE | | | | | | | |
|--|--------------------|---------|--------|-------|---------|--------------|------------------|---------|
| | GEOGRAPHIC REGION | | | | MSA | | | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS | | | | | | | | |
| ARTHRITIS..... | 6,153 | 8,084 | 11,053 | 5,709 | 22,535 | 8,957 | 13,578 | 8,464 |
| GOUT, INCLUDING GOUTY ARTHRITIS..... | 318 | 601 | 787 | 363 | 1,555 | 468 | 1,086 | 515 |
| INTERVERTEBRAL DISC DISORDERS..... | 872 | 1,187 | 1,451 | 873 | 3,357 | 923 | 2,435 | 1,024 |
| BONE SPUR OR TENDINITIS, UNSPECIFIED..... | 304 | 553 | 705 | 426 | 1,441 | 548 | 893 | 547 |
| DISORDERS OF BONE OR CARTILAGE..... | 230 | 401 | 399 | 270 | 868 | 301 | 567 | 432 |
| TRouble WITH BUNIONS..... | 787 | 579 | 895 | 515 | 2,248 | 980 | 1,268 | 528 |
| BURSITIS, UNCLASSIFIED..... | 926 | 1,024 | 1,600 | 870 | 3,230 | 1,198 | 2,033 | 1,190 |
| SEBACEOUS SKIN CYST..... | 232 | 437 | 611 | 393 | 1,347 | 507 | 840 | 326 |
| TRouble WITH ACNE..... | 734 | 1,022 | 1,366 | 897 | 3,317 | 1,245 | 2,072 | 701 |
| PSORIASIS..... | 538 | 539 | 707 | 452 | 1,766 | 630 | 1,136 | 470 |
| DERMATITIS..... | 1,633 | 2,349 | 2,383 | 2,056 | 6,713 | 2,613 | 4,100 | 1,707 |
| TRouble WITH DRY (ITCHING) SKIN, UNCLASSIFIED..... | 884 | 1,030 | 1,394 | 980 | 3,306 | 1,208 | 2,097 | 983 |
| TRouble WITH INGROWN NAILS..... | 936 | 1,300 | 2,354 | 1,137 | 4,150 | 1,573 | 2,577 | 1,577 |
| TRouble WITH CORNS AND CALLUSES..... | 1,006 | 1,002 | 1,456 | 879 | 3,334 | 1,430 | 1,904 | 1,008 |
| IMPAIRMENTS | | | | | | | | |
| VISUAL IMPAIRMENT..... | 1,506 | 1,938 | 2,915 | 1,521 | 5,715 | 2,147 | 3,568 | 2,166 |
| COLOR BLINDNESS..... | 460 | 545 | 754 | 590 | 1,803 | 434 | 1,369 | 547 |
| CATARACTS..... | 1,028 | 1,472 | 2,193 | 1,005 | 3,905 | 1,790 | 2,115 | 1,793 |
| GLAUCOMA..... | 660 | 426 | 819 | 394 | 1,776 | 897 | 879 | .523 |
| HEARING IMPAIRMENT..... | 3,772 | 5,165 | 6,732 | 4,577 | 14,200 | 5,406 | 8,794 | 6,045 |
| TINNITUS..... | 1,001 | 1,722 | 1,840 | 1,304 | 4,140 | 1,460 | 2,681 | 1,726 |
| SPEECH IMPAIRMENT..... | 370 | 479 | 957 | 455 | 1,569 | 772 | 797 | 693 |
| ABSENCE OF EXTREMITIES (EXCLUDES TIPS OF FINGERS OR TOES ONLY)..... | 295 | 358 | 645 | 237 | 1,071 | 436 | 635 | 464 |
| PARALYSIS OF EXTREMITIES, COMPLETE OR PARTIAL..... | 219 | 313 | 493 | 229 | 934 | 366 | 568 | 320 |
| DEFORMITY OR ORTHOPEDIC IMPAIRMENT..... | 5,111 | 6,886 | 8,787 | 7,209 | 21,206 | 8,220 | 12,986 | 6,787 |
| BACK..... | 2,759 | 4,121 | 4,941 | 4,801 | 12,599 | 4,723 | 7,876 | 4,923 |
| UPPER EXTREMITIES..... | 711 | 930 | 1,018 | 838 | 2,723 | 1,046 | 1,678 | 722 |
| LOWER EXTREMITIES..... | 2,224 | 2,702 | 3,666 | 2,473 | 8,425 | 3,535 | 4,890 | 2,641 |
| SELECTED DIGESTIVE CONDITIONS | | | | | | | | |
| ULCER..... | 768 | 1,082 | 1,647 | 658 | 3,080 | 1,494 | 1,585 | 1,075 |
| HERNIA OF ABDOMINAL CAVITY..... | 781 | 1,100 | 1,808 | 886 | 3,224 | 1,199 | 2,024 | 1,352 |
| GASTRITIS OR DUODENITIS..... | 555 | 767 | 1,094 | 528 | 2,389 | 1,239 | 1,150 | 554 |
| FREQUENT INDIGESTION..... | 989 | 1,234 | 2,314 | 882 | 3,964 | 1,625 | 2,339 | 1,454 |
| ENTERITIS OR COLITIS..... | 357 | 615 | 949 | 473 | 1,814 | 673 | 1,142 | 580 |
| SPASTIC COLON..... | 176 | 308 | 582 | 296 | 1,046 | 379 | 667 | 316 |
| DIVERTICULA OF INTESTINES..... | 347 | 551 | 853 | 245 | 1,445 | 506 | 940 | 551 |
| FREQUENT CONSTIPATION..... | 672 | 1,039 | 2,023 | 795 | 3,295 | 1,509 | 1,786 | 1,233 |

SEE NOTES AT END OF TABLE.

TABLE 66. NUMBER OF SELECTED REPORTED CHRONIC CONDITIONS, BY GEOGRAPHIC REGION AND PLACE OF RESIDENCE: UNITED STATES, 1989—CON.
(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| TYPE OF CHRONIC CONDITION | GEOGRAPHIC REGION | | | | PLACE OF RESIDENCE | | | |
|---|-------------------|---------|--------|-------|--------------------|--------------|------------------|---------|
| | | | | | MSA | | NOT MSA | |
| | NORTHEAST | MIDWEST | SOUTH | WEST | ALL MSA | CENTRAL CITY | NOT CENTRAL CITY | NOT MSA |
| SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC, AND BLOOD AND BLOOD-FORMING SYSTEMS | | | | | | | | |
| NUMBER OF CHRONIC CONDITIONS IN THOUSANDS | | | | | | | | |
| GOITER OR OTHER DISORDERS OF THE THYROID | | | | | | | | |
| THYROID | 740 | 630 | 1,302 | 551 | 2,559 | 974 | 1,585 | 663 |
| DIABETES | 1,231 | 1,544 | 2,474 | 1,241 | 4,544 | 2,109 | 2,435 | 1,945 |
| ANEMIAS | 771 | 887 | 1,441 | 798 | 3,102 | 1,364 | 1,738 | 794 |
| EPILEPSY | 215 | 274 | 359 | 171 | 698 | 296 | 402 | 322 |
| MIGRAINE HEADACHE | 1,807 | 2,408 | 3,405 | 2,358 | 8,043 | 3,155 | 4,887 | 1,936 |
| NEURALGIA OR NEURITIS, UNSPECIFIED | 72 | 95 | 270 | 189 | 471 | 133 | 338 | 154 |
| KIDNEY TROUBLE | 545 | 641 | 1,641 | 548 | 2,327 | 867 | 1,461 | 1,047 |
| BLADDER DISORDERS | 427 | 1,036 | 1,288 | 812 | 2,659 | 1,110 | 1,549 | 904 |
| DISEASES OF PROSTATE | 228 | 310 | 749 | 227 | 874 | 308 | 566 | 641 |
| DISEASE OF FEMALE GENITAL ORGANS | 761 | 958 | 1,755 | 1,212 | 3,546 | 1,315 | 2,231 | 1,140 |
| SELECTED CIRCULATORY CONDITIONS | | | | | | | | |
| RHEUMATIC FEVER WITH OR WITHOUT HEART DISEASE | | | | | | | | |
| HEART DISEASE | 281 | 597 | 505 | 306 | 1,283 | 533 | 750 | 407 |
| HEART DISEASE | 3,531 | 4,882 | 6,641 | 3,439 | 13,525 | 5,475 | 8,050 | 4,969 |
| ISCHEMIC HEART DISEASE | 1,530 | 1,691 | 2,489 | 1,239 | 4,979 | 1,756 | 3,223 | 1,970 |
| HEART RHYTHM DISORDERS | 1,410 | 2,102 | 2,528 | 1,358 | 5,469 | 2,342 | 3,126 | 1,928 |
| TACHYCARDIA OR RAPID HEART | 396 | 588 | 683 | 295 | 1,391 | 571 | 820 | 571 |
| HEART MURMURS | 823 | 1,175 | 1,223 | 691 | 2,994 | 1,327 | 1,667 | 919 |
| OTHER AND UNSPECIFIED HEART RHYTHM DISORDERS | 191 | 339 | 621 | 372 | 1,084 | 445 | 639 | 439 |
| OTHER SELECTED DISEASES OF HEART, EXCLUDING HYPERTENSION | 592 | 1,088 | 1,624 | 843 | 3,077 | 1,376 | 1,701 | 1,070 |
| HIGH BLOOD PRESSURE (HYPERTENSION) | 4,997 | 6,779 | 11,102 | 4,787 | 20,740 | 8,910 | 11,829 | 6,924 |
| CEREBROVASCULAR DISEASE | 609 | 588 | 881 | 548 | 2,135 | 997 | 1,137 | 491 |
| HARDENING OF THE ARTERIES | 292 | 501 | 883 | 525 | 1,658 | 611 | 1,046 | 543 |
| VARICOSE VEINS OF LOWER EXTREMITIES | 1,433 | 2,089 | 2,410 | 1,604 | 5,765 | 2,205 | 3,560 | 1,771 |
| HEMORRHOIDS | 2,160 | 2,978 | 4,159 | 2,193 | 8,883 | 3,424 | 5,459 | 2,607 |
| SELECTED RESPIRATORY CONDITIONS | | | | | | | | |
| CHRONIC BRONCHITIS | | | | | | | | |
| CHRONIC BRONCHITIS | 2,194 | 3,059 | 4,399 | 2,322 | 9,013 | 3,037 | 5,976 | 2,961 |
| ASTHMA | 2,043 | 2,481 | 4,743 | 2,354 | 9,047 | 3,753 | 5,294 | 2,574 |
| HAY FEVER OR ALLERGIC RHINITIS WITHOUT ASTHMA | 3,487 | 4,944 | 7,590 | 5,146 | 16,518 | 6,096 | 10,423 | 4,648 |
| CHRONIC SINUSITIS | 4,542 | 9,508 | 14,882 | 4,751 | 24,619 | 9,223 | 15,396 | 9,064 |
| DEVIATED NASAL SEPTUM | 513 | 257 | 384 | 162 | 1,107 | 310 | 798 | 208 |
| CHRONIC DISEASE OF TONSILS OR ADENOIDS | 408 | 716 | 1,204 | 748 | 2,360 | 895 | 1,465 | 716 |
| EMPHYSEMA | 430 | 339 | 866 | 357 | 1,267 | 477 | 791 | 725 |

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET V OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 1.2 MILLION HAS A 10-PERCENT RSE; OF 306,000, A 20-PERCENT RSE; AND OF 136,000, A 30-PERCENT RSE.

TABLE 67. PERCENT DISTRIBUTION OF PERSONS BY DEGREE OF ACTIVITY LIMITATION DUE TO CHRONIC CONDITIONS ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | DEGREE OF ACTIVITY LIMITATION | | | | | | |
|--------------------------------|-------------------------------|-----------------------------|--------------------------|-----------------------------------|-----------------------------------|---|------------------------------------|
| | ALL PERSONS | WITH NO ACTIVITY LIMITATION | WITH ACTIVITY LIMITATION | WITH LIMITATION IN MAJOR ACTIVITY | UNABLE TO CARRY ON MAJOR ACTIVITY | LIMITED IN AMOUNT OR KIND OF MAJOR ACTIVITY | LIMITED, BUT NOT IN MAJOR ACTIVITY |
| | | | | | | | |
| PERCENT DISTRIBUTION | | | | | | | |
| ALL PERSONS ¹ | 100.0 | 85.9 | 14.1 | 9.6 | 4.1 | 5.4 | 4.5 |
| AGE | | | | | | | |
| UNDER 18 YEARS..... | 100.0 | 94.7 | 5.3 | 3.8 | 0.6 | 3.2 | 1.5 |
| 18-44 YEARS..... | 100.0 | 91.0 | 9.0 | 6.3 | 2.6 | 3.7 | 2.7 |
| 45-64 YEARS..... | 100.0 | 77.8 | 22.2 | 16.5 | 8.8 | 7.7 | 5.6 |
| 65 YEARS AND OVER..... | 100.0 | 61.7 | 38.3 | 22.8 | 10.1 | 12.7 | 15.5 |
| 65-69 YEARS..... | 100.0 | 63.1 | 36.9 | 29.2 | 15.7 | 13.4 | 7.7 |
| 70 YEARS AND OVER..... | 100.0 | 61.0 | 39.0 | 19.5 | 7.2 | 12.3 | 19.4 |
| SEX AND AGE | | | | | | | |
| MALE | | | | | | | |
| ALL AGES..... | 100.0 | 86.3 | 13.7 | 9.7 | 4.6 | 5.0 | 4.0 |
| UNDER 18 YEARS..... | 100.0 | 93.7 | 6.3 | 4.6 | 0.6 | 4.0 | 1.7 |
| 18-44 YEARS..... | 100.0 | 90.9 | 9.1 | 6.7 | 2.9 | 3.8 | 2.4 |
| 45-64 YEARS..... | 100.0 | 78.6 | 21.4 | 16.9 | 10.4 | 6.5 | 4.5 |
| 65-69 YEARS..... | 100.0 | 61.7 | 38.3 | 33.4 | 20.8 | 12.6 | 4.9 |
| 70 YEARS AND OVER..... | 100.0 | 61.3 | 38.7 | 16.2 | 7.2 | 9.0 | 22.5 |
| FEMALE | | | | | | | |
| ALL AGES..... | 100.0 | 85.6 | 14.4 | 9.5 | 3.6 | 5.8 | 4.9 |
| UNDER 18 YEARS..... | 100.0 | 95.7 | 4.3 | 3.0 | 0.5 | 2.5 | 1.3 |
| 18-44 YEARS..... | 100.0 | 91.0 | 9.0 | 6.0 | 2.3 | 3.7 | 3.0 |
| 45-64 YEARS..... | 100.0 | 77.2 | 22.8 | 16.1 | 7.3 | 8.9 | 6.7 |
| 65-69 YEARS..... | 100.0 | 64.3 | 35.7 | 25.5 | 11.4 | 14.1 | 10.1 |
| 70 YEARS AND OVER..... | 100.0 | 60.9 | 39.1 | 21.7 | 7.2 | 14.5 | 17.4 |
| RACE AND AGE | | | | | | | |
| WHITE | | | | | | | |
| ALL AGES..... | 100.0 | 85.8 | 14.2 | 9.5 | 3.9 | 5.5 | 4.7 |
| UNDER 18 YEARS..... | 100.0 | 94.6 | 5.4 | 3.8 | 0.5 | 3.3 | 1.6 |
| 18-44 YEARS..... | 100.0 | 91.0 | 9.0 | 6.2 | 2.4 | 3.8 | 2.8 |
| 45-64 YEARS..... | 100.0 | 78.5 | 21.5 | 15.8 | 8.0 | 7.8 | 5.7 |
| 65-69 YEARS..... | 100.0 | 64.4 | 35.6 | 28.0 | 14.7 | 13.2 | 7.7 |
| 70 YEARS AND OVER..... | 100.0 | 61.8 | 38.2 | 18.6 | 6.9 | 11.7 | 19.6 |
| BLACK | | | | | | | |
| ALL AGES..... | 100.0 | 85.1 | 14.9 | 11.3 | 5.9 | 5.3 | 3.6 |
| UNDER 18 YEARS..... | 100.0 | 94.4 | 5.6 | 4.1 | 0.8 | 3.2 | 1.6 |
| 18-44 YEARS..... | 100.0 | 89.8 | 10.2 | 7.9 | 4.2 | 3.7 | 2.3 |
| 45-64 YEARS..... | 100.0 | 70.5 | 29.5 | 23.7 | 15.8 | 7.9 | 5.8 |
| 65-69 YEARS..... | 100.0 | 51.2 | 48.8 | 40.1 | 25.6 | 14.6 | 8.6 |
| 70 YEARS AND OVER..... | 100.0 | 51.9 | 48.2 | 29.8 | 11.2 | 18.6 | 18.3 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 67. PERCENT DISTRIBUTION OF PERSONS BY DEGREE OF ACTIVITY LIMITATION DUE TO CHRONIC CONDITIONS ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL PERSONS | DEGREE OF ACTIVITY LIMITATION | | | | | LIMITED IN AMOUNT OR KIND OF MAJOR ACTIVITY | LIMITED, BUT NOT IN MAJOR ACTIVITY | | | |
|------------------------------|-------------|-------------------------------|--------------------------|-----------------------------------|-----------------------------------|------|---|------------------------------------|--|--|--|
| | | WITH NO ACTIVITY LIMITATION | WITH ACTIVITY LIMITATION | WITH LIMITATION IN MAJOR ACTIVITY | UNABLE TO CARRY ON MAJOR ACTIVITY | | | | | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 73.2 | 26.8 | 19.4 | 9.7 | 9.6 | 7.4 | | | | |
| UNDER 18 YEARS..... | 100.0 | 91.5 | 8.5 | 6.5 | 0.9 | 5.6 | 2.0 | | | | |
| 18-44 YEARS..... | 100.0 | 82.4 | 17.6 | 13.3 | 7.3 | 6.0 | 4.2 | | | | |
| 45-64 YEARS..... | 100.0 | 44.4 | 55.6 | 46.3 | 31.6 | 14.7 | 9.4 | | | | |
| 65-69 YEARS..... | 100.0 | 43.0 | 57.0 | 44.4 | 26.1 | 18.2 | 12.6 | | | | |
| 70 YEARS AND OVER..... | 100.0 | 52.7 | 47.3 | 26.2 | 8.0 | 18.3 | 21.1 | | | | |
| \$10,000-\$19,999 | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 80.6 | 19.4 | 13.4 | 6.1 | 7.3 | 6.0 | | | | |
| UNDER 18 YEARS..... | 100.0 | 93.2 | 6.8 | 5.2 | 0.6 | 4.5 | 1.6 | | | | |
| 18-44 YEARS..... | 100.0 | 87.6 | 12.4 | 9.0 | 4.0 | 5.0 | 3.4 | | | | |
| 45-64 YEARS..... | 100.0 | 67.3 | 32.7 | 26.0 | 15.2 | 10.8 | 6.7 | | | | |
| 65-69 YEARS..... | 100.0 | 60.4 | 39.6 | 32.8 | 17.6 | 15.2 | 6.8 | | | | |
| 70 YEARS AND OVER..... | 100.0 | 60.5 | 39.5 | 18.3 | 6.6 | 11.7 | 21.1 | | | | |
| \$20,000-\$34,999 | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 88.1 | 11.9 | 7.9 | 3.0 | 4.9 | 3.9 | | | | |
| UNDER 18 YEARS..... | 100.0 | 95.2 | 4.8 | 3.3 | 0.5 | 2.8 | 1.5 | | | | |
| 18-44 YEARS..... | 100.0 | 91.7 | 8.3 | 5.7 | 1.8 | 3.9 | 2.6 | | | | |
| 45-64 YEARS..... | 100.0 | 78.7 | 21.3 | 15.7 | 7.2 | 8.6 | 5.6 | | | | |
| 65-69 YEARS..... | 100.0 | 68.1 | 31.9 | 25.1 | 12.0 | 13.2 | 6.8 | | | | |
| 70 YEARS AND OVER..... | 100.0 | 66.6 | 33.4 | 13.1 | 5.5 | 7.6 | 20.3 | | | | |
| \$35,000 OR MORE | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 91.8 | 8.2 | 5.1 | 1.7 | 3.4 | 3.0 | | | | |
| UNDER 18 YEARS..... | 100.0 | 96.0 | 4.0 | 2.6 | 0.4 | 2.2 | 1.5 | | | | |
| 18-44 YEARS..... | 100.0 | 93.8 | 6.2 | 3.8 | 1.1 | 2.7 | 2.4 | | | | |
| 45-64 YEARS..... | 100.0 | 87.0 | 13.0 | 8.4 | 3.2 | 5.2 | 4.6 | | | | |
| 65-69 YEARS..... | 100.0 | 72.5 | 27.5 | 20.8 | 9.7 | 11.1 | 6.7 | | | | |
| 70 YEARS AND OVER..... | 100.0 | 67.8 | 32.2 | 15.3 | 7.4 | 8.0 | 16.8 | | | | |
| GEOGRAPHIC REGION | | | | | | | | | | | |
| NORTHEAST..... | 100.0 | 86.9 | 13.1 | 8.6 | 3.7 | 4.9 | 4.5 | | | | |
| MIDWEST..... | 100.0 | 86.3 | 13.7 | 9.3 | 3.8 | 5.6 | 4.4 | | | | |
| SOUTH..... | 100.0 | 84.8 | 15.2 | 10.5 | 4.7 | 5.9 | 4.7 | | | | |
| WEST..... | 100.0 | 86.5 | 13.5 | 9.2 | 4.0 | 5.2 | 4.3 | | | | |
| PLACE OF RESIDENCE | | | | | | | | | | | |
| MSA..... | 100.0 | 86.7 | 13.3 | 9.0 | 3.9 | 5.2 | 4.3 | | | | |
| CENTRAL CITY..... | 100.0 | 85.4 | 14.6 | 10.1 | 4.7 | 5.4 | 4.5 | | | | |
| NOT CENTRAL CITY..... | 100.0 | 87.5 | 12.5 | 8.4 | 3.4 | 5.0 | 4.1 | | | | |
| NOT MSA..... | 100.0 | 83.4 | 16.6 | 11.4 | 5.0 | 6.4 | 5.2 | | | | |

¹ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II, THE FREQUENCIES OF TABLE 68 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II, THE FREQUENCIES OF TABLE 68 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 68. NUMBER OF PERSONS BY DEGREE OF ACTIVITY LIMITATION DUE TO CHRONIC CONDITIONS AND SOCIODEMOGRAPHIC CHARACTERISTICS:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | DEGREE OF ACTIVITY LIMITATION | | | | | | LIMITED, BUT NOT IN MAJOR ACTIVITY |
|--------------------------------|-------------------------------|-----------------------------------|--------------------------------|--|--|---|---|
| | ALL PERSONS | WITH NO ACTIVITY LIMITATION | WITH ACTIVITY LIMITATION | WITH LIMITATION IN MAJOR ACTIVITY | UNABLE TO CARRY ON MAJOR ACTIVITY | LIMITED IN AMOUNT OR KIND OF MAJOR ACTIVITY | |
| | NUMBER IN THOUSANDS | | | | | | |
| ALL PERSONS ¹ | 243,532 | 209,314 | 34,218 | 23,298 | 10,052 | 13,246 | 10,920 |
| AGE | | | | | | | |
| UNDER 18 YEARS..... | 64,003 | 60,598 | 3,405 | 2,427 | 353 | 2,075 | 978 |
| 18-44 YEARS..... | 104,196 | 94,778 | 9,418 | 6,595 | 2,696 | 3,899 | 2,823 |
| 45-64 YEARS..... | 46,114 | 35,899 | 10,215 | 7,615 | 4,051 | 3,564 | 2,600 |
| 65 YEARS AND OVER..... | 29,219 | 18,039 | 11,180 | 6,661 | 2,952 | 3,708 | 4,519 |
| 65-69 YEARS..... | 9,903 | 6,250 | 3,653 | 2,887 | 1,557 | 1,330 | 766 |
| 70 YEARS AND OVER..... | 19,316 | 11,789 | 7,527 | 3,774 | 1,395 | 2,378 | 3,753 |
| SEX AND AGE | | | | | | | |
| MALE | | | | | | | |
| ALL AGES..... | 118,009 | 101,892 | 16,117 | 11,397 | 5,480 | 5,917 | 4,720 |
| UNDER 18 YEARS..... | 32,752 | 30,677 | 2,075 | 1,506 | 204 | 1,302 | 569 |
| 18-44 YEARS..... | 51,044 | 46,420 | 4,624 | 3,405 | 1,477 | 1,929 | 1,218 |
| 45-64 YEARS..... | 22,070 | 17,337 | 4,733 | 3,734 | 2,303 | 1,431 | 999 |
| 65-69 YEARS..... | 4,553 | 2,808 | 1,745 | 1,521 | 946 | 575 | 224 |
| 70 YEARS AND OVER..... | 7,590 | 4,650 | 2,940 | 1,230 | 550 | 681 | 1,709 |
| FEMALE | | | | | | | |
| ALL AGES..... | 125,523 | 107,422 | 18,101 | 11,901 | 4,572 | 7,329 | 6,200 |
| UNDER 18 YEARS..... | 31,251 | 29,921 | 1,330 | 922 | 149 | 773 | 408 |
| 18-44 YEARS..... | 53,152 | 48,358 | 4,794 | 3,190 | 1,219 | 1,970 | 1,604 |
| 45-64 YEARS..... | 24,044 | 18,562 | 5,482 | 3,881 | 1,747 | 2,133 | 1,601 |
| 65-69 YEARS..... | 5,350 | 3,442 | 1,908 | 1,366 | 611 | 755 | 542 |
| 70 YEARS AND OVER..... | 11,726 | 7,139 | 4,587 | 2,543 | 846 | 1,698 | 2,044 |
| RACE AND AGE | | | | | | | |
| WHITE | | | | | | | |
| ALL AGES..... | 205,312 | 176,228 | 29,084 | 19,429 | 8,063 | 11,366 | 9,655 |
| UNDER 18 YEARS..... | 51,549 | 48,778 | 2,771 | 1,966 | 264 | 1,703 | 805 |
| 18-44 YEARS..... | 87,429 | 79,561 | 7,869 | 5,402 | 2,083 | 3,319 | 2,466 |
| 45-64 YEARS..... | 40,022 | 31,402 | 8,620 | 6,340 | 3,213 | 3,127 | 2,280 |
| 65-69 YEARS..... | 8,814 | 5,672 | 3,142 | 2,464 | 1,300 | 1,163 | 678 |
| 70 YEARS AND OVER..... | 17,498 | 10,815 | 6,682 | 3,256 | 1,202 | 2,054 | 3,426 |
| BLACK | | | | | | | |
| ALL AGES..... | 29,891 | 25,449 | 4,441 | 3,364 | 1,770 | 1,594 | 1,077 |
| UNDER 18 YEARS..... | 9,959 | 9,397 | 561 | 406 | 84 | 323 | 155 |
| 18-44 YEARS..... | 12,766 | 11,463 | 1,303 | 1,014 | 536 | 478 | 289 |
| 45-64 YEARS..... | 4,712 | 3,322 | 1,390 | 1,119 | 745 | 374 | 271 |
| 65-69 YEARS..... | 905 | 463 | 442 | 363 | 232 | 132 | 78 |
| 70 YEARS AND OVER..... | 1,548 | 803 | 746 | 461 | 173 | 288 | 284 |

SEE FOOTNOTE AND NOTES AT END OF TABLE.

TABLE 68. NUMBER OF PERSONS BY DEGREE OF ACTIVITY LIMITATION DUE TO CHRONIC CONDITIONS AND SOCIODEMOGRAPHIC CHARACTERISTICS:
UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | DEGREE OF ACTIVITY LIMITATION | | | | | | | | | | | |
|------------------------------|-------------------------------|-----------------------------|--------------------------|-----------------------------------|-----------------------------------|---|------------------------------------|--|--|--|--|--|
| | ALL PERSONS | WITH NO ACTIVITY LIMITATION | WITH ACTIVITY LIMITATION | WITH LIMITATION IN MAJOR ACTIVITY | UNABLE TO CARRY ON MAJOR ACTIVITY | LIMITED IN AMOUNT OR KIND OF MAJOR ACTIVITY | LIMITED, BUT NOT IN MAJOR ACTIVITY | | | | | |
| | | | | | | | | | | | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| ALL AGES..... | 26,185 | 19,171 | 7,014 | 5,073 | 2,550 | 2,523 | 1,941 | | | | | |
| UNDER 18 YEARS..... | 7,447 | 6,812 | 635 | 485 | 68 | 417 | 150 | | | | | |
| 18-44 YEARS..... | 9,763 | 8,046 | 1,717 | 1,303 | 715 | 589 | 414 | | | | | |
| 45-64 YEARS..... | 3,363 | 1,992 | 1,870 | 1,556 | 1,062 | 494 | 315 | | | | | |
| 65-69 YEARS..... | 1,427 | 614 | 813 | 633 | 373 | 260 | 180 | | | | | |
| 70 YEARS AND OVER..... | 4,185 | 2,206 | 1,979 | 1,097 | 333 | 764 | 882 | | | | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 41,040 | 33,069 | 7,972 | 5,511 | 2,498 | 3,013 | 2,461 | | | | | |
| UNDER 18 YEARS..... | 10,640 | 9,920 | 720 | 551 | 68 | 483 | 169 | | | | | |
| 18-44 YEARS..... | 15,915 | 13,943 | 1,972 | 1,432 | 629 | 803 | 540 | | | | | |
| 45-64 YEARS..... | 6,483 | 4,365 | 2,118 | 1,686 | 987 | 699 | 432 | | | | | |
| 65-69 YEARS..... | 2,586 | 1,561 | 1,025 | 849 | 456 | 393 | 176 | | | | | |
| 70 YEARS AND OVER..... | 5,416 | 3,279 | 2,137 | 993 | 357 | 636 | 1,144 | | | | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| ALL AGES..... | 56,718 | 49,990 | 6,728 | 4,496 | 1,692 | 2,804 | 2,232 | | | | | |
| UNDER 18 YEARS..... | 15,776 | 15,020 | 756 | 521 | 84 | 437 | 235 | | | | | |
| 18-44 YEARS..... | 25,856 | 23,705 | 2,151 | 1,485 | 477 | 1,009 | 665 | | | | | |
| 45-64 YEARS..... | 9,843 | 7,743 | 2,100 | 1,550 | 708 | 842 | 550 | | | | | |
| 65-69 YEARS..... | 2,096 | 1,427 | 669 | 527 | 251 | 276 | 143 | | | | | |
| 70 YEARS AND OVER..... | 3,146 | 2,094 | 1,052 | 413 | 173 | 240 | 638 | | | | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 80,203 | 73,644 | 6,559 | 4,119 | 1,378 | 2,740 | 2,440 | | | | | |
| UNDER 18 YEARS..... | 21,488 | 20,621 | 867 | 550 | 82 | 468 | 317 | | | | | |
| 18-44 YEARS..... | 37,310 | 34,997 | 2,314 | 1,436 | 429 | 1,008 | 877 | | | | | |
| 45-64 YEARS..... | 17,921 | 15,586 | 2,335 | 1,507 | 571 | 936 | 829 | | | | | |
| 65-69 YEARS..... | 1,652 | 1,198 | 454 | 344 | 161 | 184 | 110 | | | | | |
| 70 YEARS AND OVER..... | 1,831 | 1,242 | 589 | 281 | 136 | 146 | 308 | | | | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 48,930 | 42,505 | 6,425 | 4,213 | 1,834 | 2,379 | 2,212 | | | | | |
| MIDWEST..... | 59,540 | 51,399 | 8,141 | 5,550 | 2,242 | 3,308 | 2,591 | | | | | |
| SOUTH..... | 83,148 | 70,487 | 12,661 | 8,761 | 3,885 | 4,877 | 3,900 | | | | | |
| WEST..... | 51,913 | 44,923 | 6,991 | 4,773 | 2,091 | 2,682 | 2,218 | | | | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| HSA..... | 189,860 | 164,559 | 25,301 | 17,160 | 7,353 | 9,807 | 8,141 | | | | | |
| CENTRAL CITY..... | 74,410 | 63,527 | 10,883 | 7,515 | 3,465 | 4,049 | 3,368 | | | | | |
| NOT CENTRAL CITY..... | 115,450 | 101,032 | 14,418 | 9,645 | 3,888 | 5,758 | 4,773 | | | | | |
| NOT MSA..... | 53,672 | 44,755 | 8,917 | 6,138 | 2,699 | 3,439 | 2,779 | | | | | |

¹INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 366,000 HAS A 10-PERCENT RSE; OF 91,000, A 20-PERCENT RSE; AND OF 41,000, A 30-PERCENT RSE.

TABLE 69. NUMBER OF DAYS PER PERSON PER YEAR AND NUMBER OF DAYS OF ACTIVITY RESTRICTION DUE TO ACUTE AND CHRONIC CONDITIONS, BY TYPE OF RESTRICTION AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | TYPE OF RESTRICTION | | | | | |
|--------------------------------|---------------------------|----------------|----------------------------------|-----------------------------|----------------|----------------------------------|
| | ALL TYPES | BED DISABILITY | WORK OR SCHOOL LOSS ¹ | ALL TYPES | BED DISABILITY | WORK OR SCHOOL LOSS ¹ |
| | NUMBER OF DAYS PER PERSON | | | NUMBER OF DAYS IN THOUSANDS | | |
| ALL PERSONS ² | 15.2 | 6.5 | 5.7 | 3,693,063 | 1,579,015 | 918,687 |
| AGE | | | | | | |
| UNDER 5 YEARS | 10.6 | 5.1 | *** | 198,844 | 96,358 | *** |
| 5-17 YEARS | 10.0 | 4.9 | 5.7 | 452,579 | 221,476 | 259,967 |
| 18 YEARS AND OVER | 16.9 | 7.0 | 5.6 | 3,041,640 | 1,261,181 | 658,720 |
| 18-24 YEARS | 9.9 | 4.1 | 4.7 | 250,856 | 103,686 | 83,430 |
| 25-44 YEARS | 12.7 | 4.9 | 5.6 | 1,000,770 | 388,463 | 359,910 |
| 45-64 YEARS | 18.9 | 7.7 | 6.0 | 871,017 | 353,898 | 187,857 |
| 65 YEARS AND OVER | 31.5 | 14.2 | 7.1 | 918,996 | 415,134 | 275,523 |
| SEX AND AGE | | | | | | |
| MALE | | | | | | |
| ALL AGES | 13.2 | 5.5 | 5.2 | 1,558,251 | 652,452 | 451,466 |
| UNDER 5 YEARS | 11.4 | 5.0 | *** | 109,576 | 48,308 | *** |
| 5-17 YEARS | 9.9 | 4.6 | 5.6 | 228,090 | 105,351 | 129,345 |
| 18 YEARS AND OVER | 14.3 | 5.9 | 5.0 | 1,220,585 | 498,792 | 322,121 |
| 18-24 YEARS | 7.5 | 3.1 | 4.2 | 93,392 | 38,123 | 38,780 |
| 25-44 YEARS | 10.7 | 3.8 | 4.8 | 411,654 | 147,713 | 169,925 |
| 45-64 YEARS | 16.0 | 6.4 | 5.6 | 352,404 | 142,250 | 97,453 |
| 65 YEARS AND OVER | 29.9 | 14.1 | 7.2 | 363,136 | 170,706 | 15,963 |
| FEMALE | | | | | | |
| ALL AGES | 17.0 | 7.4 | 6.2 | 2,134,812 | 926,563 | 467,222 |
| UNDER 5 YEARS | 9.7 | 5.2 | *** | 89,268 | 48,050 | *** |
| 5-17 YEARS | 10.2 | 5.3 | 5.9 | 224,489 | 116,125 | 130,623 |
| 18 YEARS AND OVER | 19.3 | 8.1 | 6.4 | 1,821,055 | 762,388 | 336,599 |
| 18-24 YEARS | 12.1 | 5.0 | 5.3 | 157,465 | 65,563 | 44,650 |
| 25-44 YEARS | 14.7 | 6.0 | 6.6 | 589,116 | 240,749 | 189,985 |
| 45-64 YEARS | 21.6 | 8.8 | 6.5 | 518,614 | 211,648 | 90,404 |
| 65 YEARS AND OVER | 32.6 | 14.3 | 7.0 | 555,861 | 244,428 | 11,560 |
| RACE AND AGE | | | | | | |
| WHITE | | | | | | |
| ALL AGES | 15.0 | 6.3 | 5.5 | 3,086,574 | 1,296,498 | 762,092 |
| UNDER 5 YEARS | 10.9 | 5.0 | *** | 164,857 | 75,714 | *** |
| 5-17 YEARS | 10.5 | 5.2 | 6.0 | 383,866 | 188,573 | 219,825 |
| 18 YEARS AND OVER | 16.5 | 6.7 | 5.4 | 2,537,851 | 1,032,211 | 542,267 |
| 18-24 YEARS | 9.7 | 3.8 | 4.6 | 201,636 | 80,386 | 70,067 |
| 25-44 YEARS | 12.3 | 4.6 | 5.3 | 817,093 | 309,294 | 291,834 |
| 45-64 YEARS | 17.9 | 7.2 | 5.7 | 717,409 | 288,395 | 155,508 |
| 65 YEARS AND OVER | 30.5 | 13.5 | 7.2 | 801,713 | 354,136 | 24,859 |
| BLACK | | | | | | |
| ALL AGES | 17.1 | 8.0 | 6.7 | 511,335 | 239,252 | 129,543 |
| UNDER 5 YEARS | 9.3 | 5.6 | *** | 26,896 | 16,141 | *** |
| 5-17 YEARS | 8.5 | 3.9 | 4.9 | 60,228 | 27,855 | 34,850 |
| 18 YEARS AND OVER | 21.3 | 9.8 | 7.7 | 424,210 | 195,256 | 94,693 |
| 18-24 YEARS | 12.2 | 5.6 | 6.0 | 43,543 | 19,820 | 12,197 |
| 25-44 YEARS | 16.2 | 7.1 | 7.8 | 149,131 | 65,730 | 54,322 |
| 45-64 YEARS | 27.8 | 12.3 | 8.8 | 130,794 | 58,146 | 25,773 |
| 65 YEARS AND OVER | 41.1 | 21.0 | 7.5 | 100,743 | 51,560 | 2,402 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 69. NUMBER OF DAYS PER PERSON PER YEAR AND NUMBER OF DAYS OF ACTIVITY RESTRICTION DUE TO ACUTE AND CHRONIC CONDITIONS, BY TYPE OF RESTRICTION AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX III)

| CHARACTERISTIC | TYPE OF RESTRICTION | | | | | |
|------------------------------|---------------------|----------------|----------------------------------|-----------|----------------|----------------------------------|
| | ALL TYPES | BED DISABILITY | WORK OR SCHOOL LOSS ¹ | ALL TYPES | BED DISABILITY | WORK OR SCHOOL LOSS ¹ |
| FAMILY INCOME AND AGE | | | | | | |
| LESS THAN \$10,000 | | | | | | |
| ALL AGES | 26.5 | 12.2 | 7.2 | 693,856 | 318,556 | 80,368 |
| UNDER 5 YEARS | 10.4 | 6.0 | *** | 25,806 | 14,851 | *** |
| 5-17 YEARS | 11.5 | 5.9 | 6.6 | 57,104 | 29,084 | 32,616 |
| 18 YEARS AND OVER | 32.6 | 14.7 | 7.7 | 610,946 | 274,621 | 47,752 |
| 18-24 YEARS | 12.4 | 5.3 | 4.0 | 54,635 | 23,369 | 8,882 |
| 25-44 YEARS | 27.3 | 11.6 | 10.3 | 146,341 | 62,267 | 26,209 |
| 45-64 YEARS | 52.8 | 24.1 | 10.2 | 177,658 | 80,983 | 10,533 |
| 65 YEARS AND OVER | 41.4 | 19.2 | *5.2 | 232,311 | 108,003 | 2,128 |
| \$10,000-\$19,999 | | | | | | |
| ALL AGES | 18.7 | 8.2 | 6.6 | 768,149 | 334,501 | 153,831 |
| UNDER 5 YEARS | 11.6 | 5.4 | *** | 38,928 | 18,155 | *** |
| 5-17 YEARS | 9.5 | 4.6 | 5.9 | 69,355 | 33,788 | 43,082 |
| 18 YEARS AND OVER | 21.7 | 9.3 | 6.9 | 659,867 | 282,558 | 110,749 |
| 18-24 YEARS | 12.5 | 5.0 | 5.6 | 58,966 | 23,345 | 17,727 |
| 25-44 YEARS | 16.3 | 6.5 | 7.4 | 183,272 | 72,753 | 63,008 |
| 45-64 YEARS | 26.2 | 11.6 | 7.2 | 169,860 | 75,276 | 25,836 |
| 65 YEARS AND OVER | 31.0 | 13.9 | *4.9 | 247,769 | 111,184 | 4,178 |
| \$20,000-\$34,999 | | | | | | |
| ALL AGES | 13.3 | 5.2 | 6.1 | 751,965 | 296,046 | 245,804 |
| UNDER 5 YEARS | 10.2 | 5.0 | *** | 49,418 | 24,317 | *** |
| 5-17 YEARS | 10.2 | 5.2 | 6.1 | 111,790 | 57,006 | 66,313 |
| 18 YEARS AND OVER | 14.4 | 5.2 | 6.1 | 590,757 | 214,722 | 179,491 |
| 18-24 YEARS | 10.7 | 3.9 | 5.4 | 55,855 | 20,559 | 21,969 |
| 25-44 YEARS | 12.6 | 4.3 | 5.9 | 258,861 | 88,075 | 104,200 |
| 45-64 YEARS | 16.9 | 6.6 | 6.8 | 165,926 | 64,723 | 46,253 |
| 65 YEARS AND OVER | 21.0 | 7.9 | *8.4 | 110,115 | 41,364 | 7,070 |
| \$35,000 OR MORE | | | | | | |
| ALL AGES | 9.9 | 4.0 | 4.6 | 797,505 | 321,029 | 293,669 |
| UNDER 5 YEARS | 10.6 | 4.5 | *** | 60,406 | 25,766 | *** |
| 5-17 YEARS | 9.3 | 4.3 | 5.1 | 147,473 | 68,211 | 80,525 |
| 18 YEARS AND OVER | 10.0 | 3.9 | 4.5 | 589,626 | 227,052 | 213,144 |
| 18-24 YEARS | 6.9 | 2.9 | 4.0 | 48,201 | 20,342 | 21,982 |
| 25-44 YEARS | 8.7 | 3.5 | 4.3 | 263,339 | 105,126 | 114,294 |
| 45-64 YEARS | 11.0 | 3.8 | 5.0 | 197,788 | 67,899 | 72,364 |
| 65 YEARS AND OVER | 23.0 | 9.7 | *5.3 | 80,298 | 33,685 | 4,503 |
| GEOGRAPHIC REGION | | | | | | |
| NORTHEAST | 13.7 | 5.6 | 5.3 | 668,797 | 276,263 | 170,839 |
| MIDWEST | 13.6 | 5.5 | 5.3 | 812,380 | 324,592 | 214,474 |
| SOUTH | 16.7 | 7.3 | 5.9 | 1,391,864 | 609,216 | 324,145 |
| WEST | 15.8 | 7.1 | 6.0 | 820,021 | 368,943 | 209,229 |
| PLACE OF RESIDENCE | | | | | | |
| MSA | 15.0 | 6.4 | 5.6 | 2,842,965 | 1,215,023 | 718,258 |
| CENTRAL CITY | 16.3 | 7.4 | 6.2 | 1,210,177 | 552,422 | 294,519 |
| NOT CENTRAL CITY | 14.1 | 5.7 | 5.3 | 1,632,788 | 662,600 | 423,739 |
| NOT MSA | 15.8 | 6.8 | 5.8 | 850,098 | 363,992 | 200,429 |

¹SUM OF SCHOOL-LOSS DAYS FOR CHILDREN 5-17 YEARS OF AGE AND WORK-LOSS DAYS FOR CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER. SCHOOL-LOSS DAYS ARE SHOWN FOR THE AGE GROUP 5-17 YEARS; WORK-LOSS DAYS ARE SHOWN FOR THE AGE GROUP 18 YEARS AND OVER AND EACH OLDER AGE GROUP.

²INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, AGE AND SEX, AND RACE AND AGE FOR COLUMNS 1 AND 2 CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II, THE FREQUENCIES OF TABLE 69 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMNS 1 AND 2 CAN BE COMPUTED BY USING PARAMETER SETS II AND X OF TABLE II, THE FREQUENCIES OF TABLES 69 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMN 3 (WORK-LOSS) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 69 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. THE SE'S AND RSE'S FOR AGE, AGE AND SEX, AND RACE AND AGE FOR COLUMN 3 (SCHOOL-LOSS) CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II, THE FREQUENCIES OF TABLE 69 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMN 3 (SCHOOL-LOSS) CAN BE COMPUTED BY USING PARAMETER SETS III AND X OF TABLE II, THE FREQUENCIES OF TABLES 69 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 4 AND 5 CAN BE COMPUTED BY USING PARAMETER SET II OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMN 6 CAN BE COMPUTED BY USING PARAMETER SET III OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. FOR RESTRICTED-ACTIVITY AND BED-DAYS, AN ESTIMATE OF 49.3 MILLION HAS AN RSE OF 10 PERCENT; 12 MILLION, OF 20 PERCENT; AND 5.3 MILLION, OF 30 PERCENT. FOR WORK- OR SCHOOL-LOSS DAYS, AN ESTIMATE OF 36.3 MILLION HAS AN RSE OF 10 PERCENT; 8.9 MILLION, OF 20 PERCENT; AND 4 MILLION, OF 30 PERCENT. RATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 70. NUMBER OF PERSONS AND PERCENT DISTRIBUTION BY RESPONDENT-ASSESSED HEALTH STATUS, ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | NUMBER IN THOUSANDS | RESPONDENT-ASSESSED HEALTH STATUS | | | | | |
|--------------------------|---------------------|-----------------------------------|----------------------------------|----------------------|----------------------|----------------------|----------------------|
| | | ALL PERSONS ¹ | ALL HEALTH STATUSES ² | EXCELLENT | VERY GOOD | GOOD | FAIR |
| | | | | PERCENT DISTRIBUTION | PERCENT DISTRIBUTION | PERCENT DISTRIBUTION | PERCENT DISTRIBUTION |
| ALL PERSONS ³ | 243,532 | 100.0 | 39.7 | 28.1 | 22.6 | 7.0 | 2.6 |
| AGE | | | | | | | |
| UNDER 5 YEARS | 18,768 | 100.0 | 54.8 | 26.9 | 15.7 | 2.4 | 0.3 |
| 5-17 YEARS | 45,235 | 100.0 | 52.6 | 26.9 | 17.9 | 2.3 | 0.3 |
| 18-24 YEARS | 25,401 | 100.0 | 44.6 | 30.7 | 20.5 | 3.7 | 0.5 |
| 25-44 YEARS | 78,795 | 100.0 | 42.0 | 30.7 | 20.9 | 5.1 | 1.3 |
| 45-64 YEARS | 46,114 | 100.0 | 28.9 | 26.9 | 28.0 | 11.0 | 5.2 |
| 65 YEARS AND OVER | 29,219 | 100.0 | 16.4 | 23.1 | 31.9 | 19.3 | 9.2 |
| SEX AND AGE | | | | | | | |
| MALE | | | | | | | |
| ALL AGES | 118,009 | 100.0 | 42.8 | 27.7 | 20.8 | 6.0 | 2.7 |
| UNDER 5 YEARS | 9,606 | 100.0 | 53.7 | 27.5 | 15.9 | 2.7 | *0.3 |
| 5-17 YEARS | 23,145 | 100.0 | 54.1 | 26.0 | 17.6 | 2.1 | 0.3 |
| 18-24 YEARS | 12,396 | 100.0 | 50.5 | 28.6 | 17.8 | 2.7 | 0.4 |
| 25-44 YEARS | 38,648 | 100.0 | 45.7 | 30.2 | 18.7 | 4.1 | 1.3 |
| 45-64 YEARS | 22,070 | 100.0 | 31.4 | 27.0 | 26.3 | 10.0 | 5.4 |
| 65 YEARS AND OVER | 12,143 | 100.0 | 16.9 | 23.2 | 30.8 | 18.4 | 10.7 |
| FEMALE | | | | | | | |
| ALL AGES | 125,523 | 100.0 | 36.7 | 28.5 | 24.3 | 8.0 | 2.6 |
| UNDER 5 YEARS | 9,162 | 100.0 | 55.9 | 26.3 | 15.5 | 2.1 | *0.3 |
| 5-17 YEARS | 22,089 | 100.0 | 51.1 | 27.9 | 18.2 | 2.5 | 0.3 |
| 18-24 YEARS | 13,005 | 100.0 | 38.9 | 32.8 | 23.0 | 4.7 | 0.5 |
| 25-44 YEARS | 40,147 | 100.0 | 38.4 | 31.2 | 23.1 | 6.0 | 1.3 |
| 45-64 YEARS | 24,044 | 100.0 | 26.6 | 26.9 | 29.6 | 11.9 | 4.9 |
| 65 YEARS AND OVER | 17,076 | 100.0 | 16.1 | 23.0 | 32.8 | 20.0 | 8.1 |
| RACE AND AGE | | | | | | | |
| WHITE | | | | | | | |
| ALL AGES | 205,312 | 100.0 | 41.0 | 28.5 | 21.5 | 6.5 | 2.5 |
| UNDER 5 YEARS | 15,109 | 100.0 | 56.9 | 27.1 | 13.7 | 2.1 | *0.2 |
| 5-17 YEARS | 36,440 | 100.0 | 55.4 | 27.2 | 15.4 | 1.9 | 0.3 |
| 18-24 YEARS | 20,886 | 100.0 | 46.2 | 31.2 | 18.8 | 3.3 | 0.5 |
| 25-44 YEARS | 66,543 | 100.0 | 43.7 | 31.3 | 19.5 | 4.4 | 1.2 |
| 45-64 YEARS | 40,022 | 100.0 | 30.5 | 27.6 | 27.5 | 9.8 | 4.7 |
| 65 YEARS AND OVER | 26,312 | 100.0 | 17.0 | 23.6 | 32.4 | 18.5 | 8.5 |
| BLACK | | | | | | | |
| ALL AGES | 29,891 | 100.0 | 31.3 | 25.3 | 28.8 | 10.7 | 3.8 |
| UNDER 5 YEARS | 2,881 | 100.0 | 45.8 | 25.8 | 23.9 | 4.0 | *0.5 |
| 5-17 YEARS | 7,077 | 100.0 | 40.8 | 25.0 | 29.5 | 4.2 | 0.6 |
| 18-24 YEARS | 3,562 | 100.0 | 35.3 | 29.2 | 29.2 | 5.8 | *0.5 |
| 25-44 YEARS | 9,204 | 100.0 | 31.2 | 27.3 | 29.0 | 9.9 | 2.5 |
| 45-64 YEARS | 4,712 | 100.0 | 16.5 | 22.0 | 31.9 | 20.7 | 8.9 |
| 65 YEARS AND OVER | 2,453 | 100.0 | 10.8 | 18.8 | 25.5 | 28.3 | 16.6 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 70. NUMBER OF PERSONS AND PERCENT DISTRIBUTION BY RESPONDENT-ASSESSED HEALTH STATUS, ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | NUMBER IN THOUSANDS | RESPONDENT-ASSESSED HEALTH STATUS | | | | | | |
|------------------------------|---------------------|-----------------------------------|----------------------------|-----------|-----------|------|------|--|
| | | ALL HEALTH STATUS ¹ | | EXCELLENT | VERY GOOD | GOOD | FAIR | |
| | | ALL PERSONS ¹ | HEALTH STATUS ² | | | | POOR | |
| FAMILY INCOME AND AGE | | | | | | | | |
| UNDER \$10,000 | | | | | | | | |
| ALL AGES..... | 26,185 | 100.0 | 24.3 | 23.4 | 29.7 | 14.8 | 7.8 | |
| UNDER 5 YEARS..... | 2,476 | 100.0 | 38.9 | 25.6 | 29.9 | 5.1 | *0.5 | |
| 5-17 YEARS..... | 4,971 | 100.0 | 35.4 | 24.5 | 32.9 | 6.0 | 1.2 | |
| 18-24 YEARS..... | 4,413 | 100.0 | 33.3 | 33.8 | 26.3 | 5.7 | *0.9 | |
| 25-44 YEARS..... | 5,351 | 100.0 | 22.8 | 23.2 | 31.8 | 15.8 | 6.3 | |
| 45-64 YEARS..... | 3,363 | 100.0 | 11.3 | 13.4 | 25.8 | 28.1 | 21.4 | |
| 65 YEARS AND OVER..... | 5,612 | 100.0 | 10.3 | 19.4 | 29.7 | 25.0 | 15.6 | |
| \$10,000-\$19,999 | | | | | | | | |
| ALL AGES..... | 41,040 | 100.0 | 30.9 | 26.7 | 28.0 | 10.5 | 3.8 | |
| UNDER 5 YEARS..... | 3,368 | 100.0 | 47.7 | 28.8 | 20.2 | 2.9 | *0.4 | |
| 5-17 YEARS..... | 7,272 | 100.0 | 43.2 | 28.4 | 24.1 | 3.8 | *0.4 | |
| 18-24 YEARS..... | 4,699 | 100.0 | 37.5 | 30.9 | 25.4 | 5.6 | *0.6 | |
| 25-44 YEARS..... | 11,216 | 100.0 | 33.5 | 29.7 | 26.8 | 7.9 | 2.1 | |
| 45-64 YEARS..... | 6,483 | 100.0 | 19.2 | 21.9 | 33.3 | 16.9 | 8.6 | |
| 65 YEARS AND OVER..... | 8,002 | 100.0 | 14.8 | 21.7 | 33.9 | 21.1 | 8.5 | |
| \$20,000-\$34,999 | | | | | | | | |
| ALL AGES..... | 56,718 | 100.0 | 40.7 | 30.2 | 21.7 | 5.7 | 1.6 | |
| UNDER 5 YEARS..... | 4,824 | 100.0 | 58.3 | 27.6 | 12.0 | 1.9 | *0.1 | |
| 5-17 YEARS..... | 10,952 | 100.0 | 51.7 | 30.5 | 15.9 | 1.8 | *0.2 | |
| 18-24 YEARS..... | 5,239 | 100.0 | 48.0 | 30.5 | 18.2 | 3.0 | *0.3 | |
| 25-44 YEARS..... | 20,617 | 100.0 | 40.8 | 32.8 | 21.1 | 4.3 | 1.0 | |
| 45-64 YEARS..... | 9,843 | 100.0 | 26.9 | 28.1 | 30.2 | 11.1 | 3.7 | |
| 65 YEARS AND OVER..... | 5,242 | 100.0 | 20.2 | 25.7 | 32.5 | 15.7 | 5.9 | |
| \$35,000 OR MORE | | | | | | | | |
| ALL AGES..... | 80,203 | 100.0 | 50.5 | 29.0 | 16.8 | 3.0 | 0.8 | |
| UNDER 5 YEARS..... | 5,678 | 100.0 | 63.8 | 25.3 | 9.6 | 1.1 | *0.2 | |
| 5-17 YEARS..... | 15,810 | 100.0 | 64.1 | 24.1 | 10.8 | 0.9 | *0.1 | |
| 18-24 YEARS..... | 7,032 | 100.0 | 55.2 | 28.1 | 14.7 | 1.7 | *0.3 | |
| 25-44 YEARS..... | 30,279 | 100.0 | 49.7 | 31.5 | 16.0 | 2.4 | 0.3 | |
| 45-64 YEARS..... | 17,921 | 100.0 | 38.4 | 30.8 | 24.0 | 5.2 | 1.6 | |
| 65 YEARS AND OVER..... | 3,484 | 100.0 | 26.0 | 26.8 | 30.3 | 11.7 | 5.1 | |
| GEOGRAPHIC REGION | | | | | | | | |
| NORTHEAST..... | 48,930 | 100.0 | 40.5 | 29.4 | 21.9 | 6.2 | 2.0 | |
| MIDWEST..... | 59,540 | 100.0 | 40.6 | 29.0 | 21.6 | 6.6 | 2.1 | |
| SOUTH..... | 83,148 | 100.0 | 37.5 | 26.7 | 24.0 | 8.3 | 3.5 | |
| WEST..... | 51,913 | 100.0 | 41.3 | 28.0 | 22.0 | 6.2 | 2.4 | |
| PLACE OF RESIDENCE | | | | | | | | |
| MSA..... | 189,860 | 100.0 | 40.8 | 28.2 | 22.0 | 6.6 | 2.4 | |
| CENTRAL CITY..... | 74,410 | 100.0 | 37.3 | 27.4 | 24.3 | 8.2 | 2.8 | |
| NOT CENTRAL CITY..... | 115,450 | 100.0 | 43.1 | 28.8 | 20.5 | 5.6 | 2.1 | |
| NOT MSA..... | 53,672 | 100.0 | 35.5 | 27.6 | 24.8 | 8.5 | 3.6 | |

¹ INCLUDES UNKNOWN HEALTH STATUS.

² EXCLUDES UNKNOWN HEALTH STATUS.

³ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMN 1 CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. THE SE'S AND RSE'S FOR AGE, SEX AND AGE, AND RACE AND AGE FOR COLUMNS 3-7 CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE III, THE FREQUENCIES OF TABLE 70 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMNS 3-7 CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II, THE FREQUENCIES OF TABLE 70 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. AN ESTIMATE OF 366,000 HAS A 10-PERCENT RSE⁴ OF 91,000, A 20-PERCENT RSE⁵ AND OF 41,000, A 30-PERCENT RSE. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 71. NUMBER PER PERSON PER YEAR AND NUMBER OF PHYSICIAN CONTACTS, BY PLACE OF CONTACT AND SOCIODEMOGRAPHIC CHARACTERISTICS:
UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS,
AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | PLACE OF CONTACT | | | | | | | | | | | |
|--------------------------------|---|-----|-----------|--------|----------|----------------------------------|-------------------------|---------|-----------|---------|----------|-------|
| | ALL PLACES ¹ | | TELEPHONE | OFFICE | HOSPITAL | OTHER | ALL PLACES ¹ | | TELEPHONE | OFFICE | HOSPITAL | OTHER |
| | NUMBER PER PERSON PER YEAR ² | | | | | NUMBER IN THOUSANDS ² | | | | | | |
| ALL PERSONS ³ | 5.4 | 0.6 | 3.2 | 0.7 | 0.8 | | 1,322,890 | 155,431 | 780,153 | 175,067 | 203,433 | |
| AGE | | | | | | | | | | | | |
| UNDER 5 YEARS..... | 6.7 | 1.0 | 4.1 | 0.7 | 0.9 | 126,309 | 19,441 | 76,992 | 12,248 | 16,685 | | |
| 5-17 YEARS..... | 3.5 | 0.4 | 2.2 | 0.5 | 0.4 | 157,698 | 19,356 | 99,007 | 20,420 | 17,967 | | |
| 18-24 YEARS..... | 3.9 | 0.4 | 2.1 | 0.6 | 0.8 | 98,233 | 10,685 | 52,641 | 15,102 | 19,426 | | |
| 25-44 YEARS..... | 5.1 | 0.6 | 3.0 | 0.7 | 0.8 | 398,368 | 46,735 | 232,550 | 52,719 | 64,030 | | |
| 45-64 YEARS..... | 6.1 | 0.8 | 3.6 | 0.9 | 0.9 | 283,351 | 35,032 | 165,682 | 40,399 | 39,602 | | |
| 65-74 YEARS..... | 8.2 | 0.8 | 4.8 | 1.3 | 1.3 | 145,949 | 14,467 | 84,725 | 22,527 | 23,368 | | |
| 75 YEARS AND OVER..... | 9.9 | 0.9 | 6.0 | 1.0 | 2.0 | 112,982 | 9,715 | 68,557 | 11,652 | 22,355 | | |
| SEX AND AGE | | | | | | | | | | | | |
| MALE | | | | | | | | | | | | |
| ALL AGES..... | 4.7 | 0.5 | 2.7 | 0.7 | 0.7 | 551,771 | 60,657 | 318,509 | 82,856 | 86,220 | | |
| UNDER 18 YEARS..... | 4.7 | 0.7 | 2.9 | 0.5 | 0.6 | 155,533 | 22,241 | 95,454 | 17,939 | 18,747 | | |
| 18-44 YEARS..... | 3.4 | 0.3 | 1.8 | 0.6 | 0.6 | 171,895 | 15,440 | 93,576 | 29,334 | 32,583 | | |
| 45-64 YEARS..... | 5.2 | 0.6 | 3.1 | 0.8 | 0.8 | 115,404 | 12,616 | 67,641 | 17,876 | 16,679 | | |
| 65 YEARS AND OVER..... | 9.0 | 0.9 | 5.1 | 1.5 | 1.5 | 108,940 | 10,361 | 62,039 | 17,708 | 18,211 | | |
| FEMALE | | | | | | | | | | | | |
| ALL AGES..... | 6.1 | 0.8 | 3.7 | 0.7 | 0.9 | 771,119 | 94,773 | 461,644 | 92,211 | 117,213 | | |
| UNDER 18 YEARS..... | 4.1 | 0.5 | 2.6 | 0.5 | 0.5 | 128,474 | 16,556 | 80,545 | 14,730 | 15,905 | | |
| 18-44 YEARS..... | 6.1 | 0.8 | 3.6 | 0.7 | 1.0 | 324,706 | 41,980 | 191,615 | 38,487 | 50,873 | | |
| 45-64 YEARS..... | 7.0 | 0.9 | 4.1 | 0.9 | 1.0 | 167,948 | 22,417 | 98,241 | 22,523 | 22,924 | | |
| 65 YEARS AND OVER..... | 8.8 | 0.8 | 5.3 | 1.0 | 1.6 | 149,991 | 13,821 | 91,243 | 16,470 | 27,512 | | |
| RACE AND AGE | | | | | | | | | | | | |
| WHITE | | | | | | | | | | | | |
| ALL AGES..... | 5.6 | 0.7 | 3.4 | 0.7 | 0.8 | 1,148,076 | 140,796 | 690,961 | 141,195 | 167,771 | | |
| UNDER 18 YEARS..... | 4.7 | 0.7 | 3.0 | 0.5 | 0.5 | 243,768 | 35,070 | 154,836 | 25,454 | 26,885 | | |
| 18-44 YEARS..... | 4.9 | 0.6 | 2.9 | 0.6 | 0.8 | 429,272 | 51,847 | 250,836 | 53,895 | 70,557 | | |
| 45-64 YEARS..... | 6.2 | 0.8 | 3.7 | 0.8 | 0.8 | 246,864 | 31,637 | 146,865 | 33,154 | 32,902 | | |
| 65 YEARS AND OVER..... | 8.7 | 0.8 | 5.3 | 1.1 | 1.4 | 228,172 | 22,243 | 138,424 | 28,692 | 37,427 | | |
| BLACK | | | | | | | | | | | | |
| ALL AGES..... | 4.7 | 0.4 | 2.3 | 0.9 | 1.0 | 140,144 | 12,369 | 69,624 | 27,952 | 28,834 | | |
| UNDER 18 YEARS..... | 3.1 | 0.3 | 1.6 | 0.6 | 0.6 | 31,194 | 2,935 | 16,035 | 6,130 | 5,815 | | |
| 18-44 YEARS..... | 4.1 | 0.4 | 2.0 | 0.9 | 0.8 | 52,553 | 4,691 | 25,856 | 11,309 | 10,122 | | |
| 45-64 YEARS..... | 6.3 | 0.6 | 3.3 | 1.2 | 1.1 | 29,512 | 2,931 | 15,430 | 5,797 | 5,024 | | |
| 65 YEARS AND OVER..... | 11.0 | 0.7 | 5.0 | 1.9 | 3.2 | 26,885 | 1,812 | 12,304 | 4,716 | 7,873 | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| ALL AGES..... | 6.8 | 0.7 | 3.4 | 1.2 | 1.5 | 178,685 | 17,376 | 88,911 | 31,401 | 39,899 | | |
| UNDER 18 YEARS..... | 4.5 | 0.4 | 2.3 | 0.9 | 0.8 | 33,348 | 3,019 | 17,004 | 6,985 | 5,979 | | |
| 18-44 YEARS..... | 5.9 | 0.6 | 2.6 | 1.0 | 1.7 | 57,360 | 5,504 | 25,423 | 10,103 | 16,140 | | |
| 45-64 YEARS..... | 8.4 | 0.9 | 4.0 | 1.9 | 1.5 | 28,371 | 3,181 | 13,492 | 6,473 | 4,948 | | |
| 65 YEARS AND OVER..... | 10.6 | 1.0 | 5.9 | 1.4 | 2.3 | 59,605 | 5,672 | 32,993 | 7,842 | 12,832 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 5.8 | 0.7 | 3.2 | 0.8 | 1.1 | 239,204 | 26,978 | 131,838 | 33,651 | 45,378 | | |
| UNDER 18 YEARS..... | 4.0 | 0.6 | 2.1 | 0.6 | 0.7 | 42,348 | 6,148 | 22,848 | 6,130 | 7,002 | | |
| 18-44 YEARS..... | 5.1 | 0.6 | 2.5 | 0.7 | 1.1 | 80,806 | 10,148 | 40,457 | 11,934 | 17,743 | | |
| 45-64 YEARS..... | 7.3 | 0.7 | 4.0 | 1.2 | 1.3 | 47,303 | 4,814 | 26,240 | 7,538 | 8,468 | | |
| 65 YEARS AND OVER..... | 8.6 | 0.7 | 5.3 | 1.0 | 1.5 | 68,747 | 5,868 | 42,293 | 8,048 | 12,165 | | |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 71. NUMBER PER PERSON PER YEAR AND NUMBER OF PHYSICIAN CONTACTS, BY PLACE OF CONTACT AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | PLACE OF CONTACT | | | | | PLACE OF CONTACT | | | | |
|-----------------------------------|-------------------------|-----------|--------|----------|-------|-------------------------|-----------|---------|----------|---------|
| | ALL PLACES ¹ | TELEPHONE | OFFICE | HOSPITAL | OTHER | ALL PLACES ¹ | TELEPHONE | OFFICE | HOSPITAL | OTHER |
| FAMILY INCOME AND AGE—CON. | | | | | | | | | | |
| \$20,000-\$34,999 | | | | | | | | | | |
| ALL AGES..... | | | | | | | | | | |
| ALL AGES..... | 5.3 | 0.7 | 3.2 | 0.7 | 0.7 | 302,987 | 37,628 | 182,743 | 39,920 | 41,823 |
| UNDER 18 YEARS..... | 4.4 | 0.6 | 2.9 | 0.5 | 0.4 | 69,329 | 9,630 | 44,976 | 7,371 | 6,916 |
| 18-64 YEARS..... | 5.1 | 0.6 | 3.0 | 0.7 | 0.8 | 132,002 | 15,349 | 77,441 | 19,110 | 19,933 |
| 45-64 YEARS..... | 6.0 | 0.8 | 3.7 | 0.8 | 0.8 | 59,544 | 7,486 | 36,137 | 7,977 | 7,817 |
| 65 YEARS AND OVER..... | 8.0 | 1.0 | 4.6 | 1.0 | 1.4 | 42,112 | 5,162 | 24,188 | 5,462 | 7,158 |
| \$35,000 OR MORE | | | | | | | | | | |
| ALL AGES..... | 5.2 | 0.7 | 3.3 | 0.6 | 0.6 | 420,121 | 54,936 | 262,000 | 47,580 | 51,935 |
| UNDER 18 YEARS..... | 5.1 | 0.7 | 3.4 | 0.4 | 0.5 | 109,814 | 15,880 | 72,532 | 9,662 | 11,050 |
| 18-64 YEARS..... | 4.5 | 0.6 | 2.8 | 0.5 | 0.6 | 169,045 | 20,776 | 106,178 | 19,760 | 21,106 |
| 45-64 YEARS..... | 6.0 | 0.8 | 3.5 | 0.7 | 0.8 | 106,660 | 14,720 | 63,486 | 12,761 | 14,191 |
| 65 YEARS AND OVER..... | 9.9 | 1.0 | 5.7 | 1.5 | 1.6 | 34,601 | 3,561 | 19,803 | 5,396 | 5,587 |
| GEOGRAPHIC REGION | | | | | | | | | | |
| NORTHEAST..... | 5.4 | 0.6 | 3.2 | 0.9 | 0.7 | 262,920 | 31,007 | 155,154 | 43,017 | 32,118 |
| MIDWEST..... | 5.4 | 0.7 | 3.1 | 0.7 | 0.9 | 322,967 | 41,070 | 183,781 | 43,092 | 53,184 |
| SOUTH..... | 5.4 | 0.6 | 3.4 | 0.6 | 0.8 | 453,069 | 52,318 | 280,119 | 49,055 | 68,586 |
| WEST..... | 5.5 | 0.6 | 3.1 | 0.8 | 1.0 | 283,934 | 31,036 | 161,099 | 39,903 | 49,545 |
| PLACE OF RESIDENCE | | | | | | | | | | |
| MSA..... | 5.5 | 0.7 | 3.2 | 0.7 | 0.8 | 1,036,053 | 125,578 | 604,898 | 139,702 | 159,211 |
| CENTRAL CITY..... | 5.6 | 0.6 | 3.0 | 0.9 | 1.0 | 413,035 | 46,912 | 220,454 | 69,365 | 73,924 |
| NOT CENTRAL CITY..... | 5.4 | 0.7 | 3.3 | 0.6 | 0.7 | 623,017 | 78,666 | 384,444 | 70,337 | 85,288 |
| NOT MSA..... | 5.3 | 0.6 | 3.3 | 0.7 | 0.8 | 286,837 | 29,853 | 175,255 | 35,365 | 44,221 |

¹ INCLUDES UNKNOWN PLACE OF CONTACT.

² DOES NOT INCLUDE PHYSICIAN CONTACTS WHILE AN OVERNIGHT PATIENT IN A HOSPITAL.

³ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE FOR COLUMNS 1-5 CAN BE COMPUTED BY USING PARAMETER SET VI OF TABLE II, THE FREQUENCIES OF TABLE 71 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMNS 1-5 CAN BE COMPUTED BY USING PARAMETER SETS VI AND X OF TABLE II, THE FREQUENCIES OF TABLES 71 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 6-10 CAN BE COMPUTED BY USING PARAMETER SET VI OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 16.6 MILLION HAS A 10-PERCENT RSE² OF 4.1 MILLION, A 20-PERCENT RSE²; AND OF 1.8 MILLION, A 30-PERCENT RSE². RATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 72. PERCENT DISTRIBUTION AND NUMBER OF PERSONS BY INTERVAL SINCE LAST PHYSICIAN CONTACT, ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | INTERVAL SINCE LAST CONTACT | | | | | | | | | |
|----------------------------------|--|------|------|------|------|--|---------|--------|--------|-------|
| | 1 YEAR TO 2 YEARS TO ALL LESS THAN 1 YEAR 2 YEARS 5 YEARS OR MORE | | | | | 1 YEAR TO 2 YEARS TO ALL LESS THAN 1 YEAR 2 YEARS 5 YEARS OR MORE | | | | |
| | PERCENT DISTRIBUTION ³ | | | | | NUMBER IN THOUSANDS ³ | | | | |
| ALL PERSONS ⁴ | 100.0 | 77.4 | 10.2 | 8.7 | 3.8 | 243,532 | 185,581 | 24,463 | 20,770 | 9,102 |
| AGE | | | | | | | | | | |
| UNDER 5 YEARS..... | 100.0 | 93.3 | 5.0 | 1.2 | *0.4 | 18,768 | 17,183 | 930 | 223 | *80 |
| 5-17 YEARS..... | 100.0 | 76.3 | 13.4 | 8.1 | 2.3 | 45,235 | 34,039 | 5,986 | 3,598 | 1,006 |
| 18-24 YEARS..... | 100.0 | 72.2 | 13.0 | 11.2 | 3.6 | 25,401 | 17,905 | 3,228 | 2,772 | 893 |
| 25-44 YEARS..... | 100.0 | 72.8 | 11.3 | 11.2 | 4.7 | 78,795 | 56,586 | 8,755 | 8,671 | 3,668 |
| 45-64 YEARS..... | 100.0 | 76.5 | 9.2 | 9.0 | 5.3 | 46,114 | 34,776 | 4,180 | 4,073 | 2,418 |
| 65-74 YEARS..... | 100.0 | 85.1 | 5.3 | 5.6 | 4.0 | 17,828 | 15,039 | 937 | 983 | 705 |
| 75 YEARS AND OVER..... | 100.0 | 89.1 | 4.0 | 4.0 | 2.9 | 11,391 | 10,052 | 446 | 451 | 332 |
| SEX AND AGE | | | | | | | | | | |
| MALE | | | | | | | | | | |
| ALL AGES..... | 100.0 | 71.9 | 11.7 | 11.2 | 5.2 | 118,009 | 83,461 | 13,524 | 13,032 | 6,047 |
| UNDER 18 YEARS..... | 100.0 | 81.2 | 10.9 | 6.3 | 1.7 | 32,752 | 26,191 | 3,517 | 2,023 | 539 |
| 18-44 YEARS..... | 100.0 | 62.8 | 14.2 | 16.0 | 7.0 | 51,044 | 31,463 | 7,109 | 8,005 | 3,500 |
| 45-64 YEARS..... | 100.0 | 72.0 | 10.4 | 10.8 | 6.7 | 22,070 | 15,623 | 2,254 | 2,351 | 1,460 |
| 65 YEARS AND OVER..... | 100.0 | 84.7 | 5.4 | 5.4 | 4.6 | 12,143 | 10,183 | 644 | 653 | 548 |
| FEMALE | | | | | | | | | | |
| ALL AGES..... | 100.0 | 82.5 | 8.8 | 6.2 | 2.5 | 125,523 | 102,120 | 10,939 | 7,738 | 3,055 |
| UNDER 18 YEARS..... | 100.0 | 81.3 | 11.0 | 5.8 | 1.8 | 31,251 | 25,031 | 3,399 | 1,797 | 547 |
| 18-44 YEARS..... | 100.0 | 82.1 | 9.3 | 6.6 | 2.0 | 53,152 | 43,028 | 4,875 | 3,438 | 1,061 |
| 45-64 YEARS..... | 100.0 | 80.6 | 8.1 | 7.2 | 4.0 | 24,044 | 19,153 | 1,926 | 1,721 | 958 |
| 65 YEARS AND OVER..... | 100.0 | 88.1 | 4.4 | 4.6 | 2.9 | 17,076 | 14,908 | 739 | 781 | 489 |
| RACE AND AGE | | | | | | | | | | |
| WHITE | | | | | | | | | | |
| ALL AGES..... | 100.0 | 77.8 | 10.0 | 8.6 | 3.7 | 205,312 | 157,605 | 20,163 | 17,335 | 7,493 |
| UNDER 18 YEARS..... | 100.0 | 82.1 | 10.6 | 5.7 | 1.6 | 51,549 | 41,781 | 5,372 | 2,923 | 790 |
| 18-44 YEARS..... | 100.0 | 73.1 | 11.5 | 11.0 | 4.3 | 87,429 | 63,013 | 9,929 | 9,513 | 3,691 |
| 45-64 YEARS..... | 100.0 | 76.4 | 9.2 | 9.2 | 5.3 | 40,022 | 30,180 | 3,620 | 3,618 | 2,086 |
| 65 YEARS AND OVER..... | 100.0 | 86.8 | 4.8 | 4.9 | 3.5 | 26,312 | 22,631 | 1,242 | 1,281 | 925 |
| BLACK | | | | | | | | | | |
| ALL AGES..... | 100.0 | 76.3 | 11.7 | 8.6 | 3.4 | 29,891 | 22,271 | 3,403 | 2,508 | 997 |
| UNDER 18 YEARS..... | 100.0 | 77.3 | 13.0 | 7.4 | 2.2 | 9,959 | 7,527 | 1,269 | 723 | 213 |
| 18-44 YEARS..... | 100.0 | 72.2 | 12.9 | 11.0 | 3.9 | 12,766 | 8,972 | 1,608 | 1,364 | 489 |
| 45-64 YEARS..... | 100.0 | 80.0 | 8.7 | 6.8 | 4.5 | 4,712 | 3,677 | 402 | 313 | 205 |
| 65 YEARS AND OVER..... | 100.0 | 86.7 | 5.1 | 4.5 | 3.7 | 2,453 | 2,095 | 123 | 108 | 90 |
| FAMILY INCOME AND AGE | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | |
| ALL AGES..... | 100.0 | 78.3 | 9.4 | 7.9 | 4.5 | 26,185 | 20,184 | 2,417 | 2,026 | 1,149 |
| UNDER 18 YEARS..... | 100.0 | 79.7 | 10.8 | 6.3 | 3.2 | 7,447 | 5,802 | 786 | 456 | 235 |
| 18-44 YEARS..... | 100.0 | 73.8 | 11.4 | 10.4 | 4.4 | 9,763 | 7,093 | 1,100 | 998 | 421 |
| 45-64 YEARS..... | 100.0 | 76.1 | 7.9 | 8.7 | 2.3 | 3,363 | 2,531 | 263 | 288 | 243 |
| 65 YEARS AND OVER..... | 100.0 | 85.6 | 4.8 | 5.1 | 4.5 | 5,612 | 4,759 | 267 | 283 | 251 |
| \$10,000-\$19,999 | | | | | | | | | | |
| ALL AGES..... | 100.0 | 75.8 | 10.6 | 9.2 | 4.4 | 41,040 | 30,728 | 4,279 | 3,731 | 1,780 |
| UNDER 18 YEARS..... | 100.0 | 76.1 | 13.6 | 7.7 | 2.6 | 10,640 | 7,979 | 1,430 | 803 | 274 |
| 18-44 YEARS..... | 100.0 | 70.3 | 12.5 | 11.8 | 5.4 | 15,915 | 11,042 | 1,956 | 1,859 | 841 |
| 45-64 YEARS..... | 100.0 | 74.4 | 8.6 | 10.7 | 6.3 | 6,483 | 4,759 | 549 | 684 | 406 |
| 65 YEARS AND OVER..... | 100.0 | 87.5 | 4.3 | 4.9 | 3.3 | 8,002 | 6,947 | 345 | 385 | 260 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 72. PERCENT DISTRIBUTION AND NUMBER OF PERSONS BY INTERVAL SINCE LAST PHYSICIAN CONTACT, ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | INTERVAL SINCE LAST CONTACT | | | | | | | | | | | |
|------------------------------------|-----------------------------|----------------------|-------------------|-------------------|-----------------|----------------------------|----------------------|-------------------|-------------------|-----------------|--|--|
| | ALL INTERVALS ¹ | 1 YEAR TO 2 YEARS TO | | | | ALL INTERVALS ² | 1 YEAR TO 2 YEARS TO | | | | | |
| | | LESS THAN 1 YEAR | LESS THAN 2 YEARS | LESS THAN 5 YEARS | 5 YEARS OR MORE | | LESS THAN 1 YEAR | LESS THAN 2 YEARS | LESS THAN 5 YEARS | 5 YEARS OR MORE | | |
| FAMILY INCOME AND AGE--CON. | | | | | | | | | | | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| PERCENT DISTRIBUTION ³ | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 77.1 | 10.3 | 8.8 | 3.8 | 56,718 | 43,286 | 5,788 | 4,932 | 2,132 | | |
| UNDER 18 YEARS..... | 100.0 | 80.8 | 11.2 | 6.3 | 1.6 | 15,776 | 12,619 | 1,755 | 987 | 257 | | |
| 18-44 YEARS..... | 100.0 | 73.2 | 11.1 | 11.0 | 4.6 | 25,856 | 18,711 | 2,848 | 2,815 | 1,174 | | |
| 45-64 YEARS..... | 100.0 | 76.5 | 9.1 | 8.9 | 5.5 | 9,843 | 7,466 | 884 | 871 | 535 | | |
| 65 YEARS AND OVER..... | 100.0 | 86.1 | 5.8 | 5.0 | 3.2 | 5,242 | 4,490 | 301 | 259 | 166 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 79.1 | 10.0 | 8.2 | 2.8 | 80,203 | 62,733 | 7,896 | 6,473 | 2,251 | | |
| UNDER 18 YEARS..... | 100.0 | 85.8 | 8.8 | 4.7 | 0.8 | 21,488 | 18,267 | 1,873 | 992 | 165 | | |
| 18-44 YEARS..... | 100.0 | 74.9 | 11.3 | 10.3 | 3.4 | 37,310 | 27,593 | 4,166 | 3,807 | 1,264 | | |
| 45-64 YEARS..... | 100.0 | 77.8 | 9.6 | 8.5 | 4.1 | 17,921 | 13,814 | 1,703 | 1,518 | 730 | | |
| 65 YEARS AND OVER..... | 100.0 | 88.4 | 4.5 | 4.5 | 2.7 | 3,484 | 3,059 | 154 | 155 | 92 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 100.0 | 79.7 | 9.7 | 7.3 | 3.3 | 48,930 | 38,335 | 4,648 | 3,512 | 1,589 | | |
| MIDWEST..... | 100.0 | 78.2 | 9.9 | 8.5 | 3.4 | 59,540 | 45,901 | 5,836 | 4,975 | 1,994 | | |
| SOUTH..... | 100.0 | 76.2 | 10.6 | 9.3 | 3.9 | 83,148 | 62,461 | 8,680 | 7,616 | 3,233 | | |
| WEST..... | 100.0 | 76.0 | 10.4 | 9.1 | 4.5 | 51,913 | 38,884 | 5,299 | 4,668 | 2,286 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA..... | 100.0 | 77.7 | 10.1 | 8.5 | 3.8 | 189,860 | 145,243 | 18,819 | 15,866 | 7,062 | | |
| CENTRAL CITY..... | 100.0 | 77.6 | 9.8 | 8.5 | 4.1 | 74,410 | 56,689 | 7,160 | 6,205 | 3,014 | | |
| NOT CENTRAL CITY..... | 100.0 | 77.7 | 10.2 | 8.5 | 3.6 | 115,450 | 88,554 | 11,660 | 9,661 | 4,048 | | |
| NOT MSA..... | 100.0 | 76.2 | 10.7 | 9.3 | 3.9 | 53,672 | 40,338 | 5,643 | 4,905 | 2,040 | | |

¹ EXCLUDES UNKNOWN INTERVAL.

² INCLUDES UNKNOWN INTERVAL.

³ INCLUDES PHYSICIAN CONTACTS WHILE AN OVERNIGHT PATIENT IN A HOSPITAL.

⁴ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE FOR COLUMNS 2-5 CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II. THE FREQUENCIES OF TABLE 72 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMNS 2-5 CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II. THE FREQUENCIES OF TABLE 72 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 6-10 CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 366,000 HAS A 10-PERCENT RSE OF 91,000, A 20-PERCENT RSE; AND OF 41,000 A 30-PERCENT RSE. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 73. PERCENT DISTRIBUTION OF LIVING PERSONS BY NUMBER OF SHORT-STAY HOSPITAL EPISODES DURING THE YEAR PRECEDING INTERVIEW FOR ALL CAUSES AND EXCLUDING DELIVERIES, ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | | | EXCLUDING DELIVERIES ¹ | | | | | |
|--------------------------------|--------------------|------|------|------|--------------|-----------------|-----------------------------------|------|------|--------------|--|--|
| | NUMBER OF EPISODES | | | | | | NUMBER OF EPISODES | | | | | |
| | ALL STATUSES | NONE | 1 | 2 | 3 OR MORE | ALL STATUSES | NONE | 1 | 2 | 3 OR MORE | | |
| PERCENT DISTRIBUTION | | | | | | | | | | | | |
| ALL PERSONS ² | 100.0 | 91.9 | 6.6 | 1.1 | 0.4 | 100.0 | 93.2 | 5.3 | 1.0 | 0.4 | | |
| AGE | | | | | | | | | | | | |
| UNDER 5 YEARS..... | 100.0 | 94.7 | 4.6 | 0.6 | *0.2 | 100.0 | 94.7 | 4.6 | 0.6 | *0.2 | | |
| 5-17 YEARS..... | 100.0 | 97.3 | 2.4 | 0.2 | *0.1 | 100.0 | 97.5 | 2.2 | 0.2 | *0.1 | | |
| 18-24 YEARS..... | 100.0 | 91.0 | 7.8 | 0.8 | 0.4 | 100.0 | 95.4 | 3.8 | 0.6 | 0.2 | | |
| 25-44 YEARS..... | 100.0 | 92.1 | 6.9 | 0.8 | 0.3 | 100.0 | 94.7 | 4.4 | 0.6 | 0.3 | | |
| 45-64 YEARS..... | 100.0 | 91.1 | 6.8 | 1.4 | 0.6 | 100.0 | 91.1 | 6.8 | 1.4 | 0.6 | | |
| 65-74 YEARS..... | 100.0 | 84.7 | 11.2 | 2.9 | 1.2 | 100.0 | 84.7 | 11.2 | 2.9 | 1.2 | | |
| 75 YEARS AND OVER..... | 100.0 | 80.3 | 14.1 | 4.1 | 1.4 | 100.0 | 80.3 | 14.1 | 4.1 | 1.4 | | |
| SEX AND AGE | | | | | | | | | | | | |
| MALE | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 93.5 | 5.0 | 1.0 | 0.4 | 100.0 | 93.5 | 5.0 | 1.0 | 0.4 | | |
| UNDER 18 YEARS..... | 100.0 | 96.4 | 3.1 | 0.3 | *0.1 | 100.0 | 96.4 | 3.1 | 0.3 | *0.1 | | |
| 18-44 YEARS..... | 100.0 | 95.7 | 3.6 | 0.5 | 0.2 | 100.0 | 95.7 | 3.6 | 0.5 | 0.2 | | |
| 45-64 YEARS..... | 100.0 | 90.9 | 6.8 | 1.6 | 0.7 | 100.0 | 90.9 | 6.8 | 1.6 | 0.7 | | |
| 65 YEARS AND OVER..... | 100.0 | 81.4 | 13.1 | 3.9 | 1.6 | 100.0 | 81.4 | 13.1 | 3.9 | 1.6 | | |
| FEMALE | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 90.3 | 8.1 | 1.2 | 0.5 | 100.0 | 92.9 | 5.6 | 1.0 | 0.4 | | |
| UNDER 18 YEARS..... | 100.0 | 96.6 | 3.0 | 0.3 | *0.1 | 100.0 | 96.8 | 2.7 | 0.3 | *0.1 | | |
| 18-44 YEARS..... | 100.0 | 88.1 | 10.4 | 1.0 | 0.4 | 100.0 | 94.2 | 4.8 | 0.7 | 0.3 | | |
| 45-64 YEARS..... | 100.0 | 91.3 | 6.9 | 1.3 | 0.6 | 100.0 | 91.3 | 6.9 | 1.3 | 0.6 | | |
| 65 YEARS AND OVER..... | 100.0 | 84.1 | 11.8 | 3.1 | 1.1 | 100.0 | 84.1 | 11.8 | 3.1 | 1.1 | | |
| RACE AND AGE | | | | | | | | | | | | |
| WHITE | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 91.8 | 6.7 | 1.1 | 0.4 | 100.0 | 93.1 | 5.5 | 1.1 | 0.4 | | |
| UNDER 18 YEARS..... | 100.0 | 96.4 | 3.1 | 0.3 | 0.1 | 100.0 | 96.5 | 3.0 | 0.3 | 0.1 | | |
| 18-44 YEARS..... | 100.0 | 91.9 | 7.0 | 0.8 | 0.3 | 100.0 | 94.9 | 4.3 | 0.6 | 0.2 | | |
| 45-64 YEARS..... | 100.0 | 91.1 | 6.8 | 1.4 | 0.6 | 100.0 | 91.2 | 6.8 | 1.4 | 0.6 | | |
| 65 YEARS AND OVER..... | 100.0 | 83.1 | 12.3 | 3.4 | 1.2 | 100.0 | 83.1 | 12.3 | 3.4 | 1.2 | | |
| BLACK | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 92.0 | 6.4 | 1.1 | 0.5 | 100.0 | 93.6 | 4.9 | 1.0 | 0.5 | | |
| UNDER 18 YEARS..... | 100.0 | 96.6 | 3.0 | *0.3 | *0.1 | 100.0 | 96.9 | 2.6 | *0.3 | *0.1 | | |
| 18-44 YEARS..... | 100.0 | 90.9 | 7.8 | 0.9 | 0.4 | 100.0 | 94.4 | 4.5 | 0.7 | 0.4 | | |
| 45-64 YEARS..... | 100.0 | 90.6 | 7.0 | 1.7 | *0.7 | 100.0 | 90.6 | 7.0 | 1.7 | *0.7 | | |
| 65 YEARS AND OVER..... | 100.0 | 82.1 | 12.4 | 3.7 | 1.8 | 100.0 | 82.1 | 12.4 | 3.7 | 1.8 | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 87.5 | 9.7 | 1.9 | 0.9 | 100.0 | 89.3 | 8.0 | 1.9 | 0.8 | | |
| UNDER 18 YEARS..... | 100.0 | 94.5 | 4.8 | *0.4 | *0.2 | 100.0 | 95.1 | 4.3 | *0.4 | *0.2 | | |
| 18-44 YEARS..... | 100.0 | 87.2 | 10.4 | 1.4 | 0.9 | 100.0 | 91.8 | 6.2 | 1.3 | 0.7 | | |
| 45-64 YEARS..... | 100.0 | 85.5 | 9.8 | 3.1 | 1.5 | 100.0 | 85.6 | 9.8 | 3.1 | 1.5 | | |
| 65 YEARS AND OVER..... | 100.0 | 79.7 | 14.8 | 4.2 | 1.3 | 100.0 | 79.7 | 14.8 | 4.2 | 1.3 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 90.2 | 7.8 | 1.4 | 0.6 | 100.0 | 91.7 | 6.4 | 1.3 | 0.6 | | |
| UNDER 18 YEARS..... | 100.0 | 96.2 | 3.2 | 0.4 | *0.1 | 100.0 | 96.4 | 3.1 | 0.4 | *0.1 | | |
| 18-44 YEARS..... | 100.0 | 90.3 | 8.4 | 0.9 | 0.4 | 100.0 | 94.1 | 4.9 | 0.6 | 0.4 | | |
| 45-64 YEARS..... | 100.0 | 89.7 | 7.9 | 1.5 | 0.9 | 100.0 | 89.7 | 7.9 | 1.5 | 0.9 | | |
| 65 YEARS AND OVER..... | 100.0 | 82.5 | 12.6 | 3.6 | 1.4 | 100.0 | 82.5 | 12.6 | 3.6 | 1.4 | | |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 73. PERCENT DISTRIBUTION OF LIVING PERSONS BY NUMBER OF SHORT-STAY HOSPITAL EPISODES DURING THE YEAR PRECEDING INTERVIEW FOR ALL CAUSES AND EXCLUDING DELIVERIES, ACCORDING TO SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | | | EXCLUDING DELIVERIES ¹ | | | | | |
|------------------------------------|--------------------|------|------|-----|-----------|------------|-----------------------------------|------|-----|-----------|--|--|
| | NUMBER OF EPISODES | | | | | | NUMBER OF EPISODES | | | | | |
| | ALL STATUS | NONE | 1 | 2 | 3 OR MORE | ALL STATUS | NONE | 1 | 2 | 3 OR MORE | | |
| FAMILY INCOME AND AGE--CON. | | | | | | | | | | | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| PERCENT DISTRIBUTION | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 92.2 | 6.4 | 1.1 | 0.3 | 100.0 | 93.7 | 5.0 | 1.0 | 0.3 | | |
| UNDER 18 YEARS..... | 100.0 | 96.6 | 2.9 | 0.4 | *0.1 | 100.0 | 96.7 | 2.9 | 0.4 | *0.1 | | |
| 18-44 YEARS..... | 100.0 | 91.8 | 7.2 | 0.8 | 0.2 | 100.0 | 94.9 | 4.2 | 0.7 | 0.2 | | |
| 45-64 YEARS..... | 100.0 | 90.3 | 7.5 | 1.7 | 0.5 | 100.0 | 90.3 | 7.5 | 1.7 | 0.5 | | |
| 65 YEARS AND OVER..... | 100.0 | 84.8 | 10.9 | 3.3 | 1.1 | 100.0 | 84.8 | 10.9 | 3.3 | 1.1 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 100.0 | 93.9 | 5.2 | 0.7 | 0.2 | 100.0 | 95.0 | 4.1 | 0.6 | 0.2 | | |
| UNDER 18 YEARS..... | 100.0 | 97.0 | 2.6 | 0.3 | *0.1 | 100.0 | 97.0 | 2.6 | 0.3 | *0.1 | | |
| 18-44 YEARS..... | 100.0 | 93.2 | 6.0 | 0.6 | 0.2 | 100.0 | 95.7 | 3.8 | 0.4 | 0.1 | | |
| 45-64 YEARS..... | 100.0 | 93.3 | 5.3 | 1.0 | 0.4 | 100.0 | 93.3 | 5.3 | 1.0 | 0.4 | | |
| 65 YEARS AND OVER..... | 100.0 | 85.1 | 11.8 | 2.4 | *0.7 | 100.0 | 85.1 | 11.8 | 2.4 | *0.7 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 100.0 | 92.7 | 5.9 | 1.0 | 0.4 | 100.0 | 93.8 | 4.9 | 1.0 | 0.4 | | |
| MIDWEST..... | 100.0 | 91.5 | 6.9 | 1.2 | 0.5 | 100.0 | 92.8 | 5.6 | 1.1 | 0.5 | | |
| SOUTH..... | 100.0 | 90.9 | 7.4 | 1.2 | 0.5 | 100.0 | 92.3 | 6.1 | 1.1 | 0.4 | | |
| WEST..... | 100.0 | 93.1 | 5.7 | 0.9 | 0.3 | 100.0 | 94.6 | 4.3 | 0.8 | 0.3 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA..... | 100.0 | 92.2 | 6.4 | 1.0 | 0.4 | 100.0 | 93.5 | 5.1 | 1.0 | 0.4 | | |
| CENTRAL CITY..... | 100.0 | 91.9 | 6.6 | 1.1 | 0.4 | 100.0 | 93.4 | 5.2 | 1.0 | 0.4 | | |
| NOT CENTRAL CITY..... | 100.0 | 92.4 | 6.3 | 1.0 | 0.4 | 100.0 | 93.7 | 5.1 | 0.9 | 0.3 | | |
| NOT MSA..... | 100.0 | 90.8 | 7.3 | 1.3 | 0.6 | 100.0 | 92.1 | 6.1 | 1.2 | 0.6 | | |

¹ BASED ON REASON FOR ADMISSION OR OTHER INDICATION OF DELIVERY.

² INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II, THE FREQUENCIES OF TABLE 74 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II, THE FREQUENCIES OF TABLE 78 AND THE FORMULA PRESENTED IN RULE 3 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 74. NUMBER OF LIVING PERSONS, BY NUMBER OF SHORT-STAY HOSPITAL EPISODES DURING THE YEAR PRECEDING INTERVIEW FOR ALL CAUSES AND EXCLUDING DELIVERIES AND BY SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | | | EXCLUDING DELIVERIES ¹ | | | | | |
|--------------------------------|--------------------|---------|--------|-------|--------------|-----------------|-----------------------------------|--------|-------|--------------|--|--|
| | NUMBER OF EPISODES | | | | | | NUMBER OF EPISODES | | | | | |
| | ALL STATUSES | NONE | 1 | 2 | 3 OR MORE | ALL STATUSES | NONE | 1 | 2 | 3 OR MORE | | |
| NUMBER OF PERSONS IN THOUSANDS | | | | | | | | | | | | |
| ALL PERSONS ² | 243,532 | 223,713 | 16,094 | 2,687 | 1,037 | 243,532 | 227,005 | 13,019 | 2,520 | 988 | | |
| AGE | | | | | | | | | | | | |
| UNDER 5 YEARS..... | 18,768 | 17,764 | 859 | 107 | 38 | 18,768 | 17,764 | 859 | 107 | 38 | | |
| 5-17 YEARS..... | 45,235 | 44,006 | 1,090 | 109 | 29 | 45,235 | 44,090 | 1,008 | 108 | 25 | | |
| 18-24 YEARS..... | 25,401 | 23,126 | 1,993 | 193 | 90 | 25,401 | 24,235 | 956 | 146 | 63 | | |
| 25-44 YEARS..... | 78,795 | 72,545 | 5,407 | 621 | 222 | 78,795 | 74,642 | 3,453 | 501 | 200 | | |
| 45-64 YEARS..... | 46,114 | 42,018 | 3,146 | 665 | 286 | 46,114 | 42,020 | 3,144 | 665 | 286 | | |
| 65-74 YEARS..... | 17,828 | 15,106 | 1,994 | 520 | 208 | 17,828 | 15,106 | 1,994 | 520 | 208 | | |
| 75 YEARS AND OVER..... | 11,391 | 9,149 | 1,604 | 472 | 165 | 11,391 | 9,149 | 1,604 | 472 | 165 | | |
| SEX AND AGE | | | | | | | | | | | | |
| MALE | | | | | | | | | | | | |
| ALL AGES..... | 118,009 | 110,374 | 5,957 | 1,206 | 472 | 118,009 | 110,374 | 5,957 | 1,206 | 472 | | |
| UNDER 18 YEARS..... | 32,752 | 31,589 | 1,016 | 111 | 36 | 32,752 | 31,589 | 1,016 | 111 | 36 | | |
| 18-44 YEARS..... | 51,044 | 48,829 | 1,856 | 262 | 97 | 51,044 | 48,829 | 1,856 | 262 | 97 | | |
| 45-64 YEARS..... | 22,970 | 20,066 | 1,496 | 361 | 147 | 22,970 | 20,066 | 1,496 | 361 | 147 | | |
| 65 YEARS AND OVER..... | 12,143 | 9,890 | 1,589 | 472 | 191 | 12,143 | 9,890 | 1,589 | 472 | 191 | | |
| FEMALE | | | | | | | | | | | | |
| ALL AGES..... | 125,523 | 113,339 | 10,137 | 1,482 | 565 | 125,523 | 116,631 | 7,062 | 1,314 | 516 | | |
| UNDER 18 YEARS..... | 31,251 | 30,181 | 934 | 106 | 30 | 31,251 | 30,265 | 851 | 104 | 30 | | |
| 18-44 YEARS..... | 53,152 | 46,842 | 5,544 | 552 | 214 | 53,152 | 50,048 | 2,553 | 385 | 165 | | |
| 45-64 YEARS..... | 24,044 | 21,952 | 1,650 | 304 | 139 | 24,044 | 21,954 | 1,648 | 304 | 139 | | |
| 65 YEARS AND OVER..... | 17,076 | 14,364 | 2,009 | 521 | 182 | 17,076 | 14,364 | 2,009 | 521 | 182 | | |
| RACE AND AGE | | | | | | | | | | | | |
| WHITE | | | | | | | | | | | | |
| ALL AGES..... | 205,312 | 188,403 | 13,722 | 2,310 | 877 | 205,312 | 191,052 | 11,255 | 2,173 | 832 | | |
| UNDER 18 YEARS..... | 51,549 | 49,707 | 1,609 | 180 | 53 | 51,549 | 49,752 | 1,565 | 179 | 53 | | |
| 18-44 YEARS..... | 87,429 | 80,356 | 6,145 | 676 | 253 | 87,429 | 82,958 | 3,725 | 539 | 207 | | |
| 45-64 YEARS..... | 40,022 | 36,479 | 2,735 | 561 | 246 | 40,022 | 36,481 | 2,733 | 561 | 246 | | |
| 65 YEARS AND OVER..... | 26,312 | 21,861 | 3,232 | 893 | 325 | 26,312 | 21,861 | 3,232 | 893 | 325 | | |
| BLACK | | | | | | | | | | | | |
| ALL AGES..... | 29,891 | 27,503 | 1,922 | 323 | 143 | 29,891 | 27,988 | 1,469 | 295 | 139 | | |
| UNDER 18 YEARS..... | 9,959 | 9,618 | 294 | 34 | 12 | 9,959 | 9,652 | 260 | 34 | 12 | | |
| 18-44 YEARS..... | 12,766 | 11,599 | 993 | 119 | 55 | 12,766 | 12,050 | 575 | 91 | 51 | | |
| 45-64 YEARS..... | 4,712 | 4,271 | 330 | 80 | 32 | 4,712 | 4,271 | 330 | 80 | 32 | | |
| 65 YEARS AND OVER..... | 2,453 | 2,015 | 305 | 90 | 44 | 2,453 | 2,015 | 305 | 90 | 44 | | |
| FAMILY INCOME AND AGE | | | | | | | | | | | | |
| UNDER \$10,000 | | | | | | | | | | | | |
| ALL AGES..... | 26,185 | 22,907 | 2,544 | 505 | 228 | 26,185 | 23,394 | 2,087 | 497 | 207 | | |
| UNDER 18 YEARS..... | 7,447 | 7,040 | 361 | 32 | 13 | 7,447 | 7,080 | 323 | 30 | 13 | | |
| 18-44 YEARS..... | 9,763 | 8,517 | 1,020 | 138 | 89 | 9,763 | 8,962 | 603 | 131 | 68 | | |
| 45-64 YEARS..... | 3,363 | 2,877 | 331 | 103 | 52 | 3,363 | 2,879 | 329 | 103 | 52 | | |
| 65 YEARS AND OVER..... | 5,612 | 4,473 | 832 | 233 | 74 | 5,612 | 4,473 | 832 | 233 | 74 | | |
| \$10,000-\$19,999 | | | | | | | | | | | | |
| ALL AGES..... | 41,040 | 37,021 | 3,204 | 577 | 239 | 41,040 | 37,640 | 2,633 | 533 | 234 | | |
| UNDER 18 YEARS..... | 10,640 | 10,239 | 342 | 46 | 12 | 10,640 | 10,252 | 330 | 46 | 12 | | |
| 18-44 YEARS..... | 15,915 | 14,367 | 1,342 | 143 | 62 | 15,915 | 14,975 | 783 | 99 | 57 | | |
| 45-64 YEARS..... | 6,483 | 5,813 | 515 | 100 | 56 | 6,483 | 5,813 | 515 | 100 | 56 | | |
| 65 YEARS AND OVER..... | 8,002 | 6,602 | 1,005 | 287 | 109 | 8,002 | 6,602 | 1,005 | 287 | 109 | | |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 74. NUMBER OF LIVING PERSONS, BY NUMBER OF SHORT-STAY HOSPITAL EPISODES DURING THE YEAR PRECEDING INTERVIEW FOR ALL CAUSES AND EXCLUDING DELIVERIES AND BY SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | | EXCLUDING DELIVERIES ¹ | | | | | | |
|------------------------------------|-----------------|--------------------|--------|-------|--------------|-----------------------------------|--------------------|-------|-------|--------------|--|--|
| | ALL STATUSES | NUMBER OF EPISODES | | | | ALL STATUSES | NUMBER OF EPISODES | | | | | |
| | | NONE | 1 | 2 | 3 OR MORE | | NONE | 1 | 2 | 3 OR MORE | | |
| FAMILY INCOME AND AGE--CON. | | | | | | | | | | | | |
| \$20,000-\$34,999 | | | | | | | | | | | | |
| ALL AGES..... | 56,718 | 52,307 | 3,620 | 608 | 183 | 56,718 | 53,132 | 2,854 | 565 | 166 | | |
| UNDER 18 YEARS..... | 15,776 | 15,247 | 460 | 56 | 12 | 15,776 | 15,256 | 451 | 56 | 12 | | |
| 18-44 YEARS..... | 25,856 | 23,728 | 1,851 | 215 | 62 | 25,856 | 24,544 | 1,095 | 172 | 46 | | |
| 45-64 YEARS..... | 9,843 | 8,888 | 740 | 165 | 50 | 9,843 | 8,888 | 740 | 165 | 50 | | |
| 65 YEARS AND OVER..... | 5,242 | 4,443 | 569 | 171 | 59 | 5,242 | 4,443 | 569 | 171 | 59 | | |
| \$35,000 OR MORE | | | | | | | | | | | | |
| ALL AGES..... | 80,203 | 75,309 | 4,171 | 547 | 177 | 80,203 | 76,219 | 3,324 | 487 | 173 | | |
| UNDER 18 YEARS..... | 21,488 | 20,842 | 563 | 66 | 17 | 21,488 | 20,848 | 557 | 66 | 17 | | |
| 18-44 YEARS..... | 37,310 | 34,768 | 2,241 | 222 | 59 | 37,310 | 35,692 | 1,401 | 162 | 55 | | |
| 45-64 YEARS..... | 17,921 | 16,713 | 957 | 177 | 75 | 17,921 | 16,713 | 957 | 177 | 75 | | |
| 65 YEARS AND OVER..... | 3,484 | 2,966 | 410 | 82 | 25 | 3,484 | 2,966 | 410 | 82 | 25 | | |
| GEOGRAPHIC REGION | | | | | | | | | | | | |
| NORTHEAST..... | 48,930 | 45,356 | 2,887 | 507 | 180 | 48,930 | 45,881 | 2,396 | 480 | 174 | | |
| MIDWEST..... | 59,540 | 54,462 | 4,088 | 700 | 290 | 59,540 | 55,249 | 3,364 | 650 | 277 | | |
| SOUTH..... | 83,148 | 75,581 | 6,165 | 1,006 | 396 | 83,148 | 76,772 | 5,048 | 954 | 374 | | |
| WEST..... | 51,913 | 48,314 | 2,953 | 474 | 172 | 51,913 | 49,104 | 2,211 | 435 | 164 | | |
| PLACE OF RESIDENCE | | | | | | | | | | | | |
| MSA..... | 189,860 | 174,982 | 12,158 | 1,993 | 728 | 189,860 | 177,596 | 9,726 | 1,850 | 688 | | |
| CENTRAL CITY..... | 74,410 | 68,347 | 4,912 | 832 | 319 | 74,410 | 69,462 | 3,869 | 780 | 299 | | |
| NOT CENTRAL CITY..... | 115,450 | 106,635 | 7,245 | 1,160 | 409 | 115,450 | 108,133 | 5,857 | 1,070 | 389 | | |
| NOT MSA..... | 53,672 | 48,731 | 3,936 | 695 | 309 | 53,672 | 49,410 | 3,292 | 669 | 300 | | |

¹BASED ON REASON FOR ADMISSION OR OTHER INDICATION OF DELIVERY.

²INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 366,000 HAS A 10-PERCENT RSE OF 91,000; A 20-PERCENT RSE OF 41,000; A 30-PERCENT RSE.

TABLE 75. NUMBER OF SHORT-STAY HOSPITAL DAYS DURING THE YEAR PRECEDING INTERVIEW PER LIVING PERSON HOSPITALIZED FOR ALL CAUSES AND EXCLUDING DELIVERIES, BY NUMBER OF EPISODES AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | EXCLUDING DELIVERIES ¹ | | | |
|--------------------------------|--------------------|-----|-------|--------------|-----------------------------------|-----|-------|--------------|
| | NUMBER OF EPISODES | | | | NUMBER OF EPISODES | | | |
| | ALL STATUSES | 1 | 2 | 3 OR MORE | ALL STATUSES | 1 | 2 | 3 OR MORE |
| DAYS PER PERSON HOSPITALIZED | | | | | | | | |
| ALL PERSONS ² | 8.0 | 5.6 | 14.8 | 28.1 | 9.0 | 6.3 | 15.4 | 28.9 |
| AGE | | | | | | | | |
| UNDER 5 YEARS..... | 7.8 | 6.0 | 15.3 | 26.8 | 7.8 | 6.0 | 15.3 | 26.8 |
| 5-17 YEARS..... | 5.6 | 4.2 | 15.4 | 21.4 | 5.8 | 4.3 | 15.5 | 21.4 |
| 18-24 YEARS..... | 5.1 | 3.7 | 11.6 | 22.2 | 7.2 | 4.8 | 13.9 | 27.6 |
| 25-44 YEARS..... | 5.8 | 4.3 | 11.7 | 25.2 | 7.1 | 5.1 | 13.1 | 26.7 |
| 45-64 YEARS..... | 9.6 | 6.6 | 14.5 | 30.9 | 9.6 | 6.6 | 14.5 | 30.9 |
| 65-74 YEARS..... | 11.3 | 7.7 | 16.6 | 32.6 | 11.3 | 7.7 | 16.6 | 32.6 |
| 75 YEARS AND OVER..... | 12.1 | 8.8 | 18.4 | 25.7 | 12.1 | 8.8 | 18.4 | 25.7 |
| SEX AND AGE | | | | | | | | |
| MALE | | | | | | | | |
| ALL AGES..... | 9.4 | 6.5 | 15.5 | 29.3 | 9.4 | 6.5 | 15.5 | 29.3 |
| UNDER 18 YEARS..... | 6.6 | 5.0 | 16.8 | 20.8 | 6.6 | 5.0 | 16.8 | 20.8 |
| 18-44 YEARS..... | 7.6 | 5.4 | 15.8 | 26.5 | 7.6 | 5.4 | 15.8 | 26.5 |
| 45-64 YEARS..... | 9.6 | 6.8 | 13.7 | 28.6 | 9.6 | 6.8 | 13.7 | 28.6 |
| 65 YEARS AND OVER..... | 12.3 | 8.6 | 16.3 | 33.0 | 12.3 | 8.6 | 16.3 | 33.0 |
| FEMALE | | | | | | | | |
| ALL AGES..... | 7.2 | 5.1 | 14.3 | 27.1 | 8.8 | 6.1 | 15.4 | 28.6 |
| UNDER 18 YEARS..... | 6.6 | 5.0 | 13.7 | 29.7 | 6.9 | 5.2 | 13.9 | 29.7 |
| 18-44 YEARS..... | 4.9 | 3.7 | 9.8 | 23.5 | 6.8 | 4.8 | 11.3 | 27.3 |
| 45-64 YEARS..... | 9.5 | 6.4 | 15.4 | 33.5 | 9.5 | 6.4 | 15.4 | 33.5 |
| 65 YEARS AND OVER..... | 11.1 | 7.8 | 18.5 | 26.0 | 11.1 | 7.8 | 15.5 | 26.0 |
| RACE AND AGE | | | | | | | | |
| WHITE | | | | | | | | |
| ALL AGES..... | 8.0 | 5.5 | 14.6 | 28.7 | 8.9 | 6.2 | 15.2 | 29.7 |
| UNDER 18 YEARS..... | 6.6 | 4.9 | 16.2 | 24.8 | 6.7 | 5.0 | 16.3 | 24.3 |
| 18-44 YEARS..... | 5.5 | 4.1 | 11.5 | 23.3 | 7.0 | 5.0 | 13.1 | 26.7 |
| 45-64 YEARS..... | 9.4 | 6.3 | 14.1 | 32.7 | 9.4 | 6.4 | 14.1 | 32.7 |
| 65 YEARS AND OVER..... | 11.4 | 7.9 | 17.0 | 30.1 | 11.4 | 7.9 | 17.0 | 30.1 |
| BLACK | | | | | | | | |
| ALL AGES..... | 8.7 | 6.1 | 16.9 | 24.5 | 10.0 | 7.1 | 17.8 | 24.9 |
| UNDER 18 YEARS..... | 7.0 | 5.7 | *11.4 | *25.0 | 7.4 | 6.0 | *11.4 | *25.0 |
| 18-44 YEARS..... | 6.3 | 4.5 | 13.0 | 24.9 | 8.2 | 5.6 | 14.5 | 26.0 |
| 45-64 YEARS..... | 10.9 | 8.0 | 18.6 | 21.1 | 10.9 | 8.0 | 18.6 | 21.1 |
| 65 YEARS AND OVER..... | 14.1 | 9.8 | 22.6 | 26.3 | 14.1 | 9.8 | 22.6 | 26.3 |
| FAMILY INCOME AND AGE | | | | | | | | |
| UNDER \$10,000 | | | | | | | | |
| ALL AGES..... | 9.3 | 6.5 | 15.7 | 26.5 | 10.5 | 7.4 | 15.9 | 28.2 |
| UNDER 18 YEARS..... | 7.0 | 5.6 | *11.3 | *34.5 | 7.4 | 5.9 | *11.8 | *34.5 |
| 18-44 YEARS..... | 6.3 | 4.0 | 13.6 | 21.3 | 8.2 | 5.1 | 13.9 | 25.0 |
| 45-64 YEARS..... | 14.2 | 9.8 | 15.6 | 38.9 | 14.2 | 9.9 | 15.6 | 38.9 |
| 65 YEARS AND OVER..... | 11.4 | 8.7 | 17.6 | 22.6 | 11.4 | 8.7 | 17.6 | 22.6 |
| \$10,000-\$19,999 | | | | | | | | |
| ALL AGES..... | 8.6 | 5.8 | 15.7 | 29.4 | 9.7 | 6.5 | 16.6 | 29.7 |
| UNDER 18 YEARS..... | 6.6 | 4.7 | 15.0 | *30.1 | 6.8 | 4.8 | 15.0 | *30.1 |
| 18-44 YEARS..... | 5.5 | 4.1 | 9.5 | 27.5 | 7.3 | 5.2 | 11.2 | 28.6 |
| 45-64 YEARS..... | 9.8 | 6.3 | 18.2 | 26.0 | 9.8 | 6.3 | 18.2 | 26.0 |
| 65 YEARS AND OVER..... | 12.1 | 8.2 | 18.2 | 32.2 | 12.1 | 8.2 | 18.2 | 32.2 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 75. NUMBER OF SHORT-STAY HOSPITAL DAYS DURING THE YEAR PRECEDING INTERVIEW PER LIVING PERSON HOSPITALIZED FOR ALL CAUSES AND EXCLUDING DELIVERIES, BY NUMBER OF EPISODES AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | EXCLUDING DELIVERIES ¹ | | | | |
|-----------------------------------|--------------------|-----|------|-----------------------------------|---------------|-----|------|-----------|
| | NUMBER OF EPISODES | | | NUMBER OF EPISODES | | | | |
| | ALL STATUSSES | 1 | 2 | 3 OR MORE | ALL STATUSSES | 1 | 2 | 3 OR MORE |
| FAMILY INCOME AND AGE—CON. | | | | | | | | |
| \$20,000-\$34,999 | | | | | | | | |
| ALL AGES..... | 7.4 | 5.1 | 13.9 | 30.5 | 8.3 | 5.7 | 14.6 | 32.6 |
| UNDER 18 YEARS..... | 6.6 | 5.1 | 17.8 | *14.8 | 6.7 | 5.1 | 17.8 | *14.8 |
| 18-44 YEARS..... | 5.4 | 4.1 | 10.8 | 22.6 | 6.7 | 5.0 | 12.3 | 26.7 |
| 45-64 YEARS..... | 8.3 | 5.8 | 12.8 | 30.3 | 8.3 | 5.8 | 12.8 | 30.3 |
| 65 YEARS AND OVER..... | 12.1 | 7.2 | 17.7 | 42.1 | 12.1 | 7.2 | 17.7 | 42.1 |
| \$35,000 OR MORE | | | | | | | | |
| ALL AGES..... | 6.7 | 5.1 | 13.2 | 24.5 | 7.5 | 5.7 | 14.1 | 24.7 |
| UNDER 18 YEARS..... | 6.7 | 5.1 | 15.4 | *23.4 | 6.7 | 5.2 | 15.4 | *23.4 |
| 18-44 YEARS..... | 5.4 | 4.1 | 12.4 | 27.2 | 6.7 | 4.9 | 14.9 | 28.0 |
| 45-64 YEARS..... | 7.8 | 5.6 | 12.8 | 23.9 | 7.8 | 5.6 | 12.8 | 23.9 |
| 65 YEARS AND OVER..... | 10.5 | 9.0 | 14.2 | *21.9 | 10.5 | 9.0 | 14.2 | *21.9 |
| GEOGRAPHIC REGION | | | | | | | | |
| NORTHEAST..... | 9.0 | 6.4 | 18.0 | 25.6 | 10.0 | 7.1 | 18.6 | 26.1 |
| MIDWEST..... | 8.0 | 5.6 | 13.6 | 28.9 | 8.9 | 6.2 | 14.2 | 29.7 |
| SOUTH..... | 7.8 | 5.4 | 14.6 | 27.2 | 8.6 | 6.0 | 15.0 | 28.2 |
| WEST..... | 7.6 | 5.3 | 13.9 | 31.1 | 9.1 | 6.2 | 14.7 | 32.2 |
| PLACE OF RESIDENCE | | | | | | | | |
| MSA..... | 8.1 | 5.7 | 15.2 | 29.2 | 9.3 | 6.5 | 16.0 | 30.2 |
| CENTRAL CITY..... | 8.5 | 5.9 | 15.8 | 29.4 | 9.7 | 6.8 | 16.4 | 30.7 |
| NOT CENTRAL CITY..... | 7.9 | 5.6 | 14.8 | 29.0 | 8.9 | 6.3 | 15.7 | 29.8 |
| NOT MSA..... | 7.7 | 5.2 | 13.7 | 25.5 | 8.4 | 5.7 | 13.9 | 26.1 |

¹BASED ON REASON FOR ADMISSION OR OTHER INDICATION OF DELIVERY.

²INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SETS VII AND X OF TABLE II, THE FREQUENCIES OF TABLES 74 AND 76 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 76. NUMBER OF SHORT-STAY HOSPITAL DAYS DURING THE YEAR PRECEDING INTERVIEW FOR LIVING PERSONS HOSPITALIZED FOR ALL CAUSES AND EXCLUDING DELIVERIES, BY NUMBER OF EPISODES AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | EXCLUDING DELIVERIES ¹ | | | |
|--------------------------------|-----------------|--------------------|--------|--------------|-----------------------------------|--------|--------|--------------|
| | ALL STATUSES | NUMBER OF EPISODES | | | NUMBER OF EPISODES | | | |
| | | 1 | 2 | 3 OR MORE | ALL STATUSES | 1 | 2 | 3 OR MORE |
| NUMBER OF DAYS IN THOUSANDS | | | | | | | | |
| ALL PERSONS ² | 159,230 | 90,280 | 39,837 | 29,112 | 149,384 | 81,908 | 38,881 | 28,595 |
| AGE | | | | | | | | |
| MALE | | | | | | | | |
| ALL AGES..... | 71,435 | 38,945 | 18,671 | 13,819 | 71,435 | 38,945 | 18,671 | 13,819 |
| UNDER 18 YEARS..... | 7,686 | 5,073 | 1,863 | 750 | 7,686 | 5,073 | 1,863 | 750 |
| 18-44 YEARS..... | 16,731 | 10,023 | 4,136 | 2,573 | 16,731 | 10,023 | 4,136 | 2,573 |
| 45-64 YEARS..... | 19,288 | 10,133 | 4,956 | 4,199 | 19,288 | 10,133 | 4,956 | 4,199 |
| 65 YEARS AND OVER..... | 27,730 | 13,716 | 7,716 | 6,298 | 27,730 | 13,716 | 7,716 | 6,298 |
| FEMALE | | | | | | | | |
| ALL AGES..... | 87,795 | 51,335 | 21,166 | 15,293 | 77,949 | 42,963 | 20,210 | 14,776 |
| UNDER 18 YEARS..... | 7,019 | 4,676 | 1,452 | 890 | 6,769 | 4,431 | 1,448 | 890 |
| 18-44 YEARS..... | 30,836 | 20,417 | 5,392 | 5,026 | 21,243 | 12,293 | 4,441 | 4,509 |
| 45-64 YEARS..... | 19,894 | 10,565 | 4,679 | 4,650 | 19,892 | 10,563 | 4,679 | 4,650 |
| 65 YEARS AND OVER..... | 30,045 | 15,677 | 9,642 | 4,727 | 30,045 | 15,677 | 9,642 | 4,727 |
| RACE AND AGE | | | | | | | | |
| WHITE | | | | | | | | |
| ALL AGES..... | 134,983 | 76,019 | 33,808 | 25,155 | 127,214 | 69,447 | 33,085 | 24,681 |
| UNDER 18 YEARS..... | 12,178 | 7,944 | 2,917 | 1,317 | 12,057 | 7,828 | 2,912 | 1,317 |
| 18-44 YEARS..... | 38,858 | 25,065 | 7,784 | 6,010 | 31,212 | 18,611 | 7,065 | 5,536 |
| 45-64 YEARS..... | 33,302 | 17,363 | 7,904 | 8,035 | 33,300 | 17,361 | 7,904 | 8,035 |
| 65 YEARS AND OVER..... | 50,645 | 25,647 | 15,204 | 9,794 | 50,645 | 25,647 | 15,204 | 9,794 |
| BLACK | | | | | | | | |
| ALL AGES..... | 20,726 | 11,763 | 5,464 | 3,499 | 19,095 | 10,398 | 5,241 | 3,456 |
| UNDER 18 YEARS..... | 2,366 | 1,677 | 389 | 300 | 2,254 | 1,565 | 389 | 300 |
| 18-44 YEARS..... | 7,378 | 4,461 | 1,546 | 1,371 | 5,859 | 3,208 | 1,323 | 1,328 |
| 45-64 YEARS..... | 4,812 | 2,647 | 1,491 | 674 | 4,812 | 2,647 | 1,491 | 674 |
| 65 YEARS AND OVER..... | 6,170 | 2,978 | 2,038 | 1,155 | 6,170 | 2,978 | 2,038 | 1,155 |
| FAMILY INCOME AND AGE | | | | | | | | |
| UNDER \$10,000 | | | | | | | | |
| ALL AGES..... | 30,613 | 16,634 | 7,936 | 6,043 | 29,185 | 15,460 | 7,879 | 5,846 |
| UNDER 18 YEARS..... | 2,840 | 2,033 | 360 | 448 | 2,705 | 1,902 | 355 | 448 |
| 18-44 YEARS..... | 7,876 | 4,106 | 1,870 | 1,900 | 6,586 | 3,064 | 1,818 | 1,703 |
| 45-64 YEARS..... | 6,881 | 3,251 | 1,605 | 2,025 | 6,879 | 3,249 | 1,605 | 2,025 |
| 65 YEARS AND OVER..... | 13,016 | 7,245 | 4,101 | 1,671 | 13,016 | 7,245 | 4,101 | 1,671 |
| \$10,000-\$19,999 | | | | | | | | |
| ALL AGES..... | 34,698 | 18,584 | 9,081 | 7,034 | 32,976 | 17,184 | 8,832 | 6,960 |
| UNDER 18 YEARS..... | 2,658 | 1,607 | 690 | 361 | 2,631 | 1,580 | 690 | 361 |
| 18-44 YEARS..... | 8,514 | 5,458 | 1,353 | 1,704 | 6,819 | 4,086 | 1,104 | 1,629 |
| 45-64 YEARS..... | 6,537 | 3,258 | 1,821 | 1,458 | 6,537 | 3,258 | 1,821 | 1,458 |
| 65 YEARS AND OVER..... | 16,989 | 8,260 | 5,217 | 3,512 | 16,989 | 8,260 | 5,217 | 3,512 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 76. NUMBER OF SHORT-STAY HOSPITAL DAYS DURING THE YEAR PRECEDING INTERVIEW FOR LIVING PERSONS HOSPITALIZED FOR ALL CAUSES AND EXCLUDING DELIVERIES, BY NUMBER OF EPISODES AND SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989--CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES | | | | EXCLUDING DELIVERIES ¹ | | | |
|------------------------------------|--------------------|--------|--------|--------------|-----------------------------------|--------|--------|--------------|
| | NUMBER OF EPISODES | | | | NUMBER OF EPISODES | | | |
| | ALL STATUSES | 1 | 2 | 3 OR MORE | ALL STATUSES | 1 | 2 | 3 OR MORE |
| FAMILY INCOME AND AGE--CON. | | | | | | | | |
| \$20,000-\$34,999 | | | | | | | | |
| NUMBER OF DAYS IN THOUSANDS | | | | | | | | |
| ALL AGES..... | 32,468 | 18,423 | 8,467 | 5,578 | 29,852 | 16,184 | 8,260 | 5,407 |
| UNDER 18 YEARS..... | 3,498 | 2,324 | 996 | 177 | 3,476 | 2,302 | 996 | 177 |
| 18-44 YEARS..... | 11,392 | 7,664 | 2,328 | 1,400 | 8,798 | 5,447 | 2,122 | 1,229 |
| 45-64 YEARS..... | 7,945 | 4,318 | 2,110 | 1,517 | 7,945 | 4,318 | 2,110 | 1,517 |
| 65 YEARS AND OVER..... | 9,633 | 4,117 | 3,032 | 2,484 | 9,633 | 4,117 | 3,032 | 2,484 |
| \$35,000 OR MORE | | | | | | | | |
| ALL AGES..... | 32,739 | 21,195 | 7,203 | 4,341 | 29,947 | 18,813 | 6,856 | 4,279 |
| UNDER 18 YEARS..... | 4,308 | 2,896 | 1,015 | 397 | 4,291 | 2,879 | 1,015 | 397 |
| 18-44 YEARS..... | 13,568 | 9,209 | 2,755 | 1,604 | 10,794 | 6,845 | 2,408 | 1,541 |
| 45-64 YEARS..... | 9,448 | 5,386 | 2,269 | 1,793 | 9,448 | 5,386 | 2,269 | 1,793 |
| 65 YEARS AND OVER..... | 5,415 | 3,703 | 1,164 | 548 | 5,415 | 3,703 | 1,164 | 548 |
| GEOGRAPHIC REGION | | | | | | | | |
| NORTHEAST..... | 32,306 | 18,580 | 9,117 | 4,609 | 30,572 | 17,096 | 8,932 | 4,544 |
| MIDWEST..... | 40,557 | 22,797 | 9,490 | 8,371 | 38,252 | 20,806 | 9,226 | 8,220 |
| SOUTH..... | 58,791 | 33,366 | 14,649 | 10,775 | 55,122 | 30,260 | 14,315 | 10,548 |
| WEST..... | 27,475 | 15,537 | 6,581 | 5,356 | 25,438 | 13,747 | 6,408 | 5,284 |
| PLACE OF RESIDENCE | | | | | | | | |
| MSA..... | 121,195 | 69,646 | 30,323 | 21,226 | 113,464 | 63,118 | 29,570 | 20,775 |
| CENTRAL CITY..... | 51,486 | 28,985 | 13,124 | 9,376 | 48,137 | 26,216 | 12,756 | 9,165 |
| NOT CENTRAL CITY..... | 69,710 | 40,660 | 17,199 | 11,851 | 65,326 | 36,902 | 16,814 | 11,610 |
| NOT MSA..... | 38,034 | 20,634 | 9,514 | 7,886 | 35,921 | 18,790 | 9,311 | 7,820 |

¹BASED ON REASON FOR ADMISSION OR OTHER INDICATION OF DELIVERY.

²INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) CAN BE COMPUTED BY USING PARAMETER SET VII OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 5.6 MILLION HAS A 10-PERCENT RSE; OF 1.4 MILLION, A 20-PERCENT RSE; AND OF 606,000, A 30-PERCENT RSE.

TABLE 77. NUMBER PER 100 PERSONS PER YEAR AND ANNUAL NUMBER OF SHORT-STAY HOSPITAL DISCHARGES, AVERAGE LENGTH OF STAY AND ANNUAL NUMBER OF HOSPITAL DAYS FOR LIVING PERSONS HOSPITALIZED FOR ALL CAUSES AND EXCLUDING DELIVERIES BY SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES ¹ | | | | EXCLUDING DELIVERIES ² | | | |
|--------------------------------|------------------------------|------------------------|------------------------------|------------------------|-----------------------------------|------------------------|------------------------------|------------------------|
| | HOSPITAL DISCHARGES | | HOSPITAL DAYS | | HOSPITAL DISCHARGES | | HOSPITAL DAYS | |
| | NUMBER PER 100 PERSONS | NUMBER IN THOUSANDS | AVERAGE LENGTH OF STAY | NUMBER IN THOUSANDS | NUMBER PER 100 PERSONS | NUMBER IN THOUSANDS | AVERAGE LENGTH OF STAY | NUMBER IN THOUSANDS |
| ALL PERSONS ³ | 11.3 | 27,423 | 6.5 | 179,332 | 9.8 | 23,821 | 7.1 | 168,533 |
| AGE | | | | | | | | |
| UNDER 5 YEARS..... | 7.7 | 1,438 | 6.6 | 9,501 | 7.7 | 1,438 | 6.6 | 9,501 |
| 5-17 YEARS..... | 3.4 | 1,531 | 5.6 | 8,561 | 3.1 | 1,512 | 5.8 | 8,231 |
| 18-24 YEARS..... | 11.5 | 2,926 | 4.1 | 12,036 | 6.4 | 1,637 | 5.1 | 8,297 |
| 25-44 YEARS..... | 9.8 | 7,746 | 4.8 | 37,022 | 7.0 | 5,551 | 5.5 | 30,292 |
| 45-64 YEARS..... | 13.1 | 6,020 | 7.2 | 43,233 | 13.1 | 6,020 | 7.2 | 43,233 |
| 65-74 YEARS..... | 23.7 | 4,219 | 8.5 | 35,733 | 23.7 | 4,219 | 8.5 | 35,733 |
| 75 YEARS AND OVER..... | 31.1 | 3,543 | 9.4 | 33,246 | 31.1 | 3,543 | 9.4 | 33,246 |
| SEX AND AGE | | | | | | | | |
| MALE | | | | | | | | |
| ALL AGES..... | 9.6 | 11,298 | 7.3 | 82,595 | 9.6 | 11,298 | 7.3 | 82,595 |
| UNDER 18 YEARS..... | 4.7 | 1,543 | 6.0 | 9,200 | 4.7 | 1,543 | 6.0 | 9,200 |
| 18-44 YEARS..... | 6.0 | 3,044 | 5.8 | 17,526 | 6.0 | 3,044 | 5.8 | 17,526 |
| 45-64 YEARS..... | 13.9 | 3,076 | 7.2 | 22,284 | 13.9 | 3,076 | 7.2 | 22,284 |
| 65 YEARS AND OVER..... | 29.9 | 3,635 | 9.2 | 33,585 | 29.9 | 3,635 | 9.2 | 33,585 |
| FEMALE | | | | | | | | |
| ALL AGES..... | 12.8 | 16,125 | 6.0 | 96,737 | 10.0 | 12,523 | 6.9 | 85,938 |
| UNDER 18 YEARS..... | 4.6 | 1,426 | 6.2 | 8,862 | 4.2 | 1,308 | 6.5 | 8,532 |
| 18-44 YEARS..... | 14.4 | 7,628 | 4.1 | 31,531 | 7.8 | 4,144 | 5.1 | 21,063 |
| 45-64 YEARS..... | 12.2 | 2,944 | 7.1 | 20,949 | 12.2 | 2,944 | 7.1 | 20,949 |
| 65 YEARS AND OVER..... | 24.2 | 4,127 | 8.6 | 35,394 | 24.2 | 4,127 | 8.6 | 35,394 |
| RACE AND AGE | | | | | | | | |
| WHITE | | | | | | | | |
| ALL AGES..... | 11.4 | 23,311 | 6.5 | 152,323 | 9.9 | 20,386 | 7.0 | 143,627 |
| UNDER 18 YEARS..... | 4.7 | 2,403 | 6.3 | 15,091 | 4.5 | 2,331 | 6.4 | 14,890 |
| 18-44 YEARS..... | 10.2 | 8,882 | 4.6 | 40,499 | 6.9 | 6,028 | 5.3 | 32,003 |
| 45-64 YEARS..... | 12.9 | 5,154 | 7.1 | 36,669 | 12.9 | 5,154 | 7.1 | 36,669 |
| 65 YEARS AND OVER..... | 26.1 | 6,873 | 8.7 | 60,065 | 26.1 | 6,873 | 8.7 | 60,065 |
| BLACK | | | | | | | | |
| ALL AGES..... | 11.5 | 3,442 | 6.8 | 23,260 | 9.8 | 2,937 | 7.4 | 21,622 |
| UNDER 18 YEARS..... | 5.1 | 504 | 5.5 | 2,795 | 4.6 | 460 | 5.8 | 2,672 |
| 18-44 YEARS..... | 11.5 | 1,468 | 5.0 | 7,294 | 7.9 | 1,007 | 5.7 | 5,780 |
| 45-64 YEARS..... | 15.2 | 715 | 8.2 | 5,841 | 15.2 | 715 | 8.2 | 5,841 |
| 65 YEARS AND OVER..... | 30.8 | 755 | 9.7 | 7,329 | 30.8 | 755 | 9.7 | 7,329 |
| FAMILY INCOME AND AGE | | | | | | | | |
| UNDER \$10,000 | | | | | | | | |
| ALL AGES..... | 18.0 | 4,704 | 7.3 | 34,432 | 15.9 | 4,163 | 7.9 | 32,767 |
| UNDER 18 YEARS..... | 7.4 | 550 | 6.0 | 3,273 | 6.7 | 500 | 6.3 | 3,128 |
| 18-44 YEARS..... | 16.9 | 1,654 | 4.8 | 7,958 | 11.9 | 1,163 | 5.5 | 6,438 |
| 45-64 YEARS..... | 24.2 | 814 | 9.5 | 7,767 | 24.2 | 814 | 9.5 | 7,767 |
| 65 YEARS AND OVER..... | 30.0 | 1,686 | 9.2 | 15,434 | 30.0 | 1,686 | 9.2 | 15,434 |
| \$10,000-\$19,999 | | | | | | | | |
| ALL AGES..... | 13.7 | 5,641 | 6.9 | 38,672 | 12.0 | 4,943 | 7.4 | 36,731 |
| UNDER 18 YEARS..... | 4.7 | 504 | 6.3 | 3,154 | 4.6 | 487 | 6.4 | 3,115 |
| 18-44 YEARS..... | 12.4 | 1,967 | 4.6 | 8,951 | 8.1 | 1,287 | 5.5 | 7,049 |
| 45-64 YEARS..... | 15.6 | 1,011 | 6.9 | 6,944 | 15.6 | 1,011 | 6.9 | 6,944 |
| 65 YEARS AND OVER..... | 27.0 | 2,158 | 9.1 | 19,624 | 27.0 | 2,158 | 9.1 | 19,624 |

SEE FOOTNOTES AND NOTES AT END OF TABLE.

TABLE 77. NUMBER PER 100 PERSONS PER YEAR AND ANNUAL NUMBER OF SHORT-STAY HOSPITAL DISCHARGES, AVERAGE LENGTH OF STAY AND ANNUAL NUMBER OF HOSPITAL DAYS FOR LIVING PERSONS HOSPITALIZED FOR ALL CAUSES AND EXCLUDING DELIVERIES BY SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL CAUSES ¹ | | | | EXCLUDING DELIVERIES ² | | | |
|---|-------------------------|---------------------|------------------------|---------------------|-----------------------------------|---------------------|------------------------|---------------------|
| | HOSPITAL DISCHARGES | | HOSPITAL DAYS | | HOSPITAL DISCHARGES | | HOSPITAL DAYS | |
| FAMILY INCOME AND AGE—CON. ³ | NUMBER PER 100 PERSONS | NUMBER IN THOUSANDS | AVERAGE LENGTH OF STAY | NUMBER IN THOUSANDS | NUMBER PER 100 PERSONS | NUMBER IN THOUSANDS | AVERAGE LENGTH OF STAY | NUMBER IN THOUSANDS |
| \$20,000-\$34,999 | | | | | | | | |
| ALL AGES----- | 10.3 | 5,848 | 6.2 | 35,966 | 8.7 | 4,910 | 6.7 | 32,975 |
| UNDER 18 YEARS----- | 4.3 | 679 | 6.6 | 4,461 | 4.2 | 664 | 6.7 | 4,423 |
| 18-44 YEARS----- | 10.4 | 2,700 | 4.6 | 12,548 | 6.9 | 1,777 | 5.4 | 9,594 |
| 45-64 YEARS----- | 13.3 | 1,313 | 6.3 | 8,242 | 13.3 | 1,313 | 6.3 | 8,242 |
| 65 YEARS AND OVER----- | 22.1 | 1,156 | 9.3 | 10,715 | 22.1 | 1,156 | 9.3 | 10,715 |
| \$35,000 OR MORE | | | | | | | | |
| ALL AGES----- | 7.8 | 6,264 | 5.7 | 35,686 | 6.6 | 5,320 | 6.2 | 32,868 |
| UNDER 18 YEARS----- | 3.9 | 829 | 6.6 | 5,430 | 3.8 | 818 | 6.6 | 5,402 |
| 18-44 YEARS----- | 7.8 | 2,910 | 4.5 | 13,150 | 5.3 | 1,977 | 5.2 | 10,360 |
| 45-64 YEARS----- | 9.8 | 1,756 | 5.8 | 10,242 | 9.8 | 1,756 | 5.8 | 10,242 |
| 65 YEARS AND OVER----- | 22.1 | 769 | 8.9 | 6,864 | 22.1 | 769 | 8.9 | 6,864 |
| GEOGRAPHIC REGION | | | | | | | | |
| NORTHEAST----- | 10.1 | 4,936 | 7.3 | 35,876 | 9.0 | 4,401 | 7.7 | 34,044 |
| MIDWEST----- | 11.7 | 6,956 | 6.6 | 45,799 | 10.3 | 6,107 | 7.1 | 43,216 |
| SOUTH----- | 12.8 | 10,627 | 6.4 | 67,571 | 11.2 | 9,314 | 6.8 | 63,492 |
| WEST----- | 9.4 | 4,904 | 6.1 | 30,086 | 7.7 | 4,000 | 6.9 | 27,780 |
| PLACE OF RESIDENCE | | | | | | | | |
| MSA----- | 10.8 | 20,493 | 6.7 | 138,007 | 9.3 | 17,593 | 7.4 | 129,314 |
| CENTRAL CITY----- | 11.4 | 8,465 | 6.9 | 58,743 | 9.7 | 7,243 | 7.6 | 54,936 |
| NOT CENTRAL CITY----- | 10.4 | 12,028 | 6.6 | 79,263 | 9.0 | 10,350 | 7.2 | 74,377 |
| NOT MSA----- | 12.9 | 6,930 | 6.0 | 41,325 | 11.6 | 6,228 | 6.3 | 39,219 |

¹INCLUDES UNKNOWN CAUSE; BASED ON 6-MONTH REFERENCE PERIOD.

²BASED ON REASON FOR ADMISSION OR OTHER INDICATION OF DELIVERY.

³INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS (SE'S) AND RELATIVE STANDARD ERRORS (RSE'S) FOR AGE, SEX AND AGE, AND RACE AND AGE FOR COLUMNS 1 AND 5 CAN BE COMPUTED BY USING PARAMETER SET VIII OF TABLE II, THE FREQUENCIES OF TABLE 77 AND THE FORMULA PRESENTED IN RULE 2 OF APPENDIX I. THE SE'S AND RSE'S FOR FAMILY INCOME AND AGE, GEOGRAPHIC REGION, AND PLACE OF RESIDENCE FOR COLUMNS 1 AND 5 CAN BE COMPUTED BY USING PARAMETER SETS VIII AND X OF TABLE II, THE FREQUENCIES OF TABLES 77 AND 78 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 2 AND 6 CAN BE COMPUTED BY USING PARAMETER SET VIII OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 4 AND 8 CAN BE COMPUTED BY USING PARAMETER SET IX OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. THE SE'S AND RSE'S FOR COLUMNS 3 AND 7 CAN BE COMPUTED BY USING PARAMETER SETS VIII AND IX OF TABLE II, THE FREQUENCIES OF TABLE 77 AND THE FORMULA PRESENTED IN RULE 4 OF APPENDIX I. AN ESTIMATE OF 633,000 DISCHARGES HAS A 10-PERCENT RSE; OF 156,000, A 20-PERCENT RSE; AND OF 69,000, A 30-PERCENT RSE. AN ESTIMATE OF 10.2 MILLION DAYS HAS A 10-PERCENT RSE; OF 2.2 MILLION, A 20-PERCENT RSE; AND OF 935,000, A 30-PERCENT RSE. ESTIMATES FOR WHICH THE NUMERATOR HAS AN RSE OF MORE THAN 30 PERCENT ARE INDICATED WITH AN ASTERISK.

TABLE 78. NUMBER OF PERSONS OF ALL AGES AND NUMBER OF CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL PERSONS | CURRENTLY EMPLOYED PERSONS | CHARACTERISTIC | ALL PERSONS | CURRENTLY EMPLOYED PERSONS | |
|--------------------------|-------------|----------------------------|-----------------------|---------------------|----------------------------|--|
| NUMBER IN THOUSANDS | | | | | | |
| ALL PERSONS ¹ | 243,532 | 117,227 | FAMILY INCOME AND AGE | | | |
| AGE | | | | | | |
| UNDER 18 YEARS | 64,003 | --- | UNDER \$10,000 | NUMBER IN THOUSANDS | | |
| UNDER 5 YEARS | 18,768 | --- | ALL AGES | 26,185 | 6,180 | |
| 5-17 YEARS | 45,235 | --- | UNDER 18 YEARS | 7,447 | --- | |
| 18-44 YEARS | 104,196 | 81,961 | UNDER 5 YEARS | 2,476 | --- | |
| 18-24 YEARS | 25,401 | 17,654 | 5-17 YEARS | 4,971 | --- | |
| 25-44 YEARS | 78,795 | 64,307 | 18-24 YEARS | 9,763 | 4,734 | |
| 45 YEARS AND OVER | 75,333 | 35,266 | 45 YEARS AND OVER | 4,413 | 2,201 | |
| 45-64 YEARS | 46,114 | 31,411 | 45-64 YEARS | 8,975 | 1,446 | |
| 65 YEARS AND OVER | 29,219 | 3,855 | 65 YEARS AND OVER | 3,363 | 1,033 | |
| 65-69 YEARS | 9,903 | 2,268 | 65-69 YEARS | 5,612 | 413 | |
| 70-74 YEARS | 7,925 | 988 | 70-74 YEARS | 1,427 | 188 | |
| 75 YEARS AND OVER | 11,391 | 600 | 75 YEARS AND OVER | 1,444 | 131 | |
| | | | | | | |
| SEX AND AGE | | | | | | |
| MALE | | | | | | |
| ALL AGES | 118,009 | 64,318 | \$10,000-\$19,999 | NUMBER IN THOUSANDS | | |
| UNDER 18 YEARS | 32,752 | --- | ALL AGES | 41,040 | 16,100 | |
| UNDER 5 YEARS | 9,606 | --- | UNDER 18 YEARS | 10,640 | --- | |
| 5-17 YEARS | 23,145 | --- | UNDER 5 YEARS | 3,368 | --- | |
| 18-44 YEARS | 51,044 | 44,698 | 5-17 YEARS | 7,272 | --- | |
| 18-24 YEARS | 12,396 | 9,210 | 18-44 YEARS | 15,915 | 11,678 | |
| 45 YEARS AND OVER | 34,213 | 19,619 | 18-24 YEARS | 4,699 | 3,172 | |
| 45-64 YEARS | 22,070 | 17,414 | 45 YEARS AND OVER | 14,485 | 4,422 | |
| 65 YEARS AND OVER | 12,143 | 2,205 | 45-64 YEARS | 6,483 | 3,571 | |
| 65-69 YEARS | 4,553 | 1,314 | 65 YEARS AND OVER | 8,002 | 851 | |
| 70-74 YEARS | 3,382 | 542 | 65-69 YEARS | 2,586 | 475 | |
| 75 YEARS AND OVER | 4,208 | 350 | 70-74 YEARS | 2,369 | 210 | |
| | | | 75 YEARS AND OVER | 3,047 | 166 | |
| FEMALE | | | | | | |
| ALL AGES | 125,523 | 52,909 | \$20,000-\$24,999 | NUMBER IN THOUSANDS | | |
| UNDER 18 YEARS | 31,251 | --- | ALL AGES | 19,176 | 9,403 | |
| UNDER 5 YEARS | 9,162 | --- | UNDER 18 YEARS | 5,044 | --- | |
| 5-17 YEARS | 22,089 | --- | UNDER 5 YEARS | 1,508 | --- | |
| 18-44 YEARS | 53,152 | 37,263 | 5-17 YEARS | 3,536 | --- | |
| 18-24 YEARS | 13,005 | 8,444 | 18-44 YEARS | 8,419 | 6,884 | |
| 45 YEARS AND OVER | 41,120 | 15,647 | 18-24 YEARS | 1,986 | 1,537 | |
| 45-64 YEARS | 24,044 | 13,997 | 45 YEARS AND OVER | 5,713 | 2,519 | |
| 65 YEARS AND OVER | 17,076 | 1,650 | 45-64 YEARS | 3,305 | 2,159 | |
| 65-69 YEARS | 5,350 | 954 | 65 YEARS AND OVER | 2,408 | 360 | |
| 70-74 YEARS | 4,543 | 446 | 65-69 YEARS | 898 | 210 | |
| 75 YEARS AND OVER | 7,183 | 250 | 70-74 YEARS | 698 | 97 | |
| | | | 75 YEARS AND OVER | 812 | 53 | |
| RACE AND AGE | | | | | | |
| WHITE | | | | | | |
| ALL AGES | 205,312 | 101,059 | \$25,000-\$34,999 | NUMBER IN THOUSANDS | | |
| UNDER 18 YEARS | 51,549 | --- | ALL AGES | 37,542 | 19,875 | |
| UNDER 5 YEARS | 15,109 | --- | UNDER 18 YEARS | 10,732 | --- | |
| 5-17 YEARS | 36,440 | --- | UNDER 5 YEARS | 3,316 | --- | |
| 18-44 YEARS | 87,429 | 70,074 | 5-17 YEARS | 7,416 | --- | |
| 18-24 YEARS | 20,886 | 15,092 | 18-44 YEARS | 17,438 | 14,761 | |
| 45 YEARS AND OVER | 66,333 | 30,984 | 18-24 YEARS | 3,253 | 2,555 | |
| 45-64 YEARS | 40,022 | 27,516 | 45 YEARS AND OVER | 9,372 | 5,114 | |
| 65 YEARS AND OVER | 26,312 | 3,468 | 45-64 YEARS | 6,538 | 4,636 | |
| 65-69 YEARS | 8,814 | 2,025 | 65 YEARS AND OVER | 2,835 | 478 | |
| 70-74 YEARS | 7,170 | 898 | 65-69 YEARS | 1,198 | 308 | |
| 75 YEARS AND OVER | 10,328 | 546 | 70-74 YEARS | 827 | 114 | |
| | | | 75 YEARS AND OVER | 809 | 55 | |
| BLACK | | | | | | |
| ALL AGES | 29,891 | 12,250 | \$35,000 OR MORE | NUMBER IN THOUSANDS | | |
| UNDER 18 YEARS | 9,959 | --- | ALL AGES | 80,203 | 47,577 | |
| UNDER 5 YEARS | 2,881 | --- | UNDER 18 YEARS | 21,488 | --- | |
| 5-17 YEARS | 7,077 | --- | UNDER 5 YEARS | 5,678 | --- | |
| 18-44 YEARS | 12,766 | 9,005 | 5-17 YEARS | 15,810 | --- | |
| 18-24 YEARS | 3,562 | 2,031 | 18-44 YEARS | 37,310 | 32,155 | |
| 45 YEARS AND OVER | 7,166 | 3,244 | 18-24 YEARS | 7,032 | 5,522 | |
| 45-64 YEARS | 4,712 | 2,924 | 45 YEARS AND OVER | 21,405 | 15,422 | |
| 65 YEARS AND OVER | 2,453 | 320 | 45-64 YEARS | 17,921 | 14,564 | |
| 65-69 YEARS | 905 | 200 | 65 YEARS AND OVER | 3,484 | 857 | |
| 70-74 YEARS | 640 | 71 | 65-69 YEARS | 1,652 | 596 | |
| 75 YEARS AND OVER | 908 | 48 | 70-74 YEARS | 841 | 181 | |
| | | | 75 YEARS AND OVER | 990 | 80 | |

SEE FOOTNOTE AND NOTE AT END OF TABLE.

TABLE 78. NUMBER OF PERSONS OF ALL AGES AND NUMBER OF CURRENTLY EMPLOYED PERSONS 18 YEARS OF AGE AND OVER, BY SOCIODEMOGRAPHIC CHARACTERISTICS: UNITED STATES, 1989—CON.

(DATA ARE BASED ON HOUSEHOLD INTERVIEWS OF THE CIVILIAN NONINSTITUTIONALIZED POPULATION. THE SURVEY DESIGN, GENERAL QUALIFICATIONS, AND INFORMATION ON THE RELIABILITY OF THE ESTIMATES ARE GIVEN IN APPENDIX I. DEFINITIONS OF TERMS ARE GIVEN IN APPENDIX II)

| CHARACTERISTIC | ALL PERSONS | CURRENTLY EMPLOYED PERSONS | CHARACTERISTIC | ALL PERSONS | CURRENTLY EMPLOYED PERSONS |
|---------------------------|---------------------|----------------------------|----------------------------|---------------------|----------------------------|
| GEOGRAPHIC REGION AND AGE | NUMBER IN THOUSANDS | | PLACE OF RESIDENCE AND AGE | NUMBER IN THOUSANDS | |
| NORTHEAST | | | MSA | | |
| ALL AGES..... | 48,930 | 24,170 | ALL AGES..... | 189,860 | 93,040 |
| UNDER 5 YEARS..... | 3,285 | ... | UNDER 5 YEARS..... | 14,839 | ... |
| 5-17 YEARS..... | 8,047 | ... | 5-17 YEARS..... | 34,749 | ... |
| 18 YEARS AND OVER..... | 37,598 | 24,170 | 18 YEARS AND OVER..... | 140,272 | 93,040 |
| MIDWEST | | | CENTRAL CITY | | |
| ALL AGES..... | 59,540 | 29,212 | ALL AGES..... | 74,410 | 34,694 |
| UNDER 5 YEARS..... | 4,524 | ... | UNDER 5 YEARS..... | 6,032 | ... |
| 5-17 YEARS..... | 11,260 | ... | 5-17 YEARS..... | 13,178 | ... |
| 18 YEARS AND OVER..... | 43,756 | 29,212 | 18 YEARS AND OVER..... | 55,201 | 34,694 |
| SOUTH | | | NOT CENTRAL CITY | | |
| ALL AGES..... | 83,148 | 38,951 | ALL AGES..... | 115,450 | 58,346 |
| UNDER 5 YEARS..... | 6,564 | ... | UNDER 5 YEARS..... | 8,808 | ... |
| 5-17 YEARS..... | 15,852 | ... | 5-17 YEARS..... | 21,571 | ... |
| 18 YEARS AND OVER..... | 60,733 | 38,951 | 18 YEARS AND OVER..... | 85,071 | 58,346 |
| WEST | | | NOT MSA | | |
| ALL AGES..... | 51,913 | 24,893 | ALL AGES..... | 53,672 | 24,187 |
| UNDER 5 YEARS..... | 4,396 | ... | UNDER 5 YEARS..... | 3,929 | ... |
| 5-17 YEARS..... | 10,076 | ... | 5-17 YEARS..... | 10,486 | ... |
| 18 YEARS AND OVER..... | 37,442 | 24,893 | 18 YEARS AND OVER..... | 39,257 | 24,187 |

¹ INCLUDES OTHER RACES AND UNKNOWN FAMILY INCOME.

NOTES: THE STANDARD ERRORS AND RELATIVE STANDARD ERRORS (RSE'S) FOR CURRENTLY EMPLOYED PERSONS, FAMILY INCOME AND AGE, GEOGRAPHIC REGION AND AGE, AND PLACE OF RESIDENCE AND AGE CAN BE COMPUTED BY USING PARAMETER SET X OF TABLE II AND THE FORMULA PRESENTED IN RULE 1 OF APPENDIX I. AN ESTIMATE OF 366,000 HAS A 10-PERCENT RSE; OF 91,000, A 20-PERCENT RSE; AND OF 41,000, A 30-PERCENT RSE.

Appendices

Contents

| | | |
|------|---|-----|
| I. | Technical notes on methods | 132 |
| | Background | 132 |
| | Statistical design of NHIS | 132 |
| | Collection and processing of data | 133 |
| | Estimation procedures | 134 |
| | Types of estimates..... | 134 |
| | Reliability of the estimates | 135 |
| II. | Definitions of certain terms used in this report..... | 139 |
| | Terms relating to conditions | 139 |
| | Terms relating to disability | 139 |
| | Terms relating to persons injured | 140 |
| | Terms relating to accidents | 141 |
| | Terms relating to physician contacts | 141 |
| | Terms relating to hospitalization | 142 |
| | Demographic terms..... | 142 |
| III. | Questionnaires and flashcards..... | 144 |

Appendix tables

| | | |
|-----|---|-----|
| I. | The 60 poststratification age-sex-race cells in the National Health Interview Survey | 134 |
| II. | Estimated standard error parameters and 30 percent relative standard error (RSE) cutoff points for the National Health Interview Survey, 1989 | 136 |

Appendix I

Technical notes on methods

Background

This report is one of a series of statistical reports published by the staff of the National Center for Health Statistics (NCHS). It is based on information collected in a continuing nationwide sample of households included in the National Health Interview Survey (NHIS). Data are obtained on the personal, sociodemographic, and health characteristics of the family members and unrelated individuals living in these households.

Field operations for the survey are conducted by the U.S. Bureau of the Census under specifications established by NCHS. The U.S. Bureau of the Census participates in the survey planning, selects the sample, and conducts the interviews. The data are then transmitted to NCHS for preparation, processing, and analysis.

Summary reports and reports on special topics for each year's data are prepared by the staff of the Division of Health Interview Statistics for publication in Series 10 publications of NCHS. Data are also tabulated for other reports published by NCHS staff and for use by other organizations and by researchers within and outside the Government. Since 1969, public use tapes have been prepared for each year of data collection.

It should be noted that the health characteristics described by NHIS estimates pertain only to the resident, civilian noninstitutionalized population of the United States living at the time of the interview. The sample does not include persons residing in nursing homes, members of the armed forces, institutionalized persons, or U.S. nationals living abroad.

Statistical design of NHIS

General design

Data from NHIS have been collected continuously since 1957. The sample design of the survey has undergone changes following each decennial census. This periodic redesign of the NHIS sample allows the incorporation of the latest population information and statistical methodology into the survey design. The data presented in this report are from an NHIS sample design first used in 1985. It is anticipated that this design will be used until 1995.

The sample design plan of the NHIS follows a multi-stage probability design that permits a continuous

sampling of the civilian noninstitutionalized population residing in the United States. The survey is designed in such a way that the sample scheduled for each week is representative of the target population, and the weekly samples are additive over time. This design permits estimates for high-frequency measures or for large population groups to be produced from a short period of data collection. Estimates for low-frequency measures or for smaller population subgroups can be obtained from a longer period of data collection. The annual sample is designed so that tabulations can be provided for each of the four major geographic regions. Because interviewing is done throughout the year, there is no seasonal bias for annual estimates.

The continuous data collection also has administrative and operational advantages because fieldwork can be handled on a continuing basis with an experienced, stable staff.

Sample selection

The target population for NHIS is the civilian noninstitutionalized population residing in the United States. For the first stage of the sample design, the United States is considered to be a universe composed of approximately 1,900 geographically defined primary sampling units (PSU's). A PSU consists of a county, small group of contiguous counties, or a metropolitan statistical area. The PSU's collectively cover the 50 States and the District of Columbia. The 52 largest PSU's are selected into the sample with certainty and are referred to as self-representing PSU's. The other PSU's in the universe are referred to as non-self-representing PSU's. These PSU's are clustered into 73 strata, and 2 sample PSU's are chosen from each stratum with probability proportional to population size. This gives a total of 198 PSU's selected in the first stage.

Within a PSU, two types of second stage units are used: area segments and permit area segments. Area segments are defined geographically and contain an expected eight households. Permit area segments cover geographical areas containing housing units built after the 1980 census. The permit area segments are defined using updated lists of building permits issued in the PSU since 1980 and contain an expected four households.

Within each segment all occupied households are targeted for interview. On occasion, a sample segment

may contain a large number of households. In this situation the households are subsampled to provide a manageable interviewer workload.

The sample was designed so that a typical NHIS sample for the data collection years 1985 to 1995 will consist of approximately 7,500 segments containing about 59,000 assigned households. Of these households, an expected 10,000 will be vacant, demolished, or occupied by persons not in the target population of the survey. The expected sample of 49,000 occupied households will yield a probability sample of about 127,000 persons.

Features of the NHIS sample redesign

Starting in 1985, the NHIS design incorporated several new design features (9). The major changes include the following:

1. *The use of an all-area frame.* The NHIS sample is now designed so that it can serve as a sample frame for other NCHS population-based surveys. In previous NHIS designs about two-thirds of the sample was obtained from lists of addresses compiled at the time of the decennial census; that is, a list frame. Due to U.S. Bureau of the Census confidentiality restrictions, these sample addresses could be used for only those surveys being conducted by the U.S. Bureau of the Census. The methodology used to obtain addresses in the 1985 NHIS area frame does not use the census address lists. The sample addresses thus obtained can be used as a sampling frame for other NCHS surveys.
2. *The NHIS as four panels.* Four national subdesigns, or panels, constitute the full NHIS. Each panel contains a representative sample of the U.S. civilian noninstitutionalized population. Each of the four panels has the same sampling properties, and any combination of panels defines a national design. Panels were constructed to facilitate the linkage of NHIS to other surveys, and also to efficiently make large reductions in the size of the sample by eliminating panels from the survey.
3. *The oversampling of black persons.* One of the goals in designing the current NHIS was to improve the precision of estimates for black persons. This was accomplished by the use of differential sampling rates in PSU's with between about 5 and 50 percent black population. Sampling rates for selection of segments were increased in areas known to have the highest concentrations of black persons. Segment sampling rates were decreased in other areas within the PSU to ensure that the total sample in each PSU was the same size as it would have been without oversampling black persons.

4. *The reduction of the number of sampled PSU's.* Interviewer travel to sample PSU's constitutes a large component of the total field costs for the NHIS. The previous NHIS design included 376 PSU's. Research showed that reducing the number of sample PSU's while increasing the sample size within PSU's would reduce travel costs and also maintain the reliability of health estimates. The design now contains 198 PSU's.
5. *The selection of two PSU's per non-self-representing stratum.* In the previous design, one PSU was selected from each non-self-representing stratum. This feature necessitated the use of less efficient variance estimation procedures; the selection of two PSU's allows more efficient variance estimation methodology.

Collection and processing of data

The NHIS questionnaire contains two major parts: The first consists of topics that remain relatively the same from year to year. Among these topics are the incidence of acute conditions, the prevalence of chronic conditions, persons limited in activity due to chronic conditions, restriction in activity due to impairment or health problems, and utilization of health care services involving physician care and short-stay hospitalization. Occasionally new questions are incorporated into the main questionnaire. Since 1985, questions that ask the household members' city and state of birth, social security number, and father's last name, have been included. In 1989, questions were added that ask the location (city, county, and state) of any physician contact whether by telephone or in person; and for household members born in the United States, how many years they have lived in the state of residence, and for household members born in a foreign country, how many years they have lived in the United States. The second part consists of special topics added as supplements to each year's questionnaire. Beginning in August 1987, a special set of supplemental questions on the adult population's knowledge and attitudes about acquired immunodeficiency syndrome (AIDS) was added to the National Health Interview Survey using Computer Assisted Personal Interview (CAPI). A copy of the most recent questionnaire, not previously included in Current Estimates, is shown in Appendix III.

Careful procedures are followed to assure the quality of data collected in the interview. Most households in the sample are contacted by mail before the interviewers arrive. Potential respondents are informed of the importance of the survey and assured that all information obtained in the interview will be held in strict confidence. Interviewers make repeated trips to a household when a respondent is not immediately found. The success of these procedures is indicated by the response rate for the survey, which has been between 95 and 98 percent over the years.

When contact is made, the interviewer attempts to have all family members of the household 19 years of age

and over present during the interview. When this is not possible, proxy responses for absent adult family members are accepted. In most situations, proxy respondents are used for persons under 19 years of age. Persons 17 and 18 years of age may respond for themselves, however.

Interviewers undergo extensive training and retraining. The quality of their work is checked by means of periodic observation and by reinterview. Their work is also evaluated by statistical studies of the data they obtain in their interviews. A field edit is performed on all completed interviews so that if there are any problems with the information on the questionnaire, respondents may be recontacted to solve the problem.

Completed questionnaires are sent from the U.S. Bureau of the Census field offices to NCHS for coding and editing. To ensure the accuracy of coding, a 5-percent sample of all questionnaires is recoded and keyed by other coders. A 100-percent verification procedure is used if certain error tolerances are exceeded. Staff of the Division of Health Interview Statistics then edit the files to remove impossible and inconsistent codes.

The interview, fieldwork, and data processing procedures summarized above are described in detail in Series 1, No. 18 (10).

Estimation procedures

Because the design of NHIS is a complex multistage probability sample, it is necessary to reflect these complex procedures in the derivation of estimates (9). The estimates presented in this report are based upon 1989 sample person counts weighted to produce national estimates. The weight for each sample person is the product of four component weights:

- Probability of selection.* The basic weight for each person is obtained by multiplying the reciprocals of the probabilities of selection at each step in the design: PSU, segment, and household.
- Household nonresponse adjustment within segment.* In NHIS, interviews are completed in about 95 percent of all eligible households. Because of household non-response, a weighting adjustment is required. The nonresponse adjustment weight is a ratio with the number of households in a sample segment as the numerator and the number of households actually interviewed in that segment as the denominator. This adjustment reduces bias in an estimate to the extent that persons in the noninterviewed households have the same characteristics as the persons in the interviewed households in the same segment.
- First-stage ratio adjustment.* The weight for persons in the non-self-representing PSU's is ratio adjusted to the 1980 population within four race-residence classes of the non-self-representing strata within each geographic region.
- Poststratification by age-sex-race.* Within each of 60 age-sex-race cells (table I), a weight is constructed

Table I. The 60 poststratification age-sex-race cells in the National Health Interview Survey

| Age | Black | | All other | |
|-----------------------------|-------|--------|-----------|--------|
| | Male | Female | Male | Female |
| Under 1 year | X | X | X | X |
| 1-4 years | X | X | X | X |
| 5-9 years | X | X | X | X |
| 10-14 years | X | X | X | X |
| 15-17 years | X | X | X | X |
| 18-19 years | X | X | X | X |
| 20-24 years | X | X | X | X |
| 25-29 years | X | X | X | X |
| 30-34 years | X | X | X | X |
| 35-44 years | X | X | X | X |
| 45-49 years | X | X | X | X |
| 50-54 years | X | X | X | X |
| 55-64 years | X | X | X | X |
| 65-74 years | X | X | X | X |
| 75 years and over | X | X | X | X |

each quarter to ratio adjust the first-stage population estimate based on the NHIS to an independent estimate of the population of each cell. These independent estimates are prepared by the U.S. Bureau of the Census and are updated quarterly.

The main effect of the ratio-estimating process is to make the sample more closely representative of the target population by age, sex, race, and residence. The poststratification adjustment helps to reduce the component of bias resulting from sampling frame undercoverage; furthermore, this adjustment frequently reduces sampling variance.

Types of estimates

As noted, NHIS data were collected on a weekly basis, with each week's sample representing the resident, civilian noninstitutionalized population of the United States living during that week. The weekly samples are consolidated to produce quarterly files (each consisting of data for 13 weeks). Weights to adjust the data to represent the U.S. population are assigned to each of the four quarterly files. These quarterly files are later consolidated to produce the annual file, which is the basis of most tabulations of NHIS data.

NHIS uses various reference periods to reduce the amount of bias associated with respondent memory loss. A 2-week reference period is used in collecting data on the incidence of acute conditions, restriction in activity due to a health problem, and physician contacts. Each of these measures health events that may be forgotten soon after they occur. Examples of such events are telephoning a physician about a minor illness, missing a day from work because of a routine health problem, or having a cold. Either a 12- or 6-month (depending on the type of statistic) reference period is used for hospitalization data because hospitalization ordinarily involves a major event in a person's life and is not quickly forgotten. Chronic condition prevalence estimates are based on a 12-month reference period.

Because most NHIS estimates based on a 2-week reference period are designed to represent the number of health events for a 12-month period, these data must be adjusted to an annual basis. Data based on a 2-week reference period are multiplied by 6.5 to produce the 13-week estimate for the quarter. These reference period adjustments are made at the time that the quarterly files are produced. Therefore, the data can be used to produce estimates for each quarter and are used that way to study seasonal variation. The data from the four quarterly files (representing the number of events in each quarter) are summed to produce the annual estimate. Although these data are collected for only 2 weeks for each person included in the survey, any unusual event that may have occurred during a particular 2-week period does not bias the estimate because the quarterly estimate is a sum of the estimates produced for each week's sample during the entire quarter and the annual estimate is the sum of the four quarters.

For prevalence statistics, such as the number of persons limited in activity due to chronic conditions, the annual estimate results from summing the weighted quarterly files and dividing by 4. This division is necessary because, as noted above, each quarterly file has been weighted to produce an estimate of the number of persons in the U.S. population with a given characteristic. Summing the four quarters and dividing by 4 in effect averages these quarterly results for the year. Thus, the type of prevalence estimate ordinarily derived from NHIS data is an annual average prevalence estimate.

For data related to short-stay hospital discharges that are based on a 6-month reference period, cases identified during any quarter of data collection are multiplied by 2 to produce a quarterly estimate of the annual number of characteristics associated with short-stay hospital discharges. The NHIS average annual estimate of hospital discharges is derived by summing the four quarterly estimates and dividing by 4, just as the prevalence estimates are.

Reliability of the estimates

Because NHIS estimates are based on a sample, they may differ somewhat from the figures that would have been obtained if a complete census had been taken using the same survey and processing procedures. There are two types of errors possible in an estimate based on a sample survey: Sampling and non-sampling errors. To the extent possible, these types of errors are kept to a minimum by methods built into the survey procedures described earlier (11). Although it is very difficult to measure the extent of bias in NHIS, several studies have been conducted to examine this problem. The results have been published in several reports (12-15).

Nonsampling errors

Interviewing process—Information, such as the number of days of restricted activity caused by the condition, can

be obtained more accurately from household members than from any other source because only the persons concerned are in a position to report this information. However, there are limitations to the accuracy of diagnostic and other information collected in household interviews. For example, for diagnostic information, the household respondent can usually pass on to the interviewer only the information the physician has given to the family. For conditions not medically attended, diagnostic information is often no more than a description of symptoms. Further, a respondent may not answer a question in the intended manner because he or she has not properly understood the question, has forgotten the event, does not know, or does not wish to divulge the answer. Regardless of the type of measure, all NHIS data are estimates of known reported morbidity, disability, and so forth.

Reference period bias—NHIS estimates do not represent a complete measure of any given topic during the specified calendar period because data are not collected in the interview for persons who died or became institutionalized during the reference period. For many types of statistics collected in the survey, the reference period is the 2 weeks prior to the interview week. For such a short period, the contribution by decedents to a total inventory of conditions or services should be very small. However, the contribution by decedents during a long reference period (such as 1 year) might be significant, especially for older persons.

Underreporting associated with a long reference period is most germane to data on hospitalization. Analysis has shown that there is an increase in underreporting of hospitalizations with an increase in the time interval between the discharge and the interview. Exclusive of the hospital experience of decedents, the net underreporting using a 12-month recall period is in the neighborhood of 10 percent (16). The underreporting of discharges within 6 months of the week of interview is estimated to be about 5 percent (16). For this reason, hospital discharge data are based on hospital discharges reported to have occurred within 6 months of the week of interview.

Because hospitalization is common in the period immediately preceding death or institutionalization and older persons are much more likely to die than younger ones, the data should not be used to estimate the volume of hospitalization of the elderly although the data can be used to measure characteristics of elderly people.

It should further be noted that, although the reported frequencies and rates related to hospital episodes are presented by the year in which the data were collected, the estimates are, in most cases, based on hospitalizations that occurred during the year of data collection and the prior year. Overall, approximately one-half of the reported hospitalizations for the 12-month reference period occurred in the year prior to the year of data collection.

Population estimates—Some of the published tables include population figures for specified categories. Except for overall totals for the 60 age, sex, and race groups, which are adjusted to independent estimates, these figures

are based on the sample of households in NHIS. They are given primarily to provide denominators for rate computation, and for this purpose they are more appropriate for use with the accompanying measures of health characteristics than other population data that may be available. With the exception of the overall totals by age, sex, and race mentioned above, the population figures may differ from figures (which are derived from different sources) published in reports of the U.S. Bureau of the Census. Official population estimates are presented in U.S. Bureau of the Census reports in Series P-20, P-25, and P-60.

Rounding of numbers—In published tables, the figures are rounded to the nearest thousand, although they are not necessarily accurate to that detail. Derived statistics, such as rates and percent distributions, are computed after the estimates on which these are based have been rounded to the nearest thousand.

Combining data years—To reduce sampling error, data for number of years may be combined. However, in so doing, the questionnaire for each of the years should be checked, because even a small change in the questionnaire design may lead to large changes in the derived estimates. This caution also applies to using NHIS data on health measures where changes in other events, such as legislative changes, have occurred over time.

Sampling errors

The standard error is primarily a measure of sampling error, that is, the variations that might occur by chance because only a sample of the population is surveyed. The chances are about 68 in 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 in 100 that the difference would be less than twice the standard error and about 99 in 100 that it would be less than 2½ times as large.

Individual standard errors were not computed for each estimate in this report. Instead, standard errors were computed for a broad spectrum of estimates. Regression techniques were then applied to produce equations from which a standard error for any estimate can be

approximated. The regression equations, represented by parameters a and b , are presented in table II. Also shown are the cutoff values, the estimated number of persons or events below which the relative standard error is greater than 30 percent, and estimates do not meet NHIS standards of statistical reliability. Rules explaining their use are presented in the section below.

The reader is cautioned that this procedure will give an approximate standard error of an estimate rather than the precise standard error. The reader is further cautioned that particular care should be exercised when the denominator is small.

General rules for determining standard errors

To produce approximate standard errors for NHIS estimates, the reader must first determine the type of characteristic to be estimated, that is, the parameter set in table II to be used. The reader must then determine the type of estimate for which the standard error is needed. The type of estimate corresponds to one of five general rules for determining standard errors.

Rule 1. *Estimated number of people or events*—For the estimated number of people or events published in this report, there are two cases to consider. For the first case, if the estimated number is any combination of the poststratification age-sex-race cells in table I, then its value has been adjusted to official U.S. Bureau of the Census figures and its standard error is assumed to be 0.0. This corresponds to parameter set XI in table II. As an example, this would be the case for the number of persons in the U.S. target population or the number of black persons in the 18–44 year age group. Although the race class "white" is not specifically adjusted to U.S. Bureau of the Census figures, it dominates the poststratification "all other" race class; consequently, age-sex—"all other" race combinations of table I can be treated as age-sex-white combinations for the purpose of approximating standard errors.

Table II. Estimated standard error parameters and 30 percent relative standard error (RSE) cutoff points for the National Health Interview Survey, 1989

| Parameter set | Characteristic | Estimated parameters | | 30 percent RSE cutoff points ¹ |
|---------------|--|----------------------|---------|---|
| | | a | b | |
| I | Number of acute conditions | 0.000225 | 67,800 | 755,000 |
| II | Days of restricted activity or bed days | 0.000363 | 475,000 | 5,300,000 |
| III | Days lost from work or school | 0.000217 | 355,000 | 4,000,000 |
| IV | Number of episodes of persons injured | 0.000769 | 62,100 | 696,000 |
| V | Prevalence of chronic conditions | 0.0000893 | 12,200 | 136,000 |
| VI | Number of physician contacts based on a 2-week reference period | 0.0000282 | 166,000 | 1,800,000 |
| VII | Hospital days based on a 12-month reference period | 0.000320 | 54,300 | 606,000 |
| VIII | Hospital discharges based on a 6-month reference period | 0.000187 | 6,220 | 69,000 |
| IX | Hospital discharge days based on a 6-month reference period | 0.00194 | 82,300 | 935,000 |
| X | Population estimates for demographic, socioeconomic, and health characteristics | 0.0000307 | 3,640 | 41,000 |
| XI | Age-sex-race population based on combining the poststratification cells of table I | 0.0 | 0.0 | 41,000 |

¹Estimates below the cutoff points have an RSE of more than 30 percent and are considered to be statistically unreliable.

NOTE: The 1989 NHIS was based on a full sample. Therefore, 45,711 households were interviewed, resulting in a sample of 116,929 persons.

For the second case, the standard errors for all other estimates of numbers of people or events, such as the number of people limited in activity or the number of acute conditions, are approximated by using the parameters provided in table II and formula 1 below.

If the aggregate x for a characteristic has associated parameters a and b , then the approximate standard error for x , $SE(x)$, can be computed by the formula

$$SE(x) = \sqrt{ax^2 + bx} \quad (1)$$

Example of rule 1. As shown in table 7, the estimated number of acute conditions for males is 200,958,000. From table II, parameter set I, the a and b parameters for the numbers of acute conditions are 0.000225 and 67,800, respectively. Using formula 1, the estimated standard error is

$$\begin{aligned} & \sqrt{(0.000225)(200,958,000)^2 + (67,800)(200,958,000)} \\ &= 4,765,646 \end{aligned}$$

An approximate 95-percent confidence interval for the number of acute conditions for males is from 191,617,334 to 210,298,666 ($200,958,000 \pm 1.96(4,765,646)$).

Rule 2. For rates, proportions, and percents when the denominator is generated by the poststratification age-sex-race classes (table I)—In this case, the denominator has no sampling error. For example, rule 2 would apply to the estimated number of bed days per person for black persons age 65 years and over because the denominator is a combination of the poststratification cells. Approximate standard errors for such estimates can be computed using table II a and b parameters associated with the numerator characteristics along with formula 2 below.

If the estimate of rate, proportion, or percent p is the ratio of two estimated numbers, $p = x/Y$ (where p may be inflated by 100 for percents or 1,000 for rates per 1,000 persons), with Y having no sampling error, then the approximate standard error for p is given by the formula

$$SE(p) = p \sqrt{\frac{b}{x}} \quad (2)$$

In this report, the value of the denominator Y is always provided, but in a few cases the numerator value x is not published. For these cases the value of x may be computed by the formula

$$x = \begin{cases} pY & \text{if } p \text{ is a proportion or rate per unit} \\ & \text{or} \\ \frac{pY}{100} & \text{if } p \text{ is a percent or rate per 100} \\ & \text{units or} \\ \frac{pY}{1,000} & \text{if } p \text{ is a rate per 1,000 units} \end{cases}$$

Example of rule 2. From table 18, the rate of restricted-activity days associated with acute conditions for black persons in the 18–44 year age group is estimated to be 838.6 days per 100 persons per year. Here, $p = 838.6$ and can be expressed as $(100)x/Y$. From table 23, $x = 107,054,000$ restricted-activity days, and from table 78, $Y = 12,766,000$ persons. From table II, parameter set II, the parameters a and b for restricted-activity days are 0.000363 and 475,000, respectively. Using formula 2, the estimated standard error for the rate is

$$838.6 \sqrt{0.000363 + \frac{475,000}{107,054,000}} = 58.1 \text{ days}$$

An approximate 95-percent confidence interval for the number of restricted-activity days associated with acute conditions per 100 persons per year for black persons aged 18–44 years is from 724.7 to 952.5 days. If the value of x had not been published, it could have been obtained by the computation

$$x = 838.6 \frac{12,766,000}{100} = 107,055,676$$

The small difference between this computed value of x and the actual estimate can be attributed to rounding and would not significantly affect the computation of the standard error.

Rule 3. Proportions and percents when the denominator is not generated by the poststratification age-sex-race classes—If p represents an estimated percent, b is the parameter from table II associated with the numerator characteristics, and y is the number of persons in the denominator upon which p is based, then the standard error of p may be approximated by

$$SE(p) = \sqrt{\frac{bp(100 - p)}{y}} \quad (3)$$

(If p is a proportion, then the above formula can be used but with 100 replaced by 1.0.)

Example of rule 3. In table 70, it is estimated that 40.5 percent of persons in the Northeast have excellent health status. This percent is based upon the denominator estimate of 48,930,000 persons living in the Northeast. From table II, parameter set X, parameter b associated with health status is 3,640. Using formula 3, the standard error for the percent is

$$\sqrt{\frac{3,640(40.5)(100.0 - 40.5)}{48,930,000}} = 0.4 \text{ percent}$$

An approximate 95-percent confidence interval for the percent of persons in the Northeast

having excellent health status as perceived by the respondent is from 39.7 to 41.3 percent.

Rule 4. Rates when the denominator is not generated by the poststratification age-sex-race classes—If the estimated rate p is expressed as the ratio of two estimates, $p = x/y$ (inflated by 100 or 1,000 when appropriate), then the estimated standard error for p is given by the formula

$$SE(p) =$$

$$p \sqrt{\frac{SE(x)^2}{x^2} + \frac{SE(y)^2}{y^2} - 2r \frac{SE(x)}{x} \frac{SE(y)}{y}} \quad (4)$$

where $SE(x)$ and $SE(y)$ are computed using rule 1 and x and y are obtained from the tables. No estimates of r , the correlation between the numerator and denominator, are presented in this report; therefore, only the first two terms are available. The reader must assume that $r = 0.0$. Assuming $r = 0.0$ will yield an overestimate of the standard error if r is actually positive and an underestimate if r is negative.

Example of rule 4. Table 75 shows an estimate of 9.4 hospital days per male person hospitalized. From table 76 and 74 it can be seen that this estimated rate is the ratio of 71,435,000 hospital days for males to 7,635,000 males having one or more hospital episodes. From table II, parameter set VII, the numerator a and b parameters are 0.000320 and 54,300, respectively. From parameter set X, the denominator a and b values are 0.0000307 and 3,640, respectively. Using rule 1, the standard error for the numerator is approximately 2,347,737 days and the standard error for the denominator is approximately 171,991 persons.

Using formula 4 with $r = 0.0$, the standard error of the rate is estimated by

$$9.4 \sqrt{\frac{2,347,737^2}{71,435,000^2} + \frac{171,991^2}{7,635,000^2}}$$

$$= 0.4 \text{ days per person}$$

An approximate 95-percent confidence interval for the number of hospital days per hospitalized male is from 8.6 to 10.2 days.

Rule 5. Difference between two statistics (mean, rate, total, and proportion)—If x_1 and x_2 are two estimates,

then the standard error of the difference ($x_1 - x_2$) can be computed as follows:

$$SE(x_1 - x_2) =$$

$$\sqrt{SE(x_1)^2 + SE(x_2)^2 - 2rSE(x_1)SE(x_2)} \quad (5)$$

where $SE(x_1)$ and $SE(x_2)$ are computed using rules 1–4 as appropriate and r is the correlation coefficient between x_1 and x_2 .

Assuming $r = 0.0$ will result in an accurate standard error if the two estimates are actually uncorrelated and will result in an overestimate of the standard error if the correlation is positive or an underestimate if the correlation is negative.

Example of rule 5. Table 70 shows estimates of 40.5 percent of persons in the Northeast and 40.6 percent of persons in the Midwest having excellent health status. In the example of rule 3, it was shown that the standard error of the Northeast percent is approximately 0.4 percent. The standard error for the Midwest percent, computed similarly, is also 0.4 percent. From formula 5, with $r = 0.0$, the standard error estimated for the difference $(40.6 - 40.5) = 0.1$ is

$$\sqrt{(0.4)^2 + (0.4)^2} = 0.6 \text{ percent}$$

An approximate 95-percent confidence interval for this difference is from -1.1 to 1.3 percent. Thus the difference in percent of persons in excellent health between the Northeast and the Midwest is not significant at the 0.05 level.

Relative standard errors

Prior to 1985, relative standard error (RSE) curves were present in *Current estimates* for approximating relative standard errors. For readers who wish to continue using them, the following provides guidance. The RSE of an estimate is obtained by dividing the standard error (SE) of the estimate by the estimate x itself. This quantity is expressed as a percent of the estimate:

$$RSE = 100 \frac{SE(x)}{x}$$

Example of a relative standard error. In the example from rule 2, it was shown that the estimated rate of 838.6 restricted-activity days associated with acute conditions per 100 persons per year for black persons aged 18–44 years had an estimated standard error of 58.1 days. The relative standard error for the rate is

$$100 \frac{58.1}{838.6} = 6.9 \text{ percent}$$

Appendix II

Definitions of certain terms used in this report

Terms relating to conditions

Condition—Condition is a general term that includes any specific illness, injury, or impairment. Condition data are derived from the survey in two ways. First, respondents are asked to identify any conditions that caused certain types of impact associated with health, such as a visit to a doctor or a day spent in bed. Second, respondents are read lists of selected chronic conditions and asked whether they or any family members have any of these conditions.

At a later point in the survey, a series of questions is asked about each of the conditions identified in either of the two ways just described. The information obtained on each condition helps to clarify the nature of the condition and whether medical services have been involved in its diagnosis or treatment. It also aids in the coding of the condition. All conditions except impairments are coded according to the ninth revision of the International Classification of Diseases (b), with certain modifications adopted to make the codes more suitable for information derived from a household survey. A special set of codes devised by NHIS is used to code impairments.

Chronic condition—A condition is considered chronic if (a) the respondent indicates it was first noticed more than 3 months before the reference date of the interview, or (b) it is a type of condition that ordinarily has a duration of more than 3 months. Examples of conditions that are considered chronic regardless of their time of onset are diabetes, heart conditions, emphysema, and arthritis. A complete list of these conditions may be obtained by contacting the Division of Health Interview Statistics, National Center for Health Statistics.

Impairment—An impairment is a chronic or permanent defect, usually static in nature, that results from disease, injury, or congenital malformation. It represents a decrease in or loss of ability to perform various functions, particularly those of the musculoskeletal system and the sense organs. Impairments are grouped according to type of functional impairment and etiology in the special NHIS impairment codes.

Acute condition—A condition is considered acute if (a) it was first noticed no longer than 3 months before the reference date of the interview and (b) it is not one of the conditions considered chronic regardless of the time of

onset. (See definition of chronic condition.) However, any acute condition not associated with either at least one doctor visit or at least one day of restricted activity during the reference period is considered to be of minor consequence and is excluded from the final data produced by the survey.

Onset of condition—A condition is considered to have had its onset when it was first noticed. This could be the time the person first felt sick or became injured, or it could be the time the person or family was first told by a physician that the person had a condition of which he or she had been previously unaware.

Incidence of conditions—The incidence of a condition is the number of cases that had their onset during a specified period of time. A person may have more than one acute condition during a period of time or may have the same condition, such as a headache, more than once. Ordinarily, however, a chronic condition can begin only one time during a given reference period.

Prevalence of conditions—The prevalence of a condition is the number of persons who have the condition at a given point in time. Although the prevalence of acute conditions is a meaningful concept, it is seldom used in health statistics, which generally focus on the incidence of acute conditions. If the prevalence of a chronic condition is measured during a period of time (say, each week during a year), then the resulting estimate of prevalence is an average of 52 weekly prevalence estimates. This is called an average annual point prevalence estimate.

Terms relating to disability

Disability—Disability is a general term that refers to any long- or short-term reduction of a person's activity as a result of an acute or chronic condition. *Limitation of activity* refers to a long-term reduction in a person's capacity to perform the average kind or amount of activities associated with his or her age group. *Restriction of activity* refers to particular kinds of behavior usually associated with a reduction in activity due to either long- or short-term conditions. Thus limitation of activity refers to what a person is generally capable of doing, but restriction of activity ordinarily refers to a relatively short-term reduction in a person's activities below his or her normal capacity.

Limitation of activity because of chronic conditions—Persons are classified in terms of the major activity usually associated with their particular age group. The major activities for the age groups are (a) ordinary play for children under 5 years of age, (b) attending school for those 5–17 years of age, (c) working or keeping house for persons 18–69 years of age, and (d) capacity for independent living (e.g., the ability to bathe, shop, dress, eat, and so forth, without needing the help of another person) for those 70 years of age and over. People aged 18–69 years who are classified as keeping house are also classified by their ability to work at a job or business. (In this report, the major activity of persons 65–69 years is assumed to be working or keeping house; however, questions were also asked about the capacity for independent living in this age group, which would permit an alternative definition of limitation.)

In regard to these activities, each person is classified into one of four categories: (a) unable to perform the major activity, (b) able to perform the major activity but limited in the kind or amount of this activity, (c) not limited in the major activity but limited in the kind or amount of other activities, and (d) not limited in any way. In regard to these four categories, NHIS publications often classify persons only by whether they are limited (groups a–c) or not limited (group d). Persons are not classified as limited in activity unless one or more chronic conditions are reported as the cause of the activity limitation. If more than one condition is reported, the respondent is asked to identify the condition that is the major cause of the limitation.

Restriction of activity—Four types of restricted activity are measured in NHIS: *bed days*, *work-loss days* for currently employed persons 18 years of age and over, *school-loss days* for children 5–17 years of age, and *cut-down days*.

A *bed day* is one during which a person stayed in bed more than half a day because of illness or injury. All hospital days for inpatients are considered bed days even if the patient was not in bed more than half a day.

A *work-loss day* is one on which a currently employed person 18 years of age and over missed more than half a day from a job or business.

A *school-loss day* is one on which a student 5–17 years of age missed more than half a day from the school in which he or she was currently enrolled.

A *cut-down day* is a day on which a person cuts down for more than half a day on the things he or she usually does.

Work-loss, school-loss, and cut-down days refer to the short-term effects of illness or injury. However, bed days are a measure of both long- and short-term disability, because a chronically ill bedridden person and a person with a cold could both report having spent more than half a day in bed due to an illness.

The number of restricted-activity days is the number of days a person experienced at least one of the four types of activity restriction just described. It is the most inclusive measure of disability days and the least descriptive; 4 days

of restricted activity may mean 4 bed days associated with serious illness or 4 days during which a person merely cut down on his or her activities due to a mild illness.

A single restricted-activity day may involve both a bed day and a work-loss or school-loss day. However, a cut-down day cannot overlap with any of these three types of disability days. In calculating the sum of restricted-activity days, each day is counted only once even if more than one type of activity restriction was involved.

Restricted-activity days may be associated with either persons or conditions. *Person days* are the number of days during which a person restricted his or her activity. *Condition days* are the number of days during which a condition caused a person to restrict his or her activity. A person day of restricted activity can be caused by more than one condition. In such a case, each condition causing restriction is associated with that day of restricted activity. Therefore, the number of condition days of restricted activity may exceed the number of person days of restricted activity. This relationship holds for each type of restricted-activity day.

When two or more conditions cause a day of restricted activity, the conditions may be (a) both (all) acute, (b) one (some) acute and the other (some) chronic, or (c) both (all) chronic. The number of restricted-activity days associated with acute conditions includes groups (a) and (b); the number of such days associated with chronic conditions includes groups (b) and (c). The phrase “associated with” rather than “caused by” is used to indicate that some days associated with acute or chronic conditions are not necessarily caused solely by that type of condition.

Assessed health status—The categories related to this concept result from asking the respondent, “Would you say _____’s health is excellent, very good, good, fair, or poor?” As such, it is based on a respondent’s opinion and not directly on any clinical evidence.

Terms relating to persons injured

Injury condition—An injury condition, or simply an injury, is a condition of the type that is classified according to the nature-of-injury code numbers (800–999) in the ninth revision of the International Classification of Diseases (b). In addition to fractures, lacerations, contusions, burns, and so forth, which are commonly thought of as injuries, this group of codes includes poisonings and impairments caused by accidents or nonaccidental violence. Unless otherwise specified, the term injury is used to cover all of these.

A person may sustain more than one injury in a single accident (for instance, a broken leg and laceration of the scalp), so the number of injury conditions may exceed the number of persons injured.

Statistics of acute injury conditions include only injuries that involved medical attendance or at least a half day of restricted activity.

Episodes of persons injured—Each time a person is involved in an accident or nonaccidental violence causing

injury that results in medical attention or at least a half day of restricted activity, it is counted as a separate episode of a person injured. Therefore, one person may account for more than one episode of a person injured.

The number of episodes of persons injured is not equivalent to the number of accidents for several reasons: (a) the term "accident" as commonly used may not involve injury at all; (b) more than one injured person may be involved in a single accident, so the number of accidents resulting in injury would be less than the number of persons injured in accidents; and (c) the term "accident" ordinarily implies an accidental origin, whereas "persons injured" as used in the NHIS includes persons whose injuries resulted from certain nonaccidental violence.

The number of episodes of persons injured in a specified time interval is equal to or less than the incidence of injury conditions because a person may incur more than one injury in a single accident.

Terms relating to accidents

Motor vehicle—A motor vehicle is any mechanically or electrically powered device, not operated on rails, on which or by which a person or property can be transported or drawn on a land highway. Any object being towed by a motor vehicle (such as a trailer, coaster, sled, or wagon) is considered a part of the motor vehicle. Devices used solely for moving persons or materials within the confines of a building and its premises are not counted as motor vehicles.

Moving motor vehicle accident—An accident is classified as "moving motor vehicle" if at least one of the motor vehicles involved in the accident was moving at the time of the accident. This category is divided into "traffic and nontraffic" accidents.

Traffic moving motor vehicle accident—An accident is in the "traffic" category if it occurred on a public street or highway. It is considered to have occurred on the highway if it occurred wholly on the highway, originated on the highway, terminated on the highway, or involved a vehicle partially on the highway. (See "street or highway.")

Nontraffic moving motor vehicle accident—The accident is in the "nontraffic" category if it occurred entirely in any place other than a public street or highway.

Street or highway—"Street or highway" means the entire width between property lines of a way or place, any part of which is open for use of the public as matter of right or custom. This includes more than just the traveled part of the road. "Street or highway" includes the whole right-of-way. Public sidewalks are part of the street, but private driveways, private lanes, private alleys, and private sidewalks are *not* considered part of the street.

Nonmoving motor vehicle accident—If the motor vehicle was not moving at the time of the accident, the accident is considered a "nonmoving motor vehicle" accident and is classified in the "other accident" category. (See "other accident.")

Accident while at work—An accident is classified as "while at work" if the injured person was 18 years of age

or over and was at work at a job or business at the time the accident happened.

Home accident—An accident is classified as "home accident" if the injury occurred either inside or outside the house. "Outside the house" refers to the yard, building, and sidewalks on the property. "Home" includes not only the person's own home but also any other home in which the person may have been injured.

Industrial place—This category includes factory buildings, railways yards, warehouses, workshops, loading platforms of factories or stores, construction projects (houses, buildings, bridges, new roads, and the like), as well as buildings undergoing remodeling. However, accidents in private homes undergoing remodeling are classified as home accidents.

Other accident—This category includes injuries in public places (such as tripping and falling in a store or on a public sidewalk) and also nonaccidental injuries such as homicidal and suicidal attempts. The survey does not cover the military population, but current disability of various types resulting from prior injury that occurred while the person was in the armed forces is covered and is included in this class.

Terms relating to physician contacts

Physician contact—A physician contact is defined as consultation with a physician, in person or by telephone, for examination, diagnosis, treatment, or advice. (Physician contacts with hospital inpatients are not included.) The contact is considered to be a physician contact if the service is provided directly by the physician or by a nurse or other person acting under a physician's supervision. For the purpose of this definition, "physician" includes doctors of medicine and osteopathic physicians. The term "doctor" is used in the interview rather than "physician" because of popular usage. However, the concept toward which all instructions are directed is that which is described here.

Physician contacts for services provided on a mass basis are not included in the tabulations. A service received on a mass basis is defined as any service involving only a single test (such as a test for diabetes) or a single procedure (such as a measles inoculation) when this single service is administered identically to all persons who are at the place for this purpose. Hence obtaining a chest x ray in a tuberculosis chest x ray trailer is not included as a physician contact. However, a special chest x ray given in a physician's office or in an outpatient clinic is considered a physician contact.

If a physician is called to a house to see more than one person, the call is considered a separate physician contact for each person about whom the physician is consulted.

A physician contact is associated with the person about whom the advice is sought, even if that person does not actually see or consult the physician. For example, if a mother consults a physician about one of her children, the physician contact is ascribed to the child.

Place of contact—The place of contact is a classification of the type of place at which a physician contact took place. The definitions of the various categories are as follows:

Telephone. Refers to medically related matters discussed in a telephone call with a physician or physician's assistant. Calls for nonmedically related matters (such as for an appointment) are not included.

Office. Refers to physician offices that are not located in a hospital.

Hospital. Involves three types of places in a hospital: emergency room, clinic, and doctor's office.

Other. Any place not classified into one of the three categories specified above, including clinics and HMO's not located in hospitals.

Interval since last physician contact—The interval since the last physician contact is the length of time prior to the week of interview since a physician was last consulted in person or by telephone for treatment or advice of any type whatever. A physician contact with a hospital inpatient can be counted as the last time a physician was seen even though it is not included in the "physician contact" category.

Terms relating to hospitalization

Hospital—For this survey, a hospital is defined as any institution either (a) named in the listing of hospitals in the current *American Hospital Association Guide to the Health Care Field* or (b) found on the Master Facility Inventory List maintained by the National Center for Health Statistics.

Short-stay hospital—A short-stay hospital is one in which the type of service provided is general; maternity; eye, ear, nose, and throat; children's; or osteopathic; or it may be the hospital department of an institution.

Hospital day—A hospital day is a day on which a person is confined to a hospital. It is counted as a hospital day only if the patient stays overnight. Thus a patient who enters the hospital on Monday afternoon and leaves Wednesday noon is considered to have had two hospital days.

Hospital days during the year—The number of hospital days during the year is the total number for all hospital episodes in the 12-month period prior to the interview week. For the purposes of this estimate, episodes overlapping the beginning or end of the 12-month period are subdivided so that only those days falling within the period are included.

Hospital episode—A hospital episode is any continuous period of stay of 1 night or more in a hospital as an inpatient except the period of stay of a well newborn infant. A hospital episode is recorded for a family member whenever any part of his hospital stay is included in the 12-month period prior to the interview week.

Hospital discharge—A hospital discharge is the completion of any continuous period of stay of 1 night or more in a hospital as an inpatient except the period of stay of a

well newborn infant. A hospital discharge is recorded whenever a present member of the household is reported to have been discharged from a hospital in the 12-month period prior to the interview week. (Estimates were based on discharges that occurred during the 6-month period prior to the interview.)

Length of hospital stay—The length of hospital stay is the duration in days, exclusive of the day of discharge, of a hospital discharge. (See "hospital discharge.")

Average length of stay—The average length of stay per discharged patient is computed by dividing the total number of hospital days for a specified group by the total number of discharges for that group.

Demographic terms

Age—The age recorded for each person is the age at last birthday. Age is recorded in single years and grouped in a variety of distributions depending on the purpose of the table.

Geographic region—For the purpose of classifying the population by geographic area, the States are grouped into four regions. These regions, which correspond to those used by the U.S. Bureau of the Census, are as follows:

| <i>Region</i> | <i>States included</i> |
|---------------|---|
| Northeast | Maine, Vermont, New Hampshire, Massachusetts, Connecticut, Rhode Island, New York, New Jersey, and Pennsylvania. |
| Midwest | Ohio, Illinois, Indiana, Michigan, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Kansas and Nebraska. |
| South | Delaware, Maryland, District of Columbia, West Virginia, Virginia, Kentucky, Tennessee, North Carolina, South Carolina, Georgia, Florida, Alabama, Mississippi, Louisiana, Oklahoma, Arkansas, and Texas. |
| West | Washington, Oregon, California, Nevada, New Mexico, Arizona, Idaho, Utah, Colorado, Montana, Wyoming, Alaska, and Hawaii. |

Place of residence—The place of residence of a member of the civilian noninstitutionalized population is classified as inside a metropolitan statistical area (MSA) or outside an MSA. Place of residence inside an MSA is further classified as either central city or not central city.

Metropolitan statistical area—The definition and titles of MSA's are established by the U.S. Office of Management and Budget with the advice of the Federal Committee on Metropolitan Statistical Areas. Generally speaking, an MSA consists of a county or group of counties containing at least one city (or twin cities) having a population of 50,000 or more plus adjacent counties that are metropolitan in character and are economically and socially

integrated with the central city. In New England, towns and cities rather than counties are the units used in defining MSA's. There is no limit to the number of adjacent counties included in the MSA as long as they are integrated with the central city, nor is an MSA limited to a single State; boundaries may cross State lines. The metropolitan population in this report is based on MSA's as defined in the 1980 census and does not include any subsequent additions or changes.

Central city of an MSA—The largest city in an MSA is always a central city. One or two additional cities may be secondary central cities in the MSA on the basis of either of the following criteria:

1. The additional city or cities must have a population one-third or more of that of the largest city and a minimum population of 25,000.
2. The additional city or cities must have at least 250,000 inhabitants.

Not central city of an MSA—This includes all of the MSA that is not part of the central city itself.

Not in MSA—This includes all other places in the country.

Race—The population is divided into three racial groups: "white," "black," and "all other." "All other" included Aleut, Eskimo or American Indian, Asian, or Pacific Islander, and any other races. Race characterization is based on the respondent's description of his or her racial background.

Income of family or of unrelated individuals—Each member of a family is classified according to the total income of the family of which he or she is a member. Within the household, all persons related to each other by blood, marriage, or adoption constitute a family. Unrelated individuals are classified according to their own incomes.

The income recorded is the total of all income received by members of the family (or by an unrelated individual) in the 12-month period preceding the week of interview. Income from all sources—for example, wages, salaries, rents from property, pensions, government payments, and help from relatives—is included.

Currently employed—Persons 18 years of age and over who reported that at any time during the 2-week period

covered by the interview they either worked at or had a job or business are currently employed. Current employment includes paid work as an employee of someone else; self-employment in business, farming, or professional practice; and unpaid work in a family business or farm. Persons who were temporarily absent from a job or business because of a temporary illness, vacation, strike, or bad weather are considered as currently employed if they expected to work as soon as the particular event causing the absence no longer existed.

Freelance workers are considered currently employed if they had a definite arrangement with one employer or more to work for pay according to a weekly or monthly schedule, either full time or part time.

Excluded from the currently employed population are persons who have no definite employment schedule but work only when their services are needed. Also excluded from the currently employed population are (a) persons receiving revenue from an enterprise but not participating in its operation, (b) persons doing housework or charity work for which they received no pay, (c) seasonal workers during the portion of the year they were not working, and (d) persons who were not working, even though having a job or business, but were on layoff and looking for work.

The number of currently employed persons estimated from the NHIS will differ from the estimates prepared from the Current Population Survey (CPS) of the U.S. Bureau of the Census for several reasons. In addition to sampling variability they include three primary conceptual differences, namely:

1. NHIS estimates are for persons 18 years of age and over; CPS estimates are for persons 16 years of age and over.
2. NHIS uses a 2-week reference period, while CPS uses a 1-week reference period.
3. NHIS is a continuing survey with separate samples taken weekly; CPS is a monthly sample taken for the survey week which includes the 12th of the month.

The most detailed operational definitions of all of these terms are found in the *NHIS Interviewer's Manual* (17). Instructions are given in the manual on how problem cases associated with each concept are to be handled.

Appendix III

Questionnaires and flashcards

OMB No. 0920-0214 Approval Expires March 31, 1990

NOTICE — Information contained on this form which would permit identification of any individual or establishment has been collected with a guarantee that it will be held in strict confidence, will be used only for purposes stated for this study, and will not be disclosed or released to others without the consent of the individual or the establishment in accordance with section 308(d) of the Public Health Service Act (42 USC 242m). Public reporting burden for this collection of information is estimated 15 average minutes per response. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to PHS Reports Clearance Officer, ATTN: PIA; Humphrey Building, Room 721 H, 200 Independence Avenue, SW, Washington, DC 20201; and to the Office of Management and Budget, Paperwork Reduction Project (0920-0214), Washington, DC 20503.

| | | | | | |
|---|--|---|--|-----------------------------------|---|
| FORM HIS-1 (1989) 13-21-89 (Revised) | | 1. Book ____ of ____ books | 2. R.O. number | 3. Sample | |
| U.S. DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS ACROSS ALL COLLECTING AGENTS FOR THE U.S. PUBLIC HEALTH SERVICE | | 4. Segment type <input type="checkbox"/> Area <input type="checkbox"/> Permit <input type="checkbox"/> Block | | | |
| | | 5. Control number PSU Segment Serial | | | |
| NATIONAL HEALTH INTERVIEW SURVEY | | | | | |
| 6a. What is your exact address? (Include House No., Apt. No., or other identification, county and ZIP Code) | | LISTING SHEET Sheet No. _____ Line No. _____ | | | 14. Noninterview reason TYPE A 01 <input type="checkbox"/> Refusal - Describe in footnotes 02 <input type="checkbox"/> No one at home, repeated calls 03 <input type="checkbox"/> Temporarily absent - Footnote 04 <input type="checkbox"/> Other (Specify) _____ <i>Fill items 1 - 6a, 7 and 9 as applicable: 10, 12 - 15</i> |
| City _____ State _____ County _____ ZIP Code _____ | | | | | TYPE B 05 <input type="checkbox"/> Vacant - nonresidential 06 <input type="checkbox"/> Vacant - residential 07 <input type="checkbox"/> Occupied entirely by persons with URE 08 <input type="checkbox"/> Occupied entirely by Armed Forces members 09 <input type="checkbox"/> Unit or to be demolished 10 <input type="checkbox"/> Under construction, not ready 11 <input type="checkbox"/> Converted to temporary business or storage 12 <input type="checkbox"/> Unoccupied site for mobile home, trailer, or tent 13 <input type="checkbox"/> Permit granted, construction not started 14 <input type="checkbox"/> Other (Specify) _____ <i>Fill items 1 - 6a, 7 and 9 as applicable: 10, 12 - 15</i> |
| b. Is this your mailing address? (Mark box or specify if different. Include county and ZIP Code.) | | Same as 6a | | | TYPE C 15 <input type="checkbox"/> Unused line of listing sheet 16 <input type="checkbox"/> Demolished 17 <input type="checkbox"/> House or trailer moved 18 <input type="checkbox"/> Outside segment 19 <input type="checkbox"/> Converted to permanent business or storage 20 <input type="checkbox"/> Merged 21 <input type="checkbox"/> Condemned 22 <input type="checkbox"/> Built after April 1, 1980 23 <input type="checkbox"/> Other (Specify) _____ <i>Fill items 1 - 6a, 6c if marked; 12 - 15, send Inter Comm</i> |
| City _____ State _____ County _____ ZIP Code _____ | | Sample unit number | Type code | | |
| c. Special place name | | | | | |
| AREA AND BLOCK SEGMENTS | | | | | |
| 7. YEAR BUILT <input type="checkbox"/> Ask <input type="checkbox"/> Do not ask | | | | | 15. Record of calls |
| When was this structure originally built? <input type="checkbox"/> Before 4-1-80 (Continue interview) <input type="checkbox"/> After 4-1-80 (Complete item 8c when required, end interview) | | | | | Month _____ Date _____ Beginning time _____ Ending time _____ Completed Mark (X) |
| 8. COVERAGE QUESTIONS <input type="checkbox"/> Ask items that are marked <input type="checkbox"/> Do not ask | | | | | P _____ a.m. _____ p.m. _____ |
| a. <input type="checkbox"/> Are there any occupied or vacant living quarters besides your own in this building? | | <input type="checkbox"/> Yes (Fill Table X) <input type="checkbox"/> No | | | T _____ a.m. _____ p.m. _____ |
| b. <input type="checkbox"/> Are there any occupied or vacant living quarters besides your own on this floor? | | <input type="checkbox"/> Yes (Fill Table X) <input type="checkbox"/> No | | | P _____ a.m. _____ p.m. _____ |
| c. <input type="checkbox"/> Is there any other building on this property for people to live in, either occupied or vacant? | | <input type="checkbox"/> Yes (Fill Table X) <input type="checkbox"/> No | | | T _____ a.m. _____ p.m. _____ |
| 9a. LAND USE <input type="checkbox"/> URBAN (10) <input type="checkbox"/> RURAL - Reg. units and SP. PL. units coded 85 - 88 in 6c - Ask item 9b SP. PL. units not coded 85 - 88 in 6c - Mark "No" in item 9b without asking | | | | | P _____ a.m. _____ p.m. _____ |
| b. During the past 12 months did sales of crops, livestock, and other farm products from this place amount to \$1,000 or more? <input type="checkbox"/> Yes <input type="checkbox"/> No (10) | | | | | T _____ a.m. _____ p.m. _____ |
| 10. CLASSIFICATION OF LIVING QUARTERS — Mark by observation | | | | | P _____ a.m. _____ p.m. _____ |
| a. LOCATION of unit Unit is: <input type="checkbox"/> In a Special Place - Refer to Table A in Part C of manual, then complete 10c or d <input type="checkbox"/> NOT in a Special Place (10b) | | c. HOUSING unit (Mark one, THEN page 2) 01 <input type="checkbox"/> House, apartment, flat 02 <input type="checkbox"/> IHU in nontransient hotel, motel, etc. 03 <input type="checkbox"/> IHU-permanent in transient hotel, motel, etc. 04 <input type="checkbox"/> IHU in rooming house 05 <input type="checkbox"/> Mobile home or trailer with no permanent room added 06 <input type="checkbox"/> Mobile home or trailer with one or more permanent rooms added 07 <input type="checkbox"/> IHU not specified above - Describe in footnotes | | | P _____ a.m. _____ p.m. _____ |
| b. Access <input type="checkbox"/> Direct (10c) <input type="checkbox"/> Through another unit Not a separate IHU containing unit that the interviewee gains access to gained. (Apply merged unit procedures if additional living quarters space was listed separately.) | | d. OTHER unit (Mark one) 08 <input type="checkbox"/> Quarters not IHU in rooming or boarding house 09 <input type="checkbox"/> Unit not permanent in transient hotel, motel, etc. 10 <input type="checkbox"/> Unoccupied site for mobile home, trailer, or tent 11 <input type="checkbox"/> Student quarters in college dormitory 12 <input type="checkbox"/> OTHER unit not specified above - Describe in footnotes | | | T _____ a.m. _____ p.m. _____ |
| GO TO HOUSEHOLD COMPOSITION PAGE | | | | | P _____ a.m. _____ p.m. _____ |
| 11. What is the telephone number here? <input type="checkbox"/> None | | Area code/number | 12. Interview observed? <input type="checkbox"/> Yes <input type="checkbox"/> No | 13. Interviewer's name _____ | |
| 13a. Interviewer's name _____ | | Code _____ | b. Language of interview 1 <input type="checkbox"/> English 2 <input type="checkbox"/> Spanish | 13b. Household Resp. _____ | |
| | | | 3 <input type="checkbox"/> Both English and Spanish 4 <input type="checkbox"/> Other | Sect. M-01 | Sect. Q2 |
| | | | | Sect. R-1 | AIDS |
| | | | | 14. Record of additional contacts | |
| | | | | Month _____ Date _____ | Beginning time _____ Ending time _____ Completed Col. No. |
| | | | | P _____ T _____ | a.m. _____ p.m. _____ |
| | | | | P _____ T _____ | a.m. _____ p.m. _____ |
| | | | | P _____ T _____ | a.m. _____ p.m. _____ |
| | | | | P _____ T _____ | a.m. _____ p.m. _____ |

A. HOUSEHOLD COMPOSITION PAGE

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------|---|-----|------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---|---|---|---|----|-----|-----|-----|------|----|------|---|---|---|---|---|---|---|----|-----|-----|-----|------|----|------|---|---|---|---|---|---|---|----|-----|-----|-----|------|----|------|---|---|---|---|---|---|---|
| <p>1a. What are the names of all persons living or staying here? Start with the name of the person or one of the persons who owns or rents this home. Enter name in REFERENCE PERSON column.</p> <p>b. What are the names of all other persons living or staying here? Enter names in columns</p> <p>c. I have listed (read names). Have I missed: - any babies or small children? - any lodgers, boarders, or persons you employ who live here? - anyone who USUALLY lives here but is now away from home travelling or in a hospital? - anyone else staying here?</p> <p>d. Do all of the persons you have named usually live here? <input type="checkbox"/> Yes (2) <input type="checkbox"/> No (APPLY HOUSEHOLD MEMBERSHIP RULES. Delete nonhousehold members by an "X" from 1-C2 and enter reason.)</p> <p>Probe if necessary: Does --- usually live somewhere else? Ask for all persons beginning with column 2:</p> <p>2. What is --- relationship to (reference person)?</p> <p>3. What is --- date of birth? (Enter date and age and mark sex.)</p> | | <p>If "Yes," enter names in columns</p> <table border="1"> <tr><td>Yes</td><td>No</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> </table> | Yes | No | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yes | No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <p>1. First name _____ Mid init. _____ Age _____ Last name _____ Sex _____ 11 M 21 F</p> <p>2. Relationship _____ REFERENCE PERSON _____ Date of birth _____ Month _____ Year _____</p> <p>HOSP. WORK RD 2 WK DV no. [] Name [] We [] Yes [] No Number [] Wb [] No [] Name Number</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>A1 2-WEEK PERIOD</p> <p>A1 12-MONTH DATE</p> <p>A1 13-MONTH HOSPITAL DATE</p> <p>A2 ASK CONDITION LIST _____</p> | | <p>C1</p> <table border="1"> <tr><td>LA</td><td>IRX</td><td>IBV</td><td>INJ</td><td>CLTH</td><td>HS</td><td>COND</td></tr> <tr><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td></tr> </table> | LA | IRX | IBV | INJ | CLTH | HS | COND | 1 | 1 | 1 | 1 | 1 | 1 | 1 | LA | IRX | IBV | INJ | CLTH | HS | COND | 1 | 1 | 1 | 1 | 1 | 1 | 1 | LA | IRX | IBV | INJ | CLTH | HS | COND | 1 | 1 | 1 | 1 | 1 | 1 | 1 | LA | IRX | IBV | INJ | CLTH | HS | COND | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| LA | IRX | | IBV | INJ | CLTH | HS | COND | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LA | IRX | IBV | INJ | CLTH | HS | COND | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LA | IRX | IBV | INJ | CLTH | HS | COND | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LA | IRX | IBV | INJ | CLTH | HS | COND | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>A3 Refer to ages of all related HH members</p> | | <p>A3 <input type="checkbox"/> All persons 65 and over (5) <input type="checkbox"/> Other (4)</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>4a. Are any of the persons in this family now on full-time active duty with the armed forces? <input type="checkbox"/> Yes <input type="checkbox"/> No (5)</p> <p>b. Who is this? Delete column numbers by an "X" from 1-C2.</p> <p>c. Anyone else? <input type="checkbox"/> Yes (Ask 4b and c) <input type="checkbox"/> No</p> <p>Ask for each person in armed forces:</p> <p>d. Where does --- usually live and sleep, here or somewhere else? Mark box in person's column.</p> | | <p>4d. <input type="checkbox"/> Living at home <input type="checkbox"/> Not living at home</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>5. If related persons 17 and over are listed in addition to the respondent and are not present, say: We would like to have all adult family members who are at home take part in the interview. Are (names of persons 17 and over) at home now? If "Yes," ask: Could they join us? (Allow time)</p> <p>Read to respondent(s): This survey is being conducted to collect information on the nation's health. I will ask about hospitalizations, disability, visits to doctors, illness in the family, and other health related items.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>HOSPITAL PROBE</p> <p>6a. Since (13 month hospital date) a year ago, was --- a patient in a hospital OVERNIGHT?</p> <p>b. How many different times did --- stay in any hospital overnight or longer since (13 month hospital date) a year ago?</p> | | <p>6a. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (Mark "HOSP" box, THEN NPI)</p> <p>b. } (Make entry in "HOSP" box Number of times }</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Ask for each child under one:</p> <p>7a. Was --- born in a hospital?</p> <p>Ask for mother and child:</p> <p>b. Have you included this hospitalization in the number you gave me for ---?</p> | | <p>7a. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (NPI)</p> <p>b. } <input type="checkbox"/> Yes (NPI) } <input type="checkbox"/> No (Correct 6 and "HOSP" box)</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>FOOTNOTES</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

B. LIMITATION OF ACTIVITIES PAGE

| | | | |
|--|-------------------------------------|------------|--|
| B1 | <i>Refer to age.</i> | B1 | 1 <input type="checkbox"/> 18 - 69 (1) 2 <input type="checkbox"/> Other (NP) |
| 1. What was — doing MOST OF THE PAST 12 MONTHS; working at a job or business, keeping house, going to school, or something else? <i>Priority if 2 or more activities reported. (1) Spent the most time doing; (2) Considers the most important.</i> | | 1. | 1 <input type="checkbox"/> Working (2) 2 <input type="checkbox"/> Keeping house (3) 3 <input type="checkbox"/> Going to school (5) 4 <input type="checkbox"/> Something else (5) |
| 2a. Does any impairment or health problem NOW keep — from working at a job or business? b. Is — limited in the kind OR amount of work — can do because of any impairment or health problem? | | 2a. | 1 <input type="checkbox"/> Yes (7) <input type="checkbox"/> No 2 <input type="checkbox"/> Yes (7) 3 <input type="checkbox"/> No (6) |
| 3a. Does any impairment or health problem NOW keep — from doing any housework at all? b. Is — limited in the kind OR amount of housework — can do because of any impairment or health problem? | | 3a. | 4 <input type="checkbox"/> Yes (4) <input type="checkbox"/> No 5 <input type="checkbox"/> Yes (4) 6 <input type="checkbox"/> No (5) |
| 4a. What (other) condition causes this? <i>Ask if injury or operation: When did [the (injury) occur?/— have the operation?] Ask if operation over 3 months ago: For what condition did — have the operation? If pregnancy/delivery or 0–3 months injury or operation — Reask question 3 where limitation reported, saying: Except for — (condition), . . . ? OR reask 4b/c.</i> b. Besides (condition) is there any other condition that causes this limitation? c. Is this limitation caused by any (other) specific condition? <i>Mark box if only one condition.</i> d. Which of these conditions would you say is the MAIN cause of this limitation? | | 4a. | <i>(Enter condition in C2, THEN 4b)</i> 1 <input type="checkbox"/> Old age (Mark "Old age" box, THEN 4c) b. <input type="checkbox"/> Yes (Reask 4a and b) <input type="checkbox"/> No (4d) c. <input type="checkbox"/> Yes (Reask 4a and b) <input type="checkbox"/> No d. <input type="checkbox"/> Only 1 condition <i>Main cause</i> |
| 5a. Does any impairment or health problem keep — from working at a job or business? b. Is — limited in the kind OR amount of work — could do because of any impairment or health problem? | | 5a. | 1 <input type="checkbox"/> Yes (7) <input type="checkbox"/> No 2 <input type="checkbox"/> Yes (7) 3 <input type="checkbox"/> No |
| B2 | <i>Refer to questions 3a and 3b</i> | B2 | 1 <input type="checkbox"/> "Yes" in 3a or 3b (NP) 2 <input type="checkbox"/> Other (6) |
| 6a. Is — limited in ANY WAY in any activities because of an impairment or health problem? b. In what way is — limited? <i>Record limitation, not condition.</i> | | 6a. | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (NP) b. <i>Limitation</i> |
| 7a. What (other) condition causes this? <i>Ask if injury or operation: When did [the (injury) occur?/— have the operation?] Ask if operation over 3 months ago: For what condition did — have the operation? If pregnancy/delivery or 0–3 months injury or operation — Reask question 2, 5, or 6 where limitation reported, saying: Except for — (condition), . . . ? OR reask 7b/c.</i> b. Besides (condition) is there any other condition that causes this limitation? c. Is this limitation caused by any (other) specific condition? <i>Mark box if only one condition.</i> d. Which of these conditions would you say is the MAIN cause of this limitation? | | 7a. | <i>(Enter condition in C2, THEN 7b)</i> 1 <input type="checkbox"/> Old age (Mark "Old age" box, THEN 7c) b. <input type="checkbox"/> Yes (Reask 7a and b) <input type="checkbox"/> No (7d) c. <input type="checkbox"/> Yes (Reask 7a and b) <input type="checkbox"/> No d. <input type="checkbox"/> Only 1 condition <i>Main cause</i> |

| B. LIMITATION OF ACTIVITIES PAGE, Continued | |
|---|----------------------|
| B3 | <i>Refer to age.</i> |
| 8. What was -- doing MOST OF THE PAST 12 MONTHS; working at a job or business, keeping house, going to school, or something else? <i>Priority if 2 or more activities reported: (1) Spent the most time doing; (2) Considers the most important.</i> | |
| 9a. Because of any impairment or health problem, does -- need the help of other persons with -- personal care needs, such as eating, bathing, dressing, or getting around this home? b. Because of any impairment or health problem, does -- need the help of other persons in handling -- routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes? | |
| 10a. Is -- able to take part AT ALL in the usual kinds of play activities done by most children -- age? b. Is -- limited in the kind OR amount of play activities -- can do because of any impairment or health problem? | |
| 11a. Does any impairment or health problem NOW keep -- from attending school? b. Does -- attend a special school or special classes because of any impairment or health problem? c. Does -- need to attend a special school or special classes because of any impairment or health problem? d. Is -- limited in school attendance because of -- health? | |
| 12a. Is -- limited in ANY WAY in any activities because of an impairment or health problem? b. In what way is -- limited? <i>Record limitation, not condition.</i> | |
| 13a. What (other) condition causes this? <i>Ask if injury or operation: When did [the (injury) occur?/ -- have the operation?] Ask if operation over 3 months ago: For what condition did -- have the operation? If pregnancy/delivery or 0-3 months injury or operation -- Reask question where limitation reported, saying: Except for -- (condition), . . . ? OR reask 13b/c. b. Besides (condition) is there any other condition that causes this limitation? c. Is this limitation caused by any (other) specific condition? <i>Mark box if only one condition.</i> d. Which of these conditions would you say is the MAIN cause of this limitation? </i> | |
| B3 0 <input type="checkbox"/> Under 5 (10) 2 <input type="checkbox"/> 18-69 (NP) 1 <input type="checkbox"/> 5-17 (11) 3 <input type="checkbox"/> 70 and over (8) | |
| 8. 1 <input type="checkbox"/> Working 2 <input type="checkbox"/> Keeping house 3 <input type="checkbox"/> Going to school 4 <input type="checkbox"/> Something else | |
| 9a. 1 <input type="checkbox"/> Yes (13) <input type="checkbox"/> No b. 2 <input type="checkbox"/> Yes (13) 3 <input type="checkbox"/> 1 No (12) | |
| 10a. <input type="checkbox"/> Yes 0 <input type="checkbox"/> No (13) b. 1 <input type="checkbox"/> Yes (13) 2 <input type="checkbox"/> No (12) | |
| 11a. 1 <input type="checkbox"/> Yes (13) <input type="checkbox"/> No b. 2 <input type="checkbox"/> Yes (13) <input type="checkbox"/> No c. 3 <input type="checkbox"/> Yes (13) <input type="checkbox"/> No d. 4 <input type="checkbox"/> Yes (13) 5 <input type="checkbox"/> No | |
| 12a. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> 1 No (NP) b. _____ <i>Limitation</i> | |
| 13a. (Enter condition in C2, THEN 13b) 1 <input type="checkbox"/> Old age (Mark "Old age" box, THEN 13c) | |
| b. <input type="checkbox"/> Yes (Reask 13a and b) <input type="checkbox"/> No (13d) | |
| c. <input type="checkbox"/> Yes (Reask 13a and b) <input type="checkbox"/> No | |
| d. <input type="checkbox"/> Only 1 condition _____ <i>Main cause</i> | |
| FOOTNOTES | |

B. LIMITATION OF ACTIVITIES PAGE, Continued

| | | | |
|------------------|--|-----------|--|
| B4 | <i>Refer to age.</i> | B4 | 0 <input type="checkbox"/> Under 5 (NP) 2 <input type="checkbox"/> 60-69 (14) 1 <input type="checkbox"/> 5-59 (B5) 3 <input type="checkbox"/> 70 and over (NP) |
| B5 | <i>Refer to "Old age" and "LA" boxes. Mark first appropriate box.</i> | B5 | <input type="checkbox"/> "Old age" box marked (14) <input type="checkbox"/> Entry in "LA" box (14) <input type="checkbox"/> Other (NP) |
| 14a. | Because of any impairment or health problem, does —— need the help of other persons with —— personal care needs, such as eating, bathing, dressing, or getting around this home? <i>If under 18, skip to next person; otherwise ask:</i> b. Because of any impairment or health problem, does —— need the help of other persons in handling —— routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes? | 14a. | 1 <input type="checkbox"/> Yes (15) <input type="checkbox"/> No b. 2 <input type="checkbox"/> Yes 3 <input type="checkbox"/> No (NP) |
| 15a. | a. What (other) condition causes this? <i>Ask if injury or operation. When did [the (injury) occur?/— have the operation?] Ask if operation over 3 months ago. For what condition did —— have the operation?</i> <i>If pregnancy/delivery or 0-3 months injury or operation —</i> <i>Reask question 14 where limitation reported, saying: Except for —— (<i>condition</i>), . . . ? OR reask 15b/c.</i> b. Besides (<i>condition</i>) is there any other condition that causes this limitation? c. Is this limitation caused by any (other) specific condition? <i>Mark box if only one condition.</i> d. Which of these conditions would you say is the MAIN cause of this limitation? | 15a. | <i>(Enter condition in C2, THEN 15b)</i> 1 <input type="checkbox"/> Old age (Mark "Old age" box, THEN 15c) b. <input type="checkbox"/> Yes (Reask 15a and b) <input type="checkbox"/> No (15d) c. <input type="checkbox"/> Yes (Reask 15a and b) <input type="checkbox"/> No <input type="checkbox"/> Only 1 condition Main cause |
| FOOTNOTES | | | |

D. RESTRICTED ACTIVITY PAGE PERSON 1

Hand calendar.

{The next questions refer to the 2 weeks outlined in red on that calendar, beginning Monday, (date) and ending this past Sunday (date).}

D1

Refer to age.

Under 5 (4) 5-17 (3) 18 and over (1)

1a. DURING THOSE 2 WEEKS, did — work at any time at a job or business not counting work around the house? (Include unpaid work in the family [farm/business].)

Yes (Mark "Wa" box, THEN 2) No

b. Even though — did not work during those 2 weeks, did — have a job or business?

Yes (Mark "Wb" box, THEN 2) No (4)

2a. During those 2 weeks, did — miss any time from a job or business because of illness or injury?

Yes No (4)

b. During that 2-week period, how many days did — miss more than half of the day from — job or business because of illness or injury?

None (4) No. of work-loss days (4)

3a. During those 2 weeks, did — miss any time from school because of illness or injury?

Yes No (4)

b. During that 2-week period, how many days did — miss more than half of the day from school because of illness or injury?

None No. of school-loss days

4a. During those 2 weeks, did — stay in bed because of illness or injury?

Yes No (6)

b. During that 2-week period, how many days did — stay in bed more than half of the day because of illness or injury?

None (6) No. of bed days (D2)

D2

Refer to 2b and 3b.

- No days in 2b or 3b (6)
 1 or more days in 2b or 3b (5)

5. On how many of the (number in 2b or 3b) days missed from [work/school] did — stay in bed more than half of the day because of illness or injury?

None

No. of days

Refer to 2b, 3b, and 4b.

6a. (Not counting the day(s)) missed from work missed from school (and) in bed),

Was there any (OTHER) time during those 2 weeks that — cut down on the things — usually does because of illness or injury?

Yes

No (D3)

b. (Again, not counting the day(s)) missed from work missed from school (and) in bed

During that period, how many (OTHER) days did — cut down for more than half of the day because of illness or injury?

None

No. of cut-down days

D3

Refer to 2-6.

- No days in 2-6 (Mark "No" in RD, THEN NP)
 1 or more days in 2-6 (Mark "Yes" in RD, THEN 7)

Refer to 2b, 3b, 4b, and 6b.

7a. What (other) condition caused — to miss work miss school (or) stay in bed (or) cut down during those 2 weeks?

(Enter condition in C2, THEN 7b)

b. Did any other condition cause — to miss work miss school (or) stay in bed (or) cut down during that period?

Yes. (Reask 7a and b)

No

FOOTNOTES

E. 2-WEEK DOCTOR VISITS PROBE PAGE

Read to respondent(s):

These next questions are about health care received during the 2 weeks outlined in red on that calendar.

E1 Refer to age.

E1

- Under 14 (1b)
 14 and over (1a)

1a. During those 2 weeks, how many times did — see or talk to a medical doctor? (Include all types of doctors, such as dermatologists, psychiatrists, and ophthalmologists, as well as general practitioners and osteopaths.) (Do not count times while an overnight patient in a hospital.)

**1a.
and
b.**

00 None
 _____ } (NP)
 Number of times

b. During those 2 weeks, how many times did anyone see or talk to a medical doctor about —? (Do not count times while an overnight patient in a hospital.)

2a. (Besides the time(s) you just told me about) During those 2 weeks, did anyone in the family receive health care at home or go to a doctor's office, clinic, hospital or some other place? Include care from a nurse or anyone working with or for a medical doctor. Do not count times while an overnight patient in a hospital.

Yes No (3a)

2b.

- DR Visit

b. Who received this care? Mark "DR Visit" box in person's column.

c. Anyone else?

Yes (Reask 2b and c) No

Ask for each person with "DR Visit" in 2b:

d. How many times did — receive this care during that period?

d.

Number of times

3a. (Besides the time(s) you already told me about) During those 2 weeks, did anyone in the family get any medical advice, prescriptions or test results over the PHONE from a doctor, nurse, or anyone working with or for a medical doctor?

Yes No (E2)

3b.

- Phone call

b. Who was the phone call about? Mark "Phone call" box in person's column.

c. Were there any calls about anyone else?

Yes (Reask 3b and c) No

Ask for each person with "Phone call" in 3b:

d. How many telephone calls were made about —?

d.

Number of calls

E2

Add numbers in 1, 2d, and 3d for each person. Record total number of visits and calls in "2-WK. DV" box in item C1.

FOOTNOTES

F. 2-WEEK DOCTOR VISITS PAGE

Refer to C1, "2-WK. DV" box.

| F. 2-WEEK DOCTOR VISITS PAGE | | DR VISIT 1 | | | | |
|--|--------------------------------------|----------------------------|------|------------------------------------|------|--------------------------------------|
| Refer to C1, "2-WK. DV" box. | | | | | | |
| F1 | Refer to age. | PERSON NUMBER _____ | | | | |
| <p>1a. On what (other) date(s) during those 2 weeks did — see or talk to a medical doctor, nurse, or doctor's assistant?</p> <p>b. On what (other) date(s) during those 2 weeks did anyone see or talk to a medical doctor, nurse, or doctor's assistant about — ?</p> <p>Ask after last DR visit column for this person:</p> <p>c. Were there any other visits or calls for — during that period? Make necessary correction to 2-Wk. DV box in C1.</p> <p>2. Where did — receive health care on (<i>date in 1</i>), at a doctor's office, clinic, hospital, some other place, or was this a telephone call?</p> <p>If doctor's office: Was this office in a hospital? If hospital: Was it the outpatient clinic or the emergency room? If clinic: Was it a hospital outpatient clinic, a company clinic, a public health clinic, or some other kind of clinic? If lab: Was this lab in a hospital? What was done during this visit? (Footnote)</p> | | | | | | |
| <p>Ask 3b if under 14.</p> <p>3a. Did — actually talk to a medical doctor?</p> <p>b. Did anyone actually talk to a medical doctor about — ?</p> <p>c. What type of medical person or assistant was talked to?</p> <p>d. Does the (<i>entry in 3c</i>) work with or for ONE doctor or MORE than one doctor?</p> <p>e. For this [visit/call] what kind of doctor was the (<i>entry in 3c</i>) working with or for — a general practitioner or a specialist?</p> <p>f. Is that doctor a general practitioner or a specialist?</p> <p>g. What kind of specialist?</p> <p>Ask 4b if under 14.</p> <p>4a. For what condition did — see or talk to the [doctor]/(<i>entry in 3c</i>) on (<i>date in 1</i>)? Mark first appropriate box.</p> <p>b. For what condition did anyone see or talk to the [doctor]/(<i>entry in 3c</i>) about — on (<i>date in 1</i>)? Mark first appropriate box.</p> <p>c. Was a condition found as a result of the [test(s)/examination]?</p> <p>d. Was this [test/examination] because of a specific condition — had?</p> <p>e. During the past 2 weeks was — sick because of her pregnancy?</p> <p>f. What was the matter?</p> <p>g. During this [visit/call] was the [doctor]/(<i>entry in 3c</i>) talked to about any (other) condition?</p> <p>h. What was the condition?</p> <p>Mark box if "Telephone" in 2.</p> <p>5a. Did — have any kind of surgery or operation during this visit, including bone settings and stitches?</p> <p>b. What was the name of the surgery or operation? If name of operation not known, describe what was done.</p> <p>c. Was there any other surgery or operation during this visit?</p> <p>Go to next DV if "Home" in 2.</p> <p>6. In what city (town), county, and State is the (<i>place in 2</i>) located?</p> | | | | | | |
| <p>1a. and b. <input type="checkbox"/> Under 14 (<i>1b</i>) <input type="checkbox"/> 14 and over (<i>1a</i>)</p> <p>Month _____ OR <table border="1"><tr><td>7777</td><td><input type="checkbox"/> Last week</td></tr><tr><td>8888</td><td><input type="checkbox"/> Week before</td></tr></table></p> <p>c. <input type="checkbox"/> Yes (Reask 1a or b and c) <input type="checkbox"/> No (Ask 2-6 for each visit)</p> <p>2. <input type="checkbox"/> Telephone Not in hospital: <input type="checkbox"/> 08 O.P. clinic <input type="checkbox"/> Home <input type="checkbox"/> 09 Emergency room <input type="checkbox"/> Doctor's office <input type="checkbox"/> 10 Doctor's office <input type="checkbox"/> Co or Ind. clinic <input type="checkbox"/> 11 Lab <input type="checkbox"/> Other clinic <input type="checkbox"/> 12 Overnight patient (6) <input type="checkbox"/> Lab <input type="checkbox"/> 88 Other (Specify) <input checked="" type="checkbox"/> <input type="checkbox"/> Other (Specify) <input checked="" type="checkbox"/></p> <p>3a. and b. <input type="checkbox"/> Yes (3f) <input type="checkbox"/> 8 DK if M D (3c) <input type="checkbox"/> No (3c) <input type="checkbox"/> 9 DK who was seen (3f)</p> <p>Type _____ 99 <input type="checkbox"/> DK</p> <p>d. <input type="checkbox"/> One (3f) <input type="checkbox"/> 2 More <input type="checkbox"/> 3 None (4) <input type="checkbox"/> 9 DK</p> <p>e. and f. <input type="checkbox"/> GP (4) <input type="checkbox"/> 2 Specialist (3g) <input type="checkbox"/> 9 DK (4)</p> <p>g. Kind of specialist _____</p> <p>4a. and b. <input type="checkbox"/> Condition (item C2, THEN 4g) <input type="checkbox"/> Pregnancy (4e) <input type="checkbox"/> Test(s) or examination (4c) <input type="checkbox"/> Other (Specify) <input checked="" type="checkbox"/> (4g)</p> <p>c. <input type="checkbox"/> Yes (4h) <input type="checkbox"/> No <input type="checkbox"/> Yes (4h) <input type="checkbox"/> No (4g) <input type="checkbox"/> Yes <input type="checkbox"/> No (4g)</p> <p>d. Condition _____ (item C2, THEN 4g)</p> <p>e. <input type="checkbox"/> Yes <input type="checkbox"/> No (5) <input type="checkbox"/> Pregnancy (4e)</p> <p>f. Condition _____ (item C2, THEN 4g)</p> <p>g. <input type="checkbox"/> Yes <input type="checkbox"/> No (5) <input type="checkbox"/> Pregnancy (4e)</p> <p>h. Condition _____ (item C2, THEN 4g)</p> <p>5a. <input type="checkbox"/> Telephone in 2 (Next Dr visit) <input type="checkbox"/> Yes <input type="checkbox"/> 2 <input type="checkbox"/> No (6)</p> <p>b. (1) _____ (2) _____</p> <p>c. <input type="checkbox"/> Yes (Reask 5b and c) <input type="checkbox"/> No</p> <p>6. City/County _____ / State/ZIP Code _____ /</p> | | | 7777 | <input type="checkbox"/> Last week | 8888 | <input type="checkbox"/> Week before |
| 7777 | <input type="checkbox"/> Last week | | | | | |
| 8888 | <input type="checkbox"/> Week before | | | | | |

G. HEALTH INDICATOR PAGE

| | | |
|---|--|--|
| <p>1a. During the 2-week period outlined in red on that calendar, has anyone in the family had an injury from an accident or other cause that you have not yet told me about?</p> <p align="center"><input type="checkbox"/> Yes <input type="checkbox"/> No (2)</p> <p>b. Who was this? Mark "Injury" box in person's column.</p> <p>c. What was -- injury? Enter injury(ies) in person's column.</p> <p>d. Did anyone have any other injuries during that period?</p> <p align="center"><input type="checkbox"/> Yes (Reask 1b, c, and d) <input type="checkbox"/> No</p> <p>Ask for each injury in 1c:</p> <p>e. As a result of the (injury in 1c) did [---/anyone] see or talk to a medical doctor or assistant (about ---) or did --- cut down on --- usual activities for more than half of a day?</p> | | <p>1b. <input type="checkbox"/> Injury</p> <p>c. _____ Injury</p> <p>e. <input type="checkbox"/> Yes (Enter injury in C2, THEN for next injury) <input type="checkbox"/> No (1e for next injury)</p> |
| <p>2. During the past 12 months, (that is, since (12-month date) a year ago) ABOUT how many days did illness or injury keep --- in bed more than half of the day? (Include days while an overnight patient in a hospital.)</p> | | <p>2. 000 <input type="checkbox"/> None _____ No. of days</p> |
| <p>3a. During the past 12 months, ABOUT how many times did [---/anyone] see or talk to a medical doctor or assistant (about ---)? (Do not count doctors seen while an overnight patient in a hospital.) (Include the (number in 2-WK DV box) visit(s) you already told me about.)</p> | | <p>3a. 000 <input type="checkbox"/> None (3b) 000 <input type="checkbox"/> Only when overnight patient in hospital } (NP) _____ No. of visits</p> <p>b. About how long has it been since [---/anyone] last saw or talked to a medical doctor or assistant (about ---)? Include doctors seen while a patient in a hospital.</p> <p>1 <input type="checkbox"/> Interview week (Reask 3b) 2 <input type="checkbox"/> Less than 1 yr. (Reask 3a) 3 <input type="checkbox"/> 1 yr., less than 2 yrs. 4 <input type="checkbox"/> 2 yrs., less than 5 yrs. 5 <input type="checkbox"/> 5 yrs. or more 0 <input type="checkbox"/> Never</p> |
| <p>4. Would you say --- health in general is excellent, very good, good, fair, or poor?</p> | | <p>4. 1 <input type="checkbox"/> Excellent 4 <input type="checkbox"/> Fair 2 <input type="checkbox"/> Very good 5 <input type="checkbox"/> Poor 3 <input type="checkbox"/> Good</p> |
| <p>Mark box if under 18.</p> <p>5a. About how tall is --- without shoes?</p> <p>b. About how much does --- weigh without shoes?</p> | | <p>5a. <input type="checkbox"/> Under 18 (NP) _____ Feet Inches _____ Pounds</p> <p>b. _____</p> |
| <p>FOOTNOTES</p> | | |

FORM HIS 1 (1989) (3-21-89)

Page 20

H. CONDITION LISTS 1 AND 2

Read to respondent(s) and ask list specified in A2:

Now I am going to read a list of medical conditions. Tell me if anyone in the family has had any of these conditions, even if you have mentioned them before.

| | |
|--|---|
| <p>1</p> <p>1a. Does anyone in the family <i>{read names}</i> NOW HAVE — If "Yes," ask 1b and c. b. Who is this? c. Does anyone else NOW have — <i>Enter condition and letter in appropriate person's column.</i></p> <p>A. PERMANENT stiffness or any deformity of the foot, leg, fingers, arm, or back? (<i>Permanent stiffness — joints will not move at all.</i>)</p> <p>B. Paralysis of any kind?</p> <p>1d. DURING THE PAST 12 MONTHS, did anyone in the family have — If "Yes," ask 1e and f.</p> <p>e. Who was this? f. DURING THE PAST 12 MONTHS, did anyone else have — <i>Enter condition and letter in appropriate person's column.</i> <i>C—L are conditions affecting the bone and muscle.</i> <i>M—W are conditions affecting the skin.</i></p> <p>C. Arthritis of any kind or rheumatism?</p> <p>D. Gout?</p> <p>E. Lumbago?</p> <p>F. Sciatica?</p> <p>G. A bone cyst or bone spur?</p> <p>H. Any other disease of the bone or cartilage?</p> <p>I. A slipped or ruptured disc?</p> <p>J. REPEATED trouble with neck, back, or spine?</p> <p>K. Bursitis?</p> <p>L. Any disease of the muscles or tendons?</p> | <p>2</p> <p>2a. Does anyone in the family <i>{read names}</i> NOW HAVE — If "Yes," ask 2b and c. b. Who is this? c. Does anyone else NOW have — <i>Enter condition and letter in appropriate person's column.</i></p> <p>A—L are conditions affecting <i>Hearing Vision Speech</i> <i>Conditions M-AA are impairments.</i></p> <p>A. Deafness in one or both ears? <i>Reask 2a</i></p> <p>B. Any other trouble hearing with one or both ears?</p> <p>C. Tinnitus or ringing in the ears?</p> <p>D. Blindness in one or both eyes?</p> <p>E. Cataracts?</p> <p>F. Glaucoma?</p> <p>G. Color blindness?</p> <p>H. A detached retina or any other condition of the retina?</p> <p>I. Any other trouble seeing with one or both eyes EVEN when wearing glasses?</p> <p>J. A Cleft palate or harelip?</p> <p>K. Stammering or stuttering?</p> <p>L. Any other speech defect?</p> <p>M. Loss of taste or smell which has lasted 3 months or more?</p> <p>N. A missing finger, hand, or arm; toe, foot, or leg?</p> <p>O. A missing joint?</p> <p>P. A missing breast, kidney, or lung?</p> <p>Q. Palsy or cerebral palsy? (<i>ser-a-bral</i>)</p> <p>R. Paralysis of any kind?</p> <p>S. Curvature of the spine?</p> <p>T. REPEATED trouble with neck, back, or spine?</p> <p>U. Any TROUBLE with fallen arches or flatfeet?</p> <p>V. A clubfoot?</p> <p>W. A trick knee?</p> <p>X. PERMANENT stiffness or any deformity of the foot, leg, or back? (<i>Permanent stiffness — joints will not move at all.</i>)</p> <p>Y. PERMANENT stiffness or any deformity of the fingers, hand, or arm?</p> <p>Z. Mental retardation?</p> <p>AA. Any condition caused by an accident or injury which happened more than 3 months ago? If "Yes," ask: What is the condition?</p> |
|--|---|

H. CONDITION LISTS 3 AND 4

Read to respondent(s) and ask list specified in A2:

Now I am going to read a list of medical conditions. Tell me if anyone in the family has had any of these conditions, even if you have mentioned them before.

| | | | |
|--|---|---|---|
| 3 <p>3a. DURING THE PAST 12 MONTHS, did anyone in the family <i>(read names)</i> have — <i>If "Yes," ask 3b and c.</i> b. Who was this? c. DURING THE PAST 12 MONTHS, did anyone else have — <i>Enter condition and letter in appropriate person's column.</i> <i>Make no entry in item C2 for cold; flu; red, sore, or strep throat; or "virus" even if reported in this list.</i> <i>Conditions affecting the digestive system.</i></p> | | 4 <p>4a. DURING THE PAST 12 MONTHS, did anyone in the family <i>(read names)</i> have — <i>If "Yes," ask 4b and c.</i> b. Who was this? c. DURING THE PAST 12 MONTHS, did anyone else have — <i>Enter condition and letter in appropriate person's column.</i> <i>A—B are conditions affecting the glandular system.</i> <i>C is a blood condition.</i> <i>D—I are conditions affecting the nervous system.</i> <i>J—Y are conditions affecting the genito-urinary system.</i></p> | |
| A. Gallstones? <hr/> B. Any other gallbladder trouble? <hr/> C. Cirrhosis of the liver? <hr/> D. Fatty liver? <hr/> E. Hepatitis? <hr/> F. Yellow jaundice? <hr/> G. Any other liver trouble? <hr/> H. An ulcer? <hr/> I. A hernia or rupture? <hr/> J. Any disease of the esophagus? <hr/> K. Gastritis? <hr/> L. FREQUENT indigestion? <hr/> M. Any other stomach trouble? <hr/> | N. Enteritis? <hr/> O. Diverticulitis? (Dye-ver-tic-yoo-lye'tis) <hr/> P. Colitis? <hr/> Q. A spastic colon? <hr/> R. FREQUENT constipation? <hr/> S. Any other bowel trouble? <hr/> T. Any other intestinal trouble? <hr/> U. Cancer of the stomach, intestines, colon, or rectum? <hr/> V. During the past 12 months, did anyone (else) in the family have any other condition of the digestive system? <i>If "Yes," ask: Who was this? — What was the condition? Enter in item C2, THEN reask V.</i> | Reask 3a <hr/> Reask 4a <hr/> B. Diabetes? <hr/> C. Anemia of any kind? <hr/> D. Epilepsy? <hr/> E. REPEATED seizures, convulsions, or blackouts? <hr/> F. Multiple sclerosis? <hr/> G. Migraine? <hr/> H. FREQUENT headaches? <hr/> I. Neuralgia or neuritis? <hr/> J. Nephritis? <hr/> K. Kidney stones? <hr/> L. REPEATED kidney infections? <hr/> M. A missing kidney? <hr/> | N. Any other kidney trouble? <hr/> O. Bladder trouble? <hr/> P. Any disease of the genital organs? <hr/> Q. A missing breast? <hr/> R. Breast cancer? <hr/> S. *Cancer of the prostate? <hr/> T. *Any other prostate trouble? <hr/> U. **Trouble with menstruation? <hr/> V. **A hysterectomy? If "Yes," ask: For what condition did — have a hysterectomy? <hr/> W. **A tumor, cyst, or growth of the uterus or ovaries? <hr/> X. **Any other disease of the uterus or ovaries? <hr/> Y. **Any other female trouble? <hr/> |

*Ask only if males in family.
**Ask only if females in family.

H. CONDITION LISTS 5 AND 6

Read to respondent(s) and ask list specified in A2.

Now I am going to read a list of medical conditions. Tell me if anyone in the family has had any of these conditions, even if you have mentioned them before.

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|-----------------------------|-------------------------------|---|-------------------------------------|------------------------------|-----------------------------|----------------------------|----------------------------|--------------------------|---------------------|--------------------------------|--------------------|--------------------|--------------------------|-----------------------------|-----------------------------------|----------------------------------|---|--|----------------|---------------------------------|------------|-----------------|---------------|---------------|-------------------|--------------|-------------------|------------------|--|--|--|--|-----------------|---|---|--|---|--|
| <p>5</p> <p>5a. Has anyone in the family <i>(read names)</i> EVER had — If "Yes," ask 5b and c.</p> <p>b. Who was this?</p> <p>c. Has anyone else EVER had — Enter condition and letter in appropriate person's column. <i>Conditions affecting the heart and circulatory system.</i></p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 50%; padding: 5px;">A. Rheumatic fever?</td> <td style="width: 50%; padding: 5px;">G. A stroke or a cerebrovascular accident? (ser'a-bro vas'ku-lar)</td> </tr> <tr> <td>B. Rheumatic heart disease?</td> <td>H. A hemorrhage of the brain?</td> </tr> <tr> <td>C. Hardening of the arteries or arteriosclerosis?</td> <td>I. Angina pectoris? (pek'to-ris)</td> </tr> <tr> <td>D. Congenital heart disease?</td> <td>J. A myocardial infarction?</td> </tr> <tr> <td>E. Coronary heart disease?</td> <td>K. Any other heart attack?</td> </tr> </table> <p>5d. DURING THE PAST 12 MONTHS, did anyone in the family have — If "Yes," ask 5e and f.</p> <p>e. Who was this?</p> <p>f. DURING THE PAST 12 MONTHS, did anyone else have — Enter condition and letter in appropriate person's column. <i>Conditions affecting the heart and circulatory system.</i></p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 50%; padding: 5px;">L. Damaged heart valves?</td> <td style="width: 50%; padding: 5px;">Q. Any blood clots?</td> </tr> <tr> <td>M. Tachycardia or rapid heart?</td> <td>R. Varicose veins?</td> </tr> <tr> <td>N. A heart murmur?</td> <td>S. Hemorrhoids or piles?</td> </tr> <tr> <td>O. Any other heart trouble?</td> <td>T. Phlebitis or thrombophlebitis?</td> </tr> <tr> <td>P. An aneurysm? (an yoo-rizm)</td> <td>U. Any other condition affecting blood circulation?</td> </tr> </table> | A. Rheumatic fever? | G. A stroke or a cerebrovascular accident? (ser'a-bro vas'ku-lar) | B. Rheumatic heart disease? | H. A hemorrhage of the brain? | C. Hardening of the arteries or arteriosclerosis? | I. Angina pectoris? (pek'to-ris) | D. Congenital heart disease? | J. A myocardial infarction? | E. Coronary heart disease? | K. Any other heart attack? | L. Damaged heart valves? | Q. Any blood clots? | M. Tachycardia or rapid heart? | R. Varicose veins? | N. A heart murmur? | S. Hemorrhoids or piles? | O. Any other heart trouble? | T. Phlebitis or thrombophlebitis? | P. An aneurysm? (an yoo-rizm) | U. Any other condition affecting blood circulation? | <p>6</p> <p>6a. DURING THE PAST 12 MONTHS, did anyone in the family <i>(read names)</i> have — If "Yes," ask 6b and c.</p> <p>b. Who was this?</p> <p>c. DURING THE PAST 12 MONTHS, did anyone else have — Enter condition and letter in appropriate person's column. Make no entry in item C2 for cold; flu; red, sore, or strep throat; or "virus" even if reported in this list. <i>Conditions affecting the respiratory system.</i></p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 50%; padding: 5px;">A. Bronchitis?</td> <td style="width: 50%; padding: 5px;">Reask 6a. K. A missing lung?</td> </tr> <tr> <td>B. Asthma?</td> <td>L. Lung cancer?</td> </tr> <tr> <td>C. Hay fever?</td> <td>M. Emphysema?</td> </tr> <tr> <td>D. Sinus trouble?</td> <td>N. Pleurisy?</td> </tr> <tr> <td>E. A nasal polyp?</td> <td>O. Tuberculosis?</td> </tr> <tr> <td>F. A deflected or deviated nasal septum?</td> <td>P. Any other work-related respiratory condition, such as dust on the lungs, silicosis, asbestos, or pneu-mo-co-ni-o-sis?</td> </tr> <tr> <td>G. *Tonsillitis or enlargement of the tonsils or adenoids?</td> <td></td> </tr> <tr> <td>H. *Laryngitis?</td> <td>Q. During the past 12 months did anyone (else) in the family have any other respiratory, lung, or pulmonary condition? If "Yes," ask: Who was this? — What was the condition? Enter in item C2, THEN reask Q.</td> </tr> <tr> <td>I. A tumor or growth of the throat, larynx, or trachea?</td> <td></td> </tr> <tr> <td>J. A tumor or growth of the bronchial tube or lung?</td> <td></td> </tr> </table> <p>*If reported in this list only, ask:</p> <p>1. How many times did — have <i>(condition)</i> in the past 12 months? If 2 or more times, enter condition in item C2. If only 1 time, ask:</p> <p>2. How long did it last? If 1 month or longer, enter in item C2. If less than 1 month, do not record. If tonsils or adenoids were removed during past 12 months, enter the condition causing removal in item C2.</p> | A. Bronchitis? | Reask 6a. K. A missing lung? | B. Asthma? | L. Lung cancer? | C. Hay fever? | M. Emphysema? | D. Sinus trouble? | N. Pleurisy? | E. A nasal polyp? | O. Tuberculosis? | F. A deflected or deviated nasal septum? | P. Any other work-related respiratory condition, such as dust on the lungs, silicosis, asbestos, or pneu-mo-co-ni-o-sis? | G. *Tonsillitis or enlargement of the tonsils or adenoids? | | H. *Laryngitis? | Q. During the past 12 months did anyone (else) in the family have any other respiratory, lung, or pulmonary condition? If "Yes," ask: Who was this? — What was the condition? Enter in item C2, THEN reask Q. | I. A tumor or growth of the throat, larynx, or trachea? | | J. A tumor or growth of the bronchial tube or lung? | |
| A. Rheumatic fever? | G. A stroke or a cerebrovascular accident? (ser'a-bro vas'ku-lar) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B. Rheumatic heart disease? | H. A hemorrhage of the brain? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C. Hardening of the arteries or arteriosclerosis? | I. Angina pectoris? (pek'to-ris) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D. Congenital heart disease? | J. A myocardial infarction? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E. Coronary heart disease? | K. Any other heart attack? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L. Damaged heart valves? | Q. Any blood clots? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| M. Tachycardia or rapid heart? | R. Varicose veins? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| N. A heart murmur? | S. Hemorrhoids or piles? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| O. Any other heart trouble? | T. Phlebitis or thrombophlebitis? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| P. An aneurysm? (an yoo-rizm) | U. Any other condition affecting blood circulation? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A. Bronchitis? | Reask 6a. K. A missing lung? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B. Asthma? | L. Lung cancer? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| C. Hay fever? | M. Emphysema? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| D. Sinus trouble? | N. Pleurisy? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| E. A nasal polyp? | O. Tuberculosis? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| F. A deflected or deviated nasal septum? | P. Any other work-related respiratory condition, such as dust on the lungs, silicosis, asbestos, or pneu-mo-co-ni-o-sis? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| G. *Tonsillitis or enlargement of the tonsils or adenoids? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| H. *Laryngitis? | Q. During the past 12 months did anyone (else) in the family have any other respiratory, lung, or pulmonary condition? If "Yes," ask: Who was this? — What was the condition? Enter in item C2, THEN reask Q. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. A tumor or growth of the throat, larynx, or trachea? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| J. A tumor or growth of the bronchial tube or lung? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| J. HOSPITAL PAGE | | HOSPITAL STAY 1 | | |
|--|---|------------------------|--|-----------------------------------|
| 1. Refer to C1, "HOSP." box. | | 1. PERSON NUMBER _____ | | |
| 2. You said earlier that -- was a patient in the hospital since <u>13-month hospital date</u> a year ago. On what date did -- enter the hospital (the last time/the time before that)? Record each entry date in a separate Hospital Stay column. | | 2. | Month | Date |
| 3. How many nights was -- in the hospital? | | 3. | 0000 <input type="checkbox"/> None (Next HS) | Nights |
| 4. For what condition did -- enter the hospital? * For delivery ask: Was this a normal delivery? If "No," ask: What was the matter? • For newborn ask: Was the baby normal at birth? If "No," ask: What was the matter? • For initial "No condition" ask: Why did -- enter the hospital? • For tests, ask: What were the results of the tests? If no results, ask: Why were the tests performed? | | 4. | 1 <input type="checkbox"/> Normal delivery 2 <input type="checkbox"/> Normal at birth 3 <input type="checkbox"/> No condition <input type="checkbox"/> Condition <u> </u> 1 <input type="checkbox"/> At least one night in 2-week reference period (Enter condition in C2, THEN 5) <input type="checkbox"/> No nights in 2-week reference period (5) | |
| J1 | Refer to questions 2, 3, and 2-week reference period. | | J1 | |
| 5a. Did -- have any kind of surgery or operation during this stay in the hospital, including bone settings and stitches? | | 5a. | 1 <input type="checkbox"/> Yes | 2 <input type="checkbox"/> No (6) |
| b. What was the name of the surgery or operation? <i>If name of operation not known, describe what was done.</i> | | b. | (1) _____ | (2) _____ |
| c. Was there any other surgery or operation during this stay? | | c. | <input type="checkbox"/> Yes (Reask 5b and c) <input type="checkbox"/> No | |
| 6. What is the name and address of this hospital? | | 6. | Name _____ Number and street _____ City or County _____ State _____ | |
| FOOTNOTES | | | | |

FORM HIS 1 (1989) (3-21-89)

Page 26

| CONDITION 1 | | PERSON NO. _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|-------------------------------|---|---|---|---|---|--|--|--|--|---|--------------------------------|-------------------------------|-------------------------------|---|--|---|---|--|---------------------------------------|------------------------------------|-------------------------------|----------|--------|---------|---------|--------|-----------|----------|---------|--------|------|--------|---------|--------|--------|---------|-------|-----|--|--|-------|---|--|--|---------|--------|-------|---------------------------|--------|-----------|-----------------------------|------------|---------|------------|-----------|------------|------|--------------|-------------|--------|-----------|-------|---------------------------|----------|-------|------|------|----------------|--|--|------------|------|--------------------|----------------------|----------------------|------|---------------|-----|--------------------------------------|-----|----------------------|-----|--|------|---|-----|---|------|---|-----------|------|----------|-------|------|--------|--------------------------------------|-----------------------------------|-------------------------------|---|---|---|---|--|--|--|---|--|---|
| <p>1. Name of condition</p> <p>Mark "2-wk. ref. pd." box without asking if "DV" or "HS" in C2 as source.</p> <p>2. When did [---/anyone] last see or talk to a doctor or assistant about --- (condition)?</p> <table border="0"> <tr> <td><input type="checkbox"/> Interview week (Reask 2)</td> <td>5 <input type="checkbox"/> 2 yrs., less than 5 yrs.</td> </tr> <tr> <td><input type="checkbox"/> 2-wk. ref. pd.</td> <td>6 <input type="checkbox"/> 5 yrs. or more</td> </tr> <tr> <td>2 <input type="checkbox"/> Over 2 weeks, less than 6 mos.</td> <td>7 <input type="checkbox"/> Dr. seen, DK when</td> </tr> <tr> <td>3 <input type="checkbox"/> 6 mos., less than 1 yr.</td> <td>8 <input type="checkbox"/> DK if Dr. seen } (3b)</td> </tr> <tr> <td>4 <input type="checkbox"/> 1 yr., less than 2 yrs.</td> <td>9 <input type="checkbox"/> Dr. never seen }</td> </tr> </table> <p>3a. (Earlier you told me about --- (condition). Did the doctor or assistant call the (condition) by a more technical or specific name?</p> <table border="0"> <tr> <td>1 <input type="checkbox"/> Yes</td> <td>2 <input type="checkbox"/> No</td> <td>3 <input type="checkbox"/> DK</td> </tr> </table> <p><i>Ask 3b if "Yes" in 3a, otherwise transcribe condition name from item 1 without asking:</i></p> <p>b. What did he or she call it? (Specify)</p> <table border="0"> <tr> <td>1 <input type="checkbox"/> Color Blindness (NC)</td> <td>2 <input type="checkbox"/> Cancer (3e)</td> </tr> <tr> <td>3 <input type="checkbox"/> Normal pregnancy, normal delivery, vasectomy } (5)</td> <td>4 <input type="checkbox"/> Old age (NC)</td> </tr> <tr> <td></td> <td>5 <input type="checkbox"/> Other (3c)</td> </tr> </table> <p>c. What was the cause of --- (condition in 3b)? (Specify) ✓</p> <p><i>Mark box if accident or injury.</i> 0 <input type="checkbox"/> Accident/injury (5)</p> <p>d. Did the (condition in 3b) result from an accident or Injury?</p> <table border="0"> <tr> <td>1 <input type="checkbox"/> Yes (5)</td> <td>2 <input type="checkbox"/> No</td> </tr> </table> <p><i>Ask 3e if the condition name in 3b includes any of the following words:</i></p> <table border="0"> <tr> <td>Alliment</td> <td>Cancer</td> <td>Disease</td> <td>Problem</td> </tr> <tr> <td>Anemia</td> <td>Condition</td> <td>Disorder</td> <td>Rupture</td> </tr> <tr> <td>Asthma</td> <td>Cyst</td> <td>Growth</td> <td>Trouble</td> </tr> <tr> <td>Attack</td> <td>Defect</td> <td>Measles</td> <td>Tumor</td> </tr> <tr> <td>Bad</td> <td></td> <td></td> <td>Ulcer</td> </tr> </table> <p>e. What kind of (condition in 3b) is it? (Specify)</p> <p><i>Ask 3f only if allergy or stroke in 3b-e:</i></p> <p>f. How does the (allergy/stroke) NOW affect ---? (Specify) ✓</p> <p><i>For Stroke, fill remainder of this condition page for the first present effect. Enter in item C2 and complete a separate condition page for each additional present effect.</i></p> | | | <input type="checkbox"/> Interview week (Reask 2) | 5 <input type="checkbox"/> 2 yrs., less than 5 yrs. | <input type="checkbox"/> 2-wk. ref. pd. | 6 <input type="checkbox"/> 5 yrs. or more | 2 <input type="checkbox"/> Over 2 weeks, less than 6 mos. | 7 <input type="checkbox"/> Dr. seen, DK when | 3 <input type="checkbox"/> 6 mos., less than 1 yr. | 8 <input type="checkbox"/> DK if Dr. seen } (3b) | 4 <input type="checkbox"/> 1 yr., less than 2 yrs. | 9 <input type="checkbox"/> Dr. never seen } | 1 <input type="checkbox"/> Yes | 2 <input type="checkbox"/> No | 3 <input type="checkbox"/> DK | 1 <input type="checkbox"/> Color Blindness (NC) | 2 <input type="checkbox"/> Cancer (3e) | 3 <input type="checkbox"/> Normal pregnancy, normal delivery, vasectomy } (5) | 4 <input type="checkbox"/> Old age (NC) | | 5 <input type="checkbox"/> Other (3c) | 1 <input type="checkbox"/> Yes (5) | 2 <input type="checkbox"/> No | Alliment | Cancer | Disease | Problem | Anemia | Condition | Disorder | Rupture | Asthma | Cyst | Growth | Trouble | Attack | Defect | Measles | Tumor | Bad | | | Ulcer | <p>Ask 3g if there is an impairment (refer to Card CP2) or any of the following entries in 3b-f:</p> <table border="0"> <tr> <td>Abscess</td> <td>Damage</td> <td>Palsy</td> </tr> <tr> <td>Ache (except head or ear)</td> <td>Growth</td> <td>Paralysis</td> </tr> <tr> <td>Bleeding (except menstrual)</td> <td>Hemorrhage</td> <td>Rupture</td> </tr> <tr> <td>Blood clot</td> <td>Infection</td> <td>Sore(ness)</td> </tr> <tr> <td>Boil</td> <td>Inflammation</td> <td>Stiff(ness)</td> </tr> <tr> <td>Cancer</td> <td>Neuralgia</td> <td>Tumor</td> </tr> <tr> <td>Cramps (except menstrual)</td> <td>Neuritis</td> <td>Ulcer</td> </tr> <tr> <td>Cyst</td> <td>Pain</td> <td>Varicose veins</td> </tr> <tr> <td></td> <td></td> <td>Weak(ness)</td> </tr> </table> <p>g. What part of the body is affected? (Specify)</p> <p>Show the following detail:</p> <table border="0"> <tr> <td>Head</td> <td>skull, scalp, face</td> </tr> <tr> <td>Back/spine/vertebrae</td> <td>upper, middle, lower</td> </tr> <tr> <td>Side</td> <td>left or right</td> </tr> <tr> <td>Ear</td> <td>inner or outer; left, right, or both</td> </tr> <tr> <td>Eye</td> <td>left, right, or both</td> </tr> <tr> <td>Arm</td> <td>shoulder, upper, elbow, lower or wrist; left, right, or both</td> </tr> <tr> <td>Hand</td> <td>entire hand or fingers only; left, right, or both</td> </tr> <tr> <td>Leg</td> <td>hip, upper, knee, lower, or ankle; left, right, or both</td> </tr> <tr> <td>Foot</td> <td>entire foot, arch, or toes only; left, right, or both</td> </tr> </table> <p><i>Except for eyes, ears, or internal organs, ask 3h if there are any of the following entries in 3b-f:</i></p> <table border="0"> <tr> <td>Infection</td> <td>Sore</td> <td>Soreness</td> </tr> </table> <p>h. What part of the (part of body in 3b-g) is affected by the [infection/sore/soreness] — the skin, muscle, bone, or some other part?</p> <p>(Specify)</p> <p><i>Ask if there are any of the following entries in 3b-f:</i></p> <table border="0"> <tr> <td>Tumor</td> <td>Cyst</td> <td>Growth</td> </tr> </table> <p>4. Is this [tumor/cyst/growth] malignant or benign?</p> <table border="0"> <tr> <td>1 <input type="checkbox"/> Malignant</td> <td>2 <input type="checkbox"/> Benign</td> <td>3 <input type="checkbox"/> DK</td> </tr> </table> <p>5 <table border="1"> <tr> <td>a. When was --- (condition in 3b/3f) first noticed?</td> <td>1 <input type="checkbox"/> 2-wk. ref. pd.</td> </tr> <tr> <td>b. When did --- (name of injury in 3b)?</td> <td>2 <input type="checkbox"/> Over 2 weeks to 3 months</td> </tr> <tr> <td></td> <td>3 <input type="checkbox"/> Over 3 months to 1 year</td> </tr> <tr> <td></td> <td>4 <input type="checkbox"/> Over 1 year to 5 years</td> </tr> <tr> <td></td> <td>5 <input type="checkbox"/> Over 5 years</td> </tr> </table> <p><i>Ask probes as necessary:</i> <i>(Was it on or since (first date of 2-week ref. period) or was it before that date?)</i> <i>(Was it less than 3 months or more than 3 months ago?)</i> <i>(Was it less than 1 year or more than 1 year ago?)</i> <i>(Was it less than 5 years or more than 5 years ago?)</i></p> </p> | | | Abscess | Damage | Palsy | Ache (except head or ear) | Growth | Paralysis | Bleeding (except menstrual) | Hemorrhage | Rupture | Blood clot | Infection | Sore(ness) | Boil | Inflammation | Stiff(ness) | Cancer | Neuralgia | Tumor | Cramps (except menstrual) | Neuritis | Ulcer | Cyst | Pain | Varicose veins | | | Weak(ness) | Head | skull, scalp, face | Back/spine/vertebrae | upper, middle, lower | Side | left or right | Ear | inner or outer; left, right, or both | Eye | left, right, or both | Arm | shoulder, upper, elbow, lower or wrist; left, right, or both | Hand | entire hand or fingers only; left, right, or both | Leg | hip, upper, knee, lower, or ankle; left, right, or both | Foot | entire foot, arch, or toes only; left, right, or both | Infection | Sore | Soreness | Tumor | Cyst | Growth | 1 <input type="checkbox"/> Malignant | 2 <input type="checkbox"/> Benign | 3 <input type="checkbox"/> DK | a. When was --- (condition in 3b/3f) first noticed? | 1 <input type="checkbox"/> 2-wk. ref. pd. | b. When did --- (name of injury in 3b)? | 2 <input type="checkbox"/> Over 2 weeks to 3 months | | 3 <input type="checkbox"/> Over 3 months to 1 year | | 4 <input type="checkbox"/> Over 1 year to 5 years | | 5 <input type="checkbox"/> Over 5 years |
| <input type="checkbox"/> Interview week (Reask 2) | 5 <input type="checkbox"/> 2 yrs., less than 5 yrs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> 2-wk. ref. pd. | 6 <input type="checkbox"/> 5 yrs. or more | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 <input type="checkbox"/> Over 2 weeks, less than 6 mos. | 7 <input type="checkbox"/> Dr. seen, DK when | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 <input type="checkbox"/> 6 mos., less than 1 yr. | 8 <input type="checkbox"/> DK if Dr. seen } (3b) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 <input type="checkbox"/> 1 yr., less than 2 yrs. | 9 <input type="checkbox"/> Dr. never seen } | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> Yes | 2 <input type="checkbox"/> No | 3 <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> Color Blindness (NC) | 2 <input type="checkbox"/> Cancer (3e) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 <input type="checkbox"/> Normal pregnancy, normal delivery, vasectomy } (5) | 4 <input type="checkbox"/> Old age (NC) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 <input type="checkbox"/> Other (3c) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> Yes (5) | 2 <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alliment | Cancer | Disease | Problem | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Anemia | Condition | Disorder | Rupture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Asthma | Cyst | Growth | Trouble | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Attack | Defect | Measles | Tumor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bad | | | Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Abscess | Damage | Palsy | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ache (except head or ear) | Growth | Paralysis | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bleeding (except menstrual) | Hemorrhage | Rupture | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood clot | Infection | Sore(ness) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Boil | Inflammation | Stiff(ness) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cancer | Neuralgia | Tumor | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cramps (except menstrual) | Neuritis | Ulcer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cyst | Pain | Varicose veins | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Weak(ness) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Head | skull, scalp, face | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Back/spine/vertebrae | upper, middle, lower | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Side | left or right | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ear | inner or outer; left, right, or both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | left, right, or both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Arm | shoulder, upper, elbow, lower or wrist; left, right, or both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hand | entire hand or fingers only; left, right, or both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Leg | hip, upper, knee, lower, or ankle; left, right, or both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Foot | entire foot, arch, or toes only; left, right, or both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Infection | Sore | Soreness | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tumor | Cyst | Growth | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> Malignant | 2 <input type="checkbox"/> Benign | 3 <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| a. When was --- (condition in 3b/3f) first noticed? | 1 <input type="checkbox"/> 2-wk. ref. pd. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| b. When did --- (name of injury in 3b)? | 2 <input type="checkbox"/> Over 2 weeks to 3 months | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 <input type="checkbox"/> Over 3 months to 1 year | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 <input type="checkbox"/> Over 1 year to 5 years | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 <input type="checkbox"/> Over 5 years | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| <p>K1</p> <p>Refer to RD and C2</p> <p>1 <input type="checkbox"/> "Yes" in "RD" box AND more than 1 condition in C2 (6) 8 <input type="checkbox"/> Other (K2)</p> <p>6a. During the 2 weeks outlined in red on that calendar, did — — (condition) cause — — to cut down on the things — — usually does?</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No (K2)</p> <p>b. During that period, how many days did — — cut down for more than half of the day?</p> <p>00 <input type="checkbox"/> None (K2) Days</p> <p>7. During those 2 weeks, how many days did — — stay in bed for more than half of the day because of this condition?</p> <p>00 <input type="checkbox"/> None Days</p> <p>Ask if "Wa/Wb" box marked in C1:</p> <p>8. During those 2 weeks, how many days did — — miss more than half of the day from — — job or business because of this condition?</p> <p>00 <input type="checkbox"/> None Days</p> <p>Ask if age 5 — 17:</p> <p>9. During those 2 weeks, how many days did — — miss more than half of the day from school because of this condition?</p> <p>00 <input type="checkbox"/> None Days</p> <p>K2</p> <p><input type="checkbox"/> Condition has "CL LTR" in C2 as source (10) <input type="checkbox"/> Condition does not have "CL LTR" in C2 as source (K4)</p> <p>10. About how many days since (12-month date) a year ago, has this condition kept — — in bed more than half of the day? (Include days while an overnight patient in a hospital.)</p> <p>000 <input type="checkbox"/> None Days</p> <p>11. Was — — ever hospitalized for — — (condition in 3b)?</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No</p> <p>K3</p> <p><input type="checkbox"/> Missing extremity or organ (K4) <input type="checkbox"/> Other (12)</p> <p>12a. Does — — still have this condition?</p> <p>1 <input type="checkbox"/> Yes (K4) 2 <input type="checkbox"/> No</p> <p>b. Is this condition completely cured or is it under control?</p> <p>2 <input type="checkbox"/> Cured 8 <input type="checkbox"/> Other (Specify) <input checked="" type="checkbox"/> (K4) 3 <input type="checkbox"/> Under control (K4)</p> <p>c. About how long did — — have this condition before it was cured?</p> <p>000 <input type="checkbox"/> Less than 1 month OR Number <input type="checkbox"/> Months <input type="checkbox"/> Years</p> <p>d. Was this condition present at any time during the past 12 months?</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No</p> <p>K4</p> <p>0 <input type="checkbox"/> Not an accident/injury (NC) 1 <input type="checkbox"/> First accident/injury for this person (14) 8 <input type="checkbox"/> Other (13)</p> | | <p>13. Is this (condition in 3b) the result of the same accident you already told me about?</p> <p><input type="checkbox"/> Yes (Record condition page number where accident questions first completed.) → _____ (NC) <input type="checkbox"/> No Page No.</p> <p>14. Where did the accident happen?</p> <p>1 <input type="checkbox"/> At home (inside house) 2 <input type="checkbox"/> At home (adjacent premises) 3 <input type="checkbox"/> Street and highway (includes roadway and public sidewalk) 4 <input type="checkbox"/> Farm 5 <input type="checkbox"/> Industrial place (includes premises) 6 <input type="checkbox"/> School (includes premises) 7 <input type="checkbox"/> Place of recreation and sports, except at school 8 <input type="checkbox"/> Other (Specify) <input checked="" type="checkbox"/></p> <p>Mark box if under 18. <input type="checkbox"/> Under 18 (16)</p> <p>15a. Was — — under 18 when the accident happened?</p> <p>1 <input type="checkbox"/> Yes (16) <input type="checkbox"/> No</p> <p>b. Was — — in the Armed Forces when the accident happened?</p> <p>2 <input type="checkbox"/> Yes (16) <input type="checkbox"/> No</p> <p>c. Was — — at work at — — job or business when the accident happened?</p> <p>3 <input type="checkbox"/> Yes 4 <input type="checkbox"/> No</p> <p>16a. Was a car, truck, bus, or other motor vehicle involved in the accident in any way?</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (17)</p> <p>b. Was more than one vehicle involved?</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No</p> <p>c. Was [it/either one] moving at the time?</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No</p> <p>17a. At the time of the accident what part of the body was hurt? What kind of injury was it?</p> <p>Anything else?</p> <table border="1"> <thead> <tr> <th>Part(s) of body *</th> <th>Kind of injury</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </tbody> </table> <p>Ask if box 3, 4, or 5 marked in Q.5:</p> <p>b. What part of the body is affected now? How is — — (part of body) affected? Is — — affected in any other way?</p> <table border="1"> <thead> <tr> <th>Part(s) of body *</th> <th>Present effects **</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </tbody> </table> | Part(s) of body * | Kind of injury | | | | | | | Part(s) of body * | Present effects ** | | | | | | |
|---|--------------------|---|-------------------|----------------|--|--|--|--|--|--|-------------------|--------------------|--|--|--|--|--|--|
| Part(s) of body * | Kind of injury | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Part(s) of body * | Present effects ** | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

L. DEMOGRAPHIC BACKGROUND PAGE

| | | | |
|---|----------------------|--|--|
| L1 | <i>Refer to age.</i> | L1 | <input type="checkbox"/> Under 5 (NP) <input type="checkbox"/> 5-17 (2) <input type="checkbox"/> 18 and over (1) |
| 1a. Did -- EVER serve on active duty in the Armed Forces of the United States? | | 1a. 1 <input type="checkbox"/> Yes (Mark "AF" box, THEN 1b) 2 <input type="checkbox"/> No (2) | |
| b. When did -- serve? <i>Mark box in descending order of priority. Thus, if person served in Vietnam and in Korea mark VN.</i> | | b. Vietnam Era (Aug. '64 to April '75) VN Korean War (June '50 to Jan. '55) KW World War II (Sept. '40 to July '47) WWII World War I (April '17 to Nov. '18) WWI Post Vietnam (May '75 to present) PVN Other Service (all other periods) OS | |
| | | 1 <input type="checkbox"/> VN 5 <input type="checkbox"/> PVN 2 <input type="checkbox"/> KW 6 <input type="checkbox"/> LOS 3 <input type="checkbox"/> WWII 9 <input type="checkbox"/> DDK 4 <input type="checkbox"/> WWI | |
| c. Was -- EVER an active member of a National Guard or military reserve unit? | | c. <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (2) 7 <input type="checkbox"/> Dk (2) | |
| d. Was ALL of -- active duty service related to National Guard or military reserve training? | | d. 1 <input type="checkbox"/> Yes 3 <input type="checkbox"/> No 9 <input type="checkbox"/> Dk | |
| 2a. What is the highest grade or year of regular school -- has ever attended? | | 2a. 00 <input type="checkbox"/> Never attended or kindergarten (NP) Elem: 1 2 3 4 5 6 7 8 High: 9 10 11 12 College: 1 2 3 4 5 6 + | |
| b. Did -- finish the (number in 2a) (grade/year)? | | b. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | |
| <i>Hand Card R. Ask first alternative for first person; ask second alternative for other persons.</i> | | | |
| 3a. What is the number of the group or groups which represents -- race? <i>Circle all that apply</i> | | 3a. 1 2 3 4 5 <input checked="" type="checkbox"/> <i>(Specify)</i> | |
| 1 - Aleut, Eskimo, or American Indian 4 - White 2 - Asian or Pacific Islander 5 - Another group not listed - <i>Specify</i> 3 - Black | | | |
| b. Which of those groups; that is, (entries in 3a) would you say BEST represents -- race? | | b. 1 2 3 4 5 <input checked="" type="checkbox"/> <i>(Specify)</i> | |
| c. Mark observed race of respondent(s) only. | | c. 1 <input type="checkbox"/> W 2 <input type="checkbox"/> B 3 <input type="checkbox"/> O | |
| <i>Hand Card O.</i> | | | |
| 4a. Are any of those groups -- national origin or ancestry? (Where did -- ancestors come from?) <i>Circle all that apply.</i> | | 4a. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (NP) | |
| b. Please give me the number of the group. <i>Circle all that apply.</i> | | b. 1 2 3 4 5 6 7 | |
| 1 - Puerto Rican 5 - Chicano 2 - Cuban 6 - Other Latin American 3 - Mexican/Mexicano 7 - Other Spanish 4 - Mexican American | | | |

L. DEMOGRAPHIC BACKGROUND PAGE, Continued

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|----|--------------------------------------|---|--|-------------------------------|------------------------------------|---|---|-------------------------------|------------------------------------|---|-----|--------------------------------|--|--|------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|-------------------------------|------------------------------|--------------------------------|
| L2 | Refer to "Age" and "Wa/Wb" boxes in C1. | L2 | <p>0 <input type="checkbox"/> Under 18 (NP) 1 <input type="checkbox"/> Wa box marked (5a) 2 <input type="checkbox"/> Wb box marked (5a) 3 <input type="checkbox"/> Neither box marked (5b)</p> | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>5a. Earlier you said that —— has a job or business but did not work last week or the week before. Was —— looking for work or on layoff from a job during those 2 weeks?</p> <p>b. Earlier you said that —— didn't have a job or business last week or the week before. Was —— looking for work or on layoff from a job during those 2 weeks?</p> <p>c. Which, looking for work or on layoff from a job?</p> | | <p>5a. 1 <input type="checkbox"/> Yes (5c) 2 <input type="checkbox"/> No (6b)</p> <p>b. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (NP)</p> <p>c. 1 <input type="checkbox"/> Looking (6c) 3 <input type="checkbox"/> Both (6b) 2 <input type="checkbox"/> Layoff (6b)</p> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>6a. Earlier you said that —— worked last week or the week before. Ask 6b.</p> <p>b. For whom did —— work? Enter name of company, business, organization, or other employer.</p> <p>c. For whom did —— work at —— last full-time job or business lasting 2 consecutive weeks or more? Enter name of company, business, organization, or other employer, or mark "NEV" or "AF" box in person's column.</p> <p>d. What kind of business or industry is this? For example, TV and radio manufacturing, retail shoe store, State Labor Department, farm.</p> | | <p>6b. and c. Employer <input type="checkbox"/> NEV (6g) <input type="checkbox"/> AF (6e)</p> <p>d. Industry</p> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>If "AF" in 6b/c, mark "AF" box in person's column without asking.</p> <p>e. What kind of work was —— doing? For example, electrical engineer, stock clerk, typist, farmer.</p> | | <p>e. Occupation <input type="checkbox"/> AF (NP)</p> <p>f. Duties</p> | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>g. Complete from entries in 6b—f. If not clear, ask:</p> <p>g. Was ——</p> <table border="0"> <tr> <td>An employee of a PRIVATE company, business or individual for wages, salary, or commission</td> <td>P</td> <td>Self-employed in OWN business, professional practice, or farm? Ask: Is the business incorporated? Yes 1 No 2</td> <td>SE</td> </tr> <tr> <td>A FEDERAL government employee?</td> <td>F</td> <td>Working WITHOUT PAY in family business or farm? WP</td> <td>6 <input type="checkbox"/> SE</td> </tr> <tr> <td>A STATE government employee?</td> <td>S</td> <td>— NEVER WORKED or never worked at a full-time job lasting 2 weeks or more</td> <td>7 <input type="checkbox"/> WP</td> </tr> <tr> <td>A LOCAL government employee?</td> <td>L</td> <td>NEV</td> <td>8 <input type="checkbox"/> NEV</td> </tr> </table> | | An employee of a PRIVATE company, business or individual for wages, salary, or commission | P | Self-employed in OWN business, professional practice, or farm? Ask: Is the business incorporated? Yes 1 No 2 | SE | A FEDERAL government employee? | F | Working WITHOUT PAY in family business or farm? WP | 6 <input type="checkbox"/> SE | A STATE government employee? | S | — NEVER WORKED or never worked at a full-time job lasting 2 weeks or more | 7 <input type="checkbox"/> WP | A LOCAL government employee? | L | NEV | 8 <input type="checkbox"/> NEV | <p>g. Class of worker</p> <table border="0"> <tr> <td>1 <input type="checkbox"/> P</td> <td>5 <input type="checkbox"/> I</td> </tr> <tr> <td>2 <input type="checkbox"/> F</td> <td>6 <input type="checkbox"/> SE</td> </tr> <tr> <td>3 <input type="checkbox"/> S</td> <td>7 <input type="checkbox"/> WP</td> </tr> <tr> <td>4 <input type="checkbox"/> L</td> <td>8 <input type="checkbox"/> NEV</td> </tr> </table> | | 1 <input type="checkbox"/> P | 5 <input type="checkbox"/> I | 2 <input type="checkbox"/> F | 6 <input type="checkbox"/> SE | 3 <input type="checkbox"/> S | 7 <input type="checkbox"/> WP | 4 <input type="checkbox"/> L | 8 <input type="checkbox"/> NEV |
| An employee of a PRIVATE company, business or individual for wages, salary, or commission | P | Self-employed in OWN business, professional practice, or farm? Ask: Is the business incorporated? Yes 1 No 2 | SE | | | | | | | | | | | | | | | | | | | | | | | | |
| A FEDERAL government employee? | F | Working WITHOUT PAY in family business or farm? WP | 6 <input type="checkbox"/> SE | | | | | | | | | | | | | | | | | | | | | | | | |
| A STATE government employee? | S | — NEVER WORKED or never worked at a full-time job lasting 2 weeks or more | 7 <input type="checkbox"/> WP | | | | | | | | | | | | | | | | | | | | | | | | |
| A LOCAL government employee? | L | NEV | 8 <input type="checkbox"/> NEV | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 <input type="checkbox"/> P | 5 <input type="checkbox"/> I | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 <input type="checkbox"/> F | 6 <input type="checkbox"/> SE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 <input type="checkbox"/> S | 7 <input type="checkbox"/> WP | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 <input type="checkbox"/> L | 8 <input type="checkbox"/> NEV | | | | | | | | | | | | | | | | | | | | | | | | | | |

FOOTNOTES

L.DEMOGRAPHIC BACKGROUND PAGE, Continued

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|----------------------------|----------------------------|-----------------------------|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|----------------------------|----|-----------------------------|----|----------------------------|----|----------------------------|--|--|----|----------------------------|----|----------------------------|--|--|----|----------------------------|----|----------------------------|--|--|
| <p><i>Mark box if under 14. If "Married" refer to household composition and mark accordingly.</i></p> <p>7. Is --- now married, widowed, divorced, separated, or has --- never been married?</p> | | <p>7.</p> <p>0 <input type="checkbox"/> Under 14 1 <input type="checkbox"/> Married - spouse in HH 2 <input type="checkbox"/> Married - spouse not in HH 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated 6 <input type="checkbox"/> Never married</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>8a. Was the total combined FAMILY income during the past 12 months - that is, yours, (read names, including Armed Forces members living at home) more or less than \$20,000? Include money from jobs, social security, retirement income, unemployment payments, public assistance, and so forth. Also include income from interest, dividends, net income from business, farm, or rent, and any other money income received.</p> <p><i>Read if necessary: Income is important in analyzing the health information we collect. For example, this information helps us to learn whether persons in one income group use certain types of medical care services or have certain conditions more or less often than those in another group.</i></p> <p><i>Read parenthetical phrase if Armed Forces member living at home or if necessary.</i></p> <p>b. Of those income groups, which letter best represents the total combined FAMILY income during the past 12 months (that is, yours, (read names, including Armed Forces members living at home)?) Include wages, salaries, and other items we just talked about.</p> <p><i>Read if necessary: Income is important in analyzing the health information we collect. For example, this information helps us to learn whether persons in one income group use certain types of medical care services or have certain conditions more or less often than those in another group.</i></p> | | <p>8a.</p> <p>1 <input type="checkbox"/> \$20,000 or more (Hand Card II) 2 <input type="checkbox"/> Less than \$20,000 (Hand Card J)</p> <p>b.</p> <table border="0"> <tr><td>00</td><td><input type="checkbox"/> A</td><td>10</td><td><input type="checkbox"/> K</td><td>20</td><td><input type="checkbox"/> U</td></tr> <tr><td>01</td><td><input type="checkbox"/> B</td><td>11</td><td><input type="checkbox"/> L</td><td>21</td><td><input type="checkbox"/> V</td></tr> <tr><td>02</td><td><input type="checkbox"/> C</td><td>12</td><td><input type="checkbox"/> M</td><td>22</td><td><input type="checkbox"/> W</td></tr> <tr><td>03</td><td><input type="checkbox"/> D</td><td>13</td><td><input type="checkbox"/> N</td><td>23</td><td><input type="checkbox"/> X</td></tr> <tr><td>04</td><td><input type="checkbox"/> E</td><td>14</td><td><input type="checkbox"/> O</td><td>24</td><td><input type="checkbox"/> Y</td></tr> <tr><td>05</td><td><input type="checkbox"/> F</td><td>15</td><td><input type="checkbox"/> P</td><td>25</td><td><input type="checkbox"/> Z</td></tr> <tr><td>06</td><td><input type="checkbox"/> G</td><td>16</td><td><input type="checkbox"/> Q</td><td>26</td><td><input type="checkbox"/> ZZ</td></tr> <tr><td>07</td><td><input type="checkbox"/> H</td><td>17</td><td><input type="checkbox"/> R</td><td></td><td></td></tr> <tr><td>08</td><td><input type="checkbox"/> I</td><td>18</td><td><input type="checkbox"/> S</td><td></td><td></td></tr> <tr><td>09</td><td><input type="checkbox"/> J</td><td>19</td><td><input type="checkbox"/> T</td><td></td><td></td></tr> </table> | 00 | <input type="checkbox"/> A | 10 | <input type="checkbox"/> K | 20 | <input type="checkbox"/> U | 01 | <input type="checkbox"/> B | 11 | <input type="checkbox"/> L | 21 | <input type="checkbox"/> V | 02 | <input type="checkbox"/> C | 12 | <input type="checkbox"/> M | 22 | <input type="checkbox"/> W | 03 | <input type="checkbox"/> D | 13 | <input type="checkbox"/> N | 23 | <input type="checkbox"/> X | 04 | <input type="checkbox"/> E | 14 | <input type="checkbox"/> O | 24 | <input type="checkbox"/> Y | 05 | <input type="checkbox"/> F | 15 | <input type="checkbox"/> P | 25 | <input type="checkbox"/> Z | 06 | <input type="checkbox"/> G | 16 | <input type="checkbox"/> Q | 26 | <input type="checkbox"/> ZZ | 07 | <input type="checkbox"/> H | 17 | <input type="checkbox"/> R | | | 08 | <input type="checkbox"/> I | 18 | <input type="checkbox"/> S | | | 09 | <input type="checkbox"/> J | 19 | <input type="checkbox"/> T | | |
| 00 | <input type="checkbox"/> A | 10 | <input type="checkbox"/> K | 20 | <input type="checkbox"/> U | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 01 | <input type="checkbox"/> B | 11 | <input type="checkbox"/> L | 21 | <input type="checkbox"/> V | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 02 | <input type="checkbox"/> C | 12 | <input type="checkbox"/> M | 22 | <input type="checkbox"/> W | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 03 | <input type="checkbox"/> D | 13 | <input type="checkbox"/> N | 23 | <input type="checkbox"/> X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 04 | <input type="checkbox"/> E | 14 | <input type="checkbox"/> O | 24 | <input type="checkbox"/> Y | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 05 | <input type="checkbox"/> F | 15 | <input type="checkbox"/> P | 25 | <input type="checkbox"/> Z | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 06 | <input type="checkbox"/> G | 16 | <input type="checkbox"/> Q | 26 | <input type="checkbox"/> ZZ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 07 | <input type="checkbox"/> H | 17 | <input type="checkbox"/> R | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 08 | <input type="checkbox"/> I | 18 | <input type="checkbox"/> S | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 09 | <input type="checkbox"/> J | 19 | <input type="checkbox"/> T | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| R | a. <i>Mark first appropriate box.</i> | Ra. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <i>b. Enter person number of respondent.</i> | b. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L3 | <i>Enter person number of first parent listed or mark box.</i> | L3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| L4 | <i>Enter person number of spouse or mark box.</i> | L4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

FOOTNOTES

L. DEMOGRAPHIC BACKGROUND PAGE, Continued

RT81
3-4

| | | | | | | | | | | | | | | | |
|--|--|------------|---|-------|------|------|--|---|--|--|--|---|--|--|--|
| L5 | <i>Refer to age. Complete a separate column for each nondeleted person aged 18 and over.</i> | L5 | PERSON NUMBER | | | | | | | | | | | | |
| <i>Read to respondent(s): In order to determine how health practices and conditions are related to how long people live, we would like to refer to statistical records maintained by the National Center for Health Statistics.</i> | | | | | | | | | | | | | | | |
| L6 | <i>Enter date of birth from question 3 on Household Composition page.</i> | L6 | Date of birth 5-11 <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Month</td> <td>Date</td> <td>Year</td> </tr> </table> | Month | Date | Year | | | | | | | | | |
| Month | Date | Year | | | | | | | | | | | | | |
| 9a. In what State or country was —— born? <i>Print the full name of the State or mark the appropriate box if the person was not born in the United States.</i> | | 9a. | 99 <input type="checkbox"/> DK 12-13 State 01 <input type="checkbox"/> Puerto Rico 05 <input type="checkbox"/> Cuba 02 <input type="checkbox"/> Virgin Islands 08 <input type="checkbox"/> Mexico 03 <input type="checkbox"/> Guam 98 <input type="checkbox"/> All other countries 04 <input type="checkbox"/> Canada | | | | | | | | | | | | |
| <i>If born in U.S., ask 9b; if born in foreign country, ask 9c.</i> | | b. | 1 <input type="checkbox"/> Less than 1 yr. 4 <input type="checkbox"/> 10 yrs., less than 15 2 <input type="checkbox"/> 1 yr., less than 5 5 <input type="checkbox"/> 15 yrs. or more 3 <input type="checkbox"/> 5 yrs., less than 10 8 <input type="checkbox"/> DK | | | | | | | | | | | | |
| c. Altogether, how many years has —— lived in (State of present residence)? | | c. | 1 <input type="checkbox"/> Less than 1 yr. 4 <input type="checkbox"/> 10 yrs., less than 15 2 <input type="checkbox"/> 1 yr., less than 5 5 <input type="checkbox"/> 15 yrs. or more 3 <input type="checkbox"/> 5 yrs., less than 10 8 <input type="checkbox"/> DK | | | | | | | | | | | | |
| L7 | <i>Print full name, including middle initial, from question 1 on Household Composition page.</i> | L7 | Last 16-35 First 36-50 Middle initial 51 | | | | | | | | | | | | |
| 10. What is —— father's LAST name? <i>Verify spelling. DO NOT write "Same."</i> | | 10. | Father's LAST name 52-71 | | | | | | | | | | | | |
| <i>Read to respondent(s): We also need —— Social Security Number. This information is voluntary and collected under the authority of the Public Health Service Act. There will be no effect on —— benefits and no information will be given to any other government or nongovernment agency.</i> | | 11. | 999999999 <input type="checkbox"/> DK 72-80 <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td>-</td> <td> </td> <td> </td> <td> </td> <td>-</td> <td> </td> <td> </td> <td> </td> </tr> </table> Social Security Number | | | | | - | | | | - | | | |
| | | | | - | | | | - | | | | | | | |
| <i>Read if necessary: The Public Health Service Act is title 42, United States Code, section 242k.</i> | | 11. | Mark if number obtained from → 1 <input type="checkbox"/> Memory 81 2 <input type="checkbox"/> Records | | | | | | | | | | | | |
| L8 | <i>Mark box to indicate how Social Security number was or was not obtained.</i> | L8 | 1 <input type="checkbox"/> Self-personal 2 <input type="checkbox"/> Self-telephone 3 <input type="checkbox"/> Proxy-personal 4 <input type="checkbox"/> Proxy-telephone | | | | | | | | | | | | |

L. DEMOGRAPHIC BACKGROUND PAGE, Continued

Read to Hhld. respondent: The National Center for Health Statistics may wish to contact you again to obtain additional health related information. Please give me the name, address, and telephone number of a relative or friend who would know where you could be reached in case we have trouble reaching you. (Please give me the name of someone who is not currently living in the household.) Please print items 12-15.

RT62

97-105

| | | |
|--|---|---|
| 12. Contact Person name Last 3-4 First 5-24 Middle Initial | 25-39 40 | 14. Area code/telephone number - |
| 13a. Address (Number and street) | | 107 |
| b. City | | 15. Relationship to household respondent |

FOOTNOTES

| E | <p>If this questionnaire is for an EXTRA unit, enter Control Number of original sample unit →</p> | | | | <p>If in AREA OR BLOCK SEGMENT, also enter for FIRST unit listed on property →</p> | | <p>LISTING SHEET</p> <table border="1" style="width: 100px; margin-left: auto; margin-right: auto;"> <tr> <td style="width: 50%;">Sheet number</td> <td style="width: 50%;">Line number</td> </tr> </table> | | Sheet number | Line number |
|---|---|--|---|--|---|--|--|---|--------------|-------------|
| Sheet number | Line number | | | | | | | | | |
| TABLE X — LIVING QUARTERS DETERMINATIONS AT LISTED ADDRESS | | | | | | | | | | |
| ADDRESS OF ADDITIONAL LIVING QUARTERS | | LOCATION OF UNIT | SEPARATENESS AND FACILITIES | | CLASSIFICATION | AREA AND BLOCK SEGMENTS | PERMIT SEGMENTS | | | |
| <p>If already listed, fill sheet and line number below and stop Table X. Otherwise, enter basic address and unit address, if any, OR description of location.</p> | | <p>(1)</p> | <p>(2)</p> | <p>(3)</p> | <p>(4)</p> | <p>(5)</p> | <p>(6)</p> | <p>(7)</p> | | |
| <p>Sheet _____ Line _____</p> | | <p><input type="checkbox"/> Yes — Skip to column (5) and mark according to Table A in Part C of manual <input type="checkbox"/> No</p> | <p><input type="checkbox"/> Yes <input type="checkbox"/> No — Skip to column (5) and mark N</p> | <p><input type="checkbox"/> Yes — Mark HU in column (5) <input type="checkbox"/> No — Mark N in column (5)</p> | <p>N — Not a separate unit — Include on this questionnaire. HU OT { Separate unit — Do not include on this questionnaire. Complete the appropriate segment type column for interviewing instructions.</p> | <p><input type="checkbox"/> N — Stop Table X for this line <input type="checkbox"/> HU — Fill column (6) or (7), as appropriate <input type="checkbox"/> OT — Fill column (6) or (7), as appropriate</p> | <p><input type="checkbox"/> Yes — Interview as an EXTRA unit <input type="checkbox"/> No — Do not interview</p> | <p><input type="checkbox"/> Yes — List on first available line of listing sheet. Interview if in sample. <input type="checkbox"/> No — Do not interview</p> | | |
| <p>Sheet _____ Line _____</p> | | <p><input type="checkbox"/> Yes — Skip to column (5) and mark according to Table A in Part C of manual <input type="checkbox"/> No</p> | <p><input type="checkbox"/> Yes <input type="checkbox"/> No — Skip to column (5) and mark N</p> | <p><input type="checkbox"/> Yes — Mark HU in column (5) <input type="checkbox"/> No — Mark N in column (5)</p> | <p><input type="checkbox"/> N — Stop Table X for this line <input type="checkbox"/> HU — Fill column (6) or (7), as appropriate <input type="checkbox"/> OT — Fill column (6) or (7), as appropriate</p> | <p><input type="checkbox"/> Yes — Interview as an EXTRA unit <input type="checkbox"/> No — Do not interview</p> | <p><input type="checkbox"/> Yes — List on first available line of listing sheet. Interview if in sample. <input type="checkbox"/> No — Do not interview</p> | | | |
| <p>Sheet _____ Line _____</p> | | <p><input type="checkbox"/> Yes — Skip to column (5) and mark according to Table A in Part C of manual <input type="checkbox"/> No</p> | <p><input type="checkbox"/> Yes <input type="checkbox"/> No — Skip to column (5) and mark N</p> | <p><input type="checkbox"/> Yes — Mark HU in column (5) <input type="checkbox"/> No — Mark N in column (5)</p> | <p><input type="checkbox"/> N — Stop Table X for this line <input type="checkbox"/> HU — Fill column (6) or (7), as appropriate <input type="checkbox"/> OT — Fill column (6) or (7), as appropriate</p> | <p><input type="checkbox"/> Yes — Interview as an EXTRA unit <input type="checkbox"/> No — Do not interview</p> | <p><input type="checkbox"/> Yes — List on first available line of listing sheet. Interview if in sample. <input type="checkbox"/> No — Do not interview</p> | | | |
| <p>NOTE: Be sure to continue interview for original unit after completing Table X for all lines.</p> | | | | | | | | | | |
| <p>FOOTNOTES</p> | | | | | | | | | | |

FORM HIS-1A (1989)
13 10 89 (Revised)U.S. DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
ACTING AS COLLECTING AGENT FOR THE
U.S. PUBLIC HEALTH SERVICE

NOTICE — Information contained on this form which would permit identification of any individual or establishment has been collected with a guarantee that it will be held in strict confidence, will be used only for purposes stated for this study, and will not be disclosed or released to others without the consent of the individual or the establishment in accordance with section 308(d) of the Public Health Service Act (42 USC 242m). Public reporting burden for this collection of information is estimated to vary from 20 to 75 minutes per response, with an average of 41 minutes per response. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to PHS Reports Clearance Officer; ATTN: PRA; Humphrey Building, Room 721-H, 200 Independence Avenue, SW; Washington, DC 20201; and to the Office of Management and Budget, Paperwork Reduction Project (0920-0214) Washington, DC 20503.

RT 65
3 - 7
81. Book _____ of
_____ books**NATIONAL HEALTH INTERVIEW
SURVEY****1989 CURRENT HEALTH TOPICS**

| | | | |
|---|------|--------------|--|
| 2. R.O. Number | 9-10 | 3. Sample | 11-13 |
| 4. Control number PSU 14-16 Segment | | 17-23 Serial | 5. Beginning time 24-25 30 |
| | | | 1 <input type="checkbox"/> a.m. 2 <input type="checkbox"/> p.m. |

ADULT FAMILY ROSTER

| 6. Are there any nondeleted persons 18+ years old in this family? | | 1 <input type="checkbox"/> Yes (List by age, oldest to youngest) 2 <input type="checkbox"/> No (Section M) | | 31 | |
|---|---------------|---|---|----|------|
| SP Line No. | 32 Person No. | 33-34 Age | 35-36 Sex | 37 | Name |
| 1 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 2 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 3 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 4 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 5 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 6 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 7 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 8 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |
| 9 | | | 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | | |

Refer to the sample person selection label and circle as applicable. THEN circle Person Number in item 6 and mark the "SP" box on the HIS-1 for the selected sample person. THEN go to Section M.

7. FINAL STATUS**a. Household respondent**

| Section | Mark as appropriate (1) | Complete interview (2) | Partial interview (Explain in notes) (3) | Noninterview | | |
|------------------------|---|----------------------------|--|-----------------------------------|---------------------------------|----|
| | | | | Refusal (Explain in notes) (4) | Other (Explain in notes) (5) | 38 |
| M. Health Insurance | | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 8 <input type="checkbox"/> | 38 |
| N. Immunization | 0 <input type="checkbox"/> No person 18+ in this family | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 8 <input type="checkbox"/> | 39 |
| O. Mental Health | | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 8 <input type="checkbox"/> | 40 |
| P. Dental | | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 8 <input type="checkbox"/> | 41 |
| Q1. Diabetes Screening | 0 <input type="checkbox"/> No person 18+ in this family | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 8 <input type="checkbox"/> | 42 |

b. Household diabetic(s)Section Q2 (page 32)
(Diabetes Followup)**43**0 No diabetics
7 Q1 Noninterview

Interview

1 Complete interview (all persons with diabetes interviewed)
2 Partial interview (some but not all persons with diabetes interviewed) (Explain in notes)

Noninterview

3 Refusal
8 Other } (Explain in notes)**c. Sample person**1. Section R (page 48)
(Orofacial Pain)**44**0 No person 18+ in this family Interview1 Complete interview (all appropriate questions completed)
2 Partial interview (some but not all appropriate questions completed) (Explain in notes)Noninterview
3 Refusal (Explain in notes)
4 SP temporarily absent
5 SP mentally or physically incapable
8 Other (Explain in notes)2. Section S (page 50)
(Digestive Disorders)**45**0 No person 18+ in this family Interview1 Complete interview (all appropriate sections completed)
2 Partial interview (some but not all appropriate sections completed) (Explain in notes)Noninterview
3 Refusal (Explain in notes)
4 SP temporarily absent
5 SP mentally or physically incapable
8 Other (Explain in notes)3. Section T (page 56)
(Diabetes Risk Factors)**46**9 Not required
0 No person 18+ in this family
7 Q1 Noninterview

Interview

1 Complete interview (all appropriate questions completed)
2 Partial interview (some but not all appropriate questions completed) (Explain in notes)Noninterview
3 Refusal (Explain in notes)
4 SP temporarily absent
5 SP mentally or physically incapable
8 Other (Explain in notes)**8. Ending time**1 a.m. **47-50** 51
2 p.m.**9. Interviewer identification**

Name _____

Code _____

52-53

Notes

| Section M - HEALTH INSURANCE | | | | | | | | | PERSON 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------------|-----------------------------|--|--|--|------------------------------|-----------------------------|-----------------------------|--|--------|--------|--|--|--|------------------------------|-----------------------------|-----------------------------|---|---|---|---|-----------------------------|-----------------------------|---|---|---|------------------------------|-----------------------------|-----------------------------|---|---|---|------------------------------|-----------------------------|-----------------------------|---|---|---|------------------------------|-----------------------------|-----------------------------|---|---|---|---|--|--|
| <p>Medicare is a Social Security health insurance program for disabled persons and for persons 65 years old and over. People covered by Medicare have a card that looks like this. Show Medicare Card.</p> <p>1a. Is anyone in this family, that is (read names), now covered by Medicare? <input type="checkbox"/> Yes <input type="checkbox"/> No (4) <input type="checkbox"/> DK (4)</p> | | | | | | | | | RT 66 3-4 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>b. Is -- now covered?</p> | | | | | | | | | <p>1b. <input type="checkbox"/> Covered <input type="checkbox"/> DK <input type="checkbox"/> Not covered</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Ask for each person with "Covered" or "DK" in 1b</p> <p>2. May I please see the Social Security Medicare card(s) for -- (and --) to determine the type of coverage and to record the Health Insurance Claim Number. Providing the Health Insurance Claim Number is voluntary and collected under the authority of the Public Health Service Act. There will be no effect on -- benefits and no information will be given to any other government or non-government agency.</p> <p><i>Read if necessary. The Public Health Service Act is Title 42, United States Code, Section 242k.</i></p> <p><i>Transcribe the number, then mark the appropriate box(es)</i></p> | | | | | | | | | <p>H. I. C. Number 7-17</p> <p>2. _____</p> <p>1 <input type="checkbox"/> Hospital 18 2 <input type="checkbox"/> Medical 3 <input type="checkbox"/> Card N/A</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Ask for each person with "Card NA" in 2</p> <p>3a. Is -- now covered by the part of Social Security Medicare which pays for hospital bills?</p> <p>b. Is -- now covered by that part of Medicare which pays for doctor's bills? This is the Medicare plan for which -- or some agency must pay a certain amount each month.</p> | | | | | | | | | <p>3a. <input type="checkbox"/> Yes <input type="checkbox"/> DK <input type="checkbox"/> No</p> <p>b. <input type="checkbox"/> Yes <input type="checkbox"/> DK <input type="checkbox"/> No</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>4a. (Not counting Medicare) is anyone in the family now covered by a health insurance plan which pays any part of hospital, doctor, or dental bills? Do NOT include plans that pay for ONLY ONE type of service, such as nursing home care or accidents.</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No (8) <input type="checkbox"/> DK (8)</p> <p>b. It's important that we have the complete and accurate name of your health insurance plan. What is the COMPLETE name of the plan?</p> <p><i>Record in Table H.I. If "DK", probe: Do you have something with the plan name on it?</i></p> <p>c. Is anyone in the family now covered by any OTHER health insurance plan? Again, do NOT include plans that pay for ONLY ONE service.</p> <p><input type="checkbox"/> Yes (Reask 4b and c) <input type="checkbox"/> No <input type="checkbox"/> DK</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>TABLE H.I. (Now I am going to ask some questions about the plan(s) you just told me about.)</p> <p><i>Read if necessary: Health Maintenance Organizations, or HMO's, sometimes called Individual Practice Associations, or IPA's, are plans whose members are required to use only those health care providers who work for the HMO or IPA. Also, members do not have to submit claims for costs of medical care services.</i></p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>PLAN 1 NAME</p> | | | | | | | | | 21-22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>5a. Is this (name) plan a Health Maintenance Organization or HMO?</p> | | | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2 (6a)</td> <td>9 (6a)</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 (6a) | 9 (6a) | <p>6a. Does this (name) plan pay any part of hospital expenses?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6b. Does this plan pay any part of doctor's or surgeon's bills for operations?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6c. Does it pay for any DENTAL services other than oral surgery?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6d. Does it pay for any prescription drugs other than those administered during a hospital stay?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6e. Does it pay for any mental health, alcoholism, or drug abuse services?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <p>7. Is -- covered under this (name) plan?</p> | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 (6a) | 9 (6a) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>b. Was this plan obtained through an employer or union?</p> | | | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2 (6a)</td> <td>9 (6a)</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 (6a) | 9 (6a) | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <p>7. <input type="checkbox"/> Covered <input type="checkbox"/> Not covered <input type="checkbox"/> DK { (NP)}</p> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 (6a) | 9 (6a) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>c. Is it now carried through an employer or union?</p> | | | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>PLAN 2 NAME</p> | | | | | | | | | 32-33 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>5a. Is this (name) plan a Health Maintenance Organization or HMO?</p> | | | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2 (6a)</td> <td>9 (6a)</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 (6a) | 9 (6a) | <p>6a. Does this (name) plan pay any part of hospital expenses?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6b. Does this plan pay any part of doctor's or surgeon's bills for operations?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6c. Does it pay for any DENTAL services other than oral surgery?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6d. Does it pay for any prescription drugs other than those administered during a hospital stay?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> <p>6e. Does it pay for any mental health, alcoholism, or drug abuse services?</p> <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <p>7. Is -- covered under this (name) plan?</p> | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 (6a) | 9 (6a) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>b. Was this plan obtained through an employer or union?</p> | | | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2 (6a)</td> <td>9 (6a)</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 (6a) | 9 (6a) | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <p>7. <input type="checkbox"/> Covered <input type="checkbox"/> Not covered <input type="checkbox"/> DK { (NP)}</p> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 (6a) | 9 (6a) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>c. Is it now carried through an employer or union?</p> | | | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | <table border="1"> <tr> <td><input type="checkbox"/> Yes</td> <td><input type="checkbox"/> No</td> <td><input type="checkbox"/> DK</td> </tr> <tr> <td>1</td> <td>2</td> <td>9</td> </tr> </table> | | | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2 | 9 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Page 2

FORM HS 1A(1989) (3-10-89)

Section M — HEALTH INSURANCE — Continued

PLAN 3 NAME

43-44

PERSON 1

53

5a. Is this (name) plan a Health Maintenance Organization or HMO?

| | | |
|-----|----|----|
| Yes | No | DK |
| 1 | 2 | 9 |

6a. Does this (name) plan pay any part of hospital expenses?

| | | |
|-----|----|----|
| Yes | No | DK |
| 1 | 2 | 9 |

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

b. Was this plan obtained through an employer or union?

| | | |
|---|--------|--------|
| 1 | 2 (6a) | 9 (6a) |
|---|--------|--------|

c. Does this plan pay any part of doctor's or surgeon's bills for operations?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

C. Is it now carried through an employer or union?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

d. Does it pay for any DENTAL services other than oral surgery?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

e. Does it pay for any prescription drugs other than those administered during a hospital stay?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

f. Does it pay for any mental health, alcoholism, or drug abuse services?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

PLAN 4 NAME

54-55

64

5a. Is this (name) plan a Health Maintenance Organization or HMO?

| | | |
|-----|----|----|
| Yes | No | DK |
| 1 | 2 | 9 |

6a. Does this (name) plan pay any part of hospital expenses?

| | | |
|-----|----|----|
| Yes | No | DK |
| 1 | 2 | 9 |

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

b. Was this plan obtained through an employer or union?

| | | |
|---|--------|--------|
| 1 | 2 (6a) | 9 (6a) |
|---|--------|--------|

c. Does it pay for any DENTAL services other than oral surgery?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

C. Is it now carried through an employer or union?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

d. Does it pay for any prescription drugs other than those administered during a hospital stay?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

PLAN 5 NAME

65-66

75

5a. Is this (name) plan a Health Maintenance Organization or HMO?

| | | |
|-----|----|----|
| Yes | No | DK |
| 1 | 2 | 9 |

6a. Does this (name) plan pay any part of hospital expenses?

| | | |
|-----|----|----|
| Yes | No | DK |
| 1 | 2 | 9 |

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

b. Was this plan obtained through an employer or union?

| | | |
|---|--------|--------|
| 1 | 2 (6a) | 9 (6a) |
|---|--------|--------|

c. Does it pay for any DENTAL services other than oral surgery?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

C. Is it now carried through an employer or union?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

d. Does it pay for any prescription drugs other than those administered during a hospital stay?

| | | |
|---|---|---|
| 1 | 2 | 9 |
|---|---|---|

7. Is —— covered under this (name) plan?

1 Covered ..
2 Not covered
9 DK

8a. [In addition to the plan(s) you just mentioned] Is anyone in the family now covered by an insurance plan that pays for ONLY ONE type of health care service, such as nursing home care, eye care, or prescriptions?

Yes No (Check Item 2) DK (Check Item 2)

b. Is —— covered by this type of plan?

8b.

1 Covered 9 DK
2 Not covered

76

Ask for each person "Covered" in 8b:

c. What type of service does —— plan pay for?

c.

1 Prescriptions
2 Eyecare
3 Cancer treatment
4 Catastrophic
5 Nursing home care
6 Accidents
7 Dental care
8 Other — Specify

77

78

79

80

81

82

83

84

d. Is —— now covered by any OTHER insurance plan that pays for ONLY ONE service?

d.

Yes (Reask 8c-d)
 No (NP with "Covered" in 8b)

FORM HIS-1A (1989) (Addendum)
(3-16-89) (Revised)U. S. DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
ACTING AS COLLECTING AGENT FOR THE
U. S. PUBLIC HEALTH SERVICE**NATIONAL HEALTH INTERVIEW SURVEY****SECTION M — HEALTH INSURANCE**
(Addendum)

| | | |
|-------------------|---------------------------|-----------------|
| 1. | Book _____ of _____ books | 2. R. O. Number |
| 3. Sample | | |
| 4. Control number | | |
| PSU | Segment | Serial |

RT 67

Table H.I. (Continued) No plan listed in Table H.I.

Transcribe each plan name from Table H.I.

| PLAN 1 NAME | | PLAN 4 NAME | |
|--|--|--|--|
| CHECK ITEM 1 | | CHECK ITEM 1 | |
| 37 | | 52 | |
| 1 <input type="checkbox"/> "Yes" in 5c (5d) 8 <input type="checkbox"/> Other (5f) | | 1 <input type="checkbox"/> "Yes" in 5c (5d) 8 <input type="checkbox"/> Other (5f) | |
| 5d. Does the employer or union pay for any part of the cost for this (name) plan? | | 5d. Does the employer or union pay for any part of the cost for this (name) plan? | |
| 38 | | 53 | |
| 1 <input type="checkbox"/> Yes (5e) 2 <input type="checkbox"/> No } (5f) 9 <input type="checkbox"/> DK } | | 1 <input type="checkbox"/> Yes (5e) 2 <input type="checkbox"/> No } (5f) 9 <input type="checkbox"/> DK } | |
| 5e. Does the employer or union pay for all or just part of the cost? | | 5e. Does the employer or union pay for all or just part of the cost? | |
| 39 | | 54 | |
| 1 <input type="checkbox"/> All 2 <input type="checkbox"/> Part 9 <input type="checkbox"/> DK | | 1 <input type="checkbox"/> All 2 <input type="checkbox"/> Part 9 <input type="checkbox"/> DK | |
| 5f. In whose name is the (name) plan? Enter person number. | | 5f. In whose name is the (name) plan? Enter person number. | |
| 40-41 | | 55-56 | |
| <input type="checkbox"/> Person number 00 <input type="checkbox"/> Person not in HH 99 <input type="checkbox"/> DK | | <input type="checkbox"/> Person number 00 <input type="checkbox"/> Person not in HH 99 <input type="checkbox"/> DK | |
| PLAN 2 NAME | | PLAN 5 NAME | |
| CHECK ITEM 1 | | CHECK ITEM 1 | |
| 42 | | 57 | |
| 1 <input type="checkbox"/> "Yes" in 5c (5d) 8 <input type="checkbox"/> Other (5f) | | 1 <input type="checkbox"/> "Yes" in 5c (5d) 8 <input type="checkbox"/> Other (5f) | |
| 5d. Does the employer or union pay for any part of the cost for this (name) plan? | | 5d. Does the employer or union pay for any part of the cost for this (name) plan? | |
| 43 | | 58 | |
| 1 <input type="checkbox"/> Yes (5e) 2 <input type="checkbox"/> No } (5f) 9 <input type="checkbox"/> DK } | | 1 <input type="checkbox"/> Yes (5e) 2 <input type="checkbox"/> No } (5f) 9 <input type="checkbox"/> DK } | |
| 5e. Does the employer or union pay for all or just part of the cost? | | 5e. Does the employer or union pay for all or just part of the cost? | |
| 44 | | 59 | |
| 1 <input type="checkbox"/> All 2 <input type="checkbox"/> Part 9 <input type="checkbox"/> DK | | 1 <input type="checkbox"/> All 2 <input type="checkbox"/> Part 9 <input type="checkbox"/> DK | |
| 5f. In whose name is the (name) plan? Enter person number. | | 5f. In whose name is the (name) plan? Enter person number. | |
| 45-46 | | 60-61 | |
| <input type="checkbox"/> Person number 00 <input type="checkbox"/> Person not in HH 99 <input type="checkbox"/> DK | | <input type="checkbox"/> Person number 00 <input type="checkbox"/> Person not in HH 99 <input type="checkbox"/> DK | |
| PLAN 3 NAME | | Notes | |
| CHECK ITEM 1 | | | |
| 47 | | | |
| 1 <input type="checkbox"/> "Yes" in 5c (5d) 8 <input type="checkbox"/> Other (5f) | | | |
| 5d. Does the employer or union pay for any part of the cost for this (name) plan? | | | |
| 48 | | | |
| 1 <input type="checkbox"/> Yes (5e) 2 <input type="checkbox"/> No } (5f) 9 <input type="checkbox"/> DK } | | | |
| 5e. Does the employer or union pay for all or just part of the cost? | | | |
| 49 | | | |
| 1 <input type="checkbox"/> All 2 <input type="checkbox"/> Part 9 <input type="checkbox"/> DK | | | |
| 5f. In whose name is the (name) plan? Enter person number. | | | |
| 50-51 | | | |
| <input type="checkbox"/> Person number 00 <input type="checkbox"/> Person not in HH 99 <input type="checkbox"/> DK | | | |

Section M – HEALTH INSURANCE – Continued

PERSON 1

85

**CHECK
ITEM 2**

Review 1b and 7 for each person and determine if "Covered" by either Medicare and/or insurance, or "Not covered."

**CK
2**

- 1 Covered
 2 Not covered under 65
 3 Not covered 65 and over
 9 DK } (NP)

Ask for each person "Not covered" in Check Item 2.

86–87

If "Not covered 65 and over," in Check Item 2, include "or Medicare."

9a.

1 2 3 4 5 6 7 8 ↴

{Many people do not carry health insurance for various reasons.} Hand Card M.
Which of those statements describes why — is not covered by any health insurance (or Medicare)?

Any other reason?

Circle all reasons given.

88–89

90–91

92–93

Mark box if only one reason.

If "Not covered 65 and over," in Check Item 2, include "or Medicare."

b. What is the MAIN reason — is not covered by any health insurance (or Medicare)?

1 2 3 4 5 6 7 8 ↴

(Specify)

Ask only if persons under age 20 in family; otherwise skip to 11.

10a. Does anyone in the family now receive assistance through the "Aid to Families with Dependent Children" program, sometimes called "AFDC" or "ADC"? Yes No (11) DK (11)

10b.

1 Yes 9 DK **94**

2 No

11a. Does anyone in the family now receive the "Supplemental Security Income" or "SSI" check? Yes No (12) DK (12)

11b.

1 Yes 9 DK **95**

2 No

12a. There is a program called Medicaid that pays for health care for persons in need. (In this State it is also called *(name)*.)

During the past 12 months, has anyone in this family received health care which has been or will be paid for by Medicaid (or *(name)*)? Yes No (13) DK (13)

12b.

1 Yes 9 DK **96**

2 No

13a. Does anyone in the family now have a Medicaid (or *(name)*) card? Yes No (14) DK (14)

13b.

1 Yes 9 DK **97**

2 No

Ask for each person with "Yes" in 13b.

98

c. May I please see — (and —) card(s)?

Mark appropriate box(es) in person's column.

c.

- Medicaid card seen
 1 Current ↴
 2 Expired
 3 No card seen
 4 Other card seen ↴

(Specify)

14a. Is anyone in the family now covered by any other public assistance program that pays for health care? Yes No (15) DK (15)

14b.

1 Yes 9 DK **99**

2 No

15. Is anyone in this family now covered by health care benefits from the Armed Forces or Veterans' Administration? Yes No (Check Item 3) DK (Check Item 3)

16a. Does anyone in the family now receive military retirement payments from any branch of the Armed Forces or a pension from the Veterans' Administration? Do not include VA disability compensation. Yes No (17) DK (17)

16b.

1 Yes 9 DK **100**

2 No

Ask for each person with "Yes" in 16b.

101

c. Which does — receive — the Armed Forces retirement, the VA pension, or both?

c.

- 1 Armed Forces
 2 VA
 3 Both

| Section M — HEALTH INSURANCE — Continued | | | PERSON 1 | | | | | | | | | | | | | |
|---|-----|---|---|--|-----|-----|----|--|-----|-----|----|--|-----|-----|----|--|
| <p>17a. Is anyone in the family now covered by CHAMPUS, which is a program of medical care for dependents of military personnel? <input type="checkbox"/> Yes <input type="checkbox"/> No (17c) <input type="checkbox"/> DK (17c)</p> <p>b. Is —— now covered by CHAMPUS?</p> | | | 17b. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK 5 2 <input type="checkbox"/> No | | | | | | | | | | | | | |
| <p>c. Is anyone in the family now covered by CHAMP-VA, which is medical insurance for dependents or survivors of disabled veterans? <input type="checkbox"/> Yes <input type="checkbox"/> No (18) <input type="checkbox"/> DK (18)</p> <p>d. Is —— now covered by CHAMP-VA?</p> | | | d. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK 6 2 <input type="checkbox"/> No | | | | | | | | | | | | | |
| <p>18a. Is anyone in the family now covered by any other program that provides health care for military dependents or survivors of military persons? <input type="checkbox"/> Yes <input type="checkbox"/> No (Check Item 3) <input type="checkbox"/> DK (Check Item 3)</p> <p>b. Is —— now covered?</p> | | | 18b. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK 7 2 <input type="checkbox"/> No | | | | | | | | | | | | | |
| CHECK ITEM 3 | | Refer to "AF" box above person's column in HIS-1. | | | | | | | | | | | | | | |
| <p>19a. Does —— have a disability related to —— service in the Armed Forces of the United States?</p> <p>b. Does —— now receive compensation for this disability from the Veterans' Administration?</p> <p>c. Has —— ever applied for a service-connected disability rating from the Veterans' Administration?</p> <p>d. Was it approved or denied?</p> | | | 19a. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (NP) 9 b. 1 <input type="checkbox"/> Yes (NP) 2 <input type="checkbox"/> No 10 c. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK (NP) 11 d. 1 <input type="checkbox"/> Approved 3 <input type="checkbox"/> Pending 12 2 <input type="checkbox"/> Denied 9 <input type="checkbox"/> DK | | | | | | | | | | | | | |
| <p>20a. During the past 12 months, that is since (12-month date) a year ago, have (read names of related HH members 18 or over) been laid off from a job or lost a job? <input type="checkbox"/> Yes <input type="checkbox"/> No (Section N) <input type="checkbox"/> DK (Section N)</p> <p>b. Who was this? Mark "Laid off/lost job" box in person's column.</p> <p>c. Anyone else? Ask 20d, e, and f for each person with "Laid off/lost job" in 20b.</p> <p>d. How many times has —— been laid off or lost a job during the past 12 months?</p> <p>e. In what month and year was —— laid off or did —— lose a job [(the last time/the time before that)?]</p> <p>f. For ANYTIME during [that/those] job layoff(s) or job loss(es), did —— receive unemployment insurance benefits?</p> | | | 20b. 1 <input type="checkbox"/> Laid off/lost job 13 20d. _____ Times 14 20e. <table border="1"> <tr> <td>Mo.</td> <td>Yr.</td> </tr> <tr> <td>19</td> <td></td> </tr> </table> Time 1 15-18 <table border="1"> <tr> <td>Mo.</td> <td>Yr.</td> </tr> <tr> <td>19</td> <td></td> </tr> </table> Time 2 19-22 <table border="1"> <tr> <td>Mo.</td> <td>Yr.</td> </tr> <tr> <td>19</td> <td></td> </tr> </table> Time 3 23-26 f. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK 27 2 <input type="checkbox"/> No | | Mo. | Yr. | 19 | | Mo. | Yr. | 19 | | Mo. | Yr. | 19 | |
| Mo. | Yr. | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| Mo. | Yr. | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| Mo. | Yr. | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| <p>21a. Because of (names of persons in 20b) job layoff(s) or job loss(es), did anyone in the family lose any health insurance coverage that had been carried through [that/those] job(s)? <input type="checkbox"/> Yes <input type="checkbox"/> No (Section N) <input type="checkbox"/> DK (Section N)</p> <p>b. Who was this? Mark "Lost coverage" box in person's column.</p> <p>c. Anyone else? Ask 21b and c)</p> | | | 21b. 1 <input type="checkbox"/> Lost coverage 28 21e. <table border="1"> <tr> <td>Mo.</td> <td>Yr.</td> </tr> <tr> <td>19</td> <td></td> </tr> </table> Time 1 15-18 <table border="1"> <tr> <td>Mo.</td> <td>Yr.</td> </tr> <tr> <td>19</td> <td></td> </tr> </table> Time 2 19-22 <table border="1"> <tr> <td>Mo.</td> <td>Yr.</td> </tr> <tr> <td>19</td> <td></td> </tr> </table> Time 3 23-26 | | Mo. | Yr. | 19 | | Mo. | Yr. | 19 | | Mo. | Yr. | 19 | |
| Mo. | Yr. | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| Mo. | Yr. | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| Mo. | Yr. | | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | | | |
| CHECK ITEM 4 | | Refer to 21b and mark appropriate box. | | | | | | | | | | | | | | |
| <p>22a. Was —— covered by some OTHER health insurance plan at any time during [that/those] job layoff(s) or job loss(es)? Do not count military insurance or health programs such as Medicaid or AFDC.</p> <p>b. Was —— covered by another plan for the entire time (names of persons in 20b) [was/were] off work?</p> <p>c. For how long was —— not covered by any kind of health insurance plan?</p> | | | 22a. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK (23) 30 2 <input type="checkbox"/> No (23) b. 1 <input type="checkbox"/> Yes (23) 9 <input type="checkbox"/> DK (23) 31 2 <input type="checkbox"/> No c. 00 <input type="checkbox"/> Less than 1 month 32-33 _____ Months | | | | | | | | | | | | | |
| <p>23a. At ANYTIME during [that/those] job layoff(s) or job loss(es), was —— covered by a military program or by a health program such as Medicaid or AFDC?</p> <p>b. For how long was —— covered by this kind of program?</p> | | | 23a. 1 <input type="checkbox"/> Yes 9 <input type="checkbox"/> DK (NP) 34 2 <input type="checkbox"/> No (NP) b. 00 <input type="checkbox"/> Less than 1 month 35-36 _____ Months | | | | | | | | | | | | | |

| Section N – IMMUNIZATION | | PERSON 1 |
|--|---|--|
| CHECK ITEM 1 | <i>Refer to ages of all family members.</i> | 1 <input type="checkbox"/> Persons 18 and over in family (1) 2 <input type="checkbox"/> No person 18 and over (Section O) |
| <p>The following questions are about immunizations to prevent influenza, pneumonia, and tetanus. In this family, they refer to <u>(read names of all persons 18+).</u></p> <p>1a. During the past 12 months, that is, since <u>(12-month date)</u> a year ago, have any adults in the family received a flu shot?</p> <p>Read if necessary: This vaccination is usually given in the fall and protects against influenza for about one year. <input type="checkbox"/> Yes <input type="checkbox"/> No (2) <input type="checkbox"/> DK (2)</p> | | |
| <p>b. Who was this? Mark "Influenza immunization" box in person's column.</p> | | |
| <p>c. Anyone else? <input type="checkbox"/> Yes (Reask 1b and c) <input type="checkbox"/> No</p> | | |
| <p>2a. Have any adults in the family ever received a pneumonia vaccination? Read if necessary: This shot first became available in 1979, and is given only once in a person's lifetime. <input type="checkbox"/> Yes <input type="checkbox"/> No (3) <input type="checkbox"/> DK (3)</p> | | |
| <p>b. Who was this? Mark "Pneumonia vaccination" box in person's column.</p> | | |
| <p>c. Anyone else? <input type="checkbox"/> Yes (Reask 2b and c) <input type="checkbox"/> No</p> | | |
| <p>Ask for each person with "Pneumonia vaccination" in 2b.</p> | | |
| <p>d. Did — receive the pneumonia shot within the past 12 months? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK</p> | | |
| <p>3a. During the past 5 years, have any adults in the family had a tetanus shot? Read if necessary: Tetanus is sometimes called lockjaw. <input type="checkbox"/> Yes <input type="checkbox"/> No (Section O) <input type="checkbox"/> DK (Section O)</p> | | |
| <p>b. Who was this? Mark "Tetanus immunization" box in person's column.</p> | | |
| <p>c. Anyone else? <input type="checkbox"/> Yes (Reask 3b and c) <input type="checkbox"/> No</p> | | |
| <p>Ask for each person with "Tetanus immunization" in 3b.</p> | | |
| <p>d. About how long ago did — have the LAST tetanus shot? <input type="checkbox"/> Less than 1 year <input type="checkbox"/> 1 year, but less than 3 years <input type="checkbox"/> 3 or more years ago <input type="checkbox"/> DK</p> | | |
| <p>Notes</p> | | |

| Section O – MENTAL HEALTH | | PERSON 1 | RT 69 |
|---|---|--|--|
| Enter person number(s) of respondent(s). | | | 3–4 |
| | | | 5–6 |
| | | 7–8 | |
| | | Person number(s) of respondent(s) | |
| These questions are about mental and emotional disorders. | | | |
| 1a. DURING THE PAST 12 MONTHS, did anyone in the family have — <i>If "Yes," ask 1b and c.</i> | | | |
| b. Who is this? <i>Mark box in appropriate person's column.</i> | | | |
| c. DURING THE PAST 12 MONTHS, did anyone else have — | | | |
| A. Schizophrenia (skit-suh-free'-nee-uh)? <input type="checkbox"/> Yes <input type="checkbox"/> No | | A. <input type="checkbox"/> Schizophrenia | 9 |
| B. Paranoid or delusional disorder, other than schizophrenia? <input type="checkbox"/> Yes <input type="checkbox"/> No | | B. <input type="checkbox"/> Paranoid disorder | 10 |
| C. Manic episodes or manic depression, also called bipolar disorder? <input type="checkbox"/> Yes (Specify) <input type="checkbox"/> No | | C. <input type="checkbox"/> Manic episodes <input type="checkbox"/> Manic depression | 11 12 |
| D. Major depression? <i>Read if necessary: A depressed mood and loss of interest in almost all activities FOR AT LEAST TWO WEEKS.</i> <input type="checkbox"/> Yes <input type="checkbox"/> No | | D. <input type="checkbox"/> Major depression | 13 |
| E. Anti-social personality, obsessive-compulsive personality, or any other SEVERE personality disorder? <input type="checkbox"/> Yes <input type="checkbox"/> No | | E. <input type="checkbox"/> Personality disorder | 14 |
| F. Alzheimer's (alitz' hi-merz) disease or another type of senile disorder? <input type="checkbox"/> Yes <input type="checkbox"/> No | | F. <input type="checkbox"/> Senility | 15 |
| G. Alcohol abuse disorder? <input type="checkbox"/> Yes <input type="checkbox"/> No | | G. <input type="checkbox"/> Alcohol abuse | 16 |
| H. Drug abuse disorder? <input type="checkbox"/> Yes <input type="checkbox"/> No | | H. <input type="checkbox"/> Drug abuse | 17 |
| I. Does anyone in the family NOW have mental retardation? <input type="checkbox"/> Yes <input type="checkbox"/> No | | I. <input type="checkbox"/> Mental retardation | 18 |
| 2a. DURING THE PAST 12 MONTHS, did anyone in the family have any OTHER mental or emotional disorders? Include ONLY those disorders which SERIOUSLY interfere with a person's ability to work or attend school, or to manage their day-to-day activities. | | <input type="checkbox"/> Yes <input type="checkbox"/> No (Check Item 1) | |
| b. Who is this? Anyone else? Mark box in appropriate person's column. <i>Ask for each person with "Other" in 2b:</i> | | 2b. <input type="checkbox"/> Other | 19 |
| c. What would you call the disorder — has? | | c. | 20–22 |
| CHECK ITEM 1 | Refer to 1A–F and 2b/c. | CK 1 | 1 <input type="checkbox"/> One or more entries in 1A–F or 2b/c (Check Item 2) 8 <input type="checkbox"/> All others (NP or Section P) |
| CHECK ITEM 2 | Enter disorder(s) from 1A–F and 2c. DO NOT RECORD G, H, OR I. | CK 2 | (Check Item 3) |
| Notes | | | |

| Section O — MENTAL HEALTH — Continued | | PERSON 1 |
|---|--|--|
| CHECK ITEM 3 | Refer to Age. | CK 3 1 <input type="checkbox"/> Under 5 (8) 2 <input type="checkbox"/> 5-17 (4) 3 <input type="checkbox"/> 70 or over (5) 8 <input type="checkbox"/> All others (3) |
| | | 24 |
| Ask questions 3-8 about ALL disorders reported in 1 and 2. | | |
| 3a. Does — — <u>(disorder(s) in questions 1 and 2)</u> NOW entirely prevent — — from working at a paid job or business? | | 3a. 1 <input type="checkbox"/> Yes (3d) 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Doesn't work — Other reasons 9 <input type="checkbox"/> DK |
| | | 25 |
| b. Because of [this disorder/any of these disorders], is — — limited in the kind or amount of work — — can do? | | b. 1 <input type="checkbox"/> Yes (3d) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| | | 26 |
| Mark "Doesn't work" if marked in 3a; otherwise ask: | | |
| c. Because of [this disorder/any of these disorders], does — — have trouble finding or keeping a job or doing job tasks? | | c. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (Check Item 4) 3 <input type="checkbox"/> Doesn't work } (Check Item 4) 9 <input type="checkbox"/> DK } |
| | | 27 |
| d. For how long has — — [been unable to work/ been limited in work/ had trouble with work] because of [this disorder/any of these disorders]? | | d. 1 <input type="checkbox"/> less than 3 months 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 5 years 4 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK |
| | | 28 |
| CHECK ITEM 4 | Refer to Age AND HIS-1, C1. | CK 4 1 <input type="checkbox"/> 18-24 AND neither Wa/Wb box marked (4) 8 <input type="checkbox"/> All others (Check Item 5) |
| | | 29 |
| 4a. Does — — <u>(disorder(s) in questions 1 and 2)</u> NOW entirely prevent — — from attending regular school (or college)? | | 4a. 1 <input type="checkbox"/> Yes (4c) 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Not in school — Other reasons (Ck. Item 5) 9 <input type="checkbox"/> DK |
| | | 30 |
| b. Because of [this disorder/any of these disorders], does — — have trouble with school attendance or school work? | | b. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (Check Item 5) 3 <input type="checkbox"/> Not in school — Other reasons } (Check Item 5) 9 <input type="checkbox"/> DK } |
| | | 31 |
| c. For how long has — — [been unable to attend school/had trouble with school] because of [this disorder/any of these disorders]? | | c. 1 <input type="checkbox"/> less than 3 months 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 5 years 4 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK |
| | | 32 |
| CHECK ITEM 5 | Refer to age, then questions 3d and 4c and mark first appropriate box. | CK 5 1 <input type="checkbox"/> Under age 10 (7) 2 <input type="checkbox"/> Entry in 3d or 4c (5) 8 <input type="checkbox"/> All others (6) |
| | | 33 |
| 5a. ON — — OWN AND WITHOUT HELP, does — — appropriately take care of — — own personal care needs, such as eating, dressing, bathing, and going to the toilet? | | 5a. 1 <input type="checkbox"/> Yes (6) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK (6) |
| | | 34 |
| b. Is this because of [— — <u>(disorder)/any of these mental disorders</u> ?] | | b. 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (6) 9 <input type="checkbox"/> DK } (6) |
| | | 35 |
| c. For how long has — — had trouble taking care of any of these needs? | | c. 1 <input type="checkbox"/> less than 3 months 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 5 years 4 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK } (6) |
| | | 36 |
| Notes | | |

| Section O -- MENTAL HEALTH -- Continued | | PERSON 1 |
|---|--|--|
| 6a. ON -- OWN AND WITHOUT HELP, does -- adequately handle routine matters such as -- | | 37 |
| (1) Managing money? | | (1) 1 <input type="checkbox"/> Yes (2) 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Doesn't do |
| b. Is this because of [-- (<u>disorder</u>)/any of these mental disorders]? | | 38 |
| (ON -- OWN AND WITHOUT HELP, does -- adequately handle) | | (2) 1 <input type="checkbox"/> Yes (3) 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Doesn't do |
| (2) Doing everyday household chores? | | 39 |
| b. Is this because of [-- (<u>disorder</u>)/any of these mental disorders]? | | 40 |
| (ON -- OWN AND WITHOUT HELP, does -- adequately handle) | | (3) 1 <input type="checkbox"/> Yes (4) 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Doesn't do |
| (3) Shopping? | | 41 |
| b. Is this because of [-- (<u>disorder</u>)/any of these mental disorders]? | | 42 |
| (ON -- OWN AND WITHOUT HELP, does -- adequately handle) | | (4) 1 <input type="checkbox"/> Yes (6c) 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Doesn't do |
| (4) Getting around outside the home? | | 43 |
| b. Is this because of [-- (<u>disorder</u>)/any of these mental disorders]? | | 44 |
| Ask if "Yes" in any 6b; otherwise, skip to 7. | | c. 1 <input type="checkbox"/> Less than 3 months 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 5 years 4 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK } (7) |
| 6c. For how long has -- had trouble taking care of any of these things? | | 45 |

Notes

| Section O — MENTAL HEALTH — Continued | | PERSON 1 |
|--|---------------------------|--|
| <i>Hand Card 01. Read answer categories if telephone interview.</i> 7. Because of — — (disorder(s) in questions 1 and 2), how much difficulty does — — NOW have — <ul style="list-style-type: none"> a. Forming friendships? | | 46 |
| | | 1 <input type="checkbox"/> No difficulty 2 <input type="checkbox"/> Some difficulty 3 <input type="checkbox"/> A lot of difficulty 4 <input type="checkbox"/> Completely unable 9 <input type="checkbox"/> DK |
| <hr/> <ul style="list-style-type: none"> b. Keeping friendships? | | 47 |
| | | 1 <input type="checkbox"/> No difficulty 2 <input type="checkbox"/> Some difficulty 3 <input type="checkbox"/> A lot of difficulty 4 <input type="checkbox"/> Completely unable 9 <input type="checkbox"/> DK |
| <hr/> <ul style="list-style-type: none"> c. Concentrating long enough to complete tasks? | | 48 |
| | | 1 <input type="checkbox"/> No difficulty 2 <input type="checkbox"/> Some difficulty 3 <input type="checkbox"/> A lot of difficulty 4 <input type="checkbox"/> Completely unable 9 <input type="checkbox"/> DK |
| <hr/> <ul style="list-style-type: none"> d. Coping with day-to-day stresses? | | 49 |
| | | 1 <input type="checkbox"/> No difficulty 2 <input type="checkbox"/> Some difficulty 3 <input type="checkbox"/> A lot of difficulty 4 <input type="checkbox"/> Completely unable 9 <input type="checkbox"/> DK |
| <hr/> <i>If all "No difficulty" and/or "DK" in 7a—d, skip to 8; otherwise ask:</i> 8. For how long has — — had any of these difficulties? | | 50 |
| | | 1 <input type="checkbox"/> Less than 3 months 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 5 years 4 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK |
| <hr/> 8a. When did — — LAST see or talk to a MENTAL HEALTH PROFESSIONAL about — — (disorder(s) in questions 1 and 2)? Include psychiatrists, psychologists, social workers, psychiatric nurses, and any other type of mental health professional. | | 51 |
| | | 1 <input type="checkbox"/> Less than 2 weeks 2 <input type="checkbox"/> 2 weeks, less than 1 month 3 <input type="checkbox"/> 1 month, less than 3 months 4 <input type="checkbox"/> 3 months, less than 1 year 5 <input type="checkbox"/> 1 year, less than 5 years 6 <input type="checkbox"/> 5 years or more 7 <input type="checkbox"/> Never (8c) 9 <input type="checkbox"/> DK |
| <hr/> b. What type of mental health professional was last seen? | | 52—53 |
| | | <u>Mental health professional</u> |
| <hr/> c. (Besides mental health professionals) When did — — LAST see or talk to a doctor or other health professional about — — (disorder(s) in questions 1 and 2)? | | 54 |
| | | 1 <input type="checkbox"/> Less than 2 weeks 2 <input type="checkbox"/> 2 weeks, less than 1 month 3 <input type="checkbox"/> 1 month, less than 3 months 4 <input type="checkbox"/> 3 months, less than 1 year 5 <input type="checkbox"/> 1 year, less than 5 years 6 <input type="checkbox"/> 5 years or more 7 <input type="checkbox"/> Never 9 <input type="checkbox"/> DK |
| CHECK ITEM 7 | <i>Refer to 8a and c.</i> | 55 |
| Notes | | CK 7 |
| | | 1 <input type="checkbox"/> Never in 8a AND c (12) 8 <input type="checkbox"/> Other (9) |

| Section O — MENTAL HEALTH — Continued | | PERSON 1 |
|---|--|----------|
| <p>Ask 9 for the first 4 disorders recorded in Check Item 2.</p> <p>► FIRST DISORDER IN CHECK ITEM 2:</p> | | |
| 9a. | <p>When did a doctor or other health professional FIRST give a diagnosis of <u>(first disorder in Check Item 2)</u> for — — ?</p> | |
| 9a. | <p>56</p> <p>57</p> <p>1 <input type="checkbox"/> Less than 1 year 2 <input type="checkbox"/> 1 yr., less than 5 yrs. 3 <input type="checkbox"/> 5 years or more 4 <input type="checkbox"/> Never (9d) 9 <input type="checkbox"/> DK</p> <p>{ (9b)</p> | |
| b. | <p>Did the doctor call the <u>(first disorder in Check Item 2)</u> by a more technical or specific name?</p> | |
| b. | <p>58</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (Next disorder or 10)</p> | |
| c. | <p>What did he or she call it?</p> | |
| c. | <p>59-61</p> <p>{ (Next disorder or 10)</p> | |
| d. | <p>Has a DOCTOR OR OTHER HEALTH PROFESSIONAL ever given this disorder a technical or specific name?</p> | |
| d. | <p>62</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (Next disorder or 10)</p> | |
| e. | <p>What did he or she call it?</p> | |
| e. | <p>63-65</p> <p>{ (Next disorder or 10)</p> | |
| f. | <p>When did a doctor first call this disorder <u>(entry in 9e)</u>?</p> | |
| f. | <p>66</p> <p>1 <input type="checkbox"/> Less than 1 year 2 <input type="checkbox"/> 1 yr., less than 5 yrs. 3 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK { (Next disorder or 10)</p> | |
| <p>► SECOND DISORDER IN CHECK ITEM 2:</p> | | |
| 9a. | <p>When did a doctor or other health professional FIRST give a diagnosis of <u>(second disorder in Check Item 2)</u> for — — ?</p> | |
| 9a. | <p>67</p> <p>68</p> <p>1 <input type="checkbox"/> Less than 1 year 2 <input type="checkbox"/> 1 yr., less than 5 yrs. 3 <input type="checkbox"/> 5 years or more 4 <input type="checkbox"/> Never (9d) 9 <input type="checkbox"/> DK</p> <p>{ (9b)</p> | |
| b. | <p>Did the doctor call the <u>(second disorder in Check Item 2)</u> by a more technical or specific name?</p> | |
| b. | <p>69</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (Next disorder or 10)</p> | |
| c. | <p>What did he or she call it?</p> | |
| c. | <p>70-72</p> <p>{ (Next disorder or 10)</p> | |
| d. | <p>Has a DOCTOR OR OTHER HEALTH PROFESSIONAL ever given this disorder a technical or specific name?</p> | |
| d. | <p>73</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (Next disorder or 10)</p> | |
| e. | <p>What did he or she call it?</p> | |
| e. | <p>74-76</p> <p>{ (Next disorder or 10)</p> | |
| f. | <p>When did a doctor first call this disorder <u>(entry in 9e)</u>?</p> | |
| f. | <p>77</p> <p>1 <input type="checkbox"/> Less than 1 year 2 <input type="checkbox"/> 1 yr., less than 5 yrs. 3 <input type="checkbox"/> 5 years or more 9 <input type="checkbox"/> DK { (Next disorder or 10)</p> | |

Section O — MENTAL HEALTH — Continued

PERSON 1

78

79

► **THIRD DISORDER IN CHECK ITEM 2:**

- 9a. When did a doctor or other health professional FIRST give a diagnosis of (third disorder in Check Item 2) for — — ?

9a.

- 1 Less than 1 year
2 1 yr., less than 5 yrs.
3 5 years or more
4 Never (9d)
9 DK

(9b)

- b. Did the doctor call the (third disorder in Check Item 2) by a more technical or specific name?

b.

- 1 Yes
2 No
9 DK

(Next disorder or 10)

- c. What did he or she call it?

c.

81-83

(Next disorder or 10)

- d. Has a DOCTOR OR OTHER HEALTH PROFESSIONAL ever given this disorder a technical or specific name?

d.

- 1 Yes
2 No
9 DK

(Next disorder or 10)

- e. What did he or she call it?

e.

85-87

- f. When did a doctor first call this disorder (entry in 9e)?

f.

- 1 Less than 1 year
2 1 yr., less than 5 yrs.
3 5 years or more
9 DK

(88)

(Next disorder or 10)

► **FOURTH DISORDER IN CHECK ITEM 2:**

- 9a. When did a doctor or other health professional FIRST give a diagnosis of (fourth disorder in Check Item 2) for — — ?

9a.

- 1 Less than 1 year
2 1 yr., less than 5 yrs.
3 5 years or more
4 Never (9d)
9 DK

89

90

- b. Did the doctor call the (fourth disorder in Check Item 2) by a more technical or specific name?

b.

91

- 1 Yes
2 No
9 DK

(10)

- c. What did he or she call it?

c.

92-94

(10)

- d. Has a DOCTOR OR OTHER HEALTH PROFESSIONAL ever given this disorder a technical or specific name?

d.

- 1 Yes
2 No
9 DK

95

- e. What did he or she call it?

e.

96-98

(10)

- f. When did a doctor first call this disorder (entry in 9e)?

f.

99

- 1 Less than 1 year
2 1 yr., less than 5 yrs.
3 5 years or more
9 DK

(10)

| Section O — MENTAL HEALTH — Continued | | PERSON 1 |
|---|------|--|
| 10a. Does — — NOW take any prescription medication for — — (<i>disorder(s) in Check Item 2?</i>) | 10a. | 1 <input type="checkbox"/> Yes (10c) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| b. DURING THE PAST 12 MONTHS, did — — take any prescription medication for [this disorder/any of these disorders]? | b. | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (12) 9 <input type="checkbox"/> DK |
| c. How many DIFFERENT medications [does — — take/did — — take during the past 12 months] for [this disorder/any of these disorders]? | c. | 102 Number Medication(s) 9 <input type="checkbox"/> DK |
| 11a. (May I see/Would you please bring to the telephone) the container(s) for the medication(s) you just told me about? | 11a. | 103 1 <input type="checkbox"/> Container available 2 <input type="checkbox"/> No container available |
| Record from container label. If no container available and for telephone, ask 11b—d as appropriate. If DK, show Card O2, asking "Is it any of these?" before marking "DK". | | |
| ► FIRST MEDICATION | b. | 104—105 |
| b. What is the name of the first medication? | | |
| ► SECOND MEDICATION | c. | 107—109 |
| c. What is the name of the second medication? | | |
| ► THIRD MEDICATION | d. | 110—112 |
| d. What is the name of the third medication? | | |
| 12a. Does — — NOW receive a disability payment through any government program because of — — (<i>disorder(s) in Check Item 2?</i>) | 12a. | 113 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (Check Item 1 for NP) 9 <input type="checkbox"/> DK |
| b. Is this payment through Social Security Disability Insurance, called "SSDI"; through Supplemental Security Income, called SSI"; through the Veteran's Administration; or through some other program? Mark all that apply. | b. | 114 1 <input type="checkbox"/> SSDI 2 <input type="checkbox"/> SSI } (Check Item 1 for NP) 3 <input type="checkbox"/> VA 4 <input type="checkbox"/> Other } 116 117 |
| Notes | | |

Section P - DENTAL

RT 70
3-4

PERSON 1

Hand calendar.

These next questions are about dental care received during the 2 weeks [outlined in red on that calendar/beginning Monday (date) and ending this past Sunday (date)].

- 1a. DURING THOSE 2 WEEKS did anyone in the family go to a dentist? Include all types of dentists, such as orthodontists, oral surgeons, and all other dental specialists, as well as dental hygienists.

Yes No (2) DK (2)

- b. Who was this?

Mark "Dental visits" box in person's column.

6

- c. During those 2 weeks, did anyone else in the family go to a dentist?

Yes (Reask 1b and c) No

6-7

Ask for each person with "Dental visit" in 1b.

- d. During those 2 weeks, how many times did -- go to a dentist?

Mark box if under 2.

- 2a. During the past 12 months {that is, since (12-month date) a year ago}, about how many visits did -- make to a dentist? {Include the (number in 1d) visits you already told me about.}

Mark "2-week dental visit" box in person's column if visit(s) reported in 1d.

- b. ABOUT how long has it been since -- LAST went to a dentist?

8-10

998 Under 2 (NP)
_____ 12-month dental visits
000 None

11

- 1 Past 2 weeks not reported
(Mark 1b, ask 1d)
2 2-week dental visit
3 Over 2 weeks, less than 6 months } (NP)
4 6 months, less than 1 year
5 1 year, less than 2 years
6 2 years, less than 5 years } (3)
7 5 years or more
0 Never

3. What are the reasons -- has [not visited the dentist in over 12 months/never gone to the dentist]?

Do not read categories. Circle all that apply.

- | | | |
|-----------------------|-----------------------|---------------|
| 01 Afraid | 07 Can't get there | 99 Don't know |
| 02 Nervous | 08 No problems | |
| 03 Needles | 09 No teeth | |
| 04 Cost | 10 Not important | |
| 05 Don't know dentist | 11 Didn't think of it | |
| 06 Dentist too far | 88 Other (Specify) | |

12-13

- | | | |
|----|----|----|
| 01 | 07 | 99 |
| 02 | 08 | |
| 03 | 09 | |
| 04 | 10 | |
| 05 | 11 | |
| 06 | 88 | |
- (Specify)

14-15

16-17

18-19

20-21

22-23

24-25

26-27

28-29

30-31

32-33

34-35

36-37

- 4a. Is there anyone in the family who has lost ALL of his or her upper (permanent) natural teeth?

Yes No (4e)

38

- b. Who is this?

Mark "No uppers" box in person's column.

4b. 1 No uppers

- c. Anyone else?

Yes (Reask 4b and c) No

39

Ask for each person with "No uppers" in 4b.

- d. Does -- have an upper denture or plate?

d. 1 Yes 2 No

- e. Is there anyone in the family who has lost ALL of his or her lower (permanent) natural teeth?

Yes No (5)

40

- f. Who is this?

Mark "No lowers" box in person's column.

f. 1 No lowers

- g. Anyone else?

Yes (Reask 4f and g) No

41

Ask for each person with "No lowers" in 4f.

- h. Does -- have a lower denture or plate?

h. 1 Yes 2 No

| Section P -- DENTAL -- Continued | | PERSON 1 |
|---|---------------------|--|
| CHECK ITEM 1 | Refer to 4b AND 4f. | <input type="checkbox"/> All family members have lost all teeth: upper and lower (Check Item 2) <input type="checkbox"/> Other (5) |
| 5a. Dental SEALANTS are special plastic coatings that are painted on the tops of the back teeth to prevent tooth decay. They are DIFFERENT from fillings, caps, crowns, and fluoride treatments. Has anyone in the family EVER had dental SEALANTS painted on their teeth? | | <input type="checkbox"/> Yes <input type="checkbox"/> No (6) <input type="checkbox"/> DK (6) |
| b. Who is this? Mark "Dental sealants" box in person's column. | | 5b. <input type="checkbox"/> Dental sealants |
| c. Anyone else? <input type="checkbox"/> Yes (Reask 5b and c) <input type="checkbox"/> No | | |
| 6a. In the past two weeks has anyone in the family used a mouthwash or mouthrinse at home? | | <input type="checkbox"/> Yes <input type="checkbox"/> No (Check Item 2) <input type="checkbox"/> DK (Check Item 2) |
| b. Who is this? Mark "Mouthrinse" box in person's column. | | 6b. <input type="checkbox"/> Mouthrinse |
| c. Anyone else? <input type="checkbox"/> Yes (Reask 6b and c) <input type="checkbox"/> No Ask for each person with "Mouthrinse" in 6b. | | 45-46 d. <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 8 <input checked="" type="checkbox"/> 7 <input type="checkbox"/> 9 (Specify) |
| 6. Does this mouthrinse contain fluoride? | | 47 e. <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| CHECK ITEM 2 | Refer to age. | CK 2 <input type="checkbox"/> Under 2 (8) <input type="checkbox"/> 2-17 (7) <input type="checkbox"/> 18 and over (NP) |
| 7. (Some schools have fluoride MOUTHRINSE programs.) Does -- now take part in a fluoride MOUTHRINSE program at school? | | 48 7. <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| 8. Does -- now take vitamins with FLUORIDE in them or any other kind of FLUORIDE tablets, drops, or supplements? | | 50 8. <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| Notes | | |

Section P — DENTAL — Continued

PERSON 1

These next questions refer to the 2 weeks [outlined on that calendar/beginning Monday (*date*) and ending Sunday (*date*)].

- 9a.** During that 2 week period, did anyone in the family miss any time from work or school because of a dental problem or dental visit? Yes No (10) DK (10)

51

- b. Who was this?**

Mark "Missed time" box in person's column.

9b. 1 Missed time

- c. Anyone else?**

Yes (Reask 9b and c) No DK

52-53

Ask for each person with "Missed time" in 9b.

- d. How much time did — miss because of a dental problem or dental visit?**

d.

- 51 Less than 1 hour
52 1 hour, less than 3 hours
53 3 hours, less than 5 hours
54 5 hours, less than 7 hours
55 7 or more hours

OR

_____ Days

- 10a.** During that two week period did anyone in the family miss any time from work or school to assist a relative or friend with a dental problem or dental visit? Yes No (11) DK (11)

54

- b. Who was this?**

Mark "Missed time" box in person's column.

10b. 1 Missed time

- c. Anyone else?**

Yes (Reask 10b and c) No DK

55-56

Ask for each person with "Missed time" marked in 10b.

- d. How much time did — miss because — was assisting a relative or friend with a dental problem or visit?**

d.

- 51 Less than 1 hour
52 1 hour, less than 3 hours
53 3 hours, less than 5 hours
54 5 hours, less than 7 hours
55 7 or more hours

OR

_____ Days

- 11a.** (Not counting the time missed from work or school) Was there any (other) time during those 2 weeks that anyone in the family cut down on normal activities for MORE THAN HALF OF THE DAY because of a dental problem or dental visit? Yes No (Check Item 3) DK (Check Item 3)

57

- b. Who was this?**

Mark "Cut down" box in person's column.

11b. 1 Cut down

- c. Anyone else?**

Yes (Reask 11b and c) No DK

58-59

Ask for each person with "Cut down" in 11b.

- d. During that period, how many (other) days did — cut down for MORE THAN HALF OF THE DAY because of a dental problem or dental visit?**

d.

00 None

_____ Days

a. Mark first appropriate box.

CK

3a.

- 0 Under 17
1 Present for all questions
2 Present for some questions
3 Not present

60

b. Enter person number(s) of respondent(s) to "Dental" section.

b.

Person number(s) of respondent(s)

Notes

| Section Q - DIABETES | | PERSON 1 |
|---|--|--|
| Section Q1 - DIABETES SCREENING | | |
| CHECK ITEM 1 | <p>Refer to ages of all family members.</p> <p>1 <input type="checkbox"/> Persons aged 18 and over in family (1) 2 <input type="checkbox"/> No persons aged 18 and over in family (Section R)</p> | |
| <p>1a. Has any adult in this family, that is (read names of persons 18 and over) EVER been told by a doctor that they had diabetes? Do not include pre, potential, or borderline diabetes.</p> <p>b. Who is this?</p> <p>Mark "Diabetes" box in appropriate person's column.</p> <p>c. Has any other adult in this family been told they have diabetes?</p> <p>Do not include pre, potential, or borderline diabetes.</p> | | <p>□ Yes □ No (Section R)</p> <p>1b. 6 <input type="checkbox"/> Diabetes</p> <p>□ Yes (Reask 1b and c) □ No</p> |
| Section Q2 - DIABETES FOLLOWUP QUESTIONS | | |
| CHECK ITEM 2 | Refer to 1b above. | <p>CK 2</p> <p>0 <input type="checkbox"/> Under 18 (NP) 1 <input type="checkbox"/> "Diabetes" box marked in 1b (Check Item 3) 8 <input type="checkbox"/> All others (NP)</p> |
| CHECK ITEM 3 | Status of diabetic. | <p>CK 3</p> <p>1 <input type="checkbox"/> Available (1) 2 <input type="checkbox"/> Callback required (If this page of HIS-1, THEN NP) 3 <input type="checkbox"/> Noninterview (Cover page of HIS-1A, THEN NP)</p> |
| <p>(Earlier I was told you had diabetes.)</p> <p>1. How old were you when you got diabetes? Do not include pre, potential, or borderline diabetes.</p> | | <p>1. 9-10 00 <input type="checkbox"/> Don't have diabetes (NP) 98 <input type="checkbox"/> Have pre, potential, or borderline diabetes (NP) Years old 99 <input type="checkbox"/> DK</p> |
| <p>2. Are you NOW a diabetic?</p> | | <p>2. 11 1 <input type="checkbox"/> Yes (3) 2 <input type="checkbox"/> No (NP) 9 <input type="checkbox"/> DK (3)</p> |
| <p>3a. When you first learned that you might have diabetes, were you sick or feeling diabetic symptoms, OR was the diabetes discovered by chance?</p> | | <p>3a. 12 1 <input type="checkbox"/> Sick/symptoms 2 <input type="checkbox"/> By chance (3c) 9 <input type="checkbox"/> DK</p> |
| <p>b. Were you at your doctor's office, a patient in the hospital, or somewhere else?</p> | | <p>b. 13 1 <input type="checkbox"/> Doctor's office 2 <input type="checkbox"/> Patient in hospital 3 <input type="checkbox"/> Somewhere else 9 <input type="checkbox"/> DK</p> |
| <p>c. Was the diabetes discovered while getting a routine physical, a screening test for diabetes, or while being treated for something else?</p> | | <p>c. 14 1 <input type="checkbox"/> Routine physical 2 <input type="checkbox"/> Screening test for diabetes 3 <input type="checkbox"/> Treated for something else 8 <input type="checkbox"/> Other 9 <input type="checkbox"/> DK</p> |
| <p>4a. When your diabetes was first diagnosed, did you have a blood test, a urine test, or both?</p> | | <p>4a. 15 1 <input type="checkbox"/> Blood 2 <input type="checkbox"/> Urine (5) 3 <input type="checkbox"/> Both 9 <input type="checkbox"/> DK (5)</p> |
| <p>b. Was the blood test an oral glucose tolerance test?</p> | | <p>b. 16 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK</p> |
| <p>Ask if female; otherwise, go to 6.</p> <p>5a. Were you pregnant when you were first told that you had diabetes?</p> | | <p>5a. 17 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (6)</p> |
| <p>b. Other than during pregnancy, did a doctor EVER tell you that you had diabetes?</p> | | <p>b. 18 1 <input type="checkbox"/> Yes (6) 2 <input type="checkbox"/> No (Check Item 2 for NP)</p> |
| <p>Notes</p> | | |

| Section Q2 -- DIABETES FOLLOWUP QUESTIONS -- Continued | | PERSON 1 |
|--|-----|---|
| 6a. Are you NOW taking insulin? | 6a. | 19 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (6a) |
| b. For how long have you been taking insulin? | b. | 20-22 000 <input type="checkbox"/> Less than 1 month 1 <input type="checkbox"/> Months 2 <input type="checkbox"/> Years 999 <input type="checkbox"/> DK |
| c. Currently, about how often do you use insulin? | c. | 23-25 Times per { 1 <input type="checkbox"/> Day 2 <input type="checkbox"/> Week 998 <input type="checkbox"/> Use insulin pump 999 <input type="checkbox"/> DK |
| d. On an average day, about how many units of insulin do you take? | d. | 26-28 Units per day 999 <input type="checkbox"/> DK |
| e. Have you EVER used an insulin pump? | e. | 29 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| f. Are you NOW taking diabetes pills to lower your blood sugar? <i>Read if necessary: These are sometimes called oral agents or oral hypoglycemic agents.</i> | f. | 30 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (7) 9 <input type="checkbox"/> DK } |
| g. For how long have you been taking them? | g. | 31-33 000 <input type="checkbox"/> Less than 1 month 1 <input type="checkbox"/> Months 2 <input type="checkbox"/> Years 999 <input type="checkbox"/> DK |
| h. About how often do you take them? | h. | 34-36 Times per { 1 <input type="checkbox"/> Day 2 <input type="checkbox"/> Week 999 <input type="checkbox"/> DK |
| 7a. Has a doctor or other health professional ever given you a diet or instructions on what foods you should eat as a diabetic? | 7a. | 37 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (9) 9 <input type="checkbox"/> DK } |
| b. In the past 12 months, have you tried to follow the diet or instructions? | b. | 38 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (9) |
| c. In the past 12 months, about how often have you been able to follow the diet or instructions? | c. | 39 1 <input type="checkbox"/> Always (9) 2 <input type="checkbox"/> Most of the time 3 <input type="checkbox"/> Some of the time } (8a) 4 <input type="checkbox"/> Rarely 5 <input type="checkbox"/> Never } (8b) 9 <input type="checkbox"/> DK |
| Notes | | |

| Section Q2 — DIABETES FOLLOWUP QUESTIONS — Continued | | PERSON 1 | |
|---|-----|---|---|
| 8a. Is it difficult for you to stay on your diet — | | 40 | |
| (1) When you eat in restaurants? | (1) | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (2) When you go to parties or social events? | (2) | 41 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (3) When you are busy with other activities? | (3) | 42 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (4) When you go on a trip? | (4) | 43 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (5) When you are feeling upset or angry? | (5) | 44 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (6) When you are feeling sad, depressed, or blue? | (6) | 45 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (7) When you are feeling bored? | (7) | 46 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| b. Do you (also) find it difficult to stay on your diet — | | 47 | |
| (1) Because foods you should eat do not taste good? | (1) | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (2) Because you crave foods not on your diet? | (2) | 48 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (3) Because you have to prepare food separately for yourself? | (3) | 49 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (4) Because of lack of help or support from your family or friends? | (4) | 50 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| (5) Because you are unsure about what foods you should eat? | (5) | 51 | 0 <input type="checkbox"/> Not applicable 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 9. How important do you think what you eat or drink is in controlling your diabetes? Is it very important, somewhat important, or not important? | 9. | 1 <input type="checkbox"/> Very important 2 <input type="checkbox"/> Somewhat important 3 <input type="checkbox"/> Not important 9 <input type="checkbox"/> DK | 52 |

| Section Q2 — DIABETES FOLLOWUP QUESTIONS — Continued | | PERSON 1 | |
|---|--|---|--|
| 10a. Is there ONE doctor you usually see for your diabetes? | | 10a. 1 <input type="checkbox"/> Yes 53 2 <input type="checkbox"/> No (10c) | |
| b. How many times have you seen this doctor in the past 12 months? | | b. _____ Times 54-55 99 <input type="checkbox"/> DK | |
| c. Which of the following did you see in the past 12 months for ANY reason — | | c. 1 <input type="checkbox"/> Yes 56 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (1) A cardiologist or heart doctor? | | (1) 1 <input type="checkbox"/> Yes 56 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (2) An ophthalmologist, that is, a medical doctor who specializes in eye care? | | (2) 1 <input type="checkbox"/> Yes 57 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (3) Ask if female; otherwise go to (4). (3) An obstetrician or gynecologist? | | (3) 1 <input type="checkbox"/> Yes 58 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (4) A podiatrist or foot doctor? | | (4) 1 <input type="checkbox"/> Yes 59 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (5) A psychologist or psychiatrist? | | (5) 1 <input type="checkbox"/> Yes 60 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (6) A dietitian or nutritionist? | | (6) 1 <input type="checkbox"/> Yes 61 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| (7) Any other medical doctor? — Specify | | (7) 1 <input type="checkbox"/> Yes — Specify <input checked="" type="checkbox"/> 62 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| The next few questions are about glucose or sugar in your urine and blood. | | | |
| 11a. About how many times in the past 6 months has a health professional checked your URINE for glucose or sugar? Do not count times when an overnight patient in the hospital. | | 11a. 00 <input type="checkbox"/> None 63-64 _____ Times 99 <input type="checkbox"/> DK | |
| b. On your own, about HOW OFTEN do you check your urine for glucose or sugar? Include times when checked by a family member or friend. | | b. 000 <input type="checkbox"/> Never 65-67 _____ Times per { 999 <input type="checkbox"/> DK } 1 <input type="checkbox"/> Day 2 <input type="checkbox"/> Week 3 <input type="checkbox"/> Month 4 <input type="checkbox"/> Year | |
| If "None" in 11a and "Never" in 11b, skip to 11d. Hand Card Q1. Read list if telephone interview. | | c. 1 <input type="checkbox"/> Always 68 2 <input type="checkbox"/> Most of the time 3 <input type="checkbox"/> Some of the time 4 <input type="checkbox"/> Rarely 5 <input type="checkbox"/> Never 9 <input type="checkbox"/> DK | |
| c. Based on ALL your urine tests during the past 6 months, how often would you say you have had glucose or sugar in your urine? | | d. 1 <input type="checkbox"/> Yes 69 2 <input type="checkbox"/> No } (12) 9 <input type="checkbox"/> DK } | |
| d. Have you been tested for ketones in the past 6 months? | | e. 1 <input type="checkbox"/> Yes 70 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| e. Were any of these tests positive? | | 12a. 00 <input type="checkbox"/> None 71-72 _____ Times 99 <input type="checkbox"/> DK | |
| 12a. About how many times in the past 6 months has a health professional checked your BLOOD for glucose or sugar? Do not count times when an overnight patient in a hospital. | | b. 000 <input type="checkbox"/> Never 73-75 _____ Times per { 999 <input type="checkbox"/> DK } 1 <input type="checkbox"/> Day 2 <input type="checkbox"/> Week 3 <input type="checkbox"/> Month 4 <input type="checkbox"/> Year | |
| b. On your own, about HOW OFTEN do you check your blood for glucose or sugar? Include times when checked by a family member or friend. | | c. 1 <input type="checkbox"/> Always 76 2 <input type="checkbox"/> Most of the time 3 <input type="checkbox"/> Some of the time } (13) 4 <input type="checkbox"/> Rarely 5 <input type="checkbox"/> Never 9 <input type="checkbox"/> DK } | |
| If "None" in 12a and "Never" in 12b, skip to 13.. Hand Card Q1. Read list if telephone interview. | | c. Based on ALL your blood sugar tests during the past 6 months, how often would you say your blood sugar level has been too high? | |

| Section Q2 – DIABETES FOLLOWUP QUESTIONS – Continued | | PERSON 1 |
|---|------|---|
| 13a. Have you ever heard of glycosylated hemoglobin (gli-ko'sil-ated he-mo-glo-bin) or hemoglobin "A one C"? | 13a. | 77 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (14a) |
| b. About how many times in the past 6 months has a doctor, nurse, or other health professional checked you for glycosylated hemoglobin or hemoglobin "A one C"? | b. | 78–79 00 <input type="checkbox"/> None _____ Times 99 <input type="checkbox"/> DK |
| 14a. About how many times in the past 6 months has a health professional checked your feet for any sores or irritations? | 14a. | 80–81 00 <input type="checkbox"/> None _____ Times 99 <input type="checkbox"/> DK |
| b. About how often do you check your feet for sores or irritations? | b. | 82–84 000 <input type="checkbox"/> Never _____ Times per { 999 <input type="checkbox"/> DK } 1 <input type="checkbox"/> Day 2 <input type="checkbox"/> Week 3 <input type="checkbox"/> Month 4 <input type="checkbox"/> Year |
| 15. During the past 6 months have you had any sores or irritations on your feet or ankles that did not heal normally? | 15. | 85 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 16. When was the last time you had an eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light. | 16. | 86 1 <input type="checkbox"/> Less than 1 month } (18) 2 <input type="checkbox"/> 1 to 12 months } 3 <input type="checkbox"/> 13 to 24 months (17b) 4 <input type="checkbox"/> More than 2 years 5 <input type="checkbox"/> Never 9 <input type="checkbox"/> DK |
| 17a. Have you had ANY kind of eye exam by a doctor within the past two years? | 17a. | 87 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (18) 9 <input type="checkbox"/> DK |
| b. Have you had ANY kind of eye exam by a doctor within the past 12 months? | b. | 88 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 18a. Have you EVER been told that diabetes has affected the back of your eyes, that is, the retina? | 18a. | 89 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (20) 9 <input type="checkbox"/> DK |
| b. How old were you when the doctor first told you this? | b. | 90–91 _____ Years old 99 <input type="checkbox"/> DK |
| 19a. Have you ever had laser or photocoagulation treatment for this problem? Do not include treatments for cataracts. | 19a. | 92 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (20) 9 <input type="checkbox"/> DK |
| b. Did you receive this treatment within the past 12 months? | b. | 93 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (20) 9 <input type="checkbox"/> DK |
| c. Was this the first time you had this treatment? | c. | 94 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 20. Have you ever had photographs taken of the retina or inside of your eyes? | 20. | 95 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 21. Do you have serious trouble seeing with one or both eyes even when wearing glasses? | 21. | 96 1 <input type="checkbox"/> Yes } (22) 2 <input type="checkbox"/> No } 9 <input type="checkbox"/> DK |

Section Q2 – DIABETES FOLLOWUP QUESTIONS – Continued

| | | | | |
|--|--|-----------------------------------|--|-------|
| 22a. About how many times in the past 12 months has a doctor or other health professional checked your blood pressure? Do not count times when an overnight patient in a hospital. | | 22a. | PERSON 1 | |
| | | 000 <input type="checkbox"/> None | 5-7 | |
| | | _____ Times | | |
| | | 999 <input type="checkbox"/> DK | | |
| b. Has a doctor EVER told you that you had high blood pressure or hypertension? | | b. | 1 <input type="checkbox"/> Yes | 8 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| c. Are you doing any of the following [for your/to prevent] high blood pressure – | | c. | 1 <input type="checkbox"/> Yes | 9 |
| (1) Taking prescribed medication? | | (1) | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| (2) Losing weight or controlling weight? | | (2) | 1 <input type="checkbox"/> Yes | 10 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| (3) Cutting down on salt or sodium? | | (3) | 1 <input type="checkbox"/> Yes | 11 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| (4) Getting physical activity or exercise? | | (4) | 1 <input type="checkbox"/> Yes | 12 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| d. The last time you had your blood pressure checked, were you told it was high, borderline, low, normal, or were you not told? | | d. | 1 <input type="checkbox"/> High | 13 |
| | | | 2 <input type="checkbox"/> Borderline | |
| | | | 3 <input type="checkbox"/> Low | |
| | | | 4 <input type="checkbox"/> Normal | |
| | | | 5 <input type="checkbox"/> Not told | |
| | | | 6 <input type="checkbox"/> Never checked | |
| | | | 9 <input type="checkbox"/> DK | |
| 23. Has a doctor EVER told you that you had – | | 23a. | 1 <input type="checkbox"/> Yes | 14 |
| a. Glaucoma? | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK } (23c) | |
| b. Are you NOW taking any medication for it? | | b. | 1 <input type="checkbox"/> Yes | 15 |
| | | | 2 <input type="checkbox"/> No | |
| c. Angina? | | c. | 1 <input type="checkbox"/> Yes | 16 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK } (23e) | |
| d. Are you NOW taking any medication for it? | | d. | 1 <input type="checkbox"/> Yes | 17 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| e. Any other heart trouble? | | e. | 1 <input type="checkbox"/> Yes | 18 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK } (23g) | |
| f. Are you NOW taking any medication for it? | | f. | 1 <input type="checkbox"/> Yes | 19 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| g. A stroke? | | g. | 1 <input type="checkbox"/> Yes | 20 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| h. Cataracts? | | h. | 1 <input type="checkbox"/> Yes | 21 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| i. Protein or albumin in your urine? | | i. | 1 <input type="checkbox"/> Yes | 22 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| j. Periodontal or gum disease? | | j. | 1 <input type="checkbox"/> Yes | 23 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| 24. Has a doctor EVER told you that you had – | | 24a. | 1 <input type="checkbox"/> Yes | 24 |
| a. Kidney disease? Do not include kidney stones or bladder infection. | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK } (25) | |
| b. Polycystic kidney disease? | | b. | 1 <input type="checkbox"/> Yes | 25 |
| | | | 2 <input type="checkbox"/> No | |
| | | | 9 <input type="checkbox"/> DK | |
| 25. About how many different times in the past 12 months have you had a bladder or urinary tract infection? | | 25. | 00 <input type="checkbox"/> None | 26-27 |
| | | | _____ Times | |
| | | | 99 <input type="checkbox"/> DK | |
| 26. Have you ever had symptoms of a bladder infection that lasted more than 3 months, such as frequent urination and pain in your bladder? | | 26. | 1 <input type="checkbox"/> Yes (27) | 28 |
| | | | 2 <input type="checkbox"/> No } (29) | |
| | | | 9 <input type="checkbox"/> DK } (29) | |

| Section Q2 – DIABETES FOLLOWUP QUESTIONS – Continued | | PERSON 1 |
|---|------|--|
| 27. When you had these symptoms, were you told that you had painful bladder syndrome or interstitial cystitis (in’ter-stish’al sis-ti’tis)? | 27. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK } (29) |
| 28. How old were you when you were first told that you had painful bladder syndrome or interstitial cystitis? (In’ter-stish’al sis-ti’tis) | 28. | _____ Years old 99 <input type="checkbox"/> DK |
| 29. When you urinate – a. Do you USUALLY have trouble starting? | 29a. | <input type="checkbox"/> NA/Dialysis (31) <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| b. Do you USUALLY feel like you have not completely emptied your bladder? | b. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| 30a. Do you USUALLY have to get up at night to go to the bathroom to urinate? Exclude nights when you drink a lot of liquids. | 30a. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK } (31) |
| b. About how many times each night do you have to get up? | b. | _____ Times 00 <input type="checkbox"/> Less than once a night |
| 31. Have you ever had an amputation of your toe, foot, leg, or part of a leg? <i>If "Yes," ask: Which?</i> <i>Mark all that apply.</i> | 31. | <input type="checkbox"/> Yes, toe <input type="checkbox"/> Yes, foot <input type="checkbox"/> Yes, leg or part of leg <input type="checkbox"/> No |
| 32. During the past THREE months have you had – a. Numbness or loss of feeling in your hands or feet other than from your hands or feet falling asleep? | 32a. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| b. A painful sensation or tingling in your hands or feet? Do not include normal foot aches from standing or walking for long periods. | b. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| c. Decreased ability to feel hot or cold in things you touch? | c. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK |
| 33a. Do you NOW smoke cigarettes? | 33a. | <input type="checkbox"/> Yes <input type="checkbox"/> No (34) |
| b. About how many cigarettes do you smoke per day? | b. | 00 <input type="checkbox"/> Less than one per day _____ Per day 99 <input type="checkbox"/> Don't smoke regularly |
| 34a. Have you tried to lose weight in the past year? | 34a. | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| b. Is your weight now more, less, or about the same as a year ago? | b. | <input type="checkbox"/> More <input type="checkbox"/> Less <input type="checkbox"/> About the same (35) |
| c. In the past year, about how much weight have you (gained/lost)? | c. | _____ Pounds 999 <input type="checkbox"/> DK |
| Ask if 26 or older; otherwise go to 36. | | |
| 35a. About how much did you weigh when you were 25 years old? <i>Read if female: If you were pregnant when you were 25, tell me your weight just before you became pregnant.</i> | 35a. | _____ Pounds 999 <input type="checkbox"/> DK |
| b. What is the most you have EVER weighed? <i>Read if female: Except when you were pregnant.</i> | b. | _____ Pounds 999 <input type="checkbox"/> DK |
| c. About how old were you when you FIRST weighed that much? | c. | 00 <input type="checkbox"/> Now _____ Years old } (36) |

Section Q2 — DIABETES FOLLOWUP QUESTIONS — Continued

| | | PERSON 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------------|---|--|---|-----------|---|-----------------------------|--|-------|--|-------|--|-------|---|-------|--|-------|--|-------|---|-------|---|-------|---|-------|-------------------------------------|-------|---|-------|---|-------|---|-------|
| <i>Hand card Q2. Read categories if telephone interview.</i> 36a. Where have you obtained information about diabetes? <i>Mark all mentioned. Do not probe.</i> | | <table border="0"> <tr> <td><input type="checkbox"/> Nowhere (39)</td> <td style="text-align: right;">58-59</td> </tr> <tr> <td><input type="checkbox"/> Doctor's office — doctor</td> <td style="text-align: right;">60-61</td> </tr> <tr> <td><input type="checkbox"/> Doctor's office — nurse</td> <td style="text-align: right;">62-63</td> </tr> <tr> <td><input type="checkbox"/> Dietitian or nutritionist</td> <td style="text-align: right;">64-65</td> </tr> <tr> <td><input type="checkbox"/> Doctor or nurse in a hospital</td> <td style="text-align: right;">66-67</td> </tr> <tr> <td><input type="checkbox"/> Relative or friend</td> <td style="text-align: right;">68-69</td> </tr> <tr> <td><input type="checkbox"/> Another diabetic</td> <td style="text-align: right;">70-71</td> </tr> <tr> <td><input type="checkbox"/> Health department</td> <td style="text-align: right;">72-73</td> </tr> <tr> <td><input type="checkbox"/> Diabetes organization</td> <td style="text-align: right;">74-75</td> </tr> <tr> <td><input type="checkbox"/> National Diabetes Information Clearing House</td> <td style="text-align: right;">76-77</td> </tr> <tr> <td><input type="checkbox"/> Diabetes support group</td> <td style="text-align: right;">78-79</td> </tr> <tr> <td><input type="checkbox"/> Library</td> <td style="text-align: right;">80-81</td> </tr> <tr> <td><input type="checkbox"/> Newspapers</td> <td style="text-align: right;">82-83</td> </tr> <tr> <td><input type="checkbox"/> Diabetes education class</td> <td style="text-align: right;">84-85</td> </tr> <tr> <td><input type="checkbox"/> Other — Specify <i>✓</i></td> <td style="text-align: right;">86-87</td> </tr> </table> | | <input type="checkbox"/> Nowhere (39) | 58-59 | <input type="checkbox"/> Doctor's office — doctor | 60-61 | <input type="checkbox"/> Doctor's office — nurse | 62-63 | <input type="checkbox"/> Dietitian or nutritionist | 64-65 | <input type="checkbox"/> Doctor or nurse in a hospital | 66-67 | <input type="checkbox"/> Relative or friend | 68-69 | <input type="checkbox"/> Another diabetic | 70-71 | <input type="checkbox"/> Health department | 72-73 | <input type="checkbox"/> Diabetes organization | 74-75 | <input type="checkbox"/> National Diabetes Information Clearing House | 76-77 | <input type="checkbox"/> Diabetes support group | 78-79 | <input type="checkbox"/> Library | 80-81 | <input type="checkbox"/> Newspapers | 82-83 | <input type="checkbox"/> Diabetes education class | 84-85 | <input type="checkbox"/> Other — Specify <i>✓</i> | 86-87 |
| <input type="checkbox"/> Nowhere (39) | 58-59 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Doctor's office — doctor | 60-61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Doctor's office — nurse | 62-63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Dietitian or nutritionist | 64-65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Doctor or nurse in a hospital | 66-67 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Relative or friend | 68-69 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Another diabetic | 70-71 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Health department | 72-73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Diabetes organization | 74-75 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> National Diabetes Information Clearing House | 76-77 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Diabetes support group | 78-79 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Library | 80-81 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Newspapers | 82-83 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Diabetes education class | 84-85 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Other — Specify <i>✓</i> | 86-87 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <i>If three sources or less in 36a, mark boxes without asking and skip to 37.</i> b. Which three of these sources have provided you with the MOST USEFUL information about diabetes? <i>Mark up to 3.</i> | | <table border="0"> <tr> <td><input type="checkbox"/> Doctor's office — doctor</td> <td style="text-align: right;">88-89</td> </tr> <tr> <td><input type="checkbox"/> Doctor's office — nurse</td> <td style="text-align: right;">90-91</td> </tr> <tr> <td><input type="checkbox"/> Dietitian or nutritionist</td> <td style="text-align: right;">92-93</td> </tr> <tr> <td><input type="checkbox"/> Doctor or nurse in a hospital</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Relative or friend</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Another diabetic</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Health department</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Diabetes organization</td> <td></td> </tr> <tr> <td><input type="checkbox"/> National Diabetes Information Clearing House</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Diabetes support group</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Library</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Newspapers</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Diabetes education class</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Other — Specify <i>✓</i></td> <td></td> </tr> </table> | | <input type="checkbox"/> Doctor's office — doctor | 88-89 | <input type="checkbox"/> Doctor's office — nurse | 90-91 | <input type="checkbox"/> Dietitian or nutritionist | 92-93 | <input type="checkbox"/> Doctor or nurse in a hospital | | <input type="checkbox"/> Relative or friend | | <input type="checkbox"/> Another diabetic | | <input type="checkbox"/> Health department | | <input type="checkbox"/> Diabetes organization | | <input type="checkbox"/> National Diabetes Information Clearing House | | <input type="checkbox"/> Diabetes support group | | <input type="checkbox"/> Library | | <input type="checkbox"/> Newspapers | | <input type="checkbox"/> Diabetes education class | | <input type="checkbox"/> Other — Specify <i>✓</i> | | | |
| <input type="checkbox"/> Doctor's office — doctor | 88-89 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Doctor's office — nurse | 90-91 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Dietitian or nutritionist | 92-93 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Doctor or nurse in a hospital | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Relative or friend | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Another diabetic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Health department | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Diabetes organization | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> National Diabetes Information Clearing House | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Diabetes support group | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Library | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Newspapers | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Diabetes education class | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Other — Specify <i>✓</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 37a. Have you ever taken a course or class in how to manage your diabetes yourself? | | 37a. <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">94</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td rowspan="2" style="vertical-align: middle; text-align: right;">} (38)</td> </tr> <tr> <td><input type="checkbox"/> DK</td> </tr> </table> | | <input type="checkbox"/> Yes | 94 | <input type="checkbox"/> No | } (38) | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | } (38) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| b. About how many hours of instructions did you receive on how to manage your diabetes? | | b. <table border="0"> <tr> <td>Hours</td> <td style="text-align: right;">95-97</td> </tr> <tr> <td><input type="checkbox"/> DK</td> <td></td> </tr> </table> | | Hours | 95-97 | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hours | 95-97 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| c. Did this course include any of the following subjects — | | c. <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">98</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 98 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 98 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (1) How to inject insulin? | | (1) <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">99</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 99 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (2) How to change the insulin dose? | | (2) <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">100</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 100 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (3) How to manage your diabetes when you are sick? | | (3) <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">101</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 101 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 101 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (4) How to test your blood or urine for sugar? | | (4) <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">102</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 102 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 102 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (5) How to plan meals? | | (5) <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">103</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 103 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 103 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (6) How to take care of your feet? | | (6) <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">104</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 104 | <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 38. Have you ever attended any (other) education program or class about your diabetes? | | 38. <table border="0"> <tr> <td><input type="checkbox"/> Yes</td> <td style="text-align: right;">105</td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> <tr> <td><input type="checkbox"/> DK</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes | 105 | <input type="checkbox"/> No | | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes | 105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 39. Were either of your parents EVER told that they had diabetes? Do not include pre, potential, or borderline diabetes. Also, do not include step, adoptive, or foster parents. <i>If "Yes," ask: Which?</i> | | 39. <table border="0"> <tr> <td><input type="checkbox"/> Yes, father</td> <td style="text-align: right;">106</td> </tr> <tr> <td><input type="checkbox"/> Yes, mother</td> <td></td> </tr> <tr> <td><input type="checkbox"/> Yes, both</td> <td></td> </tr> <tr> <td><input type="checkbox"/> No</td> <td></td> </tr> <tr> <td><input type="checkbox"/> DK</td> <td></td> </tr> </table> | | <input type="checkbox"/> Yes, father | 106 | <input type="checkbox"/> Yes, mother | | <input type="checkbox"/> Yes, both | | <input type="checkbox"/> No | | <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes, father | 106 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes, mother | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Yes, both | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> No | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> DK | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 40. How many children have you had, including any that may have died? Do not include step, adoptive, or foster children. <i>Read if female: Do not include stillbirths or miscarriages.</i> | | 40. <table border="0"> <tr> <td><input type="checkbox"/> None</td> <td rowspan="2" style="vertical-align: middle; text-align: right;">} 106-107</td> </tr> <tr> <td><input type="checkbox"/> Total children</td> </tr> <tr> <td><input type="checkbox"/> DK</td> <td rowspan="2" style="vertical-align: middle; text-align: right;">} Check Item 2 for NP</td> </tr> </table> | | <input type="checkbox"/> None | } 106-107 | <input type="checkbox"/> Total children | <input type="checkbox"/> DK | } Check Item 2 for NP | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> None | } 106-107 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> Total children | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <input type="checkbox"/> DK | } Check Item 2 for NP | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Section R – OROFACIAL PAIN

| | | | |
|--|---|--|----|
| CHECK ITEM 1 | <i>Status of sample person.</i> | <p>0 <input type="checkbox"/> No person 18+ in family (<i>Cover page of HIS-1A</i>) 1 <input type="checkbox"/> Available (<i>Intro</i>) 2 <input type="checkbox"/> Callback required (<i>Hhld page of HIS-1</i>) 3 <input type="checkbox"/> Noninterview (<i>Section T</i>)</p> | |
| INTRO These next questions concern conditions of the teeth, mouth, or face. Tell me if you experienced any of these conditions MORE THAN ONCE in the past 6 months. | | | |
| CHECK ITEM 2 | <i>Refer to 4b and 4f, "Dental" page 26, for sample person.</i> | 6 | |
| 1a. During the past 6 months, did you have a toothache more than once, when biting or chewing? b. Did you first have this pain more than 6 months ago? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (2) | 7 |
| 2a. (During the past 6 months) Did you have painful sores or irritations around the lips or on the tongue, cheeks, or gums more than once? b. Did you first have the sores or irritations more than 6 months ago? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (3) | 8 |
| 3a. (During the past 6 months) Did you have a prolonged, unexplained burning sensation in your tongue or any other part of your mouth more than once? b. When you have this sensation, does it come and go or is it continuous and uninterrupted? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (4) 9 <input type="checkbox"/> DK | 10 |
| c. During how many DIFFERENT MONTHS in the past 6 months did you have this sensation? d. How many total days in the past 6 months did you have this sensation? | | 1 <input type="checkbox"/> Come and go 2 <input type="checkbox"/> Continuous/uninterrupted 8 <input type="checkbox"/> Other 9 <input type="checkbox"/> DK | 11 |
| | | [] Months | 12 |
| e. Did you first have this sensation more than 6 months ago? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 13 |
| 4a. (During the past 6 months) Did you have pain in the jaw joint or in front of the ear more than once? b. When you have this pain, does it come and go or is it continuous and uninterrupted? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (5) | 14 |
| c. During how many DIFFERENT MONTHS in the past 6 months did you have this pain? d. How many total days in the past 6 months did you have this pain? | | 1 <input type="checkbox"/> Come and go 2 <input type="checkbox"/> Continuous/uninterrupted 8 <input type="checkbox"/> Other 9 <input type="checkbox"/> DK | 15 |
| | | [] Months | 16 |
| e. Did you first have this pain more than 6 months ago? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 17 |
| f. On a scale of 1-10, where 1 is mild and 10 is severe, how would you rate this pain at its worst? Circle only one. | | 1 2 3 4 5 6 7 8 9 10 | 18 |
| 5a. (During the past 6 months) Did you have a dull, aching pain across your face or cheek more than once? Do not count sinus pain. b. When you have this pain, does it come and go or is it continuous and uninterrupted? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (<i>Check Item 3</i>) | 19 |
| c. During how many DIFFERENT MONTHS in the past 6 months did you have this pain? d. How many total days in the past 6 months did you have this pain? | | 1 <input type="checkbox"/> Come and go 2 <input type="checkbox"/> Continuous/uninterrupted 8 <input type="checkbox"/> Other 9 <input type="checkbox"/> DK | 20 |
| | | [] Months | 21 |
| e. Did you first have this pain more than 6 months ago? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 22 |
| f. On a scale of 1-10, where 1 is mild and 10 is severe, how would you rate this pain at its worst? Circle only one. | | 1 2 3 4 5 6 7 8 9 10 | 23 |

Section R — OROFACIAL PAIN — Continued

| | | | |
|--|--|---|----|
| CHECK ITEM 3 | Refer to 3c, 4c, and 5c. | 1 <input type="checkbox"/> Two or more months in any one of 3c, 4c, or 5c (6) 8 <input type="checkbox"/> Other (Section S) | 30 |
| 6a. In the past 6 months, did you see or talk to a DENTIST for the pain we just discussed? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (6c) | 31 | |
| b. How many times during the last 6 months did you see or talk to a dentist about the pain? | _____ Times 999 <input type="checkbox"/> DK | 32-34 | |
| c. (In the past 6 months) Did you see or talk to a MEDICAL DOCTOR about the pain? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (6e) | 35 | |
| d. How many times? | _____ Times 998 <input type="checkbox"/> DK | 36-38 | |
| e. (In the past 6 months) Did you see or talk to any other type of health professional about the pain? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (6f) | 39 | |
| f. What kind of health professional? | Health professional _____ _____ _____ | 40-41 | |
| g. How many times during the past 6 months did you see or talk to the (person in 6f)? | _____ Times 999 <input type="checkbox"/> DK | 42-44 | |
| h. (In the past 6 months) Did you worry about the health of your teeth and gums because of the pain? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 45 | |
| i. (In the past 6 months) Did you worry about the health of your body because of the pain? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 46 | |
| HAND CARD R1 . Read list if telephone interview. | | | |
| 7. Here is a list of things people do when they have teeth, mouth, or face pain. Please tell me the things you did for the pain during the past 6 months. <i>Circle all that apply.</i> | | | |
| 1 — Use a hot or cold compress | 1 | 1 | 47 |
| 2 — Take a prescription drug | 2 | 2 | 48 |
| 3 — Take an over-the-counter drug | 3 | 3 | 49 |
| 4 — Drink some liquor or wine because of the pain | 4 | 4 | 50 |
| 5 — Take time off work | 5 | 5 | 51 |
| 6 — Stay home more than usual | 6 | 6 | 52 |
| 7 — Avoid family and friends | 7 | 7 | 53 |
| 8 — Anything else? (Specify) | 8 (Specify) _____ | 8 | 54 |
| 0 — None of the above | 0 | 0 | 55 |
| 9 — Don't know | 9 | 9 | 56 |
| Notes | | | |

Section S — DIGESTIVE DISORDERS

Section S1 — SPECIFIC CONDITIONS

3-4

| | | | | | |
|--|--|--|----|--|----|
| 1. DURING THE PAST 12 MONTHS, did you have gallstones? | | <input type="checkbox"/> Yes (5) <input type="checkbox"/> No <input type="checkbox"/> DK | 5 | | |
| 2. DURING THE PAST 12 MONTHS, did you have any other gallbladder trouble? | | <input type="checkbox"/> Yes (5) <input type="checkbox"/> No <input type="checkbox"/> DK | 6 | | |
| 3. Have you ever had gallstones? | | <input type="checkbox"/> Yes (5) <input type="checkbox"/> No <input type="checkbox"/> DK | 7 | | |
| 4. Have you ever had any other gallbladder trouble? | | <input type="checkbox"/> Yes <input type="checkbox"/> No } (8) <input type="checkbox"/> DK } | 8 | | |
| 5. When did a doctor first tell you that you had [gallstones/gallbladder trouble]? | | <input type="checkbox"/> Less than 3 months ago <input type="checkbox"/> 3 months, less than 1 year <input type="checkbox"/> 1 year, less than 2 years <input type="checkbox"/> 2 years, less than 5 years | 1 | <input type="checkbox"/> 5 years, less than 10 years <input type="checkbox"/> 10 years or more <input type="checkbox"/> Doctor never seen (8) <input type="checkbox"/> DK when | 9 |
| 6a. Have you ever had gallbladder surgery? | | <input type="checkbox"/> Yes <input type="checkbox"/> No } (7) <input type="checkbox"/> DK } | 10 | | |
| b. When did you last have gallbladder surgery? | | <input type="checkbox"/> Less than 3 months ago <input type="checkbox"/> 3 months, less than 1 year <input type="checkbox"/> 1 year, less than 2 years <input type="checkbox"/> 2 years, less than 5 years | 1 | <input type="checkbox"/> 5 years, less than 10 years <input type="checkbox"/> 10 years or more <input type="checkbox"/> DK when | 11 |
| 7. Have you ever had any of the following tests to help diagnose your [gallstones/gallbladder condition] — | | | 12 | | |
| a. An X-ray of your gallbladder or abdomen? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK | | | |
| <i>Read if necessary:</i> For this X-ray you would have been given either pills the night before or an intravenous injection just before the X-rays were taken. | | | | | |
| b. A sonogram or ultrasound of your gallbladder? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK | 13 | | |
| <i>Read if necessary:</i> For this test, a gel is rubbed on your upper right side and an instrument is moved around the area while an examiner watches on a television screen. | | | | | |
| c. An upper GI series? | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> DK | 14 | | |
| <i>Read if necessary:</i> For an upper GI series, you drink a chalky white liquid called barium, and then X-rays are taken. | | | | | |
| 8. DURING THE PAST 12 MONTHS, did you have an ulcer? | | <input type="checkbox"/> Yes (10) <input type="checkbox"/> No <input type="checkbox"/> DK | 15 | | |
| 9. Have you ever had an ulcer? | | <input type="checkbox"/> Yes <input type="checkbox"/> No } (13) <input type="checkbox"/> DK } | 16 | | |
| 10. When did a doctor first tell you that you had an ulcer? | | <input type="checkbox"/> Less than 3 months ago <input type="checkbox"/> 3 months, less than 1 year <input type="checkbox"/> 1 year, less than 2 years <input type="checkbox"/> 2 years, less than 5 years | 1 | <input type="checkbox"/> 5 years, less than 10 years <input type="checkbox"/> 10 years or more <input type="checkbox"/> Doctor never seen (13) <input type="checkbox"/> DK when | 17 |
| 11. Did the doctor say you had a gastric, duodenal, or peptic ulcer, some other type, or were you not told? | | <input type="checkbox"/> Skin (13) <input type="checkbox"/> Gastric <input type="checkbox"/> Duodenal <input type="checkbox"/> Peptic <input type="checkbox"/> Stomach <input type="checkbox"/> Not told <input type="checkbox"/> Other — <i>Specify</i> <input checked="" type="checkbox"/> | 18 | | |
| <i>Mark all that apply</i> | | <input type="checkbox"/> DK | 19 | | |
| | | | 20 | | |
| | | | 21 | | |
| | | | 22 | | |
| | | | 23 | | |
| | | | 24 | | |

Section S1 — SPECIFIC CONDITIONS — Continued

| | | |
|---|---|--|
| 12. Have you ever had any of the following tests to help diagnose your ulcer — | 26 | |
| a. An upper GI series? | | |
| <i>Read if necessary:</i> For an upper GI series, you drink a chalky white liquid called barium, and then X-rays are taken. | | |
| 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | | |
| b. An upper endoscopy or gastroscopy? | 28 | |
| <i>Read if necessary:</i> For this test, a long flexible tube with a light on the end is inserted down the throat so that the lining of the stomach and the upper intestine can be examined. | | |
| 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | | |
| 13. DURING THE PAST 12 MONTHS, did you have diverticulitis? | 27 | |
| | 1 <input type="checkbox"/> Yes (15) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| 14. Have you ever had diverticulitis? | 28 | |
| | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (18) 9 <input type="checkbox"/> DK | |
| 15. When did a doctor first tell you that you had diverticulitis? | 29 | |
| | 1 <input type="checkbox"/> Less than 3 months ago 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 2 years 4 <input type="checkbox"/> 2 years, less than 5 years | 5 <input type="checkbox"/> 5 years, less than 10 years 6 <input type="checkbox"/> 10 years or more 7 <input type="checkbox"/> Doctor never seen (18) 9 <input type="checkbox"/> DK when |
| 16a. Have you ever been in the hospital overnight for diverticulitis? | 30 | |
| | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (17) 9 <input type="checkbox"/> DK | |
| b. When were you last in the hospital overnight for diverticulitis? | 31 | |
| | 1 <input type="checkbox"/> Less than 3 months ago 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 2 years 4 <input type="checkbox"/> 2 years, less than 5 years | 5 <input type="checkbox"/> 5 years, less than 10 years 6 <input type="checkbox"/> 10 years or more 9 <input type="checkbox"/> DK when |
| 17. Have you ever had a barium enema to help diagnose your diverticulitis? | 32 | |
| <i>Read if necessary:</i> For this X-ray, you would have been given an enema containing barium and X-rays of your abdomen would be taken. | | |
| 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | | |
| 18a. DURING THE PAST 12 MONTHS, have you had a spastic colon, functional bowel, irritable colon or irritable bowel syndrome? | 33 | |
| | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (19) 9 <input type="checkbox"/> DK | |
| b. Which — spastic colon, functional bowel, irritable colon, or irritable bowel syndrome? | 34 35 36 37 38 | |
| <i>Mark all reported, do not probe.</i> | | |
| 1 <input type="checkbox"/> Spastic colon 2 <input type="checkbox"/> Functional bowel 3 <input type="checkbox"/> Irritable colon 4 <input type="checkbox"/> Irritable bowel syndrome 8 <input type="checkbox"/> Other similar condition mentioned — <i>Specify</i> _____ | | |
| 19a. Have you ever had a spastic colon, functional bowel, irritable colon, or irritable bowel syndrome? | 39 | |
| | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (20) 9 <input type="checkbox"/> DK | |
| b. Which — Spastic colon, functional bowel, irritable colon, or irritable bowel syndrome? | 40 41 42 43 44 | |
| <i>Mark all reported, do not probe.</i> | | |
| 1 <input type="checkbox"/> Spastic colon 2 <input type="checkbox"/> Functional bowel 3 <input type="checkbox"/> Irritable colon 4 <input type="checkbox"/> Irritable bowel syndrome 8 <input type="checkbox"/> Other similar condition mentioned — <i>Specify</i> _____ | | |
| c. When did a doctor first tell you you had (entry in 18b or 19b)? | 45 | |
| | 1 <input type="checkbox"/> Less than 3 months ago 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 2 years 4 <input type="checkbox"/> 2 years, less than 5 years | 5 <input type="checkbox"/> 5 years, less than 10 years 6 <input type="checkbox"/> 10 years or more 7 <input type="checkbox"/> Doctor never seen 9 <input type="checkbox"/> DK when |
| 20. Have you had hemorrhoids in the past 12 months? | 46 | |
| | 1 <input type="checkbox"/> Yes (21b) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |
| 21a. Has a doctor ever told you that you had hemorrhoids? | 47 | |
| | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (Section S2) 9 <input type="checkbox"/> DK | |
| b. When did you last talk to a doctor about your hemorrhoids? | 48 | |
| | 1 <input type="checkbox"/> Less than 3 months ago 2 <input type="checkbox"/> 3 months, less than 1 year 3 <input type="checkbox"/> 1 year, less than 2 years 4 <input type="checkbox"/> 2 years, less than 5 years | 5 <input type="checkbox"/> 5 years, less than 10 years 6 <input type="checkbox"/> 10 years or more 7 <input type="checkbox"/> Doctor never seen 9 <input type="checkbox"/> DK when |
| 22. Have you ever had surgery in a doctor's office, clinic, or hospital for hemorrhoids? | 49 | |
| | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | |

Section S2 — ABDOMINAL PAIN

5

Hand Card S1.

The next questions are about pain and discomfort in the abdomen. By abdomen, we mean [the shaded area on this diagram/the area between the lower ribs and the hips]. Do not include pain related to kidneys, bladder, or arthritis (menstruation or pregnancy).

- 1. DURING THE PAST 12 MONTHS,** have you had any type of pain or severe discomfort in your abdomen three or more times?

1 Yes
2 No
9 DK } (Section S3)

6

- 2. Have you ever made a visit to a doctor for your abdominal pain?**
If asked: or the condition that caused the pain.

1 Yes
2 No
9 DK } (4)

- 3a. What condition did the doctor say was the cause of the pain?**

*Enter first 5 code numbers and the conditions in the order mentioned.
Do not probe.*

98 Doctor didn't say } (4)
99 DK

7-8

8-10

11-12

13-14

15-16

If only one response to 3a, enter in 3b without asking.

- b. Which of these conditions caused the MOST pain during the past 12 months?**

Enter code number and condition.

_____ (Check item 1) 17-18

99 DK (Check item 1)

- 4a. What condition do you think was the cause of the pain?**

*Enter first 5 code numbers and the conditions in the order mentioned.
Do not probe.*

99 DK (5)

19-20

21-22

23-24

25-26

27-28

If only one response to 4a, enter in 4b without asking.

- b. Which of these conditions caused the MOST pain during the past 12 months?**

Enter code number and condition.

_____ (Check item 1) 29-30

99 DK (Check item 1)

ASSIGNMENT OF CODES

1. Give highest priority to codes 01-04.

- 01** Spastic colon
02 Functional bowel
03 Irritable colon
04 Irritable bowel syndrome

- 22** Gallstones **43** Tension
23 Gastritis **44** Trouble swallowing
24 Gastroenteritis **45** Tumor
25 Growth **46** Ulcer
26 Heartburn **47** Ulcerative colitis
27 Hepatitis **48** Virus

2. If a condition or word in a condition is asterisked, assign asterisked codes 55-62.

- 05** Allergies
06 Anxiety
07 Appendicitis
08 Cancer
09 Cirrhosis
10 Colitis
11 Constipation
12 Crohn's disease
13 Depression
14 Diarrhea
15 Diverticulitis
16 Diverticulosis
17 Enteritis
18 Esophagitis
19 Flu
20 Food poisoning
21 Gallbladder problem

- * **55** Arthritis
* **56** Back problems
* **57** Bladder
* **58** Kidneys
* **59** Menstruation
* **60** Other female trouble
* **61** Pregnancy
* **62** Prostate
63 Other — *Specify above*
64 Other — *Specify above*
65 Other — *Specify above*
66 Other — *Specify above*
67 Other — *Specify above*

3. If a condition and part of body are reported, assign code for the part of body.

* Do not ask questions 5-27 about these conditions.

Section S2 — ABDOMINAL PAIN — Continued

Ask questions 5–27 about the first condition coded 01–04 in 3a or 4a. If none, ask about condition in 3b or 4b. If this is an asterisked condition, ask about next condition mentioned in 3a or 4a. If this is "DK", begin with question 5, but do not read the parentheticals. If no other condition, go to Section S3.

| | | | | | |
|---|--|---|---|--|----------------------------------|
| CHECK ITEM 1 | Enter code and condition. | 31–32 | 10. Was the pain on the right side, the left side, or down the middle? | | 55 56 57 |
| | | Code | Condition | Mark all that apply. | |
| (These next questions are about pain related to your (condition in Check Item 1). Ask if "Yes" in 2; otherwise go to 8. | | 33 | 0 <input type="checkbox"/> None (8) 1 <input type="checkbox"/> One 2 <input type="checkbox"/> Two 3 <input type="checkbox"/> Three or more | | |
| 5. How many DIFFERENT doctors have you visited for this pain? | | 34–36 | 11. When you get this pain, how long does it USUALLY last? | | 58–61 |
| 6. DURING THE PAST 12 MONTHS, how many doctor visits did you have because of this pain? | 000 <input type="checkbox"/> None 001 <input type="checkbox"/> One | Number of visits | 1 <input type="checkbox"/> Minutes 2 <input type="checkbox"/> Hours 3 <input type="checkbox"/> Days | 7777 <input type="checkbox"/> Constant, all the time 8888 <input type="checkbox"/> Varies too much for a usual duration | 62–64 |
| 7. Were any of the following tests done (to diagnose your (condition in check item 1)? | 37 | 12. During how many days in the past year did you have this pain? | | 001 <input type="checkbox"/> One (15) | 62–64 |
| a. Upper GI series? <i>Read if necessary: You drink a chalky white liquid called barium and then X-rays are taken.</i> | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 38 | If more than 14 days in 12, go to 14 | 1 <input type="checkbox"/> Yes (15) 2 <input type="checkbox"/> No | 65 |
| b. Barium enema? <i>Read if necessary: You are given an enema containing barium and X-rays of your abdomen are taken.</i> | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 39 | 13. Did all of this pain occur during one two week period? | | 66–67 |
| c. Upper endoscopy or gastroscopy? <i>Read if necessary: A long flexible tube with a light on the end is inserted down the throat so that the lining of the stomach and the upper intestine can be examined.</i> | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 40 | 14. During how many DIFFERENT months in the past year did you have this pain? | | 68–69 |
| d. Lower endoscopy or colonoscopy? <i>Read if necessary: A long flexible tube with a light on the end is inserted in the rectum so that the lining of the large intestine can be examined.</i> | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 41 | 15. On a scale from 1 to 10, where 1 is mild and 10 is severe, how would you rate this pain at its worst? Circle one | | 01 02 03 04 05 06 07 08 09 10 |
| e. Sonogram or ultrasound? <i>Read if necessary: A gel is rubbed on your upper right side and an instrument is moved around the area while an examiner watches on a television screen.</i> | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 42 | 16. Have you ever taken any medication for the pain? | | 70 |
| Mark box or ask. Hand Card S1. | 0 <input type="checkbox"/> Telephone interview (9) | 43 | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (18) | | |
| 8. Looking at this card, tell me the numbers that show where the pain (from the (condition in Check Item 1)) was located? | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8 <input type="checkbox"/> 9 <input type="checkbox"/> | 44 | 17. Was any of the medication you took prescribed for you by a doctor? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 71 |
| Mark all that apply. Do not probe. | (11) | 45 | 18. When this pain starts, do you have to stop what you are doing because it hurts? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 72 |
| 9. Was the pain above the waistline, below the waist, or around the waistline? Mark all that apply. | 1 <input type="checkbox"/> Above 2 <input type="checkbox"/> Below 3 <input type="checkbox"/> Around | 52 53 54 | 19. When you have this pain, do you USUALLY have bowel movements? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 73 |
| | | 20. When you have this pain, are your bowel movements USUALLY looser than normal? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 74 | |
| | | 21. When you have this pain, are your bowel movements USUALLY more frequent than normal? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 75 | |
| | | 22. Is the pain USUALLY relieved or lessened by having a bowel movement? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 76 | |
| | | 23. Is the pain relieved by passing gas? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 77 | |
| | | 24. When you have this pain, is your abdomen usually swollen or bloated? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 78 | |
| | | 25. When you have this pain, are you ever awakened from sleep? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 79 | |
| | | 26. In the past 30 days, has this pain caused you to cut down on the things you usually do? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (Section S3) | 80 | |
| | | 27. In the past 30 days, how many days did you cut down for more than half the day? | 00 <input type="checkbox"/> None | 81–82 | |
| | | Notes | ____ Days | | |

Section S3 - NORMATIVE BOWEL FUNCTIONS

5-6

These next questions are about bowel habits during the past 12 months.
(Because these questions are personal, I can read the questions to you or if you prefer, you can fill them out yourself.)

 Times per day

OR

 Times per week00 Less than one time per week

7-8

1. How often do you usually have bowel movements?

Hand Card Q1. Read answer categories if telephone interview.

2. During the past 12 months, how often have your bowel movements been—

- a. Hard?

| | | | | | | |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
| Always | Most of the time | Some of the time | Rarely | Never | DK | 9 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 10 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 11 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 12 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 13 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 14 |
- b. Accompanied by mucus?

| | | | | | |
|-----------------------------------|---|---|-----------------------------------|----------------------------------|----|
| 1 <input type="checkbox"/> Always | 2 <input type="checkbox"/> Most of the time | 3 <input type="checkbox"/> Some of the time | 4 <input type="checkbox"/> Rarely | 5 <input type="checkbox"/> Never | 15 |
|-----------------------------------|---|---|-----------------------------------|----------------------------------|----|
- c. Accompanied by pain?

| | | | | | | |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 16 |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
- d. Accompanied by swelling or bloating?

| | | | | | | |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 17 |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
- e. Accompanied by straining to move bowels?

| | | | | | | |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 18 |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
- f. Followed by a feeling of not being finished after moving bowels?

| | | | | | | |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 6 <input type="checkbox"/> | 19 |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----|

3. During the past 12 months, how often have you been constipated?

- 1 Always
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never

4. How often have you had diarrhea?

- 1 Always
- 2 Most of the time
- 3 Some of the time
- 4 Rarely } (8)
- 5 Never

5. DURING THE PAST 12 MONTHS, have you seen a doctor about your diarrhea?

- 1 Yes
- 2 No (8)

6. How many times in the past 12 months have you seen a doctor about your diarrhea?

 Times

18-19

7. What did the doctor say caused the diarrhea?

Mark first 4 mentioned. Do not probe.

- | | | |
|--|---|-------|
| 01 <input type="checkbox"/> Enteritis | 09 <input type="checkbox"/> Lactose Intolerance | 20-21 |
| 02 <input type="checkbox"/> Diverticulitis | 10 <input type="checkbox"/> Travelers diarrhea | 22-23 |
| 03 <input type="checkbox"/> Crohn's disease | 11 <input type="checkbox"/> "Something I ate" | 24-25 |
| 04 <input type="checkbox"/> Intestinal flu or virus | 12 <input type="checkbox"/> Dysentery | 26-27 |
| 05 <input type="checkbox"/> Spastic colon, functional bowel, irritable bowel syndrome, irritable colon | 13 <input type="checkbox"/> Medication | |
| 06 <input type="checkbox"/> Colitis | 14 <input type="checkbox"/> Nerves or stress | |
| 07 <input type="checkbox"/> Ulcerative colitis | 88 <input type="checkbox"/> Something else | |
| 08 <input type="checkbox"/> Infection | 98 <input type="checkbox"/> Doctor didn't say | |
| | 99 <input type="checkbox"/> DK | |

8a. IN THE PAST 30 DAYS, did you take any laxatives or stool softeners, such as Ex-Lax, Metamucil or Fiberall, to help move your bowels?

- 1 Yes
- 2 No } (9)
- 9 DK

28

b. How many times have you taken laxatives or stool softeners in the past 30 days?

 Times

29-30

9. How often do you think a person should have bowel movements?

 Times per day

OR

 Times per week00 Less than 1 time per week

31-32

33-34

Notes

Section S3 — NORMATIVE BOWEL FUNCTIONS — Continued

- 10.** I am going to read a list of health problems that may have been a lot of trouble for you in the past year. By "a lot of trouble" we mean that in the past year, you saw or talked to a doctor or other health professional, you took medication more than once, or the problem interfered with your life or usual activities.

Hand Card S2.

In the past 12 months, have you had a lot of trouble with —

a. Dizziness?

b. Nausea?

c. Diarrhea?

d. Feeling sickly?

e. Abdominal pain?

In the past 12 months, have you had a lot of trouble with —

f. Abdominal gas?

g. Chest or heart pain?

h. Fainting spells?

i. Pain in the joints?

j. Pain in your arms and legs, other than in the joints?

In the past 12 months, have you had a lot of trouble with —

k. Vomiting?

l. Weakness?

m. Backaches?

n. Headaches?

o. Nervousness or anxiety?

In the past 12 months, have you had a lot of trouble with —

p. Feeling tense or keyed up?

q. Feeling sad, blue or depressed?

r. Pain when you urinate or pass your water?

Yes No

1 2

35

1 2

36

1 2

37

1 2

38

1 2

39

1 2

40

1 2

41

1 2

42

1 2

43

1 2

44

1 2

45

1 2

46

1 2

47

1 2

48

1 2

49

1 2

50

1 2

51

1 2

52

53

CHECK ITEM 2

Mark appropriate box.

1 Completed by interviewer

2 Completed by respondent

Notes

Section T – DIABETES RISK FACTOR QUESTIONS (SP)

RT 77

3-4

5

| | | |
|--|--|---|
| CHECK ITEM 1 | Refer to letter indicator on sample selection label. | 1 <input type="checkbox"/> Letter M (<i>Cover page of HIS-1A</i>) 2 <input type="checkbox"/> Letter T (<i>Check Item 2</i>) |
| CHECK ITEM 2 | Refer to Section Q1, item 1b on page 32 | 1 <input type="checkbox"/> Diabetic box marked in 1b } (<i>Cover page of HIS-1A</i>) 2 <input type="checkbox"/> Section Q1 noninterview } 3 <input type="checkbox"/> All others (1) |
| 1. Has a doctor EVER told you that you had – | | 7 |
| a. Protein or albumin in your urine? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| b. Kidney disease? Do not include kidney stones or bladder infection. | | 8 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (1d) 9 <input type="checkbox"/> DK |
| c. Polycystic kidney disease? | | 9 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| d. Periodontal or gum disease? | | 10 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 2. Not counting times while an overnight patient in a hospital, about how many times in the past 12 months has a doctor or other health professional – | | 11-12 00 <input type="checkbox"/> None _____ Times 99 <input type="checkbox"/> DK |
| a. Checked you for diabetes? | | 13-15 000 <input type="checkbox"/> None _____ Times 999 <input type="checkbox"/> DK |
| b. Checked your blood pressure? | | |
| 3. About how many different times in the past 12 months have you had a bladder or urinary tract infection? | | 16-17 00 <input type="checkbox"/> None _____ Times 99 <input type="checkbox"/> DK |
| 4. Have you ever had symptoms of a bladder infection that lasted more than 3 months, such as frequent urination and pain in your bladder? | | 18 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (6) 9 <input type="checkbox"/> DK |
| 5a. When you had these symptoms, were you told that you had painful bladder syndrome or interstitial cystitis? (<i>in'ter-stish'äl sis-ti'tis</i>) | | 19 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (6) 9 <input type="checkbox"/> DK |
| b. How old were you when you were first told that you had painful bladder syndrome or interstitial cystitis? (<i>in'ter-stish'äl sis-tr'i'tis</i>) | | 20-21 _____ Years old 99 <input type="checkbox"/> DK |
| 6. When you urinate – | | 22 0 <input type="checkbox"/> NA/Dialysis (8) 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| a. Do you USUALLY have trouble starting? | | 23 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| b. Do you USUALLY feel like you have not completely emptied your bladder? | | |
| 7a. Do you USUALLY have to get up at night to go to the bathroom to urinate? Exclude nights when you drink a lot of liquids. | | 24 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No } (8) 9 <input type="checkbox"/> DK |
| b. About how many times each night do you have to get up? | | 25-26 _____ Times 00 <input type="checkbox"/> Less than once a night |
| 8. During the past 6 months have you had any sores or irritations on your feet or ankles that did not heal normally? | | 27 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |

Section T – DIABETES RISK FACTOR QUESTIONS (SP) — Continued

| | | |
|--|--|----------|
| 9. Have you ever had an amputation of your toe, foot, leg, or part of leg? <i>If "Yes," ask: Which?</i> <i>Mark all that apply.</i> | 1 <input type="checkbox"/> Yes, toe 2 <input type="checkbox"/> Yes, foot 3 <input type="checkbox"/> Yes, leg or part of leg 4 <input type="checkbox"/> No | 28 29 |
| 10. During the past 3 months have you had — a. Numbness or loss of feeling in your hands or feet other than from your hands or feet falling asleep? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 30 |
| b. A painful sensation or tingling in your hands or feet? Do not include normal foot aches from standing or walking for long periods. | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 31 |
| c. Decreased ability to feel hot or cold in things you touch? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 32 |
| 11a. Do you NOW smoke cigarettes? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No (12) | 33 |
| b. About how many cigarettes do you smoke per day? | 00 <input type="checkbox"/> Less than 1 per day _____ Per day 98 <input type="checkbox"/> Don't smoke regularly | 34–35 |
| 12a. Have you tried to lose weight in the past year? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 36 |
| b. Is your weight now more, less, or about the same as a year ago? | 1 <input type="checkbox"/> More 2 <input type="checkbox"/> Less 3 <input type="checkbox"/> About the same (13) | 37 |
| c. In the past year, about how much weight have you (gained/lost)? | _____ Pounds 999 <input type="checkbox"/> DK | 38–40 |
| Ask if 26 or older; otherwise, go to 14. | | 41–43 |
| 13a. About how much did you weigh when you were 25 years old? <i>For females: If you were pregnant when you were 25, tell me your weight just before you became pregnant.</i> | _____ Pounds 999 <input type="checkbox"/> DK | 44–46 |
| b. What is the most you have ever weighed? <i>For females: Except when you were pregnant?</i> | _____ Pounds 999 <input type="checkbox"/> DK | 47–48 |
| c. About how old were you when you FIRST weighed that much? | 00 <input type="checkbox"/> Now _____ Years old | 49 |
| 14. Do you have serious trouble seeing with one or both eyes even when wearing glasses? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 50 |
| 15. Were either of your parents ever told that they had diabetes? <i>Do not include pre, potential, or borderline diabetes.</i> <i>If "Yes," ask: Which?</i> | 1 <input type="checkbox"/> Yes, father 2 <input type="checkbox"/> Yes, mother 3 <input type="checkbox"/> Yes, both 4 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 51–52 |
| 16. How many children have you had, including any that may have died? <i>For females: Do not include stillbirths or miscarriages.</i> | 00 <input type="checkbox"/> None _____ Total number of children 99 <input type="checkbox"/> DK | 53 |

Notes

CARD R**RACE**

- 1. Aleut, Eskimo, or American Indian**
- 2. Asian or Pacific Islander**
- 3. Black**
- 4. White**

HS-001 (1989) ED-30-07

Card R
Card O

(Cut along bottom line)

CARD I**INCOME**

- U \$20,000 — \$24,999**
- V \$25,000 — \$29,999**
- W ... \$30,000 — \$34,999**
- X \$35,000 — \$39,999**
- Y \$40,000 — \$44,999**
- Z \$45,000 — \$49,999**
- ZZ... \$50,000 and over**

HS-001 (1989) ED-30-07

Card I
Card J

(Cut along bottom line)

CARD J**INCOME**

- A Less than \$1,000 (including loss)**
- B \$1,000 — \$1,999**
- C \$2,000 — \$2,999**
- D \$3,000 — \$3,999**
- E \$4,000 — \$4,999**
- F \$5,000 — \$5,999**
- G \$6,000 — \$6,999**
- H \$7,000 — \$7,999**
- I \$8,000 — \$8,999**
- J \$9,000 — \$9,999**
- K \$10,000 — \$10,999**
- L \$11,000 — \$11,999**
- M \$12,000 — \$12,999**
- N \$13,000 — \$13,999**
- O \$14,000 — \$14,999**
- P \$15,000 — \$15,999**
- Q \$16,000 — \$16,999**
- R \$17,000 — \$17,999**
- S \$18,000 — \$18,999**
- T \$19,000 — \$19,999**

HS-001 (1989) ED-30-07

MEDICARE

Health Insurance

SOCIAL SECURITY ACT

NAME OF BENEFICIARY
John Q. Public

CLAIM NUMBER
000-00-0000-A

IS ENTITLED TO
Hospital Insurance 7-1-66
Medical Insurance 7-1-66

SEX
MALE

EFFECTIVE DATE

SIGN HERE *John Q. Public*

SAMPLE

CARD M**REASONS FOR NOT HAVING HEALTH INSURANCE**

1. Job layoff, job loss, or any reasons related to unemployment
2. Can't obtain insurance because of poor health, illness, or age
3. Too expensive, can't afford health insurance
4. Dissatisfied with previous insurance
5. Don't believe in insurance
6. Have been healthy, not much sickness in the family, haven't needed health insurance
7. Covered by some other health plan
8. Some other reason

Medicare
Card M

(Cir Aeng Publin Nov 7)

STATE NAMES FOR MEDICAID**MEDI -- CAL**

California

MEDI-- KAN

Kansas

HEALTH CARE COST CONTAINMENT SYSTEM (HCCCS)

Arizona

MEDICAID AND/OR MEDICAL ASSISTANCE

All other States

CARD O1

1. No difficulty
2. Some difficulty
3. A lot of difficulty
4. Completely unable to do because of disorder

HHS-001110000-01-000

CARD Q2

| | |
|------------|-------------|
| Adapin | Nardil |
| Amitid | Navane |
| Amitril | Norpramin |
| Asendin | Pamelor |
| Ativan | Parnate |
| Aventyl | Paxipam |
| Azene | Permitil |
| Centrax | Perofrane |
| Cibalith-S | Presamine |
| Compazine | Proketazine |
| Daxolin | Prolixin |
| Desyrel | Quide |
| Dexedrine | Repoise |
| Elavil | Ritalin |
| Endep | Serax |
| Eskalith | Serentil |
| Haldol | Sinequan |
| Imavate | Stelazine |
| Janimine | Taractan |
| Librax | Tegretol |
| Libritabs | Thorazine |
| Librium | Tindal |
| Lidone | Tofranil |
| Lithane | Tranxene |
| Lithobid | Triafon |
| Loxitane | Valium |
| Ludiomil | Vesprin |
| Marplan | Vestran |
| Mellaril | Vivactil |
| Moban | Xanax |

HB-501-11889-0-1-00

CARD Q1

1. Always
2. Most of the time
3. Some of the time
4. Rarely
5. Never

Card Q2
Card Q1
[Cut along backen line]

CARD Q2

00. Nowhere
01. Doctor's office — doctor
02. Doctor's office — nurse
03. Dietitian or nutritionist
04. Doctor or nurse in a hospital
05. Relative or friend
06. Another diabetic
07. Health department
08. Diabetes organization
09. National Diabetes Information Clearing House
10. Diabetes support group
11. Library
12. Newspapers
13. Diabetes education class
88. Other


HB-501-11889-0-1-00

CARD R1

1. Use a hot or cold compress
2. Take a prescription drug
3. Take an over-the-counter drug
4. Drink some liquor or wine because of the pain
5. Take time off work
6. Stay home more than usual
7. Avoid family and friends
8. Something else

Card Q2
Card R1
[Cut along backen line]

CARD S1



HHS-2011-0900-001-001

CARD S2

In the past year...

Saw or talked to a doctor or other health professional

or

Took medication more than once

or

Problem interfered with your life or usual activities

HHS-2011-0900-001-002

Card
Card
ICF-Audio
ICF-Video
ICF-Print

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----|--|--------------|-----------|---------------------------------------|--|--|----|-----|----------------|------|-----------|-------|---------------------------|--|--|--|--|--|--------------------------|--|---------------|--------------|-------|---------------------------------------|
| FORM HIS-1A | | NOTICE - Information contained on this form which would permit identification of any individual or establishment has been collected with a guarantee that it will be held in strict confidence, will be used only for purposes stated for this study, and will not be disclosed or released to others without the consent of the individual or the establishment in accordance with section 308(l) of the Public Health Service Act (42 USC 242m). | | | | | | | | | | | | | | | | | | | | | | | |
| U S DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS ACTING AS COLLECTING AGENT FOR THE U S PUBLIC HEALTH SERVICE | | | | | | | | | | | | | | | | | | | | | | | | | |
| NATIONAL HEALTH INTERVIEW SURVEY | | | | | | | | | | | | | | | | | | | | | | | | | |
| AIDS KNOWLEDGE AND ATTITUDES | | <table border="1"> <tr> <td>1.</td> <td>3-7</td> <td>2. R.O. number</td> <td>9-10</td> <td>3. Sample</td> <td>11-13</td> </tr> <tr> <td colspan="2">Book _____ of _____ books</td> <td colspan="4"></td> </tr> <tr> <td colspan="2">4. Control number PSU</td> <td>14-16 Segment</td> <td>17-23 Serial</td> <td>24-25</td> <td>5. Beginning time 1 a.m. 2 p.m.</td> </tr> </table> | | | | | | 1. | 3-7 | 2. R.O. number | 9-10 | 3. Sample | 11-13 | Book _____ of _____ books | | | | | | 4. Control number PSU | | 14-16 Segment | 17-23 Serial | 24-25 | 5. Beginning time 1 a.m. 2 p.m. |
| 1. | 3-7 | 2. R.O. number | 9-10 | 3. Sample | 11-13 | | | | | | | | | | | | | | | | | | | | |
| Book _____ of _____ books | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4. Control number PSU | | 14-16 Segment | 17-23 Serial | 24-25 | 5. Beginning time 1 a.m. 2 p.m. | | | | | | | | | | | | | | | | | | | | |

6. NUMBER OF FAMILY MEMBERS 18 + YEARS OLD
(Record number of nondeleted family members 18 + years old.)

31-32

Space

33-36

7. FINAL STATUS

- 0 No person 18+ in this family (Household Page)
Interview (Complete Item 63, Page 18)
 1 Complete interview (all appropriate questions completed)
 2 Partial interview (some but not all appropriate questions completed) — *Explain* ➤

Noninterview (Complete Item 63, Page 18)

- 3 Refusal (*Explain in Notes*)
 4 SP temporarily absent
 5 SP mentally or physically incapable
 6 Other — *Explain* ➤

37

| | | |
|----------------------------|---|--|
| 8. Ending time 38-41 42 | 9. Interview mode 43 1 a.m. 2 p.m. | 10. Interviewer identification Name _____ Code _____ |
|----------------------------|---|--|

TRANSCRIPTION FROM COMPLETED HIS-1

| | | | | |
|--|---|--|---|--|
| 12. Sex of SP (Page 2 or 51, question 3i) 47 1 <input type="checkbox"/> M 2 <input type="checkbox"/> F | 13. Education of SP (Page 42 or 43, question 2a) oo <input type="checkbox"/> Never attended or kindergarten Elem: 1 2 3 4 5 6 7 8 High: 9 10 11 12 College: 1 2 3 4 5 6+ Finish grade/year (Question 2b) 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 50 | 14. Main race of SP (Page 42 or 43, question 3a/b) 51 1 2 3 4 5 — <i>Specify</i> ➤ | | |
| 15. Marital status 52 I (Page 46 or 47, question 7) 1 <input type="checkbox"/> Married — spouse in HH 2 <input type="checkbox"/> Married — spouse not in HH 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated 6 <input type="checkbox"/> Never married | 16. Family income (Page 46, question 8b) 53-54 00 <input type="checkbox"/> A 07 <input type="checkbox"/> H 14 <input type="checkbox"/> O 21 <input type="checkbox"/> V 01 <input type="checkbox"/> B 08 <input type="checkbox"/> I 15 <input type="checkbox"/> P 22 <input type="checkbox"/> W 02 <input type="checkbox"/> C 09 <input type="checkbox"/> J 16 <input type="checkbox"/> Q 23 <input type="checkbox"/> X 03 <input type="checkbox"/> D 10 <input type="checkbox"/> K 17 <input type="checkbox"/> R 24 <input type="checkbox"/> Y 04 <input type="checkbox"/> E 11 <input type="checkbox"/> L 18 <input type="checkbox"/> S 25 <input type="checkbox"/> Z 05 <input type="checkbox"/> F 12 <input type="checkbox"/> M 19 <input type="checkbox"/> T 26 <input type="checkbox"/> ZZ 06 <input type="checkbox"/> G 13 <input type="checkbox"/> N 20 <input type="checkbox"/> U (Transcribe from 8a if 8b blank) 27 <input type="checkbox"/> \$20,000 or more 28 <input type="checkbox"/> Less than \$20,000 | 17. 55-56 Sample Person Number _____ | 18. 57-58 Sample Person Age _____ | 19. Booklet type 59 1 <input checked="" type="checkbox"/> AIDS Knowledge and Attitudes Version 1 |

Introduction: These next questions are to determine what people know about AIDS, also called Acquired Immunodeficiency Syndrome.

| | | |
|--|------------------|--|
| 1. In the PAST MONTH, have you . . . | | |
| a. seen any Public Service Announcements about AIDS on television? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK 60 |
| b. heard any Public Service Announcements about AIDS on the radio? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK 61 |
| CHECK ITEM 1 | Refer to Q. 1a,b | <input type="checkbox"/> "Yes" in 1a and/or 1b (2) <input type="checkbox"/> Other (3) |
| 2. Were any of those Public Service Announcements called "America Responds to AIDS"? | | 1 <input type="checkbox"/> Yes 62 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 3. In the PAST MONTH, have you read any brochures or pamphlets about AIDS? Do not include articles in magazines or newspapers. | | 1 <input type="checkbox"/> Yes (5) 63 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK |
| 4. Have you EVER read any brochures or pamphlets about AIDS? Again, do not include articles in magazines or newspapers. | | 1 <input type="checkbox"/> Yes (5) 64 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK } (Check Item 2) |

| | | |
|--|--|----|
| 5. Where did you get the pamphlets or brochures? Anywhere else? (MARK ALL THAT APPLY) | 1 <input type="checkbox"/> Clinic, other than work clinic | 65 |
| | 1 <input type="checkbox"/> Doctor's office/HMO | 66 |
| | 1 <input type="checkbox"/> Drug store | 67 |
| | 1 <input type="checkbox"/> Public Health Department | 68 |
| | 1 <input type="checkbox"/> Received it in the mail without asking for it | 69 |
| | 1 <input type="checkbox"/> Red Cross/with Red Cross blood donation | 70 |
| | 1 <input type="checkbox"/> With other blood donation | 71 |
| | 1 <input type="checkbox"/> School | 72 |
| | 1 <input type="checkbox"/> Sent/phoned for it myself, requested it | 73 |
| | 1 <input type="checkbox"/> "The Government" - Federal, state or local | 74 |
| | 1 <input type="checkbox"/> Work, other than clinic or nurse | 75 |
| | 1 <input type="checkbox"/> Work, nurse or clinic | 76 |
| | 1 <input type="checkbox"/> Other (SPECIFY) _____ | 77 |

Page 3

| | | |
|--|------------------------------------|-------|
| 17. Do you have any children aged 10 through 17? | 1 <input type="checkbox"/> Yes | 90 |
| | 2 <input type="checkbox"/> No (21) | |
| 18. How many do you have? | _____ | 91-92 |

Page 4

| | | | | | | |
|---|--|----------------------------|----------------------------|----------------------------|----------------------------|-----|
| 19. Have you ever discussed AIDS with [this child/any of your children aged 10 through 17]? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | 93 | | | | |
| 20. [Has this child/Have any or all of your children aged 10 through 17] had instruction at school about AIDS? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 94 | | | | |
| 21. How much would you say you know about AIDS --- a lot, some, a little, or nothing? | 1 <input type="checkbox"/> A lot 2 <input type="checkbox"/> Some 3 <input type="checkbox"/> A little 4 <input type="checkbox"/> Nothing | 95 | | | | |
| 22. To the best of your knowledge, is there a difference between having the AIDS virus and having the disease AIDS? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 8 <input type="checkbox"/> Other (SPECIFY) 9 <input type="checkbox"/> DK | 96 | | | | |
| HAND CARD A | | | | | | |
| 23. After I read each statement, tell me whether you think the statement is definitely true, probably true, probably false, definitely false, or you don't know if it is true or false. | Def. True | Prob. True | Prob. False | Def. False | DK | |
| a. AIDS can reduce the body's natural protection against disease. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 97 |
| b. AIDS is especially common in older people. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 98 |
| c. AIDS can damage the brain. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 99 |
| d. AIDS usually leads to heart disease. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 100 |
| e. AIDS is an infectious disease caused by a virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 101 |
| f. Teenagers cannot get AIDS. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 102 |
| g. AIDS leads to death. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> | 103 |

Page 5

23. (Continued)

Tell me whether you think each of these statements is definitely true, probably true, probably false, definitely false, or you don't know if it is true or false.

- h. A person can be infected with the AIDS virus and not have the disease AIDS.
- i. Looking at a person is enough to tell if he or she has the AIDS virus.
- j. ANY person with the AIDS virus can pass it on to someone else through sexual intercourse.
- k. A person who has the AIDS virus can look and feel well and healthy.
- l. A pregnant woman who has the AIDS virus can give the AIDS virus to her baby.
- m. There is a vaccine available to the public that protects a person from getting the AIDS virus.
- n. There is no cure for AIDS at present.

| Def. True | Prob. True | Prob. False | Def. False | DK |
|----------------------------|----------------------------|----------------------------|----------------------------|--------------------------------|
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 104 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 105 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 106 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 107 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 108 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 109 |
| 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 9 <input type="checkbox"/> 110 |

HAND CARD B

24. After I read each statement, tell me if you think it is very likely, somewhat likely, somewhat unlikely, very unlikely, definitely not possible, or if you don't know how likely it is that a person will get AIDS or the AIDS virus infection that way.

How likely do you think it is that a person will get AIDS or the AIDS virus infection from ---

| | Very likely | Somewhat likely | Somewhat unlikely | Very unlikely | Definitely not possible | DK |
|---|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|--------------------------------|
| a. living near a home or hospital for AIDS patients. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 111 |
| b. working near someone with the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 112 |
| c. eating in a restaurant where the cook has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 113 |
| d. kissing - with exchange of saliva - a person who has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 114 |
| e. shaking hands, touching, or kissing on the cheek someone who has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 115 |
| f. sharing plates, forks, or glasses with someone who has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 116 |
| g. using public toilets. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 117 |
| h. sharing needles for drug use with someone who has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 118 |
| i. being coughed on or sneezed on by someone who has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 119 |
| j. attending school with a child who has the AIDS virus. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 120 |
| k. mosquitoes or other insects. | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 3 <input type="checkbox"/> | 4 <input type="checkbox"/> | 5 <input type="checkbox"/> | 9 <input type="checkbox"/> 121 |

| | | |
|---|---|-----|
| 25. Have you ever donated blood? | 1 <input type="checkbox"/> Yes (26) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (27) | 122 |
| 26. Have you donated blood --- a. since March, 1985? b. in the past 12 months? | Yes No DK 1 <input type="checkbox"/> 2 <input type="checkbox"/> (27) 9 <input type="checkbox"/> (27) 123 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 124 | |
| 27. Have you ever heard of a blood test that can detect the AIDS virus infection? | 1 <input type="checkbox"/> Yes (28) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (44a, Page 12) | 125 |
| The next questions are about the blood test for the AIDS virus infection. No question will ask what the results are of any tests you may have had. | | |
| 28. To the best of your knowledge, are blood donations routinely tested now for the AIDS virus infection? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 126 |
| 29a. Have you ever received counseling or had a talk with a health professional about taking the AIDS virus test? | 1 <input type="checkbox"/> Yes (29b) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK { (31) | 127 |
| 29b. Was the discussion --- 1. with a private doctor? 2. at a family planning clinic? 3. on an AIDS hotline? 4. at a prenatal clinic? 5. at an STD or sexually transmitted disease clinic? 6. at an AIDS/HIV counseling and testing site? 7. with some other health professional? 8. with some other counselor? | Yes No DK 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 128 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 129 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 130 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 131 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 132 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 133 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 134 1 <input type="checkbox"/> 2 <input type="checkbox"/> 9 <input type="checkbox"/> 135 | |

Page 8

| | | |
|--|---|--|
| 30. During that discussion, did you receive information about how to avoid getting or passing on the AIDS virus? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 136 |
| 31. Have you ever been advised by a health professional NOT to have the blood test for the AIDS virus infection? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 137 |
| 32. Have you ever been advised by friends or relatives NOT to have the blood test for the AIDS virus infection? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 138 |
| 33. Have you had your blood tested for the AIDS virus infection? | 1 <input type="checkbox"/> Yes (34a) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK } (41) | 139 |
| 34a. Have you had your blood tested for the AIDS virus infection more than once? | 1 <input type="checkbox"/> Yes (35a) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 140 |
| 34b. Was your blood tested <u>in the past twelve months</u> ? | 1 <input type="checkbox"/> Yes } 2 <input type="checkbox"/> No } (36) 9 <input type="checkbox"/> DK } | 141 |
| 35a. How many times have you had your blood tested for the AIDS virus infection? | Total times (35a.) | Number times in past 12 Months (35b.) |
| 35b. How many times <u>in the past 12 months</u> have you had your blood tested for the AIDS virus infection? | XXXX 02 03 04 05 06 07 08 09 10 11 12 13 99 | 142-143 144-145 00 <input type="checkbox"/> None in past twelve months 01 <input type="checkbox"/> One time 02 <input type="checkbox"/> Two times 03 <input type="checkbox"/> Three times 04 <input type="checkbox"/> Four times 05 <input type="checkbox"/> Five times 06 <input type="checkbox"/> Six times 07 <input type="checkbox"/> Seven times 08 <input type="checkbox"/> Eight times 09 <input type="checkbox"/> Nine times 10 <input type="checkbox"/> Ten times 11 <input type="checkbox"/> Eleven times 12 <input type="checkbox"/> Twelve times 13 <input type="checkbox"/> More than twelve times 99 <input type="checkbox"/> DK |

Page 9

| | | |
|---|---|---|
| 36. [Was the test --- / Were <u>any</u> of the blood tests, including those you had before the past twelve months ---] | | |
| a. part of a blood donation? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 146 |
| b. part of a blood transfusion? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 147 |
| c. voluntarily sought from a source such as your doctor, clinic, or HMO? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 148 |
| d. part of some other activity that requires a blood sample and includes automatic AIDS testing, such as testing for the military or immigration? | | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 149 |
| CHECK ITEM | 3 | Refer to Q. 36d |
| | | <input type="checkbox"/> "Yes" in Q. 36d (37) <input type="checkbox"/> Other (38) |
| 37. Where did you have your blood tested for AIDS virus infection? Anywhere else? (MARK ALL THAT APPLY) | | <input type="checkbox"/> STD clinic 150 <input type="checkbox"/> Family planning clinic 151 <input type="checkbox"/> Prenatal clinic 152 <input type="checkbox"/> Drug treatment facility 153 <input type="checkbox"/> Tuberculosis clinic 154 <input type="checkbox"/> Work clinic/health station 155 <input type="checkbox"/> AIDS counseling/testing site 156 <input type="checkbox"/> Military induction 157 <input type="checkbox"/> Immigration site 158 <input type="checkbox"/> Other (SPECIFY) 159 <hr/> <input type="checkbox"/> DK 160 |
| 38. Did you get the results of [your test?/ any of your tests?] | | <input type="checkbox"/> Yes (39) 161 <input type="checkbox"/> No $9 \quad \text{DK } \} (40)$ |
| 39. When you received your test results, did you receive counseling or talk with a health professional about how to lower your chances of becoming infected with the AIDS virus or how to avoid passing it to another person? | | <input type="checkbox"/> Yes (41) 162 <input type="checkbox"/> No $9 \quad \text{DK}$ |

| | | |
|--|---|-----|
| 40. Were you referred to a health professional to get counseling about the AIDS virus infection? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 163 |
| 41. Do you expect to have a blood test for the AIDS virus infection in the next 12 months? | 1 <input type="checkbox"/> Yes (42) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK } (44) | 164 |
| 42. Will you have the blood test --- | | |
| a. as part of a blood donation? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 165 |
| b. voluntarily from a source such as your doctor, clinic, or HMO? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 166 |
| c. as part of some other activity that requires a blood sample and includes automatic AIDS testing, such as testing for the military or immigration? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 167 |
| CHECK ITEM 4 | □ "Yes" In question 42b. (43) □ Other (44) | |
| 43. Where would you go to have a blood test for the AIDS virus infection? (MARK FIRST MENTION) | 168-169 00 <input type="checkbox"/> Nowhere, wouldn't take the test 01 <input type="checkbox"/> AIDS clinic 02 <input type="checkbox"/> Company or industry clinic 03 <input type="checkbox"/> Doctor/HMO 04 <input type="checkbox"/> Hospital/emergency room/OP clinic 05 <input type="checkbox"/> Other clinic 06 <input type="checkbox"/> Public Health Department 07 <input type="checkbox"/> Red Cross/blood bank 88 <input type="checkbox"/> Other (SPECIFY) 99 <input type="checkbox"/> DK | |

| | | |
|---|---|-----|
| 44a. Did you have a blood transfusion at any time between 1977 and 1985? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 170 |
| 44b. Do you think the present supply of blood is safe for transfusions? | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK | 171 |
| HAND CARD C | | |
| 45. Here are some methods people use to keep from getting the AIDS virus through sexual activity. After I read each one, tell me whether you think it is very effective, somewhat effective, not at all effective, or if you don't know how effective it is in preventing getting the AIDS virus through sexual activity. How effective is --- | Very effective Somewhat effective Not at all effective DK how effective DK method | |
| a. Using a diaphragm? | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 9 <input type="checkbox"/> | 172 |
| b. Using a condom? | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 9 <input type="checkbox"/> | 173 |
| c. Using a spermicidal jelly, foam or cream? | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 9 <input type="checkbox"/> | 174 |
| d. Having a vasectomy? | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 9 <input type="checkbox"/> | 175 |
| e. Two people who do not have the AIDS virus having sex <u>only</u> with each other? | 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 9 <input type="checkbox"/> | 176 |
| 46. What are your chances of <u>having</u> the AIDS virus; would you say high, medium, low, or none? | 1 <input type="checkbox"/> High (Check Item 6) 2 <input type="checkbox"/> Medium 3 <input type="checkbox"/> Low 4 <input type="checkbox"/> None 7 <input type="checkbox"/> Refused 9 <input type="checkbox"/> DK | 177 |

Page 12

| | | |
|--|---|--|
| 47. What are your chances of <u>getting</u> the AIDS virus; would you say high, medium, low, or none? | 1 <input type="checkbox"/> High 2 <input type="checkbox"/> Medium 3 <input type="checkbox"/> Low 4 <input type="checkbox"/> None 7 <input type="checkbox"/> Refused 9 <input type="checkbox"/> DK <div style="float: right;">178</div> | |
| 48. People have different meanings when they say a "high", "medium", or "low" chance. If "no chance" is zero-out-of-one hundred, what would you say [High/Medium/Low] is? What number of times-out-of-one hundred? | <div style="text-align: right;">179-181</div> <p>000 <input type="checkbox"/> Less than 1 out of a 100 _____ out of a 100 999 <input type="checkbox"/> DK</p> | |
| CHECK ITEM 5 | Refer to Q. 47 | <input type="checkbox"/> "High" OR "Medium" IN Q. 47 (49) <input type="checkbox"/> Other (Check Item 6) |
| 49. Do you say your chance of getting AIDS is <u>(high/medium)</u> because you --- a. Have had a blood transfusion? b. Have had sexual contact with someone who might have the virus? c. Some other reason? (SPECIFY) _____ _____ | <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 182</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 183</p> <p>1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 184</p> | |

Page 13

| | | | | |
|------------|--|--|---|--|
| CHECK ITEM | Refer to age and sex of S.P. | □ Female 18-45 (50 Intro, then 50a) □ Other (50 Intro, then 50c) | | |
| 50. | In the past twelve months, have you received services or care at --- | Yes | No | DK |
| a. | a prenatal health clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 185 |
| b. | a maternal and infant health clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 186 |
| c. | a family planning clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 187 |
| d. | a hospital, as an inpatient? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 188 |
| e. | a hospital emergency room? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 189 |
| f. | a tuberculosis clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 190 |
| g. | a drug treatment facility or clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 191 |
| h. | an STD (sexually transmitted disease) clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 192 |
| i. | an alcohol treatment facility or clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 193 |
| j. | an AIDS counseling and testing clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 194 |
| k. | a community health clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 195 |
| l. | a public health clinic? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 196 |
| 51. | In the past twelve months, have you --- | Yes | No | DK |
| a. | been in the Job Corps? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 197 |
| b. | had a physical examination to join the military? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 198 |
| c. | been in prison? | 1 <input type="checkbox"/> | 2 <input type="checkbox"/> | 9 <input type="checkbox"/> 199 |
| 52. | Have you ever discussed AIDS with a friend or relative? | 1 <input type="checkbox"/> Yes (53) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK } (54) | 200 | |

Page 14

| | |
|--|---|
| 53. When was the last time you discussed AIDS with a friend or relative? | <p style="text-align: center;">Number</p> <p>1 <input type="checkbox"/> Today <u>201-203</u> 2 <input type="checkbox"/> Days ago 3 <input type="checkbox"/> Weeks ago 4 <input type="checkbox"/> Months ago 5 <input type="checkbox"/> Years ago 9 <input type="checkbox"/> DK</p> |
| 54. Have you ever personally known anyone with AIDS or the AIDS virus? | <p style="text-align: center;">1 <input type="checkbox"/> Yes (55) 2 <input type="checkbox"/> No 9 <input type="checkbox"/> DK if someone has/had AIDS AIDS virus } (57)</p> <u>204</u> |
| <p>(IF MORE THAN ONE PERSON VOLUNTEERED IN Q. 54, ASK Q. 55 and Q. 56 ABOUT THE PERSON KNOWN BEST)</p> | |
| 55. How long has it been since you saw this person? | <p style="text-align: center;">1 <input type="checkbox"/> Within the past two weeks <u>205</u> 2 <input type="checkbox"/> Two weeks to less than one month 3 <input type="checkbox"/> One month to less than 3 months 4 <input type="checkbox"/> 3 months to less than 6 months 5 <input type="checkbox"/> 6 months or more 9 <input type="checkbox"/> DK</p> |
| 56. How well do you know this person? Would you say --- | <p style="text-align: center;">1 <input type="checkbox"/> Very well, it is a close relationship? 2 <input type="checkbox"/> Fairly well, but it is not a close relationship ? 3 <input type="checkbox"/> Not very well, it is only an acquaintance or casual relationship? or 4 <input type="checkbox"/> You don't really know them personally, such as a friend of a friend? 8 <input type="checkbox"/> Other (SPECIFY)</p> <hr/> <hr/> <hr/> <u>206</u> |

Page 15

HAND CARD D

57. (I am going to read a list of statements.
After I have read them all,) Please tell me if any of these statements is true for you.

Do not tell me which statement or statements are true for you, just if any of them are.

- a. You have hemophilia and have received clotting factor concentrates since 1977.
- b. You are a native of Haiti, Central or East Africa who has entered the United States since 1977.
- c. You are a man who has had sex with another man at some time since 1977, even one time.
- d. You have taken illegal drugs by needle at any time since 1977.
- e. Since 1977, you are or have been the sex partner of any person who would answer "yes" to any of the items (I have read./above on this card.)
- f. You have had sex for money or drugs at any time since 1977.

207

- 1 Yes to at least one statement
- 2 No to all statements

58. The U.S. Public Health Service has said that AIDS is one of the major health problems in the country but exactly how many people it affects is not known. The Surgeon General has proposed that a study be conducted and blood samples be taken to help find out how widespread the problem is.

If you were selected in this national sample of people to have their blood tested with assurances of privacy of test results, would you have the test?

- 1 Yes (60a)
- 2 No
- 8 Other response (SPECIFY)

208

- 9 DK

| | |
|--|--|
| 59. Why wouldn't you take part in the test? Any other reason? (MARK ALL THAT APPLY) | <p>1 <input type="checkbox"/> Don't want to know if I have AIDS } 1 <input type="checkbox"/> Don't want any counseling about AIDS } (60b) 1 <input type="checkbox"/> Fear I'll get AIDS } 1 <input type="checkbox"/> Don't like to give blood } 1 <input type="checkbox"/> Don't trust Government programs } 1 <input type="checkbox"/> It is a waste of money } (61) 1 <input type="checkbox"/> Don't believe AIDS can really be cured anyway } 1 <input type="checkbox"/> Other (SPECIFY) } 1 <input type="checkbox"/> DK </p> |
| 60a. If it were <u>not</u> possible to provide you with the results of the test, would you still take part in the study? | <p>1 <input type="checkbox"/> Yes } } (61) 2 <input type="checkbox"/> No } } 9 <input type="checkbox"/> DK </p> |
| 60b. If the results of the test were <u>not</u> provided to you, <u>then</u> would you take part in the study? | <p>1 <input type="checkbox"/> Yes } } (61) 2 <input type="checkbox"/> No } } 9 <input type="checkbox"/> DK </p> |
| 61. When Federal Public Health officials give <u>information</u> about AIDS, do you believe what they say or are you doubtful about the information they give? | <p>1 <input type="checkbox"/> Believe them } } (61) 2 <input type="checkbox"/> Doubtful } } 9 <input type="checkbox"/> DK </p> |
| 62. When they give <u>advice</u> about <u>how to help keep from getting AIDS</u> , do you believe their advice or are you doubtful about what they say? | <p>1 <input type="checkbox"/> Believe their advice } } (61) 2 <input type="checkbox"/> Doubtful } } 9 <input type="checkbox"/> DK </p> |

Page 17

63. Date AIDS Supplement Final Status / / 19 222-227

INTERVIEWER TRANSCRIPTION FROM HIS-1

64. Hispanic Origin (Item 4a/b, Page 41, HIS-1)

228

HIS-1 Item 4a
1 Yes
2 No

229

HIS-1 Item 4b
1 Puerto Rican
2 Cuban
3 Mexican/Mexicano
4 Mexican American
5 Chicano
6 Other Latin American
7 Other Spanish

65. Questionnaire Version

1 230

66. Exact Address (Item 6a, Cover Page, HIS-1)

RT 99

28-93

City State County ZIP Code

94-114
115-116
117-142
143-151

67. Mailing Address (Item 6b, Cover Page, HIS-1)

Same as 6a 152

153-208

City State County ZIP Code

209-229
230-231
232-257
258-266

68. Telephone Number (Item 11, Cover Page, HIS-1)

267

- 1 Yes, telephone (RECORD NUMBER BELOW)
2 No telephone
3 Phone, but no number listed or number refused
9 DK or Refused

_____ / _____ / _____
A.C. Exch. Number

268-277

CARD A

1. Definitely true
2. Probably true
3. Probably false
4. Definitely false

9. Don't know if true or false

CARD B

1. Very likely
2. Somewhat likely
3. Somewhat unlikely
4. Very unlikely

5. Definitely not possible

9. Don't know how likely

CARD C

1. Very effective
2. Somewhat effective
3. Not at all effective
4. Don't know how effective

9. Don't know method

CARD D

You have hemophilia and have received clotting factor concentrates since 1977.

You are a native of Haiti or Central or East Africa who has entered the United States since 1977.

You are a man who has had sex with another man at some time since 1977, even one time.

You have taken illegal drugs by needle since 1977.

Since 1977, You are or have been the sex partner of any person who would answer "yes" to any of the items above on this card.

You have had sex for money or drugs at any time since 1977.

Vital and Health Statistics series descriptions

- SERIES 1. **Programs and Collection Procedures**—Reports describing the general programs of the National Center for Health Statistics and its offices and divisions and the data collection methods used. They also include definitions and other material necessary for understanding the data.
- SERIES 2. **Data Evaluation and Methods Research**—Studies of new statistical methodology including experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory. Studies also include comparison of U.S. methodology with those of other countries.
- SERIES 3. **Analytical and Epidemiological Studies**—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- SERIES 4. **Documents and Committee Reports**—Final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 5. **Comparative International Vital and Health Statistics Reports**—Analytical and descriptive reports comparing U.S. vital and health statistics with those of other countries.
- SERIES 6. **Cognition and Survey Measurement**—Reports from the National Laboratory for Collaborative Research in Cognition and Survey Measurement using methods of cognitive science to design, evaluate, and test survey instruments.
- SERIES 10. **Data From the National Health Interview Survey**—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, all based on data collected in the continuing national household interview survey.
- SERIES 11. **Data From the National Health Examination Survey and the National Health and Nutrition Examination Survey**—Data from direct examination, testing, and measurement of national samples of the civilian noninstitutionalized population provide the basis for (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- SERIES 12. **Data From the Institutionalized Population Surveys**—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. **Data on Health Resources Utilization**—Statistics on the utilization of health manpower and facilities providing long-term care, ambulatory care, hospital care, and family planning services.
- SERIES 14. **Data on Health Resources: Manpower and Facilities**—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- SERIES 15. **Data From Special Surveys**—Statistics on health and health-related topics collected in special surveys that are not a part of the continuing data systems of the National Center for Health Statistics.
- SERIES 16. **Compilations of Advance Data From Vital and Health Statistics**—These reports provide early release of data from the National Center for Health Statistics' health and demographic surveys. Many of these releases are followed by detailed reports in the Vital and Health Statistics Series.
- SERIES 20. **Data on Mortality**—Various statistics on mortality other than as included in regular annual or monthly reports. Special analyses by cause of death, age, and other demographic variables; geographic and time series analyses; and statistics on characteristics of deaths not available from the vital records based on sample surveys of those records.
- SERIES 21. **Data on Natality, Marriage, and Divorce**—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports. Special analyses by demographic variables; geographic and time series analyses; studies of fertility; and statistics on characteristics of births not available from the vital records based on sample surveys of those records.
- SERIES 22. **Data From the National Mortality and Natality Surveys**—Discontinued in 1975. Reports from these sample surveys based on vital records are included in Series 20 and 21, respectively.
- SERIES 23. **Data From the National Survey of Family Growth**—Statistics on fertility, family formation and dissolution, family planning, and related maternal and infant health topics derived from a periodic survey of a nationwide probability sample of women 15–44 years of age.
- SERIES 24. **Compilations of Data on Natality, Mortality, Marriage, Divorce, and Induced Terminations of Pregnancy**—Advance reports of births, deaths, marriages, and divorces are based on final data from the National Vital Statistics System and are published annually as supplements to the Monthly Vital Statistics Report (MVS). These reports are followed by the publication of detailed data in Vital Statistics of the United States annual volumes. Other reports including induced terminations of pregnancy issued periodically as supplements to the MVS provide selected findings based on data from the National Vital Statistics System and may be followed by detailed reports in Vital and Health Statistics Series.

For answers to questions about this report or for a list of titles of reports published in these series, contact:

Scientific and Technical Information Branch
National Center for Health Statistics
Centers for Disease Control
Public Health Service
Hyattsville, Md. 20782
301-436-8500

U.S. DEPARTMENT OF HEALTH AND
HUMAN SERVICES
Public Health Service
Centers for Disease Control
National Center for Health Statistics
6525 Belcrest Road
Hyattsville, MD 20782

Presorted
SPECIAL 4TH CLASS RATE
POSTAGE & FEES PAID
PHS/NCHS
PERMIT No. G-281

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300