

Utilization of Short-Stay Hospitals:

United States, 1981 Annual Summary

This report presents statistics on the utilization of non-Federal short-stay hospitals based on data collected through the National Hospital Discharge Survey from a national sample of the hospital records of discharged inpatients. Estimates are provided by the demographic characteristics of patients discharged, conditions diagnosed, and surgical and nonsurgical procedures performed, and by geographic region, bed size, and ownership of hospitals that provided inpatient care. Measurements of hospital utilization are given in terms of frequency, rate, percent, and average length of stay.

Data From the National Health Survey Series 13, No. 72

DHHS Publication No. (PHS) 83-1733

U.S. Department of Health and Human Services Public Health Service National Center for Health Statistics Hyattsville, Md. August 1983

Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested Citation

National Center for Health Statistics, E. Graves and B. J. Haupt: Utilization of short-stay hospitals, United States, 1981, Annual summary. *Vital and Health Statistics*. Series 13, No. 72. DHHS Pub. No. (PHS) 83–1733. Public Health Service. Washington. U.S. Government Printing Office, September 1983.

Library of Congress Catalog Card Number 82-642053

National Center for Health Statistics

Manning Feinleib, M.D., Dr.P.H., Director

Robert A. Israel, Deputy Director

Jacob J. Feldman, Ph.D., Associate Director for Analysis and Epidemiology

Garrie J. Losee, Associate Director for Data Processing and Services

Alvan O. Zarate, Ph.D., Assistant Director for International Statistics

E. Earl Bryant, Associate Director for Interview and Examination Statistics

Robert L. Quave, Acting Associate Director for Management

Gail F. Fisher, Ph.D., Acting Associate Director for Program Planning, Evaluation, and Coordination

Monroe G. Sirken, Ph.D., Associate Director for Research and Methodology

Peter L. Hurley, Associate Director for Vital and Health Care Statistics

Alice Haywood, Information Officer

Division of Health Care Statistics

W. Edward Bacon, Ph.D., Director

Joan F. Van Nostrand, Deputy Director

Mary Moien, Chief, Hospital Care Statistics Branch

Manoochehr K. Nozary, Chief, Technical Services Branch

Preface

In accordance with specifications established by the National Center for Health Statistics, the U.S. Bureau of the Census, under a contractual arrangement, participated in planning the survey and collecting the data.

Analysis of data and interpretation of findings contained in this report were performed by the Division of Health Care Statistics, National Center for Health Statistics.

Contents

Pre	eface	iii
Int	roduction	1
T T	ghlights Utilization by patient characteristics. Utilization by hospital characteristics. Utilization by diagnosis Utilization by procedures	2 3 5
De	eaths in short-stay hospitals	12
Ne	ewborn infant discharges	15
Rei	ferences	17
Lis	st of detailed tables	18
Ар	pendixes	
I. II.	Technical notes on methods Definitions of certain terms used in this report	
Lis	et of text tables	
Α.	Selected measures of hospital utilization: United States, 1965, 1970, 1975, 1980, and 1981	2
B. C.	Number and percent distribution of patients and days of care and average length of stay for patients discharged from short-stay hospitals by sex and age of patient, according to bed size of hospital: United States, 1981	- 4 5
D.	Percent distribution of patients discharged from short-stay hospitals by bed size of hospital, according to diagnostic class: United States, 1981	7
E.	Number of patients discharged from short-stay hospitals with and without procedures and percent with procedures, by age, sex, and race of patient and geographic region and bed size of hospital: United States, 1981	8
F.		9
G.	Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by selected procedure categories: United States, 1981	10
H.	Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by sex and age of patient: United States, 1981	10
J.	Percent distribution of all-listed procedures for patients discharged from short-stay hospitals by bed size of hospital, according to procedure category: United States, 1981	11
K.	Number of deaths and fatality rate of patients discharged from short-stay hospitals, by sex and age: United States, 1981	12
L.	Number of deaths and fatality rate of patients discharged from short-stay hospitals, by age and selected first-listed diagnosis: United States, 1981.	13
M.	Average length of stay of patients discharged from short-stay hospitals, by discharge status, age, and sex: United	
	States, 1981	14

N.	Number, percent distribution, and average length of stay for newborn infants discharged from non-Federal short-stay	
	hospitals, by sex, race, and geographical region: United States, 1981	15
O.	Number and average length of stay of newborn infants discharged from non-Federal short-stay hospitals, by sex and	
	health status: United States, 1981	15
P.	Number of all-listed diagnoses for sick newborn infants discharged from short-stay hospitals, by selected diagnostic	
	categories and sex: United States, 1981	16

Symbols

- --- Data not available
- ... Category not applicable
- Quantity zero
- 0.0 Quantity more than zero but less than 0.05
- Quantity more than zero but less than500 where numbers are rounded to thousands
- Figure does not meet standards of reliability or precision
- # Figure suppressed to comply with confidentiality requirements

Utilization of Short-Stay Hospitals

Annual Summary

by Edmund J. Graves and Barbara J. Haupt, Division of Health Care Statistics

Introduction

This report provides national estimates on the utilization of non-Federal short-stay hospitals during 1981. Data are summarized for selected demographic characteristics of the patients discharged, characteristics of the hospitals where the patients were treated, conditions diagnosed, and surgical and nonsurgical procedures performed.

The statistics in this report are based on data collected by the National Center for Health Statistics by means of the National Hospital Discharge Survey, which is a continuous voluntary survey in use since 1965. The data for the survey are obtained from the face-sheets of a sample of inpatient medical records that are obtained from a national sample of short-stay general and specialty hospitals located in the United States. Approximately 227,000 medical records from 550 hospitals were included in the 1981 survey. A brief description of the sample design and the sources of data can be found in appendix I. A detailed report on the design of the National Hospital Discharge Survey was published in 1970.1

Types of hospital utilization measurements shown are frequencies, rates and percent distributions of discharges, days of care, and average lengths of stay. The estimates are presented by age, sex, and race of the patients discharged and by the geographic region, bed size, and ownership of the shortstay hospitals (tables 1-12). Statistics on the conditions diagnosed (tables 13-17) and procedures performed (tables 18-22) are also shown by patient and hospital characteristics. Data for newborn infants are included only in the section "Newborn infant discharges." Since these data are based on a sample they may not agree with data on births published in *Vital Statistics of the United States*.

Coding of medical data for patients hospitalized is performed according to the *International Classification of Diseases*, 9th Revision, Clinical Modification² (ICD-9-CM). Earlier data for 1970-78 were coded according to the Eighth

Revision International Classification of Diseases, Adapted for Use in the United States³ (ICDA). Differences between these two systems are discussed in appendix I under the section entitled "Medical coding and edit." A maximum of seven diagnoses and four procedures are coded for each medical record in the sample. Although diagnoses included in the ICD-9-CM section entitled "Supplementary classification of external causes of injury and poisoning" (codes E800-E999) are used by the National Hospital Discharge Survey, these diagnoses are excluded from this report. The conditions diagnosed and procedures performed are presented here by the major diagnostic classes and procedure groups of the ICD-9-CM. Within these classes and groups, some categories of diagnoses and procedures are also shown. These specific categories were selected primarily because of large frequencies or because they are of special interest. Residual categories of diagnoses and procedures, however, are not included in the tables. More detailed analyses of these data will be presented in later reports in Series 13 of the Vital and Health Statistics reports.

Familiarity with the definitions used in the National Hospital Discharge Survey is important for interpreting the data and for making comparisons with statistical data on short-stay hospital utilization that are available from other sources. Definitions of the terms used in this report are presented in appendix II.

Information on short-stay hospital utilization is also collected by another program of the National Center for Health Statistics, the National Health Interview Survey. Estimates from this survey are generally different from those of the National Hospital Discharge Survey (NHDS) because of differences in collection procedures, population sampled, and definitions. Data from the National Health Interview Survey are published in Series 10 of the *Vital and Health Statistics* reports.

Highlights

During 1981 an estimated 38.5 million inpatients, excluding newborn infants, were discharged from non-Federal short-stay hospitals. These patients used 277.2 million days of care during the year. Their average length of stay was 7.2 days. Approximately 42 percent of the patients were discharged within 4 days of their admission and 6-percent remained in the hospital for 3 weeks or longer. Patients hospitalized during 1981 accounted for 169 discharges and 1,218 days of care per 1,000 civilian population.

Prior to 1981, the rates were based on the civilian non-institutionalized population. Starting in 1981, however, the rates were based on the civilian population. Because the civilian population is larger than the civilian noninstitutionalized population, rates based on the former will be slightly lower than those based on the latter. The change in the type of population used in computing rates was necessary because many institutionalized people use short-stay hospitals. This is especially true for persons in the older age groups because these patients are often admitted from nursing homes.

Selected measures of hospital utilization for 1965, 1970, 1975, 1980, and 1981 are as shown in table A. The number of discharges was approximately 33 percent higher in 1981 than in 1965; however, the discharge rate was only 12 percent higher for the same period. Smaller increases were noted for days of care. Although the number of days of care was 23 percent higher the rate differences were not statistically significant.

Although the rate of discharges and days of care decreased between 1965 and 1970, these differences were not significant. The decrease was due to an underestimate of hospital utilization in 1970 because new hospitals that came into the universe of hospitals were not sampled for NHDS prior to 1972.⁴ More information on updating the universe can be found in appendix I.

[Data for non-Federal short-stay hospitals. Excludes newborn infants]

The percent of patients with surgery was higher in 1980 and 1981 than in 1965–75. This was due primarily to the inclusion of nonsurgical procedures and some obstetrical procedures that were not included before 1978.

Utilization by patient characteristics

The 38.5 million patients discharged from short-stay hospitals during 1981 included an estimated 15.4 million males and 23.2 million females (table 1). The rates per 1,000 population were 140 for males and 197 for females, making the rate for females almost 41 percent higher than the rate for males. The number and rate of discharges are always higher for females than for males because of the large number of women in their childbearing years (15–44 years of age) who are hospitalized for deliveries and other obstetrical conditions. Excluding deliveries, the rate for females discharged was 164, or only about 17 percent higher than the rate for males (table 8).

Except for children under 5 years of age and women in their childbearing years, annual rates of discharges increased consistently with each older age group for both males and females. This pattern of increase also applies to women in their childbearing years if those who were hospitalized only for deliveries are excluded from the rates. Discharge rates for older patients (65 years of age and over) compared with those for younger patients (under 15 years of age) were more than 5 times higher for both sexes.

In 1981, male patients used an estimated 117.8 million days of care in short-stay hospitals, compared with 159.4 million days of care used by females (table 2). The rate of days of care per 1,000 population was 1,072 for males and 1,354 for females, or about 26 percent higher for females than for males. Differences between the rates of days of care for each

Table A. Selected measures of hospital utilization: United States, 1965, 1970, 1971, 1980, and 1981

Measure of utilization	1965	1970	1975	1980	1981
Number of patients discharged in thousands	28,792	29,127	34,043	37,832	38,544
Rate of patients discharged per 1,000 population	150.3	144.3	159.2	167.7	169.3
Number of days of care in thousands	225,011	226,445	262,389	274,508	277,230
Rate of days of care per 1,000 population	1,174.3	1,121.6	1,227.3	1,217.0	1,217.7
Average length of stay in days	7.8	7.8	7.7	7.3	7.2
Percent of patients with surgery	¹ 38.2	¹39.7	¹41.7	52.2	53.4

¹ Figures for 1980 and 1981 should be compared with caution to those of earlier years because data prior to 1979 excludes nonsurgical procedures and the following obstetrical procedures: episiotomy, artificial rupture of membranes, internal version, and outlet and low forceps delivery.

sex were smaller than for discharges mainly because the average length of stay for about 3.9 million women who were hospitalized for deliveries was only 3.7 days. This length of stay compares with an average length of stay of 7.7 days for males and 7.5 days for females who were not hospitalized for deliveries (tables 2 and 6).

The annual number of days of care per 1,000 population increased about 12 times with advancing age from 337 for patients under 15 years of age to 4,155 for patients 65 years of age and over (table 2). The much higher increase in the rate of days of care than of discharges from the youngest to the oldest age group was due to long average lengths of stay for persons 65 years of age and over (10.5 days). The average length of stay is longer for the aged because of the greater severity of illness in this group. This situation is indicated by larger proportions of older than younger patients with incapacitating chronic illness, and the highest proportion of any age group with multiple diagnoses, both of which result in long average lengths of stay and high annual rates of days of care.

The proportion of males (49 percent) and of females (52 percent) who were discharged from short-stay hospitals within 4 days of their admission were approximately equal (table 3). The percent of patients hospitalized fewer than 5 days decreased with each older age group from 74 percent for those under 15 years of age to 30 percent for patients 65 years of age and over. Conversely, the proportion of patients hospitalized for 3 weeks or longer increased from about 3 percent for the youngest age group to 11 percent for those 65 years of age and over. About 7 percent of the males and 5 percent of the females were hospitalized for at least 3 weeks.

Information on the race of patients is collected through the NHDS. Prior to 1981, race was reported as "white," "all other," and "race not stated." In 1981, however, a race was imputed for those patients whose race was not stated on the face sheet of the medical record. A brief description of the methodology used in imputing race is found in the section "Presentation of estimates" in appendix I. In this report, the race classification used is "white," "black," and "all other races."

In 1981, an estimated 32.2 million discharged patients were white, 5.0 million were black, and 1.3 million were all other races. There were some demographic differences between the race groups. The largest difference between white, black, and all other races was in the distribution of discharges by age. White patients were older than black and all other patients as a group and for both sexes (table 4). Twenty-nine percent of the white patients were 65 years of age and over, compared with 15 percent of the black patients and 14 percent of all other patients. That is, the percent of white patients that were 65 years of age and over was about twice those of patients classified as black and as all other races. Although the percents are different, a similar pattern exists in the civilian population. About 12 percent of the white population, 8 percent of the black population, and 6 percent of the population classified as all other races are 65 years of age and over.^a

The number of days of care in 1981 totaled 231.8 million for white patients, 37.5 million for black patients, and 7.9 million for all other patients (table 5). The average lengths of stay were 7.2 days for white patients, 7.5 days for black patients, and 6.1 days for all other patients (table 6).

Utilization by hospital characteristics

Discharges from short-stay hospitals by geographic region in 1981 ranged from 6.4 million in the West Region to 13.2 million in the South Region (table 7). Regional differences in the number of discharges are accounted for mainly by variations in population sizes (see appendix I, table III) and, to a lesser extent, by variations in the discharge rates.

The rates of regional discharges per 1,000 population in 1981 were 146 in the West, 159 in the Northeast, 174 in the South, and 190 in the North Central Regions (table 8). Among the geographic regions, the North Central Region had the highest discharge rate for patients 45 years of age and over. For those under 45 years of age, the differences in the discharge rates were not significantly different from those in the South. However, the *number* of discharges in the South Region was about the same or higher for each age and sex group as compared with the North Central Region, because the population in the South was about a fifth larger than that in the North Central Region.

Both the number and the rate per 1,000 population of days of care were lowest in the West Region. The highest number of days of care was in the South Region for most of the age and sex categories, although the highest rates were primarily in the North Central and the Northeast Regions (tables 7 and 8). The number of days of care for the total population ranged from 38.6 million in the West to 90.1 million in the South Region; the rate per 1,000 population varied from 884 days in the West Region to 1,400 days in the North Central Region.

Average lengths of stay by geographic region were 6.0 days in the West, 6.8 days in the South, 7.4 days in the North Central, and 8.5 days in the Northeast (table 9).

The number of patients discharged from short-stay hospitals and days of care by sex and age of the patients and by geographic region and bed size of the hospitals are as shown in table 7. The percent distributions of these data are shown in table B.

Discharges from short-stay hospitals for patients of all ages were about 40 percent male and 60 percent female in every hospital bed-size group. Females with deliveries accounted for about 10 percent of the discharges regardless of hospital size. However, some variation was found in the distribution of patients by age. Specifically, as the bed size of the hospital increased, the percent of patients who were 65 years of age and over decreased from 31 percent for those in the smallest hospitals to 23 percent for those in the largest hospitals. An overall increase was found in the percent of patients aged 15–44 years from the smallest to the largest hospitals. The percent of patients under 15 and 45–64 years of age showed no significant differences with increasing bed size.

Days of care by sex, age, and bed size of hospital were generally distributed in a fashion similar to discharges (table

^aThe estimates are consistent with those published in the U.S. Bureau of the Census Current Population Reports, Series P-25, Nos. 913 and 917.

Table B. Number and percent distribution of patients and days of care and average length of stay for patients discharged from short-stay hospitals by sex and age of patient, according to bed size of hospital: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

Sex and age	Number	All sizes	6–99 beds	100199 beds	200–299 beds	300–499 beds	500 beds or more
		Nu	mber of pa	tients discha	rged in thous	ands	
All patients discharged	38,544	38,544	6,943	7,016	6,091	9,418	9,076
Sex				Percent	distribution		
Both sexes	38,544	100.0	100.0	100.0	100.0	100.0	100.0
Male	15,379	39.9	39.2	39.6	40.2	41.0	39.4
Female including deliveries	23,165	60.1	60.8	60.4	59.8	59.0	60.6
Female excluding deliveries	19,252	49.9	52.5	50.4	49.8	49.1	48.7
Age							
All ages	38,544	100.0	100.0	100.0	100.0	100.0	100.0
Under 15 years	3,733	9.7	8.7	11.9	9.8	8.7	9.6
15–44 years	15,725	40.8	38.8	40.1	40.0	40.8	43.4
45–64 years	8,677	22.5	21.3	21.3	21.7	23.5	23.9
65 years and over	10,408	27.0	31.1	26.6	28.6	27.0	23.1
			Number o	f days of care	in thousand	s	
All days of care	277,230	277,230	40,911	46,580	43,925	72,175	73,639
Sex				Percent	distribution		
Both sexes	277,230	100.0	100.0	100.0	100.0	100.0	100.0
Male	117,789	42.5	40.0	42.5	42.2	42.9	43.7
Female including deliveries	159,441	57.5	60.0	57.5	57.8	57.1	56.3
Female excluding deliveries	144,926	52.3	55.6	52.3	53.0	52.0	50.3
Age							
All ages	277,230	100.0	100.0	100.0	100.0	100.0	100.0
Under 15 years	17,270	6.2	4.9	7.5	6.3	4.9	7.4
15-44 years	81,379	29.4	28.3	29.1	26.9	29.3	31.5
45-64 years	69,492	25.1	22.7	23.9	23.5	25.8	27.3
65 years and over	109,038	39.3	44.0	39.5	43.3	39.9	33.8
			Averag	e length of s	tay in days		
Total	7.2	7.2	5.9	6.6	7.2	7.7	8.1
Sex							
Male	7.7	7.7	6.0	7.1	7.6	8.0	9.0
Female including deliveries	6.9	6.9	5.8	6.3	7.0	7.4	7.5
Female excluding deliveries	7.5	7.5	6.2	6.9	7.7	8.1	8.4
Age							
Under 15 years	4.6	4.6	3.3	4.2	4.6	4.3	6.2
15–44 years	5.2	5.2	4.3	4.8	4.9	5.5	5.9
45–64 years	8.0	8.0	6.3	7.4	7.8	8.4	9.3
65 years and over	10.5	10.5	8.3	9.9	10.9	11.3	11.9

B). However, a smaller percent of days of care than of discharges was recorded for patients aged 15-44 years. For patients 45 years and over a larger percent of days of care than of discharges was recorded. The differences for those aged 15-44 years were the result of short lengths of stay for females with deliveries. However, for those over 45 years of age the differences were the result of the older patients being hospitalized longer than those under 45 years of age.

The average length of stay for patients discharged from short-stay hospitals in 1981 increased steadily from 5.9 days in the smallest hospitals (6-99 beds) to 8.1 days in the largest hospitals (500 beds or more) (table B). The average length of

stay was slightly longer for males than for females in all hospitals; however, when females who were hospitalized for deliveries are excluded, the average lengths of stay for both sexes were virtually the same except for patients under 15 years of age. The average length of stay increased as the age of the patients increased regardless of the size of the hospital.

Some exceptions to these patterns in the average length of stay existed among regions as shown in table 10. For example, the average length of stay did not increase with increasing bed size for female patients 15-44 years of age in the Northeast Region.

Approximately 7 out of 10 patients in non-Federal short-

stay hospitals were discharged from voluntary nonprofit hospitals operated by church and other nonprofit groups during every year the NHDS was conducted. In 1981, voluntary nonprofit hospitals provided medical care to an estimated 27.2 million patients, or 71 percent of all patients hospitalized. Hospitals operated by State and local governments cared for 8.3 million patients, or 22 percent of all discharges, and proprietary hospitals operated for profit cared for 3.0 million patients, or 8 percent of all discharges (table 11).

The estimated 277.2 million days of care utilized by patients in short-stay hospitals during 1981 were distributed by ownership of hospitals in the following manner: voluntary nonprofit, 200.2 million days, or 72 percent; government, 54.6 million days, or 20 percent; and proprietary, 22.4 million days, or 8 percent. Average lengths of stay were 7.4 days in voluntary nonprofit hospitals, 6.6 days in government hospitals, and 7.4 days in proprietary hospitals (table 12).

Utilization by diagnosis

First-listed diagnosis—Diseases of the circulatory system ranked first in 1981 among the ICD-9-CM diagnostic classes as a principal or first-listed diagnosis among patients discharged from non-Federal short-stay hospitals (table 13). These conditions accounted for an estimated 5.3 million discharges. Other

leading ICD-9-CM diagnostic classes were diseases of the digestive system (4.7 million discharges); supplementary classifications, which include females with deliveries (4.6 million discharges); injury and poisoning (3.6 million discharges); diseases of the genitourinary system (3.5 million discharges); and diseases of the respiratory system (3.5 million discharges). About two-thirds of the patients discharged from non-Federal short-stay hospitals were included in these six ICD-9-CM diagnostic classes.

The diagnostic categories presented in this summary report were selected either because they appear as principal or first-listed diagnoses with great frequency or because the conditions are of special interest. Although many of these categories such as malignant neoplasms, heart disease, psychoses, and fractures all sites are combinations of more detailed diagnoses, they are presented as single categories without showing the specific diagnostic inclusions.

The number and rate of discharges, days of care, and average length of stay by selected first-listed diagnoses in 1981, including females with deliveries, are presented in table C. These categories accounted for 48 percent of all patients discharged during 1981 and include the most frequent first-listed diagnoses for each sex, age, race, region, and bed-size group. The most common first-listed diagnosis for most of these groups, as well as for all patients, was females with deliveries.

Table C. Number and rate of patients and days of care for patients discharged from short-stay hospitals and average length of stay, by selected first-listed diagnostic categories: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Diagnostic groupings and code number inclusions are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*]

	Discharge	ed patients	Days	Average	
Normal deliveries	Number in thousands	Rate per 1,000 population	Number in thousands	Rate per 1,000 population	length of stay in days
All conditions ¹	38,544	169.3	277,230	1,217.7	7.2
Females with deliveries	3,913	17.2	14,515	63.8	3.7
Normal deliveries ²	1,818	8.0	5,346	23.5	2.9
Complicated deliveries ²	2,095	9.2	9,169	40.3	4.4
Heart disease 391–392.0, 393–398, 402, 404, 410–416, 420–429	3,339	14.7	30,926	135.8	9.3
Acute myocardial infarction	465	2.0	5,548	24.4	11.9
Atherosclerotic heart disease	554	2.4	5,329	23.4	9.6
Other ischemic heart disease	841	3.7	6,125	26.9	7.3
Cardiac dysrhythmias	439	1.9	3,376	14.8	7.7
Malignant neoplasms	1,949	8.6	22,765	100.0	11.7
Fractures, all sites	1,138	5.0	12.082	53.1	10.6
Cerebrovascular disease	806	3.5	10,014	44.0	12.4
Pneumonia, all forms	769	3.4	6.597	29.0	8.6
Diabetes mellitus	655	2.9	6,369	28.0	9.7
Benign neoplasms, carcinoma-in-situ, and neoplasms of uncertain					
behavior	634	2.8	3,848	16.9	6.1
Noninfectious enteritis and colitis	597	2.6	3,229	14.2	5.4
Psychoses	569	2.5	8,923	39.2	15.7
Arthropathies and related disorders710-719	568	2.5	5,162	22.7	9.1
All abortions, including ectopic and molar pregnancies 630–639	516	2.3	1,122	4.9	2.2
Cataract	506	2.2	1,691	7.4	3.3
Cholelithiasis574	482	2.1	4,609	20.2	9.6
Inguinal hernia	481	2.1	2,191	9.6	4.6
Chronic disease of tonsils and adenoids474	449	2.0	832	3.7	1.9
Alcohol dependence syndrome	446	2.0	4,655	20.4	10.4
Diseases of the central nervous system	432	1.9	4,614	20.3	10.7
Asthma	418	1.8	2,417	10.6	5.8

¹Includes data for diagnostic conditions not shown in table.

¹See appendix for definition.

Excluding this category, the two most frequent first-listed diagnoses were heart disease and malignant neoplasms for all groups except patients under 45 years of age and patients in the smallest hospitals (6–99 beds).

For patients under 15 years of age, the most frequent first-listed diagnosis was chronic disease of tonsils and adenoids. Some other frequent diagnoses for these patients were pneumonia, all forms, diseases of the ear and mastoid process, and noninfectious enteritis and colitis.

Excluding females with deliveries, the two most frequent first-listed diagnoses for patients 15-44 years of age were all abortions, including ectopic and molar pregnancies, and fractures, all sites.

The most frequent first-listed diagnosis, besides deliveries, for patients other than white was heart disease. Other common diagnoses for this group included malignant neoplasms, all abortions, including ectopic and molar pregnancies, diabetes mellitus, and fractures, all sites.

For hospitals with 6-99 beds, the most common first-listed diagnosis was heart disease, followed by females with deliveries. Other frequent diagnoses in these hospitals were pneumonia, all forms, and fractures, all sites.

The number and rate of patients discharged from short-stay hospitals and average length of stay, by ICD-9-CM diagnostic classes and selected categories, are presented by age for 1981 in table 13. Although the estimated rates of discharge from short-stay hospitals generally increased as the age of the patients increased, especially for patients 15 years of age and over, some decreases were observed. For example, decreases in rates between the two oldest age groups (45-64 years and 65 years and over) occurred for the categories of alcohol dependence syndrome, calculus of kidney and ureter, intervertebral disc disorders, and sprains and strains of back (including neck). Moreover, the rates generally decreased with increasing age for the categories of chronic disease of tonsils and adenoids and disorders of menstruation and other abnormal bleeding.

The average length of stay increased with increasing age, especially for patients 15 years of age and over, for most classes and categories of diagnoses. Overall, it tended to be higher for mental disorders (especially psychoses), cerebrovascular disease, and malignant neoplasms. Other average lengths of stay over 10 days were for diseases of the central nervous system and acute myocardial infarction for patients 45 years and over, and fractures all sites for patients 65 years and over. Short average lengths of stay occurred for patients under 45 years with a first-listed diagnosis of chronic disease of tonsils and adenoids and for patients 15–44 years who are admitted for abortions, including ectopic and molar pregnancies, and sterilization.

Data on discharges and average length of stay for patients discharged from short-stay hospitals by sex and race are presented by diagnostic classes and selected categories of first listed diagnosis in table 14. Discharge rates were computed for sex but not for race. Discharge rates by race, however, may be computed using population information found in appendix I.

Rates of discharges per 10,000 population were very similar for the two sexes for most of the diagnostic classes and categories shown. However, males had significantly higher rates than females for the categories of alcohol dependence syndrome, acute myocardial infarction, other ischemic heart disease, inguinal hernia, calculus of kidney and ureter, intracranial injuries (excluding those with skull fracture), and lacerations and open wounds. For females, higher rates occurred for the categories of benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior, diabetes mellitus, essential hypertension, noninfectious enteritis and colitis, cholelithiasis, arthropathies and related disorders, and persons admitted for sterilization.

Eighty-four percent of all the patients discharged were white and 16 percent were all other races (including black); however, the racial distribution of patients for some diagnostic categories was significantly different from that of all patients. For example, the percents were higher for white patients who were discharged with a first-listed diagnosis of heart disease (90 percent) and lower for those with a diagnosis of abortion, including molar and ectopic pregnancy, and delivery (66 and 77 percent).

Information on patients discharged from short-stay hospitals by geographic region are as shown in table 15. In 1981, the number of discharges per 1,000 population ranged from 146 in the West Region to 190 in the North Central Region. The diagnostic categories for which variations in the rates were the largest were malignant neoplasms, alcohol dependence syndrome, heart disease, and females with deliveries.

During 1981, the number of patients discharged from short-stay hospitals and the average length of stay are shown by bed size of hospital and diagnostic category in table 16. Females with deliveries ranked as the highest category for first-listed diagnosis in hospitals of all bed sizes except the smallest. In hospitals of 6–99 beds, the highest ranking diagnostic category was that of heart disease.

The proportions of some diagnostic conditions treated in hospitals varied according to the size of the hospital. Greater proportions of patients were treated in the smallest hospitals (6–99 beds) for diseases of the respiratory system (table D). On the other hand, greater proportions of discharges were from the largest hospitals (500 beds or more) for neoplasms, complications of pregnancy, childbirth and the puerperium, congenital anomalies, certain conditions originating in the perinatal period, and supplemental classifications.

For the most part, the average length of stay for the diagnostic classes and categories followed the same patterns as the overall average lengths of stay for each region and bed size of hospital. That is, short hospital stays were more common in the West; long stays occurred more frequently in the Northeast Region. Similarly, the average length of stay generally increased as the size of the hospital increased. An exception to this occurred for the diagnostic category alcohol dependence syndrome. For this diagnosis, the longest average lengths of stay were in hospitals with 100–199 beds (15.5 days) and 200–299 beds (13.6 days).

All-listed diagnoses—An estimated 94.4 million diagnoses

Table D. Percent distribution of patients discharged from short-stay hospitals by bed size of hospital, according to diagnostic class: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Diagnostic groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

Diagnostic class and ICD-9-CM code	All sizes	6–99 beds	100–199 beds	200–299 beds	300499 beds	500 beds or more
			Perce	nt distribution	า	
All conditions	100.0	18.0	18.2	15.8	24.4	23.5
1. Infectious and parasitic diseases001–139	100.0	18.9	21.6	15.2	23.2	21.1
2. Neoplasms	100.0	9.4	14.0	15.5	27.2	34.0
3. Endocrine, nutritional, and metabolic diseases, and immunity						
disorders240-279	100.0	20.4	18.2	15.9	24.1	21.4
4. Diseases of the blood and blood-forming organs 280-289	100.0	19.6	16.9	15.4	26.2	22.0
5. Mental disorders	100.0	20.9	16.7	12.4	27.4	22.6
6. Diseases of the nervous system and sense organs320–389	100.0	11.2	18.8	16.4	27.4	26.2
7. Diseases of the circulatory system	100.0	19.2	17.2	17.4	24.3	22.0
8. Diseases of the respiratory system	100.0	25.4	20.0	15.8	21.4	17.4
9. Diseases of the digestive system	100.0	21.6	19.2	15.8	24.0	19.4
10. Diseases of the genitourinary system	100.0	16.4	21.0	15.7	24.4	22.5
11. Complications of pregnancy, childbirth, and the puerperium ¹ 630–676	100.0	13.9	18.2	13.7	23.6	30.6
12. Diseases of the skin and subcutaneous tissue	100.0	21.2	17.7	13.0	24.7	23.3
13. Diseases of the musculoskeletal system and connective tissue 710–739	100.0	16.7	17.5	16.0	25.6	24.2
14. Congenital anomalies	100.0	9.2	18.0	14.2	21.1	37.5
15. Certain conditions originating in the perinatal period	100.0	7.6	16.4	17.7	20.3	38.1
16. Symptoms, signs, and ill-defined conditions	100.0	20.7	17.4	16.6	23.2	22.2
17. Injury and poisoning	100.0	19.4	18.1	16.6	24.4	21.5
Supplementary classifications	100.0	14.9	18.0	15.4	23.7	28.0

¹Females with deliveries are included under "Supplementary classifications."

were recorded for the 38.5 million inpatients of non-Federal short-stay hospitals in 1981 (table 17) for an average of 2.4 diagnoses per discharged patient. The average number of diagnoses per discharge increased from years prior to 1979 because of changes that were made in the way data are tabulated. Starting in 1979, up to seven diagnoses per discharge are now coded and tabulated on the NHDS data file; prior to that time, up to five diagnoses were coded. In addition, the ICD-9-CM, which is the classification scheme used for coding medical data since 1979, has inherent in it a certain amount of "double coding"; the classification used prior to 1979 does not. For example, females with deliveries all receive one additional diagnostic code that indicates the outcome of their delivery (single liveborn; twins, both liveborn; and so forth), however, this was not the case prior to 1979.

The average number of diagnoses per discharge varied only slightly by sex and race of the patient and by region and bed size of the hospital. For each of these categories, the average was 2.3-2.5 diagnoses per patient. A larger variation occurred by age. The average number of diagnoses per discharge for the age groups under 15 years, 15-44 years, 45-64 years, and 65 years and over was 1.7, 2.0, 2.6, and 3.1, respectively.

Diseases of the circulatory system ranked first among the ICD-9-CM diagnostic classes for all-listed diagnoses, with 17.4 million diagnoses. This class was followed by diseases of the digestive system (8.9 million); supplementary classifications (7.8 million); diseases of the genitourinary system (7.7 million); diseases of the respiratory system (6.8 million); and injury and poisoning (6.5 million). These six ICD-9-CM classes accounted for almost 60 percent of all-listed diagnoses in 1981.

Utilization by procedures

One or more procedures were performed for an estimated 20.6 million of the 38.5 million inpatients discharged from short-stay hospitals during 1981. A total of 33.6 million procedures, or an average of 1.6 per patient who underwent at least one procedure, were recorded in 1981 (table 18).

These figures are higher than those reported prior to 1979 because changes were made in the tabulation and coding of data for the NHDS that resulted in the reporting of a greater number of procedures. Beginning in 1979 more procedures, in terms of both number per patient and type of procedure, were coded. Specifically, starting in 1979 up to four procedures, instead of only three, were coded for each discharge. Furthermore, only figures for "surgical" operations were published in the past. However, since 1979 the total number includes many additional nonsurgical procedures. (See appendix I under the section entitled "Medical coding and edit" and appendix II under the section entitled "Terms relating to procedures" for more information on the differences between coding the ICDA and the ICD-9-CM.)

The number and percent of patients with surgical and nonsurgical procedures in 1981 and the number and percent of patients with at least one surgical procedure are as shown in table E. About 53 percent of the patients discharged had some procedure, including diagnostic and nonsurgical procedures. Some variations in the proportions, however, occurred by age and sex of the patient, geographic region, and bed size of the hospital. Patients 15–44 years of age had the highest proportion of all the age groups with procedures (63 percent). Women had more procedures than men (56 percent compared with 49

Table E. Number of patients discharged from short-stay hospitals with and without procedures and percent with procedures, by age, sex, and race of patient and geographic region and bed size of hospital: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

	4.0	5	Patients with procedures					
	All discharged patients	Patients without procedures	All patients	Patients with surgical procedures ¹	All patients	Patients with surgical procedures ¹		
		Number in	thousands		F	ercent		
All patients	38,544	17,975	20,569	17,441	53.4	45.2		
Age								
Under 15 years	3,733 15,725 8,677	2,099 5,859 4,090	1,634 9,866 4,588	1,394 8,908 3,655	43.8 62.7 52.9	37.4 56.7 42.1		
65 years and over	10,408	5,928	4,480	3,483	43.0	33.5		
Sex								
Male Female	15,379 23,165	7,813 10,162	7,566 13,003	6,089 11,352	49.2 56.1	39.6 49.0		
Race								
White	32,242 5,004 1,298	15,035 2,389 552	17,207 2,617 746	14,584 2,208 649	53.4 52.3 57.5	45.2 44.1 50.0		
Geographic region								
Northeast North Central South West	7,822 11;132 13,202 6,388	3,383 5,145 6,667 2,780	4,439 5,987 6,535 3,608	3,638 5,103 5,542 3,158	56.7 53.8 49.5 56.5	46.5 45.8 42.0 49.4		
Bed size of hospital								
6-99 beds. 100-199 beds 200-299 beds 300-499 beds 500 beds or more	6,943 7,016 6,091 9,418 9,076	4,508 3,353 2,797 4,047 3,269	2,434 3,662 3,294 5,371 5,807	2,142 3,095 2,807 4,556 4,841	35.1 52.2 54.1 57.0 64.0	30.9 44.1 46.1 48.4 53.3		

¹Excludes nonsurgical procedures.

percent), primarily because of those relating to childbirth. The proportion of patients with one or more procedures increased with the size of the hospital, from 35 percent in hospitals with 6–99 beds to almost 64 percent in hospitals with 500 beds or more.

Six out of 10 patients (58 percent) with procedures had only one operation or nonsurgical procedure during their hospitalization (table F). About 26 percent of the patients had two procedures, about 9 percent had three, and about 6 percent had four or more. By age, patients under 15 years of age had the lowest proportion of multiple procedures (32 percent) and those 45–64 and 65 years of age and over had the largest proportion (48 and 49 percent, respectively). About 36 percent of the patients discharged from the smallest hospitals had more than one procedure; about 40 percent of the patients discharged from hospitals of all other sizes had two or more procedures during their hospitalization.

The percent of patients with surgical procedures (i.e., all procedures except nonsurgical—see appendix II) by number of procedures are as shown in table F. About two-thirds (66 percent) of the patients with surgical procedures had only one, 24 percent had two, and 10 percent had three or more.

Procedures are grouped in the detailed tables of this report by the 16 major ICD-9-CM groups. Selected procedures within these groups are presented by specific categories within the detailed tables as well as in the text tables. Some of these categories such as repair of inguinal hernia, prostatectomy, and hysterectomy are presented as single categories although they may be divided into more precise subgroups.

Operations on the digestive system ranked first among the surgical and nonsurgical procedures (5.6 million) performed during 1981. These were followed by miscellaneous diagnostic and therapeutic procedures (4.8 million), operations on the female genital organs (4.2 million), obstetrical procedures (3.9 million), and operations on the musculoskeletal system (3.4 million). Over three-fifths (65 percent) of the procedures performed in 1981 were included in these five major groups.

The number and rate of all-listed procedures in 1981 by selected ICD-9-CM categories are shown in table G. The categories presented in this table include procedures that were performed frequently during the year. Many of the procedures included in this table are diagnostic and nonsurgical procedures that have been unpublished by the NHDS prior to 1979 such as endoscopy on the digestive system, cystoscopy and urethros-

Table F. Percent distribution of patients discharged from short-stay hospitals by number of procedures, according to age, sex, and race of patient and geographic region and bed size of hospital: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

Characteristic	All discharged patients with procedures	1 procedure	2 procedures	3 procedures	4 procedures or more ¹
		Po	ercent distribut	ion	
All patients	100.0	58.1	26.3	9.5	6.1
Age					
Under 15 years	100.0	67.6	24.0	5.6	2.8
15–44 years	100.0	62.7	24.7	8.2	4.4
45-64 years	100.0	51.7	28.2	11.7	8.4
65 years and over	100.0	51.0	29.0	11.3	8.6
Sex					
Male	100.0	56.5	26.7	9.6	7.1
Female	100.0	59.0	26.1	9.4	5.5
Race					
White	100.0	57.5	26.7	9.7	6.2
Black	100.0	60.7	24.4	8.8	6.1
All other	100.0	62.9	25.0	7.5	4.5
Geographic region					
Northeast	100.0	59.6	25.3	8.8	6.2
North Central	100.0	56.4	26.5	10.2	6.9
South	100.0	57.7	26.7	9.8	5.9
West	100.0	60.0	26.8	8.4	4.9
Bed size of hospital					
6-99 beds	100.0	63.7	23.3	8.0	5.0
100–199 beds	100.0	58.6	25.2	9.4	5.8
200–299 beds	100.0	57.3	27.2	9.6	5.8
300–499 beds	100.0	58.2	27.1	9.1	5.6
500 beds or more	100.0	55.8	26.5	10.3	7.3
Patients with surgical procedures ²	100.0				
. accounts which surgical procedures	100.0	66.0	24.0	7.1	2.9

¹A maximum of four procedures was coded for each patient discharged.

²Excludes nonsurgical procedures.

copy, arteriography and angiocardiography using contrast material, and radioisotope scan. Over one-half million of each of these procedures were performed during 1981.

Data for the more traditional leading surgical operations are as shown in table G. Some of the most frequently performed surgeries, of which 500,000 or more were performed in 1981, included diagnostic dilation and curettage of uterus, excision or destruction of lesion or tissue of skin or subcutaneous tissue, hysterectomy, bilateral destruction or occlusion of fallopian tubes, cesarean section, and repair of inguinal hernia.

The estimated 33.6 million procedures performed in 1981 are presented for the ICD-9-CM major groups and selected categories, by sex and race, and for persons 15 years of age and over in table 18. The corresponding rates by sex and for the age group 15 years of age and over are as shown in table 19.

Of the 33.6 million procedures performed during 1981, about 12.7 million were for males and 21.0 million were for females. The corresponding rates per 1,000 population were 148 for both sexes, 115 for males, and 178 for females. Of

the procedures shown in table 18, the most common ones for males were repair of inguinal hernia and prostatectomy. For females, the most frequently performed procedures were diagnostic dilation and curettage of uterus, hysterectomy, bilateral destruction or occlusion of fallopian tubes, and cesarean section.

Generally, the percent distribution of total procedures for white patients was similar to that for all other patients (including black patients). However, all other patients had larger proportions than white patients for operations on the female genital organs and obstetrical procedures.

The rate of procedures per 1,000 population increased with advancing age from 46 for patients under 15 years to 303 for patients 65 years of age and over (table H). Except for females 15-44 years of age, the rates for both sexes also increased as age increased. The rate for females 15-44 years of age was higher than that for females 45-64 years of age because of the large number of females 15-44 years of age operated on for obstetrical and gynecological conditions.

The number of procedures for patients discharged from short-stay hospitals by procedure category and geographic re-

Table G. Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by selected procedure categories: United States, 1981

[Discharges from non-Federal hospitals. Excludes newborn infants. Procedure groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

Procedure category and ICD-9-CM code	Number in thousands	Rate per 100,000 population	
All procedures	33,635	14,774.4	
Surgical procedures ¹	25,624 8,011	11,255.6 3,518.9	
Procedures to assist delivery	2,501	1,098.7	
$Endoscopy of the digestive system . \dots . 42.21 - 42.23, 44.11 - 44.13, 45.11 - 45.13, 45.21 - 45.24, 48.21 - 48.22, 51.11, 54.21$	1,453	638.3	
Biopsy ¹	1,412	620.4	
Endoscopy of the urinary system through natural orifice	856	376.1	
Diagnostic dilation and curettage of uterus	833	366.1	
Excision or destruction of lesion or tissue of skin or subcutaneous tissue	725	318.4	
Cesarean section	702	308.2	
Hysterectomy	673	295.9	
Arteriography and angiocardiography by using contrast material	669	293.7	
Bilateral destruction or occlusion of fallopian tubes	647	284.2	
Radioisotope scan	587	257.6	
Extraction of lens	540	237.4	
Repair of inguinal hernia	517	227.1	
Cholecystectomy	482	211.6	
Oophorectomy and salpingo-oophorectomy	480	210.8	
Pyelogram	465	204.2	
Tonsillectomy with or without adenoidectomy	457	200.6	
Repair of current obstetric laceration	439	192.7	
Arthroplasty of joints	431	189.2	
Diagnostic ultrasound	426	187.2	
Computerized axial tomography (C.A.T. scan)	424	186.3	
Cardiac catheterization	414	181.7	
Operations on muscles, tendons, fascia, and bursa	408	179.3	
Open reduction of fracture	359	157.6	
Prostatectomy	348	152.9	
Contrast myelogram	328	144.0	
Appendectomy, excluding incidental	312	137.0	
Insertion of prosthetic lens (pseudophakos)	297	130.4	
Dilation and curettage of uterus after delivery or abortion	295	129.6	

¹See appendix II for ICD-9-CM codes in this category.

Table H. Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by sex and age of patient: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

Age	Both sexes	Male	Female			
	Number of procedures in thousands					
All ages	33,635	12,658	20,978			
Under 15 years	2,348 15,217 8,111 7,959	1,368 3,785 3,679 3,826	980 11,433 4,432 4,133			
	Rate pe	r 1,000 po	pulation			
All ages	147.7	115.2	178.2			
Under 15 years	45.8 143.9 182.5 303.2	52.5 72.7 174.2 362.3	39.1 212.9 190.1 263.4			

gion is presented in table 20 and the corresponding rates are shown in table 21. The rate of procedures per 1,000 population was lowest in the West Region (131) and highest in the North Central Region (171). Rates were highest in all regions for operations on the digestive system, operations on the female genital organs, obstetrical procedures, operations on the musculoskeletal system, and miscellaneous diagnostic and therapeutic procedures.

The number of procedures patients underwent in short-stay hospitals during 1981 for each ICD-9-CM category by bed size of hospital where the procedure was performed are as shown in table 22. Except for the largest hospitals, operations on the digestive system were observed to rank highest of all-listed procedures for all hospital bed-size groups and operations on the female genital organs ranked next. The most common procedures for hospitals of 500 beds or more were miscellaneous diagnostic and therapeutic procedures, followed by operations on the digestive system and operations on the female genital organs.

Table J. Percent distribution of all-listed procedures for patients discharged from short-stay hospitals by bed size of hospital, according to procedure category: United States, 1981

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Procedure groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

Procedure category and ICD-9-CM code	All sizes	6–99 beds	100–199 beds	200–299 beds	300–499 beds	500 beds or more
			Percei	nt distribution	1	
All procedures	100.0	11.2	17.7	16.1	25.9	29.2
Operations on the nervous system01-05	100.0	7.0	17.2	14.5	24.8	36.5
Operations on the endocrine system	100.0	6.7	13.5	15.4	30.8	32.7
Operations on the eye	100.0	8.9	19.4	16.1	30.1	25.6
Operations on the ear	100.0	5.0	19.8	19.8	28.5	26.9
Operations on the nose, mouth, and pharynx	100.0	13.7	18.8	17.4	27.1	23.0
Operations on the respiratory system	100.0	5.7	13.8	16.6	28.1	35.7
Operations on the cardiovascular system	100.0	2.8	9.5	17.4	29.0	41.4
Operations on the hemic and lymphatic system	100.0	6.7	13.1	13.1	30.0	37.0
Operations on the digestive system	100.0	13.0	19.1	17.3	25.2	25.5
Operations on the urinary system55–59	100.0	9.8	19.3	16.8	28.0	26.1
Operations on the male genital organs	100.0	11.6	20.9	16.8	26.6	24.1
Operations on the female genital organs	100.0	13.6	20.7	15.3	23.4	26.9
Obstetrical procedures72-75	100.0	13.1	16.8	14.3	24.9	30.9
Operations on the musculoskeletal system	100.0	14.0	17.1	17.2	26.0	25.7
Operations on the integumentary system85–86	100.0	17.3	16.6	15.6	24.8	25.7
Miscellaneous diagnostic and therapeutic procedures	100.0	6.4	16.7	14.9	25.7	36.4

The percent distributions of the major groups of procedures by bed size of hospital are as shown in table J. Hospitals with 300 beds or more treated an estimated 48 percent of the patients hospitalized during 1981, but they performed about 55 percent of the operations. Procedures for which large percents

were performed in hospitals with 300 beds or more were operations on the cardiovascular system (70 percent), on the hemic and lymphatic system (67 percent), on the respiratory system (64 percent), and on the endocrine system (64 percent).

Deaths in short-stay hospitals

In 1981, 95.7 percent of patients, excluding new-born infants, who were discharged from short-stay hospitals were discharged alive, 2.5 percent were discharged dead, and for 1.7 percent a discharge status was not ascribed. Of the estimated 982,000 patients who died, 50.9 percent were male and 49.1 percent were female (table K). As expected, patients 65 years and over accounted for the majority of hospital deaths, 69.4 percent. Patients under 65 years of age accounted for 30.6 percent of the deaths. The 982,000 who were discharged dead from these hospitals represented about one-half of all persons who died during 1981.5

The hospital fatality rate is the number of deaths divided by the number of total discharges multiplied by 100. This is a conservative rate since the formula assumes that all those patients whose discharge status was not stated were discharged alive. A fatality rate of 2.5 has been computed for patients in 1981. The rate for males was higher than that for females—3.3 for males as compared with 2.1 for females.

The 65 years and over age group had a hospital fatality rate of 6.5; however, patients under 65 years of age had a fatality rate of 1.1. The fatality rates for males and females did not vary significantly from each other in each of the age groupings.

The estimated number of hospital deaths and hospital fatality rates for patients under 65 years of age and for those 65 years and over are shown for selected conditions in table L. These data are not synonymous with data for underlying cause of death as reported in *Vital Statistics in the Untied States*. Of the estimated 982,000 deaths in short-stay hospitals, 74 percent are accounted for by the diagnostic groupings

shown in table L. Of these, heart disease and malignant neoplasms accounted for about one-half (515,000) of all deaths in short-stay hospitals.

For specific diagnoses, the highest fatality rates were for acute myocardial infarction with a rate of 16.1 per 100 discharges and cardiac dysrhythmias with a rate of 15.9 per hundred discharges. Other high fatality rates were for nephritis, nephrotic syndrome and nephrosis with a rate of 13.6 per hundred discharges, malignant neoplasms (12.6 per hundred discharges), and congestive heart failure (11.3 per hundred discharges).

The fatality rate for patients 65 years and over was about 6 times as high as that for patients under 65 years of age. The rates for patients 65 years and over were 7 times as high for pneumonia, all forms; and 4 times as high for chronic ischemic heart disease.

The average length of stay for patients discharged from short-stay hospitals, by discharge status and sex, is shown in table M. The average stay for all patients discharged was 7.2 days. Patients discharged alive had an average stay of 7.0 days, compared with an average stay of 13.4 days for patients who died in the hospital.

Patients under 65 years of age, discharged alive, stayed an average of 5.9 days; however, those who died had an average stay of 13.4 days. The hospital stay for patients 15–44 years of age who died was 2.7 times as long as for those who were discharged alive (13.6 and 5.1). The difference in length of stay was much smaller for patients 65 years and over—10.3 days for those discharged alive and 13.4 days for those who died.

Table K. Number of deaths and fatality rate of patients discharged from short-stay hospitals, by sex and age: United States, 1981 [Deaths in non-Federal short-stay hospitals. Excludes newborn infants]

Age	Both sexes	Male	Female	Both sexes	Male	Female
	Number	in thous	ands	Rate per	100 disc	harges
All ages	982	500	482	2.5	3.3	2.1
All ages excluding obstetric conditions	981	500	481	2.9	3.3	2.6
Under 65 years. Under 15 years. Under 15 years. Under 15 years.	301 33	156 17	145 16	1.1 0.9	1.4 0.8	0.8 1.0
15–44 years	57	31	26	0.4	0.7	0.2
45–64 years	211 681	107 344	104 337	2.4 6.5	2.6 7.6	2.3 5.7

Table L. Number of deaths and fatality rate of patients discharged from short-stay hospitals, by age and selected first-listed diagnosis: United States, 1981

[Deaths in non-Federal short-stay hospitals. Excludes newborn infants. Diagnostic groupings and code number inclusions are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*]

Diagnostic category and ICD-9-CM code	All ages	Under 65 years	65 years and over	All ages	Under 65 years	65 years and over	
		Number in thousands			Rater per 100 discharges		
All deaths	982	301	681	2.5	1.1	6.5	
Malignant neoplasms	245	103	142	12.6	10.7	14.5	
Heart disease 391-392.0, 393-398, 402, 404, 410-416, 420-429	270	57	213	8.1	4.0	11.1	
Acute myocardial infarction	75	15	60	16.1	7.1	23.3	
Chronic ischemic heart disease	47	*8	38	3.3	*1.2	5.3	
Cardiac dysrhythmias	70	19	51	15.9	10.6	19.4	
Congestive heart failure428.0	48	*8	40	11.3	*10.0	11.6	
Cerebrovascular disease	89	20	68	11.0	9.6	11.5	
Pneumonia, all forms	52	*9	43	6.7	*1.9	14.1	
Chronic liver disease and cirrhosis	12	*6	*5	10.2	*7.5	*18.1	
Nephritis, nephrotic syndrome and nephrosis 580–589	20	*6	14	13.6	*6.7	24.6	
Injury and poisoning	43	22	21	1.2	0.8	3.0	

Table M. Average length of stay of patients discharged from short-stay hospitals, by discharge status, age, and sex: United States, 1981

[Deaths in non-Federal short-stay hospitals. Excludes newborn infants]

	Discharge status							
ges excluding obstetric conditions			Dead					
	Both sexes	Male	Female	Both sexes	Male	Female		
	Average length of stay in days							
All ages	7.0	7.5	6.7	13.4	13.3	13.5		
All ages excluding obstetric conditions	7.5	7.5	7.4	13.4	13.3	13.5		
Under 65 years	5.9	6.5	5.5	13.4	12.9	14.0		
	4.6	4.5	4.7	10.4	13.2	7.4		
	5.1	6.3	4.7	13.6	13.8	13.5		
45-64 years	7.9	7.7	8.0	13.9	12.7	15.1		
65 years and over	10.3	10.0	10.5	13.4	13.5	13.3		

Newborn infant discharges

The number, percent distribution, and average length of stay of newborn infants discharged from short-stay hospitals, by sex, geographic region, and race are as shown in table N. The estimated 3.8 million newborn infants were equally divided between the sexes.

Seventy-eight percent (3.0 million) of the 3.8 million newborn infants were white and 17 percent (0.7 million) were black. The remaining 5 percent (0.2 million) were of all other races. The average length of stay for white infants was about 1.1 days less than that for black infants (3.7 days and 4.8 days, respectively). The average length of stay for infants of all other races was 4.1 days.

About 34 percent (1.3 million) of newborn discharges were from the South Region and approximately 27 percent (1.0 million) were from the North Central Region. The percents of discharges for the West and Northeast were approximately the same: twenty percent (0.8 million) for the West and 19 percent (0.7 million) for the Northeast. The average length of stay

Table N. Number, percent distribution, and average length of stay for newborn infants discharged from non-Federal short-stay hospitals, by sex, race, and geographic region: United States, 1981

Sex, race, and region	Number of discharges in thousands	Percent distribution	Average length of stay in days
All newborn infants	3,841	100.0	3.9
Sex			
Male	1,987 1,854	51.7 48.3	4.0 3.9
Race			
White	2,996 661 185	78.0 17.2 4.8	3.7 4.8 4.1
Region			
Northeast North Central South West	732 1,032 1,303 775	19.1 26.9 33.9 20.2	4.9 4.2 3.8 3.0

was longest in the Northeast (4.9 days) and shortest in the West (3.0 days). The average length of stay was 4.2 days in the North Central Region and 3.8 days in the South Region. Approximately three quarters of the 3.8 million newborn infants discharged from short-stay hospitals were "well." A "well" infant is defined as one that does not have an illness or risk-related diagnosis (table O).

The estimated 1.0 million sick infants (27 percent) had at least one diagnosis in addition to the newborn diagnosis. Some of these additional diagnoses are as shown in table P. About 0.5 million (31 percent) of the diagnoses were for jaundice. This was followed by prematurity and respiratory conditions with 0.2 million (11 percent) each and congential anomalies with 0.1 million (9 percent). Males accounted for 59 percent of the infants with respiratory conditions, 55 percent with congenital anomalies and prematurity, and 53 percent with jaundice. Of the 1.0 million sick newborn infants, there were 18 percent more baby boys than baby girls; the boys also had 21 percent more diagnoses than the girls did.

Well newborn infants had an average hospital stay of 3.2 days and there was no difference in the length of stay by sex (table P). This table further demonstrates that sick newborn infants stay twice as long as well infants and account for 41 percent of the newborn patient days, although they compose only 27 percent of newborn infants.

Table O. Number and average length of stay of newborn infants discharged from non-Federal short-stay hospitals, by sex and health status: United States, 1981

Health status	Both sexes	Male	Female	
	Number in thousands			
All newborn infants	3,841	1,987	1,854	
Well newborn infants	2,797 1,044	1,422 565	1,375 479	
	Average len	gth of sta	y in days	
All newborn infants	3.9	4.0	3.9	
Well newborn infants	3.2 5.9	3.2 6.0	2.2 5.9	

Table P. Number of all-listed diagnoses for sick newborn infants discharged from short-stay hospitals, by selected diagnostic categories and sex: United States, 1981

[All-listed diagnoses in non-Federal short-stay hospitals. Diagnostic groupings and code number inclusions are based on the *International Classification of Diseases, 9th Revision, Clinical Modification*]

Diagnostic category and ICD-9-CM code	Both sexes	Male	Female
	Number	in thous	ands
Sick newborn infant diagnoses ¹	1,577	862	712
Congenital anomalies740–759	139	76	62
Disorders relating to short gestation and unspecified low birthweight (prematurity)	180	99	82
Respiratory distress syndrome and other respiratory conditions of fetus and newborn	180	107	73
Hemolytic disease of fetus or newborn, due to isoimmunization and other perinatal jaundice	483	258	225

¹Includes data for diagnostic conditions not shown in table.

References

¹National Center for Health Statistics, W. R. Simmons: Development of the design of the NCHS Hospital Discharge Survey. *Vital and Health Statistics*. PHS No. 1000-Series 2-No. 39. Public Health Service. Washington. U.S. Government Printing Office, Sept. 1970.

²National Center for Health Statistics: International Classification of Diseases, 9th Revision, Clinical Modification. DHHS Pub. No. (PHS) 80-1260. Public Health Service. Washington. U.S. Government Printing Office, Sept. 1980.

³National Center for Health Statistics: Eighth Revision International Classification of Diseases, Adapted for Use in the United States. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office, 1967.

⁴Moien, M.: The use of Hospital Discharge Survey data to produce trend estimates of hospital utilization. Reprinted from the 1978 Social Statistics Section Proceedings of the American Statistical Association.

⁵National Center for Health Statistics: Annual Summary of Births, Deaths, Marriages, and Divorces. *Monthly Vital Statistics Report.* Vol. 30, No. 13. DHHS Pub. No. (PHS) 83–1120. Public Health Service. Hyattsville, Maryland. Dec. 1982.

⁶National Center for Health Statistics: Development and maintenance of a national inventory of hospitals and institutions. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 1-No. 3. Public Health Service. Washington, U.S. Government Printing Office, Feb. 1965.

⁷National Center for Health Statistics, B. J. Haupt: Utilization of short-stay hospitals, annual summary for the United States, 1978. *Vital and Health Statistics*. Series 13-No. 46. DHEW Pub. No. (PHS) 80-1797. Public Health Service. Washington. U.S. Government Printing Office, Mar. 1980.

⁸National Center for Health Statistics, B. J. Haupt: Utilization of short-stay hospitals, annual summary for the United States, 1979. *Vital and Health Statistics*. Series 13-No. 60. DHHS Pub. No.

(PHS) 82-1721. Public Health Service. Washington. U.S. Government Printing Office, Nov. 1981.

⁹U.S. National Committee on Vital and Health Statistics, Technical Consultant Panel: *UHDDS Classes of Procedures, ICD-9-CM*. Ann Arbor, Mich. Commission on Professional and Hospital Activities, Sept. 1, 1978.

¹⁰National Center for Health Statistics: Uniform Hospital Discharge Data Set, Minimum Data Set, Report of the National Committee on Vital and Health Statistics. DHEW Pub. No. (PHS) 80-1157. Public Health Service. Washington. U.S. Government Printing Office, Apr. 1980.

¹¹National Center for Health Statistics, M. G. Sirken: Utilization of short-stay hospitals, summary of nonmedical statistics, United States, 1965. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 13-No. 2. Public Health Service. Washington. U.S. Government Printing Office, Aug. 1967.

¹²National Center for Health Statistics, M. J. Witkin: Utilization of short-stay hospitals by characteristics of discharged patients. United States, 1965. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 13-No. 3. Public Health Service. Washington. U.S. Government Printing Office, Dec. 1967.

¹³Institute of Medicine: Report of a Study, Reliability of National Hospital Discharge Survey Data. Washington. National Academy of Sciences, 1980.

¹⁴Institute of Medicine: Report of a Study, Reliability of Medicare Hospital Discharge Records. Washington. National Academy of Sciences, Nov. 1977.

¹⁵Institute of Medicine: Report of a Study, Reliability of Hospital Discharge Abstracts. Washington. National Academy of Sciences, Feb. 1977.

List of detailed tables

1.	Number, percent distribution, and rate of patients discharged from short-stay hospitals, by sex and age: United States, 1981	19	13.	Number of patients discharged from short-stay hospitals, rate of discharges, and average length of stay, by category of first-listed diagnosis and age: United States, 1981	30
2.	Number, percent distribution, and rate of days of care, average number of hospital beds occupied daily, and average length of stay for patients discharged from short-stay hospitals, by sex and age: United States, 1981	21	14.	Number of discharges and average length of stay for patients discharged from short-stay hospitals, by category of first-listed diagnosis, sex, and race; and rate of discharges by category of first-listed diagnosis and sex: United States,	
3.	Number and percent distribution of patients discharged from short-stay hospitals by age and length of stay, according to sex: United States, 1981	23	15.	Number of patients discharged from short-stay hospitals, rate of discharges, and average length of stay, by category	38
4.	Number and percent distribution of patients discharged from short-stay hospitals by race and age of patient, ac-			of first-listed diagnosis and geographic region: United States, 1981	40
5.	cording to sex: United States, 1981	25	16.	Number of patients discharged from short-stay hospitals and average length of stay, by category of first-listed diag-	
	tients discharged from short-stay hospitals by race and age of patient, according to sex: United States, 1981	26	17.	nosis and bed size of hospital: United States, 1981 Number of all-listed diagnoses for patients discharged	42
6.	Average length of stay for patients discharged from short- stay hospitals, by race, age, and sex: United States, 1981	27		from short-stay hospitals, by diagnostic category and age, sex, race, geographic region, and bed size of hospital: United States, 1981	44
7.	Number of patients discharged from short-stay hospitals and days of care, by sex, age, geographic region, and bed size of hospital: United States, 1981	28	18.	Number of all-listed procedures for patients discharged from short-stay hospitals, by procedure category, age, sex, and race: United States, 1981	46
8.	Rates of patients discharged from short-stay hospitals and of days of care, by geographic region, age, and sex: United States, 1981.	31	19.	Rate of all-listed procedures for patients discharged from short-stay hospitals, by procedure category, age, and sex: United States, 1981	47
9.	Average length of stay for patients discharged from short- stay hospitals, by geographic region, age, and sex: United States, 1981	32	20.	Number of all-listed procedures for patients discharged from short-stay hospitals, by procedure category and geographic region: United States, 1981	48
0.	Average length of stay for patients discharged from short- stay hospitals, by sex, age, geographic region, and bed size of hospital: United States, 1981		21.	Rate of all-listed procedures for patients discharged from short-stay hospitals, by procedure category and geographic region: United States, 1981	49
1.	Number of patients discharged from short-stay hospitals and days of care, by type of ownership of hospital and age and sex of patient: United States, 1981	34	22.	Number of all-listed procedures for patients discharged from short-stay hospitals, by procedure category and bed size of hospital: United States, 1981	50
2.	Average length of stay for patients discharged from short- stay hospitals, by type of ownership of hospital, age of patient, and sex: United States, 1981	35			

TABLE 1. NUMBER, PERCENT DISTRIBUTION, AND RATE OF PATIENTS DISCHAR ED FROM SHORT-STAY HOSPITALS, BY SEX AND AGE: UNITED STATES, 1981

	DI	SCHARGED PATIENT	s
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION
BOTH SEXES			
ALL AGES	38,544	100.0	169.3
UNDER 15 YEARS	3,733	9.7	72.9
UNDER 1 YEAR. 1-4 YEARS. 5-14 YEARS.	917 1,123 1,693	2•4 2•9 4•4	255•4 84•1 49•4
15-44 YEARS	15,725	40.8	148.7
15-24 YEARS	5,670 6,402 3,654	14.7 16.6 9.5	137.5 167.2 139.3
45-64 YEARS	8,677	22.5	195.3
45-54 YEARS	3,984 4,694	10.3 12.2	177.1 214.0
65 YEARS AND OVER	10,408	27.0	396.5
65-74 YEARS	5,244 5,164	13.6 13.4	330.0 498.4
MALE			
ALL AGES	15,379	100.0	139.9
UNDER 15 YEARS	2,101	13.7	80•2
UNDER 1 YEAR	517 652 933	3.4 4.2 6.1	281.2 95.4 53.2
15-44 YEARS	4,672	30.4	89.8
15-24 YEARS	1,534 1,693 1,445	10.0 11.0 9.4	74.9 90.1 113.1
45-64 YEARS	4,098	26.6	194.1
45-54 YEARS	1,807 2,292	11.7 14.9	166.4 223.5
65 YEARS AND OVER	4,507	29•3	426.8
65-74 YEARS	2,510 1,997	16.3 13.0	364•1 544•7
FEMALE			
ALL AGES	23,165	100.0	196.7
UNDER 15 YEARS	1,632	7.0	65.2
UNDER 1 YEAR	400 471 7 61	1.7 2.0 3.3	228.3 72.2 45.4

TABLE 1. NUMBER, PERCENT DISTRIBUTION, AND RATE OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPI-TALS, BY SEX AND AGE: UNITED STATES, 1981--CON.

	DI	SCHARGED PATIENT	S	
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION	
FEMALECON.	, , , , , , , , , , , , , , , , , , , ,			
15-44 YEARS	11,053	47.7	205.8	
15-24 YEARS	4,136 4,708 2,209	17.9 20.3 9.5	199•4 241•6 164•0	
45-64 YEARS	4,579	19.8	196.4	
45-54 YEARS	2,177 2,402	9.4 10.4	187.0 205.7	
65 YEARS AND OVER	5,901	25.5	376.0	
65-74 YEARS	2,734 3,167	11.8 13.7	303•8 473•2	

TABLE 2. NUMBER, PERCENT DISTRIBUTION, AND RATE OF DAYS OF CARE, AVERAGE NUMBER OF HOSPITAL BEDS OCCUPIED DAILY, AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY SEX AND AGE: UNITED STATES, 1981

		DAYS OF CARE		1/ NUMBER OF	AVERAGE	
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION	HOSPITAL BEDS OCCUPIED DAILY	LENGTH OF STAY IN DAYS	
BOTH SEXES					-	
ALL AGES	277,230	100.0	1,217.7	333.6	7.2	
UNDER 15 YEARS	17,270	6.2	337.1	92.4	4.6	
UNDER 1 YEAR	6,139	2.2	1,709.6	468•4	6.7	
1-4 YEARS	4,139	1.5	310.1	85.0	3.7	
5-14 YEARS	6,992	2.5	203.9	55.9	4.1	
15-44 YEARS	81,379	29•4	769.6	210.8	5•2	
15-24 YEARS	25, 638	9.2	621.8	170.4	4.5	
25-34 YEARS	32,510	11.7	849.2	232.7	5.1	
35-44 YEARS	23,232	8.4	885.5	242.6	6.4	
45-64 YEARS	69,492	25.1	1,564.0	428.5	8.0	
45-54 YEARS	29,774	10.7	1,323,4	362.6	7.5	
55-64 YEARS	39,718	14.3	1,810.8	496.1	8.5	
65 YEARS AND OVER	109,088	39.3	4,155.3	1,138.4	10.5	
65-74 YEARS	51,798	18.7	3,259.2	892.9	9.9	
75 YEARS AND OVER	57,290	20.7	5,529.3	1,514.9	11.1	
MALE						
ALL AGES	117,789	100.0	1,071.7	293.6	7.7	
UNDER 15 YEARS	9,611	8.2	366.9	100.5	4.6	
UNDER 1 YEAR	3,393	2.9	1,844.9	505.4	6.6	
1-4 YEARS	2,363	2.0	346.1	94.8	3.6	
5-14 YEARS	3,855	3.3	220.0	60.3	4.1	
15-44 YEARS	29,685	25.2	570.3	156.3	6.4	
15-24 YEARS	9,264	7.9	452.3	123.9	6.0	
25-34 YEARS	10,629	9.0	565.6	155.0	6.3	
35-44 YE AR S	9,792	8.3	766.7	210.1	6.8	
45-64 YEARS	32,216	27.4	1,526.0	418.1	7.9	
45-54 YEARS	13,522	11.5	1,245.4	341.2	7.5	
55-64 YEARS	18,694	15.9	1,822.9	499.4	8.2	
65 YEARS AND OVER	46,276	39.3	4,382.2	1,200.6	10.3	
65-74 YEARS	24,651	20.9	3,576.2	979.8	9.8	
75 YEARS AND OVER	21,626	18.4	5,897.4	1,615.7	10.8	

^{1/} EXPRESSED AS DAILY NUMBER OF BEDS OCCUPIED PER 100,000 CIVILIAN POPULATION.

TABLE 2. NUMBER, PERCENT DISTRIBUTION, AND RATE OF DAYS OF CARE, AVERAGE NUMBER OF HOSPITAL BEDS CCCUPIED DAILY, AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT STAY HOSPITALS, BY SEX AND AGE: UNITED STATES, 1981—CON.

		DAYS OF CARE	1/ NUMBER OF	AVERAGE		
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION	HOSPITAL BEDS OCCUPIED DAILY	LENGTH OF STAY IN DAYS	
FEMALE					· · · · · · · · · · · · · · · · · · ·	
ALL AGES	159,441	100.0	1,354.1	371.0	6.9	
UNDER 15 YEARS	7,659	4.8	306.0	83.8	4.7	
UNDER 1 YEAR	2,747	1.7	1,567.7	429.5	6.9	
1-4 YEAR S	1,776	1.1	272.4	74.6	3.8	
5-14 YEARS	3,136	2.0	187.1	51.3	4.1	
15-44 YEARS	51,694	32.4	962.7	263.7	4.7	
15-24 YEARS	16,373	10.3	789.3	216.2	4.0	
25-34 YEARS	21,881	13.7	1,122.6	307.6	4.6	
35-44 YEARS	13,440	8.4	998.3	273.5	6.1	
45-64 YEARS	37,276	23•4	1,598.5	437.9	8.1	
45-54 YEARS	16,253	10.2	1,396,2	382.5	7.5	
55-64 YEARS	21,024	13.2	1,800.1	493.2	8.8	
65 YEARS AND OVER	62,812	39•4	4,002.5	1,096.6	10.6	
65-74 YEARS	27,148	17.0	3,016.4	826.4	9.9	
75 YEARS AND OVER	35,664	22.4	5,328.5	1,459.9	11.3	

^{1/} EXPRESSED AS DAILY NUMBER OF BEDS OCCUPIED PER 100,000 CIVILIAN POPULATION.

TABLE 3. NUMBER AND PERCENT DISTRIBUTION OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY AGE AND LENGTH OF STAY, ACCORDING TO SEX: UNITED STATES, 1981

AGE AND LENGTH OF STAY	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
ALL AGES	NUMBER	OF DISCH	ARGED PAT	IENTS	P	ERCENT DI	STRIBUTIO	N
ALL STAYS	38,544	15,379	23,165	19,252	100.0	100.0	100.0	100.0
LESS THAN 1 DAY 1 DAY	1,129 3,312	407 1,378	722 1,934	700 1,694	2.9 8.6	2.6 9.0	3.1 8.3	3.6 8.8
2 DAYS	5,833	2,294	3,539	2,733	15.1	14.9	15.3	14.2
3 DAYS	5,283	1,860	3,422	2,166	13.7	12.1	14.8	11.3
4 DAYS	4,114	1,584	2,530	1,806	10.7	10.3	10.9	9.4
5-6 DAYS	5,536	2,148	3,388	2,801	14.4	14.0	14.6	14.5
7-8 DAYS	3,761	1,472	2,288	2,102	9.8	9.6	9.9	10.9
9-10 DAYS	2,449 4,922	1,037 2,178	1,412 2,744	1,372 2,708	6.4 12.8	6•7 14•2	6.1 11.8	7.1 14.1
21-30 DAYS	1,294	598	695	689	3.4	3.9	3.0	3.6
31 DAYS OR MORE	911	422	489	482	2.4	2.7	2.1	2.5
UNDER 15 YEARS								
ALL STAYS	3,733	2,101	1,632	1,618	100.0	100.0	100.0	100.0
LESS THAN 1 DAY	188	113	74	74	5.0	5.4	4.6	4.6
1 DAY	670	387	283	283	18.0	18-4	17.4	17.5
2 DAYS	932	524	408	404	25.0	24.9	25.0	25.0
3 DAYS	556	304	251	246	14.9	14.5	15.4	15.2
4 DAYS	408	231	177	175	10.9	11.0	10.8	10-8
5-6 DAYS	398 205	218 113	181 92	179 91	10.7	10.4	11.1	11.1
9-10 DAYS	106	62	92 44	43	5.5 2.8	5•4 3•0	5.6 2.7	5.7 2.7
11-20 DAYS	171	93	78	78	4.6	4.4	4.8	4.8
21-30 DAYS	49	29	20	20	1.3	1.4	1.2	1.2
31 DAYS OR MORE	50	28	23	23	1.4	1.3	1.4	1.4
15-44 YEARS								
ALL STAYS	15,725	4,672	11,053	7,159	100.0	100.0	100-0	100.0
LESS THAN 1 DAY	646	147	500	477	4.1	3.1	4.5	6.7
1 DAY	1,731	537	1,194	956	11.0	11.5	10.8	13.4
2 DAYS	2,942	832	2,110	1,308	18.7	17.8	19.1	18.3
3 DAYS	2,811	678	2,133	882	17.9	14.5	19.3	12.3
4 DAYS	1,982	545 471	1,436	716	12.6	11.7	13.0	10.0
5-6 DAYS	2,366 1,270	671 391	1,695 879	1,109 692	15.0 8.1	14.4	15•3	15.5 9.7
9-10 DAYS	602	219	382	342	3.8	8•4 4•7	8.0 3.5	9.7 4.8
11-20 DAYS	942	415	52 7	491	6.0	8.9	4.8	6.9
21-30 DAYS	256	138	118	112	1.6	3.0	1.1	1.6
31 DAYS OR MORE	176	97	79	71	1.1	2.1	0.7	1.0

TABLE 3. NUMBER AND PERCENT DISTRIBUTION OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY AGE AND LENGTH OF STAY, ACCORDING TO SEX: UNITED STATES, 1981--CON.

AGE AND LENGTH OF STAY	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ER IES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
45-64 YEARS	NUMBER	OF DISCH	IARGED PAT	IENTS	P	ERCENT DI	STRIBUTIO	N
ALL STAYS	8,677	4,098	4,579	4,574	100.0	100.0	100.0	100.0
LESS THAN 1 DAY	163	72	90	90	1.9	1.8	2.0	2.0
1 DAY	531	268	263	263	6.1	6.5	5.7	5.7
2 DAYS	1,098	543	555	553	12.7	13.3	12.1	12.1
3 DAYS	989	484	505	504	11.4	11.8	11.0	11.0
4 DAYS	852	410	442	441	9.8	10.0	9.7	9.6
5-6 DAYS	1,334	624	710	709	15.4	15.2	15.5	15.5
7-8 DAYS	1,014	444	569	569	11.7	10.8	12.4	12.4
9-10 DAYS	749	341	408	408	8.6	8.3	8.9	8.9
11-20 DAYS	1,411	665	746	746	16.3	16.2	16.3	16.3
21-30 DAYS	324	152	171	171	3.7	3.7	3.7	3.7
31 DAYS OR MORE	214	94	121	121	2.5	2.3	2.6	2.6
65 YEARS AND OVER								
ALL STAYS	10,408	4,507	5,901	5,901	100.0	100.0	100.0	100.0
LESS THAN 1 DAY	132	75	58	58	1.3	1.7	1.0	1.0
1 DAY	379	186	193	193	3.6	4.1	3.3	3.3
2 DAYS	862	395	467	467	8.3	8.8	7.9	7.9
3 DAYS	927	393	534	534	8.9	8.7	9.0	9.0
4 DAYS	872	398	474	474	8.4	8.8	8.0	8.0
5-6 DAYS	1,438	635	803	803	13.8	14.1	13.6	13.6
7-8 DAYS	1,272	524	748	748	12.2	11.6	12.7	12.7
9-10 DAYS	993	415	578	578	9.5	9.2	9.8	9.8
11-20 DAYS	2,398	1,005	1,393	1,393	23.0	22.3	23.6	23.6
21-30 DAYS	665	279	386	386	6.4	6.2	6.5	6.5
31 DAYS OR MORE	470	203	267	267	4.5	4.5	4.5	4.5

TABLE 4. NUMBER AND PERCENT DISTRIBUTION OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY RACE AND AGE OF PATIENT, ACCORDING TO SEX: UNITED STATES, 1981

RACE AND AGE	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD— ING DELIV— ER IES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD— ING DELIV— ERIES
TOTAL	NUMBE		ENTS DISCH	iar ged	Р	ERCENT DI	STR IBUTION	
ALL AGES	38,544	15,379	23,165	19,252	100.0	100.0	100.0	100.0
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND DVER	3,733 15,725 8,677 10,408	2,101 4,672 4,098 4,507	1,632 11,053 4,579 5,901	1,618 7,159 4,574 5,901	9•7 40•8 22•5 27•0	13.7 30.4 26.6 29.3	7.0 47.7 19.8 25.5	8.4 37.2 23.8 30.7
ALL AGES	32,242	13,094	19,148	16,120	100.0	100-0	100.0	100.0
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	2,947 12,374 7,452 9,469	1,661 3,761 3,559 4,113	1,286 8,613 3,893 5,356	1,279 5,595 3,889 5,356	9.1 38.4 23.1 29.4	12.7 28.7 27.2 31.4	6.7 45.0 20.3 28.0	7.9 34.7 24.1 33.2
BLACK								
ALL AGES	5,004	1,836	3,168	2,488	100.0	100.0	100.0	100.0
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	624 2•646 975 759	355 723 433 325	269 1,924 542 434	263 1,250 541 434	12.5 52.9 19.5 15.2	19.3 39.4 23.6 17.7	8.5 60.7 17.1 13.7	10.6 50.2 21.8 17.4
ALL OTHER RACES								
ALL AGES	1,298	450	849	645	100.0	100.0	100.0	100.0
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	161 705 251 181	85 189 107 69	76 516 144 112	75 314 144 112	12.4 54.3 19.3 14.0	18.9 42.0 23.7 15.4	9.0 60.9 17.0 13.2	11.7 48.7 22.3 17.4

TABLE 5. NUMBER AND PERCENT DISTRIBUTION OF DAYS OF CARE FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY RACE AND AGE OF PATIENT, ACCORDING TO SEX: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

RACE AND AGE	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
TOTAL	N	UMBER OF C	AYS OF CA	RE	Ρ	ERCENT DI	STRIBUTIO	N
ALL AGES	277,230	117,789	159,441	144,926	100.0	100.0	100.0	100.0
UNDER 15 YEARS	17,270	9,611	7,659	7,606	6.2	8.2	4.8	5.2
15-44 YEARS	81,379	29,685	51,694	37,249	29.4	25.2	32.4	25.7
45-64 YEARS	69,492	32,216	37,276	37,259	25.1	27.4	23.4	25 .7
65 YEARS AND OVER	109,088	46, 276	62,812	62,812	39.3	39.3	39.4	43.3
WHITE								
ALL AGES	231,820	99,114	132,707	121,641	100.0	100.0	100.0	100.0
UNDER 15 YEARS	13,248	7,408	5.840	5.814	5.7	7.5	4.4	4.8
15-44 YEARS	62,604	22,996	39,608	28,584	27.0	23.2	29.8	23.5
45-64 YEARS	58,205	27,206	30,999	30,984	25.1	27.4	23.4	25.5
65 YEARS AND OVER	97,763	41,503	56,260	56,260	42.2	41.9	42.4	46.3
BLACK								
ALL AGES	37,496	15,491	22:005	19,270	100.0	100.0	100.0	100.0
UNDER 15 YEARS	3,243	1,816	1,427	1,407	8.6	11.7	6.5	7.3
15-44 YEARS	15,189	5,336	9,854	7,139	40.5	34.4	44.8	37.0
45-64 YEARS	9,420	4,257	5,163	5.162	25.1	27.5	23.5	26.8
65 YEARS AND OVER	9,644	4,083	5,562	5,562	25.7	26.4	25.3	28.9
ALL OTHER RACES								
ALL AGES	7,913	3,184	4,729	4,015	100.0	100.0	100.0	100.0
UNDER 15 YEARS	779	386	393	384	9.8	12.1	8.3	9.6
15-44 YEARS	3,586	1,354	2,232	1,527	45.3	42.5	47.2	38.0
45-64 YEARS	1,867	753	1,114	1,113	23.6	23.6	23.6	27.7
65 YEARS AND OVER	1,681	691	990	990	21.2	21.7	20.9	24.7

TABLE 6. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY RACE, AGE, AND SEX: UNITED STATES, 1981

RACE AND AGE	BOTH Sexes	MALE	FEMALE INCLUDING DELIVERIES	FEMALE EXCLUDING DELIVERIES	
TOTAL		AVERAGE LENGTH	OF STAY IN DAYS		
ALL AGES	7.2	7.7	6.9	7.5	
UNDER 15 YEARS	4.6	4.6	4.7	4.7	
15-44 YEARS	5.2	6.4	4.7	5.2	
45-64 YEARS AND OVER	8.0 10.5	7.9 10.3	8.1 10.6	8.1 10.6	
WHITE	2002	1903	1000	2000	
ALL AGES	7.2	7.6	6.9	7.5	
UNDER 15 YEARS	4.5	4.5	4.5	4.5	
15-44 YEARS	5.1	6.1	4.6	5.1	
45-64 YEARS	7.8	7.6	8.0	8.0	
65 YEARS AND OVER	10.3	10.1	10.5	10.5	
BLACK					
ALL AGES	7.5	8.4	6.9	7.7	
UNDER 15 YEARS	5.2	5.1	5.3	5.3	
15-44 YEARS	5.7	7.4	5.1	5.7	
45-64 YEARS	9.7	9.8	9.5	9.5	
65 YEARS AND OVER	12.7	12.6	12.8	12.8	
ALL OTHER RACES					
ALL AGES	6.1	7.1	5.6	6.2	
UNDER 15 YEARS	4.8	4.5	5.1	5.1	
15-44 YEARS	5.1	7.2	4.3	4.9	
45-64 YEARS	7.4	7.1	7.7	7.7	
65 YEARS AND OVER	9.3	10.0	8.8	8.8	

TABLE 7. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1981

	SIZES	6-99 BEDS	499 BEDS	BEDS OR MORE	ALL SIZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	
BOTH SEXES	NUMBER	OF PATIE	NTS DISC	HARGED	NUM	17,270 2,025 9,792 81,379 11,580 46,570 69,492 9,293 40,123 109,088 18,013 66,195			
UNITED STATES	38,544	6,943	22,525	9,076	277,230	40,911	162,680	73,639	
UNDER 15 YEARS	3,733	606	2,254	873			9,792	5,453	
15-44 YEARS	15,725	2,697	9,091	3,937	-		-	23,230	
45-64 YEARS	8,677	1,480	5,029	2,169				20,077	
65 YEARS AND OVER	10,408	2,160	6,151	2,097	109,088	18,013	66,195	24,880	
NORTHEAST	7,822	7 55	5,050	2,017	66,293	6,147	42,061	18,085	
UNDER 15 YEARS	690	47	452	191	3,347	151	1,949	1,247	
15-44 YEARS	3,084	297	1,918	868	17,379	1,788	10,606	4,985	
45-64 YEARS	1,846	193	1,187	466	16,697	1,666	10,425	4,606	
65 YEARS AND OVER	2,201	218	1,492	492	28,869	2,541	19,081	7,247	
NORTH CENTRAL	11,132	1,283	6,583	3,266	82,249	7,425	47,983	26,841	
UNDER 15 YEARS	1,112	115	697	301	5,016	363	2,739	1,914	
15-44 YEARS	4,512	458	2,659	1,394	24,965	1,844	14,517	8,605	
45-64 YEARS	2,553	264	1,487	802	21,060	1,571	11,916	7,573	
65 YEARS AND OVER	2,955	446	1,740	769	31,208	3,648	18,810	8,750	
SOUTH	13,202	3,546	6,652	3,004	90,112	21,126	45,609	23,378	
UNDER 15 YEARS	1,435	331	807	296	6,669	1,155	3,722	1,792	
15-44 YEARS	5,436	1,363	2,764	1,309	26,913	5,964	13,220	7,729	
45-64 YEARS	2,844	730	1,383	731	22,109	4,621	10,890	6,598	
65 YEARS AND OVER	3,488	1,122	1,698	668	34,421	9,386	17;776	7,259	
WEST	6,388	1,358	4,240	789	38,576	6,213	27,027	5,335	
UNDER 15 YEARS	496	113	298	85	2,238	356	1,382	501	
15-44 YEARS	2,694	579	1,749	366	12,122	1,984	8,227	1,911	
45-64 YEARS	1,434	292	972	170	9,627	1,435	6,891	1,301	
65 YEARS AND OVER	1,764	374	1,221	169	14,589	2,438		1,623	
MALE									
UNITED STATES	15,379	2,723	9,083	3,573	117,789	16,374	69,263	32,151	
UNDER 15 YEARS	2,101	344	1,270	487	9,611	1,152	5,512	2,946	
15-44 YEARS	4,672	838	2,715	1,119	29,685	3,917	16,915	8,853	
45-64 YEARS	4, 098	643	2,428	1,028	32,216	4,037	18,718	9,461	
65 YEARS AND OVER	4,507	898	2,670	938	46,276	7,269	28,117	10,891	
NORTHEAST	3,222	350	2,081	791	28,754	2,848	17,992	7,913	
UNDER 15 YEARS	401	28	261	113	1,843	92	1,093	657	
15-44 YEARS	942	135	580	227	6,623	889	3,862	1,872	
45-64 YEARS	912	100	594	218	8,078	839	5,082	2,157	
65 YEARS AND OVER	967	87	646	233	12,209	1,027	7,955	3,227	

TABLE 7. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1981—CON.

SEX, AGE, AND REGION	ALL SI ZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	ALL SIZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE
MALECON.	NUMBER	OF PATIE		HARGED	NUM	BER OF DA		RE
NORTH CENTRAL	4,456	472	2,703	1,281	34,660	2,707	20,547	11,406
UNDER 15 YEARS	623	66	392	166	2,914	213	1,592	1,109
15-44 YEARS	1,381	126	854	402	9,338	539	5,620	3,180
45-64 YEARS	1,194	100	717	378	9,513	596	5,508	3,410
65 YEARS AND OVER	1,257	180	740	336	12,894	1,359	7,827	3,707
SOUTH	5,148	1,393	2,580	1,174	37,703	8,426	18,974	10,303
UNDER 15 YEARS	794	184	450	160	3,610	632	2,085	892
15-44 YEARS	1,554	430	745	379	9,192	1,948	4,299	2,945
45-64 YEARS	1,311	316	646	349	10,195	1,985	4,945	3,265
65 YEARS AND OVER	1,488	463	739	287	14,707	3,861	7,644	3,202
WEST	2,553	508	1,718	327	16,672	2,393	11,750	2,529
UNDER 15 YEARS	282	66	168	49	1,244	215	741	288
15-44 YEARS	79 5	147	536	112	4,532	541	3,134	85 7
45-64 YEARS	681	127	470	84	4,429	617	3,184	629
65 YEARS AND OVER	795	168	545	82	6,466	1,021	4,690	755
FEMALE INCLUDING DELIVERIES								
UNITED STATES	23,165	4,220	13,442	5,503	159,441	24,536	93,417	41,488
UNDER 15 YEARS	1,632	262	984	386	7,659	873	4,280	2,507
15-44 YEARS	11,053	1,859	6,376	2,818	51,694	7,663	29,654	14,376
45-64 YEARS	4,579	838	2,601	1,140	37, 276	5,256	21,405	10,616
65 YEARS AND OVER	5,901	1,262	3,480	1,159	62,812	10,745	38,078	13,989
NORTHEAST	4,600	405	2:968	1,226	37,539	3,298	24,069	10,172
UNDER 15 YEARS	289	19	192	78	1,505	59	856	590
15-44 YEARS	2,142	163	1,338	641	10,755	899	6,744	3,113
45-64 YEARS	934	93	593	248	8,619	826	5,344	2,449
65 YEARS AND OVER	1,234	130	845	258	16,660	1,514	11,126	4,020
NORTH CENTRAL	6,676	811	3,880	1,985	47,589	4,718	27,435	15,436
UNDER 15 YEARS	488	49	304	135	2,102	150	1,147	805
15-44 YEARS	3,130	332	1,806	993	15,627	1,305	8,897	5,425
45-64 YEARS	1,359	164	770	425	11,546	975	6,409	4,163
65 YEARS AND OVER	1,698	266	1,000	433	18,315	2,289	10,983	5,043
SOUTH	8, 055	2,153	4,072	1,829	52,409	12,700	26,636	13,074
UNDER 15 YEARS	640	147	357	136	3,059	523	1,637	900
15-44 YEARS	3,882	933	2,019	930	17,722	4,016	8,921	4,784
45-64 YEARS	1,533	415	736	382	11,914	2,636	5,945	3,333
65 YEARS AND OVER	1,999	659	959	381	19,715	5 , 525	10,133	4,057

TABLE 7. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1981—CON.

SEX, AGE, AND REGION	ALL SIZES	6 -99 BEDS	100- 499 BEDS	500 BEDS OR MORE	ALL SIZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE
FEMALE INCLUDING DELIVERIESCON.	NUMBER	OF PATIE	NTS DISC	HARGED	NUM	BER OF DA	RE	
WEST	3,835	850	2,522	463	21,904	3,820	15,277	2,806
UNDER 15 YEARS	214	47	131	36	993	141	640	212
15-44 YEARS	1,899	431	1,213	254	7,590	1,444	5,093	1,054
45-64 YEARS	753	165	502	86	5,198	818	3,707	672
65 YEARS AND OVER	969	206	676	87	8,122	1,417	5,837	868
FEMALE EXCLUDING DELIVERIES								
UNITED STATES	19,252	3,642	11,194	4,416	144,926	22,753	85,167	37,006
UNDER 15 YEARS	1,618	259	977	382	7,606	865	4,251	2,490
15-44 YEARS	7,159	1,285	4,138	1,736	37,249	5,890	21,443	9,916
45-64 YEARS	4,574	837	2,599	1,139	37,259	5,254	21,395	10,610
65 YEARS AND OVER	5,901	1,262	3,480	1,159	62,812	10,745	38,078	13,989
NORTHEAST	3,869	361	2,497	1,011	34,272	3,132	21,987	9,153
UNDER 15 YEARS	287	19	190	78	1,497	58	851	587
15-44 YEARS	1,414	119	869	427	7,502	734	4,671	2,098
45-64 YEARS	933	93	592	248	8,613	826	5,339	2,447
65 YEARS AND OVER	1,234	130	845	258	16,660	1,514	11,126	4,020
NORTH CENTRAL	5,612	721	3,284	1,607	43,343	4,388	25,168	13,787
UNDER 15 YEARS	486	49	303	134	2,093	150	1,142	801
15-44 YEARS	2,070	242	1,212	617	11,393	974	6,636	3,783
45-64 YEARS	1,358	164	770	424	11,542	975	6,408	4,159
65 YEARS AND OVER	1,698	266	1,000	433	18,315	2,289	10,983	5,043
SOUT H	6,699	1,878	3,361	1,460	47,614	11,844	24,135	11,634
UNDER 15 YEARS	633	145	354	134	3,034	517	1,627	891
15-44 YEARS	2,535	660	1,312	563	12,958	3,169	6,435	3,354
45-64 YEARS	1,531	414	736	382	11,907	2,634	5,941	3,332
65 YEARS AND OVER	1,999	659	959	381	19,715	5,525	10,133	4,057
WEST	3,072	682	2,052	338	19,698	3,389	13,877	2,432
UNDER 15 YEARS	211	46	129	36	982	140	631	211
15-44 YEARS	1,139	264	745	129	5,397	1,014	3,702	682
45-64 YEARS	753	165	502	86	5,197	818	3,707	672
65 YEARS AND OVER	969	206	676	87	8,122	1,417	5,837	868

TABLE 8. RATES OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND OF DAYS OF CARE, BY GEO-GRAPHIC REGION, AGE, AND SEX: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

REGION AND AGE	BOTH SEXES	MALE	FEMALE INCLUD— ING DELIV— ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MAL E	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ER IES
UNITED STATES	R.A		CHARGES PE	R	N	JMBER OF D IN TH	AYS OF CA	RE
ALL AGES	169.3	139.9	196.7	163.5	277,230	117,789	159,441	144,926
UNDER 15 YEARS	72.9 148.7 195.3 396.5	80.2 89.8 194.1 426.8	65.2 205.8 196.4 376.0	64.6 133.3 196.2 376.0	17,270 81,379 69,492 109,088	9,611 29,685 32,216 46,276	7,659 51,694 37,276 62,812	7,606 37,249 37,259 62,812
NORTHEAST								
ALL AGES	158.9	137.3	178.7	150.3	66,293	28,754	37,539	34,272
UNDER 15 YEARS	67.9 137.5 177.2 355.3	77.2 85.9 186.1 401.1	58.2 186.7 169.2 326.2	57.8 123.3 169.0 326.2	3,347 17,379 16,697 28,869	1,843 6,623 8,078 12,209	1,505 10,755 8,619 16,660	1,497 7,502 8,613 16,660
NORTH CENTRAL								
ALL AGES	189.5	156.4	220.7	185.5	82,249	34,660	47,589	43,343
UNDER 15 YEARS	82•7 166•2 225•9 432•1	90.6 102.7 220.5 459.0	74.4 228.5 230.8 414.1	74.0 151.1 230.6 414.1	5,016 24,965 21,060 31,208	2,914 9,338 9,513 12,894	2:102 15:627 11:546 18:315	2,093 11,393 11,542 18,315
SOUTH								
ALL AGES	173.5	140.8	203.9	169.5	90,112	37,703	52,409	47,614
UNDER 15 YEARS	81.5 154.7 194.9 398.2	88.4 90.5 191.0 419.0	74.4 216.0 198.4 384.0	73.6 141.1 198.1 384.0	6,669 26,913 22,109 34,421	3,610 9,192 10,195 14,707	3,059 17,722 11,914 19,715	3,034 12,958 11,907 19,715
WEST								
ALL AGES	146.4	119.5	172.4	138.1	38,576	16,672	21,904	19,698
UNDER 15 YEARS	49.5 128.1 176.7 395.6	55.1 75.9 173.4 427.5	43.6 179.9 179.9 372.8	43.1 107.9 179.9 372.8	2,238 12,122 9,627 14,589	1,244 4,532 4,429 6,466	993 7,590 5,198 8,122	982 5,397 5,197 8,122

TABLE 9. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY GEOGRAPHIC REGION, AGE, AND SEX: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

REGION AND AGE	BOTH SEXES	MALE	FEMALE INCLUDING DELIVERIES	FEMALE EXCLUDING DELIVERIES
UNITED STATES	AVEF	RAGE LENGTH	OF STAY IN D	AYS
ALL AGES	7.2	7.7	6.9	7.5
UNDER 15 YEARS	4.6	4.6	4.7	4.7
15-44 YEARS	5.2	6.4	4.7	5.2
45-64 YEARS65 YEARS AND DVER	8.0 10.5	7.9 10.3	8.1 10.6	8.1 10.6
NORTHEAST				
ALL AGES	8.5	8.9	8.2	8.9
UNDER 15 YEARS	4.8	4.6	5.2	5.2
15-44 YEARS	5.6	7.0	5.0	5.3
45-64 YEARS	9.0	8.9	9.2	9.2
65 YEARS AND OVER	13.1	12.6	13.5	13.5
NORTH CENTRAL				
ALL AGES	7.4	7.8	7.1	7.7
JNDER 15 YEARS	4.5	4.7	4.3	4.3
15-44 YEARS	5.5	6.8	5.0	5.5
5-64 YEARS	8.2	8.0	8.5	8.5
55 YEARS AND OVER	10.6	10.3	10.8	10.8
SOUTH				
ALL AGES	6.8	7.3	6.5	7.1
UNDER 15 YEARS	4.6	4.5	4.8	4.8
L5-44 YEARS	5.0	5.9	4.6	5.1
45-64 YEARS	7.8	7.8	7.8	7.8
55 YEARS AND OVER	9.9	9.9	9.9	9.9
WEST				
ALL AGES	6.0	6.5	5.7	6.4
UNDER 15 YEARS	4.5	4.4	4.6	4.6
15-44 YEARS	4.5	5.7	4.0	4.7
45-64 YEARS	6.7	6.5	6.9	6.9
65 YEARS AND OVER	8.3	8.1	8.4	8.4

TABLE 10. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS, EXCLUDES NEWBORN INFANTS)

		ИО	RTHEAS	T	NOR	TH CEN	ITRAL		SOUTH	l		WEST	
SEX AND AGE	TOTAL	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE
BOTH SEXES				Δ	VERAGE	LENGT	H OF S	TAY IN	DAYS				
ALL AGES	7.2	8.1	8.3	9.0	5.8	7.3	8.2	6.0	6.9	7.8	4.6	6.4	6.8
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65+ YEARS	4.6 5.2 8.0 10.5	3.2 6.0 8.6 11.7	4.3 5.5 8.8 12.8	6.5 5.7 9.9 14.7	3.2 4.0 5.9 8.2	3.9 5.5 8.0 10.8	6.4 6.2 9.4 11.4	3.5 4.4 6.3 8.4	4.6 4.8 7.9 10.5	6.0 5.9 9.0 10.9	3.2 3.4 4.9 6.5	4.6 4.7 7.1 8.6	5.9 5.2 7.7 9.6
MALE													
ALL AGES	7.7	8.1	8.6	10.0	5.7	7.6	8.9	6.0	7.4	8.8	4.7	6.8	7.7
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65+ YEARS	4.6 6.4 7.9 10.3	3.3 6.6 8.4 11.8	4.2 6.7 8.5 12.3	5.8 8.2 9.9 13.8	3.2 4.3 6.0 7.5	4.1 6.6 7.7 10.6	6.7 7.9 9.0 11.0	3.4 4.5 6.3 8.3	4.6 5.8 7.7 10.3	5.6 7.8 9.4 11.2	3.3 3.7 4.9 6.1	4.4 5.8 6.8 8.6	5.9 7.7 7.5 9.2
FEMALE INCLUD- ING DELIVERIES													
ALL AGES	6.9	8.1	8.1	8.3	5.8	7.1	7.8	5-9	6.5	7.1	4.5	6.1	6.1
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65+ YEARS	4.7 4.7 8.1 10.6	3.1 5.5 8.9 11.6	4.5 5.0 9.0 13.2	7.5 4.9 9.9 15.6	3.0 3.9 5.9 8.6	3.8 4.9 8.3 11.0	6.0 5.5 9.8 11.7	3.6 4.3 6.4 8.4	4.6 4.4 8.1 10.6	6.6 5.1 8.7 10.6	3.0 3.3 5.0 6.9	4.9 4.2 7.4 8.6	5.8 4.2 7.8 10.0
FEMALE EXCLUD- ING DELIVERIES													
ALL AGES	7.5	8.7	8.8	9.1	6.1	7.7	8.6	6.3	7.2	8.0	5.0	6.8	7.2
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65+ YEARS	4.7 5.2 8.1 10.6	3.1 6.2 8.9 11.6	4.5 5.4 9.0 13.2	7.5 4.9 9.9 15.6	3.0 4.0 5.9 8.6	3.8 5.5 8.3 11.0	6.0 6.1 9.8 11.7	3.6 4.8 6.4 8.4	4.6 4.9 8.1 10.6	6.6 6.0 8.7 10.6	3.0 3.8 5.0 6.9	4.9 5.0 7.4 8.6	5.9 5.3 7.8 10.0

TABLE 11. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY TYPE OF OWNERSHIP OF HOSPITAL AND AGE AND SEX OF PATIENT: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

TYPE OF OWNERSHIP AND AGE	BOTH Sexes	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
ALL TYPES	NUMBE		HARGED PAT	IENTS	N	JMBER OF E	DAYS OF CA	IR E
ALL AGES	38,544	15,379	23,165	19,252	277,230	117,789	159,441	144,926
UNDER 15 YEARS	3,733 15,725 8,677 10,408	2,101 4,672 4,098 4,507	1,632 11,053 4,579 5,901	1,618 7,159 4,574 5,901	17,270 81,379 69,492 109,088	9,611 29,685 32,216 46,276	7,659 51,694 37,276 62,812	7,606 37,249 37,259 62,812
VOLUNTARY NONPROFIT					-			
ALL AGES	27,212	10,791	16,421	13,587	200,189	84,592	115,597	104,822
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	2,658 10,900 6,244 7,410	1,492 3,111 2,962 3,226	1,165 7,789 3,283 4,184	1,157 4,967 3,279 4,184	12,247 56,609 50,736 80,597	6,854 19,986 23,458 34,294	5,393 36,623 27,278 46,303	5,360 25,895 27,264 46,303
GOVERNMENT								
ALL AGES	8,290	3,364	4,927	3,996	54,631	23,880	30,751	27,536
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	880 3,612 1,689 2,109	499 1,141 796 928	381 2,471 893 1,181	376 1,546 893 1,181	4,305 17,782 12,987 19,557	2,361 6,936 6,125 8,459	1,944 10,847 6,863 11,097	1,924 7,654 6,860 11,097
PROPRIETARY								
ALL AGES	3,042	1,224	1,817	1,669	22,410	9,317	13,093	12,569
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	195 1,213 744 890	110 420 341 354	85 793 403 536	85 645 403 536	719 6,988 5,769 8,934	396 2,764 2,633 3,523	322 4,224 3,136 5,411	322 3,700 3,135 5,411

TABLE 12. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY TYPE OF OWNERSHIP OF HOSPITAL, AGE OF PATIENT, AND SEX: UNITED STATES, 1981 (DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

TYPE OF OWNERSHIP AND AGE	BOTH Sexes	MALE	FEMALE INCLUDING DEL IVER IES	FEMALE EXCLUDING DELIVERIES
ALL TYPES		AVERAGE LENGTH D	F STAY IN DAYS	
ALL AGES	7.2	7.7	6.9	7.5
UNDER 15 YEARS	4.6 5.2 8.0 10.5	4.6 6.4 7.9 10.3	4.7 4.7 8.1 10.6	4.7 5.2 8.1 10.6
	10.5	10.5	10.6	10.0
VOLUNTARY NONPROFIT ALL AGES	7.4	7.8	7.0	7.7
UNDER 15 YEARS	4.6 5.2 8.1 10.9	4.6 6.4 7.9 10.6	4.6 4.7 8.3 11.1	4.6 5.2 8.3 11.1
GOVERNMENT				
ALL AGES	6.6	7.1	6.2	6.9
UNDER 15 YEARS	4.9 4.9 7.7 9.3	4.7 6.1 7.7 9.1	5•1 4•4 7•7 9•4	5.1 5.0 7.7 9.4
PROPRIETARY				
ALL AGES	7.4	7.6	7.2	7.5
UNDER 15 YEARS	3.7 5.8 7.8 10.0	3.6 6.6 7.7 10.0	3.8 5.3 7.8 10.1	3.8 5.7 7.8 10.1

TABLE 13. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND AGE: UNITED STATES, 1981

	CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ALL AGES	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS AND OVER
		NUMBER	OF PATIENTS	DISCHAR	GED IN TH	OUSANDS
01	ALL CONDITIONS	38,544	3,733	15,725	8,677	10,408
02	1. INFECTIOUS AND PARASITIC DISEASES	667	205	241	91	131
03 04 05	2. NEOPLASMS	2,582 1,949	67 36	491 209	921 722	1,104 982
	OF UNCERTAIN BEHAVIOR210-239	634	31	282	199	122
06 07	3. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	1,157 655	67 26	286	369	435
08	4. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	359	63	140 96	239 61	250 139
09	5. MENTAL DISORDERS290-319	1,747	50	988	450	260
10	P S Y C HU S E S • • • • • • • • • • • • • • • • •	569	*5	319	144	100
11	ALCOHOL DEPENDENCE SYNDROME303	446	*	244	164	35
12 13	6. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389	1,838	341	371	407	719
14	DISEASES OF THE CENTRAL NERVOUS SYSTEM	432 506	66 *	149 12	86 100	130 392
15	DISEASES OF THE EAR AND MASTOID PROCESS	373	195	70	62	46
16	7. DISEASES OF THE CIRCULATORY SYSTEM390-459	5,336	43	528	1,774	2,991
17 18	ESSENTIAL HYPERTENSION401	345	*	64	147	132
19	HEART DISEASE	3,339 465	26 *	240 28	1,157 178	1,916 258
20	ATHEROSCLEROTIC HEART DISEASE	554	*	28 18	184	258 351
21 22	OTHER ISCHEMIC HEART DISEASE	841	*	69	402	366
23	CEREBROVASCULAR DISEASE428.0	423 806	* *6	*7 30	70 176	343 594
24	8. DISEASES OF THE RESPIRATORY SYSTEM460-519	3,475	1,034	767	663	1.010
25	ACUTE BRONCHITIS AND BRONCHIOLITIS	223	101	31	34	57
26 27	OTHER ACUTE UPPER RESPIRATORY INFECTIONS. EXCEPT INFILIENZA	256	157	55	22	22
28	CHRONIC DISEASE OF TONSILS AND ADENDIDS	449 769	292 229	154 107	* 130	*
29	ASTHMA	418	128	112	104	302 74
30	9. DI SEASES OF THE DIGESTIVE SYSTEM	4,684	512	1,552	1,283	1,337
31 32	ULCERS OF THE STOMACH AND SMALL INTESTINE531-534 GASTRITIS AND DUODENITIS535	375	3	111	122	139
33	APPENDICITIS	276 277	21 72	120 169	82 22	54 14
34	INGUINAL HERNIA550	481	89	124	145	123
35 36	NONINFECTIOUS ENTERITIS AND COLITIS	597	207	186	92	112
37		482	*	159	170	152
	10. DISEASES OF THE GENITOURINARY SYSTEM	3,496 299	167 *	1,762 144	854	712
39	DISORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	407	*	320	109 84	45 *
40	11. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,					
41	AND THE PUERPERIUM	1.004 516	*7 *5	994 50 9	*	•••
42	12. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	584	72	241	144	126
43	13. DISEASES OF THE MUSCULOSKELETAL SYSTEM		,,	241	144	120
44	AND CONNECTIVE TISSUE	2,308	84	932	741	551
45	ARTHROPATHIES AND RELATED DISORDERS	568 390	24 *	187 197	158 148	198 43
46	14. CONGENITAL ANOMALIES740-759	339	190	90	36	23
47	15. CERTAIN CONDITIONS ORIGINATING IN THE					
	PERINATAL PERIOD760-779	165	163	*	*	*
48	16. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	653	123	274	156	100
49	17. INJURY AND POISONING	3,584	483	1,759	633	709
50 51	FRACTURES, ALL SITES	1,138 302	155 *	419	191	373
52	INTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	302	* 84	185 157	80 34	34 33
	LACERATIONS AND OPEN WOUNDS870-904	347	47	210	59	31
54	SUPPLEMENTARY CLASSIFICATIONS	4,566	64	4,351	90	61
55 56	PERSONS ADMITTED FOR STERILIZATION	230	*	225	*	*
	TENNELS WATER DELIVERED SECTION OF THE PROPERTY OF THE PROPERT	3,913	14	3,894	*	• • •

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 13. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND AGE: UNITED STATES, 1981--CON.

ALL AGES	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS AND OVER	ALL AGES	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS AND OVER	
RATE OF	PATIENTS DIS	CHARGED PER	10,000 POPU	LATION		AVERAGE LEN	IGTH OF STAY	IN DAYS	· · · · · · · · · · · · · · · · · · ·	
1,693.1	728.7	1,487.0	1,953.0	3,964.6	7.2	4.6	5.2	8.0	10.5	
29.3	40.0	22.8	20.4	49.7	7.0	4.1	6.1	8.8	12.0	
113.4	13.0	46.4	207-2	420.5	10.3	7.0 9.7	7.2 9.9	9.7 10.7	12.4 12.9	
85.6 27.8	7.1 6.0	19.8 26.6	162.4 44.8	373.9 46.6	11.7	3.8	5.2	6.4	8.1	
21.0	5.0	2000								
50.8 28.8	13.1 5.1	27.0 13.3	83.0 53.7	165.8 95.1	9.1 9.7	6•4 5•8	6.7 7.1	9.1 9.7	11.1 11.7	
15.8	12.3	9.1	13.8	53.1	7.1	4.2	5.9	7.9	8.9	
76.8	9.7	93.4	101.2	99.0	12.0	12.4	11.6 15.4	11.6 15.0	13.9 17.1	
25.0 19.6	*1.0 *	30.2 23.1	32.5 37.0	38.2 13.5	15•7 10•4	*30 . 4 *	10.3	10.3	12.2	
80.7	66.5	35.1	91.6	273.9	5-4	3.5	5.7	5.8	5.9	
19.0 22.2	12.8 *	14.1 1.1	19.4 22.5	49•7 149•2	10.7 3.3	7.3	8.5 2.7	11.5 3.2	14.4 3.4	
16.4	38.1	6.6	13.9	17.7	3.1	2.4	2.9	3.8	4.9	
234.4 15.1	8 - 4 *	50.0 6.1	399.2 33.0	1.139.1 50.2	9.6 6.4	7.6 *	6.6 5.0	8•5 5•9	10.9 7.7	
146.7	5.1	22.7	260-4	729.7	9.3	7. 7	6.7	8.3	10-2	
20.4	*	2.6	40-1	98.1 133.9	11.9 9.6	*	9.7 5.4	11.7 7.9	12.3 10.7	
24.3 36.9	*	1.7 6.6	41.4 90.6	139-4	7.3	*	5.1	6.8	8.2	
18.6	*	*0.7	15.6	130.8	10.3	* * 2	*6.5	10.4	10.3 12.9	
35.4	*1.2	2.8	39.7	226.2	12-4	*8.2	11.5	11.1 7.9	10.2	
152.6 9.8	201.9 19.7	72•5 2•9	149.3 7.7	384.9 21.6	6.5 6.0	3.5 4.6	4.2 5.2	6.9	8.3	
11.2	30.6	5.2	4.9	8.4	4.0	3.2	4.2 2.1	5.6 *	7-3 *	
19.7 33.8	56.9 44.7	14.6 10.1	* 29•3	* 115 . 2	1.9 8.6	1.7 5.2	6.6	9.4	11.5	
18.3	25.0	10.6	23.3	28.3	5.8	3.6	5.2	7.0	8.8	
205-8	100.0	146.8	288.7	509.3	7.0	3.9	5.5	7.6	9.5 10.3	
16.5 12.1	0.6 4.1	10.5 11.3	27.4 18.4	53•1 20•4	8•2 5•6	5.9 3.2	6.0 4.6	8.1 6.1	7.8	
12.2	14.1	16.0	4.9	5.4	5.7	5.1	5.2	8.1	11-1	
21.1	17.4	11-7	32.6	47.0	4.6	2.3	4.1	4-8	6.3 7.4	
26.2 21.2	40 - 3 *	17.6 15.0	20.8 38.4	42•7 57•9	5-4 9-6	4.0 *	5.0 7. 9	7.0 8.9	12.1	
153.6	32.7	166.6	192.3	271.2	5.6	3.6	4.6	5•6	8.7	
13.1 17.9	*	13.6 30.2	24.4 19.0	17 - 2 *	5.0 3.4	*	4.2 3.4	5.1 3.6	7.4 *	
44.1	*1.3	94.0	*	•••	2.5	*2.0	2.5	*		
22.7	*0.9	48.1	*	•••	2.2	*1.7	2.2	*	•••	
25.6	14+1	22.8	32.4	48-1	7.9	4.5	5.5	8.8	13.2	
101.4	16.3	88.2	166.9	209.7	7.9	6.4	6.0	7.9	11.1	
24.9	4•8 *	17.7	35.5	75.4 16.2	9•1 9•2	6.2 *	5.1 8.5	9.4 9.8	13.0 10.2	
17.1		18.6	33.3		5.9	5.7	5.2	7.4	8.1	
14.9	37.0	8.5	8.2	8.9	2.9	2•1	7.2	7.4	0.1	
7.2	31.8	*	*	*	11.8	11.8	*	*	*	
28.7	24.0	25.9	35.1	38.0	4.2	3.7	3.6	4.1	6.8	
157.4	94.2	166.3	142-5	270-1	7.5	4.7	5.9	8.0	13.0	
50.0 13.3	30 • 2 *	39•7 17•5	43.0 18.0	141.9 13.1	10.6 7.4	5.7 *	7.8 7.1	9.6 8.3	16.4 7.4	
13.5	16.3	14.8	7.6	12.4	5.6	3.3	5.5	0.8	9.2	2
15.2	9.1	19.9	13.2	11.9	5.0	3.9	4.9	5.1	7.8	
200.5	12.5 *	411.5	20•2 *	23.1	3.7 2.0	3.9 *	3.6 2.0	4.5 *	6.1 *	
10.1 171.9	2.7	21.3 368.3	*	•••	3.7	3.8	3.7	*	•••	

TABLE 14. NUMBER OF DISCHARGES AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY CATEGORY OF FIRST-LISTED DIAGNOSIS, SEX, AND RACE; AND RATE OF DISCHARGES BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND SEX: UNITED STATES, 1981

5 6	CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ŤOTAL	MALE	FEMALE	TOTAL	MALE	
2 3 4 5						MACC	FEMALE
2 3 4 5			R OF PATI GED IN TH			OF DISCHA	
3 4 5	ALL CONDITIONS	38,544	15,379	23,165	1,693.1	1,399.2	1,967.3
4 5 6	1. INFECTIOUS AND PARASITIC DISEASES001-139	667	311	357	29.3	28.3	30.3
	2. NEOPLASMS	2,582 1,949	1,061 901	1,522 1,047	113.4 85.6	96.5 82.0	129.2 88.9
	OF UNCERTAIN BEHAVIOR	634	159	475	27.8	14.5	40.3
	DISEASES, AND IMMUNITY DISORDERS240-279 DIABETES MELLITUS250	1•157 655	416 260	741 395	50.8 28.8	37.8 23.6	62.9 33.
В	4. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	359	162	197	15.8	14.8	16.
9	5. MENTAL DISORDERS290-319	1,747	929	819	76.8	84.5	69.
	PSYCHOSES	569 446	275 345	294 100	25.0 19.6	25.0 31.4	25. 8.
2	6. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS 320-389	1,838	808	1,030	80.7	73.5	87.
	DISEASES OF THE CENTRAL NERVOUS SYSTEM320-336,340-349 CATARACT366	432 506	199 196	232 310	19.0 22.2	18.1 17.8	19. 26.
	DISEASES OF THE EAR AND MASTOID PROCESS	373	193	180	16.4	17.6	15.
5	7. DISEASES OF THE CIRCULATORY SYSTEM390-459	5,336	2,679	2,657	234-4	243.7	
	ESSENTIAL HYPERTENSION	345 3,339	130 1,773	215 1,566	15•1 146•7	11.8 161.3	18. 133.
9	ACUTE MYOCARDIAL INFARCTION	465	292	173	20.4	26.5	
)	ATHEROSCLEROTIC HEART DISEASE414.0	554	304	250	24.3	27.7	21.
	OTHER ISCHEMIC HEART DISEASE	841	499	342	36.9	45.4	
! }	CONGESTIVE HEART FAILURE428-0 CEREBROVASCUL AR DISEASE430-438	423 806	182 368	240 439	18•6 35•4	16.6 33.5	
4	8. DISEASES OF THE RESPIRATORY SYSTEM460-519	3,475	1,721	1,754	152-6	156.6	
	ACUTE BRONCHITIS AND BRONCHIOLITIS	223	98	125	9.8	8.9	
	OTHER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465 CHRONIC DISEASE OF TONSILS AND ADENOIDS474	256 449	128 191	128 259	11.2 19.7	11.6 17.3	10. 22.
}	PNEUMONIA, ALL FORMS480~486 ASTHMA493	769 418	384 180	3 85 237	33.8 18.3	34.9 16.4	32. 20.
) 1	9. DISEASES OF THE DIGESTIVE SYSTEM520-579 ULCERS OF THE STOMACH AND SMALL INTESTINE531-534	4,684 375	2,171 200	2,513 175	205•8 16•5	197.6 18.2	
!	GASTRITIS AND DUODENITIS535	276	124	152	12.1	11.3	
	APPENDIC ITIS	277	166	112	12.2	15.1	
;	INGUINAL HERNIA	481 597	430 243	51 354	21•1 26•2	39.1 22.1	4. 30.
	CHOLELITHIASIS	482	125	357	21.2	11.4	30
7	10. DISEASES OF THE GENITOURINARY SYSTEM580-629	3,496	1.082	2.413	153.6	98.5	
	CALCULUS OF KIDNEY AND URETER592 DISORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	299 407	204	94 407	13•1 17•9	18.6	8. 34.
)	11. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,						
L	AND THE PUERPERIUM	1,004 516	•••	1,004 516	44.1 22.7	•••	85. 43.
2	12. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	584	279	3 04	25•6	25.4	25
3	13. DISEASES OF THE MUSCULOSKELETAL SYSTEM	2 200	004	1 214	101 6	00.4	111
4	ARTHROPATHIES AND RELATED DISORDERS710-739	2,308 568	994 234	1,314 334	101•4 24•9	90.4 21.3	111. 28.
	INTERVERTEBRAL DISC DISORDERS722	390	205	185	17.1	18.6	15.
5	14. CONGENITAL ANOMALIES740-759	339	181	158	14.9	16.4	13.
7	15. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	165	89	76	7 • 2	8-1	6.
8	16. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	653	307	346	28•7	27.9	29.
9	17. INJURY AND POISONING800-999	3,584	2,020	1,563	157.4	183.8	132.
	FRACTURES, ALL SITES	1,138	574	564	50.0	52.2	47.
	SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847 INTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	302 307	148 188	154 119	13.3 13.5	13.5 17.1	13. 10.
	LACERATIONS AND OPEN WOUNDS	347	263	84	15.2	23.9	7
4	SUPPLEMENTARY CLASSIFICATIONS	4,566	169	4,397	200.5	15.4	
5	PERSONS ADMITTED FOR STERILIZATION	230 3,913	*	226 3,913	10.1 171.9	*	19 332

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 14. NUMBER OF DISCHARGES AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY CATEGORY OF FIRST-LISTED DIAGNOSIS, SEX, AND RACE; AND RATE OF DISCHARGES BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND SEX: UNITED STATES, 1981--CON.

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

				RACE				SEXCON.	
•	ALL OTHER	WHITE	TOTAL	ALL OTHER	WHITE	TOTAL	FEMALE	MALE	TOTAL
	IN DAYS	NGTH OF STAY	AV ER AGE LE	CHARGED	PATIENTS DIS THOUSANDS		IN DAYS	ENGTH OF STAY	AVERAGE LI
- 01	7.2	7.2	7.2	6,302	32,242	38,544	6.9	7.7	7.2
0;	8.7	6.6	7.0	128	539	667	7.0	7.0	7.0
	10.9 13.3	10.2 11.5	10.3 11.7	370 243	2,212 1,705	2,582 1,949	9.8 11.5	11.0 11.9	10.3 11.7
	6.4	6.0	6.1	127	507	634	6.2	5.8	6.1
	9.9	8.9	9.1	220	937	1,157	9.2	8.9	9.1
	10.4	9.5	9.7	141	514	655	9.9	9.4	9.7
90	6.8	7.2	7-1	86	274	359	7.8	6.2	7.1
	11.3	12.1	12.0 15.7	342 134	1,406 435	1,747 569	12.4 17.1	11.6 14.2	12.0 15.7
	14.4 8.6	16.1 10.9	10.4	95	351	446	11.3	10-2	10.4
12	6.1	5.3	5.4	236	1,602	1,838	5.3	5.4	5.4
13	10.8	10.7	10.7	65	367	432 506	10.5	10.9 3.3	10.7 3.3
	4.5 3.0	3.2 3.1	3.3 3.1	46 47	460 326	373	3.4 3.2	2.9	3.1
16	10.5	9.5	9.6	624	4,712	5,336	10.0	9.3	9.6
17	7.0	6.2	6.4	80	265	345	6.7	5.9	6.4
	10.2 13.9	9•2 11•8	9.3 11.9	330 32	3,009 433	3,339 465	9•8 12•4	8.8 11.7	9•3 11•9
20	11.3	9.5	9.6	39	515	554	10.6	8.8	9.6
	7.9	7.2	7.3	68	773	841	7.8 10.6	6.9 9.8	7.3 10.3
23	10.9 14.2	10.2 12.2	10.3 12.4	60 100	363 707	423 806	12.9	11.9	12.4
	6.4	6.5	6-5	514	2,961	3,475	6.3	6.6	6.5
25	5.1 4.3	6.1 3.9	6.0 4.0	32 41	191 215	223 256	6.3 4.2	5.6 3.7	6.0 4.0
27	2.0	1.8	1.9	63	387	449	1.9	1.8	1.9
	9.1 5.0	8.5 6.1	8.6 5.8	125 113	645 305	769 418	8.6 6.4	8.6 5.0	8.6 5.8
30	7.4	7.0	7.0	669	4,015	4,684	7.5	6.5	7.0
31	8.2	8.3	8.2	58	318	375	8.8	7.8	8-2
	5.9 6.8	5.5 5.5	5.6 5.7	42 42	23 4 235	276 277	5•8 5•6	5-2 5-8	5.6 5.7
	4.8	4.5	9. <i>1</i> 4. 6	66	415	481	4.5	4.6	4.6
35	5.7	5.4	5.4	87	511	597	5.8	4-8	5.4
36	9.5	9.6	9.6	63	419	482	9.2	10.6	9.6
	5.9	5.5	5.6	574 17	2,922	3,496	5.3 4.3	6.4 4.4	5.6 5.0
39	7.5 3.3	4.9 3.4	5.0 3.4	17 72	28 2 3 3 5	299 407	6.3 3.4	***	3.4
	2.7	2.5	2.5	303	701	1,004	2.5	•••	2.5
	2.2	2.2	2.2	178	338	516 584	2•2 8•2	7.5	2•2 7•9
42	8.5	7.7	7.9	103	481	204	8-2	1.5	1.9
	7.8	7.9	7.9	319	1,989	2,308	8.3	7.3	7.9
	9.3 10.7	9.1 9.0	9.1 9.2	74 42	493 348	568 390	9.9 9.9	7•9 8•5	9.1 9.2
	5.9	5.9	5.9	54	285	339	5.6	6.1	5.9
				,,	124	165	11 0	11.0	11 0
	12.9 5.1	11.4	11.8 4.2	41 112	541	653	11.8 4.4	11.8 4.1	11.8 4.2
	7.6 10.3	7.5 10.7	7.5 10.6	591 141	2,992 996	3,584 1,138	8.7 12.5	6.7 8.8	7.5 10.6
51	8.3	7.2	7.4	54	248	302	8.0	6.8	7.4
52	7.5 4.9	5.1 5.1	5.6 5.0	60 89	247 258	307 347	5.4 5.0	5.7 5.0	5.6 5.0
									3.7
	3.9 2.2	3.6 2.0	3.7 2.0	1,016 53	3,549 177	4,566 230	3.6 2.1	4•2 *	2.0
	3.9	3.7	3.7	884	3,029	3,913	3.7	•••	3.7

TABLE 15. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND GEOGRAPHIC REGION: UNITED STATES, 1981

05 B 06 07 D 08 09 P 11 A 12 D 114 C 115 D	ALL CONDITIONS. 1. INFECTIOUS AND PARASITIC DISEASES	NUMBER OF 38,544 667 2,582 1,949 634 1,157 655 359 1,747	PATIENTS 7,822 128 635 478 157 232 143 80	DISCHARGE 11,132 194 766 590 176	241 726 523 203	JSANDS 6,388 104 456 358 98
02 03 04 05 8 06 07 07 08 00 00 00 00 00 00 00 00 00 00 00 00	1. INFECTIOUS AND PARASITIC DISEASES	667 2,582 1,949 634 1,157 655	128 635 478 157 232 143	194 766 590 176 320	241 726 523 203	104 456 358
03 04 M 05 B 06 07 D 08 09 P 11 A 12 D 11 A 12 D 14 C 15 D 16 E 17 E 18 H	2. NEOPLASMS	2,582 1,949 634 1,157 655 359	635 478 157 232 143	766 590 176 320	726 523 203	456 358
04 M 05 B 06 07 D 08 09 P 10 P 11 2 D 11 4 D 11 5 D	MALIGNANT NEOPLASMS	1,949 634 1,157 655 359	478 157 232 143	590 176 320	523 203	358
05 B 06 07 D 08 09 P 11 A 12 D 114 C 115 D	BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR	634 1,157 655 359	157 232 143	176 320	203	
06 07 D 08 09 10 P 11 A 12 13 D 14 C 15 D	3. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	1,157 655 359	232 143	320		70
07 D 08 09 10 P 11 A 12 13 D 14 C 15 D	DISEASES, AND IMMUNITY DISORDERS	655 359	143		444	
08 09 10 P 11 A 12 13 D 14 C 15 D	4. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289 5. MENTAL DISORDERS	359		179		161
09 10 P 11 A 12 13 D 14 C 15 D	5. MENTAL DISORDERS		80		254	79
10 P 11 A 12 13 D 14 C 15 D 16 17 E 18 H	SYCHOSES290-299	1.747		99	127	54
11 A 12 13 D 14 C 15 D 16 17 E 18 H	ALCOHOL DEPENDENCE SYNDROME		498	561	441	248
13 D 14 C 15 D 16 17 E 18 H		569 446	165 192	173 142	129 71	102 41
13 D 14 C 15 D 16 17 E 18 H	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389	1 020			-	
15 D 16 17 E 18 H	DISEASES OF THE CENTRAL NERVOUS SYSTEM	1,838 432	347 81	582 128	549 146	359 77
16 17 E 18 H	ATARACT	506	98	148	131	128
17 E 18 H		373	69	126	121	56
TR H	7. DISEASES OF THE CIRCULATORY SYSTEM	5,336	1,137	1,488	1.828	884
	SSENTIAL HYPERTENSION	345 3,339	54 730	97 928	147 1,124	47
19	ACUTE MYOCARDIAL INFARCTION	465	119	131	135	557 81
20 21	ATHEROSCLEROTIC HEART DISEASE	554	126	155	198	75
22	CONGESTIVE HEART FAILURE428.0	841 423	170 100	226 116	291 135	155 72
23 C	EREBROVASCULAR DISEASE430-438	806	180	217	270	138
24	8. DISEASES OF THE RESPIRATORY SYSTEM460-519	3,475	620	1,039	1,307	509
25 A	ACUTE BRONCHITIS AND BRONCHIOLITIS	223	36	68	93	27
26 D 2 7 C	OTHER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465	256	43	77	109	27
28 P	CHRONIC DISEASE OF TONSILS AND ADENOIDS	449 769	75 119	164 215	137 330	74 105
29 A	STHMA	418	95	120	133	69
30	9. DISEASES OF THE DIGESTIVE SYSTEM	4,684	914	1,338	1,761	670
31 U	JLCERS OF THE STOMACH AND SMALL INTESTINE	375	67	96	157	56
32 G 33 A	ASTRITIS AND DUODENITIS535 PPENDICITIS540-543	276	37	76	140	23
34 I	NGUINAL HERNIA	277 481	51 126	78 136	92 136	56 83
35 N	NONINFECTIOUS ENTERITIS AND COLITIS	597	96	174	260	68
,0 L	HOLELITHIASIS574	482	98	146	169	69
37	10. DISEASES OF THE GENITOURINARY SYSTEM	3,496	691	937	1,322	546
38 C. 39 D	ALCULUS OF KIDNEY AND URETER	299	54	77	124	44
		407	103	102	150	52
¥0	11. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM					
+1 A	LL ABORTIONS, INCLUDING ECTOPIC AND MOLAR PREGNANCIES630-639	1,004 516	2 7 4 185	256 105	318 147	156 79
+ 2	12. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	584	137	171	193	82
¥3	13. DISEASES OF THE MUSCULOSKELETAL SYSTEM					02
+4 A	AND CONNECTIVE TISSUE710-739 RTHROPATHIES AND RELATED DISORDERS710-719	2,308	393	787	727	400
+5 Î	NTERVERTEBRAL DISC DISORDERS	568 390	89 58	202 122	172 127	104 83
÷6	14. CONGENITAL ANOMALIES740-759	339	61	100	115	63
÷7	15. CERTAIN CONDITIONS ORIGINATING IN THE			100	***	69
	PERINATAL PERIOD760-779	165	25	44	65	32
*8	16. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	653	113	172	262	107
9 50 FI	17. INJURY AND POISONING	3,584	664	1,032	1,211	677
51 SI	PRAINS AND STRAINS OF BACK (INCLUDING NECK)	1,138 302	226 46	330 91	360 129	222 36
52 I	NTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	307	80	92	88	48
53 L	ACERATIONS AND OPEN WOUNDS870-904	347	58	92	133	64
54	SUPPLEMENTARY CLASSIFICATIONS	4,566	873	1,247	1,566	880
55 PI	ERSONS ADMITTED FOR STERILIZATIONV25-2 EMALES WITH DELIVERIESV27	230 3,913	50 73 1	63 1,064	86 1,356	31 763

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 15. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND GEOGRAPHIC REGION: UNITED STATES, 1981--CON.

ALL REGIONS	NORTHEAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTHEAST	NORTH CENTRAL	SOUTH	WEST	
RATE OF	PATIENTS DI	SCHARGED PER	10,000 PDPUL	ATION		AVERAGE LE	NGTH OF STAY	IN DAYS		
1,693.1	1,589.4	1,895.1	1,735.3	1,464.4	7.2	8.5	7.4	6.8	6.0	01
29•3	26.0	33.1	31.7	23.8	7.0	8.4	7.1	6.4	6.7	02
113.4 85.6	128.9 97.0	130.3 100.4	95•4 68•7	104.6 82.1	10.3 11.7	11.5 13.2	10.6 11.7	10.2 12.0	8.4 9.2	
27.8	31.9	29.9	26.6	22.6	6.1	6.5	6.7	5.6	5.2	
50.8 28.8	47.2 29.1	54.4 30.5	58.3 33.4	36.8 18.2	9-1 9-7	12.2 13.6	9.1 9.3	8.2 8.5	7.0 7.6	
15.8	16.3	16.8	16.6	12.3	7.1	8.6	7.1	6.7	5.6	
76.8	101.2	95.4	57.9	56.9	12.0	11.8	13.2	10.4	12.2	0.0
25.0	33.5	29.4	16.9	23.4	15.7	17.5	16.3	13.5	12.2 14.5	
19.6	39.1	24.1	9.3	9.4	10.4	8.1	13.9	10.7	9.2	11
80.7	70.6	99.1	72.2	82.3	5.4	6.4	5.4	5.3	4.4	12
19.0	16.4	21.8	19.2	17.7	10.7	14.3	10.7	9.4	9.4	13
22.2 16.4	20.0 14.1	25.2 21.5	17.2 15.9	29.4 12.9	3.3 3.1	3.6 3.0	3.7 3.0	3.1 3.4	3.0 2.4	
234.4	231.0	253.2	240.2	202.6	9.6	12.0	9.7	9.1	7.5	1.4
15.1	11.0	16-6	19.3	10.7	6.4	7.3	6.6	6.2	5.6	
146.7	148.3	157-9	147.8	127.8	9.3	11.4	9.4	8.8	7.1	18
20.4 24.3	24.1 25.7	22.4 26.4	17.7	18.5	11.9	13.6	12.7	11.5	8.9	
36.9	34.5	38.4	26.1 38.3	17.1 35.4	9.6 7.3	12.1 8.3	9.4 7.7	9•2 7•1	6.8 5.9	
18.6	20.3	19.7	17.7	16.5	10.3	13.6	10.3	9.3	7.5	
35.4	36.7	37.0	35.5	31.7	12.4	16.8	12.0	11.3	9.6	23
152.6	126.0	176.9	171.8	116.6	6.5	7.5	6.1	6.6	5.5	24
9.8	7.3	11.5	12.2	6.1	6.0	7.0	6-0	5.8	5.3	25
11.2 19.7	8.7 15.2	13.1 27.9	14.3 18.0	6.2 16.9	4.0 1.9	3.5	4.1	4.1	3.9	
33.8	24.2	36.7	43.4	24.1	8.6	1.7 11.1	1.9 8.4	2-1 8-0	1.5 7.9	
18.3	19.4	20.4	17.5	15.9	5.8	6.3	5.9	5.9	4.7	
205.8	185.7	227.9	231.5	153.7	7.0	7.9	7.2	6.7	6.5	30
16.5	13.5	16.3	20.6	12.8	8.2	9.5	8.3	7.5	8.8	
12.1 12.2	7.5 10.3	12.9 13.3	18.4 12.1	5.4 12.9	5.6 5.7	5.9	5.7	5.4	5.6	
21.1	25.6	23.1	17.9	19.0	3•1 4•6	6.8 4.4	5.4 4.9	5.5 4.8	5.4 3.8	
26.2	19.5	29.6	34-1	15.6	5.4	6.0	5.4	5.1	5.6	
21.2	20.0	24.8	22.2	15.9	9.6	10.9	9.3	9.5	8.2	
153.6	140-4	159.5	173.8	125.2	5.6	5.8	5.7	5.6	5.0	37
13-1	11.0	13.0	16.2	10.2	5-0	6.2	5.1	4.9	3.7	38
17.9	20.9	17.3	19.8	12.0	3.4	2.8	3.6	3.8	3.5	39
44.1	55.7	43.6	41.8	35.7	2.5	2•3	2.6	2.7	2.3.	40
22.7	37.7	17.8	19.3	18.2	2.2	1.9	2.5	2.3	2.3.	
25.6	27.8	29.2	25.4	18.8	7.9	8.9	8-4	7.3	6.2	42
101-4	79.9	134-0	95.6	91.8	7.0	0.3	7.0	7.4		
24.9	18.1	34.4	22.6	23.9	7.9 9.1	9•2 10•4	7.9 9.2	7.6 8.7	6.9 8.4	
17.1	11.8	20.7	16.7	19.1	9.2	10.7	9.6	9.1	7.4	
14.9	12.3	17.0	15.1	14.5	5.9	5.9	6.0	5.9	5.8	46
7.2	5.0	7.4	8.5	7.3	11.8	15.4	14.0	10.2	9.3	47
28.7	22.9	29.2	34.4	24.6	4.2	4.4	3.9	4.5	4.0	48
157.4	134.9	175.7	159.1	155.3	7 6	6.2				
50.0	45.8	56.2	47.3	155•3 50•9	7.5 10.6	9.3 14.2	7.5 10.2	7.3 10.1	6.2 8.4	
13.3	9.3	15.5	16.9	8-4	7.4	8.5	7.4	7.3	6.4	
13.5	16.2	15.6	11.6	10.9	5.6	5.9	5.9	5.5	4.6	52
15.2	11.8	15.7	17.5	14.7	5.0	5.0	6.1	4.7	4.0	53
200-5	177.4	212.2	205.9	201.6	3.7	4.3	3-9	3.5	2.9	54
10.1 171.9	10.1 148.5	10.7 181.1	11.3 178.2	7.1 174.8	2.0 3.7	2.1 4.5	2.1 4.0	2.0 3.5	1.7	55 56

TABLE 16. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND BED SIZE OF HOSPITAL: UNITED STATES, 1981

CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ALL SIZES	6-99 BEDS	100-199 BEDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE
	NUM	BER OF PA	TIENTS DI	SCHARGED	IN THOUSA	NDS
ALL CONDITIONS	38,544	6,943	7,016	6,091	9,418	9,07
1. INFECTIOUS AND PARASITIC DISEASES001-139	667	126	144	102	155	14
2. NEOPLASMS	2,582 1,949	242 167	362 252	400 300	702 550	87 68
OF UNCERTAIN BEHAVIOR	634	74	109	100	152	19
3. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	1•157 655	236 139	211 117	184 104	279 160	24 13
4. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	359	70	61	55	94	7
5. MENTAL DISORDERS290-319	1,747	366	292	216	479	39
SYCHOSES290-299 COHOL DEPENDENCE SYNDROME	569 446	75 156	91 74	66 51	177 101	16 6
6. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS 320-389 SEASES OF THE CENTRAL NERVOUS SYSTEM320-336,340-349	1,838 432	205 68	346 72	301 79	504 96	48 11
TARACT	506 373	40 44	103	96 62	152	11
7. DISEASES OF THE CIRCULATORY SYSTEM	5,336	1,023	916	928	1,296	1.17
SENTIAL HYPERTENSION401	345	89	66	52	72	_6
ART DISEASE391-392-0,393-398,402,404,410-416,420-429 ACUTE MYOCARDIAL INFARCTION410	3,339 465	640 95	567 87	576 83	807 113	74 8
ATHEROSCLEROTIC HEART DISEASE414.0	554	70	89	98	145	15
THER ISCHEMIC HEART DISEASE	841	160	128	152	211	19
CONGESTIVE HEART FAILURE428.0	423	108	83	75	84	7
REBROVASCULAR DISEASE430-438	806	164	144	143		15
8. DISEASES OF THE RESPIRATORY SYSTEM460-519 UTE BRONCHITIS AND BRONCHIOLITIS466	3,475 223	882 63	694 55	549 30	745 46	60 2
HER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465	256	77	62	35	52	3
RONIC DISEASE OF TONSILS AND ADENDIDS	449	61	90	95	115	8
EUMONIA: ALL FORMS480-486	769	247	154	115	141	11
THMA493	418	79	77	67	99	9
9. DISEASES OF THE DIGESTIVE SYSTEM520-579	4,684	1,014	898	740		90
CERS OF THE STOMACH AND SMALL INTESTINE	375	99	77	56	79	6
STRITIS AND DUODENITIS	276 277	99 58	51 58	43 45	51	3
GUINAL HERNIA550	481	76	92	45 75	66 137	5 10
NINFECTIOUS ENTERITIS AND COLITIS555-556,558	597	164	125	93	128	8
OLELITHIASIS574	482	94	88	83		9
10. DISEASES OF THE GENITOURINARY SYSTEM580-629	3,496	575	736	548		78
LCULUS OF KIDNEY AND URETER592 SORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	299 407	60 68	59 98	49 50	72 100	6 9
11. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,		140	100			
AND THE PUERPERIUM	1,004 516	140 58	183 90	138 66		30 17
12. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	584	124	103	76	144	13
13. DISEASES OF THE MUSCULOSKELETAL SYSTEM						
AND CONNECTIVE TISSUE710-739	2,308	385	403	370	591	55
THROPATHIES AND RELATED DISORDERS710-719 ITERVERTEBRAL DISC DISORDERS722	568 390	82 40	87 72	90 71	154 111	15 9
14. CONGENITAL ANOMALIES740-759	339	31	61	48	72	12
15. CERTAIN CONDITIONS ORIGINATING IN THE PERIMATAL PERIOD	165	*13	27	29	33	6
16. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	653	135	113	108	151	14
17. INJURY AND POISONING800-999	3,584	694	647	594	875	77
RACTURES, ALL SITES	1,138	181	209	200		25
RAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	302	87	65	40	60	5
TRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	307	66	55	48	77	6
CERATIONS AND OPEN WOUNDS870-904	347	80	58	51	77	8
			820	704		
SUPPLEMENTARY CLASSIFICATIONS	4,566	681	820	104	1,082	112
SUPPLEMENTARY CLASSIFICATIONS	230	51 578	54	36		1,27 4

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 16. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND BED SIZE OF HOSPITAL: UNITED STATES, 1981--CON.

CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ALL SIZES	6-99 BEDS	100-199 BEDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE
		AVERA	GE LENGTH	OF STAY	IN DAYS	
ALL CONDITIONS	7.2	5.9	6.6	7.2	7.7	8.
1. INFECTIOUS AND PARASITIC DISEASES001-139	7.0	5.0	6.4	6.9	7.9	8. !
2. NEOPLASMS140-239 LIGNANT NEOPLASMS140-208 NIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS	10.3 11.7	8.5 10.1	9.1 10.8	10.1 11.5	10.8 12.0	11.0
F UNCERTAIN BEHAVIOR210-239	6.1	4.8	5.2	6.0	6.3	6.
3. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	9.1 9.7	7.1 7.4	9•2 9•8	8.4 9.4	9.9 10.4	10.
4. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	7-1	5.7	6.6	7.8	7.2	8.
5. MENTAL DISORDERS	12.0 15.7 10.4	9•6 17•4 7•5	12.7 13.8 15.5	11.1 12.7 13.6	12.4 16.5 9.3	13.6 16.1 11.1
6. DISEASES OF THE NERVOUS SYSTEM AND SENSE DRGANS 320-389 SEASES OF THE CENTRAL NERVOUS SYSTEM	5.4 10.7	4.7 6.9	4.4 8.3	5.6 10.9	5.2 11.8	6.9 13.3
TARACT	3.3 3.1	3.2 3.7	3.1 2.8	3.6 3.1	3.1 2.8	3.7
7. DISEASES OF THE CIRCULATORY SYSTEM390-459	9.6	7.5	9-1	9.9	10.5	10-9
SENTIAL HYPERTENSION401 ART DISEASE391-392.0,393-398,402,404,410-416,420-429	6.4 9.3	5.5 7.4	6.3 9.1	6.7 9.3	7.0 9.9	6.8 10.3
ACUTE MYOCARDIAL INFARCTION410	11.9	9.6	11.7	12.4	13.2	12.
THEROSCLEROTIC HEART DISEASE414.0 OTHER ISCHEMIC HEART DISEASE414.0	9.6 7.3	7.6 5.4	9.7 6.7	9•6 7•7	9-8 7-9	10. 8.
CONGESTIVE HEART FAILURE428.0 REBROVASCULAR DISEASE430-438	10.3 12.4	8.4 9.1	10.7 11.3	9.7 12.8	11.2 13.8	12. 14.
8. DISEASES OF THE RESPIRATORY SYSTEM460-519	6.5	5.9	6.1	6.6	6.8	7.
JTE BRONCHITIS AND BRONCHIOLITIS	6.0 4.0	5.2 3.8	6.2 4.0	6.5 4.4	6•3 3•9	6. 4.
RONIC DISEASE OF TONSILS AND ADENDIDS	1.9	2.0	2.0	1.8	1.7	i.
UMONIA, ALL FORMS480-486	8.6 5.8	7•4 5•0	8.0 5.5	9.4 6.2	10.3 6.5	8. 5.
9. DISEASES OF THE DIGESTIVE SYSTEM520-579	7.0	5.6	6.8	7.4	7.5	8.
CERS OF THE STOMACH AND SMALL INTESTINE531-534 STRITIS AND DUODENITIS535	8.2 5.6	6.3 4.9	7.6 5.6	9.8 5.8	9.1 6.0	9. 6.
PENDICITIS540-543	5.7	5.0	5.5	5.8	6.0	6.
GUINAL HERNIA550	4.6	4.5	4-5	4.5	4.6	4.
NINFECTIOUS ENTERITIS AND COLITIS555-556,558 DLELITHIASIS574	5.4 9.6	4•6 7•8	5•2 9•9	5.6 9.3	5.4 10.7	7. 9.
10. DISEASES OF THE GENITOURINARY SYSTEM580-629	5.6	5.1	5.3	5.8	5.7	6.
LCULUS OF KIDNEY AND URETER	5.0 3.4	3.7 3.4	4.8 3.4	5.0 3.5	5.5 3.2	5.4 3.
11. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,	2 -	2.4				
AND THE PUERPERIUM	2.5 2.2	2.4 2.3	2.4 2.2	2.4 2.1	2.8 2.5	2. 2.
12. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	7.9	7-1	7.3	8.1	7.7	9.
13. DISEASES OF THE MUSCULOSKELETAL SYSTEM	7.9	4 7	7 2	7.0	0.5	•
AND CONNECTIVE TISSUE710-739 THROPATHIES AND RELATED DISORDERS710-719	9.1	6.3 7.3	7.2 8.5	7.8 8.6	8.5 10.0	8. 9.
TERVERTEBRAL DISC DISORDERS722	9.2	8.0	8.4	8.3	9.8	10.
14. CONGENITAL ANOMALIES740-759	5.9	4. 8	5.4	5.7	5.1	6.
15. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	11.8	*3.7	8.6	12.6	9.7	15.
16. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	4.2	3.7	4.2	4-2	4.5	4.
17. INJURY AND POISONING	7.5	5.4	6.6	7.4	8.1	9.
ACTURES, ALL SITES800-829 RAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	10.6 7.4	8.1 6.8	9•1 7•2	10.2 7.6	11.4 7.5	13. 8.
TRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	5.6	3.0	5.1	4.2	5.0	10.
CERATIONS AND OPEN WOUNDS870-904	5.0	3.6	4.8	4-8	5.6	6.
SUPPLEMENTARY CLASSIFICATIONS	3.7 2.0	3.0 2.1	3.5 1.9	3.4 1.9	3.9 2.1	4.: 2.:
MALES WITH DELIVERIES27	3.7	2.1 3.1	1.9 3.5	1.9 3.4	2.1 3.9	2 • · ·

TABLE 17. NUMBER OF ALL-LISTED DIAGNOSES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY DIAGNOSTIC CATEGORY AND AGE, SEX, RACE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1981

				AGE		
	DIAGNOSTIC CATEGORY AND ICD-9-CM CODE	ALL DIAGNOSES	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS
		NUMBER OF	ALL-LISTED	DIAGNOSI	ES IN THO	USANDS
1	ALL CONDITIONS	94,365	6,496	32,027	22,192	33,650
2	1. INFECTIOUS AND PARASITIC DISEASES001-139	1,591	338	515	294	444
	2. NEOPLASMS	4,349 3,138	84 43	794 292	1,500 1,108	1,972 1,695
	OF UNCERTAIN BEHAVIOR210-239	1,211	41	501	391	277
7	3. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279 DIABETES MELLITUS250	5,312 2,395	263 33	959 328	1.695 817	2,399 1,21
8	4. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	1,552	150	416	333	65
	5. MENTAL DISORDERS	4, 204 966	100 *7	1,972 424	1•123 244	1 • 009 291
	ALCOHOL DEPENDENCE SYNDROME	885	*	443	345	94
. 3		4,037 1,259	650 117 *	758 304	917 274	1,712
5	CATARACT	600 817	414	18 [,] 142	115 119	462 142
6	7. DISEASES OF THE CIRCULATORY SYSTEM	17,368 2,204	131 *12	1,230 254	4,945 834	11,06
8	HEART DISEASE391-392.0,393-398,402,404,410-416,420-429	10,652	82	532	2,986	7,05
9	ACUTE MYOCARDIAL INFARCTION410 ATHEROSCLEROTIC HEART DISEASE414.0	772 1,912	* *7	40 30	285 447	1 44
1	OTHER ISCHEMIC HEART DISEASE	2,526	*10	132	1,001	1,42 1,38
2 3	CONGESTIVE HEART FAILURE428.0 CEREBROVASCULAR DISEASE430-438	1,359 1,720	13 15	23 52	228 338	1,09 1,31
4	8. DISEASES OF THE RESPIRATORY SYSTEM460-519	6,849	1,460	1,343	1,520	2,52
	ACUTE BRONCHITIS AND BRONCHIOLITIS466	320	126	48	58	. 8
	OTHER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465 CHRONIC DISEASE OF TONSILS AND ADENOIDS	497 553	260 373	124 174	51 *	6
8	PNEUMONIA, ALL FORMS	1,209 628	307 156	161 159	217 165	52 14
0	9. DISEASES OF THE DIGESTIVE SYSTEM520-579	8,903	680	2,535	2,540	3,14
1	ULCERS OF THE STOMACH AND SMALL INTESTINE531-534	646	*	162	213	26
	GASTRITIS AND DUODENITIS	603	31	225	191	15
4	INGUINAL HERNIA	330 590	78 110	199 134	32 167	2 17
5	NONINFECTIOUS ENTERITIS AND COLITIS555-556,558	831	253	251	143	18
	CHOL EL ITHI ASIS	736	*	206	238	29
7 8	10. DISEASES OF THE GENITOURINARY SYSTEM	7,653 391	307 *	3,417 168	1,843 138	2,08 8
		571	*	450	116	
0	11. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,					
1	AND THE PUERPERIUM	6,014 550	27 *5	5,978 543	*9 *	••
2	12. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	1,271	124	425	333	38
3	13. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	E 200	121	1 520	1 (2)	
4	ARTHROPATHIES AND RELATED DISORDERS	5,280 1,802	131 43	1,539 334	1,626 475	1,98 94
6	14. CONGENITAL ANOMALIES	530	*	229	209	8
7	15. CERTAIN CONDITIONS ORIGINATING IN THE	743	320	211	109	10
•	PERINATAL PERIOD	360	354	*	*	
8	16. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	4,643	499	1,255	1,251	1,63
9	17. INJURY AND POISONING	6,477	720	3,213	1,201	1,34
0	FRACTURES, ALL SITES800-829 SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	1,670 483	199 *7	677 294	282 126	51 5
2	INTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	400	94	210	50	4
3	LACERATIONS AND OPEN WOUNDS870-904	744	83	464	113	8
4	SUPPLEMENTARY CLASSIFICATIONS	7,758	158	5,467	951	1,18
55	FEMALES WITH DELIVERIES	678 3,913	* 14	668 3,894	*9 *	

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 17. NUMBER OF ALL-LISTED DIAGNOSES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY DIAGNOSTIC CATEGORY AND AGE, SEX, RACE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1981--CON.

			BED SIZE				REGION	GEOGRAPHI		E	RAC	x	SE
-	500 BEDS OR MORE	300-499 BEDS	200-299 BEDS	100-199 BEDS	6-99 BEDS	WEST	SOUTH	NORTH CENTRAL	NORTH- EAST	ALL OTHER	WHITE	FEMALE	MALE
		,			SCON.	N THOUSAND	IAGNOSES I	-LISTED D	BER OF ALL	NUME		•	
01	21,581	23,071	14,787	17,397	17,530	15,415	32,055	27,543	19,352	14,581	79,784	57,067	37,297
02	384	367	235	314	290	251	579	460	301	324	1,267	898	693
03 04	1,377	1,149 859	683 490	667 443	474 316	743 563	1,268 863	1,285 949	1,053 764	580 374	3,769 2,765	2,559 1,662	1,790 1,476
05	346	290	192	225	158	181	405	336	289	206	1,005	89 7	314
06 07	1,105 528	1,297	859 378	977 427	1,074 457	775 317	1,837 819	1,609 688	1,091 572	872 437	4,440 1,959	3,378 1,452	1,934 943
08	390	605 401	227	257	279	241	536	426	348	368	1,184	961	591
09	905	1,096	565	746	891	669	1,181	1,326	1,028	754	3,449	2,105	2,098
10 11	242 153	295 213	120 107	157 156	152 256	185 133	236 161	298 265	247 326	194 214	772 671	499 211	467 674
12 13	1,020 314	1,069 305	636 206	747 213	566 221	743 219	1,220 411	1,274 377	801 252	529 170	3,508 1,089	2,202 657	1,836 602
14 15	142 191	177 208	107 139	121 170	52 108	146 127	156 270	178 275	120 146	59 102	541 715	365 400	234 417
16 17	3,595 467	4,400 545	2,927 336	3,093 400	3,354 456	2,705 318	5,788 750	4,886 666	3,989 469	1,914 397	15,455 1,807	9,142 1,328	8,227 876
18	2:209	2,701	1,840	1.875	2,027	1,675	3,481	2,947	2,548	1,007	9,645	5,386	5,266
19 20	157 397	192 523	142 333	137 347	144 312	140 236	236 598	206 556	190 524	55 136	718 1,776	305 999	468 913
21	551	646	445	401	483	425	855	663	583	197	2,329	1,110	1,415
22 23	258 333	303 433	234 296	249 303	315 355	215 275	427 591	399 469	319 385	156 197	1,203 1,523	770 943	589 777
24 25	1,222 41	1,485 66	1,091 46	1,381 82	1,670 86	1,023 40	2,506 127	2 • 056 97	1,263 56	882 47	5,967 272	3,329 178	3,520 142
26	63	100	75	115	144	53	210	155	79 93	82 75	415	255	242 241
27 28 29	109 194 140	143 229 147	115 172 96	113 242 119	73 372 127	86 175 109	172 499 198	202 333 178	203 142	190 148	478 1,020 480	312 586 367	624 261
30	1,739	2,143	1,400	1,720	1,902	1,232	3,321	2,600	1,751	1,210	7,693	4,962	3,941
31	115 75	142 111	98 98	124 125	166 194	90 56	266 284	168 173	122 89	92 92	554 511	311 330	335 2 7 3
32 33	58	80	56	67	69	63	114	93	61	49	281	147	183
34 35	124 123	167 182	90 128	115 170	93 227	101 102	165 356	171 243	152 130	78 121	512 710	64 490	526 340
36	153	192	120	134	138	103	259	215	159	92	644	525	211
37 38	1,736 84	1,846 92	1,201 65	1,585 78	1•286 72	1,180 55	2,900 163	2,104 103	1,469 71	1,217 26	6,437 365	5,334 139	2,320 252
39	128	144	70	131	97	84	207	143	136	104	467	571	•••
40 41	1,768 185	1,431 135	89 7 72	1,058 96	860 62	1,134 86	2,051 159	1,626 114	1,204 191	1,499 189	4,516 361	6,014 550	•••
42		306	179	224	272	176	421	387	287	211	1,059	693	578
43	1,086	1,258	815	1,010	1,111	836	1,714	1,814	916	702	4,578	3,249	2,031
	369 116	449 149	261 93	324 98	399 74	283 106	613 172	601 170	304 82	218 60	1,584 469	1,159 259	642 271
46	248	164	105	136	89	134	250	231	129	120	623	373	370
47	152	66	71	53	18	65	130	110	54	88	272	160	199
48	1,020	1,090	722	849	961	775	1,706	1,306	857	736	3,907	2,501	2,142
	1,348	1,593	1,059	1,223	1,253 267	1,195 326	2,153 538	1,881 473	1,248 333	1,042 205	5,435 1,465	2,834 791	3,643 879
50 51	377 76	429 92	287 63	310 117	135	326 55	194	140	94	113	371	253	231
52 53	75 154	101 181	64 116	75 132	85 160	68 129	115 2 7 5	118 204	99 135	74 156	326 587	154 208	246 536
	2,195	1,909	1,116	1,358	1,180	1,538	2,496	2,161	1,562	1,535	6,223	6,373	1,385
55	157	139 933	98 613	151 701	134 578	97 763	286 1,356	162 1,064	133 731	164 884	515 3,029	667 3,913	11

TABLE 18. NUMBER OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY, AGE, SEX, AND RACE: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

			ALL AGES			
PROCEDURE CATEGORY AND ICD-9-CM CODE		SEX		RAC	CE	15 YEARS AND
	BOTH SEXES	MALE	FEMALE	WHITE	ALL OTHER	OVER
	NUMBE	R OF ALL-	LISTED PR	DCEDURES 1	IN THOUSA	NDS
ALL PROCEDURES	33,635	12,658	20,978	28,300	5,335	31,287
1. OPERATIONS ON THE NERVOUS SYSTEM01-05	827	427	400	679	148	687
2. OPERATIONS ON THE ENDOCRINE SYSTEM06-07	104	26	78	87	17	100
3. OPERATIONS ON THE EYE08-16 XTRACTION OF LENS	1,239 540	508 210	731 330	1.117 491	122 50	1,160 535
4. OPERATIONS ON THE EAR	379	207	172	331 169	48 22	165 21
YRINGOTOMY20.0	191	112	80			
5. OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29 HINDPLASTY AND REPAIR OF NOSE	1,597 255	761 129	837 126	1,416 242	182 13	1,142 245
ONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	457	191	266	392	64	168
6. OPERATIONS ON THE RESPIRATORY SYSTEM30-34 HORACENTESIS34-91	910 101	549 43	360 58	759 88	150 14	865 99
7. OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 PEN HEART	1,550	924	626	1,349	201	1,456
SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5	217	156	61	202	15 37	207
ARDIAC CATHETERIZATION37.21-37.23 IGATION AND STRIPPING OF VARICOSE VEINS	414 68	272 21	141 47	377 58	*10	384 68
YSTEMIC SHUNT OR GRAFT BYPASS	112	68	174	92	20	322
8. OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	343	166	176	290	52	
9. OPERATIONS ON THE DIGESTIVE SYSTEM42-54 ARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8	5,643 240	2,444 103	3,200 137	4,766 213	878 27	5,316 236
PPENDECTOMY, EXCLUDING INCIDENTAL47.0	312	172	140	266 148	46 25	23
IEMORRHOIDECTOMY49.43-49.46 HOLECYSTECTOMY51.2	173 482	87 128	86 354	419	63	17: 48:
EPAIR OF INGUINAL HERNIA53.0-53.1 IVISION OF PERITONEAL ADHESIONS54.5	51 7 259	461 42	56 218	448 213	69 47	41 25
10. OPERATIONS ON THE URINARY SYSTEM	1•931 193	1,098 86	83 4 106	1,694 164	238 29	1,79° 169
11. OPERATIONS ON THE MALE GENITAL ORGANS	817	817	•••	699	118	68
ROSTATECTOMY60.2-60.6 RCHIECTOMY AND ORCHIOPEXY	348	348	•••	318	30	34
ASECTOMY AND LIGITION OF VAS DEFERENS	71 33	71 33	•••	60 31	11	4; 3;
12. OPERATIONS ON THE FEMALE GENITAL ORGANS65-71 IOPHORECTOMY AND SALPINGO-OOPHORECTOMY	4,229	•••	4,229	3,370	859	4,21
ILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3	480 647	•••	480 647	394 487	86 1 6 0	47 64
YSTERECTOMY	673	•••	673	568	105	67
URETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51 ILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02	119 295	•••	119 295	56 215	63 80	11 29
IAGNOSTIC DILATION AND CURETTAGE OF UTERUS69.09 EPAIR OF CYSTOCELE AND RECTOCELE70.5	833 175	•••	833 175	670 161	163 14	83 17
13. OBSTETRICAL PROCEDURES72-75	3,927	•••	3,927	3,130	797	3,91
ESAREAN SECTION74.0-74.2,74.4,74.99 EPAIR OF CURRENT OBSTETRIC LACERATION75.5-75.6	702 439	•••	702 439	543 343	159 96	70 43
14. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM	3,411	1,700	1,711	2,899	511	3,15
PEN REDUCTION OF FRACTURE	359 228	182 117	177 111	313 202	45 26	33 16
XCISION OR DESTRUCTION OF INTERVERTEBRAL DISC						
AND SPINAL FUSION	188 155 431	101 113 179	87 42 252	164 142 367	24 13 64	18: 15: 42:
15. OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	1,915	753	1,163	1,604	311	1,78
ASTECTOMY	112 46	*6 23	106 23	102 41	10 *6	11:
KIN GRAFT (EXCEPT LIP OR MOUTH)	168	107	61	141	27	14
16. MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99 OMPUTERIZED AXIAL TOMOGRAPHY	4,814	2,278	2,535	4,111	703	4,534
(C.A.T. SCAN)	424 426	205 150	219 276	358 337	67 89	390 41
ADIDISOTOPE SCAN92.0-92.1	587	268	319	337 491	96	411 570

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 19. RATE OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY, AGE, AND SEX: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

### ALL PROCEDURES SATISFANCE FAMILE FAMILE SERVICE **RATE OF ALL-LISTED PROCEDURES PER 100,000 POPULATION **ALL PROCEDURES SATISFANCE 114,774.4 11,910.1 17,810.0 17,733.0 **1. OPERATIONS ON THE NEWYOUS SYSTEM.			ALL AGES	***	15 YEARS
ALL PROCEDURES	PROCEDURE CATEGORY AND ICD-9-CM CODE		MALE	FEMALE	
1. OPERATIONS ON THE MERVOUS SYSTEM 00-07		RATE OF ALL-LI	STED PROCEDURE	S PER 100,000	POPULATION
2. OPERATIONS ON THE ENDOCRINE SYSTEM	ALL PROCEDURES	14,774.4	11,516.1	17,816.0	17,733.0
2. OPERATIONS ON THE EYE	1. OPERATIONS ON THE NERVOUS SYSTEM01-05	363.3	388.6	339.6	389.4
EXTRACTION OF LENS	2. OPERATIONS ON THE ENDOCRINE SYSTEM06-07	45.5	23.5	66.1	56.8
## WARLHOOTONY					65 7. 5 303.4
**STSTEME SHURT OR THE HOLS , MOUTH, AND PHARYNX					93.7 11.7
RININDICASTY AND REPAIR OF NOSE. OPERATIONS ON THE RESPIRATORY SYSTEM	5. OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29				647.5
THORACENTESIS. 10. OPERATIONS ON THE CARDIOVASCULAR SYSTEM. 10. OPERATIONS ON THE MINISTER CARDIOVASCULAR SYSTEM. 10. OPERATIONS ON THE MINISTER CARDIOVASCULAR SYSTEM. 10. OPERATIONS ON THE MINISTER CARDIOVASCULAR SYSTEM. 10. OPERATIONS ON THE DIGESTIVE SYSTEM. 10. OPERATIONS ON THE MALE GENITAL ORGANS. 10. OPERATIONS ON T	RHINDPLASTY AND REPAIR OF NOSE	111.9	117.1	107.1	138.6
THORACENTESIS					
DPEN HEART SUNGERY35.1-35.51,35.53-36.2;36.9,37.10-37.11,37.32-37.33,37.5 SUNGERY35.1-35.51,35.53-36.2;36.9,37.10-37.11,37.32-37.33,37.5 SUNGERY35.1-37.52 SUNGERY					490•1 56•4
CARDIAC CATHETERIZATION		680.8	840.3	531.9	825.2
LIGATION AND STRIPPING OF VARICOSE VEINS	SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5				117-2
SYSTEMIC SHUNT OR GRAFT BYPASS	LIGATION AND STRIPPING OF VARICOSE VEINS				
9. OPERATIONS ON THE DIGESTIVE SYSTEM	SYSTEMIC SHUNT OR GRAFT BYPASS39.0-39.2				62-1
PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE. 43.5-43.6,45.6-45.8 APPENDECTOMY, EXCLUDING INCIDENTAL. 47.0 137.0 156.7 118.6 133.2 HEMORRHOIDECTOMY, EXCLUDING INCIDENTAL. 49.43-49.46 75.8 79.0 72.7 97.6 CHOLECYSTECTIONY. 59.2 114.0 37.9 185.0 LIA. 0PERATIONS ON THE MALE GENITAL ORGANS. 55.5 114.0 37.9 185.0 LIAL OPERATIONS ON THE MALE GENITAL ORGANS. 55.6 84.7 78.6 90.3 90.3 LIAL OPERATIONS ON THE MALE GENITAL ORGANS. 50.2-60.6 152.9 316.6 197.2 CHORLECTOMY AND CHOIDPEX 50.2 11.0 0.2-60.6 152.9 316.6 2.2 43.2 VASECTOMY AND LIGITION OF VAS DEFERENS. 50.2 56.2 5 31.3 64.9 2.2 43.2 VASECTOMY AND SALPINGO-ODPHORECTOMY 50.2 56.5 63.7 14.4 29.7 18.5 DOPHORECTOMY AND SALPINGO-ODPHORECTOMY 50.3 56.5 26.5 210.8 407.6 271.1 BILATERAL DESTRUCTION OR CCLUSION OF FALLDPIAN TUBES. 66.2-66.3 284.2 549.5 366.4 MYSTERECTOMY 60.2 THERM 50.2 56.5 5 571.3 381.2 CURRETTAGE OF UTERUS TO TERMINATE PREGNANCY 69.01.69.15 52.1 10.0 7 66.2 DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION. 99.02 129.6 250.6 166.3 120.8 120.1 100.7 66.2 11.8 120.1 10.1 10.1 10.1 10.1 10.1 10.1 10.	8. OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	150.5	151.4	149.5	182.2
APPENDECTOMY, EXCLUDING INCIDENTAL		2,478.8	2,223.2	2,717.5	3,013.0
HEMORRHOIDECTOMY					132.7
ENDLECYSTECTOMY REPAIR OF INGUINAL HERRIA 53.0-53.1 227.1 419.6 47.4 236.6 AUXISION OF PERITOREAL ADHESIONS 54.5 114.0 37.9 185.0 1018.5 104.7 10. OPERATIONS ON THE URINARY SYSTEM 558.6 84.7 78.6 90.3 90.3 11. OPERATIONS ON THE MALE GENITAL ORGANS 11. OPERATIONS ON THE MALE GENITAL ORGANS 11. OPERATIONS ON THE MALE GENITAL ORGANS 12. OPERATIONS ON THE FEMLE GENITAL ORGANS 13. OPERATIONS ON THE FEMLE GENITAL ORGANS 12. OPERATIONS ON THE FEMLE GENITAL ORGANS 13. OPERATIONS ON THE FEMLE GENITAL ORGANS 14. OPERATIONS ON THE FEMLE GENITAL ORGANS 12. OPERATIONS ON THE FEMLE GENITAL ORGANS 13. OPERATIONS ON THE FEMLE GENITAL ORGANS 14. OPERATIONS ON THE FEMLE GENITAL ORGANS 15. OPERATIONS ON THE FEMLE GENITAL ORGANS 16. OPERATIONS ON THE FEMLE GENITAL ORGANS 17. OPERATIONS ON THE FEMLE GENITAL ORGANS 18. OPERATIONS ON THE FEMLE OF UTERUS OF THE OPERATIONS 18. OPERATIONS ON THE FEMLE GENITAL ORGANS 18. OPERATIONS ON THE FEMLE OPERATIONS 18. OPERATIONS ON THE F	HEMORRHOIDECTOMY.				
REPAIR OF INGUINAL HERNIA					
10. OPERATIONS ON THE URINARY SYSTEM. 55-59 DILATION OF URETHRA. 78.6 90.3 96.0 11. OPERATIONS ON THE MALE GENITAL ORGANS. 60-64 358.7 78.6 90.3 96.0 11. OPERATIONS ON THE MALE GENITAL ORGANS. 60-64 358.7 743.0 389.1 PROSTATECTOMY. 60.2-60.6 152.9 316.6 197.2 ORCHIGETOMY AND DRCHIOPEXY. 62.3-62.5 31.3 64.9 24.2 VASECTOMY AND DICHITION OF VAS DEFERENS. 63.7 14.4 29.7 18.5 12. OPERATIONS ON THE FEMALE GENITAL ORGANS. 65-71 1,857.7 3,591.9 2,386.8 ODPHORECTOMY AND SALPINGO-ODPHORECTOMY. 65.3-65.6 210.8 407.6 271.1 BILATERAL DESTRUCTION OR OCCULSION OF FALLOPIAN TUBES. 66.2-66.3 284.2 549.5 366.6 HYSTERCTOMY. 66.3-68.7 295.5 571.3 381.2 CURETTAGE OF UTERUS TO TERMINATE PREGNANCY. 68.3-68.7 295.5 571.3 381.2 CURETTAGE OF UTERUS TO TERMINATE PREGNANCY FOR ABORTION. 90.02 129.6 250.6 166.3 210.0 100.7 66.2 DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION. 90.02 129.6 250.6 166.3 210.0 100.7 707.8 471.1 REPAIR OF CYSTOKELE AND RECTOCELE. 70.5 77.1 149.0 99.3 13. OBSTETRICAL PROCEDURES. 77.0 77.8 77.1 149.0 99.3 13. OBSTETRICAL PROCEDURES. 77.0 77.0 77.1 149.0 99.3 14. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM. 77.5 77.5 17.6 165.7 372.6 247.5 DEAR REDUCTION OF FRACTURE. 76.79,79.2-79.3,79.5-79.6 157.6 165.7 150.1 189.0 DETHER REDUCTION OF FRACTURE. 76.79,79.2-79.3,79.5-79.6 157.6 165.7 150.1 189.0 DETHER REDUCTION OF FRACTURE. 76.79,79.2-79.3,79.5-79.6 157.6 165.7 150.1 189.0 DETHER REDUCTION OF FRACTURE. 76.79,79.2-79.3,79.5-79.6 165.6 165.7 150.1 189.0 DETHER REDUCTION OF FRACTURE. 76.70,76.78,79.0-79.1,79.4 100.1 106.5 94.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.1 102.4 36.0 86.6 86.6 86.7 97.8 97.0 97.9 97.9 97.9 97.9 97.9 97.9 97.9	REPAIR OF INGUINAL HERNIA53.0-53.1	227.1	419.6	47.4	236.6
DILATION OF URETHRA	DIVISION OF PERITONEAL ADHESIONS54.5	114.0	37.9	185.0	144.7
PROSTATECTOMY ORCHIECTOMY AND DRCHIDPEXY ORCHIECTOMY AND DRCHIDPEXY ORSECTOMY AND DRCHIDPEXY ORSECTOMY AND DRCHIDPEXY ORSECTOMY AND LIGITION OF VAS DEFERENS ORCHIECTOMY ORCHIECTOMY AND ALPINGO-ODOPHORECTOMY ORCHIECTOMY ORC					1,018.4 96.0
ORCHIECTOMY AND ORCHIOPEXY VASECTOMY AND LIGITION OF VAS DEFERENS 12. OPERATIONS ON THE FEMALE GENITAL ORGANS 65-71 12. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM 70-72 13. OBSTETRICAL PROCEDURES 70-75 14. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM 76-79,79-2-79-3,79-5-79-6 15-76		358.7	743.0	•••	389.1
VASECTOMY AND LIGITION OF VAS DEFERENS	PROSTATECTOMY				197.2
DOPHORECTIONY AND SALPINGO-ODPHORECTOMY					24.3 18.5
DOPHORECTOMY AND SALPINGO-ODPHORECTOMY	12. OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	1,857.7	•••	3.591.9	2.386.8
HYSTERECTOMY. 68.3-68.7 295.5 571.3 381.2 CURETTAGE OF UTERUS TO TERMINATE PREGNANCY. 69.01,69.51 52.1 100.7 66.2 DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION. 69.02 129.6 250.6 166.3 DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS. 69.09 366.1 707.8 471.1 149.0 99.3 13. 0BSTETRICAL PROCEDURES. 70.5 77.1 149.0 99.3 13. 0BSTETRICAL PROCEDURES. 72-75 1,724.8 3,334.8 2,217.1 CESAREAN SECTION. 74.0-74.2,74.4,74.99 308.2 595.9 396.9 REPAIR OF CURRENT OBSTETRIC LACERATION. 74.0-74.2,74.4,74.99 308.2 595.9 396.9 372.6 247.5 192.7 372.6 247.5 192.7			•••		271.1
CURETTAGE OF UTERUS TO TERMINATE PREGNANCY					
DITATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION	CURETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51				
REPAIR OF CYSTOCELE AND RECTOCELE	DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION 69.02				166.3
13. OBSTETRICAL PROCEDURES					471-1 99-3
CESAREAN SECTION	12. ORSTETDICAL DROCEDURES				
REPAIR OF CURRENT OBSTETRIC LACERATION	CESAREAN SECTION		•••		
OPEN REDUCTION OF FRACTURE	REPAIR OF CURRENT OBSTETRIC LACERATION		•••		247.5
OTHER REDUCTION OF FRACTURE					1,786.3
EXCISION OR DESTRUCTION OF INTERVERTEBRAL DISC AND SPINAL FUSION. AND SPINAL FUSION. BO.5,81.0					189.9
EXCISION OF SEMILUMAR CARTILAGE OF KNEE	EXCISION OR DESTRUCTION OF INTERVERTEBRAL DISC				
15. DPERATIONS ON THE INTEGUMENTARY SYSTEM	EXCISION OF SEMILUNAR CARTILAGE OF KNEE80.6	68.1	102.4	36.0	103.8 86.6 240.0
MASTECTOMY	15 ODERATIONS ON THE INTECHNENTARY SYSTEM				
EXCISION OF PILONIDAL CYST OR SINUS	MASTECTOMY				
SKIN GRAFT (EXCEPT LIP OR MOUTH)	EXCISION OF PILONIDAL CYST OR SINUS				24.9
COMPUTERIZED AXIAL TOMOGRAPHY (C.A.T. SCAN)87.03,87.41,87.71,88.01,88.38 186.3 186.7 186.0 221.2 DIAGNOSTIC ULTRASOUND88.7 187.2 136.3 234.7 232.7	SKIN GRAFT (EXCEPT LIP OR MOUTH)86.6-86.7	73.8	97 •6	51.6	84.5
DIAGNOSTIC ULTRASOUND	COMPUTERIZED AXIAL TOMOGRAPHY	2,114.4	2,072.9	2,153.2	2,570.0
	(C.A.T. SCAN)				221.2
	RADIOISOTOPE SCAN92.0-92.1	187.2 257.6	136.3 243.6	234.7 270.7	232.7 323.1

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 20. NUMBER OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY AND GEO-GRAPHIC REGION: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

PROCEDURE CATEGORY AND ICD-9-CM CODE	ALL REGIONS	NORTH— EAST	NORTH CENTRAL	SOUTH	WEST
	NUMBER	OF ALL-LISTED	PROCEDURES	IN THOUSA	ANDS
ALL PROCEDURES	33,635	7,173	10,043	10,713	5,70
1. OPERATIONS ON THE NERVOUS SYSTEM01-05	827	153	249	263	162
2. OPERATIONS ON THE ENDOCRINE SYSTEM06-07	104	20	25	38	20
3. OPERATIONS ON THE EYE	1,239 540	213 105	402 162	327 136	29°
4. OPERATIONS ON THE EAR	379 1 91	67 37	140 69	112 59	5°
5. OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29 HINDPLASTY AND REPAIR OF NOSE21.8	1,597 255	341 58	596 105	429 55	23 :
ONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	457	72	161	146	7
6. OPERATIONS ON THE RESPIRATORY SYSTEM30-34 HORACENTESIS34.91	910 101	22 7 29	257 25	251 30	179 18
7. OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 PEN HEART	1,550	268	472	475	33
SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5	217	25	70	69	53
ARDIAC CATHETERIZATION	414 68	54 17	130 18	148 20	8: 1:
STEMIC SHUNT OR GRAFT BYPASS39.0-39.2	112	25	32	32	2.
8. OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	343	83	113	96	5
9. OPERATIONS ON THE DIGESTIVE SYSTEM42-54	5,643	1,188	1,608	1,952	89
RTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8 PENDECTOMY, EXCLUDING INCIDENTAL47.0	240 312	48 54	70 89	75 108	4
MORRHO I DECT DMY	173	33	53	63	2
OLECYSTECTOMY51.2	482	100	143	161	7
PAIR OF INGUINAL HERNIA53.0-53.1 VISION OF PERITONEAL ADHESIONS54.5	517 259	135 43	146 65	147 104	8 4
10. OPERATIONS ON THE URINARY SYSTEM55-59 LATION OF URETHRA58.6	1,931 193	391 29	597 65	686 8 7	25 *1
11. OPERATIONS ON THE MALE GENITAL ORGANS	817 348	178 77	241 99	259 106	13 6
RCHIECTOMY AND ORCHIOPEXY62.3-62.5 ASECTOMY AND LIGITION OF VAS DEFERENS63.7	71 33	16 *6	25 *11	18 13	*1
12. OPERATIONS ON THE FEMALE GENITAL ORGANS65-71 OPHORECTOMY AND SALPINGO-OOPHORECTOMY65.3-65.6	4,229	1,004	1,052	1,491	68
ILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3	480 647	86 128	121 152	172 276	10 9
STERECTOMY68.3-68.7	673	98	169	268	13
RETTAGE OF UTERUS TO TERMINATE PREGNANCY	119	73	12	19	1
LATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02 AGNOSTIC DILATION AND CURETTAGE OF UTERUS	295 833	80 251	76 224	99 268	4
PAIR OF CYSTOCELE AND RECTOCELE70.5	175	26	47	67	3
13. OBSTETRICAL PROCEDURES72-75	3,927	722	1,150	1,301	79
ESAREAN SECTION74.0-74.2,74.4,74.99 EPAIR OF CURRENT OBSTETRIC LACERATION	702 439	147 71	169 131	255 149	13 8
14. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM	3,411	581	1,179	986	66
PEN REDUCTION OF FRACTURE	359	67	103	101	8
THER REDUCTION OF FRACTURE	228	48	69	75	3
AND SPINAL FUSION 80.5,81.0 XCISION OF SEMILUNAR CARTILAGE OF KNEE 80.6 RTHROPLASTY OF JOINTS 81.3-81.8	188 155 431	24 28 69	54 56 158	67 38 108	4 3 9
15. OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86					
ASTECTOMY85-85	1,915 112	427 30	548 27	663 36	27 1
XCISION OF PILONIDAL CYST OR SINUS	46 168	14 35	12 45	15 58	3
16. MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99	4,814	1,308	1,412	1,384	71
OMPUTERIZED AXIAL TOMOGRAPHY (C.A.T. SCAN)	424	134	116	100	7
IAGNOSTIC ULTRASOUND88.7	426	158	115	94	6
ADIOISOTOPE SCAN92.0-92.1	587	263	123	138	ē

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX 1, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 21.RATE OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY AND GEOGRAPHIC REGION: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

PROCEDURE CATEGORY AND ICD-9-CM CODE	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
	RATE OF ALL	_LISTED PRO	CEDURES PER	100,000 PO	PULATION
ALL PROCEDURES	14,774.4	14,576.2	17,096.9	14,080.4	13,081.3
1. OPERATIONS ON THE NERVOUS SYSTEM01-05	363.3	311.3	424.5	345.7	370.3
2. OPERATIONS ON THE ENDOCRINE SYSTEM	45.5	41.2	42.7	50.5	45.6
3. OPERATIONS ON THE EYE	544.3 237.4	433.0 213.2	684•4 276•4	429.3 179.4	681.9 313.2
4. OPERATIONS ON THE EAR	166.3 84.0	137•1 75•6	238.5 118.2	147•2 77•6	135.5 58.5
5. OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29 RHINDPLASTY AND REPAIR OF NOSE	701•7 111•9	692.8 117.8	1,014.6 178.0	564.0 72.0	530.3 86.0
TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	200-6	146.9	273.5	192-1	177.8
6. OPERATIONS ON THE RESPIRATORY SYSTEM	399•5 44•5	462 - 1 58 - 7	437.8 43.0	329.3 38.8	400.0 40.2
7. OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 OPEN HEART	680.8	545.5	803.4	624.0	767.5
SURGERY35-1-35-51,35-53-36-2,36-9,37-10-37-11,37-32-37-33,37-5	95.3 181.7	50.2 108.7	119.7 220.9	90•7 194•0	121•3 190•1
CARDIAC CATHETERIZATION	29.8 49.0	35.3 49.9	30.5 55.3	26.9 41.9	28.0 52.0
8. OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	150.5	168.6	192.6	126.6	114.8
9. OPERATIONS ON THE DIGESTIVE SYSTEM42-54	2,478-8	2,413.3	2,737.3	2,566.1	2,052.5
PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8 APPENDECTOMY, EXCLUDING INCIDENTAL	105.2 137.0	98.2 108.9	119.0 151.5	97.9 142.1	107.4 140.1
HEMORRHOIDECTOMY49.43-49.46	75.8	66.9	90-7	83.0	53-2
CHOLECYSTECTOMY	211.6	203.5	243.6	211.7	177.6
DIVISION OF PERITONEAL ADHESIONS53.0-53.1	227.1 114.0	273.5 86.9	249.3 111.2	193.1 136.2	204.1 109.5
10. OPERATIONS ON THE URINARY SYSTEM55-59 DILATION OF URETHRA58-6	848.4 84.7	795.4 58.0	1.015.6 111.4	901.6 115.0	590•3 *25•8
11. OPERATIONS ON THE MALE GENITAL ORGANS	358.7	360.8	410.8	339.9	318-9
PROSTATECTOMY60.2-60.6 ORCHIECTOMY AND ORCHIOPEXY62.3-62.5	152.9 31.3	157.2 32.6	168.0 42.3	139•3 24•2	151.1 *27.7
VASECTOMY AND LIGITION OF VAS DEFERENS	14.4	*11.8	*18.2	16.9	*
12. OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	1,857.7	2,040.5	1.790.9	1,960.1	1,563.0
DOPHORECTOMY AND SALPINGO-OOPHORECTOMY	210.8 284.2	174.5 260.3	205.4 258.5	226.0 362.3	232.5 209.6
HYSTERECTOMY68.3-68.7	295.5	200.1	288-5	351.9	314-1
CURETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51	52.1	148.5	20.1	25.1	33.4
DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02 DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS	129.6 366.1	162.5 509.6	130.1 380.6	129.6 351.9	91.8 209.3
REPAIR OF CYSTOCELE AND RECTOCELE70.5	77.1	51.8	79.6	88.2	82.8
13. OBSTETRICAL PROCEDURES72-75	1,724.8	1,466.9	1,958.3	1,709.9	1,727.4
CESAREAN SECTION74.0-74.2,74.4,74.99 REPAIR OF CURRENT OBSTETRIC LACERATION75.5-75.6	308.2 192.7	298.0 144.0	287.8 222.2	335.4 196.0	299 .7 202 . 1
14. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM	1,498.2	1,180.8	2,007.9	1,295.4	1,523.8
OPEN REDUCTION OF FRACTURE	157.6	135.6	176.2	132.7	201.0
OTHER REDUCTION OF FRACTURE	100.1	98-1	117.2	98.2	82.6
AND SPINAL FUSION80.5,81.0 EXCISION OF SEMILUNAR CARTILAGE OF KNEE80.6	82.5 68.1	47.9 57.4	91.7 95.4	88.0 50.0	99.5 74.8
ARTHROPLASTY OF JOINTS81.3-81.8	189.2	140.6	268.6	142.4	218.9
15. OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86 MASTECTOMY	841.4 49.3	868-4	933-8	872.0	633-1
EXCISION OF PILONIDAL CYST OR SINUS	49.3 20.3	60.4 28.3	46.1 19.8	47•8 19•7	43.6 *
SKIN GRAFT (EXCEPT LIP OR MOUTH)86.6-86.7	73.8	71.3	76.6	76.2	68.6
16. MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99 COMPUTERIZED AXIAL TOMOGRAPHY	2,114.4	2,658.5	2,403.9	1.818.7	1,626.5
(C.A.T. SCAN)	186.3	272.7	197.6	132.0	168.5
DIAGNOSTIC ULTRASOUND88.7	187.2	320.4	195.8	123.4	136.5

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 22. NUMBER OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY AND BED SIZE OF HOSPITAL: UNITED STATES, 1981

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

PROCEDURE CATEGORY AND ICD-9-CM CODE	ALL SIZES	6-99 BEDS	100-199 8EDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE
	NU MB E	R OF ALL-	LISTED PR	OCEDURES	IN THOUSA	NDS
ALL PROCEDURES	33,635	3,755	5,948	5,403	8,704	9,825
1. OPERATIONS ON THE NERVOUS SYSTEM01-05	827	58	142	120	205	302
2. OPERATIONS ON THE ENDOCRINE SYSTEM	104	*7	14	16	32	34
3. OPERATIONS ON THE EYE	1,239 540	110 45	240 106	200 104	373 162	317 123
4. OPERATIONS ON THE EAR	379 191	19 *	75 44	75 41	108 58	102 42
5. OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29	1,597	218	300	278	433	368
HINOPLASTY AND REPAIR OF NOSE21.8	255	45	44	42	66	57
CONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	457	67	92	93	115	89
6. OPERATIONS ON THE RESPIRATORY SYSTEM	910 101	52 14	126 18	151 15	256 21	325 34
7. OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39	1,550	43	147	270	449	642
PEN HEART SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5						
ARD IAC CATHETERIZATION	217 414	*	10 24	33 76	61 108	112 205
IGATION AND STRIPPING OF VARICOSE VEINS	68	*8	12	*11	20	16
SYSTEMIC SHUNT OR GRAFT BYPASS	112	*	*9	20	34	45
8. OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	343	23	45	45	103	127
9. OPERATIONS ON THE DIGESTIVE SYSTEM42-54	5,643	732	1,076	975	1,422	1,438
ARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8	240	25	44	41	65	64
HEMORRHOIDECTOMY49.43-49.46	312 173	63 30	66 32	52 32	74 44	57 34
HOLECYSTECTOMY51.2	482	75	87	79	130	111
REPAIR OF INGUINAL HERNIA	517	79	102	80	147	108
IVISION OF PERITONEAL ADHESIONS54.5	259	30	52	53	60	65
10. OPERATIONS ON THE URINARY SYSTEM55-59 ILATION OF URETHRA58-6	1,931 193	. 190 25	372 42	325 33	541 53	504 40
11. OPERATIONS ON THE MALE GENITAL ORGANS60-64	817	95	171	137	217	197
ROSTATECTOMY60.2-60.6 RCHIECTOMY AND ORCHIDPEXY62.3-62.5	348	35	77	64	93	80
ASECTOMY AND LIGITION OF VAS DEFERENS	71 33	*8	15 *	*9 *9	20 *6	20 *8
12. OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	4,229	576	876	649	990	1,139
OPHORECTOMY AND SALPINGO-OOPHORECTOMY	480	66	107	80	105	122
VILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3	647	127	143	92	132	152
YSTERECTOMY68.3-68.7 URETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01.69.51	673	86	152	112	146	176
ILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02	119 295	*9 40	22 51	*8 44	24 74	55 87
DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS	833	118	162	122	217	214
EPAIR OF CYSTOCELE AND RECTOCELE	175	23	37	34	37	45
13. OBSTETRICAL PROCEDURES72-75	3,927	516	658	561	977	1,215
ESAREAN SECTION74.0-74.2,74.4,74.99 EPAIR OF CURRENT OBSTETRIC LACERATION	702 439	82 73	135 58	101 60	177 108	207 140
14. OPERATIONS ON THE MUSCULOSKELETAL SYSTEM						
PEN REDUCTION OF FRACTURE	3,411 359	479 41	584 67	586 68	887 100	875 82
THER REDUCTION OF FRACTURE	228	37	50	41	56	44
AND SPINAL FUSION80.5,81.0	188	*	31	35	47	70
XCISION OF SEMILUNAR CARTILAGE OF KNEE	155 431	16 70	22 68	34 74	47 110	37 110
15. OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	1,915	331	317	299	475	493
IASTECTOMY85.4	112	15	16	20	31	30
XCISION OF PILONIDAL CYST OR SINUS	46	*	*7	*9	16	*9
KIN GRAFT (EXCEPT LIP OR MOUTH)	168	16	24	25	44	58
16. MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99 COMPUTERIZED AXIAL TOMOGRAPHY	4,814	307	804	718	1,235	1,750
(C.A.T. SCAN)	424	18	63	51	107	185
IAGNOSTIC ULTRASOUND	426 597	24	62	60	117	164
	587	40	126	68	158	196

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

Appendixes

Contents

I.	Technical notes on methods. Statistical design of the National Hospital Discharge Survey Data collection and processing. Presentation of estimates Reliability of estimates Tests of significance	52 52 52 55 55 61
II.	Definitions of certain terms used in this report. Hospitals and hospital characteristics. Terms relating to diagnoses Terms relating to surgical and nonsurgical procedures Demographic terms.	62 62 63 64
Lis	t of appendix figures	
	Medical abstract for the National Hospital Discharge Survey. Approximate relative standard errors of estimated numbers of patients discharged, or of first-listed diagnoses, and of all-listed diagnoses, by selected patient and hospital characteristics. Approximate relative standard errors of estimated numbers of days of care, by selected patient and hospital characteristics.	54 57 59
IV.	Approximate relative standard errors of estimated numbers of procedures for patients discharged, by selected patient and hospital characteristics.	60
List	t of appendix tables	
I.	Number of hospitals in the National Hospital Discharge Survey (NHDS) universe and number of hospitals added to the NHDS universe, by year of addition and year of Master Facility Inventory (MFI) used: United States, 1963–79	52
II. III.	Distribution of short-stay hospitals in the National Hospital Discharge Survey universe and survey sample and number of hospitals that participated in the survey, by geographic region and bed size of hospital: United States, 1981	53 56

Appendix I Technical notes on methods

Statistical design of the National Hospital Discharge Survey

Scope of the survey—The National Hospital Discharge Survey (NHDS) consists of patients discharged from noninstitutional hospitals, exclusive of military and Veterans Administration hospitals, located in the 50 States and the District of Columbia. Only hospitals with six beds or more for patient use and those in which the average length of stay for all patients is less than 30 days are included in the survey. Discharges of all patients from Federal hospitals are excluded.

Sample Size—The Master Facility Inventory of Hospitals (MFI) is the universe from which the NHDS sample is drawn. A detailed description of the development, contents, maintenance plans, and assessment of coverage was published in 1965.6

The original universe for the survey consisted of 6,965 short-stay hospitals contained in the 1963 MFI. This universe is periodically updated (table I). The distribution of the hospitals in the NHDS universe and sample for 1981 is given by bed size and geographic regions in table II.

The sample for 1981 consisted of 550 hospitals. Of these, 71 refused to participate, and 51 were out of scope either because the hospital had gone out of business or because it failed to meet the definition of a short-stay hospital. Thus 428 hospitals participated in the survey during 1981 and provided approximately 227,000 abstracts of medical records.

Sample design—All hospitals with 1,000 beds or more in the universe of short-stay hospitals were selected with certainty in the sample. All hospitals with fewer than 1,000 were stratified, the primary strata being the 24 size-by-region classes shown in table II. Within each primary stratum, the allocation of the hospitals was made through a controlled selection technique so that hospitals in the sample would be properly distributed with regard to ownership and geographic division. Sample hospitals were drawn with probabilities ranging from certainty for the largest hospitals to 1 in 40 for the smallest hospitals.

The within-hospital sampling ratio for selecting sample discharges varied inversely with the probability of hospital selection. The smallest sampling fraction of discharged patients was taken in the largest hospitals, and the largest fraction was taken in the smallest hospitals. This sampling was done to compensate for hospitals that were selected with probabilities

NOTE: A list of references follows the text.

Table I. Number of hospitals in the National Hospital Discharge Survey (NHDS) universe and number of hospitals added to the NHDS universe, by year of addition and year of Master Facility Inventory (MFI) used: United States, 1963–79

MEI data waar	NHDS universe							
MFI data year	Year added	Number added	Total universe					
1963	1965	6,965	6,965					
1969	1972	442	7,407					
1972	1975	223	7,630					
1975	1977	273	7,903					
1977	1979	114	8,017					
1979	1981	63	8,080					

proportionate to their size class and to ensure that the overall probability of selecting a discharge would be approximately the same in each size class.

In nearly all hospitals, the daily listing sheet of discharges was the frame from which the subsamples of discharges were selected within the sample hospitals. The sample discharges were selected by a random technique, usually on the basis of the terminal digit(s) of the patient's medical record number that was assigned when the patient was admitted to the hospital. If the hospital's daily discharge listing did not show the medical record numbers, the sample was selected by starting with a randomly selected discharge and taking every kth discharge thereafter.

Data collection and processing

Data collection—Depending on the study procedure agreed on with the hospital administrator, the sample selection and the transcription of information from the hospital records to abstract forms were performed either by the hospital staff or by representatives of the National Center for Health Statistics (NCHS) or by both. In about 52 percent of the hospitals that participated in the NHDS during the year, this work was performed by the medical records department of the hospital. In the remaining hospitals, the work was performed by personnel of the U.S. Bureau of the Census acting for NCHS.

Survey hospitals used an abstract form to transcribe data from the hospital records. The form provides space for recording demographic data, admission and discharge dates, zip code of the patient's residence, expected sources of payment, disposition of the patient at discharge, and information on discharge diagnoses and surgical operations or procedures (figure

Table II. Distribution of short-stay hospitals in the National Hospital Discharge Survey universe and survey sample and number of hospitals that participated in the survey, by geographic region and bed size of hospital: United States, 1981

Bed size of hospital	All regions	Northeast	North Central	South	West
All sizes		Nun	nber of hospitals		
Universe	8,080	1,185	2,156	3,236	1,503
Total sample	550	132	155	180	83
Number participating	428	105	124	135	64
6-49 beds					
Universe	3,537	223	901	1,679	734
Total sample	70	8	18	30	14
Number participating	44	6	13	18	7
50-99 beds					
Universe	1,918	301	487	751	379
Total sample	81	14	20	33	14
Number participating	61	9	15	25	12
100-199 beds					
Universe	1,427	298	414	491	224
Total sample	124	26	34	45	19
Number participating	96	22	29	29	16
200-299 beds					
Universe	632	196	168	169	99
Total sample	100	31	28	25	16
Number participating	78	25	23	18	12
300-499 beds					
Universe	413	113	135	112	53
Total sample	99	25	33	29	12
Number participating	82	20	26	27	9
500-999 beds					
Universe	135	45	48	29	13
Total sample	58	19	19	13	7
Number participating	51	15	16	13	7
1,000 beds or more					
Universe	18	9	3	5	1
Total sample	18	9	3	5	1
Number participating	16	8	3	4	1

I). All discharge diagnoses and procedures were listed on the abstract in the order of the principal one, or the first-listed one if the principal one was not identified, followed by the order in which all other diagnoses or procedures were entered on the face sheet of the medical record.

Completed abstract forms for each sample hospital were shipped, along with sample selection control sheets, to a Census Regional Office. Every shipment of abstracts was reviewed and each abstract form was checked for completeness. Abstracts were then sent to NCHS for processing.

Medical coding and edit—The medical information recorded on the sample patient abstracts was coded centrally by the NCHS staff. A maximum of seven diagnostic codes was assigned for each sample abstract; in addition, if the medical information included surgical or nonsurgical procedures, a maximum of four codes for these procedures was assigned. Following conversion of the data on the medical abstract to computer tape, a final medical edit was accomplished by computer inspection runs and a review of rejected abstracts. If the sex or age of the patient was incompatible with the re-

corded medical information, priority was given to the medical information in the editing decision.

The system currently used for coding the diagnoses and procedures on NHDS sample patient abstracts is the *International Classification of Diseases*, 9th Revision, Clinical Modification² (ICD-9-CM). Earlier data for 1970-78 were coded according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States³ (ICDA), with some modifications. These modifications, which were necessary because of incomplete or ill-defined terminology in the abstracts, are presented elsewhere.⁷ It has not been necessary, however, to modify the ICD-9-CM for use in the NHDS.

Both the ICDA and the ICD-9-CM are divided into two main sections: diseases and injuries and surgical and nonsurgical procedures. However, many differences exist between the two classifications. These differences are discussed in a previous report.⁸

NOTE: A list of references follows the text.

CONFIDENTIAL — All information who by persons engaged in and for the purpo	nich would permit identification of a ses of the survey, and will not be dis	n individual or of an sclosed or released to	establishment will be held confidential, will be used only o other persons or used for any other purpose.					
FORM HDS-1 (10-20-80)	DEPARTMENT OF HEALTH U.S. PUBLIC HE NATIONAL CENTER FOR	ALTH SERVICE						
MEDICAL ABST			L DISCHARGE SURVEY					
A. PATIENT IDENTIFICATION			Month Day Year					
 Hospital number		4. Date of admission						
3. Medical record number		6. Residence ZIP code						
B. PATIENT CHARACTERISTI		6. Residence	ZIP Code					
7. Date of birth	Day Year		plete only if date of iven)					
9. Sex (Mark (X) one)	1 Male	² Female	₃ Not stated					
10 . Race	. = =	can Indian/Alaskan /Pacific Islander	Native 5 ☐ Other (Specify) 6 ☐ Not stated					
11. Ethnicity (Mark (X) one)	1 Hispanic origin	2 □Non-Hisp	panic 3 🗌 Not stated					
12. Marital status (Mark (X) one)	1 Married 2 Single	3 🗔 Widowe 4 🔲 Divorced	-					
13. Expected source(s) of payr	nent Principal (Mark one only)	Other additional sources (Mark accordingly)	14. Status/Disposition of patient (Mark (X) appropriate box(es)					
Government sources 2. Medicare 3. Medicaid 4. Title V 5. Other government for the private on insurance Other sources Other sources No source of payment indicate 2. Medicare 3. Medicaid 4. Title V 5. Other government insurance 8. Self pay 9. No charge 10. Other (Specify.			Status Status St					
D. SURGICAL AND DIAGNOS Principal: Other/additional:		NONE	See reverse side Date: Day Year					
Completed by			Date					

Figure I. Medical abstract for the National Hospital Discharge Survey

The NHDS follows the guidelines of the Uniform Hospital Discharge Data Set (UHDDS) for coding procedures. 9,10 The UHDDS is a minimum data set of items uniformly defined and abstracted from hospital medical records. These items were selected on the basis of their continuous usefulness to organizations and agencies requiring hospital inpatient information.

According to UHDDS guidelines, all procedures are allocated into one of four classes. Classes 1–3 consist of significant procedures—that is, procedures that carry an operative or anesthetic risk or require highly trained personnel, special facilities, or special equipment. Class 4 procedures are not considered significant; therefore, reporting of them is optional. Consequently, with three exceptions, Class 4 procedures are not coded by the NHDS. The Class 4 procedures that are coded are circumcision (ICD–9–CM code 64.0), episiotomy (code 73.6), and removal of intrauterine contraceptive device (code 97.71). See appendix II for the procedure codes included in these classes.

Presentation of estimates

Grouping of diagnoses and procedures—In this report the diagnostic classes, the broadest groupings of diseases and injuries shown, correspond to ICD-9-CM chapters 1-17 and the Supplementary classification of factors influencing health status and contact with health service. The diagnostic categories, the most detailed groupings of diseases and injuries shown, are subsets of the major groups or classes. The titles and the ordering of the categories in the tabular list developed for the NHDS follow the format of the ICD-9-CM tabular list as closely as possible.

The procedure groupings used in this report are the groups numbered 1-16 in the ICD-9-CM section entitled "Procedure Classification." Specific categories of operations or procedures, the most detailed of these groupings shown, are subsets of the major groups and are based on the 4-digit codes provided by the ICD-9-CM.

In developing the tables of diagnoses and of procedures, an effort was made to maximize specificity of the conditions or procedures consistent with clarity of characterization, the frequency of their occurrence, and their interest.

Patient characteristics not stated—The age and sex of the patient were not stated on the hospital records (the face sheet of the patient's medical record) for less than one-fourth of 1 percent of the discharges. Imputations of these missing items were made by assigning the patient an age or sex consistent with the age or sex of other patients with the same diagnostic code.

Before 1981, if the race of the patient was not identified on the hospital records, it was recorded as "not stated" for the NHDS. However, beginning in 1981, a specific race was imputed for those discharges for which race was not stated on the medical record face sheet. Race was imputed using both the distribution of race in the geographic area of the hospital

as reported by the Bureau of the Census and information on diagnoses and expected source of payment for those records for which race was reported.

If the dates of admission or discharge were not given and could not be obtained from the monthly sample listing sheet transmitted by the sample hospital, a length of stay was imputed by assigning the patient a length of stay characteristic of the stays of other patients of the same age.

Rounded numbers—Estimates of the numbers of inpatient discharges, days of care, discharges with procedures, all-listed diagnoses, and all-listed procedures have been rounded to the nearest thousand for tabular presentation. Therefore, detailed figures within the tables do not always add to totals. Rates and percents were calculated on the basis of unrounded figures and will not necessarily agree with computations made from the rounded data.

Population estimates—The population estimates used in computing rates are from published and unpublished estimates for the U.S. civilian population on July 1 of the data year provided by the U.S. Bureau of the Census. The estimates by age and sex and by geographic region are presented in table III and are consistent with the population estimates published in Current Population Reports, Series P-25.

Although the civilian noninstitutionalized population was used prior to 1981, it has been determined that the civilian population is more appropriate to use for the NHDS as persons in institutions are usually hospitalized in short-stay hospitals. This is especially true for elderly residents of nursing homes. A report comparing NHDS rates based on the civilian population with the civilian noninstitutionalized population is currently being prepared.

Reliability of estimates

Estimation—Statistics produced by the NHDS are derived by a complex estimating procedure. The basic unit of estimation is the sample inpatient discharge abstract. The estimating procedure used to produce essentially unbiased national estimates in the NHDS has three principal components: inflation by reciprocals of the probabilities of sample selection, adjustment for nonresponse, and ratio adjustment to fixed totals. These components of estimation are described in appendix I of two earlier publications. 11,12

Measurement errors—As in any survey, results are subject to nonsampling or measurement errors, which include errors because of hospital nonresponse, missing abstracts, information incompletely or inaccurately recorded on abstract forms, and processing errors. Some of these errors were discussed under the previous section entitled "Patient characteristics not stated."

The Institute of Medicine (IOM) has conducted three studies on the reliability of hospital abstract data collection; the most recent study was on the NHDS. The IOM NHDS study was performed by using data coded according to the ICDA; however, some of the findings are relevant to the 1981 NHDS data, even though these data were coded according to the ICD-9-CM. Of special interest to this report is the finding that, in a number of cases, the first-listed diagnosis in the

Table III. Civilian population by sex, geographic region, race, and age: United States, July 1, 1981

[Population estimated consistent with Series P–25, Current Population Reports, U.S. Bureau of the Census]

Geographic region, race, and age	Both sexes	Male	Female
	Population in thousands		
Total	227,659	109,912	117,747
Northeast	49,213	23,472	25,741
North Central	58,741	28,492	30,249
South	76,082 43,623	36,572 21,376	39,511 22,246
White	195.338	94,689	100,650
Black	26,870	12,579	14,291
All other	5,450	2,644	2,806
0-14 years	51,226	26,192	25,034
Under 1 year	3,591	1,839	1,752
1-4 years	13,348	6,828	6,520
5-14 years	34,286	17,525	16,762
Northeast	10,165	5,196	4,968
North Central	13,445	6,882	6,563
South	17,594 10,021	8,989 5,124	8,604 4,898
White	42,003	21,536	20,467
Black	7,725	3,892	3,833
All other	1,498	764	734
15-44 years	105,748	52,048	53,699
15-24 years	41,231	20,484	20,745
25-34 years	38,282	18,791	19,491
35-44 years	26,235	12,772	13,463
Northeast	22,431	10,956	11,475
North Central	27,151	13,454	13,699
South	35,138	17,167	17,971
West	21,027	10,473	10,556
White	90,163 12,790	44,756 5,949	45,408
All other	2,794	1,344	6,840 1,452
45–64 years	44,432		·
45–54 years	22,499	21,112 10,857	23,320 11,641
55–64 years	21,934	10,255	11,679
Northeast	10,422	4,901	5,521
North Central	11,304	5,417	5,887
South	14,591	6,864	7,727
West	8,115	3,929	4,185
White	39,390	18,852	20,538
All other	4,208	1,874	2,334
	834	386	448
65 years and over	26,253	10,560	15,693
65-74 years	15,893	6,893	9,000
75 years and over	10,361	3,667	6,693
Northeast	6,195	2,411	3,784
North Central	6,840	2,738	4,102
South	8,759	3,552	5,207
	4,459	1,859	2,600
White	23,782 2,148	9,545	14,236
All other	323	863 152	1,284 173

NHDS was not the principal diagnosis as determined by IOM after a study of the entire medical record. For example, when diagnoses at the ICDA class level were examined, the principal diagnosis from IOM matched the first-listed diagnosis from the NHDS in approximately 86 percent of the cases.

Detailed accounts of this and other IOM findings have been published. 13-15

Sampling errors—The standard error is primarily a measure of the variability attributed to a value obtained from a sample as an estimate of a population value. In this report it also reflects part of the measurement error. The value that would have been obtained if a complete enumeration of the population had been made will be contained in an interval represented by the sample estimate plus or minus 1 standard error about 68 out of 100 times and plus or minus 2 standard errors about 95 out of 100 times.

The relative standard error is obtained by dividing the standard error by the estimate. The resulting value is multiplied by 100, which expresses the standard error as a percentage of the estimate.

The standard error of one statistic is generally different from that of another, even when the two come from the same survey. To derive standard errors that would be applicable to a wide variety of statistics that could be prepared at a moderate cost, a number of approximations are required. As a result, the figures in this appendix provide general relative standard errors for a wide variety of estimates rather than the specific error for a particular statistic.

Approximate relative standard errors and standard errors have been prepared for measuring the variances applicable to (1) estimates of the discharges or first-listed diagnoses, and days of care for patient characteristics (e.g., age, sex, race) and of hospital characteristics (e.g., region, bed size, ownership), and patient characteristics cross-tabulated by hospital characteristics; and (2) estimates of all procedures performed by the specific procedure for the patient characteristics age, sex, and race and the hospital characteristics geographic region and bed size of hospital.

The relative standard errors applicable to patients discharged or first-listed diagnoses, all-listed diagnoses, days of care, and procedures are provided in figures II—IV. The curves for relative standard errors of the estimates in each figure relate to the variables by which estimates are presented in this report. In these figures, several curves are shown for a few variables whose relative standard errors are different from those in the curve for "All other variables" that is relevant to most of the estimates. For example, one curve is applicable only to estimates of discharges from voluntary nonprofit hospitals, a second curve is concerned with discharges from hospitals by bed size, and a third curve pertains to estimates of days of care in proprietary hospitals.

The selection of the appropriate relative standard error curve is made as follows:

- Discharges or first-listed diagnoses and all-listed diagnoses for patient and hospital characteristics: Relative standard errors of the estimated number of discharges and of all-listed diagnoses are obtained from the curves in figure II.
- 2. Days of care for discharges or first-listed diagnoses for patient and hospital characteristics: Relative standard

NOTE: A list of references follows the text.




Illustration for use of figure II: As shown in table 7, an estimated 1,918,000 patients 15-44 years of age were discharged from short-stay non-Federal hospitals with 100-499 beds in the Northeast Region. The relative standard error of this estimate, as read from the curve "Region by bed size 100 and greater" is approximately 6.2 percent. The standard error is thus approximately 118,916 (6.2 percent of 1,918,000).

Figure II. Approximate relative standard errors of estimated numbers of patients discharged, or of first-listed diagnoses, and of all-listed diagnoses, by selected patient and hospital characteristics




Figure II. Approximate relative standard errors of estimated numbers of patients discharged, or of first-listed diagnoses, and of all-listed diagnoses, by selected patient and hospital characteristics—Con.




Illustration for use of figure Ill: As shown in table 2, an estimated 9,611,000 days of care were provided during 1981 to male patients under 15 years of age discharged from short-stay hospitals. The relative standard error of this estimate as read from the curve "All other variables" is approximately 6.2 percent. The standard error is thus approximately 595,882 (6.2 percent of 9,611,000).

Figure III. Approximate relative standard errors of estimated numbers of days of care, by selected patient and hospital characteristics




Illustration for use of figure IV: As shown in table 18, an estimated 217,000 open heart surgeries were performed during 1981 for all patients discharged from short-stay hospitals. The relative standard error of this estimate as read from the curve "All variables" is approximately 9.0 percent. The standard error is thus approximately 19,530 (9.0 percent of 217,000).

Figure IV. Approximate relative standard errors of estimated numbers of procedures for patients discharged, by selected patient and hospital characteristics

- errors of the estimated number of days of care are obtained from the curves in figure III.
- 3. *Procedures:* Relative standard errors for procedures are obtained from the curve in figure IV.

The presentation of estimates for the NHDS is based on both the relative standard error of the estimate and the number of sample records on which the estimate is based (referred to as the sample size). Estimates are not presented unless a reasonable assumption regarding the probability distribution of the sampling error is possible. The Central Limit Theorem is used to determine the distribution of the sampling errors. The Central Limit Theorem states that, given a sufficiently large sample size, the sample estimate is approximately normally distributed and approximates the population estimate.

Based on consideration of the complex sample design of the NHDS, the following guidelines are used for presenting NHDS estimates:

1. If the sample size is less than 30 the value of the estimate is not reported. Only an asterisk (*) is shown in the tables.

- 2. If the sample size is 30-59 the value of the estimate is reported but should be used with caution. The estimate is preceded by an asterisk (*) in the tables.
- 3. If the sample size is 60 or more but the relative standard error is over 30 percent the estimate is reported, but should be used with caution. The estimate is preceded by an asterisk (*) in the tables.

Tests of significance

In this report, the determination of statistical inference is based on the *t*-test with a critical value of 1.96 (0.05 level of significance). Terms relating to differences such as "higher," "less," etc., indicate that the differences are statistically significant. Terms such as "similar" or "no difference" mean that no statistically significant difference exists between the estimates being compared. A lack of comment on the difference between any two estimates does not mean that the difference was tested and found to be not significant.

Appendix II Definitions of certain terms used in this report

Hospitals and hospital characteristics

Hospitals—Short-stay special and general hospitals have six beds or more for inpatient use and an average length of stay of less than 30 days. Federal hospitals and hospital units of institutions are not included.

Bed size of hospital—Size is measured by the number of beds, cribs, and pediatric bassinets regularly maintained (set up and staffed for use) for patients; bassinets for newborn infants are not included. In this report the classification of hospitals by bed size is based on the number of beds at or near midyear reported by the hospitals.

Type of ownership of hospital—The type is determined by the organization that controls and operates the hospital. Hospitals are grouped as follows:

Voluntary nonprofit—Hospitals operated by a church or another nonprofit organization.

Government—Hospitals operated by State or local governments.

Proprietary—Hospitals operated by individuals, partnerships, or corporations for profit.

Patient—A person who is formally admitted to the inpatient service of a short-stay hospital for observation, care, diagnosis, or treatment is considered a patient. In this report the number of patients refers to the number of discharges during the year, including any multiple discharges of the same individual from one short-stay hospital or more. Infants admitted on the day of birth, directly or by transfer from another medical facility, with or without mention of a disease, disorder, or immaturity are included. All newborn infants, defined as those admitted by birth to the hospital, are excluded from the tables in this report except those in the newborn section of the report. The terms "patient" and "inpatient" are used synonymously.

Newborn infant—A newborn infant is defined as a patient admitted by birth to a hospital.

Discharge—Discharge is the formal release of a patient by a hospital; that is, the termination of a period of hospitalization by death or by disposition to place of residence, nursing home, or another hospital. The terms "discharges" and "patients discharged" are used synonymously.

Discharge rate—The ratio of the number of hospital discharges during a year to the number of persons in the civilian population on July 1 of that year determines the discharge rate.

Days of care—The total number of patient days accumu-

lated at time of discharge by patients discharged from shortstay hospitals during a year constitute days of care. A stay of less than 1 day (patient admission and discharge on the same day) is counted as 1 day in the summation of total days of care. For patients admitted and discharged on different days, the number of days of care is computed by counting all days from (and including) the date of admission to (but not including) the date of discharge.

Rate of days of care—The rate of days of care is the ratio of the number of patient days accumulated at time of discharge by patients discharged from short-stay hospitals during a year to the number of persons in the civilian population on July 1 of that year.

Average length of stay—The average length of stay is the total number of patient days accumulated at time of discharge by patients discharged during the year divided by the number of patients discharged.

Terms relating to diagnoses

Discharge diagnoses—One or more diseases or injuries (or some factor that influences health status and contact with health services that is not itself a current illness or injury) listed by the attending physician on the medical record of patients. In the NHDS all discharge (or final) diagnoses listed on the face sheet (summary sheet) of the medical record for patients discharged from the inpatient service of short-stay hospitals are transcribed in the order listed. Each sample discharge is assigned a maximum of seven 5-digit codes according to ICD-9-CM. The number of principal or first-listed diagnoses is equivalent to the number of discharges.

Principal diagnosis—The condition established after study to be chiefly responsible for occasioning the admission of the patient to the hospital for care is called the principal diagnosis.

First-listed diagnosis—The coded diagnosis identified as the principal diagnosis or listed first on the face sheet of the medical record is the first-listed diagnosis. The number of first-listed diagnoses is equivalent to the number of discharges.

All-listed diagnoses—All-listed diagnoses are an estimated number of discharge (or final) diagnoses, up to a maximum of seven, that are listed on the face sheet of the medical record for inpatients discharged from non-Federal short-stay hospitals during the year.

Obstetrical diagnosis—A diagnosis relating to conditions arising from or affecting the management of pregnancy, child-

birth, and the puerperium (the period following childbirth). These are code numbers 640-676 of the *International Classification of Diseases*, 9th Revision, Clinical Modification (ICD-9-CM).²

Normal delivery—Delivery without abnormality or complication of pregnancy, childbirth, or the puerperium, and with spontaneous cephalic delivery (that is, presentation of the child headfirst and delivery of the child without external aid). No mention of fetal manipulation or instrumentation is made. ICD-9-CM code 650 is assigned.

Complicated delivery—All deliveries not considered normal, including deliveries of multiple gestation. ICD-9-CM code numbers 640-648 and 651-676 are assigned.

Terms relating to surgical and nonsurgical procedures

Discharges with procedures—The estimated number of patients discharged from non-Federal short-stay hospitals during the year who underwent at least one procedure during their hospitalization are termed "discharges with procedures."

Procedure—A procedure is one or more surgical or nonsurgical operations, procedures, or special treatments assigned by the physician to the medical record of patients discharged from the inpatient service of short-stay hospitals. In the NHDS all terms listed on the face sheet (summary sheet) of the medical record under the captions "operation," "operative procedures," "operations and/or special treatments," and the like are transcribed in the order listed. A maximum of four 4-digit codes are assigned per sample discharge according to ICD— 9-CM and NHDS directives. (See "Medical coding and edit" in the "Data collection and processing" section of appendix I for further details.)

All-listed procedures—All coded procedures that are listed on the face sheet of the medical record exclusive of all but three Class 4 procedures.

UHDDS classes of procedures—Procedures are categorized into four classes according to UHDDS guidelines. Classes 1-3 consist of significant procedures—that is, procedures that carry an operative or anesthetic risk or require highly trained personnel, special facilities, or special equipment. Class 4 procedures are not considered significant; therefore, reporting is optional.

UHDDS Class 1 procedures—All procedures not categorized as Class 2, 3, or 4 procedures.

UHDDS Class 2 procedures—The following ICD-9-CM procedure codes identify Class 2 procedures as categorized by the UHDDS:

03.31, 03.91-03.92, 04.80-04.89, 21.01, 24.7, 31.41-31.42, 34.91-34.92, 37.92-37.93, 42.22-42.23, 44.12-44.13, 45.12-45.13, 45.22-45.24, 48.22, 50.92, 54.91, 54.97-54.98, 57.31, 58.22, 59.95, 62.91, 66.8, 69.6-69.7, 69.93, 70.0, 73.01-73.1, 73.3, 73.51-73.59, 76.96, 81.91-81.92, 82.92-82.96, 83.94-83.98, 85.91-85.92, 86.01, 87.03-87.08, 87.13-87.15, 87.31-87.35, 87.38,

NOTE: A list of references follows the text.

87.41–87.42, 87.51–87.52, 87.54–87.66, 87.71–87.73, 87.75, 87.77–87.78, 87.81–87.84, 87.91, 87.93–87.94, 88.01–88.03, 88.12–88.15, 88.38, 88.71–88.89, 89.14, 89.21–89.25, 89.32, 89.41–89.44, 89.54, 89.61–89.65, 89.8, 92.01–92.29, 93.45–93.54, 93.56–93.59, 93.92–93.93, 93.95, 93.97, 94.24, 94.26–94.27, 95.04, 95.12–95.13, 95.16–95.26, 96.01–96.08, 96.21–96.25, 96.31–96.33, 97.11–97.13, 98.02–98.04, 98.14–98.16, 98.19, 99.01, 99.60–99.69, 99.81.

UHDDS Class 3 procedures—The following ICD-9-CM procedure codes identify Class 3 procedures as categorized by the UHDDS:

29.11, 57.94–57.95, 60.19, 84.41–84.43, 84.45–84.47, 86.26, 93.98, 98.01, 98.05–98.13, 98.17–98.18, 98.20–98.29, 99.25.

UHDDS Class 4 procedures—With three exceptions, Class 4 procedures are not coded by the NHDS. The Class 4 procedures that are coded are circumcision (ICD-9-CM code 64.0), episiotomy (code 73.6), and removal of intrauterine contraceptive device (code 97.71). The following ICD-9-CM procedure codes identify Class 4 procedures as categorized by the UHDDS:

01.18-01.19, 03.39, 04.19, 05.19, 06.19, 07.19, 08.19, 08.91-08.93, 09.19, 09.41-09.49, 10.29, 11.29, 12.29, 14.19, 15.09, 16.21, 16.29, 18.01, 18.11, 18.19, 20.39, 21.21, 21.29, 22.19, 24.19, 25.09, 25.91, 26.19, 27.29, 27.91, 28.19, 29.19, 31.48-31.49, 33.28-33.29, 34.28-34.29, 37.29, 38.29, 40.19, 41.38-41.39, 42.29, 44.19, 45.19, 45.28-45.29, 48.23, 48.29, 49.21, 49.29, 49.41, 50.19, 51.19, 52.19, 54.29, 55.29, 56.39, 57.39, 58.29, 59.29, 60.18, 61.19, 62.19, 63.09, 64.0, 64.19, 64.91, 64.94, 65.19, 66.19, 67.19, 68.19, 69.92, 70.21, 70.29, 71.19, 73.6, 73.91–73.92, 75.35, 76.19, 78.80–78.89, 81.98, 83.29, 85.19, 86.19, 86.92, 87.09-87.12, 87.16-87.17, 87.22-87.29, 87.36-87.37, 87.39, 87.43-87.49, 87.69, 87.79, 87.85–87.89, 87.92, 87.95–87.99, 88.09, 88.16-88.31, 88.33, 88.35, 88.37, 88.39, 89.01-89.13, 89.15-89.16, 89.26-89.31, 89.33-89.39, 89.45-89.53, 89.55-89.59, 89.66, 89.7, 90.01-91.99, 93.01-93.25, 93.27-93.28, 93.31-93.39, 93.42-93.44, 93.61-93.91, 93.94, 93.96, 93.99-94.23, 94.25, 94.29-95.03, 95.05-95.11, 95.14-95.15, 95.31-95.49, 96.09-96.19, 96.26-96.28, 96.34-97.04, 97.14-97.89, 99.02-99.24, 99.26-99.59, 99.71-99.79, 99.82-99.99.

Surgical operations—All procedures exclusive of those listed under "Nonsurgical procedures" are listed as surgical operations.

Biopsy—Biopsy is excision of tissue for microscopic examination. The following ICD-9-CM biopsy codes are:

01.11-01.15, 03.32, 04.11-04.12, 05.11, 06.11-06.13, 07.11-07.17, 08.11, 09.11-09.12, 10.21, 11.22, 12.22, 15.01, 16.23, 18.12, 20.32, 21.22, 22.11, 24.11-24.12, 25.01-25.02, 26.11, 27.21-27.24, 28.11, 29.12, 31.43-31.44, 33.24-33.27, 34.23-34.27, 37.24-37.25, 38.21, 40.11, 41.31-41.33, 42.24, 44.14-44.15, 45.14-45.15,

45.25-45.27, 48.24-48.26, 49.22-49.23, 50.11-50.12, 51.12-51.13, 52.11-52.12, 54.22-54.23, 55.23-55.24, 56.32-56.33, 57.33-57.34, 58.23-58.24, 59.21, 60.11-60.15, 61.11, 62.11-62.12, 63.01, 64.11, 65.11-65.12, 66.11, 67.11-67.12, 68.13-68.14, 70.23-70.24, 71.11, 76.11, 77.40-77.49, 80.30-80.39, 83.21, 85.11-85.12, 86.11.

Nonsurgical procedures—Procedures generally not considered to be surgery are listed as nonsurgical procedures. These include diagnostic endoscopy and radiography, radiotherapy and related therapies, physical medicine and rehabilitation, and other nonsurgical procedures (ICDA codes A4–A9 and R1–R9). The following ICD–9–CM codes are for diagnostic and nonsurgical procedures:

03.31, 11.21, 12.21, 14.11, 16.22, 20.31, 29.11, 31.41–31.42, 33.21–33.23, 34.21–34.22, 39.95, 42.21–42.23, 44.11–44.13, 45.11–45.13, 45.21–45.24, 48.21–48.22, 51.11, 54.21, 55.21–55.22, 56.31, 57.31–57.32, 58.21–58.22, 60.19, 68.11–68.12, 70.22, 80.20–80.29, 87.01–99.99.

Rate of procedures—The ratio of the number of all-listed procedures during a year to the number of persons in the civilian population on July 1 of that year determines the rate of procedures.

Demographic terms

Population—Civilian population is the resident population excluding members of the armed forces. Civilian noninstitutionalized population is the civilian population not residing in institutions.

Age—Patient's age refers to age at birthday prior to admission to the hospital inpatient service.

Race—A term used to classify patients into one of the three groups "white," "black," and "all other races."

Geographic region—Hospitals are classified by location in one of the four geographic regions of the United States that correspond to those used by the U.S. Bureau of the Census.

Region	States included
Northeast	Maine, New Hampshire, Vermont, Massa- chusetts, Rhode Island, Connecticut, New York, New Jersey, and Pennsylvania
North Central	Michigan, Ohio, Illinois, Indiana, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, and Kansas
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Ken- tucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, and Texas
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Wash- ington, Oregon, California, Hawaii, and Alaska

Vital and Health Statistics series descriptions

- SERIES 1. Programs and Collection Procedures—Reports describing the general programs of the National Center for Health Statistics and its offices and divisions and the data collection methods used. They also include definitions and other material necessary for understanding the data.
- SERIES 2. Data Evaluation and Methods Research—Studies of new statistical methodology including experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory.
- SERIES 3. Analytical and Epidemiological Studies—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- SERIES 4. Documents and Committee Reports—Final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 10. Data From the National Health Interview Survey—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, all based on data collected in the continuing national household interview survey.
- SERIES 11. Data From the National Health Examination Survey and the National Health and Nutrition Examination Survey—Data from direct examination, testing, and measurement of national samples of the civilian noninstitutionalized population provide the basis for (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- SERIES 12. Data From the Institutionalized Population Surveys—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. Data on Health Resources Utilization—Statistics on the utilization of health manpower and facilities providing long-term care, ambulatory care, hospital care, and family planning services.

- SERIES 14. Data on Health Resources: Manpower and Facilities—
 Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- SERIES 15. Data From Special Surveys—Statistics on health and healthrelated topics collected in special surveys that are not a part of the continuing data systems of the National Center for Health Statistics.
- SERIES 20. Data on Mortality—Various statistics on mortality other than as included in regular annual or monthly reports. Special analyses by cause of death, age, and other demographic variables; geographic and time series analyses; and statistics on characteristics of deaths not available from the vital records based on sample surveys of those records.
- SERIES 21. Data on Natality, Marriage, and Divorce—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports. Special analyses by demographic variables; geographic and time series analyses; studies of fertility; and statistics on characteristics of births not available from the vital records based on sample surveys of those records.
- SERIES 22. Data From the National Monthly and Natality Surveys—
 Discontinued in 1975. Reports from these sample surveys based on vital records are included in Series 20 and 21, respectively.
- SERIES 23. Data From the National Survey of Family Growth—Statistics on fertility, family formation and dissolution, family planning, and related maternal and infant health topics derived from a periodic survey of a nationwide probability sample of ever-married women 15–44 years of age.

For a list of titles of reports published in these series, write to:

Scientific and Technical Information Branch National Center for Health Statistics Public Health Service Hyattsville, Md. 20782

301-436-NCHS

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service National Center for Health Statistics 3700 East-West Highway Hyattsville, Maryland 20782

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300 THIRD CLASS
BULK RATE
POSTAGE & FEES PAID
PHS
PERMIT No. G29