

**Table 10 to Part 679--Gulf of Alaska Retainable Percentages**

| BASIS SPECIES |   | INCIDENTAL CATCH SPECIES (for DSR caught on catcher vessels in the SEO, see § 679.20 (j) <sup>6</sup> ) |                   |         |          |               |         |            |           |                                    |                |                     |               |  |                        |                              |
|---------------|---|---|-------------------|---------|----------|---------------|---------|------------|-----------|------------------------------------|----------------|---------------------|---------------|--|------------------------|------------------------------|
| Code          | Species   | Pollock   | Pacific cod       | DW flat | Rex sole | Flathead sole | SW Flat | Arrowtooth | Sablefish | Aggregated rockfish <sup>(8)</sup> | SR/RE ERA      | DSR SEO (C/Ps only) | Atka mackerel | Aggregated forage fish <sup>(10)</sup> | Skates <sup>(11)</sup> | Other species <sup>(7)</sup> |
| 110           | Pacific cod   | 20  | na <sup>(9)</sup> | 20      | 20       | 20            | 20      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | 20            | 2                                      | 20                     | 20                           |
| 121           | Arrowtooth  | 5   | 5                 | 0       | 0        | 0             | 0       | na         | 0         | 0                                  | 0              | 0                   | 0             | 2                                      | 0                      | 20                           |
| 122           | Flathead sole   | 20  | 20                | 20      | 20       | na            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
| 125           | Rex sole  | 20  | 20                | 20      | na       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
| 136           | Northern rockfish   | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
| 141           | Pacific ocean perch   | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
| 143           | Thornyhead  | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
| 152/<br>151   | Shorthead/rougheye <sup>(1)</sup>                           | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | na             | 1                   | 20            | 2                                      | 20                     | 20                           |
| 193           | Atka mackerel   | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | na            | 2                                      | 20                     | 20                           |
| 270           | Pollock   | na  | 20                | 20      | 20       | 20            | 20      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | 20            | 2                                      | 20                     | 20                           |
| 710           | Sablefish   | 20  | 20                | 20      | 20       | 20            | 20      | 35         | na        | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
|               | Flatfish, deep-water <sup>(2)</sup>                         | 20  | 20                | na      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
|               | Flatfish, shallow-water <sup>(3)</sup>                      | 20  | 20                | 20      | 20       | 20            | na      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | 20            | 2                                      | 20                     | 20                           |
|               | Rockfish, other <sup>(4)</sup>                              | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
|               | Rockfish, pelagic <sup>(5)</sup>                            | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | 1                   | 20            | 2                                      | 20                     | 20                           |
|               | Rockfish, DSR-SEO <sup>(6)</sup>                            | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 7         | 15                                 | 7              | na                  | 20            | 2                                      | 20                     | 20                           |
|               | Skates <sup>(11)</sup>                                      | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | 20            | 2                                      | na                     | 20                           |
|               | Other species <sup>(7)</sup>                                | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | 20            | 2                                      | 20                     | na                           |
|               | Aggregated amount of non-groundfish species <sup>(12)</sup> | 20  | 20                | 20      | 20       | 20            | 20      | 35         | 1         | 5                                  | <sup>(1)</sup> | 10                  | 20            | 2                                      | 20                     | 20                           |

**Table 10 to Part 679--Gulf of Alaska Retainable Percentages**

| Notes to Table 10 to Part 679   |  |  |   |                                    |       |
|---|--|--|---|------------------------------------|-------|
| 1   | Shorthead/rougheye rockfish  |  |   |                                    |       |
|   | SR/RE  | Shorthead/rougheye rockfish (171)  |   |                                    |       |
|   |  | Shorthead rockfish (152)   |   |                                    |       |
|   |  | Rougheye rockfish (151)  |   |                                    |       |
| SR/RE ERA   | Shorthead/rougheye rockfish in the Eastern Regulatory Area (ERA).                                  |  |   |                                    |       |
| Where numerical percentage is not indicated, the retainable percentage of SR/RE is included under Aggregated Rockfish |  |  |   |                                    |       |
| 2   | Deep-water flatfish  | Dover sole, Greenland turbot, and deep-sea sole  |   |                                    |       |
| 3   | Shallow-water flatfish   | Flatfish not including deep-water flatfish, flathead sole, rex sole, or arrowtooth flounder  |   |                                    |       |
| 4   | Other rockfish   | Western Regulatory Area  | means slope rockfish and demersal shelf rockfish            |                                    |       |
|   |  | Central Regulatory Area  |   |                                    |       |
|   |  | West Yakutat District  |   |                                    |       |
|   |  | Southeast Outside District   | means slope rockfish  |                                    |       |
|   | Slope rockfish   |  |   |                                    |       |
|   |  | <i>S. aurora</i> (aurora)  | <i>S. variegatus</i> (harlequin)                            | <i>S. brevispinis</i> (silvergrey) |       |
|   |  | <i>S. melanostomus</i> (blackgill)   | <i>S. wilsoni</i> (pygmy)                                   | <i>S. diploproa</i> (splitnose)    |       |
|   |  | <i>S. paucispinis</i> (bocaccio)   | <i>S. babcocki</i> (redbanded)                              | <i>S. saxicola</i> (stripetail)    |       |
|   |  | <i>S. goodei</i> (chilipepper)   | <i>S. proriger</i> (redstripe)                              | <i>S. miniatus</i> (vermillion)    |       |
|   |  | <i>S. crameri</i> (darkblotch)   | <i>S. zacentrus</i> (sharpchin)                             | <i>S. reedi</i> (yellowmouth)      |       |
|   | <i>S. elongatus</i> (greenstriped)   | <i>S. jordani</i> (shortbelly)   |   |                                    |       |
| In the Eastern GOA only, Slope rockfish also includes <i>S. polyspinous</i> . (Northern)                              |  |  |   |                                    |       |
| 5   | Pelagic shelf rockfish   | <i>S. ciliatus</i> (dusky)   | <i>S. entomelas</i> (widow) <i>S. flavidus</i> (yellowtail) |                                    |       |
| 6   | Demersal shelf rockfish (DSR)  | <i>S. pinniger</i> (canary)  | <i>S. maliger</i> (quillback)                               |                                    |       |
|   |  | <i>S. nebulosus</i> (china)  | <i>S. helvomaculatus</i> (rosethorn)                        |                                    |       |
|   |  | <i>S. caurinus</i> (copper)  | <i>S. nigrocinctus</i> (tiger)                              |                                    |       |
|   |  | DSR-SEO = Demersal shelf rockfish in the Southeast Outside District (SEO)<br>The operator of a catcher vessel that is required to have a Federal fisheries permit, or that harvests IFQ halibut with hook and line or jig gear, must retain and land all DSR that is caught while fishing for groundfish or IFQ halibut in the SEO. Limits on sale and requirements for disposal of DSR are set out at § 679.20 (j). |   |                                    |       |
| 7   | Other species  | sculpins   | octopus   | sharks                             | squid |
| 8   | Aggregated rockfish  |  |   |                                    |       |
|   | Means rockfish of the genera <i>Sebastes</i> and <i>Sebastolobus</i> defined at § 679.2 except in: |  |   |                                    |       |
|   | Southeast Outside District (SEO)   | where DSR is a separate category for those species marked with a numerical percentage  |   |                                    |       |
| Eastern Regulatory Area (ERA)   | where SR/RE is a separate category for those species marked with a numerical percentage            |  |   |                                    |       |

**Table 10 to Part 679--Gulf of Alaska Retainable Percentages**

| Notes to Table 10 to Part 679 |  |   |     |
|-------------------------------|--|---|-----|
| 9                             | N/A  | not applicable  |     |
| 10                            | Aggregated forage fish (all species of the following families) |   |     |
|                               |  | Bristlemouths, lightfishes, and anglemouths (family <i>Gonostomatidae</i> )   | 209 |
|                               |  | Capelin smelt (family <i>Osmeridae</i> )  | 516 |
|                               |  | Deep-sea smelts (family <i>Bathylagidae</i> )   | 773 |
|                               |  | Eulachon smelt (family <i>Osmeridae</i> )   | 511 |
|                               |  | Gunnels (family <i>Pholidae</i> )   | 207 |
|                               |  | Krill (order <i>Euphausiacea</i> )  | 800 |
|                               |  | Laternfishes (family <i>Myctophidae</i> )   | 772 |
|                               |  | Pacific herring (family <i>Clupeidae</i> )  | 235 |
|                               |  | Pacific Sand fish (family <i>Trichodontidae</i> )   | 206 |
|                               |  | Pacific Sand lance (family <i>Ammodytidae</i> )   | 774 |
|                               |  | Pricklebacks, war-bonnets, eelblennys, cockscombs and Shannys (family <i>Stichaeidae</i> )  | 208 |
|                               | Surf smelt (family <i>Osmeridae</i> )                          | 515   |     |
| 11                            | Skates Species and Groups                                      |   |     |
|                               |  | Big Skates  | 702 |
|                               |  | Longnose Skates   | 701 |
|                               | Other Skates   | 700   |     |
| 12                            | <b>Aggregated non-groundfish</b>                               | <b>All legally retained species of fish and shellfish, including IFQ halibut, that are not listed as FMP groundfish in Tables 2a and 2c to this part.</b> |     |