

Contents

Section	Page
Preface/Abstract	iii
List of Tables	xv
List of Figures	xxi
Acronyms	xxvii
Glossary	xxxv
Executive Summary	ES-1
Introduction	
Project Background and History	
Project Overview	
Project Purpose, Need, and Objectives	
Other Proposed Agreements, Plans, and Projects Related to Resources	
Affected by the Proposed Project	ES-9
Alternatives to the Proposed Project	
Consultation and Coordination	
Project Impacts Summary	ES-17
Issues to be Resolved	
Impact Summary	ES-17
1. Introduction, Purpose and Need, Objectives, and Background	1-1
1.1 Introduction	
1.1.1 Environmental Review Process	1-3
1.2 Project Purpose, Need, and Objectives	1-4
1.2.1 Water Conservation and Transfer Objectives	
1.2.2 Habitat Conservation Plan Objectives	
1.2.3 Reclamation's Purpose and Need	
1.2.4 USFWS' Purpose and Need	
1.3 Project Location and Region of Influence	
1.3.1 LCR	1-11
1.3.2 IID Water Service Area and All American Canal	1-11
1.3.3 SDCWA Service Area	
1.3.4 MWD Service Area	1-22
1.3.5 CVWD Service Area	1-25
1.4 Background and History of the Colorado River, IID's Water Rights,	
and Development of the Proposed Project	1-25
1.4.1 Description of the Colorado River	
1.4.2 Law of the River	
1.4.3 IID's Water Rights	1-31

1.4.4 IID's Development of Water Conservation and Transfer	
Projects	
1.4.5 IID/SDCWA Transfer Agreement	
1.4.6 California's Colorado River Water Use Plan	
1.4.7 Quantification Settlement Agreement	1-34
1.5 Projects and CEQA/NEPA Documentation Related to the	
Proposed Project	1-35
1.5.1 Interim Surplus Guidelines and Related EIS	1-35
1.5.2 Proposed QSA and QSA PEIR	1-37
1.5.3 Proposed Implementation Agreement, Inadvertent Overrun	
and Payback Policy, Biological Conservation Measures in	
USFWS' Biological Opinion, and IA EIS	1-38
1.5.4 Proposed Coachella Valley Water Management Plan	1-39
1.5.5 SDCWA/MWD Exchange Agreement	1-40
1.5.6 Summary of Relationship Between This EIR/EIS and Related	
CEQA/NEPA Documentation	1-40
1.6 Other Proposed Projects Related to Resources Affected by the	
Proposed Project	1-44
1.6.1 Proposed Lower Colorado River Multi-Species	
Conservation Program	1-44
1.6.2 Proposed Salton Sea Restoration Project	1-45
1.7 Agency Use of this EIR/EIS and Required Project Approvals	1-46
1.7.1 Federal Approvals	1-46
1.7.2 State Approvals	1-47
1.7.3 Local Approvals	1-49
1.8 Consultation and Coordination	1-50
1.8.1 Agency Coordination and Consultation	
1.8.2 Public Scoping	1-51
1.8.3 Public Review and Comment of Draft EIR/EIS	1-52
1.9 Project Impacts Summary	1-53
1.10 EIR/EIS Organization and Contents	1 -5 3
1.11 CEQA/NEPA Compliance	1-53
2. Description of the Proposed Project and Alternatives	2-1
2.1 Introduction	
2.2 Proposed Project	
2.2.1 Overview of the Proposed Project	
2.2.2 IID's Voluntary Cap on its Colorado River Water Diversions	
and Reclamation's Inadvertent Overrun and Payback Policy	2-4
2.2.3 IID's Water Conservation Program	
2.2.4 Water Transferees and Transfer Agreements	
2.2.5 Physical Conveyance of Conserved Water	
2.2.6 Habitat Conservation Plan	2 33 2 - 37
2.3 Project Alternatives	
2.3.1 Selection of Project Alternatives	
2.3.2 Description of Alternatives	
r r	· · · · · · · · · · · · · · · · · · ·

3 Environmental Analysis	3-1
Introduction	3-1
Organization of the Impact Analysis	3-1
Lower Colorado River	
IID Water Service Area and AAC	3-2
Salton Sea	3-2
Impact Numbering System	3-4
Subregions Excluded From the Environmental Impact Analysis	
Impacts in the CVWD and MWD Service Areas	
Development of the Baseline	
Salton Sea Baseline	
3.1 Hydrology and Water Quality	3.1-1
3.1.1 Introduction and Summary	3.1-1
3.1.2 Regulatory Framework	3.1-3
3.1.3 Existing Setting	3.1-9
3.1.4 Impacts and Mitigation Measure	3.1-73
3.2 Biological Resources	3.2-1
3.2.1 Introduction and Summary	3.2-1
3.2.2 Regulatory Framework	3.2-12
3.2.3 Environmental Setting	3.2-14
3.2.4 Impacts and Mitigation	3.2-90
3.3 Geology and Soils	3.3-1
3.3.1 Introduction and Summary	
3.3.2 Regulatory Framework	
3.3.3 Existing Setting	3.3-3
3.3.4 Impacts and Mitigation Measures	3.3-18
3.4 Land Use	
3.4.1 Introduction and Summary	3.4-1
3.4.2 Regulatory Framework	
3.4.3 Existing Setting	3.4-5
3.4.4 Impacts and Mitigation Measures	3.4-11
3.5 Agricultural Resources	
3.5.1 Introduction and Summary	
3.5.2 Regulatory Framework	
3.5.3 Environmental Setting	
3.5.4 Impacts and Mitigation Measures	3.5-12
3.6 Recreation	
3.6.1 Introduction and Summary	
3.6.2 Regulatory Framework	
3.6.3 Environmental Setting	
3.6.4 Impacts and Mitigation Measures	3.6-14
3.7 Air Quality	
3.7.1 Introduction and Summary	3.7-1

3.7.2 Regulatory Framework	3.7-1
3.7.3 Existing Setting	3.7-8
3.7.4 Impacts and Mitigation Measures	
3.8 Cultural Resources.	3.8-1
3.8.1 Introduction and Summary	3.8-1
3.8.2 Regulatory Framework	
3.8.3 Existing Setting	
3.8.4 Impacts and Mitigation Measures	
3.9 Indian Trust Assets	3.9-1
3.9.1 Introduction and Summary	
3.9.2 Regulatory Framework	
3.9.3 Existing Setting	
3.9.4 Impacts and Mitigation Measures	
3.10 Noise	3 10-1
3.10.1 Introduction and Summary	
3.10.2 Regulatory Framework	
3.10.3 Existing Setting	
3.10.4 Impacts and Mitigation Measures	
3.11 Aesthetics	
3.11.1 Introduction and Summary	
3.11.2 Regulatory Framework	
3.11.3 Environmental Setting	
3.11.4 Impacts and Mitigation Measures	
3.12 Public Service and Utilities	3 12-1
3.12.1 Introduction and Summary	
3.12.2 Regulatory Framework	
3.12.3 Environmental Setting	
3.12.4 Impacts and Mitigation Measures	
3.13 Transportation	3 13-1
3.13.1 Introduction and Summary	
3.13.2 Regulatory Framework	
3.13.3 Existing Setting	
3.13.4 Impacts and Mitigation Measures	
3.14 Socioeconomics	3 14-1
3.14.1 Introduction and Summary	
3.14.2 Environmental Setting	
3.14.3 Impacts and Mitigation Measures	
3.15 Environmental Justice	3 15-1
3.15.1 Introduction and Summary	
3.15.2 Regulatory Framework	
3.15.3 Environmental Setting	
3.15.4 Impacts and Mitigation Measures	
1 ()	

3.16 Transboundary Impacts	3.16-1
3.16.1 Introduction and Summary	3.16-1
3.16.2 Regulatory Framework	3.16-2
3.16.3 Environmental Setting	
3.16.4 Impacts and Mitigation Measures	
4. Alternatives Comparison	
4.1 CEQA Requirements for Alternatives	
4.2 NEPA Requirements for Alternatives	
4.3 Alternatives Evaluated in this EIR/EIS	
4.3.1 Proposed Project	
4.3.2 Alternative 1: No Project	4 - 8
4.3.3 Alternative 2: Water Conservation and Transfer of Up To	
130 KAFY to SDCWA (On-farm Irrigation System	
Improvements As Exclusive Conservation Measure)	4-8
4.3.4 Alternative 3: Water Conservation and Transfer of Up To	
230 KAFY to SDCWA, CVWD, and/or MWD Service Areas	
(All Conservation Measures)	4-9
4.3.5 Alternative 4: Water Conservation and Transfer of Up To	
300 KAFY to SDCWA, CVWD, and/or MWD Service Areas	
(Fallowing As Exclusive Conservation Measure)	4-9
4.4 Habitat Conservation Plan	
4.4.1 HCP (IID Water Service Area Portion)	4-10
4.4.2 HCP (Salton Sea Portion) Salton Sea Habitat	
Conservation Strategy	
4.4.3 Habitat Conservation Plan Alternatives	
4.5 Alternatives Comparison	4-11
4.6 Environmentally Superior Alternative	4-11
4.7 Alternatives Considered, but Eliminated	
4.7.1 Water Conservation and Transfer Alternatives Considered	4-13
4.7.2 HCP Alternatives Considered	4-13
4.7.3 No Take Alternative	4 - 13
4.7.4 Modification of Water Conservation and Transfer Amounts	4-14
5. Other CEQA and NEPA Considerations	
5.1 Cumulative Impacts	
5.1.1 Projects Included in the Cumulative Impact Analysis	
5.1.2 Summary of Cumulative Impacts from All Related Projects	
5.2 Growth-inducing Impacts	
5.2.1 Introduction and Summary	
5.2.2 Population Growth Trends in Southern California	
5.2.3 Growth-Inducing Impacts	
5.3 Applicable Regulations, Policies, and Required Permits	
5.3.1 Federal Regulations and Permits	
5.3.2 State Regulations and Permits	
5.3.3 Local Regulations and Permits	
5.4 Significant Unavoidable Impacts	
5.4.1 Hydrology and Water Quality	5-48

5.4.2 Agricultural Resources	5-49
5.4.3 Air Quality	5-49
5.5 Relationship between Short-term Uses of the Environment and	
Long-term Productivity	5-50
5.6 Irreversible and Irretrievable Commitments of Resources	5-50
5.6.1 Irreversible Commitments of Resources	5-50
5.6.2 Irretrievable Commitments of Resources	
6. List of Persons, Agencies, and Organizations Consulted	6-1
7. Introduction to Responses to Comments	
7.1 Public and Agency Review Process	
7.2 List of Commenters	
7.3 Master Responses	
7.4 Comments and Individual Responses	7-2
8. List of Commenters	8-1
8.1 Written and Oral Comments and Responses	8-1
8.2 Federal Agencies	8-1
8.3 State Agencies	8-2
8.4 Regional Agencies	
8.5 Local Agencies	
8.6 Tribes	
8.7 Groups	
8.8 Citizens	
8.9 Public Hearings	
9. Master Responses	9-1
HYDROLOGY	
9.1 Master Response on Selenium Mitigation	9-1
9.1.1 Introduction	
9.1.2 Background	9-1
9.1.3 Mitigation Setting	
9.1.4 Technology-based Mitigation	
9.1.5 Mitigation to Minimize Biological Impacts	
9.1.6 Selenium TMDL	
9.1.7 Selenium Balance	9-9
9.2 Master Response on Water Transfers to CVWD (QSA	
Implementation Scenario)	9-13
9.2.1 Introduction and Background	
9.2.2 Approach	
9.3 Master Response on Development of the Baseline	9-16
9.3.1 Introduction	
9.3.2 Development of the Baseline	
9.3.3 CEQA Requirements	
9.3.4 Specific Assumptions	
9.3.5 Effect of Modeled Baseline on Assessment of Project Impacts	

9.3.6 Relationship between Baseline and No Project Alternative	9-26
9.4 Master Response on TMDLs	9-31
9.4.1 Introduction	
9.4.2 Discussion of Specific TMDLs	9-31
9.4.3 Data Sources	
PLOLOGY	
BIOLOGY 9.5 Master Response on Approach to Salton Sea Habitat	
Conservation Strategy	9-35
9.5.1 Introduction	
9.6 Master Response on Impact Determination for Fish in the Salton Sea	9-40
9.7 Master Response on Timing of Implementation of Biological	
Mitigation Measures	
9.7.1 Introduction	
9.7.2 CEQA and NEPA Requirements	
9.7.3 Specific Mitigation Measures	9-43
RECREATION	
9.8 Master Response on Mitigation for Salton Sea Sport Fishery	9-45
AIR QUALITY	
9.9 Master Response on Salton Sea Air Quality Monitoring and	
Mitigation Plan	9_47
9.9.1 Introduction	
9.9.2 Difficulties Associated with Impact Assessment	
9.9.3 Similarities to and Differences from Owens Lake	
9.9.4 Difficulties Associated with Specific Prescription of Mitigation	
9.9.5 Monitoring and Mitigation Plan	
9.9.6 Impact Assessment; Feasibility of Implementation	
9.10 Master Response on Air Quality Issues Associated with Fallowing	
9.10.1 Introduction	
9.10.2 Fugitive Dust and PM10 Emissions from Fallowing	
9.10.3 Costs of Mitigation for Fallowed Fields	
9.10.4 Water Requirements and Impacts on the Transfer Project	
9.10.5 Adequacy of BMPs to Mitigate Impacts to Less than Significant	9-55
9.10.6 Potential for Increased Pesticide and Herbicide Use to	0.50
Control Weeds on Fallowed Lands	9-56
9.10.7 Loss of Carbon Dioxide Sequestering Capacity if Fallowed	0.50
Lands are Not Left With a Green Cover Crop	9-56
9.11 Master Response on Emissions from Construction of	
Conservation Measures	
9.11.1 Introduction	
9.11.2 Fugitive Dust (PM10) Emissions from Construction	
9.11.3 Exhaust Emissions from Construction Equipment	
9 11 4 Emissions from Construction Employee Commute Vehicles	9_59

9.12 Master Response on Aggregate Emissions from the Salton Sea,	
Fallowing, and Construction	9-60
9.12.1 Introduction	9-60
9.12.2 PM10 Emissions	9-60
9.12.3 Ozone	9-62
9.13 Master Response on Health Effects Associated with Dust Emissions	9-63
9.13.1 Introduction	
9.13.2 Health Effects from PM10 Particle Size	9-63
9.13.3 Health Effects from PM10 Particle Composition	9-64
9.14 Master Response on Applicability of General Conformity	
Requirements to the Proposed Project or Alternatives	
9.14.1 Introduction	
9.14.2 General Conformity Applicability Determination	
9.14.3 Applicability of General Conformity Requirements to the HCP	9-68
9.15 Master Response on Consistency with the State Implementation	
Plan for PM10	9-69
9.16 Master Response on Wind Conditions at the Salton Sea	
9.16.1 Introduction	9-70
9.16.2 Discussion	9-70
SOCIOECONOMICS	
9.17 Master Response on Property Values and Fiscal Impact Estimates	9-79
9.17.1 Introduction	
9.17.2 Property Values	9-79
9.17.3 Fiscal Impacts	
9.18 Master Response on Crop Type Assumptions for Socioeconomic	
Analysis of Fallowing	9-84
9.18.1 Introduction	9-84
9.18.2 Master Response	9-84
OTHER RESPONSES	
9.19 Master Response on Cumulative Impacts	9-87
9.20 Master Response on Growth Inducement Analysis	9-88
9.20.1 Introduction	9-88
9.20.2 CEQA and NEPA Standards for Growth Inducement Analysis	9-90
9.20.3 Description of Project as it Relates to Possible	
Growth Inducement	9-90
9.20.4 Conclusion	9-96
9.21 Master Response on Desalination and Water Conservation in	
SDCWA Service Area	9-97
9.21.1 Introduction	9-97
9.21.2 Water Conservation	9-98
9.21.3 Future Water Conservation Savings	9-100
9.21.4 Water Recycling	

9.21.5 Economic and Financial Considerations	9-102
9.21.6 Regulatory	9-103
9.21.7 Public Acceptance	
9.21.8 Encouraging Recycled Water Development	9-104
9.21.9 Policies, Ordinances, and Guidance Documents	
9. 21 .10 Training	
9.21.11 Optimizing the Use of Recycled Water - Regional Perspective	
9.21.12 Future Recycled Water Use	
9.21.13 Wastewater Generation, Collection, Treatment and Disposal	
9.21.14 Summary	
9.22 Master Response on Relationship Between the Proposed Project	
and Salton Sea Restoration Project	9-108
9.23 Master Response on the Relationship Between the Proposed Project	
and the QSA, IA, IOP, and CVWD Groundwater Management Plan	
9.23.1 Introduction	
9.23.2 Required Scope of a Project	
9.23.3 Relationship between the Proposed Project and the QSA	
9.23.4 Modified Description of the Proposed Project	9-111
9.23.5 Relationship of the Proposed Project to the IA and IOP	9-112
9.23.6 Coordinated Preparation and Review of	
Environmental Documents	
9.23.7 CVWD Groundwater Management Plan	9-113
10. Responses to Comments Received on Draft EIR/EIS	
10.1 Comments and Responses for Federal Agencies	10-1
10.2 Comments and Responses for State Agencies	10-54
10.3 Comments and Responses for Regional Agencies	
10.4 Comments and Responses for Local Agencies	10-387
10.5 Comments and Responses for Tribes	10-550
10.6 Comments and Responses for Groups and Organizations	10-588
10.7 Comments and Responses for Citizens	10-922
10.8 Comments and Responses for Public Hearings	10-1078
11. References	11-1
12. List of Preparers	12-1
13. List of Recipients	13-1
Federal Agencies	13-1
US Congress	
State Agencies	
Tribes	
Environmental Organizations	
Water Agencies, Organizations, and Irrigation Districts	
Libraries	
Others	
14. Index	14-1
	,,,,, _

Appendices

- A Summaries of the IID/SDCWA Water Transfer Agreement and Quantification Settlement Agreement (QSA)
- B Public Consultation
- C Habitat Conservation Plan
- D Alternatives Analysis
- E Imperial Irrigation Decision Support System (IIDSS) Summary Report
- F Water Quality Hydrology
- G Socioeconomics
- H SDCWA Urban Water Management Plan
- I Stapleton Testimony
- J Proposition C Text
- K 1992 Memorandum of Agreement
- L SANDAG Growth Management Strategy
- M SANDAG 2020 Regional Forecast
- N SANDAG and SDCWA Forecasting
- O IIDSS Model Overview

List of Tables

ES-1	Summary of Significant Impacts	ES-18
1-1 1-2	Priority System Established by the Seven-Party Agreement	
2-1	Annual Colorado River Water Budgets with Implementation of the QSA	2-6
2-2	IID's Proposed Water Budget under the QSA	2-7
2- 3	On-farm Irrigation System Conservation Measures	2-9
2-4 2-5	Water Delivery System Conservation Measures	
	QSA Implementation	2-33
2-6	Species Proposed for Coverage in the HCP	
2-7	Summary of Proposed Project and Project Alternatives	2-49
3.0-1	Resource Areas With/Without Impacts Listed by Geographic Subregion	3.0-5
3.0-2	Impacts Analysis for CVWD Service Area	3.0-8
3.0-3	Salton Sea Baseline	. 3.0-15
3.1-1	Summary of Hydrology and Water Quality Impacts	3.1-1
3.1-2	Effect of Flow on Average Width and Depth of the LCR between Parker	
	and Imperial Dams	. 3.1-14
3.1-3	Annual Average Gross Diversion from Colorado River into AAC	
	(1987-1998)	. 3.1-20
3.1-4	Historical Mean Flows and Concentrations for Water Quality	
	Parameters in the IID Water Service Area	. 3.1-40
3.1-5	Annual Average Historical Water Balance for Salton Sea	
	(Period 1950 - 1999)	. 3.1-52
3.1-6	Average Concentrations of Major Ions (mg/L) in the Salton Sea	. 3.1-58
3.1-7	Comparison of Selected Water Quality Results (mg/L) in Tributaries	
	and the Salton Sea, 1980 to 1993	. 3.1-62
3.1-8	Average Concentrations of Nutrients and Selenium (mg/L) in Salton Sea,	
	January to December 1999 (n=12)	. 3.1-62
3.1-9	Concentrations of Inorganic Chemicals in Sediment from the Salton Sea	
	and Surrounding Tributaries Determined to be of Concern	
3.1-10	Concentrations of Organic Chemicals in Sediment from the Salton Sea	
	and Surrounding Tributaries Determined to be of Concern	. 3.1-67
3.1-11	Reported Values for Inorganic Constituents of Potential Concern in	
	Salton Sea Sediments	. 3.1-72
3.1-12	Measured Organic Constituents of Potential Concern in	
	Salton Sea Sediments	
3.1-13	IIDSS and Salton Sea Modeling Runs for the QSA and SDCWA Service Area	
	Transfers	
3.1-14a	Water Quality Standards/Significance Criteria	
3.1-14b	Beneficial Uses and WQOs for Potentially Affected Surface Waters	. 3.1-86
3.1-15	Comparison of Average Annual COC Concentrations for the Alamo River	0 1 0=
	Basin for the Proposed Project and Alternatives	. 3.1-95

3.1-16	Comparison of Average Annual COC Concentrations for the New River	
	Basin for the Proposed Project and Alternatives	.3.1-97
3.1-17	Comparison of Average Annual COC Concentrations for IID Drains	
	Discharging into the Salton Sea for the Proposed Project and Alternatives	3.1-99
3.2-1	Summary of Impacts to Biological Resources	3.2-1
3.2-2	Plant Communities within the LCR 100-Year Floodplain	.3.2-16
3.2-3	Acreage of Backwaters Along the LCR Between Parker and Imperial	
	Dams	.3.2-19
3.2-4	Structural Characteristics and Acreage of Marsh Habitat	.3.2-20
3.2-5	Special-Status Species Potentially Along the LCR	.3.2-20
3.2-6	Special-Status Fish Species in the LCR	
3.2-7	Typical Plant Species in Drains in Imperial Valley	.3.2-27
3.2-8	Percentage of Drain Area Composed of Each Major Plant Species or Other	
	Habitat Type for the 10 Drains Surveyed by Hurlbert (1997)	.3.2-30
3.2-9	Percent of Habitat Types at Survey Points Along Drains Surveyed by	
	Hurlbert (1997)	3.2-32
3.2-10	Seepage Communities Along the East Highline Canal	
3.2-11	Primary Vegetation of Areas Classified as Adjacent Wetlands in the Salton	
	Sea Database	.3.2-38
3.2-12	Crops Produced (Greater Than 200 Acres) in IID Service Area During	
J 1_	1999	.3.2-50
3.2-13	Special-Status Plants of Imperial and Riverside Counties	
3.2-14	Special-Status Wildlife Species Potentially Occurring in the Imperial Valley	01
O. 2 11	and Salton Sea and General Habitat Associations	3 2-53
3.2-15	AAC Fish Community between Pilot Knob and Drop 4	
3.2-16	Fish Species Known to Inhabit Irrigation Drains Adjacent to the Salton Sea	
3.2-17	Fish Species in the Salton Sea	
3.2-18	1998 Estimate of Salton Sea Nesting Birds	
3.2-19	1999 Winter Shorebird Populations at the Salton Sea (January and	
J.Z-17	February)	3 2-67
3.2-20	Migratory Shorebirds at the Salton Sea	
3.2-20	Salinity Occurrence and Tolerance Data for Species Inhabiting the	5.2-00
J.Z-Z1		3.2-70
3.2-22	Selenium Concentrations in Freshwater and Marine Fish from Imperial	9.2-70
J.Z-ZZ	Valley Rivers and the Salton Sea	3 2 72
3.2-23	Selenium Concentrations in Mosquitofish and Sailfin Molly from the Salton	9.2-12
3.2-23	<u> </u>	
	Sea, New and Alamo Rivers and Irrigation Drains, and San Felipe and Salt	2 2 72
2 2 24	Creeks, 1988-1990 Selenium Concentrations in Invertebrates from the Salton Sea, New and	3.2-13
3.2-24	·	2 2 74
2 2 25	Alamo Rivers and Irrigation Drains. 1988-1990	3.2-/4
3.2-25	Selenium Concentrations in Migratory Birds and Estimated Egg	
	Concentrations from the New and Alamo Rivers, Agricultural Drains,	2.2.75
0.0.04	San Felipe Creek, Salt Creek, and the Salton Sea Collected During 1988-1990.	
3.2-26	Selenium Concentrations in Bird Eggs and Livers Collected at the Salton Sea,	
	1991	3 2-76

3.2-27	Detection Frequency and Summary Statistics for Selenium in Yuma	
	Clapper Rail Diet and Tissue Samples	3.2-76
3.2-28	Organochlorine Insecticide Concentrations in Freshwater and Marine Fish	3.2-78
3.2-29	1986-1990 p-p'-DDE Concentrations in Aquatic Birds	
3.2-30	1991 p-p'-DDE Concentrations in Salton Sea Bird Eggs and Livers	
3.2-31	1992-1995 Chlorpyrifos and Dacthal Concentrations in Fish Tissue from	
	IID Drains, New and Alamo Rivers, and the Salton Sea	3.2-81
3.2-32	Boron Concentrations in Invertebrates from the Salton Sea, New and Alam	
	Rivers, and Irrigation Drains, 1986-1990	
3.2-33	Generalized San Diego Region Vegetation	
3.2-34	Primary Association and Use of Vegetation Communities by Selected	٥١= ١٥
0.2 01	Wildlife Species in the Study Area	3 2-93
3.2-35	Salinity Occurrence and Tolerance Data for Species Inhabiting the Salton	0.2 70
J. 2 JJ	Sea	3 2 - 101
3.2-36	Acreage of Cottonwood-Willow/Salt Cedar Habitat Occupied by	
0.2 00	Southwestern Willow Flycatchers Between Parker and Imperial Dams	
	Affected by the Proposed Project and Alternatives	3 2-107
3.2-37	Acreage of Backwaters between Parker and Imperial Dams Affected by the	
3.2-31	Proposed Project and Alternatives	
3.2-38	Acreage of Open-Water Habitat between Parker and Imperial Dams	
3.2-30	Potentially Affected by the Proposed Project and Alternatives	3 2 111
3.2-39	Acres of Cattail Vegetation in the Drains Potentially Affected by	9.2-111
3.2-39	Increases in Salinity under the Proposed Project and Alternatives	2 2 114
3.2-40		3.2-114
3.2 -4 0	Estimated Number of Miles Potentially Affected by Reduced Hatchability	
	due to Increased Selenium Concentrations Associated with Varying Water	2 2 110
2 2 41	Conservation Amounts and Techniques	3.2-119
3.2-41	Annual Average Discharge (thousand acre-feet)) to the Salton Sea	
	from the Alamo and New Rivers under the Proposed Project and	0.0.100
0.0.40		3.2-120
3.2-42	Total Annual Discharge (KAF) from the IID Water Service Area Under	00404
0.0.40	the Proposed Project and Alternatives	
3.2-43	Hypothetical Chronology for Salinity Effects on Salton Sea Biota	3.2-142
3.3-1	Summary of Geology and Soils Impacts	3.3-1
3.3-2	Salton Trough Fault Characteristics	
	<u> </u>	
3.4-1	Summary of Land Use Impacts	3.4-1
3.4-2	Existing Land Uses within IID Boundaries, 2000	3.4-7
3.4-3	Projected Surface Area and Elevation of the Salton Sea for the Baseline	
	and Alternatives	
3.4-4	Projected Surface Area and Elevation of the Salton Sea for the Baseline and	
	Alternatives (with implementation of the Salton Sea Habitat Conservation	
	Strategy)	3.4-15
3.5-1	Summary of Agricultural Resources Impacts	252
3.5-2		
	Agriculture Resources in the LCR Geographic Subregion, 1998	3.3-4
3.5-3	Acreage and Value of Production by Crop Groups in the IID Water Service Area 1998	3 5-11
	vvaler bervice Area 1996	וו-ת-

3.6-1	Summary of Recreation Impacts	3.6-1
3.6-2	Imperial Wildlife Area (Wister Unit) Public Use Profile, 1990 to Present	3.6-9
3.6-3	Salton Sea SRA Visitation Data, 1972 to Present	3.6-10
3.6-4	Impacts of Reduced Surface Area to Water-Related Visitor Usage at the	
	Salton Sea	3.6-19
3.7-1	Summary of Air Quality Impacts	3 7 2
3.7 - 1	National and California Ambient Air Quality Standards	
3.7 - 2	Federal and California Air Quality Attainment Status Designations	3.7 <i>-</i> 3
3.7 - 3	by County and Area	376
3.7-4	Estimated 2000 Annual Average PM ₁₀ Emissions in the SSAB (tons/day)	
3.7- 4 3.7-5	Ozone Data Summary for Monitoring Stations in Imperial,	3.7-17
3.7-3	Riverside (Indio), and San Diego Counties, 1994-1998	2 7 22
3.7-6	PM ₁₀ Data Summary for Monitoring Stations in Imperial,	3.1 - 22
<i>3.7-</i> 0	Riverside (Indio), and San Diego Counties, 1994-1999	3723
3.7-7	Ambient CO, NO ₂ , and SO ₂ Concentrations in Imperial,	3.7 -23
3.7-7	Riverside (Palm Springs), and San Diego Counties, 1994-1999	2 7 2 4
3.7-8	Significance Criteria for the IID Water Service Area	
3.7 - 8	Construction Emissions Thresholds of Significance for the Portion of the	3.7-20
3.7-9	Salton Sea Air Basin within the South Coast AQMD (Riverside County)	3720
3.7-10	Operational Significance Criteria for the Riverside County Portion of the	3.7-29
3.7-10	Salton Sea Air Basin	3.7-30
3.7-11		3.7-30
3.7 - 11	Most Stringent Ambient Air Quality Standard and Allowable Change in Concentration	3 7 30
3.7-12	Estimated Annual Equipment Exhaust Emissions for Construction of	3.7-30
J.7-12		3.7-32
3.7-13	Estimated Annual Equipment Exhaust Emissions for Construction of	9.1-92
5.7-15	1 1	3.7-33
3.7-14	Comparison of Wind Speed Frequency at 10 m Above the Ground Surface	
0.7 11	for Salton Sea and Owens Lake, Year 2000	3 7-39
3.8-1	Summary of Cultural Resource Impacts	
3.8-2	Cultural Resources within the Proposed Project Geographic Focus Areas	3.8-21
3.9-1	Summary of Indian Trust Assets Impacts	3.9-2
3.9-2	Fort Mojave Tribe's Water Rights	
3.9-3	Chemehuevi Indian Tribe's Water Rights	
3.9-4	Colorado River Tribe's Water Rights	
3.9-5	Quechan Indian Tribe's Water Rights	
3.9-6	Cocopah Indian Tribe's Water Rights	
3.9-7	Unit Diversion Quantity	
2 1 0 1	Community of National Association	2 1 0 1
3.10-1	Summary of Noise Impacts	
3.10-2	Typical Sound Levels Measured in the Environment and Industry	
3.10-3	Construction Noise Standards, County of Imperial, CA	
3.10-4 3.10-5	Operation Noise Standards, County of Imperial, CA	3.10-5
J.1U - S	Noise/Land Use Compatibility Guidelines for Agriculture Land Use,	2 10 7
2 10 4	County of Imperial, CA Existing Railroad Noise Levels	
3.10-6	LAISHIIZ NAIII UAU I NUISE LEVEIS	5.10-0

3.10-7	Imperial County Interstate and State Highway Traffic and Noise Data	2 10 10
2 10 0	(Existing Conditions)	3.10-10
3.10-8	Description of Equipment Associated with IID Water Conservation	2 10 11
3.10-9	Alternatives	
3.10-9	Expected Conservation Measure Construction Noise Impacts in the IID	3.10-11
3.10-10	Water Service Area	3.10-13
0 11 1	Common of Acathatica Immanta	2 11 2
3.11-1 3.11-2	Summary of Aesthetics Impacts	
3.11-2	Summary – Anticipated Effects at Key Viewpoints	
3.11-3		
3.12-1	Summary of Public Services Impacts	3.12-1
3.12-2	Historic Water Volumes (in AF) Delivered by IID	3.12-8
3.12-3	Historic Electric Power Volumes in Megawatt-hours (MWh)	
	Delivered by IID	3.12-11
3.13-1	Summary of Transportation Impacts	3 13_2
3.13-1	Road Transportation Level of Service (LOS) Definitions	
3.13-2	Predicted Maximum Daily Traffic Trips During Construction of	J.1J -1
J.15-J	Conservation Measures	3 13-8
3.14-1	Summary of Socioeconomic Impacts	
3.14-2	Imperial County/City Population Estimates	
3.14-3	Summary of 2000 Imperial County Employment Data	
3.14-4	Historic Imperial County Employment by Major Industries, 1991 to 2000	3.14-5
3.14-5	Allocation of Imperial County Property Tax Levies 1997-2000	
	(\$ Thousands)	
3.14-6	Value of Industry Output for Imperial County	
3.14-7	Summary of 2000 Riverside County Employment Data	
3.14-8	Scenarios for Economic Analysis	
3.14-9	Acreage-weighted Average Value of Production Estimates	3.14-14
3.14-10	Proposed Project Component and Aggregated Socioeconomic Impacts	
	Using Only On-farm Irrigation System Improvements and Water Delivery	
	System Improvements for Conserving Water for Transfer	3.14-24
3.15-1	Summary of Environmental Justice Impacts	3.15-1
3.16-1	Summary of Transboundary Impacts	3.16-1
4-1	Elements of the Proposed Project and Alternatives	4-3
4-2	Summary of Proposed Project and Project Alternatives	
4.3	Significant Unavoidable Impacts (SUIs) of the Proposed Project	1-1
1.0	and Alternatives	4-5
4-4	Alternative Analysis Summary (11 x 17)	
5-1	Schedule for TMDL Implementation	
5-2	Southern California Population Forecast	5-39
8-1	Commenter Group Code and Type	8-1

9.1-1	Average Historical, Baseline, Proposed Project Values for Selenium	0.0
9.1-2	Concentrations	9-2
9.1-3	Tilewater at the Rivers' Outlets (percentage) Comparison Between Mass Balance Estimates of Mean Selenium Concentration at the Outlet of the New River	
9.1-4	Comparison Between Mass Balance Estimates of Mean Selenium Concentration at the Outlet of the Alamo River	
9.2-1	Proposed Project Scenarios Without and With Implementation of the Salton Sea Habitat Conservation Strategy	9-15
9.3-1	Sensitivity Analysis of Key Baseline Assumptions	9-28
9.9-1	Comparison of Wind Speed Frequency at 10 m Above the Ground Surface for Salton Sea and Owens Lake	9-48
9.12-1	Timing of PM10 Emission Source	9-61
9.16-a	Comparison of Wind Speed Frequency at 10 m Above the Ground Surface for Salton Sea and Owens Lake, Year 2000	9-71
9.16-1 9.16-2 9.16-3	Wind Frequency Distribution for Niland, California Year 2000	9-76
9.17-1 9.17-2	Imperial County Sales Tax Impacts of Proposed Project B (\$ millions per year Imperial County Sales Tax Impacts of Proposed Project D (\$ millions per year	,
9.18-1 9.18-2	Pro Forma Cropping Cycle Patterns Comparative Impact of Fallowing Individual Crop Categories Relative to Fallowing the Full Cropping Pattern	9-85 9-86
9.21-1 9.21-2	Best Management Practices for Urban Water Conservation in California Potential Water Conservation Savings Through 2020 Within SDCWA	9-98
0.01.0	Service Area	9-100
9.21-3 9.21-4	Programs to Encourage Recycled Water UseProjected Recycled Water Use	

List of Figures

1-1	Proposed Project Geographic Subregions (11 x 17 color)	1-9
1-2	Water Distribution Facilities Along the Lower Colorado River	
1-3	IID Water Service Area	
1-4	Salton Sea	
1-5	Major Features of the IID Water Conveyance System (11 x 17)	1-15
1-6	Canals and Drains in the IID Water Service Area (11 x 17)	
1-7	Pathway for Water Flow through the IID Water Irrigation	
	and Drainage System	1-19
1-8	SDCWA Service Area	
1-9	MWD and SDCWA Service Areas	
1-10	CVWD Service Area	
1-11	Colorado River Basin	
1-12	Relationship of this Final EIR/EIS to Other Projects and Ongoing	
	Environmental Compliance Documents	1-36
2-1a	On-Farm Conservation Measures	2-13
2-1b	On-Farm Conservation Measures	
2-1c	Level Basin	
2-2a	Conceptual Lateral Interceptor System	
2-2b	Conceptual Seepage Recovery Systems	
2-2c	Conveyance Lining	
2-3	Existing Lateral Interceptor Systems and Reservoirs in the	
	IID Water Service Area	2-20
2-4	Proposed Lateral Interceptor Systems and Reservoirs in the	
	IID Water Service Area	2-21
2-5	Existing and Proposed Seepage Recovery Systems in the	= ==
	IID Water Service Area	2-22
2-6	Existing Lined Conveyance Facilities in the IID Water	= ==
_ 0	Service Area	2-23
2-7	Proposed Conveyance Lining Locations in the IID Water	
_ ,	Service Area	2-24
2-8	HCP Coverage	
2-9	Salinity Projections in the Salton Sea Under the Baseline (embedded)	
2-10	Projected Surface Elevation under the Baseline and Each Alternative	= 17
_ 10	Implementation of the Salton Sea Habitat Conservation Strategy (embed	ded) 2-50
3.0-1	Predicted Effects at the Salton Sea: Baseline and Proposed Project	3.0-16
3.0-2	Predicted Effects at the Salton Sea: Alternatives 1 and 2	3.0-17
3.0-3	Predicted Effects at the Salton Sea: Alternatives 3 and 4	3.0-18
3.0-4	Predicted Effects at the Salton Sea: Alternative 4/Proposed Project	
	(With Implementation of Salton Sea Habitat Conservation Strategy)	3.0-19
3.0-5	Predicted Effects at the Salton Sea: Alternatives 2 and 3 (With	
	Implementation of the Salton Sea Habitat Conservation Strategy)	3.0-20
3.1-1	Facilities and Divisions, Lower Colorado River Area	3.1-10


3.1-2	Recent Amounts of Water Pumped by MWD from Lake Havasu	
	into the Colorado River Aqueduct, 1985-1997 (AF)	3.1-12
3.1-3	Measured Yearly Flow, Colorado River Below Parker Dam, at Gage 09427520, 1985-1999 (AF)	3.1-13
3.1-4	Average Total Dissolved Solids from Lee's Ferry to Morelos Dam,	
0.1 1	1980-1997	3.1-15
3.1-5	Dissolved Selenium, Lee's Ferry to Morelos Dam, 1991-1997	
3.1-6	Annual Historical Sediment Loads for Parker Dam, Imperial Dam,	
	and Yuma, AZ, LCR (1911-1984)	3.1-18
3.1-7	Flow in the All American Canal at Drop No. 1, 1986-1998 (AF)	
3.1-8	Measured Yearly Flow, Colorado River Above Imperial Dam,	
	at Gage 09429490, 1985-1999 (AF)	3.1-22
3.1-9	Project Site Features	
3.1-10	Colorado River Water Delivered to IID (1986-1998), Measured at	
	All American Canal Drop No. 1	3.1-27
3.1-11	Percent of Surface Water Inputs to the IID Water Service Area	
3.1-12	Water Schematic	
3.1-13	On-Farm Water Use and Distribution of IID Farm Drainage	
3.1-14	Total IID Discharge to the Salton Sea (1986-1999)	
3.1-15	Distribution of Surface Water Outputs to the Salton Sea from IID Farm	
	Drainage and Other IID Waters	3.1-34
3.1-16	Existing Setting Average Overall Water Balance	
3.1-17	Annual Alamo and New Rivers Flow Volumes at the International	
	Boundary (1987-1999)	3.1-36
3.1-18	Annual Average TDS Concentrations in Colorado River Water Delivered	
	to IID (1973-1998)	3.1-42
3.1-19	Locations of the South Central, Holtville Main, Greeson, and Trifolium	
	12 Drains in IID	3.1-43
3.1-20	COC Concentrations in the Alamo River at the Outlet to the Salton Sea	3.1-44
3.1-21	COC Concentrations in the New River at the Outlet to the Salton Sea	3.1-46
3.1-22	Topographic Features	3.1-48
3.1-23	Groundwater Contours and Flow	3.1-50
3.1-24	Estimated Average Monthly Elevations and Inflows to the Salton Sea,	
	1950-1999	3.1-54
3.1 -24 a	Historic Elevation and Salinity for the Salton Sea, 1950-2000	3.1-59
3.1-25	Components of the Imperial Irrigation Decision Support System	3.1-77
3.1-26	Proposed Project – Average Overall Water Balance	3.1-92
3.1-27	Surface Drains in the New River, Alamo River and Salton Sea	
	Drainage Basins	
3.1-28	USBR Model Results: Proposed Project Graphs of the Salton Sea	3.1-102
3.1-29	USBR Model Results: Proposed Project Versus Project Alternatives	
	Comparison of TDS Concentrations in the Salton Sea	3.1-104
3.1 -2 9a	Projected Salinity Under the Baseline and Each Alternative with	
	Implementation of the HCP-SS Component	
3.1-30	Baseline/No Project: Alternative 1 Average Overall Water Balance	
3.1-31	USBR Model Results: Project Baseline Graphs of the Salton Sea	3.1-110

3.1-32	Alternative 2: Water Conservation and Transfer of up to 130 KAFY	
	On-farm, Average Overall Water Balance	3.1-112
3.1-33	USBR Model Results: Alternative 2 Graphs of the Salton Sea	3.1-117
3.1-34	Alternative 3: Water Conservation and Transfer of up to 230 KAFY	
	(130 KAFY On-farm, 100 KAFY System), Average Overall Water Balance	3.1-120
3.1-35	USBR Model Results: Alternative 3 Graphs of the Salton Sea	
3.1-36	Alternative 4: Water Conservation and Transfer of up to 300 KAFY	
	(Fallowing as Exclusive Conservation Method), Average Overall Water	
	Balance	3.1-129
3.1-37	USBR Model Results: Alternative 4 Graphs of the Salton Sea	
3.2-1	Major Vegetation Types (11x17)	3.2-17
3.2-2	Canals and Drains in the IID Water Service Area (11x17)	3.2-25
3.2-3	Drains Surveyed for the Modified Trifolium Interceptor, East Lowline, and	1
	Completion Projects.	3.2-28
3.2-4	Drains Surveyed in HCP Area by Hurlbert, et al (1997)	3.2-29
3.2-5	Typical Lateral Drain Profile	
3.2-6	Lined and Unlined Canals Imperial Irrigation District (11x17)	
3.2-7	Seepage Communities Adjacent to the East Highline Canal (11x17)	
3.2-8	Habitat Around the Salton Sea (11x17)	
3.2-9	Location of State and Federal Refuges and Existing Wildlife Habitat	
3.2-10	Desert Habitats in and Adjacent to the HCP Area (11x17)	
3.2-11	Areas of Particular Importance to Birds at the Salton Sea	
3.2-12	Trophic and Bioaccumulation Relations Among Organisms of Rivers	
	and Drains in the Imperial Valley (11x17)	3.2-83
3.2-13	Trophic and Bioaccumulation Relations Among Organisms of the	
J. _ 10	1	3.2-87
3.2-14a	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	o. _ o,
0.2 114	Under the Proposed Project for Drains Discharging into the Alamo River	3 2-116
3.2-14b	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
0.2 110	Under the Proposed Project for Drains Discharging into the New River	3 2-117
3.2-14c	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
5. 2 11C	Under the Proposed Project for Drains Discharging into the Salton Sea	3 2-118
3.2-15	Salton Sea Water Surface Elevations Proposed Project and Project	
5.2-15	Alternatives (Without Implementation of the Salton Sea Habitat	
	Conservation Strategy)	3 2-137
3.2-16	Projected Year at Which Salinity Would Exceed Tolerances for Invertebrate	
3.2-10	Species Under the Proposed Project and Alternatives	
3.2-17	Projected Year that Tilapia, Gulf Croaker, Sargo, and Desert Pupfish Will	3.2-139
J.Z-17	Not Be Able to Complete Their Life Cycles Because of Salinity levels in the	
	<u> </u>	
	Salton Sea under Proposed Project and Alternatives (Without Implementat	
2.2.17-	of the Salton Sea Habitat Conservation Plan) (embedded)	3.2-144
3.2 - 17a	,	
	Species Under the Baseline and Each Alternative with Implementation of	0.0455
0.0.451	the HCP-SS Component (embedded)	3.2-155
3.2-17b	,	0.0.154
	Implementation of the HCP-SS Component (embedded)	3.Z - I56

3.2 - 17c	Projected Year in Which Salinity Would Exceed the Tolerances for	
	Invertebrate Species Under the Baseline and Alternatives with	
	Implementation of the HCP (embedded)	3.2-158
3.2 - 18a	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 2 for Drains Discharging into the Alamo River	3.2-168
3.2-18b	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 2 for Drains Discharging into the New River	3.2-169
3.2 - 18c	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 2 for Drains Discharging into the Salton Sea	3.2-170
3.2 - 19a	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 3 for Drains Discharging into the Alamo River	3.2-183
3.2 - 19b	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 3 for Drains Discharging into the New River	3.2-184
3.2 - 19c	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 3 for Drains Discharging to the Salton Sea	3.2-185
3.2 -2 0a	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	Under Alternative 4 for Drains Discharging into the Alamo River	3.2-197
3.2 -2 0b	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 4 for Drains Discharging into the New River	3.2-198
3.2 -2 0c	Miles of Drains at Average Concentrations of Selenium, TDS, and TSS	
	under Alternative 4 for Drains Discharging into the Salton Sea	3.2-199
3.3-1	Fault Map (11 x 17)	3.3-5
3.3 -2 a	Soil Associations, Imperial Valley	
3.3-2b	Soil Associations, Salton Sea Area	
3.3-3	Erosion Activity Within Imperial County	3.3-11
3.3-4	Fault Rupture Hazard Zones (11 x 17)	3.3-13
3.3-5	Landslide Activity Within Imperial County	3.3-15
3.3-6	Areas of Imperial County at Risk for Flooding	3.3-16
3.4-1	General Plan Designations in the Imperial Valley and the Southern	
		3.4-4
3.4-2	General Plan Designations in the Northern Portion of the Salton Sea	3.4-6
3.4-3	Land Ownership by Parcel in the Imperial Valley and Salton Sea	
	(11 x 17 color)	3.4-9
3.5-1	Location of Irrigated Agricultural Resources (11 x 17)	3.5-5
3.5-2	IID Water Service Area Farmlands (11 x 17)	
3.5-3	Comparison of the Use of Farmland in the IID Water Service Area,	
o. .	1987-1999 (embedded)	3.5-10
3.5-4	Harvested Acres by Crop Group in the IID Water Service Area,	
	1987-1999 (embedded)	3.5-11
3.6-1	LCR Recreation Areas (11 x 17)	3 6-5
3.6-2	IID Water Service Area Recreation Areas (11 x 17)	3.6-7
3.6-3	Salton Sea Recreation Areas (11 x 17)	
3.6-4	Reduced Surface Elevations in 2077 Under Various Water Conservation	
0.0 1	Scenarios	3 6-21

3.7-1	Ozone Nonattainment Areas and Monitoring Stations (11 x 17)	3.7-9
3.7-2	PM ₁₀ Nonattainment Areas and Monitoring Stations (11 x 17)	
3.7-3	CO Nonattainment Areas and Monitoring Stations (11 x 17)	
3.7-4	Air Basins Boundaries and Regulatory Agency Jurisdictions in the	
	Salton Sea Area (11 x 17)	3.7-15
3.7-5a	IID Water Conservation and Transfer Project, Wind Rose for Niland,	
	California, Year 2000	3.7-19
3.7-5b	IID Water Conservation and Transfer Project, Wind Rose for Niland,	
	California, Year 2001	3.7-20
3.8-1	Southern California Desert and Adjacent Regions	3.8-5
3.8-2	Location and Extent of Late Prehistoric Lake Cahuilla	
3.8-3	Historic Tribes of the California Desert and Adjacent Regions	
3.8-4	Location of the Kumeyaay and Their Neighbors	
3.11-1	Scenic Deserts and Mountains of Imperial County (11 x 17)	
3.11-2	Salton Sea Visual Units	
3.11-3	Salton Sea Photo Viewpoint Locations	
3.11-4a	Visual Character Photos	
3.11-4b	Visual Character Photos	
3.11-4c	Visual Character Photos	
3.11-4d	Visual Character Photos	
3.11-4e	Visual Character Photos	
3.11-4f	Visual Character Photos	
3.11-4g	Visual Character Photos	
3.11-4h	Visual Character Photos	
3.11 - 5a	Visual Simulations	
3.11-5b	Visual Simulations	
3.11-5c	Visual Simulations	
3.11 - 5d	Visual Simulations	
3.11 - 5e	Visual Simulations	
3.11-5f	Visual Simulations	
3.11-5g	Visual Simulations	
	Visual Simulations	3.11-30
3.11 - 5i	Visual Simulations	
3.11 - 5j	Visual Simulations	
3.11 - 5k	Visual Simulations	
3.11-51	Visual Simulations	3.11-34
3.12-1	Gross Power Generation at Parker Dam, Fiscal Years, 1985-1999 (kWH)	3.12-5
3.12-2	Power Generation in Imperial Valley (11 x 17)	
3.13-1	Primary Transportation Network, Lower Colorado River Geographic	
J.1J-1	Subregion	3 13.3
3.13-2	Primary Transportation Network, IID Water Service Area and Salton Sea	3.13-3
J.1J-Z	(11 x 17)	3 13-5

3.14-1	Net Employment Impacts by Economic Sector from On-farm Irrigation	
	System Improvements and/or Water Delivery System Improvements	
	for Proposed Project A and B Program Year-Block 7 (embedded)	3.14-18
3.14-2	Net Value of Business Output Impacts by Economic Sector from On-farm	
	Irrigation System Improvements and/or Water Delivery System	
	Improvements for Proposed Projects A and B Program Year-Block 7	
	(embedded)	3.14-19
3.14-3	Net Employment Impacts by Economic Sector from Fallowing for	
	Proposed Projects C and D Program Year-Block 7 (embedded)	3.14-20
3.14-4	Comparison of Proposed Project D Employment Losses to Annual	o.11 2 0
0.11 1	Employment Levels and 10-Year Historic Variation, for Total County	
	Employment and Agricultural Employment (embedded)	3 14-21
3.14-5	Net Value of Business Output Impacts by Economic Sector from Fallowing	0.11 21
0.110	for Proposed Projects C and D Program Year-Block 7 (embedded)	3 14-22
3.14-6	Net Employment Impacts by Economic Sector from On-farm Irrigation	J.1 1 -22
J.1 1 -0	System Improvements and/or Water Delivery System Improvements for	
	Alternative 2, Program Year-Block 7 (embedded)	3 11-27
3.14-7	Net Value of Business Output Impacts by Economic Sector from On-farm	J.1 1 -21
J.1 4- 7	Irrigation System Improvements and/or Water Delivery System	
	Improvements for Alternative 2, Program Year-Block 7 (embedded)	2 1/1 28
3.14-8	Net Employment Impact by Economic Sector from On-farm Irrigation	J.1 4- 20
J.14-0	System Improvements and/or Water Delivery System Improvements for	
	Alternative 3 A, Program Year-Block 7 (embedded)	2 1 4 20
2140	·	3.14-30
3.14-9	Net Value of Business Output Impacts by Economic Sector from On-farm	
	Irrigation System Improvements and/or Water Delivery System	0 1 4 01
21110	Improvements for Alternative 3 A, Program Year-Block 7 (embedded)	3.14-31
3.14-10	Net Employment Impacts by Economic Sector from Fallowing for	0.14.00
01111	Alternative 3 B, Program Year-Block 7 (embedded)	3.14-32
3.14-11	Comparison of Alternative 3 B Employment Losses to Annual Employment	
	Levels and 10-Year Historic Variation, for Total County Employment and	
04440	Agricultural Employment (embedded)	3.14-33
3.14-12	Net Value of Business Output Impacts by Economic Sector from Fallowing	
a - .	for Alternative 3 B, Program Year-Block 7 (embedded)	
9.5-1	Salinity Projections in the Salton Sea Under the Baseline (embedded)	9-37
9.5-2	Projected Mean Elevation of the Salton Sea Under Proposed Project and the	
	Baseline (embedded)	9-38
9.9-1	Relative Abundance of Major Cations and Anions at Salton Sea and in	
	Subsurface Drainage Water at Owens Lake (embedded)	9-49
9.16-1	IID Water Conservation and Transfer Project Wind Rose for Niland,	
	California Year 2000	9-73
9.16-2	IID Water Conservation and Transfer Project Wind Rose for Niland,	
	California, Year 2001	9-75
9.16-3	IID Water Conservation and Transfer Project Wind Rose for Owens	
	Lake, Year 2000	
9.21-1	Treatment Plant Average Effluent (embedded)	9-103
9.21-2	San Diego County Wastewater Treatment and Water Recycling	
	Facilities (embedded)	9-107



Acronyms

 $\begin{array}{lll} ^{\circ}C & degrees \ Celsius \\ ^{\circ}F & degrees \ Fahrenheit \\ \mu g/g & micrograms \ per \ gram \\ \mu g/kg & micrograms \ per \ kilogram \\ \mu g/L & micrograms \ per \ liter \end{array}$

AAC All American Canal AAM annual arithmetic mean

AB Assembly Bill

ACEC Area of Critical Environmental Concern ACHP Advisory Council on Historic Preservation

AF acre feet/foot
AFY acre feet per year
AGM annual geometric mean
AOP Annual Operating Plan
AQIA air quality impact analysis
AQMP Air Quality Management Plan
AWC Arizona Wildlife of Concern

AZ DES Arizona Department of Economic Security

BA Biological Assessment

BACT Best Available Control Technology

Basin Colorado River Basin

Basin States Arizona, Colorado, California, New Mexico, Utah, Wyoming

BCPA Boulder Canyon Project Act of 1928

BIA US Bureau of Indian Affairs
BLM US Bureau of Land Management

BMP Best Management Practice

BNSF Burlington Northern and Santa Fe

BO Biological Opinion

BOD biological oxygen demand

BOE Bureau of Census

CAA Federal Clean Air Act of 1970 and its 1977 and 1990

Amendments

CAAQS California Ambient Air Quality Standards
California Plan California's Colorado River Water Use Plan

CAP Central Arizona Project

CARB California Air Resources Board

CCAA California Clean Air Act

CCR California Code of Regulations
CDC California Development Company
CDCA California Desert Conservation Area

CDFG California Department of Fish and Game

CDMG California Department of Conservation Division of Mines and

Geology

CDOF California Department of Finance

CEDD California Employment Development Department

CEQA California Environmental Quality Act
CESA California Endangered Species Act
CFR Code of Federal Regulations

cfs cubic feet per second

CHL California Historical Landmark

CHRIS California Historical Resources Information System

CID Cibola Irrigation District

CII commercial, industrial, and institutional

CIMIS California Irrigation Management Information System

CIP Capital Improvement Plan

CNEL Community Noise Equivalent Level CNPS California Native Plant Society

CO carbon monoxide
COC constituent of concern
COD chemical oxygen demand

Compact Colorado River Compact of 1922
Corps US Army Corps of Engineers
CRA Colorado River Aqueduct

CRBC Colorado River Board of California

CRB RWQCB Colorado River Basin Regional Water Quality Control Board

CRHR California Register of Historic Places

CRIT Colorado River Indian Tribes

CRSS Colorado River Simulation System Model

CRW Colorado River water

CRWQCB California Regional Water Quality Control Board

CRWUA Colorado River Water Users Association
CSBOE California State Board of Equalization
CSC California species of special concern

CTR California Toxics Rule

CUWCC California Urban Water Conservation Council

CVMSHCP Coachella Valley Multiple Species Habitat Conservation Plan

CVSC Coachella Valley Stormwater Channel

CVWD Coachella Valley Water District

CWA Clean Water Act

CWA Act County Water Authority Act

dB decibel

dBA A-weighted decibel scale

DCA dichloromethane

DDD dichlorodiphenyldichloroethane
DDE dichlorodiphenyldichloroethene
DDT dichlorodiphenyltrichlorethane

Decree in Arizona v. California

DEQ Arizona Department of Environmental Quality

DHCS Drain Habitat Conservation Strategy
DHS California Department of Health Services
DOC United States Department of Commerce
California Department of Finance

DOI US Department of Interior

DOQQ Digital Orthophoto Quarter Quadrangles
DOT United States Department of Transportation
DPR California Department of Parks and Recreation

Draft EIR/EIS Draft Environmental Impact Report/Environmental Impact

Statement

dw dry weight

DWQIP Drain Water Quality Improvement Plan
DWR California Department of Water Resources

EBEP Enclosed Bays Estuaries Plan ECVP Eastern Coachella Valley Plan

EDD California Employment Development Department

EIR environmental impact report environmental impact statement

EPA United States Environmental Protection Agency

EPDC expected peak day concentration

EQIP Environmental Quality Incentives Program

ERL effects range low effects range medium

ESA Federal Endangered Species Act ESP Emergency Storage Project

ET evapotranspiration

FAIRA Federal Agriculture Improvement and Reform Act

FHWA Federal Highway Administration FLPMA Federal Land Policy Management Act

FMMP Farmland Mapping and Monitoring Program
FPPA Farmland Protection Policy Act of 1981

ft feet

ft/s foot per second

FWCA Fish and Wildlife Coordination Act of 1958 FWQA Federal Water Quality Administration

FY fiscal year

GIS Geographic Information System

g/L grams per liter GM geometric mean

HCP Habitat Conservation Plan

HCP IT Habitat Conservation Plan Implementation Team

HCP-SS Salton Sea Habitat Conservation Strategy

HHI health hazard index

IA Implementation Agreement

IBWC International Boundary Water Commission ICAPCD Imperial County Air Pollution Control District

ID Irrigation District

IID Imperial Irrigation District
IID Board IID Board of Directors

IIDSS Imperial Irrigation Decision Support System

ILC Imperial Land Company

in/yr inches per year I-O input-output

IOP Inadvertent Overrun and Payback Policy

ISG Interim Surplus Guidelines
ISM Index Sequential Method
ISWP Inland Surface Waters Plan
IT Implementation Team
ITA Indian Trust Asset
ITP Incidental Take Permit
IWA Imperial Wildlife Area

KAF thousand acre-feet

KAFY thousand acre-feet per year

KCRC Kumeyaay Cultural Repatriation Committee

kg/ha/yr kilogram per hectare per year KGRA known geothermal resource areas

kV kilovolt kilowatt kWh kilowatt-hours

LCR Lower Colorado River

LCRAS Lower Colorado River Accounting System

LCR MSCP Lower Colorado River Multi-Species Conservation Program

L_{dn} day/night average sound level

L_{eq} equivalent noise level

LOS level of service

LTVA Long-Term Visitation Area

M meter

M&I municipal and industrial

MAF million acre-feet

MAFY million acre-feet per year
MAL Maximum Allowable Limit
MCL Maximum Contaminant Level

MCSP Lower Colorado River Multi-Species Conservation Program

MDAQMD Mojave Desert Air Quality Management District

mg/kg milligrams per kilogram mg/L milligrams per liter

MHCP Multiple Habitat Conservation Program

MHOCSP Multiple Habitat Conservation and Open Space Program

MIG Minnesota IMPLAN Group MLD Most Likely Descendant

mm millimeter

MMI Modified Mercalli Intensity
MOA Memorandum of Agreement
Model Salton Sea Accounting Model
MOU Memorandum of Understanding

mph miles per hour

MSCP Multi-Species Conservation Program
MSHCP Multiple Species Habitat Conservation Plan

msl mean sea level MW megawatt

MWD Metropolitan Water District of Southern California

MWh million-kilowatt hour Mwhr megawatt-hours

NAAQS National Ambient Air Quality Standards
NCCP National Communities Conservation Plan

N/DV No. of collected samples per samples with detectable values NECO Northern California and Eastern Colorado Desert Coordinated

Ecosystem Management Plan

NEPA National Environmental Protection Act NHPA National Historic Preservation Act NIB Northerly International Boundary

 $\begin{array}{ccc} NO_2 & nitrogen \ dioxide \\ NOA & Notice \ of \ Availability \\ NOD & Notice \ of \ Determination \\ NOE & Notice \ of \ Exemption \\ NOI & Notice \ of \ Intent \\ NOP & Notice \ of \ Preparation \\ NO_X & nitrogen \ oxides \\ \end{array}$

NPDES National Pollutant Discharge Elimination System

NRCS Natural Resources Conservation Service
NRHP National Register of Historic Places
NSPS New Source Performance Standards

NSR New Source Review
NTP Notice to Proceed
NTR National Toxics Rule
NWR National Wildlife Refuge

O&M Operations and Maintenance

OHV off-highway vehicle

 O_3 ozone

PAH polynuclear aromatic hydrocarbons

PCB polychlorinated biphenyl P - DP Parker - David Project

PEIR Programmatic Environmental Impact Report

PL Public Law

PM₁₀ particulate matter with a diameter of less than 10 micrometers

ppb parts per billion

PPR Present Perfected Rights

ppm parts per million
ppt parts per trillion
PRC Public Resources Code

PRG Preliminary Remediation Goal

Proposed Project Water Conservation and Transfer Project

PSD prevent significant deterioration

PUD Public Utilities District

PVID Palo Verde Irrigation District

QSA Quantification Settlement Agreement

RCPG Regional Comprehensive Plan and Guide

Reclamation United States Department of Interior Bureau of Reclamation

RGF Regional Growth Forecast

RHNA Regional Housing Needs Assessment

RMIO rainfall, municipal, industrial, and operational

ROC reactive organic compounds

ROD Record of Decision RV recreational vehicle

RWQCB Regional Water Quality Control Board

SAA Streambed Alteration Agreement

SANDAG San Diego Association of Governments

SAR sodium absorption ratio

SCAG Southern California Association of Governments SCAQMD South Coast Air Quality Management District

SCCWRRS Southern California Comprehension Water Reclamation and

Reuse Study

SCE Southern California Edison

SDAB San Diego Air Basin

SDAPCD San Diego Air Pollution Control District
SDCWA San Diego County Water Authority

SDG&E San Diego Gas and Electric

Sea Salton Sea

Secretary Secretary of the Interior

Seven-Party Agreement California Seven-Party Agreement of 1931

SHPO State Historic Preservation Officer
SIA Secretarial Implementation Agreement

SIP State Implementation Plan

SLC California State Lands Commission

SO₂ sulfur dioxide

SPRR Southern Pacific Railroad

SR State Route

SRA State Recreation Area

SSA Salton Sea Authority
SSAB Salton Sea Air Basin

SSAM Salton Sea Accounting Model SVOC semivolatile organic compounds SVRA State Vehicular Recreation Area

SWP State Water Project

SWPPP Stormwater Pollution Prevention Plan

SWRCB California State Water Resources Control Board

TA tailwater volume

TBACT toxics best available control technology

TCP traditional cultural properties

TDS total dissolved solids
THM trihalomethane
TI tilewater volume

TMDL Total Maximum Daily Load
TRS tailwater return system
TSS total suspended solids

ULFT ultra-low-flow toilet

US United States

USBEA United States Department of Commerce Bureau of Economic

Analysis

USC United States Code

USDA United States Department of Agriculture USDOE United States Department of Energy

USFS United States Forest Service

USFWS United States Fish and Wildlife Service
USGS United States Geological Survey
UWMP Urban Water Management Plan

VOC volatile organic compound

Water Code California Water Code

WA Wildlife Area

WCMC Water Conservation Measure Committee

WD Water District

WMA Wildlife Management Area

WRCC Western Regional Climate Center

ww wet weight

Glossary

Absorption The process by which a substance is taken into and included

within another substance (i.e., the intake of water by soil or the intake of gases, water, nutrients, or other substances by

plants).

Acre-foot (AF) A quantity of water sufficient to cover one acre to a depth of

one foot (i.e., 43,560 cubic feet or 325,851 gallons).

Existing Setting Existing biological, physical, social, and economic conditions

of an area subject to change, both directly and indirectly, as a

result of a proposed human action.

Allocation or Allotment Refers to the distribution of water to specific persons or legal

entities. A written contract establishes the legal entitlement to

consume shares of a specific quantity of water.

Apportionment For this Draft EIR/EIS, refers to the allocation of water

available to each Lower Division state in normal, surplus, or shortage year, as set forth, respectively, in Articles II (B)(1), II (B)(2), and II (B)(3) or the Decree in *Arizona v. California*.

Appropriative Right A right based on physical control of water and since 1914, a

state-issued permit of license for its beneficial use.

Aqueduct A pipe or channel designed to transport water from a remote

source, usually by gravity.

Aguifer or Groundwater

Basin

A geologic formation that stores, transmits and yields significant quantities of water to wells and springs.

Backwater A relatively small, shallow area of a river with little or no

current.

Benthic Of, relating to, or occurring at the bottom of a body of water.

Biological Opinion Document stating USFWS and NMFS opinion as to whether a

federal action is likely to jeopardize the continued existence of a threatened or endangered species or result in the destruction or adverse modification of critical habitat.

Candidate Species Plant or animal species not yet officially listed as threatened

or endangered, but which is undergoing status review by

USFWS.

Carriage Water An additional amount of water or flow required to account

for seepage and evaporation losses, measurement

discrepancies between farm turnouts, and lateral heading measurements (the measurement device at the lateral

heading may not equal the sum of farm turnout

measurement devices along the lateral), and water depths (hydraulic head) in some cases to ensure the full delivery demands at farm turnouts particularly at the end of a lateral. For example, if a water used at the end of a lateral requires 2 cfs, more than likely 2.1 cfs is diverted at the lateral heading

to account for the above items. Open channel delivery systems, lined or unlined, are not 11 percent efficient.

Colorado River Basin The drainage basin of the Colorado River in the US.

Common Law A body of court decisions based on custom, traditional usage

and percent, as that of England, rather than codified written

laws.

Conjunctive Use The planned use and storage of surface and groundwater

supplies to improve water supply reliability.

Consumptive Use A use that makes water unavailable for other uses, usually by

permanently removing it from local surface or groundwater storage as the result of evaporation and/or transpiration. Does not include evaporative losses from bodies of water.

For this Draft EIR/EIS, the total water diversions from the

Colorado River, less return flows to the River.

Consumptive Use of

Applied Water

Consumptive use less the water supplied by precipitation.

Critical Habitat Specific areas with physical or biological features essential to

the conservation of a listed species and that may require special management considerations or protection. These areas have been legally designated via *Federal Register* notices.

Cropping Pattern The acreage distribution of different crops in any period,

usually one year in a given area such as a county, water

agency, or farm.

Cultural resource Building, site, district, structure, or object significant in

history, architecture, archeology, culture, or science.

Deep percolation The movement of water by gravity downward through the

soil profile beyond the crop root zone.

Depletion Loss of water from a stream, river, or basin resulting from

consumptive use.

Discretionary Transfer

Amount

The optional conservation and transfer of an additional amount of water up to 100 KAFY to CVWD and/or MWD, contingent upon IID's determination that the additional conserved water is available and SDCWA's determination of need.

Endangered Species

A species or subspecies (plant or animal) whose survival is in danger of extinction throughout all or a significant portion of its range.

Endemic

Existing naturally in the environment.

Entitlement

For this Draft EIR/EIS, refers to an authorization to beneficially consume Colorado River water pursuant to: (1) a decreed right; (2) a contract with the Secretary; or (3) a Secretarial reservation of water.

Environmental Impact

Report (EIR)

A California state environmental decisionmaking report pursuant to the California Environmental Quality Act

(CEQA).

Environmental Impact

Statement (EIS)

A federal environmental decisionmaking report pursuant to

the National Environmental Policy Act (NEPA).

Eutrophic

Describing a shallow water body with abundant organic matter and deficient levels of dissolved oxygen.

Evaporation

The process of liquid water becoming water vapor, including vaporization from water and land surfaces, but not from plant surfaces.

Evapotranspiration (ET)

The sum of water transpired and evaporated from plants and surrounding soil surfaces, expressed in feet per year.

Fallowed land

Land normally used for crop production but left uncultivated for one or more growing seasons.

Fingerlings

Juvenile forms of fishes.

Fisherv

A collection of fishes that are of sport or commercial value.

Flow

Volume of water passing a given point per unit of time

expressed in cfs.

Peak flow- Maximum instantaneous flow in a specified period

of time.

Return flow- Portion of water previously diverted from a stream and subsequently returned to that stream or to another

body of water.

Food web Food and feeding interrelationship between plants and

animals.

Forage fish A fish that is eaten by other fish or other animals.

Gaging station Specific location on a stream where systematic observations

of hydrologic data are obtained through mechanical or

electrical means.

Groundwater Waters in groundwater basins (aquifers), underground

streams, and underground flow of a surface stream

Habitat (1) A specific set of physical conditions that surrounds a

single species, a group of species, or a large community. In wildlife management, the major components of habitat are considered to be food, water, cover, and living space. (2) The

natural home or dwelling place of an organism.

Headgate A manmade structure that diverts surface water.

Headwater The source and upper part of a stream, lake, or river.

Herbivorous Plant eating.

Hydroelectric Power Electrical capacity produced by falling water.

Hydrology The study of the science of water focussing on natural runoff

and its effect on streamflow

Invertebrates Animals without backbones.

Irrecoverable Water That portion of delivered water degraded through beneficial

use to a level that makes it uneconomical to reclaim or reuse.

Lacustrine Lake-type environments with slower moving waters.

Lacustrine Basin A low area formed at the bottom of a lake from material

deposited in lake water and exposed when the water level

was lowered.

Lateral Canal Carries water from main canals to agricultural fields.

Law of the River As applied to the Colorado River, a combination of federal

and state statutes, interstate compacts, court decisions and decrees, federal contracts, an international treaty with Mexico, and formally determined operating criteria.

Leach Water Water applied to flush excess salts from the root zone.

Lead Agency The agency initiating and overseeing the preparation of an

EIR and/or EIS.

Load Amount of electrical power or energy delivered or required

at a given point.

Lower Basin The part of the Colorado River watershed below Lee Ferry,

Arizona; covers parts of Arizona, California, Nevada, New

Mexico, and Utah.

Lower Division A division of the Colorado River system that includes the

states of Arizona, Nevada, and California.

Lower Division States Arizona, California, and Nevada as defined by Article II of

the Colorado River Compact of 1922.

Macroinvertebrate Animals without backbones that are large enough to be seen

with the naked eye.

Mean Sea Level National Geodetic Vertical Datum (NGVD) of 1929.

Megawatt (MW) One million watts of electrical power (capacity).

Megawatt hour (MWh) One million watt-hours of electrical energy.

Natural flow Water flow that would exist without reservoir regulation,

depletion, or out-of-basin diversions.

Nonoverlying Land which is not located above a common aquifer and does

not possess a shared right to a groundwater aquifer.

Nonriparian Not pertaining to the bank of a river or any area where water

naturally touches land.

Omnivorous Meat and plant eating.

Overlying Right A concept in which all property owners above a common

aquifer possess a shared right to reasonable use of the

groundwater aquifer.

Percolation A qualitative term applying to the downward movement of

water through soil, especially the downward flow of water in saturated or nearly saturated soil at hydraulic gradients of

one or less.

Perennial plant A plant that has a life cycle of 3 years or more.

Permeability The rate at which water moves through a wetted soil,

expressed in inches per hour.

pH A measure of acidity; equal to the negative logarithm of the

hydrogen ion concentration.

Phytoplankton Free-floating plants that are usually one-celled or composed

of few cells.

Piscivorous Fish eating.

PM₁₀ Particulate matter less than 10 microns in diameter.

Point of Diversion The point at which water is diverted from flowing in a

particular direction.

Precipitation The total measurable supply of water to all forms of falling

moisture, including dew, rain, mist; snow, hail, and sleet; usually expressed as depth of water on a horizontal surface

on a daily, monthly, or yearly basis.

Present Perfected Rights Water rights based upon diversion and beneficial use prior to

the effective date of the Boulder Canyon Project (June 25, 1929). Generally these "perfected" water rights have a high

priority as a result of their early date of diversion.

Primary Transfer Amount An annual amount of water to be transferred to SDCWA as

determined by IID; between a minimum of 130 KAFY and a

maximum of 200 KAFY.

Priority A ranking with respect to diversion of water relative to other

water users.

Quantification Period The 75-year period that the IA and QSA would be in effect.

Reach A specified segment of a stream, channel, or other water

conveyance.

Refugia Isolated habitats that retain environmental conditions that

were once widespread.

Reasonable and Beneficial

Use

Refers to the appropriate consumptive use of water by an entitlement holder based on such factors as location of use,

purpose of use, types of crops, condition of delivery facilities

and past record of water orders.

A California constitutional requirement that all water resources must be put to beneficial use preventing waste or

unreasonable method of use.

Return Flow The portion of diverted water that returns to groundwater or

stream system for potential rediversion or in-stream uses.

Right A claim or title to anything that is enforceable by law such as

a right to use water.

Riparian Pertaining to the bank or shore of a water body.

Riverine Riverlike environments with relatively fast-moving waters.

RiverWare A commercial river system simulation computer program

that was configured to simulate operation of the Colorado

River for this EIS.

Ruderal Vegetation that grows in response to human disturbances

(e.g., along roadsides, field borders, or railroad rights of

way).

Runoff Water that leaves an area or field as surface flow.

Salinity Total amount of dissolved solids in water in parts per million

by weight when all carbonate is converted to oxide, bromide and iodide to chloride, and all organic matter is oxidized.

Roughly equivalent to milligrams per liter.

Secretary Secretary of the Interior of the United States of America.

Sediment Unconsolidated solid material that comes from weathering of

rock and is carried by, suspended in, or deposited by water

or wind.

Seepage Downward or lateral movement of water from a reservoir,

canal, or pipe through a pervious or semipervious bottom.

Soluble Capable of being dissolved in a fluid.

Statutory Law A body of law based on statutes enacted by a legislature.

Structure (soil) The arrangement of primary soil particles into compound

particles or aggregates that are separated from adjoining

aggregates.

Substrates Solid materials to which organisms are attached or upon

which they live.

Tailwater Surface water runoff occurring at the end of an irrigated field

when water that had been applied exceeds soil infiltration

rates.

Texture (soil) Relative proportion of sand, silt, and clay particles in a

particular type of soil.

Threatened Animal Species Any animal species likely to become endangered within the

foreseeable future throughout all or a significant part of its

range.

Threatened Plant Species Any species likely to become endangered within the

foreseeable future throughout all or a significant portion of its range, including species categorized as rare, very rare, or

The total dry weight of solids dissolved in a liquid per unit

depleted.

Tile Water Water collected in the tile drains on irrigated areas.

Tolerance Limits Maximum or minimum criteria required to support life.

Total Dissolved Solids

(TDS)

volume (e.g., milligrams per liter).

WATER CONSERVATION AND TRANSFER PROJECT—FINAL EIR/EIS, OCTOBER 2002 SFO\(\)aCRONYMS AND GLOSSARY.DOC\(\)022960024

Transpiration The physiological process in which plant tissues give off

water vapor to the atmosphere.

Tributary River or stream flowing into a larger river or stream.

Trophic Dynamics The interrelationship between different levels in the food

chain depicting the passage of energy between trophic levels.

Trophic Levels A nourishment level in a food chain in which organisms

obtain their food in the same number of steps or in the same general manner. Plant producers constitute the lowest level, followed by herbivores and a series of carnivores at the

higher levels.

Turnout Device used on canals and laterals to deliver water to

individual farm fields.

Upper Basin The part of the Colorado River watershed above Lee Ferry,

Arizona; that covers parts of Arizona, Colorado, New

Mexico, Utah, and Wyoming.

Upper Division A division of the Colorado River system that includes the

states of Colorado, New Mexico, Utah, and Wyoming.

Vegetation type A plant community with specific distinguishable

characteristics described by the dominant vegetation present.

Water Conservation Planned management to prevent or reduce loss or waste of

water to enhance beneficial uses.

Watershed An area that, because of topographic slope contributes water

to a specified surface water drainage system, such as a stream

or a river.

Wetlands Periodically, seasonally, or continuously submerged

landscapes populated by species and/or life forms differing

from adjacent communities.

Zanjero An IID employee responsible for control of water within a

"run" of laterals and/or minor canals and at farm turnouts within his run or area of responsibility; also called the water

tender or ditchrider.