

Example Drug Facts Label for Doxylamine Succinate 25 mg Tablet Dosage Form

Drug Facts

Active ingredient (in each tablet)	Purpose
Doxylamine succinate 25 mg.....	Nighttime sleep-aid

Use helps to reduce difficulty in falling asleep

Warnings

Ask a doctor before use if you have

- # glaucoma
 - # a breathing problem such as emphysema or chronic bronchitis
 - # trouble urinating due to an enlarged prostate gland
-

Ask a doctor or pharmacist before use if you are taking any other drugs

When using this product

- # you may get drowsy. Use only at bedtime.
 - # avoid alcoholic drinks
-

Stop use and ask a doctor if

- # sleeplessness does not go away for more than 2 weeks. This could be a sign of a serious condition.
-

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- # adults and children 12 years and older: 1 tablet 30 minutes before bedtime; not more than 1 tablet each day
 - # children under 12 years: do not use
-

Other information

- # optional - tamper evident statement
 - # store at 20-25^oC (68-77^oF)
 - # optional - see [end or side] panel for lot number and expiration date
-

Inactive ingredients [list ingredients in alphabetical order]

Questions or comments? call toll free 1-800-XXX-XXXX

NOTE: The **Drug Facts (continued)** title should appear wherever the labeling continues onto another panel of the package.