rRT-PCR Surveillance Testing for CSF at each NAHLN Laboratory

| State | State Where | | Estimated |
|------------------|-------------|------------------------------|--|
| VDL/NAHLN | Sample | Sampling Site | Number of |
| Laboratory | Collected | Sumpring Site | Samples |
| Arizona | AZ | VDL | 14 |
| 111120114 | | | |
| | | Slaughter | |
| | | Establishments: | |
| | NE | 00199N M | 8 |
| | NE | 00244M M | 140 |
| | NE | 00717CRM | 94 |
| California | CA | VDL | 250* |
| | | | *Please collect and |
| | | | test tonsil and swabs from each case. This |
| | | | will total 500 tests. |
| | | Slaughter | |
| | СА | Establishments: 00360 M | 469 |
| | HI | 06208 M | |
| | | | 58 |
| Colorado | СО | VDL | 9 |
| | | Claughter | |
| | | Slaughter Establishments: | |
| | IA | 00244P M | 1146 |
| Florida | FL | VDL | 10 |
| 1101104 | 112 | (DL | 10 |
| | | Slaughter | |
| | | Establishments: | |
| | FL | 18911 M | 20 |
| | IA | 00244 M | 547 |
| Georgia (Tifton) | GA (Tifton) | VDL | 150 |
| | | | |
| | | Slaughter | |
| | ~ | Establishments: | |
| | SD | 00017D M | 460 |
| Georgia (Athens) | GA (Athens) | VDL | 39 |
| | | | |
| | | | |

| Iowa | IA | VDL | 800* |
|-------------------------|----------------|------------------------------|--|
| 20 11 4 | | | *Please collect and test tonsil and swabs from 500 cases. This will total 1300 tests. |
| Illinois (Galesburg) | IL (Galesburg) | VDL | 1200 |
| Illinois (Urbana) | IL (Urbana) | VDL | 261 |
| Indiana | IN | VDL | 800 |
| Kansas | KS | VDL | 150 |
| | | Slaughter Establishments: | 007 |
| | IA | 00003S M | 907 |
| Kentucky | KY | VDL | 44 |
| | | Slaughter Establishments: | |
| | IL | 00085B M | 259 |
| - · · | IL | 00717M M | 62 |
| Louisiana | LA | VDL | 24 |
| | | Slaughter Establishments: | |
| | IA | 00244W M | 1294 |
| Michigan | MI | VDL | 50 |
| Minnesota | MN | VDL | 1300 |
| Mississippi | MS | VDL | 9 |
| Montana | MT | VDL | 9 |
| North Carolina | NC | VDL | 460 |
| | | Slaughter Establishments: | |
| | NC | 18079 M | 644 |

| | ND | VDL | 53 |
|------------------|-----|------------------------------|-----|
| North Dakota | ND | VDL | 55 |
| | | | |
| NT.11. | NIE | VDL | 700 |
| Nebraska | NE | V DL | 700 |
| | | | |
| N | NJ | VDL | 50 |
| New Jersey | INJ | VDL | 30 |
| | | | |
| | | Slaughter Establishments: | |
| | IA | 1775 | 16 |
| | IA | 00717 M | 135 |
| | | | |
| | KY | 00995 M | 69 |
| | PA | 09520 M | 144 |
| New Mexico | | Slaughter | |
| | TA | Establishments: | 200 |
| | IA | 000850 M | 290 |
| Nevada | NV | VDL | 1 |
| | | | |
| | | | |
| New York | NY | VDL | 10 |
| | | | |
| | | Slaughter | |
| | | Establishments: | |
| | IN | 00244I M | 535 |
| | IN | 17564 M | 256 |
| Ohio | OH | VDL | 42 |
| | | | |
| | | Slaughter | |
| | | Establishments: | |
| | OH | 00818 M | 246 |
| | NC | 00413 M | 101 |
| Oklahoma | OK | VDL | 120 |
| | | | |
| | | Slaughter | |
| | | Establishments: | |
| | OK | 13597 M | 658 |
| Oregon | OR | VDL | 26 |
| 010 <u>6</u> 011 | J. | , 51 | 20 |
| | | | |
| ۱ | | | |

| Pennsylvania | PA | VDL | 174 |
|---------------|-----|---|---|
| i chiisyivama | | VDL | 174 |
| | | <u> </u> | |
| | | Slaughter Establishments: | |
| | PA | 00791 M | 200 |
| | | | |
| | PA | 20760 M | 382 |
| South Dakota | SD | VDL | 850 |
| Tennessee | TN | VDL | 50 |
| 1 ennessee | 111 | VDL | 50 |
| | | Slaughter | |
| | | Establishments: | |
| | IA | 05804 M | 317 |
| Texas | TX | VDL | 100* |
| | | | *Please collect and test tonsil and swabs from each case. This will total 200 tests. |
| | | Slaughter Establishments: | |
| | IA | 00244L M | 399 |
| | МО | 00320M M | 210 |
| | TX | Owens County Sausage (Richardson, TX) | 60 |
| | TX | Union Slaughter House (Del Rio, TX) | 60 |
| | TX | J & J Packing (Brookshire, TX) | 60 |
| Utah | UT | VDL | 5 |
| Washington | WA | VDL | 27 |
| | МО | VDL | 1000 |
| Wisconsin | WI | VDL | 12 |
| | | Slaughter Establishments: | |
| | MN | 00003W M | 72 |
| | MN | 01620 M | 938 |

| Wyoming | WY | VDL | 10 |
|---------|----|-----|----|
| | | | |

Surveillance Testing by State of Sample Collection

NOTE: All States (high risk and low risk) that have a NAHLN laboratory approved to perform the rRT-PCR CSF test **are expected to test their own VDL submission samples.** For 2007, only one NAHLN laboratory that is not currently approved to perform CSF testing is asked to collect swine samples and ship them to a testing NAHLN laboratory. This single instance is for the Missouri NAHLN lab to collect samples and ship them to the Washington NAHLN for testing. (See table in Appendix B, page 23). Sampling of garbage fed swine is a new objective from the CSF Surveillance Plan that we are initiating this year. To enable effective and complete surveillance, a plan should be developed for systematically testing all licensed garbage feeders in the State over a period of years. The following summary applies to slaughter, feral swine, garbage-fed, and additional sampling targets.

Eastern Regional Office

<u>Alabama</u>

• Wildlife Services will collect serum samples from 10 (target number) feral swine and submit serum to FADDL.

<u>Florida</u>

- Target condemns based on past history = 20 slaughter samples from Mary's Ranch in Miami. All slaughter tissue samples go to the Florida NAHLN.
- Target slaughter serum samples = 1800 to be collected at Nettles Sausage (300) in Lake City; collected at La Casa Sierra (750) in Lakes; and collected at Mary's Ranch (750) in Miami. All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Target garbage fed swine serum samples = 205 samples (41 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 240 (target number) feral swine and submit serum to FADDL.

Georgia

• Wildlife Services will collect serum samples from 50 (target number) feral swine and submit serum to FADDL.

<u>Illinois</u>

- Target condemns based on past history = 321 slaughter samples from Excel in Beardstown (259) and from Farmland (62) in Monmouth. All samples are shipped to the Kentucky NAHLN.
- Wildlife Services will collect serum samples from 20 (target number) feral swine and submit serum to FADDL.

<u>Indiana</u>

- Target condemns based on past history = 791 slaughter samples from IBP (535) in Logansport and from Indiana Pack (256) in Delphi. All samples are shipped to the New York NAHLN.
- Wildlife Services will collect serum samples from 20 (target number) feral swine and submit serum to FADDL.

Kentucky

• Target condemns based on past history =69 slaughter samples from Swift in Louisville (VS animal health technician [AHT] in plant). All samples are shipped to the New Jersey NAHLN.

<u>Michigan</u>

• Wildlife Services will collect serum samples from 10 (target number) feral swine and submit serum to FADDL.

<u>Minnesota</u>

• Target condemns based on past history = 1010 slaughter samples from Swift (72) in Worthington and from Quality Pork (938) in Austin. All samples are shipped to the Washington NAHLN.

N. Carolina

- Target condemns based on past history = 745 slaughter samples from Smithfield (644) in Tar Heel (VS AHT in plant) and from Premium Standard Farms (101) in Clinton. Premium Standard Farm samples are to be shipped to the Ohio NAHLN for testing and the Smithfield samples go to the North Carolina NAHLN.
- Target garbage fed swine serum samples = 130 samples (26 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 75 (target number) feral swine and submit serum to FADDL.

<u>Ohio</u>

- Target condemns based on past history = 246 slaughter samples from Routh Pack (246) in Sandusky. All samples are shipped to the Ohio NAHLN for testing.
- Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

<u>Pennsylvania</u>

• Target condemns based on past history = 726 slaughter samples from Leidy's (144) in Souderton and from Hatfield (200) and from USA Pork Packers (382) in Hazelton. Leidy's

samples will be shipped to and tested at the New Jersey NAHLN. Hatfield and USA Pork Packers samples will be shipped to and tested at the Pennsylvania NAHLN.

• Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

Puerto Rico

- Target garbage fed swine serum samples = 3062 samples (612 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

South Carolina

• Wildlife Services will collect serum samples from 75 (target number) feral swine and submit serum to FADDL.

Tennessee

• Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

Wisconsin

• Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

Western Region Office

<u>Arizona</u>

• Wildlife Services will collect serum samples from 40 (target number) feral swine and submit serum to FADDL.

<u>Arkansas</u>

- Target garbage fed swine serum samples = 190 samples (38 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 10 (target number) feral swine and submit serum to FADDL.

California:

- Target condemns based on past history = 469 slaughter samples from Clougherty Packing in Vernon. All samples will be shipped to and tested at the California NAHLN.
- Target garbage fed swine serum samples = 40 samples (8 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 240 (target number) feral swine and submit serum to FADDL.

<u>Colorado</u>

• Wildlife Services will collect serum samples from 15 (target number) feral swine and submit serum to FADDL.

<u>Hawaii</u>

- Target condemns based on past history = 58 slaughter samples from Farmers Livestock Coop in Ewa Beach. All samples will be shipped to and tested at the California NAHLN.
- Target garbage fed swine serum samples = 480 samples (96 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 100 (target number) feral swine and submit serum to FADDL.

<u>Iowa</u>

- Target condemns based on past history = 5051 slaughter samples from IBP (547) in Storm Lake and from Pine Ridge Farms (Iowa Pack) (16) in Des Moines and from Farmland (135) in Denison and from John Morrell (317) in Sioux City and from Excel (290) in Ottumwa and from Swift (907) in Marshalltown and from IBP (399) in Columbus Junction and from IBP (1146) in Perry and from IBP (1294) in Waterloo.
- IBP Storm Lake samples are to be shipped to and tested at the Florida NAHLN. IA Pack and Farmland Denison samples are to be shipped to and tested at New Jersey NAHLN. John Morrell Sioux City samples are to be shipped to and tested at Tennessee NAHLN. Excel Ottumwa samples are to be shipped to and tested at New Mexico NAHLN. Swift Marshalltown samples are to be shipped to and tested at Kansas NAHLN. IBP Columbus Junction samples are to be shipped to and tested at Texas NAHLN. IBP Columbus are to be shipped to and tested at Texas NAHLN. IBP Perry samples are to be shipped to and tested at Colorado NAHLN. IBP Waterloo samples are to be shipped to and tested at Louisiana NAHLN. (All of the above listed IA plants have Market Swine Surveillance AHTs in place except for IA Pack which is visited daily by IA Federal AHT collecting pseudorabies virus samples)
- Wildlife Services will collect serum samples from 10 (target number) feral swine and submit serum to FADDL.

Kansas

• Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

<u>Missouri</u>

- Target condemns based on past history = 210 slaughter samples from Premium Standard Farms in Milan. All samples are to be shipped to and tested at the Texas NAHLN.
- Wildlife Services will collect serum samples from 120 (target number) feral swine and submit serum to FADDL.
- Missouri Veterinary Diagnostic Laboratory will collect 1000 swab or tonsil samples and submit to the Washington NAHLN for testing.

<u>Nebraska</u>

- Target condemns based on past history = 242 slaughter samples from IBP (140) in Madison (MSS AHT in place already) and from Farmland (94) in Crete and from Hormel (8). All samples are to be shipped to and tested at the Arizona NAHLN.
- Wildlife Services will collect serum samples from 10 (target number) feral swine and submit serum to FADDL.

New Mexico

- Target garbage fed swine serum samples = 40 samples (8 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 50 (target number) feral swine and submit serum to FADDL.

Oklahoma

- Target condemns based on past history = 658 slaughter samples from Seaboard in Guymon. All samples are to be shipped to and tested at the Oklahoma NAHLN.
- Target garbage fed swine serum samples = 75 samples (15 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.
- Wildlife Services will collect serum samples from 120 (target number) feral swine and submit serum to FADDL.

Oregon

• Wildlife Services will collect serum samples from 30 (target number) feral swine and submit serum to FADDL.

South Dakota

• Target condemns based on past history = 460 slaughter samples from John Morrell in Sioux Falls. All samples are shipped to and tested at the Georgia (Tifton) NAHLN.

<u>Texas</u>

- Target condemns based on past history = 180 slaughter samples from Owens Country Sausage (60) in Richardson and from Union Slaughter House (60) in Del Rio and from J&J Packing (60) in Brookshire. All samples are shipped to and tested at the Texas NAHLN.
- Target transitional swine serum samples = 3400 to be collected at Cabrito Market (140) in Mission and the remaining serum samples should be collected at border slaughter plants and other transitional pig collection points. All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.

• Target garbage fed swine serum samples = 825 samples (165 sites and 5 pigs tested at each site). All serum samples are to be shipped to and tested at FADDL in Plum Island, New York.

Wildlife Services will collect serum samples from 300 (target number) feral swine and submit serum to FADDL.

Feral Swine Surveillance Testing by Wildlife Services

| State where | Estimated | |
|----------------|-----------|--|
| sampling | Number of | |
| | Samples | |
| Alabama | 10 | |
| Arkansas | 10 | |
| Arizona | 40 | |
| California | 240 | |
| Colorado | 15 | |
| Florida | 240 | |
| Georgia | 50 | |
| Hawaii | 100 | |
| Iowa | 10 | |
| Illinois | 20 | |
| Indiana | 20 | |
| Kansas | 30 | |
| Michigan | 10 | |
| Missouri | 120 | |
| New Mexico | 50 | |
| Nebraska | 10 | |
| North Carolina | 75 | |
| Ohio | 30 | |
| Oklahoma | 120 | |
| Oregon | 30 | |
| Pennsylvania | 30 | |
| Tennessee | 30 | |
| South Carolina | 75 | |
| Texas | 300 | |
| Puerto Rico | 30 | |
| Wisconsin | 30 | |