

OMEPRAZOLE
ORAL, DOG

Number of Animals Evaluated
1

Sign
ATAXIA

OMEPRAZOLE
ORAL, HORSE

Number of Animals Evaluated
15

Sign
INEFFECT
ANOREXIA
DEPRESSION/LETHARGY
FLATULENCE
GGT HI, BLD
INEFFECT, GASTRIC ULCER(S)
DEATH
DIARRHEA
GLUCOSE HI, BLD
INEFFECT, LOSS OF EFFE
INTERACTION, DRUG(S)
LIPASE HI, BLD
RELUCTANT TO MOVE
STOOL ABN
TREMBLING
TRIGLYCERIDES HI, BLD

OMEPRAZOLE
ORAL, ALPACA

Number of Animals Evaluated
1

Sign
ANOREXIA
DEPRESSION/LETHARGY
HYPOMOTILITY

ORBIFLOXACIN
ORAL, CAT

ORBIFLOXACIN
ORAL, CAT

Number of Animals Evaluated

99

Sign

INEFFECT, ANTIBIOTIC
ANOREXIA
BLINDNESS
MYDRIASIS
ATAXIA
DEATH
DEPRESSION/LETHARGY
HYPERALIVATION
RETINA ABN
VOMITING
CONVULSION(S)
CREATININE HI, BLD
DEATH(EUTHANIZED)
TREMBLING
BLINDNESS, TEMP
DYSPNEA
TWITCH
WEAKNESS
ANEMIA
DIARRHEA
GLUCOSE HI, BLD
HYPERESTHESIA
PRESSURE HI, BLD
STIFFNESS
ALK PHOS HI, BLD
ANAPHYLAXIS/TOID
APPREHENSION
COLLAPSE
CONFUSION
DEHYDRATION
HAIR, ABN COLOR
HIDING
ICTERUS, BODY
NERVOUSNESS
NEUROLOGICAL DISORDER
PARALYSIS
PUPIL(S), AREFLEXIA
RADIOGRAPH(S) ABN
RELUCTANT TO CLIMB
ACIDOSIS

ORBIFLOXACIN
ORAL, CAT

Number of Animals Evaluated

99

Sign

AGGRESSION
AMYLASE HI, BLD
ARREST, HEART
BILIRUBIN(TOT) HI, BLD
BLINDNESS, PARTIAL
BRADYCARDIA
BUN HI, BLD
BUN LO, BLD
CA HI, BLD
CALCULI, BLADDER
CIRCLING
CYANOSIS
DEFECATION
DIABETES MELLITUS
DIARRHEA, BLOODY
EDEMA
EDEMA, CORNEA(S)
EDEMA, LUNG(S)/TRACHEA
FEVER, BODY
FROTH, MOUTH/LIP(S)
GINGIVITIS
GLOBULIN HI, BLD
HCO3 LO, BLD
HEAD BOBBING
HEAD TILT
HEPATOMEGALY
HORNER'S SYNDROME
HYPOTHERMIA
ILL
K HI, BLD
KIDNEY FAILURE
LAMENESS
LIVER DISORDER
LYMPHS LO, BLD
MIOSIS
MONOS LO, BLD
NYSTAGMUS
NYSTAGMUS, ROTARY
OPACITY, CORNEA(S)
P HI, BLD

ORBIFLOXACIN
ORAL, CAT

Number of Animals Evaluated
99

Sign

PAIN
PALLOR, MUCOUS MEMBRAN
PANCREAS ENZYMES HI, B
PLATELETS LO, BLD
POLYPNEA
PR-CEREBELLUM, LESION(S)
PR-LUNG(S), LESION(S)
PR-LYMPH NODE(S), LESI
RECUMBENCY
SGPT/ALT HI, BLD
SHAKING, HEAD/FACE
SKIN DISORDER
STUPOR
TACHYCARDIA
TREMBLING, FACE
UNCONSCIOUS
URINATION
VESTIBULAR DISORDER
WBC HI, BLD
WBC LO, BLD
WEIGHT LOSS

ORBIFLOXACIN
ORAL, DOG

Number of Animals Evaluated
120

Sign

VOMITING
DEPRESSION/LETHARGY
CONVULSION(S)
ANOREXIA
ATAXIA
DEATH
INEFFECT, ANTIBIOTIC
LAMENESS
PRURITIS
SWELLING, HEAD/FACE
URTICARIA

ORBIFLOXACIN
ORAL, DOG

Number of Animals Evaluated
120

Sign

BLINDNESS
DEATH(EUTHANIZED)
DIARRHEA
FEVER, BODY
PLATELETS LO, BLD
SGPT/ALT HI, BLD
CONGESTION, SKIN
ICTERUS, BODY
POLYDIPSIA
WBC HI, BLD
ALOPECIA
ANEMIA
ANEMIA, HEMOLYTIC
BILIRUBIN(TOT) HI, BLD
BLD
BLD, ANUS
BUN HI, BLD
CONFUSION
CREATININE HI, BLD
HAIR, ABN COLOR
HAIR, SHEDDING
HEAD TILT
HYPERALIVATION
LIVER FAILURE
MYDRIASIS
NYSTAGMUS, HORIZONTAL
P HI, BLD
PAIN, JOINT(S)
PARALYSIS, FACIAL NERV
POLYPNEA
POLYURIA
SGOT/AST HI, BLD
SKIN DISORDER
SWELLING, JOINT(S)
TREMBLING
ABN COLOR, URINE
ALBUMIN HI, BLD
ALK PHOS HI, BLD
ANAPHYLAXIS/TOID
ANEMIA, AUTOIMMUNE HEM

ORBIFLOXACIN
ORAL, DOG

Number of Animals Evaluated
120

Sign

BASOS HI, BLD
BILIRUBIN, URINE
BLD(ECCHYMOSES)
BLD(PETECHIAE)
BLD, RECTUM
BLINDNESS, TEMP
CA HI, BLD
CIRCLING
COAGULATION DISORDER
COLLAPSE
CONGESTION, EAR(S)
COOMBS TEST POS
DEAFNESS
DIARRHEA, MILD
DIZZINESS
DRY MOUTH SYNDROME
DYSPHAGIA
DYSPNEA
EDEMA, FEET/DIGIT(S)
EDEMA, HEAD/FACE
HEMATOCHEZIA
HYPERACTIVITY
HYPOTHERMIA, BODY
INFLAM, SKIN
INTERACTION, DRUG(S)
KERATOCONJUNCTIVITIS S
KIDNEY FAILURE
LESION(S), SKIN
LIVER DISORDER
LIVER ENZYMES HI, BLD
NYSTAGMUS
PAIN, MUSCLE(S)
PARALYSIS
PARESIS, HIND LIMB(S)
PR-HEART, LESION(S)
PR-LIVER, LESION(S)
PROLAPSE, THIRD EYELID
PROPRIOCEPTIVE DISORDE
PROTEIN(TOT) HI, BLD
PROTEIN, URINE

ORBIFLOXACIN
ORAL, DOG

Number of Animals Evaluated
120

Sign

PUSTULE(S)
RADIOGRAPH(S) ABN
RASH
RETICULOCYTES LO, BLD
SHAKING
SHOCK
SKIN, NECROSIS
SKIN, SCAB(S)
SLOUGH
SOMNOLENCE
SORE(S)
STUPOR
SWELLING
SWELLING, EAR(S)
SWELLING, EYE(S)/LID(S)
SWELLING, MOUTH/LIP(S)
SWELLING, PHARYNX/THRO
SWELLING, TONGUE
TACHYCARDIA
TEETH, ABN
TWITCH
ULCER(S), MOUTH/LIP(S)
ULCER(S), TONGUE
US ABN
VESTIBULAR DISORDER
WBC LO, BLD
WEAKNESS

ORBIFLOXACIN
ORAL, HUMAN

Number of Animals Evaluated
1

Sign

DIZZINESS
NAUSEA

ORBIFLOXACIN

ORBIFLOXACIN
ORAL, RABBIT

Number of Animals Evaluated
1

Sign
CONVULSION(S)
DEATH

ORBIFLOXACIN
ORAL, VARIOUS

Number of Animals Evaluated
32

Sign
INEFFECT, ANTIBIOTIC
INTERACTION, DRUG(S)

ORGOTEIN
PARENTERAL, DOG

Number of Animals Evaluated
5

Sign
PALLOR
COLLAPSE
DEPRESSION/LETHARGY
RECUMBENCY
ANAPHYLAXIS/TOID
FEVER, BODY
SWELLING, JOINT(S)
VOMITING

ORGOTEIN
PARENTERAL, HORSE

Number of Animals Evaluated
1

Sign
INJ SITE INFLAM
SWEATING
URTICARIA

ORMETOPRIM, SULFADIMETHOXINE
ORAL, CAT

Number of Animals Evaluated
21

Sign

HYPERSALIVATION
EDEMA, PHARYNX
ANOREXIA
DEATH (EUTHANIZED)
HYPERACTIVITY
VOMITING
AGGRESSION
ALKALINE URINE
ANEMIA
ANEMIA, HEMOLYTIC
APPREHENSION
ATAXIA
COLLAPSE
CONFUSION
CONVULSION(S)
DEPRESSION/LETHARGY
ERUPTION(S)
GLUCOSE HI, BLD
HYPERESTHESIA
MYDRIASIS
NYSTAGMUS
PALLOR, MUCOUS MEMBRAN
PANCYTOPENIA
PLATELETS LO, BLD
PROPRIOCEPTIVE DISORDE
SKIN, NECROSIS
SLOUGH, EAR(S)
SWELLING, HEAD/FACE
TREMBLING
WEIGHT LOSS

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

DEPRESSION/LETHARGY
FEVER, BODY

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

CONVULSION(S)
PLATELETS LO, BLD
ATAXIA
ANOREXIA
VOMITING
NEUROLOGICAL DISORDER
TREMBLING
NERVOUSNESS
APPREHENSION
AGGRESSION
ALK PHOS HI, BLD
SGPT/ALT HI, BLD
BEHAVIOR DISORDER
KERATOCONJUNCTIVITIS S
CONFUSION
ANEMIA
HYPERACTIVITY
WEAKNESS
BILIRUBIN(TOT) HI, BLD
DEATH
POLYPNEA
SWELLING, JOINT(S)
VOCALIZATION
ARTHRITIS
BLD(PETECHIAE)
DEATH(EUTHANIZED)
LIVER ENZYMES HI, BLD
LAMENESS
DIARRHEA
PAIN, JOINT(S)
SGOT/AST HI, BLD
WBC HI, BLD
ANEMIA, AUTOIMMUNE HEM
BLD(ECCHYMOSES)
BUN HI, BLD
HYPERALIVATION
ICTERUS, BODY
POLYDIPSIA
PRURITIS
WBC LO, BLD

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

WEIGHT LOSS
CREATININE HI, BLD
HYPERESTHESIA
URTICARIA
EPISTAXIS
ICTERUS
POLYURIA
PR-LIVER, LESION(S)
ANEMIA, HEMOLYTIC
BLD, URINE
COAGULATION DISORDER
COLLAPSE
DEHYDRATION
DYSPNEA
ENLARGEMENT, LYMPH NOD
RECUMBENCY
BILIRUBIN, URINE
HYPERPNEA
PAIN
PANCYTOPENIA
SWELLING, HEAD/FACE
CONGESTION, SKIN
KIDNEY FAILURE
PARESIS, HIND LIMB(S)
RELUCTANT TO MOVE
STIFFNESS
ULCER(S), SKIN
ALBUMIN LO, BLD
ANAPHYLAXIS/TOID
BLD
BLD, MOUTH/LIP(S)
BLINDNESS
CASTS, URINE
CHOLESTEROL HI, BLD
CONJUNCTIVITIS
EDEMA, HEAD/FACE
MYDRIASIS
PALLOR, MUCOUS MEMBRAN
PROTEIN(TOT) HI, BLD
SEGS HI, BLD

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

SKIN DISORDER
TACHYCARDIA
THYROID HORMONE(S) LO
ULCER(S), CORNEA(S)
UVEITIS
VOMITING, BLOODY
AMYLASE HI, BLD
ANURIA
BLINDNESS, TEMP
CPK HI, BLD
DEMENTIA
EFFUSION, JOINT(S)
ERUPTION(S)
FLY BITING
HALLUCINATION
HEMOGLOBIN, URINE
HEPATOMEGALY
INEFFECT, ANTIBIOTIC
LIVER DISORDER
LOCOMOTION DISORDER
PHOTOPHOBIA
PR-KIDNEY(S), LESION(S)
PROPRIOCEPTIVE DISORDE
PROTEIN, URINE
RASH
SPASM
STAGGERING
STIFFNESS, LIMB(S)
SWELLING, LIMB(S)
ULCER(S), MOUTH/LIP(S)
US ABN
US-LIVER ABN
ADIPSIA
ALOPECIA
AZOTEMIA
BANDS HI, BLD
BILE ACIDS HI, BLD
BLD, ABDOMEN
BLD, EYE(S)
BUN LO, BLD

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

CNS DISORDER
COOMBS TEST POS
CYANOSIS
DISCHARGE, EYE(S)/LID(
EDEMA, CORNEA(S)
EYE DISORDER
HEMATOCHEZIA
HIDING
INEFFECT, COCCIDIA
INFECTION, SKIN
INFLAM, SKIN
INTERACTION, DRUG(S)
LDH HI, BLD
NYSTAGMUS
P LO, BLD
PAIN, ABDOMEN
PAIN, LIMB(S)
PAIN, NECK
POLYCYTHEMIA
PR-LUNG(S), LESION(S)
PR-SKIN, LESION(S)
PR-SPLEEN, LESION(S)
SHAKING
SHAKING, HEAD/FACE
SLOUGH, FEET/DIGIT(S)
SOMNOLENCE
SPEC GRAVITY LO, URINE
SPLENOMEGALY
TEETH, ABN
TRIGLYCERIDES HI, BLD
APLASIA, BONE MARROW
ARREST, HEART
ASCITES
BITING/CHEWING
BLD, SQ
BREATHING ABN
CA HI, BLD
CA LO, BLD
CALCULI, URINE
CHOLESTEROL LO, BLD

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

CIRCLING
COLITIS
CREATININE LO, BLD
CSF ABN
DEAFNESS
DELIRIUM
DIARRHEA, SEVERE
DIC
DIFFICULTY RISING
DILITATION, ESOPHAGUS
DISCHARGE, EYE(S)/LID(S)
DISCHARGE, MOUTH/LIP(S)
DISCHARGE, NOSE
DISTENTION, ABDOMEN
ECG ABN
EDEMA
EDEMA, LARYNX
EDEMA, LIMB(S)
EDEMA, LUNG(S)/TRACHEA
ENCEPHALOPATHY
ENDOCRINE DISORDER
ENLARGEMENT(S)
ENLARGEMENT, JOINT(S)
FIBRINOGEN HI, BLD
GAGGING
GGT HI, BLD
GLOBULIN HI, BLD
GLUCOSE LO, BLD
GLUCOSE, URINE
HEAD BOBBING
HEART DISORDER
HEPATITIS
HYPERKERATOSIS
HYPERTONIA
HYPHEMA
HYPOTHERMIA
ILL
IMMUNE DISORDER
INCONTINENCE, FECAL
INCONTINENCE, URINARY

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

INFECTION, EYE(S)
INJ SITE BLD
JOINT DISORDER
K LO, BLD
KIDNEY DISORDER
LICKING
LIVER FAILURE
LIVER PROFILE HI
LOCKJAW
LYMPHS LO, BLD
MASS, SKIN
MELENA
MUCOUS MEMBR, RED
MYOSITIS
NA LO, BLD
NEPHRITIS
NYSTAGMUS, VERTICAL
OPISTHOTONOS
PAIN, MOUTH/LIP(S)
PALLOR
PANCREAS ENZYMES HI, B
PANCREATITIS
PARESIS
PLATELETS ABN
PNEUMONIA, ASPIRATION
POLLAKIURIA
PR-BONE MARROW, LESION
PR-LUNG(S), EDEMA
PR-LYMPH NODE(S), LESI
PR-PANCREAS, LESION(S)
PROTEIN(TOT) LO, BLD
PT PROLONGED, BLD
RADIOGRAPH(S) ABN
REGURGITATION
REGURGITATION, FOOD
RETINA ABN
SCALE(S), SKIN
SEGS LO, BLD
SHOCK
SKIN ABNORMAL

January 2, 2009

ORMETOPRIM, SULFADIMETHOXINE
ORAL, DOG

Number of Animals Evaluated
602

Sign

SKIN, CRUST(S)
SKIN, SCAB(S)
SNEEZING
SOUND ABN, RESPIRATORY
SPEC GRAVITY HI, URINE
STIFFNESS, HIND LIMB(S)
STOMATITIS
STUPOR
SWELLING, EYE(S)/LID(S)
TENESMUS, RECTAL
TORTICOLLIS
ULCER(S)
ULCER(S), MUCOCUTANEOU
ULCER(S), TONGUE
UNCONSCIOUS
URINE ABN
VASCULITIS
VESICLE(S)/BULLAE, SKI
VESTIBULAR DISORDER
VISION DISORDER
VOLVULUS, STOMACH

ORMETOPRIM, SULFADIMETHOXINE
ORAL, FISH

Number of Animals Evaluated
1000

Sign

ANOREXIA

ORMETOPRIM, SULFADIMETHOXINE
ORAL, HUMAN

Number of Animals Evaluated
1

Sign

DIARRHEA
NAUSEA

January 2, 2009

ORMETOPRIM, SULFADIMETHOXINE
ORAL, HUMAN

Number of Animals Evaluated
1

Sign
STRANGURIA
VOMITING

ORMETOPRIM, SULFADIMETHOXINE
UNKNOWN, DOG

Number of Animals Evaluated
1

Sign
DEATH
PLATELETS LO, BLD

OXFENDAZOLE
ORAL, DOG

Number of Animals Evaluated
2

Sign
BUN HI, BLD
DEPRESSION/LETHARGY
ANOREXIA
DIARRHEA, BLOODY
KIDNEY DISORDER
VOMITING

OXFENDAZOLE
ORAL, GOAT

Number of Animals Evaluated
40

Sign
INEFFECT
INEFFECT, WORMS

OXFENDAZOLE
ORAL, HORSE

OXFENDAZOLE
ORAL, HORSE

Number of Animals Evaluated
1

Sign

HEMATOCHEZIA
PAIN, ABDOMEN

OXFENDAZOLE
ORAL, CATTLE

Number of Animals Evaluated
864

Sign

INEFFECT, STRONGYLES
ANOREXIA
INEFFECT, WORMS
LOSS OF CONDITION
DEATH
PR-PERITONEUM, LESION(
PERITONITIS
ILL
INEFFECT, STOMACH WORM
COLLAPSE
DEATH(EUTHANIZED)
INJ SITE SWELLING
POOR PERFORMANCE
PR-UTERUS, LESION(S)

OXFENDAZOLE, TRICHLORFON
ORAL, HORSE

Number of Animals Evaluated
151

Sign

DISCOMFORT, MOUTH/LIP(
PAIN, ABDOMEN
SWELLING, MOUTH/LIP(S)
URTICARIA
IRRITATION, MOUTH/LIP(
HYPERSALIVATION
DIARRHEA
TOX, OP

OXFENDAZOLE, TRICHLORFON
ORAL, HORSE

Number of Animals Evaluated
151

Sign

DIARRHEA, MILD
ATAXIA
SWELLING, TONGUE
DEATH (EUTHANIZED)
HYPERACTIVITY
ANOREXIA
DEATH
DYSPHAGIA
FROTH, MOUTH/LIP(S)
HEMATOCHEZIA
PR-PHARYNX, LESION(S)
REGURGITATION
SWELLING, PHARYNX/THRO
ULCER(S), MOUTH/LIP(S)

OXIBENDAZOLE
ORAL, DOG

Number of Animals Evaluated
41

Sign

DEPRESSION/LETHARGY
DIARRHEA, BLOODY
VOMITING
DEATH
PAIN, ABDOMEN
ANOREXIA
ATAXIA
ULCER(S), TONGUE
ANEMIA
BUN HI, BLD
CREATININE HI, BLD
SGOT/AST HI, BLD
UNCONSCIOUS
WBC HI, BLD
WEAKNESS
DEATH (EUTHANIZED)
COLLAPSE
DEHYDRATION

OXIBENDAZOLE
ORAL, DOG

Number of Animals Evaluated
41

Sign

DIARRHEA
DISCHARGE, NOSE
DYSPNEA
HEPATOMEGALY
WEIGHT LOSS

OXIBENDAZOLE
ORAL, HORSE

Number of Animals Evaluated
667

Sign

PAIN, ABDOMEN
DIARRHEA
DIARRHEA, MILD
ANOREXIA
DEPRESSION/LETHARGY
INEFFECT, WORMS
DIARRHEA, SEVERE
PR-BLD VESSEL(S), LESI
HYPERSALIVATION
IRRITATION, MOUTH/LIP(
ULCER(S), MOUTH/LIP(S)
FEVER, BODY
DEATH(EUTHANIZED)
DEATH
INEFFECT, STRONGYLES
VOLVULUS
RECUMBENCY
PR-INTEST, LESION(S)
URTICARIA
STOOL ABN
SWEATING
LAMINITIS
NEUROLOGICAL DISORDER
PR-COLON, LESION(S)
BIRTH DEFECT(S), HEAD/
ABORTION
ATAXIA

OXIBENDAZOLE
ORAL, HORSE

Number of Animals Evaluated
667

Sign

DIARRHEA, WATERY
STIFFNESS
SWELLING, HEAD/FACE
WBC HI, BLD
WEAKNESS
DEHYDRATION
DYSPHAGIA
HEAD PRESSING
NERVOUSNESS
PD-DISPENSER, ABN
STAGGERING
SWELLING, EYE(S)/LID(S)
ULCER(S), SKIN
WEIGHT LOSS

OXIBENDAZOLE
ORAL, DONKEY

Number of Animals Evaluated
2

Sign

SWELLING, MOUTH/LIP(S)

OXIBENDAZOLE
ORAL, RABBIT

Number of Animals Evaluated
1

Sign

INEFFECT

OXIBENDAZOLE
UNKNOWN, HORSE

Number of Animals Evaluated
10

Sign

OXIBENDAZOLE
UNKNOWN, HORSE

Number of Animals Evaluated
10

Sign
DIARRHEA

OXYMORPHONE
UNKNOWN, DOG

Number of Animals Evaluated
2

Sign
CONVULSION(S)
CYANOSIS

OXYMORPHONE
PARENTERAL, DOG

Number of Animals Evaluated
12

Sign
CONVULSION(S)
HYPOPNEA
DEATH
CYANOSIS
EDEMA, EYE(S)/LID(S)
EDEMA, LIMB(S)
ANAPHYLAXIS/TOID
INEFFECT, ANALGESIA

OXYTETRACYCLINE
ORAL, DOG

Number of Animals Evaluated
11

Sign
VOMITING
ANOREXIA
DIARRHEA
DEATH

OXYTETRACYCLINE
ORAL, BIRD

Number of Animals Evaluated
500

Sign

DEATH
PD-COLOR, ABN
PD-ODOR, ABN
PD-SOLUTION, ABN

OXYTETRACYCLINE
ORAL, FISH

Number of Animals Evaluated
28000

Sign

DEATH
PR-SKIN, LESION(S)
WEAKNESS

OXYTETRACYCLINE
ORAL, GOAT

Number of Animals Evaluated
1

Sign

OPISTHOTONOS
RECUMBENCY

OXYTETRACYCLINE
ORAL, HUMAN

Number of Animals Evaluated
2

Sign

ABN COLOR, URINE
CONGESTION, SKIN
GASTRITIS
HEADACHE
HEPATITIS
PAIN, BRISKET/CHEST
PRESSURE HI, BLD

OXYTETRACYCLINE
ORAL, SHEEP

Number of Animals Evaluated
6

Sign

DIARRHEA
BLINDNESS
CNS DISORDER
FROTH, MOUTH/LIP(S)
HEAD TILT

OXYTETRACYCLINE
ORAL, CATTLE

Number of Animals Evaluated
122

Sign

RESIDUE, MILK
BLOAT
DEATH
ANOREXIA
STIFFNESS
DEPRESSION/LETHARGY

OXYTETRACYCLINE
ORAL, RABBIT

Number of Animals Evaluated
3

Sign

RESIDUE, MEAT

OXYTETRACYCLINE
ORAL, CHICKEN

Number of Animals Evaluated
51

Sign

CONGESTION, EYE(S)/LID
SNEEZING
DEATH

OXYTETRACYCLINE
MISSING, DOG

Number of Animals Evaluated
1

Sign

ANAPHYLAXIS/TOID

OXYTETRACYCLINE
MISSING, CATTLE

Number of Animals Evaluated
77

Sign

INJ SITE SWELLING
INJ SITE PAIN
RELUCTANT TO MOVE
ATAXIA
DEATH
TREMBLING
BLOAT
BREATHING ABN
COLLAPSE
DISTRESS, RESP
DYSPNEA
EAR DISORDER
HYPERALIVATION

OXYTETRACYCLINE
TOPICAL, HUMAN

Number of Animals Evaluated
1

Sign

CONGESTION, SKIN
IRRITATION, SKIN

OXYTETRACYCLINE
UNKNOWN, DOG

Number of Animals Evaluated
1

Sign

OXYTETRACYCLINE
UNKNOWN, DOG

Number of Animals Evaluated
1

Sign

INJ SITE PAIN

OXYTETRACYCLINE
UNKNOWN, HUMAN

Number of Animals Evaluated
1

Sign

ANAPHYLAXIS/TOID
LIVER DISORDER
LIVER ENZYMES HI, BLD

OXYTETRACYCLINE
UNKNOWN, OTHER

Number of Animals Evaluated
3

Sign

INEFFECT, ANTIBIOTIC
PD-COLOR, ABN

OXYTETRACYCLINE
UNKNOWN, CATTLE

Number of Animals Evaluated
299

Sign

INJ SITE ABN
INEFFECT
ANAPHYLAXIS/TOID
DEATH
LAMENESS
INJ SITE SWELLING
DISTRESS, RESP
TRANSUDATE
COLLAPSE
RESIDUE, MILK

January 2, 2009

OXYTETRACYCLINE
UNKNOWN, CATTLE

Number of Animals Evaluated
299

Sign

SWELLING, LIMB(S)
DYSPNEA
STAGGERING
HYPERALIVATION
CYANOSIS
REACTION, UNSPECIFIED
RECUMBENCY
SWELLING, EYE(S)/LID(S)
CONVULSION(S)

OXYTETRACYCLINE
UNKNOWN, VARIOUS

Number of Animals Evaluated
2

Sign

SWELLING
DEATH

OXYTETRACYCLINE
VARIOUS, DOG

Number of Animals Evaluated
1

Sign

DEPRESSION/LETHARGY

OXYTETRACYCLINE
VARIOUS, CATTLE

Number of Animals Evaluated
21

Sign

ANAPHYLAXIS/TOID
DEATH
COLLAPSE
TREMBLING

OXYTETRACYCLINE
VARIOUS, CATTLE

Number of Animals Evaluated
21

Sign

DISTRESS, RESP
RECUMBENCY
INJ SITE PAIN
INJ SITE SWELLING
RELUCTANT TO MOVE

OXYTETRACYCLINE
PARENTERAL, CAT

Number of Animals Evaluated
7

Sign

INJ SITE SLOUGH
ADIPSIA
ANOREXIA
BILIRUBIN(TOT) HI, BLD
BILIRUBIN, URINE
CRYSTALS, URINE
DEATH
DEPRESSION/LETHARGY
FEVER, BODY
INJ SITE NECROSIS
INJ SITE PAIN
INJ SITE STERILE ABSCE
INJ SITE SWELLING
MORIBUND
SPEC GRAVITY LO, URINE
WBC HI, BLD

OXYTETRACYCLINE
PARENTERAL, DOG

Number of Animals Evaluated
9

Sign

INJ SITE PAIN
FEVER, BODY
INJ SITE INFLAM

January 2, 2009

OXYTETRACYCLINE
PARENTERAL, DOG

Number of Animals Evaluated
9

Sign

INJ SITE EDEMA
INJ SITE SWELLING
WEAKNESS
ANAPHYLAXIS/TOID
DEPRESSION/LETHARGY
HYPERPNEA
LAMENESS
PAIN, ABDOMEN
SHOCK
TREMBLING

OXYTETRACYCLINE
PARENTERAL, PIG

Number of Animals Evaluated
243

Sign

INJ SITE ABSCESS
INEFFECT, ANTIBIOTIC
DEATH
ANAPHYLAXIS/TOID
DEPRESSION/LETHARGY
DIARRHEA
VOMITING

OXYTETRACYCLINE
PARENTERAL, GOAT

Number of Animals Evaluated
2

Sign

INJ SITE SWELLING

OXYTETRACYCLINE
PARENTERAL, HORSE

Number of Animals Evaluated

OXYTETRACYCLINE
PARENTERAL, HORSE

Number of Animals Evaluated

23

Sign

HYPERPNEA
TREMBLING
ANAPHYLAXIS/TOID
DEATH
BRADYCARDIA
BREATHING ABN
EDEMA
MYDRIASIS
PALLOR, MUCOUS MEMBRAN
PRURITIS
URTICARIA
WEAKNESS
ARREST, HEART
ATAXIA
COLITIS
COLLAPSE
CYANOSIS, MUCOUS MEMBR
DYSPNEA
INJ SITE PAIN
INJ SITE SWELLING
KIDNEY FAILURE
STAGGERING
STIFFNESS, NECK

OXYTETRACYCLINE
PARENTERAL, HUMAN

Number of Animals Evaluated

5

Sign

INJ SITE SWELLING
FEVER, BODY
INJ SITE BLD
INJ SITE INFLAM
INJ SITE MASS
ACCIDENTAL EXPOSURE
DIZZINESS
HUMAN EXPOSURE, INJ
SEPTICEMIA

OXYTETRACYCLINE
PARENTERAL, SHEEP

Number of Animals Evaluated
101

Sign

INJ SITE PAIN
PARALYSIS, HIND LIMB(S)
PARESIS, HIND LIMB(S)
DEATH
ANAPHYLAXIS/TOID

OXYTETRACYCLINE
PARENTERAL, CATTLE

Number of Animals Evaluated
1821

Sign

INJ SITE SWELLING
ANAPHYLAXIS/TOID
DEATH
INJ SITE PAIN
LAMENESS
COLLAPSE
RECUMBENCY
STIFFNESS, FRONT LIMB(
FROTH, MOUTH/LIP(S)
HYPERALIVATION
CIRCLING
SHAKING, HEAD/FACE
STIFFNESS
ANOREXIA
TREMBLING
RESIDUE, MILK
DYSPNEA
ATAXIA
DIARRHEA
INJ SITE ABSCESS
DEHYDRATION
INEFFECT, ANTIBIOTIC
DEPRESSION/LETHARGY
SWELLING, EYE(S)/LID(S)
SHAKING
INJ SITE SEROMA
STAGGERING

OXYTETRACYCLINE
PARENTERAL, CATTLE

Number of Animals Evaluated
1821

Sign

CYANOSIS
TWITCH
FEVER, BODY
SWELLING, HEAD/FACE
PR-TRACHEA, LESION(S)
TENESMUS, RECTAL
DIARRHEA, BLOODY
INEFFECT
DISTRESS, RESP
INJ SITE ABN
BLOAT
NEUROLOGICAL DISORDER
PR-LUNG(S), LESION(S)
ROLLING
VOCALIZATION
CONFUSION
FROTH, NOSE
INJ SITE INFLAM
POLYPNEA
REACTION, UNSPECIFIED
STUMBLING
SWELLING, LIMB(S)
APNEA
BREATHING ABN
DEATH(EUTHANIZED)
DISTRESS
INJ SITE MASS
NERVOUSNESS
RELUCTANT TO MOVE
SHOCK
STUPOR
SWELLING, BRISKET/CHES
SWELLING, NECK
UDDER, HYPOGALACTIA
WEIGHT LOSS
TORTICOLLIS
CONVULSION(S)
EDEMA, EYE(S)/LID(S)
EDEMA, LUNG(S)/TRACHEA
HYPERACTIVITY

OXYTETRACYCLINE
PARENTERAL, CATTLE

Number of Animals Evaluated
1821

Sign

ILL
PAWING
PD-COLOR, ABN

OXYTETRACYCLINE, POLYMYXIN B
ORAL, DOG

Number of Animals Evaluated
1

Sign

VOMITING

OXYTETRACYCLINE, POLYMYXIN B
TOPICAL, CAT

Number of Animals Evaluated
5

Sign

CONJUNCTIVITIS
DIARRHEA
BLEPHAROSPASM
DEPRESSION/LETHARGY
DIARRHEA, BLOODY
DISCHARGE, EYE(S)/LID(
EPIPHORA
HYPERALIVATION
IRRITATION, EYE(S)/LID
PAWING
PHOTOPHOBIA
SHAKING, HEAD/FACE
SQUINTING
SWELLING, EYE(S)/LID(S
VOMITING
VOMITING, BLOODY
WEAKNESS

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, CAT

Number of Animals Evaluated

44

Sign

SWELLING, EYE(S)/LID(S)
INEFFECT, ANTIBIOTIC
CONJUNCTIVITIS
PAIN, EYE(S)/LID(S)
VOMITING
ANAPHYLAXIS/TOID
PRURITIS, EYE(S)
BLEPHAROSPASM
APPLICATION SITE ERYTHEMA
CONGESTION
CONGESTION, EYE(S)/LID
CONGESTION, SKIN
DEATH
DEPRESSION/LETHARGY
DIARRHEA
EDEMA, HEAD/FACE
IRRITATION, EYE(S)/LID
DISCHARGE, EYE(S)/LID(S)
EDEMA, EYE(S)/LID(S)
HIDING
HYPERACTIVITY
HYPERPNEA
HYPERALIVATION
INFLAM
NERVOUSNESS
PRURITIS
SOMNOLENCE
SWELLING, HEAD/FACE
TREMBLING
URINATION

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, DOG

Number of Animals Evaluated

3

Sign

CONJUNCTIVITIS
PR-EYE(S)/LID(S), LESI

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, DOG

Number of Animals Evaluated
3

Sign

TEETH, ABN
ULCER(S), CORNEA(S)

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, HUMAN

Number of Animals Evaluated
1

Sign

DIARRHEA
EDEMA, HEAD/FACE
VOMITING

OXYTETRACYCLINE, POLYMYXIN B
OPHTHALMIC, OTHER

Number of Animals Evaluated
2

Sign

DISCHARGE, EYE(S)/LID(S)
INEFFECT, ANTIBIOTIC
SWELLING, EYE(S)/LID(S)

OXYTOCIN
UNKNOWN, PIG

Number of Animals Evaluated
3

Sign

UDDER, AGALACTIA

OXYTOCIN
UNKNOWN, CATTLE

Number of Animals Evaluated
202

January 2, 2009

OXYTOCIN
UNKNOWN, CATTLE

Number of Animals Evaluated
202

Sign

INEFFECT
INEFFECT, MILK LETDOWN

OXYTOCIN
PARENTERAL, DOG

Number of Animals Evaluated
2

Sign

ILL
INEFFECT
INEFFECT, EXPUL PLACEN

OXYTOCIN
PARENTERAL, PIG

Number of Animals Evaluated
8

Sign

INEFFECT
CONGESTION, SKIN
HYPERPNEA
LOSS OF CONDITION
WEAKNESS
DEATH

OXYTOCIN
PARENTERAL, CATTLE

Number of Animals Evaluated
340

Sign

INEFFECT, MILK LETDOWN
INEFFECT
INEFFECT, EXPUL PLACEN
COUGHING
DEATH(TX FAILURE)

OXYTOCIN
PARENTERAL, CATTLE

Number of Animals Evaluated
340

Sign

EDEMA, LUNG(S)/TRACHEA
INEFFECT, DELAYED EFFE
KICKING
PR-LUNG(S), EDEMA

PAROMOMYCIN
ORAL, CAT

Number of Animals Evaluated
4

Sign

KIDNEY FAILURE

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
MISSING, PIG

Number of Animals Evaluated
2

Sign

ANAPHYLAXIS/TOID
DEATH

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
TOPICAL, HUMAN

Number of Animals Evaluated
1

Sign

SKIN DISORDER

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
UNKNOWN, DOG

Number of Animals Evaluated
27

Sign

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
UNKNOWN, DOG

Number of Animals Evaluated
27

Sign

INJ SITE ABSCESS
INJ SITE SWELLING
DIARRHEA, BLOODY
ANOREXIA
BLD, ANUS
FEVER, BODY
PR-INJ SITE, LESION(S)
VOMITING
VOMITING, SEVERE
DEATH

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
UNKNOWN, PIG

Number of Animals Evaluated
62

Sign

ABORTION
VOMITING, SEVERE
DEATH
ANAPHYLAXIS/TOID
RESPIRATORY DISORDER

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
UNKNOWN, HORSE

Number of Animals Evaluated
6

Sign

ANAPHYLAXIS/TOID
ATAXIA
DEATH
SHAKING
TREMBLING
TACHYCARDIA

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE

January 2, 2009

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
UNKNOWN, CATTLE

Number of Animals Evaluated
31

Sign

FROTH, NOSE
RECUMBENCY
DEATH
ANAPHYLAXIS/TOID
DISTRESS, RESP
SWELLING, EYE(S)/LID(S)
DYSPNEA
SHAKING

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
VARIOUS, HORSE

Number of Animals Evaluated
2

Sign

INJ SITE PAIN
INJ SITE SWELLING

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
VARIOUS, SHEEP

Number of Animals Evaluated
1

Sign

ANAPHYLAXIS/TOID
DYSPNEA
FEVER, BODY
HYPERPNEA

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
VARIOUS, CATTLE

Number of Animals Evaluated
4

Sign

ANAPHYLAXIS/TOID
RECUMBENCY

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
VARIOUS, CATTLE

Number of Animals Evaluated

4

Sign

DEATH

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, CAT

Number of Animals Evaluated

11

Sign

CONVULSION(S)

DYSPNEA

ANAPHYLAXIS/TOID

DEATH

INJ SITE PAIN

MYDRIASIS

POLYPNEA

ANOREXIA

APNEA

ARREST, HEART

ATAXIA

CYANOSIS

DISTRESS, RESP

FROTH, MOUTH/LIP(S)

HYPERPNEA

NYSTAGMUS

PR-HEART, LESION(S)

SWELLING, EYE(S)/LID(S)

SWELLING, HEAD/FACE

URINATION

VOMITING

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, DOG

Number of Animals Evaluated

76

Sign

INJ SITE ABSCESS

INJ SITE PAIN

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, DOG

Number of Animals Evaluated

76

Sign

INJ SITE SWELLING
CONVULSION(S)
INJ SITE INFLAM
INJ SITE NECROSIS
INJ SITE STERILE ABSCE
ATAXIA
INJ SITE ABN
HEMATOCHEZIA
INJ SITE MASS
INJ SITE SEPSIS
INJ SITE SLOUGH
NYSTAGMUS
SWELLING
SWELLING, HEAD/FACE
SWELLING, NECK
TWITCH
VOMITING
ANAPHYLAXIS/TOID
ANESTH RECOV PROLONGED
DEATH
DEPRESSION/LETHARGY
DIARRHEA
DIARRHEA, BLOODY
DIARRHEA, SEVERE
ECG ABN
SHOCK
STAGGERING
TREMBLING
VOMITING, SEVERE
WEAKNESS

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, PIG

Number of Animals Evaluated

2249

Sign

VOMITING
ANAPHYLAXIS/TOID

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, PIG

Number of Animals Evaluated
2249

Sign

DISTRESS, RESP
DEPRESSION/LETHARGY
DEATH
DIARRHEA
RECUMBENCY
TREMBLING
CONGESTION, SKIN
INJ SITE SWELLING
COLLAPSE
UNCONSCIOUS
CONVULSION(S)
DIARRHEA, MILD

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, DEER

Number of Animals Evaluated
1

Sign

INJ SITE SWELLING

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, GOAT

Number of Animals Evaluated
2

Sign

ANAPHYLAXIS/TOID
CONVULSION(S)
DEATH

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, HORSE

Number of Animals Evaluated
86

Sign

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, HORSE

Number of Animals Evaluated

86

Sign

DEATH

INJ SITE SWELLING

ANAPHYLAXIS/TOID

COLLAPSE

SWELLING, NECK

CONVULSION(S)

ATAXIA

DYSPNEA

THRASHING/PADDLING

CIRCLING

DISTRESS, RESP

INJ SITE ABSCESS

INJ SITE MASS

INJ SITE SEPSIS

LAMENESS

NERVOUSNESS

PR-LIVER, LESION(S)

PR-SPLEEN, LESION(S)

STUMBLING

SWELLING, ADM SITE

ALOPECIA

APNEA

ARREST, HEART

CYANOSIS, MUCOUS MEMBR

HYPERACTIVITY

INJ SITE PAIN

INJ SITE STERILE ABSCE

INJ SITE STIFFNESS

MUCOUS MEMBR, ABN COLO

PAIN, ABDOMEN

PALLOR

PALLOR, MUCOUS MEMBRAN

PR-GI, LESION(S)

PR-KIDNEY(S), LESION(S)

RECUMBENCY

STIFFNESS

STUPOR

TREMBLING

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, HUMAN

Number of Animals Evaluated
1

Sign

INJ SITE INFECT
INJ SITE PAIN

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, CATTLE

Number of Animals Evaluated
145

Sign

ANAPHYLAXIS/TOID
DEATH
PR-LUNG(S), LESION(S)
INEFFECT, ANTIBIOTIC
BLD(PETECHIAE)
PR-HEART, LESION(S)
PR-MULT SITES, BLD
PR-SKIN, LESION(S)
ATAXIA
COLLAPSE
HYPERALIVATION
NERVOUSNESS
SWELLING, HEAD/FACE
ILL
RESIDUE, MILK
DYSPNEA
CONVULSION(S)
INJ SITE PAIN
INJ SITE SWELLING
SHAKING
BREATHING ABN
SWELLING

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, VARIOUS

Number of Animals Evaluated
6

Sign

PENICILLIN G BENZATHINE, PENICILLIN G PROCAINE
PARENTERAL, VARIOUS

Number of Animals Evaluated
6

Sign

DEATH
ANAPHYLAXIS/TOID
INJ SITE ABSCESS

PENICILLIN G POTASSIUM
PARENTERAL, HORSE

Number of Animals Evaluated
1

Sign

ANAPHYLAXIS/TOID
ATAXIA
COLLAPSE
HYPERPNEA
PAWING
SWEATING
TACHYCARDIA

PENICILLIN G PROCAINE
ORAL, DOG

Number of Animals Evaluated
1

Sign

ANOREXIA
VOMITING

PENICILLIN G PROCAINE
MISSING, CATTLE

Number of Animals Evaluated
5

Sign

ANAPHYLAXIS/TOID
COLLAPSE
RECUMBENCY
DEATH

PENICILLIN G PROCAINE
UNKNOWN, CAT

Number of Animals Evaluated
1

Sign

INJ SITE INFLAM

PENICILLIN G PROCAINE
UNKNOWN, DOG

Number of Animals Evaluated
2

Sign

COLLAPSE
CYANOSIS
ANAPHYLAXIS/TOID
FEVER, BODY

PENICILLIN G PROCAINE
UNKNOWN, PIG

Number of Animals Evaluated
163

Sign

VOMITING
ANOREXIA
DEPRESSION/LETHARGY
RECUMBENCY
ANAPHYLAXIS/TOID
DEATH
DIARRHEA
POLYPNEA

PENICILLIN G PROCAINE
UNKNOWN, GOAT

Number of Animals Evaluated
2

Sign

INJ SITE PAIN

January 2, 2009

PENICILLIN G PROCAINE
UNKNOWN, HORSE

Number of Animals Evaluated
4

Sign

ANAPHYLAXIS/TOID
COLLAPSE
CONVULSION(S)
HYPERACTIVITY
SWEATING
SWELLING, TONGUE
WEAKNESS

PENICILLIN G PROCAINE
UNKNOWN, HUMAN

Number of Animals Evaluated
5

Sign

RASH
FEVER, BODY
NEUROLOGICAL DISORDER

PENICILLIN G PROCAINE
UNKNOWN, SHEEP

Number of Animals Evaluated
2

Sign

DEATH

PENICILLIN G PROCAINE
UNKNOWN, CATTLE

Number of Animals Evaluated
59

Sign

INEFFECT
DEATH
ANAPHYLAXIS/TOID
ATAXIA
BLD, LUNG(S)/TRACHEA

PENICILLIN G PROCAINE
UNKNOWN, CATTLE

Number of Animals Evaluated
59

Sign

DISTRESS, RESP
SWELLING, EYE(S)/LID(S)
COLLAPSE
INJ SITE SWELLING
RESIDUE, MILK
PD-CONTAMINATION
PD-VIAL(S), ABN

PENICILLIN G PROCAINE
VARIOUS, CATTLE

Number of Animals Evaluated
3

Sign

RESIDUE, MILK

PENICILLIN G PROCAINE
PARENTERAL, CAT

Number of Animals Evaluated
8

Sign

ANAPHYLAXIS/TOID
DEATH
ARREST, HEART
DISTRESS, RESP
VOCALIZATION
COLLAPSE
DEATH (EUTHANIZED)
DYSPNEA

PENICILLIN G PROCAINE
PARENTERAL, DOG

Number of Animals Evaluated
69

Sign

January 2, 2009

PENICILLIN G PROCAINE
PARENTERAL, DOG

Number of Animals Evaluated
69

Sign

INJ SITE ABSCESS
INJ SITE SWELLING
INJ SITE SEROMA
RELUCTANT TO MOVE
EYE DISORDER
INJ SITE STERILE ABSCE
VOMITING
SHAKING
STIFFNESS
ARREST, HEART
CONFUSION
CONVULSION(S)
INJ SITE INFLAM
ANAPHYLAXIS/TOID
COLLAPSE
DEATH
FEVER, BODY
MIOSIS
POLYCYTHEMIA
SPASM
STUPOR
THRASHING/PADDLING

PENICILLIN G PROCAINE
PARENTERAL, PIG

Number of Animals Evaluated
1558

Sign

VOMITING
SHAKING
ANAPHYLAXIS/TOID
DISTRESS, RESP
DIARRHEA
DYSPNEA
DEPRESSION/LETHARGY
DEATH
BLINDNESS
CNS DISORDER

PENICILLIN G PROCAINE
PARENTERAL, PIG

Number of Animals Evaluated
1558

Sign

THRASHING/PADDLING
ABORTION
FEVER, BODY
FROTH, MOUTH/LIP(S)
POLYPNEA
HYPERPNEA

PENICILLIN G PROCAINE
PARENTERAL, GOAT

Number of Animals Evaluated
5

Sign

COLLAPSE
ANAPHYLAXIS/TOID
DEATH

PENICILLIN G PROCAINE
PARENTERAL, HORSE

Number of Animals Evaluated
49

Sign

DEATH
COLLAPSE
ANAPHYLAXIS/TOID
NEUROLOGICAL DISORDER
ANOREXIA
ATAXIA
CNS DISORDER
CONVULSION(S)
HYPERACTIVITY
TREMBLING
URTICARIA
FEVER, BODY
INJ SITE SWELLING
NERVOUSNESS
EDEMA

PENICILLIN G PROCAINE
PARENTERAL, HORSE

Number of Animals Evaluated
49

Sign

EDEMA, LIMB(S)
PAIN
SHAKING
SPASM
SWELLING
WEAKNESS
APPREHENSION
CYANOSIS
DEFECATION
DIARRHEA
DISTRESS
DYSPNEA
HEAD BOBBING
HYPERESTHESIA
HYPOPNEA
INJ SITE PAIN
LAMENESS
PAIN, ABDOMEN
PHOTOPHOBIA
REARING
RECUMBENCY
STUMBLING
SWELLING, SCROTUM

PENICILLIN G PROCAINE
PARENTERAL, LLAMA

Number of Animals Evaluated
1

Sign

INJ SITE SWELLING

PENICILLIN G PROCAINE
PARENTERAL, SHEEP

Number of Animals Evaluated
3

Sign

PENICILLIN G PROCAINE
PARENTERAL, SHEEP

Number of Animals Evaluated
3

Sign

CONVULSION(S)

PENICILLIN G PROCAINE
PARENTERAL, ALPACA

Number of Animals Evaluated
1

Sign

INJ SITE SWELLING

PENICILLIN G PROCAINE
PARENTERAL, CATTLE

Number of Animals Evaluated
174

Sign

ANAPHYLAXIS/TOID
DEATH
RESIDUE, MILK
COLLAPSE
SHAKING
DYSPNEA
HYPERALIVATION
RECUMBENCY
EYE DISORDER
DIARRHEA
PARESIS, HIND LIMB(S)
EDEMA, HEAD/FACE
HYPERPNEA
NERVOUSNESS
TACHYCARDIA
TREMBLING
CONVULSION(S)
PR-TRACHEA, LESION(S)
SHAKING, HEAD/FACE
URTICARIA
SWELLING, EYE(S)/LID(S)

January 2, 2009

PENICILLIN G PROCAINE
INTRAMAMMARY, CATTLE

Number of Animals Evaluated
32

Sign

DEATH
PD-LABEL(S), ABN
RESIDUE, MILK
ILL
COLLAPSE
RECUMBENCY
UDDER, ABN
UDDER, SWELLING

PENTOBARBITAL
UNKNOWN, DOG

Number of Animals Evaluated
5

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL
PARENTERAL, HORSE

Number of Animals Evaluated
2

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL
PARENTERAL, DONKEY

Number of Animals Evaluated
1

Sign

INEFFECT, EUTHANASIA
PD-POTENCY, LO

PENTOBARBITAL

PENTOBARBITAL
PARENTERAL, VARIOUS

Number of Animals Evaluated
15

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL
SUPPOSITORY, CAT

Number of Animals Evaluated
5

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
ORAL, CAT

Number of Animals Evaluated
1

Sign

RECUMBENCY

PENTOBARBITAL, PHENYTOIN
ORAL, DOG

Number of Animals Evaluated
7

Sign

DEPRESSION/LETHARGY
ATAXIA
INJ SITE PAIN
RECUMBENCY
THRASHING/PADDLING
UNCONSCIOUS
VOCALIZATION
APNEA
HYPOPNEA
PR-INTEST, LESION(S)
STUPOR
VOMITING, BLOODY

January 2, 2009

PENTOBARBITAL, PHENYTOIN
ORAL, LION

Number of Animals Evaluated
1

Sign

ATAXIA

DEPRESSION/LETHARGY

PENTOBARBITAL, PHENYTOIN
ORAL, HUMAN

Number of Animals Evaluated
0

Sign

PENTOBARBITAL, PHENYTOIN
MISSING, DOG

Number of Animals Evaluated
14

Sign

INEFFECT, EUTHANASIA

PD-POTENCY, LO

PENTOBARBITAL, PHENYTOIN
MISSING, HORSE

Number of Animals Evaluated
2

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
MISSING, VARIOUS

Number of Animals Evaluated
2

Sign

INEFFECT, EUTHANASIA

PD-POTENCY, LO

PENTOBARBITAL, PHENYTOIN
TOPICAL, HUMAN

Number of Animals Evaluated

4

Sign

BLINDNESS, TEMP
DEPRESSION/LETHARGY
DIZZINESS
EYE DISORDER
HEADACHE
HUMAN EXPOSURE, HAND(S)
IRRITATION, EYE(S)/LID
PAIN, EYE(S)/LID(S)
PHOTOPHOBIA

PENTOBARBITAL, PHENYTOIN
UNKNOWN, CAT

Number of Animals Evaluated

1

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
UNKNOWN, DOG

Number of Animals Evaluated

28

Sign

INEFFECT
INEFFECT, EUTHANASIA
VOCALIZATION
HYPERACTIVITY
THRASHING/PADDLING
DEPRESSION/LETHARGY

PENTOBARBITAL, PHENYTOIN
UNKNOWN, HORSE

Number of Animals Evaluated

57

Sign

PENTOBARBITAL, PHENYTOIN
UNKNOWN, HORSE

Number of Animals Evaluated
57

Sign
INEFFECT

PENTOBARBITAL, PHENYTOIN
UNKNOWN, UNKNOWN

Number of Animals Evaluated
100

Sign
INEFFECT

PENTOBARBITAL, PHENYTOIN
UNKNOWN, VARIOUS

Number of Animals Evaluated
4

Sign
INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
VARIOUS, CAT

Number of Animals Evaluated
38

Sign
PD-POTENCY, LO
PAIN
PD-SOLUTION, ABN
VOCALIZATION
INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
VARIOUS, DOG

Number of Animals Evaluated
5

Sign

PENTOBARBITAL, PHENYTOIN
VARIOUS, DOG

Number of Animals Evaluated
5

Sign

INEFFECT, EUTHANASIA
HYPERACTIVITY
PD-POTENCY, LO
SEDATION

PENTOBARBITAL, PHENYTOIN
VARIOUS, HORSE

Number of Animals Evaluated
2

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
VARIOUS, HUMAN

Number of Animals Evaluated
3

Sign

IRRITATION, EYE(S)/LID
SWELLING, EYE(S)/LID(S)

PENTOBARBITAL, PHENYTOIN
VARIOUS, VARIOUS

Number of Animals Evaluated
7

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
OPHTHALMIC, HUMAN

Number of Animals Evaluated
22

Sign

PENTOBARBITAL, PHENYTOIN
OPHTHALMIC, HUMAN

Number of Animals Evaluated
22

Sign

IRRITATION, EYE(S)/LID
PAIN, EYE(S)/LID(S)
DIZZINESS
S-IRRITATION, EYE(S)/LID
CONGESTION, EYE(S)/LID
VISION DISORDER
EDEMA, CORNEA(S)
HUMAN EXPOSURE, EYE(S)
HYPERPNEA
NAUSEA
TACHYCARDIA
ULCER(S), CORNEA(S)

PENTOBARBITAL, PHENYTOIN
PARENTERAL, CAT

Number of Animals Evaluated
22

Sign

INEFFECT
INEFFECT, EUTHANASIA
PD-POTENCY, LO
DEATH
INJ SITE PAIN
APNEA
DEATH (EUTHANIZED)
DEPRESSION/LETHARGY
STUPOR
UNCONSCIOUS

PENTOBARBITAL, PHENYTOIN
PARENTERAL, DOG

Number of Animals Evaluated
869

Sign

INEFFECT, EUTHANASIA
VOCALIZATION

PENTOBARBITAL, PHENYTOIN
PARENTERAL, DOG

Number of Animals Evaluated
869

Sign

INEFFECT
PD-SOLUTION, ABN
BREATHING, PERIODIC
PD-POTENCY, LO
HYPERACTIVITY
INEFFECT, DELAYED EFFE
INJ SITE PAIN
CONVULSION(S)
OPISTHOTONOS
SPASM
BREATHING ABN
TWITCH
BITING/CHEWING
STIFFNESS
INEFFECT, ANESTHESIA
DEATH
DEATH(EUTHANIZED)
DISCOMFORT
SEDATION
APPREHENSION
DEFECATION
URINATION

PENTOBARBITAL, PHENYTOIN
PARENTERAL, PIG

Number of Animals Evaluated
1

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
PARENTERAL, HORSE

Number of Animals Evaluated
81

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
PARENTERAL, HORSE

Number of Animals Evaluated
81

Sign

HYPERACTIVITY
PD-POTENCY, LO
CONVULSION(S)
THRASHING/PADDLING
INEFFECT

PENTOBARBITAL, PHENYTOIN
PARENTERAL, HUMAN

Number of Animals Evaluated
7

Sign

INJ SITE PAIN
HYPOESTHESIA
INJ SITE SWELLING
DEATH(SUICIDE)
INJ SITE BLD
INJ SITE INFLAM
SUICIDE ATTEMPT
UNCONSCIOUS

PENTOBARBITAL, PHENYTOIN
PARENTERAL, SHEEP

Number of Animals Evaluated
2

Sign

INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
PARENTERAL, CATTLE

Number of Animals Evaluated
1

Sign

INEFFECT, DELAYED EFFE
INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
PARENTERAL, UNKNOWN

Number of Animals Evaluated
114

Sign

INEFFECT
INEFFECT, EUTHANASIA

PENTOBARBITAL, PHENYTOIN
PARENTERAL, VARIOUS

Number of Animals Evaluated
144

Sign

INEFFECT, EUTHANASIA
PD-SOLUTION, ABN
PD-POTENCY, LO
VOCALIZATION
BREATHING ABN
HYPERACTIVITY
DYSPNEA
INEFFECT
SPASM
STIFFNESS, LIMB(S)
TORTICOLLIS

PENTOXIFYLLINE
ORAL, DOG

Number of Animals Evaluated
1

Sign

DEATH
DIARRHEA
VOMITING

PHENOBARBITAL
ORAL, DOG

Number of Animals Evaluated
3

Sign

PHENOBARBITAL
ORAL, DOG

Number of Animals Evaluated
3

Sign

PLATELETS LO, BLD
SEGS LO, BLD
CONGESTION, EYE(S)/LID
CONVULSION(S)
CULTURE/TITER DATA ABN
DEPRESSION/LETHARGY
ERUPTION(S)
FEVER, BODY
INFECTION, SKIN
LYMPHS LO, BLD
OTITIS
WBC LO, BLD

PHENYL BUTAZONE
ORAL, DOG

Number of Animals Evaluated
13

Sign

ANOREXIA
DEPRESSION/LETHARGY
ANEMIA
COAGULATION DISORDER
DIARRHEA
PLATELETS LO, BLD
VOMITING
DEATH
KIDNEY DISORDER
ALK PHOS HI, BLD
ANEMIA, APLASTIC
BLD
CONVULSION(S)
DEATH(EUTHANIZED)
EDEMA
FEVER, BODY
HEMATOCHEZIA
LYMPHS HI, BLD
PAIN, ABDOMEN
PALLOR, MUCOUS MEMBRAN

PHENYLBUTAZONE
ORAL, DOG

Number of Animals Evaluated
13

Sign

PROTEIN, URINE
RECUMBENCY
SEGS HI, BLD
SGPT/ALT HI, BLD
WEAKNESS

PHENYLBUTAZONE
ORAL, HORSE

Number of Animals Evaluated
22

Sign

DEATH
ANOREXIA
DEPRESSION/LETHARGY
PAIN, ABDOMEN
RELUCTANT TO MOVE
COLITIS
DIARRHEA
DIARRHEA, SEVERE
EDEMA
FEVER, BODY
HYPERALIVATION
PR-STOMACH, LESION(S)
ULCER(S), GI
URTICARIA
ACCIDENTAL EXPOSURE
CHOKING
COLLAPSE
CONVULSION(S)
DEATH(EUTHANIZED)
INEFFECT, ANALGESIA
PD-SYRINGE, ABN
PD-TUBE(S), ABN
SYRINGE, LOCKING RING
TECH ERROR ADMINISTRAT
THRASHING/PADDLING

PHENYLBUTAZONE
PARENTERAL, HORSE

Number of Animals Evaluated

9

Sign

DEATH

PAIN, ABDOMEN

DEATH (EUTHANIZED)

COLLAPSE

CONVULSION(S)

PR-STOMACH, LESION(S)

TOX

ULCER(S), STOMACH

ANAPHYLAXIS/TOID

APNEA

DIARRHEA

SWEATING

TACHYCARDIA

HYPERPNEA

PR-INTEST, LESION(S)

SHOCK, ENDOTOXEMIA

STAGGERING

UNCONSCIOUS

PHENYLPROPANOLAMINE
ORAL, DOG

Number of Animals Evaluated

6

Sign

DIZZINESS

ANEMIA, HEMOLYTIC

ANISOCORIA

ATAXIA

CONVULSION(S)

DYSPNEA

PAIN, ABDOMEN

PARESIS, HIND LIMB(S)

STAGGERING

VOCALIZATION

VOMITING

WEAKNESS

PHEROMONES
TOPICAL, CAT

Number of Animals Evaluated
1

Sign

DEPRESSION/LETHARGY

PHOSMET
TOPICAL, CATTLE

Number of Animals Evaluated
22

Sign

CONVULSION(S)
DEPRESSION/LETHARGY
HYPERALIVATION
TREMBLING
DEATH
BLOAT
TOX, OP

PILOCARPINE
ORAL, DOG

Number of Animals Evaluated
1

Sign

DIARRHEA
HYPERALIVATION

PIMOBENDAN
ORAL, CAT

Number of Animals Evaluated
5

Sign

TACHYCARDIA
VOMITING
FEVER, BODY
MURMUR, HEART
TACHYCARDIA, VENTRICUL

PIMOBENDAN
ORAL, DOG

Number of Animals Evaluated
172

Sign

ANOREXIA
VOMITING
DEATH
DIARRHEA
DEPRESSION/LETHARGY
TACHYCARDIA
BUN HI, BLD
CONVULSION(S)
PRESSURE LO, BLD
SGPT/ALT HI, BLD
SYNCOPE
COLLAPSE
DEATH (EUTHANIZED)
ATAXIA
COUGHING
DIARRHEA, MILD
POLYDIPSIA
ARRHYTHMIA
CREATININE HI, BLD
HYPERACTIVITY
POLYPNEA
TREMBLING
ALK PHOS HI, BLD
CONFUSION
DIARRHEA, WATERY
SPEC GRAVITY LO, URINE
APPREHENSION
CYANOSIS, MUCOUS MEMBR
EDEMA, LUNG(S)/TRACHEA
HEMATOCHEZIA
NERVOUSNESS
POLYURIA
VOCALIZATION
WEIGHT LOSS
ANEMIA
APNEA
BEHAVIOR DISORDER
CIRCLING
DIARRHEA, BLOODY
DISSOCIATION

PIMOBENDAN
ORAL, DOG

Number of Animals Evaluated
172

Sign

DYSPNEA
ECG ABN
EPISTAXIS
FLATULENCE
GGT HI, BLD
HYPERALIVATION
HYPOTHERMIA, BODY
INCONTINENCE, URINARY
KIDNEY FAILURE
LESION(S), SKIN
LOCOMOTION DISORDER
P HI, BLD
PALLOR, MUCOUS MEMBRAN
PRESSURE HI, BLD
PROPRIOCEPTIVE DISORDE
PRURITIS
RECUMBENCY
SHAKING
SOMNOLENCE
STAGGERING
STUPOR
URINATION ABN
WBC HI, BLD
ADIPSIA
ALBUMIN LO, BLD
ARREST, HEART
ARRHYTHMIA, BLOCK
ASCITES
AZOTEMIA
BILIRUBIN, URINE
BLD(ECCHYMOSES)
BLD(PETECHIAE)
BLD, MOUTH/LIP(S)
BLD, URINE
CA LO, BLD
CHOLESTEROL HI, BLD
CNS DISORDER
COAGULATION DISORDER
CONGESTION, SKIN
CONSTIPATION

PIMOBENDAN
ORAL, DOG

Number of Animals Evaluated
172

Sign

CYANOSIS
DEMENTIA
DIARRHEA, SEVERE
DISTRESS
DIZZINESS
EDEMA, NECK
EFFUSION, PERICARDIAL
EFFUSION, PERITONEAL
ENLARGEMENT, LYMPH NOD
ERUPTION(S)
FEVER, BODY
FIBRILLATION, ATRIAL
GLUCOSE HI, BLD
HAIR, SHEDDING
HEART FAILURE
HYPERPNEA
INEFFECT
INEFFECT, LOSS OF EFFE
INFECTION, URINARY TRA
INFLAM, SKIN
INTERACTION, DRUG(S)
K HI, BLD
LIPASE HI, BLD
LIVER DISORDER
LIVER ENZYMES HI, BLD
MG LO, BLD
MUCOUS MEMBR, MUDDY
MYDRIASIS
NEUROLOGICAL DISORDER
NYSTAGMUS, ROTARY
PARESIS
PLATELETS LO, BLD
PR-HEART, LESION(S)
PROLAPSE, PENIS
PROTEIN(TOT) LO, BLD
PROTEIN, URINE
PUSTULE(S)
RADIOGRAPH(S) ABN
RASH
REFLEX(ES) ABN

PIMOBENDAN
ORAL, DOG

Number of Animals Evaluated
172

Sign

SCALE(S), SKIN
SGOT/AST HI, BLD
SHOCK
SKIN, CRUST(S)
SKIN, DRY
SLEEP ABN
SORE(S)
SPASM
STARING
STIFFNESS, HIND LIMB(S)
SWELLING, HEAD/FACE
TACHYCARDIA, VENTRICUL
TWITCH
ULCER(S), CORNEA(S)
ULCER(S), TONGUE
UNPALATABLE, WON'T EAT
US ABN
VOMITING, BLOODY
WBC, URINE
WEAKNESS

PIPERAZINE
ORAL, CAT

Number of Animals Evaluated
16

Sign

VOMITING
ATAXIA
CONVULSION(S)
TREMBLING
TWITCH
WEAKNESS
HYPERESTHESIA
HYPERPNEA
HYPERSALIVATION
INEFFECT, ASCARIDS
ODOR
DEATH (EUTHANIZED)

PIPERAZINE
ORAL, CAT

Number of Animals Evaluated
16

Sign

DEPRESSION/LETHARGY
DIARRHEA
MYDRIASIS
NERVOUSNESS
STUPOR

PIPERAZINE
ORAL, DOG

Number of Animals Evaluated
19

Sign

RECUMBENCY
VOMITING
CONVULSION(S)
CONJUNCTIVITIS
DEATH
DEPRESSION/LETHARGY
ILL
STUPOR
NEUROLOGICAL DISORDER
ANOREXIA
ATAXIA
SHAKING
TREMBLING
DIARRHEA
DYSPNEA
FROTH, MOUTH/LIP(S)
HYPOTHERMIA, BODY
PALLOR, MUCOUS MEMBRAN
PARESIS, HIND LIMB(S)
PD-SEAL, ABN
POLLAKIURIA
REFLEX(ES) ABN
STAGGERING
TWITCH
VOMITING, SEVERE
WEAKNESS

PIPERAZINE
ORAL, HORSE

Number of Animals Evaluated
1

Sign

AGGRESSION
BEHAVIOR DISORDER
BITING/CHEWING
KICKING

PIPERAZINE
UNKNOWN, DOG

Number of Animals Evaluated
1

Sign

NEUROLOGICAL DISORDER

PIPERAZINE, ARECOLINE
ORAL, DOG

Number of Animals Evaluated
4

Sign

BLOAT
DEATH
DEPRESSION/LETHARGY
DYSPNEA
ATAXIA
CONGESTION, TONGUE
DEHYDRATION
DIARRHEA, BLOODY
PARESIS
POLYPNEA
RECUMBENCY
SOUND ABN, RESPIRATORY
STOOL, PALE/GRAY
VOMITING
VOMITING, UNPRODUCTIVE

PIPERAZINE, PHENOTHIAZINE, TRICHLORFON
ORAL, HORSE

PIPERAZINE, PHENOTHIAZINE, TRICHLORFON
ORAL, HORSE

Number of Animals Evaluated

82

Sign

DIARRHEA
PAIN, ABDOMEN
ANOREXIA
HYPERALIVATION
DEATH
ENTERITIS
DEPRESSION/LETHARGY
ABORTION
ALOPECIA
ANEMIA
FEVER, BODY
HYPERPNEA
PALLOR
SWEATING
TACHYCARDIA
URTICARIA
ABN COLOR, URINE
BRADYCARDIA
CONGESTION, MUCOUS MEM
DISTRESS
DIZZINESS
EPISTAXIS
HYPOPNEA
HYPOTHERMIA
RECUMBENCY
TOX, OP
TWITCH

PIPERAZINE, THENIUM
ORAL, DOG

Number of Animals Evaluated

3

Sign

ATAXIA
CONVULSION(S)
DEPRESSION/LETHARGY
DIARRHEA
VOMITING

PIPERAZINE, THENIUM
ORAL, DOG

Number of Animals Evaluated
3

Sign
DEATH

PIPERONYL BUTOXIDE, PYRETHRINS, SQUALANE
TOPICAL, CAT

Number of Animals Evaluated
14

Sign
CONGESTION, EAR(S)
CONGESTION, SKIN
IRRITATION, EAR(S)
ENLARGEMENT(S), SKIN
SCALE(S), SKIN
DEPRESSION/LETHARGY
EAR DISORDER
EXFOLIATION, SKIN
FEVER, BODY
INEFFECT
SWELLING, HEAD/FACE

PIRLIMYCIN
TOPICAL, HUMAN

Number of Animals Evaluated
0

Sign

PIRLIMYCIN
INTRAMAMMARY, CATTLE

Number of Animals Evaluated
114

Sign
UDDER, MASTITIS
DEATH
URTICARIA
DEPRESSION/LETHARGY

PIRLIMYCIN
INTRAMAMMARY, CATTLE

Number of Animals Evaluated
114

Sign

WEAKNESS
INEFFECT, ANTIBIOTIC
RESIDUE, MILK

PIROXICAM
ORAL, DOG

Number of Animals Evaluated
2

Sign

DERMATITIS, MOIST
LICKING
PRURITIS

POLOXALENE
ORAL, GOAT

Number of Animals Evaluated
1

Sign

BLOAT
DEATH (EUTHANIZED)
DEPRESSION/LETHARGY
HYPOTHERMIA
KIDNEY FAILURE
PARESIS

POLOXALENE
ORAL, HUMAN

Number of Animals Evaluated
1

Sign

NAUSEA
VOMITING

January 2, 2009

POLOXALENE
ORAL, CATTLE

Number of Animals Evaluated
11

Sign
INEFFECT
DEATH

PONAZURIL
ORAL, CAT

Number of Animals Evaluated
6

Sign
ICTERUS, BODY
LIVER DISORDER
DEATH

PONAZURIL
ORAL, DOG

Number of Animals Evaluated
10

Sign
KERATOCONJUNCTIVITIS S
LOSS OF CONDITION
PERFORATION
ULCER(S), CORNEA(S)
DEATH(EUTHANIZED)

PONAZURIL
ORAL, HORSE

Number of Animals Evaluated
33

Sign
INEFFECT, PROTOZOA
FEVER, BODY
ANOREXIA
SWELLING, LIMB(S)
ALOPECIA
ANEMIA

PONAZURIL
ORAL, HORSE

Number of Animals Evaluated
33

Sign

EDEMA, LIMB(S)
TREMBLING
ABORTION
ATAXIA
BLD(HEMATOMA)
BUN HI, BLD
CREATININE HI, BLD
DEATH
DEATH(EUTHANIZED)
DEATH(STILLBORN)
DIARRHEA, MILD
DIARRHEA, SEVERE
DIARRHEA, WATERY
EDEMA, VENTRAL
HYPERSALIVATION
KIDNEY DISORDER
LAMENESS
PAIN, ABDOMEN
PAIN, LIMB(S)
PICA
SHAKING
SWELLING, MOUTH/LIP(S)
SWELLING, PREPUCE
ULCER(S), GI
ULCER(S), MOUTH/LIP(S)
URTICARIA
VESICLE(S)/BULLAE, SKI
WEIGHT LOSS

PONAZURIL
TOPICAL, HUMAN

Number of Animals Evaluated
1

Sign

RASH

POTASSIUM GLUCONATE

POTASSIUM GLUCONATE
ORAL, DOG

Number of Animals Evaluated
1

Sign

ARREST, HEART
DEATH

PRAZIQUANTEL
ORAL, CAT

Number of Animals Evaluated
22

Sign

INEFFECT, TAPES
DEPRESSION/LETHARGY
ANOREXIA
CONVULSION(S)
ATAXIA
FEVER, BODY
HYPERSALIVATION
VOMITING
ALOPECIA
BLINDNESS
CIRCLING
CONGESTION, SKIN
CPK HI, BLD
DEATH
DEATH(EUTHANIZED)
DIARRHEA, SEVERE
EDEMA, HEAD/FACE
GAGGING
JERKING
NERVOUSNESS
NYSTAGMUS, VERTICAL
PARESIS, HIND LIMB(S)
PRURITIS
ROLLING
SGPT/ALT HI, BLD
TACHYCARDIA
TWITCH

PRAZIQUANTEL
ORAL, DOG

Number of Animals Evaluated

50

Sign

INEFFECT, TAPES
DEPRESSION/LETHARGY
VOMITING
DIARRHEA
ANOREXIA
DEATH
ATAXIA
SWELLING, EYE(S)/LID(S)
ABORTION
DIARRHEA, SEVERE
FEVER, BODY
INJ SITE SWELLING
WEAKNESS
ALBUMIN LO, BLD
ANEMIA
ANEMIA, AUTOIMMUNE HEM
BLD, URINE
COLLAPSE
CONVULSION(S)
DEATH(EUTHANIZED)
DIARRHEA, BLOODY
DISTRESS, RESP
HEMATOCHEZIA
HYPERPNEA
HYPERSALIVATION
NAUSEA
NERVOUSNESS
PALLOR
PARESIS
POLYPNEA
PRURITIS
SGPT/ALT HI, BLD
SHAKING
STOOL, MUCOID
STRABISMUS
SWELLING, HEAD/FACE
TACHYCARDIA
URTICARIA

PRAZIQUANTEL
ORAL, HUMAN

Number of Animals Evaluated
1

Sign

INSOMNIA
PAIN, ABDOMEN

PRAZIQUANTEL
MISSING, CAT

Number of Animals Evaluated
1

Sign

DIARRHEA
INJ SITE INFLAM
INJ SITE PRURITIS
PRURITIS
TWITCH

PRAZIQUANTEL
MISSING, DOG

Number of Animals Evaluated
4

Sign

ANOREXIA
DEATH
DYSPNEA
DEHYDRATION
DEPRESSION/LETHARGY
DIARRHEA
DISTRESS, RESP
GLUCOSE LO, BLD
MUCOUS MEMBR, MUDDY
POLYCYTHEMIA
PR-HEART, LESION(S)
PULSE TREADY
SALIVA, ABN
VOCALIZATION
VOMITING

PRAZIQUANTEL
UNKNOWN, CAT

Number of Animals Evaluated
3

Sign

PR-INJ SITE, LESION(S)
DYSPHAGIA
INJ SITE NECROSIS
INJ SITE ULCER(S)

PRAZIQUANTEL
UNKNOWN, DOG

Number of Animals Evaluated
4

Sign

INEFFECT, TAPES
INJ SITE ABSCESS
INJ SITE INFECT
INJ SITE INFLAM
INJ SITE NECROSIS
INJ SITE SWELLING

PRAZIQUANTEL
OPHTHALMIC, HUMAN

Number of Animals Evaluated
2

Sign

IRRITATION, EYE(S)/LID
CONGESTION, EYE(S)/LID
PAIN, EYE(S)/LID(S)

PRAZIQUANTEL
PARENTERAL, CAT

Number of Animals Evaluated
115

Sign

INJ SITE ALOPECIA
DEATH
INJ SITE INFLAM

PRAZIQUANTEL
PARENTERAL, CAT

Number of Animals Evaluated
115

Sign

INJ SITE PAIN
INJ SITE SLOUGH
INJ SITE ABN
VOMITING
DEPRESSION/LETHARGY
INJ SITE NECROSIS
INJ SITE ABSCESS
INJ SITE SWELLING
INJ SITE ULCER(S)
PR-INJ SITE, LESION(S)
ALOPECIA
ANAPHYLAXIS/TOID
DYSPNEA
INJ SITE PRURITIS
LAMENESS
LOCOMOTION DISORDER
ANOREXIA
ATAXIA
DIARRHEA
HYPERALIVATION
INFLAM, SKIN
INJ SITE EFFUSION
INJ SITE INFECT
INJ SITE MASS
PARALYSIS
PARALYSIS, HIND LIMB(S)
PRURITIS
SKIN, SCAB(S)
COLLAPSE
CONGESTION, SKIN
FEVER, BODY
IRRITATION, SKIN
NERVOUSNESS
NEURITIS
PARESIS, HIND LIMB(S)
VOCALIZATION
WEAKNESS
ADIPSIA
ARREST, HEART
ATROPHY

PRAZIQUANTEL
PARENTERAL, CAT

Number of Animals Evaluated
115

Sign

AZOTEMIA
BLD, SKIN
BRADYCARDIA
BUN HI, BLD
CONFUSION
CONVULSION(S)
COUGHING
CYANOSIS, MUCOUS MEMBR
DEFECATION
DEHYDRATION
DERMATITIS, MOIST
DISTRESS, RESP
EDEMA, LUNG(S)/TRACHEA
ENLARGEMENT(S), SKIN
ENLARGEMENT, LYMPH NOD
HYPOPNEA
INJ SITE EDEMA
INJ SITE FIBROSIS
INJ SITE SEROMA
INTERACTION, DRUG(S)
JOINT DISORDER
LEG DISORDER
LESION(S), SKIN
LICKING
NEUROLOGICAL DISORDER
PAIN
PARESIS
POLYDIPSIA
PR-HEART, LESION(S)
PR-PHARYNX, LESION(S)
PR-SKIN, LESION(S)
SGPT/ALT HI, BLD
SKIN, CRUST(S)
STAGGERING
STIFFNESS
SWELLING, PHARYNX/THRO
TACHYCARDIA
TREMBLING
UNCONSCIOUS
URINATION ABN

PRAZIQUANTEL
PARENTERAL, DOG

Number of Animals Evaluated
109

Sign

INJ SITE SWELLING
INJ SITE PAIN
INJ SITE ABSCESS
DEPRESSION/LETHARGY
INEFFECT, TAPES
ANOREXIA
INJ SITE MASS
FEVER, BODY
INJ SITE EDEMA
INJ SITE INFLAM
INJ SITE ABN
LAMENESS
PAIN, ABDOMEN
ATAXIA
CELLULITIS
INJ SITE FIBROSIS
INJ SITE SLOUGH
PARALYSIS, HIND LIMB(S)
PR-INJ SITE, LESION(S)
VOCALIZATION
COLLAPSE
CONVULSION(S)
DEATH
DISCOMFORT
ENLARGEMENT(S), SKIN
INJ SITE NECROSIS
INJ SITE SEROMA
LOCOMOTION DISORDER
VOMITING
ABORTION
ANAPHYLAXIS/TOID
BLD
BLD(ECCHYMOSES)
CIRCLING
CONGESTION, SKIN
CYANOSIS
DEATH(EUTHANIZED)
DYSPNEA
EDEMA, HEAD/FACE
EDEMA, LIMB(S)

PRAZIQUANTEL
PARENTERAL, DOG

Number of Animals Evaluated
109

Sign

HEAD TILT
ICTERUS, BODY
INEFFECT
INJ SITE ALOPECIA
INJ SITE INDURATION
INJ SITE ULCER(S)
NYSTAGMUS, HORIZONTAL
PAIN
PALLOR
PULSE THREADY
RECUMBENCY
SHAKING
SKIN, SCAB(S)
SWELLING, HEAD/FACE
SWELLING, LIMB(S)
SWELLING, TONGUE
TACHYCARDIA
TREMBLING
TWITCH
UNCONSCIOUS
WEAKNESS

PRAZIQUANTEL
PARENTERAL, HUMAN

Number of Animals Evaluated
2

Sign

HYPOESTHESIA
IRRITATION, EYE(S)/LID

PRAZIQUANTEL
PARENTERAL, SNAKE

Number of Animals Evaluated
1

Sign

DEATH

PRAZIQUANTEL
PARENTERAL, SNAKE

Number of Animals Evaluated
1

Sign
PARALYSIS

PRAZIQUANTEL
PARENTERAL, VARIOUS

Number of Animals Evaluated
10

Sign
INJ SITE PAIN
FEVER, BODY
INJ SITE ABSCESS

PRAZIQUANTEL
SUPPOSITORY, DOG

Number of Animals Evaluated
5

Sign
INJ SITE PAIN
INEFFECT, TAPES

PRAZIQUANTEL, PYRANTEL
ORAL, CAT

Number of Animals Evaluated
192

Sign
ATAXIA
DEPRESSION/LETHARGY
VOMITING
HYPERSALIVATION
ANOREXIA
STAGGERING
WEAKNESS
DEATH
INEFFECT, WORMS
TREMBLING

PRAZIQUANTEL, PYRANTEL
ORAL, CAT

Number of Animals Evaluated
192

Sign

DIARRHEA, MILD
DIARRHEA
PROLAPSE, THIRD EYELID
FEVER, BODY
MYDRIASIS
PARESIS, HIND LIMB(S)
UNPALATABLE, WON'T SWA
DEHYDRATION
HYPERACTIVITY
INEFFECT, ASCARIDS
LOCOMOTION DISORDER
NYSTAGMUS
TWITCH
BILIRUBIN(TOT) HI, BLD
INEFFECT, TAPES
ANISOCORIA
BEHAVIOR DISORDER
BRADYCARDIA
CONFUSION
CYANOSIS
DEATH(EUTHANIZED)
DYSPNEA
HEAD BOBBING
HIDING
INEFFECT, STRONGYLES
NERVOUSNESS
POLYDIPSIA
RECUMBENCY
SEDATION
SGPT/ALT HI, BLD
ADIPSIA
AGGRESSION
ALK PHOS HI, BLD
AMYLASE HI, BLD
ANAPHYLAXIS/TOID
BALANCE DISORDER
BLINDNESS, TEMP
BUN HI, BLD
COLLAPSE
CONGESTION

PRAZIQUANTEL, PYRANTEL
ORAL, CAT

Number of Animals Evaluated
192

Sign

CREATININE HI, BLD
DEFECATION
DIARRHEA, BLOODY
DIARRHEA, MUCOID
DIARRHEA, WATERY
DISCOMFORT
EDEMA, EYE(S)/LID(S)
EDEMA, HEAD/FACE
EYE DISORDER
GLUCOSE HI, BLD
GLUCOSE LO, BLD
HYPERESTHESIA
HYPERPNEA
ICTERUS
JERKING
MIOSIS
P LO, BLD
PALLOR, MUCOUS MEMBRAN
POLYCYTHEMIA(RELATIVE)
POLYURIA
POSTURAL RXN(S) ABN
PRURITIS
SHAKING
SHOCK
SOUND ABN, RESPIRATORY
SPASM
SWELLING, PHARYNX/THRO
SWELLING, TONGUE
TACHYCARDIA
TREMBLING, FACE
ULCER(S), TONGUE
URTICARIA
VESTIBULAR DISORDER
VOCALIZATION
WEIGHT LOSS

PRAZIQUANTEL, PYRANTEL
ORAL, DOG

PRAZIQUANTEL, PYRANTEL
ORAL, DOG

Number of Animals Evaluated
22

Sign

VOMITING
DEPRESSION/LETHARGY
DIARRHEA
ANOREXIA
DEATH
DIARRHEA, BLOODY
PALLOR, MUCOUS MEMBRAN
POLYPNEA
CHEMISTRY ABN
CONVULSION(S)
COUGHING
FEVER, BODY
INEFFECT, HOOKS
NERVOUSNESS
PR-INTEST, LESION(S)
RECUMBENCY
SHOCK
TREMBLING
VOCALIZATION

PREDNISOLONE
ORAL, DOG

Number of Animals Evaluated
2

Sign

INEFFECT
ULCER(S), SKIN
URTICARIA

PREDNISOLONE
UNKNOWN, DOG

Number of Animals Evaluated
7

Sign

VOMITING
DEPRESSION/LETHARGY

January 2, 2009

PREDNISOLONE
UNKNOWN, DOG

Number of Animals Evaluated
7

Sign

DEATH
DIARRHEA, BLOODY
SHOCK
ANAPHYLAXIS/TOID
APNEA
CYANOSIS
DIARRHEA
PALLOR, MUCOUS MEMBRAN

PREDNISOLONE
OPHTHALMIC, DOG

Number of Animals Evaluated
1

Sign

BLEPHAROSPASM
CONGESTION, EYE(S)/LID
IRRITATION, EYE(S)/LID
PD-SOLUTION, ABN

PREDNISOLONE
PARENTERAL, CAT

Number of Animals Evaluated
5

Sign

DEATH
COLLAPSE
TACHYCARDIA
VOMITING
ARREST, HEART
DYSPNEA

PREDNISOLONE
PARENTERAL, DOG

Number of Animals Evaluated

PREDNISOLONE
PARENTERAL, DOG

Number of Animals Evaluated
26

Sign

ANAPHYLAXIS/TOID
COLLAPSE
VOMITING
SHOCK
CYANOSIS
DIARRHEA
URTICARIA
DISTRESS, RESP
HYPERPNEA
HYPOPNEA
MUCOUS MEMBR, MUDDY
TACHYCARDIA
DEATH
DEATH(EUTHANIZED)
DEPRESSION/LETHARGY
DIARRHEA, BLOODY
HEART FAILURE
HYPERSALIVATION
HYPOTHERMIA
LDH HI, BLD
NERVOUSNESS
PALLOR
PALLOR, MUCOUS MEMBRAN
PRURITIS
SGOT/AST HI, BLD
SGPT/ALT HI, BLD
SHAKING
SWELLING, HEAD/FACE
UNCONSCIOUS
VOMITING, BLOODY

PREDNISOLONE
PARENTERAL, HORSE

Number of Animals Evaluated
1

Sign

ARREST, HEART
COLLAPSE

PREDNISOLONE
PARENTERAL, HORSE

Number of Animals Evaluated
1

Sign

DEATH
PARESIS, HIND LIMB(S)
PR-PHARYNX, LESION(S)
PR-SPLEEN, LESION(S)
STAGGERING

PREDNISOLONE, TRIMEPRAZINE
ORAL, CAT

Number of Animals Evaluated
2

Sign

DEPRESSION/LETHARGY
DYSPNEA
LESION(S)
SKIN, NECROSIS
SLOUGH, EAR(S)
WEAKNESS

PREDNISOLONE, TRIMEPRAZINE
ORAL, DOG

Number of Animals Evaluated
38

Sign

DEPRESSION/LETHARGY
SGPT/ALT HI, BLD
ALK PHOS HI, BLD
CONVULSION(S)
POLYPNEA
ANEMIA
ANOREXIA
HYPERACTIVITY
INTERACTION, DRUG(S)
VOMITING
AGGRESSION
ANAPHYLAXIS/TOID
ATAXIA

PREDNISOLONE, TRIMEPRAZINE
ORAL, DOG

Number of Animals Evaluated

38

Sign

DEATH
DIARRHEA, BLOODY
NERVOUSNESS
POLYDIPSIA
POLYURIA
SPASM
VOCALIZATION
AMYLASE HI, BLD
APPREHENSION
BEHAVIOR DISORDER
BILE ACIDS HI, BLD
BLD(PETECHIAE)
BLD, MOUTH/LIP(S)
BUN HI, BLD
CREATININE HI, BLD
DEFECATION
DERMATITIS, MOIST
DISSOCIATION
EPISTAXIS
ERUPTION(S)
GASTRITIS
GLUCOSE HI, BLD
HYPERALIVATION
HYPOADRENOCORTICISM
INEFFECT, ANTIINFLAM
INFLAM, SKIN
IRRITATION, SKIN
KERATOCONJUNCTIVITIS S
KIDNEY FAILURE
LESION(S), SKIN
LIPASE HI, BLD
PALLOR, MUCOUS MEMBRAN
PARESIS, HIND LIMB(S)
PERFORATION, STOMACH
PERITONITIS
PLATELETS LO, BLD
PR-ESOPHAGUS, LESION(S)
PR-LUNG(S), LESION(S)
PR-SM INTEST, LESION(S)
PR-SPLEEN, LESION(S)

PREDNISOLONE, TRIMEPRAZINE
ORAL, DOG

Number of Animals Evaluated
38

Sign

PR-STOMACH, LESION(S)
PROPRIOCEPTIVE DISORDE
PRURITIS
PUSTULE(S)
RADIOGRAPH(S) ABN
SEDATION
TREMBLING
ULCER(S), GI
ULCER(S), PYLORUS
URTICARIA
US ABN
WEAKNESS

PREDNISOLONE, TRIMEPRAZINE
ORAL, HUMAN

Number of Animals Evaluated
2

Sign

DEPRESSION/LETHARGY
SOMNOLENCE

PREDNISONE
ORAL, CAT

Number of Animals Evaluated
1

Sign

INEFFECT, ANTIINFLAM
PRURITIS

PREDNISONE
ORAL, DOG

Number of Animals Evaluated
1

Sign

PREDNISONE
ORAL, DOG

Number of Animals Evaluated
1

Sign

ALK PHOS HI, BLD
AMYLASE HI, BLD
ANOREXIA
BILIRUBIN(TOT) HI, BLD
DEATH
LIPASE HI, BLD
PANCREATITIS
SGPT/ALT HI, BLD
VOMITING

PRIMIDONE
ORAL, CAT

Number of Animals Evaluated
1

Sign

ATAXIA
DIZZINESS
MYDRIASIS

PRIMIDONE
ORAL, DOG

Number of Animals Evaluated
43

Sign

INEFFECT
DEATH
LIVER ENZYMES HI, BLD
DEPRESSION/LETHARGY
INEFFECT, SEIZURES
APPREHENSION
ATAXIA
CONVULSION(S)
HYPERACTIVITY
POLYDIPSIA
ALK PHOS HI, BLD
ANOREXIA

PRIMIDONE
ORAL, DOG

Number of Animals Evaluated

43

Sign

CONFUSION
HYPERSALIVATION
LIVER DISORDER
NERVOUSNESS
PACING
POLYPNEA
POLYURIA
RECUMBENCY
SEDATION TOO DEEP
SGPT/ALT HI, BLD
VOCALIZATION
VOMITING
AGGRESSION
ALBUMIN LO, BLD
ANEMIA
APLASIA, BONE MARROW
BILIRUBIN(TOT) HI, BLD
BLINDNESS
BUN HI, BLD
COLLAPSE
CREATININE HI, BLD
DEATH(EUTHANIZED)
DIARRHEA
EDEMA
FLY BITING
GI, ABNORMAL
HALLUCINATION
HEMATOCHEZIA
HEPATITIS
ICTERUS
KIDNEY DISORDER
LIPASE HI, BLD
LIPIDS HI, BLD
MYDRIASIS
POLYCYTHEMIA(RELATIVE)
PROTEIN(TOT) HI, BLD
PROTEIN, URINE
STAGGERING
URINATION ABN

PROGESTERONE
TOPICAL, HUMAN

Number of Animals Evaluated
2

Sign

FEVER, BODY
INSOMNIA
MENSES, ABNORMAL

PROGESTERONE
UNKNOWN, HUMAN

Number of Animals Evaluated
1

Sign

VESICLE(S)/BULLAE, SKI

PROGESTERONE
VARIOUS, CATTLE

Number of Animals Evaluated
2

Sign

ANAPHYLAXIS/TOID
COLLAPSE
DIARRHEA, SEVERE
DIARRHEA, WATERY
FROTH, MOUTH/LIP(S)
INJ SITE NECROSIS
NECROSIS
RECUMBENCY
SHOCK
UDDER, MASTITIS
UDDER, MILK ABN
UDDER, SWELLING

PROGESTERONE
SUPPOSITORY, HORSE

Number of Animals Evaluated
20

Sign

PROGESTERONE
SUPPOSITORY, HORSE

Number of Animals Evaluated
20

Sign
VAGINITIS

PROGESTERONE
SUPPOSITORY, CATTLE

Number of Animals Evaluated
402

Sign
INEFFECT, ESTRUS SYNCH
DISCHARGE, VULVA
TENESMUS
VAGINITIS
TECH ERROR ADMINISTRAT
FERTILITY, REDUCED
PD-COLOR, ABN
PROLAPSE, RECTUM
TENESMUS, RECTAL
DISCOMFORT
PD-IMPLANT, ABN
STRAINING
ANOREXIA
FERTILITY, LACK OF
PD-PRODUCT DEFECT
ABORTION
DEATH
REPRODUCTION DISORDER
SWELLING, UTERUS
SWELLING, VAGINA/VULVA
UDDER, HYPOGALACTIA
UDDER, MASTITIS

PROMAZINE
ORAL, MULE

Number of Animals Evaluated
1

Sign
INEFFECT, SEDATION

January 2, 2009

PROMAZINE
ORAL, HORSE

Number of Animals Evaluated
20

Sign

INEFFECT, SEDATION
HYPERACTIVITY
INEFFECT, TRANQUILIZAT
CONVULSION(S)
INEFFECT
RECUMBENCY
SEDATION TOO DEEP
THRASHING/PADDLING

PROMAZINE
ORAL, CATTLE

Number of Animals Evaluated
3

Sign

CONVULSION(S)
HYPERPNEA
NERVOUSNESS

PROPARACAINE
TOPICAL, HORSE

Number of Animals Evaluated
1

Sign

INEFFECT, ANESTHESIA

PROPARACAINE
OPHTHALMIC, CAT

Number of Animals Evaluated
4

Sign

VOMITING
DEATH
DEFECATION
HYPERSALIVATION

PROPARACAINE
OPHTHALMIC, CAT

Number of Animals Evaluated

4

Sign

SHOCK

ANAPHYLAXIS/TOID

COLLAPSE

CONVULSION(S)

DISTRESS, RESP

DYSPNEA

PLATELETS LO, BLD

URINATION

WEAKNESS

PROPOFOL
MISSING, DOG

Number of Animals Evaluated

1

Sign

CONVULSION(S)

THRASHING/PADDLING

PROPOFOL
TOPICAL, HUMAN

Number of Animals Evaluated

6

Sign

LACERATION(S), HAND(S)

HUMAN EXPOSURE, HAND(S)

PD-VIAL(S), DAMAGED

PD-VIAL(S), ABN

PROPOFOL
UNKNOWN, DOG

Number of Animals Evaluated

3

Sign

THRASHING/PADDLING

PROPOFOL
UNKNOWN, DOG

Number of Animals Evaluated
3

Sign

ANEMIA, AUTOIMMUNE HEM
CONGESTION
CONVULSION(S)
COOMBS TEST POS
FEVER, BODY
ICTERUS

PROPOFOL
VARIOUS, HUMAN

Number of Animals Evaluated
1

Sign

HYPOESTHESIA

PROPOFOL
PARENTERAL, CAT

Number of Animals Evaluated
21

Sign

APNEA
ARREST, HEART
BLINDNESS, TEMP
BRADYCARDIA
ANESTH RECOV PROLONGED
BLINDNESS
DEATH
PRESSURE LO, BLD
ATAXIA
CYANOSIS
DEATH(EUTHANIZED)
LARYNGOSPASM
RESPIRATORY DISORDER
UNCONSCIOUS
ARRHYTHMIA
CNS DISORDER
CONFUSION

PROPOFOL
PARENTERAL, CAT

Number of Animals Evaluated
21

Sign

CONVULSION(S)
DEPRESSION/LETHARGY
EDEMA, LUNG(S)/TRACHEA
EDEMA, PHARYNX
HYPERPNEA
HYPOPNEA
HYPOTHERMIA
INEFFECT, ANESTHESIA
INJ SITE SLOUGH
SHAKING
SPASM
TREMBLING

PROPOFOL
PARENTERAL, DOG

Number of Animals Evaluated
112

Sign

DEATH
INEFFECT, ANESTHESIA
APNEA
ARREST, HEART
BRADYCARDIA
CONVULSION(S)
ANESTH INDUC TURBULENT
INTERACTION, DRUG(S)
TREMBLING
VOCALIZATION
HYPERPNEA
OPISTHOTONOS
CONGESTION
CYANOSIS
ANESTH DURATION BRIEF
ANESTH RECOV PROLONGED
ARRHYTHMIA
CYANOSIS, MUCOUS MEMBR
FEVER, BODY
HYPERACTIVITY

PROPOFOL
PARENTERAL, DOG

Number of Animals Evaluated
112

Sign

ANAPHYLAXIS/TOID
ANESTH INDUCTION RAPID
ANESTH RECOV TURBULENT
ANOREXIA
DEPRESSION/LETHARGY
EDEMA, HEAD/FACE
EDEMA, LIMB(S)
EDEMA, LUNG(S)/TRACHEA
HYPOPNEA
INJ SITE SWELLING
LAMENESS
MUCOUS MEMBR, MUDDY
PALLOR, MUCOUS MEMBRAN
SPASM
VOMITING
WEIGHT LOSS
ANEMIA, AUTOIMMUNE HEM
ATROPHY, MUSCLE(S)
BLINDNESS, TEMP
BREATHING, PERIODIC
CAPILLARY REFILL PROLO
COAGULATION DISORDER
DEAFNESS, TEMP
DELIRIUM
ENLARGEMENT, LYMPH NOD
HEMATOCHEZIA
ICTERUS, BODY
INJ SITE ABSCESS
INJ SITE PAIN
LIVER DISORDER
LOCOMOTION DISORDER
NERVOUSNESS
PR-LIVER, LESION(S)
PRESSURE LO, BLD
PROPRIOCEPTIVE DISORDE
STUMBLING
TECH ERROR ADMINISTRAT
THRASHING/PADDLING
WBC HI, BLD

PROPOFOL
PARENTERAL, HUMAN

Number of Animals Evaluated
1

Sign

INJ SITE BLD
INJ SITE SWELLING

PROPOFOL
PARENTERAL, VARIOUS

Number of Animals Evaluated
3

Sign

FEVER, BODY
INJ SITE PAIN
PAIN, MUSCLE(S)
WEAKNESS

PROTOPAM CHLORIDE
PARENTERAL, DOG

Number of Animals Evaluated
3

Sign

ANAPHYLAXIS/TOID
DEATH

PSYLLIUM
ORAL, HORSE

Number of Animals Evaluated
1

Sign

DEATH
OBSTRUCTION, INTESTINE
PAIN, ABDOMEN

PYRANTEL
ORAL, CAT

PYRANTEL
ORAL, CAT

Number of Animals Evaluated

84

Sign

DIARRHEA
VOMITING
ATAXIA
DEPRESSION/LETHARGY
DEATH
ANOREXIA
HYPERSALIVATION
CONVULSION(S)
TREMBLING
DEATH(EUTHANIZED)
RECUMBENCY
WEAKNESS
DEHYDRATION
ERUPTION(S)
HYPOTHERMIA, BODY
ULCER(S), SKIN
ANEMIA
CONFUSION
FEVER, BODY
INEFFECT, ASCARIDS
INEFFECT, HOOKS
INEFFECT, WORMS
ADIPSIA
ARREST, HEART
BLINDNESS
BUN HI, BLD
COLLAPSE
CREATININE HI, BLD
DIARRHEA, MILD
DISCOMFORT
DYSPNEA
GLUCOSE LO, BLD
HYPOTHERMIA
ICTERUS, BODY
ICTERUS, SERUM
INTERACTION, DRUG(S)
KIDNEY FAILURE
MYDRIASIS
P HI, BLD
PALLOR

PYRANTEL
ORAL, CAT

Number of Animals Evaluated
84

Sign

PALLOR, MUCOUS MEMBRAN
POLYDIPSIA
POLYURIA
PR-LUNG(S), LESION(S)
STAGGERING
STOOL, MUCOID
SWELLING, FEET/DIGIT(S)
UNCONSCIOUS
WEIGHT LOSS

PYRANTEL
ORAL, DOG

Number of Animals Evaluated
986

Sign

DEATH
INEFFECT, ASCARIDS
VOMITING
DEPRESSION/LETHARGY
INEFFECT, HOOKS
DIARRHEA
ANOREXIA
CONVULSION(S)
INEFFECT, WORMS
HEMATOCHEZIA
ILL
WEAKNESS
HYPERALIVATION
DIARRHEA, BLOODY
DEATH(EUTHANIZED)
COUGHING
GAGGING
ATAXIA
DEHYDRATION
INEFFECT, LARGE STRONG
DEATH(TX FAILURE)
SHAKING
FROTH, MOUTH/LIP(S)

PYRANTEL
ORAL, DOG

Number of Animals Evaluated
986

Sign

ANEMIA
ADIPSIA
BLINDNESS
COLLAPSE
DIARRHEA, MILD
MELENA
PAIN
FEVER, BODY
TREMBLING
BLD, RECTUM
INEFFECT
PALLOR, MUCOUS MEMBRAN
TACHYCARDIA
VOMITING, BLOODY
CONSTIPATION
HEAD TILT
HYPOPNEA
PNEUMONIA, ASPIRATION
PR-GI, PARASITISM
RECUMBENCY
ABORTION
DIFFICULTY RISING
DISCHARGE, VULVA
DYSPNEA
PALLOR
PD-SUSPENSION, ABN
POLYDIPSIA
STOOL ABN
VOCALIZATION
ANAPHYLAXIS/TOID
DEAFNESS
GI, ABNORMAL
GLUCOSE LO, BLD
HYPERACTIVITY
SPASM
WEIGHT LOSS
BEHAVIOR DISORDER
DISCOMFORT
SWELLING, HEAD/FACE
URTICARIA

PYRANTEL
ORAL, DOG

Number of Animals Evaluated
986

Sign

VOMITING ROUNDWORMS
BILE ACIDS HI, BLD
BLD, ANUS
DIARRHEA, SEVERE
EDEMA, HEAD/FACE
HEMOGLOBIN, URINE
HYPERPNEA
HYPOTHERMIA
INEFFECT, STRONGYLES
ODOR, MOUTH
PARESIS
POLYPNEA
POLYURIA
PROLAPSE, RECTUM
PRURITIS
RASH
STUPOR
VOMITING, SEVERE
AGGRESSION
ALBUMIN HI, BLD
ALBUMIN LO, BLD
ALK PHOS HI, BLD
ANURIA
AZOTEMIA
BLD, MOUTH/LIP(S)
BLD, URINE
BLOAT
BREATHING ABN
BUN LO, BLD
CAPILLARY REFILL PROLO
CIRCLING
CONFUSION
CPK HI, BLD
DEFECATION
ENLARGEMENT(S)
EPISTAXIS
GLOBULIN LO, BLD
HEAD PRESSING
HEADACHE
HEPATOMEGALY

PYRANTEL
ORAL, DOG

Number of Animals Evaluated
986

Sign

INCONTINENCE, FECAL
INCONTINENCE, URINARY
INEFFECT, WHIPS
IRRITATION
LABOR, PREMATURE
LEG DISORDER
LIVER ENZYMES HI, BLD
LOCKJAW
LOCOMOTION DISORDER
MUCOUS MEMBR, ABN COLO
NAUSEA
NEUROLOGICAL DISORDER
NEUROPATHY
ODOR
PAIN, ABDOMEN
PAIN, JOINT(S)
PAIN, LIMB(S)
PARALYSIS
PARALYSIS, ALL LIMBS
PARESIS, HIND LIMB(S)
PR-HEART, LESION(S)
PR-KIDNEY(S), LESION(S)
PR-LIVER, LESION(S)
PR-SM INTEST, LESION(S)
PROPRIOCEPTIVE DISORDE
RADIOGRAPH(S) ABN
RELUCTANT TO MOVE
RESPIRATORY DISORDER
SGPT/ALT HI, BLD
SNEEZING
SOMNOLENCE
SPERM ABN
STAGGERING
STIFFNESS
STIFFNESS, LIMB(S)
SWELLING, LIMB(S)
SWELLING, MOUTH/LIP(S)
SWELLING, VENTRUM
THRASHING/PADDLING
TWITCH

PYRANTEL
ORAL, DOG

Number of Animals Evaluated
986

Sign

UNCONSCIOUS
URINATION
VOMITING, UNPRODUCTIVE

PYRANTEL
ORAL, PIG

Number of Animals Evaluated
2235

Sign

INEFFECT, STRONGYLES
INEFFECT, WORMS
LOSS OF CONDITION
INEFFECT
DEATH
INEFFECT, ASCARIDS
DIARRHEA

PYRANTEL
ORAL, GOAT

Number of Animals Evaluated
1

Sign

CONVULSION(S)
LIVER ENZYMES HI, BLD
TWITCH

PYRANTEL
ORAL, HORSE

Number of Animals Evaluated
596

Sign

INEFFECT, STRONGYLES
INEFFECT, WORMS
PAIN, ABDOMEN

PYRANTEL
ORAL, HORSE

Number of Animals Evaluated
596

Sign

DIARRHEA
ANOREXIA
INEFFECT, PARASITE(S)
ATAXIA
CONFUSION
STIFFNESS, NECK
DEPRESSION/LETHARGY
INEFFECT, STRONGYLE LA
PD-TUBE(S), ABN
UNPALATABLE, WON'T SWA
UNPALATABLE, WON'T EAT
INEFFECT, SMALL STRONG
HAIR, ABN
NERVOUSNESS
DEATH
DYSPNEA
FEVER, BODY
POLLAKIURIA
WEIGHT LOSS
ALOPECIA
INEFFECT, ASCARIDS
SWEATING
DERMATITIS, MOIST
DIARRHEA, MILD
DISTENTION, ABDOMEN
INEFFECT, LARGE STRONG
PRURITIS, TAIL
DIARRHEA, SEVERE
EOSINOS HI, BLD
GGT HI, BLD
ILL
URTICARIA
GLUCOSE LO, BLD
HYPERACTIVITY
INEFFECT
LOSS OF CONDITION
TACHYCARDIA
WBC HI, BLD
ABORTION
DISCHARGE, EYE(S)/LID(S)

PYRANTEL
ORAL, HORSE

Number of Animals Evaluated
596

Sign

DISCHARGE, NOSE
RECUMBENCY
SNEEZING
ADIPSIA
BLOAT
EDEMA, HEAD/FACE
ENTERITIS
LAMINITIS
RUPTURE, STOMACH
AGGRESSION
ANEMIA
APPREHENSION
BEHAVIOR DISORDER
BORBORYGMI
CACHEXIA
DEATH(EUTHANIZED)
EDEMA, LIMB(S)
ESTRUS BEHAVIOR
INEFFECT, PINWORMS
NEUROLOGICAL DISORDER
PERITONITIS
PLATELETS HI, BLD
POLYPNEA
PROTEIN(TOT) HI, BLD
SHOCK
SWELLING, MOUTH/LIP(S)
TREMBLING
ALK PHOS HI, BLD
ANEMIA, REGEN
BILIRUBIN(TOT) HI, BLD
CONVULSION(S)
CYANOSIS
ERUPTION(S)
GRINDING TEETH
HAIR, SHEDDING
HYPERMOTILITY
HYPERSALIVATION
ICTERUS
INFLAM, SKIN
K HI, BLD

PYRANTEL
ORAL, HORSE

Number of Animals Evaluated
596

Sign

MYOSITIS
P LO, BLD
PAIN
PLATELETS LO, BLD
POLYCYTHEMIA
PR-GI, PARASITISM
PR-INTEST, LESION(S)
PR-MULT SITES, BLD
PR-STOMACH, LESION(S)
PRESSURE HI, BLD
PROLAPSE, RECTUM
RBC, ANISO
RBC, POLYCHROM
SEDATION
SELF-MUTILATION
SGOT/AST HI, BLD
SOMNOLENCE
STOOL ABN
SWELLING, LIMB(S)
ULCER(S), GI
ULCER(S), MOUTH/LIP(S)
ULCER(S), STOMACH

PYRANTEL
ORAL, HUMAN

Number of Animals Evaluated
2

Sign

ARRHYTHMIA
DIARRHEA

PYRANTEL
ORAL, VARIOUS

Number of Animals Evaluated
22

Sign

PYRANTEL
ORAL, VARIOUS

Number of Animals Evaluated
22

Sign

INEFFECT, ASCARIDS

PYRANTEL
MISSING, DOG

Number of Animals Evaluated
46

Sign

DIARRHEA
DEPRESSION/LETHARGY
VOMITING
INEFFECT, WORMS
INEFFECT, HOOKS
ANOREXIA
CONVULSION(S)
INEFFECT, ASCARIDS
BLINDNESS
DEATH
HYPERALIVATION
SHAKING
VOMITING, BLOODY
ADIPSIA
BEHAVIOR DISORDER
DELIRIUM
ILL
NAUSEA
PAIN
POLYDIPSIA
SEDATION
WEIGHT LOSS

PYRANTEL
TOPICAL, CAT

Number of Animals Evaluated
1

Sign

CREATININE HI, BLD

PYRANTEL
TOPICAL, CAT

Number of Animals Evaluated
1

Sign

DEPRESSION/LETHARGY
INEFFECT, ASCARIDS
K LO, BLD
WEIGHT LOSS

PYRANTEL
UNKNOWN, CAT

Number of Animals Evaluated
2

Sign

ATAXIA
DEPRESSION/LETHARGY
DIARRHEA, BLOODY
HYPOTHERMIA
MYDRIASIS
VOMITING

PYRANTEL
UNKNOWN, DOG

Number of Animals Evaluated
49

Sign

INEFFECT, WORMS
DEPRESSION/LETHARGY
ATAXIA
SHAKING
DEATH
GRANULOMA
INJ SITE INFLAM
ILL
VOMITING
ANOREXIA
DIARRHEA
WEIGHT LOSS
ADIPSIA
DIARRHEA, MILD

PYRANTEL
UNKNOWN, DOG

Number of Animals Evaluated
49

Sign

FEVER, BODY
INEFFECT, ASCARIDS
INSOMNIA
LICKING, FEET/DIGIT(S)
SWELLING, HEAD/FACE

PYRANTEL
UNKNOWN, UNKNOWN

Number of Animals Evaluated
1

Sign

INEFFECT, WORMS

PYRANTEL
PARENTERAL, DOG

Number of Animals Evaluated
36

Sign

INJ SITE ABSCESS
CONVULSION(S)
DIARRHEA
HYPERALIVATION
VOMITING
WEAKNESS
DEPRESSION/LETHARGY
PAIN
INJ SITE SWELLING
BITING/CHEWING
FROTH, MOUTH/LIP(S)
INJ SITE INFLAM
INJ SITE PAIN
TECH ERROR ADMINISTRAT

PYRANTEL
PARENTERAL, HORSE

January 2, 2009

PYRANTEL
PARENTERAL, HORSE

Number of Animals Evaluated
1

Sign

INJ SITE ABSCESS

PYRILAMINE
PARENTERAL, HORSE

Number of Animals Evaluated
4

Sign

INJ SITE SWELLING
ENLARGEMENT, LYMPH NOD
FEVER, BODY

RACTOPAMINE
ORAL, DOG

Number of Animals Evaluated
5

Sign

DEPRESSION/LETHARGY
TACHYCARDIA
ANOREXIA
CYANOSIS, MUCOUS MEMBR
DEATH
DIARRHEA, SEVERE
FEVER, BODY
MUCOUS MEMBR, ABN COLO
PR-KIDNEY(S), LESION(S)
STIFFNESS

RACTOPAMINE
ORAL, PIG

Number of Animals Evaluated
144041

Sign

HYPERACTIVITY
APPREHENSION

RACTOPAMINE
ORAL, PIG

Number of Animals Evaluated
144041

Sign

RECUMBENCY
COLLAPSE
MEAT, ABN COLOR
DEATH
STOOL ABN
BEHAVIOR DISORDER
NERVOUSNESS
RELUCTANT TO MOVE
FERTILITY, LACK OF
DIFFICULTY RISING
INEFFECT, WEIGHT INC
DIARRHEA, MILD
DEPRESSION/LETHARGY
STIFFNESS
VOCALIZATION
SPASM
PAIN
POLYDIPSIA
TREMBLING
CYANOSIS
LAMENESS
DYSPNEA
AGGRESSION
HOOF DISORDER
ANOREXIA
INTERACTION, DRUG(S)
TWITCH
STIFFNESS, LIMB(S)
INEFFECT
LOCOMOTION DISORDER
INEFFECT, LEAN CARCASS
POLYPNEA
ATAXIA
FERTILITY, REDUCED
WEAKNESS
SHAKING
CONGESTION, SKIN
BLD, FEET/DIGIT(S)
PR-MUSCLE(S), LESION(S)
ACIDOSIS

RACTOPAMINE
ORAL, PIG

Number of Animals Evaluated
144041

Sign

HYPERTONIA
DEATH(EUTHANIZED)
TACHYCARDIA
INJURY
HEART DISORDER
PR-LIVER, LESION(S)
PR-KIDNEY(S), LESION(S)
BITING/CHEWING
MEAT ABN
STIFFNESS, HIND LIMB(S)
DIARRHEA
PR-BONE(S), LESION(S)
FEVER, BODY
DIARRHEA, BLOODY
LESION(S), SKIN
PARESIS, HIND LIMB(S)
RELUCTANT TO CLIMB
SWELLING, LIMB(S)
TAIL DISORDER
BLD
DISCHARGE, VULVA
PALLOR
SWELLING, JOINT(S)
URTICARIA
PAIN, FEET/DIGIT(S)
PR-BLADDER, LESION(S)
PR-PERICARDIAL EFFUSIO
PR-URETHRA, LESION(S)
ANESTRUS
ESTRUS CYCLE ABNORMAL
INEFFECT, PRODUCTION (MEAT)
VOMITING
CONVULSION(S)
DEATH(SLAUGHTERED)
JOINT DISORDER
BLD, GI
BLD, URINE
EDEMA
MYOSITIS
PAIN, JOINT(S)

RACTOPAMINE
ORAL, PIG

Number of Animals Evaluated
144041

Sign

PARALYSIS, HIND LIMB(S)
PARESIS
PARESIS, FORELIMB(S)
PROLAPSE
RUPTURE

RACTOPAMINE
ORAL, CATTLE

Number of Animals Evaluated
5684

Sign

ANOREXIA
UNPALATABLE, WON'T EAT
BLOAT
MEAT ABN
POLYPHAGIA
MEAT, ABN COLOR
DEATH
HYPERACTIVITY
LEG DISORDER
STIFFNESS, LIMB(S)
INEFFECT, PRODUCTION (MEAT)
INEFFECT, WEIGHT INC
LOCOMOTION DISORDER
STIFFNESS, HIND LIMB(S)
GI, ABNORMAL
AGGRESSION
RESPIRATORY DISORDER
DIGESTION DISORDER
DIARRHEA
ENTERITIS
FEVER, BODY
PR-INTEST, LESION(S)
ACIDOSIS, RUMEN
BLD(HEMATOMA)
DISCHARGE, NOSE
PNEUMONIA
POLYPNEA

RACTOPAMINE
ORAL, CATTLE

Number of Animals Evaluated
5684

Sign

PR-STOMACH, LESION(S)
RECUMBENCY
STIFFNESS
SWEATING

RACTOPAMINE
ORAL, VARIOUS

Number of Animals Evaluated
2

Sign

RESIDUE, MEAT
RESIDUE, URINE

RACTOPAMINE
TOPICAL, HUMAN

Number of Animals Evaluated
2

Sign

APPLICATION SITE PAIN
CIRCULATORY DISORDER
ERUPTION(S)
PAIN, LIMB(S)

RACTOPAMINE
UNKNOWN, PIG

Number of Animals Evaluated
2

Sign

LAMENESS

RACTOPAMINE
UNKNOWN, HUMAN

RACTOPAMINE
UNKNOWN, HUMAN

Number of Animals Evaluated
4

Sign

PAIN, BRISKET/CHEST
ANAPHYLAXIS/TOID
ANEMIA
PAIN
PAIN, LIMB(S)
PLATELETS ABN
RESPIRATORY DISORDER
TACHYCARDIA

RACTOPAMINE
VARIOUS, HUMAN

Number of Animals Evaluated
3

Sign

TACHYCARDIA
ARRHYTHMIA
DIZZINESS
ECG ABN
RESPIRATORY DISORDER
SPASM

RACTOPAMINE
INHALATION, DOG

Number of Animals Evaluated
1

Sign

ANOREXIA
POLYPNEA
TACHYCARDIA

RACTOPAMINE
INHALATION, HUMAN

Number of Animals Evaluated
2

RACTOPAMINE
INHALATION, HUMAN

Number of Animals Evaluated
2

Sign

EPISTAXIS
FEVER, BODY
HYPOESTHESIA
NAUSEA
WEAKNESS

RACTOPAMINE, TYLOSIN
ORAL, DOG

Number of Animals Evaluated
1

Sign

BLOAT
DEPRESSION/LETHARGY
DISTENTION, ABDOMEN

RACTOPAMINE, TYLOSIN
ORAL, PIG

Number of Animals Evaluated
2143

Sign

VOCALIZATION
BITING/CHEWING
PAIN
TAIL DISORDER
LAMENESS
HOOF DISORDER
LOCOMOTION DISORDER
RECUMBENCY
STIFFNESS
DEATH
RELUCTANT TO MOVE
SHAKING

ROMIFIDINE
UNKNOWN, HORSE

ROMIFIDINE
UNKNOWN, HORSE

Number of Animals Evaluated

4

Sign

INJ SITE SWELLING
PAIN, ABDOMEN
PD-POTENCY, LO
SEDATION TOO BRIEF
SPASM
SWELLING, HEAD/FACE
SWELLING, MOUTH/LIP(S)

ROMIFIDINE
PARENTERAL, HORSE

Number of Animals Evaluated

12

Sign

RECUMBENCY
KICKING
PAIN, ABDOMEN
SWEATING
ANOREXIA
ATAXIA
SYNCOPE
APNEA
BRADYCARDIA
COLLAPSE
CONVULSION(S)
DEATH
DEFECATION ABN
HYPERACTIVITY
INEFFECT, SEDATION
NEUROLOGICAL DISORDER
SEDATION PROLONGED
SEDATION TOO DEEP
TWITCH
URINATION ABN

ROXARSONE
ORAL, DOG

ROXARSONE
ORAL, DOG

Number of Animals Evaluated
2

Sign

ANOREXIA
DEPRESSION/LETHARGY
WEIGHT LOSS

ROXARSONE
ORAL, CHICKEN

Number of Animals Evaluated
50

Sign

ATAXIA
PARALYSIS
WEAKNESS
DEATH

ROXARSONE
VARIOUS, HUMAN

Number of Animals Evaluated
13

Sign

HUMAN EXPOSURE, INGEST
HUMAN EXPOSURE, INHALA
IMMUNE DISORDER
NEOPLASM
DEATH

ROXARSONE, SALINOMYCIN
ORAL, HORSE

Number of Animals Evaluated
2

Sign

BUN HI, BLD
CA HI, BLD
