Georgia, 2006

Primary and secondary syphilis

- CASES: Georgia reported 581 cases in 2006.
- RATES: Georgia ranked 4 among 50 states, DC, and 3 territories with 6.4 cases per 100,000 population compared to the total rate of 3.3 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Georgia, the rate among males was 12.0 per 100,000 population compared to the total male rate of 5.7 per 100,000.
- The rate among females was 0.9 per 100,000 compared to the total female rate of 1.0 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In Georgia, the race/ethnicity adjusted rates per 100,000 population were 3.1 among whites, 14.3 among blacks, 3.4 among Hispanics, 1.2 among Asian/Pacific Islanders, and 9.6 among American Indians/Alaska Natives.

- The rate among blacks was 4.6 times that of whites.
- The rate among Hispanics was 1.1 times that of whites.
- The rate among American Indians/Alaska Natives was 3.1 times that of whites.


Congenital syphilis

- CASES: Georgia reported 9 cases in 2006.
- RATES: Georgia ranked 17 among 26 states, DC, and 1 territory reporting congenital syphilis cases with a rate of 6.5 cases per 100,000 live births compared to the total rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Georgia, 1997-2006



Total P&S Syphilis Rates by County, Georgia, 2006



Rate (per 100,000 population)

