

# Fishery Bulletin Index

Volume 103(1–4), 2005

## List of subjects

- Abundance  
 Argentine  
 hake 445  
 sandperch 195  
 California sea lion 331  
 flathead sole 648  
 sockeye salmon 355  
*Acanthochromis polyacanthus* 561  
 Acoustic survey 445  
 Aerial survey 270, 331  
 Age  
 and growth  
 damselfish 561  
 gray snapper 307  
 shark, spinner 280  
 silvergray rockfish 670  
 striped trumpeter 169  
 thorny skate 161  
 at maturity 635  
 determination  
 Rikuzen sole 635  
 striped mullet 601  
 estimates  
 accuracy 544  
 precision 544  
 validation  
 damselfish 561  
 gray snapper 307  
 Pacific cod 153  
 rockfish  
 black 553  
 quillback 97  
 spot 544  
 striped trumpeter 169  
 Age-0 207  
 Aggregation 404  
 Alaska 97, 207, 247, 270, 355, 469,  
 501, 524, 553, 574, 648  
 Alaska Peninsula 270, 648  
 Albacore 620  
 Aleutian Islands 246, 501, 524  
 Allozymes 524  
*Alopias vulpinus* 620  
*Amblyraja radiata* 161, 536  
 ANOVA 685, 712, 725  
 Archival tag 292  
 Argentina 195  
*Argopecten irradians* 712  
*Argyrozona argyrozona* 258  
 Atlantic Ocean 516, 536, 659  
 southwest 445  
 northwest 161, 280, 553, 588, 720  
 western 404, 417  
 Australia 169, 183, 344, 561  
 Automated algorithm 292  
 Back-calculation 130, 153, 461  
 Bahamas 588  
 Band count, vertebral section 161  
 Bass  
 Australian 183  
 black sea 1  
 Batch fecundity 258  
 Batch spawner 15  
 Beaufort Inlet 725  
 Belize 426  
 Bering Sea 153, 501, 524, 574  
 Bioenergetics model 71  
 Biomass  
 Pacific cod 501  
 seagrass 712  
 sea urchin 320  
 walleye pollock 574  
 Bluefish 461  
 Body condition 635  
 Bogue Sound 712  
 Bone measurements 461  
 Bottom trawl  
 fishery 670  
 nets 574  
*Brevoortia tyrannus* 725, 728  
 Bristol Bay 355  
 British Columbia 670  
 Bycatch mortality 574  
*Callinectes sapidus* 433  
 California 130, 331, 553, 685  
 Canonical correspondence analysis  
 (CCA) 108  
 Canonical variates analysis  
 (CVA) 588  
 Cape rock lobster 52  
 Carangidae 426  
 Carapace base 52  
*Carcharhinus brevipinna* 280  
*Caretta caretta* 142  
*Carinaria cithara* 142  
 Caribbean 420, 516  
 Catch efficiency 438  
 Catch per unit of effort 438, 469,  
 501, 620, 670, 685  
 Central California Valley Index  
 (CVI) 685  
*Centropristis striata* 1  
 Chesapeake Bay 720  
 Chiniak Bay 469  
 Chi-square test 620  
 Chondrophore 142  
 Circulus spacing 34,  
 Cirripedia 142  
*Clupea pallasii* 130  
 Cod, Pacific 153, 501  
 Codends 1  
 Colima coast 453  
 Commercial harvest 712  
 Commercial passenger fishing  
 vessel 685  
 Commercial traps 52  
 Commercial troll fishery 685  
 Conductivity-temperature-depth  
 probe 108  
 Copepod parasite 670  
 Coral reef 561  
 Courtship behavior 426  
 CPUE 438, 469, 501, 620, 670, 685  
 Crabs, blue 433  
 Croaker  
 Atlantic 728  
 Cross-shelf  
 transport 728  
 variation 108, 561  
 Current 438  
*Cynoscion nannus* 453  
 Damselfish 561  
 Decapoda 142  
 Deep snapper resources 417  
 Demographic assessment 561  
 Depredation 685  
*Dexistes rikuzenius* 635  
 Diet, loggerhead turtle 142  
 Discard 620  
 mortality 1, 720  
 to-landings ratio 1  
 Displacement 659  
 Distribution  
 and abundance  
 Argentine sandperch 195  
 vertical larval 728  
 walleye pollock 574  
 DNA 516, 588  
*Dosidicus gigas* 219  
 Drag and lift 63  
 Dredging 712  
 Egg  
 geographic distribution and  
 abundance 648  
 mortality 130  
 production 445  
 Elasmobranch 536  
 El Niño 71, 553  
 Southern Oscillation 685  
 Endangered Species Act 270  
 Energetic cost 63  
 Energy consumption 71  
*Enhydra lutris* 270

- Escapement, from lobster trap 52  
 Essential fish habitat 659  
 Estuarine bivalve fisheries 712  
 Estuarine-dependent species 728  
*Etelis oculatus* 417  
*Eumetopias jubatus* 246, 501  
 External body metric 23  
 Fecundity  
   gravimetric estimates 15  
   Rikuzen sole 635  
   silvergray rockfish 670  
   stereological estimates 15  
   thornyhead 15  
   thorny skate 536  
 Feeding habits 411, 453  
 First increment formation 544  
 Fisheries management 1, 229, 380,  
   392, 469, 501  
 Fishery biology 417  
 Fishery interaction 685  
 Fishing gear 620, 712  
 Fishing mortality 720  
 Flatfishes 469  
 Flounder  
   gulf 728  
   southern 728  
   summer 728  
 Flow, vertically structured 728  
 G-statistic 728  
*Gadus macrocephalus* 153, 501  
*Galeorhinus galeus* 620  
 Gametogenesis 601  
 Gas platforms 438  
 Gastropoda 142  
 Gene sequences 516  
 Genetic identification 516, 588  
 Genetic variation 524  
 Geographic  
   distribution 648  
   variation 207  
 Geolocation 292  
 Georgia 108  
 Gompertz model 280  
 Gonadal maturation 635  
 Gonad development 601  
 Gonadosomatic index 536, 635  
 Grand Banks 720  
 Gravimetric technique 15  
 Grapsidae 142  
 Gray's Reef National Marine  
   Sanctuary 108  
 Great Barrier Reef 561  
 Groundfish 469, 501  
 Growth 380, 392  
   damselfish 561  
   dimorphism 670  
   effects of fishing on 392  
   Pacific herring 130  
   rate, daily 219  
   salmon 34  
   scale 355  
   seasonal variation 34  
   Steller sea lion 246  
   striped trumpeter 169  
   thorny skate 161  
 Gulf  
   of Alaska 246, 524, 648  
   of California 219  
   of Maine 161, 536  
   of Mexico 280, 438, 516  
 Habitat  
   destruction 712  
   flatfish 469  
 Hake  
   Argentine 445  
   European 411  
 Halibut, Pacific 469  
 Harvesting, effects of 712  
 Hepatosomatic index 536  
 Herring, Pacific 130  
 Heteropoda 142  
*Hippoglossoides elassodon* 469,  
   648  
*Hippoglossus stenolepis* 469  
 Hook type mortality estimates 91  
 Horizontal transport 728  
 Hydrodia 142  
 Ichthyoplankton 108, 195, 371,  
   648  
 Identification 516, 588  
 Incidental catch 620  
 Increment formation 544  
 Indirect validation 153  
 Individual-based model 392  
 Individual variability 380  
 Interannual variability 469  
 Inverse distance-weighted 574  
 Isochronal spawning fish 610  
 Istiophoridae 588  
*Istiophorus platypterus* 588  
*Isurus oxyrinchus* 489, 620  
 Jalisco coast 453  
*Janthina* spp. 142  
 Japan 373, 635  
*Jasus lalandii* 52  
 Juvenile  
   Argentine sandperch 195  
   effects of turbidity on 438  
   flatfish 469  
   Pacific herring 130  
   salmon 34  
   scallops 712  
   spot 544  
   walleye pollock 207  
 Kamchatka coast 524  
 Kruskal-Wallis test 620  
 Kodiak Island 207, 648  
*Lamna nasus* 489  
 Larval fish  
   abundance 195, 648  
   age estimation 544  
   assemblages 108  
   Atlantic menhaden 725  
   billfish 588  
   cross-shelf variation 108  
   development 183, 195, 207  
   diet 207  
   distribution 371, 648  
   effects of turbidity 438  
   feeding conditions 371  
   flathead sole 648  
   geographic variation 207  
   growth 207, 371  
   mortality 130  
   seasonal variation 108  
   survival 130  
   transport 728  
*Latris lineata* 169  
*Leiostomus xanthurus* 5 44, 728  
 Length at maturity 489  
 Length correction 720  
 Length frequency 380  
*Lepas* spp. 142  
*Lepidopsetta* spp. 469  
 Life history 183, 195, 229, 536, 670,  
   392  
 Light traps 438  
 Linear regression analysis 725  
 Linear regression model 433, 588  
 Lobster  
   Hawaiian spiny 23  
   slipper 23  
   South African Cape rock 52  
 Logistic 280  
 Longevity 433  
 Longline 720  
 Louisiana 307  
 Lowrie Island rookery 246  
 Lunar periodicity 426  
 Lutjanidae 420  
*Lutjanus*  
   *analis* 404  
   *griseus* 307  
 Mackerel  
   Japanese Spanish 371  
   narrow-barred Spanish 344  
*Macquaria*  
   *colonorum* 183  
   *novemaculeata* 183  
*Makaira nigricans* 588, 659  
 Maine 320  
 Marginal increment 161

- Marlin  
   blue 588, 659  
   white 84, 588, 659  
 Marine mammal 331  
 Marine protected areas 258  
 Maturity  
   lobster 23  
   pelagic sharks 489  
   Rikuzen sole 635  
   silvergray rockfish 670  
   striped mullet 601  
 Maximum  
   age 433  
   likelihood 380  
   sustainable yield 659  
 Mediterranean Sea 411, 620  
 Menhaden, Atlantic 725, 728  
*Merluccius*  
   *hubbsi* 445  
   *merluccius* 411  
 Mesh size 52  
 Mesoscale variation 207  
 Metabolic cost estimation 63  
 Mexico 219, 453  
*Micropogonias undulatus* 728  
 Mid-Atlantic Bight 1  
 Migration  
   jumbo squid 219  
   walleye pollock 574  
 Mitochondrial DNA 516  
 Models  
   Bayesian 524  
   bioenergetic 71  
   generalized additive model (GAM) 670  
   general linear model (GLM) 670  
   growth 169, 380, 392, 670  
   linear regression 433, 489  
   Leslie 501  
   Levenburg-Marquardt 601  
   mortality 380, 433, 489  
   Schnute growth model 670  
   von Bertalanffy 380, 392  
 Monte Carlo simulation 588  
 Monterey Bay 685  
 Morphological-based maturity 23, 601  
 Morphometrics 588  
 Mortality 380, 433  
   blue shark 720  
   damsel fish 561  
   gray snapper 307  
   hook type 84  
   natural, estimation of 422  
   release 720  
   sea turtle 142  
   striped trumpeter 169  
 Moss Landing 685  
 Movement  
   patterns 659  
   vertical 728  
*Mugil cephalus* 601  
 Multivariate analysis 108  
  
 Natural mortality 433  
 Neonatal growth 246  
 Neustonic species 142  
 New Hampshire 536  
 New Zealand 489  
 Nonparametric analysis of variance 620  
 North Atlantic, western 84  
 North Carolina 712, 725  
 North Pacific, central 142  
*Notolabrus fucicola* 697  
 Nursery quality 207  
  
 Ocean regime shift 355  
 Oil platforms 438  
*Oncorhynchus*  
   *gorbuscha* 355  
   *kisutch* 34  
   *nerka* 355  
   *tshawytscha* 685  
 Ontogenesis 411  
 Oocyte maturation 635  
 Oogenesis 601, 635  
 Opportunistic feeders 142  
 Oregon 34  
 Original prey size 461  
 Otariidae 246  
 Otolith 97, 130, 153, 169, 307, 373, 544, 553, 561, 601, 635, 670  
 Otolith microchemistry 553  
 Ovarian atresia 601  
 Ovary 1, 23, 536  
 Oxygen isotope 55  
  
 Pacific Ocean  
   eastern 71, 453, 685  
   north 355, 635  
   northeastern 15, 130, 292, 331, 648  
*Panulirus marginatus* 23  
*Paralichthys*  
   *albiguta* 728  
   *dentatus* 728  
   *lethostigma* 728  
 Parasites 524  
 Patagonia 195  
 Patagonian stock 445  
 Pelagic Observers Program, U.S. Atlantic 720  
*Penaeus semisulcatus* 380  
 Perch, estuary 183  
 Percichthyidae 183  
 Permit 426  
 Phenotypic plasticity 229  
 Phylogenetics 516  
 Pigmentation patterns 588  
 Pinguipedidae 195  
 Pinniped 331, 685  
  
 Pleopod measurement 23  
*Pleuronectes asper* 469  
 Pollock, walleye 207, 574  
 Pomacentridae 561  
*Pomotomus saltatrix* 461  
 Population  
   decline 270  
   dynamics 229  
 Pop-up satellite archival tags 63, 84, 292, 659  
 Postrelease survival 84  
 Postspawning morphology 601  
 Poststratification 469  
 Potential energetic costs 63  
 Prawn, tiger 380  
 Preservation shrinkage 725  
 Prey size 461  
*Prionace glauca* 489, 620, 720  
 Protogynous sex change 229  
*Pseudopercis semifasciata* 195  
 Punta Cana 659  
 Pup, sea lion 246  
 Pyrosomas 142  
  
 Radiocarbon 97, 307  
 Rajidae 536  
 Ray, cownose 63  
 Recreational fishery 84  
   salmon 685  
 Recruitment  
   Argentine hake 445  
   gray snapper 307  
   silvergray rockfish 670  
 Reef fish 426, 369  
 Reef promontory 426  
 Regression analysis 34, 142  
 Release mortality 720  
 Reproductive development 344, 601  
 Reproductive maturity 670  
 Reproduction  
   carpenter seabream 258  
   marlin 659  
   pelagic shark 489  
   Rikuzen sole 635  
   Spanish mackerel 344  
   thorny skate 536  
   striped mullet 601  
 Restriction fragment length polymorphism analysis 588  
*Rhinoptera bonasus* 63  
 Riley's Hump 404  
 Rockfish  
   age validation 97  
   black 553  
   bioenergetics model 71  
   quillback 97  
   rougheye 524  
   shortraker 524  
   silvergray 670  
   trophic ecology 71  
   yelloweye 97

- Rookeries 246  
 Russia 524
- Sailfish 588
- Salmon  
   Asian pink 355  
   coho 34  
   chinook 685  
   sockeye 355
- Sandperch, Argentine 195
- San Francisco Bay 130
- Sarcotaces arcticus* 670
- Santa Cruz 685
- Scale circuli 34, 355,
- Scallops, bay 712
- Scup 1
- Sciaenidae 453
- Scomberomorus*  
   *commerson* 344  
   *niphonius* 371
- Scombridae 371
- Scorpaenidae 15, 71
- Scyllarides squamosus* 23
- Sea bass, black 1
- Seabream, carpenter 258
- Seagrass 712
- Sea lion  
   California 331, 685  
   Steller 246, 501
- Sea of Hiuchi 373
- Sea otter, northern 270
- Sea-surface temperature 292
- Seasonal growth 34, 179, 355
- Seasonal migration 219
- Seasonal variation 108
- Sea turtles  
   loggerhead 142
- Sea urchin, Maine green 320
- Sebastes* spp. 71  
   *aleutianus* 524  
   *borealis* 524  
   *brevispinis* 670  
   *maliger* 97  
   *melanops* 553  
   *mystinus* 74  
   *ruberrimus* 97
- Sebastolobus*  
   *alascanus* 15  
   *atvelis* 15
- Selection differentials 392
- Selectivity curves 52
- Senescence 635
- Semidemersal gadid 207
- Sequence 516
- Seto Inland Sea 371
- Sexual differentiation 601
- Sexual dimorphism 169, 635
- Sharks 516  
   blue 489, 620 574  
   coastal 280  
   common thresher 620  
   pelagic 489, 620  
   porbeagle 489  
   shortfin mako 489, 620  
   spinner 280  
   tope 620
- Size at maturity 258, 601
- Skate, thorny 161, 536
- Snapper  
   gray 307  
   mutton 404  
   queen 417
- Sole  
   flathead 469  
   Rikuzen 635  
   rock 469  
   yellowfin 469
- South Africa 52, 258
- South America 183
- South Carolina 601
- Southeast United States continental shelf 108, 728
- Sparidae 258
- Spatial analysis 320
- Spatial distribution 574, 648
- Spatial variability 320
- Spawning  
   aggregations 404, 426  
   behavior 426  
   date distribution 130  
   flathead sole 648  
   frequency 258, 344  
   habitat 659  
   marlin 659  
   mutton snapper 404  
   Pacific herring 130  
   pattern change 445  
   per-recruit 229  
   season 258
- Spawning stock biomass per recruit analysis 670
- Species identification 516
- Spermatogenesis 536
- Spot 544, 728
- Squid, jumbo 219
- Starch gel electrophoresis 524
- Stenotomus chrysops* 1
- Stereological techniques 15
- Stock  
   assessment 320, 433, 670  
   dynamics 229  
   management 670
- Straits of Florida 588
- Strip transect survey 270, 331
- Strongylocentrotus droebachiensis* 320
- Student-Newman-Keul test 685, 712
- Submerged aquatic vegetation 712
- Subtropical front 142
- Survival rate 620
- Swordfish 620
- Tagging  
   jumbo squid 219  
   pop-up satellite 63, 84, 292, 659
- Temperature 561, 574
- Temporal distribution 648
- Tetrapturus albidus* 84, 588, 648
- Theragra chalcogramma* 207, 574
- Thornyhead  
   shortspine 15  
   longspine 15
- Thunnus*  
   *alalunga* 620  
   *thynnus* 620  
   *thynnus orientalis* 292
- Tortugas South Ecological Reserve 404
- Trachinotus falcatus* 426
- Trap selectivity 52
- Trawl survey 445, 501, 574  
   echo integration 574  
   groundfish 469
- Triangulated Irregular Networks 320
- Trophic breadth variation 453
- Trumpeter, striped 169
- Tsitsikamma National Park 258
- Tukey HSD test 725
- Tuna  
   bluefin 620  
   Pacific bluefin 292
- Turbidity 438
- U.S. Atlantic Pelagic Observers Program 720
- Variation  
   genetic 524  
   spawning frequency 344
- Velevella velevella* 142
- Vertebral band analysis 161
- Vertical distribution 728
- von Bertalanffy 380  
   damselfish 561  
   gray snapper 307  
   Pacific cod 153  
   spinner shark 280  
   striped trumpeter 169  
   thorny skate 161
- Washington 34, 524
- Water column 728
- Wax histology technique 601
- Weakfish, dwarf 453
- Wrasse, purple 697
- Xiphias gladius* 620
- Year-class strength 130
- Zalophus californianus* 331, 685
- Zostera marina* 712