

9. REFERENCES

Aage HK, Korsbech U, Bargholz K, et al. 1999. A new technique for processing airborne gamma ray spectrometry data for mapping low level contaminations. *Appl Radiat Isot* 51:651-662.

Aarkrog A. 1994. Doses from the Chernobyl accident to the nordic populations. In: Dahlgaard H, ed. *Studies in environmental science. Nordic radioecology: The transfer of radionuclides through nordic ecosystems to man.* Vol. 62. New York, NY: Elsevier Science Publishers, 433-456.

Aarkrog A, Baxter MS, Bettencourt AO, et al. 1997. A comparison of doses from ^{137}Cs and ^{210}Po in marine food: A major international study. *J Environ Radioact* 34(1):69-90.

Abdul-Majid S, Abulfaraj W. 1992. Radioactivity concentration in soil in Jeddah area, Saudi Arabia. *J Environ Sci Health Part A* 27(1):105-116.

*Abdul-Majid S, Abdul-Fattah A, Abulfaraj WH. 1992. Radiation dose assessment from ingestion pathway in Saudi Arabia. *J Environ Sci Health A* 27(4):1045-1057.

*ACGIH. 2000. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2001. Cesium hydroxide. Documentation of the threshold limit values for chemical substances.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.

*Agency for Toxic Substance Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles: Notice. Agency for Toxic Substances and Disease Registry. *Federal Register* 54(174):37618-37634.

*Agency for Toxic Substance Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Atlanta, GA: Subcommittee on Biomarkers of Organ Damage and Dysfunction. Agency for Toxic Substances and Disease Registry.

*Agency for Toxic Substance Disease Registry. 1999. Toxicological profile for ionizing radiation. Atlanta, GA: Agency for Toxic Substances and Disease Registry.

Ahman B. 1994. Body burden and distribution of ^{137}Cs in reindeer. *Rangifer* 14(1):23-28.

*Ahman B, Ahman G. 1994. Radiocesium in Swedish reindeer after the Chernobyl fallout: Seasonal variations and long-term decline. *Health Phys* 66(5):503-512.

*Cited in text

9. REFERENCES

- *Ahmad S, Waheed S, Mannan A, et al. 1994. Evaluation of trace elements in wheat and wheat by-products. *J AOAC Int* 77(1):11-18.
- *Ajdacic N, Martic M. 1990. Radionuclides in the ground layer of air. *J Radioanal Nucl Chem* 140(2):295-300.
- Albinsson Y, Engkvist I. 1989. Diffusion of americium, plutonium, uranium, neptunium, cesium, iodine and technetium in compacted sand-bentonite mixture. Goeteborg, Sweden: Chalmers University of Technology, Department of Nuclear Chemistry. SKB Tech. Rep. 89-22.
- Al'Feroovich AA, Gotlib VYA, Pelevina II. 1996. Appearance of micronuclei in generation of hela cells irradiated at low doses. *Izv Akad Nauk SSSR Ser Biol* 3:261-264.
- *Allaye-Chan AC, White RG, Holleman DF, et al. 1990. Seasonal concentrations of cesium-137 in rumen content, skeletal muscles and feces of caribou from the porcupine herd: lichen ingestion rates and implications for human consumption. *Rangifer* 3:17-24.
- Allott RW, Kelly M, Hewitt CN. 1992. Behavior of urban dust contaminated by Chernobyl fallout: environmental half-lives and transfer coefficients. *Environ Sci Technol* 26:2142-2147.
- Al-Sabati K. 1992. Monitoring the genotoxicity of radiocontaminants in Swedish lakes by fish micronuclei. *Cytobios* 70:101-106.
- *Altman PL, Dittmer DS. 1974. Biological handbooks: Biology data book. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- Ames M, Gullu G, Olmez I. 1998. Atmospheric mercury in the vapor phase, and in fine and course particulate matter at Perch River, New York. *Atmos Environ* 32(5):865-872.
- Amiro BD, Sheppard SC, Johnston FL, et al. 1996. Burning radionuclide question: What happens to iodine, cesium and chlorine in biomass fires? *Sci Total Environ* 187:93-103.
- *Amundsen I, Iosijp M, Reistad O, et al. 2002. The accidental sinking of the nuclear submarine, the Kursk: monitoring of radioactivity and the preliminary assessment of the potential impact of radioactive releases. *Mar Pollut Bull* 44(6):459-468.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.
- *Anderson P, Davidson CM, Littlejohn D, et al. 1996. The determination of caesium and silver in soil and fungla fruiting bodies by electrothermal atomic absorption spectrometry. *Anal Chim Acta* 327:53-60.
- Anderson SH, Dodson GJ, Van Hook RI. 1976. Comparative retention of ⁶⁰Co, ¹⁰⁹Cd and ¹³⁷Cs following acute and chronic feeding in bobwhite quail. In: *Radioecology and energy resources*. Oakridge, TN: Environmental Science Division. Vol. 1. Oak Ridge National Laboratory, 321-324.

9. REFERENCES

- Andersson I, Hansson I. 1989. Distribution of ^{137}Cs to different muscles and internal organs of lambs fed contaminated hay. *Swed J Agric Res* 19:93-98.
- Andersson I, Hakansson J, Anner K. 1990. Transfer of ^{137}Cs from grain to muscle and internal organs of growing finishing pigs, and the effect of feeding bentonite. *Swed J Agric Res* 20:43-48.
- Anisimov VN, Miretskii GI, Morozov VG, et al. 1992. The effect of synthetic immunomodulator thymogen on radiation carcinogenesis in rats. *Vopr Onkol* 38:481-488.
- *APHA. 1998. 7120 Gamma-emitting radionuclides. Standard methods for the examination of water and wastewater, 20th ed. Washington, DC: American Public Health Association.
- *Arnalds O, Cutshall NH, Nielsen GA. 1989. Cesium-137 in Montana soils. *Health Phys* 57:955-958.
- *Arslan NC, Geard CR, Hall EJ. 1986. Low dose-rate effects of cesium-137 and iodine-125 on cell survival, cell progression, and chromosomal alterations. *Am J Clin Oncol* 9(2):114-115.
- Ashwood TL, Olsen CR. 1988. Pearl Harbor bombing attack: A contamination legacy revealed in the sedimentary record. *Mar Pollut Bull* 19(2):68-71.
- Askbrant S, Melin J, Sandalls J, et al. 1996. Mobility of radionuclides in undisturbed and cultivated soils in Ukraine, Belarus and Russia six years after the Chernobyl fallout. *J Environ Radioact* 31(3):287-312.
- Assimakopoulos PA, Ioannides KG, Pakou AA, et al. 1993. Transport of radiocaesium from a sheep's diet to its tissues. *Sci Total Environ* 136:1-11.
- Astakhova LN, Anspaugh LR, Beebe GW, et al. 1998. Chernobyl-related thyroid cancer in children of Belarus: A case-control study. *Radiat Res* 150:349-356.
- Astakhova LN, Demidchik EP, Kasakov VS, et al. 1993. Thyroid cancer in children of the Belarus Republic after the Chernobyl accident: Publisher's summary. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc, 425-427.
- *ASTM. 1999. Annual book of ASTM standards, Vol. 11.02. Philadelphia, PA: American Society for Testing of Materials. ASTM, 290-300.
- *Asubiojo OI, Nkono NA, Ogunsua AO, et al. 1997. Trace elements in drinking and groundwater samples in southern Nigeria. *Sci Total Environ* 208:1-8.
- Baeza A, del Rio M, Miro C, et al. 1999. Recent evolution of the multi-isotopic radioactive content in ice of Livingston Island, Antarctica. *Bull Environ Contam Toxicol* 63:139-149.
- Baker CE, Dunaway PB. 1969. Retention of ^{134}Cs as an index to metabolism in the cotton rat (*Sigmodon hispidus*). *Health Phys* 16:227-230.
- *Balasem AN, Ali ASK. 1991. Establishment of dose-response relationships between doses of Cs-137 γ -rays and frequencies of micronuclei in human peripheral blood lymphocytes. *Mutat Res* 259:133-138.

9. REFERENCES

- Balduini W, Costa LG, Murphy SD. 1990. Potassium ions potentiate the muscarinic receptor-stimulated phosphoinositide metabolism in cerebral cortex slices: A comparison of neonatal and adult rats. *Neurochem Res* 15(1):33-39.
- *Balonov MI. 1993. Overview of doses to the Soviet population from the Chernobyl accident and the protective actions applied. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 23-45.
- Balonov MI, Travnikova IG. 1993. Importance of diet and protective actions on internal dose from Cs radionuclides in inhabitants of the Chernobyl region. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 127-166.
- *Bangh S, Houlihan R, Anderson D, et al. 2001. Prolonged QT and polymorphic VT with chronic cesium use. *J Toxicol Clin Toxicol* 39(5):556.
- *Baratta EJ, Apidianakis JC, Ferri ES. 1969. Cesium-137, lead-210 and polonium-210 concentrations in selected human tissues in the United States. *Am Ind Hyg Assoc J* 30:443-448.
- Bard D, Verger P, Hubert P. 1997. Chernobyl, 10 years after: Health consequences. *Epidemiol Rev* 19(2):187-204.
- *Barnaby CF, Smith T. 1971. Calibration of a whole-body counter suitable for use in routine clinical investigations. *Phys Med Biol* 16:97-104.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Barrie LA, Gregor D, Hargrave B, et al. 1992. Arctic contaminants: sources, occurrence and pathways. *Sci Total Environ* 122:1-74.
- Barry SF. 1988. Epidemiology in occupational radiation exposure. *Radiat Prot Dosim* 25:85-92.
- *Bartstra RW, Bentvelzen PAJ, Zoetelief J, et al. 1998. Induction of mammary tumors in rats by single-dose gamma irradiation at different ages. *Radiat Res* 150:442-450.
- Baryakhtar V, Poyarkov V, Kholosha V, et al. 2000. The accident. In: Vargo GJ, ed. *The Chernobyl accident*. Columbus, OH: Battelle Press.
- *Beaugelin-Seiller K, Baudin JP, Brottet D. 1994. Use of aquatic mosses for monitoring artificial radionuclides downstream of the nuclear power plant of Bugey (River Rhone, France). *J Environ Radioact* 24:217-233.
- *Beck HL, Krey PW. 1983. Radiation exposures in Utah from Nevada nuclear tests. *Science* 220:18-24.
- *Becker PR, Mackey EA, Demiralp R, et al. 1997. Concentrations of chlorinated hydrocarbons and trace elements in marine mammal tissues archived in the U.S. National Biomonitoring Specimen Bank. *Chemosphere* 34(9/10):2067-2098.

9. REFERENCES

- Begovic J, Stankovic S, Mitrovic R. 1980. Dynamics of Cs-137 distribution in the muscle tissue of swine by single and repeated contamination. In: Radiation protection: A systematic approach to safety: Proceedings of the 5th Congress of the International Radiation Protection Society, Jerusalem, March 1980. Vol. 2. New York, NY: Pergamon Press, 1029-1142.
- Behne D, Gebner H. 1987. Effects of dietary K in the absorption and excretion of radiocesium in the rat. *Health Phys* 53(3):331-332.
- *BEIR V. 1990. Health effects of exposure to low levels of ionizing radiation. In: Health effects of exposure to low level levels of ionizing radiation. Washington, DC: National Academy Press.
- *Bengtsson LG, Haversten Y, Svvansson KG. 1964. Maternal and infantile metabolism of cesium. In: Assessment of radioactivity in man. Vol. II, Vienna: International Atomic Energy Agency, 21-32.
- Benjamin SA, Boecker BB, Chiffelle TL, et al. 1973. Neoplasia in beagle dogs after inhalation of ¹⁴⁴CeCl₃. In: United States atomic energy commission symposium series. Vol 29. Springfield, VA: U.S. Atomic Energy Commission, 181-200.
- Benjamin SA, Boecker BB, Cuddihy RG, et al. 1979. Nasal carcinomas in beagles after inhalation of relatively soluble forms of beta-emitting radionuclides. *J Natl Cancer Inst* 63(1):133-139.
- Benjamin SA, Hahn FF, Chiffelle TL, et al. 1975. Occurrence of hemangiosarcomas in beagles with internally deposited radionuclides. *Cancer Res* 35:1745-1755.
- Benoit G, Rozan TF, Patton PC, et al. 1999. Trace metals and radionuclides reveal sediment sources and accumulation rates in Jordan Cove, Connecticut. *Estuaries* 22(1):65-80.
- Berg D, Kollmer WE, Kriegel H, et al. 1987. Radioactive iodine and cesium in Bavarian citizens after the nuclear reactor accident in Chernobyl. *Trace Subst Environ Health* 21:219-225.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. Endometriosis: Advanced management and surgical techniques. New York, NY: Springer-Verlag.
- Berger ME, Hurtado R, Dunlap J, et al. 1997. Accidental radiation injury to the hand: Anatomical and physiological considerations. *Health Phys* 72(3):343-348.
- *Bermejo-Barrera P, Beceiro-Gonzalez E, Bermejo-Barrera A, et al. 1989. Determination of cesium in mineral and thermal waters by electrothermal atomic absorption spectrophotometry. *Microchem J* 40:103-108.
- *Betti M, Giannarelli S, Hiernaut T, et al. 1996. Detection of trace radioisotopes in soil, sediment and vegetation by glow discharge mass spectrometry. *Fresenius J Anal Chem* 355:642-646.
- Bettinelli M, Baffi C, Beone GM, et al. 2000. Soils and sediments analysis by spectroscopic techniques part II: Determination of trace elements by ICP-MS. *Atom Spectrosc* 21(2):60-70.
- Beukema AA, Hekstra GP, Venema C. 1986. The Netherlands' environmental policy for the North Sea and Wadden Sea. *Environ Monit Assess* 7:117-155.

9. REFERENCES

- *Bhat IS, Hedge AG, Chandramouli S, et al. 1973. Evaluation of internal exposure to radionuclides of I, Cs, and Co, during maintenance operations on primary steam leak in a nuclear power station. *Health Phys* 25:135-139.
- *Bibak A, Behrens A, Sturup S, et al. 1998. Concentrations of 63 major and trace elements in Danish agricultural crops measured by inductively coupled plasma mass spectrometry. Onion (*Allium cepa* *Hysam*). *J Agric Food Chem* 46:3139-3145.
- *Biedermann KA, Sun J, Giaccia AJ, et al. 1991. Acid mutation in mice confers hypersensitivity to ionizing radiation and deficiency DNA double-strand break repair. *Proc Natl Acad Sci USA* 88:1394-1397.
- Bird GA, Hesslein RH, Mills KH, et al. 1998. Bioaccumulation of radionuclides in fertilized Canadian Shield Lake basins. *Sci Total Environ* 218:67-83.
- *Blatz AL, Magleby KL. 1984. Ion conductance and selectivity of single calcium-activated potassium in cultured rat muscles. *J Gen Physiol* 84:1-23.
- *Boecker BB. 1969a. Comparison of ^{137}Cs metabolism in the beagle dog following inhalation and intravenous injection. *Health Phys* 16(6):785-788.
- *Boecker BB. 1969b. The metabolism of ^{137}Cs inhaled as $^{137}\text{CsCl}$ by the beagle dog. *Proc Soc Exp Biol Med* 130(3):966-971.
- Boecker BB. 1972. Toxicity of $^{137}\text{CsCl}$ in the beagle: Metabolism and dosimetry. *Radiat Res* 50:556-573.
- Boecker BB, McClellan RO, Scott JK. 1969a. Retention and distribution of ^{137}Cs in the beagle dog following inhalation of ^{137}Cs in fused montmorillonite clay particles. In: *Fission Product Inhalation Program*, ed. Fission product inhalation program annual report 1968-69. Albuquerque, NM: Lovelace Foundation for Medical Research and Education, 105-110.
- Boecker BB, Redman HC, Chiffelle TL, et al. 1969b. Toxicity of inhaled $^{137}\text{CsCl}$ in the beagle dog. II. In: *Fission Product Inhalation Program*, ed. Fission product inhalation program annual report 1968-69. Albuquerque, NM: Lovelace Foundation for Medical Research and Education, 36-54.
- *Boecker BB, Thomas RG, McClellan RO. 1974. Retention patterns in beagle dogs repeatedly exposed to aerosols of ^{137}Cs -labeled fused clay particles. II. In: *Inhalation Toxicology Research Institute*, ed. Annual report of the Inhalation Toxicology Research Institute. Albuquerque, NM: Inhalation Toxicology Research Institute, 318-321.
- *Boecker BB, Thomas RG, McClellan RO. 1977. Accumulation and retention of ^{137}Cs -labelled fused aluminosilicate particles by beagle dogs after repeated inhalation exposures. In: *Inhaled particles IV: proceedings of an international symposium*. Vol. 1. New York, NY: Pergamon Press, 221-237.
- *Bonatti V, Rolli A, Botti G. 1983. Recording of nonphasic action potentials of the right ventricle in long QT syndromes complicated by severe ventricular arrhythmias. *Eur Heart J* 4:168-179.
- *Boni AL. 1966. Rapid ion exchange analysis of radiocesium in milk, urine, sea water, and environmental samples. *Anal Chem* 38:89-92.

9. REFERENCES

- Boni AL. 1969a. Organ specific inhibitor of mitosis in the amphibian kidney. *Nature* 222:1189.
- *Boni AL. 1969b. Variations in the retention and excretion of ^{137}Cs with age and sex. *Nature* 222:1188-1189.
- Borovec J. 1995. Changes in incidence of carcinoma in situ after the Chernobyl disaster in central Europe. *Arch Environ Contam Toxicol* 29:266-269.
- Borzilov VA, Klepikova NV. 1993. Effect of meteorological conditions and release composition on radionuclide deposition after the Chernobyl accident. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 47-68.
- *Bose R, Pinsky C. 1981. Cesium impairs conditioned avoidance response (CAR) in mice and rats. *Proc Can Fed Biol Soc* 24:101.
- Bose R, Pinsky C. 1983a. Antipsychotic effects of cesium are suggested by mutual synergism between cesium chloride, chlorpromazine and haloperidol on conditioned avoidance response in mice. *Res Commun Psychol Psychiatr Behav* 8(4):317-329.
- *Bose R, Pinsky C. 1983b. Cesium attenuates conditioned avoidance response in rats and mice. *Pharmacol Biochem Behav* 18:867-871.
- *Bose R, Pinsky C. 1984. Central depressant action of cesium in mice. *Psychopharmacology* 84:80-84.
- *Bose R, Pinsky C, Jasper SC, et al. 1981. Cesium on acquisition of conditioned avoidance response (CAR) and motor behavior in mice. *Pharmacologist* 23:151.
- *Brachmann J, Scherlag BJ, Rosenshtraukh LV, et al. 1983. Bradycardia-dependent triggered activity: relevance to drug-induced multiform ventricular tachycardia. *Circulation* 68(4):846-856.
- Bramham J, Riddell FG. 1994. Cesium uptake studies on human erythrocytes. *J Inorg Biochem* 53:169-176.
- *Brandão-Mello CE, Oliveira AR, Valverde NJ, et al. 1991. Clinical and hematological aspects of ^{137}Cs : The Goiania radiation accident. *Health Phys* 60(1):31-39.
- Bretfeld G, Muth H, Oberhausen E. 1968. Organspezifische Caesium ^{137}Cs -aufnahme bei Ratten. *Biophysik* 4:343-355.
- Brewer AK. 1984. The high pH therapy for cancer tests on mice and humans. *Pharmacol Biochem Behav* 21(Suppl. 1):1-5.
- Brogger A, Reitan JB, Strand P, et al. 1996. Chromosome analysis of peripheral lymphocytes from persons exposed to radioactive fallout in Norway from the Chernobyl accident. *Mutat Res* 361:73-79.
- *Brown JE, McDonald P, Parker A, et al. 1999. The vertical distribution of radionuclides in a Ribble Estuary saltmarsh: transport and deposition of radionuclides. *J Environ Radioact* 43:259-275.
- Browning E. 1969. *Toxicity of industrial metals*. 2nd ed., Butterworths: London.

9. REFERENCES

- Brunn H, Georgii S, Eskens U. 1993. $^{137}\text{Cesium}$ and $^{134}\text{cesium}$ in roe deer from north and middle Hesse (Germany) subsequent to the reactor accident in Chernobyl. *Bull Environ Contam Toxicol* 51:633-639.
- Brynildsen LI, Selnaes TD, Strand P, et al. 1996. Countermeasures for radiocesium in animal products in Norway after the Chernobyl accident - techniques, effectiveness, and costs. *Health Phys* 70(5):665-672.
- *Bunzl K, Schimmack W. 1989. Associations between the fluctuations of the distribution coefficients of Cs, Zn, Sr, Co, Cd, Ce, Ru, Tc and I in the upper two horizons of a podzol forest soil. *Chemosphere* 18:2109-2120.
- Burrows BA, Chalmers TC. 1990. Cesium-137/potassium-40 ratios in firewood ashes as a reflection of worldwide radioactive contamination of the environment. *Ann N Y Acad Sci* 609:334-339.
- Burrueel VR, Raabe OG, Wiley LM. 1997. *In vitro* fertilization rate of mouse oocytes with spermatozoa from the F1 offspring of males irradiated with 1.0 Gy ^{137}Cs γ -rays. *Mutat Res* 381:59-66.
- *Burt C. 1966. The genetic determination of differences in intelligence: A study of monozygotic twins reared together and apart. *Br J Psychol* 57(1+2):137-153.
- *Burt RO. 1993. Cesium and cesium compounds. In: Kroschwitz JI, Howe-Grant M, eds., *Kirk-Othmer encyclopedia of chemical technology*. 4th ed. Vol 5. New York: John Wiley & Sons, 749-764.
- *Buzulukov YP, Dobrynin YL. 1993. Release of radionuclides during the Chernobyl accident. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc, 3-21.
- *Cahill DF, Wheeler JK. 1968. The biological half-life of cesium-137 in children determined by urinary assay. *Health Phys* 14:293-297.
- *Capar SG, Cunningham WC. 2000. Element and radionuclide concentrations in food: FDA total diet study 1991-1996. *J AOAC Int* 83(1):157-177.
- Capra E, Drigo A, Menin A. 1989. Cesium-137 urinary excretion by northeastern (pordenone) Italian people following the Chernobyl nuclear accident. *Health Phys* 57(1):99-106.
- Castronovo FP. 1999. Teratogen update: Radiation and Chernobyl. *Teratology* 60:100-106.
- Caywood K, Ice R, Hertel N. 1997. Biokinetic model for ^{137}Cs in the fetus. *Health Phys* 73(5):736-746.
- *CDC. 2001. National report on human exposure to environmental chemicals. Atlanta, GA: National Center for Environmental Health: Centers for Disease Control and Prevention.
- *CDC. 2003. National report on human exposure to environmental chemicals. Atlanta, GA: National Center for Environmental Health: Centers for Disease Control and Prevention.
- *Cecchi X, Wolff D, Alvarez O, et al. 1987. Mechanisms of Cs^+ blockade in a Ca^{2+} -activated K^+ channel from smooth muscle. *Biophys J* 52:707-716.
- *Cerejido M, Meza I, Martinez-Palmo A. 1981. Occluding junctions in cultured epithelial monolayers. *Am J Physiol* 240:C96-C102.

9. REFERENCES

- Chaplygin VI, Zorov NB, Kuzyakov YY. 1983. Laser atomic-ionization determination of caesium in flames. *Talanta* 30(7):505-508.
- Chernyshov VP, Vykhovanets EV, Slukvin II, et al. 1997. Analysis of blood lymphocyte subsets in children living on territory that received high amounts of fallout of Chernobyl accident. *Clin Immunol Immunopathol* 84(2):122-128.
- Cherouati DE, Djefal S. 1988. Measurements of radon and radon daughters in dwellings in Algiers. *Radiat Prot Dosim* 25:137-139.
- Chesnokov AV, Fedin VI, Govorun AP, et al. 1997. Collimated detector technique for measuring a ^{137}Cs deposit in soil under a clean protected layer. *Appl Radiat Isot* 48:1265-1272.
- Chiasson AG. 1990. Interference in determination of rubidium and cesium in fish and zooplankton by graphite furnace atomic absorption spectrometry. *J Chem Ecol* 16(8):2503-2510.
- *Chiavarini S, Galletti M, Michetti I, et al. 1994. Environmental monitoring at Terra Nova Bay Station from 1989-1991. *Int J Environ Anal Chem* 55:331-340.
- Chibowski S, Mitura A. 1995. Studies of the rate of migration of radiocesium in some types of soils of Eastern Poland. *Sci Total Environ* 170:193-198.
- Chillrud SN, Bopp RF, Simpson HJ, et al. 1999. Twentieth century atmospheric metal fluxes into Central Park Lake, New York City. *Environ Sci Technol* 33(5):657-662.
- *Chutke NT, Ambulkar MN, Garg AN. 1995. An environmental pollution study from multielemental analysis of pedestrian dust in Nagpur City, Central India. *Sci Total Environ* 164:185-194.
- Clemente GF, Mariani A, Santaroni GP. 1971. Sex differences in Cs metabolism in man. *Health Phys* 21:709-711.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Cochran KW, Doull J, Mazur M, et al. 1950. Acute toxicity of zirconium, columbium, strontium, lanthanum, cesium, tantalum and yttrium. *Arch Ind Hyg Occup Med* 1:637-650.
- Coquery M, Carvalho FP, Azemard S, et al. 2000. Certification of trace and major elements and methylmercury concentrations in a macroalgae (*fucus sp.*) reference material, IAEA-140. *Fresenius J Anal Chem* 366:792-801.
- Cornelis R, Speecke A, Hoste J. 1975. Neutron activation analysis for bulk and trace elements in urine. *Anal Chim Acta* 78:317-327.
- *Coronado R, Rosenberg RI, Miller C. 1980. Ionic selectivity, saturation, and block in a K^+ -selective channel from sarcoplasmic reticulum. *J Gen Physiol* 76:425-446.
- Cristaldi M, D'Arcangelo ED, Ieradi LA, et al. 1990. ^{137}Cs determination and mutagenicity tests in wild *Mus musculus domesticus* before and after the Chernobyl accident. *Environ Pollut* 64:1-9.

9. REFERENCES

- Cristaldi M, Ieradi LA, Mascanzoni D, et al. 1991. Environmental impact of the Chernobyl accident: mutagenesis in bank voles from Sweden. *Int J Radiat Biol* 59(1):31-40.
- Croudace IW, Cundy AB. 1995. Heavy metal and hydrocarbon pollution in recent sediments from Southampton water, Southern England: A geochemical and isotopic study. *Environ Sci Technol* 29:1288-1296.
- Cryer MA, Baverstock KF. 1972. Biological half-life of ^{137}Cs in man. *Health Phys* 23(3):394-395.
- Cuddihy RG, Ozog JA. 1973. Nasal absorption of CsCl , SrCl_2 , BaCl_2 , CeCl_2 in Syrian hamsters. *Health Phys* 25:219-224.
- Cuddihy RG, Finch GL, Newton GJ, et al. 1989. Characteristics of radioactive particles released from the Chernobyl nuclear reactor. *Environ Sci Technol* 23:89-95.
- *Cukierman S, Yellen G, Miller C. 1985. The K^+ channel of sarcoplasmic reticulum. A new look at Cs^+ block. *Biophys J* 48:477-484.
- Cunningham WC, Anderson DL, Baratta EJ. 1994. Radionuclides in domestic and imported foods in the United States, 1987-1992. *J AOAC Int* 77(6):1422-1427.
- Cunningham WC, Stroube WB, Baratta EJ. 1989. Chemical contaminants monitoring: Radionuclides in domestic and imported foods in the United States, 1983-1986. *J Assoc Off Anal Chem* 72(1):15-18.
- Daburan F, Fayart G, Tricaud Y. 1989. Caesium and iodine metabolism in lactating cows under chronic administration. *Sci Total Environ* 85:253-261.
- da Cruz AD, Glickman BW. 1997. Nature of mutation in the human *hprt* gene following *in vivo* exposure to ionizing radiation of cesium-137. *Environ Mol Mutagen* 30:385-395.
- da Cruz AD, Curado MP, Glickman BW. 1995. The spectrum of mutation of the *hprt* gene in human T-lymphocytes following *in vivo* exposure to ionizing radiation of cesium-137. *Environ Mol Mutagen* 25(Suppl. 25):10.
- da Cruz AD, Curry J, Curado MP, et al. 1996. Monitoring *hprt* mutant frequency over time in T-lymphocytes of people accidentally exposed to high doses of ionizing radiation. *Environ Mol Mutagen* 27:165-175.
- da Cruz AD, McArthur AG, Silva CC, et al. 1994. Human micronucleus counts are correlated with age, smoking, and cesium-137 dose in the Goiania (Brazil) radiological accident. *Mutat Res* 313:57-68.
- Dam K, Bankl H, Mostbeck A. 1988. Radiocesium incorporation in 250 patients deceased within the year following the Chernobyl disaster. *Wien Klin Wochenschr* 100(7):193-197.
- Danetskaya EV, Ershova VP, Ushakova AP, et al. 1970. [The effect of protein content on ^{137}Cs incorporation and resistance of the organism to chronic internal irradiation.] *Med Radiol* 15(12):25-30. (Russian)
- Dang HS, Jaiswal DD, Sharma RC, et al. 1995. Studies on the biological half-lives of three important radionuclides released in nuclear power reactor operations. *Health Phys* 69(3):400-402.

9. REFERENCES

Das HA, Comans RNJ. 1990. On the limits of low level measurements of ^{137}Cs as a natural radiotracer. *J Radioanal Nucl Chem* 139(2):287-295.

*Dasch JM, Wolff GT. 1989. Trace inorganic species in precipitation and their potential use in source apportionment studies. *Water Air Soil Pollut* 43:401-412.

Densmore CL, Luyyge WG, Emadian SM. 1984. Effects of metal ions and chelating agents on *in vitro* stability of glucocorticoid receptors in brain cytosol. *Life Sci* 35:2237-2246.

DeVita R, Olivieri A, Spinelli A, et al. 2000. Health status and internal radiocontamination assessment in children exposed to the fallout of the Chernobyl accident. *Arch Environ Health* 55(3):181-186.

DeWoody JA. 1999. Nucleotide variation in the p53 tumor-suppressor gene of voles from Chernobyl, Ukraine. *Mutat Res* 439:25-36.

Dierickx PJ. 1980. Urinary gamma-glutamyl transferase as a specific marker for mercury after heavy metal treatment of rats. *Toxicol Lett* 6:235-238.

Ding-Hua F, Qi-Jun C. 1998. Study on accumulation of ^{137}Cs in aquatic organisms. *Nucl Sci Tech* 9(3):184-185.

Dinter H, Pang J, Tesch K. 1988. Calculations of doses due to electron-photon stray radiation from a high energy electron beam behind lateral shielding. *Radiat Prot Dosim* 25:127-131.

Diomond ML, Mackay D, Cornett RJ, et al. 1990. A model of the exchange of inorganic chemicals between water and sediments. *Environ Sci Technol* 24:713-722.

*Djingova R, Wagner G, Peshev D. 1995. Heavy metal distribution in Bulgaria using *Populus nigra* 'Italica' as a biomonitor. *Sci Total Environ* 172:151-158.

*DOE. 1986. A compendium of the environmental measurements laboratory's research projects related to the Chernobyl nuclear accident. New York, NY: Environmental Measurements Laboratory. U.S. Department of Energy. EML-460. DE87-001847.

*DOE. 1992. Chemical contaminants on DOE lands and selection of contaminant mixtures for subsurface science research. Washington, DC: U.S. Department of Energy. DE92-014826.

*DOE. 1996a. Closing the circle on the splitting of the atom: The environmental legacy of nuclear weapons production in the United States and what the department of energy is doing about it. Washington, DC: Office of Environmental Management. U.S. Department of Energy. DOE/EM-0266.

*DOE. 1996b. Selected radionuclides important to low-level radioactive waste management: National low-level waste management program. U.S. Department of Energy. DOE/LLW-238.

*DOE. 1998a. Heavy element radionuclides (Pu, Np, U) and ^{137}Cs in soils collected from the Idaho national engineering and environmental laboratory and other sites in Idaho, Montana, and Wyoming. New York, NY: Environmental Measurements Laboratory. U.S. Department of Energy. EML-599.

*DOE. 1998b. Savannah river site environmental report for 1998. Aiken, SC: U.S. Department of Energy. WSRC-TR-98-00312. DE-ACO9-96SR18500.

9. REFERENCES

- *Doggett NA, McKenzie WH. 1983. An analysis of the distribution and dose response of chromosome aberrations in human lymphocytes after *in vitro* exposure to ¹³⁷cesium gamma radiation. *Radiat Environ Biophys* 22:33-51.
- Dokiya T, Wada T, Shi-Long L, et al. 1978. Effect of single irradiation by Californium-252 compared with that of cesium-137 on skins of C3H mice. *Nippon Igaku Hoshasen Gakkai Zasshi* 38(6):570-576.
- *Dombovári J, Becker JS, Kuhn AJ, et al. 2000. Multielement analysis of small plant tissue samples using inductively coupled plasma mass spectrometry. *Atom Spectrosc* 21(2):37-41.
- Domby AH, Paine D, McFarlane RW. 1977. Radiocesium dynamics in herons inhabiting a contaminated reservoir system. *Health Phys* 33:523-532.
- *Dreizen S, Levy BM, Niedermeier W, et al. 1970. Comparative concentrations of selected trace metals in human and marmoset saliva. *Arch Oral Biol* 15:179-188.
- Drichko VF, Popov DK. 1971. Age-related speed of elimination of Cs¹³⁷ from the human body. *Med Radiol* 16(6):55-57.
- Dua SK, Maniyan CG, Kotrappa P. 1987. Inhalation exposures during operations in spent fuel bays. *Radiat Prot Dosim* 19(3):165-172.
- *Ducouso R, Causse A, Pasquier C. 1975. Comparative effects of acetazolamide and Prussian blue on ¹³⁷Cs retention in the rat. *Health Phys* 28:75-78.
- *Eaman M. 1986. Transfer of radionuclides from the environment to human milk - a review. Ottawa, Canada: Atomic Energy Control Board. DE88705117.
- Edelson A, Gottesfeld Z, Samuel D, et al. 1976. Effect of lithium and other alkali metals on brain chemistry and behavior: II. Intracranial self-stimulation behavior. *Psychopharmacologia* 45:233-237.
- *Edwards C. 1982. The selectivity of ion channels in nerve and muscle. *Neuroscience* 7:1335-1366.
- *Eisenbud M, ed. 1987. Environmental radioactivity: From natural, industrial, and military sources. New York: Academic Press, Inc.
- *Eisler R. 1995. Ecological and toxicological aspects of the partial meltdown of the Chernobyl nuclear power plant reactor. In: Hoffman DJ, Rattner BA, Burton GAJ, et al., eds. *Handbook of ecotoxicology*. Tokyo: Lewis Publishers, 15.
- Elder JF, Collins JJ. 1991. Freshwater molluscs as indicators of bioavailability and toxicity of metals in surface-water systems. *Rev Environ Contam Toxicol* 122:37-79.
- Eliseeva KN, Kartel NA, Voitovich AM, et al. 1996. Chromosomal aberrations in different tissues of rodents and amphibians from the regions of Belarus contaminated by radionuclides. *Tsitol Genet* 30(4):20-25.
- *Ellenhorn MJ, Schonwald S, Ordog G, et al. 1997. Medical toxicology: Diagnosis and treatment of human poisoning. 2nd ed. Baltimore: Williams & Wilkins, 1682-1723.

9. REFERENCES

EMMI. 1992. EML Procedures Manual, 27th ed. Vol 1. Environmental Measurements Laboratory. U.S. Department of Energy. Environmental Methods Monitoring Index.

*EPA. 1980. Prescribed procedures for measurement of radioactivity in drinking water. Cincinnati, OH: Office of Research and Development. U.S. Environmental Protection Agency. EPA-600/4-80-032.

*EPA. 1989. Environmental radiation data. Report 58. Montgomery, AL: Office of Radiation Programs. U.S. Environmental Protection Agency. EPA 520/5-89-034.

*EPA. 1990a. Characterization of municipal waste combustion ash, ash extracts, and leachates. Solid Waste and Emergency Response. U.S. Environmental Protection Agency. EPA 530-SW-90-029A.

*EPA. 1990b. Interim methods for development of inhalation reference concentrations. Washington, DC: Office of Health and Environmental Assessment. Office of Research and Development. Environmental Criteria and Assessment Office. U.S. Environmental Protection Agency. EPA 600/8-90/066A.

*EPA. 1993a. Limiting values of radionuclide intake and air concentration and dose conversion factors for inhalation, submersion, and ingestion. Federal Guidance Report No. 11. Office of Radiation Programs. U.S. Environmental Protection Agency. EPA 520/1-88-020.

*EPA. 1993b. External exposure to radionuclides in air, water, and soil. Federal Guidance Report No. 12. Office of Radiation and Indoor Air. U.S. Environmental Protection Agency. EPA 402/R-93-081.

*EPA. 1997a. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: Risk Assessment Forum. U.S. Environmental Protection Agency. EPA/630/R-96/012.

*EPA. 1997b. Health effects assessment summary tables. Washington, DC: Office of Emergency and Remedial Response. Office of Research and Development. U.S. Environmental Protection Agency. EPA 540/R-97-036. PB97-921199.

*EPA. 1998. Ionizing radiation series No. 1. Office of Radiation and Indoor Air Radiation Protection Division. U.S. Environmental Protection Agency. EPA 402-F-98-009.
[Http://www.epa.gov/radiationionize.htm](http://www.epa.gov/radiationionize.htm). October 11, 2000.

*EPA. 1999a. Compliance procedures method for determining compliance with subpart I. U.S. Environmental Protection Agency. 40 CFR 61 App E.

*EPA. 1999b. Analytical methods for radioactivity. U.S. Environmental Protection Agency. 40 CFR 141.25.

*EPA. 1999c. Offsite environmental monitoring report: Radiation monitoring around United States nuclear test areas, calendar year 1997. Washington, DC: Office of Radiation and Indoor Air. U.S. Environmental Protection Agency. EPA 402/R-98-013.

*EPA. 2000. Federal Guidance Report No. 13. Cancer risk coefficients for environmental exposure to radionuclides, CD Supplement [CD-ROM]. EPA 402/C-99-001.

*EPA. 2002. Radionuclide carcinogenicity slope factors.
http://www.epa.gov/radiation/heat/docs/heat2_table_4-d2_0401.pdf. November 1, 2002.

9. REFERENCES

- Erkin VG, Lebedev OV. 1993. Thermoluminescent dosimeter measurements of external doses to the population of the Bryansk region after the Chernobyl accident. In: Merwin SE, Balonov MI, eds. The Chernobyl papers: Doses to the Soviet population and early health effects studies. Vol. 1. Richland, WA: Research Enterprises, Inc., 289-311.
- Erten HN, Aksoyoglu S, Gokturk H. 1988. Sorption, desorption of Cs on clay and soil fractions from various regions of Turkey. *Sci Total Environ* 69:269-296.
- Evetz LV, Lyalikov SA, Orekhova SD, et al. 1992. The biological effect of low-level radiation on morphological composition. *Radiobiologiya* 32(5):627-631.
- *Eyman LD, Kevers NR. 1975. Cesium-137 and stable cesium in a hypereutrophic lake. *Health Phys* 28:549-555.
- Fabbris R, Gonella F, De Angelis A, et al. 1988. Environmental large-scale monitoring of ¹³⁷Cs activity by milk contamination measurements and resultant doses. *Radiat Prot Dosim* 25:141-142.
- Farkas RH, Chien P-Y, Nakajima S, et al. 1996. Properties of a slow nonselective cation conductance modulated by neurotensin and other neurotransmitters in midbrain dopaminergic neurons. *J Neurophysiol* 76(3):1968-1981.
- *FDA. 1998. Accidental radioactive contamination of human food and animal feeds: Recommendations for state and local agencies. Rockville, MD: U.S. Department of Health and Human Services. Food and Drug Administration. Center for Devices and Radiological Health.
- *FDA. 2003. Rockville, MD: U.S. Department of Health and Human Services. Food and Drug Administration. Center for Devices and Radiological Health.
<http://www.FDA.gov/cdrh/pdf31k030162.pdf>.
- Fedorova A, Yakovleva N, Nechev K. 1975. Effect of isolated radionuclides on the hematolytic and biochemical blood indexes. *Rentgenol Radiol* 14(2):108-112.
- *FEDRIP. 2002. Federal Research in Progress. Dialog Information Services, Inc. Palo Alto, CA.
- *Feely HW, Helfer IK, Juzdan ZR, et al. 1988. Fallout in the New York metropolitan area following the Chernobyl accident. *J Environ Radioact* 7:177-191.
- Fehlings MG, Nashmi R. 1996. Changes in pharmacological sensitivity of the spinal cord to potassium channel blockers following acute spinal cord injury. *Brain Res* 736:135-145.
- *Feldman C, Rains TC. 1964. The collection and flame photometric determination of cesium. *Anal Chem* 36:405-409.
- *Fernandez MA, Martinez L, Segarra M, et al. 1992. Behavior of heavy metals in the combustion gases of urban waste incinerators. *Environ Sci Technol* 26(5):1040-1047.
- *Fernandez-Turiel JL, Lopez-Soler A, Llorens JF, et al. 1995. Environmental monitoring using surface water, river sediments, and vegetation: A case study in the Famatina range, La Rioja, NW Argentina. *Environ Int* 21(6):807-820.

9. REFERENCES

- Feuger GF. 1986. Biological effects and risks of accidental radionuclide uptake. *Acta Med Austriaca* 13:86-93.
- Fields DE, Yalcintas MG. 1989. Lifestyle and age as determinates of intake and dose from inhaled radionuclides. *J Radiol Prot* 9(4):251-255.
- *Fisher NS, Fowler SW, Boisson F, et al. 1999. Radionuclide bioconcentration factors and sediment partition coefficients in arctic seas subject to contamination from dumped nuclear wastes. *Environ Sci Technol* 33(12):1979-1982.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant." In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- *Forth W, Oberhausen E, Pflieger K, et al. 1963. Beitrag zur Klärung der Ursachen der Anreicherung von Cesium-137 im Organismus. *Experientia* 19:25-26.
- Fowler SW. 1986. Trace metal monitoring of pelagic organisms from the open Mediterranean Sea. *Environ Monit Assess* 7:59-78.
- Francois A, Aigueperse J, Gourmelon P, et al. 1998. Exposure to ionizing radiation modifies neurally-evoked electrolyte transport and some inflammatory responses in rat colon *in vitro*. *Int J Radiat Biol* 73(1):93-101.
- Frantsevich L, Kornushin A, Pankov I, et al. 1996. Application of molluscs for radioecological monitoring of the Chernobyl outburst. *Environ Pollut* 94(1):91-100.
- Fredrickson L, Garner RJ, Russell RS. 1966. Caesium-137. In: Russell RS, ed. *Radioactivity and human diet*. Oxford: Pergamon Press, 317-352.
- Frenzilli G, Lori A, Panasiuk G, et al. 1998. Comet assay on children's leukocytes 8 years after the Chernobyl disaster. *Mutat Res* 415:151-158.
- *Fresquez PR, Armstrong DR, Mullen MA. 1998. Radionuclides in soils collected from within and around Los Alamos National Laboratory: 1974-1996. *J Environ Sci Health Part A* 33(2):263-278.
- *Fresquez PR, Biggs JR, Bennett KD, et al. 1999a. Radionuclides in deer and elk from Los Alamos National Laboratory and the doses to humans from the ingestion of muscle and bone. *J Environ Sci Health B* 34(5):901-915.
- Fresquez PR, Kraig DH, Mullen MA, et al. 1999b. Radionuclides and trace elements in fish collected upstream and downstream of Los Alamos National Laboratory and the doses to humans from the consumption of muscle and bone. *J Environ Sci Health B* 34(5):885-889.
- *Frigieri P, Trucco R, Ciaccolini I, et al. 1980. Determination of caesium in river and seawaters by electrothermal atomic-absorption spectrometry. Interference of cobalt and iron. *Analyst* 105:651-656.
- Fuchs VR. 1981. Low-level radiation and infant mortality. *Health Phys* 40:847-854.

9. REFERENCES

Fujita M, Iwamoto J, Kondo M. 1966. Comparative metabolism of cesium and potassium in mammals - interspecies correlation between body weight and equilibrium level. *Health Phys* 12:1237-1247.

Fujita M, Takata K, Iwamoto J. 1968. Retention, excretion and blood concentration of ^{137}Cs by rat as influenced by starvation. *J Radiat Res* 9:129-134.

Fujita M, Yabe A, Akaishi J, et al. 1966. Relationship between ingestion, excretion and accumulation of fallout cesium-137 in man on long-term scale. *Health Phys* 12:1649-1653.

*Fülöp M, Ragan P. 1997. *In-situ* measurements of ^{137}Cs in soil by unfolding method. *Health Phys* 72:923-930.

Furchner JE, Richmond CR, Drake GA. 1965. Effects of environmental temperature on retention of chronically administered cesium-137. *Health Phys* 11:623-628.

*Furchner JE, Trafton GA, Richmond CR. 1964. Distribution of cesium 137 after chronic exposure in dogs and mice. *Proc Soc Exp Biol Med* 116:375-378.

Ganzerli Valentini MI, Stella R, Maggi L, et al. 1987. Copper hexacyanoferrate(II) and (III) as trace cesium absorbers from natural waters. *J Radioanal Nucl Chem* 114(1):105-112.

Garnier J-M, Pham MK, Ciffroy P, et al. 1997. Kinetics of trace element complexation with suspended matter and with filterable ligands in freshwater. *Environ Sci Technol* 31:1597-1606.

*Gaur S. 1996. Determination of Cs-137 in environmental water by ion-exchange chromatography. *J Chromatog A* 733:57-71.

*Gautier MA. 1983. Manual of analytical methods for radiobioassay. Los Alamos, NM: Los Alamos National Laboratory. LA-9763-M Manual.

Gawlik D, Behne D, Kraft D, et al. 1989. The influence of renal insufficiency on caesium metabolism in man and rat (with a note in the Cs content of some biological standard materials). *J Trace Elem Electrolytes Health Dis* 3:43-50.

*Gay LA, Stanfield PR. 1978. The selectivity of the delayed potassium conductance of frog skeletal muscle fibers. *Pflugers Arch* 378:177-179.

Genicot J-L. 1997. Room-temperature semiconductor detectors for *in vivo* monitoring of internal contamination. *Environ Health Perspect* 105(Suppl. 6):1423-1426.

*Gerber GB, Thomas RG. 1992. Guidebook for the treatment of accidental internal radionuclide contamination of workers. *Radiat Prot Dosim* 41:1-49.

*Ghosh A, Sharma A, Talukder G. 1990. Clastogenic effects of cesium chloride on mouse marrow cells *in vivo*. *Mutat Res* 244:295-298.

*Ghosh A, Sharma A, Talukder G. 1991. Cytogenetic damage induced *in vivo* to mice by single exposure to cesium chloride. *Environ Mol Mutagen* 18:87-91.

*Ghosh A, Sharma A, Talukder G. 1993. Clastogenic effects of caesium chloride on human peripheral blood lymphocytes *in vitro*. *Toxicol in Vitro* 7(2):137-140.

9. REFERENCES

- Ginsborg BL, Hamilton JT. 1968. The effect of caesium ions on neuromuscular transmission in the frog. *Q J Exp Physiol* 53:162-169.
- Gitterman M, Webster EW. 1984. Shielding hospital rooms for brachytherapy patients: Design, regulatory and cost/benefit factors. *Health Phys* 46(3):617-625.
- Giusti L, Yang Y-L, Hewitt CN, et al. 1993. The solubility and partitioning of atmospherically derived trace metals in artificial and natural waters: A review. *Atmos Environ* 27A(10):1567-1578.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- *Glowiak BJ, Pacyna J, Halawa B. 1977a. Contamination of individual human organs by strontium-90 and cesium-137. *Nachr Mensch-Umwelt* 5(4):12-29.
- *Glowiak BJ, Pacyna J, Palczynski RJ. 1977b. Strontium and cesium-137 contents in human teeth. *Environ Pollut* 14:101-111.
- Gluzman DF, Simonet ML, Moutet A, et al. 1994. Ionizing radiation induced leukemias. *Eksp Onkol* 16:83-95.
- Gnedko TV. 1995. Blood indices in newborns and their mothers from Belarus districts contaminated with radionuclides after the Chernobyl accident. *Biorheology* 32:403.
- Golikov VY, Balonov MI, Ponomarev AV. 1993. Estimation of external gamma radiation doses to the population after the Chernobyl accident. In: Merwin SE, Balonov MI, ed. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 247-288.
- *Gomes MA, Wascheck CC, Scully C, et al. 1990. Orofacial manifestations from accidental exposure to caesium 137 in Goiania, Brazil. *J Oral Pathol Med* 19(7):322-325.
- *Gone JK, Olmez I, Ames MR. 2000. Size distribution and probable sources of trace elements in submicron atmospheric particulate material. *J Radioanal Nucl Chem* 244:133-139.
- *Gorman ALF, Woolum JC, Cornwall MC. 1982. Selectivity of the Ca^{2+} -activated and light-dependent K^{+} channels for monovalent cations. *Biophys J* 38:319-322.
- *Gottlöber P, Bezold G, Weber L, et al. 2000. The radiation accident in Georgia: clinical appearance and diagnosis of cutaneous radiation syndrome. *J Am Acad Dermatol* 42(3):453-458.
- Goulko GM, Chepurny NI, Jacob P, et al. 1998. Thyroid dose and thyroid cancer incidence after the Chernobyl accident: Assessments for the Zhytomyr region (Ukraine). *Radiat Environ Biophys* 36:261-273.
- *Greger R. 1981. Cation selectivity of the isolated perfused cortical thick ascending limb of Henle's loop of rabbit kidney. *Pflugers Arch* 390:30-37.
- *Grobenski Z, Weber D, Welz B, et al. 1983. Determination of caesium and rubidium by flame and furnace atomic-absorption spectrometry. *Analyst* 108:925-932.

9. REFERENCES

Grovoba OM, Chernikov VP. 1996. [The occurrence of ^{137}Cs in the tissue of pulmonary tumor in a man exposed to radiation after the Chernobyl incident.] *Ter Arkh* 68(3):26-30. (Russian)

Gupta MM, Jain SC, Nagaratnam A. 1998. Effective dose estimates for Indian adults from ingestion of ^3H , ^{131}I and ^{137}Cs . *Radiat Prot Dosim* 79:287-288.

*Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.

*Haddad LM, Shannon MW, Winchester JF, eds. 1998. Clinical management of poisoning and drug overdose. 3rd ed. Philadelphia: WB Saunders. 413-425.

Hahn FF, McClellan RO, Benjamin SA, et al. 1977a. Toxicity of inhaled beta-emitting radionuclides - an experimental approach. In: Annual report of the inhalation toxicology research institute. Albuquerque: Inhalation Toxicology Research Institute, 149-153.

Hahn FF, McClellan RO, Benjamin SA, et al. 1977b. Toxicity studies of inhaled beta-emitting radionuclides - an experimental approach. In: Annual report of the inhalation toxicology research institute. Albuquerque: Inhalation Toxicology Research Institute, 57-61.

Hahn FF, McClellan RO, Boecker BB, et al. 1979. Toxicity studies of inhaled beta-emitting radionuclides - status report. In: Annual report of the inhalation toxicology research institute. Albuquerque: Inhalation Toxicology Research Institute, 51-56.

*Hakem N, Mahamid A, Apps J, et al. 1997. Sorption of cesium and strontium on Savannah river soils impregnated with colloidal silica. In: Conference proceedings - International containment technology conference. Springfield, VA: National Technical Information Service, 652-657.

*Hakonson TE, Whicker FW. 1975. Cesium kinetics in a montane lake ecosystem. *Health Phys* 28:699-706.

Halbrook RS, Jenkins JH. 1988. Cesium-137 levels detected in Georgia otters. *Bull Environ Contam Toxicol* 41:765-769.

Hammond SE, Bold FO, Macdonald NS. 1963. Cesium-137 excretion and retention following single exposure. *Health Phys* 9:523-528.

Hanich RF, Levine JH, Spear JF, et al. 1988. Autonomic modulation of ventricular arrhythmia in cesium chloride-induced long QT syndrome. *Circulation* 77(5):1149-1161.

Hanika-Rebar C, Rebar AH, Boecker BB, et al. 1978. Toxicity of injected $^{137}\text{CsCl}$ in beagle dogs. XI. In: McClellan RO, ed. Annual report of the inhalation toxicology research institute. Albuquerque: Lovelace Biomedical and Environmental Research Institute, 80-83.

Hanlon DP, Ferm VH. 1986. Teratogen concentration changes as the basis of the heat stress enhancement of arsenate teratogenesis in hamsters. *Teratology* 34:189-193.

Hanna LA, Peters JM, Wiley LM, et al. 1997. Enhancing effect of maternal zinc deficiency and ^{137}Cs γ -irradiation on the frequency of fetal malformations in mice. *Teratog Carcinog Mutagen* 17:127137.

9. REFERENCES

- *Harik NS, Stowe CD, Seib PM. 2002. Cesium induced prolonged QT syndrome. *J Invest Med* 50(1):141A.
- Harjulehto T, Aro T, Rita H, et al. 1989. The accident at Chernobyl and outcome of pregnancy in Finland. *Br Med J* 298:995-997.
- Harrison JD. 1995. Ingested radionuclides. In: Potten CS, Hendry JH, eds. *Radiation and gut*. New York, NY: Elsevier Science Publishers, 253-289.
- Harrison SE, Klaverkamp JF, Hesslein RH. 1990. Fates of metal radiotracers added to a whole lake: Accumulation in fathead minnow (*Pimephales promelas*) and lake trout (*Salvelinus namaycush*). *Water Air Soil Pollut* 52:277-293.
- Havlicek F. 1968. Metabolism of radiocesium during gestation and lactation as influenced by ferricyanoferrate(II). *Int J Appl Radiat Isot* 19:487-488.
- Hawthorne HA, Zellmer SD, Eberhardt LL, et al. 1976. ¹³⁷Cesium cycling in a Utah dairy farm. *Health Phys* 30:447-464.
- Haynes RM. 1988. The distribution of domestic radon concentrations and lung cancer mortality in England and Wales. *Radiat Prot Dosim* 25:93-96.
- HazDat. 2000. Cesium. ATSDR's hazardous substance release and health effects database. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/hazdat.html>. August 29, 2000.
- *HazDat. 2003. Atlanta, GA: Agency for Toxic Substances and Disease Registry (ATSDR). <http://www.atsdr.cdc.gov/gsql/getsubstance.script?incas=007440-46-2>. December 23, 2003.
- Hellman S. 1977. The place of radiation in the definitive management of carcinoma of the breast. *Int J Radiat Oncol Biol Phys* 2:369-370.
- *Hellou J, Fancey LL, Payne JF. 1992a. Concentrations of twenty-four elements in bluefin tuna, *Thunnus thynnus* from the Northwest Atlantic. *Chemosphere* 24(2):211-218.
- *Hellou J, Warren WG, Payne JF, et al. 1992b. Heavy metals and other elements in three tissues of cod, *Gadus morhua* from the Northwest Atlantic. *Mar Pollut Bull* 24(9):452-458.
- *Helmers E. 1996. Elements accompanying platinum emitted from automobile catalysts. *Chemosphere* 33(3):405-419.
- *Henrichs K, Paretzke HG, Voigt G, et al. 1989. Measurements of Cs absorption and retention in man. *Health Phys* 57(4):571-578.
- Herman P, Tietveld EC, Weseman JM. 1987. The metabolism and tissue accumulation of radio-caesium in veal calves throughout the entire fattening period. *J Anim Physiol Anim Nutr* 60:108-112.
- *Hewitt PJ. 1988. Accumulation of metals in the tissues of occupationally exposed workers. *Environ Geochem Health* 10:113-116.
- *Hille B. 1973. Potassium channels in myelinated nerve. Selected permeability to small cations. *J Gen Physiol* 61:669-686.

9. REFERENCES

- *Hillmann U, Schimmack W, Jacob P, et al. 1996. In situ γ -spectrometry several years after deposition of radiocesium: Part I: Approximation of depth distributions by the Lorentz function. *Radiat Environ Biophys* 35:297-303.
- *Hilton J, Livens FR, Spezzano P, et al. 1993. Retention of radioactive caesium by different soils in the catchment of a small lake. *Sci Total Environ* 129:253-266.
- *Hintenlang DE. 1993. Synergistic effects of ionizing radiation and 60 Hz magnetic fields. *Bioelectromagnetics* 14:545-551.
- *Hirose K, Takatani S, Aoyama M. 1993. Wet deposition of radionuclides derived from the Chernobyl accident. *J Atmos Chem* 17:61-71.
- *Hodgkin AL. 1947. The effect of potassium on the surface membrane of an isolated axon. *J Physiol* 106:319-340.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- *Hölgye Z, Malý M. 2002. A case of repeated accidental inhalation contamination of a male subject with ^{137}Cs . *Health Phys* 82(4):517-520.
- Hood SL, Comar CL. 1953. Metabolism of cesium-137 in rats and farm animals. *Arch Biochem Biophys* 45:423-433.
- Hoshi M, Shibata Y, Okajima S, et al. 1994a. ^{137}Cs concentration among children in areas contaminated with radioactive fallout from the Chernobyl accident: Mogilev and Gomel Oblasts, Belarus. *Health Phys* 67(3):272-275.
- Hoshi M, Yamamoto M, Kawamura H, et al. 1994b. Fallout radioactivity in soil and food samples in the Ukraine: Measurements of iodine, plutonium, cesium, and strontium isotopes. *Health Phys* 67(2):187-191.
- Huang C-Y, Lee J-D, Tseng C-L, et al. 1994. A rapid method for the determination of ^{137}Cs in environmental water samples. *Anal Chim Acta* 294:221-226.
- *Huda M, Sourkes AM, Tracy BL. 1988. Chernobyl - The radiological impact on Canada. *J Can Assoc Radiol* 39:37-41.
- *IAEA. 1962. Whole-body counting. Vienna: International Atomic Energy Agency. IAEA Publication No. STI/PUB/47.
- *IAEA. 1970. Directory of whole-body radioactivity monitors. Vienna: International Atomic Energy Agency. IAEA Publication No. STI/PUB/213.
- *IAEA. 1972. Assessment of radioactive contamination in man. Vienna: International Atomic Energy Agency. IAEA Publication No. STI/PUB/290.
- *IAEA. 1976. Diagnosis and treatment of incorporated radionuclides. Vienna: International Atomic Energy Agency. IAEA Publication No. STI/PUB/411.

9. REFERENCES

- *IAEA. 1985. Assessment of radioactive contamination in man 1984. Vienna: International Atomic Energy Agency. IAEA Publication No. STI/PUB/674.
- *IAEA. 1988. The radiological accident in Goiania. Vienna: International Atomic Energy Agency. IAEA Publication No. STI/PUB/815.
- *IAEA. 1991. The international Chernobyl project technical report, page 2 of 7. International Atomic Energy Agency, Vienna. Publication No. STI/PUB/885.
- *IARC. 2000. Cesium. International Agency for Research on Cancer. <http://193.51.164.11.html>. October 13, 2000.
- ICRP. 1975. Report of the task group on reference man. International Commission on Radiological Protection. Oxford: Pergamon Press: ICRP Publication 23.
- *ICRP. 1979. Limits for intakes of radionuclides by workers. International Commission on Radiological Protection. Oxford: Pergamon Press. ICRP Publication 30, Part 1; Annuals of the ICRP 2(3/4).
- *ICRP. 1983. Radionuclide transformations: Energy and intensity of emissions. International Commission on Radiological Protection. Oxford: Pergamon Press. ICRP publication 38. 484-503.
- *ICRP. 1989. Age dependent doses to members of the public from intake of radionuclides. International Commission on Radiological Protection. Oxford: Pergamon Press. ICRP Publication 56, Part 1; Annuals of the ICRP 20(2).
- *ICRP. 1993. Age dependent doses to members of the public from intake of radionuclides. Part 2; Ingestion dose coefficients. International Commission on Radiological Protection. Oxford: Pergamon Press. ICRP Publication 67, Part 1; Annuals of the ICRP 23(3/4).
- *ICRP. 1994. Human respiratory tract model for radiological protection. International Commission on Radiological Protection. Pergamon Press, Oxford. Publication No. 66.
- *ICRP. 1995. Age-dependent doses to members of the public from intake of radionuclides: Part 4 inhalation dose coefficients. Pergamon Press, Oxford. Publication No. 71.
- *ICRP. 1996. Age-dependent doses to members of the public from intake of radionuclides. Part 5. International Commission on Radiological Protection. Pergamon Press, Oxford. Publication No. 72.
- ICRP. 1999. Protection of the public in situations of prolonged radiation exposure. International Commission on Radiological Protection. Pergamon Press, Oxford. Publication No. 82
- *Ide HM, McInroy JF. 1975. Cesium-134 in human autopsy tissue. Health Phys 29:871-872.
- *Iijima K, Morimoto K. 1991. Quantitative analysis of the induction of chromosome aberrations and sister-chromatid exchanges in human lymphocytes exposed to γ -rays and mitomycin-C in combination. Mutat Res 263:263-268.
- *Inuma T, Nagai T, Ishihara T. 1965. Cesium turnover in man following single administration of ^{132}Cs : 1. Whole body retention and excretion pattern. J Radiat Res 6:73-81.

9. REFERENCES

- *Inuma T, Watari K, Nagi T, et al. 1967. Comparative studies of Cs-132 and Rb-86 turnover in man using a double-tracer method. *J Radiat Res* 8:11-115.
- Ilyin LA, Ivannikov AT, Popov BA, et al. 1998. [Study of ^{137}Cs transfer regularities through the placenta to the rat fetuses and the effect of ferrocium on these processes.] *Radiat Biol Radioecol* 38(4):616-623. (Russian)
- Ilyinskikh NN, Ilyinskikh EN, Ilyinskikh IN. 1998. Micronucleated erythrocytes frequency and radiocesium bioconcentration in pikes (*Esox lucius*) caught in the Tom River near the nuclear facilities of the Siberian chemical complex (Tomsk-7). *Mutat Res* 421:197-203.
- Ilyinskikh NN, Ilyinskikh IN, Smirnov BV, et al. 1999. Micronucleated erythrocytes and radionuclide activity in persons living in a radiation contaminated area near the Mayak nuclear facility (Russia). *J Hum Ecol* 10(4):237-244.
- Inaba J, Matsusaka N, Ichikawa R. 1967. Whole-body retention and tissue distribution of cesium-134 in new-born, young and adult rats. *J Radiat Res* 8:132-140.
- Inalsingh CHA, Chandrasekaran MS, Julian C, et al. 1976. A seven year review of invasive carcinoma of the cervix treated at the Johns Hopkins Hospital. *Johns Hopkins Med J* 139:147-151.
- *IRIS. 2002. Cesium. U.S. Environmental Protection Agency. Integrated Risk Information System. <http://www.epa.gov/iris/subst/index.htm>. October 24, 2002.
- *Isenberg G. 1976. Cardiac Purkinje fibers: Cesium as a tool to block inward rectifying potassium currents. *Pflugers Arch* 365:99-106.
- Ito M, Yamashita S, Ashizawa K, et al. 1996. Histopathological characteristics of childhood thyroid cancer in Gomel, Belarus. *Int J Cancer* 65:29-33.
- *Iyengar V, Woittiez J. 1988. Trace elements in human clinical specimens: Evaluation of literature data to identify reference values. *Clin Chem* 34:474-481.
- Jenner FA, Judd A, Parker J. 1975. The effects of lithium, rubidium and caesium on the response of rats to tranlycypromine and alpha-methyl-p-tyrosine given separately or in combination. *Br J Pharmacol* 54:233-234.
- Jin H, Gao L, Xu Z, et al. 1996. Effect of low dose irradiation on nutrition metabolism in rats. *Yingyang Xuebao* 18(2):134-138.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- *Johansson L, Bjoreland A, Agren G. 1998. Transfer of ^{137}Cs to infants via human breast milk. *Radiat Prot Dosim* 79:165-167.
- *Johnson FN. 1972. Effects of alkali metal chlorides on activity in rats. *Nature* 238:333-334.
- *Johnson GT, Lewis TR, Wagner WD. 1975. Acute toxicity of cesium and rubidium compounds. *Toxicol Appl Pharmacol* 32:239-245.

9. REFERENCES

Jouve A, Lejeune M, Rey J. 1999. A new method for determining the bioavailability of radionuclides in the soil solution. *J Environ Radioact* 43:277-289.

*Kahn B, Smith DK, Straub CP. 1957. Determination of low concentrations of radioactive cesium in water. *Anal Chem* 29:1210-1213.

Kali AK, Whitmore R, Roache W. 1985. Behavior of cesium in fish tissues from Savannah River. *Environ Int* 11:23-24.

*Kamiguchi Y, Tateno H, Mikamo K. 1991. Micronucleus test in 2-cell embryos as a simple assay for human sperm chromosome aberrations. *Mutat Res* 252:297-303.

*Kanapilly GM, Stanley JA, Newton GJ, et al. 1983. Characterization of an aerosol sample from the auxillary building of the Three Mile Island reactor. *Health Phys* 45:981-989.

Kasatkani EP, Shilin DE, Rosenbloom AL, et al. 1997. Effects of low level radiation from the chernobyl accident in a population with iodine deficiency. *Eur J Pediatr* 156:916-920.

Kashparov VA, Protsak VP, Yoschenko VI, et al. 1994. Inhalation of radionuclides during agricultural work in areas contaminated as a result of the Chernobyl reactor accident. *J Aerosol Sci* 25(5):761-766.

Kennish MJ. 1998. Trace metal-sediment dynamics in estuaries: Pollution assessment. *Rev Environ Contam Toxicol* 155:69-110.

*Khosid GM. 1967. ЦЕЗИЙ И РУБИДИЙ. In: Israelson AL, ed. *Novye dannye po toksikologii redkikh metalovi*. Moscow. 56-63.

*Kim EY, Goto R, Tanabe S, et al. 1998. Distribution of 14 elements in tissues and organs of oceanic seabirds. *Arch Environ Contam Toxicol* 35:638-645.

Kirchner G. 1994. Transport of iodine and cesium via the grass-cow-milk pathway after the Chernobyl accident. *Health Phys* 66(6):653-665.

Kirchner TB, Whicker FW, Anspaugh LR, et al. 1996. Estimating internal dose due to ingestion of radionuclides from Nevada test site fallout. *Health Phys* 71(4):487-501.

Kirillov SA, Vissonov YV. 1971. Clinical picture of Cs¹³⁷ and Cs¹³⁴ poisoning during long-term periods. *Med Radiol* 16(11):47-52.

Koenig W. 1974. Significance of radiation hazard for the fixing of radiation protection limits. *Rep - Staatl Zent Strahlenschutz DDR* 157:38-41.

Koike K, Yabuhara A, Yang F-C, et al. 1995. Frequent natural killer cell abnormality in children in an area highly contaminated by the Chernobyl accident. *Int J Hematal* 61:139-145.

*Kolb W. 1971. Tungsten-181 and other short lived fission products in ground level air in north Germany and north Norway. *Nature* 232:552-553.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.

9. REFERENCES

- Konings J, Kirchmann R, Gerber GB, et al. 1984. Distribution of ^{60}Co and ^{137}Cs in mallard ducks (*Anas platyrhynchos*). *Health Phys* 46(3):681-684.
- Konshin OV. 1992. Transfer of ^{137}Cs from soil to grass-analysis of possible sources of uncertainty. *Health Phys* 63(3):307-315.
- Korky JK, Kowalski L. 1989. Radioactive cesium in edible mushrooms. *J Agric Food Chem* 37:568-569.
- Kornberg HA. 1961. The use of element-pairs in radiation hazard assessment. *Health Phys* 6:46-62.
- *Korobova E, Ermakov A, Linnik V. 1998. ^{137}Cs and ^{90}Sr mobility in soils and transfer in soil-plant systems in the Novozybkov district affected by the Chernobyl accident. *Appl Geochem* 13(7):803-814.
- Korolev GK. 1965. Distribution of Cs^{137} after endotracheal administration. *Fed Proc* 25(1):95-98.
- *Koshimoto C, Takahashi S, Kubota Y, et al. 1994. Evaluation of the effect of gamma-irradiation on fetal erythropoiesis in rats using blood cell volume as the index. *J Radiat Res* 35:74-82.
- Kostial K, Vnucec M, Tominac C, et al. 1980. A method for a simultaneous decrease of strontium, caesium and iodine retention after oral exposure in rats. *Int J Radiat Biol* 37(3):347-350.
- Koulikov AO, Ryabov IN. 1992. Specific cesium activity in freshwater fish and the size effect. *Sci Total Environ* 112:125-142.
- Krachler M, Rossipal E, Micetic-Turk D. 1999. Concentrations of trace elements in arterial and venous umbilical cord sera. *Trace Elem Electrolytes* 16(1):46-52.
- Kraemer SM, Waldren CA. 1997. Chromosomal mutations and chromosome loss measured in a new human-hamster hybrid cell line, A_1C : studies with colcemid, ultraviolet irradiation, and ^{137}Cs γ -rays. *Mutat Res* 379:151-166.
- Kraybill HF. 1983. Assessment of human exposure and health risk to environmental contaminants in the atmosphere and water with special reference to cancer. *J Environ Sci Health C* 1(2):175-232.
- *Krieger HL, Martin ER, Frishkorn GW. 1976. Sequential radiochemical analysis for ruthenium, strontium, and cesium in environmental air. *Health Phys* 30:465-470.
- *Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kryshev II, Romanov GN, Sazykina TG, et al. 1998. Environmental contamination and assessment of doses from radiation releases in the southern Urals. *Health Phys* 74(6):687-697.

9. REFERENCES

- Kubic M, Kusmierek E, Michalczuk L, et al. 1993. Contamination of fruits, soils, and mushrooms in Poland in 1991. *J Fruit Ornamental Plant Res* 1(2):46-53.
- Kudelsky AV, Smith JT, Ovsiannikova SV, et al. 1996. Mobility of Chernobyl-derived ^{137}Cs in a peatbog system within the catchment of the Pripyat River, Belarus. *Sci Total Environ* 188:101-113.
- *Kusama T, Hasegawa Y. 1993. Stage differences in developmental disorders in ICR mouse embryos irradiated with gamma-rays. *Congen Anom* 33:115-123.
- Kwadow M, Chevalier C. 1988. Occupational exposure to radionuclides in French nuclear power plants: Five years excretion monitoring results. *Sci Total Environ* 70:299-319.
- *LaBrecque JL, Rosales PA. 1996. The migration of ^{137}Cs in Venezuelan soils. *J Trace Microprobe Tech* 14(1):213-221.
- *LA Dept Environ Quality. 2000. Radiation protection. Louisiana Department of Environmental Quality. <http://www.deq.state.la.us>. August 29, 2000.
- *Landeem DS, Mitchell RM. 1986. Radionuclide uptake by trees at a RAD waste pond in Washington State. *Health Phys* 50(6):769-774.
- Lassy KR. 1979. The transfer of radiostrontium and radiocesium from soil to diet: Models of consistent with fallout analysis. *Health Phys* 37:557-573.
- *Latorre R, Miller C. 1983. Conduction and selectivity in potassium channels. *J Membr Biol* 71:11-30.
- Lavrent LN. 1975. Nephrosclerosis induced by various chronic radiation effects. *Radiobiologia* 15(5):704-707.
- Lazjuk GI, Kirillova IA, Nikolaev DL, et al. 1993. Monitoring of congenital malformations in Belarus after the Chernobyl accident. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 385-397.
- Lazjuk GI, Nikolaev DL, Novikova IV. 1997. The dynamics of congenital malformations in Belarus Republic. *Am J Hum Genet* 61(4):A204.
- Lazjuk GI, Nikolaev DI, Khmel RD. 2000. Epidemiology of congenital malformations in Belarus and Chernobyl accident. *Am J Hum Genet* 67:214.
- Lebedev OV, Yakovlev VA. 1993a. The correlation between ^{137}Cs half-time and age, body mass and height in individuals contaminated from the Chernobyl accident. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 219-243.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Leggett RA, Williams LR, Melo DR, et al. 2003. A physiologically based biokinetic model for cesium in the human body. *Sci Total Environ* 317:235-255.

9. REFERENCES

- *Leggett RW. 1986. Predicting the retention of Cs in individuals. *Health Phys* 50(6):747-759.
- *Lengemann FW. 1970. ^{134}Cs retention in rats from one to 25 months of age. *Radiat Res* 42:169-174.
- *LeRoy GV, Rust JH, Hasterlik RJ. 1966. The consequences of ingestion by man of real and simulated fallout. *Health Phys* 12:449-473.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentine B, Marro T, Turner P, eds. *General and applied toxicology*. Vol 1. New York, NY: Stockton Press, 153-164.
- *Levine JH, Spear JF, Guarnieri T, et al. 1985. Cesium chloride-induced long QT syndrome: demonstration of after depolarizations and triggered activity in vivo. *Circulation* 72(5):1092-1103.
- *Lewis RJ. 1997. *Hawley's condensed chemical dictionary*. 13th ed. New York, NY: John Wiley & Sons. 234-236.
- Liaginskaia AM, Osipov VA, Dement'ev SI. 1998. Kinetics of metabolism and mechanisms of formation of absorbed doses in the mouse testis from incorporated Cs^{137} . *Radiat Biol Radioecol* 38(1):27-30.
- Liao M, Wang Z, Yu T. 1988. [Study of 45 metal compounds using micronucleus test]. *Weisheng Dulixue Zazhi* 2(2):83-86. (Chinese)
- *Lide DR. 1998. *CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data*. 79th ed. Boca Raton: CRC Press. 12/43-12/45.
- *Lie R. 1964. Deposition and retention of ^{137}Cs in the rat following inhalation of the chloride and the nitrate. *Health Phys* 10:1071-1076.
- Lievens P, Cornelis R, Hoste J. 1975. A separation scheme for the determination of trace elements in biological materials by neutron activation analysis. *Anal Chim Acta* 80:97-108.
- *Lipsztein JL, Bertilli L, Melo DR, et al. 1991. Application of *in-vitro* bioassay for ^{137}Cs during the emergency phase of the Goiânia accident. *Health Phys* 60:43-49.
- Lipsztein JL, Melo DR, Oliveira CAN, et al. 1998. The Goiânia ^{137}Cs accident - a review of the internal and cytogenetic dosimetry. *Radiat Prot Dosim* 79:149-154.
- Livens FR, Horrill AD, Singleton DL. 1991. Distribution of radiocesium in the soil-plant systems of upland areas of Europe. *Health Phys* 60(4):539-545.
- *Livingston, AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- Lloyd DC, Finnon P, Edwards AA, et al. 1997. Chromosome aberrations in Syrian hamsters following very low radiation doses in vivo. *Mutat Res* 377:63-68.
- *Lloyd RD, Mays CW, McFarland SS, et al. 1973. Metabolism of ^{83}Rb and ^{137}Cs in persons with muscle disease. *Radiat Res* 54:463-478.
- Lloyd RD, Zundel WS, Mays CW, et al. 1968. Short caesium half-times in patients with muscular dystrophy. *Nature* 220:1029-1031.

9. REFERENCES

- Lo CK, Fung YS. 1992. Heavy metal pollution profiles of dated sediment cores from Hebe Haven, Hong Kong. *Water Res* 26(12):1605-1619.
- Lockhart WL, Muir CG, Wilkinson P, et al. 1998. Chemical contaminants in fish and sediment core samples from the Dnipro River, Ukraine, 1994. *Water Qual Res J Can* 33(4):489-509.
- *Lokobauer N, Bauman A, Maracic M. 1988. Assessment of the radiation dose in the republic of Croatia after the Chernobyl reactor accident. *Environ Int* 14:137-143.
- Lorenz R, Deubel W, Leuner K, et al. 1994. Dose and dose-rate dependency of the frequency of HPRT deficient T lymphocytes in the spleen of the ^{137}Cs γ -irradiated mouse. *Int J Radiat Biol* 66(3):319-326.
- Lowe VPW, Horrill AD. 1988. Ecological half-life of caesium in Roe deer (*Capreolus capreolus*). *Environ Pollut* 54:81-87.
- *Luetzelschwab JW. 1976. A field sampling unit that uses an ion-exchange resin to concentrate radioactive ions in river water. *Health Phys* 31:387-389.
- Lundgren DL, Hahn FF, Griffith WC, et al. 1996. Pulmonary carcinogenicity of relatively low doses of beta-particle radiation from inhaled $^{144}\text{CeO}_2$ in rats. *Radiat Res* 146:525-535.
- Lundgren DL, Hahn FF, McClellan RO. 1980. Influence of age at the time of inhalation exposure to aerosols of $^{144}\text{CeO}_2$ on ^{144}Ce retention, dosimetry and toxicity in mice. *Health Phys* 38:643-655.
- Lymberis C, Makrigiorgos G, Sbonias E, et al. 1987. Radiocesium levels in human muscle samples in Greece one year after the Chernobyl accident. *Appl Radiat Isot* 39(2):175-176.
- *Maenhaut W, Zoller WH, Duce RA, et al. 1979. Concentration and size distribution of particulate trace elements in the south polar atmosphere. *J Geophys Res* 84(C5):2421-2431.
- *Mahara Y. 1993. Heavy metals in the environment: Storage and migration of fallout strontium-90 and cesium-137 for over 40 years in the surface soil of Nagasaki. *J Environ Qual* 22:722-730.
- *Mahlum DD, Sikov MR. 1969. Comparative metabolism of ^{137}Cs by adult, suckling and prenatal rats. *Comp Biochem Physiol* 30:169-175.
- Manion PJ, Hanson LH, Fodale MF. 1988. Sterilizing effects of cesium-137 irradiation on male sea lampreys released in the Big Garlic River Michigan USA. *Great Lakes Fish Comm Tech Bull* 53:1-8.
- Marouf BA, Mohamad AS, Taha JS, et al. 1992. The transfer of ^{137}Cs from soil to plants. *Environ Int* 18:211-215.
- Marshall GC, Kessler WV, Born GS, et al. 1997. Effects of altered thyroid states on cesium-137 accumulation in the liver of rats. *Health Phys* 33:622-624.
- Marshall H, Cooper MB. 1989. Cs^{137} in the barren ground caribou of Canada. *Health Phys* 56(Suppl. 1):S67-S68.
- *Matsuda Y, Tobar I, Yamagiwa J, et al. 1985. Dose-response relationship of γ -ray-induced reciprocal translocations at low doses in spermatogonia of the crab-eating monkey (*Macaca fascicularis*). *Mutat Res* 151:121-127.

9. REFERENCES

- Matsumoto K, Yagi M. 1991. Instrumental photon activation analysis of coal fly ashes using the internal standard method coupled with the standard addition method. *J Radioanal Nucl Chem* 152(1):55-66.
- Matsunaga T, Ueno T, Chandradjith RLR, et al. 1999. Cesium-137 and mercury contamination in lake sediments. *Chemosphere* 39(2):269-283.
- Matsusaka N, Inaba J. 1967. Whole-body retention of caesium-137 in suckling and weanling mice. *Nature* 214:303-304.
- Matsusaka N, Yamakawa Y, Sato I, et al. 1997. Organ distribution of ^{137}Cs in mouse fetuses and their dams. *Radioisotopes* 46:214-218.
- Mayes RW, Eayres HF, Beresford NA, et al. 1992. Changes with age in the absorption of radiocesium by sheep. *Radiat Prot Dosim* 41:83-86.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- McAuly IR, Doyle C. 1985. Radiocesium levels in Irish sea fish and the resulting dose to the population of the Irish Republic. *Health Phys* 48(3):333-337.
- McCartney M, Kershaw PJ, Woodhead DS, et al. 1994. Artificial radionuclides in the surface sediments of the Irish Sea, 1968-1988. *Sci Total Environ* 141:103-138.
- McClellan RO, Rupprecht FC. 1968. Toxicity of $^{137}\text{CsCl}$ in the beagle dog. In: *Fission Product Inhalation Program*, ed. Fission product inhalation program annual report 1967-1968. Albuquerque, NM: Lovelace Foundation for Medical Research and Education, 54-75.
- *McCraw TF. 1965. The half-time of cesium-137 in man. *Radiol Health Data Rep* 6(12):711-718.
- *McCreedy CD, Jagoe CH, Glickman LT, et al. 1997. Bioaccumulation of cesium-137 in yellow bullhead catfish (*Ameiurus natalis*) inhabiting an abandoned nuclear reactor reservoir. *Environ Toxicol Chem* 16(2):328-335.
- *McGee EJ, Synnott HJ, Keatinge M, et al. 1993. Persistence and prediction of radiocaesium levels in animals grazing semi-natural environments. *Sci Total Environ* 138:91-99.
- McGee EJ, Synnott HJ, O'Keefe C, et al. 1995. Radionuclide uptake by red deer (*Cervus elaphus*) on mountain grazing. *Br Vet J* 151:671-682.
- Meiler CF, Katzung BG. 1981. Cesium blockade of delayed outward currents and electrically induced pacemaker activity in mammalian ventricular myocardium. *J Gen Physiol* 77:531-547.
- Mejstrik V, Svacha J. 1988. Concentrations of ^{232}Th , ^{226}Ra , ^{137}Cs and ^{40}K in soils, and radioactivity in areas of coal-fired power plants. *Sci Total Environ* 72:69-79.
- Melin J, Wallberg L, Suomela J. 1994. Distribution and retention of cesium and strontium in Swedish boreal forest ecosystems. *Sci Total Environ* 157:93-105.

9. REFERENCES

- *Melo DR, Lipsztein JL, Oliveira CAN, et al. 1994. A ^{137}Cs age-dependent biokinetic study. *Health Phys* 66(6):S25-S26.
- Melo DR, Lipsztein JL, Oliveira CAN, et al. 1995. ^{137}Cs metabolism in pregnant women. *Health Phys* 68(6):S77.
- *Melo DR, Lipsztein JL, Oliveira CAN, et al. 1997. A biokinetic model for ^{137}Cs . *Health Phys* 73(2):320-332.
- *Melo DR, Lundgren DL, Muggenburg BA, et al. 1996. Prussian blue decorporation of ^{137}Cs in beagles of different ages. *Health Phys* 71(2):190-197.
- Messiha FS. 1976. Distribution and retention of exogenously administered alkali metal ions in the mouse brain. *Arch Int Pharmacodyn* 219:87-96.
- *Messiha FS. 1978. Anti-depressant action of caesium chloride and its modification of chlorpromazine toxicity in mice. *Br J Pharmacol* 64:9-12.
- Messiha FS. 1985. Cesium: An overview. *Neurol Neurobiol* 15:247-257.
- Messiha FS. 1988a. Effect of separate and combined maternal ingestion of alkali metals on the developing mouse. *Neurosci Biobehav Rev* 12:205-208.
- *Messiha FS. 1988b. Maternal cesium chloride ingestion and the newborn. *Neurosci Biobehav Rev* 12:209-213.
- Messiha FS. 1989a. Maternally-mediated neonatal lithium-cesium interaction in the mouse. *Physiol Behav* 46:89-95.
- *Messiha FS. 1989b. A toxicology evaluation of postnatal maternal exposure to cesium. *Physiol Behav* 46:85-88.
- Messiha FS. 1994. Developmental toxicity of cesium in the mouse. *Gen Pharmac* 25(3):395-400.
- Messiha FS, Larson JW. 1976. A pharmacokinetic study of rubidium and cesium salts. *Proc West Pharmacol Soc* 19:108-112.
- *MI Dept Environ Quality. 2000. Maximum contaminant levels; incorporation by reference. Safe drinking water act. State of Michigan Department of Environmental Quality. <http://www.deq.state.mi.us>. June 14, 2000.
- Mietelski JW, Jasinska M, Kubica B, et al. 1994. Radioactive contamination of Polish mushrooms. *Sci Total Environ* 157:217-226.
- *Mihok S, Schwartz B, Wiewel AM. 1989. Bioconcentration of fallout ^{137}Cs by fungi and red-backed voles (*Clethrionomys gapperi*). *Health Phys* 57(6):959-966.
- *Mikamo K, Kamiguchi Y, Tateno H. 1990. Spontaneous and *in vitro* radiation-induced chromosome aberrations in human spermatozoa: Application of a new method. In: Mendelsohn ML, Albertini RJ, eds. *Mutation and the environment: Part B: Metabolism, testing methods, and chromosomes*. New York, NY: Wiley-Liss, 447-456.

9. REFERENCES

- *Mikamo K, Kamiguchi Y, Tateno H. 1991. The interspecific *in vitro* fertilization system to measure human sperm chromosomal damage. In: Gledhill BL, Mauro F, ed. New horizons in biological dosimetry. New York, NY: Wiley-Liss, 531-542.
- *Mikhaylovskaya LN, Molchanova IV, Karavayeva YN. 1993. Forms of occurrence and migration of radionuclides in soils affected by the accident at the Chernobyl nuclear power plant. *Euras Soil Sci* 25(7):103-107.
- Millard GC, Fraley L, Markham OD. 1983. Deposition and retention of ^{141}Ce and ^{134}Cs aerosols on cool desert vegetation. *Health Phys* 44(4):349-357.
- *Miller CE. 1964. Retention and distribution of ^{137}Cs after accidental inhalation. *Health Phys* 10:1065-1070.
- Miltenberger RP, Lessard ET, Greenhouse NA. 1981. ^{60}Co and ^{137}Cs long-term biological removal rate constants for the United Nations scientific committee on the Marshallese population. *Health Phys* 40:615-623.
- *Minamisawa T, Hirokaga K, Sasaki S. 1990. Gross morphological changes of the mouse brain exposed prenatally to ionizing radiation. *J Radiat Res* 31:214-218.
- *Minamisawa T, Hirokaga K, Sasaki S, et al. 1992. Effects of fetal exposure to gamma rays on aggressive behavior in adult male mice. *J Radiat Res* 33:243-249.
- *Molero J, Sanchez-Cabeza JA, Merino J, et al. 1999. Impact of ^{134}Cs and ^{137}Cs from the Chernobyl reactor accident on the Spanish Mediterranean marine environment. *J Environ Radioact* 43:357-370.
- Monakhov AS, Iakovleva TK, Strelakov SA, et al. 1991. The cytogenetic and hematotoxic effect of cesium-137 incorporated in the rat body. *Radiobiologia* 31(6):798-802.
- *Mondon KJ, Walters B. 1990. Measurement of radiocaesium, radiostrontium, and plutonium in whole diets, following deposition of radioactivity in the UK originating from the Chernobyl power plant accident. *Food Addit Contam* 7(6):837-848.
- *Moore W, Comar CL. 1962. Absorption of caesium 137 from the gastro-intestinal tract of the rat. *Int J Radiat Biol* 5(3):247-254.
- *Moore W, Comar CL. 1963. Movement of ^{137}Cs across surviving intestinal segments *in vitro*. *Int J Radiat Biol* 6(6):507-511.
- Morgan IJ, Tytler P, Bell MV. 1993. The accumulation of 137-caesium from fresh water by alevins and fry of Atlantic salmon and brown trout. *J Fish Biol* 43:877-888.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- Motelica-Heino M, Le Coustumer P, Thomassin JH, et al. 1998. Macro and microchemistry of trace metals in vitrified domestic wastes by laser ablation ICP-MS and scanning electron microprobe x-ray energy dispersive spectroscopy. *Talanta* 46:407-422.

9. REFERENCES

- Muggenburg BA, Boecker BB, Hahn FF, et al. 1983. The risk of liver tumors in dogs and man from radioactive aerosols. In: Thompson RC, Mahaffey JA, eds. Life-span radiation effects studies in animals: What can they tell us? Proceedings of the twenty-second Hanford life science symposium held at Richland, Washington, September 27-29, 1983. Hanford Life Sciences Symposium 22nd. Springfield, VA: US Department of Energy, 556-563.
- *Mumma RO, Raupach DC, Sahadewan K, et al. 1990. National survey of elements and radioactivity in municipal incinerator ashes. *Arch Environ Contam Toxicol* 19:399-404.
- *Mumma RO, Raupach DC, Sahadewan K, et al. 1991. Variation in elemental composition of municipal refuse incinerator ashes with time of sampling. *Chemosphere* 23(3):391-395.
- *Murakawa Y, Sezaki K, Yamashita T, et al. 1997. Three-dimensional activation sequence of cesium-induced ventricular arrhythmias. *Am J Physiol* 42:H1377-H1385.
- Muramatsu Y, Yoshida S, Sumiya M. 1991. Concentrations of radiocesium and potassium in basidiomycetes collected in Japan. *Sci Total Environ* 105:29-39.
- Myers B, Shaw SM. 1975. Deposition, clearance, and distribution of cesium-137 labeled cesium chloroplatinate in normal and sulfur dioxide exposed rats. *AIChE Symp Ser* 71(147):107-110.
- Nakaoka A, Yokoyama H, Fukushima M, et al. 1980. Rapid determination method of radiocesium in sea water by cesium-selective resin. *J Radioanal Chem* 56(1-2):13-24.
- *NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. Washington, DC: National Academy Press. National Academy of Sciences. National Research Council.
- *Natarajan AT, Santos SJ, Darroudi F, et al. 1998. Cesium-induced chromosome aberrations analyzed by fluorescence in situ hybridization: Eight years follow up of the Goiania radiation accident victims. *Mutat Res* 400:299-312.
- Nayebpour M, Solymoss BC, Nattel S. 1989. Cardiovascular and metabolic effects of caesium chloride injection in dogs - limitations as a model for the long QT syndrome. *Cardiovasc Res* 23:756-766.
- *NCRP. 1977. Cesium-137 from the environment to man: Metabolism and dose. Bethesda, MD: National Council on Radiation Protection and Measurements. NCRP Report No. 52.
- *NCRP. 1985. General concepts for the dosimetry of internally deposited radionuclides. Bethesda, MD: National Council on Radiation Protection and Measurements. NCRP Report No. 84.
- *NCRP. 1987. Use of bioassay procedures for assessment of internal radionuclide deposition. Bethesda, MD: National Council on Radiation Protection and Measurements. NCRP Report No. 87.
- *NCRP. 1997. Deposition, retention and dosimetry of inhaled radioactive substances. Bethesda, MD: National Council on Radiation Protection and Measurements. NCRP Report No. 125.
- Nellessen JE, Fletcher JS. 1993. Assessment of published literature on the uptake, accumulation, and translocation of heavy metals by vascular plants. *Chemosphere* 27(9):1669-1680.
- Nelson A, Ullberg S, Kristoffersson H, et al. 1961. Distribution of radiocesium in mice. *Acta Radiol* 55:374-384.

9. REFERENCES

- *Neulieb R. 1984. Effects of oral intake of cesium chloride: A single case report. *Pharmacol Biochem Behav* 21(Suppl. 1):15-16.
- *Nevissi AE. 1992. Measurement of actinides and long-lived radionuclides in large coral samples. *J Radioanal Nucl Chem* 156(2):243-251.
- Newman G. 1996. Increased morbidity following the introduction of remote afterloading, with increased dose rate, for cancer of the cervix. *Radiother Oncol* 39:97-103.
- Ng YC, Anspaugh LR, Cederwall RT. 1990. ORERP internal dose estimates for individuals. *Health Phys* 59(5):693-713.
- Nielson SP, Gryning SE, Karlberg O, et al. 1990. Dry deposition of ^{88}Rb and ^{138}Cs from a boiling water reactor plume. *Health Phys* 58(3):283-289.
- Nifontova M. 1995. Radionuclides in the moss-lichen cover of tundra communities in the Yamal Peninsula. *Sci Total Environ* 160/161:749-752.
- Niimi AJ. 1987. Biological half-lives of chemicals in fishes. *Rev Environ Contam Toxicol* 99:1-46.
- *Nikula KJ, Muggenburg BA, Chang I-Y, et al. 1995. Biological effects of $^{137}\text{CsCl}$ injected in beagle dogs. *Radiat Res* 142:347-361.
- *Nikula KJ, Muggenburg BA, Griffith WC, et al. 1996. Biological effects of $^{137}\text{CsCl}$ injected in beagle dogs of different ages. *Radiat Res* 146:536-547.
- Nimis PL, Bolognini G, Giovani C. 1994. Radiocontamination patterns of vascular plants in a forest ecosystem. *Sci Total Environ* 157:181-188.
- *NIOSH. 1992. Recommendations for occupational safety and health. Compendium of policy documents and statements. Cincinnati, OH: US Department of Health and Human Services. PB92162536.
- *NIOSH. 2000. Cesium. NIOSH pocket guide to chemical hazards. National Institute for Occupational Safety and Health. <http://www.cdc.gov/niosh/npg/npgd0145.html>. October 13, 2000.
- Noboru Y, Kiyoshi I, Teruo N. 1966. In vivo experiment on the metabolism of cesium in human blood with reference to rubidium and potassium. *J Radiat Res* 7-1:29-46.
- *NOES. 1989. National Occupational Exposure Survey. National Institute for Occupational Safety and Health.
- *Norton S, Kimler BF. 1987. Correlation of behavior with brain damage after in utero exposure to toxic agents. *Neurotoxicol Teratol* 9:145-150.
- *Norton S, Kimler BF. 1988. Comparison of functional and morphological deficits in the rat after gestational exposure to ionizing radiation. *Neurotoxicol Teratol* 10:363-371.
- Norton S, Kimler BF. 1990. Early effects of low doses of ionizing radiation on the fetal cerebral cortex in rats. *Radiat Res* 124:235-241.

9. REFERENCES

- *NRC. 1993a. Pesticides in the diets of infants and children. Washington, DC: National Academy Press. National Research Council.
- Nugis VY, Konchalovskii MV. 1993. Biological dosimetry, diagnosis, and treatment of bone-marrow syndrome in victims of the Chernobyl accident. In: Merwin SE, Balonov MI, eds. The Chernobyl papers: Doses to the Soviet population and early health effects studies. Vol. 1. Richland, WA: Research Enterprises, Inc., 349-384.
- *Oak Ridge Associated Universities. 2003. Radiogardase-CS. Insoluble Prussian blue (ferric hexacyanoferrate, $\text{Fe}_4[\text{Fe}(\text{CN})_6]_3$). Information material package insert. <http://www.ornl.gov/reacts/prussian.htm>
- O'Brien DJ, Kaneene JB, Poppenga RH. 1993. The use of mammals as sentinels for human exposure to toxic contaminants in the environment. *Environ Health Perspect* 99:351-368.
- OECD. 1995. Chernobyl ten years on, radiological and health impact. Paris: Organization for Economical Cooperation and Development.
- Ohi Y, Yamamura H, Watanabe M, et al. 2001. Intracellular cesium ion potentiates Ca^{2+} transients induced by depolarization in guinea pig vas deferens smooth muscle cells. *Jpn J Pharmacol* 85:173P.
- Ohno T, Hess CT. 1994. Levels of ^{137}Cs and ^{40}K in wood ash-amended soils. *Sci Total Environ* 152:119-123.
- *Olivier P, Marzin D. 1987. Study of the genotoxic potential of 48 inorganic derivatives with the SOS chromotest. *Mutat Res* 189:263-269.
- *Olsen CR, Thein M, Larsen IL, et al. 1989. Plutonium, lead-210, and carbon isotopes in the Savannah Estuary: Riverborne versus marine sources. *Environ Sci Technol* 23:1475-1481.
- *Ondov JM, Choquette CE, Zoller WH, et al. 1989. Atmospheric behavior of trace elements on particles emitted from a coal-fired power plant. *Atmos Environ* 23(10):2193-2204.
- Oostdam JV, Gilman A, Dewailly E, et al. 1999. Human health implications of environmental contaminants in Arctic Canada: A review. *Sci Total Environ* 230:1-82.
- Orel VE, Tereschenki VM, Czyatkovskaya NN, et al. 1998. Physical dosimetry and biological indicators of carcinogenic risk in a cohort of persons exposed to unhealthy ecological factors following the Chernobyl nuclear power plant accident. *Arch Environ Health* 53(6):398-404.
- Osanov DP, Kyruchkov VP, Panova VP. 1990. Skin absorbed doses from ground-deposited radioactive contaminants. *At Energ* 68(2):107-111.
- Osanov DP, Krjuchkov VP, Shaks AI. 1993. Determination of beta radiation doses received by personnel involved in the mitigation of the Chernobyl accident. In: Merwin SE, Balonov MI, eds. The Chernobyl papers: Doses to the Soviet population and early health effects studies. Vol. 1. Richland, WA: Research Enterprises, Inc., 313-346.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment. OTA-BA-438.

9. REFERENCES

- *Oughton DH, Day JP. 1993. Determination of cesium, rubidium and scandium in biological and environmental materials by neutron activation analysis. *J Radioanal Nucl Chem* 174(1):177-185.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- *Owens PN, Walling DE, He Q. 1996. The behaviour of bomb-derived caesium-137 fallout in catchment soils. *J Environ Radioact* 32(3):169-191.
- Paasikallio A. 1984. The effect of time on the availability of ⁹⁰Sr and ¹³⁷Cs to plants from Finnish soils. *Ann Agric Fenn* 23(2):109-120.
- *Paasikallio A. 1999. Effect of biotite, zeolite, heavy clay, bentonite and apatite on the uptake of radiocesium by grass from peat soil. *Plant Soil* 206:213-222.
- *Paasikallio A, Rantavaara A, Sippola J. 1994. The transfer of cesium-137 and strontium-90 from soil to food crops after the Chernobyl accident. *Sci Total Environ* 155:109-124.
- Pacyna JM. 1995. The origin of Arctic air pollutants: lessons learned and future research. *Sci Total Environ* 160/161:39-53.
- *Padovani L, Caprossi D, Tedeschi B, et al. 1993. Cytogenetic study in lymphocytes from children exposed to ionizing radiation after the Chernobyl accident. *Mutat Res* 319:55-60.
- *Palmer HE, Branson BM, Cohn SH, et al. 1976. Standard field methods for determining ¹³⁷Cs and ¹³¹I *in vivo*. *Health Phys* 30:113.
- *Papastefanou C, Manolopoulou M, Ioannidou A, et al. 1989. Time-dependent radioactive concentrations of fallout following the Chernobyl reactor accident. *Sci Total Environ* 84:283-289.
- *Papastefanou C, Manolopoulou M, Sawidis T. 1992. Residence time and uptake of ¹³⁷Cs in lichens and mosses at temperate latitude (40 °N). *Environ Int* 18:397-401.
- *Paschal DC, Ting BG, Morrow JC, et al. 1996. Trace metals in urine of United States residents: Reference range concentrations. *Environ Res* A76:53-59.
- *Patterson E, Szabo B, Scherlag BJ, et al. 1990. Early and delayed after depolarizations associated with cesium chloride-induced arrhythmias in the dog. *J Cardiovasc Pharmacol* 15:323-331.
- Paunow S, Lausmann D. 1980. Chromosomal bone-marrow changes after ¹³⁷Cs incorporation in dsungaric hamsters. *Radiobiol Radiother* 21(1):30-35.
- *Pearce J. 1995. Radiocesium in migratory bird species in Northern Ireland following the Chernobyl accident. *Bull Environ Contam Toxicol* 54:805-811.
- *Pentic B, Milivojevic K. 1966. Contamination interne au ¹³⁷Cs par voie transcutanée et effet des moyens de décontamination et de protection sur la résorption transcutanée de ce radionuclide. *Health Phys* 12:1829-1830.

9. REFERENCES

- Pendleton RC, Mays CW, Lloyd RD, et al. 1965. A trophic level effect on ^{137}Cs concentration. *Health Phys* 11:1503-1510
- Pennington JAT, Capar SG, Parfitt CH, et al. 1996. History of the Food and Drug Administration's total diet study (part II), 1987-1993. *J AOAC Int* 79(1):163-170.
- *Penttila S, Kairesalo T, Uusi-Rauva A. 1993. The occurrence and bioavailability of radioactive ^{137}Cs in small forest lakes in southern Finland. *Environ Pollut* 82:47-55.
- *Petrow HG, Levine H. 1967. Ammonium hexacyanocobalt ferrate as an improved inorganic exchange material for determination of cesium-137. *Anal Chem* 39:360-362.
- Pham MK, Garnier J-M. 1998. Distribution of trace elements associated with dissolved compounds (<0.45 μm -1 nm) in freshwater using coupled (frontal cascade) ultrafiltration and chromatographic separations. *Environ Sci Technol* 32(4):440-449.
- *Pietrzak-Flis Z, Krajewski P, Krajewska G, et al. 1994. Transfer of radiocesium from uncultivated soils to grass after the Chernobyl accident. *Sci Total Environ* 141:147-153.
- Pietrzak-Flis Z, Rostek J, Lada W. 1988. Estimation of ^{137}Cs and ^{134}Cs body burden in Warsaw after the Chernobyl accident. *Radiat Prot Dosim* 25:101-105.
- Pinsky C, Bose R. 1984. Pharmacological and toxicological investigations of cesium. *Pharmacol Biochem Behav* 21(Suppl. 1):17-23.
- *Pinsky C, Bose R, Dua AK, et al. 1980. Interdisciplinary studies on brain level determination and behavioral effects of cesium (Cs). *Pharmacologist* 22(3):158.
- Pinsky C, Bose R, Taylor JR, et al. 1981. Cesium in mammals: Acute toxicity, organ changes and tissue accumulation. *J Environ Sci Health Part A* 16(5):549-567.
- Pitkyanen GB. 1978. Effect of chronic irradiation of a pike *Exox lucius L.* on its reproductive function. *Tr Inst Ekol Rast Zhivotn, Ural Nauchn Tsent, Akad Nauk SSSR* 114:74-78.
- *Platford RF, Joshi SR. 1989. Radionuclide partitioning across Great Lakes natural interfaces. *Environ Geol Water Sci* 14(3):183-186.
- Pohl-Ruling J, Haas O, Brogger A, et al. 1991. The effect on lymphocyte chromosomes of additional radiation burden due to fallout in Salzburg (Austria) from the Chernobyl accident. *Mutat Res* 262:209-217.
- Polikarpov GG, Tsytsugina VG. 1993. Distribution of chromosome aberrations among hydrobiont cells under the effect of ionizing radiation and chemical mutagens of the environment. *Radiobiologiya* 33(2):205-213.
- Polyák K, Bódog I, Hlavay J. 1994. Determination of chemical species of selected trace elements in fly ash. *Talanta* 41(7):1151-1159.
- Pomerantseva MD, Ramaiya LK, Chekhovich AV, et al. 1993. Genetic effect of incorporated ^{137}Cs in male mice after single injection of the isotope. *Radiat Biol Radioecol* 33(1):567-576.

9. REFERENCES

- Popov VY, Kutnyakov IV, Zhirnov VG, et al. 1995. Vertical distribution of ^{90}Sr and ^{137}Cs in alluvial sod soils in the near zone of the Chernobyl nuclear power plant. *Euras Soil Sci* 27(11):65-73.
- Poston TM, Klopfer DC. 1988. Concentration factors used in the assessment of radiation dose to consumers of fish: A review of 27 radionuclides. *Health Phys* 55(5):751-766.
- Preston RJ, Dean BJ, Galloway S, et al. 1987. Mammalian in vivo cytogenetic assays: Analysis of chromosome aberrations in bone marrow cells. *Mutat Res* 189:157-165.
- Prisjazhniuk AY. 1993. Spatio-temporal models for incidence of malignant neoplasms in the area subjected to radioactive contamination after the Chernobyl accident. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 399-423.
- *Prister BS, Omel'Yanenko NP, Yatnikova P. 1990. Migration of radionuclides in soil and their transfer to plants within the zone of the Chernobyl nuclear power plant accident. *Sov Soil Sci* 23(2):76-86.
- *Probst T, Zeh P, Kim J-I. 1995. Multielemental determinations in ground water ultrafiltrates using inductively coupled plasma mass spectrometry and monostandard neutron activation analysis. *Fresenius J Anal Chem* 351:745-751.
- Quastel MR, Goldsmith JR, Mirkin L, et al. 1997. Thyroid-stimulating hormone levels in children from Chernobyl. *Environ Health Perspect Suppl* 6:1497-1498.
- *Rabitsch H, Feenstra O, Kahr G. 1991. Radiocesium levels in humans over a four-year period. *J Nucl Med* 32:1491-1495.
- *Rabon EW. 1978. Calcium, strontium-89, strontium-90, and cesium-137 in pregnant white-tailed deer and related fetuses. *DOE Symp Ser* 45:682-690.
- *Rabon EW, Johnson JE. 1973. Rapid field-monitoring of cesium-137 in white-tailed deer. *Health Phys* 25:515-516.
- Raghavendran KV, Satbhai PD, Abhyankar B, et al. 1978. Long-term retention studies of ^{131}I and ^{137}Cs and ^{60}Co in Indian workers. *Health Phys* 34:185-188.
- *Rahola T, Suomela M. 1998. The ^{137}Cs content in Finnish people consuming foodstuffs of wild origin. *Radiat Prot Dosim* 79:187-189.
- Ramaiya LK, Pomerantseva MD, Chekhovich AV, et al. 1993. [Genetic efficiency of incorporated ^{137}Cs in male mice after long-term administration of the isotope.] *Radiat Biol Radioecol* 33(1):577-584. (Russian)
- *Ramaiya LK, Pomerantseva MD, Chekhovich AV, et al. 1994. Genetic effects of testicular incorporation of ^{137}Cs in mice. *Mutat Res* 324:139-145.
- Ramalho AT, Nascimento ACH. 1991. The fate of chromosomal aberrations in ^{137}Cs -exposed individuals in the Goliaia radiation accident. *Health Phys* 60(1):67-70.

9. REFERENCES

- Ramalho AT, Nascimento ACH, Littlefield LG, et al. 1991. Frequency of chromosomal aberrations in a subject accidentally exposed to ^{137}Cs in the Goiania (Brazil) radiation accident: Intercomparison among four laboratories. *Mutat Res* 252:157-160.
- Ramalho AT, Nascimento ACH, Natarajan AT. 1988. Dose assessments by cytogenetic analysis in the Goiania (Brazil) radiation accident. *Radiat Prot Dosim* 25:97-100.
- Ramboiu S, Derevenco P, Bordas E, et al. 1990. Effects of ingestion of radioactive cesium on behavioral indices in rats. *Rev Roum Physiol* 27(1):29-37.
- Ramzaev PV, Tarasov SI. 1976. [Hygienic evaluation of the combined effect of different types of harmful factors]. In: Liberman AN, ed. [Hygienic evaluation of factors of radiation and nonradiation natures and their combinations]. Leningrad, USSR: Leningradskii Nauchno-Issledovatel'skii Institut Radiatsionnoi Gigieny, 5-10. (Russian)
- *Rank D, Maringer FJ, Terlunen J. 1990. The radioactivity of sediments in Danube reservoirs in Austria before and after the Chernobyl accident. *Water Sci Technol* 22(5):211-218.
- *Rastogi RB, Singhal RL, Lapierre YD. 1980. Effects of rubidium and cesium on central catecholamines and locomotor behavior in rats. *J Neurochem* 34(6):1764-1767.
- Raven KP, Loeppert RH. 1997. Trace element composition of fertilizers and soil amendments. *J Environ Qual* 26:551-557.
- Reddi PR, Nussbaum H, Wollin M, et al. 1974. Treatment of carcinoma of the cervix uteri with special reference to radium system. *Obstet Gynecol* 43(2):238-247.
- *Redman HC, McClellan RO, Jones RK, et al. 1972. Toxicity of $^{137}\text{CsCl}$ in the beagle. Early biological effects. *Radiat Res* 50:620-648.
- Reish DJ, Geesey GG, Wilkes FG, et al. 1982. Marine and estuarine pollution. *J Water Pollut Control Fed* 54(6):786-811.
- Remez VP, Sapozhnikov YA. 1996. The rapid determination of caesium radionuclides in water systems using composite sorbents. *Appl Radiat Isot* 47(9-10):885-886.
- Renaud P, Pourcelot L, Metivier J-M, et al. 2003. Mapping of ^{137}Cs deposition over eastern France 16 years after the Chernobyl accident. *Sci Total Environ* 309:257-264.
- *Reuter H, Stevens CF. 1980. Ion conductance and ion selectivity of potassium channels in snail neurones. *J Membr Biol* 57:103-118.
- *Richmond CR, Furchner JE. 1961. Enhancement of cesium 137 excretion by rats fed potassium-supplemented diets. *Proc Soc Exp Biol Med* 108:797-798.
- *Richmond CR, Furchner JE, Langham WH. 1962. Long-term retention of radiocesium by man. *Health Phys* 8:201-205.
- *Richter T, Schroder G, Kaminski S, et al. 1993. Transport of particles contaminated with cesium radionuclides into the sediment of Lake Constance. *Water Sci Technol* 28:117-121.

9. REFERENCES

- *Riga-Karandinos AN, Karandinos MG. 1998. Caesium-137 concentrations and ecological half-lives in three epiphytic lichen species from southern Greece (Megalopolis). *Bryologist* 101(3):422-427.
- Riget F, Johansen P, Asmund G. 1997. Baseline levels and natural variability of elements in three seaweed species from west Greenland. *Mar Pollut Bull* 34(3):171-176.
- *Risica S, Grisanti G, Tancredi F, et al. 1994. A study on some stable elements and radionuclides in human milk. *ACH Models Chem* 131:651-660.
- Rivera J. 1965. Dietary intakes and body burdens of cesium-137. *Radiol Health Data Rep* 6(9):504-506.
- *Robb P, Owen LMW, Crews HM. 1995. Stable isotope approach to fission product element studies of soil-to-plant transfer and *in vitro* modelling of ruminant digestion using inductively coupled plasma mass spectrometry. *J Anal Atom Spectrom* 10:625-629.
- *Robbins JA, Mudroch A, Oliver BG. 1990. Transport and storage of ^{137}Cs and ^{210}Pb in sediments of Lake St. Clair. *Can J Fish Aquat Sci* 47:572-587.
- Roberto B, Gemignani F, Morizzo C, et al. 1998. Cytogenetic damage in lymphocytes of healthy and thyroid tumor-affected children from the Gomel region (Belarus). *Mutat Res* 405:89-95.
- *Robinson WL, Phillips WA. 1989. Estimates of the radiological dose from ingestion of ^{137}Cs and ^{90}Sr to infants, children, and adults in the Marshall Islands. Livermore, CA: Lawrence Livermore National Laboratory.
- Roca MC, Vallejo VR, Roig M, et al. 1997. Prediction of cesium-134 and strontium-85 crop uptake based on soil properties. *J Environ Qual* 26:1354-1362.
- Romanenko AM, Gaiyrov AG. 1998. Particular features of morphogenesis of transition cell tumors of human urinary bladder in Ukraine after Chernobyl accident. *Lik Sprava* 26(3):11-14.
- *Ropolo R, Cesana P. 1997. ^{137}Cs urinary excretion by northwestern Italians ten years after the Chernobyl accident. *Health Phys* 73(3):498-501.
- Rosen K, Eriksson A, Haak E. 1996. Transfer of radiocesium in sensitive agricultural environments after the Chernobyl fallout in Sweden. I. County of Gavleborg. *Sci Total Environ* 182:117-133.
- Rosen K, Haak E, Eriksson A. 1998. Transfer of radiocesium in sensitive agricultural environments after the Chernobyl fallout in Sweden: III. County of Vasternorrland. *Sci Total Environ* 209:91-105.
- *Rosenthal JJ, de Almeida CE, Mendonca AH. 1991. The radiological accident in Goiania: The initial remedial actions. *Health Phys* 60(1):7-15.
- *Rosoff B, Cohn SH, Spencer H. 1963. Cesium-137 in man. *Radiat Res* 19:643-654.
- *Rowan DJ, Chant LA, Rasmussen JB. 1998. The fate of radiocesium in freshwater communities- why is biomagnification variable both within and between species? *J Environ Radioact* 40(1):15-36.
- Rowan JS, Walling DE. 1992. The transport and fluvial redistribution of Chernobyl-derived radiocesium within the River Wye basin, UK. *Sci Total Environ* 121:109-131.

9. REFERENCES

- Ruhm W, Kammerer L, Hiersch L, et al. 1996. Migration of ^{137}Cs and ^{134}Cs in different forest soil layers. *J Environ Radioact* 33(1):63-75.
- *Rundo J. 1964. A survey of the metabolism of caesium in man. *Br J Radiol* 37:108-114.
- Rundo J. 1965. A case of accidental inhalation of irradiated uranium. *Br J Radiol* 38:39-50.
- *Rundo J, Newton D. 1964. Increase in the cesium-137 content of man due to radioactive fallout, 1962-1964. *Nature* 203:537-538.
- Rundo J, Richmond CR. 1970. Altitude effect on the biological half life of caesium in man. *Nature* 225:83-84.
- *Rundo J, Turner FM. 1966. Metabolism of caesium-137 during pregnancy. British Atomic Energy Research Establishment Progress Report, AEKE-PR/HPM 11, 32.
- Rundo J, Turner FM. 1967. Metabolism of caesium-137 during pregnancy. British Atomic Energy Research Establishment Progress Report, AEKE-PR/HPM 12, 34.
- *Rundo J, Mason JI, Newton D, et al. 1963. Biological half-life of caesium in man in acute chronic exposure. *Nature* 200:188-189.
- *Ruse ME, Peart MR. 2000. Intrasite sampling of Hong Kong soils contaminated by caesium-137. *Chemosphere* 41:45-51.
- Russell WL, Kelly EM. 1982. Mutation frequencies in male mice and the estimation of genetic hazards of radiation in men. *Proc Natl Acad Sci U S A* 79:542-544.
- *Rybacek K, Wilhelmova L, Tomasek M. 1994. Behavior of radiocesium in atmospheric aerosol and fallout in Prague. *J Radioanal Nucl Chem* 186(3):245-255.
- *Saad AY, Abdelazim AA, El-Khashab MM, et al. 1991. Effects of gamma radiation on incisor development of the prenatal albino mouse. *J Oral Pathol Med* 20:385-388.
- *Saad AY, Abdelazim AA, El-Khashab MM, et al. 1994. Induction of cleft palate by gamma-irradiation of prenatal CD-1 mice. *Cleft Palate Craniofac J* 31(5):351-355.
- Sachdev P, Sachdev MS, Deb DL. 1995. Adsorption-desorption of radiocaesium (^{137}Cs) in semi-arid and tropical soils. *J Nucl Agric Biol* 24(4):201-209.
- Sachdev P, Sachdev MS, Deb DL. 1998. The uptake and transfer of caesium-137, strontium-90 and zinc-65 from soil to food crops in tropical environment. *J Nucl Agric Biol* 27(1):1-9.
- *Saliba W, Erdogan O, Niebauer M. 2001. Case Reports: Polymorphic ventricular tachycardia in a woman taking cesium chloride. *PACE* 24(4 Pt 1):515-517.
- Sanchez AL, Schell WR. 1986. Uptake mechanisms for Co-60, Sr-85, Cs-137 on peat. *Health Phys* 50(Suppl. 1):S87.
- *Sanchez AL, Wright SM, Smolders E, et al. 1999. High plant uptake of radiocesium from organic soils due to Cs mobility and low soil K content. *Environ Sci Technol* 33:2752-2757.

9. REFERENCES

- *Santos-Mello R, Schmidt T, Neuhauss E. 1999. Induction of micronuclei by CsCl in vivo and in vitro. *Mutat Res* 446:239-244.
- *Santos-Mello R, Deimling LI, Almeida A. 2001. Induction of micronuclei in mouse polychromatic erythrocytes by the administration of nonradioactive CsCl by the oral and intraperitoneal route. *Mutat Res* 497(1-2):147-151.
- *Sarkka J, Keskitalo A, Luukko A. 1996. Temporal changes in concentration of radiocesium in lake sediment and fish of southern Finland as related to environmental factors. *Sci Total Environ* 191:125-136.
- Sauras T, Roca MC, Tent J, et al. 1994. Migration study of radionuclides in a Mediterranean forest soil using synthetic aerosols. *Sci Total Environ* 157:231-238.
- *Sawidis T, Drossos E, Heinrich G, et al. 1990. Cesium-137 accumulation in higher plants before and after Chernobyl. *Environ Int* 16:163-169.
- Sbrignadello G, Degetto S, Battiston GA, et al. 1994. Distribution of ^{210}Pb and ^{137}Cs in snow and soil samples from Antarctica. *Int J Environ Anal Chem* 55:235-242.
- Schell WR, Tobin MJ, Massey CD. 1989. Evaluation of trace metal deposition history and potential element mobility in selected cores from peat and wetland ecosystems. *Sci Total Environ* 87/88:19-42.
- Schimmack W, Bunzl K. 1992. Migration of radiocesium in two forest soils as obtained from field and column investigations. *Sci Total Environ* 116:93-107.
- *Schull WJ, Otake M. 1999. Cognitive function and prenatal exposure to ionizing radiation. *Teratology* 59:222-226.
- *Schull WJ, Otake M, Yoshimaru H. 1988. Effect on intelligence test score of prenatal exposure to ionizing radiation in Hiroshima and Nagasaki: A comparison of the T65DR and DS86 dosimetry systems. Radiation Effects Research Foundation. RERF TR 3-88. Research project 24-62.
- *Schuller P, Ellies A, Kirchner G. 1997. Vertical migration of fallout ^{137}Cs in agricultural soils from Southern Chile. *Sci Total Environ* 193:197-205.
- Schwarz G, Dunning DE. 1982. Imprecision in estimates of dose ingested ^{137}Cs due to variability in human biological characteristics. *Health Phys* 43(5):631-645.
- Seel JF, Whicker FW, Adriano DC. 1995. Uptake of ^{137}Cs in vegetable crops grown on a contaminated lakebed. *Health Phys* 68(6):793-799.
- Seelye JG, Hesselberg RJ, Mac MJ. 1982. Accumulation by fish of contaminants released from dredged sediments. *Environ Sci Technol* 16:459-464.
- Sekimoto H, Nakamura H, Takagi N. 1996. Toxicity of radioactive wastes discharged from nuclear energy center in the future equilibrium state. *Ann Nucl Energy* 23(8):663-668.
- Senekowitsch R, Kriegel H. 1984. Diaplacental transfer and distribution of some radionuclides in fetal organs at different stages of gestation - experimental results. *EUR* 8067:183-197.

9. REFERENCES

- *Senges JC, Sterns LD, Freigang KD, et al. 2000. Cesium chloride induced ventricular arrhythmias in dogs: three-dimensional activation patterns and their relation to the cesium dose applied. *Basic Research in Cardiology* 95(2):152-162.
- *Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society.
- Sevan'Kaev AV, Lloyd DC, Potetnya OI, et al. 1995. Chromosomal aberrations in lymphocytes of residents of areas contaminated by radioactive discharge from the Chernobyl accident. *Radiat Prot Dosim* 58(4):247-254.
- Shah KR, Filby RH, Davis AI. 1971. Determination of trace elements in tea and coffee by neutron activation analysis. *Int J Environ Anal Chem* 1:63-73.
- Shappard SC, Evenden WG, Schwartz WJ. 1995. Ingested soil: Bioavailability of sorbed lead, cadmium, cesium, iodine, and mercury. *J Environ Qual* 24:498-505.
- Sharma A, Das T, Ghosh BB, et al. 1991. Chromosomal alterations induced by newer metals used in industry. *Am J Hum Genet* 49(4):451.
- *Shenber MA, Johanson KJ. 1992. Influence of zeolite on the availability of radiocesium in soil to plants. *Sci Total Environ* 113:287-295.
- Sheppard MI, Thibault DH. 1991. A four-year mobility study of selected trace elements and heavy metals. *J Environ Qual* 20:101-114.
- Sheppard SC, Evenden WG, Schwartz WJ. 1995. Ingested soil: Bioavailability of sorbed lead, cadmium, cesium, iodine, and mercury. *J Environ Qual* 24:498-505.
- Shilov VP. 1980. [Metabolism of ^{137}Cs in pigs in relation to age.] *S-kh Biol* 15(5):766-769. (Russian)
- *Shiraishi K, Tagami K, Ban-nai T, et al. 1997. Daily intakes of ^{134}Cs , ^{137}Cs , ^{40}K , ^{232}Th , and ^{238}U in Ukrainian adult males. *Health Phys* 73(5):814-819.
- Shubik VM. 1975. Effect of Cs^{137} on immunological reactivity (Review of the literature). *J Hyg Epidemiol Microbiol Immunol* 19(3):271-278.
- Shubik VM, Nevstrueva MA, Kal'nitskii SA, et al. 1978a. A comparative study of changes in immunological reactivity during prolonged introduction of radioactive and chemical substances into the organism with drinking water. *J Hyg Epidemiol Microbiol Immunol* 22(4):408-401.
- Shubik VM, Nevstrueva MA, Kal'nitskii SA, et al. 1978b. Comparative study of changes of immunological reactivity during chronic administration of radioactive and chemical substances in the drinking water. *Zh Gig Epidemiol Mikrobiol Immunol* 22(4):374-380.
- Shutov VN, Bruk GY, Balonov MI, et al. 1993. Cesium and strontium radionuclide migration in the agricultural ecosystem and estimation of internal doses to the population. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 167-219.

9. REFERENCES

- Shutov VN, Bekyasheva TA, Basalayeva LN, et al. 1994. Effect of soil properties on ^{137}Cs and ^{90}Sr uptake by native grasses. *Euras Soil Sci* 26(7):88-95.
- Sikov MR, Meznarich HK, Traub RJ. 1991. Comparison of placental transfer and localization of caesium strontium and iodine in experimental animals and women. *Int J Radiat Biol* 60(3):553-555.
- Simon N, Silverstone SM. 1978. New miniaturized cesium-137 for needle implants. *Int J Nucl Med Biol* 5:167-169.
- Simon SL, Graham JC. 1994. Results of a nationwide radiological monitoring program in the Marshall Islands. *Health Phys* 66(6):S14.
- *Simon SL, Graham JC. 1998. A comparison of aerial and ground level measurements of ^{137}Cs in the Marshall Islands. *Environ Monit Assess* 53:363-377.
- Sirotkin AN, Shilov VP, Panchenko IYA, et al. 1976. Kinetics of the accumulation excretion of ^{90}Sr and ^{137}Cs in cattle of different ages. *S-kh Biol* 11(4):538-542.
- *Sjodin RA, Beauge LA. 1967. The ion selectivity and concentration dependence of cation active sodium transport in squid axons. *Curr Mod Biol* 1:105-115.
- *Skandalis A, da Cruz AD, Curry J, et al. 1997. Molecular analysis of T-lymphocyte HPRT mutations in individuals exposed to ionizing radiation in Goiania, Brazil. *Environ Mol Mutagen* 29:107-116.
- Skarlou V, Papanicolaou EP, Nobeli C. 1996. Soil to plant transfer of radioactive cesium and its relation to soil and plant properties. *Geoderma* 72:53-63.
- Snipes MB, Boecker BB, McClellan RO. 1983. Retention of monodisperse or polydisperse aluminosilicate particles inhaled by dogs, rats, and mice. *Toxicol Appl Pharmacol* 69:345-362.
- Sora S, Magni GE. 1988. Induction of meiotic chromosomal malsegregation in yeast. *Mutat Res* 201:375-384.
- Spalding BP. 1994. Volatization of cesium-137 from soil with chloride amendments during heating and vitrification. *Environ Sci Technol* 28:1116-1123.
- Spruill MD, Nelson DO, Ramsey MJ, et al. 2000. Lifetime persistence and clonality of chromosome aberrations in the peripheral blood of mice acutely exposed to ionizing radiation. *Radiat Res* 153(1):110-121.
- *Stara JF. 1965. Tissue distribution and excretion of cesium-137 in the guinea pig after administration by three different routes. *Health Phys* 11:1195-1202.
- *Stara JF, Thomas RG. 1963. The tissue distribution and excretion of cesium-137 following inhalation: Preliminary data for rats. *AEC Res Dev Rep* LF-4.
- Stather JW, Phipps AW. 1998. The work of committee 2 of ICRP in developing dose coefficients for the embryo and fetus. *Radiat Prot Dosim* 79:299-302.
- Stather JW, Phipps AW. 1999. The work of committee 2 of ICRP in developing dose coefficients for the embryo and fetus following intakes of radionuclides by the mother. *Kerntechnik* 64:15-20.

9. REFERENCES

- *Steele AK. 1990. Derived concentration factors for caesium-137 in edible species of North Sea fish. *Mar Pollut Bull* 21(12):591-594.
- Steinnes E, Rambaek JP, Hanssen JE. 1992. Large scale multi-element survey of atmospheric deposition using naturally growing moss as biomonitor. *Chemosphere* 25(5):735-752.
- Stetar EA, Boston HL, Larsen IL, et al. 1993. The removal of radioactive cobalt, cesium, and iodine in a conventional municipal wastewater treatment plant. *Water Environ Res* 65(6):630-639.
- Stradling GN, Stather JW, Gray SA, et al. 1989. Assessment of intake of an actinide-bearing dust formed from the pond storage of spent magnox fuel. *Radiat Prot Dosim* 26(1/4):201-206.
- Strebl F, Gerzabek MH, Karg V, et al. 1996. ^{137}Cs -migration in soils and its transfer to roe deer in an Austrian forest stand. *Sci Total Environ* 181:237-247.
- *Strezov A, Stoilova T, Jordanova A, et al. 1999. Determination of caesium and natural radionuclide concentrations in sediments, algae and water in the Bulgarian Black Sea coast. *Water Sci Technol* 39(8):21-26.
- Suchanek TH, Lagunas-Solar MC, Raabe OG, et al. 1996. Radionuclides in fishes and mussels from the Farallon Islands nuclear waste dump site, California. *Health Phys* 71(2):167-178.
- Sugai SF. 1990. Transport and sediment accumulation of ^{210}Pb and ^{137}Cs in two southeast Alaskan fjords. *Estuaries* 13(4):380-392.
- Sugiura N, Kusama T. 1992. Biokinetics of radionuclides in pregnant mice and compartment models by the system analysis methods. *Radiat Prot Dosim* 41(2/4):153-156.
- *Sun LC, Clinton JH, Kaplan E, et al. 1997. ^{137}Cs exposure in the Marshallese populations: an assessment based on whole-body counting measurements (1989-1994). *Health Phys* 73:86-99.
- Surkova LV, Pogodin RI. 1991. Status forms of occurrence of cesium-137 in soils as a function of distance from the Chernobyl nuclear power plant. *Sov Soil Sci* 23(10):100-103.
- Suzuki M, Nakano K, Suzuki K, et al. 2000. Influence of the sampling time on chromosomal aberrations at G^2 phase in Syrian hamster embryonic cells irradiated with different types of radiation. *Int J Radiat Biol* 76(6):815-821.
- *Szabo B, Patterson E, Scherlag B, et al. 1987. Early afterdepolarizations induced by Cs^+ are dependent on intra- and extracellular $[\text{Ca}^{2+}]$ and $[\text{Na}^+]$. *Circulation* 76:IV-115.
- Szabo B, Sweidan R, Lazzara R. 1985. Cs-induced potentials in purkinje fibers of guinea pig hearts. *Fed Proc* 44:806.
- Szentkuti VL, Breitruck H, Giese W. 1976. [The accumulation of cesium-134 in heart and skeletal muscle of healthy and muscular dystrophic golden hamsters]. *Z Versuchstierkd* 18(3):121-129. (German)
- Takahashi N, Ito M, Ishida S, et al. 1992. Effects of vagal stimulation on cesium-induced early after depolarizations and ventricular arrhythmias in rabbits. *Circulation* 86:1987-1992.

9. REFERENCES

- *Takenaka C, Onda Y, Hamajima Y. 1998. Distribution of cesium-137 in Japanese forest soils: Correlation with the contents of organic carbon. *Sci Total Environ* 222:193-199.
- *Talbot RJ, Newton D, Segal MG. 1993. Gastrointestinal absorption by rats of ^{137}Cs and ^{90}Sr from U_3O_8 fuel particles: Implications for radiation doses to man after a nuclear accident. *Radiat Prot Dosim* 50(1):39-43.
- Tamura T. 1965. Experimental studies on the effect of internal exposure of Cs-137 on the male reproductive organ. The distribution of the Cs-137 in mice body and histological changes of testis by its exposure. II. *Jpn J Hyg* 20(5):320-328.
- Tandon L, Iyengar GV, Parr RM. 1998. A review of radiologically important trace elements in human bones. *Appl Radiat Isot* 49(8):903-910.
- *Tanizaki Y, Shimokawa T, Yamazaki M. 1992. Physico-chemical speciation of trace elements in urban streams by size fractionation. *Water Res* 26(1):55-63.
- *Taskaev E. 1987. Neutron-activation determination of rubidium and caesium in mineral waters. *J Radioanal Nucl Chem* 118:319-322.
- Tempel K. 1997. Influence on species of animal on radionuclide metabolism. *Berl Muench Tieraerztl Wochenschr* 110:451-455.
- Thiry Y, Vanhouche M, Van Der Vaeren P, et al. 1994. Determination of the physico-chemical parameters which influence the Cs availability in forest soils. *Sci Total Environ* 157:261-265.
- *Thomas PA, Gates TE. 1999. Radionuclides in the lichen-caribou-human food chain near uranium mining operations in northern Saskatchewan, Canada. *Environ Health Perspect* 107(7):527-537.
- Thomas RG, Thomas RL. 1968. Long-term retention of ^{137}Cs in the rat. *Health Phys* 15:83-84.
- Thompson DF, Church CO. 2001. Prussian blue for treatment of radiocesium poisoning. *Pharmacotherapy* 21(11):1364-1367.
- *Thornberg C, Mattsson S. 2000. Increased ^{137}Cs metabolism during pregnancy. *Health Phys* 78(5):502-506.
- *Toader M, Vasilache RA, Toader ML, et al. 1996. Cs^{137} transfer from mother to embryos, in the first three years after the Chernobyl accident. In: International Congress, ed. International congress on radiation protection: Ninth international congress of the International Radiation Protection Association, April 14-19, Congress Center Hofburg, Vienna, Austria: proceedings. Vol. 2. Seibersdorf, Austria: International Radiation Protection Association, 473-475.
- *Tobari I, Matsuda Y, Xiaohung G, et al. 1988. Dose-response relationship for translocation induction in spermatogonia of the crab-eating monkey (*Macaca fascicularis*) by chronic γ -ray-irradiation. *Mutat Res* 201:81-87.
- *Todorovic D, Popovic D, Djuric G. 1999. Concentration measurements of ^7Be and ^{137}Cs in ground level air in the Belgrade city area. *Environ Int* 25(1):59-66.

9. REFERENCES

- Tomioaka N, Uchiyama H, Yagi O. 1994. Cesium accumulation and growth characteristics of *Rhodococcus erythropolis* CS98 and *Rhodococcus* sp. strain CS402. *Appl Environ Microbiol* 60(7):2227-2231.
- Tondel M, Carlsson G, Hardell L, et al. 1996. Incidence of neoplasms in ages 0-19 Y in parts of Sweden with high ^{137}Cs fallout after the Chernobyl accident. *Health Phys* 71(6):947-950.
- Travnikova IG, Bruk GY, Shutov VN. 1999. Dietary pattern and content of cesium radionuclides in foodstuffs and odies of Braynsk Oblast rural population after the Chernobyl accident. *Radiochemistry* 41(3):298-301.
- TRI97. 2000. Toxics Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI99. 2001. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Offices of Environmental Information. U.S. Environmental Protection Agency. Toxic Release Inventory. <http://www.epa.gov/triexplorer>. April 18, 2001.
- *Tyler SA, Kretz ND, Norris WP. 1969. Dependence of ^{137}Cs retention on age in the fetal and juvenile beagle dog. *AEC Symp Ser* 17:191-204.
- Uchiyama M. 1977. Estimation of ^{137}Cs body burden in Japanese: I. The ratio of ^{137}Cs in the urine to that in the total excreta following the continuous intake of ^{137}Cs in fall-out. *J Radiat Res* 18:239-246.
- Ugedal O, Jonsson B, Njastad O, et al. 1992. Effects of temperature and body size on radiocaesium retention in brown trout, *Salmo trutta*. *Freshwater Biol* 28:165-171.
- *Ulsh B, Rademacher S, Whicker FW. 2000. Variations of ^{137}Cs depositions and soil concentrations between alpine and montane soils in northern Colorado. *J Environ Radioact* 47:57-70.
- *UN. 1998. Resolution 1172 (1998). United Nations. <http://srch0.un.org:80/plweb-cgi/fa...emplateName=predoc.tmpl&setCookie=1>. March 23, 2001.
- UNSCEAR. 1977. Sources and effects of ionizing radiation: UNSCEAR 1977 report to the general assembly, with annexes. United Nations Scientific Committee on the Effects of Atomic Radiation. New York: United Nations.
- *UNSCEAR. 1996. Sources and effects of ionizing radiation: UNSCEAR 1996 report to the general assembly, with scientific annex. United Nations Scientific Committee on the Effects of Atomic Radiation. New York: United Nations.
- *USGS. 1999. Cesium: Mineral commodity summary 1999. U.S. Geological Survey. <http://minerals.usgs.gov/minerals/pubs/commodity/cesium>. August 29, 2000.
- *USNRC. 1983. Metabolic data and retention functions for the intracellular alkali metals. Washington, DC: U.S. Nuclear Regulatory Commission. NUREG/CR-3245. ORNL/TM-8630. DOE 40-550-75.
- *USNRC. 1984. Lower limit of detection: Definition and elaboration of a proposed position for radiological effluent and environmental measurements. Washington, DC: U.S. Nuclear Regulatory Commission. NUREG/CR-4604.

9. REFERENCES

- *USNRC. 1991. Nuclear regulatory commission digest. U.S. Nuclear Regulatory Commission. Code of Federal Regulations. 10 CFR 20, appendix B.
- *USNRC. 1993. Radioactive materials released from nuclear power plants: Annual report 1993. Washington, DC: U.S. Nuclear Regulatory Commission. NUREG/CR-2907. BNL-NUREG-51581.
- *USNRC. 1997. Minimum detectable concentrations with typical radiation survey instruments for various contaminants and field conditions. Rockville, MD: U.S. Nuclear Regulatory Commission. U.S. Report NUREG-1507.
- *USNRC. 1998. Probabilistic accident consequence uncertainty analysis: Uncertainty assessment for internal dosimetry. Vol 1 and 2. Commission of European Communities. U.S. Nuclear Regulatory Committee. NUREG/CR-6571. EUR 16773. SAND98-0119.
- *USNRC. 1999a. Annual limits on intake (ALIs) and derived air concentrations (DACs) of radionuclides for occupational exposure; Effluent concentrations; Concentrations for release to sewerage. U.S. Nuclear Regulatory Commission. Code of Federal Regulations. 10 CFR 20 App B.
- *USNRC. 1999b. Quantities of licensed material requiring labeling. U.S. Nuclear Regulatory Commission. Code of Federal Regulations. 10 CFR 20 App C.
- *Vandecasteele CM, Van Hees M, Culot JP, et al. 1989. Radiocaesium metabolism in pregnant ewes and their progeny. *Sci Total Environ* 85:213-223.
- Vandelannoote R, Blommaert W, Gijbels R, et al. 1981. Analysis of geothermal waters by spark source mass spectrometry. *Fresenius Z Anal Chem* 309:291-294.
- Vandrot M, Scharbach H, Raylaud G, et al. 1979. Cesium. *Encephale* 5(4):359-374.
- Van Middlesworth L. 1993. ^{129}I and ^{137}Cs fission products in thyroids of animals, 1984-1991. *Health Phys* 64(1):52-58.
- Varskog P, Naeumann R, Steinnes E. 1994. Mobility and plant availability of radioactive Cs in natural soil in relation to stable Cs, other alkali elements and soil fertility. *J Environ Radioact* 22:43-53.
- Vasilenko II. 1991. Carcinogenic hazards of radioactive cesium. *Vopr Onkol* 37(4):394-400.
- *Vertacnik A, Prohic E, Juracic M, et al. 1997. Selected element concentrations in alluvial sediments under garbage disposal site (Zagreb, Croatia). *Water Res* 31(6):1421-1429.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of *CYP2E1* in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.
- Voigt G, Muller H, Paretzke HG, et al. 1993. ^{137}Cs transfer after Chernobyl from fodder into chicken meat and eggs. *Health Phys* 65(2):141-146.
- Vykhovanets EV, Chernyshov VP, Slukvin II, et al. 2000. Analysis of blood lymphocyte subsets in children living around Chernobyl exposed long-term to low doses of cesium-137 and various doses of iodine-131. *Radiat Res* 153(1):110-121.

9. REFERENCES

- Wang CC. 1980. Treatment of malignant tumors of the nasopharynx. *Otolaryngol Clin North Am* 13(3):477-481.
- Wang S. 1988. The dependence of thermoluminescence response and glow curve structure of LiF (Mg, Cu, P) TL materials on Mg, Cu, P dopants concentration. *Radiat Prot Dosim* 25:133-136.
- Ward NI, Savage JM. 1994. Metal dispersion and transportational activities using food crops as biomonitors. *Sci Total Environ* 146/147:309-319.
- Warren CJ, Dudas MJ. 1988. Leaching behaviour of selected trace elements in chemically weathered alkaline fly ash. *Sci Total Environ* 76:229-246.
- *Watson WS. 1987. Human radiocesium levels in Scotland. In: Hamphill DD, ed. Trace substances in environmental health-XXI: Proceedings of the University of Missouri's 21st annual conference on trace substances in environmental health. Columbia, Missouri: University of Missouri, 232-236.
- Watson WS, Sumner DJ, Baker JR, et al. 1999. Radionuclides in seals and porpoises in the coastal waters around the UK. *Sci Total Environ* 234:1-13.
- Wellner U. 1989. A pharmacokinetic approach to investigate the uptake of ¹³⁷Cs by children after the reactor accident in Chernobyl. *Nucl Med Commun* 28:243-246.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *WHO. 1983. Selected radionuclides: Tritium, carbon-14, krypton-85, strontium-90, iodine, caesium-137, radon, plutonium. *Environmental Health Criteria* 25. Geneva: World Health Organization.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Vol II: The elements Part A. New York: Academic Press.
- Wiley LM, Baulch JE, Raabe OG, et al. 1997. Impaired cell proliferation in mice that persists across at least two generations after paternal irradiation. *Radiat Res* 148:145-151.
- *Willey NJ, Martin MH. 1995. Annual patterns of Cs-133 concentrations in British upland vegetation. *Chemosphere* 30(4):717-724.
- Willey NJ, Martin MH. 1997. A comparison of stable caesium uptake by six grass species of contrasting growth strategy. *Environ Pollut* 95(3):311-317.
- *Wright EM. 1972. Mechanisms of ion transport across the choroid plexus. *J Physiol* 226:545-571.
- Wyoff MH. 1971. Distribution of ¹³⁴Cs in the conceptus of the pregnant rat. *Radiat Res* 47:628-634.
- Xie S, Matthew F, Adomat H, et al. 2001. Pharmacokinetics studies in mice with cesium chloride, a possible high pH therapeutic reagent for prostate cancer. *Proc Am Assoc Cancer Res* 42:381.
- *Yamagata N, Iwashima K. 1966. Distribution of cesium and rubidium in human blood. *Nature* 211:528-529.

9. REFERENCES

- Yamamoto N, Kasai M. 1982. Inhibition of a voltage-dependent cation channel in sarcoplasmic reticulum vesicles by cesium studied by using a potential-sensitive cyanine dye. *Biochim Biophys Acta* 692:89-96.
- Yanagi T, Tatanabe M, Yamamoto K. 1989. Sorption behavior of cesium and strontium ions on mixtures of clay sorbents. 26(9):861-864.
- *Yasuda H, Uchida S, Muramatsu Y, et al. 1995. Sorption of manganese, cobalt, zinc, strontium, and cesium onto agricultural soils: Statistical analysis on effects of soil properties. *Water Air Soil Pollut* 83:85-96.
- Yoshida S, Muramatsu Y. 1994. Accumulation of radiocesium in basidiomycetes collected from Japanese forests. *Sci Total Environ* 157:197-205.
- Yoshimoto Y, Kato H, Schull WJ. 1988. Risk of cancer among children exposed in utero to A-bomb radiations, 1950-1984. *Lancet* 2(8612):665-669.
- *Yoshioka M, Kitahar K, Keida Y, et al. 1976. Strontium-90 and cesium-137 in human placenta. *Acta Med Univ Kagoshima* 18:113-117.
- Zapoliskaya NA, Lavrentlev LF, Zhorno LYA. 1973. Carcinogenic effect in continuous uptake of some radionuclides and chronic external irradiation. *Vopr Onkol* 19(9):80-85.
- Zhorno L, Iakovleva NG. 1974. Radiation injury to the sexual and somatic cells of rats with a chronic intake of radionuclides. *Radiobiologia* 14(1):123-125.
- Zhu S, Xia F, Yang W. 1997a. [Comparison of chromosomal aberration induced by signal radionuclide ^{134}Cs in somatic and germ cells.] *Zhong Fan Yixue Yu Fanghu Zazhi* 17(4):239-242. (Chinese)
- Zhu S, Xia F, Yang W. 1997b. [Effect of chromosomal aberrations in spermatogonia induced by ^{134}Cs retention in germ cells.] *Fushe Fanghu* 17(3):208-211. (Chinese)
- *Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.
- *Zundel WS, Tyler FH, Mays CW, et al. 1969. Short half-times of caesium-137 in pregnant women. *Nature* 221:89-90.
- Zvonova IA, Balonov MI. 1993. Radioiodine dosimetry and prediction of consequences of thyroid exposure of the Russian population following the Chernobyl accident. In: Merwin SE, Balonov MI, eds. *The Chernobyl papers: Doses to the Soviet population and early health effects studies*. Vol. 1. Richland, WA: Research Enterprises, Inc., 125.