ACETONE 209

8. REFERENCES

- *Abbondandolo A, Bonatti S, Corsi C, et al. 1980. The use of solvents in mutagenicity testing. Mutat Res 79:141-150.
- *Abe S, Sasaki M. 1982. SCE as an index of mutagenesis and/or carcinogenesis. In: Sister chromatid exchange. Progress Topics Cytogenetics 2:461-514.
- *Abrams EF, Derkics CV, Fong DK, et al. 1975. Identification of organic compounds in effluents from industrial sources. Springfield, VA: Versar Inc. EPA 560/3-75-002.
- *ACGIH. 1991. Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- *Adams CW, Bayliss OB. 1968. Histochemistry of myelin. VI. Solvent action of acetone on brain and other lipid-rich tissues. J Histochem 16:115-118.
- *Aharonson EF, Menkes H, Gurtner G, et al. 1974. Effect of respiratory airflow rate on removal of soluble vapors by the nose. J Appl Physiol 37:654-657.
- *Ahonen I, Schimberg RW. 1988. 2,5-Hexanedione excretion after occupational exposure to nhexane. Br J Ind Med 45:133-136.
- *Albertini S. 1991. Reevaluation of the 9 compounds reported conclusive positive in yeast Succharomyces cerevisiae aneuploidy test systems by the gene-tox program using strain D61.M of Succharomyces *cerevisiue*. Mutat Res 260: 165-180.
- *Albertini S, Friederich U, Holderegger C, et al. 1988. The *in vitro* porcine brain tubulin assembly assay: Effects of a genotoxic carcinogen (Aflatoxin Bl), eight tumor promoters and nine miscellaneous substances. Mutat Res 201:283-292.
- *Albertoni P. 1884. [The effect and transformations of chemicals *in vivo* in relation to the pathogenicity of acetonemia and diabetes.] Archiv fur Experimentelle Pathologie und Pharmakologie 18:219-241. (German).
- Albertoni P, Pisenti G. 1887. On the activity of acetone and acetic acid on the kidneys. Contribution to the pathogenicity of albuminuria and nephritis. Archiv fur Experimentelle Pathologie und Pharmakologie 23:393-413. (German).
- *Altshuller AP. 1991. The production of carbon monoxide by the homogeneous NO,-induced photooxidation of volatile organic compounds in the troposphere. Journal of Atmospheric Chemistry 13:155-182.
- *Altshuller AP, Bufalini JJ. 1971. Photochemical aspects of air pollution: A review. Environmental Science and Technology 5:39-64.

*Cited	in	tevt	

ACETONE 210 8. REFERENCES

- *Altshuller AP, Cohen IR. 1963. Structural effects of the rate of nitrogen dioxide formation in the photooxidation of organic compound-nitric oxide mixtures in air. Int J Air Water Pollut 7:789-797.
- *Amacher DE, Paillet SC, Turner GN, et al. 1980. Point mutations at the thymidine kinase locus in L5178Y mouse lymphoma cells. 2. Test validation and interpretation. Mutat Res 72:447-474.
- *American Biogenics Corp. 1986. Ninety day gavage study in albino rats using acetone. American Biogenics Corp, Decatur, IL. [Unpublished study to be peer reviewed]
- *Amlathe S, Gupta VK. 1990. Spectrophotometric determination of acetone using vanillin. Analyst 115:1385-1387.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. J Appl Toxicol 3:272-290.
- *Anbar M, Neta P. 1967. A compilation of specific bimolecular rate constant for the reactions of hydrated electrons, hydrogen atoms and hydroxyl radical with inorganic and organic compounds in aqueous solution. Int J Appl Radiat Isot 18:493-523.
- Anders MW. 1968. Stimulatory effect of acetone on the activity of microsomal aniline parahydroxylase. In: Gillette JR, ed. Proceedings of the Symposium on Microsomes and Drug Oxidation. New York, NY:Academic Press, 533-540.
- *Anselme C, Nguyen K, Burchet A, Mallevialle J. 1985. Characterization of low molecular weight products desorbed from polyethylene tubings. Sci Total Environ 47:371-384.
- *Arnold F, Knop G, Ziereis H. 1986. Acetone measurements in the upper troposphere and lower stratosphere implications for hydroxyl radical abundances. Nature 321:505-507.
- Arnts RR, Meeks SA. 1981. Biogenic hydrocarbon contribution to the ambient air of selected areas. Atmos Environ 15: 1643-165 1.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Anal Chem 64:1021-1029.
- *ATSDR. 1988. Health assessment for Vega Alta public supply wells site: Vega Alta, Puerto Rico, Region 2. CERCLIS no. PRS187147. Agency for Toxic Substances and Disease Registry. Division of Toxicology. 1600 Clifton Road NE, E-29, Atlanta, Georgia. NTIS PA90-139213.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry. Division of Toxicology. 1600 Clifton Road NE, E-29, Atlanta, Georgia.
- *Axelsson G, Luetz C, Rylander R. 1984. Exposure to solvents and outcome of pregnancy in university laboratory employees. Br J Ind Med 41:305-312.

ACETONE 211 8. REFERENCES

- *Babeu L, Vaishnav DD. 1987. Prediction of biodegradability for selected organic chemicals. J Ind Microb 2:107-115.
- *Banhegyi G, Garzo T, Antoni F, et al. 1988. Accumulation of phenols and catechols in isolated mouse hepatocytes in starvation or after pretreatment with acetone. Biochem Pharmacol 37:4157-4162.
- *Barber ED, Lodge Jr JP. 1963. Paper chromatographic identification of carbonyl compounds as their 2,4-dinitrophenyl hydrazones in automobile exhaust. Anal Chem 35:348-350.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.
- *Barnett CR, Petrides L, Wilson J, et al. 1992. Induction of rat hepatic mixed-function oxidases by acetone and other physiological ketones: Their role in diabetes-induced changes in cytochrome P450 proteins. Xenobiotica 2:1441-1450.
- *Barr-Nea LM, Wolman M. 1977. Tumors and amyloidosis in mice painted with crude oil found on bathing beaches. Bull Environ Contam Toxicol 18:385-391.
- *Bartley JP, Schwede AM. 1989. Production of volatile compounds in ripening kiwi fruit (*Actinidia chinensis*). 3 Agric Food Chem 37:1023-1025.
- *Basler A. 1986. Aneuploidy-inducing chemicals in yeast evaluated by the micronucleus test. Mutat Res 174:11-13.
- *Bedding ND, McIntyre AE, Perry R, et al. 1982. Organic contaminants in the aquatic environment. I. Sources and occurrence. Sci Total Environ 25:143-167.
- *Bhattacharya SK, Angara RVR, Bishop Jr DF, et al. 1990. Removal and fate of RCRA and CERCLA toxic organic pollutants in wastewater treatment. Cincinnati, OH: U.S. Environmental Protection Agency, Risk Reduction Eng. Laboratory. EPA 600/S2-89-026.
- *Boggild MD, Peck RW, Tomson CRV. 1990. Acetonitrile ingestion: Delayed onset of cyanide poisoning due to concurrent ingestion of acetone. Postgrad Med J 66:40-41.
- *Bolkova A, Cejkova J. 1983. Changes in alkaline and acid phosphatases of the rabbit cornea following experimental exposure to ethanol and acetone: A biochemical and histochemical study. Graefes Arch Clin Exp Ophthalmol 220:96-99.
- *Boule P, Gyuon C, Tissot A, et al. 1987. Specific phototransformation of xenobiotic compounds, chlorobenzenes and halophenols. ACS Symp. Ser. 327. Washington, DC: American Chemical Society, 10-26.
- *Boyd AA, Canosa-Mas CE, King AD, et al. 1991. Use of a stopped-flow technique to measure the rate constants at room temperature for reactions between the nitrate radical and various organic species. Journal of the Chemical Society Faraday Transactions 87:2913-2919.

ACETONE 212 8. REFERENCES

- *Brady JF, Li D, Ishizaki H, et al. 1989. Induction of cytochrome P45OIIEl and P450IIBl by secondary acetones and the role of P45OIIEI in chloroform metabolism. Toxicol Appl Pharmacol 100:342-349.
- *Brega A, Villa P, Quadrini G, et al. 1991. High-performance liquid chromatographic determination of acetone in blood and urine in the clinical diagnostic laboratory. J Chromatogr 553:249-254.
- *Bridie AL, Wolff CJM, Winter M. 1979. BOD and COD of some petrochemicals. Water Res 13:627-630.
- *Brondeau MT, Ban M, Bonnet P, et al. 1989. Acetone compared to other ketones in modifying the hepatotoxicity of inhaled 1,2-dichlorobenzene in rats and mice. Toxicol Lett 49:69-78.
- *Brown KW, Donnelly KD. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. Hazardous Waste and Hazardous Materials 5: 1-30.
- *Brown EM, Hewitt WR. 1984. Dose-response relationships in ketone-induced potentiation of chloroform hepato- and nephrotoxicity. Toxicol Appl Pharmacol 76:437-453.
- *Brown WD, Setzer JV, Dick RB, et al. 1987. Body burden profiles of single and mixed solvent exposures. J Occup Med 29:877-883.
- *Bruckner JV, Peterson RG. 1981a. Evaluation of toluene and acetone inhalant abuse. I. Pharmacology and pharmacodynamics. Toxicol Appl Pharmacol 61:27-38.
- *Bruckner JV, Peterson RG. 1981b. Evaluation of toluene and acetone inhalant abuse. II. Model development and toxicology. Toxicol Appl Pharmacol 61:302-3 12.
- *Brugnone F, Perbellini L, Gaffuri E. 1980. Biomonitoring of industrial solvent exposures in workers' alveolar air. Int Arch Occup Environ Health 47:245-261.
- *Brugnone F, Perbellini L, Grigolini L. 1978. Solvent exposure in a shoe upper factory. Int Arch Occup Environ Health 42:5 1-62.
- *Bruss ML. 1989. Ketogenesis and ketosis. In: Kaneko JJ, ed. Clinical biochemistry of domestic animals. 4th ed. New York, NY: Academic Press, Inc., 86-105.
- *Burmaster DE. 1982. The new pollution-groundwater contamination. Environ 24:6-13, 33-36.
- *Campbell DN, Moore RH. 1979. The quantitative determination of acrylonitrile, acrolein, acetonitrile and acetone in workplace air. Am Ind Hyg Assoc J 40:904-909.
- *Carpenter CP, Smyth Jr HF. 1946. Chemical burns of the rabbit cornea. Am J Ophthalmol 29:1363-1372.
- *Carriere V, de Waziers I, Courtois YA, et al. 1992. Cytochrome P450 induction and mutagenicity of 2-aminoanthracene (2AA) in rat liver and gut. Mutat Res 268: 1 1-20.

ACETONE 213 8. REFERENCES

- *Casazza JP, Argiles JM, Veech RL. 1988. Serum levels of acetone in fetal, neonatal, and maternal blood [Abstract]. J Cell Biol 107(pt. 3):206A.
- *Casazza JP, Felver ME, Veech RL. 1984. The metabolism of acetone in the rat. Biol Chem 259:231-236.
- *Casazza JP, Yun YP, Veech RL, et al. 1990. Serum acetone and P450IIE levels in pregnant rats [Abstract]. Federation American Social Experimental Biology Journal 4:A2244.
- *Cavanagh LA, Schadt CF, Robinson E. 1969. Atmospheric hydrocarbon and carbon monoxide measurements at Point Barrow, Alaska. Environmental Science and Technology 3(3):251-257.
- *CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDUATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.
- *CELDS. 1992. Computer Aided Environmental Legislative Data System. February 1992. Cesaro AN, Pinerolo A. 1947. Percutaneous absorption of acetone. Med Lav 38:384-387.
- *Charbonneau M, Brodeur J, du Souich P, et al. 1986a. Correlation between acetone potentiated CCL,-induced liver injury and blood concentrations after inhalation or oral administration. Toxicol Appl Pharmacol 84:286-294.
- *Charbonneau M, Couture J, Plaa GL. 1991. Inhalation versus oral administration of acetone: Effect of the vehicle on the potentiation of CCL,-induced liver injury. Toxicol Lett 57:47-54.
- *Charbonneau M, Iijima M, C&e MG, et al. 1985. Temporal analysis of rat liver injury following potentiation of carbon tetrachloride hepatotoxicity with ketonic or ketogenic compounds. Toxicology 35:95-111.
- *Charbonneau M, Oleskevich S, Brodeur J, et al. 1986b. Acetone potentiation of rat liver injury induced by trichloroethylene-carbon tetrachloride mixtures. Fundam Appl Toxicol 6:654-661.
- *Charbonneau M, Perreault F, Greselin E, et al. 1988. Assessment of the minimal effective dose of acetone for potentiation of the hepatotoxicity induced by trichloroethylene-carbon tetrachloride mixtures. Fundam Appl Toxicol 10:431-438.
- *Charbonneau M, Tuchweber B, Plaas GL. 1986c. Acetone potentiation of chronic liver injury induced by repetitive administration of carbon tetrachloride. Hepatology 6:694-700.
- *Chatfield RB, Gardner EP, Calvery JG. 1987. Sources and sinks of acetone in the troposphere: Behavior of reactive hydrocarbons and a stable product. Journal of Geophysical Research 92:4208-4216.
- *Chatterton CC, Elliott RB. 1946. Acute acetone poisoning from leg casts of a synthetic plaster substitute. JAMA 130:1222-1223.

ACETONE 214 8. REFERENCES

- *Chen T, Kavanagh TJ, Chang CC, et al. 1984. Inhibition of metabolic cooperation in Chinese hamster V79 cells by various organic solvents and simple compounds. Cell Biol Toxicol 1: 155-171.
- *Chentanez T, Tantrarungroj K, Sadavongvivad C. 1987. Correlation between positive chronotropic effect and norepinephrine release induced by acetone in the rat right atrium. Toxicol Lett 37:183-193.
- *Cheung ST, Lin WN. 1987. Simultaneous determination of methanol, ethanol, acetone, isopropanol and ethylene glycol in plasma by gas chromatography. Journal of Chromatography and Biomedical Applications 414:248-250.
- *Chieli E, Saviozzi M, Puccini P, et al. 1990. Possible role of the acetone-inducible cytochrome P-450IIEl in the metabolism and hepatotoxicity of thiobenzamide. Arch Toxicol 64(2):122-127.
- *Chou WL, Speece RE, Siddiqi RH. 1979. Acclimation and degradation of petrochemical wastewater components by methane fermentation. Biotechnol Bioeng Symp 8:391-414.
- Clark H, Powis H. 1974. Effect of acetone administered *in vivo* upon hepatic microsomal drug metabolizing activity in the rat. Biochem Pharmacol 23:1015-1019.
- *CMR. 1987. Chemical Profile: Acetone. New York, NY: Chemical Marketing Reports, Schnell Publishing Co., Inc., 67. September 21, 1987.
- *CMR. 1990. Chemical Profile: Acetone. New York, NY: Chemical Marketing Reports, Schnell Publishing Co., Inc., 67. July 30, 1990.
- *Coleman DL. 1980. Acetone metabolism in mice: Increased activity in mice heterozygous for obesity genes. Proc Nat1 Acad Sci 290-293.
- *Coleman EC, Ho C, Chang SS. 1981. Isolation and identification of volatile compounds from baked potatoes. J Agric Food Chem 29:42-48.
- *Coleman WE, Lingg RD, Melton RG. 1976. The occurrence of volatile organics in five drinking water supplies using gas chromatography/mass spectrometry. In: Keith L, ed. Analysis and identification of organic substances in water. Ann Arbor, MI: Ann Arbor Science, 305-327.
- *Collander R. 1951. The partition of organic compounds between higher alcohols and water. Acta Chem Stand 5:774-780.
- *Conkle JP, Camp BJ, Welch BE. 1975. Trace composition of human respiratory gas. Arch Environ Health 30:290-295.
- *Corwin JR. 1969. Volatile oxygen-containing organic compounds in sea water: Determination. Bulletin of Marine Science 19:504-509.
- *Cox RA, Derwent RG, Williams MR. 1980. Atmospheric photooxidation reactions: Rates, reactivity, and mechanism for reaction of organic compounds with hydroxyl radicals. Environmental Science and Technology 14:57-61.

ACETONE 8. REFERENCES 215

- *Cox RA, Patrick KF, Chant SA. 1981. Mechanism of atmospheric photooxidation of organic compounds. Reactions of alkoxy radicals in oxidation of n-butane and simple ketones. Environmental Science and Technology 15:587-592.
- *CRISP. 1993. CRISP data base. National Institutes of Health. April 1993.
- *Cunningham C, Gold B. 1992. Endogenous DNA methylation: The effect of cytochrome P45OIIEl inducers [Abstract]. In: Proceedings of the 83rd Annual Meeting of the American Association for Cancer Research, San Diego, CA, May 20-23, 1992, 33:A813.
- *Cunningham J, Sharkawi M, Plaa GL. 1989. Pharmacological and metabolic interactions between ethanol and methyl n-butyl ketone, methyl isobutyl ketone, methyl ethyl ketone, or acetone in mice. Fundarn Appl Toxicol 13:102-109.
- *Datta RK, Rao KN. 1979. Kinetics of reactions of singlet molecular oxygen (1.&G) with organic compounds. Indian J Chem 18A: 102-105.
- *Day EA, Anderson DF. 1965. Gas chromatography and mass spectral identification of natural components of the aroma fraction of blue cheese. J Agric Food Chem 13:2-4.
- *De Ceaurriz J, Micillino JC, Marignac B, et al. 1984. Quantitative evaluation of sensory irritating and neurobehavioral properties of aliphatic ketones in mice. Food Chem Toxicol 22:545-549.
- *De Flora S. 1981. Study of 106 organic and inorganic compounds in the SuZmoneZZulmicrosome test. Carcinogenesis 2:283-298.
- *De Flora S, Zanacchi P, Camoirano A, et al. 1984. Genotoxic activity and potency of 135 compounds in the Ames reversion test and in a bacterial DNA-repair test. Mutat Res 133:161-198.
- *De Marini DM, Lawrence BK, Brooks HG, et al. 1991. Compatibility of organic solvents with the microscreen prophage-induction assay: Solvent mutagen interactions. Mutat Res 263:107-113.
- *DePass LR, Ballantyne B, Fowler EH. et al. 1989. Dermal oncogenicity studies on two methoxysilanes and two ethoxysilanes in male C3H mice. Fundam Appl Pharmacol 12:579-583.
- *DeWalle FB, Chian ESK. 1981. Detection of trace organics in well water near a solid waste landfill. J Am Water Works Assoc 73:206-211.
- *DeWalle FB, Kalman DA, Norman D, et al. 1985. Determination of toxic chemicals in effluent from household septic tanks. Cincinnati, OH: U.S. Environmental Agency. EPA 600/S2-85-050.
- *Dick RB, Brown WD, Setzer JV, et al. 1988. Effects of short duration exposures to acetone and methyl ethyl ketone. Toxicol Lett 43:31-49.
- *Dick RB, Setzer JV, Taylor BJ, et al. 1989. Neurobehavioral effects of short duration exposures to acetone and methyl ethyl ketone. Br J Ind Med 46: 1 1 l- 121.
- *Dietz DD, Leininger JR, Rauckman EJ, et al. 1991. Toxicity studies of acetone administered in the drinking water of rodents. Fundam Appl Toxicol 17:347-360.

ACETONE 216 8. REFERENCES

- *Dilling WL. 1982. Atmospheric environment. In: Conway RA, ed. Environmental risk analysis for chemicals. New York, NY: Van Nostrand Reinhold Co., 154-197.
- *Dimitriades B, Joshi SB. 1977. Application of reactivity criteria in oxidant-related emission control in the USA. EPA 600/3-77-Ollb. NTIS PB264-233, 705-711.
- *Ding XX, Coon MJ. 1990. Induction of cytochrome P-450 isozyme 3a (P-450IIEI) in rabbit olfactory mucosa by ethanol and acetone. Drug Metab Dispos 18742-745.
- *DiPaolo JA, Donovan P, Nelson R. 1969. Quantitative studies on *in vitro* transformation by chemical carcinogens. J Nat1 Cancer Inst 42867-874.
- *DiVincenzo GD, Yanno FJ, Astill BD. 1973. Exposure of man and dog to low concentrations of acetone vapor. Am Ind Hyg Assoc J 34:329-336.
- *Dobson HL, Shaffer R, Burns R. 1968. Accuracy of urine testing for sugar and acetone by hospital ward personnel. Diabetes 17:281-285.
- *Dowty BJ, Laseter JL, Storer J. 1976. The transplacental migration and accumulation in blood of volatile organic constituents. Pediatr Res 10:696-701.
- Drexler H, Schaller K-H, Weber A, et al. 1993. Skin prick tests with solutions of acid anhydrides in acetone. Int Arch Allergy Appl Immunol 100:25 l-255.
- *Duval DL, Rogers M, Fritz JS. 1985. Determination of aldehydes and acetone by ion chromatography. Anal Chem 57:1583-1586.
- *Egle Jr JL. 1973. Retention of inhaled acetone and ammonia in the dog. Am Ind Hyg Assoc J 34:533-539.
- *EHRT. 1987. Screening of priority chemicals for reproductive hazards: Benzethonium chloride (CAS No. 121-54-O); 3-ethoxy-1-propanol (CAS No. 111-35-3); acetone (CAS No. 67-64-I). Environmental Health Research and Testing, Inc. Cincinnati, OH. NTIS PB89-139083.
- Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environmental Science and Technology 15(1):30-38.
- *Elovaara E, Engstrom K, Nakajima T, et al. 1991. Metabolism of inhaled styrene in acetonephenobarbital and 3-methylcholanthrene-pretreated rats: Stimulation and stereochemical effects by induction of cytochromes P45OIIE1, P450IIB and P450IA. Xenobiotica 21:65 1-662.
- *Elovaara E, Vainio H, Aitio A. 1990. Pulmonary toxicity of inhaled styrene in acetone-, phenobarbital- and 3-methylcholanthrene-treated rats. Arch Toxicol 64:365-369.
- *EPA. 1985. Environmental Protection Agency. 40 CFR Parts 117 and 302. Notification requirements: Reportable quantity adjustments: Final rule and proposed rule. Federal Register 50:13456-13522.

ACETONE 217 8. REFERENCES

- *EPA. 1986. Test method for evaluating solid waste. Vol. 18: Laboratory manual of physical/chemical method (SW-846), 3rd ed. Washington, DC: Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency.
- *EPA. 1988a. Environmental Protection Agency. Prohibitions on land disposal. 40 CFR 268.30, 268.40 and 268.41.
- *EPA. 1988b. Superfund record of decision: Summit National, OH. First remedial action. U.S. Environmental Protection Agency, Washington, DC. EPA/ROD/R05-88/068. NTIS PB89 225908/AS.
- EPA. 1988. Updated health effects assessment for acetone. Cincinnati, OH: Oft-ice of Health and Environmental Assessment, Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency. ECAO-CIN-HO16a.
- *EPA. 1989. Compilation and speciation of national emissions factors for consumer/commercial solvent use information compiled to support urban air toxics assessment studies. U.S. Environmental Protection Agency, Research Triangle Park, NC. EPA/450/2-89/008. NTIS PB89-207203.
- *EPA. 1990. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/8-90/066A.
- *EPA. 1991a. Alphq,-globulin: association with chemically induced renal toxicity and neoplasia in the male rat. Risk Assessment forum U.S. Environmental Protection Agency, Washington, DC. EPA/625/3-9 I/O1 9F.
- *EPA. 1991b. Environmental Protection Agency. Hazardous waste injection restriction. Federal Register 55:3876.
- *Ettiinger MB. 1956. Biochemical oxidation characteristics of stream-pollutant organics. Industrial Engineering Chem 48:256-259.
- Farquharson TA, Stock BH. Modified response of hepatic microsomes from rats administered polar aprotic solvents. Australian Journal of Pharmaceutical Sciences 4:ll l-l 15.
- *Fastlich E. 1976. Detection of volatile solvents in gastric contents by gas phase infrared spectrophotometry. J Assoc Off Anal Chem 59:130-133.
- *FEDRIP. 1992. Federal Research in Progress. February 1992.
- *Fiserova-Bergerova V, Diaz ML. 1986. Determination and prediction of tissue-gas partition coefficients. Int Arch Occup Environ Health 58:75-87.
- *Fisher P. 1951. The role of the ketone bodies in the etiology of diabetic coma. Am J Med Sci 221:384-397.
- *Fitzpatrick LJ, Claire D'AC. 1947. Acute acetone poisoning (resulting from synthetic plaster substitute in spica cast). Anesth Analg 26:86-87.

ACETONE 218 8. REFERENCES

- *Folland DS, Shaffner W, Grinn HE, et al. 1976. Carbon tetrachloride toxicity potentiated by isopropyl alcohol: Investigation of an industrial outbreak. J Am Med Assoc 26: 1853-1856.
- *Freeman AE, Weisburger EK, Weisburger JH, et al. 1973. Transformation of cell cultures as an indication of the carcinogenic potential of chemicals. J Nat1 Cancer Inst 51:799-808.
- *Freeman JJ, Hayes EP. 1985. Acetone potentiation of acute acetonitrile toxicity in rats. J Toxicol Environ Health 15:609-621.
- *Freeman JJ, Hayes EP. 1988. Microsomal metabolism of acetonitrile to cyanide. Biochem Pharmacol 37:1153-1159.
- *FSTRAC. 1990. Summary of State and Federal Drinking Water Standards and Guidelines. Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee. February 1990.
- *Fujiki M, Tajimgi S, Kitamura E, et al. 1978. Simulation studies of degradation of chemicals in the environment; simulation studies of degradation of chemicals in the atmosphere. Chemical Res. report no. 1/1978. Tokyo, Japan: Office of Health Studies, Environment Agency Japan,
- *Fujino A, Satoh T, Takebayashi T, et al. 1992. Biological monitoring of workers exposed to acetone in acetate fibre plants. Br J Ind Med 49:654-657.
- *Fukabori S, Nakaaki K, Tada 0. 1979. [On the cutaneous absorption of acetone.] J Science of Labour 55: 525-532. (Japanese)
- *Furrier RL, Neville ED, Talarico KF, et al. 1972. A common modality of action of simulated space stresses on the oxidative metabolism of ethyl morphine, aniline and p-nitroanisole by male rat liver. Toxicol Appl Pharmacol 21:569-581.
- *Gamis AS, Wasserman GS. 1988. Acute acetone intoxication in a pediatric patient. Pediatr Emerg Care 4:24-26.
- Garcia CR, Geller I, Kaplan HL. 1978. Effects of ketones on lever-pressing behavior of rats. Proc West Pharmacol Sot 21:433-438.
- *Gavin0 VC, Vinet B, David F, et al. 1986. Determination of the concentration and specific activity of acetone in biological fluids. Anal Biochem 52:256-261.
- *Gaudy Jr AF, Turner BG, Pusztaszeri S. 1963. Biological treatment of volatile waste components. J Water Pollut Contr Fed 35:75-93.
- *Gautheron P, Dukic M, Alix D, et al. 1992. Bovine corneal opacity and permeability test: An *in vitro* assay of ocular irritancy. Fundam Appl Toxicol 18442-449.
- *Gavin0 VC, Somma J, Philbert L, et al. 1987. Production of acetone and conversion of acetone to acetate in the perfused rat liver. J Biol Chem 262:6735-6740.

ACETONE 219 8. REFERENCES

- *Geller I, Gause E, Kaplan H, et al. 1979a. Effects of acetone, methyl ethyl ketone and methyl isobutyl ketone on a match-to-sample task in the baboon. Pharmacol Biochem Behav 11:401-406.
- *Geller I, Hartmann RJ, Randle SR, et al. 1979b. Effects of acetone and toluene vapors on multiple schedule performance of rats. Pharmacol Biochem Behav 11:395-399.
- *Gerhold RM, Malaney GW. 1966. Structural determinants in the oxidation of aliphatic compounds by activated sludge. J Water Pollut Control Fed 38562-579.
- *Gervasi PG, Puccini P, Longo V, et al. 1991. Role of the acetone inducible P-450IIEl In the deethylation of diethylnitrosamine in hamster. In: Witmer CM, Snyder RR, Jollow DJ et al. eds. Vol. 283: Biological reactive intermediates IV: Molecular and cellular effects and their impact on human health. Fourth International Symposium for Advances in Experimental Medicine and Biology, Tucson, AR, Jan. 14-17, 1990. New York, NY: Plenum Publishing Corp., 285-286, 287.
- *Ghittori S, Imbriani M, Pezzagno G, et al. 1987. The urinary concentration of solvents as a biological indicator of exposure: Proposal for the biological equivalent exposure limit for nine solvents. Am Ind Hyg Assoc J 48:786.
- *Gichner T, Veleminsky J. 1987. The organic solvents acetone, ethanol and dimethylformamide potentiate the mutagenic activity of N-methyl-N'-nitrosoguanidine, but have no effect on the mutagenic potential of N-methyl-N-nitro-N-nitrosourea. Mutat Res 192:31-35.
- *Giroux D, Lapointe G, Baril M. 1992. Toxicological index and the presence in the workplace of chemical hazards for workers who breast-feed infants. Am Ind Hyg Assoc J 53:471-474.
- *Gitelson S, Werczberger A, Herman JR. 1966. Coma and hyperglycemia following drinking of acetone. Diabetes 15:810-811.
- *Glatt H, DeBalle L, Oesch F. 1981. Ethanol- or acetone-pretreatment of mice strongly enhances the bacterial mutagenicity of dimethylnitrosamine in assays mediated by liver subcellular fraction, but not in host-mediated assays. Carcinogenesis 2:1057-1067.
- *Glowa JR, Dews PB. 1987. Behavioral toxicology of volatile organic solvents. IV. Comparisons of the rate-decreasing effects of acetone, ethyl acetate, methyl ethyl ketone, toluene, and carbon disulfide on schedule-controlled behavior of mice. J Am College Toxicol 6:461-469.
- *Goldberg ME, Johnson HE, Pozzani UC, et al. 1964. Effect of repeated inhalation vapors of industrial solvents on animal behavior. Am Ind Hyg Assoc J 25:369-375.
- *Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1990. Goldfrank's toxicologic emergencies. 4th ed. Norwalk, CN: Appleton and Lange, 760-767.
- *Gordon AW, Gordon M. 1981. Analysis of volatile organic compounds in a textile finishing plant effluent. Trans Kentucky Academy of Science 42:149-157.
- *Goss K-U. 1992. Effects of temperature and relative humidity on the sorption of organic vapors on quartz sand. Environmental Science and Technology 26:2287-2294.

ACETONE 220 8. REFERENCES

- *Gould JP, Ramsey RE, Giabbai M, et al. 1983. Formation of volatile haloorganic compounds in the chlorination of municipal landfill leachates. In: Water Chlorination: Environmental Impact and Health Effects, Vol. 4. Ann Arbor, MI: Ann Arbor Science Publ, 525-539.
- *Graedel TE. 1978. Chemical compounds in the atmosphere. New York, NY: Academic Press, 7, 182
- *Graedel TE, Hawkins DT, Claxton LD. 1986. Atmospheric chemical compounds: Sources, occurrence, and bioassay. New York, NY: Academic Press, Inc., 263.
- Grant WM. 1986. Toxicology of the eye. Springfield, IL: Charles C. Thomas, 41-42.
- *Green WJ, Lee GF, Jones RA, et al. 1983. Interaction of clay soils with water and organic solvents: Implications for the disposal of hazardous wastes. Environmental Science and Technology 17:278-282.
- Grey TC, Shrimpton DH. 1967. Volatile components of raw chicken breast muscle. Br Poultry Sci 8:23-33.
- *Grosjean D, Wright B. 1983. Carbonyls in urban fog, ice fog, cloudwater and rainwater. Atmos Environ 17:2093-2096.
- *Guntakatta ME, Matthews EJ, Rundell JO. 1984. Development of a mouse embryo limb bud cell culture system for the estimation of chemical teratogenic potential. Tertogen Carcinogen Mutagen 4:349-364.
- Haag SM, Sipes IG. 1980. Differential effects of acetone or Aroclor 1254 pretreatment on the microsomal activation of dimethylnitrosamine to a mutagen. Mutat Res 74:431-438.
- *Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: WB Saunders Company, 1257-1259.
- *Haff AC, Reichard Jr GA. 1977. A method for estimation of acetone radioactivity and concentration in blood and urine. Biochem Med 18:308-314.
- *Haggard HW, Greenberg LA, Turner JM. 1944. The physiological principles governing the action of acetone together with determination of toxicity. Journal of Industrial Hygiene and Toxicology 26:133-151.
- *Hahn WJ, Werschulz PP. 1986. Evaluation of alternatives to toxic organic paint strippers. Washington, DC: U.S. Environmental Protection Agency. NTIS PB219-177/AS.
- *Hall Jr LW, Hall WS, Bushong SJ, et al. 1987. In situ striped bass (Morone Saxatilis) contaminant and water quality studies in the Potomac River. Aquat Toxicol 10:73-99.
- *Hallbourg RR, Delfino JJ, Miller W. 1992. Organic priority pollutants in groundwater and surface water at three landfills in north central Florida. Water Air Soil Pollut 65:307-322.

ACETONE 221 8. REFERENCES

- *Hallier E, Filser JG, Bolt HM. 1981. Inhalation pharmacokinetics based on gas uptake studies. II. Pharmacokinetics of acetone in rats. Arch Toxicol 47:293-304.
- *Hanst PL, Gay Jr BW. 1983. Atmospheric oxidation of hydrocarbons: Formation of hydroperoxides and peroxyacids. Atmos Environ 17:2259-2265.
- *Harris LC, Jackson RH. 1952. Acute acetone poisoning caused by setting fluid for immobilizing casts. Br Med J 2:1024-1026.
- *Hatfield R. 1957. Biological oxidation of some organic compounds. Ind Eng Chem 49:192-196.
- *Hawthorne SB, Sievers RE. 1984. Emission of organic air pollutants from shale oil wastewaters. Environmental Science and Technology 18:483-490.
- *HAZDAT. 1992. Hazardous Substances Database. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA.
- *Hellman TM, Small FH. 1974. Characterization of the odor properties of 101 petrochemicals using sensory methods. JAPCA 24:979-982.
- *Hetenyi Jr G, Ferrarotto C. 1985. Gluconeogenesis from acetone in starved rats. Biochem J 231:151-155.
- *Hetu C, Joly JG. 1988. Effects of chronic acetone administration on ethanol-inducible monooxygenase activities in the rat. Biochem Pharmacol 37:421-426.
- *Heukelekian H, Rand MC. 1955. Biochemical oxygen demand of pure organic compounds. J Water Pollut Control Assoc 27:1040-1053.
- *Hewitt WR, Plaa GL. 1983. Dose-dependent modification of l,l-dichloroethylene toxicity by acetone. Toxicol Lett 16: 145- 152.
- Hewitt LA, Ayotte P, Plaa GL. 1986. Modifications in rat hepato biliary function following treatment with acetone, 2-butanone, 2-hexanone, Mirex or Chlorodecone and subsequently exposed to chloroform. Toxicol Appl Pharmacol 83:465-473.
- *Hewitt LA, Valiquette C, Plaa GL. 1987. The role of biotransformation-detoxication in acetone-, 2-butanone-, and 2-hexanone-potentiated chloroform-induced hepatotoxicity. Can J Physiol Pharmacol 65:2313-2318.
- *Hewitt WR, Brown EM, Plaa GL. 1983. Acetone-induced potentiation of trihalomethane toxicity in male rats. Toxicol Lett 16:285-296.
- *Hewitt WR, Miyajima H, C8tC MG, et al. 1980. Acute alteration of chloroform-induced hepato- and nephrotoxicity by n-hexane, methyl n-butyl ketone and 2,5-hexanedione. Toxicol Appl Pharmacol 53:230-248.
- Hewitt WR, Miyajima H, C6tC MG, et al. 1980. Modification of haloalkane-induced hepatotoxicity by exogenous ketones and metabolic ketosis. Fed Proc 13:3118-3123.

ACETONE 222 8. REFERENCES

- *Hift W, Pate1 PL. 1961. Acute acetone poisoning due to a synthetic plaster cast with a discussion of acetone metabolism. South African Medical Journal 35:246-250.
- *Hites RA, Lopez-Avila V. 1980. Sedimentary accumulations of industrial organic compounds discharged into a river system. In: Baker RA, ed. Contaminants and sediments, Vol. 1: Fate and transport case studies, modeling, toxicity. Ann Arbor, MI: Ann Arbor Science.
- *Hodgkin JH, Galbraith MN, Chong YK. 1982. Combustion products from burning polyethylene. J Macromol Sci Chem 17:35-43.
- *Hodgson AT, Daisey JM, Grot RA. 1991. Sources and source strengths of volatile organic compounds in a new office building. J Air Waste Manage Assoc 41:1461-1468.
- *Hodgson AT, Garbesi K, Sextro RG, et al. 1992. Soil-gas contamination and entry of volatile organic compounds into a house near a landfill. J Air Waste Manage Assoc 42:277-283.
- *Hodgson AT, Wooley JD, Daisey JM. 1993. Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber. J Air Waste Manage Assoc 42:316-324.
- *Helm S, Lundgren E. 1984. A purge-and-trap method for the analysis of acetone in biological tissues. Anal Biochem 136:157-160.
- *Hong J, Yang CS. 1985. The nature of microsomal N-nitrosodimethylamine demethylase and its role in carcinogen activation. Carcinogenesis 6: 1805- 1809.
- *Hong J-Y, Pan J, Dong Z, et al. 1987. Regulation of N-nitrosodimethylamine demethylase in rat liver and kidney. Cancer Res 47:5948-5953.
- *HSDB. 1992. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. February 1992.
- *Hu JJ, Hong JY, Lea MA, et al. 1990. Cytochrome P450IIEl in rat morris hepatomas [Abstract]. Proc Annu Meet Am Assoc Cancer Res 3 1:A766.
- *Hwang HM, Hodson RE, Lewis DL. 1989. Microbial degradation kinetics of toxic organic chemicals over a wide range of concentrations in natural aquatic systems. Environmental Toxicology and Chemistry 8:67-74.
- Hyland R, Gescher A, Thummel K, et al. 1992. Metabolic oxidation and toxification of N-methylformamide catalyzed by the cytochrome P450 isoenzyme CYP2El. Mol Pharmacol 41:259-266.
- *IRIS. 1992. Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, DC. January 30, 1992.
- *Ishidate Jr M, Sofuni T, Yoshikawa K, et al. 1984. Primary mutagenicity screening of food additives currently used in Japan. Food Chem Toxicol 22:623-636.

ACETONE 223 8. REFERENCES

- *Isidorov VA, Zenkevich, IG, Ioffe BV. 1985. Volatile organic compounds in the atmosphere of forests. Atmos Environ 19:1-8.
- *Isidorov VA, Zenkevich IG, Ioffe BV. 1990. Volatile organic compounds in solfataric gases. J Atmos Chem 10:329-340.
- *Iversen OH, Paulsen JE, Schjolberg A. 1981. The time needed for normalization of hairless mouse epidermis after treatment with twice weekly topical skin applications of 10 nmol 12-0-tetradecanoylphorbol-13-acetate in acetone, or acetone alone, for 18 weeks: A morphologic and cell kinetic study. Carcinogenesis 2:1353-1358.
- *Iversen, OH, Ljunggren S, Olsen WM. 1988. The early effects of a single application of acetone and various doses of 7,1Zdimethylbenz(alpha)anthracene on CD-l and hairless mouse epidermis: A cell kinetic study of so-called initiation and complete carcinogenesis (initiation plus promotion) in chemical skin tumor induction. APMIS Suppl 2:7-80.
- *Jaeger RJ, Conolly RB, Reynolds ES. 1975. Biochemical toxicology of unsaturated halogenated monomers. Environ Health Perspect 11:121-128.
- *Jakubowski M, Wieczorek H. 1988. The effects of physical effort on pulmonary uptake of selected organic compound vapours. Pol J Occup Med 1:62-71.
- *Jansson BO, Larsson BT. 1969. Analysis of organic compounds in human breath by gas chromatography-mass spectrometry. J Lab Clin Med 74:961-966.
- *Jarke FH, Dravnieks A, Gordon SM. 1981. Organic contaminants in indoor air and their relation to outdoor contaminants. ASHRAE Trans 87:153-166.
- *Jeffery EH, Arndt K, Haschek WM. 1991. The role of cytochrome P450IIEl in bioactivation of acetaminophen in diabetic and acetone-treated mice. In: Witmer CM, Snyder RR, Jollow DJ et al. eds. Vol. 283: Biological reactive intermediates IV: Molecular and cellular effects and their impact on human health. Fourth International Symposium for Advances in Experimental Medicine and Biology, Tucson, AR, Jan. 14-17, 1990. New York, NY: Plenum Publishing Corp., 249-251.
- *Jenney EH, Pfeiffer CC. 1958. The convulsant effect of hydrazides and the antidotal effect of anticonvulsants and metabolites. J Pharmacol Exp Ther 122: 1 lo- 123.
- *Johansson I, Ingelman-Sundberg M. 1988. Benzene metabolism by ethanol-, acetone- and benzeneinducible cytochrome P-450 (IIEI) in rat and rabbit liver microsomes. Cancer Res 48:5837-5390.
- *Johansson I, Ekstriim, Puzyeki D, et al. 1988. Ethanol-, fasting- and acetone-inducible cytochromes P-450 in rat liver: Regulation and characteristics of enzymes belonging to the IIB and IIE gene subfamilies. Biochemistry 27:1925-1934.
- *Johansson I, Eliasson E, Norsten C, et al. 1986. Hydroxylation of acetone by ethanol- and acetone inducible cytochrome P-450 in liver microsomes and reconstituted membranes. FEBS Lett 196:59-64.
- *Jones AW. 1987. Breath-acetone concentrations in fasting healthy men: Response of infrared breathalcohol analyzers. J Anal Toxicol 11:67-69.

ACETONE 224 8. REFERENCES

- *Jones AW. 1988. Breath acetone concentrations in fasting male volunteers: Further studies and effect of alcohol administration. J Anal Toxicol 12:75-79.
- *Jonsson A, Persson KA, Grigoriadis V. 1985. Measurements of some low molecular-weight oxygenated, aromatic, and chromated hydrocarbons in ambient air and in vehicle emissions. Environment International 11:383-392.
- *Jungclaus GA, Lopez-Avila V, Hites RA. 1978. Organic compounds in an industrial waste water: A case study of their environmental impact. Environmental Science and Technology 12:88-96.
- *Juttner F. 1986. Analysis of organic compounds (VOC) in the forest air of southern Black Forest. Chemosphere 15:985-992.
- *Kane LE, Dombroske R, Alarie V. 1980. Evaluation of sensory irritation from some common industrial solvents. Am Ind Hyg Assoc J 41:451-455.
- *Kawachi T, Yahagi T, Kada T, et al. 1980. Cooperative programme on short-term assays for carcinogenicity in Japan. In: Montesano R, ed. Molecular and cellular aspects of carcinogen screening tests. Lyons, France: World Health Organization, 323-330.
- *Kawai T, Yasugi T, Horiguchi S, et al. 1990b. Biological monitoring of occupational exposure to isopropyl alcohol vapor by urinalysis for acetone. Int Arch Occup Environ Health 62:409-413.
- *Kawai T, Yasugi T, Mizunuma K, et al. 1992. Curvi-linear relation between acetone in breathing zone air and acetone in urine among workers exposed to acetone vapor. Toxicol Lett 62:85-91.
- *Kawai T, Yasugi T, Uchida Y, et al. 1990a. Urinary excretion of unmetabolized acetone as an indicator of occupational exposure to acetone. Int Arch Occup Environ Health 62:165-170.
- *Keith LH, Garrison AW, Allen FR, et al. 1976. Identification of organic compounds in drinking water for thirteen U.S. cities. In: Keith LH, ed. Identification and Analysis of Organic Pollutants in Water. Ann Arbor, MI: Ann Arbor Press, 329-373.
- Kennedy GL Jr, Graepel GJ. 1991. Acute toxicity in the rat following either oral or inhalation exposure. Toxicol Lett 56:317-326.
- *Khalil MAK, Rasmussen RA. 1992. Forest hydrocarbon emissions: Relationships between fluxes and ambient concentrations. J Air Waste Manage Assoc 42:810-813.
- *Kieber RJ, Mopper K. 1990. Determination of picomolar concentrations of carbonyl compounds in natural waters, including seawater, by liquid chromatography. Environmental Science and Technology 24:1477-1481.
- *Kim SG, Shehin SE, States JC, et al. 1990. Evidence for increased translational efficiency in the induction of P450IIEl by solvents: Analysis of P450IIEl mRNA polyribosomal distribution. Biochem Biophys Res Commun 172:767-774.

ACETONE 225 8. REFERENCES

- *Kimura ET, Ebert DM, Dodge PW. 1971. Acute toxicity and limits of solvent residue for sixteen organic solvents. Toxicol Appl Pharmacol 19:699-704.
- *Kimura M, Shimosawa M, Kobayashi K, et al. 1986. Acetoacetate decarboxylase activity of plasma components. Japanese Journal of Clinical Chemistry 15:37-43.
- *Kinlin TE, Muralidhara R, Pittet AO, et al. 1972. Volatile components in roasted filberts. J Agric Food Chem 20:1021.
- *Kinsler S, Levi PE, Hodgson E. 1990. Relative contributions of the cytochrome P450 and flavincontaining monooxygenases to the microsomal oxidation of phorate following treatment of mice with phenobarbital, hydrocortisone, acetone, and piperonyl butoxide. Pestic Biochem Physiol 37: 174-181.
- *Kitchin KT, Ebron MT. 1984. Further development of rodent who embryo culture: Solvent toxicity and water insoluble compound delivery system. Toxicology 30:45-57.
- *Kleindienst TE, Shepson PB, Edney EO, et al. 1986. Wood smoke: Measurement of the mutagenic activities of its gas and particulate-phase photooxidation products. 20:493-501.
- *Knoeppel H, Shauenburg H. 1989. Screening of household products for the emission of volatile organic compounds. Environment International 15:413-418.
- *Kobayashi K, Okada M, Yasuda Y, et al. 1983. A gas chromatographic method for the determination of acetone and acetoacetic acid in urine. Clin Chim Acta 133:223-226.
- *Kobusch AB, Plaa GL, DuSonich P. 1989. Effects of acetone and methyl n-butyl ketone on hepatic mixed function oxidase. Biochem Pharmacol 38:3461-3467.
- Koehler AE, Windsor E, Hill E. 1941. Acetone and acetoacetic acid studies in man. J Biol Chem 140:81 1-825.
- *Koeslag JH, Noakes TD, Sloan AW, 1980. Post-exercise ketosis. J Physiol (Lond) 301:79-90.
- *Kohli RP, Kishor K, Dua PR, et al. 1967. Anticonvulsant activity of some carbonyl containing compounds. Indian J Med Res 55:1221-1225.
- *Koop DR, Casazza JP. 1985. Identification of ethanol-inducible P-450 isozyme 3a as the acetone and acetol monooxygenase of rabbit microsomes. J Biol Chem 260: 13607-13612.
- *Koop DR, Chernosky A, Brass EP. 1991. Identification and induction of cytochrome P450 2El in rat Kupffer cells. J Pharmacol Exp Ther 258:1072-1076.
- *Koop DR, Laethem CL, Schnier GG. 1989. Identification of ethanol-inducible P450 3a(P450IIEl) as a benzene and phenol hydroxylase. Toxicol Appl Pharmacol 98:278-288.
- *Koorevaar G, Van Stekelenburg GJ. 1976. Mammalian acetoacetate decarboxylase activity: Its distribution in subfractions of human albumin and occurrence in various tissues of the rat. Clin Chim Acta 71:173-183.

ACETONE 226 8. REFERENCES

- *Kosugi K, Chandramouli V, Kumaran K, et al. 1986a. Determinants in the pathways followed by the carbons of acetone in their conversion to glucose. J Biol Chem 261:13179-13181.
- *Kosugi K, Scofield RF, Chandramouli V, et al. 1986b. Pathways of acetone's metabolism in the rat. J Biol Chem 162:3952-3957.
- *Kraner J, Lasker J, Ray S, et al. 1991. Induction of P450IIEl by acetone in cultured rabbit hepatocytes involves increased protein synthesis. FASEB J 5:A1515.
- *Krasavage WJ, O'Donoghue JL, Divencenzo GD. 1982. Ketone. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology, Vol. 2C, 3rd ed. New York, NY: John Wiley and Sons, 4709-4800.
- *Krotoszynski B. 1977. Characterizing of human expired air: A promising investigative and diagnostic technique. J Chromatgr Sci 15:239-244.
- *Krotoszynski BK, Bruneau GM, O'Neill HJ. 1979. Measurement of chemical inhalation exposure in urban population in the presence of endogenous effluents. J Anal Toxicol 3:225-234.
- *Kubinski H, G.E. Gutske and Z.O. Kubinski. 1981. DNA-cell-binding (DCB) assay for suspected carcinogens and mutagens. Mutat Res 89:95-136.
- *Kundu SK, Bruzek JA, Nair R, et al. 1993. Breath acetone analyzer: Diagnostic tool to monitor dietary fat loss. Clin Chem 39:87-92.
- *Kupferschmid LL, Perkins JL. 1986. Organic solvent recycling plant exposure levels. Appl Ind Hyg 1:122-124.
- *Ladefoged 0, Perbellini L. 1986. Acetone-induced changes in the toxicokinetics of 2,5-hexanedione in rabbits. Stand J Work Environ Health 122:627-629.
- *Ladefoged 0, Hass U, Simonsen L. 1989. Neurophysiological and behavioural effects of combined exposure to 2,5-hexanedione and acetone or ethanol in rats. Pharmacol Toxicol 65:372-375.
- *Lagrone FS. 1991. Potential community exposure to toxic chemicals. Environmental Science and Technology 25:366-368.
- *Lake RS, Kropko ML. Pezzutti MR, et al. 1978. Chemical induction of unscheduled DNA synthesis in human skin epithelial cell cultures. Cancer Res 38:2091-2098.
- *Lam HR, Larsen JJ, Ladefoged 0, et al. 1991. Effects of 2,4-hexanedione alone and in combination with acetone on radial arm maze behavior, the "brain-swelling" reaction and synaptosomal functions. Neurotoxicol Teratol 13:407-412.
- *Lamb CB, Jenkins GF. 1952. BOD of synthetic organic chemicals. In: Proceedings of the 8th Industrial Waste Conference, Purdue University. Chelsea MI: Lewis Publishers, Inc., 326-329.
- *Landah HD, Herrmann RG. 1950. Retention of vapors and gases in the human nose and lung. Am Med Assoc Arch Ind Health 1:36-45.

ACETONE 227 8. REFERENCES

- *LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. An up-to-date review of the present situation. Environmental Progress 5:18-27.
- *Larsen JJ, Lykkegaard M, Ladefoged 0. 1991. Infertility in rats induced by 2,4-hexanedione in combination with acetone. Pharmacol Toxicol 69:43-46.
- *Larson TS, Finnegan JK, Haag HD. 1956. Observations on the effect of the edema-producing potency of acids, aldehydes, ketones and alcohols. J Pharmacol Exp Ther 116:119.
- *LeBaron FN. 1982. Lipid metabolism 1: Utilization and storage of energy in lipid form. In: Devlin TM, ed. Textbook of biochemistry with clinical correlations. New York, NY: John Wiley & Sons, 464-479, 1243-1265.
- *Lee JH, Timmons RB. 1977. Kinetics and mechanism of the gas phase reaction of O(³) atoms with acetone. Int J Chem Kinet 9: 133-139.
- *Lehninger AL. 1970. Biochemistry. New York, NY: Worth Publishers, Inc.
- *Leonardos G, Kendall D, Barnard N. 1969. Odor threshold determinations of 53 odorant chemicals, JAPCA 19:91-95.
- *Leung HW, Paustenbach DJ. 1988. Application of pharmacokinetics to derive biological exposure indexes from threshold limit values. Am Ind Hyg Assoc J 49:445-450.
- *Levey S, Balchum OJ, Medrano V, et al. 1964. Studies of metabolic products in expired air. II. Acetone. J Lab Clin Med 63:574-584.
- *Levsen K, Behnert S, Priess B, et al, 1990. Organic compounds in precipitation. Chemosphere 21:1037-1061.
- *Levy LJ, Duga J, Girgis M, et al. 1973. Ketoacidosis associated with alcoholism in nondiabetic subjects. Ann Intern Med 78:213-219.
- *Lewis GD, Laufman AK, McAnalley BH, et al. 1984. Metabolism of acetone to isopropyl alcohol in rats and humans. J Forensic Sci 29:541-549.
- *Lewis SB, Wallin JD, Kane JP, et al. 1977. Effect of diet composition on metabolic adaptations to hypocaloric nutrition: Comparison of high carbohydrate and high fat isocaloric diets. Am J Clin Nutr 30:160-170.
- *Lipari F, Dasch JM, Scruggs, WF. 1984. Aldehyde emissions from wood-burning fireplaces. Environmental Science and Technology 18: 326-330.
- *Litovitz TL, Holm KC, Bailey KM, et al. 1992. 1991 Annual report of the American Association of Poison Control Centers National Data Collection System. Am J Emerg Med 10:452-505.
- *Liu J, Sato C, Marumo F. 1991. Characterization of the acetaminophen-glutathione conjugation reaction by liver microsomes: Species difference in the effects of acetone. Toxicol Lett 56:269-274.

ACETONE 228 8. REFERENCES

- *Lloyd AC. 1978. Trophospheric chemistry of aldehydes. Washington, DC, National Bureau of Standards, 27-48.
- *Lo HH, Teets VJ, Yang DJ, et al. 1987. Acetone effects on N-(3,5-dichlorophenyl)succinimideinduced nephrotoxicity. Toxicol Lett 38:161-168.
- *Lopez-Soria 0 n FJ, ArgilCs JM. 1985. Simultaneous determination of ketone bodies in biological samples by gas chromatographic headspace analysis. J Chromatogr Sci 23: 120-123.
- *Lopez-Soriano, FJ, Alemany M, Argiles JM. 1985. Rat acetoacetic acid decarboxylase inhibition by acetone. Int J Biochem 17:1271-1273.
- *Lorr NA, Miller KW, Chung HR, et al. 1984. Potentiation of the hepatotoxicity of nnitrosodimethylamine by fasting, diabetes, acetone and isopropanol. Toxicol Appl Pharmacol 73:423-431.
- *Lovegren NV, Fisher GS, Legendre MG, et al. 1979. Volatile constituents of dried legumes. Agric Food Chem 27:851-853.
- *Lupulescu AP, Birmingham DJ. 1975. Effect of lipid solvents on protein, DNA, and collagen synthesis in human skin: An electron microscopic autoradiographic study. J Invest Dermatol 65:419-422.
- *Lupulescu AP, Birmingham DJ. 1976. The effect of protective agent against lipid solvent induced damages, ultrastructural and scanning electronmicroscopical study of human epidermis. Arch Environ Health 3 1:33-36.
- *Lupulescu AP, Birmingham DJ, Pinkus H. 1973. An electron microscopic study of human epidermis after acetone and kerosene administration. J Invest Dermatol 60:33-45.
- *Lupulescu AP, Pinkus H, Birmingham DJ. 1972. Effect of acetone and kerosene on skin ultrastructure. Proceedings-Electron Microscopy Society of America 30:92-93.
- *Lyman WJ. 1982. Adsorption coefficient for soils and sediments. In: Handbook of Chemical Property Estimation Methods. New York, NY: McGraw-Hill Book Co., 4-9.
- *MacDonald JR, Gandolfi AJ, Sipes IG. 1982a. Acetone potentiation of l,l,Ztrichloroethane hepatotoxicity. Toxicol Lett 13:57-69.
- *MacDonald JR, Gandolfi AJ, Sipes IG. 1982b. Covalent binding of "C-1,1,2-trichloroethane to hepatic proteins following acetone pretreatment. Drug Chem Toxicol 5:233-247.
- *Mangani F, Ninfali P. 1988. Gas chromatographic determination of acetaldehyde and acetone in human blood by purge and trap, using permeation tubes for calibration. J Chromatogr 437 (1) 294-300.
- *Manning DL, Maskarinec MP, Jenkins RA, et al. 1983. High-performance liquid-chromatographic determination of selected gas-phase carbonyls in tobacco smoke. J Assoc Off Anal Chem 66:8-12.

ACETONE 229 8. REFERENCES

- *Marefat P, Shklar G. 1977. Experimental production of lingual leukoplakia and carcinoma. Oral Surg 44:578-586.
- *Martinez RD, Buitrago AA, Howell NW, et al. 1992. The near U.V. absorption spectra of several aliphatic aldehydes and ketones at 300 K. Atmos Environ 26A:785-792.
- *Mashbitz LM, Sklianskaya RM, Urieva FI. 1936. The relative toxicity of acetone, methylalcohol and their mixtures: II. Their action on white mice. Journal of Industrial Hygiene and Toxicology 18117-122.
- *Matsushita T, Goshima E, Miyagaki H, et al. 1969a. [Experimental studies for determining the MAC value of acetone. 2. Biological reaction in the "six-day exposure" to acetone.] Sangyo Igaku 11:507-5 11. (Japanese)
- *Matsushita T, Yoshimune A, Inoue T, et al. 1969b. [Experimental studies for determining the MAC value for acetone. 1. Biological reaction in the "one-day exposure" to acetone.] Sangyo Igaku 11:477-484. (Japanese) [Translation in progress]
- *Mattheis JP, Fellman JK, Chen PM, et al. 1991. Changes in headspace volatiles during physiological development of Busby Delicious Apples. J Agric Food Chem 39: 1902-1906.
- *McCann J, Choi E, Yamasaki E, et al. 1975. Detection of carcinogens as mutagens in the SaZmonelZa/microsome test: Assay of 300 chemicals. Proc Nat1 Acad Sci 72:5135-5139.
- *Medinilla J, Espigares M. 1988. Contamination by organic solvents in auto paint shops. Ann Occup Hyg 32:509-513.
- *Menck CFM, Cabral-Neto JB, Faljoni-Alario A. 1986. Damages induced in lambda phage DNA by enzyme-generated triplet acetone. Mutat Res 165:9-14.
- *Menez JF, Lucas D, Berthou F, et al. 1990. Inhibition by phorbol myristate acetate PMA of cytochrome P-450 induction by acetone [Abstract]. FASEB J 4:A887.
- *Menicagli S, Puccini P, Longo V, et al. 1990. Effect of acetone administration on renal, pulmonary and hepatic monooxygenase activities in hamster. Toxicology 64: 141-153.
- *Meyrahn H, Pauly J, Schneider W, et al. 1986. Quantum yields for the photodissociation of acetone in air and an estimate for the life time of acetone in the lower troposphere. J Atmos Chem 4:277-291.
- *Mikalsen A, Alexander J, Andersen RA, et al. 1991. Effect of *in vivo* chromate, acetone and combined treatment on rat liver *in vitro* microsomal chromium(V1) reductive activity and on cytochrome P450 expression. Pharmacol Toxicol 68:456-463.
- *Militana LM, Mauch SC. 1989. Statistical modeling of ambient air toxics impact during remedial investigation at a landfill site. In: Super-fund '89. Washington, DC, The Hazardous Materials Control Res. Inst., 157-162.

ACETONE 230 8. REFERENCES

- *Mill T, Mabey W. 1985. Photochemical transformations. Environmental Exposure From Chemistry 1:175-216.
- *Miller, KW, Yang CS. 1984. Studies on the mechanisms of induction of N-nitrosodimethylamine demethylase by fasting, acetone, and ethanol. Arch Biochem Biophys 229:483-491.
- *Mishra NK, Wilson CM, Pant KJ, et al. 1978. Simultaneous determination of cellular mutagenesis and transformation by chemical carcinogens in Fischer rat embryo cells. J Toxicol Environ Health 4:79-91.
- *Mohr DH, King CJ. 1985. Identification of polar organic compounds in coal-gasification condensate water by gas chromatography-mass spectrometry analysis of high pressure liquid chromatography fractions. Environmental Science and Technology 19:929-935.
- *Moldeus P, Gergely V. 1980. Effect of acetone on the activation of acetaminophen. Toxicol Appl Pharmacol 53:8-13.
- *Mender C. 1967. a-Keto aldehyde dehydrogenase, an enzyme that catalyzes the enzymic oxidation of methyglyoxal to pyruvate. J Biol Chem 242:4603-4609.
- *Mopper K, Stahovec WL. 1986. Sources and sinks of low molecular weight organic carbonyl compounds in seawater. Marine Chemistry 19:305-321.
- *Morgan ET, Koop DE, Coon MJ. 1983. Comparison of six rabbit liver cytochrome P-450 isozymes in formation of a reactive metabolite of acetaminophen. Biochem Biophys Res Commun 112:8-13.
- *Mori Y, Yamazaki H, Toyoshi K, et al. 1985. Inhibitory effect of organic solvents on the mutagenicity of N-nitrosodialkylamines in SuZmoneZZu. Mutat Res 142:153-158.
- *Morris JB. 1991. Deposition of acetone vapor in the upper respiratory tract of the B6C3Fl mouse. Toxicol Lett 56:187-196.
- *Morris JB, Cavanagh DG. 1986. Deposition of ethanol and acetone vapors in the upper respiratory tract of the rat. Fundam Appl Toxicol 6:78-88.
- *Morris JB, Cavanagh DG. 1987. Metabolism and deposition of propanol and acetone vapors in the upper respiratory tract of the hamster. Fundam Appl Toxicol 9:34-40.
- *Morris JB, Clay RJ, Cavanagh DG. 1986. Species differences in upper respiratory tract deposition of acetone and ethanol vapors. Fundam Appl Toxicol 7:671-680.
- *Morris JB, Clay RJ, Trela BA, et al. 1991. Deposition of dibasic esters in the upper respiratory tract of the male and female Sprague-Dawley rat. Toxicol Appl Pharmacol 108:538-546.
- *Moshonas MG, Shaw PE. 1990. Flavor evaluation of concentrated aqueous orange essences. J Agric Food Chem 38:2181-4.
- *Mourkides GA, Hobbs DC, Koeppe RE. 1959. The metabolism of acetone-2-C14 by intact rats. J Biol Chem 234:27-30.

ACETONE 231 8. REFERENCES

- *NAS. 1976. Vapor-phase organic pollutants: Volatile hydrocarbons and oxidation products. Committee on Medical and Biologic Effects of Environmental Pollutants. National Academy of Sciences, Washington, DC, 23-24, 26-27.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1992. National Toxics Information Clearinghouse. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC, and State and Territorial Air Pollution Program Administrators/Association of Local Air Pollution Control Officials. May 1992. Online.
- *Neiman J, Jones AW, Numminen H, et al. 1987. Combined effect of a small dose of ethanol and 36 hr fasting on blood-glucose response, breath-acetone profiles and platelet function in healthy men. Alcohol Alcohol 22:265-270.
- *Nelson DL, Webb BP. 1978. Acetone. In: Grayson M. ed. Kirk-Othmer Encyclopedia of Chemical Technology, vol. 1, 3rd ed. New York, NY: John Wiley and Sons, 179-191.
- *Nelson KW, Ege Jr JF, Ross M, et al. 1943. Sensory response to certain industrial solvent vapors. J Ind Hyg Toxicol 25:282-285.
- *Nestmann ER, Douglas GR, Kowbel DJ, et al. 1985. Solvent interactions with test compounds and recommendations for testing to avoid artifacts. Environ Mutagen 7:163-170.
- *NIOSH. 1978. Criteria for a recommended standard...occupational exposure to ketones. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHHS(NIOSH) publication no. 78-173, 5-6.
- *NIOSH. 1989. National Occupational Exposure Survey as of 03/22/89. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.
- *NIOSH. 1990. Manual of Analytical Methods. 3rd ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.
- *NIOSH. 1992. Recommendations for occupational safety and health. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 92-100.
- *Nizyaeva IV. 1982. The hygienic evaluation of acetone. Gig Tr Prof Zabol 6:24-28. (Russian).
- *Nomiyama K, Nomiyama H. 1974a. Respiratory retention, uptake and excretion of organic solvents in man. Benzene, toluene, n-hexane, trichloroethylene, acetone, ethyl acetate and ethyl alcohol. Int Arch Arbeitsmed 32:75-83.

ACETONE 232 8. REFERENCES

- *Nomiyama K, Nomiyama H. 1974b. Respiratory elimination of organic solvents in man: Benzene, toluene, n-hexane, trichloroethylene, acetone, ethyl acetate and ethyl alcohol. Int Arch Arbeitsmed 32:85-91.
- *Norppa H. 1981. The *in vitro* induction of sister chromatid exchanges and chromosome aberrations in human lymphocytes by styrene derivation. Carcinogenesis 2:237-242.
- *Norppa H, Heminki K, Sorsa M, et al. 1981. Effect of monosubstituted epoxides on chromosome aberrations and SCE in cultured human lymphocytes. Mutat Res 91:243-250.
- *NTP. 1988. National Toxicology Program report no. PNL-6768. Inhalation developmental toxicology studies: Teratology study of acetone in mice and rats. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Health. NTIS DE89-00567 1.
- *NTP. 1991. National Toxicology Program technical report no. 3. Toxicity studies of acetone in F344/N rats and B6C3F, mice (drinking water studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Health. NIH publication no. 91-3122.
- *O'Hara D, Singh HB. 1988. Sensitive gas chromatographic detection of acetaldehyde and acetone using a reduction gas detector. Atmos Environ 22 (11) 2613-2616.
- *OSHA. 1989. 29 CFR Part 1910. Air contaminants: Final rule. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 54:2923.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-438, April 1990.
- *Otson R, Williams DT, Bothwell PD. 1983. Charcoal-tube technique for simultaneous determination of selected organics in air. Am Ind Hyg Assoc J 44:489-494.
- *Ott MG, Skory LK, Holder BB, et al. 1983a. Health evaluation of employees occupationally exposed to methylene chloride: General study design and environmental considerations. Stand J Work Environ Health 9(Supp 1): 1-7.
- *Ott MG, Skory LK, Holder BB, et al. 1983b. Health evaluation of employees occupationally exposed to methylene chloride: Mortality. Stand J Work Environ Health 9(Supp 1):8-16.
- *Ott MG, Skory LK, Holder BB, et al. 1983c. Health evaluation of employees occupationally exposed to methylene: Clinical laboratory evaluation. Stand J Work Environ Health 9(Supp 1):17-25.
- *Owen OE, Trapp VE, Skutches CL, et al. 1982. Acetone metabolism during diabetic ketoacidosis. Diabetes 3 1:242-248.
- *Palo V, Ilkova H. 1970. Direct gas chromatographic estimation of lower alcohols, acetaldehyde, acetone and diacetyl in milk products. J Chromatogr 53:363-367.

ACETONE 233 8. REFERENCES

- *Pankow D, Hoffmann P. 1989. Dichloromethane metabolism to carbon monoxide can be induced by isoniazid, acetone and fasting. Arch Toxicol Suppl 13:302-303.
- *Paterson S, Mackay D. 1989. Correlation of tissue, blood, and air partition coefficients of volatile organic chemicals. Br J Ind Med 46:321-328.
- *Paterson P, Sheath J, Taft P, et al. 1967. Maternal and foetal ketone concentrations in plasma and urine. Lancet 11862-865.
- *Patten CJ, Ning SM, Lu AYH, et al. 1986. Acetone-inducible cytochrome P-450: Purification, catalytic activity, and interaction with cytochrome b., Arch Biochem Biophys 251:629-638.
- *Peden VH. 1964. Determination of individual semm "ketone bodies," with normal values in infants and children. J Lab Clin Med 63:332-343.
- *Pe'er J, Folberg R, Massicotte SJ, et al. 1992. Clinicopathologic spectrum of primary uveal melanocytic lesions in an animal model. Ophthalmology 99:977-986.
- *Peinado J, Lopez-Soriano FJ, Argiles JM. 1986. The metabolism of acetone in the pregnant rat. Biosci Rep 6:983-989.
- *Peinado J, Lopez-Soriano FJ, Argiles JM. 1987. Gas chromatographic method for the estimation of acetone and its metabolites in biological samples. J Chromatogr 415:372-376.
- *Pellizzari ED, Castillo NP, Willis S, et al. 1979. Identification of organic components in aqueous effluents from energy-related processes. ASTM Spec Tech 686:256-274.
- *Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. Bull Environ Contam Toxicol 28:322-328.
- *Perry DL, Chuang CC, Jungclaus GA, et al. 1979. Identification of organic compounds in industrial effluent discharges. Springfield, VA. NTIS PB 294794.
- *Pezzagno G, Imbriani M, Ghittori S, et al. 1986. Urinary elimination of acetone in experimental and occupational exposure. Stand J Work Environ Health 12:603-608.
- *Phillips M, Greenberg J. 1987. Detection of endogenous acetone in normal human breath, J Chromatogr 422:235-238.
- *Phillips M, Greenberg J, Martinez V. 1989. Elevated concentrations of acetone and unidentified compounds in the breath of alcohol abusers. Alcohol Clin Exp Res 13:523-526.
- *Pienta RJ. 1980. Transformation of Syrian hamster embryo cells by diverse chemicals and correlation with their reported carcinogenic and mutagenic activities. Chem Mutagen 6:175-202.
- Plaa GL. 1988. Experimental evaluation of haloalkanes and liver injury. Fund Appl Toxicol 10:563-570.

ACETONE 8. REFERENCES

- *Plaa GL, Traiger GJ. 1972. Mechanism of potentiation of CC1₄-induced hepatotoxicity. In: Loomis TA, ed. Pharmacology and the future of man, Vol. 3: Toxicological problems. Basle, Switzerland: Larger, 100-l 13.
- *Plaa GL, Hewitt WR, Du Souich P, et al. 1982. Isopropanol and acetone potentiation of carbon tetrachloride-induced hepatotoxicity: Single versus repetitive pretreatments in rats. J Toxico1 Environ Health 9:235-250.
- *Plaa GL, Traiger GJ, Hanasono GK, et al. 1973. Effect of alcohols on various forms of chemically induced liver injury. In: Khanna JM, Isreal Y, Kalant H, eds. Alcoholic liver pathology. Proceedings of Alcohol and Drug Research symposium. Toronto, Canada: Drug Addiction Research Foundation, 225244.
- *Pomerantz RB. 1950. Acute acetone poisoning from castex. Am J Surg 80:117-118.
- *Porter TD, Khani SC, Coon MJ. 1989. Induction and tissue-specific expression of rabbit cytochrome P450IIEl and BE2 genes. Mol Pharmacol 36:61-65.
- *Powell FL, Lopez FA, Wagner PD. 1985. Effects of acetone in heparin on the multiple inert gas elimination technique. J Appl Physiol 58(4):1143-l 147.
- *Pozzani UC, Weil CS, Carpenter CP. 1959. The toxicological basis of threshold limit values: 5. The experimental inhalation of vapor mixtures by rats, with notes upon the relationship between single dose inhalation and single dose oral data. Industrial Hygiene Journal 20:364-369.
- *Price TD, Rittenberg D. 1950. The metabolism of acetone. I. Gross aspects of catabolism and excretion. J Biol Chem 185:449-459.
- *Price VF, Jollow DJ. 1983. Mechanism of ketone-induced protection from acetaminophen hepatotoxicity in the rat. Drug Metab Dispos 11:451-457.
- *Price KS, Waggy GT, Conway RA. 1974. Brine shrimp bioassay and seawater bod of petrochemicals. J Water Pollut Control Fed 46:63-77.
- *Puccini P, Fiorio R, Longo V, et al. 1989. High affinity diethylnitrosamine-deethylase in liver microsomes from acetone-induced rats. Carcinogenesis 10: 1629-1634.
- *Puccini P, Fiorio R, Longo V, et al. 1990. Effects of acetone administration on drug-metabolizing enzyme in mice: Presence of a high-affinity diethylnitrosamine de-ethylase. Toxicol Lett 54:143-150.
- *Puccini P, Menicagli S, Longo V, et al. 1992. Purification and characterization of an acetone-inducible cytochrome P-450 from hamster liver microsomes. Biochem J 287(Pt. 3):863-870.
- *Puntarulo S, Cederbaum AI. 1988. Increased microsomal interaction with iron and oxygen radical generation after chronic acetone treatment. Biochim Biophys Acta 964:46-52.
- *Quarles JM, Sega MW, Schenley CK, et al. 1979a. Transformation of hamster fetal cells by nitrosated pesticides in a transplacental assay. Cancer Res 39:4525-4533.

ACETONE 235 8. REFERENCES

- *Quarles JM, Sega MW, Schenley CK, et al. 1979b. Rapid screening for chemical carcinogens: Transforming activity of selected nitroso compounds in a transplacental host-mediated culture system. Nat1 Cancer Inst Monogr 51:257-263.
- *Racker E. 1951. The mechanism of action of glyoxalase. J Biol Chem 190:685-696.
- *Rahim SA, Bashir WA. 1981. Microdetermination of acetone in aqueous solution. Microchem J 26(3):329-333.
- *Rahn RO, Landry LC, Carrier WL. 1974. Formation of chain breaks and thymine dimers in DNA upon photosensitization at 3 13 nm with acetophenone, acetone or benzophenone. Photochem Photobiol 19:75-78.
- *Raje RR. 1980. In-vitro toxicity of acetone using coronary perfusion in isolated rabbit heart. Drug Chem Toxicol 3:333-342.
- *Raleigh RL, McGee WA. 1972. Effects of short, high-concentration exposures to acetone as determined by observation in the work area. J Occup Med 14:607-610.
- *Ramu A, Rosenbaum J, Blaschke TF. 1978. Disposition of acetone following acute acetone intoxication. West J Med 129:429-432.
- *Rathbun RE, Tai DY. 1987. Vapor pressures and gas-film coefficients for ketones. Chemosphere 16:69-78.
- *Rathbun RE, Shultz DJ, Stephens DW, et al. 1989. Transport and fate of acetone in an outdoor model stream, Stennis Space Center Near Bay St. Louis, Mississippi. U.S. Geological Survey Water-Resources Investigations Report 89-4141.
- *Rathbun RE, Stephens DW, Schultz DJ, et al. 1982. Fate of acetone in water. Chemosphere 11:1097-1114.
- *Rathbun RE, Stephens DW, Schultz DJ, et al. 1988. Fate of acetone in an outdoor model stream in southern Mississippi. Journal of Hydrology 104:181-209.
- *Rathbun RE, Stephens DW, Tai DY. 1991. Fate of acetone in an outdoor model stream with a nitrate supplement, southern Mississippi, U.S.A. Journal of Hydrology 123:225-242.
- *Rathbun RE, Stephens DW, Tai DY. 1993. Bacterial degradation of acetone in an outdoor model stream. Environmental Pollution 79: 153-162.
- *Raucy JL, Lasker JM, Lieber CS, et al. 1989. Acetaminophen activation by human liver cytochromes P450IIEl and P450IA2. Arch Biochem Biophys 271:270-283.
- *Reichard Jr GA, Haff AC, Skutches CL, et al. 1979. Plasma acetone metabolism in the fasting human. J Clin Invest 63:619-626.
- *Reichard Jr GA, Skutches CL, Hoeldtke RD, et al. 1986. Acetone metabolism in humans during diabetic ketoacidosis. Diabetes 35:668-674.

ACETONE 236 8. REFERENCES

- *Rengstorff RH, Khafagy HI. 1985. Cutaneous acetone depresses aqueous humor ascorbate in guinea pigs. Arch Toxicol 5864-66.
- *Rengstorff RH, Petrali JP, Sim VM. 1972. Cataracts induced in guinea pigs by acetone, cyclohexanone, and dimethyl sulfoxide. Am J Optom Arch Acad Optom 49:308-319.
- *Rengstorff, RH, Petrali JP, Sim VM. 1976. Attempts to induce cataracts in rabbits by cutaneous application of acetone. Am J Optom Physiol Opt 53:41-42.
- *Renshaw PK, Mitchell RM. 1956. Acute poisoning following the application of a lightweight cast. British Medical Journal 1:615.
- *Rhim JS, Park DK, Weisburger EK, et al. 1974. Evaluation of an *in vitro* assay system for carcinogens based on prior infection of rodent cells with nontransforming RNA tumor virus. J Nat1 Cancer Inst 52:1167-1 173.
- *Riddick JA, Bunger WB, Sakano TK. 1986. Techniques of chemistry, Vol. II. Organic Solvents: Physical properties and methods of purification. 4th ed. New York, NY: John Wiley and Sons, Inc., 337-338.
- *Roe FJ, Carter RL, Mitchley BC, et al. 1972. On the persistence of tumour initiation and the acceleration of tumour progression in mouse skin tumorigenesis. Int J Cancer 9:264-273.
- *Robinson RC, Shorr RGL, Varrichio A, et al. 1989. Human liver cytochrome P-450 related to a rat acetone-inducible, nitrosamine-metabolizing cytochrome P-450: Identification and isolation, Pharmacology 39: 137-144.
- *Ronis MJ, Ingelman-Sundberg M. 1989. Acetone-dependent regulation of cytochrome P-450j (IIEl) and P-450b (IIBl) in rat liver. Xenobiotica 19:1161-1165.
- *Ronis MJ, Johansson I, Hultenby K, et al. 1991. Acetone-regulated synthesis and degradation of cytochrome P450El and cytochrome P4502Bl in rat liver. J Biochem 198:383-389. [Corrected] [Published erratum appears in Eur J Biochem 200:8 121
- *Rooth G. 1967. Insulin action measured by acetone disappearance. Acta Med Stand 182:271-272.
- *Rooth G, Carlstrom S. 1970. Therapeutic fasting. Acta Med Stand 187:455-463.
- *Rooth G, Gstenson S. 1966. Acetone in alveolar air, and the control of diabetes. Lancet ii:1 102-1105.
- *Rosansky SJ. 1982. Isopropyl alcohol poisoning treated with hemodialysis: Kinetics of isopropyl alcohol and acetone removal. J Toxicol Clin Toxicol 19:265-27 1.
- *ROSS DJ. 1973. Acute acetone intoxication involving 8 male workers. Ann Occup Hyg 16:73-75.
- *Rossman TG, Molina M, Meyer L, et al. 1991. Performance of 133 compounds in the lambda prophage induction endpoint of the microscreen assay and a comparison with S. typhimurium mutagenicity and rodent carcinogenicity assays. Mutat Res 260:349-367.

ACETONE 237 8. REFERENCES

- *Roudabush RL, Terhaar CJ, Fassett DW, et al. 1965. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. Toxicol Appl Pharmacol 7:559-565.
- *Ruddick JA. 1972. Toxicology, metabolism, and biochemistry of 1,2-propanediol. Toxicol Appl Pharmacol 21:102-111.
- *Rudney H. 1954. Propanediol phosphate as a possible intermediate in the metabolism of acetone. J Biol Chem 210:361-371.
- *Rustung E, Frithjof K, Foyen A. 1931. The uptake and distribution of acetone in the coldblooded organism. Biochem Z 242:366-376.
- *Sack RM, Steele DH, Hammerstrom K, et al. 1992. A survey of household products for volatile organic compounds. Atmos Environ 26A:1063-1070.
- *Sakai A, Sato M. 1989. Improvement of carcinogen identification in BALB/3T3 cell transformation by application of a 2-stage method. Mutat Res 214:285-296.
- *Sakami W, LaFaye JM. 1950. Formation of formate and labile methyl groups from acetone in the intact rat. J Biol Chem 187:369-378.
- *Sakami W, LaFaye JM. 1951. The metabolism of acetone in the intact rat. J Biol Chem 193:199-203.
- Sakami W, Rudney H. 1952. The metabolism of acetone and acetoacetate in the mammalian organism. Brookhaven Symp Biol 5: 176- 19 1.
- *Sakata M, Kikuchi J, Haga M, et al. 1989. Disposition of acetone, methyl ethyl ketone and cyclohexanone in acute poisoning. J Toxicol Clin Toxicol 27:67-77.
- *Sallee ED, Sappington CO. 1949. American Conference of Governmental Industrial Hygienists Eleventh Annual Meeting. American Industrial Hygiene Association Tenth Annual Meeting, April 2-7, 1949, Detroit, MI. Industrial Hygiene Quarterly 10:36-44.
- *Sammet D, Lee EW, Kocsis JJ, et al. 1979. Partial hepatectomy reduced both metabolism and toxicity of benzene. J Toxicol Environ Health 5:785-792.
- *Sangster J. 1989. Octanol-water partition coefficients of simple organic compounds. Journal of Physical Chemistry Reference Data 18: 1111-1229.
- *Sato A, Nakajima T. 1979. Partition coefficients of some aromatic hydrocarbons and ketones in water, blood and oil. Br J Ind Med 36:231-234.
- *Sawney BL, Raabe JA. 1986. Ground water contamination: Movement of organic pollutants in the Granby landfill. New Haven, CT: The Connecticut Agricultural Experiment Station Bulletin 833, 9.
- *Schaper M, Brost MA. 1991. Respiratory effects of trimellitic anhydride aerosols in mice. Arch Toxicol 65:671-677.

ACETONE 238 8. REFERENCES

- *Schmid BP. 1985. Xenobiotic influences on embryonic differentiation, growth and morphology *in vitro*. Xenobiotica 15:719-726.
- *Schnier GG, Laethem CL, Koop DR. 1989. Identification and induction of cytochromes P450, P450IIEl and P450IAl in rabbit bone marrow. J Pharmacol Exp Ther 251:790-796.
- *Schrikker ACM, de Vries WR, Zwart A, et al. 1985. Uptake of highly soluble gases in the epithelium of the conducting airways. Pflugers Arch 405:389-394.
- *Schrikker ACM, de Vries WR, Zwart A, et al. 1989. The excretion of highly soluble gases by the lung in man. Pflugers Arch 415:214-219.
- *Seeber A, Kiesswetter E. 1991. Exposure to mixtures of organic solvents: Subjective symptoms as valid adverse effects? In: Fletcher LD, ed. Proceeding of the 4th International Conference on the Combined Effects of Environmental Factors. 7 1-74.
- *Seeber A, Kiesswetter E, Blaszkewicz M. 1992. Correlations between subjective disturbances due to acute exposure to organic solvents and internal dose. NeuroToxicology 13:265-270.
- Seegal RF, Bush B, Brosch KO. 1991. Sub-chronic exposure of the adult rat to Aroclor 1254 yields regionally-specific changes in central dopaminergic function. NeuroToxicology 12:55-65.
- *Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air. Environmental Science and Technology 22: 1381-1388.
- *Shahidi F, Rubin L, S'Souza LA. 1986. Meat flavor volatiles: A review of the composition, techniques of analysis, and sensory evaluation. CRC Crit Rev Food Sci Nutr 24:141-243.
- *Shepson PB, Hastie DR, Schiff HI, et al. 1991. Atmospheric concentrations and temporal variations of Cl-C3 carbonyl compounds at two rural sites in central Ontario. Atmos Environ 25A:2001-2015.
- *Singh HB, Hanst PL. 1981. Peroxyacetyl nitrate (PAN) in unpolluted atmosphere: An important reservoir for nitrogen oxides. Geophys Res Lett 8:941-944.
- *Sipes IG, Slocumb ML, Holtzman G. 1978. Stimulation of microsomal dimethyl nitrosamine-ndemethylase by pretreatment of mice with acetone. Chem-Biol Interact 21:155-166.
- *Sipes IG, Stripp B, Krishna G, et al. 1973. Enhanced hepatic microsomal activity by pretreatment of rats with acetone or isopropanol. Proc Sot Exp Biol Med 142:237.
- *Sippel H, Penttila KE, Lindros KO. 1991. Regioselective induction of liver glutathione transferase by ethanol and acetone. Pharmacol Toxicol 68:391-393.
- *Skutches CL, Owen OE, Reichard Jr GA. 1990. Acetone and acetol inhibition of insulin-stimulated glucose oxidation in adipose tissue and isolated adipocytes. Diabetes 39:450-455.
- *Smith NB. 1984. Determination of volatile alcohols and acetone in serum by non-polar capillary gas chromatography after direct sample injection. Clin Chem 10:1672-1674.

ACETONE 239 8. REFERENCES

- *Smith R. Fuller DJ, Wedge JH, et al. 1975. Initial effect of injury on ketone bodies and other blood metabolites. Lancet i: 1-3.
- *Smyth Jr HF, Carpenter CP, Weil CS, et al. 1962. Range-finding toxicity data: List VI. Am Ind Hyg Assoc J 23:95-107.
- *Snider JR, Dawson GA. 1985. Tropospheric light alcohols, carbonyls, and acetonitrile concentrations in the southwestern United States and Henry's law data. J Geophy Res 90:3797-3805.
- *Snyder R, Lee EW, Kocsis JJ, et al. 1975. Current concepts of benzene toxicity. CRC Crit Rev Toxicol 3:265-288.
- Sollmann T. 1921. Studies of chronic intoxications on albino rats. II. Alcohols (ethyl, methyl and "wood") and acetone. J Pharmacol Exp Ther 16:291-309.
- *Song B-J, Gelboin HV, Park S-S, et al. 1986. Complementary DNA and protein sequences of ethanol-inducible rat and human cytochrome P-450s. J Biol Chem 261:16689-16697.
- *Song B-J, Veech RL, Park SS, et al. 1989. Induction of rat hepatic N-nitrosodimethylamine demethylase by acetone is due to protein stabilization. J Biol Chem 264:3568-3572.
- *Specht H, Miller JW, Valaer PJ. 1939. Acute response of guinea pigs to the inhalation of dimethyl ketone (acetone) vapor in air. Public Health Rep 54:944-954.
- *Spencer PS, Bischoff MC, Schaumburg HH. 1978. On the specific molecular configuration of neurotoxic aliphatic hexacarbon compounds causing central-peripheral distal axonopathy. Toxicol Appl Pharmacol 44: 17-28.
- *Spicer CW, Riggin RM, Holdren MW, et al. 1985. Atmospheric reaction products from hazardous air pollutant degradation. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA-600/3-85-028.
- *SRI. 1991. 1991 Directory of chemical producers. United States of America. Menlo Park, CA: Stanford Research Institute International, 439-440.
- *Stafford W, Northrup HJ. 1955. The BOD of textile chemicals. American Dyestuff Reporter 44:355-9.
- *Steelman BL, Ecker RM. 1984. Organic contamination of groundwater: An open literature review. Richland, WA: Battelle Pacific Northwest Lab. DE-AC06-76RL0 1830,13.
- *Steinberg SM, Kreamer DK. 1993. Evaluation of the sorption of volatile organic compounds by unsaturated calcareous soil from southern Nevada using inverse gas chromatography. Environmental Science and Technology 27:883-888.
- *Stewart RD, Hake CL, Wu A, et al. 1975. Acetone: Development of a biologic standard for the industrial worker by breath analysis. Cincinnati, OH: National Institute for Occupational Safety and Health. NTIS PB82-172917.

ACETONE 8. REFERENCES

- *Stonebraker RD, Smith Jr AJ. 1980. Containment and treatment of a mixed chemical discharge from "The valley of the drums" near Louisville, Kentucky. In: Proceedings of the Control Hazard Mater Spills National Conference, Nashville, TN, 1-10.
- *Strange P, Moller A, Ladefoged 0, et al. 1991. Total number and mean cell volume of neocortical neurons in rats exposed to 2,5-hexanedione with and without acetone. Neurotoxicol Teratol 13:401-406.
- *Striegel JA, Carpenter CP. 1961. Progress report for the month ending August 31, 1961. Mellon Institute of Industrial Research. Unpublished study submitted by Union Carbide Corporation, Danbury, CT, to EPA. OTS0536615.
- *Strong DF. 1984. Acute acetone poisoning. Can Med Assoc J 51:359-362.
- *Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 3 12-3 13.
- *Sulway MJ, Malins MJ. 1970. Acetone in diabetic ketoacidosis. Lancet 1:1736-1740.
- *Takemoto S, Kuge Y, Nakamoto M. 1981. The measurement of BOD in sea water. Suishitsu Okaku Kenkyu 4:80-90.
- *Takeoka GR, Flath RA, Guntert M, et al. 1988. Nectarine volatiles: Vacuum steam distillation versus headspace sampling. J Agric Food Chem 36:553-560.
- *Tanii H, Tsuji H, Hashimoto K. 1986. Structure-toxicity relationship of monoketones. Toxicol Lett 30:13-17.
- *Tates AD, Kriek E. 1981. Induction of chromosomal aberrations and sister-chromatid exchanges in Chinese hamster cells *in vitro* by some proximate and ultimate carcinogenic arylarnide derivatives. Mutat Res 88:397-410.
- *Taylor A, Smith DE, Palmer VJ, et al. 1993. Relationships between acetone, cataracts, and ascorbate in hairless guinea pigs. Ophthalmic Res 25:30-35.
- *Teramoto K, Wakitani F, Tanaka H, et al. 1989. Elimination of acetone, 2-propanol, styrene and tetrahydrofuran via exhaled air in rats [Abstract]. J Toxicol Sci 14:325.
- *Thorn NS, Agg AR. 1975. The breakdown of synthetic organic compounds in biological processes. Proc R Sot Lond B 189:347-357.
- *Thomas RG. 1982. Volatilization from water. In: Handbook of Chemical Property Estimation Methods. New York, NY: McGraw-Hill Book Co, 15-16;15-21.
- *Thornalley PJ. 1990. The glyoxalase system: New developments towards functional characterization of a metabolic pathway fundamental to biological life. Biochem J 269: l-l 1.
- *Tichenor BA, Mason MA. 1988. Organic emissions from consumer products and building materials to the indoor environment. Japanese Air Pollution Control Association 38:264-268.

ACETONE 241 8. REFERENCES

- *Tindberg N, Ingelman-Sundberg M. 1989. Cytochrome P-450 and oxygen toxicity. Oxygendependent induction of ethanol-inducible cytochrome P-450 (IIEI) in rat liver and lung. Biochemistry 28:4499-4504.
- *Tosti A, Bardazzi F, Ghetti P. 1988. Unusual complication of sensitizing therapy for alopecia aneata. Contact Dermatitis 18322.
- *Traiger GJ, Plaa GL. 1972. Relationship of alcohol metabolism to the potentiation of CCl₄ hepatotoxicity induced by aliphatic alcohols. J Pharmacol Exp Ther 183:481-488.
- *Traiger GJ, Plaa GL. 1973. Effect of aminotriazole on isopropanol- and acetone-induced potentiation of Ccl, hepatotoxicity. Can J Physiol Pharmacol 51:291-296.
- *Traiger GJ, Plaa GL. 1974. Chlorinated hydrocarbon toxicity: Potentiation by isopropyl alcohol and acetone. Arch Environ Health 28:276-278.
- *TRI90. 1992. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Trotter MD, Sulway MJ, Trotter E. 1971. The rapid determination of acetone in breath and plasma. Clin Chim Acta 35:137-143.
- *Tsukamoto S, Kanegae T, Saito M, et al. 1991. Concentrations of blood and urine ethanol, acetaldehyde, acetate and acetone during experimental hangover in volunteers. Japanese Journal of Alcohol & Drug Dependence 26:550-510.
- *Tu YY, Peng R, Chang ZF, et al. 1983. Induction of a high affinity nitrosamine demethylase in rat liver microsomes by acetone and isopropanol. Chem-Biol Interact 44:246-260.
- *Uchida Y, Kawa T, Yasugi T, et al. 1990. Personal monitoring sampler for acetone vapor exposure. Bull Environ Contam Toxicol 44:900-904.
- *Union Carbide. 1992. Material Safety Data Sheet: Acetone. Solvents & Coatings Materials Division, Union Carbide Chemicals and Plastics Company, Danbury CT.
- *Ueng TH, Tsai JN, Ju JM, et al. 1991. Effects of acetone administration of cytochrome P-450-dependent monooxygenases in hamster liver, kidney, and lung. Arch Toxicol 65:45-51.
- *Urano K, Kato Z. 1986a. A method to classify biodegradabilities of organic compounds. Journal of Hazardous Material 13: 135-145.
- *Urano K, Kato Z. 1986b. Evaluation of biodegradation ranks of priority organic compounds. Journal of Hazardous Material 13:147-159.
- *USITC. 1991. Synthetic organic chemicals United States Production and Sales, 1990. USITC Publication 2470, United States International Trade Commission, Washington, DC, 15-5, 15-22, 15-36, 15-38.

ACETONE 242 8. REFERENCES

- *Vainio H, Zitting A. 1978. Interact of styrene and acetone with drug biotransformation enzymes in rat liver. Stand J Work Environ Health 4(Suppl. 2):47-52.
- *Vairavamurthy A, Roberts JM, Newman L. 1992. Methods for determination of low molecular weight: Carbonyl compounds in the atmosphere: A review. Atmos Environ 26A: 1965-1993.
- *Valentovic M, Ball JG, Anestis D. 1992. Contribution of acetone and osmotic-diuresis by streptozotocin-induced diabetes in attenuation of cephaloridine nephrotoxicity. Toxicology 7 1:245-255.
- *Vance DE. 1984. Metabolism of fatty acids and triacylglycerols. In: Zubay G, ed. Biochemistry. Reading, MA:Addison-Wesley Publishing Co., 471-503.
- *Van Duuren BL, Loewengart G, Seidman I, et al. 1978. Mouse skin carcinogenicity tests of the flame retardants tris(2,3-dibromopropyl)phosphate, tetrakis(hydroxymethyl)phosphonium chloride, and polyvinyl bromide. Cancer Res 383236-3240.
- *Van Duuren BL, Sizak A, Melchiomne S. 1971. Cigarette smoke carcinogenesis importance of tumor promoters. J Nat1 Cancer Inst 47:235-240.
- *Vangala RR, Blaszkewicz M, Bolt HM, et al. 1991. Acute experimental exposures to acetone and ethyl acetate. Arch Toxicol Suppl 14:259-262.
- *Van Stekelenburg GJ, Koorevaar G. 1972. Evidence for the existence of mammalian acetoacetate decarboxylase: With special reference to human blood serum. Clin Chim Acta 39:191-199.
- *Vasavada HA, Padayatty JD. 1981. Rapid transfection assay for screening mutagens and carcinogens. Mutat Res 91:9-14.
- *Walton DC, Kehr EF, Loevenhart AS. 1928. A comparison of the pharmacological action of diacetone alcohol and acetone. J Pharmacol Exp Ther 33: 175-183.
- *Ward JM, Quander R, Devor D, et al. 1986. Pathology of aging female SENCAR mice used as controls in skin two-stage carcinogenesis studies. Environ Health Perspect 68:81-89.
- *Weiss HS, Pacer KS, Rhoades CA. 1988. Tumor inhibiting effect of pre-promotion with acetone [Abstract]. FASEB 2:4979.
- *Weiss HS, O'Connell JF, Hakaim AG, et al. 1986. Inhibitory effect of toluene on tumor promotion in mouse skin. Proc Sot Exp Biol Med 181: 199-204.
- *Widmark EMP. 1919. Studies in the concentration of indifferent narcotics in blood and tissues. Acta Med Stand 52:87-164.
- *Wigaeus E, Holm S, Astrand I. 1981. Exposure to acetone: Uptake and elimination in man. Stand J Work Environ Health 7:84-94.
- *Wigaeus E, Ldf A, Nordgvist M. 1982. Distribution and elimination of 2-[(1)(4)C]-acetone in mice after inhalation exposure. Stand J Work Environ Health 8:121-128.

ACETONE 243 8. REFERENCES

- *Wigaeus E, Löf A, Nordqvist MB. 1984. Uptake, distribution, metabolism, and elimination of styrene in man. A comparison between single exposure and co-exposure with acetone. Br J Ind Med 41539-546.
- *Wildenhoff KE. 1972. Diurnal variations in the concentrations of blood acetoacetate, 3-hydroxybutyrate and glucose in normal persons. Acta Med Stand 191:303-306.
- *Williamson DH, Whitelaw E. 1978. Physiological aspects of the regulation of ketogenesis. Biochem Sot Symp 43:137-161.
- *Yamaguchi T. 1985. Stimulating effects of organic solvents on the mutagenicities of sugardegradation compounds. Agric Biol 49:3363-3368.
- *Yanagihara S, Shimada I, Shinoyama E, et al. 1977. Photochemical reactivities of hydrocarbons.

In: Proceedings of the 4th International Clean Air Congress, Tokyo, Japan, 472-477.

- *Yoo JSH, Ishizaki H, Yang CS. 1990. Roles of cytochrome-P450IIEl in the dealkylation and denitrosation of N-nitrosodiethylamine in rat liver microsomes. Carcinogenesis VII:2239-2243.
- *Yoo J-S, Yang CS. 1985. Enzyme specificity in the metabolic activation of N-nitrosodimethylamine to a mutagen for Chinese hamster V79 cells. Cancer Res 45:5569-5574.
- *Zhou X, Mopper K. 1993. Carbonyl compounds in the lower marine troposphere over the Caribbean

Sea and Bahamas. Journal of Geophysical Research 982385-2392.

- *Zimrnermann FK. 1983. Mutagenicity screening with fungal systems. Ann NY Acad Sci 407:186.
- *Zimmermann FK, Mayer VW, Scheel I. 1984. Induction of aneuploidy by oncodazole (nocodazole), an anti-tubulin agent, and acetone. Mutat Res 141:15-18.
- *Zimmermann FK, Mayer VW, Scheel I, et al. 1985. Acetone, methyl ethyl ketone, ethyl acetate, acetonitrile and other polar aprotic solvents are strong inducers of aneuploidy in *Succharomyces cerevisiue*. Mutat Res 149:339-351.

		•	
: :			