DISULFOTON 183

### 8. REFERENCES

- \*ACGIH. 1994. 1993-1994 Threshold limit values for chemical substances and physical agents and biological exposure indices. American Conference of Governmental and Industrial Hygienists. Cincinnati, OH, 20.
- \*Aoki Y, Takeda M, Uchiyama M. 1975. Comparative study of methods for the extraction of eleven organophosphorus pesticide residues in rice. J Assoc Off Anal Chem 58:1286-1293.
- \*Atkinson R. 1988. Estimation of gas-phase hydroxyl radical rate constants for organic chemicals. Environ Toxicol Chem 7:435-442.
- \*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- Balcomb R, Stevens R, Bowen C. 1984. Toxicity of 16 granular insecticides to wild-caught songbirds. Bull Environ Contam Toxicol 33:302-307.
- \*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.
- \*Belanger A, Hamilton HA. 1979. Determination of disulfoton and permethrin residues in an organic soil and their translocation into lettuce, onion and carrot. J Environ Sci Health [B] 14:213-226.
- \*Belisle AA, Swineford DM. 1988. Simple specific analysis of organophosphorus and carbamate pesticides in sediments using column extraction and gas chromatography. Environ Toxicol Chemistry 7:749-752.
- \*Berlow JR, Cunningham M. 1989. Proposed amendment to final best demonstrated available technology (BDAT) background document for organophosphorus wastes (KO36 nonwastewaters). Vol. 14. NTIS/PB90-166521.
- \*Betowski LD, Jones TL. 1988. Analysis of organophosphorus pesticide samples by high-performance liquid chromatography/mass spectrometry and high-performance liquid chromatography/mass spectrometry. Environ Sci Technol 22:1230-1434.
- \*Bhaskaran R, Kandasawy D, Oblisami G, et al. 1973. Utilization of disulfoton as carbon and phosphorus sources by soil microflora. Cm-r Sci 42:835-836.
- \*Bombinski, TJ, DuBois KP. 1958. Toxicity and mechanism of action of Di-Syston. Arch Ind Health 17:192-199.
- \*Borburgh HJ, Hammers WE. 1992. Extraction of organophosphorous pesticides from water samples on Bakerbond SPE octadecyl cartridges at the ng/L level. Toxicol Environ Chem 35(1):79-86.

*Cited	in	text

- \*Bourgeois D, Gaudet J, Deveau P, et al. 1993. Microextraction of organophosphorous pesticides from environmental water and analysis by gas chromatography. Bull Environ Contam Toxicol 50(3):433-440.
- \*Bowman BT, Sans WW. 1983. Determination of octanol-water partitioning coefficients (Kow) of 61 organophosphorus and carbamate insecticides and their relationship to respective water solubility (S) values. J Environ Sci Health [B] 13:667-633.
- \*Bowman MC, Beroza M. 1969. Rapid GLC method for determining residues for fenthion, disulfoton and phorate in corn, milk, grass and feces. J Assoc Off Anal Chem 52:1231-1239.
- \*Bowman MC, Beroza M, Gentry CR. 1969. GLC determination of residues of disulfoton, oxydemetonmethyl, and their metabolites in tobacco plants. J Assoc Off Anal Chem 52: 157-162.
- \*Bradway DE, Moseman R, May R. 1981. Analysis of alkyl phosphates by extractive alkylation. Bull Environ Contam Toxicol 26:520-523.
- \*Braekman RA, Audenaert F, Willems JL, et al. 1983. Toxicokinetics of methyl parathion and parathion in the dog after intravenous and oral administration. Arch Toxicol 54:71-82.
- \*Brodeur J, DuBois KP. 1963. Comparison of acute toxicity of anticholinesterase insecticides to weanling and adult male rats. In: Proceedings of the Society for Experimental Biology and Medicine, Vol. 114. New York, NY: Academic Press, 509-511.
- \*Brodeur J, DuBois KP. 1964. Studies on the mechanism of acquired tolerance by O,O-diethyl S-2 (ethylthio) phosphorodithioate (Di-Syston). Arch Int Pharmacodyn Ther 149:560-570.
- \*Brokopp CD, Wyatt JL, Gabica J. 1981. Dialkyl phosphates in urine samples from pesticide formulators exposed to disulfoton and phorate. Bull Environ Contam Toxicol 26:524-529.
- \*Brusick DJ. 1981. Mutagenic evaluation of S76 in the mitotic non-disjunction in Saccharomyces cerevisiae strain D6. Study No. T3003064. Litton Bionetics Inc., Kensington, MD.
- \*Brzezinski J. 1969. Catecholamines in urine of rats intoxicated with phosphororganic insecticides. Dissertationes Pharmaceuticae et Pharmacologicae 21:381-385.
- \*Brzezinski J. 1972. Effect of poisoning with phosphorus organic insecticides on the catechol amine levels in rat plasma, brain, and adrenals. Dissertationes Pharmaceuticae et Pharmacologicae 24:217-220.
- \*Brzezinski J. 1973. The effect of atropine on the levels of adrenaline and noradrenaline changed by acute poisoning with Di-Syston in rats. Pol J Pharmacol Pharm 25:611-615.
- \*Brzezinski J, Ludwicki K. 1973. The interrelationship of the changes of acetylcholine esterase and catecholamines blood and urine levels in rats poisoned with Disyston. Pol J Pharmacol Pharm 25:313-316.
- \*Brzezinski J, Rusiecki W. 1970. The excretion of catecholamines in rat urine related to Disyston poisoning. Dissertationes Pharmaceuticae et Pharmacologicae 22:507-511.

- \*Bull DL. 1965. Metabolism of Di-Syston by insects, isolated cotton leaves, and rats. J Econ Entomol 58:249-254.
- \*Cape1 PD, Gig er W, Reichert P, et al. 1988. Accidental input of pesticides into Rhine River. Environ Sci Technol 22:705-717.
- \*Carey AE, Kutz FW. 1985. Trends in ambient concentrations of agrochemicals in humans and the environment of the United States. Environmental Monitoring Assessment 5:155-163.
- \*Carpy S, Klotzsch C, Cerioli A. 1975. Disulfoton: 2-Year feeding study in rats. Study no. 47069. Sandoz Inc., Switzerland.
- \*CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.
- \*CELDS. 1992. Computer-aided Environmental Legislative Design System. University of Illinois, Urbana, IL. December 2, 1992.
- \*CELDs. 1994. Computer-assisted Environmental Legislative Database. University of Illinois, Urbana, IL. September 17, 1994.
- \*Cetinkaya M. 1993. Gas chromatographic determination of pesticide residues in hair dyes. Pa&em Kosmet 74(1):23-25.
- \*Chapman RA, Harris CR, Tolman JH, et al. 1993. Further comparison of the persistence in clay loam of single and repeated annual applications of some granular insecticides. J Environ Sci Health Part B: Pest Food Contamin Agric 28(2):151-170.
- \*Chapman RA, Harris CR, Tolman JH, et al. 1994b. The persistence of insecticidal chemicals in soils treated with granular formulations of disulfoton and their uptake by potato plants. J Environ Sci Health Part B: Pest Food Contamin Agric 29(2):233-245.
- \*Chapman RA, Tolman JH, Cole C. 1994a. The effect of multiple soil applications of disulfoton on enhanced microbial degradation in soil and subsequent uptake of insecticidal chemicals by potato plants. J Environ Sci Health Part B: Pest Food Contamin Agric 29(3):485-506.
- \*Chen HH, Hsueh JL, Sirianni SR, et al. 1981. Induction of sister-chromatid exchanges and cell cycle delay in cultured mammalian cells treated with eight organophosphorus pesticides. Mutat Res 88:307-316.
- \*Chen HH, Sirianni SR, Huang CC. 1982. Sister chromatid exchanges in Chinese hamster cells treated with seventeen organophosphorus compounds in the presence of a metabolic activation system. Environ Mutagen 4:621-624.
- \*Christenson WR, Wahle BS. 1993. Technical grade disulfoton (DI-SYSTON): a special 6-month feeding study to determine a cholinesterase no-observed-effect level in the rat. Study No. 91-972-IR, Report No. 106336. Miles Inc. Agriculture Division, Toxicology, Stilwell, Kansas.

- \*Clapp DW, Naylor DV, Lewis GC. 1976. The fate of disulfoton in Portneuf silt loam soil. J Environ Qua1 5:207-10.
- \*Clark G, Koester AG, Pearson DW. 1971. Exploratory behavior in chronic disulfoton poisoning in mice. Psychopharmacologia 20:169-171.
- \*Clark G, Pearson DW. 1973. Learning in chronic disulfoton poisoning. J Gen Psychol 89:305-311.
- \*Clark G, Stavinoha WB. 1969. Alterations in liver RNA induced by atropine and disulfoton. Toxicol Appl Pharmacol 14:376-379.
- \*Clark G, Stavinoha WB. 1971. A permeability change in CNS tissue in chronic poisoning with disulfoton. Life Sci [I] 10:421-423.
- \*Cohen DB. 1986. Groundwater contamination by toxic substances: A California assessment. ACS Symposium Series 315. Washington, DC: American Chemical Society, 499-529.
- \*Comeliussen PE. 1970. Pesticide residues in total diet samples, V. Pestic Monit J 4:89-105.
- \*Costa LG, Kaylor G, Murphy SD. 1986. Carbachol- and norepinephrine-stimulated phosphoinositide metabolism in rat brains: Effect of chronic cholinesterase inhibition. J Pharmacol Exp Ther 239:32-37.
- \*Costa LG, Kaylor G, Murphy SD. 1990. In vitro and in vivo modulation of cholinergic muscarinic receptors in rat lymphocytes and brain by cholinergic agents. Int J Immunopharmacol 12:67-75.
- \*Costa LG, Murphy SD. 1982. Passive avoidance retention in mice tolerant to the organophosphorus insecticide disulfoton. Toxicol Appl Pharmacol 65:451-458.
- \*Costa LG, Murphy SD. 1983a. [3H]Nicotine binding in rat brain: Alterations after chronic acetylcholinesterase inhibition. J Pharmacol Exp Ther 226:392-397.
- \*Costa LG, Murphy SD. 1983b. Unidirectional cross-tolerance between the carbamate insecticide propoxur and the organophosphate disulfoton in mice. Fundam Appl Toxicol 3:483-486.
- \*Costa LG, Murphy SD. 1986. Cholinergic and opiate involvement in the antinociceptive effect of disopropylfluorophosphate. Pharmacol Biochem Behav 24:733-736.
- \*Costa LG, Schwab BW, Hand H, et al. 1981. Reduced [3H]quinuclidinyl benzilate binding to muscarinic receptors in disulfoton-tolerant mice. Toxicol Appl Pharmacol 60:441-450.
- \*Costa LG, Schwab BW, Murphy SD. 1982a. Differential alterations of cholinergic muscarinic receptors during chronic and acute tolerance to organophosphoms insecticides. Biochem Pharmacol 31:3407-3413.
- \*Costa LG, Schwab BW, Murphy SD. 1982b. Tolerance to anticholinesterase compounds in mammals. Toxicology 25:79-97.

- \*Costa LG, Shao M, Basker K, et al. 1984. Chronic administration of an organophosphorus insecticide to rats alters cholinergic muscarinic receptors in the pancreas. Chem Biol Interact 48:261-269.
- \*CPCR. 1992. Crop protection chemicals reference. Di-Syston. 8th ed. New York, NY: Chemical and Pharmaceutical Press, 1160-117 1.
- \*Crawford LS, Anderson CA. 1973. Acute oral toxicity of Di-Syston technical to guinea pigs Report no. 39113, Mobay Chemical Corporation, Environmental Health Research Institute, Stilwell, Kansas.
- \*Crawford LS, Anderson CA. 1974. Acute oral toxicity of several Di-Syston metabolites to female and male rats. Report no. 39687, Mobay Chemical Corporation, Environmental Health Research s Institute, Stilwell, Kansas.
- \*CRISP Database. 1994. U.S Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute for Environmental Health Science. August 14, 1994.
- \*Daughton CG, Crosby DG, Gamas RL, et al. 1976. Analysis of phosphorus-containing hydrolytic products of organophosphorus pesticides in water. J Agric Food Chem 24:236-241.
- \*Dementi B. 1994. Ocular effects of organophosphates: a historical perspective of Saku disease. J Appl Toxicol 14: 119- 129
- \*Di Corcia A, Marchetti M. 1992. Method development for monitoring pesticides in environmental waters: liquid-solid extraction followed by liquid chromatography. Environ Sci Technol 26(1):66-74.
- \*Dillon AP. 1981. Disposal of selected pesticides. In: Pesticide disposal and detoxification: processes and techniques. Noyes Data Corporation, Park Ridge, NJ.
- \*Domine D, Devilliers J, Chastrette M, Karcher W. 1992. Multivariate structure-property relationships (MSPR) of pesticides. J Pest Sci 35:73-82.
- \*Doull J. 1957. The acute inhalation toxicity of Di-Syston to rats. Report no. 1802. University of Chicago, Department of Pharmacology, Chicago, IL.
- \*Doull J, Vaughn G. 1958. The effects of diets containing Di-Syston. University of Chicago, Department of Pharmacology, Chicago, IL. (Unpublished study cited in EPA 1987 and WHO 1974).
- \*Dragan D, Carpov A. 1987. Microencapsulated organophosphorous insecticides. III. Some aspects on the volatilization of malathion and disulfoton from aqueous suspensions of microcapsules. J Microencapsul4:97-105.
- \*Draper WM, Crosby DG. 1984. Solar photooxidation of pesticides in dilute hydrogen peroxide. J Agric Food Chem 32:231-237.
- \*DuBois KP. 1957. The dermal toxicity of Di-Syston to rats. Report no. 2063. University of Chicago, Toxicity Laboratory, Chicago, IL.

- \*DuBois KP. 1971. The acute inhalation of DI-SYSTON to rats. Report No. 31029. University of Chicago, Toxicology Laboratory, Chicago, IL.
- \*DuBois KP, Kinoshita FK. 1968. Influence of induction of hepatic microsomal enzymes by phenobarbital on toxicity of organic phosphate insecticides. Proc Sot Exp Biol Med 129:699-702.
- \*DuBois KP, Kinoshita FK. 1971. Effect of repeated inhalation exposure of female rats to Di-Syston. University of Chicago, Chicago, IL. Report No. 30571. MRID 87935.
- \*Duggan RE, Corneliussen PE. 1972. Dietary intake of pesticide chemicals in the United States (III): June 196%April 1970. Pestic Monit J 5:331-341.
- \*Duggan RE, Corneliussen PE, Duggan MB, et al. 1983. Pesticide residue levels in foods in the United States from June 1, 1969 to June 30, 1976. Washington, DC: Food and Drug Administration, Division of Chemical Technology, 15, 22, 27, 30, 32, 33.
- \*Ecobichon DJ. 1990. Toxic effects of pesticides. In: Klaasen CD, Amdur MO, Doull J, eds. Casarett and Doull's toxicology. 4th ed. New York, NY: Macmillan Publishing <0., 565-622.
- \*Edge11 KW, Jenkins EL, Lopez-Avila V, et al. 199 1. Capillary column gas chromatography with nitrogen-phosphorus detection for determination of nitrogen- and phosphorus-containing pesticides in finished drinking waters: Collaborative study. J Assoc Off Anal Chem 74:295-309.
- \*Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environmental Science and Technology 15:30-38.
- \*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology. Diagnosis and treatment of human poisoning. New York, NY: Elsevier, 1075-1076.
- \*Ellington JJ, Stancil FE, Payne WD, et al. 1988. Measurement of hydrolysis rate constants for evaluation of hazardous waste land disposal: Vol. 3. Data on 70 chemicals. Engineering Research Laboratory, U.S. Environmental Protection Agency, Athens, GA. EPA/600/S3-88-028. NTIS PB38-234842/AS.
- \*EPA. 1973. Environmental Protection Agency. Code of Federal Regulations 40 CFR 136.3.
- \*EPA. 1978a. Environmental Protection Agency. Code of Federal Regulations 40 CFR 455.20.
- \*EPA. 1978b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 152.175.
- \*EPA. 1978c. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4.
- \*EPA. 1980a. Environmental Protection Agency. In vitro microbiological mutagenicity and unscheduled DNA synthesis studies of eighteen pesticides. Research Triangle Park, NC: Health Effects Research Laboratory, U.S. Environmental Protection Agency. EPA-600/l-79-0441. PB80-133226.
- \*EPA. 1980b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.33.

- \*EPA. 1980c. Resource Conservation and Recovery Act (RCRA). U.S. Environmental Protection Agency, Washington, DC.
- \*EPA. 1981a. Environmental Protection Agency. Mutagenesis screening of pesticides: "Drosophila." Research Triangle Park, NC: Health Effects Research Laboratory, U.S. Environmental Protection Agency. EPA-600/l-81-017. PB81-160848.
- \*EPA. 1981b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.32.
- \*EPA. 1981c. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.33.
- \*EPA. 1983. Environmental Protection Agency. Code of Federal Regulations 40 CFR 122.
- \*EPA. 1984a. In vitro and in vivo mutagenicity studies on environmental chemicals. Research Triangle Park, NC: Health Effects Research Laboratory, U.S. Environmental Protection Agency. EPA-600/l-84-003. PB84-138973.
- \*EPA. 1984b. Pesticide fact sheet: Disulfoton. Washington, DC: Office of Pesticide and Toxic Substances, Offices of Pesticide Programs.
- \*EPA. 1984c. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.
- \*EPA. 1985. Environmental Protection Agency. Code of Federal Regulations 40 CFR 117.3.
- \*EPA. 1986a. Test methods for evaluating solid wastes (SW-846). 3rd ed. Washington, DC: Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency.
- \*EPA. 1986b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 268.10.
- \*EPA. 1987a. Environmental Protection Agency. Code of Federal Regulations 40 CFR 355.
- \*EPA. 1987b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 264.
- \*EPA. 1987c. Environmental Protection Agency. Hazardous substances; reportable quantity adjustments; proposed rules. 40 CFR 117 and 302. Federal Register 52:8169.
- \*EPA. 1988a. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.
- \*EPA. 1988b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 268.43.
- \*EPA. 1988c. Method for the determination of organic compounds in drinking water. Cincinnati, OH: Environmental Monitoring Systems Laboratory, Office of Research and Development, U.S. Environmental Protection Agency. EPA 600/4-88-039.
- \*EPA. 1988d. The Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA). Section 313 of Title III. U.S. Environmental Protection Agency, Washington, DC.
- \*EPA. 1989a. Environmental Protection Agency. Code of Federal Regulations 40 CFR 148.

- \*EPA. 1989b. Drinking water health advisory: Pesticides. U.S. Environmental Protection Agency, Office of Drinking Water Health Advisory. Chelsea, MI: Lewis Publishers, 345-362.
- \*EPA. 1989c. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPA/600/890/066F.
- \*EPA. 1989d. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.4.
- \*EPA. 1989e. Environmental Protection Agency. Code of Federal Regulations 40 CFR 125.
- \*EPA. 1990. Health and environmental effects document for disulfoton. (Final draft). Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, U.S. EPA, Cincinnati, OH.
- \*EPA. 1991. Environmental Protection Agency. Code of Federal Regulations 40 CFR 258.
- \*EPA. 1992a. Environmental Protection Agency. Pesticide chemicals manufacturing category effluent limitations guidelines, pretreatment standards, and new source performance standards. 40 CFR 455. Federal Register 57:12560-12601.
- \*EPA. 1992b. Environmental Protection Agency. Code of Federal Regulations 40 CFR 455.50.
- \*EPA. 1992c. EPA Method 1657. Methods for the determination of nonconventional pesticides in municipal and industrial wastewater. U.S. Environmental Protection Agency.
- \*EPA. 1993. Environmental Protection Agency. Federal Register 58 FR 48092.
- \*EPA. 1994. Drinking water regulations and health advisories. Office of Drinking Water, U.S. Environmental Protection Agency, Washington, DC.
- \*Eta, M. 1974. Organophosphorus pesticides: Organic and biological chemistry. Cleveland, OH: CRC Press, 123-321.
- \*FAO/WHO. 1991. Pesticide residues in food-Disulfoton. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and a WHO Expert Group on Pesticide Residues. Food and Agriculture Organization of the United Nations and the World Health Organization, Rome, Italy. Pp. 151-172.
- \*Farm Chemicals Handbook. 1993. Farm Chemicals Handbook. 1993 ed. Meister Publishing Company, Willoughby OH.
- \*Fawade MM, Pawar SS. 1978. Alterations in mixed function oxidase system during thiodemeton (o-o diethyl S-2(ethylthio) ethyl phosphorothioate) toxicity. Indian J Exp Biol 16:481-484.
- \*Fawade MM, Pawar SS. 1980. Effect of phenobarbital pretreatment on mixed function oxidase and lipid peroxidation during thiodemeton toxicity. Indian J Exp Biol 18:645-647.
- \*Fawade MM, Pawar SS. 1983. Effect of NIC12 and cycloheximide on microsomal drug metabolism and ALA-synthetase during thiodemeton toxicity. Indian J Exp Biol 21:343-346.

- \*FDA. 1988. Food and Drug Administration Pesticide Program Residues in Foods 1987. J Assoc Off Anal Chem 7 1: 122A- 163A.
- \*FDA. 1990. Residues in foods, 1989 (3rd annual FDA pesticide residue monitoring program report). J Assoc Off Anal Chem 73(5):127A-146A.
- \*FDA. 1991. Residues in foods, 1990 (4th annual FDA pesticide residue monitoring program report). J Assoc Off Anal Chem 74(5):121A-140A.
- \*FDA. 1992. Residue monitoring, 1991 (5th annual FDA pesticide residue monitoring program report). J Assoc Off Anal Chem 75(5):135A-157A.
- \*FDA. 1993. FDA monitoring program, 1992 (6th annual FDA pesticide residue monitoring program report). J Assoc Off Anal Chem 76:127A-148A.
- \*Fitzgerald BB, Costa LG. 1992. Modulation of Ml and M2 muscarinic receptor subtypes following repeated organophosphate exposure in rats. Toxicol Appl Pharmacol 117:112-125.
- \*Fitzgerald BB, Costa LG. 1993. Modulation of muscarinic receptors and acetylcholinesterase activity in lymphocytes and in brain areas following repeated organophosphate exposure in rats. Fundam Appl Toxicol 20:210-216.
- \*Flucke W. 1986. S 276 Technical Study of subacute dermal toxicity to rabbits. Unpublished Report 14747 from Bayer AG, Institute of Toxicology, Wuppertal-Elberfeld, Germany.
- \*Foley DJ, McPhillips JJ. 1973. Response of the rat ileum, uterus and vas deferens to carbachol and acetylcholine following repeated daily administration of a cholinesterase inhibitor. Br J Pharmacol 48:418-425.
- \*Foley DJ, Stitzel RE, McPhillips JJ. 1973. The relationship between inhibition of acetylcholinesterase and sensitivity of the rat ileum to carbachol. Pharmacology 10:298-305.
- Frank R, Braun HE, Wilkie I, et al. 1991. A review of insecticide poisonings among domestic livestock in southern Ontario, Canada, 1982-1989. Can Vet J 32:219-226.
- \*Frank R, Logan L. 1988. Pesticide and industrial chemical residues at the mouth of the Grand Saugeen and Thames rivers Ontario Canada 1981-1985. Arch Environ Contam Toxicol 17:741-754.
- \*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Washington, D.C.: Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee, February 1990.
- \*Gaines TB. 1969. Acute toxicity of pesticides. Toxicol Appl Pharmacol 14:515-534.
- \*Garg AK, Sethi GR. 1980. Persistence of insecticide residues in paddy soil. Ind J Plant Protect 8:157-163.

- \*Gelardi RC, Mountford MK. 1993. Infant formulas evidence of the absence of pesticide residues. Meeting of the American Industrial Health Council on the Domestic Agenda for Risk Assessment, Washington D.C., USA, December 1, 1992. Regul Toxicol Pharmacol 17(2 Part 1):181-192.
- \*Gianessi LP. 1986. A national pesticide usage data base, summary of report submitted to the office of standards and regulations, U.S. EPA under cooperative agreement CR 811858-01-0 by Resources for the Future, Washington, DC.
- \*Gianessi LP, Puffer CA. 1992. Insecticide use in U.S. crop production. Resources for the Future, Washington, DC.
- \*Gigon PL, Gram TE, Gillette JR. 1969. Studies on the rate of reduction of hepatic microsomal cytochrome P-450 by reduced nicotinamide adenine dinucleotide phosphate: Effect of drug substrates. Mol Pharmacol 5:109-122.
- Gillette JR, Brodie BB, LaDue BN. 1957. The oxidation of drugs by liver microsomes: On the role of TPHN and oxygen. J Pharmacol Exp Ther 119:532-540.
- \*Gillette JR, Davis DC, Sesame HA. 1972. Cytochrome P-450 and its role in drug metabolism. Ann Rev Pharmacol 57-84.
- \*Glooschenko WA, Sirachan WMJ, Sarnpson RCJ. 1976. Distribution of pesticides and polychlorinated biphenyls in water, sediments, and seston of the upper Great Lakes-1974. Pestic Monit J 10:61-67.
- \*Gohre K, Miller GC. 1986. Photooxidation of thioether pesticides on soil surfaces. J Agric Food Chem 34:709-713.
- \*Goldfrank LR, Flomenbaum NE, Lewin NA, et al. 1990. Goldfrank's toxicologic emergencies. 4th ed. Norwalk, CT: Appleton and Lange, 684-692.
- \*Goodrich JA, Lykins BW Jr, Clark RM. 1991. Drinking water from agriculturally contaminated groundwater. J Environ Qual 20:707-717.
- Gopal PK, Ahuja SP. 1979. Lipid and growth changes in organs of chicks (Gallus domesticus) during acute and chronic toxicity with disyston and folithion. Indian J Exp Biol 17:1153-1154.
- \*Grant DL, Sherwood CR, McCully KA. 1969. Gas-liquid and thin-layer chromatography of phorate, disulfoton and five of their oxidation products. J Chromatogr 44:67-74.
- \*Greenhalgh R. 1978. Terminal residues of organophosphorus pesticides. Pure Appl Chem 50:513-518.
- \*Gunderson EL. 1988. FDA total diet study, April 1982-April 1984, dietary intakes of pesticides, selected elements and other chemicals. J Assoc Off Anal Chem 71:1200-1209.
- \*Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Co., 1079-1081.

- \*Hajjar NP, Hodg son E. 1980. Flavin adenine dinucleotide monooxygenase: Its role in the sulfoxidation of pesticides in mammals. Science 209:1134-1 136.
- \*Hajjar NP, Hodgson E. 1982. Sulfoxidation of thioether-containing pesticides by the flavin-adenine dinucleotide-dependent monooxygenase of pig liver microsomes. Biochem Pharmacol 31:745-752.
- \*Hallberg GR. 1989. Pesticide pollution of groundwater in the humid USA. Agric, Ecosys Environ 26:299-368.
- \*Hanna PJ, Dyer KP. 1975. Mutagenicity of organophosphorus compounds in bacteria and Drosophila. Mutat Res 28:405-420.
- \*Harris CI. 1969. Movement of pesticides in soil. J Agric Food Chem 17:88-82.
- \*Harris CK, Chapman RA, Tolman JH, et al. 1988. A comparison of the persistence in a clay loam of single and repeated annual applications of seven granular insecticides used for corn rootworm control. J Environ Sci Health [B] 23:1-32.
- \*Hattori H, Suzuki U, Yasuoka T, et al. 1982. Identification and quantitation of disulfoton in urine and blood of a cadaver by gas chromatography/mass spectrometry. Nippon Hoigaku Zasshi 36:411-413.
- \*Hayes RH. 1983. Oncogenicity study of disulfoton technical on mice. Study no. 80-271-04. Mobay Chemical Corporation, Corporate Toxicology Department, Stilwell, Kansas.
- \*Hayes RH. 1985. Chronic feeding/oncogenicity study of technical disulfoton (Di-Syston) with rats. Study no. 82-271-01. Mobay Chemical Corporation, Corporate Toxicology Department, Stilwell, Kansas.
- \*HazDat. 1994. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA. September 8, 1994.
- \*Hebert VR, Miller GC. 1990. Depth dependence of direct and indirect photolysis on soil surfaces. J Agric Food Chem 38:913-918.
- \*Helling CS, Dennison DG, Kaufman DD. 1974. Fungicide movement in soils. Phytopathology 64:1091-1100.
- \*Herbold B. 1980. Dominant lethal test on male mouse to evaluate S276 for mutagenic potential. Report No. 9440. Bayer AG, Institute of Toxicology, Wuppertal-Elberfeld, Germany.
- \*Herbold B. 1981. Micronucleus test on the mouse to evaluate for mutagenic effect. Report No. 10451. Bayer AG, Institute of Toxicology, Wuppertal-Elberfeld, Germany.
- \*Herbold B. 1983. POL test on E. coli to evaluate for potential DNA damage. Report No. 12139. Bayer AG, Institute of Toxicology, Wuppertal-Elberfeld, Germany.

- \*Hikita H, Miyata M, Ishikawa S. 1973. [Experimental study of chronic organophosphate (OP) insecticides in the beagle dog<sup>2</sup> activities of cholinesterases and residue of OP.] Nichi Gan Kaishi 77:1254-1265. (Japanese)
- \*Hildebrandt A., Estabrook RW. 1971. Evidence for the participation of cytochrome b5 in hepatic microsomal mixed-function oxidase reactions. Arch Biochem Biophys 143:66-79.
- Hill EF, Camardese MD. 1984. Toxicity of anticholinesterase insecticides to birds: Technical grade versus granular formulations. Ecotoxicol Environ Safety 8:551-563.
- Hixson EJ. 1982. Acute oral toxicity of Di-Syston technical in hens. Report no. 341. Mobay Chemical Corporation, Environmental Health Research Institute, Stilwell, Kansas.
- \*Hixson EJ. 1983. Acute delayed neurotoxicity study on disulfoton. Toxicology report no. 365 (Study no. 82-418-01). Mobay Chemical Corporation, Environmental Health Research Institute, Stilwell, Kansas.
- \*Hixson EJ, Hathaway. 1986. Effect of disulfoton (DI-SYSTON) on reproduction in rats. Study No. 82-67 l-02. Report No. 90965. Mobay Corporation, Corporate Toxicology Department, Stilwell, Kansas.
- \*Hodgson DW, J.F. Thompson, Watts, RR. 1982. Accuracy of pesticide reference standard solutions. Part II: Chemical stability under four storage conditions. J Assoc Off Anal Chem 65:94-102.
- \*Hoffman K, Weischer CH, Luckhaus G, et al. 1975. S 276 (disulfoton) chronic toxicity study on dogs (two-year feeding experiment). Report nos. 5618 and 45287. AG Bayer, West Germany.
- \*Holden PW. 1986. Pesticides and groundwater quality. Washington, DC: National Academy Press, 20-21, 44-45, 67, 69.
- \*Holstege DM, Scharberg DL, Richardson ER, et al. 1991. Multiresidue screen for organophosphorus insecticides using gel permeation chromatography-silica gel cleanup. J Assoc Off Anal Chem 741394-399.
- Holt TM, Hawkins RK. 1978. Rat hippocampal norepinephrine response to cholinesterase inhibition. Res Commun Chem Path01 Pharmacol 20:239-251.
- \*HSDB. 1994. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD.
- \*Hsu JP, Schattenberg HJ, Garza MM. 1991. Fast turnaround multiresidue screen for pesticides in produce. J Assoc Off Anal Chem 74(5):886-892.
- \*Huang CC. 1973. Effect on growth but not on chromosomes of the mammalian cells after treatment with three organophosphorus insecticides. Proc Sot Exp Biol Med 142:36-40.
- \*Hundley HK, Cairns T, Luke MA, et al. 1988. Pesticide residue findings by the Luke method in domestic and imported foods and animal feeds for fiscal years 1982-1986. J Assoc Off Anal Chem 71(3):875-892.

- \*Inukai H, Iyatomi A. 1976. Disulfoton: mutagenicity test on bacterial systems. Report No. 29. Nitokuno, Agricultural Chemicals Institute, Laboratory of Toxicology, Japan.
- \*IRIS. 1994. Integrated Risk Information System. U.S. Environmental Protection Agency, Cincinnati, OH. August 1994.
- \*IRPTC. 1985. IRPTC data profile on: Disulfoton. International Register of Potentially Toxic Chemicals, United Nations Environment Programme, Geneva, Switzerland.
- \*Ishikawa S, Miyata M. 1980. Development of myopia following chronic organophosphate pesticide intoxication: An epidemiological and experimental study. In: Merigan WH, Weiss B, eds. Neurotoxicity of the visual system. New York, NY: Raven Press, 233-254.
- \*Iyaniwura TT. 1991. Relative inhibition of rat plasma and erythrocyte cholinesterases by pesticide combinations. Vet Hum Toxicol 33:166-168.
- \*Jagannath DR. 1981. Mutagenic evaluation of S276 in the Saccharomyces cerevisiae reverse mutation induction assay. Study No. T4003065. Litton Bionetics Inc., Kensington, MD.
- \*Jury WA, Focht DD, Farmer WJ. 1987a. Evaluation of pesticide groundwater pollution potential from standard indices of soil-chemical adsorption and biodegradation. J Environ Qual 16:422-428.
- \*Jury WA, Winer AM, Spencer WF, et al. 1987b. Transport and transformation of organic chemicals in the soil-air-water. Ecosystem 99:119-164.
- \*Kadoum AM, Mock DE. 1978. Herbicide and insecticide residues in tailwater pits: Water and pit bottom soil from irrigated corn and sorghum fields. J Agric Food Chem 26(1):45-50.
- \*Kaloyanova FP, El Batawi MA. 1991. Organophosphorus compounds. In: Human toxicology of pesticides. Boca Raton, FL: CRC Press, 3-41.
- \*Kawasaki S, Ueda H, Itoh H, et al. 1992. Screening of organophosphorus pesticides using liquid chromatography-atmospheric pressure chemical ionization mass spectrometry. J Chromatogr 595:193-202.
- \*Kearney PC, Woolson EA, Plimmer JR, et al. 1969. Decontamination of pesticides in soil. Residue Rev 29:137.
- \*Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. Ecotoxicol Environ Safety 4:26-38.
- \*Kenaga EE, Goring CAI. 1980. Relationship between water solubility, soil-sorbtion, octanol-water partitioning, and bioconcentration of chemicals in biota. ASTM Special Technical Publication (SIP) 707. American Society for the Testing of Materials, Philadelphia, PA.
- \*Kennedy ER, Abel1 MT, Reynolds J, et al. 1994. A sampling and analytical method for the simultaneous determination of multiple organophosphorus pesticides in air. 'Am Ind Hyg Assoc J 55(12):1172-1177.

- \*Kikuchi H, Suzuki Y, Hashimoto Y. 1981. Increase of Beta-glucuronidase activity in the serum of rats administered organophosphate and carbamate insecticides. J Toxicol Sci 6:27-35.
- \*King PH, McCarty PL. 1968. A chromatographic model for predicting pesticide migration in soils. Soil Science 106:248-261.
- \*Kleinschmidt MG Jr. 1971. Fate of Di-Syston O,O-diethyl S-2-(ethylthio) ethyl phosphorodithioate in potatoes during processing. J Agric Food Chem 19: 1196-1 197.
- \*Klotzsche C. 1972. Disulfoton, 90 day feeding study in rats. Sandoz Agroforschung, Switzerland. Report No. 88585.
- \*Kordel W, Stutte J, Kotthoff G. 1993. HPLC-screening method for the determination of the adsorption-coefficient on soil: comparison of different stationary phases. Chemosphere 27(12):2341-2352.
- \*Krill RM, Sunzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. J Am Water Works Assoc 78:70-75.
- \*Kundiev YI, Rappoport MB. 1967. [Changes of the skin following application of organophosphorus insecticides.] Vrach Delo 5:106-109. (Russian).
- \*Kutz FW. 1983. Chemical exposure monitoring. Residue Rev 55:277-292.
- \*Kutz FW. 1983. Chemical exposure monitoring. Residue Rev 85:277-292.
- \*Kutz FW, Carey AE. 1986. Pesticides and toxic substances in the environment. J Arboriculture 12:92-95.
- \*Kutz FW, Yobs AR, Yang HSC. 1976. National pesticide monitoring program. In: R. E. Lee Jr., ed. Air Pollution from Pesticides and Agricultural Processes. Cleveland, OH, CRC press. Pp. 95-136.
- \*Lamb DW, Hixson EJ. 1983. Embryotoxic and teratogenic effects of disulfoton. Study no. 81-611-02. Mobay Chemical Corporation, Kansas City, MO.
- \*Lee SGK, Hanna LA, Johnston K, et al. 1985. Excretion and metabolism of Di-Syston in rats. Unpublished Report MR90946 from Mobay Corporation, USA.
- \*LeFever GS, Green RD. 1975. The effects of chronic ganglion blockade and chronic cholinesterase inhibition on the sensitivity of rabbit stomach muscularis to cholinergic and adrenergic agonists. J Pharmacol Exp Ther 193:739-747.
- \*Liao W, Joe T, Cusick WG. 1991. Multiresidue screening method for fresh fruits and vegetables with gas chromatographic/mass spectrometric detection. J Assoc Off Anal Chem 74:554-565.
- \*Light DR, Waxman DJ, Walsh C. 1982. Studies on the chirality of sulfoxidation catalyzed by bacterial flavoenzyme cyclohexanone monooxygenase and hog liver flavin adenine dinucleotide containing monooxygenase. Biochemistry 21:2490-2498.

- \*Litterst CL, Lichtenstein EP, Kajiwara K. 1969. Effects of insecticides on growth of HeLa cells. J Agric Food Chem 17:1199-1203.
- \*Llorens J, Crofton KM, Tilson HA, et al. 1993. Characterization of disulfoton-induced behavioral and neurochemical effects following repeated exposure. Fund Appl Toxicol 20:163-169.
- \*Lord KA, Burt PE. 1964. Effect of temperature on water solubility of phorate and disulfoton. Chem Ind 1262-1263.
- \*Lores EM, Bradway DE. 1977. Extraction and recovery of organophosphorus metabolites from urine using an anion exchange resin. J Agric Food Chem 25:75-79.
- \*Luke MA, Masumoto HT, Chims T, et al. 1988. Levels and incidences of pesticide residues in various foods and animal feeds analyzed by the luke multiresidue methodology for fiscal years 1982-1986. J Assoc Off Anal Chem 71:415-420.
- \*Maddy KT, Fong HR, Lowe JA, et al. 1982. A study of well water in selected California communities for residues of 1,3-dichloropropene, chlorallyl alcohol and 49 organophosphate or chlorinated hydrocarbon pesticides. Bull Environ Contam Toxicol 29:354-359.
- \*March RB, Fukuto TR, Metcalf RL. 1957. Metabolism of p32-dithio-systox in the white mouse and American cockroach. University of California, Citrus Experiment Station, Riverside, California. MRID 83215.
- \*McCarty PL, King PH. 1966. The movement of pesticides in soils. Purdue University, Engineering Bulletin Extension Series, 156-171.
- \*McCarty RT, Haufler M, Osbom MG, et al. 1969. Oral toxicity of four organophosphate insecticides to farm livestock. Am J Vet Res 1149-1153.
- \*McDonald Be, Costa LG, Murphy SD. 1988. Spatial memory impairment and central muscarinic receptor loss following prolonged treatment with organophosphates. Toxicol Lett 40:47-56.
- \*McPhillips JJ. 1969a. Altered sensitivity to drugs following repeated injections of cholinesterase inhibitor to rats. Toxicol Appl Pharmacol 14:67-73.
- \*McPhillips JJ. 1969b. Subsensitivity of the rat ileum to cholinergic drugs. J Pharmacol Exp Ther 166:249-254.
- McPhillips JJ, Coon JM. 1966. Adaptation to octamethyl pyrophosphoramide in rats. Toxicol Appl Pharmacol 8:66-76.
- \*McPhillips JJ, Dar MS. 1967. Resistance to the effect of carbachol on the cardiovascular system and on the isolated ileum of rats after subacute administration of an organophosphorus cholinesterase inhibition. J Pharmacol Exp Ther 156:507-513.
- \*Melnikov NN. 1971. Chemistry of pesticides. New York, NY: Springer-Verlag, 368-369.

- \*Menzer RE, Fontanilla EL, Ditman LP. 1970. Degradation of disulfoton and phorate in soil influenced by environmental factors and soil type. Bull Environ Contam Toxicol 5:1-5.
- \*Menzie CM. 1972. Fate of pesticides in the environment. Ann Rev Entomol 17:199-222.
- \*Merck. 1989. Merck index: an encyclopedia of chemicals, drugs, and biologicals. 1 lth ed. Budavari S, ed. Rahway NJ: Merck & <0., Inc.
- \*Mihail F. 1978. S 276 (Disyston active ingredient) acute toxicity studies. Report no. 7602a. AG Bayer, Institut fur Toxicologic, West Germany.
- \*Miller GC, Hebert VR, Miller WW. 1989. Effect of sunlight on organic contaminants at the atmosphere-soil interface. In: Reactions and movement of organic chemicals in soils. SSSA Special Publication no. 22, 99-110.
- \*Miller H, Cramer P, Drinkwine A, et al. 1981. Development of methods for pesticides in wastewater: Applicability of a general approach. Advances in Identifying and Analyzing Organic Pollution in Water 1:115-138.
- \*Minyard JP Jr, Roberts WE. 1991. State findings on pesticide residues in foods:1988 and 1989 J Assoc Off Anal Chem 74:438-452.
- \*Mitchell TH, Ruzicka JH, Thomson J, et al. 1968. The chromatographic determination of organophosphorus pesticides. Part III. The effect of irradiation on the parent compounds. J Chromatogr 32: 17-23.
- \*Morgan DP. 1982. Recognition and management of pesticide poisonings. 3rd ed. EPA 540/9-80-005. Washington, DC: U.S. Government Printing Office, 2.
- \*Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. Mutat Res 116:185-216.
- \*Mossman DJ, Schnoor JL, Stumm W. 1988. Predicting the effects of a pesticide release of the Rhine River. J Water Pollut Control Fed 60: 1806-1812.
- \*Mostaghimi S, McClellan PW, Cooke RA. 1993. Pesticide contamination of groundwater in Virginia: BMP impact assessment. Water Sci Technol 28(3):379-387.
- Mount ME, Oehme FW. 1981. Brain cholinesterase activity in healthy cattle, swine and sheep and in cattle and sheep exposed to cholinesterase-inhibiting insecticides. Am J Vet Res 42:1345-1350.
- \*Muhlmann K, Schrader G. 1957. [Hydrolysis of phosphoric acid ester insecticides]. Z Naturforschg [B] 12:196-203. (German)
- \*Munch DJ, Frebis CP. 1992. Analyte stability studies conducted during the national pesticide survey. Environ Sci Technol 29:921-925.
- \*Murphy RS, Kutz FW, Strassman SC. 1983. Selected pesticide residues or metabolites in blood and urine specimens from a general population survey. Environ Health Perspect 48:81-86.

- \*Murphy SD. 1986. Toxic effects of pesticides. In: Klaasen CD, Amdur MO, Doull J, eds. Casarett and Doull's toxicology. 3rd ed. New York, NY: Macmillan Publishing Co., 519-581.
- \*Murphy SD, Costa LG, Wang C. 1984. Organophosphate insecticide interaction at primary and secondary receptors. In: Narahashi T, ed. Cellular and molecular neurotoxicology. New York, NY: Raven Press, 165-176.
- \*Murty KV, Raju DSS, Sharma CBSR. 1983. Cytogenetic hazards from agricultural chemicals: 7. Herbicides, fungicides and insecticides screened for effects on chiasmata in Hordeum vulgare. Biologisches Zentralblatt (Leipzig) 102:57 l-576.
- \*Myram C, Forrest JD. 1969. The application of pesticide granules from the air. Chem Ind, 1851.
- \*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- \*Nash RG. 1974. Plant uptake of insecticides, fungicides and fumigants from soils. In: Guenzi WD, et al. eds. Pesticides in soil and water. Madison, WI: Soil Science of America Inc. Publishers, 257-313.
- \*NATICH. 1992. National Air Toxics Information Clearinghouse. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- \*NIOSH. 1992. Recommendations for occupational safety and health compendium of policy documents and statements. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. DHHS (NIOSH) publication no. 92-100.
- \*NOES. 1990. National occupational exposure survey 1981 1983. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnti, OH. July 1, 1990.
- \*OSHA. 1989. Air contaminants. Final rule. U.S. Department of Labor. Occupational Safety and Health Administration. Federal Register 54:2936.
- \*OSHA. 1992. Air contaminants. U.S. Department of Labor. Occupational Safety and Health Administration. Federal Register 57:26002.
- \*Osweiler GD, Carson TL, Buck WB, et al. 1985. Organophosphorous and carbamate insecticides. In: Clinical and diagnostic veterinary toxicology. 3rd ed. Dubuque, IA: Kendall/Hunt Publishing Co.., 298-317.
- \*OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-438. April 1990.
- \*Panda BB. 1983. Effect of the insecticides, oxydemeton, methyl and thiodemeton, on the mitotic and meiotic chromosomes of barley (Hordeum vulgare). Environ Exper Botany 23:293-296.
- \*Parker CE, Haney CA, Hass JR. 1982. High-performance liquid chromatography-negative chemical ionization mass spectrometry of organophosphorous pesticides. J Chromatogr 237:233-248.

- \*Pawar SS, Fawade MM. 1978. Alterations in the toxicity of thiodemeton due to the pretreatment of inducers, substrates and inhibitors of mixed function oxidase system. Bull Environ Contam Toxicol 20:805-810.
- \*Perrine SE, McPhillips JJ. 1970. Specific subsensitivity of the rat atrium to cholinergic drugs. J Pharmacol Exp Ther 175:496-502.
- \*Plumb RH Jr. 1991. The occurrence of Appendix IX organic constituents in disposal site ground water. Ground Water Monit Revue 11: 157-164.
- \*Paulsen LL. 1981. Organic sulfur substrates for the microsomal flavin-containing monooxygenase. Rev Biochem Toxicol 3:33-49.
- \*Puhl RJ, Fredrickson DR. 1975. The metabolism and excretion of Di-Syston by rats. Report no. 44261. Mobay Chemical Corporation, Chemagro Agricultural Division, Kansas, MO.
- \*Putman DL. 1987. Sister chromatid exchange in Chinese hamster ovary (CHO) cells. Study No. T51596.334. Microbiological Associates Inc., Bethesda, MD.
- \*Racke KD. 1992. Degradation of organophosphorus insecticides in environmental matrices. In: Chambers JE, Levi PE, eds. Organophosphates: Chemistry, fate, and effects. San Diego, CA: Academic Press, 47-78.
- \*Rae PSC, Davidson JM. 1982. Retention and transformation of selected pesticides and phosphorus in soil-water systems: A critical review. Engineering Research Laboratory, Office of Research and Development, Athens, GA. EPA-600/S3-82-060.
- \*Rae PSC, Homsby AG, Jessup RE. 1985. Indices for ranking the potential for pesticide contamination of groundwater. Proceedings of the Soil and Crop Science Society of Florida 44:1-8.
- \*Rae SLN, McKinley WP. 1969. Metabolism of organophosphorus insecticides by liver homogenates from different species. Can J Biochem 47:1155-1 159.
- \*Rivett KF, Bhatt A, Street AE, et al. 1972. Thio-demeton/oral toxicity to mice/dietary administration for three months. Huntington Research Centre. England. Report No. 5505/72/901.
- \*Robinson CP, Smith PW, Endecott BR. 1978. Depression of cholinesterase activity by ethylestrenol in organophosphorus-poisoned and normal rats. Toxicol Appl Pharmacol 44:207-211.
- \*Ruzicka JH, Thompson J, Wheals DD. 1967. The gas chromatographic determination of organophosphorus pesticides. Part II. A comparative study of hydrolysis rates. J Chromatogr 31:37.
- \*Ruzicka JH, Thomson J, Wheals BB. 1968. Gas-chromatographic determination of organophosphorus pesticides. Part V. Studies under field conditions. J Chromatogr 33:430-434.
- \*Ryan LC, Endecott BR, Hanneman GD, et al. 1970. Effects of an organophosphorus pesticide on reproduction in the rat. Department of Transportation, Federal Aviation Administration, Office of Aviation Medicine, AD 709327.

- \*Sanbom JK, Francis BM, Metcalf KL. 1977. The degradation of selected pesticides in soil: A review of published literature. Cincinnati, OH: U.S. Environmental Protection Agency. EPA 600/9-77-022.
- \*Sandhu SS, Waters MD, Simmon VP, et al. 1985. Evaluation of the genotoxic potential of certain pesticides used in Pakistan in basic and applied mutagenesis. Basic Life Sci 34:185-219.
- \*Savage EP, Bagby JR Jr, Mounce L, et al. 1971. Pesticide poisonings in rural Colorado. Rocky Mt Med J 6829-33.
- \*Schafer EW. 1972. Acute oral toxicity of 369 pesticidal, pharmaceutical, and other chemicals to wild birds. Toxicol Appl Pharmacol 21:315-330.
- \*Schafer EW Jr, Bowles WH Jr. 1985. Acute oral toxicity and repellency of 933 chemicals to house and deer mice. Arch Environ Contam Toxicol 14: 111-129.
- \*Schattenberg HJ III, Hsu J-P. 1992. Pesticide residue survey of produce from 1989 to 1991. J Assoc Off Anal Chem Int 75(5):925-933.
- \*Schroeder WH, Dobson M, Kane DM, et al. 1987. Toxic trace elements associated with airborne particulate matter: A review. J Air Pollut Control Assoc 37:1267-1285.
- \*Schwab BW, Costa LG, Murphy SD. 1983. Muscarinic receptor alterations as a mechanism of anticholinesterase (EC 3.1.1.7) tolerance. Toxicol Appl Pharmacol 71: 14-23.
- \*Schwab BW, Hand H, Costa LG, et al. 1981. Reduced muscarinic receptor binding in tissues of rats tolerant to the insecticide disulfoton. Neurotoxicology 2:635-647.
- \*Schwab BW, Murphy SD. 1981. Induction of anticholinesterase tolerance in rats with doses of disulfoton that produce no cholinergic signs. J Toxicol Environ Health 8:199-204.
- \*Shafik T, Bradway DE, Enos HF, et al. 1973. Human exposure to organophosphorus pesticides. A modified procedure for the gas-liquid chromatographic analysis of alkyl phosphate metabolites in urine. J Agric Food Chem 21:625-629.
- \*Shaw HR II. 1975. The metabolism of DI-SYSTON in soil. Research and Development Department, Chemagro Division of Baychem Corporation. Report No. 40234.
- \*Sheets LP. 1993a. An acute oral neurotoxicity screening study with technical grade disulfoton (DI-SYSTON) in rats. Study No. 92-412-OB, Report No. 103992. Miles Inc. Agriculture Division, Toxicology, Stilwell, Kansas.
- \*Sheets LP. 1993b. An subchronic dietary neurotoxicity screening study with technical grade disulfoton (DI-SYSTON) in Fischer 344 rats. Study No. 92-472-HS, Report No. 106332. Miles Inc. Agriculture Division, Toxicology, Stilwell, Kansas.
- \*Shiotsuka RN. 1988. Pilot assay to assess cholinesterase activity in rats exposed by inhalation to technical grade disulfoton. Study No. 88-941-AG. Report No. 98358. Mobay Corporation, Corporate Toxicology Department, Stilwell, Kansas.

- \*Shiotsuka RN. 1989. Subchronic inhalation toxicity study of technical grade disulfoton (DI-SYSTON) in rats. Study No. 88-141-UA. Report No. 99648. Mobay Corporation, Corporate Toxicology Department, Stilwell, Kansas.
- \*Shirasu Y, Moriya M, Tezuka H, et al. 1982. Mutagenicity screening studies on pesticides. In Proceedings of the 3rd Environmental Mutagens and Carcinogens International Conference, Sept. 21-27, 1981, Tokyo, 331-335.
- \*Shirasu Y, Moriya M, Tezuka H, et al. 1984. Mutagenicity of pesticides. Environ Sci Res 31:617-624.
- \*Singh AK, Hewetson DW, Jordon KC, et al. 1986. Analysis of organophosphorus insecticides in biological samples by selective ion monitoring gas chromatography-mass spectrometry. J Chromatogr 369:83-96.
- \*Singh BD, Singh Y, Sarma MDRK, et al. 1977. Cytogenetic aberrations and morphological changes induced by insecticide treatments of barley seed. Indian J Exp Biol 15:688-691.
- \*Sipes IG and Gandolfi AJ. 1986. Biotransformation of toxicants. In: Klaasen CD, Andur MO, Doull J, eds. Casarett and Doull's toxicology. 3rd ed. New York, NY: Macmillan Publishing Co., 64-98.
- \*Sittig M, ed. 1980. Pesticide manufacturing and toxic materials control encyclopedia. Park Ridge, NJ: Noyes Data Corporation, 366-373.
- \*Sittig M, ed. 1985. Handbook of toxic and hazardous chemicals and carcinogens, 2nd edition. M. Sittig, ed. Noyes Publications.
- \*Sittig M, ed. 1991. Disulfoton. In: Handbook of toxic and hazardous chemicals and carcinogens. 3rd ed. Park Ridge, NJ: Noyes Data Corporation, 695-696.
- \*Smith PW, Stavinoha WB, Ryan LC. 1968. Cholinesterase inhibition in relation to fitness to fly. Aerosp Med 39:754-758.
- \*Smyser BP, Sabourin PJ, Hodgson E. 1985. Oxidation of pesticides by purified microsomal FAD-containing monooxygenase from mouse and pig liver. Pest Biochem Physiol 24:368-374.
- \*Spalding RF, Snow DD. 1989. Stream levels of agrichemicals during a spring discharge event. Chemosphere 19:1129-1 140.
- \*SRI. 1994. 1994 Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 833.
- \*Stan HJ. 1989. Application of capillary gas chromatography with mass selective detection to pesticide residue analysis. J Chromatogr 467(1):85-98.
- \*Stan HJ, Mrowetz D. 1983. Residue analysis of organophosphoms pesticides in food with 2-dimensional gas chromatography using capillary columns and flame photometric detection. J High Res Chromatogr Chromatogr Corm-nun 6:255-263.

- \*Stavinoha WB, Ryan LC, Smith PW. 1969. Biochemical effects of an organophosphorus cholinesterase inhibitor on the rat brain. Ann N Y Acad Sci 160:378-382.
- \*Stevens JT, Greene FE. 1974. Alteration of hepatic microsomal metabolism of male mice by certain anticholinesterase insecticides. Bull Environ Contam Toxicol 11538544.
- \*Stevens JT, Greene FE, Stitzel RE, et al. 1973. Effects of anticholinesterase insecticides on mouse and rat liver microsomal mixed function oxidase. In: Deichmann W.B., Ed. Pesticides and the environment: A continuing controversy. Proceedings of the 8th Inter-American Conference on Toxicology and Occupational Medicine, University of Miami School of Medicine, 489-501.
- \*Stevens JT, Stitzel K, McPhillips JJ. 1972a. Effects of anticholinesterase insecticides on hepatic microsomal metabolism. J Pharmacol Exp Ther 181576-583.
- \*Stevens JT, Stitzel R, McPhillips JJ. 1972b. The effects of subacute administration of anticholinesterase insecticides on hepatic microsomal metabolism. Life Sci (II) 11:423-43 1.
- \*Su M, Kinoshita FK, Frawley JP, et al. 1971. Comparative inhibition of aliesterases and cholinesterase in rats fed eighteen organophosphorus insecticides. Toxicol Appl Pharmacol 20:241-249.
- \*Sundloff SF, Clemmons RM, Mayer DJ, et al. 1984. Cholinesterase activity in plasma, red blood cells, muscle, and brain of dogs following repeated exposure to Spotton (Fenthion). Vet Hum Toxicol 26:112-117.
- \*Suzuki H, Ishikawa S. 1974. Ultrastructure of the ciliary muscle treated by organophosphate pesticide in beagle dogs. Br J Ophthalmol 58:931-940.
- \*Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters, octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. Residue Rev 85:17-28.
- \*Szeto SY, Brown MJ. 1982. Gas-liquid chromatographic methods for determination of disulfoton, phorate, oxydemeton-methyl and their toxic metabolites in asparagus tissue and soil. J Agric Food Chem 30:1082-1086.
- \*Szeto SY, Mackenzie JR, Vernon RS, et al. 1983b. The degradation of disulfoton in lettuce after application for control of the lettuce aphid, Nasonovia ribisnigri (Mosley). J Environ Sci Health B18(6): 725-731.
- \*Szeto SY, Vernon RS, Brown MJ. 1983a. Degradation of disulfoton in soil and its translocation into asparagus. J Agric Food Chem 31:217-220.
- Szutowski MM. 1975. Effect of carbon tetrachloride on activation and detoxification of organophosphorus insecticides in the rat. Toxicol Appl Pharmacol 33:350-355.
- \*Takase I, Oyama 0. 1985. Uptake and bioconcentration of disulfoton and its oxidation compounds in carp, Cyprinus carpio L. J Pest Sci 10:47-53.

- \*Taylor RE. 1965a. Di-Syston, three generation rat breeding studies. Harris Laboratories, Inc. Report No. 17164.
- \*Taylor RE. 1965b. Report on demyelination studies on hens. Report no. 15107. Harris Laboratories, Inc.
- \*Tesh JM, Ross FW, Secher RG, et al. 1982. S 276: Effects of oral administration upon pregnancy in the rabbit. Report no. R 2351. Life Science Research, Essex, England.
- \*Thomas RG. 1990. Volatilization from water. In: Lyman WS, Reehl WF, Rosenblatt DH, eds. Handbook of chemical property estimation methods. Washington, DC: American Chemical Society, 15-16.
- \*Thornton JS, Anderson CA. 1968. Determination of residues of Di-Syston and metabolites by thermionic emission flame gas chromatography. J Agric Food Chem 16:895-898.
- \*Thornton JS, Hurley JB, Obrist JJ. 1976. Soil thin-layer mobility of twenty-four pesticides chemicals. Research and Development Department, Chemagro Agricultural Division, Mobay Chemical Corp. Report No. 51016.
- \*Thyssen JT. 1978. Acute inhalation toxicity. Report No. 7827. Bayer AG, Institute of Toxicology, Wuppertal-Elberfeld, Germany.
- \*Thyssen JT. 1980. Subacute inhalation study on rats. Report No. 9065. Bayer AG, Institute of Toxicology, Wuppertal-Elberfeld, Germany.
- \*Tomizawa L. 1975. Degradation of organophosphorus pesticides in soils with special reference to anaerobic soil conditions. Environ Qua1 Saf 4:117-127.
- \*Tomizawa L. 1980. Biological accumulation of pesticides in an ecosystem-evaluation of biodegradability and ecological magnification of rice pesticides by a model ecosystem. Japanese Agricultural Research Quarterly 14:143-149.
- \*Tynes RE, Hodgson E. 1985. Magnitude of involvement of the mammalian flavin-containing monooxygenase in the microsomal oxidation of pesticides. J Agric Food Chem 33:471-479.
- \*Uga S, Ishikawa S, Mukuno K. 1977. Histopathological study of canine optic nerve retina treated by organophosphate pesticide. Invest Ophthalmol Vis Sci 16:877-881.
- \*Uzokwu M. 1974. Comparative feto-toxicity of organophosphate insecticide in mice. Bull Epizoot Dis Afr 22:161-166.
- \*Vaughn G, Deiniger E, Doull J. 1958. Determination of a safe dietary level of Di-Syston for dogs. Department of Pharmacology, University of Chicago, Chicago, IL.
- \*Vaughn G, Deininger E, Doull J. 1958. Determination of a safe dietary level of Di-Syston for dogs. University of Chicago, Chicago, IL.

- \*VonRumker R, Lawless EW, Meiners AF. 1974. Production, distribution, use and environmental impact potential of selected pesticides. NTIS PB238 795.
- \*Wanner U, Egli, T., Fleischmann T, et al. 1989. Behavior of the insecticides disulfoton and thiometon in the Rhine River. A chemodynamic study. Environmental Science and Technology 23:1232-1242.
- \*Warnick SL, Eldredge JD. 1972. Human and environmental exposure to pesticides in Utah. Proceedings of the Utah Academy of Science Arts Letters 49:1972.
- \*Waters, MD, Nesnow S, Simmon VF, et al. 1981. Pesticides: Mutagenic and carcinogenic potential. ACS Symposium Series 160. Washington, DC: American Chemical Society, 89-113.
- \*Waters MD, Sandhu SS, Simmon VF, et al. 1982. Study of pesticide genotoxicity. Basic Life Sci 21:275-326.
- Watson M Jr, Benson WW Jr, Gabica J Jr. 1971. Accidental organophosphate poisoning in cattle, two case histories. Arch Environ Health 22582-583.
- \*Wauchope RD, Buttler TM, Hornsby HG, et al. 1992. The SCS/ARS/CES pesticide properties database for environmental decision-making. Rev Environ Contam Toxicol 12:1-36.
- \*Waxman DJ, Light DR, Walsh C. 1982. Chiral sulfoxidations catalyzed by rat liver cytochromes P-450. Biochemistry 21:2499-2507.
- \*Weil CS, Condra NJ, Carpenter CP. 1971. Correlation of four hour vs. 24 hour contact skin penetration toxicity in the rat and rabbit and use of the former for prediction of relative hazard of pesticide formulations. Toxicol Appl Pharmacol 18:734-742.
- \*Westfall DP, McPhillips JJ, Foley DJ. 1974. Inhibition of cholinesterase activity after postganglionic denervation of the rat vas deferens: Evidence for prejunctional supersensitivity to acetylcholine. J Pharmacol Exp Ther 189:493-498.
- White DH, Seginak JT. 1990. Brain cholinesterase inhibition in songbirds from pecan groves sprayed with phosalone and disulfoton. J Wild1 Dis 26:103-106.
- \*Whitmore RW, Kelly JE, Reading PL. 1992. National home and garden pesticide survey. Office of Pesticides and Toxic Substances, Biological and Economic Analysis Branch, U.S. Environmental Protection Agency, Washington, DC. NTIS PB92-174747.
- WHO. 1974. 1973 Evaluations of some pesticide residues in food: The monographs. WHO Pesticide Residue Series no. 3. Geneva, Switzerland: World Health Organization.
- \*WHO. 1976. 1975 Evaluation of some pesticide residues in food: The monographs. WHO Pesticide Residue Series no. 5. Geneva, Switzerland: World Health Organization.
- \*Winter CK. 1992. Dietary pesticide risk assessment. Rev Environ Contam Toxicol 127:23-67.

- \*Winterlin W, Seiper JM, Craigmill A, et al. 1989. Degradation of pesticide waste taken from a highly contaminated soil evaporation pit in California USA. Arch Environ Contam Toxicol 18:734-747.
- \*Wolfe HR, Staiff DC, Armstrong JP, et al. 1978. Exposure of fertilizer mixing plant workers to disulfoton. Bull Environ Contam Toxicol 20:79-86.
- \*Worthing CR, ed. 1987. The pesticide manual: A world compendium. 8th ed. Lavenham, Suffolk, UK: The Lavenham Press, Ltd., 320-321.
- \*Wysocka-Paruszewska B. 1970. Urine level of 4-hydroxy-3-methoxymandelic acid in urine of rats poisoned with phosphorus organic insecticides. Dissertationes Pharmaceuticae et Pharmacologicae 22:485-489.
- \*Wysocka-Paruszewska B. 1971. Changes in the urine level of 4-hydroxy-3-methoxymandelic acid in rats related to the degree of intoxication with Di-Syston. Dissertationes Pharmaceuticae et Pharmacologicae 23:271-274.
- \*Yang LL. 1988. CHO/HGPRT mutation assay. Study No. T5196.332. Microbiological Associates Inc., Bethesda, MD.
- \*Yashiki M, Kojima T, Ohtani M, et al. 1990. Determination of disulfoton and its metabolites in the body fluids of a Di-Syston intoxication case. Forensic Sci Int 48145-154.
- \*Yess NJ. 1991. Food and Drug Administration pesticide program residues in food 1990. J Assoc Off Anal Chem 74:1-20.
- \*Yess NJ, Houston MG, Gunderson EL. 1991. Food and Drug Administration pesticide residue monitoring of foods: 1978-1982. J Assoc Off Anal Chem 74:265-272.
- \*Zepp RG, Baug hman GL. 1978. Prediction of photochemical transformation of pollutants in the aquatic environment. In: Hutzinger U, Van Lilyveld IH, Zoeteman BCJ, eds. Aquatic pollutants. Oxford: Pergamon Press.
- \*Zepp RG, Baughman GL, Schlotzhauer PF. 1981. Comparison of photochemical behavior of various humic substances in water. I. Sunlight induced reactions of aquatic pollutants photosensitized by human substances. Chemosphere 10:109-1 17.
- \*Zweig G, Devine JM. 1969. Determination of organophosphorous pesticides in water. Residue Rev 26: 17-36.