UNITED STATES DEPARTMENT OF COMMERCE WASHINGTON 25, D. C.

National Bureau of Standards Certificate of Analyses

Standard Sample 122 D Cast Iron

(Car-Wheel)

	C		Mn	P		S			Si	Cu	Ni	Cr	V	Mo	Ti	As	N
ANALYST'	Total	Graphitic	Persulfate-Arsenite	Gravimetric (weighed as Mg ₂ P ₃ O ₇ after removal of arsenic)	Alkali-Molybdate®	Gravimetrie, (direct oxidation and final precipitation after reduction of iron)	Combustion	Evolution (HCl, sp. gr. 1.18, ZnS-iodine b theoretical sulfur titer c)	Perchloric acid dehydration		Weighed as nickel dimethylglyoxime	FeSO ₄ -KMnO ₄ titration		Photometric	$ m H_2O_2$ photometric		Distillation-titration
1	3.27	2.50	₫0. 4 99	0.282	∘ 0.280	0.094	f0.093	0.096	≈0.621	h0.055	0.031	i0.032	i0.012	0.004	№ 0.008	•0.018	10.003
	[m 3.31] [3.28]	2.4 8	.507		.277	.093	<u></u> 2.094		2.63	•.052	.025	₽.034	0.011ء	.004	r.009	s. 023	.005
. 3	t 3.27		.50		.278		u.0 90	 	.616	₹.060	.027	.031	0.007	₩.007			
4	3.27	2.52	×.506		{ .285 { •.287}	.091	*.0 91		.619	у.054	.036	.030	q.011	.004	z.008		
5	3.32	2.50	²¹ .504		.277		.086	ļ 	g.611	z2.054	.028	z3.034	.011	.004	.007		±4.004
6	3.30	2.48	*.510		.278	.093	 	≥5.089	≥0,g.63	•.050	.027	.033	٩.013	.005	.006		
7	3.23	2.48	≭. 50		.278	.091	 		26,8.64	₹.054	.031	.033	9.009	.003	.005	*.021	.004
Average	3.28	2.49	0.504	0.282	0.280	0.092	0.091	0.092	0.624	0.054	0.029	0.032	0.011	0.004	0.007	0.021	0.004
General average_	3.28	2.49	0.504	0.280		0.092		0.624	0.054	0.029	0.032	0.011	0.004	0.007	0.021	0.004	

- *Precipitated at 40°C, washed with a 1-percent solution of KNO₁ and titrated with alkali standardized by the use of acid potassium phthalate and the ratio 23 NaOH:1P.

 Sample annealed by covering with graphite and heating for 20 min at 685°C.

 Value obtained by standardizing the titrating solution by means of sodium oxalate through KMnO₄ and Na₂S₂O₃, and the ratio 21:1S.

 Molybdenum-blue photometric method.

 1-g sample burned in oxygen at 1,425°C, and sulfur dioxide absorbed in starch-iodide solution. The iodine was liberated from iodide by titration, during the combustion, with standard KIO₃ solution based on 93 percent of the theoretical factor.

 Donble dehydration with intervening filtration.

 Diethyldithiocarbamate photometric method. See
 J. Research NBS 47, 380 (1950) RP 2265.

- i Chromium separated from the bulk of the iron by hydrolytic precipitation with NathUO2, oxidized with persulfate, and titrated potentiometrically with ferrous ammonium sulfate.

 I Vanadium separated as in (i), oxidized with HNO3, and titrated potentiometrically with ferrous ammonium sulfate.

 L Cupferron separation after solution of the sample in diluted HCl (1+2). Vanadium separated by treatment with NaOH.

 Sulfuric acid digestion for 4 hr of a 1-g sample. See J. Research NBS 43, 201 (1949) RP2021.

 Gaseometric method.

 Combustion gases absorbed in NaOH-H₂O₂, and excess NaOH titrated with H₂SO₄.

 H₃S-CuS-CuO.

 Bicarbonate hydrolysis-perchloric acid oxidation.

 GFSO₂-(NH₂)₂SO₃-KMnO₄ method.

 Vanadium separated by Na₂CO₃ fusion.

- Distillation—H₃S-A₃S₄.
 Combustion-titration method,
 Combustion gases absorbed in AgNO₃ solution, and excess HNO₃ titrated with NaOH.
 H₃S-KI-Na₃S₂O₃ titration.
 Alpha-benzoinoxime method.
 Titrating solution standardized with a standard cast iron or steel.
 Finished by electrolysis.
 Spectrographic determination.
 Bismuthate—FeSO₄-KMnO₄.
 Bismuthate—FeSO₄-KMnO₄.
 Shockpurpoine photometric method.

 - *2 Neocuproine photometric method.
- Neccupronic pnotometric method.
 3 Diphenylcarbazide photometric method.
 34 Finished photometrically with Nessler's reagent.
 35 Solution in diluted HCI (1+1) and H₂S absorbed in mmoniacal cadmium chloride.
- Sulfuric acid dehydration.

List of Analysts

- 1. Ferrous Laboratory, National Bureau of Standards, J. I. Shultz in charge. Analysis by E. June Maienthal, J. R. Spann, and A. Skapars.
 R. H. Elder and R. E. Deas, American Cast Iron Pipe
 - Co., Birmingham, Ala.
- 3. G. M. Guiler, National Malleable and Steel Castings Co., Cleveland, Ohio.
- 4. J. E. Spittle, Ford Motor Co., Dearborn, Mich.
- 5. W. G. Rader, Republic Steel Corp., Buffalo District, Buffalo, N. Y.

 6. M. Powell and R. M. Wood, Republic Steel Corp.,
- Birmingham, Ala.
- 7. S. R. Dean, Tennessee Coal and Iron Division, United States Steel Corp., Fairfield, Ala.