U. S. Department of Commerce Maurice H. Stans Secretary

A. V. Astin Director

Certificate Standard Reference Material U-020 Uranium Isotopic Standard

	234U	2 3 5 U	2 3 6 U	238 [[
Atom percent	0.0125	2.038	0.0165	97.933
	±.0001	±.002	±.0001	±.002
Weight percent	0.0123	2.013	0.0164	97.959

The material consists of highly purified oxide, U_3O_8 . The atomic weight of the material is calculated to be 237.989 using the nuclidic masses 234.0409; 235.0439; 236.0457 and 238.0508.

The values for ²³⁴U and ²³⁶U were calculated from measurements at the National Burcau of Standards. The samples were spiked with high purity ²³³U to approximate the ²³⁴U concentration, the ratios ²³³U to ²³⁴U and ²³³U to ²³⁶U were measured on a triple-filament equipped surface ionization mass spectrometer with ion multiplier amplifier circuits.

The values for ²³⁵U and ²³⁸U were calculated from measurements of the ²³⁵U to ²³⁸U ratio made at the National Bureau of Standards on a triple-filament, surface ionization mass spectrometer equipped with dc amplifier characters. The observed ratios were corrected for mass discrimination effects by intercomparison with synthetic mixtures prepared at the 2 percent ²³⁵U level from high purity ³⁵U and ²³⁸U.

The limits indicated for the isotopic concentrations are at least as large as the 95-percent confidence limits for a single determination, and include terms for inhomogeneities in the material as well as analytical error. The ²³⁵U to ²³⁸U ratio for this standard, 0.02081, is known to at least 0.1 percent.

Mass spectrometry measurements at NBS were made by E. L. Garner on solutions prepared by L. A. Machlan.

The overall direction and coordination of the technical measurements leading to certification were performed under the chairmanship of W. R. Shields.

The technical and support aspects in the preparation, certification, and issuance of this Standard Reference Material were coordinated through the Office of Standard Reference Materials by J. L. Hague.

Washington, D. C. 20234 April 21, 1969 W. Wayne Meinke, Chief Office of Standard Reference Materials