

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER				
ABAETETUBA	1	.	1
ABONY	1
ADELAIDE	.	.	1	2
AGONA	3	34	47	60	75	6	.	6	.	2	.	.	.	233
ALABAMA	1	1
ALACHUA	1	3	.	1	2	.	.	.	7
ALBANY	.	.	.	2	2
AMSTERDAM	1	1	.	.	.	4	.	.	.	6
ANATUM	3	8	31	59	52	20	.	3	.	.	.	2	.	178
ARECHAVALETA	.	.	.	1	1
BABELSBERG	1	.	.	.	1
BANANA	.	.	11	11
BARDO	.	.	.	2	1	3
BAREILLY	.	.	.	2	1	2	.	.	.	5
BERE	.	.	1	1	1	.	.	.	3
BERTA	2	.	.	.	1	1	.	.	.	4
BINZA	.	3	1	.	.	.	4
BLOCKLEY	1	.	.	.	1
BOVISMORBIFICANS	.	.	1	9	1	11
BRAENDERUP	3	.	12	3	6	3	.	.	.	2	.	.	.	32
BRANDENBURG	1	.	5	1	1	1	9

(Continued)

TABLE 6
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER	
BREDENEY	3	36	19	10	1	1	1	2	.	.	72
CERRO	.	1	6	53	.	3	1	.	.	.	64
CHAILEY	.	.	2	2
CHAMELEON	1	.	1
CHARITY	1	.	1
CHESTER	2	.	.	2
CHOLERAESUIS	.	.	20	21
CHOLERAESUIS VAR KUN	.	.	184	1	.	1	186
CUBANA	2	.	2	2	1	7
DAYTONA	1	1
DERBY	.	3	157	11	.	1	.	1	1	.	174
DRYPOOL	.	.	1	3	.	.	.	2	.	.	6
DUBLIN	.	.	1	125	.	3	129
EALING	.	.	.	1	1
EASTBOURNE	7	.	7
ENTERITIDIS	2	.	4	11	3	5	.	6	.	.	31
FLINT	1	2	.	3
FLORIDA	1	1
FLUNTERN	1	.	1
FRESNO	1	.	1
GAMINARA	1	.	1

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
GERA	.	.	1	.	.	.	2	3
GIVE	2	.	3	15	3	.	2	.	2	.	5	32
GROUP 51	1	1
GROUP 52	3
GROUP 53	3
GROUP 56	1
GROUP 58	1	1	9
GROUP 59	1
GROUP 60	2
GROUP 61	10	17
GROUP 65	6
GROUP B	3	4	10	26	12	.	1	.	.	.	12	68
GROUP D1	.	.	1	29	31
GROUP G	1
GROUP H	1	5
GROUP I	2
GROUP K	.	30	.	1	1	39
GROUP L	2
GROUP O	2
GROUP P	1	6
GROUP R	1	.	.	.	1	4

(Continued)

TABLE 6
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
GROUP S	1	7	.	8
GROUP V	.	.	1	1	.	1	.	1	9	.	.	13
GROUP W	1	.	.	1
GROUP X	1	.	.	5	.	.	6
GROUP Y	1	.	.	.	12	.	.	13
GROUP Z	2	.	.	1	18	.	.	21
HAARDT	1	1
HADAR	10	26	.	3	.	.	5	.	2	.	.	46
HARMELEN	1	.	.	1
HARTFORD	.	1	1	1	7	.	.	1	.	.	.	11
HAVANA	.	.	.	8	.	.	.	1	.	.	.	12
HEIDELBERG	53	121	91	39	4	7	.	13	1	1	1	330
HIDALGO	1	1
HINDMARSH	.	.	.	1	1
HOUTEN	2	.	.	2
HUENINGEN	1	.	.	1
HVITTINGFOSS	1	2	.	.	3
ILLINOIS	1	1
INDIANA	2	.	.	.	2
INFANTIS	1	.	29	16	10	4	.	6	1	.	.	67
ISTANBUL	1	1	1	.	.	1	4

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER				
JANGWANI	2	.	2
JAVA	.	1	.	2	4	1	.	.	.	1	.	.	.	9
JAVIANA	.	3	.	1	9	1	.	.	.	14
JOHANNESBURG	2	.	7	1	1	2	.	.	2	6	.	.	.	21
KENTUCKY	12	2	.	59	6	1	.	.	1	5	.	.	.	86
KIAMBU	.	.	.	3	1	1	.	.	1	5
KINSHASA	4	4
KISARAWA	1	.	1
KREFELD	.	.	7	1	.	.	.	8
LEXINGTON	2	2
LILLE	3	1	.	1	5
LINDERN	1	.	1
LITCHFIELD	1	.	3	5	2	2	.	.	2	1	.	.	.	14
LIVINGSTONE	.	.	1	2	3
LOHBRUEGGE	8	.	8
LOMALINDA	1	.	.	.	1	.	.	.	2
LOME	1	.	1
LONDON	.	.	2	1	.	1	.	.	1	4
MANHATTAN	.	.	1	2	2	.	5
MANILA	.	.	.	5	5
MARINA	3	1	4

(Continued)

TABLE 6
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER		
MBANDAKA	5	4	8	48	5	3	3	3	.	.	.	76
MELEAGRIDIS	.	.	3	43	4	3	3	53
MIAMI	2	.	.	.	2
MINNEAPOLIS	.	.	.	1	1
MINNESOTA	.	.	1	1	.	.	.	5	.	.	.	7
MISSISSIPPI	2	1	3
MOLADE	.	.	.	1	1
MONSCHAUI	1	1
MONTEVIDEO	5	17	9	84	15	8	8	6	.	.	.	144
MOWANJUM	1	1
MUENCHEN	1	5	31	6	8	3	3	4	.	.	3	61
MUENSTER	.	58	6	68	12	4	4	3	.	.	3	154
NEBRUNSWICK	.	.	.	12	.	1	1	3	.	.	1	17
NEWHAW	.	.	.	8	1	9
NEWINGTON	.	1	.	3	3	2	9
NEWPORT	.	.	13	94	36	14	14	18	.	7	1	183
NORWICH	.	.	1	.	1	2
OHIO	.	2	11	2	.	2	2	17
ORANJENBURG	1	.	10	14	17	4	4	1	.	2	.	49
ORION	1	1	1
OSLO	2	.	2

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER				
OVERSCHIE	1	.	1
PANAMA	.	2	.	1	1	1	1	1	.	6
PHOENIX	2	2
POMONA	.	.	1	2	1	.	4
POONA	.	.	.	1	3	4	.	8
PUTTEN	.	.	5	5
RAMATGAN	2	.	.	2
READING	.	3	2	6	.	.	2	.	.	.	1	.	.	14
RISSEN	1	1
RUBISLAW	.	.	.	2	8	.	1	.	.	.	8	1	.	20
SACHSENWALD	1	.	1
SAINTPAUL	.	15	5	1	1	1	1	.	.	.	7	1	1	32
SANDIEGO	1	2	.	.	3
SCHWARZENGRUND	4	3	3	16	10	1	1	.	.	.	2	.	.	39
SENFTEMBERG	14	105	8	12	4	4	1	1	.	.	11	.	.	159
STANLEY	1	1	.	2
SUNDSVALL	1	.	1
TAKSONY	.	.	1	1	.	.	2
TENNESSEE	.	17	3	3	3	3	1	.	.	.	1	.	.	28
THOMASVILLE	3	3
THOMPSON	3	.	1	16	23	7	3	2	.	55

(Continued)

TABLE 6
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES
 REPORTED TO CDC AND NVSL BY SEROTYPE AND SOURCE, 1999

SEROTYPE	NONHUMAN SOURCE											TOTAL		
	CHICKEN	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMALS/ ENVIRONMENT	FEED/FEED SUPPLEMENTS	OTHER BIRDS/WILD ANIMALS	REPTILES	ALL OTHER	TOTAL			
TUINDORP	1	.	1
TYPHIMURIUM	14	44	146	454	142	50	1	80	2	4	937			
TYPHIMURIUM VAR COPE	13	60	246	491	50	28	.	37	.	3	928			
UGANDA	.	1	9	13	.	.	.	1	.	1	25			
URBANA	1	.	.	.	1	.	2			
VIRGINIA	1	.	1			
WANDSEK	1	.	1			
WANDSWORTH	1	.	1			
WASSENAAR	1	1	.	2			
WIDEMARSH	2	.	2			
WORTHINGTON	.	8	21	6	2	.	.	4	.	.	41			
TOTAL	173	623	1207	1989	562	236	4	306	219	18	5337			